

ENTOURAGE METALS LTD.

Work Assessment Report
for the

Northern Arm Properties

Gowan Lake and Valley Lake Claim Blocks

Wabikoba Lake, Lorna Lake and Black River Townships

NTS 42C/13

October 2012

Prepared by:

John Florek Senior Geologist
Kaleb Boucher Geologist

Figures and Maps by:

Kyle Drake

Table of Contents

1. Introduction	1
2. Property Location, Claims, and Access	1
3. Physiography and Vegetation	5
4. Regional Geology	5
5. Local Geology.....	6
6. Exploration History.....	6
7. Exploration Program	11
a. B-Horizon Soil Survey	11
b. Lithogeochemistry/Prospecting	18
8. Conclusions.....	22
9. References	23

Appendices

Appendix A	Breakdown of Costs
Appendix B	Invoices
Appendix C	Soil Survey Assay Results and Interpretations (figures 1 to 6)
Appendix D	Lithogeochemistry Assay Results
Appendix E	Field Notes (Soil Survey)
Appendix F	Option Agreement and Agents Letters
Appendix G	Assessment Work Performed

List of Figures

Figure 1. Regional Map (1 : 3,000,000)	2
Figure 2. Localized Map, Gowan Lake and Valley Lake	3
Figure 3. Regional Geology Map; Hemlo Greenstone Belt	7
Figure 4. Local Geology Map	8
Figure 5. B-Horizon Soil Survey Map	12
Figure 6a. Northern Zone A Soil Survey Sample Locations	14
Figure 6b. Southern Zone A Soil Survey Sample Locations	15
Figure 6c. Zone B Soil Survey Sample Locations	16
Figure 6d. Zone C Soil Survey Sample Locations	17
Figure 7. Rock Sample Locations	21

List of Tables

Table 1. Gowan Lake Claims	4
Table 2. Valley Lake Claims	4
Table 3. Lithogeochemistry Sample Descriptions	19

Introduction

The Northern Arm Properties, located within the Schrieber-Hemlo Greenstone belt is of particular interest to mineral exploration due to the proximity to the Hemlo Mines, which lies approximately 10 km to the south of the property. Gowan Lake and Valley Claims make up the western portion of the Northern Arm Properties, which the work was performed. This section of the Northern Arm is relatively underexplored historically despite the proximity to the mines. In the summer of 2012, Entourage Metals Ltd. began a Phase I program at the Gowan Lake and Valley Lake Claims consisting of a B-Horizon Soil Sampling Survey, geologic mapping, and prospecting. This report summarizes the work completed on the Phase I program during the summer and fall of 2012. **Appendix A and Appendix B** detail the costs associated with the project and the major invoices.


Property Location, Claims, and Access

The Gowan Lake and Valley Lake Claims are situated approximately 14 km north of the Hemlo Mines, 36 km south of the town of Manitouwadge, Ontario and 35 km east-northeast of the town of Marathon, Ontario (**Figure 1**). The claims are located in the Thunder Bay Mining District in the Wabikoba Lake, Lorna Lake, and Black River Townships. Most of the claims are contained within the National Topographic System (NTS) map 42C/13, though portions of the Gowan Lake Claims lie in NTS 42C/12, 42D/09, and 42D/16 (**Figure 2**). The Gowan Lake Claims are owned 100% by Entourage Metals Ltd. and consist of 28 contiguous claims totalling 308 claim units. The Valley Lake Claims consists of 5 contiguous claims totalling 38 claim units and is also contiguous with the Gowan Lake Claims. Valley Lake is 100% owned by local prospector, Brian Fowler. In March, 2011, Entourage Metals entered an option agreement with Brian Fowler to work the Valley Lake Claims. The agreement can be viewed in **Appendix F**. All of the claims for Gowan Lake and Valley Lake are listed in **Table 1** and **Table 2** respectively.

Highway 614, north of the Trans-Canadian Highway provides easy access to the northern and central part of the Gowan Lake Claims. In addition, numerous logging roads throughout the property, as well as an abandoned railroad provide access to other portions of the property further from the highway. The Black River, which runs through the central part of the Gowan Claims, also provides canoe access throughout the southern portion of the claim and the Valley Lake Claims. A cut line from previous work done by Brian Fowler in 2003 exists on the Valley Lake Claims, which also can be used for access. **Figure 2** shows a map of the various access routes across the claims.

Figure 1.
Northwestern Ontario
Location Map
Northern Arm Properties


●	Communities
—	Highway
■	Water



Produced by Entourage Metals under license from
Canadian Mapping Resources. Copyright (c) Queens Printer 2012.
Vector Base Data supplied by the MNR.
UTM Projection, NAD83, Zone 16



Figure 2.
Northern Arm Properties
Location Map



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR. UTM Projection, NAD83, Zone 16




Table 1. Gowan Lake Claims

Claim #	Anniv. Due Date	Claim Units	Owner	Township
4258108	October 14, 2012	6	Entourage Metals (100%)	BLACK RIVER AREA
4258109	October 14, 2012	16	Entourage Metals (100%)	BLACK RIVER AREA
4258110	October 14, 2012	4	Entourage Metals (100%)	WABIKOBA LAKE
4258111	October 14, 2012	12	Entourage Metals (100%)	WABIKOBA LAKE
4258112	October 14, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258113	October 14, 2012	11	Entourage Metals (100%)	WABIKOBA LAKE
4258114	October 14, 2012	12	Entourage Metals (100%)	WABIKOBA LAKE
4258115	October 14, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258116	October 14, 2012	12	Entourage Metals (100%)	WABIKOBA LAKE
4258117	October 14, 2012	12	Entourage Metals (100%)	WABIKOBA LAKE
4258118	October 14, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258119	October 14, 2012	11	Entourage Metals (100%)	WABIKOBA LAKE
4258120	October 14, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258121	October 14, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258136	October 25, 2012	4	Entourage Metals (100%)	WABIKOBA LAKE
4258137	October 25, 2012	4	Entourage Metals (100%)	LORNA LAKE AREA
4258138	October 25, 2012	12	Entourage Metals (100%)	WABIKOBA LAKE
4258139	October 25, 2012	9	Entourage Metals (100%)	WABIKOBA LAKE
4258140	October 25, 2012	6	Entourage Metals (100%)	WABIKOBA LAKE
4258141	October 25, 2012	8	Entourage Metals (100%)	WABIKOBA LAKE
4258142	October 25, 2012	15	Entourage Metals (100%)	WABIKOBA LAKE
4258143	October 25, 2012	16	Entourage Metals (100%)	WABIKOBA LAKE
4258144	October 25, 2012	10	Entourage Metals (100%)	LORNA LAKE AREA
4258145	October 25, 2012	5	Entourage Metals (100%)	LORNA LAKE AREA
4258146	October 25, 2012	8	Entourage Metals (100%)	WABIKOBA LAKE
4258147	October 25, 2012	3	Entourage Metals (100%)	WABIKOBA LAKE
4261136	June 2, 2013	16	Entourage Metals (100%)	WABIKOBA LAKE
4261137	June 2, 2013	16	Entourage Metals (100%)	WABIKOBA LAKE

Table 2. Valley Lake Claims

Claim #	Due Date	Claim Units	Owner	Township
1194297	July 12, 2013	8	Brian Fowler (100%)	WABIKOBA LAKE
4246101	February 17, 2013	10	Brian Fowler (100%)	WABIKOBA LAKE
4246102	February 17, 2013	10	Brian Fowler (100%)	WABIKOBA LAKE
4246299	April 28, 2013	4	Brian Fowler (100%)	WABIKOBA LAKE
4246300	April 28, 2013	6	Brian Fowler (100%)	WABIKOBA LAKE

Physiography and Vegetation

The topography at the Gowan and Valley Lake Claims are generally very rugged. The northern portion of these claims is roughly bisected by Highway 614. The area adjacent to the highway exhibits low topography and is relatively swampy. West and east of the highway however, are very large and often steep hills, most of which exposes bedrock. The highest elevation on the property is approximately 470 m above sea level and occurs on the northeastern part of the claim group. The central portion of the Gowan Lake Property is generally flatter with less topographic relief with several northeast-southwest trending lakes (including Phil Lake and Petrant Lake). The Black River dissects the claim group in the lower central part of these claims. The lowest elevation (260 m above sea level) exists at the Black River in the southern part of the claims. The southwestern limb of the claim group is generally hilly with some small outcrop exposed cliffs with fewer wet, marshy areas.

The vegetation is typical for northwestern Ontario. The area is moderately forested and can be thinner in areas where historic logging took place. Tree cover consists of white birch, white and black spruce, and balsam fir. Deadfall is very common, especially in the more rugged and hilly northern portions of the claims. A very thick, tangled undergrowth of mountain maple and speckled alder is pervasive throughout the area.

Regional Geology

The Gowan and Valley Lake Claims are located in the eastern section of the Archaean (2.77 Ga – 2.70 Ga) Schreiber-Hemlo greenstone belt within the Wawa Subprovince of the Superior Province. The belt is sandwiched between the Black-Pic Batholith/Gowan Lake Pluton and the Pukaskwa Gneissic Complex, which lie to the north and south respectively. The Black-Pic Batholith is composed of tonalitic to granodioritic intrusions and is intruded in the south by the quartz monzodiorite to granodiorite Gowan Lake Pluton. The Pukaskwa Gneissic Complex is primarily a migmatitic to gneissic tonalite.

Muir (1983) divided the volcanic rocks of the Hemlo greenstone belt into two groups, the Playter Harbour group and the Heron Bay group. The Playter Harbour group consists of tholeiitic basalts and minor intercalated felsic tuff and siltstone. Rare chert and amphibolite also occur in the Playter Harbour group as well as isolated bodies of pyroxenite and Iherzolite. Locally graphitic mudstone with pyrrhotite, chalcopyrite and pyrite occur. The Heron Bay group consists of dacitic to rhyolitic pyroclastic rocks (including tuffs and breccias) and calc-alkalic basalts (taken from Selway et al., 2010). Tholeiitic basalts occur in the areas around Gowan Lake and Valley Lake.

Several deformation zones are present throughout the area, of which the Hemlo Fault Zone is economically of most interest. The Hemlo deposit sits on the Hemlo Fault Zone; which extends from the Coldwell Alkalic Complex, through the southern margins of the Hemlo deposit, and ending near the town of White River (Williams et al., 1991). Metamorphism is variable within the belt, with lower grades

within the west, and medium grades in the east (Selway et al., 2010). **Figure 3** shows the regional geology around the Gowan Lake and Valley Lake Claims.

Local Geology

The Gowan Lake and Valley Lake Properties lie in the western portion of the northern arm extension of the Hemlo Greenstone belt. The supracrustal rocks on the properties consist predominantly of northeast trending sequences of metavolcanic and metasedimentary rocks. Volcanics include tholeiitic basalt flows and pillows, subordinate tuffs with intercalated units of arkosic wackes and siltstones. Intermediate and felsic volcanic tuffs and/or volcanoclastic interbeds occur locally within these units (Londry, 1995). These sequences of metavolcanics and metasediments are bound to the west and north by the Black-Pic Batholith and the intruding Gowan Lake Pluton (described above in Regional Geology). East of the properties lies the Musher Lake Pluton, a hornblende-biotite tonalite. The Cedar Lake Pluton, variably a microcline-megacrystic hornblende-biotite granodiorite lies to the southeast of the claims. Several smaller intrusions of hornblende-biotite granodiorite appear throughout the property as well. Diabase dikes intrude into the volcanic and sediment sequences through the property as well, especially in the northern Gowan claims. See **Figure 4** for a local geology map of the properties.



Several mineral occurrences of economic interest occur throughout the Gowan and Valley Claims. The Jenny Creek Occurrences consist of three separate gold and zinc occurrences located in the north eastern section of the Gowan Claims. Jenny Creek North contains 0.43% Zn in a folded discontinuous iron-formation. Jenny Creek South contains 0.5% Zn in altered mafic flows. Both gold and zinc are found in the central Jenny Creek Occurrence (1.2ppm Au, 0.27% Zn). The Lampson Road Occurrence surfaces in the far northeast of the Gowan Lake Property and contains 1.34% Zn and 0.325% Cu. Two showings of the Turner Occurrence lie just below the Jenny Creek Occurrences containing up to 0.75% Zn and 1.12 ppm Au. Silicious sediments host the Kusins Occurrence (also named the Ihnatko-Kusins Occurrence) located in the Valley Lake Claims. Up to 10.7% Zn, 8.9% Pb, and 85.7 ppm Ag have been found at this location.

Exploration History

Little mineral exploration history is known before the mid 1960's at the Gowan Lake and Valley Lake Claims. The discovery of the Hemlo deposit in the early 1980's caused a surge in the exploration activity in the area for over a decade, especially in the southwestern portion of the property. Relatively little work has been completed on the properties since the mid 1990's. Below is a more detailed description of the exploration work completed on the properties.

1963 – 1967: Very little public information was found for work completed on the Gowan Lake and Valley Lake Claims prior to 1965. The Ihnatko-Kusins Occurrence, on the present day Valley Lake Claims was discovered in 1963. The occurrence was trenched and was reported to run over 20 oz of silver (Simoneau, P., 1991). Limited geophysical work and drilling was completed by **Cominco Ltd.** in 1965. **Caravelle Mines Ltd.** completed an airborne magnetic survey in 1965 that covered part of the property

Figure 3.
Northern Arm Properties
Showing Location of
Gowan & Valley Lake Claims
Regional Geology



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR. UTM Projection, NAD83, Zone 16




Figure 4. Gowan Lake & Valley Lake Claims Local Geology

Mineral Occurrences

- ▲ Jenny Creek
 - 1) 0.43% Zn
 - 2) 0.27% Zn and 1.2 ppm Au
 - 3) 0.5% Zn
- Kustins
 - 4) Slipous sediments w/ 10.7% Zn, 8.9% Pb and 65.7 ppm Ag
- ▲ Lampson Road
 - 5) Iron Formation w/ 1.34% Zn and 0.325% Cu.
- Turner
 - 6) 0.75% Zn
 - 7) 1.12 ppm Au and 0.43% Zn


— Highway
 - - - Service Road
 — Railway
 □ Gowan Lake Claims
 □ Valley Lake Claims
 □ Northern Arm Properties
 □ Water Body

Geology

- Batholiths - Mixed Terranes 2720-2688 Ma
- Felsic Metavolcanic Rocks
- Gabbro
- Intermediate Metavolcanic Rocks
- Mafic Intrusive Rocks
- Mafic Metavolcanic Rocks
- Metamorphosed Mafic Intrusive Rocks
- Metamorphosed Ultramafic Intrusive Rocks
- Metasedimentary Rocks
- Pluton 2697 Ma
- Plutons 2679-2677 Ma
- Plutons and Stocks 2688-2684 Ma
- Syenite
- Ultramafic Metavolcanic Rocks



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR & MNDM. MDI from Geology ON. UTM Projection, NAD83, Zone 16



(central portion of the claims, around Phil Lake). The company drilled two drillholes in 1967 just off of the Gowan Lake Property although no significant findings were recorded. In 1967, **Falconbridge Nickel Mines Ltd.** completed ground-based magnetic and electromagnetic surveys over the area around Phil Lake. Although anomalies for both surveys were found in the area, no information on follow-up work was found.

1983 - 1984: The discovery of the Hemlo Deposit in 1983 resulted in a major surge in exploration in the surrounding area, including the southern and central portions of the Gowan Lake Property. Multiple airborne geophysical surveys (magnetic and electromagnetic) were carried out by Aerodat Ltd. for several different exploration companies in 1983. The Brinklow Property (located between Phil Lake and Petrant Lake and northwest of Amwri Lake) was acquired by **Homestake Mineral Development Company** through a joint-venture from **Argentex Resources** and **Lenora Exploration**. Geologic mapping, a soil geochemistry, an IP survey, and nine diamond drillholes were completed on the property between 1983 and 1984. No significant soil geochemistry anomalies were identified with the exception of a single sample with 350 ppb Au. However, reconfirmation of this sample did not yield any anomalous gold. None of the nine diamond drillholes encountered any significant gold anomalies. The Tylox Property, near the southeastern section of the Gowan Lake Property had work completed on it through a joint-venture between Homestake and **Tylox Resource Corporation** in 1983. Tylox Resource Corp. completed line cutting, and magnetic and electromagnetic surveys on the property and minor geophysical anomalies were identified. Homestake completed a soil survey over the area with no significant findings. Homestake also conducted other separate soil surveys near the southern portion of the Gowan Lake Property, although no significant findings were encountered.

Noranda Exploration Company Ltd. completed geophysical surveys (IP, Magnetics, and Resistivity) in 1983 on the Pryme Energy Optioned claims, covering almost the entirety of the present day Gowan Lake and Valley Lake Properties. Several geophysical anomalies were identified by the surveys. B-Horizon soil sampling was also conducted over the same area in 1984. Several isolated Au anomalies were identified, with the highest being 810 ppb Au. Trenches were dug in these areas, though no significant gold was found. Noranda followed up with drilling five holes near Phil Lake and Petrant Lake. Zones of increased sulfide mineralization were encountered, though there were no significant assays.

Several other companies completed work during this time period with varying results. **Key Lake Exploration** and **Brandy Brook Mines Ltd.** (joint-venture) completed a magnetic and electromagnetic survey in the north central part of the Gowan Property. Key Lake also did some geologic mapping and prospecting (with no assays) around the Phil Lake area. **Seemar Mines Ltd.** Conducted a soil survey over their claims, now the western portion of the Gowan Lake claims, though no significant results were encountered. **Canamax Resources Inc.** drilled four holes directly off of the southeastern portion of the Gowan property in 1984. Some zones of sulfide mineralization were encountered in greywackes and felsic intrusives, though no gold was found. The core however, was only assayed for gold.

1985 - 1990: Magnetic and Electromagnetic surveys were completed on the present day Valley Lake claims in 1985 by **Shediac Bay Resources Inc.** The company also completed a 464 sample Humus

geochemistry survey as well as prospecting. None of the rock samples yielded significant gold values, though several soil samples returned with anomalous gold. One soil sample assayed contained 3050 ppb Au, though splits of the sample both returned less than 1 ppb Au. **Key Lake Exploration** and **Brandy Brook Mines** completed B-horizon soil sampling, mapping, and geophysical surveys (magnetic and electromagnetic) on the northeastern portion of the Gowan Claims. **Dolphin Explorations Inc.** conducted a soil sampling program that returned anomalous Au, Cu, and Zn near Phil Lake, though no follow up work was performed. No work was found to be completed between 1988 and 1990.

1991 - 1994: In 1991 and 1992, **Pierre Simoneau** conducted line-cutting, magnetic and electromagnetic surveys, prospecting, and a rhometer survey over the area of the present day Valley Lake Claims to relocate the Inhatko-Kusins Occurrence. The geophysical techniques did not yield any significant anomalies, though one grab sample from a historic trench returned with 10.7% Zn, 8.9% Pb, and 2.5 oz/ton Ag.

Newmont Exploration Ltd. conducted a field mapping and alteration study in 1991 on their Summers Lake Property covering a bulk of the central part of the present day Gowan Claims. Newmont drilled two holes (SL-1 and SL-2). Neither of the holes were said to have encountered any significant gold mineralization at the time of the drill program. The property was then picked up by **Noranda Exploration Company Ltd.** who performed a magnetic and electromagnetic survey along with prospecting, trenching and mapping in the areas around Pinegrove Lake (Lampson Lake-Pinegrove Lake Property). Rock samples identified some minor Zn and Cu anomalies (0.41% Zn, 0.69% Cu) east of Pinegrove Lake. Two drillholes (S-394 and S395) were put just south of Pinegrove Lake by Noranda in 1992. No significant assays for Cu, Zn, Au, or Ag were encountered. **Hemlo Gold Mines** optioned claims from the same area (Petrant Lake Option) from B. Fowler and M. Shuman later in 1994. Hemlo performed geologic mapping, prospecting, and some soil geochemistry on the property. Hemlo also reassayed some of Noranda and Newmont's recent and historic drillholes from the area to test alteration and mineralization. One sample from Newmont's hole SL-2 returned 0.285 ppm Au.

Additional drilling on the Lampson Property, optioned by Bill and Lonnie Brinklow was conducted by Noranda in 1994. The Lampson Property is situated on the northeastern most edge of the present day Gowan Lake Claims. Two diamond drillholes (G94-1 and G94-2) targeted the Lampson Occurrence (Brinklow Zn showing); a narrow mineralized banded Iron formation with pyrite and chalcopyrite with 1.34% Zn and 0.325% Cu. Neither of the drillholes encountered any significant mineralization.

Drilling was also conducted just off of Highway 614, east of Pinegrove Lake by **Albert Turner** in 1993 and 1994. Turner drilled several holes in the area; one hole (T3/93) contained 0.29% Zn and 0.12% Cu over 1.22 m.

1995 - 1999: **Hemlo Gold Mines** conducted geophysical (IP) and diamond drill work on their 100% owned Valley Lake Claims (situated on the present day Valley Lake Property) in 1995. Results from the IP survey led to three drillholes (V95-1 through V95-3) though no anomalous gold was encountered. In

1996, **Battle Mountain Canada** (formerly Hemlo Gold Mines) completed limited prospecting and soil sampling over areas in and around the Valley Lake Claims, there was no significant findings.

Crowbush Minerals Inc. performed a magnetometer and VLF-EM survey on the Lampson Road Property, owned at the time by Brian Folwer in 1996. A single EM anomaly was suggested for further work.

The central portions of the Gowan Lake claims were also explored by several companies during the mid to late 1990's. **Greater Lenora Resources** prospected the area southwest of Phil Lake on their Brinklow Property in 1996. Several samples were noted with significant sulfide mineralization and sericite alteration, though none of the samples were assayed. **Albert Turner** drilled one drillhole on his property east of Pinegrove Lake, just off of Highway 614 with no significant assays. **Brian Fowler** conducted a trenching program in 1999 on the Petrant Lake Property to test several IP anomalies identified by Hemlo Gold Mines in 1995 (see above). Assay results of some of the rock samples taken from the trenches yielded slightly anomalous Zn values (over 1700 ppm Zn). Significant sericite alteration was noted as well.

2000 - 2011: Relatively little work has been done on the Gowan Lake and Valley Lake Properties since 2000. In 2003, **Brian Fowler and Harold Griggs**, both owners of the Valley Lake Property completed line cutting, prospecting, and a Mag/VLF survey (performed by Raymond Bernatchez, consulting geologist) over a section of the claims. No significant base metal or gold values were returned from the assays; the highest gold grade being 0.156 g/t Au. Later, in 2005, Fowler extended the geophysical survey (also performed by Raymond Bernatchez) to the southwest. Fowler also collected several more rock samples on this extension, though the results did not yield any significant assays. In 2010, Fowler collected 23 additional rock samples from the Valley Lake Property to be assayed, though with no significant results. Entourage Metals optioned the five Valley Lake claims from Brian Fowler, Harold Griggs, and Patrick Dick in March of 2011. The Gowan Lake claims were all staked by Entourage Metals in 2010 and are 100% owned by Entourage.



Exploration Program

Work on the Gowan and Valley Lake Claims consisted of a B-Horizon soil sample survey as well as prospecting and litho geochemistry. Prospecting and litho geochemistry began in November of 2011, though a majority of samples were taken during the summer and fall months of 2012. The B-Horizon soil sample survey commenced during July 2012.


B-Horizon Soil Survey

A total of 1,980 B-horizon soil samples were collected to be assayed. The survey grid was placed over the majority of the Gowan Lake and Valley Lake Claims, focusing more on the north and central portion of the Properties. The grid was split into three zones (Zones A, B, and C) with different line orientations (See **Figure 5**). Zone A covered the northern section of the grid, Zone B in the center, and

Figure 5.
Gowan Lake &
Valley Lake Claims
Soil Sample Survey Map



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR. UTM Projection, NAD83, Zone 16



Zone C on the eastern Valley Lake Claims. Lines in each zone are spaced 200 m apart from one another. Due to the seasonal change the complete sampling program was not finished, but will resume in 2013.

Samples were collected roughly every 40 meters where a sufficient amount of B-Horizon soil could be collected. Gaps in the sample spacing are due to areas where no well-developed B-Horizon soil was found, such as an area of outcrop or peat bogs. The B-Horizon soil in the area is an orange colored humo-ferric podzol (Forest Soils of Ontario website). **Image 1** shows a typical well-developed B-Horizon soil sample with a leached horizon (E-Horizon) and organic layer (A-horizon).

Figures 6a, 6b, 6c and **6d** show maps of all sample locations taken to date. Notes for sample description taken in the field can be seen in **Appendix E**.




Image 1. Well-developed soil profile seen on the Gowan Lake Property. Each horizon is clearly marked, and breaks are easily distinguishable.


Soil Sampling Assay Results

Soil samples are analyzed by AGAT Laboratories. Samples were dried and screened to -80 mesh followed by Aqua Regia digestion and 51 element ICP/ICP-MS Finish. In addition gold was determined with a 30 g Fire Assay / ICP-OES finish.

Figure 6a.
Gowan Lake &
Valley Lake Claims
Northern Zone A
Soil Sample Locations

Zone A Sample Location

-
- Hwy 614
- - - Service Road
- Railway
- ▨ Gowan Lake Claims
- ▨ Valley Lake Claims
- ▨ Water
- - - Drainage




Produced by Entourage Metals under license from
Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012.
Vector Base Data supplied by the MNR.
UTM Projection, NAD83, Zone 16

ENTOURAGE METALS



Figure 6b.
Gowan Lake &
Valley Lake Claims
Southern Zone A
Soil Sample Locations



1:20,000
0 250 500 m

Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR. UTM Projection, NAD83, Zone 16






Figure 6c.
Gowan Lake &
Valley Lake Claims
Zone B Soil Sample Locations

Zone B Sample Location

-
- Service Road
- Gowan Lake Claims
- ▨ Valley Lake Claims
- Water
- Drainage



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNRF. UTM Projection, NAD83, Zone 16








Figure 6d.
Gowan Lake &
Valley Lake Claims
Zone C Soil Sample Locations



1:20,000

Produced by Entourage Metals under license from
Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012.
Vector Base Data supplied by the MNR.
UTM Projection, NAD83, Zone 16



AGAT laboratories is ISO 9001 accredited. **Appendix C** shows results of the soil samples

Appendix C also shows the interpretation of the results. Gold pathfinder elements were plotted on a probability plot and the threshold values were selected (**Appendix C, figure 1 and figure 3**), these values were then displayed spatially (**Appendix C, figure 2 and figure 4**). A proportional symbols map was then created for the soil grid showing each pathfinder element for the samples that exceeded the threshold limit (**Appendix C, figure 5**).

Gold values in the soil ranged from a mean of 5 ppb to individual samples containing 1,800 ppb. **Figure 6, Appendix C** shows a poor correlation in relation to the pathfinder elements in soils. In surficial environments certain elements have different mobilities in aqueous solutions and this could be a function of the poor correlation of these pathfinders. Understanding element mobility by transport in aqueous solutions should be used in this interpretation.

Lithogeochemistry/Prospecting



To better understand exploration targets at depth a lithogeochemical program over the Gowan Lake and Valley Lake Properties was implemented. 34 rock samples were collected during reconnaissance trips from fall 2011 to fall 2012. **Table 3** provides descriptions of the samples collected. Samples were sent to AGAT Labs, in Mississauga, Ontario, Canada and analyzed for gold content using an ultra-trace level geochemical procedure and an AU-AAS finish. A four-acid digestion was used, followed by ICP-MS and ICP-AES analysis. Assay results for these samples are in **Appendix D** and locations are shown in **Figure 7**.

Table 3. Lithochemistry sample descriptions


Sample	Easting	Northing	Type	Description
GL1	581661	5406409	Outcrop	Light grey muscovite schist
GL2	580407	5406531	Float	Med-fine grained white granitoid. Plag+qtz+bio w rusty spots near bio
GL3	580874	5405616	Float (similar looking outcrop nearby)	Green colored schist with garnets
GL4	580272	5406720	Float (subrounded boulder)	Dark fine-grained metaseds (or schist?). Cherty, green veins. Rusty
GL5	581081	5411537	Outcrop	Grey metaseds (?) with quartz veins. Garnets, chl altered, and Fe-carb?
GL6	581085	5411547	Outcrop	Grey metaseds (?) with qtz stringers. More garnets than GL5
GL7	581014	5411690	Float	Fine-grained metaseds or mafic volc. Small pockets of sulfides + qtz veins
GL8	581170	5412162	Outcrop (large cliff)	Mafic volcanics (basalt?) heavily chl altered. Few qtz veins.
GL9	583773	5414697	Outcrop	Fe-formation w/ sulfides in mafic flows. Extremely alt. Lampson occurrence?
GL10	583773	5414697	Outcrop	Mafic volc. w/ qtz stringers adjacent to Fe-form. Extremely alt. Lampson occ?
GL11	583250	5411465	Outcrop	Dark grey schist with sulfides
GL12	583999	5412409	?	Rusty looking mafic volc (?) w/ patchy chl alteration. Eastern end of Line A11, Jenny Creek.
GL13	582165	5413182	?	Heavily rusted looking, light-grey to white colored metaseds.
GL14	583969	5412933	?	Mafic Volcanics epidote alteration?
GL15	583575	5412597	Outcrop	Pillow basalts
GL16	583848	5412789	Float	Metaseds, found in tree stump. Minor hematite staining
GL17	583712	5412677	Float ??	Heavily chl altered gabbro (?) w/ 3% diss py + ccp. Adjacent to subcropping metaseds and granitoid float
GL18	583571	5412559	Outcrop	Chl-altered metaseds w/some sulfide bands. Minor Fe-staining, tiny qtz veinlets. S/D of foliation
GL19	583467	5412400	Float	Carb-veining in amphibolite facies. Cigar-pencil - like cleavage. Qtz veins appear rusty w/ sugary texture. In Jenny Creek
GL20	583370	5412369	Float	Sulfides in rusted metaseds in Jenny Creek. Pyrrhotite + py.
GL21	583194	5412380	Float (local subcrop)	Local subcrop float. Fe-form type. Arsenopyrite + py diss bands. 1-2%. Heavy hem staining. In sandpit. Silicified.
GL22	583194	5412380	Float (local subcrop)	Local subcrop float. Arsenopyrite + py diss bands. 1-2%. Heavy hem staining. In sandpit. Minor Chl alt, metaseds?
GL23	581992	5412998	Outcrop	Chl-altered mafic/int volcanics w/ 0.5% sulfides (py +/- arsenopyrite?) in patches.
GL24	581986	5412806	Outcrop	Heavily Fe-stained mafic/int volcanics. Minor chl-alt ? Extremely rusty looking.
GL25	581876	5412186	Outcrop	Mafic/int volcanics w/ med-grained hbl or pyx phenocrysts (?). Rusty patches. No apparent sulfides.
GL26	581572	5412201	Outcrop	Crystal tuff. Light colored, w/ qtz ? Fragments, flattened look. Contact with mafic intrusion?
GL27	582917	5411353	Outcrop	Mafic Volcanics?

Sample	Easting	Northing	Type	Description
GL28	583176	5410188	Outcrop	Mafic volcanics with minor Fe-oxide and quartz veinlets
GL29	581163	5411566	Outcrop	Basalt (?) with quartz veining. Close to logging road.
GL30	582096	5411500	Outcrop	Metaseds with Fe-oxide staining. On cliff on Pinegrove Lake
GL31	581848	5411197	Outcrop	Metaseds or intermediate volcanics with Fe-oxide staining
GL32	583194	5412380	Float (local subcrop)	Same as GL21, with less sulfides.
GL33	583454	5409987	Outcrop	Strongly oxidized metaseds with minor (0.5%) arsenopyrite (?) in bands.
GL34	582352	5408599	Outcrop	Metasediments with quartz veining, near contact with intrusive (granite)
GL35	583431	5411064	Possible Outcrop	Monzonite? Intrusive rock w/ high ferromag minerals and areas K feldspar (magma mixing)
GL36	583315	5410986	Outcrop	Basalt

Figure 7.
Gowan Lake &
Valley Lake Claims
Rock Sample Locations



Produced by Entourage Metals under license from Ontario Ministry of Natural Resources. Copyright (c) Queens Printer 2012. Vector Base Data supplied by the MNR. UTM Projection, NAD83, Zone 16



Conclusions

The soil sampling and rock geochemical results indicate anomalous results that require further investigation over the Gowan and Valley Lake Claims which are part of Entourage's Northern Arm Properties. Entourage plans to continue their investigation with additional soil sampling, prospecting/lithochemistry, geological mapping, geophysics, trenching, and diamond drilling in 2013.

References

Forest Soils of Ontario- Soil monolith collection at GLFC, Natural Resources Canada website.

<http://cfs.nrcan.gc.ca/projects/101>

Muir, T.L., 1983, Geology of the Hemlo-Heron Bay Area: Ontario Geological Survey Miscellaneous Paper 110, p. 230-239.

Simoneau, Pierre, 1991. Results of 1991 Exploration Work Geophysical survey and Prospecting Ihnatki – Kusins Property; Ontario Geological Survey, AFRI Number 42C13SW0092.

Selway, J., Ronacher, E., McKenzie, J., and Krockner, R., 2010. Rous Bomby, Toothpick East and West Properties; Hemlo Area Ontario, Canada. Caracle Creek International Consulting Company, Independent Technical Report.

Williams, H.R., Stott, G.M., Heather, K.B., Muir, T.L., and Sage, R.P., 1991; Wawa Subprovince; in Geology of Ontario, Ontario Geological Survey, Special Volume 4, Part 1, p. 485-539.

Appendix A

Breakdown of Costs

Northern Arm Properties Expenses

Employees	Qty	Unit	Rate	Total
Senior Geologist	17.75	Daily	\$650.00	\$11,537.50
Junior Geologist	43.5	Daily	\$450.00	\$19,575.00
Technician (1)	15	Daily	\$350.00	\$5,250.00
Technician (5)	38	Daily	\$300.00	\$11,400.00
GIS	355	Hourly	\$30.00	\$10,650.00
Per Diem	114.25	Daily	\$40.00	\$4,570.00
Subtotal				\$62,982.50

Supplies	Qty	Unit	Rate	Total
Sample Bags	1500	per bag	\$0.30	\$450.00
Sample Bags	1000	per bag	\$0.44	\$440.00
GPS	1	Lump	\$3,000.00	\$3,000.00
Compasses	2	Each	\$75.00	\$150.00
Compasses	2	Each	\$85.00	\$170.00
Backpacks	3	Each	\$200.00	\$600.00
Backpack	1	Each	\$145.00	\$145.00
SPOT Device	1	Lump	\$250.00	\$250.00
Radios/Communication Devices	1	Lump	\$500.00	\$500.00
Vests	4	Each	\$100.00	\$400.00
Safety Glasses	4	Each	\$6.00	\$24.00
Field Pants	1	Lump	\$271.18	\$271.18
Boxes for Shipping Samples	1	Lump	\$146.16	\$146.16
Workers signs (for field safety)	1	Lump	\$81.36	\$81.36
Augers	4	Each	\$120.00	\$480.00
Subtotal				\$7,107.70

Sampling Costs	Qty	Unit	Rate	Total
Rock Samples Analysis (2011/2012)	36	per sample	\$45.77	\$1,647.54
Soil Samples Analysis (2012)	1980	per sample	\$30.51	\$60,409.80
Soil Sample Scening	379.07	per sample	\$4.24	\$1,606.31
Subtotal				\$63,663.65

Other Costs	Qty	Unit	Rate	Total
Shipping Totals	5	Lump	\$0.00	\$422.69
Office Space and Storage	67	per day	\$200.00	\$13,400.00
Mileage	4047.1	\$/km	\$0.57	\$2,306.85
Subtotal				\$16,129.54


Total **\$149,883.39**

Appendix B

Invoices

5623 McAdam Road
Mississauga, Ontario
L4Z 1N9

Tel: (905) 501-9998
Fax: (905) 501-0589



INVOICE NO. 12K72631M

Date: 20/Jan/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	11U561516	U		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

201-071	Metals Package by 4Acid Digest / ICP/ICPMS Finish	11.00	\$21.25	\$233.75
202-552	Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish (50g)	11.00	\$12.25	\$134.75
218-001	Dry <5 kg, crush to 75% passing 2 mm split to 250-g and pulverize to 85% passing 75 um	11.00	\$7.00	\$77.00
218-022	Batch Fee	1.00	\$0.00	\$0.00

 * Should you require any information regarding this analysis, please contact your
 * Client Project Manager @ (905) 501-9998
 *
 * We appreciate and welcome your feedback which can be provided by submitting
 * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

Subtotal: \$445.50

HST: \$57.92
 Total: \$503.42

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

M. J.
 Feb 6, 2012

Attn To: -

Charge to: Gowar late

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

5623 McAdam Road
Mississauga, Ontario
L4Z 1N9
Tel:(905) 501-9998
Fax:(905) 501-0589



INVOICE NO. 12K51155M

Date: 25/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	12T646768	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

200-012	Screen soils or stream sediments - 80, <2Kg	70.64	\$3.75	\$264.90
200-022	Batch Fee	1.00	\$0.00	\$0.00
201-074	Metals Package by Aqua Regia Digest ICP / ICPMS Finish	400.00	\$17.00	\$6,800.00
202-052	Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish	400.00	\$10.00	\$4,000.00
Subtotal:				\$11,064.90

 * Should you require any information regarding this analysis, please contact your *
 * Client Project Manager @ (905) 501-9998 *
 * We appreciate and welcome your feedback which can be provided by submitting *
 * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm> *

HST: \$1,438.44
Total: \$12,503.34

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference:

Attn To: -


Approved: [Signature]
 29 Oct 2012

Charge to: Gowan Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

5623 McAdam Road
Mississauga, Ontario
L4Z 1N9
Tel:(905) 501-9998
Fax:(905) 501-0589



INVOICE NO. 12K51290M

Date: 26/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	12T646787	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

RE:

200-012 Screen soils or stream sediments - 80, <2Kg
 200-022 Batch Fee
 201-074 Metals Package by Aqua Regia Digest ICP / ICPMS Finish
 202-052 Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish

72.51 \$3.75 \$271.91
 1.00 \$0.00 \$0.00
 400.00 \$17.00 \$6,800.00
 400.00 \$10.00 \$4,000.00

Subtotal: \$11,071.91

- * Should you require any information regarding this analysis, please contact your
- * Client Project Manager @ (905) 501-9998
- * We appreciate and welcome your feedback which can be provided by submitting
- * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

HST: \$1,439.35

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Total: \$12,511.26

Other reference:

Attn To: -


Approved: M.R.
29 Oct 2012

Charge to: Gordon Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

5623 McAdam Road
 Mississauga, Ontario
 L4Z 1N9
 Tel:(905) 501-9998
 Fax:(905) 501-0589



INVOICE NO. 12K51284M

Date: 26/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	AFE	Acct Code	District	Product
4158401	12T646797	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

RE:

200-012 Screen soils or stream sediments - 80, <2Kg
 200-022 Batch Fee
 201-074 Metals Package by Aqua Regia Digest ICP / ICPMS Finish
 202-052 Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish

101.77 \$3.75 \$381.64
 1.00 \$0.00 \$0.00
 400.00 \$17.00 \$6,800.00
 400.00 \$10.00 \$4,000.00

- * Should you require any information regarding this analysis, please contact your
- * Client Project Manager @ (905) 501-9998
- * We appreciate and welcome your feedback which can be provided by submitting
- * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

Subtotal: \$11,181.64

HST: \$1,453.61

Total: \$12,635.25

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference:

Attn To: -

Approved: M.R.

29 Oct 2012

charges: Goran Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK



5623 McAdam Road
 Mississauga, Ontario
 L4Z 1N9
 Tel: (905) 501-9998
 Fax: (905) 501-0589

INVOICE NO. 12K51130M

Date: 25/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	12T646801	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

200-012	Screen soils or stream sediments - 80, <2Kg	69.01	\$3.75	\$258.79
200-022	Batch Fee	1.00	\$0.00	\$0.00
201-074	Metals Package by Aqua Regia Digest ICP / ICPMS Finish	400.00	\$17.00	\$6,800.00
202-052	Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish	400.00	\$10.00	\$4,000.00
Subtotal:				\$11,058.79

RE: *****
 * Should you require any information regarding this analysis, please contact your
 * Client Project Manager @ (905) 501-9998
 * We appreciate and welcome your feedback which can be provided by submitting
 * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

HST: \$1,437.64
 Total: \$12,496.43

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference: -

Attn To: -

Approved: M.R.
 29 Oct 2012
 Change to: Gowen Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

5623 McAdam Road
 Mississauga, Ontario
 L4Z 1N9
 Tel:(905) 501-9998
 Fax:(905) 501-0589



INVOICE NO. 12K50407M

Date: 24/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	AFE	Acct Code	District	Product
4158401	12T646805	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

RE:

200-012 Screen soils or stream sediments - 80, <2Kg
 200-022 Batch Fee
 201-074 Metals Package by Aqua Regia Digest ICP / ICPMS Finish
 202-052 Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish

50.95 \$3.75 \$191.06
 1.00 \$0.00 \$0.00
 302.00 \$17.00 \$5,134.00
 302.00 \$10.00 \$3,020.00
Subtotal: \$8,345.06

- * Should you require any information regarding this analysis, please contact your
- * Client Project Manager @ (905) 501-9998
- * We appreciate and welcome your feedback which can be provided by submitting
- * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

HST: \$1,084.86
Total: \$9,429.92

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference:

Attn To: -

Approved: M. L. 29 Oct 2012
Charge to: Gowen Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK



5623 McAdam Road
 Mississauga, Ontario
 L4Z 1N9
 Tel: (905) 501-9998
 Fax: (905) 501-0589

INVOICE NO. 12K52403M

Date: 30/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	12T655967	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

200-001	Dry <5 kg, crush to 75% passing 2 mm split to 250-g and pulverize to 85% passing 75 um	4.00	\$7.00	\$28.00
200-022	Batch Fee	1.00	\$0.00	\$0.00
201-071	Metals Package by 4Acid Digest / ICP/ICPMS Finish	4.00	\$21.25	\$85.00
202-552	Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish (50g)	4.00	\$12.25	\$49.00
Subtotal:				\$162.00

 * Should you require any information regarding this analysis, please contact your *
 * Client Project Manager @ (905) 501-9998 *
 * We appreciate and welcome your feedback which can be provided by submitting *
 * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm> *

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference: -

Attn To: -

HST: \$21.06
 Total: \$183.06

John Florek
 Oct 30, 2012

Charge to: Gowen lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

5623 McAdam Road
 Mississauga, Ontario
 L4Z 1N9
 Tel: (905) 501-9998
 Fax: (905) 501-0589



INVOICE NO. 12K48855M

Date: 18/Oct/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	AFE	Acct Code	District	Product
4158401	12U642580	U		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

201-071	Metals Package by 4Acid Digest / ICP/ICPMS Finish	21.00	\$21.25	\$446.25
202-552	Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish (50g)	21.00	\$12.25	\$257.25
218-001	Dry <5 kg, crush to 75% passing 2 mm split to 250-g and pulverize to 85% passing 75 um	21.00	\$7.00	\$147.00
218-022	Batch Fee	1.00	\$0.00	\$0.00
Subtotal:				\$850.50

 * Should you require any information regarding this analysis, please contact your
 * Client Project Manager @ (905) 501-9998
 * We appreciate and welcome your feedback which can be provided by submitting
 * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference:

Attn To: -


Approved: [Signature]
 05-22-2012

charge to: Gowan Lake

Corporate Office:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0

Invoice To:
 ENTOURAGE METALS LTD
 BOX 1178
 MARATHON ON P0T2E0
 Attn To: JOHN FLOREK

HST: \$110.57
 Total: \$961.07



5623 McAdam Road
Mississauga, Ontario
L4Z 1N9
Tel: (905) 501-9998
Fax: (905) 501-0589

INVOICE NO. 12K55294M

Date: 06/Nov/12

GST #: R100073238

Customer No	WorkOrder No	Branch	Customer P.O.	Division ID	A/E	Acct Code	District	Product
4158401	12T657492	T		10				0

Product ID	Product Description	Quantity	Unit Price	Extended Price
------------	---------------------	----------	------------	----------------

RE:

200-012 Screen soils or stream sediments - 80, <2Kg
 200-022 Batch Fee
 201-074 Metals Package by Aqua Regia Digest ICP / ICPMS Finish
 202-052 Trace Au at 0.001-10 ppm by Fire Assay / ICP Finish

- * Should you require any information regarding this analysis, please contact your
- * Client Project Manager @ (905) 501-9998
- * We appreciate and welcome your feedback which can be provided by submitting
- * a Client Review at <http://www.agatlabs.com/resources/client-forms.cfm>

TERMS: NET 30 DAYS . INTEREST CHARGED ON OVERDUE ACCOUNTS AT THE RATE OF 2% PER MONTH (24% PER ANNUM).

Other reference:

Attn To: -

14.19	\$3.75	\$53.21
1.00	\$0.00	\$0.00
78.00	\$17.00	\$1,326.00
78.00	\$10.00	\$780.00
Subtotal:		\$2,159.21

HST: \$280.70

Total: **\$2,439.91**

Charge to: Gowan Lake

Approved: M.L.

Nov, 28, 2012

Corporate Office:

ENTOURAGE METALS LTD
BOX 1178
MARATHON ON P0T2E0

Invoice To:

ENTOURAGE METALS LTD
BOX 1178
MARATHON ON P0T2E0
Attn To: JOHN FLOREK

GREYHOUND CDA TRANS CORP

GST NO. 891646655RT1

WAYBILL NO. 51747694762

SUDBURY		ON	www.ShipGreyhound.ca 13Sep12 11:02 AM EDT Actual Weight 55.0 Declared Value 100
PREPAID CASH			
RECIPIENT			1 PIECES
AGATE LABS 2054 KINGSWAY ATTN: DANIEL FRAPPIER SUDBURY ON P3A2T4		705-521-4172	EXPRESS \$27.00 FUEL S/C \$2.63 TAXES \$3.85
SHIPPER			
Entourage metals 98 PENINSULA RD			
MARATHON ON P0T2E0		807-229-9719	
PO/Ref #:			TOTAL \$33.48



SHIPPER RECEIPT

Gowan

STATION TO STATION

LIABILITY FOR LOSS DAMAGE OR DELAY IS LIMITED BY CARRIER LIABILITY LIMITS... UNLESS A GREATER VALUE IS DECLARED AT THE TIME OF SHIPMENT. TERMS AND CONDITIONS OF CARRIAGE FOR DETAILS OR CONSULT AGENT.

Sh. An
Jan 10, 2008



P.O. Box 390, 154 Hwy 540B,
 Gore Bay, Ontario P0P 1H0

Tel. (705) 222-1906
 Fax. (705) 282-2269

- Manitoulin Transport Inc.
- Manitoulin Logistics Inc.
- Quebec Express Inc.

- Farmer Cartage Inc.
- Jet Transportation Ltd.
- Lakehead Freightways Inc.

www.manitoulintransport.com

PRO BILL
 NO. DE PRO. NO.
15293277

YEAR AN	MONTH MOIS	DAY JOUR	BIL. OF PRO. NO. NO. DE CONN. ou PRO.	REFERENCE REFERENCE	BILLER FACTURIER	COLL./PPD.		
11	12	15	NS		SDI	PPD		
SHIPPER - EXPEDITEUR								
ENTOURAGE METAL			X MARATHON DOCK					
MARATHON, ON P0T2EO								
CONSIGNEE - CONSIGNATAIRE								
A G A T LABORATORIES			2054 KINGSWAY					
SUDBURY, ON P3B4J8								
TRANSFER TO - TRANSFERE A								
			AT - A		BILL TO - FACTURERA			
			I/O		0097873			
			%		ENTOURAGE METAL			
PIECES	DESCRIPTION					WEIGHT/POIDS	RATE/TARIF	AMOUNT/MONTANT
1	RICE BAG- ROCK SAMPLES OWN TRUCK TO ORIGIN TERMINAL RATE QUOTE # 00011010641 MAY APPLY 305878-2 20111215 14:57:08 FS SURCHARGE @ 15.9 % BL: NS, PO: NS ACTUAL WEIGHT: 000100 HST @ 13% *** PAYABLE IN CDN FUNDS ***					100		47.00
	BILLED AS:					100		7.47
								54.47
								7.08
TOTAL								61.55

charge to: Gowen Lake

FOR BILLING INFORMATION, PLEASE CALL - POUR TOUTES QUESTIONS SUR LA FACTURATION, VEUILLEZ TELEPHONER AU

(800) 461-1168



P.O. Box 390, 154 Hwy 540B, Tel. (705) 222-1906
 Gore Bay, Ontario P0P 1H0 Fax. (705) 282-2269

Manitoulin Transport Inc.
 Manitoulin Logistics Inc.
 Quebec Express Inc.

Farmer Carriage Inc.
 Jet Transportation Ltd.
 Lakehead Freightways Inc.

INVOICE / PRO BILL
 NO. DE PRO. NO. **15293289**

www.manitoulintransport.com

YEAR AN	MONTH MOIS	DAY JOUR	B/L or PRO. NO. NO. DE CONN. ou PRO.	REFERENCE	BILLER FACTURIER	COLL. / PPD.
12	10	22	NS		MSM	PPD

SHIPPER - EXPEDITEUR
ENTOURAGE METAL X DOCK MARATHON, ON POT2EO
 CONSIGNEE - CONSIGNATAIRE

TRANSFER TO - TRANSFERE A
A G A T LABORATORIES 5623 MCADAM RD MISSISSAUGA, ON L4Z1N9
 AT - A I/O % BILL TO - FACTURER A

0097873
 ENTOURAGE METAL

PIECES	DESCRIPTION	WEIGHT / POIDS	RATE / TARIF	AMOUNT / MONTANT
5	BOXES OWN TRUCK TO ORIGIN TERMINAL 305878-4 20121022 17:25:45 FS SURCHARGE @ 15.7 % BL: NS, PO: NS ACTUAL WEIGHT: 000210 HST @ 13% *** PAYABLE IN CDN FUNDS ***	210		58.00
				9.11
				67.11
				8.72

BILLED AS:
Approved: brown L2Mc
 29 Oct 2012

FOR BILLING INFORMATION, PLEASE CALL - POUR TOUTES QUESTIONS SUR LA FACTURATION, VEUILLEZ TELEPHONER AU
 (800) 461-1168

TOTAL 75.83

G.S.T. / H.S.T. / T.P.S. # R103481925 G.S.T. / T.V.Q. # 1002600001
 TERMS: NET 21 DAYS, 2% PER MONTH (24% PER ANNUM) ON OVERDUE ACCOUNTS
 TERMES: NET 21 JOURS, 2% PER MOIS (24% PAR ANNEE) SUR COMPTES EN SOUFFRAN



Manitoulin Transport Inc.
Manitoulin Logistics Inc.
Quebec Express Inc.

Farmer Cartage Inc.
Jet Transportation Ltd.
Lakehead Freightways Inc.

INVOICE / PRO BILL

FACTURE

NO. DE PRO. NO.

P.O. Box 390, 154 Hwy 540B,
Gore Bay, Ontario P0P 1H0

Tel. (705) 222-1906
Fax. (705) 282-2269

www.manitoulintransport.com

15294504

YEAR AN	MONTH MOIS	DAY JOUR	B/L or PRO. NO. NO. DE CONN. ou PRO.	REFERENCE REFERENCE	BILLER FACTURIER	COLL. / PPD.	
12	09	25	NS		MSM	PPD	
SHIPPER - EXPEDITEUR			ADDRESS - ADRESSE				
ENTOURAGE METAL			98 PENINSULA RD MARATHON, ON P0T2E0				
CONSIGNEE - CONSIGNATAIRE			A G A T LABORATORIES LTD 5616 MCADAM RD MISSISSAUGA, ON L4Z1P1				
TRANSFER TO - TRANSFERE A			AT - A	I/O	%	BILL TO - FACTURER A	
						0097873 ENTOURAGE METAL	
PIECES	DESCRIPTION			WEIGHT / POIDS	RATE / TARIF	AMOUNT / MONTANT	
1	W/23 BOXES Reweigh 09/26/12 TOR B/L Wgt 500 Pc Wgt: 864 RATED WITH DEFICIT WEIGHT OF 305878-4 20120926 23:37:39 FS SURCHARGE @ 15.8 % BL:NS,PO:NS ACTUAL WEIGHT: 000864 HST @ 13% *** PAYABLE IN CDN FUNDS ***			864	13.45	116.21	
				136	13.45	18.29	
						21.25	
				1000		155.75	
						20.25	
FOR BILLING INFORMATION, PLEASE CALL - POUR TOUTES QUESTIONS SUR LA FACTURATION, VEUILLEZ TELEPHONER AU (800)461-1168						TOTAL	176.00

charge: Gowen Lake

G.S.T. / H.S.T. / T.P.S. # R103481925 Q.S.T. / T.V.Q. # 1002600001

TERMS: NET 21 DAYS, 2% PER MONTH (24% PER ANNUM) ON OVERDUE ACCOUNTS
TERMES: NET 21 JOURS, 2% PER MOIS (24% PAR ANNEE) SUR COMPTES EN SOUFFRAN



Manitoulin Transport Inc.
Manitoulin Logistics Inc.
Quebec Express Inc.

Farmer Cartage Inc.
Jet Transportation Ltd.
Lakehead Freightways Inc.

INVOICE / PRO BILL

FACTURE

NO. DE PRO. NO.

P.O. Box 390, 154 Hwy 540B,
Gore Bay, Ontario P0P 1H0

Tel. (705) 222-1906
Fax. (705) 282-2269

www.manitoulintransport.com

15294505

YEAR AN	MONTH MOIS	DAY JOUR	B/L or PRO. NO. NO. DE CONN. ou PRO.	REFERENCE REFERENCE	BILLER FACTURIER	COLL. / PPD.	
12	10	23	NS		RBE	PPD	
SHIPPER - EXPEDITEUR			ADDRESS - ADRESSE				
ENTOURAGE METAL			X DOCK MARATHON, ON P0T2E0				
CONSIGNEE - CONSIGNATAIRE			A G A T LABORATORIES 5623 MCADAM RD MISSISSAUGA, ON L4Z1N9				
TRANSFER TO - TRANSFERE A			AT - A	I/O	%	BILL TO - FACTURER A	
						0097873 ENTOURAGE METAL	
PIECES	DESCRIPTION			WEIGHT / POIDS	RATE / TARIF	AMOUNT / MONTANT	
2	BOXES OWN TRUCK TO ORIGIN TERMINAL 305878-4 20121023 14:19:19 FS SURCHARGE @ 15.7 % BL:NS,PO:NS ACTUAL WEIGHT: 000040 HST @ 13% *** PAYABLE IN CDN FUNDS ***			40		58.00	
				40		67.11	
						8.72	
FOR BILLING INFORMATION, PLEASE CALL - POUR TOUTES QUESTIONS SUR LA FACTURATION, VEUILLEZ TELEPHONER AU (800)461-1168						TOTAL	75.83

charge to: Gowen Lake

G.S.T. / H.S.T. / T.P.S. # R103481925 Q.S.T. / T.V.Q. # 1002600001

TERMS: NET 21 DAYS, 2% PER MONTH (24% PER ANNUM) ON OVERDUE ACCOUNTS
TERMES: NET 21 JOURS, 2% PER MOIS (24% PAR ANNEE) SUR COMPTES EN SOUFFRAN

signs

INVOICE

MARATHON HOME HARDWARE
4 PENNINSULA RD., BOX 370
MARATHON ON

Invoice No.: 20349
Date: 31-Aug-2012
Page: 1

CARD *****7612
CARD TYPE MASTERCARD
DATE 2012/08/31
TIME 1675 11:51:59
RECEIPT NUMBER
C30722986-001-958-001-0

Ship To:
Entourage Metals
Att: Kyle Drake
229-8834

PURCHASE
TOTAL
\$81.36

PC MasterCard
MasterCard
A0000000041010
76B8B829CDFFB493
000020B000
BCD45CB5BB1D7E71

APPROVED

AUTH# 06009B 01-027
THANK YOU

CARDHOLDER COPY

Unit	Description	Tax	Unit Price	Amount
2	coroplast sign (Caution...)	H	36.00	72.00
	Subtotal:			72.00
	H - HST 13%			
	HST			9.36

PAID

Comments	Freight	0.00
	Total Amount	81.36

CHALTREK
404 BALMORAL STREET
1-800-316-7350

08/11/2012 12:54PM 3001
000000#4772 SIG

	15 @ \$30.00
GEOLOGY	T ₁₂ \$450.00
COMPASS	T ₁₂ \$70.00
COMPASS	T ₁₂ \$68.00
MDSE ST	\$588.00
P. S. T.	\$47.04
G. S. T.	\$29.40

VISA **\$664.44**

RETURNS FOR
STORE CREDIT ONLY
RECEIPT REQUIRED

OSTROM OUTDOORS
404 BALMORAL STREET
1-877-678-7661

08/11/2012 1:30PM 1002
000000#7108 JOANNE

Water Sports	T ₁₂ \$34.48
Day Packs	T ₁₂ \$215.00
Day Packs	T ₁₂ \$215.00
MDSE ST	\$464.48
P. S. T.	\$37.16
G. S. T.	\$23.22

VISA C **\$524.86**

RETURNS FOR
STORE CREDIT ONLY
RECEIPT REQUIRED

STAPLES Canada
 Store # 97
 , ON P4R1M8
 705-360-4200

DATE Sept 5/12

NOM NAME				
ADRESSE ADDRESS				
VENDU PAR SOLD BY	C.R. COD	FACTURER CHARGE	A CRÉDIT ON ACCOUNT	MONTANT REPORTE AMOUNT FWD.
1	30 2cuft boxes @ \$2.50 each.			\$75.00
2				
3				
4				
5	+ 10 2cuft @ \$28.25			
6	see below			
7				
8				
9				
10				
			TPS/GST TVH/HST	9.75
N° DE TAXE TAX REG. No.:			TVP/PST	
3			TOTAL	84.75
RECU PAR RECEIVED BY				

LIVRET DE VENTE SALES BOOK 308

Sale 00015 6 001 61854
 0097 09/05/12 09:11

7777777

9 12X12X12 SHIPPING
 797133293859 3.26 29.34H

Subtotal 29.34

HST 13.00% 3.82

Total \$33.16

Visa 33.16

*****2023

Visa C Purchase

Authorization Number 4

0010011600 61854 661

15 09/05/12 09:11

01/027 APPROVED - THANK YOU

SCOTIABANK VISA A0000000031010

0000008000 F800

Thank you for shopping at STAPLES!

We will not be undersold!

Visit Staples.ca

IMPORTANT

Retain This Copy for Your Records

HST No. 126152586



0 0 9 7 0 9 0 5 1 2 6 1 8 5 4 0 1

L RICHARDS MOVING AND CARTAGE
 1657 RIVERSIDE DR UNIT A
 TIMMINS, ON

L RICHARDS MOVING AND CARTAGE
 1657 RIVERSIDE DR UNIT A
 TIMMINS, ON

Term ID: 28001258

Term ID: 28001258

Purchase

Purchase

VISA

Entry Method: C

Total: \$

84.75

2012/09/05

09:20:28

Seq #: 0011240040

Appr Code: 491886

Resp Code: 01/027

VISA

Entry Method: C

Total: \$

28.25

2012/09/05

09:22:01

Seq #: 0011240050

Appr Code: 492535

Resp Code: 01/027

SCOTIABANK VISA
 A0000000031010
 43 3C F5 4D E5 64 3E 96
 00 00 00 00 00
 63 3B 5D 73 46 4C 25 38

SCOTIABANK VISA
 A0000000031010
 89 25 CE 4D 8D 09 4D C3
 00 00 00 00 00
 DF 72 29 B7 C1 80 BA 5C

Sept. 4, 2012



33 Father Costello Dr. • Schumacher, ON P0N 1G0
Tel.: 705-268-7878 or 1-800-461-1045
Fax: 705-360-1865
E-Mail: info@porcupinecanvas.com
www.porcupinecanvas.com

INVOICE# 5060

DATE

Sept. 4/12

SHIP VIA

HST# 10427604 RP0001

QUANTITY	PROD#	DESCRIPTION	PRICE	AMOUNT
2	4615	Kraft Soil bags	210.00	440.00
1	4663	back pack		145.00
2	4142	Suunto compass	85.00	170.00
Name: Entourage Metals			SUBTOTAL	755.00
Address:			HST	98.15
			GST	
			DEPOSIT	
			TOTAL/BALANCE	853.15

CASH CHEQUE VISA M/C D/M

Sept. 4, 2012
Gowen Lake

**Mark's Work
Warehouse**
Clothes That Work.

Tran No: 150*03*20120904*295503
Store No: 150
Phone: (705)268-6505
HST#: 103531919
PST#: 46821538

SALE

Cashier: 47911 Tracy Yanta
Associate: 47911 Tracy Yant
Date: Sep 04, 2012
Time: 7:50 PM

DAKOTA WATERPROOF/BREATHABLE BIB PANT
BROWN-M:REG
1A 400008042918
1 @ \$124.99
Customer Price Adjustment -\$10.00

\$114.99

DAKOTA WATERPROOF/BREATHABLE BIB PANT
BLACK-L:REG
1A 400008042888
1 @ \$124.99

\$124.99

Total Purchase	\$239.98
HST	\$31.20
PST	\$0.00
Total Sales Amount	\$271.18

Payments:

Visa \$271.18



15003201209040295503

SPECIAL SAVINGS on your next purchase.
Join the MARK'S REWARDS CLUB today!
www.marks.com/rewards

**100% Satisfaction
Guaranteed**

IN! SEE OVER CHANCE TO WIN! SEE OVER CHANCE TO WIN! SEE OVER CHANCE TO WIN!

Appendix C

Soil Survey Assay Results & Interpretations



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T646768

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 25, 2012

PAGES (INCLUDING COVER): 90

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-001		0.15	0.02	0.61	1.7	<0.01	<5	10	0.10	0.05	0.08	0.08	13.1	1.8	13.9
12-002		0.20	0.02	1.39	2.2	<0.01	<5	18	0.30	0.06	0.13	0.05	21.4	4.7	21.8
12-003		0.16	0.02	0.50	1.1	<0.01	<5	14	0.14	0.06	0.16	0.03	23.7	2.1	13.5
12-004		0.17	0.04	0.76	2.3	<0.01	<5	13	0.19	0.10	0.07	0.04	19.8	3.2	17.8
12-005		0.16	0.03	0.35	0.7	<0.01	<5	8	0.09	0.04	0.08	0.04	21.4	2.4	17.4
12-006		0.18	0.06	1.30	4.2	<0.01	<5	29	0.28	0.20	0.15	0.09	21.1	7.5	34.9
12-007		0.21	0.04	0.53	0.8	<0.01	<5	15	0.20	0.03	0.39	0.05	34.5	3.9	21.3
12-008		0.23	0.02	0.29	0.6	<0.01	<5	16	0.11	0.03	2.21	0.08	23.7	2.3	13.4
12-009		0.15	0.05	0.95	1.1	<0.01	<5	20	0.22	0.05	0.18	0.03	20.9	2.7	19.9
12-010		0.16	0.05	0.42	1.2	<0.01	<5	11	0.15	0.03	0.62	0.04	34.5	2.7	18.8
12-011		0.17	0.02	0.92	1.6	<0.01	<5	18	0.28	0.05	0.19	0.04	41.2	4.0	20.8
12-012		0.19	0.03	1.75	2.5	<0.01	<5	55	0.35	0.08	0.16	0.10	25.5	6.3	24.8
12-013		0.15	0.02	0.22	0.9	<0.01	<5	9	<0.05	0.05	0.05	0.03	13.3	0.2	1.8
12-014		0.16	0.03	0.47	1.4	<0.01	<5	20	0.15	0.05	0.21	0.06	24.4	2.6	14.6
12-015		0.20	0.05	1.17	2.4	<0.01	<5	31	0.25	0.09	0.11	0.03	18.7	3.7	19.7
12-016		0.16	0.08	1.13	2.5	<0.01	<5	25	0.21	0.08	0.13	0.07	21.1	3.3	20.5
12-017		0.18	0.09	1.52	1.5	<0.01	<5	30	0.31	0.07	0.15	0.04	16.9	4.8	20.7
12-018		0.17	0.04	0.97	2.6	<0.01	<5	13	0.16	0.11	0.07	0.04	15.1	2.9	27.6
12-019		0.14	0.05	2.23	4.9	<0.01	<5	24	0.29	0.18	0.06	0.19	18.8	1.9	37.8
12-020		0.17	0.05	2.21	3.3	<0.01	<5	29	0.28	0.13	0.13	0.06	33.2	3.0	53.1
12-021		0.17	0.05	1.27	1.4	<0.01	<5	26	0.19	0.15	0.10	0.06	17.7	6.3	27.1
12-022		0.19	0.08	0.56	3.3	<0.01	<5	13	0.07	0.14	0.11	0.05	14.0	3.7	24.9
12-023		0.18	0.03	0.53	1.7	<0.01	<5	11	0.08	0.07	0.06	0.04	13.5	1.4	17.4
12-024		0.21	0.10	0.84	1.9	<0.01	<5	32	0.14	0.08	0.16	0.08	17.8	1.7	24.5
12-025		0.15	0.04	0.76	1.2	<0.01	<5	22	0.17	0.06	0.12	0.04	19.0	2.8	13.2
12-026		0.20	0.05	0.82	1.4	<0.01	<5	26	0.18	0.07	0.14	0.05	20.7	3.1	15.3
12-027		0.16	0.09	1.93	5.5	<0.01	<5	65	0.40	0.21	0.27	0.16	27.5	10.3	45.4
12-028		0.20	0.10	1.99	2.9	<0.01	<5	30	0.36	0.25	0.13	0.16	21.4	6.0	38.3
12-029		0.15	0.06	1.34	3.1	<0.01	<5	29	0.25	0.17	0.14	0.14	18.4	5.4	33.0
12-030		0.18	0.07	1.00	1.5	<0.01	<5	33	0.18	0.16	0.16	0.10	12.1	4.4	26.1
12-031		0.20	0.17	1.60	3.4	<0.01	<5	37	0.27	0.30	0.29	0.20	16.8	13.3	73.4

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

PROJECT NO:

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil										
Sample Description	Analyte:	Sample Weight	Unit:	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	RDL:	kg		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12-032		0.16		0.13	1.84	4.4	<0.01	<5	63	0.31	0.24	0.27	0.14	20.9	11.2	62.3
12-033		0.21		0.11	1.00	1.6	<0.01	<5	26	0.19	0.10	0.16	0.06	25.6	5.1	35.1
12-034		0.15		0.16	2.28	2.6	<0.01	<5	47	0.44	0.10	0.14	0.08	26.7	8.6	35.7
12-035		0.17		0.05	0.73	1.3	<0.01	<5	26	0.16	0.09	0.15	0.05	21.0	3.4	16.0
12-036		0.14		0.03	0.70	2.2	<0.01	<5	19	0.14	0.08	0.09	0.06	26.2	2.4	17.9
12-037		0.20		0.03	0.81	2.0	<0.01	<5	23	0.19	0.07	0.11	0.06	20.0	2.4	13.0
12-038		0.17		0.03	0.79	1.5	<0.01	<5	23	0.25	0.05	0.18	0.06	37.8	4.4	17.7
12-039		0.16		0.08	1.49	3.0	<0.01	<5	46	0.48	0.11	0.26	0.12	46.6	7.8	32.9
12-040		0.20		0.17	1.55	2.1	<0.01	<5	62	0.54	0.12	0.51	0.40	40.0	10.0	35.9
12-041		0.20		0.26	1.38	1.6	<0.01	<5	26	0.26	0.12	0.15	0.08	20.5	8.1	37.8
12-042		0.16		0.09	0.99	3.1	<0.01	<5	33	0.17	0.16	0.45	0.24	18.2	11.2	24.1
12-043		0.17		0.17	1.71	1.7	<0.01	<5	39	0.41	0.11	0.22	0.06	31.5	8.8	30.2
12-044		0.18		0.10	1.70	4.8	<0.01	<5	55	0.39	0.12	0.21	0.05	21.3	5.4	21.2
12-045		0.19		0.03	1.51	0.6	<0.01	<5	60	0.24	0.07	0.43	0.05	17.0	15.7	175
12-046		0.16		0.04	0.71	0.9	<0.01	<5	24	0.12	0.04	0.45	0.10	23.6	8.7	19.2
12-047		0.14		0.04	0.70	0.6	<0.01	<5	27	0.12	0.04	0.54	0.11	23.3	7.8	17.3
12-048		0.18		0.06	1.33	2.4	<0.01	<5	28	0.27	0.08	0.28	0.10	49.4	10.5	22.5
12-049		0.17		0.07	1.17	1.1	<0.01	<5	41	0.22	0.08	0.21	0.04	25.0	6.8	17.0
12-050		0.16		0.03	0.83	0.5	<0.01	<5	23	0.11	0.05	0.21	0.03	13.0	6.9	11.9
12-051		0.20		0.03	0.89	0.6	<0.01	<5	28	0.11	0.05	0.23	0.05	14.1	7.5	12.7
12-052		0.15		0.06	1.18	0.6	<0.01	<5	41	0.19	0.06	0.37	0.06	21.1	8.0	17.8
12-053		0.21		0.04	1.09	0.7	<0.01	<5	41	0.16	0.06	0.40	0.06	17.9	8.7	13.4
12-054		0.16		0.03	0.61	1.1	<0.01	<5	21	0.16	0.05	0.26	0.03	21.8	2.9	11.8
12-055		0.20		0.24	2.98	2.0	<0.01	<5	47	2.58	0.86	0.34	0.18	54.4	15.9	33.3
12-056		0.16		0.06	0.91	1.8	<0.01	<5	37	0.26	0.39	0.23	0.09	22.9	6.8	22.2
12-057		0.15		0.06	1.03	1.2	<0.01	<5	36	0.28	0.11	0.21	0.07	39.6	6.2	19.4
12-058		0.19		0.06	0.83	1.2	<0.01	<5	30	0.18	0.09	0.13	0.05	23.6	3.1	16.1
12-059		0.14		0.05	0.63	1.3	<0.01	<5	35	0.12	0.08	0.20	0.05	22.1	4.2	18.8
12-060		0.16		0.08	1.37	2.8	<0.01	<5	79	0.34	0.11	0.51	0.20	34.0	6.8	31.3
12-061		0.19		0.06	1.09	2.9	<0.01	<5	41	0.29	0.11	0.24	0.05	34.5	7.5	26.1
12-062		0.15		0.08	1.51	2.4	<0.01	<5	27	0.39	0.10	0.21	0.06	41.7	7.2	21.9

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012						SAMPLE TYPE: Soil			
Sample Description	Analyte:	Sample Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-063		0.17	0.07	1.11	2.2	<0.01	<5	33	0.22	0.18	0.16	0.09	24.2	10.1	23.8						
12-064		0.21	0.08	2.02	1.4	<0.01	<5	37	0.67	0.15	0.17	0.08	37.8	5.1	18.3						
12-065		0.17	0.14	1.46	2.3	<0.01	<5	39	0.33	0.12	0.20	0.12	20.1	6.2	20.0						
12-066		0.15	0.10	1.30	1.5	<0.01	<5	41	0.24	0.11	0.20	0.06	26.4	8.0	25.6						
12-067		0.20	0.04	1.50	0.8	<0.01	<5	69	0.23	0.06	0.23	0.04	27.5	10.1	19.6						
12-068		0.19	0.11	0.80	1.1	<0.01	<5	34	0.14	0.11	0.15	0.05	18.2	2.1	12.1						
12-069		0.18	0.09	1.14	1.5	<0.01	<5	38	0.27	0.11	0.18	0.06	21.5	4.1	17.0						
12-070		0.15	0.09	1.11	2.0	<0.01	<5	41	0.25	0.07	0.24	0.05	38.6	6.8	21.7						
12-071		0.15	0.07	2.06	1.5	<0.01	<5	51	0.33	0.09	0.48	0.04	30.4	15.4	115						
12-072		0.17	0.07	1.14	2.0	<0.01	<5	41	0.28	0.10	0.18	0.04	26.8	5.8	21.3						
12-073		0.21	0.13	1.57	2.8	<0.01	<5	41	0.34	0.09	0.20	0.06	22.9	5.3	24.1						
12-074		0.19	0.08	0.48	1.6	<0.01	<5	33	0.08	0.14	0.36	0.06	10.0	3.9	14.5						
12-075		0.15	0.05	0.39	0.4	<0.01	<5	22	<0.05	0.16	0.20	0.11	8.67	3.2	3.8						
12-076		0.20	0.04	0.28	0.7	<0.01	<5	19	<0.05	0.18	0.16	0.15	10.1	1.6	5.4						
12-077		0.17	0.11	1.45	1.2	<0.01	<5	49	0.28	0.08	0.60	0.14	86.5	13.1	29.5						
12-078		0.15	0.05	1.01	1.2	<0.01	<5	43	0.16	0.06	0.58	0.10	42.2	10.3	27.9						
12-079		0.16	0.07	1.00	1.2	<0.01	<5	50	0.19	0.06	0.74	0.23	35.5	9.8	22.3						
12-080		0.18	0.11	1.35	8.9	<0.01	<5	63	0.36	0.12	2.71	0.34	46.8	12.2	33.3						
12-081		0.19	0.14	2.16	3.0	<0.01	5	119	0.80	0.15	2.09	0.30	61.2	11.5	46.6						
12-082		0.24	0.09	2.34	3.9	<0.01	6	130	0.86	0.16	0.94	0.14	63.8	14.8	63.2						
12-083		0.20	0.06	1.16	1.8	<0.01	8	51	0.36	0.08	10.4	0.09	41.8	7.6	30.7						
12-084		0.21	0.13	1.90	3.2	<0.01	<5	68	0.74	0.13	0.64	0.09	64.9	10.6	43.6						
12-085		0.20	0.05	0.87	3.0	<0.01	<5	35	0.31	0.06	0.38	0.04	41.3	4.7	21.7						
12-086		0.22	0.09	1.04	3.5	<0.01	6	53	0.32	0.12	2.76	0.36	40.8	7.0	23.3						
12-087		0.25	0.04	0.49	1.2	<0.01	<5	18	0.16	0.04	4.32	0.04	24.7	4.0	15.8						
12-088		0.27	0.03	0.43	2.4	<0.01	<5	15	0.12	0.04	0.31	0.05	22.3	2.7	15.5						
12-089		0.19	0.04	0.46	1.2	<0.01	<5	16	0.12	0.04	0.32	0.06	30.5	3.0	21.2						
12-090		0.20	0.04	0.68	1.4	<0.01	<5	23	0.17	0.06	0.33	0.07	20.1	3.1	17.6						
12-091		0.21	0.09	0.96	1.8	<0.01	<5	27	0.14	0.13	0.11	0.28	21.3	6.9	19.7						
12-092		0.23	0.07	1.92	2.7	<0.01	<5	26	0.29	0.12	0.21	0.26	25.5	10.6	32.1						
12-093		0.19	0.04	2.14	1.9	<0.01	<5	27	0.34	0.10	0.17	0.08	31.1	11.3	28.2						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-094		0.20	0.07	1.49	2.2	<0.01	<5	27	0.32	0.10	0.20	0.07	23.4	8.7	25.1
12-095		0.24	0.09	1.44	0.9	<0.01	<5	46	0.44	0.09	0.37	0.13	42.8	11.3	27.1
12-096		0.20	0.10	1.08	1.3	<0.01	<5	36	0.25	0.09	0.49	0.08	30.1	9.5	22.2
12-097		0.22	0.24	1.80	2.2	<0.01	<5	41	0.37	0.09	0.14	0.08	22.6	8.1	22.3
12-098		0.21	0.06	0.57	0.9	<0.01	<5	39	0.08	0.22	0.11	0.15	15.7	0.9	9.4
12-099		0.18	0.17	1.41	1.7	0.01	<5	41	0.30	0.09	0.14	0.08	24.9	6.3	16.8
12-100		0.21	0.11	2.67	3.6	<0.01	6	126	0.99	0.18	1.16	0.22	72.0	14.9	63.5
12-101		0.21	0.11	3.13	3.3	<0.01	7	144	1.14	0.20	0.94	0.11	76.1	17.4	66.9
12-102		0.23	0.09	2.35	2.6	<0.01	<5	106	0.84	0.15	0.63	0.11	71.8	12.7	50.2
12-103		0.22	0.12	1.59	1.3	<0.01	<5	49	0.38	0.10	0.31	0.16	30.5	9.4	28.0
12-104		0.25	0.08	1.15	1.0	<0.01	<5	34	0.23	0.08	0.17	0.04	24.8	10.2	22.6
12-105		0.19	0.08	1.11	1.2	<0.01	<5	26	0.24	0.13	0.18	0.03	18.3	7.5	25.2
12-106		0.24	0.13	2.01	2.7	<0.01	<5	54	0.41	0.19	0.16	0.11	22.0	6.7	26.3
12-107		0.20	0.09	3.36	2.2	<0.01	<5	43	0.66	0.13	0.12	0.08	20.6	12.4	33.2
12-108		0.24	0.07	1.64	0.7	<0.01	<5	64	0.35	0.12	0.17	0.06	33.1	8.1	23.7
12-109		0.19	0.06	2.52	3.1	<0.01	<5	23	0.38	0.14	0.09	0.14	22.1	3.4	24.2
12-110		0.22	0.07	1.64	3.0	<0.01	<5	24	0.25	0.14	0.11	0.07	19.4	4.4	25.3
12-111		0.24	0.04	1.34	1.8	<0.01	<5	21	0.22	0.09	0.14	0.06	18.9	4.7	21.7
12-112		0.20	0.04	1.73	1.6	<0.01	<5	31	0.15	0.11	0.23	0.08	15.8	12.7	24.6
12-113		0.25	0.08	0.28	1.0	<0.01	<5	10	0.15	0.03	0.78	0.55	19.5	1.9	2.5
12-114		0.19	0.09	2.38	1.1	<0.01	<5	122	0.30	0.11	0.60	0.22	19.6	26.5	2.1
12-115		0.21	0.08	1.62	3.4	<0.01	<5	44	0.36	0.14	0.67	0.12	27.3	6.6	24.3
12-116		0.18	0.09	1.22	2.6	<0.01	<5	36	0.30	0.16	0.20	0.12	23.3	4.4	23.5
12-117		0.24	0.33	1.43	1.4	<0.01	<5	61	0.38	0.16	0.81	0.25	19.0	9.7	22.0
12-118		0.21	0.12	0.97	1.7	<0.01	<5	37	0.22	0.11	0.17	0.06	23.2	3.8	16.3
12-119		0.20	0.05	1.38	3.1	<0.01	<5	31	0.27	0.16	0.18	0.06	24.1	10.4	22.2
12-120		0.24	0.11	1.21	4.7	<0.01	<5	24	0.18	0.19	0.11	0.05	18.6	4.2	15.7
12-121		0.24	0.23	2.47	2.2	<0.01	<5	104	0.65	0.21	0.36	0.11	42.9	19.6	31.2
12-122		0.20	0.32	1.53	1.6	<0.01	<5	75	0.36	0.18	0.45	0.17	31.8	14.0	24.1
12-123		0.21	0.10	1.34	5.1	<0.01	<5	42	0.28	0.16	0.21	0.15	17.4	8.2	24.6
12-124		0.22	0.07	1.51	1.6	<0.01	<5	55	0.25	0.10	0.54	0.12	39.7	11.2	22.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil												
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-125		0.23	0.06	1.54	0.4	<0.01	66	0.09	0.03	0.01	0.68	0.05	29.1	14.7	9.1
12-126		0.20	0.03	1.61	0.6	<0.01	31	0.14	0.05	0.01	0.24	0.07	16.1	12.1	35.9
12-127		0.18	0.09	2.04	2.2	<0.01	33	0.29	0.09	0.01	0.12	0.07	24.0	5.4	24.3
12-128		0.22	0.04	0.81	1.2	<0.01	17	0.11	0.08	0.01	0.23	0.04	14.4	8.6	20.0
12-129		0.21	0.03	1.37	0.8	<0.01	31	0.28	0.08	0.01	0.16	0.04	23.6	5.1	20.9
12-130		0.20	0.07	1.75	1.8	<0.01	29	0.32	0.08	0.01	0.15	0.05	30.4	8.6	25.8
12-131		0.24	0.17	1.76	2.5	<0.01	56	0.32	0.18	0.01	0.13	0.11	19.1	10.7	24.8
12-132		0.19	0.08	1.92	4.9	<0.01	30	0.36	0.11	0.01	0.17	0.09	21.5	5.7	23.8
12-133		0.25	0.03	1.19	1.8	<0.01	24	0.20	0.08	0.01	0.18	0.03	20.5	8.2	21.0
12-134		0.20	0.15	1.88	2.0	<0.01	60	0.56	0.20	0.01	0.18	0.16	23.8	17.4	28.5
12-135		0.24	0.07	1.32	1.9	<0.01	35	0.26	0.09	0.01	0.22	0.04	28.3	9.0	26.9
12-136		0.20	0.09	1.95	2.7	<0.01	47	0.50	0.10	0.01	0.60	0.12	53.6	10.0	35.9
12-137		0.19	0.06	1.36	2.2	<0.01	28	0.30	0.10	0.01	0.12	0.08	19.4	6.0	26.8
12-138		0.23	0.09	1.00	1.8	<0.01	39	0.15	0.15	0.01	0.09	0.10	20.5	3.3	13.3
12-139		0.18	0.04	0.91	1.4	<0.01	18	0.15	0.11	0.01	0.12	0.03	21.4	3.4	17.4
12-140		0.20	0.10	3.14	3.2	<0.01	52	0.55	0.15	0.01	0.07	0.17	25.8	3.1	22.2
12-141		0.23	0.06	1.61	5.3	<0.01	30	0.27	0.16	0.01	0.13	0.16	20.0	4.5	22.4
12-142		0.19	0.06	1.53	1.3	<0.01	35	0.27	0.16	0.01	0.21	0.05	26.5	8.8	25.1
12-143		0.21	0.27	0.89	3.1	<0.01	29	0.14	0.12	0.01	0.17	0.11	18.1	3.3	16.3
12-144		0.25	0.16	1.04	1.7	<0.01	49	0.31	0.10	0.01	0.48	0.17	39.3	10.9	20.3
12-145		0.21	0.13	1.65	1.7	<0.01	43	0.36	0.13	0.01	0.17	0.10	22.9	5.4	21.6
12-146		0.19	0.09	1.23	2.0	<0.01	28	0.24	0.13	0.01	0.18	0.09	22.4	7.1	18.7
12-147		0.24	0.08	1.01	2.2	<0.01	40	0.21	0.11	0.01	0.27	0.09	23.5	6.4	18.8
12-148		0.23	0.10	1.44	1.8	<0.01	37	0.25	0.09	0.01	0.20	0.08	17.8	8.9	22.8
12-149		0.22	0.14	1.26	2.5	<0.01	35	0.21	0.14	0.01	0.21	0.09	15.4	5.1	23.9
12-150		0.19	0.10	0.85	1.4	<0.01	28	0.15	0.12	0.01	0.13	0.06	19.9	3.7	12.4
12-151		0.19	0.11	3.77	3.5	<0.01	50	0.71	0.13	0.01	0.17	0.24	19.7	10.8	49.1
12-152		0.21	0.06	1.03	1.6	<0.01	24	0.14	0.16	0.01	0.22	0.05	15.4	4.8	16.7
12-153		0.25	0.10	2.20	2.5	<0.01	36	0.41	0.08	0.01	0.21	0.08	21.2	10.6	34.1
12-154		0.23	0.15	1.85	2.1	<0.01	42	0.42	0.15	0.01	0.13	0.10	19.1	12.0	24.1
12-155		0.19	0.09	1.78	2.7	<0.01	50	0.53	0.16	0.01	0.26	0.15	26.4	31.7	26.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-156		0.24	0.13	1.94	4.1	<0.01	<5	42	0.42	0.20	0.22	0.11	16.7	9.0	30.6
12-157		0.21	0.11	1.35	2.5	<0.01	<5	44	0.30	0.15	0.27	0.09	23.0	10.0	19.9
12-158		0.19	0.09	1.20	2.0	<0.01	<5	24	0.19	0.15	0.22	0.12	21.5	5.1	23.6
12-159		0.20	0.12	1.60	2.0	<0.01	<5	53	0.35	0.16	0.51	0.15	35.4	11.2	24.6
12-160		0.22	0.23	2.28	2.6	<0.01	<5	67	0.46	0.14	0.22	0.20	20.1	9.3	32.1
12-161		0.12	0.07	1.42	1.8	<0.01	<5	76	0.37	0.10	0.32	0.05	53.8	8.0	32.3
12-162		0.11	0.06	1.06	1.6	<0.01	<5	37	0.27	0.06	0.26	0.04	35.8	4.5	21.0
12-163		0.16	0.05	1.11	1.9	<0.01	<5	50	0.38	0.08	7.23	0.09	41.2	7.6	28.8
12-164		0.15	0.09	1.66	2.2	<0.01	<5	75	0.59	0.11	0.68	0.12	50.8	8.7	39.9
12-165		0.14	0.10	2.21	3.2	<0.01	<5	90	0.84	0.14	0.79	0.11	66.8	11.7	48.4
12-166		0.11	0.08	1.05	1.6	<0.01	<5	44	0.38	0.07	1.68	0.05	43.6	5.5	28.0
12-167		0.12	0.09	2.69	2.8	<0.01	<5	130	1.06	0.16	0.83	0.13	73.3	14.3	59.3
12-168		0.17	0.09	1.26	1.7	<0.01	<5	56	0.46	0.08	1.38	0.11	43.6	5.8	29.3
12-169		0.15	0.06	0.70	0.6	<0.01	<5	24	0.16	0.10	0.17	0.08	26.8	3.1	12.5
12-170		0.12	0.07	1.13	2.0	<0.01	<5	33	0.26	0.15	0.18	0.09	25.9	3.6	20.7
12-171		0.16	0.16	2.05	0.8	<0.01	<5	75	0.62	0.12	1.17	0.12	138	22.7	50.7
12-172		0.14	0.12	0.95	0.9	<0.01	<5	55	0.25	0.05	0.54	0.19	75.4	12.5	144
12-173		0.10	0.09	1.31	1.3	<0.01	<5	59	0.41	0.09	0.89	0.08	36.2	5.7	30.8
12-174		0.13	0.06	1.08	1.4	0.02	<5	45	0.34	0.07	3.53	0.04	35.6	4.5	25.5
12-175		0.11	0.08	1.32	1.6	<0.01	<5	74	0.40	0.09	2.21	0.07	72.9	9.4	37.1
12-176		0.15	0.08	1.39	1.6	<0.01	<5	73	0.41	0.09	2.74	0.07	71.3	9.6	37.4
12-177		0.16	0.16	1.28	2.0	<0.01	<5	75	0.37	0.09	0.65	0.07	80.8	7.7	34.0
12-178		0.11	0.07	0.82	1.2	<0.01	<5	42	0.26	0.08	0.64	0.07	62.6	9.2	35.4
12-179		0.14	0.23	0.94	3.9	0.02	<5	55	0.29	0.14	1.01	0.30	85.0	10.9	43.1
12-180		0.12	0.09	1.65	2.7	<0.01	<5	58	0.54	0.10	0.81	0.17	57.9	7.9	39.1
12-181		0.13	0.07	1.01	1.1	<0.01	<5	40	0.29	0.10	0.33	0.15	32.3	5.5	23.4
12-182		0.17	0.15	1.49	1.3	<0.01	<5	81	0.41	0.08	1.05	0.16	64.2	10.2	44.8
12-183		0.11	0.09	1.20	1.7	<0.01	<5	44	0.35	0.10	0.62	0.06	88.0	9.3	58.6
12-184		0.15	0.10	1.07	0.9	<0.01	<5	38	0.21	0.11	0.34	0.06	44.0	9.5	96.7
12-185		0.13	0.06	1.19	1.1	<0.01	<5	32	0.19	0.10	0.53	0.07	32.1	10.4	72.5
12-186		0.14	0.10	1.38	0.8	<0.01	<5	54	0.25	0.09	0.52	0.13	43.6	12.5	54.0

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil												
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-187		0.12	0.16	1.90	0.01	<0.01	5	118	0.42	0.10	0.64	0.40	89.8	29.6	49.8
12-188		0.14	0.09	1.40	<0.01	<0.01	<5	85	0.43	0.10	3.61	0.13	61.8	8.7	40.8
12-189		0.16	0.11	1.85	<0.01	<0.01	<5	74	0.29	0.09	0.48	0.13	40.8	16.6	85.0
12-190		0.12	0.31	3.35	<0.01	<0.01	<5	88	0.82	0.10	0.41	0.24	140	17.3	54.5
12-191		0.18	0.08	1.14	<0.01	<0.01	<5	44	0.13	0.13	0.25	0.10	10.6	5.4	12.6
12-192		0.12	0.04	1.06	<0.01	<0.01	<5	140	0.07	0.09	0.23	0.10	16.2	5.5	12.1
12-193		0.11	0.11	1.42	<0.01	<0.01	<5	97	0.29	0.09	0.37	0.09	33.2	7.6	38.9
12-194		0.13	0.12	1.07	<0.01	<0.01	<5	43	0.33	0.07	0.47	0.15	35.2	5.2	23.8
12-195		0.11	0.07	1.32	<0.01	<0.01	<5	74	0.42	0.09	4.19	0.16	48.5	10.6	38.5
12-196		0.18	0.10	1.59	<0.01	<0.01	<5	62	0.49	0.12	0.44	0.10	47.3	7.4	35.5
12-197		0.15	0.11	1.60	<0.01	<0.01	<5	97	0.54	0.11	1.03	0.25	66.4	9.6	40.4
12-198		0.14	0.07	2.18	<0.01	<0.01	<5	85	0.74	0.14	1.34	0.12	62.6	10.7	48.4
12-199		0.12	0.07	1.52	<0.01	<0.01	<5	53	0.48	0.11	0.49	0.12	44.5	8.5	37.0
12-200		0.15	0.12	1.22	<0.01	<0.01	<5	57	0.22	0.11	0.47	0.36	20.6	8.8	29.0
12-201		0.11	0.05	0.78	<0.01	<0.01	<5	22	0.28	0.06	3.37	0.04	40.7	4.9	21.9
12-202		0.13	0.11	0.78	<0.01	<0.01	<5	29	0.16	0.09	0.20	0.08	21.6	3.7	18.6
12-203		0.18	0.18	1.21	<0.01	<0.01	<5	26	0.19	0.08	0.10	0.07	16.9	3.9	16.0
12-204		0.12	0.13	1.61	<0.01	<0.01	<5	27	0.33	0.13	0.20	0.16	20.0	7.1	27.1
12-205		0.10	0.15	1.26	<0.01	<0.01	<5	56	0.31	0.11	0.14	0.09	21.9	5.6	21.9
12-206		0.13	0.10	0.66	<0.01	<0.01	<5	39	0.15	0.19	0.10	0.16	15.3	2.7	14.4
12-207		0.14	0.11	1.57	<0.01	<0.01	<5	62	0.39	0.12	0.19	0.11	22.7	8.4	20.3
12-208		0.18	0.22	0.99	<0.01	<0.01	<5	35	0.25	0.12	0.15	0.16	22.3	3.7	21.1
12-209		0.15	0.13	1.49	<0.01	<0.01	<5	58	0.38	0.13	0.73	0.17	50.5	10.3	39.8
12-210		0.11	0.06	0.74	<0.01	<0.01	<5	32	0.24	0.07	0.33	0.05	34.7	3.6	17.6
12-211		0.16	0.11	1.03	<0.01	<0.01	<5	36	0.22	0.14	0.18	0.06	19.1	4.3	21.6
12-212		0.12	0.09	0.74	<0.01	<0.01	<5	43	0.23	0.06	0.37	0.06	35.0	4.9	22.9
12-213		0.15	0.10	1.55	<0.01	<0.01	<5	31	0.34	0.16	0.15	0.09	21.7	5.3	28.4
12-214		0.14	0.09	1.40	<0.01	<0.01	<5	34	0.31	0.26	0.16	0.07	29.9	6.4	27.0
12-215		0.13	0.06	0.77	<0.01	<0.01	<5	23	0.10	0.33	0.11	0.07	17.4	2.2	16.9
12-216		0.13	0.05	0.88	<0.01	<0.01	<5	38	0.17	0.12	0.23	0.05	17.4	7.3	16.4
12-217		0.17	0.09	1.10	<0.01	<0.01	<5	58	0.23	0.12	0.36	0.10	27.9	7.8	24.8

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil										
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr		
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm		
RDL:		0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5		
12-218	0.15	0.13	1.51	3.3	<0.01	<5	48	0.27	0.15	0.14	0.07	19.6	5.2	21.7		
12-219	0.11	0.15	1.24	4.1	<0.01	<5	56	0.23	0.10	0.21	0.06	21.2	5.5	18.5		
12-220	0.16	0.09	1.38	1.6	<0.01	<5	42	0.36	0.12	0.37	0.08	40.9	17.2	30.9		
12-221	0.13	0.15	1.83	10.6	<0.01	6	141	0.57	0.11	3.18	1.18	56.6	13.0	18.1		
12-222	0.12	0.10	1.37	2.5	<0.01	<5	60	0.19	0.10	0.24	0.12	17.9	11.4	29.3		
12-223	0.14	0.15	1.30	1.8	<0.01	<5	42	0.18	0.15	0.16	0.06	18.6	8.5	22.9		
12-224	0.17	0.07	4.44	0.9	<0.01	<5	60	0.42	0.05	1.04	0.08	25.2	22.6	68.4		
12-225	0.12	0.04	0.99	1.4	<0.01	<5	26	0.20	0.08	0.15	0.05	24.4	5.1	18.2		
12-226	0.13	0.06	1.18	1.5	0.01	<5	22	0.28	0.08	0.18	0.04	34.8	4.3	18.6		
12-227	0.15	0.05	1.22	0.8	<0.01	<5	86	0.20	0.08	0.52	0.13	25.2	9.0	61.4		
12-228	0.11	0.05	0.94	0.4	<0.01	<5	31	0.28	0.07	0.24	0.08	30.9	6.2	13.8		
12-229	0.13	0.11	2.40	2.9	<0.01	<5	63	0.50	0.11	0.35	0.19	37.2	14.7	27.0		
12-230	0.14	0.17	2.08	4.8	<0.01	<5	80	0.63	0.20	0.59	0.33	38.2	26.7	25.6		
12-231	0.12	0.11	1.60	1.5	<0.01	<5	50	0.31	0.08	0.17	0.05	29.1	8.3	42.3		
12-232	0.16	0.12	2.33	2.7	<0.01	<5	44	0.40	0.11	0.10	0.08	21.0	5.4	24.8		
12-233	0.12	0.06	0.99	2.8	<0.01	<5	36	0.24	0.07	0.20	0.04	26.7	6.8	18.9		
12-234	0.17	0.07	1.23	1.9	<0.01	<5	31	0.25	0.10	0.71	0.09	26.6	10.2	22.2		
12-235	0.13	0.07	1.15	1.0	<0.01	<5	51	0.23	0.10	0.36	0.10	25.8	6.3	19.1		
12-236	0.13	0.08	1.37	2.9	<0.01	<5	56	0.33	0.12	0.89	0.23	37.5	15.0	41.5		
12-237	0.16	0.13	1.99	5.5	<0.01	<5	54	0.49	0.19	0.81	0.14	65.1	14.1	60.0		
12-238	0.14	0.12	1.46	2.5	<0.01	<5	36	0.39	0.13	0.59	0.12	43.5	11.9	45.3		
12-239	0.17	0.12	1.27	4.8	<0.01	<5	24	0.25	0.12	0.17	0.19	25.5	5.7	19.8		
12-240	0.13	0.03	1.17	2.3	<0.01	<5	53	0.21	0.19	0.36	0.32	20.0	5.9	27.0		
12-241	0.20	0.04	1.29	2.5	<0.01	<5	45	0.26	0.13	0.20	0.13	32.0	6.1	25.2		
12-242	0.19	<0.01	0.73	1.2	<0.01	<5	25	0.09	0.14	0.13	0.08	16.2	3.9	15.9		
12-243	0.24	<0.01	0.56	1.4	<0.01	<5	31	0.17	0.06	0.32	0.15	28.0	4.2	15.5		
12-244	0.23	<0.01	0.81	2.8	<0.01	<5	36	0.21	0.09	1.16	0.19	41.8	10.5	26.1		
12-245	0.13	<0.01	0.94	5.2	<0.01	5	28	0.34	0.11	1.45	0.19	42.9	11.9	26.5		
12-246	0.19	<0.01	0.28	1.3	<0.01	<5	16	0.12	0.05	4.75	0.04	21.3	3.1	13.8		
12-247	0.20	<0.01	1.63	4.3	<0.01	6	73	0.43	0.15	1.43	0.33	43.4	13.3	38.6		
12-248	0.10	<0.01	1.35	2.8	<0.01	<5	61	0.31	0.14	0.60	0.14	31.7	6.3	31.5		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Sample Weight	Analyte:	Unit:	RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil					
					Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Ag	Al	As	Au	B	Ba	Be	Bi
12-249	0.01	ppm	0.01	0.1	2.8	1.37	0.01	0.1	<0.01	5	1	0.05	0.10	0.70	0.18	43.0	0.01	0.5	34.6						
12-250	0.11	kg	0.02	4.2	2.15	0.02	<0.01	12	103	0.99	0.16	0.71	15.4	52.8											
12-251	0.24	kg	<0.01	3.4	2.42	0.01	<0.01	10	113	0.85	0.16	0.97	14.5	57.6											
12-252	0.15	kg	0.06	3.9	2.16	0.01	<0.01	10	105	0.78	0.16	1.84	14.6	51.5											
12-253	0.18	kg	<0.01	2.1	1.24	0.01	<0.01	<5	49	0.35	0.10	0.48	5.4	29.2											
12-254	0.21	kg	<0.01	2.1	1.57	0.01	<0.01	<5	73	0.46	0.12	0.68	6.9	32.9											
12-255	0.19	kg	<0.01	3.0	1.84	0.01	<0.01	6	87	0.56	0.15	0.80	10.0	44.1											
12-256	0.14	kg	0.01	2.7	1.86	0.01	<0.01	8	95	0.73	0.14	1.52	7.4	37.8											
12-257	0.24	kg	<0.01	1.7	0.12	0.01	<0.01	10	41	0.09	0.02	2.66	2.0	7.2											
12-258	0.15	kg	<0.01	4.1	1.42	0.01	<0.01	6	80	0.50	0.10	1.04	8.9	33.8											
12-259	0.22	kg	<0.01	1.4	0.77	0.01	<0.01	<5	37	0.21	0.07	0.42	4.4	18.8											
12-260	0.20	kg	<0.01	2.0	1.11	0.01	<0.01	5	65	0.37	0.09	1.93	8.0	29.2											
12-261	0.21	kg	<0.01	2.1	0.96	0.01	<0.01	6	64	0.31	0.07	3.80	7.9	26.3											
12-262	0.18	kg	<0.01	1.8	1.12	0.01	<0.01	5	68	0.39	0.09	1.44	9.3	30.4											
12-263	0.10	kg	<0.01	4.7	2.20	0.01	<0.01	9	123	0.79	0.16	0.72	15.5	50.4											
12-264	0.23	kg	<0.01	1.8	0.08	0.01	<0.01	9	27	0.07	0.02	2.15	1.5	4.5											
12-265	0.21	kg	<0.01	2.0	1.72	0.01	<0.01	5	88	0.52	0.12	0.97	6.9	38.5											
12-266	0.13	kg	0.05	2.9	2.03	0.01	<0.01	7	96	0.75	0.15	0.94	9.7	42.8											
12-267	0.20	kg	<0.01	2.4	1.79	0.01	<0.01	6	81	0.57	0.13	1.00	8.4	42.5											
12-268	0.15	kg	<0.01	3.0	2.24	0.01	<0.01	8	100	0.69	0.14	2.24	10.3	44.8											
12-269	0.24	kg	<0.01	2.6	1.94	0.01	<0.01	<5	74	0.61	0.13	0.71	7.5	40.6											
12-270	0.20	kg	<0.01	1.6	0.92	0.01	<0.01	<5	38	0.25	0.06	0.32	3.6	20.6											
12-271	0.10	kg	<0.01	1.7	0.74	0.01	<0.01	<5	33	0.21	0.06	0.29	3.5	15.2											
12-272	0.20	kg	0.02	1.6	0.90	0.01	<0.01	6	39	0.27	0.06	5.43	3.9	19.8											
12-273	0.19	kg	<0.01	1.3	0.49	0.01	<0.01	7	18	0.16	0.04	9.82	2.9	12.4											
12-274	0.21	kg	<0.01	1.4	1.01	0.01	<0.01	<5	36	0.15	0.07	0.21	3.1	21.3											
12-275	0.19	kg	<0.01	2.7	1.92	0.01	<0.01	<5	57	0.40	0.10	0.29	7.3	38.6											
12-276	0.13	kg	<0.01	2.5	1.38	0.01	<0.01	<5	32	0.29	0.09	0.26	5.3	27.1											
12-277	0.23	kg	<0.01	1.6	0.97	0.01	<0.01	<5	41	0.19	0.09	0.19	4.0	23.3											
12-278	0.22	kg	<0.01	2.0	1.11	0.01	<0.01	<5	32	0.33	0.06	0.21	4.4	21.2											
12-279	0.20	kg	<0.01	1.9	0.82	0.01	<0.01	<5	34	0.25	0.05	2.46	3.8	19.7											

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		<0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
12-280	0.23	<0.01	1.35	3.0	<0.01	7	62	0.40	0.09	3.64	0.13	53.2	7.0	33.0
12-1831	0.19	<0.01	2.00	2.6	<0.01	5	78	0.67	0.12	0.62	0.13	67.3	9.3	40.2
12-1832	0.21	<0.01	2.19	2.2	<0.01	5	74	0.55	0.12	0.50	0.10	46.3	9.4	45.5
12-1877	0.26	<0.01	1.80	3.3	<0.01	7	95	0.62	0.11	0.87	0.13	64.4	10.7	43.3
12-1878	0.20	<0.01	0.89	2.1	<0.01	8	43	0.26	0.06	10.8	0.06	41.4	5.5	24.6
12-1879	0.18	<0.01	1.15	2.5	<0.01	7	58	0.33	0.07	5.82	0.07	46.6	7.5	29.4
12-1880	0.21	<0.01	1.88	2.8	<0.01	7	87	0.56	0.11	1.08	0.11	59.1	9.4	44.5
12-1881	0.22	<0.01	1.96	3.0	<0.01	7	97	0.56	0.13	2.29	0.18	63.9	9.4	43.8
12-1882	0.26	<0.01	0.68	2.1	<0.01	7	30	0.20	0.04	9.92	0.06	35.5	3.6	18.0
12-1883	0.23	<0.01	1.04	2.0	<0.01	8	50	0.27	0.07	12.0	0.08	47.6	6.2	27.6
12-1884	0.19	<0.01	1.08	2.0	<0.01	7	50	0.29	0.07	7.67	0.09	45.2	6.0	27.0
12-1885	0.24	<0.01	0.95	2.3	<0.01	7	50	0.28	0.06	5.55	0.06	43.1	5.5	24.8
12-1886	0.20	<0.01	0.64	1.5	<0.01	8	30	0.19	0.04	10.5	0.06	35.0	3.8	17.3
12-1887	0.23	<0.01	1.08	2.4	<0.01	8	51	0.29	0.06	12.5	0.08	46.5	6.0	28.3
12-1888	0.22	<0.01	1.45	2.2	<0.01	10	68	0.40	0.09	10.0	0.11	51.0	7.5	35.9
12-1889	0.11	<0.01	1.97	2.7	<0.01	6	96	0.52	0.13	0.97	0.10	67.4	9.7	47.0
12-1890	0.21	<0.01	1.25	2.8	<0.01	8	58	0.33	0.08	9.91	0.09	50.2	7.2	32.1
12-1891	0.25	<0.01	1.03	1.9	<0.01	8	48	0.30	0.07	10.5	0.09	46.2	6.0	26.1
12-1892	0.10	<0.01	1.29	2.7	<0.01	8	61	0.38	0.08	8.01	0.09	56.3	8.0	32.0
12-1893	0.19	<0.01	1.05	2.5	<0.01	7	52	0.27	0.07	5.31	0.08	47.0	6.3	27.6
12-1894	0.24	<0.01	1.24	2.3	<0.01	5	58	0.32	0.08	3.27	0.07	48.8	5.8	33.7
12-1895	0.21	<0.01	0.88	2.3	<0.01	8	40	0.26	0.06	9.18	0.07	41.8	5.8	23.7
12-1896	0.20	<0.01	0.93	2.3	<0.01	9	45	0.27	0.06	10.7	0.08	43.4	6.4	26.0
12-1897	0.22	<0.01	1.43	5.3	<0.01	7	65	0.41	0.10	5.63	0.08	58.1	8.8	40.5
12-1898	0.25	<0.01	2.15	3.0	<0.01	6	93	0.54	0.13	0.69	0.05	63.4	10.6	51.1
12-1899	0.20	<0.01	2.04	2.8	<0.01	6	92	0.57	0.13	0.65	0.09	78.6	11.8	46.7
12-1900	0.15	<0.01	1.52	2.1	<0.01	<5	63	0.42	0.12	0.55	0.13	49.8	8.2	36.7
12-1901	0.23	<0.01	1.74	1.8	<0.01	<5	71	0.41	0.12	0.66	0.09	51.4	6.1	41.2
12-1902	0.19	<0.01	1.90	2.9	<0.01	<5	81	0.45	0.14	0.59	0.06	51.5	10.1	46.6
12-1903	0.21	<0.01	2.01	3.3	<0.01	6	100	0.47	0.13	1.49	0.12	49.9	10.7	46.5
12-1904	0.22	<0.01	0.32	0.7	<0.01	<5	28	0.11	0.01	1.81	0.55	11.4	0.8	4.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil				
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		<0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
12-1905	0.20	<0.01	0.28	0.8	<0.01	<5	25	0.13	0.03	1.55	0.52	13.4	0.9	4.0
12-1906	0.17	<0.01	1.80	1.8	<0.01	7	95	0.52	0.11	1.03	0.28	61.9	9.4	41.5
12-1907	0.20	<0.01	1.71	2.7	<0.01	5	82	0.45	0.13	0.65	0.12	62.6	11.7	42.0
12-1908	0.25	<0.01	1.42	3.3	<0.01	7	72	0.45	0.13	3.67	0.12	67.9	11.3	36.3
12-1909	0.21	<0.01	0.95	2.5	<0.01	8	45	0.33	0.08	7.43	0.11	48.2	6.8	24.9
12-1910	0.21	<0.01	1.73	2.6	<0.01	6	84	0.43	0.12	1.48	0.13	63.3	10.9	38.8
12-1911	0.13	<0.01	1.41	2.8	<0.01	<5	66	0.29	0.10	0.59	0.08	46.9	8.8	36.8
12-1912	0.22	<0.01	1.12	2.5	<0.01	8	49	0.31	0.07	10.4	0.09	49.4	6.7	28.9
12-1913	0.18	<0.01	1.07	2.6	<0.01	8	50	0.30	0.07	10.1	0.11	46.9	6.4	27.8
12-1914	0.21	<0.01	1.27	2.6	<0.01	6	60	0.32	0.08	5.13	0.07	56.9	6.7	32.3
12-1915	0.14	<0.01	1.56	2.6	<0.01	<5	72	0.46	0.14	0.80	0.14	59.0	7.0	36.9
12-1916	0.13	0.02	1.31	3.0	<0.01	8	64	0.42	0.10	7.14	0.09	54.2	9.3	36.0
12-1917	0.18	<0.01	1.20	5.8	<0.01	6	54	0.41	0.10	1.68	0.12	54.0	8.3	33.0
12-1918	0.17	<0.01	1.66	6.5	<0.01	6	83	0.46	0.12	0.63	0.10	64.5	11.8	42.1
12-1919	0.16	<0.01	1.32	1.7	<0.01	5	70	0.45	0.10	0.62	0.11	69.0	7.3	34.1
12-1920	0.13	<0.01	1.25	2.4	<0.01	<5	60	0.34	0.09	1.36	0.09	57.9	6.3	33.3
12-281	0.14	<0.01	1.40	3.4	<0.01	<5	62	0.43	0.10	0.57	0.10	54.9	6.3	33.9
12-282	0.19	<0.01	1.30	2.9	<0.01	6	58	0.50	0.11	0.55	0.09	71.2	9.8	35.5
12-283	0.17	<0.01	1.24	2.4	<0.01	<5	57	0.36	0.09	0.48	0.10	56.6	6.4	32.9
12-284	0.14	<0.01	1.17	4.2	<0.01	<5	54	0.30	0.09	3.19	0.09	55.0	6.3	29.8
12-285	0.18	<0.01	0.99	2.1	<0.01	<5	39	0.38	0.09	0.36	0.07	54.7	6.0	23.1
12-286	0.16	0.01	1.30	2.5	<0.01	7	63	0.33	0.08	0.60	0.11	51.0	6.9	31.4
12-287	0.12	<0.01	0.99	3.5	<0.01	10	44	0.59	0.13	6.29	0.10	76.8	14.8	26.9
12-288	0.15	<0.01	1.59	2.4	<0.01	6	76	0.30	0.07	6.92	0.07	47.4	6.2	41.2
12-289	0.13	<0.01	1.02	2.3	<0.01	<5	46	0.35	0.08	5.67	0.07	46.6	6.6	25.3
12-290	0.17	<0.01	0.80	2.2	<0.01	<5	35	0.30	0.08	1.73	0.04	43.8	5.1	19.9
12-291	0.18	<0.01	1.13	1.9	<0.01	<5	50	0.23	0.07	0.48	0.05	39.9	4.2	28.6
12-292	0.13	<0.01	0.81	2.1	<0.01	<5	35	0.28	0.09	0.38	0.09	53.6	6.1	18.9
12-293	0.16	<0.01	0.71	2.6	<0.01	7	32	0.34	0.09	2.66	0.18	38.6	5.5	18.2
12-294	0.14	<0.01	0.79	2.3	<0.01	7	34	0.27	0.06	10.0	0.08	44.5	5.3	19.1
12-295	0.15	<0.01	0.67	2.1	<0.01	7	36	0.26	0.06	6.01	0.04	42.9	4.9	17.0

[Handwritten signature]

Certified By:



Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012			DATE RECEIVED: Sep 28, 2012			DATE REPORTED: Oct 25, 2012			SAMPLE TYPE: Soil						
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-296		0.19	<0.01	0.76	2.5	<0.01	6	30	0.25	0.06	7.10	0.09	42.8	5.0	17.6
12-297		0.13	<0.01	0.32	1.4	<0.01	6	14	0.10	0.03	10.0	0.05	26.5	2.8	10.6
12-298		0.17	<0.01	0.55	3.8	<0.01	6	23	0.18	0.04	10.7	0.05	36.1	3.9	14.8
12-299		0.15	<0.01	1.42	1.9	<0.01	<5	66	0.38	0.10	0.65	0.16	64.2	9.1	34.6
12-300		0.16	<0.01	1.29	1.9	<0.01	<5	58	0.32	0.09	1.16	0.08	57.1	5.5	30.6
12-301		0.14	<0.01	1.25	2.6	<0.01	5	55	0.36	0.09	3.01	0.08	55.2	6.5	30.9
12-302		0.16	<0.01	0.92	1.4	<0.01	<5	44	0.24	0.08	1.31	0.09	48.9	4.2	23.4
12-303		0.18	<0.01	0.37	2.1	<0.01	6	19	0.12	0.03	8.15	0.05	30.6	2.9	11.1
12-304		0.14	<0.01	0.86	2.4	<0.01	<5	44	0.23	0.07	0.42	0.08	45.8	4.2	21.0
12-305		0.20	<0.01	0.86	1.5	<0.01	<5	39	0.20	0.06	0.42	0.07	40.5	3.5	20.3
12-306		0.14	<0.01	0.66	1.8	<0.01	<5	35	0.18	0.05	4.09	0.09	43.1	4.3	18.1
12-307		0.13	<0.01	1.11	2.7	<0.01	<5	62	0.33	0.09	2.41	0.09	49.2	6.5	29.2
12-308		0.15	<0.01	0.88	5.3	<0.01	<5	40	0.21	0.07	3.41	0.10	37.9	4.7	20.6
12-309		0.13	<0.01	0.84	1.6	<0.01	<5	29	0.15	0.07	0.60	0.06	28.8	2.9	15.6
12-310		0.20	<0.01	1.57	2.5	<0.01	<5	62	0.34	0.11	0.55	0.09	51.3	6.7	36.6
12-311		0.17	<0.01	1.29	2.9	<0.01	7	73	0.39	0.10	2.83	0.18	73.1	9.2	36.2
12-312		0.16	<0.01	1.27	2.9	<0.01	<5	76	0.34	0.09	0.95	0.20	68.0	9.7	35.7
12-313		0.14	<0.01	1.55	2.0	<0.01	7	69	0.47	0.12	1.90	0.24	69.2	9.8	38.4
12-314		0.17	<0.01	1.55	3.2	<0.01	<5	57	0.36	0.11	0.37	0.09	49.9	7.1	35.4
12-315		0.13	<0.01	1.49	4.5	<0.01	9	76	0.47	0.12	8.27	0.12	61.5	10.2	39.0
12-316		0.15	<0.01	1.24	3.3	<0.01	6	46	0.62	0.14	0.26	0.10	65.7	12.2	28.9
12-317		0.20	<0.01	1.48	2.6	<0.01	<5	60	0.36	0.11	1.27	0.11	50.3	6.6	35.2
12-318		0.14	<0.01	0.86	2.9	<0.01	7	36	0.45	0.14	0.98	0.25	61.8	9.2	20.9
12-319		0.12	<0.01	1.57	3.0	<0.01	<5	53	0.50	0.10	0.37	0.08	96.4	8.2	32.5
12-320		0.15	<0.01	0.59	2.1	<0.01	7	22	0.22	0.05	9.95	0.08	39.6	4.9	14.4
12-321		0.16	<0.01	1.68	2.5	<0.01	<5	60	0.44	0.10	0.51	0.09	73.6	8.9	38.5
12-322		0.20	<0.01	1.59	2.4	<0.01	<5	53	0.35	0.09	0.35	0.08	47.2	6.7	36.9
12-323		0.17	<0.01	1.31	1.6	<0.01	<5	43	0.30	0.09	0.34	0.08	40.1	5.8	30.2
12-324		0.13	<0.01	1.67	2.2	<0.01	<5	92	0.42	0.11	0.65	0.21	59.6	8.8	39.5
12-325		0.18	<0.01	1.62	2.1	<0.01	<5	67	0.42	0.11	0.57	0.09	48.8	5.8	35.2
12-326		0.14	<0.01	1.58	2.2	<0.01	<5	65	0.45	0.11	0.54	0.09	49.9	6.2	35.0

Certified By:

(Signature)



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-327		0.17	<0.01	1.80	2.5	<0.01	<5	53	0.41	0.10	0.40	0.09	54.4	6.9	38.2
12-328		0.16	<0.01	1.70	2.6	<0.01	<5	47	0.33	0.08	0.23	0.06	54.3	5.8	28.6
12-329		0.15	<0.01	1.85	2.6	<0.01	<5	39	0.42	0.11	0.31	0.12	40.1	8.3	36.3
12-330		0.15	<0.01	2.13	3.1	<0.01	5	72	0.46	0.13	0.37	0.11	44.6	9.5	42.7
12-331		0.19	<0.01	1.86	2.2	<0.01	<5	62	0.48	0.11	0.43	0.06	69.9	9.3	43.2
12-332		0.17	<0.01	1.51	2.6	<0.01	<5	60	0.39	0.11	0.43	0.09	51.3	8.0	35.2
12-333		0.13	<0.01	1.58	2.8	<0.01	<5	62	0.42	0.11	0.59	0.14	56.6	8.6	38.4
12-334		0.18	<0.01	0.65	1.2	<0.01	<5	24	0.17	0.05	0.26	0.03	35.2	2.7	15.2
12-335		0.15	<0.01	1.02	1.6	<0.01	<5	44	0.27	0.08	0.36	0.04	42.0	4.5	25.2
12-336		0.14	<0.01	1.57	1.9	<0.01	<5	59	0.28	0.07	0.51	0.06	44.8	4.3	33.3
12-337		0.16	<0.01	1.79	2.3	<0.01	<5	72	0.38	0.11	0.58	0.11	44.6	6.2	40.8
12-338		0.19	<0.01	1.77	6.3	<0.01	<5	71	0.48	0.13	0.66	0.06	53.4	8.9	35.7
12-339		0.24	<0.01	1.83	2.5	<0.01	<5	80	0.51	0.11	0.83	0.15	67.4	8.5	41.2
12-340		0.15	<0.01	1.60	2.3	<0.01	6	61	0.54	0.12	0.42	0.14	62.4	8.5	36.5
12-341		0.17	<0.01	1.91	2.2	<0.01	<5	78	0.37	0.09	0.52	0.08	49.8	6.5	41.7
12-342		0.20	<0.01	1.64	2.9	<0.01	5	65	0.53	0.13	0.88	0.10	64.0	9.6	38.0
12-343		0.15	<0.01	1.45	2.9	<0.01	<5	61	0.44	0.11	0.48	0.09	55.5	6.5	32.0
12-344		0.16	<0.01	1.80	3.5	<0.01	<5	74	0.37	0.11	0.82	0.06	51.6	5.1	40.1
12-345		0.21	<0.01	1.34	2.8	<0.01	6	49	0.48	0.12	0.43	0.11	60.4	6.8	32.2
12-346		0.18	<0.01	1.25	1.7	<0.01	<5	52	0.35	0.10	0.57	0.09	46.9	6.0	25.5
12-347		0.14	0.07	2.73	2.3	<0.01	8	118	0.69	0.14	0.71	0.13	57.3	8.5	57.0
12-348		0.19	<0.01	1.64	4.0	<0.01	9	68	0.85	0.19	0.53	0.16	92.2	15.9	41.0
12-349		0.23	<0.01	1.81	2.4	<0.01	6	97	0.52	0.13	0.89	0.11	67.4	9.8	35.3
12-350		0.15	0.04	1.18	2.9	<0.01	6	60	0.54	0.13	1.06	0.25	56.2	8.9	26.3
12-351		0.18	<0.01	0.67	2.2	<0.01	5	27	0.36	0.09	0.64	0.16	52.0	5.9	15.3
12-352		0.16	<0.01	0.84	2.5	<0.01	<5	36	0.40	0.09	0.84	0.05	64.8	6.5	22.5
12-353		0.22	<0.01	1.80	3.0	<0.01	<5	52	0.40	0.10	0.53	0.07	61.5	6.7	33.5
12-354		0.15	<0.01	0.87	2.0	<0.01	<5	28	0.18	0.05	0.25	0.04	28.0	4.0	17.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012							DATE REPORTED: Oct 25, 2012							SAMPLE TYPE: Soil			
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm				
12-001		0.38	2.6	0.99	2.26	0.10	0.05	0.03	0.008	0.02	6.8	4.4	0.10	44	0.23				
12-002		0.48	0.9	1.41	2.72	0.08	0.05	0.03	0.014	0.03	9.7	8.6	0.17	98	0.31				
12-003		0.41	0.5	1.02	2.94	0.07	<0.02	0.01	0.008	0.03	11.1	6.2	0.13	87	0.16				
12-004		0.85	3.9	1.70	6.02	0.08	0.02	0.02	0.010	0.05	10.4	8.0	0.17	71	1.64				
12-005		0.94	1.8	1.04	2.26	0.07	<0.02	0.01	<0.005	0.02	10.8	4.2	0.11	76	1.08				
12-006		1.69	12.1	2.38	7.83	0.08	0.04	0.03	0.018	0.08	10.9	20.2	0.47	154	2.51				
12-007		0.47	4.3	1.10	2.16	0.08	0.05	0.03	0.009	0.04	19.0	9.0	0.30	108	0.34				
12-008		0.29	1.0	0.69	1.19	0.11	0.04	0.02	0.006	0.03	11.5	4.2	1.00	157	0.10				
12-009		0.57	3.0	1.53	4.45	0.09	0.05	0.02	0.010	0.02	10.6	8.0	0.15	102	0.62				
12-010		0.28	3.6	1.05	1.52	0.11	0.04	0.01	0.007	0.02	18.8	4.2	0.33	119	0.17				
12-011		0.42	2.3	1.19	1.88	0.10	0.06	0.02	0.012	0.03	16.0	7.4	0.16	114	0.18				
12-012		0.77	2.4	1.61	3.82	0.09	0.05	0.02	0.021	0.05	10.1	14.2	0.27	107	0.33				
12-013		0.21	<0.1	0.15	1.69	0.10	<0.02	<0.01	<0.005	0.02	7.2	0.6	0.01	6	0.15				
12-014		0.39	1.9	0.84	1.75	0.09	<0.02	0.02	0.008	0.03	11.6	5.7	0.16	187	0.26				
12-015		0.71	1.8	1.83	4.67	0.11	0.02	0.03	0.020	0.05	9.1	13.4	0.21	77	0.51				
12-016		0.78	1.1	2.11	4.58	0.12	0.04	0.03	0.020	0.05	9.3	9.9	0.20	67	0.57				
12-017		0.62	0.8	1.64	3.70	0.08	0.03	0.04	0.016	0.03	9.5	10.1	0.18	61	0.40				
12-018		1.04	3.5	2.56	6.25	0.10	0.03	0.04	0.013	0.02	8.3	7.4	0.18	55	1.11				
12-019		0.80	10.0	3.93	12.6	0.08	0.03	0.12	0.025	0.03	10.5	8.8	0.13	38	2.22				
12-020		1.17	16.1	2.29	7.78	0.10	0.05	0.11	0.021	0.02	17.5	10.4	0.20	54	1.41				
12-021		1.56	10.2	1.26	5.20	0.08	0.03	0.03	0.014	0.04	9.0	16.7	0.28	89	0.80				
12-022		0.87	4.6	1.93	6.13	0.09	0.05	0.02	0.010	0.02	6.3	4.6	0.20	76	0.70				
12-023		0.65	1.8	1.41	5.07	0.10	0.02	0.02	0.009	0.02	7.2	3.4	0.10	51	0.47				
12-024		1.01	1.4	1.48	7.02	0.10	0.03	0.05	0.011	0.03	10.1	4.7	0.12	59	0.71				
12-025		0.58	1.0	0.95	3.25	0.10	0.02	0.02	0.010	0.03	9.9	6.9	0.16	60	0.25				
12-026		0.63	1.6	1.07	3.72	0.09	<0.02	0.02	0.012	0.04	11.2	7.7	0.18	78	0.29				
12-027		1.66	15.6	3.80	10.1	0.11	0.04	0.07	0.030	0.09	12.4	28.7	0.57	260	0.87				
12-028		1.38	9.8	3.68	10.5	0.12	0.06	0.06	0.026	0.04	11.2	13.4	0.27	110	1.04				
12-029		1.20	5.5	2.69	8.15	0.11	0.03	0.04	0.018	0.05	10.4	16.1	0.34	130	0.50				
12-030		0.98	2.0	2.11	7.61	0.11	0.03	0.04	0.016	0.06	6.2	8.7	0.26	159	0.58				
12-031		1.70	14.3	2.46	5.54	0.11	0.03	0.06	0.023	0.04	8.1	17.5	0.59	223	0.91				
12-032		2.10	14.9	2.27	5.94	0.11	0.03	0.09	0.022	0.07	9.8	18.0	0.58	232	0.93				

Certified By:

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

AGAT Laboratories

CLIENT NAME: ENTOURAGE METALS LTD

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012								DATE REPORTED: Oct 25, 2012							
	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
12-033	1.13	4.8	1.49	4.28	0.10	0.02	0.04	0.06	0.012	0.06	8.7	12.2	0.38	99	0.44	
12-034	1.56	6.9	1.77	5.25	0.10	0.09	0.06	0.04	0.022	0.06	12.1	18.8	0.32	96	0.72	
12-035	0.96	2.2	1.13	4.96	0.08	<0.02	0.02	0.06	0.011	0.06	10.0	8.9	0.22	107	0.50	
12-036	0.65	3.1	1.27	4.41	0.11	0.02	0.03	0.03	0.010	0.05	9.0	6.5	0.19	64	0.33	
12-037	0.58	2.8	0.96	3.59	0.10	<0.02	0.02	0.02	0.011	0.04	9.8	7.8	0.16	57	0.31	
12-038	0.59	7.4	0.98	2.40	0.10	0.03	0.02	0.02	0.011	0.04	12.6	7.9	0.25	203	0.31	
12-039	1.22	10.1	1.88	5.43	0.10	0.03	0.06	0.06	0.023	0.12	17.9	19.0	0.48	231	0.52	
12-040	1.46	15.1	1.83	5.87	0.11	0.06	0.02	0.02	0.020	0.14	20.5	18.9	0.59	647	0.44	
12-041	1.13	19.1	1.77	5.30	0.09	0.05	0.02	0.02	0.015	0.04	10.2	11.5	0.28	98	1.73	
12-042	1.25	28.4	1.80	5.49	0.09	0.03	0.06	0.06	0.016	0.04	9.4	8.6	0.21	326	2.98	
12-043	1.55	19.5	1.91	5.79	0.11	0.03	0.04	0.04	0.017	0.05	17.0	9.6	0.23	119	1.01	
12-044	2.14	3.0	2.45	8.02	0.09	0.05	0.03	0.02	0.023	0.06	10.9	12.4	0.22	80	0.50	
12-045	2.22	19.3	2.13	4.10	0.10	0.06	0.02	0.02	0.011	0.06	9.4	25.0	1.14	200	0.56	
12-046	0.89	22.1	1.38	2.74	0.10	0.04	0.02	0.02	0.008	0.02	13.5	8.5	0.43	147	0.67	
12-047	1.14	20.7	1.37	2.68	0.11	0.04	0.03	0.03	0.008	0.03	14.2	8.2	0.40	146	0.45	
12-048	0.75	12.7	1.62	3.01	0.09	0.04	0.03	0.03	0.013	0.07	11.9	8.3	0.32	177	0.41	
12-049	1.09	11.8	1.47	3.89	0.10	0.04	0.02	0.02	0.012	0.05	11.9	9.6	0.39	153	0.45	
12-050	0.89	10.1	1.25	3.85	0.08	0.05	<0.01	0.01	0.007	0.02	7.0	11.0	0.45	147	0.31	
12-051	0.97	10.3	1.33	4.28	0.09	0.05	0.01	0.01	0.007	0.03	7.5	11.5	0.49	166	0.36	
12-052	2.03	10.3	1.86	4.67	0.10	0.04	0.02	0.02	0.012	0.04	11.6	12.3	0.57	309	0.71	
12-053	2.65	11.7	1.98	4.30	0.10	0.05	0.01	0.01	0.009	0.04	9.8	13.8	0.58	233	0.69	
12-054	2.09	2.8	0.78	2.17	0.08	0.04	0.01	0.01	0.009	0.03	11.5	6.9	0.19	80	0.43	
12-055	6.03	129	1.65	4.47	0.21	0.15	0.08	0.08	0.021	0.05	95.8	24.3	0.34	244	1.65	
12-056	2.75	13.4	1.37	3.31	0.10	0.04	0.02	0.02	0.014	0.04	12.0	10.6	0.30	189	0.43	
12-057	1.57	12.8	1.23	3.21	0.10	0.04	0.03	0.03	0.013	0.05	12.5	9.0	0.29	275	0.36	
12-058	1.45	3.3	1.37	4.99	0.09	0.03	0.02	0.02	0.012	0.04	10.2	9.7	0.17	68	0.40	
12-059	0.68	4.2	1.32	3.44	0.10	0.03	0.01	0.01	0.009	0.05	9.5	7.4	0.25	168	0.36	
12-060	1.61	8.2	1.66	4.39	0.10	0.03	0.04	0.04	0.017	0.07	18.0	16.1	0.38	962	0.44	
12-061	1.02	16.5	1.77	3.97	0.08	0.04	0.02	0.02	0.015	0.04	11.5	12.0	0.30	153	0.86	
12-062	1.27	10.1	1.81	4.18	0.10	0.03	0.05	0.05	0.017	0.04	13.6	10.6	0.24	93	0.63	
12-063	2.24	64.7	1.79	5.34	0.09	0.04	0.06	0.06	0.016	0.05	11.6	12.0	0.31	178	0.86	
12-064	1.42	53.8	1.32	5.01	0.10	0.03	0.11	0.11	0.020	0.04	20.7	9.4	0.13	95	0.95	

Certified By:





AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646768
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-065		2.11	9.9	2.07	5.21	0.10	0.03	0.06	0.021	0.05	10.2	13.2	0.01	107	0.85									
12-066		2.46	29.9	1.88	4.26	0.09	0.06	0.02	0.025	0.06	10.9	14.1	0.38	121	0.72									
12-067		1.63	15.3	2.34	5.43	0.09	0.13	0.02	0.013	0.12	14.9	16.9	0.68	315	0.39									
12-068		1.63	1.5	1.64	7.21	0.10	0.06	0.02	0.013	0.05	9.7	7.0	0.16	60	0.59									
12-069		4.00	3.7	1.88	6.47	0.10	0.04	0.02	0.016	0.05	11.0	11.2	0.22	81	0.72									
12-070		1.59	17.0	1.81	4.44	0.09	0.05	0.03	0.016	0.05	10.7	11.1	0.37	122	0.48									
12-071		1.17	8.0	3.10	7.83	0.08	0.16	0.02	0.017	0.06	11.5	33.7	1.70	237	0.64									
12-072		1.15	5.1	1.96	5.73	0.10	0.05	0.02	0.017	0.06	11.3	12.8	0.34	143	0.47									
12-073		1.19	6.9	2.06	4.71	0.09	0.04	0.04	0.021	0.05	10.8	13.0	0.28	114	0.78									
12-074		1.58	4.2	1.74	5.97	0.09	0.10	0.02	0.010	0.06	5.5	3.0	0.21	88	1.73									
12-075		1.07	3.6	1.90	5.03	0.10	0.11	0.01	0.008	0.07	5.2	3.5	0.22	65	1.29									
12-076		0.62	6.1	1.13	5.10	0.11	0.08	0.02	0.007	0.03	7.6	1.6	0.08	36	1.68									
12-077		2.86	75.3	2.36	5.58	0.20	0.08	0.03	0.014	0.04	75.7	18.9	0.64	442	0.86									
12-078		1.44	19.0	2.05	4.26	0.13	0.08	0.02	0.010	0.10	21.6	12.4	0.71	349	0.65									
12-079		1.41	31.9	1.66	3.70	0.14	0.05	0.05	0.011	0.06	21.8	10.8	0.59	214	0.74									
12-080		1.62	34.6	1.90	5.00	0.15	0.06	0.07	0.021	0.15	26.8	16.8	1.40	568	0.81									
12-081		2.01	24.9	2.30	7.49	0.09	0.12	0.07	0.031	0.24	28.8	28.3	1.05	307	0.27									
12-082		2.17	21.9	2.90	8.27	0.13	0.24	0.05	0.032	0.31	31.3	30.0	1.01	1220	0.40									
12-083		1.12	12.4	1.46	4.28	0.07	0.23	0.03	0.019	0.16	21.1	15.2	2.94	408	0.27									
12-084		1.73	25.5	2.21	6.22	0.15	0.19	0.06	0.026	0.20	51.1	23.5	0.75	561	0.34									
12-085		0.62	6.4	1.10	2.90	0.10	0.08	0.02	0.012	0.05	18.3	8.9	0.32	242	0.43									
12-086		0.96	19.2	1.24	3.47	0.12	0.07	0.09	0.023	0.08	20.1	11.0	1.09	642	0.44									
12-087		0.36	7.5	0.80	1.77	0.10	0.10	0.01	0.008	0.05	12.3	5.7	1.75	206	0.16									
12-088		0.44	7.5	1.02	1.31	0.10	0.02	0.01	0.006	0.02	11.1	5.2	0.16	104	0.24									
12-089		0.40	5.8	1.35	1.48	0.10	0.03	0.01	0.006	0.02	15.8	5.4	0.16	77	0.18									
12-090		0.58	3.0	1.15	2.55	0.09	<0.02	0.02	0.009	0.03	8.7	6.4	0.17	78	0.20									
12-091		2.48	12.7	2.07	5.84	0.12	0.03	0.06	0.022	0.04	10.4	8.0	0.21	182	2.58									
12-092		1.48	28.3	2.58	4.14	0.09	0.03	0.09	0.060	0.04	9.9	12.2	0.34	178	1.69									
12-093		1.57	51.1	1.65	4.58	0.08	<0.02	0.10	0.034	0.04	15.1	11.2	0.24	110	1.26									
12-094		1.10	15.1	2.20	4.74	0.09	0.02	0.05	0.022	0.03	10.9	9.1	0.22	99	2.12									
12-095		1.89	49.2	1.40	3.79	0.08	<0.02	0.05	0.016	0.03	18.3	12.8	0.31	310	1.16									
12-096		2.06	32.0	1.23	3.48	0.09	0.02	0.05	0.014	0.03	16.9	10.5	0.22	193	1.28									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-097		1.80	14.5	0.01	4.70	0.09	0.03	0.04	0.023	0.04	11.1	12.9	0.22	99	1.13									
12-098		0.92	14.3	0.57	6.26	0.10	<0.02	0.05	0.013	0.03	8.5	0.8	0.06	49	0.68									
12-099		1.81	24.8	1.26	3.98	0.10	<0.02	0.06	0.016	0.04	11.9	9.2	0.18	70	0.89									
12-100		2.45	24.4	3.13	9.29	0.10	0.31	0.06	0.035	0.36	33.6	36.4	1.18	683	0.34									
12-101		2.72	18.0	3.38	11.2	0.10	0.26	0.03	0.039	0.40	30.1	43.0	1.28	745	0.31									
12-102		2.00	15.1	2.55	8.12	0.11	0.15	0.03	0.030	0.23	26.7	29.1	0.93	552	0.34									
12-103		2.03	54.4	1.63	5.06	0.09	0.04	0.02	0.021	0.07	15.6	15.0	0.41	177	1.40									
12-104		2.31	61.7	1.41	3.62	0.08	0.06	0.02	0.013	0.03	12.8	12.4	0.27	99	3.44									
12-105		3.20	16.1	1.59	4.32	0.07	0.03	0.04	0.014	0.03	9.6	10.4	0.17	72	1.98									
12-106		3.39	19.7	3.50	8.98	0.09	0.03	0.04	0.026	0.05	11.6	17.3	0.21	105	4.50									
12-107		1.96	16.6	2.41	5.53	0.07	0.06	0.02	0.028	0.04	10.8	15.1	0.20	74	1.39									
12-108		2.95	41.4	0.80	4.58	0.08	0.02	0.02	0.018	0.04	16.3	14.5	0.33	83	1.47									
12-109		0.98	24.0	2.79	7.75	0.09	0.04	0.13	0.028	0.02	11.1	12.2	0.12	43	4.94									
12-110		1.36	14.8	2.86	8.96	0.07	0.03	0.06	0.022	0.03	9.9	8.7	0.22	70	2.24									
12-111		1.27	13.3	2.04	5.42	0.09	0.04	0.04	0.019	0.03	9.7	8.1	0.25	81	1.46									
12-112		0.71	12.6	2.22	7.30	0.08	0.04	0.03	0.019	0.02	8.3	13.3	0.32	104	1.40									
12-113		0.27	32.9	0.06	0.81	0.14	0.09	0.09	0.007	<0.01	14.0	0.5	0.04	4	3.26									
12-114		9.37	26.1	6.34	14.5	0.14	0.03	0.04	0.028	0.16	10.5	26.9	1.05	266	1.54									
12-115		1.78	33.7	2.43	5.84	0.11	0.04	0.04	0.023	0.05	14.4	13.1	0.33	159	1.05									
12-116		1.41	6.5	2.30	7.84	0.11	0.03	0.03	0.019	0.05	11.5	10.7	0.22	77	1.23									
12-117		6.61	209	1.48	4.88	0.18	0.03	0.05	0.019	0.06	81.2	16.4	0.37	373	1.19									
12-118		2.51	8.0	1.82	6.72	0.07	0.03	0.02	0.015	0.04	12.2	8.1	0.17	71	2.08									
12-119		1.63	38.5	2.05	5.49	0.09	0.04	0.05	0.020	0.04	10.9	13.2	0.34	151	1.24									
12-120		1.54	12.4	1.74	7.27	0.08	0.02	0.05	0.014	0.03	10.0	11.2	0.17	77	1.51									
12-121		4.14	105	2.12	6.39	0.08	<0.02	0.06	0.026	0.06	19.4	25.7	0.41	845	1.69									
12-122		3.95	51.4	1.72	5.11	0.10	0.02	0.05	0.023	0.05	26.3	15.5	0.32	569	0.89									
12-123		2.22	17.1	2.64	6.66	0.09	<0.02	0.05	0.021	0.04	9.5	11.8	0.24	114	1.77									
12-124		1.98	14.3	2.07	4.80	0.07	0.05	0.03	0.018	0.04	13.5	19.2	0.43	140	0.95									
12-125		1.01	28.7	2.65	6.74	0.10	0.25	0.03	0.008	0.08	16.3	16.3	1.07	330	0.21									
12-126		0.50	49.0	2.27	6.16	0.09	0.08	0.03	0.014	0.01	10.2	20.4	0.86	175	0.44									
12-127		1.14	16.7	1.70	4.53	0.10	0.05	0.06	0.022	0.03	12.2	8.7	0.18	66	0.59									
12-128		0.95	37.2	1.51	3.96	0.07	0.03	0.02	0.010	0.03	7.6	8.2	0.35	109	0.46									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-129		1.78	10.7	0.01	4.24	0.09	<0.02	0.03	0.016	0.04	12.0	13.9	0.27	120	0.55									
12-130		1.01	30.9	1.62	3.63	0.07	0.05	0.04	0.017	0.03	11.7	11.2	0.28	95	0.43									
12-131		2.23	17.9	2.84	6.99	0.12	<0.02	0.09	0.027	0.04	9.7	13.5	0.24	308	4.13									
12-132		1.19	15.6	2.14	5.27	<0.05	0.02	0.12	0.023	0.03	9.6	11.7	0.20	86	0.95									
12-133		1.38	22.6	1.74	4.22	0.06	0.07	0.05	0.015	0.04	10.4	12.4	0.27	85	4.17									
12-134		2.13	48.9	2.33	6.86	0.09	0.03	0.07	0.026	0.04	12.0	18.5	0.26	229	3.07									
12-135		1.88	20.5	1.54	4.15	0.08	0.07	0.03	0.015	0.04	12.7	12.8	0.33	115	1.43									
12-136		1.34	21.0	2.08	5.16	0.08	0.05	0.05	0.023	0.09	20.7	18.5	0.53	177	0.96									
12-137		1.62	15.3	2.01	5.46	0.09	0.03	0.07	0.020	0.04	9.8	13.1	0.25	129	3.55									
12-138		1.52	26.7	1.37	6.66	0.08	<0.02	0.04	0.014	0.03	10.2	4.4	0.17	45	3.75									
12-139		1.91	5.3	0.98	6.33	0.07	0.04	0.03	0.014	0.04	10.9	11.7	0.27	82	2.55									
12-140		1.73	43.0	2.38	6.97	0.07	0.02	0.11	0.038	0.03	13.2	10.0	0.11	48	1.56									
12-141		1.66	12.3	3.64	8.97	0.06	0.02	0.11	0.044	0.04	10.1	13.2	0.22	81	1.65									
12-142		1.87	47.7	2.16	7.33	0.09	0.05	0.03	0.022	0.05	11.3	19.1	0.43	141	1.30									
12-143		2.18	5.4	1.97	6.31	0.08	0.03	0.05	0.016	0.05	9.6	7.8	0.17	67	4.35									
12-144		6.16	408	1.47	3.62	0.16	0.06	0.04	0.014	0.05	56.3	14.4	0.35	504	2.35									
12-145		2.50	7.2	2.39	8.29	0.07	0.03	0.03	0.029	0.05	11.7	12.9	0.25	117	1.27									
12-146		1.68	21.7	1.85	5.65	0.08	0.03	0.05	0.016	0.04	10.7	11.2	0.35	115	1.37									
12-147		1.81	10.6	1.36	4.40	0.07	0.02	0.03	0.016	0.05	11.9	11.7	0.27	216	0.74									
12-148		1.73	15.9	2.15	5.08	0.08	0.05	0.03	0.019	0.04	9.1	12.0	0.26	91	0.96									
12-149		2.39	9.8	3.09	6.89	0.10	0.05	0.05	0.020	0.04	7.9	8.2	0.21	82	1.54									
12-150		2.19	7.9	1.30	5.53	0.07	<0.02	0.03	0.012	0.04	10.1	7.6	0.16	91	1.65									
12-151		2.68	31.3	5.97	11.4	0.09	0.06	0.12	0.060	0.05	10.4	28.3	0.46	124	3.44									
12-152		1.61	11.0	1.12	6.13	0.08	0.03	0.04	0.013	0.04	8.2	10.2	0.26	93	4.40									
12-153		1.32	37.8	2.46	4.29	0.06	0.04	0.08	0.026	0.03	10.7	14.4	0.31	97	0.81									
12-154		2.00	16.3	1.97	5.88	0.06	<0.02	0.11	0.025	0.03	9.6	15.9	0.16	414	2.14									
12-155		2.09	64.8	2.01	4.42	0.08	<0.02	0.07	0.022	0.04	11.6	16.3	0.25	739	1.75									
12-156		1.40	17.5	3.65	7.25	0.08	0.03	0.07	0.031	0.04	8.6	15.4	0.21	101	2.13									
12-157		1.56	34.9	1.94	6.34	0.06	<0.02	0.05	0.020	0.04	10.5	14.8	0.20	107	2.09									
12-158		1.36	20.2	2.25	8.53	0.07	0.03	0.03	0.021	0.04	10.8	13.5	0.29	96	1.65									
12-159		3.92	44.6	2.28	6.69	0.10	0.07	0.03	0.026	0.15	14.1	20.1	0.67	339	1.00									
12-160		2.03	14.1	2.52	7.61	0.08	0.04	0.05	0.026	0.07	10.7	19.3	0.32	87	1.13									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-161		2.03	51.7	1.47	3.98	0.09	0.05	0.02	0.016	0.06	20.5	13.9	0.35	265	1.18									
12-162		0.77	6.8	1.19	3.18	0.08	0.03	0.03	0.013	0.05	11.9	9.8	0.27	100	0.50									
12-163		1.10	12.1	1.44	4.17	0.10	0.19	0.02	0.017	0.16	20.0	15.0	2.17	366	0.23									
12-164		1.25	11.0	1.91	5.52	0.12	0.11	0.04	0.021	0.15	26.0	24.3	0.63	352	0.23									
12-165		2.08	14.6	2.57	7.59	0.13	0.17	0.04	0.030	0.28	30.4	29.5	0.96	559	0.25									
12-166		0.88	6.4	1.29	3.64	0.12	0.10	0.03	0.016	0.11	22.1	13.8	1.11	309	0.22									
12-167		2.12	16.4	2.94	9.56	0.12	0.27	0.04	0.035	0.29	32.0	35.5	1.08	607	0.27									
12-168		0.98	8.8	1.42	4.01	0.11	0.12	0.04	0.018	0.11	24.8	16.0	0.85	318	0.22									
12-169		1.07	5.6	0.86	4.90	0.11	0.04	0.02	0.010	0.03	14.0	6.5	0.24	75	0.35									
12-170		1.10	5.7	1.57	7.02	0.10	0.09	0.04	0.015	0.03	12.8	10.8	0.23	70	0.66									
12-171		1.90	78.8	3.82	11.8	0.17	0.07	0.03	0.020	0.07	61.9	45.1	1.62	926	0.69									
12-172		1.18	17.1	0.90	3.69	0.18	0.03	0.04	0.008	0.03	41.3	16.3	0.72	366	0.49									
12-173		1.14	7.3	1.45	4.26	0.11	0.06	0.03	0.018	0.11	20.1	16.7	0.64	246	0.25									
12-174		0.83	8.1	1.17	3.56	0.11	0.11	0.03	0.015	0.11	19.8	12.2	1.84	182	0.15									
12-175		1.58	60.1	1.90	5.18	0.15	0.10	0.03	0.018	0.14	39.3	18.6	1.66	420	0.31									
12-176		1.58	61.6	1.93	5.63	0.15	0.09	0.03	0.019	0.15	40.0	19.2	1.98	446	0.30									
12-177		1.73	61.9	1.83	4.91	0.17	0.06	0.04	0.014	0.06	55.7	26.6	0.57	177	0.42									
12-178		1.75	31.8	1.59	3.70	0.15	0.09	0.03	0.012	0.08	36.5	12.3	0.58	314	0.75									
12-179		1.48	26.2	1.92	3.47	0.16	0.05	0.08	0.014	0.08	45.6	13.4	0.57	890	2.24									
12-180		1.30	11.5	1.90	5.23	0.12	0.10	0.04	0.022	0.20	22.3	19.6	0.71	372	0.25									
12-181		1.19	7.1	1.25	4.73	0.09	0.03	0.02	0.016	0.07	16.3	13.6	0.36	149	0.41									
12-182		2.56	92.9	2.01	5.17	0.17	0.06	0.06	0.015	0.10	58.1	19.2	0.66	449	1.09									
12-183		1.64	57.2	1.79	4.37	0.16	0.06	0.04	0.013	0.06	51.1	25.9	0.62	264	0.32									
12-184		2.01	20.6	1.41	5.35	0.11	0.05	0.02	0.010	0.07	21.0	15.0	0.62	178	0.70									
12-185		2.03	26.5	1.94	6.21	0.12	0.06	0.02	0.012	0.05	14.3	19.0	0.80	219	0.86									
12-186		2.31	74.5	2.12	4.80	0.12	0.04	0.02	0.016	0.06	22.6	18.4	0.73	325	0.61									
12-187		3.75	94.3	2.93	6.93	0.14	0.03	0.04	0.024	0.09	41.1	21.4	0.79	845	1.28									
12-188		1.50	49.1	1.75	4.60	0.14	0.09	0.04	0.020	0.16	40.4	16.2	1.49	578	0.40									
12-189		1.97	57.7	2.67	7.35	0.11	0.07	0.02	0.020	0.09	16.1	23.0	1.01	512	0.63									
12-190		6.91	408	2.27	5.34	0.18	0.06	0.08	0.029	0.08	56.0	37.0	0.52	585	1.33									
12-191		1.09	11.7	3.77	11.9	0.09	0.04	0.06	0.024	0.05	5.0	4.3	0.27	138	5.56									
12-192		1.54	8.2	1.43	11.7	0.09	0.06	0.02	0.011	0.19	8.4	7.8	0.58	143	0.77									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-193		1.70	14.4	1.91	5.96	0.10	0.05	0.02	0.016	0.11	16.3	21.0	0.54	190	0.39									
12-194		0.86	6.3	1.36	3.45	0.09	0.04	0.03	0.014	0.08	14.7	13.7	0.36	211	0.30									
12-195		1.72	24.3	2.05	4.65	0.12	0.11	0.04	0.019	0.17	25.3	18.3	1.54	401	0.35									
12-196		1.42	25.1	1.81	5.52	0.11	0.07	0.04	0.022	0.11	24.5	21.6	0.54	239	0.48									
12-197		1.71	52.0	1.74	4.99	0.15	0.10	0.07	0.021	0.15	47.4	21.4	0.60	277	0.35									
12-198		1.89	15.0	2.48	7.09	0.13	0.20	0.04	0.029	0.26	28.0	26.7	1.19	459	0.24									
12-199		1.48	6.8	1.79	5.52	0.11	0.07	0.02	0.020	0.15	17.6	21.6	0.61	359	0.25									
12-200		2.38	24.5	1.86	6.21	0.07	0.06	0.02	0.014	0.10	11.7	13.5	0.53	185	0.70									
12-201		0.55	16.2	0.99	2.37	0.13	0.08	0.03	0.012	0.06	19.2	8.1	1.72	252	0.23									
12-202		1.16	21.5	1.22	5.80	0.10	0.05	0.02	0.012	0.05	11.4	9.4	0.25	84	0.73									
12-203		1.16	17.0	1.29	4.21	0.10	0.03	0.03	0.015	0.02	9.2	9.4	0.13	48	0.82									
12-204		1.74	37.7	2.36	5.01	0.08	0.03	0.08	0.028	0.04	10.4	12.3	0.31	108	1.07									
12-205		2.31	6.4	1.89	5.57	0.08	0.03	0.04	0.018	0.04	11.2	14.1	0.22	102	0.81									
12-206		1.20	5.5	1.95	7.03	0.08	<0.02	0.03	0.021	0.03	7.9	4.8	0.12	93	1.38									
12-207		2.59	7.9	2.41	6.27	0.10	0.03	0.04	0.026	0.08	11.0	15.0	0.35	123	1.82									
12-208		1.53	5.0	2.18	6.48	0.07	0.02	0.04	0.021	0.05	10.4	12.2	0.22	99	0.80									
12-209		3.35	36.2	2.05	5.19	0.11	0.05	0.04	0.031	0.05	23.9	18.0	0.61	269	0.87									
12-210		0.84	14.0	0.95	2.34	0.09	0.03	0.02	0.010	0.03	19.9	7.6	0.24	108	0.32									
12-211		1.57	3.3	2.15	6.85	0.07	0.03	0.02	0.016	0.05	9.9	12.9	0.22	109	1.92									
12-212		3.82	30.9	0.99	2.29	0.11	0.05	0.02	0.012	0.04	24.2	9.6	0.24	303	0.95									
12-213		2.20	5.0	2.13	5.25	0.08	0.04	0.06	0.022	0.05	11.2	11.9	0.23	85	1.53									
12-214		5.04	17.4	1.69	7.04	0.07	0.05	0.03	0.015	0.06	15.0	17.0	0.30	95	1.93									
12-215		1.32	7.8	2.05	12.4	0.09	0.04	0.04	0.013	0.04	9.3	3.6	0.13	50	9.68									
12-216		1.69	16.1	2.12	4.50	0.07	0.02	0.02	0.013	0.05	6.7	10.1	0.32	175	0.60									
12-217		2.82	16.2	1.50	4.21	0.06	0.03	0.03	0.015	0.05	11.8	11.3	0.28	214	0.68									
12-218		1.80	7.3	2.21	7.86	0.09	0.03	0.05	0.020	0.04	10.3	10.5	0.19	79	1.11									
12-219		1.82	11.1	1.53	5.18	0.05	0.05	0.02	0.016	0.04	11.0	11.0	0.20	108	0.88									
12-220		3.00	47.6	2.00	4.23	0.11	0.03	0.03	0.016	0.04	29.8	16.8	0.28	201	1.24									
12-221		1.84	122	2.06	1.83	0.17	0.08	0.23	0.019	0.03	62.6	5.5	0.26	3290	1.79									
12-222		2.08	22.8	2.59	6.30	0.09	0.03	0.04	0.020	0.06	8.8	15.9	0.36	175	1.12									
12-223		1.38	17.2	2.58	5.16	0.09	0.03	0.04	0.016	0.04	9.8	10.7	0.22	85	1.60									
12-224		2.71	46.4	3.01	9.34	0.07	0.03	0.03	0.016	0.05	13.8	24.7	0.94	211	0.45									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-225		1.00	13.4	1.18	3.83	0.07	0.04	0.03	0.013	0.03	12.7	10.3	0.22	95	0.36									
12-226		1.29	16.3	1.13	3.88	0.07	0.05	0.03	0.016	0.04	16.6	12.5	0.24	91	2.34									
12-227		1.45	23.3	1.82	6.38	0.08	0.15	0.04	0.015	0.07	13.8	16.7	0.64	121	1.37									
12-228		3.73	31.0	0.87	3.17	0.08	0.04	0.02	0.012	0.03	17.1	11.2	0.22	82	0.15									
12-229		2.46	44.0	2.03	4.52	0.09	0.04	0.12	0.026	0.04	19.7	22.7	0.38	364	0.74									
12-230		6.14	35.6	3.49	7.03	0.11	0.02	0.07	0.038	0.05	18.9	24.9	0.34	814	0.88									
12-231		1.33	7.2	1.76	4.69	0.09	0.09	0.03	0.017	0.05	13.8	12.3	0.39	124	0.49									
12-232		1.62	10.1	2.56	6.94	0.09	0.07	0.05	0.027	0.04	10.7	14.2	0.20	72	1.00									
12-233		0.85	18.1	1.42	3.00	0.09	0.08	0.02	0.015	0.03	13.2	10.3	0.22	81	0.23									
12-234		1.65	42.9	1.61	3.85	0.08	0.04	0.05	0.015	0.03	13.5	15.3	0.40	174	0.31									
12-235		3.59	20.1	1.15	3.73	0.09	0.03	0.02	0.015	0.04	12.8	14.7	0.28	167	0.35									
12-236		3.71	71.9	2.01	4.55	0.12	0.05	0.05	0.020	0.06	17.4	24.9	0.56	492	0.66									
12-237		2.78	97.7	2.41	7.31	0.14	0.08	0.05	0.028	0.06	44.3	37.7	0.72	190	0.76									
12-238		2.38	92.3	2.46	4.76	0.15	0.06	0.06	0.019	0.06	42.0	23.7	0.57	151	0.63									
12-239		0.91	17.7	1.75	5.87	0.08	0.03	0.05	0.020	0.03	13.5	9.7	0.16	60	1.54									
12-240		1.88	26.7	2.33	5.55	0.11	0.06	0.05	0.053	0.05	11.2	10.6	0.35	175	1.62									
12-241		1.35	20.5	1.54	4.90	0.11	0.06	0.04	0.015	0.05	13.0	11.0	0.32	174	0.74									
12-242		2.22	7.1	1.63	6.01	0.11	0.02	0.02	0.008	0.05	7.9	5.5	0.22	103	2.08									
12-243		1.07	29.7	0.85	2.03	0.11	0.05	0.01	0.007	0.03	18.5	7.0	0.21	272	0.39									
12-244		1.18	28.2	1.53	3.22	0.12	0.04	0.02	0.011	0.07	18.4	9.9	0.72	306	0.51									
12-245		1.20	24.7	1.39	4.49	0.11	0.04	0.03	0.017	0.07	18.3	14.2	0.76	227	0.61									
12-246		0.33	9.0	0.69	1.36	0.09	0.10	<0.01	<0.005	0.03	10.6	3.4	0.90	111	0.14									
12-247		1.34	26.8	2.15	7.14	0.14	0.05	0.05	0.024	0.16	19.3	19.0	0.78	534	0.78									
12-248		0.99	9.8	1.68	5.16	0.12	0.03	0.04	0.016	0.10	13.7	18.3	0.47	372	0.49									
12-249		1.04	11.8	1.75	4.91	0.13	0.06	0.04	0.015	0.14	18.3	18.2	0.60	398	0.28									
12-250		1.86	15.4	2.53	10.4	0.13	0.22	0.05	0.031	0.25	35.1	44.5	0.92	551	0.25									
12-251		1.74	16.3	2.86	10.1	0.15	0.20	0.05	0.030	0.28	35.1	37.8	1.09	644	0.30									
12-252		1.76	18.7	2.59	9.65	0.15	0.31	0.04	0.031	0.27	36.8	35.9	1.36	629	0.30									
12-253		0.87	5.6	1.49	5.03	0.12	0.07	0.02	0.016	0.08	20.2	14.7	0.48	217	0.33									
12-254		1.00	7.9	1.58	5.52	0.13	0.08	0.04	0.018	0.11	22.2	19.3	0.50	378	0.19									
12-255		1.42	11.8	2.25	6.40	0.15	0.20	0.05	0.021	0.21	30.5	26.0	0.79	493	0.27									
12-256		1.53	13.5	1.67	7.93	0.12	0.18	0.12	0.025	0.15	33.7	25.1	0.58	345	0.20									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-257		0.34	8.1	0.39	0.41	<0.05	0.13	0.15	<0.005	0.01	2.2	0.4	0.22	248	2.97									
12-258		0.98	14.5	1.40	5.98	0.13	0.18	0.04	0.018	0.13	24.7	18.1	0.73	182	0.39									
12-259		0.49	4.3	0.93	2.96	0.13	0.09	0.02	0.008	0.05	15.7	8.9	0.31	119	0.17									
12-260		0.72	11.7	1.25	4.66	0.13	0.13	0.03	0.015	0.11	23.3	15.0	1.10	237	0.41									
12-261		0.70	9.5	1.23	4.24	0.12	0.17	0.02	0.013	0.11	19.4	13.6	1.50	428	0.39									
12-262		0.85	12.6	1.34	5.01	0.14	0.22	0.03	0.015	0.13	22.3	15.3	1.00	345	0.23									
12-263		1.52	16.5	2.63	9.50	0.15	0.32	0.03	0.027	0.25	32.6	36.8	0.88	308	0.33									
12-264		0.20	2.7	0.23	0.29	<0.05	0.10	0.13	<0.005	<0.01	1.6	0.3	0.19	253	1.10									
12-265		1.04	15.3	1.62	6.10	0.15	0.16	0.08	0.020	0.15	31.1	22.8	0.60	244	0.26									
12-266		1.35	14.8	2.36	8.78	0.15	0.14	0.08	0.027	0.20	34.3	35.0	0.77	436	0.29									
12-267		1.23	10.7	1.89	7.80	0.13	0.09	0.05	0.024	0.15	23.5	26.0	0.64	293	0.27									
12-268		1.53	14.1	2.43	9.20	0.13	0.11	0.05	0.029	0.21	31.3	31.3	1.23	513	0.31									
12-269		1.36	10.7	2.02	6.96	0.14	0.06	0.04	0.021	0.14	33.8	24.6	0.72	308	0.21									
12-270		0.56	2.6	1.12	3.07	0.13	0.05	0.04	0.011	0.05	19.9	8.5	0.29	128	0.17									
12-271		0.55	1.4	0.90	2.98	0.12	0.03	0.03	0.011	0.04	15.6	7.9	0.23	176	0.09									
12-272		0.48	3.7	1.00	3.27	0.10	0.07	0.03	0.013	0.07	18.0	9.7	2.25	186	0.13									
12-273		0.29	2.6	0.66	2.22	0.05	0.09	0.02	0.009	0.05	16.6	6.2	3.69	191	0.11									
12-274		0.74	2.2	1.01	4.46	0.12	0.03	0.02	0.010	0.06	11.9	10.6	0.31	96	0.24									
12-275		1.04	7.6	1.99	6.18	0.13	0.06	0.03	0.019	0.14	15.4	21.3	0.56	255	0.24									
12-276		0.71	5.3	1.68	6.10	0.12	0.04	0.02	0.015	0.08	12.1	15.6	0.42	141	0.33									
12-277		0.89	3.9	1.25	4.86	0.12	<0.02	0.02	0.011	0.08	12.7	12.0	0.34	286	0.35									
12-278		0.49	3.4	1.15	3.97	0.12	0.06	0.03	0.013	0.05	18.4	10.3	0.28	164	0.22									
12-279		0.46	4.2	0.99	3.10	0.13	0.09	0.03	0.013	0.07	20.4	8.8	1.56	257	0.11									
12-280		0.89	13.4	1.66	5.18	0.11	0.19	0.05	0.019	0.17	25.4	15.7	2.01	454	0.59									
12-1831		1.17	10.2	2.10	7.91	0.13	0.09	0.04	0.024	0.15	33.6	25.6	0.73	445	0.23									
12-1832		1.34	10.3	2.31	8.68	0.13	0.08	0.02	0.024	0.19	20.0	28.7	0.84	337	0.59									
12-1877		1.09	14.5	2.38	7.14	0.14	0.16	0.03	0.022	0.19	32.1	27.8	0.83	507	0.41									
12-1878		0.65	9.4	1.16	3.48	<0.05	0.33	0.01	0.013	0.12	20.3	10.9	3.55	432	0.25									
12-1879		0.83	14.3	1.48	4.69	0.10	0.34	0.01	0.015	0.16	22.5	12.4	2.62	542	0.19									
12-1880		1.14	13.0	2.29	7.42	0.15	0.24	0.03	0.024	0.23	28.3	24.4	0.97	382	0.17									
12-1881		1.19	15.1	2.30	7.93	0.15	0.20	0.04	0.025	0.23	32.3	24.8	1.37	464	0.42									
12-1882		0.47	5.2	0.91	2.74	0.06	0.19	0.02	0.011	0.08	18.1	7.8	3.91	209	0.12									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1883		0.83	9.8	1.32	4.34	0.05	0.40	0.02	0.015	0.16	23.7	12.2	3.47	413	0.20									
12-1884		0.73	8.7	1.31	4.33	0.09	0.23	0.02	0.014	0.14	21.6	11.6	3.25	200	0.16									
12-1885		0.58	7.5	1.25	3.80	0.09	0.13	0.02	0.013	0.11	21.5	10.5	2.79	455	0.34									
12-1886		0.45	4.8	0.87	2.70	<0.05	0.19	0.01	0.010	0.08	17.5	7.6	3.82	299	0.21									
12-1887		0.90	10.2	1.37	4.61	<0.05	0.38	0.02	0.016	0.15	24.1	12.6	3.49	350	0.22									
12-1888		1.15	12.6	1.75	6.14	<0.05	0.48	0.02	0.021	0.21	26.7	16.6	3.43	454	0.21									
12-1889		1.30	15.9	2.44	7.19	0.17	0.26	0.04	0.021	0.21	35.2	21.7	0.94	498	0.20									
12-1890		1.10	10.9	1.52	5.43	0.06	0.34	0.02	0.018	0.16	25.3	14.4	3.03	364	0.26									
12-1891		0.96	8.8	1.27	4.98	<0.05	0.41	0.02	0.017	0.13	25.5	12.7	3.10	339	0.18									
12-1892		1.02	12.7	1.64	6.03	0.08	0.45	0.02	0.019	0.14	29.2	14.7	2.84	263	0.19									
12-1893		0.82	10.6	1.47	3.93	0.10	0.39	0.02	0.012	0.13	22.5	10.4	2.82	270	0.15									
12-1894		0.91	11.8	1.59	4.46	0.13	0.31	0.03	0.015	0.16	25.2	11.3	2.07	231	0.21									
12-1895		0.70	7.3	1.10	3.96	0.07	0.21	0.01	0.013	0.12	20.9	10.2	3.16	351	0.39									
12-1896		0.81	8.7	1.19	4.12	<0.05	0.34	0.02	0.015	0.14	21.2	11.7	3.47	379	0.53									
12-1897		1.20	14.5	1.75	6.79	0.11	0.20	0.03	0.022	0.20	30.4	15.8	2.04	462	0.62									
12-1898		1.45	13.6	2.49	7.42	0.16	0.19	0.04	0.022	0.25	31.7	22.1	0.91	474	0.54									
12-1899		1.48	12.0	2.31	8.09	0.17	0.16	0.04	0.023	0.21	35.6	22.8	0.84	487	0.39									
12-1900		1.10	8.4	1.69	6.07	0.15	0.08	0.03	0.019	0.11	27.4	16.5	0.56	315	0.51									
12-1901		1.18	9.7	1.91	6.25	0.14	0.07	0.03	0.018	0.13	29.5	16.4	0.61	274	0.42									
12-1902		1.30	11.3	2.32	7.35	0.15	0.16	0.02	0.019	0.20	23.4	21.0	0.84	429	0.60									
12-1903		1.30	13.9	2.28	7.12	0.14	0.13	0.03	0.021	0.20	26.1	20.5	1.13	484	0.55									
12-1904		0.12	10.5	0.18	0.49	0.13	0.14	0.08	<0.005	<0.01	9.2	0.4	0.14	48	0.31									
12-1905		0.17	7.1	0.17	0.55	0.12	0.10	0.13	<0.005	<0.01	9.9	0.4	0.12	58	0.20									
12-1906		1.44	14.5	1.89	6.54	0.13	0.21	0.06	0.020	0.21	30.0	21.3	0.66	429	0.51									
12-1907		1.27	9.9	2.12	6.72	0.15	0.13	0.03	0.019	0.18	27.1	19.6	0.67	354	0.34									
12-1908		1.46	13.5	1.69	7.42	0.13	0.31	0.04	0.024	0.18	34.6	20.5	1.53	428	0.27									
12-1909		1.03	8.4	1.15	5.32	0.05	0.24	0.03	0.018	0.11	25.6	13.9	2.39	238	0.26									
12-1910		1.30	12.3	2.00	7.10	0.15	0.24	0.04	0.020	0.20	29.4	19.2	1.09	235	0.18									
12-1911		1.02	5.8	1.88	5.38	0.15	0.09	0.04	0.014	0.14	21.0	16.0	0.59	244	0.21									
12-1912		0.92	12.2	1.38	4.97	0.06	0.32	0.02	0.018	0.15	25.2	12.8	3.22	338	0.22									
12-1913		0.84	10.9	1.41	4.77	0.06	0.27	0.02	0.016	0.14	25.0	12.0	3.45	370	0.25									
12-1914		0.96	11.6	1.66	4.92	0.14	0.23	0.02	0.017	0.17	28.0	11.7	2.84	310	0.17									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1915		1.05	13.0	1.73	5.76	0.13	0.16	0.04	0.019	0.15	29.1	19.7	0.62	189	0.75									
12-1916		1.23	12.8	1.70	6.47	0.05	0.30	0.03	0.021	0.18	27.2	17.6	2.69	325	0.34									
12-1917		1.11	8.9	1.55	6.07	0.13	0.25	0.03	0.020	0.14	26.3	16.4	1.15	201	0.34									
12-1918		1.30	9.1	2.12	6.25	0.14	0.18	0.03	0.018	0.19	26.1	21.3	0.70	404	0.54									
12-1919		1.10	7.9	1.35	5.19	0.11	0.13	0.04	0.016	0.11	29.7	19.4	0.51	154	0.54									
12-1920		0.80	12.2	1.33	4.90	0.14	0.19	0.03	0.015	0.13	28.3	13.9	0.97	187	0.21									
12-281		0.88	7.0	1.66	5.31	0.12	0.16	0.03	0.016	0.12	26.6	19.4	0.56	318	0.25									
12-282		1.19	8.8	1.66	6.39	0.15	0.22	0.03	0.019	0.15	35.0	20.7	0.58	396	0.53									
12-283		0.87	6.9	1.56	5.11	0.14	0.10	0.02	0.016	0.11	25.3	16.4	0.52	390	0.38									
12-284		0.89	8.8	1.45	4.99	0.14	0.15	0.03	0.015	0.13	27.4	11.6	1.41	334	0.19									
12-285		0.79	4.4	1.15	4.95	0.14	0.13	0.02	0.014	0.08	28.9	16.7	0.37	201	0.22									
12-286		0.81	7.9	1.56	5.10	0.07	0.19	0.04	0.017	0.11	27.6	12.0	0.57	316	0.33									
12-287		1.69	11.0	1.23	9.92	0.10	0.45	0.03	0.029	0.11	40.6	27.5	2.68	365	0.36									
12-288		0.78	17.2	1.97	4.77	0.09	0.18	0.03	0.016	0.23	24.7	11.5	2.47	398	0.16									
12-289		0.82	8.2	1.26	5.54	0.11	0.16	0.02	0.017	0.11	23.1	12.8	2.16	302	0.23									
12-290		0.84	4.0	1.02	4.52	0.13	0.13	0.01	0.014	0.08	21.1	11.8	0.74	182	0.13									
12-291		0.56	4.4	1.42	3.45	0.13	0.10	0.02	0.011	0.11	20.5	9.0	0.53	225	0.11									
12-292		0.81	3.9	1.06	5.07	0.14	0.10	0.02	0.015	0.06	20.2	13.2	0.35	184	0.17									
12-293		0.84	9.3	0.93	4.23	0.09	0.09	0.06	0.017	0.09	24.4	11.5	1.29	197	0.26									
12-294		0.74	8.5	1.06	3.79	<0.05	0.11	0.03	0.015	0.09	22.9	11.0	3.22	274	0.23									
12-295		0.56	5.2	0.94	3.31	<0.05	0.09	0.02	0.014	0.07	21.9	9.5	2.71	330	0.20									
12-296		0.60	5.7	0.97	3.62	0.05	0.07	0.02	0.014	0.08	21.3	9.1	2.73	248	0.17									
12-297		0.31	6.0	0.62	1.50	<0.05	0.18	0.01	0.007	0.05	13.1	4.1	3.72	185	0.15									
12-298		0.46	9.2	0.93	2.45	<0.05	0.17	0.02	0.010	0.07	18.4	6.3	3.95	248	0.30									
12-299		1.29	24.1	1.76	4.79	0.13	0.09	0.04	0.017	0.09	36.4	12.9	0.60	423	0.20									
12-300		0.87	7.7	1.56	4.63	0.14	0.09	0.04	0.016	0.12	29.2	11.5	0.77	357	0.23									
12-301		0.93	8.2	1.49	5.41	0.13	0.09	0.04	0.019	0.13	28.7	12.6	1.77	334	0.23									
12-302		0.64	6.9	1.18	3.41	0.14	0.09	0.04	0.012	0.09	25.0	8.0	0.75	211	0.11									
12-303		0.34	4.9	0.59	1.92	<0.05	0.22	0.01	0.008	0.05	15.6	4.9	2.77	185	0.34									
12-304		0.49	4.9	1.04	3.20	0.13	0.08	0.04	0.011	0.06	21.9	8.0	0.30	217	0.22									
12-305		0.59	3.6	1.06	3.09	0.12	0.06	0.02	0.011	0.06	19.8	7.2	0.32	177	0.12									
12-306		0.49	13.6	0.88	3.03	0.09	0.10	0.03	0.011	0.07	22.1	7.3	1.56	204	0.40									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	DATE RECEIVED: Sep 28, 2012			DATE REPORTED: Oct 25, 2012			SAMPLE TYPE: Soil								
	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:															
12-307	0.77	18.3	1.47	0.01	4.98	0.13	0.14	0.06	0.018	0.11	25.4	12.8	1.37	288	0.44
12-308	0.68	6.9	0.98	0.01	4.30	0.11	0.06	0.03	0.013	0.08	18.5	8.2	1.27	189	0.29
12-309	0.55	3.2	0.91	0.01	3.60	0.12	0.02	0.02	0.009	0.05	14.4	5.6	0.36	116	0.20
12-310	1.09	9.6	1.83	0.01	5.94	0.14	0.08	0.03	0.016	0.13	27.2	13.3	0.59	203	0.27
12-311	2.02	20.7	1.69	0.01	5.54	0.11	0.11	0.05	0.018	0.15	41.5	16.3	1.43	272	0.45
12-312	1.80	21.7	1.76	0.01	4.80	0.14	0.10	0.04	0.015	0.14	38.4	14.2	0.65	245	0.41
12-313	1.45	23.5	1.75	0.01	5.87	0.13	0.14	0.05	0.020	0.17	37.1	21.8	1.07	208	0.24
12-314	0.95	8.9	1.83	0.01	5.69	0.13	0.04	0.04	0.017	0.13	20.3	13.9	0.59	296	0.25
12-315	1.69	18.9	1.86	0.01	7.06	0.05	0.44	0.03	0.025	0.25	29.9	20.7	2.26	450	1.15
12-316	1.75	8.4	1.41	0.01	7.37	0.12	0.11	0.04	0.023	0.12	20.7	28.4	0.51	242	0.22
12-317	1.08	10.6	1.76	0.01	6.01	0.12	0.08	0.03	0.016	0.17	24.4	16.3	0.85	336	0.25
12-318	1.58	6.5	1.05	0.01	5.98	0.11	0.09	0.07	0.021	0.12	28.0	21.1	0.59	247	0.27
12-319	1.06	9.2	1.78	0.01	5.59	0.15	0.12	0.04	0.019	0.14	32.6	17.3	0.54	328	0.28
12-320	0.61	6.8	0.83	0.01	3.14	<0.05	0.12	0.02	0.014	0.08	19.9	8.4	3.17	231	0.20
12-321	1.14	9.0	1.90	0.01	5.98	0.15	0.07	0.03	0.018	0.15	28.4	13.6	0.65	437	0.21
12-322	1.11	6.2	1.75	0.01	6.40	0.12	0.03	0.03	0.016	0.11	17.5	19.0	0.61	228	0.29
12-323	0.95	4.5	1.53	0.01	4.99	0.12	0.03	0.02	0.013	0.10	17.2	12.7	0.56	298	0.20
12-324	1.36	11.3	1.90	0.01	6.18	0.13	0.09	0.06	0.019	0.16	30.7	17.4	0.62	547	0.22
12-325	1.09	10.2	1.71	0.01	5.56	0.13	0.07	0.04	0.017	0.13	27.2	16.6	0.57	318	0.19
12-326	1.11	10.0	1.69	0.01	5.89	0.13	0.08	0.04	0.016	0.13	28.6	17.0	0.56	307	0.21
12-327	1.15	7.1	1.94	0.01	6.30	0.11	0.05	0.02	0.016	0.15	16.9	18.4	0.61	276	0.23
12-328	0.82	4.2	1.62	0.01	4.89	0.10	0.07	0.04	0.016	0.09	16.0	11.9	0.40	184	0.26
12-329	1.34	6.8	2.00	0.01	7.64	0.10	0.05	0.03	0.020	0.13	16.6	21.5	0.57	224	0.31
12-330	1.60	11.4	2.28	0.01	8.02	0.12	0.04	0.03	0.021	0.21	16.3	26.0	0.71	260	0.28
12-331	1.37	10.0	2.06	0.01	6.94	0.14	0.07	0.03	0.019	0.17	25.4	20.9	0.70	430	0.18
12-332	1.11	<0.1	1.75	0.01	6.19	0.12	0.06	0.03	0.016	0.13	20.8	17.8	0.59	381	0.25
12-333	1.18	11.3	1.86	0.01	6.30	0.12	0.10	0.04	0.019	0.14	25.4	19.2	0.68	415	0.29
12-334	0.48	2.3	0.80	0.01	2.45	0.12	0.04	<0.01	0.007	0.04	16.9	6.1	0.25	102	0.08
12-335	0.85	3.9	1.19	0.01	3.96	0.12	0.06	0.02	0.012	0.07	19.7	11.3	0.39	169	0.18
12-336	0.74	7.6	1.65	0.01	3.69	0.12	0.05	0.02	0.012	0.10	22.3	9.5	0.60	349	0.12
12-337	1.22	11.0	1.98	0.01	5.73	0.11	0.04	0.02	0.016	0.15	21.6	16.5	0.70	349	0.23
12-338	1.32	9.5	1.78	0.01	6.82	0.12	0.07	0.02	0.019	0.12	23.9	20.3	0.56	361	0.35

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil	
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm							
12-339		1.15	11.3	1.97	5.85	0.13	0.08	0.04	0.019	0.16	34.7	18.9	0.70	315	0.33							
12-340		1.38	6.5	1.80	6.65	0.11	0.12	0.06	0.019	0.14	34.4	22.9	0.62	285	0.21							
12-341		1.07	9.7	2.15	5.90	0.13	0.07	0.02	0.016	0.17	19.7	18.5	0.72	385	0.19							
12-342		1.34	11.1	1.79	6.94	0.14	0.09	0.04	0.020	0.14	31.5	21.3	0.69	279	0.22							
12-343		1.12	8.3	1.63	5.96	0.14	0.08	0.04	0.018	0.12	29.9	19.8	0.52	258	0.23							
12-344		0.92	8.8	1.97	5.02	0.14	0.08	0.03	0.015	0.17	28.8	14.5	0.67	357	0.21							
12-345		1.27	5.4	1.59	6.20	0.14	0.07	0.05	0.020	0.11	31.1	20.0	0.58	281	0.25							
12-346		1.03	9.1	1.25	5.58	0.12	0.06	0.02	0.015	0.11	21.5	16.3	0.44	235	0.20							
12-347		1.89	16.2	2.93	7.21	0.08	0.08	0.09	0.023	0.28	38.8	27.6	1.03	616	0.22							
12-348		2.07	8.8	1.94	11.8	0.14	0.21	0.05	0.031	0.17	43.6	35.8	0.71	338	0.34							
12-349		1.44	31.1	1.92	7.46	0.13	0.18	0.03	0.022	0.16	31.7	22.6	0.58	350	0.19							
12-350		1.15	17.2	1.37	6.54	0.13	0.11	0.05	0.022	0.10	32.8	17.9	0.45	397	0.34							
12-351		0.97	2.7	0.78	4.64	0.11	0.10	0.06	0.015	0.05	27.1	11.6	0.50	154	0.25							
12-352		0.96	4.1	1.08	5.60	0.12	0.16	0.04	0.017	0.08	32.3	13.3	0.63	223	0.24							
12-353		1.05	13.9	1.90	6.39	0.11	0.11	0.03	0.017	0.10	19.3	19.8	0.55	203	0.39							
12-354		0.65	2.7	1.00	3.29	0.11	0.06	0.01	0.008	0.04	12.6	8.6	0.28	102	0.21							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil	
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm							
12-001	<0.01	<0.01	1.56	4.2	426	3.9	3.9	<0.001	0.010	<0.05	1.0	0.2	0.3	3.8	0.02							
12-002	<0.01	<0.01	2.05	10.0	555	5.0	4.8	<0.001	0.013	0.05	1.9	0.4	0.3	5.4	0.03							
12-003	<0.01	<0.01	1.53	4.2	819	4.2	6.1	<0.001	<0.005	<0.05	1.2	<0.2	0.3	6.5	<0.01							
12-004	<0.01	<0.01	2.85	5.6	196	5.1	8.6	<0.001	0.007	0.06	1.6	0.3	0.6	5.5	<0.01							
12-005	<0.01	<0.01	1.45	3.9	156	3.5	7.3	<0.001	<0.005	<0.05	0.9	<0.2	0.3	4.4	<0.01							
12-006	<0.01	<0.01	2.79	20.1	447	8.6	15.3	<0.001	0.011	0.11	2.3	0.2	0.8	11.4	<0.01							
12-007	<0.01	<0.01	1.40	8.8	515	3.1	6.3	<0.001	0.005	<0.05	2.3	0.2	0.3	11.4	<0.01							
12-008	<0.01	<0.01	1.13	4.8	508	2.7	4.4	<0.001	0.018	<0.05	1.3	0.2	0.2	14.3	<0.01							
12-009	<0.01	<0.01	2.71	5.3	211	3.7	4.8	<0.001	0.011	<0.05	1.4	0.2	0.3	9.0	<0.01							
12-010	<0.01	<0.01	1.41	5.6	488	3.7	3.1	<0.001	<0.005	<0.05	1.6	<0.2	0.2	9.2	<0.01							
12-011	<0.01	<0.01	1.76	8.2	483	4.4	4.5	<0.001	<0.005	<0.05	1.9	0.2	0.4	7.0	0.02							
12-012	<0.01	<0.01	2.24	14.0	388	7.3	8.0	<0.001	0.016	0.08	2.5	0.3	0.5	9.6	<0.01							
12-013	<0.01	<0.01	0.52	0.3	50	3.0	7.0	<0.001	<0.005	<0.05	0.3	<0.2	0.3	3.3	<0.01							
12-014	<0.01	<0.01	0.86	6.3	451	5.3	5.5	<0.001	0.014	<0.05	1.1	<0.2	0.3	7.5	<0.01							
12-015	<0.01	<0.01	2.55	8.9	204	6.5	7.6	<0.001	0.015	0.05	1.8	0.3	0.5	6.7	<0.01							
12-016	<0.01	<0.01	2.72	8.8	291	6.3	8.8	<0.001	0.018	<0.05	1.6	0.3	0.5	7.6	<0.01							
12-017	<0.01	<0.01	2.43	10.8	265	5.5	6.9	<0.001	0.018	<0.05	1.7	0.3	0.4	9.0	0.02							
12-018	<0.01	<0.01	2.76	6.6	226	4.4	5.1	<0.001	0.017	0.07	1.3	0.4	0.5	6.6	<0.01							
12-019	<0.01	<0.01	3.70	4.7	473	11.1	4.0	<0.001	0.048	0.16	1.8	1.2	0.7	10.0	0.02							
12-020	<0.01	<0.01	3.14	9.4	451	13.1	4.1	<0.001	0.034	0.09	2.4	1.0	0.4	10.0	0.03							
12-021	<0.01	<0.01	1.98	20.6	94	9.7	7.2	<0.001	0.010	<0.05	2.0	0.3	0.5	7.7	<0.01							
12-022	<0.01	<0.01	2.54	7.1	116	5.7	5.4	<0.001	0.010	0.06	1.3	<0.2	0.6	7.6	<0.01							
12-023	<0.01	<0.01	2.31	3.6	145	37.3	5.3	<0.001	0.009	<0.05	1.0	0.2	0.4	4.4	<0.01							
12-024	<0.01	<0.01	2.82	5.0	333	7.0	8.3	<0.001	0.021	<0.05	1.4	0.4	0.4	11.4	<0.01							
12-025	<0.01	<0.01	1.51	6.9	157	4.1	7.9	<0.001	0.006	<0.05	1.3	<0.2	0.4	8.3	<0.01							
12-026	<0.01	<0.01	1.73	7.9	181	4.5	8.8	<0.001	0.007	<0.05	1.5	<0.2	0.4	9.1	<0.01							
12-027	<0.01	<0.01	3.06	29.5	1360	12.4	16.5	<0.001	0.032	0.14	3.1	0.4	0.9	18.8	<0.01							
12-028	<0.01	<0.01	3.32	12.1	588	17.0	9.6	<0.001	0.032	0.10	2.7	0.6	0.8	11.5	<0.01							
12-029	<0.01	<0.01	2.08	10.8	1110	8.5	12.1	<0.001	0.015	0.09	2.4	0.3	0.7	10.0	<0.01							
12-030	<0.01	<0.01	2.43	8.7	273	7.4	17.8	<0.001	0.018	0.06	1.9	0.3	0.7	12.0	<0.01							
12-031	<0.01	<0.01	2.22	44.8	1090	10.7	7.0	<0.001	0.027	0.07	2.9	0.4	0.5	16.6	0.02							
12-032	<0.01	<0.01	2.42	42.7	961	10.4	11.6	<0.001	0.023	0.09	2.9	0.5	0.5	17.5	<0.01							

Certified By: _____



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012			DATE REPORTED: Oct 25, 2012			SAMPLE TYPE: Soil								
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-033	<0.01	<0.01	1.99	16.1	276	6.0	10.9	<0.001	0.015	<0.05	2.0	0.2	0.4	11.7	<0.01
12-034	<0.01	<0.01	2.74	21.9	393	8.1	11.0	<0.001	0.024	0.08	2.8	0.5	0.5	11.2	0.02
12-035	<0.01	<0.01	1.87	7.1	133	5.8	23.1	<0.001	0.008	<0.05	1.6	<0.2	0.6	10.6	<0.01
12-036	<0.01	<0.01	2.34	7.1	160	4.7	8.9	<0.001	0.013	<0.05	1.3	0.3	0.4	6.5	<0.01
12-037	<0.01	<0.01	1.63	6.1	144	4.7	7.7	<0.001	0.010	<0.05	1.3	0.2	0.5	6.2	<0.01
12-038	<0.01	<0.01	1.31	11.8	366	3.9	6.3	<0.001	0.007	<0.05	2.0	0.2	0.3	8.5	<0.01
12-039	0.01	0.01	2.75	17.8	415	8.2	19.5	<0.001	0.023	0.09	3.7	0.4	0.6	13.3	<0.01
12-040	0.02	0.02	2.22	21.5	309	9.5	30.0	<0.001	0.015	0.08	4.6	0.3	0.7	17.4	<0.01
12-041	<0.01	<0.01	2.45	21.1	193	8.6	7.8	<0.001	0.011	<0.05	2.2	0.3	0.5	8.2	<0.01
12-042	0.01	0.01	1.84	24.6	341	11.8	7.7	<0.001	0.031	0.10	2.1	0.3	0.6	13.1	<0.01
12-043	<0.01	<0.01	2.19	20.9	497	7.0	9.9	<0.001	0.022	0.06	2.4	0.5	0.5	11.2	0.01
12-044	<0.01	<0.01	2.71	6.9	2490	8.6	15.3	<0.001	0.017	<0.05	3.1	0.4	0.6	12.1	<0.01
12-045	0.01	0.01	1.34	66.0	663	2.3	4.9	<0.001	0.022	<0.05	2.5	0.2	0.3	13.3	<0.01
12-046	0.01	0.01	0.94	12.4	590	2.6	2.6	<0.001	0.036	<0.05	2.5	0.3	<0.2	7.8	<0.01
12-047	0.01	0.01	0.89	11.3	561	2.7	3.1	0.001	0.039	<0.05	2.5	0.4	<0.2	8.3	<0.01
12-048	0.01	0.01	1.66	14.9	579	5.5	8.7	<0.001	0.017	<0.05	2.4	0.3	0.3	8.1	0.02
12-049	<0.01	<0.01	1.65	11.2	244	4.5	8.4	<0.001	0.011	<0.05	2.2	0.2	0.4	8.3	<0.01
12-050	<0.01	<0.01	1.02	10.1	222	2.9	5.5	<0.001	<0.005	<0.05	1.8	<0.2	0.3	6.2	<0.01
12-051	<0.01	<0.01	1.20	10.4	219	3.4	6.0	<0.001	0.006	<0.05	2.0	<0.2	0.3	6.9	<0.01
12-052	<0.01	<0.01	1.31	11.5	301	3.5	8.0	<0.001	0.016	<0.05	2.7	0.2	0.3	9.7	<0.01
12-053	<0.01	<0.01	0.96	9.4	306	2.8	6.0	<0.001	0.008	<0.05	2.3	<0.2	0.2	8.7	<0.01
12-054	<0.01	<0.01	1.51	5.9	160	3.5	4.5	<0.001	0.006	<0.05	1.6	<0.2	0.3	8.5	<0.01
12-055	0.01	0.01	2.11	38.9	436	6.1	7.8	0.001	0.023	<0.05	6.8	0.9	0.4	12.3	0.01
12-056	<0.01	<0.01	1.73	12.0	414	4.9	6.6	<0.001	0.008	<0.05	2.1	<0.2	0.4	9.7	<0.01
12-057	<0.01	<0.01	1.69	15.0	299	4.6	11.1	<0.001	0.007	<0.05	2.1	0.2	0.4	9.2	<0.01
12-058	<0.01	<0.01	2.39	6.6	179	6.0	10.1	<0.001	0.009	<0.05	1.7	<0.2	0.5	9.8	<0.01
12-059	<0.01	<0.01	1.73	8.7	257	4.2	17.5	<0.001	0.007	<0.05	1.5	<0.2	0.4	8.0	<0.01
12-060	<0.01	<0.01	1.76	15.1	372	7.2	15.1	<0.001	0.023	0.06	3.0	0.3	0.5	12.6	<0.01
12-061	<0.01	<0.01	2.22	16.4	478	5.3	6.7	<0.001	0.010	0.06	2.2	0.2	0.4	9.5	<0.01
12-062	<0.01	<0.01	2.10	15.0	604	6.2	7.3	<0.001	0.022	<0.05	2.2	0.5	0.4	10.0	<0.01
12-063	<0.01	<0.01	1.91	23.1	389	6.2	9.9	<0.001	0.019	0.05	1.9	0.4	0.5	8.6	<0.01
12-064	<0.01	<0.01	1.58	8.7	462	7.1	5.3	<0.001	0.050	0.06	2.7	0.8	0.6	9.1	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte:		DATE RECEIVED: Sep 28, 2012													DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil				
	Unit:	RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm									
12-065	<0.01		<0.01	0.05	0.2	10	0.1	0.1	<0.001	0.005	0.07	2.2	0.4	0.5	9.3	<0.01									
12-066	<0.01		<0.01	2.37	13.5	289	4.4	10.0	<0.001	0.012	<0.05	2.6	0.2	0.5	8.9	<0.01									
12-067	<0.01		<0.01	1.33	12.0	308	3.3	14.3	<0.001	<0.005	<0.05	3.2	0.3	0.4	8.2	<0.01									
12-068	<0.01		<0.01	2.70	3.7	255	6.7	11.4	<0.001	0.011	<0.05	1.5	<0.2	0.6	9.3	<0.01									
12-069	<0.01		<0.01	2.75	6.7	285	6.4	10.1	<0.001	0.017	<0.05	1.8	0.2	0.6	10.0	<0.01									
12-070	<0.01		<0.01	2.14	11.9	392	4.7	10.0	<0.001	0.012	<0.05	2.3	0.2	0.4	9.8	<0.01									
12-071	<0.01		<0.01	3.37	43.8	1160	4.1	8.0	<0.001	0.013	<0.05	2.0	0.3	0.5	41.1	<0.01									
12-072	<0.01		<0.01	2.30	11.2	375	5.6	11.8	<0.001	0.011	0.05	2.1	0.2	0.5	9.3	<0.01									
12-073	<0.01		<0.01	2.68	10.9	484	6.0	9.7	<0.001	0.018	0.07	2.3	0.3	0.5	10.6	<0.01									
12-074	<0.01		<0.01	3.02	4.6	192	5.0	21.0	<0.001	0.012	0.05	1.6	<0.2	0.7	11.8	<0.01									
12-075	<0.01		<0.01	2.73	2.1	85	4.2	6.8	<0.001	0.011	<0.05	2.3	<0.2	0.7	6.4	<0.01									
12-076	<0.01		<0.01	2.89	1.9	92	5.9	4.6	<0.001	0.014	<0.05	1.4	<0.2	0.8	7.4	<0.01									
12-077	0.01		0.01	1.54	19.2	628	4.0	7.2	<0.001	0.026	<0.05	4.4	0.7	0.4	19.1	<0.01									
12-078	<0.01		<0.01	1.24	13.8	915	3.6	7.5	<0.001	0.023	<0.05	3.0	0.3	0.3	17.7	<0.01									
12-079	<0.01		<0.01	0.95	13.7	786	6.4	6.4	0.001	0.078	<0.05	2.7	0.5	0.3	15.1	<0.01									
12-080	0.03		0.03	1.88	19.4	674	14.2	18.3	0.001	0.071	0.11	4.2	0.7	0.6	35.3	<0.01									
12-081	0.10		0.10	3.53	27.8	482	14.0	34.9	<0.001	0.040	0.22	6.8	0.6	0.9	37.7	<0.01									
12-082	0.03		0.03	2.98	37.3	594	13.6	39.0	<0.001	0.018	0.14	8.1	0.4	0.9	29.4	<0.01									
12-083	0.02		0.02	1.97	16.5	465	6.0	18.0	<0.001	0.011	0.08	5.0	0.6	0.6	73.1	<0.01									
12-084	0.02		0.02	2.64	27.0	624	9.0	26.3	<0.001	0.010	0.10	8.1	0.5	0.7	24.4	<0.01									
12-085	0.01		0.01	1.85	11.2	416	4.3	8.3	<0.001	0.005	<0.05	3.2	0.3	0.4	13.5	<0.01									
12-086	0.01		0.01	1.94	13.5	714	14.5	12.4	<0.001	0.066	0.13	3.1	0.8	0.6	26.3	<0.01									
12-087	0.01		0.01	1.18	7.8	474	2.9	5.3	<0.001	0.006	<0.05	2.4	0.3	0.3	28.0	<0.01									
12-088	<0.01		<0.01	1.05	7.3	493	2.9	2.6	<0.001	0.019	<0.05	1.4	0.3	0.2	7.5	<0.01									
12-089	<0.01		<0.01	1.31	8.1	588	2.8	2.5	<0.001	0.013	<0.05	1.6	0.2	0.2	8.7	<0.01									
12-090	<0.01		<0.01	1.37	7.4	301	3.7	6.3	<0.001	0.010	<0.05	1.3	0.2	0.3	7.7	<0.01									
12-091	<0.01		<0.01	2.14	10.2	318	6.1	8.0	<0.001	0.030	0.06	1.9	0.5	0.6	7.6	<0.01									
12-092	0.01		0.01	1.76	16.0	644	7.6	5.2	<0.001	0.040	0.07	2.8	1.0	0.4	5.3	0.01									
12-093	0.01		0.01	1.94	21.4	507	26.6	6.0	<0.001	0.039	0.06	3.5	1.2	0.4	7.3	0.03									
12-094	0.01		0.01	2.02	14.6	393	5.9	4.8	<0.001	0.024	0.05	2.5	0.5	0.4	7.3	<0.01									
12-095	0.01		0.01	1.06	29.6	466	5.2	6.2	<0.001	0.043	<0.05	2.9	0.6	0.3	10.8	<0.01									
12-096	0.01		0.01	1.34	21.3	359	5.2	5.7	0.001	0.027	<0.05	2.5	0.5	0.4	10.8	<0.01									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-097	<0.01	2.57	20.1	462	5.9	8.9	<0.001	0.021	0.07	2.3	0.5	0.5	7.8	<0.01
12-098	<0.01	0.65	2.6	481	17.2	3.4	<0.001	0.023	0.06	1.1	<0.2	0.9	5.3	<0.01
12-099	<0.01	1.82	19.8	307	4.9	8.2	<0.001	0.028	0.06	2.2	0.5	0.5	8.0	<0.01
12-100	0.03	4.23	36.2	533	13.7	49.9	<0.001	0.025	0.17	8.7	0.6	1.0	33.1	<0.01
12-101	0.03	4.07	37.8	469	13.8	53.1	<0.001	0.014	0.13	10.2	0.6	1.2	36.3	<0.01
12-102	0.02	3.14	31.3	319	10.5	34.6	<0.001	0.011	0.10	7.6	0.4	0.9	27.8	<0.01
12-103	0.01	2.57	31.9	298	5.5	16.1	<0.001	0.010	<0.05	3.2	0.3	0.6	15.8	<0.01
12-104	<0.01	2.24	44.8	121	4.3	6.6	<0.001	0.007	<0.05	2.1	0.2	0.4	9.0	<0.01
12-105	0.01	2.14	22.2	170	4.4	7.3	<0.001	0.017	<0.05	2.0	0.3	0.4	7.1	<0.01
12-106	<0.01	3.14	14.7	321	8.8	11.3	0.001	0.032	0.11	2.5	0.4	0.9	9.4	<0.01
12-107	0.01	3.40	25.5	298	7.0	7.4	<0.001	0.033	0.07	4.4	0.9	0.6	7.2	0.03
12-108	<0.01	2.15	40.7	212	6.3	8.8	<0.001	0.020	<0.05	2.9	0.4	0.6	9.6	<0.01
12-109	<0.01	3.08	6.9	432	8.0	4.0	<0.001	0.046	0.11	3.3	1.1	0.7	5.9	0.02
12-110	<0.01	3.26	10.1	290	7.0	4.9	<0.001	0.031	0.09	2.4	0.6	0.7	7.2	<0.01
12-111	<0.01	2.62	10.8	212	5.2	4.3	<0.001	0.017	0.06	2.3	0.4	0.5	6.9	<0.01
12-112	0.01	2.23	23.8	136	5.4	2.6	<0.001	0.020	<0.05	2.9	0.3	0.6	7.6	<0.01
12-113	<0.01	0.29	4.6	213	3.8	1.2	0.006	0.272	0.08	0.9	1.8	<0.2	15.6	0.02
12-114	0.01	1.77	4.5	287	2.4	12.6	<0.001	0.022	<0.05	4.0	0.4	0.4	6.8	<0.01
12-115	0.01	2.40	9.2	462	6.9	8.0	<0.001	0.021	<0.05	2.9	0.5	0.5	11.4	0.01
12-116	<0.01	2.86	8.9	735	7.4	9.8	<0.001	0.017	0.05	2.1	0.2	0.6	9.6	<0.01
12-117	0.01	1.00	29.5	597	6.7	10.8	<0.001	0.046	0.08	4.8	0.7	0.5	15.1	<0.01
12-118	<0.01	2.79	7.4	217	5.7	10.9	<0.001	0.013	0.05	2.0	0.3	0.7	10.3	<0.01
12-119	0.01	2.28	24.3	383	4.8	7.9	<0.001	0.020	0.07	2.5	0.4	0.5	8.2	<0.01
12-120	<0.01	2.79	6.7	193	7.3	6.1	<0.001	0.014	0.07	2.1	0.3	0.7	6.6	<0.01
12-121	0.01	1.67	43.6	330	7.2	10.5	0.001	0.026	0.08	3.7	0.7	0.6	16.7	<0.01
12-122	0.01	1.44	21.9	334	10.1	10.6	<0.001	0.022	0.08	3.9	0.4	0.6	15.9	<0.01
12-123	<0.01	2.13	10.1	706	8.6	10.2	<0.001	0.022	0.08	1.9	0.4	0.6	9.3	<0.01
12-124	0.01	2.11	13.5	171	4.3	5.9	<0.001	0.015	<0.05	2.8	0.4	0.4	11.7	<0.01
12-125	<0.01	1.32	10.8	662	1.3	4.4	<0.001	0.024	<0.05	3.9	0.4	0.2	11.4	<0.01
12-126	<0.01	1.54	22.8	98	2.7	1.3	<0.001	0.017	<0.05	3.2	0.3	0.3	5.7	<0.01
12-127	<0.01	2.74	13.0	362	6.9	5.2	<0.001	0.025	0.07	2.8	0.5	0.5	7.4	0.02
12-128	0.01	1.60	21.2	166	3.6	3.7	<0.001	0.008	<0.05	2.3	<0.2	0.3	6.9	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm										
12-129	<0.01	0.80	1.80	11.0	229	3.7	8.4	<0.001	0.014	0.014	2.2	0.3	0.5	8.7	<0.01										
12-130	0.01	2.13	20.1	254	4.7	4.9	<0.001	0.018	0.018	0.018	3.5	0.4	0.4	6.8	0.01										
12-131	<0.01	2.42	14.4	331	10.7	8.9	<0.001	0.037	0.037	0.10	2.2	0.6	0.7	8.1	<0.01										
12-132	<0.01	2.56	11.5	495	7.8	4.2	<0.001	0.038	0.038	0.14	2.3	0.7	0.5	7.9	0.03										
12-133	<0.01	2.35	20.1	173	3.4	4.7	<0.001	0.014	0.014	0.05	2.3	0.3	0.4	9.3	<0.01										
12-134	0.01	2.22	22.6	366	10.0	6.7	<0.001	0.043	0.043	0.08	2.6	0.5	0.7	8.8	<0.01										
12-135	<0.01	2.41	23.3	252	4.8	7.6	<0.001	0.010	0.010	<0.05	2.3	0.3	0.5	9.7	<0.01										
12-136	0.02	2.94	30.1	648	6.2	11.9	<0.001	0.033	0.033	0.06	3.7	0.4	0.5	21.2	<0.01										
12-137	<0.01	2.20	11.2	308	5.5	7.0	<0.001	0.025	0.025	0.07	2.0	0.5	0.5	7.0	<0.01										
12-138	<0.01	1.72	6.4	202	10.4	5.2	<0.001	0.022	0.022	0.08	1.8	0.3	0.9	6.6	<0.01										
12-139	<0.01	2.58	6.9	102	2.58	6.1	<0.001	0.014	0.014	<0.05	2.2	0.3	0.6	8.7	<0.01										
12-140	<0.01	2.31	7.4	565	15.5	5.6	<0.001	0.043	0.043	0.17	3.3	1.0	0.8	5.5	0.03										
12-141	<0.01	3.07	6.6	469	10.2	7.6	<0.001	0.039	0.039	0.19	3.5	0.8	0.8	7.3	<0.01										
12-142	0.01	2.53	17.1	174	5.9	8.8	<0.001	0.012	0.012	0.06	3.3	0.3	0.7	8.5	<0.01										
12-143	<0.01	2.96	6.5	220	7.1	9.2	<0.001	0.018	0.018	0.10	1.7	0.3	0.7	9.2	<0.01										
12-144	0.01	1.59	29.1	366	4.8	7.4	<0.001	0.017	0.017	0.05	6.2	0.7	0.4	13.1	<0.01										
12-145	<0.01	3.04	9.5	376	7.4	10.6	<0.001	0.018	0.018	<0.05	2.7	0.4	0.8	9.0	<0.01										
12-146	0.01	1.81	13.9	264	6.4	6.8	<0.001	0.026	0.026	0.06	2.1	0.4	0.6	9.5	<0.01										
12-147	0.01	1.78	12.0	254	5.3	10.2	<0.001	0.009	0.009	0.05	2.3	0.2	0.5	10.5	<0.01										
12-148	0.01	2.32	19.1	257	4.8	7.1	<0.001	0.010	0.010	0.05	2.4	0.3	0.5	8.8	<0.01										
12-149	0.01	2.52	9.2	426	5.1	7.9	<0.001	0.017	0.017	0.09	2.3	0.4	0.6	9.6	<0.01										
12-150	<0.01	1.82	5.2	181	6.1	7.7	<0.001	0.011	0.011	0.06	1.6	0.2	0.6	8.5	<0.01										
12-151	0.01	3.26	20.1	787	8.8	9.8	<0.001	0.069	0.069	0.15	6.1	1.4	0.7	6.7	0.01										
12-152	0.01	1.93	8.9	139	6.6	5.7	<0.001	0.014	0.014	0.05	2.4	0.2	0.6	6.6	<0.01										
12-153	0.01	2.55	25.4	455	5.9	4.5	<0.001	0.031	0.031	0.06	3.8	0.6	0.4	8.1	0.02										
12-154	<0.01	2.15	9.5	377	6.1	5.8	<0.001	0.032	0.032	0.09	2.3	0.6	0.6	6.8	<0.01										
12-155	<0.01	1.23	56.6	551	5.6	6.6	<0.001	0.048	0.048	0.08	2.0	0.6	0.5	9.5	<0.01										
12-156	<0.01	3.13	16.6	398	7.7	6.3	<0.001	0.034	0.034	0.10	2.4	0.5	0.5	9.8	<0.01										
12-157	<0.01	2.22	19.7	270	6.7	6.8	<0.001	0.028	0.028	0.07	2.5	0.4	0.6	9.8	<0.01										
12-158	<0.01	2.61	11.2	301	6.2	7.3	<0.001	0.024	0.024	0.08	2.6	0.4	0.7	8.6	<0.01										
12-159	<0.01	2.47	20.9	621	6.5	17.6	<0.001	0.017	0.017	<0.05	4.6	0.5	0.6	13.6	<0.01										
12-160	<0.01	3.20	19.8	509	8.2	12.6	<0.001	0.022	0.022	0.08	2.8	0.4	0.7	11.0	<0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil				
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm											
12-161	<0.01		0.87	21.1	321	5.5	10.3	0.001	0.008	<0.05	2.8	0.4	0.4	12.6	<0.01											
12-162	<0.01		1.84	12.1	448	4.4	7.9	<0.001	0.011	<0.05	2.0	0.3	0.4	10.8	<0.01											
12-163	0.02		1.80	15.7	464	6.6	17.4	<0.001	0.011	0.09	4.6	0.5	0.5	56.4	<0.01											
12-164	0.02		2.63	20.6	262	7.7	23.3	<0.001	0.014	0.08	5.4	0.4	0.6	19.0	<0.01											
12-165	0.03		2.92	28.6	580	9.6	43.2	<0.001	0.016	0.12	7.8	0.4	0.8	26.6	<0.01											
12-166	0.02		1.80	13.5	565	5.3	14.4	<0.001	0.007	0.05	4.3	0.3	0.5	21.1	<0.01											
12-167	0.02		3.91	35.2	460	11.1	49.0	<0.001	0.018	0.11	8.8	0.6	1.0	28.3	<0.01											
12-168	0.02		2.37	15.0	515	5.8	18.9	<0.001	0.018	0.07	4.6	0.4	0.5	21.6	<0.01											
12-169	<0.01		1.90	6.0	164	5.9	9.7	<0.001	0.012	<0.05	1.6	<0.2	0.6	19.1	<0.01											
12-170	<0.01		4.05	7.8	348	9.2	6.6	<0.001	0.024	0.07	1.8	0.4	0.8	24.6	<0.01											
12-171	0.02		2.07	36.5	1510	9.5	8.7	<0.001	0.021	<0.05	3.2	0.4	0.7	123	<0.01											
12-172	<0.01		0.52	76.6	408	7.3	5.1	<0.001	0.025	<0.05	1.5	0.4	<0.2	37.3	<0.01											
12-173	0.01		2.27	15.6	243	4.4	27.3	<0.001	0.017	0.07	4.1	0.3	0.6	19.3	<0.01											
12-174	0.02		2.04	12.7	482	4.3	15.4	<0.001	0.010	<0.05	4.1	0.4	0.5	29.9	<0.01											
12-175	0.02		1.95	20.4	813	6.9	29.4	<0.001	0.008	<0.05	5.0	0.4	0.5	42.4	<0.01											
12-176	0.02		2.09	20.4	834	6.7	29.9	<0.001	0.009	<0.05	5.1	0.4	0.6	48.5	<0.01											
12-177	0.01		2.00	16.5	555	5.2	14.7	<0.001	0.024	<0.05	2.7	0.5	0.4	55.4	<0.01											
12-178	0.01		1.83	17.2	1050	4.4	13.8	<0.001	0.007	<0.05	3.0	0.3	0.4	38.3	<0.01											
12-179	0.01		1.39	18.8	1620	11.4	8.8	0.003	0.099	0.14	2.2	0.8	0.4	59.9	<0.01											
12-180	0.02		2.91	20.7	522	7.3	34.7	<0.001	0.014	0.10	5.7	0.4	0.6	21.6	<0.01											
12-181	0.01		2.37	11.6	176	6.9	21.1	<0.001	0.015	0.05	3.2	0.2	0.6	19.3	<0.01											
12-182	0.02		1.66	28.0	1070	4.3	16.4	<0.001	0.039	<0.05	4.6	0.7	0.4	38.6	<0.01											
12-183	0.01		1.92	26.0	828	5.0	8.8	<0.001	0.013	<0.05	3.8	0.4	0.5	37.6	<0.01											
12-184	0.01		1.91	29.3	451	5.0	15.2	<0.001	0.014	<0.05	2.0	0.2	0.5	27.7	<0.01											
12-185	0.01		1.97	27.5	787	4.7	9.5	<0.001	0.010	<0.05	2.3	0.2	0.5	36.0	<0.01											
12-186	0.01		1.66	40.8	793	5.4	12.8	<0.001	0.012	<0.05	2.7	0.3	0.4	28.7	<0.01											
12-187	0.01		1.39	36.5	867	7.8	21.6	0.001	0.038	0.05	3.5	0.7	0.5	21.6	<0.01											
12-188	0.02		2.49	22.9	673	6.8	23.4	<0.001	0.012	0.07	6.0	0.5	0.6	38.9	<0.01											
12-189	0.01		2.13	30.7	584	5.3	19.5	<0.001	0.012	<0.05	3.2	0.3	0.6	16.7	<0.01											
12-190	0.01		1.55	99.2	906	6.7	18.5	0.002	0.054	0.08	6.8	1.5	0.4	18.4	0.01											
12-191	0.02		2.65	4.6	381	8.7	7.3	<0.001	0.026	0.12	3.7	0.3	1.0	6.1	<0.01											
12-192	0.01		1.63	7.5	386	5.1	11.6	<0.001	0.011	<0.05	2.3	0.2	0.6	9.4	<0.01											

[Handwritten signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	
		DATE RECEIVED: Sep 28, 2012														
		DATE REPORTED: Oct 25, 2012														
		SAMPLE TYPE: Soil														
12-193	0.01	0.01	2.19	23.4	1290	5.8	24.2	<0.001	0.006	0.05	3.0	0.2	0.5	18.9	<0.01	
12-194	<0.01	<0.01	1.85	12.6	404	5.2	19.4	<0.001	0.017	0.06	2.7	0.3	0.4	12.7	<0.01	
12-195	0.02	0.02	2.34	21.9	573	7.0	20.2	<0.001	0.029	0.08	5.0	0.5	0.5	39.2	<0.01	
12-196	0.01	0.01	2.67	19.5	292	8.7	22.2	<0.001	0.013	0.07	5.0	0.4	0.7	19.3	<0.01	
12-197	0.02	0.02	2.65	25.2	670	7.3	26.5	0.001	0.046	0.08	6.0	0.7	0.6	27.4	<0.01	
12-198	0.02	0.02	2.97	27.9	424	8.8	33.7	<0.001	0.012	0.13	7.6	0.5	0.8	27.8	<0.01	
12-199	0.02	0.02	2.84	19.2	240	7.5	34.2	<0.001	0.009	0.07	5.0	0.3	0.7	21.3	<0.01	
12-200	0.01	0.01	2.31	17.8	128	10.3	40.3	<0.001	0.011	<0.05	2.8	0.2	0.6	13.8	<0.01	
12-201	0.01	0.01	1.45	11.3	507	4.3	8.2	<0.001	0.007	<0.05	3.7	0.3	0.3	24.6	<0.01	
12-202	<0.01	<0.01	2.52	11.4	405	5.3	12.2	<0.001	0.008	<0.05	2.1	<0.2	0.6	10.6	<0.01	
12-203	<0.01	<0.01	2.36	9.9	171	6.8	5.8	<0.001	0.020	<0.05	1.7	0.2	0.5	7.3	<0.01	
12-204	<0.01	<0.01	2.43	17.4	401	6.4	8.8	<0.001	0.033	0.09	2.2	0.6	0.4	10.6	<0.01	
12-205	<0.01	<0.01	2.42	9.8	334	5.6	9.0	<0.001	0.014	<0.05	2.0	0.3	0.5	9.7	<0.01	
12-206	<0.01	<0.01	1.98	4.2	492	8.6	5.2	<0.001	0.018	0.08	1.4	0.2	0.9	6.8	<0.01	
12-207	<0.01	<0.01	2.35	12.6	705	6.4	12.8	<0.001	0.014	0.06	2.2	0.4	0.6	9.2	<0.01	
12-208	<0.01	<0.01	2.88	7.7	280	6.0	11.3	<0.001	0.014	0.06	1.7	0.2	0.6	8.8	<0.01	
12-209	0.01	0.01	2.25	22.8	687	6.6	10.8	<0.001	0.035	0.06	4.1	0.5	0.6	16.5	<0.01	
12-210	<0.01	<0.01	1.23	9.4	418	3.3	5.4	<0.001	0.009	<0.05	2.4	0.3	0.3	10.1	<0.01	
12-211	<0.01	<0.01	3.20	9.8	225	6.0	13.7	<0.001	0.011	0.06	1.8	0.2	0.7	11.5	<0.01	
12-212	<0.01	<0.01	1.41	16.5	690	3.7	9.5	<0.001	0.011	<0.05	3.2	0.3	0.3	11.5	<0.01	
12-213	<0.01	<0.01	2.96	12.2	366	8.3	8.9	<0.001	0.022	0.08	2.2	0.5	0.5	8.2	0.01	
12-214	<0.01	<0.01	3.00	13.4	227	7.6	14.6	<0.001	0.014	0.06	2.5	0.4	0.7	10.1	<0.01	
12-215	<0.01	<0.01	3.73	5.2	271	7.6	7.1	<0.001	0.019	0.10	1.8	0.3	0.9	7.3	<0.01	
12-216	0.01	0.01	1.96	7.8	279	3.8	9.3	<0.001	0.011	<0.05	2.3	0.2	0.4	6.8	<0.01	
12-217	0.01	0.01	1.94	13.7	383	6.1	12.1	<0.001	0.017	<0.05	2.2	0.2	0.5	10.8	<0.01	
12-218	<0.01	<0.01	3.21	11.0	201	7.4	7.9	<0.001	0.017	0.07	2.2	0.3	0.8	9.3	<0.01	
12-219	<0.01	<0.01	2.54	12.8	124	6.0	9.7	<0.001	0.007	<0.05	2.2	0.2	0.6	9.6	<0.01	
12-220	0.01	0.01	1.53	31.8	199	4.3	8.2	<0.001	0.016	<0.05	3.7	0.5	0.4	9.9	<0.01	
12-221	0.02	0.02	0.59	26.5	1680	17.1	5.1	0.009	0.258	0.18	4.1	3.7	0.5	40.7	<0.01	
12-222	0.01	0.01	2.51	16.5	217	5.9	12.4	<0.001	0.016	0.07	2.9	0.3	0.5	9.1	<0.01	
12-223	<0.01	<0.01	2.48	15.3	205	5.1	6.7	<0.001	0.015	<0.05	2.3	0.3	0.5	8.7	<0.01	
12-224	0.18	0.18	1.90	40.5	291	3.6	7.4	<0.001	0.046	<0.05	5.6	0.6	0.2	41.9	<0.01	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
Sample Description	Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta										
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
	RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01										
12-225	<0.01	<0.01	2.13	11.4	127	5.1	5.9	<0.001	0.011	<0.05	2.1	0.2	0.4	8.2	<0.01										
12-226	<0.01	<0.01	2.40	8.7	340	5.3	7.2	<0.001	0.012	<0.05	2.6	0.5	0.5	9.7	<0.01										
12-227	<0.01	<0.01	2.21	19.7	245	4.5	5.9	<0.001	0.031	<0.05	2.3	0.5	0.6	9.9	<0.01										
12-228	<0.01	<0.01	1.70	10.2	138	4.8	7.0	<0.001	0.006	<0.05	2.5	<0.2	0.4	8.8	<0.01										
12-229	<0.01	<0.01	1.76	20.0	366	7.1	7.1	<0.001	0.042	0.09	4.0	0.9	0.5	9.7	<0.01										
12-230	<0.01	<0.01	2.09	15.1	521	15.1	12.7	<0.001	0.041	0.09	4.0	0.6	0.7	13.5	<0.01										
12-231	<0.01	<0.01	2.33	14.5	331	5.3	8.7	<0.001	0.009	<0.05	2.1	0.3	0.5	7.3	0.01										
12-232	<0.01	<0.01	3.46	12.7	252	7.2	8.0	<0.001	0.024	0.07	2.9	0.6	0.7	7.1	<0.01										
12-233	<0.01	<0.01	2.43	15.2	186	4.6	4.4	<0.001	0.009	<0.05	2.1	0.3	0.4	9.1	<0.01										
12-234	0.01	0.01	1.54	18.8	348	5.0	6.9	<0.001	0.020	<0.05	3.1	0.4	0.4	11.3	<0.01										
12-235	<0.01	<0.01	1.73	14.6	181	5.4	12.4	<0.001	0.011	<0.05	2.4	0.2	0.5	10.6	<0.01										
12-236	0.01	0.01	1.96	31.7	317	6.9	14.6	<0.001	0.032	0.06	4.0	0.6	0.4	17.6	<0.01										
12-237	0.01	0.01	3.07	48.1	258	8.6	10.7	<0.001	0.031	0.06	6.8	0.8	0.6	16.1	<0.01										
12-238	0.02	0.02	2.08	31.3	359	6.5	9.2	0.001	0.027	<0.05	5.9	0.6	0.4	11.4	<0.01										
12-239	<0.01	<0.01	2.27	8.8	156	6.2	4.7	<0.001	0.021	<0.05	2.4	0.4	0.6	7.6	<0.01										
12-240	<0.01	<0.01	2.05	16.7	286	11.1	14.8	<0.001	0.030	0.09	1.5	0.4	0.9	10.3	<0.01										
12-241	<0.01	<0.01	2.09	15.4	318	7.9	10.9	<0.001	0.019	0.09	1.7	0.3	0.6	9.2	<0.01										
12-242	<0.01	<0.01	1.97	7.0	147	5.6	25.6	<0.001	0.013	0.05	1.3	<0.2	0.6	5.6	<0.01										
12-243	<0.01	<0.01	1.18	10.6	331	5.1	8.7	<0.001	0.009	<0.05	1.5	0.2	0.3	9.0	<0.01										
12-244	0.01	0.01	1.44	17.9	536	7.4	18.7	<0.001	0.017	0.06	2.2	0.3	0.4	14.5	<0.01										
12-245	<0.01	<0.01	2.05	16.4	464	10.8	19.5	<0.001	0.017	0.10	2.7	0.5	0.7	20.4	<0.01										
12-246	<0.01	<0.01	0.51	6.3	407	1.9	2.8	<0.001	<0.005	<0.05	1.1	0.3	0.2	40.3	<0.01										
12-247	0.01	0.01	2.68	24.7	612	12.6	31.8	<0.001	0.041	0.14	3.2	0.5	0.8	20.6	<0.01										
12-248	<0.01	<0.01	1.89	17.8	367	9.9	28.0	<0.001	0.023	0.09	2.0	0.3	0.6	15.7	<0.01										
12-249	0.01	0.01	2.22	19.6	532	8.4	29.8	<0.001	0.023	0.08	2.7	0.3	0.6	17.1	<0.01										
12-250	0.02	0.02	3.68	27.6	528	12.4	53.3	<0.001	0.009	0.13	7.0	0.5	1.1	36.9	<0.01										
12-251	0.03	0.03	3.38	32.5	613	11.1	49.3	<0.001	0.013	0.12	6.4	0.6	1.1	36.1	<0.01										
12-252	0.03	0.03	2.75	30.6	585	10.9	44.9	<0.001	0.011	0.13	6.8	0.5	1.1	42.3	<0.01										
12-253	0.01	0.01	2.36	14.5	115	7.7	21.7	<0.001	0.008	0.09	2.7	0.3	0.7	17.6	<0.01										
12-254	0.01	0.01	2.24	15.8	234	7.1	24.7	<0.001	0.011	0.06	3.2	0.5	0.6	19.1	<0.01										
12-255	0.02	0.02	3.02	24.0	547	10.7	33.6	<0.001	0.016	0.13	4.6	0.4	0.8	25.8	<0.01										
12-256	0.01	0.01	3.00	17.1	509	9.2	27.7	0.001	0.061	0.09	3.9	1.6	0.8	38.2	0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-257		<0.01	0.31	2.6	510	3.9	1.8	0.002	0.292	0.24	0.5	1.7	<0.2	54.6	0.03						
12-258		0.01	2.95	19.2	477	7.1	22.2	<0.001	0.019	0.08	3.7	0.6	0.7	23.9	<0.01						
12-259		<0.01	1.95	9.7	418	5.0	6.7	<0.001	0.007	0.05	1.7	0.3	0.4	12.9	<0.01						
12-260		0.01	2.49	17.1	473	6.5	19.0	<0.001	0.013	0.09	3.2	0.4	0.6	31.1	<0.01						
12-261		0.01	2.12	15.7	506	5.1	16.6	<0.001	0.009	0.08	2.9	0.4	0.5	40.4	<0.01						
12-262		0.01	1.87	18.9	512	6.6	22.2	<0.001	0.006	0.09	3.4	0.3	0.6	24.8	<0.01						
12-263		0.02	3.34	29.3	489	10.6	44.5	<0.001	0.015	0.12	6.0	0.6	1.0	29.8	<0.01						
12-264		<0.01	0.21	2.0	376	3.4	1.1	0.001	0.182	0.14	0.3	1.4	<0.2	46.5	0.02						
12-265		0.01	2.65	18.8	432	8.1	25.9	<0.001	0.039	0.08	3.8	0.8	0.7	24.5	<0.01						
12-266		0.02	3.43	22.5	605	9.3	45.0	<0.001	0.024	0.09	5.3	0.8	1.0	34.8	<0.01						
12-267		0.01	3.03	19.2	465	7.6	37.0	<0.001	0.031	0.08	4.4	0.7	0.9	30.9	<0.01						
12-268		0.02	3.69	25.7	423	9.3	43.0	<0.001	0.014	0.11	5.6	0.6	1.1	44.0	<0.01						
12-269		0.02	2.86	22.8	253	8.2	30.0	<0.001	0.015	0.08	4.2	0.4	0.8	24.4	<0.01						
12-270		<0.01	1.55	9.8	430	4.9	6.6	<0.001	0.005	<0.05	2.1	0.2	0.4	12.0	<0.01						
12-271		<0.01	1.45	7.0	317	4.6	6.7	<0.001	0.006	<0.05	1.7	0.2	0.4	11.3	<0.01						
12-272		0.01	2.00	9.3	441	4.2	13.1	<0.001	0.013	0.05	2.6	0.5	0.4	45.3	<0.01						
12-273		0.01	1.65	6.1	443	2.9	5.3	<0.001	0.008	<0.05	2.3	0.7	0.4	81.5	<0.01						
12-274		<0.01	1.77	10.5	222	5.1	11.8	<0.001	0.008	<0.05	1.6	<0.2	0.5	11.2	<0.01						
12-275		0.01	2.58	21.3	307	7.4	22.1	<0.001	0.009	0.07	3.0	0.3	0.6	15.5	<0.01						
12-276		<0.01	2.92	13.7	169	5.9	19.0	<0.001	0.010	0.06	2.2	0.3	0.6	13.9	<0.01						
12-277		<0.01	1.86	10.3	126	6.0	23.4	<0.001	0.008	0.06	1.6	0.2	0.6	13.9	<0.01						
12-278		<0.01	2.38	10.4	381	4.7	7.9	<0.001	0.008	<0.05	2.3	0.4	0.5	13.2	<0.01						
12-279		0.01	1.51	9.8	574	3.6	8.9	<0.001	<0.005	<0.05	2.8	0.3	0.4	24.8	<0.01						
12-280		0.02	3.21	17.3	560	7.3	27.4	<0.001	0.018	0.11	3.7	0.5	0.7	39.2	<0.01						
12-1831		0.02	3.57	23.0	400	8.2	31.5	<0.001	0.010	0.08	5.1	0.5	1.0	30.9	<0.01						
12-1832		0.02	3.32	26.6	368	7.9	34.9	<0.001	0.008	0.08	4.6	0.4	1.0	29.6	<0.01						
12-1877		0.02	2.87	23.7	575	7.7	30.4	<0.001	0.010	0.07	5.0	0.4	0.8	29.2	<0.01						
12-1878		0.02	1.00	12.9	509	4.3	11.1	<0.001	0.008	0.07	3.3	0.7	0.5	86.6	<0.01						
12-1879		0.02	0.82	18.0	551	5.2	19.9	<0.001	0.006	0.07	3.7	0.5	0.6	50.4	<0.01						
12-1880		0.02	3.15	24.1	620	7.4	34.4	<0.001	0.009	0.08	5.4	0.4	0.9	31.0	<0.01						
12-1881		0.02	3.63	24.5	657	8.5	34.7	<0.001	0.017	0.08	5.2	0.6	0.9	40.2	<0.01						
12-1882		0.02	1.30	8.6	495	3.2	8.3	<0.001	0.009	<0.05	2.7	0.6	0.4	72.3	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012											DATE REPORTED: Oct 25, 2012						SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-1883	0.02	0.02	0.86	15.0	493	4.7	18.6	<0.001	0.009	0.07	3.9	0.8	0.6	133	<0.01					
12-1884	0.02	0.02	2.25	13.9	538	4.8	18.2	<0.001	0.010	0.06	3.7	0.6	0.5	62.2	<0.01					
12-1885	0.02	0.02	1.97	12.6	557	4.5	14.6	<0.001	0.009	0.06	3.2	0.4	0.5	45.9	<0.01					
12-1886	0.02	0.02	0.98	8.7	477	3.1	8.1	<0.001	0.008	<0.05	2.7	0.6	0.4	81.4	<0.01					
12-1887	0.03	0.03	1.18	14.6	473	4.9	19.9	<0.001	0.009	0.07	4.3	0.8	0.6	141	<0.01					
12-1888	0.03	0.03	1.59	18.1	511	5.7	27.5	<0.001	0.009	0.07	5.1	0.7	0.8	116	<0.01					
12-1889	0.02	0.02	2.09	25.2	641	8.6	27.7	<0.001	0.007	0.05	5.3	0.4	0.8	28.1	<0.01					
12-1890	0.02	0.02	1.75	16.5	457	5.2	22.2	<0.001	0.009	0.08	4.6	0.7	0.8	117	<0.01					
12-1891	0.02	0.02	1.53	12.9	439	4.6	19.3	<0.001	0.008	0.08	4.5	0.8	0.6	134	<0.01					
12-1892	0.02	0.02	1.83	17.0	491	5.9	19.6	<0.001	0.007	0.09	5.1	0.7	0.7	104	<0.01					
12-1893	0.02	0.02	1.77	15.0	523	5.3	14.9	<0.001	0.007	0.07	3.2	0.4	0.5	39.4	<0.01					
12-1894	0.02	0.02	1.79	15.5	572	6.2	19.5	<0.001	0.007	0.06	3.5	0.4	0.5	30.3	<0.01					
12-1895	0.02	0.02	1.61	12.6	470	4.3	16.4	<0.001	0.010	0.06	3.4	0.7	0.5	101	<0.01					
12-1896	0.02	0.02	1.56	14.2	467	4.7	17.9	<0.001	0.009	0.09	3.7	0.7	0.5	120	<0.01					
12-1897	0.02	0.02	2.14	20.8	546	7.0	34.6	<0.001	0.008	0.10	5.2	0.7	0.8	68.5	<0.01					
12-1898	0.02	0.02	2.08	30.4	532	8.5	34.3	<0.001	0.008	0.08	5.2	0.4	0.8	24.4	<0.01					
12-1899	0.02	0.02	2.31	27.5	522	9.5	34.8	<0.001	0.009	0.08	7.2	0.5	0.9	29.9	<0.01					
12-1900	0.01	0.01	2.57	18.4	250	7.4	25.0	<0.001	0.010	0.07	4.1	0.5	0.7	21.1	<0.01					
12-1901	0.01	0.01	2.58	20.1	341	7.0	24.9	<0.001	0.010	0.06	3.9	0.5	0.7	22.2	<0.01					
12-1902	0.02	0.02	2.31	28.6	449	8.4	30.8	<0.001	0.007	0.07	4.4	0.3	0.7	22.8	<0.01					
12-1903	0.02	0.02	2.64	26.2	336	8.0	35.2	<0.001	0.013	0.09	4.7	0.4	0.8	27.5	<0.01					
12-1904	<0.01	<0.01	0.28	4.1	317	1.5	1.1	<0.001	0.124	<0.05	0.4	0.8	<0.2	24.4	0.02					
12-1905	<0.01	<0.01	0.26	2.8	387	2.7	1.8	0.001	0.113	<0.05	0.5	1.0	<0.2	28.2	0.01					
12-1906	0.02	0.02	3.12	23.1	509	8.0	34.0	0.001	0.039	0.10	4.5	0.7	0.7	26.9	<0.01					
12-1907	0.02	0.02	2.42	22.4	392	8.3	31.2	<0.001	0.010	0.07	4.4	0.4	0.7	23.7	<0.01					
12-1908	0.02	0.02	3.03	19.7	459	8.7	32.2	<0.001	0.013	0.08	5.5	0.6	0.8	53.6	<0.01					
12-1909	0.02	0.02	2.76	12.6	393	5.4	22.0	<0.001	0.011	0.08	4.5	0.8	0.7	114	<0.01					
12-1910	0.02	0.02	2.95	22.3	567	8.7	28.6	<0.001	0.013	0.08	4.7	0.5	0.7	28.2	<0.01					
12-1911	0.01	0.01	2.45	17.5	646	7.5	21.9	<0.001	0.018	0.06	3.5	0.4	0.6	19.4	<0.01					
12-1912	0.02	0.02	2.18	14.9	499	5.0	22.2	<0.001	0.012	0.09	4.4	0.8	0.6	130	<0.01					
12-1913	0.02	0.02	2.19	14.1	504	4.8	20.9	<0.001	0.012	0.07	4.3	0.8	0.6	112	<0.01					
12-1914	0.02	0.02	1.46	16.7	556	5.8	21.4	<0.001	0.007	0.07	4.0	0.5	0.6	44.9	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-1915	0.01	2.79	18.7	519	8.0	24.9	0.001	0.017	0.09	4.2	0.5	0.7	23.6	<0.01
12-1916	0.02	2.19	19.6	455	6.9	30.6	<0.001	0.010	0.08	5.2	0.7	0.8	78.3	<0.01
12-1917	0.02	2.46	17.0	500	7.4	28.1	<0.001	0.005	0.09	4.6	0.5	0.8	33.7	<0.01
12-1918	0.02	2.34	24.6	528	8.7	27.4	<0.001	0.009	0.08	4.4	0.3	0.7	22.2	<0.01
12-1919	0.01	2.58	19.0	290	7.3	20.3	<0.001	0.017	0.07	3.6	0.4	0.6	20.2	<0.01
12-1920	0.01	2.39	17.6	488	6.7	18.9	<0.001	0.012	0.06	3.7	0.4	0.6	22.9	<0.01
12-281	0.01	2.81	16.9	276	6.8	23.1	<0.001	0.009	0.05	3.8	0.4	0.6	18.3	<0.01
12-282	0.01	2.77	19.1	508	8.0	30.6	<0.001	0.007	0.06	4.9	0.5	0.7	24.1	<0.01
12-283	0.01	2.13	16.6	378	6.2	23.6	<0.001	0.007	<0.05	3.6	0.3	0.6	19.0	<0.01
12-284	0.02	2.34	15.0	491	6.1	21.9	<0.001	0.011	0.06	3.7	0.5	0.6	36.1	<0.01
12-285	0.01	2.06	11.5	321	6.4	19.7	<0.001	<0.005	<0.05	3.4	0.3	0.5	17.7	<0.01
12-286	0.01	3.30	16.0	349	5.6	20.0	<0.001	0.007	0.09	4.1	0.8	0.6	64.5	<0.01
12-287	0.02	1.68	14.9	525	9.5	41.9	<0.001	0.017	0.11	7.1	0.9	1.0	119	<0.01
12-288	0.02	2.58	22.8	461	5.2	21.8	<0.001	0.008	0.06	3.8	0.6	0.6	56.5	<0.01
12-289	0.01	2.97	13.3	470	6.4	24.2	<0.001	0.011	0.07	4.1	0.5	0.7	36.4	<0.01
12-290	0.01	1.87	10.2	317	5.6	22.3	<0.001	<0.005	0.05	3.3	0.3	0.5	18.1	<0.01
12-291	0.01	2.07	14.2	403	4.7	13.6	<0.001	<0.005	<0.05	2.4	0.3	0.4	13.6	<0.01
12-292	<0.01	2.79	10.2	337	6.4	26.0	<0.001	0.006	0.06	3.2	0.3	0.6	18.7	<0.01
12-293	0.01	2.42	10.3	402	7.9	27.0	<0.001	0.029	0.13	3.0	0.7	0.6	37.4	<0.01
12-294	0.01	2.33	10.4	391	4.8	16.6	<0.001	0.010	0.08	3.5	0.9	0.5	124	<0.01
12-295	0.01	1.80	8.7	387	4.6	13.9	<0.001	0.007	0.06	3.3	0.6	0.5	60.0	<0.01
12-296	0.01	2.12	9.5	433	5.5	17.4	<0.001	0.012	0.08	3.2	0.7	0.5	64.4	<0.01
12-297	0.01	1.22	5.3	413	2.2	5.3	<0.001	0.008	<0.05	1.8	0.7	0.2	73.7	<0.01
12-298	0.01	1.48	7.5	454	3.4	7.5	<0.001	0.008	0.08	2.7	0.8	0.4	107	<0.01
12-299	0.02	2.40	19.2	371	7.5	15.0	<0.001	0.018	0.07	3.8	0.6	0.6	18.4	<0.01
12-300	0.02	2.37	15.7	456	6.6	23.7	<0.001	0.015	0.07	3.5	0.5	0.6	22.8	<0.01
12-301	0.02	2.99	15.3	552	6.2	29.0	<0.001	0.014	0.08	4.3	0.6	0.7	38.3	<0.01
12-302	0.01	1.96	11.0	516	5.9	15.6	<0.001	0.011	0.05	2.6	0.4	0.5	20.2	<0.01
12-303	0.01	1.54	5.2	391	2.5	5.5	<0.001	0.008	0.05	2.0	0.6	0.3	71.5	<0.01
12-304	<0.01	1.70	9.6	469	5.5	11.1	<0.001	0.009	0.05	2.4	0.3	0.4	13.7	<0.01
12-305	<0.01	1.56	9.3	427	4.4	13.0	<0.001	0.006	<0.05	2.3	0.3	0.4	13.5	<0.01
12-306	0.01	2.03	9.2	598	3.7	13.4	<0.001	0.018	0.06	2.5	0.6	0.4	41.6	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012													DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil				
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm									
12-307	0.01	2.35	13.8	577	7.0	20.3	<0.001	0.018	0.10	3.7	0.5	0.6	31.8	<0.01										
12-308	0.01	2.44	10.3	321	5.6	15.5	<0.001	0.017	0.09	2.7	0.4	0.6	37.2	<0.01										
12-309	<0.01	1.67	7.9	204	5.3	10.3	<0.001	0.007	<0.005	1.6	0.2	0.5	11.5	<0.01										
12-310	0.01	2.48	18.6	208	8.0	26.3	<0.001	0.011	0.08	3.5	0.4	0.7	18.1	<0.01										
12-311	0.02	3.12	18.8	692	7.6	27.8	0.001	0.041	0.11	4.0	0.7	0.7	50.0	<0.01										
12-312	0.02	2.54	19.8	667	8.3	22.5	0.002	0.067	0.09	3.4	0.5	0.5	30.2	<0.01										
12-313	0.02	3.14	21.2	438	8.3	30.5	0.002	0.033	0.10	4.3	0.8	0.7	40.6	<0.01										
12-314	0.01	2.59	19.4	324	9.8	19.8	<0.001	0.015	0.11	3.1	0.3	0.7	15.5	<0.01										
12-315	0.03	1.83	22.0	420	9.8	39.5	<0.001	0.008	0.21	5.5	0.8	0.9	97.2	<0.01										
12-316	0.01	2.48	16.6	225	10.5	34.7	<0.001	<0.005	0.11	5.0	0.3	0.8	22.1	<0.01										
12-317	0.02	2.56	19.0	302	8.1	22.2	<0.001	0.012	0.11	3.6	0.3	0.7	23.8	<0.01										
12-318	0.01	2.95	12.0	285	11.3	34.8	<0.001	0.012	0.14	4.2	0.5	0.8	30.2	<0.01										
12-319	0.01	2.30	19.2	419	8.1	24.2	<0.001	0.005	0.09	4.4	0.4	0.7	18.0	<0.01										
12-320	0.01	1.64	8.4	360	4.2	15.7	<0.001	0.007	0.08	3.2	0.9	0.4	132	<0.01										
12-321	0.02	2.35	21.3	541	7.5	24.2	<0.001	0.008	0.08	4.2	0.4	0.7	25.1	<0.01										
12-322	0.02	2.43	21.2	232	6.8	28.2	<0.001	0.011	0.09	3.3	0.3	0.7	22.0	<0.01										
12-323	0.01	2.18	17.0	195	6.3	26.1	<0.001	0.006	0.06	3.0	0.2	0.6	17.6	<0.01										
12-324	0.01	1.96	19.1	872	7.8	36.8	<0.001	0.025	0.07	4.0	0.5	0.6	23.5	<0.01										
12-325	0.01	2.11	19.4	414	7.2	24.5	<0.001	0.014	0.07	3.5	0.4	0.6	19.0	<0.01										
12-326	0.01	2.22	19.4	407	7.1	24.9	<0.001	0.013	0.07	3.8	0.4	0.6	19.5	<0.01										
12-327	0.01	2.62	22.6	431	6.9	27.2	<0.001	0.009	0.07	3.3	0.3	0.7	19.4	<0.01										
12-328	<0.01	2.64	16.3	399	7.0	15.5	<0.001	0.010	0.05	2.5	0.4	0.5	13.6	<0.01										
12-329	0.01	3.23	19.9	308	7.4	29.8	<0.001	0.013	0.08	3.3	0.4	0.8	18.6	<0.01										
12-330	0.01	2.80	24.7	352	8.6	36.7	<0.001	0.012	0.09	3.8	0.3	0.8	21.8	<0.01										
12-331	0.02	2.16	23.9	427	7.8	30.5	<0.001	<0.005	0.08	4.6	0.4	0.7	23.7	<0.01										
12-332	0.01	2.88	19.0	325	8.2	31.3	<0.001	0.013	0.09	3.5	0.3	0.7	21.8	<0.01										
12-333	0.02	3.20	21.4	408	8.9	28.5	<0.001	0.019	0.11	4.1	0.4	0.8	26.0	<0.01										
12-334	<0.01	1.46	7.9	319	3.2	8.0	<0.001	<0.005	<0.005	1.7	<0.2	0.3	11.7	<0.01										
12-335	<0.01	1.87	12.2	264	4.4	19.1	<0.001	0.006	<0.005	2.6	0.3	0.5	15.2	<0.01										
12-336	0.01	1.91	17.2	182	4.5	18.6	<0.001	0.011	0.06	2.8	0.3	0.5	15.6	<0.01										
12-337	0.02	2.68	20.6	238	6.5	30.5	<0.001	0.009	0.07	3.5	0.3	0.7	21.3	<0.01										
12-338	0.01	3.06	18.3	236	7.5	43.3	<0.001	0.013	0.09	4.3	0.4	0.8	24.6	<0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-339		0.02	2.46	21.3	492	7.2	28.7	<0.001	0.031	0.07	4.1	0.5	0.7	20.6	<0.01						
12-340		0.02	3.15	20.3	300	7.6	36.6	<0.001	0.005	0.08	4.6	0.7	0.8	25.5	<0.01						
12-341		0.02	2.19	24.9	341	6.4	28.0	<0.001	0.017	0.06	3.7	0.3	0.6	21.8	<0.01						
12-342		0.02	2.95	19.7	347	9.3	30.3	<0.001	0.013	0.09	4.6	0.5	0.8	22.6	<0.01						
12-343		0.01	2.38	16.2	299	7.5	26.2	<0.001	0.008	0.08	4.1	0.4	0.7	24.7	<0.01						
12-344		0.02	2.13	21.2	394	6.8	21.9	<0.001	0.030	0.06	3.6	0.4	0.6	18.0	<0.01						
12-345		0.01	2.82	16.8	234	9.3	33.5	<0.001	0.008	0.12	4.3	0.5	0.8	25.1	<0.01						
12-346		<0.01	2.82	13.3	275	7.3	24.9	<0.001	0.020	0.06	3.5	0.3	0.7	21.2	<0.01						
12-347		0.02	2.76	32.7	341	8.0	50.0	<0.001	0.018	0.08	4.5	0.9	0.8	28.4	<0.01						
12-348		0.02	4.24	22.0	455	14.0	53.5	<0.001	0.007	0.12	9.1	0.6	1.2	33.9	<0.01						
12-349		0.01	3.38	18.5	452	8.4	38.1	<0.001	0.025	0.07	5.4	0.5	0.9	29.3	<0.01						
12-350		0.01	2.65	13.2	531	8.0	44.9	<0.001	0.034	0.07	4.0	0.7	0.7	22.6	<0.01						
12-351		<0.01	2.14	8.1	207	6.8	27.7	<0.001	<0.005	0.06	2.9	0.7	0.5	22.8	<0.01						
12-352		0.01	2.80	11.7	320	6.6	21.9	<0.001	0.008	0.05	4.2	0.4	0.7	24.5	<0.01						
12-353		0.01	3.22	21.4	301	6.9	22.1	<0.001	0.013	0.06	3.1	0.4	0.6	22.1	<0.01						
12-354		<0.01	2.00	10.6	148	4.3	13.6	<0.001	0.005	<0.05	1.5	<0.2	0.4	12.2	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-001	0.01	0.01	2.4	0.042	0.03	0.30	16.0	0.20	1.93	<0.5	1.2
12-002	0.02	0.02	3.3	0.054	0.05	0.43	18.4	0.15	3.47	<0.5	1.7
12-003	<0.01	<0.01	3.3	0.055	0.03	0.44	15.3	0.08	3.12	<0.5	<0.5
12-004	0.02	0.02	3.0	0.105	0.05	0.44	32.0	0.18	2.25	<0.5	1.0
12-005	<0.01	<0.01	4.4	0.052	0.03	0.43	19.1	0.30	1.99	<0.5	0.6
12-006	0.03	0.03	3.6	0.145	0.10	0.44	46.6	0.26	2.37	25.7	1.5
12-007	<0.01	<0.01	5.3	0.064	0.05	0.93	13.7	0.30	6.75	<0.5	2.1
12-008	<0.01	<0.01	3.8	0.038	0.03	0.46	5.4	0.05	4.89	<0.5	1.5
12-009	0.01	0.01	4.3	0.077	0.04	0.43	31.1	0.12	2.25	<0.5	1.8
12-010	<0.01	<0.01	4.8	0.048	0.04	0.52	15.0	0.07	6.32	<0.5	1.4
12-011	0.01	0.01	6.4	0.059	0.05	0.67	16.5	0.19	5.39	<0.5	2.7
12-012	0.02	0.02	3.2	0.063	0.07	0.36	19.1	0.11	3.16	<0.5	1.7
12-013	<0.01	<0.01	0.6	0.017	0.03	0.22	4.1	<0.05	0.92	<0.5	<0.5
12-014	<0.01	<0.01	1.3	0.039	0.04	0.38	13.4	0.14	4.06	<0.5	<0.5
12-015	0.01	0.01	2.2	0.069	0.06	0.34	22.8	0.13	2.29	<0.5	1.1
12-016	0.02	0.02	2.6	0.075	0.06	0.43	22.1	0.11	2.40	<0.5	1.5
12-017	0.01	0.01	2.6	0.073	0.05	0.36	20.5	0.12	2.58	<0.5	1.1
12-018	0.02	0.02	2.8	0.106	0.05	0.45	43.3	0.54	1.85	<0.5	1.3
12-019	0.05	0.05	2.0	0.110	0.06	0.66	62.7	0.18	2.27	<0.5	1.2
12-020	0.03	0.03	4.0	0.099	0.08	0.77	42.5	0.21	3.86	0.7	2.0
12-021	0.02	0.02	2.5	0.092	0.12	0.34	22.8	0.18	2.50	2.6	1.5
12-022	0.03	0.03	2.6	0.151	0.05	0.30	55.6	0.17	1.82	<0.5	2.0
12-023	0.02	0.02	2.2	0.071	0.04	0.31	29.3	0.09	1.46	<0.5	0.9
12-024	0.02	0.02	2.9	0.107	0.07	0.44	37.2	0.12	2.29	<0.5	1.1
12-025	0.01	0.01	2.2	0.055	0.05	0.34	15.7	0.10	2.56	<0.5	0.8
12-026	<0.01	<0.01	2.4	0.066	0.05	0.36	17.0	0.09	2.79	<0.5	0.8
12-027	0.04	0.04	3.1	0.123	0.11	0.59	56.6	0.24	3.59	63.3	1.8
12-028	0.05	0.05	3.6	0.143	0.08	0.59	63.8	0.22	3.57	15.4	2.3
12-029	0.03	0.03	4.0	0.095	0.07	0.40	47.3	0.20	2.80	35.2	1.4
12-030	0.02	0.02	1.4	0.132	0.06	0.33	36.6	0.14	1.90	7.1	1.0
12-031	0.05	0.05	1.5	0.116	0.06	0.41	36.6	0.22	2.94	48.6	1.1
12-032	0.03	0.03	2.2	0.111	0.08	0.47	33.8	0.23	3.14	28.5	1.1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-033	0.02	0.01	0.1	0.005	0.05	0.37	20.1	0.13	2.33	<0.5	0.9
12-034	0.02	0.02	3.0	0.086	0.08	0.53	23.3	0.15	3.29	<0.5	1.7
12-035	<0.01	<0.01	1.6	0.074	0.07	0.33	20.3	0.10	2.14	<0.5	<0.5
12-036	0.01	0.01	1.5	0.077	0.06	0.39	21.4	0.11	2.35	<0.5	0.7
12-037	<0.01	<0.01	1.3	0.055	0.05	0.40	14.9	0.10	2.84	<0.5	<0.5
12-038	<0.01	<0.01	2.3	0.051	0.07	0.49	13.1	0.09	5.05	<0.5	0.8
12-039	0.02	0.02	2.6	0.089	0.14	0.58	22.1	0.15	7.52	4.4	1.2
12-040	0.02	0.02	4.2	0.098	0.11	0.71	24.3	0.19	7.30	45.9	2.2
12-041	0.02	0.02	2.8	0.115	0.07	0.37	29.6	0.18	2.83	12.6	1.9
12-042	0.04	0.04	1.1	0.102	0.05	0.28	38.6	0.18	2.96	5.6	0.8
12-043	0.02	0.02	2.2	0.097	0.07	0.48	33.2	0.14	5.22	4.8	1.2
12-044	0.02	0.02	3.1	0.095	0.07	0.48	41.3	0.13	3.51	10.9	2.0
12-045	<0.01	<0.01	1.8	0.133	0.04	0.40	28.4	1.05	4.46	<0.5	2.5
12-046	<0.01	<0.01	1.1	0.083	0.05	0.53	19.9	0.12	6.15	17.6	1.5
12-047	0.01	0.01	1.1	0.075	0.05	0.64	19.8	0.19	6.28	19.2	1.5
12-048	0.02	0.02	3.2	0.083	0.05	0.50	23.5	0.44	5.08	<0.5	1.4
12-049	0.01	0.01	2.0	0.096	0.07	0.42	21.7	0.12	3.97	3.9	1.6
12-050	<0.01	<0.01	1.5	0.112	0.03	0.25	19.0	0.20	2.87	3.2	2.2
12-051	<0.01	<0.01	1.4	0.117	0.04	0.28	20.8	0.08	2.88	4.0	2.1
12-052	<0.01	<0.01	1.4	0.115	0.07	0.49	25.6	0.13	4.39	17.7	1.7
12-053	0.01	0.01	1.8	0.136	0.05	0.43	26.0	0.08	4.19	15.4	2.5
12-054	<0.01	<0.01	2.2	0.058	0.05	0.51	12.3	0.06	3.75	<0.5	1.4
12-055	0.02	0.02	6.0	0.072	0.24	4.40	21.9	0.22	21.3	33.3	4.3
12-056	0.01	0.01	2.3	0.080	0.05	0.44	18.3	0.10	4.35	1.4	1.3
12-057	<0.01	<0.01	2.9	0.075	0.08	0.58	15.3	0.08	4.24	<0.5	1.4
12-058	<0.01	<0.01	2.5	0.085	0.06	0.37	23.9	0.08	2.40	<0.5	1.2
12-059	0.01	0.01	2.3	0.076	0.04	0.36	20.1	0.09	2.54	<0.5	1.1
12-060	0.01	0.01	2.0	0.079	0.11	0.78	25.9	0.11	6.93	7.8	1.1
12-061	0.03	0.03	2.8	0.089	0.06	0.48	25.2	0.14	4.49	1.0	1.4
12-062	0.01	0.01	2.0	0.078	0.07	0.58	23.2	0.12	4.77	<0.5	1.0
12-063	0.02	0.02	1.2	0.097	0.07	0.52	25.8	0.18	3.30	14.0	1.3
12-064	0.02	0.02	1.1	0.055	0.10	1.09	22.0	0.17	6.50	<0.5	0.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil		
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr	
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-065	0.02	2.3	0.084	0.07	0.46	28.5	0.18	0.18	0.05	0.05	15.7	1.0
12-066	0.06	3.2	0.110	0.07	0.42	26.6	0.11	0.11	3.38	3.38	45.1	2.8
12-067	<0.01	2.6	0.163	0.06	0.42	36.0	0.12	0.12	5.76	5.76	9.4	4.7
12-068	0.01	2.6	0.111	0.05	0.35	30.7	0.09	0.09	2.19	2.19	<0.5	1.8
12-069	0.01	2.0	0.103	0.05	0.42	31.9	0.10	0.10	3.12	3.12	3.5	1.4
12-070	0.01	2.7	0.106	0.06	0.45	24.7	0.13	0.13	3.95	3.95	<0.5	2.0
12-071	0.03	1.7	0.194	0.04	0.30	41.9	0.29	0.29	3.69	3.69	15.6	8.3
12-072	0.02	2.8	0.113	0.05	0.44	28.4	0.15	0.15	3.34	3.34	<0.5	1.8
12-073	0.02	2.8	0.092	0.06	0.48	25.7	0.13	0.13	3.33	3.33	<0.5	1.5
12-074	0.03	1.3	0.245	0.05	0.25	60.9	0.19	0.19	2.51	2.51	<0.5	3.5
12-075	0.04	0.9	0.253	0.03	0.21	51.0	0.24	0.24	4.14	4.14	<0.5	4.2
12-076	0.04	1.2	0.233	0.03	0.26	51.8	0.29	0.29	2.76	2.76	<0.5	3.0
12-077	0.03	2.3	0.128	0.11	1.45	35.8	0.17	0.17	18.0	18.0	24.6	3.2
12-078	0.04	2.0	0.131	0.07	0.61	29.8	0.15	0.15	6.74	6.74	26.0	3.8
12-079	0.02	1.1	0.088	0.09	0.87	24.8	0.10	0.10	8.22	8.22	46.7	1.8
12-080	0.03	2.2	0.090	0.16	0.96	25.1	0.39	0.39	11.3	11.3	34.7	2.5
12-081	0.02	5.1	0.134	0.17	0.57	34.2	0.19	0.19	12.9	12.9	54.2	5.2
12-082	0.02	8.7	0.148	0.25	0.70	42.9	0.21	0.21	13.7	13.7	31.8	11.6
12-083	0.01	5.9	0.108	0.12	0.62	22.6	0.13	0.13	9.91	9.91	1.7	12.3
12-084	0.02	8.7	0.134	0.25	0.77	31.3	0.21	0.21	21.3	21.3	15.4	9.5
12-085	<0.01	4.0	0.079	0.09	0.59	16.1	0.11	0.11	8.06	8.06	<0.5	3.4
12-086	0.03	1.9	0.062	0.17	0.53	13.9	0.14	0.14	8.67	8.67	27.1	2.6
12-087	<0.01	3.3	0.062	0.06	0.41	8.5	0.12	0.12	6.78	6.78	<0.5	4.9
12-088	0.01	2.6	0.042	0.02	0.54	14.7	0.07	0.07	4.85	4.85	<0.5	0.7
12-089	<0.01	3.9	0.050	0.02	0.65	20.1	0.08	0.08	6.20	6.20	<0.5	0.9
12-090	<0.01	1.7	0.055	0.05	0.45	17.4	0.08	0.08	3.06	3.06	<0.5	0.5
12-091	0.03	1.6	0.079	0.07	0.58	35.2	0.14	0.14	2.87	2.87	35.2	0.9
12-092	0.06	1.3	0.093	0.07	0.42	30.9	0.23	0.23	4.86	4.86	130	0.9
12-093	0.03	1.3	0.072	0.09	0.84	25.9	0.17	0.17	6.30	6.30	136	0.5
12-094	0.03	2.5	0.088	0.06	0.44	27.2	0.18	0.18	4.41	4.41	<0.5	0.8
12-095	0.02	0.6	0.060	0.07	0.66	19.9	0.10	0.10	8.14	8.14	2.4	<0.5
12-096	0.03	1.6	0.065	0.07	0.51	19.8	0.14	0.14	8.04	8.04	<0.5	0.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-097	0.02	2.8	0.075	0.06	0.06	0.52	22.4	0.15	3.48	21.0	1.1
12-098	0.01	0.2	0.050	0.04	0.33	0.33	16.7	0.09	2.15	<0.5	<0.5
12-099	0.02	1.6	0.064	0.08	0.57	0.12	16.8	0.12	4.01	3.7	0.5
12-100	0.03	8.8	0.169	0.23	0.90	0.23	45.8	0.23	14.0	45.9	13.1
12-101	0.02	9.7	0.178	0.23	1.04	0.21	49.8	0.21	13.5	40.9	12.7
12-102	0.02	7.6	0.148	0.17	0.83	0.16	36.1	0.16	11.3	29.5	7.2
12-103	0.02	3.5	0.101	0.10	0.51	0.13	20.2	0.13	5.05	134	1.7
12-104	0.02	3.7	0.095	0.09	0.46	0.14	19.4	0.14	3.52	26.0	2.4
12-105	0.03	2.4	0.113	0.06	0.42	0.22	26.0	0.22	3.03	<0.5	1.0
12-106	0.05	2.4	0.102	0.10	0.52	0.24	49.2	0.24	3.44	33.1	1.0
12-107	0.03	3.1	0.103	0.09	0.52	0.25	28.5	0.25	4.30	10.5	2.2
12-108	0.02	2.3	0.085	0.14	0.54	0.18	17.5	0.18	5.19	6.4	0.7
12-109	0.04	2.3	0.092	0.07	0.61	0.25	46.7	0.25	4.41	<0.5	1.5
12-110	0.04	2.0	0.136	0.06	0.45	0.27	55.3	0.27	3.19	2.8	1.0
12-111	0.02	2.6	0.106	0.06	0.38	0.23	32.2	0.23	3.19	<0.5	1.6
12-112	0.03	1.9	0.171	0.04	0.29	0.18	42.6	0.18	4.14	<0.5	1.4
12-113	0.01	0.2	<0.005	0.06	0.75	<0.05	4.7	<0.05	7.53	<0.5	1.6
12-114	0.02	1.3	0.282	0.11	1.10	0.19	67.9	0.19	6.53	83.0	1.0
12-115	0.02	3.5	0.100	0.08	1.31	0.19	33.4	0.19	5.98	7.4	1.7
12-116	0.03	3.4	0.104	0.05	0.49	0.21	33.8	0.21	3.34	2.2	1.5
12-117	0.02	0.9	0.049	0.14	1.45	0.49	23.2	0.49	27.1	56.3	0.6
12-118	0.02	2.6	0.107	0.06	0.43	0.14	33.5	0.14	3.10	<0.5	1.1
12-119	0.03	2.2	0.096	0.07	0.57	0.60	27.3	0.60	3.91	5.3	1.4
12-120	0.03	2.7	0.102	0.07	0.49	0.30	41.8	0.30	2.52	<0.5	0.9
12-121	0.04	1.9	0.073	0.19	0.99	0.24	33.3	0.24	7.63	28.3	<0.5
12-122	0.03	1.7	0.061	0.12	0.78	0.31	27.3	0.31	10.0	48.7	0.5
12-123	0.06	2.0	0.089	0.06	0.43	0.18	37.6	0.18	2.40	5.0	0.7
12-124	0.02	3.4	0.117	0.06	0.73	0.36	28.3	0.36	4.89	1.8	1.9
12-125	<0.01	2.6	0.233	0.03	0.82	0.13	39.5	0.13	6.22	33.5	12.0
12-126	0.02	1.4	0.172	0.03	0.37	0.26	37.4	0.26	4.14	38.4	3.9
12-127	0.02	3.6	0.079	0.07	0.51	0.14	25.9	0.14	3.68	<0.5	2.1
12-128	0.02	1.9	0.125	0.04	0.33	0.16	26.9	0.16	3.52	<0.5	1.0

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-129	0.01	1.8	0.075	0.08	0.52	15.9	0.11	3.45	0.05	11.2	0.5
12-130	0.02	4.0	0.085	0.10	0.59	22.5	0.15	4.85	0.05	3.0	2.0
12-131	0.04	1.6	0.060	0.15	0.55	38.0	0.19	2.60	0.05	6.1	0.6
12-132	0.03	2.3	0.086	0.06	0.42	31.3	0.27	3.05	0.05	<0.5	0.8
12-133	0.02	2.8	0.099	0.07	0.40	22.2	0.17	3.35	0.05	<0.5	1.3
12-134	0.03	1.1	0.077	0.10	0.80	32.1	0.33	4.48	0.05	28.1	<0.5
12-135	0.02	3.4	0.100	0.09	0.46	20.8	0.15	3.98	0.05	0.8	2.5
12-136	0.02	3.8	0.109	0.08	0.65	27.3	0.19	6.97	0.05	12.3	1.6
12-137	0.02	2.2	0.090	0.07	0.50	25.8	0.18	2.95	0.05	11.9	0.8
12-138	0.03	1.2	0.075	0.06	0.41	27.2	0.19	3.69	0.05	<0.5	<0.5
12-139	0.01	2.5	0.121	0.08	0.52	24.0	0.14	2.55	0.05	<0.5	1.3
12-140	0.04	1.9	0.060	0.10	0.72	29.4	0.21	4.90	0.05	18.9	0.8
12-141	0.05	2.5	0.115	0.08	0.58	47.8	0.26	4.50	0.05	5.8	0.8
12-142	0.03	3.1	0.131	0.08	0.51	38.5	0.22	4.58	0.05	15.2	2.0
12-143	0.03	2.4	0.112	0.06	0.36	35.3	0.19	2.40	0.05	9.6	1.1
12-144	0.01	2.9	0.086	0.18	1.27	18.0	0.19	25.0	0.05	52.4	2.1
12-145	0.02	2.6	0.135	0.08	0.45	40.5	0.16	4.01	0.05	42.6	1.4
12-146	0.02	1.1	0.111	0.06	0.50	23.1	0.23	3.99	0.05	14.1	1.0
12-147	0.02	2.7	0.087	0.07	0.44	21.7	0.14	4.01	0.05	19.4	0.9
12-148	0.03	2.7	0.120	0.05	0.32	32.1	0.22	3.28	0.05	21.5	2.2
12-149	0.05	2.5	0.163	0.07	0.33	54.9	0.82	2.78	0.05	<0.5	1.9
12-150	0.02	1.9	0.081	0.06	0.37	25.3	0.14	2.39	0.05	<0.5	<0.5
12-151	0.05	2.4	0.194	0.10	0.77	83.1	0.43	5.75	0.05	37.5	2.3
12-152	0.02	1.6	0.158	0.08	0.35	30.4	0.16	3.23	0.05	<0.5	1.0
12-153	0.03	2.8	0.095	0.07	0.49	28.6	0.18	4.79	0.05	<0.5	1.7
12-154	0.04	1.4	0.064	0.08	0.52	26.7	0.19	2.72	0.05	6.5	<0.5
12-155	0.05	0.4	0.051	0.09	0.58	21.4	0.11	4.93	0.05	11.9	<0.5
12-156	0.12	2.2	0.118	0.07	0.49	43.8	0.24	2.85	0.05	<0.5	1.1
12-157	0.04	1.8	0.096	0.08	0.54	34.1	0.17	3.94	0.05	8.7	0.6
12-158	0.04	2.1	0.134	0.06	0.51	45.6	0.21	3.93	0.05	41.3	1.2
12-159	0.03	2.7	0.155	0.14	0.64	36.2	0.15	7.74	0.05	136	2.3
12-160	0.03	2.6	0.109	0.09	0.44	37.2	0.16	3.21	0.05	22.0	1.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-161	0.02	3.9	0.078	0.11	0.62	20.5	0.13	7.26	0.05	0.5	2.2
12-162	0.01	2.5	0.068	0.07	0.45	16.4	0.10	4.06	0.05	<0.5	1.1
12-163	0.01	5.5	0.093	0.13	0.56	20.0	0.18	9.21	0.05	<0.5	9.9
12-164	0.01	5.8	0.107	0.12	0.59	26.8	0.14	10.6	0.05	12.7	4.9
12-165	0.02	7.9	0.139	0.20	0.78	34.2	0.18	13.3	0.05	24.9	7.6
12-166	0.01	5.0	0.087	0.11	0.53	15.9	0.13	10.4	0.05	<0.5	4.7
12-167	0.02	8.2	0.144	0.19	1.06	40.8	0.17	13.6	0.05	35.1	10.8
12-168	0.01	4.4	0.088	0.11	0.62	16.9	0.14	10.7	0.05	1.5	3.9
12-169	0.01	2.1	0.117	0.06	0.39	21.9	0.08	3.15	0.05	<0.5	1.1
12-170	0.02	2.9	0.184	0.06	0.51	39.6	0.13	3.32	0.05	<0.5	3.5
12-171	0.04	3.3	0.210	0.08	0.68	74.7	0.23	9.06	0.05	79.0	2.2
12-172	0.01	1.0	0.047	0.10	0.92	7.2	<0.05	7.38	0.05	<0.5	0.8
12-173	0.01	3.6	0.095	0.10	0.54	19.7	0.15	7.66	0.05	1.3	2.2
12-174	<0.01	4.4	0.085	0.11	0.50	14.5	0.11	9.45	0.05	<0.5	4.8
12-175	0.01	6.4	0.134	0.20	0.60	30.4	0.14	12.7	0.05	11.9	5.1
12-176	0.01	6.4	0.142	0.20	0.61	31.9	0.14	13.3	0.05	13.7	5.2
12-177	0.02	3.7	0.123	0.14	1.33	29.7	0.12	11.7	0.05	4.1	2.4
12-178	0.02	4.4	0.107	0.11	0.88	22.8	0.12	10.1	0.05	4.7	4.2
12-179	0.03	1.6	0.089	0.18	1.41	25.5	0.21	11.7	0.05	40.2	1.6
12-180	0.02	6.0	0.121	0.14	0.60	26.7	0.15	9.85	0.05	16.3	5.0
12-181	0.01	2.7	0.100	0.08	0.41	17.5	0.10	4.86	0.05	26.1	1.1
12-182	0.01	2.9	0.108	0.21	2.96	27.6	0.10	16.9	0.05	18.4	1.9
12-183	0.01	5.2	0.130	0.16	0.82	28.2	0.13	15.3	0.05	2.5	2.8
12-184	0.01	1.9	0.127	0.08	0.59	26.7	0.09	5.27	0.05	2.4	2.1
12-185	0.02	2.5	0.173	0.08	0.51	39.8	0.12	4.61	0.05	19.4	3.0
12-186	0.01	2.8	0.130	0.10	0.56	29.8	0.10	6.57	0.05	41.5	1.8
12-187	0.04	1.6	0.143	0.15	0.89	42.5	0.09	10.1	0.05	11.3	1.0
12-188	0.01	6.0	0.124	0.20	0.79	24.0	0.14	15.3	0.05	6.3	4.7
12-189	0.02	3.1	0.188	0.09	0.54	43.2	0.08	5.59	0.05	49.4	3.2
12-190	0.03	2.3	0.068	0.23	3.26	31.9	0.14	23.5	0.05	24.2	1.8
12-191	0.07	1.0	0.213	0.08	0.19	94.2	0.24	4.01	0.05	7.2	1.3
12-192	0.01	1.2	0.215	0.09	0.26	28.9	0.13	3.41	0.05	14.5	2.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-193	0.02	3.3	0.123	0.09	0.47	28.5	0.12	5.02	0.05	55.0	2.4
12-194	0.01	2.4	0.069	0.07	0.54	18.3	0.10	6.07	0.05	5.9	1.5
12-195	0.01	5.6	0.106	0.14	0.73	28.6	0.14	9.92	0.05	20.5	5.8
12-196	0.02	4.7	0.109	0.12	0.66	26.0	0.17	9.63	0.05	12.6	2.8
12-197	0.02	3.9	0.092	0.19	1.31	22.4	0.15	16.6	0.05	22.0	4.1
12-198	0.02	8.0	0.153	0.19	0.71	35.4	0.17	11.7	0.05	19.4	10.4
12-199	0.02	4.9	0.126	0.12	0.53	26.1	0.13	6.69	0.05	12.2	3.3
12-200	0.02	2.0	0.138	0.09	0.50	36.8	0.12	3.21	0.05	53.6	1.3
12-201	<0.01	4.4	0.071	0.10	0.46	11.5	0.10	9.68	0.05	<0.5	4.3
12-202	0.02	3.4	0.103	0.06	0.37	23.6	0.13	3.01	0.05	11.9	1.9
12-203	0.01	2.3	0.067	0.05	0.28	20.5	0.13	2.08	0.05	5.2	1.2
12-204	0.04	1.7	0.100	0.07	0.45	26.1	0.17	2.99	0.05	39.3	1.0
12-205	0.02	2.2	0.091	0.06	0.42	26.8	0.12	3.32	0.05	53.7	1.0
12-206	0.05	1.6	0.088	0.05	0.30	41.0	0.17	1.97	0.05	40.7	0.6
12-207	0.03	2.3	0.083	0.08	0.43	32.2	0.14	3.76	0.05	35.1	1.0
12-208	0.03	2.4	0.112	0.06	0.40	30.1	0.15	2.32	0.05	75.2	1.0
12-209	0.03	4.6	0.104	0.12	1.66	26.5	0.12	9.76	0.05	57.1	1.4
12-210	<0.01	2.1	0.057	0.07	0.55	14.2	0.10	8.39	0.05	<0.5	1.1
12-211	0.02	2.2	0.115	0.06	0.34	37.3	0.18	2.18	0.05	<0.5	1.3
12-212	0.01	3.3	0.057	0.15	0.71	13.2	0.10	10.5	0.05	<0.5	1.7
12-213	0.02	2.8	0.093	0.08	0.50	25.6	0.17	3.13	0.05	<0.5	1.5
12-214	0.02	3.0	0.145	0.15	0.57	32.8	0.15	4.30	0.05	2.7	1.7
12-215	0.05	2.3	0.242	0.06	0.35	107	0.26	1.97	0.05	<0.5	1.7
12-216	0.03	1.3	0.121	0.05	0.21	28.6	0.19	3.21	0.05	<0.5	0.9
12-217	0.02	2.3	0.080	0.06	0.45	23.1	0.48	3.70	0.05	<0.5	1.0
12-218	0.03	2.5	0.113	0.07	0.39	49.5	0.17	2.79	0.05	<0.5	1.2
12-219	0.02	3.1	0.100	0.07	0.38	27.4	0.14	3.82	0.05	9.9	2.2
12-220	0.06	2.4	0.094	0.10	0.78	29.5	0.15	11.1	0.05	<0.5	0.9
12-221	0.14	1.1	0.015	0.32	1.80	16.4	0.09	31.3	0.05	72.0	2.5
12-222	0.05	2.2	0.132	0.07	0.33	42.5	0.25	3.16	0.05	21.4	1.3
12-223	0.09	2.6	0.099	0.07	0.36	28.7	1.52	2.66	0.05	<0.5	1.3
12-224	0.03	1.3	0.188	0.07	0.45	73.7	0.11	7.81	0.05	42.0	1.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-225	0.01	0.01	3.5	0.077	0.06	0.42	19.9	0.13	3.18	<0.5	1.5
12-226	0.01	0.01	3.6	0.072	0.08	0.59	17.1	0.13	4.78	<0.5	1.2
12-227	0.02	0.02	1.6	0.179	0.07	0.69	28.0	0.09	6.48	20.9	6.3
12-228	<0.01	<0.01	3.1	0.075	0.10	0.54	13.8	0.21	5.95	40.6	1.4
12-229	0.03	0.03	2.7	0.080	0.15	1.01	22.2	0.15	8.11	43.0	1.4
12-230	0.05	0.05	1.7	0.073	0.17	0.79	43.8	0.15	8.29	78.0	0.7
12-231	0.01	0.01	3.5	0.118	0.07	0.42	29.2	0.12	3.89	<0.5	3.9
12-232	0.03	0.03	3.1	0.093	0.07	0.43	36.1	0.17	3.46	<0.5	2.7
12-233	0.01	0.01	3.5	0.085	0.07	0.45	17.0	0.23	4.11	<0.5	2.8
12-234	0.02	0.02	2.7	0.076	0.08	0.64	26.5	0.12	5.50	1.2	1.4
12-235	0.01	0.01	2.6	0.065	0.08	0.50	16.7	0.08	4.09	20.3	1.1
12-236	0.03	0.03	2.6	0.100	0.10	0.75	30.2	0.14	7.40	25.7	1.9
12-237	0.03	0.03	4.0	0.141	0.10	1.28	36.4	0.31	14.8	14.3	3.2
12-238	0.02	0.02	6.0	0.114	0.07	1.52	32.3	3.20	15.6	15.5	1.8
12-239	0.03	0.03	2.2	0.100	0.08	0.48	33.7	0.20	4.07	27.1	1.0
12-240	0.08	0.08	1.8	0.096	0.09	0.34	28.5	0.19	2.74	196	0.9
12-241	0.03	0.03	2.6	0.090	0.09	0.41	23.3	0.20	3.55	20.7	1.2
12-242	0.02	0.02	1.7	0.130	0.08	0.26	42.7	0.18	1.87	34.4	0.6
12-243	<0.01	<0.01	2.4	0.046	0.11	0.40	11.1	0.10	7.47	5.8	1.3
12-244	0.02	0.02	3.6	0.072	0.12	0.49	18.0	0.41	9.05	12.6	1.6
12-245	0.02	0.02	3.5	0.067	0.13	0.49	17.5	0.18	10.6	8.7	2.1
12-246	<0.01	<0.01	3.3	0.042	0.04	0.35	6.4	0.06	5.12	<0.5	4.5
12-247	0.02	0.02	2.9	0.092	0.15	0.51	30.6	0.67	10.7	34.9	2.5
12-248	0.01	0.01	2.6	0.077	0.09	0.56	24.2	0.13	4.41	12.9	1.0
12-249	0.01	0.01	3.7	0.087	0.12	0.58	22.5	0.19	8.09	14.3	2.3
12-250	0.02	0.02	9.7	0.137	0.24	0.85	34.0	0.20	20.4	25.9	13.5
12-251	0.02	0.02	9.5	0.146	0.22	0.84	39.2	0.17	20.2	34.9	12.3
12-252	0.02	0.02	10.5	0.138	0.23	0.79	35.3	0.20	20.9	25.7	24.1
12-253	0.02	0.02	4.4	0.097	0.09	0.59	21.3	0.13	8.17	5.5	3.1
12-254	<0.01	<0.01	4.6	0.081	0.11	1.18	21.4	0.11	10.3	14.7	3.3
12-255	0.02	0.02	7.8	0.126	0.18	0.78	29.7	0.19	14.3	19.4	8.4
12-256	0.01	0.01	3.7	0.068	0.18	2.24	23.9	0.11	16.0	31.1	6.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm 0.01	ppm 0.1	% 0.005	ppm 0.01	ppm 0.05	ppm 0.5	ppm 0.05	ppm 0.05	ppm 0.05	ppm 0.5
12-257	0.02	0.02	0.6	<0.005	0.04	0.31	<0.5	<0.05	2.00	<0.5	2.1
12-258	0.01	0.01	5.9	0.086	0.17	0.92	21.5	0.15	14.1	7.4	9.1
12-259	<0.01	<0.01	3.9	0.074	0.09	0.70	14.9	0.10	5.38	<0.5	3.7
12-260	0.01	0.01	5.5	0.080	0.15	0.87	18.5	0.16	13.4	3.1	7.2
12-261	<0.01	<0.01	5.5	0.078	0.15	0.87	15.9	0.12	11.9	<0.5	10.4
12-262	<0.01	<0.01	6.7	0.084	0.20	0.59	17.7	0.14	14.2	3.1	13.4
12-263	0.02	0.02	9.8	0.127	0.23	0.95	36.0	0.17	17.6	32.7	23.1
12-264	0.02	0.02	0.5	<0.005	0.03	0.22	<0.5	<0.05	1.51	<0.5	1.8
12-265	0.01	0.01	5.5	0.087	0.16	1.87	24.2	0.14	15.2	38.0	6.6
12-266	0.02	0.02	6.1	0.110	0.17	2.00	30.4	0.14	19.6	34.1	6.7
12-267	0.01	0.01	4.2	0.095	0.14	1.12	28.1	0.11	12.6	35.5	4.0
12-268	0.02	0.02	7.2	0.127	0.17	0.87	31.4	0.18	18.5	21.0	7.0
12-269	0.01	0.01	5.9	0.115	0.13	0.79	28.7	0.14	13.4	19.5	2.9
12-270	<0.01	<0.01	4.3	0.067	0.08	0.52	14.1	0.11	9.06	<0.5	2.1
12-271	<0.01	<0.01	3.2	0.050	0.07	0.48	12.0	0.08	7.30	<0.5	1.1
12-272	<0.01	<0.01	4.0	0.063	0.07	0.57	11.1	0.15	11.5	<0.5	3.6
12-273	<0.01	<0.01	3.6	0.058	0.05	0.53	8.9	0.08	12.0	<0.5	6.8
12-274	<0.01	<0.01	3.0	0.069	0.09	0.38	13.8	0.09	2.99	<0.5	1.4
12-275	0.01	0.01	5.3	0.101	0.13	0.55	24.2	0.13	5.35	5.5	3.5
12-276	<0.01	<0.01	3.0	0.095	0.08	0.42	19.0	0.11	3.86	<0.5	2.1
12-277	0.01	0.01	2.8	0.072	0.09	0.42	17.6	0.10	2.26	<0.5	0.7
12-278	<0.01	<0.01	3.7	0.072	0.08	0.47	15.2	0.10	10.2	<0.5	2.9
12-279	<0.01	<0.01	4.7	0.069	0.09	0.52	9.7	0.10	14.4	<0.5	4.9
12-280	<0.01	<0.01	5.7	0.107	0.14	0.63	21.8	0.14	15.7	11.6	10.0
12-1831	0.01	0.01	5.8	0.140	0.14	0.72	29.8	0.13	17.8	17.8	5.3
12-1832	0.01	0.01	4.8	0.155	0.14	0.55	32.9	0.11	7.56	20.4	4.9
12-1877	0.01	0.01	6.4	0.124	0.16	0.85	30.5	0.13	18.4	22.0	8.8
12-1878	<0.01	<0.01	5.3	0.088	0.11	0.64	17.1	0.09	13.1	<0.5	17.7
12-1879	<0.01	<0.01	6.4	0.097	0.16	0.62	20.1	0.10	14.2	<0.5	24.7
12-1880	<0.01	<0.01	7.3	0.140	0.14	0.65	31.1	0.13	17.0	25.9	13.8
12-1881	0.01	0.01	6.7	0.129	0.15	0.98	32.2	0.17	19.1	26.9	10.3
12-1882	<0.01	<0.01	4.1	0.071	0.08	0.57	13.3	0.09	12.3	<0.5	11.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1883	<0.01	0.01	0.1	0.102	0.10	0.66	20.0	0.09	14.4	<0.5	27.0
12-1884	<0.01	0.01	0.1	0.092	0.10	0.67	18.9	0.09	14.0	<0.5	13.4
12-1885	<0.01	0.01	0.1	0.082	0.10	0.60	17.3	0.09	14.4	<0.5	8.0
12-1886	<0.01	0.01	0.1	0.068	0.09	0.59	12.0	0.08	12.1	<0.5	11.7
12-1887	<0.01	0.01	0.1	0.106	0.10	0.64	21.3	0.09	15.1	0.5	27.1
12-1888	0.01	0.01	0.1	0.122	0.14	0.65	26.8	0.10	16.8	5.0	34.7
12-1889	0.01	0.01	0.1	0.137	0.17	0.65	34.1	0.12	18.4	25.2	17.4
12-1890	<0.01	0.01	0.1	0.103	0.13	0.62	21.1	0.13	15.0	4.6	25.2
12-1891	<0.01	0.01	0.1	0.095	0.11	0.61	17.7	0.10	15.5	<0.5	28.8
12-1892	<0.01	0.01	0.1	0.110	0.11	0.62	22.9	0.13	17.3	1.5	32.4
12-1893	<0.01	0.01	0.1	0.091	0.12	0.53	18.7	0.12	11.9	<0.5	22.3
12-1894	<0.01	0.01	0.1	0.099	0.14	0.60	20.7	0.15	13.5	2.8	17.7
12-1895	<0.01	0.01	0.1	0.076	0.10	0.60	14.7	0.10	13.5	<0.5	13.7
12-1896	<0.01	0.01	0.1	0.082	0.11	0.61	17.7	0.12	13.8	<0.5	24.9
12-1897	0.01	0.01	0.1	0.114	0.16	0.64	24.4	0.15	18.9	6.2	14.5
12-1898	0.01	0.01	0.1	0.135	0.19	0.71	33.1	0.15	15.3	21.8	10.4
12-1899	0.01	0.01	0.1	0.132	0.19	0.71	30.8	0.15	18.6	18.3	9.2
12-1900	0.01	0.01	0.1	0.095	0.11	0.79	21.7	0.12	11.8	16.1	3.4
12-1901	0.01	0.01	0.1	0.111	0.11	0.86	26.2	0.12	12.1	19.7	3.1
12-1902	0.01	0.01	0.1	0.138	0.17	0.62	31.9	0.15	11.3	16.4	9.0
12-1903	0.01	0.01	0.1	0.115	0.18	0.61	31.2	0.14	13.9	21.4	8.3
12-1904	<0.01	0.01	0.1	<0.005	0.03	1.17	3.4	<0.05	4.98	<0.5	2.9
12-1905	<0.01	0.01	0.1	<0.005	0.04	0.90	<0.5	<0.05	7.03	<0.5	2.9
12-1906	0.01	0.01	0.1	0.102	0.18	1.24	25.5	0.16	14.5	27.3	9.7
12-1907	0.01	0.01	0.1	0.111	0.16	0.73	26.7	0.15	12.0	13.2	7.1
12-1908	0.01	0.01	0.1	0.096	0.19	0.81	22.2	0.15	17.2	8.1	20.7
12-1909	<0.01	0.01	0.1	0.077	0.13	0.63	14.8	0.12	15.7	<0.5	15.1
12-1910	0.01	0.01	0.1	0.116	0.17	0.68	27.7	0.17	14.3	15.7	15.8
12-1911	0.01	0.01	0.1	0.101	0.14	0.89	25.2	0.14	9.84	20.3	4.1
12-1912	<0.01	0.01	0.1	0.103	0.11	0.64	20.7	0.12	15.9	<0.5	24.8
12-1913	<0.01	0.01	0.1	0.098	0.10	0.66	21.2	0.12	16.1	<0.5	22.8
12-1914	<0.01	0.01	0.1	0.097	0.13	0.61	21.9	0.12	15.2	3.3	12.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1915		0.01	6.0	0.101	0.13	0.97	24.2	0.16	14.8	43.7	7.0
12-1916		0.01	7.1	0.101	0.15	0.63	22.6	0.15	16.6	30.4	25.4
12-1917		0.01	6.9	0.094	0.14	0.58	19.8	0.15	15.9	29.5	14.5
12-1918		0.02	7.4	0.108	0.18	0.79	26.9	0.17	12.0	39.8	8.5
12-1919		0.01	5.5	0.084	0.14	0.95	22.0	0.15	13.2	29.3	5.8
12-1920		<0.01	5.5	0.084	0.11	0.92	15.1	0.11	13.7	39.4	8.5
12-281		0.01	5.2	0.089	0.11	0.68	21.0	0.11	12.0	33.2	7.1
12-282		0.01	7.1	0.094	0.18	0.72	20.9	0.16	16.6	32.5	10.1
12-283		<0.01	4.6	0.088	0.11	0.53	19.1	0.11	11.7	30.2	4.7
12-284		0.01	5.2	0.086	0.13	0.63	17.7	0.12	14.3	25.9	7.4
12-285		<0.01	5.0	0.081	0.09	0.51	14.7	0.09	13.1	19.9	5.8
12-286		0.01	4.7	0.081	0.12	0.70	20.0	0.13	17.0	32.7	11.1
12-287		0.02	10.1	0.077	0.21	0.85	17.7	0.13	22.5	26.2	37.9
12-288		0.01	5.0	0.106	0.11	0.61	26.9	0.11	14.9	36.5	10.6
12-289		<0.01	5.4	0.078	0.10	0.60	14.7	0.12	14.0	22.1	8.8
12-290		<0.01	4.9	0.062	0.10	0.47	9.6	0.10	10.4	18.5	6.2
12-291		<0.01	3.6	0.088	0.07	0.49	17.0	0.10	9.08	28.0	4.2
12-292		<0.01	4.3	0.064	0.10	0.58	13.2	0.10	8.78	25.3	4.6
12-293		0.02	3.2	0.049	0.13	0.97	8.7	0.13	16.0	20.2	5.2
12-294		0.01	4.5	0.069	0.10	0.59	13.1	0.12	15.3	18.0	7.4
12-295		0.01	4.5	0.060	0.09	0.51	10.1	0.11	14.3	14.9	6.1
12-296		0.01	4.1	0.062	0.09	0.50	10.8	0.12	13.8	16.8	4.4
12-297		<0.01	2.7	0.047	0.05	0.43	7.3	0.07	7.62	9.3	9.6
12-298		0.01	3.8	0.060	0.07	0.50	11.2	0.11	12.8	13.0	12.1
12-299		0.01	4.4	0.092	0.11	0.92	20.9	0.12	15.6	39.0	3.8
12-300		0.01	4.9	0.093	0.11	0.59	19.6	0.13	13.9	31.9	3.9
12-301		0.01	5.4	0.100	0.12	0.59	19.5	0.14	17.5	30.4	5.4
12-302		0.01	4.8	0.074	0.08	0.69	12.9	0.12	11.5	25.7	3.8
12-303		<0.01	3.4	0.046	0.06	0.47	5.3	0.09	7.98	9.1	11.8
12-304		<0.01	4.3	0.063	0.08	0.60	15.3	0.11	10.8	19.8	3.5
12-305		<0.01	3.6	0.063	0.07	0.50	12.7	0.09	9.06	19.5	2.4
12-306		<0.01	3.9	0.059	0.08	0.62	8.9	0.09	12.9	15.1	5.0

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-307		0.01	4.9	0.075	0.12	0.53	17.5	0.14	16.6	26.0	6.0
12-308		0.01	4.0	0.075	0.08	0.46	12.4	0.14	10.7	20.7	4.1
12-309		<0.01	2.6	0.064	0.07	0.33	12.8	0.09	4.23	16.8	0.8
12-310		0.01	4.8	0.105	0.11	0.50	25.2	0.13	10.7	35.7	4.0
12-311		0.01	5.1	0.100	0.15	0.85	20.2	0.14	18.4	47.4	5.8
12-312		0.02	5.2	0.099	0.15	0.98	20.2	0.15	15.1	50.5	4.6
12-313		0.01	5.7	0.102	0.15	1.41	24.3	0.16	16.8	43.5	7.1
12-314		0.02	4.4	0.101	0.12	0.46	24.6	0.13	8.43	39.6	2.6
12-315		0.02	8.4	0.111	0.19	0.72	26.4	0.21	16.9	37.9	33.9
12-316		0.01	7.2	0.080	0.19	0.60	18.1	0.15	9.13	27.9	6.3
12-317		0.01	5.3	0.110	0.12	0.50	24.4	0.14	10.5	37.4	4.4
12-318		0.02	5.7	0.062	0.20	0.60	10.4	0.18	13.1	29.2	5.0
12-319		0.01	7.4	0.106	0.15	0.63	22.6	0.14	15.7	35.2	6.4
12-320		<0.01	4.2	0.058	0.09	0.54	9.4	0.09	14.2	13.4	9.4
12-321		0.01	6.7	0.121	0.15	0.58	24.9	0.14	13.4	37.5	4.5
12-322		0.01	3.3	0.117	0.11	0.45	22.1	0.12	5.19	43.0	1.6
12-323		<0.01	3.9	0.113	0.09	0.41	20.1	0.12	5.07	40.8	1.7
12-324		0.01	3.8	0.086	0.17	0.92	22.5	0.13	15.2	51.4	3.4
12-325		0.01	4.5	0.086	0.13	0.75	21.9	0.12	12.6	36.1	2.9
12-326		0.01	4.8	0.085	0.13	0.76	21.3	0.13	13.4	35.1	3.6
12-327		0.01	4.2	0.115	0.12	0.47	24.2	0.13	6.85	37.1	2.5
12-328		<0.01	4.3	0.088	0.11	0.45	19.1	0.16	5.16	25.5	3.5
12-329		0.01	3.7	0.107	0.13	0.52	22.3	0.14	4.86	50.9	2.5
12-330		0.02	4.3	0.126	0.16	0.52	30.7	0.13	4.43	46.7	2.4
12-331		0.02	6.8	0.135	0.16	0.58	28.9	0.14	11.2	41.5	4.5
12-332		0.01	4.5	0.114	0.13	0.50	23.1	0.12	8.22	40.5	3.0
12-333		0.01	5.0	0.127	0.13	0.56	25.4	0.15	11.6	41.6	4.6
12-334		<0.01	3.5	0.067	0.06	0.61	11.1	0.08	6.66	14.6	2.0
12-335		<0.01	4.3	0.078	0.10	0.80	16.4	0.10	8.44	22.6	2.2
12-336		<0.01	4.3	0.118	0.09	0.61	23.8	0.11	10.2	48.9	2.4
12-337		0.01	4.2	0.137	0.11	0.59	28.0	0.13	8.54	41.7	1.9
12-338		0.01	5.7	0.093	0.13	0.77	24.0	0.15	10.4	36.6	3.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-339	0.01	0.01	5.5	0.112	0.13	0.99	25.3	0.14	15.2	43.1	3.1
12-340	0.01	0.01	5.2	0.127	0.13	1.04	24.0	0.17	16.3	37.5	4.8
12-341	0.01	0.01	5.2	0.124	0.12	0.50	30.2	0.11	8.57	45.8	4.5
12-342	0.02	0.02	6.5	0.106	0.16	0.67	24.0	0.14	14.4	45.9	5.1
12-343	0.01	0.01	5.1	0.100	0.12	0.53	22.0	0.14	13.9	33.9	3.7
12-344	0.01	0.01	6.0	0.114	0.11	0.71	25.6	0.11	13.0	45.0	4.2
12-345	0.01	0.01	5.2	0.119	0.14	0.73	23.2	0.15	14.2	37.1	3.3
12-346	0.01	0.01	4.5	0.061	0.10	0.53	14.9	0.11	8.78	32.8	3.1
12-347	0.01	0.01	3.6	0.151	0.18	1.28	41.1	0.14	16.2	58.2	3.2
12-348	0.02	0.02	8.4	0.134	0.21	0.92	27.3	0.17	19.3	44.0	11.2
12-349	0.01	0.01	7.3	0.079	0.14	0.72	22.8	0.13	14.7	44.6	9.1
12-350	0.02	0.02	3.7	0.066	0.15	0.72	17.9	0.20	15.3	29.8	4.8
12-351	0.02	0.02	2.4	0.048	0.12	0.92	8.0	0.12	13.0	12.6	3.6
12-352	0.01	0.01	6.4	0.065	0.14	0.67	12.4	0.16	16.1	12.5	7.5
12-353	<0.01	<0.01	4.4	0.115	0.10	0.63	25.4	0.11	8.44	28.7	5.2
12-354	<0.01	<0.01	3.2	0.063	0.06	0.36	13.8	0.07	3.07	17.3	2.4

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001
12-001		0.002
12-002		0.001
12-003		<0.001
12-004		<0.001
12-005		0.011
12-006		0.001
12-007		<0.001
12-008		<0.001
12-009		<0.001
12-010		<0.001
12-011		<0.001
12-012		0.004
12-013		<0.001
12-014		<0.001
12-015		<0.001
12-016		<0.001
12-017		<0.001
12-018		<0.001
12-019		<0.001
12-020		0.996
12-021		0.006
12-022		<0.001
12-023		<0.001
12-024		<0.001
12-025		<0.001
12-026		<0.001
12-027		<0.001
12-028		0.022
12-029		<0.001
12-030		<0.001
12-031		0.002
12-032		0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-033			<0.001
12-034			0.003
12-035			<0.001
12-036			0.030
12-037			0.001
12-038			<0.001
12-039			0.004
12-040			<0.001
12-041			<0.001
12-042			<0.001
12-043			<0.001
12-044			0.002
12-045			<0.001
12-046			<0.001
12-047			<0.001
12-048			<0.001
12-049			<0.001
12-050			<0.001
12-051			<0.001
12-052			<0.001
12-053			<0.001
12-054			<0.001
12-055			0.002
12-056			0.002
12-057			0.015
12-058			0.001
12-059			<0.001
12-060			<0.001
12-061			<0.001
12-062			<0.001
12-063			0.005
12-064			<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-065	<0.001	<0.001	<0.001
12-066	<0.001	<0.001	<0.001
12-067	<0.001	<0.001	<0.001
12-068	<0.001	<0.001	<0.001
12-069	<0.001	<0.001	<0.001
12-070	<0.001	<0.001	<0.001
12-071	0.004	<0.001	<0.001
12-072	<0.001	<0.001	<0.001
12-073	<0.001	<0.001	<0.001
12-074	<0.001	<0.001	<0.001
12-075	0.003	<0.001	<0.001
12-076	0.003	<0.001	<0.001
12-077	<0.001	<0.001	<0.001
12-078	<0.001	<0.001	<0.001
12-079	<0.001	<0.001	<0.001
12-080	<0.001	<0.001	<0.001
12-081	<0.001	<0.001	<0.001
12-082	<0.001	<0.001	<0.001
12-083	<0.001	<0.001	<0.001
12-084	<0.001	<0.001	<0.001
12-085	<0.001	<0.001	<0.001
12-086	<0.001	<0.001	<0.001
12-087	0.003	<0.001	<0.001
12-088	<0.001	<0.001	<0.001
12-089	<0.001	<0.001	<0.001
12-090	<0.001	<0.001	<0.001
12-091	<0.001	<0.001	<0.001
12-092	0.001	<0.001	<0.001
12-093	0.001	<0.001	<0.001
12-094	<0.001	<0.001	<0.001
12-095	<0.001	<0.001	<0.001
12-096	<0.001	<0.001	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-097		<0.001	
12-098		<0.001	
12-099		<0.001	
12-100		0.018	
12-101		<0.001	
12-102		<0.001	
12-103		<0.001	
12-104		<0.001	
12-105		<0.001	
12-106		0.008	
12-107		<0.001	
12-108		<0.001	
12-109		<0.001	
12-110		<0.001	
12-111		<0.001	
12-112		<0.001	
12-113		<0.001	
12-114		<0.001	
12-115		<0.001	
12-116		<0.001	
12-117		<0.001	
12-118		<0.001	
12-119		<0.001	
12-120		<0.001	
12-121		<0.001	
12-122		<0.001	
12-123		<0.001	
12-124		<0.001	
12-125		<0.001	
12-126		<0.001	
12-127		0.006	
12-128		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001
12-129		<0.001
12-130		<0.001
12-131		<0.001
12-132		<0.001
12-133		<0.001
12-134		<0.001
12-135		0.004
12-136		<0.001
12-137		<0.001
12-138		<0.001
12-139		<0.001
12-140		0.005
12-141		0.001
12-142		<0.001
12-143		<0.001
12-144		<0.001
12-145		<0.001
12-146		<0.001
12-147		0.001
12-148		0.008
12-149		<0.001
12-150		<0.001
12-151		<0.001
12-152		<0.001
12-153		<0.001
12-154		<0.001
12-155		<0.001
12-156		<0.001
12-157		<0.001
12-158		<0.001
12-159		<0.001
12-160		<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-161		<0.001	
12-162		<0.001	
12-163		<0.001	
12-164		<0.001	
12-165		<0.001	
12-166		<0.001	
12-167		<0.001	
12-168		<0.001	
12-169		<0.001	
12-170		<0.001	
12-171		0.006	
12-172		<0.001	
12-173		<0.001	
12-174		<0.001	
12-175		<0.001	
12-176		<0.001	
12-177		0.008	
12-178		<0.001	
12-179		<0.001	
12-180		<0.001	
12-181		<0.001	
12-182		<0.001	
12-183		<0.001	
12-184		<0.001	
12-185		<0.001	
12-186		<0.001	
12-187		<0.001	
12-188		<0.001	
12-189		<0.001	
12-190		0.002	
12-191		<0.001	
12-192		<0.001	

Certified By: _____



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-193		<0.001	
12-194		<0.001	
12-195		<0.001	
12-196		<0.001	
12-197		0.002	
12-198		<0.001	
12-199		0.001	
12-200		0.014	
12-201		<0.001	
12-202		<0.001	
12-203		<0.001	
12-204		<0.001	
12-205		<0.001	
12-206		0.006	
12-207		<0.001	
12-208		<0.001	
12-209		<0.001	
12-210		<0.001	
12-211		0.005	
12-212		<0.001	
12-213		<0.001	
12-214		<0.001	
12-215		<0.001	
12-216		<0.001	
12-217		<0.001	
12-218		0.001	
12-219		<0.001	
12-220		<0.001	
12-221		<0.001	
12-222		<0.001	
12-223		<0.001	
12-224		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-225		<0.001	
12-226		<0.001	
12-227		<0.001	
12-228		<0.001	
12-229		<0.001	
12-230		<0.001	
12-231		0.001	
12-232		<0.001	
12-233		<0.001	
12-234		<0.001	
12-235		<0.001	
12-236		<0.001	
12-237		<0.001	
12-238		<0.001	
12-239		0.006	
12-240		0.003	
12-241		<0.001	
12-242		<0.001	
12-243		<0.001	
12-244		<0.001	
12-245		<0.001	
12-246		0.004	
12-247		<0.001	
12-248		<0.001	
12-249		<0.001	
12-250		<0.001	
12-251		<0.001	
12-252		<0.001	
12-253		<0.001	
12-254		<0.001	
12-255		<0.001	
12-256		0.003	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-257		0.002	
12-258		0.002	
12-259		<0.001	
12-260		<0.001	
12-261		<0.001	
12-262		<0.001	
12-263		0.007	
12-264		0.002	
12-265		<0.001	
12-266		<0.001	
12-267		0.001	
12-268		<0.001	
12-269		0.007	
12-270		<0.001	
12-271		<0.001	
12-272		<0.001	
12-273		<0.001	
12-274		<0.001	
12-275		<0.001	
12-276		<0.001	
12-277		<0.001	
12-278		<0.001	
12-279		<0.001	
12-280		<0.001	
12-1831		<0.001	
12-1832		<0.001	
12-1877		<0.001	
12-1878		<0.001	
12-1879		<0.001	
12-1880		<0.001	
12-1881		<0.001	
12-1882		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	
	RDL:	0.001	
12-1883		<0.001	
12-1884		<0.001	
12-1885		<0.001	
12-1886		0.014	
12-1887		0.002	
12-1888		<0.001	
12-1889		<0.001	
12-1890		<0.001	
12-1891		<0.001	
12-1892		<0.001	
12-1893		<0.001	
12-1894		<0.001	
12-1895		<0.001	
12-1896		<0.001	
12-1897		0.012	
12-1898		<0.001	
12-1899		<0.001	
12-1900		<0.001	
12-1901		<0.001	
12-1902		<0.001	
12-1903		<0.001	
12-1904		0.017	
12-1905		0.001	
12-1906		<0.001	
12-1907		<0.001	
12-1908		<0.001	
12-1909		<0.001	
12-1910		0.010	
12-1911		<0.001	
12-1912		<0.001	
12-1913		<0.001	
12-1914		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Au		
	Unit: ppm		
	RDL: 0.001		
12-1915	<0.001		
12-1916	<0.001		
12-1917	<0.001		
12-1918	<0.001		
12-1919	<0.001		
12-1920	<0.001		
12-281	0.022		
12-282	<0.001		
12-283	<0.001		
12-284	<0.001		
12-285	<0.001		
12-286	<0.001		
12-287	<0.001		
12-288	<0.001		
12-289	<0.001		
12-290	0.276		
12-291	0.013		
12-292	<0.001		
12-293	<0.001		
12-294	0.033		
12-295	<0.001		
12-296	<0.001		
12-297	<0.001		
12-298	<0.001		
12-299	<0.001		
12-300	<0.001		
12-301	<0.001		
12-302	<0.001		
12-303	<0.001		
12-304	<0.001		
12-305	<0.001		
12-306	<0.001		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-307	Au	ppm	0.001
12-308	<0.001		
12-309	<0.001		
12-310	<0.001		
12-311	<0.001		
12-312	<0.001		
12-313	<0.001		
12-314	<0.001		
12-315	<0.001		
12-316	<0.001		
12-317	0.036		
12-318	<0.001		
12-319	<0.001		
12-320	<0.001		
12-321	<0.001		
12-322	<0.001		
12-323	<0.001		
12-324	<0.001		
12-325	<0.001		
12-326	<0.001		
12-327	<0.001		
12-328	<0.001		
12-329	0.054		
12-330	<0.001		
12-331	<0.001		
12-332	<0.001		
12-333	<0.001		
12-334	<0.001		
12-335	<0.001		
12-336	<0.001		
12-337	<0.001		
12-338	<0.001		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646768
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte:	Unit:	RDL:
12-339	Au	ppm	0.001
12-340			<0.001
12-341			0.016
12-342			<0.001
12-343			<0.001
12-344			<0.001
12-345			<0.001
12-346			<0.001
12-347			<0.001
12-348			<0.001
12-349			<0.001
12-350			<0.001
12-351			<0.001
12-352			0.009
12-353			<0.001
12-354			<0.001

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755739	< 0.01	< 0.01	0.0%	< 0.01	12.2	13.0	94%	80%	120%
Al	1	3755478	0.612	0.582	5.0%	< 0.01				80%	120%
As	1	3755739	2.1	2.2	4.7%	0.4				80%	120%
Au	1	3755739	< 0.01	< 0.01	0.0%	< 0.01	1.66	1.52	109%	80%	120%
B	1	3755739	6	6	0.0%	< 5	7.94	7.00	113%	80%	120%
Ba	1	3755478	10	10	0.0%	< 1				80%	120%
Be	1	3755739	0.313	0.329	5.0%	< 0.05				80%	120%
Bi	1	3755739	0.075	0.075	0.0%	< 0.01				80%	120%
Ca	1	3755478	0.083	0.074	11.5%	< 0.01				80%	120%
Cd	1	3755739	0.12	0.12	0.0%	< 0.01				80%	120%
Ce	1	3755739	42.0	43.0	2.4%	< 0.01				80%	120%
Co	1	3755739	7.9	8.0	1.3%	< 0.1				80%	120%
Cr	1	3755478	13.9	12.8	8.2%	< 0.5				80%	120%
Cs	1	3755739	0.70	0.70	0.0%	< 0.05				80%	120%
Cu	1	3755804	12.2	11.6	5.0%	< 0.1	5757	6000	95%	80%	120%
Fe	1	3755478	0.99	0.91	8.4%	< 0.01				80%	120%
Ga	1	3755739	4.24	4.21	0.7%	< 0.05				80%	120%
Ge	1	3755739	0.120	0.104	14.3%	0.07				80%	120%
Hf	1	3755739	0.173	0.187	7.8%	< 0.02				80%	120%
Hg	1	3755739	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3755739	0.013	0.013	0.0%	< 0.005				80%	120%
K	1	3755478	0.02	0.02	0.0%	< 0.01				80%	120%
La	1	3755739	19.4	19.3	0.5%	< 0.1				80%	120%
Li	1	3755739	13.6	14.2	4.3%	< 0.1				80%	120%
Mg	1	3755478	0.10	0.10	0.0%	< 0.01				80%	120%
Mn	1	3755478	44	43	2.3%	< 1				80%	120%
Mo	1	3755739	0.392	0.427	8.5%	< 0.05	330	360	91%	80%	120%
Na	1	3755478	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3755739	2.12	2.16	1.9%	< 0.05				80%	120%
Ni	1	3755478	4.2	4.2	0.0%	< 0.2				80%	120%
P	1	3755478	426	403	5.5%	< 10	637	600	106%	80%	120%
Pb	1	3755739	5.15	5.23	1.5%	0.1				80%	120%
Rb	1	3755739	16.6	16.8	1.2%	< 0.1				80%	120%
Re	1	3755739	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755478	0.010	0.010	0.0%	< 0.005				80%	120%
Sb	1	3755739	0.08	0.08	0.0%	< 0.05				80%	120%
Sc	1	3755739	2.92	3.01	3.0%	< 0.1				80%	120%
Se	1	3755739	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3755739	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3755739	40.4	39.9	1.2%	< 0.2				80%	120%
Ta	1	3755739	< 0.01	< 0.01	0.0%	< 0.01	1.1	0.9	118%	80%	120%
Te	1	3755739	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3755739	5.5	5.5	0.0%	< 0.1	1.2	1.4	86%	80%	120%
Ti	1	3755478	0.042	0.041	2.4%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1	3755739	0.15	0.15	0.0%	< 0.01				80%	120%
U	1	3755739	0.870	0.864	0.7%	< 0.05				80%	120%
V	1	3755478	16.0	14.5	9.8%	< 0.5				80%	120%
W	1	3755739	0.120	0.128	6.5%	< 0.05				80%	120%
Y	1	3755739	11.9	12.0	0.8%	< 0.05	6	7	79%	80%	120%
Zn	1	3755478	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Zr	1	3755739	10.4	10.7	2.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755753	< 0.01	< 0.01	0.0%	< 0.01	14.5	13.0	112%	80%	120%
Al	1	3755503	0.82	0.82	0.0%	< 0.01				80%	120%
As	1	3755753	2.7	2.7	0.0%	0.3				80%	120%
Au	1	3755753	< 0.01	< 0.01	0.0%	< 0.01	0.277	0.263	105%	80%	120%
B	1	3755753	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3755503	26	25	3.9%	< 1				80%	120%
Be	1	3755753	0.40	0.43	7.2%	< 0.05				80%	120%
Bi	1	3755753	0.10	0.10	0.0%	< 0.01				80%	120%
Ca	1	3755503	0.144	0.148	2.7%	< 0.01				80%	120%
Cd	1	3755753	0.07	0.07	0.0%	< 0.01				80%	120%
Ce	1	3755753	47.8	50.5	5.5%	0.01				80%	120%
Co	1	3755753	7.29	7.67	5.1%	< 0.1				80%	120%
Cr	1	3755503	15.3	15.7	2.6%	< 0.5				80%	120%
Cs	1	3755753	1.04	1.11	6.5%	< 0.05				80%	120%
Cu	1	3755503	1.6	1.7	6.1%	< 0.1	5705	6000	95%	80%	120%
Fe	1	3755503	1.07	1.07	0.0%	< 0.01				80%	120%
Ga	1	3755753	6.18	6.17	0.2%	< 0.05				80%	120%
Ge	1	3755753	0.13	0.13	0.0%	0.11				80%	120%
Hf	1	3755753	0.061	0.068	10.9%	< 0.02				80%	120%
Hg	1	3755753	0.026	0.024	8.0%	< 0.01				80%	120%
In	1	3755753	0.019	0.019	0.0%	< 0.005				80%	120%
K	1	3755503	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3755753	15.4	15.8	2.6%	< 0.1				80%	120%
Li	1	3755753	21.3	21.8	2.3%	< 0.1				80%	120%
Mg	1	3755503	0.18	0.18	0.0%	< 0.01				80%	120%
Mn	1	3755503	78	80	2.5%	< 1				80%	120%
Mo	1	3755753	0.24	0.22	8.7%	< 0.05	325	360	90%	80%	120%
Na	1	3755503	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3755753	2.58	2.46	4.8%	< 0.05				80%	120%
Ni	1	3755503	7.9	8.0	1.3%	< 0.2				80%	120%
P	1	3755503	181	187	3.3%	< 10	617	600	103%	80%	120%
Pb	1	3755753	7.4	7.4	0.0%	< 0.1				80%	120%
Rb	1	3755753	22.1	21.9	0.9%	< 0.1				80%	120%
Re	1	3755753	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755503	0.007	0.007	0.0%	< 0.005				80%	120%

Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sb	1	3755753	0.07	0.07	0.0%	< 0.05				80%	120%	
Sc	1	3755753	3.02	3.07	1.6%	< 0.1				80%	120%	
Se	1	3755753	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3755753	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3755753	15.5	15.1	2.6%	< 0.2				80%	120%	
Ta	1	3755753	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755753	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3755753	5.33	5.68	6.4%	< 0.1				80%	120%	
Ti	1	3755503	0.066	0.068	3.0%	< 0.005				80%	120%	
Tl	1	3755753	0.13	0.13	0.0%	< 0.01				80%	120%	
U	1	3755753	0.549	0.522	5.0%	< 0.05				80%	120%	
V	1	3755503	17.0	18.6	9.0%	< 0.5				80%	120%	
W	1	3755753	0.128	0.121	5.6%	< 0.05				80%	120%	
Y	1	3755753	5.35	5.26	1.7%	< 0.05	7	7	95%	80%	120%	
Zn	1	3755503	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Zr	1	3755753	3.50	3.66	4.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755778	< 0.01	< 0.01	0.0%	< 0.01	14.5	13.0	112%	80%	120%	
Al	1	3755528	0.891	0.883	0.9%	< 0.01				80%	120%	
As	1	3755778	2.3	2.5	8.3%	0.6				80%	120%	
Au	1	3755778	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755778	5	5	0.0%	< 5				80%	120%	
Ba	1	3755528	28	26	7.4%	< 1				80%	120%	
Be	1	3755778	0.322	0.293	9.4%	< 0.05				80%	120%	
Bi	1	3755778	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1	3755528	0.23	0.23	0.0%	< 0.01				80%	120%	
Cd	1	3755778	0.07	0.07	0.0%	< 0.01				80%	120%	
Ce	1	3755778	48.8	46.1	5.7%	< 0.01				80%	120%	
Co	1	3755778	5.8	5.7	1.7%	< 0.1				80%	120%	
Cr	1	3755528	12.7	12.7	0.0%	< 0.5				80%	120%	
Cs	1	3755778	0.91	0.85	6.8%	< 0.05				80%	120%	
Cu	1	3755528	10.3	10.1	2.0%	< 0.1	5372	6000	89%	80%	120%	
Fe	1	3755528	1.33	1.31	1.5%	< 0.01				80%	120%	
Ga	1	3755778	4.46	4.48	0.4%	< 0.05				80%	120%	
Ge	1	3755778	0.13	0.14	7.4%	0.09				80%	120%	
Hf	1	3755778	0.31	0.27	13.8%	< 0.02				80%	120%	
Hg	1	3755778	0.025	0.025	0.0%	< 0.01				80%	120%	
In	1	3755778	0.015	0.015	0.0%	< 0.005				80%	120%	
K	1	3755528	0.03	0.03	0.0%	< 0.01				80%	120%	
La	1	3755778	25.2	23.8	5.7%	< 0.1				80%	120%	
Li	1	3755778	11.3	10.3	9.3%	< 0.1				80%	120%	
Mg	1	3755528	0.49	0.48	2.1%	< 0.01				80%	120%	
Mn	1	3755528	166	163	1.8%	< 1				80%	120%	
Mo	1	3755778	0.21	0.21	0.0%	< 0.05	302	360	83%	80%	120%	

Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3755528	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755778	1.79	1.63	9.4%	< 0.05				80%	120%	
Ni	1	3755528	10.4	10.4	0.0%	< 0.2				80%	120%	
P	1	3755528	219	229	4.5%	< 10	586	600	98%	80%	120%	
Pb	1	3755778	6.2	5.7	8.4%	< 0.1				80%	120%	
Rb	1	3755778	19.5	19.3	1.0%	< 0.1				80%	120%	
Re	1	3755778	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755528	0.006	0.006	0.0%	< 0.005				80%	120%	
Sb	1	3755778	0.064	0.065	1.6%	< 0.05				80%	120%	
Sc	1	3755778	3.54	3.59	1.4%	< 0.1				80%	120%	
Se	1	3755778	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3755778	0.54	0.55	1.8%	< 0.2				80%	120%	
Sr	1	3755778	30.3	29.8	1.7%	< 0.2				80%	120%	
Ta	1	3755778	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	104%	80%	120%	
Te	1	3755778	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755778	6.65	6.24	6.4%	< 0.1	1.2	1.4	85%	80%	120%	
Ti	1	3755528	0.117	0.114	2.6%	< 0.005				80%	120%	
Tl	1	3755778	0.136	0.122	10.9%	< 0.01				80%	120%	
U	1	3755778	0.595	0.533	11.0%	< 0.05				80%	120%	
V	1	3755528	20.8	20.8	0.0%	< 0.5				80%	120%	
W	1	3755778	0.145	0.112	25.7%	< 0.05				80%	120%	
Y	1	3755778	13.5	13.8	2.2%	< 0.05	7	7	98%	80%	120%	
Zn	1	3755528	3.99	3.22	21.4%	< 0.5				80%	120%	
Zr	1	3755778	17.7	18.5	4.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755798	< 0.01	< 0.01	0.0%	< 0.01	14.6	13.0	113%	80%	120%	
Al	1	3755541	2.02	1.97	2.5%	< 0.01				80%	120%	
As	1	3755798	2.55	2.17	16.1%	0.4				80%	120%	
Au	1	3755798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755798	6	6	0.0%	< 5	5.64	7.00	81%	80%	120%	
Ba	1	3755541	37	36	2.7%	< 1				80%	120%	
Be	1	3755798	0.32	0.31	3.2%	< 0.05				80%	120%	
Bi	1	3755798	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1	3755541	0.17	0.17	0.0%	< 0.01				80%	120%	
Cd	1	3755798	0.07	0.07	0.0%	< 0.01				80%	120%	
Ce	1	3755798	56.9	54.7	3.9%	< 0.01				80%	120%	
Co	1	3755798	6.72	6.25	7.2%	< 0.1				80%	120%	
Cr	1	3755541	18.3	17.6	3.9%	< 0.5				80%	120%	
Cs	1	3755798	0.96	0.99	3.1%	< 0.05				80%	120%	
Cu	1	3755541	53.8	52.5	2.4%	< 0.1	5612	6000	93%	80%	120%	
Fe	1	3755541	1.32	1.29	2.3%	< 0.01				80%	120%	
Ga	1	3755798	4.92	4.71	4.4%	< 0.05				80%	120%	
Ge	1	3755798	0.14	0.14	0.0%	0.10				80%	120%	
Hf	1	3755798	0.226	0.213	5.9%	< 0.02				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3755798	0.024	0.026	8.0%	< 0.01				80%	120%	
In	1	3755798	0.0168	0.0152	10.0%	< 0.005				80%	120%	
K	1	3755541	0.035	0.033	5.9%	< 0.01				80%	120%	
La	1	3755798	28.0	27.8	0.7%	< 0.1				80%	120%	
Li	1	3755798	11.7	11.6	0.9%	< 0.1				80%	120%	
Mg	1	3755541	0.13	0.13	0.0%	< 0.01				80%	120%	
Mn	1	3755541	95	93	2.1%	< 1				80%	120%	
Mo	1	3755798	0.17	0.17	0.0%	< 0.05	341	360	94%	80%	120%	
Na	1	3755541	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755798	1.46	1.46	0.0%	< 0.05				80%	120%	
Ni	1	3755541	8.67	8.35	3.8%	< 0.2				80%	120%	
P	1	3755541	462	447	3.3%	< 10	674	600	112%	80%	120%	
Pb	1	3755798	5.8	5.8	0.0%	< 0.1				80%	120%	
Rb	1	3755798	21.4	21.1	1.4%	< 0.1				80%	120%	
Re	1	3755798	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755541	0.0497	0.0475	4.5%	< 0.005				80%	120%	
Sb	1	3755798	0.07	0.07	0.0%	< 0.05				80%	120%	
Sc	1	3755798	3.99	3.74	6.5%	< 0.1				80%	120%	
Se	1	3755798	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3755798	0.57	0.55	3.6%	< 0.2				80%	120%	
Sr	1	3755798	44.9	42.5	5.5%	< 0.2				80%	120%	
Ta	1	3755798	< 0.01	< 0.01	0.0%	< 0.01	0.8	0.9	85%	80%	120%	
Te	1	3755798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755798	6.77	6.70	1.0%	< 0.1	1.2	1.4	85%	80%	120%	
Ti	1	3755541	0.055	0.055	0.0%	< 0.005				80%	120%	
Tl	1	3755798	0.13	0.13	0.0%	< 0.01				80%	120%	
U	1	3755798	0.61	0.61	0.0%	< 0.05				80%	120%	
V	1	3755541	22.0	21.6	1.8%	< 0.5				80%	120%	
W	1	3755798	0.12	0.13	8.0%	< 0.05				80%	120%	
Y	1	3755798	15.2	14.4	5.4%	< 0.05	7	7	100%	80%	120%	
Zn	1	3755541	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Zr	1	3755798	12.9	12.0	7.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755804	< 0.01	< 0.01	0.0%	< 0.01	12.4	13.0	95%	80%	120%	
Al	1	3755553	0.280	0.286	2.1%	< 0.01				80%	120%	
As	1	3755804	2.4	1.0		0.5				80%	120%	
Au	1	3755804	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755804	< 5	< 5	0.0%	< 5	6.87	7.00	98%	80%	120%	
Ba	1	3755553	19	19	0.0%	< 1				80%	120%	
Be	1	3755804	0.34	0.38	11.1%	< 0.05				80%	120%	
Bi	1	3755804	0.09	0.09	0.0%	< 0.01				80%	120%	
Ca	1	3755553	0.16	0.16	0.0%	< 0.01				80%	120%	
Cd	1	3755804	0.09	0.09	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ce	1	3755804	57.9	60.1	3.7%	< 0.01				80%	120%	
Co	1	3755804	6.3	6.6	4.7%	< 0.1				80%	120%	
Cr	1	3755553	5.38	5.31	1.3%	< 0.5				80%	120%	
Cs	1	3755804	0.799	0.867	8.2%	< 0.05				80%	120%	
Cu	1	3755553	6.1	6.3	3.2%	< 0.1	5800	6000	96%	80%	120%	
Fe	1	3755553	1.13	1.09	3.6%	< 0.01				80%	120%	
Ga	1	3755804	4.90	5.31	8.0%	< 0.05				80%	120%	
Ge	1	3755804	0.14	0.14	0.0%	0.09				80%	120%	
Hf	1	3755804	0.19	0.21	10.0%	< 0.02				80%	120%	
Hg	1	3755804	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3755804	0.015	0.017	12.5%	< 0.005				80%	120%	
K	1	3755553	0.03	0.03	0.0%	< 0.01				80%	120%	
La	1	3755804	28.3	30.0	5.8%	< 0.1				80%	120%	
Li	1	3755804	13.9	17.7	24.1%	< 0.1				80%	120%	
Mg	1	3755553	0.08	0.08	0.0%	< 0.01				80%	120%	
Mn	1	3755553	36	36	0.0%	< 1				80%	120%	
Mo	1	3755804	0.206	0.183	11.8%	< 0.05	346	360	96%	80%	120%	
Na	1	3755553	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755804	2.39	2.77	14.7%	< 0.05				80%	120%	
Ni	1	3755553	1.88	1.72	8.9%	< 0.2				80%	120%	
P	1	3755553	92	92	0.0%	< 10	678	600	113%	80%	120%	
Pb	1	3755804	6.7	7.1	5.8%	< 0.1				80%	120%	
Rb	1	3755804	18.9	20.4	7.6%	< 0.1				80%	120%	
Re	1	3755804	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755553	0.014	0.014	0.0%	< 0.005				80%	120%	
Sb	1	3755804	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3755804	3.7	3.9	5.3%	< 0.1				80%	120%	
Se	1	3755804	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3755804	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3755804	22.9	24.8	8.0%	< 0.2				80%	120%	
Ta	1	3755804	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755804	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755804	5.51	5.80	5.1%	< 0.1	1.2	1.4	83%	80%	120%	
Ti	1	3755553	0.233	0.238	2.1%	< 0.005				80%	120%	
Tl	1	3755804	0.109	0.117	7.1%	< 0.01				80%	120%	
U	1	3755804	0.924	0.990	6.9%	< 0.05				80%	120%	
V	1	3755553	51.8	51.6	0.4%	< 0.5				80%	120%	
W	1	3755804	0.11	0.11	0.0%	< 0.05				80%	120%	
Y	1	3755804	13.7	14.8	7.7%	< 0.05	6	7	84%	80%	120%	
Zn	1	3755553	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Zr	1	3755804	8.5	9.8	14.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755828	< 0.01	< 0.01	0.0%	< 0.01	12.7	13.0	97%	80%	120%	
Al	1	3755557	1.35	1.44	6.5%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3755828	2.4	1.7		< 0.1				80%	120%	
Au	1	3755828	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755828	< 5	< 5	0.0%	< 5	6.82	7.00	97%	80%	120%	
Ba	1	3755557	63	67	6.2%	< 1				80%	120%	
Be	1	3755828	0.23	0.22	4.4%	< 0.05				80%	120%	
Bi	1	3755828	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3755557	2.71	2.85	5.0%	< 0.01				80%	120%	
Cd	1	3755828	0.079	0.074	6.5%	< 0.01				80%	120%	
Ce	1	3755828	45.8	43.2	5.8%	< 0.01				80%	120%	
Co	1	3755828	4.2	4.3	2.4%	< 0.1				80%	120%	
Cr	1	3755557	33.3	36.0	7.8%	< 0.5				80%	120%	
Cs	1	3755828	0.49	0.47	4.2%	< 0.05				80%	120%	
Cu	1	3755557	34.6	35.7	3.1%	< 0.1	6095	6000	101%	80%	120%	
Fe	1	3755557	1.90	2.03	6.6%	< 0.01				80%	120%	
Ga	1	3755828	3.20	3.23	0.9%	< 0.05				80%	120%	
Ge	1	3755828	0.13	0.13	0.0%	< 0.05				80%	120%	
Hf	1	3755828	0.08	0.08	0.0%	< 0.02				80%	120%	
Hg	1	3755828	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3755828	0.011	0.011	0.0%	< 0.005				80%	120%	
K	1	3755557	0.154	0.166	7.5%	< 0.01				80%	120%	
La	1	3755828	21.9	21.5	1.8%	< 0.1				80%	120%	
Li	1	3755828	8.0	8.0	0.0%	< 0.1				80%	120%	
Mg	1	3755557	1.40	1.48	5.6%	< 0.01				80%	120%	
Mn	1	3755557	568	607	6.6%	< 1				80%	120%	
Mo	1	3755828	0.22	0.20	9.5%	< 0.05	335	360	93%	80%	120%	
Na	1	3755557	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3755828	1.70	1.65	3.0%	< 0.05				80%	120%	
Ni	1	3755557	19.4	20.9	7.4%	< 0.2				80%	120%	
P	1	3755557	674	728	7.7%	< 10	651	600	109%	80%	120%	
Pb	1	3755828	5.48	5.32	3.0%	< 0.1				80%	120%	
Rb	1	3755828	11.1	10.6	4.6%	< 0.1				80%	120%	
Re	1	3755828	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755557	0.0710	0.0756	6.3%	< 0.005				80%	120%	
Sb	1	3755828	0.05	0.05	0.0%	< 0.05				80%	120%	
Sc	1	3755828	2.4	2.5	4.1%	< 0.1				80%	120%	
Se	1	3755828	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3755828	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3755828	13.7	13.3	3.0%	< 0.2				80%	120%	
Ta	1	3755828	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	95%	80%	120%	
Te	1	3755828	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755828	4.27	4.13	3.3%	< 0.1	1.1	1.4	81%	80%	120%	
Ti	1	3755557	0.0901	0.0981	8.5%	< 0.005				80%	120%	
Tl	1	3755828	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3755828	0.596	0.579	2.9%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
V	1	3755557	25.1	28.4	12.3%	< 0.5				80%	120%	
W	1	3755828	0.11	0.11	0.0%	< 0.05				80%	120%	
Y	1	3755828	10.8	10.7	0.9%	< 0.05	6	7	83%	80%	120%	
Zn	1	3755557	34.7	39.4	12.7%	< 0.5				80%	120%	
Zr	1	3755828	3.5	3.4	2.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755853	< 0.01	< 0.01	0.0%	< 0.01	11.9	13.0	92%	80%	120%	
Al	1	3755592	1.62	1.64	1.2%	< 0.01				80%	120%	
As	1	3755853	2.63	2.69	2.3%	< 0.1				80%	120%	
Au	1	3755853	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755853	< 5	< 5	0.0%	< 5	6.86	7.00	98%	80%	120%	
Ba	1	3755592	44	46	4.4%	< 1				80%	120%	
Be	1	3755853	0.42	0.40	4.9%	< 0.05				80%	120%	
Bi	1	3755853	0.11	0.11	0.0%	< 0.01				80%	120%	
Ca	1	3755592	0.67	0.67	0.0%	< 0.01				80%	120%	
Cd	1	3755853	0.12	0.12	0.0%	< 0.01				80%	120%	
Ce	1	3755853	40.1	39.6	1.3%	< 0.01				80%	120%	
Co	1	3755853	8.3	6.9	18.4%	< 0.1				80%	120%	
Cr	1	3755592	24.3	24.5	0.8%	< 0.5				80%	120%	
Cs	1	3755853	1.34	1.32	1.5%	< 0.05				80%	120%	
Cu	1	3755592	33.7	36.3	7.4%	< 0.1	5723	6000	95%	80%	120%	
Fe	1	3755592	2.43	2.48	2.0%	< 0.01				80%	120%	
Ga	1	3755853	7.64	7.29	4.7%	< 0.05				80%	120%	
Ge	1	3755853	0.097	0.106	8.9%	< 0.05				80%	120%	
Hf	1	3755853	0.05	0.04	22.2%	< 0.02				80%	120%	
Hg	1	3755853	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3755853	0.020	0.019	5.1%	< 0.005				80%	120%	
K	1	3755592	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3755853	16.6	16.3	1.8%	< 0.1				80%	120%	
Li	1	3755853	21.5	20.7	3.8%	< 0.1				80%	120%	
Mg	1	3755592	0.33	0.33	0.0%	< 0.01				80%	120%	
Mn	1	3755592	159	162	1.9%	< 1				80%	120%	
Mo	1	3755853	0.305	0.300	1.7%	< 0.05	343	360	95%	80%	120%	
Na	1	3755592	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755853	3.23	2.94	9.4%	< 0.05				80%	120%	
Ni	1	3755592	9.2	9.4	2.2%	< 0.2				80%	120%	
P	1	3755592	462	471	1.9%	< 10	629	600	105%	80%	120%	
Pb	1	3755853	7.4	7.4	0.0%	< 0.1				80%	120%	
Rb	1	3755853	29.8	28.6	4.1%	< 0.1				80%	120%	
Re	1	3755853	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755592	0.021	0.021	0.0%	< 0.005				80%	120%	
Sb	1	3755853	0.08	0.08	0.0%	< 0.05				80%	120%	
Sc	1	3755853	3.26	3.07	6.0%	< 0.1				80%	120%	
Se	1	3755853	0.42	0.46	9.1%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3755853	0.76	0.74	2.7%	< 0.2				80%	120%	
Sr	1	3755853	18.6	17.9	3.8%	< 0.2				80%	120%	
Ta	1	3755853	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755853	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3755853	3.69	3.63	1.6%	< 0.1				80%	120%	
Ti	1	3755592	0.100	0.098	2.0%	< 0.005				80%	120%	
Tl	1	3755853	0.13	0.13	0.0%	< 0.01				80%	120%	
U	1	3755853	0.52	0.52	0.0%	< 0.05				80%	120%	
V	1	3755592	33.4	34.6	3.5%	< 0.5				80%	120%	
W	1	3755853	0.14	0.14	0.0%	< 0.05				80%	120%	
Y	1	3755853	4.86	4.56	6.4%	< 0.05				80%	120%	
Zn	1	3755592	7.4	6.7	9.9%	< 0.5				80%	120%	
Zr	1	3755853	2.52	1.94	26.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755878	< 0.01	< 0.01	0.0%	< 0.01	15.4	13.0	118%	80%	120%	
Al	1	3755603	1.61	1.56	3.2%	< 0.01				80%	120%	
As	1	3755878	2.0	1.9	5.1%	< 0.1				80%	120%	
Au	1	3755878	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755878	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3755603	31	30	3.3%	< 1				80%	120%	
Be	1	3755878	0.18	0.18	0.0%	< 0.05				80%	120%	
Bi	1	3755878	0.05	0.05	0.0%	< 0.01				80%	120%	
Ca	1	3755603	0.235	0.227	3.5%	< 0.01				80%	120%	
Cd	1	3755878	0.04	0.04	0.0%	< 0.01				80%	120%	
Ce	1	3755878	28.0	26.9	4.0%	< 0.01				80%	120%	
Co	1	3755878	4.0	3.8	5.1%	< 0.1				80%	120%	
Cr	1	3755603	35.9	33.8	6.0%	< 0.5				80%	120%	
Cs	1	3755878	0.646	0.637	1.4%	< 0.05				80%	120%	
Cu	1	3755603	49.0	46.9	4.4%	< 0.1	5740	6000	95%	80%	120%	
Fe	1	3755603	2.27	2.18	4.0%	< 0.01				80%	120%	
Ga	1	3755878	3.29	3.25	1.2%	< 0.05				80%	120%	
Ge	1	3755878	0.11	0.11	0.0%	< 0.05				80%	120%	
Hf	1	3755878	0.058	0.052	10.9%	< 0.02				80%	120%	
Hg	1	3755878	0.01	0.01	0.0%	< 0.01				80%	120%	
In	1	3755878	0.008	0.008	0.0%	< 0.005				80%	120%	
K	1	3755603	0.01	0.01	0.0%	< 0.01				80%	120%	
La	1	3755878	12.6	11.9	5.7%	< 0.1				80%	120%	
Li	1	3755878	8.6	8.2	4.8%	< 0.1				80%	120%	
Mg	1	3755603	0.859	0.830	3.4%	< 0.01				80%	120%	
Mn	1	3755603	175	176	0.6%	< 1				80%	120%	
Mo	1	3755878	0.207	0.180	14.0%	< 0.05	357	360	99%	80%	120%	
Na	1	3755603	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755878	2.00	1.83	8.9%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ni	1	3755603	22.8	21.7	4.9%	< 0.2				80%	120%
P	1	3755603	98	97	1.0%	< 10	612	600	102%	80%	120%
Pb	1	3755878	4.31	4.13	4.3%	< 0.1				80%	120%
Rb	1	3755878	13.6	13.4	1.5%	< 0.1				80%	120%
Re	1	3755878	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755603	0.0172	0.0162	6.0%	< 0.005				80%	120%
Sb	1	3755878	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3755878	1.5	1.5	0.0%	< 0.1				80%	120%
Se	1	3755878	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3755878	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3755878	12.2	11.8	3.3%	< 0.2				80%	120%
Ta	1	3755878	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	106%	80%	120%
Te	1	3755878	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3755878	3.2	3.0	6.5%	< 0.1	1.3	1.4	90%	80%	120%
Ti	1	3755603	0.172	0.166	3.6%	< 0.005				80%	120%
Tl	1	3755878	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3755878	0.36	0.35	2.8%	< 0.05				80%	120%
V	1	3755603	37.4	35.8	4.4%	< 0.5				80%	120%
W	1	3755878	0.07	0.07	0.0%	< 0.05				80%	120%
Y	1	3755878	3.07	2.96	3.6%	< 0.05	8	7	108%	80%	120%
Zn	1	3755603	38.4	36.7	4.5%	< 0.5				80%	120%
Zr	1	3755878	2.4	2.3	4.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755628	0.11	0.11	0.0%	< 0.01	13.7	13.0	106%	80%	120%
Al	1	3755628	3.77	3.71	1.6%	< 0.01				80%	120%
As	1	3755628	3.5	3.5	0.0%	< 0.1				80%	120%
Au	1	3755628	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3755628	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3755628	50	49	2.0%	< 1				80%	120%
Be	1	3755628	0.709	0.715	0.8%	< 0.05				80%	120%
Bi	1	3755628	0.13	0.13	0.0%	< 0.01				80%	120%
Ca	1	3755628	0.17	0.17	0.0%	< 0.01				80%	120%
Cd	1	3755628	0.24	0.24	0.0%	< 0.01				80%	120%
Ce	1	3755628	19.7	19.7	0.0%	< 0.01				80%	120%
Co	1	3755628	10.8	11.4	5.4%	< 0.1				80%	120%
Cr	1	3755628	49.1	50.2	2.2%	< 0.5				80%	120%
Cs	1	3755628	2.68	2.66	0.7%	< 0.05				80%	120%
Cu	1	3755628	31.3	32.1	2.5%	< 0.1	6041	6000	100%	80%	120%
Fe	1	3755628	5.97	5.86	1.9%	< 0.01				80%	120%
Ga	1	3755628	11.4	11.7	2.6%	< 0.05				80%	120%
Ge	1	3755628	0.09	0.08	11.8%	< 0.05				80%	120%
Hf	1	3755628	0.06	0.06	0.0%	< 0.02				80%	120%
Hg	1	3755628	0.119	0.128	7.3%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3755628	0.060	0.061	1.7%	< 0.005				80%	120%
K	1	3755628	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3755628	10.4	10.4	0.0%	< 0.1				80%	120%
Li	1	3755628	28.3	28.8	1.8%	< 0.1				80%	120%
Mg	1	3755628	0.46	0.46	0.0%	< 0.01				80%	120%
Mn	1	3755628	124	127	2.4%	< 1				80%	120%
Mo	1	3755628	3.44	3.56	3.4%	< 0.05	346	360	96%	80%	120%
Na	1	3755628	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3755628	3.26	3.34	2.4%	< 0.05				80%	120%
Ni	1	3755628	20.1	20.5	2.0%	< 0.2				80%	120%
P	1	3755628	787	796	1.1%	< 10	654	600	109%	80%	120%
Pb	1	3755628	8.79	8.74	0.6%	< 0.1				80%	120%
Rb	1	3755628	9.8	10.3	5.0%	< 0.1				80%	120%
Re	1	3755628	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755628	0.069	0.069	0.0%	< 0.005				80%	120%
Sb	1	3755628	0.15	0.15	0.0%	< 0.05				80%	120%
Sc	1	3755628	6.13	6.15	0.3%	< 0.1				80%	120%
Se	1	3755628	1.4	1.5	6.9%	< 0.2				80%	120%
Sn	1	3755628	0.7	0.7	0.0%	< 0.2				80%	120%
Sr	1	3755628	6.73	7.02	4.2%	< 0.2				80%	120%
Ta	1	3755628	0.01	0.01	0.0%	< 0.01	0.8	0.9	85%	80%	120%
Te	1	3755628	0.05	0.05	0.0%	< 0.01				80%	120%
Th	1	3755628	2.4	2.4	0.0%	< 0.1				80%	120%
Ti	1	3755628	0.194	0.197	1.5%	< 0.005				80%	120%
Tl	1	3755628	0.095	0.091	4.3%	< 0.01				80%	120%
U	1	3755628	0.77	0.77	0.0%	< 0.05				80%	120%
V	1	3755628	83.1	84.2	1.3%	< 0.5				80%	120%
W	1	3755628	0.43	0.39	9.8%	< 0.05				80%	120%
Y	1	3755628	5.75	6.09	5.7%	< 0.05	6	7	86%	80%	120%
Zn	1	3755628	37.5	39.0	3.9%	< 0.5				80%	120%
Zr	1	3755628	2.3	2.2	4.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755653	0.08	0.08	0.0%	< 0.01	15.1	13.0	116%	80%	120%
Al	1	3755653	1.32	1.44	8.7%	< 0.01				80%	120%
As	1	3755653	1.65	1.66	0.6%	< 0.1				80%	120%
Au	1	3755653	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3755653	< 5	< 5	0.0%	< 5	7.75	7.00	111%	80%	120%
Ba	1	3755653	74	81	9.0%	< 1				80%	120%
Be	1	3755653	0.40	0.43	7.2%	< 0.05				80%	120%
Bi	1	3755653	0.089	0.096	7.6%	< 0.01				80%	120%
Ca	1	3755653	2.21	2.38	7.4%	< 0.01				80%	120%
Cd	1	3755653	0.075	0.076	1.3%	< 0.01				80%	120%
Ce	1	3755653	72.9	77.3	5.9%	< 0.01				80%	120%
Co	1	3755653	9.42	9.61	2.0%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Cr	1	3755653	37.1	39.5	6.3%	< 0.5				80%	120%	
Cs	1	3755653	1.58	1.70	7.3%	< 0.05				80%	120%	
Cu	1	3755653	60.1	64.4	6.9%	< 0.1	5699	6000	94%	80%	120%	
Fe	1	3755653	1.90	2.04	7.1%	< 0.01				80%	120%	
Ga	1	3755653	5.18	5.50	6.0%	< 0.05				80%	120%	
Ge	1	3755653	0.15	0.15	0.0%	< 0.05				80%	120%	
Hf	1	3755653	0.100	0.107	6.8%	< 0.02				80%	120%	
Hg	1	3755653	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3755653	0.0182	0.0199	8.9%	< 0.005				80%	120%	
K	1	3755653	0.14	0.15	6.9%	< 0.01				80%	120%	
La	1	3755653	39.3	43.2	9.5%	< 0.1				80%	120%	
Li	1	3755653	18.6	19.8	6.3%	< 0.1				80%	120%	
Mg	1	3755653	1.66	1.78	7.0%	< 0.01				80%	120%	
Mn	1	3755653	420	444	5.6%	< 1				80%	120%	
Mo	1	3755653	0.31	0.35	12.1%	< 0.05	341	360	94%	80%	120%	
Na	1	3755653	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3755653	1.95	2.13	8.8%	< 0.05				80%	120%	
Ni	1	3755653	20.4	21.6	5.7%	< 0.2				80%	120%	
P	1	3755653	813	872	7.0%	< 10	607	600	101%	80%	120%	
Pb	1	3755653	6.87	6.55	4.8%	< 0.1				80%	120%	
Rb	1	3755653	29.4	31.7	7.5%	< 0.1				80%	120%	
Re	1	3755653	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755653	0.0083	0.0088	5.8%	< 0.005				80%	120%	
Sb	1	3755653	0.045	0.052	14.4%	< 0.05				80%	120%	
Sc	1	3755653	5.0	5.3	5.8%	< 0.1				80%	120%	
Se	1	3755653	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3755653	0.53	0.60	12.4%	< 0.2				80%	120%	
Sr	1	3755653	42.4	45.8	7.7%	< 0.2				80%	120%	
Ta	1	3755653	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	115%	80%	120%	
Te	1	3755653	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3755653	6.4	7.0	9.0%	< 0.1	1.1	1.4	81%	80%	120%	
Ti	1	3755653	0.134	0.148	9.9%	< 0.005				80%	120%	
Tl	1	3755653	0.20	0.21	4.9%	< 0.01				80%	120%	
U	1	3755653	0.598	0.656	9.3%	< 0.05				80%	120%	
V	1	3755653	30.4	33.1	8.5%	< 0.5				80%	120%	
W	1	3755653	0.139	0.148	6.3%	< 0.05				80%	120%	
Y	1	3755653	12.7	14.0	9.7%	< 0.05	7	7	98%	80%	120%	
Zn	1	3755653	11.9	14.8	21.7%	< 0.5				80%	120%	
Zr	1	3755653	5.11	5.61	9.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755677	0.07	0.08	13.3%	< 0.01	14.7	13.0	113%	80%	120%	
Al	1	3755677	1.52	1.49	2.0%	< 0.01				80%	120%	
As	1	3755677	1.6	1.7	6.1%	< 0.1				80%	120%	
Au	1	3755677	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
B	1	3755677	< 5	< 5	0.0%	< 5	8.21	7.00	117%	80%	120%	
Ba	1	3755677	53	52	1.9%	< 1				80%	120%	
Be	1	3755677	0.48	0.46	4.3%	< 0.05				80%	120%	
Bi	1	3755677	0.11	0.11	0.0%	< 0.01				80%	120%	
Ca	1	3755677	0.487	0.475	2.5%	< 0.01				80%	120%	
Cd	1	3755677	0.119	0.128	7.3%	< 0.01				80%	120%	
Ce	1	3755677	44.5	43.9	1.4%	< 0.01				80%	120%	
Co	1	3755677	8.5	8.6	1.2%	< 0.1				80%	120%	
Cr	1	3755677	37.0	36.4	1.6%	< 0.5				80%	120%	
Cs	1	3755677	1.48	1.41	4.8%	< 0.05				80%	120%	
Cu	1	3755677	6.78	6.52	3.9%	< 0.1	5789	6000	96%	80%	120%	
Fe	1	3755677	1.79	1.79	0.0%	< 0.01				80%	120%	
Ga	1	3755677	5.52	5.65	2.3%	< 0.05				80%	120%	
Ge	1	3755677	0.11	0.11	0.0%	< 0.05				80%	120%	
Hf	1	3755677	0.07	0.07	0.0%	< 0.02				80%	120%	
Hg	1	3755677	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3755677	0.0203	0.0211	3.9%	< 0.005				80%	120%	
K	1	3755677	0.146	0.141	3.5%	< 0.01				80%	120%	
La	1	3755677	17.6	17.3	1.7%	< 0.1				80%	120%	
Li	1	3755677	21.6	21.6	0.0%	< 0.1				80%	120%	
Mg	1	3755677	0.61	0.61	0.0%	< 0.01				80%	120%	
Mn	1	3755677	359	355	1.1%	< 1				80%	120%	
Mo	1	3755677	0.249	0.256	2.8%	< 0.05	332	360	92%	80%	120%	
Na	1	3755677	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3755677	2.84	2.81	1.1%	< 0.05				80%	120%	
Ni	1	3755677	19.2	19.1	0.5%	< 0.2				80%	120%	
P	1	3755677	240	237	1.3%	< 10	636	600	106%	80%	120%	
Pb	1	3755677	7.5	7.5	0.0%	< 0.1				80%	120%	
Rb	1	3755677	34.2	33.7	1.5%	< 0.1				80%	120%	
Re	1	3755677	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3755677	0.0094	0.0095	1.1%	< 0.005				80%	120%	
Sb	1	3755677	0.066	0.063	4.7%	< 0.05				80%	120%	
Sc	1	3755677	5.0	5.0	0.0%	< 0.1				80%	120%	
Se	1	3755677	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3755677	0.7	0.7	0.0%	< 0.2				80%	120%	
Sr	1	3755677	21.3	20.3	4.8%	< 0.2				80%	120%	
Ta	1	3755677	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	105%	80%	120%	
Te	1	3755677	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3755677	4.93	4.83	2.0%	< 0.1				80%	120%	
Ti	1	3755677	0.126	0.120	4.9%	< 0.005				80%	120%	
Tl	1	3755677	0.12	0.12	0.0%	< 0.01				80%	120%	
U	1	3755677	0.53	0.52	1.9%	< 0.05				80%	120%	
V	1	3755677	26.1	25.0	4.3%	< 0.5				80%	120%	
W	1	3755677	0.128	0.122	4.8%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Y	1	3755677	6.69	6.76	1.0%	< 0.05	7	7	98%	80%	120%
Zn	1	3755677	12.2	11.7	4.2%	< 0.5				80%	120%
Zr	1	3755677	3.3	3.3	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755678	0.12	0.13	8.0%	< 0.01	12	13.0	92%	80%	120%
Al	1	3755678	1.22	1.20	1.7%	< 0.01				80%	120%
As	1	3755678	0.8	0.6	28.6%	< 0.1				80%	120%
Au	1	3755678	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3755678	< 5	< 5	0.0%	< 5	6.89	7.00	98%	80%	120%
Ba	1	3755678	57	55	3.6%	< 1				80%	120%
Be	1	3755678	0.22	0.22	0.0%	< 0.05				80%	120%
Bi	1	3755678	0.11	0.11	0.0%	< 0.01				80%	120%
Ca	1	3755678	0.47	0.46	2.2%	< 0.01				80%	120%
Cd	1	3755678	0.358	0.319	11.5%	< 0.01				80%	120%
Ce	1	3755678	20.6	19.3	6.5%	< 0.01				80%	120%
Co	1	3755678	8.8	8.6	2.3%	< 0.1				80%	120%
Cr	1	3755678	29.0	27.4	5.7%	< 0.5				80%	120%
Cs	1	3755678	2.38	2.25	5.6%	< 0.05				80%	120%
Cu	1	3755678	24.5	21.2	14.4%	< 0.1	5927	6000	98%	80%	120%
Fe	1	3755678	1.86	1.84	1.1%	< 0.01				80%	120%
Ga	1	3755678	6.21	5.71	8.4%	< 0.05				80%	120%
Ge	1	3755678	0.070	0.086	20.5%	< 0.05				80%	120%
Hf	1	3755678	0.06	0.05	18.2%	< 0.02				80%	120%
Hg	1	3755678	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3755678	0.014	0.013	7.4%	< 0.005				80%	120%
K	1	3755678	0.10	0.10	0.0%	< 0.01				80%	120%
La	1	3755678	11.7	10.9	7.1%	< 0.1				80%	120%
Li	1	3755678	13.5	13.6	0.7%	< 0.1				80%	120%
Mg	1	3755678	0.53	0.52	1.9%	< 0.01				80%	120%
Mn	1	3755678	185	178	3.9%	< 1				80%	120%
Mo	1	3755678	0.70	0.64	9.0%	< 0.05	336	360	93%	80%	120%
Na	1	3755678	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3755678	2.31	2.15	7.2%	< 0.05				80%	120%
Ni	1	3755678	17.8	17.0	4.6%	< 0.2				80%	120%
P	1	3755678	128	127	0.8%	< 10	602	600	100%	80%	120%
Pb	1	3755678	10.3	10.2	1.0%	< 0.1				80%	120%
Rb	1	3755678	40.3	37.7	6.7%	< 0.1				80%	120%
Re	1	3755678	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755678	0.011	0.010	9.5%	< 0.005				80%	120%
Sb	1	3755678	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3755678	2.8	2.8	0.0%	< 0.1				80%	120%
Se	1	3755678	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3755678	0.57	0.52	9.2%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Sr	1	3755678	13.8	12.3	11.5%	< 0.2				80% 120%
Ta	1	3755678	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Te	1	3755678	0.02	0.02	0.0%	< 0.01				80% 120%
Th	1	3755678	2.00	2.05	2.5%	< 0.1				80% 120%
Ti	1	3755678	0.138	0.134	2.9%	< 0.005				80% 120%
Tl	1	3755678	0.09	0.09	0.0%	< 0.01				80% 120%
U	1	3755678	0.50	0.50	0.0%	< 0.05				80% 120%
V	1	3755678	36.8	34.5	6.5%	< 0.5				80% 120%
W	1	3755678	0.12	0.12	0.0%	< 0.05				80% 120%
Y	1	3755678	3.21	2.93	9.1%	< 0.05	8	7	110%	80% 120%
Zn	1	3755678	53.6	49.1	8.8%	< 0.5				80% 120%
Zr	1	3755678	1.3	1.3	0.0%	< 0.5				80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1	3755703	0.04	0.06		< 0.01	12.4	13.0	96%	80% 120%
Al	1	3755703	0.993	1.04	4.6%	< 0.01				80% 120%
As	1	3755703	1.4	1.4	0.0%	< 0.1				80% 120%
Au	1	3755703	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
B	1	3755703	< 5	< 5	0.0%	< 5	7.94	7.00	113%	80% 120%
Ba	1	3755703	26	27	3.8%	< 1				80% 120%
Be	1	3755703	0.198	0.194	2.0%	< 0.05				80% 120%
Bi	1	3755703	0.08	0.08	0.0%	< 0.01				80% 120%
Ca	1	3755703	0.152	0.160	5.1%	< 0.01				80% 120%
Cd	1	3755703	0.05	0.05	0.0%	< 0.01				80% 120%
Ce	1	3755703	24.4	22.8	6.8%	< 0.01				80% 120%
Co	1	3755703	5.09	5.03	1.2%	< 0.1				80% 120%
Cr	1	3755703	18.2	19.0	4.3%	< 0.5				80% 120%
Cs	1	3755703	0.998	0.981	1.7%	< 0.05				80% 120%
Cu	1	3755703	13.4	13.9	3.7%	< 0.1	5929	6000	98%	80% 120%
Fe	1	3755703	1.18	1.22	3.3%	< 0.01				80% 120%
Ga	1	3755703	3.83	3.81	0.5%	< 0.05				80% 120%
Ge	1	3755703	0.07	0.07	0.0%	< 0.05				80% 120%
Hf	1	3755703	0.04	0.04	0.0%	< 0.02				80% 120%
Hg	1	3755703	0.025	0.021	17.4%	< 0.01				80% 120%
In	1	3755703	0.013	0.013	0.0%	< 0.005				80% 120%
K	1	3755703	0.033	0.035	5.9%	< 0.01				80% 120%
La	1	3755703	12.7	11.5	9.9%	< 0.1				80% 120%
Li	1	3755703	10.3	10.5	1.9%	< 0.1				80% 120%
Mg	1	3755703	0.220	0.236	7.0%	< 0.01				80% 120%
Mn	1	3755703	95	98	3.1%	< 1				80% 120%
Mo	1	3755703	0.36	0.36	0.0%	< 0.05	347	360	96%	80% 120%
Na	1	3755703	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Nb	1	3755703	2.13	2.29	7.2%	< 0.05				80% 120%
Ni	1	3755703	11.4	11.8	3.4%	< 0.2				80% 120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
P	1	3755703	127	127	0.0%	< 10	643	600	107%	80%	120%
Pb	1	3755703	5.1	5.0	2.0%	< 0.1				80%	120%
Rb	1	3755703	5.93	6.09	2.7%	< 0.1				80%	120%
Re	1	3755703	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3755703	0.011	0.011	0.0%	< 0.005				80%	120%
Sb	1	3755703	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3755703	2.14	2.17	1.4%	< 0.1				80%	120%
Se	1	3755703	0.23	0.27	16.0%	< 0.2				80%	120%
Sn	1	3755703	0.45	0.49	8.5%	< 0.2				80%	120%
Sr	1	3755703	8.24	8.62	4.5%	< 0.2				80%	120%
Ta	1	3755703	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3755703	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3755703	3.5	3.2	9.0%	< 0.1	1.3	1.4	92%	80%	120%
Ti	1	3755703	0.0775	0.0829	6.7%	< 0.005				80%	120%
Tl	1	3755703	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3755703	0.420	0.411	2.2%	< 0.05				80%	120%
V	1	3755703	19.9	21.0	5.4%	< 0.5				80%	120%
W	1	3755703	0.132	0.123	7.1%	< 0.05				80%	120%
Y	1	3755703	3.18	3.26	2.5%	< 0.05				80%	120%
Zn	1	3755703	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Zr	1	3755703	1.55	1.70	9.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755739	< 0.01	0.04		< 0.01	12.4	13.0	96%	80%	120%
Al	1	3755739	0.956	0.913	4.6%	< 0.01				80%	120%
As	1	3755739	< 0.1	< 0.1	0.0%	< 0.1				80%	120%
B	1	3755739	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3755739	64	62	3.2%	< 1				80%	120%
Be	1	3755739	0.60	0.57	5.1%	< 0.05				80%	120%
Bi	1	3755739	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ca	1	3755739	3.80	3.66	3.8%	< 0.01				80%	120%
Cd	1	3755739	0.13	0.11	16.7%	< 0.01				80%	120%
Ce	1	3755739	34.1	31.7	7.3%	< 0.01				80%	120%
Co	1	3755739	6.3	6.1	3.2%	< 0.1				80%	120%
Cr	1	3755739	26.3	25.2	4.3%	< 0.5				80%	120%
Cu	1	3755739	9.5	9.2	3.2%	< 0.1	6108	6000	101%	80%	120%
Fe	1	3755739	1.23	1.20	2.5%	< 0.01				80%	120%
Ga	1	3755739	9.17	8.43	8.4%	< 0.05				80%	120%
Hg	1	3755739	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
In	1	3755739	< 0.005	< 0.005	0.0%	< 0.005				80%	120%
K	1	3755739	0.108	0.102	5.7%	< 0.01				80%	120%
La	1	3755739	14.5	13.4	7.9%	< 0.1				80%	120%
Li	1	3755739	13.0	12.6	3.1%	< 0.1				80%	120%
Mg	1	3755739	1.50	1.44	4.1%	< 0.01				80%	120%
Mn	1	3755739	428	412	3.8%	< 1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Mo	1	3755739	0.21	0.13		< 0.05	349	360	96%	80%	120%	
Na	1	3755739	0.01	0.01	0.0%	< 0.01				80%	120%	
Ni	1	3755739	15.7	14.8	5.9%	< 0.2				80%	120%	
P	1	3755739	506	490	3.2%	< 10	667	600	111%	80%	120%	
Pb	1	3755739	4.7	3.8	21.2%	< 0.1				80%	120%	
Rb	1	3755739	17.4	15.2	13.5%	< 0.1				80%	120%	
S	1	3755739	0.009	0.009	0.0%	< 0.005				80%	120%	
Sb	1	3755739	1.13	0.75		< 0.05				80%	120%	
Sc	1	3755739	2.4	2.3	4.3%	< 0.1				80%	120%	
Se	1	3755739	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3755739	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3755739	26.1	22.9	13.1%	< 0.2				80%	120%	
Ta	1	3755739	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755739	3.64	3.05	17.6%	< 0.01				80%	120%	
Th	1	3755739	6.5	5.9	9.7%	< 0.1				80%	120%	
Ti	1	3755739	0.0781	0.0744	4.9%	< 0.005				80%	120%	
Tl	1	3755739	2.21	2.60	16.2%	< 0.01				80%	120%	
U	1	3755739	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
V	1	3755739	15.9	14.3	10.6%	< 0.5				80%	120%	
W	1	3755739	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Y	1	3755739	7.02	6.58	6.5%	< 0.05	6	7	83%	80%	120%	
Zn	1	3755739	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Zr	1	3755739	7.6	7.2	5.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755753	< 0.01	< 0.01	0.0%	< 0.01	12.6	13.0	97%	80%	120%	
Al	1	3755753	1.92	2.02	5.1%	< 0.01				80%	120%	
As	1	3755753	< 0.1	< 0.1	0.0%	< 0.1				80%	120%	
B	1	3755753	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3755753	57	61	6.8%	< 1				80%	120%	
Be	1	3755753	0.831	0.870	4.6%	< 0.05				80%	120%	
Bi	1	3755753	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Ca	1	3755753	0.29	0.29	0.0%	< 0.01				80%	120%	
Cd	1	3755753	0.20	0.17	16.2%	< 0.01				80%	120%	
Ce	1	3755753	37.8	39.4	4.1%	< 0.01				80%	120%	
Co	1	3755753	6.8	7.0	2.9%	< 0.1				80%	120%	
Cr	1	3755753	38.6	39.9	3.3%	< 0.5				80%	120%	
Cu	1	3755753	7.63	8.18	7.0%	< 0.1	5577	6000	92%	80%	120%	
Fe	1	3755753	1.99	2.06	3.5%	< 0.01				80%	120%	
Ga	1	3755753	8.50	9.59	12.1%	< 0.05				80%	120%	
Hg	1	3755753	< 0.01	0.02		< 0.01				80%	120%	
In	1	3755753	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
K	1	3755753	0.14	0.14	0.0%	< 0.01				80%	120%	
La	1	3755753	11.1	11.3	1.8%	< 0.1				80%	120%	
Li	1	3755753	17.7	18.6	5.0%	< 0.1				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Mg	1	3755753	0.56	0.59	5.2%	< 0.01				80%	120%	
Mn	1	3755753	255	274	7.2%	< 1				80%	120%	
Mo	1	3755753	0.12	< 0.05		< 0.05	357	360	99%	80%	120%	
Na	1	3755753	0.01	0.01	0.0%	< 0.01				80%	120%	
Ni	1	3755753	21.3	22.5	5.5%	< 0.2				80%	120%	
P	1	3755753	307	319	3.8%	< 10	612	600	102%	80%	120%	
Pb	1	3755753	5.04	6.09	18.9%	< 0.1				80%	120%	
Rb	1	3755753	24.3	24.7	1.6%	< 0.1				80%	120%	
S	1	3755753	0.009	0.008	11.8%	< 0.005				80%	120%	
Sb	1	3755753	< 0.05	0.06		< 0.05				80%	120%	
Sc	1	3755753	2.8	2.9	3.5%	< 0.1				80%	120%	
Se	1	3755753	< 0.2	0.3		< 0.2				80%	120%	
Sn	1	3755753	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3755753	11.8	11.8	0.0%	< 0.2				80%	120%	
Ta	1	3755753	0.24	< 0.01		< 0.01	0.9	0.9	95%	80%	120%	
Te	1	3755753	1.71	1.59	7.3%	< 0.01				80%	120%	
Th	1	3755753	7.22	7.29	1.0%	< 0.1				80%	120%	
Ti	1	3755753	0.101	0.103	2.0%	< 0.005				80%	120%	
Tl	1	3755753	1.81	1.85	2.2%	< 0.01				80%	120%	
U	1	3755753	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
V	1	3755753	24.2	24.6	1.6%	< 0.5				80%	120%	
W	1	3755753	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Y	1	3755753	4.58	4.70	2.6%	< 0.05	6	7	92%	80%	120%	
Zn	1	3755753	5.51	6.16	11.1%	< 0.5				80%	120%	
Zr	1	3755753	3.32	3.59	7.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755778	< 0.01	< 0.01	0.0%	< 0.01	12.9	13.0	99%	80%	120%	
Al	1	3755778	1.24	1.18	5.0%	< 0.01				80%	120%	
As	1	3755778	< 0.1	< 0.1	0.0%	< 0.1				80%	120%	
B	1	3755778	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3755778	58	55	5.3%	< 1				80%	120%	
Be	1	3755778	0.76	0.75	1.3%	< 0.05				80%	120%	
Bi	1	3755778	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Ca	1	3755778	3.27	3.16	3.4%	< 0.01				80%	120%	
Cd	1	3755778	0.067	0.051	27.1%	< 0.01				80%	120%	
Ce	1	3755778	36.5	35.9	1.7%	< 0.01				80%	120%	
Co	1	3755778	4.75	4.76	0.2%	< 0.1				80%	120%	
Cr	1	3755778	33.7	34.2	1.5%	< 0.5				80%	120%	
Cu	1	3755778	11.8	10.2	14.5%	< 0.1	5662	6000	94%	80%	120%	
Fe	1	3755778	1.59	1.54	3.2%	< 0.01				80%	120%	
Ga	1	3755778	9.57	9.59	0.2%	< 0.05				80%	120%	
Hg	1	3755778	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
In	1	3755778	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
K	1	3755778	0.164	0.154	6.3%	< 0.01				80%	120%	
La	1	3755778	17.8	17.5	1.7%	< 0.1				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Li	1	3755778	14.3	13.8	3.6%	< 0.1				80%	120%	
Mg	1	3755778	2.07	2.00	3.4%	< 0.01				80%	120%	
Mn	1	3755778	231	224	3.1%	< 1				80%	120%	
Mo	1	3755778	0.43	0.30		< 0.05	362	360	100%	80%	120%	
Na	1	3755778	0.02	0.02	0.0%	< 0.01				80%	120%	
Ni	1	3755778	15.5	15.5	0.0%	< 0.2				80%	120%	
P	1	3755778	572	572	0.0%	< 10	621	600	103%	80%	120%	
Pb	1	3755778	4.64	5.10	9.4%	< 0.1				80%	120%	
Rb	1	3755778	25.7	25.6	0.4%	< 0.1				80%	120%	
S	1	3755778	0.0068	0.0062	9.2%	< 0.005				80%	120%	
Sb	1	3755778	0.84	0.45		< 0.05				80%	120%	
Sc	1	3755778	3.29	3.23	1.8%	< 0.1				80%	120%	
Se	1	3755778	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3755778	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3755778	22.0	21.4	2.8%	< 0.2				80%	120%	
Ta	1	3755778	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755778	3.36	3.20	4.9%	< 0.01				80%	120%	
Th	1	3755778	8.2	7.8	5.0%	< 0.1	1.1	1.4	82%	80%	120%	
Ti	1	3755778	0.099	0.093	6.3%	< 0.005				80%	120%	
Tl	1	3755778	1.97	1.31		< 0.01				80%	120%	
U	1	3755778	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
V	1	3755778	20.7	20.2	2.4%	< 0.5				80%	120%	
W	1	3755778	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Y	1	3755778	9.33	9.19	1.5%	< 0.05	6	7	92%	80%	120%	
Zn	1	3755778	2.8	1.9		< 0.5				80%	120%	
Zr	1	3755778	12.3	12.0	2.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755798	0.06	< 0.01		< 0.01	12.8	13.0	98%	80%	120%	
Al	1	3755798	1.27	1.23	3.2%	< 0.01				80%	120%	
As	1	3755798	< 0.1	< 0.1	0.0%	< 0.1				80%	120%	
B	1	3755798	5	5	0.0%	< 5				80%	120%	
Ba	1	3755798	60	58	3.4%	< 1				80%	120%	
Be	1	3755798	0.76	0.74	2.7%	< 0.05				80%	120%	
Bi	1	3755798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Ca	1	3755798	5.13	4.99	2.8%	< 0.01				80%	120%	
Cd	1	3755798	0.09	0.02		< 0.01				80%	120%	
Ce	1	3755798	39.2	37.0	5.8%	< 0.01				80%	120%	
Co	1	3755798	5.9	5.0	16.5%	< 0.1				80%	120%	
Cr	1	3755798	32.3	30.2	6.7%	< 0.5				80%	120%	
Cu	1	3755798	11.6	10.2	12.8%	< 0.1	5729	6000	95%	80%	120%	
Fe	1	3755798	1.66	1.59	4.3%	< 0.01				80%	120%	
Ga	1	3755798	9.87	9.08	8.3%	< 0.05				80%	120%	
Hg	1	3755798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
In	1	3755798	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
K	1	3755798	0.167	0.161	3.7%	< 0.01				80%	120%	
La	1	3755798	18.9	17.6	7.1%	< 0.1				80%	120%	
Li	1	3755798	15.8	15.1	4.5%	< 0.1				80%	120%	
Mg	1	3755798	2.84	2.72	4.3%	< 0.01				80%	120%	
Mn	1	3755798	310	287	7.7%	< 1				80%	120%	
Mo	1	3755798	0.81	0.62		< 0.05	338	360	93%	80%	120%	
Na	1	3755798	0.02	0.02	0.0%	< 0.01				80%	120%	
Ni	1	3755798	16.7	15.9	4.9%	< 0.2				80%	120%	
P	1	3755798	556	517	7.3%	< 10	639	600	107%	80%	120%	
Pb	1	3755798	4.68	4.95	5.6%	< 0.1				80%	120%	
Rb	1	3755798	30.8	28.4	8.1%	< 0.1				80%	120%	
S	1	3755798	0.0066	0.0060	9.5%	< 0.005				80%	120%	
Sb	1	3755798	1.36	1.14	17.6%	< 0.05				80%	120%	
Sc	1	3755798	3.4	3.2	6.1%	< 0.1				80%	120%	
Se	1	3755798	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3755798	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3755798	29.0	29.0	0.0%	< 0.2				80%	120%	
Ta	1	3755798	< 0.01	0.02		< 0.01				80%	120%	
Te	1	3755798	2.79	2.21	23.2%	< 0.01				80%	120%	
Th	1	3755798	7.17	6.43	10.9%	< 0.1				80%	120%	
Ti	1	3755798	0.0966	0.0921	4.8%	< 0.005				80%	120%	
Tl	1	3755798	2.63	2.94	11.1%	< 0.01				80%	120%	
U	1	3755798	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
V	1	3755798	21.9	19.7	10.6%	< 0.5				80%	120%	
W	1	3755798	0.25	0.10		< 0.05				80%	120%	
Y	1	3755798	9.55	8.90	7.0%	< 0.05	6	7	80%	80%	120%	
Zn	1	3755798	3.3	2.2		< 0.5				80%	120%	
Zr	1	3755798	10.1	9.3	8.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1					< 0.01	12.6	13.0	97%	80%	120%	
Cu	1					< 0.1	5537	6000	92%	80%	120%	
Mo	1					< 0.05	325	360	90%	80%	120%	
P	1					< 10	621	600	103%	80%	120%	
Y	1					< 0.05	6	7	85%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1					< 0.01	13.5	13.0	104%	80%	120%	
Cu	1					< 0.1	5990	6000	99%	80%	120%	
Mo	1					< 0.05	351	360	97%	80%	120%	
P	1					< 10	661	600	110%	80%	120%	
Ta	1					< 0.01	0.8	0.9	85%	80%	120%	
Y	1					< 0.05	6	7	85%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1					< 0.01	12.7	13.0	98%	80%	120%	
Cu	1					< 0.1	5740	6000	95%	80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Mo	1					< 0.05	336	360	93%	80% 120%
P	1					< 10	627	600	104%	80% 120%
Y	1					< 0.05	6	7	85%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	13.6	13.0	105%	80% 120%
Cu	1					< 0.1	6090	6000	101%	80% 120%
Mo	1					< 0.05	356	360	98%	80% 120%
P	1					< 10	682	600	114%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	14	13.0	108%	80% 120%
P	1					< 10	721	600	120%	80% 120%
Y	1					< 0.05	6	7	86%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	13.2	13.0	101%	80% 120%
Cu	1					< 0.1	5837	6000	97%	80% 120%
Mo	1					< 0.05	350	360	97%	80% 120%
P	1					< 10	652	600	109%	80% 120%
Ta	1					< 0.01	1	0.9	114%	80% 120%
Y	1					< 0.05	6	7	85%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	13.1	13.0	101%	80% 120%
Cu	1					< 0.1	5842	6000	97%	80% 120%
Mo	1					< 0.05	348	360	96%	80% 120%
P	1					< 10	660	600	110%	80% 120%
Y	1					< 0.05	6	7	85%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755478	0.002	0.002	0.0%	< 0.001	1.66	1.52	109%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755566	< 0.001	< 0.001	0.0%	< 0.001	0.277	0.263	105%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755578	< 0.001	< 0.001	0.0%	< 0.001	0.269	0.263	102%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755591	< 0.001	< 0.001	0.0%	< 0.001	0.265	0.263	101%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755603	< 0.001	< 0.001	0.0%	< 0.001	1.52	1.52	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755678	0.020	0.003		< 0.001	0.268	0.263	102%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3755691	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	98%	90% 110%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755703	< 0.001	< 0.001	0.0%	< 0.001	0.27	0.263	103%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755716	< 0.001	< 0.001	0.0%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755728	< 0.001	< 0.001	0.0%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755739	< 0.001	< 0.001	0.0%	< 0.001	1.47	1.52	97%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755753	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755767	0.003	0.025		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755778	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755791	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755795	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755804	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755818	0.038	0.002		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3755821	< 0.001	< 0.001	0.0%	< 0.001				90%	110%

Certified By:

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646768

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T646787

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 26, 2012

PAGES (INCLUDING COVER): 97

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	Analyte:	Sample Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-355		0.15	0.08	1.09	4.1	<0.01	<5	39	0.32	0.09	0.31	0.05	45.7	7.2	29.7
12-356		0.16	0.18	1.57	2.5	<0.01	6	89	0.62	0.12	0.70	0.10	42.5	7.5	37.6
12-357		0.21	0.13	1.58	2.8	<0.01	5	87	0.60	0.13	0.53	0.10	47.7	8.0	39.0
12-358		0.13	0.05	0.57	4.2	<0.01	<5	29	0.16	0.08	0.09	0.06	15.4	3.8	17.1
12-359		0.19	0.08	1.06	2.0	<0.01	<5	58	0.21	0.04	0.78	0.18	28.3	17.1	45.0
12-360		0.16	0.09	0.95	1.9	<0.01	<5	66	0.25	0.09	0.31	0.14	89.2	12.8	43.3
12-361		0.14	0.11	1.06	0.8	<0.01	<5	61	0.31	0.08	0.22	0.05	105	7.9	21.7
12-362		0.22	0.41	3.13	2.8	<0.01	<5	103	1.09	0.13	0.20	0.34	78.6	72.0	44.9
12-363		0.11	0.10	1.26	2.0	<0.01	<5	60	0.35	0.06	0.23	0.05	26.8	14.9	25.0
12-364		0.17	0.05	0.97	1.9	<0.01	<5	30	0.23	0.06	0.28	0.04	18.3	9.7	23.6
12-365		0.15	0.05	1.70	2.9	<0.01	<5	22	0.24	0.17	0.14	0.11	21.5	7.8	30.3
12-366		0.19	0.06	0.80	2.9	<0.01	<5	28	0.17	0.11	0.15	0.08	20.1	3.3	22.8
12-367		0.15	0.05	0.85	0.9	<0.01	<5	23	0.12	0.07	0.15	0.04	15.1	4.6	18.4
12-368		0.25	0.06	0.67	2.3	<0.01	<5	27	0.14	0.08	0.14	0.05	22.3	3.1	16.1
12-369		0.17	0.05	1.56	0.8	<0.01	<5	28	0.11	0.05	0.32	0.08	14.9	11.1	123
12-370		0.20	0.08	1.23	1.3	<0.01	<5	29	0.19	0.07	0.22	0.03	20.7	8.8	27.9
12-371		0.21	0.15	0.94	1.3	<0.01	<5	36	0.20	0.07	0.16	0.04	21.7	5.7	23.4
12-372		0.13	0.09	1.20	1.2	<0.01	<5	32	0.20	0.09	0.23	0.10	22.8	6.1	25.3
12-373		0.19	0.11	0.93	3.8	<0.01	<5	31	0.14	0.11	0.17	0.08	16.1	4.6	22.7
12-374		0.22	0.13	1.41	2.4	<0.01	<5	35	0.27	0.11	0.15	0.09	18.5	5.2	28.9
12-375		0.18	0.12	0.93	2.1	<0.01	<5	27	0.18	0.09	0.60	0.08	32.5	5.9	26.3
12-376		0.10	0.10	1.37	1.6	<0.01	<5	34	0.19	0.10	0.22	0.07	17.2	8.5	51.3
12-377		0.16	0.08	1.45	2.5	<0.01	<5	74	0.51	0.08	0.53	0.04	47.3	4.9	37.1
12-378		0.10	0.10	1.47	5.0	<0.01	5	65	0.54	0.11	0.69	0.12	41.7	7.1	37.9
12-379		0.18	0.15	1.89	1.5	<0.01	6	85	0.73	0.12	0.83	0.25	38.2	6.7	41.2
12-380		0.19	0.06	0.93	1.6	<0.01	<5	51	0.29	0.08	0.41	0.10	27.4	4.2	21.3
12-381		0.17	0.04	0.53	1.1	<0.01	<5	24	0.14	0.05	0.23	0.05	17.0	1.7	9.1
12-382		0.19	0.04	0.64	2.4	<0.01	<5	27	0.16	0.05	0.22	0.06	13.4	2.7	14.6
12-383		0.14	0.06	0.64	0.9	<0.01	<5	21	0.16	0.05	0.12	0.02	15.0	1.9	10.4
12-384		0.17	0.04	0.39	1.1	<0.01	<5	16	0.10	0.05	0.14	0.02	14.8	1.5	10.0
12-385		0.23	0.06	1.05	2.1	<0.01	<5	29	0.26	0.07	0.17	0.04	13.4	2.9	20.5

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 26, 2012

SAMPLE TYPE: Soil

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Unit: kg	RDL:	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr				
					ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-386		0.17	0.05	0.78	0.78	1.5	<0.01	7	30	0.30	0.06	0.01	8.04	0.05	31.4	4.4	20.9				
12-387		0.12	0.04	0.75	0.75	1.8	<0.01	<5	26	0.26	0.05	0.19	0.19	0.03	27.6	3.5	17.7				
12-388		0.18	0.07	0.43	0.43	2.4	<0.01	<5	50	0.18	0.09	1.30	1.30	0.23	14.0	1.6	7.6				
12-389		0.16	0.06	0.78	0.78	1.7	<0.01	<5	26	0.24	0.06	0.82	0.82	0.05	23.5	3.4	16.5				
12-390		0.23	0.05	0.91	0.91	2.0	<0.01	<5	25	0.34	0.05	0.28	0.28	0.02	27.4	3.7	19.0				
12-391		0.20	0.02	0.24	0.24	2.8	<0.01	<5	9	0.11	0.03	6.61	6.61	0.03	19.6	1.9	10.9				
12-392		0.19	0.03	0.44	0.44	1.7	<0.01	<5	16	0.20	0.03	4.52	4.52	0.03	25.0	2.6	12.9				
12-393		0.17	0.05	0.54	0.54	2.3	<0.01	<5	15	0.15	0.07	0.17	0.17	0.02	12.3	1.7	15.5				
12-394		0.20	0.04	0.87	0.87	3.5	<0.01	<5	21	0.22	0.07	0.13	0.13	0.02	18.4	3.2	18.1				
12-395		0.16	0.05	0.75	0.75	1.8	<0.01	<5	28	0.23	0.06	0.28	0.28	0.04	24.9	3.8	18.4				
12-396		0.11	0.11	1.49	1.49	2.2	<0.01	6	67	0.61	0.12	0.57	0.57	0.10	40.3	7.8	35.8				
12-397		0.21	1.35	16.1	16.1	30.9	<0.01	82	730	6.12	1.52	9.46	9.46	1.63	460	83.8	440				
12-398		0.15	0.12	1.97	1.97	3.6	<0.01	9	87	0.82	0.14	0.74	0.74	0.10	57.2	9.7	47.3				
12-399		0.15	0.07	0.82	0.82	4.2	<0.01	6	40	0.37	0.07	1.87	1.87	0.08	41.6	5.0	23.0				
12-400		0.12	0.08	1.35	1.35	3.2	<0.01	<5	40	0.34	0.08	0.24	0.24	0.09	28.5	4.7	24.2				
12-401		0.19	0.08	1.71	1.71	2.2	<0.01	6	68	0.46	0.12	0.24	0.24	0.18	35.3	7.7	38.9				
12-402		0.23	0.07	1.20	1.20	1.6	<0.01	<5	46	0.37	0.10	0.27	0.27	0.21	26.8	5.2	24.8				
12-403		0.21	0.08	1.13	1.13	1.8	<0.01	<5	26	0.25	0.07	0.20	0.20	0.08	26.3	3.8	17.9				
12-404		0.16	0.08	1.08	1.08	1.8	<0.01	<5	47	0.44	0.07	0.48	0.48	0.07	43.4	4.8	27.3				
12-405		0.21	0.06	0.84	0.84	1.3	<0.01	<5	36	0.33	0.06	0.37	0.37	0.09	36.3	3.6	20.2				
12-406		0.11	0.14	0.85	0.85	1.1	<0.01	<5	37	0.38	0.07	0.50	0.50	0.11	31.4	3.3	19.6				
12-407		0.20	0.11	1.26	1.26	1.6	<0.01	<5	55	0.49	0.10	0.66	0.66	0.23	37.5	5.1	27.6				
12-408		0.19	0.06	0.92	0.92	1.5	<0.01	6	40	0.34	0.07	2.93	2.93	0.09	31.2	4.2	22.9				
12-409		0.11	0.10	1.91	1.91	1.7	<0.01	6	74	0.59	0.12	0.75	0.75	0.09	43.3	8.0	42.2				
12-410		0.18	0.11	1.85	1.85	1.9	<0.01	8	79	0.68	0.12	0.78	0.78	0.14	49.8	8.2	42.8				
12-411		0.22	0.10	1.46	1.46	2.1	<0.01	7	74	0.55	0.11	0.62	0.62	0.11	49.9	7.9	38.7				
12-412		0.20	0.03	0.12	0.12	3.3	<0.01	15	30	0.10	0.03	2.71	2.71	0.32	2.56	1.0	2.7				
12-413		0.11	0.19	2.78	2.78	4.0	<0.01	10	141	0.92	0.19	1.10	1.10	0.19	49.1	13.7	59.6				
12-414		0.21	0.11	1.42	1.42	3.5	<0.01	8	68	0.56	0.09	1.16	1.16	0.18	37.7	6.5	37.8				
12-415		0.10	0.09	1.14	1.14	1.9	<0.01	10	54	0.41	0.08	7.01	7.01	0.10	37.4	6.3	33.1				
12-416		0.17	0.09	1.13	1.13	1.7	<0.01	10	54	0.42	0.08	7.34	7.34	0.09	39.6	6.3	33.2				

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	Analyte:	Sample Login Weight	Unit: RDL:	DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil				
				Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
12-417		0.19		0.13	1.72	2.5	<0.01	9	85	0.67	0.12	1.04	0.28	53.7	8.5	41.0
12-418		0.22		0.01	1.46	0.2	<0.01	<5	74	0.07	0.01	0.86	0.02	5.73	0.8	39.9
12-419		0.17		0.07	1.62	2.4	<0.01	10	89	0.63	0.12	2.47	0.19	58.0	8.9	43.7
12-420		0.18		0.07	0.95	1.4	<0.01	9	44	0.37	0.07	7.77	0.07	34.9	5.4	28.5
12-421		0.20		0.06	1.26	1.9	<0.01	9	58	0.48	0.09	5.65	0.06	39.6	6.5	36.1
12-422		0.16		0.05	0.86	0.8	<0.01	<5	36	0.33	0.05	0.50	0.09	23.0	3.1	19.2
12-423		0.18		0.06	1.45	1.8	<0.01	<5	62	0.48	0.10	0.35	0.08	41.3	5.6	29.2
12-424		0.19		0.06	1.11	1.1	<0.01	5	52	0.43	0.07	0.62	0.15	41.2	5.1	24.4
12-425		0.14		0.10	1.89	1.7	<0.01	7	91	0.71	0.12	0.72	0.14	43.7	8.5	43.1
12-426		0.21		0.12	1.49	3.1	<0.01	7	66	0.57	0.12	0.72	0.15	44.6	7.8	40.3
12-427		0.17		0.10	2.26	2.5	<0.01	11	109	0.85	0.14	1.09	0.09	51.3	9.9	56.8
12-428		0.12		0.07	1.03	1.6	<0.01	<5	44	0.42	0.07	0.47	0.05	37.6	4.3	24.8
12-429		0.18		0.06	1.38	2.4	<0.01	<5	38	0.36	0.10	0.19	0.10	22.1	4.0	23.9
12-430		0.18		0.06	0.98	4.0	<0.01	<5	31	0.33	0.07	0.22	0.03	46.1	3.8	21.5
12-431		0.23		0.06	0.88	1.7	<0.01	<5	34	0.24	0.09	0.27	0.07	24.0	4.3	23.0
12-432		0.19		0.08	1.50	2.4	<0.01	6	57	0.41	0.09	0.33	0.07	36.9	5.7	33.6
12-433		0.15		0.08	1.14	1.3	<0.01	<5	33	0.23	0.08	0.18	0.07	23.2	3.2	20.0
12-434		0.18		0.08	1.37	4.7	<0.01	<5	51	0.36	0.08	0.25	0.10	28.5	6.1	25.6
12-435		0.11		0.14	1.44	2.4	<0.01	<5	23	0.33	0.13	0.14	0.07	17.1	3.1	27.5
12-436		0.18		0.07	1.18	3.0	<0.01	<5	39	0.31	0.14	0.14	0.06	18.1	4.4	29.8
12-437		0.23		0.12	0.78	1.8	<0.01	<5	35	0.19	0.12	0.07	0.10	17.9	1.2	13.1
12-438		0.22		0.14	1.24	3.5	<0.01	<5	42	0.36	0.13	0.12	0.09	19.1	3.9	21.5
12-439		0.21		0.08	1.01	1.8	<0.01	<5	26	0.30	0.08	0.16	0.05	27.3	3.6	19.1
12-440		0.18		0.08	1.25	1.7	<0.01	<5	40	0.31	0.10	0.40	0.12	26.2	5.9	31.4
12-441		0.19		0.12	1.59	2.3	<0.01	5	58	0.59	0.12	0.47	0.13	46.9	7.7	38.7
12-442		0.24		0.11	1.43	2.4	<0.01	<5	62	0.53	0.13	0.34	0.25	39.0	7.7	35.5
12-443		0.22		0.09	1.59	2.9	<0.01	<5	65	0.58	0.12	0.39	0.14	36.9	7.1	38.2
12-444		0.19		0.08	1.49	3.0	<0.01	<5	52	0.40	0.10	0.39	0.10	25.1	5.5	29.2
12-445		0.23		0.10	2.10	3.1	<0.01	6	68	0.56	0.13	0.51	0.17	42.6	8.4	41.4
12-446		0.21		0.11	1.64	2.8	<0.01	6	66	0.40	0.15	0.39	0.14	29.6	6.3	38.9
12-447		0.17		0.10	1.40	1.6	<0.01	<5	47	0.46	0.10	0.28	0.09	24.3	5.4	28.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	RDL:														
12-448		0.20	0.10	1.69	2.5	<0.01	6	69	0.70	0.13	0.33	0.12	49.8	9.9	37.9
12-449		0.18	0.19	1.84	2.5	<0.01	7	83	0.83	0.13	0.62	0.32	44.9	7.6	37.9
12-450		0.22	0.07	0.91	2.2	<0.01	<5	34	0.35	0.09	0.43	0.22	25.8	4.6	19.4
12-451		0.23	0.09	1.19	2.1	<0.01	7	65	0.50	0.10	3.07	0.17	42.9	6.9	31.1
12-452		0.18	0.08	1.16	1.4	<0.01	6	58	0.59	0.10	0.85	0.07	39.4	4.7	28.2
12-453		0.21	0.08	0.78	3.4	<0.01	<5	38	0.36	0.07	1.18	0.06	33.0	4.9	21.7
12-454		0.19	0.12	1.24	2.0	<0.01	5	64	0.68	0.10	0.74	0.13	43.3	5.1	28.6
12-455		0.20	0.30	1.06	1.4	<0.01	<5	58	0.49	0.09	0.56	0.13	35.1	4.9	26.6
12-456		0.24	0.07	0.95	4.0	<0.01	<5	41	0.41	0.09	0.35	0.06	32.2	4.7	26.0
12-457		0.18	0.09	1.64	2.4	<0.01	6	74	0.80	0.13	0.46	0.07	56.2	8.7	39.6
12-458		0.22	0.08	1.36	1.9	<0.01	<5	44	0.45	0.10	0.30	0.09	24.7	5.9	30.8
12-459		0.20	0.07	0.70	1.3	<0.01	9	35	0.36	0.06	4.29	0.13	36.2	5.2	22.1
12-460		0.21	0.04	0.51	1.2	<0.01	9	21	0.27	0.04	6.48	0.06	24.5	3.4	15.2
12-461		0.19	0.06	0.53	1.4	<0.01	8	22	0.27	0.05	7.05	0.07	26.2	3.2	15.8
12-462		0.21	0.09	1.43	3.8	<0.01	6	57	0.57	0.11	0.81	0.11	42.3	7.0	37.3
12-463		0.23	0.05	0.46	0.9	<0.01	8	21	0.21	0.04	7.90	0.05	23.8	3.5	14.8
12-464		0.19	0.08	0.99	2.5	<0.01	<5	33	0.29	0.11	0.20	0.10	23.2	4.7	28.3
12-465		0.25	0.07	1.09	2.4	<0.01	<5	44	0.51	0.08	0.21	0.06	49.6	5.8	26.3
12-466		0.19	0.06	1.27	1.8	<0.01	<5	42	0.44	0.09	0.20	0.04	23.8	5.4	29.7
12-467		0.18	0.06	0.56	1.6	<0.01	9	29	0.29	0.05	7.10	0.10	29.4	4.4	17.6
12-468		0.20	0.06	0.57	2.6	<0.01	7	21	0.33	0.06	3.39	0.07	29.8	3.5	16.4
12-469		0.18	0.04	0.43	0.7	<0.01	8	20	0.21	0.04	7.12	0.06	23.9	3.5	15.5
12-470		0.25	0.06	0.91	2.4	<0.01	11	46	0.42	0.08	8.63	0.10	36.1	7.1	27.0
12-471		0.22	0.08	1.01	3.9	<0.01	9	53	0.49	0.10	5.01	0.10	37.8	6.8	30.5
12-472		0.21	0.06	0.86	2.4	<0.01	<5	28	0.38	0.07	0.24	0.05	35.5	5.3	24.0
12-473		0.19	0.05	0.67	1.6	<0.01	9	31	0.29	0.06	8.72	0.08	27.8	4.1	20.3
12-474		0.22	0.05	0.44	3.1	<0.01	6	24	0.23	0.04	0.80	0.10	23.8	2.7	18.1
12-475		0.18	0.09	0.86	2.8	<0.01	7	65	0.52	0.08	0.83	0.11	35.9	5.7	28.2
12-476		0.20	0.09	0.91	2.2	<0.01	6	62	0.51	0.07	0.84	0.09	37.5	5.3	27.1
12-477		0.25	0.07	0.53	1.6	<0.01	6	25	0.34	0.06	2.32	0.07	31.5	3.6	16.3
12-478		0.19	0.06	0.83	1.6	<0.01	10	42	0.33	0.07	11.5	0.08	32.6	5.6	28.9

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	Analyte:	Sample Login Weight	Unit:	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil												
		kg	RDL:			Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12-479		0.17	1.06	1.9	<0.01	6	70	0.38	0.13	0.61	0.25	41.2	0.01	0.1	0.5	43.1	0.1	0.5
12-480		0.20	0.95	1.9	<0.01	<5	33	0.30	0.08	0.50	0.12	33.8	0.07	0.1	0.5	28.4	0.1	0.5
12-481		0.21	0.82	1.1	<0.01	<5	25	0.26	0.10	0.33	0.07	33.3	0.08	0.1	0.5	37.5	0.1	0.5
12-482		0.25	1.01	1.9	<0.01	<5	51	0.39	0.08	0.50	0.17	40.1	0.08	0.1	0.5	30.7	0.1	0.5
12-483		0.22	1.68	2.7	<0.01	11	77	0.69	0.12	5.25	0.09	52.1	0.09	0.1	0.5	43.1	0.1	0.5
12-484		0.18	1.70	2.0	<0.01	6	66	0.63	0.11	0.51	0.09	44.2	0.09	0.1	0.5	42.9	0.1	0.5
12-485		0.23	0.69	1.0	<0.01	9	38	0.32	0.06	5.75	0.15	32.9	0.15	0.1	0.5	21.0	0.1	0.5
12-486		0.19	1.25	1.6	<0.01	<5	40	0.49	0.09	0.31	0.08	30.5	0.09	0.1	0.5	31.9	0.1	0.5
12-487		0.22	0.89	1.1	<0.01	<5	35	0.36	0.06	0.30	0.04	34.3	0.06	0.1	0.5	23.5	0.1	0.5
12-488		0.21	0.99	1.7	<0.01	<5	30	0.28	0.08	0.16	0.08	21.9	0.08	0.1	0.5	22.3	0.1	0.5
12-489		0.20	1.41	1.4	<0.01	<5	42	0.42	0.08	0.18	0.05	27.1	0.08	0.1	0.5	28.9	0.1	0.5
12-490		0.20	1.30	1.5	<0.01	<5	51	0.37	0.07	0.17	0.07	22.2	0.07	0.1	0.5	29.4	0.1	0.5
12-491		0.24	0.56	0.8	<0.01	<5	25	0.20	0.05	0.29	0.04	28.4	0.05	0.1	0.5	16.0	0.1	0.5
12-492		0.22	1.45	3.3	<0.01	<5	68	0.64	0.13	0.22	0.09	69.3	0.13	0.1	0.5	30.9	0.1	0.5
12-493		0.18	0.77	1.5	<0.01	<5	19	0.15	0.11	0.10	0.04	15.8	0.11	0.1	0.5	22.6	0.1	0.5
12-494		0.23	2.46	3.9	<0.01	<5	52	0.58	0.14	0.24	0.13	22.9	0.14	0.1	0.5	49.0	0.1	0.5
12-495		0.20	1.19	1.9	<0.01	<5	34	0.27	0.07	0.21	0.08	34.0	0.07	0.1	0.5	40.1	0.1	0.5
12-496		0.19	1.33	1.5	<0.01	<5	48	0.41	0.09	0.17	0.12	28.4	0.09	0.1	0.5	33.5	0.1	0.5
12-497		0.21	1.39	1.6	<0.01	<5	70	0.49	0.07	0.34	0.06	31.9	0.07	0.1	0.5	29.6	0.1	0.5
12-498		0.24	1.48	2.1	<0.01	6	63	0.61	0.10	0.43	0.11	46.0	0.10	0.1	0.5	40.5	0.1	0.5
12-499		0.19	0.72	0.6	<0.01	9	34	0.28	0.06	11.2	0.07	31.0	0.06	0.1	0.5	22.8	0.1	0.5
12-500		0.20	1.36	1.9	<0.01	6	51	0.62	0.11	0.56	0.08	50.1	0.11	0.1	0.5	36.0	0.1	0.5
12-501		0.22	1.62	2.2	<0.01	6	51	0.60	0.10	1.57	0.14	43.3	0.10	0.1	0.5	37.5	0.1	0.5
12-502		0.18	0.97	1.5	<0.01	8	48	0.39	0.07	3.85	0.12	37.7	0.07	0.1	0.5	28.8	0.1	0.5
12-503		0.20	1.60	1.5	<0.01	7	83	0.66	0.11	0.66	0.08	50.6	0.11	0.1	0.5	41.6	0.1	0.5
12-504		0.21	1.30	4.7	<0.01	6	54	0.76	0.12	0.22	0.09	56.2	0.12	0.1	0.5	29.5	0.1	0.5
12-505		0.19	0.95	2.1	<0.01	5	32	0.37	0.09	0.66	0.16	27.4	0.09	0.1	0.5	25.8	0.1	0.5
12-506		0.23	1.70	2.6	<0.01	12	92	0.83	0.13	1.31	0.28	39.0	0.13	0.1	0.5	41.7	0.1	0.5
12-507		0.19	1.28	1.6	<0.01	7	60	0.57	0.11	0.97	0.23	30.2	0.11	0.1	0.5	30.8	0.1	0.5
12-508		0.24	2.07	3.1	<0.01	9	90	0.99	0.16	0.64	0.19	63.6	0.16	0.1	0.5	50.5	0.1	0.5
12-509		0.20	1.41	2.6	<0.01	6	59	0.68	0.11	0.41	0.07	47.2	0.11	0.1	0.5	38.8	0.1	0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-510		0.20	0.06	0.87	3.5	<0.01	5	30	0.36	0.07	0.28	0.04	33.0	4.3	23.8						
12-511		0.23	0.06	0.73	1.2	<0.01	<5	22	0.21	0.06	0.18	0.04	20.5	2.6	14.4						
12-512		0.21	0.08	1.34	2.0	<0.01	<5	53	0.44	0.09	0.25	0.04	29.6	6.5	32.0						
12-513		0.17	0.13	1.10	1.6	<0.01	<5	52	0.39	0.13	0.22	0.07	39.9	8.3	30.1						
12-514		0.20	0.09	1.34	4.4	<0.01	<5	42	0.25	0.12	0.11	0.05	16.2	6.1	37.9						
12-515		0.16	0.05	0.98	1.7	<0.01	<5	20	0.12	0.08	0.15	0.07	17.8	6.1	54.0						
12-516		0.15	0.08	1.05	1.5	<0.01	<5	33	0.28	0.10	0.19	0.07	19.7	4.8	27.5						
12-517		0.20	0.08	1.21	2.4	<0.01	<5	56	0.37	0.12	0.31	0.11	28.1	5.8	35.1						
12-518		0.19	0.10	1.74	2.5	<0.01	6	61	0.62	0.13	0.39	0.09	35.7	9.0	43.0						
12-519		0.18	0.08	1.00	3.1	<0.01	<5	39	0.36	0.10	0.29	0.08	23.8	4.7	25.0						
12-520		0.15	0.26	2.07	1.8	<0.01	7	90	0.78	0.14	0.97	0.25	38.8	6.8	42.0						
12-521		0.16	0.10	1.78	2.2	<0.01	6	84	0.63	0.12	0.89	0.04	48.4	8.1	42.1						
12-522		0.21	0.07	0.94	0.9	<0.01	<5	43	0.26	0.09	0.25	0.11	28.4	4.8	23.3						
12-523		0.19	0.09	1.75	2.1	<0.01	5	75	0.57	0.12	0.41	0.12	43.4	9.7	43.0						
12-524		0.16	0.09	1.26	2.4	<0.01	<5	51	0.47	0.09	0.48	0.10	49.0	6.8	35.2						
12-525		0.20	0.06	1.32	2.5	<0.01	<5	50	0.41	0.09	0.26	0.09	33.4	6.7	32.9						
12-526		0.18	0.06	1.12	1.8	<0.01	<5	36	0.32	0.08	0.21	0.05	28.9	5.0	25.3						
12-527		0.14	0.07	0.82	1.7	<0.01	<5	29	0.16	0.10	0.13	0.06	19.5	3.1	20.3						
12-528		0.17	0.09	1.04	1.8	<0.01	<5	38	0.28	0.10	0.35	0.08	30.1	5.1	25.3						
12-530		0.15	0.16	1.94	2.5	<0.01	8	88	0.64	0.14	1.10	0.19	41.2	8.8	43.3						
12-531		0.19	0.21	1.81	2.4	<0.01	8	93	0.69	0.13	1.55	0.20	35.7	8.4	39.2						
12-532		0.20	0.23	1.35	2.3	<0.01	8	78	0.56	0.11	2.16	0.36	30.5	6.9	29.7						
12-533		0.15	0.11	1.67	4.0	<0.01	7	75	0.55	0.13	0.73	0.16	46.2	9.8	42.5						
12-534		0.18	0.15	1.81	3.1	<0.01	9	100	0.64	0.13	1.12	0.21	50.1	10.6	43.8						
12-535		0.16	0.06	0.94	1.4	<0.01	<5	30	0.27	0.07	0.29	0.06	25.3	4.9	24.1						
12-536		0.17	0.08	1.48	2.1	<0.01	5	62	0.49	0.12	0.61	0.09	37.0	8.0	38.0						
12-537		0.21	0.08	1.55	2.7	<0.01	9	76	0.54	0.11	6.78	0.12	45.2	9.4	40.8						
12-538		0.15	0.09	1.57	2.4	<0.01	6	63	0.53	0.12	0.59	0.13	49.6	8.6	42.9						
12-539		0.19	0.08	1.35	2.7	<0.01	<5	49	0.40	0.12	0.51	0.13	38.0	8.3	41.0						
12-540		0.17	0.11	1.66	2.3	<0.01	8	137	0.58	0.11	3.47	0.07	50.0	8.4	41.0						
12-541		0.18	0.08	1.47	2.5	<0.01	7	114	0.53	0.11	4.68	0.11	46.7	8.3	39.2						

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-542		0.16	0.16	1.64	0.01	2.5	<0.01	8	120	0.66	0.13	0.16	50.1	8.9	41.9						
12-543		0.18	0.14	1.75	0.01	2.4	<0.01	6	97	0.64	0.13	0.21	50.8	8.8	42.5						
12-544		0.20	0.09	1.42	0.01	2.2	<0.01	<5	59	0.52	0.11	0.10	49.3	7.8	39.2						
12-545		0.16	0.10	1.37	0.01	2.2	<0.01	8	54	0.46	0.09	0.14	42.7	7.3	37.3						
12-546		0.22	0.09	1.49	0.01	2.6	<0.01	<5	66	0.40	0.12	0.15	34.7	6.9	35.0						
12-547		0.16	0.06	0.48	0.01	1.7	<0.01	9	45	0.17	0.04	0.08	22.4	2.8	15.6						
12-548		0.15	0.06	0.67	0.01	1.5	<0.01	8	53	0.23	0.06	0.08	26.0	4.3	21.2						
12-549		0.17	0.08	1.05	0.01	1.8	<0.01	8	67	0.43	0.08	0.18	42.3	6.2	30.8						
12-550		0.15	0.11	1.61	0.01	2.9	<0.01	10	85	0.61	0.13	0.14	48.7	11.0	42.9						
12-551		0.22	0.12	1.75	0.01	3.1	<0.01	10	89	0.67	0.14	0.14	52.3	11.3	46.4						
12-552		0.19	0.05	0.30	0.01	1.8	<0.01	<5	20	0.16	0.03	0.03	16.8	2.0	10.9						
12-553		0.18	0.07	1.11	0.01	3.7	<0.01	<5	45	0.30	0.10	0.07	27.7	6.2	31.1						
12-554		0.16	0.07	1.40	0.01	2.4	<0.01	<5	53	0.45	0.10	0.08	32.2	8.1	36.3						
12-555		0.19	0.08	1.51	0.01	3.6	<0.01	<5	44	0.49	0.10	0.05	37.8	7.1	36.6						
12-556		0.15	0.13	1.40	0.01	7.1	<0.01	7	175	0.56	0.11	0.35	49.1	12.7	38.3						
12-557		0.17	0.06	1.32	0.01	2.5	<0.01	<5	33	0.32	0.07	0.06	32.2	5.1	24.7						
12-558		0.22	0.10	1.07	0.01	2.5	<0.01	<5	29	0.22	0.09	0.03	23.8	3.4	25.9						
12-559		0.16	0.23	1.29	0.01	2.4	<0.01	<5	65	0.35	0.14	0.08	23.4	4.3	29.8						
12-560		0.14	0.14	1.21	0.01	1.5	<0.01	<5	39	0.28	0.10	0.06	21.4	3.8	22.9						
12-561		0.17	0.13	0.91	0.01	3.2	<0.01	<5	36	0.20	0.14	0.11	18.7	3.3	28.5						
12-562		0.18	0.18	0.95	0.01	2.7	<0.01	<5	34	0.21	0.17	0.15	18.4	2.7	24.1						
12-563		0.22	0.16	1.51	0.01	4.7	<0.01	<5	45	0.32	0.15	0.31	22.1	6.4	41.6						
12-564		0.19	0.28	1.25	0.01	1.6	<0.01	<5	38	0.27	0.13	0.05	17.4	1.1	20.2						
12-565		0.15	0.17	1.25	0.01	2.1	<0.01	<5	44	0.31	0.14	0.19	23.1	4.5	36.5						
12-566		0.20	0.19	1.13	0.01	1.4	<0.01	<5	29	0.28	0.11	0.12	20.7	3.3	18.2						
12-567		0.16	0.09	1.36	0.01	1.8	<0.01	<5	53	0.31	0.11	0.07	36.6	7.3	29.2						
12-568		0.19	0.20	1.50	0.01	2.7	<0.01	<5	41	0.39	0.15	0.05	23.1	4.7	36.1						
12-569		0.18	0.08	0.96	0.01	2.3	<0.01	<5	22	0.26	0.09	0.05	32.6	6.3	27.4						
12-570		0.17	0.11	0.39	0.01	1.0	<0.01	<5	24	0.08	0.12	0.02	18.4	1.2	12.6						
12-571		0.17	0.11	0.68	0.01	2.7	<0.01	<5	30	0.20	0.13	0.05	17.5	2.7	26.5						
12-572		0.21	0.10	1.69	0.01	2.5	<0.01	<5	35	0.43	0.12	0.06	17.7	5.2	32.1						

J. J. J. J. J.

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 26, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-573		0.19	0.08	0.83	1.9	<0.01	<5	32	0.26	0.13	0.12	0.04	16.4	3.2	20.5
12-574		0.15	0.06	1.33	3.9	<0.01	<5	49	0.35	0.07	0.14	0.02	41.6	5.3	23.0
12-575		0.20	0.08	0.99	2.0	<0.01	<5	30	0.24	0.08	0.14	0.03	19.9	3.9	18.4
12-576		0.17	0.06	0.82	1.5	<0.01	<5	26	0.22	0.07	0.12	0.03	19.5	3.2	14.7
12-577		0.16	0.08	0.90	2.4	<0.01	<5	28	0.30	0.09	0.13	0.04	28.6	5.4	22.6
12-578		0.18	0.07	1.18	2.4	<0.01	<5	26	0.35	0.12	0.17	0.06	18.5	3.8	24.9
12-579		0.21	0.08	0.76	2.4	<0.01	<5	24	0.17	0.17	0.13	0.05	14.4	2.8	25.5
12-580		0.16	0.05	0.64	1.3	<0.01	<5	27	0.13	0.08	0.36	0.07	26.8	4.4	28.4
12-581		0.17	0.05	0.56	1.5	<0.01	<5	30	0.13	0.13	0.13	0.05	16.6	2.6	20.2
12-582		0.19	0.05	0.25	0.9	<0.01	<5	18	0.08	0.14	0.06	0.04	14.7	1.2	7.1
12-583		0.15	0.09	0.33	2.3	<0.01	<5	32	0.09	0.11	0.08	0.06	14.9	1.2	10.4
12-584		0.17	0.17	0.84	2.0	<0.01	<5	30	0.17	0.16	0.08	0.07	16.6	1.9	23.3
12-585		0.18	0.12	1.07	1.2	<0.01	<5	24	0.17	0.21	0.20	0.07	22.7	6.3	41.5
12-586		0.16	0.08	0.77	1.4	<0.01	<5	37	0.28	0.07	0.32	0.06	32.8	3.6	21.1
12-587		0.20	0.06	0.64	1.9	<0.01	<5	42	0.27	0.07	0.54	0.11	33.0	4.3	23.9
12-588		0.16	0.05	0.85	1.5	<0.01	<5	33	0.32	0.07	0.29	0.05	29.2	4.9	23.9
12-589		0.21	0.08	0.94	2.0	<0.01	<5	47	0.26	0.12	0.18	0.06	20.4	4.2	30.8
12-590		0.17	0.08	1.24	2.6	<0.01	<5	38	0.36	0.12	0.16	0.07	19.9	4.5	33.9
12-591		0.17	0.11	1.94	3.9	<0.01	<5	81	0.55	0.23	0.25	0.10	22.1	5.9	42.9
12-592		0.20	0.09	0.87	3.8	<0.01	<5	44	0.21	0.11	0.15	0.06	18.1	3.0	22.9
12-593		0.18	0.12	0.61	1.8	<0.01	<5	19	0.15	0.09	0.09	0.04	16.4	4.3	26.3
12-594		0.14	0.13	0.91	2.2	<0.01	<5	27	0.28	0.10	0.37	0.09	28.1	5.1	24.9
12-595		0.17	0.08	1.05	4.5	<0.01	<5	37	0.37	0.11	0.16	0.05	19.8	4.7	24.9
12-596		0.12	0.14	1.78	4.8	<0.01	<5	47	0.51	0.33	0.24	0.09	24.0	6.9	52.5
12-597		0.15	0.14	1.09	4.6	<0.01	<5	33	0.28	0.20	0.15	0.13	17.8	3.7	29.8
12-598		0.17	0.09	1.18	2.5	<0.01	<5	23	0.29	0.11	0.12	0.07	21.3	3.2	27.5
12-599		0.14	0.10	1.79	4.4	<0.01	<5	24	0.38	0.11	0.12	0.06	24.3	4.2	38.0
12-600		0.15	0.09	1.22	4.2	<0.01	<5	33	0.30	0.12	0.11	0.10	19.0	3.7	26.1
12-601		0.21	0.11	1.40	4.0	<0.01	<5	29	0.28	0.12	0.11	0.10	18.2	3.4	27.4
12-602		0.15	0.05	0.43	0.9	<0.01	<5	19	0.11	0.09	0.06	0.06	20.3	2.4	10.0
12-603		0.16	0.07	0.60	1.2	<0.01	<5	29	0.23	0.06	0.21	0.04	19.6	3.3	13.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil									
Sample Description	Analyte: Unit: RDL:	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Sample Description	Analyte: Unit: RDL:	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm		
12-604	0.01	0.05	1.27	1.5	<0.01	5	55	0.38	0.07	0.21	0.06	26.9	6.8	26.3	12-605	0.18	0.07	0.90	1.2	<0.01	48	48	0.33	0.08	0.40	0.09	27.0	4.6	25.1		
12-606	0.12	0.06	0.87	1.3	<0.01	<5	34	0.35	0.07	0.51	0.05	33.7	4.0	21.2	12-607	0.17	0.06	0.98	1.3	<0.01	42	42	0.36	0.09	0.57	0.11	36.7	5.1	24.6		
12-608	0.12	0.05	0.38	1.5	<0.01	<5	16	0.31	0.06	0.21	0.05	32.8	4.0	11.0	12-609	0.11	0.04	0.44	1.3	<0.01	17	17	0.26	0.06	0.22	0.04	25.9	3.3	12.1		
12-610	0.13	0.06	0.80	1.3	<0.01	<5	37	0.35	0.07	0.47	0.09	31.5	4.7	25.0	12-611	0.16	0.07	0.22	1.1	<0.01	9	9	0.27	0.06	0.18	0.13	27.3	2.9	5.7		
12-612	0.12	0.08	0.59	1.1	<0.01	<5	25	0.37	0.08	0.22	0.07	27.1	4.4	15.1	12-613	0.11	0.05	0.50	3.4	<0.01	21	21	0.31	0.07	0.19	0.03	30.2	3.9	17.9		
12-614	0.10	0.05	0.77	1.8	<0.01	<5	36	0.29	0.07	0.73	0.10	37.3	4.7	19.9	12-615	0.17	0.04	0.75	1.5	<0.01	31	31	0.24	0.07	0.20	0.03	27.6	3.9	18.0		
12-616	0.12	0.03	0.33	1.3	<0.01	8	14	0.15	0.03	7.82	0.04	22.5	2.4	10.9	12-617	0.19	0.18	0.83	2.7	<0.01	42	42	0.69	0.14	0.49	0.20	45.9	7.1	21.5		
12-618	0.17	0.23	0.89	3.0	<0.01	8	62	0.24	0.11	0.35	0.11	29.0	6.7	40.2	12-619	0.12	0.06	0.92	4.9	<0.01	25	25	0.15	0.15	0.09	0.10	18.6	4.2	26.0		
12-620	0.11	0.07	0.57	2.2	<0.01	<5	28	0.20	0.17	0.06	0.20	13.7	1.4	7.1	12-621	0.13	0.05	0.64	1.0	<0.01	22	22	0.20	0.08	0.23	0.03	25.9	6.7	26.4		
12-622	0.14	0.17	1.31	1.7	<0.01	<5	68	0.45	0.10	0.39	0.09	79.7	10.3	40.6	12-623	0.16	0.08	0.77	2.4	<0.01	28	28	0.23	0.14	0.13	0.12	23.1	3.1	26.2		
12-624	0.12	0.10	0.96	2.1	<0.01	<5	44	0.33	0.08	0.36	0.10	46.4	6.5	27.3	12-625	0.17	0.22	0.84	1.3	<0.01	35	35	0.55	0.10	0.54	0.15	132	11.8	25.9		
12-626	0.13	0.24	1.17	1.4	<0.01	<5	59	0.68	0.12	0.53	0.15	161	10.9	29.4	12-627	0.12	0.31	1.18	2.1	<0.01	34	34	0.39	0.13	0.16	0.08	28.2	3.6	37.6		
12-628	0.14	0.07	0.53	1.5	<0.01	<5	20	0.22	0.07	0.32	0.04	44.8	6.8	23.1	12-629	0.13	0.14	0.43	3.5	0.01	30	30	0.30	0.17	0.77	0.46	79.9	12.6	20.5		
12-630	0.12	0.06	0.73	1.4	<0.01	<5	26	0.26	0.06	0.36	0.05	62.2	5.6	33.7	12-631	0.14	0.04	0.33	2.9	<0.01	14	14	0.05	0.12	0.11	0.05	12.7	1.5	8.1		
12-632	0.11	0.10	0.85	1.5	<0.01	<5	30	0.23	0.09	0.22	0.04	23.3	5.8	36.7	12-633	0.13	0.33	1.60	3.1	<0.01	48	48	0.54	0.12	0.18	0.05	38.6	6.2	36.2		
12-634	0.17	0.17	1.11	2.7	<0.01	<5	48	0.35	0.38	0.18	0.12	25.9	29.1	52.5																	

Certified By: *[Signature]*

Results relate only to the items tested and to all the items tested



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-635		0.16	0.04	1.25	3.1	<0.01	5	33	0.27	0.09	0.24	0.04	24.6	7.5	62.6						
12-636		0.14	0.05	0.69	2.5	<0.01	<5	16	0.13	0.08	0.10	0.05	14.1	3.6	21.5						
12-637		0.17	0.04	0.66	1.5	<0.01	<5	26	0.16	0.10	0.34	0.08	16.0	4.5	68.3						
12-638		0.19	0.13	1.13	3.6	<0.01	<5	65	0.29	0.09	0.27	0.05	39.0	7.4	28.2						
12-639		0.16	0.08	0.57	1.6	<0.01	<5	37	0.10	0.36	0.12	0.08	14.2	2.0	8.7						
12-640		0.17	0.13	1.32	1.1	<0.01	<5	36	0.16	1.80	0.20	0.12	6.98	12.4	33.6						
12-641		0.23	0.29	1.65	2.1	<0.01	<5	96	0.37	0.26	0.20	0.12	19.8	16.1	31.5						
12-642		0.17	0.11	1.10	2.4	<0.01	<5	47	0.21	0.15	0.11	0.07	16.1	8.6	23.4						
12-643		0.18	0.10	1.03	1.4	<0.01	<5	46	0.31	0.10	0.30	0.05	37.5	7.1	22.2						
12-644		0.13	0.06	0.83	2.0	<0.01	<5	29	0.23	0.11	0.21	0.04	27.0	4.3	24.2						
12-645		0.20	0.09	1.06	1.1	<0.01	<5	37	0.22	1.63	0.26	0.11	16.6	7.3	29.7						
12-646		0.14	0.19	1.16	3.5	<0.01	<5	32	0.21	0.28	0.12	0.11	16.2	8.5	31.1						
12-647		0.19	0.19	1.05	0.7	<0.01	<5	73	0.21	0.37	0.44	0.05	17.8	9.7	98.7						
12-648		0.14	0.14	2.54	2.4	<0.01	<5	102	0.99	0.55	0.58	0.22	122	29.6	108						
12-649		0.13	0.53	1.19	1.3	<0.01	<5	55	0.18	1.13	0.23	0.08	24.0	7.4	14.4						
12-650		0.15	0.08	1.23	1.4	<0.01	8	54	0.42	0.09	8.65	0.06	34.4	5.4	34.5						
12-651		0.18	0.04	0.95	1.3	<0.01	8	43	0.36	0.07	11.1	0.07	34.4	4.7	29.4						
12-652		0.14	0.09	1.74	1.5	<0.01	5	88	0.59	0.11	0.64	0.13	42.5	7.0	43.8						
12-653		0.13	0.08	1.88	2.2	<0.01	7	86	0.70	0.14	1.21	0.08	51.8	9.1	48.6						
12-654		0.12	0.06	1.99	3.8	<0.01	5	84	0.73	0.15	0.54	0.08	37.7	11.0	54.0						
12-655		0.19	0.07	1.53	2.0	<0.01	<5	59	0.59	0.12	0.60	0.11	41.9	7.0	39.0						
12-656		0.14	0.05	0.26	1.9	<0.01	11	30	0.12	0.03	3.25	0.40	7.10	0.8	4.6						
12-657		0.21	0.14	2.42	3.7	<0.01	7	129	0.87	0.15	0.73	0.14	56.6	10.3	58.0						
12-658		0.19	0.07	1.62	1.9	<0.01	<5	64	0.58	0.12	0.53	0.09	47.3	9.3	41.9						
12-659		0.14	0.05	1.44	1.8	<0.01	<5	58	0.56	0.11	1.05	0.09	40.3	8.7	40.1						
12-660		0.13	0.09	1.96	2.2	<0.01	7	87	0.77	0.12	0.67	0.13	53.7	9.0	48.5						
12-661		0.15	0.04	1.05	1.5	<0.01	7	45	0.39	0.07	9.68	0.05	34.1	4.9	29.3						
12-662		0.16	0.09	1.74	2.4	<0.01	5	80	0.65	0.13	0.68	0.18	50.1	8.8	41.5						
12-663		0.18	0.07	1.00	1.8	<0.01	<5	44	0.37	0.07	0.71	0.16	28.1	4.0	25.8						
12-664		0.14	0.10	1.70	1.7	<0.01	<5	75	0.64	0.13	0.73	0.25	49.5	7.7	41.1						
12-665		0.19	0.14	2.28	2.1	<0.01	8	104	0.86	0.13	0.85	0.29	53.2	9.2	54.1						

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-666		0.15	0.08	1.53	0.01	1.9	<0.01	5	68	0.61	0.09	0.08	43.1	7.0	37.2						
12-667		0.14	0.09	1.26	0.01	1.5	<0.01	<5	49	0.50	0.09	0.19	35.0	5.4	30.1						
12-668		0.16	0.09	1.63	0.01	1.9	<0.01	6	70	0.54	0.11	0.10	41.8	7.4	41.5						
12-669		0.15	0.08	1.68	0.01	2.4	<0.01	5	70	0.65	0.12	0.10	45.7	8.8	43.4						
12-670		0.14	0.10	1.78	0.01	2.5	<0.01	6	75	0.70	0.12	0.09	54.3	8.6	43.9						
12-671		0.16	0.05	0.95	0.01	1.5	<0.01	<5	33	0.34	0.07	0.05	27.9	5.0	24.5						
12-672		0.13	0.11	1.42	0.01	4.6	<0.01	5	58	0.57	0.11	0.15	48.6	5.9	39.4						
12-673		0.15	0.05	0.72	0.01	2.2	<0.01	6	23	0.24	0.05	0.05	30.8	3.5	21.3						
12-674		0.19	0.05	1.43	0.01	2.0	<0.01	<5	50	0.45	0.10	0.09	42.6	6.7	37.2						
12-675		0.18	0.07	1.51	0.01	4.6	<0.01	<5	58	0.64	0.11	0.13	52.0	8.2	38.5						
12-676		0.17	0.08	1.41	0.01	2.9	<0.01	6	59	0.51	0.11	0.14	49.9	7.3	36.9						
12-677		0.20	0.11	1.44	0.01	2.4	<0.01	5	56	0.53	0.10	0.10	52.8	6.9	39.5						
12-678		0.22	0.10	1.68	0.01	2.6	<0.01	<5	75	0.62	0.16	0.19	44.5	8.8	41.3						
12-679		0.19	0.07	1.47	0.01	2.8	<0.01	<5	55	0.46	0.09	0.10	29.1	7.1	32.7						
12-680		0.20	0.05	1.22	0.01	2.2	<0.01	<5	35	0.38	0.06	0.04	30.0	7.1	22.8						
12-681		0.26	0.05	0.46	0.01	1.4	<0.01	<5	24	0.28	0.05	0.04	25.2	3.1	12.5						
12-682		0.20	0.02	0.43	0.01	1.0	<0.01	<5	13	0.16	0.04	0.02	18.6	2.5	12.4						
12-683		0.21	0.04	0.59	0.01	1.7	<0.01	<5	23	0.29	0.05	0.04	31.3	3.8	20.8						
12-684		0.16	0.07	0.48	0.01	1.4	<0.01	<5	28	0.38	0.04	0.06	22.6	1.3	6.2						
12-685		0.23	0.08	0.87	0.01	1.7	<0.01	6	39	0.38	0.07	0.06	34.3	4.2	26.1						
12-686		0.17	0.08	1.04	0.01	1.6	<0.01	<5	45	0.39	0.09	0.14	35.7	6.2	29.0						
12-687		0.22	0.12	1.85	0.01	2.0	<0.01	5	84	0.69	0.13	0.39	39.4	8.1	42.0						
12-688		0.17	0.08	1.70	0.01	2.5	<0.01	6	89	0.70	0.13	0.10	57.2	10.8	45.3						
12-689		0.16	0.08	1.62	0.01	2.7	<0.01	6	69	0.72	0.13	0.08	53.5	9.1	44.4						
12-690		0.18	0.11	2.04	0.01	2.6	<0.01	7	112	0.87	0.14	0.09	56.1	9.9	54.9						
12-691		0.21	0.13	0.69	0.01	2.5	<0.01	7	49	0.33	0.07	1.16	20.8	3.7	17.7						
12-692		0.17	0.07	1.31	0.01	1.9	<0.01	<5	55	0.52	0.12	0.14	37.3	8.3	39.5						
12-693		0.16	0.13	1.88	0.01	4.3	<0.01	5	96	0.66	0.14	0.12	45.5	9.9	47.6						
12-694		0.15	0.07	1.42	0.01	2.6	<0.01	5	75	0.59	0.12	0.11	46.4	8.3	38.9						
12-695		0.22	0.07	1.11	0.01	1.8	<0.01	<5	53	0.44	0.08	0.12	33.0	5.3	29.6						
12-696		0.17	0.06	0.97	0.01	1.8	<0.01	<5	46	0.39	0.08	0.10	30.1	5.0	26.7						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 26, 2012		SAMPLE TYPE: Soil										
Sample Description	Analyte:	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Unit:	RDL:
	Sample Login Weight	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	kg	
12-697	0.01	0.16	2.55	0.1	<0.01	8	141	1.00	0.17	0.96	0.29	59.3	12.7	61.1	0.24	
12-698	0.01	0.09	1.97	4.2	<0.01	8	108	0.81	0.14	2.67	0.11	52.2	10.4	52.0	0.22	
12-699	0.17	0.11	2.18	3.1	<0.01	6	117	0.86	0.15	0.70	0.07	53.6	9.5	56.0	0.16	
12-700	0.16	0.06	0.63	1.3	<0.01	6	27	0.26	0.05	4.41	0.06	29.2	3.1	19.4	0.18	
12-701	0.18	0.04	0.73	1.4	<0.01	<5	31	0.25	0.05	3.59	0.06	31.1	3.5	21.3	0.19	
12-702	0.19	0.04	0.73	1.8	<0.01	5	30	0.27	0.05	4.08	0.04	31.3	3.5	23.3	0.21	
12-703	0.21	0.03	0.29	1.3	<0.01	7	13	0.13	0.03	9.81	0.04	23.2	2.2	11.0	0.17	
12-704	0.17	0.10	1.80	2.8	<0.01	6	83	0.73	0.13	0.70	0.15	57.3	9.5	47.7	0.17	
12-705	0.22	0.10	1.31	2.1	<0.01	7	74	0.51	0.10	5.56	0.18	52.9	8.0	38.2	0.22	
12-706	0.18	0.08	1.29	2.1	<0.01	<5	50	0.51	0.09	0.48	0.09	44.9	7.5	35.2	0.18	
12-707	0.17	0.08	1.58	2.0	<0.01	7	78	0.62	0.12	2.23	0.16	58.1	9.5	45.1	0.17	
12-708	0.19	0.09	1.77	2.7	<0.01	6	136	0.82	0.12	0.65	0.12	88.1	10.8	48.5	0.19	
12-709	0.18	0.15	1.96	2.3	<0.01	<5	129	0.90	0.10	0.52	0.11	124	11.8	41.1	0.18	
12-710	0.17	0.17	2.17	2.7	<0.01	<5	139	1.01	0.11	0.40	0.15	103	9.2	37.4	0.17	
12-711	0.19	0.14	1.73	2.3	<0.01	<5	79	0.56	0.09	0.29	0.14	49.2	10.1	37.1	0.19	
12-712	0.16	0.24	4.50	2.4	<0.01	6	97	1.97	0.09	0.82	0.15	248	16.6	60.7	0.16	
12-713	0.18	0.10	1.50	2.2	<0.01	<5	69	0.62	0.09	0.34	0.14	59.3	7.2	34.1	0.18	
12-714	0.22	0.08	0.87	1.5	<0.01	<5	38	0.31	0.08	0.24	0.03	25.8	3.8	19.1	0.22	
12-715	0.21	0.14	0.82	2.7	<0.01	<5	30	0.26	0.12	0.12	0.14	26.0	4.9	19.3	0.21	
12-716	0.19	0.07	0.83	1.4	<0.01	<5	49	0.33	0.08	0.24	0.07	26.1	4.5	18.8	0.19	
12-717	0.22	0.06	1.12	2.2	<0.01	<5	48	0.44	0.07	0.39	0.04	36.1	6.7	30.2	0.22	
12-718	0.24	0.06	0.93	1.8	<0.01	<5	29	0.34	0.07	0.23	0.05	24.6	4.8	23.8	0.24	
12-719	0.21	0.05	1.06	3.2	<0.01	<5	58	0.48	0.08	0.30	0.13	51.1	5.3	23.1	0.21	
12-720	0.22	0.07	1.14	2.8	<0.01	<5	36	0.42	0.08	0.27	0.07	30.4	5.8	26.5	0.22	
12-721	0.28	0.06	1.29	1.8	<0.01	<5	50	0.45	0.05	0.21	0.03	37.5	5.3	24.7	0.28	
12-722	0.22	0.03	0.49	1.4	<0.01	<5	12	0.15	0.05	0.23	0.03	17.9	2.4	10.9	0.22	
12-723	0.23	0.09	2.06	3.3	<0.01	10	137	1.03	0.14	1.50	0.10	60.4	12.0	53.4	0.23	
12-724	0.18	0.06	1.06	1.7	<0.01	7	60	0.44	0.08	5.53	0.09	39.1	6.9	32.4	0.18	
12-725	0.25	0.06	1.03	2.2	<0.01	6	56	0.47	0.08	3.71	0.14	46.6	7.8	29.0	0.25	
12-726	0.19	0.10	1.31	1.4	<0.01	5	57	0.56	0.08	1.11	0.08	52.1	7.0	36.7	0.19	
12-727	0.24	0.11	1.55	2.6	<0.01	5	66	0.68	0.12	0.46	0.15	48.0	9.2	41.8	0.24	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Unit:	RDL:				
12-728		0.19	0.13	1.43	1.7	<0.01	7	102	0.65	0.10	1.45	0.15	55.9	10.3	41.8	kg	0.01				
12-729		0.18	0.08	1.75	2.7	<0.01	6	67	0.61	0.11	0.50	0.09	33.5	8.9	41.6		0.01				
12-730		0.20	0.08	1.89	3.1	<0.01	7	73	0.92	0.12	0.48	0.09	63.5	12.3	47.5		0.01				
12-731		0.23	0.14	2.02	2.0	<0.01	8	107	1.06	0.12	0.84	0.31	72.8	12.1	47.8		0.01				
12-732		0.19	0.09	1.53	4.4	<0.01	6	65	0.82	0.12	0.49	0.12	55.9	9.4	39.8		0.01				
12-733		0.18	0.07	1.76	3.5	<0.01	6	64	0.74	0.12	0.32	0.10	48.4	10.6	41.5		0.01				
12-734		0.17	0.06	1.00	2.1	<0.01	7	59	0.53	0.08	5.80	0.20	41.9	7.5	29.0		0.01				
12-735		0.24	0.11	0.93	1.6	<0.01	<5	63	0.40	0.10	0.23	0.27	36.0	7.5	17.4		0.01				
12-736		0.19	0.14	1.40	3.2	<0.01	<5	35	0.48	0.34	0.06	0.25	23.5	8.8	21.3		0.01				
12-737		0.26	0.05	0.46	2.0	<0.01	<5	18	0.08	0.18	0.05	0.06	11.6	1.0	6.3		0.01				
12-738		0.24	0.09	1.17	2.0	<0.01	<5	31	0.38	0.09	0.13	0.11	29.6	6.4	31.1		0.01				
12-739		0.19	0.11	0.93	1.6	<0.01	<5	64	0.45	0.08	0.26	0.27	50.2	13.8	25.3		0.01				
12-740		0.18	0.05	1.38	2.2	<0.01	<5	20	0.50	0.08	0.08	0.08	38.0	4.2	24.1		0.01				
12-741		0.20	0.07	0.90	1.1	<0.01	<5	28	0.32	0.08	0.10	0.06	30.5	4.8	14.1		0.01				
12-742		0.21	0.08	0.81	2.4	<0.01	<5	27	0.36	0.11	0.10	0.04	36.2	3.1	15.9		0.01				
12-743		0.23	0.13	1.27	2.9	<0.01	<5	25	0.30	0.14	0.16	0.10	19.9	12.2	33.9		0.01				
12-744		0.19	0.07	2.04	1.0	<0.01	<5	36	0.79	0.05	0.13	0.08	34.4	30.0	43.9		0.01				
12-745		0.24	0.14	1.13	2.1	<0.01	<5	35	0.36	0.06	0.24	0.08	37.2	6.8	36.7		0.01				
12-746		0.20	0.07	1.11	1.9	<0.01	7	55	0.48	0.08	7.46	0.08	45.6	7.4	38.7		0.01				
12-747		0.19	0.09	1.32	2.1	<0.01	8	76	0.60	0.10	1.99	0.27	49.4	7.5	39.4		0.01				
12-748		0.21	0.11	1.84	2.9	<0.01	9	92	0.90	0.13	1.58	0.13	69.1	10.9	48.0		0.01				
12-749		0.20	0.11	1.04	2.3	<0.01	7	41	0.47	0.09	5.50	0.17	46.7	6.7	31.8		0.01				
12-750		0.19	0.07	0.73	3.0	<0.01	<5	23	0.18	0.37	0.09	0.15	15.0	2.4	14.4		0.01				
12-751		0.21	0.07	0.75	2.9	<0.01	<5	25	0.18	0.37	0.09	0.18	15.3	2.8	14.3		0.01				
12-752		0.18	0.10	0.96	3.5	<0.01	<5	30	0.39	0.19	0.09	0.07	24.6	5.2	27.7		0.01				
12-753		0.20	0.05	1.09	2.2	<0.01	<5	39	0.31	0.14	0.10	0.05	21.4	6.2	26.3		0.01				
12-754		0.24	0.26	1.56	3.8	<0.01	<5	34	0.58	0.11	0.15	0.10	27.8	5.6	35.6		0.01				
12-755		0.23	0.07	1.16	3.5	<0.01	<5	32	0.39	0.09	0.20	0.06	31.9	7.4	35.7		0.01				

Certified By: _____



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-355		0.89	17.8	1.59	4.19	0.08	0.13	0.02	0.011	0.07	16.4	16.0	0.50	297	0.37									
12-356		1.08	17.7	1.97	5.53	0.09	0.13	0.05	0.020	0.13	28.3	20.1	0.54	494	0.22									
12-357		1.09	11.2	1.97	5.68	0.09	0.07	0.03	0.020	0.11	24.0	18.7	0.50	714	0.24									
12-358		0.66	3.3	1.28	3.96	0.06	<0.02	0.02	0.009	0.04	6.6	8.3	0.16	403	0.41									
12-359		0.72	51.6	3.18	3.30	0.11	0.04	0.04	0.008	0.05	25.4	13.1	0.51	550	0.35									
12-360		1.59	45.6	1.64	3.70	0.10	0.05	0.03	0.011	0.06	27.6	12.9	0.45	352	0.34									
12-361		1.77	20.2	1.58	5.72	0.19	0.06	0.03	0.011	0.04	89.2	14.2	0.34	157	3.14									
12-362		2.46	90.4	5.76	7.12	0.18	0.05	0.18	0.047	0.04	42.3	15.9	0.27	733	3.82									
12-363		1.63	36.6	1.69	3.59	0.11	0.04	0.04	0.015	0.03	32.2	15.8	0.25	216	0.60									
12-364		1.42	81.3	2.32	3.71	0.09	0.04	0.01	0.012	0.02	11.5	10.8	0.45	171	0.46									
12-365		1.41	65.6	1.40	4.59	0.07	0.03	0.05	0.016	0.02	10.5	11.8	0.22	63	0.79									
12-366		0.64	2.4	1.63	5.32	0.07	<0.02	0.02	0.011	0.03	7.8	13.7	0.22	78	0.48									
12-367		0.75	3.4	1.16	4.67	0.06	<0.02	0.02	0.007	0.02	7.3	9.2	0.38	166	0.29									
12-368		0.60	1.1	1.12	4.17	0.06	<0.02	0.01	0.009	0.03	8.5	9.4	0.19	74	0.43									
12-369		0.44	3.1	2.33	11.9	0.10	0.05	0.02	0.009	0.01	6.8	18.3	1.56	241	1.04									
12-370		1.08	17.7	1.71	5.47	0.08	0.03	0.02	0.009	0.03	9.7	20.1	0.67	193	0.34									
12-371		1.45	7.5	1.26	4.16	0.07	<0.02	0.02	0.010	0.03	10.9	14.5	0.38	134	0.46									
12-372		1.57	17.9	1.64	5.51	0.08	0.03	0.02	0.013	0.05	11.5	18.3	0.50	130	0.61									
12-373		1.47	6.2	1.70	7.09	0.06	<0.02	0.03	0.008	0.09	8.0	11.7	0.44	224	0.54									
12-374		1.37	5.5	2.22	8.98	0.07	0.03	0.03	0.012	0.05	9.5	17.5	0.44	185	1.00									
12-375		1.11	13.2	1.50	5.20	0.07	0.03	0.03	0.010	0.06	13.3	17.1	0.57	171	0.35									
12-376		1.61	13.0	2.31	7.89	0.08	0.02	0.03	0.010	0.07	8.5	30.0	0.73	219	0.43									
12-377		0.91	6.0	1.66	4.71	0.09	0.07	0.03	0.016	0.11	22.0	16.9	0.52	216	0.20									
12-378		1.05	11.2	1.77	5.43	0.08	0.06	0.03	0.017	0.11	20.2	19.9	0.58	404	0.30									
12-379		1.63	14.5	2.09	7.00	0.07	0.07	0.03	0.021	0.16	22.1	16.5	0.61	385	0.22									
12-380		0.86	2.8	1.06	3.89	0.06	0.03	0.04	0.012	0.06	13.4	13.0	0.33	368	0.24									
12-381		0.44	<0.1	0.52	2.62	<0.05	<0.02	0.01	0.007	0.02	8.3	6.3	0.14	80	0.10									
12-382		0.54	1.4	0.88	2.92	<0.05	0.02	0.01	0.007	0.04	6.0	9.6	0.23	92	0.21									
12-383		0.53	<0.1	0.67	2.89	<0.05	<0.02	0.01	0.007	0.02	7.6	7.5	0.12	46	0.14									
12-384		0.39	<0.1	0.54	2.85	0.05	<0.02	<0.01	0.005	0.03	7.3	6.4	0.12	42	0.14									
12-385		0.63	0.3	1.65	4.62	0.06	<0.02	0.02	0.012	0.04	6.7	14.9	0.22	78	0.46									
12-386		0.56	7.8	1.09	2.83	<0.05	0.09	0.02	0.012	0.08	16.1	11.9	3.82	339	0.15									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-387		0.55	1.0	1.04	2.65	0.07	0.08	0.02	0.012	0.04	12.8	10.0	0.22	80	0.20									
12-388		0.30	4.1	0.49	1.49	<0.05	0.17	0.14	0.013	0.02	7.6	3.3	0.25	239	0.30									
12-389		0.52	1.9	0.98	2.67	<0.05	0.03	0.02	0.012	0.04	11.3	9.6	0.43	91	0.16									
12-390		0.52	1.1	1.10	2.39	0.06	0.05	0.02	0.014	0.04	12.9	9.9	0.22	80	0.11									
12-391		0.18	3.7	0.57	1.01	<0.05	0.09	0.01	<0.005	0.03	10.0	4.3	2.13	133	0.26									
12-392		0.28	2.7	0.69	1.47	<0.05	0.06	0.02	0.007	0.03	11.8	6.3	1.59	232	0.17									
12-393		0.43	<0.1	1.44	4.20	0.05	0.03	0.01	0.009	0.03	6.1	5.6	0.12	46	0.49									
12-394		0.54	0.5	1.08	3.36	0.06	0.02	0.02	0.012	0.03	8.9	9.2	0.15	60	0.45									
12-395		0.64	0.8	0.97	3.39	0.06	0.02	<0.01	0.010	0.05	10.3	15.1	0.30	154	0.20									
12-396		1.11	10.0	1.85	5.98	0.09	0.08	0.03	0.019	0.13	22.3	25.1	0.56	582	0.24									
12-397		13.3	77.0	22.6	67.2	0.90	0.90	0.34	0.227	1.59	216	307	6.75	4780	2.90									
12-398		1.45	11.3	2.51	7.29	0.10	0.09	0.03	0.025	0.22	28.6	36.5	0.78	388	0.20									
12-399		0.60	7.1	1.25	3.27	0.05	0.07	0.04	0.016	0.08	20.0	14.3	1.05	413	0.20									
12-400		0.78	2.9	1.47	4.62	0.07	0.03	0.05	0.017	0.07	11.0	17.1	0.29	124	0.33									
12-401		1.30	6.9	2.30	7.45	0.08	0.06	0.03	0.019	0.18	12.2	25.5	0.59	408	0.31									
12-402		1.01	3.0	1.48	5.96	0.07	<0.02	0.02	0.015	0.09	11.6	16.2	0.31	504	0.50									
12-403		0.65	1.0	1.22	4.24	0.06	<0.02	0.03	0.014	0.05	10.0	11.1	0.18	71	0.33									
12-404		0.75	2.6	1.27	3.99	0.08	0.06	0.04	0.016	0.07	21.8	14.8	0.40	191	0.13									
12-405		0.63	1.1	1.01	3.17	0.07	0.03	0.03	0.011	0.06	16.4	11.8	0.29	121	0.09									
12-406		0.71	2.5	0.98	3.39	0.07	0.04	0.04	0.014	0.06	16.5	11.6	0.27	145	0.13									
12-407		0.98	4.6	1.40	4.82	0.07	0.05	0.04	0.017	0.09	19.2	17.5	0.42	257	0.15									
12-408		0.60	2.6	1.09	3.51	<0.05	0.06	0.03	0.013	0.07	17.0	13.0	1.77	222	0.09									
12-409		1.46	5.0	2.06	7.76	0.09	0.08	0.04	0.023	0.15	20.5	29.2	0.72	247	0.14									
12-410		1.45	7.9	2.13	7.07	0.10	0.09	0.04	0.022	0.18	24.6	28.1	0.70	452	0.19									
12-411		1.13	5.5	2.06	5.60	0.09	0.11	0.03	0.020	0.13	23.9	22.7	0.49	427	0.30									
12-412		0.22	9.2	0.20	0.33	<0.05	0.11	0.10	<0.005	0.02	2.1	0.4	0.26	130	2.26									
12-413		1.77	17.6	3.12	10.3	0.09	0.19	0.05	0.032	0.25	23.9	41.3	0.96	758	0.41									
12-414		1.19	9.8	1.74	5.51	0.07	0.16	0.05	0.019	0.16	20.0	24.5	0.61	345	0.22									
12-415		1.01	10.7	1.48	4.49	<0.05	0.21	0.03	0.016	0.16	19.2	20.0	2.66	388	0.22									
12-416		0.95	11.4	1.45	4.41	<0.05	0.27	0.03	0.016	0.15	19.9	19.9	2.71	249	0.14									
12-417		1.44	12.4	2.23	6.36	0.08	0.13	0.05	0.023	0.17	25.8	32.1	0.66	312	0.36									
12-418		0.13	12.2	1.73	0.58	<0.05	<0.02	<0.01	<0.005	0.17	2.8	2.5	0.64	206	<0.05									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-419		1.41	16.6	2.11	6.49	0.07	0.24	0.04	0.023	0.21	28.2	28.7	1.75	333	0.21									
12-420		0.83	9.4	1.27	3.90	<0.05	0.17	0.03	0.014	0.12	17.8	18.1	2.85	264	0.17									
12-421		1.10	9.6	1.63	4.95	<0.05	0.20	0.03	0.018	0.16	20.5	22.4	2.29	397	0.13									
12-422		0.80	6.1	0.78	3.08	0.08	0.05	0.04	0.011	0.06	18.2	14.1	0.28	96	0.07									
12-423		1.13	2.6	1.48	5.86	0.07	0.09	0.02	0.018	0.08	17.0	22.2	0.39	157	0.20									
12-424		0.85	4.1	1.15	4.22	0.08	0.07	0.03	0.015	0.08	19.6	17.9	0.37	172	0.12									
12-425		1.15	10.5	1.99	6.99	0.10	0.13	0.05	0.022	0.20	24.6	30.4	0.63	313	0.18									
12-426		1.32	7.2	1.80	6.29	0.08	0.07	0.03	0.021	0.15	19.3	25.4	0.60	381	0.17									
12-427		1.55	12.7	2.63	8.39	0.10	0.25	0.03	0.028	0.25	27.2	35.5	1.04	464	0.18									
12-428		0.71	2.3	1.26	3.66	0.07	0.05	0.03	0.014	0.06	18.5	14.0	0.33	172	0.14									
12-429		0.92	2.1	1.73	5.70	0.07	0.04	0.05	0.017	0.07	9.3	18.2	0.24	77	0.59									
12-430		0.57	4.1	1.07	3.07	0.06	0.06	0.03	0.012	0.06	12.9	11.2	0.25	136	0.34									
12-431		0.87	2.1	1.27	4.32	0.06	0.05	0.02	0.011	0.08	10.2	17.5	0.36	212	0.27									
12-432		1.04	3.6	1.79	5.50	0.07	0.06	0.01	0.018	0.12	11.3	22.3	0.50	205	0.24									
12-433		0.87	4.9	1.38	5.06	0.06	<0.02	0.02	0.014	0.06	10.8	13.3	0.23	225	0.39									
12-434		0.74	4.4	1.51	3.96	0.06	0.04	0.04	0.017	0.06	9.2	19.0	0.30	129	0.52									
12-435		1.13	1.7	2.25	7.85	0.06	0.06	0.03	0.018	0.03	8.4	15.9	0.20	66	0.47									
12-436		1.51	4.1	2.25	6.97	0.07	0.04	0.03	0.017	0.06	8.2	19.5	0.33	109	0.52									
12-437		1.50	0.4	1.43	6.48	0.06	<0.02	0.04	0.012	0.04	9.4	10.9	0.10	51	0.35									
12-438		1.03	2.8	1.78	6.38	0.07	<0.02	0.04	0.014	0.04	9.7	15.5	0.20	93	0.35									
12-439		0.67	1.4	1.35	4.64	0.06	<0.02	0.02	0.014	0.05	10.1	14.5	0.23	111	0.22									
12-440		1.00	4.8	1.70	5.72	0.06	<0.02	0.02	0.015	0.11	9.9	21.0	0.46	274	0.23									
12-441		1.22	7.5	1.95	5.95	0.07	0.03	0.02	0.020	0.13	16.1	25.4	0.62	431	0.24									
12-442		1.17	7.5	1.76	6.37	0.07	<0.02	0.03	0.020	0.11	13.3	25.8	0.51	392	0.34									
12-443		1.10	9.0	1.85	5.86	0.08	0.03	0.03	0.019	0.12	16.2	24.5	0.59	307	0.24									
12-444		0.82	5.5	1.97	5.87	0.07	0.03	0.03	0.018	0.10	10.4	21.5	0.39	163	0.38									
12-445		1.28	9.3	2.29	7.28	0.08	0.06	0.04	0.023	0.18	13.9	30.1	0.66	346	0.33									
12-446		1.37	9.1	2.58	9.10	0.07	0.04	0.02	0.021	0.18	11.1	24.9	0.55	290	0.43									
12-447		0.89	5.7	1.50	5.63	0.06	0.02	0.04	0.018	0.10	12.0	19.9	0.41	148	0.24									
12-448		1.43	8.0	2.03	7.09	0.08	0.05	0.03	0.023	0.15	14.7	32.1	0.61	377	0.24									
12-449		1.40	18.4	1.98	6.56	0.08	0.07	0.04	0.022	0.15	27.5	28.9	0.61	485	0.27									
12-450		0.75	5.1	1.11	4.08	<0.05	<0.02	0.03	0.014	0.06	11.9	17.2	0.30	170	0.29									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-451		0.94	9.3	1.56	4.51	<0.05	0.09	0.05	0.017	0.12	20.7	20.7	1.42	364	0.19									
12-452		0.88	8.4	1.38	4.16	0.07	0.08	0.08	0.016	0.09	23.2	19.0	0.43	226	0.09									
12-453		0.63	5.6	1.11	3.19	<0.05	0.08	0.02	0.013	0.06	15.6	15.1	0.85	246	0.22									
12-454		0.72	15.7	1.58	4.72	0.08	0.15	0.09	0.018	0.08	27.7	23.0	0.43	157	0.16									
12-455		0.82	6.3	1.30	3.97	0.07	0.09	0.04	0.015	0.08	18.9	18.4	0.40	293	0.11									
12-456		0.76	6.2	1.23	3.76	0.07	0.04	0.02	0.014	0.07	15.0	18.1	0.40	163	0.17									
12-457		1.22	11.8	2.10	6.13	0.09	0.09	0.04	0.022	0.16	24.0	28.7	0.65	452	0.15									
12-458		1.05	3.9	1.68	6.13	0.06	<0.02	0.03	0.017	0.11	10.9	25.5	0.47	240	0.26									
12-459		0.92	15.8	1.00	2.90	<0.05	0.10	0.02	0.012	0.09	18.8	16.1	2.55	276	0.26									
12-460		0.38	4.5	0.88	2.00	<0.05	0.05	0.02	0.009	0.05	12.8	11.5	3.49	230	0.09									
12-461		0.45	5.1	0.82	2.06	<0.05	0.08	0.03	0.011	0.06	13.6	11.8	3.35	227	0.15									
12-462		1.15	8.7	1.84	5.55	0.06	0.05	0.03	0.019	0.13	17.0	27.9	0.65	328	0.21									
12-463		0.41	5.2	0.75	1.96	<0.05	0.11	0.01	0.009	0.06	12.0	10.6	2.47	235	0.11									
12-464		0.88	2.7	1.80	5.54	0.07	<0.02	0.02	0.016	0.11	9.8	18.7	0.38	179	0.24									
12-465		0.78	5.7	1.53	3.88	0.08	0.02	0.03	0.017	0.08	15.9	21.3	0.38	228	0.22									
12-466		0.97	3.9	1.62	5.04	0.06	0.03	0.02	0.016	0.09	9.9	26.5	0.46	187	0.21									
12-467		0.52	6.7	0.97	2.43	<0.05	0.09	0.02	0.011	0.08	14.5	14.3	2.80	275	0.29									
12-468		0.46	5.4	0.90	2.37	<0.05	0.07	0.03	0.011	0.06	15.1	12.7	1.81	158	0.14									
12-469		0.42	4.6	0.72	1.85	<0.05	0.23	<0.01	0.007	0.07	11.0	10.7	2.16	232	0.10									
12-470		0.91	12.8	1.32	3.80	<0.05	0.35	0.02	0.014	0.15	16.7	21.2	2.88	524	0.20									
12-471		0.94	14.4	1.54	4.30	<0.05	0.13	0.03	0.017	0.15	19.6	24.7	1.80	401	0.41									
12-472		0.67	3.1	1.30	3.64	0.06	0.09	0.02	0.015	0.06	14.4	18.9	0.34	212	0.21									
12-473		0.63	7.6	0.99	2.72	<0.05	0.13	0.02	0.011	0.08	14.5	14.7	2.71	257	0.18									
12-474		0.43	4.7	0.83	1.84	<0.05	0.05	0.03	0.008	0.05	12.2	10.0	0.27	136	0.66									
12-475		0.69	14.8	1.55	3.66	0.07	0.10	0.06	0.015	0.08	23.3	19.4	0.38	670	2.93									
12-476		0.64	15.6	1.54	3.70	0.06	0.11	0.05	0.015	0.08	23.7	18.4	0.42	602	0.31									
12-477		0.57	4.4	0.82	2.56	<0.05	0.10	0.04	0.012	0.05	16.8	14.0	1.43	210	0.17									
12-478		0.79	12.3	1.25	3.32	<0.05	0.36	0.02	0.014	0.16	16.4	19.5	3.33	372	0.50									
12-479		1.13	27.4	1.59	6.14	0.06	0.06	0.04	0.016	0.10	18.6	25.9	0.62	255	1.16									
12-480		0.66	21.2	1.13	3.19	0.05	0.03	0.03	0.012	0.04	15.6	17.9	0.36	101	0.26									
12-481		1.18	47.2	1.12	3.59	0.06	0.02	0.02	0.010	0.04	15.8	18.6	0.46	125	0.26									
12-482		0.82	10.9	1.21	3.68	0.07	0.04	0.04	0.014	0.07	20.8	17.6	0.38	183	0.27									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-483		1.44	18.1	2.14	6.40	<0.05	0.18	0.04	0.024	0.24	27.7	32.9	2.66	501	0.19									
12-484		1.30	5.9	2.07	6.02	0.07	0.05	0.02	0.021	0.15	16.6	28.6	0.66	365	0.18									
12-485		0.61	10.4	0.98	2.68	<0.05	0.09	0.03	0.012	0.09	16.2	14.0	2.44	322	0.14									
12-486		1.00	3.1	1.63	5.02	0.06	0.09	0.02	0.018	0.09	12.9	25.0	0.50	262	0.31									
12-487		0.60	3.2	1.10	3.25	0.06	0.07	0.02	0.012	0.06	14.8	15.5	0.36	175	0.13									
12-488		0.69	7.6	1.09	3.92	<0.05	0.03	0.04	0.012	0.04	10.9	14.0	0.23	93	0.42									
12-489		0.67	3.1	1.49	4.87	0.06	0.04	0.03	0.014	0.04	12.0	15.5	0.25	95	0.27									
12-490		0.85	6.6	1.37	3.76	0.06	0.03	0.03	0.016	0.04	9.9	14.1	0.25	101	0.76									
12-491		0.44	3.2	0.87	2.10	<0.05	0.04	0.02	0.009	0.02	13.0	9.3	0.22	109	0.09									
12-492		1.92	39.1	1.02	5.90	0.08	0.04	0.10	0.017	0.07	37.7	15.0	0.41	73	0.56									
12-493		1.14	3.2	1.11	6.17	<0.05	<0.02	0.02	0.009	0.04	8.1	14.1	0.25	63	0.57									
12-494		1.62	12.2	2.75	8.03	0.06	0.02	0.10	0.024	0.07	10.8	26.8	0.41	142	0.76									
12-495		0.87	30.8	1.45	3.86	0.05	<0.02	0.03	0.013	0.03	12.9	16.8	0.56	88	0.25									
12-496		1.07	21.2	1.20	5.01	0.06	0.02	0.03	0.014	0.05	14.3	23.3	0.33	87	0.33									
12-497		0.82	10.1	1.31	3.93	0.06	0.06	0.02	0.016	0.08	12.7	18.2	0.41	160	0.17									
12-498		1.05	10.1	1.90	5.43	0.07	0.12	0.03	0.019	0.17	17.0	23.1	0.60	447	0.18									
12-499		0.65	6.6	1.04	2.90	<0.05	0.34	0.02	0.012	0.11	15.5	14.4	3.48	350	0.17									
12-500		1.00	5.5	1.90	4.91	0.07	0.09	0.03	0.019	0.12	19.2	24.7	0.60	388	0.19									
12-501		1.13	7.5	1.92	5.53	0.05	0.06	0.03	0.024	0.12	19.0	28.0	0.98	245	0.20									
12-502		1.16	12.5	1.35	3.46	<0.05	0.08	0.03	0.015	0.10	19.4	18.8	2.34	336	0.47									
12-503		1.71	23.1	2.00	5.66	0.08	0.14	0.05	0.022	0.15	26.8	28.5	0.68	271	0.16									
12-504		1.11	8.2	1.62	5.65	0.08	0.23	0.04	0.026	0.10	21.1	25.3	0.41	239	0.36									
12-505		0.85	4.5	1.42	4.68	0.05	<0.02	0.02	0.017	0.11	11.5	19.5	0.50	244	0.26									
12-506		1.35	17.0	2.06	6.17	0.07	0.13	0.08	0.024	0.22	24.6	32.0	0.73	366	0.25									
12-507		0.99	13.4	1.52	5.37	0.06	0.06	0.04	0.020	0.12	17.5	22.7	0.49	438	0.26									
12-508		1.63	15.7	2.59	7.95	0.10	0.13	0.04	0.030	0.24	27.1	36.6	0.84	610	0.26									
12-509		1.16	9.1	1.83	5.88	0.08	0.07	0.03	0.021	0.16	19.1	25.7	0.58	393	0.19									
12-510		0.62	5.0	1.19	3.14	0.06	0.04	0.02	0.012	0.08	11.7	14.5	0.34	226	0.29									
12-511		0.67	0.2	0.83	3.12	<0.05	<0.02	0.02	0.010	0.04	10.4	12.9	0.19	78	0.21									
12-512		1.00	4.7	1.75	5.75	0.06	0.04	0.02	0.019	0.09	10.9	23.4	0.43	159	0.24									
12-513		2.24	38.4	1.35	5.39	0.06	<0.02	0.02	0.015	0.05	17.6	23.8	0.36	298	0.69									
12-514		1.09	8.5	2.00	8.22	0.06	<0.02	0.02	0.014	0.04	8.5	20.7	0.42	98	0.65									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646787
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-515		0.69	5.8	1.15	8.38	0.07	0.02	0.02	0.006	0.06	9.1	17.5	0.56	103	0.25									
12-516		1.04	3.0	1.59	6.38	0.06	0.02	0.02	0.013	0.06	9.8	21.8	0.39	143	0.37									
12-517		1.04	4.8	1.90	6.75	0.07	<0.02	0.03	0.017	0.13	10.0	24.2	0.48	196	0.26									
12-518		1.37	7.1	2.28	7.48	0.07	0.09	0.02	0.024	0.20	12.1	32.6	0.70	405	0.29									
12-519		0.94	4.2	1.26	4.72	0.06	<0.02	0.02	0.014	0.07	11.9	19.1	0.41	176	0.23									
12-520		1.53	19.6	1.90	7.48	0.07	0.16	0.06	0.023	0.16	25.8	18.1	0.62	215	0.35									
12-521		1.37	12.5	2.05	6.24	0.08	0.14	0.04	0.020	0.18	28.0	20.0	0.90	349	0.12									
12-522		0.83	3.4	1.05	4.35	0.05	0.03	0.02	0.011	0.07	14.3	12.4	0.36	167	0.22									
12-523		1.42	8.9	2.17	6.64	0.08	0.09	0.03	0.019	0.19	16.0	20.9	0.71	406	0.23									
12-524		1.00	7.8	1.67	4.62	0.08	0.09	0.03	0.016	0.12	22.4	14.8	0.53	343	0.18									
12-525		1.06	4.0	1.65	5.11	0.06	0.04	0.01	0.015	0.10	13.6	15.9	0.51	297	0.22									
12-526		0.82	2.7	1.29	4.08	0.06	0.05	0.02	0.012	0.09	11.1	11.0	0.36	160	0.17									
12-527		0.78	1.7	1.08	5.29	0.06	0.03	0.02	0.009	0.05	9.9	9.1	0.20	62	0.38									
12-528		1.06	6.1	1.30	4.30	0.05	0.04	0.03	0.015	0.07	15.3	12.2	0.32	266	0.50									
12-530		1.40	15.2	2.30	6.63	0.07	0.15	0.04	0.022	0.19	22.3	25.5	0.75	456	0.27									
12-531		1.29	17.7	2.05	6.62	0.06	0.12	0.08	0.021	0.18	24.2	24.2	0.67	435	0.29									
12-532		0.95	18.7	1.54	4.73	0.05	0.12	0.10	0.017	0.12	21.2	15.1	0.51	475	0.34									
12-533		1.42	9.4	2.26	5.80	0.08	0.15	0.03	0.019	0.22	20.7	22.9	0.73	572	0.34									
12-534		1.39	14.8	2.50	6.21	0.08	0.20	0.08	0.021	0.23	29.5	23.5	0.74	404	0.23									
12-535		0.78	2.2	1.22	4.02	0.06	0.04	<0.01	0.010	0.07	12.4	13.2	0.39	159	0.18									
12-536		1.22	6.7	1.98	5.73	0.07	0.10	0.02	0.017	0.17	17.6	19.7	0.67	421	0.18									
12-537		1.43	14.8	2.05	5.53	<0.05	0.21	0.03	0.018	0.26	23.6	22.1	2.06	558	0.19									
12-538		1.25	7.9	2.01	5.81	0.07	0.08	0.02	0.018	0.20	19.8	20.2	0.65	453	0.23									
12-539		1.16	8.2	1.94	5.61	0.07	0.05	0.03	0.017	0.18	15.8	18.0	0.63	470	0.30									
12-540		1.25	12.3	2.36	5.66	0.05	0.24	0.03	0.019	0.22	24.3	26.9	1.52	253	0.17									
12-541		1.20	12.2	1.84	4.91	<0.05	0.10	0.04	0.018	0.17	21.9	23.2	1.25	673	0.34									
12-542		1.25	22.6	2.26	5.79	0.07	0.12	0.09	0.020	0.18	28.7	27.5	0.79	1060	0.56									
12-543		1.08	13.2	2.19	6.04	0.08	0.16	0.05	0.022	0.16	30.6	26.5	0.64	489	0.23									
12-544		1.13	7.4	1.87	5.26	0.07	0.11	0.03	0.017	0.16	20.7	18.3	0.60	420	0.16									
12-545		1.07	11.6	1.70	4.70	<0.05	0.12	0.04	0.016	0.17	23.3	17.0	1.89	418	0.23									
12-546		1.05	6.6	1.73	5.26	0.05	0.10	0.04	0.019	0.11	15.0	17.8	0.47	177	0.27									
12-547		0.45	4.2	0.78	1.68	<0.05	0.10	0.02	0.008	0.07	11.2	8.0	2.96	228	0.81									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil						
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
12-548		0.56	11.0	1.12	2.35	<0.05	0.11	0.02	0.009	0.12	13.2	10.4	2.89	244	0.56
12-549		0.84	11.1	1.42	3.97	<0.05	0.09	0.04	0.016	0.12	23.9	15.4	1.74	888	0.24
12-550		1.51	18.4	2.27	6.07	<0.05	0.24	0.05	0.020	0.25	25.8	23.8	1.96	714	0.45
12-551		1.57	19.3	2.39	6.47	<0.05	0.22	0.06	0.022	0.25	28.1	25.4	1.74	689	0.42
12-552		0.29	1.7	0.55	1.28	<0.05	0.08	<0.01	<0.005	0.05	8.3	5.3	1.51	189	0.56
12-553		0.81	5.2	1.54	4.66	0.05	0.05	0.03	0.014	0.13	11.8	14.7	0.49	265	0.39
12-554		1.18	5.1	1.91	5.66	0.06	0.04	0.02	0.017	0.15	14.0	20.2	0.62	347	0.27
12-555		1.04	5.8	1.85	4.95	0.06	0.07	0.02	0.016	0.12	14.5	18.2	0.55	248	0.35
12-556		1.05	16.9	2.70	4.46	0.06	0.17	0.08	0.018	0.14	27.8	18.6	0.58	1550	0.44
12-557		0.67	3.2	1.58	3.31	0.05	0.04	0.03	0.016	0.05	9.8	12.6	0.27	108	0.30
12-558		1.03	2.8	1.56	4.75	0.06	0.03	0.04	0.014	0.07	9.1	11.4	0.28	115	0.45
12-559		1.53	3.1	2.00	7.07	0.06	0.03	0.05	0.016	0.09	10.5	17.4	0.29	139	0.40
12-560		1.66	3.1	1.24	4.46	0.05	0.03	0.03	0.012	0.06	10.8	14.3	0.23	155	0.27
12-561		2.02	3.1	1.89	6.28	0.05	<0.02	0.05	0.012	0.06	9.1	14.1	0.28	215	0.49
12-562		1.76	0.9	2.34	9.23	0.06	0.04	0.04	0.014	0.07	9.2	8.7	0.21	118	0.53
12-563		1.91	7.2	1.98	5.14	0.05	0.03	0.07	0.019	0.07	10.8	18.1	0.42	170	0.46
12-564		1.60	2.2	1.49	7.22	0.05	<0.02	0.06	0.014	0.03	9.2	9.2	0.07	39	0.40
12-565		1.84	5.6	2.21	7.53	0.07	0.02	0.03	0.014	0.07	10.8	15.1	0.33	101	0.47
12-566		1.46	1.6	1.32	6.23	0.06	0.02	0.03	0.013	0.04	10.5	10.2	0.15	64	0.33
12-567		1.94	17.7	2.12	5.40	0.06	0.05	0.02	0.013	0.07	13.4	24.1	0.51	203	0.21
12-568		2.04	3.7	2.61	8.64	0.06	0.05	0.04	0.019	0.07	10.8	16.1	0.30	93	0.50
12-569		0.99	6.9	1.17	2.83	0.06	0.04	0.02	0.010	0.05	12.0	11.8	0.27	121	0.21
12-570		0.94	<0.1	1.00	4.57	0.05	0.03	0.02	0.005	0.03	9.0	3.1	0.10	62	0.29
12-571		0.90	1.8	2.00	6.64	0.06	0.04	0.02	0.011	0.05	7.9	6.8	0.21	81	0.40
12-572		1.09	2.5	2.28	6.34	0.06	0.03	0.04	0.016	0.05	8.2	14.5	0.25	131	0.45
12-573		1.19	0.2	1.63	4.77	0.05	<0.02	0.02	0.012	0.05	7.7	10.8	0.16	140	0.44
12-574		0.90	2.9	1.17	2.98	0.06	0.06	0.03	0.013	0.03	11.1	10.7	0.22	92	0.36
12-575		0.96	0.9	1.04	3.69	0.05	0.03	0.02	0.010	0.03	9.7	8.9	0.19	69	0.28
12-576		0.85	0.3	0.85	3.02	0.05	0.02	0.02	0.009	0.02	9.5	7.5	0.16	58	0.21
12-577		0.99	2.0	1.65	3.84	0.06	0.02	0.02	0.013	0.04	9.1	9.9	0.22	150	0.45
12-578		0.93	1.9	1.63	4.54	0.06	0.03	0.04	0.013	0.03	9.0	11.1	0.20	88	0.36
12-579		1.03	2.4	2.20	8.31	0.07	0.04	0.02	0.012	0.05	7.6	8.5	0.19	63	0.65

Certified By:



Certificate of Analysis

AGAT Laboratories

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012								DATE REPORTED: Oct 26, 2012								SAMPLE TYPE: Soil		
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm					
12-580		1.44	4.2	1.43	3.11	0.06	0.06	0.01	0.007	0.04	14.1	16.2	0.40	167	0.19					
12-581		1.02	0.6	1.22	5.86	0.06	<0.02	0.02	0.008	0.05	7.8	7.9	0.20	140	0.27					
12-582		1.67	<0.1	0.46	3.44	<0.05	<0.02	0.02	0.005	0.03	7.3	3.5	0.07	51	0.31					
12-583		1.26	<0.1	0.91	5.55	<0.05	<0.02	0.02	0.006	0.02	6.9	3.6	0.08	40	0.40					
12-584		1.77	0.2	2.03	9.42	0.06	0.02	0.04	0.012	0.04	8.3	7.7	0.13	43	0.78					
12-585		2.46	10.1	1.55	8.20	0.08	0.04	0.03	0.010	0.05	11.5	19.5	0.61	151	0.37					
12-586		0.92	4.0	1.01	2.82	0.06	0.06	0.01	0.010	0.05	15.3	13.1	0.30	154	0.11					
12-587		1.23	8.2	1.11	2.62	0.06	0.07	0.03	0.009	0.06	18.5	10.1	0.30	245	0.22					
12-588		0.75	4.5	1.18	3.53	0.06	0.03	0.02	0.011	0.08	12.5	12.0	0.35	261	0.15					
12-589		1.29	2.4	1.81	5.16	0.06	0.09	0.02	0.012	0.08	8.8	14.9	0.31	113	0.37					
12-590		1.36	4.9	2.45	6.14	0.07	0.05	0.03	0.017	0.06	9.6	17.9	0.29	98	0.52					
12-591		1.80	4.5	3.02	10.3	0.06	0.05	0.04	0.023	0.10	11.0	21.1	0.39	215	0.41					
12-592		0.71	2.7	1.73	5.88	0.06	0.04	0.03	0.012	0.05	8.9	11.7	0.22	116	0.45					
12-593		1.50	1.7	1.32	3.87	0.06	0.03	0.02	0.008	0.05	7.3	10.9	0.28	248	0.35					
12-594		1.30	6.0	1.26	3.57	0.06	0.03	0.02	0.011	0.05	11.3	11.7	0.26	138	0.33					
12-595		0.91	3.0	1.82	4.86	0.06	0.03	0.04	0.016	0.04	8.7	11.2	0.20	196	0.52					
12-596		2.40	7.8	3.72	11.7	0.08	0.05	0.06	0.025	0.10	11.9	27.0	0.48	161	0.77					
12-597		1.31	2.8	2.33	8.11	0.06	0.02	0.06	0.017	0.06	8.9	13.5	0.23	120	0.56					
12-598		1.48	4.3	1.58	5.16	0.05	0.02	0.05	0.013	0.04	10.9	13.6	0.18	91	0.42					
12-599		1.39	5.4	2.08	5.27	0.06	0.03	0.08	0.019	0.03	11.4	15.6	0.22	72	0.62					
12-600		1.49	3.7	1.69	5.86	<0.05	0.02	0.05	0.017	0.05	8.9	13.5	0.19	106	0.47					
12-601		1.69	2.8	1.75	5.46	0.05	0.02	0.06	0.018	0.05	8.8	14.2	0.19	92	0.51					
12-602		0.70	0.1	0.58	2.88	<0.05	<0.02	0.02	0.006	0.03	9.4	4.8	0.07	327	0.20					
12-603		0.83	<0.1	0.73	3.00	<0.05	0.03	0.02	0.010	0.03	9.8	8.7	0.19	106	0.09					
12-604		0.89	1.5	1.29	4.20	0.06	0.06	0.02	0.015	0.07	12.9	15.6	0.33	110	0.23					
12-605		0.79	1.9	1.10	3.54	0.05	0.07	0.02	0.012	0.06	13.0	11.0	0.33	280	0.51					
12-606		0.67	1.9	1.11	3.31	0.06	0.08	0.02	0.013	0.06	16.5	10.4	0.31	117	0.22					
12-607		1.01	2.2	1.15	4.17	0.05	0.06	0.04	0.015	0.07	17.0	12.6	0.35	228	0.21					
12-608		0.51	0.1	0.55	2.86	<0.05	0.09	0.02	0.012	0.03	16.1	11.9	0.15	62	0.24					
12-609		0.49	<0.1	0.63	2.44	<0.05	0.05	0.02	0.009	0.03	11.7	9.2	0.17	63	0.22					
12-610		0.54	3.3	1.20	3.03	0.05	0.10	0.03	0.011	0.06	15.5	12.5	0.32	228	0.41					
12-611		0.57	<0.1	0.31	2.15	<0.05	0.07	0.06	0.010	0.01	13.6	7.2	0.07	28	0.22					

Signature

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646787
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-612		0.83	0.7	0.67	3.37	<0.05	0.05	0.04	0.013	0.03	13.3	10.2	0.19	79	0.30									
12-613		0.54	1.2	0.71	2.75	<0.05	0.06	0.02	0.011	0.04	14.1	9.5	0.18	97	0.41									
12-614		0.60	2.3	0.97	2.88	0.05	0.07	0.04	0.011	0.04	16.6	9.0	0.47	138	0.21									
12-615		0.72	0.4	0.89	3.14	0.05	0.03	0.01	0.010	0.04	12.2	8.9	0.23	143	0.24									
12-616		0.29	1.3	0.54	1.33	<0.05	0.16	0.01	0.008	0.04	11.3	6.3	3.14	175	0.16									
12-617		1.45	6.1	1.06	5.21	0.05	0.11	0.05	0.023	0.09	23.1	22.7	0.34	189	0.24									
12-618		1.48	19.0	1.33	5.20	0.05	0.03	<0.01	0.010	0.04	14.3	15.9	0.47	122	0.40									
12-619		1.09	5.9	1.67	9.30	0.05	0.04	0.05	0.011	0.04	9.3	10.6	0.39	87	0.85									
12-620		0.67	6.2	0.83	6.49	<0.05	<0.02	0.06	0.011	0.01	7.1	2.4	0.04	50	0.49									
12-621		1.38	2.1	0.89	4.14	<0.05	0.04	<0.01	0.008	0.02	13.1	20.4	0.40	102	0.30									
12-622		2.61	32.9	1.78	5.38	0.07	0.03	0.03	0.017	0.05	36.2	37.2	0.61	300	0.57									
12-623		0.94	6.9	1.24	6.53	<0.05	0.06	0.04	0.011	0.03	11.2	8.1	0.23	65	0.41									
12-624		1.33	36.9	1.48	3.77	0.07	0.04	0.03	0.016	0.03	26.9	22.0	0.42	109	0.45									
12-625		1.95	44.5	1.30	5.66	0.09	0.07	0.09	0.015	0.05	73.9	33.7	0.44	178	0.84									
12-626		2.26	66.0	1.36	5.99	0.10	0.06	0.12	0.018	0.04	97.4	30.9	0.42	174	0.64									
12-627		1.96	13.9	2.15	8.15	0.06	0.03	0.04	0.017	0.05	14.0	15.1	0.26	85	0.65									
12-628		1.31	9.4	1.16	3.59	0.06	0.05	0.01	0.010	0.03	21.3	14.2	0.41	142	1.85									
12-629		1.56	8.8	0.94	3.50	0.07	0.05	0.13	0.017	0.04	41.5	17.2	0.40	529	2.78									
12-630		1.33	21.7	1.20	2.95	0.07	0.03	0.02	0.008	0.04	28.1	13.8	0.39	195	0.80									
12-631		0.55	10.6	0.50	4.58	<0.05	0.02	0.02	<0.005	0.02	6.3	1.7	0.11	37	1.35									
12-632		1.13	11.0	1.43	5.02	0.06	0.03	0.02	0.010	0.03	11.3	11.7	0.32	108	0.66									
12-633		1.34	5.1	2.36	4.97	0.06	0.04	0.04	0.020	0.04	19.4	16.2	0.24	125	1.06									
12-634		3.27	11.8	3.08	8.41	0.06	<0.02	0.06	0.019	0.05	12.7	13.5	0.43	1180	6.89									
12-635		2.01	12.2	1.93	6.30	0.06	0.06	0.02	0.011	0.14	12.6	16.4	0.60	124	1.76									
12-636		1.30	8.9	1.93	5.25	0.05	0.04	0.03	0.012	0.03	6.4	7.4	0.20	66	1.52									
12-637		0.91	7.3	1.63	6.06	0.05	<0.02	0.03	0.013	0.05	6.5	4.8	0.23	134	0.81									
12-638		1.27	21.8	1.36	3.50	0.06	0.05	0.03	0.014	0.05	17.3	11.6	0.28	126	2.27									
12-639		1.09	10.5	0.68	5.15	<0.05	<0.02	0.02	0.008	0.04	7.1	1.5	0.10	57	0.84									
12-640		5.46	39.3	4.92	8.47	0.07	0.03	0.04	0.013	0.15	3.5	16.6	0.74	224	8.78									
12-641		11.2	28.3	4.40	8.01	0.07	0.06	0.04	0.021	0.12	11.8	24.2	0.45	831	2.83									
12-642		2.73	13.1	2.61	6.92	0.06	0.06	0.03	0.016	0.06	7.6	15.4	0.37	190	1.74									
12-643		2.53	59.2	1.47	3.72	0.07	0.11	0.02	0.011	0.05	22.2	11.8	0.50	203	9.00									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-644		2.26	42.6	1.09	3.10	0.06	0.07	0.01	0.011	0.03	14.1	8.2	0.27	89	14.0									
12-645		3.47	18.4	2.33	10.6	0.05	0.06	0.04	0.017	0.04	7.8	14.3	0.32	132	30.4									
12-646		6.64	35.1	2.58	8.60	0.06	0.05	0.04	0.016	0.05	8.2	12.7	0.37	109	9.73									
12-647		9.25	25.7	1.89	7.51	0.07	0.05	0.03	0.010	0.07	13.5	14.6	0.54	152	14.9									
12-648		14.5	14.1	2.71	5.48	0.10	0.06	0.12	0.022	0.08	62.8	21.1	0.51	598	19.5									
12-649		7.36	8.5	2.01	10.7	0.06	0.15	0.03	0.013	0.24	10.7	12.0	0.55	298	5.05									
12-650		1.06	11.6	1.48	4.39	<0.05	0.21	0.03	0.018	0.15	18.7	17.8	2.59	310	0.30									
12-651		0.84	10.7	1.28	3.45	<0.05	0.27	0.01	0.014	0.12	17.8	14.8	3.12	314	0.31									
12-652		1.73	7.6	2.03	6.29	0.07	0.14	0.04	0.023	0.18	23.0	20.4	0.64	454	0.20									
12-653		1.48	12.2	2.33	6.62	0.06	0.19	0.03	0.023	0.19	26.5	24.8	1.05	461	0.28									
12-654		1.75	10.9	2.62	8.20	0.06	0.13	0.02	0.024	0.18	17.4	27.7	0.81	418	0.64									
12-655		1.31	6.6	1.83	5.98	0.06	0.08	0.02	0.020	0.12	22.1	20.7	0.55	242	0.28									
12-656		0.18	4.3	0.27	0.58	<0.05	0.21	0.10	<0.005	0.02	4.2	2.7	0.28	98	0.60									
12-657		1.63	14.5	2.61	7.95	0.07	0.23	0.05	0.029	0.24	29.5	30.9	0.84	332	0.56									
12-658		1.20	5.6	2.06	6.07	0.07	0.10	0.02	0.021	0.14	19.9	21.6	0.66	379	0.41									
12-659		1.09	6.2	1.86	5.88	0.06	0.08	0.01	0.018	0.13	19.3	20.8	0.73	354	0.34									
12-660		1.39	11.2	2.33	6.89	0.08	0.16	0.04	0.024	0.20	25.7	25.5	0.79	395	0.36									
12-661		0.81	10.2	1.29	3.56	<0.05	0.15	0.02	0.015	0.13	18.3	14.6	3.05	324	0.25									
12-662		1.24	8.5	2.15	6.65	0.07	0.10	0.03	0.023	0.18	23.6	20.9	0.65	354	0.23									
12-663		0.77	6.7	1.15	3.84	0.06	0.06	0.04	0.014	0.09	15.1	11.7	0.41	140	0.20									
12-664		1.19	10.2	1.96	6.53	0.07	0.11	0.05	0.021	0.16	25.4	21.6	0.67	300	0.24									
12-665		1.74	14.6	2.47	7.84	0.07	0.14	0.05	0.027	0.27	28.9	27.7	0.84	389	0.37									
12-666		1.05	6.4	1.81	5.24	0.07	0.11	0.02	0.019	0.15	22.2	18.9	0.64	293	0.35									
12-667		1.03	6.0	1.41	5.06	0.06	0.04	0.03	0.017	0.10	17.7	15.1	0.46	227	0.34									
12-668		1.34	7.0	1.94	5.91	0.07	0.11	0.03	0.020	0.17	20.4	20.5	0.69	331	0.39									
12-669		1.28	7.9	2.17	6.23	0.06	0.10	0.02	0.021	0.17	19.3	21.5	0.72	475	0.29									
12-670		1.44	8.8	2.23	6.44	0.07	0.10	0.03	0.022	0.21	20.7	22.5	0.72	430	0.24									
12-671		0.76	2.7	1.25	4.01	0.05	0.07	0.01	0.011	0.08	12.6	13.3	0.37	179	0.20									
12-672		1.62	19.2	1.81	5.04	0.07	0.12	0.06	0.020	0.14	30.0	17.1	0.55	393	0.47									
12-673		0.54	4.0	0.97	2.52	<0.05	0.07	0.02	0.010	0.07	15.9	8.9	2.47	206	0.24									
12-674		1.13	5.2	1.81	5.37	0.06	0.08	0.01	0.017	0.15	16.2	18.3	0.57	347	0.25									
12-675		1.06	12.2	1.99	5.30	0.06	0.11	0.04	0.020	0.15	21.2	18.7	0.84	362	0.37									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-676		1.08	11.7	1.80	4.88	<0.05	0.16	0.04	0.020	0.17	25.4	18.4	1.88	373	0.42									
12-677		1.05	11.4	1.77	4.53	<0.05	0.19	0.04	0.022	0.13	26.2	18.4	1.66	384	0.41									
12-678		1.34	8.6	2.29	6.69	0.06	0.10	0.02	0.022	0.15	18.4	24.1	0.70	447	0.27									
12-679		0.98	5.8	1.71	5.23	0.05	0.04	0.02	0.016	0.10	12.5	17.5	0.50	228	0.34									
12-680		0.57	1.5	1.33	3.46	0.05	0.06	0.03	0.012	0.04	11.1	10.8	0.25	108	0.29									
12-681		0.35	3.8	0.75	2.33	<0.05	0.06	0.02	0.008	0.02	14.2	6.7	0.17	108	0.13									
12-682		0.28	<0.1	0.67	1.80	0.05	0.03	<0.01	0.006	0.02	8.5	5.4	0.17	71	0.05									
12-683		0.37	2.2	0.95	2.23	0.05	0.09	0.01	0.008	0.04	15.6	7.9	0.79	128	0.16									
12-684		0.16	13.5	0.32	0.92	<0.05	0.08	0.12	0.006	0.02	22.7	2.7	0.18	69	0.20									
12-685		0.65	12.4	1.16	3.28	<0.05	0.17	0.05	0.013	0.10	21.7	12.4	2.56	191	0.26									
12-686		0.86	5.4	1.40	4.49	0.06	0.07	0.03	0.015	0.09	15.8	15.5	0.48	290	0.26									
12-687		1.24	16.2	2.03	7.14	0.06	0.19	0.06	0.024	0.14	23.6	22.3	0.66	295	0.34									
12-688		1.33	12.1	2.27	6.44	0.08	0.25	0.03	0.023	0.20	24.1	23.7	0.86	382	0.26									
12-689		1.25	10.5	2.20	6.04	0.07	0.14	0.03	0.020	0.19	26.8	22.4	0.70	432	0.48									
12-690		1.57	14.0	2.55	7.11	0.07	0.22	0.05	0.025	0.22	32.1	32.5	1.08	435	0.42									
12-691		0.54	18.4	0.50	1.97	<0.05	0.22	0.16	0.010	0.04	12.2	8.2	0.25	832	0.58									
12-692		1.11	7.4	1.82	5.94	0.06	0.08	0.03	0.017	0.13	17.6	19.8	0.58	341	0.36									
12-693		1.28	10.8	2.39	6.99	0.07	0.14	0.04	0.024	0.18	22.7	25.4	0.75	463	0.55									
12-694		1.20	7.7	1.97	5.78	0.07	0.15	0.03	0.023	0.15	22.7	21.8	0.60	364	0.41									
12-695		0.82	6.1	1.40	4.25	0.06	0.07	0.05	0.015	0.11	17.5	15.2	0.45	165	0.28									
12-696		0.72	4.3	1.31	3.76	0.06	0.09	0.04	0.014	0.10	15.6	13.8	0.43	179	0.21									
12-697		1.88	22.6	3.16	8.96	0.07	0.14	0.07	0.034	0.28	31.4	32.7	0.93	723	0.56									
12-698		1.62	17.5	2.62	6.71	0.06	0.30	0.02	0.024	0.28	27.0	27.5	1.64	526	0.49									
12-699		1.26	19.7	2.73	7.67	0.06	0.25	0.03	0.027	0.19	29.8	27.6	0.85	420	0.64									
12-700		0.43	3.5	0.82	2.15	<0.05	0.09	0.03	0.011	0.05	15.0	8.4	2.66	229	0.48									
12-701		0.50	3.2	0.93	2.51	<0.05	0.07	0.03	0.012	0.05	15.9	8.8	2.11	226	0.50									
12-702		0.44	3.7	0.94	2.50	<0.05	0.10	0.02	0.013	0.07	16.3	9.3	2.51	177	0.43									
12-703		0.24	1.4	0.56	1.11	<0.05	0.22	<0.01	0.006	0.04	11.3	5.0	3.87	195	0.15									
12-704		1.29	12.9	2.40	6.22	0.07	0.14	0.03	0.025	0.19	23.9	23.8	0.80	507	0.48									
12-705		1.09	15.3	1.68	4.54	<0.05	0.15	0.05	0.021	0.18	26.2	19.1	2.17	539	0.28									
12-706		0.91	6.7	1.74	4.75	0.06	0.10	0.03	0.018	0.12	20.9	17.0	0.54	325	0.23									
12-707		1.59	27.2	2.19	5.55	0.07	0.14	0.05	0.022	0.20	31.0	23.4	1.69	339	0.40									

Certified By:

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012				DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil			
Sample Description	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
12-708		1.30	20.6	2.29	6.27	0.09	0.11	0.03	0.022	0.18	50.2	24.1	0.75	548	0.57
12-709		1.43	32.3	2.00	5.35	0.08	0.07	0.05	0.021	0.10	54.6	25.1	0.55	627	0.46
12-710		1.37	16.0	1.74	5.98	0.08	0.04	0.05	0.021	0.08	38.9	27.8	0.47	372	0.50
12-711		1.34	18.7	2.25	7.03	0.06	0.04	0.04	0.021	0.08	23.0	26.0	0.46	163	0.80
12-712		1.49	67.7	2.36	5.99	0.14	0.24	0.11	0.035	0.10	161	34.2	0.51	388	0.25
12-713		1.14	6.9	1.76	5.87	0.06	0.04	0.02	0.019	0.10	16.2	19.2	0.50	218	0.29
12-714		0.87	1.7	1.34	5.53	0.05	0.03	0.02	0.010	0.05	10.5	14.6	0.24	89	0.25
12-715		1.25	11.4	1.91	6.40	0.06	0.07	0.03	0.013	0.04	12.8	8.0	0.19	134	0.77
12-716		0.74	3.2	1.04	3.88	0.06	0.03	0.02	0.009	0.06	12.1	11.6	0.28	233	0.26
12-717		0.80	4.4	1.50	4.34	0.06	0.05	0.02	0.013	0.09	11.8	16.1	0.43	198	0.24
12-718		0.69	1.4	1.52	5.12	0.06	0.03	0.01	0.011	0.08	9.1	15.1	0.31	109	0.20
12-719		0.64	3.2	1.21	3.63	0.06	0.04	0.02	0.016	0.07	12.1	11.3	0.31	393	0.24
12-720		0.89	3.0	1.41	5.68	0.07	0.03	0.02	0.015	0.10	12.5	17.3	0.42	185	0.25
12-721		0.68	3.1	1.55	4.22	<0.05	0.10	0.02	0.020	0.06	10.7	12.6	0.25	174	0.26
12-722		0.33	<0.1	0.78	2.43	<0.05	0.03	0.02	0.007	0.02	8.4	6.9	0.16	40	0.12
12-723		1.73	15.0	2.71	7.96	0.08	0.21	0.05	0.028	0.30	31.6	34.5	1.36	735	0.45
12-724		1.06	11.6	1.37	4.12	<0.05	0.31	0.02	0.017	0.18	18.7	19.3	2.70	232	0.18
12-725		0.82	10.3	1.39	3.71	0.05	0.11	0.03	0.015	0.11	22.2	15.3	1.45	297	0.17
12-726		0.70	10.8	1.54	4.94	0.06	0.14	0.05	0.019	0.11	25.8	26.7	0.76	174	0.25
12-727		1.19	8.3	1.96	6.70	0.07	0.12	0.03	0.023	0.14	16.2	22.7	0.61	341	0.27
12-728		1.13	16.7	1.80	5.33	0.07	0.21	0.04	0.021	0.18	28.5	22.4	1.01	319	0.23
12-729		1.30	6.0	2.15	7.24	0.06	0.05	0.02	0.023	0.15	14.0	28.5	0.59	226	0.46
12-730		1.54	10.1	2.38	7.29	0.08	0.06	0.03	0.023	0.22	20.0	27.5	0.78	578	0.28
12-731		1.31	27.5	2.29	6.99	0.07	0.13	0.04	0.026	0.19	39.1	30.7	0.73	295	0.31
12-732		1.34	14.4	2.01	6.31	0.07	0.08	0.04	0.021	0.19	30.8	22.8	0.64	444	0.47
12-733		1.38	7.4	2.23	7.16	0.07	0.05	0.02	0.023	0.19	14.9	25.2	0.66	344	0.29
12-734		0.87	10.2	1.20	4.01	<0.05	0.05	0.04	0.016	0.12	20.7	15.3	1.94	1160	0.53
12-735		1.13	15.3	1.00	5.10	0.06	<0.02	0.03	0.012	0.05	16.2	9.2	0.19	363	0.45
12-736		1.76	59.8	4.87	8.42	0.08	0.02	0.05	0.162	0.03	11.2	8.7	0.15	97	2.61
12-737		0.39	3.7	0.68	7.89	<0.05	<0.02	0.02	0.007	0.02	5.8	0.8	0.05	32	0.88
12-738		1.10	16.3	1.60	5.74	0.07	0.02	0.03	0.018	0.03	15.0	14.0	0.27	100	1.12
12-739		1.18	13.3	1.07	3.73	0.06	<0.02	0.02	0.013	0.04	20.7	14.8	0.30	234	0.42

Certified By:





AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo					
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm					
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.01	0.1	0.1	0.01	1	0.05					
12-740	0.63	4.5	1.37	4.34	0.06	0.07	0.05	0.015	0.02	0.02	18.0	9.7	0.18	57	0.60					
12-741	0.92	11.1	1.08	5.19	0.06	0.02	0.02	0.009	0.02	0.02	16.3	10.9	0.23	67	0.51					
12-742	0.76	2.3	1.24	5.46	0.07	0.04	0.03	0.012	0.02	0.02	17.5	8.8	0.15	63	0.85					
12-743	1.63	23.5	1.89	10.4	0.06	0.04	0.03	0.010	0.06	0.06	10.6	20.8	0.78	211	1.91					
12-744	1.24	18.6	2.84	8.42	0.07	0.02	0.03	0.023	0.02	0.02	17.5	30.0	0.98	282	0.62					
12-745	0.99	13.0	1.56	4.91	0.06	0.03	0.04	0.014	0.04	0.04	17.9	15.0	0.40	127	0.72					
12-746	1.03	12.0	1.59	4.47	<0.05	0.17	0.02	0.017	0.16	0.16	23.9	16.6	2.51	408	0.52					
12-747	1.01	16.8	1.73	4.99	0.06	0.21	0.06	0.021	0.16	0.16	29.0	19.9	0.97	364	0.42					
12-748	1.39	19.6	2.39	6.82	0.07	0.18	0.05	0.026	0.23	0.23	36.2	27.5	1.22	360	0.27					
12-749	1.44	12.7	1.42	4.07	<0.05	0.08	0.04	0.018	0.10	0.10	22.5	15.0	2.12	350	0.56					
12-750	1.00	3.3	1.97	9.74	0.05	0.05	0.04	0.012	0.03	0.03	7.4	6.8	0.15	54	18.3					
12-751	1.18	4.7	1.95	9.58	<0.05	0.05	0.05	0.014	0.03	0.03	7.6	7.6	0.16	61	18.5					
12-752	1.40	8.0	1.51	6.26	0.06	0.05	0.07	0.016	0.03	0.03	12.8	10.4	0.22	72	6.48					
12-753	1.76	7.1	1.17	5.53	<0.05	0.03	0.02	0.012	0.03	0.03	10.9	14.9	0.26	79	8.02					
12-754	1.75	6.5	2.60	6.96	0.06	0.04	0.06	0.025	0.03	0.03	13.3	13.2	0.24	97	3.31					
12-755	1.20	6.9	1.92	5.76	0.06	0.06	0.03	0.014	0.03	0.03	14.9	13.1	0.29	106	0.78					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-355		<0.01	1.97	18.4	300	5.7	17.5	<0.001	0.009	0.06	2.7	0.3	0.4	12.3	<0.01
12-356		0.01	2.10	19.5	360	7.3	35.4	<0.001	0.022	0.07	4.5	0.7	0.6	17.4	<0.01
12-357		0.01	2.05	19.1	259	7.5	31.0	<0.001	0.014	0.07	4.5	0.4	0.6	17.1	<0.01
12-358		<0.01	1.60	6.8	296	4.6	15.7	<0.001	0.008	<0.05	1.3	<0.2	0.4	6.2	<0.01
12-359		0.01	0.63	30.3	1400	2.2	4.8	0.001	0.078	<0.05	2.7	0.8	<0.2	16.6	<0.01
12-360		<0.01	1.55	29.4	443	5.8	15.7	<0.001	0.016	0.05	2.4	0.3	0.3	10.0	<0.01
12-361		<0.01	1.97	17.1	268	6.0	11.9	0.001	0.012	<0.05	2.4	0.5	0.5	19.5	<0.01
12-362		<0.01	1.76	24.4	1090	12.6	8.6	<0.001	0.102	0.13	3.0	2.2	0.5	10.9	0.02
12-363		<0.01	1.60	25.7	300	4.3	7.1	0.001	0.022	<0.05	2.4	0.5	0.3	9.3	<0.01
12-364		<0.01	1.26	24.2	219	3.5	4.8	<0.001	0.008	<0.05	2.9	0.2	0.3	8.2	<0.01
12-365		0.01	1.70	21.8	236	5.7	2.2	<0.001	0.028	0.06	2.7	0.5	0.4	7.0	0.02
12-366		<0.01	2.45	10.1	320	7.8	5.4	<0.001	0.010	0.06	1.3	0.2	0.6	9.4	<0.01
12-367		<0.01	1.35	11.5	267	4.2	4.6	<0.001	0.007	<0.05	1.4	<0.2	0.3	11.6	<0.01
12-368		<0.01	1.79	8.4	206	5.2	7.2	<0.001	0.008	0.05	1.4	<0.2	0.4	7.9	<0.01
12-369		<0.01	1.91	38.6	876	5.8	1.9	<0.001	0.012	<0.05	1.6	0.3	0.4	29.3	<0.01
12-370		<0.01	1.65	20.7	357	4.4	6.2	<0.001	0.006	<0.05	1.8	<0.2	0.4	15.1	<0.01
12-371		<0.01	1.57	15.5	198	4.5	7.5	<0.001	0.007	<0.05	1.7	0.2	0.4	9.0	<0.01
12-372		<0.01	1.89	15.6	560	4.6	9.5	<0.001	0.010	<0.05	1.8	0.2	0.4	11.7	<0.01
12-373		<0.01	1.97	10.5	790	7.0	24.9	<0.001	0.010	0.06	1.6	0.2	0.5	13.3	<0.01
12-374		<0.01	2.52	12.8	1390	7.2	16.2	<0.001	0.014	0.05	1.9	0.3	0.5	13.7	<0.01
12-375		<0.01	1.95	16.2	420	7.1	11.8	<0.001	0.021	0.06	1.8	0.2	0.4	19.2	<0.01
12-376		<0.01	2.17	29.1	387	5.9	14.7	<0.001	0.014	<0.05	1.9	0.3	0.4	17.1	<0.01
12-377		0.01	1.77	17.1	455	5.2	16.7	<0.001	0.009	0.05	4.7	0.3	0.5	17.0	<0.01
12-378		0.01	2.32	19.3	308	6.4	29.5	<0.001	0.023	0.07	4.4	0.4	0.6	20.0	<0.01
12-379		0.02	2.72	25.8	385	6.9	34.9	<0.001	0.025	0.06	4.5	0.4	0.7	21.1	<0.01
12-380		<0.01	1.57	9.9	325	6.4	12.2	<0.001	0.018	0.06	2.7	0.3	0.4	13.4	<0.01
12-381		<0.01	1.00	4.1	136	4.0	4.4	<0.001	0.009	<0.05	1.4	<0.2	0.3	7.8	<0.01
12-382		<0.01	1.35	7.6	228	3.8	7.6	<0.001	0.009	<0.05	1.5	<0.2	0.3	8.0	<0.01
12-383		<0.01	1.37	4.3	112	3.8	5.3	<0.001	0.007	<0.05	1.4	<0.2	0.3	6.3	<0.01
12-384		<0.01	1.52	4.8	330	3.4	4.7	<0.001	0.006	<0.05	1.2	<0.2	0.3	6.1	<0.01
12-385		<0.01	2.13	8.8	267	4.8	7.8	<0.001	0.018	<0.05	1.7	0.2	0.4	8.1	<0.01
12-386		0.01	1.66	11.1	570	4.6	9.9	<0.001	0.013	0.05	3.5	0.3	0.3	48.0	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-387	<0.01	1.73	8.6	298	3.9	5.3	<0.001	0.005	<0.05	2.5	<0.2	0.3	8.2	<0.01							
12-388	<0.01	0.79	4.4	285	9.9	3.2	<0.001	0.051	0.21	1.1	0.4	0.4	16.3	0.05							
12-389	<0.01	1.72	8.7	270	5.1	5.4	<0.001	0.013	<0.05	1.9	0.3	0.3	10.7	<0.01							
12-390	<0.01	1.59	9.9	342	3.9	5.3	<0.001	0.005	<0.05	2.2	<0.2	0.3	8.8	<0.01							
12-391	<0.01	0.56	4.6	465	1.9	2.7	<0.001	0.006	<0.05	1.5	<0.2	<0.2	40.7	<0.01							
12-392	<0.01	0.90	5.9	443	2.5	3.8	<0.001	0.006	<0.05	2.1	0.2	<0.2	30.5	<0.01							
12-393	<0.01	2.67	4.4	101	3.9	8.1	<0.001	<0.005	<0.05	1.3	0.2	0.4	5.0	<0.01							
12-394	<0.01	1.66	8.2	201	4.7	6.0	<0.001	0.007	0.05	1.7	<0.2	0.4	6.0	<0.01							
12-395	<0.01	1.48	9.7	142	4.3	14.4	<0.001	0.006	<0.05	2.2	<0.2	0.4	11.8	<0.01							
12-396	0.01	2.41	19.0	202	7.8	27.6	<0.001	0.013	0.07	4.9	0.4	0.6	18.3	<0.01							
12-397	0.16	31.1	221	3520	111	361	0.004	0.255	1.14	52.3	5.0	7.6	251	<0.01							
12-398	0.02	2.70	26.2	244	9.1	38.3	<0.001	0.015	0.10	6.3	0.5	0.7	24.2	<0.01							
12-399	0.01	1.85	11.0	564	5.4	12.3	<0.001	0.014	0.07	3.6	0.3	0.4	22.4	<0.01							
12-400	<0.01	2.15	13.6	322	5.6	13.0	<0.001	0.019	0.06	2.5	0.4	0.5	14.4	<0.01							
12-401	0.01	2.68	22.1	263	8.2	32.1	<0.001	0.023	0.07	3.7	0.3	0.7	16.8	<0.01							
12-402	<0.01	1.65	11.4	242	6.2	17.8	<0.001	0.021	0.06	2.4	0.3	0.6	15.6	<0.01							
12-403	<0.01	1.79	8.6	262	5.6	9.5	<0.001	0.017	0.05	1.9	0.3	0.4	10.5	<0.01							
12-404	0.01	1.69	13.8	556	4.5	11.6	<0.001	0.013	<0.05	4.1	0.3	0.4	18.5	<0.01							
12-405	<0.01	1.44	10.1	339	4.0	10.3	<0.001	0.011	<0.05	2.9	0.3	0.3	13.5	<0.01							
12-406	<0.01	1.12	8.7	523	4.2	11.8	<0.001	0.024	<0.05	2.6	0.4	0.4	14.3	<0.01							
12-407	0.01	1.63	12.9	404	6.3	16.9	<0.001	0.019	<0.05	3.5	0.4	0.5	18.5	<0.01							
12-408	0.01	1.51	10.5	487	4.1	12.1	<0.001	0.014	<0.05	3.4	0.4	0.4	24.5	<0.01							
12-409	0.02	2.80	22.7	279	7.3	28.3	<0.001	0.016	0.06	5.6	0.4	0.8	27.5	<0.01							
12-410	0.02	2.80	23.3	406	7.0	34.5	<0.001	0.021	0.06	5.6	0.5	0.7	27.5	<0.01							
12-411	0.02	2.30	19.5	338	7.2	23.0	<0.001	0.014	0.05	5.1	0.3	0.6	23.3	<0.01							
12-412	0.02	0.48	4.8	457	3.8	1.4	0.001	0.370	0.14	0.4	0.7	<0.2	37.0	0.06							
12-413	0.02	3.59	32.4	358	11.6	41.4	<0.001	0.027	0.10	7.1	0.6	0.9	33.8	<0.01							
12-414	0.02	2.81	18.9	429	8.1	24.3	<0.001	0.027	0.09	5.1	0.4	0.6	29.6	<0.01							
12-415	0.02	2.51	16.4	518	5.2	21.8	<0.001	0.018	0.06	4.6	0.3	0.5	59.8	<0.01							
12-416	0.02	2.70	16.8	554	5.3	20.2	<0.001	0.020	0.06	4.8	0.3	0.5	62.9	<0.01							
12-417	0.02	3.07	21.2	439	8.2	27.5	<0.001	0.029	0.08	5.8	0.6	0.7	29.6	<0.01							
12-418	0.02	0.27	21.2	596	0.8	2.7	<0.001	0.019	<0.05	0.6	<0.2	<0.2	2.6	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012														DATE REPORTED: Oct 26, 2012					SAMPLE TYPE: Soil				
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm									
12-419	0.02	0.01	3.11	24.7	655	7.6	29.1	<0.001	0.021	0.08	6.3	0.5	0.7	35.7	<0.01										
12-420	0.02	0.02	2.06	13.8	498	4.6	16.2	<0.001	0.013	0.05	4.3	0.3	0.4	62.6	<0.01										
12-421	0.02	0.02	1.64	17.9	531	5.3	23.4	<0.001	0.011	0.06	5.0	0.3	0.5	51.6	<0.01										
12-422	<0.01	<0.01	1.12	8.3	234	2.9	12.7	<0.001	0.024	<0.05	3.1	0.5	0.3	13.8	<0.01										
12-423	0.01	0.01	2.27	14.8	142	6.8	16.4	<0.001	0.008	<0.05	4.0	0.2	0.6	18.7	<0.01										
12-424	0.01	0.01	2.10	12.3	260	4.8	14.8	<0.001	0.026	<0.05	3.8	0.4	0.5	20.6	<0.01										
12-425	0.01	0.01	2.29	24.5	258	7.5	33.9	<0.001	0.020	0.06	5.5	0.5	0.6	22.7	<0.01										
12-426	0.02	0.02	2.70	19.1	459	6.7	32.1	<0.001	0.015	0.07	5.2	0.4	0.7	26.4	<0.01										
12-427	0.03	0.03	2.59	31.9	607	8.8	33.0	<0.001	0.015	0.07	7.5	0.3	0.8	33.9	<0.01										
12-428	0.01	0.01	1.77	12.0	427	4.9	11.3	<0.001	0.011	<0.05	3.5	0.3	0.4	17.0	<0.01										
12-429	<0.01	<0.01	1.82	11.6	175	7.9	11.6	<0.001	0.024	0.07	2.5	0.3	0.6	10.7	<0.01										
12-430	<0.01	<0.01	1.82	10.6	333	4.4	9.8	<0.001	0.009	0.05	2.5	0.3	0.4	12.9	<0.01										
12-431	<0.01	<0.01	2.09	11.6	202	5.0	17.3	<0.001	0.008	<0.05	2.4	<0.2	0.5	13.3	<0.01										
12-432	0.01	0.01	2.42	18.2	263	6.0	20.3	<0.001	0.008	0.05	3.4	0.2	0.5	16.7	<0.01										
12-433	<0.01	<0.01	2.01	8.4	162	5.2	15.2	<0.001	0.013	<0.05	2.2	0.3	0.5	11.6	<0.01										
12-434	<0.01	<0.01	1.96	14.6	374	5.3	10.3	<0.001	0.017	0.07	2.3	0.3	0.4	10.9	<0.01										
12-435	<0.01	<0.01	3.26	7.8	258	6.6	8.3	<0.001	0.026	0.05	2.3	0.4	0.6	9.5	<0.01										
12-436	<0.01	<0.01	2.42	13.7	1000	6.7	15.5	<0.001	0.014	0.07	2.0	0.3	0.6	10.2	<0.01										
12-437	<0.01	<0.01	1.78	2.7	946	7.6	10.0	<0.001	0.012	0.06	1.5	0.2	0.6	6.7	<0.01										
12-438	<0.01	<0.01	2.07	8.6	560	6.8	10.6	<0.001	0.013	0.07	2.1	0.3	0.5	8.6	<0.01										
12-439	<0.01	<0.01	1.79	10.1	245	6.1	10.9	<0.001	0.012	<0.05	1.9	0.3	0.4	9.2	<0.01										
12-440	<0.01	<0.01	1.74	17.0	190	6.5	22.9	<0.001	0.012	0.07	2.6	0.2	0.6	17.0	<0.01										
12-441	0.01	0.01	1.89	22.1	497	8.0	23.0	<0.001	0.012	0.08	4.1	0.3	0.6	20.0	<0.01										
12-442	0.01	0.01	1.79	20.4	344	8.9	25.9	<0.001	0.016	0.08	3.5	0.3	0.7	18.0	<0.01										
12-443	0.01	0.01	2.02	22.6	438	7.6	21.1	<0.001	0.016	0.07	4.0	0.3	0.6	18.4	<0.01										
12-444	<0.01	<0.01	2.39	16.9	340	6.8	15.7	<0.001	0.017	0.06	2.7	0.3	0.5	14.6	<0.01										
12-445	0.02	0.02	2.63	26.4	664	9.0	27.4	<0.001	0.026	0.10	4.2	0.4	0.7	21.1	<0.01										
12-446	0.01	0.01	2.71	19.6	347	9.2	27.7	<0.001	0.014	0.08	3.5	0.3	0.8	18.5	<0.01										
12-447	<0.01	<0.01	2.03	15.9	364	7.3	20.9	<0.001	0.021	0.06	3.1	0.4	0.6	14.1	<0.01										
12-448	0.01	0.01	2.15	25.3	367	9.0	27.8	<0.001	0.009	0.08	4.6	0.3	0.7	19.9	<0.01										
12-449	0.01	0.01	1.99	23.8	479	6.6	32.0	<0.001	0.024	0.08	4.7	0.5	0.7	19.3	<0.01										
12-450	<0.01	<0.01	1.39	10.2	201	7.5	13.3	<0.001	0.018	0.09	2.3	0.3	0.5	13.0	<0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-451	0.01	0.01	1.91	16.1	623	6.5	18.2	<0.001	0.029	0.07	4.0	0.5	30.6	<0.01							
12-452	0.01	0.01	1.38	13.1	577	5.6	16.3	<0.001	0.024	0.05	3.8	0.5	19.5	<0.01							
12-453	<0.01	<0.01	1.15	11.2	387	6.0	11.7	<0.001	0.006	0.06	3.2	0.4	15.5	<0.01							
12-454	0.01	0.01	1.66	16.0	653	6.9	14.4	<0.001	0.031	0.06	4.1	0.5	18.6	<0.01							
12-455	<0.01	<0.01	1.46	13.5	501	5.0	17.8	<0.001	0.015	<0.05	3.6	0.4	16.4	<0.01							
12-456	0.01	0.01	1.53	13.4	261	4.6	16.7	<0.001	0.007	0.06	3.4	0.4	13.3	<0.01							
12-457	0.01	0.01	1.67	23.8	492	7.7	22.8	<0.001	0.009	0.09	5.9	0.6	20.6	<0.01							
12-458	0.01	0.01	2.00	17.3	226	5.8	22.8	<0.001	0.010	0.06	3.2	0.6	18.5	<0.01							
12-459	0.01	0.01	1.63	11.9	515	4.6	13.3	<0.001	0.050	0.05	3.4	0.3	31.4	<0.01							
12-460	0.01	0.01	1.17	7.7	463	3.1	5.4	<0.001	0.013	<0.05	2.6	0.2	39.1	<0.01							
12-461	0.01	0.01	1.29	8.2	461	3.7	9.1	<0.001	0.011	0.05	2.8	0.3	44.7	<0.01							
12-462	0.01	0.01	2.22	20.3	344	7.7	20.3	<0.001	0.013	0.09	4.1	0.6	18.7	<0.01							
12-463	0.01	0.01	0.90	8.0	417	3.1	7.6	<0.001	0.007	<0.05	2.4	0.2	57.3	<0.01							
12-464	<0.01	<0.01	2.12	13.6	356	7.4	22.1	<0.001	0.015	0.07	2.4	0.6	10.8	<0.01							
12-465	<0.01	<0.01	1.81	15.6	418	5.7	13.6	<0.001	0.010	0.06	3.6	0.4	11.5	<0.01							
12-466	<0.01	<0.01	1.83	16.8	286	5.4	15.3	<0.001	0.008	0.06	2.8	0.5	11.9	<0.01							
12-467	0.01	0.01	1.60	9.6	465	4.1	11.4	<0.001	0.015	<0.05	2.9	0.3	53.1	<0.01							
12-468	<0.01	<0.01	1.53	8.4	394	4.5	8.4	<0.001	0.016	0.06	2.8	0.3	23.5	<0.01							
12-469	0.01	0.01	0.70	9.5	399	3.1	7.6	<0.001	0.007	<0.05	2.3	0.2	51.0	<0.01							
12-470	0.02	0.02	1.04	19.1	477	5.7	17.7	<0.001	0.009	0.08	4.3	0.4	66.7	<0.01							
12-471	0.01	0.01	1.94	17.5	432	7.1	19.0	<0.001	0.018	0.12	4.2	0.5	44.7	<0.01							
12-472	<0.01	<0.01	1.80	12.1	269	5.3	8.6	<0.001	0.006	0.05	3.0	0.4	10.4	<0.01							
12-473	0.01	0.01	1.66	10.3	395	4.0	10.9	<0.001	0.012	0.06	3.2	0.3	66.2	<0.01							
12-474	<0.01	<0.01	1.01	8.5	633	3.4	8.4	<0.001	0.035	0.06	1.6	0.3	13.9	<0.01							
12-475	<0.01	<0.01	1.46	25.3	653	5.3	12.1	0.001	0.045	0.07	3.0	0.4	20.2	<0.01							
12-476	0.01	0.01	1.58	13.6	718	5.1	11.0	<0.001	0.048	0.06	3.2	0.4	19.9	<0.01							
12-477	<0.01	<0.01	1.46	8.0	498	4.1	8.6	<0.001	0.014	<0.05	2.9	0.3	21.8	<0.01							
12-478	0.02	0.02	1.58	15.5	510	4.6	16.1	<0.001	0.011	0.08	4.1	0.4	95.8	<0.01							
12-479	0.01	0.01	2.05	22.4	560	9.0	20.0	<0.001	0.026	0.08	3.2	0.6	27.7	<0.01							
12-480	<0.01	<0.01	1.25	13.7	517	5.1	5.3	<0.001	0.026	<0.05	1.9	0.4	13.6	<0.01							
12-481	<0.01	<0.01	1.26	18.0	619	4.1	6.2	<0.001	0.011	<0.05	1.8	<0.2	17.4	<0.01							
12-482	<0.01	<0.01	1.35	14.2	439	5.6	9.9	<0.001	0.038	0.07	2.4	0.4	16.5	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-483	0.02	0.01	2.43	24.6	632	7.9	31.1	<0.001	0.017	0.09	6.1	0.4	0.7	49.5	<0.01						
12-484	0.02	0.02	2.78	24.3	524	7.7	24.4	<0.001	0.011	0.07	4.4	0.2	0.7	20.7	<0.01						
12-485	0.01	0.01	1.74	11.0	566	5.4	13.0	<0.001	0.025	0.05	2.8	0.3	0.3	41.5	<0.01						
12-486	0.01	0.01	2.35	17.4	288	6.2	16.8	<0.001	0.010	0.05	3.1	0.2	0.6	14.9	<0.01						
12-487	0.01	0.01	1.61	12.1	414	3.8	8.8	<0.001	0.006	<0.05	2.9	<0.2	0.4	14.0	<0.01						
12-488	<0.01	<0.01	1.50	10.6	424	6.1	6.7	<0.001	0.018	0.05	1.7	0.3	0.4	11.6	<0.01						
12-489	<0.01	<0.01	1.96	16.7	400	6.0	5.4	<0.001	0.013	<0.05	2.2	0.2	0.5	13.8	0.01						
12-490	<0.01	<0.01	1.90	17.8	439	5.2	6.3	<0.001	0.015	<0.05	1.9	0.3	0.4	12.6	<0.01						
12-491	<0.01	<0.01	1.06	7.9	279	3.1	4.5	<0.001	0.010	<0.05	1.7	<0.2	0.2	9.4	<0.01						
12-492	<0.01	<0.01	0.96	24.2	531	7.5	13.3	<0.001	0.073	0.09	2.0	0.4	0.6	16.7	0.01						
12-493	<0.01	<0.01	2.11	10.1	149	6.4	8.7	<0.001	0.009	<0.05	1.5	<0.2	0.6	10.2	<0.01						
12-494	<0.01	<0.01	2.68	24.3	1220	10.8	11.5	<0.001	0.041	0.12	2.1	0.7	0.6	18.5	0.02						
12-495	<0.01	<0.01	1.65	20.5	508	5.5	5.0	<0.001	0.017	0.05	1.5	0.2	0.3	14.2	<0.01						
12-496	<0.01	<0.01	1.92	58.7	168	5.4	7.3	<0.001	0.017	<0.05	2.1	0.3	0.5	15.1	<0.01						
12-497	0.01	0.01	1.92	19.4	355	5.2	10.9	<0.001	0.013	0.05	2.8	0.2	0.4	13.9	<0.01						
12-498	0.01	0.01	2.14	21.5	472	7.2	24.8	<0.001	0.009	0.08	4.4	0.2	0.6	18.5	<0.01						
12-499	0.02	0.02	0.73	12.0	473	4.0	11.6	<0.001	0.009	0.06	3.7	0.2	0.4	88.3	<0.01						
12-500	0.02	0.02	2.51	21.0	456	7.8	20.2	<0.001	0.013	0.08	4.3	0.3	0.6	18.9	<0.01						
12-501	0.01	0.01	2.78	21.1	289	7.7	20.0	<0.001	0.012	0.08	4.3	0.3	0.7	23.7	<0.01						
12-502	0.02	0.02	2.04	16.0	617	5.5	11.0	<0.001	0.036	0.06	3.6	0.3	0.4	29.4	<0.01						
12-503	0.02	0.02	2.07	22.3	686	7.8	18.7	<0.001	0.014	0.06	5.2	0.2	0.7	23.0	<0.01						
12-504	<0.01	<0.01	2.93	16.5	142	8.8	18.0	<0.001	0.009	0.11	4.8	0.4	0.8	15.8	<0.01						
12-505	0.01	0.01	2.20	14.0	166	7.0	22.0	<0.001	0.012	0.08	2.7	0.2	0.6	17.8	<0.01						
12-506	0.02	0.02	2.32	23.5	834	8.6	36.3	<0.001	0.068	0.14	4.4	0.7	0.7	29.4	<0.01						
12-507	0.01	0.01	2.06	17.5	350	6.7	26.4	<0.001	0.032	0.09	3.2	0.5	0.7	22.6	<0.01						
12-508	0.02	0.02	2.85	30.4	610	10.2	42.2	<0.001	0.017	0.13	6.1	0.4	0.9	24.9	<0.01						
12-509	0.01	0.01	2.13	21.0	392	7.5	29.7	<0.001	0.007	0.10	4.7	0.3	0.7	19.9	<0.01						
12-510	0.01	0.01	1.65	11.8	493	4.4	12.9	<0.001	0.006	0.07	2.3	<0.2	0.4	12.9	<0.01						
12-511	<0.01	<0.01	1.51	7.1	115	4.2	10.9	<0.001	0.006	<0.05	1.6	<0.2	0.4	10.5	<0.01						
12-512	<0.01	<0.01	2.26	18.7	438	6.1	17.4	<0.001	0.009	0.06	2.6	0.3	0.6	15.7	<0.01						
12-513	<0.01	<0.01	1.21	21.7	353	6.7	16.4	<0.001	0.020	0.07	1.7	0.2	0.6	17.7	<0.01						
12-514	<0.01	<0.01	2.15	25.6	282	7.1	6.9	<0.001	0.013	0.10	1.5	0.2	0.6	10.5	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	
		DATE RECEIVED: Sep 28, 2012 DATE REPORTED: Oct 26, 2012 SAMPLE TYPE: Soil														
12-515	<0.01	0.01	1.43	28.0	273	5.2	6.1	<0.001	0.010	<0.05	1.2	<0.2	0.4	24.3	<0.01	
12-516	<0.01	0.01	1.69	13.6	396	5.4	14.6	<0.001	0.011	0.07	1.9	<0.2	0.6	13.8	<0.01	
12-517	0.01	0.01	2.10	17.9	280	7.2	30.6	<0.001	0.017	0.07	2.7	<0.2	0.7	17.3	<0.01	
12-518	0.02	0.02	2.78	26.6	318	9.4	36.7	<0.001	0.011	0.07	4.1	0.2	0.8	21.2	<0.01	
12-519	0.01	0.01	1.90	12.9	169	6.2	20.4	<0.001	0.009	0.06	2.6	<0.2	0.6	14.3	<0.01	
12-520	0.01	0.01	2.78	23.5	523	8.0	26.4	<0.001	0.046	0.08	4.1	0.6	0.8	24.7	0.02	
12-521	0.02	0.02	2.24	24.7	544	7.3	27.4	<0.001	0.010	0.06	5.9	0.4	0.6	25.7	<0.01	
12-522	0.01	0.01	2.06	11.8	162	5.8	27.7	<0.001	0.010	<0.05	2.7	0.2	0.5	14.9	<0.01	
12-523	0.02	0.02	2.49	26.7	376	8.1	31.9	<0.001	0.010	0.06	5.0	0.3	0.6	21.3	<0.01	
12-524	0.02	0.02	2.45	19.3	573	6.1	17.2	0.001	0.010	0.05	4.6	0.3	0.5	20.0	<0.01	
12-525	0.01	0.01	2.37	18.4	392	5.8	19.3	<0.001	0.008	<0.05	3.4	0.2	0.5	15.9	<0.01	
12-526	<0.01	<0.01	2.01	13.4	367	5.2	15.2	<0.001	0.009	<0.05	2.4	0.2	0.4	11.8	<0.01	
12-527	<0.01	<0.01	1.81	8.4	274	7.0	9.3	<0.001	0.015	<0.05	1.5	<0.2	0.5	10.9	<0.01	
12-528	<0.01	<0.01	1.81	11.1	320	5.3	13.2	<0.001	0.015	<0.05	2.2	0.2	0.4	12.0	<0.01	
12-530	0.02	0.02	3.49	24.9	392	8.1	36.6	<0.001	0.034	0.08	5.0	0.6	0.7	26.6	<0.01	
12-531	0.01	0.01	2.71	22.7	601	7.5	29.7	<0.001	0.065	0.10	4.3	0.8	0.6	30.5	<0.01	
12-532	0.01	0.01	2.18	17.8	718	6.5	23.6	<0.001	0.093	0.09	2.8	1.4	0.5	34.5	0.01	
12-533	0.02	0.02	3.04	24.5	526	8.5	44.9	<0.001	0.020	0.09	5.0	0.4	0.6	20.5	<0.01	
12-534	0.02	0.02	2.87	23.8	789	8.9	32.4	0.001	0.055	0.09	5.1	0.8	0.6	27.1	<0.01	
12-535	0.01	0.01	2.18	12.8	205	5.0	14.9	<0.001	0.005	<0.05	2.8	<0.2	0.4	14.3	<0.01	
12-536	0.02	0.02	3.07	22.2	355	7.2	34.1	<0.001	0.014	0.06	4.4	0.3	0.6	20.9	<0.01	
12-537	0.03	0.03	2.40	24.4	562	7.7	29.9	0.001	0.015	0.09	5.3	0.3	0.6	62.0	<0.01	
12-538	0.02	0.02	3.06	23.6	478	8.0	33.4	<0.001	0.015	0.09	4.8	0.3	0.6	21.4	<0.01	
12-539	0.01	0.01	2.73	21.6	330	8.8	27.8	<0.001	0.018	0.09	4.0	0.2	0.6	18.2	<0.01	
12-540	0.02	0.02	3.21	23.6	333	8.0	27.3	<0.001	0.040	0.06	5.2	0.3	0.6	35.5	<0.01	
12-541	0.02	0.02	2.89	21.7	355	8.0	23.0	<0.001	0.030	0.08	4.5	0.3	0.5	39.6	<0.01	
12-542	0.02	0.02	2.59	25.8	451	8.6	25.1	0.003	0.052	0.07	4.7	0.6	0.6	27.1	<0.01	
12-543	0.02	0.02	3.17	22.6	146	9.3	20.2	0.002	0.019	0.09	5.2	0.4	0.7	21.1	<0.01	
12-544	0.02	0.02	2.94	21.1	242	8.1	27.2	<0.001	0.012	0.08	4.6	0.3	0.6	18.4	<0.01	
12-545	0.02	0.02	2.75	19.5	421	6.6	20.1	<0.001	0.020	0.08	4.4	0.3	0.5	47.1	<0.01	
12-546	0.01	0.01	2.83	17.1	173	9.7	13.9	<0.001	0.025	0.10	3.5	0.3	0.7	15.2	<0.01	
12-547	0.01	0.01	1.59	7.3	554	2.8	9.7	0.002	0.377	<0.05	2.0	0.4	0.2	47.7	<0.01	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-548		0.02	2.11	10.5	486	3.7	14.0	0.002	0.161	<0.05	2.5	0.3	0.3	69.5	<0.01						
12-549		0.02	2.63	16.9	476	5.4	15.8	<0.001	0.037	0.05	4.1	0.4	0.5	38.1	<0.01						
12-550		0.02	3.52	25.6	510	9.9	29.2	<0.001	0.040	0.10	5.3	0.5	0.6	48.8	<0.01						
12-551		0.02	3.64	27.2	558	9.7	29.4	<0.001	0.040	0.10	5.4	0.5	0.7	43.5	<0.01						
12-552		<0.01	1.13	5.2	368	2.2	5.7	<0.001	0.255	<0.05	1.5	<0.2	<0.2	16.6	<0.01						
12-553		0.01	2.57	15.7	226	8.0	21.0	<0.001	0.018	0.09	3.0	0.2	0.5	16.3	<0.01						
12-554		0.01	2.23	22.1	300	7.5	27.2	<0.001	0.008	0.07	3.7	0.2	0.6	18.3	<0.01						
12-555		0.01	2.18	22.1	223	6.9	22.1	<0.001	0.006	0.07	3.2	0.2	0.6	14.0	<0.01						
12-556		0.01	2.32	20.5	863	8.5	23.3	0.002	0.090	0.12	3.2	0.7	0.5	31.5	0.02						
12-557		<0.01	1.93	15.4	427	5.6	8.2	<0.001	0.013	0.05	1.7	0.3	0.3	8.0	<0.01						
12-558		<0.01	2.24	12.3	372	6.0	13.0	<0.001	0.016	0.06	1.6	0.3	0.4	7.9	<0.01						
12-559		<0.01	2.27	12.3	1400	8.0	18.4	<0.001	0.018	0.08	1.8	0.3	0.7	13.2	<0.01						
12-560		<0.01	2.04	9.5	431	5.1	16.7	<0.001	0.010	<0.05	1.5	0.3	0.5	8.8	<0.01						
12-561		<0.01	2.64	9.3	1620	7.6	17.4	<0.001	0.013	0.09	1.4	0.3	0.6	11.2	<0.01						
12-562		<0.01	3.57	6.0	731	9.4	17.6	<0.001	0.018	0.08	1.5	0.3	0.8	11.9	<0.01						
12-563		<0.01	2.50	16.3	1530	11.8	13.6	<0.001	0.033	0.09	1.5	0.5	0.5	13.8	0.01						
12-564		<0.01	1.94	2.5	1040	8.4	11.8	<0.001	0.023	0.06	1.3	0.5	0.6	7.6	0.01						
12-565		<0.01	2.74	10.6	753	7.2	16.2	<0.001	0.019	0.06	1.6	0.4	0.6	11.5	<0.01						
12-566		<0.01	2.09	5.8	458	7.0	12.2	<0.001	0.015	<0.05	1.5	0.3	0.5	9.7	0.02						
12-567		<0.01	13.7	13.7	472	5.8	13.5	<0.001	0.017	<0.05	1.9	0.3	0.4	18.0	<0.01						
12-568		<0.01	3.70	13.3	480	7.8	16.8	<0.001	0.021	0.08	2.1	0.5	0.7	11.0	<0.01						
12-569		<0.01	2.10	16.1	748	5.7	7.6	<0.001	0.012	0.05	1.5	0.3	0.4	9.9	0.01						
12-570		<0.01	2.21	2.8	509	5.4	11.8	<0.001	0.006	<0.05	0.8	<0.2	0.6	7.4	<0.01						
12-571		<0.01	3.42	7.8	1290	6.7	11.6	<0.001	0.011	0.05	1.4	<0.2	0.6	9.5	<0.01						
12-572		<0.01	2.76	12.7	1270	7.4	10.4	<0.001	0.019	0.07	1.8	0.4	0.5	13.9	0.03						
12-573		<0.01	2.15	5.9	589	4.9	13.0	<0.001	0.010	0.07	1.2	0.2	0.5	8.6	<0.01						
12-574		<0.01	1.91	14.4	320	4.7	6.8	<0.001	0.011	<0.05	2.0	0.4	0.3	8.4	<0.01						
12-575		<0.01	2.15	9.9	250	4.8	6.2	<0.001	0.012	<0.05	1.6	0.2	0.4	9.3	<0.01						
12-576		<0.01	1.66	8.1	194	4.3	5.7	<0.001	0.009	<0.05	1.4	<0.2	0.3	7.8	<0.01						
12-577		<0.01	2.43	10.7	327	4.6	7.8	<0.001	0.012	<0.05	1.4	0.3	0.4	8.4	<0.01						
12-578		<0.01	2.33	10.1	609	6.9	7.2	<0.001	0.020	0.05	1.4	0.3	0.4	9.2	0.02						
12-579		<0.01	3.80	7.4	217	6.6	14.5	<0.001	0.012	0.05	1.2	<0.2	0.8	9.8	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-580	<0.01	0.01	0.05	12.3	598	3.8	13.4	<0.001	0.019	<0.05	1.7	<0.2	0.3	10.0	<0.01					
12-581	<0.01	<0.01	2.06	4.9	842	6.4	13.0	<0.001	0.007	0.06	1.1	<0.2	0.6	8.1	<0.01					
12-582	<0.01	<0.01	1.42	1.7	240	5.2	12.7	<0.001	0.006	<0.05	0.7	<0.2	0.5	6.7	<0.01					
12-583	<0.01	<0.01	1.60	2.3	686	5.7	12.6	<0.001	0.008	<0.05	0.8	<0.2	0.5	8.9	<0.01					
12-584	<0.01	<0.01	2.92	4.7	362	8.1	11.2	<0.001	0.023	0.06	1.2	0.5	0.7	8.7	<0.01					
12-585	<0.01	<0.01	3.56	12.0	435	10.8	9.9	<0.001	0.018	<0.05	1.9	0.3	0.9	13.6	<0.01					
12-586	0.01	0.01	1.66	11.9	396	3.9	8.6	<0.001	0.010	<0.05	2.3	<0.2	0.3	11.9	<0.01					
12-587	<0.01	<0.01	1.39	11.5	653	4.7	14.1	<0.001	0.028	0.05	2.2	0.3	0.3	14.7	<0.01					
12-588	<0.01	<0.01	1.54	12.5	335	4.5	13.8	<0.001	0.008	<0.05	2.1	<0.2	0.4	12.2	<0.01					
12-589	<0.01	<0.01	2.47	14.7	269	5.4	18.1	<0.001	0.013	<0.05	1.7	<0.2	0.5	10.0	<0.01					
12-590	<0.01	<0.01	2.69	13.1	2100	7.2	12.5	<0.001	0.016	0.07	1.6	0.3	0.5	9.6	<0.01					
12-591	<0.01	<0.01	3.44	15.2	4040	11.7	23.0	<0.001	0.024	0.07	2.3	0.4	0.8	15.0	<0.01					
12-592	<0.01	<0.01	2.60	8.6	1100	6.1	8.7	<0.001	0.011	0.07	1.6	0.3	0.5	9.5	<0.01					
12-593	<0.01	<0.01	2.00	8.0	195	3.3	17.5	<0.001	0.009	<0.05	1.2	<0.2	0.4	7.9	<0.01					
12-594	<0.01	<0.01	1.88	11.3	797	7.5	12.2	<0.001	0.017	<0.05	1.5	0.2	0.4	10.9	<0.01					
12-595	<0.01	<0.01	2.03	8.3	2130	5.9	10.0	<0.001	0.017	0.07	1.4	0.3	0.4	9.0	<0.01					
12-596	<0.01	<0.01	4.29	17.0	2860	12.4	26.9	<0.001	0.027	0.10	2.2	0.5	0.9	14.5	<0.01					
12-597	<0.01	<0.01	2.76	7.9	1920	12.1	16.6	<0.001	0.019	0.13	1.6	0.3	0.8	11.8	<0.01					
12-598	<0.01	<0.01	1.92	7.3	1580	5.7	11.1	<0.001	0.017	0.06	1.3	0.4	0.5	8.3	<0.01					
12-599	<0.01	<0.01	2.74	12.8	818	6.7	7.1	<0.001	0.032	0.10	1.8	0.7	0.5	9.4	0.04					
12-600	<0.01	<0.01	2.40	12.2	1090	7.0	12.6	<0.001	0.017	0.10	1.6	0.4	0.6	9.0	<0.01					
12-601	<0.01	<0.01	2.57	11.6	1200	7.2	13.0	<0.001	0.021	0.11	1.6	0.4	0.5	8.7	0.01					
12-602	<0.01	<0.01	1.17	2.1	198	3.3	8.7	<0.001	0.006	<0.05	0.8	<0.2	0.4	6.4	<0.01					
12-603	<0.01	<0.01	1.35	7.2	252	4.2	8.1	<0.001	0.009	<0.05	1.5	<0.2	0.3	10.1	<0.01					
12-604	<0.01	<0.01	2.30	16.2	307	5.5	12.7	<0.001	0.007	<0.05	2.6	0.2	0.5	13.1	<0.01					
12-605	<0.01	<0.01	1.81	12.7	319	6.1	15.4	<0.001	0.011	<0.05	2.4	0.2	0.4	13.5	<0.01					
12-606	0.01	0.01	2.04	10.4	526	5.2	12.5	<0.001	0.013	<0.05	2.7	0.2	0.4	16.5	<0.01					
12-607	0.01	0.01	2.06	11.3	346	6.2	18.0	<0.001	0.013	<0.05	3.1	0.3	0.5	18.2	<0.01					
12-608	<0.01	<0.01	1.73	5.6	330	4.8	11.1	<0.001	<0.005	<0.05	2.6	<0.2	0.4	14.2	<0.01					
12-609	<0.01	<0.01	1.41	5.7	225	4.2	8.4	<0.001	<0.005	<0.05	1.9	<0.2	0.3	10.5	<0.01					
12-610	<0.01	<0.01	1.63	12.7	563	5.2	12.6	<0.001	0.011	<0.05	2.5	<0.2	0.3	12.9	<0.01					
12-611	<0.01	<0.01	1.14	2.5	212	4.4	9.9	<0.001	0.011	<0.05	1.8	0.4	0.3	11.9	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-612	<0.01	0.01	1.38	7.3	247	5.7	13.3	<0.001	0.007	<0.05	2.5	0.2	0.4	11.8	<0.01					
12-613	<0.01	<0.01	1.40	8.8	265	4.4	9.9	<0.001	<0.005	<0.05	2.5	0.2	0.3	10.8	<0.01					
12-614	<0.01	<0.01	1.66	9.4	399	4.8	9.2	<0.001	0.012	<0.05	2.5	0.2	0.4	13.4	<0.01					
12-615	<0.01	<0.01	1.34	9.0	124	4.7	8.1	<0.001	<0.005	<0.05	1.9	<0.2	0.4	10.2	<0.01					
12-616	0.01	0.01	1.01	5.2	385	2.6	4.4	<0.001	0.008	<0.05	1.8	<0.2	0.2	56.6	<0.01					
12-617	<0.01	<0.01	2.39	11.8	242	11.3	37.5	<0.001	0.023	0.09	3.7	0.4	0.7	22.7	<0.01					
12-618	0.01	0.01	1.30	17.8	839	5.9	8.8	<0.001	0.011	0.05	1.5	<0.2	0.5	44.2	<0.01					
12-619	<0.01	<0.01	2.80	11.3	233	10.2	4.9	<0.001	0.019	0.11	1.5	0.3	0.8	13.0	<0.01					
12-620	<0.01	<0.01	1.10	2.3	420	12.7	4.5	<0.001	0.014	0.08	1.0	<0.2	0.9	9.8	<0.01					
12-621	<0.01	<0.01	1.24	14.8	566	5.1	8.1	<0.001	<0.005	<0.05	1.3	<0.2	0.4	39.5	<0.01					
12-622	<0.01	<0.01	1.60	24.9	617	5.6	12.2	<0.001	0.022	0.08	2.2	0.2	0.4	34.7	<0.01					
12-623	<0.01	<0.01	1.99	9.2	505	9.9	5.5	<0.001	0.020	0.07	1.3	0.3	0.6	19.6	0.01					
12-624	<0.01	<0.01	1.84	19.5	699	4.8	7.1	<0.001	0.015	<0.05	1.7	0.2	0.4	26.0	<0.01					
12-625	<0.01	<0.01	1.47	9.9	1350	6.0	14.4	<0.001	0.029	<0.05	2.0	0.7	0.4	68.6	0.01					
12-626	<0.01	<0.01	1.73	13.7	1040	6.7	14.4	0.001	0.034	0.09	2.4	0.7	0.5	61.0	0.01					
12-627	<0.01	<0.01	2.51	11.2	1190	8.8	12.2	<0.001	0.017	0.10	1.7	0.4	0.6	20.6	<0.01					
12-628	<0.01	<0.01	1.41	10.5	654	4.5	9.7	<0.001	0.009	0.07	1.6	<0.2	0.3	30.3	<0.01					
12-629	<0.01	<0.01	1.32	10.6	776	22.2	8.3	0.002	0.073	0.24	1.6	0.8	0.5	57.3	<0.01					
12-630	<0.01	<0.01	1.25	16.2	1050	3.4	5.2	<0.001	0.016	<0.05	1.5	0.2	0.3	22.8	<0.01					
12-631	<0.01	<0.01	1.23	3.6	159	5.6	2.6	<0.001	0.014	<0.05	0.9	<0.2	0.6	8.5	<0.01					
12-632	<0.01	<0.01	1.98	15.1	360	5.6	7.6	<0.001	0.012	<0.05	1.4	0.2	0.5	22.4	<0.01					
12-633	<0.01	<0.01	2.71	17.5	639	6.7	9.3	<0.001	0.025	0.07	1.9	0.5	0.5	11.1	0.01					
12-634	<0.01	<0.01	2.58	18.2	1050	13.1	12.3	<0.001	0.021	0.10	1.4	0.3	0.7	18.6	<0.01					
12-635	<0.01	<0.01	1.63	29.7	643	4.9	11.7	<0.001	0.012	<0.05	1.5	0.3	0.4	14.7	<0.01					
12-636	<0.01	<0.01	1.97	8.7	245	3.9	4.5	<0.001	0.016	0.06	1.4	<0.2	0.4	6.2	<0.01					
12-637	0.04	0.04	2.00	9.2	305	8.2	6.5	<0.001	0.014	0.12	2.7	0.2	0.6	15.8	<0.01					
12-638	<0.01	<0.01	2.17	22.8	351	4.8	9.8	<0.001	0.010	<0.05	2.0	0.3	0.4	12.7	<0.01					
12-639	<0.01	<0.01	0.95	3.3	157	7.4	5.4	<0.001	0.013	0.05	1.4	<0.2	0.8	5.6	<0.01					
12-640	0.01	0.01	1.35	25.1	352	5.6	12.0	<0.001	0.025	0.05	2.2	0.3	0.4	4.2	<0.01					
12-641	0.01	0.01	2.03	24.1	384	7.0	42.2	<0.001	0.021	0.12	3.1	0.4	0.6	7.0	<0.01					
12-642	<0.01	<0.01	2.56	16.4	244	6.5	18.6	<0.001	0.012	0.08	1.8	0.3	0.6	5.9	<0.01					
12-643	<0.01	<0.01	1.07	21.5	628	4.1	6.6	<0.001	0.012	<0.05	2.5	0.2	0.3	14.5	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	
		DATE RECEIVED: Sep 28, 2012 DATE REPORTED: Oct 26, 2012 SAMPLE TYPE: Soil														
12-644		<0.01	1.43	16.5	369	4.4	4.4	<0.001	0.016	<0.05	2.0	0.4	0.3	10.8	<0.01	
12-645		0.02	2.41	12.8	273	9.3	6.7	<0.001	0.027	0.06	2.3	0.3	0.7	7.0	<0.01	
12-646		<0.01	2.72	22.3	272	10.3	10.7	<0.001	0.022	0.10	1.8	0.3	0.7	7.7	<0.01	
12-647		0.01	1.28	32.1	328	12.7	12.3	0.002	0.045	<0.05	1.9	0.4	0.5	14.1	<0.01	
12-648		<0.01	1.83	59.4	617	13.7	16.3	0.009	0.055	0.09	3.5	1.4	0.5	21.0	<0.01	
12-649		<0.01	4.35	9.2	555	21.5	34.5	<0.001	0.019	0.10	2.5	<0.2	1.1	13.1	<0.01	
12-650		0.02	2.07	16.6	449	6.0	16.9	<0.001	0.011	0.09	3.7	<0.2	0.5	72.6	<0.01	
12-651		0.02	0.89	14.2	477	4.7	12.3	<0.001	0.009	0.08	3.4	0.2	0.5	91.7	<0.01	
12-652		0.02	2.32	19.4	647	7.7	36.5	<0.001	0.015	0.07	5.2	0.3	0.7	25.0	<0.01	
12-653		0.02	2.38	26.7	448	9.2	25.6	<0.001	0.010	0.12	5.5	0.3	0.8	28.6	<0.01	
12-654		0.02	2.04	29.3	195	10.9	30.2	<0.001	0.005	0.16	4.9	<0.2	0.9	22.7	<0.01	
12-655		0.02	2.66	19.1	183	8.3	24.0	<0.001	0.012	0.08	3.9	0.3	0.7	22.0	<0.01	
12-656		0.02	0.52	3.7	504	4.8	2.2	<0.001	0.268	0.46	0.5	1.0	<0.2	34.6	0.10	
12-657		0.02	3.17	31.2	581	9.9	33.4	<0.001	0.022	0.24	5.8	0.5	0.8	24.4	<0.01	
12-658		0.02	2.17	24.1	273	8.4	26.4	<0.001	0.007	0.16	4.4	0.3	0.7	22.1	<0.01	
12-659		0.02	1.91	20.3	210	7.9	26.2	<0.001	0.009	0.17	4.0	<0.2	0.7	25.1	<0.01	
12-660		0.02	2.50	28.5	586	9.0	27.0	<0.001	0.014	0.30	5.4	0.3	0.8	26.3	<0.01	
12-661		0.02	0.52	15.1	494	4.7	14.2	<0.001	0.010	0.08	3.3	<0.2	0.4	76.1	<0.01	
12-662		0.02	2.14	21.3	482	8.4	30.3	<0.001	0.012	0.07	4.6	0.3	0.7	23.3	<0.01	
12-663		0.01	1.71	12.6	410	4.5	15.0	<0.001	0.023	0.07	2.7	0.4	0.4	17.6	<0.01	
12-664		0.02	2.75	23.1	483	7.2	29.2	<0.001	0.018	0.08	4.6	0.4	0.7	25.6	<0.01	
12-665		0.02	3.50	30.4	600	9.5	36.9	0.001	0.030	0.12	5.6	0.4	0.9	28.4	<0.01	
12-666		0.02	1.91	21.1	480	6.2	22.3	<0.001	0.007	0.08	4.5	0.2	0.6	21.7	<0.01	
12-667		0.01	2.21	15.4	388	5.9	20.2	<0.001	0.018	0.07	3.2	0.3	0.6	18.6	<0.01	
12-668		0.02	2.93	23.4	576	7.0	29.1	<0.001	0.018	0.10	4.3	0.4	0.7	24.8	<0.01	
12-669		0.02	2.85	25.7	507	7.9	27.8	<0.001	0.011	0.08	4.4	0.2	0.7	23.9	<0.01	
12-670		0.02	2.69	25.5	564	7.8	35.7	<0.001	0.014	0.09	4.7	0.3	0.7	22.2	<0.01	
12-671		0.01	2.06	13.1	244	4.7	17.1	<0.001	0.006	<0.05	2.5	<0.2	0.5	14.5	<0.01	
12-672		0.02	2.25	20.5	732	6.7	27.1	<0.001	0.023	0.09	4.0	0.4	0.6	21.8	<0.01	
12-673		0.01	1.65	10.1	491	3.8	8.5	<0.001	0.010	0.05	2.4	<0.2	0.3	27.4	<0.01	
12-674		0.02	2.35	20.3	307	6.9	25.1	<0.001	0.007	0.05	3.6	<0.2	0.6	19.4	<0.01	
12-675		0.01	2.33	22.7	322	8.2	20.5	<0.001	0.017	0.11	4.0	0.2	0.6	18.3	<0.01	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 26, 2012										SAMPLE TYPE: Soil				
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm										
12-676	0.02	0.02	2.66	21.1	446	8.4	21.4	0.001	0.021	0.11	4.0	0.3	0.6	34.5	<0.01											
12-677	0.02	0.02	2.35	21.3	432	7.1	16.2	<0.001	0.014	0.11	4.1	0.2	0.6	31.9	<0.01											
12-678	0.01	0.01	2.80	24.8	349	9.7	33.0	<0.001	0.016	0.08	3.9	0.2	0.7	19.0	<0.01											
12-679	0.01	0.01	2.34	18.6	249	6.4	18.9	<0.001	0.013	0.06	2.8	0.2	0.6	13.2	<0.01											
12-680	<0.01	<0.01	2.05	13.7	416	4.5	7.1	<0.001	0.010	<0.05	2.0	0.3	0.3	9.1	<0.01											
12-681	<0.01	<0.01	1.09	6.7	340	3.9	4.1	<0.001	0.008	<0.05	1.5	<0.2	0.2	8.0	<0.01											
12-682	<0.01	<0.01	0.95	6.2	324	2.5	2.8	<0.001	<0.005	<0.05	1.2	<0.2	0.2	6.6	<0.01											
12-683	<0.01	<0.01	1.18	10.0	542	3.0	4.8	<0.001	<0.005	<0.05	2.1	<0.2	0.3	13.1	<0.01											
12-684	<0.01	<0.01	0.29	5.5	449	3.6	2.7	0.001	0.077	0.25	0.6	0.8	<0.2	18.2	<0.01											
12-685	0.01	0.01	1.71	12.9	601	4.4	12.2	<0.001	0.022	0.11	2.7	0.3	0.4	36.9	<0.01											
12-686	0.01	0.01	2.08	16.0	296	6.6	20.2	<0.001	0.016	0.10	2.9	0.3	0.5	15.1	<0.01											
12-687	0.01	0.01	2.39	22.7	500	8.0	26.7	<0.001	0.043	0.13	3.8	0.5	0.8	24.6	0.02											
12-688	0.02	0.02	2.34	27.5	695	8.7	26.3	<0.001	0.014	0.09	4.8	<0.2	0.7	21.1	<0.01											
12-689	0.02	0.02	2.26	26.5	587	9.2	26.4	<0.001	0.009	0.10	4.7	0.3	0.7	20.7	<0.01											
12-690	0.02	0.02	2.81	29.0	481	9.5	27.8	<0.001	0.013	0.46	5.5	0.2	0.8	28.2	<0.01											
12-691	0.01	0.01	0.92	6.7	990	8.1	6.2	0.001	0.296	1.27	1.3	2.3	0.3	31.2	0.05											
12-692	0.01	0.01	2.55	19.6	203	9.3	26.2	<0.001	0.014	0.19	3.4	0.3	0.7	18.4	<0.01											
12-693	0.02	0.02	2.62	28.0	355	10.0	27.9	<0.001	0.015	0.24	4.6	0.3	0.8	18.7	<0.01											
12-694	0.02	0.02	2.69	20.6	551	8.0	21.3	<0.001	0.015	0.19	4.3	0.3	0.7	22.3	<0.01											
12-695	0.01	0.01	1.85	14.3	448	4.8	14.5	<0.001	0.023	0.09	3.3	0.4	0.5	18.5	<0.01											
12-696	0.01	0.01	1.76	13.4	414	4.6	13.0	<0.001	0.022	0.08	3.1	0.4	0.4	16.5	<0.01											
12-697	0.02	0.02	3.03	33.0	931	14.2	36.7	<0.001	0.038	0.63	5.6	0.6	0.9	30.2	<0.01											
12-698	0.02	0.02	1.86	29.3	612	9.4	30.8	<0.001	0.011	0.18	5.1	0.2	0.8	33.8	<0.01											
12-699	0.02	0.02	2.41	33.5	705	10.3	22.0	<0.001	0.012	0.15	5.9	0.4	0.8	26.4	<0.01											
12-700	0.01	0.01	1.68	9.5	520	4.0	5.9	<0.001	0.017	0.11	2.2	<0.2	0.3	25.4	<0.01											
12-701	0.01	0.01	1.56	10.2	468	4.2	6.7	<0.001	0.014	0.07	2.3	0.2	0.4	22.3	<0.01											
12-702	0.01	0.01	1.26	11.6	571	3.3	7.1	<0.001	0.006	<0.05	2.5	0.2	0.4	24.4	<0.01											
12-703	0.01	0.01	0.75	5.3	436	2.2	3.6	<0.001	0.009	<0.05	1.5	<0.2	0.2	61.9	<0.01											
12-704	0.02	0.02	2.65	28.5	533	9.5	29.4	<0.001	0.016	0.12	4.7	0.3	0.7	20.4	<0.01											
12-705	0.02	0.02	2.35	22.2	578	8.6	21.1	<0.001	0.044	0.13	3.6	0.3	0.6	46.8	<0.01											
12-706	0.01	0.01	2.09	19.4	265	7.1	15.8	<0.001	0.009	0.07	3.6	<0.2	0.6	15.4	<0.01											
12-707	0.02	0.02	1.76	26.1	586	8.5	22.3	<0.001	0.015	0.11	4.7	0.2	0.6	26.6	<0.01											

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil											
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
12-708	0.02	2.13	30.4	615	8.4	28.4	<0.001	0.017	0.13	4.9	0.2	0.7	37.7	<0.01
12-709	0.01	2.18	27.8	754	6.8	15.3	<0.001	0.031	0.11	3.6	0.3	0.6	23.2	<0.01
12-710	0.01	1.92	30.5	527	6.6	14.8	<0.001	0.032	0.09	3.0	0.5	0.6	24.6	<0.01
12-711	0.01	2.78	24.8	778	6.5	12.8	<0.001	0.026	0.07	2.9	0.5	0.6	22.2	<0.01
12-712	0.01	2.27	37.7	1410	6.9	17.1	<0.001	0.058	0.10	6.5	0.8	0.5	27.4	0.02
12-713	0.01	2.43	23.0	539	6.2	19.6	<0.001	0.015	0.07	2.9	0.2	0.6	18.4	<0.01
12-714	<0.01	2.24	9.6	428	5.5	12.6	<0.001	0.010	<0.05	1.7	<0.2	0.5	15.7	<0.01
12-715	<0.01	1.59	8.1	1140	7.8	7.4	<0.001	0.024	0.08	1.3	0.3	0.5	10.5	<0.01
12-716	<0.01	1.56	10.5	308	4.3	14.2	<0.001	0.008	<0.05	1.8	0.2	0.4	12.1	<0.01
12-717	0.01	1.79	16.9	355	5.4	14.6	<0.001	0.008	0.28	2.7	<0.2	0.4	13.0	<0.01
12-718	<0.01	1.83	11.6	795	5.0	13.4	<0.001	0.008	0.08	2.0	0.3	0.5	10.2	<0.01
12-719	<0.01	1.70	12.3	887	6.0	8.2	<0.001	0.013	0.09	2.3	<0.2	0.4	13.2	<0.01
12-720	0.01	1.80	14.0	288	5.7	19.9	<0.001	0.012	0.09	2.7	0.2	0.6	14.9	<0.01
12-721	<0.01	2.90	13.8	685	6.3	8.1	<0.001	0.008	0.08	2.3	0.3	0.5	10.6	<0.01
12-722	<0.01	1.45	4.5	364	3.4	2.6	<0.001	0.015	<0.05	1.2	<0.2	0.3	7.4	<0.01
12-723	0.02	2.34	30.2	529	10.2	36.7	<0.001	0.020	0.26	6.1	0.4	0.9	29.0	<0.01
12-724	0.02	1.87	17.1	490	5.8	17.7	<0.001	0.046	0.09	3.6	<0.2	0.5	41.3	<0.01
12-725	0.01	1.90	15.8	518	6.1	14.4	<0.001	0.039	0.10	3.2	0.3	0.4	33.6	<0.01
12-726	0.02	2.16	19.5	575	6.2	10.5	<0.001	0.020	0.11	4.5	0.2	0.6	23.2	<0.01
12-727	0.02	2.76	22.5	252	9.3	18.2	<0.001	0.010	0.12	4.4	0.2	0.7	20.4	<0.01
12-728	0.02	2.68	24.4	529	7.4	24.5	<0.001	0.067	0.10	4.8	0.4	0.6	27.6	<0.01
12-729	0.01	2.70	25.8	315	8.7	21.9	<0.001	0.017	0.12	3.5	0.2	0.7	16.7	<0.01
12-730	0.02	1.90	29.8	547	9.0	28.7	<0.001	0.010	0.16	5.5	0.3	0.7	20.8	<0.01
12-731	0.02	2.73	33.5	681	8.7	28.1	0.001	0.035	0.12	5.4	0.4	0.7	26.4	<0.01
12-732	0.02	1.92	24.0	505	8.2	26.3	<0.001	0.011	0.17	5.2	0.3	0.7	18.8	<0.01
12-733	0.01	2.35	27.0	441	8.4	31.2	<0.001	0.012	0.12	4.1	<0.2	0.7	16.8	<0.01
12-734	0.02	1.61	16.5	501	7.4	16.6	<0.001	0.031	0.11	3.1	0.4	0.5	52.1	<0.01
12-735	<0.01	0.90	13.3	558	6.2	11.5	<0.001	0.018	0.08	1.7	<0.2	0.6	14.4	<0.01
12-736	<0.01	2.32	12.4	444	8.1	6.5	<0.001	0.028	0.14	2.2	0.6	2.3	5.1	<0.01
12-737	<0.01	1.26	1.7	148	8.8	2.1	<0.001	0.009	0.09	0.9	<0.2	1.0	4.3	<0.01
12-738	<0.01	1.83	17.1	365	5.8	4.8	<0.001	0.024	0.09	1.8	0.5	0.5	10.1	<0.01
12-739	0.01	0.95	15.9	286	5.6	10.3	<0.001	0.018	0.06	1.6	0.3	0.4	15.5	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil											
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-740	<0.01	2.39	10.4	269	6.7	3.2	<0.001	0.021	0.08	1.9	0.3	0.4	10.4	0.03
12-741	<0.01	1.53	11.1	157	7.1	3.6	<0.001	0.009	<0.05	1.5	<0.2	0.5	11.4	<0.01
12-742	<0.01	2.53	6.5	253	8.3	4.2	<0.001	0.014	0.07	1.4	0.2	0.7	12.6	<0.01
12-743	<0.01	2.16	25.1	312	10.0	7.2	<0.001	0.014	0.08	1.5	0.4	0.6	20.3	<0.01
12-744	<0.01	1.53	27.4	449	4.6	3.1	<0.001	0.021	0.05	3.1	0.3	0.6	6.5	<0.01
12-745	<0.01	1.89	19.2	660	4.7	6.1	<0.001	0.021	0.06	2.0	0.4	0.4	15.2	<0.01
12-746	0.02	1.78	20.2	553	6.1	16.7	<0.001	0.015	0.11	3.7	<0.2	0.6	59.8	<0.01
12-747	0.02	2.32	21.9	603	8.5	21.7	0.001	0.065	0.16	3.8	0.5	0.6	27.0	0.02
12-748	0.02	2.75	28.2	637	9.5	28.0	0.001	0.029	0.13	5.8	0.3	0.7	27.5	<0.01
12-749	0.02	2.36	16.3	642	7.0	12.8	<0.001	0.026	0.10	3.6	0.3	0.6	44.7	<0.01
12-750	<0.01	3.23	4.8	204	10.3	3.7	<0.001	0.023	0.14	1.3	0.2	0.9	9.0	<0.01
12-751	<0.01	3.24	4.8	228	11.3	4.3	<0.001	0.027	0.15	1.4	0.3	1.0	9.9	0.01
12-752	<0.01	2.39	13.2	312	9.4	5.7	<0.001	0.024	0.10	1.7	0.4	0.8	8.7	<0.01
12-753	<0.01	1.71	16.3	185	6.4	5.3	<0.001	0.017	0.06	1.8	0.3	0.5	8.5	<0.01
12-754	<0.01	2.79	13.9	565	8.4	5.8	<0.001	0.029	0.09	2.0	0.7	0.5	12.6	0.01
12-755	<0.01	2.41	16.7	567	5.8	5.4	<0.001	0.016	0.07	2.0	0.3	0.4	13.8	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-355		0.02	4.1	0.093	0.11	0.49	22.4	0.13	5.60	30.5	2.1
12-356		0.01	4.0	0.072	0.15	0.82	24.1	0.13	12.5	49.0	2.3
12-357		0.01	5.0	0.083	0.15	0.73	27.3	0.13	9.52	48.9	1.4
12-358		0.01	1.7	0.058	0.05	0.28	20.6	0.08	1.69	12.7	<0.5
12-359		0.02	1.0	0.073	0.07	1.15	35.1	0.07	11.8	44.6	0.6
12-360		0.01	3.1	0.078	0.15	0.68	21.7	0.08	5.92	51.7	0.8
12-361		<0.01	2.9	0.124	0.12	1.05	25.5	0.10	13.3	58.2	1.1
12-362		0.05	2.0	0.071	0.20	1.87	42.4	0.19	11.4	93.6	0.5
12-363		0.01	2.5	0.062	0.13	0.80	16.7	0.08	7.00	28.7	0.6
12-364		0.02	2.5	0.096	0.08	0.41	39.8	0.07	5.02	28.5	0.8
12-365		0.06	2.3	0.072	0.05	0.46	25.6	0.16	3.14	11.1	0.5
12-366		0.01	2.2	0.102	0.06	0.34	31.4	0.09	1.97	22.0	<0.5
12-367		<0.01	1.8	0.109	0.06	0.28	22.5	0.06	1.98	24.1	<0.5
12-368		0.01	2.0	0.075	0.05	0.33	21.4	0.08	2.21	19.4	<0.5
12-369		<0.01	0.6	0.267	0.03	0.15	55.5	<0.05	3.18	60.8	1.4
12-370		<0.01	2.6	0.138	0.06	0.41	28.3	0.07	2.88	42.5	0.6
12-371		<0.01	2.5	0.084	0.08	0.40	19.3	0.06	2.77	26.9	<0.5
12-372		<0.01	2.8	0.119	0.08	0.43	27.7	0.09	3.15	81.5	0.6
12-373		0.02	2.0	0.134	0.08	0.33	29.6	0.10	1.99	40.7	<0.5
12-374		0.02	2.8	0.150	0.08	0.38	40.2	0.10	2.46	47.3	0.7
12-375		0.01	2.6	0.125	0.09	0.39	26.2	0.16	3.43	24.2	0.6
12-376		0.01	1.9	0.172	0.10	0.38	40.9	0.07	2.39	46.2	0.5
12-377		<0.01	4.8	0.087	0.12	0.59	19.5	0.10	10.2	24.4	1.6
12-378		0.01	3.4	0.100	0.10	0.78	22.7	0.11	8.39	33.2	1.2
12-379		0.01	3.1	0.113	0.10	0.73	25.8	0.10	8.80	52.3	1.2
12-380		<0.01	2.3	0.061	0.08	0.44	14.5	0.08	4.63	18.8	<0.5
12-381		<0.01	1.6	0.038	0.04	0.29	9.0	0.05	2.27	6.5	<0.5
12-382		<0.01	1.5	0.053	0.05	0.26	13.0	0.06	2.09	10.3	<0.5
12-383		<0.01	1.9	0.047	0.05	0.27	11.7	<0.05	1.93	7.1	<0.5
12-384		<0.01	1.8	0.058	0.04	0.29	11.4	0.05	2.35	4.8	<0.5
12-385		<0.01	1.8	0.073	0.05	0.29	20.8	0.09	1.86	15.0	<0.5
12-386		<0.01	3.5	0.068	0.09	0.52	14.9	0.09	9.51	15.3	2.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-387	<0.01	3.7	0.057	0.06	0.06	0.43	14.5	0.07	5.54	10.6	1.7
12-388	0.01	0.9	0.018	0.05	0.05	0.33	4.4	0.08	3.49	5.4	0.5
12-389	<0.01	2.6	0.056	0.05	0.51	11.2	11.2	0.08	4.12	11.6	0.6
12-390	<0.01	3.7	0.059	0.06	0.41	13.5	13.5	0.09	4.94	8.9	1.0
12-391	<0.01	2.6	0.038	0.04	0.38	4.4	4.4	0.10	5.16	4.2	2.2
12-392	<0.01	3.1	0.042	0.05	0.42	5.3	5.3	0.22	6.35	5.4	1.7
12-393	<0.01	2.5	0.087	0.04	0.26	29.1	29.1	0.09	1.39	4.6	0.6
12-394	0.01	2.8	0.059	0.05	0.34	16.5	16.5	0.10	2.23	6.4	0.6
12-395	<0.01	2.9	0.069	0.05	0.33	13.5	13.5	0.10	3.25	21.4	0.7
12-396	0.01	4.9	0.097	0.11	0.80	25.4	25.4	0.14	9.35	52.4	2.1
12-397	0.16	59.3	1.24	1.37	8.69	312	312	1.63	81.6	495	20.3
12-398	0.01	6.6	0.125	0.15	0.66	33.6	33.6	0.14	12.4	46.8	2.3
12-399	<0.01	4.1	0.070	0.08	0.56	15.1	15.1	0.14	10.1	17.7	1.8
12-400	0.01	2.3	0.078	0.08	0.43	17.5	17.5	0.10	3.58	19.8	0.6
12-401	0.01	2.9	0.115	0.12	0.45	27.6	27.6	0.10	3.65	36.3	1.6
12-402	0.01	1.6	0.064	0.08	0.41	18.7	18.7	0.09	3.15	22.5	<0.5
12-403	<0.01	1.9	0.057	0.06	0.36	14.4	14.4	0.07	2.89	12.7	<0.5
12-404	<0.01	3.6	0.074	0.08	0.55	15.6	15.6	0.11	10.3	21.0	1.1
12-405	<0.01	3.3	0.061	0.07	0.46	12.4	12.4	0.08	7.05	15.9	0.6
12-406	<0.01	2.3	0.043	0.07	0.73	12.2	12.2	0.07	7.01	16.9	0.6
12-407	<0.01	3.1	0.059	0.09	0.92	17.4	17.4	0.10	8.18	33.8	0.8
12-408	<0.01	3.4	0.058	0.07	0.57	13.1	13.1	0.08	8.66	16.7	1.2
12-409	<0.01	4.9	0.118	0.12	0.77	28.1	28.1	0.10	8.23	43.8	2.2
12-410	<0.01	4.9	0.116	0.13	0.86	30.1	30.1	0.10	10.6	46.2	2.4
12-411	<0.01	5.4	0.101	0.12	0.51	25.7	25.7	0.10	10.2	53.1	3.0
12-412	0.02	0.3	<0.005	0.04	0.19	<0.5	<0.5	0.05	1.42	20.0	1.0
12-413	0.02	6.6	0.127	0.19	1.02	47.8	47.8	0.15	10.9	74.8	4.6
12-414	<0.01	4.4	0.102	0.10	0.68	22.3	22.3	0.13	8.95	41.6	3.8
12-415	<0.01	5.3	0.100	0.13	0.63	21.3	21.3	0.12	9.76	25.1	6.0
12-416	<0.01	5.5	0.104	0.12	0.58	21.4	21.4	0.12	10.3	25.9	7.2
12-417	0.01	5.5	0.117	0.15	1.13	31.8	31.8	0.15	11.6	54.9	3.1
12-418	<0.01	0.6	0.112	0.01	0.09	28.9	28.9	<0.05	1.25	38.2	<0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-419	0.01	6.9	0.126	0.17	0.86	30.3	0.15	12.9	39.5	6.1	
12-420	<0.01	5.0	0.085	0.10	0.59	17.7	0.12	9.35	20.8	5.0	
12-421	<0.01	5.6	0.103	0.13	0.62	22.7	0.12	10.4	26.4	5.2	
12-422	<0.01	2.0	0.032	0.11	1.72	9.2	<0.05	7.32	21.5	0.7	
12-423	<0.01	4.4	0.095	0.10	0.53	22.2	0.09	6.11	36.9	2.0	
12-424	<0.01	3.6	0.068	0.08	0.85	16.0	0.08	7.97	25.8	1.5	
12-425	<0.01	5.6	0.090	0.14	0.84	31.0	0.11	10.2	50.7	3.5	
12-426	<0.01	5.1	0.117	0.11	0.84	25.4	0.11	8.39	45.5	1.7	
12-427	<0.01	8.2	0.150	0.18	0.67	37.0	0.12	13.1	53.1	6.6	
12-428	<0.01	3.4	0.074	0.08	0.55	16.8	0.38	8.83	18.3	1.1	
12-429	0.01	2.8	0.088	0.09	0.39	22.5	0.12	2.52	13.4	0.9	
12-430	<0.01	3.7	0.073	0.08	0.40	14.1	0.09	4.32	10.9	1.3	
12-431	<0.01	2.9	0.097	0.07	0.37	18.5	0.07	3.00	21.5	1.0	
12-432	<0.01	3.4	0.103	0.10	0.43	22.3	0.09	3.77	26.6	1.4	
12-433	<0.01	1.9	0.077	0.07	0.39	16.7	0.09	2.58	20.5	<0.5	
12-434	0.02	3.2	0.062	0.08	0.39	15.4	0.16	3.15	22.3	0.8	
12-435	0.02	2.7	0.120	0.06	0.40	40.0	0.14	2.59	20.3	1.0	
12-436	0.02	3.0	0.103	0.08	0.40	31.2	0.19	2.38	30.6	0.9	
12-437	0.02	2.6	0.061	0.06	0.37	25.7	0.10	1.86	15.7	<0.5	
12-438	0.01	3.2	0.074	0.06	0.38	26.4	0.15	2.60	21.7	<0.5	
12-439	<0.01	2.3	0.065	0.07	0.38	15.5	0.09	2.97	13.5	<0.5	
12-440	0.01	2.7	0.085	0.10	0.37	20.1	0.10	2.43	26.9	<0.5	
12-441	0.01	4.3	0.096	0.12	0.55	24.3	0.13	6.90	36.7	0.6	
12-442	0.01	3.0	0.080	0.11	0.48	21.6	0.12	4.85	40.9	<0.5	
12-443	<0.01	3.8	0.097	0.11	0.53	23.2	0.12	6.22	37.5	0.7	
12-444	0.01	3.2	0.093	0.08	0.42	20.3	0.12	3.26	23.1	0.7	
12-445	0.01	4.7	0.111	0.14	0.53	26.3	0.14	5.15	43.8	1.5	
12-446	0.01	3.4	0.122	0.13	0.50	31.9	0.15	2.85	46.1	1.0	
12-447	<0.01	3.0	0.082	0.11	0.43	18.4	0.10	4.19	40.7	<0.5	
12-448	0.01	6.0	0.100	0.16	0.53	25.1	0.15	5.81	41.6	1.5	
12-449	0.01	3.9	0.079	0.14	0.98	23.6	0.13	11.3	63.6	1.2	
12-450	0.01	2.2	0.059	0.06	0.40	14.8	0.09	3.62	28.8	<0.5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-451		<0.01	4.2	0.071	0.12	0.85	18.1	0.13	9.55	31.9	1.9
12-452		0.01	3.3	0.056	0.10	1.84	15.3	0.28	10.9	26.3	1.4
12-453		<0.01	4.2	0.062	0.08	0.45	11.5	0.14	7.25	20.0	2.1
12-454		0.02	4.3	0.057	0.12	0.96	20.0	0.13	14.2	31.6	2.5
12-455		0.01	3.8	0.060	0.09	0.98	14.6	0.10	8.65	27.8	1.2
12-456		0.01	4.2	0.075	0.09	0.51	14.7	0.10	6.30	21.5	0.9
12-457		0.01	7.6	0.105	0.17	0.65	27.3	0.15	12.1	36.9	2.8
12-458		<0.01	3.4	0.088	0.11	0.44	18.6	0.11	3.24	38.9	<0.5
12-459		<0.01	4.1	0.061	0.10	0.61	11.8	0.09	8.72	29.4	2.5
12-460		<0.01	3.0	0.044	0.05	0.44	9.9	0.09	7.36	11.3	1.2
12-461		<0.01	3.4	0.046	0.08	0.48	9.3	0.09	8.18	11.6	1.9
12-462		<0.01	4.6	0.098	0.11	0.54	22.8	0.12	6.63	36.6	1.2
12-463		<0.01	3.6	0.051	0.07	0.46	7.4	0.08	6.55	10.4	3.7
12-464		0.01	3.0	0.081	0.10	0.41	22.0	0.12	2.68	26.0	<0.5
12-465		<0.01	4.9	0.075	0.13	0.50	17.3	0.11	7.10	20.6	0.7
12-466		<0.01	3.6	0.080	0.09	0.41	19.0	0.11	3.25	26.5	0.8
12-467		<0.01	3.5	0.049	0.08	0.52	10.4	0.09	8.01	13.9	2.4
12-468		<0.01	3.2	0.047	0.07	0.43	9.4	0.09	7.69	10.9	1.6
12-469		<0.01	3.6	0.049	0.07	0.43	7.0	0.07	5.64	11.1	4.7
12-470		<0.01	6.0	0.074	0.15	0.55	18.2	0.12	9.14	21.8	9.7
12-471		<0.01	5.6	0.074	0.14	0.56	19.0	0.15	9.69	25.6	3.8
12-472		0.01	4.9	0.069	0.07	0.50	16.6	0.12	5.60	21.0	2.1
12-473		<0.01	4.3	0.064	0.09	0.49	11.9	0.11	7.75	17.3	4.1
12-474		0.01	1.5	0.040	0.05	0.58	8.7	0.09	5.20	17.3	0.8
12-475		0.01	2.4	0.046	0.11	1.38	18.7	0.12	10.2	21.3	1.8
12-476		0.01	2.7	0.051	0.09	1.44	20.6	0.09	10.6	22.6	2.3
12-477		<0.01	3.3	0.043	0.08	0.63	6.6	0.09	8.25	10.7	1.9
12-478		<0.01	5.3	0.091	0.10	0.70	17.6	0.12	9.25	22.1	8.6
12-479		0.01	4.1	0.104	0.12	0.57	25.0	0.17	5.51	44.1	1.3
12-480		<0.01	2.4	0.065	0.07	0.68	14.7	0.14	5.11	16.2	<0.5
12-481		<0.01	2.7	0.079	0.06	0.54	14.9	0.16	4.03	18.4	<0.5
12-482		<0.01	2.4	0.063	0.10	0.66	14.9	0.14	7.23	19.6	0.5

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-483	0.01	7.2	0.1	0.005	0.01	0.68	31.0	0.15	13.7	32.7	5.3
12-484	<0.01	4.8	0.121	0.12	0.58	0.12	27.4	0.13	6.84	37.9	1.5
12-485	<0.01	3.8	0.058	0.10	0.54	0.10	12.1	0.10	8.05	17.3	2.3
12-486	<0.01	3.2	0.099	0.09	0.47	0.10	20.5	0.10	4.27	27.4	0.8
12-487	<0.01	4.2	0.080	0.07	0.50	0.10	14.0	0.10	6.12	12.9	1.1
12-488	<0.01	2.0	0.067	0.06	0.40	0.14	16.1	0.14	2.85	9.1	<0.5
12-489	<0.01	3.1	0.091	0.07	0.42	0.13	20.3	0.13	3.47	7.8	0.7
12-490	<0.01	2.9	0.071	0.06	0.44	0.12	17.9	0.12	2.85	11.1	<0.5
12-491	<0.01	3.0	0.058	0.04	0.49	0.07	12.3	0.07	4.21	3.2	0.5
12-492	0.01	0.7	0.070	0.12	1.45	0.10	14.9	0.10	7.76	12.8	<0.5
12-493	<0.01	2.0	0.099	0.05	0.37	0.11	30.8	0.11	1.88	8.7	<0.5
12-494	0.02	2.1	0.102	0.07	0.56	0.19	39.0	0.19	2.80	26.3	<0.5
12-495	0.01	2.4	0.099	0.07	0.35	0.17	19.0	0.17	2.42	18.7	<0.5
12-496	<0.01	2.5	0.088	0.10	0.48	0.14	19.0	0.14	4.30	11.1	<0.5
12-497	<0.01	3.2	0.078	0.08	0.51	0.09	18.2	0.09	5.05	16.6	1.2
12-498	<0.01	6.0	0.114	0.14	0.59	0.12	26.6	0.12	8.14	34.3	3.4
12-499	<0.01	4.9	0.084	0.08	0.55	0.08	16.4	0.08	8.61	11.0	7.6
12-500	<0.01	5.3	0.115	0.13	0.68	0.14	24.3	0.14	8.94	32.0	1.9
12-501	<0.01	4.9	0.110	0.13	0.54	0.13	25.0	0.13	8.39	29.9	1.6
12-502	<0.01	3.7	0.076	0.11	0.69	0.11	15.5	0.11	9.61	26.0	1.9
12-503	<0.01	5.0	0.106	0.15	0.55	0.14	26.0	0.14	12.5	53.1	2.6
12-504	0.01	7.2	0.091	0.14	0.64	0.13	21.7	0.13	10.2	19.4	5.2
12-505	0.01	3.1	0.094	0.09	0.38	0.11	18.5	0.11	3.71	22.5	<0.5
12-506	0.02	3.4	0.088	0.17	1.33	0.15	26.3	0.15	12.6	44.3	2.4
12-507	<0.01	2.5	0.075	0.09	0.86	0.11	19.6	0.11	7.05	54.1	1.0
12-508	0.01	7.5	0.125	0.20	0.89	0.19	35.3	0.19	14.3	50.9	3.1
12-509	0.01	6.4	0.112	0.14	0.57	0.15	25.2	0.15	9.20	31.3	2.0
12-510	0.01	4.2	0.078	0.10	0.44	0.11	15.7	0.11	4.64	10.5	1.0
12-511	<0.01	3.0	0.068	0.05	0.36	0.08	13.1	0.08	3.16	6.8	<0.5
12-512	0.01	3.6	0.094	0.08	0.42	0.12	21.8	0.12	3.75	22.4	1.0
12-513	0.01	1.0	0.059	0.12	0.62	0.56	19.1	0.56	3.54	36.5	<0.5
12-514	0.02	2.2	0.125	0.08	0.35	0.15	33.5	0.15	2.03	17.7	<0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-515	0.02	0.160	0.06	0.06	0.23	25.0	0.09	1.83	0.05	22.3	<0.5
12-516	0.01	0.084	0.06	0.06	0.38	20.0	0.13	2.46	0.05	30.4	<0.5
12-517	0.01	0.097	0.10	0.10	0.42	23.8	0.12	2.67	0.05	27.9	0.6
12-518	<0.01	0.123	0.16	0.16	0.48	29.0	0.10	4.25	0.05	43.2	2.2
12-519	<0.01	0.080	0.08	0.08	0.40	16.7	0.09	3.54	0.05	45.1	<0.5
12-520	0.01	0.073	0.14	0.14	1.07	24.2	0.12	10.4	0.05	52.4	3.0
12-521	0.02	0.115	0.17	0.17	0.59	28.0	0.14	13.2	0.05	33.9	7.4
12-522	<0.01	0.075	0.07	0.07	0.40	14.1	0.09	4.02	0.05	29.3	0.9
12-523	0.01	0.123	0.16	0.16	0.55	29.5	0.14	6.57	0.05	48.3	4.9
12-524	<0.01	0.103	0.13	0.13	0.57	22.6	0.14	10.6	0.05	30.7	4.4
12-525	<0.01	0.101	0.09	0.09	0.42	21.1	0.11	5.00	0.05	36.7	1.5
12-526	<0.01	0.071	0.08	0.08	0.40	15.5	0.11	3.56	0.05	13.8	1.8
12-527	0.01	0.067	0.06	0.06	0.35	16.7	0.07	1.99	0.05	8.2	0.9
12-528	0.01	0.058	0.08	0.08	0.52	18.4	0.09	4.95	0.05	16.2	1.2
12-530	0.02	0.110	0.12	0.12	1.08	31.5	0.14	9.85	0.05	53.5	5.4
12-531	0.02	0.074	0.13	0.13	1.54	26.3	0.13	10.9	0.05	49.6	4.1
12-532	0.02	0.050	0.11	0.11	1.92	17.8	0.10	9.92	0.05	42.0	3.9
12-533	0.02	0.112	0.15	0.15	0.80	29.3	0.16	8.96	0.05	53.0	5.9
12-534	0.02	0.093	0.16	0.16	1.27	30.3	0.16	14.0	0.05	59.2	7.6
12-535	<0.01	0.088	0.07	0.07	0.36	16.6	0.09	4.15	0.05	28.3	1.6
12-536	0.01	0.117	0.11	0.11	0.66	26.9	0.13	7.21	0.05	48.4	3.7
12-537	<0.01	0.115	0.17	0.17	0.64	29.0	0.15	11.7	0.05	36.9	12.2
12-538	0.01	0.116	0.13	0.13	0.61	27.4	0.14	8.13	0.05	45.3	3.7
12-539	0.01	0.112	0.12	0.12	0.46	26.9	0.14	6.11	0.05	32.3	2.5
12-540	<0.01	0.114	0.14	0.14	0.45	28.0	0.25	11.2	0.05	35.1	12.3
12-541	0.01	0.097	0.15	0.15	0.44	22.8	0.19	10.7	0.05	25.6	5.5
12-542	0.01	0.091	0.14	0.14	0.50	28.7	0.18	13.7	0.05	30.6	4.8
12-543	<0.01	0.114	0.13	0.13	0.61	31.0	0.15	13.7	0.05	29.6	7.2
12-544	0.01	0.116	0.14	0.14	0.57	24.9	0.14	9.30	0.05	28.6	5.1
12-545	0.01	0.099	0.13	0.13	0.61	24.3	0.14	10.5	0.05	25.0	6.4
12-546	0.02	0.088	0.10	0.10	0.42	24.4	0.14	5.03	0.05	26.8	4.3
12-547	<0.01	0.047	0.07	0.07	0.52	7.0	0.26	6.26	0.05	5.9	3.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-548		<0.01	3.4	0.063	0.09	0.60	13.6	0.15	7.55	13.5	5.9
12-549		<0.01	4.3	0.083	0.13	0.57	18.6	0.13	11.2	18.4	4.3
12-550		0.01	6.7	0.111	0.18	0.72	31.9	0.19	12.4	39.2	12.5
12-551		0.02	6.7	0.113	0.20	0.76	33.8	0.19	13.2	43.3	11.0
12-552		<0.01	1.9	0.035	0.03	1.07	0.7	0.06	4.34	0.7	3.8
12-553		0.02	3.3	0.096	0.09	0.36	21.4	0.14	3.58	26.2	2.4
12-554		0.01	3.6	0.119	0.12	0.46	25.6	0.13	4.78	44.8	1.9
12-555		0.02	4.3	0.105	0.11	0.44	22.3	0.16	5.09	36.5	1.7
12-556		0.03	2.7	0.066	0.16	1.43	25.5	0.12	9.91	42.5	4.4
12-557		0.01	2.5	0.068	0.07	0.39	16.0	0.12	3.28	8.3	0.9
12-558		0.02	2.3	0.078	0.09	0.40	18.1	0.13	2.62	9.7	0.8
12-559		0.01	2.0	0.085	0.10	0.55	27.6	0.12	2.84	25.2	0.6
12-560		0.01	2.9	0.076	0.09	0.45	16.8	0.12	2.58	15.8	0.8
12-561		0.02	2.3	0.117	0.08	0.44	33.8	0.18	2.56	17.5	0.6
12-562		0.02	2.4	0.128	0.09	0.43	45.2	0.20	2.13	11.9	1.3
12-563		0.01	2.1	0.100	0.11	0.55	24.9	0.15	2.78	23.6	1.0
12-564		0.02	2.4	0.055	0.07	0.38	30.9	0.10	1.90	17.7	0.7
12-565		0.02	2.8	0.140	0.08	0.51	38.0	0.15	2.93	18.0	0.9
12-566		<0.01	2.3	0.065	0.07	0.43	21.5	0.11	2.68	5.2	0.5
12-567		0.01	2.8	0.128	0.10	1.12	34.4	0.15	4.78	22.8	1.7
12-568		0.02	2.9	0.138	0.11	0.56	43.4	0.20	3.46	12.7	1.9
12-569		0.01	3.1	0.079	0.06	0.47	16.5	0.16	4.05	7.2	1.3
12-570		<0.01	2.4	0.094	0.05	0.38	21.9	<0.05	1.72	3.2	0.9
12-571		0.01	3.0	0.143	0.05	0.38	41.4	0.54	2.30	6.6	1.6
12-572		0.02	2.6	0.096	0.06	0.51	34.4	0.18	3.01	17.6	1.1
12-573		0.02	2.5	0.082	0.05	0.36	24.4	0.18	1.85	10.5	0.6
12-574		<0.01	4.0	0.060	0.09	0.44	13.6	0.14	3.96	4.5	1.9
12-575		0.01	2.5	0.068	0.06	0.38	15.8	0.12	3.00	3.5	1.1
12-576		<0.01	2.9	0.055	0.06	0.38	12.8	0.10	2.87	1.0	0.8
12-577		0.01	2.4	0.084	0.06	0.39	19.0	0.14	2.88	5.5	0.9
12-578		0.02	2.6	0.074	0.05	0.49	22.0	0.17	2.97	6.0	0.8
12-579		0.02	2.8	0.147	0.06	0.31	46.6	0.23	1.67	10.8	1.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-580		<0.01	4.2	0.090	0.08	0.67	17.6	2.88	4.49	19.1	1.4
12-581		<0.01	2.0	0.113	0.05	0.40	21.7	0.21	2.06	20.7	<0.5
12-582		<0.01	2.0	0.060	0.05	0.35	10.7	0.10	1.52	0.6	<0.5
12-583		0.01	1.5	0.061	0.05	0.30	21.6	0.09	1.34	3.1	<0.5
12-584		0.02	2.3	0.110	0.06	0.46	40.6	0.32	1.98	6.0	0.8
12-585		0.01	2.2	0.231	0.13	0.82	38.1	0.12	3.35	26.7	1.4
12-586		<0.01	2.9	0.057	0.07	0.82	12.7	0.12	6.33	8.0	1.8
12-587		0.01	2.8	0.052	0.11	0.95	14.1	0.10	7.40	14.5	2.1
12-588		<0.01	3.1	0.062	0.08	0.42	15.6	0.10	4.48	10.1	1.3
12-589		0.02	2.8	0.089	0.07	0.40	23.8	0.15	2.33	11.7	1.0
12-590		0.02	3.6	0.092	0.07	0.48	34.0	0.17	2.86	26.0	1.3
12-591		0.02	3.2	0.123	0.12	0.57	46.1	0.24	3.20	34.0	1.7
12-592		0.02	2.2	0.092	0.05	0.36	28.0	0.16	2.42	10.2	1.0
12-593		0.01	2.2	0.095	0.05	0.39	18.4	0.10	1.77	8.9	0.7
12-594		<0.01	1.9	0.073	0.08	0.47	18.8	0.32	3.62	12.2	0.8
12-595		0.03	2.1	0.074	0.05	0.43	23.2	0.15	2.80	11.8	0.6
12-596		0.03	4.2	0.182	0.13	0.79	63.5	0.29	3.57	28.8	1.7
12-597		0.02	2.3	0.106	0.07	0.47	40.0	0.20	2.33	22.8	0.8
12-598		0.01	2.5	0.068	0.07	0.51	25.0	0.11	2.70	17.6	0.6
12-599		0.02	2.3	0.086	0.08	0.63	32.6	0.16	3.06	11.3	0.9
12-600		0.02	2.1	0.082	0.08	0.41	27.9	0.15	2.36	18.3	0.7
12-601		0.02	2.3	0.076	0.08	0.45	27.7	0.16	2.27	15.0	0.8
12-602		0.01	1.3	0.042	0.05	0.33	11.3	0.06	1.75	3.7	<0.5
12-603		<0.01	2.2	0.042	0.05	0.36	10.1	0.08	3.01	4.2	1.0
12-604		<0.01	3.5	0.080	0.08	0.42	15.4	0.10	4.58	11.2	2.4
12-605		<0.01	3.3	0.066	0.08	0.62	13.9	0.09	4.77	11.7	2.1
12-606		<0.01	3.4	0.068	0.07	0.64	13.0	0.10	6.77	12.9	2.4
12-607		<0.01	3.3	0.069	0.08	0.67	14.9	0.09	6.58	18.2	1.8
12-608		<0.01	4.0	0.032	0.07	0.61	6.4	0.10	7.16	1.4	2.6
12-609		<0.01	3.2	0.037	0.05	0.44	7.7	0.09	4.42	1.9	1.5
12-610		<0.01	3.9	0.059	0.07	0.67	14.8	0.09	7.02	12.6	3.1
12-611		<0.01	2.2	0.014	0.08	0.80	3.2	0.10	6.00	<0.5	1.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-612	<0.01	2.8	0.033	0.11	0.58	8.3	0.08	5.61	6.4	1.5	1.5
12-613	<0.01	3.6	0.040	0.07	0.44	11.1	0.10	6.11	7.3	2.2	2.2
12-614	<0.01	3.4	0.052	0.08	0.59	11.6	0.10	6.66	8.5	2.3	2.3
12-615	<0.01	3.4	0.060	0.06	0.42	13.2	0.08	3.85	5.8	1.2	1.2
12-616	<0.01	3.1	0.041	0.06	0.45	5.0	0.08	6.46	<0.5	7.5	7.5
12-617	0.01	3.6	0.043	0.15	0.78	11.1	0.14	8.82	20.6	3.5	3.5
12-618	0.01	2.3	0.082	0.07	0.37	23.9	0.12	3.58	52.4	0.9	0.9
12-619	0.02	2.1	0.145	0.07	0.37	51.0	0.15	2.19	14.8	1.7	1.7
12-620	0.01	1.1	0.024	0.05	0.25	18.9	0.07	1.45	8.6	<0.5	<0.5
12-621	<0.01	2.2	0.075	0.07	0.34	13.5	0.07	3.16	12.0	1.9	1.9
12-622	0.01	3.1	0.085	0.14	0.97	21.2	0.08	7.48	25.3	0.9	0.9
12-623	0.01	1.5	0.094	0.06	0.34	25.5	0.18	2.56	15.2	1.1	1.1
12-624	0.01	3.3	0.090	0.10	0.89	19.0	0.10	5.68	183	1.3	1.3
12-625	0.01	3.4	0.069	0.21	2.22	17.9	0.09	13.8	15.8	1.6	1.6
12-626	0.01	3.4	0.074	0.23	2.94	19.3	0.10	17.0	18.0	1.3	1.3
12-627	0.02	2.7	0.123	0.10	0.47	44.6	0.15	3.19	35.9	1.2	1.2
12-628	<0.01	3.4	0.076	0.07	0.64	15.9	0.12	5.69	11.3	1.8	1.8
12-629	0.04	1.2	0.039	0.23	1.33	8.5	0.11	10.6	36.2	1.2	1.2
12-630	<0.01	1.9	0.066	0.06	0.97	13.6	0.09	7.05	19.3	0.8	0.8
12-631	0.02	1.2	0.109	0.03	0.28	22.3	0.09	1.55	<0.5	<0.5	<0.5
12-632	<0.01	2.6	0.116	0.07	0.38	24.5	0.16	3.09	13.0	1.2	1.2
12-633	0.01	2.8	0.081	0.09	0.63	28.1	0.18	5.36	12.0	1.1	1.1
12-634	0.04	2.0	0.124	0.16	0.69	64.3	0.26	3.07	41.9	0.6	0.6
12-635	0.02	2.4	0.130	0.11	0.55	28.7	0.12	3.14	26.3	2.3	2.3
12-636	0.02	1.9	0.095	0.04	0.30	49.9	0.13	1.83	6.1	1.5	1.5
12-637	0.02	1.3	0.082	0.05	0.34	32.5	0.21	3.57	16.3	0.5	0.5
12-638	0.01	3.7	0.082	0.09	0.61	19.1	0.10	4.89	16.6	2.0	2.0
12-639	0.01	0.8	0.058	0.04	0.25	21.8	0.09	1.75	7.2	<0.5	<0.5
12-640	0.16	0.6	0.295	0.12	0.19	157	0.31	3.79	32.9	0.9	0.9
12-641	0.05	2.3	0.203	0.24	0.47	97.1	0.17	5.00	57.4	1.8	1.8
12-642	0.02	2.3	0.160	0.10	0.30	50.2	0.15	2.13	26.2	2.4	2.4
12-643	0.01	4.9	0.104	0.14	1.00	23.6	0.11	6.06	21.0	5.9	5.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-644	0.01	0.01	4.5	0.073	0.15	0.74	16.2	0.12	4.53	8.0	3.5
12-645	0.02	0.02	1.6	0.205	0.14	0.49	92.0	0.13	3.44	17.0	1.9
12-646	0.03	0.03	2.0	0.151	0.11	0.37	70.6	0.36	2.10	28.2	1.7
12-647	0.01	0.01	1.2	0.151	0.13	0.72	48.6	0.12	4.48	19.5	2.0
12-648	0.03	0.03	3.4	0.082	0.28	3.20	34.2	0.22	20.0	23.9	2.0
12-649	0.02	0.02	2.3	0.237	0.21	0.72	49.1	0.08	3.84	36.8	3.9
12-650	<0.01	<0.01	5.4	0.102	0.12	0.57	22.4	0.12	9.01	19.9	11.0
12-651	<0.01	<0.01	5.3	0.097	0.09	0.59	18.9	0.10	9.20	14.4	13.0
12-652	<0.01	<0.01	6.6	0.114	0.16	0.99	24.2	0.11	10.2	71.9	5.3
12-653	<0.01	<0.01	7.6	0.137	0.16	0.65	33.2	0.14	10.9	42.7	9.1
12-654	0.01	0.01	6.3	0.140	0.16	0.61	39.6	0.16	6.35	41.3	6.6
12-655	0.01	0.01	4.9	0.104	0.10	0.79	27.4	0.12	7.68	32.3	3.1
12-656	0.02	0.02	0.6	0.006	0.03	0.59	<0.5	0.06	2.27	10.5	2.1
12-657	0.01	0.01	6.9	0.128	0.19	1.14	38.5	0.47	13.4	78.5	8.9
12-658	<0.01	<0.01	5.9	0.121	0.12	0.70	28.6	0.12	8.01	38.5	4.8
12-659	<0.01	<0.01	5.2	0.116	0.10	0.52	27.5	0.10	7.07	30.8	4.0
12-660	<0.01	<0.01	6.6	0.132	0.17	0.68	31.6	0.13	11.6	41.0	7.6
12-661	<0.01	<0.01	5.2	0.086	0.11	0.56	18.6	0.07	9.28	14.4	9.1
12-662	<0.01	<0.01	5.8	0.104	0.12	0.81	29.7	0.09	9.29	45.8	4.5
12-663	<0.01	<0.01	2.3	0.063	0.07	0.57	12.7	0.08	5.80	23.4	1.9
12-664	<0.01	<0.01	4.9	0.103	0.11	0.94	26.4	0.10	9.93	46.5	4.2
12-665	0.01	0.01	5.6	0.131	0.16	0.81	33.7	0.15	13.0	49.6	6.2
12-666	<0.01	<0.01	5.7	0.114	0.12	0.54	24.1	0.10	9.95	30.4	5.3
12-667	<0.01	<0.01	2.8	0.086	0.08	0.57	19.0	0.10	6.24	32.7	1.5
12-668	<0.01	<0.01	4.0	0.126	0.13	0.63	26.4	0.12	8.59	37.3	4.3
12-669	<0.01	<0.01	4.7	0.137	0.13	0.58	31.0	0.12	8.03	39.3	4.3
12-670	<0.01	<0.01	5.9	0.125	0.17	0.65	29.4	0.14	9.25	33.9	4.6
12-671	<0.01	<0.01	3.1	0.085	0.08	0.39	16.4	0.07	4.13	15.3	2.7
12-672	0.02	0.02	3.3	0.091	0.16	0.95	25.7	0.18	13.4	27.1	4.3
12-673	<0.01	<0.01	3.2	0.070	0.08	0.47	13.0	0.10	7.38	7.9	2.7
12-674	0.01	0.01	4.3	0.130	0.12	0.46	25.5	0.10	5.46	36.8	3.3
12-675	0.02	0.02	6.5	0.099	0.15	0.56	26.0	0.16	8.51	28.9	5.6

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-676	0.01	6.2	0.096	0.14	0.60	24.5	0.14	10.9	26.6	7.4	0.5
12-677	<0.01	6.8	0.096	0.15	0.60	23.5	0.14	11.6	24.3	8.3	0.5
12-678	0.02	4.8	0.106	0.13	0.61	30.4	0.13	6.62	60.1	3.7	0.5
12-679	0.01	3.0	0.085	0.10	0.46	19.9	0.10	3.78	29.5	1.7	0.5
12-680	<0.01	3.5	0.055	0.07	0.39	14.4	0.10	3.90	7.6	2.4	0.5
12-681	<0.01	2.6	0.030	0.05	2.27	14.3	0.06	5.12	4.6	2.0	0.5
12-682	<0.01	2.2	0.037	0.03	0.34	9.2	0.06	3.01	1.0	1.2	0.5
12-683	<0.01	3.8	0.056	0.06	0.45	10.0	0.09	6.90	5.1	3.0	0.5
12-684	0.01	0.8	0.007	0.05	1.10	<0.5	<0.05	10.0	<0.5	2.8	0.5
12-685	<0.01	3.8	0.057	0.11	0.67	14.4	0.11	10.3	10.7	6.5	0.5
12-686	<0.01	3.6	0.076	0.09	0.51	17.9	0.10	5.24	24.8	2.5	0.5
12-687	<0.01	3.1	0.073	0.12	1.24	25.5	0.10	9.00	79.1	3.6	0.5
12-688	0.01	7.2	0.098	0.18	0.71	29.4	0.14	9.77	38.8	10.0	0.5
12-689	0.01	7.2	0.117	0.16	0.66	29.3	0.18	11.0	34.1	6.2	0.5
12-690	0.01	7.6	0.130	0.19	0.67	35.6	0.17	13.2	49.3	8.9	0.5
12-691	0.02	1.4	0.019	0.08	1.29	4.2	0.06	6.26	41.3	5.0	0.5
12-692	0.01	4.1	0.107	0.11	0.52	27.3	0.13	5.29	38.2	3.0	0.5
12-693	0.02	5.9	0.114	0.15	0.62	32.7	0.16	8.84	46.7	5.5	0.5
12-694	0.01	5.7	0.103	0.12	1.12	27.3	0.14	8.96	35.3	5.0	0.5
12-695	<0.01	3.2	0.066	0.09	1.43	16.4	0.09	6.94	30.6	2.7	0.5
12-696	0.01	3.2	0.065	0.08	0.80	15.5	0.10	6.21	29.2	3.3	0.5
12-697	0.01	5.5	0.114	0.21	2.42	40.0	0.16	13.3	89.2	5.1	0.5
12-698	0.01	8.4	0.128	0.20	0.86	35.7	0.17	11.3	40.9	13.3	0.5
12-699	0.02	8.3	0.131	0.16	0.78	42.9	0.16	13.4	47.2	10.6	0.5
12-700	<0.01	3.4	0.054	0.07	0.49	9.6	0.10	7.34	6.5	3.5	0.5
12-701	<0.01	3.7	0.056	0.07	0.52	10.0	0.11	7.29	9.9	2.7	0.5
12-702	<0.01	4.2	0.061	0.07	0.49	10.6	0.10	8.06	5.9	4.2	0.5
12-703	<0.01	3.2	0.044	0.05	0.52	7.4	0.07	6.28	<0.5	7.8	0.5
12-704	0.01	6.1	0.114	0.16	0.75	31.9	0.15	9.61	45.9	5.5	0.5
12-705	0.01	5.5	0.087	0.14	0.65	22.1	0.13	9.97	40.7	6.3	0.5
12-706	<0.01	4.8	0.095	0.11	0.55	23.0	0.11	7.82	23.6	4.3	0.5
12-707	0.01	6.7	0.104	0.15	0.66	29.5	0.12	12.1	52.8	6.2	0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-708	0.01	0.01	6.5	0.103	0.16	0.81	29.2	0.15	14.5	37.9	4.4
12-709	0.01	0.01	3.4	0.076	0.14	1.06	24.0	0.17	12.7	37.0	2.4
12-710	0.01	0.01	2.4	0.051	0.11	0.90	21.5	0.10	8.24	28.7	1.3
12-711	0.02	0.02	2.9	0.086	0.11	0.65	26.3	0.13	4.96	28.6	1.5
12-712	0.02	0.02	6.6	0.068	0.16	1.56	28.0	0.14	34.9	35.8	5.9
12-713	0.01	0.01	3.1	0.088	0.09	0.54	22.4	0.16	4.78	24.6	1.8
12-714	<0.01	0.01	1.9	0.078	0.05	0.40	18.4	0.08	2.56	11.2	1.1
12-715	0.01	0.01	1.7	0.061	0.05	0.52	27.9	0.11	2.39	15.1	0.6
12-716	<0.01	<0.01	2.1	0.060	0.05	0.40	14.1	0.08	3.07	15.0	0.7
12-717	<0.01	<0.01	3.3	0.077	0.09	0.42	19.9	0.10	4.38	15.5	1.6
12-718	0.01	0.01	2.6	0.073	0.06	0.35	19.9	0.10	2.93	11.9	1.0
12-719	0.01	0.01	3.3	0.059	0.07	0.40	13.5	0.11	3.88	11.8	1.1
12-720	<0.01	<0.01	2.8	0.076	0.09	0.40	17.0	0.09	3.39	22.0	1.2
12-721	0.01	0.01	3.7	0.084	0.07	0.47	21.9	0.14	3.87	8.9	3.3
12-722	0.01	0.01	1.8	0.045	0.03	0.34	11.4	0.13	2.86	<0.5	0.7
12-723	0.02	0.02	8.2	0.129	0.19	0.64	33.5	0.23	13.7	39.6	9.4
12-724	<0.01	<0.01	6.0	0.089	0.12	0.56	21.0	0.18	8.60	20.5	13.7
12-725	<0.01	<0.01	5.2	0.070	0.12	0.58	17.5	0.12	8.63	24.5	5.1
12-726	<0.01	<0.01	5.0	0.088	0.09	0.63	19.8	0.13	10.2	29.4	4.9
12-727	0.01	0.01	5.5	0.110	0.10	0.56	27.3	0.13	5.92	31.4	5.1
12-728	0.01	0.01	5.9	0.094	0.15	0.69	23.0	0.12	10.7	40.0	8.7
12-729	0.01	0.01	3.3	0.102	0.10	0.49	30.2	0.13	4.71	28.9	2.3
12-730	0.01	0.01	7.0	0.121	0.18	0.65	32.0	0.17	8.44	40.0	3.6
12-731	0.02	0.02	5.0	0.096	0.12	0.92	27.3	0.11	13.5	44.3	4.7
12-732	0.02	0.02	6.3	0.106	0.15	0.64	26.7	0.17	12.1	39.6	3.8
12-733	0.01	0.01	4.4	0.110	0.14	0.53	28.8	0.15	5.22	39.7	2.3
12-734	0.02	0.02	3.5	0.061	0.13	0.61	14.2	0.10	9.06	20.8	2.7
12-735	0.02	0.02	0.9	0.033	0.06	0.50	14.7	0.08	4.05	42.6	<0.5
12-736	0.23	0.23	1.8	0.090	0.13	0.51	41.9	0.20	2.79	432	0.9
12-737	0.02	0.02	0.9	0.093	0.03	0.22	30.5	0.08	1.08	<0.5	<0.5
12-738	0.02	0.02	2.0	0.071	0.08	0.55	23.3	0.11	3.04	86.9	0.8
12-739	0.01	0.01	1.4	0.053	0.07	0.55	15.0	0.07	4.17	124	<0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 26, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-740	<0.01	0.01	4.1	0.077	0.05	0.51	18.5	0.05	3.42	5.5	2.3
12-741	<0.01	0.01	2.9	0.087	0.04	0.37	17.7	0.05	2.67	6.4	0.9
12-742	0.01	0.01	3.1	0.084	0.05	0.50	21.1	0.08	3.03	4.5	1.5
12-743	0.01	0.01	2.0	0.150	0.08	0.54	39.8	0.12	2.11	40.4	1.3
12-744	0.01	0.01	1.3	0.120	0.05	0.41	62.2	0.07	3.35	25.8	0.6
12-745	<0.01	0.01	2.3	0.088	0.06	0.52	19.5	0.11	4.28	17.6	1.1
12-746	0.01	0.01	5.7	0.094	0.13	0.62	21.9	0.14	9.70	22.9	8.2
12-747	0.01	0.01	3.6	0.077	0.13	0.92	21.1	0.13	10.7	36.2	5.0
12-748	0.02	0.02	6.4	0.110	0.16	0.71	31.1	0.14	13.5	44.9	7.5
12-749	<0.01	0.01	4.4	0.086	0.11	0.62	18.6	0.14	9.43	20.4	3.0
12-750	0.03	0.03	2.2	0.127	0.06	0.38	47.4	0.12	1.45	4.6	1.3
12-751	0.02	0.02	2.2	0.130	0.07	0.39	46.6	0.14	1.56	6.9	1.2
12-752	0.02	0.02	2.2	0.102	0.10	0.55	27.6	0.14	3.00	6.7	1.3
12-753	0.02	0.02	2.8	0.075	0.09	0.56	20.6	0.10	2.61	13.5	1.2
12-754	0.02	0.02	2.8	0.096	0.08	0.75	30.8	0.15	3.79	11.0	1.4
12-755	0.01	0.01	3.2	0.089	0.09	0.56	26.1	0.11	4.21	7.5	2.0

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Au	
	Unit: ppm	RDL: 0.001
12-355	0.005	
12-356	<0.001	
12-357	<0.001	
12-358	<0.001	
12-359	<0.001	
12-360	<0.001	
12-361	<0.001	
12-362	<0.001	
12-363	<0.001	
12-364	<0.001	
12-365	<0.001	
12-366	<0.001	
12-367	0.001	
12-368	<0.001	
12-369	0.001	
12-370	<0.001	
12-371	<0.001	
12-372	<0.001	
12-373	0.003	
12-374	<0.001	
12-375	<0.001	
12-376	<0.001	
12-377	0.013	
12-378	<0.001	
12-379	<0.001	
12-380	<0.001	
12-381	0.001	
12-382	<0.001	
12-383	<0.001	
12-384	<0.001	
12-385	<0.001	
12-386	<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-387		<0.001	
12-388		0.001	
12-389		0.006	
12-390		<0.001	
12-391		0.001	
12-392		<0.001	
12-393		<0.001	
12-394		<0.001	
12-395		<0.001	
12-396		<0.001	
12-397		<0.001	
12-398		<0.001	
12-399		<0.001	
12-400		0.004	
12-401		<0.001	
12-402		<0.001	
12-403		<0.001	
12-404		<0.001	
12-405		<0.001	
12-406		0.006	
12-407		0.729	
12-408		<0.001	
12-409		<0.001	
12-410		<0.001	
12-411		<0.001	
12-412		0.007	
12-413		<0.001	
12-414		<0.001	
12-415		<0.001	
12-416		<0.001	
12-417		<0.001	
12-418		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-419		<0.001	
12-420		0.003	
12-421		<0.001	
12-422		<0.001	
12-423		<0.001	
12-424		<0.001	
12-425		0.010	
12-426		<0.001	
12-427		<0.001	
12-428		<0.001	
12-429		<0.001	
12-430		<0.001	
12-431		<0.001	
12-432		0.006	
12-433		<0.001	
12-434		0.254	
12-435		0.007	
12-436		0.003	
12-437		<0.001	
12-438		<0.001	
12-439		<0.001	
12-440		<0.001	
12-441		<0.001	
12-442		<0.001	
12-443		<0.001	
12-444		<0.001	
12-445		<0.001	
12-446		<0.001	
12-447		<0.001	
12-448		0.008	
12-449		<0.001	
12-450		<0.001	

Certified By: _____



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-451		<0.001	
12-452		<0.001	
12-453		1.80	
12-454		<0.001	
12-455		<0.001	
12-456		<0.001	
12-457		0.001	
12-458		0.009	
12-459		<0.001	
12-460		<0.001	
12-461		<0.001	
12-462		<0.001	
12-463		0.002	
12-464		<0.001	
12-465		0.735	
12-466		<0.001	
12-467		<0.001	
12-468		<0.001	
12-469		<0.001	
12-470		0.010	
12-471		<0.001	
12-472		<0.001	
12-473		0.002	
12-474		<0.001	
12-475		<0.001	
12-476		<0.001	
12-477		<0.001	
12-478		<0.001	
12-479		<0.001	
12-480		<0.001	
12-481		<0.001	
12-482		0.008	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-483		<0.001	
12-484		0.007	
12-485		0.691	
12-486		0.002	
12-487		0.001	
12-488		<0.001	
12-489		<0.001	
12-490		0.001	
12-491		<0.001	
12-492		<0.001	
12-493		0.024	
12-494		<0.001	
12-495		<0.001	
12-496		<0.001	
12-497		<0.001	
12-498		<0.001	
12-499		<0.001	
12-500		<0.001	
12-501		<0.001	
12-502		<0.001	
12-503		<0.001	
12-504		<0.001	
12-505		0.016	
12-506		<0.001	
12-507		<0.001	
12-508		<0.001	
12-509		<0.001	
12-510		<0.001	
12-511		<0.001	
12-512		<0.001	
12-513		<0.001	
12-514		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-515		<0.001	
12-516		<0.001	
12-517		<0.001	
12-518		0.013	
12-519		<0.001	
12-520		<0.001	
12-521		<0.001	
12-522		<0.001	
12-523		<0.001	
12-524		<0.001	
12-525		<0.001	
12-526		<0.001	
12-527		<0.001	
12-528		<0.001	
12-530		<0.001	
12-531		<0.001	
12-532		0.002	
12-533		0.002	
12-534		<0.001	
12-535		0.001	
12-536		<0.001	
12-537		<0.001	
12-538		<0.001	
12-539		<0.001	
12-540		<0.001	
12-541		<0.001	
12-542		0.027	
12-543		<0.001	
12-544		<0.001	
12-545		<0.001	
12-546		0.003	
12-547		0.003	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-548		0.002	
12-549		0.009	
12-550		<0.001	
12-551		<0.001	
12-552		<0.001	
12-553		<0.001	
12-554		0.028	
12-555		<0.001	
12-556		<0.001	
12-557		<0.001	
12-558		<0.001	
12-559		<0.001	
12-560		<0.001	
12-561		<0.001	
12-562		<0.001	
12-563		<0.001	
12-564		<0.001	
12-565		<0.001	
12-566		<0.001	
12-567		<0.001	
12-568		<0.001	
12-569		<0.001	
12-570		<0.001	
12-571		<0.001	
12-572		<0.001	
12-573		<0.001	
12-574		<0.001	
12-575		<0.001	
12-576		<0.001	
12-577		<0.001	
12-578		<0.001	
12-579		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 26, 2012		SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001				
12-580		0.005				
12-581		<0.001				
12-582		<0.001				
12-583		<0.001				
12-584		<0.001				
12-585		<0.001				
12-586		<0.001				
12-587		<0.001				
12-588		<0.001				
12-589		0.001				
12-590		<0.001				
12-591		<0.001				
12-592		<0.001				
12-593		<0.001				
12-594		<0.001				
12-595		<0.001				
12-596		<0.001				
12-597		<0.001				
12-598		<0.001				
12-599		<0.001				
12-600		<0.001				
12-601		<0.001				
12-602		<0.001				
12-603		<0.001				
12-604		<0.001				
12-605		<0.001				
12-606		<0.001				
12-607		<0.001				
12-608		<0.001				
12-609		<0.001				
12-610		<0.001				
12-611		<0.001				

Fire Assay - Trace Au, ICP-OES finish (202052)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-612		<0.001	
12-613		<0.001	
12-614		<0.001	
12-615		0.005	
12-616		<0.001	
12-617		<0.001	
12-618		<0.001	
12-619		0.001	
12-620		<0.001	
12-621		<0.001	
12-622		<0.001	
12-623		<0.001	
12-624		<0.001	
12-625		<0.001	
12-626		<0.001	
12-627		0.009	
12-628		<0.001	
12-629		<0.001	
12-630		<0.001	
12-631		<0.001	
12-632		<0.001	
12-633		<0.001	
12-634		<0.001	
12-635		<0.001	
12-636		<0.001	
12-637		0.006	
12-638		0.005	
12-639		<0.001	
12-640		<0.001	
12-641		<0.001	
12-642		<0.001	
12-643		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-644		<0.001	
12-645		<0.001	
12-646		<0.001	
12-647		<0.001	
12-648		0.001	
12-649		<0.001	
12-650		<0.001	
12-651		0.003	
12-652		<0.001	
12-653		<0.001	
12-654		0.002	
12-655		<0.001	
12-656		<0.001	
12-657		<0.001	
12-658		<0.001	
12-659		<0.001	
12-660		<0.001	
12-661		<0.001	
12-662		0.005	
12-663		<0.001	
12-664		<0.001	
12-665		<0.001	
12-666		<0.001	
12-667		<0.001	
12-668		<0.001	
12-669		<0.001	
12-670		<0.001	
12-671		<0.001	
12-672		<0.001	
12-673		0.002	
12-674		<0.001	
12-675		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-676		<0.001	
12-677		0.002	
12-678		<0.001	
12-679		<0.001	
12-680		<0.001	
12-681		<0.001	
12-682		<0.001	
12-683		<0.001	
12-684		0.005	
12-685		0.004	
12-686		0.001	
12-687		<0.001	
12-688		0.001	
12-689		<0.001	
12-690		<0.001	
12-691		<0.001	
12-692		0.002	
12-693		0.003	
12-694		<0.001	
12-695		0.002	
12-696		0.002	
12-697		0.006	
12-698		<0.001	
12-699		0.002	
12-700		<0.001	
12-701		<0.001	
12-702		<0.001	
12-703		<0.001	
12-704		0.007	
12-705		<0.001	
12-706		<0.001	
12-707		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-708		<0.001	
12-709		0.016	
12-710		<0.001	
12-711		<0.001	
12-712		0.002	
12-713		<0.001	
12-714		<0.001	
12-715		<0.001	
12-716		<0.001	
12-717		<0.001	
12-718		0.006	
12-719		<0.001	
12-720		<0.001	
12-721		<0.001	
12-722		<0.001	
12-723		<0.001	
12-724		<0.001	
12-725		<0.001	
12-726		<0.001	
12-727		<0.001	
12-728		<0.001	
12-729		<0.001	
12-730		<0.001	
12-731		<0.001	
12-732		<0.001	
12-733		0.009	
12-734		<0.001	
12-735		<0.001	
12-736		<0.001	
12-737		<0.001	
12-738		<0.001	
12-739		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646787
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 26, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-740			0.002
12-741			<0.001
12-742			<0.001
12-743			0.011
12-744			<0.001
12-745			<0.001
12-746			<0.001
12-747			<0.001
12-748			<0.001
12-749			0.002
12-750			<0.001
12-751			<0.001
12-752			<0.001
12-753			<0.001
12-754			<0.001
12-755			0.009

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis												
RPT Date: Oct 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1		0.06	0.06	0.0%	0.03	13.8	13.0	106%	80%	120%	
Al	1		0.831	0.917	9.8%	< 0.01				80%	120%	
As	1		1.0	1.0	0.0%	< 0.1				80%	120%	
Au	1		< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755937	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1		13	14	7.4%	< 1				80%	120%	
Be	1		0.169	0.176	4.1%	< 0.05				80%	120%	
Bi	1		0.067	0.064	4.6%	< 0.01				80%	120%	
Ca	1		0.103	0.111	7.5%	< 0.01				80%	120%	
Cd	1		0.02	0.02	0.0%	< 0.01				80%	120%	
Ce	1		23.0	21.4	7.2%	< 0.01				80%	120%	
Co	1		2.6	2.6	0.0%	< 0.1				80%	120%	
Cr	1		15.3	16.2	5.7%	< 0.5				80%	120%	
Cs	1		1.28	1.26	1.6%	< 0.05				80%	120%	
Cu	1		4.32	4.56	5.4%	< 0.1	5731	6000	95%	80%	120%	
Fe	1		1.14	1.23	7.6%	< 0.01				80%	120%	
Ga	1		3.26	3.29	0.9%	< 0.05				80%	120%	
Ge	1		0.072	0.077	6.7%	0.06				80%	120%	
Hf	1		< 0.02	< 0.02	0.0%	< 0.02				80%	120%	
Hg	1		0.02	0.02	0.0%	< 0.01				80%	120%	
In	1		0.008	0.008	0.0%	< 0.005				80%	120%	
K	1		0.02	0.02	0.0%	< 0.01				80%	120%	
La	1		9.91	7.83	23.4%	< 0.1				80%	120%	
Li	1		8.5	8.5	0.0%	< 0.1				80%	120%	
Mg	1		0.184	0.196	6.3%	< 0.01				80%	120%	
Mn	1		62	67	7.8%	< 1				80%	120%	
Mo	1		0.41	0.42	2.4%	< 0.05	355	360	98%	80%	120%	
Na	1		< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1		1.70	1.66	2.4%	< 0.05				80%	120%	
Ni	1		8.1	8.3	2.4%	< 0.2				80%	120%	
P	1		286	298	4.1%	< 10	654	600	109%	80%	120%	
Pb	1		3.6	3.5	2.8%	< 0.1				80%	120%	
Rb	1		5.04	5.13	1.8%	< 0.1				80%	120%	
Re	1		< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1		0.012	0.012	0.0%	< 0.005				80%	120%	
Sb	1		< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1		1.1	1.1	0.0%	< 0.1				80%	120%	
Se	1		0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1		0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1		5.51	5.75	4.3%	< 0.2				80%	120%	
Ta	1		< 0.01	< 0.01	0.0%	< 0.01	0.8	0.9	90%	80%	120%	
Te	1		0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1		2.0	1.8	10.5%	< 0.1				80%	120%	
Ti	1		0.0646	0.0695	7.3%	< 0.005				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1		0.04	0.04	0.0%	< 0.01				80%	120%
U	1		0.37	0.35	5.6%	< 0.05				80%	120%
V	1		17.9	19.1	6.5%	< 0.5				80%	120%
W	1		0.122	0.132	7.9%	< 0.05				80%	120%
Y	1		2.46	2.45	0.4%	< 0.05	6	7	83%	80%	120%
Zn	1		12.1	13.1	7.9%	< 0.5				80%	120%
Zr	1		0.67	0.59	12.7%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3755962	0.098	0.092	6.3%	< 0.01	11.9	13.0	92%	80%	120%
Al	1	3756112	1.04	1.03	1.0%	< 0.01				80%	120%
As	1	3755962	5.0	1.9		0.3				80%	120%
Au	1	3755962	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3755962	5	5	0.0%	< 5	6.86	7.00	98%	80%	120%
Ba	1	3756112	38	38	0.0%	< 1				80%	120%
Be	1	3755962	0.54	0.54	0.0%	< 0.05				80%	120%
Bi	1	3755962	0.111	0.104	6.5%	< 0.01				80%	120%
Ca	1	3756112	0.35	0.35	0.0%	< 0.01				80%	120%
Cd	1	3755962	0.117	0.112	4.4%	< 0.01				80%	120%
Ce	1	3755962	41.7	41.2	1.2%	< 0.01				80%	120%
Co	1	3755962	7.13	6.83	4.3%	< 0.1				80%	120%
Cr	1	3756112	25.3	25.5	0.8%	< 0.5				80%	120%
Cs	1	3755962	1.05	1.00	4.9%	< 0.05				80%	120%
Cu	1	3756112	6.1	6.2	1.6%	< 0.1	5685	6000	94%	80%	120%
Fe	1	3756112	1.30	1.29	0.8%	< 0.01				80%	120%
Ga	1	3755962	5.43	5.22	3.9%	< 0.05				80%	120%
Ge	1	3755962	0.076	0.075	1.3%	< 0.05				80%	120%
Hf	1	3755962	0.06	0.06	0.0%	< 0.02				80%	120%
Hg	1	3755962	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3755962	0.017	0.017	0.0%	< 0.005				80%	120%
K	1	3756112	0.07	0.07	0.0%	< 0.01				80%	120%
La	1	3755962	20.2	20.1	0.5%	< 0.1				80%	120%
Li	1	3755962	19.9	19.3	3.1%	< 0.1				80%	120%
Mg	1	3756112	0.32	0.32	0.0%	< 0.01				80%	120%
Mn	1	3756112	266	270	1.5%	< 1				80%	120%
Mo	1	3755962	0.30	0.18		< 0.05	340	360	94%	80%	120%
Na	1	3756112	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3755962	2.32	2.18	6.2%	< 0.05				80%	120%
Ni	1	3756112	11.1	11.3	1.8%	< 0.2				80%	120%
P	1	3756112	320	328	2.5%	< 10	639	600	106%	80%	120%
Pb	1	3755962	6.4	6.5	1.6%	< 0.1				80%	120%
Rb	1	3755962	29.5	28.2	4.5%	< 0.1				80%	120%
Re	1	3755962	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756112	0.015	0.015	0.0%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sb	1	3755962	0.07	0.05		< 0.05				80%	120%	
Sc	1	3755962	4.4	4.2	4.7%	< 0.1				80%	120%	
Se	1	3755962	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3755962	0.56	0.54	3.6%	< 0.2				80%	120%	
Sr	1	3755962	20.0	18.6	7.3%	< 0.2				80%	120%	
Ta	1	3755962	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755962	0.01	< 0.01		< 0.01				80%	120%	
Th	1	3755962	3.4	3.3	3.0%	< 0.1				80%	120%	
Ti	1	3756112	0.058	0.057	1.7%	< 0.005				80%	120%	
Tl	1	3755962	0.098	0.092	6.3%	< 0.01				80%	120%	
U	1	3755962	0.78	0.78	0.0%	< 0.05				80%	120%	
V	1	3756112	18.4	19.0	3.2%	< 0.5				80%	120%	
W	1	3755962	0.107	0.095	11.9%	< 0.05				80%	120%	
Y	1	3755962	8.39	8.15	2.9%	< 0.05	6	7	82%	80%	120%	
Zn	1	3756112	16.2	15.8	2.5%	< 0.5				80%	120%	
Zr	1	3755962	1.2	1.2	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755977	0.051	0.055	7.5%	0.02	12	13.0	93%	80%	120%	
Al	1	3756137	1.40	1.40	0.0%	< 0.01				80%	120%	
As	1	3755977	2.3	1.9	19.0%	0.3				80%	120%	
Au	1	3755977	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755977	< 5	< 5	0.0%	< 5	6.04	7.00	86%	80%	120%	
Ba	1	3756137	53	51	3.8%	< 1				80%	120%	
Be	1	3755977	0.15	0.14	6.9%	< 0.05				80%	120%	
Bi	1	3755977	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3756137	0.331	0.324	2.1%	< 0.01				80%	120%	
Cd	1	3755977	0.024	0.025	4.1%	< 0.01				80%	120%	
Ce	1	3755977	12.3	11.9	3.3%	0.01				80%	120%	
Co	1	3755977	1.7	1.7	0.0%	< 0.1				80%	120%	
Cr	1	3756137	36.3	39.1	7.4%	< 0.5				80%	120%	
Cs	1	3755977	0.43	0.43	0.0%	< 0.05				80%	120%	
Cu	1	3756137	5.1	5.1	0.0%	< 0.1	5718	6000	95%	80%	120%	
Fe	1	3756137	1.91	1.88	1.6%	< 0.01				80%	120%	
Ga	1	3755977	4.20	4.21	0.2%	< 0.05				80%	120%	
Ge	1	3755977	0.05	0.05	0.0%	< 0.05				80%	120%	
Hf	1	3755977	0.025	0.025	0.0%	< 0.02				80%	120%	
Hg	1	3755977	0.01	0.01	0.0%	< 0.01				80%	120%	
In	1	3755977	0.009	0.009	0.0%	< 0.005				80%	120%	
K	1	3756137	0.15	0.15	0.0%	< 0.01				80%	120%	
La	1	3755977	6.09	6.01	1.3%	< 0.1				80%	120%	
Li	1	3755977	5.6	5.6	0.0%	< 0.1				80%	120%	
Mg	1	3756137	0.62	0.61	1.6%	< 0.01				80%	120%	
Mn	1	3756137	347	348	0.3%	< 1				80%	120%	
Mo	1	3755977	0.49	0.44	10.8%	< 0.05	347	360	96%	80%	120%	

Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Na	1	3756137	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755977	2.67	2.66	0.4%	< 0.05				80%	120%	
Ni	1	3756137	22.1	21.8	1.4%	< 0.2				80%	120%	
P	1	3756137	300	293	2.4%	< 10	668	600	111%	80%	120%	
Pb	1	3755977	3.92	3.96	1.0%	0.2				80%	120%	
Rb	1	3755977	8.1	8.1	0.0%	< 0.1				80%	120%	
Re	1	3755977	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756137	0.008	0.008	0.0%	< 0.005				80%	120%	
Sb	1	3755977	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3755977	1.30	1.24	4.7%	< 0.1				80%	120%	
Se	1	3755977	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3755977	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3755977	4.96	4.67	6.0%	< 0.2				80%	120%	
Ta	1	3755977	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755977	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755977	2.53	2.23	12.6%	< 0.1	1.2	1.4	89%	80%	120%	
Ti	1	3756137	0.119	0.116	2.6%	< 0.005				80%	120%	
Tl	1	3755977	0.04	0.04	0.0%	< 0.01				80%	120%	
U	1	3755977	0.26	0.25	3.9%	< 0.05				80%	120%	
V	1	3756137	25.6	25.7	0.4%	< 0.5				80%	120%	
W	1	3755977	0.09	0.09	0.0%	< 0.05				80%	120%	
Y	1	3755977	1.39	1.32	5.2%	< 0.05	6	7	82%	80%	120%	
Zn	1	3756137	44.8	44.4	0.9%	< 0.5				80%	120%	
Zr	1	3755977	0.6	0.6	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3755987	0.077	0.063	20.0%	< 0.01	12.1	13.0	93%	80%	120%	
Al	1	3756138	1.51	1.45	4.1%	< 0.01				80%	120%	
As	1	3755987	1.8	2.2	20.0%	0.2				80%	120%	
Au	1	3755987	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3755987	< 5	< 5	0.0%	< 5	5.93	7.00	85%	80%	120%	
Ba	1	3756138	44	43	2.3%	< 1				80%	120%	
Be	1	3755987	0.251	0.267	6.2%	< 0.05				80%	120%	
Bi	1	3755987	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3756138	0.261	0.251	3.9%	< 0.01				80%	120%	
Cd	1	3755987	0.077	0.074	4.0%	< 0.01				80%	120%	
Ce	1	3755987	26.3	28.5	8.0%	0.01				80%	120%	
Co	1	3755987	3.8	3.8	0.0%	< 0.1				80%	120%	
Cr	1	3756138	36.6	33.5	8.8%	< 0.5				80%	120%	
Cs	1	3755987	0.65	0.67	3.0%	< 0.05				80%	120%	
Cu	1	3756138	5.8	4.5	25.2%	< 0.1	5665	6000	94%	80%	120%	
Fe	1	3756138	1.85	1.79	3.3%	< 0.01				80%	120%	
Ga	1	3755987	4.24	4.52	6.4%	< 0.05				80%	120%	
Ge	1	3755987	0.063	0.065	3.1%	< 0.05				80%	120%	
Hf	1	3755987	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3755987	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3755987	0.014	0.014	0.0%	< 0.005				80%	120%	
K	1	3756138	0.12	0.12	0.0%	< 0.01				80%	120%	
La	1	3755987	10.0	10.7	6.8%	< 0.1				80%	120%	
Li	1	3755987	11.1	11.5	3.5%	< 0.1				80%	120%	
Mg	1	3756138	0.547	0.530	3.2%	< 0.01				80%	120%	
Mn	1	3756138	248	241	2.9%	< 1				80%	120%	
Mo	1	3755987	0.33	0.33	0.0%	< 0.05	337	360	93%	80%	120%	
Na	1	3756138	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3755987	1.79	1.98	10.1%	< 0.05				80%	120%	
Ni	1	3756138	22.1	21.1	4.6%	< 0.2				80%	120%	
P	1	3756138	223	226	1.3%	< 10	647	600	108%	80%	120%	
Pb	1	3755987	5.64	5.70	1.1%	0.1				80%	120%	
Rb	1	3755987	9.54	10.1	5.7%	< 0.1				80%	120%	
Re	1	3755987	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756138	0.0065	0.0067	3.0%	< 0.005				80%	120%	
Sb	1	3755987	0.05	0.05	0.0%	< 0.05				80%	120%	
Sc	1	3755987	1.88	2.07	9.6%	< 0.1				80%	120%	
Se	1	3755987	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3755987	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3755987	10.5	11.7	10.8%	< 0.2				80%	120%	
Ta	1	3755987	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3755987	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3755987	1.9	1.8	5.4%	< 0.1				80%	120%	
Ti	1	3756138	0.105	0.101	3.9%	< 0.005				80%	120%	
Tl	1	3755987	0.063	0.069	9.1%	< 0.01				80%	120%	
U	1	3755987	0.362	0.379	4.6%	< 0.05				80%	120%	
V	1	3756138	22.3	21.3	4.6%	< 0.5				80%	120%	
W	1	3755987	0.07	0.07	0.0%	< 0.05				80%	120%	
Y	1	3755987	2.89	3.09	6.7%	< 0.05	6	7	82%	80%	120%	
Zn	1	3756138	36.5	36.6	0.3%	< 0.5				80%	120%	
Zr	1	3755987	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756012	0.07	0.07	0.0%	< 0.01	12.4	13.0	95%	80%	120%	
Al	1	3756162	0.76	0.77	1.3%	< 0.01				80%	120%	
As	1	3756012	1.6	1.5	6.5%	0.1				80%	120%	
Au	1	3756012	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756012	< 5	< 5	0.0%	< 5	8.08	7.00	115%	80%	120%	
Ba	1	3756162	24	25	4.1%	< 1				80%	120%	
Be	1	3756012	0.422	0.413	2.2%	< 0.05				80%	120%	
Bi	1	3756012	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3756162	0.13	0.13	0.0%	< 0.01				80%	120%	
Cd	1	3756012	0.05	0.05	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ce	1	3756012	37.6	38.5	2.4%	0.01				80%	120%	
Co	1	3756012	4.3	4.3	0.0%	< 0.1				80%	120%	
Cr	1	3756162	25.5	25.5	0.0%	< 0.5				80%	120%	
Cs	1	3756012	0.711	0.721	1.4%	< 0.05				80%	120%	
Cu	1	3756012	2.3	2.3	0.0%	< 0.1	5776	6000	96%	80%	120%	
Fe	1	3756162	2.20	2.24	1.8%	< 0.01				80%	120%	
Ga	1	3756012	3.66	3.63	0.8%	< 0.05				80%	120%	
Ge	1	3756012	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3756012	0.055	0.060	8.7%	< 0.02				80%	120%	
Hg	1	3756012	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3756012	0.014	0.014	0.0%	< 0.005				80%	120%	
K	1	3756162	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3756012	18.5	19.0	2.7%	< 0.1				80%	120%	
Li	1	3756012	14.0	13.7	2.2%	< 0.1				80%	120%	
Mg	1	3756162	0.195	0.198	1.5%	< 0.01				80%	120%	
Mn	1	3756162	63	63	0.0%	< 1				80%	120%	
Mo	1	3756012	0.14	0.13	7.4%	< 0.05	348	360	96%	80%	120%	
Na	1	3756162	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3756012	1.77	1.78	0.6%	< 0.05				80%	120%	
Ni	1	3756162	7.4	7.4	0.0%	< 0.2				80%	120%	
P	1	3756162	217	219	0.9%	< 10	681	600	114%	80%	120%	
Pb	1	3756012	4.9	4.9	0.0%	< 0.1				80%	120%	
Rb	1	3756012	11.3	11.2	0.9%	< 0.1				80%	120%	
Re	1	3756012	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756162	0.012	0.012	0.0%	< 0.005				80%	120%	
Sb	1	3756012	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3756012	3.54	3.63	2.5%	< 0.1				80%	120%	
Se	1	3756012	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3756012	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3756012	17.0	17.0	0.0%	< 0.2				80%	120%	
Ta	1	3756012	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756012	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3756012	3.4	3.4	0.0%	< 0.1	1.2	1.4	86%	80%	120%	
Ti	1	3756162	0.147	0.148	0.7%	< 0.005				80%	120%	
Tl	1	3756012	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3756012	0.55	0.57	3.6%	< 0.05				80%	120%	
V	1	3756162	46.6	47.1	1.1%	< 0.5				80%	120%	
W	1	3756012	0.38	0.09		< 0.05				80%	120%	
Y	1	3756012	8.83	8.77	0.7%	< 0.05	6	7	93%	80%	120%	
Zn	1	3756162	10.8	10.3	4.7%	< 0.5				80%	120%	
Zr	1	3756012	1.1	1.1	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756018	0.082	0.091	10.4%	< 0.01	12.2	13.0	94%	80%	120%	
Al	1	3756177	0.91	0.96	5.3%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3756018	4.7	3.7		0.1			80%	120%		
Au	1	3756018	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
B	1	3756018	< 5	< 5	0.0%	< 5	8.03	7.00	115%	80%	120%	
Ba	1	3756177	27	30	10.5%	< 1			80%	120%		
Be	1	3756018	0.36	0.36	0.0%	< 0.05	0.3	0.4	71%	80%	120%	
Bi	1	3756018	0.08	0.08	0.0%	< 0.01			80%	120%		
Ca	1	3756177	0.373	0.393	5.2%	< 0.01			80%	120%		
Cd	1	3756018	0.10	0.10	0.0%	< 0.01			80%	120%		
Ce	1	3756018	28.5	29.3	2.8%	< 0.01			80%	120%		
Co	1	3756018	6.12	5.94	3.0%	< 0.1			80%	120%		
Cr	1	3756177	24.9	26.0	4.3%	< 0.5			80%	120%		
Cs	1	3756018	0.74	0.77	4.0%	< 0.05			80%	120%		
Cu	1	3756177	6.0	8.1	29.8%	< 0.1	5647	6000	94%	80%	120%	
Fe	1	3756177	1.26	1.31	3.9%	< 0.01			80%	120%		
Ga	1	3756018	3.96	3.87	2.3%	< 0.05			80%	120%		
Ge	1	3756018	0.06	0.06	0.0%	< 0.05			80%	120%		
Hf	1	3756018	0.04	0.04	0.0%	< 0.02			80%	120%		
Hg	1	3756018	0.04	0.04	0.0%	< 0.01			80%	120%		
In	1	3756018	0.017	0.017	0.0%	< 0.005			80%	120%		
K	1	3756177	0.05	0.05	0.0%	< 0.01			80%	120%		
La	1	3756018	9.2	9.4	2.2%	< 0.1			80%	120%		
Li	1	3756018	19.0	19.0	0.0%	< 0.1			80%	120%		
Mg	1	3756177	0.265	0.282	6.2%	< 0.01			80%	120%		
Mn	1	3756177	138	147	6.3%	< 1			80%	120%		
Mo	1	3756018	0.52	0.38		< 0.05	340	360	94%	80%	120%	
Na	1	3756177	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
Nb	1	3756018	1.96	1.92	2.1%	< 0.05			80%	120%		
Ni	1	3756177	11.3	11.7	3.5%	< 0.2			80%	120%		
P	1	3756177	797	832	4.3%	< 10	666	600	111%	80%	120%	
Pb	1	3756018	5.3	5.4	1.9%	< 0.1			80%	120%		
Rb	1	3756018	10.3	10.4	1.0%	< 0.1			80%	120%		
Re	1	3756018	< 0.001	< 0.001	0.0%	< 0.001			80%	120%		
S	1	3756177	0.017	0.018	5.7%	< 0.005			80%	120%		
Sb	1	3756018	0.074	0.064	14.5%	< 0.05			80%	120%		
Sc	1	3756018	2.26	2.25	0.4%	< 0.1			80%	120%		
Se	1	3756018	0.3	0.3	0.0%	< 0.2			80%	120%		
Sn	1	3756018	0.4	0.4	0.0%	< 0.2			80%	120%		
Sr	1	3756018	10.9	10.8	0.9%	< 0.2			80%	120%		
Ta	1	3756018	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
Te	1	3756018	0.02	0.01		< 0.01			80%	120%		
Th	1	3756018	3.2	3.4	6.1%	< 0.1	1.2	1.4	85%	80%	120%	
Ti	1	3756177	0.0734	0.0753	2.6%	< 0.005			80%	120%		
Tl	1	3756018	0.08	0.08	0.0%	< 0.01			80%	120%		
U	1	3756018	0.395	0.410	3.7%	< 0.05			80%	120%		



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
V	1	3756177	18.8	19.6	4.2%	< 0.5				80%	120%	
W	1	3756018	0.16	0.11		< 0.05				80%	120%	
Y	1	3756018	3.15	3.15	0.0%	< 0.05	6	7	89%	80%	120%	
Zn	1	3756177	12.2	15.2	21.9%	< 0.5				80%	120%	
Zr	1	3756018	0.8	0.8	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756037	0.08	0.05		< 0.01	12	13.0	93%	80%	120%	
Al	1	3756187	1.27	1.30	2.3%	< 0.01				80%	120%	
As	1	3756037	3.4	1.7		0.3				80%	120%	
Au	1	3756037	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756037	5	5	0.0%	< 5				80%	120%	
Ba	1	3756187	55	56	1.8%	< 1				80%	120%	
Be	1	3756037	0.36	0.40	10.5%	< 0.05				80%	120%	
Bi	1	3756037	0.075	0.075	0.0%	< 0.01				80%	120%	
Ca	1	3756187	0.21	0.22	4.7%	< 0.01				80%	120%	
Cd	1	3756037	0.06	0.06	0.0%	< 0.01				80%	120%	
Ce	1	3756037	33.0	34.5	4.4%	0.01				80%	120%	
Co	1	3756037	4.9	5.1	4.0%	< 0.1				80%	120%	
Cr	1	3756187	26.3	26.5	0.8%	< 0.5				80%	120%	
Cs	1	3756037	0.63	0.68	7.6%	< 0.05				80%	120%	
Cu	1	3756037	5.56	5.65	1.6%	< 0.1	5509	6000	91%	80%	120%	
Fe	1	3756187	1.29	1.33	3.1%	< 0.01				80%	120%	
Ga	1	3756037	3.19	3.38	5.8%	< 0.05				80%	120%	
Ge	1	3756037	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Hf	1	3756037	0.08	0.13		< 0.02				80%	120%	
Hg	1	3756037	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3756037	0.013	0.013	0.0%	< 0.005				80%	120%	
K	1	3756187	0.071	0.075	5.5%	< 0.01				80%	120%	
La	1	3756037	15.6	16.1	3.2%	< 0.1				80%	120%	
Li	1	3756037	15.1	16.1	6.4%	< 0.1				80%	120%	
Mg	1	3756187	0.334	0.343	2.7%	< 0.01				80%	120%	
Mn	1	3756187	110	114	3.6%	< 1				80%	120%	
Mo	1	3756037	0.22	0.10		< 0.05	359	360	99%	80%	120%	
Na	1	3756037	< 0.01	0.01		< 0.01				80%	120%	
Nb	1	3756037	1.15	1.31	13.0%	< 0.05				80%	120%	
Ni	1	3756187	16.2	16.2	0.0%	< 0.2				80%	120%	
P	1	3756187	307	302	1.6%	< 10	648	600	108%	80%	120%	
Pb	1	3756037	6.03	5.13	16.1%	< 0.1				80%	120%	
Rb	1	3756037	11.7	12.3	5.0%	< 0.1				80%	120%	
Re	1	3756037	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756187	0.007	0.007	0.0%	< 0.005				80%	120%	
Sb	1	3756037	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3756037	3.21	3.45	7.2%	< 0.1				80%	120%	
Se	1	3756037	0.2	0.2	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3756037	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3756037	15.5	16.4	5.6%	< 0.2				80%	120%	
Ta	1	3756037	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756037	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3756037	4.2	4.5	6.9%	< 0.1				80%	120%	
Ti	1	3756187	0.0799	0.0868	8.3%	< 0.005				80%	120%	
Tl	1	3756037	0.083	0.089	7.0%	< 0.01				80%	120%	
U	1	3756037	0.452	0.476	5.2%	< 0.05				80%	120%	
V	1	3756187	15.4	15.8	2.6%	< 0.5				80%	120%	
W	1	3756037	0.135	0.116	15.1%	< 0.05				80%	120%	
Y	1	3756037	7.25	7.46	2.9%	< 0.05				80%	120%	
Zn	1	3756187	11.2	11.2	0.0%	< 0.5				80%	120%	
Zr	1	3756037	2.10	2.03	3.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756057	0.05	0.07		< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3756212	0.432	0.449	3.9%	< 0.01				80%	120%	
As	1	3756057	1.6	1.3	20.7%	0.4				80%	120%	
Au	1	3756057	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756057	9	9	0.0%	< 5	6.2	7.00	89%	80%	120%	
Ba	1	3756212	30	31	3.3%	< 1				80%	120%	
Be	1	3756057	0.29	0.29	0.0%	< 0.05				80%	120%	
Bi	1	3756057	0.06	0.06	0.0%	< 0.01				80%	120%	
Ca	1	3756212	0.767	0.836	8.6%	< 0.01				80%	120%	
Cd	1	3756057	0.08	0.09	11.8%	< 0.01				80%	120%	
Ce	1	3756057	27.8	28.7	3.2%	0.02				80%	120%	
Co	1	3756057	4.1	4.2	2.4%	< 0.1				80%	120%	
Cr	1	3756212	20.5	22.1	7.5%	< 0.5				80%	120%	
Cs	1	3756057	0.634	0.647	2.0%	< 0.05				80%	120%	
Cu	1	3756212	8.8	9.7	9.7%	< 0.1	5588	6000	93%	80%	120%	
Fe	1	3756212	0.944	0.991	4.9%	< 0.01				80%	120%	
Ga	1	3756057	2.72	2.84	4.3%	< 0.05				80%	120%	
Ge	1	3756057	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Hf	1	3756057	0.135	0.143	5.8%	< 0.02				80%	120%	
Hg	1	3756057	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3756057	0.0114	0.0119	4.3%	< 0.005				80%	120%	
K	1	3756212	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3756057	14.5	14.9	2.7%	< 0.1				80%	120%	
Li	1	3756057	14.7	15.3	4.0%	< 0.1				80%	120%	
Mg	1	3756212	0.404	0.434	7.2%	< 0.01				80%	120%	
Mn	1	3756212	529	556	5.0%	< 1				80%	120%	
Mo	1	3756057	0.18	0.18	0.0%	< 0.05	344	360	95%	80%	120%	
Na	1	3756212	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3756057	1.66	1.75	5.3%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ni	1	3756212	10.6	11.2	5.5%	< 0.2				80%	120%	
P	1	3756212	776	840	7.9%	< 10	669	600	111%	80%	120%	
Pb	1	3756057	4.04	4.18	3.4%	0.4				80%	120%	
Rb	1	3756057	10.9	11.3	3.6%	< 0.1				80%	120%	
Re	1	3756057	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756212	0.0733	0.0747	1.9%	< 0.005				80%	120%	
Sb	1	3756057	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3756057	3.2	3.4	6.1%	< 0.1				80%	120%	
Se	1	3756057	0.22	0.26	16.7%	< 0.2				80%	120%	
Sn	1	3756057	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3756057	66.2	69.1	4.3%	< 0.2				80%	120%	
Ta	1	3756057	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	115%	80%	120%	
Te	1	3756057	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3756057	4.3	4.4	2.3%	< 0.1				80%	120%	
Ti	1	3756212	0.0395	0.0412	4.2%	< 0.005				80%	120%	
Tl	1	3756057	0.090	0.097	7.5%	< 0.01				80%	120%	
U	1	3756057	0.49	0.51	4.0%	< 0.05				80%	120%	
V	1	3756212	8.52	9.31	8.9%	< 0.5				80%	120%	
W	1	3756057	0.108	0.104	3.8%	< 0.05				80%	120%	
Y	1	3756057	7.75	8.20	5.6%	< 0.05				80%	120%	
Zn	1	3756212	36.2	37.2	2.7%	< 0.5				80%	120%	
Zr	1	3756057	4.13	4.43	7.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756062	0.06	0.07	15.4%	< 0.01	12.1	13.0	93%	80%	120%	
Al	1	3756218	1.25	1.19	4.9%	< 0.01				80%	120%	
As	1	3756062	1.6	2.5		0.4				80%	120%	
Au	1	3756062	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756062	10	11	9.5%	< 5				80%	120%	
Ba	1	3756218	33	32	3.1%	< 1				80%	120%	
Be	1	3756062	0.330	0.357	7.9%	< 0.05				80%	120%	
Bi	1	3756062	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3756218	0.236	0.230	2.6%	< 0.01				80%	120%	
Cd	1	3756062	0.084	0.089	5.8%	< 0.01				80%	120%	
Ce	1	3756062	32.6	32.9	0.9%	0.02				80%	120%	
Co	1	3756062	5.6	5.9	5.2%	< 0.1				80%	120%	
Cr	1	3756218	62.6	61.2	2.3%	< 0.5				80%	120%	
Cs	1	3756062	0.788	0.781	0.9%	< 0.05				80%	120%	
Cu	1	3756218	12.2	11.4	6.8%	< 0.1	5492	6000	91%	80%	120%	
Fe	1	3756218	1.93	1.83	5.3%	< 0.01				80%	120%	
Ga	1	3756062	3.32	3.40	2.4%	< 0.05				80%	120%	
Ge	1	3756062	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Hf	1	3756062	0.364	0.367	0.8%	< 0.02				80%	120%	
Hg	1	3756062	0.02	0.02	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3756062	0.0138	0.0131	5.2%	< 0.005				80%	120%
K	1	3756218	0.14	0.14	0.0%	< 0.01				80%	120%
La	1	3756062	16.4	16.3	0.6%	< 0.1				80%	120%
Li	1	3756062	19.5	20.1	3.0%	< 0.1				80%	120%
Mg	1	3756218	0.600	0.572	4.8%	< 0.01				80%	120%
Mn	1	3756218	124	123	0.8%	< 1				80%	120%
Mo	1	3756062	0.497	0.400	21.6%	< 0.05	336	360	93%	80%	120%
Na	1	3756218	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3756062	1.58	1.59	0.6%	< 0.05				80%	120%
Ni	1	3756218	29.7	29.3	1.4%	< 0.2				80%	120%
P	1	3756218	643	631	1.9%	< 10	642	600	107%	80%	120%
Pb	1	3756062	4.6	4.6	0.0%	< 0.1				80%	120%
Rb	1	3756062	16.1	16.3	1.2%	< 0.1				80%	120%
Re	1	3756062	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756218	0.012	0.012	0.0%	< 0.005				80%	120%
Sb	1	3756062	0.08	0.09	11.8%	< 0.05				80%	120%
Sc	1	3756062	4.1	4.2	2.4%	< 0.1				80%	120%
Se	1	3756062	0.23	0.28	19.6%	< 0.2				80%	120%
Sn	1	3756062	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3756062	95.8	96.0	0.2%	< 0.2				80%	120%
Ta	1	3756062	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	108%	80%	120%
Te	1	3756062	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3756062	5.3	5.4	1.9%	< 0.1	1.2	1.4	89%	80%	120%
Ti	1	3756218	0.130	0.132	1.5%	< 0.005				80%	120%
Tl	1	3756062	0.10	0.10	0.0%	< 0.01				80%	120%
U	1	3756062	0.696	0.689	1.0%	< 0.05				80%	120%
V	1	3756218	28.7	28.5	0.7%	< 0.5				80%	120%
W	1	3756062	0.123	0.129	4.8%	< 0.05				80%	120%
Y	1	3756062	9.25	9.32	0.8%	< 0.05	6	7	85%	80%	120%
Zn	1	3756218	26.3	26.6	1.1%	< 0.5				80%	120%
Zr	1	3756062	8.6	8.8	2.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756087	0.105	0.104	1.0%	< 0.01	12	13.0	92%	80%	120%
Al	1	3756237	1.99	2.22	10.9%	< 0.01				80%	120%
As	1	3756087	1.5	1.5	0.0%	0.4				80%	120%
Au	1	3756087	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756087	7	7	0.0%	< 5				80%	120%
Ba	1	3756237	84	90	6.9%	< 1				80%	120%
Be	1	3756087	0.661	0.653	1.2%	< 0.05				80%	120%
Bi	1	3756087	0.11	0.11	0.0%	< 0.01				80%	120%
Ca	1	3756237	0.54	0.56	3.6%	< 0.01				80%	120%
Cd	1	3756087	0.08	0.08	0.0%	< 0.01				80%	120%
Ce	1	3756087	50.6	49.6	2.0%	0.02				80%	120%
Co	1	3756087	7.92	7.74	2.3%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Cr	1	3756237	54.0	56.7	4.9%	< 0.5				80%	120%	
Cs	1	3756087	1.71	1.64	4.2%	< 0.05				80%	120%	
Cu	1	3756237	10.9	10.8	0.9%	< 0.1	5491	6000	91%	80%	120%	
Fe	1	3756237	2.62	2.68	2.3%	< 0.01				80%	120%	
Ga	1	3756087	5.66	5.60	1.1%	< 0.05				80%	120%	
Ge	1	3756087	0.08	0.08	0.0%	< 0.05				80%	120%	
Hf	1	3756087	0.135	0.111	19.5%	< 0.02				80%	120%	
Hg	1	3756087	0.046	0.037	21.7%	< 0.01				80%	120%	
In	1	3756087	0.0219	0.0228	4.0%	< 0.005				80%	120%	
K	1	3756237	0.18	0.19	5.4%	< 0.01				80%	120%	
La	1	3756087	26.8	26.5	1.1%	< 0.1				80%	120%	
Li	1	3756087	28.5	27.1	5.0%	< 0.1				80%	120%	
Mg	1	3756237	0.809	0.857	5.8%	< 0.01				80%	120%	
Mn	1	3756237	418	438	4.7%	< 1				80%	120%	
Mo	1	3756087	0.16	0.12	28.6%	< 0.05	355	360	98%	80%	120%	
Na	1	3756237	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3756087	2.07	1.89	9.1%	< 0.05				80%	120%	
Ni	1	3756237	29.3	31.1	6.0%	< 0.2				80%	120%	
P	1	3756237	195	211	7.9%	< 10	644	600	107%	80%	120%	
Pb	1	3756087	7.76	7.57	2.5%	< 0.1				80%	120%	
Rb	1	3756087	18.7	18.3	2.2%	< 0.1				80%	120%	
Re	1	3756087	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756237	0.0051	0.0055	7.5%	< 0.005				80%	120%	
Sb	1	3756087	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3756087	5.2	5.0	3.9%	< 0.1				80%	120%	
Se	1	3756087	0.23	0.28	19.6%	< 0.2				80%	120%	
Sn	1	3756087	0.66	0.64	3.1%	< 0.2				80%	120%	
Sr	1	3756087	23.0	22.4	2.6%	< 0.2				80%	120%	
Ta	1	3756087	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	99%	80%	120%	
Te	1	3756087	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3756087	5.0	5.0	0.0%	< 0.1	1.1	1.4	80%	80%	120%	
Ti	1	3756237	0.140	0.147	4.9%	< 0.005				80%	120%	
Tl	1	3756087	0.151	0.143	5.4%	< 0.01				80%	120%	
U	1	3756087	0.55	0.55	0.0%	< 0.05				80%	120%	
V	1	3756237	39.6	43.3	8.9%	< 0.5				80%	120%	
W	1	3756087	0.14	0.14	0.0%	< 0.05				80%	120%	
Y	1	3756087	12.5	12.3	1.6%	< 0.05	6	7	79%	80%	120%	
Zn	1	3756237	41.3	44.1	6.6%	< 0.5				80%	120%	
Zr	1	3756087	2.57	2.14	18.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756112	0.086	0.084	2.4%	< 0.01	12.3	13.0	94%	80%	120%	
Al	1	3756257	1.43	1.51	5.4%	< 0.01				80%	120%	
As	1	3756112	1.84	1.86	1.1%	< 0.1				80%	120%	
Au	1	3756112	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
B	1	3756112	< 5	< 5	0.0%	< 5	5.64	7.00	81%	80%	120%	
Ba	1	3756257	50	52	3.9%	< 1				80%	120%	
Be	1	3756112	0.284	0.291	2.4%	< 0.05				80%	120%	
Bi	1	3756112	0.10	0.10	0.0%	< 0.01				80%	120%	
Ca	1	3756257	0.40	0.40	0.0%	< 0.01				80%	120%	
Cd	1	3756112	0.082	0.074	10.3%	< 0.01				80%	120%	
Ce	1	3756112	30.1	32.5	7.7%	< 0.01				80%	120%	
Co	1	3756112	5.1	5.3	3.8%	< 0.1				80%	120%	
Cr	1	3756257	37.2	37.8	1.6%	< 0.5				80%	120%	
Cs	1	3756112	1.06	1.08	1.9%	< 0.05				80%	120%	
Cu	1	3756257	5.23	6.42	20.4%	< 0.1	5544	6000	92%	80%	120%	
Fe	1	3756257	1.81	1.86	2.7%	< 0.01				80%	120%	
Ga	1	3756112	4.30	4.44	3.2%	< 0.05				80%	120%	
Ge	1	3756112	0.055	0.059	7.0%	< 0.05				80%	120%	
Hf	1	3756112	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3756112	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3756112	0.015	0.015	0.0%	< 0.005				80%	120%	
K	1	3756257	0.15	0.15	0.0%	< 0.01				80%	120%	
La	1	3756112	15.3	16.5	7.5%	< 0.1				80%	120%	
Li	1	3756112	12.2	12.5	2.4%	< 0.1				80%	120%	
Mg	1	3756257	0.572	0.582	1.7%	< 0.01				80%	120%	
Mn	1	3756257	347	353	1.7%	< 1				80%	120%	
Mo	1	3756112	0.50	0.50	0.0%	< 0.05	356	360	98%	80%	120%	
Na	1	3756257	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3756112	1.81	1.95	7.4%	< 0.05				80%	120%	
Ni	1	3756257	20.3	20.6	1.5%	< 0.2				80%	120%	
P	1	3756257	307	310	1.0%	< 10	639	600	106%	80%	120%	
Pb	1	3756112	5.31	5.60	5.3%	< 0.1				80%	120%	
Rb	1	3756112	13.2	13.7	3.7%	< 0.1				80%	120%	
Re	1	3756112	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756257	0.007	0.007	0.0%	< 0.005				80%	120%	
Sb	1	3756112	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3756112	2.2	2.3	4.4%	< 0.1				80%	120%	
Se	1	3756112	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3756112	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3756112	12.0	12.2	1.7%	< 0.2				80%	120%	
Ta	1	3756112	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756112	0.01	< 0.01		< 0.01				80%	120%	
Th	1	3756112	2.4	2.4	0.0%	< 0.1	1.2	1.4	87%	80%	120%	
Ti	1	3756257	0.130	0.130	0.0%	< 0.005				80%	120%	
Tl	1	3756112	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3756112	0.524	0.547	4.3%	< 0.05				80%	120%	
V	1	3756257	25.5	26.0	1.9%	< 0.5				80%	120%	
W	1	3756112	0.087	0.095	8.8%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Y	1	3756112	4.95	5.12	3.4%	< 0.05	6	7	85%	80%	120%
Zn	1	3756257	36.8	38.7	5.0%	< 0.5				80%	120%
Zr	1	3756112	1.2	1.4	15.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756137	0.069	0.075	8.3%	< 0.01	12.7	13.0	97%	80%	120%
Al	1	3756262	1.47	1.40	4.9%	< 0.01				80%	120%
As	1	3756137	2.4	2.2	8.7%	< 0.1				80%	120%
Au	1	3756137	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756137	< 5	< 5	0.0%	< 5	8.14	7.00	116%	80%	120%
Ba	1	3756262	55	53	3.7%	< 1				80%	120%
Be	1	3756137	0.45	0.43	4.5%	< 0.05				80%	120%
Bi	1	3756137	0.10	0.10	0.0%	< 0.01				80%	120%
Ca	1	3756262	0.24	0.23	4.3%	< 0.01				80%	120%
Cd	1	3756137	0.08	0.08	0.0%	< 0.01				80%	120%
Ce	1	3756137	32.2	31.9	0.9%	< 0.01				80%	120%
Co	1	3756137	8.09	7.64	5.7%	< 0.1				80%	120%
Cr	1	3756262	32.7	32.8	0.3%	< 0.5				80%	120%
Cs	1	3756137	1.18	1.20	1.7%	< 0.05				80%	120%
Cu	1	3756262	5.83	6.02	3.2%	< 0.1	5684	6000	94%	80%	120%
Fe	1	3756262	1.71	1.66	3.0%	< 0.01				80%	120%
Ga	1	3756137	5.66	5.44	4.0%	< 0.05				80%	120%
Ge	1	3756137	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756137	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3756137	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756137	0.0168	0.0164	2.4%	< 0.005				80%	120%
K	1	3756262	0.099	0.093	6.3%	< 0.01				80%	120%
La	1	3756137	14.0	13.9	0.7%	< 0.1				80%	120%
Li	1	3756137	20.2	18.9	6.6%	< 0.1				80%	120%
Mg	1	3756262	0.503	0.464	8.1%	< 0.01				80%	120%
Mn	1	3756262	228	223	2.2%	< 1				80%	120%
Mo	1	3756137	0.27	0.25	7.7%	< 0.05	345	360	95%	80%	120%
Na	1	3756262	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3756137	2.23	2.18	2.3%	< 0.05				80%	120%
Ni	1	3756262	18.6	18.3	1.6%	< 0.2				80%	120%
P	1	3756262	249	244	2.0%	< 10	655	600	109%	80%	120%
Pb	1	3756137	7.5	7.4	1.3%	< 0.1				80%	120%
Rb	1	3756137	27.2	26.5	2.6%	< 0.1				80%	120%
Re	1	3756137	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756262	0.013	0.013	0.0%	< 0.005				80%	120%
Sb	1	3756137	0.068	0.060	12.5%	< 0.05				80%	120%
Sc	1	3756137	3.7	3.5	5.6%	< 0.1				80%	120%
Se	1	3756137	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3756137	0.6	0.6	0.0%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sr	1	3756137	18.3	17.6	3.9%	< 0.2				80%	120%	
Ta	1	3756137	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756137	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3756137	3.6	3.5	2.8%	< 0.1	1.3	1.4	92%	80%	120%	
Ti	1	3756262	0.085	0.080	6.1%	< 0.005				80%	120%	
Tl	1	3756137	0.12	0.12	0.0%	< 0.01				80%	120%	
U	1	3756137	0.456	0.447	2.0%	< 0.05				80%	120%	
V	1	3756262	19.9	19.4	2.5%	< 0.5				80%	120%	
W	1	3756137	0.127	0.120	5.7%	< 0.05				80%	120%	
Y	1	3756137	4.78	4.64	3.0%	< 0.05	6	7	81%	80%	120%	
Zn	1	3756262	29.5	29.4	0.3%	< 0.5				80%	120%	
Zr	1	3756137	1.88	1.64	13.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756138	0.08	0.08	0.0%	< 0.01	12.5	13.0	96%	80%	120%	
Al	1	3756287	1.80	1.49	18.8%	< 0.01				80%	120%	
As	1	3756138	3.6	2.3		< 0.1				80%	120%	
Au	1	3756138	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756138	< 5	< 5	0.0%	< 5	5.8	7.00	83%	80%	120%	
Ba	1	3756287	83	71	15.6%	< 1				80%	120%	
Be	1	3756138	0.494	0.517	4.5%	< 0.05				80%	120%	
Bi	1	3756138	0.10	0.10	0.0%	< 0.01				80%	120%	
Ca	1	3756287	0.697	0.568	20.4%	< 0.01				80%	120%	
Cd	1	3756138	0.05	0.05	0.0%	< 0.01				80%	120%	
Ce	1	3756138	37.8	38.5	1.8%	< 0.01				80%	120%	
Co	1	3756138	7.1	7.3	2.8%	< 0.1				80%	120%	
Cr	1	3756287	47.7	40.1	17.3%	< 0.5				80%	120%	
Cs	1	3756138	1.04	1.03	1.0%	< 0.05				80%	120%	
Cu	1	3756287	12.9	11.4	12.3%	< 0.1	5699	6000	94%	80%	120%	
Fe	1	3756287	2.40	2.00	18.2%	< 0.01				80%	120%	
Ga	1	3756138	4.95	5.00	1.0%	< 0.05				80%	120%	
Ge	1	3756138	0.06	0.06	0.0%	< 0.05				80%	120%	
Hf	1	3756138	0.069	0.052	28.1%	< 0.02				80%	120%	
Hg	1	3756138	0.02	0.01		< 0.01				80%	120%	
In	1	3756138	0.0165	0.0180	8.7%	< 0.005				80%	120%	
K	1	3756287	0.19	0.16	17.1%	< 0.01				80%	120%	
La	1	3756138	14.5	15.0	3.4%	< 0.1				80%	120%	
Li	1	3756138	18.2	18.0	1.1%	< 0.1				80%	120%	
Mg	1	3756287	0.80	0.67	17.7%	< 0.01				80%	120%	
Mn	1	3756287	507	413	20.4%	< 1				80%	120%	
Mo	1	3756138	0.35	0.28	22.2%	< 0.05	351	360	97%	80%	120%	
Na	1	3756287	0.017	0.014	19.4%	< 0.01				80%	120%	
Nb	1	3756138	2.18	2.14	1.9%	< 0.05				80%	120%	
Ni	1	3756287	28.5	23.9	17.6%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
P	1	3756287	533	439	19.3%	< 10	669	600	111%	80%	120%	
Pb	1	3756138	6.9	6.9	0.0%	< 0.1				80%	120%	
Rb	1	3756138	22.1	23.0	4.0%	< 0.1				80%	120%	
Re	1	3756138	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756287	0.0163	0.0133	20.3%	< 0.005				80%	120%	
Sb	1	3756138	0.070	0.061	13.7%	< 0.05				80%	120%	
Sc	1	3756138	3.2	3.3	3.1%	< 0.1				80%	120%	
Se	1	3756138	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3756138	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3756138	14.0	14.5	3.5%	< 0.2				80%	120%	
Ta	1	3756138	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756138	0.016	0.013	20.7%	< 0.01				80%	120%	
Th	1	3756138	4.33	4.50	3.9%	< 0.1				80%	120%	
Ti	1	3756287	0.114	0.096	17.1%	< 0.005				80%	120%	
Tl	1	3756138	0.11	0.11	0.0%	< 0.01				80%	120%	
U	1	3756138	0.442	0.450	1.8%	< 0.05				80%	120%	
V	1	3756287	31.9	25.1	23.9%	< 0.5				80%	120%	
W	1	3756138	0.158	0.151	4.5%	< 0.05				80%	120%	
Y	1	3756138	5.09	5.31	4.2%	< 0.05				80%	120%	
Zn	1	3756287	45.9	41.0	11.3%	< 0.5				80%	120%	
Zr	1	3756138	1.71	1.79	4.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756162	0.08	0.08	0.0%	< 0.01	11.1	13.0	85%	80%	120%	
Al	1	3756298	0.82	0.80	2.5%	< 0.01				80%	120%	
As	1	3756162	2.4	2.4	0.0%	< 0.1				80%	120%	
Au	1	3756162	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756162	< 5	< 5	0.0%	< 5	7.95	7.00	114%	80%	120%	
Ba	1	3756298	30	29	3.4%	< 1				80%	120%	
Be	1	3756162	0.17	0.18	5.7%	< 0.05				80%	120%	
Bi	1	3756162	0.17	0.17	0.0%	< 0.01				80%	120%	
Ca	1	3756298	0.12	0.12	0.0%	< 0.01				80%	120%	
Cd	1	3756162	0.05	0.05	0.0%	< 0.01				80%	120%	
Ce	1	3756162	14.4	13.3	7.9%	< 0.01				80%	120%	
Co	1	3756162	2.78	2.72	2.2%	< 0.1				80%	120%	
Cr	1	3756298	19.3	18.9	2.1%	< 0.5				80%	120%	
Cs	1	3756162	1.03	0.943	8.8%	< 0.05				80%	120%	
Cu	1	3756298	11.4	10.1	12.1%	< 0.1				80%	120%	
Fe	1	3756298	1.91	1.83	4.3%	< 0.01				80%	120%	
Ga	1	3756162	8.31	8.37	0.7%	< 0.05				80%	120%	
Ge	1	3756162	0.067	0.064	4.6%	< 0.05				80%	120%	
Hf	1	3756162	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3756162	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3756162	0.012	0.011	8.7%	< 0.005				80%	120%	
K	1	3756298	0.04	0.04	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
La	1	3756162	7.58	7.24	4.6%	< 0.1				80%	120%	
Li	1	3756162	8.49	8.14	4.2%	< 0.1				80%	120%	
Mg	1	3756298	0.19	0.19	0.0%	< 0.01				80%	120%	
Mn	1	3756298	134	132	1.5%	< 1				80%	120%	
Mo	1	3756162	0.65	0.65	0.0%	< 0.05				80%	120%	
Na	1	3756298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3756162	3.80	3.76	1.1%	< 0.05				80%	120%	
Ni	1	3756298	8.08	8.01	0.9%	< 0.2				80%	120%	
P	1	3756298	1140	1110	2.7%	< 10	719	600	120%	80%	120%	
Pb	1	3756162	6.56	6.37	2.9%	< 0.1				80%	120%	
Rb	1	3756162	14.5	14.2	2.1%	< 0.1				80%	120%	
Re	1	3756162	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756298	0.024	0.023	4.3%	< 0.005				80%	120%	
Sb	1	3756162	0.05	0.05	0.0%	< 0.05				80%	120%	
Sc	1	3756162	1.2	1.2	0.0%	< 0.1				80%	120%	
Se	1	3756162	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3756162	0.75	0.73	2.7%	< 0.2				80%	120%	
Sr	1	3756162	9.8	9.4	4.2%	< 0.2				80%	120%	
Ta	1	3756162	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756162	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3756162	2.8	2.8	0.0%	< 0.1				80%	120%	
Ti	1	3756298	0.061	0.064	4.8%	< 0.005				80%	120%	
Tl	1	3756162	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3756162	0.31	0.29	6.7%	< 0.05				80%	120%	
V	1	3756298	27.9	27.1	2.9%	< 0.5				80%	120%	
W	1	3756162	0.23	0.33		< 0.05				80%	120%	
Y	1	3756162	1.67	1.56	6.8%	< 0.05	6	7	84%	80%	120%	
Zn	1	3756298	15.1	14.7	2.7%	< 0.5				80%	120%	
Zr	1	3756162	1.73	1.65	4.7%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756177	0.128	0.101	23.6%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3756312	1.75	1.62	7.7%	< 0.01				80%	120%	
As	1	3756177	2.2	2.2	0.0%	< 0.1				80%	120%	
Au	1	3756177	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756177	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3756312	67	62	7.8%	< 1				80%	120%	
Be	1	3756177	0.275	0.253	8.3%	< 0.05				80%	120%	
Bi	1	3756177	0.10	0.10	0.0%	< 0.01				80%	120%	
Ca	1	3756312	0.499	0.464	7.3%	< 0.01				80%	120%	
Cd	1	3756177	0.087	0.084	3.5%	< 0.01				80%	120%	
Ce	1	3756177	28.1	28.8	2.5%	< 0.01				80%	120%	
Co	1	3756177	5.1	5.1	0.0%	< 0.1				80%	120%	
Cr	1	3756312	41.6	38.7	7.2%	< 0.5				80%	120%	
Cs	1	3756177	1.30	1.27	2.3%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cu	1	3756312	5.99	6.08	1.5%	< 0.1	5777	6000	96%	80%	120%
Fe	1	3756312	2.15	2.00	7.2%	< 0.01				80%	120%
Ga	1	3756177	3.57	3.53	1.1%	< 0.05				80%	120%
Ge	1	3756177	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756177	0.03	0.03	0.0%	< 0.02				80%	120%
Hg	1	3756177	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756177	0.0107	0.0102	4.8%	< 0.005				80%	120%
K	1	3756312	0.15	0.14	6.9%	< 0.01				80%	120%
La	1	3756177	11.3	11.5	1.8%	< 0.1				80%	120%
Li	1	3756177	11.7	11.5	1.7%	< 0.1				80%	120%
Mg	1	3756312	0.59	0.55	7.0%	< 0.01				80%	120%
Mn	1	3756312	226	207	8.8%	< 1				80%	120%
Mo	1	3756177	0.330	0.291	12.6%	< 0.05	355	360	98%	80%	120%
Na	1	3756312	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3756177	1.88	1.73	8.3%	< 0.05				80%	120%
Ni	1	3756312	25.8	24.1	6.8%	< 0.2				80%	120%
P	1	3756312	315	307	2.6%	< 10	671	600	112%	80%	120%
Pb	1	3756177	7.53	7.14	5.3%	< 0.1				80%	120%
Rb	1	3756177	12.2	12.1	0.8%	< 0.1				80%	120%
Re	1	3756177	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756312	0.017	0.016	6.1%	< 0.005				80%	120%
Sb	1	3756177	0.05	0.05	0.0%	< 0.05				80%	120%
Sc	1	3756177	1.52	1.44	5.4%	< 0.1				80%	120%
Se	1	3756177	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3756177	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3756177	10.9	10.8	0.9%	< 0.2				80%	120%
Ta	1	3756177	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756177	< 0.01	0.01		< 0.01				80%	120%
Th	1	3756177	1.95	2.08	6.5%	< 0.1				80%	120%
Ti	1	3756312	0.102	0.095	7.1%	< 0.005				80%	120%
Tl	1	3756177	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3756177	0.47	0.49	4.2%	< 0.05				80%	120%
V	1	3756312	30.2	27.6	9.0%	< 0.5				80%	120%
W	1	3756177	0.32	0.17		< 0.05				80%	120%
Y	1	3756177	3.62	3.61	0.3%	< 0.05	6	7	81%	80%	120%
Zn	1	3756312	28.9	27.0	6.8%	< 0.5				80%	120%
Zr	1	3756177	0.77	0.72	6.7%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756187	0.05	0.05	0.0%	< 0.01	12	13.0	93%	80%	120%
Al	1	3756337	1.56	1.61	3.2%	< 0.01				80%	120%
As	1	3756187	1.5	2.4		< 0.1				80%	120%
Au	1	3756187	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756187	< 5	< 5	0.0%	< 5	8.3	7.00	119%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ba	1	3756337	34	36	5.7%	< 1				80%	120%
Be	1	3756187	0.38	0.38	0.0%	< 0.05				80%	120%
Bi	1	3756187	0.07	0.07	0.0%	< 0.01				80%	120%
Ca	1	3756337	0.147	0.140	4.9%	< 0.01				80%	120%
Cd	1	3756187	0.06	0.06	0.0%	< 0.01				80%	120%
Ce	1	3756187	26.9	27.4	1.8%	< 0.01				80%	120%
Co	1	3756187	6.8	6.8	0.0%	< 0.1				80%	120%
Cr	1	3756337	35.6	35.4	0.6%	< 0.5				80%	120%
Cs	1	3756187	0.891	0.929	4.2%	< 0.05				80%	120%
Cu	1	3756337	6.5	5.4	18.5%	< 0.1	5974	6000	99%	80%	120%
Fe	1	3756337	2.60	2.63	1.1%	< 0.01				80%	120%
Ga	1	3756187	4.20	4.16	1.0%	< 0.05				80%	120%
Ge	1	3756187	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756187	0.06	0.06	0.0%	< 0.02				80%	120%
Hg	1	3756187	0.02	0.01		< 0.01				80%	120%
In	1	3756187	0.0145	0.0142	2.1%	< 0.005				80%	120%
K	1	3756337	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3756187	12.9	13.0	0.8%	< 0.1				80%	120%
Li	1	3756187	15.6	15.6	0.0%	< 0.1				80%	120%
Mg	1	3756337	0.243	0.249	2.4%	< 0.01				80%	120%
Mn	1	3756337	97	96	1.0%	< 1				80%	120%
Mo	1	3756187	0.23	0.23	0.0%	< 0.05	343	360	95%	80%	120%
Na	1	3756337	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3756187	2.30	2.31	0.4%	< 0.05				80%	120%
Ni	1	3756337	13.9	14.1	1.4%	< 0.2				80%	120%
P	1	3756337	565	554	2.0%	< 10	677	600	113%	80%	120%
Pb	1	3756187	5.46	5.44	0.4%	< 0.1				80%	120%
Rb	1	3756187	12.7	12.7	0.0%	< 0.1				80%	120%
Re	1	3756187	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756337	0.0291	0.0298	2.4%	< 0.005				80%	120%
Sb	1	3756187	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3756187	2.6	2.6	0.0%	< 0.1				80%	120%
Se	1	3756187	0.20	0.27	29.8%	< 0.2				80%	120%
Sn	1	3756187	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3756187	13.1	13.7	4.5%	< 0.2				80%	120%
Ta	1	3756187	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756187	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3756187	3.5	3.5	0.0%	< 0.1	1.1	1.4	80%	80%	120%
Ti	1	3756337	0.0961	0.0922	4.1%	< 0.005				80%	120%
Tl	1	3756187	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3756187	0.422	0.426	0.9%	< 0.05				80%	120%
V	1	3756337	30.8	30.6	0.7%	< 0.5				80%	120%
W	1	3756187	0.102	0.118	14.5%	< 0.05				80%	120%
Y	1	3756187	4.58	4.72	3.0%	< 0.05	6	7	85%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zn	1	3756337	11.0	10.0	9.5%	< 0.5				80%	120%
Zr	1	3756187	2.36	2.13	10.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756212	0.14	0.14	0.0%	< 0.01	11.5	13.0	89%	80%	120%
As	1	3756212	3.54	3.83	7.9%	< 0.1				80%	120%
Au	1	3756212	0.01	< 0.01		< 0.01				80%	120%
B	1	3756212	5	5	0.0%	< 5	8.4	7.00	120%	80%	120%
Be	1	3756212	0.302	0.327	7.9%	< 0.05				80%	120%
Bi	1	3756212	0.17	0.17	0.0%	< 0.01				80%	120%
Cd	1	3756212	0.46	0.44	4.4%	< 0.01				80%	120%
Ce	1	3756212	79.9	83.2	4.0%	< 0.01				80%	120%
Co	1	3756212	12.6	13.3	5.4%	< 0.1				80%	120%
Cs	1	3756212	1.56	1.57	0.6%	< 0.05				80%	120%
Cu	1					< 0.1	5809	6000	96%	80%	120%
Ga	1	3756212	3.50	3.77	7.4%	< 0.05				80%	120%
Ge	1	3756212	0.068	0.075	9.8%	< 0.05				80%	120%
Hf	1	3756212	0.047	0.041	13.6%	< 0.02				80%	120%
Hg	1	3756212	0.13	0.13	0.0%	< 0.01				80%	120%
In	1	3756212	0.017	0.017	0.0%	< 0.005				80%	120%
La	1	3756212	41.5	43.6	4.9%	< 0.1				80%	120%
Li	1	3756212	17.2	17.6	2.3%	< 0.1				80%	120%
Mo	1	3756212	2.78	2.89	3.9%	< 0.05	343	360	95%	80%	120%
Nb	1	3756212	1.32	1.33	0.8%	< 0.05				80%	120%
P	1					< 10	677	600	113%	80%	120%
Pb	1	3756212	22.2	25.5	13.8%	< 0.1				80%	120%
Rb	1	3756212	8.3	8.4	1.2%	< 0.1				80%	120%
Re	1	3756212	0.0022	0.0029	27.5%	< 0.001				80%	120%
Sb	1	3756212	0.244	0.268	9.4%	< 0.05				80%	120%
Sc	1	3756212	1.6	1.7	6.1%	< 0.1				80%	120%
Se	1	3756212	0.8	0.8	0.0%	< 0.2				80%	120%
Sn	1	3756212	0.53	0.56	5.5%	< 0.2				80%	120%
Sr	1	3756212	57.3	60.8	5.9%	< 0.2				80%	120%
Ta	1	3756212	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	116%	80%	120%
Te	1	3756212	0.04	0.04	0.0%	< 0.01				80%	120%
Th	1	3756212	1.20	1.12	6.9%	< 0.1				80%	120%
Tl	1	3756212	0.23	0.23	0.0%	< 0.01				80%	120%
U	1	3756212	1.33	1.41	5.8%	< 0.05				80%	120%
W	1	3756212	0.109	0.116	6.2%	< 0.05				80%	120%
Y	1	3756212	10.6	11.5	8.1%	< 0.05				80%	120%
Zr	1	3756212	1.17	1.08	8.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756218	0.044	0.049	10.8%	< 0.01	11.9	13.0	92%	80%	120%
As	1	3756218	3.1	1.5		< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Au	1	3756218	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756218	< 5	< 5	0.0%	< 5	8.42	7.00	120%	80%	120%
Be	1	3756218	0.27	0.27	0.0%	< 0.05				80%	120%
Bi	1	3756218	0.087	0.082	5.9%	< 0.01				80%	120%
Cd	1	3756218	0.04	0.04	0.0%	< 0.01				80%	120%
Ce	1	3756218	24.6	23.2	5.9%	< 0.01				80%	120%
Co	1	3756218	7.54	7.25	3.9%	< 0.1				80%	120%
Cs	1	3756218	2.01	1.89	6.2%	< 0.05				80%	120%
Cu	1					< 0.1	5994	6000	99%	80%	120%
Ga	1	3756218	6.30	6.15	2.4%	< 0.05				80%	120%
Ge	1	3756218	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756218	0.056	0.050	11.3%	< 0.02				80%	120%
Hg	1	3756218	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756218	0.011	0.011	0.0%	< 0.005				80%	120%
La	1	3756218	12.6	11.7	7.4%	< 0.1				80%	120%
Li	1	3756218	16.4	16.3	0.6%	< 0.1				80%	120%
Mo	1	3756218	1.76	1.62	8.3%	< 0.05	344	360	95%	80%	120%
Nb	1	3756218	1.63	1.74	6.5%	< 0.05				80%	120%
P	1					< 10	681	600	113%	80%	120%
Pb	1	3756218	4.87	4.64	4.8%	< 0.1				80%	120%
Rb	1	3756218	11.7	11.3	3.5%	< 0.1				80%	120%
Re	1	3756218	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3756218	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3756218	1.45	1.43	1.4%	< 0.1				80%	120%
Se	1	3756218	0.3	0.3	0.0%	< 0.2				80%	120%
Sn	1	3756218	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3756218	14.7	14.8	0.7%	< 0.2				80%	120%
Ta	1	3756218	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756218	0.02	< 0.01		< 0.01				80%	120%
Th	1	3756218	2.4	2.3	4.3%	< 0.1	1	1.4	74%	80%	120%
Tl	1	3756218	0.11	0.11	0.0%	< 0.01				80%	120%
U	1	3756218	0.546	0.497	9.4%	< 0.05				80%	120%
W	1	3756218	0.12	0.11	8.7%	< 0.05				80%	120%
Y	1	3756218	3.14	3.24	3.1%	< 0.05	5	7	74%	80%	120%
Zr	1	3756218	2.26	2.14	5.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756237	0.058	0.052	10.9%	< 0.01	11.7	13.0	90%	80%	120%
As	1	3756237	3.8	2.0		< 0.1				80%	120%
Au	1	3756237	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756237	5	6	18.2%	< 5				80%	120%
Be	1	3756237	0.73	0.73	0.0%	< 0.05				80%	120%
Bi	1	3756237	0.155	0.157	1.3%	< 0.01				80%	120%
Ca	1					< 0.01				80%	120%
Cd	1	3756237	0.08	0.08	0.0%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ce	1	3756237	37.7	37.7	0.0%	< 0.01				80%	120%	
Co	1	3756237	11.0	11.3	2.7%	< 0.1				80%	120%	
Cs	1	3756237	1.75	1.76	0.6%	< 0.05				80%	120%	
Cu	1					< 0.1	5505	6000	91%	80%	120%	
Ga	1	3756237	8.20	8.33	1.6%	< 0.05				80%	120%	
Ge	1	3756237	0.06	0.06	0.0%	< 0.05				80%	120%	
Hf	1	3756237	0.13	0.19		< 0.02				80%	120%	
Hg	1	3756237	0.02	0.01		< 0.01				80%	120%	
In	1	3756237	0.0238	0.0276	14.8%	< 0.005				80%	120%	
La	1	3756237	17.4	17.4	0.0%	< 0.1				80%	120%	
Li	1	3756237	27.7	28.6	3.2%	< 0.1				80%	120%	
Mo	1	3756237	0.635	0.512	21.4%	< 0.05	349	360	96%	80%	120%	
Nb	1	3756237	2.04	2.08	1.9%	< 0.05				80%	120%	
P	1					< 10	642	600	107%	80%	120%	
Pb	1	3756237	10.9	10.7	1.9%	< 0.1				80%	120%	
Rb	1	3756237	30.2	31.8	5.2%	< 0.1				80%	120%	
Re	1	3756237	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
Sb	1	3756237	0.16	0.12	28.6%	< 0.05				80%	120%	
Sc	1	3756237	4.9	5.1	4.0%	< 0.1				80%	120%	
Se	1	3756237	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3756237	0.9	0.9	0.0%	< 0.2				80%	120%	
Sr	1	3756237	22.7	24.5	7.6%	< 0.2				80%	120%	
Ta	1	3756237	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	95%	80%	120%	
Te	1	3756237	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3756237	6.27	6.00	4.4%	< 0.1				80%	120%	
Tl	1	3756237	0.158	0.154	2.6%	< 0.01				80%	120%	
U	1	3756237	0.612	0.619	1.1%	< 0.05				80%	120%	
W	1	3756237	0.16	0.12	28.6%	< 0.05				80%	120%	
Y	1	3756237	6.35	6.57	3.4%	< 0.05				80%	120%	
Zr	1	3756237	6.6	7.4	11.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756257	0.05	0.05	0.0%	< 0.01	12.1	13.0	93%	80%	120%	
As	1	3756257	2.0	2.0	0.0%	< 0.1				80%	120%	
Au	1	3756257	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756257	< 5	< 5	0.0%	< 5				80%	120%	
Be	1	3756257	0.454	0.469	3.3%	< 0.05				80%	120%	
Bi	1	3756257	0.10	0.10	0.0%	< 0.01				80%	120%	
Cd	1	3756257	0.091	0.082	10.4%	< 0.01				80%	120%	
Ce	1	3756257	42.6	43.4	1.9%	< 0.01				80%	120%	
Co	1	3756257	6.7	7.4	9.9%	< 0.1				80%	120%	
Cs	1	3756257	1.13	1.10	2.7%	< 0.05				80%	120%	
Cu	1					< 0.1	5922	6000	98%	80%	120%	
Ga	1	3756257	5.37	5.80	7.7%	< 0.05				80%	120%	
Ge	1	3756257	0.06	0.06	0.0%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hf	1	3756257	0.08	0.08	0.0%	< 0.02				80%	120%
Hg	1	3756257	0.01	0.01	0.0%	< 0.01				80%	120%
In	1	3756257	0.017	0.018	5.7%	< 0.005				80%	120%
La	1	3756257	16.2	16.4	1.2%	< 0.1				80%	120%
Li	1	3756257	18.3	19.1	4.3%	< 0.1				80%	120%
Mo	1	3756257	0.25	0.26	3.9%	< 0.05	352	360	97%	80%	120%
Nb	1	3756257	2.35	2.45	4.2%	< 0.05				80%	120%
P	1					< 10	676	600	113%	80%	120%
Pb	1	3756257	6.91	7.01	1.4%	< 0.1				80%	120%
Rb	1	3756257	25.1	27.0	7.3%	< 0.1				80%	120%
Re	1	3756257	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3756257	0.05	0.05	0.0%	< 0.05				80%	120%
Sc	1	3756257	3.62	3.76	3.8%	< 0.1				80%	120%
Se	1	3756257	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3756257	0.6	0.6	0.0%	< 0.2				80%	120%
Sr	1	3756257	19.4	20.5	5.5%	< 0.2				80%	120%
Ta	1	3756257	< 0.01	< 0.01	0.0%	< 0.01	1.1	0.9	118%	80%	120%
Te	1	3756257	0.01	< 0.01		< 0.01				80%	120%
Th	1	3756257	4.26	4.22	0.9%	< 0.1	1.1	1.4	82%	80%	120%
Tl	1	3756257	0.12	0.12	0.0%	< 0.01				80%	120%
U	1	3756257	0.465	0.468	0.6%	< 0.05				80%	120%
W	1	3756257	0.100	0.094	6.2%	< 0.05				80%	120%
Y	1	3756257	5.46	5.78	5.7%	< 0.05	6	7	80%	80%	120%
Zr	1	3756257	3.3	3.5	5.9%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756262	0.07	0.07	0.0%	< 0.01	12	13.0	92%	80%	120%
As	1	3756262	2.78	3.17	13.1%	< 0.1				80%	120%
Au	1	3756262	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756262	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3756262	0.460	0.452	1.8%	< 0.05				80%	120%
Bi	1	3756262	0.09	0.09	0.0%	< 0.01				80%	120%
Cd	1	3756262	0.10	0.10	0.0%	< 0.01				80%	120%
Ce	1	3756262	29.1	29.7	2.0%	< 0.01				80%	120%
Co	1	3756262	7.08	7.17	1.3%	< 0.1				80%	120%
Cs	1	3756262	0.98	0.97	1.0%	< 0.05				80%	120%
Ga	1	3756262	5.23	5.19	0.8%	< 0.05				80%	120%
Ge	1	3756262	0.050	0.056	11.3%	< 0.05				80%	120%
Hf	1	3756262	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3756262	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756262	0.016	0.017	6.1%	< 0.005				80%	120%
La	1	3756262	12.5	12.6	0.8%	< 0.1				80%	120%
Li	1	3756262	17.5	17.6	0.6%	< 0.1				80%	120%
Mo	1	3756262	0.34	0.47		< 0.05	351	360	97%	80%	120%
Nb	1	3756262	2.34	2.15	8.5%	< 0.05				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Pb	1	3756262	6.4	6.4	0.0%	< 0.1			80%	120%
Rb	1	3756262	18.9	18.8	0.5%	< 0.1			80%	120%
Re	1	3756262	< 0.001	< 0.001	0.0%	< 0.001			80%	120%
Sb	1	3756262	0.064	0.071	10.4%	< 0.05			80%	120%
Sc	1	3756262	2.79	2.70	3.3%	< 0.1			80%	120%
Se	1	3756262	0.23	0.28	19.6%	< 0.2			80%	120%
Sn	1	3756262	0.6	0.6	0.0%	< 0.2			80%	120%
Sr	1	3756262	13.2	13.0	1.5%	< 0.2			80%	120%
Ta	1	3756262	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
Te	1	3756262	0.01	0.01	0.0%	< 0.01			80%	120%
Th	1	3756262	3.0	3.2	6.5%	< 0.1			80%	120%
Tl	1	3756262	0.096	0.095	1.0%	< 0.01			80%	120%
U	1	3756262	0.456	0.451	1.1%	< 0.05			80%	120%
W	1	3756262	0.10	0.10	0.0%	< 0.05			80%	120%
Y	1	3756262	3.78	3.67	3.0%	< 0.05			80%	120%
Zr	1	3756262	1.7	1.6	6.1%	< 0.5			80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1	3756287	0.102	0.082	21.7%	< 0.01	11.7	13.0	90%	80% 120%
As	1	3756287	2.82	2.52	11.2%	< 0.1			80%	120%
Au	1	3756287	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
B	1	3756287	6	5	18.2%	< 5			80%	120%
Be	1	3756287	0.735	0.655	11.5%	< 0.05			80%	120%
Bi	1	3756287	0.13	0.11	16.7%	< 0.01			80%	120%
Cd	1	3756287	0.15	0.12	22.2%	< 0.01			80%	120%
Ce	1	3756287	57.3	48.5	16.6%	< 0.01			80%	120%
Co	1	3756287	9.5	8.1	15.9%	< 0.1			80%	120%
Cs	1	3756287	1.29	1.10	15.9%	< 0.05			80%	120%
Ga	1	3756287	6.22	5.30	16.0%	< 0.05			80%	120%
Ge	1	3756287	0.07	0.06	15.4%	< 0.05			80%	120%
Hf	1	3756287	0.14	0.11	24.0%	< 0.02			80%	120%
Hg	1	3756287	0.03	0.03	0.0%	< 0.01			80%	120%
In	1	3756287	0.0246	0.0199	21.1%	< 0.005			80%	120%
La	1	3756287	23.9	20.1	17.3%	< 0.1			80%	120%
Li	1	3756287	23.8	19.9	17.8%	< 0.1			80%	120%
Mo	1	3756287	0.48	0.42	13.3%	< 0.05			80%	120%
Nb	1	3756287	2.65	2.15	20.8%	< 0.05			80%	120%
Pb	1	3756287	9.48	7.82	19.2%	< 0.1			80%	120%
Rb	1	3756287	29.4	24.7	17.4%	< 0.1			80%	120%
Re	1	3756287	< 0.001	< 0.001	0.0%	< 0.001			80%	120%
Sb	1	3756287	0.12	0.12	0.0%	< 0.05			80%	120%
Sc	1	3756287	4.7	4.0	16.1%	< 0.1			80%	120%
Se	1	3756287	0.3	0.3	0.0%	< 0.2			80%	120%
Sn	1	3756287	0.72	0.62	14.9%	< 0.2			80%	120%
Sr	1	3756287	20.4	16.4	21.7%	< 0.2			80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ta	1	3756287	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756287	0.01	< 0.01		< 0.01				80%	120%
Th	1	3756287	6.1	5.2	15.9%	< 0.1				80%	120%
Tl	1	3756287	0.156	0.128	19.7%	< 0.01				80%	120%
U	1	3756287	0.75	0.62	19.0%	< 0.05				80%	120%
W	1	3756287	0.146	0.128	13.1%	< 0.05				80%	120%
Y	1	3756287	9.61	8.00	18.3%	< 0.05	6	7	80%	80%	120%
Zr	1	3756287	5.5	4.3	24.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756298	0.141	0.157	10.7%	< 0.01	12	13.0	92%	80%	120%
As	1	3756298	2.68	2.64	1.5%	< 0.1				80%	120%
Au	1	3756298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756298	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3756298	0.26	0.26	0.0%	< 0.05				80%	120%
Bi	1	3756298	0.118	0.110	7.0%	< 0.01				80%	120%
Cd	1	3756298	0.139	0.124	11.4%	< 0.01				80%	120%
Ce	1	3756298	26.0	26.1	0.4%	< 0.01				80%	120%
Co	1	3756298	4.88	4.79	1.9%	< 0.1				80%	120%
Cs	1	3756298	1.25	1.24	0.8%	< 0.05				80%	120%
Ga	1	3756298	6.40	6.25	2.4%	< 0.05				80%	120%
Ge	1	3756298	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756298	0.07	0.03		< 0.02				80%	120%
Hg	1	3756298	0.03	0.05		< 0.01				80%	120%
In	1	3756298	0.0129	0.0121	6.4%	< 0.005				80%	120%
La	1	3756298	12.8	13.3	3.8%	< 0.1				80%	120%
Li	1	3756298	8.0	8.0	0.0%	< 0.1				80%	120%
Mo	1	3756298	0.771	0.789	2.3%	< 0.05				80%	120%
Nb	1	3756298	1.59	1.54	3.2%	< 0.05				80%	120%
Pb	1	3756298	7.8	7.5	3.9%	< 0.1				80%	120%
Rb	1	3756298	7.4	7.3	1.4%	< 0.1				80%	120%
Re	1	3756298	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3756298	0.08	0.08	0.0%	< 0.05				80%	120%
Sc	1	3756298	1.25	1.17	6.6%	< 0.1				80%	120%
Se	1	3756298	0.33	0.37	11.4%	< 0.2				80%	120%
Sn	1	3756298	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3756298	10.5	10.0	4.9%	< 0.2				80%	120%
Ta	1	3756298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756298	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3756298	1.66	1.54	7.5%	< 0.1	1.2	1.4	89%	80%	120%
Tl	1	3756298	0.054	0.057	5.4%	< 0.01				80%	120%
U	1	3756298	0.517	0.514	0.6%	< 0.05				80%	120%
W	1	3756298	0.11	0.11	0.0%	< 0.05				80%	120%
Y	1	3756298	2.39	2.38	0.4%	< 0.05	6	7	85%	80%	120%
Zr	1	3756298	0.6	< 0.5		< 0.5				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756312	0.08	0.08	0.0%	< 0.01	12.1	13.0	93%	80%	120%
As	1	3756312	2.7	3.1	13.8%	< 0.1				80%	120%
Au	1	3756312	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756312	6	5	18.2%	< 5				80%	120%
Be	1	3756312	0.608	0.580	4.7%	< 0.05				80%	120%
Bi	1	3756312	0.11	0.11	0.0%	< 0.01				80%	120%
Cd	1	3756312	0.095	0.099	4.1%	< 0.01				80%	120%
Ce	1	3756312	33.5	31.5	6.2%	< 0.01				80%	120%
Co	1	3756312	8.87	8.38	5.7%	< 0.1				80%	120%
Cs	1	3756312	1.30	1.23	5.5%	< 0.05				80%	120%
Ga	1	3756312	7.24	6.87	5.2%	< 0.05				80%	120%
Ge	1	3756312	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3756312	0.053	0.043	20.8%	< 0.02				80%	120%
Hg	1	3756312	0.025	0.025	0.0%	< 0.01				80%	120%
In	1	3756312	0.0228	0.0209	8.7%	< 0.005				80%	120%
La	1	3756312	14.0	13.2	5.9%	< 0.1				80%	120%
Li	1	3756312	28.5	28.2	1.1%	< 0.1				80%	120%
Mo	1	3756312	0.460	0.435	5.6%	< 0.05				80%	120%
Nb	1	3756312	2.70	2.45	9.7%	< 0.05				80%	120%
Pb	1	3756312	8.65	8.13	6.2%	< 0.1				80%	120%
Rb	1	3756312	21.9	21.4	2.3%	< 0.1				80%	120%
Re	1	3756312	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3756312	0.12	0.11	8.7%	< 0.05				80%	120%
Sc	1	3756312	3.5	3.3	5.9%	< 0.1				80%	120%
Se	1	3756312	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3756312	0.7	0.7	0.0%	< 0.2				80%	120%
Sr	1	3756312	16.7	16.0	4.3%	< 0.2				80%	120%
Ta	1	3756312	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756312	0.01	< 0.01		< 0.01				80%	120%
Th	1	3756312	3.25	2.90	11.4%	< 0.1	1.2	1.4	86%	80%	120%
Tl	1	3756312	0.099	0.093	6.3%	< 0.01				80%	120%
U	1	3756312	0.488	0.433	11.9%	< 0.05				80%	120%
W	1	3756312	0.134	0.140	4.4%	< 0.05				80%	120%
Y	1	3756312	4.71	4.33	8.4%	< 0.05	6	7	85%	80%	120%
Zr	1	3756312	2.3	1.7		< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756337	0.26	0.26	0.0%	< 0.01	11.9	13.0	91%	80%	120%
As	1	3756337	3.75	3.62	3.5%	< 0.1				80%	120%
Au	1	3756337	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756337	< 5	< 5	0.0%	< 5	7.2	7.00	103%	80%	120%
Be	1	3756337	0.578	0.635	9.4%	< 0.05				80%	120%
Bi	1	3756337	0.11	0.11	0.0%	< 0.01				80%	120%
Cd	1	3756337	0.10	0.10	0.0%	< 0.01				80%	120%
Ce	1	3756337	27.8	27.0	2.9%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Co	1	3756337	5.62	5.70	1.4%	< 0.1				80% 120%
Cs	1	3756337	1.75	1.68	4.1%	< 0.05				80% 120%
Ga	1	3756337	6.96	6.97	0.1%	< 0.05				80% 120%
Ge	1	3756337	0.06	0.06	0.0%	< 0.05				80% 120%
Hf	1	3756337	0.042	0.046	9.1%	< 0.02				80% 120%
Hg	1	3756337	0.058	0.067	14.4%	< 0.01				80% 120%
In	1	3756337	0.025	0.025	0.0%	< 0.005				80% 120%
La	1	3756337	13.3	12.8	3.8%	< 0.1				80% 120%
Li	1	3756337	13.2	13.1	0.8%	< 0.1				80% 120%
Mo	1	3756337	3.31	3.21	3.1%	< 0.05	351	360	97%	80% 120%
Nb	1	3756337	2.79	2.76	1.1%	< 0.05				80% 120%
Pb	1	3756337	8.4	8.3	1.2%	< 0.1				80% 120%
Rb	1	3756337	5.8	5.7	1.7%	< 0.1				80% 120%
Re	1	3756337	< 0.001	< 0.001	0.0%	< 0.001				80% 120%
Sb	1	3756337	0.09	0.09	0.0%	< 0.05				80% 120%
Sc	1	3756337	2.0	2.0	0.0%	< 0.1				80% 120%
Se	1	3756337	0.7	0.7	0.0%	< 0.2				80% 120%
Sn	1	3756337	0.5	0.5	0.0%	< 0.2				80% 120%
Sr	1	3756337	12.6	11.5	9.1%	< 0.2				80% 120%
Ta	1	3756337	0.01	0.01	0.0%	< 0.01				80% 120%
Te	1	3756337	0.02	0.02	0.0%	< 0.01				80% 120%
Th	1	3756337	2.8	2.7	3.6%	< 0.1				80% 120%
Tl	1	3756337	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3756337	0.75	0.71	5.5%	< 0.05				80% 120%
W	1	3756337	0.15	0.13	14.3%	< 0.05				80% 120%
Y	1	3756337	3.79	3.59	5.4%	< 0.05		7		80% 120%
Zr	1	3756337	1.36	1.55	13.1%	< 0.5				80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.2	13.0	94%	80% 120%
B	1					< 5	7.58	7.00	108%	80% 120%
Mo	1					< 0.05	356	360	98%	80% 120%
Th	1					< 0.1	1.2	1.4	86%	80% 120%
Y	1					< 0.05	6	7	85%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	11.9	13.0	92%	80% 120%
B	1					< 5	7.78	7.00	111%	80% 120%
Mo	1					< 0.05	358	360	99%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.5	13.0	96%	80% 120%
B	1					< 5	8.42	7.00	120%	80% 120%
Mo	1					< 0.05	353	360	98%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.1	13.0	93%	80% 120%
Mo	1					< 0.05	356	360	98%	80% 120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1					< 0.01	12	13.0	92%	80%	120%
B	1					< 5	7.95	7.00	114%	80%	120%
Mo	1					< 0.05	345	360	95%	80%	120%

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3755937	0.0171	0.0142	18.5%	< 0.001	0.262	0.263	100%	90%	110%
----	---	---------	--------	--------	-------	---------	-------	-------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756162	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	97%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3755962	< 0.001	< 0.001	0.0%	< 0.001	0.259	0.263	98%	90%	110%
----	---	---------	---------	---------	------	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3755974	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	98%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3755987	< 0.001	< 0.001	0.0%	< 0.001	1.47	1.52	97%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756000	< 0.001	< 0.001	0.0%	< 0.001	0.259	0.263	98%	90%	110%
----	---	---------	---------	---------	------	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756012	< 0.001	< 0.001	0.0%	< 0.001	1.49	1.52	98%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756025	< 0.001	< 0.001	0.0%	< 0.001	0.258	0.263	98%	90%	110%
----	---	---------	---------	---------	------	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756037	0.0024	0.0027	11.8%	< 0.001	1.47	1.52	97%	90%	110%
----	---	---------	--------	--------	-------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756051	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756062	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756076	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756087	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756103	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756112	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3756112	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Oct 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Au	1	3756126	< 0.001	< 0.001	0.0%	< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3756137	0.002	0.002	0.0%	< 0.001			90%	110%

Certified By:

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646787

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T646797

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 25, 2012

PAGES (INCLUDING COVER): 98

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-756		0.21	0.08	0.70	1.2	<0.01	<5	31	0.13	0.19	0.27	0.06	21.0	2.3	19.4
12-757		0.19	0.19	1.45	2.1	<0.01	<5	31	0.44	0.11	0.22	0.07	42.4	9.5	37.8
12-758		0.17	0.73	2.42	1.8	<0.01	<5	75	0.63	1.68	0.43	0.12	39.0	13.7	43.2
12-759		0.22	0.08	0.88	3.7	<0.01	<5	26	0.12	0.21	0.11	0.05	22.1	2.9	23.6
12-760		0.21	0.15	0.97	2.6	<0.01	<5	26	0.19	0.39	0.15	0.05	29.5	2.4	16.1
12-761		0.19	0.12	1.34	0.8	<0.01	<5	62	0.34	0.49	0.60	0.17	47.7	4.8	20.5
12-762		0.20	0.07	1.37	1.4	<0.01	<5	27	0.29	0.09	0.30	0.04	35.9	4.1	25.1
12-763		0.16	0.06	0.61	2.2	0.07	<5	24	0.09	0.31	0.24	0.05	30.8	3.9	39.1
12-764		0.22	0.34	1.65	1.8	<0.01	<5	74	0.36	0.55	0.35	0.19	28.0	8.1	27.5
12-765		0.24	0.09	1.13	2.7	<0.01	<5	33	0.22	0.18	0.18	0.05	25.5	5.6	28.0
12-766		0.21	0.06	0.78	1.5	<0.01	<5	36	0.16	0.11	0.31	0.04	38.6	6.6	41.0
12-767		0.19	0.03	1.18	2.1	<0.01	<5	41	0.23	0.13	0.23	0.06	32.0	8.0	29.9
12-768		0.18	0.13	1.66	2.0	<0.01	<5	52	0.23	0.37	0.42	0.10	13.9	15.9	33.4
12-769		0.21	0.16	1.19	2.7	<0.01	<5	43	0.18	0.15	0.16	0.14	16.2	8.6	38.4
12-770		0.23	0.07	0.73	1.1	<0.01	<5	41	0.16	0.07	0.24	0.05	33.0	3.7	16.7
12-771		0.20	0.08	1.14	1.6	<0.01	<5	41	0.24	0.10	0.13	0.05	27.4	5.6	22.0
12-772		0.19	0.08	1.72	2.5	<0.01	<5	91	0.48	0.11	0.93	0.21	50.2	7.7	37.5
12-773		0.23	0.03	0.99	1.9	<0.01	9	46	0.24	0.06	10.2	0.07	39.0	4.9	29.6
12-774		0.18	0.01	0.82	1.5	<0.01	<5	22	0.13	0.05	0.20	0.03	22.1	3.0	15.5
12-775		0.21	0.04	1.09	2.0	<0.01	<5	41	0.28	0.08	2.57	0.07	41.0	4.8	28.3
12-776		0.22	0.02	0.94	1.9	<0.01	<5	33	0.18	0.07	1.26	0.06	30.0	3.6	22.9
12-777		0.21	0.04	1.06	1.9	<0.01	8	53	0.26	0.07	3.47	0.09	39.9	5.1	29.7
12-778		0.25	0.04	1.29	1.7	<0.01	<5	43	0.27	0.08	0.47	0.06	30.7	4.9	32.0
12-779		0.18	0.04	1.47	2.1	<0.01	<5	52	0.33	0.09	0.32	0.05	39.2	6.0	34.6
12-780		0.23	0.05	1.52	2.1	<0.01	<5	47	0.32	0.09	0.25	0.04	37.3	5.4	32.3
12-781		0.20	0.07	0.68	1.4	<0.01	<5	47	0.17	0.12	0.29	0.09	30.2	4.1	15.3
12-782		0.24	0.06	1.31	1.8	<0.01	<5	37	0.19	0.09	0.12	0.03	22.3	4.9	30.3
12-783		0.20	0.17	1.58	1.1	<0.01	<5	74	0.13	0.21	0.07	0.07	14.3	3.7	29.3
12-784		0.21	0.55	1.58	2.5	<0.01	<5	31	0.21	0.09	0.10	0.06	20.3	3.9	20.7
12-785		0.22	0.10	1.81	0.9	<0.01	<5	34	0.22	0.06	0.11	0.04	75.7	6.0	34.8
12-786		0.26	0.11	1.35	2.9	<0.01	<5	89	0.22	0.11	0.18	0.03	24.6	6.9	30.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-787		0.21	0.07	0.83	1.4	<0.01	<5	58	0.15	0.07	0.20	0.06	27.8	4.9	18.5
12-788		0.24	0.04	0.78	1.6	<0.01	<5	23	0.12	0.13	0.10	0.09	19.1	1.6	19.1
12-789		0.21	0.02	1.76	0.8	<0.01	<5	104	0.13	0.03	0.14	0.03	10.7	8.4	45.0
12-790		0.26	0.05	0.80	1.0	<0.01	<5	24	0.10	0.07	0.09	0.06	13.1	3.0	15.3
12-791		0.21	0.07	1.59	1.8	<0.01	<5	52	0.20	0.10	0.30	0.09	27.8	17.1	31.5
12-792		0.20	0.07	1.20	1.6	<0.01	<5	75	0.35	0.08	0.30	0.08	77.2	6.2	28.1
12-793		0.23	0.06	1.10	1.1	<0.01	<5	50	0.25	0.08	0.28	0.07	49.0	3.8	29.8
12-794		0.27	0.03	0.69	3.1	<0.01	<5	29	0.11	0.09	0.30	0.06	24.1	3.0	22.7
12-795		0.22	0.03	0.93	1.7	<0.01	<5	22	0.21	0.05	0.24	0.06	35.0	4.0	16.2
12-796		0.14	0.05	0.80	2.3	<0.01	<5	29	0.15	0.07	0.12	0.05	21.2	3.0	15.9
12-797		0.21	0.05	0.89	2.0	<0.01	<5	45	0.25	0.07	0.59	0.10	43.0	3.8	23.4
12-798		0.19	0.06	0.70	2.1	<0.01	<5	30	0.20	0.08	0.44	0.05	34.1	3.0	19.7
12-799		0.24	0.07	0.73	2.3	<0.01	6	30	0.30	0.09	4.37	0.08	38.3	6.4	21.7
12-800		0.23	0.04	1.07	1.3	<0.01	<5	25	0.16	0.19	0.08	0.04	25.8	3.1	14.0
12-801		0.21	0.08	1.10	3.1	<0.01	<5	28	0.18	0.20	0.08	0.04	26.5	3.1	14.4
12-802		0.22	0.03	0.82	1.3	<0.01	<5	13	0.07	0.17	0.08	0.03	15.3	3.2	14.3
12-803		0.18	0.06	1.21	1.4	<0.01	<5	29	0.13	0.24	0.10	0.05	16.4	5.0	17.3
12-804		0.24	0.57	1.95	1.8	<0.01	<5	102	0.53	0.23	0.52	0.11	104	10.8	36.6
12-805		0.26	0.07	1.51	2.7	<0.01	<5	37	0.31	0.13	0.13	0.04	31.5	5.3	27.5
12-806		0.23	0.02	0.59	1.7	<0.01	<5	15	0.10	0.07	0.12	0.05	18.9	3.9	18.3
12-807		0.21	0.02	0.70	1.4	<0.01	<5	17	0.12	0.09	0.14	0.03	20.1	4.0	23.1
12-808		0.20	0.04	0.50	1.2	<0.01	<5	18	0.07	0.22	0.09	0.04	14.6	1.1	10.5
12-809		0.23	0.06	0.97	1.6	<0.01	<5	26	0.16	0.17	0.24	0.05	26.0	5.5	32.8
12-810		0.25	0.02	0.97	2.5	<0.01	<5	20	0.19	0.07	0.29	0.04	43.3	5.5	37.6
12-811		0.22	0.04	0.81	2.4	<0.01	<5	25	0.14	0.09	0.26	0.05	29.2	4.0	26.7
12-812		0.21	0.05	0.89	1.9	<0.01	<5	35	0.18	0.08	0.26	0.03	37.3	5.3	27.7
12-813		0.25	0.12	1.04	1.4	<0.01	<5	35	0.22	0.09	0.24	0.06	26.4	4.9	28.1
12-814		0.20	0.13	0.70	1.8	<0.01	<5	29	0.14	0.11	0.25	0.08	42.7	4.8	26.0
12-815		0.23	0.18	0.72	1.9	<0.01	<5	26	0.10	0.13	0.16	0.08	20.2	3.4	20.4
12-816		0.24	0.06	0.89	1.3	<0.01	<5	25	0.11	0.11	0.12	0.15	19.5	5.3	40.8
12-817		0.23	0.12	1.39	2.3	<0.01	<5	56	0.31	0.11	0.43	0.27	87.6	10.6	50.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-818		0.27	0.08	1.06	2.4	<0.01	<5	51	0.29	0.10	0.82	0.24	42.8	5.3	28.4
12-819		0.20	0.19	0.87	3.7	0.03	<5	53	0.14	0.16	0.66	0.42	32.9	12.4	22.5
12-820		0.25	0.21	0.87	3.7	<0.01	<5	34	0.12	0.13	0.22	0.09	13.2	10.7	40.0
12-821		0.22	0.12	0.91	1.9	<0.01	<5	43	0.13	0.09	0.12	0.10	18.0	4.1	23.4
12-822		0.26	0.11	1.25	2.1	<0.01	<5	30	0.19	0.15	0.12	0.10	17.2	5.7	34.1
12-823		0.22	0.23	2.09	1.5	<0.01	<5	66	0.57	0.18	0.49	0.19	78.0	17.3	65.8
12-824		0.23	0.09	1.04	1.6	<0.01	<5	38	0.16	0.12	0.41	0.21	28.1	10.8	23.5
12-825		0.24	0.06	1.11	3.0	<0.01	<5	29	0.24	0.13	0.15	0.06	31.5	5.4	36.2
12-826		0.28	0.05	1.18	2.3	<0.01	<5	29	0.24	0.12	0.15	0.07	33.9	5.6	37.1
12-827		0.23	0.05	0.95	2.2	<0.01	<5	36	0.25	0.09	0.23	0.11	58.3	4.5	23.2
12-828		0.26	0.06	1.58	2.2	<0.01	<5	46	0.30	0.11	0.42	0.15	31.5	11.1	36.0
12-829		0.23	0.06	1.38	1.2	<0.01	<5	77	0.17	0.27	0.45	0.09	47.8	9.9	19.0
12-830		0.28	0.04	1.35	1.4	<0.01	<5	43	0.22	0.12	0.20	0.04	22.9	5.2	18.2
12-831		0.23	0.03	0.96	1.8	<0.01	<5	34	0.16	0.13	0.30	0.06	15.3	7.7	26.7
12-832		0.22	0.03	0.51	1.9	<0.01	<5	23	<0.05	0.21	0.15	0.07	13.8	1.6	12.5
12-833		0.25	0.06	2.44	1.1	<0.01	<5	118	0.41	0.18	0.87	0.10	44.4	23.7	233
12-834		0.29	0.12	1.00	1.8	<0.01	<5	29	0.18	0.53	0.17	0.04	20.7	5.9	23.9
12-835		0.24	0.09	1.17	1.8	<0.01	<5	50	0.23	0.16	0.25	0.06	30.6	9.8	23.0
12-836		0.17	0.04	1.00	1.8	<0.01	<5	57	0.14	0.15	0.20	0.04	22.6	4.6	43.2
12-837		0.24	0.05	0.66	1.7	<0.01	<5	45	0.08	0.33	0.16	0.10	15.9	5.4	31.7
12-838		0.22	0.07	1.55	2.2	<0.01	<5	43	0.16	0.18	0.73	0.14	36.5	16.4	254
12-839		0.27	0.05	1.23	3.2	<0.01	<5	32	0.19	0.15	0.32	0.07	28.0	13.7	32.6
12-840		0.26	0.08	0.93	6.8	<0.01	<5	48	0.13	0.15	0.15	0.06	17.4	4.2	20.8
12-841		0.24	0.09	0.93	1.7	<0.01	<5	31	0.17	0.08	0.15	0.04	34.8	5.2	18.9
12-842		0.25	0.10	0.87	2.1	<0.01	<5	35	0.12	0.12	0.10	0.07	17.5	3.4	17.4
12-843		0.21	0.12	1.12	2.0	<0.01	<5	40	0.13	0.12	0.94	0.14	10.4	15.9	29.3
12-844		0.27	0.05	0.74	1.1	<0.01	<5	31	0.10	0.09	0.42	0.05	18.1	5.1	13.2
12-845		0.29	0.03	0.76	1.0	<0.01	<5	26	0.13	0.11	0.10	0.06	21.1	1.6	13.0
12-846		0.26	0.03	2.64	3.6	<0.01	<5	21	0.32	0.09	0.07	0.04	37.7	2.6	30.0
12-847		0.24	0.01	1.79	2.2	<0.01	<5	21	0.21	0.11	0.09	0.08	28.8	2.7	23.8
12-848		0.23	0.07	1.25	1.5	<0.01	<5	66	0.37	0.06	0.70	0.54	76.0	4.4	29.1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil										
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
	RDL:															
12-849		0.26	0.02	0.67	0.9	<0.01	<5	23	0.11	0.05	0.23	0.06	28.8	5.0	29.6	
12-850		0.28	0.07	0.86	1.7	<0.01	<5	34	0.12	0.09	0.12	0.04	19.4	1.5	13.4	
12-851		0.25	0.15	1.38	1.5	<0.01	<5	32	0.19	0.08	0.08	0.06	20.9	2.3	17.1	
12-852		0.24	0.17	1.31	1.7	<0.01	<5	28	0.20	0.09	0.13	0.05	30.8	6.0	23.5	
12-853		0.28	0.07	0.87	2.0	<0.01	<5	29	0.10	0.12	0.12	0.04	16.8	4.2	38.3	
12-854		0.23	0.11	1.02	1.1	<0.01	<5	75	0.35	0.08	0.69	0.12	62.8	5.9	31.7	
12-855		0.26	0.04	1.15	2.3	<0.01	<5	30	0.19	0.14	0.10	0.09	18.3	2.5	25.9	
12-856		0.27	0.02	0.58	1.8	<0.01	<5	22	0.07	0.10	0.12	0.05	20.5	2.4	17.5	
12-857		0.26	0.03	0.89	1.9	<0.01	<5	31	0.17	0.07	0.14	0.04	26.2	3.0	27.4	
12-858		0.30	0.11	1.37	4.9	<0.01	<5	37	0.18	0.10	0.11	0.06	19.7	4.7	48.9	
12-859		0.23	0.12	1.48	1.3	<0.01	<5	61	0.25	0.07	0.49	0.10	63.3	9.1	51.0	
12-860		0.28	0.04	0.62	0.9	<0.01	<5	24	0.08	0.12	0.05	0.04	17.9	0.9	8.9	
12-861		0.25	0.06	1.16	1.3	<0.01	<5	22	0.13	0.09	0.07	0.03	20.6	2.3	15.1	
12-862		0.29	0.04	1.71	0.5	<0.01	<5	34	0.25	0.17	0.14	0.03	21.3	9.8	124	
12-863		0.25	0.03	1.89	2.3	<0.01	<5	17	0.16	0.07	0.10	0.03	22.0	1.9	37.2	
12-864		0.26	0.04	0.86	3.1	<0.01	<5	21	0.09	0.12	0.08	0.04	20.4	2.4	17.7	
12-865		0.27	0.03	0.98	1.4	<0.01	<5	24	0.15	0.06	0.10	0.03	24.9	3.6	16.6	
12-866		0.31	0.12	0.46	1.0	<0.01	<5	22	0.06	0.12	0.05	0.05	16.8	0.7	8.4	
12-867		0.26	0.03	1.80	2.5	<0.01	<5	24	0.20	0.08	0.09	0.06	26.0	3.3	29.2	
12-868		0.29	0.04	1.44	3.9	<0.01	<5	26	0.13	0.15	0.07	0.15	19.6	1.0	19.9	
12-869		0.26	0.05	1.74	4.7	<0.01	<5	30	0.25	0.13	0.12	0.13	22.0	3.2	34.9	
12-870		0.31	0.06	1.31	2.5	<0.01	<5	22	0.17	0.06	0.15	0.05	24.2	5.2	18.8	
12-1680		0.26	0.12	1.40	2.0	<0.01	<5	24	0.11	0.09	0.14	0.08	13.1	5.6	40.7	
12-1681		0.25	0.07	1.34	3.6	<0.01	<5	34	0.12	0.17	0.10	0.09	14.5	2.2	24.2	
12-1682		0.28	0.06	1.22	2.1	<0.01	<5	30	0.12	0.11	0.12	0.06	17.2	3.1	21.6	
12-1683		0.32	0.06	1.28	2.8	<0.01	<5	23	0.17	0.12	0.08	0.06	18.2	2.9	21.2	
12-1684		0.27	0.08	2.10	2.7	<0.01	<5	37	0.25	0.09	0.10	0.07	18.0	4.4	26.1	
12-1685		0.19	0.19	1.55	4.3	<0.01	<5	32	0.32	0.14	0.13	0.05	19.5	3.2	22.4	
12-1686		0.26	0.07	1.50	0.9	<0.01	<5	32	0.12	0.05	0.69	0.10	16.1	6.9	41.8	
12-1687		0.24	0.21	1.21	1.4	<0.01	<5	63	0.20	0.12	0.77	0.12	29.6	6.4	26.1	
12-1688		0.29	0.05	0.20	1.0	<0.01	6	55	0.06	0.03	1.41	0.25	3.39	0.7	5.9	

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1689		0.28	0.02	0.15	1.1	<0.01	<5	9	<0.05	0.04	0.03	0.05	5.27	0.4	3.0
12-1690		0.26	0.02	1.09	2.0	<0.01	<5	57	0.21	0.08	0.06	0.08	17.9	3.4	31.3
12-1691		0.27	<0.01	0.80	1.8	<0.01	<5	16	0.07	0.08	0.06	0.03	11.6	2.5	15.4
12-1692		0.23	0.03	1.03	2.1	<0.01	<5	19	0.11	0.12	0.07	0.09	17.4	2.8	21.4
12-1693		0.29	0.01	0.85	1.4	<0.01	<5	18	0.10	0.07	0.09	0.02	19.0	3.3	18.7
12-1694		0.31	0.03	0.85	1.3	<0.01	<5	22	0.10	0.10	0.09	0.05	17.7	3.0	18.7
12-1695		0.28	0.22	1.03	1.6	<0.01	<5	30	0.15	0.10	0.24	3.01	36.7	5.5	25.3
12-1696		0.26	0.04	0.60	1.0	<0.01	<5	22	0.18	0.09	0.13	0.16	34.4	2.1	11.4
12-1697		0.25	0.04	0.56	1.1	<0.01	<5	27	0.08	0.11	0.25	0.09	15.9	2.3	19.0
12-1698		0.28	0.10	0.89	2.3	<0.01	<5	32	0.13	0.14	0.11	0.04	19.9	3.2	20.8
12-1699		0.30	0.05	0.86	2.4	<0.01	<5	20	0.09	0.14	0.08	0.09	18.8	2.6	17.5
12-871		0.27	0.05	0.70	1.9	<0.01	<5	25	0.07	0.13	0.10	0.05	14.4	2.1	10.7
12-872		0.26	0.06	1.56	1.0	<0.01	<5	56	0.08	0.26	0.38	0.04	28.5	4.9	28.2
12-873		0.30	0.08	1.20	2.7	<0.01	<5	36	0.20	0.09	0.15	0.05	31.6	6.9	79.6
12-874		0.25	0.38	3.35	3.9	<0.01	<5	66	0.99	0.14	0.19	0.18	73.9	23.3	63.4
12-875		0.28	0.14	1.57	1.3	<0.01	<5	86	0.46	0.17	0.39	0.20	28.5	15.3	31.8
12-876		0.29	0.07	1.41	1.0	<0.01	<5	63	0.31	0.13	0.25	0.06	17.8	9.0	26.4
12-877		0.28	0.05	1.89	1.8	<0.01	<5	45	0.28	0.11	0.24	0.08	23.8	7.5	39.4
12-878		0.32	0.11	1.59	2.7	<0.01	<5	59	0.36	0.08	0.69	0.35	73.8	7.7	36.6
12-879		0.25	0.06	1.20	3.4	<0.01	<5	46	0.19	0.08	0.18	0.08	28.6	8.0	36.7
12-880		0.30	0.03	1.67	1.0	<0.01	<5	10	0.17	0.02	0.87	0.04	32.8	25.3	160
12-881		0.27	0.22	2.00	1.7	<0.01	<5	70	0.57	0.14	0.78	0.32	73.2	15.9	78.4
12-882		0.31	0.03	0.96	1.8	<0.01	<5	22	0.15	0.10	0.09	0.03	21.3	2.8	18.1
12-883		0.27	0.12	1.67	1.3	<0.01	<5	59	0.27	0.13	0.25	0.13	22.4	11.9	34.2
12-884		0.28	0.04	1.12	1.8	<0.01	<5	34	0.20	0.05	0.20	0.05	27.6	5.8	26.2
12-885		0.29	0.02	0.28	1.8	<0.01	<5	18	<0.05	0.05	0.07	0.04	8.30	2.0	24.8
12-886		0.33	0.07	0.94	7.7	<0.01	<5	79	0.25	0.16	0.79	0.51	29.7	17.4	28.5
12-887		0.28	0.04	1.10	3.0	<0.01	<5	21	0.12	0.08	0.08	0.04	27.2	4.7	37.8
12-888		0.31	0.14	1.54	2.7	<0.01	<5	32	0.42	0.10	0.13	0.33	63.0	36.6	37.1
12-889		0.28	0.14	1.02	3.3	<0.01	<5	39	0.18	0.13	0.10	0.20	15.9	2.6	20.1
12-890		0.33	0.05	1.19	2.2	<0.01	<5	28	0.13	0.08	0.30	0.07	33.7	8.7	80.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-891		0.28	0.01	0.97	1.5	<0.01	<5	16	0.11	0.07	0.05	0.04	11.6	1.8	16.1
12-892		0.27	0.07	1.97	2.0	<0.01	<5	42	0.39	0.07	0.16	0.05	87.6	10.3	38.1
12-893		0.30	0.04	0.87	2.4	<0.01	<5	20	0.15	0.11	0.11	0.06	25.5	4.9	25.1
12-894		0.34	0.05	0.58	2.8	<0.01	<5	17	0.08	0.15	0.05	0.06	19.1	1.6	13.8
12-895		0.29	0.03	1.08	3.0	<0.01	<5	16	0.16	0.10	0.09	0.09	18.7	4.0	25.0
12-896		0.16	0.06	0.87	1.5	<0.01	<5	23	0.19	0.08	0.08	0.05	25.4	2.7	14.2
12-897		0.23	0.09	0.79	1.5	<0.01	<5	40	0.18	0.09	0.18	0.03	24.5	5.1	25.2
12-898		0.21	0.03	0.68	1.1	<0.01	<5	27	0.12	0.07	0.21	0.04	24.6	4.6	17.9
12-899		0.26	0.01	0.53	1.6	<0.01	<5	17	0.08	0.08	0.09	0.03	17.2	2.3	13.5
12-900		0.25	0.05	0.92	1.7	<0.01	<5	47	0.23	0.06	0.71	0.16	37.8	6.0	27.3
12-901		0.23	0.08	1.00	3.5	<0.01	<5	55	0.27	0.08	0.95	0.18	43.5	7.0	30.6
12-902		0.24	0.10	1.07	4.3	<0.01	<5	72	0.23	0.09	1.84	0.60	46.1	9.9	29.4
12-903		0.20	0.04	0.65	2.1	<0.01	<5	19	0.13	0.09	0.10	0.08	19.7	2.1	15.8
12-904		0.26	0.09	1.72	2.3	<0.01	<5	32	0.25	0.11	0.15	0.11	15.0	5.7	29.8
12-905		0.28	0.10	2.10	2.8	<0.01	<5	31	0.37	0.12	0.08	0.11	25.4	2.1	30.3
12-906		0.25	0.03	0.97	1.4	<0.01	<5	51	0.18	0.07	0.25	0.02	35.0	4.4	25.4
12-907		0.23	0.09	1.37	3.0	<0.01	<5	80	0.24	0.09	0.47	0.13	50.7	7.3	44.5
12-908		0.22	0.06	0.81	1.5	<0.01	<5	36	0.21	0.05	0.44	0.11	62.8	5.9	34.8
12-909		0.25	0.06	1.55	2.5	<0.01	<5	33	0.31	0.08	0.17	0.07	30.3	6.5	33.4
12-910		0.27	0.03	1.09	1.3	<0.01	<5	24	0.13	0.07	0.15	0.06	17.6	5.4	21.1
12-911		0.24	0.02	1.23	2.4	<0.01	<5	34	0.21	0.07	0.14	0.08	24.1	4.1	22.7
12-912		0.23	0.05	0.92	1.7	<0.01	<5	40	0.24	0.08	0.36	0.04	53.6	5.8	33.7
12-913		0.27	0.04	0.55	1.5	<0.01	<5	29	0.09	0.13	0.09	0.10	17.3	1.3	12.2
12-914		0.22	0.02	0.98	2.7	<0.01	<5	15	0.14	0.07	0.20	0.04	33.0	4.4	32.1
12-915		0.25	0.04	1.37	2.4	<0.01	<5	23	0.27	0.10	0.10	0.07	32.9	3.2	19.9
12-916		0.26	0.05	0.89	3.4	<0.01	<5	24	0.11	0.13	0.10	0.08	18.3	2.3	19.1
12-917		0.25	0.07	2.00	2.9	<0.01	<5	45	0.24	0.14	0.08	0.07	22.4	4.8	31.7
12-918		0.29	0.03	1.18	1.5	<0.01	<5	31	0.15	0.12	0.07	0.03	21.4	2.4	18.8
12-919		0.22	0.05	0.93	4.3	<0.01	<5	25	0.12	0.13	0.11	0.06	20.8	7.0	22.5
12-920		0.27	0.03	0.77	1.0	<0.01	<5	17	0.12	0.14	0.10	0.03	21.3	2.8	18.5
12-921		0.24	0.13	2.33	2.9	<0.01	<5	48	0.44	0.14	0.12	0.14	37.8	14.3	37.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-922		0.28	0.04	0.39	0.9	<0.01	<5	20	0.11	0.04	2.29	0.03	34.6	2.9	15.1
12-923		0.24	0.03	0.79	0.8	<0.01	<5	21	0.15	0.03	0.68	0.17	37.7	5.2	31.6
12-924		0.25	0.12	1.39	2.3	<0.01	<5	104	0.19	0.10	0.22	0.08	24.4	8.0	63.2
12-925		0.26	0.07	1.57	2.2	<0.01	<5	51	0.20	0.08	1.02	0.32	103	17.1	158
12-926		0.30	0.07	1.31	1.4	<0.01	<5	47	0.17	0.06	0.86	0.24	81.1	14.1	107
12-927		0.25	0.02	0.78	0.7	<0.01	<5	28	0.10	0.06	0.17	0.04	25.5	2.6	22.5
12-928		0.28	0.04	1.38	1.5	<0.01	<5	31	0.19	0.08	0.10	0.04	25.6	5.5	19.6
12-929		0.25	0.04	3.78	3.7	<0.01	<5	17	0.34	0.08	0.12	0.17	25.5	3.8	55.0
12-930		0.30	0.03	1.03	3.3	<0.01	<5	16	0.12	0.09	0.10	0.05	23.0	2.7	22.8
12-931		0.25	0.06	0.72	1.7	<0.01	<5	32	0.25	0.05	0.54	0.09	56.0	2.8	19.0
12-932		0.24	0.13	1.31	2.0	0.02	<5	29	0.21	0.12	0.09	0.09	22.0	2.9	20.7
12-933		0.27	0.04	1.64	1.2	<0.01	<5	33	0.22	0.10	0.06	0.05	23.0	2.3	17.8
12-934		0.31	0.01	0.94	1.7	<0.01	<5	15	0.10	0.08	0.10	0.03	20.4	2.5	21.6
12-935		0.26	0.01	0.97	0.9	<0.01	<5	15	0.12	0.08	0.13	0.02	23.7	4.4	25.6
12-936		0.20	0.01	1.16	1.3	<0.01	<5	40	0.28	0.07	0.12	0.03	48.3	9.1	26.8
12-937		0.27	0.02	0.73	0.7	<0.01	<5	33	0.11	0.04	0.27	0.02	30.0	4.0	17.7
12-938		0.25	0.02	0.83	3.3	<0.01	<5	26	0.18	0.05	0.18	0.04	20.4	3.2	14.4
12-939		0.30	0.11	2.03	1.8	<0.01	7	108	0.64	0.15	1.07	0.30	71.5	11.5	52.6
12-940		0.29	0.10	2.31	4.1	<0.01	8	110	0.68	0.16	1.92	0.18	73.7	14.4	58.4
12-1191		0.27	0.05	1.38	1.6	<0.01	<5	47	0.20	0.12	0.13	0.04	24.6	8.9	25.8
12-1192		0.28	0.04	0.91	1.4	<0.01	<5	27	0.12	0.14	0.15	0.04	22.7	8.5	42.7
12-1193		0.24	0.07	1.27	2.4	<0.01	<5	40	0.16	0.17	0.08	0.09	20.9	3.1	24.1
12-1194		0.30	0.10	1.05	2.8	<0.01	<5	31	0.18	0.18	0.10	0.06	21.5	3.4	28.3
12-1195		0.32	0.06	0.92	1.8	<0.01	<5	24	0.12	0.12	0.12	0.08	29.1	2.6	20.1
12-1196		0.29	0.09	0.97	2.2	<0.01	<5	24	0.13	0.12	0.12	0.08	29.9	2.7	20.3
12-1197		0.27	0.15	1.04	2.0	<0.01	<5	32	0.22	0.08	0.24	0.07	49.4	5.8	24.9
12-1198		0.26	0.06	1.04	3.9	<0.01	<5	28	0.22	0.15	0.19	0.05	24.9	7.6	49.4
12-1199		0.29	0.12	1.25	4.1	<0.01	<5	39	0.22	0.10	0.18	0.11	23.2	5.1	24.4
12-1200		0.31	0.04	1.06	1.2	<0.01	<5	20	0.40	0.06	0.14	0.04	35.8	4.1	22.4
12-1201		0.28	0.03	0.80	1.2	<0.01	<5	15	0.22	0.05	0.15	0.03	28.0	3.6	19.2
12-1202		0.27	0.04	1.20	1.6	<0.01	<5	32	0.24	0.07	0.25	0.04	31.9	7.6	29.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1203		0.31	0.02	1.02	1.9	<0.01	<5	31	0.20	0.08	0.15	0.04	29.8	5.2	25.2
12-1204		0.26	0.05	1.57	1.5	<0.01	<5	42	0.37	0.06	0.45	0.05	90.2	9.4	33.3
12-1205		0.29	0.02	1.47	1.5	<0.01	<5	22	0.38	0.06	0.17	0.10	69.8	3.1	40.5
12-1206		0.30	0.02	1.00	1.1	<0.01	<5	18	0.23	0.05	0.25	0.08	40.8	4.5	37.2
12-1207		0.29	0.03	1.28	1.5	<0.01	<5	24	0.20	0.11	0.11	0.09	23.7	3.2	17.9
12-1208		0.33	0.04	0.67	0.9	<0.01	<5	20	0.07	0.11	0.11	0.05	18.9	2.5	13.6
12-1209		0.26	0.02	0.38	1.0	<0.01	<5	26	<0.05	0.15	0.06	0.07	17.0	0.5	9.1
12-1210		0.31	2.54	1.20	3.6	<0.01	<5	30	0.31	0.21	0.18	0.32	30.0	5.0	22.8
12-1211		0.28	0.18	1.23	1.4	<0.01	<5	19	0.16	0.11	0.08	0.10	24.5	2.0	15.5
12-1212		0.32	0.27	2.33	2.8	<0.01	<5	58	0.50	0.18	0.32	0.35	33.6	9.0	40.5
12-1213		0.28	0.04	0.67	1.6	<0.01	<5	20	0.15	0.06	0.33	0.11	43.3	3.7	24.0
12-1214		0.29	0.01	1.08	1.8	<0.01	<5	22	0.15	0.06	0.15	0.02	28.6	4.3	23.9
12-1215		0.30	<0.01	0.51	1.0	<0.01	<5	10	<0.05	0.10	0.05	0.03	16.9	1.1	8.7
12-1216		0.34	<0.01	0.46	0.7	<0.01	<5	11	<0.05	0.09	0.07	0.10	14.5	1.0	8.2
12-1217		0.29	0.02	0.44	0.7	<0.01	<5	17	0.06	0.07	0.25	0.04	14.2	2.2	27.1
12-1218		0.32	0.06	0.77	1.3	<0.01	<5	20	0.10	0.10	0.12	0.06	20.8	1.3	13.2
12-1219		0.29	0.08	1.14	2.6	<0.01	<5	37	0.11	0.11	0.15	0.08	23.3	3.9	34.8
12-1220		0.34	0.02	0.81	1.4	<0.01	<5	40	0.13	0.04	0.20	0.03	21.8	6.3	14.5
12-1221		0.29	0.03	0.69	0.8	<0.01	<5	14	0.09	0.06	0.09	0.03	21.7	1.3	9.6
12-1222		0.28	0.03	0.85	1.1	<0.01	<5	18	0.12	0.06	0.08	0.03	24.2	2.8	12.6
12-1223		0.31	0.18	0.89	8.0	<0.01	<5	31	0.10	0.21	0.12	0.08	21.0	2.3	24.6
12-1224		0.35	0.09	1.54	3.3	<0.01	<5	44	0.31	0.09	0.38	0.09	49.6	5.9	31.3
12-1225		0.30	0.04	0.93	1.8	<0.01	<5	28	0.15	0.09	0.18	0.09	28.5	3.0	21.5
12-1226		0.22	0.07	1.01	2.2	<0.01	<5	28	0.26	0.08	0.15	0.10	30.0	4.0	21.2
12-1227		0.25	0.09	1.70	2.4	<0.01	<5	55	0.44	0.10	0.41	0.14	52.1	8.0	35.6
12-1228		0.19	0.07	1.58	2.9	<0.01	<5	36	0.37	0.08	0.23	0.07	37.8	6.5	34.4
12-1229		0.18	0.09	1.89	3.0	<0.01	<5	63	0.64	0.12	0.34	0.14	54.2	9.4	37.7
12-1230		0.22	0.08	2.81	3.6	<0.01	<5	86	0.74	0.14	0.30	0.15	77.0	12.8	52.2
12-1231		0.19	0.06	1.60	3.6	<0.01	<5	44	0.37	0.09	0.28	0.08	38.7	5.6	29.4
12-1232		0.21	0.05	1.20	1.3	<0.01	<5	38	0.32	0.06	0.27	0.08	33.9	4.1	24.4
12-1233		0.19	0.06	1.99	1.6	<0.01	<5	69	0.48	0.10	0.37	0.09	37.6	7.3	42.1

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1234		0.25	0.03	0.80	0.7	<0.01	<5	32	0.18	0.07	0.24	0.06	25.2	3.1	20.3
12-1235		0.22	0.03	0.67	0.5	<0.01	<5	28	0.21	0.05	0.28	0.03	26.5	2.4	16.5
12-1236		0.26	0.04	0.94	0.9	<0.01	<5	43	0.26	0.06	0.40	0.05	40.8	3.9	26.7
12-1237		0.21	0.08	0.91	0.8	<0.01	<5	36	0.23	0.07	0.38	0.08	36.5	4.1	23.8
12-1238		0.25	0.09	1.11	0.4	<0.01	<5	53	0.36	0.07	0.39	0.10	46.5	4.3	29.4
12-1239		0.21	0.09	1.27	1.3	<0.01	<5	55	0.34	0.11	0.69	0.25	42.3	5.3	28.0
12-1240		0.26	0.03	0.81	0.6	<0.01	<5	33	0.18	0.04	0.28	0.09	28.9	2.1	18.9
12-941		0.21	0.06	1.15	2.8	<0.01	9	54	0.39	0.08	10.5	0.11	51.3	7.5	33.5
12-942		0.19	0.06	1.23	3.1	<0.01	<5	33	0.23	0.10	0.22	0.09	36.3	4.8	31.0
12-943		0.23	0.06	0.89	2.0	<0.01	<5	27	0.14	0.13	0.08	0.12	16.7	1.8	15.1
12-944		0.17	0.10	0.49	0.9	<0.01	<5	22	0.11	0.05	0.25	0.03	25.7	3.2	14.8
12-945		0.22	0.10	0.95	1.8	<0.01	<5	42	0.21	0.08	0.15	0.05	26.4	5.2	19.4
12-946		0.19	0.13	1.76	1.2	<0.01	<5	26	0.26	0.11	0.19	0.07	28.8	16.6	94.9
12-947		0.21	0.07	1.76	2.0	<0.01	<5	28	0.28	0.09	0.09	0.06	25.0	3.9	22.8
12-948		0.26	0.04	0.77	1.3	<0.01	<5	30	0.18	0.06	0.26	0.04	39.1	4.2	22.3
12-949		0.22	0.14	1.04	4.8	<0.01	<5	42	0.20	0.12	0.17	0.07	24.8	6.2	28.2
12-950		0.21	0.08	1.40	1.6	<0.01	<5	78	0.46	0.09	0.83	0.17	65.1	9.3	37.4
12-951		0.25	0.08	1.52	1.5	<0.01	<5	82	0.44	0.09	0.82	0.13	65.9	9.2	39.5
12-952		0.21	0.06	1.02	1.2	<0.01	<5	48	0.30	0.09	1.57	0.08	36.2	5.8	31.0
12-953		0.24	0.06	1.26	3.5	<0.01	<5	77	0.26	0.13	0.38	0.16	29.9	5.0	34.4
12-954		0.20	0.07	0.92	2.2	<0.01	10	41	0.32	0.08	8.82	0.21	45.0	6.3	26.6
12-955		0.19	0.07	0.69	2.6	<0.01	10	34	0.24	0.06	9.60	0.16	46.2	4.8	20.4
12-956		0.22	0.09	1.43	4.2	<0.01	<5	90	0.32	0.12	0.58	0.07	53.6	20.0	85.0
12-957		0.24	0.12	2.34	2.2	<0.01	<5	48	0.69	0.09	0.21	0.13	86.7	9.7	40.5
12-958		0.20	0.19	2.18	1.6	<0.01	<5	93	0.65	0.07	0.71	0.34	120	13.0	36.1
12-959		0.19	0.07	0.94	0.4	<0.01	<5	39	0.20	0.08	0.20	0.06	37.2	4.6	18.1
12-960		0.28	0.11	2.20	2.2	<0.01	<5	67	0.54	0.08	0.32	0.10	80.8	9.8	34.5
12-961		0.25	0.03	0.49	0.7	<0.01	<5	37	0.06	0.16	0.10	0.11	20.0	1.0	8.9
12-962		0.24	0.08	1.32	0.8	<0.01	<5	54	0.38	0.06	0.33	0.07	82.2	4.1	21.2
12-963		0.21	0.05	1.74	3.0	<0.01	<5	28	0.27	0.11	0.11	0.07	34.2	3.5	23.2
12-964		0.22	0.04	1.04	0.8	<0.01	<5	23	0.17	0.08	0.10	0.07	29.9	2.5	16.9

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Analyte:	Sample Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:															
12-965	0.23	0.04	0.92	1.0	<0.01	<5	33	0.25	0.07	0.17	0.03	44.7	3.8	21.3	
12-966	0.24	0.05	1.52	2.2	<0.01	<5	96	0.38	0.08	0.31	0.10	83.5	24.7	38.7	
12-967	0.27	0.29	0.93	2.3	<0.01	7	124	0.64	0.02	1.98	5.06	124	5.1	12.9	
12-968	0.21	0.06	1.00	0.4	<0.01	<5	63	0.23	0.07	0.33	0.09	44.5	8.0	32.3	
12-969	0.20	0.07	0.54	0.3	<0.01	<5	37	0.09	0.06	0.11	0.02	21.9	2.8	14.2	
12-970	0.24	0.13	1.25	3.3	<0.01	<5	87	0.24	0.07	0.23	0.04	27.3	8.8	40.7	
12-971	0.21	0.08	0.80	1.0	<0.01	<5	22	0.17	0.08	0.10	0.02	28.1	2.3	12.2	
12-972	0.23	0.09	1.19	1.0	<0.01	<5	30	0.22	0.09	0.13	0.05	25.7	5.4	18.5	
12-973	0.21	0.08	0.72	0.6	<0.01	<5	25	0.13	0.09	0.12	0.04	24.0	2.6	13.8	
12-974	0.27	0.06	0.67	1.5	<0.01	<5	25	0.15	0.08	0.18	0.05	29.5	3.8	18.6	
12-975	0.24	0.06	0.25	0.4	<0.01	<5	8	<0.05	0.04	0.14	0.05	15.9	0.5	4.0	
12-976	0.28	0.04	0.22	0.2	<0.01	<5	8	<0.05	0.04	0.13	0.05	14.0	0.4	3.8	
12-977	0.23	0.06	1.87	2.6	<0.01	<5	25	0.31	0.12	0.13	0.07	28.9	6.9	35.3	
12-978	0.27	0.15	0.99	1.7	<0.01	<5	37	0.25	0.09	0.13	0.06	29.6	5.1	19.5	
12-979	0.23	0.08	0.89	4.8	<0.01	<5	34	0.16	0.14	0.14	0.10	21.4	2.6	21.6	
12-980	0.28	0.06	0.52	3.9	<0.01	<5	22	0.10	0.14	0.18	0.11	23.5	2.8	20.7	
12-981	0.23	0.09	1.06	2.0	<0.01	<5	38	0.26	0.11	0.15	0.07	26.3	5.3	26.0	
12-982	0.21	0.58	3.80	2.1	<0.01	<5	76	1.26	0.29	0.68	0.13	134	20.4	48.2	
12-983	0.25	0.07	1.34	1.9	0.01	<5	19	0.29	0.09	0.10	0.07	30.4	3.3	17.9	
12-984	0.19	0.07	1.82	2.0	<0.01	<5	33	0.57	0.13	0.12	0.09	34.6	8.1	25.2	
12-985	0.24	0.20	1.22	1.8	<0.01	<5	38	0.24	0.16	0.32	0.47	33.8	16.0	39.5	
12-986	0.21	0.11	1.89	2.5	<0.01	<5	61	0.44	0.12	0.23	0.14	44.9	8.5	39.4	
12-987	0.23	0.10	2.26	3.5	<0.01	<5	95	0.84	0.16	0.51	0.19	76.9	14.1	56.4	
12-988	0.28	0.05	0.94	3.5	<0.01	9	47	0.33	0.08	10.1	0.09	47.3	6.6	27.9	
12-989	0.24	0.10	1.07	0.7	<0.01	9	52	0.36	0.07	4.51	0.24	48.1	5.9	30.7	
12-990	0.23	0.09	1.55	1.7	<0.01	<5	85	0.48	0.09	0.63	0.17	109	8.3	35.7	
12-991	0.27	0.07	1.67	2.6	<0.01	<5	83	0.71	0.10	0.47	0.10	66.5	9.2	41.8	
12-992	0.23	0.14	1.37	2.5	<0.01	<5	44	0.27	0.14	0.16	0.27	47.6	4.6	29.6	
12-993	0.26	0.17	0.96	2.5	<0.01	<5	35	0.30	0.17	0.30	0.13	57.1	8.4	25.1	
12-994	0.22	0.13	0.46	1.3	<0.01	<5	22	0.07	0.15	0.07	0.05	21.2	1.4	9.0	
12-995	0.21	0.11	1.79	1.3	<0.01	<5	45	0.18	0.13	0.20	0.12	18.7	19.3	105	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-996		0.24	0.11	1.10	0.4	<0.01	<5	43	0.21	0.13	0.14	0.03	24.7	6.1	15.5
12-997		0.26	0.08	1.37	4.4	<0.01	<5	32	0.17	0.16	0.09	0.15	24.7	2.4	25.3
12-998		0.22	0.08	2.42	2.2	<0.01	<5	25	0.45	0.10	0.10	0.06	36.8	5.6	30.7
12-999		0.21	0.07	1.11	3.5	<0.01	<5	35	0.13	0.15	0.13	0.13	20.0	2.1	21.1
12-1000		0.30	0.03	1.04	1.4	<0.01	<5	21	0.15	0.12	0.05	0.03	30.5	1.7	14.6
12-1001		0.27	0.03	1.12	1.5	<0.01	<5	23	0.18	0.12	0.07	0.04	32.9	2.3	17.4
12-1002		0.26	0.07	3.27	1.4	<0.01	<5	39	0.67	0.08	0.12	0.05	94.6	6.9	43.1
12-1003		0.23	0.10	1.55	2.8	<0.01	<5	32	0.29	0.15	0.17	0.16	20.0	12.4	30.4
12-1004		0.24	0.03	1.21	1.4	<0.01	<5	31	0.17	0.08	0.14	0.04	27.2	4.7	22.1
12-1005		0.25	0.05	0.77	2.4	<0.01	<5	33	0.09	0.13	0.13	0.08	20.9	3.1	20.9
12-1006		0.27	0.05	0.85	1.1	<0.01	<5	22	0.12	0.09	0.08	0.05	20.0	4.0	19.6
12-1007		0.30	0.06	0.93	0.8	<0.01	<5	24	0.18	0.08	0.09	0.04	25.2	3.4	14.8
12-1008		0.24	0.12	0.52	1.8	<0.01	<5	21	0.07	0.13	0.08	0.04	18.9	1.5	11.1
12-1009		0.23	0.06	0.65	0.4	<0.01	<5	25	0.12	0.12	0.09	0.03	26.4	2.8	12.7
12-1010		0.27	0.49	1.32	1.1	<0.01	<5	66	0.71	0.35	0.15	0.18	47.7	20.8	35.8
12-1640		0.24	0.05	0.62	0.6	<0.01	<5	25	0.21	0.05	0.15	0.01	37.2	3.0	14.3
12-1641		0.26	0.03	1.86	1.0	<0.01	<5	19	0.30	0.08	0.09	0.03	34.0	3.2	18.3
12-1642		0.24	0.15	1.04	0.6	<0.01	<5	37	0.29	0.13	1.03	0.10	52.1	9.4	40.3
12-1643		0.30	0.10	1.06	0.7	<0.01	<5	41	0.24	0.09	0.12	0.02	26.3	5.3	20.7
12-1644		0.27	0.07	0.97	3.0	<0.01	<5	26	0.17	0.13	0.08	0.12	26.2	2.6	21.4
12-1645		0.31	0.08	1.45	1.3	<0.01	<5	23	0.33	0.09	0.09	0.03	26.9	4.2	23.4
12-1646		0.26	0.06	2.18	3.2	<0.01	<5	21	0.54	0.12	0.05	0.25	52.3	3.4	18.6
12-1647		0.30	0.03	1.20	1.8	<0.01	<5	16	0.23	0.10	0.06	0.06	27.4	2.4	17.6
12-1648		0.26	0.07	1.52	2.3	<0.01	<5	30	0.28	0.10	0.06	0.09	25.2	2.5	19.9
12-1649		0.31	0.06	2.32	3.5	<0.01	<5	60	0.54	0.17	0.15	0.10	48.4	8.5	34.6
12-1650		0.26	0.06	0.97	1.5	<0.01	<5	33	0.21	0.11	0.09	0.08	18.6	3.6	17.1
12-1651		0.24	0.06	1.06	1.4	<0.01	<5	36	0.22	0.11	0.11	0.08	21.8	3.5	18.3
12-1652		0.28	0.04	1.80	3.1	<0.01	<5	54	0.39	0.11	0.16	0.08	37.7	6.8	29.7
12-1653		0.22	0.05	1.08	1.9	<0.01	<5	34	0.30	0.09	4.09	0.08	42.5	5.7	23.8
12-1654		0.27	0.11	1.03	1.6	<0.01	<5	29	0.36	0.14	0.24	0.15	45.8	6.3	17.4
12-1655		0.24	0.05	1.07	2.7	<0.01	<5	35	0.26	0.11	0.32	0.10	36.9	9.7	24.2

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1656		0.26	0.05	0.80	1.6	<0.01	<5	21	0.16	0.09	0.15	0.05	23.3	3.2	17.9
12-1657		0.31	0.07	1.02	1.1	<0.01	<5	39	0.21	0.10	0.18	0.08	23.7	2.6	15.7
12-1658		0.27	0.14	1.76	2.1	<0.01	<5	31	0.39	0.08	0.20	0.07	21.8	5.7	25.1
12-1659		0.26	0.07	1.24	2.6	<0.01	<5	54	0.30	0.10	0.30	0.13	37.0	4.4	23.6
12-1660		0.30	0.10	0.60	2.8	<0.01	<5	25	0.11	0.12	0.08	0.08	16.2	2.5	18.8
12-1661		0.26	0.05	0.85	3.3	<0.01	<5	14	0.13	0.08	0.05	0.05	19.1	1.3	10.0
12-1662		0.29	0.05	1.13	2.3	<0.01	<5	23	0.13	0.18	0.05	0.29	16.2	1.5	20.6
12-1663		0.25	0.02	0.77	1.1	<0.01	<5	16	0.12	0.07	0.14	0.02	17.8	3.9	19.8
12-1664		0.24	0.08	0.93	1.1	<0.01	<5	15	0.22	0.07	0.11	0.02	23.1	3.1	16.7
12-1665		0.27	0.06	1.50	5.1	<0.01	<5	42	0.35	0.11	0.21	0.06	27.9	4.8	28.9
12-1666		0.29	0.06	0.92	1.7	<0.01	<5	34	0.22	0.09	0.16	0.07	27.2	3.8	22.4
12-1667		0.25	0.04	0.91	0.4	<0.01	<5	38	0.18	0.06	0.42	0.11	41.7	7.0	24.9
12-1668		0.24	<0.01	1.25	1.4	<0.01	<5	57	0.26	0.08	0.35	0.08	39.1	9.6	34.0
12-1669		0.33	0.10	0.81	0.8	<0.01	<5	32	0.20	0.09	0.09	0.05	22.3	1.8	11.4
12-1670		0.30	0.14	1.08	2.2	<0.01	<5	47	0.20	0.12	0.09	0.03	17.9	2.2	16.0
12-1671		0.29	0.15	1.01	2.2	<0.01	<5	39	0.25	0.13	0.11	0.07	21.2	3.4	18.0
12-1672		0.26	0.17	0.85	1.7	<0.01	<5	45	0.28	0.09	0.13	0.07	24.4	4.6	15.8
12-1673		0.27	0.10	1.71	1.2	<0.01	<5	32	0.33	0.08	0.19	0.06	33.7	7.7	39.4
12-1674		0.28	0.03	0.72	0.9	<0.01	<5	30	0.16	0.05	0.23	0.02	24.8	3.4	18.7
12-1675		0.29	0.07	1.23	3.7	<0.01	<5	32	0.19	0.13	0.10	0.08	17.0	2.0	15.0
12-1676		0.32	0.08	1.31	4.5	<0.01	<5	34	0.21	0.14	0.10	0.09	15.8	2.4	15.2
12-1677		0.26	0.09	0.79	3.5	<0.01	<5	41	0.15	0.20	0.13	0.10	25.2	3.8	29.9
12-1678		0.25	0.18	1.41	1.8	<0.01	<5	36	0.33	0.11	0.11	0.08	21.2	3.8	20.2
12-1679		0.29	0.20	1.02	2.0	<0.01	<5	36	0.20	0.22	0.20	0.10	22.6	8.2	14.6
12-1011		0.26	0.15	1.34	3.8	<0.01	<5	60	0.41	0.08	0.48	0.44	62.7	19.6	28.5
12-1012		0.28	0.04	0.77	1.7	<0.01	<5	18	0.14	0.11	0.05	0.10	22.7	1.6	10.6
12-1013		0.26	0.04	1.50	1.0	<0.01	<5	22	0.19	0.07	0.08	0.02	19.2	4.3	26.3
12-1014		0.32	0.06	1.29	1.0	<0.01	<5	23	0.15	0.07	0.11	0.06	14.0	11.6	31.1
12-1015		0.29	0.10	1.00	2.0	<0.01	<5	32	0.20	0.09	0.12	0.07	22.1	4.2	31.1
12-1016		0.33	0.16	1.14	2.5	<0.01	<5	35	0.22	0.08	0.16	0.08	27.1	6.1	24.8
12-1017		0.28	0.08	0.44	1.0	<0.01	<5	18	0.09	0.13	0.06	0.06	20.6	1.0	6.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1018		0.32	0.06	1.11	0.8	<0.01	<5	35	0.23	0.10	0.11	0.03	28.9	5.9	18.4
12-1019		0.28	0.07	1.02	2.9	<0.01	<5	37	0.23	0.20	0.15	0.11	25.0	4.7	26.3
12-1020		0.33	0.10	1.43	0.4	<0.01	<5	35	0.18	0.10	0.14	0.03	18.5	13.2	39.6
12-1021		0.28	0.11	1.18	1.2	<0.01	<5	48	0.31	0.16	0.10	0.06	20.9	6.3	19.6
12-1022		0.26	0.20	1.50	2.0	<0.01	<5	40	0.40	0.11	0.11	0.12	42.5	6.8	22.3
12-1023		0.30	0.30	1.37	2.5	<0.01	<5	51	0.35	0.17	0.07	0.12	36.5	5.8	27.4
12-1024		0.24	0.03	0.70	0.6	<0.01	<5	18	0.08	0.10	0.05	0.03	15.5	4.5	13.9
12-1025		0.29	0.05	0.84	1.7	<0.01	<5	15	0.13	0.10	0.08	0.04	21.5	4.0	19.6
12-1026		0.26	0.05	0.86	1.5	<0.01	<5	16	0.12	0.10	0.07	0.03	22.0	3.8	19.3
12-1027		0.28	0.06	1.96	2.6	<0.01	<5	30	0.35	0.13	0.08	0.15	25.1	5.5	31.7
12-1028		0.33	0.04	1.12	1.5	<0.01	<5	28	0.18	0.10	0.12	0.04	26.6	3.5	22.9
12-1029		0.29	0.06	1.08	5.9	<0.01	<5	32	0.18	0.13	0.29	0.05	26.6	9.5	28.6
12-1030		0.28	0.06	1.05	3.6	<0.01	<5	38	0.21	0.14	0.09	0.26	19.0	2.2	20.3
12-1031		0.32	0.14	1.09	1.3	<0.01	<5	47	0.23	0.12	0.13	0.08	22.8	8.9	27.1
12-1032		0.28	0.04	0.62	0.5	<0.01	<5	19	0.13	0.06	0.11	0.01	23.1	2.6	12.3
12-1033		0.31	0.05	1.24	1.7	<0.01	<5	24	0.28	0.10	0.14	0.10	29.4	7.3	37.1
12-1034		0.27	0.22	1.40	2.2	<0.01	<5	31	0.28	0.09	0.07	0.06	25.0	5.9	22.1
12-1035		0.26	0.12	0.91	2.3	<0.01	<5	18	0.19	0.11	0.06	0.04	21.5	4.1	19.8
12-1036		0.29	0.07	0.99	1.2	<0.01	<5	15	0.17	0.08	0.15	0.03	29.7	3.1	19.3
12-1037		0.31	0.06	2.06	2.7	<0.01	<5	25	0.37	0.16	0.09	0.16	31.0	6.7	30.9
12-1038		0.27	0.25	1.60	3.1	<0.01	<5	57	0.40	0.23	0.09	0.06	27.4	18.0	28.1
12-1039		0.26	0.11	1.38	2.9	<0.01	<5	23	0.30	0.09	0.09	0.07	20.9	5.4	22.8
12-1040		0.35	0.55	2.34	1.6	<0.01	<5	58	0.65	0.15	0.09	0.09	64.7	38.4	34.1
12-1041		0.32	0.03	0.51	0.3	<0.01	<5	17	<0.05	0.14	0.04	0.04	20.0	0.9	8.6
12-1042		0.31	0.06	0.46	0.8	<0.01	<5	18	<0.05	0.13	0.06	0.05	12.4	1.3	7.6
12-1043		0.28	0.10	0.63	0.8	<0.01	<5	53	<0.05	0.05	0.12	0.05	3.83	6.2	12.3
12-1044		0.29	1.49	4.25	8.3	<0.01	<5	82	1.06	0.30	0.13	0.23	75.6	69.4	62.7
12-1045		0.30	0.10	1.00	0.3	<0.01	<5	27	0.10	0.08	0.04	0.02	10.4	3.2	28.8

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-756		2.26	4.0	0.79	4.36	0.13	0.07	0.05	0.012	0.04	10.4	7.2	0.22	70	7.48									
12-757		2.45	30.2	2.45	6.38	0.15	0.04	0.05	0.020	20.1	13.3	0.41	0.41	244	5.23									
12-758		6.90	36.8	3.24	10.0	0.17	0.05	0.10	0.027	20.1	33.2	0.76	0.76	525	17.2									
12-759		2.00	4.5	2.02	9.28	0.13	0.05	0.05	0.011	9.5	6.8	0.24	0.24	76	4.55									
12-760		2.93	3.2	1.74	4.74	0.13	0.04	0.06	0.011	14.5	7.2	0.16	0.16	57	4.23									
12-761		2.80	11.3	1.43	8.75	0.13	0.07	0.02	0.014	24.3	14.5	0.42	0.42	171	11.2									
12-762		1.16	6.1	0.94	2.84	0.12	0.05	0.03	0.012	16.4	8.3	0.25	0.25	78	2.33									
12-763		2.75	5.4	1.65	3.72	0.12	0.06	0.01	0.006	8.9	7.3	0.35	0.35	89	2.10									
12-764		8.53	16.1	2.20	7.66	0.13	0.03	0.04	0.020	14.9	23.8	0.45	0.45	168	3.40									
12-765		2.36	10.9	2.03	5.65	0.14	0.04	0.03	0.013	11.8	9.6	0.29	0.29	97	1.16									
12-766		2.37	6.4	1.40	3.05	0.13	0.06	0.01	0.009	11.5	9.2	0.41	0.41	197	0.58									
12-767		2.73	9.4	1.85	4.87	0.13	0.04	0.03	0.013	13.1	12.7	0.42	0.42	122	0.50									
12-768		2.33	60.7	3.82	9.41	0.14	0.16	0.03	0.024	4.8	18.6	0.78	0.78	218	1.77									
12-769		2.42	14.1	2.98	8.09	0.14	0.04	0.04	0.018	7.9	10.7	0.28	0.28	108	1.40									
12-770		1.54	9.2	1.03	2.59	0.14	0.03	0.02	0.009	12.2	10.8	0.22	0.22	273	0.34									
12-771		2.40	17.9	1.61	4.90	0.14	0.03	0.03	0.014	11.8	9.1	0.21	0.21	178	0.80									
12-772		1.25	11.0	1.94	5.93	0.14	0.08	0.04	0.018	22.5	24.2	0.69	0.69	523	0.33									
12-773		0.85	10.3	1.33	3.72	0.11	0.23	0.02	0.014	19.5	10.0	2.82	2.82	337	0.41									
12-774		0.49	0.9	1.01	2.81	0.14	0.03	0.01	0.008	10.8	6.3	0.21	0.21	77	0.25									
12-775		0.77	7.8	1.41	3.98	0.12	0.16	0.03	0.013	19.8	9.6	1.11	1.11	310	0.25									
12-776		0.70	4.1	1.18	3.54	0.14	0.08	0.02	0.010	12.6	7.9	0.63	0.63	205	0.22									
12-777		0.79	8.6	1.39	3.69	0.14	0.08	0.03	0.014	19.1	11.3	1.52	1.52	337	0.26									
12-778		0.87	5.2	1.63	4.79	0.14	0.07	0.02	0.014	17.1	13.2	0.49	0.49	220	0.21									
12-779		0.98	4.6	1.73	5.21	0.13	0.05	0.02	0.015	12.7	14.5	0.50	0.50	261	0.24									
12-780		1.02	3.9	1.74	5.48	0.13	0.05	0.02	0.015	11.5	13.4	0.45	0.45	186	0.30									
12-781		0.95	15.2	1.17	4.81	0.14	0.06	0.03	0.010	14.4	2.3	0.18	0.18	99	0.41									
12-782		1.22	15.4	2.00	6.31	0.13	0.03	0.03	0.015	12.6	8.0	0.22	0.22	69	0.71									
12-783		0.73	20.7	4.29	9.45	0.17	0.12	0.02	0.039	8.8	5.8	0.55	0.55	195	1.57									
12-784		0.96	37.0	1.50	4.59	0.12	0.03	0.05	0.013	10.7	7.3	0.15	0.15	57	0.48									
12-785		1.07	76.9	1.23	5.68	0.17	0.04	0.06	0.013	36.4	8.9	0.38	0.38	84	0.68									
12-786		1.16	4.1	2.30	6.56	0.13	0.05	0.03	0.014	11.2	10.7	0.32	0.32	86	0.55									
12-787		0.81	7.7	1.21	3.25	0.14	0.03	0.02	0.009	11.3	5.0	0.28	0.28	207	0.31									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-788		0.66	2.7	1.21	6.00	0.14	0.03	0.03	0.008	0.03	9.5	3.3	0.13	38	0.40									
12-789		1.95	12.8	2.74	7.90	0.14	0.03	<0.01	<0.005	0.30	5.1	7.9	1.12	254	0.52									
12-790		0.60	14.8	1.29	6.31	0.13	0.03	0.03	0.008	0.02	5.8	2.8	0.31	63	0.65									
12-791		1.31	14.9	2.47	7.31	0.14	0.05	0.02	0.011	0.04	14.4	14.7	0.92	534	0.57									
12-792		0.96	27.1	1.64	3.82	0.17	0.06	0.04	0.014	0.03	39.5	10.2	0.33	162	0.54									
12-793		1.25	19.8	1.00	4.52	0.13	0.03	0.04	0.012	0.03	23.3	9.9	0.35	102	0.39									
12-794		0.83	5.9	1.38	4.99	0.12	0.04	0.02	0.008	0.03	11.3	7.0	0.26	79	0.43									
12-795		0.50	3.2	1.05	2.65	0.12	0.03	0.03	0.010	0.03	14.1	7.3	0.18	68	0.20									
12-796		0.59	0.6	1.21	3.26	0.10	0.04	0.02	0.010	0.04	9.2	7.4	0.20	76	0.28									
12-797		0.60	8.2	1.21	3.13	0.13	0.06	0.03	0.010	0.07	21.7	10.4	0.38	169	0.24									
12-798		0.50	2.7	0.99	2.60	0.12	0.06	0.03	0.009	0.05	16.0	7.1	0.33	148	0.21									
12-799		0.96	8.1	1.03	4.04	0.08	0.13	0.03	0.015	0.09	19.2	12.2	1.79	281	0.43									
12-800		2.43	10.9	1.18	5.40	0.11	0.03	0.04	0.010	0.03	12.8	11.9	0.27	80	1.93									
12-801		2.52	13.4	1.17	5.89	0.10	<0.02	0.04	0.010	0.03	13.0	12.7	0.24	74	2.19									
12-802		1.67	4.9	1.34	8.55	0.11	0.07	0.02	0.007	0.04	6.5	8.0	0.33	90	6.12									
12-803		3.33	10.7	1.84	7.71	0.12	0.04	0.02	0.010	0.07	7.2	10.7	0.63	202	3.99									
12-804		6.11	41.9	2.16	6.35	0.24	0.03	0.12	0.020	0.11	70.6	24.0	0.56	446	6.15									
12-805		0.95	3.0	1.93	4.73	0.09	0.05	0.03	0.015	0.05	9.7	10.6	0.22	92	0.70									
12-806		1.00	4.9	1.02	3.08	0.09	0.07	0.01	0.007	0.02	9.2	6.3	0.24	80	0.46									
12-807		0.92	2.8	1.18	2.87	0.10	0.05	<0.01	0.007	0.02	10.6	6.4	0.31	89	0.37									
12-808		0.98	2.5	0.61	5.01	0.10	0.04	0.03	0.006	0.02	6.4	2.2	0.11	37	1.32									
12-809		1.42	6.6	1.71	6.18	0.11	0.05	0.02	0.008	0.04	12.9	11.1	0.50	149	0.54									
12-810		0.99	15.5	1.46	3.63	0.11	0.06	0.03	0.009	0.03	23.0	9.8	0.49	140	0.38									
12-811		0.92	4.1	1.30	4.33	0.11	0.03	0.02	0.008	0.04	15.5	8.9	0.37	119	0.39									
12-812		1.04	8.3	1.45	4.04	0.12	0.04	0.02	0.009	0.05	18.5	10.1	0.39	122	0.37									
12-813		1.29	16.2	1.69	4.70	0.10	0.03	0.03	0.012	0.04	13.4	14.9	0.30	90	0.70									
12-814		1.39	14.3	1.34	5.88	0.11	0.04	0.02	0.008	0.07	12.6	6.8	0.42	107	0.60									
12-815		1.37	9.4	1.42	9.11	0.10	0.02	0.03	0.008	0.06	10.4	7.5	0.26	77	1.01									
12-816		1.18	7.0	1.28	6.85	0.10	0.06	0.02	0.007	0.05	9.9	10.0	0.45	91	0.65									
12-817		2.06	84.1	2.29	7.02	0.19	0.07	0.03	0.016	0.08	38.3	28.7	0.66	181	0.89									
12-818		0.85	10.0	1.46	3.94	0.13	0.08	0.04	0.014	0.11	19.4	10.8	0.51	449	0.40									
12-819		3.32	131	2.53	4.93	0.14	<0.02	0.04	0.013	0.05	26.1	5.6	0.36	352	1.37									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-820		1.86	70.0	2.38	6.06	0.12	<0.02	0.03	0.011	0.07	5.5	7.4	0.35	121	1.13									
12-821		1.84	15.1	1.42	4.16	0.11	0.02	0.02	0.010	0.04	8.8	7.5	0.25	77	1.05									
12-822		2.46	16.3	2.21	5.50	0.11	<0.02	0.03	0.016	0.05	8.6	13.0	0.39	82	1.50									
12-823		4.65	40.1	2.43	5.91	0.15	0.03	0.04	0.019	0.05	31.5	23.8	0.70	557	7.01									
12-824		2.74	22.6	1.90	5.87	0.11	<0.02	0.03	0.013	0.04	16.5	17.2	0.56	170	2.98									
12-825		1.54	9.9	1.50	4.14	0.11	0.03	0.02	0.011	0.04	13.9	9.0	0.30	113	1.27									
12-826		1.44	9.5	1.53	4.03	0.11	0.03	0.03	0.012	0.03	15.0	9.0	0.30	114	1.23									
12-827		1.18	4.8	1.08	2.78	0.11	0.03	0.04	0.011	0.04	14.8	6.9	0.24	204	0.51									
12-828		2.88	64.8	2.35	5.66	0.11	<0.02	0.04	0.020	0.05	16.1	16.7	0.35	205	1.13									
12-829		3.68	12.9	2.76	8.74	0.15	0.16	0.02	0.014	0.43	15.0	19.7	0.92	449	0.80									
12-830		1.92	17.4	1.17	4.64	0.09	<0.02	0.03	0.013	0.03	10.7	9.6	0.18	106	0.48									
12-831		1.10	13.9	1.49	3.83	0.10	<0.02	0.02	0.011	0.03	6.1	8.4	0.23	114	0.99									
12-832		0.49	6.1	1.33	8.71	0.11	0.03	0.02	0.007	0.03	5.9	1.8	0.11	63	2.03									
12-833		5.32	53.0	2.82	6.45	0.14	0.05	0.07	0.016	0.14	25.9	38.9	1.06	202	9.47									
12-834		2.31	15.3	1.69	4.41	0.11	0.03	0.02	0.011	0.05	10.3	9.8	0.41	128	1.31									
12-835		3.13	15.3	2.09	4.52	0.12	0.03	0.02	0.011	0.14	11.3	11.1	0.49	233	1.37									
12-836		3.07	9.3	1.38	3.84	0.13	0.04	0.02	0.009	0.05	10.5	8.9	0.33	101	1.35									
12-837		4.57	8.4	1.67	4.22	0.13	0.04	0.02	0.008	0.11	5.6	4.6	0.38	161	1.09									
12-838		2.89	16.8	2.26	4.83	0.12	0.05	0.03	0.013	0.05	12.2	15.8	1.47	377	0.66									
12-839		3.14	23.8	2.32	4.87	0.13	0.03	0.02	0.009	0.12	14.2	12.6	0.59	159	0.93									
12-840		1.55	12.9	2.57	7.25	0.12	0.02	0.02	0.013	0.04	7.2	6.6	0.16	108	1.61									
12-841		1.93	43.9	1.22	3.12	0.12	0.02	0.03	0.010	0.04	12.0	5.7	0.22	239	0.55									
12-842		1.93	9.9	1.90	6.24	0.11	0.03	0.03	0.012	0.03	7.6	5.3	0.14	73	0.90									
12-843		2.26	190	2.47	4.97	0.11	0.04	0.07	0.015	0.04	6.2	13.7	0.38	208	1.39									
12-844		2.03	60.5	1.21	4.53	0.11	0.02	0.04	0.010	0.02	7.7	6.8	0.14	44	0.70									
12-845		0.90	8.3	0.80	4.21	0.12	<0.02	0.04	0.007	0.03	10.4	3.3	0.14	41	0.44									
12-846		0.98	5.8	2.19	6.03	0.13	0.06	0.09	0.024	0.02	19.3	7.5	0.14	48	1.02									
12-847		0.48	12.4	1.32	6.03	0.11	0.02	0.06	0.014	0.02	14.3	5.2	0.23	51	0.46									
12-848		0.92	85.4	0.89	2.94	0.12	0.03	0.11	0.011	0.04	45.7	5.6	0.26	105	0.52									
12-849		0.53	10.7	1.14	2.63	0.10	0.03	0.02	0.006	0.02	14.4	7.2	0.33	94	0.81									
12-850		0.58	1.6	1.03	3.93	0.12	0.02	0.03	0.008	0.02	9.8	3.8	0.10	40	0.44									
12-851		0.97	3.9	1.38	4.25	0.12	<0.02	0.04	0.011	0.03	10.7	6.0	0.12	49	0.44									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-852		0.84	30.9	1.50	4.49	0.12	0.04	0.03	0.013	0.03	11.9	5.7	0.19	69	0.36									
12-853		0.68	6.8	2.24	5.74	0.13	0.05	0.02	0.010	0.04	8.3	4.5	0.21	72	0.56									
12-854		2.17	374	0.89	3.60	0.25	0.11	0.13	0.012	0.05	123	8.0	0.42	99	0.13									
12-855		0.63	29.9	1.71	4.01	0.11	0.09	0.06	0.013	0.03	8.9	5.4	0.14	53	0.54									
12-856		0.46	9.9	0.94	5.16	0.12	0.04	0.02	0.007	0.03	10.2	3.5	0.16	59	0.74									
12-857		0.65	5.5	1.88	3.93	0.13	0.03	0.03	0.009	0.02	9.0	5.2	0.19	77	0.39									
12-858		0.60	11.8	2.67	6.37	0.14	0.05	0.04	0.014	0.03	8.8	7.3	0.29	74	0.71									
12-859		0.62	52.4	2.34	4.71	0.16	0.04	0.03	0.009	0.08	38.4	8.9	0.62	272	0.64									
12-860		0.45	5.5	0.73	4.70	0.11	<0.02	0.03	0.005	0.02	9.2	1.7	0.06	26	0.47									
12-861		0.64	4.5	1.19	5.18	0.11	0.03	0.02	0.009	0.02	10.7	4.8	0.12	38	0.40									
12-862		2.40	10.8	2.63	11.1	0.15	0.09	<0.01	0.018	0.19	13.7	12.0	1.17	266	0.44									
12-863		0.35	5.3	0.94	4.31	0.12	0.04	0.06	0.010	0.01	10.2	3.7	0.13	38	0.49									
12-864		1.15	7.0	0.85	6.92	0.12	0.04	0.02	0.010	0.04	10.5	5.6	0.21	63	0.57									
12-865		0.68	11.4	0.94	3.70	0.12	0.02	0.01	0.013	0.02	11.9	5.9	0.20	73	0.35									
12-866		0.36	4.0	0.83	3.28	0.12	<0.02	0.03	0.005	0.02	7.2	0.9	0.04	24	0.47									
12-867		0.97	9.3	1.85	4.56	0.12	0.04	0.08	0.014	0.03	12.6	7.5	0.25	78	0.79									
12-868		0.61	9.1	2.31	6.01	0.12	0.02	0.14	0.016	0.03	10.2	3.8	0.06	26	1.25									
12-869		1.40	17.8	3.05	8.94	0.09	0.02	0.10	0.024	0.03	7.9	8.5	0.21	80	1.78									
12-870		0.80	13.1	1.85	4.17	0.12	0.03	0.04	0.011	0.03	12.7	7.4	0.34	90	0.54									
12-1680		1.04	6.9	2.37	10.2	0.10	0.07	0.07	0.011	0.04	5.6	8.8	0.54	137	0.90									
12-1681		1.43	0.2	3.10	10.0	0.12	0.03	0.05	0.019	0.06	6.4	5.5	0.20	64	0.79									
12-1682		1.14	9.3	1.76	5.88	0.11	0.03	0.05	0.011	0.04	7.0	5.8	0.28	97	0.55									
12-1683		1.51	2.8	2.09	5.75	0.13	0.02	0.06	0.017	0.04	9.6	5.6	0.16	62	0.75									
12-1684		1.23	2.8	1.84	3.68	0.13	0.04	0.07	0.017	0.03	7.4	6.9	0.19	84	0.48									
12-1685		1.26	2.8	2.67	8.72	0.09	0.04	0.04	0.023	0.04	11.8	8.2	0.15	58	1.03									
12-1686		0.93	10.0	1.46	6.38	0.09	<0.02	0.03	0.020	0.05	6.9	16.0	0.55	299	0.36									
12-1687		2.73	13.2	1.59	4.93	0.11	0.03	0.07	0.013	0.04	21.2	13.9	0.45	259	0.61									
12-1688		0.15	10.5	0.19	0.60	0.09	0.07	0.10	<0.005	0.01	4.1	0.3	0.08	24	1.42									
12-1689		0.15	3.2	0.11	1.68	0.10	<0.02	0.01	<0.005	<0.01	2.5	0.2	0.01	19	0.30									
12-1690		1.46	8.6	1.07	6.45	0.09	<0.02	0.03	0.008	0.09	7.7	10.0	0.32	80	0.68									
12-1691		0.69	6.7	0.88	4.82	0.10	<0.02	0.02	0.006	0.02	5.0	5.1	0.19	64	0.36									
12-1692		1.09	8.0	1.72	5.46	0.11	<0.02	0.08	0.010	0.02	7.6	6.5	0.22	75	1.40									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646797
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1693		1.10	6.0	1.00	3.50	0.11	<0.02	0.02	0.007	0.03	9.8	7.5	0.29	88	0.39									
12-1694		1.14	6.2	1.04	4.96	0.11	<0.02	0.02	0.007	0.04	7.7	5.7	0.25	87	0.61									
12-1695		0.93	132	1.47	3.77	0.11	<0.02	0.02	0.033	0.05	13.8	6.9	0.34	154	0.43									
12-1696		0.42	15.3	0.66	3.17	0.10	<0.02	0.02	0.008	0.02	17.1	2.3	0.09	45	0.35									
12-1697		0.94	5.2	0.91	4.96	0.10	<0.02	0.03	0.006	0.03	6.4	3.8	0.16	55	0.79									
12-1698		1.71	5.9	1.75	5.96	0.09	<0.02	0.04	0.011	0.05	9.6	6.4	0.20	108	0.68									
12-1699		1.25	5.8	1.70	8.05	0.11	0.02	0.03	0.009	0.03	9.6	5.4	0.20	63	0.72									
12-871		0.47	4.0	1.43	6.53	0.12	<0.02	0.04	0.008	0.02	5.8	3.2	0.15	46	0.93									
12-872		1.61	26.2	2.96	10.0	0.12	0.05	0.01	0.014	0.09	13.8	10.7	1.05	139	1.41									
12-873		1.06	10.4	1.86	6.27	0.11	0.03	0.02	0.010	0.05	12.5	12.0	0.57	118	0.53									
12-874		1.46	45.5	3.94	8.61	0.16	0.09	0.14	0.042	0.04	36.3	19.8	0.44	280	2.32									
12-875		1.24	32.0	2.55	11.1	0.10	<0.02	0.05	0.022	0.03	14.2	11.0	0.35	562	0.95									
12-876		1.31	14.4	2.05	8.36	0.10	<0.02	0.03	0.016	0.03	7.7	14.4	0.44	193	0.71									
12-877		1.62	26.9	2.44	7.82	0.10	0.03	0.05	0.018	0.03	12.2	16.2	0.34	108	0.86									
12-878		1.61	43.7	1.89	4.17	0.13	0.02	0.04	0.015	0.03	31.0	14.9	0.49	435	0.77									
12-879		1.34	18.3	1.60	5.43	0.12	0.03	0.02	0.012	0.03	14.3	13.2	0.49	143	0.53									
12-880		0.25	26.9	2.34	7.26	0.14	<0.02	0.01	0.005	0.02	14.4	35.4	1.72	306	0.31									
12-881		1.71	32.3	1.97	8.53	0.11	0.02	0.08	0.021	0.03	37.1	22.4	0.57	389	1.17									
12-882		1.24	6.6	0.91	6.39	0.08	<0.02	0.02	0.010	0.03	10.9	7.6	0.18	57	0.51									
12-883		1.64	26.0	2.32	8.56	0.10	<0.02	0.04	0.018	0.04	11.4	14.6	0.65	195	1.04									
12-884		1.58	12.9	1.35	4.82	0.12	<0.02	0.03	0.011	0.03	13.7	11.8	0.41	104	0.55									
12-885		0.36	0.7	1.90	4.26	0.12	<0.02	0.02	<0.005	0.02	3.5	0.7	0.10	26	0.31									
12-886		1.18	19.3	3.28	3.84	0.13	<0.02	0.06	0.017	0.03	14.9	6.4	0.31	1490	1.89									
12-887		0.86	18.0	1.68	3.97	0.10	0.04	0.03	0.012	0.02	10.4	6.5	0.21	92	0.54									
12-888		1.02	29.5	3.05	4.43	0.12	0.08	0.13	0.017	0.03	24.0	6.8	0.20	1080	3.28									
12-889		1.28	8.4	1.93	6.22	0.11	0.03	0.14	0.018	0.02	7.0	5.3	0.08	236	1.05									
12-890		0.53	23.1	2.76	9.35	0.11	0.16	0.03	0.012	0.09	14.2	8.7	0.69	160	0.83									
12-891		0.40	5.3	1.13	3.81	<0.05	0.04	0.05	0.008	0.01	5.1	3.7	0.08	26	0.38									
12-892		1.29	216	1.37	3.61	0.16	0.07	0.15	0.015	0.04	42.0	9.0	0.33	96	0.56									
12-893		0.99	27.2	1.47	4.11	0.11	0.02	0.04	0.009	0.03	13.1	6.4	0.34	106	0.63									
12-894		0.41	6.3	1.75	9.07	0.11	0.03	0.03	0.009	0.03	7.7	2.5	0.08	35	0.76									
12-895		0.67	15.6	1.95	7.73	0.10	0.03	0.08	0.016	0.02	7.9	6.3	0.18	66	0.59									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-896		0.74	2.6	1.11	4.64	0.09	0.04	0.02	0.01	0.03	11.6	5.1	0.10	47	0.43									
12-897		0.81	9.7	1.15	4.86	0.10	0.02	0.02	0.01	0.04	12.7	8.6	0.33	78	0.75									
12-898		0.90	7.1	0.93	4.13	0.10	0.02	0.02	0.007	0.02	12.3	7.1	0.27	80	0.32									
12-899		0.39	2.1	0.85	4.84	0.10	0.04	0.02	0.006	0.02	7.5	4.4	0.18	51	0.21									
12-900		1.18	18.2	1.14	3.50	0.14	0.08	0.03	0.012	0.08	20.6	10.1	0.50	177	0.66									
12-901		1.38	24.0	1.28	3.97	0.12	0.10	0.04	0.014	0.09	23.7	11.1	0.64	221	0.74									
12-902		1.25	55.8	1.75	4.16	0.13	0.08	0.06	0.022	0.08	25.1	11.1	1.08	362	0.55									
12-903		0.70	2.5	1.50	4.64	0.11	0.03	0.02	0.009	0.04	7.6	4.3	0.12	50	0.61									
12-904		1.38	18.1	2.93	7.81	0.10	0.03	0.05	0.019	0.04	6.3	13.9	0.37	180	10.1									
12-905		0.72	4.9	2.51	6.83	0.10	0.04	0.11	0.021	0.02	12.0	6.6	0.12	41	0.97									
12-906		0.81	3.7	1.18	4.16	0.13	0.03	0.02	0.011	0.02	17.3	8.9	0.32	99	0.14									
12-907		1.81	10.1	1.75	5.64	0.14	0.03	0.04	0.016	0.05	26.2	15.1	0.56	275	0.46									
12-908		0.71	8.3	1.16	2.99	0.14	0.04	0.03	0.009	0.02	30.1	7.3	0.33	345	0.51									
12-909		0.91	8.4	2.13	5.59	0.11	0.04	0.03	0.015	0.03	13.7	12.5	0.40	106	0.73									
12-910		0.61	8.6	1.37	5.92	0.11	0.03	0.02	0.009	0.02	7.5	10.4	0.41	104	0.44									
12-911		0.82	5.4	1.51	4.97	0.12	0.03	0.04	0.012	0.03	12.2	9.6	0.28	79	0.51									
12-912		0.90	20.6	1.41	3.76	0.14	0.03	0.04	0.012	0.03	28.8	9.3	0.39	120	0.84									
12-913		1.83	12.4	0.36	4.07	0.10	<0.02	0.02	0.009	0.03	9.0	2.3	0.08	26	0.63									
12-914		0.70	17.7	1.47	4.37	0.12	0.03	0.03	0.012	0.02	19.1	9.1	0.43	113	0.71									
12-915		0.66	17.2	1.73	5.21	0.13	0.03	0.04	0.012	0.02	16.5	5.1	0.17	53	0.79									
12-916		0.69	7.2	2.40	8.97	0.12	0.04	0.05	0.012	0.03	9.4	3.9	0.15	52	1.16									
12-917		1.83	22.2	3.40	8.32	0.14	0.05	0.07	0.031	0.14	11.3	7.8	0.53	239	1.69									
12-918		1.55	38.3	1.20	6.69	0.10	<0.02	0.03	0.012	0.03	10.8	7.6	0.20	59	0.75									
12-919		1.24	28.1	1.81	5.02	0.13	0.03	0.04	0.011	0.03	10.5	6.9	0.27	137	1.26									
12-920		0.87	20.7	0.77	3.84	0.11	0.02	0.02	0.007	0.02	10.7	6.2	0.23	64	0.37									
12-921		1.08	59.2	1.61	9.01	0.12	0.16	0.08	0.027	0.03	20.8	17.3	0.31	82	1.33									
12-922		0.30	9.0	0.51	1.63	0.12	0.07	0.01	0.005	0.02	17.0	3.8	1.37	86	0.18									
12-923		0.33	16.5	0.90	2.95	0.12	0.06	0.02	0.009	0.02	19.3	6.9	0.52	97	0.82									
12-924		1.17	2.5	2.58	8.60	0.13	0.07	0.03	0.015	0.10	12.2	11.1	0.71	106	0.55									
12-925		0.75	38.1	2.20	6.82	0.19	0.06	0.03	0.010	0.04	41.5	14.6	1.53	569	0.34									
12-926		0.81	28.8	2.02	6.04	0.17	0.05	0.02	0.009	0.04	30.8	12.4	1.17	421	0.40									
12-927		0.75	18.6	0.51	3.24	0.12	<0.02	0.04	0.007	0.02	12.6	4.2	0.17	44	0.43									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-928		0.85	13.6	1.04	4.80	0.11	0.03	0.03	0.011	0.02	12.7	8.6	0.13	49	0.45									
12-929		0.65	54.7	3.11	6.12	0.12	0.12	0.11	0.032	0.03	12.6	8.5	0.27	88	1.38									
12-930		0.62	22.7	1.45	4.34	0.12	0.03	0.02	0.012	0.02	11.2	5.2	0.20	62	0.63									
12-931		0.28	26.0	0.91	2.30	0.13	0.05	0.05	0.010	0.03	31.2	5.6	0.28	99	0.23									
12-932		1.25	9.8	1.81	6.74	0.11	0.03	0.04	0.017	0.03	11.0	8.4	0.16	59	0.83									
12-933		0.86	24.7	0.88	6.38	0.10	<0.02	0.04	0.013	0.02	11.7	7.4	0.14	44	0.95									
12-934		0.89	9.4	1.02	4.73	0.12	0.04	0.02	0.010	0.03	10.3	5.3	0.23	70	0.49									
12-935		0.54	13.6	1.16	4.36	0.11	0.03	0.01	0.008	0.02	11.9	6.2	0.30	84	0.50									
12-936		0.56	22.5	1.13	3.60	0.13	0.06	0.03	0.012	0.02	20.9	8.4	0.25	78	0.39									
12-937		0.55	9.5	0.68	3.27	0.13	0.04	0.02	0.008	0.03	15.1	6.7	0.25	79	0.33									
12-938		0.49	<0.1	0.87	2.81	0.08	0.03	0.05	0.010	0.02	9.2	5.3	0.16	56	0.26									
12-939		1.89	32.1	2.32	8.50	0.13	0.32	0.02	0.026	0.21	37.9	23.8	0.88	224	0.24									
12-940		1.88	24.4	3.02	9.70	0.14	0.29	0.04	0.031	0.31	36.0	27.5	1.52	745	0.44									
12-1191		2.50	24.7	1.31	5.53	0.11	0.02	0.03	0.011	0.05	12.8	11.0	0.34	108	0.75									
12-1192		1.65	16.3	1.42	5.04	0.12	0.04	0.03	0.008	0.03	11.5	9.1	0.38	122	1.28									
12-1193		2.62	13.3	2.07	7.27	0.11	0.03	0.06	0.014	0.04	10.8	8.6	0.24	78	1.34									
12-1194		2.31	23.0	1.63	8.84	0.09	0.03	0.06	0.011	0.04	11.0	7.6	0.18	76	3.74									
12-1195		1.22	18.4	1.29	4.50	0.14	0.03	0.06	0.010	0.03	12.6	5.1	0.17	62	2.59									
12-1196		1.29	19.0	1.32	4.70	0.12	0.03	0.06	0.011	0.03	13.0	5.5	0.17	65	2.70									
12-1197		1.34	12.8	1.42	3.31	0.12	0.05	0.03	0.011	0.04	19.4	6.2	0.26	101	0.44									
12-1198		2.63	17.5	1.90	6.09	0.09	0.03	0.03	0.018	0.05	10.9	8.1	0.35	166	0.72									
12-1199		1.42	4.8	2.00	5.13	0.09	0.03	0.04	0.020	0.05	11.0	7.9	0.22	110	0.69									
12-1200		0.50	16.1	1.17	4.08	0.09	0.03	0.03	0.012	0.02	18.4	6.6	0.19	139	0.41									
12-1201		0.46	11.7	1.01	3.04	0.10	0.03	0.02	0.009	0.02	13.9	5.7	0.21	97	0.25									
12-1202		0.63	9.4	1.79	5.32	0.11	0.05	0.02	0.016	0.03	15.9	9.8	0.42	102	0.34									
12-1203		0.89	8.5	1.57	5.10	0.10	0.04	0.03	0.012	0.03	15.1	7.7	0.28	85	0.50									
12-1204		0.69	21.7	1.88	4.53	0.14	0.06	0.06	0.015	0.03	45.7	10.2	0.44	128	0.29									
12-1205		0.41	43.9	0.53	3.71	0.15	0.05	0.12	0.019	0.02	35.5	4.7	0.21	49	0.43									
12-1206		0.49	16.4	0.79	3.32	0.10	0.04	0.06	0.011	0.02	20.1	7.9	0.31	79	0.26									
12-1207		0.89	12.3	1.14	6.23	0.08	0.04	0.06	0.013	0.02	11.6	9.9	0.14	51	0.74									
12-1208		0.70	4.8	0.61	5.13	0.11	0.02	0.02	0.007	0.02	9.4	4.0	0.17	61	0.53									
12-1209		0.20	2.1	0.50	4.98	0.12	<0.02	0.02	<0.005	0.01	7.3	0.3	0.04	36	0.38									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646797
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1210		1.35	31.2	0.01	0.05	6.60	0.11	0.02	0.08	0.025	0.03	0.02	0.01	14.6	11.2	0.20	0.01	90	8.52					
12-1211		0.93	7.8	0.86	5.21	0.11	0.02	0.05	0.011	0.011	0.02	0.02	0.05	11.9	8.3	0.12	0.12	43	1.08					
12-1212		1.32	40.9	2.02	6.08	0.11	0.04	0.04	0.041	0.041	0.04	0.04	0.04	15.8	26.7	0.33	0.33	184	3.72					
12-1213		0.54	36.2	1.21	2.40	0.12	0.06	0.02	0.009	0.009	0.03	0.03	0.03	22.5	5.8	0.28	0.28	170	0.59					
12-1214		0.49	17.2	0.95	2.09	0.12	0.08	0.02	0.008	0.008	0.02	0.02	0.02	12.8	5.5	0.25	0.25	82	0.16					
12-1215		0.37	1.5	0.67	4.72	0.10	0.03	0.01	<0.005	<0.005	0.01	0.01	<0.005	7.1	2.2	0.07	0.07	27	0.30					
12-1216		0.38	1.4	0.43	4.82	0.12	<0.02	0.01	<0.005	<0.005	0.01	0.01	<0.005	6.2	1.2	0.06	0.06	32	0.44					
12-1217		0.27	5.1	0.67	4.02	0.13	0.14	0.01	0.006	0.006	0.03	0.03	0.03	5.4	1.4	0.26	0.26	61	0.36					
12-1218		0.68	2.9	0.93	5.32	0.09	0.03	0.03	0.009	0.009	0.03	0.03	0.03	10.2	3.6	0.09	0.09	40	0.44					
12-1219		0.74	13.3	1.79	5.02	0.12	0.03	0.05	0.023	0.023	0.04	0.04	0.04	11.0	6.7	0.26	0.26	74	0.52					
12-1220		1.24	82.5	1.36	2.33	0.13	0.04	0.01	0.006	0.006	0.02	0.02	0.02	16.4	7.8	0.38	0.38	108	0.24					
12-1221		0.75	2.0	0.74	3.62	0.11	0.02	0.01	0.005	0.005	0.02	0.02	0.02	10.8	3.5	0.08	0.08	29	0.29					
12-1222		0.65	4.0	0.81	3.50	0.13	0.02	0.01	0.008	0.008	0.02	0.02	0.02	11.3	3.8	0.11	0.11	48	0.28					
12-1223		0.58	8.6	2.41	19.3	0.09	0.08	0.03	0.014	0.014	0.04	0.04	0.04	10.3	3.7	0.13	0.13	48	1.47					
12-1224		0.94	4.1	2.12	6.26	0.09	0.05	0.04	0.024	0.024	0.09	0.09	0.09	14.2	16.3	0.39	0.39	167	0.32					
12-1225		0.76	2.0	1.57	4.84	0.11	0.04	0.03	0.012	0.012	0.08	0.08	0.08	11.5	9.1	0.24	0.24	151	0.13					
12-1226		0.67	3.7	1.42	4.87	0.08	0.03	0.03	0.015	0.015	0.06	0.06	0.06	11.6	11.8	0.25	0.25	172	0.21					
12-1227		1.15	7.1	1.90	6.69	0.08	0.04	0.03	0.023	0.023	0.13	0.13	0.13	14.7	20.9	0.50	0.50	323	0.29					
12-1228		0.97	5.3	2.07	6.31	0.08	0.04	0.03	0.021	0.021	0.11	0.11	0.11	12.7	18.0	0.46	0.46	219	0.33					
12-1229		1.44	7.7	2.18	8.81	0.09	0.07	0.03	0.026	0.026	0.17	0.17	0.17	16.5	27.4	0.60	0.60	339	0.28					
12-1230		1.71	11.8	2.86	10.0	0.10	0.07	0.04	0.031	0.031	0.23	0.23	0.23	20.5	34.7	0.83	0.83	460	0.25					
12-1231		0.99	6.7	1.75	5.38	0.08	0.03	0.03	0.016	0.016	0.09	0.09	0.09	13.7	15.9	0.41	0.41	167	0.24					
12-1232		0.74	3.9	1.27	3.78	0.08	0.05	0.02	0.012	0.012	0.07	0.07	0.07	15.4	11.3	0.36	0.36	143	<0.05					
12-1233		1.36	6.7	2.07	6.30	0.10	0.05	0.02	0.020	0.020	0.13	0.13	0.13	16.5	20.6	0.59	0.59	202	0.39					
12-1234		0.84	2.4	0.97	3.36	0.08	0.08	0.02	0.009	0.009	0.05	0.05	0.05	11.8	10.3	0.32	0.32	174	0.08					
12-1235		0.47	2.2	0.87	2.39	0.09	0.05	0.02	0.008	0.008	0.04	0.04	0.04	14.0	6.5	0.23	0.23	114	<0.05					
12-1236		0.70	4.5	1.17	3.44	0.10	0.06	0.02	0.012	0.012	0.07	0.07	0.07	19.2	10.9	0.38	0.38	135	<0.05					
12-1237		0.97	4.0	1.12	3.28	0.09	0.07	0.03	0.011	0.011	0.07	0.07	0.07	16.3	10.5	0.33	0.33	140	<0.05					
12-1238		0.82	12.0	1.19	3.90	0.10	0.10	0.03	0.013	0.013	0.08	0.08	0.08	22.3	13.2	0.39	0.39	118	<0.05					
12-1239		1.00	7.4	1.41	4.87	0.09	0.04	0.05	0.016	0.016	0.09	0.09	0.09	17.5	13.0	0.44	0.44	405	0.11					
12-1240		0.89	8.1	0.59	2.69	0.08	0.03	0.02	0.008	0.008	0.05	0.05	0.05	14.0	7.7	0.21	0.21	61	<0.05					
12-941		1.10	14.6	1.55	5.10	<0.05	<0.05	0.02	0.020	0.020	0.20	0.20	0.20	23.7	15.8	2.77	2.77	433	0.13					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-942		1.60	10.0	2.22	8.05	0.09	0.04	0.04	0.019	0.07	14.3	13.1	0.40	135	1.34									
12-943		1.12	14.1	1.80	6.82	0.10	<0.02	0.06	0.012	0.03	7.1	4.2	0.13	45	2.26									
12-944		0.81	13.9	0.69	1.95	0.10	<0.02	0.02	0.006	0.02	12.6	5.7	0.22	90	0.39									
12-945		1.53	16.3	1.49	5.60	0.08	0.02	0.02	0.014	0.04	12.2	11.2	0.24	87	0.76									
12-946		1.54	27.8	2.32	9.60	0.11	0.04	0.02	0.014	0.03	13.2	27.5	1.23	228	0.39									
12-947		1.46	10.4	1.58	4.71	0.09	0.02	0.06	0.016	0.03	12.1	10.7	0.18	62	0.77									
12-948		0.99	9.2	1.13	2.79	0.10	0.02	0.02	0.012	0.03	17.3	7.2	0.27	150	0.12									
12-949		1.59	31.6	1.21	4.73	0.09	<0.02	0.05	0.012	0.04	12.2	11.8	0.36	109	0.77									
12-950		2.19	26.7	1.80	4.71	0.10	0.08	0.06	0.017	0.11	35.4	17.7	0.57	507	0.11									
12-951		2.13	25.8	1.93	4.65	0.13	0.07	0.05	0.018	0.12	35.2	17.4	0.60	483	0.18									
12-952		0.96	7.0	1.43	5.50	0.10	0.08	0.01	0.015	0.11	16.7	14.3	0.75	232	0.19									
12-953		1.06	3.2	2.79	7.12	0.11	0.04	0.04	0.019	0.11	12.9	14.5	0.36	323	0.31									
12-954		0.94	18.8	1.29	4.30	0.06	0.16	0.02	0.027	0.15	21.2	13.8	2.68	340	0.13									
12-955		0.64	11.3	0.95	3.01	<0.05	0.03	0.02	0.017	0.07	21.6	9.6	3.20	454	0.11									
12-956		1.59	47.3	2.46	6.69	0.13	0.02	0.04	0.023	0.10	27.5	14.2	0.72	351	0.72									
12-957		1.09	21.6	1.84	4.72	0.14	0.02	0.08	0.022	0.04	33.3	16.0	0.34	156	0.42									
12-958		2.24	56.2	2.01	4.92	0.15	0.02	0.08	0.020	0.04	55.5	22.3	0.43	471	0.60									
12-959		1.66	20.2	1.02	4.20	0.10	<0.02	0.01	0.009	0.04	18.3	10.7	0.29	90	0.23									
12-960		2.18	29.0	1.93	4.71	0.14	0.03	0.06	0.019	0.05	31.3	29.6	0.47	289	0.34									
12-961		0.62	7.2	0.55	5.47	0.09	<0.02	0.02	0.006	0.03	9.8	1.1	0.07	51	0.35									
12-962		1.26	57.0	1.02	5.95	0.14	<0.02	0.05	0.014	0.03	46.3	9.9	0.30	73	0.52									
12-963		1.17	10.3	1.97	5.38	0.10	0.03	0.07	0.016	0.03	16.7	10.0	0.24	76	0.80									
12-964		0.70	8.8	1.15	4.57	0.10	<0.02	0.04	0.009	0.02	14.4	6.9	0.20	56	0.49									
12-965		0.83	6.1	0.91	3.28	0.10	0.04	0.02	0.010	0.03	21.8	8.9	0.24	75	0.28									
12-966		1.69	60.6	1.57	4.66	0.16	0.06	0.05	0.020	0.04	41.1	20.1	0.32	188	0.44									
12-967		0.37	160	0.47	1.45	0.40	0.27	0.24	0.007	0.01	120	0.7	0.15	798	3.87									
12-968		1.06	25.6	1.19	5.47	0.10	<0.02	0.02	0.016	0.03	23.4	14.9	0.42	99	0.49									
12-969		0.83	1.3	0.74	4.78	0.10	<0.02	<0.01	0.007	0.02	10.6	6.9	0.20	50	0.08									
12-970		1.19	9.9	1.72	4.47	0.11	0.03	0.02	0.016	0.05	14.5	11.1	0.38	98	0.31									
12-971		0.67	3.3	0.94	5.09	0.09	<0.02	0.02	0.010	0.03	13.5	7.3	0.14	42	0.22									
12-972		1.47	12.1	1.34	5.55	0.08	0.03	0.03	0.015	0.03	12.8	12.6	0.24	75	0.48									
12-973		0.91	2.6	0.94	6.39	0.09	<0.02	0.02	0.010	0.02	11.9	9.4	0.15	47	0.28									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-974		0.88	9.2	1.05	4.71	0.07	<0.02	0.03	0.010	0.03	14.0	8.4	0.22	70	0.26									
12-975		0.08	4.0	0.35	2.28	0.11	<0.02	<0.01	<0.005	<0.01	7.1	0.9	0.05	21	0.13									
12-976		0.06	4.4	0.36	1.95	0.11	<0.02	0.01	<0.005	<0.01	6.3	0.6	0.05	21	0.13									
12-977		0.48	21.9	2.41	6.41	0.10	0.09	0.04	0.023	0.02	14.0	9.9	0.23	71	0.52									
12-978		1.18	11.8	1.44	4.93	0.09	<0.02	0.03	0.015	0.04	12.7	10.1	0.26	107	0.55									
12-979		1.13	5.0	1.84	6.21	0.07	<0.02	0.04	0.016	0.03	8.5	8.0	0.14	58	0.51									
12-980		0.80	6.6	1.42	6.17	0.09	<0.02	0.05	0.011	0.03	10.6	5.1	0.21	74	0.59									
12-981		1.22	6.6	2.10	7.36	0.08	<0.02	0.03	0.017	0.04	12.4	11.3	0.28	104	0.44									
12-982		3.88	119	1.65	8.10	0.32	0.09	0.33	0.036	0.05	122	33.9	0.41	173	1.12									
12-983		1.05	13.6	1.34	4.21	0.11	<0.02	0.06	0.014	0.02	14.5	9.2	0.17	60	1.91									
12-984		1.56	29.6	1.72	6.51	0.08	<0.02	0.07	0.019	0.03	16.1	17.0	0.19	71	3.65									
12-985		2.40	39.6	2.09	7.00	0.08	<0.02	0.03	0.015	0.03	13.5	12.3	0.64	728	2.10									
12-986		1.56	7.5	2.37	8.11	0.10	0.03	0.04	0.024	0.18	17.1	22.7	0.63	313	0.35									
12-987		2.03	19.1	2.92	9.89	0.13	0.13	0.04	0.035	0.28	31.9	31.3	0.96	597	0.18									
12-988		1.07	12.5	1.36	4.43	0.07	0.28	0.02	0.018	0.16	22.9	15.7	2.79	395	0.11									
12-989		1.70	56.5	1.35	4.57	0.15	0.15	0.04	0.018	0.13	31.2	14.7	2.46	207	0.07									
12-990		1.74	23.9	1.65	5.14	0.15	0.06	0.04	0.020	0.11	48.4	18.5	0.50	249	0.06									
12-991		1.29	11.1	2.08	6.28	0.13	0.09	0.03	0.021	0.16	31.6	22.9	0.58	432	0.06									
12-992		1.77	16.7	1.91	7.93	0.09	0.04	0.04	0.019	0.09	18.4	11.9	0.31	161	0.58									
12-993		1.36	38.5	1.73	4.06	0.10	<0.02	0.04	0.017	0.04	21.1	10.3	0.35	211	0.81									
12-994		2.51	3.9	0.77	5.89	0.10	<0.02	0.05	0.007	0.03	10.4	3.5	0.09	38	0.70									
12-995		2.26	82.9	3.74	9.79	0.09	0.03	0.05	0.019	0.03	8.4	50.2	0.95	121	8.18									
12-996		3.16	27.1	0.99	6.24	0.07	0.03	0.02	0.013	0.03	13.3	18.8	0.21	66	3.50									
12-997		1.23	7.4	3.75	10.6	0.12	0.04	0.11	0.025	0.03	12.9	5.5	0.16	52	2.09									
12-998		1.23	10.3	2.15	7.50	0.09	0.05	0.06	0.022	0.03	17.4	11.6	0.21	70	1.14									
12-999		1.37	5.8	2.56	8.32	0.12	0.03	0.08	0.017	0.03	10.0	5.7	0.10	46	0.88									
12-1000		0.47	2.5	1.37	6.20	0.12	0.03	0.05	0.012	0.02	15.2	7.5	0.11	36	0.42									
12-1001		0.65	3.4	1.39	6.66	0.09	0.02	0.04	0.012	0.03	16.3	8.2	0.15	50	0.50									
12-1002		1.33	27.8	1.62	4.47	0.18	0.05	0.11	0.028	0.04	38.2	10.2	0.21	168	0.47									
12-1003		0.93	20.7	4.63	6.68	0.13	0.02	0.08	0.033	0.03	9.3	8.1	0.20	592	2.39									
12-1004		1.26	7.7	1.67	5.72	0.13	0.03	0.02	0.012	0.03	13.2	10.7	0.36	76	0.31									
12-1005		1.02	7.3	1.79	7.00	0.12	0.04	0.03	0.012	0.04	10.0	5.0	0.22	72	0.42									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1006		1.66	9.5	1.38	4.94	0.09	0.06	0.03	0.010	0.03	9.7	8.7	0.31	93	0.68									
12-1007		0.45	4.0	1.14	4.45	0.08	0.04	0.02	0.010	0.02	9.6	5.1	0.13	57	0.14									
12-1008		0.54	3.1	1.13	7.43	0.09	0.04	0.02	0.007	0.02	9.1	3.7	0.11	37	0.32									
12-1009		1.04	11.1	0.74	5.38	<0.05	0.03	<0.01	0.007	0.03	13.1	7.3	0.18	60	0.27									
12-1010		1.69	17.1	2.56	9.22	0.09	0.04	0.09	0.054	0.02	22.9	12.0	0.35	160	1.50									
12-1640		0.70	3.3	0.79	2.19	0.08	0.03	0.01	0.008	0.02	17.0	5.9	0.17	63	<0.05									
12-1641		0.89	3.2	1.26	5.00	0.08	0.06	0.03	0.017	0.02	16.2	10.2	0.17	51	0.23									
12-1642		1.39	39.8	1.87	5.68	0.10	0.14	0.03	0.033	0.06	24.4	18.4	0.95	186	0.64									
12-1643		1.41	9.3	1.04	4.38	0.07	<0.02	0.02	0.012	0.03	12.4	13.1	0.29	108	0.15									
12-1644		1.76	4.1	1.84	7.92	0.07	0.02	0.06	0.018	0.04	12.6	7.3	0.17	65	0.74									
12-1645		1.41	10.0	1.61	6.43	0.07	0.04	0.04	0.017	0.03	13.5	14.8	0.26	79	0.71									
12-1646		0.90	10.9	1.60	6.98	0.07	0.06	0.14	0.022	0.03	24.7	10.3	0.16	47	2.26									
12-1647		1.23	11.0	1.76	4.75	0.08	0.03	0.04	0.012	0.02	12.8	7.4	0.20	62	0.63									
12-1648		1.15	5.4	1.65	4.60	0.06	0.03	0.06	0.016	0.03	12.3	8.5	0.15	54	0.54									
12-1649		2.49	19.0	3.18	6.64	0.10	0.09	0.08	0.026	0.10	22.9	19.7	0.47	161	1.02									
12-1650		1.19	2.7	1.33	4.41	0.08	<0.02	0.03	0.012	0.04	7.5	9.1	0.17	129	0.17									
12-1651		1.23	2.9	1.44	4.70	0.08	<0.02	0.03	0.012	0.04	10.3	9.5	0.19	142	0.15									
12-1652		1.02	7.4	2.04	4.75	0.08	0.04	0.06	0.020	0.05	10.7	14.8	0.30	99	0.30									
12-1653		0.83	9.6	1.21	4.49	0.08	0.09	0.02	0.015	0.06	17.9	10.9	1.18	230	0.14									
12-1654		1.52	30.8	1.28	5.08	0.12	<0.02	0.04	0.014	0.02	37.3	9.2	0.18	64	0.60									
12-1655		1.10	38.8	1.33	3.85	0.11	0.03	0.03	0.014	0.03	25.4	11.7	0.28	108	0.16									
12-1656		1.12	4.3	1.65	4.47	0.09	<0.02	0.02	0.011	0.03	11.1	7.6	0.21	86	0.29									
12-1657		1.06	2.3	1.67	5.93	0.08	<0.02	0.02	0.013	0.04	12.0	8.8	0.17	61	0.30									
12-1658		0.98	2.9	2.09	5.74	0.06	0.02	0.04	0.020	0.03	10.8	12.8	0.20	75	0.57									
12-1659		1.06	5.0	1.70	6.06	0.06	0.03	0.03	0.019	0.05	13.4	13.0	0.30	183	0.40									
12-1660		1.23	2.7	1.87	5.59	0.08	<0.02	0.03	0.011	0.04	6.3	5.5	0.16	81	0.63									
12-1661		1.01	4.8	0.88	3.63	0.08	<0.02	0.04	0.008	0.02	7.8	6.6	0.08	30	0.41									
12-1662		2.09	16.3	2.70	8.57	0.08	<0.02	0.09	0.014	0.02	6.9	5.1	0.09	37	3.07									
12-1663		2.32	13.7	1.32	4.62	0.08	0.02	0.02	0.009	0.03	7.3	9.7	0.31	97	0.76									
12-1664		1.30	8.0	1.27	3.93	0.07	<0.02	0.03	0.010	0.03	10.1	10.2	0.21	70	0.52									
12-1665		1.05	6.1	2.07	4.74	0.08	0.03	0.04	0.017	0.05	10.8	12.8	0.32	155	0.23									
12-1666		1.12	3.5	1.75	4.68	0.08	<0.02	0.02	0.011	0.04	10.3	9.7	0.24	142	0.22									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm										
12-1667		2.37	38.7	1.34	3.54	0.13	0.03	0.04	0.008	0.04	34.3	0.008	0.04	0.04	0.01	0.1	0.005	0.01	0.1	11.8	0.48	0.58	169	181	<0.05
12-1668		3.41	87.2	1.71	4.89	0.25	0.07	0.05	0.012	0.07	97.1	0.012	0.07	0.02	0.02	12.6	0.013	0.02	11.7	7.9	12.6	0.09	0.09	37	2.27
12-1669		1.48	1.8	1.27	4.74	0.07	<0.02	0.03	0.013	<0.02	11.7	0.013	<0.02	0.03	0.09	7.9	0.016	0.04	7.8	8.8	8.5	0.12	0.12	44	0.66
12-1670		1.19	0.9	2.04	7.10	0.08	<0.02	0.05	0.016	<0.02	10.8	0.016	<0.02	0.03	0.05	8.5	0.014	0.04	10.8	8.5	9.8	0.18	0.18	111	0.46
12-1671		1.27	2.9	1.91	9.41	0.08	<0.02	0.04	0.014	<0.02	12.9	0.014	<0.02	0.04	0.04	9.8	0.014	0.04	12.9	9.8	9.8	0.15	0.15	621	0.54
12-1672		1.52	0.5	1.47	5.34	0.08	<0.02	0.04	0.014	<0.02	15.7	0.014	<0.02	0.06	0.06	29.5	0.014	0.04	15.7	29.5	29.5	0.71	0.71	232	0.53
12-1673		2.75	11.0	2.29	7.74	0.09	0.04	0.04	0.014	0.04	11.5	0.014	0.04	0.02	0.02	7.0	0.014	0.04	11.5	7.0	7.0	0.27	0.27	95	0.24
12-1674		0.75	3.6	1.01	2.49	0.09	0.03	0.02	0.008	0.03	7.1	0.008	0.02	0.02	0.02	6.9	0.008	0.02	7.1	6.9	6.9	0.11	0.11	57	0.65
12-1675		1.18	5.1	2.24	6.59	0.08	0.02	0.07	0.017	0.02	6.7	0.017	0.02	0.02	0.02	7.7	0.017	0.02	6.7	7.7	7.7	0.13	0.13	63	0.65
12-1676		1.25	4.5	2.12	5.74	0.08	<0.02	0.08	0.018	<0.02	10.6	0.018	<0.02	0.05	0.05	7.3	0.018	0.05	10.6	7.3	7.3	0.24	0.24	81	0.35
12-1677		3.02	7.5	2.22	6.26	0.09	0.03	0.03	0.013	0.03	12.1	0.013	0.03	0.03	0.03	8.3	0.013	0.03	12.1	8.3	8.3	0.14	0.14	81	0.55
12-1678		2.82	4.4	1.83	5.59	0.07	<0.02	0.05	0.018	<0.02	38.6	0.018	<0.02	0.05	0.05	13.3	0.018	0.05	38.6	13.3	13.3	0.23	0.23	90	2.30
12-1679		3.55	17.1	2.05	7.04	0.14	0.03	0.02	0.015	0.03	27.5	0.015	0.03	0.03	0.03	15.3	0.015	0.03	27.5	15.3	15.3	0.34	0.34	656	1.01
12-1011		1.45	29.3	1.70	4.06	0.10	<0.02	0.06	0.017	<0.02	11.5	0.017	<0.02	0.02	0.02	3.6	0.017	0.02	11.5	3.6	3.6	0.05	0.05	23	0.61
12-1012		0.55	4.6	0.95	6.31	0.05	<0.02	0.05	0.011	<0.02	9.3	0.011	<0.02	0.02	0.02	7.4	0.011	0.02	9.3	7.4	7.4	0.23	0.23	63	0.50
12-1013		0.62	14.7	1.66	5.77	0.07	0.09	0.04	0.010	0.09	6.2	0.010	0.09	0.02	0.02	16.9	0.010	0.09	6.2	16.9	16.9	0.85	0.85	115	0.51
12-1014		1.20	17.2	1.56	5.73	0.06	0.04	0.03	0.010	0.04	10.6	0.010	0.03	0.03	0.03	9.5	0.010	0.03	10.6	9.5	9.5	0.20	0.20	58	0.63
12-1015		1.41	33.8	2.66	7.32	0.07	0.03	0.04	0.018	0.03	13.6	0.018	0.03	0.03	0.03	10.7	0.018	0.03	13.6	10.7	10.7	0.40	0.40	129	0.68
12-1016		1.77	27.1	1.99	7.02	0.08	0.03	0.05	0.013	0.03	8.3	0.013	0.03	0.02	0.02	2.4	0.013	0.02	8.3	2.4	2.4	0.06	0.06	22	0.27
12-1017		1.30	0.6	0.62	5.83	0.07	<0.02	0.02	0.006	<0.02	12.6	0.006	<0.02	0.04	0.04	7.8	0.006	<0.02	12.6	7.8	7.8	0.25	0.25	78	0.62
12-1018		2.40	10.8	1.09	5.09	0.07	0.02	0.03	0.013	0.02	11.2	0.013	0.02	0.03	0.03	8.9	0.013	0.02	11.2	8.9	8.9	0.23	0.23	140	1.35
12-1019		2.08	7.6	2.78	9.17	0.07	0.02	0.05	0.018	0.02	7.8	0.018	0.02	0.06	0.06	30.0	0.018	0.02	7.8	30.0	30.0	0.71	0.71	148	3.75
12-1020		2.57	31.6	2.33	9.28	0.06	0.03	0.03	0.015	0.03	8.8	0.015	0.03	0.03	0.03	16.6	0.015	0.03	8.8	16.6	16.6	0.33	0.33	113	1.24
12-1021		3.06	6.4	1.30	8.12	0.06	<0.02	0.03	0.015	<0.02	18.4	0.015	<0.02	0.04	0.04	13.0	0.015	0.04	18.4	13.0	13.0	0.21	0.21	124	1.39
12-1022		2.25	15.6	1.62	5.13	0.07	<0.02	0.11	0.021	<0.02	17.8	0.021	<0.02	0.04	0.04	10.5	0.021	0.04	17.8	10.5	10.5	0.29	0.29	47	1.78
12-1023		4.42	29.1	2.29	7.81	0.07	<0.02	0.11	0.018	<0.02	6.3	0.018	<0.02	0.02	0.02	7.4	0.018	0.02	6.3	7.4	7.4	0.29	0.29	31	0.45
12-1024		1.18	8.8	0.76	5.19	0.07	0.02	0.02	0.006	0.02	9.0	0.006	0.02	0.03	0.03	10.0	0.006	0.02	9.0	10.0	10.0	0.30	0.30	76	1.33
12-1025		1.41	5.7	1.27	7.76	0.07	0.04	0.03	0.013	0.04	9.0	0.013	0.04	0.03	0.03	10.0	0.013	0.04	9.0	10.0	10.0	0.28	0.28	73	1.15
12-1026		1.51	5.1	1.16	7.06	0.07	0.02	0.03	0.011	0.02	12.1	0.011	0.02	0.02	0.02	16.8	0.011	0.02	12.1	16.8	16.8	0.41	0.41	96	1.94
12-1027		2.89	10.2	3.17	9.59	0.07	0.04	0.09	0.024	0.04	13.5	0.024	0.04	0.04	0.04	13.6	0.024	0.04	13.5	13.6	13.6	0.28	0.28	74	0.62
12-1028		1.77	13.8	1.17	6.59	0.06	0.02	0.04	0.016	0.02	8.2	0.016	0.02	0.02	0.02	11.1	0.016	0.02	8.2	11.1	11.1	0.50	0.50	134	0.33
12-1029		1.23	16.0	2.01	5.53	0.06	0.03	0.02	0.017	0.03		0.017	0.03	0.05			0.017	0.05							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil	
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm							
12-1030		0.85	4.6	3.05	11.3	0.07	0.02	0.09	0.022	0.03	7.9	6.7	0.16	74	0.84							
12-1031		2.69	7.2	2.21	7.49	0.08	0.02	0.02	0.014	0.10	8.1	15.9	0.56	165	0.83							
12-1032		2.03	2.2	0.78	2.95	0.07	<0.02	<0.01	0.007	0.02	10.8	7.4	0.18	57	0.22							
12-1033		2.13	10.1	2.78	6.62	0.08	<0.02	0.03	0.017	0.03	8.0	15.9	0.45	103	0.55							
12-1034		1.26	7.0	1.88	5.36	0.06	<0.02	0.04	0.014	0.05	10.9	9.5	0.28	77	0.43							
12-1035		2.07	5.4	1.24	5.87	0.06	<0.02	0.03	0.010	0.03	8.6	10.6	0.28	51	0.74							
12-1036		1.21	13.3	0.72	2.52	0.05	0.04	0.02	0.009	0.02	13.1	8.6	0.20	62	0.20							
12-1037		1.82	15.9	2.07	6.78	0.07	0.02	0.08	0.020	0.03	14.4	16.2	0.41	128	0.59							
12-1038		5.49	17.7	2.20	11.3	0.07	<0.02	0.08	0.025	0.05	13.4	17.8	0.27	277	4.04							
12-1039		1.66	13.5	1.79	5.84	0.07	<0.02	0.04	0.014	0.03	8.1	14.9	0.28	78	0.77							
12-1040		5.88	58.1	2.51	7.10	0.08	<0.02	0.09	0.028	0.05	22.0	19.9	0.26	542	2.31							
12-1041		0.77	3.3	0.55	4.90	0.09	<0.02	0.03	0.005	0.02	9.9	2.2	0.09	27	0.36							
12-1042		0.87	6.1	0.67	5.77	0.08	<0.02	0.03	<0.005	0.02	5.1	1.3	0.09	32	0.70							
12-1043		0.90	9.5	1.02	4.92	<0.05	<0.02	0.02	<0.005	0.11	1.9	5.8	0.50	80	0.62							
12-1044		4.75	128	7.02	12.5	0.13	0.15	0.19	0.072	0.03	33.6	14.2	0.15	451	7.29							
12-1045		2.03	25.7	0.68	4.38	0.05	<0.02	0.04	0.008	0.03	5.8	9.0	0.25	24	0.49							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-756	<0.01	1.37	7.7	409	6.8	5.3	0.001	0.020	<0.05	1.1	0.2	0.5	17.5	<0.01
12-757	<0.01	2.08	19.1	570	6.0	8.5	<0.001	0.016	0.07	1.8	0.4	0.5	16.1	<0.01
12-758	<0.01	2.67	25.3	676	66.8	13.2	0.001	0.052	0.07	3.1	0.6	0.8	18.9	<0.01
12-759	<0.01	3.58	8.8	241	8.2	8.7	<0.001	0.021	0.08	1.4	0.3	0.7	9.3	<0.01
12-760	<0.01	2.11	6.0	195	8.6	5.0	<0.001	0.027	0.05	1.4	0.4	0.5	10.9	<0.01
12-761	<0.01	3.62	9.3	202	12.4	9.1	0.008	0.058	<0.05	2.6	0.4	0.8	27.7	<0.01
12-762	<0.01	2.14	13.3	292	4.5	6.8	<0.001	0.015	<0.05	2.0	0.3	0.3	10.9	0.02
12-763	<0.01	2.23	13.4	114	4.2	9.1	<0.001	0.009	<0.05	1.4	<0.2	0.4	10.0	<0.01
12-764	<0.01	2.32	17.0	309	11.1	14.3	<0.001	0.021	0.07	2.4	0.3	0.8	14.7	<0.01
12-765	<0.01	2.24	13.8	388	6.9	10.0	<0.001	0.016	0.05	1.5	0.2	0.5	10.6	<0.01
12-766	<0.01	1.56	17.5	318	4.4	8.3	<0.001	0.007	<0.05	1.7	<0.2	0.3	10.3	<0.01
12-767	<0.01	2.08	16.4	404	7.3	11.9	<0.001	0.014	<0.05	2.2	0.3	0.5	10.7	<0.01
12-768	0.01	2.41	23.8	821	9.2	9.8	0.001	0.019	0.05	3.9	0.3	0.6	15.0	<0.01
12-769	<0.01	2.92	17.9	271	7.3	12.1	<0.001	0.021	0.08	1.8	0.3	0.7	8.5	<0.01
12-770	<0.01	1.21	9.7	168	4.3	10.5	<0.001	0.005	<0.05	1.7	0.2	0.3	8.6	<0.01
12-771	<0.01	2.11	13.2	222	5.8	9.1	<0.001	0.012	0.06	1.5	0.3	0.5	7.9	<0.01
12-772	0.02	2.72	23.7	474	7.7	33.0	<0.001	0.032	0.10	4.0	0.5	0.7	23.2	<0.01
12-773	0.02	1.27	15.1	480	5.1	15.2	<0.001	0.011	0.07	3.4	0.6	0.5	93.5	<0.01
12-774	<0.01	1.65	7.7	302	3.7	5.4	<0.001	0.007	<0.05	1.1	<0.2	0.3	8.1	<0.01
12-775	0.01	2.30	14.9	418	5.8	17.5	<0.001	0.012	0.08	3.1	0.3	0.5	26.1	<0.01
12-776	0.01	1.78	12.2	274	5.0	15.8	<0.001	0.008	0.06	2.0	0.2	0.4	16.3	<0.01
12-777	0.02	1.89	15.5	450	5.6	20.0	<0.001	0.015	0.07	2.9	0.4	0.5	36.1	<0.01
12-778	0.01	2.43	17.8	227	5.9	21.1	<0.001	0.011	0.06	2.7	0.3	0.5	16.5	<0.01
12-779	0.01	2.27	19.5	291	6.7	19.8	<0.001	0.010	0.07	2.9	0.2	0.6	17.3	<0.01
12-780	0.01	2.55	18.2	392	6.6	22.9	<0.001	0.011	0.06	2.4	0.3	0.6	14.7	<0.01
12-781	0.01	1.68	10.5	617	7.8	8.6	<0.001	0.020	0.05	1.3	0.3	0.6	29.8	<0.01
12-782	<0.01	2.70	20.3	163	5.7	8.4	<0.001	0.013	0.06	1.4	0.3	0.6	9.6	<0.01
12-783	<0.01	1.87	4.0	370	5.7	4.8	<0.001	0.068	<0.05	3.2	0.6	1.7	5.7	<0.01
12-784	<0.01	2.25	12.1	368	6.5	5.8	<0.001	0.027	0.07	1.3	0.5	0.5	8.0	0.02
12-785	<0.01	1.88	20.1	283	4.4	4.2	<0.001	0.145	<0.05	2.5	0.8	0.4	4.3	0.02
12-786	<0.01	3.44	18.3	393	6.4	12.0	<0.001	0.014	0.06	1.6	0.3	0.6	15.8	<0.01
12-787	<0.01	1.52	12.2	375	5.9	13.8	<0.001	0.010	<0.05	1.2	0.2	0.4	13.2	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-788	<0.01	0.01	2.03	5.6	253	7.2	4.2	<0.001	0.021	<0.05	1.0	0.3	0.6	9.6	<0.01						
12-789	<0.01	1.36	25.8	67	143	5.2	19.8	<0.001	0.010	<0.05	1.4	<0.2	0.3	7.0	<0.01						
12-790	<0.01	2.18	9.8	22.7	380	9.3	6.2	<0.001	0.014	<0.05	1.7	<0.2	0.5	4.5	<0.01						
12-791	0.01	2.13	18.6	478	5.9	5.9	5.9	<0.001	0.021	<0.05	2.1	0.4	0.4	21.8	<0.01						
12-793	<0.01	1.78	14.7	408	6.5	6.5	5.4	<0.001	0.026	<0.05	1.5	0.3	0.5	16.7	<0.01						
12-794	<0.01	2.18	11.1	422	4.5	6.2	5.0	<0.001	0.012	0.07	1.2	0.2	0.5	18.2	<0.01						
12-795	<0.01	1.77	10.5	415	168	4.7	3.2	<0.001	0.013	<0.05	1.4	0.3	0.3	10.2	<0.01						
12-796	<0.01	1.80	7.5	168	4.7	6.9	6.9	<0.001	0.010	<0.05	1.2	<0.2	0.4	6.7	<0.01						
12-797	<0.01	1.61	12.4	315	5.3	10.6	10.6	<0.001	0.014	0.05	2.0	0.3	0.4	12.8	<0.01						
12-798	<0.01	1.33	9.3	391	3.9	11.3	11.3	<0.001	0.011	<0.05	1.7	0.2	0.3	10.1	<0.01						
12-799	0.01	1.69	11.8	334	6.0	20.2	20.2	<0.001	0.008	0.08	3.5	0.6	0.5	49.6	<0.01						
12-800	<0.01	2.12	7.4	152	8.1	6.2	6.2	<0.001	0.017	<0.05	1.5	0.3	0.5	6.2	<0.01						
12-801	<0.01	2.01	7.6	158	8.5	6.5	6.5	<0.001	0.020	0.06	1.5	0.3	0.6	6.4	<0.01						
12-802	<0.01	2.70	7.0	97	7.2	4.0	4.0	<0.001	0.010	<0.05	1.2	<0.2	0.6	6.7	<0.01						
12-803	<0.01	3.11	10.0	172	10.1	9.6	9.6	<0.001	0.013	<0.05	2.1	0.2	0.7	8.7	0.02						
12-804	<0.01	1.30	23.4	1100	6.8	20.5	20.5	0.003	0.071	<0.05	3.2	1.1	0.5	23.3	<0.01						
12-805	<0.01	2.54	13.4	376	7.1	9.3	9.3	<0.001	0.014	<0.05	1.7	0.3	0.4	7.4	0.02						
12-806	<0.01	1.53	9.8	116	4.2	5.5	5.5	0.001	0.007	<0.05	1.2	<0.2	0.3	6.9	<0.01						
12-807	<0.01	1.61	10.3	93	3.6	3.5	3.5	<0.001	<0.005	<0.05	1.2	<0.2	0.3	7.9	<0.01						
12-808	<0.01	2.52	3.5	127	11.2	3.6	3.6	<0.001	0.013	<0.05	0.8	<0.2	0.8	15.5	<0.01						
12-809	<0.01	2.47	16.2	501	7.6	7.0	7.0	<0.001	0.008	<0.05	1.2	<0.2	0.5	26.5	<0.01						
12-810	<0.01	1.84	17.7	1040	4.7	4.8	4.8	<0.001	0.013	<0.05	1.2	0.3	0.3	25.6	<0.01						
12-811	<0.01	1.76	12.2	581	5.5	10.9	10.9	<0.001	0.007	<0.05	1.2	0.2	0.4	19.2	<0.01						
12-812	<0.01	2.05	14.9	600	4.8	10.0	10.0	<0.001	0.011	<0.05	1.3	<0.2	0.4	17.1	<0.01						
12-813	<0.01	2.16	12.3	467	5.2	10.2	10.2	<0.001	0.017	<0.05	1.4	0.3	0.5	13.2	<0.01						
12-814	<0.01	2.48	12.2	854	7.1	15.9	15.9	<0.001	0.012	0.05	1.2	0.3	0.6	25.7	<0.01						
12-815	<0.01	2.73	9.1	330	7.7	16.4	16.4	<0.001	0.013	0.06	1.1	0.2	0.7	15.6	<0.01						
12-816	<0.01	2.87	19.4	158	6.2	11.1	11.1	<0.001	0.010	<0.05	1.3	<0.2	0.6	16.4	<0.01						
12-817	<0.01	2.38	31.8	788	6.5	13.1	13.1	<0.001	0.042	<0.05	2.1	0.6	0.5	30.1	<0.01						
12-818	0.02	2.07	14.7	496	8.6	18.6	18.6	<0.001	0.028	0.10	2.8	0.4	0.6	17.6	<0.01						
12-819	0.01	1.01	16.0	580	10.5	19.0	19.0	<0.001	0.052	0.07	1.9	0.7	0.4	18.5	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-820	0.01	0.01	1.80	22.6	734	8.2	17.3	<0.001	0.013	0.06	1.3	0.2	0.5	10.5	<0.01						
12-821	<0.01	1.96	13.8	183	5.2	10.4	<0.001	0.011	0.05	1.3	<0.2	0.4	9.2	<0.01							
12-822	<0.01	2.37	18.2	361	5.3	14.3	<0.001	0.017	0.06	1.3	0.3	0.4	8.0	<0.01							
12-823	0.01	1.93	39.0	980	5.9	11.9	<0.001	0.022	0.05	2.0	0.5	0.5	41.9	<0.01							
12-824	<0.01	1.52	32.1	559	6.7	9.1	<0.001	0.020	<0.05	2.2	0.3	0.5	12.0	<0.01							
12-825	<0.01	1.93	16.2	364	5.7	6.0	<0.001	0.014	<0.05	1.4	0.3	0.4	13.4	<0.01							
12-826	<0.01	2.04	16.4	369	5.7	5.8	<0.001	0.015	<0.05	1.5	0.3	0.4	11.5	<0.01							
12-827	<0.01	1.64	12.4	439	6.6	8.7	<0.001	0.019	0.06	1.5	0.3	0.4	11.6	<0.01							
12-828	<0.01	1.82	37.7	499	6.1	10.3	<0.001	0.033	0.06	2.5	0.5	0.5	9.7	<0.01							
12-829	<0.01	3.57	13.1	900	15.5	41.4	<0.001	0.024	<0.05	2.8	0.3	0.8	15.6	<0.01							
12-830	<0.01	1.74	18.8	186	5.7	7.8	<0.001	0.015	0.05	1.5	0.3	0.5	9.3	<0.01							
12-831	0.01	1.52	23.9	280	5.4	3.3	<0.001	0.014	0.05	1.8	0.2	0.4	7.4	<0.01							
12-832	<0.01	2.38	4.8	143	7.6	3.5	<0.001	0.015	0.07	1.1	<0.2	0.7	6.2	<0.01							
12-833	<0.01	1.04	57.7	632	7.3	14.2	0.003	0.066	<0.05	2.7	0.9	0.3	20.3	0.02							
12-834	<0.01	2.01	13.7	347	8.8	6.3	<0.001	0.013	<0.05	1.8	0.2	0.4	8.7	<0.01							
12-835	<0.01	1.88	19.0	401	5.6	14.2	<0.001	0.012	<0.05	1.6	0.3	0.4	9.4	<0.01							
12-836	<0.01	1.68	17.3	371	5.8	10.6	<0.001	0.011	<0.05	1.4	<0.2	0.4	9.2	<0.01							
12-837	<0.01	1.47	12.0	284	5.4	40.4	<0.001	0.010	0.06	1.4	<0.2	0.4	7.7	<0.01							
12-838	0.01	1.36	96.4	729	5.9	9.6	<0.001	0.024	<0.05	1.7	0.3	0.4	19.3	<0.01							
12-839	0.01	1.91	26.4	401	5.6	11.1	<0.001	0.015	<0.05	2.0	0.2	0.4	9.5	<0.01							
12-840	<0.01	2.52	8.2	279	5.5	7.9	<0.001	0.016	0.10	1.5	0.3	0.6	7.9	<0.01							
12-841	<0.01	1.64	20.3	267	5.2	6.3	<0.001	0.008	<0.05	1.2	0.2	0.4	7.0	<0.01							
12-842	<0.01	2.47	9.2	164	6.4	6.3	<0.001	0.011	0.05	1.1	0.2	0.6	5.7	<0.01							
12-843	0.01	1.29	46.0	339	4.6	7.4	<0.001	0.040	0.05	2.4	0.7	0.3	13.4	<0.01							
12-844	<0.01	1.46	21.8	180	5.7	3.3	<0.001	0.019	<0.05	1.2	0.2	0.4	7.4	<0.01							
12-845	<0.01	1.21	4.8	271	7.7	3.8	<0.001	0.019	<0.05	0.7	0.2	0.6	7.4	<0.01							
12-846	<0.01	3.08	6.3	480	7.1	3.9	<0.001	0.040	0.12	2.9	0.9	0.5	6.7	0.07							
12-847	<0.01	1.76	8.8	358	8.4	1.7	<0.001	0.038	0.09	1.4	0.6	0.5	9.2	0.05							
12-848	<0.01	0.99	15.8	1070	5.9	4.1	0.002	0.115	<0.05	1.2	1.3	0.3	19.2	<0.01							
12-849	<0.01	1.24	17.3	354	2.8	2.2	0.001	0.008	<0.05	1.2	0.2	0.2	12.0	<0.01							
12-850	<0.01	1.64	5.9	378	5.4	3.6	<0.001	0.009	0.08	0.8	0.2	0.5	8.1	<0.01							
12-851	<0.01	2.18	7.6	361	6.2	4.7	<0.001	0.012	<0.05	1.2	0.3	0.4	6.3	0.02							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-852	<0.01	<0.01	2.18	16.5	275	6.6	4.4	<0.001	0.013	<0.05	1.6	0.3	0.5	7.9	0.01					
12-853	<0.01	<0.01	2.78	14.5	471	5.4	5.0	<0.001	0.013	0.05	1.2	0.2	0.5	8.9	<0.01					
12-854	0.01	0.01	1.44	29.6	718	4.2	10.0	<0.001	0.051	<0.05	4.1	1.1	0.3	23.2	<0.01					
12-855	<0.01	<0.01	1.89	8.6	405	6.1	3.4	<0.001	0.028	0.07	1.2	0.4	0.4	8.9	0.02					
12-856	<0.01	<0.01	2.04	8.6	221	7.1	3.0	0.001	0.013	0.05	1.0	<0.2	0.5	8.5	<0.01					
12-857	<0.01	<0.01	1.89	9.6	527	4.8	3.5	<0.001	0.015	<0.05	1.1	0.3	0.3	8.9	<0.01					
12-858	<0.01	<0.01	2.67	18.1	350	9.0	3.9	<0.001	0.020	0.08	1.6	0.4	0.5	9.8	0.01					
12-859	0.01	0.01	1.49	30.1	217	3.8	4.9	0.001	0.017	<0.05	1.8	0.4	0.3	17.7	0.01					
12-860	<0.01	<0.01	1.37	2.8	143	6.1	2.4	<0.001	0.013	<0.05	0.8	<0.2	0.6	5.0	<0.01					
12-861	<0.01	<0.01	2.05	7.1	213	6.2	3.3	<0.001	0.016	<0.05	1.0	0.3	0.5	6.0	0.03					
12-862	<0.01	<0.01	2.94	60.1	53	6.5	24.4	<0.001	0.012	<0.05	3.6	0.2	1.5	11.5	0.01					
12-863	<0.01	<0.01	1.82	8.4	465	4.5	1.8	<0.001	0.036	0.06	1.5	0.8	0.4	8.4	0.05					
12-864	<0.01	<0.01	2.87	9.0	82	6.8	6.2	<0.001	0.009	<0.05	1.4	0.2	0.7	8.0	<0.01					
12-865	<0.01	<0.01	1.88	10.2	131	4.3	4.3	<0.001	0.011	<0.05	1.6	0.2	0.5	7.3	<0.01					
12-866	<0.01	<0.01	1.51	2.4	114	6.5	1.6	<0.001	0.011	0.06	0.5	<0.2	0.6	5.3	<0.01					
12-867	<0.01	<0.01	2.28	11.7	281	6.1	3.7	<0.001	0.030	0.07	1.6	0.6	0.4	6.4	0.03					
12-868	<0.01	<0.01	1.57	4.2	439	9.0	2.2	<0.001	0.054	0.12	0.9	0.9	0.6	6.2	0.01					
12-869	<0.01	<0.01	2.82	9.6	584	8.3	5.6	<0.001	0.041	0.15	1.6	0.8	0.6	9.3	0.02					
12-870	<0.01	<0.01	2.57	12.9	377	3.5	4.2	<0.001	0.017	<0.05	1.6	0.4	0.4	10.2	0.01					
12-1680	<0.01	<0.01	2.57	19.6	230	6.4	3.4	<0.001	0.028	0.06	1.5	0.4	0.6	9.2	<0.01					
12-1681	<0.01	<0.01	3.30	7.4	474	12.0	7.1	<0.001	0.033	0.11	1.1	0.5	0.8	8.3	0.01					
12-1682	<0.01	<0.01	1.84	9.2	340	6.1	4.1	<0.001	0.022	0.08	1.3	0.3	0.4	7.8	0.02					
12-1683	<0.01	<0.01	2.31	7.3	463	7.2	6.1	<0.001	0.026	0.07	1.1	0.4	0.5	6.4	0.01					
12-1684	<0.01	<0.01	2.19	11.4	521	5.8	5.0	<0.001	0.033	0.07	1.5	0.5	0.3	6.8	0.05					
12-1685	<0.01	<0.01	4.19	6.4	498	8.7	8.0	<0.001	0.024	0.08	1.5	0.5	0.7	10.8	0.03					
12-1686	0.07	0.07	1.22	12.4	363	4.8	4.5	<0.001	0.026	<0.05	4.0	0.3	0.6	38.0	<0.01					
12-1687	0.02	0.02	1.58	10.7	324	4.7	8.3	<0.001	0.036	<0.05	2.4	0.7	0.4	27.0	<0.01					
12-1688	0.01	0.01	0.22	3.1	279	6.8	0.7	0.001	0.229	0.09	0.6	0.9	<0.2	47.3	0.03					
12-1689	<0.01	<0.01	0.18	1.0	62	1.8	0.6	<0.001	0.008	<0.05	0.2	<0.2	<0.2	3.0	<0.01					
12-1690	<0.01	<0.01	1.30	9.2	144	5.6	7.0	<0.001	0.011	<0.05	1.2	0.3	0.5	5.8	<0.01					
12-1691	<0.01	<0.01	1.06	5.8	111	4.6	2.4	<0.001	0.010	<0.05	1.2	<0.2	0.4	4.3	<0.01					
12-1692	<0.01	<0.01	1.75	8.1	253	6.9	3.3	<0.001	0.031	0.07	1.2	0.5	0.4	5.8	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1693	<0.01	1.43	0.05	9.9	106	4.3	3.5	<0.001	0.012	<0.05	1.4	<0.2	0.3	5.9	<0.01						
12-1694	<0.01	1.52	1.52	9.6	148	5.8	4.9	<0.001	0.012	<0.05	1.2	0.2	0.5	7.4	<0.01						
12-1695	<0.01	1.57	2.19	21.9	477	8.2	4.9	<0.001	0.013	0.07	1.5	0.4	0.4	10.4	0.01						
12-1696	<0.01	0.95	5.7	8.8	120	6.6	5.9	<0.001	0.015	<0.05	1.1	<0.2	0.4	7.0	<0.01						
12-1697	<0.01	1.80	2.17	9.2	339	7.5	12.0	<0.001	0.015	0.08	1.3	0.3	0.6	8.0	<0.01						
12-1698	<0.01	2.85	2.16	4.7	180	7.9	2.8	<0.001	0.016	0.10	0.9	0.2	0.7	8.2	<0.01						
12-1699	<0.01	2.58	10.9	33.1	265	6.2	10.2	<0.001	0.013	0.07	1.5	0.3	0.5	11.9	<0.01						
12-871	<0.01	2.10	33.9	33.9	826	11.4	8.5	<0.001	0.057	0.12	3.2	1.4	0.5	23.9	0.03						
12-872	<0.01	2.32	16.8	16.8	351	12.9	4.1	<0.001	0.032	0.06	1.6	0.3	0.7	13.8	<0.01						
12-873	<0.01	2.17	16.5	21.7	306	8.0	5.7	<0.001	0.027	0.06	2.2	0.4	0.6	11.1	<0.01						
12-874	<0.01	2.16	22.1	22.1	1290	4.5	5.5	<0.001	0.063	0.05	1.5	0.7	0.3	28.6	<0.01						
12-875	<0.01	1.09	31.0	31.0	176	5.1	7.2	<0.001	0.009	0.05	1.7	0.3	0.5	14.3	<0.01						
12-876	<0.01	1.76	72.5	72.5	3050	2.4	1.4	<0.001	0.008	<0.05	0.9	0.3	<0.2	122	<0.01						
12-877	<0.01	0.34	36.1	36.1	1260	8.3	5.7	<0.001	0.100	0.06	1.3	0.9	0.5	35.2	<0.01						
12-878	<0.01	1.18	1.93	8.0	156	6.8	6.0	<0.001	0.012	<0.05	1.4	0.3	0.7	9.0	<0.01						
12-879	<0.01	2.24	22.7	22.7	457	7.9	7.0	<0.001	0.031	<0.05	2.0	0.4	0.6	11.4	<0.01						
12-880	<0.01	1.49	15.2	15.2	329	4.5	6.5	<0.001	0.031	<0.05	1.6	0.3	0.4	14.9	<0.01						
12-881	<0.01	0.66	3.6	3.6	636	2.7	2.3	<0.001	0.010	<0.05	0.5	<0.2	0.6	3.3	<0.01						
12-882	<0.01	0.70	14.7	14.7	1550	16.2	5.2	0.002	0.122	0.16	0.9	0.7	0.5	35.5	<0.01						
12-883	<0.01	2.12	18.7	18.7	275	6.3	3.3	<0.001	0.024	0.08	1.2	0.3	0.4	7.4	<0.01						
12-884	<0.01	1.13	15.1	15.1	860	6.5	4.3	<0.001	0.078	0.11	1.5	1.5	0.5	10.8	<0.01						
12-885	<0.01	1.48	4.0	4.0	1010	9.5	4.6	<0.001	0.038	0.11	1.1	0.7	0.5	8.8	0.01						
12-886	<0.01	4.74	23.8	23.8	1010	6.0	7.2	<0.001	0.018	0.06	1.3	0.5	0.6	29.5	0.01						
12-887	<0.01	1.81	6.9	6.9	175	5.2	1.4	<0.001	0.017	0.06	0.9	0.3	0.4	3.5	0.02						
12-888	<0.01	1.80	45.4	45.4	401	6.5	5.4	<0.001	0.032	<0.05	3.2	0.5	0.3	11.7	0.02						
12-889	<0.01	1.80	13.2	13.2	236	6.9	4.5	<0.001	0.021	0.07	1.1	0.3	0.5	10.9	<0.01						
12-890	<0.01	3.77	3.5	3.5	240	7.0	3.6	<0.001	0.017	0.08	1.0	0.3	0.9	8.7	<0.01						
12-891	<0.01	2.37	12.5	12.5	415	6.6	3.8	<0.001	0.029	0.10	1.1	0.7	0.5	8.2	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-896	<0.01	0.01	0.05	6.5	215	5.1	6.0	<0.001	0.013	<0.05	1.0	0.3	0.6	8.1	<0.01						
12-897	<0.01	1.98	13.8	340	5.4	7.3	<0.001	0.009	0.009	0.06	1.2	0.2	0.5	16.6	<0.01						
12-898	<0.01	1.70	9.2	553	5.4	4.2	<0.001	0.009	0.009	<0.05	1.1	<0.2	0.4	11.5	<0.01						
12-899	<0.01	2.18	7.7	146	14.2	5.8	2.5	<0.001	0.006	0.05	1.0	<0.2	0.5	8.7	<0.01						
12-900	0.01	1.78	15.2	496	5.0	14.2	<0.001	0.070	0.070	0.06	2.7	0.5	0.4	16.9	<0.01						
12-901	0.02	2.15	17.3	580	6.1	16.1	0.001	0.082	0.082	0.07	3.0	0.6	0.5	21.1	<0.01						
12-902	0.02	1.67	23.8	613	7.9	14.3	0.002	0.051	0.051	<0.05	2.7	0.7	0.5	26.3	<0.01						
12-903	<0.01	2.32	6.6	336	4.6	7.6	<0.001	0.010	0.010	<0.05	1.0	0.2	0.4	6.5	<0.01						
12-904	<0.01	2.27	13.2	489	7.4	7.6	<0.001	0.028	0.028	0.09	2.0	0.5	0.6	8.9	<0.01						
12-905	<0.01	3.43	5.9	477	8.0	3.1	<0.001	0.050	0.050	0.09	1.5	0.9	0.6	9.9	0.06						
12-906	<0.01	1.18	12.0	424	5.3	4.1	<0.001	0.006	0.006	<0.05	1.8	0.2	0.4	17.6	<0.01						
12-907	<0.01	1.50	20.8	549	5.3	9.0	<0.001	0.024	0.024	0.06	2.2	0.4	0.5	22.2	<0.01						
12-908	<0.01	1.12	14.4	1220	3.5	3.5	<0.001	0.020	0.020	<0.05	1.5	0.3	0.3	32.0	<0.01						
12-909	<0.01	2.89	16.7	445	5.7	5.2	<0.001	0.017	0.017	0.06	1.8	0.4	0.5	12.9	0.01						
12-910	<0.01	2.16	13.1	290	4.7	3.6	<0.001	0.014	0.014	<0.05	1.5	<0.2	0.5	9.7	<0.01						
12-911	<0.01	2.46	10.9	291	5.3	4.7	<0.001	0.015	0.015	0.05	1.7	0.3	0.5	11.2	<0.01						
12-912	<0.01	1.55	15.2	871	3.7	4.2	<0.001	0.011	0.011	<0.05	2.8	0.4	0.4	22.6	<0.01						
12-913	<0.01	1.10	3.8	174	8.3	4.5	<0.001	0.020	0.020	<0.05	0.9	<0.2	0.7	7.6	<0.01						
12-914	<0.01	1.94	17.3	617	4.8	2.7	<0.001	0.021	0.021	0.06	1.4	0.5	0.4	12.9	<0.01						
12-915	<0.01	2.28	9.4	229	7.8	2.7	<0.001	0.025	0.025	0.08	1.4	0.4	0.5	8.6	0.02						
12-916	<0.01	3.33	7.5	209	8.4	3.9	<0.001	0.025	0.025	0.08	1.1	0.4	0.7	9.1	<0.01						
12-917	<0.01	2.64	10.3	307	7.8	10.4	<0.001	0.048	0.048	0.08	3.4	0.7	0.7	6.9	<0.01						
12-918	<0.01	2.16	8.6	130	8.7	5.2	<0.001	0.016	0.016	0.05	1.3	0.3	0.6	6.4	<0.01						
12-919	<0.01	1.89	16.4	211	7.6	4.2	<0.001	0.025	0.025	0.07	1.2	0.3	0.5	9.5	<0.01						
12-920	<0.01	1.66	11.3	119	5.7	3.3	<0.001	0.011	0.011	<0.05	1.1	0.2	0.4	7.7	<0.01						
12-921	<0.01	3.08	45.9	213	52.1	5.3	<0.001	0.028	0.028	0.08	2.8	0.6	0.8	13.5	<0.01						
12-922	<0.01	1.35	7.9	616	3.2	2.9	<0.001	0.007	0.007	<0.05	1.5	0.3	0.2	22.5	<0.01						
12-923	0.02	1.46	18.4	462	4.2	1.6	<0.001	0.078	0.078	<0.05	1.8	0.4	0.3	20.5	<0.01						
12-924	<0.01	2.51	31.3	387	7.2	11.9	<0.001	0.015	0.015	0.07	2.0	0.4	0.7	20.5	<0.01						
12-925	0.02	0.82	76.2	1800	4.6	4.5	<0.001	0.031	0.031	<0.05	2.3	0.5	0.3	58.1	<0.01						
12-926	0.02	0.89	49.0	1690	4.3	5.5	<0.001	0.023	0.023	<0.05	2.2	0.4	0.3	40.6	<0.01						
12-927	<0.01	1.04	13.1	453	8.5	3.8	<0.001	0.029	0.029	<0.05	1.2	<0.2	0.3	9.3	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-928	<0.01	0.01	2.12	11.5	168	6.0	4.0	<0.001	0.014	<0.05	1.9	0.4	0.5	8.9	0.01						
12-929	<0.01	0.01	3.06	12.8	559	9.5	3.2	<0.001	0.045	0.12	4.6	1.8	0.4	8.9	0.07						
12-930	<0.01	0.01	2.19	10.5	161	6.4	2.8	<0.001	0.015	0.06	1.3	0.3	0.5	8.2	<0.01						
12-931	<0.01	0.01	1.38	9.0	753	4.1	3.5	<0.001	0.026	<0.05	2.3	0.5	0.3	14.1	<0.01						
12-932	<0.01	0.01	2.96	8.1	195	13.2	6.3	<0.001	0.015	0.06	1.6	0.3	0.7	8.2	<0.01						
12-933	<0.01	0.01	1.45	10.0	234	11.5	3.4	<0.001	0.024	0.06	1.5	0.6	0.7	5.3	0.01						
12-934	<0.01	0.01	2.10	11.0	198	5.4	4.3	<0.001	0.014	<0.05	1.2	0.3	0.4	6.5	<0.01						
12-935	<0.01	0.01	1.67	15.4	126	5.3	2.5	<0.001	0.007	<0.05	1.4	<0.2	0.4	9.7	<0.01						
12-936	<0.01	0.01	1.94	21.4	171	4.7	3.4	<0.001	0.007	<0.05	3.2	0.4	0.4	10.2	<0.01						
12-937	<0.01	0.01	1.34	13.3	305	3.9	3.8	<0.001	0.011	<0.05	1.6	0.2	0.4	11.6	<0.01						
12-938	<0.01	0.01	1.88	7.4	242	4.0	4.8	<0.001	0.013	<0.05	1.2	0.2	0.3	8.9	<0.01						
12-939	0.02	0.02	4.26	30.7	579	9.8	25.7	<0.001	0.067	0.09	6.2	0.8	0.9	50.5	<0.01						
12-940	0.03	0.03	3.97	35.5	684	11.2	48.2	<0.001	0.021	0.13	7.1	0.6	1.0	41.3	<0.01						
12-1191	<0.01	0.01	2.19	47.6	232	7.0	9.8	<0.001	0.019	<0.05	1.6	0.2	0.6	10.6	<0.01						
12-1192	<0.01	0.01	1.98	23.0	239	16.6	4.0	<0.001	0.017	<0.05	1.5	<0.2	0.5	7.6	<0.01						
12-1193	<0.01	0.01	2.89	9.8	241	14.1	6.9	<0.001	0.025	0.08	1.5	0.4	0.7	7.3	<0.01						
12-1194	<0.01	0.01	2.22	11.7	335	14.4	8.8	<0.001	0.027	0.06	1.2	0.5	0.6	7.2	<0.01						
12-1195	<0.01	0.01	1.50	12.1	363	7.7	3.5	<0.001	0.024	0.05	1.1	0.4	0.5	7.9	<0.01						
12-1196	<0.01	0.01	1.64	12.4	367	7.9	3.7	<0.001	0.023	0.05	1.1	0.4	0.5	8.3	<0.01						
12-1197	<0.01	0.01	2.16	16.1	331	6.4	4.3	<0.001	0.020	<0.05	1.8	0.4	0.4	11.7	<0.01						
12-1198	<0.01	0.01	2.28	18.2	1290	9.8	14.8	<0.001	0.017	0.08	1.7	0.4	0.6	12.6	<0.01						
12-1199	<0.01	0.01	2.63	12.4	1330	7.4	13.1	<0.001	0.019	0.07	1.5	0.4	0.6	12.9	<0.01						
12-1200	<0.01	0.01	1.83	11.2	206	5.4	3.3	<0.001	0.013	<0.05	1.8	0.3	0.5	12.8	<0.01						
12-1201	<0.01	0.01	1.86	10.8	158	3.9	2.9	<0.001	0.008	<0.05	1.6	0.2	0.4	11.6	<0.01						
12-1202	0.01	0.01	2.45	21.3	350	5.1	3.4	<0.001	0.017	<0.05	1.8	0.3	0.5	17.4	<0.01						
12-1203	<0.01	0.01	2.60	14.6	302	4.6	5.3	<0.001	0.010	0.06	1.6	0.4	0.5	13.4	<0.01						
12-1204	0.02	0.02	1.83	26.3	671	4.3	4.2	<0.001	0.015	<0.05	3.5	0.4	0.4	19.8	<0.01						
12-1205	<0.01	0.01	1.70	13.9	446	5.1	2.1	0.001	0.074	0.06	2.8	1.6	0.4	14.6	0.01						
12-1206	<0.01	0.01	1.93	16.5	294	4.2	2.3	<0.001	0.020	<0.05	1.9	0.5	0.4	14.0	<0.01						
12-1207	<0.01	0.01	2.76	8.5	143	13.7	4.1	<0.001	0.015	0.05	1.9	0.4	0.7	9.6	0.01						
12-1208	<0.01	0.01	1.88	7.3	97	8.9	4.6	<0.001	0.009	<0.05	1.2	<0.2	0.6	10.0	<0.01						
12-1209	<0.01	0.01	1.07	2.3	115	7.9	1.2	<0.001	0.014	0.05	0.6	<0.2	0.8	5.0	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1210	<0.01	0.01	0.05	0.2	10	12.5	257	6.2	<0.001	0.030	0.07	1.9	0.6	0.9	12.9	<0.01					
12-1211	<0.01	1.96	1.96	5.8	164	35.8	4.0	<0.001	0.017	0.05	1.5	0.4	0.6	10.1	<0.01						
12-1212	<0.01	2.99	2.99	69.7	252	20.1	7.7	<0.001	0.032	0.06	2.8	0.6	0.7	18.3	<0.01						
12-1213	0.01	1.55	1.55	15.0	541	5.0	3.4	<0.001	0.006	<0.05	2.1	0.2	0.3	14.8	<0.01						
12-1214	<0.01	1.47	1.47	14.2	230	3.8	2.2	<0.001	0.007	<0.05	1.9	0.2	0.2	8.5	0.02						
12-1215	<0.01	1.80	1.80	3.6	69	5.8	1.6	<0.001	0.008	<0.05	0.7	<0.2	0.6	5.7	<0.01						
12-1216	<0.01	1.22	1.22	3.5	56	6.0	1.5	<0.001	0.007	<0.05	0.7	<0.2	0.6	5.6	<0.01						
12-1217	0.02	1.52	1.52	11.8	69	5.3	1.4	<0.001	0.008	<0.05	1.3	<0.2	0.6	23.4	<0.01						
12-1218	<0.01	2.04	2.04	3.6	116	6.8	3.7	<0.001	0.014	0.06	1.1	0.2	0.6	10.0	<0.01						
12-1219	<0.01	2.18	2.18	15.2	237	8.4	5.0	<0.001	0.019	0.07	1.4	0.3	0.6	11.5	<0.01						
12-1220	<0.01	1.03	1.03	15.6	92	2.8	3.5	<0.001	0.006	<0.05	1.7	0.2	0.2	7.5	<0.01						
12-1221	<0.01	1.61	1.61	3.6	93	5.1	3.5	<0.001	0.013	<0.05	0.9	0.2	0.4	6.8	<0.01						
12-1222	<0.01	1.66	1.66	6.4	112	4.8	3.8	<0.001	0.009	<0.05	1.2	<0.2	0.5	7.1	<0.01						
12-1223	<0.01	4.37	4.37	5.3	485	9.0	6.8	<0.001	0.017	0.13	1.7	0.4	1.4	10.1	<0.01						
12-1224	0.01	3.32	3.32	16.4	430	6.5	19.7	<0.001	0.023	0.06	2.5	0.4	0.6	17.2	<0.01						
12-1225	<0.01	2.16	2.16	9.7	274	6.1	17.6	<0.001	0.017	<0.05	1.5	0.2	0.5	9.9	<0.01						
12-1226	<0.01	2.20	2.20	10.4	347	5.3	17.8	<0.001	0.015	0.05	1.6	0.3	0.5	9.2	<0.01						
12-1227	0.01	2.66	2.66	19.9	494	7.4	31.7	<0.001	0.019	0.09	3.0	0.5	0.7	19.3	<0.01						
12-1228	0.01	3.11	3.11	18.4	291	6.4	24.9	<0.001	0.016	0.05	2.7	0.4	0.6	14.8	<0.01						
12-1229	0.01	3.72	3.72	23.5	384	8.4	43.7	<0.001	0.017	0.08	4.2	0.5	0.9	21.9	<0.01						
12-1230	0.02	3.88	3.88	31.9	399	9.1	49.6	<0.001	0.023	0.09	5.1	0.7	0.9	22.0	<0.01						
12-1231	0.01	2.49	2.49	17.2	383	6.0	18.0	<0.001	0.017	0.05	2.3	0.4	0.5	13.1	<0.01						
12-1232	<0.01	1.81	1.81	14.4	488	4.3	13.0	<0.001	0.008	<0.05	2.1	0.3	0.4	11.9	<0.01						
12-1233	0.01	2.63	2.63	25.3	375	6.5	27.1	<0.001	0.018	0.06	3.2	0.4	0.6	17.9	<0.01						
12-1234	<0.01	1.49	1.49	10.0	173	3.9	23.2	<0.001	0.007	<0.05	1.7	<0.2	0.4	10.5	<0.01						
12-1235	<0.01	1.12	1.12	8.1	435	3.2	7.6	<0.001	0.006	<0.05	1.6	0.2	0.3	8.7	<0.01						
12-1236	0.01	1.73	1.73	12.0	343	5.1	11.5	<0.001	0.009	<0.05	2.6	0.3	0.4	13.0	<0.01						
12-1237	0.01	1.45	1.45	11.0	495	6.6	13.4	<0.001	0.022	<0.05	2.2	0.3	0.4	12.4	<0.01						
12-1238	0.01	2.02	2.02	14.5	501	5.3	14.0	<0.001	0.022	<0.05	3.0	0.3	0.4	13.4	<0.01						
12-1239	0.01	2.11	2.11	14.7	394	9.5	21.7	<0.001	0.042	0.06	2.4	0.4	0.6	17.8	<0.01						
12-1240	<0.01	0.93	0.93	8.4	656	3.7	5.4	<0.001	0.032	<0.05	1.5	0.3	0.3	9.9	<0.01						
12-941	0.02	0.98	0.98	17.7	516	5.7	28.6	<0.001	0.011	0.10	4.5	0.8	0.6	11.7	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-942	0.01	0.01	3.35	15.9	300	6.4	17.0	<0.001	0.024	0.07	2.3	0.5	0.6	14.4	<0.01						
12-943	<0.01	1.60	5.8	315	7.8	4.2	4.2	<0.001	0.033	0.09	1.1	0.4	0.6	5.7	<0.01						
12-944	<0.01	1.09	9.8	519	3.4	3.8	3.8	<0.001	0.011	<0.05	1.0	<0.2	0.2	10.1	<0.01						
12-945	<0.01	2.65	13.7	208	5.0	9.0	9.0	<0.001	0.010	<0.05	1.6	0.3	0.6	11.0	<0.01						
12-946	<0.01	3.17	46.7	210	8.8	7.2	7.2	<0.001	0.012	<0.05	2.0	0.3	0.7	23.8	<0.01						
12-947	<0.01	2.20	10.3	374	7.1	6.2	6.2	<0.001	0.020	0.05	1.9	0.5	0.5	6.8	0.02						
12-948	<0.01	1.61	12.4	556	4.3	4.8	4.8	<0.001	0.009	<0.05	1.4	0.2	0.3	12.1	<0.01						
12-949	<0.01	1.22	18.9	310	7.0	6.0	6.0	<0.001	0.021	0.05	1.4	0.2	0.5	11.7	<0.01						
12-950	0.02	2.11	21.2	669	7.2	19.4	19.4	<0.001	0.043	0.07	3.7	0.6	0.5	20.5	<0.01						
12-951	0.02	2.01	23.8	613	6.5	19.3	19.3	<0.001	0.031	0.06	3.8	0.7	0.5	20.4	<0.01						
12-952	0.01	2.53	13.6	278	6.5	24.7	24.7	<0.001	0.011	0.05	3.1	0.3	0.6	29.5	<0.01						
12-953	<0.01	3.01	14.0	794	10.0	23.8	23.8	<0.001	0.019	0.08	1.8	0.3	0.7	15.8	<0.01						
12-954	0.02	2.33	15.2	506	6.3	24.2	24.2	<0.001	0.015	0.09	3.8	0.8	0.6	99.1	<0.01						
12-955	0.02	2.24	9.5	509	4.5	9.3	9.3	<0.001	0.021	0.07	3.0	0.9	0.4	99.0	<0.01						
12-956	<0.01	1.68	29.3	458	5.6	12.0	12.0	<0.001	0.023	0.14	6.9	0.5	0.4	15.9	<0.01						
12-957	<0.01	1.55	22.8	687	6.0	6.8	6.8	<0.001	0.042	0.09	2.0	0.7	0.4	15.0	0.02						
12-958	<0.01	1.24	26.1	909	5.2	13.2	13.2	<0.001	0.077	0.05	2.7	1.0	0.3	30.1	<0.01						
12-959	<0.01	1.38	12.2	214	4.9	7.7	7.7	<0.001	0.010	<0.05	1.4	0.2	0.4	12.9	<0.01						
12-960	<0.01	1.94	30.6	432	4.6	13.3	13.3	<0.001	0.026	<0.05	2.7	0.6	0.4	17.9	<0.01						
12-961	<0.01	1.19	2.8	185	9.9	4.3	4.3	<0.001	0.010	0.08	0.8	<0.2	0.9	8.7	<0.01						
12-962	<0.01	1.58	14.8	347	5.2	7.4	7.4	<0.001	0.043	<0.05	2.0	0.7	0.4	17.1	<0.01						
12-963	<0.01	2.64	10.3	401	6.5	5.7	5.7	<0.001	0.030	0.06	1.8	0.8	0.4	8.5	<0.01						
12-964	<0.01	2.04	7.8	200	6.2	3.3	3.3	<0.001	0.022	<0.05	1.1	0.3	0.4	9.1	<0.01						
12-965	<0.01	2.15	12.2	352	6.0	4.5	4.5	<0.001	0.019	<0.05	1.4	0.3	0.4	15.2	<0.01						
12-966	<0.01	1.87	42.1	200	5.8	8.0	8.0	<0.001	0.011	<0.05	2.8	0.4	0.5	19.1	<0.01						
12-967	<0.01	0.59	22.2	1100	3.0	2.2	2.2	0.015	0.566	0.19	2.1	6.3	<0.2	71.0	0.04						
12-968	<0.01	1.79	19.4	326	5.8	8.2	8.2	<0.001	0.025	<0.05	1.8	0.4	0.4	18.2	<0.01						
12-969	<0.01	1.44	7.0	105	4.4	6.6	6.6	<0.001	<0.005	<0.05	1.1	<0.2	0.5	9.5	<0.01						
12-970	<0.01	2.06	28.5	400	4.4	11.1	11.1	<0.001	0.010	<0.05	1.5	0.3	0.5	14.6	<0.01						
12-971	<0.01	2.07	5.7	164	5.2	6.3	6.3	<0.001	0.011	<0.05	1.2	0.3	0.5	8.4	<0.01						
12-972	<0.01	2.53	10.7	223	5.9	7.8	7.8	<0.001	0.012	<0.05	1.7	0.4	0.5	10.4	<0.01						
12-973	<0.01	2.20	6.1	167	6.5	5.6	5.6	<0.001	0.008	<0.05	1.2	0.2	0.7	10.6	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-974	<0.01	0.01	1.85	10.3	457	5.6	5.0	<0.001	0.014	<0.05	1.2	0.2	0.5	13.9	<0.01						
12-975	<0.01	0.53	1.5	62	3.5	3.5	0.6	<0.001	0.011	<0.05	0.5	<0.2	0.3	9.1	<0.01						
12-976	<0.01	0.49	1.3	63	2.7	2.7	0.5	<0.001	0.010	<0.05	0.4	<0.2	0.3	8.6	<0.01						
12-977	<0.01	3.57	15.5	264	8.1	8.1	3.2	<0.001	0.024	0.06	3.0	0.5	0.6	11.4	0.03						
12-978	<0.01	2.35	12.2	311	5.4	5.4	9.6	<0.001	0.010	<0.05	1.6	0.3	0.5	10.4	<0.01						
12-979	<0.01	2.51	6.6	989	8.2	8.2	6.8	<0.001	0.021	0.08	1.2	0.4	0.6	11.6	<0.01						
12-980	<0.01	1.91	7.6	682	8.9	8.9	6.8	<0.001	0.021	0.06	1.1	0.3	0.6	13.8	<0.01						
12-981	<0.01	2.65	11.7	601	6.2	6.2	10.0	<0.001	0.013	0.06	1.5	0.4	0.6	13.7	<0.01						
12-982	0.01	1.57	39.3	1560	6.4	6.4	14.5	0.009	0.117	0.07	5.4	2.3	0.5	28.3	0.01						
12-983	<0.01	2.15	8.6	254	5.4	5.4	4.8	<0.001	0.023	<0.05	1.6	0.6	0.4	7.6	<0.01						
12-984	<0.01	2.27	19.0	294	8.9	8.9	4.9	<0.001	0.036	0.07	2.2	0.8	0.6	8.7	<0.01						
12-985	<0.01	1.44	34.3	471	5.9	5.9	8.8	<0.001	0.025	0.06	2.4	0.3	0.5	15.4	<0.01						
12-986	0.01	3.41	23.4	379	9.4	9.4	46.0	<0.001	0.026	0.11	3.7	0.5	0.8	16.5	<0.01						
12-987	0.02	3.97	33.8	556	11.2	11.2	57.1	<0.001	0.022	0.15	6.7	0.6	1.0	28.6	<0.01						
12-988	0.02	1.46	14.8	452	5.4	5.4	26.9	<0.001	0.010	0.09	4.2	0.8	0.6	122	<0.01						
12-989	0.02	2.69	17.2	578	5.0	5.0	23.9	<0.001	0.059	0.06	4.0	1.0	0.5	38.3	<0.01						
12-990	0.02	2.58	25.7	665	5.7	5.7	19.7	<0.001	0.042	0.05	4.1	0.5	0.5	22.1	<0.01						
12-991	0.01	2.27	24.8	356	6.8	6.8	37.0	<0.001	0.009	0.07	5.0	0.4	0.7	20.7	<0.01						
12-992	<0.01	3.52	15.2	357	8.5	8.5	31.2	<0.001	0.040	0.07	2.5	0.4	0.8	15.2	<0.01						
12-993	0.01	1.72	20.0	749	5.6	5.6	6.0	<0.001	0.029	<0.05	1.7	0.5	0.4	16.1	<0.01						
12-994	<0.01	2.13	3.3	136	6.4	6.4	17.2	<0.001	0.014	<0.05	0.9	<0.2	0.7	7.4	<0.01						
12-995	<0.01	3.02	81.0	166	4.6	4.6	6.3	<0.001	0.033	0.07	1.5	0.5	0.5	11.1	<0.01						
12-996	<0.01	2.31	20.3	101	6.0	6.0	7.3	<0.001	0.013	<0.05	1.4	0.3	0.7	9.1	<0.01						
12-997	<0.01	3.50	8.1	473	8.9	8.9	4.8	<0.001	0.058	0.14	1.7	1.1	0.7	10.1	0.01						
12-998	<0.01	3.64	13.7	349	6.4	6.4	5.5	<0.001	0.034	0.06	3.4	0.8	0.6	7.9	0.04						
12-999	<0.01	2.73	10.1	439	7.8	7.8	4.6	<0.001	0.046	0.08	1.3	0.7	0.5	10.5	<0.01						
12-1000	<0.01	2.28	5.4	157	8.2	8.2	2.8	<0.001	0.016	0.05	1.1	0.3	0.6	6.2	<0.01						
12-1001	<0.01	2.52	7.2	172	7.5	7.5	3.5	<0.001	0.018	0.05	1.3	0.3	0.7	6.9	<0.01						
12-1002	<0.01	1.71	20.4	782	5.4	5.4	7.5	<0.001	0.043	<0.05	2.7	1.0	0.3	7.8	0.02						
12-1003	<0.01	1.89	19.1	561	5.1	5.1	3.3	<0.001	0.039	0.07	1.5	0.8	0.4	7.7	<0.01						
12-1004	<0.01	2.13	15.3	425	6.0	6.0	5.2	<0.001	0.013	<0.05	1.4	0.3	0.4	7.1	<0.01						
12-1005	<0.01	2.77	11.1	268	10.8	10.8	6.8	<0.001	0.023	0.07	1.1	0.2	0.7	8.0	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1006	<0.01	0.01	2.00	10.6	155	5.4	6.9	<0.001	0.015	<0.05	1.1	0.3	0.5	7.5	<0.01						
12-1007	<0.01	1.64	7.5	239	5.1	3.5	<0.001	0.011	<0.05	1.0	0.2	0.5	8.1	<0.01							
12-1008	<0.01	3.29	4.2	169	7.6	4.0	<0.001	0.011	0.06	0.8	0.2	0.7	8.6	<0.01							
12-1009	<0.01	2.53	6.9	99	5.5	6.5	<0.001	0.007	<0.05	1.2	<0.2	0.6	8.1	<0.01							
12-1010	<0.01	2.74	19.3	477	12.2	5.7	<0.001	0.044	<0.05	2.1	0.7	0.8	12.4	<0.01							
12-1640	<0.01	1.03	7.5	329	3.3	3.5	<0.001	<0.005	<0.05	1.5	<0.2	0.2	7.8	<0.01							
12-1641	<0.01	2.24	7.6	307	5.5	3.8	<0.001	0.018	<0.05	2.4	0.4	0.4	5.7	0.04							
12-1642	0.01	2.37	21.7	903	6.2	9.6	<0.001	0.029	<0.05	4.0	0.6	0.7	19.8	<0.01							
12-1643	<0.01	1.66	14.6	125	4.5	8.7	<0.001	0.008	<0.05	1.7	0.2	0.5	9.8	<0.01							
12-1644	<0.01	2.79	7.4	777	7.6	9.1	<0.001	0.029	0.06	1.4	0.6	0.7	8.4	<0.01							
12-1645	<0.01	3.01	9.2	249	5.3	6.7	<0.001	0.019	<0.05	1.8	0.5	0.6	7.4	<0.01							
12-1646	<0.01	2.96	5.2	517	7.3	5.3	<0.001	0.050	0.11	2.6	1.5	0.6	8.0	0.04							
12-1647	<0.01	2.26	6.6	234	5.1	3.5	<0.001	0.020	<0.05	1.2	0.4	0.4	4.3	<0.01							
12-1648	<0.01	2.27	7.4	371	6.3	5.2	<0.001	0.024	0.06	1.2	0.4	0.5	5.8	0.01							
12-1649	<0.01	3.05	14.9	712	7.1	16.5	<0.001	0.036	0.07	2.3	0.9	0.5	10.9	0.01							
12-1650	<0.01	1.73	8.1	302	5.3	12.7	<0.001	0.017	<0.05	1.1	0.2	0.5	6.1	<0.01							
12-1651	<0.01	1.94	8.7	319	5.5	13.2	<0.001	0.018	<0.05	1.2	0.2	0.5	6.5	<0.01							
12-1652	<0.01	2.53	18.7	338	6.9	11.7	<0.001	0.028	0.05	2.0	0.5	0.5	9.8	<0.01							
12-1653	0.01	2.04	13.1	307	4.8	15.5	<0.001	0.010	<0.05	2.8	0.5	0.7	38.3	<0.01							
12-1654	<0.01	1.42	12.2	214	7.5	4.5	<0.001	0.018	<0.05	2.5	0.5	0.5	13.8	<0.01							
12-1655	<0.01	1.17	17.8	252	4.6	5.0	<0.001	0.016	<0.05	2.5	0.3	0.4	20.9	<0.01							
12-1656	<0.01	1.76	8.5	346	4.8	13.1	<0.001	0.014	<0.05	1.1	0.2	0.4	8.1	<0.01							
12-1657	<0.01	2.31	7.7	233	6.5	10.6	<0.001	0.014	<0.05	1.2	<0.2	0.5	9.8	<0.01							
12-1658	<0.01	2.91	12.7	489	5.3	8.4	<0.001	0.025	0.05	2.0	0.5	0.5	13.0	0.02							
12-1659	<0.01	2.61	13.1	371	7.6	13.1	<0.001	0.022	0.06	2.0	0.3	0.6	15.1	<0.01							
12-1660	<0.01	2.13	6.8	303	5.5	12.6	<0.001	0.015	0.07	0.9	0.2	0.5	6.0	<0.01							
12-1661	<0.01	1.38	3.7	196	5.0	3.3	<0.001	0.017	<0.05	0.8	0.3	0.4	4.2	<0.01							
12-1662	<0.01	2.50	6.4	339	8.2	3.8	<0.001	0.035	0.10	1.2	0.7	0.6	5.1	<0.01							
12-1663	<0.01	1.67	16.5	354	3.5	3.8	<0.001	0.012	<0.05	1.4	0.2	0.3	6.8	<0.01							
12-1664	<0.01	2.09	8.9	316	3.7	6.1	<0.001	0.013	<0.05	1.3	0.4	0.4	6.8	<0.01							
12-1665	<0.01	1.79	14.7	1650	4.8	10.9	<0.001	0.016	0.06	1.8	0.3	0.4	8.9	<0.01							
12-1666	<0.01	1.82	10.1	812	5.4	10.6	<0.001	0.014	<0.05	1.4	0.3	0.4	8.1	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1667	0.01	0.01	0.81	16.1	648	3.1	4.3	<0.001	0.028	<0.05	2.7	0.4	0.2	12.2	<0.01						
12-1668	0.01	0.01	1.14	26.3	504	3.5	11.2	<0.001	0.022	<0.05	4.2	0.7	0.3	13.9	<0.01						
12-1669	<0.01	<0.01	2.24	5.0	179	6.1	6.7	<0.001	0.014	<0.05	1.1	0.2	0.4	7.6	<0.01						
12-1670	<0.01	<0.01	2.85	5.4	385	8.5	6.8	<0.001	0.018	0.06	1.0	0.3	0.6	7.5	<0.01						
12-1671	<0.01	<0.01	2.91	5.3	1060	8.1	14.9	<0.001	0.014	0.07	1.4	0.4	0.8	7.7	<0.01						
12-1672	<0.01	<0.01	1.99	6.0	420	4.6	14.9	<0.001	0.014	0.05	1.1	0.3	0.5	9.9	<0.01						
12-1673	<0.01	<0.01	3.16	21.0	666	4.1	13.6	<0.001	0.020	<0.05	1.6	0.5	0.6	12.8	<0.01						
12-1674	<0.01	<0.01	1.20	9.2	530	3.0	3.3	<0.001	0.007	<0.05	1.4	<0.2	0.3	7.4	<0.01						
12-1675	<0.01	<0.01	2.31	4.1	598	8.0	4.8	<0.001	0.032	0.07	1.3	0.5	0.5	7.1	0.02						
12-1676	<0.01	<0.01	2.10	4.9	670	7.3	5.0	<0.001	0.033	0.07	1.3	0.5	0.5	6.7	0.02						
12-1677	<0.01	<0.01	3.12	10.0	580	7.2	11.3	<0.001	0.019	0.07	1.3	0.3	0.6	9.6	<0.01						
12-1678	<0.01	<0.01	2.23	9.7	368	6.6	6.9	<0.001	0.026	<0.05	1.2	0.4	0.5	8.6	0.01						
12-1679	<0.01	<0.01	3.04	13.5	136	4.2	8.0	<0.001	0.012	<0.05	2.2	0.3	0.6	12.3	<0.01						
12-1011	<0.01	<0.01	1.10	21.8	955	5.7	5.7	<0.001	0.060	0.06	1.7	0.9	0.4	23.6	<0.01						
12-1012	<0.01	<0.01	1.67	3.5	235	7.9	3.1	<0.001	0.020	0.12	1.0	0.4	0.6	6.7	<0.01						
12-1013	<0.01	<0.01	1.85	13.9	212	4.4	2.7	<0.001	0.011	<0.05	1.8	0.4	0.4	6.0	0.03						
12-1014	0.01	0.01	1.69	41.4	166	5.4	4.8	<0.001	0.020	<0.05	1.5	0.3	0.4	6.7	<0.01						
12-1015	<0.01	<0.01	1.95	8.4	3050	6.6	6.1	<0.001	0.022	0.06	1.6	0.6	0.5	9.4	<0.01						
12-1016	<0.01	<0.01	1.77	12.8	740	4.8	9.4	<0.001	0.030	0.06	1.6	0.5	0.5	11.9	<0.01						
12-1017	<0.01	<0.01	1.75	2.0	103	5.2	4.2	<0.001	0.010	<0.05	0.8	0.2	0.6	8.2	<0.01						
12-1018	<0.01	<0.01	2.15	13.6	146	5.0	7.9	<0.001	0.011	<0.05	1.6	0.3	0.5	8.7	<0.01						
12-1019	<0.01	<0.01	2.82	14.2	865	6.4	6.0	<0.001	0.033	0.07	1.4	0.6	0.5	11.6	<0.01						
12-1020	<0.01	<0.01	2.49	34.8	180	3.9	7.9	<0.001	0.013	<0.05	2.6	0.3	0.5	5.6	<0.01						
12-1021	<0.01	<0.01	2.55	12.5	178	9.9	10.9	<0.001	0.015	<0.05	1.5	0.3	0.7	8.3	<0.01						
12-1022	<0.01	<0.01	1.57	11.9	571	7.5	7.4	<0.001	0.051	0.08	1.2	1.1	0.5	9.5	<0.01						
12-1023	<0.01	<0.01	1.70	14.1	532	7.7	7.2	<0.001	0.054	0.08	1.2	0.8	0.6	7.6	<0.01						
12-1024	<0.01	<0.01	1.19	13.3	107	4.2	2.7	<0.001	0.014	<0.05	0.8	<0.2	0.4	5.2	<0.01						
12-1025	<0.01	<0.01	3.19	9.8	139	5.3	4.8	<0.001	0.017	<0.05	1.4	0.4	0.6	6.7	<0.01						
12-1026	<0.01	<0.01	2.83	9.5	132	5.3	4.7	<0.001	0.016	<0.05	1.3	0.3	0.5	6.3	<0.01						
12-1027	<0.01	<0.01	3.50	11.4	365	7.3	7.4	<0.001	0.037	0.09	2.2	1.1	0.7	6.6	<0.01						
12-1028	<0.01	<0.01	2.17	10.0	428	5.5	4.6	<0.001	0.034	0.05	1.5	0.6	0.5	7.8	<0.01						
12-1029	<0.01	<0.01	1.97	18.8	1730	10.4	7.1	<0.001	0.019	0.08	1.5	0.4	0.5	14.4	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
12-1030	<0.01	2.92	5.1	2430	12.3	4.8	<0.001	0.036	0.11	1.5	0.8	0.6	8.4	<0.01
12-1031	<0.01	2.85	17.2	305	4.2	11.6	<0.001	0.010	<0.05	1.6	0.3	0.6	9.6	<0.01
12-1032	<0.01	1.58	7.2	193	3.4	5.4	<0.001	0.008	<0.05	1.1	<0.2	0.3	7.1	<0.01
12-1033	<0.01	2.32	16.1	787	4.5	4.9	<0.001	0.022	0.07	1.4	0.4	0.4	9.3	<0.01
12-1034	<0.01	2.31	17.4	253	4.5	6.2	<0.001	0.025	<0.05	1.4	0.5	0.4	6.3	<0.01
12-1035	<0.01	2.24	12.3	175	5.0	5.9	<0.001	0.024	<0.05	1.1	0.4	0.5	5.9	<0.01
12-1036	<0.01	1.90	10.5	439	2.9	3.9	<0.001	0.018	<0.05	1.5	0.5	0.3	7.7	0.02
12-1037	<0.01	2.29	19.7	436	6.3	5.9	<0.001	0.027	0.09	2.1	0.8	0.5	7.0	0.02
12-1038	<0.01	3.84	14.2	257	11.5	15.8	<0.001	0.026	0.09	1.8	0.6	0.8	9.9	<0.01
12-1039	<0.01	2.40	16.2	367	4.8	6.4	<0.001	0.025	<0.05	1.5	0.5	0.4	7.3	<0.01
12-1040	<0.01	2.25	26.8	374	6.4	17.6	<0.001	0.041	0.10	2.4	1.0	0.6	8.6	<0.01
12-1041	<0.01	1.37	3.4	91	6.5	3.2	<0.001	0.010	<0.05	0.7	<0.2	0.6	4.3	<0.01
12-1042	<0.01	1.40	5.5	156	7.5	3.5	<0.001	0.017	<0.05	0.7	<0.2	0.5	3.4	<0.01
12-1043	<0.01	0.88	23.7	161	2.8	5.7	<0.001	0.012	<0.05	0.9	<0.2	0.2	3.9	<0.01
12-1044	<0.01	4.93	62.9	1050	15.2	8.9	<0.001	0.096	0.20	4.2	2.3	0.7	11.8	0.08
12-1045	<0.01	1.06	17.4	173	3.8	5.5	<0.001	0.021	0.05	0.8	0.4	0.3	2.6	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-756		<0.01	1.1	0.077	0.07	0.71	15.0	0.13	2.82	14.5	0.7
12-757		0.01	3.1	0.102	0.11	0.68	30.2	0.13	7.25	29.9	1.1
12-758		0.07	3.1	0.142	0.23	1.56	47.2	0.14	8.33	68.8	1.4
12-759		0.02	2.7	0.152	0.09	0.57	55.4	0.21	1.90	15.2	1.5
12-760		0.02	3.2	0.074	0.08	0.85	24.6	0.11	3.49	11.2	0.7
12-761		0.02	2.8	0.174	0.13	1.45	45.3	0.13	9.10	41.9	1.5
12-762		<0.01	3.4	0.074	0.08	0.57	12.6	0.10	6.68	12.6	1.3
12-763		0.01	3.2	0.103	0.05	0.36	25.8	0.15	2.29	12.7	1.9
12-764		0.02	3.0	0.113	0.19	0.67	32.0	0.43	4.16	64.9	1.0
12-765		0.02	2.9	0.096	0.08	0.45	30.7	0.16	3.46	19.3	1.3
12-766		<0.01	3.2	0.086	0.06	0.46	19.1	0.13	3.89	18.5	2.0
12-767		0.01	3.6	0.093	0.08	0.51	24.2	0.12	4.57	29.9	1.3
12-768		0.05	1.6	0.195	0.07	0.30	77.0	0.18	4.62	37.1	6.1
12-769		0.03	2.2	0.122	0.07	0.37	48.5	0.17	2.22	28.9	1.3
12-770		<0.01	3.7	0.062	0.07	0.55	14.4	0.07	3.94	14.0	1.1
12-771		<0.01	3.0	0.073	0.09	0.45	21.9	0.11	3.05	27.8	0.9
12-772		0.01	4.0	0.096	0.13	0.86	22.7	0.13	11.1	54.6	2.7
12-773		<0.01	5.4	0.088	0.10	0.62	17.6	0.12	10.8	23.0	9.9
12-774		<0.01	2.9	0.063	0.04	0.41	13.9	0.08	3.12	12.6	1.0
12-775		<0.01	5.1	0.092	0.10	0.51	17.0	0.13	10.6	22.7	5.8
12-776		<0.01	4.1	0.077	0.07	0.40	13.5	0.10	4.84	19.4	3.1
12-777		0.01	4.7	0.082	0.11	0.56	16.7	0.13	10.1	25.8	3.2
12-778		<0.01	3.3	0.098	0.08	0.52	20.9	0.12	7.37	32.9	2.5
12-779		<0.01	3.7	0.104	0.09	0.46	21.4	0.13	4.35	31.5	1.5
12-780		0.01	3.1	0.096	0.09	0.46	21.1	0.11	3.78	28.2	1.7
12-781		0.02	1.6	0.155	0.06	0.44	22.0	0.06	4.60	21.8	1.6
12-782		0.02	2.5	0.110	0.07	0.39	34.0	0.14	2.88	17.2	1.2
12-783		0.15	1.2	0.250	0.10	0.17	44.4	0.05	3.40	71.3	3.9
12-784		0.01	1.9	0.069	0.07	0.43	22.4	0.11	2.35	12.2	0.7
12-785		0.01	3.8	0.171	0.18	1.10	32.4	0.10	9.78	30.8	1.3
12-786		0.01	2.7	0.144	0.06	0.43	40.1	0.12	2.84	21.4	1.7
12-787		<0.01	2.0	0.088	0.05	0.36	16.7	0.06	2.95	16.8	1.0

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-788	<0.01	1.8	0.106	0.04	0.37	25.3	0.07	2.08	12.2	0.8	
12-789	<0.01	0.7	0.290	0.07	0.18	56.6	<0.05	2.85	39.3	0.7	
12-790	<0.01	0.8	0.218	0.03	0.30	41.5	<0.05	1.92	14.6	0.8	
12-791	<0.01	1.7	0.196	0.05	0.47	42.0	0.08	3.38	54.3	1.7	
12-792	<0.01	5.6	0.095	0.10	0.97	21.8	0.10	9.66	21.5	1.4	
12-793	<0.01	1.4	0.086	0.05	0.94	15.2	0.08	4.57	19.5	0.7	
12-794	0.01	2.1	0.100	0.05	0.38	28.4	0.09	2.93	18.6	1.0	
12-795	<0.01	2.3	0.059	0.06	0.47	14.2	0.08	5.15	10.5	0.9	
12-796	<0.01	2.2	0.055	0.05	0.35	14.0	0.08	2.46	13.4	0.9	
12-797	0.01	3.7	0.062	0.07	0.48	14.2	0.11	8.60	18.9	1.8	
12-798	<0.01	2.9	0.049	0.06	0.41	10.8	0.10	7.11	19.1	1.5	
12-799	<0.01	5.2	0.055	0.14	0.53	9.6	0.12	12.0	17.7	6.7	
12-800	0.01	2.7	0.085	0.11	0.69	19.9	0.10	2.58	20.7	0.9	
12-801	0.02	2.6	0.085	0.12	0.69	21.1	0.12	2.60	21.1	0.6	
12-802	0.02	2.3	0.160	0.06	0.46	45.9	0.14	1.73	16.9	2.1	
12-803	0.02	2.0	0.181	0.10	0.53	43.9	0.17	2.18	39.1	1.4	
12-804	0.03	2.1	0.078	0.36	4.12	28.6	0.12	21.7	43.8	0.7	
12-805	0.01	2.9	0.082	0.07	0.48	24.6	0.36	3.49	13.8	1.5	
12-806	<0.01	2.4	0.068	0.05	0.35	18.6	0.08	2.20	15.9	0.8	
12-807	<0.01	2.6	0.082	0.04	0.34	16.1	0.07	2.58	17.3	1.3	
12-808	0.02	1.4	0.146	0.06	0.38	23.2	0.18	1.52	9.8	0.8	
12-809	0.01	2.9	0.155	0.07	0.52	39.5	0.13	2.88	32.3	1.8	
12-810	<0.01	3.5	0.097	0.08	0.57	21.8	0.11	4.63	25.4	1.6	
12-811	0.01	2.9	0.101	0.06	0.49	21.4	0.14	3.92	26.4	0.8	
12-812	<0.01	3.2	0.097	0.07	0.55	24.1	0.12	4.47	20.8	1.3	
12-813	0.01	2.5	0.091	0.06	0.51	25.1	0.11	3.47	22.5	0.8	
12-814	0.02	1.9	0.146	0.05	0.43	21.7	0.11	4.16	25.2	1.7	
12-815	0.02	2.5	0.136	0.09	0.40	42.2	0.10	2.44	21.1	0.7	
12-816	0.01	2.2	0.157	0.07	0.31	32.7	0.10	2.34	21.6	2.1	
12-817	0.01	2.4	0.110	0.08	1.29	27.6	0.11	11.0	39.0	2.3	
12-818	0.01	3.5	0.079	0.11	0.55	16.7	0.14	8.74	38.9	2.4	
12-819	0.07	0.9	0.083	0.08	0.53	35.1	0.15	8.52	66.9	<0.5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-820		0.06	1.7	0.119	0.06	0.26	53.6	0.20	2.02	60.5	0.7
12-821		0.01	2.4	0.077	0.08	0.31	23.4	0.12	1.85	38.4	0.7
12-822		0.03	2.1	0.121	0.08	0.34	28.4	0.15	2.05	78.8	0.6
12-823		0.02	3.4	0.117	0.12	1.22	30.5	0.18	8.49	244	0.8
12-824		0.02	1.4	0.112	0.07	0.59	30.4	0.23	5.00	79.3	<0.5
12-825		<0.01	2.9	0.084	0.09	0.53	21.1	0.18	3.66	31.7	0.7
12-826		0.01	3.1	0.079	0.09	0.55	20.9	0.20	3.96	30.1	0.8
12-827		0.02	2.9	0.060	0.08	0.44	13.7	0.13	4.58	18.9	0.7
12-828		0.03	1.6	0.107	0.11	0.70	39.1	0.14	8.61	60.1	<0.5
12-829		0.05	5.6	0.245	0.28	1.00	52.2	0.19	8.53	64.1	4.0
12-830		<0.01	2.2	0.054	0.09	0.39	16.7	0.10	3.23	25.1	0.5
12-831		0.06	1.7	0.100	0.05	0.29	27.9	0.16	3.53	15.3	0.5
12-832		0.05	2.0	0.136	0.05	0.23	83.4	0.21	1.47	13.2	0.8
12-833		0.01	1.5	0.154	0.17	2.01	51.5	0.14	12.4	19.8	1.9
12-834		0.03	2.5	0.111	0.09	0.45	26.3	0.17	3.04	21.4	1.1
12-835		0.03	2.8	0.138	0.11	0.48	31.6	0.15	4.22	29.2	1.0
12-836		<0.01	2.7	0.087	0.09	0.41	22.7	0.11	3.04	16.4	1.3
12-837		0.03	1.4	0.118	0.06	0.28	32.3	0.14	2.25	19.4	1.2
12-838		0.02	1.6	0.122	0.05	0.47	32.9	0.08	4.04	28.2	1.8
12-839		0.03	3.1	0.130	0.07	0.43	40.7	0.19	3.76	24.5	1.0
12-840		0.03	2.1	0.104	0.05	0.35	42.5	0.20	2.11	22.8	0.9
12-841		<0.01	2.7	0.061	0.06	0.46	16.5	0.10	3.58	17.4	0.9
12-842		0.01	2.6	0.084	0.05	0.33	36.7	0.09	1.79	16.9	1.0
12-843		0.06	0.7	0.093	0.12	0.50	31.0	0.86	4.71	26.2	1.2
12-844		0.01	1.3	0.075	0.05	0.69	20.6	0.06	2.60	9.4	0.7
12-845		<0.01	0.6	0.059	0.05	0.57	15.2	0.05	2.08	12.3	<0.5
12-846		0.02	3.6	0.068	0.06	1.84	32.9	0.11	5.88	11.2	2.2
12-847		0.02	1.3	0.079	0.04	1.01	27.4	0.12	3.02	12.5	0.6
12-848		0.01	0.3	0.035	0.12	2.01	13.9	0.10	16.6	77.4	0.5
12-849		<0.01	2.3	0.081	0.04	0.40	15.7	0.07	3.60	104	0.9
12-850		<0.01	2.5	0.059	0.04	0.33	19.6	0.07	1.62	23.1	0.8
12-851		<0.01	2.6	0.064	0.05	0.38	21.9	0.12	2.00	36.0	0.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-852	<0.01	0.1	0.073	0.05	0.41	23.9	0.08	0.05	0.05	17.6	1.4
12-853	0.02	2.5	0.127	0.05	0.31	44.1	0.17	1.79	26.0	26.0	1.5
12-854	0.02	2.6	0.063	0.18	1.98	15.7	0.09	34.5	52.3	52.3	2.9
12-855	0.02	1.5	0.065	0.04	0.43	25.4	0.11	2.10	28.6	28.6	0.6
12-856	0.01	2.3	0.106	0.04	0.38	36.1	0.13	2.10	10.4	10.4	0.8
12-857	0.01	2.0	0.083	0.04	0.40	25.0	0.11	2.27	15.1	15.1	0.7
12-858	0.02	2.5	0.123	0.05	0.38	41.8	0.13	2.29	23.0	23.0	1.6
12-859	0.01	1.7	0.199	0.06	0.82	42.0	0.05	10.2	42.2	42.2	1.1
12-860	<0.01	1.2	0.065	0.04	0.31	20.6	0.05	1.58	8.8	8.8	<0.5
12-861	<0.01	2.4	0.082	0.05	0.38	25.5	0.08	1.92	10.6	10.6	0.8
12-862	0.01	2.8	0.267	0.14	0.36	62.1	0.07	2.76	41.4	41.4	3.6
12-863	<0.01	1.4	0.052	0.03	0.40	19.0	0.20	2.93	10.0	10.0	1.4
12-864	<0.01	2.4	0.096	0.07	0.41	21.5	0.09	2.11	20.8	20.8	1.3
12-865	<0.01	2.7	0.063	0.08	0.45	15.2	0.07	3.28	23.6	23.6	0.8
12-866	0.01	2.1	0.067	0.03	0.30	19.9	0.08	1.13	9.3	9.3	<0.5
12-867	0.01	3.0	0.082	0.07	0.57	23.7	0.17	2.93	17.4	17.4	1.3
12-868	0.03	1.3	0.046	0.05	0.64	25.3	0.59	2.08	8.5	8.5	0.5
12-869	0.03	1.5	0.105	0.07	0.57	51.9	0.23	2.46	29.7	29.7	0.7
12-870	0.01	2.5	0.098	0.06	0.42	22.5	0.12	4.09	20.2	20.2	1.1
12-1680	0.02	1.3	0.207	0.05	0.37	41.7	0.24	2.51	37.5	37.5	2.4
12-1681	0.02	1.6	0.117	0.05	0.41	44.8	0.16	1.55	22.5	22.5	0.8
12-1682	0.02	1.7	0.103	0.04	0.33	29.5	0.14	1.90	18.2	18.2	0.8
12-1683	0.02	2.2	0.071	0.05	0.44	26.7	0.13	2.13	15.5	15.5	0.7
12-1684	0.02	1.9	0.068	0.05	0.44	22.2	0.14	2.36	17.2	17.2	1.1
12-1685	0.02	2.8	0.098	0.05	0.48	40.2	0.16	3.33	15.8	15.8	1.7
12-1686	<0.01	0.9	0.094	0.05	0.30	34.6	0.15	4.07	34.6	34.6	<0.5
12-1687	0.02	1.0	0.077	0.08	1.04	23.4	0.08	12.0	32.0	32.0	0.7
12-1688	0.01	0.3	0.006	0.03	0.27	1.8	0.05	3.64	20.6	20.6	0.8
12-1689	0.03	<0.1	0.021	0.01	0.08	6.6	<0.05	0.44	1.8	1.8	<0.5
12-1690	0.01	1.2	0.091	0.08	0.43	18.4	0.13	2.57	16.9	16.9	0.6
12-1691	0.01	1.3	0.069	0.03	0.23	24.6	0.08	1.41	15.9	15.9	<0.5
12-1692	0.02	2.0	0.081	0.06	0.54	26.8	0.21	1.81	23.0	23.0	<0.5

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1693	<0.01	0.1	2.4	0.084	0.06	0.38	19.1	0.11	2.09	17.3	0.5
12-1694	0.01	1.7	0.075	0.06	0.37	0.13	19.9	0.13	1.79	23.6	<0.5
12-1695	0.02	3.1	0.087	0.06	0.45	0.16	24.5	0.16	3.45	381	0.7
12-1696	<0.01	1.4	0.047	0.03	0.31	0.10	17.5	0.10	4.07	23.0	<0.5
12-1697	0.01	1.7	0.117	0.04	0.29	0.14	35.9	0.14	1.75	10.1	0.6
12-1698	0.03	2.5	0.097	0.06	0.38	0.18	36.0	0.18	2.04	19.5	0.6
12-1699	0.02	2.5	0.125	0.05	0.39	0.19	50.7	0.19	1.89	21.1	0.8
12-871	0.02	1.5	0.111	0.04	0.27	0.14	40.0	0.14	1.32	11.6	<0.5
12-872	0.02	0.9	0.210	0.05	0.20	0.17	51.6	0.17	7.73	98.1	2.2
12-873	0.02	1.8	0.121	0.07	0.34	0.17	32.6	0.17	2.52	25.2	1.1
12-874	0.03	4.3	0.083	0.17	1.44	0.21	45.7	0.21	11.9	31.1	2.8
12-875	0.02	1.2	0.141	0.12	0.67	0.10	52.3	0.10	3.04	52.6	<0.5
12-876	0.01	1.5	0.136	0.12	0.42	0.19	40.9	0.19	2.24	53.3	0.5
12-877	0.02	1.9	0.119	0.07	0.48	0.12	45.1	0.12	3.53	38.1	0.9
12-878	0.02	0.7	0.052	0.06	1.05	0.08	22.9	0.08	12.6	53.3	0.6
12-879	0.02	2.3	0.107	0.09	0.42	0.09	22.0	0.09	3.44	46.5	1.1
12-880	<0.01	1.0	0.103	0.02	0.20	0.08	31.3	0.08	9.47	60.6	0.5
12-881	0.02	0.4	0.062	0.08	1.27	0.09	24.7	0.09	13.2	32.5	0.6
12-882	0.01	1.7	0.084	0.07	0.39	0.09	23.4	0.09	2.51	15.9	<0.5
12-883	0.01	1.1	0.139	0.09	0.72	0.14	46.2	0.14	2.91	34.7	<0.5
12-884	<0.01	1.4	0.090	0.07	0.59	0.07	20.1	0.07	3.41	28.0	0.5
12-885	<0.01	0.2	0.059	0.01	0.12	<0.05	26.9	<0.05	1.17	9.7	<0.5
12-886	0.06	0.3	0.023	0.10	0.59	0.07	42.8	0.07	6.93	79.0	<0.5
12-887	0.02	3.2	0.079	0.06	0.41	0.15	32.2	0.15	1.98	16.8	1.2
12-888	0.06	0.6	0.038	0.20	1.26	0.11	30.6	0.11	9.13	58.1	<0.5
12-889	0.03	0.6	0.041	0.07	0.51	0.12	33.1	0.12	1.88	31.9	<0.5
12-890	0.03	2.5	0.232	0.07	0.62	0.14	54.0	0.14	4.85	29.2	7.1
12-891	0.02	1.4	0.063	0.03	0.26	0.09	23.4	0.09	1.36	6.1	0.6
12-892	0.02	5.5	0.074	0.17	1.56	0.14	16.8	0.14	11.7	38.7	1.5
12-893	0.01	1.6	0.099	0.06	0.48	0.13	24.8	0.13	2.76	23.3	0.6
12-894	0.02	2.2	0.132	0.06	0.36	0.17	50.5	0.17	1.72	12.0	1.0
12-895	0.02	0.8	0.079	0.04	0.48	0.11	31.4	0.11	2.47	20.1	0.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-896	<0.01	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-897	<0.01	0.01	2.7	0.064	0.05	0.44	19.7	0.08	2.93	16.8	1.2
12-898	<0.01	0.01	2.4	0.088	0.05	0.42	18.5	0.16	3.44	17.0	0.8
12-899	<0.01	0.01	2.0	0.080	0.06	0.41	14.5	0.06	3.74	19.3	0.8
12-900	<0.01	0.01	2.5	0.097	0.04	0.33	21.2	0.06	2.09	10.5	1.4
12-901	<0.01	0.01	3.2	0.062	0.09	0.88	12.1	0.10	10.6	49.4	2.9
12-902	<0.01	0.01	3.2	0.071	0.11	1.08	15.5	0.10	12.9	54.5	3.7
12-903	<0.01	0.01	2.5	0.082	0.20	0.55	20.6	0.28	12.5	72.7	2.7
12-904	<0.01	0.01	2.1	0.061	0.04	0.35	23.9	0.08	2.22	29.4	0.9
12-905	<0.01	0.01	1.4	0.128	0.08	0.32	46.0	0.14	2.30	43.2	1.0
12-906	<0.01	0.01	2.2	0.093	0.05	0.61	33.5	0.14	3.03	13.4	1.2
12-907	<0.01	0.01	3.3	0.063	0.07	0.45	15.9	0.07	5.24	18.3	1.4
12-908	<0.01	0.01	2.0	0.069	0.07	1.08	24.0	0.08	8.99	35.2	0.8
12-909	<0.01	0.01	2.2	0.056	0.07	1.12	13.0	0.09	10.9	19.3	1.0
12-910	<0.01	0.01	2.7	0.120	0.07	0.43	29.6	0.12	4.12	22.1	1.4
12-911	<0.01	0.01	2.2	0.117	0.05	0.34	25.4	0.07	2.96	26.5	1.1
12-912	<0.01	0.01	2.8	0.090	0.06	0.41	25.2	0.09	3.11	27.7	1.4
12-913	<0.01	0.01	3.4	0.077	0.08	0.78	17.8	0.10	14.4	24.3	1.1
12-914	<0.01	0.01	0.6	0.061	0.10	0.44	10.0	<0.05	1.79	10.3	<0.5
12-915	<0.01	0.01	2.5	0.086	0.05	0.53	24.1	0.11	4.79	23.9	1.2
12-916	<0.01	0.01	2.4	0.092	0.06	0.41	26.4	0.14	4.16	10.0	1.0
12-917	<0.01	0.01	2.1	0.152	0.06	0.36	51.0	0.13	2.02	21.2	1.1
12-918	<0.01	0.01	2.0	0.149	0.15	0.51	53.5	0.17	2.92	70.9	1.7
12-919	<0.01	0.01	2.1	0.079	0.08	0.50	30.2	0.12	2.07	19.5	0.5
12-920	<0.01	0.01	2.0	0.077	0.08	0.49	27.6	0.15	2.27	36.1	0.8
12-921	<0.01	0.01	2.3	0.071	0.05	0.44	12.9	0.08	2.17	22.8	0.7
12-922	<0.01	0.01	3.9	0.098	0.11	0.72	21.8	0.15	5.74	65.4	2.8
12-923	<0.01	0.01	3.2	0.057	0.03	0.53	3.2	0.08	6.25	13.7	2.2
12-924	<0.01	0.01	1.6	0.079	0.03	0.47	13.8	0.13	6.17	45.4	1.0
12-925	<0.01	0.01	2.8	0.146	0.09	0.45	42.8	0.08	3.54	35.5	2.4
12-926	<0.01	0.01	1.6	0.132	0.06	0.90	40.1	0.07	10.7	146	2.1
12-927	<0.01	0.01	2.1	0.117	0.06	0.75	34.4	0.11	7.36	119	2.0
12-927	<0.01	0.01	0.8	0.058	0.05	0.54	10.3	0.06	3.10	35.3	<0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-928	0.01	2.3	0.063	0.07	0.43	19.3	0.09	3.70	0.05	14.2	0.9
12-929	0.03	3.6	0.089	0.06	0.68	44.5	0.17	5.63	0.05	26.2	4.3
12-930	0.02	2.6	0.087	0.05	0.41	25.7	0.12	2.49	0.05	18.1	1.0
12-931	<0.01	2.2	0.044	0.05	0.78	12.0	0.10	18.1	0.05	15.7	1.4
12-932	0.02	2.8	0.076	0.07	0.41	34.9	0.13	2.71	0.05	90.5	1.2
12-933	0.01	1.6	0.030	0.07	0.54	17.3	0.10	3.16	0.05	17.4	0.5
12-934	<0.01	2.4	0.067	0.07	0.46	18.8	0.11	2.52	0.05	22.6	1.1
12-935	<0.01	2.6	0.097	0.04	0.36	21.4	0.08	2.50	0.05	20.0	1.0
12-936	<0.01	4.3	0.075	0.08	0.55	16.7	0.10	14.5	0.05	16.0	2.0
12-937	<0.01	2.8	0.063	0.06	0.43	10.3	0.06	5.20	0.05	21.0	1.4
12-938	<0.01	1.7	0.049	0.04	0.36	12.2	0.07	4.01	0.05	9.9	1.1
12-939	0.01	7.0	0.129	0.16	1.20	36.7	0.17	20.9	0.05	72.7	16.0
12-940	0.01	8.2	0.151	0.21	0.81	42.2	0.17	21.1	0.05	65.0	15.9
12-1191	<0.01	2.1	0.082	0.16	0.62	21.3	0.12	2.71	0.05	30.0	0.7
12-1192	<0.01	2.9	0.116	0.07	0.48	29.6	0.14	2.73	0.05	73.7	1.1
12-1193	0.02	2.0	0.100	0.12	0.54	38.2	0.24	2.17	0.05	39.8	0.9
12-1194	0.01	1.3	0.077	0.11	0.68	43.5	0.18	2.65	0.05	15.9	0.6
12-1195	0.01	1.8	0.066	0.06	0.53	18.6	0.09	2.66	0.05	18.7	0.8
12-1196	0.01	1.6	0.072	0.07	0.53	18.9	0.11	2.73	0.05	19.4	0.7
12-1197	0.01	3.1	0.088	0.08	0.63	19.7	0.11	9.34	0.05	19.2	1.3
12-1198	0.02	2.2	0.092	0.05	0.40	25.1	0.16	3.15	0.05	17.4	1.0
12-1199	0.01	2.1	0.077	0.06	0.45	23.7	0.12	2.98	0.05	18.0	0.9
12-1200	<0.01	2.8	0.062	0.05	0.52	15.6	0.31	5.31	0.05	22.7	0.9
12-1201	<0.01	3.0	0.069	0.04	0.44	13.8	0.07	4.15	0.05	17.0	1.2
12-1202	<0.01	2.8	0.121	0.05	0.53	29.0	0.09	5.84	0.05	46.5	2.1
12-1203	<0.01	2.8	0.106	0.06	0.47	25.6	0.11	3.77	0.05	22.6	1.4
12-1204	<0.01	3.9	0.089	0.06	0.76	20.2	0.13	16.9	0.05	29.9	1.8
12-1205	<0.01	1.3	0.055	0.04	1.45	7.3	0.13	12.3	0.05	15.6	1.3
12-1206	<0.01	3.0	0.079	0.05	0.74	8.7	0.77	5.68	0.05	22.2	1.3
12-1207	0.01	3.1	0.102	0.06	0.54	24.9	0.13	3.55	0.05	28.1	1.7
12-1208	<0.01	2.0	0.101	0.08	0.40	16.6	0.07	2.30	0.05	16.6	0.8
12-1209	<0.01	3.2	0.064	0.04	0.40	23.6	<0.05	1.29	0.05	8.6	0.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1210	0.04	0.04	1.8	0.078	0.13	0.66	25.3	0.18	4.30	330	0.7
12-1211	0.01	0.01	2.4	0.056	0.08	0.46	18.4	0.10	2.81	69.1	1.0
12-1212	0.02	0.02	3.3	0.088	0.11	0.71	27.6	0.12	5.91	775	1.4
12-1213	<0.01	<0.01	4.4	0.086	0.06	0.60	17.1	0.12	9.21	80.2	1.9
12-1214	<0.01	<0.01	4.5	0.071	0.06	0.53	11.0	0.12	4.20	15.0	2.7
12-1215	<0.01	<0.01	2.4	0.086	0.04	0.29	27.0	0.07	1.44	4.3	0.8
12-1216	<0.01	<0.01	1.5	0.085	0.03	0.24	23.6	<0.05	1.27	6.4	<0.5
12-1217	<0.01	<0.01	1.3	0.220	0.03	0.32	27.6	<0.05	3.70	7.2	3.6
12-1218	0.01	0.01	2.4	0.099	0.05	0.37	26.4	0.09	2.01	10.6	1.0
12-1219	0.02	0.02	2.6	0.097	0.09	0.42	28.4	0.11	2.44	38.3	1.0
12-1220	<0.01	<0.01	2.8	0.111	0.05	0.58	22.0	0.07	4.75	20.5	1.2
12-1221	<0.01	<0.01	2.3	0.061	0.05	0.35	16.8	0.06	2.29	6.5	0.8
12-1222	<0.01	<0.01	2.8	0.054	0.05	0.39	14.7	<0.05	2.82	16.0	1.0
12-1223	0.03	0.03	2.3	0.226	0.07	0.36	119	0.19	2.64	26.2	2.4
12-1224	<0.01	<0.01	2.7	0.096	0.09	0.52	22.1	0.12	4.94	26.9	2.0
12-1225	<0.01	<0.01	2.0	0.081	0.07	0.41	18.4	0.08	2.51	23.3	1.5
12-1226	0.01	0.01	2.0	0.067	0.06	0.41	15.3	0.18	3.41	21.4	0.9
12-1227	0.01	0.01	3.2	0.090	0.11	0.51	20.6	0.13	5.33	42.3	1.6
12-1228	0.01	0.01	2.9	0.093	0.10	0.44	21.2	0.12	4.09	31.0	2.0
12-1229	0.01	0.01	4.6	0.106	0.15	0.58	24.3	0.14	6.30	41.1	4.0
12-1230	0.02	0.02	5.1	0.134	0.19	0.68	33.5	0.15	10.0	50.8	3.8
12-1231	0.01	0.01	3.0	0.084	0.09	0.48	19.3	0.12	4.26	32.5	1.7
12-1232	<0.01	<0.01	3.1	0.066	0.08	0.50	13.8	0.09	4.97	26.9	2.1
12-1233	0.01	0.01	3.6	0.100	0.12	0.51	22.5	0.13	5.09	41.3	2.0
12-1234	<0.01	<0.01	2.6	0.066	0.07	0.37	11.4	0.07	2.87	24.3	0.6
12-1235	<0.01	<0.01	3.1	0.047	0.06	0.38	10.5	0.07	5.30	15.4	1.9
12-1236	<0.01	<0.01	4.1	0.073	0.08	0.52	12.8	0.09	8.58	29.9	3.0
12-1237	<0.01	<0.01	2.9	0.057	0.09	0.64	12.4	0.08	7.13	38.1	2.2
12-1238	<0.01	<0.01	4.6	0.076	0.10	0.58	17.1	0.09	10.1	40.1	4.2
12-1239	0.01	0.01	2.4	0.077	0.09	0.56	18.9	0.10	5.32	46.4	1.4
12-1240	<0.01	<0.01	1.1	0.039	0.07	0.86	7.1	0.06	5.20	33.6	1.0
12-941	0.01	0.01	6.5	0.101	0.11	0.65	22.5	0.12	14.6	31.4	28.1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-942	0.02	2.8	0.107	0.08	0.58	28.8	0.15	3.79	33.0	2.2	
12-943	0.02	0.9	0.079	0.04	0.44	34.5	0.11	2.00	17.4	<0.5	
12-944	<0.01	1.4	0.051	0.03	0.40	9.4	0.07	3.65	15.4	0.6	
12-945	0.01	2.5	0.089	0.07	0.45	22.1	0.12	3.49	24.2	1.1	
12-946	0.02	2.0	0.167	0.08	0.37	40.8	0.10	3.74	73.4	2.4	
12-947	0.01	2.7	0.070	0.07	0.48	25.0	0.15	3.17	26.0	0.9	
12-948	<0.01	3.3	0.074	0.06	0.54	15.3	0.12	4.79	31.2	1.0	
12-949	0.02	1.3	0.081	0.08	0.51	18.2	0.12	3.11	35.7	<0.5	
12-950	0.01	3.2	0.081	0.16	0.95	19.8	0.12	15.0	66.2	2.9	
12-951	<0.01	3.5	0.086	0.15	0.94	20.5	0.13	15.4	59.6	2.8	
12-952	<0.01	4.1	0.088	0.09	0.56	19.7	0.11	6.16	27.2	4.3	
12-953	0.01	3.9	0.112	0.07	0.52	40.6	0.15	3.03	47.4	1.9	
12-954	<0.01	5.3	0.084	0.11	0.68	17.2	0.13	12.9	41.0	10.8	
12-955	<0.01	3.5	0.067	0.07	0.60	11.5	0.10	12.8	26.7	2.6	
12-956	0.02	2.2	0.139	0.07	0.52	90.5	0.13	11.7	39.5	1.1	
12-957	0.02	1.5	0.058	0.11	1.10	17.3	0.12	10.1	24.4	0.6	
12-958	0.02	0.9	0.067	0.12	1.26	27.1	0.08	16.6	42.1	0.7	
12-959	<0.01	1.5	0.069	0.06	0.49	17.4	0.07	3.45	30.4	<0.5	
12-960	0.01	3.5	0.086	0.13	0.94	22.3	0.08	9.62	63.7	1.1	
12-961	<0.01	0.9	0.094	0.04	0.29	20.9	<0.05	1.64	17.3	<0.5	
12-962	<0.01	1.3	0.091	0.07	1.14	17.3	0.07	12.1	17.3	0.6	
12-963	0.02	2.7	0.083	0.08	0.64	28.5	0.14	3.34	18.9	1.2	
12-964	0.01	2.0	0.099	0.04	0.43	22.3	0.08	2.37	12.4	0.7	
12-965	<0.01	3.0	0.076	0.07	0.50	14.7	0.11	4.19	16.0	1.3	
12-966	<0.01	5.0	0.074	0.14	0.76	21.8	0.12	11.0	11.2	2.1	
12-967	0.03	1.4	0.006	1.59	2.52	11.7	<0.05	42.9	158	5.4	
12-968	0.02	2.1	0.096	0.09	0.52	21.0	0.09	5.21	82.5	0.9	
12-969	<0.01	2.4	0.077	0.06	0.31	15.7	0.11	2.65	13.7	1.1	
12-970	<0.01	3.2	0.088	0.06	0.46	24.1	0.09	4.37	20.2	1.7	
12-971	<0.01	2.8	0.067	0.05	0.42	19.1	0.09	3.03	9.3	0.8	
12-972	0.01	3.0	0.075	0.08	0.44	19.5	0.11	3.30	36.4	1.6	
12-973	0.01	2.8	0.085	0.07	0.36	19.3	0.11	2.74	22.6	0.9	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-974	0.01	2.7	0.076	0.05	0.43	17.0	0.13	3.56	0.5	15.5	0.7
12-975	0.02	1.6	0.036	0.01	0.21	9.9	<0.05	1.27	2.6	<0.5	<0.5
12-976	0.03	1.6	0.037	0.01	0.20	9.2	<0.05	1.11	3.1	<0.5	<0.5
12-977	0.02	3.8	0.120	0.04	0.42	40.6	0.19	4.41	14.5	3.9	3.9
12-978	0.01	2.4	0.078	0.06	0.44	18.8	0.11	3.73	22.4	0.9	0.9
12-979	0.02	2.4	0.074	0.06	0.39	27.9	0.15	2.37	25.1	0.7	0.7
12-980	0.02	1.4	0.093	0.04	0.41	26.0	0.20	2.48	18.2	0.7	0.7
12-981	0.02	2.7	0.100	0.05	0.46	29.4	0.12	3.49	27.9	0.8	0.8
12-982	0.03	2.4	0.057	0.24	2.96	20.7	0.13	66.0	33.0	2.8	2.8
12-983	0.01	3.0	0.063	0.05	0.64	19.7	0.11	3.91	14.2	1.1	1.1
12-984	0.02	2.8	0.067	0.08	0.86	28.9	0.14	5.27	17.1	1.0	1.0
12-985	0.03	1.2	0.126	0.05	0.66	37.8	0.11	3.94	70.4	<0.5	<0.5
12-986	0.02	3.2	0.118	0.14	0.55	27.9	0.15	6.12	52.9	2.0	2.0
12-987	0.02	7.5	0.152	0.18	0.75	40.8	0.19	17.3	72.3	8.2	8.2
12-988	0.01	5.9	0.089	0.12	0.61	18.9	0.12	13.8	25.4	17.3	17.3
12-989	<0.01	4.8	0.075	0.14	0.77	18.8	0.16	16.2	39.4	7.9	7.9
12-990	0.01	3.8	0.082	0.13	0.95	19.2	0.12	18.5	64.0	3.3	3.3
12-991	0.01	6.3	0.098	0.15	0.58	27.2	0.15	17.6	39.7	5.3	5.3
12-992	0.01	2.1	0.107	0.09	0.51	26.9	0.15	4.76	43.5	1.9	1.9
12-993	0.03	1.3	0.079	0.06	0.72	25.8	0.12	6.07	30.6	0.7	0.7
12-994	0.01	1.6	0.079	0.05	0.32	27.0	0.12	1.76	32.5	0.5	0.5
12-995	0.04	1.4	0.189	0.06	0.39	53.2	0.50	2.35	83.0	1.7	1.7
12-996	<0.01	2.2	0.080	0.10	0.41	21.7	0.13	2.78	40.7	1.5	1.5
12-997	0.03	2.5	0.101	0.06	0.80	47.3	0.24	2.70	15.8	1.6	1.6
12-998	0.02	3.6	0.099	0.08	0.73	32.7	0.15	6.24	15.8	2.7	2.7
12-999	0.02	1.8	0.088	0.05	0.63	44.4	0.18	2.18	15.0	1.1	1.1
12-1000	<0.01	2.8	0.069	0.06	0.47	25.3	0.07	2.26	12.9	1.2	1.2
12-1001	0.01	2.5	0.090	0.07	0.49	25.1	0.08	2.68	16.7	1.0	1.0
12-1002	<0.01	3.4	0.046	0.12	1.38	17.7	0.09	10.9	29.9	1.6	1.6
12-1003	0.05	1.7	0.082	0.05	0.54	37.9	0.14	2.85	49.8	0.9	0.9
12-1004	<0.01	2.4	0.096	0.06	0.41	27.0	0.07	2.81	26.0	1.4	1.4
12-1005	<0.01	2.0	0.169	0.06	0.38	47.6	0.08	2.36	20.0	1.5	1.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1006	0.01	0.01	2.0	0.095	0.07	0.45	22.3	0.11	1.71	24.8	0.7
12-1007	<0.01	0.01	2.1	0.058	0.04	0.32	20.0	0.09	2.16	11.3	0.6
12-1008	0.02	0.01	2.2	0.137	0.05	0.30	46.4	0.14	1.50	13.4	0.9
12-1009	<0.01	0.01	2.6	0.097	0.07	0.41	18.0	0.12	1.97	26.9	0.5
12-1010	0.12	0.01	1.2	0.099	0.17	1.57	58.7	0.18	4.70	76.0	0.6
12-1640	<0.01	0.01	3.5	0.046	0.05	0.50	11.0	0.09	4.98	9.7	1.4
12-1641	<0.01	0.01	3.3	0.073	0.06	0.64	21.1	0.12	6.74	11.1	1.9
12-1642	0.03	0.01	4.9	0.113	0.07	1.42	26.9	0.19	12.2	104	6.8
12-1643	<0.01	0.01	2.4	0.068	0.08	0.42	15.6	0.09	3.33	23.3	0.7
12-1644	0.02	0.01	2.3	0.076	0.07	0.58	27.4	0.14	2.68	22.1	0.8
12-1645	0.01	0.01	2.9	0.083	0.09	0.53	23.9	0.13	3.55	19.6	1.6
12-1646	0.04	0.01	2.6	0.066	0.07	1.18	20.6	0.15	9.78	13.6	2.0
12-1647	0.02	0.01	2.8	0.077	0.05	0.49	23.2	0.31	2.46	15.9	1.0
12-1648	0.02	0.01	2.5	0.062	0.06	0.55	21.6	0.35	2.18	20.9	0.9
12-1649	0.03	0.01	4.1	0.104	0.11	0.97	36.9	4.71	6.54	43.5	3.7
12-1650	0.02	0.01	1.5	0.059	0.07	0.35	19.3	0.21	1.88	34.7	<0.5
12-1651	0.01	0.01	1.8	0.067	0.07	0.37	21.2	0.19	2.00	38.4	0.5
12-1652	0.02	0.01	2.6	0.079	0.08	0.43	23.0	0.40	3.54	24.4	1.8
12-1653	<0.01	0.01	4.3	0.081	0.10	0.52	15.5	0.15	7.91	18.5	5.3
12-1654	0.03	0.01	1.7	0.063	0.07	0.81	22.7	0.18	17.4	36.9	0.5
12-1655	0.02	0.01	2.5	0.047	0.08	0.51	18.5	0.15	11.2	23.6	0.8
12-1656	0.01	0.01	2.1	0.067	0.04	0.37	21.8	0.14	2.51	18.2	<0.5
12-1657	0.01	0.01	2.2	0.077	0.06	0.38	26.1	0.11	2.49	32.4	0.6
12-1658	0.01	0.01	2.0	0.074	0.05	0.39	25.4	0.13	3.27	22.2	1.1
12-1659	0.02	0.01	2.0	0.076	0.07	0.42	21.1	0.13	4.05	23.9	1.2
12-1660	0.03	0.01	1.5	0.094	0.05	0.32	30.9	0.19	1.33	20.5	<0.5
12-1661	0.01	0.01	1.5	0.040	0.04	0.32	14.6	0.19	1.55	11.4	<0.5
12-1662	0.04	0.01	1.6	0.103	0.08	0.50	49.6	0.17	1.70	15.8	0.6
12-1663	<0.01	0.01	2.0	0.087	0.06	0.35	31.1	0.16	2.47	20.9	0.8
12-1664	<0.01	0.01	1.9	0.071	0.04	0.37	20.2	0.12	2.99	16.5	0.9
12-1665	0.02	0.01	2.5	0.070	0.06	0.42	25.7	0.14	3.42	59.7	1.0
12-1666	0.02	0.01	1.9	0.078	0.05	0.39	25.4	0.14	2.52	47.8	0.7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797

PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1667	<0.01	0.01	0.1	0.005	0.01	1.23	14.3	0.10	14.4	68.7	1.1
12-1668	0.01	2.4	2.4	0.094	0.09	1.59	35.6	0.16	28.8	47.0	1.7
12-1669	<0.01	0.01	2.3	0.058	0.05	0.39	20.0	0.11	2.16	15.4	0.6
12-1670	0.01	0.01	2.2	0.064	0.06	0.35	31.9	0.16	1.60	15.7	0.9
12-1671	0.01	0.01	2.1	0.095	0.05	0.40	29.8	0.14	2.80	24.4	0.7
12-1672	0.01	0.01	1.4	0.057	0.05	0.44	19.4	0.10	3.19	19.7	0.5
12-1673	<0.01	0.01	2.3	0.172	0.09	0.52	30.2	0.10	4.86	77.1	2.3
12-1674	<0.01	0.01	2.5	0.056	0.06	0.39	14.0	0.09	3.83	18.4	1.2
12-1675	0.03	0.03	1.7	0.072	0.04	0.37	38.3	0.16	1.76	38.8	0.7
12-1676	0.03	0.03	1.5	0.069	0.04	0.38	33.6	0.16	1.75	43.1	0.7
12-1677	0.02	0.02	2.7	0.126	0.05	0.41	39.1	0.23	2.26	23.8	1.4
12-1678	0.01	0.01	1.8	0.063	0.06	0.42	22.1	0.11	2.69	23.0	0.6
12-1679	0.03	0.03	2.0	0.118	0.08	0.44	37.6	0.13	13.2	26.8	1.6
12-1011	0.03	0.03	0.6	0.052	0.12	0.80	18.8	0.07	11.6	126	0.6
12-1012	0.02	0.02	1.8	0.056	0.05	0.37	22.6	0.06	2.22	7.2	0.5
12-1013	0.02	0.02	2.1	0.104	0.04	0.29	33.2	0.12	2.07	16.8	1.5
12-1014	<0.01	0.01	1.0	0.108	0.05	0.32	18.0	0.06	1.84	26.2	0.8
12-1015	0.02	0.02	2.2	0.100	0.05	0.52	60.8	0.10	2.85	15.3	0.9
12-1016	0.02	0.02	0.8	0.102	0.06	0.77	34.1	0.09	3.45	29.0	1.0
12-1017	0.01	0.01	2.1	0.077	0.05	0.31	19.6	0.10	1.81	5.5	0.6
12-1018	0.01	0.01	2.9	0.078	0.10	0.48	17.8	0.11	3.02	19.8	1.0
12-1019	0.03	0.03	1.4	0.115	0.06	0.59	43.5	0.21	2.83	28.4	0.9
12-1020	0.02	0.02	1.0	0.222	0.07	0.26	57.9	0.39	2.89	57.7	1.0
12-1021	0.01	0.01	1.7	0.106	0.10	0.40	27.7	0.15	2.40	43.6	0.7
12-1022	0.02	0.02	0.6	0.050	0.11	0.88	17.4	0.12	4.59	24.1	0.5
12-1023	0.02	0.02	0.6	0.070	0.08	0.78	31.2	0.17	4.09	22.5	0.5
12-1024	<0.01	0.01	0.8	0.072	0.04	0.28	15.7	0.19	1.69	15.8	0.8
12-1025	<0.01	0.01	2.2	0.130	0.05	0.44	37.4	0.20	2.17	20.7	1.6
12-1026	0.01	0.01	2.4	0.119	0.05	0.41	32.7	0.19	2.08	20.8	1.0
12-1027	0.03	0.03	2.1	0.137	0.09	0.63	47.0	2.37	3.56	30.0	1.8
12-1028	0.01	0.01	1.8	0.086	0.08	0.54	28.1	0.35	3.48	18.5	1.0
12-1029	0.01	0.01	2.3	0.115	0.04	0.36	30.9	0.16	3.43	27.8	1.2

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1030	0.02	1.7	0.088	0.05	0.47	68.7	0.21	2.21	2.21	31.9	1.2
12-1031	0.02	1.9	0.135	0.06	0.38	34.7	0.19	2.67	2.67	41.8	1.4
12-1032	<0.01	2.3	0.059	0.06	0.33	13.0	0.08	2.94	2.94	14.0	0.8
12-1033	0.02	1.7	0.105	0.05	0.41	39.7	0.29	2.90	2.90	24.3	0.8
12-1034	0.01	1.7	0.089	0.06	0.38	25.3	0.14	2.99	2.99	18.4	0.9
12-1035	0.01	1.9	0.092	0.06	0.39	22.9	0.16	2.12	2.12	18.3	0.5
12-1036	<0.01	3.0	0.055	0.04	0.43	11.0	0.22	4.01	4.01	11.3	1.8
12-1037	0.02	2.2	0.120	0.07	0.51	27.4	0.17	3.73	3.73	29.7	1.2
12-1038	0.02	1.8	0.116	0.18	0.64	48.8	0.28	2.90	2.90	29.6	0.8
12-1039	0.02	2.1	0.091	0.06	0.47	24.6	0.15	2.60	2.60	24.9	0.9
12-1040	0.04	2.6	0.078	0.25	0.95	29.6	0.32	6.15	6.15	47.1	0.7
12-1041	0.01	1.8	0.072	0.05	0.35	18.5	0.11	1.27	1.27	5.6	<0.5
12-1042	0.01	0.8	0.104	0.04	0.22	32.2	0.14	1.21	1.21	9.5	<0.5
12-1043	<0.01	0.3	0.128	0.04	0.11	21.8	0.08	1.04	1.04	22.0	<0.5
12-1044	0.09	4.3	0.106	0.23	1.46	98.2	0.65	10.7	10.7	75.7	6.7
12-1045	0.01	0.6	0.059	0.07	0.38	13.1	0.06	1.04	1.04	14.0	<0.5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-756		0.027	
12-757		<0.001	
12-758		<0.001	
12-759		<0.001	
12-760		<0.001	
12-761		0.013	
12-762		<0.001	
12-763		<0.001	
12-764		<0.001	
12-765		<0.001	
12-766		<0.001	
12-767		<0.001	
12-768		<0.001	
12-769		<0.001	
12-770		<0.001	
12-771		<0.001	
12-772		<0.001	
12-773		<0.001	
12-774		<0.001	
12-775		<0.001	
12-776		<0.001	
12-777		<0.001	
12-778		<0.001	
12-779		<0.001	
12-780		<0.001	
12-781		<0.001	
12-782		<0.001	
12-783		<0.001	
12-784		<0.001	
12-785		0.011	
12-786		<0.001	
12-787		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Au ppm 0.001
12-788		<0.001
12-789		<0.001
12-790		<0.001
12-791		<0.001
12-792		<0.001
12-793		<0.001
12-794		<0.001
12-795		<0.001
12-796		0.009
12-797		<0.001
12-798		<0.001
12-799		<0.001
12-800		<0.001
12-801		<0.001
12-802		<0.001
12-803		<0.001
12-804		<0.001
12-805		<0.001
12-806		0.007
12-807		<0.001
12-808		0.013
12-809		<0.001
12-810		<0.001
12-811		<0.001
12-812		<0.001
12-813		<0.001
12-814		<0.001
12-815		<0.001
12-816		<0.001
12-817		<0.001
12-818		<0.001
12-819		<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-820		0.009	
12-821		<0.001	
12-822		<0.001	
12-823		<0.001	
12-824		<0.001	
12-825		<0.001	
12-826		<0.001	
12-827		<0.001	
12-828		0.002	
12-829		<0.001	
12-830		<0.001	
12-831		<0.001	
12-832		<0.001	
12-833		<0.001	
12-834		<0.001	
12-835		<0.001	
12-836		<0.001	
12-837		0.004	
12-838		<0.001	
12-839		<0.001	
12-840		<0.001	
12-841		<0.001	
12-842		<0.001	
12-843		<0.001	
12-844		<0.001	
12-845		<0.001	
12-846		<0.001	
12-847		<0.001	
12-848		<0.001	
12-849		0.010	
12-850		<0.001	
12-851		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-852		<0.001	
12-853		<0.001	
12-854		<0.001	
12-855		<0.001	
12-856		<0.001	
12-857		<0.001	
12-858		<0.001	
12-859		<0.001	
12-860		<0.001	
12-861		<0.001	
12-862		<0.001	
12-863		<0.001	
12-864		<0.001	
12-865		<0.001	
12-866		<0.001	
12-867		<0.001	
12-868		0.008	
12-869		<0.001	
12-870		<0.001	
12-1680		<0.001	
12-1681		<0.001	
12-1682		<0.001	
12-1683		<0.001	
12-1684		<0.001	
12-1685		<0.001	
12-1686		<0.001	
12-1687		<0.001	
12-1688		0.004	
12-1689		0.021	
12-1690		<0.001	
12-1691		<0.001	
12-1692		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	
	RDL:	0.001	
12-1693		<0.001	
12-1694		<0.001	
12-1695		<0.001	
12-1696		<0.001	
12-1697		<0.001	
12-1698		<0.001	
12-1699		<0.001	
12-871		0.096	
12-872		<0.001	
12-873		<0.001	
12-874		0.004	
12-875		0.002	
12-876		0.002	
12-877		0.001	
12-878		<0.001	
12-879		0.001	
12-880		0.002	
12-881		0.003	
12-882		0.002	
12-883		0.009	
12-884		0.002	
12-885		0.001	
12-886		0.005	
12-887		0.002	
12-888		0.005	
12-889		0.009	
12-890		0.002	
12-891		<0.001	
12-892		0.006	
12-893		0.003	
12-894		0.002	
12-895		0.004	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-896	Au	ppm	0.001
12-897			0.002
12-898			0.005
12-899			0.002
12-900			0.002
12-901			0.003
12-902			0.004
12-903			0.002
12-904			0.002
12-905			0.003
12-906			0.001
12-907			0.011
12-908			0.003
12-909			0.002
12-910			0.001
12-911			0.011
12-912			0.003
12-913			0.003
12-914			0.002
12-915			0.001
12-916			0.001
12-917			0.001
12-918			0.002
12-919			0.002
12-920			0.002
12-921			0.004
12-922			0.003
12-923			0.003
12-924			0.002
12-925			0.003
12-926			0.003
12-927			0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:		
12-928	Au ppm 0.001		
12-929	0.003		
12-930	0.011		
12-931	0.004		
12-932	0.003		
12-933	0.004		
12-934	0.002		
12-935	0.002		
12-936	0.002		
12-937	0.002		
12-938	0.004		
12-939	0.003		
12-940	0.003		
12-1191	0.001		
12-1192	0.002		
12-1193	0.002		
12-1194	0.003		
12-1195	0.002		
12-1196	0.002		
12-1197	0.002		
12-1198	0.002		
12-1199	0.003		
12-1200	0.002		
12-1201	0.001		
12-1202	0.002		
12-1203	0.009		
12-1204	0.002		
12-1205	0.003		
12-1206	0.002		
12-1207	0.002		
12-1208	<0.001		
12-1209	0.002		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1210		0.003	
12-1211		0.003	
12-1212		<0.001	
12-1213		0.003	
12-1214		0.001	
12-1215		0.001	
12-1216		0.001	
12-1217		0.007	
12-1218		0.002	
12-1219		0.002	
12-1220		0.002	
12-1221		0.001	
12-1222		0.002	
12-1223		0.005	
12-1224		0.003	
12-1225		0.001	
12-1226		0.004	
12-1227		0.010	
12-1228		0.002	
12-1229		0.001	
12-1230		0.001	
12-1231		0.002	
12-1232		0.002	
12-1233		0.001	
12-1234		<0.001	
12-1235		0.016	
12-1236		0.001	
12-1237		0.004	
12-1238		0.002	
12-1239		0.003	
12-1240		0.001	
12-941		0.002	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-942		0.178	
12-943		0.002	
12-944		0.001	
12-945		0.002	
12-946		0.001	
12-947		0.001	
12-948		0.002	
12-949		0.002	
12-950		0.012	
12-951		<0.001	
12-952		0.001	
12-953		0.001	
12-954		0.002	
12-955		0.001	
12-956		0.003	
12-957		0.020	
12-958		0.003	
12-959		<0.001	
12-960		0.002	
12-961		0.001	
12-962		0.002	
12-963		0.004	
12-964		0.007	
12-965		0.002	
12-966		<0.001	
12-967		<0.001	
12-968		<0.001	
12-969		0.001	
12-970		0.002	
12-971		0.001	
12-972		0.406	
12-973		0.002	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:		
12-974	Au ppm 0.001		
12-975	0.002		
12-976	0.003		
12-977	0.002		
12-978	0.003		
12-979	0.002		
12-980	0.002		
12-981	0.003		
12-982	0.010		
12-983	0.002		
12-984	0.001		
12-985	0.003		
12-986	<0.001		
12-987	0.002		
12-988	0.002		
12-989	0.001		
12-990	0.001		
12-991	0.006		
12-992	0.001		
12-993	0.709		
12-994	0.002		
12-995	0.002		
12-996	0.007		
12-997	0.002		
12-998	0.002		
12-999	0.001		
12-1000	0.002		
12-1001	0.006		
12-1002	0.001		
12-1003	0.002		
12-1004	0.002		
12-1005	0.002		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1006			0.001
12-1007		<0.001	
12-1008		0.001	
12-1009		0.002	
12-1010		0.004	
12-1640		0.002	
12-1641		0.001	
12-1642		0.004	
12-1643		0.002	
12-1644		0.001	
12-1645		0.001	
12-1646		0.002	
12-1647		0.002	
12-1648		0.001	
12-1649		0.003	
12-1650		0.001	
12-1651		0.003	
12-1652		0.005	
12-1653		0.008	
12-1654		0.001	
12-1655		0.002	
12-1656		0.001	
12-1657		0.001	
12-1658		0.002	
12-1659		0.003	
12-1660		0.001	
12-1661		0.009	
12-1662		<0.001	
12-1663		0.002	
12-1664		0.013	
12-1665		0.002	
12-1666		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil
Sample Description	Analyte:	Unit:	RDL:			
12-1667	Au	ppm	0.001			
12-1668			0.002			
12-1669			0.014			
12-1670			<0.001			
12-1671			<0.001			
12-1672			0.001			
12-1673			<0.001			
12-1674			0.001			
12-1675			0.002			
12-1676			0.002			
12-1677			<0.001			
12-1678			<0.001			
12-1679			0.004			
12-1011			0.002			
12-1012			0.002			
12-1013			<0.001			
12-1014			0.001			
12-1015			0.001			
12-1016			0.003			
12-1017			0.002			
12-1018			0.002			
12-1019			0.001			
12-1020			<0.001			
12-1021			0.002			
12-1022			0.001			
12-1023			0.015			
12-1024			0.001			
12-1025			0.001			
12-1026			<0.001			
12-1027			<0.001			
12-1028			0.003			
12-1029			0.007			

Fire Assay - Trace Au, ICP-OES finish (202052)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646797
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1030			0.001
12-1031			0.002
12-1032			0.002
12-1033			<0.001
12-1034			0.001
12-1035			<0.001
12-1036			0.001
12-1037			0.001
12-1038			0.003
12-1039			<0.001
12-1040			0.002
12-1041			<0.001
12-1042			0.001
12-1043			<0.001
12-1044			0.005
12-1045			0.005

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756877	0.085	0.089	4.6%	< 0.01	11.5	13.0	88%	80%	120%
Al	1	3756877	0.701	0.761	8.2%	< 0.01				80%	120%
As	1	3756877	1.25	0.94	28.3%	0.5				80%	120%
Au	1	3756877	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1		< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3756877	31	32	3.2%	< 1				80%	120%
Be	1	3756877	0.129	0.148	13.7%	< 0.05	0.3	0.4	73%	80%	120%
Bi	1	3756877	0.19	0.19	0.0%	< 0.01				80%	120%
Ca	1	3756877	0.27	0.29	7.1%	< 0.01				80%	120%
Cd	1	3756877	0.06	0.06	0.0%	< 0.01				80%	120%
Ce	1	3756877	21.0	22.8	8.2%	< 0.01				80%	120%
Co	1	3756877	2.32	2.57	10.2%	< 0.1				80%	120%
Cr	1	3756877	19.4	20.9	7.4%	< 0.5				80%	120%
Cs	1	3756877	2.26	2.50	10.1%	< 0.05				80%	120%
Cu	1	3756877	4.0	3.9	2.5%	< 0.1	6259	6000	104%	80%	120%
Fe	1	3756877	0.791	0.851	7.3%	< 0.01				80%	120%
Ga	1	3756877	4.36	4.77	9.0%	< 0.05				80%	120%
Ge	1	3756877	0.13	0.12	8.0%	0.10				80%	120%
Hf	1	3756877	0.07	0.05		< 0.02				80%	120%
Hg	1	3756877	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3756877	0.012	0.008		< 0.005				80%	120%
K	1	3756877	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3756877	10.4	11.4	9.2%	< 0.1				80%	120%
Li	1	3756877	7.19	8.67	18.7%	< 0.1				80%	120%
Mg	1	3756877	0.221	0.237	7.0%	< 0.01				80%	120%
Mn	1	3756877	70	76	8.2%	< 1				80%	120%
Mo	1	3756877	7.48	7.95	6.1%	< 0.05	292	360	81%	80%	120%
Na	1	3756877	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3756877	1.37	1.49	8.4%	< 0.05				80%	120%
Ni	1	3756877	7.7	8.0	3.8%	< 0.2				80%	120%
P	1	3756877	409	440	7.3%	< 10	705	600	117%	80%	120%
Pb	1	3756877	6.81	7.18	5.3%	0.2				80%	120%
Rb	1	3756877	5.3	5.9	10.7%	< 0.1	13	13	98%	80%	120%
Re	1	3756877	0.001	< 0.001		< 0.001				80%	120%
S	1	3756877	0.0202	0.0217	7.2%	< 0.005				80%	120%
Sb	1	3756877	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3756877	1.1	1.3	16.7%	< 0.1				80%	120%
Se	1	3756877	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3756877	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3756877	17.5	20.0	13.3%	< 0.2				80%	120%
Ta	1	3756877	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756877	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3756877	1.1	1.1	0.0%	< 0.1	1.2	1.4	87%	80%	120%
Ti	1	3756877	0.0770	0.0876	12.9%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1	3756877	0.071	0.076	6.8%	< 0.01				80%	120%
U	1	3756877	0.712	0.727	2.1%	< 0.05				80%	120%
V	1	3756877	15.0	15.9	5.8%	< 0.5				80%	120%
W	1	3756877	0.131	0.103	23.9%	< 0.05				80%	120%
Y	1	3756877	2.82	3.16	11.4%	< 0.05	7	7	94%	80%	120%
Zn	1	3756877	14.5	16.4	12.3%	< 0.5				80%	120%
Zr	1	3756877	0.7	0.7	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756902	0.07	0.07	0.0%	< 0.01	11.6	13.0	89%	80%	120%
Al	1	3756902	0.68	0.67	1.5%	< 0.01				80%	120%
As	1	3756902	1.4	1.3	7.4%	0.4				80%	120%
Au	1	3756902	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756902	< 5	< 5	0.0%	< 5	7.41	7.00	106%	80%	120%
Ba	1	3756902	47	47	0.0%	< 1				80%	120%
Be	1	3756902	0.168	0.163	3.0%	< 0.05	0.3	0.4	71%	80%	120%
Bi	1	3756902	0.12	0.12	0.0%	< 0.01				80%	120%
Ca	1	3756902	0.29	0.28	3.5%	< 0.01				80%	120%
Cd	1	3756902	0.09	0.09	0.0%	< 0.01				80%	120%
Ce	1	3756902	30.2	29.0	4.1%	< 0.01				80%	120%
Co	1	3756902	4.1	4.0	2.5%	< 0.1				80%	120%
Cr	1	3756902	15.3	15.1	1.3%	< 0.5				80%	120%
Cs	1	3756902	0.949	0.924	2.7%	< 0.05				80%	120%
Cu	1	3756902	15.2	14.9	2.0%	< 0.1	5807	6000	96%	80%	120%
Fe	1	3756902	1.17	1.17	0.0%	< 0.01				80%	120%
Ga	1	3756902	4.81	4.68	2.7%	< 0.05				80%	120%
Ge	1	3756902	0.139	0.145	4.2%	0.08				80%	120%
Hf	1	3756902	0.055	0.041	29.2%	< 0.02				80%	120%
Hg	1	3756902	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3756902	0.010	0.010	0.0%	< 0.005				80%	120%
K	1	3756902	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3756902	14.4	14.0	2.8%	< 0.1				80%	120%
Li	1	3756902	2.32	2.24	3.5%	< 0.1				80%	120%
Mg	1	3756902	0.18	0.18	0.0%	< 0.01				80%	120%
Mn	1	3756902	99	97	2.0%	< 1				80%	120%
Mo	1	3756902	0.41	0.41	0.0%	< 0.05	340	360	94%	80%	120%
Na	1	3756902	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3756902	1.68	1.54	8.7%	< 0.05				80%	120%
Ni	1	3756902	10.5	10.5	0.0%	< 0.2				80%	120%
P	1	3756902	617	607	1.6%	< 10	658	600	110%	80%	120%
Pb	1	3756902	7.75	7.64	1.4%	0.1				80%	120%
Rb	1	3756902	8.55	8.11	5.3%	< 0.1				80%	120%
Re	1	3756902	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756902	0.020	0.020	0.0%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sb	1	3756902	0.05	0.05	0.0%	< 0.05				80%	120%	
Sc	1	3756902	1.3	1.2	8.0%	< 0.1				80%	120%	
Se	1	3756902	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3756902	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3756902	29.8	27.8	6.9%	< 0.2				80%	120%	
Ta	1	3756902	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3756902	0.021	0.026	21.3%	< 0.01				80%	120%	
Th	1	3756902	1.6	1.6	0.0%	< 0.1	1.1	1.4	81%	80%	120%	
Ti	1	3756902	0.155	0.148	4.6%	< 0.005				80%	120%	
Tl	1	3756902	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3756902	0.44	0.44	0.0%	< 0.05				80%	120%	
V	1	3756902	22.0	21.5	2.3%	< 0.5				80%	120%	
W	1	3756902	0.062	0.068	9.2%	< 0.05				80%	120%	
Y	1	3756902	4.60	4.20	9.1%	< 0.05	7	7	95%	80%	120%	
Zn	1	3756902	21.8	21.2	2.8%	< 0.5				80%	120%	
Zr	1	3756902	1.59	1.33	17.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756927	0.02	0.02	0.0%	< 0.01	13	13.0	100%	80%	120%	
Al	1	3756927	0.59	0.55	7.0%	< 0.01				80%	120%	
As	1	3756927	1.7	2.4		0.4				80%	120%	
Au	1	3756927	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756927	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3756927	15	15	0.0%	< 1				80%	120%	
Be	1	3756927	0.10	0.09	10.5%	< 0.05	0.3	0.4	79%	80%	120%	
Bi	1	3756927	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3756927	0.12	0.11	8.7%	< 0.01				80%	120%	
Cd	1	3756927	0.048	0.044	8.7%	< 0.01				80%	120%	
Ce	1	3756927	18.9	16.9	11.2%	< 0.01				80%	120%	
Co	1	3756927	3.87	3.79	2.1%	< 0.1				80%	120%	
Cr	1	3756927	18.3	17.5	4.5%	< 0.5				80%	120%	
Cs	1	3756927	1.00	0.94	6.2%	< 0.05				80%	120%	
Cu	1	3756927	4.9	5.4	9.7%	< 0.1	6332	6000	105%	80%	120%	
Fe	1	3756927	1.02	0.99	3.0%	< 0.01				80%	120%	
Ga	1	3756927	3.08	2.83	8.5%	< 0.05				80%	120%	
Ge	1	3756927	0.092	0.099	7.3%	0.11				80%	120%	
Hf	1	3756927	0.07	0.04		< 0.02				80%	120%	
Hg	1	3756927	0.01	0.02		< 0.01				80%	120%	
In	1	3756927	0.0068	0.0062	9.2%	< 0.005				80%	120%	
K	1	3756927	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	3756927	9.2	7.3	23.0%	< 0.1				80%	120%	
Li	1	3756927	6.31	5.92	6.4%	< 0.1				80%	120%	
Mg	1	3756927	0.241	0.231	4.2%	< 0.01				80%	120%	
Mn	1	3756927	80	76	5.1%	< 1				80%	120%	
Mo	1	3756927	0.46	0.45	2.2%	< 0.05	364	360	101%	80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Na	1	3756927	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3756927	1.53	1.29	17.0%	< 0.05				80%	120%
Ni	1	3756927	9.80	9.51	3.0%	< 0.2				80%	120%
P	1	3756927	116	113	2.6%	< 10	702	600	117%	80%	120%
Pb	1	3756927	4.2	4.2	0.0%	< 0.1				80%	120%
Rb	1	3756927	5.46	4.92	10.4%	< 0.1				80%	120%
Re	1	3756927	0.001	< 0.001		< 0.001				80%	120%
S	1	3756927	0.0066	0.0061	7.9%	< 0.005				80%	120%
Sb	1	3756927	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3756927	1.16	1.07	8.1%	< 0.1				80%	120%
Se	1	3756927	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3756927	0.3	0.3	0.0%	< 0.2				80%	120%
Sr	1	3756927	6.9	5.7	19.0%	< 0.2				80%	120%
Ta	1	3756927	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756927	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3756927	2.4	2.5	4.1%	< 0.1				80%	120%
Ti	1	3756927	0.0677	0.0614	9.8%	< 0.005				80%	120%
Tl	1	3756927	0.05	0.05	0.0%	< 0.01				80%	120%
U	1	3756927	0.35	0.34	2.9%	< 0.05				80%	120%
V	1	3756927	18.6	17.4	6.7%	< 0.5				80%	120%
W	1	3756927	0.083	0.086	3.6%	< 0.05				80%	120%
Y	1	3756927	2.20	1.89	15.2%	< 0.05	6	7	92%	80%	120%
Zn	1	3756927	15.9	15.1	5.2%	< 0.5				80%	120%
Zr	1	3756927	0.8	0.5		< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756952	0.034	0.037	8.5%	< 0.01	13.1	13.0	101%	80%	120%
Al	1	3756952	0.96	0.87	9.8%	< 0.01				80%	120%
As	1	3756952	1.8	1.9	5.4%	0.4				80%	120%
Au	1	3756952	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756952	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3756952	34	31	9.2%	< 1				80%	120%
Be	1	3756952	0.157	0.149	5.2%	< 0.05				80%	120%
Bi	1	3756952	0.13	0.13	0.0%	< 0.01				80%	120%
Ca	1	3756952	0.30	0.27	10.5%	< 0.01				80%	120%
Cd	1	3756952	0.06	0.06	0.0%	< 0.01				80%	120%
Ce	1	3756952	15.3	15.8	3.2%	< 0.01				80%	120%
Co	1	3756952	7.7	7.7	0.0%	< 0.1				80%	120%
Cr	1	3756952	26.7	24.6	8.2%	< 0.5				80%	120%
Cs	1	3756952	1.10	1.08	1.8%	< 0.05				80%	120%
Cu	1	3756952	13.9	12.5	10.6%	< 0.1	6002	6000	100%	80%	120%
Fe	1	3756952	1.49	1.36	9.1%	< 0.01				80%	120%
Ga	1	3756952	3.83	3.79	1.0%	< 0.05				80%	120%
Ge	1	3756952	0.10	0.10	0.0%	0.10				80%	120%
Hf	1	3756952	< 0.02	< 0.02	0.0%	< 0.02				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3756952	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756952	0.011	0.011	0.0%	< 0.005				80%	120%
K	1	3756952	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3756952	6.1	6.4	4.8%	< 0.1				80%	120%
Li	1	3756952	8.36	7.95	5.0%	< 0.1				80%	120%
Mg	1	3756952	0.23	0.21	9.1%	< 0.01				80%	120%
Mn	1	3756952	114	106	7.3%	< 1				80%	120%
Mo	1	3756952	0.99	1.03	4.0%	< 0.05	341	360	94%	80%	120%
Na	1	3756952	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3756952	1.52	1.42	6.8%	< 0.05				80%	120%
Ni	1	3756952	23.9	22.2	7.4%	< 0.2				80%	120%
P	1	3756952	280	261	7.0%	< 10	689	600	115%	80%	120%
Pb	1	3756952	5.40	5.58	3.3%	< 0.1				80%	120%
Rb	1	3756952	3.28	3.15	4.0%	< 0.1				80%	120%
Re	1	3756952	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756952	0.014	0.013	7.4%	< 0.005				80%	120%
Sb	1	3756952	0.05	0.05	0.0%	< 0.05				80%	120%
Sc	1	3756952	1.79	1.71	4.6%	< 0.1				80%	120%
Se	1	3756952	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3756952	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3756952	7.4	7.2	2.7%	< 0.2				80%	120%
Ta	1	3756952	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756952	0.06	0.06	0.0%	< 0.01				80%	120%
Th	1	3756952	1.7	1.8	5.7%	< 0.1				80%	120%
Ti	1	3756952	0.100	0.0884	12.3%	< 0.005				80%	120%
Tl	1	3756952	0.05	0.05	0.0%	< 0.01				80%	120%
U	1	3756952	0.293	0.332	12.5%	< 0.05				80%	120%
V	1	3756952	27.9	25.4	9.4%	< 0.5				80%	120%
W	1	3756952	0.161	0.151	6.4%	< 0.05				80%	120%
Y	1	3756952	3.53	3.34	5.5%	< 0.05				80%	120%
Zn	1	3756952	15.3	13.5	12.5%	< 0.5				80%	120%
Zr	1	3756952	0.5	0.5	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756957	0.04	0.04	0.0%	< 0.01	12.9	13.0	99%	80%	120%
Al	1	3756957	1.00	1.06	5.8%	< 0.01				80%	120%
As	1	3756957	1.80	1.44	22.2%	0.5				80%	120%
Au	1	3756957	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3756957	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3756957	57	57	0.0%	< 1				80%	120%
Be	1	3756957	0.142	0.148	4.1%	< 0.05				80%	120%
Bi	1	3756957	0.15	0.15	0.0%	< 0.01				80%	120%
Ca	1	3756957	0.20	0.21	4.9%	< 0.01				80%	120%
Cd	1	3756957	0.04	0.04	0.0%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ce	1	3756957	22.6	23.3	3.1%	< 0.01				80%	120%
Co	1	3756957	4.64	4.79	3.2%	< 0.1				80%	120%
Cr	1	3756957	43.2	44.5	3.0%	< 0.5				80%	120%
Cs	1	3756957	3.07	3.27	6.3%	< 0.05				80%	120%
Cu	1	3756957	9.3	8.0	15.0%	< 0.1	5931	6000	98%	80%	120%
Fe	1	3756957	1.38	1.42	2.9%	< 0.01				80%	120%
Ga	1	3756957	3.84	3.91	1.8%	< 0.05				80%	120%
Ge	1	3756957	0.128	0.119	7.3%	0.09				80%	120%
Hf	1	3756957	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3756957	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3756957	0.009	0.009	0.0%	< 0.005				80%	120%
K	1	3756957	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3756957	10.5	11.0	4.7%	< 0.1				80%	120%
Li	1	3756957	8.93	9.75	8.8%	< 0.1				80%	120%
Mg	1	3756957	0.334	0.342	2.4%	< 0.01				80%	120%
Mn	1	3756957	101	103	2.0%	< 1				80%	120%
Mo	1	3756957	1.35	1.44	6.5%	< 0.05	344	360	95%	80%	120%
Na	1	3756957	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3756957	1.68	1.79	6.3%	< 0.05				80%	120%
Ni	1	3756957	17.3	18.0	4.0%	< 0.2				80%	120%
P	1	3756957	371	381	2.7%	< 10	663	600	111%	80%	120%
Pb	1	3756957	5.8	5.8	0.0%	0.2				80%	120%
Rb	1	3756957	10.6	11.1	4.6%	< 0.1				80%	120%
Re	1	3756957	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3756957	0.011	0.011	0.0%	< 0.005				80%	120%
Sb	1	3756957	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3756957	1.4	1.5	6.9%	< 0.1				80%	120%
Se	1	3756957	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3756957	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3756957	9.2	9.8	6.3%	< 0.2				80%	120%
Ta	1	3756957	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3756957	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3756957	2.75	2.79	1.4%	< 0.1	1.1	1.4	80%	80%	120%
Ti	1	3756957	0.0870	0.0937	7.4%	< 0.005				80%	120%
Tl	1	3756957	0.09	0.09	0.0%	< 0.01				80%	120%
U	1	3756957	0.41	0.41	0.0%	< 0.05				80%	120%
V	1	3756957	22.7	23.7	4.3%	< 0.5				80%	120%
W	1	3756957	0.106	0.101	4.8%	< 0.05				80%	120%
Y	1	3756957	3.04	3.16	3.9%	< 0.05	6	7	86%	80%	120%
Zn	1	3756957	16.4	17.2	4.8%	0.6				80%	120%
Zr	1	3756957	1.35	1.50	10.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3756977	0.02	0.02	0.0%	< 0.01	11.1	13.0	86%	80%	120%
Al	1	3756977	0.58	0.59	1.7%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
As	1	3756977	1.8	1.8	0.0%	0.3			80%	120%	
Au	1	3756977	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
B	1	3756977	< 5	< 5	0.0%	< 5			80%	120%	
Ba	1	3756977	22	22	0.0%	< 1			80%	120%	
Be	1	3756977	0.07	0.07	0.0%	< 0.05			80%	120%	
Bi	1	3756977	0.10	0.10	0.0%	< 0.01			80%	120%	
Ca	1	3756977	0.119	0.125	4.9%	< 0.01			80%	120%	
Cd	1	3756977	0.05	0.05	0.0%	< 0.01			80%	120%	
Ce	1	3756977	20.5	21.6	5.2%	< 0.01			80%	120%	
Co	1	3756977	2.40	2.34	2.5%	< 0.1			80%	120%	
Cr	1	3756977	17.5	17.3	1.1%	< 0.5			80%	120%	
Cs	1	3756977	0.464	0.489	5.2%	< 0.05			80%	120%	
Cu	1	3756977	9.94	9.55	4.0%	< 0.1	5823	6000	97%	80%	120%
Fe	1	3756977	0.94	0.94	0.0%	< 0.01			80%	120%	
Ga	1	3756977	5.16	5.17	0.2%	< 0.05			80%	120%	
Ge	1	3756977	0.12	0.12	0.0%	0.08			80%	120%	
Hf	1	3756977	0.04	0.04	0.0%	< 0.02			80%	120%	
Hg	1	3756977	0.02	0.02	0.0%	< 0.01			80%	120%	
In	1	3756977	0.007	0.007	0.0%	< 0.005			80%	120%	
K	1	3756977	0.03	0.03	0.0%	< 0.01			80%	120%	
La	1	3756977	10.2	10.8	5.7%	< 0.1			80%	120%	
Li	1	3756977	3.5	3.5	0.0%	< 0.1			80%	120%	
Mg	1	3756977	0.164	0.165	0.6%	< 0.01			80%	120%	
Mn	1	3756977	59	58	1.7%	< 1			80%	120%	
Mo	1	3756977	0.74	0.74	0.0%	< 0.05	332	360	92%	80%	120%
Na	1	3756977	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Nb	1	3756977	2.04	1.98	3.0%	< 0.05			80%	120%	
Ni	1	3756977	8.6	8.6	0.0%	< 0.2			80%	120%	
P	1	3756977	221	229	3.6%	< 10	670	600	112%	80%	120%
Pb	1	3756977	7.06	7.02	0.6%	0.2			80%	120%	
Rb	1	3756977	3.00	3.09	3.0%	< 0.1			80%	120%	
Re	1	3756977	0.001	< 0.001		< 0.001			80%	120%	
S	1	3756977	0.013	0.013	0.0%	< 0.005			80%	120%	
Sb	1	3756977	0.05	0.05	0.0%	< 0.05			80%	120%	
Sc	1	3756977	1.0	1.0	0.0%	< 0.1			80%	120%	
Se	1	3756977	< 0.2	< 0.2	0.0%	< 0.2			80%	120%	
Sn	1	3756977	0.5	0.5	0.0%	< 0.2			80%	120%	
Sr	1	3756977	8.5	8.8	3.5%	< 0.2			80%	120%	
Ta	1	3756977	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Te	1	3756977	0.01	0.01	0.0%	< 0.01			80%	120%	
Th	1	3756977	2.3	2.4	4.3%	< 0.1			80%	120%	
Ti	1	3756977	0.106	0.107	0.9%	< 0.005			80%	120%	
Tl	1	3756977	0.04	0.04	0.0%	< 0.01			80%	120%	
U	1	3756977	0.38	0.40	5.1%	< 0.05			80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
V	1	3756977	36.1	35.3	2.2%	< 0.5				80%	120%	
W	1	3756977	0.13	0.23		< 0.05				80%	120%	
Y	1	3756977	2.10	2.22	5.6%	< 0.05				80%	120%	
Zn	1	3756977	10.4	10.7	2.8%	< 0.5				80%	120%	
Zr	1	3756977	0.8	0.8	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3756996	0.08	0.08	0.0%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3756996	2.10	2.13	1.4%	< 0.01				80%	120%	
As	1	3756996	2.67	2.61	2.3%	< 0.1				80%	120%	
Au	1	3756996	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3756996	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3756996	37	37	0.0%	< 1				80%	120%	
Be	1	3756996	0.253	0.258	2.0%	< 0.05				80%	120%	
Bi	1	3756996	0.085	0.081	4.8%	< 0.01				80%	120%	
Ca	1	3756996	0.10	0.10	0.0%	< 0.01				80%	120%	
Cd	1	3756996	0.07	0.07	0.0%	< 0.01				80%	120%	
Ce	1	3756996	18.0	17.9	0.6%	< 0.01				80%	120%	
Co	1	3756996	4.38	4.34	0.9%	< 0.1				80%	120%	
Cr	1	3756996	26.1	26.2	0.4%	< 0.5				80%	120%	
Cs	1	3756996	1.23	1.24	0.8%	< 0.05				80%	120%	
Cu	1	3756996	2.80	2.72	2.9%	< 0.1				80%	120%	
Fe	1	3756996	1.84	1.85	0.5%	< 0.01				80%	120%	
Ga	1	3756996	3.68	3.65	0.8%	< 0.05				80%	120%	
Ge	1	3756996	0.134	0.114	16.1%	0.06				80%	120%	
Hf	1	3756996	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3756996	0.07	0.07	0.0%	< 0.01				80%	120%	
In	1	3756996	0.017	0.017	0.0%	< 0.005				80%	120%	
K	1	3756996	0.03	0.03	0.0%	< 0.01				80%	120%	
La	1	3756996	7.44	8.53	13.7%	< 0.1				80%	120%	
Li	1	3756996	6.91	7.07	2.3%	< 0.1				80%	120%	
Mg	1	3756996	0.19	0.19	0.0%	< 0.01				80%	120%	
Mn	1	3756996	84	85	1.2%	< 1				80%	120%	
Mo	1	3756996	0.475	0.458	3.6%	< 0.05	354	360	98%	80%	120%	
Na	1	3756996	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3756996	2.19	2.24	2.3%	< 0.05				80%	120%	
Ni	1	3756996	11.4	11.5	0.9%	< 0.2				80%	120%	
P	1	3756996	521	526	1.0%	< 10	706	600	118%	80%	120%	
Pb	1	3756996	5.82	5.88	1.0%	< 0.1				80%	120%	
Rb	1	3756996	5.0	5.0	0.0%	< 0.1				80%	120%	
Re	1	3756996	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3756996	0.033	0.033	0.0%	< 0.005				80%	120%	
Sb	1	3756996	0.07	0.07	0.0%	< 0.05				80%	120%	
Sc	1	3756996	1.47	1.44	2.1%	< 0.1				80%	120%	
Se	1	3756996	0.5	0.5	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3756996	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3756996	6.83	6.74	1.3%	< 0.2				80%	120%	
Ta	1	3756996	0.05	0.05	0.0%	< 0.01				80%	120%	
Te	1	3756996	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3756996	1.94	1.84	5.3%	< 0.1				80%	120%	
Ti	1	3756996	0.068	0.070	2.9%	< 0.005				80%	120%	
Tl	1	3756996	0.05	0.05	0.0%	< 0.01				80%	120%	
U	1	3756996	0.44	0.41	7.1%	< 0.05				80%	120%	
V	1	3756996	22.2	22.4	0.9%	< 0.5				80%	120%	
W	1	3756996	0.14	0.14	0.0%	< 0.05				80%	120%	
Y	1	3756996	2.36	2.36	0.0%	< 0.05				80%	120%	
Zn	1	3756996	17.2	18.1	5.1%	< 0.5				80%	120%	
Zr	1	3756996	1.1	1.1	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757002	0.02	0.02	0.0%	< 0.01	13	13.0	100%	80%	120%	
Al	1	3757002	1.09	1.12	2.7%	< 0.01				80%	120%	
As	1	3757002	2.0	4		< 0.1				80%	120%	
Au	1	3757002	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757002	< 5	< 5	0.0%	< 5	5.83	7.00	83%	80%	120%	
Ba	1	3757002	57	59	3.4%	< 1				80%	120%	
Be	1	3757002	0.207	0.169	20.2%	< 0.05				80%	120%	
Bi	1	3757002	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1	3757002	0.06	0.06	0.0%	< 0.01				80%	120%	
Cd	1	3757002	0.082	0.072	13.0%	< 0.01				80%	120%	
Ce	1	3757002	17.9	18.2	1.7%	< 0.01				80%	120%	
Co	1	3757002	3.4	3.3	3.0%	< 0.1				80%	120%	
Cr	1	3757002	31.3	31.7	1.3%	< 0.5				80%	120%	
Cs	1	3757002	1.46	1.52	4.0%	< 0.05				80%	120%	
Cu	1	3757002	8.6	9.1	5.6%	0.7				80%	120%	
Fe	1	3757002	1.07	1.08	0.9%	< 0.01				80%	120%	
Ga	1	3757002	6.45	5.40	17.7%	< 0.05				80%	120%	
Ge	1	3757002	0.09	0.10	10.5%	0.07				80%	120%	
Hf	1	3757002	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	
Hg	1	3757002	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3757002	0.0078	0.0072	8.0%	< 0.005				80%	120%	
K	1	3757002	0.09	0.09	0.0%	< 0.01				80%	120%	
La	1	3757002	7.7	9.2	17.8%	< 0.1				80%	120%	
Li	1	3757002	10.0	8.7	13.9%	< 0.1				80%	120%	
Mg	1	3757002	0.32	0.33	3.1%	< 0.01				80%	120%	
Mn	1	3757002	80	82	2.5%	< 1				80%	120%	
Mo	1	3757002	0.68	0.82	18.7%	< 0.05	359	360	99%	80%	120%	
Na	1	3757002	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757002	1.30	1.04	22.2%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ni	1	3757002	9.2	9.3	1.1%	< 0.2				80%	120%	
P	1	3757002	144	143	0.7%	< 10	721	600	120%	80%	120%	
Pb	1	3757002	5.60	5.55	0.9%	0.2				80%	120%	
Rb	1	3757002	6.98	5.89	16.9%	< 0.1				80%	120%	
Re	1	3757002	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757002	0.011	0.011	0.0%	< 0.005				80%	120%	
Sb	1	3757002	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757002	1.2	1.2	0.0%	< 0.1				80%	120%	
Se	1	3757002	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3757002	0.47	0.39	18.6%	< 0.2				80%	120%	
Sr	1	3757002	5.8	5.3	9.0%	< 0.2				80%	120%	
Ta	1	3757002	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757002	0.01	0.02		< 0.01				80%	120%	
Th	1	3757002	1.2	1.3	8.0%	< 0.1				80%	120%	
Ti	1	3757002	0.091	0.093	2.2%	< 0.005				80%	120%	
Tl	1	3757002	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3757002	0.43	0.43	0.0%	< 0.05				80%	120%	
V	1	3757002	18.4	19.0	3.2%	< 0.5				80%	120%	
W	1	3757002	0.13	0.11	16.7%	< 0.05				80%	120%	
Y	1	3757002	2.57	2.17	16.9%	< 0.05	6	7	90%	80%	120%	
Zn	1	3757002	16.9	18.7	10.1%	< 0.5				80%	120%	
Zr	1	3757002	0.60	0.52	14.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757027	0.07	0.06	15.4%	0.03	13	13.0	100%	80%	120%	
Al	1	3757027	0.941	0.965	2.5%	< 0.01				80%	120%	
As	1	3757027	7.69	6.71	13.6%	< 0.1				80%	120%	
Au	1	3757027	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757027	< 5	< 5	0.0%	< 5	6.2	7.00	89%	80%	120%	
Ba	1	3757027	79	77	2.6%	< 1				80%	120%	
Be	1	3757027	0.25	0.22	12.8%	< 0.05				80%	120%	
Bi	1	3757027	0.16	0.16	0.0%	< 0.01				80%	120%	
Ca	1	3757027	0.792	0.801	1.1%	< 0.01				80%	120%	
Cd	1	3757027	0.51	0.42	19.4%	< 0.01				80%	120%	
Ce	1	3757027	29.7	30.0	1.0%	< 0.01				80%	120%	
Co	1	3757027	17.4	15.1	14.2%	< 0.1				80%	120%	
Cr	1	3757027	28.5	28.9	1.4%	< 0.5				80%	120%	
Cs	1	3757027	1.18	1.22	3.3%	< 0.05				80%	120%	
Cu	1	3757027	19.3	19.2	0.5%	< 0.1	6075	6000	101%	80%	120%	
Fe	1	3757027	3.28	3.28	0.0%	< 0.01				80%	120%	
Ga	1	3757027	3.84	3.41	11.9%	< 0.05				80%	120%	
Ge	1	3757027	0.13	0.13	0.0%	0.06				80%	120%	
Hf	1	3757027	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	
Hg	1	3757027	0.06	0.06	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3757027	0.0167	0.0139	18.3%	< 0.005				80%	120%
K	1	3757027	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3757027	14.9	15.3	2.6%	< 0.1				80%	120%
Li	1	3757027	6.4	5.7	11.6%	< 0.1				80%	120%
Mg	1	3757027	0.309	0.317	2.6%	< 0.01				80%	120%
Mn	1	3757027	1490	1470	1.4%	< 1				80%	120%
Mo	1	3757027	1.89	1.66	13.0%	< 0.05	348	360	96%	80%	120%
Na	1	3757027	< 0.01	0.01		< 0.01				80%	120%
Nb	1	3757027	0.70	0.59	17.1%	< 0.05				80%	120%
Ni	1	3757027	14.7	14.6	0.7%	< 0.2				80%	120%
P	1	3757027	1550	1510	2.6%	< 10	710	600	118%	80%	120%
Pb	1	3757027	16.2	16.0	1.2%	< 0.1				80%	120%
Rb	1	3757027	5.2	4.6	12.2%	< 0.1				80%	120%
Re	1	3757027	0.002	0.002	0.0%	< 0.001				80%	120%
S	1	3757027	0.122	0.116	5.0%	< 0.005				80%	120%
Sb	1	3757027	0.161	0.134	18.3%	< 0.05				80%	120%
Sc	1	3757027	0.9	0.8	11.8%	< 0.1				80%	120%
Se	1	3757027	0.7	0.6	15.4%	< 0.2				80%	120%
Sn	1	3757027	0.47	0.42	11.2%	< 0.2				80%	120%
Sr	1	3757027	35.5	30.8	14.2%	< 0.2				80%	120%
Ta	1	3757027	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757027	0.06	0.06	0.0%	< 0.01				80%	120%
Th	1	3757027	0.30	0.24	22.2%	< 0.1				80%	120%
Ti	1	3757027	0.0231	0.0277	18.1%	< 0.005				80%	120%
Tl	1	3757027	0.100	0.105	4.9%	< 0.01				80%	120%
U	1	3757027	0.587	0.584	0.5%	< 0.05				80%	120%
V	1	3757027	42.8	43.0	0.5%	< 0.5				80%	120%
W	1	3757027	0.07	0.08	13.3%	< 0.05				80%	120%
Y	1	3757027	6.93	7.10	2.4%	< 0.05	6	7	86%	80%	120%
Zn	1	3757027	79.0	77.3	2.2%	< 0.5				80%	120%
Zr	1	3757027	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757052	0.029	0.038	26.9%	< 0.01	13.5	13.0	104%	80%	120%
Al	1	3757052	1.09	1.12	2.7%	< 0.01				80%	120%
As	1	3757052	1.3	1.3	0.0%	< 0.1				80%	120%
Au	1	3757052	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757052	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757052	24	24	0.0%	< 1				80%	120%
Be	1	3757052	0.13	0.13	0.0%	< 0.05				80%	120%
Bi	1	3757052	0.065	0.062	4.7%	< 0.01				80%	120%
Ca	1	3757052	0.15	0.15	0.0%	< 0.01				80%	120%
Cd	1	3757052	0.06	0.06	0.0%	< 0.01				80%	120%
Ce	1	3757052	17.6	17.6	0.0%	< 0.01				80%	120%
Co	1	3757052	5.39	5.47	1.5%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Cr	1	3757052	21.1	21.3	0.9%	< 0.5				80%	120%	
Cs	1	3757052	0.608	0.592	2.7%	< 0.05				80%	120%	
Cu	1	3757052	8.62	8.92	3.4%	< 0.1	5781	6000	96%	80%	120%	
Fe	1	3757052	1.37	1.37	0.0%	< 0.01				80%	120%	
Ga	1	3757052	5.92	5.79	2.2%	< 0.05				80%	120%	
Ge	1	3757052	0.107	0.101	5.8%	0.06				80%	120%	
Hf	1	3757052	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3757052	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3757052	0.009	0.009	0.0%	< 0.005				80%	120%	
K	1	3757052	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	3757052	7.5	7.6	1.3%	< 0.1				80%	120%	
Li	1	3757052	10.4	10.6	1.9%	< 0.1				80%	120%	
Mg	1	3757052	0.41	0.42	2.4%	< 0.01				80%	120%	
Mn	1	3757052	104	104	0.0%	< 1				80%	120%	
Mo	1	3757052	0.444	0.460	3.5%	< 0.05	326	360	90%	80%	120%	
Na	1	3757052	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757052	2.16	2.18	0.9%	< 0.05				80%	120%	
Ni	1	3757052	13.1	13.0	0.8%	< 0.2				80%	120%	
P	1	3757052	290	289	0.3%	< 10	676	600	113%	80%	120%	
Pb	1	3757052	4.7	4.7	0.0%	< 0.1				80%	120%	
Rb	1	3757052	3.55	3.46	2.6%	< 0.1				80%	120%	
Re	1	3757052	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757052	0.014	0.014	0.0%	< 0.005				80%	120%	
Sb	1	3757052	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757052	1.5	1.5	0.0%	< 0.1				80%	120%	
Se	1	3757052	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757052	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3757052	9.7	9.8	1.0%	< 0.2				80%	120%	
Ta	1	3757052	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757052	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757052	2.2	2.2	0.0%	< 0.1				80%	120%	
Ti	1	3757052	0.117	0.115	1.7%	< 0.005				80%	120%	
Tl	1	3757052	0.05	0.05	0.0%	< 0.01				80%	120%	
U	1	3757052	0.336	0.318	5.5%	< 0.05				80%	120%	
V	1	3757052	25.4	24.9	2.0%	< 0.5				80%	120%	
W	1	3757052	0.07	0.07	0.0%	< 0.05				80%	120%	
Y	1	3757052	2.96	2.94	0.7%	< 0.05	6	7	80%	80%	120%	
Zn	1	3757052	26.5	27.1	2.2%	< 0.5				80%	120%	
Zr	1	3757052	1.14	1.21	6.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757077	0.02	0.01		< 0.01	13.2	13.0	102%	80%	120%	
Al	1	3757077	0.966	0.958	0.8%	< 0.01				80%	120%	
As	1	3757077	0.8	0.9	11.8%	< 0.1				80%	120%	
Au	1	3757077	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
B	1	3757077	< 5	< 5	0.0%	< 5			80%	120%	
Ba	1	3757077	15	14	6.9%	< 1			80%	120%	
Be	1	3757077	0.13	0.13	0.0%	< 0.05			80%	120%	
Bi	1	3757077	0.072	0.078	8.0%	< 0.01			80%	120%	
Ca	1	3757077	0.13	0.13	0.0%	< 0.01			80%	120%	
Cd	1	3757077	0.026	0.023	12.2%	< 0.01			80%	120%	
Ce	1	3757077	24.1	23.7	1.7%	< 0.01			80%	120%	
Co	1	3757077	5.05	4.46	12.4%	< 0.1			80%	120%	
Cr	1	3757077	25.6	25.3	1.2%	< 0.5			80%	120%	
Cs	1	3757077	0.51	0.54	5.7%	< 0.05			80%	120%	
Cu	1	3757077	13.6	13.5	0.7%	< 0.1	5740	6000	95%	80%	120%
Fe	1	3757077	1.16	1.18	1.7%	< 0.01			80%	120%	
Ga	1	3757077	4.84	4.34	10.9%	< 0.05			80%	120%	
Ge	1	3757077	0.09	0.11	20.0%	< 0.05			80%	120%	
Hf	1	3757077	0.03	0.03	0.0%	< 0.02			80%	120%	
Hg	1	3757077	0.01	0.02	< 0.01				80%	120%	
In	1	3757077	0.0089	0.0084	5.8%	< 0.005			80%	120%	
K	1	3757077	0.02	0.02	0.0%	< 0.01			80%	120%	
La	1	3757077	11.8	11.8	0.0%	< 0.1			80%	120%	
Li	1	3757077	6.9	6.4	7.5%	< 0.1			80%	120%	
Mg	1	3757077	0.297	0.294	1.0%	< 0.01			80%	120%	
Mn	1	3757077	84	86	2.4%	< 1			80%	120%	
Mo	1	3757077	0.381	0.488	24.6%	< 0.05	332	360	92%	80%	120%
Na	1	3757077	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Nb	1	3757077	1.98	1.69	15.8%	< 0.05			80%	120%	
Ni	1	3757077	15.4	15.3	0.7%	< 0.2			80%	120%	
P	1	3757077	126	122	3.2%	< 10	673	600	112%	80%	120%
Pb	1	3757077	4.9	5.3	7.8%	< 0.1			80%	120%	
Rb	1	3757077	2.50	2.24	11.0%	< 0.1			80%	120%	
Re	1	3757077	< 0.001	< 0.001	0.0%	< 0.001			80%	120%	
S	1	3757077	0.007	0.007	0.0%	< 0.005			80%	120%	
Sb	1	3757077	< 0.05	< 0.05	0.0%	< 0.05			80%	120%	
Sc	1	3757077	1.57	1.41	10.7%	< 0.1			80%	120%	
Se	1	3757077	0.2	0.2	0.0%	< 0.2			80%	120%	
Sn	1	3757077	0.45	0.42	6.9%	< 0.2			80%	120%	
Sr	1	3757077	11.2	9.8	13.3%	< 0.2			80%	120%	
Ta	1	3757077	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Te	1	3757077	0.01	0.01	0.0%	< 0.01			80%	120%	
Th	1	3757077	2.3	2.2	4.4%	< 0.1			80%	120%	
Ti	1	3757077	0.0970	0.0985	1.5%	< 0.005			80%	120%	
Tl	1	3757077	0.04	0.04	0.0%	< 0.01			80%	120%	
U	1	3757077	0.39	0.38	2.6%	< 0.05			80%	120%	
V	1	3757077	21.4	21.7	1.4%	< 0.5			80%	120%	
W	1	3757077	0.11	0.08	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Y	1	3757077	3.56	2.89	20.8%	< 0.05	6	7	84%	80%	120%	
Zn	1	3757077	20.0	20.1	0.5%	< 0.5				80%	120%	
Zr	1	3757077	1.06	1.00	5.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757078	0.01	0.03		< 0.01	13.2	13.0	102%	80%	120%	
Al	1	3757078	1.16	1.15	0.9%	< 0.01				80%	120%	
As	1	3757078	1.34	1.81	29.8%	< 0.1				80%	120%	
Au	1	3757078	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757078	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757078	40	40	0.0%	< 1				80%	120%	
Be	1	3757078	0.285	0.305	6.8%	< 0.05				80%	120%	
Bi	1	3757078	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3757078	0.12	0.12	0.0%	< 0.01				80%	120%	
Cd	1	3757078	0.03	0.03	0.0%	< 0.01				80%	120%	
Ce	1	3757078	48.3	49.4	2.3%	< 0.01				80%	120%	
Co	1	3757078	9.14	9.15	0.1%	< 0.1				80%	120%	
Cr	1	3757078	26.8	27.1	1.1%	< 0.5				80%	120%	
Cs	1	3757078	0.563	0.573	1.8%	< 0.05				80%	120%	
Cu	1	3757078	22.5	21.8	3.2%	< 0.1	5818	6000	96%	80%	120%	
Fe	1	3757078	1.13	1.12	0.9%	< 0.01				80%	120%	
Ga	1	3757078	3.60	3.69	2.5%	< 0.05				80%	120%	
Ge	1	3757078	0.131	0.112	15.6%	< 0.05				80%	120%	
Hf	1	3757078	0.06	0.06	0.0%	< 0.02				80%	120%	
Hg	1	3757078	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3757078	0.012	0.012	0.0%	< 0.005				80%	120%	
K	1	3757078	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	3757078	20.9	21.6	3.3%	< 0.1				80%	120%	
Li	1	3757078	8.4	8.9	5.8%	< 0.1				80%	120%	
Mg	1	3757078	0.25	0.25	0.0%	< 0.01				80%	120%	
Mn	1	3757078	78	77	1.3%	< 1				80%	120%	
Mo	1	3757078	0.386	0.358	7.5%	< 0.05	344	360	95%	80%	120%	
Na	1	3757078	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757078	1.94	2.06	6.0%	< 0.05				80%	120%	
Ni	1	3757078	21.4	21.3	0.5%	< 0.2				80%	120%	
P	1	3757078	171	174	1.7%	< 10	675	600	112%	80%	120%	
Pb	1	3757078	4.65	4.62	0.6%	< 0.1				80%	120%	
Rb	1	3757078	3.44	3.50	1.7%	< 0.1				80%	120%	
Re	1	3757078	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757078	0.007	0.007	0.0%	< 0.005				80%	120%	
Sb	1	3757078	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757078	3.23	3.41	5.4%	< 0.1				80%	120%	
Se	1	3757078	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3757078	0.4	0.4	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sr	1	3757078	10.2	10.5	2.9%	< 0.2				80%	120%
Ta	1	3757078	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757078	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3757078	4.3	4.6	6.7%	< 0.1				80%	120%
Ti	1	3757078	0.0754	0.0761	0.9%	< 0.005				80%	120%
Tl	1	3757078	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3757078	0.551	0.571	3.6%	< 0.05				80%	120%
V	1	3757078	16.7	16.2	3.0%	< 0.5				80%	120%
W	1	3757078	0.104	0.110	5.6%	< 0.05				80%	120%
Y	1	3757078	14.5	14.6	0.7%	< 0.05	6	7	88%	80%	120%
Zn	1	3757078	16.0	16.0	0.0%	< 0.5				80%	120%
Zr	1	3757078	2.0	2.0	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757102	2.54	2.58	1.6%	< 0.01	12.8	13.0	99%	80%	120%
Al	1	3757102	1.20	1.20	0.0%	< 0.01				80%	120%
As	1	3757102	3.6	1.7		< 0.1				80%	120%
Au	1	3757102	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757102	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757102	30	29	3.4%	< 1				80%	120%
Be	1	3757102	0.31	0.34	9.2%	< 0.05				80%	120%
Bi	1	3757102	0.206	0.202	2.0%	< 0.01				80%	120%
Ca	1	3757102	0.176	0.185	5.0%	< 0.01				80%	120%
Cd	1	3757102	0.315	0.310	1.6%	< 0.01				80%	120%
Ce	1	3757102	30.0	29.8	0.7%	< 0.01				80%	120%
Co	1	3757102	5.0	5.1	2.0%	< 0.1				80%	120%
Cr	1	3757102	22.8	22.4	1.8%	< 0.5				80%	120%
Cs	1	3757102	1.35	1.35	0.0%	< 0.05				80%	120%
Cu	1	3757102	31.2	29.4	5.9%	< 0.1	5955	6000	99%	80%	120%
Fe	1	3757102	1.52	1.53	0.7%	< 0.01				80%	120%
Ga	1	3757102	6.60	6.60	0.0%	< 0.05				80%	120%
Ge	1	3757102	0.11	0.09	20.0%	< 0.05				80%	120%
Hf	1	3757102	0.02	0.02	0.0%	< 0.02				80%	120%
Hg	1	3757102	0.080	0.073	9.2%	< 0.01				80%	120%
In	1	3757102	0.0254	0.0256	0.8%	< 0.005				80%	120%
K	1	3757102	0.034	0.035	2.9%	< 0.01				80%	120%
La	1	3757102	14.6	14.3	2.1%	< 0.1				80%	120%
Li	1	3757102	11.2	12.0	6.9%	< 0.1				80%	120%
Mg	1	3757102	0.20	0.20	0.0%	< 0.01				80%	120%
Mn	1	3757102	90	92	2.2%	< 1				80%	120%
Mo	1	3757102	8.52	8.35	2.0%	< 0.05	351	360	97%	80%	120%
Na	1	3757102	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757102	2.14	2.22	3.7%	< 0.05				80%	120%
Ni	1	3757102	12.5	12.2	2.4%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
P	1	3757102	257	261	1.5%	< 10	695	600	116%	80%	120%	
Pb	1	3757102	126	125	0.8%	< 0.1				80%	120%	
Rb	1	3757102	6.2	6.3	1.6%	< 0.1				80%	120%	
Re	1	3757102	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757102	0.030	0.030	0.0%	< 0.005				80%	120%	
Sb	1	3757102	0.069	0.063	9.1%	< 0.05				80%	120%	
Sc	1	3757102	1.92	1.96	2.1%	< 0.1				80%	120%	
Se	1	3757102	0.6	0.6	0.0%	< 0.2				80%	120%	
Sn	1	3757102	0.9	0.9	0.0%	< 0.2				80%	120%	
Sr	1	3757102	12.9	13.2	2.3%	< 0.2				80%	120%	
Ta	1	3757102	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757102	0.044	0.048	8.7%	< 0.01				80%	120%	
Th	1	3757102	1.8	1.6	11.8%	< 0.1				80%	120%	
Ti	1	3757102	0.078	0.083	6.2%	< 0.005				80%	120%	
Tl	1	3757102	0.13	0.13	0.0%	< 0.01				80%	120%	
U	1	3757102	0.66	0.66	0.0%	< 0.05				80%	120%	
V	1	3757102	25.3	25.5	0.8%	< 0.5				80%	120%	
W	1	3757102	0.180	0.198	9.5%	< 0.05				80%	120%	
Y	1	3757102	4.30	4.42	2.8%	< 0.05	6	7	84%	80%	120%	
Zn	1	3757102	330	333	0.9%	< 0.5				80%	120%	
Zr	1	3757102	0.67	0.62	7.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757117	0.039	0.034	13.7%	< 0.01	13	13.0	100%	80%	120%	
Al	1	3757117	0.93	0.91	2.2%	< 0.01				80%	120%	
As	1	3757117	1.8	1.8	0.0%	< 0.1				80%	120%	
Au	1	3757117	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757117	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757117	28	27	3.6%	< 1				80%	120%	
Be	1	3757117	0.152	0.144	5.4%	< 0.05				80%	120%	
Bi	1	3757117	0.09	0.09	0.0%	< 0.01				80%	120%	
Ca	1	3757117	0.175	0.162	7.7%	< 0.01				80%	120%	
Cd	1	3757117	0.09	0.09	0.0%	< 0.01				80%	120%	
Ce	1	3757117	28.5	26.7	6.5%	< 0.01				80%	120%	
Co	1	3757117	3.0	2.9	3.4%	< 0.1				80%	120%	
Cr	1	3757117	21.5	20.7	3.8%	< 0.5				80%	120%	
Cs	1	3757117	0.760	0.703	7.8%	< 0.05				80%	120%	
Cu	1	3757117	1.98	1.59	21.8%	< 0.1	6024	6000	100%	80%	120%	
Fe	1	3757117	1.57	1.50	4.6%	< 0.01				80%	120%	
Ga	1	3757117	4.84	4.58	5.5%	< 0.05				80%	120%	
Ge	1	3757117	0.11	0.12	8.7%	< 0.05				80%	120%	
Hf	1	3757117	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3757117	0.028	0.023	19.6%	< 0.01				80%	120%	
In	1	3757117	0.012	0.012	0.0%	< 0.005				80%	120%	
K	1	3757117	0.077	0.072	6.7%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
La	1	3757117	11.5	10.5	9.1%	< 0.1				80%	120%	
Li	1	3757117	9.09	8.30	9.1%	< 0.1				80%	120%	
Mg	1	3757117	0.24	0.24	0.0%	< 0.01				80%	120%	
Mn	1	3757117	151	142	6.1%	< 1				80%	120%	
Mo	1	3757117	0.13	0.11	16.7%	< 0.05	354	360	98%	80%	120%	
Na	1	3757117	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757117	2.16	2.04	5.7%	< 0.05				80%	120%	
Ni	1	3757117	9.72	9.42	3.1%	< 0.2				80%	120%	
P	1	3757117	274	269	1.8%	< 10	705	600	117%	80%	120%	
Pb	1	3757117	6.1	5.9	3.3%	< 0.1				80%	120%	
Rb	1	3757117	17.6	16.6	5.8%	< 0.1				80%	120%	
Re	1	3757117	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757117	0.017	0.017	0.0%	< 0.005				80%	120%	
Sb	1	3757117	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757117	1.5	1.4	6.9%	< 0.1				80%	120%	
Se	1	3757117	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757117	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3757117	9.92	8.92	10.6%	< 0.2				80%	120%	
Ta	1	3757117	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757117	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757117	2.0	2.0	0.0%	< 0.1	1.2	1.4	83%	80%	120%	
Ti	1	3757117	0.0811	0.0732	10.2%	< 0.005				80%	120%	
Tl	1	3757117	0.068	0.065	4.5%	< 0.01				80%	120%	
U	1	3757117	0.41	0.40	2.5%	< 0.05				80%	120%	
V	1	3757117	18.4	17.3	6.2%	< 0.5				80%	120%	
W	1	3757117	0.079	0.075	5.2%	< 0.05				80%	120%	
Y	1	3757117	2.51	2.35	6.6%	< 0.05	6	7	88%	80%	120%	
Zn	1	3757117	23.3	22.3	4.4%	< 0.5				80%	120%	
Zr	1	3757117	1.5	1.4	6.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757127	0.03	0.03	0.0%	< 0.01	13.3	13.0	102%	80%	120%	
Al	1	3757127	0.67	0.70	4.4%	< 0.01				80%	120%	
As	1	3757127	0.5	1.5		< 0.1				80%	120%	
Au	1	3757127	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757127	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757127	28	30	6.9%	< 1				80%	120%	
Be	1	3757127	0.21	0.21	0.0%	< 0.05				80%	120%	
Bi	1	3757127	0.050	0.056	11.3%	< 0.01				80%	120%	
Ca	1	3757127	0.28	0.29	3.5%	< 0.01				80%	120%	
Cd	1	3757127	0.03	0.03	0.0%	< 0.01				80%	120%	
Ce	1	3757127	26.5	29.4	10.4%	< 0.01				80%	120%	
Co	1	3757127	2.4	2.5	4.1%	< 0.1				80%	120%	
Cr	1	3757127	16.5	17.3	4.7%	< 0.5				80%	120%	
Cs	1	3757127	0.47	0.51	8.2%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cu	1	3757127	2.23	3.00	29.4%	< 0.1	5941	6000	99%	80%	120%
Fe	1	3757127	0.87	0.90	3.4%	< 0.01				80%	120%
Ga	1	3757127	2.39	2.47	3.3%	< 0.05				80%	120%
Ge	1	3757127	0.09	0.09	0.0%	< 0.05				80%	120%
Hf	1	3757127	0.05	0.05	0.0%	< 0.02				80%	120%
Hg	1	3757127	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3757127	0.008	0.008	0.0%	< 0.005				80%	120%
K	1	3757127	0.044	0.047	6.6%	< 0.01				80%	120%
La	1	3757127	14.0	15.7	11.4%	< 0.1				80%	120%
Li	1	3757127	6.5	7.0	7.4%	< 0.1				80%	120%
Mg	1	3757127	0.229	0.236	3.0%	< 0.01				80%	120%
Mn	1	3757127	114	117	2.6%	< 1				80%	120%
Mo	1	3757127	< 0.05	< 0.05	0.0%	< 0.05	342	360	95%	80%	120%
Na	1	3757127	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757127	1.12	1.26	11.8%	< 0.05				80%	120%
Ni	1	3757127	8.1	8.5	4.8%	< 0.2				80%	120%
P	1	3757127	435	446	2.5%	< 10	679	600	113%	80%	120%
Pb	1	3757127	3.25	3.49	7.1%	< 0.1				80%	120%
Rb	1	3757127	7.65	7.97	4.1%	< 0.1				80%	120%
Re	1	3757127	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757127	0.006	0.006	0.0%	< 0.005				80%	120%
Sb	1	3757127	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757127	1.6	1.7	6.1%	< 0.1				80%	120%
Se	1	3757127	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3757127	0.3	0.3	0.0%	< 0.2				80%	120%
Sr	1	3757127	8.7	9.1	4.5%	< 0.2				80%	120%
Ta	1	3757127	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757127	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3757127	3.12	3.40	8.6%	< 0.1	1.2	1.4	82%	80%	120%
Ti	1	3757127	0.047	0.050	6.2%	< 0.005				80%	120%
Tl	1	3757127	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757127	0.38	0.45	16.9%	< 0.05				80%	120%
V	1	3757127	10.5	11.3	7.3%	< 0.5				80%	120%
W	1	3757127	0.07	0.11		< 0.05				80%	120%
Y	1	3757127	5.30	5.59	5.3%	< 0.05	6	7	92%	80%	120%
Zn	1	3757127	15.4	15.7	1.9%	< 0.5				80%	120%
Zr	1	3757127	1.90	1.98	4.1%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757152	0.11	0.13	16.7%	< 0.01	13	13.0	100%	80%	120%
Al	1	3757152	2.20	2.11	4.2%	< 0.01				80%	120%
As	1	3757152	2.2	1.6		< 0.1				80%	120%
Au	1	3757152	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757152	< 5	< 5	0.0%	< 5	6.46	7.00	92%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ba	1	3757152	67	65	3.0%	< 1				80%	120%
Be	1	3757152	0.54	0.59	8.8%	< 0.05	0.3	0.4	75%	80%	120%
Bi	1	3757152	0.08	0.08	0.0%	< 0.01				80%	120%
Ca	1	3757152	0.317	0.314	1.0%	< 0.01				80%	120%
Cd	1	3757152	0.099	0.108	8.7%	< 0.01				80%	120%
Ce	1	3757152	80.8	87.6	8.1%	< 0.01				80%	120%
Co	1	3757152	9.81	10.6	7.7%	< 0.1				80%	120%
Cr	1	3757152	34.5	34.3	0.6%	< 0.5				80%	120%
Cs	1	3757152	2.18	2.35	7.5%	< 0.05				80%	120%
Cu	1	3757152	29.0	28.9	0.3%	< 0.1				80%	120%
Fe	1	3757152	1.93	1.93	0.0%	< 0.01				80%	120%
Ga	1	3757152	4.71	5.13	8.5%	< 0.05				80%	120%
Ge	1	3757152	0.137	0.132	3.7%	< 0.05				80%	120%
Hf	1	3757152	0.03	0.04	28.6%	< 0.02				80%	120%
Hg	1	3757152	0.06	0.06	0.0%	< 0.01				80%	120%
In	1	3757152	0.0194	0.0202	4.0%	< 0.005				80%	120%
K	1	3757152	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3757152	31.3	34.5	9.7%	< 0.1				80%	120%
Li	1	3757152	29.6	31.2	5.3%	< 0.1				80%	120%
Mg	1	3757152	0.47	0.46	2.2%	< 0.01				80%	120%
Mn	1	3757152	289	287	0.7%	< 1				80%	120%
Mo	1	3757152	0.34	0.34	0.0%	< 0.05				80%	120%
Na	1	3757152	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757152	1.94	2.19	12.1%	< 0.05				80%	120%
Ni	1	3757152	30.6	30.6	0.0%	< 0.2				80%	120%
P	1	3757152	432	421	2.6%	< 10	720	600	120%	80%	120%
Pb	1	3757152	4.64	4.97	6.9%	< 0.1				80%	120%
Rb	1	3757152	13.3	13.9	4.4%	< 0.1				80%	120%
Re	1	3757152	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757152	0.0264	0.0270	2.2%	< 0.005				80%	120%
Sb	1	3757152	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757152	2.72	2.95	8.1%	< 0.1				80%	120%
Se	1	3757152	0.61	0.67	9.4%	< 0.2				80%	120%
Sn	1	3757152	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3757152	17.9	19.8	10.1%	< 0.2				80%	120%
Ta	1	3757152	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757152	0.014	0.017	19.4%	< 0.01				80%	120%
Th	1	3757152	3.45	3.35	2.9%	< 0.1	1.2	1.4	83%	80%	120%
Ti	1	3757152	0.0863	0.0868	0.6%	< 0.005				80%	120%
Tl	1	3757152	0.13	0.14	7.4%	< 0.01				80%	120%
U	1	3757152	0.945	1.00	5.7%	< 0.05				80%	120%
V	1	3757152	22.3	22.2	0.4%	< 0.5				80%	120%
W	1	3757152	0.08	0.08	0.0%	< 0.05				80%	120%
Y	1	3757152	9.62	10.4	7.8%	< 0.05	6	7	89%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zn	1	3757152	63.7	63.4	0.5%	< 0.5				80%	120%
Zr	1	3757152	1.12	1.49	28.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757158	0.047	0.055	15.7%	< 0.01	12.9	13.0	99%	80%	120%
Al	1	3757158	1.52	1.56	2.6%	< 0.01				80%	120%
As	1	3757158	2.17	1.98	9.2%	< 0.1				80%	120%
Au	1	3757158	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757158	< 5	< 5	0.0%	< 5	6.09	7.00	87%	80%	120%
Ba	1	3757158	96	99	3.1%	< 1				80%	120%
Be	1	3757158	0.384	0.396	3.1%	< 0.05	0.3	0.4	75%	80%	120%
Bi	1	3757158	0.075	0.075	0.0%	< 0.01				80%	120%
Ca	1	3757158	0.31	0.31	0.0%	< 0.01				80%	120%
Cd	1	3757158	0.10	0.10	0.0%	< 0.01				80%	120%
Ce	1	3757158	83.5	83.4	0.1%	< 0.01				80%	120%
Co	1	3757158	24.7	25.6	3.6%	< 0.1				80%	120%
Cr	1	3757158	38.7	38.7	0.0%	< 0.5				80%	120%
Cs	1	3757158	1.69	1.75	3.5%	< 0.05				80%	120%
Cu	1	3757158	60.6	58.5	3.5%	< 0.1	6011	6000	100%	80%	120%
Fe	1	3757158	1.57	1.58	0.6%	< 0.01				80%	120%
Ga	1	3757158	4.66	4.73	1.5%	< 0.05				80%	120%
Ge	1	3757158	0.159	0.150	5.8%	< 0.05				80%	120%
Hf	1	3757158	0.06	0.05	18.2%	< 0.02				80%	120%
Hg	1	3757158	0.05	0.05	0.0%	< 0.01				80%	120%
In	1	3757158	0.020	0.020	0.0%	< 0.005				80%	120%
K	1	3757158	0.045	0.046	2.2%	< 0.01				80%	120%
La	1	3757158	41.1	41.5	1.0%	< 0.1				80%	120%
Li	1	3757158	20.1	20.8	3.4%	< 0.1				80%	120%
Mg	1	3757158	0.323	0.330	2.1%	< 0.01				80%	120%
Mn	1	3757158	188	184	2.2%	< 1				80%	120%
Mo	1	3757158	0.44	0.43	2.3%	< 0.05				80%	120%
Na	1	3757158	< 0.01	0.01		< 0.01				80%	120%
Nb	1	3757158	1.87	1.89	1.1%	< 0.05				80%	120%
Ni	1	3757158	42.1	42.2	0.2%	< 0.2				80%	120%
P	1	3757158	200	204	2.0%	< 10	705	600	117%	80%	120%
Pb	1	3757158	5.83	5.88	0.9%	< 0.1				80%	120%
Rb	1	3757158	8.01	8.18	2.1%	< 0.1				80%	120%
Re	1	3757158	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757158	0.0106	0.0100	5.8%	< 0.005				80%	120%
Sb	1	3757158	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757158	2.8	2.9	3.5%	< 0.1				80%	120%
Se	1	3757158	0.36	0.34	5.7%	< 0.2				80%	120%
Sn	1	3757158	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3757158	19.1	19.8	3.6%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ta	1	3757158	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757158	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3757158	5.0	5.2	3.9%	< 0.1	1.1	1.4	80%	80%	120%
Ti	1	3757158	0.074	0.076	2.7%	< 0.005				80%	120%
Tl	1	3757158	0.14	0.14	0.0%	< 0.01				80%	120%
U	1	3757158	0.76	0.76	0.0%	< 0.05				80%	120%
V	1	3757158	21.8	21.6	0.9%	< 0.5				80%	120%
W	1	3757158	0.122	0.126	3.2%	< 0.05				80%	120%
Y	1	3757158	11.0	11.2	1.8%	< 0.05	7	7	96%	80%	120%
Zn	1	3757158	112	112	0.0%	< 0.5				80%	120%
Zr	1	3757158	2.13	1.93	9.9%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757177	0.20	0.21	4.9%	< 0.01	14.3	13.0	110%	80%	120%
Al	1	3757177	1.22	1.35	10.1%	< 0.01				80%	120%
As	1	3757177	1.80	1.72	4.5%	< 0.1				80%	120%
Au	1	3757177	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757177	< 5	< 5	0.0%	< 5	6.92	7.00	99%	80%	120%
Ba	1	3757177	38	40	5.1%	< 1				80%	120%
Be	1	3757177	0.24	0.26	8.0%	< 0.05	0.3	0.4	76%	80%	120%
Bi	1	3757177	0.16	0.16	0.0%	< 0.01				80%	120%
Ca	1	3757177	0.322	0.346	7.2%	< 0.01				80%	120%
Cd	1	3757177	0.473	0.482	1.9%	< 0.01				80%	120%
Ce	1	3757177	33.8	34.4	1.8%	< 0.01				80%	120%
Co	1	3757177	16.0	16.2	1.2%	< 0.1				80%	120%
Cr	1	3757177	39.5	39.2	0.8%	< 0.5				80%	120%
Cs	1	3757177	2.40	2.36	1.7%	< 0.05				80%	120%
Cu	1	3757177	39.6	41.0	3.5%	< 0.1	6108	6000	101%	80%	120%
Fe	1	3757177	2.09	2.22	6.0%	< 0.01				80%	120%
Ga	1	3757177	7.00	7.14	2.0%	< 0.05				80%	120%
Ge	1	3757177	0.082	0.087	5.9%	< 0.05				80%	120%
Hf	1	3757177	< 0.02	< 0.02	0.0%	< 0.02				80%	120%
Hg	1	3757177	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3757177	0.015	0.015	0.0%	< 0.005				80%	120%
K	1	3757177	0.033	0.036	8.7%	< 0.01				80%	120%
La	1	3757177	13.5	13.9	2.9%	< 0.1				80%	120%
Li	1	3757177	12.3	12.3	0.0%	< 0.1				80%	120%
Mg	1	3757177	0.64	0.68	6.1%	< 0.01				80%	120%
Mn	1	3757177	728	775	6.3%	< 1				80%	120%
Mo	1	3757177	2.10	2.08	1.0%	< 0.05				80%	120%
Na	1	3757177	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757177	1.44	1.49	3.4%	< 0.05				80%	120%
Ni	1	3757177	34.3	36.9	7.3%	< 0.2				80%	120%
P	1	3757177	471	490	4.0%	< 10	719	600	120%	80%	120%
Pb	1	3757177	5.95	5.98	0.5%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Rb	1	3757177	8.84	8.93	1.0%	< 0.1				80%	120%	
Re	1	3757177	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757177	0.025	0.026	3.9%	< 0.005				80%	120%	
Sb	1	3757177	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3757177	2.37	2.45	3.3%	< 0.1				80%	120%	
Se	1	3757177	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3757177	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3757177	15.4	15.4	0.0%	< 0.2				80%	120%	
Ta	1	3757177	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757177	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3757177	1.24	1.28	3.2%	< 0.1				80%	120%	
Ti	1	3757177	0.126	0.137	8.4%	< 0.005				80%	120%	
Tl	1	3757177	0.05	0.05	0.0%	< 0.01				80%	120%	
U	1	3757177	0.66	0.68	3.0%	< 0.05				80%	120%	
V	1	3757177	37.8	40.7	7.4%	< 0.5				80%	120%	
W	1	3757177	0.11	0.11	0.0%	< 0.05				80%	120%	
Y	1	3757177	3.94	4.03	2.3%	< 0.05	7	7	99%	80%	120%	
Zn	1	3757177	70.4	75.9	7.5%	< 0.5				80%	120%	
Zr	1	3757177	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757197	0.05	0.05	0.0%	< 0.01	13.8	13.0	106%	80%	120%	
Al	1	3757197	0.77	0.77	0.0%	< 0.01				80%	120%	
As	1	3757197	2.4	2.2	8.7%	< 0.1				80%	120%	
Au	1	3757197	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757197	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757197	33	33	0.0%	< 1				80%	120%	
Be	1	3757197	0.095	0.104	9.0%	< 0.05				80%	120%	
Bi	1	3757197	0.13	0.13	0.0%	< 0.01				80%	120%	
Ca	1	3757197	0.13	0.13	0.0%	< 0.01				80%	120%	
Cd	1	3757197	0.08	0.08	0.0%	< 0.01				80%	120%	
Ce	1	3757197	20.9	20.5	1.9%	< 0.01				80%	120%	
Co	1	3757197	3.1	3.1	0.0%	< 0.1				80%	120%	
Cr	1	3757197	20.9	20.8	0.5%	< 0.5				80%	120%	
Cs	1	3757197	1.02	1.06	3.8%	< 0.05				80%	120%	
Cu	1	3757197	7.3	7.6	4.0%	< 0.1	5901	6000	98%	80%	120%	
Fe	1	3757197	1.79	1.78	0.6%	< 0.01				80%	120%	
Ga	1	3757197	7.00	6.98	0.3%	< 0.05				80%	120%	
Ge	1	3757197	0.124	0.104	17.5%	< 0.05				80%	120%	
Hf	1	3757197	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3757197	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3757197	0.012	0.012	0.0%	< 0.005				80%	120%	
K	1	3757197	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3757197	10.0	9.7	3.0%	< 0.1				80%	120%	
Li	1	3757197	5.0	5.3	5.8%	< 0.1				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Mg	1	3757197	0.22	0.22	0.0%	< 0.01				80%	120%	
Mn	1	3757197	72	73	1.4%	< 1				80%	120%	
Mo	1	3757197	0.417	0.425	1.9%	< 0.05	354	360	98%	80%	120%	
Na	1	3757197	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757197	2.77	2.82	1.8%	< 0.05				80%	120%	
Ni	1	3757197	11.1	10.9	1.8%	< 0.2				80%	120%	
P	1	3757197	268	265	1.1%	< 10	688	600	115%	80%	120%	
Pb	1	3757197	10.8	10.8	0.0%	< 0.1				80%	120%	
Rb	1	3757197	6.8	7.1	4.3%	< 0.1				80%	120%	
Re	1	3757197	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757197	0.023	0.023	0.0%	< 0.005				80%	120%	
Sb	1	3757197	0.07	0.07	0.0%	< 0.05				80%	120%	
Sc	1	3757197	1.15	1.18	2.6%	< 0.1				80%	120%	
Se	1	3757197	0.24	0.26	8.0%	< 0.2				80%	120%	
Sn	1	3757197	0.7	0.7	0.0%	< 0.2				80%	120%	
Sr	1	3757197	8.0	8.0	0.0%	< 0.2				80%	120%	
Ta	1	3757197	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757197	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757197	1.96	1.83	6.9%	< 0.1				80%	120%	
Ti	1	3757197	0.169	0.171	1.2%	< 0.005				80%	120%	
Tl	1	3757197	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3757197	0.383	0.373	2.6%	< 0.05				80%	120%	
V	1	3757197	47.6	48.4	1.7%	< 0.5				80%	120%	
W	1	3757197	0.08	0.08	0.0%	< 0.05				80%	120%	
Y	1	3757197	2.36	2.34	0.9%	< 0.05	6	7	86%	80%	120%	
Zn	1	3757197	20.0	20.1	0.5%	< 0.5				80%	120%	
Zr	1	3757197	1.48	1.45	2.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757202	0.49	0.46	6.3%	< 0.01	13.8	13.0	106%	80%	120%	
Al	1	3757202	1.32	1.49	12.1%	< 0.01				80%	120%	
As	1	3757202	1.1	2.0		< 0.1				80%	120%	
Au	1	3757202	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757202	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757202	66	74	11.4%	< 1				80%	120%	
Be	1	3757202	0.715	0.767	7.0%	< 0.05				80%	120%	
Bi	1	3757202	0.35	0.35	0.0%	< 0.01				80%	120%	
Ca	1	3757202	0.152	0.167	9.4%	< 0.01				80%	120%	
Cd	1	3757202	0.181	0.172	5.1%	< 0.01				80%	120%	
Ce	1	3757202	47.7	49.5	3.7%	< 0.01				80%	120%	
Co	1	3757202	20.8	21.5	3.3%	< 0.1				80%	120%	
Cr	1	3757202	35.8	38.8	8.0%	< 0.5				80%	120%	
Cs	1	3757202	1.69	1.75	3.5%	< 0.05				80%	120%	
Cu	1	3757202	171	189	10.0%	< 0.1	5899	6000	98%	80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Fe	1	3757202	2.56	2.80	9.0%	< 0.01				80%	120%	
Ga	1	3757202	9.22	9.57	3.7%	< 0.05				80%	120%	
Ge	1	3757202	0.09	0.08	11.8%	< 0.05				80%	120%	
Hf	1	3757202	0.04	0.03	28.6%	< 0.02				80%	120%	
Hg	1	3757202	0.09	0.09	0.0%	< 0.01				80%	120%	
In	1	3757202	0.054	0.056	3.6%	< 0.005				80%	120%	
K	1	3757202	0.024	0.027	11.8%	< 0.01				80%	120%	
La	1	3757202	22.9	23.9	4.3%	< 0.1				80%	120%	
Li	1	3757202	12.0	12.8	6.5%	< 0.1				80%	120%	
Mg	1	3757202	0.35	0.39	10.8%	< 0.01				80%	120%	
Mn	1	3757202	160	173	7.8%	< 1				80%	120%	
Mo	1	3757202	1.50	1.61	7.1%	< 0.05	357	360	99%	80%	120%	
Na	1	3757202	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757202	2.74	2.75	0.4%	< 0.05				80%	120%	
Ni	1	3757202	19.3	21.1	8.9%	< 0.2				80%	120%	
P	1	3757202	477	517	8.0%	< 10	684	600	114%	80%	120%	
Pb	1	3757202	12.2	12.5	2.4%	< 0.1				80%	120%	
Rb	1	3757202	5.7	5.7	0.0%	< 0.1				80%	120%	
Re	1	3757202	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757202	0.044	0.046	4.4%	< 0.005				80%	120%	
Sb	1	3757202	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757202	2.1	2.2	4.7%	< 0.1				80%	120%	
Se	1	3757202	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3757202	0.8	0.8	0.0%	< 0.2				80%	120%	
Sr	1	3757202	12.4	12.5	0.8%	< 0.2				80%	120%	
Ta	1	3757202	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757202	0.12	0.12	0.0%	< 0.01				80%	120%	
Th	1	3757202	1.2	1.1	8.7%	< 0.1				80%	120%	
Ti	1	3757202	0.099	0.109	9.6%	< 0.005				80%	120%	
Tl	1	3757202	0.167	0.176	5.2%	< 0.01				80%	120%	
U	1	3757202	1.57	1.68	6.8%	< 0.05				80%	120%	
V	1	3757202	58.7	64.5	9.4%	< 0.5				80%	120%	
W	1	3757202	0.179	0.198	10.1%	< 0.05				80%	120%	
Y	1	3757202	4.70	4.73	0.6%	< 0.05	6	7	92%	80%	120%	
Zn	1	3757202	76.0	82.3	8.0%	< 0.5				80%	120%	
Zr	1	3757202	0.60	0.54	10.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757227	0.076	0.063	18.7%	< 0.01	14.2	13.0	110%	80%	120%	
Al	1	3757227	0.93	0.92	1.1%	< 0.01				80%	120%	
As	1	3757227	1.12	1.03	8.4%	< 0.1				80%	120%	
Au	1	3757227	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757227	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757227	15	14	6.9%	< 1				80%	120%	
Be	1	3757227	0.22	0.18	20.0%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Bi	1	3757227	0.068	0.064	6.1%	< 0.01				80%	120%	
Ca	1	3757227	0.11	0.11	0.0%	< 0.01				80%	120%	
Cd	1	3757227	0.02	0.02	0.0%	< 0.01				80%	120%	
Ce	1	3757227	23.1	21.4	7.6%	< 0.01				80%	120%	
Co	1	3757227	3.07	2.61	16.2%	< 0.1				80%	120%	
Cr	1	3757227	16.7	16.2	3.0%	< 0.5				80%	120%	
Cs	1	3757227	1.30	1.26	3.1%	< 0.05				80%	120%	
Cu	1	3757227	8.0	4.6		< 0.1	5876	6000	97%	80%	120%	
Fe	1	3757227	1.27	1.23	3.2%	< 0.01				80%	120%	
Ga	1	3757227	3.93	3.29	17.7%	< 0.05				80%	120%	
Ge	1	3757227	0.07	0.08	13.3%	< 0.05				80%	120%	
Hf	1	3757227	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	
Hg	1	3757227	0.027	0.023	16.0%	< 0.01				80%	120%	
In	1	3757227	0.010	0.008	22.2%	< 0.005				80%	120%	
K	1	3757227	0.025	0.025	0.0%	< 0.01				80%	120%	
La	1	3757227	10.1	7.83	25.3%	< 0.1				80%	120%	
Li	1	3757227	10.2	8.5	18.2%	< 0.1				80%	120%	
Mg	1	3757227	0.21	0.20	4.9%	< 0.01				80%	120%	
Mn	1	3757227	70	67	4.4%	< 1				80%	120%	
Mo	1	3757227	0.521	0.421	21.2%	< 0.05	352	360	97%	80%	120%	
Na	1	3757227	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757227	2.09	1.66	22.9%	< 0.05				80%	120%	
Ni	1	3757227	8.89	8.32	6.6%	< 0.2				80%	120%	
P	1	3757227	316	298	5.9%	< 10	676	600	113%	80%	120%	
Pb	1	3757227	3.67	3.52	4.2%	< 0.1				80%	120%	
Rb	1	3757227	6.1	5.1	17.9%	< 0.1				80%	120%	
Re	1	3757227	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757227	0.013	0.012	8.0%	< 0.005				80%	120%	
Sb	1	3757227	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757227	1.3	1.1	16.7%	< 0.1				80%	120%	
Se	1	3757227	0.4	0.3	28.6%	< 0.2				80%	120%	
Sn	1	3757227	0.38	0.31	20.3%	< 0.2				80%	120%	
Sr	1	3757227	6.8	5.8	15.9%	< 0.2				80%	120%	
Ta	1	3757227	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757227	< 0.01	0.01		< 0.01				80%	120%	
Th	1	3757227	1.91	1.81	5.4%	< 0.1				80%	120%	
Ti	1	3757227	0.071	0.070	1.4%	< 0.005				80%	120%	
Tl	1	3757227	0.04	0.04	0.0%	< 0.01				80%	120%	
U	1	3757227	0.37	0.35	5.6%	< 0.05				80%	120%	
V	1	3757227	20.2	19.1	5.6%	< 0.5				80%	120%	
W	1	3757227	0.12	0.13	8.0%	< 0.05				80%	120%	
Y	1	3757227	2.99	2.45	19.9%	< 0.05	7	7	93%	80%	120%	
Zn	1	3757227	16.5	13.1	23.0%	< 0.5				80%	120%	
Zr	1	3757227	0.9	0.6		< 0.5				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1	3757252	0.07	0.07	0.0%	< 0.01	14.3	13.0	110%	80%	120%
Al	1	3757252	1.02	1.03	1.0%	< 0.01				80%	120%
As	1	3757252	2.9	2.9	0.0%	< 0.1				80%	120%
Au	1	3757252	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757252	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757252	37	38	2.7%	< 1				80%	120%
Be	1	3757252	0.23	0.23	0.0%	< 0.05				80%	120%
Bi	1	3757252	0.204	0.207	1.5%	< 0.01				80%	120%
Ca	1	3757252	0.148	0.144	2.7%	< 0.01				80%	120%
Cd	1	3757252	0.11	0.11	0.0%	< 0.01				80%	120%
Ce	1	3757252	25.0	28.3	12.4%	< 0.01				80%	120%
Co	1	3757252	4.67	4.60	1.5%	< 0.1				80%	120%
Cr	1	3757252	26.3	26.1	0.8%	< 0.5				80%	120%
Cs	1	3757252	2.08	2.06	1.0%	< 0.05				80%	120%
Cu	1	3757252	7.61	7.44	2.3%	< 0.1	5907	6000	98%	80%	120%
Fe	1	3757252	2.78	2.80	0.7%	< 0.01				80%	120%
Ga	1	3757252	9.17	9.17	0.0%	< 0.05				80%	120%
Ge	1	3757252	0.07	0.07	0.0%	< 0.05				80%	120%
Hf	1	3757252	0.02	0.02	0.0%	< 0.02				80%	120%
Hg	1	3757252	0.052	0.065	22.2%	< 0.01				80%	120%
In	1	3757252	0.018	0.018	0.0%	< 0.005				80%	120%
K	1	3757252	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3757252	11.2	13.1	15.6%	< 0.1				80%	120%
Li	1	3757252	8.86	8.73	1.5%	< 0.1				80%	120%
Mg	1	3757252	0.23	0.23	0.0%	< 0.01				80%	120%
Mn	1	3757252	140	139	0.7%	< 1				80%	120%
Mo	1	3757252	1.35	1.36	0.7%	< 0.05	357	360	99%	80%	120%
Na	1	3757252	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757252	2.82	2.71	4.0%	< 0.05				80%	120%
Ni	1	3757252	14.2	13.7	3.6%	< 0.2				80%	120%
P	1	3757252	865	843	2.6%	< 10	681	600	114%	80%	120%
Pb	1	3757252	6.40	6.66	4.0%	< 0.1				80%	120%
Rb	1	3757252	6.0	5.8	3.4%	< 0.1				80%	120%
Re	1	3757252	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757252	0.0331	0.0321	3.1%	< 0.005				80%	120%
Sb	1	3757252	0.07	0.07	0.0%	< 0.05				80%	120%
Sc	1	3757252	1.36	1.28	6.1%	< 0.1				80%	120%
Se	1	3757252	0.6	0.6	0.0%	< 0.2				80%	120%
Sn	1	3757252	0.53	0.61	14.0%	< 0.2				80%	120%
Sr	1	3757252	11.6	11.2	3.5%	< 0.2				80%	120%
Ta	1	3757252	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757252	0.03	0.04	28.6%	< 0.01				80%	120%
Th	1	3757252	1.4	2.0		< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ti	1	3757252	0.115	0.112	2.6%	< 0.005				80%	120%
Tl	1	3757252	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757252	0.59	0.61	3.3%	< 0.05				80%	120%
V	1	3757252	43.5	43.0	1.2%	< 0.5				80%	120%
W	1	3757252	0.21	0.21	0.0%	< 0.05				80%	120%
Y	1	3757252	2.83	2.83	0.0%	< 0.05	6	7	87%	80%	120%
Zn	1	3757252	28.4	28.1	1.1%	< 0.5				80%	120%
Zr	1	3757252	0.9	1.0	10.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757277	1.49	1.54	3.3%	< 0.01	14.1	13.0	108%	80%	120%
Al	1	3757277	4.25	4.21	0.9%	< 0.01				80%	120%
As	1	3757277	8.3	7.6	8.8%	< 0.1				80%	120%
Au	1	3757277	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757277	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757277	82	82	0.0%	< 1				80%	120%
Be	1	3757277	1.06	1.05	0.9%	< 0.05				80%	120%
Bi	1	3757277	0.297	0.280	5.9%	< 0.01				80%	120%
Ca	1	3757277	0.13	0.13	0.0%	< 0.01				80%	120%
Cd	1	3757277	0.23	0.23	0.0%	< 0.01				80%	120%
Ce	1	3757277	75.6	73.2	3.2%	< 0.01				80%	120%
Co	1	3757277	69.4	69.4	0.0%	< 0.1				80%	120%
Cr	1	3757277	62.7	62.8	0.2%	< 0.5				80%	120%
Cs	1	3757277	4.75	4.76	0.2%	< 0.05				80%	120%
Cu	1	3757277	128	129	0.8%	< 0.1	6101	6000	101%	80%	120%
Fe	1	3757277	7.02	6.91	1.6%	< 0.01				80%	120%
Ga	1	3757277	12.5	12.6	0.8%	< 0.05				80%	120%
Ge	1	3757277	0.131	0.122	7.1%	< 0.05				80%	120%
Hf	1	3757277	0.15	0.15	0.0%	< 0.02				80%	120%
Hg	1	3757277	0.189	0.170	10.6%	< 0.01				80%	120%
In	1	3757277	0.072	0.072	0.0%	< 0.005				80%	120%
K	1	3757277	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3757277	33.6	33.3	0.9%	< 0.1				80%	120%
Li	1	3757277	14.2	14.9	4.8%	< 0.1				80%	120%
Mg	1	3757277	0.15	0.15	0.0%	< 0.01				80%	120%
Mn	1	3757277	451	442	2.0%	< 1				80%	120%
Mo	1	3757277	7.29	7.32	0.4%	< 0.05	362	360	100%	80%	120%
Na	1	3757277	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757277	4.93	4.94	0.2%	< 0.05				80%	120%
Ni	1	3757277	62.9	64.4	2.4%	< 0.2				80%	120%
P	1	3757277	1050	1060	0.9%	< 10	698	600	116%	80%	120%
Pb	1	3757277	15.2	14.7	3.3%	< 0.1				80%	120%
Rb	1	3757277	8.95	9.19	2.6%	< 0.1				80%	120%
Re	1	3757277	< 0.001	< 0.001	0.0%	< 0.001				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
S	1	3757277	0.0965	0.0969	0.4%	< 0.005				80%	120%
Sb	1	3757277	0.202	0.206	2.0%	< 0.05				80%	120%
Sc	1	3757277	4.2	4.2	0.0%	< 0.1				80%	120%
Se	1	3757277	2.34	2.42	3.4%	< 0.2				80%	120%
Sn	1	3757277	0.7	0.7	0.0%	< 0.2				80%	120%
Sr	1	3757277	11.8	11.9	0.8%	< 0.2				80%	120%
Ta	1	3757277	0.076	0.072	5.4%	< 0.01	1	0.9	112%	80%	120%
Te	1	3757277	0.087	0.096	9.8%	< 0.01				80%	120%
Th	1	3757277	4.28	4.24	0.9%	< 0.1				80%	120%
Ti	1	3757277	0.106	0.107	0.9%	< 0.005				80%	120%
Tl	1	3757277	0.23	0.23	0.0%	< 0.01				80%	120%
U	1	3757277	1.46	1.45	0.7%	< 0.05				80%	120%
V	1	3757277	98.2	99.0	0.8%	< 0.5				80%	120%
W	1	3757277	0.650	0.615	5.5%	< 0.05				80%	120%
Y	1	3757277	10.7	10.6	0.9%	< 0.05	7	7	95%	80%	120%
Zn	1	3757277	75.7	76.7	1.3%	< 0.5				80%	120%
Zr	1	3757277	6.66	6.64	0.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	14.6	13.0	112%	80%	120%
B	1					< 5	6.59	7.00	94%	80%	120%
Be	1					< 0.05	0.3	0.4	74%	80%	120%
Y	1					< 0.05	7	7	101%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.9	13.0	92%	80%	120%
Ca	1					< 0.01	2.64	2.21	120%	80%	120%
Cu	1					< 0.1	5613	6000	93%	80%	120%
Mo	1					< 0.05	333	360	92%	80%	120%
P	1					< 10	650	600	108%	80%	120%
Ta	1					< 0.01	0.9	0.9	98%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	13.5	13.0	104%	80%	120%
Cu	1					< 0.1	5645	6000	94%	80%	120%
Mo	1					< 0.05	343	360	95%	80%	120%
P	1					< 10	645	600	108%	80%	120%
Y	1					< 0.05	6	7	81%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	13.8	13.0	106%	80%	120%
Cu	1					< 0.1	5731	6000	95%	80%	120%
Mo	1					< 0.05	338	360	93%	80%	120%
P	1					< 10	654	600	109%	80%	120%
Ta	1					< 0.01	0.8	0.9	90%	80%	120%
Y	1					< 0.05	6	7	83%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	14.1	13.0	108%	80%	120%
Cu	1					< 0.1	5733	6000	95%	80%	120%
Mo	1					< 0.05	346	360	96%	80%	120%
P	1					< 10	657	600	109%	80%	120%
Ta	1					< 0.01	0.8	0.9	90%	80%	120%
Y	1					< 0.05	6	7	89%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	14.5	13.0	111%	80%	120%
Cu	1					< 0.1	6069	6000	101%	80%	120%
Mo	1					< 0.05	361	360	100%	80%	120%
P	1					< 10	702	600	117%	80%	120%
Y	1					< 0.05	6	7	88%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	14.1	13.0	108%	80%	120%
Cu	1					< 0.1	6053	6000	100%	80%	120%
Mo	1					< 0.05	364	360	101%	80%	120%
P	1					< 10	694	600	116%	80%	120%
Ta	1					< 0.01	1.1	0.9	117%	80%	120%
Y	1					< 0.05	6	7	92%	80%	120%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757027	0.005	0.006	18.2%	< 0.001	0.269	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3756890	< 0.001	< 0.001	0.0%	< 0.001	1.42	1.52	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3756902	< 0.001	< 0.001	0.0%	< 0.001	0.267	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3756914	< 0.001	< 0.001	0.0%	< 0.001	1.51	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757277	0.0051	0.0057	11.1%	< 0.001	0.263	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3756939	< 0.001	< 0.001	0.0%	< 0.001	0.28	0.263	106%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3756952	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757115	0.005	0.005	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757127	0.016	0.005		< 0.001				90%	110%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3756990	< 0.001	< 0.001	0.0%	< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3756997	< 0.001	< 0.001	0.0%	< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3757002	< 0.001	< 0.001	0.0%	< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3757014	< 0.001	< 0.001	0.0%	< 0.001			90%	110%

Certified By:



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646797

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T646801

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 25, 2012

PAGES (INCLUDING COVER): 94

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1046		0.22	<0.01	0.85	1.5	<0.01	<5	23	0.08	0.06	0.06	0.03	20.8	3.8	13.5
12-1047		0.17	<0.01	1.14	3.5	<0.01	<5	34	0.18	0.12	0.13	0.11	25.6	4.6	31.4
12-1048		0.20	<0.01	0.89	2.2	<0.01	<5	41	0.28	0.07	1.51	0.09	36.6	5.6	27.3
12-1049		0.16	<0.01	0.88	2.2	<0.01	<5	33	0.24	0.07	0.32	0.08	44.2	5.2	25.4
12-1050		0.14	<0.01	1.65	2.0	<0.01	<5	82	0.39	0.13	0.56	0.05	76.2	19.1	34.5
12-1051		0.22	<0.01	1.59	1.6	<0.01	<5	78	0.35	0.11	1.55	0.04	67.3	18.0	33.5
12-1052		0.13	<0.01	0.82	1.7	<0.01	<5	30	0.12	0.16	0.14	0.05	23.6	4.0	22.7
12-1053		0.16	<0.01	1.20	2.0	<0.01	<5	52	0.33	0.09	0.34	0.08	52.3	6.0	32.8
12-1054		0.17	<0.01	1.00	1.7	<0.01	<5	42	0.29	0.11	0.46	0.07	77.4	5.9	28.3
12-1055		0.19	<0.01	1.14	1.2	<0.01	<5	26	0.21	0.14	0.33	0.06	41.7	10.4	23.3
12-1056		0.20	<0.01	0.24	1.1	<0.01	<5	11	<0.05	0.81	0.03	0.06	21.8	0.5	4.5
12-1057		0.22	0.03	0.73	1.3	<0.01	<5	32	0.11	0.28	0.10	0.09	24.1	4.2	14.1
12-1058		0.19	<0.01	0.83	1.5	<0.01	<5	21	0.14	0.12	0.14	0.04	32.2	3.8	19.3
12-1059		0.16	<0.01	0.78	1.7	<0.01	<5	20	0.13	0.13	0.16	0.05	36.5	4.5	23.9
12-1060		0.18	0.03	1.57	2.9	<0.01	<5	37	0.32	0.15	0.09	0.12	25.0	6.1	26.2
12-1061		0.20	<0.01	0.70	1.5	<0.01	<5	17	0.09	0.11	0.11	0.03	25.2	2.7	17.8
12-1062		0.15	<0.01	1.21	2.3	<0.01	<5	31	0.17	0.10	0.12	0.06	25.5	5.0	22.6
12-1063		0.16	<0.01	0.71	2.1	<0.01	<5	25	0.12	0.09	0.08	0.06	22.7	1.9	11.0
12-1064		0.20	<0.01	0.90	1.4	<0.01	<5	33	0.15	0.08	0.11	0.05	23.9	6.7	20.4
12-1065		0.17	<0.01	1.20	1.3	<0.01	<5	43	0.14	0.04	0.68	0.03	68.8	10.5	51.5
12-1066		0.15	<0.01	1.32	1.3	<0.01	<5	46	0.24	0.06	0.23	0.02	58.8	4.9	27.2
12-1067		0.16	<0.01	0.57	0.9	<0.01	<5	26	0.08	0.11	0.16	0.05	20.9	4.4	19.6
12-1068		0.20	<0.01	0.67	2.6	<0.01	<5	22	0.12	0.08	0.17	0.06	24.2	4.3	24.0
12-1069		0.16	<0.01	0.74	2.1	<0.01	<5	36	0.26	0.05	0.34	0.07	79.0	3.9	17.9
12-1070		0.19	<0.01	1.29	2.4	<0.01	<5	25	0.26	0.09	0.12	0.09	23.9	6.4	31.4
12-1800		0.18	<0.01	0.84	1.4	<0.01	<5	17	0.15	0.06	0.20	0.03	36.3	4.9	25.4
12-1801		0.20	<0.01	0.71	2.4	<0.01	<5	16	0.14	0.05	0.21	0.03	35.6	4.8	27.5
12-1802		0.18	0.06	0.59	1.6	<0.01	<5	18	0.08	0.11	0.10	0.04	22.0	1.5	11.4
12-1803		0.16	0.06	1.23	1.4	<0.01	<5	37	0.29	0.07	0.27	0.05	53.3	10.5	29.8
12-1804		0.20	<0.01	1.80	2.2	<0.01	<5	22	0.30	0.07	0.14	0.07	26.6	10.5	30.5
12-1805		0.17	<0.01	1.62	2.4	<0.01	<5	28	0.27	0.09	0.09	0.06	21.1	3.3	19.5

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1806		0.15	<0.01	1.01	2.4	<0.01	<5	19	0.15	0.08	0.15	0.06	43.1	5.0	34.2
12-1807		0.18	<0.01	1.24	2.0	<0.01	<5	32	0.23	0.10	0.07	0.14	29.8	2.3	14.7
12-1808		0.16	<0.01	1.26	2.7	<0.01	<5	46	0.30	0.07	0.45	0.07	93.4	8.8	30.9
12-1809		0.15	<0.01	1.13	2.6	<0.01	<5	41	0.24	0.13	0.40	0.07	93.3	6.6	31.1
12-1810		0.21	<0.01	0.86	34.9	<0.01	<5	25	0.20	0.16	0.19	0.08	35.9	4.2	16.2
12-1811		0.20	<0.01	1.38	3.5	<0.01	<5	45	0.27	0.08	0.22	0.06	39.5	6.6	27.8
12-1812		0.16	<0.01	1.19	2.1	<0.01	<5	36	0.28	0.11	0.17	0.06	29.4	3.0	19.9
12-1813		0.17	<0.01	1.27	2.9	<0.01	<5	84	0.23	0.24	0.22	0.11	20.6	7.0	44.9
12-1814		0.20	<0.01	0.82	3.0	<0.01	<5	70	0.19	0.05	0.25	0.08	50.1	4.2	20.8
12-1815		0.17	<0.01	1.50	2.4	<0.01	<5	30	0.20	0.07	0.20	0.12	38.6	3.6	25.7
12-1816		0.18	<0.01	2.06	2.2	<0.01	<5	48	0.29	0.07	0.23	0.13	24.8	6.4	42.4
12-1817		0.16	<0.01	1.51	4.3	<0.01	<5	53	0.21	0.13	0.26	0.07	31.8	12.4	38.7
12-1818		0.15	<0.01	1.09	3.5	<0.01	<5	43	0.14	0.17	0.15	0.06	24.3	2.2	28.3
12-1819		0.19	<0.01	0.95	2.6	<0.01	<5	39	0.13	0.10	0.23	0.09	24.8	3.2	22.3
12-1820		0.20	<0.01	1.20	4.3	<0.01	<5	87	0.22	0.14	0.26	0.12	25.6	9.5	33.9
12-1821		0.16	0.03	1.28	2.2	<0.01	<5	32	0.25	0.07	0.25	0.08	29.1	4.1	27.3
12-1822		0.18	<0.01	1.41	2.3	<0.01	<5	44	0.29	0.24	0.26	0.07	32.9	6.2	39.0
12-1823		0.17	<0.01	1.07	1.6	<0.01	<5	64	0.24	0.15	0.20	0.16	24.1	5.0	29.0
12-1824		0.20	<0.01	0.76	2.1	<0.01	<5	36	0.12	0.30	0.28	0.10	22.6	4.0	32.4
12-1825		0.19	<0.01	0.96	5.5	<0.01	<5	32	0.22	0.10	0.34	0.07	49.9	5.3	27.1
12-1826		0.15	<0.01	0.83	1.5	<0.01	<5	28	0.20	0.08	0.29	0.05	44.6	3.5	20.0
12-1827		0.19	<0.01	1.83	3.3	<0.01	<5	47	0.31	0.10	0.16	0.06	29.9	4.3	31.7
12-1828		0.21	<0.01	1.66	3.0	<0.01	<5	42	0.31	0.11	0.12	0.11	22.4	4.9	20.6
12-1829		0.19	<0.01	1.35	2.0	<0.01	<5	31	0.27	0.13	0.18	0.04	37.4	6.6	34.4
12-1830		0.17	<0.01	1.06	1.4	<0.01	<5	36	0.20	0.08	0.21	0.04	33.8	5.6	26.5
12-1071		0.16	<0.01	0.98	2.4	<0.01	<5	28	0.15	0.12	0.14	0.07	25.4	3.5	19.0
12-1072		0.14	<0.01	1.39	1.9	<0.01	<5	56	0.23	0.16	0.16	0.09	34.9	9.0	24.9
12-1073		0.20	<0.01	1.08	1.6	<0.01	<5	24	0.15	0.12	0.15	0.04	25.5	2.1	18.0
12-1074		0.21	<0.01	0.99	1.2	<0.01	<5	39	0.19	0.06	0.29	0.06	34.0	4.9	25.5
12-1075		0.17	<0.01	1.11	6.7	<0.01	<5	47	0.17	0.17	0.13	0.15	23.1	2.7	25.7
12-1076		0.15	<0.01	1.00	5.3	<0.01	<5	41	0.14	0.17	0.14	0.16	23.7	2.5	21.8

[Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1077		0.11	<0.01	0.46	1.2	<0.01	<5	35	<0.05	0.18	0.06	0.09	16.7	1.0	11.4
12-1078		0.16	<0.01	0.72	2.7	<0.01	<5	19	<0.05	0.17	0.08	0.09	15.7	1.9	16.9
12-1079		0.20	<0.01	0.75	1.7	<0.01	<5	26	0.08	0.49	0.10	0.26	16.8	1.4	16.9
12-1080		0.15	<0.01	2.17	0.9	<0.01	<5	84	0.19	0.09	0.13	0.03	12.7	14.7	61.1
12-1081		0.18	<0.01	1.28	1.1	<0.01	<5	31	0.08	0.19	0.17	0.06	13.0	6.3	32.3
12-1082		0.19	<0.01	1.07	1.3	<0.01	<5	35	0.21	0.06	0.24	0.02	58.0	4.0	20.0
12-1083		0.17	<0.01	0.69	4.5	<0.01	<5	28	0.08	0.16	0.15	0.17	18.9	2.4	20.2
12-1084		0.15	<0.01	1.26	1.4	<0.01	<5	39	0.21	0.15	0.19	0.05	33.1	5.4	23.3
12-1085		0.22	<0.01	1.76	2.9	<0.01	<5	30	0.32	0.16	0.13	0.12	26.6	2.4	23.7
12-1086		0.20	<0.01	1.31	1.7	<0.01	<5	34	0.28	0.13	0.26	0.03	55.7	9.4	25.0
12-1087		0.17	<0.01	1.10	2.3	<0.01	<5	40	0.18	0.17	0.21	0.09	31.1	3.8	25.5
12-1088		0.17	<0.01	1.24	2.3	<0.01	<5	35	0.15	0.23	0.13	0.10	30.6	3.6	24.9
12-1089		0.19	<0.01	0.77	2.0	<0.01	<5	24	0.11	0.17	0.08	0.08	18.6	1.3	11.2
12-1090		0.17	<0.01	0.75	0.8	<0.01	<5	17	0.12	0.20	0.06	0.04	22.6	1.1	14.9
12-1091		0.14	<0.01	0.95	1.4	<0.01	<5	51	0.23	0.22	0.35	0.17	27.8	9.8	13.1
12-1092		0.17	<0.01	0.86	1.9	<0.01	<5	46	0.16	0.36	0.13	0.12	25.7	3.8	18.4
12-1093		0.15	<0.01	1.63	2.1	<0.01	<5	49	0.24	0.13	0.21	0.09	54.4	6.9	37.8
12-1094		0.18	<0.01	1.72	3.1	<0.01	10	79	0.58	0.12	6.13	0.12	62.0	10.9	43.3
12-1095		0.19	<0.01	1.17	1.5	<0.01	<5	24	0.16	0.09	0.08	0.03	22.9	2.6	14.9
12-1096		0.14	<0.01	1.40	1.8	<0.01	<5	20	0.19	0.09	0.10	0.07	26.8	4.1	20.2
12-1097		0.17	<0.01	1.58	1.8	<0.01	<5	76	0.31	0.08	0.62	0.31	73.8	21.5	40.7
12-1098		0.20	<0.01	1.03	2.6	<0.01	<5	21	0.12	0.16	0.16	0.11	22.0	3.7	24.6
12-1099		0.18	<0.01	0.94	1.7	<0.01	<5	17	0.23	0.06	0.22	0.02	30.9	7.0	21.7
12-1100		0.26	<0.01	0.88	1.7	<0.01	<5	26	0.16	0.07	0.30	0.05	53.7	5.9	29.0
12-1101		0.17	<0.01	0.86	5.4	<0.01	<5	25	0.17	0.08	0.28	0.05	53.7	6.0	28.4
12-1102		0.20	<0.01	1.86	1.3	<0.01	<5	58	0.39	0.07	0.60	0.16	82.3	10.0	38.5
12-1103		0.21	<0.01	2.02	1.7	<0.01	<5	72	0.48	0.10	0.66	0.26	107	11.1	46.9
12-1104		0.23	<0.01	1.94	2.0	<0.01	<5	81	0.49	0.11	0.62	0.43	109	12.0	42.6
12-1105		0.24	<0.01	1.42	1.4	<0.01	<5	58	0.28	0.08	0.27	0.07	51.4	8.6	23.8
12-1106		0.26	<0.01	1.06	1.9	<0.01	<5	31	0.17	0.12	0.10	0.12	32.6	2.1	18.0
12-1107		0.23	<0.01	3.35	2.5	<0.01	<5	108	0.79	0.10	0.74	0.29	118	17.6	46.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1108		0.20	<0.01	0.83	1.7	<0.01	<5	27	<0.05	0.08	0.16	0.05	9.19	4.4	15.1
12-1109		0.22	<0.01	0.85	0.9	<0.01	<5	23	0.18	0.05	0.19	0.02	30.6	3.7	19.9
12-1110		0.24	<0.01	1.00	1.3	<0.01	<5	28	0.14	0.12	0.10	0.05	27.2	2.5	17.1
12-1111		0.19	<0.01	1.31	1.4	<0.01	<5	22	0.18	0.08	0.16	0.04	25.5	5.8	31.5
12-1112		0.20	<0.01	0.86	1.1	<0.01	<5	41	0.25	0.05	0.29	0.03	53.3	5.1	25.7
12-1113		0.24	<0.01	1.15	1.9	<0.01	<5	30	0.19	0.08	0.16	0.04	31.8	4.9	25.6
12-1114		0.21	<0.01	1.18	1.1	<0.01	<5	55	0.37	0.07	0.29	0.03	63.8	4.2	28.0
12-1115		0.19	<0.01	1.94	3.8	<0.01	<5	24	0.18	0.10	0.12	0.07	25.6	3.4	39.8
12-1116		0.20	<0.01	1.29	4.1	<0.01	<5	19	0.17	0.15	0.06	0.12	23.6	2.3	21.5
12-1117		0.24	<0.01	1.68	2.0	<0.01	<5	21	0.21	0.11	0.06	0.08	21.2	1.7	18.9
12-1118		0.20	<0.01	0.80	1.4	<0.01	<5	25	0.23	0.06	0.34	0.02	49.2	4.8	24.1
12-1119		0.23	<0.01	0.67	2.1	0.06	<5	31	0.12	0.09	0.19	0.04	29.0	2.5	17.0
12-1120		0.22	<0.01	0.54	2.6	<0.01	<5	26	0.09	0.08	0.17	0.07	38.8	2.4	19.4
12-1121		0.24	<0.01	0.96	1.6	<0.01	<5	31	0.18	0.06	0.23	0.03	38.5	4.1	25.6
12-1122		0.22	<0.01	1.45	0.5	<0.01	<5	27	0.09	0.01	0.59	0.04	20.8	16.1	38.4
12-1123		0.20	<0.01	1.05	1.9	<0.01	<5	27	0.19	0.08	0.16	0.05	35.1	5.7	25.4
12-1124		0.24	<0.01	1.25	1.7	<0.01	<5	27	0.21	0.09	0.25	0.09	32.9	6.3	26.5
12-1125		0.21	<0.01	0.50	1.3	<0.01	<5	15	0.08	0.08	0.14	0.05	25.6	3.4	13.3
12-1126		0.19	<0.01	0.61	1.5	<0.01	<5	18	0.08	0.08	0.18	0.04	26.0	3.4	16.3
12-1127		0.22	<0.01	0.95	1.4	<0.01	<5	35	0.17	0.11	0.23	0.03	28.4	5.6	22.1
12-1128		0.20	<0.01	1.23	1.0	<0.01	<5	40	0.16	0.09	0.23	0.01	27.9	4.8	22.4
12-1129		0.19	<0.01	0.96	1.5	<0.01	<5	22	0.14	0.08	0.15	0.04	27.4	5.3	25.0
12-1130		0.25	0.13	2.39	1.8	<0.01	<5	70	0.41	0.10	0.54	0.11	57.9	12.4	60.7
12-1551		0.24	<0.01	0.87	1.1	<0.01	<5	47	0.14	0.06	0.35	0.12	22.3	3.3	22.2
12-1552		0.20	0.09	1.09	2.9	<0.01	<5	30	0.19	0.12	0.12	0.14	31.7	3.0	15.9
12-1553		0.21	0.06	1.78	2.9	<0.01	<5	44	0.30	0.15	0.17	0.14	23.0	2.7	23.3
12-1554		0.24	<0.01	1.36	4.3	<0.01	<5	85	0.27	0.10	0.23	0.18	34.5	6.4	36.0
12-1555		0.21	<0.01	1.03	1.8	<0.01	<5	33	0.23	0.09	0.39	0.10	39.2	6.4	32.5
12-1556		0.22	0.05	1.30	2.0	<0.01	<5	44	0.48	0.07	1.02	0.23	49.9	10.2	51.4
12-1557		0.20	0.04	0.97	2.8	<0.01	<5	61	0.21	0.15	0.25	0.22	24.6	3.8	23.7
12-1558		0.19	<0.01	3.26	4.2	<0.01	<5	28	0.49	0.10	0.07	0.17	24.4	3.7	35.4

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1559		0.23	<0.01	0.94	2.3	<0.01	<5	25	0.18	0.11	0.07	0.10	25.6	3.2	15.4
12-1560		0.24	<0.01	0.82	1.7	<0.01	<5	20	0.18	0.08	0.13	0.09	24.4	3.3	15.9
12-1561		0.20	<0.01	1.44	2.3	<0.01	<5	49	0.34	0.09	0.12	0.04	24.4	4.8	18.3
12-1562		0.22	0.05	0.57	1.9	<0.01	<5	22	0.11	0.11	0.08	0.10	22.0	1.8	11.6
12-1563		0.21	<0.01	0.67	0.7	<0.03	<5	28	0.16	0.05	0.36	0.12	28.3	5.6	22.1
12-1564		0.24	<0.01	1.72	2.1	<0.01	<5	64	0.41	0.10	0.51	0.24	98.2	13.4	40.2
12-1565		0.23	<0.01	0.93	1.8	<0.01	<5	16	0.20	0.09	0.07	0.09	23.8	3.2	16.4
12-1566		0.19	<0.01	0.94	3.4	<0.01	<5	26	0.13	0.13	0.07	0.12	19.5	1.7	20.9
12-1567		0.23	<0.01	0.70	1.4	<0.01	<5	16	0.11	0.09	0.09	0.06	21.1	2.6	13.8
12-1568		0.25	<0.01	0.89	3.5	<0.01	<5	25	0.15	0.12	0.13	0.09	22.3	2.1	18.5
12-1569		0.23	<0.01	1.35	2.9	<0.01	<5	36	0.28	0.09	0.08	0.08	21.7	4.0	18.1
12-1570		0.21	<0.01	0.50	2.1	<0.01	<5	19	0.06	0.13	0.05	0.05	27.0	1.0	10.9
12-1571		0.20	<0.01	0.68	1.0	<0.01	<5	25	0.23	0.06	0.22	0.05	36.4	4.4	17.6
12-1572		0.18	<0.01	0.58	1.5	<0.01	<5	16	0.35	0.08	0.12	0.06	15.6	1.1	10.9
12-1573		0.24	<0.01	0.70	2.6	<0.01	<5	24	0.13	0.12	0.11	0.06	22.0	2.5	17.4
12-1574		0.25	<0.01	1.24	2.4	<0.01	<5	24	0.21	0.07	0.10	0.06	21.9	2.8	19.4
12-1575		0.21	<0.01	0.57	2.7	<0.01	<5	25	0.10	0.12	0.15	0.07	25.5	3.4	21.0
12-1576		0.19	<0.01	0.48	29.7	<0.01	<5	21	0.09	0.12	0.15	0.06	28.1	3.1	20.1
12-1577		0.18	<0.01	0.93	2.7	<0.01	<5	22	0.21	0.11	0.14	0.11	28.7	3.7	20.6
12-1578		0.20	<0.01	0.95	2.6	<0.01	<5	20	0.21	0.20	0.12	0.12	26.6	3.0	21.0
12-1579		0.24	<0.01	0.91	2.6	<0.01	<5	23	0.15	0.17	0.09	0.04	22.3	1.9	17.8
12-1580		0.19	0.06	0.54	2.4	<0.01	<5	18	0.10	0.14	0.07	0.05	26.3	1.6	10.7
12-1581		0.22	<0.01	0.96	4.8	<0.01	<5	21	0.20	0.14	0.07	0.03	24.7	3.6	18.8
12-1582		0.23	<0.01	0.68	1.9	<0.01	<5	13	0.10	0.09	0.19	0.08	25.3	4.1	33.7
12-1583		0.21	<0.01	0.45	0.9	<0.01	<5	11	0.09	0.07	0.09	0.03	22.8	2.1	10.2
12-1584		0.19	<0.01	0.67	2.2	<0.01	<5	23	0.22	0.06	0.25	0.03	46.2	4.9	15.9
12-1585		0.26	<0.01	1.45	2.9	<0.01	<5	59	0.38	0.11	0.14	0.11	27.4	8.2	27.8
12-1586		0.24	<0.01	0.86	1.4	<0.01	<5	18	0.14	0.13	0.11	0.05	19.9	4.4	21.8
12-1587		0.21	<0.01	0.58	0.7	<0.01	<5	27	0.14	0.04	0.27	0.04	30.8	2.5	14.8
12-1588		0.21	0.04	0.94	3.2	<0.01	<5	20	0.19	0.14	0.10	0.06	23.0	2.8	17.9
12-1589		0.23	<0.01	1.10	2.6	<0.01	<5	34	0.28	0.14	0.10	0.08	27.5	3.0	17.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1590		0.21	0.09	1.23	2.6	<0.01	<5	24	0.29	0.18	0.08	0.07	29.6	1.8	18.4
12-1591		0.18	<0.01	2.05	3.2	<0.01	<5	29	0.32	0.19	0.11	0.09	26.7	3.2	32.8
12-1592		0.21	<0.01	2.23	2.9	<0.01	<5	37	0.37	0.21	0.09	0.08	24.8	2.2	22.9
12-1593		0.19	0.06	1.32	1.7	<0.01	<5	19	0.25	0.11	0.06	0.06	27.4	1.8	16.0
12-1594		0.22	0.14	0.94	1.8	<0.01	<5	29	0.16	0.14	0.08	0.06	22.9	1.3	14.2
12-1595		0.23	0.12	1.07	3.6	<0.01	<5	43	0.32	0.20	0.15	0.10	23.3	3.7	24.3
12-1596		0.18	0.07	1.28	2.4	<0.01	<5	38	0.29	0.11	0.17	0.05	44.5	4.9	21.9
12-1597		0.21	0.06	1.03	2.4	<0.01	<5	38	0.32	0.06	0.48	0.10	44.2	3.3	19.3
12-1598		0.11	0.05	1.46	2.5	<0.01	<5	40	0.30	0.08	0.17	0.11	27.8	3.7	23.3
12-1599		0.16	0.07	1.39	3.9	<0.01	<5	51	0.35	0.08	0.20	0.06	46.4	4.0	22.5
12-1131		0.12	0.06	0.99	1.5	<0.01	<5	33	0.15	0.11	0.23	0.05	26.1	5.8	23.4
12-1132		0.13	0.10	2.19	3.1	<0.01	8	91	0.75	0.15	0.82	0.16	85.7	11.7	52.4
12-1133		0.12	0.08	1.88	2.9	<0.01	7	77	0.67	0.13	0.67	0.12	73.5	12.6	45.0
12-1134		0.14	0.06	1.99	3.4	<0.01	5	76	0.64	0.13	0.42	0.12	70.9	12.0	46.3
12-1135		0.17	0.12	2.14	3.3	<0.01	6	82	0.72	0.16	0.56	0.11	67.5	12.4	51.2
12-1136		0.19	0.12	1.77	4.2	<0.01	7	93	0.60	0.15	1.13	0.29	72.7	9.7	40.8
12-1137		0.11	0.13	1.04	2.6	<0.01	<5	28	0.18	0.10	0.18	0.08	42.7	3.9	33.0
12-1138		0.12	0.09	1.18	2.5	<0.01	<5	61	0.22	0.19	0.21	0.10	30.2	10.9	31.4
12-1139		0.13	0.06	1.11	2.5	<0.01	<5	64	0.35	0.10	0.34	0.04	56.2	4.7	35.1
12-1140		0.15	1.46	2.23	4.4	<0.01	<5	88	1.39	6.01	0.43	0.10	129	7.0	36.3
12-1141		0.11	0.16	1.78	2.9	<0.01	<5	33	0.33	0.13	0.09	0.10	21.7	4.4	27.8
12-1142		0.12	0.09	1.56	4.6	<0.01	<5	25	0.24	0.17	0.14	0.18	24.2	3.5	26.7
12-1143		0.16	0.05	1.54	4.5	<0.01	<5	19	0.33	0.17	0.11	0.11	23.4	3.6	23.8
12-1144		0.12	0.04	0.73	1.6	<0.01	<5	19	0.17	0.10	0.14	0.02	25.1	3.3	16.0
12-1145		0.14	0.04	1.07	2.4	<0.01	<5	33	0.21	0.09	0.10	0.08	28.2	2.9	19.4
12-1146		0.13	0.15	1.07	2.3	<0.01	<5	49	0.29	0.08	0.18	0.08	37.8	7.0	23.5
12-1147		0.10	0.07	1.46	2.6	<0.01	<5	30	0.40	0.07	0.32	0.07	78.0	8.1	33.0
12-1148		0.13	0.18	1.24	5.3	<0.01	<5	38	0.56	0.10	0.21	0.07	66.8	9.0	27.3
12-1149		0.13	0.15	1.44	4.0	<0.01	<5	45	0.30	0.16	0.18	0.12	19.9	2.9	25.6
12-1150		0.15	0.37	1.30	2.5	<0.01	<5	55	0.35	0.27	0.17	0.10	32.0	7.7	22.4
12-1151		0.14	0.34	1.26	2.7	<0.01	<5	40	0.30	0.13	0.20	0.08	43.1	7.0	25.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-1152		0.17	0.06	0.94	5.0	<0.01	28	0.29	0.07	0.56	0.44	37.9	6.8	33.9							
12-1153		0.11	0.20	1.24	1.3	<0.01	83	0.07	0.14	0.15	0.10	6.61	8.0	56.5							
12-1154		0.16	0.10	0.94	3.2	<0.01	23	0.15	0.11	0.11	0.03	22.8	3.4	18.0							
12-1155		0.12	0.20	1.47	2.9	<0.01	34	0.19	0.52	0.15	0.09	18.6	6.3	24.1							
12-1156		0.16	0.17	0.99	1.9	<0.01	33	0.18	0.11	0.17	0.07	24.8	3.8	22.6							
12-1157		0.11	0.19	1.77	3.1	<0.01	64	0.47	0.15	0.62	0.09	95.7	6.9	39.4							
12-1158		0.14	0.05	0.77	1.0	<0.01	21	0.19	0.22	0.08	0.11	22.4	0.8	7.8							
12-1159		0.16	0.11	1.51	3.2	<0.01	52	0.35	0.15	0.69	0.14	34.2	7.7	28.1							
12-1160		0.12	0.13	1.72	2.0	<0.01	62	0.55	0.11	0.69	0.10	61.6	6.8	39.0							
12-1161		0.17	0.06	0.42	1.0	<0.01	19	0.17	0.03	9.44	0.05	32.1	2.8	11.8							
12-1162		0.11	0.07	0.55	1.1	<0.01	24	0.21	0.07	2.07	0.08	43.3	4.4	19.4							
12-1163		0.13	0.05	1.35	2.2	<0.01	32	0.42	0.18	0.24	0.11	55.4	14.6	26.1							
12-1164		0.10	0.12	0.94	4.0	<0.01	33	0.23	0.15	0.29	0.09	24.0	6.1	34.9							
12-1165		0.16	0.12	1.96	3.4	<0.01	60	0.65	0.13	0.25	0.14	44.9	8.5	37.1							
12-1166		0.13	0.16	2.59	4.3	<0.01	129	1.28	0.18	0.87	0.32	93.0	18.7	62.9							
12-1167		0.12	0.06	0.79	2.2	<0.01	21	0.15	0.07	0.14	0.04	27.5	3.6	20.5							
12-1168		0.16	0.10	0.80	1.3	<0.01	29	0.20	0.09	0.15	0.04	25.8	3.5	11.5							
12-1169		0.16	0.07	0.39	2.1	0.01	21	0.07	0.16	0.11	0.06	19.9	1.1	9.2							
12-1170		0.12	0.13	1.18	3.4	<0.01	33	0.31	0.11	0.11	0.06	21.5	4.4	20.7							
12-1171		0.13	0.06	1.73	2.7	<0.01	27	0.31	0.07	0.16	0.09	24.0	4.6	29.9							
12-1172		0.14	0.05	0.57	1.4	<0.01	22	0.09	0.13	0.15	0.06	16.6	1.8	10.8							
12-1173		0.15	0.05	0.51	1.1	<0.01	7	0.20	0.20	4.60	0.10	39.3	4.2	17.0							
12-1174		0.12	0.17	1.68	1.7	<0.01	44	0.46	0.11	0.15	0.07	40.7	6.3	30.0							
12-1175		0.10	0.04	0.57	1.1	<0.01	18	0.10	0.11	0.07	0.04	22.7	1.6	15.7							
12-1176		0.14	0.05	0.55	1.0	<0.01	19	0.13	0.11	0.07	0.05	22.5	1.9	14.0							
12-1177		0.13	0.03	0.87	3.3	<0.01	14	0.20	0.06	0.15	0.07	36.8	4.3	18.2							
12-1178		0.12	0.03	0.71	0.9	<0.01	19	0.11	0.10	0.09	0.02	22.0	2.4	15.5							
12-1179		0.16	0.02	0.69	1.3	<0.01	13	0.08	0.10	0.08	0.02	20.9	1.9	21.7							
12-1180		0.11	0.05	1.45	3.0	<0.01	20	0.24	0.15	0.06	0.11	27.1	2.3	18.8							
12-1181		0.17	0.04	2.06	2.4	<0.01	23	0.35	0.10	0.08	0.08	23.7	3.6	28.6							
12-1182		0.12	0.04	0.85	2.9	<0.01	24	0.10	0.20	0.09	0.06	20.1	2.9	34.5							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1183		0.16	0.07	1.33	1.8	<0.01	<5	27	0.24	0.09	0.13	0.04	30.4	5.2	27.8
12-1184		0.12	0.09	2.08	3.6	<0.01	<5	35	0.52	0.15	0.08	0.17	34.1	6.8	34.5
12-1185		0.11	0.04	1.40	2.8	<0.01	<5	21	0.19	0.10	0.09	0.08	23.7	3.5	23.3
12-1186		0.15	0.09	2.76	3.4	<0.01	<5	39	0.72	0.10	0.23	0.11	52.8	5.5	38.0
12-1187		0.10	0.08	0.74	2.0	<0.01	<5	37	0.12	0.14	0.13	0.08	19.8	2.4	13.9
12-1188		0.12	0.09	1.63	3.8	<0.01	<5	60	0.51	0.13	0.23	0.07	37.4	5.3	33.4
12-1189		0.15	0.04	0.50	1.6	<0.01	<5	23	0.19	0.04	0.34	0.03	44.3	2.7	17.9
12-1190		0.11	0.12	1.53	1.9	<0.01	<5	27	0.26	0.09	0.08	0.07	25.2	4.3	18.3
12-1750		0.13	0.04	0.81	1.2	<0.01	<5	20	0.17	0.09	0.09	0.05	23.2	2.9	13.1
12-1751		0.17	0.04	0.84	1.1	<0.01	<5	23	0.19	0.08	0.08	0.08	28.7	2.9	13.8
12-1752		0.13	0.06	0.88	2.5	<0.01	<5	21	0.27	0.10	0.10	0.09	25.1	4.4	18.6
12-1753		0.11	0.04	0.78	2.1	<0.01	<5	33	0.13	0.19	0.14	0.05	29.1	1.7	14.8
12-1754		0.16	0.13	1.76	4.4	<0.01	<5	29	0.26	0.13	0.10	0.30	39.6	2.7	26.3
12-1755		0.15	0.04	1.29	1.5	<0.01	<5	20	0.08	0.09	0.07	0.03	8.55	11.0	11.0
12-1756		0.14	0.04	1.13	1.1	<0.01	<5	22	0.19	0.11	0.12	0.03	33.2	2.0	14.9
12-1757		0.11	0.04	0.28	0.9	<0.01	<5	20	<0.05	0.15	0.05	0.07	13.2	1.3	5.7
12-1758		0.11	0.09	1.00	1.4	<0.01	<5	23	0.22	0.12	0.07	0.06	33.8	1.0	10.0
12-1759		0.13	0.08	2.12	2.4	<0.01	<5	30	0.46	0.19	0.09	0.06	38.8	1.7	17.9
12-1760		0.17	0.03	0.15	0.9	<0.01	<5	9	<0.05	0.09	0.05	0.02	16.7	0.4	8.5
12-1761		0.15	0.07	1.44	2.4	<0.01	<5	27	0.26	0.08	0.10	0.08	29.1	3.7	25.9
12-1762		0.11	0.10	1.32	2.7	<0.01	<5	29	0.31	0.11	0.18	0.06	44.8	4.6	35.1
12-1763		0.16	0.07	0.91	1.8	<0.01	<5	32	0.19	0.10	0.14	0.10	28.9	2.4	17.1
12-1764		0.13	0.08	1.03	2.2	<0.01	<5	45	0.21	0.08	0.22	0.07	31.3	4.2	23.0
12-1765		0.11	0.05	0.96	1.8	<0.01	<5	36	0.22	0.08	0.22	0.04	34.1	6.4	23.3
12-1766		0.12	0.06	1.68	1.4	<0.01	<5	39	0.36	0.10	0.49	0.06	52.1	10.3	28.9
12-1767		0.14	0.05	0.74	1.4	<0.01	<5	13	0.09	0.06	0.06	0.07	15.3	0.5	8.7
12-1768		0.13	0.06	0.81	2.9	<0.01	<5	23	0.15	0.12	0.07	0.07	18.1	1.6	12.1
12-1769		0.18	0.06	0.94	2.7	<0.01	<5	29	0.18	0.12	0.12	0.05	21.8	2.6	22.8
12-1770		0.14	0.07	0.79	4.1	<0.01	<5	28	0.15	0.10	0.11	0.10	26.6	2.2	20.6
12-1771		0.15	0.07	0.74	2.4	<0.01	<5	21	0.16	0.13	0.08	0.15	29.2	5.2	40.9
12-1772		0.14	0.09	3.41	2.6	<0.01	<5	37	0.86	0.12	0.04	0.19	49.8	2.4	20.3

[Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte:	Sample Login Weight	Unit:	RDL:	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil												
		kg					Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
12-1773	0.01	0.06	1.29	4.4	<0.01	20	0.13	0.08	0.01	0.20	0.19	15.6	2.8	26.0	0.01	0.01	0.01	0.1	0.5
12-1774	0.05	0.05	2.40	4.5	<0.01	26	0.33	0.06	0.10	0.10	0.10	28.7	3.1	27.6	0.06	0.10	28.7	3.1	27.6
12-1775	0.10	0.10	1.29	3.9	<0.01	36	0.18	0.08	0.17	0.17	0.11	28.0	2.7	26.8	0.08	0.11	28.0	2.7	26.8
12-1776	0.13	0.10	1.26	3.8	<0.01	36	0.17	0.08	0.16	0.16	0.10	26.8	2.8	28.5	0.08	0.10	26.8	2.8	28.5
12-1777	0.14	0.08	1.27	2.6	<0.01	24	0.17	0.08	0.19	0.19	0.18	25.4	3.1	17.7	0.08	0.18	25.4	3.1	17.7
12-1778	0.15	0.06	0.97	1.7	<0.01	21	0.18	0.07	0.16	0.16	0.04	23.2	2.5	17.4	0.07	0.04	23.2	2.5	17.4
12-1779	0.17	0.13	0.54	1.8	<0.01	30	0.07	0.08	0.12	0.12	0.07	20.8	0.7	7.3	0.08	0.07	20.8	0.7	7.3
12-1780	0.13	0.06	0.82	1.5	<0.01	25	0.12	0.11	0.11	0.11	0.02	24.4	3.6	13.9	0.11	0.02	24.4	3.6	13.9
12-1781	0.14	0.07	0.47	1.2	<0.01	27	0.10	0.12	0.17	0.17	0.03	23.3	3.9	23.2	0.12	0.03	23.3	3.9	23.2
12-1782	0.18	0.06	1.37	2.4	<0.01	24	0.31	0.11	0.11	0.11	0.05	38.4	4.8	24.5	0.11	0.05	38.4	4.8	24.5
12-1783	0.14	0.06	0.94	2.3	<0.01	27	0.19	0.13	0.13	0.13	0.05	21.7	1.5	13.5	0.08	0.05	21.7	1.5	13.5
12-1784	0.16	0.08	1.54	3.2	<0.01	47	0.36	0.12	0.12	0.12	0.04	23.2	4.1	21.4	0.11	0.04	23.2	4.1	21.4
12-1785	0.15	0.23	1.79	3.5	<0.01	72	0.40	0.17	0.17	0.17	0.06	27.7	6.7	24.0	0.15	0.06	27.7	6.7	24.0
12-1786	0.12	0.10	1.14	4.1	<0.01	28	0.23	0.18	0.13	0.13	0.05	29.9	6.6	23.2	0.18	0.05	29.9	6.6	23.2
12-1787	0.15	0.06	1.13	2.9	<0.01	50	0.23	0.11	0.11	0.11	0.24	35.8	5.9	30.7	0.24	0.07	35.8	5.9	30.7
12-1788	0.15	0.07	1.76	2.8	<0.01	47	0.38	0.20	0.10	0.10	0.07	30.8	9.9	31.7	0.20	0.07	30.8	9.9	31.7
12-1789	0.17	0.20	1.49	2.8	<0.01	55	0.31	0.11	0.11	0.11	0.08	20.7	3.9	25.7	0.12	0.08	20.7	3.9	25.7
12-1790	0.16	0.10	0.79	2.3	<0.01	37	0.16	0.17	0.13	0.13	0.07	20.1	3.8	25.8	0.17	0.07	20.1	3.8	25.8
12-1791	0.19	0.17	1.16	3.3	<0.01	33	0.28	0.16	0.16	0.16	0.09	24.7	2.7	20.6	0.16	0.09	24.7	2.7	20.6
12-1792	0.13	0.21	2.69	3.1	<0.01	37	0.54	0.08	0.08	0.08	0.13	23.5	5.3	29.8	0.13	0.09	23.5	5.3	29.8
12-1793	0.18	0.22	1.59	3.2	<0.01	40	0.39	0.14	0.14	0.14	0.19	26.0	3.6	22.1	0.19	0.11	26.0	3.6	22.1
12-1794	0.14	0.05	1.08	2.3	<0.01	51	0.18	0.05	0.05	0.05	0.05	48.5	6.9	26.2	0.05	0.05	48.5	6.9	26.2
12-1795	0.18	0.12	1.21	12.9	<0.01	57	0.19	0.11	0.11	0.11	0.06	37.9	7.7	31.1	0.38	0.06	37.9	7.7	31.1
12-1796	0.13	0.06	1.27	1.0	<0.01	43	0.18	0.07	0.07	0.07	0.44	29.9	6.9	26.4	0.44	0.07	29.9	6.9	26.4
12-1797	0.16	0.04	1.69	1.8	<0.01	18	0.24	0.06	0.06	0.06	0.06	23.2	2.9	27.2	0.06	0.07	23.2	2.9	27.2
12-1798	0.18	0.03	1.36	1.8	<0.01	23	0.21	0.09	0.09	0.09	0.16	27.1	3.7	24.2	0.16	0.02	27.1	3.7	24.2
12-1799	0.14	0.04	1.50	1.8	<0.01	26	0.23	0.13	0.09	0.09	0.05	30.3	3.2	19.2	0.13	0.05	30.3	3.2	19.2
12-1381	0.19	0.04	0.89	2.0	<0.01	31	0.24	0.06	0.06	0.06	0.25	42.8	3.7	25.0	0.25	0.02	42.8	3.7	25.0
12-1382	0.13	0.46	4.41	2.2	<0.01	104	0.89	0.07	0.07	0.07	0.81	131	32.9	49.0	0.81	0.23	131	32.9	49.0
12-1383	0.15	0.06	0.78	0.9	<0.01	52	0.20	0.07	0.07	0.07	0.23	42.7	1.7	16.7	0.23	0.11	42.7	1.7	16.7
12-1384	0.12	0.09	1.23	4.7	<0.01	38	0.27	0.11	0.11	0.11	0.12	25.7	4.0	23.2	0.12	0.05	25.7	4.0	23.2

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1385		0.18	0.16	1.82	2.5	<0.01	<5	29	0.33	0.10	0.12	0.05	21.3	4.1	28.7
12-1386		0.15	0.14	1.34	4.7	<0.01	<5	47	0.34	0.16	0.10	0.11	22.7	5.1	23.7
12-1387		0.14	0.15	1.88	2.8	<0.01	<5	46	0.42	0.11	0.14	0.06	22.8	4.2	22.0
12-1388		0.18	0.17	1.29	2.9	<0.01	<5	46	0.28	0.12	0.12	0.06	23.2	3.5	20.4
12-1389		0.18	0.16	1.45	2.1	<0.01	<5	33	0.31	0.13	0.14	0.04	25.0	4.3	27.9
12-1390		0.14	0.13	1.54	1.9	<0.01	<5	30	0.30	0.09	0.10	0.04	23.6	4.5	18.3
12-1391		0.15	0.21	1.46	4.5	<0.01	<5	46	0.32	0.12	0.13	0.08	24.2	5.7	25.8
12-1392		0.16	0.24	1.12	3.5	<0.01	<5	31	0.25	0.12	0.13	0.16	22.2	3.5	15.2
12-1393		0.17	0.17	1.31	2.5	<0.01	<5	22	0.25	0.13	0.11	0.08	23.0	2.5	18.0
12-1394		0.14	0.06	0.48	2.4	<0.01	<5	24	0.10	0.11	0.09	0.05	20.1	1.7	10.1
12-1395		0.12	0.11	1.41	2.2	<0.01	<5	29	0.34	0.11	0.12	0.05	23.3	3.8	22.9
12-1396		0.16	0.10	1.15	2.9	<0.01	<5	27	0.19	0.11	0.09	0.08	22.9	2.2	18.2
12-1397		0.15	0.08	0.83	3.5	<0.01	<5	26	0.20	0.09	0.15	0.05	27.3	3.1	16.3
12-1398		0.14	0.12	1.12	3.4	<0.01	<5	28	0.22	0.12	0.17	0.07	26.0	2.8	20.4
12-1399		0.18	0.15	1.23	1.9	<0.01	<5	23	0.24	0.09	0.13	0.07	28.1	2.3	19.2
12-1400		0.13	0.05	0.52	1.2	<0.01	<5	15	0.10	0.12	0.10	0.04	27.7	1.9	11.7
12-1401		0.19	0.12	0.84	1.8	<0.01	<5	22	0.17	0.10	0.11	0.07	26.7	1.7	16.4
12-1402		0.14	0.14	1.53	3.0	<0.01	<5	36	0.28	0.16	0.12	0.08	22.9	3.5	25.3
12-1403		0.18	0.25	1.74	2.5	<0.01	<5	47	0.32	0.10	0.10	0.09	23.6	4.2	20.2
12-1404		0.14	0.09	1.52	2.5	<0.01	<5	30	0.31	0.11	0.16	0.06	29.5	3.2	23.0
12-1405		0.13	0.08	1.43	2.6	<0.01	<5	33	0.26	0.08	0.15	0.08	33.2	3.6	24.4
12-1406		0.17	0.15	1.61	2.7	<0.01	<5	45	0.39	0.13	0.16	0.07	33.1	3.6	23.5
12-1407		0.12	0.09	1.84	3.0	<0.01	<5	37	0.35	0.14	0.24	0.07	35.3	5.8	33.1
12-1408		0.14	0.08	1.17	2.1	<0.01	<5	33	0.26	0.11	0.17	0.09	27.2	2.5	16.4
12-1409		0.17	0.11	1.43	4.5	<0.01	<5	29	0.37	0.12	0.24	0.10	42.5	5.7	29.8
12-1410		0.13	0.10	1.36	2.4	<0.01	<5	25	0.23	0.07	0.17	0.06	51.8	4.6	26.3
12-1411		0.15	0.09	1.04	1.8	<0.01	<5	50	0.24	0.12	0.16	0.07	27.9	2.5	17.9
12-1412		0.19	0.16	1.63	2.3	<0.01	<5	34	0.35	0.12	0.16	0.05	31.6	3.8	26.3
12-1413		0.15	0.11	1.24	2.9	<0.01	<5	26	0.23	0.14	0.12	0.05	27.6	2.6	20.3
12-1414		0.13	0.08	0.75	2.1	<0.01	<5	33	0.13	0.15	0.29	0.07	30.6	3.4	19.0
12-1415		0.18	0.12	1.33	1.8	<0.01	<5	22	0.23	0.10	0.09	0.04	24.4	1.7	14.0

[Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-1416		0.17	0.10	1.21	1.8	<0.01	5	24	0.24	0.15	0.10	0.04	26.2	1.8	17.4						
12-1417		0.16	0.09	1.37	1.8	<0.01	<5	47	0.36	0.07	0.25	0.03	40.9	4.8	27.3						
12-1418		0.13	0.13	1.66	2.0	<0.01	<5	42	0.26	0.07	0.19	0.05	28.8	5.9	27.3						
12-1419		0.13	0.06	2.01	2.2	<0.01	<5	332	0.30	0.06	0.25	0.05	28.0	14.8	35.4						
12-1420		0.15	0.07	1.13	1.9	<0.01	<5	24	0.22	0.17	0.17	0.04	26.0	9.6	21.3						
12-1421		0.19	0.09	0.82	2.7	<0.01	<5	25	0.21	0.09	0.14	0.08	23.0	3.6	19.1						
12-1422		0.17	0.15	1.36	1.6	<0.01	<5	39	0.42	0.10	0.27	0.11	54.3	6.8	31.0						
12-1423		0.13	0.07	1.25	3.0	<0.01	<5	48	0.26	0.12	0.46	0.15	34.6	6.0	26.1						
12-1424		0.18	0.05	0.82	1.5	<0.01	<5	22	0.17	0.06	0.52	0.08	30.8	3.5	20.1						
12-1425		0.15	0.08	0.96	2.4	<0.01	8	52	0.34	0.07	9.78	0.12	50.6	6.3	27.0						
12-1426		0.13	0.10	1.13	1.9	<0.01	7	68	0.42	0.08	5.37	0.18	53.2	7.3	29.9						
12-1427		0.14	0.03	0.69	1.4	<0.01	<5	30	0.14	0.05	0.26	0.07	27.6	3.1	16.6						
12-1428		0.16	0.13	2.08	2.1	<0.01	<5	57	0.34	0.09	0.16	0.02	25.4	5.3	35.2						
12-1429		0.16	0.07	0.83	1.3	<0.01	<5	23	0.15	0.09	0.22	0.04	23.8	1.6	13.6						
12-1430		0.21	0.10	1.18	3.9	<0.01	<5	56	0.30	0.10	1.36	0.12	50.4	5.7	38.5						
12-1700		0.17	0.05	1.12	1.8	<0.01	<5	40	0.26	0.08	0.21	0.05	29.6	3.7	21.4						
12-1701		0.18	0.05	1.16	1.5	<0.01	<5	39	0.24	0.07	0.22	0.05	29.2	3.5	22.7						
12-1702		0.17	0.04	0.86	2.8	<0.01	<5	22	0.08	0.10	0.09	0.13	13.2	1.2	15.5						
12-1703		0.19	0.05	0.78	2.3	<0.01	<5	20	0.09	0.11	0.09	0.07	21.1	2.2	15.3						
12-1704		0.22	0.07	1.10	0.9	<0.01	<5	58	0.23	0.08	1.01	0.32	18.5	1.2	14.5						
12-1705		0.24	0.07	1.93	2.2	<0.01	<5	66	0.42	0.10	0.51	0.12	102	10.0	52.4						
12-1706		0.16	0.10	1.19	2.9	<0.01	<5	31	0.18	0.15	0.12	0.07	23.4	1.9	20.1						
12-1707		0.17	0.10	1.14	2.2	<0.01	<5	25	0.15	0.10	0.09	0.08	19.4	1.7	19.0						
12-1708		0.18	0.17	1.92	2.7	<0.01	<5	28	0.34	0.17	0.13	0.08	21.2	5.1	35.0						
12-1709		0.20	0.12	1.21	1.9	<0.01	<5	38	0.23	0.13	0.15	0.04	23.6	3.0	23.6						
12-1710		0.16	0.06	0.59	2.5	<0.01	<5	17	0.08	0.07	0.09	0.04	21.7	1.5	13.7						
12-1711		0.17	0.14	2.42	2.3	<0.01	<5	49	0.29	0.13	0.21	0.08	13.7	11.8	53.5						
12-1712		0.21	0.04	2.00	1.3	<0.01	<5	47	0.19	0.04	0.21	0.05	10.4	12.3	78.3						
12-1713		0.17	0.03	0.87	1.2	<0.01	<5	20	0.09	0.04	0.12	0.04	10.9	3.7	15.9						
12-1714		0.19	0.05	0.87	3.3	<0.01	<5	33	0.11	0.14	0.14	0.15	14.1	4.2	19.2						
12-1715		0.18	0.17	1.25	2.9	<0.01	<5	39	0.29	0.10	0.16	0.04	34.2	4.2	24.3						

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1716		0.15	0.10	1.53	0.1	<0.01	<5	28	0.20	0.13	0.10	0.05	21.8	1.1	15.5
12-1717		0.18	0.16	1.91	3.9	<0.01	<5	40	0.36	0.15	0.12	0.05	30.4	4.5	30.4
12-1718		0.18	0.24	1.70	3.0	<0.01	<5	30	0.25	1.02	0.09	0.14	26.6	3.4	29.3
12-1719		0.20	0.07	0.69	1.9	<0.01	<5	30	0.18	0.05	0.47	0.16	86.1	2.6	20.1
12-1720		0.19	0.07	1.37	2.0	<0.01	<5	16	0.15	0.09	0.08	0.09	19.5	1.3	26.4
12-1721		0.22	0.07	1.12	3.1	<0.01	<5	33	0.18	0.12	0.16	0.07	23.8	3.4	39.2
12-1722		0.16	0.04	0.24	1.6	<0.01	12	103	0.08	0.03	4.61	0.19	3.35	1.1	5.2
12-1723		0.21	0.05	1.27	2.6	<0.01	<5	33	0.20	0.08	0.43	0.05	21.3	3.2	20.9
12-1724		0.17	0.04	0.48	1.6	<0.01	<5	43	0.08	0.10	0.11	0.03	25.9	0.9	10.8
12-1725		0.21	0.08	0.93	2.5	<0.01	<5	44	0.14	0.12	0.12	0.07	24.7	2.1	18.2
12-1726		0.16	0.09	1.07	2.7	<0.01	<5	46	0.17	0.12	0.13	0.08	24.2	2.3	19.7
12-1727		0.19	0.07	1.70	1.5	<0.01	<5	65	0.22	0.07	0.72	0.03	41.9	5.8	47.7
12-1728		0.21	0.08	1.22	3.4	<0.01	<5	70	0.22	0.10	0.21	0.07	23.8	3.3	22.7
12-1729		0.17	0.08	0.69	2.0	<0.01	<5	47	0.10	0.10	0.11	0.04	25.6	1.7	13.0
12-1730		0.22	0.09	1.45	3.2	<0.01	<5	43	0.31	0.14	0.24	0.08	26.9	5.9	35.1
12-1731		0.16	0.13	1.35	2.2	<0.01	<5	59	0.25	0.15	0.19	0.06	24.0	2.5	20.1
12-1732		0.18	0.08	1.01	4.0	<0.01	<5	60	0.20	0.13	0.21	0.07	35.7	2.9	26.8
12-1733		0.15	0.11	1.10	2.6	<0.01	<5	54	0.21	0.16	0.17	0.09	20.1	4.5	24.1
12-1734		0.21	0.14	1.41	3.8	<0.01	<5	51	0.25	0.17	0.17	0.10	24.7	1.7	23.7
12-1735		0.18	0.08	1.01	3.6	<0.01	<5	49	0.19	0.21	0.16	0.10	26.1	2.0	19.2
12-1736		0.17	0.08	1.20	2.9	<0.01	<5	50	0.23	0.10	0.19	0.07	22.1	4.7	33.9
12-1737		0.21	0.08	1.71	2.3	<0.01	<5	37	0.30	0.15	0.20	0.06	39.0	9.5	39.1
12-1738		0.21	0.07	0.89	2.6	<0.01	<5	46	0.19	0.18	0.20	0.13	39.8	4.8	26.3
12-1739		0.17	0.06	1.07	2.4	<0.01	<5	56	0.29	0.38	0.29	0.09	52.0	5.8	28.3
12-1740		0.18	0.06	0.86	2.1	<0.01	<5	39	0.21	0.10	0.14	0.07	25.5	4.2	20.4
12-1741		0.19	0.10	1.51	2.8	<0.01	<5	35	0.35	0.10	0.14	0.05	28.0	4.0	27.1
12-1742		0.20	0.09	1.57	1.7	<0.01	<5	58	0.34	0.07	0.24	0.06	43.5	10.9	40.0
12-1743		0.17	0.03	1.05	2.1	<0.01	<5	22	0.19	0.09	0.15	0.06	22.3	4.4	30.9
12-1744		0.15	0.05	0.10	3.4	<0.01	16	49	0.05	0.04	3.90	0.24	2.33	1.4	4.3
12-1745		0.19	0.06	1.61	3.2	<0.01	<5	18	0.18	0.09	0.08	0.05	21.6	3.7	40.3
12-1746		0.18	0.04	0.54	1.0	<0.01	<5	16	0.10	0.10	0.07	0.03	24.6	0.9	10.3

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil									
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:															
12-1747	0.17	0.19	2.00	2.6	<0.01	<5	38	0.42	0.08	0.12	0.10	28.4	4.4	28.4	
12-1748	0.21	0.06	1.01	2.9	<0.01	<5	21	0.18	0.30	0.10	0.06	29.6	2.2	28.9	
12-1749	0.16	0.11	1.14	1.8	<0.01	<5	27	0.18	0.40	0.05	0.03	23.6	1.3	13.1	
12-1241	0.22	0.05	1.05	2.3	<0.01	<5	51	0.34	0.07	0.89	0.04	43.4	4.2	27.4	
12-1242	0.17	0.04	0.60	1.5	<0.01	<5	31	0.18	0.05	0.37	0.08	34.2	2.7	16.6	
12-1243	0.21	0.03	0.61	1.5	<0.01	<5	30	0.21	0.05	0.33	0.04	34.6	2.7	18.8	
12-1244	0.17	0.05	0.66	1.6	<0.01	6	34	0.27	0.05	4.42	0.09	43.6	4.6	18.6	
12-1245	0.16	0.02	0.59	1.4	<0.01	<5	23	0.18	0.05	0.21	0.02	30.7	2.5	14.7	
12-1246	0.20	0.05	1.18	2.1	<0.01	<5	44	0.36	0.08	0.39	0.05	40.5	5.0	29.5	
12-1247	0.15	0.08	1.40	1.7	<0.01	<5	85	0.37	0.09	0.47	0.07	36.3	5.6	30.0	
12-1248	0.11	0.04	0.88	1.4	<0.01	<5	33	0.23	0.06	0.32	0.05	30.6	3.2	20.3	
12-1249	0.20	0.06	1.12	1.9	<0.01	<5	46	0.35	0.08	0.40	0.05	45.6	4.5	28.5	
12-1250	0.16	0.03	0.80	3.4	<0.01	<5	22	0.17	0.08	0.32	0.05	23.7	3.5	21.1	
12-1251	0.18	0.04	0.97	1.8	<0.01	<5	31	0.24	0.08	0.45	0.07	29.9	4.6	24.7	
12-1252	0.22	0.12	1.36	2.9	<0.01	9	68	0.54	0.11	4.16	0.17	54.0	8.4	36.0	
12-1253	0.18	0.05	1.34	2.2	<0.01	<5	53	0.38	0.09	0.38	0.06	57.9	6.7	36.6	
12-1254	0.16	0.06	0.47	1.1	<0.01	<5	24	0.09	0.11	0.12	0.04	23.3	2.1	9.8	
12-1255	0.21	0.25	0.91	2.3	<0.01	<5	45	0.29	0.13	0.39	0.57	42.6	11.1	22.5	
12-1256	0.20	0.14	1.00	2.5	<0.01	<5	61	0.25	0.13	1.12	0.23	36.8	5.1	28.4	
12-1257	0.19	0.09	1.15	3.2	<0.01	<5	37	0.23	0.13	0.14	0.04	23.9	3.7	22.1	
12-1258	0.16	0.22	1.10	2.3	<0.01	<5	19	0.34	0.09	0.17	0.03	32.6	3.6	17.5	
12-1259	0.16	0.09	1.41	2.5	<0.01	<5	35	0.26	0.09	0.24	0.09	37.8	7.0	33.0	
12-1260	0.18	0.10	0.48	1.9	<0.01	<5	22	0.10	0.08	0.13	0.05	22.4	1.8	11.6	
12-1261	0.22	0.06	0.64	1.9	<0.01	<5	26	0.12	0.09	0.15	0.06	23.6	2.5	14.2	
12-1262	0.20	0.04	0.88	1.4	<0.01	<5	19	0.24	0.05	0.18	0.06	34.6	4.4	19.2	
12-1263	0.16	0.06	1.12	2.5	<0.01	<5	66	0.37	0.07	0.35	0.07	61.6	4.6	25.8	
12-1264	0.21	0.07	0.89	1.7	<0.01	7	45	0.37	0.07	4.34	0.12	56.0	6.2	25.1	
12-1265	0.18	0.05	0.76	1.9	<0.01	<5	42	0.20	0.06	0.38	0.06	42.6	3.3	21.1	

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm					
12-1046		1.53	8.4	1.30	6.33	0.12	0.06	0.04	0.016	0.11	11.2	10.1	0.44	85	1.11					
12-1047		1.27	5.7	1.86	6.20	0.12	0.02	0.04	0.014	0.11	10.3	10.3	0.36	126	0.68					
12-1048		0.74	8.5	1.17	4.42	0.11	0.09	0.03	0.013	0.09	18.4	11.1	0.55	250	0.38					
12-1049		0.70	4.0	1.19	3.49	0.11	0.08	0.02	0.010	0.07	18.4	8.8	0.38	281	0.21					
12-1050		1.46	22.1	1.48	5.52	0.16	0.04	0.05	0.020	0.06	40.5	18.7	0.48	200	0.91					
12-1051		1.36	21.3	1.42	5.45	0.14	0.04	0.03	0.018	0.06	35.0	14.9	0.92	234	0.93					
12-1052		1.11	7.0	1.08	5.65	0.11	0.04	<0.01	0.008	0.04	11.9	7.3	0.30	101	0.40					
12-1053		1.09	4.3	1.43	5.16	0.11	0.05	0.03	0.014	0.08	20.8	12.7	0.48	280	0.33					
12-1054		1.59	15.9	1.27	4.00	0.16	0.06	0.03	0.011	0.07	56.0	10.1	0.39	191	0.47					
12-1055		2.10	20.3	1.84	4.74	0.14	0.07	0.01	0.009	0.07	25.4	13.4	0.53	158	1.29					
12-1056		1.22	1.4	0.22	2.99	0.11	<0.02	0.02	<0.005	0.02	11.4	0.7	0.03	14	2.09					
12-1057		1.44	10.0	0.84	6.03	0.10	<0.02	0.03	0.008	0.04	12.0	7.4	0.19	147	3.84					
12-1058		2.52	9.9	1.24	5.72	0.10	0.04	0.02	0.009	0.05	15.1	8.1	0.30	94	1.67					
12-1059		1.89	20.5	1.18	4.69	0.12	0.03	0.04	0.009	0.03	21.9	9.9	0.35	108	3.86					
12-1060		2.65	11.6	2.39	6.85	0.12	<0.02	0.10	0.021	0.04	12.9	11.1	0.25	193	5.31					
12-1061		1.16	3.0	0.91	4.89	0.11	<0.02	0.03	0.008	0.02	13.1	6.8	0.23	83	2.06					
12-1062		1.13	13.8	1.30	4.76	0.11	0.02	0.07	0.012	0.03	13.2	8.2	0.27	90	0.76					
12-1063		0.92	2.3	0.88	4.87	0.12	0.02	0.03	0.007	0.02	11.4	5.9	0.12	46	0.59					
12-1064		1.60	10.6	1.08	3.81	0.10	0.02	0.02	0.009	0.04	11.6	10.1	0.29	154	0.55					
12-1065		0.30	30.4	2.07	6.15	0.14	0.06	0.04	0.009	0.02	41.9	8.3	0.91	204	0.50					
12-1066		0.82	11.8	1.04	4.22	0.11	0.03	0.04	0.012	0.02	29.2	9.6	0.31	78	0.31					
12-1067		1.41	3.7	0.91	4.34	0.11	0.02	0.02	0.007	0.03	10.1	5.9	0.23	320	1.11					
12-1068		1.40	14.3	1.02	3.57	0.10	0.02	0.02	0.008	0.03	11.2	8.4	0.33	124	0.47					
12-1069		0.81	28.7	0.86	2.47	0.13	0.04	0.04	0.008	0.02	58.0	5.3	0.17	141	0.34					
12-1070		1.11	11.4	1.93	7.15	0.09	0.03	0.04	0.018	0.03	12.3	11.9	0.29	105	0.97					
12-1800		0.73	18.4	1.13	2.78	0.12	0.05	0.02	0.008	0.03	20.9	5.8	0.33	115	0.24					
12-1801		0.64	19.0	1.13	2.74	0.12	0.05	0.01	0.007	0.03	23.0	5.5	0.33	127	0.29					
12-1802		1.05	1.0	1.17	6.25	0.11	<0.02	0.03	0.008	0.03	11.3	3.4	0.09	61	0.55					
12-1803		2.46	93.7	1.48	4.61	0.19	0.04	0.03	0.011	0.04	79.4	11.9	0.37	180	0.50					
12-1804		1.24	13.2	1.64	4.40	0.10	0.03	0.05	0.015	0.04	12.8	10.1	0.31	102	0.45					
12-1805		1.12	5.8	1.53	5.60	0.10	<0.02	0.06	0.014	0.02	10.3	8.9	0.18	61	0.58					
12-1806		1.26	12.2	1.36	4.02	0.10	0.04	0.05	0.011	0.04	22.3	9.7	0.32	102	0.60					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012					DATE REPORTED: Oct 25, 2012					SAMPLE TYPE: Soil				
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
12-1807		1.28	17.3	1.21	5.56	0.09	<0.02	0.06	0.012	0.04	16.1	10.6	0.17	58	0.86
12-1808		1.78	154	1.14	3.68	0.14	0.05	0.06	0.010	0.08	51.8	32.5	0.33	147	0.38
12-1809		1.47	10.6	1.39	3.74	0.13	0.07	0.02	0.010	0.06	42.2	20.8	0.41	232	0.19
12-1810		0.53	1.4	0.96	2.75	0.10	0.03	0.03	0.012	0.04	13.3	6.3	0.16	86	1.83
12-1811		1.20	6.9	1.37	4.84	0.08	0.03	0.03	0.011	0.09	12.7	10.7	0.35	155	0.40
12-1812		0.88	<0.1	2.01	8.42	0.10	0.03	0.04	0.018	0.05	14.8	11.1	0.18	79	0.63
12-1813		1.95	7.8	2.62	8.91	0.12	0.05	0.04	0.014	0.09	9.8	21.2	0.55	197	0.47
12-1814		0.44	2.0	1.10	2.30	0.11	0.03	0.02	0.010	0.06	12.8	5.6	0.23	175	0.23
12-1815		0.87	2.5	1.80	3.90	0.11	0.03	0.05	0.017	0.05	16.9	8.4	0.27	131	0.58
12-1816		1.16	10.9	2.71	5.81	0.11	0.05	0.07	0.014	0.06	11.0	18.6	0.50	192	0.74
12-1817		1.52	12.4	2.00	5.40	0.12	0.05	0.02	0.009	0.10	12.6	19.7	0.65	241	0.61
12-1818		1.34	0.3	3.06	14.0	0.10	0.05	0.06	0.016	0.06	12.5	5.5	0.21	77	0.83
12-1819		1.38	0.9	1.69	6.12	0.10	0.04	0.03	0.011	0.06	12.6	7.4	0.25	112	0.57
12-1820		1.71	11.8	2.21	5.38	0.10	0.02	0.06	0.014	0.05	12.3	8.1	0.28	201	0.63
12-1821		1.21	2.9	1.84	3.81	0.11	0.03	0.06	0.014	0.06	14.2	10.6	0.31	133	0.42
12-1822		3.01	6.5	2.01	5.41	0.10	0.05	0.02	0.012	0.11	13.2	19.7	0.49	175	0.44
12-1823		2.82	3.4	1.61	5.11	0.10	0.03	0.03	0.013	0.06	11.8	11.1	0.37	364	0.45
12-1824		1.81	2.4	1.51	7.87	0.10	0.05	0.02	0.008	0.07	10.9	6.7	0.39	157	0.49
12-1825		2.72	39.9	1.42	4.06	0.14	0.05	0.02	0.009	0.06	37.7	17.8	0.34	168	0.96
12-1826		2.69	16.0	1.18	3.63	0.11	0.03	0.02	0.009	0.04	28.7	10.6	0.24	118	0.64
12-1827		1.51	1.0	2.39	6.30	0.10	0.03	0.05	0.021	0.06	15.2	10.1	0.26	96	0.63
12-1828		2.57	1.6	1.85	5.50	0.10	0.02	0.04	0.019	0.05	11.1	11.1	0.26	125	0.58
12-1829		1.14	10.9	1.47	4.44	0.10	0.04	0.02	0.012	0.04	17.9	11.3	0.42	124	0.33
12-1830		0.86	8.4	1.19	3.31	0.09	0.03	0.02	0.009	0.03	16.7	9.4	0.29	115	0.17
12-1071		1.68	7.8	1.28	6.08	0.08	<0.02	0.03	0.010	0.05	13.1	7.5	0.25	87	0.61
12-1072		1.98	17.9	1.56	6.72	0.09	0.05	0.03	0.013	0.06	17.9	10.8	0.38	570	0.86
12-1073		1.00	9.9	1.49	6.94	0.08	0.05	0.04	0.011	0.03	13.3	8.6	0.15	58	0.66
12-1074		1.03	26.5	1.15	3.29	0.11	0.03	0.03	0.010	0.04	18.6	8.4	0.33	176	1.20
12-1075		1.09	4.1	3.51	15.4	0.10	0.04	0.07	0.019	0.04	11.2	5.8	0.19	89	1.76
12-1076		1.22	5.1	2.56	12.7	0.09	0.04	0.06	0.017	0.04	11.7	5.0	0.17	88	1.43
12-1077		0.77	4.5	0.55	5.36	0.11	<0.02	0.04	0.006	0.03	7.1	0.6	0.06	33	0.36
12-1078		0.96	4.0	1.37	8.76	0.11	0.03	0.08	0.009	0.04	8.1	2.0	0.17	46	1.38

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1079		0.34	7.7	0.89	6.54	0.10	0.02	0.05	0.011	0.03	8.8	0.7	0.07	55	1.43									
12-1080		2.55	16.4	2.74	9.92	0.12	0.12	0.01	0.018	0.47	5.7	19.0	1.32	368	1.25									
12-1081		1.52	6.9	1.76	10.2	0.11	0.21	0.02	0.007	0.08	4.8	7.6	0.78	190	1.58									
12-1082		1.66	21.0	1.04	3.46	0.13	0.04	0.03	0.011	0.03	29.7	6.8	0.28	93	0.79									
12-1083		1.46	5.2	1.27	4.55	0.11	0.03	0.07	0.010	0.04	9.6	5.4	0.20	63	1.64									
12-1084		2.78	11.3	1.15	5.50	0.11	0.04	0.05	0.012	0.05	16.4	11.9	0.33	141	2.35									
12-1085		1.38	4.8	2.45	7.72	0.11	0.03	0.08	0.019	0.03	13.4	9.8	0.17	60	1.67									
12-1086		2.82	22.0	1.19	3.86	0.12	0.05	0.03	0.012	0.07	26.6	8.9	0.35	160	1.17									
12-1087		2.32	5.5	1.66	4.72	0.12	0.03	0.06	0.013	0.04	15.2	8.5	0.27	97	1.25									
12-1088		2.14	3.2	2.05	8.72	0.13	0.04	0.04	0.013	0.05	12.3	7.7	0.24	100	1.25									
12-1089		1.17	3.1	1.03	5.11	0.11	<0.02	0.05	0.008	0.03	9.5	3.5	0.09	40	0.87									
12-1090		1.18	4.0	0.64	4.85	0.10	0.02	0.03	0.006	0.02	11.4	4.8	0.08	32	0.70									
12-1091		2.19	14.1	1.07	6.91	0.10	<0.02	0.06	0.018	0.03	13.0	11.8	0.07	334	1.84									
12-1092		1.86	17.5	1.09	6.88	0.10	0.04	0.04	0.009	0.04	13.0	5.5	0.24	95	2.32									
12-1093		1.85	9.0	1.91	7.13	0.11	0.05	0.02	0.014	0.12	17.8	18.6	0.56	221	0.70									
12-1094		1.69	19.9	2.09	8.25	<0.05	0.45	0.03	0.026	0.28	30.8	26.9	2.29	518	0.32									
12-1095		0.59	0.2	1.29	5.70	0.10	0.03	0.04	0.011	0.03	11.4	5.9	0.12	41	0.50									
12-1096		0.85	11.9	1.36	5.89	0.10	0.03	0.03	0.020	0.03	13.8	8.3	0.25	62	0.64									
12-1097		1.27	36.7	1.51	4.11	0.13	0.03	0.08	0.018	0.04	32.9	11.1	0.34	225	0.84									
12-1098		0.65	11.8	1.81	7.92	0.11	0.03	0.05	0.012	0.03	10.5	5.0	0.26	91	1.02									
12-1099		0.53	11.7	0.99	2.91	0.12	0.05	0.01	0.010	0.02	15.1	5.4	0.26	83	0.26									
12-1100		0.98	20.2	1.40	3.81	0.11	0.02	0.02	0.009	0.04	18.7	8.5	0.40	141	0.57									
12-1101		1.02	19.2	1.36	3.99	0.11	0.03	0.02	0.009	0.04	19.0	9.0	0.39	137	0.75									
12-1102		1.50	28.2	1.88	4.41	0.15	0.03	0.05	0.013	0.03	45.0	21.9	0.60	321	0.58									
12-1103		2.28	23.7	2.32	5.31	0.16	0.03	0.06	0.017	0.04	52.7	26.3	0.64	479	0.71									
12-1104		2.48	33.8	2.44	5.64	0.13	<0.02	0.05	0.019	0.05	46.7	24.9	0.59	527	0.76									
12-1105		2.10	9.8	1.20	5.05	0.10	0.03	0.03	0.013	0.05	25.2	18.1	0.42	149	0.41									
12-1106		0.74	6.3	1.29	5.51	0.10	<0.02	0.04	0.010	0.03	16.2	5.5	0.13	86	0.79									
12-1107		2.48	71.5	2.30	6.87	0.16	0.04	0.11	0.026	0.04	71.2	29.5	0.41	612	2.60									
12-1108		0.50	9.8	1.18	8.61	0.09	<0.02	0.03	0.007	0.07	3.7	3.1	0.39	112	0.47									
12-1109		0.71	2.3	1.01	3.14	0.08	0.03	0.01	0.008	0.02	14.9	7.9	0.31	101	0.12									
12-1110		0.90	1.9	1.11	7.82	0.08	0.03	0.03	0.010	0.03	14.1	8.9	0.20	62	0.63									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil																					
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
12-1111		0.82	4.6	1.80	6.99	0.09	0.05	0.02	0.010	0.03	0.02	0.01	0.005	0.01	12.8	12.8	0.55	120	0.79																								
12-1112		1.40	33.4	1.14	2.81	0.08	0.04	0.02	0.009	0.03	0.02	0.01	0.009	0.04	28.3	28.3	0.33	130	0.46																								
12-1113		1.09	8.7	1.26	4.77	0.10	0.09	0.02	0.011	0.04	0.02	0.011	0.011	0.03	16.5	16.5	0.32	103	0.62																								
12-1114		0.53	8.2	0.98	3.91	0.09	0.06	0.02	0.013	0.02	0.02	0.013	0.013	0.02	32.1	32.1	0.33	86	0.28																								
12-1115		0.77	9.3	1.70	7.53	0.09	0.08	0.08	0.014	0.03	0.08	0.014	0.014	0.03	13.3	13.3	0.22	65	1.12																								
12-1116		0.66	15.4	2.29	8.16	0.08	0.03	0.07	0.018	0.02	0.03	0.018	0.018	0.02	11.2	11.2	0.14	51	5.03																								
12-1117		0.54	8.2	1.62	6.97	0.08	0.03	0.06	0.015	0.02	0.03	0.015	0.015	0.02	10.8	10.8	0.10	34	0.74																								
12-1118		0.71	13.4	1.08	3.04	0.09	0.08	0.01	0.009	0.03	0.08	0.009	0.009	0.03	25.1	25.1	0.34	104	0.23																								
12-1119		0.71	2.5	0.83	5.01	0.09	<0.02	0.02	0.007	0.03	0.02	0.007	0.007	0.03	14.7	14.7	0.21	64	0.32																								
12-1120		0.81	2.5	0.93	3.32	0.09	0.03	0.02	0.007	0.03	0.02	0.007	0.007	0.03	14.4	14.4	0.22	85	0.26																								
12-1121		1.05	3.6	1.04	4.27	0.08	0.04	0.02	0.010	0.04	0.02	0.010	0.010	0.04	19.0	19.0	0.34	112	0.25																								
12-1122		0.59	15.9	2.17	6.77	0.08	0.08	<0.02	0.008	0.05	<0.01	0.008	0.008	0.05	12.0	12.0	1.24	288	0.34																								
12-1123		1.22	8.3	1.37	5.61	0.09	0.05	0.02	0.010	0.04	0.02	0.010	0.010	0.04	18.0	18.0	0.36	111	0.66																								
12-1124		0.80	21.1	1.41	3.59	0.10	0.04	0.04	0.012	0.03	0.04	0.012	0.012	0.03	15.7	15.7	0.30	111	0.55																								
12-1125		0.89	7.0	0.73	4.14	0.09	<0.02	0.01	0.007	0.02	<0.02	0.007	0.007	0.02	12.8	12.8	0.19	57	0.33																								
12-1126		0.90	8.6	0.90	4.30	0.09	<0.02	0.01	0.007	0.03	<0.02	0.007	0.007	0.03	12.9	12.9	0.22	70	0.35																								
12-1127		1.16	36.7	0.97	3.74	0.09	0.04	0.02	0.008	0.05	0.04	0.008	0.008	0.05	14.1	14.1	0.31	96	0.33																								
12-1128		1.68	11.0	1.06	5.29	0.08	<0.02	0.02	0.010	0.04	<0.02	0.010	0.010	0.04	13.6	13.6	0.38	93	0.49																								
12-1129		1.52	14.7	1.25	5.12	0.09	0.06	0.02	0.010	0.04	0.02	0.010	0.010	0.04	14.1	14.1	0.38	107	0.54																								
12-1130		2.78	177	1.97	5.20	0.13	0.04	0.08	0.015	0.05	0.04	0.015	0.015	0.05	44.2	44.2	0.56	326	1.27																								
12-1551		1.13	8.4	0.76	3.78	0.09	0.03	0.02	0.012	0.05	0.02	0.012	0.012	0.05	10.9	10.9	0.33	103	0.43																								
12-1552		1.63	38.8	1.10	4.97	0.12	0.04	0.06	0.015	0.03	0.06	0.015	0.015	0.03	36.1	36.1	0.13	56	0.77																								
12-1553		1.21	3.8	2.93	11.4	0.10	0.05	0.05	0.023	0.03	0.05	0.023	0.023	0.03	12.3	12.3	0.19	77	1.08																								
12-1554		1.61	10.7	1.85	5.88	0.09	0.03	0.05	0.017	0.07	0.03	0.017	0.017	0.07	15.6	15.6	0.48	289	0.59																								
12-1555		1.03	13.2	1.75	5.89	0.09	0.06	0.03	0.014	0.04	0.06	0.014	0.014	0.04	18.4	18.4	0.39	121	0.76																								
12-1556		1.87	105	1.46	4.77	0.17	0.09	0.13	0.012	0.04	0.13	0.012	0.012	0.04	127	127	0.53	329	0.72																								
12-1557		1.23	7.1	1.95	9.33	0.09	0.04	0.06	0.016	0.05	0.04	0.016	0.016	0.05	13.7	13.7	0.24	104	1.11																								
12-1558		1.49	23.8	2.39	6.20	0.07	0.13	0.16	0.029	0.03	0.13	0.029	0.029	0.03	12.8	12.8	0.13	49	1.50																								
12-1559		2.15	6.8	1.38	6.87	0.06	0.09	0.06	0.012	0.03	0.09	0.012	0.012	0.03	13.3	13.3	0.17	61	0.97																								
12-1560		0.94	7.1	1.33	5.07	0.07	0.04	0.04	0.010	0.03	0.04	0.010	0.010	0.03	12.6	12.6	0.19	61	0.63																								
12-1561		1.22	0.6	1.64	6.14	0.07	0.04	0.03	0.018	0.04	0.03	0.018	0.018	0.04	13.2	13.2	0.14	69	0.59																								
12-1562		1.42	1.7	1.09	6.34	0.07	<0.02	0.03	0.009	0.03	<0.02	0.009	0.009	0.03	11.4	11.4	0.11	55	0.54																								

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1563		1.73	25.9	0.92	3.31	0.07	0.05	0.03	0.007	0.03	22.2	9.0	0.35	125	1.03									
12-1564		2.51	46.2	1.75	5.20	0.10	0.04	0.07	0.020	0.05	38.0	26.5	0.54	575	0.99									
12-1565		1.00	12.8	1.02	4.38	0.07	<0.02	0.07	0.012	0.02	11.4	7.8	0.19	65	0.75									
12-1566		0.89	4.4	2.04	10.7	0.08	0.02	0.09	0.016	0.02	10.4	5.7	0.10	36	2.37									
12-1567		1.18	3.6	0.80	5.88	0.08	<0.02	0.04	0.008	0.02	11.0	6.2	0.18	54	0.87									
12-1568		0.93	0.4	1.85	7.52	0.08	<0.02	0.06	0.016	0.03	12.0	7.1	0.11	75	0.89									
12-1569		1.01	1.6	1.35	4.72	0.08	0.02	0.06	0.016	0.03	11.4	8.6	0.15	67	0.51									
12-1570		0.94	0.1	1.06	7.23	0.08	<0.02	0.04	0.007	0.03	14.1	2.5	0.07	36	0.62									
12-1571		0.75	6.7	0.82	2.42	0.06	0.04	0.02	0.009	0.02	15.7	6.5	0.22	72	0.20									
12-1572		0.72	1.6	0.63	3.15	0.07	<0.02	0.04	0.007	0.02	6.8	3.2	0.07	25	1.14									
12-1573		1.06	1.7	1.44	5.56	0.08	<0.02	0.04	0.012	0.04	10.8	6.1	0.15	70	0.83									
12-1574		0.80	1.3	1.19	3.61	0.07	0.04	0.06	0.013	0.02	10.7	6.9	0.12	49	0.45									
12-1575		0.94	4.1	1.35	5.86	0.07	0.02	0.03	0.008	0.03	11.5	6.8	0.26	101	0.76									
12-1576		0.81	2.7	1.13	5.59	0.08	<0.02	0.03	0.007	0.03	9.8	5.6	0.25	88	1.00									
12-1577		1.17	6.0	1.42	5.62	0.08	<0.02	0.07	0.011	0.03	12.7	9.4	0.25	145	0.58									
12-1578		0.87	2.0	1.27	5.39	0.08	0.03	0.06	0.011	0.02	13.1	7.5	0.20	83	0.53									
12-1579		1.30	<0.1	1.50	8.41	0.08	<0.02	0.04	0.012	0.03	11.0	5.2	0.12	47	0.58									
12-1580		1.74	0.6	0.98	7.71	0.09	<0.02	0.02	0.008	0.03	13.4	4.9	0.11	41	0.96									
12-1581		1.95	3.9	1.04	6.91	0.07	0.03	0.03	0.011	0.03	12.9	11.1	0.20	58	0.70									
12-1582		1.01	3.9	1.54	6.76	0.08	0.03	0.03	0.008	0.03	12.1	5.6	0.28	112	0.54									
12-1583		0.77	1.8	0.59	5.04	0.06	<0.02	0.01	0.007	0.02	11.7	5.5	0.16	48	0.29									
12-1584		0.53	6.0	0.82	2.77	0.06	<0.02	0.03	0.009	0.02	21.7	6.5	0.21	88	0.23									
12-1585		1.11	7.0	1.69	6.36	<0.05	0.04	0.05	0.022	0.04	13.9	15.8	0.21	77	0.76									
12-1586		1.33	10.3	0.96	5.80	0.08	0.02	0.03	0.009	0.03	10.6	10.5	0.32	92	0.49									
12-1587		0.46	3.1	0.57	2.73	0.06	0.06	0.01	0.007	0.03	15.3	7.0	0.21	65	0.23									
12-1588		1.44	1.8	1.65	10.4	0.05	<0.02	0.03	0.015	0.04	12.1	8.8	0.14	56	0.88									
12-1589		1.10	1.7	1.16	8.27	<0.05	0.02	0.04	0.015	0.03	13.7	7.3	0.13	55	0.53									
12-1590		1.73	2.4	1.39	10.0	0.07	0.04	0.06	0.013	0.04	15.4	7.4	0.10	44	0.58									
12-1591		1.62	3.3	2.18	8.57	0.08	0.07	0.06	0.025	0.04	13.8	9.6	0.21	78	0.83									
12-1592		1.85	1.5	2.21	10.4	0.07	0.06	0.07	0.020	0.03	12.9	11.3	0.10	82	0.75									
12-1593		1.58	2.1	1.14	6.10	0.06	0.02	0.05	0.015	0.03	15.1	9.3	0.10	39	0.45									
12-1594		1.59	1.5	1.09	6.17	0.12	0.06	0.03	0.011	0.04	12.0	8.7	0.12	58	0.34									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1158		0.66	7.4	0.28	6.31	0.11	<0.02	0.03	0.008	0.02	12.4	3.1	0.05	20	1.17									
12-1159		1.35	35.2	1.40	6.53	0.11	0.06	0.07	0.019	0.03	24.7	20.9	0.31	86	0.58									
12-1160		1.29	10.2	1.60	6.12	0.12	0.09	0.04	0.019	0.10	33.9	23.6	0.58	184	0.36									
12-1161		0.34	3.5	0.53	2.05	<0.05	0.26	0.02	0.009	0.04	16.7	6.3	3.62	150	0.24									
12-1162		0.75	11.2	0.72	2.77	0.14	0.13	0.02	0.011	0.06	23.3	8.1	1.25	126	0.70									
12-1163		0.94	29.0	1.51	6.02	0.13	0.06	0.02	0.019	0.02	21.7	18.9	0.43	143	0.40									
12-1164		0.83	5.3	2.10	9.12	0.12	0.06	0.04	0.015	0.05	12.0	11.7	0.45	172	0.76									
12-1165		1.42	7.7	2.00	9.02	0.10	0.06	0.05	0.028	0.11	16.8	34.2	0.51	217	0.59									
12-1166		2.61	29.2	2.81	12.6	0.16	0.33	0.06	0.043	0.31	49.2	62.1	1.05	311	0.42									
12-1167		0.79	16.7	1.21	3.87	0.13	0.04	0.02	0.011	0.03	14.9	7.7	0.24	72	0.33									
12-1168		1.00	11.3	0.92	4.16	0.13	0.04	0.02	0.010	0.02	14.0	8.2	0.20	75	0.37									
12-1169		1.06	2.0	0.60	5.91	0.13	0.03	0.02	0.006	0.03	10.3	2.3	0.08	34	0.38									
12-1170		1.10	1.0	1.62	8.55	0.10	0.02	0.03	0.020	0.04	11.3	14.3	0.13	68	0.67									
12-1171		1.43	12.3	2.13	5.31	0.13	0.04	0.06	0.020	0.03	12.3	10.3	0.25	86	0.43									
12-1172		0.91	5.5	0.63	4.76	0.12	0.04	0.04	0.009	0.03	8.6	4.1	0.17	48	0.61									
12-1173		0.47	7.1	0.56	2.42	0.08	0.11	0.02	0.010	0.04	19.9	7.5	2.63	127	0.32									
12-1174		1.67	50.1	1.52	7.43	0.13	<0.02	0.05	0.038	0.04	20.4	13.5	0.47	122	1.27									
12-1175		0.67	9.2	0.49	4.92	0.13	0.02	0.02	0.007	0.02	12.0	2.8	0.14	38	0.46									
12-1176		0.66	9.5	0.45	6.16	0.12	<0.02	0.02	0.009	0.02	12.0	3.2	0.12	34	0.62									
12-1177		0.64	23.2	1.01	3.13	0.13	0.02	0.04	0.010	0.02	18.8	7.0	0.24	72	0.34									
12-1178		1.91	8.4	0.62	4.85	0.11	<0.02	0.01	0.008	0.03	11.7	8.2	0.18	56	0.62									
12-1179		0.93	8.4	0.82	6.63	0.12	0.02	0.03	0.010	0.02	10.9	3.9	0.16	46	0.33									
12-1180		0.65	13.4	2.11	10.5	0.15	0.04	0.09	0.019	0.02	13.9	5.4	0.11	37	0.96									
12-1181		1.25	17.8	1.75	5.44	0.11	0.04	0.07	0.020	0.03	11.7	13.6	0.22	66	0.93									
12-1182		0.81	6.3	1.46	10.5	0.13	0.03	0.04	0.011	0.03	10.6	6.7	0.28	82	0.96									
12-1183		1.15	11.2	1.64	4.90	0.13	0.03	0.04	0.015	0.03	14.1	12.1	0.33	103	0.68									
12-1184		1.57	21.5	2.72	8.04	0.14	0.04	0.07	0.037	0.03	17.4	16.9	0.26	129	1.49									
12-1185		0.77	52.4	1.68	6.73	0.13	0.03	0.05	0.014	0.02	12.5	7.7	0.20	60	1.03									
12-1186		1.53	10.9	2.61	6.41	0.14	0.08	0.08	0.025	0.03	21.2	27.2	0.30	121	1.02									
12-1187		1.20	0.6	1.20	9.21	0.12	0.13	0.03	0.007	0.03	10.5	3.9	0.26	111	0.72									
12-1188		1.46	2.3	2.63	8.51	0.13	0.04	0.06	0.026	0.05	18.6	23.7	0.33	114	0.62									
12-1189		0.44	2.8	0.81	1.97	0.13	0.04	0.02	0.007	0.04	24.2	5.8	0.26	131	0.15									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1190		1.28	3.1	1.67	6.21	0.11	0.03	0.06	0.016	0.03	13.5	0.016	0.12	69	0.71									
12-1750		1.01	3.4	0.77	3.33	0.10	<0.02	0.01	0.007	0.03	11.6	0.007	0.19	77	0.50									
12-1751		1.15	5.3	0.75	3.41	0.11	<0.02	0.02	0.008	0.03	14.5	0.008	0.17	76	0.53									
12-1752		1.28	0.7	1.43	6.23	0.11	0.02	0.03	0.015	0.05	12.3	0.015	0.22	117	0.47									
12-1753		3.20	2.4	0.98	9.36	0.11	0.03	0.03	0.009	0.07	15.1	0.009	0.17	63	0.49									
12-1754		2.09	18.2	3.82	8.89	0.15	0.04	0.14	0.029	0.04	21.8	0.029	0.17	68	4.23									
12-1755		1.55	8.8	2.09	11.4	0.13	0.03	0.02	0.010	0.07	3.4	0.010	0.80	94	2.56									
12-1756		1.29	4.7	0.69	6.01	0.12	<0.02	0.02	0.013	0.03	17.9	0.013	0.19	52	2.01									
12-1757		0.70	0.5	0.96	5.06	0.14	0.06	<0.01	0.006	0.03	5.5	0.006	0.05	32	0.80									
12-1758		1.39	6.4	0.87	5.25	0.13	0.02	0.05	0.011	0.03	18.0	0.011	0.07	28	0.94									
12-1759		1.01	3.4	1.98	8.07	0.12	0.10	0.08	0.021	0.02	21.2	0.021	0.11	39	1.24									
12-1760		1.16	<0.1	0.13	1.86	0.13	0.03	<0.01	<0.005	0.03	8.8	<0.005	0.04	18	0.50									
12-1761		1.47	2.2	1.69	5.35	0.13	0.03	0.05	0.017	0.04	12.4	0.017	0.22	96	0.80									
12-1762		2.46	17.5	1.45	4.95	0.14	0.04	0.07	0.014	0.09	21.6	0.014	0.34	169	0.98									
12-1763		1.37	4.8	1.28	5.65	0.12	<0.02	0.03	0.013	0.05	14.0	0.013	0.20	73	0.72									
12-1764		1.26	6.3	1.17	4.80	0.12	0.06	0.04	0.013	0.06	15.2	0.013	0.31	119	0.45									
12-1765		1.23	14.9	1.32	3.66	0.13	0.04	<0.01	0.012	0.03	17.1	0.012	0.37	117	0.52									
12-1766		1.06	23.8	1.49	5.23	0.13	0.05	0.02	0.016	0.03	19.9	0.016	0.42	139	0.75									
12-1767		0.60	<0.1	0.69	3.08	0.11	<0.02	0.06	0.009	0.02	8.2	0.009	0.04	20	0.33									
12-1768		0.88	2.2	1.21	5.15	0.11	<0.02	0.07	0.012	0.03	9.3	0.012	0.10	74	0.55									
12-1769		0.93	1.5	1.71	6.18	0.13	0.02	0.03	0.013	0.05	9.2	0.013	0.19	78	0.55									
12-1770		0.95	3.6	1.25	5.08	0.13	<0.02	0.06	0.011	0.05	10.3	0.011	0.18	72	0.57									
12-1771		0.79	44.6	1.41	5.22	0.12	<0.02	0.04	0.009	0.03	13.5	0.009	0.33	187	2.83									
12-1772		1.40	82.6	0.97	4.51	0.13	0.12	0.11	0.019	0.02	26.8	0.019	0.04	18	1.06									
12-1773		0.55	13.2	3.85	13.5	0.14	0.05	0.08	0.019	0.02	6.8	0.019	0.18	57	2.39									
12-1774		0.96	12.5	1.81	5.10	0.13	0.07	0.12	0.021	0.02	10.5	0.021	0.15	49	1.21									
12-1775		3.22	11.0	2.03	6.41	0.14	0.02	0.11	0.017	0.03	15.9	0.017	0.23	62	1.90									
12-1776		2.91	9.8	1.98	6.17	0.13	0.02	0.11	0.017	0.03	15.4	0.017	0.25	64	1.79									
12-1777		2.21	8.6	2.44	9.00	0.13	0.03	0.07	0.016	0.04	12.4	0.016	0.28	100	2.83									
12-1778		2.86	8.1	0.85	6.06	0.12	<0.02	0.04	0.013	0.03	12.5	0.013	0.21	61	3.21									
12-1779		1.05	0.9	0.73	5.71	0.13	<0.02	0.05	0.008	0.03	11.0	0.008	0.04	31	0.64									
12-1780		1.87	7.3	1.05	5.97	0.13	0.03	0.01	0.008	0.04	12.4	0.008	0.27	82	0.58									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm					
12-1781		1.66	1.5	1.23	3.79	0.13	0.02	<0.01	<0.005	9.5	4.7	0.19	0.27	230	0.37					
12-1782		1.23	11.4	1.47	5.22	0.12	0.03	0.05	0.014	20.0	10.7	0.28	0.27	84	0.53					
12-1783		1.09	4.6	1.15	5.65	0.11	<0.02	0.06	0.012	11.7	6.8	0.07	0.08	67	0.59					
12-1784		1.82	0.9	2.03	6.57	0.12	0.02	0.05	0.019	12.4	9.0	0.15	0.15	106	0.51					
12-1785		2.45	2.7	1.97	6.04	0.12	0.02	0.05	0.020	13.9	11.9	0.23	0.23	198	0.76					
12-1786		1.83	11.2	1.25	4.38	0.12	0.02	0.04	0.015	11.7	9.8	0.31	0.31	129	0.54					
12-1787		1.84	4.9	1.61	4.56	0.12	0.03	0.03	0.013	13.2	12.8	0.42	0.42	236	0.43					
12-1788		2.21	11.3	2.38	7.45	0.12	0.02	0.05	0.016	13.6	13.7	0.41	0.41	188	0.61					
12-1789		1.51	1.5	2.44	6.64	0.13	<0.02	0.08	0.023	11.2	10.9	0.22	0.22	112	0.81					
12-1790		1.42	1.6	2.02	7.10	0.13	<0.02	0.03	0.011	9.2	6.9	0.27	0.27	177	0.68					
12-1791		1.24	<0.1	2.39	11.8	0.11	0.02	0.05	0.025	13.1	11.1	0.16	0.16	61	0.85					
12-1792		1.40	3.1	1.88	5.18	0.09	0.02	0.07	0.023	12.5	13.6	0.21	0.21	94	0.94					
12-1793		1.67	1.3	2.30	13.4	0.11	0.03	0.03	0.022	13.7	13.1	0.19	0.19	71	1.16					
12-1794		1.76	16.9	1.33	3.77	0.12	0.06	0.01	0.008	17.1	9.1	0.53	0.53	212	0.32					
12-1795		2.74	21.8	1.51	4.76	0.14	<0.02	0.03	0.011	33.5	14.2	0.49	0.49	401	1.26					
12-1796		1.66	11.6	1.19	5.10	0.12	<0.02	0.02	0.012	14.1	13.1	0.49	0.49	157	0.30					
12-1797		1.11	4.7	1.41	6.26	0.11	<0.02	0.05	0.014	11.9	10.4	0.21	0.21	61	0.69					
12-1798		0.88	6.4	1.25	3.77	0.11	0.04	0.02	0.013	13.6	9.3	0.28	0.28	92	0.16					
12-1799		1.48	8.9	1.11	4.50	0.11	<0.02	0.04	0.013	16.2	10.3	0.23	0.23	85	0.71					
12-1381		0.82	3.5	1.13	3.18	0.14	0.04	0.01	0.011	21.6	9.3	0.33	0.33	125	0.24					
12-1382		6.30	77.4	4.16	13.4	0.23	0.10	0.13	0.032	89.2	37.1	1.05	1.05	456	1.26					
12-1383		0.83	5.9	0.47	4.51	0.12	0.03	0.01	0.010	23.7	6.8	0.15	0.15	45	0.56					
12-1384		0.95	4.0	1.75	6.03	0.12	0.02	0.04	0.017	12.9	9.1	0.19	0.19	83	0.56					
12-1385		1.13	8.0	1.91	5.93	0.12	0.02	0.08	0.020	12.0	9.3	0.17	0.17	75	1.08					
12-1386		1.55	5.8	2.65	11.3	0.12	0.03	0.02	0.030	12.0	13.2	0.17	0.17	86	1.20					
12-1387		1.75	2.2	1.79	7.47	0.12	0.02	0.05	0.019	11.8	10.5	0.16	0.16	59	0.65					
12-1388		1.40	1.3	1.87	6.72	0.15	<0.02	0.04	0.018	12.1	9.7	0.17	0.17	77	0.58					
12-1389		1.65	3.9	2.09	8.28	0.13	0.03	0.03	0.016	13.4	10.5	0.24	0.24	97	0.58					
12-1390		1.36	1.1	1.38	4.83	0.12	0.02	0.03	0.016	12.2	9.7	0.17	0.17	75	0.54					
12-1391		2.21	4.9	1.81	8.13	0.12	0.02	0.04	0.020	12.4	12.5	0.23	0.23	83	0.94					
12-1392		1.71	2.9	2.50	12.5	0.12	0.04	0.04	0.018	11.3	8.0	0.24	0.24	85	0.86					
12-1393		1.48	2.4	1.57	8.29	0.14	0.03	0.05	0.016	12.4	6.1	0.14	0.14	50	0.46					

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm										
12-1394		1.53	0.05	0.95	4.49	0.14	<0.02	0.02	0.009	0.04	10.6	3.7	0.10	51	0.33										
12-1395		1.31	2.2	2.03	8.13	0.14	0.03	0.04	0.019	0.04	12.7	12.5	0.21	67	0.52										
12-1396		1.12	1.6	1.60	6.72	0.13	0.02	0.06	0.018	0.04	11.8	7.0	0.13	50	0.51										
12-1397		1.11	1.9	1.24	4.91	0.13	0.02	0.02	0.012	0.04	12.4	9.7	0.20	82	0.42										
12-1398		2.01	0.7	1.78	5.91	0.14	<0.02	0.04	0.016	0.04	13.4	8.4	0.19	99	0.62										
12-1399		1.55	2.6	1.27	4.64	0.14	0.02	0.05	0.014	0.04	15.2	7.9	0.17	63	0.60										
12-1400		1.84	<0.1	0.75	5.08	0.14	0.03	0.02	0.007	0.04	13.9	4.6	0.13	83	0.30										
12-1401		1.70	0.9	1.24	4.94	0.14	<0.02	0.04	0.012	0.03	14.7	7.4	0.12	119	0.60										
12-1402		1.88	0.8	2.74	9.28	0.15	0.03	0.04	0.022	0.06	11.9	10.9	0.23	91	0.89										
12-1403		1.61	2.4	1.75	6.47	0.14	<0.02	0.05	0.020	0.04	12.8	10.4	0.18	63	0.53										
12-1404		1.24	3.0	1.88	6.68	0.14	0.03	0.04	0.017	0.04	14.3	9.1	0.24	81	0.44										
12-1405		0.78	1.3	1.87	5.39	0.14	0.03	0.03	0.018	0.05	13.3	9.7	0.22	85	0.39										
12-1406		1.33	1.7	2.33	7.72	0.15	<0.02	0.05	0.022	0.07	14.5	12.9	0.22	110	0.53										
12-1407		1.25	3.1	2.20	5.34	0.15	0.04	0.06	0.023	0.06	15.2	15.2	0.35	120	0.56										
12-1408		1.14	<0.1	1.49	6.66	0.14	<0.02	0.04	0.015	0.04	13.2	8.7	0.15	66	0.37										
12-1409		1.41	6.8	1.80	5.33	0.15	0.03	0.04	0.019	0.07	16.9	13.4	0.35	178	0.55										
12-1410		1.06	2.6	1.30	3.34	0.15	0.03	0.04	0.014	0.05	15.0	9.7	0.29	110	0.29										
12-1411		1.98	1.0	1.60	6.94	0.15	0.02	0.03	0.014	0.06	13.9	9.7	0.20	121	0.32										
12-1412		1.99	1.9	1.98	7.52	0.14	0.02	0.04	0.019	0.05	14.1	13.9	0.27	101	0.50										
12-1413		1.01	1.7	1.82	8.53	0.14	0.03	0.03	0.015	0.04	13.0	8.9	0.18	55	0.61										
12-1414		2.09	11.2	0.89	5.82	0.15	0.03	0.02	0.009	0.05	17.3	10.6	0.28	89	0.34										
12-1415		1.54	<0.1	1.11	6.87	0.14	0.03	0.03	0.012	0.04	12.9	7.2	0.10	43	0.38										
12-1416		2.04	0.3	1.38	8.65	0.13	0.05	0.03	0.012	0.04	13.5	9.3	0.12	53	0.48										
12-1417		1.34	3.6	1.45	4.49	0.07	0.05	0.03	0.015	0.08	18.4	15.1	0.36	122	0.34										
12-1418		1.45	12.2	1.29	4.90	0.13	<0.02	0.06	0.013	0.03	14.4	10.8	0.32	89	0.54										
12-1419		2.98	17.0	2.67	8.95	0.17	0.14	0.02	0.013	0.46	15.4	30.3	1.41	375	0.55										
12-1420		1.88	29.9	1.52	3.60	0.15	0.02	0.03	0.010	0.03	12.8	10.1	0.32	116	4.09										
12-1421		1.09	2.9	1.79	5.43	0.14	0.02	0.03	0.013	0.04	10.6	7.7	0.21	98	0.91										
12-1422		2.61	24.8	1.45	4.80	0.15	<0.02	0.03	0.020	0.04	29.6	15.9	0.44	219	0.73										
12-1423		2.25	15.2	1.76	5.05	0.15	0.03	0.03	0.019	0.05	19.4	14.0	0.35	196	0.62										
12-1424		1.73	20.3	0.99	3.23	0.15	<0.02	0.02	0.010	0.03	15.9	9.5	0.28	96	0.40										
12-1425		1.32	20.9	1.15	4.14	<0.05	0.17	0.03	0.017	0.12	28.7	12.7	2.98	487	0.40										

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1426		2.19	35.0	1.30	4.71	0.07	0.15	0.06	0.019	0.12	35.0	13.7	1.97	441	0.39									
12-1427		1.41	14.5	0.95	2.77	0.15	0.04	<0.01	0.009	0.04	14.1	8.4	0.27	152	0.20									
12-1428		1.44	7.6	1.72	5.38	0.13	0.06	0.04	0.019	0.05	12.7	16.5	0.37	122	0.48									
12-1429		0.86	2.0	0.93	4.96	0.13	0.02	0.02	0.009	0.03	12.2	7.0	0.15	81	0.26									
12-1430		1.66	30.9	1.23	3.91	0.15	0.05	0.03	0.018	0.09	25.0	10.7	0.90	672	0.27									
12-1700		0.83	2.7	1.09	4.29	0.12	0.03	0.02	0.012	0.07	14.7	11.2	0.34	181	0.18									
12-1701		0.86	2.6	1.12	4.19	0.13	0.04	0.02	0.012	0.07	14.4	10.8	0.35	163	0.15									
12-1702		0.55	3.7	1.51	5.59	0.16	<0.02	0.06	0.010	0.02	5.9	2.9	0.08	35	0.94									
12-1703		1.52	3.4	1.07	6.59	0.13	<0.02	0.06	0.009	0.04	11.2	6.4	0.19	67	0.79									
12-1704		0.67	15.4	0.47	4.43	0.13	<0.02	0.03	0.013	0.02	11.3	3.3	0.12	66	3.09									
12-1705		1.19	32.6	2.10	7.94	0.20	0.09	0.05	0.018	0.03	64.3	23.2	0.99	254	0.41									
12-1706		1.21	3.4	2.04	8.36	0.14	0.02	0.05	0.016	0.03	12.0	6.6	0.14	53	0.89									
12-1707		1.01	3.0	1.85	6.24	0.12	<0.02	0.06	0.014	0.03	10.1	5.7	0.11	54	0.73									
12-1708		1.95	7.1	3.30	11.6	0.14	0.05	0.05	0.022	0.05	11.2	14.3	0.36	114	1.23									
12-1709		1.61	3.3	2.03	6.87	0.13	0.03	0.04	0.013	0.05	12.3	8.3	0.22	76	0.77									
12-1710		2.62	1.4	0.64	4.78	0.13	<0.02	0.01	0.007	0.04	11.2	5.8	0.16	52	0.18									
12-1711		1.56	12.1	2.43	6.61	0.13	0.04	0.05	0.014	0.03	5.7	27.5	0.58	180	0.44									
12-1712		2.32	38.2	2.18	7.04	0.13	0.04	0.03	0.014	0.06	4.6	35.3	0.94	190	0.16									
12-1713		1.20	29.8	1.12	6.61	0.12	0.03	0.04	0.008	0.04	5.3	13.5	0.34	86	0.22									
12-1714		1.41	9.1	1.60	5.40	0.13	0.03	0.05	0.012	0.03	5.7	8.8	0.32	89	0.54									
12-1715		2.02	9.0	2.34	6.52	0.15	0.05	0.02	0.018	0.07	22.6	12.9	0.30	110	1.16									
12-1716		1.67	1.7	1.49	8.18	0.13	0.02	0.06	0.015	0.04	11.5	8.9	0.07	39	0.50									
12-1717		2.13	3.8	2.83	8.86	0.14	0.03	0.06	0.025	0.06	15.5	12.7	0.22	85	0.83									
12-1718		3.18	21.7	4.38	7.59	0.15	0.03	0.09	0.018	0.05	13.2	7.7	0.22	94	1.10									
12-1719		0.98	45.7	0.46	2.20	0.21	<0.02	0.06	0.007	0.02	62.0	5.2	0.20	56	0.67									
12-1720		1.20	1.3	1.71	6.35	0.13	0.02	0.04	0.014	0.03	10.4	6.7	0.12	54	0.38									
12-1721		1.66	5.3	2.05	7.49	0.13	0.04	0.04	0.014	0.05	11.2	9.6	0.31	122	0.38									
12-1722		0.46	13.3	0.61	0.39	0.08	0.07	0.10	<0.005	0.02	2.4	0.3	0.29	200	0.81									
12-1723		1.19	2.5	1.36	4.96	0.13	0.03	0.03	0.012	0.05	10.3	9.4	0.24	88	0.44									
12-1724		0.77	0.6	0.69	4.69	0.13	0.03	0.01	0.007	0.04	13.2	4.0	0.10	48	0.31									
12-1725		1.19	0.6	1.68	7.85	0.14	0.03	0.04	0.013	0.09	12.6	6.7	0.22	93	0.43									
12-1726		1.22	0.7	1.84	7.91	0.14	0.03	0.04	0.016	0.09	12.5	8.1	0.23	94	0.44									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646801
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1727		1.68	8.2	1.47	5.73	0.13	0.04	0.02	0.012	0.11	21.1	24.0	0.60	169	0.17									
12-1728		1.42	1.3	1.70	5.28	0.13	0.02	0.05	0.017	0.07	12.0	11.0	0.27	192	0.40									
12-1729		1.31	0.7	0.88	6.08	0.12	0.02	0.02	0.009	0.05	13.2	6.6	0.15	85	0.36									
12-1730		1.70	5.6	2.27	4.82	0.14	0.03	0.05	0.017	0.05	12.6	14.7	0.39	137	0.44									
12-1731		1.50	1.6	1.89	9.89	0.14	0.03	0.03	0.016	0.08	13.3	10.6	0.26	102	0.42									
12-1732		1.55	3.6	2.17	7.43	0.15	0.04	0.05	0.017	0.06	14.1	8.5	0.25	159	0.75									
12-1733		2.10	3.9	2.19	7.80	0.14	0.03	0.04	0.014	0.08	10.1	9.4	0.30	224	0.76									
12-1734		1.58	1.1	2.56	11.9	0.14	0.04	0.07	0.018	0.06	13.2	5.9	0.14	69	0.70									
12-1735		1.39	1.2	1.83	12.1	0.15	0.04	0.04	0.014	0.06	14.2	5.4	0.16	82	0.52									
12-1736		1.28	6.4	1.78	6.37	0.14	0.04	0.04	0.015	0.05	10.9	10.3	0.30	116	0.46									
12-1737		2.18	10.7	1.82	4.49	0.15	0.05	0.03	0.014	0.07	15.5	13.2	0.40	159	0.35									
12-1738		1.81	5.8	1.26	4.56	0.14	0.03	0.05	0.011	0.06	16.0	9.8	0.30	179	0.43									
12-1739		3.88	7.5	1.32	4.90	0.14	0.03	0.05	0.013	0.07	16.4	12.5	0.36	210	0.25									
12-1740		1.82	3.0	1.20	4.69	0.14	<0.02	0.03	0.012	0.04	11.1	10.2	0.23	143	0.30									
12-1741		1.24	2.2	2.19	5.43	0.14	0.03	0.04	0.018	0.05	14.9	12.5	0.27	102	0.55									
12-1742		2.82	32.5	1.86	5.49	0.15	0.05	0.02	0.013	0.10	15.9	24.8	0.59	209	0.69									
12-1743		1.44	5.3	1.73	6.62	0.14	0.06	0.01	0.011	0.04	11.2	14.9	0.37	104	1.00									
12-1744		0.46	13.8	0.14	0.32	0.12	0.09	0.13	<0.005	0.01	2.8	0.4	0.24	381	2.25									
12-1745		1.23	4.2	1.80	7.16	0.16	0.05	0.04	0.015	0.04	13.4	9.9	0.41	84	0.66									
12-1746		1.02	0.8	0.36	3.44	0.14	<0.02	0.03	0.007	0.02	13.1	4.3	0.09	32	0.23									
12-1747		1.68	5.3	1.95	4.45	0.14	0.06	0.06	0.021	0.04	14.7	13.9	0.20	167	0.48									
12-1748		2.87	3.8	1.98	8.56	0.15	0.06	0.04	0.013	0.04	15.8	8.3	0.21	74	1.34									
12-1749		2.12	0.8	0.99	5.66	0.14	<0.02	0.04	0.012	0.02	12.5	6.7	0.06	23	0.39									
12-1241		0.76	5.5	1.03	3.67	0.16	0.14	0.02	0.013	0.08	21.6	11.0	0.66	118	0.14									
12-1242		0.55	2.3	0.68	2.35	0.14	0.07	0.03	0.009	0.04	16.4	5.9	0.21	87	0.28									
12-1243		0.45	2.4	0.78	2.26	0.14	0.07	0.02	0.008	0.04	17.5	8.5	0.24	92	0.29									
12-1244		0.55	4.9	0.79	3.22	0.11	0.10	0.03	0.013	0.06	21.5	9.7	1.79	223	0.21									
12-1245		0.46	2.3	0.68	2.30	0.15	0.05	0.01	0.008	0.03	15.0	6.0	0.22	120	0.11									
12-1246		0.89	4.2	1.26	4.56	0.15	0.06	0.02	0.015	0.09	18.4	15.0	0.48	188	0.21									
12-1247		1.02	6.2	1.38	5.35	0.15	0.08	0.02	0.017	0.06	18.1	15.4	0.49	171	0.36									
12-1248		0.68	2.7	0.92	3.30	0.14	0.05	0.01	0.011	0.06	15.0	9.9	0.34	143	0.10									
12-1249		0.94	6.1	1.26	4.37	0.15	0.05	0.03	0.015	0.09	22.8	13.0	0.49	223	0.22									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1250		0.74	4.7	1.02	4.10	0.14	0.03	0.01	0.009	0.05	11.6	10.8	0.30	118	0.24									
12-1251		0.84	5.1	1.14	4.55	0.14	0.05	0.02	0.012	0.06	14.7	12.4	0.38	154	0.24									
12-1252		1.27	15.6	1.57	6.51	0.06	0.08	0.05	0.025	0.16	27.2	20.4	1.56	488	0.42									
12-1253		1.16	11.1	1.60	5.10	0.17	0.04	0.02	0.017	0.11	23.1	15.6	0.57	385	0.25									
12-1254		1.22	4.0	0.89	5.18	0.15	<0.02	0.02	0.007	0.04	11.9	5.7	0.11	48	1.02									
12-1255		1.63	43.2	1.24	4.82	0.16	<0.02	0.04	0.016	0.06	24.1	8.6	0.30	811	1.22									
12-1256		1.34	15.6	1.57	6.61	0.15	0.04	0.04	0.016	0.12	18.0	11.4	0.58	257	0.73									
12-1257		1.43	3.1	2.00	8.41	0.15	<0.02	0.03	0.017	0.05	12.6	9.5	0.20	73	0.67									
12-1258		1.64	19.0	1.48	4.99	0.17	0.03	0.03	0.017	0.04	27.6	9.0	0.15	65	1.81									
12-1259		2.15	32.7	1.83	6.01	0.16	0.07	0.03	0.012	0.08	16.9	23.5	0.53	179	0.56									
12-1260		1.26	4.9	0.98	4.40	0.15	<0.02	0.02	0.008	0.04	11.8	4.5	0.13	43	0.43									
12-1261		1.39	4.6	0.69	5.08	0.14	0.02	0.03	0.008	0.04	12.2	10.3	0.18	56	2.33									
12-1262		0.75	14.1	0.93	3.27	0.16	0.03	0.02	0.010	0.03	16.8	8.0	0.28	73	0.58									
12-1263		0.93	14.6	1.15	3.47	0.17	0.07	0.03	0.014	0.06	34.6	11.6	0.32	141	0.47									
12-1264		0.72	13.6	0.96	4.28	0.12	0.07	0.02	0.016	0.07	28.5	13.1	2.50	170	0.23									
12-1265		0.60	13.6	0.68	2.71	0.16	0.11	0.02	0.011	0.05	22.5	7.9	0.29	75	0.18									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1046	<0.01	0.01	0.05	7.7	132	4.3	4.6	<0.001	0.021	<0.05	2.4	0.2	0.6	6.1	<0.01						
12-1047	<0.01	0.01	2.24	16.4	253	7.8	21.7	<0.001	0.024	0.07	1.7	0.4	0.6	10.4	<0.01						
12-1048	0.01	0.01	2.32	13.6	273	5.3	16.1	<0.001	0.013	0.08	2.8	0.5	0.5	26.5	<0.01						
12-1049	0.01	0.01	1.94	12.8	171	5.9	13.4	<0.001	0.007	<0.05	2.3	0.2	0.4	12.6	<0.01						
12-1050	0.02	0.02	1.75	36.8	249	7.2	9.3	<0.001	0.015	0.05	3.7	0.4	0.6	21.6	<0.01						
12-1051	0.02	0.02	1.94	34.2	282	6.7	9.5	<0.001	0.015	<0.05	3.4	0.4	0.6	27.4	<0.01						
12-1052	<0.01	<0.01	2.37	13.3	108	6.1	6.3	<0.001	0.007	<0.05	1.6	<0.2	0.6	12.4	<0.01						
12-1053	0.02	0.02	2.47	16.9	162	6.3	21.8	<0.001	0.007	0.06	3.2	0.3	0.6	20.8	<0.01						
12-1054	0.01	0.01	2.00	15.7	323	4.6	12.0	<0.001	0.020	0.05	2.8	0.4	0.4	19.7	<0.01						
12-1055	0.01	0.01	1.95	15.3	523	3.7	6.7	<0.001	0.007	<0.05	1.6	0.3	0.4	16.7	<0.01						
12-1056	<0.01	<0.01	0.65	1.5	105	5.0	2.6	<0.001	0.008	<0.05	0.3	<0.2	0.7	5.4	<0.01						
12-1057	<0.01	<0.01	1.96	7.8	117	10.9	5.5	<0.001	0.010	0.06	1.1	<0.2	0.8	14.6	<0.01						
12-1058	<0.01	<0.01	2.54	11.1	171	5.9	9.1	<0.001	0.011	<0.05	1.4	0.2	0.7	11.6	<0.01						
12-1059	<0.01	<0.01	2.02	15.5	352	5.8	3.9	<0.001	0.022	<0.05	1.5	0.4	0.4	10.8	<0.01						
12-1060	<0.01	<0.01	2.04	9.9	353	8.9	8.8	<0.001	0.040	0.09	1.6	0.8	0.6	8.5	<0.01						
12-1061	<0.01	<0.01	1.65	8.3	166	5.4	3.4	<0.001	0.011	<0.05	1.2	<0.2	0.5	8.3	<0.01						
12-1062	<0.01	<0.01	1.90	14.3	297	7.0	4.9	<0.001	0.020	0.06	1.4	0.4	0.4	8.6	<0.01						
12-1063	<0.01	<0.01	1.81	4.8	112	5.8	4.6	<0.001	0.010	<0.05	1.0	0.2	0.5	7.2	<0.01						
12-1064	<0.01	<0.01	1.77	13.0	118	4.6	6.7	<0.001	0.007	<0.05	1.3	0.2	0.4	9.0	<0.01						
12-1065	<0.01	<0.01	1.59	41.1	1160	2.4	1.6	<0.001	0.013	<0.05	2.0	0.5	0.3	14.8	<0.01						
12-1066	<0.01	<0.01	1.66	19.7	449	4.6	3.0	<0.001	0.017	<0.05	2.2	0.3	0.4	12.5	<0.01						
12-1067	<0.01	<0.01	1.83	7.7	158	5.2	4.8	<0.001	0.010	<0.05	1.1	<0.2	0.5	11.6	<0.01						
12-1068	<0.01	<0.01	1.36	14.2	196	4.0	5.9	<0.001	0.013	<0.05	1.1	0.2	0.4	11.7	<0.01						
12-1069	<0.01	<0.01	1.15	10.9	242	3.4	3.0	<0.001	0.017	<0.05	2.5	0.5	0.3	12.7	<0.01						
12-1070	<0.01	<0.01	3.13	14.8	263	6.0	7.0	<0.001	0.017	0.07	2.2	0.5	0.6	12.0	<0.01						
12-1800	<0.01	<0.01	1.37	14.6	403	3.3	3.0	<0.001	0.006	<0.05	1.8	0.4	0.2	9.7	<0.01						
12-1801	<0.01	<0.01	1.27	15.4	426	2.8	2.5	<0.001	0.005	<0.05	1.6	0.3	0.2	9.6	<0.01						
12-1802	<0.01	<0.01	2.14	3.3	187	6.4	8.0	<0.001	0.014	0.06	1.0	0.2	0.6	9.0	<0.01						
12-1803	0.01	0.01	1.65	27.4	209	4.7	5.6	<0.001	0.013	<0.05	2.8	0.5	0.4	14.0	<0.01						
12-1804	0.01	0.01	2.26	18.9	362	5.1	4.9	<0.001	0.019	<0.05	2.2	0.5	0.4	9.6	0.04						
12-1805	<0.01	<0.01	2.18	7.6	329	5.5	4.2	<0.001	0.024	0.07	1.6	0.5	0.5	8.7	0.03						
12-1806	<0.01	<0.01	2.12	13.2	286	5.3	3.8	<0.001	0.016	<0.05	1.7	0.4	0.4	9.1	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1807	<0.01	0.01	1.73	0.2	202	6.0	4.2	<0.001	0.018	0.06	1.5	0.5	0.5	7.6	<0.01						
12-1808	0.02	1.04	23.3	456	3.7	6.1	<0.001	0.013	<0.05	3.4	0.5	0.5	20.3	<0.01							
12-1809	0.02	1.69	14.3	285	4.5	11.5	<0.001	0.011	<0.05	3.1	0.5	0.3	16.5	<0.01							
12-1810	<0.01	2.17	7.6	412	5.4	5.3	0.002	0.011	0.21	1.4	0.3	0.4	11.1	0.01							
12-1811	0.01	1.96	14.4	383	5.6	13.9	<0.001	0.015	<0.05	2.0	0.3	0.4	14.5	<0.01							
12-1812	<0.01	3.35	6.0	482	8.0	11.1	<0.001	0.016	0.06	1.8	0.4	0.7	12.1	<0.01							
12-1813	0.01	2.76	17.5	1690	7.5	26.0	<0.001	0.015	0.05	2.1	0.3	0.6	14.0	<0.01							
12-1814	0.01	1.65	8.6	1570	4.2	10.8	<0.001	0.009	0.05	1.3	<0.2	0.3	10.7	<0.01							
12-1815	<0.01	2.29	10.7	651	6.4	6.4	<0.001	0.028	0.05	1.4	0.6	0.4	10.9	0.01							
12-1816	0.01	2.27	14.8	429	4.1	5.6	<0.001	0.028	<0.05	2.2	0.5	0.3	11.2	0.03							
12-1817	0.01	1.83	19.1	186	5.8	6.5	<0.001	0.013	<0.05	1.9	0.3	0.3	14.7	<0.01							
12-1818	<0.01	4.78	7.1	453	9.3	11.6	<0.001	0.027	0.08	1.3	0.5	0.9	11.9	<0.01							
12-1819	<0.01	2.92	7.9	299	6.2	13.1	<0.001	0.016	0.06	1.4	0.3	0.6	13.4	<0.01							
12-1820	<0.01	2.05	15.8	1850	6.3	13.3	<0.001	0.021	0.06	1.6	0.3	0.4	15.3	<0.01							
12-1821	<0.01	2.20	11.7	608	4.4	10.2	<0.001	0.019	0.05	1.5	0.4	0.4	11.7	<0.01							
12-1822	0.01	2.13	18.9	1180	5.2	17.6	<0.001	0.010	<0.05	2.1	0.2	0.4	12.9	<0.01							
12-1823	<0.01	1.78	11.0	965	4.9	18.8	<0.001	0.013	0.05	1.4	0.3	0.5	11.6	<0.01							
12-1824	0.01	2.23	10.6	749	7.6	18.2	<0.001	0.014	0.06	1.4	0.2	0.7	16.3	<0.01							
12-1825	<0.01	1.88	19.9	312	4.8	8.9	<0.001	0.011	<0.05	2.1	0.4	0.4	13.4	<0.01							
12-1826	<0.01	2.00	13.5	248	4.5	6.0	<0.001	0.010	<0.05	1.7	0.3	0.4	12.1	<0.01							
12-1827	<0.01	2.97	13.1	805	7.7	10.9	<0.001	0.018	0.11	1.8	0.5	0.6	11.3	<0.01							
12-1828	<0.01	2.14	10.3	554	6.1	15.7	<0.001	0.018	0.13	1.8	0.5	0.5	8.1	0.01							
12-1829	<0.01	2.16	18.7	274	4.5	5.2	<0.001	0.012	<0.05	2.0	0.3	0.4	10.3	<0.01							
12-1830	<0.01	1.81	15.5	423	3.8	3.4	<0.001	0.008	<0.05	1.6	0.2	0.3	9.5	<0.01							
12-1071	<0.01	2.02	10.0	259	7.7	11.7	<0.001	0.012	0.05	1.4	0.3	0.6	10.0	<0.01							
12-1072	<0.01	2.00	16.8	279	8.0	15.3	<0.001	0.016	0.08	1.5	0.3	0.8	11.8	<0.01							
12-1073	<0.01	2.49	5.9	211	9.5	5.4	<0.001	0.018	0.06	1.5	0.4	0.6	11.9	<0.01							
12-1074	0.01	1.47	19.2	455	3.9	4.0	<0.001	0.023	<0.05	1.6	0.3	0.4	14.4	<0.01							
12-1075	<0.01	3.90	7.2	2290	11.9	6.2	<0.001	0.028	0.14	1.8	0.6	0.9	13.1	<0.01							
12-1076	<0.01	3.27	6.5	1440	11.0	6.8	<0.001	0.026	0.11	1.7	0.6	0.9	13.7	<0.01							
12-1077	<0.01	0.55	2.9	253	6.1	2.8	<0.001	0.020	0.05	0.5	<0.2	0.9	7.3	<0.01							
12-1078	<0.01	2.24	8.5	305	7.2	3.7	<0.001	0.026	0.09	1.0	0.5	0.7	6.8	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012											
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm								
12-1079		<0.01	1.29	3.3	225	14.0	0.1	0.1	0.001	0.005	0.13	1.0	<0.01	0.025	0.025	0.13	1.0	<0.2	0.2	0.2	1.0	9.6	<0.01
12-1080		0.01	1.52	33.7	81	4.0	18.1	<0.001	<0.001	0.007	<0.05	6.0	<0.01	0.007	0.02	<0.05	6.0	0.2	0.2	0.2	0.6	4.6	<0.01
12-1081		0.01	2.92	10.9	162	8.9	6.7	<0.001	<0.001	0.012	0.05	1.8	<0.01	0.012	0.2	0.2	1.8	0.2	0.2	0.2	0.8	13.2	<0.01
12-1082		<0.01	1.83	11.7	390	3.9	4.2	<0.001	<0.001	0.011	<0.05	1.8	<0.01	0.011	0.3	0.3	1.8	0.3	0.3	0.4	11.6	<0.01	
12-1083		<0.01	1.87	8.7	275	10.8	3.6	<0.001	<0.001	0.030	0.11	1.1	<0.01	0.030	0.4	0.4	1.1	0.4	0.4	0.5	9.3	<0.01	
12-1084		<0.01	2.09	13.6	319	5.8	9.6	<0.001	<0.001	0.029	<0.05	1.5	<0.01	0.029	0.4	0.4	1.5	0.4	0.4	0.5	11.3	<0.01	
12-1085		<0.01	2.81	6.5	439	8.5	4.5	<0.001	<0.001	0.040	0.07	1.5	<0.01	0.040	0.8	0.8	1.5	0.8	0.6	0.6	10.4	0.02	
12-1086		0.01	2.27	22.8	433	4.1	12.7	<0.001	<0.001	0.013	<0.05	2.1	<0.01	0.013	0.4	0.4	2.1	0.4	0.4	0.4	13.7	<0.01	
12-1087		<0.01	2.44	11.1	383	6.1	4.9	<0.001	<0.001	0.022	0.05	1.4	<0.01	0.022	0.4	0.4	1.4	0.4	0.5	0.5	14.2	<0.01	
12-1088		<0.01	3.40	10.5	254	9.1	8.9	<0.001	<0.001	0.016	0.06	1.4	<0.01	0.016	0.3	0.3	1.4	0.3	0.8	0.8	11.2	<0.01	
12-1089		<0.01	1.71	4.2	271	6.2	4.4	<0.001	<0.001	0.022	0.07	0.8	<0.01	0.022	0.3	0.3	0.8	0.3	0.6	0.6	8.4	<0.01	
12-1090		<0.01	1.80	2.9	120	7.0	3.3	<0.001	<0.001	0.011	<0.05	0.9	<0.01	0.011	0.2	0.2	0.9	0.2	0.7	0.7	9.1	<0.01	
12-1091		<0.01	1.08	7.5	404	11.2	3.7	<0.001	<0.001	0.040	0.05	1.4	<0.01	0.040	0.4	0.4	1.4	0.4	0.8	0.8	19.3	<0.01	
12-1092		<0.01	2.73	11.1	228	15.4	9.5	<0.001	<0.001	0.025	0.09	1.3	<0.01	0.025	0.2	0.2	1.3	0.2	1.0	1.0	13.1	<0.01	
12-1093		0.01	2.97	22.6	207	6.9	21.4	<0.001	<0.001	0.019	0.07	2.5	<0.01	0.019	0.3	0.3	2.5	0.3	0.7	0.7	17.4	<0.01	
12-1094		0.03	2.11	24.8	441	8.1	39.2	<0.001	<0.001	0.008	0.16	6.1	<0.01	0.008	0.7	0.7	6.1	0.7	1.0	1.0	73.2	<0.01	
12-1095		<0.01	2.54	6.9	150	6.7	4.3	<0.001	<0.001	0.016	<0.05	1.2	<0.01	0.016	0.3	0.3	1.2	0.3	0.6	0.6	7.0	<0.01	
12-1096		<0.01	2.20	10.8	147	7.0	3.9	<0.001	<0.001	0.013	<0.05	1.7	<0.01	0.013	0.3	0.3	1.7	0.3	0.6	0.6	7.5	<0.01	
12-1097		0.01	1.00	21.6	923	5.9	4.7	0.003	0.003	0.053	<0.05	3.1	<0.01	0.053	0.8	0.8	3.1	0.8	0.4	0.4	19.5	<0.01	
12-1098		0.01	2.60	11.4	200	8.5	3.5	<0.001	<0.001	0.023	0.11	1.6	<0.01	0.023	0.5	0.5	1.6	0.5	0.7	0.7	11.5	<0.01	
12-1099		<0.01	1.84	15.1	375	3.8	2.6	<0.001	<0.001	0.008	<0.05	1.6	<0.01	0.008	0.2	0.2	1.6	0.2	0.3	0.3	12.7	<0.01	
12-1100		0.01	1.85	16.5	291	6.7	5.8	<0.001	<0.001	0.008	<0.05	1.7	<0.01	0.008	0.2	0.2	1.7	0.2	0.4	0.4	15.1	<0.01	
12-1101		0.01	1.96	16.0	250	7.1	5.8	<0.001	<0.001	0.008	<0.05	1.7	<0.01	0.008	0.2	0.2	1.7	0.2	0.4	0.4	14.6	<0.01	
12-1102		0.01	0.91	18.8	851	4.2	6.1	<0.001	<0.001	0.050	<0.05	1.9	<0.01	0.050	0.6	0.6	1.9	0.6	0.3	0.3	21.4	<0.01	
12-1103		0.01	1.27	24.0	948	5.3	9.7	<0.001	<0.001	0.058	0.05	1.9	<0.01	0.058	0.6	0.6	1.9	0.6	0.4	0.4	29.1	<0.01	
12-1104		0.01	1.35	22.8	778	5.5	10.8	<0.001	<0.001	0.042	0.05	2.1	<0.01	0.042	0.6	0.6	2.1	0.6	0.4	0.4	29.8	<0.01	
12-1105		<0.01	1.90	18.0	371	5.0	13.6	<0.001	<0.001	0.014	<0.05	2.0	<0.01	0.014	0.3	0.3	2.0	0.3	0.5	0.5	22.3	<0.01	
12-1106		<0.01	2.22	6.1	276	7.9	3.9	<0.001	<0.001	0.015	0.07	1.4	<0.01	0.015	0.3	0.3	1.4	0.3	0.7	0.7	12.0	<0.01	
12-1107		<0.01	1.66	28.2	724	6.0	6.2	<0.001	<0.001	0.058	0.07	3.3	<0.01	0.058	1.3	1.3	3.3	1.3	0.4	0.4	30.7	0.02	
12-1108		0.01	1.65	10.5	157	3.8	4.5	<0.001	<0.001	0.011	<0.05	1.5	<0.01	0.011	0.2	0.2	1.5	0.2	0.4	0.4	4.7	<0.01	
12-1109		<0.01	1.77	10.4	256	3.6	3.5	<0.001	<0.001	0.006	<0.05	1.3	<0.01	0.006	<0.05	<0.05	1.3	<0.2	0.3	0.3	11.3	<0.01	
12-1110		<0.01	2.81	6.9	169	8.5	5.2	<0.001	<0.001	0.011	0.05	1.3	<0.01	0.011	0.2	0.2	1.3	0.2	0.8	0.8	10.8	<0.01	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1111	<0.01	2.77	17.5	111	5.7	4.8	<0.001	0.009	<0.05	1.6	0.2	0.5	10.6	<0.01							
12-1112	<0.01	1.75	25.3	471	3.4	4.1	<0.001	0.013	<0.05	1.9	0.3	0.3	16.2	<0.01							
12-1113	<0.01	2.36	15.6	216	5.9	4.7	<0.001	0.009	<0.05	1.6	0.3	0.6	13.7	<0.01							
12-1114	<0.01	1.97	17.4	347	5.5	2.5	<0.001	0.008	<0.05	3.0	0.3	0.5	13.9	<0.01							
12-1115	<0.01	2.99	12.3	258	6.2	3.3	<0.001	0.031	0.09	1.9	0.8	0.6	11.9	0.03							
12-1116	<0.01	3.32	6.0	251	11.2	3.2	<0.001	0.028	0.13	1.5	0.7	0.7	7.1	<0.01							
12-1117	<0.01	2.57	5.3	224	7.8	2.5	<0.001	0.023	0.07	1.6	0.5	0.7	6.1	0.03							
12-1118	0.01	1.90	12.6	556	4.0	4.0	<0.001	0.006	<0.05	1.7	0.2	0.4	20.1	<0.01							
12-1119	<0.01	2.09	8.6	259	6.1	5.9	<0.001	0.008	<0.05	1.2	<0.2	0.5	15.3	<0.01							
12-1120	<0.01	1.76	8.5	531	7.0	5.8	<0.001	0.009	0.06	1.3	0.2	0.4	12.6	<0.01							
12-1121	<0.01	2.27	14.9	329	4.6	6.0	<0.001	0.007	<0.05	1.6	0.2	0.5	16.2	<0.01							
12-1122	<0.01	0.65	32.3	601	0.7	2.9	<0.001	0.008	<0.05	2.2	<0.2	<0.2	9.6	<0.01							
12-1123	<0.01	2.57	14.7	245	6.4	5.7	<0.001	0.009	<0.05	1.6	0.2	0.5	13.8	<0.01							
12-1124	0.01	2.14	14.3	383	6.8	4.0	<0.001	0.017	<0.05	1.8	0.4	0.4	16.4	<0.01							
12-1125	<0.01	1.81	7.6	179	6.0	5.8	<0.001	0.005	<0.05	1.2	<0.2	0.5	12.4	<0.01							
12-1126	<0.01	1.89	9.5	210	6.1	5.8	<0.001	0.007	<0.05	1.2	<0.2	0.5	12.5	<0.01							
12-1127	0.01	1.67	19.3	373	4.3	5.6	<0.001	0.008	<0.05	1.7	0.2	0.4	15.4	<0.01							
12-1128	<0.01	1.87	14.8	190	6.2	8.9	<0.001	0.013	<0.05	1.6	0.2	0.5	12.2	<0.01							
12-1129	<0.01	2.49	15.3	193	5.6	5.7	<0.001	0.008	<0.05	1.6	0.2	0.5	10.7	<0.01							
12-1130	0.01	1.56	46.4	642	6.3	9.2	0.002	0.040	<0.05	2.8	0.8	0.4	23.2	<0.01							
12-1551	0.02	1.81	11.4	414	3.9	9.4	<0.001	0.027	<0.05	1.6	<0.2	0.4	12.9	<0.01							
12-1552	<0.01	2.40	9.4	136	7.4	5.5	<0.001	0.017	0.07	1.9	0.4	0.6	10.5	<0.01							
12-1553	<0.01	4.39	7.5	386	9.4	10.3	<0.001	0.026	0.07	1.8	0.5	0.9	13.3	<0.01							
12-1554	0.01	2.46	17.8	332	8.0	15.3	<0.001	0.013	0.08	2.0	0.4	0.6	15.1	<0.01							
12-1555	0.02	2.37	13.9	139	5.1	4.8	<0.001	0.014	<0.05	2.0	0.4	0.5	15.7	<0.01							
12-1556	0.05	1.19	19.7	691	4.1	9.3	<0.001	0.060	0.05	4.0	1.4	0.3	33.0	0.01							
12-1557	<0.01	3.56	11.4	252	11.5	14.3	<0.001	0.021	0.07	1.6	0.4	0.8	14.3	<0.01							
12-1558	<0.01	3.13	9.9	359	12.8	4.7	<0.001	0.049	0.14	3.6	1.2	0.5	7.5	0.06							
12-1559	<0.01	2.81	6.3	154	8.2	6.0	<0.001	0.020	0.06	1.4	0.5	0.6	8.8	<0.01							
12-1560	<0.01	2.22	8.8	201	5.4	4.4	<0.001	0.016	<0.05	1.2	0.3	0.5	10.1	<0.01							
12-1561	<0.01	2.86	10.4	436	6.8	10.1	<0.001	0.022	0.05	1.6	0.4	0.5	9.8	0.02							
12-1562	<0.01	2.25	4.2	128	6.4	14.8	<0.001	0.012	0.06	1.1	0.2	0.6	8.3	<0.01							

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1563		0.01	1.26	12.6	321	3.2	4.0	0.001	0.061	<0.05	2.1	0.4	0.3	12.5	<0.01						
12-1564		0.01	1.15	37.2	649	6.5	9.4	0.001	0.053	0.09	2.9	0.8	0.4	22.6	<0.01						
12-1565		<0.01	1.58	8.0	198	6.2	3.0	<0.001	0.019	0.06	1.4	0.5	0.4	7.2	<0.01						
12-1566		<0.01	2.72	4.9	208	8.8	3.4	<0.001	0.026	0.12	1.3	0.5	0.7	6.9	0.01						
12-1567		<0.01	1.77	6.7	165	7.1	3.6	<0.001	0.013	<0.05	1.2	0.2	0.5	7.2	<0.01						
12-1568		<0.01	2.92	5.2	370	9.4	5.7	<0.001	0.026	0.10	1.3	0.5	0.6	11.8	0.01						
12-1569		<0.01	2.40	8.7	265	7.0	6.4	<0.001	0.016	0.09	1.5	0.4	0.5	7.8	<0.01						
12-1570		<0.01	2.65	3.0	139	7.1	5.6	<0.001	0.011	0.06	1.0	0.3	0.7	8.9	<0.01						
12-1571		<0.01	1.62	11.0	148	3.6	4.5	<0.001	0.006	<0.05	1.7	<0.2	0.3	8.8	<0.01						
12-1572		<0.01	1.35	3.7	169	4.3	4.7	<0.001	0.016	<0.05	0.6	0.3	0.4	7.6	<0.01						
12-1573		<0.01	2.29	6.3	286	7.0	9.6	<0.001	0.016	0.07	1.2	0.3	0.5	10.3	<0.01						
12-1574		<0.01	2.29	8.2	242	4.8	4.4	<0.001	0.024	<0.05	1.3	0.5	0.3	8.2	0.02						
12-1575		<0.01	2.25	7.3	452	5.1	5.9	<0.001	0.016	0.05	1.1	0.3	0.5	13.0	<0.01						
12-1576		<0.01	2.11	7.2	393	4.9	5.3	<0.001	0.014	0.06	1.0	0.3	0.5	13.2	<0.01						
12-1577		<0.01	2.18	6.4	726	5.1	3.7	<0.001	0.019	0.07	1.1	0.5	0.5	11.4	<0.01						
12-1578		<0.01	2.61	7.4	582	7.5	3.1	<0.001	0.018	0.07	1.2	0.5	0.6	10.5	0.04						
12-1579		<0.01	3.06	4.9	425	8.5	6.4	<0.001	0.018	0.07	1.2	0.5	0.7	9.9	<0.01						
12-1580		<0.01	2.66	3.7	147	7.8	9.3	<0.001	0.011	0.06	0.9	0.2	0.7	9.0	<0.01						
12-1581		<0.01	2.56	7.8	85	7.8	5.5	<0.001	0.006	<0.05	1.4	0.3	0.7	8.2	<0.01						
12-1582		0.01	2.24	9.3	278	6.2	3.2	<0.001	0.012	0.06	1.4	0.3	0.5	15.8	<0.01						
12-1583		<0.01	2.10	4.5	96	4.8	4.2	<0.001	<0.005	<0.05	1.1	<0.2	0.6	10.6	<0.01						
12-1584		<0.01	0.96	8.1	489	2.9	3.5	<0.001	0.010	<0.05	1.5	0.3	0.3	13.1	<0.01						
12-1585		<0.01	3.18	15.1	261	6.8	8.9	<0.001	0.017	0.11	2.4	0.5	0.7	13.1	0.02						
12-1586		<0.01	2.11	12.9	127	6.9	5.6	<0.001	0.011	<0.05	1.5	0.2	0.6	10.3	<0.01						
12-1587		<0.01	1.69	7.7	318	3.5	3.3	<0.001	0.008	<0.05	1.8	<0.2	0.3	13.1	<0.01						
12-1588		<0.01	4.01	5.8	203	8.0	12.0	<0.001	0.014	0.08	1.7	0.4	0.9	13.7	<0.01						
12-1589		<0.01	3.28	7.5	725	7.4	12.8	<0.001	0.017	0.06	1.6	0.5	0.9	13.6	0.02						
12-1590		<0.01	3.38	4.8	616	8.5	10.0	<0.001	0.017	0.06	1.4	0.5	0.9	11.2	0.02						
12-1591		<0.01	3.62	10.6	2580	9.4	7.0	<0.001	0.026	0.08	2.1	0.8	0.6	11.3	0.05						
12-1592		<0.01	3.39	5.0	616	10.2	11.4	<0.001	0.031	0.11	1.9	0.8	0.8	11.0	0.04						
12-1593		<0.01	2.44	4.1	310	6.6	12.1	<0.001	0.016	<0.05	1.5	0.4	0.6	7.9	0.03						
12-1594		<0.01	1.92	4.2	762	7.1	15.4	<0.001	0.011	0.05	0.9	0.2	0.6	6.7	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-1595	<0.01	0.01	3.39	8.7	1760	9.2	32.7	<0.001	0.014	0.07	1.7	0.4	1.0	13.9	<0.01					
12-1596	<0.01	<0.01	2.24	13.3	320	4.8	11.9	<0.001	0.013	<0.05	1.6	0.3	0.4	10.2	<0.01					
12-1597	<0.01	<0.01	1.76	10.8	374	5.3	13.5	<0.001	0.017	<0.05	1.8	0.3	0.4	13.4	<0.01					
12-1598	<0.01	<0.01	2.21	13.2	305	6.7	15.2	<0.001	0.015	0.05	1.6	0.2	0.5	9.1	<0.01					
12-1599	<0.01	<0.01	1.74	12.9	326	5.0	12.8	<0.001	0.011	<0.05	1.8	0.3	0.4	9.8	<0.01					
12-1131	<0.01	<0.01	1.60	14.7	116	6.7	5.9	<0.001	0.012	<0.05	1.5	<0.2	0.5	9.0	<0.01					
12-1132	0.02	0.02	2.86	30.6	492	10.4	51.2	<0.001	0.019	0.09	5.0	0.5	0.8	23.7	<0.01					
12-1133	0.02	0.02	2.73	27.0	355	10.5	45.9	<0.001	0.012	0.07	4.9	0.4	0.7	22.7	<0.01					
12-1134	0.02	0.02	2.10	29.0	379	10.7	43.3	<0.001	0.011	0.10	4.4	0.4	0.7	20.9	<0.01					
12-1135	0.02	0.02	2.45	31.5	413	11.1	44.6	<0.001	0.013	0.08	4.5	0.4	0.7	20.2	<0.01					
12-1136	0.02	0.02	1.91	25.7	674	10.0	24.7	<0.001	0.055	0.12	3.0	0.6	0.6	23.7	<0.01					
12-1137	0.01	0.01	2.71	15.8	254	6.2	16.1	<0.001	0.038	0.19	1.7	0.4	0.5	12.5	<0.01					
12-1138	0.01	0.01	1.89	20.3	325	8.5	12.5	<0.001	0.015	0.05	1.9	0.2	0.5	11.4	<0.01					
12-1139	0.01	0.01	1.61	15.4	195	4.5	11.9	<0.001	0.009	<0.05	3.1	0.3	0.4	15.6	<0.01					
12-1140	<0.01	<0.01	1.53	28.8	546	30.2	8.1	0.004	0.042	0.07	5.6	1.2	0.4	18.0	0.01					
12-1141	<0.01	<0.01	2.98	12.1	334	7.8	6.2	<0.001	0.028	0.07	1.8	0.6	0.6	7.7	<0.01					
12-1142	<0.01	<0.01	2.47	9.7	413	9.1	3.4	<0.001	0.037	0.07	1.3	0.7	0.4	9.7	0.04					
12-1143	<0.01	<0.01	3.06	8.7	296	6.6	3.4	<0.001	0.024	0.09	1.8	0.7	0.5	10.2	0.06					
12-1144	<0.01	<0.01	1.89	8.4	196	4.7	4.7	<0.001	0.005	<0.05	1.4	0.2	0.4	10.3	<0.01					
12-1145	<0.01	<0.01	2.52	8.6	133	6.7	4.1	<0.001	0.015	<0.05	1.2	0.2	0.5	8.6	<0.01					
12-1146	<0.01	<0.01	2.24	14.5	268	5.3	8.2	<0.001	0.009	0.05	1.8	0.2	0.5	13.0	<0.01					
12-1147	0.01	0.01	1.89	21.5	652	6.2	4.6	<0.001	0.014	<0.05	2.0	0.4	0.3	13.6	0.02					
12-1148	<0.01	<0.01	2.46	15.4	230	7.7	8.2	<0.001	0.013	0.06	3.0	0.7	0.5	13.3	<0.01					
12-1149	<0.01	<0.01	4.40	7.3	345	11.2	8.6	<0.001	0.025	0.08	1.7	0.6	0.9	14.6	<0.01					
12-1150	<0.01	<0.01	2.17	22.5	179	5.9	16.7	<0.001	0.006	0.06	1.9	0.3	0.6	13.0	<0.01					
12-1151	<0.01	<0.01	1.59	24.4	271	5.5	8.5	<0.001	0.006	<0.05	1.5	0.2	0.4	11.0	<0.01					
12-1152	0.02	0.02	1.17	14.7	644	8.2	2.2	0.004	0.122	0.14	1.6	0.7	0.3	22.3	<0.01					
12-1153	<0.01	<0.01	3.69	24.8	112	4.7	15.3	<0.001	0.014	<0.05	3.9	0.3	1.1	14.6	<0.01					
12-1154	<0.01	<0.01	2.08	10.4	136	5.8	5.9	<0.001	0.008	<0.05	1.2	<0.2	0.4	7.7	<0.01					
12-1155	<0.01	<0.01	2.43	13.7	212	10.1	14.8	<0.001	0.021	0.08	2.4	0.3	0.8	8.6	<0.01					
12-1156	<0.01	<0.01	2.02	11.7	213	6.2	5.3	<0.001	0.021	<0.05	1.5	0.3	0.5	10.6	<0.01					
12-1157	0.01	0.01	1.31	21.1	295	6.3	11.2	<0.001	0.027	0.05	3.4	0.6	0.4	16.3	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-1158	<0.01	0.01	1.36	2.8	111	8.6	4.0	<0.001	0.021	0.8	0.2	0.7	8.6	<0.01						
12-1159	<0.01	<0.01	2.19	20.8	175	6.9	7.8	<0.001	0.028	2.4	0.7	0.5	23.2	<0.01						
12-1160	0.02	0.02	2.71	20.8	159	8.3	22.5	<0.001	0.014	3.8	0.4	0.7	22.8	<0.01						
12-1161	0.01	0.01	1.59	5.5	368	2.6	4.8	<0.001	0.013	2.2	0.8	0.3	81.5	<0.01						
12-1162	0.02	0.02	1.99	9.6	554	3.4	7.2	0.001	0.052	2.5	0.5	0.4	26.4	<0.01						
12-1163	0.01	0.01	2.50	16.3	136	4.5	4.3	<0.001	0.015	2.5	0.4	0.5	27.2	<0.01						
12-1164	0.01	0.01	3.71	15.6	789	6.2	9.0	<0.001	0.013	1.9	0.4	0.7	50.7	<0.01						
12-1165	0.02	0.02	3.53	20.8	311	7.8	33.4	<0.001	0.020	3.3	0.5	0.9	24.3	<0.01						
12-1166	0.03	0.03	4.69	37.4	531	13.2	56.4	<0.001	0.027	10.7	0.9	1.3	42.7	<0.01						
12-1167	<0.01	<0.01	2.13	10.4	227	4.9	4.0	<0.001	0.009	1.2	0.3	0.4	7.9	<0.01						
12-1168	<0.01	<0.01	2.02	7.0	214	6.5	4.7	<0.001	0.010	1.2	<0.2	0.5	10.4	<0.01						
12-1169	<0.01	<0.01	1.69	2.8	152	7.8	6.6	<0.001	0.011	0.8	<0.2	0.7	8.3	<0.01						
12-1170	<0.01	<0.01	3.37	7.2	332	7.1	9.3	<0.001	0.013	1.6	0.4	0.8	10.8	<0.01						
12-1171	<0.01	<0.01	2.58	14.7	428	5.6	6.5	<0.001	0.027	1.7	0.5	0.4	10.7	0.03						
12-1172	<0.01	<0.01	1.75	4.6	140	8.0	4.7	<0.001	0.016	0.9	<0.2	0.7	10.5	<0.01						
12-1173	0.01	0.01	2.00	8.9	481	3.1	5.9	<0.001	0.013	2.4	0.6	0.4	38.0	<0.01						
12-1174	<0.01	<0.01	1.89	16.1	209	8.5	7.2	<0.001	0.015	2.4	0.7	0.8	11.4	<0.01						
12-1175	<0.01	<0.01	1.56	5.7	100	7.3	3.2	<0.001	0.013	0.9	<0.2	0.6	7.0	<0.01						
12-1176	<0.01	<0.01	1.92	5.2	93	7.3	4.2	<0.001	0.012	1.1	0.2	0.8	8.6	<0.01						
12-1177	<0.01	<0.01	1.70	11.1	240	6.1	2.9	<0.001	0.014	1.3	0.4	0.3	11.2	<0.01						
12-1178	<0.01	<0.01	1.74	7.2	73	6.3	5.4	<0.001	0.011	1.1	0.2	0.5	7.8	<0.01						
12-1179	<0.01	<0.01	1.50	6.3	118	6.3	2.9	<0.001	0.015	1.2	0.2	0.5	6.9	<0.01						
12-1180	<0.01	<0.01	3.33	6.4	214	8.8	3.0	<0.001	0.027	1.7	0.7	0.8	5.9	0.03						
12-1181	<0.01	<0.01	2.34	9.2	262	7.4	4.6	<0.001	0.029	1.9	0.6	0.5	6.2	0.03						
12-1182	<0.01	<0.01	2.84	10.5	157	9.0	4.0	<0.001	0.017	1.5	0.4	0.7	7.1	<0.01						
12-1183	<0.01	<0.01	2.14	16.0	247	6.1	4.8	<0.001	0.018	1.6	0.4	0.5	8.9	<0.01						
12-1184	<0.01	<0.01	2.94	16.5	225	24.7	6.2	<0.001	0.035	2.2	1.1	0.7	6.8	<0.01						
12-1185	<0.01	<0.01	2.23	12.4	171	6.7	3.6	<0.001	0.022	1.4	0.6	0.6	8.8	<0.01						
12-1186	<0.01	<0.01	3.11	15.6	590	8.0	5.7	<0.001	0.035	2.3	0.6	0.5	13.7	0.05						
12-1187	<0.01	<0.01	3.14	3.8	245	9.3	12.3	<0.001	0.010	1.1	0.2	0.7	13.1	<0.01						
12-1188	<0.01	<0.01	3.26	15.2	831	9.2	11.9	<0.001	0.018	1.8	0.5	0.7	16.4	<0.01						
12-1189	<0.01	<0.01	1.16	8.1	396	2.9	5.6	<0.001	0.006	1.7	0.2	0.2	11.0	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm					
12-1190	<0.01	0.01	2.45	9.9	250	6.7	6.4	<0.001	0.025	1.6	0.5	0.5	0.5	7.8	0.01					
12-1750	<0.01	<0.01	1.28	7.7	84	3.4	6.2	<0.001	0.007	1.0	0.2	0.4	0.4	8.9	<0.01					
12-1751	<0.01	<0.01	1.28	8.2	108	3.8	6.5	<0.001	0.010	1.0	0.2	0.4	0.4	9.5	<0.01					
12-1752	<0.01	<0.01	2.47	8.9	199	5.8	23.0	<0.001	0.013	1.5	0.3	0.6	0.6	10.2	<0.01					
12-1753	<0.01	<0.01	2.44	4.7	746	7.7	21.0	<0.001	0.013	1.4	0.2	0.9	0.9	11.8	<0.01					
12-1754	<0.01	<0.01	2.67	6.6	543	8.7	6.9	<0.001	0.062	1.6	1.5	0.5	0.5	10.1	0.01					
12-1755	<0.01	<0.01	2.24	15.7	83	4.0	5.5	<0.001	0.010	1.4	0.2	0.4	0.4	3.4	<0.01					
12-1756	<0.01	<0.01	1.41	6.1	177	6.3	4.4	<0.001	0.024	1.4	0.3	0.6	0.6	8.7	<0.01					
12-1757	<0.01	<0.01	2.60	2.1	52	6.5	4.0	<0.001	0.009	0.6	<0.2	1.1	1.1	12.5	<0.01					
12-1758	<0.01	<0.01	1.76	2.6	144	7.6	4.2	<0.001	0.019	1.1	0.4	0.6	0.6	8.7	<0.01					
12-1759	<0.01	<0.01	3.49	4.6	224	8.1	3.7	<0.001	0.034	1.5	0.7	0.6	0.6	11.3	0.03					
12-1760	<0.01	<0.01	1.33	2.7	74	3.4	3.1	<0.001	0.008	0.5	<0.2	0.5	0.5	4.3	<0.01					
12-1761	<0.01	<0.01	2.52	10.6	238	6.3	10.1	<0.001	0.024	1.7	0.5	0.4	0.4	8.7	<0.01					
12-1762	<0.01	<0.01	1.47	15.7	466	4.7	16.5	<0.001	0.031	1.7	0.4	0.5	0.5	8.8	<0.01					
12-1763	<0.01	<0.01	2.11	8.0	229	6.1	15.7	<0.001	0.016	1.4	0.3	0.6	0.6	10.5	<0.01					
12-1764	0.01	0.01	2.50	12.1	161	5.6	14.4	<0.001	0.010	2.2	0.2	0.5	0.5	15.0	<0.01					
12-1765	0.01	0.01	1.25	14.6	109	4.4	7.0	<0.001	<0.005	1.8	<0.2	0.4	0.4	11.3	<0.01					
12-1766	0.01	0.01	1.78	24.0	196	3.9	4.8	<0.001	0.020	2.5	0.3	0.4	0.4	16.7	0.02					
12-1767	<0.01	<0.01	1.18	2.0	120	4.7	6.6	<0.001	0.016	0.6	0.3	0.3	0.3	5.0	<0.01					
12-1768	<0.01	<0.01	1.54	4.2	476	7.4	5.4	<0.001	0.018	0.8	0.3	0.5	0.5	5.0	<0.01					
12-1769	<0.01	<0.01	2.54	7.9	233	5.7	15.1	<0.001	0.013	1.1	0.2	0.5	0.5	7.8	<0.01					
12-1770	<0.01	<0.01	1.91	8.4	210	6.3	13.3	<0.001	0.020	1.0	0.3	0.5	0.5	7.9	<0.01					
12-1771	<0.01	<0.01	1.55	17.5	283	5.9	4.1	<0.001	0.023	0.8	0.3	0.5	0.5	6.3	<0.01					
12-1772	<0.01	<0.01	1.59	7.4	486	13.6	3.4	<0.001	0.044	1.9	1.4	0.5	0.5	5.9	0.02					
12-1773	<0.01	<0.01	4.23	9.7	253	9.0	2.8	<0.001	0.032	1.2	0.7	0.9	0.9	6.9	0.02					
12-1774	<0.01	<0.01	2.59	9.4	304	7.6	3.3	<0.001	0.032	2.1	0.8	0.5	0.5	5.4	0.07					
12-1775	<0.01	<0.01	2.04	9.8	334	9.4	5.9	<0.001	0.044	1.1	0.9	0.5	0.5	7.9	0.01					
12-1776	<0.01	<0.01	2.00	10.2	335	8.4	5.3	<0.001	0.045	1.0	1.0	0.5	0.5	7.8	0.01					
12-1777	<0.01	<0.01	2.80	7.6	289	7.9	6.0	<0.001	0.030	1.3	0.6	0.7	0.7	7.0	0.01					
12-1778	<0.01	<0.01	2.51	8.3	98	7.9	7.3	<0.001	0.029	1.2	0.3	0.6	0.6	6.4	<0.01					
12-1779	<0.01	<0.01	1.35	2.7	214	8.4	4.3	<0.001	0.021	0.5	0.3	0.6	0.6	7.9	<0.01					
12-1780	<0.01	<0.01	2.35	9.0	76	5.7	6.8	<0.001	0.006	1.0	<0.2	0.6	0.6	7.4	<0.01					

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1781	<0.01	2.73	7.2	196	4.1	16.2	<0.001	0.008	<0.05	0.7	<0.2	0.6	9.6	<0.01							
12-1782	<0.01	2.11	11.2	310	5.5	5.0	<0.001	0.020	0.05	1.9	0.5	0.4	7.4	<0.01							
12-1783	<0.01	1.31	3.8	502	6.0	4.0	<0.001	0.018	0.08	1.0	0.4	0.6	7.4	<0.01							
12-1784	<0.01	2.38	10.6	785	6.8	11.6	<0.001	0.020	0.08	1.5	0.5	0.5	8.2	<0.01							
12-1785	<0.01	2.46	16.4	797	7.7	16.9	<0.001	0.020	0.09	1.7	0.5	0.6	9.8	<0.01							
12-1786	<0.01	1.69	14.3	375	9.2	13.4	<0.001	0.022	0.07	1.6	0.4	0.5	8.7	<0.01							
12-1787	0.01	1.95	15.2	665	5.1	24.2	<0.001	0.014	0.06	1.7	0.3	0.4	11.0	<0.01							
12-1788	<0.01	2.19	16.0	623	5.7	15.3	<0.001	0.019	0.06	2.0	0.5	0.5	12.5	<0.01							
12-1789	<0.01	2.44	7.7	565	7.9	11.9	<0.001	0.034	0.07	1.2	0.5	0.5	9.5	0.01							
12-1790	<0.01	2.13	8.3	755	7.5	23.9	<0.001	0.015	0.05	1.2	0.2	0.5	11.7	<0.01							
12-1791	<0.01	3.93	5.3	731	9.4	19.9	<0.001	0.022	0.11	1.6	0.5	0.9	14.5	<0.01							
12-1792	<0.01	2.91	12.3	605	5.2	7.4	<0.001	0.034	0.09	2.1	0.9	0.4	11.6	0.05							
12-1793	<0.01	3.83	6.4	570	9.7	16.2	<0.001	0.023	0.09	1.9	0.5	0.9	13.6	0.01							
12-1794	0.02	1.26	16.3	483	3.2	11.2	<0.001	0.006	<0.05	1.9	0.2	0.2	13.1	<0.01							
12-1795	0.02	1.07	15.9	286	3.8	16.4	<0.001	0.015	0.09	2.3	0.4	0.4	14.9	<0.01							
12-1796	0.02	1.39	14.3	355	3.9	5.2	<0.001	0.026	<0.05	2.3	0.2	0.3	17.0	<0.01							
12-1797	<0.01	1.95	10.0	210	6.3	3.7	<0.001	0.016	0.06	1.8	0.5	0.5	5.4	0.02							
12-1798	<0.01	1.85	11.0	337	3.5	3.9	<0.001	0.015	<0.05	2.0	0.5	0.3	8.0	0.01							
12-1799	<0.01	1.68	8.7	317	4.9	6.6	<0.001	0.015	<0.05	1.6	0.5	0.4	7.8	0.01							
12-1381	<0.01	1.48	12.5	419	4.1	5.3	<0.001	<0.005	<0.05	1.5	<0.2	0.4	13.6	<0.01							
12-1382	0.09	2.77	38.2	519	4.9	29.2	<0.001	0.047	0.07	5.8	1.4	0.4	95.7	0.03							
12-1383	<0.01	1.29	7.4	316	5.6	3.7	<0.001	0.020	<0.05	1.3	0.3	0.5	11.2	<0.01							
12-1384	<0.01	2.10	11.1	567	6.8	12.7	<0.001	0.016	0.07	1.2	0.3	0.5	8.0	<0.01							
12-1385	<0.01	2.40	12.6	285	6.7	7.4	<0.001	0.026	0.07	1.6	0.6	0.5	7.8	0.02							
12-1386	<0.01	3.47	9.4	1020	10.1	18.1	<0.001	0.015	0.14	1.9	0.6	1.0	9.6	<0.01							
12-1387	<0.01	2.62	9.9	361	8.0	12.9	<0.001	0.020	0.06	1.5	0.5	0.6	13.0	0.03							
12-1388	<0.01	2.25	7.9	689	8.1	11.9	<0.001	0.015	0.07	1.2	0.3	0.6	9.0	<0.01							
12-1389	<0.01	2.78	10.1	533	8.0	14.3	<0.001	0.016	0.06	1.7	0.4	0.7	10.5	<0.01							
12-1390	<0.01	2.06	9.5	319	6.2	11.7	<0.001	0.014	0.07	1.4	0.4	0.5	7.2	0.01							
12-1391	<0.01	3.13	11.6	555	7.7	16.9	<0.001	0.013	0.09	1.7	0.5	0.7	13.3	<0.01							
12-1392	<0.01	3.56	3.5	986	7.9	20.3	<0.001	0.020	0.10	1.7	0.6	0.8	13.8	<0.01							
12-1393	<0.01	2.99	5.9	261	7.9	8.2	<0.001	0.021	0.06	1.3	0.4	0.7	8.1	0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-1394		<0.01	1.46	3.5	719	6.4	22.0	<0.001	0.007	0.05	0.1	<0.2	0.5	6.8	<0.01
12-1395		<0.01	3.03	7.6	500	7.5	12.3	<0.001	0.017	0.05	1.5	0.4	0.6	9.7	<0.01
12-1396		<0.01	2.67	6.4	447	7.5	10.6	<0.001	0.019	0.07	1.1	0.4	0.6	8.4	<0.01
12-1397		<0.01	2.26	9.1	270	5.8	11.2	<0.001	0.009	<0.05	1.2	0.2	0.5	9.3	<0.01
12-1398		<0.01	2.41	6.9	1010	6.8	11.6	<0.001	0.015	0.06	1.2	0.4	0.5	13.4	<0.01
12-1399		<0.01	1.97	7.1	383	5.7	10.5	<0.001	0.024	<0.05	1.3	0.4	0.4	8.5	<0.01
12-1400		<0.01	1.75	3.9	191	5.2	25.3	<0.001	0.008	<0.05	0.9	<0.2	0.5	9.5	<0.01
12-1401		<0.01	1.67	4.5	326	5.9	14.1	<0.001	0.023	<0.05	1.0	0.3	0.4	9.0	<0.01
12-1402		<0.01	3.33	8.6	807	9.5	14.4	<0.001	0.019	0.09	1.4	0.4	0.8	10.9	<0.01
12-1403		<0.01	2.57	9.8	451	7.3	13.2	<0.001	0.019	0.07	1.5	0.5	0.6	8.4	0.01
12-1404		<0.01	2.74	9.5	381	7.3	11.9	<0.001	0.025	0.05	1.5	0.5	0.6	11.3	<0.01
12-1405		<0.01	2.64	10.4	366	6.1	10.9	<0.001	0.022	<0.05	1.5	0.4	0.4	9.6	<0.01
12-1406		<0.01	2.60	9.8	598	8.4	17.0	<0.001	0.018	0.08	1.6	0.4	0.7	11.0	<0.01
12-1407		<0.01	2.95	16.9	519	6.9	15.3	<0.001	0.026	0.06	1.8	0.5	0.5	14.0	<0.01
12-1408		<0.01	2.50	6.5	287	7.6	14.1	<0.001	0.019	0.06	1.3	0.3	0.6	11.2	<0.01
12-1409		<0.01	2.47	14.3	651	8.3	16.5	<0.001	0.021	0.07	1.5	0.5	0.5	15.3	<0.01
12-1410		<0.01	2.04	13.4	511	5.1	11.4	<0.001	0.017	<0.05	1.4	0.4	0.4	9.3	<0.01
12-1411		<0.01	2.19	5.2	1360	6.9	24.9	<0.001	0.014	0.05	1.3	0.3	0.6	11.1	<0.01
12-1412		<0.01	3.22	9.6	570	7.3	16.5	<0.001	0.019	0.05	1.5	0.4	0.7	12.9	<0.01
12-1413		<0.01	2.94	8.4	245	7.1	6.5	<0.001	0.020	0.06	1.2	0.4	0.7	11.4	<0.01
12-1414		<0.01	1.93	9.6	189	7.2	10.5	<0.001	0.016	<0.05	1.4	0.2	0.7	15.2	<0.01
12-1415		<0.01	2.37	4.4	178	6.4	15.0	<0.001	0.016	<0.05	1.3	0.3	0.6	8.4	0.01
12-1416		<0.01	2.99	4.7	405	7.8	17.3	<0.001	0.013	<0.05	1.2	0.3	0.8	9.3	0.01
12-1417		0.01	2.90	14.5	345	5.1	19.2	<0.001	0.009	<0.05	2.2	0.3	0.5	15.6	<0.01
12-1418		0.02	1.63	16.1	348	4.9	5.8	<0.001	0.025	<0.05	1.9	0.4	0.4	10.7	<0.01
12-1419		0.01	1.27	15.8	639	2.9	33.8	<0.001	0.012	<0.05	1.9	0.3	0.5	10.4	<0.01
12-1420		<0.01	1.83	31.5	267	3.7	5.2	<0.001	0.012	<0.05	1.5	0.4	0.3	8.1	<0.01
12-1421		<0.01	2.21	7.5	287	3.9	7.0	<0.001	0.013	0.06	1.2	0.3	0.4	8.2	<0.01
12-1422		0.01	1.11	17.4	273	4.3	7.6	<0.001	0.021	<0.05	2.5	0.5	0.5	14.4	<0.01
12-1423		0.01	1.85	15.1	232	6.0	11.2	<0.001	0.019	0.06	1.9	0.3	0.5	15.8	<0.01
12-1424		0.01	1.17	11.2	154	4.5	3.8	<0.001	0.021	<0.05	1.3	0.3	0.3	14.7	<0.01
12-1425		0.02	2.67	13.7	551	4.7	22.8	<0.001	0.020	0.07	3.9	1.0	0.5	11.6	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1426	0.02	0.01	2.74	15.4	605	5.2	24.8	<0.001	0.042	4.3	1.0	0.5	57.1	<0.01							
12-1427	<0.01	1.36	9.3	271	4.7	6.3	<0.001	0.005	<0.05	1.4	<0.2	0.3	10.0	<0.01							
12-1428	<0.01	2.57	18.7	269	6.1	7.0	<0.001	0.017	<0.05	2.3	0.4	0.5	9.4	<0.01							
12-1429	<0.01	1.84	4.4	131	5.7	12.8	<0.001	0.008	<0.05	1.1	0.3	0.5	8.6	<0.01							
12-1430	0.02	1.82	18.3	460	7.9	13.4	<0.001	0.024	0.07	2.6	0.4	0.5	19.3	<0.01							
12-1700	0.01	1.91	11.1	199	4.9	19.3	<0.001	0.006	<0.05	1.9	0.2	0.5	13.0	<0.01							
12-1701	0.01	1.89	11.8	199	4.6	18.5	<0.001	<0.005	<0.05	1.9	0.2	0.5	12.3	<0.01							
12-1702	<0.01	2.01	4.8	208	6.5	2.6	<0.001	0.025	0.09	0.8	0.3	0.5	6.8	<0.01							
12-1703	<0.01	1.94	6.6	192	7.1	5.2	<0.001	0.017	0.06	1.1	0.3	0.6	7.4	<0.01							
12-1704	0.01	0.63	6.3	325	5.1	2.1	0.003	0.097	<0.05	0.9	0.5	0.4	21.8	<0.01							
12-1705	0.01	2.36	18.6	331	4.6	4.1	<0.001	0.028	<0.05	4.6	0.6	0.5	24.0	<0.01							
12-1706	<0.01	2.90	6.0	259	8.3	5.4	<0.001	0.025	0.08	1.3	0.4	0.7	9.2	<0.01							
12-1707	<0.01	2.42	5.1	237	5.9	4.4	<0.001	0.022	0.06	1.2	0.4	0.5	7.1	<0.01							
12-1708	<0.01	3.65	12.8	353	7.6	10.3	<0.001	0.029	0.08	2.1	0.5	0.8	10.2	<0.01							
12-1709	<0.01	2.94	8.1	233	5.7	9.5	<0.001	0.019	<0.05	1.5	0.4	0.6	11.2	<0.01							
12-1710	<0.01	1.38	4.7	120	4.5	11.2	<0.001	0.012	<0.05	1.1	<0.2	0.5	7.1	<0.01							
12-1711	0.01	2.18	29.2	277	3.4	3.5	<0.001	0.023	<0.05	2.2	0.4	0.4	13.5	0.02							
12-1712	0.02	1.39	37.6	132	2.0	4.0	<0.001	0.013	<0.05	2.2	0.2	0.3	15.4	<0.01							
12-1713	<0.01	1.46	11.2	72	3.9	4.0	<0.001	0.013	<0.05	1.4	<0.2	0.3	5.8	<0.01							
12-1714	0.01	1.66	11.0	160	8.0	4.2	<0.001	0.018	0.10	1.1	0.3	0.5	8.3	<0.01							
12-1715	<0.01	3.04	10.1	308	6.0	15.1	<0.001	0.013	0.07	1.7	0.4	0.6	10.7	<0.01							
12-1716	<0.01	2.30	2.8	351	8.4	7.0	<0.001	0.031	0.05	1.3	0.4	0.7	8.4	0.02							
12-1717	<0.01	3.56	13.0	599	9.2	13.9	<0.001	0.029	0.09	1.7	0.6	0.7	9.1	<0.01							
12-1718	<0.01	2.18	8.6	891	7.8	7.3	<0.001	0.046	0.09	1.6	0.9	0.5	7.3	<0.01							
12-1719	<0.01	0.53	11.4	266	3.7	3.1	<0.001	0.101	<0.05	1.5	0.8	<0.2	14.4	<0.01							
12-1720	<0.01	2.36	4.4	622	6.6	5.9	<0.001	0.016	0.06	1.3	0.3	0.5	5.2	0.04							
12-1721	<0.01	2.26	10.3	1830	7.3	13.6	<0.001	0.014	0.07	1.6	0.3	0.5	9.1	<0.01							
12-1722	0.02	0.19	5.5	565	5.3	1.3	0.002	0.355	0.12	0.5	1.2	<0.2	93.8	0.02							
12-1723	0.01	2.18	8.9	209	4.7	11.9	<0.001	0.014	<0.05	1.4	0.3	0.4	14.8	0.01							
12-1724	<0.01	1.77	3.1	307	5.9	11.9	<0.001	0.006	<0.05	0.9	<0.2	0.5	8.1	<0.01							
12-1725	<0.01	2.63	5.3	314	7.8	18.6	<0.001	0.018	0.06	1.3	0.3	0.6	9.7	<0.01							
12-1726	<0.01	2.67	5.6	328	7.9	18.9	<0.001	0.020	0.06	1.4	0.3	0.6	10.2	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 25, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1727	0.04	0.01	1.51	18.0	378	4.1	14.7	<0.001	0.014	<0.05	2.1	0.2	0.2	26.3	<0.01						
12-1728	<0.01	2.00	8.6	559	5.1	19.0	<0.001	0.015	0.015	0.07	1.5	0.3	0.4	11.8	<0.01						
12-1729	<0.01	2.21	4.0	139	5.0	20.4	<0.001	0.011	0.011	<0.05	1.2	0.2	0.6	9.7	<0.01						
12-1730	<0.01	1.99	16.8	669	4.7	12.2	<0.001	0.024	0.024	0.06	1.6	0.4	0.4	10.2	<0.01						
12-1731	<0.01	2.89	6.4	783	9.5	19.6	<0.001	0.016	0.016	<0.05	1.7	0.3	0.8	11.7	<0.01						
12-1732	<0.01	2.81	10.7	331	9.0	14.9	<0.001	0.022	0.022	0.07	1.5	0.4	0.6	13.0	<0.01						
12-1733	<0.01	2.24	8.8	438	7.6	21.4	<0.001	0.021	0.021	0.07	1.5	0.3	0.6	12.0	<0.01						
12-1734	<0.01	3.75	5.1	876	10.1	17.2	<0.001	0.030	0.030	0.07	1.4	0.5	0.9	13.2	<0.01						
12-1735	<0.01	3.18	5.0	1610	11.3	21.8	<0.001	0.016	0.016	0.06	1.4	0.4	0.9	11.7	<0.01						
12-1736	<0.01	2.04	10.2	1100	6.0	12.2	<0.001	0.018	0.018	<0.05	1.5	0.3	0.5	11.4	0.01						
12-1737	<0.01	1.89	20.0	568	5.2	14.7	<0.001	0.016	0.016	<0.05	2.0	0.3	0.3	9.0	0.02						
12-1738	<0.01	1.52	12.8	405	7.9	13.3	<0.001	0.020	0.020	0.06	1.2	0.3	0.5	12.1	<0.01						
12-1739	<0.01	1.55	13.8	777	7.5	15.8	<0.001	0.011	0.011	<0.05	1.5	0.3	0.4	10.9	<0.01						
12-1740	<0.01	1.27	11.0	485	5.8	10.0	<0.001	0.008	0.008	<0.05	1.1	0.2	0.4	8.5	<0.01						
12-1741	<0.01	2.41	10.3	515	6.2	11.4	<0.001	0.021	0.021	<0.05	1.5	0.4	0.5	7.9	<0.01						
12-1742	<0.01	1.61	25.0	315	3.9	19.5	<0.001	0.018	0.018	<0.05	1.9	0.3	0.3	13.4	<0.01						
12-1743	<0.01	2.22	15.2	171	5.6	6.6	<0.001	0.006	0.006	<0.05	1.5	<0.2	0.5	8.4	<0.01						
12-1744	0.02	0.16	2.9	477	9.0	1.4	0.003	0.370	0.370	0.16	0.4	1.3	0.2	51.0	0.03						
12-1745	<0.01	2.38	15.6	159	6.3	5.6	<0.001	0.018	0.018	0.06	1.5	0.3	0.5	7.0	0.01						
12-1746	<0.01	1.22	3.6	76	4.7	6.3	<0.001	0.007	0.007	<0.05	0.8	<0.2	0.4	6.8	<0.01						
12-1747	<0.01	2.68	12.9	688	5.9	11.6	<0.001	0.020	0.020	0.06	1.9	0.5	0.4	7.4	0.04						
12-1748	<0.01	2.86	6.7	1210	7.2	6.6	<0.001	0.013	0.013	0.06	1.3	0.4	0.6	7.4	<0.01						
12-1749	<0.01	1.84	3.9	237	6.8	5.9	<0.001	0.011	0.011	<0.05	1.1	0.3	0.6	5.8	0.02						
12-1241	0.01	1.49	13.8	389	4.8	11.8	<0.001	0.007	0.007	<0.05	2.6	0.2	0.4	14.2	<0.01						
12-1242	<0.01	1.32	7.5	452	4.0	6.6	<0.001	0.009	0.009	<0.05	1.7	0.3	0.3	11.0	<0.01						
12-1243	<0.01	1.19	9.0	350	3.3	5.9	<0.001	<0.005	<0.005	<0.05	1.6	<0.2	0.3	9.8	<0.01						
12-1244	0.01	1.99	9.0	472	3.8	15.4	<0.001	0.011	0.011	<0.05	2.6	0.6	0.4	42.6	<0.01						
12-1245	<0.01	0.96	7.4	249	3.0	9.7	<0.001	<0.005	<0.005	<0.05	1.3	<0.2	0.3	8.7	<0.01						
12-1246	0.01	1.83	15.6	306	5.1	23.1	<0.001	0.006	0.006	<0.05	2.7	0.3	0.5	16.5	<0.01						
12-1247	0.01	2.19	17.4	550	6.4	14.0	<0.001	0.023	0.023	<0.05	2.7	0.4	0.7	19.8	<0.01						
12-1248	0.01	1.58	11.0	223	4.0	17.1	<0.001	0.005	0.005	<0.05	1.9	<0.2	0.4	12.9	<0.01						
12-1249	0.02	1.80	14.8	361	5.0	20.9	<0.001	0.006	0.006	<0.05	2.9	0.3	0.5	18.2	<0.01						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil											
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
12-1250	<0.01	1.62	9.9	76	5.0	11.6	<0.001	<0.005	<0.05	1.6	<0.2	0.4	11.9	<0.01
12-1251	0.01	1.93	12.1	127	5.9	13.7	<0.001	0.008	<0.05	2.0	0.2	0.5	14.2	<0.01
12-1252	0.03	3.08	19.0	453	9.8	33.2	<0.001	0.031	0.13	4.0	0.7	0.8	52.2	<0.01
12-1253	0.02	1.79	19.3	424	6.6	21.9	<0.001	0.006	0.05	3.0	0.3	0.5	20.7	<0.01
12-1254	<0.01	1.65	3.4	159	4.9	13.1	<0.001	0.007	<0.05	1.0	<0.2	0.5	8.5	<0.01
12-1255	0.01	1.09	16.2	468	11.7	15.0	<0.001	0.036	0.10	1.4	0.4	0.5	14.6	<0.01
12-1256	0.01	2.09	14.8	697	11.1	34.0	<0.001	0.020	0.09	2.1	0.3	0.7	19.0	<0.01
12-1257	<0.01	2.68	7.5	1010	8.6	17.8	<0.001	0.012	0.08	1.3	0.3	0.7	10.0	<0.01
12-1258	<0.01	2.34	11.9	304	7.2	11.2	<0.001	0.011	<0.05	1.6	0.5	0.5	8.9	<0.01
12-1259	<0.01	3.51	15.0	786	6.9	18.6	<0.001	0.013	0.10	1.5	0.4	0.6	10.6	<0.01
12-1260	<0.01	1.39	4.3	444	5.1	18.7	<0.001	0.012	<0.05	1.0	0.2	0.4	9.9	<0.01
12-1261	<0.01	1.83	8.3	183	6.0	11.3	<0.001	0.012	0.05	1.2	0.2	0.5	10.2	<0.01
12-1262	0.01	1.54	16.2	195	3.8	3.0	<0.001	0.019	<0.05	1.3	0.3	0.3	12.9	<0.01
12-1263	0.01	1.67	16.6	287	4.6	7.7	<0.001	0.009	0.05	2.9	0.3	0.4	16.3	<0.01
12-1264	0.02	2.22	12.8	493	5.0	8.3	<0.001	0.011	0.06	3.7	0.7	0.5	41.7	<0.01
12-1265	<0.01	1.60	11.1	468	4.7	5.0	<0.001	0.021	0.07	2.2	0.3	0.3	12.2	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1046	<0.01	1.8	0.106	0.08	0.49	41.9	0.07	2.30	46.9	2.5	
12-1047	0.02	1.6	0.074	0.10	0.44	25.6	0.21	2.33	43.1	1.0	
12-1048	<0.01	3.7	0.064	0.09	0.44	17.5	0.11	10.1	19.9	5.3	
12-1049	<0.01	4.1	0.073	0.08	0.45	18.2	0.10	7.39	20.0	3.4	
12-1050	0.01	4.3	0.070	0.10	0.62	21.7	0.16	14.0	32.5	1.7	
12-1051	0.01	3.9	0.075	0.10	0.67	22.1	0.16	13.3	31.0	1.7	
12-1052	0.01	3.4	0.097	0.06	0.38	22.2	0.13	2.69	20.6	1.8	
12-1053	0.01	4.9	0.100	0.11	0.49	22.7	0.13	8.55	27.1	2.9	
12-1054	<0.01	4.2	0.084	0.12	0.95	19.7	0.42	14.0	28.6	2.9	
12-1055	0.02	2.8	0.138	0.07	0.68	33.2	0.24	7.24	40.7	2.7	
12-1056	<0.01	0.4	0.034	0.05	0.37	6.7	0.07	1.17	5.1	<0.5	
12-1057	0.01	1.6	0.089	0.07	0.41	22.7	0.12	2.42	19.5	0.6	
12-1058	<0.01	3.0	0.122	0.06	0.52	22.9	0.12	3.35	18.0	1.8	
12-1059	0.01	2.2	0.087	0.07	0.51	24.5	0.13	4.00	24.2	1.4	
12-1060	0.02	0.9	0.062	0.11	0.66	34.1	0.14	3.05	40.2	0.6	
12-1061	<0.01	2.2	0.072	0.06	0.45	22.6	0.10	2.29	20.3	0.8	
12-1062	0.01	1.8	0.074	0.07	0.48	21.3	0.11	3.10	25.7	0.9	
12-1063	<0.01	1.6	0.071	0.05	0.38	20.4	0.08	2.26	14.5	0.8	
12-1064	<0.01	2.5	0.073	0.07	0.40	16.7	0.09	2.41	35.4	1.1	
12-1065	0.01	5.3	0.168	0.03	2.40	36.8	0.07	12.4	36.5	2.5	
12-1066	<0.01	2.3	0.075	0.05	0.64	18.6	0.11	9.71	18.2	1.1	
12-1067	<0.01	1.4	0.088	0.10	0.33	25.0	0.08	2.07	21.9	1.1	
12-1068	0.01	1.2	0.071	0.04	0.38	15.8	0.08	2.67	20.1	1.0	
12-1069	0.01	1.7	0.045	0.10	1.41	14.3	0.12	21.1	10.3	1.4	
12-1070	0.02	2.7	0.104	0.06	0.42	36.2	0.14	3.58	26.6	1.7	
12-1800	0.01	3.4	0.073	0.05	0.40	21.4	0.12	4.63	22.6	2.1	
12-1801	<0.01	2.9	0.069	0.03	0.33	20.4	0.25	4.64	20.4	2.2	
12-1802	0.01	2.1	0.071	0.05	0.35	25.3	0.10	1.89	16.7	0.8	
12-1803	0.02	2.8	0.079	0.10	1.07	22.3	0.13	18.9	31.2	1.4	
12-1804	0.02	2.8	0.080	0.07	0.44	26.7	0.14	3.53	23.3	1.7	
12-1805	0.02	2.1	0.064	0.07	0.48	25.5	0.14	2.60	18.0	1.0	
12-1806	0.01	5.1	0.088	0.07	0.54	23.9	0.17	6.59	25.7	1.6	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1807		0.02	2.6	0.061	0.07	0.48	22.2	0.10	3.38	20.1	0.9
12-1808		0.02	3.0	0.057	0.08	0.58	17.6	0.12	23.5	82.6	1.8
12-1809		0.02	5.6	0.077	0.13	0.69	23.9	0.11	14.7	21.2	2.9
12-1810		0.03	2.8	0.060	0.05	0.46	15.2	0.17	4.13	14.0	1.4
12-1811		0.01	2.7	0.078	0.07	0.40	22.1	0.11	3.26	23.6	1.6
12-1812		0.01	3.1	0.091	0.06	0.52	36.6	0.25	3.90	21.6	1.4
12-1813		0.03	2.7	0.138	0.08	0.52	39.2	0.36	2.90	52.1	2.2
12-1814	<0.01		3.4	0.056	0.06	0.44	15.5	0.10	3.95	29.4	1.3
12-1815		0.01	1.7	0.065	0.07	0.55	22.4	0.13	4.02	30.8	1.2
12-1816		0.03	2.2	0.130	0.07	0.40	38.9	0.22	3.00	68.6	1.9
12-1817		0.01	1.8	0.132	0.05	0.38	35.6	0.13	3.58	54.4	2.1
12-1818		0.02	2.7	0.160	0.06	0.47	65.2	0.15	2.61	29.1	2.3
12-1819		0.01	2.7	0.093	0.06	0.42	31.9	0.11	2.70	38.2	1.8
12-1820		0.02	1.7	0.083	0.07	0.42	37.3	0.15	3.15	30.5	1.0
12-1821		0.01	2.8	0.083	0.06	0.52	26.1	0.14	3.96	32.0	1.3
12-1822		0.01	2.6	0.092	0.09	0.43	30.6	0.20	3.61	42.3	2.0
12-1823		0.01	1.6	0.094	0.05	0.40	27.8	0.11	3.05	73.7	1.2
12-1824		0.02	1.7	0.146	0.06	0.39	33.8	0.16	2.85	40.4	1.9
12-1825		0.01	2.9	0.082	0.09	0.98	25.0	0.12	16.8	26.2	2.4
12-1826	<0.01		3.7	0.076	0.08	0.84	21.7	0.18	11.1	21.0	1.5
12-1827		0.02	3.1	0.084	0.08	0.50	33.8	0.16	3.31	23.1	1.4
12-1828		0.03	2.3	0.082	0.08	0.40	24.5	0.14	3.09	50.7	1.0
12-1829		0.01	3.6	0.102	0.08	0.50	25.9	0.16	4.74	29.4	1.7
12-1830	<0.01		3.0	0.070	0.07	0.51	19.2	0.10	4.86	17.9	1.4
12-1071		0.01	1.9	0.092	0.07	0.39	24.7	0.12	2.83	34.1	0.7
12-1072	<0.01		1.2	0.093	0.12	0.51	28.6	0.13	4.01	45.0	0.7
12-1073		0.01	2.2	0.098	0.06	0.45	36.1	0.11	2.90	30.0	1.2
12-1074	<0.01		1.7	0.082	0.07	0.56	21.0	0.09	4.75	25.6	1.1
12-1075		0.02	2.1	0.121	0.06	0.52	86.2	0.22	2.73	34.0	1.8
12-1076		0.02	1.7	0.114	0.06	0.52	59.1	0.18	2.87	37.3	1.6
12-1077	<0.01		0.1	0.038	0.04	0.29	20.9	<0.05	1.27	11.5	<0.5
12-1078		0.02	1.2	0.125	0.05	0.38	48.4	0.12	1.59	12.0	1.3

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1079	0.01	0.5	0.088	0.03	0.32	36.3	0.06	1.82	0.05	0.5	0.7
12-1080	<0.01	0.6	0.291	0.08	0.19	71.7	<0.05	3.76	0.05	13.7	5.2
12-1081	0.02	1.0	0.271	0.06	0.33	65.0	0.19	2.61	0.05	60.7	10.7
12-1082	<0.01	2.5	0.087	0.09	0.91	18.6	0.12	9.47	0.05	36.6	16.2
12-1083	0.02	1.0	0.094	0.06	0.42	33.0	0.17	2.09	0.05	16.2	1.5
12-1084	<0.01	1.5	0.099	0.11	0.67	22.8	0.12	3.87	0.05	13.8	1.2
12-1085	0.03	1.8	0.106	0.08	0.68	49.5	0.17	3.09	0.05	26.4	1.4
12-1086	0.01	3.7	0.099	0.11	0.76	22.2	0.16	8.95	0.05	19.6	1.2
12-1087	0.01	2.5	0.092	0.07	0.54	26.9	0.16	3.62	0.05	29.7	2.2
12-1088	0.01	2.8	0.138	0.08	0.48	42.5	0.11	2.47	0.05	25.2	1.2
12-1089	0.01	1.2	0.070	0.05	0.35	22.9	0.09	1.57	0.05	27.7	1.7
12-1090	0.01	2.1	0.078	0.06	0.44	20.8	0.08	1.89	0.05	14.3	0.6
12-1091	0.01	0.4	0.057	0.08	0.50	25.5	0.11	4.81	0.05	6.5	1.1
12-1092	0.02	1.4	0.158	0.08	0.46	32.5	0.14	2.82	0.05	24.5	<0.5
12-1093	0.01	2.4	0.110	0.10	0.52	27.7	0.13	3.97	0.05	39.8	1.6
12-1094	0.01	8.7	0.118	0.18	0.71	33.9	0.16	19.1	0.05	47.4	2.1
12-1095	0.01	2.9	0.071	0.06	0.36	24.7	0.10	2.09	0.05	45.7	36.8
12-1096	0.02	2.9	0.079	0.06	0.44	27.9	0.11	3.30	0.05	11.7	1.8
12-1097	0.01	1.4	0.040	0.15	1.41	28.3	0.12	18.4	0.05	52.3	1.5
12-1098	0.03	2.5	0.120	0.06	0.49	50.0	0.16	2.54	0.05	93.5	1.0
12-1099	0.01	3.0	0.073	0.04	0.42	19.9	0.11	5.14	0.05	119	1.2
12-1100	0.01	2.9	0.089	0.05	0.46	22.8	0.11	4.91	0.05	22.4	2.4
12-1101	0.01	2.7	0.089	0.05	0.45	22.3	0.22	4.74	0.05	23.5	1.2
12-1102	0.02	1.0	0.070	0.08	1.07	27.9	0.07	13.8	0.05	22.8	1.5
12-1103	0.02	1.1	0.062	0.09	1.15	30.1	0.08	16.1	0.05	56.9	0.9
12-1104	0.02	1.2	0.073	0.11	1.08	35.1	0.09	14.1	0.05	55.6	0.9
12-1105	0.01	2.6	0.072	0.09	0.65	18.3	0.10	7.53	0.05	49.3	0.5
12-1106	0.02	3.0	0.090	0.05	0.46	27.8	0.10	3.04	0.05	37.6	1.2
12-1107	0.05	2.1	0.078	0.13	2.87	42.1	0.10	19.9	0.05	26.1	0.9
12-1108	0.01	0.7	0.163	0.03	0.19	29.1	<0.05	2.94	0.05	29.8	1.6
12-1109	<0.01	3.3	0.070	0.05	0.42	15.0	0.08	3.57	0.05	17.9	0.6
12-1110	0.01	2.3	0.093	0.06	0.42	32.9	0.12	2.29	0.05	17.3	1.7

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1111	<0.01	3.0	0.151	0.05	0.05	0.38	33.0	0.13	2.98	24.6	2.3
12-1112	<0.01	4.4	0.073	0.07	1.02	15.7	15.7	0.09	9.41	16.9	1.8
12-1113	<0.01	3.6	0.100	0.08	0.45	23.1	23.1	0.14	3.57	24.1	4.6
12-1114	<0.01	5.2	0.066	0.07	0.70	20.2	20.2	0.11	12.7	19.2	2.7
12-1115	0.02	3.3	0.095	0.06	0.50	34.2	34.2	0.40	2.84	15.6	3.0
12-1116	0.03	2.8	0.094	0.05	0.52	43.1	43.1	0.16	2.31	21.8	1.3
12-1117	0.02	2.4	0.071	0.04	0.39	31.2	31.2	0.15	2.36	22.0	1.6
12-1118	<0.01	4.4	0.078	0.05	0.62	17.8	17.8	0.13	8.35	15.8	3.5
12-1119	0.01	2.9	0.085	0.07	0.45	20.6	20.6	0.10	3.08	14.3	1.0
12-1120	<0.01	2.8	0.072	0.07	0.38	14.7	14.7	0.10	2.95	14.8	1.0
12-1121	<0.01	3.5	0.090	0.06	0.52	17.1	17.1	0.09	4.51	23.4	1.9
12-1122	<0.01	0.9	0.192	0.01	0.16	43.1	43.1	<0.05	2.58	47.9	0.6
12-1123	<0.01	3.2	0.106	0.07	0.49	24.9	24.9	0.12	3.58	21.5	2.1
12-1124	0.01	2.6	0.082	0.06	0.41	22.0	22.0	0.13	4.11	22.5	1.8
12-1125	0.01	2.5	0.071	0.05	0.36	17.9	17.9	0.11	2.82	14.9	0.8
12-1126	0.01	2.7	0.089	0.05	0.37	22.7	22.7	0.10	2.95	18.0	0.8
12-1127	<0.01	2.8	0.071	0.07	0.48	14.3	14.3	0.12	3.99	19.7	1.6
12-1128	<0.01	2.1	0.096	0.09	0.46	19.5	19.5	0.12	3.30	29.8	0.9
12-1129	<0.01	3.2	0.101	0.07	0.45	22.7	22.7	0.09	3.41	23.5	2.8
12-1130	0.03	1.8	0.086	0.10	1.38	32.0	32.0	0.12	14.2	46.1	1.5
12-1551	<0.01	1.8	0.077	0.06	0.38	14.8	14.8	0.12	3.34	91.7	1.3
12-1552	0.02	3.4	0.069	0.09	0.80	22.3	22.3	0.16	9.66	57.4	1.7
12-1553	0.03	2.9	0.123	0.07	0.42	59.5	59.5	0.19	2.55	80.9	2.3
12-1554	0.03	2.6	0.110	0.09	0.39	27.8	27.8	0.17	3.49	100	1.4
12-1555	0.02	2.3	0.113	0.06	0.60	37.0	37.0	0.98	7.69	34.2	2.6
12-1556	0.04	1.4	0.065	0.16	3.50	27.4	27.4	0.14	50.2	41.7	2.9
12-1557	0.02	2.4	0.104	0.08	0.58	32.2	32.2	0.17	3.29	30.8	1.7
12-1558	0.03	3.3	0.053	0.08	0.68	32.7	32.7	0.18	3.59	23.2	4.6
12-1559	0.01	2.0	0.067	0.09	0.56	24.6	24.6	0.14	2.44	24.4	1.0
12-1560	0.01	1.8	0.073	0.06	0.43	23.8	23.8	0.26	2.48	18.7	0.9
12-1561	0.02	2.7	0.060	0.06	0.42	24.3	24.3	0.12	2.83	17.4	1.5
12-1562	0.02	2.2	0.071	0.06	0.35	28.2	28.2	0.11	2.06	34.9	0.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1563	<0.01	0.01	1.4	0.059	0.11	0.85	14.3	0.08	9.62	35.9	1.7
12-1564	0.02	0.02	1.2	0.057	0.12	1.25	26.4	0.14	20.4	70.1	1.2
12-1565	0.02	0.02	1.2	0.050	0.06	0.49	16.1	0.14	2.47	17.0	0.6
12-1566	0.03	0.03	1.8	0.072	0.06	0.42	56.3	0.16	1.98	18.9	0.9
12-1567	<0.01	0.01	1.9	0.064	0.06	0.44	19.2	0.15	2.25	17.1	0.6
12-1568	0.02	0.02	1.9	0.072	0.05	0.43	35.6	0.19	2.21	20.5	0.8
12-1569	0.02	0.02	2.4	0.054	0.07	0.37	21.2	0.14	2.35	31.9	0.9
12-1570	0.01	0.01	3.0	0.064	0.06	0.40	30.4	0.12	1.91	10.5	0.9
12-1571	<0.01	0.01	2.8	0.048	0.07	0.38	11.7	0.10	4.93	20.9	1.6
12-1572	<0.01	0.01	0.7	0.037	0.04	0.29	12.3	0.12	1.57	6.2	0.5
12-1573	0.02	0.02	2.0	0.062	0.05	0.41	24.3	0.20	2.27	17.7	0.5
12-1574	0.01	0.01	2.2	0.051	0.06	0.42	17.9	0.16	2.43	9.1	1.5
12-1575	0.01	0.01	1.5	0.102	0.06	0.47	27.5	0.19	2.78	17.9	1.0
12-1576	0.01	0.01	1.6	0.098	0.06	0.46	23.3	0.19	2.65	16.7	0.6
12-1577	0.02	0.02	1.7	0.091	0.06	0.58	25.0	0.23	2.84	23.0	0.6
12-1578	0.01	0.01	1.7	0.090	0.05	0.50	23.2	0.12	2.82	19.1	1.1
12-1579	0.02	0.02	2.5	0.084	0.06	0.42	33.6	0.16	1.92	12.5	0.9
12-1580	0.02	0.02	2.4	0.091	0.06	0.45	29.9	0.14	2.23	9.9	0.7
12-1581	0.01	0.01	2.8	0.084	0.12	0.47	24.5	0.13	2.62	14.2	1.2
12-1582	0.02	0.02	2.8	0.117	0.05	0.48	39.5	0.16	3.21	16.6	1.7
12-1583	<0.01	0.01	2.3	0.079	0.06	0.43	16.9	0.26	2.61	10.8	0.6
12-1584	<0.01	0.01	0.8	0.040	0.05	0.68	11.9	0.07	10.6	14.8	<0.5
12-1585	0.02	0.02	3.1	0.077	0.07	0.44	24.7	0.14	4.15	28.0	2.5
12-1586	0.01	0.01	1.9	0.103	0.06	0.42	21.4	0.11	2.52	25.3	1.1
12-1587	<0.01	0.01	3.3	0.052	0.05	0.44	9.4	0.12	4.79	12.9	2.2
12-1588	0.02	0.02	2.9	0.095	0.06	0.41	36.1	0.17	2.87	22.1	1.2
12-1589	0.01	0.01	2.6	0.077	0.07	0.52	22.5	0.11	3.22	17.1	1.2
12-1590	0.01	0.01	2.7	0.084	0.08	0.54	30.9	0.13	2.78	16.2	1.5
12-1591	0.02	0.02	3.9	0.093	0.08	0.69	35.6	0.19	2.98	21.3	3.1
12-1592	0.03	0.03	3.6	0.074	0.10	0.62	38.1	0.13	2.43	20.9	2.5
12-1593	0.01	0.01	2.6	0.049	0.07	0.48	17.8	0.09	2.77	12.9	1.0
12-1594	0.01	0.01	2.0	0.072	0.07	0.37	20.6	0.08	1.98	19.9	0.7

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1595	0.01	2.4	0.110	0.08	0.47	33.2	0.14	0.12	3.06	26.7	1.8
12-1596	0.01	3.0	0.071	0.07	0.41	16.1	0.12	0.10	3.79	19.2	1.8
12-1597	<0.01	2.5	0.054	0.08	0.40	12.2	0.10	0.10	8.24	21.6	1.5
12-1598	0.01	2.3	0.068	0.07	0.40	20.2	0.10	0.10	3.01	25.2	1.2
12-1599	<0.01	3.2	0.058	0.08	0.41	14.0	0.11	0.09	3.91	24.8	1.5
12-1131	0.01	2.8	0.083	0.06	0.37	21.6	0.09	0.16	2.56	32.0	1.1
12-1132	0.02	6.9	0.122	0.17	0.84	36.7	0.16	0.15	18.0	60.6	9.0
12-1133	0.01	7.1	0.122	0.15	0.68	33.5	0.15	0.14	13.6	48.4	7.6
12-1134	0.01	6.6	0.123	0.16	0.60	33.4	0.14	0.15	10.7	50.5	4.9
12-1135	0.01	6.1	0.123	0.14	0.76	38.4	0.15	0.14	12.7	56.6	4.9
12-1136	0.02	2.2	0.075	0.13	1.95	27.0	0.14	0.15	15.2	43.8	2.9
12-1137	0.01	1.2	0.098	0.07	0.45	26.4	0.15	0.15	2.58	19.5	1.7
12-1138	0.01	2.1	0.080	0.07	0.47	20.9	0.11	0.11	3.51	26.7	1.1
12-1139	<0.01	4.6	0.076	0.09	1.24	17.7	0.26	0.26	11.1	19.1	2.7
12-1140	0.27	4.0	0.054	0.11	13.3	30.7	0.27	0.27	36.8	30.7	2.0
12-1141	0.02	2.0	0.097	0.05	0.47	37.8	0.15	0.15	2.67	28.8	1.3
12-1142	0.02	2.0	0.076	0.05	0.70	26.5	0.18	0.18	2.69	17.1	1.3
12-1143	0.02	2.4	0.094	0.04	0.57	29.3	0.18	0.18	3.67	11.8	1.5
12-1144	<0.01	2.8	0.067	0.06	0.39	13.4	0.09	0.09	3.68	12.5	1.6
12-1145	0.01	3.0	0.079	0.05	0.45	28.3	0.11	0.11	2.70	16.6	1.4
12-1146	0.01	3.1	0.075	0.08	0.51	18.3	0.11	0.11	5.09	26.9	1.7
12-1147	0.01	3.9	0.074	0.07	0.79	18.7	0.12	0.12	11.2	27.1	1.9
12-1148	0.02	5.0	0.076	0.08	1.28	28.8	0.29	0.29	21.0	22.7	2.1
12-1149	0.02	2.4	0.115	0.06	0.37	53.0	0.13	0.13	2.38	35.2	2.1
12-1150	0.01	3.6	0.064	0.09	0.51	20.7	0.12	0.12	4.14	49.9	2.6
12-1151	0.01	4.5	0.073	0.09	0.54	22.0	0.13	0.13	4.09	34.5	2.9
12-1152	0.03	1.1	0.069	0.07	0.87	18.5	0.18	0.18	5.65	81.5	1.1
12-1153	0.01	1.0	0.246	0.07	0.31	45.1	0.10	0.10	2.68	36.2	25.2
12-1154	0.01	3.1	0.080	0.06	0.37	21.8	0.11	0.11	2.34	18.8	2.0
12-1155	0.04	1.2	0.205	0.10	0.36	66.7	0.26	0.26	2.30	45.5	1.5
12-1156	0.01	2.0	0.083	0.06	0.49	22.8	0.10	0.10	2.78	24.6	1.2
12-1157	0.02	2.1	0.068	0.12	0.70	21.3	0.16	0.16	21.4	22.3	1.2

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1158	0.01	0.8	0.087	0.06	0.06	0.39	15.6	0.11	1.96	7.6	<0.5
12-1159	0.02	1.8	0.082	0.09	0.09	0.85	23.7	0.22	10.8	17.6	2.6
12-1160	0.01	5.2	0.104	0.11	0.66	0.66	22.6	0.11	13.3	33.7	3.9
12-1161	<0.01	3.2	0.045	0.05	0.49	0.49	8.5	0.08	8.54	12.4	13.2
12-1162	<0.01	4.2	0.066	0.05	0.61	0.61	8.5	0.12	13.8	16.8	7.1
12-1163	0.02	5.0	0.094	0.04	0.50	0.50	20.2	0.20	6.35	27.3	2.7
12-1164	0.02	2.4	0.130	0.05	0.36	0.36	46.3	0.17	4.10	37.8	2.4
12-1165	0.01	2.7	0.104	0.10	0.51	0.51	26.8	0.16	4.97	37.4	2.1
12-1166	0.02	10.2	0.142	0.23	0.93	0.93	49.3	0.21	26.8	73.8	25.9
12-1167	0.01	3.1	0.070	0.06	0.41	0.41	20.8	0.11	3.35	16.3	1.4
12-1168	<0.01	2.1	0.074	0.06	0.42	0.42	18.3	0.07	3.98	18.6	1.4
12-1169	0.02	1.9	0.095	0.06	0.36	0.36	25.0	0.08	1.69	6.3	1.0
12-1170	0.02	3.6	0.084	0.06	0.39	0.39	33.4	0.14	2.78	17.2	1.1
12-1171	0.02	2.1	0.090	0.07	0.39	0.39	33.0	0.12	3.02	42.4	1.1
12-1172	0.02	1.1	0.119	0.07	0.37	0.37	19.5	0.08	2.24	14.1	1.3
12-1173	<0.01	4.1	0.059	0.06	0.55	0.55	7.8	0.08	8.81	13.0	6.3
12-1174	0.02	1.4	0.088	0.10	1.21	1.21	27.6	0.11	5.42	37.0	0.6
12-1175	0.01	1.5	0.094	0.04	0.43	0.43	17.7	0.07	1.90	7.4	0.6
12-1176	0.01	1.5	0.089	0.04	0.44	0.44	15.9	0.07	2.35	6.8	0.7
12-1177	0.01	2.6	0.072	0.05	0.40	0.40	14.3	0.11	4.31	14.8	0.8
12-1178	<0.01	2.0	0.077	0.06	0.39	0.39	16.7	0.10	1.96	13.8	<0.5
12-1179	0.01	2.0	0.102	0.04	0.44	0.44	39.8	0.06	1.92	7.1	0.8
12-1180	0.02	2.9	0.106	0.05	0.67	0.67	43.2	0.13	3.47	8.6	1.8
12-1181	0.03	2.3	0.085	0.06	0.56	0.56	26.1	0.16	2.97	16.4	1.3
12-1182	0.03	2.3	0.130	0.05	0.43	0.43	57.2	0.19	1.88	18.7	1.4
12-1183	0.01	3.1	0.081	0.08	0.50	0.50	21.1	0.13	3.42	19.7	1.2
12-1184	0.04	3.1	0.081	0.13	0.67	0.67	32.0	0.21	4.45	21.8	1.6
12-1185	0.03	2.4	0.080	0.05	0.38	0.38	38.2	0.19	2.59	19.3	1.0
12-1186	0.02	4.6	0.113	0.06	1.25	1.25	41.1	0.21	5.38	24.6	3.0
12-1187	0.01	1.6	0.196	0.06	0.39	0.39	55.3	0.13	2.10	23.7	6.7
12-1188	0.03	3.3	0.115	0.08	0.64	0.64	42.8	0.16	3.95	29.5	1.7
12-1189	<0.01	3.3	0.051	0.06	0.44	0.44	11.2	0.09	9.39	11.1	1.6

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1190		0.02	2.5	0.090	0.08	0.44	25.5	0.13	2.60	16.5	1.1
12-1750		0.01	0.7	0.051	0.06	0.33	13.7	0.08	2.29	11.2	<0.5
12-1751		<0.01	0.4	0.048	0.06	0.39	13.9	0.08	2.64	11.6	<0.5
12-1752		0.01	2.0	0.076	0.07	0.40	21.2	0.14	2.59	17.9	0.9
12-1753		0.01	2.1	0.102	0.08	0.40	20.2	0.14	2.55	20.2	1.1
12-1754		0.04	1.6	0.069	0.10	1.03	41.1	0.17	4.04	18.2	1.4
12-1755		0.01	0.7	0.193	0.04	0.18	60.3	0.11	1.10	26.7	1.7
12-1756		<0.01	0.7	0.060	0.08	0.61	21.7	0.06	3.19	14.2	<0.5
12-1757		0.01	1.6	0.154	0.05	0.29	31.4	0.07	1.04	13.6	2.2
12-1758		0.01	2.2	0.051	0.07	0.74	16.0	0.08	2.36	8.8	0.8
12-1759		0.03	3.4	0.094	0.07	0.62	27.9	0.19	2.89	14.4	3.3
12-1760		<0.01	0.7	0.053	0.02	0.25	5.0	0.13	1.15	3.3	1.4
12-1761		0.02	2.2	0.071	0.07	0.41	24.4	0.18	2.56	29.3	1.0
12-1762		0.01	2.5	0.077	0.10	0.90	25.6	6.46	4.70	34.5	0.7
12-1763		0.01	1.8	0.076	0.07	0.43	20.1	0.17	2.84	26.0	0.6
12-1764		0.01	3.0	0.087	0.08	0.41	19.4	0.17	3.68	23.6	2.5
12-1765		0.02	3.1	0.074	0.05	0.41	21.0	0.14	4.05	25.7	1.7
12-1766		0.02	2.9	0.085	0.05	0.83	28.2	0.20	5.64	23.8	1.9
12-1767		<0.01	1.6	0.030	0.04	0.26	11.8	0.11	1.19	3.1	0.7
12-1768		0.02	1.4	0.048	0.05	0.32	23.0	0.23	1.50	14.9	<0.5
12-1769		0.02	2.8	0.086	0.06	0.32	32.7	0.21	1.74	17.1	1.2
12-1770		0.01	1.5	0.069	0.06	0.36	21.5	0.17	1.84	15.9	<0.5
12-1771		0.02	1.1	0.077	0.05	0.54	22.3	0.21	2.14	51.0	<0.5
12-1772		0.04	2.4	0.035	0.07	0.97	22.2	0.13	8.38	8.7	4.3
12-1773		0.04	1.9	0.163	0.04	0.43	82.9	0.26	1.83	13.3	1.8
12-1774		0.03	3.3	0.066	0.05	0.52	26.3	0.15	2.63	16.0	2.8
12-1775		0.03	1.2	0.066	0.10	0.68	34.4	0.14	2.37	20.2	0.8
12-1776		0.02	1.1	0.065	0.10	0.71	31.2	0.14	2.26	20.8	0.8
12-1777		0.02	1.8	0.129	0.07	0.65	38.9	0.29	2.39	25.6	1.2
12-1778		0.01	2.5	0.095	0.10	0.42	22.1	0.22	2.10	16.2	0.8
12-1779		0.01	0.9	0.049	0.05	0.34	19.7	0.08	1.41	8.7	<0.5
12-1780		<0.01	2.7	0.138	0.09	0.38	23.8	0.10	2.47	15.9	1.5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1781	<0.01	1.8	0.120	0.03	0.39	22.7	0.42	2.71	13.3	0.5	0.7
12-1782	0.02	2.8	0.076	0.07	0.53	24.4	0.17	4.25	22.3	1.0	1.0
12-1783	0.02	1.3	0.043	0.04	0.39	22.7	0.14	1.97	16.7	<0.5	<0.5
12-1784	0.02	2.7	0.072	0.06	0.43	32.3	0.16	2.70	22.0	1.0	1.0
12-1785	0.03	3.0	0.082	0.08	0.47	30.5	0.15	3.27	35.1	1.1	1.1
12-1786	0.02	1.7	0.079	0.07	0.36	24.7	0.17	3.13	29.1	0.7	0.7
12-1787	0.02	2.8	0.089	0.09	0.33	25.7	0.17	3.03	37.4	1.3	1.3
12-1788	0.03	2.1	0.117	0.09	0.42	35.9	0.21	4.03	58.0	1.0	1.0
12-1789	0.03	1.3	0.077	0.06	0.43	31.2	0.18	2.51	29.6	0.7	0.7
12-1790	0.03	1.7	0.114	0.06	0.30	39.7	0.23	1.93	28.9	0.7	0.7
12-1791	0.02	2.7	0.095	0.06	0.43	38.0	0.15	2.98	28.5	1.4	1.4
12-1792	0.02	1.4	0.072	0.06	0.53	26.8	0.17	3.74	36.2	1.0	1.0
12-1793	0.03	2.7	0.118	0.05	0.48	44.7	0.19	4.13	25.0	1.8	1.8
12-1794	0.02	2.8	0.091	0.08	0.28	21.0	0.89	3.99	30.5	2.6	2.6
12-1795	0.03	1.4	0.087	0.12	0.78	30.3	0.16	8.87	52.1	0.6	0.6
12-1796	0.01	1.6	0.087	0.05	0.35	25.4	0.11	3.87	35.3	0.7	0.7
12-1797	0.02	2.2	0.077	0.05	0.43	27.2	0.15	2.72	17.7	0.6	0.6
12-1798	0.01	2.5	0.069	0.05	0.42	24.5	0.13	3.99	20.5	1.3	1.3
12-1799	0.01	2.1	0.062	0.07	0.51	20.4	0.15	3.59	21.4	0.5	0.5
12-1381	<0.01	4.0	0.076	0.06	0.53	17.8	0.17	5.01	17.4	1.9	1.9
12-1382	0.04	5.5	0.189	0.21	2.45	89.4	0.16	31.5	48.7	2.8	2.8
12-1383	<0.01	1.9	0.055	0.07	0.65	11.7	0.08	4.56	8.9	<0.5	<0.5
12-1384	0.02	1.8	0.073	0.05	0.43	27.3	0.13	2.64	22.2	<0.5	<0.5
12-1385	0.02	1.9	0.082	0.06	0.41	29.6	0.17	2.95	15.5	0.8	0.8
12-1386	0.03	2.6	0.086	0.07	0.48	47.1	0.19	2.83	34.6	1.2	1.2
12-1387	0.02	2.0	0.074	0.06	0.41	32.1	0.14	2.62	28.8	0.8	0.8
12-1388	0.02	2.2	0.062	0.06	0.41	27.5	0.17	2.27	24.4	0.6	0.6
12-1389	0.02	2.7	0.096	0.07	0.43	35.3	0.21	2.86	25.7	1.2	1.2
12-1390	0.01	2.4	0.058	0.06	0.37	20.8	0.12	2.48	16.7	0.7	0.7
12-1391	0.02	2.8	0.081	0.06	0.41	31.5	0.16	2.78	18.4	1.1	1.1
12-1392	0.02	2.3	0.134	0.08	0.36	60.0	0.19	3.01	18.1	1.9	1.9
12-1393	0.01	2.4	0.098	0.06	0.40	30.6	0.13	2.48	14.2	1.2	1.2

[Handwritten signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1394		0.01	2.1	0.058	0.05	0.30	18.3	0.14	1.73	14.1	<0.5
12-1395		0.02	2.5	0.089	0.05	0.39	36.2	0.14	2.83	17.4	1.2
12-1396		0.01	2.6	0.073	0.06	0.40	27.7	0.12	2.06	13.4	0.9
12-1397		0.01	2.3	0.073	0.05	0.40	21.7	0.11	2.73	14.6	0.9
12-1398		0.02	2.3	0.073	0.05	0.47	28.3	0.18	2.86	24.2	0.7
12-1399		0.01	1.6	0.063	0.05	0.57	20.6	0.10	3.45	20.0	0.6
12-1400		<0.01	2.3	0.073	0.05	0.43	14.2	0.06	2.55	12.5	0.9
12-1401		0.01	1.2	0.058	0.05	0.52	18.9	0.09	2.79	20.4	<0.5
12-1402		0.02	2.7	0.114	0.06	0.41	47.6	0.16	2.24	27.3	1.3
12-1403		0.02	2.1	0.068	0.06	0.38	29.1	0.13	2.55	22.1	0.7
12-1404		0.01	2.5	0.095	0.06	0.48	28.4	0.13	3.24	18.3	1.2
12-1405		0.02	2.7	0.084	0.06	0.46	23.8	0.13	3.48	16.4	1.3
12-1406		0.02	2.4	0.088	0.07	0.48	35.2	0.15	3.13	24.6	0.8
12-1407		0.02	2.9	0.103	0.07	0.51	28.5	0.20	3.78	23.6	1.6
12-1408		0.01	2.4	0.078	0.07	0.41	25.8	0.13	2.77	17.1	0.8
12-1409		0.02	2.8	0.100	0.07	0.57	25.5	0.15	4.78	24.0	1.1
12-1410		0.01	2.4	0.072	0.06	0.46	16.4	0.12	3.82	16.5	1.2
12-1411		0.01	2.5	0.086	0.07	0.42	24.6	0.11	2.68	30.8	0.8
12-1412		0.01	2.7	0.113	0.06	0.49	34.0	0.16	3.29	24.9	1.1
12-1413		0.02	2.4	0.114	0.07	0.46	35.3	0.12	2.57	12.3	1.2
12-1414		0.02	2.2	0.120	0.10	0.69	24.0	0.10	3.71	16.9	1.3
12-1415		<0.01	2.5	0.077	0.06	0.37	25.2	0.10	2.62	10.3	1.3
12-1416		0.01	3.1	0.115	0.09	0.42	34.7	0.09	2.44	12.0	2.1
12-1417		<0.01	3.9	0.102	0.09	0.53	21.1	0.15	4.55	19.3	2.3
12-1418		0.01	1.6	0.074	0.08	0.50	23.9	0.12	3.73	19.5	0.6
12-1419		<0.01	1.2	0.266	0.17	0.37	64.3	0.09	5.22	54.1	8.9
12-1420		0.03	2.3	0.091	0.06	0.37	23.0	0.19	3.34	17.6	1.0
12-1421		0.02	2.0	0.095	0.04	0.35	29.5	0.44	2.62	25.3	1.1
12-1422		0.02	1.3	0.069	0.07	0.71	23.5	0.13	10.7	90.2	<0.5
12-1423		0.03	2.2	0.087	0.07	0.50	29.1	0.16	7.08	54.9	1.1
12-1424		0.01	1.5	0.054	0.04	0.44	14.6	0.15	4.01	22.0	0.7
12-1425		<0.01	4.7	0.080	0.14	0.72	18.9	0.11	18.0	25.9	9.9

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1426	0.01	4.2	0.075	0.18	1.01	19.2	0.14	22.4	22.4	35.6	7.5
12-1427	<0.01	2.8	0.066	0.05	0.42	13.0	0.32	3.90	3.90	26.8	1.5
12-1428	0.01	3.2	0.090	0.08	0.43	24.2	0.26	3.14	3.14	24.0	2.5
12-1429	<0.01	2.8	0.066	0.05	0.42	16.8	0.12	2.36	2.36	12.8	0.8
12-1430	0.01	3.7	0.082	0.17	0.51	18.5	0.18	11.8	11.8	40.5	2.1
12-1700	<0.01	2.8	0.076	0.08	0.41	15.7	0.08	3.70	3.70	26.6	1.4
12-1701	<0.01	2.5	0.082	0.07	0.38	15.9	0.07	3.47	3.47	26.8	1.4
12-1702	0.02	1.5	0.075	0.03	0.27	36.7	0.16	1.19	1.19	9.7	0.7
12-1703	0.01	1.5	0.085	0.06	0.40	32.0	0.12	1.85	1.85	21.8	0.7
12-1704	<0.01	0.1	0.030	0.04	2.24	15.9	<0.05	3.90	3.90	16.3	<0.5
12-1705	0.01	3.4	0.181	0.08	1.40	46.2	0.12	20.7	20.7	46.5	3.8
12-1706	0.02	2.1	0.099	0.05	0.42	42.3	0.11	2.21	2.21	18.7	1.1
12-1707	0.01	2.0	0.086	0.04	0.34	36.6	0.13	1.88	1.88	16.4	0.8
12-1708	0.03	2.3	0.168	0.07	0.42	62.8	0.22	2.85	2.85	30.7	2.3
12-1709	0.02	2.3	0.113	0.06	0.40	41.6	0.17	2.44	2.44	23.3	1.2
12-1710	<0.01	1.4	0.078	0.05	0.33	18.1	<0.05	1.95	1.95	20.9	0.7
12-1711	0.01	1.4	0.142	0.04	0.31	41.3	0.11	2.41	2.41	44.5	1.6
12-1712	<0.01	0.8	0.130	0.04	0.14	27.4	0.11	1.20	1.20	40.4	1.9
12-1713	<0.01	0.9	0.112	0.03	0.20	18.0	0.10	1.25	1.25	26.8	1.4
12-1714	0.02	1.4	0.110	0.03	0.26	33.2	0.19	1.58	1.58	23.1	1.1
12-1715	0.01	3.1	0.115	0.07	0.45	39.1	0.16	4.66	4.66	27.5	2.4
12-1716	0.01	1.8	0.071	0.06	0.39	28.9	0.08	2.00	2.00	16.4	0.9
12-1717	0.03	2.7	0.100	0.07	0.52	43.6	0.15	3.35	3.35	32.2	1.4
12-1718	0.03	2.2	0.094	0.09	0.61	32.8	0.22	2.85	2.85	32.5	1.0
12-1719	0.01	0.4	0.031	0.08	1.36	9.9	0.14	17.4	17.4	21.6	<0.5
12-1720	0.01	2.4	0.075	0.05	0.34	35.3	0.18	1.96	1.96	15.2	1.1
12-1721	0.02	2.7	0.112	0.06	0.35	41.0	0.60	2.46	2.46	35.5	1.6
12-1722	0.02	0.4	<0.005	0.03	0.22	<0.5	<0.05	1.86	1.86	17.0	1.6
12-1723	0.01	2.3	0.081	0.05	0.33	26.2	0.12	2.31	2.31	18.6	1.5
12-1724	<0.01	3.1	0.071	0.05	0.38	21.4	0.14	2.15	2.15	11.1	1.2
12-1725	0.01	2.4	0.108	0.07	0.41	36.3	0.13	2.52	2.52	20.3	1.3
12-1726	0.01	2.1	0.108	0.07	0.42	36.2	0.11	2.63	2.63	21.6	1.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1727	0.01	0.01	2.3	0.109	0.09	0.66	27.2	0.09	4.24	26.4	1.7
12-1728	0.01	0.01	1.6	0.081	0.06	0.36	26.8	0.12	2.42	32.5	0.8
12-1729	<0.01	<0.01	2.0	0.084	0.06	0.34	19.8	0.10	2.20	31.7	0.9
12-1730	0.02	0.02	1.9	0.091	0.06	0.44	33.0	0.14	3.19	32.5	1.1
12-1731	0.01	0.01	2.4	0.110	0.07	0.47	37.0	0.11	2.67	44.5	1.4
12-1732	0.02	0.02	2.6	0.101	0.07	0.71	34.2	0.12	2.90	23.5	1.4
12-1733	0.02	0.02	1.4	0.116	0.07	0.38	44.6	0.16	2.38	37.8	1.2
12-1734	0.02	0.02	2.1	0.136	0.06	0.52	51.4	0.12	2.49	37.8	1.6
12-1735	0.01	0.01	2.2	0.137	0.07	0.44	39.6	0.13	2.63	39.1	1.7
12-1736	0.01	0.01	2.0	0.091	0.05	0.37	37.2	0.13	2.50	50.8	1.3
12-1737	0.02	0.02	2.1	0.084	0.09	0.37	31.1	0.13	3.89	37.6	1.6
12-1738	0.01	0.01	1.4	0.071	0.07	0.41	21.4	0.08	3.45	32.4	1.0
12-1739	0.01	0.01	2.5	0.072	0.09	0.43	21.7	0.12	4.20	41.3	0.9
12-1740	0.01	0.01	1.7	0.059	0.05	0.34	20.8	0.09	2.42	33.8	<0.5
12-1741	0.02	0.02	2.2	0.073	0.06	0.47	28.6	0.13	3.39	25.1	1.1
12-1742	0.01	0.01	2.0	0.108	0.07	0.50	30.4	0.09	4.13	41.1	1.9
12-1743	0.01	0.01	2.7	0.105	0.06	0.34	36.3	0.11	2.50	22.8	2.5
12-1744	0.03	0.03	0.3	<0.005	0.09	0.49	<0.5	<0.05	2.52	15.7	1.6
12-1745	0.01	0.01	2.5	0.098	0.05	0.36	33.1	0.17	2.38	17.3	2.2
12-1746	<0.01	<0.01	1.9	0.047	0.05	0.38	9.9	0.07	1.90	7.4	<0.5
12-1747	0.02	0.02	4.0	0.070	0.06	0.48	27.2	0.14	3.43	30.9	2.5
12-1748	0.02	0.02	3.7	0.121	0.08	0.59	43.1	0.14	2.71	19.3	2.2
12-1749	0.01	0.01	2.6	0.055	0.06	0.35	22.9	0.09	2.19	7.9	0.8
12-1241	<0.01	<0.01	4.5	0.058	0.10	0.41	16.3	0.09	10.3	23.2	6.3
12-1242	<0.01	<0.01	3.2	0.045	0.06	0.54	11.2	0.07	7.01	14.2	2.4
12-1243	<0.01	<0.01	3.2	0.042	0.06	0.49	11.9	0.07	7.78	14.0	2.9
12-1244	<0.01	<0.01	3.7	0.045	0.08	0.55	8.3	0.09	13.3	14.5	5.5
12-1245	<0.01	<0.01	3.2	0.046	0.05	0.40	9.9	0.08	4.44	13.3	2.2
12-1246	<0.01	<0.01	4.2	0.076	0.09	0.53	17.2	0.10	8.12	29.0	2.7
12-1247	<0.01	<0.01	3.2	0.077	0.10	0.81	20.6	0.10	7.85	44.8	2.6
12-1248	<0.01	<0.01	3.2	0.064	0.06	0.41	12.6	0.08	4.15	22.8	2.2
12-1249	<0.01	<0.01	4.2	0.081	0.09	0.54	17.9	0.11	9.92	30.3	2.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 25, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Ti ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
12-1250	<0.01	0.068	0.06	0.06	0.30	18.2	0.12	0.11	2.84	16.7	1.6
12-1251	<0.01	0.064	0.07	0.07	0.36	18.3	0.11	0.21	4.05	20.5	2.4
12-1252	0.02	0.086	0.13	0.13	0.59	22.3	0.21	0.13	15.5	41.2	4.6
12-1253	0.01	0.094	0.11	0.11	0.52	23.8	0.13	0.14	8.83	30.4	2.0
12-1254	0.02	0.070	0.05	0.05	0.30	30.6	0.14	0.26	1.82	17.6	0.7
12-1255	0.02	0.050	0.07	0.07	0.58	20.9	0.16	0.19	7.05	46.9	<0.5
12-1256	0.02	0.089	0.09	0.09	0.46	26.0	0.16	0.13	4.77	56.6	1.6
12-1257	0.02	0.099	0.06	0.06	0.63	36.7	0.19	0.10	2.24	14.3	0.9
12-1258	0.02	0.075	0.07	0.07	0.58	26.1	0.13	0.12	10.5	9.7	0.9
12-1259	0.02	0.144	0.09	0.09	0.54	31.2	0.12	0.13	4.40	43.8	2.6
12-1260	0.01	0.053	0.04	0.04	0.31	18.5	0.13	0.11	2.08	11.3	<0.5
12-1261	<0.01	0.069	0.06	0.06	0.40	17.9	0.07	0.10	2.56	13.7	0.8
12-1262	<0.01	0.064	0.05	0.05	0.40	13.5	0.07	0.10	4.22	14.3	1.1
12-1263	<0.01	0.059	0.09	0.09	0.80	15.0	0.10	0.10	14.5	27.7	2.5
12-1264	<0.01	0.067	0.08	0.08	0.59	16.1	0.10	0.08	17.1	21.5	4.7
12-1265	<0.01	0.053	0.07	0.07	0.61	12.3	0.08	0.08	10.4	16.2	4.4

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1046		<0.001	
12-1047		<0.001	
12-1048		<0.001	
12-1049		<0.001	
12-1050		<0.001	
12-1051		<0.001	
12-1052		0.003	
12-1053		<0.001	
12-1054		0.001	
12-1055		<0.001	
12-1056		<0.001	
12-1057		<0.001	
12-1058		<0.001	
12-1059		<0.001	
12-1060		<0.001	
12-1061		<0.001	
12-1062		<0.001	
12-1063		<0.001	
12-1064		<0.001	
12-1065		0.032	
12-1066		0.001	
12-1067		<0.001	
12-1068		0.003	
12-1069		<0.001	
12-1070		<0.001	
12-1800		<0.001	
12-1801		<0.001	
12-1802		0.001	
12-1803		<0.001	
12-1804		<0.001	
12-1805		<0.001	
12-1806		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1807		<0.001	
12-1808		<0.001	
12-1809		<0.001	
12-1810		0.006	
12-1811		<0.001	
12-1812		<0.001	
12-1813		<0.001	
12-1814		<0.001	
12-1815		<0.001	
12-1816		0.005	
12-1817		<0.001	
12-1818		<0.001	
12-1819		<0.001	
12-1820		<0.001	
12-1821		<0.001	
12-1822		<0.001	
12-1823		<0.001	
12-1824		<0.001	
12-1825		<0.001	
12-1826		<0.001	
12-1827		<0.001	
12-1828		<0.001	
12-1829		<0.001	
12-1830		<0.001	
12-1071		0.003	
12-1072		<0.001	
12-1073		<0.001	
12-1074		<0.001	
12-1075		<0.001	
12-1076		<0.001	
12-1077		<0.001	
12-1078		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001				
12-1079		<0.001				
12-1080		<0.001				
12-1081		<0.001				
12-1082		<0.001				
12-1083		<0.001				
12-1084		<0.001				
12-1085		0.003				
12-1086		<0.001				
12-1087		<0.001				
12-1088		<0.001				
12-1089		0.005				
12-1090		<0.001				
12-1091		<0.001				
12-1092		<0.001				
12-1093		<0.001				
12-1094		<0.001				
12-1095		<0.001				
12-1096		<0.001				
12-1097		<0.001				
12-1098		<0.001				
12-1099		<0.001				
12-1100		<0.001				
12-1101		<0.001				
12-1102		<0.001				
12-1103		<0.001				
12-1104		<0.001				
12-1105		<0.001				
12-1106		<0.001				
12-1107		<0.001				
12-1108		<0.001				
12-1109		<0.001				
12-1110		<0.001				

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au
	Unit:	ppm
	RDL:	0.001
12-1111		<0.001
12-1112		<0.001
12-1113		<0.001
12-1114		<0.001
12-1115		<0.001
12-1116		<0.001
12-1117		<0.001
12-1118		<0.001
12-1119		<0.001
12-1120		0.008
12-1121		<0.001
12-1122		<0.001
12-1123		<0.001
12-1124		<0.001
12-1125		<0.001
12-1126		<0.001
12-1127		0.002
12-1128		<0.001
12-1129		<0.001
12-1130		<0.001
12-1551		<0.001
12-1552		<0.001
12-1553		<0.001
12-1554		<0.001
12-1555		<0.001
12-1556		0.002
12-1557		<0.001
12-1558		0.001
12-1559		<0.001
12-1560		<0.001
12-1561		<0.001
12-1562		0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1563			<0.001
12-1564			<0.001
12-1565			<0.001
12-1566			<0.001
12-1567			<0.001
12-1568			<0.001
12-1569			0.012
12-1570			<0.001
12-1571			<0.001
12-1572			<0.001
12-1573			<0.001
12-1574			<0.001
12-1575			0.007
12-1576			<0.001
12-1577			0.002
12-1578			<0.001
12-1579			<0.001
12-1580			<0.001
12-1581			<0.001
12-1582			0.002
12-1583			<0.001
12-1584			<0.001
12-1585			<0.001
12-1586			<0.001
12-1587			0.005
12-1588			<0.001
12-1589			<0.001
12-1590			<0.001
12-1591			<0.001
12-1592			0.047
12-1593			<0.001
12-1594			<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil	
Sample Description	Analyte:	Unit:	RDL:				
12-1595	Au	ppm	0.001				
12-1596			<0.001				
12-1597			<0.001				
12-1598			<0.001				
12-1599			0.002				
12-1131			<0.001				
12-1132			<0.001				
12-1133			<0.001				
12-1134			<0.001				
12-1135			<0.001				
12-1136			<0.001				
12-1137			<0.001				
12-1138			<0.001				
12-1139			<0.001				
12-1140			0.005				
12-1141			0.004				
12-1142			<0.001				
12-1143			<0.001				
12-1144			<0.001				
12-1145			<0.001				
12-1146			<0.001				
12-1147			<0.001				
12-1148			0.001				
12-1149			0.002				
12-1150			<0.001				
12-1151			<0.001				
12-1152			<0.001				
12-1153			<0.001				
12-1154			<0.001				
12-1155			<0.001				
12-1156			<0.001				
12-1157			<0.001				

Fire Assay - Trace Au, ICP-OES finish (202052)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-1158	Au	ppm	0.001
12-1159			<0.001
12-1160			0.002
12-1161			<0.001
12-1162			<0.001
12-1163			<0.001
12-1164			0.004
12-1165			<0.001
12-1166			<0.001
12-1167			<0.001
12-1168			<0.001
12-1169			<0.001
12-1170			<0.001
12-1171			<0.001
12-1172			<0.001
12-1173			<0.001
12-1174			0.001
12-1175			<0.001
12-1176			<0.001
12-1177			<0.001
12-1178			0.001
12-1179			<0.001
12-1180			0.001
12-1181			<0.001
12-1182			0.020
12-1183			0.001
12-1184			0.001
12-1185			<0.001
12-1186			0.034
12-1187			<0.001
12-1188			0.002
12-1189			<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1190		<0.001	
12-1750		<0.001	
12-1751		<0.001	
12-1752		0.001	
12-1753		0.002	
12-1754		<0.001	
12-1755		<0.001	
12-1756		<0.001	
12-1757		<0.001	
12-1758		<0.001	
12-1759		<0.001	
12-1760		<0.001	
12-1761		<0.001	
12-1762		0.005	
12-1763		<0.001	
12-1764		0.016	
12-1765		0.001	
12-1766		<0.001	
12-1767		<0.001	
12-1768		<0.001	
12-1769		<0.001	
12-1770		<0.001	
12-1771		<0.001	
12-1772		<0.001	
12-1773		0.003	
12-1774		<0.001	
12-1775		<0.001	
12-1776		0.001	
12-1777		0.002	
12-1778		0.022	
12-1779		<0.001	
12-1780		0.008	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 25, 2012		SAMPLE TYPE: Soil
Sample Description	Analyte:	Unit:	RDL:			
12-1781	Au	ppm	0.001			
12-1782			<0.001			
12-1783			<0.001			
12-1784			<0.001			
12-1785			<0.001			
12-1786			<0.001			
12-1787			<0.001			
12-1788			<0.001			
12-1789			<0.001			
12-1790			<0.001			
12-1791			0.001			
12-1792			0.006			
12-1793			<0.001			
12-1794			0.002			
12-1795			0.001			
12-1796			0.001			
12-1797			<0.001			
12-1798			0.002			
12-1799			0.015			
12-1381			0.006			
12-1382			0.003			
12-1383			<0.001			
12-1384			<0.001			
12-1385			0.029			
12-1386			<0.001			
12-1387			<0.001			
12-1388			<0.001			
12-1389			<0.001			
12-1390			<0.001			
12-1391			<0.001			
12-1392			<0.001			
12-1393			<0.001			

Fire Assay - Trace Au, ICP-OES finish (202052)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1394		<0.001	
12-1395		0.002	
12-1396		0.022	
12-1397		<0.001	
12-1398		<0.001	
12-1399		<0.001	
12-1400		<0.001	
12-1401		<0.001	
12-1402		<0.001	
12-1403		<0.001	
12-1404		<0.001	
12-1405		<0.001	
12-1406		<0.001	
12-1407		0.001	
12-1408		0.020	
12-1409		<0.001	
12-1410		<0.001	
12-1411		<0.001	
12-1412		<0.001	
12-1413		<0.001	
12-1414		<0.001	
12-1415		<0.001	
12-1416		<0.001	
12-1417		<0.001	
12-1418		<0.001	
12-1419		<0.001	
12-1420		<0.001	
12-1421		0.015	
12-1422		<0.001	
12-1423		<0.001	
12-1424		0.001	
12-1425		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012

DATE RECEIVED: Sep 28, 2012

DATE REPORTED: Oct 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-1426	Au	ppm	0.001
12-1427			<0.001
12-1428			<0.001
12-1429			<0.001
12-1430			<0.001
12-1700			0.016
12-1701			<0.001
12-1702			<0.001
12-1703			<0.001
12-1704			<0.001
12-1705			0.001
12-1706			<0.001
12-1707			<0.001
12-1708			<0.001
12-1709			<0.001
12-1710			<0.001
12-1711			<0.001
12-1712			0.020
12-1713			<0.001
12-1714			<0.001
12-1715			<0.001
12-1716			<0.001
12-1717			<0.001
12-1718			0.002
12-1719			<0.001
12-1720			<0.001
12-1721			<0.001
12-1722			0.003
12-1723			<0.001
12-1724			<0.001
12-1725			0.001
12-1726			0.007

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Analyte:	Au		
Unit:	ppm		
RDL:	0.001		
Sample Description			
12-1727	<0.001		
12-1728	<0.001		
12-1729	<0.001		
12-1730	<0.001		
12-1731	<0.001		
12-1732	<0.001		
12-1733	0.008		
12-1734	<0.001		
12-1735	<0.001		
12-1736	<0.001		
12-1737	<0.001		
12-1738	<0.001		
12-1739	<0.001		
12-1740	<0.001		
12-1741	0.002		
12-1742	0.011		
12-1743	<0.001		
12-1744	<0.001		
12-1745	<0.001		
12-1746	<0.001		
12-1747	<0.001		
12-1748	<0.001		
12-1749	<0.001		
12-1241	0.008		
12-1242	<0.001		
12-1243	<0.001		
12-1244	0.001		
12-1245	<0.001		
12-1246	<0.001		
12-1247	<0.001		
12-1248	<0.001		
12-1249	<0.001		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646801
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 25, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	
	RDL:	0.001	
12-1250		<0.001	
12-1251		<0.001	
12-1252		<0.001	
12-1253		<0.001	
12-1254		<0.001	
12-1255		<0.001	
12-1256		<0.001	
12-1257		<0.001	
12-1258		<0.001	
12-1259		<0.001	
12-1260		<0.001	
12-1261		<0.001	
12-1262		<0.001	
12-1263		<0.001	
12-1264		0.006	
12-1265		<0.001	

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757286	< 0.01	< 0.01	0.0%	< 0.01	15.3	13.0	117%	80%	120%
Al	1	3757286	0.853	0.863	1.2%	< 0.01				80%	120%
As	1	3757286	1.5	1.5	0.0%	0.4				80%	120%
Au	1	3757286	< 0.01	< 0.01	0.0%	< 0.01	0.263	0.263	100%	80%	120%
B	1	3757286	< 5	< 5	0.0%	< 5	7.61	7.00	109%	80%	120%
Ba	1	3757286	23	23	0.0%	< 1				80%	120%
Be	1	3757286	0.08	0.08	0.0%	< 0.05	0.3	0.4	75%	80%	120%
Bi	1	3757286	0.06	0.06	0.0%	< 0.01				80%	120%
Ca	1	3757286	0.06	0.06	0.0%	< 0.01				80%	120%
Cd	1	3757286	0.03	0.03	0.0%	< 0.01				80%	120%
Ce	1	3757286	20.8	19.8	4.9%	< 0.01				80%	120%
Co	1	3757286	3.8	4.1	7.6%	< 0.1				80%	120%
Cr	1	3757286	13.5	13.1	3.0%	< 0.5				80%	120%
Cs	1	3757286	1.53	1.44	6.1%	< 0.05				80%	120%
Cu	1	3757286	8.4	7.8	7.4%	< 0.1	6063	6000	101%	80%	120%
Fe	1	3757286	1.30	1.35	3.8%	< 0.01				80%	120%
Ga	1	3757286	6.33	6.36	0.5%	< 0.05				80%	120%
Ge	1	3757286	0.125	0.143	13.4%	0.10				80%	120%
Hf	1	3757286	0.06	0.04		< 0.02				80%	120%
Hg	1	3757286	0.04	0.04	0.0%	< 0.01	1.1	1.3	83%	80%	120%
In	1	3757286	0.0157	0.0149	5.2%	< 0.005				80%	120%
K	1	3757286	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3757286	11.2	10.3	8.4%	< 0.1				80%	120%
Li	1	3757286	10.1	10.0	1.0%	< 0.1				80%	120%
Mg	1	3757286	0.44	0.45	2.2%	< 0.01				80%	120%
Mn	1	3757286	85	82	3.6%	< 1				80%	120%
Mo	1	3757286	1.11	1.18	6.1%	< 0.05	345	360	95%	80%	120%
Na	1	3757286	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757286	2.08	1.79	15.0%	< 0.05				80%	120%
Ni	1	3757286	7.68	7.55	1.7%	< 0.2				80%	120%
P	1	3757286	132	126	4.7%	< 10	546	600	91%	80%	120%
Pb	1	3757286	4.33	4.35	0.5%	< 0.1				80%	120%
Rb	1	3757286	4.6	4.5	2.2%	< 0.1				80%	120%
Re	1	3757286	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757286	0.0206	0.0204	1.0%	< 0.005				80%	120%
Sb	1	3757286	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757286	2.38	2.47	3.7%	< 0.1				80%	120%
Se	1	3757286	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3757286	0.6	0.6	0.0%	< 0.2				80%	120%
Sr	1	3757286	6.1	5.7	6.8%	< 0.2				80%	120%
Ta	1	3757286	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	100%	80%	120%
Te	1	3757286	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3757286	1.84	2.14	15.1%	< 0.1				80%	120%
Ti	1	3757286	0.106	0.104	1.9%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1	3757286	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3757286	0.486	0.464	4.6%	< 0.05				80%	120%
V	1	3757286	41.9	42.0	0.2%	< 0.5				80%	120%
W	1	3757286	0.07	0.08	13.3%	< 0.05				80%	120%
Y	1	3757286	2.30	2.09	9.6%	< 0.05	7	7	101%	80%	120%
Zn	1	3757286	46.9	47.3	0.8%	< 0.5				80%	120%
Zr	1	3757286	2.50	2.03	20.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757298	< 0.01	< 0.01	0.0%	< 0.01	11.7	13.0	90%	80%	120%
Al	1	3757298	0.825	0.817	1.0%	< 0.01				80%	120%
As	1	3757298	1.52	1.43	6.1%	0.4				80%	120%
Au	1	3757298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757298	< 5	< 5	0.0%	< 5	6.65	7.00	95%	80%	120%
Ba	1	3757298	21	21	0.0%	< 1				80%	120%
Be	1	3757298	0.14	0.14	0.0%	< 0.05	0.3	0.4	70%	80%	120%
Bi	1	3757298	0.116	0.112	3.5%	< 0.01				80%	120%
Ca	1	3757298	0.14	0.14	0.0%	< 0.01				80%	120%
Cd	1	3757298	0.04	0.04	0.0%	< 0.01				80%	120%
Ce	1	3757298	32.2	31.8	1.3%	< 0.01				80%	120%
Co	1	3757298	3.8	3.9	2.6%	< 0.1				80%	120%
Cr	1	3757298	19.3	19.3	0.0%	< 0.5				80%	120%
Cs	1	3757298	2.52	2.35	7.0%	< 0.05				80%	120%
Cu	1	3757298	9.9	10.2	3.0%	< 0.1	6046	6000	100%	80%	120%
Fe	1	3757298	1.24	1.25	0.8%	< 0.01				80%	120%
Ga	1	3757298	5.72	5.69	0.5%	< 0.05				80%	120%
Ge	1	3757298	0.10	0.10	0.0%	0.09				80%	120%
Hf	1	3757298	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3757298	0.024	0.028	15.4%	< 0.01				80%	120%
In	1	3757298	0.009	0.009	0.0%	< 0.005				80%	120%
K	1	3757298	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3757298	15.1	14.4	4.7%	< 0.1				80%	120%
Li	1	3757298	8.13	8.16	0.4%	< 0.1				80%	120%
Mg	1	3757298	0.30	0.30	0.0%	< 0.01				80%	120%
Mn	1	3757298	94	94	0.0%	< 1				80%	120%
Mo	1	3757298	1.67	1.62	3.0%	< 0.05	329	360	91%	80%	120%
Na	1	3757298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757298	2.54	2.43	4.4%	< 0.05				80%	120%
Ni	1	3757298	11.1	10.8	2.7%	< 0.2				80%	120%
P	1	3757298	171	171	0.0%	< 10	556	600	93%	80%	120%
Pb	1	3757298	5.9	5.7	3.4%	< 0.1				80%	120%
Rb	1	3757298	9.12	8.95	1.9%	< 0.1				80%	120%
Re	1	3757298	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757298	0.011	0.011	0.0%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sb	1	3757298	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757298	1.37	1.34	2.2%	< 0.1				80%	120%
Se	1	3757298	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3757298	0.71	0.63	11.9%	< 0.2				80%	120%
Sr	1	3757298	11.6	11.1	4.4%	< 0.2				80%	120%
Ta	1	3757298	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757298	< 0.01	0.01		< 0.01				80%	120%
Th	1	3757298	3.0	2.7	10.5%	< 0.1				80%	120%
Ti	1	3757298	0.122	0.117	4.2%	< 0.005				80%	120%
Tl	1	3757298	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757298	0.52	0.51	1.9%	< 0.05				80%	120%
V	1	3757298	22.9	22.6	1.3%	< 0.5				80%	120%
W	1	3757298	0.12	0.14	15.4%	< 0.05				80%	120%
Y	1	3757298	3.35	3.29	1.8%	< 0.05	6	7	81%	80%	120%
Zn	1	3757298	18.0	17.7	1.7%	< 0.5				80%	120%
Zr	1	3757298	1.83	1.73	5.6%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757311	< 0.01	< 0.01	0.0%	< 0.01	11.9	13.0	91%	80%	120%
Al	1	3757311	1.29	1.27	1.6%	< 0.01				80%	120%
As	1	3757311	2.4	2.4	0.0%	0.2				80%	120%
Au	1	3757311	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757311	< 5	< 5	0.0%	< 5	8.08	7.00	115%	80%	120%
Ba	1	3757311	25	25	0.0%	< 1				80%	120%
Be	1	3757311	0.263	0.265	0.8%	< 0.05	0.3	0.4	76%	80%	120%
Bi	1	3757311	0.09	0.09	0.0%	< 0.01				80%	120%
Ca	1	3757311	0.12	0.12	0.0%	< 0.01				80%	120%
Cd	1	3757311	0.09	0.09	0.0%	< 0.01				80%	120%
Ce	1	3757311	23.9	22.2	7.4%	< 0.01				80%	120%
Co	1	3757311	6.4	6.3	1.6%	< 0.1				80%	120%
Cr	1	3757311	31.4	31.2	0.6%	< 0.5				80%	120%
Cs	1	3757311	1.11	1.10	0.9%	< 0.05				80%	120%
Cu	1	3757311	11.4	11.0	3.6%	< 0.1	5922	6000	98%	80%	120%
Fe	1	3757311	1.93	1.90	1.6%	< 0.01				80%	120%
Ga	1	3757311	7.15	7.11	0.6%	< 0.05				80%	120%
Ge	1	3757311	0.09	0.09	0.0%	0.06				80%	120%
Hf	1	3757311	0.03	0.03	0.0%	< 0.02				80%	120%
Hg	1	3757311	0.04	0.04	0.0%	< 0.01				80%	120%
In	1	3757311	0.0179	0.0171	4.6%	< 0.005				80%	120%
K	1	3757311	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3757311	12.3	11.4	7.6%	< 0.1				80%	120%
Li	1	3757311	11.9	11.7	1.7%	< 0.1				80%	120%
Mg	1	3757311	0.286	0.280	2.1%	< 0.01				80%	120%
Mn	1	3757311	105	103	1.9%	< 1				80%	120%
Mo	1	3757311	0.97	0.91	6.4%	< 0.05	350	360	97%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Na	1	3757311	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757311	3.13	3.07	1.9%	< 0.05				80%	120%
Ni	1	3757311	14.8	14.6	1.4%	< 0.2				80%	120%
P	1	3757311	263	262	0.4%	< 10	545	600	91%	80%	120%
Pb	1	3757311	6.0	5.9	1.7%	< 0.1				80%	120%
Rb	1	3757311	6.99	7.07	1.1%	< 0.1	10	13	80%	80%	120%
Re	1	3757311	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757311	0.0169	0.0162	4.2%	< 0.005				80%	120%
Sb	1	3757311	0.065	0.059	9.7%	< 0.05				80%	120%
Sc	1	3757311	2.2	2.2	0.0%	< 0.1				80%	120%
Se	1	3757311	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3757311	0.6	0.6	0.0%	< 0.2				80%	120%
Sr	1	3757311	12.0	12.2	1.7%	< 0.2				80%	120%
Ta	1	3757311	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757311	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3757311	2.7	2.5	7.7%	< 0.1	1.2	1.4	88%	80%	120%
Ti	1	3757311	0.104	0.104	0.0%	< 0.005				80%	120%
Tl	1	3757311	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757311	0.42	0.41	2.4%	< 0.05				80%	120%
V	1	3757311	36.2	35.1	3.1%	< 0.5				80%	120%
W	1	3757311	0.135	0.131	3.0%	< 0.05				80%	120%
Y	1	3757311	3.58	3.44	4.0%	< 0.05	8	7	116%	80%	120%
Zn	1	3757311	26.6	26.7	0.4%	< 0.5				80%	120%
Zr	1	3757311	1.7	1.7	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757336	< 0.01	< 0.01	0.0%	< 0.01	11.9	13.0	92%	80%	120%
Al	1	3757411	0.972	1.01	3.8%	< 0.01				80%	120%
As	1	3757336	2.1	2.2	4.7%	0.3				80%	120%
Au	1	3757336	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757336	< 5	< 5	0.0%	< 5	7.52	7.00	107%	80%	120%
Ba	1	3757411	61	65	6.3%	< 1				80%	120%
Be	1	3757336	0.12	0.12	0.0%	< 0.05				80%	120%
Bi	1	3757336	0.304	0.315	3.6%	< 0.01				80%	120%
Ca	1	3757411	0.253	0.262	3.5%	< 0.01				80%	120%
Cd	1	3757336	0.10	0.10	0.0%	< 0.01				80%	120%
Ce	1	3757336	22.6	22.2	1.8%	< 0.01				80%	120%
Co	1	3757336	4.0	4.0	0.0%	< 0.1				80%	120%
Cr	1	3757411	23.7	25.1	5.7%	< 0.5				80%	120%
Cs	1	3757336	1.81	1.92	5.9%	< 0.05				80%	120%
Cu	1	3757411	7.13	7.53	5.5%	< 0.1	5843	6000	97%	80%	120%
Fe	1	3757411	1.95	2.03	4.0%	< 0.01				80%	120%
Ga	1	3757336	7.87	7.87	0.0%	< 0.05				80%	120%
Ge	1	3757336	0.10	0.10	0.0%	0.06				80%	120%
Hf	1	3757336	0.05	0.05	0.0%	< 0.02				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3757336	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3757336	0.0085	0.0086	1.2%	< 0.005				80%	120%
K	1	3757411	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3757336	10.9	10.7	1.9%	< 0.1				80%	120%
Li	1	3757336	6.7	6.8	1.5%	< 0.1				80%	120%
Mg	1	3757411	0.24	0.26	8.0%	< 0.01				80%	120%
Mn	1	3757411	104	109	4.7%	< 1				80%	120%
Mo	1	3757336	0.486	0.478	1.7%	< 0.05	328	360	91%	80%	120%
Na	1	3757411	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757336	2.23	2.35	5.2%	< 0.05				80%	120%
Ni	1	3757411	11.4	12.0	5.1%	< 0.2				80%	120%
P	1	3757411	252	274	8.4%	< 10	522	600	87%	80%	120%
Pb	1	3757336	7.6	7.7	1.3%	< 0.1				80%	120%
Rb	1	3757336	18.2	18.3	0.5%	< 0.1				80%	120%
Re	1	3757336	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757411	0.021	0.022	4.7%	< 0.005				80%	120%
Sb	1	3757336	0.06	0.06	0.0%	< 0.05				80%	120%
Sc	1	3757336	1.4	1.4	0.0%	< 0.1				80%	120%
Se	1	3757336	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3757336	0.7	0.7	0.0%	< 0.2				80%	120%
Sr	1	3757336	16.3	17.3	6.0%	< 0.2				80%	120%
Ta	1	3757336	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	103%	80%	120%
Te	1	3757336	0.015	0.015	0.0%	< 0.01				80%	120%
Th	1	3757336	1.7	1.7	0.0%	< 0.1				80%	120%
Ti	1	3757411	0.104	0.108	3.8%	< 0.005				80%	120%
Tl	1	3757336	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757336	0.395	0.416	5.2%	< 0.05				80%	120%
V	1	3757411	32.2	33.8	4.8%	< 0.5				80%	120%
W	1	3757336	0.16	0.14	13.3%	< 0.05				80%	120%
Y	1	3757336	2.85	2.91	2.1%	< 0.05	8	7	114%	80%	120%
Zn	1	3757411	30.8	33.3	7.8%	< 0.5				80%	120%
Zr	1	3757336	1.95	2.17	10.7%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757361	0.01	0.01	0.0%	0.01	11.5	13.0	89%	80%	120%
Al	1	3757436	0.68	0.67	1.5%	< 0.01				80%	120%
As	1	3757361	2.31	2.39	3.4%	< 0.1				80%	120%
Au	1	3757361	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757361	< 5	< 5	0.0%	< 5	7.75	7.00	111%	80%	120%
Ba	1	3757436	13	12	8.0%	< 1				80%	120%
Be	1	3757361	0.15	0.15	0.0%	< 0.05				80%	120%
Bi	1	3757361	0.230	0.222	3.5%	< 0.01				80%	120%
Ca	1	3757436	0.186	0.183	1.6%	< 0.01				80%	120%
Cd	1	3757361	0.10	0.10	0.0%	< 0.01				80%	120%

Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ce	1	3757361	30.6	29.5	3.7%	< 0.01				80%	120%	
Co	1	3757361	3.6	3.6	0.0%	< 0.1				80%	120%	
Cr	1	3757436	33.7	32.8	2.7%	< 0.5				80%	120%	
Cs	1	3757361	2.14	2.04	4.8%	< 0.05				80%	120%	
Cu	1	3757436	3.92	3.95	0.8%	< 0.1	5810	6000	96%	80%	120%	
Fe	1	3757436	1.54	1.54	0.0%	< 0.01				80%	120%	
Ga	1	3757361	8.72	8.61	1.3%	< 0.05				80%	120%	
Ge	1	3757361	0.126	0.112	11.8%	0.10				80%	120%	
Hf	1	3757361	0.044	0.034	25.6%	0.02				80%	120%	
Hg	1	3757361	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3757361	0.0128	0.0124	3.2%	< 0.005				80%	120%	
K	1	3757436	0.03	0.03	0.0%	< 0.01				80%	120%	
La	1	3757361	12.3	12.0	2.5%	< 0.1				80%	120%	
Li	1	3757361	7.7	7.8	1.3%	< 0.1				80%	120%	
Mg	1	3757436	0.28	0.28	0.0%	< 0.01				80%	120%	
Mn	1	3757436	112	109	2.7%	< 1				80%	120%	
Mo	1	3757361	1.25	1.31	4.7%	< 0.05	327	360	90%	80%	120%	
Na	1	3757436	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757361	3.40	3.39	0.3%	< 0.05				80%	120%	
Ni	1	3757436	9.3	9.3	0.0%	< 0.2				80%	120%	
P	1	3757436	278	271	2.6%	< 10	522	600	87%	80%	120%	
Pb	1	3757361	9.1	8.9	2.2%	< 0.1				80%	120%	
Rb	1	3757361	8.90	8.74	1.8%	< 0.1				80%	120%	
Re	1	3757361	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757436	0.0124	0.0129	4.0%	< 0.005				80%	120%	
Sb	1	3757361	0.06	0.06	0.0%	< 0.05				80%	120%	
Sc	1	3757361	1.41	1.31	7.4%	< 0.1				80%	120%	
Se	1	3757361	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3757361	0.8	0.8	0.0%	< 0.2				80%	120%	
Sr	1	3757361	11.2	11.1	0.9%	< 0.2				80%	120%	
Ta	1	3757361	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757361	0.014	0.018	25.0%	< 0.01				80%	120%	
Th	1	3757361	2.8	2.8	0.0%	< 0.1	1.1	1.4	82%	80%	120%	
Ti	1	3757436	0.117	0.115	1.7%	< 0.005				80%	120%	
Tl	1	3757361	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3757361	0.48	0.45	6.5%	< 0.05				80%	120%	
V	1	3757436	39.5	38.6	2.3%	< 0.5				80%	120%	
W	1	3757361	0.11	0.14	24.0%	< 0.05				80%	120%	
Y	1	3757361	2.47	2.45	0.8%	< 0.05	8	7	113%	80%	120%	
Zn	1	3757436	16.6	16.1	3.1%	< 0.5				80%	120%	
Zr	1	3757361	1.7	1.5	12.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757367	< 0.01	< 0.01	0.0%	< 0.01	14.8	13.0	114%	80%	120%	
Al	1	3757461	1.77	1.65	7.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3757367	3.1	3.2	3.2%	0.4			80%	120%		
Au	1	3757367	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
B	1	3757367	10	9	10.5%	< 5	6.33	7.00	90%	80% 120%		
Ba	1	3757461	93	89	4.4%	< 1			80%	120%		
Be	1	3757367	0.575	0.533	7.6%	< 0.05			80%	120%		
Bi	1	3757367	0.12	0.12	0.0%	< 0.01			80%	120%		
Ca	1	3757461	1.13	1.06	6.4%	< 0.01			80%	120%		
Cd	1	3757367	0.115	0.111	3.5%	< 0.01			80%	120%		
Ce	1	3757367	62.0	62.4	0.6%	< 0.01			80%	120%		
Co	1	3757367	10.9	10.9	0.0%	< 0.1			80%	120%		
Cr	1	3757461	40.8	36.8	10.3%	< 0.5			80%	120%		
Cs	1	3757367	1.69	1.56	8.0%	< 0.05			80%	120%		
Cu	1	3757461	29.3	24.7	17.0%	< 0.1	5871	6000	97%	80% 120%		
Fe	1	3757461	1.84	1.73	6.2%	< 0.01			80%	120%		
Ga	1	3757367	8.25	8.08	2.1%	< 0.05			80%	120%		
Ge	1	3757367	< 0.05	0.07		0.11			80%	120%		
Hf	1	3757367	0.45	0.45	0.0%	< 0.02			80%	120%		
Hg	1	3757367	0.03	0.03	0.0%	< 0.01			80%	120%		
In	1	3757367	0.026	0.026	0.0%	< 0.005			80%	120%		
K	1	3757461	0.133	0.124	7.0%	< 0.01			80%	120%		
La	1	3757367	30.8	30.7	0.3%	< 0.1			80%	120%		
Li	1	3757367	26.9	20.5	27.0%	< 0.1			80%	120%		
Mg	1	3757461	0.646	0.612	5.4%	< 0.01			80%	120%		
Mn	1	3757461	543	496	9.0%	< 1			80%	120%		
Mo	1	3757367	0.319	0.282	12.3%	< 0.05	321	360	89%	80% 120%		
Na	1	3757461	0.02	0.02	0.0%	< 0.01			80%	120%		
Nb	1	3757367	2.11	1.70	21.5%	< 0.05			80%	120%		
Ni	1	3757461	25.7	23.0	11.1%	< 0.2			80%	120%		
P	1	3757461	674	602	11.3%	< 10	514	600	86%	80% 120%		
Pb	1	3757367	8.14	8.37	2.8%	< 0.1			80%	120%		
Rb	1	3757367	39.2	37.8	3.6%	< 0.1			80%	120%		
Re	1	3757367	< 0.001	< 0.001	0.0%	< 0.001			80%	120%		
S	1	3757461	0.055	0.049	11.5%	< 0.005			80%	120%		
Sb	1	3757367	0.156	0.145	7.3%	< 0.05			80%	120%		
Sc	1	3757367	6.1	5.9	3.3%	< 0.1			80%	120%		
Se	1	3757367	0.68	0.62	9.2%	< 0.2			80%	120%		
Sn	1	3757367	0.96	0.92	4.3%	< 0.2			80%	120%		
Sr	1	3757367	73.2	71.4	2.5%	< 0.2			80%	120%		
Ta	1	3757367	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
Te	1	3757367	0.01	0.01	0.0%	< 0.01			80%	120%		
Th	1	3757367	8.7	8.9	2.3%	< 0.1	1.1	1.4	81%	80% 120%		
Ti	1	3757461	0.075	0.069	8.3%	< 0.005			80%	120%		
Tl	1	3757367	0.18	0.18	0.0%	< 0.01			80%	120%		
U	1	3757367	0.71	0.71	0.0%	< 0.05			80%	120%		



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
V	1	3757461	27.0	23.2	15.1%	< 0.5				80%	120%	
W	1	3757367	0.16	0.15	6.5%	< 0.05				80%	120%	
Y	1	3757367	19.1	18.7	2.1%	< 0.05	8	7	109%	80%	120%	
Zn	1	3757461	43.8	40.0	9.1%	< 0.5				80%	120%	
Zr	1	3757367	36.8	36.9	0.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757386	< 0.01	< 0.01	0.0%	< 0.01	15.1	13.0	116%	80%	120%	
Al	1	3757486	0.423	0.430	1.6%	< 0.01				80%	120%	
As	1	3757386	1.9	2.1	10.0%	< 0.1				80%	120%	
Au	1	3757386	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757386	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757486	19	19	0.0%	< 1				80%	120%	
Be	1	3757386	0.19	0.19	0.0%	< 0.05				80%	120%	
Bi	1	3757386	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1	3757486	9.44	9.75	3.2%	< 0.01				80%	120%	
Cd	1	3757386	0.04	0.04	0.0%	< 0.01				80%	120%	
Ce	1	3757386	31.8	29.3	8.2%	0.04				80%	120%	
Co	1	3757386	4.9	4.9	0.0%	0.2				80%	120%	
Cr	1	3757486	11.8	11.5	2.6%	< 0.5				80%	120%	
Cs	1	3757386	1.09	0.991	9.5%	< 0.05				80%	120%	
Cu	1	3757486	3.5	3.1	12.1%	< 0.1	5990	6000	99%	80%	120%	
Fe	1	3757486	0.53	0.53	0.0%	< 0.01				80%	120%	
Ga	1	3757386	4.77	4.62	3.2%	0.06				80%	120%	
Ge	1	3757386	0.099	0.082	18.8%	0.10				80%	120%	
Hf	1	3757386	0.09	0.04		< 0.02				80%	120%	
Hg	1	3757386	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3757386	0.0106	0.0102	3.8%	< 0.005				80%	120%	
K	1	3757486	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3757386	16.5	15.0	9.5%	< 0.1				80%	120%	
Li	1	3757386	10.8	10.3	4.7%	< 0.1				80%	120%	
Mg	1	3757486	3.62	3.77	4.1%	< 0.01				80%	120%	
Mn	1	3757486	150	152	1.3%	< 1				80%	120%	
Mo	1	3757386	0.620	0.573	7.9%	0.05	343	360	95%	80%	120%	
Na	1	3757486	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757386	2.36	2.25	4.8%	< 0.05				80%	120%	
Ni	1	3757486	5.5	5.5	0.0%	< 0.2				80%	120%	
P	1	3757486	368	368	0.0%	< 10	585	600	98%	80%	120%	
Pb	1	3757386	5.89	5.81	1.4%	< 0.1				80%	120%	
Rb	1	3757386	4.7	4.0	16.1%	< 0.1				80%	120%	
Re	1	3757386	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757486	0.013	0.012	8.0%	< 0.005				80%	120%	
Sb	1	3757386	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757386	1.6	1.5	6.5%	< 0.1				80%	120%	
Se	1	3757386	0.3	0.3	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3757386	0.55	0.49	11.5%	< 0.2				80%	120%	
Sr	1	3757386	13.7	10.9	22.8%	< 0.2				80%	120%	
Ta	1	3757386	< 0.01	< 0.01	0.0%	< 0.01	0.9	0.9	96%	80%	120%	
Te	1	3757386	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757386	3.61	3.24	10.8%	< 0.1	1.1	1.4	81%	80%	120%	
Ti	1	3757486	0.045	0.045	0.0%	< 0.005				80%	120%	
Tl	1	3757386	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3757386	0.45	0.42	6.9%	< 0.05				80%	120%	
V	1	3757486	8.5	7.9	7.3%	< 0.5				80%	120%	
W	1	3757386	0.14	0.13	7.4%	< 0.05				80%	120%	
Y	1	3757386	3.57	3.24	9.7%	< 0.05	8	7	109%	80%	120%	
Zn	1	3757486	12.4	11.1	11.1%	< 0.5				80%	120%	
Zr	1	3757386	4.6	3.3	32.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757407	0.063	0.072	13.3%	< 0.01	14.3	13.0	110%	80%	120%	
Al	1	3757511	2.76	2.59	6.4%	< 0.01				80%	120%	
As	1	3757407	2.93	2.96	1.0%	0.5				80%	120%	
Au	1	3757407	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757407	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757511	39	37	5.3%	< 1				80%	120%	
Be	1	3757407	0.300	0.309	3.0%	< 0.05				80%	120%	
Bi	1	3757407	0.15	0.15	0.0%	< 0.01				80%	120%	
Ca	1	3757511	0.23	0.23	0.0%	< 0.01				80%	120%	
Cd	1	3757407	0.14	0.15	6.9%	< 0.01				80%	120%	
Ce	1	3757407	23.0	21.5	6.7%	< 0.01				80%	120%	
Co	1	3757407	2.72	2.65	2.6%	< 0.1				80%	120%	
Cr	1	3757511	38.0	36.5	4.0%	< 0.5				80%	120%	
Cs	1	3757407	1.21	1.18	2.5%	< 0.05				80%	120%	
Cu	1	3757511	10.9	10.0	8.6%	< 0.1	6020	6000	100%	80%	120%	
Fe	1	3757511	2.61	2.46	5.9%	< 0.01				80%	120%	
Ga	1	3757407	11.4	11.3	0.9%	< 0.05				80%	120%	
Ge	1	3757407	0.10	0.10	0.0%	0.09				80%	120%	
Hf	1	3757407	0.047	0.044	6.6%	< 0.02				80%	120%	
Hg	1	3757407	0.052	0.056	7.4%	< 0.01				80%	120%	
In	1	3757407	0.023	0.023	0.0%	< 0.005				80%	120%	
K	1	3757511	0.03	0.03	0.0%	< 0.01				80%	120%	
La	1	3757407	12.3	11.6	5.9%	< 0.1				80%	120%	
Li	1	3757407	11.0	10.7	2.8%	< 0.1				80%	120%	
Mg	1	3757511	0.30	0.28	6.9%	< 0.01				80%	120%	
Mn	1	3757511	121	115	5.1%	< 1				80%	120%	
Mo	1	3757407	1.08	1.10	1.8%	< 0.05	346	360	96%	80%	120%	
Na	1	3757511	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757407	4.39	4.33	1.4%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ni	1	3757511	15.6	14.8	5.3%	< 0.2				80%	120%
P	1	3757511	590	573	2.9%	< 10	599	600	100%	80%	120%
Pb	1	3757407	9.43	9.71	2.9%	< 0.1				80%	120%
Rb	1	3757407	10.3	10.0	3.0%	< 0.1				80%	120%
Re	1	3757407	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757511	0.035	0.033	5.9%	< 0.005				80%	120%
Sb	1	3757407	0.07	0.07	0.0%	< 0.05				80%	120%
Sc	1	3757407	1.76	1.69	4.1%	< 0.1				80%	120%
Se	1	3757407	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3757407	0.9	0.9	0.0%	< 0.2				80%	120%
Sr	1	3757407	13.3	12.7	4.6%	< 0.2				80%	120%
Ta	1	3757407	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757407	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3757407	2.91	2.72	6.7%	< 0.1	1.2	1.4	85%	80%	120%
Ti	1	3757511	0.113	0.108	4.5%	< 0.005				80%	120%
Tl	1	3757407	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3757407	0.42	0.41	2.4%	< 0.05				80%	120%
V	1	3757511	41.1	38.8	5.8%	< 0.5				80%	120%
W	1	3757407	0.188	0.195	3.7%	< 0.05				80%	120%
Y	1	3757407	2.55	2.42	5.2%	< 0.05	7	7	95%	80%	120%
Zn	1	3757511	24.6	23.1	6.3%	< 0.5				80%	120%
Zr	1	3757407	2.3	2.2	4.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757411	0.035	0.032	9.0%	< 0.01	14.5	13.0	111%	80%	120%
Al	1	3757531	1.03	1.01	2.0%	< 0.01				80%	120%
As	1	3757411	2.8	2.7	3.6%	0.9				80%	120%
Au	1	3757411	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757411	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757531	45	46	2.2%	< 1				80%	120%
Be	1	3757411	0.208	0.199	4.4%	< 0.05				80%	120%
Bi	1	3757411	0.146	0.143	2.1%	< 0.01				80%	120%
Ca	1	3757531	0.22	0.21	4.7%	< 0.01				80%	120%
Cd	1	3757411	0.216	0.212	1.9%	< 0.01				80%	120%
Ce	1	3757411	24.6	24.6	0.0%	< 0.01				80%	120%
Co	1	3757411	3.84	3.87	0.8%	< 0.1				80%	120%
Cr	1	3757531	23.0	22.5	2.2%	< 0.5				80%	120%
Cs	1	3757411	1.23	1.21	1.6%	< 0.05				80%	120%
Cu	1	3757531	6.26	5.97	4.7%	< 0.1	5918	6000	98%	80%	120%
Fe	1	3757531	1.17	1.18	0.9%	< 0.01				80%	120%
Ga	1	3757411	9.33	9.26	0.8%	< 0.05				80%	120%
Ge	1	3757411	0.091	0.085	6.8%	0.11				80%	120%
Hf	1	3757411	0.041	0.032	24.7%	< 0.02				80%	120%
Hg	1	3757411	0.058	0.066	12.9%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3757411	0.0165	0.0167	1.2%	< 0.005				80%	120%
K	1	3757531	0.057	0.054	5.4%	< 0.01				80%	120%
La	1	3757411	13.7	13.6	0.7%	< 0.1				80%	120%
Li	1	3757411	12.2	12.1	0.8%	< 0.1				80%	120%
Mg	1	3757531	0.306	0.303	1.0%	< 0.01				80%	120%
Mn	1	3757531	119	115	3.4%	< 1				80%	120%
Mo	1	3757411	1.11	1.13	1.8%	< 0.05	344	360	95%	80%	120%
Na	1	3757531	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3757411	3.56	3.50	1.7%	< 0.05				80%	120%
Ni	1	3757531	12.1	12.1	0.0%	< 0.2				80%	120%
P	1	3757531	161	155	3.8%	< 10	596	600	99%	80%	120%
Pb	1	3757411	11.5	11.1	3.5%	< 0.1				80%	120%
Rb	1	3757411	14.3	14.3	0.0%	< 0.1				80%	120%
Re	1	3757411	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757531	0.010	0.010	0.0%	< 0.005				80%	120%
Sb	1	3757411	0.07	0.07	0.0%	< 0.05				80%	120%
Sc	1	3757411	1.6	1.6	0.0%	< 0.1				80%	120%
Se	1	3757411	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3757411	0.8	0.8	0.0%	< 0.2				80%	120%
Sr	1	3757411	14.3	13.8	3.6%	< 0.2				80%	120%
Ta	1	3757411	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757411	0.016	0.014	13.3%	< 0.01				80%	120%
Th	1	3757411	2.4	2.4	0.0%	< 0.1	1.2	1.4	85%	80%	120%
Ti	1	3757531	0.0866	0.0800	7.9%	< 0.005				80%	120%
Tl	1	3757411	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3757411	0.583	0.589	1.0%	< 0.05				80%	120%
V	1	3757531	19.4	19.4	0.0%	< 0.5				80%	120%
W	1	3757411	0.17	0.14	19.4%	< 0.05				80%	120%
Y	1	3757411	3.29	3.17	3.7%	< 0.05	8	7	107%	80%	120%
Zn	1	3757531	23.6	23.0	2.6%	< 0.5				80%	120%
Zr	1	3757411	1.7	1.5	12.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757436	< 0.01	< 0.01	0.0%	< 0.01	14.7	13.0	113%	80%	120%
Al	1	3757538	0.79	0.81	2.5%	< 0.01				80%	120%
As	1	3757436	1.9	3.3		< 0.1				80%	120%
Au	1	3757436	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757436	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757538	28	29	3.5%	< 1				80%	120%
Be	1	3757436	0.105	0.127	19.0%	< 0.05				80%	120%
Bi	1	3757436	0.092	0.117	23.9%	< 0.01				80%	120%
Ca	1	3757538	0.11	0.11	0.0%	< 0.01				80%	120%
Cd	1	3757436	0.083	0.093	11.4%	< 0.01				80%	120%
Ce	1	3757436	25.3	23.9	5.7%	< 0.01				80%	120%
Co	1	3757436	4.1	5.1	21.7%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Cr	1	3757538	20.6	21.5	4.3%	< 0.5				80%	120%	
Cs	1	3757436	1.01	1.03	2.0%	< 0.05				80%	120%	
Cu	1	3757538	3.59	3.44	4.3%	< 0.1	5803	6000	96%	80%	120%	
Fe	1	3757538	1.25	1.31	4.7%	< 0.01				80%	120%	
Ga	1	3757436	6.76	8.13	18.4%	< 0.05				80%	120%	
Ge	1	3757436	0.08	0.06	28.6%	< 0.05				80%	120%	
Hf	1	3757436	0.03	0.04	28.6%	< 0.02				80%	120%	
Hg	1	3757436	0.034	0.036	5.7%	< 0.01				80%	120%	
In	1	3757436	0.0085	0.0104	20.1%	< 0.005				80%	120%	
K	1	3757538	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3757436	12.1	11.3	6.8%	< 0.1				80%	120%	
Li	1	3757436	5.62	6.85	19.7%	< 0.1				80%	120%	
Mg	1	3757538	0.185	0.200	7.8%	< 0.01				80%	120%	
Mn	1	3757538	72	78	8.0%	< 1				80%	120%	
Mo	1	3757436	0.54	0.66	20.0%	< 0.05	352	360	97%	80%	120%	
Na	1	3757538	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757436	2.24	2.96	27.7%	< 0.05				80%	120%	
Ni	1	3757538	8.4	9.0	6.9%	< 0.2				80%	120%	
P	1	3757538	210	221	5.1%	< 10	590	600	98%	80%	120%	
Pb	1	3757436	6.23	6.39	2.5%	< 0.1				80%	120%	
Rb	1	3757436	3.2	3.9	19.7%	< 0.1				80%	120%	
Re	1	3757436	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757538	0.0203	0.0209	2.9%	< 0.005				80%	120%	
Sb	1	3757436	0.06	0.07	15.4%	< 0.05				80%	120%	
Sc	1	3757436	1.42	1.82	24.7%	< 0.1				80%	120%	
Se	1	3757436	0.3	0.4	28.6%	< 0.2				80%	120%	
Sn	1	3757436	0.54	0.64	16.9%	< 0.2				80%	120%	
Sr	1	3757436	15.8	19.4	20.5%	< 0.2				80%	120%	
Ta	1	3757436	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757436	0.016	0.012	28.6%	< 0.01				80%	120%	
Th	1	3757436	2.8	2.3	19.6%	< 0.1				80%	120%	
Ti	1	3757538	0.0694	0.0706	1.7%	< 0.005				80%	120%	
Tl	1	3757436	0.05	0.05	0.0%	< 0.01				80%	120%	
U	1	3757436	0.48	0.48	0.0%	< 0.05				80%	120%	
V	1	3757538	21.5	22.5	4.5%	< 0.5				80%	120%	
W	1	3757436	0.156	0.124	22.9%	< 0.05				80%	120%	
Y	1	3757436	3.21	4.06	23.4%	< 0.05	7	7	100%	80%	120%	
Zn	1	3757538	15.9	17.1	7.3%	< 0.5				80%	120%	
Zr	1	3757436	1.7	2.4		< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757461	0.12	0.12	0.0%	< 0.01	14.5	13.0	112%	80%	120%	
Al	1	3757561	2.69	2.67	0.7%	< 0.01				80%	120%	
As	1	3757461	4.2	2.8		< 0.1				80%	120%	
Au	1	3757461	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
B	1	3757461	7	6	15.4%	< 5	5.58	7.00	80%	80%	120%
Ba	1	3757561	37	37	0.0%	< 1				80%	120%
Be	1	3757461	0.60	0.56	6.9%	< 0.05				80%	120%
Bi	1	3757461	0.146	0.124	16.3%	< 0.01				80%	120%
Ca	1	3757561	0.13	0.13	0.0%	< 0.01				80%	120%
Cd	1	3757461	0.29	0.27	7.1%	< 0.01				80%	120%
Ce	1	3757461	72.7	64.4	12.1%	< 0.01				80%	120%
Co	1	3757461	9.66	7.52	24.9%	< 0.1				80%	120%
Cr	1	3757561	29.8	28.9	3.1%	< 0.5				80%	120%
Cs	1	3757461	1.54	1.36	12.4%	< 0.05				80%	120%
Cu	1	3757561	3.1	3.1	0.0%	< 0.1	5585	6000	93%	80%	120%
Fe	1	3757561	1.88	1.85	1.6%	< 0.01				80%	120%
Ga	1	3757461	5.49	5.21	5.2%	< 0.05				80%	120%
Ge	1	3757461	0.13	0.12	8.0%	< 0.05				80%	120%
Hf	1	3757461	0.088	0.096	8.7%	< 0.02				80%	120%
Hg	1	3757461	0.066	0.057	14.6%	< 0.01				80%	120%
In	1	3757461	0.0205	0.0186	9.7%	< 0.005				80%	120%
K	1	3757561	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3757461	41.7	36.8	12.5%	< 0.1				80%	120%
Li	1	3757461	26.1	23.8	9.2%	< 0.1				80%	120%
Mg	1	3757561	0.213	0.221	3.7%	< 0.01				80%	120%
Mn	1	3757561	94	94	0.0%	< 1				80%	120%
Mo	1	3757461	1.39	1.19	15.5%	< 0.05	331	360	91%	80%	120%
Na	1	3757561	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757461	1.91	1.77	7.6%	< 0.05				80%	120%
Ni	1	3757561	12.3	11.7	5.0%	< 0.2				80%	120%
P	1	3757561	605	601	0.7%	< 10	556	600	93%	80%	120%
Pb	1	3757461	9.96	8.79	12.5%	< 0.1				80%	120%
Rb	1	3757461	24.7	22.5	9.3%	< 0.1				80%	120%
Re	1	3757461	0.001	0.001	0.0%	< 0.001				80%	120%
S	1	3757561	0.034	0.034	0.0%	< 0.005				80%	120%
Sb	1	3757461	0.12	0.10	18.2%	< 0.05				80%	120%
Sc	1	3757461	2.96	2.54	15.3%	< 0.1				80%	120%
Se	1	3757461	0.6	0.6	0.0%	< 0.2				80%	120%
Sn	1	3757461	0.56	0.51	9.3%	< 0.2				80%	120%
Sr	1	3757461	23.7	21.6	9.3%	< 0.2				80%	120%
Ta	1	3757461	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757461	0.02	0.01		< 0.01				80%	120%
Th	1	3757461	2.2	1.9	14.6%	< 0.1	1.2	1.4	85%	80%	120%
Ti	1	3757561	0.0719	0.0701	2.5%	< 0.005				80%	120%
Tl	1	3757461	0.13	0.12	8.0%	< 0.01				80%	120%
U	1	3757461	1.95	1.72	12.5%	< 0.05				80%	120%
V	1	3757561	26.8	25.8	3.8%	< 0.5				80%	120%
W	1	3757461	0.14	0.12	15.4%	< 0.05				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Y	1	3757461	15.2	13.9	8.9%	< 0.05	7	7	105%	80%	120%	
Zn	1	3757561	36.2	36.2	0.0%	< 0.5				80%	120%	
Zr	1	3757461	2.95	3.27	10.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757486	0.055	0.048	13.6%	< 0.01	14.7	13.0	113%	80%	120%	
Al	1	3757586	1.12	1.11	0.9%	< 0.01				80%	120%	
As	1	3757486	1.0	0.6		< 0.1				80%	120%	
Au	1	3757486	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757486	9	8	11.8%	< 5				80%	120%	
Ba	1	3757586	28	27	3.6%	< 1				80%	120%	
Be	1	3757486	0.166	0.153	8.2%	< 0.05				80%	120%	
Bi	1	3757486	0.03	0.03	0.0%	< 0.01				80%	120%	
Ca	1	3757586	0.17	0.17	0.0%	< 0.01				80%	120%	
Cd	1	3757486	0.05	0.05	0.0%	< 0.01				80%	120%	
Ce	1	3757486	32.1	29.1	9.8%	< 0.01				80%	120%	
Co	1	3757486	2.8	2.6	7.4%	< 0.1				80%	120%	
Cr	1	3757586	20.4	20.5	0.5%	< 0.5				80%	120%	
Cs	1	3757486	0.34	0.30	12.5%	< 0.05				80%	120%	
Cu	1	3757586	0.7	0.7	0.0%	< 0.1	5897	6000	98%	80%	120%	
Fe	1	3757586	1.78	1.78	0.0%	< 0.01				80%	120%	
Ga	1	3757486	2.05	1.82	11.9%	< 0.05				80%	120%	
Ge	1	3757486	< 0.05	0.05		< 0.05				80%	120%	
Hf	1	3757486	0.256	0.231	10.3%	< 0.02				80%	120%	
Hg	1	3757486	0.02	0.01		< 0.01				80%	120%	
In	1	3757486	0.009	0.009	0.0%	< 0.005				80%	120%	
K	1	3757586	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3757486	16.7	14.7	12.7%	< 0.1				80%	120%	
Li	1	3757486	6.31	5.53	13.2%	< 0.1				80%	120%	
Mg	1	3757586	0.19	0.19	0.0%	< 0.01				80%	120%	
Mn	1	3757586	99	99	0.0%	< 1				80%	120%	
Mo	1	3757486	0.24	0.18	28.6%	< 0.05	349	360	96%	80%	120%	
Na	1	3757586	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757486	1.59	1.38	14.1%	< 0.05				80%	120%	
Ni	1	3757586	6.92	6.96	0.6%	< 0.2				80%	120%	
P	1	3757586	1010	1010	0.0%	< 10	594	600	99%	80%	120%	
Pb	1	3757486	2.6	2.5	3.9%	< 0.1				80%	120%	
Rb	1	3757486	4.8	4.2	13.3%	< 0.1				80%	120%	
Re	1	3757486	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757586	0.015	0.015	0.0%	< 0.005				80%	120%	
Sb	1	3757486	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757486	2.2	2.0	9.5%	< 0.1				80%	120%	
Se	1	3757486	0.80	0.71	11.9%	< 0.2				80%	120%	
Sn	1	3757486	0.3	0.3	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sr	1	3757486	81.5	73.9	9.8%	< 0.2				80%	120%
Ta	1	3757486	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757486	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Th	1	3757486	3.2	3.0	6.5%	< 0.1	1.2	1.4	86%	80%	120%
Ti	1	3757586	0.073	0.073	0.0%	< 0.005				80%	120%
Tl	1	3757486	0.05	0.05	0.0%	< 0.01				80%	120%
U	1	3757486	0.492	0.452	8.5%	< 0.05				80%	120%
V	1	3757586	28.3	28.0	1.1%	< 0.5				80%	120%
W	1	3757486	0.077	0.072	6.7%	< 0.05				80%	120%
Y	1	3757486	8.54	7.73	10.0%	< 0.05	7	7	105%	80%	120%
Zn	1	3757586	24.2	24.7	2.0%	< 0.5				80%	120%
Zr	1	3757486	13.2	11.7	12.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757511	0.09	0.10	10.5%	< 0.01	14.7	13.0	113%	80%	120%
Al	1	3757599	1.04	1.09	4.7%	< 0.01				80%	120%
As	1	3757511	3.4	3.9	13.7%	< 0.1				80%	120%
Au	1	3757511	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757511	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757599	50	50	0.0%	< 1				80%	120%
Be	1	3757511	0.72	0.83	14.2%	< 0.05				80%	120%
Bi	1	3757511	0.097	0.095	2.1%	< 0.01				80%	120%
Ca	1	3757599	0.16	0.16	0.0%	< 0.01				80%	120%
Cd	1	3757511	0.11	0.13	16.7%	< 0.01				80%	120%
Ce	1	3757511	52.8	53.0	0.4%	< 0.01				80%	120%
Co	1	3757511	5.5	6.5	16.7%	< 0.1				80%	120%
Cr	1	3757599	17.9	19.6	9.1%	< 0.5				80%	120%
Cs	1	3757511	1.53	1.53	0.0%	< 0.05				80%	120%
Cu	1	3757599	1.0	1.4	< 0.1	< 0.1	5612	6000	93%	80%	120%
Fe	1	3757599	1.60	1.66	3.7%	< 0.01				80%	120%
Ga	1	3757511	6.41	7.64	17.5%	< 0.05				80%	120%
Ge	1	3757511	0.14	0.12	15.4%	< 0.05				80%	120%
Hf	1	3757511	0.08	0.08	0.0%	< 0.02				80%	120%
Hg	1	3757511	0.08	0.08	0.0%	< 0.01				80%	120%
In	1	3757511	0.0249	0.0298	17.9%	< 0.005				80%	120%
K	1	3757599	0.06	0.06	0.0%	< 0.01				80%	120%
La	1	3757511	21.2	21.5	1.4%	< 0.1				80%	120%
Li	1	3757511	27.2	32.2	16.8%	< 0.1				80%	120%
Mg	1	3757599	0.20	0.20	0.0%	< 0.01				80%	120%
Mn	1	3757599	121	130	7.2%	< 1				80%	120%
Mo	1	3757511	1.02	1.27	21.8%	< 0.05	332	360	92%	80%	120%
Na	1	3757599	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757511	3.11	3.83	20.7%	< 0.05				80%	120%
Ni	1	3757599	5.2	6.0	14.3%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
P	1	3757599	1360	1500	9.8%	< 10	552	600	92%	80%	120%	
Pb	1	3757511	8.0	8.0	0.0%	< 0.1				80%	120%	
Rb	1	3757511	5.7	6.9	19.0%	< 0.1				80%	120%	
Re	1	3757511	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757599	0.0144	0.0150	4.1%	< 0.005				80%	120%	
Sb	1	3757511	0.09	0.10	10.5%	< 0.05				80%	120%	
Sc	1	3757511	2.34	2.84	19.3%	< 0.1				80%	120%	
Se	1	3757511	0.64	0.81	23.4%	< 0.2				80%	120%	
Sn	1	3757511	0.5	0.6	18.2%	< 0.2				80%	120%	
Sr	1	3757511	13.7	16.9	20.9%	< 0.2				80%	120%	
Ta	1	3757511	0.053	0.055	3.7%	< 0.01				80%	120%	
Te	1	3757511	0.025	0.031	21.4%	< 0.01				80%	120%	
Th	1	3757511	4.55	4.52	0.7%	< 0.1	1.1	1.4	81%	80%	120%	
Ti	1	3757599	0.0864	0.0880	1.8%	< 0.005				80%	120%	
Tl	1	3757511	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3757511	1.25	1.24	0.8%	< 0.05				80%	120%	
V	1	3757599	24.6	26.4	7.1%	< 0.5				80%	120%	
W	1	3757511	0.21	0.16	27.0%	< 0.05				80%	120%	
Y	1	3757511	5.38	6.79	23.2%	< 0.05	6	7	91%	80%	120%	
Zn	1	3757599	30.8	33.8	9.3%	< 0.5				80%	120%	
Zr	1	3757511	3.0	3.6	18.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757531	0.08	0.08	0.0%	< 0.01	14.2	13.0	109%	80%	120%	
Al	1	3757611	1.25	1.24	0.8%	< 0.01				80%	120%	
As	1	3757531	2.17	2.66	20.3%	< 0.1				80%	120%	
Au	1	3757531	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757531	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757611	48	48	0.0%	< 1				80%	120%	
Be	1	3757531	0.21	0.19	10.0%	< 0.05				80%	120%	
Bi	1	3757531	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1	3757611	0.46	0.45	2.2%	< 0.01				80%	120%	
Cd	1	3757531	0.065	0.061	6.3%	< 0.01				80%	120%	
Ce	1	3757531	31.3	33.1	5.6%	< 0.01				80%	120%	
Co	1	3757531	4.15	3.88	6.7%	< 0.1				80%	120%	
Cr	1	3757611	26.1	25.4	2.7%	< 0.5				80%	120%	
Cs	1	3757531	1.26	1.18	6.6%	< 0.05				80%	120%	
Cu	1	3757611	15.2	13.4	12.6%	< 0.1	5588	6000	93%	80%	120%	
Fe	1	3757611	1.76	1.72	2.3%	< 0.01				80%	120%	
Ga	1	3757531	4.80	4.49	6.7%	< 0.05				80%	120%	
Ge	1	3757531	0.12	0.13	8.0%	< 0.05				80%	120%	
Hf	1	3757531	0.058	0.052	10.9%	< 0.02				80%	120%	
Hg	1	3757531	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3757531	0.0128	0.0119	7.3%	< 0.005				80%	120%	
K	1	3757611	0.05	0.05	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 25, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
La	1	3757531	15.2	16.2	6.4%	< 0.1				80%	120%	
Li	1	3757531	12.0	10.8	10.5%	< 0.1				80%	120%	
Mg	1	3757611	0.348	0.344	1.2%	< 0.01				80%	120%	
Mn	1	3757611	196	193	1.5%	< 1				80%	120%	
Mo	1	3757531	0.454	0.502	10.0%	< 0.05	322	360	89%	80%	120%	
Na	1	3757611	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757531	2.50	2.29	8.8%	< 0.05				80%	120%	
Ni	1	3757611	15.1	14.8	2.0%	< 0.2				80%	120%	
P	1	3757611	232	225	3.1%	< 10	549	600	92%	80%	120%	
Pb	1	3757531	5.64	5.73	1.6%	< 0.1				80%	120%	
Rb	1	3757531	14.4	13.5	6.5%	< 0.1				80%	120%	
Re	1	3757531	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757611	0.0188	0.0185	1.6%	< 0.005				80%	120%	
Sb	1	3757531	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757531	2.17	1.92	12.2%	< 0.1				80%	120%	
Se	1	3757531	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757531	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3757531	15.0	13.0	14.3%	< 0.2				80%	120%	
Ta	1	3757531	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757531	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3757531	3.03	3.90	25.1%	< 0.1				80%	120%	
Ti	1	3757611	0.087	0.084	3.5%	< 0.005				80%	120%	
Tl	1	3757531	0.077	0.070	9.5%	< 0.01				80%	120%	
U	1	3757531	0.413	0.493	17.7%	< 0.05				80%	120%	
V	1	3757611	29.1	28.3	2.8%	< 0.5				80%	120%	
W	1	3757531	0.17	0.13	26.7%	< 0.05				80%	120%	
Y	1	3757531	3.68	3.41	7.6%	< 0.05	6	7	91%	80%	120%	
Zn	1	3757611	54.9	53.7	2.2%	< 0.5				80%	120%	
Zr	1	3757531	2.47	2.21	11.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757538	0.07	0.07	0.0%	< 0.01	14.3	13.0	110%	80%	120%	
As	1	3757538	4.1	2.3		< 0.1				80%	120%	
Au	1	3757538	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757538	< 5	< 5	0.0%	< 5				80%	120%	
Be	1	3757538	0.149	0.167	11.4%	< 0.05				80%	120%	
Bi	1	3757538	0.101	0.093	8.2%	< 0.01				80%	120%	
Cd	1	3757538	0.10	0.10	0.0%	< 0.01				80%	120%	
Ce	1	3757538	26.6	27.2	2.2%	< 0.01				80%	120%	
Co	1	3757538	2.23	2.31	3.5%	< 0.1				80%	120%	
Cs	1	3757538	0.95	1.00	5.1%	< 0.05				80%	120%	
Cu	1					< 0.1	5681	6000	94%	80%	120%	
Ga	1	3757538	5.08	5.21	2.5%	< 0.05				80%	120%	
Ge	1	3757538	0.127	0.118	7.3%	< 0.05				80%	120%	
Hf	1	3757538	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3757538	0.06	0.06	0.0%	< 0.01				80%	120%
In	1	3757538	0.011	0.011	0.0%	< 0.005				80%	120%
La	1	3757538	10.3	10.7	3.8%	< 0.1				80%	120%
Li	1	3757538	6.83	7.01	2.6%	< 0.1				80%	120%
Mo	1	3757538	0.569	0.511	10.7%	< 0.05	336	360	93%	80%	120%
Nb	1	3757538	1.91	2.00	4.6%	< 0.05				80%	120%
P	1					< 10	565	600	94%	80%	120%
Pb	1	3757538	6.29	6.36	1.1%	< 0.1				80%	120%
Rb	1	3757538	13.3	13.5	1.5%	< 0.1				80%	120%
Re	1	3757538	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3757538	0.068	0.062	9.2%	< 0.05				80%	120%
Sc	1	3757538	1.04	1.07	2.8%	< 0.1				80%	120%
Se	1	3757538	0.3	0.3	0.0%	< 0.2				80%	120%
Sn	1	3757538	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3757538	7.9	7.9	0.0%	< 0.2				80%	120%
Ta	1	3757538	< 0.01	< 0.01	0.0%	< 0.01	0.7	0.9	83%	80%	120%
Te	1	3757538	0.014	0.015	6.9%	< 0.01				80%	120%
Th	1	3757538	1.5	1.5	0.0%	< 0.1	1.1	1.4	80%	80%	120%
Tl	1	3757538	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757538	0.36	0.36	0.0%	< 0.05				80%	120%
W	1	3757538	0.174	0.188	7.7%	< 0.05				80%	120%
Y	1	3757538	1.84	1.91	3.7%	< 0.05	7	7	93%	80%	120%
Zr	1	3757538	0.45	0.50	10.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757561	0.21	0.23	9.1%	< 0.01	14.5	13.0	111%	80%	120%
As	1	3757561	3.14	3.28	4.4%	< 0.1				80%	120%
Au	1	3757561	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757561	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757561	0.541	0.550	1.6%	< 0.05				80%	120%
Bi	1	3757561	0.08	0.08	0.0%	< 0.01				80%	120%
Cd	1	3757561	0.093	0.101	8.2%	< 0.01				80%	120%
Ce	1	3757561	23.5	22.5	4.3%	< 0.01				80%	120%
Co	1	3757561	5.3	5.3	0.0%	< 0.1				80%	120%
Cs	1	3757561	1.40	1.40	0.0%	< 0.05				80%	120%
Cu	1					< 0.1	5614	6000	93%	80%	120%
Ga	1	3757561	5.18	5.39	4.0%	< 0.05				80%	120%
Ge	1	3757561	0.093	0.101	8.2%	< 0.05				80%	120%
Hf	1	3757561	0.025	0.028	11.3%	< 0.02				80%	120%
Hg	1	3757561	0.07	0.08	13.3%	< 0.01				80%	120%
In	1	3757561	0.023	0.023	0.0%	< 0.005				80%	120%
La	1	3757561	12.5	12.2	2.4%	< 0.1				80%	120%
Li	1	3757561	13.6	13.9	2.2%	< 0.1				80%	120%
Mo	1	3757561	0.940	0.865	8.3%	< 0.05	337	360	93%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Nb	1	3757561	2.91	2.92	0.3%	< 0.05				80%	120%
P	1					< 10	559	600	93%	80%	120%
Pb	1	3757561	5.19	5.38	3.6%	< 0.1				80%	120%
Rb	1	3757561	7.44	7.70	3.4%	< 0.1				80%	120%
Re	1	3757561	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3757561	0.09	0.09	0.0%	< 0.05				80%	120%
Sc	1	3757561	2.1	2.1	0.0%	< 0.1				80%	120%
Se	1	3757561	0.9	0.9	0.0%	< 0.2				80%	120%
Sn	1	3757561	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3757561	11.6	12.0	3.4%	< 0.2				80%	120%
Ta	1	3757561	0.05	0.05	0.0%	< 0.01				80%	120%
Te	1	3757561	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3757561	1.37	1.33	3.0%	< 0.1	1.2	1.4	85%	80%	120%
Tl	1	3757561	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757561	0.53	0.52	1.9%	< 0.05				80%	120%
W	1	3757561	0.17	0.16	6.1%	< 0.05				80%	120%
Y	1	3757561	3.74	3.76	0.5%	< 0.05	7	7	105%	80%	120%
Zr	1	3757561	0.99	1.18	17.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757586	0.119	0.115	3.4%	< 0.01	11.5	13.0	88%	80%	120%
As	1	3757586	3.4	3.2	6.1%	< 0.1				80%	120%
Au	1	3757586	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757586	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757586	0.22	0.22	0.0%	< 0.05				80%	120%
Bi	1	3757586	0.12	0.12	0.0%	< 0.01				80%	120%
Cd	1	3757586	0.07	0.08	13.3%	< 0.01				80%	120%
Ce	1	3757586	26.0	26.0	0.0%	< 0.01				80%	120%
Co	1	3757586	2.8	2.8	0.0%	< 0.1				80%	120%
Cs	1	3757586	2.01	2.08	3.4%	< 0.05				80%	120%
Cu	1					< 0.1	5725	6000	95%	80%	120%
Ga	1	3757586	5.91	5.99	1.3%	< 0.05				80%	120%
Ge	1	3757586	0.14	0.14	0.0%	< 0.05				80%	120%
Hf	1	3757586	0.02	0.02	0.0%	< 0.02				80%	120%
Hg	1	3757586	0.04	0.04	0.0%	< 0.01				80%	120%
In	1	3757586	0.016	0.016	0.0%	< 0.005				80%	120%
La	1	3757586	13.4	13.4	0.0%	< 0.1				80%	120%
Li	1	3757586	8.42	8.67	2.9%	< 0.1				80%	120%
Mo	1	3757586	0.619	0.584	5.8%	< 0.05	329	360	91%	80%	120%
Nb	1	3757586	2.41	2.34	2.9%	< 0.05				80%	120%
P	1					< 10	564	600	94%	80%	120%
Pb	1	3757586	6.8	6.9	1.5%	< 0.1				80%	120%
Rb	1	3757586	11.6	11.6	0.0%	< 0.1				80%	120%
Re	1	3757586	< 0.001	< 0.001	0.0%	< 0.001				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sb	1	3757586	0.065	0.065	0.0%	< 0.05				80%	120%
Sc	1	3757586	1.2	1.2	0.0%	< 0.1				80%	120%
Se	1	3757586	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3757586	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3757586	13.4	13.2	1.5%	< 0.2				80%	120%
Ta	1	3757586	< 0.01	< 0.01	0.0%	< 0.01	1.1	0.9	120%	80%	120%
Te	1	3757586	0.016	0.014	13.3%	< 0.01				80%	120%
Th	1	3757586	2.3	2.3	0.0%	< 0.1				80%	120%
Tl	1	3757586	0.05	0.05	0.0%	< 0.01				80%	120%
U	1	3757586	0.47	0.47	0.0%	< 0.05				80%	120%
W	1	3757586	0.176	0.185	5.0%	< 0.05				80%	120%
Y	1	3757586	2.86	2.74	4.3%	< 0.05				80%	120%
Zr	1	3757586	0.7	0.7	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757599	0.086	0.084	2.4%	< 0.01	12	13.0	92%	80%	120%
As	1	3757599	1.8	1.8	0.0%	< 0.1				80%	120%
Au	1	3757599	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757599	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757599	0.24	0.26	8.0%	< 0.05				80%	120%
Bi	1	3757599	0.12	0.12	0.0%	< 0.01				80%	120%
Cd	1	3757599	0.07	0.07	0.0%	< 0.01				80%	120%
Ce	1	3757599	27.9	27.1	2.9%	< 0.01				80%	120%
Co	1	3757599	2.54	2.80	9.7%	< 0.1				80%	120%
Cs	1	3757599	1.98	1.98	0.0%	< 0.05				80%	120%
Cu	1					< 0.1	5848	6000	97%	80%	120%
Ga	1	3757599	6.94	7.34	5.6%	< 0.05				80%	120%
Ge	1	3757599	0.15	0.15	0.0%	< 0.05				80%	120%
Hf	1	3757599	0.02	0.02	0.0%	< 0.02				80%	120%
Hg	1	3757599	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3757599	0.014	0.014	0.0%	< 0.005				80%	120%
La	1	3757599	13.9	13.7	1.4%	< 0.1				80%	120%
Li	1	3757599	9.74	10.6	8.5%	< 0.1				80%	120%
Mo	1	3757599	0.322	0.360	11.1%	< 0.05	342	360	95%	80%	120%
Nb	1	3757599	2.19	2.32	5.8%	< 0.05				80%	120%
P	1					< 10	567	600	94%	80%	120%
Pb	1	3757599	6.9	6.9	0.0%	< 0.1				80%	120%
Rb	1	3757599	24.9	25.5	2.4%	< 0.1				80%	120%
Re	1	3757599	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3757599	0.051	0.056	9.3%	< 0.05				80%	120%
Sc	1	3757599	1.32	1.37	3.7%	< 0.1				80%	120%
Se	1	3757599	0.3	0.3	0.0%	< 0.2				80%	120%
Sn	1	3757599	0.6	0.6	0.0%	< 0.2				80%	120%
Sr	1	3757599	11.1	11.9	7.0%	< 0.2				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ta	1	3757599	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757599	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3757599	2.5	2.5	0.0%	< 0.1	1.2	1.4	84%	80%	120%
Tl	1	3757599	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3757599	0.422	0.441	4.4%	< 0.05				80%	120%
W	1	3757599	0.114	0.117	2.6%	< 0.05				80%	120%
Y	1	3757599	2.68	2.80	4.4%	< 0.05	8	7	118%	80%	120%
Zr	1	3757599	0.8	0.8	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757611	0.07	0.07	0.0%	< 0.01	14.7	13.0	113%	80%	120%
As	1	3757611	2.96	2.60	12.9%	< 0.1				80%	120%
Au	1	3757611	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757611	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757611	0.26	0.25	3.9%	< 0.05				80%	120%
Bi	1	3757611	0.12	0.12	0.0%	< 0.01				80%	120%
Cd	1	3757611	0.150	0.141	6.2%	< 0.01				80%	120%
Ce	1	3757611	34.6	35.4	2.3%	< 0.01				80%	120%
Co	1	3757611	6.0	5.9	1.7%	< 0.1				80%	120%
Cs	1	3757611	2.25	2.15	4.5%	< 0.05				80%	120%
Ga	1	3757611	5.05	4.92	2.6%	< 0.05				80%	120%
Ge	1	3757611	0.15	0.15	0.0%	< 0.05				80%	120%
Hf	1	3757611	0.03	0.03	0.0%	< 0.02				80%	120%
Hg	1	3757611	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3757611	0.019	0.019	0.0%	< 0.005				80%	120%
La	1	3757611	19.4	19.9	2.5%	< 0.1				80%	120%
Li	1	3757611	14.0	13.8	1.4%	< 0.1				80%	120%
Mo	1	3757611	0.616	0.559	9.7%	< 0.05				80%	120%
Nb	1	3757611	1.85	1.82	1.6%	< 0.05				80%	120%
Pb	1	3757611	6.03	5.93	1.7%	< 0.1				80%	120%
Rb	1	3757611	11.2	10.8	3.6%	< 0.1				80%	120%
Re	1	3757611	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3757611	0.057	0.051	11.1%	< 0.05				80%	120%
Sc	1	3757611	1.9	1.9	0.0%	< 0.1				80%	120%
Se	1	3757611	0.3	0.3	0.0%	< 0.2				80%	120%
Sn	1	3757611	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3757611	15.8	15.0	5.2%	< 0.2				80%	120%
Ta	1	3757611	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757611	0.025	0.020	22.2%	< 0.01				80%	120%
Th	1	3757611	2.18	2.76	23.5%	< 0.1				80%	120%
Tl	1	3757611	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3757611	0.50	0.51	2.0%	< 0.05				80%	120%
W	1	3757611	0.158	0.143	10.0%	< 0.05				80%	120%
Y	1	3757611	7.08	6.78	4.3%	< 0.05	6	7	86%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zr	1	3757611	1.1	1.1	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757638	0.07	0.07	0.0%	< 0.01	14.6	13.0	112%	80%	120%
As	1	3757638	1.9	1.0		< 0.1				80%	120%
Au	1	3757638	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757638	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757638	0.177	0.172	2.9%	< 0.05				80%	120%
Bi	1	3757638	0.05	0.05	0.0%	< 0.01				80%	120%
Cd	1	3757638	0.157	0.165	5.0%	< 0.01				80%	120%
Ce	1	3757638	86.1	88.8	3.1%	< 0.01				80%	120%
Co	1	3757638	2.6	2.6	0.0%	< 0.1				80%	120%
Cs	1	3757638	0.98	1.01	3.0%	< 0.05				80%	120%
Ga	1	3757638	2.20	2.22	0.9%	< 0.05				80%	120%
Ge	1	3757638	0.213	0.220	3.2%	< 0.05				80%	120%
Hf	1	3757638	< 0.02	< 0.02	0.0%	< 0.02				80%	120%
Hg	1	3757638	0.063	0.065	3.1%	< 0.01				80%	120%
In	1	3757638	0.007	0.007	0.0%	< 0.005				80%	120%
La	1	3757638	62.0	64.7	4.3%	< 0.1				80%	120%
Li	1	3757638	5.2	5.0	3.9%	< 0.1				80%	120%
Mo	1	3757638	0.665	0.661	0.6%	< 0.05				80%	120%
Nb	1	3757638	0.53	0.53	0.0%	< 0.05				80%	120%
Pb	1	3757638	3.7	3.8	2.7%	< 0.1				80%	120%
Rb	1	3757638	3.1	3.1	0.0%	< 0.1				80%	120%
Re	1	3757638	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3757638	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757638	1.50	1.56	3.9%	< 0.1				80%	120%
Se	1	3757638	0.8	0.8	0.0%	< 0.2				80%	120%
Sn	1	3757638	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sr	1	3757638	14.4	14.7	2.1%	< 0.2				80%	120%
Ta	1	3757638	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757638	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3757638	0.37	0.35	5.6%	< 0.1				80%	120%
Tl	1	3757638	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3757638	1.36	1.38	1.5%	< 0.05				80%	120%
W	1	3757638	0.14	0.07		< 0.05				80%	120%
Y	1	3757638	17.4	17.5	0.6%	< 0.05	7	7	95%	80%	120%
Zr	1	3757638	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757661	0.06	0.06	0.0%	< 0.01	14.7	13.0	113%	80%	120%
As	1	3757661	2.1	3.6		< 0.1				80%	120%
Au	1	3757661	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757661	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3757661	0.21	0.21	0.0%	< 0.05				80%	120%
Bi	1	3757661	0.099	0.106	6.8%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Cd	1	3757661	0.07	0.07	0.0%	< 0.01			80%	120%
Ce	1	3757661	25.5	27.2	6.5%	< 0.01			80%	120%
Co	1	3757661	4.2	4.4	4.7%	< 0.1			80%	120%
Cs	1	3757661	1.82	1.89	3.8%	< 0.05			80%	120%
Ga	1	3757661	4.69	4.93	5.0%	< 0.05			80%	120%
Ge	1	3757661	0.14	0.14	0.0%	< 0.05			80%	120%
Hf	1	3757661	< 0.02	< 0.02	0.0%	< 0.02			80%	120%
Hg	1	3757661	0.03	0.03	0.0%	< 0.01			80%	120%
In	1	3757661	0.012	0.012	0.0%	< 0.005			80%	120%
La	1	3757661	11.1	11.9	7.0%	< 0.1			80%	120%
Li	1	3757661	10.2	10.6	3.8%	< 0.1			80%	120%
Mo	1	3757661	0.304	0.363	17.7%	< 0.05			80%	120%
Nb	1	3757661	1.27	1.38	8.3%	< 0.05			80%	120%
Pb	1	3757661	5.8	6.0	3.4%	< 0.1			80%	120%
Rb	1	3757661	10.0	10.3	3.0%	< 0.1			80%	120%
Re	1	3757661	< 0.001	< 0.001	0.0%	< 0.001			80%	120%
Sb	1	3757661	< 0.05	< 0.05	0.0%	< 0.05			80%	120%
Sc	1	3757661	1.13	1.21	6.8%	< 0.1			80%	120%
Se	1	3757661	0.2	0.2	0.0%	< 0.2			80%	120%
Sn	1	3757661	0.4	0.4	0.0%	< 0.2			80%	120%
Sr	1	3757661	8.5	8.8	3.5%	< 0.2			80%	120%
Ta	1	3757661	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
Te	1	3757661	0.01	0.01	0.0%	< 0.01			80%	120%
Th	1	3757661	1.74	1.82	4.5%	< 0.1			80%	120%
Tl	1	3757661	0.05	0.05	0.0%	< 0.01			80%	120%
U	1	3757661	0.34	0.35	2.9%	< 0.05			80%	120%
W	1	3757661	0.09	0.09	0.0%	< 0.05			80%	120%
Y	1	3757661	2.42	2.52	4.0%	< 0.05	7	7	97%	80%
Zr	1	3757661	0.4	0.5	22.2%	< 0.5			80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1	3757686	0.25	0.26	3.9%	< 0.01	14.7	13.0	113%	80%
As	1	3757686	2.34	2.86	20.0%	< 0.1			80%	120%
Au	1	3757686	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
B	1	3757686	< 5	< 5	0.0%	< 5			80%	120%
Be	1	3757686	0.29	0.32	9.8%	< 0.05			80%	120%
Bi	1	3757686	0.13	0.13	0.0%	< 0.01			80%	120%
Cd	1	3757686	0.57	0.57	0.0%	< 0.01			80%	120%
Ce	1	3757686	42.6	45.1	5.7%	< 0.01			80%	120%
Co	1	3757686	11.1	11.6	4.4%	< 0.1			80%	120%
Cs	1	3757686	1.63	1.69	3.6%	< 0.05			80%	120%
Ga	1	3757686	4.82	5.10	5.6%	< 0.05			80%	120%
Ge	1	3757686	0.158	0.129	20.2%	< 0.05			80%	120%
Hf	1	3757686	< 0.02	< 0.02	0.0%	< 0.02			80%	120%
Hg	1	3757686	0.04	0.04	0.0%	< 0.01			80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3757686	0.016	0.016	0.0%	< 0.005			80%	120%	
La	1	3757686	24.1	25.5	5.6%	< 0.1			80%	120%	
Li	1	3757686	8.61	9.50	9.8%	< 0.1			80%	120%	
Mo	1	3757686	1.22	1.23	0.8%	< 0.05			80%	120%	
Nb	1	3757686	1.09	1.15	5.4%	< 0.05			80%	120%	
Pb	1	3757686	11.7	11.7	0.0%	< 0.1			80%	120%	
Rb	1	3757686	15.0	15.5	3.3%	< 0.1			80%	120%	
Re	1	3757686	< 0.001	< 0.001	0.0%	< 0.001			80%	120%	
Sb	1	3757686	0.10	0.10	0.0%	< 0.05			80%	120%	
Sc	1	3757686	1.4	1.4	0.0%	< 0.1			80%	120%	
Se	1	3757686	0.4	0.4	0.0%	< 0.2			80%	120%	
Sn	1	3757686	0.5	0.5	0.0%	< 0.2			80%	120%	
Sr	1	3757686	14.6	14.9	2.0%	< 0.2			80%	120%	
Ta	1	3757686	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Te	1	3757686	0.02	0.02	0.0%	< 0.01			80%	120%	
Th	1	3757686	0.8	0.7	13.3%	< 0.1			80%	120%	
Tl	1	3757686	0.07	0.07	0.0%	< 0.01			80%	120%	
U	1	3757686	0.58	0.56	3.5%	< 0.05			80%	120%	
W	1	3757686	0.26	0.16		< 0.05			80%	120%	
Y	1	3757686	7.05	7.28	3.2%	< 0.05	7	7	99%	80%	120%
Zr	1	3757686	< 0.5	< 0.5	0.0%	< 0.5			80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.6	13.0	90%	80%	120%
Y	1					< 0.05	6	7	80%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.4	13.0	88%	80%	120%
Y	1					< 0.05	8	7	113%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.7	13.0	90%	80%	120%
Y	1					< 0.05	8	7	110%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.6	13.0	89%	80%	120%
Th	1					< 0.1	1.1	1.4	80%	80%	120%
Y	1					< 0.05	8	7	111%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	14	13.0	108%	80%	120%
Y	1					< 0.05	7	7	102%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.9	13.0	91%	80%	120%
B	1					< 5	7.82	7.00	112%	80%	120%

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Ag	1					< 0.01	14.3	13.0	110%	80%	120%
Th	1					< 0.1	1.2	1.4	82%	80%	120%
Y	1					< 0.05	7	7	95%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.9	13.0	91%	80%	120%
Th	1					< 0.1	1.2	1.4	82%	80%	120%
Y	1					< 0.05	8	7	108%	80%	120%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757286	< 0.001	< 0.001	0.0%	< 0.001	1.65	1.52	108%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757297	< 0.001	< 0.001	0.0%	< 0.001	1.39	1.52	91%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757312	< 0.001	< 0.001	0.0%	< 0.001	0.619	0.607	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757323	< 0.001	< 0.001	0.0%	< 0.001	0.279	0.263	106%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757336	< 0.001	< 0.001	0.0%	< 0.001	1.45	1.52	95%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757349	< 0.001	< 0.001	0.0%	< 0.001	0.62	0.607	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757361	< 0.001	< 0.001	0.0%	< 0.001	0.289	0.263	110%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757373	< 0.001	< 0.001	0.0%	< 0.001	1.5	1.52	98%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757386	< 0.001	< 0.001	0.0%	< 0.001	0.636	0.607	105%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757398	< 0.001	< 0.001	0.0%	< 0.001	0.275	0.263	104%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757411	< 0.001	< 0.001	0.0%	< 0.001	1.64	1.52	107%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757423	0.012	0.008		< 0.001	0.277	0.263	105%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757436	0.002	0.006		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3757448	< 0.001	< 0.001	0.0%	< 0.001				90%	110%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Oct 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Au	1	3757462	< 0.001	< 0.001	0.0%	< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3757473	0.001	< 0.001		< 0.001			90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)										
Au	1	3757486	< 0.001	< 0.001	0.0%	< 0.001			90%	110%

Certified By:

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646801

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T646805

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 23, 2012

PAGES (INCLUDING COVER): 73

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1266		0.12	0.05	0.69	1.7	<0.01	<5	37	0.14	0.07	0.42	0.06	39.8	7.7	36.5
12-1267		0.10	0.26	1.54	3.0	<0.01	5	68	0.57	0.12	0.93	0.43	47.3	9.1	56.0
12-1268		0.18	0.14	1.88	2.3	<0.01	<5	91	0.58	0.13	0.69	0.08	53.9	8.7	45.1
12-1269		0.09	0.07	1.14	1.9	<0.01	<5	44	0.38	0.08	0.68	0.08	44.8	6.2	26.1
12-1270		0.12	0.08	0.86	1.6	<0.01	<5	46	0.27	0.06	1.07	0.11	39.6	5.3	19.0
12-1271		0.13	0.03	0.77	1.3	<0.01	<5	29	0.22	0.07	0.22	0.03	32.2	4.4	19.4
12-1272		0.15	0.05	0.93	2.9	<0.01	<5	45	0.24	0.06	0.42	0.06	34.8	4.1	20.9
12-1273		0.16	0.03	0.75	0.9	<0.01	5	38	0.18	0.05	4.56	0.05	33.3	3.3	16.9
12-1274		0.18	0.05	1.37	2.2	<0.01	<5	51	0.30	0.07	0.23	0.07	30.8	6.9	26.0
12-1275		0.15	0.06	0.99	1.5	<0.01	<5	31	0.18	0.06	0.22	0.06	21.9	4.2	18.7
12-1276		0.12	0.05	0.98	1.4	<0.01	<5	34	0.21	0.07	0.23	0.07	24.0	4.3	18.7
12-1277		0.14	0.06	0.69	1.2	<0.01	<5	25	0.16	0.06	0.41	0.07	23.7	3.4	15.0
12-1278		0.16	0.06	1.15	2.2	<0.01	<5	46	0.30	0.07	0.32	0.05	44.5	4.7	21.7
12-1279		0.11	0.06	0.85	1.4	<0.01	<5	30	0.12	0.08	0.09	0.06	18.3	2.5	10.6
12-1280		0.12	0.13	1.21	2.2	<0.01	<5	35	0.18	0.29	0.12	0.07	15.5	4.1	22.8
12-1281		0.16	0.14	1.01	1.6	<0.01	<5	26	0.16	0.09	0.08	0.05	18.7	2.5	13.2
12-1282		0.13	0.10	0.73	1.4	<0.01	<5	30	0.11	0.10	0.10	0.04	16.7	3.2	13.0
12-1283		0.11	0.11	0.69	1.8	<0.01	<5	33	0.13	0.12	0.13	0.04	16.8	2.2	14.9
12-1284		0.12	0.07	1.24	2.3	<0.01	<5	29	0.24	0.15	0.15	0.04	13.8	4.7	24.4
12-1285		0.16	0.15	1.43	1.6	<0.01	<5	29	0.24	0.08	0.21	0.04	29.7	7.8	22.6
12-1286		0.12	0.10	0.98	2.7	<0.01	<5	40	0.16	0.12	0.22	0.08	24.2	5.1	29.5
12-1287		0.15	0.05	0.60	1.0	<0.01	<5	28	0.13	0.05	0.22	0.04	25.4	2.3	12.0
12-1288		0.14	0.06	1.06	1.6	<0.01	<5	47	0.15	0.12	0.33	0.06	22.2	4.7	20.3
12-1289		0.16	0.06	1.05	2.2	<0.01	<5	56	0.20	0.13	0.20	0.08	28.8	4.8	27.7
12-1290		0.14	0.05	0.84	3.2	<0.01	<5	36	0.16	0.12	0.10	0.05	25.1	3.2	16.8
12-1291		0.12	0.04	1.26	1.3	<0.01	<5	49	0.17	0.07	0.31	0.03	18.2	7.9	32.0
12-1292		0.16	0.06	1.98	3.0	<0.01	<5	41	0.34	0.12	0.11	0.24	22.3	3.3	31.4
12-1293		0.13	0.05	0.65	1.1	<0.01	<5	26	0.05	0.15	0.11	0.04	9.43	3.4	21.6
12-1294		0.11	0.09	1.26	2.4	<0.01	<5	47	0.21	0.11	0.13	0.05	22.9	7.5	23.7
12-1295		0.14	0.05	1.44	1.7	<0.01	<5	34	0.17	0.08	0.19	0.04	14.8	9.1	49.1
12-1296		0.12	0.07	0.64	1.4	<0.01	<5	24	0.12	0.08	0.14	0.04	21.0	2.8	13.4

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-1297		0.11	0.06	1.62	2.4	<0.01	<5	32	0.33	0.08	0.24	0.07	44.4	8.0	25.6						
12-1298		0.17	0.08	1.04	2.9	<0.01	<5	41	0.21	0.12	0.24	0.04	22.8	5.8	23.5						
12-1299		0.16	0.08	0.94	1.9	<0.01	<5	45	0.20	0.14	0.23	0.05	31.9	4.4	21.7						
12-1300		0.12	0.13	1.09	2.4	<0.01	<5	39	0.21	0.10	0.10	0.05	18.7	3.4	18.6						
12-1301		0.13	0.11	0.80	1.7	<0.01	<5	29	0.12	0.11	0.08	0.04	19.5	1.6	12.4						
12-1302		0.16	0.08	0.73	2.5	<0.01	<5	29	0.12	0.14	0.09	0.06	19.2	2.2	13.5						
12-1303		0.13	0.16	1.54	3.1	<0.01	<5	55	0.26	0.10	0.18	0.06	27.1	6.7	25.7						
12-1304		0.14	0.09	1.08	1.5	<0.01	<5	39	0.22	0.08	0.25	0.05	25.9	5.7	22.5						
12-1305		0.12	0.08	1.86	2.1	<0.01	<5	54	0.41	0.11	0.52	0.13	61.5	6.9	33.5						
12-1306		0.11	0.06	1.54	2.5	<0.01	<5	64	0.49	0.13	0.62	0.11	67.4	7.7	36.7						
12-1307		0.15	0.05	1.55	2.2	<0.01	<5	84	0.31	0.11	0.63	0.15	42.1	8.1	34.8						
12-1308		0.16	0.10	0.92	3.0	<0.01	<5	29	0.17	0.10	0.13	0.04	27.7	4.5	20.0						
12-1309		0.12	0.14	0.63	1.4	<0.01	<5	16	0.08	0.10	0.07	0.03	15.5	1.2	9.4						
12-1310		0.14	0.05	0.51	1.5	<0.01	<5	18	0.09	0.08	0.05	0.02	14.0	1.3	9.0						
12-1311		0.13	0.14	1.47	1.9	<0.01	<5	60	0.24	0.12	0.40	0.09	19.5	2.6	20.9						
12-1312		0.16	0.06	1.78	2.5	<0.01	<5	61	0.28	0.08	0.21	0.03	24.9	6.2	29.8						
12-1313		0.15	0.11	1.13	2.5	<0.01	<5	46	0.21	0.09	0.19	0.06	28.4	5.0	22.3						
12-1314		0.11	0.07	1.36	2.3	<0.01	<5	35	0.23	0.09	0.15	0.07	25.6	4.6	21.0						
12-1315		0.15	0.09	1.40	1.8	<0.01	<5	26	0.26	0.11	0.12	0.04	20.1	3.1	20.8						
12-1316		0.17	0.07	0.80	5.2	<0.01	<5	38	0.13	0.21	0.16	0.07	18.1	2.3	18.5						
12-1317		0.15	0.06	0.50	1.4	<0.01	<5	22	0.11	0.12	0.11	0.03	25.1	2.2	10.7						
12-1318		0.13	0.06	1.06	1.6	<0.01	<5	36	0.19	0.10	0.16	0.04	26.6	3.1	15.8						
12-1319		0.12	0.09	1.13	2.3	<0.01	<5	37	0.22	0.13	0.17	0.03	25.0	3.2	15.9						
12-1320		0.10	0.11	1.49	2.5	<0.01	<5	43	0.31	0.10	0.14	0.06	21.1	4.5	19.7						
12-1321		0.16	0.07	0.74	2.7	<0.01	<5	39	0.19	0.11	0.11	0.05	20.3	3.4	14.5						
12-1322		0.17	0.03	0.26	0.9	<0.01	<5	13	0.07	0.07	0.04	0.02	18.1	1.8	3.5						
12-1323		0.14	0.06	1.32	1.5	<0.01	<5	24	0.23	0.10	0.18	0.04	29.6	6.5	24.4						
12-1324		0.12	0.12	1.48	1.5	<0.01	<5	37	0.22	0.09	0.09	0.03	19.7	4.3	18.3						
12-1325		0.20	0.12	1.76	2.4	<0.01	<5	41	0.26	0.09	0.14	0.08	18.8	6.1	29.0						
12-1326		0.11	0.13	1.58	2.3	<0.01	<5	37	0.25	0.09	0.13	0.07	18.8	6.4	27.1						
12-1327		0.14	0.09	0.97	1.8	<0.01	<5	30	0.17	0.11	0.08	0.03	18.6	2.6	15.3						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1328		0.15	0.08	0.81	1.8	<0.01	<5	26	0.12	0.12	0.08	0.04	19.4	3.1	15.5
12-1329		0.17	0.11	1.50	2.8	<0.01	<5	26	0.23	0.10	0.10	0.15	16.7	2.6	21.1
12-1330		0.18	0.03	1.46	1.2	<0.01	<5	21	0.19	0.09	0.13	0.02	23.9	7.8	30.9
12-1331		0.20	0.05	1.03	0.8	<0.01	<5	19	0.14	0.09	0.07	0.01	26.5	2.6	13.5
12-1332		0.17	0.04	0.89	1.7	<0.01	<5	25	0.13	0.10	0.06	0.03	17.4	2.5	9.8
12-1333		0.14	0.07	1.34	1.7	<0.01	<5	28	0.17	0.09	0.12	0.03	23.2	4.4	22.1
12-1334		0.16	0.08	1.51	1.2	<0.01	<5	32	0.34	0.09	0.31	0.07	44.2	5.6	23.3
12-1335		0.18	0.06	1.35	2.1	<0.01	<5	32	0.21	0.12	0.15	0.06	24.5	2.8	17.5
12-1336		0.13	0.02	0.99	1.0	<0.01	<5	21	0.07	0.06	0.11	0.02	14.9	2.8	30.9
12-1337		0.14	0.05	1.21	1.8	<0.01	<5	28	0.17	0.10	0.08	0.03	24.8	4.6	20.8
12-1338		0.18	0.04	0.99	1.9	<0.01	<5	20	0.11	0.11	0.11	0.05	21.3	6.0	30.3
12-1339		0.15	0.04	1.21	2.0	<0.01	<5	24	0.21	0.11	0.09	0.08	22.1	2.8	20.9
12-1340		0.13	0.15	1.47	3.3	<0.01	<5	40	0.22	0.35	0.07	0.15	48.1	5.4	27.8
12-1341		0.14	0.10	1.02	1.5	<0.01	<5	33	0.18	0.11	0.12	0.06	25.2	4.8	21.0
12-1342		0.18	0.04	1.36	2.6	<0.01	<5	34	0.19	0.14	0.15	0.10	24.3	3.9	28.4
12-1343		0.14	0.05	1.22	1.3	<0.01	<5	43	0.20	0.09	0.28	0.08	26.4	5.5	21.2
12-1344		0.17	0.05	1.06	1.8	<0.01	<5	37	0.27	0.07	0.33	0.04	55.9	5.1	24.1
12-1345		0.16	0.06	0.66	1.5	<0.01	<5	26	0.11	0.15	0.08	0.05	20.7	2.0	15.4
12-1346		0.18	0.06	0.95	5.3	<0.01	<5	30	0.12	0.11	0.22	0.09	30.1	3.1	22.5
12-1347		0.16	0.08	0.66	1.5	<0.01	<5	22	0.09	0.09	0.20	0.07	32.1	2.4	16.4
12-1348		0.14	0.05	1.08	2.5	<0.01	<5	30	0.17	0.09	0.26	0.07	46.2	4.9	27.3
12-1349		0.18	0.04	0.49	1.5	<0.01	<5	17	<0.05	0.18	0.10	0.04	14.8	1.7	11.7
12-1350		0.15	0.03	0.65	2.0	<0.01	<5	22	0.08	0.12	0.11	0.04	20.8	1.8	14.8
12-1351		0.13	0.03	0.79	2.3	<0.01	<5	27	0.10	0.12	0.12	0.05	20.7	2.0	17.7
12-1352		0.16	0.04	1.28	2.3	<0.01	<5	21	0.15	0.12	0.13	0.10	20.5	2.9	24.5
12-1353		0.14	0.05	0.81	1.6	<0.01	<5	18	0.12	0.05	0.11	0.04	31.7	2.9	18.1
12-1354		0.13	0.05	0.95	1.2	<0.01	<5	21	0.18	0.06	0.14	0.04	23.9	2.9	15.5
12-1355		0.19	0.06	1.75	1.8	<0.01	<5	26	0.26	0.09	0.13	0.03	19.0	3.0	20.7
12-1356		0.18	0.13	1.39	1.4	<0.01	<5	51	0.20	0.09	0.13	0.05	18.5	2.4	16.9
12-1357		0.14	0.05	1.40	3.4	<0.01	<5	35	0.20	0.09	0.11	0.05	21.6	3.4	19.6
12-1358		0.15	0.10	1.17	1.5	<0.01	<5	42	0.19	0.09	0.18	0.03	22.2	4.0	19.0

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

PROJECT NO:

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:		0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
12-1359	0.18	0.05	1.22	3.1	<0.01	<5	33	0.18	0.10	0.18	0.07	26.1	3.8	20.6	
12-1360	0.15	0.07	1.50	2.2	<0.01	<5	40	0.24	0.09	0.14	0.04	23.5	5.4	21.2	
12-1361	0.16	0.10	1.34	2.4	<0.01	<5	131	0.12	0.25	0.26	0.10	16.5	8.5	39.2	
12-1362	0.14	0.03	0.84	1.3	<0.01	<5	20	0.12	0.06	0.13	0.02	19.8	2.9	17.0	
12-1363	0.13	0.03	1.22	1.1	<0.01	<5	33	0.19	0.07	0.18	0.02	25.2	3.8	19.2	
12-1364	0.17	0.10	2.40	2.5	<0.01	<5	37	0.33	0.11	0.10	0.11	24.6	8.8	28.3	
12-1365	0.18	0.07	1.41	2.8	<0.01	<5	42	0.14	0.16	0.12	0.20	13.5	3.0	27.3	
12-1366	0.14	0.07	1.23	5.4	<0.01	<5	40	0.18	0.28	0.15	0.17	14.9	2.8	40.9	
12-1367	0.16	0.05	1.91	2.7	<0.01	<5	53	0.21	0.10	0.09	0.12	21.2	2.7	29.6	
12-1368	0.15	0.06	1.63	2.5	<0.01	<5	24	0.34	0.12	0.13	0.09	21.3	9.8	23.9	
12-1369	0.18	0.05	2.40	2.9	<0.01	<5	40	0.23	0.12	0.15	0.06	23.2	8.4	34.6	
12-1370	0.17	<0.01	1.66	0.3	<0.01	<5	34	<0.05	0.01	0.11	<0.01	2.09	1.0	32.8	
12-1371	0.13	0.04	1.31	2.3	<0.01	<5	36	0.20	0.10	0.14	0.06	21.9	7.7	27.4	
12-1372	0.17	0.03	1.00	1.1	<0.01	<5	36	0.26	0.07	0.17	0.03	21.1	5.3	20.1	
12-1373	0.19	0.05	0.98	1.9	<0.01	<5	24	0.28	0.08	0.17	0.04	27.8	4.4	19.8	
12-1374	0.17	0.09	1.43	2.1	<0.01	<5	30	0.38	0.08	0.12	0.05	36.1	6.7	22.9	
12-1375	0.15	0.06	0.84	2.3	<0.01	<5	26	0.22	0.09	0.18	0.05	31.7	5.5	26.0	
12-1376	0.14	0.05	0.93	2.6	<0.01	<5	27	0.26	0.10	0.18	0.05	29.3	6.0	28.8	
12-1377	0.12	0.04	1.24	0.9	<0.01	<5	31	0.28	0.18	0.29	0.06	43.9	6.1	25.9	
12-1378	0.18	0.06	1.20	2.0	<0.01	<5	33	0.34	0.13	0.17	0.06	25.1	5.4	23.7	
12-1379	0.19	0.05	0.85	2.4	<0.01	<5	22	0.25	0.07	0.17	0.04	31.5	3.9	16.0	
12-1380	0.11	0.05	0.95	1.1	<0.01	<5	48	0.26	0.06	0.27	0.02	31.8	4.6	18.5	
12-1431	0.13	0.05	1.15	1.9	<0.01	<5	36	0.31	0.07	0.23	0.09	25.0	5.8	20.8	
12-1432	0.12	0.02	0.34	0.8	<0.01	<5	12	0.07	0.06	0.10	0.14	14.8	0.9	6.4	
12-1433	0.16	0.06	0.84	1.8	<0.01	<5	24	0.12	0.14	0.15	0.09	18.5	5.0	42.0	
12-1434	0.11	0.07	0.64	1.9	<0.01	<5	30	0.13	0.14	0.17	0.06	15.2	2.7	28.2	
12-1435	0.14	0.14	0.94	1.4	<0.01	<5	24	0.25	0.08	0.47	0.04	31.0	4.5	19.9	
12-1436	0.15	0.09	0.99	1.0	<0.01	<5	29	0.25	0.09	0.46	0.08	36.3	6.1	25.3	
12-1437	0.13	0.08	0.89	1.2	<0.01	<5	41	0.31	0.08	3.69	0.10	36.2	5.2	21.0	
12-1438	0.11	0.16	1.70	2.3	<0.01	<5	90	0.70	0.10	0.72	0.20	59.4	8.6	33.9	
12-1439	0.18	0.09	1.16	1.9	<0.01	<5	24	0.27	0.08	0.45	0.06	62.1	10.5	35.5	

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

PROJECT NO:

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1440		0.16	0.07	0.93	0.9	<0.01	<5	38	0.16	0.13	0.18	0.10	15.7	7.6	14.7
12-1441		0.13	0.07	1.37	4.6	<0.01	<5	41	0.27	0.14	0.16	0.12	21.1	4.2	28.9
12-1442		0.13	0.09	0.78	1.4	<0.01	<5	21	0.18	0.10	0.09	0.07	16.0	1.4	11.9
12-1443		0.15	0.07	1.16	1.4	<0.01	<5	43	0.26	0.09	0.17	0.06	24.1	5.3	22.5
12-1444		0.13	0.09	0.87	1.1	<0.01	<5	30	0.19	0.12	0.12	0.05	37.5	4.6	21.4
12-1445		0.10	0.09	1.22	1.9	<0.01	<5	22	0.24	0.11	0.09	0.07	19.6	2.2	16.5
12-1446		0.13	0.03	0.76	0.6	<0.01	<5	21	0.13	0.11	0.11	0.02	17.9	3.1	13.5
12-1447		0.11	0.17	1.28	2.0	<0.01	<5	23	0.26	0.15	0.09	0.05	20.9	2.5	18.7
12-1448		0.14	0.13	1.16	2.2	<0.01	<5	23	0.21	0.16	0.08	0.04	19.5	1.7	15.4
12-1449		0.15	0.08	1.29	2.0	<0.01	<5	24	0.19	0.09	0.08	0.08	16.8	2.0	15.0
12-1450		0.10	0.05	1.23	1.2	<0.01	<5	50	0.29	0.08	0.24	0.04	23.4	5.5	24.3
12-1451		0.13	0.05	1.53	1.6	<0.01	<5	60	0.38	0.09	0.30	0.05	30.5	7.6	29.5
12-1452		0.13	0.06	2.04	2.6	<0.01	<5	92	0.78	0.12	0.55	0.09	58.7	10.5	43.9
12-1453		0.12	0.05	1.77	1.9	<0.01	<5	65	0.43	0.10	0.24	0.07	44.1	7.1	32.5
12-1454		0.14	0.03	0.50	0.8	<0.01	<5	19	0.15	0.04	9.85	0.04	26.2	3.0	11.7
12-1455		0.18	0.06	0.99	1.1	<0.01	<5	39	0.23	0.09	0.62	0.14	32.0	6.3	23.5
12-1456		0.13	0.05	1.42	2.3	<0.01	<5	27	0.30	0.24	0.22	0.08	24.1	6.7	33.4
12-1457		0.16	0.22	1.03	1.1	<0.01	<5	45	0.30	0.12	0.19	0.23	28.1	4.0	15.2
12-1458		0.17	0.16	1.40	1.9	<0.01	<5	40	0.37	0.12	0.21	0.07	24.4	7.6	28.4
12-1459		0.15	0.10	0.89	2.5	<0.01	<5	29	0.18	0.12	0.13	0.05	21.7	3.6	20.1
12-1460		0.13	0.07	1.07	1.3	<0.01	<5	27	0.25	0.09	0.16	0.04	32.7	4.3	17.0
12-1461		0.20	0.10	0.92	0.9	<0.01	<5	28	0.21	0.11	0.13	0.04	25.0	3.7	14.7
12-1462		0.18	0.11	0.91	0.8	<0.01	<5	28	0.20	0.12	0.12	0.05	24.0	5.2	35.3
12-1463		0.15	0.07	0.85	1.0	<0.01	<5	30	0.19	0.08	0.12	0.03	21.3	2.4	14.4
12-1464		0.15	0.08	0.88	1.1	<0.01	<5	39	0.19	0.14	0.22	0.04	26.8	4.2	18.5
12-1465		0.17	0.07	0.93	1.7	<0.01	<5	66	0.31	0.12	0.30	0.04	42.8	5.6	23.7
12-1466		0.15	0.20	1.82	2.2	<0.01	<5	51	0.46	0.12	0.15	0.08	25.8	5.8	26.1
12-1467		0.12	0.18	1.10	1.9	<0.01	<5	61	0.29	0.13	0.13	0.06	20.4	2.4	18.4
12-1468		0.15	0.07	1.15	2.0	<0.01	<5	36	0.25	0.08	0.19	0.07	32.3	4.2	18.8
12-1469		0.13	0.13	1.34	2.2	<0.01	<5	41	0.30	0.10	0.21	0.04	21.2	4.6	25.9
12-1470		0.16	0.06	1.03	1.4	<0.01	<5	42	0.42	0.07	0.40	0.02	50.8	4.7	24.6

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1471		0.17	0.10	0.92	1.4	<0.01	<5	43	0.34	0.08	0.62	0.15	28.8	4.8	27.0
12-1472		0.12	0.04	0.91	1.6	<0.01	8	38	0.31	0.08	11.2	0.07	40.0	6.2	21.9
12-1473		0.15	0.11	1.57	3.5	<0.01	5	60	0.35	0.19	2.11	0.15	61.1	10.8	38.9
12-1474		0.17	0.06	1.55	1.9	<0.01	<5	19	0.32	0.08	0.16	0.10	29.9	4.5	18.2
12-1475		0.15	0.06	1.21	6.5	<0.01	<5	23	0.37	0.09	0.21	0.07	44.8	6.1	22.1
12-1476		0.23	0.05	1.09	1.8	<0.01	<5	26	0.32	0.09	0.22	0.07	39.0	5.3	19.3
12-1477		0.14	0.06	1.42	2.1	<0.01	<5	48	0.39	0.10	0.30	0.06	40.9	8.6	30.6
12-1478		0.17	0.05	0.77	1.3	<0.01	<5	22	0.19	0.06	0.33	0.07	21.6	5.5	16.6
12-1479		0.18	0.05	1.19	1.8	<0.01	<5	28	0.28	0.09	0.35	0.08	23.3	5.5	19.2
12-1480		0.20	0.09	0.70	2.1	<0.01	<5	35	0.16	0.14	0.18	0.13	21.4	4.9	13.4
12-1481		0.21	0.06	0.66	2.4	<0.01	<5	27	0.25	0.10	0.61	0.07	38.5	12.5	21.8
12-1482		0.23	0.08	0.97	3.5	<0.01	<5	40	0.16	0.19	0.19	0.12	16.1	5.7	25.3
12-1483		0.20	0.07	1.33	1.2	<0.01	<5	60	0.31	0.07	0.47	0.20	39.5	10.9	31.5
12-1484		0.17	0.08	1.09	2.2	<0.01	<5	38	0.43	0.09	0.47	0.09	46.5	6.9	27.3
12-1485		0.19	0.04	0.60	2.6	<0.01	<5	29	0.11	0.10	0.14	0.06	18.6	2.4	12.9
12-1486		0.21	0.04	0.81	0.7	<0.01	<5	20	0.13	0.10	0.05	0.04	21.3	1.8	9.7
12-1487		0.16	0.07	1.36	1.5	<0.01	<5	23	0.26	0.11	0.06	0.08	15.9	3.0	16.6
12-1488		0.17	0.04	1.07	0.9	0.02	<5	26	0.18	0.08	0.09	0.04	22.3	2.8	15.2
12-1489		0.21	0.08	1.38	2.2	<0.01	<5	25	0.26	0.10	0.11	0.10	18.9	4.6	21.9
12-1490		0.18	0.19	2.29	3.7	<0.01	<5	78	0.58	0.45	0.79	0.24	80.4	36.5	33.6
12-1600		0.16	0.18	1.46	2.8	<0.01	<5	33	0.27	0.11	0.10	0.11	19.0	3.7	19.8
12-1601		0.17	0.17	1.78	2.5	<0.01	<5	35	0.32	0.10	0.10	0.11	17.9	4.5	23.0
12-1602		0.21	0.20	1.78	3.0	<0.01	<5	55	0.40	0.17	0.18	0.13	31.3	4.3	27.0
12-1603		0.17	0.16	1.85	1.8	<0.01	<5	44	0.36	0.11	0.11	0.11	18.8	3.7	19.2
12-1604		0.20	0.10	0.78	1.8	<0.01	<5	21	0.12	0.14	0.08	0.07	18.6	1.6	12.8
12-1605		0.19	0.16	1.08	2.4	<0.01	<5	30	0.27	0.16	0.09	0.05	19.6	2.7	17.4
12-1606		0.21	0.09	0.81	2.0	<0.01	<5	28	0.14	0.15	0.08	0.05	18.7	2.0	14.3
12-1607		0.19	0.12	0.97	2.2	<0.01	<5	26	0.20	0.35	0.20	0.08	25.3	4.3	24.2
12-1608		0.17	0.08	1.70	1.6	<0.01	<5	39	0.35	0.15	0.15	0.04	23.6	5.0	22.4
12-1609		0.21	0.08	1.41	2.8	<0.01	<5	35	0.26	0.15	0.21	0.16	21.0	5.3	32.6
12-1610		0.18	0.10	0.63	1.9	<0.01	<5	30	0.13	0.14	0.12	0.06	18.7	2.3	14.3

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1611		0.16	0.12	1.86	2.4	<0.01	<5	31	0.38	0.17	0.13	0.06	17.4	4.7	26.5
12-1612		0.19	0.12	1.84	2.7	<0.01	<5	30	0.40	0.18	0.12	0.05	18.6	4.9	27.9
12-1613		0.17	0.10	0.80	1.2	<0.01	<5	32	0.13	0.12	0.11	0.06	15.6	2.1	14.9
12-1614		0.16	0.17	0.98	2.1	<0.01	<5	27	0.20	0.14	0.09	0.11	20.3	2.1	15.5
12-1615		0.22	0.07	1.60	2.5	<0.01	<5	55	0.41	0.09	0.20	0.04	41.6	7.5	28.1
12-1616		0.21	0.04	1.60	2.3	<0.01	<5	53	0.35	0.09	0.19	0.05	32.8	6.3	23.8
12-1617		0.17	0.02	0.34	1.1	<0.01	7	11	0.13	0.03	8.32	0.03	22.7	2.6	9.2
12-1618		0.18	0.05	0.83	2.4	<0.01	<5	30	0.26	0.05	0.51	0.04	28.2	3.2	17.7
12-1619		0.21	0.05	1.51	2.1	<0.01	8	61	0.44	0.10	8.09	0.06	44.9	8.0	33.2
12-1620		0.18	0.07	1.85	2.3	<0.01	5	72	0.70	0.13	0.80	0.15	68.8	10.7	40.5
12-1621		0.19	0.04	1.05	0.8	<0.01	<5	42	0.26	0.07	0.26	0.08	24.7	4.8	21.4
12-1622		0.17	0.07	1.66	2.0	<0.01	<5	74	0.59	0.11	0.44	0.08	51.1	9.2	36.7
12-1623		0.16	0.05	0.90	1.7	<0.01	6	38	0.31	0.07	6.29	0.09	33.1	5.1	19.9
12-1624		0.20	0.12	1.57	3.2	<0.01	<5	68	0.72	0.13	0.58	0.14	50.4	9.5	40.5
12-1625		0.21	0.04	0.98	1.2	<0.01	<5	36	0.31	0.08	0.28	0.06	33.2	5.0	21.9
12-1626		0.17	0.04	0.89	1.2	<0.01	<5	33	0.28	0.07	0.24	0.05	29.1	4.6	18.7
12-1627		0.19	0.06	1.35	1.7	<0.01	<5	47	0.37	0.11	0.24	0.08	36.4	7.1	27.0
12-1628		0.18	0.08	1.35	1.9	<0.01	<5	48	0.42	0.09	0.45	0.15	32.6	6.9	26.9
12-1629		0.21	0.06	1.17	1.2	<0.01	<5	48	0.43	0.09	0.39	0.05	35.6	6.1	28.2
12-1630		0.20	0.09	1.50	2.1	<0.01	<5	60	0.61	0.10	0.42	0.07	45.5	7.7	32.6
12-1631		0.16	0.08	1.53	2.0	<0.01	<5	50	0.50	0.12	0.32	0.10	36.2	8.7	32.0
12-1632		0.20	0.06	1.89	2.0	<0.01	<5	84	0.66	0.12	0.38	0.06	47.4	11.6	40.0
12-1633		0.22	0.06	1.08	2.2	<0.01	<5	35	0.38	0.07	0.28	0.10	37.7	4.7	18.2
12-1634		0.20	0.05	0.96	1.7	<0.01	<5	30	0.43	0.06	0.28	0.05	57.0	5.5	22.1
12-1635		0.18	0.07	0.76	1.7	<0.01	<5	36	0.25	0.10	0.19	0.16	23.0	4.5	15.1
12-1636		0.17	0.04	0.73	1.3	<0.01	<5	29	0.25	0.06	0.22	0.04	28.4	3.7	16.6
12-1637		0.15	0.04	1.17	1.7	<0.01	<5	35	0.32	0.07	0.19	0.05	21.4	5.4	19.3
12-1638		0.21	0.05	1.34	1.9	<0.01	<5	40	0.30	0.07	0.24	0.09	28.5	6.0	20.1
12-1639		0.22	0.06	1.80	6.1	<0.01	<5	26	0.38	0.18	0.11	0.22	18.3	2.9	20.6
12-1491		0.18	0.13	1.99	3.3	0.01	<5	38	0.41	0.10	0.08	0.11	17.3	4.1	19.3
12-1492		0.16	0.05	0.93	1.0	<0.01	<5	24	0.22	0.11	0.08	0.05	18.6	3.4	17.2

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr						
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
	RDL:																				
12-1493		0.12	0.07	0.56	0.8	<0.01	34	0.12	0.21	0.05	0.01	0.01	14.6	1.3	8.4						
12-1494		0.17	0.04	0.54	0.4	<0.01	24	0.08	0.22	0.05	0.04	0.04	18.7	1.0	7.1						
12-1495		0.21	0.05	0.97	1.1	<0.01	16	0.18	0.12	0.07	0.04	0.04	18.4	3.6	16.4						
12-1496		0.16	0.04	0.84	0.6	<0.01	22	0.13	0.13	0.10	0.04	0.04	13.3	5.0	17.4						
12-1497		0.19	0.07	1.14	1.9	<0.01	28	0.21	0.16	0.10	0.05	0.05	15.3	6.8	18.9						
12-1498		0.20	0.06	1.35	5.6	<0.01	21	0.36	0.12	0.11	0.09	0.09	22.0	5.6	19.2						
12-1499		0.18	0.09	1.27	1.5	<0.01	22	0.30	0.07	0.11	0.05	0.05	47.4	5.3	16.0						
12-1500		0.16	0.04	1.10	1.7	<0.01	54	0.46	0.08	0.37	0.05	0.05	39.0	6.1	26.0						
12-1501		0.23	0.08	1.05	1.7	<0.01	54	0.46	0.09	0.44	0.09	0.09	36.5	6.3	25.9						
12-1502		0.21	0.06	1.83	2.2	<0.01	92	0.73	0.12	0.49	0.05	0.05	37.2	9.7	39.7						
12-1503		0.18	0.11	1.82	3.3	<0.01	93	0.86	0.14	0.65	0.06	0.06	56.0	10.2	41.8						
12-1504		0.18	0.03	0.68	0.7	<0.01	24	0.26	0.07	0.52	0.03	0.03	26.5	4.3	16.5						
12-1505		0.20	0.08	0.95	5.5	<0.01	45	0.35	0.08	0.62	0.15	0.15	26.2	8.0	22.1						
12-1506		0.18	0.19	0.94	1.7	<0.01	18	0.17	0.13	0.08	0.08	0.08	17.6	1.6	13.2						
12-1507		0.15	0.15	1.29	2.0	<0.01	22	0.29	0.10	0.07	0.11	0.11	20.2	3.4	19.4						
12-1508		0.18	0.07	0.76	2.3	<0.01	20	0.15	0.13	0.10	0.09	0.09	20.2	2.6	9.0						
12-1509		0.16	0.10	1.66	1.7	<0.01	40	0.38	0.09	0.10	0.06	0.06	19.8	5.7	20.2						
12-1510		0.19	0.11	0.66	1.1	<0.01	22	0.15	0.12	0.09	0.05	0.05	16.8	2.2	13.5						
12-1511		0.20	0.10	0.66	1.0	<0.01	18	0.14	0.11	0.08	0.05	0.05	17.8	2.1	12.1						
12-1512		0.15	0.04	0.56	1.1	<0.01	21	0.19	0.08	0.32	0.03	0.03	32.7	3.9	20.2						
12-1513		0.18	0.05	0.83	2.6	<0.01	18	0.23	0.10	0.16	0.06	0.06	20.2	6.2	17.6						
12-1514		0.19	0.12	0.91	1.9	<0.01	26	0.25	0.13	0.22	0.07	0.07	27.8	4.9	22.5						
12-1515		0.17	0.07	0.84	1.3	<0.01	34	0.21	0.11	0.29	0.08	0.08	32.5	5.6	20.7						
12-1516		0.25	0.09	1.53	2.0	<0.01	34	0.37	0.12	0.17	0.07	0.07	22.6	5.9	22.7						
12-1517		0.16	0.08	1.24	1.9	<0.01	28	0.38	0.11	0.15	0.06	0.06	20.8	3.9	18.9						
12-1518		0.19	0.09	0.90	3.5	<0.01	35	0.17	0.23	0.11	0.12	0.12	25.3	3.0	18.4						
12-1519		0.20	0.04	1.45	1.0	<0.01	48	0.25	0.08	0.17	0.10	0.10	22.1	3.5	19.0						
12-1520		0.22	0.21	1.34	1.6	<0.01	36	0.39	0.08	0.29	0.08	0.08	30.6	5.4	25.1						
12-1521		0.23	0.08	1.10	2.5	<0.01	30	0.20	0.21	0.12	0.09	0.09	22.2	3.0	18.4						
12-1522		0.25	0.14	1.63	2.9	<0.01	34	0.31	0.10	0.12	0.11	0.11	22.8	5.8	20.3						
12-1523		0.22	0.18	1.30	1.9	<0.01	24	0.26	0.13	0.08	0.07	0.07	17.6	2.7	15.6						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012					SAMPLE TYPE: Soil				
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Unit:	RDL:				
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm						
12-1524		0.19	0.08	0.64	1.5	<0.01	<5	29	0.11	0.12	0.09	0.04	19.6	1.1	8.9						
12-1525		0.21	0.12	1.51	2.0	<0.01	<5	29	0.34	0.08	0.12	0.08	24.4	4.8	20.2						
12-1526		0.23	0.14	1.65	2.1	<0.01	<5	31	0.31	0.08	0.12	0.08	22.7	4.9	20.6						
12-1527		0.18	0.16	1.17	1.2	<0.01	<5	21	0.23	0.10	0.09	0.05	21.2	3.0	13.2						
12-1528		0.19	0.03	1.10	0.9	<0.01	<5	15	0.19	0.07	0.14	0.06	19.1	6.6	24.3						
12-1529		0.23	0.04	1.43	1.0	<0.01	<5	24	0.25	0.08	0.10	0.02	25.3	5.1	15.5						
12-1530		0.20	0.05	1.98	6.9	<0.01	<5	33	0.36	0.16	0.10	0.20	17.8	2.7	24.8						
12-1531		0.18	0.04	1.90	3.2	<0.01	<5	18	0.24	0.12	0.05	0.09	17.8	5.3	26.8						
12-1532		0.19	0.04	1.34	1.3	<0.01	<5	19	0.25	0.10	0.08	0.08	25.5	4.2	18.7						
12-1533		0.23	0.04	0.53	1.4	<0.01	<5	13	0.10	0.10	0.08	0.04	20.0	3.5	19.1						
12-1534		0.19	0.16	1.53	2.7	<0.01	<5	37	0.29	0.09	0.11	0.07	18.3	4.7	19.5						
12-1535		0.22	0.09	0.89	1.3	<0.01	<5	31	0.18	0.09	0.15	0.06	24.6	3.3	16.6						
12-1536		0.21	0.22	1.80	2.2	<0.01	<5	31	0.39	0.10	0.13	0.07	20.6	4.9	23.6						
12-1537		0.23	0.10	1.20	1.0	<0.01	<5	47	0.29	0.09	0.17	0.05	38.5	4.4	19.3						
12-1538		0.21	0.11	1.32	1.2	<0.01	<5	53	0.22	0.10	0.23	0.05	16.2	5.7	21.4						
12-1539		0.19	0.08	1.45	1.6	<0.01	<5	53	0.30	0.09	0.23	0.05	27.8	7.2	30.0						
12-1540		0.23	0.07	0.96	3.8	<0.01	<5	37	0.37	0.07	2.70	0.07	52.6	5.8	21.1						
12-1541		0.20	0.04	1.07	6.0	<0.01	<5	28	0.17	0.16	0.10	0.27	18.1	3.3	20.7						
12-1542		0.18	0.04	1.50	1.8	<0.01	<5	27	0.35	0.15	0.17	0.15	33.0	10.2	25.8						
12-1543		0.21	0.05	0.74	1.5	<0.01	<5	28	0.10	0.11	0.13	0.09	18.4	2.2	12.6						
12-1544		0.19	0.11	1.13	1.8	<0.01	<5	65	0.40	0.09	0.67	0.22	40.6	7.3	24.4						
12-1545		0.18	0.05	1.11	1.7	<0.01	<5	32	0.26	0.08	0.19	0.06	24.4	5.4	24.8						
12-1546		0.24	0.04	0.89	2.0	<0.01	<5	44	0.20	0.14	0.13	0.05	20.7	3.7	20.9						
12-1547		0.23	0.06	1.28	2.3	<0.01	<5	35	0.27	0.10	0.14	0.08	18.1	3.3	22.6						
12-1548		0.19	0.15	1.98	1.9	<0.01	<5	39	0.43	0.10	0.11	0.12	22.1	5.2	22.7						
12-1549		0.20	0.07	0.84	2.1	<0.01	<5	52	0.15	0.18	0.11	0.10	21.0	2.0	15.6						
12-1550		0.23	0.10	0.93	0.9	<0.01	<5	47	0.22	0.08	0.37	0.12	20.8	4.6	18.5						
12-1850		0.20	0.17	1.31	6.6	<0.01	<5	23	0.27	0.11	0.10	0.09	21.4	3.9	20.1						
12-1851		0.21	0.19	1.38	2.0	<0.01	<5	25	0.29	0.08	0.10	0.08	20.7	3.9	20.0						
12-1852		0.19	0.06	0.06	0.4	<0.01	11	36	<0.05	<0.01	3.42	0.13	1.33	0.5	1.3						
12-1853		0.18	0.02	0.67	0.5	<0.01	<5	20	0.12	0.08	0.17	0.02	19.7	2.6	17.8						

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1854		0.22	0.04	1.35	4.5	<0.01	<5	21	0.28	0.13	0.17	0.13	35.1	7.3	34.7
12-1855		0.23	0.07	0.82	0.8	<0.01	<5	22	0.17	0.10	0.16	0.04	21.7	2.8	16.8
12-1856		0.19	0.08	0.96	2.2	<0.01	<5	24	0.20	0.12	0.11	0.06	21.5	2.2	18.8
12-1857		0.21	0.06	0.58	3.0	<0.01	<5	37	0.10	0.14	0.11	0.06	19.7	1.6	13.8
12-1858		0.20	0.12	1.64	4.2	<0.01	<5	36	0.36	0.09	0.14	0.05	19.5	4.0	20.8
12-1859		0.23	0.15	1.41	2.0	<0.01	<5	45	0.29	0.16	0.19	0.09	20.3	5.4	17.8
12-1860		0.22	0.15	0.73	1.0	<0.01	<5	33	0.15	0.12	0.12	0.07	19.0	1.5	11.1
12-1861		0.18	0.10	1.08	3.1	<0.01	<5	43	0.28	0.20	0.11	0.08	21.0	13.5	26.2
12-1862		0.22	0.11	2.00	7.5	<0.01	<5	68	0.41	0.19	0.22	0.14	20.6	11.4	44.3
12-1863		0.24	0.12	0.47	1.5	<0.01	<5	23	0.08	0.13	0.06	0.06	17.2	1.3	8.6
12-1864		0.22	0.32	0.53	0.7	<0.01	<5	19	0.10	0.08	0.06	0.09	18.3	1.4	8.3
12-1865		0.20	0.07	1.39	5.7	<0.01	<5	39	0.30	0.11	0.52	0.12	27.0	8.0	26.0
12-1866		0.19	0.06	0.98	1.3	<0.01	<5	27	0.24	0.10	0.43	0.05	18.9	3.9	21.3
12-1867		0.17	0.13	1.46	0.9	<0.01	<5	64	0.28	0.20	1.03	0.13	46.0	9.6	20.8
12-1868		0.23	0.04	0.76	3.0	<0.01	<5	28	0.15	0.10	0.19	0.06	14.7	4.6	22.8
12-1869		0.24	0.17	0.82	0.9	<0.01	<5	51	0.19	0.09	0.37	0.11	23.7	2.7	9.9
12-1870		0.20	0.10	1.15	1.1	<0.01	<5	40	0.19	0.06	0.40	0.05	23.7	6.7	15.3
12-1871		0.18	0.06	0.28	0.4	<0.01	<5	40	0.08	0.07	0.27	0.09	19.3	0.9	5.2
12-1872		0.17	0.14	1.19	1.5	<0.01	<5	41	0.27	0.10	0.10	0.08	21.3	2.6	16.4
12-1873		0.19	0.04	0.33	1.9	<0.01	<5	18	0.07	0.09	0.10	0.07	17.4	1.5	8.0
12-1874		0.23	0.05	0.49	0.7	<0.01	<5	15	0.10	0.07	0.06	0.05	17.1	1.4	7.0
12-1875		0.18	0.06	0.66	1.1	<0.01	<5	26	0.22	0.07	0.42	0.10	34.6	3.6	20.5
12-1876		0.21	<0.01	0.48	0.3	<0.01	<5	21	<0.05	<0.01	0.38	<0.01	<0.01	<0.1	18.4

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1266		0.96	26.0	1.41	2.58	0.14	0.08	<0.01	0.009	0.08	23.3	7.9	0.46	271	0.58									
12-1267		5.08	156	1.32	4.52	0.12	0.16	0.08	0.019	0.07	66.8	14.6	0.45	614	0.81									
12-1268		1.94	103	1.98	6.15	0.16	0.15	0.05	0.024	0.17	49.8	20.2	0.72	396	0.41									
12-1269		0.95	7.7	1.24	4.03	0.13	0.07	0.03	0.019	0.10	22.3	12.3	0.55	296	0.19									
12-1270		0.85	11.6	0.95	2.84	0.13	0.08	0.03	0.014	0.07	19.7	8.5	0.62	189	0.18									
12-1271		0.67	4.1	0.90	2.90	0.12	0.06	0.01	0.010	0.06	14.7	8.1	0.27	154	0.13									
12-1272		0.69	6.1	0.73	3.04	0.12	0.07	0.02	0.014	0.05	16.8	9.5	0.27	82	0.44									
12-1273		0.62	7.8	0.70	2.10	0.12	0.18	0.01	0.010	0.06	15.8	6.3	2.37	126	0.09									
12-1274		0.90	5.9	1.45	3.75	0.11	0.06	0.02	0.018	0.08	10.9	12.0	0.34	148	0.38									
12-1275		0.88	3.0	1.02	3.64	0.11	0.04	0.01	0.012	0.07	10.0	9.5	0.27	102	0.25									
12-1276		0.92	3.4	0.99	3.70	0.11	0.04	0.01	0.013	0.07	10.7	9.6	0.29	118	0.25									
12-1277		0.74	4.0	0.84	2.92	0.11	0.04	0.01	0.010	0.04	10.7	7.6	0.26	156	0.25									
12-1278		0.92	4.1	1.21	3.52	0.10	0.06	0.02	0.017	0.07	13.8	10.0	0.31	155	0.34									
12-1279		0.80	2.8	0.84	4.65	0.10	<0.02	0.01	0.009	0.03	9.2	5.3	0.10	51	0.43									
12-1280		1.24	7.7	2.59	12.5	0.11	0.05	0.03	0.021	0.06	8.2	8.5	0.29	104	1.03									
12-1281		1.26	1.9	1.25	5.45	0.11	<0.02	0.02	0.014	0.03	9.7	7.6	0.10	44	0.56									
12-1282		1.22	6.1	1.20	6.32	0.10	<0.02	<0.01	0.010	0.05	8.4	5.1	0.18	68	0.40									
12-1283		1.34	4.0	1.39	5.94	0.11	<0.02	0.02	0.012	0.04	8.3	6.1	0.13	48	0.99									
12-1284		1.00	6.4	1.75	6.07	0.10	0.03	0.01	0.017	0.04	7.4	8.4	0.19	65	0.85									
12-1285		1.58	30.3	1.23	4.23	0.10	0.02	0.01	0.015	0.05	10.3	7.8	0.26	128	0.58									
12-1286		0.97	12.8	2.12	6.49	0.12	0.03	0.01	0.015	0.06	10.1	8.3	0.27	111	0.58									
12-1287		0.67	6.5	0.79	2.67	0.10	<0.02	<0.01	0.009	0.04	13.4	5.6	0.18	83	0.23									
12-1288		1.15	4.2	1.64	4.82	0.11	0.03	0.01	0.012	0.07	10.5	7.8	0.33	132	0.36									
12-1289		1.39	5.6	2.08	5.23	0.11	0.03	<0.01	0.016	0.07	13.0	9.7	0.26	194	0.60									
12-1290		0.85	2.0	1.47	5.59	0.11	<0.02	0.01	0.016	0.05	10.9	6.3	0.16	84	0.45									
12-1291		1.66	20.3	2.07	5.09	0.11	0.04	<0.01	0.011	0.07	10.0	11.3	0.57	188	0.76									
12-1292		1.40	12.5	2.07	6.03	0.11	<0.02	0.16	0.026	0.03	11.9	7.5	0.16	59	1.36									
12-1293		1.50	3.2	0.86	5.95	0.10	0.15	<0.01	0.006	0.10	5.0	5.0	0.38	68	0.38									
12-1294		1.74	12.2	1.53	5.01	0.10	0.03	0.03	0.016	0.05	11.0	10.6	0.28	102	0.72									
12-1295		1.30	7.2	2.11	6.12	0.11	0.03	0.02	0.011	0.08	8.3	14.8	0.63	257	0.30									
12-1296		1.04	3.3	0.99	4.12	0.10	<0.02	0.02	0.009	0.05	10.1	4.9	0.17	98	0.39									
12-1297		1.15	6.8	1.48	3.61	0.09	<0.02	0.04	0.019	0.06	12.5	11.2	0.31	141	0.53									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012									
	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo					
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm					
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.01	0.1	0.01	0.01	1	0.05					
12-1298	1.38	6.5	2.17	7.03	0.09	0.04	0.02	0.018	0.07	10.2	10.5	0.30	188	0.77						
12-1299	1.18	3.1	1.34	4.95	0.09	0.04	0.01	0.013	0.06	10.1	9.5	0.25	145	0.42						
12-1300	1.32	2.1	1.65	6.37	0.10	0.03	0.01	0.019	0.05	9.1	8.3	0.16	79	0.56						
12-1301	1.16	1.2	1.21	6.23	0.09	0.03	0.02	0.013	0.04	9.9	5.6	0.09	49	0.45						
12-1302	1.42	7.6	1.32	6.03	0.10	<0.02	0.01	0.014	0.05	9.4	4.7	0.12	63	0.57						
12-1303	1.47	10.2	1.58	5.60	0.09	0.04	0.03	0.018	0.06	12.9	11.2	0.25	88	0.53						
12-1304	1.85	5.7	1.18	4.35	0.09	0.05	<0.01	0.012	0.07	12.3	12.1	0.37	116	0.25						
12-1305	1.51	7.6	1.69	5.12	0.11	0.07	0.03	0.019	0.13	19.2	14.6	0.53	276	0.31						
12-1306	1.44	13.8	1.79	4.59	0.13	0.16	0.04	0.020	0.16	32.9	15.2	0.65	417	0.40						
12-1307	1.66	12.4	2.23	4.40	0.12	0.13	0.03	0.016	0.13	18.2	12.8	0.56	398	0.29						
12-1308	1.40	3.7	1.37	3.31	0.10	0.02	0.02	0.011	0.05	10.3	7.6	0.22	270	0.45						
12-1309	1.29	0.7	0.85	6.07	0.08	<0.02	0.01	0.009	0.03	9.1	4.7	0.08	32	0.28						
12-1310	1.35	1.0	0.81	4.22	0.08	<0.02	<0.01	0.008	0.03	8.0	2.9	0.08	30	0.32						
12-1311	1.44	3.2	2.21	7.09	0.09	0.02	0.03	0.017	0.06	11.7	7.6	0.20	124	0.48						
12-1312	1.76	7.6	1.81	3.40	0.10	0.04	0.03	0.018	0.07	12.6	12.6	0.34	159	0.49						
12-1313	1.79	6.8	1.37	3.65	0.09	<0.02	0.03	0.013	0.06	11.6	10.2	0.29	250	0.34						
12-1314	1.35	4.2	1.42	3.36	0.08	0.02	0.03	0.015	0.05	9.9	9.4	0.23	103	0.49						
12-1315	1.48	1.6	2.07	4.20	0.09	<0.02	0.02	0.015	0.05	10.3	11.9	0.18	75	0.54						
12-1316	1.89	2.9	1.61	5.41	0.09	0.06	0.03	0.015	0.06	9.0	6.6	0.19	72	0.45						
12-1317	0.98	2.7	0.88	3.54	0.08	<0.02	<0.01	0.008	0.04	10.2	4.6	0.13	64	0.25						
12-1318	1.07	2.5	1.37	3.54	0.09	<0.02	0.02	0.013	0.05	9.9	7.1	0.17	87	0.38						
12-1319	1.12	2.1	1.33	3.76	0.09	0.02	0.02	0.012	0.05	10.7	7.5	0.19	110	0.34						
12-1320	1.09	3.4	1.77	4.69	0.09	0.02	0.04	0.021	0.04	10.3	8.9	0.17	78	0.62						
12-1321	1.67	2.1	1.25	4.58	0.10	<0.02	0.02	0.014	0.04	10.3	7.0	0.14	81	0.44						
12-1322	1.03	0.2	0.37	2.54	0.10	<0.02	<0.01	0.006	0.01	9.1	2.3	0.02	60	0.22						
12-1323	1.69	6.2	1.38	2.94	0.10	0.03	0.02	0.012	0.04	13.1	8.0	0.35	108	0.31						
12-1324	2.26	2.7	1.33	3.95	0.09	0.05	0.02	0.015	0.04	10.1	6.4	0.15	65	0.39						
12-1325	2.81	5.0	2.09	4.21	0.09	0.03	0.05	0.016	0.08	10.4	10.4	0.42	122	0.60						
12-1326	2.76	4.6	1.93	4.34	0.10	0.02	0.04	0.016	0.08	9.4	10.5	0.40	122	0.56						
12-1327	2.33	1.7	1.42	4.31	0.10	<0.02	0.02	0.012	0.04	9.1	5.7	0.13	67	0.45						
12-1328	3.26	2.1	1.40	3.98	0.11	0.02	0.02	0.009	0.05	9.5	5.3	0.21	89	0.51						
12-1329	1.41	8.7	2.02	5.48	0.11	0.02	0.09	0.019	0.02	9.1	5.2	0.14	59	1.13						

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1330		1.51	26.2	1.39	4.12	0.10	0.03	0.01	0.010	0.02	11.1	12.2	0.63	152	1.13									
12-1331		1.97	9.2	0.62	2.82	0.09	<0.02	0.02	0.009	0.02	11.1	6.4	0.13	54	0.39									
12-1332		1.50	11.0	0.64	5.09	0.10	<0.02	0.01	0.011	0.03	8.8	6.2	0.14	35	0.51									
12-1333		2.55	11.5	1.24	3.92	0.10	0.03	0.03	0.014	0.04	11.5	8.9	0.26	100	0.90									
12-1334		2.58	32.4	1.24	4.76	0.13	0.02	0.03	0.014	0.05	33.1	12.7	0.28	132	1.30									
12-1335		1.77	10.6	1.97	5.58	0.10	<0.02	0.02	0.015	0.04	12.2	8.5	0.18	74	1.52									
12-1336		1.10	9.9	2.04	3.18	0.09	<0.02	<0.01	0.006	0.03	8.2	5.0	0.46	77	0.51									
12-1337		1.40	11.1	1.61	4.34	0.10	0.04	<0.01	0.012	0.03	12.9	7.3	0.21	66	0.50									
12-1338		1.17	9.9	2.06	5.59	0.10	0.05	0.04	0.012	0.03	10.8	7.7	0.46	76	0.76									
12-1339		1.30	12.8	1.91	4.38	0.10	<0.02	0.07	0.014	0.03	10.7	8.0	0.18	63	1.08									
12-1340		2.03	21.6	3.50	9.65	0.11	0.03	0.05	0.020	0.04	13.0	8.8	0.19	191	2.88									
12-1341		1.52	9.9	1.24	3.60	0.10	<0.02	0.02	0.011	0.05	10.9	8.1	0.30	104	0.58									
12-1342		1.70	15.9	1.51	5.91	0.11	0.04	0.04	0.019	0.06	11.6	12.0	0.30	92	0.90									
12-1343		2.10	6.7	1.11	3.80	0.09	0.02	<0.01	0.012	0.06	12.0	10.5	0.32	108	0.31									
12-1344		0.89	10.2	1.21	2.65	0.11	0.10	0.02	0.012	0.07	22.0	7.1	0.37	291	0.23									
12-1345		1.43	3.6	1.54	6.14	0.10	0.02	0.01	0.010	0.03	10.7	3.9	0.13	54	0.65									
12-1346		1.02	8.0	1.87	4.91	0.11	0.04	0.04	0.013	0.06	12.2	4.8	0.22	160	0.69									
12-1347		0.91	6.8	1.12	3.96	0.11	0.04	0.02	0.008	0.05	15.9	4.3	0.19	142	0.45									
12-1348		0.94	22.2	2.00	3.28	0.11	0.04	0.02	0.015	0.04	17.5	6.5	0.27	126	0.80									
12-1349		1.43	4.3	0.83	5.99	0.11	0.05	0.02	0.006	0.03	7.9	2.0	0.14	53	2.67									
12-1350		1.28	5.6	0.77	3.98	0.11	<0.02	0.04	0.009	0.03	10.3	3.5	0.13	59	0.50									
12-1351		1.39	6.6	0.92	4.20	0.09	<0.02	0.04	0.010	0.04	10.3	4.4	0.15	59	0.59									
12-1352		0.69	12.5	1.72	6.29	0.10	<0.02	0.06	0.014	0.04	9.5	4.5	0.17	63	0.79									
12-1353		0.68	2.8	1.12	2.61	0.09	<0.02	0.02	0.010	0.04	10.6	4.7	0.20	93	0.36									
12-1354		0.68	3.1	1.15	3.28	0.08	<0.02	0.02	0.009	0.03	11.1	5.0	0.15	86	0.42									
12-1355		1.04	2.4	1.76	4.63	0.11	0.03	0.04	0.014	0.04	9.9	5.6	0.13	77	0.55									
12-1356		1.17	2.4	1.46	4.60	0.10	<0.02	0.03	0.014	0.03	9.4	6.5	0.11	54	0.43									
12-1357		1.45	2.6	1.70	4.47	0.09	<0.02	0.04	0.014	0.04	10.6	6.9	0.15	139	0.55									
12-1358		1.65	6.3	1.55	4.03	0.10	0.03	0.02	0.012	0.05	10.4	6.9	0.23	204	0.44									
12-1359		1.22	3.9	1.35	2.91	0.10	<0.02	0.03	0.014	0.05	11.2	6.1	0.20	120	0.34									
12-1360		2.37	3.5	1.39	3.42	0.09	0.03	0.02	0.016	0.05	11.0	7.1	0.20	87	0.55									
12-1361		4.05	17.9	2.96	7.61	0.10	0.03	0.02	0.024	0.11	9.3	8.9	0.44	298	1.18									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1362		1.11	5.8	0.79	2.52	0.10	<0.02	0.01	0.009	0.02	9.8	5.7	0.20	66	0.33									
12-1363		1.25	17.3	0.78	2.96	0.11	<0.02	<0.01	0.011	0.03	12.5	6.9	0.22	71	0.42									
12-1364		3.36	27.8	2.03	3.97	0.12	<0.02	0.08	0.021	0.04	12.6	10.0	0.20	132	1.70									
12-1365		1.48	26.0	1.78	6.05	0.11	<0.02	0.10	0.014	0.03	7.3	4.6	0.18	70	1.60									
12-1366		1.61	18.2	3.89	10.9	0.12	0.03	0.11	0.024	0.04	8.4	3.3	0.14	74	2.01									
12-1367		0.91	44.8	2.98	4.58	0.11	0.02	0.08	0.016	0.05	10.7	5.6	0.19	528	0.70									
12-1368		2.55	10.0	1.86	9.92	0.12	0.05	0.03	0.023	0.03	11.2	18.7	0.19	64	1.53									
12-1369		2.57	16.1	5.49	8.08	0.11	0.04	0.03	0.018	0.06	11.4	13.6	0.77	274	1.23									
12-1370		0.22	13.4	2.71	1.00	<0.05	<0.02	<0.01	<0.005	0.05	1.0	1.9	0.47	125	0.13									
12-1371		2.02	19.9	2.23	6.27	0.11	0.03	0.03	0.013	0.06	11.3	10.9	0.33	140	0.70									
12-1372		0.96	4.4	1.06	3.51	0.09	0.10	0.01	0.012	0.03	10.7	11.5	0.29	116	0.18									
12-1373		0.90	4.4	1.35	4.92	0.10	0.06	0.03	0.013	0.04	14.9	10.2	0.22	76	0.53									
12-1374		1.35	6.7	1.37	4.14	0.10	0.06	0.03	0.018	0.04	14.3	14.1	0.22	105	0.60									
12-1375		1.01	8.7	1.44	4.24	0.10	0.06	0.02	0.014	0.04	13.2	12.1	0.31	104	0.69									
12-1376		1.05	8.8	1.57	4.78	0.09	0.06	0.02	0.013	0.04	12.2	14.0	0.33	110	0.77									
12-1377		0.88	8.3	1.03	6.89	0.11	0.07	0.04	0.015	0.03	21.9	19.8	0.36	94	0.35									
12-1378		1.14	5.9	1.52	7.90	0.10	0.06	0.03	0.017	0.04	12.6	13.1	0.24	83	0.45									
12-1379		0.99	4.5	1.04	2.93	0.10	0.03	0.05	0.011	0.03	15.8	8.4	0.20	71	0.35									
12-1380		1.00	3.4	1.01	3.36	0.09	0.08	0.02	0.013	0.04	15.3	11.6	0.26	94	0.25									
12-1431		0.97	4.8	0.96	3.56	0.10	0.05	0.03	0.016	0.06	11.5	14.1	0.29	100	0.33									
12-1432		0.41	2.7	0.24	3.73	0.07	0.02	0.03	0.008	0.03	8.4	3.6	0.06	26	0.41									
12-1433		1.05	9.5	1.73	6.30	0.10	0.04	0.03	0.014	0.05	9.1	8.8	0.30	131	1.39									
12-1434		1.59	7.0	1.71	7.69	0.11	0.09	0.04	0.012	0.06	7.4	5.2	0.20	62	1.33									
12-1435		1.86	27.2	1.13	3.22	0.11	0.04	0.03	0.012	0.04	26.6	9.4	0.24	117	0.38									
12-1436		1.64	11.0	1.26	4.88	0.11	0.06	0.02	0.012	0.05	14.5	12.4	0.39	153	0.64									
12-1437		1.56	51.5	0.93	2.93	0.16	0.10	0.05	0.013	0.06	56.4	8.2	2.01	226	0.20									
12-1438		4.33	135	1.36	5.05	0.29	0.13	0.20	0.020	0.09	161	15.8	0.44	353	0.47									
12-1439		1.26	60.1	1.72	4.30	0.16	0.06	0.02	0.010	0.05	45.7	18.7	0.64	263	0.29									
12-1440		1.85	5.9	1.88	5.44	0.10	0.03	0.02	0.011	0.07	9.1	8.2	0.26	147	0.80									
12-1441		1.48	3.9	2.27	8.13	0.10	0.05	0.04	0.022	0.09	11.0	12.7	0.29	108	0.59									
12-1442		0.66	1.6	1.07	4.65	0.09	<0.02	0.04	0.011	0.03	9.2	5.1	0.08	40	0.38									
12-1443		0.79	5.5	1.36	4.54	0.09	0.05	0.04	0.015	0.05	9.8	10.1	0.26	105	0.38									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1444		1.57	7.6	1.34	3.83	0.11	0.03	0.02	0.010	0.05	14.5	8.1	0.26	119	0.51									
12-1445		1.31	4.8	1.50	6.24	0.10	0.03	0.06	0.015	0.03	10.1	9.1	0.13	55	0.74									
12-1446		1.17	6.4	0.72	4.37	0.09	0.03	0.01	0.008	0.03	10.1	7.1	0.21	67	0.29									
12-1447		1.90	1.9	1.96	8.13	0.10	0.04	0.05	0.019	0.04	11.0	9.3	0.14	57	0.61									
12-1448		1.45	0.9	1.50	8.04	0.10	0.04	0.05	0.017	0.04	10.3	6.0	0.11	39	0.48									
12-1449		1.66	0.7	1.32	5.12	0.10	0.02	0.05	0.018	0.04	9.3	9.2	0.11	58	0.48									
12-1450		0.96	4.4	1.21	4.92	0.09	0.06	0.02	0.014	0.09	10.9	14.8	0.38	156	0.23									
12-1451		1.17	6.1	1.54	5.59	0.08	0.09	0.02	0.017	0.12	12.8	17.8	0.49	245	0.23									
12-1452		1.56	13.0	2.14	7.18	0.11	0.16	0.04	0.027	0.21	24.1	24.0	0.78	502	0.22									
12-1453		1.35	6.5	1.71	6.06	0.11	0.06	0.03	0.022	0.11	16.0	18.8	0.53	289	0.36									
12-1454		0.49	7.2	0.65	1.81	0.06	0.13	0.02	0.009	0.06	13.2	5.6	3.75	191	0.14									
12-1455		1.20	15.8	1.07	3.90	0.11	0.06	0.05	0.014	0.05	16.2	10.6	0.38	121	0.46									
12-1456		1.84	12.3	2.25	9.38	0.10	0.06	0.05	0.019	0.04	12.6	14.8	0.38	114	6.00									
12-1457		2.12	12.9	0.87	4.93	0.09	0.03	0.04	0.013	0.05	16.1	10.5	0.22	112	0.50									
12-1458		1.87	14.7	2.14	6.62	0.10	0.05	0.03	0.021	0.07	11.1	15.6	0.33	113	0.48									
12-1459		1.55	5.3	1.50	5.36	0.10	0.04	0.03	0.013	0.06	10.8	8.3	0.23	88	0.60									
12-1460		1.34	9.8	1.04	4.04	0.10	0.03	0.02	0.013	0.04	14.6	8.7	0.21	130	0.43									
12-1461		1.78	6.5	0.98	4.61	0.11	0.04	0.02	0.012	0.04	13.0	9.4	0.20	86	0.41									
12-1462		2.17	8.1	0.88	5.10	0.08	0.03	0.02	0.011	0.04	11.4	11.0	0.26	102	0.73									
12-1463		1.32	0.6	0.81	4.56	0.07	0.05	0.03	0.011	0.03	11.1	7.7	0.10	46	0.30									
12-1464		1.09	2.6	1.20	5.82	0.09	0.06	0.02	0.013	0.06	11.3	11.0	0.28	120	0.44									
12-1465		1.63	4.8	1.68	5.44	0.10	0.05	0.02	0.016	0.07	16.0	9.9	0.27	262	0.31									
12-1466		1.59	4.5	2.28	6.41	0.09	0.03	0.06	0.026	0.06	13.3	15.3	0.21	158	0.63									
12-1467		1.52	0.8	2.01	8.49	0.09	0.04	0.03	0.022	0.05	10.6	12.3	0.16	74	0.50									
12-1468		0.97	3.9	1.08	4.01	0.08	0.03	0.04	0.014	0.07	10.7	9.7	0.24	153	0.30									
12-1469		1.37	3.2	2.11	7.19	0.09	0.05	0.03	0.019	0.08	10.9	13.3	0.27	109	0.43									
12-1470		0.76	5.7	1.18	3.63	0.10	0.13	0.03	0.015	0.09	25.4	12.1	0.40	173	0.15									
12-1471		2.90	54.0	1.06	4.04	0.09	0.06	0.03	0.013	0.07	21.8	15.0	0.33	147	0.16									
12-1472		0.89	12.7	1.09	3.60	<0.05	0.42	0.02	0.017	0.13	20.6	12.7	3.20	367	0.18									
12-1473		1.77	21.2	2.03	6.97	0.14	0.11	0.03	0.022	0.13	29.6	16.9	1.21	355	0.44									
12-1474		0.80	10.1	1.31	3.06	0.10	0.02	0.05	0.026	0.03	13.6	7.8	0.18	145	0.58									
12-1475		1.24	14.3	1.30	3.92	0.10	0.05	0.03	0.019	0.05	17.1	11.4	0.29	105	0.51									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1476		1.03	10.9	0.21	3.57	0.10	0.04	0.03	0.016	0.05	16.2	9.8	0.26	93	0.42									
12-1477		1.12	19.2	1.55	4.63	0.11	0.12	0.03	0.016	0.13	14.2	14.2	0.47	323	0.20									
12-1478		0.51	3.7	0.87	2.11	0.09	0.05	0.02	0.009	0.04	10.1	5.7	0.19	118	0.18									
12-1479		0.87	7.1	1.22	3.02	0.08	0.05	0.03	0.017	0.05	9.9	9.5	0.23	130	0.50									
12-1480		1.05	15.7	1.02	3.71	0.10	0.03	0.05	0.017	0.04	9.6	6.5	0.15	190	0.61									
12-1481		0.96	64.8	1.46	2.40	0.11	0.09	0.02	0.011	0.06	20.4	8.0	0.43	262	0.33									
12-1482		2.27	11.7	2.09	10.3	0.09	0.07	0.04	0.016	0.07	8.7	10.1	0.29	112	0.74									
12-1483		2.38	48.7	1.56	4.02	0.13	0.04	0.05	0.012	0.06	31.0	16.9	0.54	278	0.46									
12-1484		0.88	13.1	1.25	3.99	0.12	0.12	0.04	0.016	0.09	22.9	12.8	0.44	334	0.24									
12-1485		0.77	3.7	0.95	4.89	0.09	0.04	0.02	0.010	0.04	9.6	5.8	0.15	60	0.51									
12-1486		1.24	9.5	0.74	4.37	0.10	0.02	0.04	0.010	0.02	10.9	8.9	0.09	32	0.47									
12-1487		1.16	9.7	1.57	6.01	0.09	0.03	0.04	0.018	0.02	8.5	10.3	0.16	59	1.06									
12-1488		1.04	10.3	0.72	3.81	0.09	0.03	0.02	0.012	0.03	11.5	6.8	0.18	55	0.35									
12-1489		1.00	8.3	1.54	4.60	0.09	0.03	0.06	0.018	0.03	10.3	9.5	0.17	67	0.57									
12-1490		2.73	95.1	4.42	10.7	0.13	0.09	0.08	0.034	0.11	21.1	36.1	1.00	1510	6.01									
12-1600		1.65	4.0	1.53	5.39	0.09	0.03	0.07	0.018	0.04	10.3	10.5	0.19	80	0.58									
12-1601		1.68	4.2	1.62	4.65	0.09	0.03	0.07	0.022	0.05	9.2	12.1	0.21	107	0.54									
12-1602		1.27	4.1	2.21	8.90	0.12	0.06	0.07	0.025	0.05	13.0	12.0	0.27	102	0.59									
12-1603		1.53	2.5	1.63	5.76	0.09	0.03	0.06	0.021	0.04	10.0	10.9	0.15	155	0.52									
12-1604		1.50	1.9	1.17	8.67	0.09	0.04	0.04	0.011	0.03	9.8	4.3	0.10	41	0.44									
12-1605		1.65	2.2	1.73	9.19	0.09	0.05	0.03	0.018	0.05	10.0	9.5	0.16	57	0.49									
12-1606		1.34	1.7	1.53	7.58	0.09	0.04	0.02	0.014	0.05	10.3	5.6	0.13	55	0.45									
12-1607		1.31	6.9	1.77	5.32	0.11	0.07	0.04	0.013	0.04	10.4	10.0	0.30	100	0.44									
12-1608		1.29	4.3	1.71	6.13	0.10	0.05	0.04	0.019	0.05	11.5	13.3	0.25	84	0.43									
12-1609		1.63	8.2	2.52	8.69	0.10	0.07	0.06	0.020	0.06	10.6	16.2	0.33	210	0.72									
12-1610		1.56	2.7	1.12	6.02	0.09	0.03	0.03	0.012	0.05	10.0	5.7	0.15	73	0.37									
12-1611		1.48	3.3	2.11	7.88	0.08	0.05	0.04	0.021	0.06	9.7	14.1	0.26	81	0.46									
12-1612		1.56	3.5	2.11	8.46	0.08	0.05	0.05	0.022	0.06	10.5	14.3	0.25	84	0.48									
12-1613		1.19	1.6	1.04	6.18	0.09	0.03	0.04	0.010	0.04	8.5	7.2	0.13	75	0.33									
12-1614		1.65	3.5	1.25	7.90	0.09	0.03	0.05	0.014	0.05	10.4	8.5	0.15	57	0.48									
12-1615		1.48	8.1	1.60	4.91	0.09	0.08	0.03	0.019	0.09	13.0	16.5	0.37	163	0.48									
12-1616		0.86	4.4	1.51	5.17	0.09	0.08	0.04	0.019	0.08	11.1	14.2	0.29	107	0.37									

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012														
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
12-1617		0.25	5.0	0.51	1.27	0.09	0.18	0.01	0.008	0.04	11.5	4.6	3.79	184	0.14											
12-1618		0.57	2.8	0.89	2.76	0.11	0.08	0.03	0.012	0.05	16.1	7.8	0.39	111	0.15											
12-1619		1.37	17.4	1.58	5.52	0.09	0.31	0.03	0.022	0.20	24.5	17.4	2.41	395	0.19											
12-1620		1.42	14.9	1.97	6.79	0.14	0.19	0.05	0.027	0.24	36.0	22.2	0.78	563	0.31											
12-1621		1.00	5.0	1.00	4.91	0.10	0.09	0.02	0.014	0.10	12.8	14.2	0.36	186	0.20											
12-1622		1.29	10.5	1.75	6.36	0.10	0.12	0.03	0.022	0.15	17.8	21.4	0.63	412	0.22											
12-1623		0.74	8.3	0.97	3.36	0.08	0.14	0.04	0.016	0.10	16.9	11.5	2.42	281	0.17											
12-1624		3.54	46.9	1.69	6.75	0.13	0.16	0.05	0.025	0.18	29.4	25.1	0.59	372	0.29											
12-1625		0.85	3.2	1.04	3.87	0.10	0.09	0.02	0.015	0.07	14.8	12.5	0.35	168	0.22											
12-1626		0.67	3.4	0.97	3.54	0.09	0.08	0.01	0.013	0.06	13.0	11.0	0.32	158	0.16											
12-1627		1.13	8.4	1.47	5.84	0.09	0.07	0.02	0.019	0.12	13.4	17.7	0.45	244	0.58											
12-1628		1.01	6.9	1.43	5.16	0.09	0.08	0.03	0.018	0.10	12.6	16.3	0.47	289	0.21											
12-1629		0.88	6.8	1.30	4.61	0.10	0.12	0.02	0.017	0.11	17.5	16.9	0.47	224	0.42											
12-1630		1.14	10.2	1.58	5.80	0.11	0.15	0.04	0.022	0.14	23.3	19.8	0.55	247	0.16											
12-1631		1.29	8.2	1.57	6.55	0.09	0.08	0.02	0.021	0.11	15.0	21.7	0.54	269	0.26											
12-1632		1.74	10.9	1.90	7.66	0.10	0.15	0.03	0.027	0.23	16.9	26.9	0.72	599	0.28											
12-1633		0.64	4.1	1.13	3.66	0.07	0.05	0.03	0.016	0.06	11.5	12.1	0.23	184	0.31											
12-1634		0.62	5.9	1.06	3.24	0.08	0.10	0.05	0.014	0.08	17.6	10.9	0.31	316	0.25											
12-1635		0.74	4.7	0.87	4.56	0.06	0.04	0.04	0.015	0.07	9.7	10.7	0.20	215	0.47											
12-1636		0.71	4.2	0.76	2.80	0.07	0.05	0.02	0.010	0.04	13.5	9.1	0.24	150	0.31											
12-1637		0.68	4.4	1.18	3.28	0.07	0.06	0.03	0.014	0.04	9.9	11.6	0.23	91	0.33											
12-1638		0.79	4.9	1.21	3.89	0.07	0.04	0.03	0.016	0.05	11.2	11.5	0.25	146	0.39											
12-1639		0.96	9.2	2.26	7.12	0.10	0.05	0.15	0.025	0.02	9.7	6.3	0.10	52	2.07											
12-1491		1.10	4.6	1.55	5.16	0.07	0.04	0.07	0.023	0.03	9.5	10.5	0.12	46	0.69											
12-1492		1.50	13.2	0.90	4.81	0.09	0.03	0.04	0.012	0.03	9.7	10.9	0.20	63	0.65											
12-1493		0.88	27.6	0.62	4.99	0.08	<0.02	0.03	0.011	0.02	8.3	1.3	0.06	27	0.66											
12-1494		1.92	8.4	0.41	5.64	0.08	0.03	0.03	0.008	0.03	9.7	2.9	0.07	29	0.38											
12-1495		1.36	6.7	1.00	6.33	0.08	0.03	0.04	0.012	0.03	9.8	11.7	0.23	71	0.76											
12-1496		1.43	9.1	0.87	6.16	0.07	0.04	0.02	0.010	0.03	7.2	11.1	0.27	71	0.52											
12-1497		2.19	5.2	1.52	6.71	0.07	0.04	0.04	0.014	0.04	8.5	13.3	0.33	131	1.36											
12-1498		1.86	6.9	1.98	5.39	0.06	0.04	0.07	0.018	0.06	10.5	13.4	0.31	91	0.89											
12-1499		1.58	4.2	1.15	3.78	0.07	0.03	0.05	0.015	0.03	13.4	9.6	0.17	74	0.65											

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil									
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo		
12-1500		0.87	12.6	1.37	4.00	0.09	0.21	0.02	0.015	0.11	19.8	15.1	0.40	223	0.18																
12-1501		1.04	11.0	1.26	4.30	0.09	0.20	0.03	0.016	0.10	19.2	17.0	0.37	179	0.22																
12-1502		1.88	26.6	1.91	6.88	0.10	0.31	0.04	0.022	0.22	22.6	25.1	0.71	341	0.18																
12-1503		2.05	37.4	1.96	7.94	0.12	0.40	0.06	0.028	0.19	34.2	26.6	0.75	398	0.69																
12-1504		0.65	3.4	0.83	2.86	0.07	0.13	0.01	0.010	0.05	12.6	10.8	0.41	151	0.11																
12-1505		1.10	7.8	1.02	4.54	0.07	0.12	0.03	0.016	0.09	12.2	18.3	0.40	409	0.41																
12-1506		1.79	2.8	1.23	8.02	0.07	0.05	0.07	0.016	0.03	9.1	12.6	0.09	31	0.51																
12-1507		1.72	3.8	1.29	4.67	0.08	0.04	0.06	0.018	0.04	10.2	13.9	0.14	52	0.49																
12-1508		1.76	2.0	0.86	7.90	0.09	0.05	0.03	0.012	0.06	10.2	5.9	0.17	58	0.34																
12-1509		1.47	4.7	1.40	6.13	0.09	0.07	0.03	0.019	0.05	10.0	12.7	0.19	83	0.41																
12-1510		1.49	2.0	1.13	6.70	0.09	0.04	0.02	0.013	0.03	8.9	10.2	0.13	46	0.51																
12-1511		1.52	1.9	1.05	5.86	0.10	0.04	0.02	0.011	0.04	9.1	6.5	0.12	56	0.31																
12-1512		0.90	7.6	0.96	2.65	0.11	0.08	0.01	0.008	0.03	17.7	9.2	0.32	157	0.15																
12-1513		0.88	3.2	0.87	2.58	0.10	0.04	0.02	0.012	0.04	7.6	8.3	0.16	90	0.28																
12-1514		1.26	8.2	1.63	5.31	0.10	0.07	0.03	0.014	0.05	11.3	11.4	0.31	97	0.50																
12-1515		1.76	7.7	1.18	4.49	0.09	0.05	0.02	0.011	0.06	11.0	12.7	0.32	236	0.28																
12-1516		1.22	5.0	1.67	5.77	0.09	0.04	0.05	0.020	0.04	11.7	15.3	0.25	102	0.52																
12-1517		1.17	2.0	1.68	6.46	0.09	0.04	0.04	0.020	0.05	10.8	12.1	0.17	72	0.42																
12-1518		1.40	4.9	1.18	7.86	0.08	0.06	0.03	0.015	0.06	10.5	8.6	0.20	73	0.48																
12-1519		0.75	3.5	0.86	5.31	0.10	0.02	0.02	0.017	0.03	11.8	11.1	0.19	64	0.59																
12-1520		0.91	10.8	1.10	4.08	<0.05	0.06	0.06	0.018	0.07	15.8	12.7	0.32	132	0.52																
12-1521		1.30	2.9	1.44	6.67	0.10	0.04	0.06	0.016	0.05	10.6	9.2	0.18	62	0.45																
12-1522		1.47	3.3	1.49	5.25	0.09	0.03	0.05	0.022	0.05	10.8	12.3	0.22	97	0.32																
12-1523		1.81	1.7	1.43	6.16	0.11	0.03	0.04	0.018	0.03	9.8	9.1	0.13	56	0.50																
12-1524		1.82	0.6	0.83	5.50	0.09	<0.02	0.03	0.010	0.04	10.3	5.7	0.09	45	0.44																
12-1525		1.26	2.4	1.25	3.67	0.09	0.04	0.05	0.019	0.04	12.1	10.9	0.20	75	0.40																
12-1526		1.22	2.4	1.36	3.82	0.09	0.04	0.05	0.019	0.04	11.3	10.8	0.20	76	0.42																
12-1527		1.59	1.6	1.17	4.67	0.10	0.02	0.04	0.013	0.04	10.6	8.5	0.13	51	0.47																
12-1528		0.94	10.2	1.18	3.74	0.10	0.02	0.04	0.010	0.02	10.1	12.3	0.40	70	0.51																
12-1529		1.22	11.4	0.85	4.23	0.10	0.05	0.04	0.015	0.03	12.5	9.7	0.16	58	0.39																
12-1530		0.76	12.5	3.25	8.40	0.11	0.05	0.16	0.030	0.02	9.1	5.7	0.10	40	1.32																
12-1531		0.89	19.7	2.91	9.58	0.12	0.04	0.10	0.023	0.03	9.7	10.8	0.30	70	1.18																

Certified By:



AGAT Laboratories

Certificate of Analysis
 AGAT WORK ORDER: 12T646805
 PROJECT NO:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm									
12-1532		0.69	20.2	1.31	5.35	0.10	0.04	0.05	0.014	0.03	12.9	11.5	0.24	63	0.95									
12-1533		2.65	3.6	1.00	4.36	0.10	0.05	0.01	0.008	0.05	9.7	4.9	0.16	168	0.61									
12-1534		1.22	5.3	1.46	4.14	0.10	0.03	0.06	0.020	0.05	9.3	10.4	0.18	90	0.58									
12-1535		1.55	8.4	1.15	4.67	0.10	0.05	0.02	0.011	0.07	12.3	9.5	0.24	79	0.41									
12-1536		1.26	3.9	1.58	4.65	0.09	0.04	0.05	0.021	0.04	10.7	12.1	0.19	74	0.67									
12-1537		2.19	25.4	1.11	4.14	0.12	0.07	0.02	0.014	0.04	25.6	10.6	0.25	163	0.41									
12-1538		2.71	5.7	2.13	7.96	0.09	0.08	0.03	0.019	0.13	9.1	14.0	0.42	106	0.83									
12-1539		2.56	12.3	1.44	4.82	0.08	0.11	0.02	0.018	0.07	10.7	15.9	0.39	117	0.44									
12-1540		1.16	25.1	1.13	3.50	0.14	0.24	0.03	0.016	0.09	44.3	11.4	1.58	161	0.18									
12-1541		1.20	9.3	2.09	6.98	0.11	0.06	0.06	0.022	0.04	9.7	8.2	0.15	60	0.81									
12-1542		1.38	21.1	1.71	4.06	0.09	0.12	0.03	0.021	0.04	12.0	11.6	0.30	118	0.42									
12-1543		1.64	2.5	1.16	7.05	0.10	0.08	0.03	0.012	0.06	9.4	6.2	0.18	65	0.49									
12-1544		4.23	48.7	1.29	3.73	0.13	0.05	0.06	0.016	0.07	37.2	13.4	0.35	485	0.59									
12-1545		1.68	5.7	1.46	5.32	0.08	0.05	0.03	0.015	0.08	9.9	15.1	0.34	137	0.48									
12-1546		1.47	3.5	1.55	7.58	0.09	0.07	0.02	0.014	0.08	9.3	9.7	0.24	119	0.59									
12-1547		1.16	3.3	2.06	5.80	0.08	0.04	0.04	0.020	0.05	9.1	13.6	0.20	85	0.54									
12-1548		1.61	5.6	1.74	4.93	0.09	0.05	0.04	0.026	0.04	11.4	15.6	0.20	80	0.60									
12-1549		0.90	1.7	1.60	11.0	0.11	0.06	0.02	0.016	0.06	10.8	5.3	0.14	69	0.57									
12-1550		1.31	10.1	0.64	4.36	<0.05	0.04	0.04	0.017	0.04	10.7	16.5	0.25	87	0.33									
12-1850		2.27	7.7	1.33	4.62	0.07	0.08	0.04	0.017	0.04	10.8	11.6	0.16	60	1.17									
12-1851		2.23	7.4	1.30	4.28	0.09	0.08	0.04	0.017	0.04	10.3	10.8	0.16	61	0.67									
12-1852		0.24	7.5	0.07	0.19	<0.05	0.07	0.10	<0.005	<0.01	1.2	0.2	0.24	105	0.70									
12-1853		0.76	5.1	0.69	3.58	0.09	0.03	0.01	0.008	0.03	9.8	6.4	0.18	69	0.28									
12-1854		1.52	6.6	2.11	5.25	0.09	0.07	0.04	0.020	0.06	14.0	13.1	0.32	157	0.70									
12-1855		1.97	1.2	1.02	5.14	0.10	0.06	0.02	0.011	0.05	10.7	9.0	0.21	76	0.35									
12-1856		1.73	1.4	1.77	7.16	0.09	0.03	0.05	0.017	0.05	10.4	7.3	0.15	67	0.51									
12-1857		0.68	0.9	1.39	5.98	0.11	0.03	0.04	0.012	0.04	9.9	4.6	0.11	114	0.58									
12-1858		1.39	5.4	1.59	4.89	0.07	0.04	0.05	0.019	0.04	9.7	11.0	0.16	120	0.56									
12-1859		2.40	3.9	1.69	4.63	0.08	0.04	0.04	0.014	0.06	10.6	12.2	0.23	132	0.56									
12-1860		1.51	1.5	0.98	6.38	0.07	0.02	0.03	0.012	0.04	9.9	7.2	0.09	58	0.35									
12-1861		2.66	5.4	1.67	5.77	0.08	0.03	0.06	0.013	0.09	10.2	13.3	0.35	521	0.49									
12-1862		2.40	9.1	2.57	8.97	0.09	0.04	0.08	0.030	0.07	10.1	17.5	0.31	400	0.62									

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm								
12-1863		1.20	1.7	0.95	6.69	0.08	0.03	0.03	0.008	0.03	9.2	0.07	3.0	0.07	46	0.42							
12-1864		1.21	2.3	0.72	4.26	0.07	0.03	0.03	0.008	0.03	9.8	0.08	4.3	0.08	50	0.35							
12-1865		1.68	6.5	1.61	4.42	0.06	0.05	0.04	0.017	0.09	10.4	0.40	13.7	0.40	147	0.50							
12-1866		0.71	2.9	1.44	5.01	0.05	0.04	0.02	0.012	0.04	8.9	0.24	11.1	0.24	64	0.43							
12-1867		2.17	13.2	1.78	6.03	0.08	0.06	0.05	0.015	0.06	20.8	0.50	25.6	0.50	220	0.47							
12-1868		1.04	2.9	1.52	5.43	0.08	0.04	0.02	0.012	0.05	7.2	0.27	12.3	0.27	114	0.41							
12-1869		1.94	5.2	0.62	4.12	0.08	0.02	0.04	0.011	0.04	17.3	0.13	9.3	0.13	105	0.30							
12-1870		1.37	4.5	1.45	5.82	0.08	0.02	0.03	0.014	0.06	14.2	0.63	18.5	0.63	431	0.21							
12-1871		0.50	1.4	0.25	2.29	0.05	<0.02	0.01	0.005	0.04	9.9	0.07	2.6	0.07	77	0.52							
12-1872		1.07	2.0	1.51	4.94	0.08	0.03	0.05	0.016	0.04	11.0	0.12	11.2	0.12	77	0.44							
12-1873		0.77	1.0	0.56	3.31	0.07	<0.02	0.01	0.006	0.03	9.3	0.08	4.0	0.08	73	0.30							
12-1874		0.78	2.8	0.58	3.30	0.08	0.04	0.01	0.007	0.02	8.9	0.04	3.0	0.04	24	0.40							
12-1875		2.43	87.9	0.59	2.78	0.10	0.10	0.06	0.011	0.06	23.7	0.27	10.4	0.27	70	0.22							
12-1876		<0.05	77.4	0.45	<0.05	0.15	<0.02	<0.01	<0.005	0.04	<0.1	0.21	<0.1	0.21	53	<0.05							

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1266	0.02	0.01	0.96	17.5	596	3.4	7.0	<0.001	0.007	<0.05	2.2	0.2	0.3	14.5	<0.01						
12-1267	0.01	1.79	38.1	673	7.1	16.4	<0.001	0.054	0.07	4.4	1.1	0.5	16.6	0.01							
12-1268	0.02	3.08	25.4	309	7.7	30.3	<0.001	0.024	0.07	7.1	0.6	0.7	22.5	<0.01							
12-1269	0.02	2.21	12.9	442	5.1	14.1	<0.001	0.014	<0.05	4.5	0.3	0.5	18.6	<0.01							
12-1270	0.01	1.62	8.7	429	5.0	11.0	<0.001	0.026	<0.05	3.3	0.4	0.4	15.4	<0.01							
12-1271	<0.01	1.16	9.2	335	3.9	8.7	<0.001	<0.005	<0.05	2.7	<0.2	0.3	10.1	<0.01							
12-1272	<0.01	1.76	10.3	517	4.7	6.3	<0.001	0.018	<0.05	3.3	0.3	0.4	13.3	<0.01							
12-1273	0.01	1.46	7.9	476	3.7	5.3	<0.001	0.052	<0.05	2.7	0.2	0.3	26.5	<0.01							
12-1274	0.01	2.47	14.7	437	5.1	10.2	<0.001	0.012	0.05	2.8	0.2	0.4	12.0	<0.01							
12-1275	<0.01	2.19	9.3	223	4.6	12.7	<0.001	0.008	<0.05	2.3	<0.2	0.4	11.9	<0.01							
12-1276	<0.01	2.11	9.7	197	5.3	13.9	<0.001	0.008	<0.05	2.4	<0.2	0.5	12.8	<0.01							
12-1277	<0.01	1.75	7.4	307	4.3	9.0	<0.001	0.016	<0.05	1.9	<0.2	0.4	11.2	<0.01							
12-1278	0.01	2.56	11.1	372	5.0	8.6	<0.001	0.011	<0.05	2.9	0.2	0.5	13.7	<0.01							
12-1279	<0.01	1.88	3.9	137	5.5	6.4	<0.001	0.010	0.06	1.2	<0.2	0.5	8.4	<0.01							
12-1280	<0.01	3.80	5.9	904	9.5	10.2	<0.001	0.014	0.07	2.7	0.3	0.9	9.4	<0.01							
12-1281	<0.01	2.41	4.8	242	6.5	8.8	<0.001	0.011	<0.05	1.4	0.2	0.6	7.2	<0.01							
12-1282	<0.01	1.72	4.4	342	6.2	8.7	<0.001	0.008	<0.05	1.5	0.2	0.5	7.3	<0.01							
12-1283	<0.01	1.98	4.1	239	6.3	9.9	<0.001	0.014	<0.05	1.2	<0.2	0.6	8.5	<0.01							
12-1284	<0.01	2.74	10.8	293	6.6	6.5	<0.001	0.015	<0.05	2.0	0.2	0.5	8.2	<0.01							
12-1285	0.01	2.14	19.1	294	5.0	8.7	<0.001	0.014	<0.05	2.3	0.3	0.4	10.8	<0.01							
12-1286	<0.01	2.59	12.6	776	6.8	10.5	<0.001	0.013	<0.05	2.2	<0.2	0.6	11.8	<0.01							
12-1287	<0.01	1.62	5.5	263	3.7	9.1	<0.001	0.007	<0.05	1.7	<0.2	0.3	11.2	<0.01							
12-1288	0.02	1.88	8.7	306	6.1	12.5	<0.001	0.016	<0.05	1.4	<0.2	0.4	19.7	<0.01							
12-1289	<0.01	2.26	9.8	1730	7.4	15.7	<0.001	0.009	0.05	2.1	0.2	0.5	10.7	<0.01							
12-1290	<0.01	1.98	5.4	837	8.3	9.6	<0.001	0.007	0.06	1.5	<0.2	0.6	7.7	<0.01							
12-1291	0.01	1.78	19.7	438	4.6	8.7	<0.001	0.011	<0.05	2.4	<0.2	0.3	12.0	<0.01							
12-1292	<0.01	1.82	6.7	553	11.2	5.2	<0.001	0.054	0.09	1.9	1.2	0.4	9.0	<0.01							
12-1293	<0.01	2.94	8.0	105	5.3	7.2	<0.001	0.007	0.05	1.0	<0.2	0.3	4.1	<0.01							
12-1294	<0.01	2.41	15.9	245	6.9	9.1	<0.001	0.015	0.05	2.1	0.3	0.5	10.6	<0.01							
12-1295	<0.01	1.83	18.8	203	5.0	9.2	<0.001	0.015	<0.05	3.6	<0.2	0.4	8.9	<0.01							
12-1296	<0.01	1.69	5.1	252	5.3	12.8	<0.001	0.011	<0.05	1.4	<0.2	0.4	10.4	<0.01							
12-1297	<0.01	2.10	14.4	718	6.4	10.4	<0.001	0.020	0.06	2.3	0.4	0.4	14.5	0.01							

Certified By: 



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil							
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm														
12-1298	<0.01	3.00	0.05	0.2	10	6.9	0.1	0.1	15.6	<0.001	0.014	0.014	0.07	2.4	0.3	0.7	15.0	<0.01											
12-1299	<0.01	2.43	10.3	239	5.6	15.7	<0.001	0.010	15.7	<0.001	0.010	0.010	<0.05	2.1	<0.2	0.5	11.6	<0.01											
12-1300	<0.01	2.47	6.6	719	7.3	12.4	<0.001	0.010	12.4	<0.001	0.010	0.10	0.10	2.0	0.2	0.6	9.0	<0.01											
12-1301	<0.01	2.31	2.8	440	7.1	10.8	<0.001	0.009	10.8	<0.001	0.009	<0.05	<0.05	1.5	0.2	0.6	7.8	<0.01											
12-1302	<0.01	2.18	4.4	571	7.5	12.4	<0.001	0.008	12.4	<0.001	0.008	0.09	0.09	1.5	0.2	0.6	8.1	<0.01											
12-1303	<0.01	2.55	13.6	304	6.6	10.3	<0.001	0.015	10.3	<0.001	0.015	<0.05	<0.05	2.6	0.3	0.5	12.8	<0.01											
12-1304	0.01	2.27	12.3	326	4.5	11.6	<0.001	0.008	11.6	<0.001	0.008	<0.05	<0.05	2.6	<0.2	0.5	15.7	<0.01											
12-1305	0.02	2.58	19.5	318	8.6	19.4	<0.001	0.019	19.4	<0.001	0.019	0.05	0.05	4.1	0.3	0.6	18.7	<0.01											
12-1306	0.02	2.00	20.2	439	9.6	19.5	<0.001	0.019	19.5	<0.001	0.019	0.07	0.07	5.4	0.4	0.5	17.5	<0.01											
12-1307	0.01	1.83	16.0	671	8.9	17.5	<0.001	0.037	17.5	<0.001	0.037	<0.05	<0.05	4.0	0.4	0.4	14.4	<0.01											
12-1308	<0.01	1.77	7.9	414	5.7	9.9	<0.001	0.010	9.9	<0.001	0.010	<0.05	<0.05	1.4	<0.2	0.3	7.3	<0.01											
12-1309	<0.01	2.08	2.2	143	6.7	10.5	<0.001	0.011	10.5	<0.001	0.011	<0.05	<0.05	1.1	<0.2	0.5	6.3	<0.01											
12-1310	<0.01	1.48	2.4	288	4.4	9.5	<0.001	0.007	9.5	<0.001	0.007	<0.05	<0.05	0.9	0.2	0.4	4.5	<0.01											
12-1311	<0.01	2.45	5.3	500	8.8	14.0	<0.001	0.029	14.0	<0.001	0.029	<0.05	<0.05	1.6	0.4	0.5	26.8	<0.01											
12-1312	<0.01	1.96	17.5	1080	5.7	11.9	<0.001	0.014	11.9	<0.001	0.014	<0.05	<0.05	2.2	0.3	0.3	10.0	<0.01											
12-1313	<0.01	1.68	12.4	459	4.9	12.6	<0.001	0.014	12.6	<0.001	0.014	0.05	0.05	1.8	0.2	0.4	9.9	<0.01											
12-1314	<0.01	2.00	11.3	740	5.8	10.1	<0.001	0.015	10.1	<0.001	0.015	<0.05	<0.05	1.5	0.2	0.3	8.5	<0.01											
12-1315	<0.01	2.12	8.0	427	5.9	9.7	<0.001	0.019	9.7	<0.001	0.019	<0.05	<0.05	1.4	0.2	0.3	6.6	<0.01											
12-1316	<0.01	1.86	5.6	1130	19.3	12.6	<0.001	0.018	12.6	<0.001	0.018	0.09	0.09	1.2	0.2	0.6	9.9	<0.01											
12-1317	<0.01	1.35	4.4	408	5.9	11.2	<0.001	0.007	11.2	<0.001	0.007	<0.05	<0.05	1.0	<0.2	0.4	8.0	<0.01											
12-1318	<0.01	1.65	6.7	347	6.1	9.7	<0.001	0.012	9.7	<0.001	0.012	<0.05	<0.05	1.3	<0.2	0.4	7.5	<0.01											
12-1319	<0.01	1.85	8.0	650	5.9	8.8	<0.001	0.012	8.8	<0.001	0.012	<0.05	<0.05	1.5	<0.2	0.4	7.7	<0.01											
12-1320	<0.01	2.34	7.6	619	6.5	9.2	<0.001	0.017	9.2	<0.001	0.017	<0.05	<0.05	1.9	0.4	0.4	8.7	<0.01											
12-1321	<0.01	1.67	5.4	1160	7.4	11.0	<0.001	0.011	11.0	<0.001	0.011	<0.05	<0.05	1.4	<0.2	0.4	8.6	<0.01											
12-1322	<0.01	0.92	0.8	78	4.0	8.9	0.001	<0.005	8.9	0.001	<0.005	<0.05	<0.05	0.7	<0.2	0.3	5.4	<0.01											
12-1323	<0.01	1.98	12.9	365	4.8	6.5	<0.001	0.011	6.5	<0.001	0.011	<0.05	<0.05	2.0	0.3	0.3	9.4	<0.01											
12-1324	<0.01	2.08	9.1	299	5.8	8.7	<0.001	0.014	8.7	<0.001	0.014	<0.05	<0.05	1.8	0.3	0.4	6.1	<0.01											
12-1325	<0.01	1.75	13.6	500	6.2	8.3	<0.001	0.024	8.3	<0.001	0.024	<0.05	<0.05	1.6	0.4	0.3	6.9	<0.01											
12-1326	<0.01	1.79	13.3	540	6.5	7.6	<0.001	0.023	7.6	<0.001	0.023	<0.05	<0.05	1.6	0.4	0.4	7.0	<0.01											
12-1327	<0.01	1.50	5.1	545	6.1	6.9	<0.001	0.014	6.9	<0.001	0.014	<0.05	<0.05	1.1	0.2	0.4	5.6	<0.01											
12-1328	<0.01	1.75	5.9	243	6.0	6.4	<0.001	0.015	6.4	<0.001	0.015	<0.05	<0.05	1.1	<0.2	0.4	5.0	<0.01											
12-1329	<0.01	2.06	5.5	1090	6.5	3.7	<0.001	0.035	3.7	<0.001	0.035	0.06	0.06	1.5	0.6	0.3	6.3	<0.01											

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9988
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1330	<0.01	0.01	0.05	18.1	183	3.3	3.4	<0.001	0.010	<0.05	2.1	0.2	0.2	4.6	<0.01						
12-1331	<0.01	1.41	1.41	5.4	109	5.0	5.2	<0.001	0.010	<0.05	1.5	0.2	0.3	5.3	<0.01						
12-1332	<0.01	1.18	1.18	4.5	313	5.3	6.0	<0.001	0.013	<0.05	1.4	0.2	0.5	4.8	<0.01						
12-1333	<0.01	2.12	2.12	11.8	224	5.1	7.2	<0.001	0.013	<0.05	2.0	0.3	0.4	6.4	<0.01						
12-1334	<0.01	1.51	1.51	12.0	412	6.2	7.3	0.002	0.031	<0.05	2.1	0.6	0.4	10.1	0.01						
12-1335	<0.01	1.95	1.95	5.9	269	6.6	7.7	<0.001	0.023	<0.05	1.7	0.4	0.4	7.3	<0.01						
12-1336	<0.01	1.33	1.33	14.4	266	3.6	4.5	<0.001	0.019	<0.05	1.1	<0.2	0.3	5.1	<0.01						
12-1337	<0.01	2.25	2.25	11.1	137	5.6	5.1	<0.001	0.011	<0.05	1.6	0.2	0.4	5.9	<0.01						
12-1338	<0.01	1.94	1.94	13.8	270	5.0	4.5	<0.001	0.020	<0.05	2.0	0.3	0.7	7.0	<0.01						
12-1339	<0.01	1.74	1.74	6.8	266	5.9	4.8	<0.001	0.024	<0.05	1.5	0.4	0.4	6.0	<0.01						
12-1340	<0.01	3.42	3.42	11.7	401	11.7	6.7	<0.001	0.037	0.08	1.5	0.5	0.7	7.0	<0.01						
12-1341	<0.01	1.76	1.76	13.6	161	5.7	7.4	<0.001	0.015	<0.05	1.6	0.2	0.4	8.3	<0.01						
12-1342	<0.01	2.47	2.47	11.9	179	9.4	8.8	<0.001	0.018	<0.05	2.4	0.3	0.5	10.0	<0.01						
12-1343	0.01	1.87	1.87	11.0	187	7.7	10.6	<0.001	0.014	<0.05	2.2	<0.2	0.4	11.1	<0.01						
12-1344	0.01	1.51	1.51	12.4	492	4.4	7.2	<0.001	0.008	<0.05	3.2	0.3	0.3	11.6	<0.01						
12-1345	<0.01	2.15	2.15	4.2	234	7.2	6.4	<0.001	0.011	<0.05	1.3	<0.2	0.5	5.8	<0.01						
12-1346	<0.01	2.26	2.26	8.6	409	8.0	9.0	<0.001	0.022	0.05	1.6	0.2	0.4	9.0	<0.01						
12-1347	<0.01	1.81	1.81	5.9	397	5.1	8.1	<0.001	0.015	<0.05	1.4	<0.2	0.4	8.8	<0.01						
12-1348	0.01	2.12	2.12	14.2	900	5.8	6.0	<0.001	0.016	<0.05	2.0	0.3	0.3	10.4	<0.01						
12-1349	<0.01	2.54	2.54	5.7	127	9.7	3.8	<0.001	0.010	0.08	1.1	<0.2	0.6	5.7	<0.01						
12-1350	<0.01	0.85	0.85	4.7	363	8.0	6.1	<0.001	0.016	<0.05	0.8	<0.2	0.5	6.8	<0.01						
12-1351	<0.01	1.02	1.02	5.5	555	8.7	6.5	<0.001	0.017	<0.05	1.0	0.2	0.5	7.2	<0.01						
12-1352	<0.01	2.14	2.14	6.5	788	8.5	4.5	<0.001	0.027	0.05	1.4	0.4	0.5	6.8	0.01						
12-1353	<0.01	1.34	1.34	8.3	213	3.9	5.5	<0.001	0.015	<0.05	1.2	0.2	0.3	6.2	<0.01						
12-1354	<0.01	1.58	1.58	6.9	319	4.2	5.9	<0.001	0.014	<0.05	1.2	0.3	0.3	7.5	<0.01						
12-1355	<0.01	2.43	2.43	7.3	390	6.5	5.8	<0.001	0.017	<0.05	1.8	0.4	0.4	7.0	0.02						
12-1356	<0.01	2.07	2.07	4.7	381	6.1	6.4	<0.001	0.019	<0.05	1.7	0.3	0.4	8.6	0.01						
12-1357	<0.01	2.13	2.13	6.9	537	6.2	7.1	<0.001	0.015	0.05	1.5	0.4	0.4	6.3	<0.01						
12-1358	<0.01	1.87	1.87	6.2	643	4.6	8.6	<0.001	0.013	<0.05	1.5	0.2	0.4	8.9	<0.01						
12-1359	<0.01	1.73	1.73	8.7	852	7.0	8.3	<0.001	0.014	<0.05	1.5	0.2	0.3	8.2	<0.01						
12-1360	<0.01	2.19	2.19	11.2	361	6.3	8.6	<0.001	0.016	<0.05	1.8	0.3	0.4	8.6	<0.01						
12-1361	0.01	2.13	2.13	11.9	730	7.0	39.4	<0.001	0.023	<0.05	5.1	<0.2	0.7	11.4	<0.01						

J. J. J. J. J.

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm									
12-1362	<0.01	0.01	1.40	8.3	236	3.9	4.0	<0.001	0.015	1.4	<0.2	0.2	6.9	<0.01										
12-1363	<0.01	0.01	1.35	12.2	293	6.6	4.5	<0.001	0.016	1.7	0.2	0.3	8.5	<0.01										
12-1364	<0.01	0.01	1.86	14.2	486	8.6	7.7	<0.001	0.036	2.1	0.8	0.4	6.6	0.01										
12-1365	<0.01	0.01	0.98	12.0	845	8.0	3.8	<0.001	0.035	1.4	0.6	0.4	5.7	<0.01										
12-1366	<0.01	0.01	2.74	10.9	1910	13.1	5.8	<0.001	0.045	1.8	0.7	0.8	8.7	<0.01										
12-1367	<0.01	0.01	2.03	20.7	235	7.4	3.3	<0.001	0.047	1.6	0.5	0.3	7.8	0.02										
12-1368	<0.01	0.01	2.98	7.5	398	6.0	9.8	<0.001	0.032	4.6	0.4	0.5	8.2	<0.01										
12-1369	0.01	0.01	2.77	20.7	372	6.7	9.8	<0.001	0.030	2.6	0.3	0.5	7.1	<0.01										
12-1370	<0.01	0.01	0.35	18.1	251	0.7	1.2	<0.001	0.017	0.3	<0.2	<0.2	0.8	<0.01										
12-1371	<0.01	0.01	2.08	23.4	249	6.3	12.2	<0.001	0.019	1.9	0.2	0.4	8.4	<0.01										
12-1372	<0.01	0.01	2.01	10.5	129	4.7	7.1	<0.001	0.005	2.1	<0.2	0.4	9.6	<0.01										
12-1373	<0.01	0.01	2.76	9.2	269	5.6	5.8	<0.001	0.010	2.0	0.3	0.5	12.6	<0.01										
12-1374	<0.01	0.01	2.66	12.1	245	4.8	9.3	<0.001	0.011	2.2	0.4	0.5	9.8	<0.01										
12-1375	<0.01	0.01	2.53	11.5	339	5.3	6.1	<0.001	0.010	1.7	0.2	0.5	15.0	<0.01										
12-1376	<0.01	0.01	2.69	11.9	266	5.3	7.0	<0.001	0.009	1.8	0.3	0.5	17.1	<0.01										
12-1377	0.01	0.01	3.01	12.7	165	9.3	5.1	<0.001	0.013	2.4	0.3	0.7	20.5	<0.01										
12-1378	<0.01	0.01	3.44	11.0	355	8.5	6.8	<0.001	0.014	2.3	0.4	0.8	15.6	<0.01										
12-1379	<0.01	0.01	1.66	8.6	364	4.8	5.7	<0.001	0.014	1.6	0.3	0.4	10.5	<0.01										
12-1380	<0.01	0.01	2.35	10.3	390	3.7	6.4	<0.001	0.006	2.2	0.2	0.4	16.4	<0.01										
12-1431	0.01	0.01	2.46	12.2	310	4.6	9.8	<0.001	0.014	2.8	0.2	0.4	13.3	<0.01										
12-1432	<0.01	0.01	1.20	1.6	85	4.9	3.3	<0.001	0.013	1.3	<0.2	0.6	11.3	<0.01										
12-1433	<0.01	0.01	2.67	15.5	133	6.8	9.6	<0.001	0.015	2.0	0.2	0.7	14.4	<0.01										
12-1434	<0.01	0.01	3.40	5.1	135	5.7	9.8	<0.001	0.012	1.4	0.2	0.7	12.9	<0.01										
12-1435	0.01	0.01	1.74	9.4	393	4.2	7.0	<0.001	0.017	2.2	0.4	0.4	13.8	<0.01										
12-1436	0.01	0.01	2.32	9.1	273	4.7	7.6	<0.001	0.020	2.1	0.3	0.5	16.7	<0.01										
12-1437	0.02	0.02	1.88	9.6	673	4.2	10.7	<0.001	0.064	4.2	0.8	0.4	31.8	<0.01										
12-1438	0.02	0.02	1.87	16.4	677	5.5	15.3	0.001	0.054	7.8	1.4	0.5	22.8	<0.01										
12-1439	0.01	0.01	1.50	19.3	659	4.3	5.6	<0.001	0.015	3.4	0.4	0.3	13.7	<0.01										
12-1440	<0.01	0.01	1.70	9.2	415	5.9	22.0	<0.001	0.015	1.9	0.2	0.5	9.4	<0.01										
12-1441	<0.01	0.01	3.32	9.0	1180	8.9	18.8	<0.001	0.016	2.8	0.4	0.7	11.5	<0.01										
12-1442	<0.01	0.01	1.76	2.4	193	6.0	7.4	<0.001	0.012	1.2	0.3	0.5	8.0	<0.01										
12-1443	<0.01	0.01	2.49	11.5	279	5.1	10.0	<0.001	0.016	2.3	0.3	0.5	11.3	<0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte:		DATE RECEIVED: Sep 28, 2012														DATE REPORTED: Oct 23, 2012					SAMPLE TYPE: Soil				
	Unit:	RDL:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta										
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm										
12-1444	<0.01	0.05	<0.01	2.02	9.9	192	5.4	11.6	<0.001	0.014	<0.05	1.8	0.2	0.5	9.7	<0.01										
12-1445	<0.01	2.43	4.1	306	6.7	6.3	6.7	6.3	<0.001	0.024	0.05	1.5	0.5	0.6	8.7	<0.01										
12-1446	<0.01	1.81	7.0	100	5.0	6.4	5.0	6.4	<0.001	0.005	<0.05	1.5	<0.2	0.5	8.6	<0.01										
12-1447	<0.01	3.13	4.8	420	8.3	10.1	8.3	10.1	<0.001	0.018	0.05	1.7	0.4	0.7	8.6	<0.01										
12-1448	<0.01	3.09	3.4	466	8.4	8.6	8.4	8.6	<0.001	0.017	0.05	1.7	0.4	0.8	8.6	<0.01										
12-1449	<0.01	2.26	5.3	377	7.4	10.4	7.4	10.4	<0.001	0.021	<0.05	1.4	0.4	0.5	7.6	<0.01										
12-1450	0.01	2.41	12.8	230	5.7	14.6	5.7	14.6	<0.001	0.007	<0.05	2.9	0.2	0.6	12.9	<0.01										
12-1451	0.01	2.61	15.7	257	6.5	18.4	6.5	18.4	<0.001	0.009	<0.05	3.7	0.2	0.6	16.0	<0.01										
12-1452	0.02	2.64	23.1	473	8.2	28.0	8.2	28.0	<0.001	0.011	0.07	7.4	0.5	0.8	28.5	<0.01										
12-1453	0.02	2.74	16.7	206	5.9	22.2	5.9	22.2	<0.001	0.012	0.06	4.0	0.3	0.7	17.1	<0.01										
12-1454	0.02	1.21	4.6	516	2.8	5.7	2.8	5.7	<0.001	0.094	<0.05	2.6	0.5	0.3	63.7	<0.01										
12-1455	0.01	1.86	12.9	432	7.7	9.1	7.7	9.1	<0.001	0.051	0.07	2.3	0.4	0.5	19.7	<0.01										
12-1456	<0.01	3.11	12.6	1660	8.5	9.2	8.5	9.2	<0.001	0.018	<0.05	2.8	0.5	0.5	14.6	<0.01										
12-1457	<0.01	1.79	8.7	295	7.7	12.3	7.7	12.3	<0.001	0.021	0.05	1.6	0.3	0.6	17.9	<0.01										
12-1458	<0.01	3.11	13.6	798	6.9	12.7	6.9	12.7	<0.001	0.014	0.06	2.5	0.3	0.6	14.8	<0.01										
12-1459	<0.01	2.76	7.5	251	6.4	12.7	6.4	12.7	<0.001	0.015	0.05	1.8	0.3	0.8	10.9	<0.01										
12-1460	<0.01	2.04	8.5	341	5.2	10.1	5.2	10.1	<0.001	0.009	<0.05	2.0	0.3	0.4	10.5	<0.01										
12-1461	<0.01	1.91	7.2	277	5.4	9.0	5.4	9.0	<0.001	0.008	<0.05	1.7	0.2	0.5	9.4	<0.01										
12-1462	<0.01	1.95	12.4	128	12.4	9.2	6.7	9.2	<0.001	0.007	<0.05	1.9	0.2	0.6	11.1	<0.01										
12-1463	<0.01	2.40	3.8	190	5.1	10.0	5.1	10.0	<0.001	0.009	<0.05	1.7	0.2	0.5	11.0	<0.01										
12-1464	<0.01	2.65	7.4	481	5.5	10.4	5.5	10.4	<0.001	0.010	0.06	2.2	0.2	0.6	18.0	<0.01										
12-1465	<0.01	2.53	8.1	1570	7.0	19.3	7.0	19.3	<0.001	0.010	<0.05	2.4	0.3	0.5	17.9	<0.01										
12-1466	<0.01	3.19	9.4	744	8.3	11.5	8.3	11.5	<0.001	0.023	0.07	2.2	0.5	0.6	10.5	<0.01										
12-1467	<0.01	3.35	3.8	1130	9.6	13.3	9.6	13.3	<0.001	0.013	0.06	2.0	0.3	0.8	12.3	<0.01										
12-1468	<0.01	2.05	8.8	559	5.5	14.4	5.5	14.4	<0.001	0.013	<0.05	1.9	0.3	0.5	12.7	<0.01										
12-1469	<0.01	3.56	10.9	301	5.8	15.2	5.8	15.2	<0.001	0.014	<0.05	2.4	0.3	0.6	19.2	<0.01										
12-1470	0.02	1.72	11.3	512	4.2	11.1	4.2	11.1	<0.001	0.007	<0.05	4.9	0.3	0.5	19.9	<0.01										
12-1471	0.01	2.17	9.8	369	4.3	14.8	4.3	14.8	<0.001	0.022	<0.05	3.3	0.6	0.4	17.1	<0.01										
12-1472	0.03	0.90	10.9	526	4.6	13.2	4.6	13.2	<0.001	0.110	0.06	5.0	0.6	0.5	88.5	<0.01										
12-1473	0.02	3.14	19.8	666	11.7	17.4	11.7	17.4	<0.001	0.034	0.15	4.7	0.5	0.8	26.2	<0.01										
12-1474	<0.01	1.68	6.3	478	6.8	5.1	6.8	5.1	<0.001	0.021	0.05	2.2	0.8	0.5	7.7	0.01										
12-1475	<0.01	2.14	10.2	432	5.1	6.8	5.1	6.8	<0.001	0.020	<0.05	2.5	0.5	0.4	11.1	<0.01										

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-1476		<0.01	1.75	9.1	415	7.2	6.0	<0.001	0.029	0.06	2.2	0.4	0.4	10.2	<0.01
12-1477		0.01	2.15	15.2	465	6.2	14.2	<0.001	0.010	<0.05	3.7	0.3	0.3	13.5	<0.01
12-1478		<0.01	1.63	7.9	443	3.8	5.2	<0.001	0.010	<0.05	1.7	0.2	0.5	7.8	<0.01
12-1479		<0.01	1.95	10.9	439	6.3	7.3	<0.001	0.016	<0.05	2.0	0.3	0.4	9.3	0.01
12-1480		<0.01	1.64	8.0	267	11.2	8.4	<0.001	0.017	0.10	1.6	0.3	0.6	8.5	<0.01
12-1481		0.01	1.54	15.5	538	4.9	6.5	<0.001	0.013	<0.05	3.3	0.3	0.3	12.2	<0.01
12-1482		<0.01	3.41	9.4	292	9.7	14.4	<0.001	0.018	0.06	2.5	0.2	0.9	10.6	<0.01
12-1483		0.01	0.99	21.7	616	3.8	8.1	<0.001	0.065	<0.05	3.3	0.7	0.3	13.0	<0.01
12-1484		0.01	2.37	14.3	549	6.3	11.1	<0.001	0.012	0.05	4.5	0.3	0.5	17.4	<0.01
12-1485		<0.01	2.00	5.9	309	5.6	8.9	<0.001	0.010	<0.05	1.5	<0.2	0.5	9.9	<0.01
12-1486		<0.01	1.75	3.2	82	5.4	4.6	<0.001	0.012	<0.05	1.4	0.3	0.5	4.8	<0.01
12-1487		<0.01	2.21	4.9	189	4.7	4.7	<0.001	0.016	0.06	2.0	0.3	0.6	5.5	<0.01
12-1488		<0.01	1.73	6.6	170	5.5	4.9	<0.001	0.014	<0.05	1.9	0.2	0.5	7.2	<0.01
12-1489		<0.01	2.44	8.3	354	6.3	6.1	<0.001	0.020	0.05	1.9	0.5	0.5	8.6	0.02
12-1490		<0.01	4.87	23.3	1870	20.7	11.6	0.001	0.081	0.07	4.8	1.0	1.1	26.6	<0.01
12-1600		<0.01	2.18	7.7	594	7.0	10.2	<0.001	0.020	0.06	1.6	0.5	0.6	8.5	<0.01
12-1601		<0.01	2.04	9.9	536	6.3	9.6	<0.001	0.021	0.05	1.6	0.5	0.5	8.1	0.01
12-1602		<0.01	3.37	9.7	1420	9.2	10.3	<0.001	0.026	0.09	2.4	0.7	0.7	14.6	0.01
12-1603		<0.01	2.90	5.6	431	7.4	10.4	<0.001	0.017	<0.05	2.2	0.5	0.6	10.7	0.02
12-1604		<0.01	2.86	2.7	267	7.8	9.5	<0.001	0.013	<0.05	1.5	0.3	0.8	8.9	<0.01
12-1605		<0.01	3.24	4.4	714	9.2	12.3	<0.001	0.013	<0.05	1.9	0.3	0.8	9.0	<0.01
12-1606		<0.01	2.69	3.8	418	8.1	10.8	<0.001	0.012	0.06	1.4	0.2	0.7	8.1	<0.01
12-1607		<0.01	2.59	10.0	466	5.7	9.9	<0.001	0.013	0.06	1.8	0.2	0.6	13.9	<0.01
12-1608		<0.01	2.93	9.2	415	6.3	10.5	<0.001	0.013	<0.05	2.5	0.4	0.6	10.3	<0.01
12-1609		<0.01	3.47	10.9	986	8.1	16.5	<0.001	0.017	0.06	2.3	0.4	0.7	13.0	<0.01
12-1610		<0.01	2.24	4.2	494	7.2	20.5	<0.001	0.011	<0.05	1.5	0.2	0.7	10.6	<0.01
12-1611		<0.01	3.19	9.0	655	8.0	11.9	<0.001	0.020	0.06	2.5	0.4	0.7	9.3	0.01
12-1612		<0.01	3.47	9.5	696	8.5	13.0	<0.001	0.021	0.06	2.6	0.5	0.7	10.1	0.02
12-1613		<0.01	2.60	4.5	141	6.0	12.9	<0.001	0.011	<0.05	1.5	0.2	0.6	9.6	<0.01
12-1614		<0.01	2.64	4.0	554	8.4	12.9	<0.001	0.015	0.06	1.6	0.3	0.7	8.2	<0.01
12-1615		0.01	2.71	15.7	397	6.0	14.8	<0.001	0.009	<0.05	3.2	0.4	0.5	14.2	<0.01
12-1616		<0.01	2.88	12.0	227	6.6	11.0	<0.001	0.011	<0.05	3.0	0.3	0.6	11.7	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil			
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm										
12-1617	0.01	0.01	0.76	3.6	433	2.2	3.1	<0.001	0.081	<0.05	2.1	0.4	0.2	50.1	<0.01										
12-1618	0.01	1.81	8.0	389	3.8	8.1	<0.001	0.011	<0.05	2.9	0.2	0.2	4.4	12.6	<0.01										
12-1619	0.03	1.73	16.6	527	6.7	22.7	<0.001	0.082	0.06	6.0	0.6	0.6	74.6	<0.01											
12-1620	0.03	3.48	21.7	555	10.5	26.5	<0.001	0.021	0.09	7.1	0.5	0.8	30.8	<0.01											
12-1621	0.01	2.03	10.8	376	4.4	18.9	<0.001	0.010	<0.05	2.7	0.2	0.6	15.4	<0.01											
12-1622	0.02	2.39	20.1	372	7.2	24.2	<0.001	0.009	0.05	5.5	0.3	0.7	21.0	<0.01											
12-1623	0.02	2.40	9.3	442	5.5	13.1	<0.001	0.074	0.07	4.0	0.5	0.5	52.6	<0.01											
12-1624	0.02	2.88	17.8	382	8.1	52.6	<0.001	0.019	0.07	6.6	0.6	0.7	23.8	<0.01											
12-1625	0.01	2.22	10.8	203	5.8	13.3	<0.001	0.006	<0.05	3.5	<0.2	0.5	15.7	<0.01											
12-1626	0.01	1.84	9.6	176	4.9	11.3	<0.001	0.007	<0.05	2.8	<0.2	0.5	12.7	<0.01											
12-1627	0.01	2.64	14.3	221	7.6	22.5	<0.001	0.008	0.05	3.7	0.2	0.6	15.1	<0.01											
12-1628	0.01	2.65	14.9	312	7.6	19.4	<0.001	0.012	0.05	3.4	0.3	0.6	17.9	<0.01											
12-1629	0.01	2.06	14.6	481	5.2	18.1	<0.001	0.009	<0.05	4.4	0.3	0.5	16.4	<0.01											
12-1630	0.01	2.26	17.4	350	6.0	21.8	<0.001	0.010	<0.05	5.6	0.4	0.6	18.2	<0.01											
12-1631	0.01	2.71	16.9	269	8.0	21.7	<0.001	0.010	<0.05	4.6	0.2	0.7	18.3	<0.01											
12-1632	0.02	2.69	22.1	483	7.6	46.0	<0.001	0.011	0.06	6.5	0.3	0.8	24.7	<0.01											
12-1633	<0.01	2.24	9.7	431	5.9	10.4	<0.001	0.013	<0.05	2.3	0.3	0.4	12.7	<0.01											
12-1634	0.01	2.14	10.3	539	4.8	11.6	<0.001	0.009	0.07	3.7	0.4	0.4	13.7	<0.01											
12-1635	<0.01	2.17	7.2	255	8.4	16.6	<0.001	0.021	0.07	2.0	0.3	0.6	12.7	<0.01											
12-1636	<0.01	1.64	8.5	315	3.8	6.9	<0.001	0.007	<0.05	2.4	0.2	0.3	11.1	<0.01											
12-1637	<0.01	2.09	11.4	347	4.4	7.1	<0.001	0.013	<0.05	2.0	0.3	0.3	9.6	<0.01											
12-1638	<0.01	2.28	11.3	388	4.7	9.4	<0.001	0.015	<0.05	2.3	0.3	0.4	15.6	<0.01											
12-1639	<0.01	2.87	4.1	1150	9.6	4.4	<0.001	0.046	0.11	2.4	1.2	0.6	11.9	0.04											
12-1491	<0.01	2.61	9.3	586	8.1	6.3	<0.001	0.027	0.07	2.1	0.7	0.5	8.1	0.03											
12-1492	<0.01	1.81	7.4	191	5.9	6.9	<0.001	0.015	<0.05	1.5	0.3	0.5	6.2	<0.01											
12-1493	<0.01	1.44	3.8	126	10.4	3.3	<0.001	0.015	<0.05	1.0	<0.2	0.7	5.9	<0.01											
12-1494	<0.01	1.73	1.9	69	9.6	6.7	<0.001	0.007	<0.05	1.1	<0.2	0.8	5.7	<0.01											
12-1495	<0.01	2.48	7.3	97	7.0	5.2	<0.001	0.014	<0.05	1.9	0.3	0.5	6.7	<0.01											
12-1496	<0.01	2.50	9.5	84	6.8	4.9	<0.001	0.009	<0.05	1.7	<0.2	0.6	7.2	<0.01											
12-1497	<0.01	2.84	9.1	150	8.2	7.4	<0.001	0.014	0.07	1.9	0.3	0.7	9.4	<0.01											
12-1498	<0.01	2.55	7.9	303	6.0	6.9	<0.001	0.026	0.07	1.8	0.6	0.4	8.2	0.01											
12-1499	<0.01	2.12	7.8	270	5.4	7.6	<0.001	0.014	<0.05	1.9	0.5	0.4	8.7	<0.01											

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil				
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm										
12-1500	0.01	0.01	1.57	12.8	0.2	10	381	5.3	0.1	0.1	17.5	<0.001	0.007	<0.05	4.1	0.3	0.5	12.9	<0.01							
12-1501	<0.01	0.01	2.16	11.6	0.2	10	411	5.7	0.1	0.1	20.0	<0.001	0.012	<0.05	4.1	0.4	0.5	14.1	<0.01							
12-1502	0.02	0.02	1.87	20.7	0.2	10	401	6.8	0.1	0.1	35.2	<0.001	0.010	0.06	6.3	0.3	0.7	19.2	<0.01							
12-1503	0.02	0.02	3.48	21.1	0.2	10	559	9.3	0.1	0.1	28.0	<0.001	0.022	0.09	7.5	0.7	0.8	28.3	<0.01							
12-1504	0.01	0.01	1.85	8.2	0.2	10	162	4.3	0.1	0.1	11.6	<0.001	0.007	<0.05	2.6	<0.2	0.4	12.7	<0.01							
12-1505	0.01	0.01	2.49	10.8	0.2	10	346	5.3	0.1	0.1	27.8	<0.001	0.026	0.06	3.6	0.5	0.5	20.7	<0.01							
12-1506	<0.01	<0.01	3.44	2.1	0.2	10	266	8.5	0.1	0.1	14.2	<0.001	0.012	0.08	1.8	0.4	0.8	10.7	<0.01							
12-1507	<0.01	<0.01	2.70	6.2	0.2	10	207	5.9	0.1	0.1	11.1	<0.001	0.015	0.05	2.0	0.4	0.5	8.0	0.01							
12-1508	<0.01	<0.01	2.15	1.8	0.2	10	396	8.3	0.1	0.1	14.0	<0.001	0.008	0.06	1.7	0.3	0.9	9.9	<0.01							
12-1509	<0.01	<0.01	2.70	9.9	0.2	10	322	7.0	0.1	0.1	13.3	<0.001	0.011	<0.05	2.4	0.4	0.6	8.2	0.02							
12-1510	<0.01	<0.01	3.01	3.2	0.2	10	329	5.9	0.1	0.1	17.6	<0.001	0.007	<0.05	1.7	0.3	0.7	10.3	<0.01							
12-1511	<0.01	<0.01	2.44	3.5	0.2	10	257	5.6	0.1	0.1	19.2	<0.001	0.010	<0.05	1.4	<0.2	0.6	8.3	<0.01							
12-1512	0.01	0.01	1.51	8.2	0.2	10	551	3.1	0.1	0.1	6.8	<0.001	0.006	0.07	2.2	<0.2	0.3	12.9	<0.01							
12-1513	<0.01	<0.01	1.49	10.1	0.2	10	439	4.6	0.1	0.1	7.8	<0.001	0.011	<0.05	1.6	0.2	0.4	7.7	0.01							
12-1514	<0.01	<0.01	2.98	9.3	0.2	10	271	5.5	0.1	0.1	11.6	<0.001	0.018	<0.05	1.9	0.2	0.6	14.2	<0.01							
12-1515	<0.01	<0.01	1.91	10.7	0.2	10	356	5.3	0.1	0.1	15.4	<0.001	0.011	<0.05	2.0	<0.2	0.5	13.7	<0.01							
12-1516	<0.01	<0.01	2.77	10.4	0.2	10	469	6.5	0.1	0.1	9.2	<0.001	0.019	0.05	2.4	0.4	0.5	11.5	0.01							
12-1517	<0.01	<0.01	2.80	6.2	0.2	10	859	6.6	0.1	0.1	9.8	<0.001	0.017	<0.05	2.1	0.4	0.6	10.6	<0.01							
12-1518	<0.01	<0.01	3.50	7.2	0.2	10	252	10.4	0.1	0.1	12.7	<0.001	0.015	<0.05	1.8	0.2	0.8	8.7	<0.01							
12-1519	<0.01	<0.01	2.11	7.7	0.2	10	210	6.8	0.1	0.1	5.9	<0.001	0.020	<0.05	2.3	0.4	0.5	11.6	<0.01							
12-1520	0.01	0.01	2.65	11.8	0.2	10	634	4.7	0.1	0.1	11.1	<0.001	0.037	<0.05	3.1	0.5	0.4	17.4	<0.01							
12-1521	<0.01	<0.01	2.75	6.4	0.2	10	599	7.3	0.1	0.1	9.7	<0.001	0.015	0.06	1.9	0.3	0.6	11.0	<0.01							
12-1522	<0.01	<0.01	2.64	10.0	0.2	10	398	7.4	0.1	0.1	10.6	<0.001	0.020	0.07	2.2	0.4	0.6	11.2	<0.01							
12-1523	<0.01	<0.01	2.54	4.9	0.2	10	668	7.3	0.1	0.1	8.2	<0.001	0.015	0.06	1.6	0.4	0.6	9.0	0.01							
12-1524	<0.01	<0.01	2.03	1.8	0.2	10	586	6.2	0.1	0.1	11.3	<0.001	0.012	<0.05	1.2	0.2	0.6	10.5	<0.01							
12-1525	<0.01	<0.01	2.67	8.1	0.2	10	334	5.9	0.1	0.1	8.2	<0.001	0.016	0.05	2.1	0.4	0.4	10.6	0.02							
12-1526	<0.01	<0.01	2.59	8.4	0.2	10	366	6.4	0.1	0.1	8.4	<0.001	0.019	<0.05	2.1	0.4	0.4	10.0	0.02							
12-1527	<0.01	<0.01	2.16	4.5	0.2	10	247	5.4	0.1	0.1	7.8	<0.001	0.015	<0.05	1.4	0.3	0.5	8.4	<0.01							
12-1528	<0.01	<0.01	1.61	16.2	0.2	10	286	4.2	0.1	0.1	3.3	<0.001	0.012	<0.05	1.5	0.4	0.3	7.1	<0.01							
12-1529	<0.01	<0.01	2.24	8.7	0.2	10	130	6.1	0.1	0.1	5.4	<0.001	0.010	<0.05	2.5	0.3	0.5	8.3	0.01							
12-1530	<0.01	<0.01	3.22	4.1	0.2	10	323	9.0	0.1	0.1	3.4	<0.001	0.049	0.12	2.7	1.2	0.5	10.1	0.04							
12-1531	<0.01	<0.01	3.15	11.3	0.2	10	261	6.2	0.1	0.1	4.2	<0.001	0.028	0.10	2.6	0.7	0.5	4.6	0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012										SAMPLE TYPE: Soil							
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm														
12-1532	<0.01	0.05	2.42	8.9	195	6.1	3.7	<0.001	0.017	0.05	2.2	0.5	7.0	0.01															
12-1533	<0.01	2.67	4.9	151	151	5.0	9.9	<0.001	0.007	<0.05	1.3	<0.2	8.7	<0.01															
12-1534	<0.01	2.50	9.6	431	431	7.0	8.3	<0.001	0.020	0.09	1.9	0.4	9.0	0.01															
12-1535	<0.01	2.20	6.7	250	250	5.1	10.3	<0.001	0.014	<0.05	1.7	0.2	11.1	<0.01															
12-1536	<0.01	2.81	9.6	373	373	6.3	9.6	<0.001	0.022	0.09	2.3	0.4	10.7	0.02															
12-1537	<0.01	1.87	10.0	165	165	5.4	14.9	<0.001	0.008	<0.05	2.1	0.2	12.4	<0.01															
12-1538	<0.01	3.15	8.3	340	340	5.6	27.9	0.006	0.017	<0.05	2.8	0.3	14.1	<0.01															
12-1539	0.01	2.82	18.7	159	159	5.7	13.5	<0.001	0.010	<0.05	3.3	0.2	15.1	<0.01															
12-1540	0.02	2.33	10.6	532	532	4.9	9.5	<0.001	0.031	0.05	5.1	0.5	31.3	<0.01															
12-1541	<0.01	3.17	6.2	301	301	12.1	6.3	<0.001	0.023	0.14	2.2	0.5	9.7	<0.01															
12-1542	0.01	2.27	15.0	304	304	7.8	5.9	<0.001	0.020	0.06	3.4	0.4	9.2	0.02															
12-1543	<0.01	2.74	3.2	375	375	6.8	10.3	0.002	0.012	0.06	1.6	0.3	11.5	<0.01															
12-1544	0.01	1.44	12.8	608	608	5.6	11.8	<0.001	0.048	0.06	4.4	0.8	23.7	<0.01															
12-1545	0.01	2.58	10.8	196	196	5.7	17.7	<0.001	0.011	<0.05	2.8	0.2	14.6	<0.01															
12-1546	<0.01	3.32	8.0	156	156	6.2	16.8	<0.001	0.008	<0.05	2.4	0.2	10.2	<0.01															
12-1547	<0.01	2.83	6.9	479	479	6.6	8.8	<0.001	0.018	0.06	2.1	0.4	9.6	<0.01															
12-1548	<0.01	2.97	14.3	277	277	6.5	7.7	<0.001	0.020	<0.05	2.7	0.4	9.3	0.01															
12-1549	<0.01	3.78	2.8	470	470	9.2	11.7	<0.001	0.010	<0.05	2.0	<0.2	10.5	<0.01															
12-1550	0.02	2.53	7.7	299	299	5.8	10.9	<0.001	0.034	0.07	2.5	0.2	14.9	<0.01															
12-1850	<0.01	2.97	7.5	239	239	7.0	10.3	<0.001	0.014	0.08	2.2	0.3	8.7	0.01															
12-1851	<0.01	2.73	7.9	212	212	6.0	10.2	<0.001	0.014	<0.05	2.2	0.3	8.0	0.01															
12-1852	0.01	0.13	1.8	303	303	16.9	0.6	<0.001	0.326	0.15	0.2	0.9	42.9	0.02															
12-1853	<0.01	1.36	6.6	234	234	3.9	4.5	<0.001	0.006	<0.05	1.5	<0.2	10.5	<0.01															
12-1854	<0.01	2.77	12.6	866	866	7.9	9.5	<0.001	0.016	0.08	2.4	0.4	10.1	0.01															
12-1855	<0.01	2.28	6.2	267	267	4.4	15.3	<0.001	0.008	<0.05	1.7	<0.2	12.6	<0.01															
12-1856	<0.01	2.57	4.2	1000	1000	7.8	9.6	<0.001	0.017	0.06	1.6	0.4	9.2	<0.01															
12-1857	<0.01	2.47	2.8	646	646	7.5	7.8	<0.001	0.009	0.08	1.3	<0.2	8.2	<0.01															
12-1858	<0.01	2.53	7.9	445	445	6.7	7.9	<0.001	0.018	0.05	2.0	0.4	9.6	0.02															
12-1859	<0.01	2.28	9.5	455	455	5.5	16.4	<0.001	0.020	<0.05	1.8	0.3	11.1	<0.01															
12-1860	<0.01	2.05	2.3	224	224	7.4	9.5	<0.001	0.012	<0.05	1.3	0.2	8.8	<0.01															
12-1861	<0.01	1.91	11.7	424	424	8.1	21.4	<0.001	0.020	0.06	1.8	0.3	7.8	<0.01															
12-1862	0.01	2.72	14.7	878	878	9.9	14.3	<0.001	0.026	0.07	3.1	0.6	15.2	<0.01															

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Sep 28, 2012										DATE REPORTED: Oct 23, 2012									
		Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm						
12-1863	<0.01	0.01	2.14	1.8	210	6.7	9.4	<0.001	0.010	<0.05	1.1	0.2	0.6	6.6	<0.01						
12-1864	<0.01	1.63	2.0	128	4.2	10.4	<0.001	0.010	<0.05	1.0	0.2	0.4	8.0	<0.01							
12-1865	0.01	1.76	12.3	457	7.6	10.7	<0.001	0.027	0.042	2.2	0.4	0.4	14.1	0.01							
12-1866	<0.01	2.21	6.1	203	5.2	5.7	<0.001	0.020	0.020	1.8	0.3	0.4	12.3	<0.01							
12-1867	0.01	2.80	10.1	537	6.0	10.2	0.001	0.042	0.042	2.6	0.7	0.6	15.9	<0.01							
12-1868	<0.01	2.32	7.3	390	5.2	14.9	<0.001	0.010	0.010	2.0	<0.2	0.5	10.5	<0.01							
12-1869	<0.01	1.42	4.4	284	6.0	9.3	<0.001	0.024	0.024	1.3	0.2	0.5	14.6	<0.01							
12-1870	<0.01	1.48	9.9	382	2.4	8.9	<0.001	0.017	0.017	3.2	0.3	0.3	7.9	<0.01							
12-1871	<0.01	0.89	0.9	143	3.5	13.2	<0.001	0.010	0.010	0.9	<0.2	0.4	11.5	<0.01							
12-1872	<0.01	2.65	3.9	267	6.5	9.3	<0.001	0.014	0.014	1.9	0.3	0.5	9.3	<0.01							
12-1873	<0.01	1.55	1.7	152	6.0	11.3	<0.001	0.005	0.005	1.0	<0.2	0.4	6.9	<0.01							
12-1874	<0.01	1.48	1.8	53	4.2	3.5	<0.001	<0.005	<0.005	0.9	<0.2	0.4	5.1	<0.01							
12-1875	<0.01	1.88	8.4	421	3.6	16.3	<0.001	0.059	0.059	3.1	0.7	0.4	12.6	<0.01							
12-1876	<0.01	<0.05	7.4	318	<0.1	<0.1	<0.001	0.059	0.059	<0.1	<0.2	<0.2	<0.2	<0.01							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1266	0.02	0.01	3.6	0.090	0.08	0.85	31.5	0.19	7.85	28.3	3.0
12-1267	0.02	0.01	2.8	0.047	0.27	4.16	36.9	0.14	18.8	57.5	2.8
12-1268	0.01	0.01	6.0	0.105	0.21	1.76	45.1	0.13	20.3	48.4	6.3
12-1269	<0.01	<0.01	4.9	0.068	0.11	0.56	26.4	0.10	10.0	26.7	3.8
12-1270	<0.01	<0.01	3.2	0.046	0.09	0.81	22.5	0.11	8.49	23.4	2.7
12-1271	<0.01	<0.01	4.2	0.055	0.07	0.40	20.9	0.08	5.89	17.4	3.4
12-1272	<0.01	<0.01	4.2	0.050	0.08	0.68	18.4	0.10	7.40	21.2	3.1
12-1273	<0.01	<0.01	4.3	0.054	0.08	0.73	22.2	0.09	6.26	19.6	6.9
12-1274	0.01	0.01	3.5	0.068	0.08	0.42	27.0	0.11	4.90	25.1	3.3
12-1275	<0.01	<0.01	2.7	0.065	0.06	0.36	21.8	0.07	3.75	21.9	2.1
12-1276	<0.01	<0.01	2.9	0.065	0.07	0.41	21.1	0.07	3.78	22.1	2.2
12-1277	<0.01	<0.01	2.2	0.051	0.05	0.54	18.6	0.07	3.78	21.8	1.6
12-1278	<0.01	<0.01	3.5	0.070	0.08	0.46	24.7	0.10	5.63	19.8	2.6
12-1279	<0.01	<0.01	1.7	0.052	0.05	0.30	21.7	0.07	2.35	12.0	0.6
12-1280	0.11	0.01	2.4	0.167	0.07	0.36	88.7	0.19	2.51	28.5	2.5
12-1281	<0.01	<0.01	2.3	0.058	0.06	0.35	27.1	0.07	2.25	14.8	1.0
12-1282	0.01	0.01	1.9	0.080	0.05	0.33	35.5	0.07	2.12	21.3	0.7
12-1283	0.02	0.02	1.9	0.067	0.05	0.33	34.9	0.13	2.06	17.2	0.7
12-1284	0.02	0.02	2.3	0.074	0.04	0.40	36.3	0.22	2.72	14.6	1.4
12-1285	0.01	0.01	2.4	0.072	0.07	0.41	27.4	0.12	3.59	24.8	1.2
12-1286	0.02	0.02	2.4	0.102	0.06	0.44	48.7	0.17	3.09	38.9	1.5
12-1287	<0.01	<0.01	2.0	0.055	0.05	0.43	17.7	0.16	4.39	14.3	1.0
12-1288	0.01	0.01	2.3	0.084	0.05	0.41	38.7	0.08	2.77	25.9	1.2
12-1289	0.02	0.02	3.7	0.087	0.07	0.47	41.9	0.14	3.37	30.4	1.5
12-1290	0.01	0.01	2.6	0.061	0.05	0.39	30.1	0.07	2.65	23.1	1.0
12-1291	0.01	0.01	1.6	0.141	0.05	0.33	58.2	0.34	3.26	38.5	1.5
12-1292	0.02	0.02	0.7	0.054	0.07	1.13	40.8	0.16	3.70	27.8	0.5
12-1293	0.01	0.01	1.1	0.169	0.05	0.26	34.2	<0.05	1.71	19.5	6.6
12-1294	<0.01	<0.01	2.0	0.082	0.09	0.46	32.9	0.15	3.55	26.5	1.4
12-1295	<0.01	<0.01	1.6	0.157	0.07	0.37	52.6	0.17	2.83	39.4	1.6
12-1296	<0.01	<0.01	1.8	0.075	0.04	0.36	24.5	0.10	2.71	17.3	0.8
12-1297	0.01	0.01	2.5	0.072	0.07	0.57	29.1	0.12	4.85	27.5	0.8

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1298		0.02	2.7	0.112	0.08	0.41	48.9	0.12	3.03	23.7	2.1
12-1299		0.01	3.1	0.077	0.06	0.44	28.7	0.09	3.31	17.6	1.8
12-1300		0.02	3.0	0.065	0.06	0.39	33.4	0.13	2.47	23.3	1.8
12-1301		0.01	3.0	0.063	0.06	0.35	29.7	0.10	2.23	18.3	1.7
12-1302		0.02	2.4	0.070	0.07	0.37	34.0	0.11	2.24	15.7	1.0
12-1303		0.01	3.4	0.077	0.07	0.45	29.1	0.09	4.17	21.1	2.2
12-1304		<0.01	2.5	0.086	0.08	0.52	25.8	0.08	4.62	21.5	2.1
12-1305		<0.01	4.2	0.094	0.11	0.63	34.0	0.11	6.28	49.2	2.7
12-1306		0.02	8.0	0.084	0.18	0.80	34.3	0.16	11.4	33.2	6.1
12-1307		0.01	4.2	0.069	0.16	1.75	33.8	0.10	6.34	70.7	4.0
12-1308		0.01	2.1	0.066	0.07	0.40	27.7	0.10	2.20	23.8	0.9
12-1309		<0.01	1.7	0.057	0.05	0.33	23.0	0.07	1.79	9.1	0.8
12-1310		<0.01	2.0	0.048	0.04	0.28	19.2	0.07	1.64	11.2	0.6
12-1311		0.02	2.0	0.079	0.08	0.48	43.3	0.12	2.69	37.0	1.0
12-1312		0.01	3.5	0.074	0.09	0.52	32.3	0.16	3.48	28.8	1.6
12-1313		0.01	2.4	0.070	0.07	0.43	26.1	0.14	3.02	29.0	0.8
12-1314		<0.01	2.0	0.061	0.07	0.46	27.2	0.15	2.77	22.6	0.9
12-1315		0.01	2.7	0.068	0.06	0.61	35.4	0.14	2.56	23.2	0.8
12-1316		0.01	1.6	0.076	0.06	0.43	32.1	0.13	2.16	27.7	0.6
12-1317		<0.01	2.2	0.053	0.04	0.38	18.6	0.09	2.09	13.9	<0.5
12-1318		0.01	2.4	0.052	0.06	0.44	25.1	0.10	2.49	22.6	0.6
12-1319		<0.01	2.8	0.054	0.07	0.47	25.3	0.11	2.59	25.0	0.9
12-1320		0.02	3.0	0.057	0.06	0.47	31.1	0.14	3.43	22.6	1.2
12-1321		0.01	2.1	0.045	0.06	0.44	24.7	0.13	2.33	22.5	0.8
12-1322		<0.01	2.9	0.021	0.03	0.31	9.3	<0.05	1.75	6.6	0.9
12-1323		0.01	3.6	0.081	0.05	0.54	28.7	0.22	3.76	28.0	1.3
12-1324		0.01	3.0	0.052	0.06	0.42	26.8	0.09	2.93	15.4	1.8
12-1325		0.02	1.6	0.080	0.06	0.49	38.8	0.19	2.68	25.7	0.9
12-1326		0.02	1.5	0.075	0.06	0.48	37.1	0.21	2.62	27.2	0.8
12-1327		0.01	1.5	0.049	0.04	0.40	27.2	0.12	1.88	13.9	<0.5
12-1328		<0.01	1.9	0.079	0.06	0.47	25.6	0.11	2.15	26.1	0.9
12-1329		0.02	1.3	0.054	0.05	0.52	37.6	0.14	2.82	19.5	0.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1330		<0.01	2.0	0.138	0.06	0.53	38.0	0.09	3.96	37.0	1.3
12-1331		<0.01	2.0	0.048	0.10	0.64	17.6	0.09	2.59	15.9	<0.5
12-1332		<0.01	0.5	0.043	0.07	0.37	22.9	0.07	2.48	23.2	0.6
12-1333		<0.01	3.2	0.074	0.10	0.60	30.8	0.14	2.85	29.2	1.2
12-1334		0.01	1.1	0.070	0.08	2.33	27.7	0.09	8.42	39.3	1.0
12-1335		0.01	1.8	0.077	0.08	0.63	33.4	0.12	3.04	29.1	0.9
12-1336		<0.01	1.7	0.098	0.06	0.34	58.1	0.12	1.80	26.1	0.5
12-1337		0.01	3.5	0.085	0.08	0.47	34.5	0.15	2.95	18.8	1.6
12-1338		0.02	1.7	0.097	0.06	0.49	57.5	0.16	2.34	25.8	1.8
12-1339		0.02	1.8	0.066	0.07	0.68	32.7	0.15	2.62	20.9	0.7
12-1340		0.04	1.6	0.123	0.08	0.71	78.8	0.41	3.01	66.0	1.2
12-1341		<0.01	1.7	0.068	0.08	0.56	22.2	0.13	2.71	46.5	0.9
12-1342		0.02	3.2	0.084	0.11	0.59	37.4	0.17	2.84	63.2	1.7
12-1343		<0.01	2.6	0.065	0.09	0.46	24.2	0.10	2.91	25.0	1.0
12-1344		0.01	5.7	0.074	0.11	0.56	25.0	0.11	7.75	23.8	4.1
12-1345		0.02	2.6	0.084	0.05	0.44	44.3	0.16	1.95	15.0	1.0
12-1346		0.02	2.2	0.087	0.06	0.50	38.2	0.17	2.74	28.8	1.5
12-1347		0.01	2.6	0.079	0.05	0.59	26.4	0.11	3.30	21.7	1.4
12-1348		0.01	5.2	0.079	0.06	0.71	36.3	0.69	4.63	26.7	1.6
12-1349		0.02	1.9	0.155	0.05	0.34	55.8	0.19	1.55	10.7	1.8
12-1350		<0.01	0.5	0.043	0.08	0.43	19.3	0.11	2.14	21.4	<0.5
12-1351		0.01	0.8	0.054	0.08	0.46	22.9	0.12	2.13	25.2	<0.5
12-1352		0.02	1.9	0.081	0.06	0.55	44.2	0.13	2.50	20.8	0.7
12-1353		<0.01	1.0	0.050	0.06	0.48	19.2	0.08	3.01	15.0	0.7
12-1354		<0.01	1.0	0.055	0.05	0.45	23.1	0.08	3.28	13.1	0.8
12-1355		0.01	2.8	0.074	0.06	0.46	34.1	0.13	2.64	13.2	1.2
12-1356		<0.01	2.4	0.064	0.05	0.45	32.4	0.09	2.48	18.1	0.7
12-1357		0.02	2.8	0.072	0.06	0.48	36.1	0.12	2.70	34.7	0.8
12-1358		0.01	2.2	0.079	0.05	0.46	30.4	0.11	2.85	19.7	1.0
12-1359		0.01	2.2	0.061	0.06	0.51	25.6	0.12	3.02	19.2	0.8
12-1360		0.01	2.9	0.065	0.06	0.49	26.6	0.11	2.89	23.7	1.1
12-1361		0.07	2.0	0.150	0.14	0.30	76.0	0.36	2.09	157	1.4

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1362	<0.01	0.1	2.0	0.051	0.10	0.49	19.1	0.08	2.85	17.2	0.5
12-1363	<0.01	0.1	2.1	0.055	0.09	0.57	20.1	0.06	3.51	19.8	0.6
12-1364	0.02	0.1	1.9	0.050	0.11	0.82	28.3	0.12	3.41	54.4	0.6
12-1365	0.03	0.1	0.7	0.062	0.06	0.53	35.6	0.14	1.85	30.6	<0.5
12-1366	0.04	0.1	1.7	0.088	0.06	0.61	100	0.63	1.88	37.5	1.0
12-1367	0.02	0.1	2.3	0.070	0.06	0.69	53.1	0.11	3.07	53.0	1.0
12-1368	0.04	0.1	2.3	0.069	0.09	0.56	32.4	0.22	3.15	21.7	2.3
12-1369	0.02	0.1	2.8	0.192	0.09	0.50	93.2	0.18	3.12	62.0	1.7
12-1370	<0.01	0.1	0.3	0.133	<0.01	<0.05	73.6	<0.05	0.36	39.7	<0.5
12-1371	0.01	0.1	2.4	0.129	0.10	0.44	55.3	0.16	2.96	34.9	1.2
12-1372	<0.01	0.1	3.2	0.073	0.08	0.44	24.3	0.07	3.41	20.6	2.5
12-1373	<0.01	0.1	3.9	0.091	0.07	0.52	32.4	0.13	4.27	15.2	2.0
12-1374	0.01	0.1	5.0	0.068	0.09	0.66	28.2	0.13	4.29	18.5	2.1
12-1375	0.01	0.1	3.2	0.088	0.06	0.47	31.8	0.14	3.58	21.2	2.2
12-1376	0.01	0.1	3.4	0.100	0.06	0.47	35.2	0.14	3.67	20.5	2.4
12-1377	0.01	0.1	6.9	0.120	0.07	0.75	26.7	0.19	5.31	22.1	2.7
12-1378	0.01	0.1	3.4	0.121	0.07	0.55	39.3	0.11	4.32	18.0	2.6
12-1379	<0.01	0.1	2.2	0.058	0.06	0.61	19.9	0.13	4.76	15.8	0.7
12-1380	<0.01	0.1	3.7	0.075	0.06	0.58	22.0	0.08	5.77	17.2	3.3
12-1431	<0.01	0.1	3.2	0.070	0.07	0.44	19.7	0.12	5.14	21.9	2.0
12-1432	<0.01	0.1	1.6	0.036	0.04	0.29	8.9	0.08	2.05	9.6	0.7
12-1433	0.03	0.1	2.6	0.093	0.06	0.34	42.7	0.18	2.23	33.6	1.4
12-1434	0.02	0.1	2.5	0.160	0.06	0.50	52.5	0.16	1.91	17.2	3.2
12-1435	0.01	0.1	1.9	0.059	0.09	1.45	25.2	0.16	8.63	17.8	1.5
12-1436	<0.01	0.1	2.3	0.089	0.06	0.65	34.3	0.10	6.15	25.9	2.2
12-1437	<0.01	0.1	2.9	0.053	0.21	1.76	24.8	0.12	19.0	26.4	3.7
12-1438	0.01	0.1	3.2	0.049	0.44	7.38	32.2	0.12	46.0	39.2	4.2
12-1439	0.01	0.1	4.3	0.100	0.07	0.91	40.9	0.40	11.8	31.2	2.2
12-1440	0.03	0.1	1.5	0.080	0.08	0.31	42.5	0.17	2.28	65.2	1.1
12-1441	0.02	0.1	2.8	0.092	0.09	0.52	46.8	0.18	3.41	36.8	2.0
12-1442	0.01	0.1	1.7	0.050	0.04	0.34	24.8	0.08	1.93	13.4	0.5
12-1443	0.01	0.1	2.1	0.073	0.07	0.46	26.1	0.13	3.65	22.3	1.8

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1444		0.01	2.5	0.069	0.08	0.57	25.8	0.11	3.78	25.4	1.1
12-1445		0.01	1.8	0.066	0.07	0.60	30.6	0.11	2.51	19.3	0.9
12-1446		<0.01	2.2	0.074	0.06	0.42	20.6	0.06	2.46	15.2	1.2
12-1447		0.01	2.1	0.078	0.07	0.55	36.7	0.11	2.84	16.8	1.4
12-1448		0.01	2.8	0.077	0.06	0.48	32.1	0.13	2.52	12.5	1.6
12-1449		0.01	1.9	0.051	0.06	0.40	22.2	0.10	2.07	14.0	0.7
12-1450		<0.01	3.2	0.077	0.09	0.46	26.8	0.09	3.91	29.5	2.8
12-1451		<0.01	4.3	0.095	0.11	0.51	32.1	0.10	4.81	32.7	4.0
12-1452		0.01	7.4	0.127	0.17	0.73	44.5	0.13	13.0	41.8	8.6
12-1453		0.01	4.0	0.095	0.12	0.61	31.4	0.12	5.79	36.2	2.9
12-1454		<0.01	3.3	0.057	0.06	0.54	20.4	0.08	7.75	24.0	6.8
12-1455		<0.01	1.9	0.080	0.07	0.68	27.4	0.11	6.17	29.7	1.9
12-1456		0.02	2.9	0.132	0.08	0.68	50.1	1.12	3.96	37.0	2.0
12-1457		<0.01	1.5	0.069	0.08	0.59	20.6	0.08	4.22	36.6	0.8
12-1458		0.02	2.9	0.100	0.07	0.56	39.3	0.17	4.07	29.5	2.0
12-1459		0.01	2.1	0.088	0.06	0.52	31.6	0.16	3.00	22.6	1.6
12-1460		<0.01	3.0	0.065	0.07	0.57	22.3	0.09	4.85	22.4	1.2
12-1461		0.01	2.3	0.073	0.08	0.52	21.6	0.09	3.55	24.3	1.2
12-1462		0.01	2.2	0.076	0.08	0.40	23.5	0.14	3.14	32.3	1.0
12-1463		<0.01	3.1	0.063	0.05	0.38	18.6	0.08	3.02	13.5	2.1
12-1464		<0.01	2.5	0.107	0.05	0.49	26.9	1.02	3.83	21.2	2.1
12-1465		0.02	4.2	0.088	0.07	0.59	31.0	0.17	4.92	21.1	2.0
12-1466		0.02	2.6	0.086	0.07	0.58	43.2	0.15	3.90	26.2	1.2
12-1467		0.02	3.2	0.089	0.07	0.47	44.7	0.15	2.90	20.7	1.8
12-1468		0.01	2.3	0.068	0.07	0.44	22.5	0.10	3.08	18.6	1.2
12-1469		0.01	2.9	0.098	0.08	0.49	42.3	0.11	3.10	23.1	2.2
12-1470		<0.01	6.1	0.083	0.11	0.70	24.5	0.10	12.3	20.8	6.6
12-1471		<0.01	2.6	0.063	0.14	1.22	25.5	0.12	10.4	21.3	2.5
12-1472		<0.01	6.0	0.087	0.09	0.68	31.6	0.10	9.87	29.7	16.1
12-1473		0.06	6.3	0.146	0.21	0.87	50.2	0.16	10.4	47.8	4.7
12-1474		0.02	1.6	0.048	0.06	0.60	21.1	0.12	6.65	61.3	0.7
12-1475		0.02	2.3	0.066	0.06	0.69	25.7	0.16	6.80	41.0	1.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1476	0.01	0.01	2.0	0.062	0.06	0.64	23.0	0.25	6.42	39.2	1.3
12-1477	0.01	0.01	4.2	0.081	0.13	0.47	32.7	0.13	5.82	31.7	3.8
12-1478	<0.01	<0.01	2.9	0.045	0.04	0.40	18.2	0.35	3.73	20.5	1.4
12-1479	0.01	0.01	2.6	0.055	0.05	0.45	23.3	0.17	3.76	29.3	1.3
12-1480	0.02	0.02	1.9	0.051	0.06	0.34	24.1	0.20	2.73	19.4	0.8
12-1481	0.07	0.07	4.6	0.062	0.11	0.58	26.0	0.57	8.10	27.3	3.2
12-1482	0.03	0.03	2.9	0.132	0.07	0.34	72.9	0.39	2.46	43.3	2.5
12-1483	0.01	0.01	1.0	0.048	0.14	1.75	27.1	0.08	11.8	74.6	1.2
12-1484	0.01	0.01	5.0	0.071	0.12	0.53	27.5	0.11	10.7	29.2	5.4
12-1485	<0.01	<0.01	2.0	0.056	0.05	0.32	23.2	0.20	2.21	18.6	1.3
12-1486	0.01	0.01	1.9	0.044	0.07	0.46	16.9	0.08	2.44	13.1	0.6
12-1487	0.02	0.02	2.2	0.064	0.07	0.51	37.2	0.19	2.17	33.0	0.9
12-1488	<0.01	<0.01	1.8	0.053	0.06	0.55	19.9	0.08	3.16	20.0	0.8
12-1489	0.02	0.02	2.3	0.059	0.05	0.46	29.0	0.16	2.67	29.3	1.0
12-1490	0.08	0.08	2.9	0.179	0.16	1.40	93.5	0.27	10.1	130	3.0
12-1600	0.01	0.01	1.0	0.055	0.06	0.44	27.6	0.13	2.46	21.7	1.0
12-1601	0.02	0.02	0.9	0.055	0.07	0.46	29.2	0.12	2.56	27.0	1.0
12-1602	0.02	0.02	2.3	0.087	0.07	0.63	41.5	0.13	4.03	26.4	1.9
12-1603	0.01	0.01	2.5	0.068	0.07	0.50	29.9	0.12	3.06	37.0	1.1
12-1604	0.01	0.01	2.1	0.080	0.06	0.41	39.6	0.07	2.16	13.4	1.3
12-1605	0.01	0.01	2.6	0.086	0.07	0.49	39.6	0.09	2.67	19.9	1.6
12-1606	0.01	0.01	2.3	0.081	0.07	0.40	33.2	0.09	2.16	16.5	1.3
12-1607	0.01	0.01	1.9	0.107	0.06	0.43	38.3	1.36	3.18	22.3	2.0
12-1608	0.01	0.01	3.0	0.081	0.07	0.50	30.5	0.15	3.91	21.6	1.8
12-1609	0.02	0.02	2.7	0.127	0.08	0.61	53.5	1.25	3.50	35.4	2.3
12-1610	0.01	0.01	1.8	0.074	0.06	0.40	24.8	0.08	2.49	18.9	1.1
12-1611	0.02	0.02	2.4	0.096	0.08	0.50	40.5	0.15	2.93	21.6	1.7
12-1612	0.02	0.02	2.6	0.096	0.08	0.52	42.2	0.17	3.19	22.2	1.6
12-1613	0.01	0.01	2.2	0.071	0.07	0.36	27.4	0.07	1.83	9.8	1.2
12-1614	0.02	0.02	2.2	0.078	0.07	0.50	32.4	0.09	2.49	15.9	1.1
12-1615	0.01	0.01	4.5	0.079	0.11	0.82	28.6	0.10	4.72	23.8	3.5
12-1616	<0.01	<0.01	4.1	0.073	0.09	0.45	27.5	0.09	4.24	18.6	3.8

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1617		<0.01	3.0	0.040	0.06	0.49	17.1	0.06	6.94	12.3	7.3
12-1618		<0.01	3.4	0.056	0.07	0.45	19.0	0.08	7.53	18.2	3.0
12-1619		0.01	7.5	0.101	0.15	0.69	37.6	0.12	11.0	40.2	15.0
12-1620		0.02	7.5	0.116	0.18	0.75	40.5	0.16	16.7	42.6	9.2
12-1621		<0.01	1.5	0.069	0.10	0.45	20.8	0.07	4.72	27.0	1.6
12-1622		<0.01	5.6	0.096	0.15	0.57	36.4	0.10	7.50	33.1	5.2
12-1623		<0.01	4.2	0.064	0.09	0.60	24.4	0.11	8.72	22.1	5.7
12-1624		0.02	5.3	0.080	0.24	1.83	37.0	0.15	15.0	42.8	5.4
12-1625		<0.01	4.0	0.074	0.08	0.49	23.5	0.08	5.39	24.5	3.2
12-1626		<0.01	3.5	0.060	0.07	0.44	20.6	0.09	4.86	20.4	2.9
12-1627		0.01	3.6	0.080	0.11	0.45	28.4	0.11	4.14	32.8	2.6
12-1628		0.01	3.2	0.073	0.11	0.45	28.0	0.10	4.36	39.4	2.9
12-1629		<0.01	4.6	0.066	0.11	0.62	25.8	0.11	8.38	27.5	5.0
12-1630		0.01	5.7	0.075	0.14	0.70	29.9	0.12	11.2	31.1	6.8
12-1631		<0.01	4.1	0.079	0.11	0.49	32.1	0.10	5.56	37.0	3.6
12-1632		0.01	7.1	0.110	0.19	0.62	37.9	0.17	6.73	37.6	7.3
12-1633		0.01	2.7	0.051	0.07	0.43	20.2	0.10	4.70	19.8	1.9
12-1634		<0.01	4.6	0.061	0.12	0.49	21.3	0.10	7.63	20.4	4.2
12-1635		0.01	1.4	0.043	0.07	0.35	18.6	0.09	3.12	19.7	1.6
12-1636		<0.01	2.5	0.044	0.06	0.46	16.7	0.11	5.60	14.6	1.9
12-1637		0.01	2.0	0.051	0.06	0.42	22.2	0.13	3.76	11.9	1.7
12-1638		0.01	2.1	0.055	0.08	0.41	20.6	0.11	4.13	24.8	1.3
12-1639		0.03	1.6	0.054	0.06	0.68	39.7	0.16	3.35	19.9	1.8
12-1491		0.02	1.9	0.048	0.07	0.50	27.9	0.13	2.53	30.0	1.4
12-1492		<0.01	1.3	0.053	0.08	0.50	21.3	0.13	2.31	29.3	0.8
12-1493		0.01	0.6	0.051	0.04	0.54	19.8	0.11	1.73	12.1	<0.5
12-1494		<0.01	1.6	0.060	0.08	0.41	19.8	<0.05	1.56	10.1	0.8
12-1495		0.01	2.3	0.072	0.06	0.52	28.8	0.11	2.38	19.0	1.4
12-1496		<0.01	1.7	0.099	0.06	0.35	27.8	0.12	2.01	31.4	1.3
12-1497		0.02	1.6	0.105	0.08	0.38	38.0	0.21	2.33	34.7	1.4
12-1498		0.02	1.7	0.095	0.07	0.61	34.8	0.25	3.29	23.9	1.3
12-1499		0.01	1.8	0.051	0.08	0.56	20.4	0.12	4.10	15.9	0.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1500	<0.01	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
12-1501	0.01	5.6	5.6	0.066	0.12	0.60	28.2	0.10	8.82	30.4	8.8
12-1502	0.01	5.6	7.2	0.056	0.14	1.03	26.9	0.11	8.39	32.0	8.1
12-1503	0.02	8.5	8.5	0.089	0.22	1.52	37.2	0.13	10.0	35.0	12.3
12-1504	<0.01	3.5	3.5	0.097	0.21	3.59	42.5	0.18	16.6	38.6	15.4
12-1505	0.01	2.5	2.5	0.062	0.07	0.48	18.8	0.10	4.56	21.4	3.7
12-1506	0.01	2.5	2.5	0.057	0.09	0.78	21.6	0.09	5.92	27.8	3.5
12-1507	0.02	2.8	2.8	0.072	0.07	0.39	24.0	0.12	2.37	13.3	2.1
12-1508	0.01	2.1	2.1	0.055	0.07	0.49	22.0	0.15	2.50	14.9	1.5
12-1509	0.01	3.0	3.0	0.072	0.07	0.35	24.7	<0.05	2.85	15.5	1.7
12-1510	0.01	2.4	2.4	0.063	0.07	0.40	28.4	0.13	2.92	22.3	2.8
12-1511	<0.01	2.5	2.5	0.078	0.05	0.35	25.9	0.11	2.39	14.0	1.7
12-1512	<0.01	3.5	3.5	0.067	0.06	0.35	23.0	0.07	2.20	14.0	1.6
12-1513	<0.01	1.5	1.5	0.067	0.07	0.57	21.8	0.15	6.38	17.7	3.0
12-1514	0.02	2.3	2.3	0.036	0.04	0.44	16.1	0.13	3.87	13.1	1.2
12-1515	0.01	2.1	2.1	0.101	0.06	0.51	32.5	0.23	3.56	20.0	2.4
12-1516	0.02	2.3	2.3	0.076	0.07	0.50	25.3	0.08	3.76	25.3	1.6
12-1517	0.01	2.2	2.2	0.073	0.07	0.60	31.2	0.39	3.65	20.8	1.5
12-1518	0.01	2.3	2.3	0.063	0.06	0.48	32.6	0.10	3.56	23.1	1.6
12-1519	<0.01	0.9	0.9	0.098	0.08	0.51	35.7	0.12	2.77	24.2	1.8
12-1520	0.01	1.9	1.9	0.046	0.08	0.46	20.8	0.09	3.89	16.0	0.7
12-1521	0.02	2.4	2.4	0.068	0.10	0.69	24.2	0.13	6.50	18.9	2.0
12-1522	0.02	2.3	2.3	0.070	0.06	0.46	30.4	0.12	2.66	20.2	1.3
12-1523	0.02	2.6	2.6	0.063	0.08	0.49	26.8	0.12	3.21	23.3	1.0
12-1524	0.01	2.3	2.3	0.056	0.05	0.41	29.4	0.14	2.11	14.7	1.2
12-1525	0.01	3.2	3.2	0.055	0.05	0.43	19.1	0.12	1.97	13.4	0.7
12-1526	0.01	3.1	3.1	0.061	0.06	0.52	22.7	0.16	3.32	18.9	1.5
12-1527	0.01	2.2	2.2	0.062	0.06	0.49	23.7	0.13	3.14	20.6	1.5
12-1528	0.01	1.4	1.4	0.063	0.06	0.48	22.6	0.10	2.87	13.3	0.8
12-1529	<0.01	3.5	3.5	0.071	0.04	0.36	26.3	0.18	2.54	18.4	0.9
12-1530	0.04	2.3	2.3	0.057	0.09	0.53	21.1	0.11	3.89	15.3	2.1
12-1531	0.03	2.0	2.0	0.078	0.06	0.76	58.2	0.25	3.14	15.2	1.8
				0.085	0.06	0.51	64.5	0.20	3.05	24.4	1.7

[Handwritten signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
12-1532	0.02	0.01	0.1	0.005	0.06	0.58	29.8	0.14	4.23	18.2	1.6
12-1533	0.01	1.8	0.092	0.07	0.41	31.2	31.2	0.10	1.95	18.2	1.9
12-1534	0.02	1.8	0.054	0.05	0.50	25.2	25.2	0.20	2.66	27.1	0.9
12-1535	0.01	1.8	0.071	0.07	0.50	25.8	25.8	0.10	3.58	18.1	1.8
12-1536	0.02	2.3	0.062	0.06	0.49	28.9	28.9	0.16	3.14	18.6	1.3
12-1537	<0.01	2.0	0.056	0.10	0.57	26.5	26.5	0.09	6.28	35.1	1.0
12-1538	0.01	1.9	0.120	0.09	0.33	50.3	50.3	0.19	2.54	31.0	2.1
12-1539	0.01	3.6	0.085	0.10	0.42	28.8	28.8	0.12	3.79	22.8	4.0
12-1540	<0.01	5.4	0.078	0.11	0.71	25.9	25.9	0.12	15.9	25.1	10.6
12-1541	0.04	2.7	0.084	0.06	0.46	42.3	42.3	0.31	3.13	26.6	1.7
12-1542	0.03	4.4	0.090	0.06	0.52	34.3	34.3	0.21	5.26	85.8	5.0
12-1543	0.02	2.2	0.104	0.07	0.34	34.7	34.7	0.14	3.03	24.2	2.5
12-1544	0.02	1.4	0.045	0.17	1.53	27.2	27.2	0.14	17.3	54.6	1.4
12-1545	0.01	2.5	0.079	0.08	0.42	30.3	30.3	0.14	3.22	28.1	1.7
12-1546	0.02	2.9	0.097	0.08	0.40	37.3	37.3	0.17	2.45	20.9	2.6
12-1547	0.02	2.0	0.077	0.06	0.40	37.4	37.4	0.21	2.46	40.2	1.1
12-1548	0.02	3.1	0.072	0.06	0.43	29.4	29.4	0.23	3.68	80.9	2.2
12-1549	0.01	2.7	0.106	0.08	0.41	54.4	54.4	0.13	2.33	30.8	2.1
12-1550	0.01	1.9	0.081	0.07	0.41	19.1	19.1	0.21	3.37	98.0	0.8
12-1850	0.01	3.6	0.075	0.07	0.46	26.7	26.7	0.13	3.06	19.0	3.1
12-1851	0.01	3.4	0.073	0.07	0.43	26.1	26.1	0.41	3.06	20.3	3.1
12-1852	0.01	0.3	<0.005	0.02	0.13	2.6	2.6	<0.05	1.01	12.5	0.6
12-1853	<0.01	1.3	0.061	0.05	0.37	21.1	21.1	0.08	3.16	11.1	1.1
12-1854	0.02	5.4	0.088	0.06	0.53	42.9	42.9	0.22	4.04	25.5	2.8
12-1855	<0.01	2.8	0.091	0.06	0.43	24.8	24.8	0.07	3.06	17.7	2.3
12-1856	0.01	2.3	0.070	0.05	0.43	34.6	34.6	0.10	2.39	18.6	1.1
12-1857	0.02	2.7	0.075	0.05	0.35	35.5	35.5	0.12	2.00	15.6	1.1
12-1858	0.02	2.3	0.059	0.06	0.45	28.8	28.8	0.17	2.98	18.2	1.5
12-1859	0.01	1.9	0.068	0.07	0.38	26.7	26.7	0.12	3.02	37.9	1.2
12-1860	<0.01	1.7	0.059	0.06	0.39	24.3	24.3	0.08	2.08	20.4	0.8
12-1861	0.02	0.7	0.074	0.08	0.46	30.1	30.1	0.12	3.33	39.4	1.2
12-1862	0.03	1.6	0.085	0.09	0.54	55.2	55.2	0.30	3.67	65.7	1.4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012				DATE REPORTED: Oct 23, 2012				SAMPLE TYPE: Soil	
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1863	0.01	0.01	1.9	0.071	0.05	0.34	28.5	0.09	1.78	13.2	0.8
12-1864	<0.01	<0.01	1.8	0.047	0.04	0.35	16.1	0.07	1.82	8.9	1.0
12-1865	0.03	0.03	1.3	0.077	0.07	0.54	30.7	0.12	4.01	36.7	1.8
12-1866	0.01	0.01	1.4	0.081	0.05	0.43	31.3	0.13	2.57	18.1	1.4
12-1867	0.02	0.02	2.2	0.119	0.10	1.68	34.4	0.17	9.62	38.9	1.8
12-1868	0.02	0.02	1.7	0.083	0.05	0.32	37.6	0.16	2.21	26.7	1.8
12-1869	<0.01	<0.01	0.8	0.038	0.07	0.66	15.4	0.07	4.35	13.5	0.7
12-1870	<0.01	<0.01	1.0	0.091	0.10	0.55	22.5	0.08	6.52	38.9	0.9
12-1871	<0.01	<0.01	0.5	0.024	0.02	0.35	7.5	<0.05	2.25	9.1	<0.5
12-1872	0.02	0.02	2.6	0.058	0.06	0.42	28.3	0.20	2.64	20.7	1.2
12-1873	<0.01	<0.01	1.7	0.046	0.05	0.37	17.5	0.12	1.67	11.2	0.5
12-1874	<0.01	<0.01	2.8	0.038	0.04	0.31	15.5	0.06	1.60	5.3	1.6
12-1875	<0.01	<0.01	3.6	0.056	0.18	0.74	15.6	0.12	11.5	33.5	4.6
12-1876	<0.01	<0.01	<0.1	0.042	<0.01	<0.05	11.7	<0.05	<0.05	26.0	<0.5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1266			0.006
12-1267			0.006
12-1268			0.002
12-1269			0.002
12-1270			0.004
12-1271			0.015
12-1272			0.006
12-1273			0.002
12-1274			0.002
12-1275			0.001
12-1276			0.001
12-1277			<0.001
12-1278			0.002
12-1279			0.002
12-1280			0.001
12-1281			0.001
12-1282			0.002
12-1283			0.002
12-1284			<0.001
12-1285			0.004
12-1286			0.001
12-1287			0.002
12-1288			0.002
12-1289			0.002
12-1290			0.001
12-1291			0.002
12-1292			0.003
12-1293			0.001
12-1294			0.001
12-1295			0.018
12-1296			0.002
12-1297			0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1298		0.002	
12-1299		0.002	
12-1300		0.002	
12-1301		<0.001	
12-1302		0.001	
12-1303		0.016	
12-1304		0.001	
12-1305		0.002	
12-1306		0.002	
12-1307		0.003	
12-1308		0.002	
12-1309		0.002	
12-1310		0.002	
12-1311		<0.001	
12-1312		0.001	
12-1313		0.002	
12-1314		0.002	
12-1315		0.001	
12-1316		0.003	
12-1317		0.001	
12-1318		0.002	
12-1319		0.001	
12-1320		0.001	
12-1321		0.002	
12-1322		0.001	
12-1323		0.003	
12-1324		0.017	
12-1325		0.002	
12-1326		0.002	
12-1327		0.002	
12-1328		<0.001	
12-1329		0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1330		0.002	
12-1331		0.020	
12-1332		0.002	
12-1333		0.001	
12-1334		0.002	
12-1335		0.001	
12-1336		<0.001	
12-1337		<0.001	
12-1338		<0.001	
12-1339		0.008	
12-1340		<0.001	
12-1341		<0.001	
12-1342		<0.001	
12-1343		<0.001	
12-1344		<0.001	
12-1345		0.007	
12-1346		<0.001	
12-1347		<0.001	
12-1348		<0.001	
12-1349		<0.001	
12-1350		0.001	
12-1351		<0.001	
12-1352		<0.001	
12-1353		<0.001	
12-1354		<0.001	
12-1355		<0.001	
12-1356		<0.001	
12-1357		<0.001	
12-1358		<0.001	
12-1359		0.005	
12-1360		<0.001	
12-1361		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1362		<0.001	
12-1363		<0.001	
12-1364		<0.001	
12-1365		<0.001	
12-1366		<0.001	
12-1367		0.013	
12-1368		<0.001	
12-1369		<0.001	
12-1370		<0.001	
12-1371		<0.001	
12-1372		0.006	
12-1373		<0.001	
12-1374		<0.001	
12-1375		<0.001	
12-1376		0.001	
12-1377		<0.001	
12-1378		<0.001	
12-1379		<0.001	
12-1380		0.002	
12-1431		<0.001	
12-1432		<0.001	
12-1433		<0.001	
12-1434		<0.001	
12-1435		<0.001	
12-1436		<0.001	
12-1437		<0.001	
12-1438		<0.001	
12-1439		<0.001	
12-1440		<0.001	
12-1441		<0.001	
12-1442		<0.001	
12-1443		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1444			<0.001
12-1445			<0.001
12-1446			<0.001
12-1447			<0.001
12-1448			<0.001
12-1449			<0.001
12-1450			<0.001
12-1451			<0.001
12-1452			<0.001
12-1453			0.019
12-1454			<0.001
12-1455			0.001
12-1456			<0.001
12-1457			<0.001
12-1458			<0.001
12-1459			0.008
12-1460			<0.001
12-1461			<0.001
12-1462			<0.001
12-1463			<0.001
12-1464			<0.001
12-1465			0.005
12-1466			<0.001
12-1467			<0.001
12-1468			<0.001
12-1469			<0.001
12-1470			<0.001
12-1471			<0.001
12-1472			<0.001
12-1473			<0.001
12-1474			<0.001
12-1475			<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1476		<0.001	
12-1477		<0.001	
12-1478		<0.001	
12-1479		<0.001	
12-1480		<0.001	
12-1481		0.007	
12-1482		<0.001	
12-1483		<0.001	
12-1484		<0.001	
12-1485		<0.001	
12-1486		<0.001	
12-1487		<0.001	
12-1488		0.003	
12-1489		<0.001	
12-1490		<0.001	
12-1600		<0.001	
12-1601		0.006	
12-1602		<0.001	
12-1603		<0.001	
12-1604		<0.001	
12-1605		<0.001	
12-1606		<0.001	
12-1607		<0.001	
12-1608		<0.001	
12-1609		<0.001	
12-1610		<0.001	
12-1611		<0.001	
12-1612		<0.001	
12-1613		<0.001	
12-1614		<0.001	
12-1615		<0.001	
12-1616		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1617		<0.001	
12-1618		<0.001	
12-1619		<0.001	
12-1620		<0.001	
12-1621		<0.001	
12-1622		<0.001	
12-1623		<0.001	
12-1624		<0.001	
12-1625		<0.001	
12-1626		<0.001	
12-1627		<0.001	
12-1628		<0.001	
12-1629		<0.001	
12-1630		<0.001	
12-1631		<0.001	
12-1632		0.004	
12-1633		<0.001	
12-1634		<0.001	
12-1635		0.001	
12-1636		<0.001	
12-1637		<0.001	
12-1638		<0.001	
12-1639		0.001	
12-1491		<0.001	
12-1492		<0.001	
12-1493		<0.001	
12-1494		0.003	
12-1495		<0.001	
12-1496		<0.001	
12-1497		0.015	
12-1498		<0.001	
12-1499		<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Au ppm 0.001	
12-1500		0.001	
12-1501		<0.001	
12-1502		<0.001	
12-1503		<0.001	
12-1504		<0.001	
12-1505		<0.001	
12-1506		<0.001	
12-1507		<0.001	
12-1508		<0.001	
12-1509		<0.001	
12-1510		<0.001	
12-1511		<0.001	
12-1512		<0.001	
12-1513		<0.001	
12-1514		<0.001	
12-1515		<0.001	
12-1516		<0.001	
12-1517		<0.001	
12-1518		0.016	
12-1519		<0.001	
12-1520		0.001	
12-1521		0.002	
12-1522		<0.001	
12-1523		<0.001	
12-1524		<0.001	
12-1525		<0.001	
12-1526		0.035	
12-1527		0.001	
12-1528		<0.001	
12-1529		<0.001	
12-1530		<0.001	
12-1531		0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012	DATE RECEIVED: Sep 28, 2012	DATE REPORTED: Oct 23, 2012	SAMPLE TYPE: Soil
Fire Assay - Trace Au, ICP-OES finish (202052)			
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
12-1532			<0.001
12-1533			<0.001
12-1534			<0.001
12-1535			0.001
12-1536			<0.001
12-1537			<0.001
12-1538			<0.001
12-1539			0.002
12-1540			<0.001
12-1541			<0.001
12-1542			<0.001
12-1543			<0.001
12-1544			0.001
12-1545			<0.001
12-1546			<0.001
12-1547			0.018
12-1548			<0.001
12-1549			<0.001
12-1550			<0.001
12-1850			<0.001
12-1851			<0.001
12-1852			0.051
12-1853			0.009
12-1854			0.002
12-1855			0.001
12-1856			0.001
12-1857			0.003
12-1858			0.002
12-1859			0.002
12-1860			0.001
12-1861			0.022
12-1862			0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T646805
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 28, 2012		DATE RECEIVED: Sep 28, 2012		DATE REPORTED: Oct 23, 2012		SAMPLE TYPE: Soil
Sample Description	Analyte:	Unit:	RDL:	Fire Assay - Trace Au, ICP-OES finish (202052)		
12-1863	Au	ppm	0.001			
12-1864			0.002			
12-1865			0.001			
12-1866			0.001			
12-1867			0.002			
12-1868			0.001			
12-1869			0.002			
12-1870			0.003			
12-1871			0.002			
12-1872			0.002			
12-1873			0.001			
12-1874			0.001			
12-1875			0.004			
12-1876			0.003			

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis												
RPT Date: Oct 23, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757698	0.050	0.059	16.5%	< 0.01	14.4	13.0	111%	80%	120%	
Al	1	3757923	1.05	1.16	10.0%	< 0.01				80%	120%	
As	1	3757698	1.7	1.6	6.1%	0.4				80%	120%	
Au	1	3757698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757923	< 5	< 5	0.0%	< 5	5.75	7.00	82%	80%	120%	
Ba	1	3757923	54	59	8.8%	< 1				80%	120%	
Be	1	3757698	0.14	0.14	0.0%	< 0.05				80%	120%	
Bi	1	3757698	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3757923	0.44	0.48	8.7%	< 0.01				80%	120%	
Cd	1	3757698	0.06	0.06	0.0%	< 0.01				80%	120%	
Ce	1	3757698	39.8	42.1	5.6%	< 0.01				80%	120%	
Co	1	3757698	7.7	7.8	1.3%	< 0.1				80%	120%	
Cr	1	3757923	25.9	27.9	7.4%	< 0.5				80%	120%	
Cs	1	3757698	0.96	0.95	1.0%	< 0.05				80%	120%	
Cu	1	3757923	11.0	12.3	11.2%	< 0.1	5919	6000	98%	80%	120%	
Fe	1	3757923	1.26	1.39	9.8%	< 0.01				80%	120%	
Ga	1	3757698	2.58	2.55	1.2%	< 0.05				80%	120%	
Ge	1	3757698	0.136	0.135	0.7%	0.10				80%	120%	
Hf	1	3757698	0.079	0.072	9.3%	< 0.02				80%	120%	
Hg	1	3757698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
In	1	3757698	0.009	0.009	0.0%	< 0.005				80%	120%	
K	1	3757923	0.102	0.111	8.5%	< 0.01				80%	120%	
La	1	3757698	23.3	24.5	5.0%	< 0.1				80%	120%	
Li	1	3757698	7.88	7.95	0.9%	< 0.1				80%	120%	
Mg	1	3757923	0.373	0.408	9.0%	< 0.01				80%	120%	
Mn	1	3757923	179	193	7.5%	< 1				80%	120%	
Mo	1	3757698	0.582	0.493	16.6%	< 0.05	295	360	81%	80%	120%	
Na	1	3757698	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3757698	0.96	0.97	1.0%	< 0.05				80%	120%	
Ni	1	3757923	11.6	12.2	5.0%	< 0.2				80%	120%	
P	1	3757923	411	374	9.4%	< 10	639	600	106%	80%	120%	
Pb	1	3757698	3.44	3.48	1.2%	< 0.1				80%	120%	
Rb	1	3757698	7.0	6.7	4.4%	< 0.1				80%	120%	
Re	1	3757698	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757923	0.012	0.012	0.0%	< 0.005				80%	120%	
Sb	1	3757698	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757698	2.24	2.33	3.9%	< 0.1				80%	120%	
Se	1	3757698	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757698	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3757698	14.5	14.3	1.4%	< 0.2				80%	120%	
Ta	1	3757698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757698	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3757698	3.6	4.3	17.7%	< 0.1				80%	120%	
Ti	1	3757923	0.056	0.060	6.9%	< 0.005				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1	3757698	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3757698	0.85	0.88	3.5%	< 0.05				80%	120%
V	1	3757923	26.9	28.2	4.7%	< 0.5				80%	120%
W	1	3757698	2.35	0.18		< 0.05				80%	120%
Y	1	3757698	7.85	7.78	0.9%	< 0.05	6	7	88%	80%	120%
Zn	1	3757923	32.0	32.6	1.9%	< 0.5				80%	120%
Zr	1	3757698	3.0	3.0	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757723	0.04	0.04	0.0%	< 0.01	11.5	13.0	89%	80%	120%
Al	1	3757940	0.895	0.859	4.1%	< 0.01				80%	120%
As	1	3757723	1.34	1.48	9.9%	0.3				80%	120%
Au	1	3757723	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757940	< 5	< 5	0.0%	< 5	6.97	7.00	100%	80%	120%
Ba	1	3757940	35	33	5.9%	< 1				80%	120%
Be	1	3757723	0.17	0.18	5.7%	< 0.05				80%	120%
Bi	1	3757723	0.07	0.07	0.0%	< 0.01				80%	120%
Ca	1	3757940	0.111	0.105	5.6%	< 0.01				80%	120%
Cd	1	3757723	0.033	0.039	16.7%	< 0.01				80%	120%
Ce	1	3757723	18.2	17.9	1.7%	< 0.01				80%	120%
Co	1	3757723	7.89	9.27	16.1%	< 0.1				80%	120%
Cr	1	3757940	18.4	17.3	6.2%	< 0.5				80%	120%
Cs	1	3757723	1.66	1.68	1.2%	< 0.05				80%	120%
Cu	1	3757940	4.87	4.60	5.7%	< 0.1	5620	6000	93%	80%	120%
Fe	1	3757940	1.18	1.14	3.4%	< 0.01				80%	120%
Ga	1	3757723	5.09	5.82	13.4%	< 0.05				80%	120%
Ge	1	3757723	0.11	0.11	0.0%	0.05				80%	120%
Hf	1	3757723	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3757723	< 0.01	0.01		< 0.01				80%	120%
In	1	3757723	0.011	0.013	16.7%	< 0.005				80%	120%
K	1	3757940	0.057	0.054	5.4%	< 0.01				80%	120%
La	1	3757723	10.0	9.7	3.0%	< 0.1				80%	120%
Li	1	3757723	11.3	13.4	17.0%	< 0.1				80%	120%
Mg	1	3757940	0.20	0.19	5.1%	< 0.01				80%	120%
Mn	1	3757940	73	69	5.6%	< 1				80%	120%
Mo	1	3757723	0.76	0.83	8.8%	< 0.05	302	360	83%	80%	120%
Na	1	3757940	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757723	1.78	1.92	7.6%	< 0.05				80%	120%
Ni	1	3757940	7.2	6.9	4.3%	< 0.2				80%	120%
P	1	3757940	252	221	13.1%	< 10	625	600	104%	80%	120%
Pb	1	3757723	4.62	4.67	1.1%	< 0.1				80%	120%
Rb	1	3757723	8.72	10.2	15.6%	< 0.1				80%	120%
Re	1	3757723	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757940	0.015	0.015	0.0%	< 0.005				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sb	1	3757723	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757723	2.4	2.8	15.4%	< 0.1				80%	120%
Se	1	3757723	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3757723	0.32	0.38	17.1%	< 0.2				80%	120%
Sr	1	3757723	12.0	13.7	13.2%	< 0.2				80%	120%
Ta	1	3757723	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757723	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3757723	1.6	1.6	0.0%	< 0.1				80%	120%
Ti	1	3757940	0.098	0.092	6.3%	< 0.005				80%	120%
Tl	1	3757723	0.054	0.055	1.8%	< 0.01				80%	120%
U	1	3757723	0.332	0.325	2.1%	< 0.05				80%	120%
V	1	3757940	35.7	33.6	6.1%	< 0.5				80%	120%
W	1	3757723	0.34	0.18		< 0.05				80%	120%
Y	1	3757723	3.26	3.59	9.6%	< 0.05				80%	120%
Zn	1	3757940	24.2	25.5	5.2%	< 0.5				80%	120%
Zr	1	3757723	1.5	1.7	12.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757748	0.075	0.084	11.3%	< 0.01	11.9	13.0	92%	80%	120%
Al	1	3757948	1.65	1.52	8.2%	< 0.01				80%	120%
As	1	3757748	5.20	5.49	5.4%	0.5				80%	120%
Au	1	3757748	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757948	< 5	< 5	0.0%	< 5	7.43	7.00	106%	80%	120%
Ba	1	3757948	31	31	0.0%	< 1				80%	120%
Be	1	3757748	0.13	0.13	0.0%	< 0.05				80%	120%
Bi	1	3757748	0.208	0.226	8.3%	< 0.01				80%	120%
Ca	1	3757948	0.122	0.112	8.5%	< 0.01				80%	120%
Cd	1	3757748	0.07	0.07	0.0%	< 0.01				80%	120%
Ce	1	3757748	18.1	19.3	6.4%	< 0.01				80%	120%
Co	1	3757748	2.35	2.36	0.4%	< 0.1				80%	120%
Cr	1	3757948	20.6	20.0	3.0%	< 0.5				80%	120%
Cs	1	3757748	1.89	2.00	5.7%	< 0.05				80%	120%
Cu	1	3757948	2.41	2.25	6.9%	< 0.1	5804	6000	96%	80%	120%
Fe	1	3757948	1.36	1.27	6.8%	< 0.01				80%	120%
Ga	1	3757748	5.41	5.61	3.6%	< 0.05				80%	120%
Ge	1	3757748	0.09	0.09	0.0%	0.08				80%	120%
Hf	1	3757748	0.06	0.03		< 0.02				80%	120%
Hg	1	3757748	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3757748	0.0153	0.0157	2.6%	< 0.005				80%	120%
K	1	3757948	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3757748	9.0	9.6	6.5%	< 0.1				80%	120%
Li	1	3757748	6.6	6.7	1.5%	< 0.1				80%	120%
Mg	1	3757948	0.20	0.19	5.1%	< 0.01				80%	120%
Mn	1	3757948	76	73	4.0%	< 1				80%	120%
Mo	1	3757748	0.455	0.480	5.3%	< 0.05	322	360	89%	80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3757948	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757748	1.86	1.88	1.1%	< 0.05				80%	120%	
Ni	1	3757948	8.37	8.21	1.9%	< 0.2				80%	120%	
P	1	3757948	366	329	10.6%	< 10	621	600	103%	80%	120%	
Pb	1	3757748	19.3	20.6	6.5%	< 0.1				80%	120%	
Rb	1	3757748	12.6	12.7	0.8%	< 0.1	11	13	83%	80%	120%	
Re	1	3757748	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757948	0.0185	0.0178	3.9%	< 0.005				80%	120%	
Sb	1	3757748	0.09	0.09	0.0%	< 0.05				80%	120%	
Sc	1	3757748	1.17	1.14	2.6%	< 0.1				80%	120%	
Se	1	3757748	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757748	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3757748	9.9	9.9	0.0%	< 0.2				80%	120%	
Ta	1	3757748	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757748	0.015	0.019	23.5%	< 0.01				80%	120%	
Th	1	3757748	1.6	1.8	11.8%	< 0.1				80%	120%	
Ti	1	3757948	0.0622	0.0562	10.1%	< 0.005				80%	120%	
Tl	1	3757748	0.065	0.070	7.4%	< 0.01				80%	120%	
U	1	3757748	0.43	0.45	4.5%	< 0.05				80%	120%	
V	1	3757948	23.7	22.5	5.2%	< 0.5				80%	120%	
W	1	3757748	0.13	0.18		< 0.05				80%	120%	
Y	1	3757748	2.16	2.17	0.5%	< 0.05				80%	120%	
Zn	1	3757948	20.6	20.3	1.5%	< 0.5				80%	120%	
Zr	1	3757748	0.6	0.6	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757773	0.095	0.088	7.7%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3757773	1.02	0.98	4.0%	< 0.01				80%	120%	
As	1	3757773	1.5	1.6	6.5%	< 0.1				80%	120%	
Au	1	3757773	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757773	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757773	33	33	0.0%	1				80%	120%	
Be	1	3757773	0.175	0.160	9.0%	< 0.05				80%	120%	
Bi	1	3757773	0.11	0.11	0.0%	< 0.01				80%	120%	
Ca	1	3757773	0.12	0.11	8.7%	< 0.01				80%	120%	
Cd	1	3757773	0.06	0.06	0.0%	< 0.01				80%	120%	
Ce	1	3757773	25.2	24.6	2.4%	< 0.01				80%	120%	
Co	1	3757773	4.8	4.7	2.1%	< 0.1				80%	120%	
Cr	1	3757773	21.0	20.2	3.9%	< 0.5				80%	120%	
Cs	1	3757773	1.52	1.55	2.0%	< 0.05				80%	120%	
Cu	1	3757773	9.91	9.62	3.0%	< 0.1	5921	6000	98%	80%	120%	
Fe	1	3757773	1.24	1.21	2.4%	< 0.01				80%	120%	
Ga	1	3757773	3.60	3.53	2.0%	< 0.05				80%	120%	
Ge	1	3757773	0.10	0.10	0.0%	0.08				80%	120%	
Hf	1	3757773	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3757773	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3757773	0.0107	0.0104	2.8%	< 0.005				80%	120%	
K	1	3757773	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3757773	10.9	10.5	3.7%	< 0.1				80%	120%	
Li	1	3757773	8.1	7.9	2.5%	< 0.1				80%	120%	
Mg	1	3757773	0.30	0.29	3.4%	< 0.01				80%	120%	
Mn	1	3757773	104	98	5.9%	< 1				80%	120%	
Mo	1	3757773	0.58	0.55	5.3%	< 0.05	293	360	81%	80%	120%	
Na	1	3757773	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757773	1.76	1.57	11.4%	< 0.05				80%	120%	
Ni	1	3757773	13.6	13.3	2.2%	< 0.2				80%	120%	
P	1	3757773	161	188	15.5%	< 10	556	600	93%	80%	120%	
Pb	1	3757773	5.7	5.7	0.0%	< 0.1				80%	120%	
Rb	1	3757773	7.38	7.11	3.7%	< 0.1	11	13	84%	80%	120%	
Re	1	3757773	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757773	0.015	0.015	0.0%	< 0.005				80%	120%	
Sb	1	3757773	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757773	1.64	1.55	5.6%	< 0.1				80%	120%	
Se	1	3757773	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757773	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3757773	8.32	7.54	9.8%	< 0.2				80%	120%	
Ta	1	3757773	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757773	< 0.01	0.01		< 0.01				80%	120%	
Th	1	3757773	1.7	1.8	5.7%	< 0.1				80%	120%	
Ti	1	3757773	0.068	0.064	6.1%	< 0.005				80%	120%	
Tl	1	3757773	0.077	0.074	4.0%	< 0.01				80%	120%	
U	1	3757773	0.56	0.56	0.0%	< 0.05				80%	120%	
V	1	3757773	22.2	21.1	5.1%	< 0.5				80%	120%	
W	1	3757773	0.131	0.158	18.7%	< 0.05				80%	120%	
Y	1	3757773	2.71	2.52	7.3%	< 0.05				80%	120%	
Zn	1	3757773	46.5	44.2	5.1%	< 0.5				80%	120%	
Zr	1	3757773	0.9	0.6		< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757798	0.07	0.07	0.0%	< 0.01	11.6	13.0	90%	80%	120%	
Al	1	3757798	1.23	1.21	1.6%	< 0.01				80%	120%	
As	1	3757798	5.4	5.3	1.9%	< 0.1				80%	120%	
Au	1	3757798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757798	< 5	< 5	0.0%	< 5	7.12	7.00	102%	80%	120%	
Ba	1	3757798	40	41	2.5%	< 1				80%	120%	
Be	1	3757798	0.18	0.19	5.4%	< 0.05				80%	120%	
Bi	1	3757798	0.281	0.296	5.2%	< 0.01				80%	120%	
Ca	1	3757798	0.148	0.143	3.4%	< 0.01				80%	120%	
Cd	1	3757798	0.17	0.17	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ce	1	3757798	14.9	15.9	6.5%	< 0.01				80%	120%	
Co	1	3757798	2.81	3.01	6.9%	< 0.1				80%	120%	
Cr	1	3757798	40.9	42.9	4.8%	< 0.5				80%	120%	
Cs	1	3757798	1.61	1.73	7.2%	< 0.05				80%	120%	
Cu	1	3757798	18.2	18.9	3.8%	< 0.1	5783	6000	96%	80%	120%	
Fe	1	3757798	3.89	3.98	2.3%	< 0.01				80%	120%	
Ga	1	3757798	10.9	11.1	1.8%	< 0.05				80%	120%	
Ge	1	3757798	0.118	0.125	5.8%	0.10				80%	120%	
Hf	1	3757798	0.026	0.023	12.2%	< 0.02				80%	120%	
Hg	1	3757798	0.110	0.116	5.3%	< 0.01				80%	120%	
In	1	3757798	0.024	0.025	4.1%	< 0.005				80%	120%	
K	1	3757798	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3757798	8.43	8.97	6.2%	< 0.1				80%	120%	
Li	1	3757798	3.3	3.6	8.7%	< 0.1				80%	120%	
Mg	1	3757798	0.14	0.14	0.0%	< 0.01				80%	120%	
Mn	1	3757798	74	75	1.3%	< 1				80%	120%	
Mo	1	3757798	2.01	2.09	3.9%	< 0.05	309	360	85%	80%	120%	
Na	1	3757798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757798	2.74	2.75	0.4%	< 0.05				80%	120%	
Ni	1	3757798	10.9	10.8	0.9%	< 0.2				80%	120%	
P	1	3757798	1910	2080	8.5%	< 10	561	600	93%	80%	120%	
Pb	1	3757798	13.1	14.0	6.6%	< 0.1				80%	120%	
Rb	1	3757798	5.85	6.33	7.9%	< 0.1	11	13	81%	80%	120%	
Re	1	3757798	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757798	0.0448	0.0443	1.1%	< 0.005				80%	120%	
Sb	1	3757798	0.128	0.124	3.2%	< 0.05				80%	120%	
Sc	1	3757798	1.8	1.8	0.0%	< 0.1				80%	120%	
Se	1	3757798	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3757798	0.8	0.8	0.0%	< 0.2				80%	120%	
Sr	1	3757798	8.7	9.2	5.6%	< 0.2				80%	120%	
Ta	1	3757798	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757798	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3757798	1.7	1.9	11.1%	< 0.1				80%	120%	
Ti	1	3757798	0.0880	0.0843	4.3%	< 0.005				80%	120%	
Tl	1	3757798	0.063	0.069	9.1%	< 0.01				80%	120%	
U	1	3757798	0.608	0.625	2.8%	< 0.05				80%	120%	
V	1	3757798	100	106	5.8%	< 0.5				80%	120%	
W	1	3757798	0.63	0.27		< 0.05				80%	120%	
Y	1	3757798	1.88	2.00	6.2%	< 0.05				80%	120%	
Zn	1	3757798	37.5	34.9	7.2%	< 0.5				80%	120%	
Zr	1	3757798	1.0	1.0	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757816	0.07	0.07	0.0%	< 0.01	12.3	13.0	95%	80%	120%	
Al	1	3757816	0.64	0.62	3.2%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3757816	1.86	1.44	25.5%	< 0.1				80%	120%	
Au	1	3757816	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757816	< 5	< 5	0.0%	< 5	7.45	7.00	106%	80%	120%	
Ba	1	3757816	30	29	3.4%	< 1				80%	120%	
Be	1	3757816	0.13	0.14	7.4%	< 0.05				80%	120%	
Bi	1	3757816	0.14	0.14	0.0%	< 0.01				80%	120%	
Ca	1	3757816	0.168	0.163	3.0%	< 0.01				80%	120%	
Cd	1	3757816	0.06	0.06	0.0%	< 0.01				80%	120%	
Ce	1	3757816	15.2	15.4	1.3%	< 0.01				80%	120%	
Co	1	3757816	2.7	2.7	0.0%	< 0.1				80%	120%	
Cr	1	3757816	28.2	29.1	3.1%	< 0.5				80%	120%	
Cs	1	3757816	1.59	1.59	0.0%	< 0.05				80%	120%	
Cu	1	3757816	7.0	7.0	0.0%	< 0.1	5961	6000	99%	80%	120%	
Fe	1	3757816	1.71	1.66	3.0%	< 0.01				80%	120%	
Ga	1	3757816	7.69	7.70	0.1%	< 0.05				80%	120%	
Ge	1	3757816	0.107	0.103	3.8%	0.05				80%	120%	
Hf	1	3757816	0.086	0.085	1.2%	< 0.02				80%	120%	
Hg	1	3757816	0.033	0.035	5.9%	< 0.01				80%	120%	
In	1	3757816	0.012	0.012	0.0%	< 0.005				80%	120%	
K	1	3757816	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3757816	7.39	7.58	2.5%	< 0.1				80%	120%	
Li	1	3757816	5.2	5.5	5.6%	< 0.1				80%	120%	
Mg	1	3757816	0.20	0.19	5.1%	< 0.01				80%	120%	
Mn	1	3757816	62	64	3.2%	< 1				80%	120%	
Mo	1	3757816	1.33	1.27	4.6%	< 0.05	325	360	90%	80%	120%	
Na	1	3757816	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757816	3.40	3.49	2.6%	< 0.05				80%	120%	
Ni	1	3757816	5.08	5.00	1.6%	< 0.2				80%	120%	
P	1	3757816	135	164	19.4%	< 10	660	600	110%	80%	120%	
Pb	1	3757816	5.7	5.7	0.0%	< 0.1				80%	120%	
Rb	1	3757816	9.8	9.9	1.0%	< 0.1	11	13	81%	80%	120%	
Re	1	3757816	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757816	0.0120	0.0112	6.9%	< 0.005				80%	120%	
Sb	1	3757816	0.057	0.043	28.0%	< 0.05				80%	120%	
Sc	1	3757816	1.4	1.4	0.0%	< 0.1				80%	120%	
Se	1	3757816	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757816	0.74	0.75	1.3%	< 0.2				80%	120%	
Sr	1	3757816	12.9	13.3	3.1%	< 0.2				80%	120%	
Ta	1	3757816	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757816	0.019	0.015	23.5%	< 0.01				80%	120%	
Th	1	3757816	2.5	2.7	7.7%	< 0.1				80%	120%	
Ti	1	3757816	0.160	0.157	1.9%	< 0.005				80%	120%	
Tl	1	3757816	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3757816	0.500	0.518	3.5%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
V	1	3757816	52.5	53.9	2.6%	< 0.5				80%	120%	
W	1	3757816	0.16	0.14	13.3%	< 0.05				80%	120%	
Y	1	3757816	1.91	2.01	5.1%	< 0.05	6	7	81%	80%	120%	
Zn	1	3757816	17.2	18.5	7.3%	< 0.5				80%	120%	
Zr	1	3757816	3.23	3.25	0.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757823	0.068	0.076	11.1%	< 0.01	11.5	13.0	88%	80%	120%	
Al	1	3757823	1.37	1.49	8.4%	< 0.01				80%	120%	
As	1	3757823	4.6	4.8	4.3%	< 0.1				80%	120%	
Au	1	3757823	< 0.01	0.01	< 0.01	< 0.01				80%	120%	
B	1	3757823	< 5	< 5	0.0%	< 5	7.67	7.00	110%	80%	120%	
Ba	1	3757823	41	43	4.8%	< 1				80%	120%	
Be	1	3757823	0.269	0.307	13.2%	< 0.05				80%	120%	
Bi	1	3757823	0.135	0.133	1.5%	< 0.01				80%	120%	
Ca	1	3757823	0.161	0.171	6.0%	< 0.01				80%	120%	
Cd	1	3757823	0.12	0.12	0.0%	< 0.01				80%	120%	
Ce	1	3757823	21.1	21.7	2.8%	< 0.01				80%	120%	
Co	1	3757823	4.2	4.4	4.7%	< 0.1				80%	120%	
Cr	1	3757823	28.9	29.1	0.7%	< 0.5				80%	120%	
Cs	1	3757823	1.48	1.44	2.7%	< 0.05				80%	120%	
Cu	1	3757823	3.9	4.0	2.5%	< 0.1	5756	6000	95%	80%	120%	
Fe	1	3757823	2.27	2.44	7.2%	< 0.01				80%	120%	
Ga	1	3757823	8.13	8.48	4.2%	< 0.05				80%	120%	
Ge	1	3757823	0.10	0.10	0.0%	0.07				80%	120%	
Hf	1	3757823	0.05	0.05	0.0%	< 0.02				80%	120%	
Hg	1	3757823	0.043	0.055	24.5%	< 0.01				80%	120%	
In	1	3757823	0.022	0.022	0.0%	< 0.005				80%	120%	
K	1	3757823	0.09	0.09	0.0%	< 0.01				80%	120%	
La	1	3757823	11.0	11.3	2.7%	< 0.1				80%	120%	
Li	1	3757823	12.7	13.3	4.6%	< 0.1				80%	120%	
Mg	1	3757823	0.29	0.31	6.7%	< 0.01				80%	120%	
Mn	1	3757823	108	108	0.0%	< 1				80%	120%	
Mo	1	3757823	0.589	0.628	6.4%	< 0.05	307	360	85%	80%	120%	
Na	1	3757823	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757823	3.32	3.43	3.3%	< 0.05				80%	120%	
Ni	1	3757823	9.0	9.0	0.0%	< 0.2				80%	120%	
P	1	3757823	1180	1240	5.0%	< 10	607	600	101%	80%	120%	
Pb	1	3757823	8.87	8.79	0.9%	< 0.1				80%	120%	
Rb	1	3757823	18.8	19.2	2.1%	< 0.1	10	13	80%	80%	120%	
Re	1	3757823	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757823	0.0164	0.0191	15.2%	< 0.005				80%	120%	
Sb	1	3757823	0.074	0.081	9.0%	< 0.05				80%	120%	
Sc	1	3757823	2.82	2.91	3.1%	< 0.1				80%	120%	
Se	1	3757823	0.4	0.4	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3757823	0.73	0.76	4.0%	< 0.2				80%	120%	
Sr	1	3757823	11.5	11.7	1.7%	< 0.2				80%	120%	
Ta	1	3757823	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757823	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3757823	2.8	2.9	3.5%	< 0.1				80%	120%	
Ti	1	3757823	0.0920	0.0986	6.9%	< 0.005				80%	120%	
Tl	1	3757823	0.09	0.09	0.0%	< 0.01				80%	120%	
U	1	3757823	0.522	0.541	3.6%	< 0.05				80%	120%	
V	1	3757823	46.8	47.0	0.4%	< 0.5				80%	120%	
W	1	3757823	0.185	0.204	9.8%	< 0.05				80%	120%	
Y	1	3757823	3.41	3.53	3.5%	< 0.05				80%	120%	
Zn	1	3757823	36.8	35.3	4.2%	< 0.5				80%	120%	
Zr	1	3757823	2.00	1.94	3.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757848	0.205	0.205	0.0%	< 0.01	11.5	13.0	88%	80%	120%	
Al	1	3757848	1.82	1.82	0.0%	< 0.01				80%	120%	
As	1	3757848	2.2	2.2	0.0%	< 0.1				80%	120%	
Au	1	3757848	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757848	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757848	51	52	1.9%	< 1				80%	120%	
Be	1	3757848	0.46	0.44	4.4%	< 0.05				80%	120%	
Bi	1	3757848	0.123	0.115	6.7%	< 0.01				80%	120%	
Ca	1	3757848	0.150	0.144	4.1%	< 0.01				80%	120%	
Cd	1	3757848	0.08	0.08	0.0%	< 0.01				80%	120%	
Ce	1	3757848	25.8	27.2	5.3%	< 0.01				80%	120%	
Co	1	3757848	5.8	5.8	0.0%	< 0.1				80%	120%	
Cr	1	3757848	26.1	25.4	2.7%	< 0.5				80%	120%	
Cs	1	3757848	1.59	1.50	5.8%	< 0.05				80%	120%	
Cu	1	3757848	4.47	4.32	3.4%	< 0.1	5495	6000	91%	80%	120%	
Fe	1	3757848	2.28	2.29	0.4%	< 0.01				80%	120%	
Ga	1	3757848	6.41	6.43	0.3%	< 0.05				80%	120%	
Ge	1	3757848	0.09	0.11	20.0%	0.06				80%	120%	
Hf	1	3757848	0.032	0.037	14.5%	< 0.02				80%	120%	
Hg	1	3757848	0.06	0.06	0.0%	< 0.01				80%	120%	
In	1	3757848	0.026	0.025	3.9%	< 0.005				80%	120%	
K	1	3757848	0.056	0.054	3.6%	< 0.01				80%	120%	
La	1	3757848	13.3	14.2	6.5%	< 0.1				80%	120%	
Li	1	3757848	15.3	14.7	4.0%	< 0.1				80%	120%	
Mg	1	3757848	0.21	0.21	0.0%	< 0.01				80%	120%	
Mn	1	3757848	158	154	2.6%	< 1				80%	120%	
Mo	1	3757848	0.635	0.545	15.3%	< 0.05	307	360	85%	80%	120%	
Na	1	3757848	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757848	3.19	3.21	0.6%	< 0.05				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ni	1	3757848	9.4	9.3	1.1%	< 0.2				80%	120%	
P	1	3757848	744	748	0.5%	< 10	496	600	83%	80%	120%	
Pb	1	3757848	8.3	8.4	1.2%	< 0.1				80%	120%	
Rb	1	3757848	11.5	11.4	0.9%	< 0.1	11	13	81%	80%	120%	
Re	1	3757848	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757848	0.023	0.023	0.0%	< 0.005				80%	120%	
Sb	1	3757848	0.07	0.07	0.0%	< 0.05				80%	120%	
Sc	1	3757848	2.2	2.2	0.0%	< 0.1				80%	120%	
Se	1	3757848	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3757848	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3757848	10.5	9.54	9.6%	< 0.2				80%	120%	
Ta	1	3757848	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757848	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3757848	2.6	3.6		< 0.1				80%	120%	
Ti	1	3757848	0.0858	0.0794	7.7%	< 0.005				80%	120%	
Tl	1	3757848	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3757848	0.58	0.59	1.7%	< 0.05				80%	120%	
V	1	3757848	43.2	42.1	2.6%	< 0.5				80%	120%	
W	1	3757848	0.15	0.14	6.9%	< 0.05				80%	120%	
Y	1	3757848	3.90	3.91	0.3%	< 0.05	6	7	81%	80%	120%	
Zn	1	3757848	26.2	28.0	6.6%	< 0.5				80%	120%	
Zr	1	3757848	1.22	1.41	14.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757873	0.18	0.17	5.7%	< 0.01	12.5	13.0	96%	80%	120%	
Al	1	3757873	1.46	1.36	7.1%	< 0.01				80%	120%	
As	1	3757873	2.80	2.55	9.3%	< 0.1				80%	120%	
Au	1	3757873	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757873	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757873	33	30	9.5%	< 1				80%	120%	
Be	1	3757873	0.271	0.254	6.5%	< 0.05				80%	120%	
Bi	1	3757873	0.11	0.11	0.0%	< 0.01				80%	120%	
Ca	1	3757873	0.096	0.091	5.3%	< 0.01				80%	120%	
Cd	1	3757873	0.109	0.103	5.7%	< 0.01				80%	120%	
Ce	1	3757873	19.0	18.0	5.4%	< 0.01				80%	120%	
Co	1	3757873	3.71	3.41	8.4%	< 0.1				80%	120%	
Cr	1	3757873	19.8	19.0	4.1%	< 0.5				80%	120%	
Cs	1	3757873	1.65	1.62	1.8%	< 0.05				80%	120%	
Cu	1	3757873	4.0	3.9	2.5%	< 0.1	5642	6000	94%	80%	120%	
Fe	1	3757873	1.53	1.44	6.1%	< 0.01				80%	120%	
Ga	1	3757873	5.39	5.17	4.2%	< 0.05				80%	120%	
Ge	1	3757873	0.09	0.10	10.5%	< 0.05				80%	120%	
Hf	1	3757873	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3757873	0.067	0.054	21.5%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
In	1	3757873	0.0180	0.0172	4.5%	< 0.005				80%	120%
K	1	3757873	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3757873	10.3	9.9	4.0%	< 0.1				80%	120%
Li	1	3757873	10.5	10.1	3.9%	< 0.1				80%	120%
Mg	1	3757873	0.19	0.18	5.4%	< 0.01				80%	120%
Mn	1	3757873	80	78	2.5%	< 1				80%	120%
Mo	1	3757873	0.576	0.550	4.6%	< 0.05	330	360	91%	80%	120%
Na	1	3757873	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757873	2.18	2.07	5.2%	< 0.05				80%	120%
Ni	1	3757873	7.67	7.51	2.1%	< 0.2				80%	120%
P	1	3757873	594	598	0.7%	< 10	530	600	88%	80%	120%
Pb	1	3757873	6.97	6.70	4.0%	< 0.1				80%	120%
Rb	1	3757873	10.2	9.93	2.7%	< 0.1	11	13	86%	80%	120%
Re	1	3757873	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757873	0.0201	0.0194	3.5%	< 0.005				80%	120%
Sb	1	3757873	0.056	0.053	5.5%	< 0.05				80%	120%
Sc	1	3757873	1.59	1.55	2.5%	< 0.1				80%	120%
Se	1	3757873	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3757873	0.59	0.51	14.5%	< 0.2				80%	120%
Sr	1	3757873	8.47	8.44	0.4%	< 0.2				80%	120%
Ta	1	3757873	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757873	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3757873	1.0	1.0	0.0%	< 0.1	1.2	1.4	84%	80%	120%
Ti	1	3757873	0.0553	0.0524	5.4%	< 0.005				80%	120%
Tl	1	3757873	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3757873	0.44	0.44	0.0%	< 0.05				80%	120%
V	1	3757873	27.6	26.3	4.8%	< 0.5				80%	120%
W	1	3757873	0.13	0.12	8.0%	< 0.05				80%	120%
Y	1	3757873	2.46	2.40	2.5%	< 0.05	7	7	93%	80%	120%
Zn	1	3757873	21.7	20.1	7.7%	< 0.5				80%	120%
Zr	1	3757873	1.02	0.95	7.1%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3757898	0.04	0.04	0.0%	< 0.01	12.4	13.0	96%	80%	120%
Al	1	3757898	1.02	1.03	1.0%	< 0.01				80%	120%
As	1	3757898	1.2	1.2	0.0%	< 0.1				80%	120%
Au	1	3757898	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3757898	< 5	< 5	0.0%	< 5	8.32	7.00	119%	80%	120%
Ba	1	3757898	37	37	0.0%	< 1				80%	120%
Be	1	3757898	0.313	0.305	2.6%	< 0.05				80%	120%
Bi	1	3757898	0.077	0.073	5.3%	< 0.01				80%	120%
Ca	1	3757898	0.29	0.29	0.0%	< 0.01				80%	120%
Cd	1	3757898	0.06	0.06	0.0%	< 0.01				80%	120%
Ce	1	3757898	33.2	30.6	8.2%	< 0.01				80%	120%
Co	1	3757898	5.03	4.93	2.0%	< 0.1				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Cr	1	3757898	21.4	21.3	0.5%	< 0.5				80%	120%	
Cs	1	3757898	0.851	0.793	7.1%	< 0.05				80%	120%	
Cu	1	3757898	3.2	3.5	9.0%	< 0.1				80%	120%	
Fe	1	3757898	1.07	1.09	1.9%	< 0.01				80%	120%	
Ga	1	3757898	3.87	3.89	0.5%	< 0.05				80%	120%	
Ge	1	3757898	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3757898	0.093	0.073	24.1%	< 0.02				80%	120%	
Hg	1	3757898	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3757898	0.015	0.014	6.9%	< 0.005				80%	120%	
K	1	3757898	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3757898	14.8	13.8	7.0%	< 0.1				80%	120%	
Li	1	3757898	12.5	12.3	1.6%	< 0.1				80%	120%	
Mg	1	3757898	0.36	0.36	0.0%	< 0.01				80%	120%	
Mn	1	3757898	172	171	0.6%	< 1				80%	120%	
Mo	1	3757898	0.225	0.233	3.5%	< 0.05	326	360	90%	80%	120%	
Na	1	3757898	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757898	2.22	2.19	1.4%	< 0.05				80%	120%	
Ni	1	3757898	10.5	10.9	3.7%	< 0.2				80%	120%	
P	1	3757898	191	176	8.2%	< 10	621	600	103%	80%	120%	
Pb	1	3757898	5.76	5.37	7.0%	< 0.1				80%	120%	
Rb	1	3757898	13.3	13.6	2.2%	< 0.1	11	13	86%	80%	120%	
Re	1	3757898	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757898	0.007	0.007	0.0%	< 0.005				80%	120%	
Sb	1	3757898	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757898	3.45	3.27	5.4%	< 0.1				80%	120%	
Se	1	3757898	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757898	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3757898	15.7	15.6	0.6%	< 0.2				80%	120%	
Ta	1	3757898	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757898	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757898	3.99	3.73	6.7%	< 0.1	1.1	1.4	82%	80%	120%	
Ti	1	3757898	0.076	0.075	1.3%	< 0.005				80%	120%	
Tl	1	3757898	0.078	0.070	10.8%	< 0.01				80%	120%	
U	1	3757898	0.49	0.46	6.3%	< 0.05				80%	120%	
V	1	3757898	23.8	23.4	1.7%	< 0.5				80%	120%	
W	1	3757898	0.08	0.08	0.0%	< 0.05				80%	120%	
Y	1	3757898	5.39	5.39	0.0%	< 0.05	6	7	91%	80%	120%	
Zn	1	3757898	24.0	25.0	4.1%	< 0.5				80%	120%	
Zr	1	3757898	3.21	2.92	9.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757923	0.08	0.06	28.6%	< 0.01	13.2	13.0	102%	80%	120%	
Al	1	3757973	1.31	1.32	0.8%	< 0.01				80%	120%	
As	1	3757923	1.7	2.6		< 0.1				80%	120%	
Au	1	3757923	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
B	1	3757973	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3757973	23	23	0.0%	< 1				80%	120%
Be	1	3757923	0.460	0.466	1.3%	< 0.05				80%	120%
Bi	1	3757923	0.09	0.09	0.0%	< 0.01				80%	120%
Ca	1	3757973	0.103	0.106	2.9%	< 0.01				80%	120%
Cd	1	3757923	0.086	0.085	1.2%	< 0.01				80%	120%
Ce	1	3757923	36.5	38.0	4.0%	< 0.01				80%	120%
Co	1	3757923	6.3	6.6	4.7%	< 0.1				80%	120%
Cr	1	3757973	20.1	21.4	6.3%	< 0.5				80%	120%
Cs	1	3757923	1.04	1.04	0.0%	< 0.05				80%	120%
Cu	1	3757973	7.74	8.18	5.5%	< 0.1	5883	6000	98%	80%	120%
Fe	1	3757973	1.33	1.35	1.5%	< 0.01				80%	120%
Ga	1	3757923	4.30	4.32	0.5%	< 0.05				80%	120%
Ge	1	3757923	0.090	0.099	9.5%	< 0.05				80%	120%
Hf	1	3757923	0.20	0.21	4.9%	< 0.02				80%	120%
Hg	1	3757923	0.034	0.035	2.9%	< 0.01				80%	120%
In	1	3757923	0.016	0.016	0.0%	< 0.005				80%	120%
K	1	3757973	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3757923	19.2	19.8	3.1%	< 0.1				80%	120%
Li	1	3757923	17.0	16.9	0.6%	< 0.1				80%	120%
Mg	1	3757973	0.16	0.16	0.0%	< 0.01				80%	120%
Mn	1	3757973	60	64	6.5%	< 1				80%	120%
Mo	1	3757923	0.219	0.245	11.2%	< 0.05	352	360	97%	80%	120%
Na	1	3757973	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3757923	2.16	2.25	4.1%	< 0.05				80%	120%
Ni	1	3757973	7.51	8.06	7.1%	< 0.2				80%	120%
P	1	3757973	239	259	8.0%	< 10	660	600	110%	80%	120%
Pb	1	3757923	5.70	5.78	1.4%	< 0.1				80%	120%
Rb	1	3757923	20.0	20.1	0.5%	< 0.1	11	13	85%	80%	120%
Re	1	3757923	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3757973	0.014	0.014	0.0%	< 0.005				80%	120%
Sb	1	3757923	< 0.05	< 0.05	0.0%	< 0.05				80%	120%
Sc	1	3757923	4.1	4.2	2.4%	< 0.1				80%	120%
Se	1	3757923	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3757923	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3757923	14.1	14.5	2.8%	< 0.2				80%	120%
Ta	1	3757923	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3757923	0.01	< 0.01		< 0.01				80%	120%
Th	1	3757923	5.6	5.5	1.8%	< 0.1	1.1	1.4	82%	80%	120%
Ti	1	3757973	0.0753	0.0783	3.9%	< 0.005				80%	120%
Tl	1	3757923	0.14	0.14	0.0%	< 0.01				80%	120%
U	1	3757923	1.03	1.04	1.0%	< 0.05				80%	120%
V	1	3757973	26.7	28.7	7.2%	< 0.5				80%	120%
W	1	3757923	0.11	0.11	0.0%	< 0.05				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Y	1	3757923	8.39	8.56	2.0%	< 0.05	7	7	95%	80%	120%	
Zn	1	3757973	19.0	19.3	1.6%	< 0.5				80%	120%	
Zr	1	3757923	8.12	8.40	3.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757940	0.091	0.085	6.8%	< 0.01	12.5	13.0	96%	80%	120%	
Al	1	3757998	0.663	0.716	7.7%	< 0.01				80%	120%	
As	1	3757940	3.5	1.9		< 0.1				80%	120%	
Au	1	3757940	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3757998	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3757998	26	29	10.9%	< 1				80%	120%	
Be	1	3757940	0.17	0.17	0.0%	< 0.05				80%	120%	
Bi	1	3757940	0.23	0.23	0.0%	< 0.01				80%	120%	
Ca	1	3757998	0.423	0.455	7.3%	< 0.01				80%	120%	
Cd	1	3757940	0.117	0.111	5.3%	< 0.01				80%	120%	
Ce	1	3757940	25.3	25.4	0.4%	< 0.01				80%	120%	
Co	1	3757940	3.01	2.83	6.2%	< 0.1				80%	120%	
Cr	1	3757998	20.5	22.4	8.9%	< 0.5				80%	120%	
Cs	1	3757940	1.40	1.39	0.7%	< 0.05				80%	120%	
Cu	1	3757998	87.9	98.3	11.2%	< 0.1	5978	6000	99%	80%	120%	
Fe	1	3757998	0.59	0.63	6.6%	< 0.01				80%	120%	
Ga	1	3757940	7.86	7.45	5.4%	< 0.05				80%	120%	
Ge	1	3757940	0.080	0.098	20.2%	< 0.05				80%	120%	
Hf	1	3757940	0.06	0.06	0.0%	< 0.02				80%	120%	
Hg	1	3757940	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3757940	0.015	0.015	0.0%	< 0.005				80%	120%	
K	1	3757998	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3757940	10.5	10.5	0.0%	< 0.1				80%	120%	
Li	1	3757940	8.6	8.2	4.8%	< 0.1				80%	120%	
Mg	1	3757998	0.27	0.29	7.1%	< 0.01				80%	120%	
Mn	1	3757998	70	77	9.5%	< 1				80%	120%	
Mo	1	3757940	0.478	0.454	5.2%	< 0.05	333	360	92%	80%	120%	
Na	1	3757998	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3757940	3.50	3.30	5.9%	< 0.05				80%	120%	
Ni	1	3757998	8.43	9.30	9.8%	< 0.2				80%	120%	
P	1	3757998	421	473	11.6%	< 10	616	600	103%	80%	120%	
Pb	1	3757940	10.4	10.3	1.0%	< 0.1				80%	120%	
Rb	1	3757940	12.7	12.6	0.8%	< 0.1	12	13	89%	80%	120%	
Re	1	3757940	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3757998	0.0592	0.0648	9.0%	< 0.005				80%	120%	
Sb	1	3757940	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757940	1.83	1.87	2.2%	< 0.1				80%	120%	
Se	1	3757940	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3757940	0.8	0.8	0.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sr	1	3757940	8.70	8.41	3.4%	< 0.2				80%	120%	
Ta	1	3757940	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757940	0.01	< 0.01		< 0.01				80%	120%	
Th	1	3757940	2.3	2.3	0.0%	< 0.1	1.3	1.4	92%	80%	120%	
Ti	1	3757998	0.056	0.060	6.9%	< 0.005				80%	120%	
Tl	1	3757940	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3757940	0.51	0.50	2.0%	< 0.05				80%	120%	
V	1	3757998	15.6	16.9	8.0%	< 0.5				80%	120%	
W	1	3757940	0.12	0.08		< 0.05				80%	120%	
Y	1	3757940	2.77	2.66	4.1%	< 0.05	6	7	92%	80%	120%	
Zn	1	3757998	33.5	33.9	1.2%	< 0.5				80%	120%	
Zr	1	3757940	1.85	2.12	13.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757948	0.14	0.14	0.0%	< 0.01	12.6	13.0	97%	80%	120%	
As	1	3757948	2.1	2.1	0.0%	< 0.1				80%	120%	
Au	1	3757948	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1					< 5	6.14	7.00	88%	80%	120%	
Be	1	3757948	0.312	0.336	7.4%	< 0.05				80%	120%	
Bi	1	3757948	0.08	0.08	0.0%	< 0.01				80%	120%	
Ca	1					< 0.01				80%	120%	
Cd	1	3757948	0.084	0.089	5.8%	< 0.01				80%	120%	
Ce	1	3757948	22.7	22.0	3.1%	< 0.01				80%	120%	
Co	1	3757948	4.9	4.8	2.1%	< 0.1				80%	120%	
Cs	1	3757948	1.22	1.23	0.8%	< 0.05				80%	120%	
Cu	1					< 0.1	5587	6000	93%	80%	120%	
Ga	1	3757948	3.82	3.82	0.0%	< 0.05				80%	120%	
Ge	1	3757948	0.09	0.10	10.5%	< 0.05				80%	120%	
Hf	1	3757948	0.041	0.034	18.7%	< 0.02				80%	120%	
Hg	1	3757948	0.05	0.05	0.0%	< 0.01				80%	120%	
In	1	3757948	0.019	0.019	0.0%	< 0.005				80%	120%	
La	1	3757948	11.3	11.3	0.0%	< 0.1				80%	120%	
Li	1	3757948	10.8	10.8	0.0%	< 0.1				80%	120%	
Mo	1	3757948	0.42	0.42	0.0%	< 0.05	339	360	94%	80%	120%	
Nb	1	3757948	2.59	2.57	0.8%	< 0.05				80%	120%	
P	1					< 10	586	600	98%	80%	120%	
Pb	1	3757948	6.4	6.5	1.6%	< 0.1				80%	120%	
Rb	1	3757948	8.43	8.50	0.8%	< 0.1				80%	120%	
Re	1	3757948	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
Sb	1	3757948	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757948	2.1	2.1	0.0%	< 0.1				80%	120%	
Se	1	3757948	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3757948	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3757948	10.0	10.1	1.0%	< 0.2				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ta	1	3757948	0.02	0.02	0.0%	< 0.01				80%	120%	
Te	1	3757948	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3757948	3.1	3.1	0.0%	< 0.1	1.3	1.4	94%	80%	120%	
Tl	1	3757948	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3757948	0.49	0.49	0.0%	< 0.05				80%	120%	
W	1	3757948	0.13	0.13	0.0%	< 0.05				80%	120%	
Y	1	3757948	3.14	3.15	0.3%	< 0.05	7	7	99%	80%	120%	
Zr	1	3757948	1.48	1.35	9.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757973	0.17	0.18	5.7%	< 0.01	11.9	13.0	91%	80%	120%	
As	1	3757973	6.6	4.5		< 0.1				80%	120%	
Au	1	3757973	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1					< 5				80%	120%	
Be	1	3757973	0.27	0.27	0.0%	< 0.05				80%	120%	
Bi	1	3757973	0.107	0.093	14.0%	< 0.01				80%	120%	
Ca	1					< 0.01				80%	120%	
Cd	1	3757973	0.09	0.09	0.0%	< 0.01				80%	120%	
Ce	1	3757973	21.4	19.6	8.8%	< 0.01				80%	120%	
Co	1	3757973	3.9	3.8	2.6%	< 0.1				80%	120%	
Cs	1	3757973	2.27	2.23	1.8%	< 0.05				80%	120%	
Cu	1					< 0.1	5729	6000	95%	80%	120%	
Ga	1	3757973	4.62	4.77	3.2%	< 0.05				80%	120%	
Ge	1	3757973	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3757973	0.08	0.08	0.0%	< 0.02				80%	120%	
Hg	1	3757973	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3757973	0.017	0.017	0.0%	< 0.005				80%	120%	
La	1	3757973	10.8	10.0	7.7%	< 0.1				80%	120%	
Li	1	3757973	11.6	11.6	0.0%	< 0.1				80%	120%	
Mo	1	3757973	1.17	0.96	19.7%	< 0.05	326	360	90%	80%	120%	
Nb	1	3757973	2.97	2.98	0.3%	< 0.05				80%	120%	
P	1					< 10	642	600	107%	80%	120%	
Pb	1	3757973	6.96	6.82	2.0%	< 0.1				80%	120%	
Rb	1	3757973	10.3	10.7	3.8%	< 0.1	11	13	81%	80%	120%	
Re	1	3757973	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1					< 0.005				80%	120%	
Sb	1	3757973	0.084	0.064	27.0%	< 0.05				80%	120%	
Sc	1	3757973	2.18	2.14	1.9%	< 0.1				80%	120%	
Se	1	3757973	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3757973	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3757973	8.69	8.62	0.8%	< 0.2				80%	120%	
Ta	1	3757973	0.01	0.01	0.0%	< 0.01				80%	120%	
Te	1	3757973	0.01	0.01	0.0%	< 0.01				80%	120%	
Th	1	3757973	3.6	3.2	11.8%	< 0.1				80%	120%	
Tl	1	3757973	0.07	0.07	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 23, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
U	1	3757973	0.46	0.42	9.1%	< 0.05				80%	120%	
W	1	3757973	0.129	0.112	14.1%	< 0.05				80%	120%	
Y	1	3757973	3.06	3.01	1.6%	< 0.05	6	7	81%	80%	120%	
Zr	1	3757973	3.1	3.1	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3757998	0.064	0.078	19.7%	< 0.01	12.1	13.0	93%	80%	120%	
As	1	3757998	1.1	1.2	8.7%	< 0.1				80%	120%	
Au	1	3757998	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1					< 5	7.94	7.00	113%	80%	120%	
Be	1	3757998	0.219	0.227	3.6%	< 0.05				80%	120%	
Bi	1	3757998	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1					< 0.01				80%	120%	
Cd	1	3757998	0.10	0.10	0.0%	< 0.01				80%	120%	
Ce	1	3757998	34.6	33.1	4.4%	< 0.01				80%	120%	
Co	1	3757998	3.64	3.76	3.2%	< 0.1				80%	120%	
Cs	1	3757998	2.43	2.46	1.2%	< 0.05				80%	120%	
Cu	1					< 0.1	5408	6000	90%	80%	120%	
Ga	1	3757998	2.78	2.85	2.5%	< 0.05				80%	120%	
Ge	1	3757998	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3757998	0.10	0.10	0.0%	< 0.02				80%	120%	
Hg	1	3757998	0.06	0.06	0.0%	< 0.01				80%	120%	
In	1	3757998	0.011	0.011	0.0%	< 0.005				80%	120%	
La	1	3757998	23.7	23.8	0.4%	< 0.1				80%	120%	
Li	1	3757998	10.4	10.3	1.0%	< 0.1				80%	120%	
Mo	1	3757998	0.221	0.229	3.6%	< 0.05	334	360	92%	80%	120%	
Nb	1	3757998	1.88	1.93	2.6%	< 0.05				80%	120%	
P	1					< 10	551	600	92%	80%	120%	
Pb	1	3757998	3.61	3.53	2.2%	< 0.1				80%	120%	
Rb	1	3757998	16.3	16.9	3.6%	< 0.1				80%	120%	
Re	1	3757998	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1					< 0.005	0.96	0.80	120%	80%	120%	
Sb	1	3757998	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3757998	3.1	3.1	0.0%	< 0.1				80%	120%	
Se	1	3757998	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3757998	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3757998	12.6	12.8	1.6%	< 0.2				80%	120%	
Ta	1	3757998	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3757998	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Th	1	3757998	3.57	3.13	13.1%	< 0.1	1.1	1.4	82%	80%	120%	
Tl	1	3757998	0.184	0.187	1.6%	< 0.01				80%	120%	
U	1	3757998	0.742	0.732	1.4%	< 0.05				80%	120%	
W	1	3757998	0.12	0.08		< 0.05				80%	120%	
Y	1	3757998	11.5	11.8	2.6%	< 0.05	6	7	88%	80%	120%	
Zr	1	3757998	4.55	4.52	0.7%	< 0.5				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.3	13.0	94%	80% 120%
B	1					< 5	8.32	7.00	119%	80% 120%
Cu	1					< 0.1	5573	6000	92%	80% 120%
Mo	1					< 0.05	337	360	93%	80% 120%
P	1					< 10	561	600	94%	80% 120%
Rb	1					< 0.1	11	13	83%	80% 120%
S	1					< 0.005				80% 120%
Th	1					< 0.1	1.2	1.4	89%	80% 120%
Y	1					< 0.05	7	7	95%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.7	13.0	98%	80% 120%
B	1					< 5	8.06	7.00	115%	80% 120%
Cu	1					< 0.1	5699	6000	94%	80% 120%
Mo	1					< 0.05	329	360	91%	80% 120%
P	1					< 10	546	600	91%	80% 120%
Rb	1					< 0.1	11	13	87%	80% 120%
Th	1					< 0.1				80% 120%
Y	1					< 0.05	6	7	82%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12	13.0	92%	80% 120%
B	1					< 5	7.41	7.00	106%	80% 120%
Cu	1					< 0.1	6021	6000	100%	80% 120%
Mo	1					< 0.05	323	360	89%	80% 120%
P	1					< 10	621	600	104%	80% 120%
Rb	1					< 0.1	11	13	82%	80% 120%
Th	1					< 0.1	1.1	1.4	81%	80% 120%
Y	1					< 0.05	6	7	84%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12	13.0	93%	80% 120%
Cu	1					< 0.1	5973	6000	99%	80% 120%
Mo	1					< 0.05	330	360	91%	80% 120%
P	1					< 10	584	600	97%	80% 120%
Rb	1					< 0.1	11	13	87%	80% 120%
Y	1					< 0.05	6	7	85%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.1	13.0	93%	80% 120%
Mo	1					< 0.05	325	360	90%	80% 120%
Y	1					< 0.05	6	7	87%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	12.8	13.0	98%	80% 120%
Mo	1					< 0.05	337	360	93%	80% 120%
Y	1					< 0.05	7	7	94%	80% 120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1					< 0.01	12.5	13.0	96%	80%	120%
Mo	1					< 0.05	345	360	95%	80%	120%
Th	1					< 0.1	1.2	1.4	85%	80%	120%
Y	1					< 0.05	7	7	99%	80%	120%

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1					< 0.01	12.2	13.0	94%	80%	120%
Mo	1					< 0.05	340	360	94%	80%	120%
Y	1					< 0.05	6	7	91%	80%	120%

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1					< 0.01	13.2	13.0	101%	80%	120%
Mo	1					< 0.05	354	360	98%	80%	120%
Th	1					< 0.1	1.3	1.4	91%	80%	120%
Y	1					< 0.05	7	7	101%	80%	120%

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757699	0.0065	0.0081	21.9%	< 0.001	1.6	1.52	106%	90%	110%
----	---	---------	--------	--------	-------	---------	-----	------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757923	< 0.001	< 0.001	0.0%	< 0.001	0.611	0.607	101%	90%	110%
----	---	---------	---------	---------	------	---------	-------	-------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757723	0.0022	0.0025	12.8%	< 0.001	0.282	0.263	107%	90%	110%
----	---	---------	--------	--------	-------	---------	-------	-------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757960	< 0.001	< 0.001	0.0%	< 0.001	1.45	1.52	95%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757748	0.0029	0.0037	24.2%	< 0.001	0.271	0.263	103%	90%	110%
----	---	---------	--------	--------	-------	---------	-------	-------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757835	0.019	< 0.001		< 0.001	1.57	1.52	103%	90%	110%
----	---	---------	-------	---------	--	---------	------	------	------	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757848	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	97%	90%	110%
----	---	---------	---------	---------	------	---------	------	------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757999	0.003	0.004	28.6%	< 0.001	0.593	0.607	98%	90%	110%
----	---	---------	-------	-------	-------	---------	-------	-------	-----	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757873	< 0.001	0.002		< 0.001				90%	110%
----	---	---------	---------	-------	--	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757885	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------

Fire Assay - Trace Au, ICP-OES finish (202052)

Au	1	3757898	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
----	---	---------	---------	---------	------	---------	--	--	--	-----	------



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Oct 23, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper

Certified By:

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T646805

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T657492

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Nov 05, 2012

PAGES (INCLUDING COVER): 24

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 29, 2012		DATE RECEIVED: Oct 29, 2012		DATE REPORTED: Nov 05, 2012		SAMPLE TYPE: Soil									
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1833		0.14	0.16	2.02	4.0	<0.01	<5	39	0.33	0.10	0.16	0.07	17.5	5.3	25.9
12-1834		0.20	0.14	1.52	3.0	<0.01	6	71	0.35	0.12	3.48	0.17	41.8	9.0	46.1
12-1835		0.19	0.14	1.57	3.0	<0.01	<5	62	0.35	0.11	0.49	0.13	34.8	8.4	40.6
12-1836		0.14	0.08	0.68	2.6	<0.01	<5	20	0.08	0.15	0.07	0.06	13.8	1.2	14.6
12-1837		0.14	0.08	1.23	2.0	<0.01	<5	24	0.22	0.12	0.08	0.05	19.3	2.5	16.0
12-1838		0.15	0.10	0.75	0.9	<0.01	<5	24	0.13	0.13	0.11	0.05	15.8	1.9	12.1
12-1838		0.21	0.07	0.74	1.1	<0.01	<5	27	0.15	0.18	0.11	0.06	18.2	2.6	13.4
12-1839		0.18	0.16	0.78	1.5	<0.01	<5	29	0.20	0.09	0.16	0.09	24.3	3.0	19.1
12-1840		0.18	0.12	1.32	2.4	<0.01	<5	38	0.31	0.11	0.13	0.09	16.6	4.0	23.1
12-1841		0.17	0.11	1.01	3.9	<0.01	<5	27	0.17	0.13	0.15	0.11	22.3	3.7	23.6
12-1842		0.15	0.06	0.36	1.2	0.03	<5	12	0.06	0.16	0.07	0.04	16.9	0.8	8.4
12-1843		0.17	0.25	1.63	3.2	<0.01	<5	28	0.28	0.12	0.19	0.08	15.0	2.1	22.3
12-1844		0.17	0.11	0.96	1.4	<0.01	<5	41	0.24	0.09	0.42	0.09	23.4	5.3	22.0
12-1845		0.18	0.08	0.57	1.1	<0.01	<5	30	0.13	0.11	0.35	0.08	15.9	2.4	13.0
12-1846		0.25	0.15	1.33	3.9	<0.01	<5	28	0.52	0.20	0.53	0.17	67.1	10.2	31.1
12-1847		0.22	0.12	0.84	2.1	<0.01	<5	33	0.30	0.09	0.43	0.16	30.2	4.4	18.0
12-1848		0.19	0.10	0.82	1.4	<0.01	<5	34	0.19	0.08	0.29	0.09	22.7	4.4	18.2
12-1849		0.17	0.20	1.14	2.5	<0.01	<5	29	0.21	0.14	0.13	0.08	17.4	2.0	18.3
12-1921		0.20	0.19	1.62	4.4	<0.01	<5	37	0.28	0.14	0.16	0.06	18.3	4.7	27.0
12-1922		0.23	0.11	0.90	2.4	<0.01	<5	26	0.18	0.09	0.29	0.06	28.4	4.8	22.4
12-1923		0.24	0.08	0.71	2.2	<0.01	<5	18	0.23	0.08	0.23	0.03	32.1	3.4	19.3
12-1924		0.22	0.10	0.85	2.9	<0.01	<5	22	0.22	0.09	0.66	0.07	28.0	3.5	22.6
12-1925		0.21	0.12	0.92	2.2	<0.01	<5	42	0.19	0.10	0.16	0.07	23.4	3.8	21.1
12-1926		0.20	0.07	0.88	2.8	<0.01	<5	44	0.22	0.09	0.19	0.05	25.8	4.4	23.6
12-1927		0.16	0.07	0.90	2.8	<0.01	<5	18	0.10	0.11	0.19	0.11	9.47	2.0	22.8
12-1928		0.14	0.09	0.90	2.6	<0.01	<5	17	0.10	0.12	0.20	0.09	11.5	2.1	21.5
12-1929		0.15	0.11	0.61	2.1	<0.01	<5	43	0.11	0.12	0.14	0.14	20.4	1.8	15.8
12-1930		0.15	0.12	1.31	3.0	<0.01	<5	21	0.26	0.13	0.21	0.07	20.7	6.3	30.4
12-1931		0.17	0.10	0.88	3.5	<0.01	<5	30	0.13	0.13	0.15	0.09	15.2	3.3	23.3
12-1932		0.16	0.16	1.07	4.5	<0.01	<5	27	0.14	0.18	0.10	0.09	17.2	2.5	22.0
12-1933		0.15	0.04	0.40	0.7	<0.01	<5	19	0.10	0.10	0.10	0.03	17.6	1.1	10.9

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Oct 29, 2012	DATE RECEIVED: Oct 29, 2012	DATE REPORTED: Nov 05, 2012	SAMPLE TYPE: Soil											
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:														
12-1934	0.16	0.07	0.92	1.8	<0.01	<5	31	0.16	0.11	0.14	0.04	18.3	4.2	20.3
12-1935	0.17	0.09	0.72	2.1	<0.01	<5	20	0.13	0.10	0.10	0.07	19.5	1.9	15.0
12-1936	0.18	0.08	0.60	1.4	<0.01	<5	19	0.08	0.16	0.14	0.06	18.1	1.5	12.3
12-1937	0.13	0.16	1.36	1.6	<0.01	<5	82	0.43	0.12	0.64	0.51	49.9	8.5	26.5
12-1938	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1939	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1950	0.16	0.24	1.73	1.5	<0.01	<5	77	0.38	0.12	0.44	0.07	28.0	10.7	28.5
12-1951	0.16	0.22	1.95	3.5	<0.01	<5	73	0.38	0.16	0.61	0.08	27.3	13.7	27.4
12-1952	0.14	0.16	1.16	2.7	<0.01	<5	27	0.23	0.18	0.21	0.04	22.0	9.2	31.3
12-1953	0.19	0.50	1.35	2.9	<0.01	<5	51	0.30	0.22	0.25	0.12	36.8	9.5	37.6
12-1954	0.30	0.15	2.22	6.3	<0.01	<5	86	0.23	0.52	0.83	0.18	16.9	15.2	42.2
12-1955	0.18	0.24	1.14	4.8	<0.01	<5	39	0.10	0.57	0.10	0.11	14.9	5.8	13.5
12-1956	0.16	2.09	0.94	2.6	<0.01	<5	33	0.14	11.9	0.08	0.14	14.4	2.8	33.1
12-1957	0.23	0.52	1.04	2.7	<0.01	<5	34	0.31	0.37	0.21	0.06	69.8	6.4	55.2
12-1958	0.20	0.20	0.78	1.4	<0.01	<5	28	0.17	0.36	0.20	0.05	26.5	4.0	20.5
12-1959	0.17	0.13	0.68	1.1	<0.01	<5	28	0.16	0.10	0.14	0.03	26.5	3.6	17.8
12-1960	0.25	0.14	1.76	1.7	<0.01	<5	76	0.43	0.50	0.32	0.17	42.9	8.2	24.3
12-1961	0.18	0.17	1.14	1.6	<0.01	<5	25	0.31	1.25	0.28	0.04	43.8	8.0	91.5
12-1962	0.18	0.18	0.91	1.6	0.01	<5	25	0.28	0.90	0.32	0.04	45.7	6.6	49.6
12-1963	0.15	0.08	0.66	1.0	<0.01	<5	17	0.13	0.09	0.23	0.03	17.8	4.7	56.9
12-1964	0.20	0.05	1.10	2.0	<0.01	<5	22	0.29	0.06	0.22	0.03	40.0	4.1	31.8
12-1965	0.21	0.17	1.77	1.7	<0.01	<5	54	0.78	0.27	0.36	0.14	113	7.2	59.0
12-1966	0.18	0.14	0.89	1.6	<0.01	<5	25	0.22	0.17	0.16	0.06	28.9	4.2	27.1
12-1967	0.22	0.08	0.41	1.3	<0.01	<5	27	0.10	0.24	0.06	0.05	16.2	1.1	8.3
12-1968	0.20	0.11	1.20	1.2	<0.01	<5	63	0.35	0.09	0.16	0.03	38.8	6.3	42.3
12-1969	0.18	0.08	1.18	2.0	<0.01	<5	24	0.25	0.11	0.12	0.06	20.4	5.5	44.3
12-1970	0.17	0.07	0.98	2.0	<0.01	<5	25	0.26	0.09	0.15	0.05	29.4	4.5	28.6
12-1971	0.18	0.15	1.46	1.6	<0.01	<5	43	0.32	0.13	0.16	0.18	30.3	9.3	34.2
12-1972	0.17	0.11	2.80	3.3	<0.01	7	126	0.74	0.17	0.54	0.11	48.9	11.8	65.2
12-1973	0.19	0.15	0.84	3.8	<0.01	<5	19	0.17	0.08	0.20	0.05	22.4	5.1	24.8
12-1974	0.18	0.16	0.67	1.5	<0.01	<5	50	0.12	0.09	0.21	0.06	17.4	2.9	14.3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Oct 29, 2012	DATE RECEIVED: Oct 29, 2012	DATE REPORTED: Nov 05, 2012	SAMPLE TYPE: Soil												
Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:														
12-1975		0.16	0.12	1.11	2.0	<0.01	5	39	0.20	0.10	0.21	0.07	15.9	3.3	22.1
12-1976		0.15	0.11	0.96	1.7	<0.01	<5	36	0.17	0.11	0.19	0.06	17.6	3.0	18.8
12-1977		0.19	0.10	1.35	2.2	<0.01	<5	56	0.31	0.09	0.53	0.07	40.6	7.5	31.3
12-1978		0.19	0.12	1.37	1.7	<0.01	<5	59	0.28	0.09	0.15	0.04	20.7	4.6	23.4
12-1979		0.19	0.08	1.05	1.3	<0.01	<5	31	0.21	0.09	0.31	0.06	18.5	4.4	19.5
12-1980		0.15	0.15	1.36	2.3	<0.01	<5	53	0.22	0.10	0.16	0.08	16.6	4.2	26.1
12-1981		0.17	0.13	0.95	1.9	<0.01	<5	36	0.17	0.10	0.10	0.04	17.6	1.7	15.1
12-1982		0.14	0.14	1.55	2.8	<0.01	<5	38	0.27	0.14	0.12	0.07	17.6	5.2	26.7
12-1983		0.15	0.16	1.86	2.7	<0.01	<5	42	0.22	0.10	0.11	0.05	13.4	3.9	25.0
12-1984		0.16	0.20	1.48	2.7	<0.01	<5	35	0.29	0.10	0.09	0.09	17.1	4.0	20.2
12-1985		0.17	0.14	1.05	1.6	<0.01	<5	58	0.24	0.09	0.16	0.05	20.9	4.2	18.9
12-1986		0.21	0.12	0.72	2.4	<0.01	<5	29	0.23	0.13	0.61	0.11	30.6	7.5	27.5
12-1987		0.21	0.08	0.57	1.2	<0.01	<5	25	0.17	0.09	0.37	0.06	30.2	3.8	18.7
12-1988		0.16	0.07	0.87	2.3	<0.01	<5	25	0.25	0.09	0.17	0.05	20.0	4.7	18.7
12-1989		0.17	0.09	0.87	2.0	<0.01	<5	35	0.19	0.10	0.11	0.06	14.8	3.3	19.9
12-1990		0.21	0.11	1.14	3.0	<0.01	<5	38	0.26	0.18	0.99	0.12	44.9	9.5	52.5
12-1991		0.23	0.21	1.48	5.1	<0.01	<5	43	0.27	0.13	0.63	0.11	39.3	8.3	34.8
12-1992		0.23	0.19	1.08	2.2	<0.01	<5	61	0.28	0.09	0.46	0.14	23.1	6.6	29.6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	DATE RECEIVED: Oct 29, 2012										DATE REPORTED: Nov 05, 2012										SAMPLE TYPE: Soil			
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm										
12-1829		1.28	6.9	2.24	6.10	0.12	0.04	0.02	0.04	0.022	0.04	0.02	0.03	0.04	9.6	13.5	0.16	83	0.99						
12-1833		1.53	29.0	1.96	5.71	0.09	0.06	0.02	0.02	0.018	0.02	0.03	0.02	0.02	20.4	17.8	1.58	470	0.49						
12-1834		1.43	18.9	1.97	5.84	0.12	0.02	0.02	0.03	0.018	0.02	0.03	0.02	13.7	17.6	0.56	435	0.51							
12-1835		0.51	10.7	1.96	7.60	0.11	0.03	0.04	0.04	0.011	0.02	0.03	0.02	7.1	3.0	0.07	45	0.92							
12-1836		0.81	6.5	1.65	7.43	0.11	0.03	0.04	0.04	0.013	0.03	0.03	0.03	9.0	6.7	0.14	57	0.91							
12-1837		1.72	4.1	0.72	5.03	0.09	<0.02	0.03	0.03	0.008	<0.02	0.03	0.03	8.0	7.1	0.13	64	0.78							
12-1838		2.98	6.1	0.96	4.79	0.10	<0.02	0.02	0.02	0.010	<0.02	0.02	0.04	9.1	6.0	0.17	124	0.52							
12-1839		1.12	7.6	1.15	3.87	0.11	<0.02	0.03	0.03	0.009	<0.02	0.03	0.04	11.6	7.7	0.21	156	0.50							
12-1840		1.36	12.6	2.51	6.14	0.12	0.02	0.04	0.04	0.018	0.02	0.04	0.04	8.5	9.3	0.19	96	0.88							
12-1841		0.97	11.1	2.06	5.42	0.11	0.02	0.05	0.05	0.017	0.02	0.05	0.04	8.7	7.6	0.20	102	1.11							
12-1842		0.44	2.4	0.65	4.80	0.10	0.03	0.01	0.01	<0.005	0.03	0.01	0.03	8.7	2.2	0.05	36	0.63							
12-1843		1.11	4.7	1.98	5.50	0.11	0.04	0.02	0.02	0.022	0.04	0.06	0.04	7.8	10.4	0.12	61	1.04							
12-1844		2.36	43.2	1.23	3.17	0.11	0.02	0.02	0.02	0.011	0.02	0.02	0.04	12.5	17.4	0.28	271	0.46							
12-1845		1.62	14.0	0.86	3.96	0.09	<0.02	0.02	0.02	0.009	<0.02	0.02	0.04	9.5	9.5	0.14	86	0.57							
12-1846		1.82	38.7	2.28	5.74	0.21	0.03	0.06	0.06	0.021	0.03	0.06	0.05	42.9	13.9	0.30	200	1.39							
12-1847		1.54	43.4	1.00	2.94	0.14	0.03	0.03	0.03	0.011	0.03	0.03	0.04	32.8	10.9	0.20	283	0.47							
12-1848		1.79	15.6	1.12	3.34	0.10	<0.02	0.02	0.02	0.011	<0.02	0.02	0.04	11.0	15.0	0.26	270	0.40							
12-1849		1.01	6.3	2.14	8.72	0.12	0.04	0.03	0.03	0.016	0.04	0.03	0.04	8.9	9.1	0.13	54	1.19							
12-1921		1.23	6.0	2.43	6.70	0.12	0.03	0.03	0.03	0.021	0.03	0.03	0.05	9.7	14.7	0.18	80	0.97							
12-1922		1.20	27.3	1.23	3.27	0.12	0.03	0.02	0.02	0.010	0.03	0.02	0.04	17.1	11.2	0.28	198	0.32							
12-1923		0.81	21.4	0.97	2.40	0.14	0.03	0.02	0.02	0.008	0.03	0.02	0.03	27.0	6.5	0.16	168	0.24							
12-1924		0.84	12.5	1.31	4.02	0.11	<0.02	0.02	0.02	0.012	<0.02	0.03	0.03	13.6	12.1	0.19	132	0.45							
12-1925		1.08	4.1	1.46	4.52	0.10	<0.02	0.02	0.02	0.013	<0.02	0.02	0.04	9.7	10.5	0.20	191	0.38							
12-1926		0.90	7.8	1.39	3.24	0.11	0.05	0.02	0.02	0.012	0.05	0.02	0.04	9.7	9.4	0.22	168	0.42							
12-1927		0.33	4.4	2.03	4.86	0.12	0.05	0.06	0.06	0.012	0.05	0.06	0.02	4.9	4.0	0.10	34	1.53							
12-1928		0.37	4.3	2.09	5.37	0.11	0.04	0.05	0.05	0.012	0.04	0.05	0.02	5.9	4.6	0.10	37	1.44							
12-1929		1.07	3.9	1.28	5.23	0.10	<0.02	0.03	0.03	0.010	<0.02	0.03	0.04	9.1	6.9	0.12	84	0.88							
12-1930		0.94	11.1	2.20	5.82	0.13	0.03	0.05	0.05	0.017	0.03	0.05	0.03	9.5	10.9	0.23	99	0.97							
12-1931		1.18	6.4	1.67	6.63	0.11	<0.02	0.05	0.05	0.013	<0.02	0.05	0.04	7.8	9.1	0.20	88	0.70							
12-1932		1.52	5.7	2.56	10.1	0.13	0.04	0.04	0.04	0.016	0.04	0.04	0.04	8.8	7.7	0.14	66	1.56							
12-1933		1.74	3.2	0.29	4.27	0.10	<0.02	0.02	0.02	0.007	<0.02	0.02	0.02	9.0	4.8	0.08	38	0.31							
12-1934		1.56	8.6	1.20	5.58	0.11	0.04	0.02	0.02	0.010	0.04	0.02	0.04	9.3	9.8	0.27	100	0.41							

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm
12-1977		1.58	21.5	1.92	4.75	0.13	0.02	0.02	0.017	0.07	15.9	20.7	0.43	212	0.47
12-1978		1.18	6.1	1.50	5.30	0.11	<0.02	0.02	0.014	0.06	10.1	16.2	0.24	97	0.57
12-1979		1.13	9.9	1.76	5.17	0.11	<0.02	0.02	0.010	0.04	9.0	13.4	0.30	110	0.62
12-1980		2.82	13.4	2.23	6.76	0.12	0.04	0.03	0.015	0.05	8.8	11.4	0.25	97	0.74
12-1981		1.56	3.4	1.64	6.84	0.11	<0.02	0.03	0.014	0.03	9.2	11.2	0.11	53	0.67
12-1982		1.45	12.3	2.49	7.48	0.13	0.04	0.05	0.021	0.05	7.8	14.3	0.26	118	0.90
12-1983		1.18	8.1	2.35	5.27	0.12	0.03	0.05	0.020	0.04	7.3	12.4	0.14	64	0.92
12-1984		1.15	4.9	1.80	5.44	0.12	<0.02	0.05	0.018	0.04	9.8	12.1	0.15	105	0.81
12-1985		1.61	7.7	1.13	3.82	0.11	<0.02	0.02	0.013	0.04	10.9	12.0	0.20	231	0.51
12-1986		1.02	20.0	1.62	2.96	0.13	0.03	0.05	0.009	0.05	17.2	9.6	0.31	305	0.33
12-1987		0.94	26.5	0.95	2.26	0.10	0.02	0.02	0.008	0.04	11.2	10.0	0.23	185	0.20
12-1988		0.67	7.6	1.63	3.56	0.11	<0.02	0.02	0.015	0.04	7.9	10.2	0.16	82	0.48
12-1989		0.73	4.1	1.75	5.42	0.11	<0.02	0.02	0.013	0.04	7.4	13.1	0.16	100	0.46
12-1990		1.31	172	2.16	5.52	0.15	0.04	0.07	0.017	0.06	28.3	27.6	0.88	450	0.54
12-1991		1.22	16.9	2.04	5.10	0.12	0.03	0.03	0.019	0.04	11.4	22.3	0.49	220	0.72
12-1992		1.28	91.6	1.32	3.66	0.17	0.03	0.05	0.012	0.05	33.1	22.8	0.29	471	0.64

DATE SAMPLED: Oct 29, 2012

DATE RECEIVED: Oct 29, 2012

DATE REPORTED: Nov 05, 2012

SAMPLE TYPE: Soil

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-1833	<0.01	0.01	3.05	12.2	405	8.0	6.7	<0.001	0.024	0.10	2.2	0.5	0.5	11.0	0.01
12-1834	0.02	0.02	2.26	25.3	750	14.3	22.5	<0.001	0.062	0.11	4.1	0.4	0.6	29.7	<0.01
12-1835	0.02	0.02	2.35	23.7	556	9.2	17.0	<0.001	0.021	0.09	3.6	0.3	0.6	18.5	<0.01
12-1836	<0.01	<0.01	2.25	2.4	197	6.8	2.3	<0.001	0.018	0.09	1.1	0.3	0.7	7.9	<0.01
12-1837	<0.01	<0.01	2.39	5.3	195	6.7	4.1	<0.001	0.019	0.08	1.8	0.4	0.6	6.7	0.01
12-1838	<0.01	<0.01	1.41	4.1	160	6.5	5.2	<0.001	0.012	<0.05	1.4	0.2	0.5	8.7	<0.01
12-1839	<0.01	<0.01	1.26	5.8	186	5.6	6.8	<0.001	0.011	<0.05	1.4	0.2	0.6	9.2	<0.01
12-1840	<0.01	<0.01	1.22	8.5	421	4.8	6.4	<0.001	0.017	<0.05	1.3	0.3	0.4	8.7	<0.01
12-1841	<0.01	<0.01	2.67	8.5	583	6.3	6.8	<0.001	0.029	0.06	1.8	0.4	0.5	8.0	<0.01
12-1842	<0.01	<0.01	2.60	11.1	395	8.7	8.5	<0.001	0.022	0.09	1.7	0.4	0.5	8.0	0.01
12-1843	<0.01	<0.01	1.67	2.4	99	4.8	3.5	<0.001	0.008	<0.05	0.8	<0.2	0.6	6.0	<0.01
12-1844	<0.01	<0.01	3.03	6.0	324	8.8	6.1	<0.001	0.034	0.08	1.6	0.5	0.5	8.5	0.02
12-1845	<0.01	<0.01	1.51	15.1	216	5.3	8.4	<0.001	0.017	<0.05	2.0	0.3	0.4	11.5	<0.01
12-1846	<0.01	<0.01	1.60	5.4	181	4.9	7.5	<0.001	0.016	<0.05	1.3	0.2	0.4	10.3	<0.01
12-1847	0.01	0.01	2.44	13.5	499	8.6	10.3	<0.001	0.036	0.08	3.1	0.9	0.5	18.0	0.01
12-1848	<0.01	<0.01	1.20	10.8	394	4.7	8.3	<0.001	0.025	<0.05	2.2	0.5	0.3	11.2	<0.01
12-1849	<0.01	<0.01	1.43	10.0	226	4.6	7.7	<0.001	0.011	<0.05	2.1	0.2	0.4	10.6	<0.01
12-1921	<0.01	<0.01	3.51	4.8	192	8.1	7.1	<0.001	0.025	0.07	1.7	0.4	0.7	9.4	<0.01
12-1922	<0.01	<0.01	3.44	12.9	352	8.5	8.9	<0.001	0.019	0.08	1.8	0.4	0.6	10.5	<0.01
12-1923	0.01	0.01	1.44	14.5	197	4.3	7.2	<0.001	0.010	<0.05	2.3	0.3	0.3	9.0	<0.01
12-1924	<0.01	<0.01	1.42	9.9	196	3.5	3.8	<0.001	0.010	<0.05	2.5	0.4	0.3	8.8	<0.01
12-1925	<0.01	<0.01	1.73	8.9	284	5.4	6.0	<0.001	0.030	<0.05	1.9	0.5	0.4	12.6	<0.01
12-1926	<0.01	<0.01	1.99	9.0	349	5.1	8.6	<0.001	0.011	0.06	1.6	0.2	0.4	9.5	<0.01
12-1927	<0.01	<0.01	2.03	12.1	379	7.4	8.1	<0.001	0.014	0.05	1.5	0.2	0.3	8.6	<0.01
12-1928	<0.01	<0.01	2.54	7.1	290	6.6	2.5	<0.001	0.046	0.05	1.2	0.3	0.4	8.1	0.01
12-1929	<0.01	<0.01	2.81	5.8	290	6.9	2.7	<0.001	0.043	0.06	1.3	0.4	0.4	8.5	0.01
12-1930	<0.01	<0.01	2.42	4.3	204	8.5	8.4	<0.001	0.016	0.08	1.5	0.3	0.6	9.9	<0.01
12-1931	<0.01	<0.01	2.58	13.1	485	5.7	5.2	<0.001	0.027	0.08	2.0	0.5	0.4	10.8	<0.01
12-1932	<0.01	<0.01	2.61	9.2	390	7.1	5.6	<0.001	0.022	0.09	1.6	0.4	0.6	9.2	<0.01
12-1933	<0.01	<0.01	3.84	5.6	354	8.9	7.2	<0.001	0.020	0.11	1.4	0.4	1.0	8.5	0.01
12-1934	<0.01	<0.01	0.99	2.8	196	4.2	2.0	<0.001	0.018	<0.05	1.3	<0.2	0.4	7.5	<0.01
12-1934	<0.01	<0.01	2.14	12.9	104	5.2	5.4	<0.001	0.010	0.05	1.8	0.2	0.5	10.4	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9988
 FAX (905)501-0589
 http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
12-1935	<0.01	0.01	2.06	5.1	195	6.2	3.8	<0.001	0.016	0.07	1.4	0.2	0.5	8.0	<0.01
12-1936	<0.01	<0.01	2.12	3.3	128	8.3	3.0	<0.001	0.010	0.07	1.5	0.2	0.8	10.1	<0.01
12-1937	0.01	0.01	1.14	15.9	970	9.4	14.3	<0.001	0.047	0.06	3.0	0.6	0.4	19.0	<0.01
12-1938	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1939	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1950	0.01	0.01	1.86	39.2	376	5.3	10.5	0.001	0.031	0.05	3.1	0.7	0.4	14.2	<0.01
12-1951	0.01	0.01	1.49	31.8	498	6.4	9.9	0.001	0.048	0.08	3.0	0.8	0.4	16.4	<0.01
12-1952	<0.01	<0.01	2.41	17.0	250	6.2	8.1	<0.001	0.017	0.05	2.3	0.4	0.5	9.8	<0.01
12-1953	<0.01	<0.01	2.42	21.2	464	8.3	7.8	<0.001	0.016	0.05	2.5	0.3	0.4	11.9	<0.01
12-1954	<0.01	<0.01	3.82	23.6	1640	20.5	24.6	<0.001	0.041	0.06	5.0	0.6	0.8	21.4	<0.01
12-1955	<0.01	<0.01	3.55	8.9	631	16.4	25.4	<0.001	0.021	0.10	2.6	0.4	1.0	8.4	<0.01
12-1956	<0.01	<0.01	3.56	8.7	288	64.8	21.6	<0.001	0.014	0.09	2.2	0.3	1.0	7.6	<0.01
12-1957	<0.01	<0.01	1.68	22.3	501	7.9	9.3	<0.001	0.017	<0.05	1.7	0.4	0.3	9.8	<0.01
12-1958	<0.01	<0.01	1.49	10.0	332	10.7	10.5	<0.001	0.009	<0.05	1.6	0.2	0.4	10.6	<0.01
12-1959	<0.01	<0.01	1.32	8.5	151	4.2	6.6	<0.001	0.006	<0.05	1.5	<0.2	0.3	7.8	<0.01
12-1960	<0.01	<0.01	4.04	13.6	348	11.5	32.8	0.003	0.031	<0.05	3.9	0.8	1.3	17.9	<0.01
12-1961	<0.01	<0.01	1.50	34.0	537	10.8	4.4	<0.001	0.012	<0.05	1.6	0.3	0.3	19.9	<0.01
12-1962	<0.01	<0.01	1.35	21.3	675	16.2	5.2	<0.001	0.012	<0.05	1.5	0.3	0.3	20.6	<0.01
12-1963	<0.01	<0.01	1.09	18.7	538	3.8	4.6	<0.001	0.007	<0.05	1.0	<0.2	0.3	13.5	<0.01
12-1964	<0.01	<0.01	1.68	13.8	725	3.7	4.3	<0.001	0.022	<0.05	1.8	0.5	0.3	13.9	<0.01
12-1965	<0.01	<0.01	1.40	18.9	599	9.3	7.8	0.003	0.021	<0.05	3.7	0.8	0.4	15.1	<0.01
12-1966	<0.01	<0.01	1.57	12.3	477	6.4	6.2	<0.001	0.025	<0.05	1.4	0.4	0.4	13.9	<0.01
12-1967	<0.01	<0.01	1.08	3.5	151	8.8	4.5	<0.001	0.010	<0.05	0.8	<0.2	0.6	9.4	<0.01
12-1968	<0.01	<0.01	1.73	13.7	407	5.0	6.9	<0.001	0.010	<0.05	2.0	0.4	0.4	13.0	<0.01
12-1969	<0.01	<0.01	2.40	17.9	321	5.6	6.0	<0.001	0.020	0.06	1.5	0.5	0.5	12.5	<0.01
12-1970	<0.01	<0.01	2.30	14.0	390	5.6	6.3	<0.001	0.014	<0.05	1.6	0.4	0.4	14.4	<0.01
12-1971	<0.01	<0.01	1.87	22.4	392	7.7	13.5	<0.001	0.020	<0.05	2.3	0.6	1.0	11.8	<0.01
12-1972	0.03	0.03	2.26	35.9	358	12.3	38.1	<0.001	0.020	0.14	6.0	0.4	0.8	21.3	<0.01
12-1973	<0.01	<0.01	1.43	13.8	425	4.5	3.9	<0.001	0.018	0.07	1.6	0.3	0.3	8.6	<0.01
12-1974	<0.01	<0.01	1.27	5.1	204	5.6	11.2	<0.001	0.018	<0.05	1.2	0.2	0.5	9.4	<0.01
12-1975	<0.01	<0.01	2.46	8.0	228	6.4	8.8	<0.001	0.019	0.05	1.7	0.3	0.6	10.0	<0.01
12-1976	<0.01	<0.01	2.49	6.5	194	6.9	9.0	<0.001	0.016	0.05	1.6	0.2	0.6	9.9	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9988
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Oct 29, 2012	DATE RECEIVED: Oct 29, 2012	DATE REPORTED: Nov 05, 2012	SAMPLE TYPE: Soil											
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
12-1977	0.01	1.89	21.5	351	5.7	11.0	<0.001	0.024	<0.05	2.6	0.4	0.4	15.0	<0.01
12-1978	<0.01	2.15	11.8	238	5.8	12.7	<0.001	0.014	<0.05	2.1	0.3	0.5	10.5	<0.01
12-1979	<0.01	1.58	9.9	254	4.5	6.0	<0.001	0.021	<0.05	1.5	0.3	0.4	13.3	<0.01
12-1980	<0.01	2.46	12.5	269	5.9	6.6	<0.001	0.017	0.05	1.8	0.4	0.5	9.0	<0.01
12-1981	<0.01	2.55	4.4	316	7.6	7.3	<0.001	0.017	0.06	1.3	0.3	0.6	9.1	<0.01
12-1982	<0.01	3.06	12.7	344	7.9	9.0	<0.001	0.023	0.08	2.0	0.5	0.6	8.1	<0.01
12-1983	<0.01	2.50	10.5	442	6.6	5.7	<0.001	0.030	0.06	1.6	0.5	0.5	6.5	0.01
12-1984	<0.01	2.04	8.4	430	6.8	6.5	<0.001	0.022	0.09	1.5	0.4	0.5	6.2	<0.01
12-1985	<0.01	1.46	13.7	286	4.6	8.1	<0.001	0.009	<0.05	1.7	0.3	0.4	7.9	<0.01
12-1986	0.01	0.90	13.4	676	4.1	7.2	<0.001	0.031	<0.05	2.0	0.5	0.2	10.3	<0.01
12-1987	<0.01	1.05	9.3	443	3.7	6.4	<0.001	0.016	<0.05	1.9	0.3	0.2	8.8	<0.01
12-1988	<0.01	1.66	10.0	316	4.9	5.2	<0.001	0.015	<0.05	1.5	0.3	0.3	6.8	<0.01
12-1989	<0.01	2.09	7.1	320	5.1	7.7	<0.001	0.009	0.07	1.4	0.2	0.5	6.8	<0.01
12-1990	0.01	2.07	28.4	761	6.0	7.4	<0.001	0.037	<0.05	5.2	0.7	0.8	13.5	<0.01
12-1991	<0.01	1.92	20.8	274	7.0	5.8	<0.001	0.029	0.07	2.7	0.4	0.4	10.9	<0.01
12-1992	<0.01	0.98	19.5	293	5.8	9.3	<0.001	0.025	0.07	4.0	0.5	0.3	9.9	<0.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 29, 2012		DATE RECEIVED: Oct 29, 2012										DATE REPORTED: Nov 05, 2012					SAMPLE TYPE: Soil
Sample Description	Analyte: Unit: RDL:	Te	Th	Ti	Ti	U	V	W	Y	Zn	Zr						
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
12-529	0.02	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	30.8	3.01	8.08	57.3	3.7	
12-1833	0.01	5.4	0.123	0.19	0.10	0.56	43.0	0.18	0.18	46.6	1.1	46.6	5.26	46.6	1.1	1.1	
12-1834	0.02	4.2	0.110	0.10	0.30	0.30	58.1	0.15	0.15	10.5	1.1	10.5	1.56	10.5	1.1	1.1	
12-1835	0.03	2.4	0.107	0.03	0.42	0.42	46.9	0.25	0.25	12.8	1.5	12.8	2.52	12.8	1.5	1.5	
12-1836	0.02	2.8	0.098	0.05	0.33	0.33	22.2	1.33	1.33	13.9	0.5	13.9	1.93	13.9	0.5	0.5	
12-1837	<0.01	2.3	0.067	0.06	0.39	0.39	29.9	0.17	0.17	26.1	<0.5	26.1	2.15	26.1	<0.5	<0.5	
12-1838	0.01	1.3	0.088	0.07	0.57	0.57	27.0	0.14	0.14	17.9	<0.5	17.9	3.37	17.9	<0.5	<0.5	
12-1839	0.01	1.1	0.060	0.04	0.41	0.41	49.5	0.21	0.21	27.3	0.9	27.3	2.76	27.3	0.9	0.9	
12-1840	0.03	2.2	0.088	0.05	0.43	0.43	46.7	0.22	0.22	24.7	0.9	24.7	3.07	24.7	0.9	0.9	
12-1841	0.02	2.5	0.094	0.06	0.30	0.30	33.8	0.13	0.13	12.1	1.3	12.1	1.55	12.1	1.3	1.3	
12-1842	0.03	2.9	0.076	0.03	0.44	0.44	36.2	0.17	0.17	2.28	1.8	2.28	2.28	45.6	1.8	1.8	
12-1843	0.02	2.9	0.076	0.05	0.63	0.63	28.2	0.12	0.12	46.9	0.8	46.9	4.50	46.9	0.8	0.8	
12-1844	<0.01	3.0	0.070	0.09	0.49	0.49	27.1	0.15	0.15	36.2	<0.5	36.2	2.82	36.2	<0.5	<0.5	
12-1845	0.01	2.2	0.068	0.05	0.78	0.78	46.9	0.40	0.40	46.1	0.9	46.1	12.0	46.1	0.9	0.9	
12-1846	0.05	3.2	0.102	0.08	0.84	0.84	24.2	0.12	0.12	52.9	0.6	52.9	10.3	52.9	0.6	0.6	
12-1847	<0.01	1.9	0.045	0.08	0.47	0.47	27.2	0.21	0.21	48.8	0.7	48.8	3.66	48.8	0.7	0.7	
12-1848	<0.01	3.0	0.073	0.07	0.47	0.47	59.3	0.19	0.19	30.0	1.8	30.0	2.59	30.0	1.8	1.8	
12-1849	0.02	2.8	0.111	0.07	0.45	0.45	45.9	0.24	0.24	23.1	1.7	23.1	2.91	23.1	1.7	1.7	
12-1921	0.02	3.8	0.106	0.06	0.52	0.52	29.7	0.14	0.14	28.3	1.4	28.3	6.45	28.3	1.4	1.4	
12-1922	<0.01	4.2	0.073	0.09	0.77	0.77	24.1	0.34	0.34	11.3	0.9	11.3	10.7	11.3	0.9	0.9	
12-1923	<0.01	4.0	0.053	0.06	0.95	0.95	36.4	0.15	0.15	19.7	0.6	19.7	5.29	19.7	0.6	0.6	
12-1924	0.01	2.2	0.073	0.07	0.44	0.44	30.9	0.13	0.13	28.9	0.6	28.9	3.08	28.9	0.6	0.6	
12-1925	0.01	3.0	0.077	0.06	0.47	0.47	28.0	0.12	0.12	27.1	1.3	27.1	3.31	27.1	1.3	1.3	
12-1926	0.01	3.5	0.067	0.05	0.33	0.33	45.2	0.23	0.23	10.6	1.5	10.6	1.80	10.6	1.5	1.5	
12-1927	0.02	1.8	0.080	0.03	0.38	0.38	49.6	0.27	0.27	11.2	1.3	11.2	1.90	11.2	1.3	1.3	
12-1928	0.02	2.2	0.093	0.04	0.38	0.38	39.8	0.25	0.25	14.4	0.8	14.4	2.30	14.4	0.8	0.8	
12-1929	0.02	2.5	0.093	0.06	0.47	0.47	47.5	0.21	0.21	18.9	1.2	18.9	3.51	18.9	1.2	1.2	
12-1930	0.02	2.7	0.095	0.05	0.34	0.34	43.6	0.22	0.22	26.4	1.1	26.4	2.20	26.4	1.1	1.1	
12-1931	0.03	2.3	0.090	0.06	0.40	0.40	70.6	2.57	2.57	16.2	1.5	16.2	2.06	16.2	1.5	1.5	
12-1932	0.04	3.1	0.133	0.08	0.39	0.39	11.0	0.10	0.10	8.7	<0.5	8.7	2.27	8.7	<0.5	<0.5	
12-1933	<0.01	1.6	0.069	0.04	0.40	0.40	34.9	0.15	0.15	25.2	2.1	25.2	2.65	25.2	2.1	2.1	
12-1934	0.01	2.9	0.112	0.06	0.40	0.40	34.9	0.15	0.15	25.2	2.1	25.2	2.65	25.2	2.1	2.1	

[Handwritten Signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 29, 2012		DATE RECEIVED: Oct 29, 2012		DATE REPORTED: Nov 05, 2012		SAMPLE TYPE: Soil					
Sample Description	Analyte: Unit: RDL:	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
12-1935	0.01	0.01	2.7	0.088	0.05	0.37	36.5	0.22	2.45	14.1	0.6
12-1936	0.03	0.03	2.6	0.154	0.03	0.29	67.5	0.18	2.35	11.9	0.7
12-1937	0.01	0.01	1.4	0.044	0.10	0.76	34.4	0.19	9.66	117	0.8
12-1938	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1939	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
12-1950	0.01	0.01	2.8	0.079	0.10	0.74	33.9	0.23	7.68	25.5	0.7
12-1951	0.02	0.02	1.6	0.064	0.11	0.72	36.7	0.14	8.93	25.1	<0.5
12-1952	0.03	0.03	2.8	0.116	0.06	0.41	57.2	0.19	3.34	18.9	1.4
12-1953	0.02	0.02	3.9	0.108	0.08	0.53	42.6	0.22	5.23	23.9	2.3
12-1954	0.04	0.04	3.4	0.289	0.22	0.77	142	0.21	8.14	103	4.2
12-1955	0.03	0.03	1.8	0.238	0.22	0.57	72.7	0.13	2.77	48.3	2.2
12-1956	0.27	0.27	2.5	0.189	0.12	0.34	77.5	0.36	2.04	26.2	2.1
12-1957	0.03	0.03	3.7	0.079	0.10	0.81	31.6	0.22	5.84	19.8	1.0
12-1958	0.02	0.02	2.8	0.087	0.09	0.62	30.3	0.13	3.27	22.6	0.8
12-1959	<0.01	<0.01	3.5	0.065	0.10	0.54	20.5	0.09	3.24	15.6	1.1
12-1960	0.05	0.05	4.8	0.236	0.26	1.00	72.2	0.39	6.83	52.7	5.4
12-1961	0.05	0.05	4.2	0.106	0.06	0.80	36.6	0.15	5.04	23.5	1.7
12-1962	0.05	0.05	3.2	0.101	0.06	0.76	33.2	0.12	4.99	25.3	1.5
12-1963	0.01	0.01	2.3	0.082	0.04	0.41	27.5	0.08	2.92	21.8	1.0
12-1964	<0.01	<0.01	4.2	0.075	0.07	0.86	30.7	0.13	5.54	17.8	1.5
12-1965	0.02	0.02	5.2	0.074	0.16	5.70	41.0	0.17	14.6	24.0	0.7
12-1966	0.01	0.01	2.7	0.087	0.12	0.75	30.2	0.14	3.73	19.5	<0.5
12-1967	0.01	0.01	1.4	0.069	0.07	0.46	14.6	0.07	1.88	8.7	<0.5
12-1968	<0.01	<0.01	3.7	0.123	0.12	0.58	37.5	0.15	5.81	25.1	2.6
12-1969	0.02	0.02	2.5	0.130	0.07	0.53	48.9	0.19	2.71	26.9	1.0
12-1970	0.01	0.01	3.8	0.102	0.07	0.55	38.0	0.15	3.73	19.3	1.3
12-1971	0.06	0.06	3.1	0.122	0.12	0.45	48.6	0.13	4.05	739	1.5
12-1972	0.02	0.02	8.2	0.151	0.21	0.67	62.5	0.19	8.57	65.3	6.0
12-1973	0.03	0.03	2.0	0.083	0.04	0.31	35.1	0.19	3.04	20.5	0.7
12-1974	0.02	0.02	2.0	0.073	0.04	0.31	29.9	0.17	1.94	18.8	<0.5
12-1975	0.02	0.02	2.3	0.114	0.05	0.36	56.6	0.17	2.17	26.2	0.8
12-1976	0.01	0.01	2.5	0.102	0.05	0.37	51.1	0.17	2.16	23.1	0.9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 29, 2012		DATE RECEIVED: Oct 29, 2012		DATE REPORTED: Nov 05, 2012		SAMPLE TYPE: Soil			
Analyte:	Unit:	Th	Ti	U	V	W	Y	Zn	Zr
Sample Description	RDL:	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
12-1977	0.01	2.9	0.095	0.63	39.0	0.15	5.33	24.3	1.0
12-1978	<0.01	2.8	0.078	0.39	29.6	0.14	2.73	21.6	0.7
12-1979	0.01	1.6	0.102	0.31	40.5	0.17	2.82	24.6	<0.5
12-1980	0.01	2.6	0.117	0.34	60.0	0.14	2.92	20.5	1.7
12-1981	0.02	2.7	0.083	0.34	39.9	0.16	1.99	12.5	1.0
12-1982	0.02	2.4	0.127	0.34	53.0	0.27	2.55	21.3	2.0
12-1983	0.02	2.3	0.071	0.32	43.8	0.15	1.95	20.5	1.5
12-1984	0.02	2.1	0.061	0.39	33.1	0.15	2.44	21.3	<0.5
12-1985	<0.01	2.8	0.059	0.49	24.8	0.11	3.31	30.2	<0.5
12-1986	0.02	2.3	0.051	0.84	35.7	0.15	6.54	20.1	0.8
12-1987	<0.01	2.3	0.052	0.52	21.8	0.17	4.83	18.9	0.7
12-1988	0.02	2.3	0.066	0.37	30.6	0.20	2.98	14.3	<0.5
12-1989	0.01	2.5	0.075	0.35	37.7	0.19	1.98	26.5	0.7
12-1990	0.01	6.7	0.146	1.00	50.1	0.20	14.8	38.9	1.6
12-1991	0.02	3.5	0.118	0.75	48.5	0.17	5.32	44.0	1.2
12-1992	0.01	3.0	0.064	0.93	32.0	0.23	17.0	66.2	0.8

Comments: RDL - Reported Detection Limit
Sample NRC: Not Received

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Oct 29, 2012

DATE RECEIVED: Oct 29, 2012

DATE REPORTED: Nov 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-529	Au	ppm	0.001
12-1833			0.003
12-1833			<0.001
12-1834			0.013
12-1835			<0.001
12-1836			<0.001
12-1837			0.001
12-1838			<0.001
12-1839			0.003
12-1840			0.005
12-1841			<0.001
12-1842			<0.001
12-1843			0.005
12-1844			<0.001
12-1845			0.009
12-1846			<0.001
12-1847			<0.001
12-1848			<0.001
12-1849			0.002
12-1921			<0.001
12-1922			<0.001
12-1923			<0.001
12-1924			<0.001
12-1925			<0.001
12-1926			<0.001
12-1927			0.002
12-1928			<0.001
12-1929			0.006
12-1930			0.002
12-1931			<0.001
12-1932			0.003
12-1933			0.001
12-1934			<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 29, 2012		DATE RECEIVED: Oct 29, 2012		DATE REPORTED: Nov 05, 2012	SAMPLE TYPE: Soil
Sample Description	Analyte:	Unit:	RDL:		
12-1935	Au	ppm	0.001		
12-1936			<0.001		
12-1937			0.002		
12-1938			<0.001		
12-1939			NRC		
12-1950			NRC		
12-1951			<0.001		
12-1952			<0.001		
12-1953			0.001		
12-1954			0.003		
12-1955			<0.001		
12-1956			<0.001		
12-1957			<0.001		
12-1958			<0.001		
12-1959			<0.001		
12-1960			<0.001		
12-1961			0.004		
12-1962			0.001		
12-1963			0.002		
12-1964			0.001		
12-1965			0.001		
12-1966			<0.001		
12-1967			0.002		
12-1968			0.004		
12-1969			<0.001		
12-1970			<0.001		
12-1971			<0.001		
12-1972			<0.001		
12-1973			<0.001		
12-1974			0.008		
12-1975			0.006		
12-1976			<0.001		

Fire Assay - Trace Au, ICP-OES finish (202052)

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T657492
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202052)

DATE SAMPLED: Oct 29, 2012

DATE RECEIVED: Oct 29, 2012

DATE REPORTED: Nov 05, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Unit:	RDL:
12-1977	Au	ppm	0.001
12-1978			<0.001
12-1979			<0.001
12-1980			<0.001
12-1981			<0.001
12-1982			<0.001
12-1983			<0.001
12-1984			0.001
12-1985			0.006
12-1986			<0.001
12-1987			0.007
12-1988			<0.001
12-1989			<0.001
12-1990			0.009
12-1991			0.004
12-1992			0.001

Comments: RDL - Reported Detection Limit
Sample NRC: Not Received

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis												
RPT Date: Nov 05, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3867930	0.16	0.15	6.5%	0.01	10.4	13.0	80%	80%	120%	
Al	1	3867930	2.02	1.96	3.0%	< 0.01				80%	120%	
As	1	3867930	4.0	2.8		0.3				80%	120%	
Au	1	3867930	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3867930	< 5	< 5	0.0%	< 5	6.27	7.00	90%	80%	120%	
Ba	1	3867930	39	37	5.3%	< 1				80%	120%	
Be	1	3867930	0.33	0.30	9.5%	< 0.05				80%	120%	
Bi	1	3867930	0.104	0.094	10.1%	< 0.01				80%	120%	
Ca	1	3867930	0.155	0.147	5.3%	< 0.01				80%	120%	
Cd	1	3867930	0.068	0.062	9.2%	< 0.01				80%	120%	
Ce	1	3867930	17.5	16.5	5.9%	< 0.01				80%	120%	
Co	1	3867930	5.3	4.8	9.9%	< 0.1				80%	120%	
Cr	1	3867930	25.9	22.1	15.8%	< 0.5				80%	120%	
Cs	1	3867930	1.28	1.18	8.1%	< 0.05				80%	120%	
Cu	1	3867930	6.91	6.03	13.6%	0.1	5693	6000	94%	80%	120%	
Fe	1	3867930	2.24	2.14	4.6%	< 0.01				80%	120%	
Ga	1	3867930	6.10	5.35	13.1%	< 0.05				80%	120%	
Ge	1	3867930	0.120	0.114	5.1%	0.06				80%	120%	
Hf	1	3867930	0.04	0.03	28.6%	< 0.02				80%	120%	
Hg	1	3867930	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3867930	0.0221	0.0204	8.0%	< 0.005				80%	120%	
K	1	3867930	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3867930	9.6	9.0	6.5%	< 0.1				80%	120%	
Li	1	3867930	13.5	12.5	7.7%	< 0.1				80%	120%	
Mg	1	3867930	0.158	0.150	5.2%	< 0.01				80%	120%	
Mn	1	3867930	83	75	10.1%	< 1				80%	120%	
Mo	1	3867930	0.99	0.80	21.2%	< 0.05	306	360	85%	80%	120%	
Na	1	3867930	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3867930	3.05	2.69	12.5%	< 0.05				80%	120%	
Ni	1	3867930	12.2	10.7	13.1%	< 0.2				80%	120%	
P	1	3867930	405	365	10.4%	< 10	697	600	116%	80%	120%	
Pb	1	3867930	7.98	7.21	10.1%	0.2				80%	120%	
Rb	1	3867930	6.7	5.9	12.7%	< 0.1	13	13	101%	80%	120%	
Re	1	3867930	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3867930	0.024	0.023	4.3%	< 0.005				80%	120%	
Sb	1	3867930	0.099	0.074	28.9%	< 0.05				80%	120%	
Sc	1	3867930	2.2	2.0	9.5%	< 0.1				80%	120%	
Se	1	3867930	0.46	0.41	11.5%	< 0.2				80%	120%	
Sn	1	3867930	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3867930	11.0	9.55	14.1%	< 0.2				80%	120%	
Ta	1	3867930	0.01	0.01	0.0%	< 0.01				80%	120%	
Te	1	3867930	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3867930	2.7	2.6	3.8%	< 0.1				80%	120%	
Ti	1	3867930	0.082	0.077	6.3%	< 0.005				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Nov 05, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Tl	1	3867930	0.057	0.051	11.1%	< 0.01				80%	120%	
U	1	3867930	0.429	0.402	6.5%	< 0.05				80%	120%	
V	1	3867930	43.8	39.6	10.1%	< 0.5				80%	120%	
W	1	3867930	0.20	0.18	10.5%	< 0.05				80%	120%	
Y	1	3867930	3.01	2.69	11.2%	< 0.05	6	7	85%	80%	120%	
Zn	1	3867930	30.8	27.3	12.0%	< 0.5				80%	120%	
Zr	1	3867930	1.49	1.23	19.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3867955	0.09	0.09	0.0%	0.02	10.9	13.0	84%	80%	120%	
Al	1	3867955	0.90	0.88	2.2%	< 0.01				80%	120%	
As	1	3867955	2.6	2.5	3.9%	0.3				80%	120%	
Au	1	3867955	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3867955	< 5	< 5	0.0%	< 5	6.09	7.00	87%	80%	120%	
Ba	1	3867955	17	15	12.5%	< 1				80%	120%	
Be	1	3867955	0.10	0.09	10.5%	< 0.05				80%	120%	
Bi	1	3867955	0.12	0.12	0.0%	< 0.01				80%	120%	
Ca	1	3867955	0.195	0.183	6.3%	< 0.01				80%	120%	
Cd	1	3867955	0.09	0.07	25.0%	< 0.01				80%	120%	
Ce	1	3867955	11.5	11.7	1.7%	0.01				80%	120%	
Co	1	3867955	2.09	2.04	2.4%	< 0.1				80%	120%	
Cr	1	3867955	21.5	19.3	10.8%	< 0.5				80%	120%	
Cs	1	3867955	0.37	0.38	2.7%	< 0.05				80%	120%	
Cu	1	3867955	4.28	3.89	9.5%	0.1	5920	6000	98%	80%	120%	
Fe	1	3867955	2.09	2.09	0.0%	< 0.01				80%	120%	
Ga	1	3867955	5.37	5.54	3.1%	< 0.05				80%	120%	
Ge	1	3867955	0.11	0.11	0.0%	< 0.05				80%	120%	
Hf	1	3867955	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3867955	0.05	0.04	22.2%	< 0.01				80%	120%	
In	1	3867955	0.012	0.012	0.0%	< 0.005				80%	120%	
K	1	3867955	0.02	0.02	0.0%	< 0.01				80%	120%	
La	1	3867955	5.9	6.1	3.3%	< 0.1				80%	120%	
Li	1	3867955	4.60	4.87	5.7%	< 0.1				80%	120%	
Mg	1	3867955	0.10	0.10	0.0%	< 0.01				80%	120%	
Mn	1	3867955	37	38	2.7%	< 1				80%	120%	
Mo	1	3867955	1.44	1.31	9.5%	< 0.05	346	360	96%	80%	120%	
Na	1	3867955	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3867955	2.81	2.92	3.8%	< 0.05				80%	120%	
Ni	1	3867955	5.8	4.4	27.5%	< 0.2				80%	120%	
P	1	3867955	290	265	9.0%	< 10	715	600	119%	80%	120%	
Pb	1	3867955	6.86	6.70	2.4%	0.2				80%	120%	
Rb	1	3867955	2.7	2.7	0.0%	< 0.1	14	13	111%	80%	120%	
Re	1	3867955	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3867955	0.0425	0.0362	16.0%	< 0.005				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Nov 05, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sb	1	3867955	0.057	0.055	3.6%	< 0.05				80%	120%	
Sc	1	3867955	1.32	1.39	5.2%	< 0.1				80%	120%	
Se	1	3867955	0.36	0.33	8.7%	< 0.2				80%	120%	
Sn	1	3867955	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3867955	8.5	8.5	0.0%	< 0.2				80%	120%	
Ta	1	3867955	0.01	< 0.01		< 0.01				80%	120%	
Te	1	3867955	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3867955	2.20	2.36	7.0%	< 0.1				80%	120%	
Ti	1	3867955	0.0927	0.0965	4.0%	< 0.005				80%	120%	
Tl	1	3867955	0.04	0.04	0.0%	< 0.01				80%	120%	
U	1	3867955	0.38	0.38	0.0%	< 0.05				80%	120%	
V	1	3867955	49.6	48.8	1.6%	< 0.5				80%	120%	
W	1	3867955	0.27	0.34	23.0%	< 0.05				80%	120%	
Y	1	3867955	1.90	2.02	6.1%	< 0.05	6	7	86%	80%	120%	
Zn	1	3867955	11.2	11.2	0.0%	< 0.5				80%	120%	
Zr	1	3867955	1.33	1.37	3.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3867980	0.076	0.065	15.6%	< 0.01	10.9	13.0	84%	80%	120%	
Al	1	3867980	0.66	0.72	8.7%	< 0.01				80%	120%	
As	1	3867980	0.99	1.07	7.8%	< 0.1				80%	120%	
Au	1	3867980	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3867980	< 5	< 5	0.0%	< 5	6.66	7.00	95%	80%	120%	
Ba	1	3867980	17	19	11.1%	< 1				80%	120%	
Be	1	3867980	0.133	0.145	8.6%	< 0.05				80%	120%	
Bi	1	3867980	0.090	0.095	5.4%	< 0.01				80%	120%	
Ca	1	3867980	0.23	0.26	12.2%	< 0.01				80%	120%	
Cd	1	3867980	0.03	0.03	0.0%	< 0.01				80%	120%	
Ce	1	3867980	17.8	20.1	12.1%	< 0.01				80%	120%	
Co	1	3867980	4.74	5.11	7.5%	< 0.1				80%	120%	
Cr	1	3867980	56.9	57.1	0.4%	< 0.5				80%	120%	
Cs	1	3867980	1.10	1.22	10.3%	< 0.05				80%	120%	
Cu	1	3867980	8.7	8.9	2.3%	< 0.1				80%	120%	
Fe	1	3867980	0.942	1.02	8.0%	< 0.01				80%	120%	
Ga	1	3867980	3.14	3.47	10.0%	< 0.05				80%	120%	
Ge	1	3867980	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3867980	0.02	0.02	0.0%	< 0.02				80%	120%	
Hg	1	3867980	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
In	1	3867980	0.0054	0.0060	10.5%	< 0.005				80%	120%	
K	1	3867980	0.024	0.028	15.4%	< 0.01				80%	120%	
La	1	3867980	9.0	10.0	10.5%	< 0.1				80%	120%	
Li	1	3867980	11.6	12.8	9.8%	< 0.1				80%	120%	
Mg	1	3867980	0.399	0.427	6.8%	< 0.01				80%	120%	
Mn	1	3867980	131	134	2.3%	< 1				80%	120%	
Mo	1	3867980	2.80	3.00	6.9%	< 0.05	346	360	96%	80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Nov 05, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Na	1	3867980	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3867980	1.09	1.24	12.9%	< 0.05				80%	120%	
Ni	1	3867980	18.7	18.8	0.5%	< 0.2				80%	120%	
P	1	3867980	538	548	1.8%	< 10				80%	120%	
Pb	1	3867980	3.81	4.06	6.4%	< 0.1				80%	120%	
Rb	1	3867980	4.6	5.1	10.3%	< 0.1	15	13	114%	80%	120%	
Re	1	3867980	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3867980	0.007	0.007	0.0%	< 0.005				80%	120%	
Sb	1	3867980	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3867980	1.04	1.21	15.1%	< 0.1				80%	120%	
Se	1	3867980	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3867980	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3867980	13.5	16.6	20.6%	< 0.2				80%	120%	
Ta	1	3867980	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3867980	0.01	< 0.01		< 0.01				80%	120%	
Th	1	3867980	2.32	2.40	3.4%	< 0.1				80%	120%	
Ti	1	3867980	0.082	0.093	12.6%	< 0.005				80%	120%	
Tl	1	3867980	0.043	0.047	8.9%	< 0.01				80%	120%	
U	1	3867980	0.415	0.443	6.5%	< 0.05				80%	120%	
V	1	3867980	27.5	27.8	1.1%	< 0.5				80%	120%	
W	1	3867980	0.085	0.092	7.9%	< 0.05				80%	120%	
Y	1	3867980	2.92	3.32	12.8%	< 0.05	6	7	91%	80%	120%	
Zn	1	3867980	21.8	21.7	0.5%	< 0.5				80%	120%	
Zr	1	3867980	1.0	1.3	26.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3868005	0.066	0.060	9.5%	< 0.01	11	13.0	84%	80%	120%	
Al	1	3868005	0.87	0.82	5.9%	< 0.01				80%	120%	
As	1	3868005	2.3	2.1	9.1%	< 0.1				80%	120%	
Au	1	3868005	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3868005	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3868005	25	23	8.3%	< 1				80%	120%	
Be	1	3868005	0.248	0.219	12.4%	< 0.05				80%	120%	
Bi	1	3868005	0.09	0.09	0.0%	< 0.01				80%	120%	
Ca	1	3868005	0.168	0.154	8.7%	< 0.01				80%	120%	
Cd	1	3868005	0.049	0.045	8.5%	< 0.01				80%	120%	
Ce	1	3868005	20.0	18.1	10.0%	< 0.01				80%	120%	
Co	1	3868005	4.7	4.2	11.2%	< 0.1				80%	120%	
Cr	1	3868005	18.7	17.8	4.9%	< 0.5				80%	120%	
Cs	1	3868005	0.67	0.62	7.8%	< 0.05				80%	120%	
Cu	1	3868005	7.6	7.3	4.0%	< 0.1	5541	6000	92%	80%	120%	
Fe	1	3868005	1.63	1.55	5.0%	< 0.01				80%	120%	
Ga	1	3868005	3.56	3.20	10.7%	< 0.05				80%	120%	
Ge	1	3868005	0.11	0.11	0.0%	< 0.05				80%	120%	
Hf	1	3868005	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Nov 05, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3868005	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3868005	0.015	0.013	14.3%	< 0.005				80%	120%	
K	1	3868005	0.036	0.033	8.7%	< 0.01				80%	120%	
La	1	3868005	7.9	7.2	9.3%	< 0.1				80%	120%	
Li	1	3868005	10.2	9.02	12.3%	< 0.1				80%	120%	
Mg	1	3868005	0.157	0.149	5.2%	< 0.01				80%	120%	
Mn	1	3868005	82	79	3.7%	< 1				80%	120%	
Mo	1	3868005	0.481	0.421	13.3%	< 0.05	307	360	85%	80%	120%	
Na	1	3868005	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3868005	1.66	1.47	12.1%	< 0.05				80%	120%	
Ni	1	3868005	10.0	9.6	4.1%	< 0.2				80%	120%	
P	1	3868005	316	305	3.5%	< 10	685	600	114%	80%	120%	
Pb	1	3868005	4.85	4.78	1.5%	< 0.1				80%	120%	
Rb	1	3868005	5.2	4.6	12.2%	< 0.1	12	13	92%	80%	120%	
Re	1	3868005	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3868005	0.015	0.014	6.9%	< 0.005				80%	120%	
Sb	1	3868005	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3868005	1.5	1.3	14.3%	< 0.1				80%	120%	
Se	1	3868005	0.26	0.23	12.2%	< 0.2				80%	120%	
Sn	1	3868005	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3868005	6.8	5.9	14.2%	< 0.2				80%	120%	
Ta	1	3868005	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3868005	0.016	0.015	6.5%	< 0.01				80%	120%	
Th	1	3868005	2.26	1.99	12.7%	< 0.1				80%	120%	
Ti	1	3868005	0.066	0.061	7.9%	< 0.005				80%	120%	
Tl	1	3868005	0.04	0.04	0.0%	< 0.01				80%	120%	
U	1	3868005	0.374	0.344	8.4%	< 0.05				80%	120%	
V	1	3868005	30.6	29.3	4.3%	< 0.5				80%	120%	
W	1	3868005	0.20	0.18	10.5%	< 0.05				80%	120%	
Y	1	3868005	2.98	2.65	11.7%	< 0.05				80%	120%	
Zn	1	3868005	14.3	14.0	2.1%	< 0.5				80%	120%	
Zr	1	3868005	< 0.5	< 0.5	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Mo	1					< 0.05	301	360	83%	80%	120%	
P	1					< 10	664	600	111%	80%	120%	
Rb	1					< 0.1	11	13	88%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1					< 0.01	11.5	13.0	88%	80%	120%	
B	1					< 5	5.61	7.00	80%	80%	120%	
Ca	1					< 0.01				80%	120%	
Cu	1					< 0.1	5441	6000	90%	80%	120%	
Mo	1					< 0.05	298	360	82%	80%	120%	
P	1					< 10	672	600	112%	80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Nov 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Rb	1					< 0.1	12	13	91%	80%	120%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3867942	< 0.001	< 0.001	0.0%	< 0.001	1.45	1.52	95%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3867956	0.006	< 0.001		< 0.001	0.258	0.263	98%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3867969	< 0.001	0.010		< 0.001	1.53	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3867980	0.002	0.012		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3867993	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202052)											
Au	1	3868005	< 0.001	< 0.001	0.0%	< 0.001				90%	110%

Certified By:

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T657492

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES












Figure 1: Probability Plot for Au and the pathfinder elements of interest (All Data). Threshold values are shown colorized, some overlap exists with the various elements. Gold is ranked highest.

Attribute Map - GowanLk.gas




Figure 2: Soil grid attribute map showing threshold values of pathfinder elements (all data). Some element overlap occurs, however Au was ranked the highest for color.












Figure 3: Probability Plot for Au and the pathfinder elements of interest (threshold values only). Threshold values are shown colorized, some overlap exists with the various elements. Gold is ranked highest.

Attribute Map - GowanLk.gas




Figure 4: Soil grid attribute map showing pathfinder elements (threshold values only). Some element overlap occurs, however Au was ranked the highest for color.












Figure 5: Soil grid showing threshold values of each pathfinder element and the proportional symbol map of each element.

Correlation	Au_ppm	As_ppm	W_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Ba_ppm	Bi_ppm	Cu_ppm
Au_ppm	1	-0.054	-0.12	-0.23	-0.069	-0.11	-0.098	-0.16	-0.11
As_ppm	-0.054	1	-0.054	-0.14	-0.03	0.056	-0.057	-0.12	-0.1
W_ppm	-0.12	-0.054	1	-0.18	-0.087	-0.13	-0.1	-0.1	-0.083
Mo_ppm	-0.23	-0.14	-0.18	1	0.26	-0.14	-0.17	0.57	-0.11
Pb_ppm	-0.069	-0.03	-0.087	0.26	1	-0.0012	-0.02	0.24	-0.04
Sb_ppm	-0.11	0.056	-0.13	-0.14	-0.0012	1	0.13	-0.11	-0.096
Ba_ppm	-0.098	-0.057	-0.1	-0.17	-0.02	0.13	1	-0.082	0.11
Bi_ppm	-0.16	-0.12	-0.1	0.57	0.24	-0.11	-0.082	1	-0.085
Cu_ppm	-0.11	-0.1	-0.083	-0.11	-0.04	-0.096	0.11	-0.085	1

Figure 6: Correlation Chart of pathfinder element for soil samples.

Appendix D

Lithochemistry Assay Results



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 11U561516

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jan 20, 2012

PAGES (INCLUDING COVER): 9

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11U561516
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)

DATE SAMPLED: Dec 21, 2011	DATE RECEIVED: Dec 20, 2011	DATE REPORTED: Jan 20, 2012	SAMPLE TYPE: Rock											
Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.01	0.01	0.2	1	0.05	0.01	0.01	0.02	0.01	0.05	0.5	0.01	0.2	0.01
500501	0.24	6.86	1.1	536	0.85	0.06	2.52	0.07	39.3	15.4	385	2.27	21.6	3.59
500502	0.22	4.44	1.3	648	0.79	0.11	0.56	0.06	197	4.22	436	2.45	7.9	1.63
500503	0.18	6.25	0.9	356	0.63	0.10	0.53	0.09	15.0	38.3	426	1.08	69.7	4.73
500504	0.19	7.23	0.7	228	0.42	0.15	6.73	0.15	25.9	20.2	174	0.98	36.0	7.19
500505	0.19	8.26	0.8	117	0.34	0.02	4.55	0.17	6.51	67.8	343	0.75	86.3	8.09
500506	0.12	8.90	0.8	78	0.16	0.04	4.22	0.14	6.93	60.7	366	0.85	133	7.93
500507	0.52	6.83	0.8	144	0.25	0.32	5.77	0.08	15.5	92.9	426	0.97	656	8.11
500508	0.12	8.70	0.5	20	0.11	0.04	7.05	0.08	4.25	55.9	621	0.91	46.8	6.72
500509	0.21	6.19	1.2	177	0.63	0.05	1.99	0.05	10.4	22.9	555	0.58	259	11.0
500510	0.15	4.95	1.1	249	0.42	0.02	1.49	0.03	5.94	19.3	331	1.11	115	5.30
500511	0.15	6.23	1.2	196	0.50	0.29	5.68	0.17	12.3	49.1	231	1.20	70.8	9.23
Analyte:	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
Unit:	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
RDL:	0.05	0.05	0.1	0.005	0.01	0.5	0.1	0.01	1	0.05	0.01	0.1	0.2	10
500501	23.1	0.21	1.5	0.029	1.73	14.2	21.5	1.73	620	2.04	3.71	3.2	56.3	859
500502	19.0	0.31	6.1	0.014	3.49	96.5	25.5	0.29	291	4.56	2.72	11.4	9.3	262
500503	19.9	0.21	2.2	0.057	1.89	6.0	28.0	1.69	680	2.37	1.33	5.2	157	536
500504	17.9	0.16	1.4	0.056	1.32	8.7	6.5	1.19	2130	1.41	1.67	6.4	92.3	887
500505	19.1	0.17	0.8	0.077	0.57	2.4	29.2	2.24	2170	1.02	2.92	2.0	160	269
500506	16.9	0.12	0.8	0.085	0.30	2.6	15.2	1.73	1860	1.76	2.80	2.0	129	295
500507	14.0	0.35	0.7	0.045	0.81	6.8	15.6	3.80	1430	5.74	1.33	3.8	271	634
500508	12.5	0.25	0.4	0.036	0.13	1.6	6.5	5.30	1160	0.91	1.06	1.1	280	218
500509	13.1	0.31	1.5	0.110	0.34	4.6	4.9	3.17	998	3.48	2.43	2.6	24.1	718
500510	13.4	0.15	1.6	0.051	0.80	2.7	11.6	2.28	609	2.17	2.62	3.0	36.2	464
500511	19.6	0.15	1.1	0.090	0.56	4.3	16.9	1.56	1540	5.93	2.09	5.8	99.9	697

[Handwritten signature]

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 11U561516
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Dec 21, 2011		DATE RECEIVED: Dec 20, 2011		DATE REPORTED: Jan 20, 2012		SAMPLE TYPE: Rock	
Sample Description	Analyte:	Sample Login Weight	Unit:	Au	ppm	RDL:	
500501		1.60	kg	0.001	0.001		
500502		0.82	kg	0.001	0.001		
500503		0.98	kg	<0.001	<0.001		
500504		0.94	kg	0.001	0.001		
500505		2.52	kg	0.001	0.001		
500506		0.98	kg	<0.001	<0.001		
500507		1.70	kg	0.008	0.008		
500508		2.62	kg	<0.001	<0.001		
500509		1.18	kg	0.002	0.002		
500510		1.00	kg	<0.001	<0.001		
500511		1.92	kg	<0.001	<0.001		

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 11U561516

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis											
RPT Date: Jan 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3028101	0.001	0.001	0.0%	< 0.001	0.0851	0.0849	100%	90%	110%
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)											
Ag	1	3028101	0.71	0.08		0.27				80%	120%
Al	1	3028101	6.86	7.04	2.6%	< 0.01				80%	120%
As	1	3028101	< 0.2	< 0.2	0.0%	< 0.2	33.8	28.0	121%	80%	120%
Ba	1	3028101	536	560	4.4%	< 1				80%	120%
Be	1	3028101	0.85	0.84	1.2%	< 0.05				80%	120%
Bi	1	3028101	0.06	0.06	0.0%	< 0.01				80%	120%
Ca	1	3028101	2.52	2.64	4.7%	< 0.01				80%	120%
Cd	1	3028101	0.070	0.064	9.0%	< 0.02				80%	120%
Ce	1	3028101	39.3	39.0	0.8%	0.04				80%	120%
Co	1	3028101	15.4	15.2	1.3%	< 0.05				80%	120%
Cr	1	3028101	385	347	10.4%	< 0.5				80%	120%
Cs	1	3028101	2.27	2.12	6.8%	0.01				80%	120%
Cu	1	3028101	21.6	24.1	10.9%	0.3	4316	3800	113%	80%	120%
Fe	1	3028101	3.59	3.49	2.8%	< 0.01				80%	120%
Ga	1	3028101	23.1	22.7	1.7%	< 0.05				80%	120%
Ge	1	3028101	0.21	0.19	10.0%	0.06				80%	120%
Hf	1	3028101	1.51	1.66	9.5%	< 0.1				80%	120%
In	1	3028101	0.029	0.029	0.0%	< 0.005				80%	120%
K	1	3028101	1.73	1.85	6.7%	< 0.01				80%	120%
La	1	3028101	14.2	13.9	2.1%	< 0.5				80%	120%
Li	1	3028101	21.5	20.4	5.3%	< 0.1				80%	120%
Mg	1	3028101	1.73	1.71	1.2%	< 0.01				80%	120%
Mn	1	3028101	620	612	1.3%	< 1				80%	120%
Mo	1	3028101	2.04	1.70	18.2%	< 0.05				80%	120%
Na	1	3028101	3.71	3.85	3.7%	0.01				80%	120%
Nb	1	3028101	3.23	3.37	4.2%	< 0.1				80%	120%
Ni	1	3028101	56.3	53.8	4.5%	< 0.2				80%	120%
P	1	3028101	859	833	3.1%	< 10				80%	120%
Pb	1	3028101	8.15	7.65	6.3%	< 0.1				80%	120%
Rb	1	3028101	26.0	25.4	2.3%	< 0.1				80%	120%
Re	1	3028101	< 0.002	< 0.002	0.0%	< 0.002				80%	120%
S	1	3028101	0.01	0.01	0.0%	< 0.01				80%	120%
Sb	1	3028101	3.30	2.91	12.6%	< 0.05				80%	120%
Sc	1	3028101	4.30	5.07	16.4%	< 0.1				80%	120%
Se	1	3028101	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Sn	1	3028101	0.7	0.7	0.0%	< 0.2	8.3	7.1	116%	80%	120%
Sr	1	3028101	722	730	1.1%	< 0.2	419	390	107%	80%	120%
Ta	1	3028101	0.22	0.22	0.0%	< 0.05				80%	120%
Te	1	3028101	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3028101	1.7	1.8	5.7%	< 0.1				80%	120%
Ti	1	3028101	0.320	0.311	2.9%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 11U561516

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)										
RPT Date: Jan 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Tl	1	3028101	0.261	0.254	2.7%	< 0.02			80%	120%
U	1	3028101	0.542	0.525	3.2%	< 0.005			80%	120%
V	1	3028101	83.0	79.0	4.9%	< 0.5			80%	120%
W	1	3028101	0.37	0.33	11.4%	< 0.1			80%	120%
Y	1	3028101	4.4	4.8	8.7%	< 0.1			80%	120%
Zn	1	3028101	75.8	71.6	5.7%	< 0.5			80%	120%
Zr	1	3028101	64.1	70.4	9.4%	< 0.5			80%	120%
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)										
Ag	1	3028111	0.152	0.168	10.0%	< 0.01			80%	120%
Al	1	3028111	6.23	7.53	18.9%	< 0.01			80%	120%
As	1	3028111	1.24	1.05	16.6%	< 0.2			80%	120%
Ba	1	3028111	196	203	3.5%	< 1			80%	120%
Be	1	3028111	0.50	0.48	4.1%	< 0.05			80%	120%
Bi	1	3028111	0.29	0.29	0.0%	< 0.01			80%	120%
Ca	1	3028111	5.68	5.91	4.0%	< 0.01			80%	120%
Cd	1	3028111	0.17	0.17	0.0%	< 0.02			80%	120%
Ce	1	3028111	12.3	11.8	4.1%	< 0.01			80%	120%
Co	1	3028111	49.1	49.3	0.4%	< 0.05			80%	120%
Cr	1	3028111	231	270	15.6%	< 0.5			80%	120%
Cs	1	3028111	1.20	1.19	0.8%	< 0.01			80%	120%
Cu	1	3028111	70.8	73.2	3.3%	< 0.2			80%	120%
Fe	1	3028111	9.23	9.77	5.7%	< 0.01			80%	120%
Ga	1	3028111	19.6	19.8	1.0%	< 0.05			80%	120%
Ge	1	3028111	0.148	0.156	5.3%	< 0.05			80%	120%
Hf	1	3028111	1.1	1.1	0.0%	< 0.1			80%	120%
In	1	3028111	0.090	0.090	0.0%	< 0.005			80%	120%
K	1	3028111	0.56	0.59	5.2%	< 0.01			80%	120%
La	1	3028111	4.3	4.2	2.4%	< 0.5			80%	120%
Li	1	3028111	16.9	16.9	0.0%	< 0.1			80%	120%
Mg	1	3028111	1.56	1.73	10.3%	< 0.01			80%	120%
Mn	1	3028111	1540	1570	1.9%	< 1			80%	120%
Mo	1	3028111	5.93	5.76	2.9%	< 0.05			80%	120%
Na	1	3028111	2.09	2.15	2.8%	< 0.01			80%	120%
Nb	1	3028111	5.81	5.88	1.2%	< 0.1			80%	120%
Ni	1	3028111	99.9	105	5.0%	< 0.2			80%	120%
P	1	3028111	697	733	5.0%	< 10			80%	120%
Pb	1	3028111	3.27	3.24	0.9%	< 0.1			80%	120%
Rb	1	3028111	4.26	4.08	4.3%	< 0.1			80%	120%
Re	1	3028111	0.004	0.004	0.0%	< 0.002			80%	120%
S	1	3028111	0.07	0.07	0.0%	< 0.01			80%	120%
Sb	1	3028111	0.058	0.051	12.8%	< 0.05			80%	120%
Sc	1	3028111	20.4	18.7	8.7%	< 0.1			80%	120%
Se	1	3028111	1.0	1.0	0.0%	< 0.5			80%	120%
Sn	1	3028111	1.1	1.1	0.0%	< 0.2			80%	120%



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 11U561516

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Jan 20, 2012

REPLICATE

REFERENCE MATERIAL

PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Method Blank	REFERENCE MATERIAL				
							Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Sr	1	3028111	182	181	0.6%	< 0.2				80%	120%
Ta	1	3028111	0.398	0.390	2.0%	< 0.05				80%	120%
Te	1	3028111	0.08	0.08	0.0%	< 0.01				80%	120%
Th	1	3028111	0.36	0.32	11.8%	< 0.1				80%	120%
Ti	1	3028111	1.05	1.14	8.2%	< 0.01				80%	120%
Tl	1	3028111	0.10	0.10	0.0%	< 0.02				80%	120%
U	1	3028111	0.186	0.184	1.1%	< 0.005				80%	120%
V	1	3028111	302	320	5.8%	< 0.5				80%	120%
W	1	3028111	1.0	1.0	0.0%	< 0.1				80%	120%
Y	1	3028111	21.6	20.8	3.8%	< 0.1				80%	120%
Zn	1	3028111	144	151	4.7%	< 0.5				80%	120%
Zr	1	3028111	35.9	37.1	3.3%	< 0.5				80%	120%

Certified By:



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 11U561516

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP-MS
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP-MS
Ba	MIN-200-12020		ICP-MS
Be	MIN-200-12020		ICP-MS
Bi	MIN-200-12020		ICP-MS
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP-MS
Ce	MIN-200-12020		ICP-MS
Co	MIN-200-12020		ICP-MS
Cr	MIN-200-12020		ICP/OES
Cs	MIN-200-12020		ICP-MS
Cu	MIN-200-12020		ICP-MS
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP-MS
Ge	MIN-200-12020		ICP-MS
Hf	MIN-200-12020		ICP-MS
In	MIN-200-12020		ICP-MS
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP-MS
Li	MIN-200-12020		ICP-MS
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP-MS
Na	MIN-200-12020		ICP/OES
Nb	MIN-200-12020		ICP-MS
Ni	MIN-200-12020		ICP-MS
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP-MS
Rb	MIN-200-12020		ICP-MS
Re	MIN-200-12020		ICP-MS
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP-MS
Sc	MIN-200-12020		ICP-MS
Se	MIN-200-12020		ICP-MS
Sn	MIN-200-12020		ICP-MS
Sr	MIN-200-12020		ICP-MS
Ta	MIN-200-12020		ICP-MS
Te	MIN-200-12020		ICP-MS
Th	MIN-200-12020		ICP-MS
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP-MS
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP-MS
Y	MIN-200-12020		ICP-MS
Zn	MIN-200-12020		ICP-MS
Zr	MIN-200-12020		ICP-MS
Sample Login Weight	MIN-12009		BALANCE

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 11U561516

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12U642580

SOLID ANALYSIS REVIEWED BY: Ron Cardinal, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 18, 2012

PAGES (INCLUDING COVER): 11

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12U642580
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)

Sample Description	DATE RECEIVED: Sep 17, 2012										DATE REPORTED: Oct 18, 2012									
	Analyte: Unit: RDL:	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Ti ppm					
S00512		4.6	3.9	0.010	<0.01	0.13	25.5	1.5	0.9	105	0.07	0.7	0.34	0.03						
S00513		19.4	30.9	0.011	1.22	0.13	6.5	6.7	6.6	194	1.06	1.8	0.26	1.01						
S00514		2.4	6.7	0.004	0.03	0.07	37.9	1.7	1.0	65.2	0.04	0.4	0.80	0.07						
S00515		4.3	24.8	0.004	0.02	0.06	34.4	<0.5	1.1	134	0.05	0.5	1.15	0.17						
S00516		2.0	8.6	0.004	0.04	0.10	37.5	<0.5	0.6	60.5	0.04	0.3	0.65	0.10						
S00517		2.7	3.0	0.004	0.11	<0.05	17.9	<0.5	0.5	100	0.05	3.2	0.24	0.03						
S00518		5.0	13.3	0.006	0.20	0.07	35.8	1.1	1.1	248	0.06	0.6	1.01	0.10						
S00519		3.9	15.9	0.005	0.05	<0.05	31.3	0.7	1.7	121	0.03	1.2	1.15	0.18						
S00520		2.1	7.6	0.011	0.86	<0.05	7.8	4.0	4.0	37.0	0.27	1.2	0.15	0.08						
S00521		6.8	3.9	0.004	1.54	<0.05	8.0	4.1	0.7	32.6	0.05	0.8	0.19	0.06						
S00522		13.5	6.9	0.005	7.60	0.06	9.0	15.3	0.2	31.6	1.51	1.1	0.19	0.20						
S00523		3.0	2.9	0.009	0.65	<0.05	23.9	1.6	0.9	90.9	0.07	0.8	0.74	0.07						
S00524		38.0	29.2	0.010	0.70	0.26	6.4	6.2	10.2	52.8	1.02	1.3	0.26	1.10						
S00525		1.5	4.3	0.003	<0.01	<0.05	25.8	<0.5	0.7	75.5	0.05	0.3	0.69	0.04						
S00526		6.1	18.7	0.003	<0.01	<0.05	2.1	2.4	0.6	253	0.05	0.9	0.13	0.28						
S00527		18.8	47.4	0.003	<0.01	0.08	1.4	2.5	0.7	263	0.11	1.8	0.12	0.47						
S00528		<0.1	<0.1	<0.002	0.05	<0.05	<0.1	<0.5	<0.2	250	<0.01	<0.1	0.81	<0.01						
S00529		1.1	2.2	0.003	0.01	<0.05	6.8	2.5	0.3	169	0.04	<0.1	0.07	0.01						
S00530		28.1	40.4	0.004	0.23	0.12	3.7	6.1	5.5	22.0	1.01	0.9	0.19	0.89						
S00531		2.6	22.7	0.002	0.07	<0.05	2.9	3.1	1.8	14.1	0.14	1.0	0.14	0.16						
S00532		6.7	18.7	<0.002	0.81	0.05	4.7	4.4	0.6	57.0	0.05	0.7	0.15	0.16						

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12U642580
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 18, 2012		SAMPLE TYPE: Rock	
Sample Description	Analyte: Unit: RDL:	U ppm 0.005	V ppm 0.5	W ppm 0.1	Y ppm 0.1	Zn ppm 0.5	Zr ppm 0.5		
S00512		0.247	171	0.8	13.3	173	27.7		
S00513		0.596	46.0	0.7	11.3	5880	106		
S00514		0.095	365	0.5	25.3	134	22.8		
S00515		0.143	302	1.6	32.4	117	41.0		
S00516		0.061	342	0.5	18.5	102	15.2		
S00517		0.856	144	0.3	11.4	63.1	44.3		
S00518		0.180	282	1.2	24.7	96.3	41.9		
S00519		0.265	262	1.5	49.7	105	55.0		
S00520		0.324	92.1	0.2	11.3	135	51.0		
S00521		0.325	78.0	0.8	6.1	136	66.0		
S00522		0.371	67.6	0.3	8.7	213	50.3		
S00523		0.204	212	0.3	19.8	90.2	50.3		
S00524		0.414	75.6	0.5	6.7	1380	70.5		
S00525		0.107	354	0.3	14.3	110	13.9		
S00526		0.564	36.2	0.6	1.6	35.9	67.9		
S00527		1.96	30.7	0.3	0.6	29.9	68.6		
S00528		<0.005	276	<0.1	<0.1	105	<0.5		
S00529		0.022	74.3	0.3	4.3	19.1	4.6		
S00530		0.537	50.6	1.4	1.3	53.9	82.4		
S00531		0.282	28.9	1.0	5.4	114	49.2		
S00532		0.197	57.9	0.4	5.8	87.5	42.7		

Comments: RDL - Reported Detection Limit
3714377-3714397 As, Sb values may be low due to digestion losses.

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12U642580
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012 DATE RECEIVED: Sep 17, 2012 DATE REPORTED: Oct 18, 2012 SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit: RDL:	kg	ppm
S00512		0.01	0.001
S00512		1.12	0.002
S00513		1.46	0.008
S00514		0.46	0.001
S00515		0.68	<0.001
S00516		1.02	<0.001
S00517		1.60	<0.001
S00518		1.62	<0.001
S00519		1.14	<0.001
S00520		1.30	<0.001
S00521		0.58	0.006
S00522		1.16	0.007
S00523		1.30	0.004
S00524		1.54	0.015
S00525		1.60	<0.001
S00526		1.24	<0.001
S00527		0.64	0.002
S00528		1.58	0.004
S00529		1.94	0.001
S00530		0.70	0.005
S00531		0.54	0.001
S00532		1.10	<0.001

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12U642580

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis												
RPT Date: Oct 18, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)												
Ag	1	3714377	0.100	0.082	19.8%	0.02	12.1	13.0	93%	80%	120%	
Al	1	3714377	4.86	5.40	10.5%	< 0.01				80%	120%	
As	1	3714377	1.4	< 0.2		< 0.2				80%	120%	
Ba	1	3714377	24	26	8.0%	< 1				80%	120%	
Be	1	3714377	0.42	0.44	4.7%	< 0.05	0.4	0.4	100%	80%	120%	
Bi	1	3714377	0.31	0.30	3.3%	< 0.01				80%	120%	
Ca	1	3714377	6.41	6.81	6.1%	< 0.01				80%	120%	
Cd	1	3714377	0.338	0.346	2.3%	< 0.02				80%	120%	
Ce	1	3714377	20.7	24.5	16.8%	0.02				80%	120%	
Co	1	3714377	51.7	50.4	2.5%	< 0.05				80%	120%	
Cr	1	3714377	92.8	98.4	5.9%	1.2				80%	120%	
Cs	1	3714377	0.83	1.01	19.6%	0.03				80%	120%	
Cu	1	3714377	32.5	30.2	7.3%	< 0.2				80%	120%	
Fe	1	3714377	8.02	7.55	6.0%	< 0.01				80%	120%	
Ga	1	3714377	14.2	14.9	4.8%	< 0.05				80%	120%	
Ge	1	3714377	0.68	0.68	0.0%	< 0.05				80%	120%	
Hf	1	3714377	0.94	1.21	25.1%	< 0.1				80%	120%	
In	1	3714377	0.066	0.066	0.0%	< 0.005				80%	120%	
K	1	3714377	0.211	0.241	13.3%	< 0.01				80%	120%	
La	1	3714377	8.73	10.5	18.4%	< 0.5				80%	120%	
Li	1	3714377	5.6	6.0	6.9%	< 0.1				80%	120%	
Mg	1	3714377	2.38	2.54	6.5%	< 0.01				80%	120%	
Mn	1	3714377	2700	2920	7.8%	1				80%	120%	
Mo	1	3714377	8.16	9.83	18.6%	< 0.05	331	360	91%	80%	120%	
Na	1	3714377	0.672	0.652	3.0%	< 0.01				80%	120%	
Nb	1	3714377	3.5	3.7	5.6%	< 0.1				80%	120%	
Ni	1	3714377	87.9	63.6		< 0.2				80%	120%	
P	1	3714377	553	578	4.4%	< 10	638	600	106%	80%	120%	
Pb	1	3714377	4.6	3.3		0.3				80%	120%	
Rb	1	3714377	3.9	5.4		< 0.1				80%	120%	
Re	1	3714377	0.0104	0.0109	4.7%	0.003				80%	120%	
S	1	3714377	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Sb	1	3714377	0.13	0.06		< 0.05				80%	120%	
Sc	1	3714377	25.5	31.2	20.1%	< 0.1				80%	120%	
Se	1	3714377	1.5	2.2		< 0.5				80%	120%	
Sn	1	3714377	0.86	0.84	2.4%	< 0.2				80%	120%	
Sr	1	3714377	105	105	0.0%	< 0.2	401	390	103%	80%	120%	
Ta	1	3714377	0.26	0.26	0.0%	< 0.05				80%	120%	
Te	1	3714377	0.068	0.060	12.5%	< 0.01				80%	120%	
Th	1	3714377	0.7	1.0		< 0.1	1.5	1.4	107%	80%	120%	
Ti	1	3714377	0.34	0.32	6.1%	< 0.01				80%	120%	
Tl	1	3714377	0.032	0.036	11.8%	< 0.01				80%	120%	
U	1	3714377	0.247	0.241	2.5%	< 0.005				80%	120%	
V	1	3714377	171	178	4.0%	< 0.5				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12U642580

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)												
RPT Date: Oct 18, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
W	1	3714377	0.77	0.64	18.4%	< 0.1				80%	120%	
Y	1	3714377	13.3	17.6	27.8%	< 0.1				80%	120%	
Zn	1	3714377	173	177	2.3%	< 0.5				80%	120%	
Zr	1	3714377	27.7	39.0		< 0.5				80%	120%	
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)												
Ag	1	3714391	0.05	0.05	0.0%	< 0.01	10.4	13.0	80%	80%	120%	
Al	1	3714391	2.46	2.94	17.8%	< 0.01				80%	120%	
As	1	3714391	0.64	0.82	24.7%	< 0.2				80%	120%	
Ba	1	3714391	609	616	1.1%	< 1				80%	120%	
Be	1	3714391	1.17	1.14	2.6%	< 0.05	0.5	0.4	118%	80%	120%	
Bi	1	3714391	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3714391	0.89	0.92	3.3%	< 0.01				80%	120%	
Cd	1	3714391	0.037	0.035	5.6%	< 0.02				80%	120%	
Ce	1	3714391	6.85	6.48	5.6%	< 0.01				80%	120%	
Co	1	3714391	4.62	4.65	0.6%	< 0.05				80%	120%	
Cr	1	3714391	32.9	28.5	14.3%	< 0.5				80%	120%	
Cs	1	3714391	0.92	0.88	4.4%	< 0.01				80%	120%	
Cu	1	3714391	15.8	14.2	10.7%	< 0.2				80%	120%	
Fe	1	3714391	1.15	1.17	1.7%	< 0.01				80%	120%	
Ga	1	3714391	21.1	20.9	1.0%	< 0.05				80%	120%	
Ge	1	3714391	0.37	0.67		< 0.05				80%	120%	
Hf	1	3714391	2.2	2.4	8.7%	< 0.1				80%	120%	
In	1	3714391	0.0189	0.0183	3.2%	< 0.005				80%	120%	
K	1	3714391	0.95	1.01	6.1%	< 0.01				80%	120%	
La	1	3714391	2.57	2.42	6.0%	< 0.5				80%	120%	
Li	1	3714391	10.6	10.9	2.8%	< 0.1				80%	120%	
Mg	1	3714391	0.42	0.45	6.9%	< 0.01				80%	120%	
Mn	1	3714391	190	176	7.7%	< 1				80%	120%	
Mo	1	3714391	0.351	0.334	5.0%	< 0.05	394	360	109%	80%	120%	
Na	1	3714391	3.46	3.68	6.2%	< 0.01				80%	120%	
Nb	1	3714391	2.69	2.63	2.3%	< 0.1				80%	120%	
Ni	1	3714391	7.5	7.2	4.1%	< 0.2				80%	120%	
P	1	3714391	249	246	1.2%	< 10	606	600	101%	80%	120%	
Pb	1	3714391	6.1	6.1	0.0%	< 0.1				80%	120%	
Rb	1	3714391	18.7	18.3	2.2%	< 0.1				80%	120%	
Re	1	3714391	0.003	0.003	0.0%	< 0.002				80%	120%	
S	1	3714391	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Sb	1	3714391	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Sc	1	3714391	2.13	2.39	11.5%	< 0.1				80%	120%	
Se	1	3714391	2.40	2.23	7.3%	< 0.5				80%	120%	
Sn	1	3714391	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3714391	253	282	10.8%	< 0.2	353	390	90%	80%	120%	
Ta	1	3714391	0.17	0.17	0.0%	< 0.05				80%	120%	
Te	1	3714391	0.05	0.05	0.0%	< 0.01				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12U642580

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)											
RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Th	1	3714391	0.9	0.9	0.0%	< 0.1	1.3	1.4	95%	80%	120%
Ti	1	3714391	0.129	0.135	4.5%	< 0.01				80%	120%
Tl	1	3714391	0.28	0.28	0.0%	< 0.01				80%	120%
U	1	3714391	0.564	0.568	0.7%	< 0.005				80%	120%
V	1	3714391	36.2	38.0	4.9%	< 0.5				80%	120%
W	1	3714391	0.6	1.0		< 0.1				80%	120%
Y	1	3714391	1.6	1.5	6.5%	< 0.1	8.2	7	117%	80%	120%
Zn	1	3714391	35.9	33.7	6.3%	< 0.5				80%	120%
Zr	1	3714391	67.9	75.0	9.9%	< 0.5				80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3714377	0.002	0.001		< 0.001	1.39	1.52	91%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3714391	< 0.001	< 0.001	0.0%	< 0.001				90%	110%

Certified By:

Ron Cardinal



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12U642580

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP-MS
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP-MS
Ba	MIN-200-12020		ICP-MS
Be	MIN-200-12020		ICP-MS
Bi	MIN-200-12020		ICP-MS
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP-MS
Ce	MIN-200-12020		ICP-MS
Co	MIN-200-12020		ICP-MS
Cr	MIN-200-12020		ICP/OES
Cs	MIN-200-12020		ICP-MS
Cu	MIN-200-12020		ICP-MS
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP-MS
Ge	MIN-200-12020		ICP-MS
Hf	MIN-200-12020		ICP-MS
In	MIN-200-12020		ICP-MS
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP-MS
Li	MIN-200-12020		ICP-MS
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP-MS
Na	MIN-200-12020		ICP/OES
Nb	MIN-200-12020		ICP-MS
Ni	MIN-200-12020		ICP-MS
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP-MS
Rb	MIN-200-12020		ICP-MS
Re	MIN-200-12020		ICP-MS
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP-MS
Sc	MIN-200-12020		ICP-MS
Se	MIN-200-12020		ICP-MS
Sn	MIN-200-12020		ICP-MS
Sr	MIN-200-12020		ICP-MS
Ta	MIN-200-12020		ICP-MS
Te	MIN-200-12020		ICP-MS
Th	MIN-200-12020		ICP-MS
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP-MS
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP-MS
Y	MIN-200-12020		ICP-MS
Zn	MIN-200-12020		ICP-MS
Zr	MIN-200-12020		ICP-MS
Sample Login Weight	MIN-12009		BALANCE

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12U642580

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES



CLIENT NAME: ENTOURAGE METALS LTD
BOX 1178
MARATHON, ON P0T2E0
(807) 229-9719

ATTENTION TO: JOHN FLOREK

PROJECT NO:

AGAT WORK ORDER: 12T655967

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 30, 2012

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T655967
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
http://www.agatlabs.com

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

DATE SAMPLED: Oct 24, 2012		DATE RECEIVED: Oct 24, 2012		DATE REPORTED: Oct 30, 2012		SAMPLE TYPE: Rock																				
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)																										
Sample Login Weight	Analyte:	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu												
Sample Description	Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm												
	RDL:																									
533	1.65	0.23	3.73	2.8	34	0.54	0.04	5.00	0.18	13.2	19.4	119	0.05	0.2	36.0											
534	.77	0.10	2.39	<0.2	261	0.17	0.09	1.52	0.36	8.20	9.19	33.1	0.46	0.2	23.0											
535	1.18	0.19	3.53	0.6	317	0.67	0.02	1.93	0.13	20.5	12.5	8.9	0.38	0.2	7.7											
536	.93	0.22	4.84	<0.2	144	0.65	0.05	6.42	0.16	16.3	40.0	148	0.56	0.2	63.2											
	Analyte:	Fe	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni												
	Unit:	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm												
	RDL:	0.01	0.05	0.1	0.005	0.01	0.5	0.1	0.01	1	0.05	0.01	0.1	0.2												
533	9.17	19.2	0.42	2.0	0.078	0.06	4.0	8.9	2.70	2040	0.58	2.86	7.7	29.8												
534	2.47	8.39	0.35	0.6	0.021	0.92	3.7	15.6	0.95	453	0.26	0.16	2.6	32.3												
535	3.74	17.6	0.30	2.0	0.043	0.73	8.4	12.6	0.86	517	0.70	3.87	7.8	6.5												
536	7.96	20.8	0.41	1.3	0.098	0.39	5.9	15.5	1.59	1640	0.60	2.38	6.9	64.7												
	Analyte:	P	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti												
	Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%												
	RDL:	10	0.1	0.002	0.01	0.05	0.1	0.5	0.2	0.2	0.05	0.01	0.1	0.01												
533	1060	1.8	0.2	0.005	0.19	0.09	18.5	0.8	1.0	224	0.55	0.06	0.4	1.09												
534	257	2.5	24.8	0.003	<0.01	<0.05	9.5	<0.5	0.4	247	0.17	<0.01	0.4	0.18												
535	777	2.7	9.2	0.004	<0.01	0.09	8.6	<0.5	0.8	175	0.47	<0.01	1.1	0.46												
536	753	1.3	4.5	0.005	0.03	<0.05	23.7	1.1	1.0	193	0.48	0.03	0.4	0.88												
	Analyte:	Tl	U	V	W	Y	Zr																			
	Unit:	ppm	ppm	ppm	ppm	ppm	ppm																			
	RDL:	0.01	0.005	0.5	0.1	0.1	0.5																			
533	0.02	0.138	251	0.3	18.9	87.8	62.5																			
534	0.19	0.105	74.1	0.3	5.8	89.0	18.8																			
535	0.09	0.278	62.4	0.6	11.6	58.1	73.1																			
536	0.06	0.128	276	0.6	20.4	91.2	38.5																			

Comments: RDL - Reported Detection Limit
3850129-3850132 As, Sb values may be low due to digestion losses.

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T655967
PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ENTOURAGE METALS LTD

ATTENTION TO: JOHN FLOREK

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 24, 2012	DATE RECEIVED: Oct 24, 2012	DATE REPORTED: Oct 30, 2012	SAMPLE TYPE: Rock
Sample Description	Analyte: Au	Unit: ppm	RDL: 0.001
533			<0.001
534			<0.001
535			<0.001
536			<0.001

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T655967

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis												
RPT Date: Oct 30, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
4 Acid Digest - Metals Package, ICP/ICP-MS finish (201071)												
Ag	1	3850129	0.231	0.212	8.6%	< 0.01	11.8	13.0	91%	80%	120%	
Al	1	3850129	3.73	4.49	18.5%	< 0.01				80%	120%	
As	1	3850129	2.8	1.0		< 0.2				80%	120%	
Ba	1	3850129	34	35	2.9%	< 1				80%	120%	
Be	1	3850129	0.54	0.54	0.0%	< 0.05	0.5	0.4	130%	80%	120%	
Bi	1	3850129	0.04	0.04	0.0%	< 0.01				80%	120%	
Ca	1	3850129	5.00	4.95	1.0%	< 0.01				80%	120%	
Cd	1	3850129	0.18	0.17	5.7%	< 0.02				80%	120%	
Ce	1	3850129	13.2	14.8	11.4%	0.03				80%	120%	
Co	1	3850129	19.4	18.7	3.7%	< 0.05				80%	120%	
Cr	1	3850129	119	117	1.7%	< 0.5				80%	120%	
Cs	1	3850129	0.05	0.06	18.2%	< 0.01				80%	120%	
Cu	1	3850129	36.0	34.2	5.1%	< 0.2	6134	6000	102%	80%	120%	
Fe	1	3850129	9.17	8.75	4.7%	< 0.01				80%	120%	
Ga	1	3850129	19.2	18.7	2.6%	< 0.05				80%	120%	
Ge	1	3850129	0.42	0.51	19.4%	< 0.05				80%	120%	
Hf	1	3850129	2.0	2.0	0.0%	< 0.1				80%	120%	
In	1	3850129	0.0778	0.0702	10.3%	< 0.005				80%	120%	
K	1	3850129	0.06	0.08	28.6%	< 0.01				80%	120%	
La	1	3850129	4.0	5.1	24.2%	< 0.5				80%	120%	
Li	1	3850129	8.9	10.3	14.6%	< 0.1				80%	120%	
Mg	1	3850129	2.70	3.02	11.2%	< 0.01				80%	120%	
Mn	1	3850129	2040	1880	8.2%	< 1				80%	120%	
Mo	1	3850129	0.58	0.46		< 0.05	333	360	92%	80%	120%	
Na	1	3850129	2.86	2.75	3.9%	< 0.01				80%	120%	
Nb	1	3850129	7.7	7.8	1.3%	< 0.1				80%	120%	
Ni	1	3850129	29.8	27.5	8.0%	< 0.2				80%	120%	
P	1	3850129	1060	999	5.9%	< 10	644	600	107%	80%	120%	
Pb	1	3850129	1.80	1.64	9.3%	0.2				80%	120%	
Rb	1	3850129	0.2	0.3		< 0.1				80%	120%	
Re	1	3850129	0.005	0.005	0.0%	0.003				80%	120%	
S	1	3850129	0.19	0.19	0.0%	< 0.01				80%	120%	
Sb	1	3850129	0.091	0.075	19.3%	< 0.05				80%	120%	
Sc	1	3850129	18.5	22.7		0.1				80%	120%	
Se	1	3850129	0.84	1.00	17.4%	< 0.5				80%	120%	
Sn	1	3850129	1.0	1.0	0.0%	< 0.2				80%	120%	
Sr	1	3850129	224	225	0.4%	0.3	377	390	97%	80%	120%	
Ta	1	3850129	0.554	0.579	4.4%	< 0.05				80%	120%	
Te	1	3850129	0.064	0.065	1.6%	0.01				80%	120%	
Th	1	3850129	0.4	0.5	22.2%	< 0.1	1.6	1.4	114%	80%	120%	
Ti	1	3850129	1.09	1.10	0.9%	< 0.01				80%	120%	
Tl	1	3850129	0.02	0.02	0.0%	< 0.01				80%	120%	
U	1	3850129	0.138	0.154	11.0%	< 0.005				80%	120%	
V	1	3850129	251	251	0.0%	< 0.5				80%	120%	



Quality Assurance

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T655967

PROJECT NO:

ATTENTION TO: JOHN FLOREK

Solid Analysis (Continued)

RPT Date: Oct 30, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
							Lower			Upper	
W	1	3850129	0.3	0.3	0.0%	< 0.1			80%	120%	
Y	1	3850129	18.9	22.0	15.2%	< 0.1			80%	120%	
Zn	1	3850129	87.8	82.6	6.1%	0.6			80%	120%	
Zr	1	3850129	62.5	65.3	4.4%	< 0.5			80%	120%	
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3850129	< 0.001	< 0.001	0.0%	< 0.001	0.262	0.263	100%	90% 110%	

Certified By:



Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T655967

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12020		ICP-MS
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP-MS
Ba	MIN-200-12020		ICP-MS
Be	MIN-200-12020		ICP-MS
Bi	MIN-200-12020		ICP-MS
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP-MS
Ce	MIN-200-12020		ICP-MS
Co	MIN-200-12020		ICP-MS
Cr	MIN-200-12020		ICP/OES
Cs	MIN-200-12020		ICP-MS
Cu	MIN-200-12020		ICP-MS
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP-MS
Ge	MIN-200-12020		ICP-MS
Hf	MIN-200-12020		ICP-MS
In	MIN-200-12020		ICP-MS
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP-MS
Li	MIN-200-12020		ICP-MS
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP-MS
Na	MIN-200-12020		ICP/OES
Nb	MIN-200-12020		ICP-MS
Ni	MIN-200-12020		ICP-MS
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP-MS
Rb	MIN-200-12020		ICP-MS
Re	MIN-200-12020		ICP-MS
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP-MS
Sc	MIN-200-12020		ICP-MS
Se	MIN-200-12020		ICP-MS
Sn	MIN-200-12020		ICP-MS
Sr	MIN-200-12020		ICP-MS
Ta	MIN-200-12020		ICP-MS
Te	MIN-200-12020		ICP-MS
Th	MIN-200-12020		ICP-MS
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP-MS
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP-MS
Y	MIN-200-12020		ICP-MS
Zn	MIN-200-12020		ICP-MS
Zr	MIN-200-12020		ICP-MS

Method Summary

CLIENT NAME: ENTOURAGE METALS LTD

AGAT WORK ORDER: 12T655967

PROJECT NO:

ATTENTION TO: JOHN FLOREK

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Appendix E

Field Notes (Soil Survey)

N. 5414380

LA: A1

Gowan Lake S.S.


Aug 13/12

B = 270°

	44m	384 y	582984	5414391
orange brown light	45m	383 y	583025	5414383
orange brown	35m	382 y	583070	5414384
dark brown	38m	12-381 y	583105	5414382
light brown / Grey		12-380 y	583138,	5414379
Dark brown		12-379 y	583166,	5414373
Grey clay		12-378 y	583225,	5414379
light brown / Grey		12-377 y	583267,	5414382
light Brown		12-376 y	583339,	5414383

DIRT ROAD

brown orange	40m	375 y	583411	5414404
orange brown	47	374 y	583450	5414392
light brown	45	373 y	583497	5414392
light brown	50m	372 y	583542	5414384
light brown	24m	12,371 y	583592,	5414370
light brown		12,370 y	583616,	5414377
light brown / orange	43m	12,369 y	583720,	5414391
light brown / orange	41m	12,368 y	583763,	5414389
light brown	41m	12,367 y	583796,	5414392
orange brown	36m	12,366 y	583837,	5414382
Brown clay	0m	12,365	583865,	5414375



Aug 13/12

A1

light brown/orange	46m	12-394	582422, 5414377
light brown/orange	39m	12-393	582468, 5414387
light brown	46m	12-392	582507, 5414400
light brown	59m	12-391	582547, 5414394
		12-390(D)	
light brown orange		12-389	582606, 5414384
dark brown	30m	12-388 y	582651, 5414380
light brown orange	30m	12-387 y	582681, 5414392
light brown clay	35m	12-386 y	582709, 5414380
light brown	18m	12-399 y	582744, 5414388
Brown	48m	12-398 y	582762, 5414384
light brown	57m	12-397 y	582800, 5414382
light brown	50m	12-396 y	582857, 5414379
light brown	52m	12-395 y	582893, 5414384
orange brown	44m	385 y	582945, 5414397
	50m		

cont.

pg 1 of 1

Kaleb B.

8/15/2012

Gowan S.S.

Brng: 270° W

Line 12

End of Line on bank just above River

As Tot	Tan clay	40m	12-473Y	581938, 5414176
	Tan/orange clayey loam	50m	12-472Y	
	Tan/orange clay	20m	12-471	- in drainage heading N
	Tan clay	40m	12-470Y	582053 5414195
	Tan sandy clay	50m	12-469Y	
				582159 5414180
	Brown clay	40m	12-468Y	contouring just N of hill
	Tan clay	40m	12-467Y	in lower area-going ↓ hill
	Tan/orange	40m	12-466Y	
	Tan/orange loam	40m	12-465Y	582283 5414165
	Orange loam-clayey	40m	12-464Y	
				just on West side of tracks
	Brown clay	40m	12-463Y	582388 5414160
				Rail road tracks
	Brown loamy clay	40m	12-462Y	
	Tan clay	40m	12-461Y	on gentle slope going up
				on bank above creek
	Brown clay w/ orange streaks	40m	12-460Y	582503, 5414174
				on bank of creek heading NW?
	Brown sand	40m	12-459Z	582511, 5414162
	Brown clay	40m	12-299Y	
	Tan clay w/ orange streaks	40m	12-298Y	582501 5414165
			(cont.)	

Kaleb B.

8/15/2012

Line A2

Pg. 1 of

Gowan Lake S.S.

Bearing 270° W

(cont)
270°

Tan, gravelly w/ orange spots 0m 12-297 Y 582618, 5414165
 on ridge @ edge of bush
 above road

----- Hwy 614 -----

Tan clay 40m 296 Y

Wooded area @ edge of clearing near road.

Tan clay 30m 295 Y 582737, 5414165

Tan clay 50m 294 Y

Tan clay - thick A 40m 293 X 582814, 5414170

White/tan
Mostly leached material - little B. 40m 292 Y

Wet fine-grained brown sand 40m 291 Y

Tan sandy clay 40 290 Y 582929, 5414176

Tan clay 45m 289 Y

Tan clay - in a scarp?? 35m 288 Y ← 583014, 5414175

Tan clay 40m 287 Y

Tan sandy clay 40m 286 Y

Tan sandy clay 40m 285 Y ← 583120, 5414176

Tan clay 40m 284 Y

Light Brown clay 40m 283 Y ← 583197, 5414173

Light Brown Clay 40m 12-282 Y

Light Brown clay 40m 12-281 Y

Brown clay 0m 12-280 Y 583323 mE

about .3m from dirt Rd.

START

5414176 mN

Linspon Rd

hummocky terrain

Clear area - little tall trees.

Nothing 5414180

Line A2

Gowan Lk S.S. AUG 13/12

Bir ~~200~~ 90°

Color / Description	Distance	Point	Coordinates	Notes
light brown	38	y 364	583995, 5414178	edges of claim
light brown	50	y 363	583958, 5414179	
orange dark brown	32m	y 362	583908, 5414168	
light brown orange		y 361	583876, 5414162	
light brown		y 360	583805 , 5414172	
Base of valley brown sand / organic		12-359	583789, 5414165	
Brown orange	43m	y 12-358	583731, 5414165	
light brown clay		y 12-357	583688, 5414160	
light brown	35m	y 12-356	583644, 5414166	
white / brown		y 12-355	583609, 5414196	
orange brown		y 354	583556, 5414208	GPS'S are diff. EASINGS
brown orange		y 353	583512, 5414199	
sandy brown / orange		y 352	583457, 5414196	
brown clay		y 12-351	583416, 5414191	
brown		y 12-350	583357, 5414187	

Start


Kaleb B.

Line A3 (2 of 2)

8/13/2012

Cowan S.S.

Borg: W (270)



Tan clay

-45m ● 12-320 Y 582782, 5413978
Took sample above ditch from road
~15m from road.

Brown/tan clay

40m ● 12-319 Y

Brown/tan clay

40m ● 12-318 Y 582878, 5413982

Brown/tan clay

45m ● 12-317 Y just below
Ontario Benchmark

Brown clay

40m ● 12-316 Y ~15m S of dammed
marsh

Thick
Tan clay

40m ● 12-315 Y

~~Brown~~
Tan clay

40m ● 12-314 Y

Tan clay

40m? ○ 12-313 X 583080, 5413980

Brown sand, wet

~30m? ● 12-312 Z in stream SE-NW
583117, 5413979

Brown/grey clay + sand

~15m? ● 12-311 Z in stream heading SE?
583154, 5413980

Brown clay

40m ● 12-310 Y

Tan clayey sand.

40m ● 12-309 Y on western side of
Lampson Rd.

(cont.)

Lampson Rd.


5m wide marshy area to North of line

Kaleb B.

Göran S.S.
Brng W (270)

Line A3 (1 of 2)

8/13/2012



Tan/brown clay	40m ●	12-308 Y	About 5-10 m from Lampson Rd
Brown/tan wet clayey sand	40m ●	12-307 Y	583273, 5413986
Wet clayey tan sand	40m ●	12-306 Y	
Brown clay	40m ●	12-305 Y	
Tan sandy clay	40m ●	12-304 X	dried up
Wet tan sand	40m ●	12-303 X	dried up
Brown sandy clay	45m ●	12-302 Y	583489, 5413970
Brown/tan clay	40m ●	12-301 (DUP) 12-300	on of very little tall trees
Brown clay	40m ●	12-199 Y	
Brown clay	40m ●	12-198 Y	
Brown mud	40m ●	12-197 Y	low area
Light brown clay	45m ●	12-196 Y	583674, 5413980
Brown sand + gray clay	45m ●	12-195 Z	583720, 5413984 stream heading N?
Dark orange	45m ●	12-194 Y	
White/orange - base of hill	15m ●	12-193 Y	583824, 5413997
Orange/gray	45m ●	12-192 Y	colluvium on side slope
Orange w/ r org. very little B horiz	0m ●	12-191 Y	Near flatter spot of slope going up to East
		START	583876 5413978

K. Boucher

8/15/2012

Line: A3

Pg 1 of 1

Gowan Lk. S.S.
Bng: East (90°)

(cont.)

90°

40m

Orange/tan - thick E, ^{thin} B 40m • 489Y - top of subcroppy area.

Orange - base of subcrop slope 40m • 488Y 582044, 5413995

Light orange/tan 40m • 487Y

Light orange/tan 40m • 486Y

Brown gravelly - dried up drainage • 485Y 581928, 5413976

Light orange - leach?? • 484Y 581898, 5413980

Brown/tan clay - in drainage • 483Y 581853, 5413990

Brown loam - side of slope • 482Y 581813, 5414012

Brown gravelly 40m • 12-481Y 581777, 5414019

Orange loam 40m • 12-480Y base of subcrop
581781, 5413996

Brown/orange loam 50m • 12-479Y base of large subcrop

Tan clay - thick 20m • 12-478Y King of two drainages from SE+SW heading S
581623
5413986

Tan sandy clay 40m • 12-477

Brown sandy clay 40m • 12-476 (Dup)
12-475

Tan clayey sand 0m • 12-474 Y 581536, 5413985

(mostly fluvial sed) START in small drainage

Black River

Black Spruce


Contour 10

Black River

K. Boucher
8/15/2012
Line A3

Gowan S.S.
Brng. E (90°)

End of Day



Tan clay	50m	499 Y	582510	5413973
Tan - little B, v. thick E	40m	498 Y	582462	5413983
Orange/brown/clayey	40m	497 Y	fir/spruce forest	
Orange/brown gravelly	40m	496 Y	- base of hill	
Orange - thin B	40m	495 Y	- top of subcrop	582338 5413973
Orange - thin B	40m	494 Y	top of subcrop	

← 582258 5413979

Tan/orange base of subcrop	40m	12-493	thick E	
Brown sand w/ org.	40m	12-492	base of subcrop	
Brown sandy	40m	12-491 Y	- pine forest, spruce/fir	
Light orange - thick E	40m	12-490 Y	- birch forest, subcrop	
(cont.)			582133, 5413979	

Kaleb B.

Line A4 (2 of 2)

8/13/2012

Gowan Lake S.S.

Bearing: 90° E

End of contouring - got to Line A3

Brown/orange sand/clay 12-190Y 583791, 5413933 mN

Light brown clayey sand 80m 12-189Y 583776, 5413887

Tan clay ~30m 12-188Y 583725, 5413856

Line A4a Contour Sampling up to Line A3

Line A4b End of Line

Brown sandy loam 40m 12-187Y 583697, 5413809
base of steep rocky slope

Light Brown sand 40m 12-186Y side of slope

Light tan/orange 40m 12-185Y side of slope
(cont.)

Contour Sampling

583661
5413782

cloudy, overcast

Kaleb B

Gouzen Lake Soil Survey

8/13/2012

(cont.)

Bearing 90° E

Line: A4 (of 2)

B. Horizon Sampling

683570
5413760

Brown sand	~25m	12-184 Y	Base of steeper slope
Light brown sand	~45m	12-183 Y	thick org.
Brown sand w/ org	40m	12-182 Y	Thick org. - hummocky
Brown/tan clay	~50m	12-181 Y	583346, 5413775
Brown Clay	~50m	12-180 Y	started going up slope
Brown gravel	20m	12-179 Z	583357, 5413765 stream bearing N
Brown gravelly	40m	12-178 Y	
Brown gravelly	40m	12-177 Y	
Brown gritty clay	40m	12-176 (Dup) 12-175	583237, 5413768
Light tan clayey	40m	12-174 Y	
Brown clay	40m	12-173 Y	583154, 5413790
Brown gritty w/ org.	~30m	12-172 Y	hummocky area, thin B
Brown gravelly	~50m	12-171	base of hill
Orange sandy	~45m	12-170 Y	583052, 5413765
Tan sandy	40m	12-169 Y	
Tan sandy clay	40m	12-168 Y	Just off of Lumpson Rd. 582956, 5413780
Brown clay	40m	12-167 Y	582919, 5413784
Brown silty clay	40m	12-166 Y	582884, 5413778
Brown clay	0m	12-165 Y	About 10m from Hwy

START

582842
5413783

LN: ~~3~~ A4

N: 5413780

KD SF
Aug 15/12
BL 270

	light brown	518 y	581 975	5413782
	orange brown	45	517 y	582 015 5413773
	orange brown	58	516 y	582 059 5413791
	orange brown	44	515 y	582 116 5413794
↑ orange/brown ↓ 4 in rock incline	light brown	80	514 y	582 161, 5413792
	Tan	45	513 y	582 241 5413790
	Tan	42	512 y	582 280 5413799
	light brown	40	511 y	582 325 5413791
	light brown	40	510 y	582 367 5413789
	light brown	38	509 y	582 407, 5413784
	light brown	40	508 y	582 458 5413783
	light brown	30	507 y	582 501 5413783
	brown	40	506 y	582 551 5413786
	light brown		505 y	582 570 5413795
	--- .. ---			ABDP RWLY
	tan clay	50	504 y	582 626 5413800
	light brown	35M	503 y	582 684 5413796
	brown	43M	502 y	582 710 5413784
			~~~~~ creek	
	brown	35M	501 y	582 753 5413785
	light brown		12-500 y	582 787 5413782

A4

KD SF  
AUG 15/12

"DID NOT USE 12-529 BAG"

Brown	70	528Y	581509	5413802
orange	30	527Y	581581	5413808
orange-	61	526Y	581611	5413799
light brown	30	525Y	581672	5413781
light brown	56	524Y	581703	5413790
light brown	46	523Y	581759	5413798
light brown	39	522Y	581806	5413785
light brown	45	521Y	581845	5413792
brown	55	520Y	581890	5413784
light brown	40	519Y	581935	5413788

Cont.

AUG 15/12

KD SF

A5

B: 90°

5413580

gray clay	47	548x	582319	5413642	A B C D E F G H
Brown Clay	31	547x	582272	5413635	
light brown orange		546 y	582241	5413632	
light brown		545 y	582195	5413620	
light brown		544 y	582152	5413607	
light brown		543 y	582105	5413578	
grey clay	40	542x	582068	5413607	
light brown		541 y	582028	5413601	

WIDE SHORELINE

	54m	NO SAMPLES (ORGANICS)			
Brown/Grey Clay	36	540x	581914	5413580	
light brown	37	539 y	581878	5413587	
light brown	44	538 y	581810	5413602	
light brown	37	537 y	581797	5413597	
light brown	47	536 y	581760	5413589	
tan	45m	535 y	581713	5413583	
grey clay	30	534 x	581660	5413582	
light brown	38	533 y	581630	5413585	
brown clay	40	532 y	581585	5413592	
brown	44	531 y	581544	5413584	
light brown		530 y	581498	5413580	

START

Line AS

8/15/12

KD + SF

Gower S.S.

A

0m • No Sample org's

brown clay  
tan  
light brown

50m • 556x 582565 5413574

35m • 555y 582514 5413580

35m • 554y 582484 5413570

light brown

30m • 553y 582450 5413579

Brown Clay

48m • 552x 582481 5413659

Brown Clay - duplicate

• 551y

Brown Clay

• 550y 582433 5413682

Grey clay / brown

• 549x 582332 5413641



Aug 21/12

L. Ab

Kaleb B. + Kyle D.

Cowan L. S. S

B-W

↑  
cont..

Base of steep slope	Orange	50m	813 Y	583115, 5413384
	Orange	55m	812 Y	583164, 5413368
	orange	50	811 Y	583218 5413373
	light orange	40	810 Y	583269 5413384
	light orange	30	809 Y	583313 5413388
	brown sand		808 Y	583343 5413384
	wet tan sand		807 X	583566 5413388
	Orange/light brown	40m	806 Y	583592, 5413377
	Orange	46m	805 Y	583629, 5413383
"thin B"	Brown sand w/org	30m	804 Y	583674, 5413378
	Light orange	30m	803 Y	583704, 5413374
	Tan/orange	50m	802 Y	583735, 5413373
	(DUP) orange sand		801 Y	
	orange sand		800 Y	583786 5413369
	brown sand	40	649 Y	583833 5413356
	orange brown	40	648 Y	583879 5413364
	brown sand		647 Y	583919 5413378
	orange	12-646y		583956 5413382

LAKE


Kaleb B. + Kyle D.

8/21/2012

Line A6

Gowan Lake

Brng: W



orange tan clay	•	818 Y	582957	5413381	
(15m from base of cliff) brown loamy gravel	•	817 Y	582985	5413385	
Base of outcrop Orange/tan	•	30m	12-816 Y	583015	5413400
Tan/orange	•	50m	12-815 Y	583039	5413404
Orange	•	~30m	12-814 Y	583090	5413408



Gowan Lake

~~Contour~~ Back

J Flower  
S Fox

LA6

270°

Aug 21

walking around lake

No Duplicate Taken

Wet Grey

1 Foot Stream

725Z

582016, 5413246

Grey Clay

35m

724X

582023, 5413407

Brown clay

723Y

582058, 5413404

≈ 40m x N.S. All organic

Brown

43m

722X

582127, 5413404

TAN

41m

721Y

582170, 5413403

lt. TAN

29

720Y

582211, 5413397

TAN

40m

719Y

582240, 5413402

TAN

55m

718Y

582280, 5413401

TAN

33m

717Y

582325, 5413390

TAN

41

716Y

582358, 5413388

orange-brown

38

715Y

582407, 5413390

TAN

60m

714Y

582445, 5413403

TAN

48m

713Y

582485, 5413417

Brown Clay (No Flak)

22m

712X

582533, 5413422

orange / black

31m

711Y

582551, 5413414

TAN - Rock base

65m

710Y

582586, 5413403

TAN

12m

709Y

582651, 5413392

Brown

36

708Y

582663, 5413392

Just off track

Brown w/ leech

0m

12-704

582699, 5413393

Grey Brown clay

18m

705X

582717, 5413395

lt. Brown

46

706Y

582763, 5413410

lt. Brown clay

21

707X

582782, 5413416

LA6 Stream

CONTOUR SAMPLE

Gowan Lake S.S.

Line A7, east of highway  
BRNA - 270°

25/09/2012

DUANE INEISE

halfway  
down slope  
(left)

CLIFF

Top Rock  
STOPPED

brown orange	12-1971Y	0583083E, 5413181N
brown orange	12-1970Y	0583119E, 5413194N
rusty orange	12-1969Y	0583155E, 5413198N
brown orange w/green	12-1968Y	0583188E, 5413197N
dark brown	12-1967Y	0583229E, 5413191N
light brown w/ rust colour	12-1966Y	0583262E, 5413186N
dark brown w/ orange	12-1965Y	0583294E, 5413196N
brown orange	12-1964Y	0583330E, 5413189N
light brown	12-1963Y	0583363, 5413194N
tanned brown	12-1962Y	0583398E, 5413187N
tanned brown	12-1961Y	0583434E, 5413199N
no sample (muskeg)		0583469E, 5413192N
no sample (muskeg)		0583518E, 5413187N
no sample (muskeg)		0583556E, 5413192N
no sample (muskeg)		0583592E, 5413155N
edge of muskeg, brown wet sand (rusty)	12-1960X	0583634E, 5413172N
tanned brown	12-1959Y	0583678E, 5413182N
tanned brown	12-1958Y	0583720E, 5413190N
rusted orange	12-1957Y	0583757E, 5413197N
brown orange	12-1956Y	0583796E, 5413185N
brown sand	12-1955Y	0583831E, 5413199N
brown sand w/ rust colour	12-1954Y	0583884E, 5413191N
brown orange	12-1953Y	0583917E, 5413194N
brown orange	12-1952Y	0583940E, 5413188N
chocolate brown	12-1951Y	
chocolate brown } duplicate	12-1950Y	0583988E, 5413187N

↑ 270°

Gowen Lake

Cont. on BACK

J. Florek  
S. Fox

LA7

90°



Aug. 28

Brown 36m • 744Y 582440, 5413237

light brown 20.2m • 743Y 582204, 5413235

Very light Brown 24m • 742Y 582502, 5413222

44  
27  
71

lt. Brown 48 • 741Y 582482, 5413223

Brown 40m • 740Y 582434, 5413221

is Ravine Valley  
between Rock  
Faces

Brown 71m • 739Y 582344, 5413202

Reddish-Brown 68 • 738Y 582273, 5413200

lt. Brown 41m • 737Y 582205, 5413197

Rusty Rock  
GL002

Int. yellow  
seds.?

Bronze 110m • 736Y 582164, 5413183

v. Rocky - ledge  
"Good Views"

N. Samples 622660

Brown loam 56m • 735Y 582054, 5413192

MNR ROAD

Brown clay 38m • 734Y 581998, 5413196

tan clay 39m • 733Y 581960, 5413194

bars of leech - light brown clay 45m • 732Y 581921, 5413192

Brown clay 36m • 731Y 581876, 5413190

lt. Brown (leech rez) clay 24m • 730Y 581840, 5413183

Brown 42m • 729Y 581816, 5413181

Gray-brown clay "New Beaver Pond Develop" ← 17m • 728Z 581774, 5413187

Brown 40m • 727 581757, 5413185

Brown-Grey clay 0 • 12-726X (No Duplicate taken)

Fox Pond.  
START A7

on outcrop ridge

END A7

90°



Brown clay - drainage  
PASS

• 745y 582802, 5413204

Brown / organic

57m • 747y 582765, 5413210

~~xxxxxx~~ railway

Brown clay  
light brown

24m • 746y 582769, 5413200

• 745y 582686, 5413256

cont

Gowanus Lake

90°

John Florek

August 23, 2012

583580, 5412550  
1.2gpt.

**AB**

ENDline

Brown	39m	771Y	584003, 5412986
H. Brown w/leech.	40	770Y	583964, 2995
Brown	42	769Y	583924, 2997
Brown	52m	768Y	583882, 3012
Brown.	52m	767Y	583830, 5412997
H. Brown	42m	766Y	583782, 2998
Brown	44m	765Y	583740, 2984
Brown	39m	764Y	583696, 982
Brown	35	763Y	583657, 2986
Brown "wet" edge	61m	762Y	583622, 5412980
Base of slope (Edge of P. Bog)	61m 52m 16m	761X	583561, 5412975
Brown "Tough Sampling"	50m	760Y	583545, 5412974
TAN "Blow down City"	46m	759Y	583495, 2964
"Rock" Brown hard samp.	50m	758Y	583449, 5412969
Orange Brown	59m	757Y	583399, 5412969
Drainage H. Brown (leech area)	51m	756Y	583340, 5412962
Orange Brown	46m	755Y	583289, 5412992
Orange Brown	46m	754Y	583,293 2996
H. Brown	41m	753Y	583197, 2986
H. Brown	34m	752Y	583150, 2982
H. Brown	102m	750, 751 D	583116, 2969
Base of cliff.	0m	749Y	583014, 5412982

L AB — 6.14 HWY  
5412980

K. Boycher

8/27/2012

Line: AB

Gowan Lake S.S.

Brng E (90°)

Cont...

90°

Orange base of slope 25m • 787 Y 582294, 5412990

Orange 45m • 786 Y

Brown/tan sand. 120m • 785 Y 582221, 5412992

Top of Ridge  
Rocky outcrop (no B)

Orange/tan - little B 40m • 784 Y side of slope - outcropy

Red orange - base of slope 40m • 783 Y 582062, 5412980

Orange - rocky, near top of ridge 40m • 12-782 582026, 5412979

Rocky slope - subcrop * Rock smp 8-2762001

orange/Brown 40m • 781 Y going up slope

Orange/tan 40m • 780 Y

Tan 40m • 779 Y 581901, 5412990

Tan sandy - on slope 30m • 778 Y 581863, 5413000

Tan clay - wet area  
creek or pond? 20m • 777 Y 581838, 5412990Tan clayey 40m • 776 (Dup) 581806  
775 Y 5413000

Orange sandy 40m • 12-774 Y


Tan clay - in drainage 40m • 12-773 Y about 8m from road

Dirt RdBrown clay 0m • 12-772 Y about 15m from Rd.  
581664

START 5418985

Kaleb B  
8/27  
Line A8

Gowan Lk.  
Brng E (90°)



J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com

Little B. hr. 70m

Rocky top of Hill (no B)

Kuleb B  
8/23/2012  
Line: A9

Gowan Lk. S.S.  
Brng E 90°

	90° ↑ cont. ...		
Orange/tan	35m •	834Y	583604, 5412766
Brown sand w/ org	35m •	833 ^X Y	dried up seep.
Orange/brown - base of subcrop	40m •	832Y	583544, 5412774
Orange - base of small mound	30m •	831Y	583500, 5412764
Light orange - B mixed w/ E? thick leach	40m •	830Y	
Sandy orange/brown	40m •	829Y	583429, 5412776
Orange	40m •	828Y	
Light orange	40m •	12-827Y	
Dark orange	40m •	12-826 (Dup) 12-825Y	583303 5412765
Brown clayey loam	40m •	12-824Y	at base of subcrop
Brown, loamy w/ sand	80m •	12-823	583217, 5412786
	top of hill - no B		
Tan orange - shallower slope	80m •	12-822	583124, 5412777
Tan orange/loamy - side of slope	50m •	12-821Y	583096, 5412780
Tan/orange - side of slope	40m •	12-820Y	583046, 5412782
Sand w/ org.	0m •	12-819Y	583007, 5412784

About 15m from Hwy START

Hwy 614



Kaleb B

8/23

Line 19

Gowan Lake

Brng: E (90°)

E (90°)

End of Line

↓ (Base of slope)

Brown orange sand 30m • 12-844 583979, 5412778

Brown sand (base of slope) 40m • 12-843 Y 583968, 5412778

Orange - started going down 50m • 12-842 Y 583929, 5412784

Faded Cruiser Vest-orange 40m • 12-841 Y 583885, 5412781

Orange 40m • 12-840 Y

Orange - dried up seep 40m • 839 X 583808, 5412785

Brown loamy 25m • 838 Y - base of mound

Orange sandy 40m • 12-837 Y 583725, 5412786

Orange - thick E 40m • 12-836 Y

Orange 40m • 12-835 Y

(cont)

Slope to N  
RESEARCH TACOMA, WA  
www.ResearchTheRain.com

Kaleb B.  
8/27/2012  
Line A9

Gowan Lake Soil Survey  
Brng: W 270°

(cont.)  
W (270°)

Orange/Brown, sandy Rocky  
Orange 80m • 965 Y 582384, 5412777  
40m • 964 Y v. little B - no sample

Orange 40m • 963 Y just below outcrop w/ qtz vein.

Top of ridge - rocky outcrop  
w/ qtz vein - boudined  
took pictures 275°/85° N  
3 pics

Brown sand + org. rocky, v. little B 60m • 962 Y 582536, 5412781

Grey - v. rocky, almost no B 961 Y 582587, 5412780

Dark orange / brown clayey 40m • 960 Y 582615, 5412796

Wet brown sand 40m • 959 Y 582660, 5412795

Brown sand + duff bank of rocky drainage 40m • 958 Y 582695, 5412811

Orange / brown sandy clay 40m • 957 Y 582735, 5412807

Brown sand 40m • 956 Y 582772, 5412790

Grey clay w/ orange drainage west of tracks 30m • 955 Y 582833, 5412778

Light-grey clay 40m • 12-954 Y 582855, 5412780 just below tracks (5m)

Orange sand 45m • 12-953 Y

Brown sand 0m • 12-952 Y about 10m from

START stream on bank 582934; 5412781

contributing up drainage

Return on Rain

Kaleb B

8/27/2012

Line A9

Gowen Lk. S.S.  
Brng W (270°)

270° W



8-276002

Rusty looking metaseds - no sulfides, but v. altered.

End of Day

Orange

40m • 12-971 Y 582139, 5412780

Orange sand

40m • 12-970 Y

v. little  
B.

Grey + orange sand 40m • 12-969 Y 582216, 5412775

Brown sand

40m • 12-968 Y base of rocky slope

✕ ✕

Organics

40m • 12-967 X 582298, 5412782

✕ ✕ ✕

Grey clay

40m • 12-966 Y 582333  
(cont.) 5412793

Outcrop hill

Aug 28/12

L'A9

5412780

KD SF

B: 270° W

### END OF DAM / LINE

light brown / orange • 1016y 581462, 5412802

brown / orange • 1015y 581519, 5412800

large outcrop

light brown 22m • 1014y 581688, 5412777

TAN orange 37m • 1013y 581709, 5412775

light brown • 1012y 581746, 5412788

* large outcrop

dry small creek light brown • 1011x 581842 5412800

bald outcropping 100m?

brown clay • 1010y 581960 5412784

: claim line:

light brown 40 • 1009y 582007 5412795

light brown orange 90 • 1008y 582070 5412795

1/2 brown orange • 12-1007y 582101 5412784

Gowan Lake  
Line: A10

K Drake  
J. Florck

DATE: Aug 9

90°  
↑

10f1 orange brown 38m ● 213 y 583531 possible  
5412582 claimline

lt brown clay silt 42m ● 212 X 583493  
5412578

brown lt brown 43m ● 211 y 583451 5412581

lt. Brown 49m ● 210 Y 583408, 5412599

(Depression) Brown Sand 32m ● 209 Y 583359, 5412557

Orange brown 56m ● 208 Y 583327, 5412557

Orange Brown 51m ● 207 Y 583271, 5412572

No flag Brown 31m ● 206 Y 583225  
5412592

orange/brown ● 12-205 y 583194  
5412599

orange/brown ● 12-204 y 583161  
5412588

brwn loam ● 12-203 y 583132  
5412584

lt brown ● 12-202 y 583091  
5412568

lgt brown ● 12-201 y 583062  
5412565

Brown ● 12-200 y 583033  
5412582




133-88-10  
www.friterain.com

J. L. DARLING CORP. TACOMA, WA 98424-1017  
www.Friterain.com

No. 352

90°



↑  
Cont

AUG 28/12

L: A10

KD SF

B: 90° E

5412580 light brown 48m • 1006Y 582491, 5412587  
 light brown orange 41m • 1005Y 582443, 5412585  
 light brown 37m • 1004Y 582402, 5412583  
 orange 60m • 1003Y 582365, 5412583  
 brown 4m • 1002X 582305, 5412567

"D" Duplicates, 1001Y " " " "

light brown orange • ~~1000~~ 1000Y 582265 5412569

light brown 40 • 899Y 582210 5412575

grey brown 20 • 898X 582168 5412570

light brown orange 30m • 897Y 582124 5412577

orange brown 40m • 896Y 582098 5412584

light brown/orange 52m • 895Y ~~582056~~, 5412578

light brown/orange 48m • 894Y 582004, 5412569

light brown 45m • 893Y ~~581956~~, 5412577

light brown 68m • 892Y 581911, 5412580

STEEP CLIFF DOWN

orange brown • 891Y 581843, 5412574

brown • ~~8890~~ 8890Y 581800 5412585

orange brown • 889Y 581763 5412577

• 888Y 581718 5412580

down rock cliff big!

orange 69m • 887Y 581669 5412588

up rock cliff big!

Creek bed brown ~~12-8860~~ 8860Y 581500 5412586

START

Aug 29/12

L: A10

Gowan Lk

KD4SF

8:W 270°

END OF LINE

(END OF DAY) 08/29/12	light brown	885y	582559	5412599
	light brown	884y	582596	5412594
	Brown	883y	582634	5412592
	light brown	63m	882y 582700	5412584
	Brown	57m	881y 582763	5412581
	light brown	59m	880y 582820	5412595
	light brown	0m	879y 582879	5412590

steep rock face

SMET RAILWAY TRAIL



1041

Gowen Lake

Cont. - on Back  
270°

K. Dicke

J. Florek

All	Edge of sand Pit	75m	247 Y	583095, 5412391
August 9	2nd Pit - Brown	55m	246 Y	583170, 5412383
	brown sand	45m	245 Y	583225, 5412390
	brown sand	39m	244 Y	583270, 5412375
	lt brown	40m	243 Y	583309, 5412374
	brown	49m	242 Y	583349, 5412377
	brown	41m	241 Y	583398, 5412377
	Brown S	44m	240 Y	583439, 5412382
	Brown	58m	239 Y	583483, 5412398
	brown sand	18m	238 X	583541, 5412397
next to Jenny Crk	Sandy-brown	49m	237 Y	583559, 5412388
claim line		39m	236 Y	583592, 5412385
	brown	22	235 Y	583631, 5412374
	brown	38	234 Y	583652, 5412395
	brown	50m	233 Y	583690, 5412387
	brown	43m	232 Y	583746, 5412384
	brown	43m	231 Y	583783, 5412382
	lt. Brown	34m	230 Y	583826, 5412379
	Brown	40m	229 Y	583860, 5412382
	Brown "Wet"	53m	228 X	583900, 5412382
	Brown w/ org	59m	12-227 X	583953, 5412385
	Brown	0m	12-226 Y	584012, 5412386
	START			


Rusty Rock examine again

Bever pd "Jenny Crk."



J.L. DARLING CORP. TACOMA, WA 98424-1017  
www.RaintheRain.com

No. 352



HWY 614

Bis of slope

Lt Brown	18m	249 Y	583039
Brown	38m	248 Y	5412395
			583067, 5412388

Cont.

Aug 27/12 99-1

L: A11  
5412380.

KD+SF  
BEARING: 90°E

light brown

805 y 582293 5412394

light brown

25m • 864 y 582266, 5412381

tan/orange

59m • 863 y 582231, 5412358

light brown/orange

49m • 862 y 582172, 5412377

light brown

38m • 861 y 582123, 5412382

light brown

55m • 860 y 582085, 5412355

light brown orange

859 y 852030 5412361

small slope

Claim Line

orange

40m • 858 y 581982 5412362

orange

40 • 857 y 581942 5412376

light brown orange

40m • 856 y 581903 5412355

light brown orange

38 • 855 y 581856 5412366

Grey clay

54m • 854 y 581818, 5412382

light brown/orange

29m • 853 y 581764, 5412391

orange

33m • 852 y 581735, 5412385

Brown/orange (dup)

• 851 y duplicate

Brown/orange

43m • 850 y 581702, 5412379

light brown

• 849 y 581659 5412371

brown clay

• 848 x 581629 5412372

brown

• 847 y 581588 5412384

brown orange

46m • 846 y 581556 5412381

light brown

• 12-845 y 581492 5412382

SHAFT

Aug 27/12

L: All

KD, SF

Gowan Lk.

		END		
		- RAILWAY TRAIL -		
light brown		878 y	582887	5412393
— steep Rock Cliff —				
light brown orange	30m	877 y	582792	5412383
light brown orange	"D"	876 y	582770	5412378
tight brown orange	35m	875 y	<del>582770</del>	5412378
light brown orange	71m	874 y	582734,	5412385
light brown orange	54m	873 y	582663,	5412379
light brown orange	43m	872 y	582609,	5412382
light brown orange	33m	871 y	582566,	5412383
light brown / orange	67m	870 y	582533,	5412358
light brown orange		869 y	582466	5412342
light brown orange		868 y	582418	5412373
light brown orange		867 y	582355	5412393
light brown		866 y	582322	5412399

Cont'

Kaleb B. + Steve F.

8/9/2012  
Line A12Gowan Lake Soil Sampling  
B-Horizon Sampling  
Bearing: 90° E

	contine	90°	
very little B-horiz			
Wet brown sand/organics			12-098y 583671, 5412210
orange sand			12-097y 583622, 5412204
Brown clay/sand	Base 5m and crop		12-096y 583584, 5412194
Brown Sand			12-095 583544, 5412199
orange/brown			12-094 583494, 5412195
Orange/brown w/ rock frags			12-093 583450, 5412181 in grove of trees, subcrop.
Orange Sandy	in drainage @ base of outcrop		12-092y 583470, 5412211
* Outcrop → rusty looking patches			→ old sample flag @ outcrop??
Brown sandy loam - base of rock ledge			12-091y 583388, 5412178
Orange/brown			12-090y 583350, 5412178
			* 088 and 089 same loc. *
Tan sand (in stream)			12-089z 583321 on bank of stream going SE
Orange-brown sand ~50m			12-088z 5412180
Brown Clay 40 m			12-087 583270, 5412200
Tan Sand 28 m			12-086y 583230, 5412201
Orange brown 35 m			12-085y 583209, 5412196
Brown Clay 43 m			12-084y 583173, 5412183
Brown Clay 28 m			12-083y 583130, 5412174
Brown Clay on stream			12-082 583102, 5412185

contour sampling

Return to 2180

2180  
200  
1980HWY  
---

Kaleb B., Steve F.

Gowan S.S.

8/9/2012

Line A12

Comments

* Had to work around blowdown + outcropping

End of Line

Light orange

12-142 583992, 5412199

Orange sandy - little B-horiz.

12-141 Y 583963, 5412198

Orange/brown, w/ org

12-140 Y 583926, 5412200 *

Jan  
~~Brown~~ loam - clayey  
- very rocky  
some little frags!

12-139 Y 583884, 5412260

Light gray, some streaks of orange

12-138 Y 583840, 5412243

Blowdown + mostly outcrop - almost no B

Orange - little B-horiz, rocky Hom

12-137 Y 583766, 5412229

Light orange - very little B, rocky

12-099 Y 583719, 5412216

(cont.)


K. Boucher

8/28/2012

Line A12

Gowan Lake S.S

Brng: W(270°)



Return on Line

K. Bouchar


8/28

Line A12

Gowan Lake

Brng: 270° W

cont'd 1 of 2



J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com



K. Bauer

8/28/2012

Line A12

Gowan Lake S.S.


Dray W. 270°  
Card 2 of 2

270° W

cont. ...

Orange/brown sand 40m • 935 Y 581507, 5412203

Orange 50m • 934 Y 581550, 5412187



Orange sandy 40m • 933 Y drainage b/w ridges 581600 5412194

Tan/orange 40m • 932 Y

Tan sand - dried up seep • 931 X (-20m from edge of cliff) 581687 5412188


10m - high cliff going down.

Light orange/tan 45m • 930 Y 581716, 5412192

Orange 35m • 929 Y 581765, 5412187  
← drainage near top of ridge

Tan/orange - v. thin B 40m • 928 Y 581798, 5412179

Grey/brown sand - dried base of outcrop, up seep • 12-927 X 581850, 5412178



Brown/tan sand 45m • 12-926 Y (Dup) 581916 5412189  
base of outcrop

Rocky } Orange - thin B 40m • 12-924 Y 581961, 5412175

cont. ...

K.B.

8/28/12

Line A 12

B Ref 2

Gowan Lake S.S.  
Brng W (270°)

J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com

End of  
Line

Orange

40m

938 Y

581400

5412176

Grey sand

in peat bog - other  
edge

~35m

937 Y

581444

5412180

Brown sandy

edge of peat bog.

30m

12-936

581483

5412191

(cont...)

Kaleb B. + Steve F.

Crowan Lake Soil Survey

8/9/2012

B. Horizon

Line: A13

(270) Bearing West (270)

* ~~Crossed~~ claim line (N-S) (cont.)

Orange sand - near fallen tree roots 10m 12-162Y 583248, 5411977

Orange + dk brown 35m 12-161Y 583251, 5411978

Orange - light brown -35m 12-160Y 583285, 5411963

orange/sandy 42m 12-159Y 583326, 5411961

light orange / brown 49m 12-158 583368, 5411970

Orange - light 34m 12-157 583417, 5411973

orange 40m 12-156 583453, 5411976

orange 40m 12-155 583493, 5411978

Orange 30m 12-154 583531, 5411953

Light orange ~50m 12-153 583560, 5411935

* Brown loam w/ lth frags. 40m 12-152 583607, 5411923

Orange - moss covered, thin B ~35 12-151 583653, 5411918

Dark brown + orange base of rock layer 30m 12-150Y 583688, 5411916

Orange ~50m 12-149Y 583719, 5411912

Light orange - on slope, fairly rocky 12-148 Y 583769, 5411909

Light orange / tan 40m 12-147Y 583809, 5411930

Brown / orange 40m 12-146Y 583852, 5411956

Orange 40m 12-145Y 583898, 5411975

Tan clayey loam 40m 12-144Y 583933, 5411986

Orange / brown 0m 12-143Y In valley - drainage.

START 583972

5411985

Very large cliffs to east.

Many more frags

Contour surface

Return on Rain

Kaleb B. + Steve F.

8/9/2012

Line A: 13

Gowan Soil Survey

Brng W (270)

End of Day

About 15 m east of road, downhill  
in forest

Brown clay

~35m ● 12-164 583115, 541975

Brown gritty clay w/  
lithic frags.

~50m ● 12-163Y in small drainage


(cont) ~~583118~~ ~~5411969~~  
583159 5411975

L. A13 GOWAN LAKE SOIL SAMPLE

KD DI  
270°W

SECT 4/12

5411980



tan orange	45	• 1117 y	582206	5411980
tan orange	46	• 1116	582248	5411991
tan orange	46	• 1115	582289	5411987
grey clay	50	⊗ 1114	0582337E,	5411986N
tanned orange	50	• 1113	0582392E,	5411978N
tanned sand	45	⊗ 1112	0582458E,	5411989N
tanned orange	50	• 12-1111	0582506E,	5411990N
brown orange		• 12-1110	0592652E,	5411987N
tan	50	• 1109 y	582611	5411982
brown orange	46	• 1108 y	582663	5411989
brown orange	46	• 1107 y	582706	5411983
brown orange		• 1106 y	582750	5411977
brown sand	46	• 1105 y	582797	5411977
BROWN SANDY SOIL	46	• 12-1104	0582846E,	5411971N
BROWN SOIL		• 12-1103	0592887E,	5411985N
BROWN CLAY		⊗ 12-1102	0582935E,	5411991N
TANNED ORANGE		DUPPLICATE • 12-1101	0582945E,	5411990N
TANNED ORANGE		• 12-1100	0582995E,	5411990N

START

L: A13  
 SEPT 7/12  
 5410980

KD LK  
 GOWAN LAKE SS

Brown Orange (red) up creek 44M 1210Z 582167,5411987

Light brown 52M 1209Y 582123,5411966

Light brown 40M 1208Y 582071,5411978

Tan Orange 41M 1207Y 582031,5411979

Dark brown sand near pond 45M 1206X 581990,5411980

Dark brown sand edge of pond 53X 1205X 581945,5411967

lt brown 45 1204 Y 581892 5411964

lt brown orange 1203 Y 581844 5411968

lt. brown orange 1202 Y 581817 5411979

PEAT BOG No SAMPLE

brown orange DUBICATE 1201 y " " " "

brown orange no bag 1200 y 581697 5411973

brown orange ~~1097 y 581697 5411973~~  
 (changes made to bag #s due to error)

Brown Orange 25 1098 Y 581670,5411989

Brown 33 1097 Y 581608,5411977

grey clay 37 1098 Y 5811575,5411974

Tan Orange 43M 1096 Y 581532,5411975

Brown Orange, bottom of small hill. 12-1095 y 581489,5411979

START

A13  
 A14

Gowan Lake  
 Aug 8, 2012

J. Florek  
 S. Fox

Line: AM

900



END Line (on side of Hwy)

Brown loam 63m 114Y 583996, 5411743

¹⁷/₃₃ Brown sand 23m 117Y 583933, 5411768

orange loam 45m 116Y 583910, 5411766

Brown sand 36m 115Y 583865, 5411783

Edge P Bog Brown sand 1250m 114X 583829, 5411790

v v X } N samp. P. Bog v  
 v v X

Edge Pete Bog

No sample

Pete 49m 113X 583709, 5411789

Edge Pete Brown clay 42m 112Y 583660, 5411789

claim line 34m 111Y 583618, 5411802

Brown 41m 110Y 583584, 5411789

Brown 57m 109Y 583543, 5411783

Org. r./ Brown clay 19m 108X 583486, 5411794

51m 107Y 583467, 5411786

Brown loam 37m 106Y 583416, 5411786

orange/brown clay 48m 105Y 583379, 5411785

Brown clay 44m 104Y 583331, 5411795

Base of cliff Brown clay 27m 103Y 583287, 5411792

Brown clay 45m 102Y 583240, 5411781

Brown clay 36m 101Y 583215, 5411782

Brown clay 0m 12-100 Y 583179, 5411768

START Manitowadge Hwy

SEPT 4/12

GOWAN LAKE SS.

KD 31  
90°E

L: A14

5411780

Downs  
Rocks

RR  
END OF LINE @ TRACKS.

- tanned sand ● 1131 Y 05821019, 5411793 N
- grey sandy loam ● 1130 Y 0582953 E, 5411789 N
- tan ● 1129 Y 582917 5411779
- brown clay ● 1128 y 582877 5411786
- orange brown ● 1127 y 582839 5411784
- orange brown Duplicate ● 1126 y 582796 5411788
- orange brown ● 1125 y 582796 5411788
- orange brown ● 12-1124 Y 0582758 E, 5411787 N
- tanned orange ● 12-1123 Y 0582695 E, 5411778 N
- gray sandw/light brown ● 12-1122 Y 0582613 E, 5411789 N
- light brown ● 12-1121 Y 0582590 E, 5411783
- tan orange ● 12-1120 y 0582535 E, 5411784 N
- tan orange ● 12-1119 y 582499 5411782
- tan ● 12-1118 y 582462 5411771

START FROM LAKE



L: A14  
 Sept 7/12  
 5410980

KD ~~UK~~ UK  
 Gowanus UK  
 S.S

J.L. DARLING CORP. TACOMA, WA  
 www.RiteintheRain.com

EOL

brown orange 1223 581483 5411777

brown orange 1222 581541 5411777

brown orange 1221 581589 5411764

grey tan 12204 581627, 5411778

Orange tan 12194 581679, 5411778

Tan Orange 12184 581715, 5411776

side of hill  
 grey sand 12174 581758, 5411721

No sample  
 BOSSA

light brown, BOSSA 12164 581961, 5411785

tan orange 12154 582056 5411776

clawline

tan orange 12144 582097 5411768

tan sand 12134 582134 5411779

brown orange 12124 582175 5411783

tan orange 12-12114 582214 5411791

No sample @ LAKE EDGE  
 STREET SHIP 80 ROCK o/c

Flower  
Lake  
Aug 8, 1962

J. Florek  
S. Fox

Line: A15

270°

END line @ 3:30 pm

614 Hwy

Base of Rock Cliff.

Orange blown 44m 136y 583229 5411525

Orange Brown 48m 135y 583273, 5411601

Orange Brown 58m 134y 583321, 5411605

Orange Brown 53m 133y 583379, 5411606

Orange Brown loam 37m 132y 583432, 5411591

Brown 55m 131y 583469, 5411589

Orange Brown 36m 130y 583515, 5411573

Brown Sand 43m 129y 583551 5411572

Brown Sand 42m 128y 583584 5411574

Claim line

Orange Sand 42m 127y 583638, 5411577

Bank of  
Pd

Brown Sand + Mica 58m 126y 583670 5411572

out crop  
of rock  
Pd



Bank of

Pond Brown Sand / mica 61m 125y 583732, 5411542

base of slope Brown clay 43m 124y 583796; 5411550

base of slope Orange Brown 35m 123y 583839, 5411530

Brown 37m 122y 583874 5411526

Brown Clay loam 43m 121y 583911, 5411527

Brown loam 22m 120y 583954, 5411527

Brown loam 0m 119y 583976, 5411525

START

No. 302

Kaleb B. + Louis K.

Gouge Lake S.S.

9/4/2012

Brng: W 270°

Lnc AIS

270° W

Orange

40m • 12-973 Y 582706, 5411584

Orange, sandy - flat area 40m • 12-972 Y 582740, 5411585

Rocky Area  
Iron w Sandfish

50m • 949 Y 0582775, 5411591

Tan Sandy

50m • 948 Y 0582725, 5411577

Orange, ~~is~~  
is thicker  
Top of cliff

48m • 947 Y 0582878, 5411581

Light brown Sand

40m • 946 Y 0582927, 5411584

Base of large cliff

Orange clay 10m • 945 Y 0582968, 5411587

Tan sand.

40m • 944 Y 582978, 5411584

Brown - near top of  
w/ org. ridge

45m • 943 Y 583014, 5411587

Orange - base of rocky  
slope

35m • 942 Y 583058, 5411590

R. R. Tracks

Light Tan clay

40m • 12-941 Y 583085, 5411583

Tan clay

40m • 12-940 Y 583117, 5411588

Grey clay

0m • 12-939 X 583156

bank above creek

START

creek 20-30m from Hwy

Return to Page

K.B. L.K.

9/4/12

Line A15

Gowan Lake Soils.


Brng w (270°)

270°



End of Line.

Pinegrove Lake



Grey sand w/ org  
l. rocky. little B

60

m

12-976 Y

12-975 Y

582610, 5411581

~~582622, 5411592~~

Orange - in small catchment  
(cont...)

12-974 Y

582664

5411598

40382

Kaleb B. + Dune I

9/7/2012

Line A 15

Gowan Lake S.S.

Brng ~~170°~~ 90°

90° E  
~~170°~~

	last sample of A 15		last sample of A 15
	↓ ↓ ↓		↓ ↓ ↓
	orange sand } Edge of lake	12-1185 Y	582137E, 5411568 N
	tanned brown sand	12-1184 Y	582098E, 5411578 N
down hill	Orange	12-1183 Y	582045, 5411574
top of ridge	Orange - near top	12-1182 Y	582001, 5411582
up hill	Orange - side of slope	12-1181 Y	581959, 5411575
	Orange, base of outcropping	12-1180 Y	581921, 5411674
	Orange, sandy - very thick E	12-1179 Y	581878, 5411583
	light brown sandy clay	12-1178 Y	581850E, 5411596N
	Orange brown sand	12-1177 Y	581809E, 5411592 N
	Light " " " clay	12-1176 Y	581776E, 5411585 N
	Light brown sandy clay	12-1175 Y	581766E, 5411585 N
	Dark brown clay (thick) (orig)	12-1174 X	581724E, 5411575 N
	Green sandy clay	12-1173 Z	581678E, 5411561 N
	Brown, sandy - base of slope 40m	12-1172 Y	581637, 5411557
	Orange - flatter area 50m	12-1171 Y	581613, 5411569
may have been forgotten	Orange - top of hill 30m	12-1170 Y	581567, 5411574
	Light brown/grey (rocky area) 40m	12-1169 Y	581535, 5411578
	Orange/tan 40m	12-1168 Y	581499, 5411577
	Orange/tan 0m	12-1167 Y	581464, 5411580
	START		

Return in Rain

Kaleb B. + Kyle D.

Aug 8, 2012

Line A16.

Cowan Lake Soil Sampling

B-Horizon S.S.

Bearing ~~West~~ East 90°90°  
(180°) ~~E~~  
↑  
continue

Brown/sandy	12-051 (Dup)	583623	
	12-050	5411388	
Tan	12-049 Y	583583 541386	
Orange brown loam	12-048 Y	583545 5411396	
Wet Brown gritty sand	med. coarse fine sand sand	583505	in stream heading SE
	12-047 Z	541378	
Brown gritty sand		583465	in stream
	12-046 Z	5411397	E-W
1/2 brown/great band Sandy	12-045 Y	583447 5411391	drainage area
tan/orange	12-044 Y	583426 5411394	
tan/orange	12-043 y	583395 5411380	
tan + brown	12-042 y	583339 5411371	Mostly A hor. / rocky
tan loam	12-041 y	583305 5411380	
brown & clay/loam	12-040 y	583261 5411378	loam from road
	start		

○ = X seep  
 ● = Y soil  
 ↘ = 2' stream

Line A16 (cont.)

End of Line

rocky sed. trap  
on up slope hill.

Gritty, sandy tan

060Y

583995  
5411380

orange-tan

059Y

583952  
5411364

orange tan - thick E

12-058Y

583926  
5411382

flatter  
area, on  
side of hill.

orange/tan

12-057Y

583891  
5411380

in drain^{now}  
N-S  
heading  
drainage

orange/brown

12-056y

583850  
5411375

brown loam

12-055y

583790  
5411384

tanish/sandy

12-054y

583757  
5411428

A horizon  
thick

brown

12-053y

583709  
5411416

brown

12-052y

583656  
5411397

Drained  
oxidized  
spots

K. Boucher + Louis K.

End of line

Cowan Lake S.S.

9/4/2012

Brng: E (90°)

Line A16

90°  
 grey clay in swampy  
 area, this is the  
 same as the 10m from  
 the delivery of  
 Tan Clay

35m 989Y 583130, 5411394

35m 980Y 583116, 5411391

Tan-clayey 35m 987Y 583079, 5411384

Tan 55m 986Y 583046, 5411392

Grey + brown - side of slope 55m 985Y 582992, 5411373

Light brown - loamy ~30m 984Y 582937, 5411365  
 just below outcrop 9-101001

Orange - side of slope 40m 983Y 582869, 5411351

Brown Clay with mostly organic stuff, Rocky area 50m 982Y 0582827, 5411384

Orange 35m 981Y 0582774, 5411385

Brown orange, gravelly 40m 980 0582744, 5411387

Orange 30m 979Y 0582699, 5411394

Light Brown 48m 978Y 0582668, 5411377

10m from lake  
 Orange, Red

0m 977Y 0582620, 5411381

START

Pinegone Lake

cont. (p. 2)



No. 892

LINE A 16 SEPT 7, 2012

Brng 270°

Kaleb B & D.I  
Gower Lake 3.5

270° W

End of Day

Go back + look @ GL5, GL6 area  
9-661002 - qtz vein

FIN.

Stream??  
Pest-boggy

Grey Sandy clay	0	12-1265 X	581500E, 5411370N
Grey w/ orange	●	12-1264 X	581539E, 5411374N
Grey + orange sand	●	12-1263 X	581586, 5411372
Light brown	●	12-1262 Y	581622, 5411379
Tan sandy - mix of leach	●	12-1261 Y	581659, 5411377
Light brown base of cliff	●	12-1260 Y	581702, 5411360
Orange - side of slope	●	12-1259 Y	581742, 5411357
Orange - thick E	●	12-1258 Y	581772, 5411355
orange sand	●	12-1257 Y	581805E, 5411354N
tanned orange	●	12-1199 Y	581855E, 5411369N
Faded orange sand	●	12-1198 Y	581844E, 5411362N
Orange Sand-tan	●	12-1197 Y	581912E, 5411382N
Orange sandy ~50m	●	12-1196 Y	581948, 5411387
Tan/light brown - rocky, thin 30m	●	12-1195 Y	582001, 5411388
Tan sandy - base of ridge	60m	12-1194 Y	582030, 5411386
Light brown	10m	12-1193 Y	582091, 541394
Tan sand - base of slope	50m	12-1192 Y	582135, 5411397
light brown soil	●	12-1191 Y	582179E, 5411388N
light brown to orange	●	12-1190 Y	582240E, 5411369N
light brown	●	12-1189 Y	582281E, 5411378N
orange sand	●	12-1188 Y	582327E, 5411386N
light brown sand	●	12-1187 Y	582366E, 5411394N
orange sand	●	12-1186 Y	582410E, 5411388E

countouring in valley

in line

Base of slope

rocky by late

Pinegrove Lake

Start Edge of lake

Kaleb B. + Kyle D.

Aug 8, 2012

Line A17

Gowan Lake Soil Survey

B-Horizon Soil

Bearing: West (270)

cont. ↑

270 Az. ↑

orange/tan

12-07A 583515  
5411186

Orange

12-071Y 583558  
5411184

orange loam

12-070Y 583586  
5411179

flatter  
gently  
downhill

orange/tan

12-069Y 583621  
5411168

orange/tan

12-068Y 583653  
5411169

base of  
slope

light orange/tan

12-067Y 583687  
5411184

flattening  
out

orange/tan

12-066Y 583714  
5411152

tan/orange

12-065Y 583762  
5411164

Declin-  
ing  
base of  
ledge

brown loam

12-064 583823  
5411180

orange/tan

12-063y 583876  
5411172

possible  
drainage

orange/tan

12-062Y 583922  
5411166

Tanish/orange

0 m 12-061Y 583998 mE  
5411184 mN

START

flatopen area.

Photo on page

Line A17

8/8/12

continue

W(290)

about 20m to west, up slope

ROAD

Tried to get far enough from road to eliminate contamination.

Brown clayey loam

12-080

583303  
5411190

wet brown sand - in SE trending stream

~~12-079~~

12-079

583315

5411183

Brown sand - close to boulder patch

12-078

583335 in drainage  
5411178

light brown sand

12-077

583377 v. little B.  
5411176

brown/med grain sand w/org

12-076

(DUP) 583400 v. little B. Hor. Sel. Rocky

12-075

5411164

brown coarse grain sand  
rock frag.

12-074

583447  
5411175

orange

12-073

583481  
5411185

Cont'

Kaleb B. + Kyle D.  
line A17 (cont.)

8/8/12

Wetland clay

• 12 = 081 X  
Cont.

583258  
5411188

A17  
GEOchem - Gowen Lake

A17  
270°  
↑

J. Florck  
L. Kwisswa  
Aug. 6, 2012

			END of lake
Brown "near Lake"	41m	1144 Y	582700, 541152
Brown-Orange	39m	1143 Y	582749, 541184
Brown-Orange	61m	1142 Y	582788, 541186
Brown top of hill	71m	1141 Y	582827, 541163
			cliff
Tan silt near cliff	111m	1140 Y	582898, 541179
Tan silt lots of organic	31m	1139 Y	582909, 541177
Brown Loam	38m	1138 Y	582940, 541178
Brown Clay	40m	1137 Y	582982, 541193
Old river, light brown	19m	1136 Y	583012, 5411200
			old z
Light brown clay	42m	1135 Y	583031, 541209
light brown with gravel	96m	1134 Y	583072, 541216
Brown clay		12-1132 Y	583168, 541179
Brown clay	11m	12-1133 X	583179, 541181

90°  
↓

Gonzon Lake S.S SEPT 10, 2012

A172


John Florek  
Diane Inesse

90°

CONT... ON Back

Orange Brown	33m	1373 Y	582309, 5411177
leach w/ some brown (max)	41m	1372 Y	582276, 5411175
Orange Brown	52m	1371 Y	582235, 5411181
Orange Brown	36m	1370 Y	582183, 5411175
Orange Brown	43m	1369 Y	582147, 5411166 N
flanned orange brown w/ lil orange	24m	1368 Y	0582104E, 5411166N
dark brown		1366 Y	0582033E, 5411163N
dark brown	41	1365 Y	0582014E, 5411198N
orange brown	48m	1364 Y	0581973E, 5411192N
damp silt	41m	1363 X	0581931E, 5411201N
xerof ^{to Ken} folds in ^{Rock} Orange brown	42m	1362 Y	0581990E, 5411206N
GL006 Dark Brown	39m	1361 Y	581852, 5411197
Orange Brown	32m	1360 Y	581813, 5411197
Orange Brown	33m	1359 Y	581781, 5411188
Orange Brown	56m	1358 Y	581748, 5411187
Orange Brown	32m	1357 Y	581692, 5411185
Orange Brown	29m	1356 Y	581660, 5411203
Orange Brown	53	1355 Y	581631, 5411181
Orange Brown	17m	1354 Y	581578, 5411180
	27m		valley or ridges
orange brown		1363 Y	0581561E, 5411178N
orange brown	52m	1352 Y	0581534E, 5411182N
light brown		1351 Y	0581482E, 5411181N Dupl.
light brown	0m	1350 Y	0581482E, 5411181N

A17b



Drainage way into lake  
 Sandy-gravelly - Soil

Pinegrove  
 Lake

dark brown sand  
 orange brown  
 orange brown  
 orange brown

12-1377Y 0582407E, 5411178N  
 12-1376Y 0582377E, 5411176N  
 12-1374Y 0582347E, 5411189N

( ) duplicate

900

A18

Gowen Lake

A18

900

J. Flaven

L. Kossiwiz

Aug 6

Brown clay	62	1166 X	583168, 5410970	No Fl
Brown	35m	1165 Y	583106, 5410983	
Brown	49m	1164 Y	583071, 5410982	
Brown	31m	1163 Y	583022, 5410978	
	14m	1162 X	582991, 5410974	
In Bay w/orig. "White Gray Clay"	39m	1161	582977, 5410974	
Gray clay	41m	1160 Y	582938, 5410968	
Brown	31m	1159 Y	582897, 5410963	
Brown	35m	1158 Y	582856, 5410964	
Brown	45m	1157 Y	582820, 5410967	
V. Rocky Post Bay ≈ Margin	40m	1156 S		
Brown	48m	1156 Y	582754, 5410962	
Brown, rock side of hill	45m	1155 Y	582706, 5410958	
TAN	34	1154 Y	582654, 5410957	
Brown	47m	1153 Y	582617, 5410959	
Org w/sand	15m	1152 Z	582564, 5410958	Pinnage N2y.
TAN	44m	1151 Y	582549, 5410954	
Brown = No Flag	45	1149 Y	582505, 5410953	
lt. Brown/tan	37	1148 Y	582460, 5410958	
Brown w/orange	47m	1147 Y	582423, 5410948	
Brown (orange)	30m	1146 Y	582376, 5410950	
Orange Brown	Lake	12-1145 Y	582346, 5410956	
		START.		



Sept 10  
Gowen Lake

A18b

A18  
270°

John  
Duane

END line

Orange Brown.	52m	X	1397 Y	581497, 5410992
orange - brown	33m	●	1396 Y	581545, 5410983
Tan - Orange	44m	●	1395 Y	581578, 5410975
(No. Flag) Tan w/ leech (v. Boney)	39m	●	1394 Y	581622, 5410974
Tan-Orange/Brown	36m	●	1393 Y	581661, 5410976
tanned orange	44m	●	12-1392 Y	0581697E, 5410977N
tanned brown	42	●	12-1391 Y	0581741E, 5410986N
tanned brown	45	●	12-1390 Y	0581783E, 5410992N
orange brown	40m	●	12-1389 Y	0581828E, 5410989N
orange brown	36m	●	12-1388 Y	0581865E, 5410991N
orange brown	44m	●	12-1387 Y	0581904E, 5410986N
orange brown	31m	●	12-1386 Y	0581948E, 5410982N
tanned orange	47m	●	12-1385 Y	0581979E, 5410965N
(some leech) Brown-Orange	34m	●	1384 Y	582032, 5410955
Brown clay	40m	●	1383 Y	582066, 5410970
Brown-Tan.	54m	●	1382 Y	582104, 5410980
TAN	55m	●	1381 Y	582150, 5410986
TAN	35m	●	1380 Y	582195, 5410983
TAN.	33m	●	1379 Y	582230, 5410969
orange brown	0m	●	12-1378 Y	0582263E, 5410962N

270°

A: 19

SEPT 10/12

5410780

●-Y

○-X

⊙-Z

DIKD

270°W

GOWAN LAKE SOIL

LAST COORDS 582248 5410781

EOL FROM RRW TRX (1/2 hr)

gray brown	●	12-1069 Y	582248	5410781
tan	●	12-1068 Y	582287	5410788
(descending ridge) light brown	●	12-1067 Y	582325	5410780
gray brown sand	○	12-1066 X	582366	5410776
gray brown sand	⊙	12-1065 X	582404	5410790
tanned soil	●	1064 Y	0582448E,	5410780N
tanned orange	●	1063 Y	0582486E,	5410774N
tanned orange	●	1062 Y	05820530E,	5410786N
tan orange	●	1061 Y	0582592E,	5410788N
brown orange	●	1060 Y	0582630E,	5410782N
tan orange	●	1059 Y	582683	5410780
tan orange	●	1058 Y	582713	5410788
(side of ridge) light brown (thin B)	●	1057 Y	582763	5410794
(side of rise) grey sand (thin B)	●	1056 Y	582798	5410787
brown sand (base of rise) 2'	●	1055 Y	582838	5410788
GREY CLAY (MUSKEG)	○	12-1054 X	0582862E,	5410779N
NO SAMPLE (ALL ORGANICS)		<del>12-1054</del>	(MUSKEG)	
tan sand	●	12-1053 Y	0583014E,	5410776N
tan orange	●	12-1052 Y	0583057E,	5410780N
brown clay (duplicate)	●	12-1051 Y	0583132E	
brown clay	●	12-1050 Y	5410782N	

START 5410780

19+10

SEPT 10/12

L: A19

5410780

KD LK

Gowank

90° E

EOL

brown orange

• 1293 y 582201 5410779

brown orange

• 1292 y 582166 5410780

Tan Orange

• 1291 y 582132, 5410783

Tan Orange

• 1290 y 582096, 5410781

Tan Orange

• 1289 y 582058, 5410776

Tan Orange

• 1288 y 582021, 5410786

Tan

• 1287 y 581986, 5410781

tan orange

do. 1286 y 581934 5410763

(birch stand)

tan orange

• 1285 y 581895 5410778

tan orange

• 1284 y 581856 5410772

tan orange

• 1283 y 581816 5410769

tan orange

• 1282 y 581772 5410774

Tan Orange

• 1281 y 581735, 5410774

Tan Orange

• 1280 y 581699, 5410783

Tan Orange

• 1279 y 581664, 5410791

Tan Orange

• 1278 y 581626, 5410780

Tan Orange

• 1277 y 581575, 5410786

tan orange (DUPLICATES)

• 1276 y 581539 5410770

tan orange

do. 1275 y 581539 5410770

brown orange

• 12-1274 y 581499 5410777

START

J.L. DARLING CORP. TACOMA, WA  
www.RiteInRain.com

Louis K. Adams, B  
 Sept 25, 2012  
 Line A-19

Garden Lake S.S.  
 Bearing 90° E

90° E  
 ↑

End of line

Orange	• 12-19780 Y	583921, 5410588
Reddish brown, faintly bedded by color in location. Unfortunately we had to grab	• 12-1849 Y	583958, 5410796
Brown	• 12-1848 Y	583921, 5410784
Light brown	• 12-1847 Y	583881, 5410808
Dark brown orange	• 12-1846 Y	583853, 5410897
Light brown	• 12-1845 Y	583820, 5410775
Light Brown	• 12-1844 Y	583767, 5410797
Brown orange	• 12-1843 Y	583742, 5410792
Orange	• 12-1842 Y	583696, 5410785
		No sample

Bottom of well all organic

Orange	34th 12-1841 Y	583641, 5410784
Orange Brown	32nd 12-1840 Y	583610, 5410782
orange Brown	43rd 12-1839 Y	583578, 5410775
Reddish clay	• 12-1838 Y	583535, 5410780
Brown, Orange	• 12-1837 Y	583493, 5410779
Orange brown	• 12-1836 Y	583461, 5410785
Reddish brown	• 12-1835 Y	583425, 5410793
Bottom of hill / brown	• 12-1834 Y	583338, 5410784

Greysand & clay  
 Highway

Start

A: 20  
SEPT 6/12

● Y  
○ X  
∅ Z


DI KD

90° E

GOWAN LACE SS

( )	light brown w/ org brown soil	● Y	12-1092 0583086E, 5410592N
		● Y	12-1091 0583035E, 5410594N
	tan orange	● Y	12-1090 0582989E, 5410579N
( )	tan orange	●	1089 y 582959 5410580
	tan orange	●	1088 y 582919 5410588
	orange	●	1087 y 582883 5410583
( )	lt brown grey sand rusty orange tan	● X	1086 x 582844 5410582
		●	1085 y 582799 5410581
	light brown in depression	● Y	12-1084 0582757E, 5410583N
	tanned brown	● Y	12-1083 0582706E, 5410581N
	grey clay w/ sand	○ X	12-1082 0582661E, 5410597N
	light brown	● Y	12-1081 0582622E, 5410590N
	tanned orange	● Y	12-1080 0582580E, 5410588N
	light brown	●	1079 y 582533 5410589
( )	tan orange	●	1078 y 582485 5410580
	light brown	●	1077 y 582444 5410580
	brown orange <u>DUALICATE</u>	● Y	12-1076 y 582405 5410577
( )	brown orange	●	12-1075 y 582405 5410577
	light brown	● Y	12-1074 0582373E, 5410587N
	tanned orange	● Y	12-1073 0582326E, 5410589N
( )	brown sand	● Y	12-1072 0582277E, 5410581N
	tanned orange	● Y	12-1071 0582247E, 5410578N
	tanned orange	● Y	12-1070 0582198E, 5410574N

START 5410580



light brown clay  
tanned sand

Ox  
12-1094 0583172E, 5410578N  
● Y  
12-1093 0583125E, 5410589N



Sept 10/12

L: A20

5410580

KD LK  
Gowan Lk  
270°W

J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com

EDL (@ the trail)

tan orange	• 1303 y	581810	5410588
tan orange	• 1302 y	581840	5410585
Tan Orange	• <u>13010</u> 13000	581886	5410587
Tan Orange	• 1299 y	581927	5410580
Tan Orange	• 1298 y	581972	5410577
Tan Orange	• 1297 y	582018	5410575
tan orange	• 1296 y	582066	5410515
tan orange	• 1295 y	582111	5410575
brown orange	• 12-1294 y	582156	5410570

START

Sept 10/12

L:20

5410580

KD, LK  
6awNKK

270°W

J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com

EoFL to west

boggy	grey clay	12-1273 y	581489	5410577
boggy	grey clay	12-1272 y	581577	5410573
(boggy)	brown orange	12-1271 y	581573	5410562
	Gray clay, boggy area	12-1270 y	581611	5410574
	Tan	12-1269 y	581643	5410578
	Light brown clay	12-1268 y	581684	5410572
	Light brown	12-1267 y	5817712	5410581
	Light brown sand 253 drain area	12-1266 y	581759	5410577
	STRET			

19 | 63  
20 | 24  
21 | 22



Louis K. Adams. B  
 Sept 25, 1930  
 Line A-20

Gowing Lakes S  
 Bearing 270° W

270° W

J. L. DARLING CORP. TACOMA, WA  
 www.RiteintheRain.com

Hillside

coming down

End of Line

Bottom of hill

Dark Brown clay	12-1937Y	583350	5410588
Brown orange	12-1936Y	583370	5410588
Dark orange	12-1935Y	583397	5410585
Light Brown/orange	12-1934Y	583425	5410578
Reddish Brown clay	12-1933Y	583469	5410583
Dark Orange	12-1932Y	583509	5410584
Dark Brown Orange	12-1931Y	583548	5410581
Dark Orange	12-1930Y	583581	5410590
Light Orange	12-1929Y	583609	5410589
Brown Orange or gray brown	12-1928Y	583654	5410590
Reddish dark brown	12-1927Y	583712	5410582
Orange	12-1926Y		
Dark Brown	12-1925Y	583756	5410590
Brown orange	12-1924Y	583798	5410578
Brown orange	12-1923Y	583868	5410582
Brown orange	12-1922Y	583902	5410586
Orange	12-1921Y	583940	5410582

marshy area

38m

start

Kaleb B.

9/6/2012

Lines A & B

Gowan Lake S.S.

Brng W 270°

270° W

rocky - thin B

End of Line - very rocky + steep up slope.

Grey gravel - v.l. Hlc B 38v • 12-1256Y 583361 5410377

Brown gravel  
(on bank above hwy) 0m • 12-1255Y 583326 5410388

START

== Hwy 614 ==

Completed Line East of Hwy 614

End of Line - continue on other side of hill for rest of line

Tan w/orange streaks • 12-1028Y

582418  
5410373

Orange clayey - thick B? • 12-1027Y

582453  
5410358

Orange/tan 40m • 12-1026Y

582503  
5410375

Brown/grey sandy 40m • 12-1024Y  
just below outcrop cont.

582544  
5410385

contouring around  
Top of ridge - mostly outcrop just to North

Kaleb B

9/6/2012

Line A21

Gowan Lake SS

Dip: 270° W

Soil Description	Depth (m)	Sample ID	Notes
Tan loamy <del>clay</del>	60m	12-1023 Y	270°(W) cont... lower, flatter, nearing top of mountain
Orange/tan	40m	12-1022 Y	582632, 5410386
Brown clay - in small drainage	40m	12-1021 Y	582660, 5410386
Orange/tan	40m	12-1020 Y	582701, 5410388
Orange, sandy	40m	12-1019 Y	582741, 5410395
Tan clay	40m	12-1018 Y	582783, 5410392
Orange + white; rocky - thick E-horiz		12-1017 Y	582821, 5410383
Orange - side of down slope	45m	999 Y	582863, 5410385
Orange/tan	30m	998 Y	582909, 5410386
Orange-brown	45m	997 Y	582944, 5410385
Light orange/tan	35m	996 Y	583007, 5410380
Orange/brown	30m	995 Y	583038, 5410378
Tan sandy - v. thin B	40m	12-994 Y	base of rocky outcropping area
Orange/brown sand	40m	12-993 Y	side base of slope 583126, 5410387
Orange/tan clay - <del>base</del> of	35	12-992 Y	base of small cliff
Brown clay	50m	12-991 Y	583189, 5410382
RR Tracks			
Grey sandy clay	0m	12-990 X	583237, 5410378
START			

off Creek - just  
off hwy 614

Kaleb B.

9/10/2012

Line A21

Gowan Lake S.S

Brug E (90°)

		90°			
		contin.			
going up hill	comparing	Orange - v. rocky	40	12-1458 Y	582164, 5410356
		Orange - rocky, no B	40m	12-1457 Y	582122, 5410376
		Orange - side of slope	40m	12-1456 Y	582079, 5410388
		Brown sand w/ org - in drainage just off of trail.	40m	12-1455 X	582041, 5410387
Trail					
		Tan clay - center of seep?	35m	12-1454 X	582002, 5410395
		Tan clay	40m	12-1453 Y	581970, 5410395
		Light tan clay	50m	12-1452 Y	581928, 5410393
				12-1451 Y	
		Light tan - v. thick E	40m	12-1450 Y	581880, 5410382
* cloud cover??		White/kakhi clay mostly E? no B.	40m	12-1249 Y	581840, 5410391
Northing off?		Light Tan clay - mostly E-horiz?	40m	12-1248 Y	581803, 5410385
		Kakhi-colored clay	40m	12-1247 Y	581758, 5410402*
		Light brown-clayey	40m	12-1246 Y	581717, 5410398*
		Kakhi-colored sand	40m	12-1245 Y	581680, 5410390
		Tan sand	40m	12-1244 Y	581634, 5410388
		Light brown sand	40m	12-1243 Y	581592, 5410384
		Brown sandy clay	40m	12-1242 Y	581548, 5410384
		Gray sandy clay	40m	12-1241 Y	581505, 5410385
		Brown sand, in creek on edge of marshy area	on	12-1240 Z	581461 5410374
				START	

K. Boucher

9/10/2012

Line A21

Gowan Lake  
Brng E (90°)

90° E



Meets up w/ Line A21  
from 9/6/2012

Rocky Ridge

very steep

almost no B

very steep + rocky -  
no sample

very rocky up hill

Brown sand w/org. 40m 12-1462 Y 582321, 5410370

Orange/tan 30m 12-1461 Y 582282, 5410388

Orange + tan 40m 12-1460 Y 582251, 5410388

Orange - rocky v. little B 40m 12-1459 Y 582201, 5410368

Cont...

Kaleb B  
# 9/6/2012  
Line A22

Gowan Lake S.S.  
Brng. 90° E

90°

outcrop

Gray/brown sandy - base of outcrop.	40m	1043 Y	582980, 5410192
Gray / brown sandy thin B	30m	1042 Y	582941, 5410177
Gray-sandy - v. thin B almost none	40m	1041 Y	582886, 5410177
Orange/brown	40m	1040 Y	582849, 5410182
v. thin B - almost none: side slope			
Light orange	60m	12-1039 Y	582812, 5410185
Light brown clay	70m	12-1038 Y	582766, 5410190
--- Mt. Claim line ---			582718, 5410184 - no B horiz. thin covered subcrop
Light orange/tan	40m	1037 Y	582672, 5410185
Tan sand - some sort of dec. age?	30m	1036 Y	582629, 5410190
Brown, sandy	50m	1035 Y	582604, 5410185
Orange	35	1034 Y	582555, 5410179
Orange -	50m	1033 Y	582522, 5410178
Orange/tan	40m	12-1032	582477, 5410176
Tan/orange	40m	12-1031 Y	582432, 5410178
Orange - thin B rocky	40m	12-1030 Y	582395, 5410183
Orange Side of slope	0m	12-1029 Y	582355, 5410175
		START	

trace fall w/ exposed chert int. volcanics. No sulfides. Minor Fe stringers

v. thin B  
thickly covered subcrop

rocky

Alt. in. in. in.

K. Boucher

9/6/2012

Line A22

Gowan Lake S.S.

Brng 90° E

90°

END OF LINE

Rocky rest of way up

Rocky side of slope

Orange B-Horiz w/E 40m 12-1254 Y 583418, 5410186

Tan sandy (E horiz?) 40m 12-1253 Y 583387, 5410186

Tan gravelly sand 0m 12-1252 Y 583347, 5410184  
crossed a fence for soil smp HX-11-862

--- Hwy 614 ---

Marshy

Tan sand (~20m from Hwy) 15m 12-1251 (dup) 583301, 5410180  
12-1250 Y

Light brown sand 40m 12-1049 Y 583286, 5410175

Brown sand - base of small slope 12-1048 Y 583243, 5410185

R.R. Tracks

Orange-thick ~65m 12-1047 583185 5410189  
base of cliff

9-66001

Qtz veining @ base of cliff - no slides

Mafic volcanics

steep cliff

thinly colored  
subcrop - no Ithoriz


Light brown/gray 50m 12-1046 Y 583118, 5410185

Grey/brown sand 40m 12-1045 Y 583068, 5410186

Brown/Red 40m 12-1044 Y 583030, 5410181  
(like the finest mahogany) (cont.)

Kaleb B.  
9/10/2012  
Line A22

Gowan Lake S.S.  
Bearing: W 270°





Kaleb B.

9/10/2012

Line A22

Cowan Lake S.S.

Brag W(270°)

W(270)

End of Day

start of line on other side  
from earlier

Trail

Orange (mix w/E) 30m 1468 Y 582100 5410175

Orange (w/some E) 55m 1467 Y 582130 5410180

☺ ☺ ☺ thinly covered - v. little B-horiz

☺ ☺ ☺ very steep boulder field ☺ ☺

downhill } Orange - side of slope 1466 Y 582185, 5410188

Orange 40m 1465 Y 582231, 5410190

Orange - rocky 40m 1464 Y 582272, 5410171

Orange - thick E horiz. 46m 12-1463 Y 582310, 5410174

START

end of Line A22 from 9/6/2012

Kaleb B. + Louis K.

Cowan Lake S.D.

Line A13

(cont....)

Brng: 90° E

9/12/2012

90° E

Orange

43 • 12-1327 Y 582501, 5409984

orange

~~42 • 12-1326 Y 582500, 5409984~~

Tan Orange

45 • 12-1325 Y 582458, 5409984

Orange - rocky

45 • 12-1324 Y 582443, 5409982

Tan/orange - thick E-horiz

42 • 12-1323 Y 582378, 5409975

Orange - boulder field  
v. little B

39 • 12-1322 Y 582338, 5409982

Orange

45m • 12-1321 Y 582297, 5409995

Orange/tan

40m • 12-1320 Y 582252, 5409997

Orange

44 • 12-1319 Y 582212, 5409997

Tan orange, crossed  
a trail that was  
going north to south  
Orange brown

40 • 12-1318 582168, 5409997

Orange

35m • 12-1317 Y 582128, 5409992

Orange

39m • 12-1316 Y 582093, 5409983

Orange/tan

38m • 12-1315 Y 582054, 5409986

Orange - v. rocky

35m • 12-1314 Y 582016, 5409987

Orange

50m • 12-1313 Y 581979, 5409985

Tan Orange

40m • 12-1312 Y 581929, 5409989

Orange

40m • 12-1311 Y 581889, 5409986

Orange

55m • 12-1310 Y 581846, 5409987

35m • 12-1309 Y 581800, 5419970

0m • 12-1308 Y 581764, 5409980

START

TRAIL

about 2 1/2 miles from

trail

Kaleb B  
Louis K

9/12

90° E

Gowen Lake, S.S.  
Bing 90° E

Line A/L3

9/12/2012

(cont...)

very rocky to base of cliff, steep cliff  
no sample

steep down hill

Orange brown 45 12-1341 Y 583067, 5409976

Reddish brown 40m 12-1340 Y 583021, 5409973  
very thin B-rocky

Orange brown 49 12-1339 Y 582981, 5409982  
side of a hill

Orange really rocky 36 12-1338 Y 582930, 5409974

Orange rocky 43 12-1337 Y 582896, 5409950

Rocky area, light brown 47 12-1336 Y 582859, 5409940

Orange containing valley 41 12-1335 Y 582811, 5409946

Wet orange/brown - rocky sand 12-1334 Y 582801, 5409984

claim line  
crossed below into valley

Tan orange-clay 40m 12-1333 Y 582763, 5409913

Peak  
Peak  
Peak  
Peak

Brown sand 30m 12-1332 X 582725, 5410015

Brown sandy 35m 12-1331 Y 582678, 5410013

Brown + orange - base of slope 55m 12-1330 Y 582642, 5409990  
sand cliff

Orange 44 12-1329 Y 582586, 5409988

Pink Orange 39 12-1328 Y 582542, 5409985  
(cont...)

J. L. DARLING CORP. TACOMA, WA  
www.kleinberstein.com

cut into road

Kaleb B. + Louis K.

Line A23

9/12/2012

147  
- 82  
80

124  
- 25  
52

Goiman Lakes  
Brng E (90°)

Metaseds w/ arsenopy. bands  
+ Fe-oxide

9-126L001

* Rock sample in cliff above:

End of line

+ too rocky - steep cliff to EOL

No SAMPLE

583439, 5409983

Orange

30 12-1348 Y 583414, 5409982

Grey and orange

57 12-1347 Y 583384, 5409992

crossed highway

Brown Orange

35 12-1346 Y 583321, 5409994

Tan Orange

50 12-1345 Y 583328, 5409991

Tan sandy - right off tracks

12-1344 Y 583336, 5409974

R.R. Tracks

Brown orange

40m 12-1343 Y 583188, 5409976

Low spot

Creek + marshy area

Tan/brown  
sandy

80m 12-1342 Y 583147  
(cont.) 5409983

Base of steep slope

Return on line

Kaleb B.

9/10/2012

Line A23

Cowan Lake S.S.

Brig W 270


W (270)

END of Line


Tan clay

0m • 12-1472 X 581500, 5409985

TRAIL



about 10m from water edge



Brown sand w/ org

60m • 12-1471 X 581633, 5409989

Tan clay (E-horiz? no B band)

40m • 1470 Y 581695, 5409990

Boulder field, v. rocky no B

Orange-thick B 0m • 12-1469 Y 581737 5409982

START

TRAIL

* OVER D!

2700 - bring.

KD DI

SEPT 12/12

L: A24

270 w

GOWAN LK.

5409780 brown.

12-1494 Y 0582714E, 5409780N

brown

12-1493 Y 0582750E, 5409793N

lt brown orange

1492 y 582788 5409760

tan orange

1491 y 582824 5409781

(possible drain age) dk brown orange

1490 y 582861 5409781

orange

1489 y 582907 5409779

dk brown clay/tan

12 1488 y 582946 5409790

almost orange

12-1487 Y 0582989E, 5409773N

tanned orange

12-1486 Y 0583030E, 5409775N

← Bays of slope (tanned orange/brown

12-1485 Y 058090E, 5409779N

tanned orange/brown

12-1484 Y 0583111E, 5409784N

dark brown clay w/ blue/green sand

12-1483 X 0583145E, 5409784N

dk brown w/ org

1482 y 583186 5409789

lt brown

1481 y 583231 5409781

SMALL FACIES TRAIL

--- RWY ---  
1480 y 583267 5409791

brown orange

1479 y 583316 5409784

lt brown orange

1478 y 583358 5409777

hiking trail  
270 w  
East SIDE OF HIGHWAY

tanned brown

12-1477 Y 0583621E, 5409778N

orange brown

12-1476 Y 0583550E, 5409770N

orange brown

12-1475 Y 0583580E, 5409770N

Duplicate

orange brown

12-1474 Y 0583525E, 5409771N

light brown

12-1473 Y 0583487E, 5409790N

970

START From highway

←

WEST HWY

Return to base

Line A24

EOC (@ trail)

tanned orange	12-1417Y 0581704E, 5409780N
tanned orange	12-1416Y 0581749E, 5409779N
rusty orange in rocky surface	12-1415Y 0581795E, 5409786N
rocky surface greyish brown	12-1414Y 0581843E, 5409776N
orange brown	12-1413Y 0581880E, 5409788N
rusty orange	12-1412Y 0581924E, 5409782N
H brown orange	1411 Y 581967 5409786
H. brown orange	12-1410 Y 582009 5409790
rusty orange	12-1409 Y 582097 5409782
tan orange	12-1408 Y 582087 5409774
rusty orange	12-1407 Y 582129 5409774
rusty orange	12-1406 Y 0582162E, 5409777N
rusty orange	12-1405 Y 0582198E, 5409774N
tanned orange	12-1404 Y 058221E, 5409780N
orange brown	12-1403 Y 0582285E, 5409780N
orange brown	12-1402 Y 0582320E, 5409790N
tan orange	1401 " " " "
tan orange	1400 Y 582369 5409780
brown orange	1399 Y 582412 5409789
orange brown	12-1398 Y 582450 5409778
orange brown	12-1499 Y 582446 5409769
brown orange	12-1498 Y 582536 540978
brown orange	12-1497 Y 0582574E, 5409779N
light brown	12-1496 Y 0582608E, 5409771N
light to brown	12-1495 Y 0582666E, 5409775N

lots of shoulders old orange

DUPLICATE


new bags

270° BRNG

L: A24  
Sept 10/12  
5409780

KD LK  
Brown Lk  
270°W

J.L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com



EOL

Brown Clay

No SAMPLE  
Box

12-1307581482, 5409776

X 12-1307

light brown

12-13061561572, 5409770

light brown

12-1305452616, 5409777

light brown

12-13044581660, 5409777

START



Louis K and Duane. I  
Sept 13, 2012

Continues Gowen Lake  
S.S.  
Bearing 90°E

Line A25

90°E  
↑

dried up  
swamp

Orange brown	012-1524y 582386, 5409574
Tan Brown	012-1523y 582345, 5409574
Tan Brown	012-1522y 582310, 5409582
Brown Orange	012-1521y 582275, 5409564
tanned brown	012-1520x 0582236E, 5409579N
dark brown clay	012-1519x 0582189E, 5409586N
tanned orange	012-1518y 0582149E, 5409581N
rusty orange	012-1517y 0582104E, 5409576N
rusty orange	012-1516y 0582061E, 5409572N
Brown Orange	012-1515y 582019, 5409577
Orangebrown	012-1514y 581981, 5409587
Rusty Orange	012-1513y 581942, 5409582
Brown	012-1512y 581901, 5409578
Tan brown	012-1511y 581856, 5409578
orange brown	012-1510y 0581819E, 5409577N
rusty orange	012-1509y 0581779E, 5409582N
rusty orange w/ green	012-1508y 0581744E, 5409577N
rusty orange	012-1507y 0581704E, 5409584N
orange brown	012-1506y 0581664E, 5409580N
Dark brown	27012-1505y 581625, 5409580
Light brown	37012-1504y 581598, 5409589
Brown Clay	37012-1503x 581561, 5409584
Brown Clay	39012-1502x 581524, 5409579
Grey Clay w/ orange	012-15010x
Boggy Area	012-15000x 521455, 5409585

Red in soil

Louis, K + Durme, I  
 Sept 13, 2012  
 Line A25

Golden Lakes S.  
 Bearing 90°E

90°E

rusty orange	12-1547Y 0583271E, 5409580N
Orange brown crossed old track	12-1546Y 583242, 5409573 
Tan brown	12-1545Y 583195, 5409578
Dry creek drainage Dark brown	12-1544X 583163, 5409586 
<del>Tan Brown</del>	12-1543Y 583137, 5409583
Orange brown	12-1542Y 583102, 5409581
reddish tan	12-1541Y 0583019E, 5409576N
bog light brown w/greenish clay	12-1540X 0582908E, 5409564N
light brown	12-1539Y 0582958E, 5409576N
rusty orange	12-1538Y 0582913E, 5409577N
light brown	12-1537Y 0582889E, 5409578N
Rusty Orange	12-1516Y 582854, 5409572
Tan Orange brown	12-1535Y 582804, 5409570
Brown Orange	12-1534Y 582758, 5409571
Orange brown	12-1533Y 582727, 5409577
Tan Brown	12-1532Y 582695, 5409578
dark brown	12-1531Y 0582644E, 5409578N
no sample	N A 0582622E, 5409575N
dark tan brown	12-1530Y 0582579E, 5409564N
orange brown	12-1529Y 0582535E, 5409580N
tanned brown w/green	12-1528Y 0582496E, 5409580N
orange brown	12-1527Y 0582456E, 5409582N
Orange	D = 12-1526D 12-1525Y 582424, 5409575

Continued

Louis K. Duane, I  
Sept 13, 2012  
Line A25

Gowen Lakes S  
Rearing 90°E

90°E

90°E

Enclave  
Material

Rusty Orange to brown	• 12-15574 583621, 5409580
Dark brown	• 12-15564 583572, 5409593
Rusty brown w/ light brown	• 12-15554 583541, 5409581
light brown	• 12-15544 583501, 5409580
Rusty Orange	• 12-15534 583465, 5409592
Rusty brown	• 12-15524 583432, 5409597
rusty brown clay	} Duplicate 12-1551 X " " " "
rusty brown clay	
light brown	• 12-15494 0583351E, 5409578N
on slope ← rusty orange	• 12-15484 0583293E, 5409579N

Continued

SEPT 13/12

L: 26

5409380

Brng: 270°

KD KB  
Gowan Lk  
270°

	cont...		
Post bag	Grey clay	43m	1437 Y 582817, 5409375
	Brown/orange	40m	1436 Y 582860, 5409382
Rocky area	Brown/orange	50m	1435 Y 582903, 5409392
	Red brown	42m	1434 Y 582953, 5409387
	orange brown	1433	Y 583006, 5409364
	--- Creek ---		
	tan grey sand	1432	Y 583041, 5409352
2 small hummocks	orange/brown	1431	Y 583073, 5409356
	greyish gravel	1430	Z 583105, 5409372
	+++++ RWY		
	tan orange	1429	Y 583143, 5409369
valley downhill	Tan/orange	60m	1428 Y 583202, 5409368
	Light brown Sandy	20m	1427 Y 583262, 5409387
	Blue/grey clay	1426 (Dop) X	
		1425	X 583289, 5409383
Post bag	Brown gravelly clay	1424	Y 583324, 5409374
	- edge of post bag		small rocky dried up creek
	Brown/orange - rocky area	1423	Y 583365, 5409379
	brown gravelly orange	1422	Y 583396, 5409384
	lt brown orange	1421	Y 583436, 5409399
	lt brown orange	1420	Y 583471, 5409378
	lt brown grey sandy	12	1419 Y 583516, 5409380
	H. brown tan	12	1418 Y 583559, 5409381
	lt brown	12	1349 Y 583604, 5409383

watch  
#5 SNEET

Sept 13-2012

Kaleb B + KD

Cowan Lake S.S.  
Bowling 270

Line A26

(cont...)

Bearing: 270°

Rocky - thin B horizon  
spruce forest

J.L. DARLING CORP. TACOMA, WA  
www.kiteteinrain.com

↑					
↑ ↑	Orange	~4m	1609 Y	581945	5409383
	Tan orange	4m	1608 Y	581986	5409375
	----- climline ~20m				
↑ ↑	Orange		1607 Y	582025	5409372
	Orange tan		1606 Y	582068	5409377
	Rusty Orange - rocky		1605 Y	582110	5409363
	orange		1604 Y	582147	5409346
↑ ↑	tan orange		1603 Y	582189	5409353
↑ ↑	orange		1602 Y	582221	5409370
	orange brown	DUPLICATE	1601 Y	582265	5409370
	orange brown		1600 Y	582265	5409370
	orange		1449 Y	582304	5409367
	Orange	~50	1448 Y	582344	5409350
	Orange		1447 Y	582392	5409332
	Brown sand		1446 Y	582435	5409322
	Orange		1445 Y	582477	5409369
	Tan/orange	40m	1444 Y	582524	5409375
	tan orange		1443 Y	582565	5409383
	orange		1442 Y	582606	5409367
	tan orange		1441 Y	582654	5409365
	orange lt brn		1440 Y	582700	5409380
↑ ↑	orange sand		12-1439 Y	582737	5409382
↑ ↑	Brown/Grey clay		12-1438 X	582774	5409380

comparing to thick E

part bog

cont... ↓

Gowan Lake S.S.  
Bearing 270° W

Kaleb B + Kyle D

9/13/2012

Line A26

270°

End of Line

Tan clay

• 1619 X 581502, 5409380

Tan sandy

~50m • 1618 Y 581539, 5409382

Grass trail

Anthropogenic?

→ Tan sand/silt

• 1617 Y 581594, 5409378

Grass trail

* Markers @ base of trees → blue flagging

Tan/orange

• 1616 Y 581644 5409370

Tan/orange

• 1615 Y 581682, 5409378

tan orange

• 1614 Y 581726 5409375

orange brown

• 1613 Y 581764 5409365

orange

• 1612 Y 581808 5409379

orange

• 1611 Y 581856 5409375

orange tan

• 12- 1610 Y 581907 5409375  
(cont...)

Kaleb B. + Louis K.

9/18/2012

Line A27

Continued  
(W 270°)

Gowen Lake Soil Survey  
Bearing W 270°

	Orange	42m	1574 Y	582864, 5409174
	Red-Orange	42m	1573 Y	582906, 5409187
hill	Red-brown - clay	37m	1672 Y	582958, 5409198
	Tan sand/silt edge of marsh, base of slope	0m	1571 X	582985, 5409196
Marsh/Lake				
R.R Tracks				
Cliff				
	Orange	60m	1570 Y	583072, 5409171
	Orange - base of small hill	30m	1569 Y	583121, 5409181
	Orange	51	1568 Y	583153, 5409179
	tan clay	49	1567 Y	583204, 5409189
	Red Brown	35	1566 Y	583252, 5409192
	Brown orange	39	1565 Y	583288, 5409195
	Tan Brown sand	31m	1564 X	583327, 5409180
	Brown/gray sand - bank of stream	5m	1563 Z	583358, 5409198
	Orange/tan - base of hill	59m	1562 Y	583398, 5409185
	Orange/brown	44m	1561 Y	583457, 5409171
	Orange	43m	12-1560 Y	583501, 5409173
	Orange/tan	60m	12-1559 Y	583544, 5409181
	Dark Brown/orange	0m	12-1558 Y	583592, 5409186

START

top of ridge

Kaleb. B + Louis. K  
 Sept 18, 2012  
 Line A27

Galeway Lake SS  
 Bearing W 270°

W 270°  
 (Cont...)

containing  
 bootleg - little  
 brown

Orange w/ <del>tan</del> tan	40m 1597y	581918, 5409183
Orange	39m 1596y	581958, 5409171
Brown Orange	46m 1595y	581997, 5409178
Tan/orange	45m 1594y	582043, 5409184
Orange	46m 1593y	582088, 5409196
Orange	49m 1592y	582134, 5409182
Red brown	44m 1591y	582183, 5409165
Light brown/orange	42m 1590y	582227, 5409153
Orange	59 1589y	582267, 5409163
Orange	40 1588y	582326, 5409179
Tan Sandy Clay	44 1587y	582366, 5409173
Orange gravelly	40m 1586y	582402, 5409187
<del>Red</del> Brown Orange	47m 1585y	582442, 5409191
Light brown sand	46m 1584x	582489, 5409192
Tan - rocky - v. thin B	30m 1583y	582535, 5409192
Red-brown - rocky	56m 1582y	582584, 5409184
Light brown	33m 1581y	582637, 5409193
Orange	41m 1580y	582670, 5409187
Orange	39m 1579y	582711, 5409188
Light Orange	45 1578y	582750, 5409184
Orange	41 1577y	582795, 5409182
	1576y	
Red brown	30 1575y	582834, 5409171

Continued



Kaleb B. + Louis K.

9/18/2012

Line A27

Gowan Lake S.S.

Bearing W (270°)

270° W



Tan clay - thick E

45m 1701 Y (Dup) 581789, 5409185

Tan clayey

49 1599 Y 581832, 5409201

Orange/tan

31 1598 Y 581880, 5409189

(cont...)

L-27

SEPT 13/12

KB  
Gowan Lk

90° E

90° E  
↑

End of Day

just off  
of road

Tan clay

• 12-1628 581748, 5409188

---

Grass Trail

---

Tan clay

• 12-1627 581704, 5409188

tan clay

• 12-1626 581661 5409182

tan clay

• 12-1625 581661 5409182

1/2 tan  
brown clay

• 12-1624 581620 5409182

Gowan Lake

Pg 1 of 2

Sept. 18, 2012

LA 28

900  
↑  
LA 28 cont..  
Lake

Duane J

John F.

edge of lake - light sandy clay	0	12-1653 X	0582776E, 5408983N
edge of swamp - dark rusted brown		12-1652 Y	0582771E, 5408985N
" " " duplicate		12-1651 Y	" " " "
chocolate brown		12-1650 Y	0582735E, 5408985N
bright orange brown		12-1649 Y	0582690E, 5408992N
orange brown		12-1648 Y	0582641E, 5408970N
over panned due to rocky outcrop taken at bottom of slope ← rusted orange		12-1647 Y	0582597E, 5408974N
Brown	40m	1646 Y	582545, 5409000
Brown	35	1645 Y	582505, 5408995
Brown	37m	1644 Y	582470, 5408989
Brown	38m	1643 Y	582433, 5408982
lots of org. in Area ^{mic. fty. Kes^s} grayish clay	40	1642 Y	582395, 5408983
orange brown w/ rusty color		12-1641 Y	0582355E, 5408989N
light brown partially clay		12-1640 Y	0582323E, 5408983N
chocolate brown		12-1639 Y	0582269E, 5408988N
tanned brown		12-1638 Y	0582232E, 5408989N
rusted orange		12-1637 Y	0582189E, 5409000N
light brown w/ leach		12-1636 Y	0582151E, 5408992N
dark brown	49m	12-1635 Y	0582103E, 5408986N
lt. Brown	49	1634 Y	582059, 5408991
Brown	36m	1633 Y	582010, 5408998
Drainage gully Brown	Trail	---	---
	41m	1632 Y	581974, 5408992
lt. Brown clay	45m	1631 Y	581933, 5408989
lt. Brown clay	41m	1630 Y	581888, 5408998
Brown clay	0m	12-1629 Y	581847 5408994

Gowza Lake

Sept. 18 2012

LA28

Pg 2 of 2

LA28

90°

Dzunc I

John P

old seep ← light brown

orange brown

rusted orange

rusted orange

~~orange brown~~ orange brown (NO FLAG)

halfway up slope → orange brown

Sandy

Stream Sand + clay? 33m 2'

orange Brown

Orange Brown

Orange Brown

orange brown

rusted brown

orange brown

orange brown

orange brown

Orange Brown

Orange-Brown

Orange Brown Soil

Rocky Area H. Brown

Brown w/org.



12-1674 Y 0583764E, 5408946N

12-1673 Y 0583659E, 5408971N

12-1672 Y 0583606E, 5408988N

12-1671 Y 0583576E, 5408969N

12-1670 Y 0583541E, 5408969N

12-1669 Y 0583496E, 5408971N

22m 1668 X 583458, 5408972

1667 583436, 5408980

46m 1666 583403, 5408978

30m 1665 583357, 5408984

42m 12-1664 583327, 5408989

12-1663 Y 0583285E, 5408992N

12-1662 Y 0583243E, 5408993N

12-1661 Y 0583202E, 5408977N

12-1660 Y 0583182E, 5409002N

12-1659 Y 0583139E, 5408996N

30m 1658 Y 583090, 5408974

45m 1657 Y 583060, 5408977

40 1656 Y 583015, 5408975

29m 1655 Y 582975, 5408976

12-1654 X 582946, 5408979

J.L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com


Gowan Lk

L: 28

270' W

SEPT 13/12

KD KB



Return to the Basin

Louis K + Kaleb B  
 Sept 19, 2012  
 Line A29

Gowan Lake. ↘  
 Bearing 90° E

90° E

continue on back →

uphill - rocky

Orange	27m	1716 Y	583530, 5408779	
Orange	27m	1715 Y	583503, 5408782	
Orange - edge of lake	0m	1714 Y	583476, 5408778	
Lake				
Light brown sand	29m	1713 Y	583425, 5408783	
Orange Sandy	43	1712 Y	583396, 5408797	
Lake to the North	45m	1711 Y	583353, 5408794	
Orange	38m			
Light Brown Orange	1710 Y		583308, 5408784	
Orange - rocky	39	1709 Y	583270, 5408774	
Orange / red-brown	49m	1708 Y	583231, 5408770	
Orange	49m	1707 Y	583182, 5408780	
Ridge top				
Orange, sandy	37m	1706 Y	583133, 5408795	
Peat bog	Gray Sand	33m	1705 X	583096, 5408800
	Organics	37m	1704 X	583063, 5408792
	Tan Orange Very little Bahorizon.	40m	1703 Y	583020, 5408814
Red brown	43m	1702 Y	582980, 5408801	
Light orange	49m	1699 Y	582937, 5408794	
Orange	25m	1698 Y	582888, 5408783	
Light brown sand	0m	1697 Y	582863, 5408769	

START

||||| R.R. Tracks

uphill  
 20m

Kaleb B. + Louis K.

9/19/2012

Line A29

Gowan Lake S.S.

Bearing E(90°)

East (90°)



End of Line

36m 12-17184 583608, 5408785

58

Orange

42m 12-17174 583572

cont...

5408785

4/21/11

Gowan Lake  
Sept. 19, 2012

L A 29

L A 29  
90°

Adm B  
John F

1 of 1

END

Lake  
Wetland Area

Brown Sand no Flag 21m ● 1765 X 582644 5408782

Brown 33m ● 1764 Y 582628 5408786

Brown mixed with Leech 43m ● 1763 Y 582590 5408793

Brown Sand ● 1762 Y 582587 5408798

next to 1760 orange Brown 5m ● 1761 Y 582496, 5408793

Gray-Brown 40m ● 1760 X 582491, 5408793

edge of P. Bog Reddish 96m ● 1759 Y 582451, 5408778

All Pert. ≈ 40m X N.S.

edge of P. Bog - Brownish 27m ● 1758 Y 582355, 5408804

Brown 53m ● 1757 Y 582328, 5408800

Brown-clay 40m ● 1756 X 582275, 5408798

Brown/Sand Leech 44m ● 1755 Y 582235, 5408796

Brown-Reddish 45m ● 1754 Y 582191, 5408791

● Y soil: Brown-Reddish 46m ● 1753 Y 582146, 5408786

OX seep X Brown-Orange 49m ● 1752 Y 582100, 5408778

Z → stream

Brown-orange 0m ● 12-1750, 51 D 582051, 5408789

START Line



No. 3802

Louiz K & Kaleb B  
Sept 19, 2012  
Line A30

Gowen Lake  
S.S  
Bearing W270°

W270°

continued on back →

downh. ↓	Tan/orange - almost no B	56m	1694 Y	582751, 5408583
	Tan sand - rocky - thin B	49m	1693 Y	582807, 5408587
	Orange - light brown	43m	12-1692 Y	582856, 5408571
Pest bag - no B horz ↓	<del>Light Orange Sand, Brock</del>	<del>40m</del>	<del>1691 Y</del>	<del>582899, 5408578</del>
	Light brown sand	37m	1690 Y	582939, 5408567
	Light brown sand	91m	1689 X	582976, 5408574
	Organics	37m	1688 X	583062, 5408590
	Brown sand with Org. Entering Sump	54m	1687 X	583105, 5408582
	Light brown sand	42m	1686 Y	583159, 5408595
	Orange	43m	1685 Y	583197, 5408583
	Orange	46m	1684 Y	583240, 5408579
	Light orange	37m	1683 Y	583286, 5408586
	Orange/brown	44m	12-1682 Y	583323, 5408598
Reddish Brown	61m	12-1681 Y	583367, 5408595	
Orange	46m	12-1680 Y	583428, 5408582	
Orange	43m	12-1679 Y	583474, 5408577	
Orange	46m	12-1678 Y	583517, 5408582	
Orange	40m	12-1677 Y	583563, 5408582	
Orange	47m	12-1676 Duplicate	583603, 5408578	

Start

Kaleb B. + Louis K.

9/19/2012

Line A30

$\frac{192.}{15}$   
36

Gowan Lake S.S.

Bearing W (270°)


Bearing W (270°)

See John's notes from 9/19/2012  
for rest of line

End of Line



Light brown sand 15m • 12-1696 X 582700, 5408598  
- btwn tracks + lake



Light brown/orange sand 36m • 12-1695 Y 582715 5408602  
base of hill



(cont...)

60mm  
Luker

LA30  
270°

Adam B  
John F

Sept 19 2012

LA30

1 of 1

J. L. DARLING CORP. TACOMA, WA  
www.RiteintheRain.com

Trail to truck

END line

samples off line  
"sampling at base of slope"

Brown Red	85m	1781Y	581926	5408663
Light Brown	37m	1780Y	582011	5408629
Brown	64m	1771Y	582048	5408614
Light Brown with Leech	42m	1778Y	582114	5408589
Brown-Red	51m	1777Y	582156	5408584
Brown orange	37m	1776Y	582209	5408574
Brown orange		1775Y	582209	5408574
Brown orange	40m	1774Y	582246	5408581
Red-Brown	50	1773Y	582286	5408580
Brown	43	1772Y	582336	5408589
Brown-w/leech	58m	1771Y	582379	
Brown-Red	36m	1770Y	582423	5408583
Brown-Orange-Red	51m	1769Y	582459	5408582
Brown-Red	32m	1768Y	582503	5408575
Brown (Base of slope)	37m	1767Y	582535	5408581
Brown sand edge of Lake.				582572 5408581

Rock sample Pic  
T2 seen  
Banded beds w/leech

GLOO7

own 12-1766

start line Lake

Louis, K. Duwayne I  
 Sept 20, 2012

Gowen Lake SS  
 Bearing 270° W


270° W

FINE 31

FINISH

(Swampy)

FINISH



dark brown clay

dark brown & light orange

Duplicate light brown w/ orange  
 light brown w/ orange

Brown Orange

Orange brown

tan brown

Green sandy clay long

Bayesian, no sample  
 edge of bog

Brown sand w/ clay

Brown w/ green

rusty orange

rusty orange

orange brown

dark brown

rusty orange

rusty orange

Orange brown

Orange

Orange earth, brown

Rusty Orange

Dark brown

Brown w/orange om

start

Return on line

20/09/12

90° ↑

Gowan Lake S.S.

D.I &amp; L.K

End of line

LINE 32

	12-1830Y	
Brown	<del>12-1829Y</del> 583616, 5408179	
	* 12-1829Y	
rusted brown	12-1828Y 0583530E, 5408180N	
rusted brown	12-1827Y 0583491E, 5408191N	
light orange brown	12-1826	
light orange brown	12-1825Y 0583452E, 5408176N	
chocolate brown	12-1824Y 0583401E, 5408168N	
Tan Brown	12-1823Y 583360, 5408175	
Brown Orange	12-1822Y 583376, 5408178	
Orange	12-1821Y 583273, 5408184	
Tan Orange	12-1820Y 583235, 5408191	
Tan brown Orange	12-1819Y 583201, 5408176	
Reddish Brown	12-1818Y 583166, 5408178	
brown tan	12-1817Y 0583128E, 5408189N	
dark brown	12-1816Y 0583091E, 5408183N	
rusted brown	12-1815Y 0583046E, 5408183N	
orange brown	12-1814Y 0583010E, 5408181N	
rusted brown	12-1813Y 0582969E, 5408177N	
orange brown	12-1812Y 0582929E, 5408180N	
Brown	12-1811Y 582890, 5408173	
Orange brown	12-1810Y 582849, 5408181	
Tan brown	12-1809Y 582812, 5408171	
Greenish brown	12-1808Y 582781, 5408173	
Brown tan	12-1807Y 582743, 5408173	
Rusty brown	12-1806Y 582693, 5408183	
rusty orange	12-1805Y 0582662E, 5408187N	
brown orange	12-1804Y 0582620E, 5408177N	

Start

↑ 90° Brng.

★

Sample 12-1829 was taken,  
but not recorded. 1829  
should have coordinates:  
583577, 5408168

- Recorded sample 12-1829 is  
actually sample 12-1830

~KB 9/21/2012



Kaleb B.  
Adam B.Gowan  
Lake  
East

9/20/2012

Line A33

90°

End of Line

claim line (15m ahead)

	Orange	30m	1747 Y	583578, 5407963
	• Light orange	45m	1746 Y	583648, 5407954
	Red brown	49m	1745 Y	583501, 5407968
		1	↑ uphill	
	Cedar Swamp			
base of up slope	Organics	50m	1744 X	583460, 5407966
Cedar Swamp	Orange sandy	61m	1743 Y	583400, 5407964
Peat bog				
	Red brown/orange	38m	1742 Y	583339, 5407958
	Orange	34m	1741 Y	583301, 5407964
	orange sandy	41m	1740 Y	583270, 5407973
	orange Brown		1739 Y	583229

steeper slope - went to  
base to get sample

continue

5407977

No. 252

Kaleb B  
Adam B

west  
270°

Crown  
Lake

Line A34  
9/20/2012

Red Brown	1866 Y	58282	5407811	
Red Brown	1865 Y	582851	5407803	
Orange 51	1864 Y	582884	5407770	
Orange 41	1863 Y	582940	5407710	
orange	54	1862 Y	582981	5407718
Brown/orange	52	1861 Y	583026	5407775
Orange/tan	42	1860 Y	583074	5407767
Orange-colored	40	1859 Y	583116	5407770
Dark orange	42	1858 Y	583156	5407757
Orange/brown	39	1857 Y	583198	5407774
Orange/brown	31	1856 Y	583237	5407787
Tan/orange	39	12-1855 Y	583268	5407778
orange Brown	41	12-1854 Y	583307	5407798
Brown/Tan sand		12-1853 X	583348	5407794
NO Sample.	43	12-1853	583431	5407782
				Mossy area Peat bog
Organics		12-1852 X	583474	5407788
orange	40	12-1851 Y		
orange	40	12-1850 Y	583521	5407786
Orange	45	12-1749 Y	583561	5407792
Reddish Brown		12-1748 Y	0583604	
				5407768
		Start		

Return in Rain



No. 362

Kate B. + Adam B

Gowan Lake S.S


Line A34  
9/20/2012

Bearing: 270° W

270° W

End of Day

End of Line



	1876 (2vp) X	582428
Gray clay 47m	1875 X	5807790



Tan orange	55m	1874 Y	582475, 5407808
Tan/orange	33m	1873 Y	582530, 5407810
Tan/orange	46m	1872 Y	582563, 5407826
Brown/tan clay		1871 Y	582609, 5407835
Brown/tan clay	53m	1870 Y	582662, 5407838
Tan/Gray clay	35m	1869 Y	582715, 5407835
			582750, 5407825
Orange	30m	12-1868 Y	<del>582715</del>
Brown clay	39m	12-1867 Y	582780
	(cont.)		5407816

Return on Run

Louis. K and Mary B  
Sept 24, 2012

Gaussenhale, SS

No. 362

268 SW  
Bearing

45° N.E.

L: B1

Grey clay	• 12-1920 ^x	580845	5408781
Tan clay / orange	• 12-1919 ^x	580889	5408827
orange / Tan	• 12-1918 ^x	580932	5408835
orange	• 12-1917 ^x	580962	5408867
Tan / orange	• 12-1916 ^x	581001	5408875
Tan / orange	• 12-1915 ^o	581033	5408933
Tan / orange	• 12-1914 ^x	581064	5408968
Tan / some orange	• 12-1913 ^o	581096	5408997
Tan	• <del>12-1912^x</del>	<del>581130</del>	<del>5409030</del>
Tan	• 12-1911 ^P	N/A	
Tan clay	5m 12-1910 ^o	581193	5409088
Tan clay	20m 12-1909 ^x	581237	5409113
Tan clay	25m 12-1908 ^y	581257	5409159
Grey clay	• 12-1907 ^x	581280	5409185
Grey clay	• 12-1906 ^x	581292	5409225
Soil / vegetation	• 12-1905 ^x	58327	5409240
Soil	Peat moss	• No sample baggy area	
Tan clay	• 12-1904 ^y	581400	5409311
Tan clay	• 12-1903 ^x	581431	5409335
Tan clay	21m 12-1902 ^x	581464	5409369
Tan Clay	• 12-1901 ^x		
	• 11-1900 ^x	581489	5409402

Start

Kaleb B + Steve F.

Gowan Lake S.S.

8/20/2012

Brng: 45° NE

Line B+

cont. ...

Tan clay	40m	698 Y	579800, 5407690
Light brown / gray clay	40m	697 Y	579776, 5407674
Grey / brown clay	40m	696 Y	579736, 5407650
Grey clay	40m	695 X	579699, 5407623
Light brown clay	40m	694 X	579662, 5407604
Brown clay	22m	693 Y	579634, 5407588
Grey / Brown	32m	692 Y	579612, 5407553
ORGANIC TAN clay	22m	691 X	579580, 5407515
Brown clay	27m	690 Y	579558, 5407475
Tan clay	32m	689 Y	579539, 5407435
	40m	688 X	579517, 5407386
Grey clay	40m	687 Y	579481, 5407382
Light gray clay - very compacted	40m	686 Y	579440, 5407370
Tan sand	40m	685 X	579417, 5407353
Brown clay	40m	684 Y	579390, 5407331
light brown sand	26m	683 X	579368, 5407311
light brown	24m	682 Y	579342, 5407272
Brown - sandy	28m	681 X	579318, 5407248
Orange	43m	12-680 Y	579290, 5407208
TAN	road	12-679 Y	579247, 5407167
Tan / grey clay	40m	12-678 Y	
	0m		

START

579228  
5407130

K. Boucher + Steve F

8/20/2012

Line B1

Gowan Lake S.S  
Bearing 45° NE

J. L. DARLING CORP. TACOMA, WA  
www.FixTheRain.com

no dried up  
creek

ROAD.

Tan/sandy silt / orange		703 y	579905, 5407834
Tan/sandy	23m	702 y	579885, 5407812
Tan clay		701 x (DUPLICATE)	
Tan clay		700 x	579862, 5407775
light brown clay	40m	699 x	579826, 5407726

(cont)

Kaleb B. + Steve F.

Gowan Lake S.S.

8/20/2012

Brng: 225°

Line B2

	225° ↑		
Sandy brown	14m	671 Y	579406, 5406991
light brown	29m	670 Y	579420, 5407018
light brown	24m	669 Y	579449, 5407054
light brown / Grey	17m	668 Y	579473, 5407088
light brown / Grey	18m	667 Y	579490, 5407125
Tan clay	30m	666 Y	579508, 5407153
Tan clay	35m	665 X	579537, 5407178
Grey Clay	30m	664 X	579565, 5407202
Tan clay	30m	663 Y	579588, 5407226
Tan/grey clay - thick A	40m	662 X	579616, 5407238
TAN CLAY	22m	661 X	579653, 5407266
TAN CLAY	33m	660 X	579678, 5407296
TAN clay	21m	659 X	579708, 5407324
TAN clay	34m	658 X	579729, 5407346
Grey Clay	24m	657 X	579763, 5407378
Organics - in peat bog	40m	656 Y	579787, 5407414
Tan ^{grey} clay	40m	655 Y	579828, 5407447
Brown clay	40m	654 Y	579877, 5407480
Tan clay	40m	653 Y	579916, 5407513
Brown clay	40m	12-652 Y	579955, 5407550
Tan clay	0m	12-651 (Dup) Y	just above
		12-650 Y	swampy area
		START	off of road.
			579988
			5407584

24/09/2012

BRNA 45°

0-X  
●-Y  
○-Z

L: B2

Gowan Lake S.S.  
Duane, I  
LINE B2 is all muskeg.

dark brown sandy clay	12-1832Y 0581487E, 5409115N
dark brown sandy clay	12-1831Y 0581462E, 5409086N
dark brown sandy clay	12-1899Y 0581432E, 5409048N
dark brown sandy clay	12-1898Y 0581426E, 5409014N
brown clay	12-1897X 0581394E, 5408992N
light brown clay	12-1896X 0581348E, 5408976N
brown clay	12-1895X 0581310E, 5408949N
dark brown clay	12-1894X 0581291E, 5408934N
brown clay w/ orange	12-1893X 0581260E, 5408886N
brown clay w/ orange	12-1892X 0581239E, 5408865N
brown clay	12-1891X 0581204E, 5408826N
light brown clay w/ orange	12-1890X 0581190E, 5408802N
brown clay	12-1889X 0581116E, 5408779N
light brown clay	12-1888X 0581145E, 5408744N
light brown clay	12-1887X 0581118E, 5408724N
light brown clay w/ orange	12-1886X 0581072E, 5408707N
brown w/ orange & grey	12-1885X 0581049E, 5408663N
brown w/ orange & grey	12-1884X 0581024E, 5408649N
light brown clay w/ lil orange	12-1883X 0580986E, 5408618N
light brown clay	12-1882X 0580963E, 5408593N
brown clay	12-1881Y 0580934E, 5408570N
brown clay w/ orange	12-1880X 0580911E, 5408524N
light brown clay w/ orange	12-1879X 0580876E, 5408497N
light brown clay	12-1878X 0580850E, 5408465N
light brown clay w/ orange	12-1877X 0580828E, 5408444N

45°  
START

Kyle B. + Steve F.

8/20/2012

Line B2

Gowan L. S.S.

Brng: 225°

225°



END of Line

Light brown clayey 40m 12-677Y 579233, 5406883  
North side of slope

Gravel Road



Light brown-sandy 40m 675Y 579279, 5406912

Tan sandy - flatter edge of slope heading N 40m 674Y 579312, 5406915

Tan clay - in drainage 30m 12-673Y 579344, 5406938

Light brown clay 40m 12-672Y 579379, 5406954

(cont) started going down slope

Kaleb B. + Kyle D.

8/14/2012

Line: **B3**

1 of 2

Gowan S.S.

225° SW

Brng: 225° SW

greenish sand clay	○ 259 X	580671	5408013
grey clay	○ 258 X	580698	5408035
Organics - no soil	120m ○ 257 X	580715	5408057
Organics - no soil	● 256 X	580800	5408149
Light brown clay	● 255 Y	580836	5408182
Light brown clay	● 254 Y	580856	5408207
Grey clay	● 253 Y	580886	5408245
tan clay	● 252 X	580912	5408269
wet brown clay	● 251 Y (b)	580940	5408294
wet brown clay	● <del>250</del> Y	580940	5408294
brown clay	● 349 Y	580981	5408328
brown clay	● 348 Y	581016	5408357
brown clay	● 347 Y	581044	5408383
Tan sandy clay	● 346 Y	581076	5408407
Brown sandy clay	● 345 Y	581100	5408431
Brown sandy clay	● 344 Y	581121	5408460
Brown sandy clay	● 343 Y	581147	5408497
Brown clay/sandy	● 342 Y	581170	5408522
light tan	● 341 Y	581207	5408553
brown clay	● 340 Y	581246	5408581

Cont'

(loamy)



Kaleb B. + Kyle D.

8/14/2012

Cowan Lake S.S.

Bearings: 225° sw.

Line 33

1 of 2

	225°			
brown tan clay	●	339 Y	581273	5408617
clay <del>scrap</del>	●	338 Y	581303	5408644
grey brown clay	●	337 Y	581320	5408673
Wet tan sand - hummocky, loamy area	●	336 Y	581350	5408694
Wet Brown sand - hummocky, loamy area	●	335 Y	581381	5408725
Wet Tan sand - in hummocky, loamy area	●	334 Y	581407	5408753
light brown/grey clay	●	333 Y	581438	5408790
light brown clay	●	332 Y	581482	5408813
light brown clay	●	331 Y	581508	5408845
light orange tan	●	330 Y	581536	5408880
light orange	32M ●	329 Y	581562	5408893
light orange	30M ●	328 Y	581594	5408929
light brown	30M ●	327 Y	581621	5408966
light brown clay	40M ●	12-326 (dup) 12-325	581648	5408981
Brown clay - dried up seep. 40m	●	12-324 X	581676	5409012
Light brown/grey clay	40m ●	12-323 Y	581703	5409035
Light brown clay	40m ●	12-322 Y	581726	5409077
Light brown clay	0m ●	12-321 Y		about 30m off of trail.
		START	581756 mE	
				5409115 mN

Line

33

2 of 2

225° SW

KD + KB

8/14/12

225°

tan w/ orange streaks	279 y	580057	5407462
brown orange	278 y	5800091	5407424
Brown/orange	277 y	580120	5407450
Tan/orange	276 y (Dup)		
	275 y	580153	5407481
Tan/orange sandy clay	274 y	580183	5407516
Light tan sandy clay	273 y	580208	5407542
light brown clay	272 y	580228	5407583
tan sandy clay	271 y	580281	5407626
brown sandy clay	270 y	580317	5407656
brown clay	269 y	580357	5407698
tan clay	268 X	580389	5407721
Tan/grey clay	267 X	580418	5407747
Tan clay, thick	266 X	580441	5407770
Brown clay	265 X	580481	5407809
Organics - no soil	264 X	580504	5407838
Grey clay	263 X	580533	5407864
tan grey	262 X	580558	5407898
tan grey	261 X	580581	5407925
grey clay	260 X	580618	5407954

Cont

peat bog



	light brown	N	• 605 Y	579 739	540 7054
Bag Area	TAN	34	• 604 Y	579 707	540 7032
	TAN	31	• 603 Y	579 671	540 7002
	TAN	34	• 602 Y	579 640	540 6970
	orange Brown	30	• 600, 601 Y	579 606	540 6937
	tan orange		• 599 Y	579 576	540 6910
	orange brown		• 598 Y	579 552	540 6886
	orange brown		• 597 Y	579 521	540 6862
	orange brown	25	• 596 Y	579 497	540 6829
	orange brown	16	• 595 Y	579 472	540 6805
	orange-brown	23	• 594 Y	579 432	540 6771
	TAN	24	• 593 Y	579 409	540 6731
	orange-brown	30	• 592 Y	579 385	540 6714
	orange Brown	27	• 591 Y	579 355	540 6699
	orange brown		• 590 Y	579 328	540 6684
	tan		• 589 Y	579 304	540 6654
	tan		• 588 Y	579 273	540 6630
swend	• sand (seasonal straw)		• 587 Y	579 251	540 6599
B3	strier brown (claim line)		• 586 Y	579 236	540 6574
B4	brown (lateral moraine)		• 585 Y	579 224	540 6386
	orange brown		• 584 Y	579 356	540 6412
	TAN	35m	• 583 Y	579 378	540 6450
	TAN	40m	• 582 Y	579 414	540 6466
	orange brown	36	• 581 Y	579 442	540 6503

B4

B3

Aug 20/12

KD JF

45°

m  
m

END B3: 580070  
5407369

lt. TAN.

24m

Gravel Rd  
F in road  
p. 1ch

616Y

lt. TAN

35m

615Y

580046, 5407341

T2n silt

26m

614Y

580011, 5407308

T2n silt

36m

613Y

579985, 5407278

T2n

31

0612

579949, 5407248

p. Bog

TAN

27

0611X

579918, 5407227

TAN

31

0610X

579891, 5407207

TAN

0609X

579860, 5407180

TAN (no flag)

0608X

579821, 5407130

light brown

0607Y

579793, 5407111

light brown

Y 606

579768, 5407085

Cont.:  
Bog (organic silt at base)

Cont.  
L B3

Aug 20

LBY

Cont. on BACK

225°

K. Drake

J. Floren

Brown Sand	25m	580X	579477, 5406536
orange-brown	24m	579Y	579502, 5406545
orange brown		578Y	579526, 5406586
orange brown		577Y	579548, 5406621
tan	Duplicate	576D	579528, 5406660
tan		575Y	579568, 5406660
tan <del>tan</del>		574Y	579598, 5406690
(CLAMLINE ^{Asst} ) orange brown		573Y	579620, 5406724
Orange-Brown	30m	572Y	579647, 5406761
Orange-Brown	19m	571Y	579677, 5406785
Orange-Brown	43m	570Y	579696, 5406805
H. Brown	33m	569Y	579739, 5406841
orange-brown	18	568Y	579772, 5406876
brown		567Y	579790, 5406918
orange brown		566Y	579834, 5406937
(lots : leads above) orange brown		565Y	579883, 5406961
orange brown		564Y	579916, 5406997
orange brown		563Y	579951, 5407016
orange Brown	25m	562Y	579996, 5407055
orange Brown	33m	561Y	580015, 5407078
H. Brown	25m	560Y	580048, 5407102
Orange Brown	18	559Y	580073, 5407128
Orange-Brown	50m	12-558Y	580091, 5407164
09 ⁰⁰ -Brown-	0m	12-557Y	580111, 5407196

WALKING ALONG Bush Road

Note: Distances in M.E.

LBY

Aug 14

1 of 2 pgs

SEE

on line "old"

Aug 14, 2012

L B 4

BACK

45°

STEVE, John

Gowen Lake

Brown Clay (yellow) 35m 420x 580427, 5407977

Brown Clay 33m 419x 580792, 5407842

Brown Clay 26m 418x 580759, 5407817

Brownish gray Clay 22m 417x 540733, 5407784

Brown Clay 26m 416x 580711, 5407754

Brown clay 28m 415x 580686, 5407731

Brown clay 36m 414x 580658, 5407705

sample 2 Tamarac / B. Spruce Band.

Brown clay 29m 413x 580622, 5407671

* All org ~29m X N.S. All org

* All org. ~29m X N.S. All organic

* All organic 36m 412x 580526, 5407603

Peat: All organic 29m X N.S. 580490, 5407571

Brown/orange clayish 29m 411y 580461, 5407544

Brown clayish 27m 410y 580432, 5407517

Grey/brown Clay 24m 409y 580405, 5407490

Grey/brown clay 27m 408y 580381, 5407453

Grey/brown clay 26m 407y 580354, 5407421

Grey clay -1m F 406y 580328, 5407391

Grey clay w/ Brown 32m E 405y 580329, 5407338

Grey Clay 30m E 404y 580297, 5407299

Brown Rd 26m E 403y 580267, 5407258

Brown 54m E 402y 580242, 5407240

Brown 27m E 401y 580188, 5407211

orange Brown on 12 400y 580161, 5407201

Main Dirt Rd

Note: Dist. Are Not true, only relative.

Swamp "dried out" ↑ Peat Bog ↓ Hard packed clay ↓

Cont.

			↑			
TAN		26	441Y	581450	5408489	
TAN		20	440Y	581424	5408470	
Orange-Brown		21m	439Y	581,404	5408442	
Orange Brown		24m	438Y	581,385,	540,8422	
Orange brown		40m	437Y	581359,	5408390	
Tan	X	17m	436y	581319,	5408347	
Orange brown		29m	435y	581302,	5408313	
Orange brown		36m	434y	581273,	5408294	
Brown loam		19m	433y	581237,	5408257	
Brown loam		19m	432y	581218,	5408232	
Brown loam		42m	431y	581199,	5408213	
Brown loam		25m	430y	581149,	5408178	
Brown loam		24m	429y	581124,	5408155	
Brown silt/clay		29m	428y	581100,	5408121	
light Brown Clay		29m	427y	581081,	5408106	
Brown clay		22m	426x	5810 ⁵² ,	5408079	
Brown-Arg. Clay			425x	581024,	5408047	
M.S. Peat.		24	X			
Peat N. Sample		24	X		580915,	
Gray-Brown Clay		25m	424x	580954,	5407975	
Brown		34m	423y	580929,	5407948	
Brown-Yellow Clay		33m	422x	580895,	5407926	
Brown yellow clay		35m	421x	580862,	5407899	

↳ Cut line "old"



Gowdn LK

LB4

Pg 2 of 2

450

↑

John F, Steve F

August 14

Grass Road

TAN	23m	458y	581948, 5409019
TAN	27m	457y	581925, 5408995
TAN	35m	456y	581898, 5408955
TAN	27m	455y	581863, 5408918
TAN	31m	454y	581836, 5408888
TAN	25m	453y	581807, 5408864
TAN	31m	452y	581782, 5408828
H. Brown	22m	451x	581751, 5408791
H. Brown	45m	450y	581729, 5408764
Brown	22m	449y	581684, 5408737
light brown	37m	448y	581662, 5408722
tan	24m	447y	581625, 5408676
Brown	28m	446y	581601, 5408649
Tan/brown	31m	445y	581573, 5408619
brown/orange	37m	444y	581542, 5408587
light brown w leach	24m	443y	581505, 5408546
light brown		442y	581481, 5408520

cont. LB4

leached soil Area?

claim line?



July 31, 2012  
Gouva Lake Area

Line: C8

J. Florek, Kzleb B.

Az: 180°

on line w projection of Baseline  
- End of Day

			578187mE 5404094mN
Lt. Brown	-35m	12-039 Y	
Lt. Brown	-40m	12-038 Y	578192, 5404133
Lt. Brown	~40m	12-037 Y	578197, 5404169
Brown	~35m	12-036 Y	578193, 5404216
Lt. Brown	base of ~65m	12-035 Y	578193, 5404250
Lt. Brown	50m	12-034 Y	578190, 5404312
Lt. Brown	50	12-033 Y	578198, 5404359
Orange	52m	12-032 Y	578202, 5404408
Orange-Brown	30m	12-031 Y	578200, 5404456
Orange	40m	12-030 Y	578196, 5404486
Orange brown loam	45m	12-029 Y	578188, 5404517
Orange-red loam	50m	12-028 Y	no flag
Orange brown loam	40m	12-027 Y	
Light brown loam	40m	12-026 Y (Dup)	578194mE 5404655mN
Orange red	in valley/flat areas	12-024 Y (20m)	
Orange-red loam	in valley, on bank above River	12-023 Y	
	START		578209mE 5404728mN

River on River

K. Boucher, J. Florek

7/31/2012

Line: C9

Gowan Lake Soil Sampling

Bearing N

See Back

360° ≈ But Contour Sampling too

↑ ("See UTM's")

Brown-Red	0	010Y	578383, 5404557
DK Brown-Red	0	019Y	578404, 5404505
Brown-52nd/Loam	0	018Y	578402, 5404470
DK Brown-Red	40m	017Y	578380, 5404420
Dark orange loam	40m	016Y	578394, 5404371
Orange-red loam	40m	015Y	578400, 5404309
Light Brown - in drainage	15m	014Y	(578395), 5404254x?
Brown loam	35	013Y	578391mE, 5404246mN
Orange brown	40m	012Y	
Lt. Brown	0	011Y	578389, 5404172
Brown	0	010Y	578407, 5404105
Brown	0	009Y	578452, 5404070
DK Brown/leach	0	008Y	578480 E, 5404032
River Bank Sand	Base of cliff	007Z	(dry sand)
			578492, 5403984
Brown sandy loam	base of cliff	006Y	578469mE, 5403941mN
Light brown sandy loam	40m	005Y	578429mE, 5403887mN
Light orange sandy loam	40m	004Y	578387mE, 5403873mN
Light brown sandy loam	40m	003Y	
Orange-red sandy loam	40m	12-002Y	
Orange-red sandy loam	0m	12-001Y	
Start @ top of bank, river below			578386mE, 5403762mN

skirted ground cliff

Contour Sampling

Return to River

START

Line C9  
Az 360  
John F. Kaleb B

Gowan Lake  
7/31/2012

(Side of steep slope)	Brown	• 0220 Y	578357, 5404627
	Orange-Brown Sandy	• 0219	578376, 5404585

Gowza Lake

Oct 10, 2012

A18

lot 1

J Florek

A. Wilderom

90°



SW 2m py - organic



12m - Brown clay 1992 Y 584027, 5411034

Brown soil 42m 1991 Y 584032, 5410975

Brown Sand 40m 1990 Y 583990, 5410957

Brown 50m 1989 Y 583950, 5410962

Brown 39m 1988 Y 583900, 5410970

tan 44m 1987 Y 583860, 5410972

Brown 47m 1986 Y 583817, 5410969

Brown-tan 38m 1985 Y 583770, 5410973

Brown 46m 1984 Y 583732, 5410971

Brown 40m 1983 Y 583686, 5410970

Brown 42m 1982 Y 583646, 5410976

Brown 38m 1981 Y 583604, 5410983

Brown, base of slope 38m 1980 Y 583566, 5410972

Brown, near drainage way 25m 1979 Y 583528, 5410989

AT MARGIN

Brown Soil 45m 1978 Y 583503, 5411026

'flood bank' Brown

← Rocky drainage way.  
32m 1977 Y 583458, 5411033

• Y soil

Brown soil

35m 1975, 76 Y 583426, 5411046

OX Seep

Brown soil

32m 1974 Y 583391, 5411028

2 stream

Brown soil

44m 1973 Y 583359, 5411005

near base

Brown (flood)

0m 12-1972 Y 583315, 5410999

(edge of Rd)

HWY

Louis K. Adam, B  
 Sept 25, 2012  
 Line A-19

Gouin Lake S.S.  
 Bearing 90° E

90° E  
 ↑

Repected, due  
 to erroneous numbering,  
 already took a sample 1920.  
 sample relabeled to 12-529

End of line

Now  
 12-529

Orange	12-1920	583921	5410588
Reddish brown, faintly bedded by calc. in localities. Unfortunately we had to grab	12-1849 Y	583958	5410796
Brown	12-1848 Y	583921	5410784
light brown	12-1847 Y	583881	5410308
Dark brown orange	12-1846 Y	583853	5410297
Light brown	12-1845 Y	583820	5410275
Light Brown	12-1844 Y	583767	5410797
Brown orange	12-1843 Y	583742	5410792
orange	12-1842 Y	583696	5410785
		No sample	

Bottom of hill all organic

orange	34m 12-1841 Y	583644	5410784
Orange Brown	32m 12-1840 Y	583610	5410782
orange Brown	43m 12-1839 X	583578	5410775
Reddish clay	12-1838 Y	583535	5410790
Brown, orange	12-1837 Y	583493	5410779
monoton	12-1836 Y	583461	5410785
Orange brown	12-1835 Y	583425	5410793
Reddish brown	12-1834 Y	583388	5410784
Bottom of hill / brown			

Grey sandy clay  
 Highway

Start

Gowan Lake S.S.

Line A7, east of highway  
BRNA - 270°

25/09/2012

DUANE INESEE

halfway  
down slope  
(CLIFF)

CLIFF

Too Rocky  
STOPPED

brown orange	12-1971Y	0583083E, 5413181N
brown orange	12-1970Y	0583119E, 5413194N
rusty orange	12-1969Y	0583155E, 5413198N
brown orange w/ green	12-1968Y	0583188E, 5413197N
dark brown	12-1967Y	0583229E, 5413191N
light brown w/ rust colour	12-1966Y	0583262E, 5413186N
dark brown w/ orange	12-1965Y	0583294E, 5413196N
brown orange	12-1964Y	0583330E, 5413189N
light brown	12-1963Y	0583363, 5413194N
tanned brown	12-1962Y	0583398E, 5413187N
tanned brown	12-1961Y	0583434E, 5413199N
no sample (muskog)		0583469E, 5413192N
no sample (muskog)		0583518E, 5413187N
no sample (muskog)		0583556E, 5413192N
no sample (muskog)		0583592E, 5413155N
edge of muskog, brown wet sand (rusty)	12-1960X	0583634E, 5413172N
tanned brown	12-1959Y	0583678E, 5413182N
tanned brown	12-1958Y	0583720E, 5413190N
rusted orange	12-1957Y	0583757E, 5413197N
brown orange	12-1956Y	0583796E, 5413185N
brown sand	12-1955Y	0583834E, 5413199N
brown sand w/ rust colour	12-1954Y	0583884E, 5413191N
brown orange	12-1953Y	0583917E, 5413194N
brown orange	12-1952Y	0583940E, 5413188N
chocolate brown	12-1951Y	
chocolate brown duplicate	12-1950Y	0583988E, 5413187N

↑ 270°

## **Appendix F**

Valley Lake Property Option Agreement

## OPTION AGREEMENT

This Agreement is made as of March 9, 2011 between:

PATRICK DICK, a businessperson having an address at 26 Graham Crescent,  
PO Box 862, Marathon, Ontario, P0T 2E0, Email: patdick@sympatico.ca

("PD")

AND

HAROLD GRIGGS, a businessperson having an address at 15 Sund Crescent,  
PO Box 234, Marathon, Ontario, P0T 2E0, Email: hgriggs@shaw.ca

("HG")

AND

BRIAN FOWLER, a businessperson having an address at 30 Alexander  
Avenue, Apt. 17, PO Box 954, Pinawa, Manitoba, R0E 1L0, Email:  
bdfowler@mst.net

("BF" and collectively with PD and HG, "Optionor")

AND

ENTOURAGE METALS LTD., a corporation existing under the laws of  
British Columbia and having its head office at Suite 1500, 409 Granville Street,  
Vancouver, British Columbia, V6C 1T2, Fax: 604-484-7155

("Entourage").

### WHEREAS:

- A. PD, HG and BF each own a 33 1/3% beneficial, Optionor collectively owns a 100% beneficial and BF owns a 100% legal and recorded interest in and to the Property, as hereafter defined; and
- B. Optionor has agreed to grant Entourage the sole and exclusive right and option to acquire a 100% right, title and interest in and to the Property, in accordance with the terms and conditions of this Agreement.

For valuable consideration (the receipt and sufficiency of which is hereby acknowledged and agreed by each of the Parties hereto), and subject to the acceptance of the TSX Venture Exchange, the Parties agree as follows:

### SECTION 1. - INTERPRETATION.

1.1 **Definitions.** In this Agreement terms and expressions given a defined meaning in any Schedule shall have the corresponding meaning in this Agreement and:

- (a) "**Affiliate**" has the meaning given to that term in the Securities Act (British Columbia);
- (b) "**Agreement**" means this Agreement, including the recitals and the Schedules, all as amended, from time to time;
- (c) "**Commercial Production**" means, and is deemed to have been achieved, when the concentrator processing ores, for other than testing purposes, has operated for a period of 45 consecutive production days at an average rate of not less than 70% of design capacity or, if a concentrator is not erected on the Property, when ores have been produced for a period of 45 consecutive production days at the rate of not less than 70% of the mining rate specified in a feasibility study recommending placing the Property in Commercial Production;
- (d) "**Expenditures**" means, without limitation, all costs and expenses incurred by a Party on or with respect to the Property including without limitation monies expended in doing geophysical, geochemical and geological surveys, drilling, drifting and other surface and underground work, assaying and



9.7 Each of the Parties hereto covenants, agrees and acknowledges that each of them was fully and plainly instructed to seek and obtain independent legal and tax advice regarding the terms and conditions and execution of this Agreement and each of them has sought and obtained such legal and tax advice and acknowledges that each has executed this Agreement voluntarily understanding the nature and effect of this Agreement after receiving such advice.

9.8 Any notice or other communication required or permitted to be given under this Agreement must be in writing and shall be effectively given if delivered personally or by overnight courier or if sent by email or fax, addressed to the address, email address or fax number of the other Party set out on the first page of this Agreement. Any notice or other communication so given is deemed conclusively to have been given and received on the day of delivery when so personally delivered, on the day following the sending thereof by overnight courier, and on the same date when emailed or faxed (unless the notice is sent after 4:00 p.m. (local time of the recipient) or on a day which is not a business day, in which case the email or fax will be deemed to have been given and received on the next business day after transmission). Either Party may change any particulars of its name, address, contact individual, email address or fax number for notice by notice to the other Party in the manner set out in this Section 9.8. Neither Party shall prevent, hinder or delay or attempt to prevent, hinder or delay the service on that Party of a notice or other communication relating to this Agreement.

9.9 Any payment made under this Agreement from one Party to the other may be made by cheque, money order or bank draft by personal delivery or overnight courier to the appropriate address set out in Section 9.8.

9.10 This Agreement may be executed by facsimile and in any number of counterparts, each of which shall constitute one and the same agreement.

The Parties have duly executed this Agreement as of the date and year first written above.

SIGNED, SEALED AND DELIVERED )  
 BY PATRICK DICK in the presence of: )  
 _____ )  
 Signature )  
 _____ )  
 Name )  
 _____ )  
 Address )  
 Manathon ON )  
 DOT 2 E0 )

_____  
 PATRICK DICK

SIGNED, SEALED AND DELIVERED )  
BY HAROLD GRIGGS in the presence of: )

Patrick Dick )  
Signature )

PATRICK DICK )  
Name )

26 GRAHAM CR. )  
Address MARATHON ONT )  
POT2EO )

SIGNED, SEALED AND DELIVERED )  
BY BRIAN FOWLER in the presence of: )

_____)  
Signature )

_____)  
Name )

_____)  
Address )

Harold Griggs  
HAROLD GRIGGS

_____  
BRIAN FOWLER

ENTOURAGE METALS LTD.

By: [Signature]  
Authorized Signing Representative

SIGNED, SEALED AND DELIVERED  
BY HAROLD GRIGGS in the presence of:

Signature

Name

Address

HAROLD GRIGGS

SIGNED, SEALED AND DELIVERED  
BY BRIAN FOWLER in the presence of:

Signature

PHILIP LAM

Name

109-1185 LEILA AVE

Address WINNIPEG, MB  
R2P 2Y2



BRIAN FOWLER

ENTOURAGE METALS LTD.

By:

Authorized Signing Representative

## Appendix G

Assessment Work Performed on Mining Lands Submission

## Assessment Work Performed on Mining Lands

*Mining Act*, Subsections 65(2) and 66(3), R.S.O. 1990

Folder Identification Number (office use)
Transaction Number (office use) W -
Submission Number (office use) 2.

Personal information collected on this form is obtained under the authority of subsections 65(2) and 66(3) of the *Mining Act*. Under section 8 of the *Mining Act*, this information is used to maintain a public record. This information will be also used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Senior Manager, Mining Lands Section, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury ON P3E 6B5. Telephone 1 888 415-9845.

Instructions: - For work performed on Crown Lands **before recording** a claim, use form Assessment Work Performed Before Recording Claim(s)  
- Please type or print in **ink**.  
- Submit to Geoscience Assessment Office, 933 Ramsey Lake Road, Sudbury ON P3E 6B5. Telephone 1 888 415-9845.

**Note:** All correspondence will be sent to the address on record in the Provincial Recording Office, as required under the *Mining Act*, subsections 19(6) and (8).

**1. Submitter** I am  an authorized agent or  the recorded holder (if a company, enter name of person submitting)

Name (last) Florek	(first) John	(initial) C	Client number (optional) 121110
Address – Unit number, Street number, Street name 98 Peninsula Rd, PO Box 1178			
City, Town or Village Marathon	Province or State ON	Country Canada	Postal Code P0T 2E0
Telephone number ( 807 ) 229-9719	Fax number ( 807 ) 229-3474	E-mail address (optional) jf@entouragemetals.com	

### 2. Provide

- where there is a surface rights holder, before starting ground exploration work for the **first time** on a staked claim you must provide notice to the surface rights holder(s) as required by the Mining Act and provide proof of notification to the Ministry
- your technical report and maps in paper or on a compact disc
- a current legible map showing how the contiguous mining lands are linked for assigning work
- proof of beneficial interest (if assigning amongst different recorded holders)

**3. Work Performed** This includes the date you traveled to the field or mobilized equipment to the date the technical report was completed.

<b>From:</b> DD/MMMM/YYYY (enter the month in full in this box e.g. 12/July/2008) 25/July/2011	<b>To:</b> DD/MMMM/YYYY (enter the month in full in this box e.g. 28/July/2008) 30/November/2012
---------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

**Regulations:** Calculate the time-adjusted credit column, in the tables below, as follows:

- Work filed within 2 years of performance is claimed at 100%. (Enter 100% of actual costs in both of the last 2 columns).
- Work filed after 2 years and up to 5 years after performance is credited at 50%. (Enter 100% of actual costs in the 2nd last column and 50% in the last column.)
- Work older than 5 years is not eligible for credit.

### 3(A) Dates and Costs of Work Performed

From date DD/MM/YYYY	To date DD/MM/YYYY	Work Type	Unit of Work (example: hours/day, metres of drilling, km of grid lines)	Cost per Unit of Work	Actual Costs (\$)	Time-Adjusted Credit (\$) (See notes 1 and 2 above)
01/06/2012	30/10/2012	Agat Labs (Soils)	Per Sample	34	62,016	62,016
25/07/2011	30/10/2012	Agat Labs (Rocks)	Per Sample	45	1,647	1647
25/07/2011	30/10/2012	Senior Geologist	Per Day	650	11,537	11,537
01/06/2012	30/10/2012	6 Technicians	Per Day (53)	314	16,650	16,650
25/07/2011	30/10/2012	GIS	Per Hour (355)	30	10,650	10,650
25/07/2011	30/10/2012	Geology	Per Day (43.5)	450	19,575	19,575

### 3(B) Associated Costs

From date DD/MM/YYYY	To date DD/MM/YYYY	Associated Costs (example: supplies, mobilization, demobilization)	Actual Costs (\$)	Time-Adjusted Credit (\$) (See notes 1 and 2 above)
01/07/2012	30/10/2012	Sample Bags/Shipping Boxes	1,037	1,037
01/07/2012	30/10/2012	Navigation/Communications	4,070	4,070
01/07/2012	30/10/2012	PPE/Packs/Signs/Soil Augers	2,001	2,001
01/07/2012	30/10/2012	Shipping Costs	423	423
01/07/2012	30/10/2012	Office Space/Storage	13,400	13,400

**3(C) Transportation Costs**

From date DD/MM/YYYY	To date DD/MM/YYYY	Transportation Costs	Actual Costs (\$)	Time-Adjusted Credit (\$) (See notes 1 and 2 above)
25/07/2011	30/10/2012	Transportation to property	2,307	2,307

**3(D) Food and Lodging Costs**

From date DD/MM/YYYY	To date DD/MM/YYYY	Food and Lodging Costs	Actual Costs (\$)	Time-Adjusted Credit (\$) (See notes 1 and 2 above)
25/07/2011	30/10/2012	Per Diems	4,570	4,570

**Total of Time Adjusted Credit Columns (3A through 3D) = Total Value of Assessment Work**

**149,883**

**4. Type of Work Performed – please check off the type of survey performed (optional)**

Work Type	Survey Type	Work Type	Survey Type
Airborne geophysical	<input type="checkbox"/> AEM <input type="checkbox"/> AMAG <input type="checkbox"/> AVLF <input type="checkbox"/> other airborne geophysical	Geophysical	<input type="checkbox"/> EM <input type="checkbox"/> GRAV <input type="checkbox"/> IP <input type="checkbox"/> MAG <input type="checkbox"/> VLF <input type="checkbox"/> other geophysical
Assays	<input checked="" type="checkbox"/> assay <input type="checkbox"/> beneficiation <input checked="" type="checkbox"/> geochemical	Physical	<input type="checkbox"/> manual work <input type="checkbox"/> mechanical work <input type="checkbox"/> overburden stripping <input type="checkbox"/> re-cutting claim lines <input type="checkbox"/> trenching <input checked="" type="checkbox"/> other physical
Drilling	<input type="checkbox"/> diamond drilling <input type="checkbox"/> drill core submission to MNM <input type="checkbox"/> overburden drilling <input type="checkbox"/> boring other than core	Prospecting	<input checked="" type="checkbox"/> Prospecting
Line cutting	<input type="checkbox"/> line cutting	Rehabilitation	<input type="checkbox"/> Rehabilitation
Geochemical	<input checked="" type="checkbox"/> geochemical	Other – Please print <b>examples:</b> microscopic studies, bulk sampling, downhole geophysics	
Geological	<input checked="" type="checkbox"/> geological		

**5. Commodities Explored for - please list (optional)**

Gold (Au)

**6. Work Performed, Assigned, Banked**

**6(A) If you performed work on mining lands other than a staked mining claim, fill in the table below. Lease or Patented Land or Licence of Occupation (LO) or Other Mining Lands: Work performed, assigned or banked**

Lease # or Parcel # or G # or LO #	GAO-Approved Identifier (office use only)	Hectares	Amount of Work Performed on this Land (\$)	Amount of Credits Assigned to Mining Claim(s) (\$)	Bank (Amount of credits to be assigned at a future date)
<b>Column Totals for 6(A)</b>					

Schedule attached (if you have more entries attach a schedule)

**6(B) Mining Claims: Work performed, applied, assigned, banked or assigned from table 6(A) above**

Mining Claim Number	Number of Claim Units	Amount of Work Performed on this Claim (\$)	Amount of Credits Applied to this Claim (\$)	Amount of Credits Assigned to Other Mining Claims (\$)	Bank (Amount of credits to be applied or assigned at a future date)
See Appendix G					
<b>Column Total for 6(B)</b>		<b>149,883</b>	<b>138,465</b>	<b>63,270</b>	<b>11,418</b>
<b>Column Totals of 6(A) + 6(B)</b>		<b>149,883</b>		<b>63,270</b>	<b>11,418</b>

**Note:** Work performed on mining claims = credits applied + credits banked

Schedule attached (if you have more entries attach a schedule)

7. Some of the credits claimed in this Assessment Work form may be reduced. Please indicate below how you want your credits reduced if they are not approved. Check (input checked) in the boxes below. **If you have not indicated how your remaining credits are to be allocated, credits will be reduced from the Bank first, followed by option number 2 if necessary.** Credits are to be cutback:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated; or
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this Assessment Work form; or
- 4. Credits are to be cut back as **shown below:**

List the claim numbers in the order you want the credits to be cut back (setting your priority list).

Priority	Claim Number
1.	
2.	
3.	
4.	
5.	

Priority	Claim Number
6.	
7.	
8.	
9.	
10.	

Schedule attached (if you have more entries attach a schedule)

**8. Certification by Recorded Holder or Authorized Agent**

I, _____, do hereby certify on _____ that I have personal  
(Signature) (DD/MM/YYYY)

knowledge of the facts set forth in this Assessment Work form having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

### 6(B) Mining Claims: Work performed, applied, assigned, and banked

Mining Claim Number	Number of Claim Units	Amount of Work Performed on this Claim (\$)	Amount of Credits Applied to this Claim (\$)	Amount of Credits Assigned to Other Mining Claims (\$)	Bank (Amount of credits to be applied or assigned at a future date)
4258108	6	\$2,134.88	\$2,400.00		
4258109	16	\$11,410.57	\$6,400.00	\$5,010.57	
4258110	4	\$2,134.88	\$1,600.00	\$534.88	
4258111	12	\$5,742.09	\$4,800.00	\$942.09	
4258112	16	\$19,876.48	\$6,400.00	\$2,058.09	\$11,418.39
4258113	11	\$5,962.94	\$4,400.00	\$1,562.94	
4258114	12	\$8,392.29	\$4,800.00	\$3,592.29	
4258115	16	\$20,686.26	\$6,400.00	\$14,286.26	
4258116	12	\$5,521.24	\$4,800.00	\$721.24	
4258117	12	\$11,189.72	\$4,800.00	\$6,389.72	
4258118	16	\$22,673.91	\$6,400.00	\$16,273.91	
4258119	11	\$5,962.94	\$4,400.00	\$1,562.94	
4258120	16	\$13,103.75	\$6,400.00	\$6,703.75	
4258121	16	\$0.00	\$6,400.00		
4258136	4	\$588.93	\$1,600.00		
4258137	4	\$4,417.00	\$1,600.00	\$2,817.00	
4258138	12	\$0.00	\$4,800.00		
4258139	9	\$1,619.57	\$3,600.00		
4258140	6	\$0.00	\$2,400.00		
4258141	8	\$0.00	\$3,200.00		
4258142	15	\$0.00	\$6,000.00		
4258143	16	\$0.00	\$6,400.00		
4258144	10	\$0.00	\$4,000.00		
4258145	5	\$0.00	\$2,000.00		
4258146	8	\$0.00	\$3,200.00		
4258147	3	\$0.00	\$1,200.00		
4261136	16	\$7,214.43	\$6,400.00	\$814.43	
4261137	16	\$0.00	\$6,400.00		
4246101	10	\$0.00	\$4,000.00		
4246102	10	\$0.00	\$4,000.00		
4246300	6	\$1,251.48	\$2,120.00		
4246299	4	\$0.00	\$1,600.00		
1194297	8	\$0.00	\$1,945.00		
4207499	4	\$0.00	\$1,600.00		



**Priority Schedule**

Priority Rank	Mining Claim Number	Number of Claim Units
1	4207499	4
2	4258143	16
3	4258144	10
4	4258145	5
5	4258146	8
6	4258108	6
7	4258109	16
8	4258110	4
9	4258111	12
10	4258112	16
11	4258113	11
12	4258114	12
13	4258115	16
14	4258116	12
15	4258117	12
16	4258118	16
17	4258119	11
18	4258120	16
19	4258121	16
20	4258136	4
21	4258137	4
22	4258138	12
23	4258139	9
24	4258140	6
25	4258141	8
26	4258142	15
27	4258147	3
28	4261136	16
29	4261137	16
30	4246101	10
31	4246102	10
32	4246300	6
33	4246299	4
34	1194297	8