

PROSPECTING REPORT
ON THE
WHITE LAKE NARROWS PROPERTY
IN THE UNSURVEYED TOWNSHIP OF
"WHITE LAKE AREA"
THUNDER BAY MINING DIVISION
IN THE
DISTRICT OF THUNDER BAY

NTS 42C13



Thunder Bay Ontario.
April 28, 2013

Douglas. N .Kakeeway
Prospector

2 . 53935






Figure 1: Location Map



- | | |
|--|---|
| Archean | Proterozoic |
| <ul style="list-style-type: none"> Archean Metavolcanics Mafic Intrusions Intermediate to Felsic Metavolcanics and Related Metasediments Metasediments | <ul style="list-style-type: none"> Granitoids Mafic Intrusions Ultramafic Intrusions Coldwell Complex (alkalic) |
| <ul style="list-style-type: none"> Field Trip Stop (numbers 6 to 29 not shown for clarity; see Figure 6) Headframe: Hemlo Deposit L Lake | |

Figure 3: Regional Geology (Muir et al., 1995)



LEGEND

claim line ---

**FIGURE 2
LOCAL GEOLOGY**

SCALE

800 m

TABLE OF CONTENTS

	PAGE
1. SUMMERY	1
2. INTRODUCTION	1
3. PROPERTY LOCATION AND ACCESS	1
4. TOPOGRAPHY AND VEGETATION	1
5. REGIONAL GEOLOGY	2
6. LOCAL GEOLOGY ON CLAIM # 3005074,5075 and 5077	2
a) Lithologies	2
b) Mafic Metavolcanic	2
c) Course Grained Amphibolite	3
d) Migmatite	3
e) Metasediment	3
f) Metagabbro	4
g) Granodiorite	4
h) Granite	4
i) Felsic Intrusive	4
j) Lamprophyre	5
k) Diabase	5
7. CONCLUSIONS	5
8. RECOMMEDATIONS	5

APPENDICES

APPENDIX ASSAY CERTIFICATES

LIST OF FIGURES

FIGURE 1 KEY LOCATION MAP

FIGURE 2 LOCAL GEOLOGY MAP

FIGURE 3 REGIONAL GEOLOGY MAP

LIST OF TABLES

TABLE 1 ROCK SAMPLE LOCATIONS

TABLE 1 ROCK SAMPLE DESCRIPTIONS

TABLE 1 DAILY PROSPECTING LOG

LIST OF MAPS

MAP 1 RECENT CLAIM MAP AND ABSTRACTS

MAP 2 SAMPLE LOCATION

1) Summery

Prospecting, rock sampling was conducted on the Narrows Property on the east side of the White Lake Narrows from July 15, 2012 to October 28, 2012. A total of 19 grab samples were collected and analyzed for gold and base metals.

2) Introduction

The Narrows Property consisting of 4 contiguous claim blocks comprising of 45 units and are located 31 km west of the town of White River Ontario and 56 km east of Marathon Ontario. The claims lie within and on the east Shore of White Lake. The property is covered by N.T.S. map sheet 42C/12 and 42C/13S and by MNDM claim maps G-0623, G-0622.

3) Property Location and Access

The property is located 31 km west of the town of White River and 22.5 km east of Hemlo gold deposit in the Thunder Bay Mining Division. It includes portions of White Lake and surrounding land just north of Highway 17. A Public boat launch on the west side of white lake is available close to the Marathon boat club to access the property.

4) Topography and Vegetation

The Property consists of rolling hills rising from White Lake and generally ending in cliffs of 2-30m. The maximum relief is approximately 50m. Swampy and flat terrain is also prevalent. A few smaller ponds are contained within the property.

The higher areas are covered by large popular, birch and spruce, and smaller fir and spruce trees with local undergrowth of shrub maple and tag alder. Low lying areas contain cedar, tag alders and black spruce. Locally spruce budworm has devastated the trees and areas of deadfall are common.

In approximate year 2000 a forest fire has burnt about one half of claim #3005078 in the east side of the claim and about one third of claim #3005077 in the north east was also burnt.

5) Regional Geology

The Narrows property lies within the Heron Bay-Hemlo portion of the Schreiber-Hemlo greenstone belt in the Wawa subprovince of the Superior Province (Muir, 1983). This greenstone belt is composed of Archean metavolcanic and metasedimentary rocks surrounded by the regional granitic rocks and runs approximately east-west (Figure 3). The property region is underlain by mafic metavolcanics and metasediments with mafic, intermediate and felsic intrusives. Late intrusives consist of lamprophyre and diabase dikes. The metamorphic grade ranges from greenschist to amphibolite facies. A dominant north-northwest schistosity is found in this area.

The bedrock in the area is generally covered by a thin layer of surficial deposits consisting of humus and soil with a thin layer of glacial drift (Geddes, R.S. and Kristjansson, F.J., 1986). Locally the tills may be thicker. In some areas thick sections of glaciolacustrine deposits occur.

6) Local Geology on Claim #3005075, 3005074 and #3005077

(Descriptions used from Geologist M.Stalker White Lake project year 2000)

a) Lithologies

The White Lake property is underlain by a sequence of metavolcanic and metasedimentary rocks which have been inundated by mafic, intermediate, and felsic intrusive. The close proximity of large batholiths has led to metamorphic aureoles and magma mixing causing heterogeneous outcrops. Lithologies change or grade from outcrop to outcrop or within the same outcrop and contacts may be crosscutting or gradational making it hard to outline individual units. Rocks have been metamorphosed to the amphibolites facies.

b) Mafic Metavolcanic

Much of the property is underlain by mafic flows which grade into coarser grained amphibolites. The mafic volcanic are usually comprised of amphiboles and chlorite and commonly could be termed an amphibolites. They can be biotite rich especially where shearing occurs, rarely, they are muscovite rich. Poorly developed pillows were observed at only one location but outcrops that have an indication of pillows or ropy lava but no definite selvages are more common. Garnets and a beaded mineral, probably sillimanite, are common especially in those outcrops suggesting pillows. All of the mafics exhibit a foliation but it can be strong to sheared over small zones. Locally the mafic flows are altered to light green to tan in bands at an angle to foliation. Many of the mafic flows have traces of medium grained cubes of pyrite but rarely outcrops are rusty and may contain up to 5% pyrite locally.

c) Coarse Grained Amphibolites

This unit covers a wide variety of rocks on the property. It is made of coarser grained amphibolites with up to 30% pink or white felsic matrix. This unit is probably the metamorphic equivalent of the mafic volcanic flows which have been affected by the intrusion of the intermediate to felsic intrusive. Grain size can be from 1mm to 5cm. It grades between the mafic volcanic and the Granodiorite or may be crosscutting these units. This unit is commonly without foliation but may be foliated or gneissic locally. Trace amount of pyrite and rare molybdenum may be found in the amphibolites, especially in the felsic matrix.

d) Migmatite

This unit has a light grey intermediate to felsic matrix with pods of mafic material and pods of granitic material which resemble slightly stretched clasts. These pods grade in composition with a number of different varieties. These pods look like they are replaced primary clasts, possibly originally a pyroclastic rock, but the unit may also be a hybrid of two different magmas. This unit occurs in seven different locations comprising several outcrops in the central part of the property. The largest observed width of the unit was >10m but it also appears in bands <1m. This lithology is often biotite rich and scattered pyrite cubes are common.

e) Metasediments

There are two main types of Lithologies on the property which appear to be meta-sediments. Biotite rich schist to gneiss with quartz and feldspar grains which grades to a more arkosic rock. A few outcrops are biotite schist that looks like a lamprophyre dike and it is difficult to tell between the two. Possibly a granitized sediment which is fine grained, laminated, and may be strongly sheared. It is commonly sericitized and locally muscovite rich with rare green mica grains. The unit gives the appearance of a mylonite and folding is commonly evident. Quartz eyes are found in some of these outcrops and it is possible this unit is altered porphyry with laminations due to alteration. Minor pyrite is found locally in both of these units and trace amounts of molybdenite is found in the granitized sediments.

f) Metagabbro

The gabbro is very similar to and is possibly the same unit as amphibolite with <5% felsic matrix. It is very coarse grained with grains up to 10 cm. It appears to be a true gabbro and not just a very coarse grained equivalent of the amphibolite because of its stronger magnetic signature, higher Ni content, and rarely observed cross cutting contacts with the amphibolite. Locally the gabbros' magnetic field is strong enough to disturb a compass. At some locations the gabbro and amphibolite contact does appear gradational. However, the two units do overlap and may easily be mistaken for one another.

g) Granodiorite

Granodiorite is a very prominent rock type on the grid. It grades between granite and amphibolite. It is mainly medium to coarse grained but may be very coarse grained. It is composed of amphibole and chlorite and less commonly biotite with pink and white feldspar grains and white quartz grains. The Granodiorite often grades in composition but slightly different compositions may also have sharp dike like contacts indicating a number of different intrusions of the Granodiorite magma. It is common on the property to see a Granodiorite outcrop with pods of Granodiorite in a more mafic matrix. On the north shore of the cut grid area are good examples of this with rounded pods of Granodiorite in a Matrix formed of amphibole.

h) Granite

Granite is not as prevalent on the property and probably is the most felsic end member of the Granodiorite batholith. It is mostly composed of feldspar, quartz, amphibole and biotite. It is commonly gneissic.

i) Felsic Intrusive

Felsic intrusives are prevalent throughout the property. Pegmatite's are common and consist of coarse grains of quartz, feldspar, and biotite.

Granite intrusives are also commonly found. Less common are aplitic intrusives. All of these intrusives are generally less than 1m in width.

j) Lamprophyre

Two lamprophyre dikes were observed on the property. These are fine to medium grained and biotite rich and are similar to the biotite schist sediments. They may be metasediment but appear to have intrusive contacts although these contacts are parallel to foliation.

k) Diabase

Three outcrops of diabase were observed but common diabase rubble indicates that it is more prevalent. Both fine grained and coarse grained diabase occur. The coarser diabase is magnetic. The diabase contains trace amounts of pyrite.

7) Conclusions

A better understanding of the geology of the claims.

8) Recommendations

- Prospect and locate the bedrock source of the six float grab samples high in Zinc located along the Shore of White Lake on claim 3005077.
- Prospect and locate the bedrock source of the two gold floats found in 2010 on claim 3005075
- Diamond Drill the former Carroll gold occurrence located on claim 3005077

LEGEND

PRECAMBRIAN

NEOPROTEROZOIC

- 10 Port Colwell Alkali Complex^{a,b}
- 10a Gabbro
- 10b Pyroxene syenite
- 10c Amphibole syenite
- 10d Quartz syenite
- 10e Heterogeneous syenite
- 10f Mesoproterozoic (?) amygdaloidal mafic flows (pancarts)

INTRUSIVE CONTACT

PALEOPROTEROZOIC TO MESOPROTEROZOIC

- 6 Mafic Intrusive Rocks^c
- Diabase dikes ± plagioclase phenocrysts

INTRUSIVE CONTACT

NEOARCHAIC

- 8 Felds to Intermediate Intrusive Rocks^{a,b}
- Colors based on known and inferred ages (see note d, below)

- Pluton 2679-2677 Ma
- Pluton and Stock 2888-2884 Ma
- Pluton 2927 Ma
- Batholith - Mixed Tonnies 2720-2698 Ma

- 8a Leucocratic biotite tonalite to biotite granodiorite^d
- 8b Biotite tonalite^d
- 8c Biotite-hornblende tonalite
- 8d Hornblende-biotite tonalite^d
- 8e Plagioclase-phryic biotite tonalite
- 8f Plagioclase-phryic biotite-hornblende to hornblende-biotite tonalite
- 8g Plagioclase-phryic hornblende tonalite
- 8h Plagioclase-phryic biotite-hornblende tonalite gneiss
- 8i Biotite granodiorite
- 8j Biotite-hornblende granodiorite^d
- 8k Hornblende-biotite granodiorite^d
- 8l Plagioclase-phryic to -alphyic biotite granodiorite^d
- 8m Plagioclase-phryic biotite-hornblende granodiorite gneiss^d
- 8n Plagioclase-subphyric biotite-hornblende to hornblende-biotite granodiorite^d
- 8o Varitally microcline-megacrystic hornblende-biotite granodiorite^d
- 8p Biotite-hornblende quartz monzonite
- 8q Hornblende-biotite quartz monzonite^d
- 8r Hornblende monzonite to hornblende quartz monzonite
- 8s Equigranular to plagioclase-subphyric hornblende diorite to quartz monzonite to granodiorite
- 8u Microcline-megacrystic hornblende-biotite diorite to quartz monzonite to granodiorite^d
- 8v Mainly foliated to gneissic tonalite to granodiorite; local massive to foliated phases; diverse minor phases^d
- 8w Plagioclase-quartz porphyry^d
- 8x Apatite, pegmatite
- 8y Unsubdivided massive to weakly foliated granitoid rocks

INTRUSIVE CONTACT

- 7 Metamorphosed Ultramafic Intrusive Rocks^a
- 7a Pyroxenite
- 7b Pyroxenite
- 7c Saponinite
- 7d Hornblende

- 8 Metamorphosed Mafic Intrusive Rocks^a
- 8a Gabbro
- 8b Diorite^d
- 8c Unsubdivided, massive to gneissic, mafic to intermediate, intrusive and/or volcanic rocks
- 8d Schistose to gneissic rocks

INTRUSIVE CONTACT

- 5 Metasedimentary Rocks^{a,b}
- 5a Mudstone (siltstone, claystone), minor wacke
- 5b Wacke, siltic wacke, local minor conglomerate^d
- 5c Arenite, siltic arenite, local minor conglomerate
- 5d Conglomerate ± siltic wacke ± siltic arenite^d
- 5e Oolite (massive) iron formation
- 5f Schistose rock
- 5g Gneissic rock
- 5h Migmatitic rock

- 4 Felds Metavolcanic Rocks^a
- 4a Massive flows (see flow typing), related subvolcanic intrusions; commonly plagioclase-quartz-phryic^d
- 4b Plagioclase-quartz-phryic tuff, lapilli tuff and reworked deposits^d
- 4c Plagioclase-quartz-phryic tuff breccia, pyroclastic breccia and reworked deposits
- 4d Schistose rock

- 3 Intermediate Metavolcanic Rocks^a
- 3a Massive and pillowed flows; commonly plagioclase-phryic; locally amygdaloidal
- 3b Plagioclase-quartz-phryic tuff, lapilli tuff and reworked deposits^d
- 3c Plagioclase-quartz-phryic tuff breccia, pyroclastic breccia and reworked deposits
- 3d Schistose rock
- 3e Migmatitic rock

- 2 Mafic Metavolcanic Rocks^a
- 2a Massive to pillowed flows
- 2b Massive to pillowed flows with amygdalae and/or vesicles
- 2c Massive to pillowed flows with plagioclase phenocrysts
- 2d Tuff, lapilli tuff
- 2e Amphibolite
- 2f Schistose rock
- 2g Gneissic rock
- 2h Migmatitic rock
- 2i Pyroxene-epidote-textured flows

- 1 Ultramafic Metavolcanic Rocks^a
- 1a Massive to pillowed picritic flows
- 1b Olivine-epidote-textured flows
- 1c Polytextured flows
- 1d Schistose rock


^a Rocks in these units are subdivided lithologically and the order does not imply age relationships within the units.

^b Internal "contacts" within these units do not necessarily represent discrete igneous phases (units 10, 8) or sedimentary packages (unit 5).

^c The label "C" represents tholeiitic; "M" is basaltic; "B" is basaltic.

TABLE 1
SAMPLE DESCRIPTIONS/LOCATIONS
AND DAILY LOG

Sample No.	GPS Sample Location	Sample Description	Sample date
759678	16 U 601638 5398493	felsic volcanics	SEPT 28/2012
759679	16 U 601280 5398547	foiled sediment (float)	SEPT 28/2012
759680	16 U 601642 5398500	salt and pepper(float) with <1% py,po.	SEPT 28/2012
1003151	16 U 600987 5399034	quartz along white lake shore (float)	OCT 16/2012
1003152	16 U 602520 5399715	gabbro medium grain with<1% py and 1" qtz vein	OCT 16/2012
1003153	16 U 601870 5399192	fine grained sugery white qtz with garnets	OCT 16/2012
1003154	16 U 601869 5399190	fine grained sugery white qtz with garnets	OCT 16/2012
1035128	16 U 601536 5399173	Iron formation	JUL 15/2012
1035130	16 U 601326 5400578	mafic lake shore float	OCT 28/2012
1035131	16 U 601321 5400571	mafic lake shore float	OCT 28/2012
1035132	16 U 601317 5400587	mafic lake shore float	OCT 28/2012
1035133	16 U 601317 5400573	mafic lake shore float	OCT 28/2012
1035134	16 U 601314 5400558	mafic lake shore float	OCT 28/2012
1035135	16 U 601316 5400554	mafic lake shore float	OCT 28/2012
1035136	16 U 601303 5400529	mafic lake shore float	OCT 28/2012
1035137	16 U 600966 5400441	mafic, qtz, <1%py. Along lake shore	OCT 28/2012
1035138	16 U 601052 5400435	rusted foliated recrystallized fine grained sugery qtz.	OCT 28/2012
"	"	rounded float along lake shore	"
1035139	16 U 601146 5400257	course grained gabbro with one inch white quartz	OCT 28/2012
1035140	16 U 600987 5399034	quartz along white lake shore (float)	OCT 28/2012



**RECENT CLAIM MAP
MAP 1**

19 May 2013


To Whom it May Concern,

I Marvin Catlin of Thunder Bay assisted Doug Kakeeway


July 15,2012/Sept 28,2012/Oct 16,2012 and Oct 28,2012 on his White Lake claims.

Signed x 

Marvin Catlin

Signed x 

Doug Kakeeway



LEGEND

- ★ Grab Sample Location
- ☞ Sample Tag Number 1035139
- Claim line

White Lake Narrows Property

Sample Location Map 2
 UTM(NAD 83)
 16U /601397/ 5399571
 NTS 42C13SE 2013

sample numbers
 1035130, 1035131, 1035132
 1035133, 1035134, 1035135
 1035136.

sample No.
 1035137

sample No.
 1003152

sample No.
 1035139

sample No.
 1035128

sample No's.
 1003153, 1003154

sample No
 1035140
 1003151

sample No
 759679

sample No's
 759678
 759680

scale
 800 meters

NORTH

UTM Zone 16
 1000m grid

Drawn by Doug. N. Kakeway



Ministry of Northern
Development and Mines

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)
- [News](#)
- [Site Map](#)
- [Contact Us](#)

Mining Claim Abstract
| [Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005075	Status: ACTIVE - Work Report Pending
Due Date:	2013-Jul-02	Recorded:	2009-Jul-02
Work Required:	\$ 3,816	Staked:	2009-Jun-27 18:00
Total Work:	\$ 10,584	Township/Area:	WHITE LAKE AREA (G-0622)
Total Reserve:	\$ 3,104	Lot Description:	
Present Work Assignment:	\$ 17,555	Claim Units:	12
Claim Bank:	\$ 0		

Claim Holders

Recorded Holder(s) Percentage
KAKEEWAY, DOUG NEIL (100.00 %)

Client Number
150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2009-Jul-02		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0940.01857
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26	\$ 12,704	Q1040.009999
OTHER	2010-Apr-14		WORK PERFORMED (PROSP) APPROVED: 2010-JUL-26	\$ 817	Q1040.01767
WORK	2010-Apr-14	\$ 9,600	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26		W1040.009999
WORK	2010-Apr-14	\$ 817	WORK APPLIED (PROSP) APPROVED: 2010-JUL-26		W1040.01767
MISC	2010-Nov-02		TOWNSHIP/AREA NAME CHANGED FROM WHITE LAKE-SOUTH AREA		M1040.00323
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 2,347	Q1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 15,375	Q1240.00913
WORK	2012-Mar-27	\$ 167	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913
WORK	2013-Feb-11	\$ 0	WORK REPORT PENDING		W1340.00521

Claim Reservations

- 01 400' surface rights reservation around all lakes and rivers
- 02 Sand and gravel reserved
- 03 Peat reserved
- 04 Other reservations under the Mining Act may apply
- 05 Including land under water
- 06 Excluding road
- 11 Excluding railway right of way

CLAM

3065075

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)



Ministry of Northern
Development and Mines

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)
- [News](#)
- [Site Map](#)
- [Contact Us](#)

Mining Claim Abstract

| [Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005078	Status: ACTIVE
Due Date:	2013-May-28	Recorded:	2008-May-28
Work Required:	\$ 6,400	Staked:	2008-May-18 17:30
Total Work:	\$ 19,200	Township/Area:	WHITE LAKE AREA (G-0622)
Total Reserve:	\$ 2,381	Lot Description:	
Present Work Assignment:	\$ 0	Claim Units:	16
Claim Bank:	\$ 0		

Claim Holders

Recorded Holder(s) Percentage

KAKEWAY, DOUG NEIL (100.00 %)

Client Number
150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2008-May-28		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0840.03100
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26	\$ 6,659	Q1040.00999
WORK	2010-Apr-14	\$ 6,400	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26		W1040.00999
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 3,887	Q1140.00715
WORK	2011-Mar-25	\$ 6,400	WORK APPLIED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07		W1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 2,715	Q1240.00913
WORK	2012-Mar-27	\$ 6,400	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913

Claim Reservations

- 01 400' surface rights reservation around all lakes and rivers
- 02 Sand and gravel reserved
- 03 Peat reserved
- 04 Other reservations under the Mining Act may apply
- 05 Including land under water
- 06 Excluding road

CLAIM
3005078

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)
- [News](#)
- [Site Map](#)
- [Contact Us](#)



Ministry of Northern
Development and Mines

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)
- [News](#)
- [Site Map](#)
- [Contact Us](#)

Mining Claim Abstract

| [Main Menu](#) | [Back](#) |

THUNDER BAY - Division 40		Claim No: TB 3005077	Status: ACTIVE
Due Date:	2014-May-28	Recorded:	2008-May-28
Work Required:	\$ 6,400	Staked:	2008-May-17 15:20
Total Work:	\$ 25,600	Township/Area:	WHITE LAKE AREA (G-0622)
Total Reserve:	\$0	Lot Description:	
Present Work Assignment:	\$ 2,347	Claim Units:	16
Claim Bank:	\$ 0		

Claim Holders

Recorded Holder(s) Percentage

KAKEWAY, DOUG NEIL (100.00 %)

Client Number
150453

Transaction Listing

Type	Date	Applied	Description	Performed	Number
STAKER	2008-May-28		RECORDED BY KAKEEWAY, DOUG NEIL (E32867)		R0840.03100
OTHER	2010-Apr-14		WORK PERFORMED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26	\$ 12,741	Q1040.009999
WORK	2010-Apr-14	\$ 12,800	WORK APPLIED (ASSAY, PMECH, PROSP, PSTRIIP) APPROVED: 2010-JUL-26		W1040.009999
OTHER	2011-Mar-25		WORK PERFORMED (ASSAY, PBORE, PMAN, PROSP) APPROVED: 2011-APR-07	\$ 2,347	Q1140.00715
OTHER	2012-Mar-27		WORK PERFORMED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16	\$ 1,277	Q1240.00913
WORK	2012-Mar-27	\$ 12,800	WORK APPLIED (ASSAY, PDRILL, PROSP) APPROVED: 2012-MAY-16		W1240.00913

CLAIMING
3005077


Claim Reservations

- 01 400' surface rights reservation around all lakes and rivers
- 02 Sand and gravel reserved
- 03 Peat reserved
- 04 Other reservations under the Mining Act may apply
- 05 Including land under water

- [Home](#)
- [Mines and Minerals](#)
- [Northern Development](#)
- [News](#)
- [Site Map](#)
- [Contact Us](#)



This site is maintained by the Government of Ontario, Canada.



ACCURASSAY
LABORATORIES

Laboratory Address:
1046 Gorham Street
Thunder Bay, ON P7B 5X5
Ph: 807-626-1630
Fx: 807-622-7571

Remit to:
Accurassay Head Office
126-4026 Meadowbrook Drive
London, ON N6L 1C7
Ph: 519-266-4640
Fx: 519-652-8638

INVOICE

Invoiced to:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Analyzed For:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Invoice No: IN116926

Date: Nov 8, 2012

Page 1

Cust. No.: 0575

Business No: 10029 4768

Terms: Net 30 Days

Due Date: Dec 8, 2012

Code	Qty	Description	Unit Price	Amount
		Job# 201244203		
ALP1	11	Dry, Crush (<5kg) 90% -8 mesh (2mm), Split (500g), Pulverize	8.00	88.00
ALFA1	11	Gold (FA/AAS, 30g)	13.65	150.15
ALAR1	10	Aqua Regia Digestion with ICP-OES Finish	10.20	102.00
Notes:		Tax Summary: GST 17.01 PST 0.00 HST 0.00		Sub-Total 340.15 Total Taxes 17.01 Total Amount 357.16

paid

Final Certificate

Kakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-5N6
PH#: (807) 285-6481
Email: goldfinder@vianet.ca

825811

Date Received: 10/30/2012
Date Completed: 11/13/2012
Job #: 201244203
Reference:
Sample #: 11

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
304799	1035130	0.007	<1	1.85	6	<10	41	<2	4	1.77	6	20	58	49	5.64	0.11	25	0.97	996	9	0.22	88	279	<1	<5	6	<0.01	<10	15	1574	7	161	13	10	90	
304800	1035131	<0.005	<1	1.20	5	<10	6	<2	7	1.92	5	14	29	483	4.44	0.06	11	0.50	1558	17	0.14	52	376	4	6	12	<0.01	<10	10	1376	8	80	14	8	75	
304801	1035132	0.005	<1	0.84	9	15	18	<2	3	1.17	4	23	35	89	3.02	0.06	11	0.53	478	18	0.17	69	441	<1	<5	12	0.01	<10	6	1844	3	94	15	9	167	
304802	1035133	<0.005	<1	0.61	21	15	23	<2	7	1.23	8	45	18	332	4.14	0.11	12	0.44	327	65	0.08	123	180	2	<5	<5	<0.01	<10	10	1185	3	54	31	8	1701	
304803	1035134	0.005	<1	1.48	23	11	24	<2	8	1.45	6	36	33	239	5.73	0.09	21	0.85	685	5	0.18	77	414	7	<5	<5	<0.01	<10	13	1198	5	95	16	8	146	
304804	1035135	0.007	<1	0.47	36	11	17	<2	3	1.68	11	29	17	193	2.68	0.09	15	0.37	271	56	0.06	91	193	11	<5	7	<0.01	<10	13	850	5	15	63	8	3841	
304805	1035136	<0.005	<1	0.93	34	<10	14	<2	7	1.02	4	37	28	122	3.70	0.08	19	0.64	414	4	0.14	74	454	1	<5	7	<0.01	<10	5	1706	4	78	17	7	218	
304806	1035137	0.028	<1	1.28	20	13	6	<2	6	3.59	4	67	52	441	4.27	<0.01	4	0.06	461	7	0.02	201	104	2	<5	5	<0.01	<10	5	1087	8	46	14	6	12	
304807	1035138	<0.005	<1	0.45	8	<10	15	<2	6	0.79	<4	30	51	64	2.88	0.05	6	0.26	296	8	0.11	108	300	2	<5	8	<0.01	<10	8	1934	4	58	13	7	26	
304808	1035139	<0.005	<1	0.42	8	12	53	<2	5	0.66	<4	24	53	195	1.74	0.14	7	0.44	150	7	0.17	99	373	<1	<5	<5	0.02	<10	39	1478	7	33	14	7	14	
304809D	1035139	<0.005	<1	0.40	6	12	53	<2	3	0.60	<4	24	52	199	1.69	0.14	7	0.40	140	7	0.17	101	372	<1	<5	7	<0.01	<10	38	1399	3	31	11	6	12	
304810	1035140	0.101																																		

PROCEDURE CODES: ALP1, ALFA1, ALAR1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: *Jessyn Moore*
Jessyn Moore, General Manager



ACCURASSAY
LABORATORIES

Laboratory Address:
1046 Gorham Street,
Thunder Bay, ON P7B 5X5
Ph: 807-626-1630
Fx: 807-622-7571

Remit to:
Accurassay Head Office
126-4026 Meadowbrook Drive
London, ON N6L 1C7
Ph: 519-266-4640
Fx: 519-652-8639

INVOICE

Invoiced to:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Analyzed For:

Kekeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Invoice No: IN116833

Date: Oct 31, 2012

Page 1

Cust. No.: 0575

Business No: 10029 4768

Terms: Net 30 Days

Due Date: Nov 30, 2012

Code	Qty	Description	Unit Price	Amount
		Job# 201244056		
ALP1	4	Dry, Crush (<5kg) 90% -8 mesh (2mm), Split (500g), Pulverize	8.00	32.00
ALFA1	4	Gold (FA/AAS, 30g)	13.65	54.60
ALAR1	4	Aqua Regia Digestion with ICP-OES Finish	10.20	40.80

Notes:

Tax Summary:

GST 6.37
PST 0.00
HST 0.00

Sub-Total **127.40**
Total Taxes **6.37**
Total Amount **133.77**



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Final Certificate

Kakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-SN6
Ph#: (807) 285-6481
Email: goldfinder@vianet.ca

Date Received: 10/17/2012
Date Completed: 10/25/2012
Job #: 201244056
Reference:
Sample #: 4

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
294627	1003151	0.123	<1	0.29	11	43	6	<2	<1	4.83	<4	7	37	83	0.78	0.03	5	0.11	240	9	0.02	43	<100	4	<5	9	0.01	<10	53	211	<2	11	<10	4	32
294628	1003152	<0.005	2	3.01	9	48	24	2	13	0.77	7	38	52	53	7.89	0.14	160	2.02	754	40	0.09	27	444	11	<5	8	0.02	<10	15	1644	<2	257	<10	13	134
294629	1003153	<0.005	1	1.57	33	42	185	<2	1	0.71	<4	22	259	84	2.00	0.40	34	0.71	203	17	0.14	64	126	3	<5	9	0.01	<10	12	1075	<2	151	<10	3	50
294630	1003154	0.006	<1	1.72	16	44	232	<2	9	0.61	<4	26	275	55	2.44	0.61	34	0.80	268	19	0.21	68	169	3	<5	8	0.02	<10	14	1196	2	156	<10	2	68
294631D	1003154	<0.005	<1	1.76	9	42	238	<2	10	0.61	<4	27	283	55	2.52	0.64	35	0.83	280	21	0.21	72	175	3	<5	5	0.01	<10	14	1252	2	160	<10	2	62

PROCEDURE CODES: ALP1, ALFA1, ALAR1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: 
Jason Moore, General Manager



ACCURASSAY
LABORATORIES

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Ph: (807) 626-1630
Fax: (807) 622-7571
www accurassay.com

INVOICE

Bill to:

Keeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Analyzed For:

Keeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Invoice No: IN115743
Date: Aug 8, 2012
Page: 1

Business No: 10029 4768

Terms: Net 30 Days

Due Date: Sep 7, 2012

Code	Qty.	Unit	Description	Unit Price	Amount
			Job# 201242698		
ALP1	1	ea	Dry, Crush (<5kg) 90% -8 mesh (2mm), Split (500g), Pulverize	8.00	8.00
ALFA1	1	ea	Gold (FA/AAS, 30g)	13.65	13.65
ALAR1	1	ea	Aqua Regia Digestion with ICP-OES Finish	10.20	10.20
				Subtotal	31.85
				GST/HST	1.59
				Total Amount	33.44

Exceptional Service. Expert Analysis.



Tuesday, August 7, 2012

1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www.accurassay.com
assay@accurassay.com

Final Certificate


Kakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-5N6
Ph#: (807) 285-6481
Email: goldfinder@vianet.ca

Date Received: 07/18/2012
Date Completed: 08/07/2012
Job #: 201242698
Reference:
Sample #: 1

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
202295	1035128	0.014	<1	2.23	<2	35	95	3	11	1.84	14	46	55	531	18.73	0.15	19	1.01	2336	37	0.21	61	446	29	<5	<5	0.01	<10	13	2015	<2	278	<10	17	101
202296D	1035128	0.016	<1	2.41	<2	34	95	2	4	2.01	15	50	70	549	19.26	0.15	20	1.08	2663	43	0.23	90	461	14	<5	<5	0.01	<10	14	2130	7	280	<10	19	106

PROCEDURE CODES: ALP1, ALFA1, ALAR1

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: 
Jason Moore General Manager



ACCURASSAY
LABORATORIES

Laboratory Address:
1046 Gorham Street,
Thunder Bay, ON P7B 5X5
Ph: 807-626-1630
Fx: 807-622-7571

Remit to:
Accurassay Head Office
126-4026 Meadowbrook Drive
London, ON N6L 1C7
Ph: 519-266-4640
Fx: 519-652-8636

INVOICE

Invoiced to:

Kakeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Analyzed For:

Kakeeway, Doug
4 - 305 Balsam Street
Thunder Bay, ON P7A 5N6
Canada

Invoice No: IN116613

Date: Oct 15, 2012

Page 1

Cust. No.: 0575

Business No: 10029 4768

Terms: Net 30 Days

Due Date: Nov 14, 2012

Code	Qty	Description	Unit Price	Amount
		Job# 201243900		
ALP1	3	Dry, Crush (<5kg) 90% -8 mesh (2mm), Split (500g), Pulverize	8.00	24.00
ALFA1	3	Gold (FA/AAS, 30g)	13.65	40.95

Notes:

Tax Summary:

GST 3.25
PST 0.00
HST 0.00

Sub-Total **64.95**
Total Taxes **3.25**
Total Amount **68.20**



1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5

Tel: (807) 626-1630
Fax: (807) 622-7571

www accurassay.com
assay@accurassay.com

Friday, October 12, 2012

Final Certificate

Kakeway, Doug
305 Balsalm Street Apt # 4
Thunder Bay, ON, CAN
P7A-5N6
Ph#: (807) 285-6481
Email: goldfinder@vianet.ca

Date Received: 10/02/2012
Date Completed: 10/12/2012
Job #: 201243900
Reference:
Sample #: 3

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
283987	759678	10	<0.001	0.010
283988	759679	36	0.001	0.036
283989	759680	<5	<0.001	<0.005
283990 Dup	759680	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1

Certified By: 
Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.