

DETAILED LOG

Hole Number: AM-CH-11-01

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5461360.37 | North: | Collar Az: 132.00 |
| Location: Aumacho River | East: 427217.29 | East: | Length: 5.35 |
| | Elev: 432.22 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 29, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 29, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 5.35 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel located in Claim #3009119

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 5.34 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, very coarse grained, qtz-fsp-musc-spd, accessory minerals: blue-green apatite (0.4 cm grains), green tourmaline (0.5 cm long). Apatite is more abundant than tourmaline--both are more abundant in the first 0.90 m. Apatite also abundant between 3.9 and 4.9 m. Mineralization 0.00 - 5.34 : SPOD Spodumene, PERV Pervasive, 25.00% Spodumene is very pale green to white, little to no dark green or gray alteration, xtls 5-10 cm long oriented randomly. | 880234 | 0.00 | 0.90 | 0.90 | 0.93 | 1580.00 | 231.00 | 48.50 | 216.00 |
| | | | 880235 | 0.90 | 1.90 | 1.00 | 1.96 | 1470.00 | 228.00 | 77.10 | 181.00 |
| | | | 880236 | 1.90 | 2.90 | 1.00 | 3.16 | 522.00 | 92.80 | 43.90 | 128.00 |
| | | | 880237 | 2.90 | 3.90 | 1.00 | 2.00 | 612.00 | 0.60 | 38.40 | 113.00 |
| | | | 880238 | 3.90 | 4.90 | 1.00 | 1.70 | 921.00 | 136.00 | 30.00 | 118.00 |
| | | | 880239 | 4.90 | 5.35 | 0.45 | 0.71 | 2030.00 | 253.00 | 36.30 | 73.00 |
| 5.34 | 5.35 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|----------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880234 | 0.00 | 0.90 | 0.9257 | 1580.0000 | 231.0000 | 48.5000 | 216.0000 |
| 880235 | 0.90 | 1.90 | 1.9591 | 1470.0000 | 228.0000 | 77.1000 | 181.0000 |
| 880236 | 1.90 | 2.90 | 3.1647 | 522.0000 | 92.8000 | 43.9000 | 128.0000 |
| 880237 | 2.90 | 3.90 | 2.0021 | 612.0000 | 0.6000 | 38.4000 | 113.0000 |
| 880238 | 3.90 | 4.90 | 1.7007 | 921.0000 | 136.0000 | 30.0000 | 118.0000 |
| 880239 | 4.90 | 5.35 | 0.7104 | 2030.0000 | 253.0000 | 36.3000 | 73.0000 |

DETAILED LOG

Hole Number: CW-CH-11-01

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478214.56 | North: | Collar Az: 124.00 |
| Location: Conway | East: 427397.79 | East: | Length: 0.40 |
| | Elev: 401.26 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.40 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 395. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.39 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd, some hard dark minerals and some orange minerals--possibly the dark ones altered--iron oxides? Mineralization 0.00 - 0.39 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green and shows some dark green alteration on the edges of the xtls. xtls are randomly oriented and 2-3 cm long | 880208 | 0.00 | 0.40 | 0.40 | 0.90 | 1010.00 | 57.60 | 43.60 | 178.00 |
| 0.39 | 0.40 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880208 | 0.00 | 0.40 | 0.9042 | 1010.0000 | 57.6000 | 43.6000 | 178.0000 |

Hole Number: CW-CH-11-02

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478282.82 | North: | Collar Az: 70.00 |
| Location: Conway | East: 427430.65 | East: | Length: 0.45 |
| | Elev: 396.97 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.45 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 394. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.44 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd. Spodumene is much more of an accessory rather than primary mineral Mineralization 0.00 - 0.44 : SPOD Spodumene, PERV Pervasive, 1.00% spodumene is very altered--dark green/black in color. xtls are 1 cm long and randomly oriented | 880209 | 0.00 | 0.45 | 0.45 | 1.33 | 1160.00 | 69.90 | 36.80 | 112.00 |
| 0.44 | 0.45 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880209 | 0.00 | 0.45 | 1.3348 | 1160.0000 | 69.9000 | 36.8000 | 112.0000 |

Hole Number: CW-CH-11-03

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478318.41 | North: | Collar Az: 6.00 |
| Location: Conway | East: 427453.11 | East: | Length: 0.50 |
| | Elev: 387.83 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 393. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.49 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp(k-spar)-musc-spd Mineralization 0.00 - 0.49 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is gray-green with some dark green altered xtls. xtls are oriented perpendicular to the channel, xtl length is at least 1.5 cm--diameter 0.5 cm | 880211 | 0.00 | 0.50 | 0.50 | 1.55 | 737.00 | 50.80 | 5.90 | 155.00 |
| 0.49 | 0.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|--------|----------|
| Sample Type ASSAY | | | | | | | |
| 880211 | 0.00 | 0.50 | 1.5500 | 737.0000 | 50.8000 | 5.9000 | 155.0000 |

DETAILED LOG

Hole Number: CW-CH-11-04

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478345.92 | North: | Collar Az: 80.00 |
| Location: Conway | East: 427457.62 | East: | Length: 0.55 |
| | Elev: 380.86 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.55 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 412. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.54 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 0.00 - 0.54 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green to gray green. A few dark green xtls too. xtls 1-3 cm long and oriented randomly | 880212 | 0.00 | 0.55 | 0.55 | 1.57 | 939.00 | 71.90 | 34.70 | 213.00 |
| 0.54 | 0.55 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880212 | 0.00 | 0.55 | 1.5716 | 939.0000 | 71.9000 | 34.7000 | 213.0000 |

DETAILED LOG

Hole Number: CW-CH-11-05

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478348.70 | North: | Collar Az: 72.00 |
| Location: Conway | East: 427467.71 | East: | Length: 0.67 |
| | Elev: 382.66 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.67 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 392. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.66 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-spd-fsp-musc Mineralization 0.00 - 0.66 : SPOD Spodumene, PERV Pervasive, 30.00% spodumene is pale green, little to no alteration, xtls oriented parallel to the channel with a "dip" of 36 deg. | 880213 | 0.00 | 0.67 | 0.67 | 2.76 | 385.00 | 45.80 | 11.60 | 160.00 |
| 0.66 | 0.67 | SPD PEG, spodumen pegmatite | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880213 | 0.00 | 0.67 | 2.7556 | 385.0000 | 45.8000 | 11.6000 | 160.0000 |

DETAILED LOG

Hole Number: CW-CH-11-06

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478363.83 | North: | Collar Az: 42.00 |
| Location: Conway | East: 427472.22 | East: | Length: 0.60 |
| | Elev: 381.71 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.60 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 391. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.59 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, first 20 cm is qtz-fsp-musc-spd aplite, middle 20 cm is qtz-fsp-musc barren aplite, last 20 cm is qtz-fsp-musc-spd pegmatite. Between the first and middle rock types, the contact is sharp. Between the middle and last rock types, the contact is more gradational--a few big xtls (3 cm) in the aplite with numerous small 0.2-0.5 cm spod xtls. Mineralization 0.00 - 0.20 : SPOD Spodumene, PERV Pervasive, 2.00% spodumene is oriented randomly, pale green to gray-green to dark green, xtls 0.2-3 cm long *Please read general comments | 880214 | 0.00 | 0.60 | 0.60 | 0.80 | 659.00 | 51.50 | 32.90 | 132.00 |
| 0.59 | 0.60 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880214 | 0.00 | 0.60 | 0.7965 | 659.0000 | 51.5000 | 32.9000 | 132.0000 |

DETAILED LOG

Hole Number: CW-CH-11-06A

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5478370.44 | North: | Collar Az: 127.00 |
| Location: Conway | East: 427470.19 | East: | Length: 0.20 |
| | Elev: 386.92 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.20 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 391A. Channel located in Claim #3009087

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.19 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp(k-spar)-musc-spd. Mineralization 0.00 - 0.19 : SPOD Spodumene, PERV Pervasive, 2.00% spodumene is dark green (altered), xtls oriented randomly 1-3 cm long | 880215 | 0.00 | 0.20 | 0.20 | 0.13 | 1550.00 | 93.60 | 47.50 | 147.00 |
| 0.19 | 0.20 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880215 | 0.00 | 0.20 | 0.1292 | 1550.0000 | 93.6000 | 47.5000 | 147.0000 |

DETAILED LOG

Hole Number: HW-CH-11-01

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477235.97 | North: | Collar Az: 56.00 |
| Location: Harricana | East: 425688.73 | East: | Length: 0.60 |
| | Elev: 386.57 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.60 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named West 366. Channel located in Claim #TB67176

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.59 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, coarse grained to very coarse grained, massive, qtz-fsp-musc-spd Mineralization 0.00 - 0.59 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale green with a few xtls altered dark green. xtls are 5-7 cm long and oriented parallel to the channel with a 40 deg "dip" to the east | 880222 | 0.00 | 0.60 | 0.60 | 1.33 | 500.00 | 46.10 | 4.50 | 266.00 |
| 0.59 | 0.60 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|--------|----------|
| Sample Type ASSAY | | | | | | | |
| 880222 | 0.00 | 0.60 | 1.3348 | 500.0000 | 46.1000 | 4.5000 | 266.0000 |

DETAILED LOG

Hole Number: HW-CH-11-02

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477159.61 | North: | Collar Az: 87.00 |
| Location: Harricana | East: 425739.70 | East: | Length: 0.62 |
| | Elev: 399.63 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.62 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named West 368. Channel located in Claim #TB67176

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.61 | SPD PEG, spodumen pegmatite spodumene pegmatite, ligh gray-pink, coarse grained, massive, qtz-fsp-musc-spd, a few dark green apatites, outcrop has 1 cm thick bright white rind. Mineralization 0.00 - 0.61 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green with no alteration, xtls 1-4 cm long oriented randomly | 880223 | 0.00 | 0.62 | 0.62 | 1.14 | 539.00 | 37.00 | 29.40 | 198.00 |
| 0.61 | 0.62 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880223 | 0.00 | 0.62 | 1.1410 | 539.0000 | 37.0000 | 29.4000 | 198.0000 |

DETAILED LOG

Hole Number: HW-CH-11-03

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477069.89 | North: | Collar Az: 60.00 |
| Location: Harricana | East: 42735.61 | East: | Length: 0.48 |
| | Elev: 412.74 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.48 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named West 370. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.47 | SPD PEG, spodumen pegmatite Spodumene pegmatite and qtz-fsp aplite. The first 10 cm are spd peg, the 2nd 10 cm are aplite, the 3rd 10 cm are spd peg, the remainder is aplite. The aplite is oriented subvertically. Overall, the outcrop is light gray-pink, massive, and the spd pegmatite is coarse grained (qtz-fsp-musc-spd with a few dark green 0.5 cm apatite). Entire outcrop has 1 cm thick white rind. Mineralization 0.00 - 0.47 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green with a few xtls that have a dark green altered rind. xtls 0.5-1 cm long oriented away from aplite | 880224 | 0.00 | 0.48 | 0.48 | 0.73 | 889.00 | 59.70 | 40.70 | 114.00 |
| 0.47 | 0.48 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880224 | 0.00 | 0.48 | 0.7320 | 889.0000 | 59.7000 | 40.7000 | 114.0000 |

DETAILED LOG

Hole Number: HW-CH-11-04

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477015.91 | North: | Collar Az: 103.00 |
| Location: Harricana | East: 425739.06 | East: | Length: 0.59 |
| | Elev: 417.17 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.59 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel was originally named West 399. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.58 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd (a few blue-green apatite grains) Mineralization 0.00 - 0.58 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green with a few xtls altered to dark green. xtls 1-4 cm oriented randomly | 880225 | 0.00 | 0.59 | 0.59 | 0.90 | 1160.00 | 75.30 | 74.90 | 163.00 |
| 0.58 | 0.59 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880225 | 0.00 | 0.59 | 0.9042 | 1160.0000 | 75.3000 | 74.9000 | 163.0000 |

DETAILED LOG

Hole Number: HW-CH-11-05

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5476959.80 | North: | Collar Az: 131.00 |
| Location: Harricana | East: 425681.80 | East: | Length: 0.60 |
| | Elev: 412.54 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.60 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named West 374. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.59 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse to very coarse grained, qtz-fsp-musc-spd (few blue-green apatite 0.4 cm grains) Mineralization 0.00 - 0.59 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green with very little dark green alteration, xtls oriented parallel to the channel and oriented subhorizontally, xtls 3-5 cm long | 880226 | 0.00 | 0.60 | 0.60 | 1.66 | 855.00 | 51.30 | 35.90 | 183.00 |
| 0.59 | 0.60 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880226 | 0.00 | 0.60 | 1.6577 | 855.0000 | 51.3000 | 35.9000 | 183.0000 |

DETAILED LOG

Hole Number: HW-CH-11-06

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5476822.17 | North: | Collar Az: 120.00 |
| Location: Harricana | East: 425658.50 | East: | Length: 0.50 |
| | Elev: 418.17 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named Harricana 403. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.49 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite/altered spodumene pegmatite, pink-white, massive, very coarse grained (fsp in particular), qtz-fsp(k-spar)-musc, white 1 cm thick rind on outcrop, almost all spodumene is completely altered to muscovite--a few dark green altered spodumene xtls. Graphic-like intergrowth of fsp and spd (all replaced with muscovite). | 880227 | 0.00 | 0.50 | 0.50 | 0.01 | 1220.00 | 53.60 | 8.90 | 110.00 |
| 0.49 | 0.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|--------|----------|
| Sample Type ASSAY | | | | | | | |
| 880227 | 0.00 | 0.50 | 0.0108 | 1220.0000 | 53.6000 | 8.9000 | 110.0000 |

DETAILED LOG

Hole Number: HW-CH-11-07

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5476932.24 | North: | Collar Az: 110.00 |
| Location: Harricana | East: 425738.01 | East: | Length: 0.40 |
| | Elev: 419.77 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.40 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named Harricana 383. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.39 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd (a few 0.5 cm garnet grains). Mineralization 0.00 - 0.39 : SPOD Spodumene, PERV Pervasive, 20.00% spodumene is pale green with a few xtls altered to dark green. xtls are oriented subhorizontal and subparallel to the channel. xtls 5 cm long. | 880228 | 0.00 | 0.40 | 0.40 | 2.88 | 311.00 | 27.20 | 18.80 | 102.00 |
| 0.39 | 0.40 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880228 | 0.00 | 0.40 | 2.8848 | 311.0000 | 27.2000 | 18.8000 | 102.0000 |

DETAILED LOG

Hole Number: HW-CH-11-08

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5476916.42 | North: | Collar Az: 24.00 |
| Location: Harricana | East: 425713.27 | East: | Length: 0.50 |
| | Elev: 419.41 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Logged by Andrea Dixon. Originally named Harricana 421. No channel was cut here but rock was freshly broken off with a hammer from a very large pegmatite dike outcrop. The amount of rock broken off was roughly equivalent to a 0.5 m channel. The azimuth refers to the strike of the dike. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.49 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd Mineralization 0.00 - 0.49 : SPOD Spodumene, PERV Pervasive, 20.00% spodumene is pale green, little to no alteration, xtls are about 5 cm long and oriented randmoly | 880229 | 0.00 | 0.50 | 0.50 | 1.53 | 1010.00 | 61.30 | 9.30 | 168.00 |
| 0.49 | 0.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|--------|----------|
| Sample Type ASSAY | | | | | | | |
| 880229 | 0.00 | 0.50 | 1.5285 | 1010.0000 | 61.3000 | 9.3000 | 168.0000 |

DETAILED LOG

Hole Number: HW-CH-11-09

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5476972.98 | North: | Collar Az: 126.00 |
| Location: Harricana | East: 425735.36 | East: | Length: 0.56 |
| | Elev: 420.29 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.56 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named Harricana 385. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.55 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd (a few 0.2 cm pink garnet grains), qtz-fsp aplite "core" is centered in the channel. Mineralization 0.00 - 0.55 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green and a few xtls show a dark green alteration rind. xtls are 1-4 cm long and are oriented randomly | 880231 | 0.00 | 0.56 | 0.56 | 1.83 | 722.00 | 54.10 | 58.10 | 229.00 |
| 0.55 | 0.56 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880231 | 0.00 | 0.56 | 1.8299 | 722.0000 | 54.1000 | 58.1000 | 229.0000 |

DETAILED LOG

Hole Number: HW-CH-11-10

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477023.38 | North: | Collar Az: 130.00 |
| Location: Harricana | East: 425766.33 | East: | Length: 0.35 |
| | Elev: 417.11 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.35 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named Harricana 386. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.34 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd Mineralization 0.00 - 0.34 : SPOD Spodumene, PERV Pervasive, 2.00% spodumene is mostly dark gray-green to dark green (altered). Some xtls are altered to muscovite, xtls are 1-3 cm long oriented randomly | 880232 | 0.00 | 0.35 | 0.35 | 0.04 | 644.00 | 37.50 | 12.90 | 145.00 |
| 0.34 | 0.35 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880232 | 0.00 | 0.35 | 0.0431 | 644.0000 | 37.5000 | 12.9000 | 145.0000 |

DETAILED LOG

Hole Number: HW-CH-11-11

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477072.56 | North: | Collar Az: 160.00 |
| Location: Harricana | East: 425806.74 | East: | Length: 0.70 |
| | Elev: 412.12 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 28, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 28, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.70 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named Harricana 389. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.69 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd (a few 0.1 cm pink-orange garnet grains and a few blue-green 0.2 cm apatite grains) Mineralization 0.00 - 0.69 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale gray-green with a few dark gray-green xtls (altered), xtls oriented subperpendicular and subhorizontally with respect to the channel. xtls are 1-2 cm long | 880233 | 0.00 | 0.70 | 0.70 | 1.51 | 746.00 | 66.90 | 41.90 | 224.00 |
| 0.69 | 0.70 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880233 | 0.00 | 0.70 | 1.5070 | 746.0000 | 66.9000 | 41.9000 | 224.0000 |

DETAILED LOG

Hole Number: L6-CH-11-01

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477291.39 | North: | Collar Az: 116.00 |
| Location: Line 60 | East: 426312.51 | East: | Length: 0.50 |
| | Elev: 390.15 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 363. Channel located in Claim #TB67174

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|------|--------|----------|--------|--------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 0.49 | SPD PEG, spodumen pegmatite Spodumene pegmatite/aplite. White, coarse grained, massive, first and last 15 cm are qtz-fsp-musc-spd pegmatite with a middle qtz-fsp-musc aplite "core." Entire channel has a 1 cm thick bright white rind Mineralization 0.00 - 0.49 : SPOD Spodumene, PERV Pervasive, 2.00% spodumene is gray-green (altered), xtls are 1-2 cm long and oriented away from the aplite core | 880216 | 0.00 | 0.50 | 0.50 | 0.26 | 618.00 | 37.50 | 42.50 | 172.00 |
| 0.49 | 0.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880216 | 0.00 | 0.50 | 0.2583 | 618.0000 | 37.5000 | 42.5000 | 172.0000 |

DETAILED LOG

Hole Number: L6-CH-11-02

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477241.38 | North: | Collar Az: 40.00 |
| Location: Line 60 | East: 436305.49 | East: | Length: 0.55 |
| | Elev: 396.61 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 26, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 26, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.55 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 356. Channel located in Claim #TB67174

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.54 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, coarse grained, massive, qtz-fsp(k-spar)-musc-spd, white 1 cm rind on outcrop, last 10 cm is qtz-fsp pink aplite Mineralization 0.00 - 0.54 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green to gray-green, xtls are more abundant towards the surface and oriented subperpendicular to the channel, xtls are 1 cm long. | 880217 | 0.00 | 0.55 | 0.55 | 1.44 | 827.00 | 66.10 | 58.00 | 185.00 |
| 0.54 | 0.55 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880217 | 0.00 | 0.55 | 1.4424 | 827.0000 | 66.1000 | 58.0000 | 185.0000 |

DETAILED LOG

Hole Number: L6-CH-11-03

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477169.74 | North: | Collar Az: 98.00 |
| Location: Line 60 | East: 426288.85 | East: | Length: 0.40 |
| | Elev: 403.97 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 27, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 27, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.40 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 358. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.39 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd, first 20 cm is qtz-fsp dark-gray-pink aplite Mineralization 0.00 - 0.39 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is gray-green to dark green (altered), xtls 1 cm long oriented randomly | 880218 | 0.00 | 0.40 | 0.40 | 0.32 | 908.00 | 55.50 | 33.90 | 159.00 |
| 0.39 | 0.40 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880218 | 0.00 | 0.40 | 0.3229 | 908.0000 | 55.5000 | 33.9000 | 159.0000 |

DETAILED LOG

Hole Number: L6-CH-11-04

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477088.73 | North: | Collar Az: 99.00 |
| Location: Line 60 | East: 426265.02 | East: | Length: 0.52 |
| | Elev: 410.83 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 27, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 27, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.52 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 360. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.51 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd, first 5 cm is qtz-fsp-musc-spd aplite Mineralization 0.00 - 0.51 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale gray-green (little alteration). xtls 0.2-5 cm long oriented randomly. | 880219 | 0.00 | 0.52 | 0.52 | 1.98 | 889.00 | 68.40 | 32.90 | 184.00 |
| 0.51 | 0.52 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880219 | 0.00 | 0.52 | 1.9806 | 889.0000 | 68.4000 | 32.9000 | 184.0000 |

DETAILED LOG

Hole Number: L6-CH-11-05

Units: METRIC

| | | | |
|---------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Rock Tech Lithium | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 001 | North: 5477014.24 | North: | Collar Az: 80.00 |
| Location: Line 60 | East: 426253.09 | East: | Length: 0.50 |
| | Elev: 417.69 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 27, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 27, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 0.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Project Site |

Comments: Channel logged by Andrea Dixon. Channel originally named 362. Channel located in Claim #3005434

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.49 | SPD PEG, spodumen pegmatite Spodumene pegmatite, pink-white, massive, coarse grained, qtz-fsp-musc-spd, texture is nearly aplitic. Mineralization 0.00 - 0.49 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale gray-green to pale green (little alteration), xtls 0.5 to 1.5 cm long randomly oriented | 880221 | 0.00 | 0.50 | 0.50 | 1.29 | 993.00 | 63.40 | 17.90 | 203.00 |
| 0.49 | 0.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880221 | 0.00 | 0.50 | 1.2917 | 993.0000 | 63.4000 | 17.9000 | 203.0000 |

DETAILED LOG

Hole Number: NC-CH-11-01

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477449.23 | North: | Collar Az: 170.00 |
| Location: Nama Creek | East: 424474.55 | East: | Length: 8.50 |
| | Elev: 370.55 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 18, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 18, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 8.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total length of samples is 7.60 m. Channel lies in Claim #TB67135

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.80 | M SCH, mica schist Metasediment. Medium gray and fine grained. Massive. Qtz-fsp-bi. Contact sharp at 88 degrees CA. | 880001 | 0.00 | 0.80 | 0.80 | 0.22 | 218.00 | 68.60 | 2.40 | 4.00 |
| 0.80 | 5.45 | SPD PEG, spodumen pegmatite Spodumene pegmatite. Coarse, light green spd. White up to 1 cm SP crust. 10 to 25% spd. Patches of l.g. musc. Qtz-fsp (plagicl). <5cm aplitic dike at 1.5 m. fresh spd Mineralization 0.80 - 5.45 : SPOD Spodumene, PERV Pervasive, 20.00% Spodumene is fresh and light green. | 880002 | 0.80 | 1.80 | 1.00 | 1.12 | 783.00 | 49.30 | 42.00 | 166.00 |
| | | | 880003 | 1.80 | 2.80 | 1.00 | 1.57 | 751.00 | 47.40 | 40.50 | 166.00 |
| | | | 880004 | 2.80 | 3.80 | 1.00 | 1.79 | 948.00 | 60.40 | 52.50 | 161.00 |
| | | | 880005 | 3.80 | 4.80 | 1.00 | 1.01 | 670.00 | 53.50 | 46.50 | 194.00 |
| | | | 880006 | 4.80 | 5.45 | 0.65 | 1.01 | 600.00 | 37.30 | 34.40 | 176.00 |
| 5.45 | 6.45 | UNK, Unknown No outcrop | | | | | | | | | |
| 6.45 | 7.25 | M SCH, mica schist Metasediment. Fine grained, gray, massive. Qtz-fsp-bio. | 880007 | 6.45 | 7.25 | 0.80 | 0.32 | 307.00 | 142.00 | 0.90 | 5.00 |
| 7.25 | 8.05 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White. Coarse. Qtz-fsp-musc. 25% green spd, more aplitic section 5-10% spd. Mineralization 7.25 - 8.05 : SPOD Spodumene, PERV Pervasive, 25.00% Spodumene is green, in more aplitic section, 5-10% is spod. | 880008 | 7.25 | 8.05 | 0.80 | 0.04 | 506.00 | 34.70 | 72.40 | 141.00 |
| 8.05 | 8.49 | M SCH, mica schist Metasediment. Fine grained. Massive. Gray. Qtz-fsp-bio. Sharp contact 90 degrees | 880009 | 8.05 | 8.50 | 0.45 | 0.28 | 400.00 | 180.00 | 2.50 | 6.00 |
| 8.49 | 8.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|---------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880001 | 0.00 | 0.80 | 0.2153 | 218.0000 | 68.6000 | 2.4000 | 4.0000 |
| 880002 | 0.80 | 1.80 | 1.1195 | 783.0000 | 49.3000 | 42.0000 | 166.0000 |

Hole Number: NC-CH-11-01

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880003 | 1.80 | 2.80 | 1.5716 | 751.0000 | 47.4000 | 40.5000 | 166.0000 |
| 880004 | 2.80 | 3.80 | 1.7868 | 948.0000 | 60.4000 | 52.5000 | 161.0000 |
| 880005 | 3.80 | 4.80 | 1.0118 | 670.0000 | 53.5000 | 46.5000 | 194.0000 |
| 880006 | 4.80 | 5.45 | 1.0118 | 600.0000 | 37.3000 | 34.4000 | 176.0000 |
| 880007 | 6.45 | 7.25 | 0.3229 | 307.0000 | 142.0000 | 0.9000 | 5.0000 |
| 880008 | 7.25 | 8.05 | 0.0431 | 506.0000 | 34.7000 | 72.4000 | 141.0000 |
| 880009 | 8.05 | 8.50 | 0.2799 | 400.0000 | 180.0000 | 2.5000 | 6.0000 |

DETAILED LOG

Hole Number: NC-CH-11-02

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477478.31 | North: | Collar Az: 170.00 |
| Location: Nama Creek | East: 424521.79 | East: | Length: 9.50 |
| | Elev: 377.72 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 18, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 18, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 9.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total length of samples is 6.70 m. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 1.00 | M SCH, mica schist Metasediment. Medium gray, fine grained, massive. Qtz-fsp-bio schist. | 880011 | 0.00 | 1.00 | 1.00 | 0.32 | 210.00 | 164.00 | 0.70 | 2.00 |
| 1.00 | 2.80 | UNK, Unknown No Outcrop | | | | | | | | | |
| 2.80 | 8.50 | SPD PEG, spodumen pegmatite Spodumene pegmatite. Large blocks 1.5 and 2 m of pegmatite could be boulders. Coarse, white, qtz-fsp-muscovite. Thin 5 to 10 cm aplite 2.8 -3.8 m. Long 5 to 10 cm pale green sp crystals. 15-20% sp fresh pale green. Trace aplitic 4.8-5.8-6.3-7.3 m [unclear squiggle] outcrop. Sample 880017• 30 cm metasediment [unclear squiggle]. Qtz-musc-fsp-spd. Mineralization 2.80 - 8.50 : SPOD Spodumene, PERV Pervasive, 15.00% Spodumene is fresh, pale green | 880012 | 2.80 | 3.80 | 1.00 | 1.49 | 609.00 | 41.30 | 27.90 | 189.00 |
| | | | 880013 | 3.80 | 4.80 | 1.00 | 1.64 | 612.00 | 40.70 | 19.80 | 183.00 |
| | | | 880014 | 4.80 | 5.80 | 1.00 | 1.61 | 710.00 | 44.40 | 32.40 | 154.00 |
| | | | 880015 | 5.80 | 6.30 | 0.50 | 1.42 | 789.00 | 50.50 | 36.00 | 128.00 |
| | | | 880016 | 7.30 | 7.90 | 0.60 | 1.46 | 368.00 | 33.90 | 69.50 | 109.00 |
| | | | 880017 | 7.90 | 8.50 | 0.60 | 0.22 | 1080.00 | 433.00 | 37.80 | 64.00 |
| 8.50 | 9.49 | M SCH, mica schist Metasediment. Fine grained, medium gray, massive. Qtz-fsp-bio. Sample 880018 taken about 90 degree angle [unclear] dyke due to outcrop exposure. | 880018 | 8.50 | 9.50 | 1.00 | 0.17 | 130.00 | 93.60 | 0.70 | 3.00 |
| 9.49 | 9.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880011 | 0.00 | 1.00 | 0.3229 | 210.0000 | 164.0000 | 0.7000 | 2.0000 |
| 880012 | 2.80 | 3.80 | 1.4855 | 609.0000 | 41.3000 | 27.9000 | 189.0000 |
| 880013 | 3.80 | 4.80 | 1.6362 | 612.0000 | 40.7000 | 19.8000 | 183.0000 |
| 880014 | 4.80 | 5.80 | 1.6146 | 710.0000 | 44.4000 | 32.4000 | 154.0000 |
| 880015 | 5.80 | 6.30 | 1.4209 | 789.0000 | 50.5000 | 36.0000 | 128.0000 |
| 880016 | 7.30 | 7.90 | 1.4639 | 368.0000 | 33.9000 | 69.5000 | 109.0000 |
| 880017 | 7.90 | 8.50 | 0.2153 | 1080.0000 | 433.0000 | 37.8000 | 64.0000 |
| 880018 | 8.50 | 9.50 | 0.1722 | 130.0000 | 93.6000 | 0.7000 | 3.0000 |

DETAILED LOG

Hole Number: NC-CH-11-03

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477503.47 | North: | Collar Az: 130.00 |
| Location: Nama Creek | East: 424555.04 | East: | Length: 8.10 |
| | Elev: 373.06 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 18, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 18, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 8.10 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total length of samples is 6.7 m. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 1.00 | M SCH, mica schist Metasediment. Medium grey. Fine grained. Massive. Qtz-fsp-bio | 880019 | 0.00 | 1.00 | 1.00 | 0.19 | 96.00 | 13.40 | 0.60 | 2.00 |
| 1.00 | 2.00 | UNK, Unknown No Outcrop | | | | | | | | | |
| 2.00 | 6.70 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White. Coarse. Qtz-musc-fsp-spd. Pale green up to 5 cm long cryst. 15% SP. SP crystal perpendicular to contacts. Pale green up to 5 cm long. Odd garnet. Mineralization 2.00 - 6.70 : SPOD Spodumene, PERV Pervasive, 15.00% Spodumene is pale green, up to 5 cm long and crystals are oriented perpendicular to contacts. | 880021 | 2.00 | 3.00 | 1.00 | 1.03 | 1240.00 | 64.70 | 31.00 | 139.00 |
| | | | 880022 | 3.00 | 4.00 | 1.00 | 1.77 | 477.00 | 42.40 | 40.20 | 212.00 |
| | | | 880023 | 4.00 | 5.00 | 1.00 | 1.59 | 1050.00 | 71.10 | 54.30 | 162.00 |
| | | | 880024 | 5.00 | 6.00 | 1.00 | 1.81 | 795.00 | 45.70 | 27.30 | 134.00 |
| | | | 880025 | 6.00 | 6.70 | 0.70 | 1.66 | 500.00 | 35.90 | 27.10 | 182.00 |
| 6.70 | 7.10 | UNK, Unknown No Outcrop | | | | | | | | | |
| 7.10 | 8.09 | SPD PEG, spodumen pegmatite Spodumene pegmatite. Very coarse. Qtz-fsp-sp-musc peg. 10-15% pale green SP. Odd garnet trace. 15-20% spodumene fresh. up to 5 cm long crystal. Mineralization 7.10 - 8.09 : SPOD Spodumene, PERV Pervasive, 15.00% Spodumene is pale green, fresh, with crystals up to 5 cm long. | 880026 | 7.10 | 8.10 | 1.00 | 0.93 | 1000.00 | 57.50 | 42.70 | 163.00 |
| 8.09 | 8.10 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|---------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880019 | 0.00 | 1.00 | 0.1938 | 96.0000 | 13.4000 | 0.6000 | 2.0000 |
| 880021 | 2.00 | 3.00 | 1.0334 | 1240.0000 | 64.7000 | 31.0000 | 139.0000 |
| 880022 | 3.00 | 4.00 | 1.7653 | 477.0000 | 42.4000 | 40.2000 | 212.0000 |
| 880023 | 4.00 | 5.00 | 1.5931 | 1050.0000 | 71.1000 | 54.3000 | 162.0000 |
| 880024 | 5.00 | 6.00 | 1.8084 | 795.0000 | 45.7000 | 27.3000 | 134.0000 |

Hole Number: NC-CH-11-03

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880025 | 6.00 | 6.70 | 1.6577 | 500.0000 | 35.9000 | 27.1000 | 182.0000 |
| 880026 | 7.10 | 8.10 | 0.9257 | 1000.0000 | 57.5000 | 42.7000 | 163.0000 |

Hole Number: NC-CH-11-04

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|-------|----------|-----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880027 | 0.00 | 0.80 | 0.3014 | 865.0000 | 609.0000 | 3.4000 | 15.0000 |
| 880028 | 1.00 | 1.10 | 0.9042 | 700.0000 | 53.5000 | 67.4000 | 161.0000 |
| 880029 | 3.00 | 3.80 | 0.7104 | 1150.0000 | 63.2000 | 43.2000 | 152.0000 |
| 880031 | 3.80 | 4.80 | 1.3348 | 671.0000 | 50.8000 | 52.2000 | 257.0000 |
| 880032 | 4.80 | 5.80 | 1.0764 | 1220.0000 | 65.9000 | 35.0000 | 167.0000 |
| 880033 | 5.80 | 6.80 | 1.6146 | 607.0000 | 59.2000 | 127.0000 | 217.0000 |
| 880034 | 6.80 | 7.30 | 2.0882 | 408.0000 | 31.1000 | 28.6000 | 130.0000 |
| 880035 | 7.30 | 8.20 | 0.6028 | 537.0000 | 41.7000 | 28.0000 | 151.0000 |
| 880036 | 9.90 | 10.90 | 0.9688 | 718.0000 | 49.6000 | 27.8000 | 137.0000 |

DETAILED LOG

Hole Number: NC-CH-11-05

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477551.75 | North: | Collar Az: 140.00 |
| Location: Nama Creek | East: 424629.32 | East: | Length: 7.40 |
| | Elev: 376.10 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 18, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 18, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 7.40 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total length of samples is 6.20 m. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Lithology | Assay Data | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| | | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 2.20 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White. Coarse. Qtz-fsp-SP-musc. Peg. 10% sp light to dark green. Beige qtz-fsp matrix. Coarse 3-5 cm dark green sp cryst. Mineralization 0.00 - 2.20 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is light to dark green abnd between 3 and 5 cm long. | 880037 | 0.00 | 1.00 | 1.00 | 1.61 | 610.00 | 40.70 | 35.20 | 169.00 |
| | | | 880038 | 1.00 | 2.20 | 1.20 | 0.82 | 990.00 | 73.40 | 97.90 | 162.00 |
| 2.20 | 3.40 | UNK, Unknown No Outcrop | | | | | | | | | |
| 3.40 | 7.39 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White to beige. Coarse. Fsp-qtz-sp-musc. Peg. SP dark green altered. from 3.4 to 5.0 m. 3-6 cm cryst perpendicular to contacts. 5.4 to 7.4 coarse pale green SP large 5-6 cm cryst within coarse fsp. Odd garnets. 15% sp to 20% locally. Mineralization 3.40 - 7.39 : SPOD Spodumene, PERV Pervasive, 15.00% Spodumene is pale green to dark altered green up to 5-6 cm long. | 880039 | 3.40 | 4.40 | 1.00 | 0.95 | 650.00 | 52.70 | 77.50 | 185.00 |
| | | | 880041 | 4.40 | 5.40 | 1.00 | 0.71 | 657.00 | 42.30 | 24.30 | 179.00 |
| | | | 880042 | 5.40 | 6.40 | 1.00 | 1.51 | 554.00 | 38.80 | 21.90 | 188.00 |
| | | | 880043 | 6.40 | 7.40 | 1.00 | 1.46 | 867.00 | 51.30 | 39.60 | 168.00 |
| 7.39 | 7.40 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880037 | 0.00 | 1.00 | 1.6146 | 610.0000 | 40.7000 | 35.2000 | 169.0000 |
| 880038 | 1.00 | 2.20 | 0.8181 | 990.0000 | 73.4000 | 97.9000 | 162.0000 |
| 880039 | 3.40 | 4.40 | 0.9472 | 650.0000 | 52.7000 | 77.5000 | 185.0000 |
| 880041 | 4.40 | 5.40 | 0.7104 | 657.0000 | 42.3000 | 24.3000 | 179.0000 |
| 880042 | 5.40 | 6.40 | 1.5070 | 554.0000 | 38.8000 | 21.9000 | 188.0000 |
| 880043 | 6.40 | 7.40 | 1.4639 | 867.0000 | 51.3000 | 39.6000 | 168.0000 |

DETAILED LOG

Hole Number: NC-CH-11-06

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477577.80 | North: | Collar Az: 140.00 |
| Location: Nama Creek | East: 424668.35 | East: | Length: 6.65 |
| | Elev: 375.89 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 19, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 19, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 6.65 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total sample length is 5.65. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.65 | SPD PEG, spodumen pegmatite Spodumene pegmatite. Qtz-fsp-musc-SP. 50% SP as green to brownish green altered 1-2 cm. cryst. Pervasive muscovite. Looks like a boulder. Mineralization 0.00 - 0.65 Spodumene is green to altered brownish green with crystals 1-2 cm long. | 880044 | 0.00 | 0.65 | 0.65 | 0.30 | 532.00 | 52.00 | 95.30 | 219.00 |
| 0.65 | 1.65 | UNK, Unknown No Outcrop | | | | | | | | | |
| 1.65 | 6.64 | SPD PEG, spodumen pegmatite Spodumene Pegmatite. Looks like a large boulder. 10% SP as medium to dark green 1-3 cm crystals in a qtz-fsp-muscovite matrix. SP crystals larger and altered from 6.5-6.65. Muscovite [unclear] last 0.5-1.0 m with no spodumene. Mineralization 1.65 - 6.64 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is medium to dark green with 1-3 cm crystals. | 880045 | 1.65 | 2.65 | 1.00 | 1.68 | 806.00 | 53.70 | 28.80 | 178.00 |
| | | | 880046 | 2.65 | 3.65 | 1.00 | 1.64 | 327.00 | 30.60 | 26.00 | 203.00 |
| | | | 880047 | 3.65 | 4.65 | 1.00 | 0.93 | 845.00 | 48.10 | 26.50 | 153.00 |
| | | | 880048 | 4.65 | 5.65 | 1.00 | 0.90 | 505.00 | 36.90 | 11.70 | 161.00 |
| | | | 880049 | 5.65 | 6.65 | 1.00 | 0.43 | 511.00 | 37.30 | 18.50 | 299.00 |
| 6.64 | 6.65 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|---------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880044 | 0.00 | 0.65 | 0.3014 | 532.0000 | 52.0000 | 95.3000 | 219.0000 |
| 880045 | 1.65 | 2.65 | 1.6792 | 806.0000 | 53.7000 | 28.8000 | 178.0000 |
| 880046 | 2.65 | 3.65 | 1.6362 | 327.0000 | 30.6000 | 26.0000 | 203.0000 |
| 880047 | 3.65 | 4.65 | 0.9257 | 845.0000 | 48.1000 | 26.5000 | 153.0000 |
| 880048 | 4.65 | 5.65 | 0.9042 | 505.0000 | 36.9000 | 11.7000 | 161.0000 |
| 880049 | 5.65 | 6.65 | 0.4306 | 511.0000 | 37.3000 | 18.5000 | 299.0000 |

Hole Number: NC-CH-11-07

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880051 | 0.00 | 1.00 | 0.1722 | 569.0000 | 283.0000 | 3.7000 | 11.0000 |
| 880052 | 1.00 | 2.00 | 0.8396 | 461.0000 | 39.1000 | 13.7000 | 285.0000 |
| 880053 | 2.00 | 3.00 | 0.2799 | 357.0000 | 35.2000 | 29.0000 | 216.0000 |
| 880054 | 3.00 | 3.55 | 0.1507 | 315.0000 | 25.4000 | 29.4000 | 150.0000 |
| 880055 | 3.55 | 3.90 | 0.5382 | 2430.0000 | 598.0000 | 22.1000 | 39.0000 |
| 880056 | 3.90 | 4.90 | 0.2368 | 906.0000 | 448.0000 | 1.5000 | 24.0000 |
| 880057 | 4.90 | 5.60 | 0.4521 | 421.0000 | 43.1000 | 34.8000 | 170.0000 |
| 880058 | 5.60 | 6.20 | 0.1507 | 356.0000 | 142.0000 | 15.5000 | 16.0000 |
| 880059 | 6.20 | 6.50 | 0.0108 | 585.0000 | 59.0000 | 281.0000 | 150.0000 |
| 880061 | 6.50 | 6.80 | 0.1507 | 408.0000 | 158.0000 | 15.2000 | 22.0000 |

DETAILED LOG

Hole Number: NC-CH-11-08

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477616.77 | North: | Collar Az: 170.00 |
| Location: Nama Creek | East: 424766.15 | East: | Length: 4.30 |
| | Elev: 377.03 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 19, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 19, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 4.30 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|------|--------|----------|--------|---------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 1.00 | M SCH, mica schist Metasediment. Medium grey. Fine grained. Massive. Qtz-fsp-bio micaschist. | 880062 | 0.00 | 1.00 | 1.00 | 0.17 | 185.00 | 169.00 | 1.70 | 4.00 |
| 1.00 | 1.20 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite. Quartz-feldsp-musc dyke. White, coarse. No visible spodumene. Both contacts sharp at 70 degrees. | 880063 | 1.00 | 1.20 | 0.20 | 0.02 | 544.00 | 51.40 | 74.30 | 114.00 |
| 1.20 | 1.50 | M SCH, mica schist Metasediment. Medium grey, fine grained, massive. Qtz-fsp-bio mica schist. 1 cm fsp dyke. | 880064 | 1.20 | 1.50 | 0.30 | 0.26 | 1020.00 | 614.00 | 5.90 | 87.00 |
| 1.50 | 3.40 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, coarse, fsp-qtz-muscovite. 3-5% spodumene as dark green 1-2 cm alt. cryst. 5-10% sp from 2.6 to 3.4 altered to dark green to grey colour. 3-5 cm long thin crystals. Sharp lower contact is subvertical. Mineralization 1.50 - 3.40 : SPOD Spodumene, PERV Pervasive, 5.00% Spodumene is mostly altered dark green and gray. Crystals 1-2 cm long. | 880065 | 1.50 | 2.60 | 1.10 | 1.21 | 650.00 | 44.70 | 50.00 | 188.00 |
| | | | 880066 | 2.60 | 3.40 | 0.80 | 1.16 | 405.00 | 35.30 | 31.00 | 165.00 |
| 3.40 | 4.29 | M SCH, mica schist Metasediment. Medium gray, fine grained, massive. Qtz-fsp-bio schist. | 880067 | 3.40 | 4.30 | 0.90 | 0.17 | 201.00 | 184.00 | 0.50 | 2.00 |
| 4.29 | 4.30 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880062 | 0.00 | 1.00 | 0.1722 | 185.0000 | 169.0000 | 1.7000 | 4.0000 |
| 880063 | 1.00 | 1.20 | 0.0215 | 544.0000 | 51.4000 | 74.3000 | 114.0000 |
| 880064 | 1.20 | 1.50 | 0.2583 | 1020.0000 | 614.0000 | 5.9000 | 87.0000 |
| 880065 | 1.50 | 2.60 | 1.2056 | 650.0000 | 44.7000 | 50.0000 | 188.0000 |
| 880066 | 2.60 | 3.40 | 1.1625 | 405.0000 | 35.3000 | 31.0000 | 165.0000 |
| 880067 | 3.40 | 4.30 | 0.1722 | 201.0000 | 184.0000 | 0.5000 | 2.0000 |

DETAILED LOG

Hole Number: NC-CH-11-09

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477628.62 | North: | Collar Az: 160.00 |
| Location: Nama Creek | East: 424794.31 | East: | Length: 16.50 |
| | Elev: 376.15 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 19, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 19, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 16.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Total length of samples is 9.3 m. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Lithology | Assay Data | | | | | | | | |
|--------------------|-------|---|---------------|-------|-------|--------|----------|---------|--------|--------|--------|
| | | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 1.00 | M SCH, mica schist Metasediment. Grey, fine grained, massive. Qtz-fsp-bio. LC. sharp at 60 degrees. | 880068 | 0.00 | 1.00 | 1.00 | 0.26 | 605.00 | 417.00 | 3.30 | 11.00 |
| 1.00 | 2.00 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, coarse, qtz-fsp-musc-sp peg. 5-10% sp as green up to 5 cm long partially altered crystals. L.C. sharp at 85 degrees. Mineralization 1.00 - 2.00 : SPOD Spodumene, PERV Pervasive, 5.00% Spodumene is green with crystals up to 5 cm long. | 880069 | 1.00 | 2.00 | 1.00 | 0.82 | 566.00 | 48.50 | 40.80 | 186.00 |
| 2.00 | 6.70 | M SCH, mica schist Metasediment. Grey, fine grained, massive. Qtz-fsp-bi schist. Cut by 3, 2-3 cm pegmatite dykes nearl the contact at 45 and 70 degrees. [unclear] 3.0-5.7 is samples, still metased. Cut by thin 5-10 cm peg dykes. Sample 880072 at lower contact. LC sharp and subvertical. | 880071 | 2.00 | 3.00 | 1.00 | 0.30 | 981.00 | 366.00 | 4.80 | 17.00 |
| | | | 880072 | 5.70 | 6.70 | 1.00 | 0.24 | 198.00 | 66.90 | 0.40 | 2.00 |
| 6.70 | 8.20 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, very coarse, fsp-qtz-mica-sp. 10% sp as pale green locally altered cryst. up to 4 cm long. Lower contact sharp subvertical. Mineralization 6.70 - 8.20 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is pale green and locally altered. Crystals up to 4 cm long. | 880073 | 6.70 | 7.70 | 1.00 | 0.99 | 877.00 | 52.00 | 18.10 | 114.00 |
| | | | 880074 | 7.70 | 8.20 | 0.50 | 0.37 | 1100.00 | 56.40 | 29.20 | 129.00 |
| 8.20 | 9.20 | M SCH, mica schist Metasediment. Light to medium grey, fine grained, massive. Qtz-fsp-bi schist. | 880075 | 8.20 | 9.20 | 1.00 | 0.22 | 121.00 | 57.00 | 0.40 | 2.00 |
| 9.20 | 12.70 | M SCH, mica schist No channel cut in metasediment | | | | | | | | | |
| 12.70 | 13.70 | M SCH, mica schist Metasediment. Medium gray, fine grained, massive. Qtz-fsp-bi schist. L.C. sharp at 30 degrees. | 880076 | 12.70 | 13.70 | 1.00 | 0.24 | 217.00 | 120.00 | 2.90 | 4.00 |

DETAILED LOG

Hole Number: NC-CH-11-09

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|-------|--|---------------|-------|-------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 13.70 | 16.49 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, coarse, fsp-musc-qtz-spodumene. 10-15% partially altered to yellowish green. 1-3 cm crystals. Mineralization 13.70 - 16.49 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is partially altered to yellowish green and has 1-3 cm crystals. | 880077 | 13.70 | 14.70 | 1.00 | 0.69 | 992.00 | 67.30 | 48.20 | 133.00 |
| | | | 880078 | 14.70 | 15.70 | 1.00 | 1.46 | 797.00 | 50.60 | 24.90 | 154.00 |
| | | | 880079 | 15.70 | 16.50 | 0.80 | 0.01 | 586.00 | 46.20 | 51.00 | 96.00 |
| | | | | | | | | | | | |
| 16.49 | 16.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|-------|----------|-----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880068 | 0.00 | 1.00 | 0.2583 | 605.0000 | 417.0000 | 3.3000 | 11.0000 |
| 880069 | 1.00 | 2.00 | 0.8181 | 566.0000 | 48.5000 | 40.8000 | 186.0000 |
| 880071 | 2.00 | 3.00 | 0.3014 | 981.0000 | 366.0000 | 4.8000 | 17.0000 |
| 880072 | 5.70 | 6.70 | 0.2368 | 198.0000 | 66.9000 | 0.4000 | 2.0000 |
| 880073 | 6.70 | 7.70 | 0.9903 | 877.0000 | 52.0000 | 18.1000 | 114.0000 |
| 880074 | 7.70 | 8.20 | 0.3660 | 1100.0000 | 56.4000 | 29.2000 | 129.0000 |
| 880075 | 8.20 | 9.20 | 0.2153 | 121.0000 | 57.0000 | 0.4000 | 2.0000 |
| 880076 | 12.70 | 13.70 | 0.2368 | 217.0000 | 120.0000 | 2.9000 | 4.0000 |
| 880077 | 13.70 | 14.70 | 0.6889 | 992.0000 | 67.3000 | 48.2000 | 133.0000 |
| 880078 | 14.70 | 15.70 | 1.4639 | 797.0000 | 50.6000 | 24.9000 | 154.0000 |
| 880079 | 15.70 | 16.50 | 0.0108 | 586.0000 | 46.2000 | 51.0000 | 96.0000 |

DETAILED LOG

Hole Number: NC-CH-11-09A

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477626.15 | North: | Collar Az: |
| Location: Nama Creek | East: 424809.46 | East: | Length: 6.70 |
| | Elev: 373.28 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 19, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 19, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 6.70 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.70 | M SCH, mica schist Metasediment. Medium grey, fine grained, massive. Qtz-fsp-bio schist. L.C. sharp at 20 degrees. | 880081 | 0.00 | 0.70 | 0.70 | 0.28 | 523.00 | 244.00 | 10.60 | 21.00 |
| 0.70 | 2.00 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, coarse. Qtz-fsp-musc-sp. Fresh 10-15% sp. L.C. sharp at 45 degrees. Mineralization 0.70 - 2.00 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is fresh. | 880082 | 0.70 | 1.70 | 1.00 | 1.85 | 335.00 | 32.70 | 28.00 | 157.00 |
| | | | 880083 | 1.70 | 2.00 | 0.30 | 1.77 | 361.00 | 33.10 | 37.80 | 188.00 |
| 2.00 | 3.70 | M SCH, mica schist Metasediment. Fine grained. Grey. Massive. Qtz-fsp-bio. 880085 is 3 m west of 880084. L.C. sharp at 45 degrees. | 880084 | 2.00 | 2.70 | 0.70 | 0.26 | 341.00 | 241.00 | 4.20 | 7.00 |
| | | | 880085 | 2.70 | 3.70 | 1.00 | 0.30 | 172.00 | 122.00 | 0.70 | 2.00 |
| 3.70 | 5.70 | SPD PEG, spodumen pegmatite Spodumene pegmatite. Coarse, white. Fsp-sp-qtz-musc. 10% sp pale green 2-3 cm long crystal. L.C sharp at 45 degrees. Mineralization 3.70 - 5.70 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is pale green with crystals 2-3 cm long. | 880086 | 3.70 | 4.70 | 1.00 | 1.27 | 504.00 | 38.00 | 33.10 | 127.00 |
| | | | 880087 | 4.70 | 5.70 | 1.00 | 1.70 | 731.00 | 47.60 | 38.10 | 179.00 |
| 5.70 | 6.69 | M SCH, mica schist Metasediment. same as 2-3.7 meters. [unclear] peg dyke at .85 - 20 cm from pegmatite contact. | 880088 | 5.70 | 6.70 | 1.00 | 0.24 | 329.00 | 135.00 | 12.40 | 21.00 |
| 6.69 | 6.70 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880081 | 0.00 | 0.70 | 0.2799 | 523.0000 | 244.0000 | 10.6000 | 21.0000 |
| 880082 | 0.70 | 1.70 | 1.8514 | 335.0000 | 32.7000 | 28.0000 | 157.0000 |
| 880083 | 1.70 | 2.00 | 1.7653 | 361.0000 | 33.1000 | 37.8000 | 188.0000 |
| 880084 | 2.00 | 2.70 | 0.2583 | 341.0000 | 241.0000 | 4.2000 | 7.0000 |

Hole Number: NC-CH-11-09A

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880085 | 2.70 | 3.70 | 0.3014 | 172.0000 | 122.0000 | 0.7000 | 2.0000 |
| 880086 | 3.70 | 4.70 | 1.2702 | 504.0000 | 38.0000 | 33.1000 | 127.0000 |
| 880087 | 4.70 | 5.70 | 1.7007 | 731.0000 | 47.6000 | 38.1000 | 179.0000 |
| 880088 | 5.70 | 6.70 | 0.2368 | 329.0000 | 135.0000 | 12.4000 | 21.0000 |

DETAILED LOG

Hole Number: NC-CH-11-10

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477644.78 | North: | Collar Az: 150.00 |
| Location: Nama Creek | East: 424835.97 | East: | Length: 6.55 |
| | Elev: 373.30 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 20, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 20, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 6.55 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Ardian. Paper log written by Ardian and transcribed by Andrea. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.60 | M SCH, mica schist Metasediment. Medium grey, fine grained, massive. Qtz-fsp-bio mica schist. 2-3 cm QFM dykes subvertical. | 880089 | 0.00 | 0.60 | 0.60 | 0.32 | 1300.00 | 589.00 | 39.50 | 64.00 |
| 0.60 | 1.50 | M SCH, mica schist Metasediment with spodumene pegmatite. Metasediment same as above with horizontal pegmatite dyke on top. 3-4 cm thick, sp-qtz-fsp-muscovite. 2-2.5 cm pale green spodumene. 15 -10% spodumene. L.C. sharp at 55 degrees. | 880091 | 0.60 | 1.50 | 0.90 | 0.52 | 899.00 | 331.00 | 135.00 | 116.00 |
| 1.50 | 5.85 | SPD PEG, spodumen pegmatite Spodumene pegmatite. White, coarse to very coarse pegmatite. Qtz-fsp-sp-musc. Pale green 0.5 to 3 cm 10-15% spodumene. From 3.5-4 m, sp is altered to muscovite. Lower contact at 55 degrees. Mineralization 1.50 - 5.85 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is pale green with some altered to muscovite. Crystals are 0.5 to 3 cm long. | 880092 | 1.50 | 2.50 | 1.00 | 0.60 | 1550.00 | 88.10 | 50.10 | 122.00 |
| | | | 880093 | 2.50 | 3.50 | 1.00 | 0.67 | 1410.00 | 73.10 | 38.90 | 132.00 |
| | | | 880094 | 3.50 | 4.40 | 0.90 | 1.05 | 619.00 | 47.00 | 36.50 | 219.00 |
| | | | 880095 | 4.40 | 5.40 | 1.00 | 1.51 | 597.00 | 59.80 | 123.00 | 192.00 |
| | | | 880096 | 5.40 | 5.85 | 0.45 | 0.50 | 715.00 | 66.60 | 150.00 | 173.00 |
| 5.85 | 6.54 | M SCH, mica schist Metasediment. Medium grey, fine grained, massive. Qtz-fsp-bio schist. | 880097 | 5.85 | 6.55 | 0.70 | 0.24 | 283.00 | 110.00 | 1.20 | 5.00 |
| 6.54 | 6.55 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880089 | 0.00 | 0.60 | 0.3229 | 1300.0000 | 589.0000 | 39.5000 | 64.0000 |
| 880091 | 0.60 | 1.50 | 0.5167 | 899.0000 | 331.0000 | 135.0000 | 116.0000 |
| 880092 | 1.50 | 2.50 | 0.6028 | 1550.0000 | 88.1000 | 50.1000 | 122.0000 |
| 880093 | 2.50 | 3.50 | 0.6674 | 1410.0000 | 73.1000 | 38.9000 | 132.0000 |
| 880094 | 3.50 | 4.40 | 1.0549 | 619.0000 | 47.0000 | 36.5000 | 219.0000 |
| 880095 | 4.40 | 5.40 | 1.5070 | 597.0000 | 59.8000 | 123.0000 | 192.0000 |
| 880096 | 5.40 | 5.85 | 0.4952 | 715.0000 | 66.6000 | 150.0000 | 173.0000 |
| 880097 | 5.85 | 6.55 | 0.2368 | 283.0000 | 110.0000 | 1.2000 | 5.0000 |

DETAILED LOG

Hole Number: NC-CH-11-10A

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477642.00 | North: | Collar Az: 160.00 |
| Location: Nama Creek | East: 424825.00 | East: | Length: 7.20 |
| | Elev: 377.00 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 20, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 21, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 7.20 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel Logged By: Andrea Dixon

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 1.00 | M SCH, mica schist Metasediment medium gray, fine grained, massive, qtz-bi-fsp crosscut by quartz-feldspar dikelets 0.5 to 2 cm thick, sharp contact at 60 deg with pegmatite | 880098 | 0.00 | 1.00 | 1.00 | 0.26 | 317.00 | 304.00 | 9.20 | 10.00 |
| 1.00 | 6.20 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse-grained, massive, qtz vein near upper contact, composition is qtz-fsp-musc-spd, spodumene is pale green, xtls 1-10 cm, 10% spodumene in pegmatite, garnet extends from upper contact down to 1.5 m, single grains and masses, 1 to 1.5 cm xtls, from 2-3 m crosscut with aplitic dikes about 1-2 cm thick that dip roughly at 45 deg, nearly vertical sharp lower contact with metasediment Mineralization 1.00 - 6.20 : SPOD Spodumene, PERV Pervasive, 10.00% 1 to 10 cm pale green crystals, not altered | 880099 | 1.00 | 2.00 | 1.00 | 1.25 | 683.00 | 51.10 | 80.60 | 186.00 |
| | | | 880101 | 2.00 | 3.00 | 1.00 | 1.33 | 873.00 | 57.50 | 73.10 | 156.00 |
| | | | 880102 | 3.00 | 4.00 | 1.00 | 1.70 | 632.00 | 46.20 | 83.60 | 166.00 |
| | | | 880103 | 4.00 | 4.60 | 0.60 | 1.03 | 1180.00 | 70.00 | 67.80 | 139.00 |
| | | | 880104 | 4.60 | 5.55 | 0.95 | 1.64 | 447.00 | 33.60 | 28.30 | 189.00 |
| | | | 880105 | 5.55 | 6.20 | 0.65 | 0.13 | 932.00 | 48.80 | 74.90 | 162.00 |
| 6.20 | 7.19 | M SCH, mica schist metasediment, medium gray, fine-grained, massive, composition qtz-bi-fsp, few hairline fractures | 880106 | 6.20 | 7.20 | 1.00 | 0.26 | 268.00 | 162.00 | 1.00 | 3.00 |
| 7.19 | 7.20 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|-----------|----------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880098 | 0.00 | 1.00 | 0.2583 | 317.0000 | 304.0000 | 9.2000 | 10.0000 |
| 880099 | 1.00 | 2.00 | 1.2486 | 683.0000 | 51.1000 | 80.6000 | 186.0000 |
| 880101 | 2.00 | 3.00 | 1.3348 | 873.0000 | 57.5000 | 73.1000 | 156.0000 |
| 880102 | 3.00 | 4.00 | 1.7007 | 632.0000 | 46.2000 | 83.6000 | 166.0000 |
| 880103 | 4.00 | 4.60 | 1.0334 | 1180.0000 | 70.0000 | 67.8000 | 139.0000 |
| 880104 | 4.60 | 5.55 | 1.6362 | 447.0000 | 33.6000 | 28.3000 | 189.0000 |
| 880105 | 5.55 | 6.20 | 0.1292 | 932.0000 | 48.8000 | 74.9000 | 162.0000 |
| 880106 | 6.20 | 7.20 | 0.2583 | 268.0000 | 162.0000 | 1.0000 | 3.0000 |

DETAILED LOG

Hole Number: NC-CH-11-11

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477657.05 | North: | Collar Az: 160.00 |
| Location: Nama Creek | East: 424837.79 | East: | Length: 7.49 |
| | Elev: 374.95 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 20, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 21, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 7.49 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Lithology | Assay Data | | | | | | | | |
|--------------------|------|--|------------------|------|------|--------|----------|--------|--------|--------|--------|
| | | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 6.74 | SPD PEG, spodumene pegmatite spodumene pegmatite, white, coarse grained tending towards very coarse grained, massive, lower contact is sharp with 60 deg dip, aplite dikelet 4 cm thick with 45 deg dip near lower contact, aplite composition is sugary qtz-fsp with an iron oxide. Mineralization 0.00 - 6.74 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale green, xtls 1-5 cm long and randomly oriented, not altered. | 880107 | 0.00 | 0.94 | 0.94 | 1.05 | 788.00 | 45.70 | 35.80 | 133.00 |
| | | | 880108 | 0.94 | 1.94 | 1.00 | 1.33 | 754.00 | 48.50 | 42.90 | 164.00 |
| | | | 880109 | 1.94 | 2.94 | 1.00 | 1.59 | 962.00 | 63.20 | 49.80 | 154.00 |
| | | | 880111 | 2.94 | 3.94 | 1.00 | 2.76 | 847.00 | 54.60 | 54.10 | 174.00 |
| | | | 880112 | 3.94 | 4.94 | 1.00 | 1.83 | 778.00 | 49.00 | 43.30 | 162.00 |
| | | | 880113 | 4.94 | 5.94 | 1.00 | 1.89 | 776.00 | 49.90 | 42.10 | 196.00 |
| | | | 880114 | 5.94 | 6.74 | 0.80 | 1.42 | 597.00 | 58.70 | 109.00 | 209.00 |
| 6.74 | 7.48 | M SCH, mica schist metasediment, medium gray, fine-grained, massive, qtz-bi-feld, uniform and featureless. | 880115 | 6.74 | 7.49 | 0.75 | 0.22 | 182.00 | 70.50 | 1.00 | 3.00 |
| 7.48 | 7.49 | | EOH, end of hole | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|---------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880107 | 0.00 | 0.94 | 1.0549 | 788.0000 | 45.7000 | 35.8000 | 133.0000 |
| 880108 | 0.94 | 1.94 | 1.3348 | 754.0000 | 48.5000 | 42.9000 | 164.0000 |
| 880109 | 1.94 | 2.94 | 1.5931 | 962.0000 | 63.2000 | 49.8000 | 154.0000 |
| 880111 | 2.94 | 3.94 | 2.7556 | 847.0000 | 54.6000 | 54.1000 | 174.0000 |
| 880112 | 3.94 | 4.94 | 1.8299 | 778.0000 | 49.0000 | 43.3000 | 162.0000 |
| 880113 | 4.94 | 5.94 | 1.8945 | 776.0000 | 49.9000 | 42.1000 | 196.0000 |
| 880114 | 5.94 | 6.74 | 1.4209 | 597.0000 | 58.7000 | 109.0000 | 209.0000 |
| 880115 | 6.74 | 7.49 | 0.2153 | 182.0000 | 70.5000 | 1.0000 | 3.0000 |

Hole Number: NC-CH-11-12

Units: METRIC

| | | | |
|------------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Georgia Lake | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477681.08 | North: | Collar Az: 150.00 |
| Location: Nama Creek - Main Zone N | East: 424857.81 | East: | Length: 3.70 |
| | Elev: 375.02 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 20, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 20, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 3.70 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon.Channel lies in Claim #TB67137

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.70 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp lower contact (45 deg) with QFM aplite which gradually becomes pegmatite. | 880116 | 0.00 | 0.70 | 0.70 | 0.19 | 358.00 | 245.00 | 1.20 | 5.00 |
| 0.70 | 2.70 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite with top rind of 1.5 cm thick aplite, white, coarse grained, massive, sharp lower contact with aplite (3 cm thick) which has a sharp lower contact with metasediment at 45 deg. | 880117 | 0.70 | 1.70 | 1.00 | 0.01 | 533.00 | 71.90 | 120.00 | 146.00 |
| | | | 880118 | 1.70 | 2.70 | 1.00 | 0.01 | 542.00 | 60.80 | 108.00 | 180.00 |
| 2.70 | 3.69 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880119 | 2.70 | 3.70 | 1.00 | 0.22 | 190.00 | 107.00 | 0.70 | 2.00 |
| 3.69 | 3.70 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|----------|----------|
| Sample Type ASSAY | | | | | | | |
| 880116 | 0.00 | 0.70 | 0.1938 | 358.0000 | 245.0000 | 1.2000 | 5.0000 |
| 880117 | 0.70 | 1.70 | 0.0108 | 533.0000 | 71.9000 | 120.0000 | 146.0000 |
| 880118 | 1.70 | 2.70 | 0.0108 | 542.0000 | 60.8000 | 108.0000 | 180.0000 |
| 880119 | 2.70 | 3.70 | 0.2153 | 190.0000 | 107.0000 | 0.7000 | 2.0000 |

DETAILED LOG

Hole Number: NC-CH-11-14

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477722.67 | North: | Collar Az: 142.00 |
| Location: Nama Creek | East: 424932.97 | East: | Length: 21.90 |
| | Elev: 375.28 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 21, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 21, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 21.90 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Total length of samples taken is 10.76 m. Channel lies in claim #TB67163

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|-------|---|---------------|-------|-------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.73 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp lower contact with 3 cm thick aplite (40 deg dip) | 880121 | 0.00 | 0.73 | 0.73 | 0.19 | 494.00 | 239.00 | 4.70 | 20.00 |
| 0.73 | 1.59 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite, white, coarse-grained, 0.2 cm grains of soft dark metallic luster mineral--likely molybdenite, 0.2 cm grains orange garnets | 880122 | 0.73 | 1.59 | 0.86 | 0.19 | 1060.00 | 78.50 | 53.40 | 137.00 |
| 1.59 | 1.99 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp upper subvertical contact with QFM pegmatite, cut with QFM aplite subvertical dikelets 5 cm thick | 880123 | 1.59 | 1.99 | 0.40 | 0.30 | 1780.00 | 498.00 | 32.10 | 52.00 |
| 1.99 | 2.69 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite, white, coarse grained, massive, lower 7 cm cut with aplite of similar composition. | 880124 | 1.99 | 2.69 | 0.70 | 0.01 | 557.00 | 61.00 | 68.40 | 150.00 |
| 2.69 | 5.00 | M SCH, mica schist metasediment, medium gray, fine-grained, massive, qtz-bi-fsp, cut with multiple hairline fractures and dikelets of qtz aplite (with some garnet) randomly oriented. Largest dikelet no more than 1 cm thick | 880125 | 2.69 | 3.61 | 0.92 | 0.17 | 537.00 | 287.00 | 1.50 | 8.00 |
| 5.00 | 6.35 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 5.00 - 6.35 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green, xtls 1-4 cm, more prevalent in upper part. | 880126 | 5.00 | 6.00 | 1.00 | 0.41 | 836.00 | 65.60 | 142.00 | 262.00 |
| | | | 880127 | 6.00 | 6.35 | 0.35 | 0.19 | 652.00 | 37.00 | 54.10 | 197.00 |
| 6.35 | 7.40 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880128 | 6.35 | 7.40 | 1.05 | 0.13 | 167.00 | 62.40 | 0.60 | 2.00 |
| 7.40 | 9.80 | UNK, Unknown No Outcrop | | | | | | | | | |
| 9.80 | 11.05 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 9.80 - 11.05 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green, xtls 1-3 cm long | 880129 | 9.80 | 10.70 | 0.90 | 1.36 | 1000.00 | 59.20 | 79.00 | 157.00 |
| | | | 880131 | 10.70 | 11.05 | 0.35 | 1.16 | 1290.00 | 90.60 | 51.50 | 126.00 |

DETAILED LOG

Hole Number: NC-CH-11-14

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|-------|--|---------------|-------|-------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 11.05 | 11.55 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, subvertical sharp contact with 15 cm thick QFM pegmatite | 880132 | 11.05 | 11.55 | 0.50 | 0.37 | 2090.00 | 801.00 | 76.20 | 120.00 |
| 11.55 | 12.40 | UNK, Unknown No Outcrop | | | | | | | | | |
| 12.40 | 12.80 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite, white, coarse grained, some pinky-orange garnet grains 0.2-1 cm diameter. | 880133 | 12.40 | 12.80 | 0.40 | 0.01 | 242.00 | 35.10 | 85.50 | 218.00 |
| 12.80 | 19.30 | UNK, Unknown No Outcrop/Metasediment | | | | | | | | | |
| 19.30 | 20.30 | M SCH, mica schist metasediment, medium gray, fine grained, massive, cut by some veins about 0.5 cm thick striking roughly SW with 45 deg dip. | 880134 | 19.30 | 20.30 | 1.00 | 0.15 | 148.00 | 157.00 | 3.70 | 5.00 |
| 20.30 | 20.90 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite, white, coarse grained, massive, few 0.3 cm grains of a hard dark mineral with orange halo | 880135 | 20.30 | 20.90 | 0.60 | 0.01 | 338.00 | 39.00 | 39.80 | 129.00 |
| 20.90 | 21.89 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, a few veins like the above metasediment | 880136 | 20.90 | 21.90 | 1.00 | 0.13 | 201.00 | 196.00 | 12.00 | 7.00 |
| 21.89 | 21.90 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|-------|----------|-----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880121 | 0.00 | 0.73 | 0.1938 | 494.0000 | 239.0000 | 4.7000 | 20.0000 |
| 880122 | 0.73 | 1.59 | 0.1938 | 1060.0000 | 78.5000 | 53.4000 | 137.0000 |
| 880123 | 1.59 | 1.99 | 0.3014 | 1780.0000 | 498.0000 | 32.1000 | 52.0000 |
| 880124 | 1.99 | 2.69 | 0.0108 | 557.0000 | 61.0000 | 68.4000 | 150.0000 |
| 880125 | 2.69 | 3.61 | 0.1722 | 537.0000 | 287.0000 | 1.5000 | 8.0000 |
| 880126 | 5.00 | 6.00 | 0.4090 | 836.0000 | 65.6000 | 142.0000 | 262.0000 |
| 880127 | 6.00 | 6.35 | 0.1938 | 652.0000 | 37.0000 | 54.1000 | 197.0000 |
| 880128 | 6.35 | 7.40 | 0.1292 | 167.0000 | 62.4000 | 0.6000 | 2.0000 |
| 880129 | 9.80 | 10.70 | 1.3563 | 1000.0000 | 59.2000 | 79.0000 | 157.0000 |
| 880131 | 10.70 | 11.05 | 1.1625 | 1290.0000 | 90.6000 | 51.5000 | 126.0000 |
| 880132 | 11.05 | 11.55 | 0.3660 | 2090.0000 | 801.0000 | 76.2000 | 120.0000 |
| 880133 | 12.40 | 12.80 | 0.0108 | 242.0000 | 35.1000 | 85.5000 | 218.0000 |
| 880134 | 19.30 | 20.30 | 0.1507 | 148.0000 | 157.0000 | 3.7000 | 5.0000 |
| 880135 | 20.30 | 20.90 | 0.0108 | 338.0000 | 39.0000 | 39.8000 | 129.0000 |
| 880136 | 20.90 | 21.90 | 0.1292 | 201.0000 | 196.0000 | 12.0000 | 7.0000 |

DETAILED LOG

Hole Number: NC-CH-11-16

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477741.26 | North: | Collar Az: 141.00 |
| Location: Nama Creek | East: 425008.05 | East: | Length: 4.58 |
| | Elev: 379.61 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 21, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 21, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 4.58 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in claim #TB67163

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.35 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp lower contact with spodumene pegmatite about 40 deg. | 880137 | 0.00 | 0.35 | 0.35 | 0.15 | 335.00 | 96.40 | 18.90 | 21.00 |
| 0.35 | 0.88 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 0.35 - 0.88 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green, xtls 2-5 cm long oriented perpendicularly to upper contact | 880138 | 0.35 | 0.88 | 0.53 | 0.84 | 713.00 | 64.30 | 115.00 | 196.00 |
| 0.88 | 3.18 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, in middle 2 cm thick aplite dikelet | 880139 | 0.88 | 1.98 | 1.10 | 0.37 | 126.00 | 82.20 | 1.30 | 3.00 |
| | | | 880141 | 1.98 | 3.18 | 1.20 | 0.32 | 218.00 | 215.00 | 23.50 | 12.00 |
| 3.18 | 3.58 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, upper 15 cm is a spodumene pegmatite oriented vertically. Mineralization 3.18 - 3.33 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene xtls are pale green 1-3 cm long | 880142 | 3.18 | 3.58 | 0.40 | 0.52 | 653.00 | 284.00 | 54.20 | 153.00 |
| 3.58 | 4.57 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd, inclusion of metasediment 5-10 cm thick in lower 20 cm | 880143 | 3.58 | 4.58 | 1.00 | 0.90 | 750.00 | 106.00 | 93.20 | 153.00 |
| 4.57 | 4.58 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880137 | 0.00 | 0.35 | 0.1507 | 335.0000 | 96.4000 | 18.9000 | 21.0000 |
| 880138 | 0.35 | 0.88 | 0.8396 | 713.0000 | 64.3000 | 115.0000 | 196.0000 |
| 880139 | 0.88 | 1.98 | 0.3660 | 126.0000 | 82.2000 | 1.3000 | 3.0000 |
| 880141 | 1.98 | 3.18 | 0.3229 | 218.0000 | 215.0000 | 23.5000 | 12.0000 |

Hole Number: NC-CH-11-16

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880142 | 3.18 | 3.58 | 0.5167 | 653.0000 | 284.0000 | 54.2000 | 153.0000 |
| 880143 | 3.58 | 4.58 | 0.9042 | 750.0000 | 106.0000 | 93.2000 | 153.0000 |

DETAILED LOG

Hole Number: NC-CH-11-17

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477773.00 | North: | Collar Az: 141.00 |
| Location: Nama Creek | East: 425042.00 | East: | Length: 2.50 |
| | Elev: 386.00 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 21, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 21, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 2.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. This channel was cut across two angular erratics, 1-2 m in diameter.

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|------|--------|----------|--------|--------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 1.50 | QFM PEG, quartz-feldspar-muscovite pegmatite spodumene pegmatite boulder, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 0.00 - 1.50 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene xtls are 1-10 cm long and pale green | 880144 | 0.00 | 0.95 | 0.95 | 1.33 | 745.00 | 67.40 | 58.90 | 186.00 |
| | | | 880145 | 0.95 | 1.50 | 0.55 | 1.25 | 950.00 | 64.10 | 50.50 | 142.00 |
| 1.50 | 2.50 | QFM PEG, quartz-feldspar-muscovite pegmatite spodumene pegmatite boulder, white, coarse to very coarse grained, massive, qtz-fsp-musc-spd Mineralization 1.50 - 2.50 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene xtls are 5-10 cm long and pale green. | 880146 | 1.50 | 2.50 | 1.00 | 2.15 | 680.00 | 86.90 | 94.20 | 195.00 |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880144 | 0.00 | 0.95 | 1.3348 | 745.0000 | 67.4000 | 58.9000 | 186.0000 |
| 880145 | 0.95 | 1.50 | 1.2486 | 950.0000 | 64.1000 | 50.5000 | 142.0000 |
| 880146 | 1.50 | 2.50 | 2.1528 | 680.0000 | 86.9000 | 94.2000 | 195.0000 |

DETAILED LOG

Hole Number: NC-CH-11-18

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477798.21 | North: | Collar Az: 154.00 |
| Location: Nama Creek | East: 425081.94 | East: | Length: 4.91 |
| | Elev: 374.89 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 23, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 24, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 4.91 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in claim #TB67164

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|------|--------|----------|--------|---------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 0.70 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, cut by a subvertical qtz vein 2 cm thick, sharp lower contact with pegmatite at 0.69 m. | 880147 | 0.00 | 0.70 | 0.70 | 0.34 | 305.00 | 153.00 | 3.40 | 4.00 |
| 0.70 | 2.71 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse to very coarse grained, massive, qtz-fsp-musc-spd, sharp lower contact with metasediment at 2.705 m. Mineralization 0.70 - 2.71 : SPOD Spodumene, PERV Pervasive, 15.00% spd is pale green, xtls 1-10 cm and randomly oriented, not altered | 880148 | 0.70 | 1.70 | 1.00 | 1.05 | 1100.00 | 74.70 | 64.00 | 150.00 |
| | | | 880149 | 1.70 | 2.17 | 0.47 | 1.03 | 1030.00 | 87.90 | 102.00 | 176.00 |
| | | | 880151 | 2.17 | 2.70 | 0.53 | 0.26 | 166.00 | 74.70 | 1.50 | 3.00 |
| | | | 880152 | 2.70 | 3.47 | 0.77 | 0.30 | 256.00 | 113.00 | 0.90 | 8.00 |
| 2.71 | 3.47 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, crosscut by qtz-kspal aplite dikelets which intersect at nearly right angles, azimuth of dikelets 100 deg and 180 deg. 0.5 to 1 cm thick--thicker dikelets have an azimuth of 100 deg. | | | | | | | | | |
| 3.47 | 4.37 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd, sharp lower contact with metasediment 45 deg dip Mineralization 3.47 - 4.37 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale green, xtls 5-10 cm long oriented 45 deg dip away from upper contact, more abundant towards upper contact--feldspar increases towards lower contact | 880153 | 3.47 | 4.37 | 0.90 | 1.31 | 431.00 | 36.10 | 35.40 | 169.00 |
| 4.37 | 4.90 | M SCH, mica schist metasediment, massive, fine grained, medium gray, qtz-bi-fsp, same dikelet system as mentioned above. | 880154 | 4.37 | 4.91 | 0.54 | 0.26 | 203.00 | 103.00 | 0.50 | 2.00 |
| 4.90 | 4.91 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|--------|--------|
| Sample Type ASSAY | | | | | | | |
| 880147 | 0.00 | 0.70 | 0.3445 | 305.0000 | 153.0000 | 3.4000 | 4.0000 |

Hole Number: NC-CH-11-18

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|----------|----------|
| Sample Type | ASSAY | | | | | | |
| 880148 | 0.70 | 1.70 | 1.0549 | 1100.0000 | 74.7000 | 64.0000 | 150.0000 |
| 880149 | 1.70 | 2.17 | 1.0334 | 1030.0000 | 87.9000 | 102.0000 | 176.0000 |
| 880151 | 2.17 | 2.70 | 0.2583 | 166.0000 | 74.7000 | 1.5000 | 3.0000 |
| 880152 | 2.70 | 3.47 | 0.3014 | 256.0000 | 113.0000 | 0.9000 | 8.0000 |
| 880153 | 3.47 | 4.37 | 1.3132 | 431.0000 | 36.1000 | 35.4000 | 169.0000 |
| 880154 | 4.37 | 4.91 | 0.2583 | 203.0000 | 103.0000 | 0.5000 | 2.0000 |

DETAILED LOG

Hole Number: NS-CH-11-01

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476900.25 | North: | Collar Az: 124.00 |
| Location: Nama Creek | East: 424216.08 | East: | Length: 5.96 |
| | Elev: 372.00 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 23, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 24, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 5.96 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Contains the northern coordinate but the channel was logged south to north. Channel lies in Claim #TB67177

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|------|--------|----------|--------|--------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 0.68 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spod, sharp lower contact with metasediment/aplite. Mineralization 0.00 - 0.68 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is pale to dark green (altered), xtls 1-5 cm long | 880155 | 0.00 | 0.68 | 0.68 | 0.01 | 353.00 | 27.00 | 45.80 | 201.00 |
| 0.68 | 1.18 | M SCH, mica schist metasediment, fine grained, medium gray, massive, qtz-bi-fsp, center of sample is cut by 10 cm thick QFM pegmatite with 4 cm thick aplite core. | 880156 | 0.68 | 1.18 | 0.50 | 0.15 | 656.00 | 202.00 | 16.70 | 27.00 |
| 1.18 | 5.95 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, coarse to very coarse grained, massive, qtz-fsp-musc-spod Mineralization 1.18 - 5.95 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green to dark green to dark blue in color--dark green and blue indicate alteration near the edges of the peg. Center of the sampling site (2.28 to 4.29 m) is pale green unaltered spodumene. xtls 5 cm long and randomly oriented | 880157 | 1.18 | 2.28 | 1.10 | 0.09 | 531.00 | 37.90 | 56.50 | 152.00 |
| | | | 880158 | 2.28 | 3.28 | 1.00 | 0.95 | 665.00 | 51.10 | 78.50 | 210.00 |
| | | | 880159 | 3.28 | 4.28 | 1.00 | 1.40 | 650.00 | 51.20 | 42.10 | 158.00 |
| | | | 880161 | 4.28 | 5.28 | 1.00 | 0.65 | 835.00 | 55.10 | 25.50 | 139.00 |
| | | | 880162 | 5.28 | 5.96 | 0.68 | 0.56 | 697.00 | 54.00 | 42.60 | 150.00 |
| 5.95 | 5.96 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880155 | 0.00 | 0.68 | 0.0108 | 353.0000 | 27.0000 | 45.8000 | 201.0000 |
| 880156 | 0.68 | 1.18 | 0.1507 | 656.0000 | 202.0000 | 16.7000 | 27.0000 |
| 880157 | 1.18 | 2.28 | 0.0861 | 531.0000 | 37.9000 | 56.5000 | 152.0000 |
| 880158 | 2.28 | 3.28 | 0.9472 | 665.0000 | 51.1000 | 78.5000 | 210.0000 |
| 880159 | 3.28 | 4.28 | 1.3993 | 650.0000 | 51.2000 | 42.1000 | 158.0000 |
| 880161 | 4.28 | 5.28 | 0.6458 | 835.0000 | 55.1000 | 25.5000 | 139.0000 |
| 880162 | 5.28 | 5.96 | 0.5597 | 697.0000 | 54.0000 | 42.6000 | 150.0000 |

DETAILED LOG

Hole Number: NS-CH-11-01A

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476891.00 | North: | Collar Az: 80.00 |
| Location: Nama Creek | East: 424218.00 | East: | Length: 2.74 |
| | Elev: 383.00 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 23, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 23, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 2.74 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Contains the northern coordinate but was logged from south to north.

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|--------|------|--------|----------|--------|--------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 1.80 | SPD PEG, spodumen pegmatite white, coarse grained, massive, qtz-fsp-musc-spd, qtz-fsp aplite dikelet 3 cm thick one meter from start oriented vertically Mineralization 0.00 - 1.80 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green, xtls 1-2 cm long oriented subhorizontally, much more abundant between 0 and 0.80 m | 880163 | 0.00 | 0.80 | 0.80 | 1.01 | 747.00 | 69.30 | 113.00 | 166.00 |
| | | | 880164 | 0.80 | 1.80 | 1.00 | 0.19 | 626.00 | 43.90 | 55.50 | 140.00 |
| 1.80 | 2.73 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp upper contact with pegmatite, vertical 2 cm thick QFM pegmatite dikelet near upper contact. | 880165 | 1.80 | 2.74 | 0.94 | 0.17 | 371.00 | 156.00 | 6.60 | 21.00 |
| 2.73 | 2.74 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|----------|----------|
| Sample Type ASSAY | | | | | | | |
| 880163 | 0.00 | 0.80 | 1.0118 | 747.0000 | 69.3000 | 113.0000 | 166.0000 |
| 880164 | 0.80 | 1.80 | 0.1938 | 626.0000 | 43.9000 | 55.5000 | 140.0000 |
| 880165 | 1.80 | 2.74 | 0.1722 | 371.0000 | 156.0000 | 6.6000 | 21.0000 |

DETAILED LOG

Hole Number: NS-CH-11-02

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476934.55 | North: | Collar Az: 118.00 |
| Location: Nama Creek | East: 424256.42 | East: | Length: 9.83 |
| | Elev: 372.92 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 24, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 24, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 9.83 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Total length of samples is 7.13 m. Channel lies in Claim #TB67177

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|---------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 2.00 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd, centered in the lower meter is a 20 cm wide aplite core with 3-5 cm thick pegmatite rind. Mineralization 0.00 - 2.00 : SPOD Spodumene, PERV Pervasive, 5.00% spodumene is mostly dark green/gray (altered) upper 20 cm, xtls are pale green (unaltered), xtls are 20 cm long and oriented roughly 45 deg towards upper end | 880166 | 0.00 | 1.10 | 1.10 | 0.26 | 635.00 | 41.00 | 59.50 | 154.00 |
| | | | 880167 | 1.10 | 2.00 | 0.90 | 0.60 | 555.00 | 37.40 | 43.80 | 131.00 |
| 2.00 | 2.82 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp, cut by 2 spodumene pegmatite dikes (both white, massive, coarse grained, qtz-fsp-musc-spd). 20 cm thick upper dike oriented vertically with three qtz-fsp-musc aplite "cores." Each "core" is 4 cm thick, spaced roughly 2 cm apart, with 2 cm thick pegmatite rind. 15 cm lower dike is oriented vertically as well. Mineralization 2.00 - 2.82 : SPOD Spodumene, PERV Pervasive, 5.00% upper dike: spd xtls are pale green, 1 cm long oriented perpendicular to aplite "cores." lower dike: spd xtls are dark green (altered), 2 cm long, oriented randomly | 880168 | 2.00 | 2.82 | 0.82 | 0.43 | 606.00 | 206.00 | 54.30 | 94.00 |
| 2.82 | 5.52 | M SCH, mica schist Unsampled metasediment. Cut by one 20 cm thick pegmatite dike. | | | | | | | | | |
| 5.52 | 6.52 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880169 | 5.52 | 6.52 | 1.00 | 0.17 | 147.00 | 31.90 | 0.70 | 2.00 |
| 6.52 | 9.82 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, massive, very coarse grained, qtz-fsp-musc-spd, 3 cm thick aplite dikelet centered in lower 1.10 meter Mineralization 6.52 - 9.82 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is pale green with a thin, dark green rind, xtls are 3-10 cm long oriented subhorizontally and parallel to the channel. | 880171 | 6.52 | 7.67 | 1.15 | 1.66 | 574.00 | 38.70 | 28.30 | 183.00 |
| | | | 880172 | 7.67 | 8.73 | 1.06 | 1.66 | 720.00 | 58.60 | 90.80 | 172.00 |
| | | | 880173 | 8.73 | 9.83 | 1.10 | 1.05 | 1380.00 | 75.30 | 64.90 | 134.00 |

DETAILED LOG

Hole Number: NS-CH-11-02

Units: METRIC

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|------------------|---------------|------|----|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 9.82 | 9.83 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|-----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880166 | 0.00 | 1.10 | 0.2583 | 635.0000 | 41.0000 | 59.5000 | 154.0000 |
| 880167 | 1.10 | 2.00 | 0.6028 | 555.0000 | 37.4000 | 43.8000 | 131.0000 |
| 880168 | 2.00 | 2.82 | 0.4306 | 606.0000 | 206.0000 | 54.3000 | 94.0000 |
| 880169 | 5.52 | 6.52 | 0.1722 | 147.0000 | 31.9000 | 0.7000 | 2.0000 |
| 880171 | 6.52 | 7.67 | 1.6577 | 574.0000 | 38.7000 | 28.3000 | 183.0000 |
| 880172 | 7.67 | 8.73 | 1.6577 | 720.0000 | 58.6000 | 90.8000 | 172.0000 |
| 880173 | 8.73 | 9.83 | 1.0549 | 1380.0000 | 75.3000 | 64.9000 | 134.0000 |

DETAILED LOG

Hole Number: NS-CH-11-03

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476961.73 | North: | Collar Az: 128.00 |
| Location: Nama Creek | East: 424282.56 | East: | Length: 3.92 |
| | Elev: 371.13 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 24, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 24, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 3.92 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in Claim #TB67177

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|--------|------|--------|----------|--------|--------|--------|--------|--------|
| | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm | |
| 0.00 | 2.92 | SPD PEG, spodumen pegmatite spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd, subvertical qtz-fsp aplite dikelets in the center meter ranging in size from 1-4 cm thick. Mineralization 0.00 - 2.92 : SPOD Spodumene, PERV Pervasive, 10.00% spodumene is dark to pale green (upper meter shows more alteration than lower meter--some xtls in lower meter altered to muscovite), xtls are 3 cm long oriented subhorizontally | 880174 | 0.00 | 0.82 | 0.82 | 0.13 | 657.00 | 39.40 | 29.40 | 128.00 |
| | | | 880175 | 0.82 | 1.92 | 1.10 | 0.01 | 494.00 | 35.80 | 132.00 | 82.00 |
| | | | 880176 | 1.92 | 2.92 | 1.00 | 0.01 | 753.00 | 56.80 | 149.00 | 92.00 |
| 2.92 | 3.91 | M SCH, mica schist metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880177 | 2.92 | 3.92 | 1.00 | 0.17 | 591.00 | 272.00 | 0.80 | 6.00 |
| 3.91 | 3.92 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|----------|----------|
| Sample Type ASSAY | | | | | | | |
| 880174 | 0.00 | 0.82 | 0.1292 | 657.0000 | 39.4000 | 29.4000 | 128.0000 |
| 880175 | 0.82 | 1.92 | 0.0108 | 494.0000 | 35.8000 | 132.0000 | 82.0000 |
| 880176 | 1.92 | 2.92 | 0.0108 | 753.0000 | 56.8000 | 149.0000 | 92.0000 |
| 880177 | 2.92 | 3.92 | 0.1722 | 591.0000 | 272.0000 | 0.8000 | 6.0000 |

Hole Number: NS-CH-11-04

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|---------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880178 | 0.00 | 0.57 | 0.2368 | 709.0000 | 50.2000 | 82.1000 | 161.0000 |
| 880179 | 1.07 | 1.52 | 1.0549 | 545.0000 | 35.1000 | 52.3000 | 129.0000 |
| 880181 | 1.52 | 2.44 | 0.1292 | 143.0000 | 39.6000 | 1.2000 | 2.0000 |
| 880182 | 2.44 | 3.19 | 1.0979 | 830.0000 | 49.5000 | 69.0000 | 163.0000 |
| 880183 | 3.19 | 4.09 | 1.7868 | 496.0000 | 36.8000 | 78.8000 | 155.0000 |

DETAILED LOG

Hole Number: NS-CH-11-05

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476971.93 | North: | Collar Az: 132.00 |
| Location: Nama Creek | East: 424307.80 | East: | Length: 7.00 |
| | Elev: 368.77 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 25, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 25, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 7.00 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Total sample length is 6.3 m. Channel lies in Claim #TB67132

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|--------|-----------|---------------|------|------|--------|----------|--------|--------|
| | | From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm |
| 0.00 | 1.55 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd, 3 cm thick qtz-fsp aplite dikelet 0.45 m from start. Mineralization 0.00 - 1.55 : SPOD Spodumene, PERV Pervasive, 15.00% Spodumene is pale green showing some dark green alteration towards center of outcrop, xtls are 3-7 cm long oriented sub horizontally | 880184 | 0.00 | 0.60 | 0.60 | 0.97 | 730.00 | 44.40 | 93.80 | 183.00 |
| | | | 880185 | 0.60 | 1.55 | 0.95 | 0.65 | 769.00 | 44.80 | 69.00 | 146.00 |
| 1.55 | 2.45 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp. Crosscut by a system of hairline fractures and qtz veins up to 0.5 cm wide. Azimuths of major directions are 50 deg (with 45 deg dip to SE) and 350 deg (oriented subvertically). | 880186 | 1.55 | 2.45 | 0.90 | 0.15 | 182.00 | 53.60 | 1.10 | 4.00 |
| 2.45 | 2.85 | M SCH, mica schist No channel cut through metasediment | | | | | | | | | |
| 2.85 | 3.85 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp. Crosscut by a system of hairline fractures and qtz veins up to 0.5 cm wide. Azimuths of major directions are 50 deg (with 45 deg dip to SE) and 350 deg (oriented subvertically). | 880187 | 2.85 | 3.85 | 1.00 | 0.15 | 178.00 | 46.50 | 0.80 | 4.00 |
| 3.85 | 4.95 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd Mineralization 3.85 - 4.95 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale green with thin dark green altered rind. xtls are 1-4 cm long oriented subhorizontally. | 880188 | 3.85 | 4.95 | 1.10 | 1.36 | 596.00 | 42.20 | 84.80 | 164.00 |
| 4.95 | 5.30 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp, cut by 1.5 cm thick qtz-fsp aplite dikelet with dark accessory mineral (biotite?) and green accessory mineral (apatite?) | 880189 | 4.95 | 5.30 | 0.35 | 0.26 | 864.00 | 283.00 | 9.30 | 20.00 |

DETAILED LOG

Hole Number: NS-CH-11-05

Units: METRIC

| Detailed Lithology | | Lithology | Assay Data | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 5.30 | 5.70 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd Mineralization 5.30 - 5.70 : SPOD Spodumene, PERV Pervasive, 10.00% Spodumene is mostly altered to dark green, xtls are 1-3 cm long oriented randomly. | 880191 | 5.30 | 5.70 | 0.40 | 0.26 | 464.00 | 36.50 | 52.70 | 134.00 |
| 5.70 | 6.00 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880192 | 5.70 | 6.00 | 0.30 | 0.22 | 678.00 | 185.00 | 1.60 | 8.00 |
| 6.00 | 6.30 | M SCH, mica schist No channel through metasediment | | | | | | | | | |
| 6.30 | 6.70 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880193 | 6.30 | 6.70 | 0.40 | 0.19 | 260.00 | 94.30 | 0.70 | 4.00 |
| 6.70 | 6.99 | QFM PEG, quartz-feldspar-muscovite pegmatite QFM pegmatite, white, massive, coarse grained, qtz-fsp-musc | 880194 | 6.70 | 7.00 | 0.30 | 0.02 | 394.00 | 32.50 | 78.30 | 168.00 |
| 6.99 | 7.00 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880184 | 0.00 | 0.60 | 0.9688 | 730.0000 | 44.4000 | 93.8000 | 183.0000 |
| 880185 | 0.60 | 1.55 | 0.6458 | 769.0000 | 44.8000 | 69.0000 | 146.0000 |
| 880186 | 1.55 | 2.45 | 0.1507 | 182.0000 | 53.6000 | 1.1000 | 4.0000 |
| 880187 | 2.85 | 3.85 | 0.1507 | 178.0000 | 46.5000 | 0.8000 | 4.0000 |
| 880188 | 3.85 | 4.95 | 1.3563 | 596.0000 | 42.2000 | 84.8000 | 164.0000 |
| 880189 | 4.95 | 5.30 | 0.2583 | 864.0000 | 283.0000 | 9.3000 | 20.0000 |
| 880191 | 5.30 | 5.70 | 0.2583 | 464.0000 | 36.5000 | 52.7000 | 134.0000 |
| 880192 | 5.70 | 6.00 | 0.2153 | 678.0000 | 185.0000 | 1.6000 | 8.0000 |
| 880193 | 6.30 | 6.70 | 0.1938 | 260.0000 | 94.3000 | 0.7000 | 4.0000 |
| 880194 | 6.70 | 7.00 | 0.0215 | 394.0000 | 32.5000 | 78.3000 | 168.0000 |

DETAILED LOG

Hole Number: NS-CH-11-06

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476981.25 | North: | Collar Az: 146.00 |
| Location: Nama Creek | East: 424303.44 | East: | Length: 2.50 |
| | Elev: 369.86 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 25, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 25, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 2.50 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in Claim #TB67132

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 1.90 | SPD PEG, spodumene pegmatite | 880195 | 0.00 | 0.90 | 0.90 | 1.57 | 589.00 | 37.90 | 20.10 | 185.00 |
| | | Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd, a few 0.5 cm garnet grains near a qtz-fsp-musc-spd dikelet at 0.9 m. Dikelet is about 5 cm thick. | 880196 | 0.90 | 1.90 | 1.00 | 1.74 | 358.00 | 30.40 | 33.10 | 169.00 |
| | | Mineralization 0.00 - 1.90 : SPOD Spodumene, PERV Pervasive, 20.00% Spodumene is pale green, only a few xtls show dark green alteration rinds, xtls are 2-5 cm long and oriented subhorizontally. In the dikelet, spd xtls are 0.2-0.5 cm long, pale green (no alteration), oriented randomly | | | | | | | | | |
| 1.90 | 2.49 | M SCH, mica schist | 880197 | 1.90 | 2.50 | 0.60 | 0.30 | 761.00 | 320.00 | 12.00 | 33.00 |
| | | Metasediment, medium gray, fine grained, massive, qtz-bi-fsp, sharp upper contact with spodumene pegmatite | | | | | | | | | |
| 2.49 | 2.50 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|----------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880195 | 0.00 | 0.90 | 1.5716 | 589.0000 | 37.9000 | 20.1000 | 185.0000 |
| 880196 | 0.90 | 1.90 | 1.7438 | 358.0000 | 30.4000 | 33.1000 | 169.0000 |
| 880197 | 1.90 | 2.50 | 0.3014 | 761.0000 | 320.0000 | 12.0000 | 33.0000 |

DETAILED LOG

Hole Number: NS-CH-11-06A

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5476981.00 | North: | Collar Az: 140.00 |
| Location: Nama Creek | East: 424309.00 | East: | Length: 2.90 |
| | Elev: 378.00 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 25, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 25, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 2.90 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon

Sample Averages

| Detailed Lithology | | Assay Data | | | | | | | | | |
|--------------------|------|--|---------------|------|------|--------|----------|--------|--------|--------|--------|
| From | To | Lithology | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 2.89 | SPD PEG, spodumen pegmatite | 880198 | 0.00 | 1.00 | 1.00 | 1.83 | 747.00 | 45.60 | 42.10 | 146.00 |
| | | Spodumene pegmatite, white, massive, coarse grained, 2 qtz-fsp-musc-spd aplite dikelets oriented vertically near 2 m | 880199 | 1.00 | 2.00 | 1.00 | 1.44 | 607.00 | 44.40 | 56.80 | 160.00 |
| | | Mineralization | 880201 | 2.00 | 2.90 | 0.90 | 1.68 | 769.00 | 51.30 | 66.60 | 162.00 |
| | | 0.00 - 2.89 : SPOD Spodumene, PERV Pervasive, 20.00% spodumene is pale green, xtls 1-5 cm long oriented randomly. In the dikelets, spd is pale green, xtls 0.2 cm long randomly oriented | | | | | | | | | |
| 2.89 | 2.90 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|-------------------|------|------|----------|----------|---------|---------|----------|
| Sample Type ASSAY | | | | | | | |
| 880198 | 0.00 | 1.00 | 1.8299 | 747.0000 | 45.6000 | 42.1000 | 146.0000 |
| 880199 | 1.00 | 2.00 | 1.4424 | 607.0000 | 44.4000 | 56.8000 | 160.0000 |
| 880201 | 2.00 | 2.90 | 1.6792 | 769.0000 | 51.3000 | 66.6000 | 162.0000 |

DETAILED LOG

Hole Number: NS-CH-11-07

Units: METRIC

| | | | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|
| Project Name: Nama Creek | Primary Coordinates Grid: UTM: | Destination Coordinates Grid: UTM: | Collar Dip: |
| Project Number: 01 | North: 5477003.86 | North: | Collar Az: 124.00 |
| Location: Nama Creek | East: 424323.36 | East: | Length: 4.90 |
| | Elev: 371.82 | Elev: | Start Depth: 0.00 |
| Date Started: Jun 25, 2011 | Collar Survey: N | Plugged: N | Contractor: |
| Date Completed: Jun 25, 2011 | Multishot Survey: N | Hole Size: | Final Depth: 4.90 |
| | Pulse EM Survey: N | Casing: Pulled | Core Storage: Beardmore ON |

Comments: Channel logged by Andrea Dixon. Channel lies in Claim #TB67132

Sample Averages

| Detailed Lithology | | Lithology | Assay Data | | | | | | | | |
|--------------------|------|---|---------------|------|------|--------|----------|--------|--------|--------|--------|
| | | | Sample Number | From | To | Length | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
| 0.00 | 0.85 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, massive, coarse grained, qtz-fsp-musc-spd, few 0.5 cm pink garnet grains, few hard dark minerals with orange halos 0.2 cm across, few soft dark minerals that powder orange (iron oxides?), few 0.2 cm green apatite grains Mineralization 0.00 - 0.85 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is pale green altering to dark green near lower contact with metasediment, xtls are 3-10 cm long oriented subhorizontally | 880202 | 0.00 | 0.85 | 0.85 | 1.23 | 982.00 | 70.50 | 70.20 | 123.00 |
| 0.85 | 2.30 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp, cut by 2 - 1 cm thick subvertical slightly orange hued qtz-fsp aplite dikelets. | 880203 | 0.85 | 1.50 | 0.65 | 0.22 | 169.00 | 69.30 | 1.00 | 3.00 |
| | | | 880204 | 1.50 | 2.30 | 0.80 | 0.24 | 364.00 | 115.00 | 5.50 | 13.00 |
| 2.30 | 4.20 | SPD PEG, spodumen pegmatite Spodumene pegmatite, white, coarse grained, massive, qtz-fsp-musc-spd, upper 40 cm and lower 20 cm are barren in spodumene. From 20 cm in towards the center from the barren areas, spd is altered to dark green--center of dike contains pale green spodumene. Upper barren area has some 0.5 cm pink garnet grains, lower barren area is cut by 3 - 2 cm thick pale pink qtz-fsp aplite dikelets Mineralization 2.70 - 4.00 : SPOD Spodumene, PERV Pervasive, 15.00% spodumene is both altered dark green and pale green. xtls are subhorizontal and are 2-3 cm long. *Please see general comments about pegmatite* | 880205 | 2.30 | 3.20 | 0.90 | 0.93 | 750.00 | 52.50 | 52.90 | 198.00 |
| | | | 880206 | 3.20 | 4.20 | 1.00 | 1.14 | 907.00 | 60.40 | 73.60 | 194.00 |
| 4.20 | 4.89 | M SCH, mica schist Metasediment, medium gray, fine grained, massive, qtz-bi-fsp | 880207 | 4.20 | 4.90 | 0.70 | 0.22 | 258.00 | 45.30 | 1.40 | 7.00 |
| 4.89 | 4.90 | EOH, end of hole | | | | | | | | | |

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|---------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880202 | 0.00 | 0.85 | 1.2271 | 982.0000 | 70.5000 | 70.2000 | 123.0000 |
| 880203 | 0.85 | 1.50 | 0.2153 | 169.0000 | 69.3000 | 1.0000 | 3.0000 |

Hole Number: NS-CH-11-07

Units: METRIC

Samples

| Sample Number | From | To | Li2O_per | Rb_ppm | Cs_ppm | Ta_ppm | Be_ppm |
|---------------|-------|------|----------|----------|----------|---------|----------|
| Sample Type | ASSAY | | | | | | |
| 880204 | 1.50 | 2.30 | 0.2368 | 364.0000 | 115.0000 | 5.5000 | 13.0000 |
| 880205 | 2.30 | 3.20 | 0.9257 | 750.0000 | 52.5000 | 52.9000 | 198.0000 |
| 880206 | 3.20 | 4.20 | 1.1410 | 907.0000 | 60.4000 | 73.6000 | 194.0000 |
| 880207 | 4.20 | 4.90 | 0.2153 | 258.0000 | 45.3000 | 1.4000 | 7.0000 |