

Tuesday, February 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22918	980828	57	1	6.65	6	406	<2	<1	2.63	4	8	41	182	1.71	1.63	19	1.17	923	16	208	561	20	0.63	<5	5	<10	383	1890	<2	32	13	6	493
22919	980829	20	<1	6.81	12	344	<2	<1	2.14	<4	9	25	30	2.15	1.63	17	0.82	699	13	29	583	28	0.94	<5	<5	<10	253	1547	<2	34	<10	6	122
22920	980830	<5	<1	5.24	4	374	<2	<1	1.58	<4	11	53	23	2.28	1.36	16	0.83	441	14	34	517	9	0.05	<5	<5	<10	167	1531	4	67	39	12	66
22921	980831	13	<1	7.33	4	356	<2	<1	1.77	<4	9	32	23	1.66	1.58	16	0.75	526	14	38	424	34	0.59	<5	<5	<10	223	1223	<2	29	<10	6	154
22922	980832	24	<1	8.09	606	406	2	<1	2.26	7	18	65	88	4.64	1.61	18	1.21	891	22	61	470	38	2.32	<5	<5	<10	266	1292	<2	41	11	11	640
22923	980833	28	2	8.55	208	348	2	<1	1.89	6	20	106	60	4.08	1.58	20	1.36	837	24	85	549	48	1.90	<5	<5	<10	234	1536	4	65	<10	13	145
22924	980834	28	<1	6.46	266	268	2	<1	1.32	6	21	79	80	4.20	1.46	15	1.18	686	20	74	507	40	2.13	<5	<5	<10	187	1095	2	50	<10	11	219
22925	980835	24	<1	8.17	152	428	2	<1	1.58	4	16	63	57	3.03	1.67	17	0.98	521	19	59	362	36	1.43	<5	<5	<10	230	1134	5	43	<10	9	212
22926	980836	21	1	7.85	85	430	2	<1	1.13	5	22	62	61	3.38	1.65	16	0.73	374	19	73	433	29	1.79	<5	<5	<10	191	1162	<2	46	<10	10	183
22927	980837	11	<1	8.14	67	362	2	<1	1.56	4	16	67	41	3.33	1.69	19	1.22	613	18	51	500	19	1.38	<5	<5	<10	219	1248	<2	57	<10	9	64
22928D	980837	10	1	8.09	64	366	2	<1	1.55	4	15	68	41	3.28	2.12	18	1.21	611	19	52	487	17	1.35	<5	7	<10	217	1248	<2	57	<10	9	66
22929	980838	35	1	7.63	215	409	2	<1	1.18	5	28	48	58	3.74	1.82	17	0.90	427	18	66	397	21	1.88	<5	<5	<10	182	1195	<2	45	<10	9	235
22930	980839	23	1	8.24	25	544	2	<1	1.12	<4	21	45	52	2.70	1.83	17	0.73	288	19	61	351	33	1.28	<5	<5	<10	181	1231	2	45	<10	10	168
22931	980840	251	354	5.51	3837	128	2	<1	1.91	121	13	37	415	6.54	1.96	15	0.72	1047	21	24	499	8455	4.80	55	16	10	144	1025	<2	63	88	9	12771
22932	980841	12	3	7.13	192	223	2	<1	1.54	4	15	79	38	2.89	1.60	18	1.25	438	19	59	593	71	1.11	<5	<5	<10	198	938	<2	46	<10	10	151
22933	980842	22	<1	7.77	45	327	2	<1	1.61	5	21	100	43	3.88	1.78	25	1.28	438	19	70	569	20	0.89	<5	<5	<10	172	1933	2	70	<10	13	114
22934	980843	35	<1	7.81	185	404	2	<1	1.48	5	15	60	31	3.54	1.51	24	0.87	410	17	42	496	13	0.53	<5	<5	<10	203	1709	<2	58	<10	10	64
22935	980844	286	<1	7.40	87	368	<2	<1	1.42	<4	12	51	21	1.87	1.45	21	0.64	211	14	34	464	14	0.30	<5	<5	<10	214	1575	<2	40	<10	7	38
22936	980845	17	<1	5.55	2	252	<2	<1	1.19	<4	5	21	12	0.94	1.35	13	0.29	143	11	22	349	16	0.32	<5	<5	<10	174	777	<2	17	<10	4	24
22937	980846	11	<1	5.88	3	257	<2	<1	1.21	<4	4	27	10	0.84	1.36	13	0.28	133	11	27	319	14	0.29	<5	<5	<10	184	736	<2	17	<10	4	22

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22938	980847	8	<1	7.20	4	299	2	<1	1.34	4	22	134	37	3.02	1.55	21	0.69	278	14	82	767	16	0.52	<5	<5	<10	188	1681	<2	74	<10	10	78
22939D	980847	9	<1	7.60	2	306	2	<1	1.40	4	24	135	36	2.95	1.70	22	0.68	277	14	81	776	15	0.50	<5	<5	<10	197	1758	<2	75	<10	10	77
22940	980848	8	<1	7.48	4	290	<2	<1	2.49	<4	22	89	26	2.71	1.63	26	0.57	443	14	72	619	8	0.25	<5	<5	<10	197	1950	<2	66	<10	8	65
22941	980849	22	<1	7.90	4	310	<2	<1	1.48	<4	14	97	31	2.05	1.63	25	0.74	344	16	65	657	14	0.18	<5	<5	<10	187	1556	<2	59	<10	9	46
22942	980850	<5	<1	6.35	6	418	<2	<1	1.69	<4	12	54	22	2.32	1.56	18	0.86	448	14	34	528	7	0.05	<5	<5	<10	188	1631	2	70	40	12	43
22943	980851	12	2	5.87	5	244	<2	<1	0.90	<4	9	33	20	1.35	1.27	19	0.45	235	12	35	392	22	0.32	<5	<5	<10	124	1204	<2	26	<10	5	37
22944	980852	6	<1	7.29	3	341	<2	<1	1.22	<4	9	35	15	1.78	1.75	23	0.53	322	14	39	374	17	0.38	<5	<5	<10	134	1383	<2	31	<10	7	63
22945	980853	6	<1	5.52	<2	259	<2	<1	0.93	<4	5	19	5	1.50	1.30	19	0.43	368	11	26	330	14	0.21	<5	<5	<10	101	967	<2	19	<10	6	45
22946	980854	<5	<1	7.01	2	324	<2	<1	1.31	<4	13	60	32	2.38	1.73	27	0.79	534	16	47	536	12	0.26	<5	<5	<10	133	1713	<2	44	<10	9	88
22947	980855	36	2	7.42	2	497	<2	<1	1.58	<4	12	18	23	2.23	1.68	28	0.84	419	15	24	687	19	0.39	<5	<5	<10	204	2179	<2	45	<10	7	66
22948	980856	1293	6	7.16	4	533	<2	<1	2.01	<4	11	27	11	2.15	1.72	25	0.77	367	14	33	668	11	0.29	<5	<5	<10	351	2691	<2	45	<10	6	56
22949	980857	8	<1	7.72	5	461	<2	<1	1.86	<4	8	22	9	1.77	1.99	29	0.95	417	15	24	493	9	0.16	<5	<5	<10	244	1901	<2	36	<10	6	48
22950D	980857	11	<1	7.70	3	468	<2	<1	1.88	<4	9	23	9	1.79	1.84	29	0.96	424	15	24	549	8	0.16	<5	8	<10	249	1914	<2	37	<10	6	51
22951	980858	141	<1	7.81	<2	338	2	<1	2.57	4	10	20	25	2.87	1.74	31	1.33	625	16	23	657	28	0.40	<5	6	<10	266	2150	<2	49	<10	6	174
22952	980859	18	<1	7.89	2	398	2	<1	1.84	<4	12	19	16	2.54	1.75	26	0.88	407	15	24	642	25	0.51	<5	<5	<10	239	1935	<2	46	<10	6	77
22953	980860	5133	8	7.96	9	297	2	<1	3.09	7	25	64	104	4.52	1.65	23	1.95	835	32	53	905	26	0.56	<5	<5	<10	255	1759	5	106	<10	14	91
22954	980861	6	<1	7.18	8	338	<2	<1	1.51	<4	13	20	16	2.65	1.78	26	0.92	415	15	26	663	13	0.87	<5	<5	<10	155	1745	<2	43	<10	7	68
22955	980862	28	<1	7.64	11	389	<2	<1	1.23	<4	17	18	14	2.11	1.81	25	0.67	260	14	27	578	16	0.92	<5	<5	<10	187	1491	3	36	<10	6	36
22956	980863	14	<1	7.20	14	273	<2	<1	1.10	<4	15	64	34	2.17	1.70	25	0.69	250	16	46	442	48	1.21	<5	<5	<10	179	1203	<2	34	<10	7	196
22957	980864	7	<1	6.36	6	298	<2	<1	1.21	<4	8	27	20	1.99	1.73	22	0.77	428	15	29	691	36	0.60	<5	6	<10	124	1330	<2	33	<10	7	100

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22958	980865	8	1	7.95	6	388	<2	<1	1.64	<4	10	28	14	2.20	1.84	28	0.85	503	17	31	580	21	0.34	<5	12	<10	182	1903	<2	40	<10	7	71
22959	980866	9	1	6.53	2	325	<2	<1	1.42	<4	10	23	15	2.23	1.48	23	0.85	522	14	29	633	22	0.35	<5	6	<10	156	1871	<2	38	<10	6	71
22960	980867	113	<1	8.48	12	287	2	<1	2.18	5	21	124	56	3.97	2.02	27	1.55	841	24	95	539	89	0.93	<5	<5	<10	135	1848	<2	66	<10	13	156
22961D	980867	18	<1	7.50	11	260	2	<1	2.03	5	21	119	55	3.86	1.82	24	1.49	807	22	96	504	81	0.92	<5	<5	<10	126	1706	<2	61	<10	12	154
22962	980868	552	3	6.84	67	270	2	<1	1.08	13	11	53	100	2.99	1.74	20	0.68	275	21	59	260	262	2.29	<5	<5	<10	71	952	<2	30	24	7	2039
22963	980869	437	2	7.64	68	297	2	<1	1.52	4	10	46	33	2.68	1.78	22	0.86	428	19	51	345	111	1.93	<5	6	<10	95	1063	<2	32	<10	7	272
22964	980870	8	<1	5.29	5	324	<2	<1	1.44	<4	10	47	19	2.01	1.12	16	0.74	379	12	29	496	6	0.05	<5	<5	<10	150	1341	<2	59	34	11	37
22965	980871	303	<1	8.13	8	241	2	<1	1.64	4	22	115	59	3.60	1.80	28	1.42	681	23	83	601	26	0.76	<5	<5	<10	121	1911	<2	60	<10	15	67
22966	980872	48	2	8.17	4	210	2	<1	2.18	5	22	129	66	4.00	1.66	26	1.67	897	24	96	583	27	1.16	<5	6	<10	146	1903	4	68	<10	16	86
22967	980873	72	1	7.16	32	228	2	<1	1.85	<4	17	108	74	2.79	1.59	22	1.10	553	21	88	542	47	1.27	<5	<5	<10	119	1466	<2	50	<10	13	79
22968	980874	56	<1	5.18	43	234	2	<1	1.32	<4	12	46	25	2.36	1.35	14	0.67	324	16	47	422	45	1.75	<5	<5	<10	91	927	<2	25	<10	7	64
22969	980875	24	<1	6.48	26	389	<2	<1	0.89	<4	9	34	12	1.36	1.71	18	0.56	191	15	45	391	18	0.90	<5	<5	<10	108	1072	<2	26	<10	6	16
22970	980876	29	<1	7.13	26	434	<2	<1	1.09	<4	9	28	11	1.22	1.64	21	0.75	274	14	34	248	16	0.79	<5	<5	<10	106	1144	<2	26	<10	5	38
22971	980877	9	<1	4.31	16	261	<2	<1	0.47	<4	8	25	3	1.02	1.10	15	0.39	142	11	43	195	7	0.69	<5	<5	<10	48	842	<2	18	<10	3	15
22972D	980877	13	<1	6.64	18	368	3	<1	0.83	<4	9	32	15	1.11	1.55	22	0.47	171	17	60	218	21	0.70	<5	<5	<10	97	1128	<2	25	<10	6	29
22973	980878	8	<1	5.38	10	318	<2	<1	0.69	<4	6	23	2	0.64	1.17	19	0.55	187	12	35	299	16	0.24	<5	<5	<10	74	1045	<2	21	<10	4	72
22974	980879	10	<1	6.09	10	316	<2	<1	1.28	<4	7	28	9	0.59	1.51	17	0.40	138	12	41	438	28	0.19	<5	6	<10	134	957	<2	21	<10	4	194
22975	980880	4934	3	6.31	412	1091	<2	<1	2.64	5	13	106	80	3.14	1.68	22	1.17	415	29	51	819	30	0.71	22	<5	<10	135	1379	<2	109	<10	13	210
22976	980881	14	1	7.16	20	377	<2	<1	1.35	<4	7	40	6	0.79	1.41	19	0.45	146	17	64	410	17	0.32	<5	12	<10	157	1093	<2	27	<10	4	78
22977	980882	10	<1	7.27	11	338	<2	<1	1.71	<4	7	33	8	0.97	1.34	19	0.69	229	14	41	384	12	0.32	<5	<5	<10	192	1089	2	28	<10	5	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22978	980883	13	<1	6.78	18	576	<2	<1	1.30	<4	9	42	21	1.06	1.79	21	0.59	237	15	59	562	23	0.37	<5	6	<10	166	1460	2	37	<10	6	33
22979	980884	87	2	7.42	9	670	<2	<1	1.78	<4	10	58	76	1.58	1.82	25	0.84	433	17	62	590	279	0.44	<5	<5	<10	205	1746	<2	48	<10	7	501
22980	980885	11	<1	7.97	8	668	<2	<1	1.50	<4	6	38	9	0.62	1.77	23	0.44	148	17	54	439	19	0.10	<5	8	<10	198	1326	<2	33	<10	4	33
22981	980886	8	<1	7.27	10	567	<2	<1	1.27	<4	6	27	6	0.53	1.81	22	0.42	130	14	36	429	16	0.10	<5	<5	<10	163	1228	<2	29	<10	4	28
22982	980887	14	<1	7.97	5	639	<2	<1	1.94	<4	6	29	7	1.00	1.56	24	0.44	174	13	34	441	19	0.32	<5	<5	<10	296	1544	<2	34	<10	4	24
22983R	980887	12	<1	7.61	7	547	<2	<1	1.54	<4	6	26	7	0.96	1.71	23	0.48	166	13	32	497	13	0.31	<5	6	<10	215	1365	5	29	<10	5	24
22984	980888	10	<1	5.34	5	362	<2	<1	1.82	<4	9	31	117	1.93	1.30	17	0.79	481	12	210	518	18	0.40	<5	<5	<10	191	1399	<2	30	<10	5	138
22985	980889	15	<1	9.10	2	576	<2	<1	2.44	<4	8	35	15	1.97	1.74	27	0.89	504	19	54	551	22	0.34	<5	<5	<10	239	1781	<2	38	<10	7	153
22986	980890	9	2	7.08	7	447	<2	<1	1.74	<4	12	53	21	2.23	1.67	19	0.85	444	15	33	528	6	0.05	<5	<5	<10	199	1659	<2	69	39	13	62
22987	980891	54	<1	7.95	5	466	2	<1	2.20	<4	8	27	82	1.97	1.70	25	0.81	490	15	36	579	146	0.30	<5	<5	<10	211	1768	<2	35	<10	6	260
22988	980892	20	1	7.54	8	481	2	<1	1.64	<4	9	21	13	1.80	1.66	23	0.46	285	19	27	512	27	0.68	<5	<5	<10	224	1776	<2	35	<10	4	54
22989	980893	26	<1	8.23	5	493	<2	<1	2.20	<4	8	23	10	1.85	1.64	24	0.74	396	15	34	549	24	0.28	<5	<5	<10	233	1693	<2	35	<10	6	59
22990	980894	10	1	8.02	6	541	<2	<1	1.59	<4	4	20	8	1.39	1.73	23	0.85	413	13	21	528	29	0.35	<5	<5	<10	122	1460	2	30	<10	5	56
22991	980895	30	2	5.97	9	266	<2	<1	1.02	<4	5	19	36	1.69	1.32	22	1.22	654	15	26	528	29	0.49	<5	<5	<10	84	1258	<2	24	<10	5	105
22992	980896	1935	5	7.42	31	433	<2	<1	0.92	<4	4	20	39	1.49	1.75	23	0.70	349	14	25	429	484	0.99	<5	<5	<10	87	1287	<2	25	11	4	703
22993	980897	241	2	7.80	18	303	<2	<1	2.16	<4	3	19	6	1.07	1.77	24	1.39	917	14	20	389	116	0.56	<5	6	<10	121	1041	<2	19	<10	4	196
22994D	980897	244	<1	7.70	19	286	<2	<1	2.36	<4	3	20	7	1.16	1.71	23	1.46	969	14	23	429	116	0.62	<5	8	<10	133	1028	3	19	<10	4	208
22995	980898	871	9	7.06	21	285	<2	<1	2.55	<4	4	44	11	1.36	1.57	19	1.49	1190	19	70	358	691	0.66	6	<5	<10	99	911	4	23	10	3	754
22996	980899	2349	18	6.91	27	330	<2	<1	1.05	<4	2	29	30	0.92	1.42	20	0.78	382	17	47	333	1042	0.52	11	8	<10	75	987	<2	21	<10	4	538
22997	980900	248	361	7.61	4372	121	3	<1	2.50	139	16	50	446	7.51	1.58	20	0.85	1306	28	27	578	9664	4.61	81	13	15	192	1376	2	89	104	10	12700

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22998	980901	1601	20	7.39	98	397	<2	<1	0.62	13	2	27	191	1.35	1.63	26	0.35	<100	21	34	312	2158	1.11	23	12	<10	56	1104	<2	23	31	3	3139
22999	980902	571	1	7.27	22	390	<2	<1	0.57	<4	2	20	31	0.78	1.57	23	0.41	111	14	25	337	212	0.51	<5	8	<10	67	1291	<2	26	<10	3	136
23000	980903	140	<1	6.76	23	283	<2	<1	0.74	<4	7	29	16	0.78	1.47	22	0.48	176	13	37	268	50	0.45	<5	<5	<10	73	1176	<2	24	<10	3	39
23001	980904	41	<1	5.31	15	212	<2	<1	0.59	<4	8	21	6	0.71	1.05	19	0.59	237	11	36	343	15	0.37	<5	<5	<10	48	984	<2	21	<10	3	25
23002	980905	332	<1	6.92	30	160	<2	<1	1.04	<4	10	29	5	1.14	1.39	21	0.75	323	15	47	361	16	0.72	<5	<5	<10	85	1013	<2	24	<10	4	23
23003	980906	174	<1	7.15	27	170	<2	<1	1.13	<4	10	21	4	1.03	1.57	22	0.74	329	14	32	357	15	0.66	<5	7	<10	96	1048	5	24	<10	3	20
23004	980907	123	<1	7.09	21	204	<2	<1	1.00	<4	7	17	4	0.66	1.59	24	0.74	322	13	25	376	17	0.30	<5	<5	<10	93	1102	2	23	<10	3	18
23005D	980907	120	<1	4.02	20	134	<2	<1	0.51	<4	6	18	4	0.66	1.22	18	0.71	318	9	28	357	17	0.30	<5	<5	<10	40	888	4	19	<10	3	17
23006	980908	57	<1	5.20	17	171	<2	<1	0.76	<4	7	16	12	0.51	1.24	21	0.77	372	10	26	403	14	0.18	<5	8	<10	53	993	<2	20	<10	3	20
23007	980909	97	<1	5.67	15	167	<2	<1	0.92	<4	5	16	3	0.53	1.40	19	0.76	378	10	20	387	10	0.23	<5	5	<10	67	935	3	18	<10	3	16
23008	980910	<5	<1	6.64	5	429	<2	<1	1.68	<4	12	54	20	2.22	1.43	18	0.84	442	14	32	502	7	0.05	<5	<5	<10	191	1621	<2	68	38	12	40
23009	980911	295	<1	5.67	15	152	<2	<1	1.20	<4	5	21	3	0.60	1.24	20	1.02	561	12	26	388	14	0.19	<5	<5	<10	71	927	<2	21	<10	4	16
23010	980912	46	<1	8.23	17	250	<2	<1	1.32	<4	6	19	3	0.53	1.59	26	0.85	438	13	26	388	14	0.17	<5	<5	<10	105	1253	<2	28	<10	3	14
23011	980913	32	1	6.00	14	161	<2	<1	0.66	<4	3	34	13	0.59	1.29	22	0.60	311	13	54	392	13	0.19	<5	<5	<10	54	1033	<2	22	<10	3	18
23012	980914	54	<1	7.75	20	259	<2	<1	1.03	<4	4	18	7	0.50	1.63	27	0.52	269	14	22	393	20	0.23	<5	<5	<10	90	1312	<2	25	<10	3	20
23013	980915	935	2	7.46	23	271	<2	<1	1.02	<4	4	20	19	0.63	1.69	26	0.71	291	13	24	330	39	0.34	<5	6	<10	85	1230	<2	22	<10	3	243
23014	980916	165	<1	8.84	23	311	<2	<1	1.47	<4	6	23	8	0.76	1.75	34	0.74	401	18	33	418	66	0.42	<5	<5	<10	115	1598	7	29	<10	3	71
23015	980917	173	1	7.88	19	256	<2	<1	0.94	<4	5	23	5	0.72	1.66	26	0.83	359	14	35	462	67	0.41	<5	<5	<10	66	1256	<2	24	<10	4	171
23016D	980917	108	<1	7.22	18	324	<2	<1	1.22	<4	5	25	5	0.66	1.63	34	0.52	354	20	34	399	76	0.40	<5	<5	<10	95	1622	<2	30	<10	2	161
23017	980918	109	<1	7.94	19	299	<2	<1	1.30	<4	5	19	5	0.65	1.65	30	0.62	358	16	26	379	98	0.41	<5	<5	<10	93	1439	<2	27	<10	3	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
23018	980919	791	3	7.90	29	387	<2	<1	1.30	7	5	17	24	0.85	1.69	30	0.67	363	15	21	412	750	0.68	11	<5	<10	94	1378	2	24	21	3	2083
23019	980920	4960	7	7.22	9	280	2	<1	2.86	6	24	64	97	4.29	1.46	21	1.87	798	30	50	929	31	0.56	<5	<5	<10	229	1571	<2	102	<10	13	116
23020	980921	183	1	8.34	15	659	2	<1	0.97	<4	6	19	21	0.61	1.70	36	0.49	213	20	25	401	173	0.28	7	<5	<10	99	1724	<2	32	<10	3	228
23021	980922	144	<1	7.58	16	405	<2	<1	0.85	<4	8	19	10	0.55	1.55	25	0.73	313	14	28	422	126	0.31	<5	<5	<10	65	1173	<2	22	<10	4	218
23022	980923	260	<1	7.42	17	402	<2	<1	0.66	<4	4	12	15	0.58	1.60	23	0.57	192	13	20	431	157	0.37	<5	5	<10	59	1037	4	19	<10	4	214
23023	980924	722	3	7.57	27	355	<2	<1	0.56	<4	7	13	105	1.07	1.52	22	0.35	<100	12	19	415	248	0.85	<5	<5	<10	43	1000	<2	20	<10	4	209
23024	980925	119	<1	5.73	19	261	<2	<1	0.41	<4	7	9	8	0.71	1.32	18	0.37	<100	9	13	578	59	0.54	<5	<5	<10	34	913	<2	22	<10	5	109
23025	980926	138	<1	7.61	18	359	<2	<1	0.58	<4	7	12	10	0.74	1.55	25	0.43	105	13	17	603	57	0.52	<5	<5	<10	63	1378	<2	31	<10	5	63
23026	980927	45	<1	6.73	20	287	<2	<1	0.58	<4	8	12	27	0.54	1.59	23	0.42	117	12	19	453	42	0.34	<5	10	<10	59	1097	<2	24	<10	4	175
23027D	980927	57	2	6.42	22	280	<2	<1	0.53	<4	9	11	28	0.55	1.72	21	0.42	116	11	17	448	46	0.36	<5	<5	<10	53	1044	<2	23	<10	4	181
23028	980928	220	1	6.66	28	261	<2	<1	0.54	<4	9	12	36	0.55	1.52	21	0.45	136	12	21	381	115	0.34	<5	<5	<10	48	935	<2	17	<10	4	41
23029	980929	137	<1	5.93	15	204	<2	<1	0.69	<4	9	11	11	0.63	1.51	21	0.74	338	10	19	399	36	0.38	<5	<5	<10	59	871	<2	18	<10	4	57
23030	980930	<5	1	5.38	4	363	<2	<1	1.55	<4	11	51	21	2.21	1.34	17	0.83	431	13	30	542	6	0.05	<5	5	<10	152	1479	<2	66	36	12	39
23031	980931	21	<1	7.08	19	281	<2	<1	0.99	<4	11	14	10	1.15	1.53	21	0.51	183	12	21	429	26	0.72	<5	<5	<10	106	1047	<2	23	<10	5	146
23032	980932	20	1	5.69	25	129	2	<1	1.29	7	10	11	17	5.59	1.45	16	0.38	144	16	15	357	23	5.09	<5	<5	<10	105	976	<2	18	<10	4	66
23033	980933	<5	<1	5.94	6	283	<2	<1	1.02	<4	4	11	8	1.48	1.55	21	0.49	111	11	12	457	8	1.08	<5	<5	<10	88	1181	<2	24	<10	5	42
23034	980934	9	<1	5.95	9	197	<2	<1	2.24	<4	5	13	18	1.94	1.57	18	0.66	191	13	12	432	9	1.55	<5	7	<10	130	1366	<2	25	<10	4	60
23035	980935	8	<1	6.56	6	288	<2	<1	1.48	<4	5	14	8	1.61	1.63	23	0.68	124	13	13	498	4	1.25	<5	<5	<10	141	1450	<2	32	<10	5	53
23036	980936	7	<1	6.03	9	291	<2	<1	1.11	<4	5	13	6	1.66	1.51	23	0.62	101	11	14	484	5	1.29	<5	<5	<10	117	1145	<2	28	<10	5	36
23037	980937	13	<1	6.22	9	299	<2	<1	1.81	<4	6	14	11	1.99	1.49	25	0.99	197	13	16	483	8	1.49	<5	6	<10	140	1415	<2	31	<10	5	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
23038D	980937	16	<1	6.36	8	295	<2	<1	1.82	<4	6	14	10	1.89	1.67	25	0.93	185	13	14	459	7	1.42	<5	<5	<10	147	1357	<2	30	<10	5	44
23039	980938	8	2	5.52	7	250	<2	<1	1.18	<4	4	10	5	1.27	1.55	25	0.98	167	12	12	443	6	0.90	<5	<5	<10	111	1216	<2	28	<10	4	38
23040	980939	6	<1	6.47	6	256	<2	<1	2.12	<4	8	14	7	1.63	1.56	28	1.68	336	16	16	499	5	1.11	<5	<5	<10	147	1492	2	33	<10	4	52
23041	980940	4997	<1	7.22	422	1241	2	<1	2.80	5	13	108	80	3.25	1.71	24	1.22	429	30	49	895	28	0.75	27	<5	<10	157	1511	<2	114	10	13	203
23042	980941	8	<1	6.45	12	353	<2	<1	1.45	<4	6	14	6	1.17	1.79	24	0.89	156	11	13	489	10	0.81	<5	<5	<10	149	994	<2	27	<10	4	32
23043	980942	7	<1	9.37	8	298	<2	<1	2.35	<4	6	13	9	1.11	1.82	33	1.30	102	17	17	488	12	0.79	<5	9	<10	297	792	<2	32	<10	4	26
23044	980943	10	1	9.31	14	252	<2	<1	2.91	<4	17	14	7	0.97	1.76	33	1.92	171	18	30	490	13	0.52	<5	<5	<10	273	866	4	30	<10	5	339
23045	980944	10	1	8.99	13	336	<2	<1	2.10	<4	10	15	7	0.75	1.70	35	1.25	126	18	28	396	17	0.40	<5	5	<10	266	1078	<2	34	<10	4	106
23046	980945	11	2	9.00	10	393	2	<1	1.82	<4	15	79	28	2.74	1.80	38	1.40	308	20	51	530	18	1.16	<5	<5	<10	206	1766	<2	58	<10	8	66
23047	980946	32	<1	8.63	8	343	2	<1	1.72	<4	17	81	31	2.87	1.71	38	1.51	324	21	54	567	21	1.18	<5	<5	<10	188	1711	<2	56	<10	9	70
23048	980947	31	2	8.69	26	313	2	<1	2.18	4	22	106	36	3.75	1.69	31	1.35	471	20	68	543	16	2.24	<5	<5	<10	237	1749	<2	72	<10	13	65
23049R	980947	32	2	8.91	22	343	2	<1	2.21	4	22	113	36	3.73	1.64	33	1.33	469	21	69	525	16	2.20	<5	<5	<10	243	1840	<2	78	<10	12	66
23050	980948	15	2	6.96	45	291	<2	<1	1.66	4	17	50	285	2.75	1.44	25	1.17	286	16	492	598	25	2.17	<5	<5	<10	204	1379	<2	42	<10	8	205
23051	980949	10	<1	7.81	21	357	<2	<1	1.94	<4	12	14	15	1.24	1.49	29	1.20	198	12	30	588	11	0.74	<5	<5	<10	216	1316	<2	29	<10	5	158
23052	980950	8	<1	6.52	8	440	<2	<1	1.74	<4	12	55	22	2.35	1.30	18	0.88	457	14	32	562	8	0.04	<5	<5	<10	190	1646	2	72	38	13	41
23053	980951	6	<1	6.23	17	431	<2	<1	0.96	<4	9	10	4	0.72	1.40	27	0.82	112	10	17	537	6	0.38	<5	<5	<10	119	1279	<2	27	<10	4	37
23054	980952	13	<1	6.90	28	466	<2	<1	1.48	<4	8	11	4	0.75	1.42	23	0.42	104	10	15	515	6	0.45	<5	<5	<10	189	1166	<2	28	<10	4	16
23055	980953	16	<1	7.04	17	500	<2	<1	0.93	<4	8	12	3	0.87	1.30	25	0.59	156	10	19	519	10	0.41	<5	<5	<10	178	916	<2	28	<10	4	19
23056	980954	10	<1	6.76	15	457	<2	<1	1.03	<4	6	10	6	1.21	1.50	21	0.69	218	11	13	546	5	0.48	<5	<5	<10	178	596	<2	26	<10	5	32
23057	980955	6	<1	6.23	14	458	<2	<1	0.67	<4	6	11	4	1.06	1.44	21	0.58	195	11	16	528	6	0.48	<5	5	<10	127	551	<2	27	<10	5	17

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
23058	980956	9	<1	6.16	9	398	<2	<1	1.09	<4	6	13	6	1.38	1.12	21	0.78	302	10	18	550	7	0.51	<5	<5	<10	163	582	2	26	<10	4	19
23059	980957	8	<1	5.93	7	393	<2	<1	0.89	<4	4	9	3	1.47	1.45	23	0.70	302	10	9	519	5	0.63	<5	<5	<10	124	656	<2	26	<10	5	20
23060D	980957	12	<1	5.05	7	331	<2	<1	0.85	<4	4	10	3	1.47	1.09	20	0.68	291	10	11	550	8	0.64	<5	<5	<10	117	593	<2	24	<10	4	21
23061	980958	10	1	5.20	13	353	<2	<1	0.65	<4	4	9	1	1.42	1.16	17	0.43	175	9	10	517	9	1.02	<5	<5	<10	99	622	<2	21	<10	4	16
23062	980959	12	1	6.46	20	352	<2	<1	2.28	<4	7	13	6	1.96	1.29	21	1.19	587	14	14	576	10	1.11	<5	<5	<10	247	1002	<2	24	<10	5	34
23063	980960	263	358	6.62	3963	126	2	<1	2.16	127	13	44	411	6.82	1.50	17	0.78	1160	24	24	486	8644	4.21	57	17	11	166	1183	<2	77	95	9	11863
23064	980961	9	1	7.94	27	487	<2	<1	2.90	<4	7	16	18	1.65	1.58	27	1.44	764	15	17	478	57	0.39	<5	5	<10	300	1184	<2	27	<10	5	80
23065	980962	27	<1	9.19	28	497	2	<1	3.04	<4	11	35	41	2.34	1.57	30	1.39	781	17	32	558	43	0.87	<5	<5	<10	326	1448	<2	38	<10	9	53
23066	980963	31	1	7.11	29	359	2	<1	2.08	5	20	112	49	3.83	1.51	26	1.35	620	17	67	526	34	1.90	<5	<5	<10	267	1436	<2	63	<10	9	87
23067	980964	42	<1	7.30	20	381	2	<1	1.25	4	18	103	40	3.29	1.60	26	1.05	392	17	61	477	19	1.54	<5	<5	<10	158	1281	<2	59	<10	8	54
23068	980965	55	<1	5.90	31	325	2	<1	1.09	5	24	102	60	4.30	1.38	21	0.97	406	18	88	476	24	2.28	<5	<5	<10	148	1214	<2	60	<10	8	97
23069	980966	55	<1	7.31	30	381	2	<1	1.08	5	23	141	54	4.09	1.51	25	0.98	399	23	116	516	23	2.09	<5	<5	<10	141	1416	<2	75	<10	9	83
23070	980967	85	<1	7.31	16	402	2	<1	1.01	4	20	138	46	3.63	1.60	26	0.94	387	24	121	513	21	1.58	<5	<5	<10	129	1377	<2	70	<10	9	73
23071D	980967	84	<1	7.40	16	396	2	<1	1.01	4	20	128	43	3.57	1.56	27	0.95	387	22	104	527	21	1.59	<5	<5	<10	130	1432	<2	71	<10	9	71
23072	980968	216	<1	7.10	10	279	2	<1	2.33	6	22	119	54	4.87	1.43	28	1.83	890	22	91	663	34	1.46	<5	<5	<10	201	1616	7	74	<10	11	110
23073	980969	352	2	6.91	9	374	2	<1	1.94	<4	17	87	53	2.91	1.44	25	1.18	536	18	78	546	24	0.90	<5	<5	<10	182	1399	4	50	<10	10	66
23074	980970	6	<1	6.78	8	499	<2	<1	1.67	<4	12	51	20	2.19	1.37	18	0.83	428	15	29	507	7	0.04	<5	<5	<10	197	1584	<2	67	35	12	41
23075	980971	27	<1	6.71	18	506	<2	<1	2.00	<4	11	61	13	2.33	1.36	28	1.21	789	17	66	519	42	1.09	<5	<5	<10	154	1419	3	37	<10	7	165
23076	980972	45	<1	8.56	19	378	2	<1	2.39	4	16	88	41	3.05	1.61	26	1.23	553	18	58	532	34	1.20	<5	<5	<10	155	1641	<2	51	<10	11	74
23077	980973	288	<1	5.54	32	280	<2	<1	1.54	<4	7	20	19	1.59	1.23	14	0.80	323	11	24	448	22	0.88	<5	<5	<10	74	903	<2	20	<10	4	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, February 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
23078	980974	490	6	7.45	142	402	<2	<1	0.72	5	9	31	30	2.09	1.50	16	0.35	125	15	43	461	203	1.53	<5	<5	<10	83	1077	<2	31	<10	4	628
23079	980975	92	<1	5.18	41	252	<2	<1	0.93	<4	6	23	14	1.35	1.11	11	0.52	208	9	29	505	27	0.82	<5	<5	<10	52	588	<2	19	<10	4	49
23080	980976	120	2	4.90	69	248	<2	1	0.32	<4	6	33	11	2.30	1.06	10	0.15	<100	14	53	527	30	1.85	<5	<5	<10	41	534	<2	19	<10	4	114
23081	980977	196	2	5.01	75	252	<2	<1	0.30	<4	6	22	21	1.50	1.11	9	0.13	<100	9	33	485	59	1.19	<5	<5	<10	48	525	<2	20	<10	4	96
23082D	980977	223	2	6.78	74	417	<2	<1	0.42	<4	6	24	20	1.45	1.60	15	0.19	<100	12	29	477	73	1.14	<5	6	<10	75	956	<2	33	<10	3	91
23083	980978	421	3	4.86	88	255	<2	<1	0.34	<4	8	18	14	2.27	1.15	11	0.14	<100	11	30	493	78	1.97	<5	<5	<10	47	448	<2	17	<10	4	257
23084	980979	910	1	6.70	83	370	2	<1	0.59	6	8	23	36	2.32	1.70	14	0.36	<100	12	27	555	82	1.90	<5	<5	<10	63	737	<2	26	15	5	1190
23085	980980	4904	7	9.21	11	401	2	<1	3.26	7	27	70	100	4.62	1.86	24	2.01	854	33	55	1019	30	0.57	<5	<5	<10	282	2057	<2	114	<10	14	96
23086	980981	334	<1	5.77	57	284	<2	<1	1.50	<4	7	19	20	1.71	1.14	13	0.82	362	11	26	562	45	1.01	<5	<5	<10	75	647	<2	19	<10	4	70
23087	980982	127	<1	8.09	29	461	<2	<1	1.66	<4	6	26	8	1.52	1.67	20	0.93	344	16	32	529	33	0.65	<5	<5	<10	79	954	<2	23	<10	6	52
23088	980983	51	<1	7.68	36	474	<2	<1	1.11	<4	8	21	17	1.39	1.61	16	0.58	211	13	26	506	36	0.87	<5	8	<10	71	867	<2	25	<10	5	244
23089	980984	74	1	7.47	40	465	<2	<1	1.09	<4	7	20	17	1.38	1.53	15	0.57	207	13	25	517	39	0.87	<5	<5	<10	70	839	2	24	<10	5	243
23090	980985	446	1	6.96	125	315	2	<1	0.46	19	14	85	75	3.17	1.41	17	0.33	100	19	52	382	150	2.83	14	<5	<10	51	952	<2	46	46	5	4639
23091	980986	396	<1	7.54	113	360	2	<1	0.55	22	16	103	89	3.30	1.43	21	0.37	122	22	67	395	135	2.89	9	<5	<10	60	1081	<2	52	50	5	5854
23092	980987	42	<1	7.51	61	662	<2	<1	0.60	<4	12	78	56	1.64	1.57	21	0.35	<100	16	45	465	67	1.21	<5	<5	<10	64	1185	<2	52	<10	4	132
23093D	980987	38	<1	6.26	55	392	<2	<1	0.51	<4	11	53	56	1.60	1.51	14	0.33	<100	13	49	526	45	1.20	<5	<5	<10	45	672	<2	31	<10	6	121
23094	980988	35	<1	5.09	36	351	<2	<1	0.27	<4	9	28	19	1.05	1.23	10	0.22	<100	12	32	322	31	0.79	<5	<5	<10	35	531	<2	23	<10	4	36
23095	980989	127	<1	6.42	49	638	2	<1	0.45	<4	10	69	17	1.25	1.51	20	0.27	<100	15	33	355	52	0.97	<5	<5	<10	59	1068	<2	49	<10	3	26
23096	980990	7	<1	7.06	6	495	<2	<1	1.65	<4	11	49	19	2.09	1.66	20	0.81	409	15	28	502	9	0.04	<5	<5	<10	193	1560	<2	64	35	11	37
23097	980991	63	<1	5.91	38	381	<2	<1	0.34	<4	5	13	13	1.04	1.45	12	0.25	<100	10	16	384	39	0.78	<5	<5	<10	43	635	<2	20	<10	3	128

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/25/2011  
 Date Completed: 02/08/2011  
 Job #: 201140339  
 Reference: TMI-TML  
 Sample #: 180

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
23098	980992	244	1	6.40	123	434	<2	<1	0.37	4	10	55	53	2.04	1.41	17	0.31	<100	14	40	349	92	1.70	10	<5	<10	51	834	<2	41	<10	3	706
23099	980993	79	<1	5.16	96	267	<2	<1	0.29	<4	18	74	27	2.16	1.24	10	0.22	<100	11	65	467	32	1.76	<5	<5	<10	35	538	<2	42	<10	5	21
23100	980994	132	<1	6.05	99	296	2	<1	0.33	<4	17	94	69	2.32	1.31	15	0.59	<100	15	70	448	38	1.60	<5	<5	<10	39	602	<2	52	<10	5	128
23101	980995	284	<1	6.79	84	417	<2	<1	0.45	<4	11	93	43	1.58	1.40	17	0.27	<100	15	46	326	76	1.28	7	7	<10	55	828	<2	53	<10	4	276
23102	980996	2224	4	5.60	319	310	<2	<1	0.36	15	7	37	118	2.83	1.36	14	0.23	<100	17	33	238	1174	2.66	113	<5	<10	39	597	<2	24	32	3	3267
23103	980997	60	<1	7.70	79	540	2	<1	1.05	<4	6	18	19	1.36	1.54	24	0.59	192	16	20	469	123	0.96	<5	<5	<10	78	990	<2	29	<10	4	442
23104D	980997	70	<1	5.87	69	320	2	<1	0.91	<4	5	16	19	1.34	1.28	15	0.58	179	10	18	482	111	0.98	<5	<5	<10	56	572	<2	18	<10	4	451
23105	980998	28	<1	6.59	30	216	<2	<1	0.39	<4	4	17	10	0.94	1.28	16	0.22	<100	8	24	288	62	0.64	<5	<5	<10	40	407	<2	13	<10	3	151
23106	980999	2704	11	7.15	65	288	2	<1	1.63	57	8	42	193	2.51	1.53	17	0.92	654	22	65	453	6915	2.29	37	<5	<10	81	661	<2	23	95	4	11987
23107	981000	5032	<1	7.01	385	1247	2	<1	2.61	4	11	101	74	2.97	1.63	24	1.08	399	29	47	738	48	0.67	27	<5	<10	159	1451	2	107	10	11	225
23108	981001	45	<1	6.99	22	333	<2	<1	1.35	4	6	39	42	1.48	1.60	18	0.78	364	18	62	521	727	0.88	<5	<5	<10	78	752	<2	23	10	4	604
23109	981002	75	3	6.62	10	501	<2	<1	0.56	22	6	24	297	1.50	1.61	18	0.31	115	16	30	447	1948	1.07	13	<5	<10	52	1058	<2	28	50	3	4900
23110	981003	436	<1	6.96	37	438	<2	<1	0.84	10	7	26	126	1.62	1.49	16	0.48	184	14	36	456	498	1.30	5	<5	<10	64	1108	<2	26	21	5	1861
23111	981004	72	<1	7.17	30	471	<2	<1	0.80	<4	7	27	18	1.23	1.48	16	0.59	184	13	37	496	43	0.71	<5	7	<10	55	1219	<2	26	<10	5	142
23112	981005	35	<1	7.64	114	386	<2	<1	2.01	4	7	32	25	1.87	1.55	20	1.53	508	18	44	462	31	0.78	<5	<5	<10	99	1175	<2	25	<10	5	514
23113	981006	24	<1	7.62	34	405	<2	<1	1.90	<4	7	28	24	1.75	1.51	20	1.51	495	16	34	481	27	0.73	<5	<5	<10	94	1170	4	24	<10	5	428
23114	981007	12	<1	7.91	24	407	<2	<1	2.06	<4	7	19	6	1.71	1.56	23	1.77	556	17	23	498	30	0.66	<5	8	<10	99	1345	6	24	<10	5	63
23115R	981007	13	2	7.90	16	534	<2	<1	0.67	<4	4	14	14	0.56	1.52	24	0.58	193	14	22	417	146	0.33	<5	6	<10	68	1164	<2	21	<10	4	196

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 18, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/11/2011  
Date Completed: 02/18/2011  
Job #: 201140633  
Reference: TMI-TML  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
43130	980899	0.047	1.628
43131	980996	0.087	2.972
43132	980999	0.084	2.876

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/07/2011  
 Date Completed: 02/24/2011  
 Job #: 201140565  
 Reference: 201040355  
 Sample #: 3

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
36947	981039	17.264	20.073	460.541	29.132	2.37%	23.68
36948	981041	4.273	4.489	19.189	4.946	3.82%	38.21
36949	981042	3.331	3.976	23.240	4.163	2.60%	26.05

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, February 23, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/07/2011  
Date Completed: 02/23/2011  
Job #: 201140566  
Reference: 201040355  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
36950	981037	0.144	4.948
36951	981057	0.101	3.461

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24196	981008	35	3	8.23	7	803	3	10	2.67	9	15	328	67	2.44	2.80	35	0.95	1056	42	26	641	<1	1.08	<5	<5	<10	478	2787	<2	53	15	6	1589
24197	981009	69	3	8.47	7	767	<2	10	3.03	4	13	170	14	2.55	2.42	36	1.40	1527	46	16	635	<1	1.04	5	13	<10	511	2667	6	51	<10	4	211
24198	981010	<5	2	8.33	5	695	<2	10	2.09	4	15	64	25	2.50	2.61	29	0.88	529	39	36	564	<1	0.07	<5	<5	<10	265	2260	3	83	46	10	55
24199	981011	146	4	8.42	8	839	<2	11	3.03	5	12	308	48	2.53	2.68	34	1.40	1465	44	17	602	<1	1.07	<5	<5	<10	522	2483	<2	48	<10	5	762
24200	981012	56	1	8.62	7	799	<2	14	2.94	4	12	172	9	2.54	2.62	33	1.39	1302	43	15	598	<1	1.12	<5	<5	<10	527	2401	11	47	<10	5	221
24201	981013	65	<1	8.26	800	673	2	6	1.99	8	29	411	130	5.16	1.73	32	0.99	931	51	53	389	<1	3.30	<5	<5	<10	250	1848	5	58	<10	6	340
24202	981014	70	2	10.58	40	648	<2	15	4.66	8	20	228	51	3.82	2.40	32	2.47	1848	57	58	480	<1	1.37	<5	<5	<10	183	2490	6	86	10	14	721
24203	981015	225	5	7.80	36	551	<2	19	2.83	7	22	452	47	3.43	2.48	35	1.37	1166	50	62	465	162	1.67	<5	<5	<10	141	2425	<2	84	<10	9	496
24204	981016	202	5	9.07	14	517	<2	9	2.50	5	26	278	71	3.92	2.24	38	1.51	930	49	74	551	<1	1.15	<5	<5	<10	161	2648	4	84	<10	12	100
24205	981017	170	3	9.02	54	747	2	8	1.81	6	21	456	78	3.06	2.12	37	1.03	561	44	57	502	<1	1.77	<5	<5	<10	130	2447	2	78	10	10	609
24206D	981017	171	2	8.48	50	733	<2	10	1.71	6	20	430	73	2.87	2.31	36	0.97	529	43	53	478	<1	1.66	5	<5	<10	124	2329	<2	74	<10	9	582
24207	981018	26	2	8.03	10	784	<2	9	1.44	<4	10	182	16	1.30	2.86	36	0.66	320	36	21	418	<1	0.53	<5	9	<10	156	2168	<2	47	<10	4	73
24208	981019	11	2	9.08	10	748	<2	3	1.28	<4	9	331	6	0.88	2.79	29	0.76	247	29	15	220	<1	0.32	<5	8	<10	158	1706	<2	31	<10	3	37
24209	981020	262	368	6.72	4105	158	<2	13	2.53	143	18	58	502	7.78	1.98	30	0.69	1403	60	30	506	9454	5.79	87	17	12	209	1754	<2	96	87	7	12222
24210	981021	25	4	9.18	43	707	<2	9	1.53	<4	8	161	10	1.04	2.49	33	0.61	217	31	11	203	43	0.67	<5	10	<10	206	1625	<2	31	<10	3	179
24211	981022	10	1	9.03	9	689	<2	6	2.27	<4	7	426	10	0.79	2.42	25	0.44	200	22	14	403	<1	0.24	<5	<5	<10	268	1305	2	28	<10	3	49
24212	981023	5	2	8.75	15	702	<2	6	1.97	<4	10	162	6	0.84	2.42	34	0.61	237	32	15	373	<1	0.37	<5	<5	<10	255	1601	<2	32	<10	3	536
24213	981024	11	<1	8.67	17	830	<2	8	1.96	<4	10	359	13	1.14	2.28	29	0.52	227	27	20	440	<1	0.58	6	10	<10	263	1646	<2	35	<10	4	87
24214	981025	13	1	8.23	14	1114	<2	4	1.67	<4	10	150	14	0.82	2.55	37	0.50	220	28	17	443	<1	0.34	<5	5	<10	282	1987	<2	39	<10	3	46
24215	981026	8	1	8.52	15	1071	<2	2	1.61	<4	10	292	14	0.93	2.64	35	0.52	223	26	19	458	<1	0.37	<5	<5	<10	261	1894	4	37	<10	4	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24216	981027	10	<1	8.00	12	875	<2	7	1.60	<4	8	137	8	0.61	2.81	33	0.37	133	28	12	360	<1	0.23	<5	<5	<10	275	1662	2	31	<10	3	23
24217D	981027	9	2	8.22	12	827	<2	8	1.60	<4	8	137	9	0.61	2.68	30	0.37	130	26	12	366	<1	0.23	<5	<5	<10	273	1576	<2	30	<10	3	23
24218	981028	<5	1	6.55	4	823	2	4	1.67	<4	7	310	14	0.70	2.68	34	0.33	148	28	12	371	<1	0.18	5	5	<10	282	1628	<2	32	<10	2	28
24219	981029	7	<1	8.00	3	804	<2	5	2.29	<4	8	130	10	0.69	2.68	34	0.47	188	30	12	381	<1	0.12	<5	9	<10	365	1692	2	35	<10	3	40
24220	981030	<5	2	8.94	6	675	<2	11	2.12	4	15	64	25	2.55	2.67	28	0.94	511	39	35	565	<1	0.06	<5	5	<10	270	2158	<2	82	46	12	53
24221	981031	17	1	9.81	4	793	<2	12	3.01	4	10	271	79	2.27	2.42	33	1.04	652	33	14	570	<1	0.58	6	<5	<10	352	2136	<2	42	<10	6	306
24222	981032	7	<1	8.88	<2	662	<2	9	1.92	<4	10	154	42	2.07	2.19	31	0.96	592	33	12	506	<1	0.36	<5	<5	<10	193	1855	4	34	<10	7	154
24223	981033	24	3	9.21	14	767	<2	16	1.88	<4	6	329	18	1.61	2.23	34	1.07	746	34	9	610	<1	0.54	<5	6	<10	139	1904	6	33	<10	5	180
24224	981034	249	2	8.85	14	648	<2	7	2.29	4	10	224	22	2.05	2.41	32	1.37	775	38	27	633	78	0.92	<5	5	<10	157	2045	<2	39	<10	6	322
24225	981035	504	7	7.59	47	714	<2	10	0.73	8	6	450	85	2.13	2.55	31	0.44	217	32	11	335	396	1.92	8	<5	<10	87	1702	<2	28	19	3	2216
24226	981036	54	1	9.36	15	490	<2	10	2.18	<4	5	171	18	1.14	2.23	33	1.43	1002	36	9	381	<1	0.51	<5	7	<10	133	1335	4	22	<10	4	114
24227	981037	4131	6	8.54	18	510	<2	9	1.30	<4	6	390	28	1.24	2.43	31	0.88	503	32	9	308	289	0.72	6	5	<10	99	1371	<2	22	11	4	783
24228D	981037	3817	5	8.05	17	434	<2	5	1.13	<4	5	358	26	1.15	2.53	27	0.84	438	29	10	292	275	0.68	5	<5	<10	84	1143	<2	18	<10	4	742
24229	981038	1547	10	7.56	28	743	<2	2	0.81	<4	4	196	85	1.36	2.50	30	0.57	230	29	7	298	416	1.19	10	5	<10	89	1354	<2	23	<10	3	631
24230	981039	30385	121	5.47	111	263	<2	5	0.50	41	5	987	2753	3.57	2.18	20	0.28	149	32	14	117	17322	3.91	240	33	<10	52	617	<2	11	86	3	12690
24231	981040	5003	10	9.13	9	418	<2	8	3.07	8	28	70	139	4.63	2.45	29	1.98	865	59	59	984	54	0.71	<5	<5	<10	265	2364	6	112	<10	15	213
24232	981041	5384	42	6.04	46	595	<2	<1	0.78	6	5	176	74	1.20	2.40	35	0.38	193	39	8	265	963	1.16	51	<5	<10	80	1414	<2	21	12	2	1650
24233	981042	15910	3	7.25	21	519	<2	9	1.42	<4	9	413	14	1.03	2.33	37	0.73	484	38	15	327	38	0.56	<5	<5	<10	130	1613	4	29	<10	3	206
24234	981043	948	8	8.01	30	449	<2	5	1.34	<4	11	186	12	0.99	2.42	39	0.59	336	40	15	333	411	0.72	7	<5	<10	133	1506	2	27	<10	3	290
24235	981044	179	3	7.97	21	432	<2	4	1.53	<4	7	392	7	0.85	2.54	38	0.62	422	41	12	356	<1	0.38	<5	7	<10	142	1423	<2	29	<10	3	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24236	981045	101	2	7.37	15	453	<2	8	1.37	<4	8	179	12	0.58	2.81	39	0.55	387	39	13	349	<1	0.23	<5	11	<10	131	1475	<2	29	<10	3	14
24237	981046	156	2	7.17	18	450	<2	5	1.33	<4	8	356	14	0.67	2.92	38	0.54	366	38	20	337	<1	0.23	<5	<5	<10	127	1446	2	29	<10	3	15
24238	981047	152	3	7.22	20	486	<2	11	1.26	<4	7	182	8	0.61	2.70	42	0.48	350	40	10	350	<1	0.27	<5	<5	<10	127	1653	<2	28	<10	2	23
24239D	981047	160	2	6.70	16	468	<2	6	1.23	<4	6	179	8	0.59	2.89	41	0.47	346	37	10	346	<1	0.26	<5	12	<10	123	1624	5	28	<10	2	23
24240	981048	338	2	6.47	25	463	<2	4	0.92	<4	8	352	11	1.05	2.76	38	0.37	205	35	13	292	<1	0.73	<5	7	<10	96	1570	<2	26	<10	2	296
24241	981049	919	3	7.16	23	448	<2	11	1.07	<4	8	190	20	1.08	2.87	36	0.55	287	32	11	288	63	0.93	<5	5	<10	97	1561	<2	24	<10	2	243
24242	981050	<5	2	10.43	8	721	<2	12	2.20	4	14	61	25	2.47	2.24	34	0.95	491	43	35	553	<1	0.07	<5	<5	<10	270	2167	5	79	46	12	51
24243	981051	259	2	7.22	14	484	<2	6	1.27	<4	8	318	8	0.72	2.40	38	0.63	406	33	13	350	31	0.40	<5	6	<10	104	1768	4	27	<10	2	172
24244	981052	1386	9	7.79	42	474	<2	3	0.91	25	8	258	86	1.36	2.58	29	0.50	258	27	12	435	1946	1.55	20	6	<10	74	1308	<2	21	48	3	6790
24245	981053	500	3	9.04	18	615	<2	8	1.22	5	8	340	254	1.31	2.39	37	0.82	383	34	12	410	84	1.05	7	<5	<10	101	1756	5	29	16	3	1407
24246	981054	235	2	8.83	13	553	<2	11	1.24	<4	8	175	14	0.69	2.22	32	0.86	432	27	11	397	71	0.43	<5	<5	<10	96	1576	<2	25	<10	3	319
24247	981055	70	2	8.85	13	546	<2	5	1.43	<4	9	345	13	0.83	2.42	35	0.94	564	30	13	394	55	0.45	<5	9	<10	104	1633	6	28	12	3	439
24248	981056	859	2	8.37	16	536	<2	2	1.01	<4	8	176	42	0.80	2.59	31	0.68	296	26	10	350	119	0.62	9	5	<10	108	1543	<2	27	<10	3	621
24249	981057	3170	5	8.71	23	508	<2	8	0.99	<4	9	390	106	1.11	2.53	34	0.65	284	30	15	366	272	0.75	7	<5	<10	116	1571	5	27	11	3	813
24250D	981057	3241	4	8.29	23	516	<2	2	1.03	<4	9	393	105	1.08	2.56	34	0.62	288	28	15	361	279	0.74	7	13	<10	125	1616	5	29	10	3	804
24251	981058	40	2	7.89	8	416	<2	11	1.60	<4	7	223	27	2.03	2.62	28	0.80	387	30	13	527	<1	1.59	<5	<5	<10	133	1720	<2	34	<10	6	82
24252	981059	11	1	8.44	5	551	<2	13	2.27	<4	10	425	12	1.56	2.63	33	0.58	228	31	16	340	<1	1.09	<5	11	<10	240	1720	<2	34	<10	4	89
24253	981060	4908	3	8.70	409	1673	<2	13	3.15	6	15	131	90	3.55	2.31	32	1.28	476	56	57	880	<1	0.97	29	11	<10	202	1819	2	128	12	14	265
24254	981061	8	1	7.73	8	596	<2	11	2.22	4	7	181	9	2.52	2.50	32	0.45	141	31	12	448	<1	3.35	<5	<5	<10	282	1807	<2	40	<10	3	69
24255	981062	6	1	7.83	6	551	<2	6	2.37	<4	7	340	9	2.12	2.71	33	0.48	172	31	11	417	<1	2.31	<5	<5	<10	270	1782	<2	38	<10	4	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24256	981063	7	2	8.12	10	541	3	7	2.43	5	10	197	20	2.57	2.05	34	0.70	272	35	19	472	<1	2.48	<5	<5	<10	237	1697	3	37	<10	6	62
24257	981064	12	2	8.88	16	527	<2	9	2.05	5	10	344	14	3.55	1.87	35	0.66	189	34	14	479	<1	3.53	<5	7	<10	234	1735	<2	39	<10	5	104
24258	981065	7	1	6.57	28	302	<2	17	1.90	9	8	226	19	6.65	1.88	34	0.57	181	47	12	407	<1	7.40	<5	<5	<10	205	1323	5	31	<10	3	53
24259	981066	10	2	6.74	30	367	<2	11	2.22	10	10	230	22	7.05	2.05	37	0.61	227	50	14	438	<1	7.61	<5	<5	<10	244	1414	2	36	<10	3	69
24260	981067	<5	1	7.89	7	671	<2	8	1.72	<4	9	198	17	1.77	2.65	39	0.84	163	32	11	439	<1	1.55	<5	6	<10	240	1738	4	39	<10	3	53
24261R	981067	5	2	9.03	11	640	<2	11	1.72	<4	10	127	18	1.92	2.41	38	0.95	164	31	13	482	<1	1.75	<5	<5	<10	240	1718	<2	38	<10	4	57
24262	981068	<5	1	8.25	9	350	<2	11	2.33	<4	11	144	178	0.91	2.76	36	1.14	113	32	279	528	<1	0.54	<5	11	<10	300	1424	<2	32	<10	4	154
24263	981069	5	1	9.37	10	421	<2	6	2.59	<4	16	94	17	0.81	2.46	43	1.64	138	39	30	469	<1	0.43	<5	7	<10	270	1648	8	37	<10	4	98
24264	981070	<5	1	8.18	5	550	<2	2	2.07	4	16	62	27	2.52	2.54	30	0.87	509	38	39	574	<1	0.06	<5	7	<10	257	2206	4	82	47	10	68
24265	981071	<5	1	9.34	12	493	<2	11	3.48	<4	14	118	11	1.10	2.36	46	1.74	261	43	23	519	<1	0.75	<5	6	<10	304	1583	3	43	<10	5	91
24266	981072	<5	1	8.15	14	656	<2	8	1.69	<4	10	98	7	0.97	2.38	40	0.79	171	28	14	450	<1	0.76	<5	8	<10	257	1893	4	41	<10	3	59
24267	981073	10	2	10.93	33	381	<2	12	4.81	5	15	110	13	3.29	2.17	50	3.10	912	65	26	1104	<1	2.53	<5	7	<10	282	1643	6	39	<10	9	182
24268	981074	5	<1	8.18	26	547	<2	10	1.94	<4	11	115	9	1.28	2.21	41	0.80	182	28	14	547	<1	1.09	<5	<5	<10	232	1731	<2	36	<10	4	50
24269	981075	6	2	7.48	33	637	<2	8	2.05	<4	9	125	12	1.30	2.50	41	0.38	166	29	11	585	<1	1.13	<5	6	<10	283	1861	<2	40	<10	4	32
24270	981076	6	2	8.00	31	608	<2	11	2.38	<4	10	120	10	1.20	2.52	37	0.38	188	26	11	619	<1	0.96	<5	<5	<10	307	1738	<2	39	<10	4	26
24271	981077	16	1	8.62	15	650	<2	8	2.00	<4	9	118	9	1.35	2.52	37	0.56	257	29	12	636	<1	0.73	<5	<5	<10	335	1245	<2	39	<10	4	35
24272D	981077	7	1	8.31	17	550	<2	9	1.73	<4	10	110	10	1.29	2.56	31	0.55	236	25	13	596	<1	0.71	<5	7	<10	285	1055	3	33	<10	5	24
24273	981078	10	1	7.65	15	591	<2	8	1.55	<4	12	117	6	1.22	2.60	32	0.61	268	26	16	599	<1	0.57	<5	<5	<10	322	844	<2	37	<10	4	47
24274	981079	9	1	8.50	9	558	<2	9	1.87	<4	9	113	7	1.72	2.52	30	0.68	318	26	11	561	<1	0.67	<5	10	<10	325	892	2	37	<10	4	25
24275	981080	259	362	7.03	4067	128	<2	17	2.56	144	18	54	507	7.86	2.18	25	0.80	1372	56	30	508	9196	6.02	81	12	10	205	1524	3	93	86	9	12182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24276	981081	10	4	7.89	42	520	<2	10	1.61	4	7	113	9	2.00	2.47	28	0.57	318	27	11	561	<1	1.26	<5	<5	<10	290	788	<2	35	<10	4	140
24277	981082	6	1	7.81	8	561	<2	10	1.67	<4	5	114	7	2.13	2.29	30	0.60	393	27	7	538	<1	1.34	<5	5	<10	271	883	<2	35	<10	4	38
24278	981083	6	1	8.12	17	477	<2	8	1.59	<4	6	142	8	2.05	2.66	28	0.72	373	27	9	613	<1	1.63	<5	<5	<10	258	911	6	33	<10	4	78
24279	981084	<5	1	8.45	22	497	<2	6	1.16	<4	9	111	4	1.69	2.42	30	0.64	251	26	12	591	<1	1.34	<5	<5	<10	203	1173	2	34	<10	5	53
24280	981085	21	2	8.91	4	414	<2	11	2.51	6	24	206	52	3.89	2.41	44	1.53	592	48	69	534	<1	1.09	<5	<5	<10	262	1893	9	78	<10	9	84
24281	981086	25	2	9.25	9	396	<2	10	2.68	6	25	223	53	4.13	2.51	44	1.67	621	49	70	532	<1	1.15	<5	6	<10	271	1902	12	78	<10	10	89
24282	981087	19	<1	9.31	15	371	<2	5	2.47	<4	8	130	14	1.74	2.44	33	1.16	518	34	13	540	<1	0.54	<5	8	<10	114	1622	<2	34	<10	6	62
24283D	981087	20	2	9.34	15	303	<2	13	2.49	<4	8	134	14	1.77	2.52	31	1.23	532	36	13	575	<1	0.58	<5	<5	<10	107	1418	2	28	<10	7	57
24284	981088	16	2	8.48	29	445	<2	6	1.90	<4	8	110	10	1.50	2.61	36	0.88	436	31	12	553	<1	0.52	<5	<5	<10	82	1704	5	36	<10	5	35
24285	981089	90	2	7.68	36	434	<2	5	1.44	<4	8	138	13	1.64	2.53	32	0.67	341	30	14	510	<1	1.08	<5	<5	<10	103	1457	3	39	<10	4	203
24286	981090	<5	2	7.97	6	511	<2	9	1.93	<4	13	57	24	2.33	2.68	28	0.83	473	35	34	530	<1	0.07	<5	<5	<10	238	2076	<2	76	45	10	51
24287	981091	708	14	7.85	88	406	<2	9	0.58	5	8	145	40	1.78	2.34	24	0.35	<100	26	13	460	321	1.75	38	<5	<10	81	1148	<2	35	10	4	905
24288	981092	1211	5	7.56	80	470	<2	<1	0.57	4	7	168	43	1.88	2.52	25	0.26	<100	28	12	426	25	1.97	13	7	<10	78	1151	<2	34	<10	3	755
24289	981093	702	3	8.02	54	552	<2	6	0.60	<4	8	160	56	1.53	2.66	25	0.34	<100	26	11	497	<1	1.46	<5	<5	<10	74	1240	<2	36	12	3	180
24290	981094	253	2	7.42	42	551	2	6	0.69	<4	7	158	17	1.53	2.81	27	0.36	<100	28	11	404	<1	1.47	<5	6	<10	73	1173	<2	33	11	3	139
24291	981095	520	3	7.16	63	629	2	4	0.60	<4	10	157	58	1.86	2.47	27	0.26	<100	31	16	460	<1	1.93	<5	<5	<10	80	1304	<2	38	<10	3	60
24292	981096	432	3	8.03	53	626	<2	7	1.14	<4	8	154	70	1.70	2.86	28	0.56	203	30	14	476	<1	1.48	<5	5	<10	95	1210	<2	37	<10	4	124
24293	981097	70	2	7.60	43	682	<2	9	0.82	<4	11	167	28	1.35	2.64	29	0.40	127	32	21	500	<1	1.19	<5	<5	<10	81	1376	<2	48	<10	3	63
24294D	981097	71	1	7.64	46	674	<2	10	0.77	<4	10	168	27	1.35	2.78	26	0.40	122	28	21	492	<1	1.16	<5	6	<10	78	1325	<2	48	10	3	59
24295	981098	70	2	6.47	57	595	2	5	0.66	<4	14	215	40	1.72	2.54	34	0.41	<100	38	40	455	5	1.41	<5	<5	<10	71	1371	<2	69	<10	3	95

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/27/2011  
 Date Completed: 02/04/2011  
 Job #: 201140355  
 Reference: TMI-TML  
 Sample #: 101

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
24296	981099	610	4	5.82	160	492	3	4	0.64	7	15	221	123	2.21	2.60	34	0.33	<100	36	46	399	232	2.32	41	<5	<10	66	1259	<2	68	16	3	1298
24297	981100	4887	11	7.24	12	376	<2	11	3.20	8	31	84	112	4.61	2.47	44	1.29	853	72	56	936	<1	0.67	<5	<5	<10	277	4358	5	131	<10	8	119
24298	981101	242	2	7.18	87	452	2	6	0.66	14	10	200	57	1.89	2.43	31	0.32	<100	35	25	352	24	2.00	12	<5	<10	69	1211	<2	45	28	3	3639
24299	981102	379	2	7.46	152	413	<2	9	0.63	22	20	256	144	2.70	2.50	30	0.32	<100	37	49	306	27	3.06	11	<5	<10	67	1148	<2	60	42	4	5265
24300	981103	247	3	7.31	140	369	<2	12	0.63	12	14	236	60	2.47	2.48	29	0.31	<100	35	35	356	99	2.72	11	<5	<10	66	1094	<2	51	25	3	2923
24301	981104	197	2	7.91	54	426	<2	5	0.59	<4	6	139	30	1.54	2.58	26	0.32	<100	30	12	390	<1	1.50	<5	6	<10	69	1140	<2	35	<10	3	342
24302	981105	72	3	7.85	33	520	2	7	0.74	<4	8	127	17	1.08	2.69	28	0.42	105	30	13	479	<1	0.85	<5	<5	<10	72	1436	<2	38	11	3	255
24303	981106	41	1	7.33	31	529	2	14	0.73	<4	9	124	17	1.01	2.51	30	0.40	106	31	13	449	<1	0.79	<5	<5	<10	72	1483	<2	38	10	3	382
24304	981107	25	1	8.45	18	506	<2	9	1.71	<4	9	144	22	1.51	2.41	31	0.89	529	33	14	520	<1	0.86	<5	5	<10	99	1496	3	32	10	5	74
24305D	981107	26	1	7.97	16	482	<2	7	1.69	<4	8	145	22	1.49	2.48	32	0.85	527	35	13	529	<1	0.84	<5	<5	<10	98	1434	<2	31	11	5	73
24306	981108	8	2	8.71	2	587	2	18	3.03	6	10	117	31	2.29	2.63	39	1.82	852	51	13	475	<1	0.78	<5	<5	<10	118	1995	6	36	16	4	702

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29472	981109	36	3	8.09	5	492	3	16	3.52	18	17	25	223	2.76	2.88	42	1.00	811	21	25	628	107	0.62	<5	<5	<10	455	3111	9	63	44	7	4177
29473	981110	<5	<1	7.84	5	544	<2	21	1.99	<4	14	64	25	2.35	2.33	37	0.77	494	26	30	517	10	0.05	<5	14	<10	240	2266	9	81	42	9	84
29474	981111	98	4	9.21	59	544	2	24	3.43	<4	25	153	76	3.84	2.31	48	1.46	1129	30	70	503	25	1.06	<5	14	<10	228	2992	10	97	<10	10	113
29475	981112	8	1	8.54	13	733	2	17	1.46	<4	9	35	9	0.86	2.48	47	0.47	163	26	28	346	32	0.32	<5	22	<10	210	2035	6	40	<10	4	202
29476	981113	5	<1	8.94	11	557	2	11	2.10	<4	8	23	8	0.68	2.55	38	0.42	141	21	21	371	24	0.28	<5	20	<10	283	1553	10	34	<10	3	103
29477	981114	7	<1	7.78	16	456	<2	15	2.56	<4	8	26	7	0.74	2.65	38	0.64	212	24	20	336	15	0.28	<5	14	<10	274	1403	6	30	<10	3	45
29478	981115	9	<1	8.12	16	610	<2	16	2.15	<4	11	25	9	0.81	2.52	40	0.59	210	23	23	397	19	0.35	<5	13	<10	281	1555	7	36	<10	4	56
29479	981116	302	1	7.96	21	922	2	23	1.85	<4	12	40	65	1.12	2.15	49	0.61	338	29	27	460	77	0.51	<5	7	<10	249	2211	9	49	<10	4	194
29480	981117	11	1	6.64	15	876	<2	8	1.43	<4	8	21	6	0.62	2.38	42	0.34	162	26	25	375	24	0.28	<5	19	<10	222	1784	4	35	<10	3	20
29481	981118	7	<1	7.11	12	683	<2	16	1.54	<4	7	24	6	0.55	2.07	41	0.34	120	26	23	297	17	0.22	<5	12	<10	248	1546	2	32	<10	3	18
29482D	981118	10	1	7.79	9	672	<2	21	1.65	<4	7	22	6	0.54	2.36	38	0.36	115	21	16	305	17	0.21	<5	15	<10	271	1436	7	30	<10	3	16
29483	981119	8	1	7.57	12	671	<2	15	1.65	<4	8	24	9	0.68	2.14	41	0.42	138	26	30	361	19	0.27	<5	14	<10	246	1623	3	36	<10	3	32
29484	981120	5059	2	8.10	340	1545	<2	22	2.83	<4	14	120	77	3.23	2.37	44	1.00	453	40	45	705	31	0.67	35	<5	<10	192	2108	7	124	11	10	248
29485	981121	<5	1	7.52	14	639	<2	17	1.95	<4	9	27	11	0.71	2.42	42	0.38	140	25	22	350	15	0.24	<5	12	<10	291	1649	2	37	<10	3	31
29486	981122	16	1	8.42	6	647	<2	18	2.73	<4	8	25	14	1.78	2.51	43	0.81	493	23	19	418	19	0.35	<5	14	<10	324	2103	10	42	<10	5	55
29487	981123	12	1	8.68	7	640	<2	17	2.49	<4	6	26	15	1.43	2.54	41	0.84	492	23	16	731	26	0.51	<5	10	<10	168	1755	6	40	<10	5	31
29488	981124	7	2	8.09	2	542	2	20	2.66	<4	11	87	20	1.70	2.61	44	1.03	585	28	40	736	37	0.48	<5	7	<10	171	2343	7	51	<10	5	85
29489	981125	22	2	7.92	7	652	2	16	1.60	<4	6	28	21	1.10	2.41	44	0.62	480	25	22	414	112	0.46	<5	<5	<10	140	1860	6	36	<10	4	182
29490	981126	55	1	8.32	7	624	2	18	1.59	<4	5	25	27	1.19	2.62	40	0.66	461	22	20	457	111	0.52	<5	12	<10	136	1827	9	34	<10	4	292
29491	981127	1382	7	7.17	22	566	2	19	1.70	4	6	27	42	1.65	2.50	45	0.80	908	29	27	348	1086	1.38	10	10	<10	128	1611	7	32	14	3	1200

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29492	981128	1587	25	7.05	52	338	<2	17	0.71	13	6	30	163	1.98	2.59	33	0.40	160	24	21	286	1937	2.07	26	9	<10	60	1285	5	26	49	4	4812
29493D	981128	1386	26	6.55	66	353	<2	14	0.73	13	6	32	169	1.96	2.25	37	0.37	162	26	27	306	1988	2.06	28	<5	<10	61	1384	5	27	49	3	4961
29494	981129	480	12	6.68	24	358	<2	15	1.69	<4	6	24	25	1.34	2.77	31	1.04	864	21	21	338	661	1.01	7	<5	<10	83	1250	9	25	11	3	1047
29495	981130	5	<1	7.98	6	535	<2	20	1.98	<4	14	63	22	2.37	2.70	29	0.87	494	20	27	502	19	0.06	<5	18	<10	246	2050	8	80	42	10	62
29496	981131	759	7	8.38	16	569	2	20	1.44	<4	4	29	12	0.89	2.58	44	0.67	479	31	25	304	229	0.56	<5	8	<10	92	1478	6	28	<10	4	427
29497	981132	19625	123	6.50	307	49	<2	19	0.87	123	11	29	4166	11.99	1.63	34	0.35	410	44	31	<100	16963	>10.00	276	<5	<10	53	432	9	9	569	4	43982
29498	981133	886	7	6.84	22	219	<2	15	0.76	<4	1	35	188	0.60	2.58	27	0.35	<100	25	24	<100	854	0.45	20	15	<10	45	283	4	6	10	5	946
29499	981134	76192	150	6.52	200	166	<2	15	0.86	31	5	34	1656	3.47	1.64	35	0.34	<100	31	28	103	15094	3.80	374	16	<10	55	499	2	11	136	4	13401
29500	981135	<5	8	7.34	26	579	<2	16	1.27	5	4	30	124	1.05	2.41	42	0.60	368	27	19	241	748	0.83	18	12	<10	114	1434	6	26	19	3	1593
29501	981136	2387	5	8.20	28	451	<2	20	1.59	<4	5	30	20	1.33	2.41	43	0.79	556	31	29	326	450	0.94	5	11	<10	112	1487	7	28	13	4	1202
29502	981137	1520	8	7.06	38	431	<2	12	0.95	8	7	27	55	1.39	2.62	43	0.48	246	26	21	287	819	1.21	8	10	<10	95	1583	3	27	29	3	2888
29503	981138	527	<1	7.98	18	351	<2	16	1.35	<4	7	24	42	0.74	2.70	41	0.60	299	22	22	328	41	0.37	<5	6	<10	136	1646	6	31	<10	3	61
29504D	981138	561	1	7.33	20	347	<2	17	1.26	<4	7	23	39	0.69	2.46	46	0.53	284	26	24	305	31	0.33	<5	9	<10	125	1656	5	31	<10	3	39
29505	981139	69	<1	7.81	10	344	<2	17	1.61	<4	7	29	6	0.59	2.32	45	0.71	403	26	21	349	18	0.18	<5	10	<10	144	1584	10	33	<10	3	31
29506	981140	245	368	6.92	3500	151	<2	18	2.45	128	16	55	439	7.23	1.81	30	0.72	1297	29	22	442	8242	4.51	77	24	11	199	1554	9	93	137	7	14351
29507	981141	39	4	7.57	41	298	<2	16	1.19	<4	6	24	8	0.54	2.38	38	0.56	254	21	18	308	89	0.24	<5	12	<10	110	1480	6	29	<10	3	147
29508	981142	230	<1	6.64	15	300	<2	19	0.97	<4	5	24	4	0.45	2.35	43	0.40	182	26	21	275	19	0.20	<5	15	<10	94	1575	7	30	<10	2	21
29509	981143	35	1	7.54	9	299	<2	34	1.14	<4	6	26	2	0.45	2.38	44	0.45	226	28	21	335	13	0.15	<5	11	<10	105	1627	4	31	<10	3	19
29510	981144	22	<1	7.67	8	294	<2	20	1.34	<4	6	25	2	0.45	2.38	46	0.50	270	30	15	310	19	0.17	<5	20	<10	103	1515	7	28	<10	3	20
29511	981145	25	1	7.89	8	336	<2	18	1.36	6	5	23	28	0.69	2.34	47	0.63	308	26	19	294	80	0.32	<5	10	<10	106	1618	6	28	21	3	1902

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	TI ppm	V ppm	W ppm	Y ppm	Zn ppm
29512	981146	45	2	8.15	9	332	<2	16	1.39	6	5	25	21	0.62	2.44	48	0.68	305	27	18	347	74	0.26	<5	8	<10	105	1599	7	27	20	3	1754
29513	981147	143	2	7.46	11	338	2	12	1.37	<4	7	23	4	0.55	2.41	51	0.54	324	30	20	348	34	0.25	<5	10	<10	106	1642	6	31	<10	3	86
29514	981148	1261	3	6.87	21	332	<2	24	1.16	<4	9	23	14	1.69	2.62	47	0.47	251	25	15	272	86	1.44	<5	8	<10	96	1559	4	28	<10	3	239
29515D	981148	1245	3	7.30	17	335	<2	21	1.21	<4	9	23	14	1.70	2.32	47	0.49	252	26	16	306	89	1.41	<5	<5	<10	100	1587	4	28	<10	3	241
29516	981149	133	2	7.15	10	368	<2	16	1.48	<4	9	22	6	0.62	2.46	49	0.61	382	25	18	342	78	0.40	<5	14	<10	114	1719	4	31	<10	3	113
29517	981150	<5	1	7.60	6	538	<2	18	1.92	<4	14	62	22	2.26	2.64	37	0.77	477	24	30	461	14	0.05	<5	7	<10	232	2173	5	79	41	8	61
29518	981151	145	<1	7.58	11	348	<2	18	1.31	<4	10	22	7	0.52	2.16	48	0.57	301	25	20	367	69	0.29	<5	11	<10	112	1760	7	31	<10	3	81
29519	981152	526	2	8.02	16	339	<2	22	1.36	<4	8	22	20	0.74	2.40	47	0.65	319	26	20	353	243	0.52	<5	9	<10	117	1658	5	32	<10	3	186
29520	981153	4145	1	7.90	14	370	<2	14	1.46	<4	8	26	15	0.54	2.47	46	0.64	351	26	22	313	107	0.29	<5	10	<10	140	1579	10	34	<10	3	352
29521	981154	3458	6	7.52	30	434	<2	19	0.85	5	8	25	210	0.85	2.30	51	0.42	165	27	24	319	1517	0.70	19	14	<10	87	1782	8	32	23	3	2135
29522	981155	3209	7	8.22	26	438	2	18	0.88	5	9	24	170	1.45	2.55	48	0.54	231	24	22	349	877	1.13	5	5	<10	104	1730	7	33	25	3	2237
29523	981156	175	<1	7.52	9	371	<2	21	1.37	<4	7	31	14	1.42	2.60	46	0.51	228	27	22	305	57	0.97	<5	16	<10	148	1740	8	38	<10	3	94
29524	981157	46	2	7.19	5	376	<2	23	2.09	<4	7	21	18	1.88	2.66	41	0.62	271	22	15	387	19	1.42	<5	5	<10	192	1918	6	41	<10	3	65
29525	981158	14	2	6.91	7	438	<2	17	1.95	<4	9	27	9	1.13	2.83	42	0.45	183	22	16	314	19	0.75	<5	7	<10	218	1712	6	38	<10	3	84
29526D	981158	10	1	7.21	6	437	<2	19	1.95	<4	9	29	9	1.10	2.77	42	0.46	180	23	22	353	22	0.72	<5	15	<10	218	1679	4	38	<10	3	83
29527	981159	7	1	7.62	5	430	<2	16	2.56	<4	5	21	7	1.46	2.76	41	0.52	189	21	11	435	25	0.95	<5	17	<10	263	1700	11	38	<10	4	47
29528	981160	234	8	8.05	10	380	<2	23	3.22	4	29	87	96	4.50	2.20	44	1.45	843	41	57	845	24	0.51	<5	<5	<10	276	4330	9	133	<10	9	115
29529	981161	17	<1	7.24	6	516	<2	18	2.19	<4	6	25	6	1.48	2.15	44	0.50	185	26	23	374	18	0.91	<5	8	<10	243	1981	4	44	<10	4	38
29530	981162	31	2	7.13	7	578	<2	21	1.88	<4	7	21	7	2.16	2.18	46	0.47	157	27	14	365	17	1.58	<5	7	<10	216	1798	9	39	<10	4	116
29531	981163	6	<1	7.85	7	572	<2	22	1.80	<4	8	23	4	1.67	2.22	49	0.74	159	27	18	429	16	1.14	<5	7	<10	233	2025	4	43	<10	4	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29532	981164	8	2	7.46	15	404	3	23	1.86	<4	18	23	39	1.52	2.25	46	0.60	<100	32	40	339	22	1.10	<5	<5	<10	270	1298	11	38	<10	5	220
29533	981165	6	<1	8.19	14	406	<2	23	2.23	<4	15	24	5	0.89	2.74	45	0.83	111	27	26	362	22	0.56	<5	5	<10	306	1160	8	35	<10	4	194
29534	981166	<5	<1	8.57	14	408	<2	25	2.39	<4	14	22	5	0.98	2.54	45	0.96	127	28	26	432	23	0.61	<5	8	<10	307	1176	8	36	<10	4	191
29535	981167	<5	1	8.80	12	490	<2	20	2.53	<4	16	23	6	0.94	2.27	51	1.15	124	28	25	397	17	0.60	<5	24	<10	312	1439	8	42	<10	4	245
29536	981168	5	<1	7.96	10	471	<2	27	2.09	<4	9	24	5	1.03	2.13	49	0.84	278	34	21	378	17	0.64	<5	18	<10	226	1620	8	35	<10	4	65
29537R	981168	5	<1	8.18	13	512	<2	26	2.26	<4	9	24	5	1.06	2.29	51	0.92	284	29	16	424	13	0.67	<5	14	<10	246	1663	5	37	<10	4	73
29538	981169	12	<1	8.02	24	552	<2	23	2.01	<4	15	54	220	1.81	3.04	51	1.07	264	25	437	377	23	1.08	<5	8	<10	245	1928	7	52	<10	5	242
29539	981170	<5	1	7.25	5	531	<2	16	1.87	<4	14	61	28	2.24	3.04	35	0.78	466	24	38	489	4	0.06	<5	<5	<10	229	2231	10	78	41	9	73
29540	981171	<5	<1	7.34	23	562	<2	15	1.87	<4	11	33	10	1.26	2.83	51	0.62	139	24	19	424	16	0.90	<5	10	<10	219	1893	5	43	<10	4	62
29541	981172	6	<1	7.40	29	588	<2	15	1.95	<4	8	19	8	1.23	2.75	45	0.41	157	20	13	496	13	0.90	<5	17	<10	261	1712	5	40	<10	4	39
29542	981173	<5	<1	7.36	20	620	<2	10	1.77	<4	9	21	6	0.94	2.73	49	0.43	158	23	15	492	14	0.59	<5	<5	<10	249	1831	9	41	<10	4	29
29543	981174	10	<1	7.69	15	680	<2	16	1.62	<4	8	21	6	1.10	2.57	51	0.49	185	28	17	521	15	0.57	<5	15	<10	251	1399	6	40	<10	4	39
29544	981175	14	<1	7.08	11	641	<2	24	1.52	<4	9	24	6	1.09	2.53	48	0.43	173	27	19	504	13	0.47	<5	7	<10	275	1049	10	38	<10	4	23
29545	981176	11	1	7.85	4	558	<2	19	1.82	<4	8	20	5	1.71	2.47	45	0.63	380	24	13	518	12	0.61	<5	<5	<10	309	991	7	39	<10	4	36
29546	981177	8	1	7.64	8	674	<2	20	1.53	<4	6	23	4	1.88	2.74	47	0.49	324	24	9	457	13	1.11	<5	13	<10	270	1155	6	41	<10	4	39
29547	981178	8	1	7.86	14	627	2	24	1.79	<4	8	24	4	2.57	2.07	55	0.64	457	28	18	637	18	2.57	<5	23	<10	292	1380	7	40	<10	4	51
29548D	981178	9	<1	7.34	15	587	<2	16	1.63	<4	7	22	3	2.35	2.51	49	0.62	423	27	16	482	14	1.71	<5	<5	<10	269	1265	5	38	<10	4	42
29549	981179	8	<1	7.86	14	558	2	24	2.19	<4	9	49	9	1.80	2.56	58	0.89	504	36	48	552	18	0.87	<5	19	<10	271	1820	14	49	<10	5	92
29550	981180	5227	2	7.81	345	1589	<2	16	2.90	<4	13	121	79	3.29	2.56	40	1.06	457	36	43	727	25	0.68	35	10	<10	195	1999	3	124	10	11	249
29551	981181	23	4	8.81	7	505	2	17	2.58	<4	22	178	50	3.81	2.89	60	1.31	593	34	114	480	23	0.67	<5	18	<10	283	2853	10	101	<10	7	99

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29552	981182	26	1	7.96	35	493	2	19	1.95	<4	11	38	11	1.72	3.09	43	0.81	320	27	34	415	29	0.86	<5	9	<10	127	1779	7	45	<10	4	59
29553	981183	264	<1	7.90	25	447	<2	21	1.77	<4	7	38	10	1.53	3.02	37	0.68	335	27	37	458	31	0.68	<5	16	<10	107	1600	4	44	<10	4	110
29554	981184	57	1	9.04	29	471	<2	21	2.12	<4	9	36	12	1.73	2.64	39	0.96	550	26	33	485	43	0.69	<5	12	<10	116	1469	6	45	<10	5	82
29555	981185	352	6	8.03	61	431	<2	18	0.80	<4	8	36	25	1.72	2.52	34	0.34	<100	26	37	421	100	1.31	<5	8	<10	96	1314	8	43	12	4	944
29556	981186	244	4	7.66	64	411	<2	13	0.79	<4	9	25	21	1.75	2.73	35	0.34	<100	24	22	392	78	1.41	<5	11	<10	95	1261	4	39	<10	4	184
29557	981187	162	1	7.61	52	520	<2	18	0.79	<4	8	28	10	1.35	2.57	38	0.31	<100	27	23	410	52	1.02	<5	<5	<10	97	1371	7	42	<10	4	120
29558	981188	477	2	8.19	28	605	<2	20	1.51	<4	8	29	15	1.36	2.60	41	0.70	277	27	24	444	54	0.77	<5	8	<10	105	1360	9	42	<10	4	74
29559D	981188	543	1	7.77	31	591	<2	17	1.48	<4	7	30	16	1.33	2.69	40	0.67	274	26	25	434	53	0.75	<5	8	<10	103	1314	8	41	<10	4	73
29560	981189	154	1	8.53	54	602	<2	15	1.63	<4	8	28	21	1.49	2.64	39	0.77	320	25	22	403	68	0.82	<5	<5	<10	101	1225	10	38	<10	5	84
29561	981190	6	2	7.99	5	550	<2	19	2.01	<4	13	64	22	2.29	2.78	41	0.79	482	28	29	531	8	0.05	<5	10	<10	241	2235	6	80	44	9	53
29562	981191	1116	3	8.41	57	645	<2	17	1.14	<4	10	40	45	2.14	2.81	34	0.59	207	21	29	454	77	1.47	5	8	<10	81	1384	7	45	13	4	792
29563	981192	53	<1	8.70	26	719	2	20	1.45	<4	7	26	6	1.47	2.48	40	0.68	257	26	23	545	48	0.81	<5	12	<10	89	1557	7	45	<10	4	56
29564	981193	183	1	8.14	64	606	<2	15	0.93	<4	8	24	37	1.64	2.61	37	0.51	114	25	20	419	80	1.21	<5	7	<10	76	1349	3	37	11	4	573
29565	981194	105	1	8.21	52	648	2	18	0.70	<4	8	23	17	1.12	2.49	36	0.36	<100	26	21	368	100	0.81	5	19	<10	75	1385	7	40	<10	3	210
29566	981195	61	2	8.90	57	521	<2	17	0.61	<4	7	25	15	1.13	2.77	29	0.38	<100	22	22	290	153	0.81	8	26	<10	67	1164	6	35	<10	4	120
29567	981196	10307	14	8.13	711	554	<2	19	0.65	<4	15	84	182	2.03	2.83	35	0.35	<100	24	43	407	1095	1.73	150	6	<10	73	1242	6	66	<10	4	193
29568	981197	437	<1	6.77	159	430	2	11	0.62	6	8	34	42	1.56	2.65	32	0.29	<100	24	28	270	161	1.38	11	<5	<10	64	1038	6	37	21	3	1790
29569	981198	82	1	7.13	50	479	2	11	0.64	<4	8	29	21	1.36	2.59	33	0.32	<100	25	24	331	68	1.11	<5	7	<10	69	1192	4	38	12	3	764
29570D	981198	80	1	6.68	42	470	2	16	0.64	<4	8	29	19	1.28	2.93	35	0.31	<100	27	24	312	66	1.08	<5	<5	<10	67	1199	5	37	14	3	731
29571	981199	80	1	6.99	40	514	2	18	0.66	<4	8	29	27	1.11	2.75	36	0.31	<100	26	20	346	82	0.86	<5	5	<10	71	1336	3	40	11	3	311

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, February 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
29572	981200	235	381	7.10	3637	164	<2	20	2.56	133	17	58	460	7.47	2.01	34	0.72	1351	30	24	481	9475	4.58	77	29	12	211	1724	5	97	142	8	13867
29573	981201	55	3	7.00	84	487	2	15	0.70	11	8	25	42	1.36	2.36	39	0.31	<100	27	18	354	142	1.18	<5	7	<10	74	1465	5	40	30	3	2479
29574	981202	114	<1	8.37	44	563	2	19	0.72	6	9	25	50	1.31	2.69	34	0.38	<100	22	19	423	169	1.03	<5	13	<10	70	1732	4	42	23	4	1600
29575	981203	100	<1	9.36	37	587	2	23	2.68	<4	11	27	27	1.78	2.24	43	1.16	922	27	20	491	47	0.75	<5	8	<10	120	2032	6	43	<10	5	206
29576	981204	30	2	12.56	20	510	<2	27	7.19	<4	9	20	181	2.95	2.78	35	3.75	2344	24	15	339	38	1.01	<5	5	<10	200	2062	12	37	<10	10	597

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
29472	981109	36	0.001	0.036
29473	981110	<5	<0.001	<0.005
29474	981111	98	0.003	0.098
29475	981112	8	<0.001	0.008
29476	981113	5	<0.001	0.005
29477	981114	7	<0.001	0.007
29478	981115	9	<0.001	0.009
29479	981116	302	0.009	0.302
29480	981117	11	<0.001	0.011
29481	981118	7	<0.001	0.007
29482 Dup	981118	10	<0.001	0.010
29483	981119	8	<0.001	0.008
29484	981120	5059	0.148	5.059
29485	981121	<5	<0.001	<0.005
29486	981122	16	<0.001	0.016
29487	981123	12	<0.001	0.012
29488	981124	7	<0.001	0.007
29489	981125	22	<0.001	0.022
29490	981126	55	0.002	0.055
29491	981127	1382	0.040	1.382
29492	981128	1587	0.046	1.587
29493 Dup	981128	1386	0.040	1.386
29494	981129	480	0.014	0.480
29495	981130	5	<0.001	0.005
29496	981131	759	0.022	0.759
29497	981132	19625	0.573	19.625
29498	981133	886	0.026	0.886
29499	981134	76192	2.223	76.192
29500	981135	<5	<0.001	<0.005
29501	981136	2387	0.070	2.387

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
29502	981137	1520	0.044	1.520
29503	981138	527	0.015	0.527
29504 Dup	981138	561	0.016	0.561
29505	981139	69	0.002	0.069
29506	981140	245	0.007	0.245
29507	981141	39	0.001	0.039
29508	981142	230	0.007	0.230
29509	981143	35	0.001	0.035
29510	981144	22	<0.001	0.022
29511	981145	25	<0.001	0.025
29512	981146	45	0.001	0.045
29513	981147	143	0.004	0.143
29514	981148	1261	0.037	1.261
29515 Dup	981148	1245	0.036	1.245
29516	981149	133	0.004	0.133
29517	981150	<5	<0.001	<0.005
29518	981151	145	0.004	0.145
29519	981152	526	0.015	0.526
29520	981153	4145	0.121	4.145
29521	981154	3458	0.101	3.458
29522	981155	3209	0.094	3.209
29523	981156	175	0.005	0.175
29524	981157	46	0.001	0.046
29525	981158	14	<0.001	0.014
29526 Dup	981158	10	<0.001	0.010
29527	981159	7	<0.001	0.007
29528	981160	234	0.007	0.234
29529	981161	17	<0.001	0.017
29530	981162	31	<0.001	0.031
29531	981163	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
29532	981164	8	<0.001	0.008
29533	981165	6	<0.001	0.006
29534	981166	<5	<0.001	<0.005
29535	981167	<5	<0.001	<0.005
29536	981168	5	<0.001	0.005
29537 Rep	981168	5	<0.001	0.005
29538	981169	12	<0.001	0.012
29539	981170	<5	<0.001	<0.005
29540	981171	<5	<0.001	<0.005
29541	981172	6	<0.001	0.006
29542	981173	<5	<0.001	<0.005
29543	981174	10	<0.001	0.010
29544	981175	14	<0.001	0.014
29545	981176	11	<0.001	0.011
29546	981177	8	<0.001	0.008
29547	981178	8	<0.001	0.008
29548 Dup	981178	9	<0.001	0.009
29549	981179	8	<0.001	0.008
29550	981180	5227	0.152	5.227
29551	981181	23	<0.001	0.023
29552	981182	26	<0.001	0.026
29553	981183	264	0.008	0.264
29554	981184	57	0.002	0.057
29555	981185	352	0.010	0.352
29556	981186	244	0.007	0.244
29557	981187	162	0.005	0.162
29558	981188	477	0.014	0.477
29559 Dup	981188	543	0.016	0.543
29560	981189	154	0.005	0.154
29561	981190	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 01/31/2011  
 Date Completed: 02/11/2011  
 Job #: 201140445  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
29562	981191	1116	0.033	1.116
29563	981192	53	0.002	0.053
29564	981193	183	0.005	0.183
29565	981194	105	0.003	0.105
29566	981195	61	0.002	0.061
29567	981196	10307	0.301	10.307
29568	981197	437	0.013	0.437
29569	981198	82	0.002	0.082
29570 Dup	981198	80	0.002	0.080
29571	981199	80	0.002	0.080
29572	981200	235	0.007	0.235
29573	981201	55	0.002	0.055
29574	981202	114	0.003	0.114
29575	981203	100	0.003	0.100
29576	981204	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 18, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 02/18/2011  
 Job #: 201140681  
 Reference: TMI-TML  
 Sample #: 3

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
46572	981153	0.128	4.377
46573	981154	0.116	3.960
46574	981155	0.072	2.464

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, February 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 02/28/2011  
 Job #: 201140682  
 Reference: TMI-TML  
 Sample #: 3

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
46575	981132	1.290	1.385	236.717	10.934	4.08%	26.5
46576	981134	28.947	28.481	310.380	45.257	5.87%	47.69
46577	981196	4.432	4.475	66.981	6.412	3.13%	31.33

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 18, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/11/2011  
Date Completed: 02/18/2011  
Job #: 201140639  
Reference: TM1-TML  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
43141	981252	0.106	3.626
43142	981257	0.088	3.028

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
30549	981205	262	3	8.24	14	512	<2	30	1.74	5	9	384	70	2.00	1.83	26	1.28	831	29	14	526	289	0.61	<5	43	<10	179	1465	17	31	19	6	1060
30550	981206	133	4	7.06	12	414	<2	24	1.63	4	7	437	83	2.18	1.92	22	1.38	909	23	15	468	250	0.63	<5	44	<10	167	1434	2	30	15	5	826
30551	981207	2197	3	7.25	15	439	<2	28	1.14	4	3	359	44	1.57	2.10	23	1.19	616	24	8	397	187	0.55	<5	42	<10	115	1194	<2	21	16	4	895
30552	981208	101	4	8.22	18	491	<2	25	1.74	4	4	406	18	1.54	2.20	29	1.17	639	29	9	278	119	0.45	<5	43	<10	149	1214	4	22	15	5	856
30553	981209	19	3	8.65	47	490	<2	35	1.44	<4	23	431	31	2.60	2.11	22	0.88	405	30	30	483	21	0.60	<5	40	<10	244	1547	4	46	<10	8	114
30554	981210	<5	<1	5.96	12	430	<2	23	1.73	<4	23	64	23	2.48	2.12	19	0.92	487	22	34	543	10	0.05	<5	39	<10	183	1678	3	76	36	13	64
30555	981211	<5	2	7.25	21	407	<2	26	1.18	<4	17	367	23	1.96	2.10	23	0.65	227	31	25	460	12	0.29	<5	42	<10	179	1435	<2	41	<10	8	72
30556	981212	5	1	6.75	10	427	<2	27	0.88	<4	13	343	23	0.67	2.10	16	0.30	<100	20	19	474	31	0.09	<5	43	<10	211	1249	<2	32	<10	6	54
30557	981213	36	2	6.32	13	364	<2	25	1.32	<4	5	386	14	0.55	2.11	15	0.29	<100	19	16	388	9	0.04	<5	41	<10	211	1057	<2	28	<10	4	58
30558	981214	<5	2	6.12	7	373	<2	22	1.09	<4	13	399	20	0.81	2.16	16	0.31	<100	18	19	387	15	0.25	<5	44	<10	186	1429	<2	35	<10	4	47
30559D	981214	<5	3	6.97	8	393	<2	23	1.27	<4	14	408	21	0.83	2.14	17	0.32	<100	18	20	349	15	0.25	<5	44	<10	225	1512	<2	38	<10	5	46
30560	981215	<5	2	6.26	12	397	<2	25	1.24	<4	14	434	36	0.81	2.08	18	0.37	<100	16	22	398	14	0.15	<5	40	<10	198	1391	<2	31	<10	4	96
30561	981216	<5	<1	7.74	10	465	<2	24	1.43	<4	11	396	16	0.62	2.32	20	0.37	<100	20	16	471	10	0.03	<5	38	<10	234	1543	7	43	<10	5	63
30562	981217	<5	2	6.92	7	445	<2	25	1.38	<4	16	503	19	1.44	2.26	19	0.53	281	18	24	632	15	0.29	<5	39	<10	188	1690	<2	49	<10	6	76
30563	981218	8	<1	7.68	8	526	<2	28	1.35	<4	21	415	18	2.44	2.14	27	0.64	438	22	28	499	13	0.40	<5	41	<10	154	1947	<2	48	<10	8	92
30564	981219	152	2	8.39	31	355	<2	34	2.25	<4	45	550	72	3.75	2.28	27	1.42	836	26	63	554	60	1.53	<5	32	<10	137	2097	<2	75	<10	14	165
30565	981220	5070	8	8.22	15	346	<2	33	2.97	4	53	64	99	4.54	2.26	22	1.90	834	31	51	827	23	0.64	<5	41	<10	272	1985	<2	111	<10	14	124
30566	981221	65	1	8.94	29	540	<2	31	0.81	4	22	333	21	1.65	2.06	21	0.51	181	22	25	423	35	1.10	<5	46	<10	126	1765	<2	48	12	7	688
30567	981222	10	<1	8.57	15	333	<2	27	1.05	<4	16	330	18	1.90	2.09	22	0.56	181	21	19	311	14	1.36	<5	47	<10	188	1403	<2	37	<10	5	144
30568	981223	7	2	8.51	13	515	<2	34	1.58	<4	7	379	11	0.74	2.41	21	0.44	144	19	8	375	21	0.22	<5	43	<10	232	1263	<2	27	<10	3	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
30569	981224	10	1	9.32	15	544	<2	30	1.88	<4	8	376	10	0.89	2.35	23	0.52	187	23	12	311	26	0.33	<5	46	<10	268	1341	<2	31	<10	4	117
30570D	981224	6	2	8.63	14	503	<2	31	1.75	<4	9	387	10	0.92	2.32	22	0.52	192	20	12	377	25	0.35	<5	50	<10	249	1344	<2	31	<10	4	120
30571	981225	12	2	8.55	17	569	<2	31	1.70	<4	13	488	20	1.28	2.20	23	0.59	255	18	17	395	39	0.47	<5	49	<10	251	1602	2	36	<10	5	139
30572	981226	10	1	10.09	15	659	<2	35	1.93	<4	11	318	16	1.07	2.29	25	0.55	216	23	15	371	41	0.43	<5	41	<10	298	1615	3	36	<10	5	106
30573	981227	11	1	10.46	13	706	<2	34	2.43	<4	19	291	24	1.76	2.20	29	0.83	356	25	18	462	32	0.59	<5	42	<10	358	2040	<2	47	<10	7	84
30574	981228	9	1	9.34	14	712	<2	30	1.77	<4	12	386	16	1.18	2.09	25	0.53	199	23	16	437	17	0.30	<5	43	<10	281	1680	<2	37	<10	5	49
30575	981229	20	1	7.95	13	607	<2	24	1.41	<4	10	337	9	0.76	2.05	22	0.36	155	17	9	437	27	0.22	<5	38	<10	227	1442	<2	28	<10	4	44
30576	981230	<5	<1	7.40	12	539	<2	31	1.84	<4	25	67	23	2.45	2.10	19	0.90	486	23	33	558	5	0.05	<5	36	<10	235	1928	5	80	37	14	63
30577	981231	28	<1	10.34	16	719	<2	37	1.95	<4	9	323	9	0.89	2.08	23	0.33	156	21	11	421	37	0.36	<5	53	<10	309	1591	5	32	<10	4	64
30578	981232	32	1	10.03	12	695	<2	28	2.84	<4	16	359	8	2.12	2.10	27	0.87	465	25	10	482	16	0.38	<5	47	<10	281	1956	3	40	<10	7	66
30579	981233	1483	73	7.48	12	441	<2	27	1.36	<4	7	393	46	1.78	2.06	23	0.96	627	20	9	624	186	0.69	<5	34	<10	120	1613	2	31	<10	6	359
30580	981234	621	10	7.87	27	391	<2	25	0.53	5	5	573	45	1.94	2.00	21	0.41	136	27	9	317	2110	1.39	8	40	<10	71	1387	<2	25	24	5	1618
30581D	981234	603	11	7.43	27	376	<2	28	0.49	5	5	570	44	1.94	2.09	19	0.39	132	25	9	398	2107	1.40	7	45	<10	68	1361	<2	24	27	4	1624
30582	981235	1673	17	8.30	35	110	<2	33	1.38	26	14	537	240	4.19	2.15	21	0.88	778	25	12	682	2140	3.81	10	35	<10	96	1440	3	27	144	6	10301
30583	981236	153	3	8.29	24	382	<2	28	0.66	<4	6	527	68	1.92	2.17	20	0.52	302	23	7	356	187	1.22	5	37	<10	62	1558	<2	27	16	4	924
30584	981237	390	11	8.77	32	395	<2	30	1.17	6	5	592	48	2.11	2.06	24	0.75	549	29	9	314	1511	1.44	9	39	<10	88	1485	2	27	33	6	2150
30585	981238	610	13	7.49	25	305	<2	29	2.34	4	4	488	20	1.97	1.98	19	1.36	1289	20	9	413	1461	1.19	<5	33	<10	113	1232	<2	23	25	4	1572
30586	981239	200	4	9.64	32	473	<2	34	1.74	6	8	412	71	1.91	1.88	24	0.98	729	28	9	461	659	1.31	<5	43	<10	106	1607	<2	28	30	6	1913
30587	981240	5134	<1	6.47	197	652	<2	29	2.72	<4	24	126	77	3.42	1.79	21	1.18	448	31	49	685	34	0.75	22	36	<10	173	1584	<2	125	<10	13	261
30588	981241	800	8	8.92	27	426	<2	29	0.80	8	5	482	87	1.72	1.97	25	0.65	246	32	9	418	1301	1.23	5	42	<10	76	1426	<2	25	47	5	3132

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
30589	981242	904	14	6.99	33	275	<2	29	0.30	18	7	667	307	2.34	1.71	17	0.32	100	22	11	352	4190	1.99	17	36	<10	39	1229	3	24	99	4	7027
30590	981243	414	4	8.98	23	564	<2	29	0.79	<4	2	405	18	1.36	1.90	23	0.62	301	28	5	443	250	0.86	<5	41	<10	67	1382	<2	27	13	5	722
30591	981244	168	3	10.44	27	582	<2	31	1.55	<4	5	356	42	1.75	2.12	28	1.08	650	30	9	454	138	1.10	<5	51	<10	108	1765	4	37	11	6	557
30592D	981244	134	2	7.21	32	440	<2	27	1.22	<4	5	315	37	1.57	2.06	19	0.86	526	16	9	396	122	1.02	<5	41	<10	83	1359	<2	29	<10	4	505
30593	981245	129	2	9.99	45	575	<2	30	0.60	<4	4	303	29	1.34	2.08	27	0.58	203	28	8	403	131	0.66	<5	53	<10	57	1797	<2	33	15	5	858
30594	981246	238	4	7.30	24	476	<2	28	0.43	4	3	456	34	1.36	2.15	19	0.47	202	15	10	432	95	0.66	<5	40	<10	43	1500	6	29	18	4	991
30595	981247	1988	9	9.17	10	524	<2	30	0.36	<4	1	475	34	1.04	2.13	24	0.52	155	20	7	432	628	0.34	<5	47	<10	40	1713	2	30	14	4	577
30596	981248	1243	36	8.38	38	180	<2	25	0.40	29	11	499	125	2.39	2.14	21	0.43	264	19	12	284	3553	2.21	22	45	<10	34	1562	<2	32	168	4	12974
30597	981249	421	3	9.04	20	409	<2	34	0.55	<4	6	178	14	0.77	1.87	24	0.53	154	26	7	442	167	0.40	<5	48	<10	47	1469	<2	25	<10	4	374
30598	981250	<5	<1	6.38	11	518	<2	29	1.72	<4	25	66	23	2.46	1.83	16	0.86	488	16	33	521	12	0.06	<5	27	<10	220	1846	3	79	37	13	71
30599	981251	2228	10	9.36	21	597	<2	33	0.90	4	5	260	46	1.30	1.84	37	0.51	193	41	6	286	782	0.88	<5	46	<10	97	1954	<2	40	29	4	1406
30600	981252	3350	219	9.18	24	416	<2	23	2.77	<4	6	270	42	1.29	2.04	30	1.69	1012	26	9	332	348	0.45	13	42	<10	134	1605	<2	35	<10	5	83
30601	981253	205443	1214	8.87	243	159	<2	31	5.30	<4	2	142	800	1.96	2.09	27	2.93	2369	20	6	586	1756	1.04	128	60	<10	165	1385	15	31	<10	6	108
30602	981254	256	11	8.39	19	356	<2	24	1.68	<4	<1	184	14	0.94	1.99	25	1.05	496	19	5	403	67	0.35	<5	46	<10	109	1352	<2	25	<10	3	130
30603D	981254	256	3	9.81	17	394	<2	31	1.92	<4	1	168	13	0.88	2.02	34	1.11	495	35	6	380	61	0.33	<5	49	<10	125	1547	4	28	<10	4	134
30604	981255	840	9	7.96	17	359	<2	27	0.96	22	2	283	77	0.97	1.96	21	0.70	287	18	6	384	461	0.67	<5	39	<10	80	1321	<2	23	68	3	4631
30605	981256	1084	5	8.37	30	263	<2	30	0.38	<4	19	170	87	2.52	2.12	21	0.43	<100	21	11	454	370	2.17	<5	37	<10	49	1468	<2	29	<10	4	529
30606	981257	4276	15	9.08	46	198	<2	33	0.42	10	44	187	372	4.78	2.00	25	0.41	104	37	23	378	1283	4.44	7	30	<10	50	1445	<2	33	47	5	3174
30607	981258	332	2	7.08	14	339	<2	25	1.08	<4	6	99	59	1.29	1.99	20	0.76	395	19	7	361	134	0.96	<5	35	<10	85	1288	<2	25	<10	4	253
30608	981259	158	1	9.49	15	394	<2	28	1.44	<4	4	195	67	1.11	2.16	28	0.97	492	25	5	425	32	0.44	<5	45	<10	120	1663	<2	30	<10	5	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
30609	981260	235	355	5.72	2033	67	<2	35	2.20	133	32	55	457	7.72	1.77	13	0.83	1306	23	27	483	10132	5.11	36	41	15	171	1309	<2	94	179	10	12812
30610	981261	31	4	7.27	27	278	<2	29	2.27	<4	8	282	9	2.48	1.80	23	1.19	721	15	8	384	85	1.66	<5	38	<10	136	1498	<2	28	<10	5	154
30611	981262	11085	207	8.76	20	294	<2	28	3.52	<4	24	230	99	2.65	1.76	22	1.55	1094	22	13	469	298	1.70	<5	37	<10	211	1413	6	30	<10	6	282
30612	981263	93	5	6.23	17	184	<2	28	1.89	<4	13	148	14	3.21	1.66	21	1.08	767	15	8	411	49	2.39	<5	34	<10	145	1274	<2	27	<10	6	590
30613	981264	18	2	9.94	12	280	<2	34	2.80	<4	16	272	13	2.33	1.74	22	0.61	231	23	10	483	17	1.79	<5	44	<10	279	1770	<2	42	<10	6	73
30614R	981264	12	1	7.74	13	322	<2	31	2.30	<4	12	248	11	2.13	1.86	18	0.53	200	16	10	479	14	1.66	<5	38	<10	223	1617	<2	38	<10	5	69
30615	981265	20	1	9.69	14	518	<2	34	2.66	<4	9	98	15	1.35	1.89	26	0.63	234	20	8	452	10	0.50	<5	46	<10	243	1667	<2	34	<10	5	103
30616	981266	9	1	7.14	12	402	<2	27	2.03	<4	9	182	14	1.26	2.11	21	0.54	216	13	9	441	7	0.45	<5	46	<10	176	1484	<2	29	<10	4	94
30617	981267	17	2	8.34	19	138	<2	36	2.13	<4	6	217	62	3.33	1.98	20	0.34	143	21	7	422	14	2.87	<5	34	<10	204	1537	<2	36	<10	5	122
30618	981268	7	<1	5.90	15	348	<2	27	1.34	<4	6	210	8	2.14	1.87	17	0.27	102	14	7	385	6	1.70	<5	39	<10	137	1585	<2	34	<10	4	42
30619	981269	10	1	8.49	16	174	<2	32	2.29	<4	11	165	11	3.29	1.99	25	0.70	223	22	8	504	11	2.73	<5	32	<10	220	1614	2	35	<10	5	63
30620	981270	<5	<1	4.84	12	402	<2	23	1.53	<4	21	61	22	2.34	1.30	14	0.80	454	12	31	543	6	0.07	<5	27	<10	180	1576	2	73	28	12	59
30621	981271	5	<1	8.70	16	260	<2	29	1.74	<4	11	85	6	3.18	1.86	29	0.89	212	21	8	380	10	2.71	<5	45	<10	217	1630	2	34	<10	6	70
30622	981272	<5	<1	9.49	12	400	<2	35	2.44	<4	3	102	9	1.29	1.77	28	0.94	135	21	5	499	7	0.97	<5	48	<10	253	1522	<2	36	<10	5	48
30623	981273	<5	<1	8.22	12	389	<2	29	1.96	<4	2	81	6	0.98	1.76	25	0.93	105	16	5	523	5	0.65	<5	39	<10	238	1445	<2	31	<10	4	35
30624	981274	8	1	10.20	17	404	<2	31	4.21	<4	9	157	11	1.08	1.87	30	1.81	270	25	10	489	6	0.45	<5	39	<10	300	1809	2	39	<10	5	52
30625D	981274	11	<1	8.87	12	381	<2	26	3.82	<4	9	143	12	1.11	1.75	25	1.67	264	17	9	456	8	0.41	<5	39	<10	275	1655	6	37	<10	4	47
30626	981275	21	<1	7.82	21	246	<2	30	2.60	<4	10	113	212	1.64	1.78	21	1.16	500	20	345	443	43	0.49	<5	36	<10	105	1104	<2	24	<10	6	228
30627	981276	169	<1	6.58	47	324	<2	23	0.46	<4	10	107	16	2.10	1.73	12	0.21	<100	21	23	579	75	1.86	<5	38	<10	55	801	<2	25	<10	5	221
30628	981277	129	<1	6.48	33	391	<2	29	0.41	<4	12	211	23	1.71	1.66	13	0.22	<100	21	15	592	50	1.42	<5	38	<10	47	783	<2	23	<10	5	197

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
30629	981278	81	1	6.18	33	340	<2	21	0.95	<4	5	393	21	1.91	1.69	16	0.50	208	23	11	404	33	1.12	<5	31	<10	53	669	<2	18	<10	5	178
30630	981279	72	3	6.89	30	331	<2	27	1.44	<4	<1	341	41	1.50	1.72	17	0.67	244	25	11	460	38	0.78	<5	34	<10	71	672	2	18	<10	5	102
30631	981280	5135	8	9.20	17	357	<2	35	2.94	4	55	50	109	4.73	1.68	28	1.95	866	40	56	954	22	0.70	<5	30	10	268	1787	<2	108	<10	16	135
30632	981281	112	<1	7.82	32	410	<2	26	1.07	<4	9	240	16	1.85	1.65	19	0.61	171	28	10	637	40	1.32	<5	31	<10	65	870	<2	24	<10	6	238
30633	981282	160	<1	7.03	27	477	<2	28	0.37	<4	9	133	20	1.54	1.87	14	0.26	<100	21	9	548	29	1.27	<5	34	<10	40	858	<2	25	<10	5	146
30634	981283	245	2	7.61	47	282	<2	28	0.45	5	19	280	28	2.03	1.85	16	0.33	<100	25	28	480	56	1.74	<5	39	<10	47	830	<2	40	17	5	1010
30635	981284	78	1	6.82	69	293	<2	25	0.34	<4	38	232	38	2.35	1.98	13	0.26	<100	27	62	504	36	2.07	<5	42	<10	43	761	<2	59	<10	5	83
30636D	981284	81	<1	6.00	48	303	<2	22	0.30	<4	33	218	35	2.09	2.11	11	0.24	<100	23	57	431	33	1.83	<5	38	<10	37	651	<2	51	<10	5	52
30637	981285	315	<1	7.55	105	369	<2	33	0.38	7	19	360	72	2.50	2.16	15	0.28	<100	27	32	378	176	2.25	17	32	<10	48	808	<2	44	31	4	2068
30638	981286	465	<1	6.04	112	174	2	24	0.30	11	27	237	82	2.95	1.92	13	0.22	<100	24	45	379	162	2.88	15	29	<10	40	662	<2	41	42	5	2750
30639	981287	264	2	7.75	60	379	<2	28	0.40	5	12	289	56	2.21	1.80	16	0.32	<100	28	22	529	213	2.01	15	39	<10	49	802	<2	35	19	4	1253
30640	981288	123	1	8.37	58	404	<2	31	0.42	<4	19	361	20	2.44	1.81	16	0.32	<100	29	33	452	53	2.17	<5	42	<10	53	884	<2	50	<10	5	86
30641	981289	242	3	8.47	36	505	<2	28	0.43	4	10	138	41	1.61	1.72	18	0.40	<100	25	11	568	444	1.24	7	44	<10	51	996	<2	31	14	5	860
30642	981290	<5	<1	7.32	13	447	<2	36	1.74	<4	23	63	24	2.35	1.84	22	0.90	464	29	31	484	8	0.06	<5	33	<10	197	1711	<2	73	24	14	75
30643	981291	86	1	8.92	25	492	2	31	0.51	4	9	200	85	1.33	1.83	21	0.43	<100	27	15	572	454	0.91	7	43	<10	57	1149	<2	33	19	7	680
30644	981292	600	2	8.86	44	404	<2	29	0.78	7	12	330	58	2.35	2.02	21	0.54	167	29	14	528	167	2.02	<5	38	<10	62	1145	<2	31	27	6	1547
30645	981293	101	<1	8.46	27	444	<2	28	0.89	<4	9	176	29	1.82	1.97	21	0.56	258	28	11	575	29	1.08	<5	39	<10	58	1208	<2	27	10	6	202
30646	981294	160	<1	8.98	22	364	<2	30	1.84	<4	8	124	20	1.47	2.08	23	0.93	516	33	10	592	25	0.92	<5	42	<10	86	1122	2	23	<10	7	90
30647D	981294	162	<1	8.06	28	322	<2	31	1.79	<4	7	115	20	1.45	2.14	21	0.89	510	28	10	567	28	0.93	<5	39	<10	82	1018	<2	21	<10	6	88
30648	981295	118	<1	7.78	24	336	<2	30	1.59	4	8	244	59	1.91	2.04	20	0.92	448	27	12	588	53	1.21	<5	35	<10	87	1102	2	21	16	7	714

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, February 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
30549	981205	262	0.008	0.262
30550	981206	133	0.004	0.133
30551	981207	2197	0.064	2.197
30552	981208	101	0.003	0.101
30553	981209	19	<0.001	0.019
30554	981210	<5	<0.001	<0.005
30555	981211	<5	<0.001	<0.005
30556	981212	5	<0.001	0.005
30557	981213	36	0.001	0.036
30558	981214	<5	<0.001	<0.005
30559 Dup	981214	<5	<0.001	<0.005
30560	981215	<5	<0.001	<0.005
30561	981216	<5	<0.001	<0.005
30562	981217	<5	<0.001	<0.005
30563	981218	8	<0.001	0.008
30564	981219	152	0.004	0.152
30565	981220	5070	0.148	5.070
30566	981221	65	0.002	0.065
30567	981222	10	<0.001	0.010
30568	981223	7	<0.001	0.007
30569	981224	10	<0.001	0.010
30570 Dup	981224	6	<0.001	0.006
30571	981225	12	<0.001	0.012
30572	981226	10	<0.001	0.010
30573	981227	11	<0.001	0.011
30574	981228	9	<0.001	0.009
30575	981229	20	<0.001	0.020
30576	981230	<5	<0.001	<0.005
30577	981231	28	<0.001	0.028
30578	981232	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, February 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
30579	981233	1483	0.043	1.483
30580	981234	621	0.018	0.621
30581 Dup	981234	603	0.018	0.603
30582	981235	1673	0.049	1.673
30583	981236	153	0.004	0.153
30584	981237	390	0.011	0.390
30585	981238	610	0.018	0.610
30586	981239	200	0.006	0.200
30587	981240	5134	0.150	5.134
30588	981241	800	0.023	0.800
30589	981242	904	0.026	0.904
30590	981243	414	0.012	0.414
30591	981244	168	0.005	0.168
30592 Dup	981244	134	0.004	0.134
30593	981245	129	0.004	0.129
30594	981246	238	0.007	0.238
30595	981247	1988	0.058	1.988
30596	981248	1243	0.036	1.243
30597	981249	421	0.012	0.421
30598	981250	<5	<0.001	<0.005
30599	981251	2228	0.065	2.228
30600	981252	3350	0.098	3.350
30601	981253	205443	5.994	205.443
30602	981254	256	0.007	0.256
30603 Dup	981254	256	0.007	0.256
30604	981255	840	0.024	0.840
30605	981256	1084	0.032	1.084
30606	981257	4276	0.125	4.276
30607	981258	332	0.010	0.332
30608	981259	158	0.005	0.158

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, February 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
30609	981260	235	0.007	0.235
30610	981261	31	<0.001	0.031
30611	981262	11085	0.323	11.085
30612	981263	93	0.003	0.093
30613	981264	18	<0.001	0.018
30614 Rep	981264	12	<0.001	0.012
30615	981265	20	<0.001	0.020
30616	981266	9	<0.001	0.009
30617	981267	17	<0.001	0.017
30618	981268	7	<0.001	0.007
30619	981269	10	<0.001	0.010
30620	981270	<5	<0.001	<0.005
30621	981271	5	<0.001	0.005
30622	981272	<5	<0.001	<0.005
30623	981273	<5	<0.001	<0.005
30624	981274	8	<0.001	0.008
30625 Dup	981274	11	<0.001	0.011
30626	981275	21	<0.001	0.021
30627	981276	169	0.005	0.169
30628	981277	129	0.004	0.129
30629	981278	81	0.002	0.081
30630	981279	72	0.002	0.072
30631	981280	5135	0.150	5.135
30632	981281	112	0.003	0.112
30633	981282	160	0.005	0.160
30634	981283	245	0.007	0.245
30635	981284	78	0.002	0.078
30636 Dup	981284	81	0.002	0.081
30637	981285	315	0.009	0.315
30638	981286	465	0.014	0.465

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, February 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/01/2011  
 Date Completed: 02/10/2011  
 Job #: 201140461  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
30639	981287	264	0.008	0.264
30640	981288	123	0.004	0.123
30641	981289	242	0.007	0.242
30642	981290	<5	<0.001	<0.005
30643	981291	86	0.002	0.086
30644	981292	600	0.017	0.600
30645	981293	101	0.003	0.101
30646	981294	160	0.005	0.160
30647 Dup	981294	162	0.005	0.162
30648	981295	118	0.003	0.118

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/11/2011  
Date Completed: 02/24/2011  
Job #: 201140637  
Reference: TMI-TML  
Sample #: 2

---

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
43138	981253	90.250	91.096	1457.391	244.255	11.24%	39.78
43139	981262	8.385	9.370	106.794	13.766	4.99%	49.93

PROCEDURE CODES: ALPM1

Certified By:  Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 02/24/2011  
 Job #: 201140698  
 Reference: TM1-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
47621	981337	4.085	5.048	21.256	5.373	4.83%	48.31

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36417	981296	16	1	8.47	12	474	<2	<1	1.94	<4	2	169	11	1.78	2.55	28	0.78	346	15	7	516	<1	0.35	<5	<5	<10	262	1627	44	35	<10	5	32
36418	981297	8	<1	8.95	13	406	<2	<1	1.70	<4	<1	204	2	0.62	2.38	24	0.52	140	18	23	422	33	0.18	<5	<5	<10	298	1115	34	26	<10	4	13
36419	981298	7	<1	9.64	11	433	<2	<1	1.56	<4	<1	209	2	0.55	2.37	29	0.62	127	18	22	444	<1	0.12	<5	<5	<10	297	1323	52	28	<10	4	16
36420	981299	10	2	9.66	17	520	<2	1	1.51	<4	<1	196	5	0.55	2.43	29	0.51	123	17	23	452	<1	0.16	<5	<5	<10	300	1421	64	31	<10	4	17
36421	981300	5053	2	7.87	360	1567	<2	<1	2.69	<4	6	118	65	3.16	1.35	24	1.15	426	15	36	794	5	1.02	33	<5	<10	174	1595	61	118	<10	14	213
36422	981301	7	1	9.30	10	510	<2	2	1.74	<4	<1	258	7	0.81	2.62	27	0.67	204	17	5	455	<1	0.30	<5	17	<10	329	1254	42	29	<10	4	14
36423	981302	8	1	10.18	8	539	<2	2	1.47	<4	<1	226	3	0.67	2.45	28	0.54	133	18	19	467	<1	0.32	<5	<5	<10	448	1356	64	28	<10	4	12
36424	981303	8	<1	9.25	7	537	<2	<1	1.40	<4	<1	225	3	0.73	2.41	26	0.46	143	19	5	437	<1	0.32	<5	<5	<10	354	1269	64	27	<10	4	14
36425	981304	9	<1	8.79	9	474	<2	<1	1.28	<4	<1	195	2	0.80	2.32	27	0.51	175	17	24	454	<1	0.32	<5	<5	<10	303	1298	55	30	<10	4	15
36426	981305	21	1	9.05	6	509	<2	<1	2.73	<4	8	326	20	3.09	2.59	32	0.95	743	9	27	708	14	0.64	<5	<5	<10	326	3045	54	69	<10	8	44
36427D	981305	46	<1	8.79	5	501	<2	<1	2.68	<4	8	321	19	3.05	2.55	32	0.91	730	11	25	696	11	0.63	<5	<5	<10	317	2993	52	67	<10	8	40
36428	981306	20	2	8.85	11	481	<2	<1	2.68	<4	7	316	18	2.87	2.36	31	0.89	702	13	23	684	2	0.59	<5	<5	<10	318	2997	48	66	<10	7	43
36429	981307	3208	1	9.77	11	462	2	<1	1.73	<4	10	352	39	3.89	2.26	33	1.45	458	5	52	581	11	0.68	<5	<5	<10	109	2134	47	95	<10	8	62
36430	981308	324	<1	9.67	10	474	2	<1	1.64	<4	10	507	47	3.55	1.63	29	1.13	437	9	54	616	19	0.94	<5	<5	<10	114	2112	53	84	<10	10	69
36431	981309	185	3	9.00	32	484	<2	<1	1.74	<4	6	413	32	2.72	2.26	25	0.89	501	9	25	467	34	2.36	<5	<5	<10	105	1517	47	51	22	6	3183
36432	981310	5	2	8.05	18	464	<2	<1	1.74	<4	4	53	15	2.07	2.33	21	0.78	408	10	21	555	<1	0.06	<5	17	<10	215	1604	36	70	34	12	21
36433	981311	39	2	10.05	15	571	<2	<1	1.56	<4	4	350	10	2.00	2.20	28	0.82	324	13	13	425	6	1.64	<5	<5	<10	118	1721	60	40	<10	6	87
36434	981312	31	1	9.35	18	712	<2	<1	1.46	<4	3	242	9	1.63	2.58	26	0.71	242	19	11	436	7	1.33	<5	<5	<10	136	1612	64	36	<10	5	20
36435	981313	11	<1	9.12	15	712	<2	<1	1.11	<4	<1	248	9	1.30	2.59	27	0.51	123	18	6	444	10	1.09	<5	<5	<10	152	1571	54	32	<10	4	95
36436	981314	16	1	9.25	15	874	<2	1	1.01	<4	<1	195	9	1.14	2.59	28	0.48	100	19	20	423	56	1.01	<5	<5	<10	175	1581	58	30	<10	4	715

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36437	981315	14	2	8.59	20	743	<2	1	1.09	<4	2	322	4	2.42	2.24	27	0.40	128	22	9	323	104	2.69	<5	19	<10	193	1466	36	29	<10	3	246
36438D	981315	15	2	8.61	15	808	<2	2	1.15	<4	2	328	4	2.42	2.28	29	0.40	133	22	9	329	105	2.71	<5	<5	<10	207	1568	56	31	<10	3	243
36439	981316	<5	1	8.82	13	558	<2	<1	1.56	<4	<1	171	1	0.74	2.51	25	0.34	120	23	55	417	13	0.49	<5	<5	<10	251	1342	46	27	<10	3	24
36440	981317	5	2	8.89	11	525	2	<1	1.65	<4	<1	251	3	0.66	2.44	27	0.35	123	23	20	374	5	0.27	<5	<5	<10	258	1428	43	32	<10	3	37
36441	981318	<5	<1	8.87	12	527	<2	3	1.64	<4	<1	298	4	0.80	2.42	25	0.31	<100	22	26	402	5	0.54	<5	<5	<10	274	1365	51	27	<10	3	35
36442	981319	7	2	10.16	21	884	2	<1	1.80	<4	3	235	14	0.97	2.70	32	0.52	188	21	12	503	18	0.58	<5	<5	<10	308	1853	56	40	<10	5	79
36443	981320	246	412	8.63	4419	179	2	1	2.45	123	9	56	412	7.16	1.10	20	0.91	1276	36	28	452	9605	6.31	77	<5	11	203	1409	38	92	100	12	13374
36444	981321	11	7	10.67	68	897	2	<1	1.98	<4	<1	245	20	0.86	2.48	27	0.40	154	22	24	502	140	0.51	<5	<5	<10	318	1578	40	36	<10	4	241
36445	981322	10	3	10.47	16	874	2	<1	2.10	<4	<1	173	12	0.66	2.42	30	0.37	131	22	31	522	15	0.37	<5	<5	<10	355	1604	56	34	<10	4	87
36446	981323	14	2	9.98	18	659	<2	<1	1.98	<4	<1	233	6	0.69	2.44	28	0.35	129	28	27	491	1	0.31	<5	<5	<10	316	1477	40	33	<10	4	22
36447	981324	19	<1	8.62	15	543	<2	2	1.87	<4	<1	233	5	0.63	2.21	22	0.27	104	27	33	434	<1	0.32	<5	<5	<10	268	1134	50	26	<10	3	19
36448	981325	7	1	8.40	15	434	<2	2	1.74	<4	<1	435	5	0.67	2.41	25	0.31	105	23	20	380	3	0.20	<5	<5	<10	260	1199	41	23	<10	4	18
36449D	981325	9	2	8.75	14	443	<2	<1	1.80	<4	<1	450	5	0.68	2.50	26	0.33	107	25	18	399	5	0.20	<5	<5	<10	264	1236	33	24	<10	4	20
36450	981326	9	1	8.94	7	514	<2	1	2.01	<4	<1	235	7	0.66	2.44	27	0.33	111	23	21	430	3	0.25	<5	19	<10	313	1406	45	27	<10	3	22
36451	981327	12	2	8.95	13	580	<2	<1	2.85	<4	3	173	5	1.92	2.58	28	0.80	356	17	7	576	10	0.52	<5	<5	<10	298	1882	77	37	<10	5	56
36452	981328	892	10	9.47	26	412	<2	5	1.86	<4	<1	204	14	1.88	2.62	30	1.09	998	11	6	596	51	1.26	<5	<5	<10	136	1754	39	32	<10	5	241
36453	981329	678	8	7.73	16	458	<2	2	0.51	<4	<1	333	36	1.03	2.58	23	0.36	<100	23	13	345	293	0.96	7	<5	<10	46	1203	43	19	<10	3	616
36454	981330	6	2	8.48	14	541	<2	<1	1.91	<4	5	65	18	2.39	2.53	21	0.89	479	15	23	627	34	0.09	<5	<5	<10	241	1965	48	79	38	14	31
36455	981331	392	7	9.20	13	552	<2	<1	1.28	<4	<1	218	14	0.93	2.56	28	0.84	514	13	17	429	137	0.68	6	<5	<10	90	1405	56	24	<10	4	571
36456	981332	446	6	9.67	14	596	<2	1	0.77	<4	<1	225	23	1.32	2.35	26	0.61	272	14	13	441	188	1.36	6	20	<10	59	1464	68	25	<10	4	783

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36457	981333	549	11	9.61	20	603	<2	<1	1.48	<4	<1	242	45	1.36	1.96	29	1.01	670	10	3	448	364	1.31	8	<5	<10	90	1528	52	24	<10	4	866
36458	981334	321	5	8.99	16	526	<2	2	1.44	<4	<1	177	21	0.82	2.61	26	0.92	578	12	15	437	24	0.59	<5	<5	<10	86	1467	64	22	<10	3	58
36459	981335	1242	5	8.94	26	426	<2	<1	1.12	<4	1	241	19	1.91	2.40	29	0.77	421	12	7	550	135	2.14	<5	<5	<10	66	1737	40	35	<10	5	688
36460D	981335	1180	5	8.01	30	413	<2	<1	1.07	<4	<1	234	19	1.85	2.33	29	0.70	403	14	7	521	136	2.13	<5	<5	<10	66	1726	82	35	<10	4	671
36461	981336	959	5	8.30	24	397	2	<1	1.17	<4	<1	301	19	1.43	1.93	28	0.85	541	12	5	522	320	1.39	5	13	<10	70	1585	16	33	<10	4	508
36462	981337	5422	23	7.84	33	362	<2	<1	0.54	<4	<1	390	239	2.53	1.57	26	0.39	106	20	6	227	2701	3.31	23	<5	<10	43	1148	38	25	32	4	4474
36463	981338	3309	12	7.84	24	427	2	<1	0.50	<4	<1	314	78	1.45	2.26	25	0.37	<100	21	19	358	575	1.45	13	<5	<10	45	1386	66	33	10	4	1142
36464	981339	433	3	7.98	22	449	<2	<1	0.58	<4	<1	263	14	1.25	2.60	24	0.54	186	18	5	432	45	1.19	<5	19	<10	50	1474	45	33	<10	4	123
36465	981340	4986	8	9.01	12	339	<2	<1	2.98	<4	12	73	87	4.36	2.70	24	1.84	810	7	41	872	9	0.84	<5	18	<10	269	2494	36	116	<10	14	73
36466	981341	422	3	8.18	21	424	2	<1	0.75	<4	<1	323	11	1.11	2.14	27	0.54	222	17	5	439	22	0.90	<5	<5	<10	59	1508	72	33	<10	4	140
36467	981342	626	11	8.50	15	413	<2	<1	0.96	<4	2	277	10	1.22	2.64	24	0.77	406	15	8	480	45	0.97	6	19	<10	65	1630	60	37	<10	5	61
36468	981343	1387	15	9.27	20	437	2	<1	1.48	<4	4	270	13	1.54	2.39	32	1.09	603	7	13	522	103	1.20	<5	16	<10	99	1917	85	41	<10	4	426
36469	981344	226	3	9.26	25	419	2	<1	1.21	<4	3	312	17	2.03	2.64	28	0.73	407	15	14	538	26	2.13	<5	<5	<10	99	1876	39	44	<10	6	78
36470	981345	291	2	9.12	12	479	<2	<1	1.39	<4	<1	365	26	1.08	2.64	28	0.83	459	14	3	445	137	0.78	<5	<5	<10	102	1486	56	27	<10	4	740
36471D	981345	312	3	8.64	15	454	<2	<1	1.32	<4	<1	355	26	1.03	2.49	25	0.80	444	14	13	423	136	0.74	<5	<5	<10	97	1389	53	25	<10	4	726
36472	981346	286	3	9.09	15	390	<2	<1	1.38	<4	<1	207	386	1.07	2.65	24	0.87	421	16	663	318	172	0.81	<5	9	<10	99	1259	67	24	<10	5	784
36473	981347	35	3	9.42	14	438	<2	<1	2.23	<4	2	616	34	1.93	1.56	29	1.27	866	10	19	529	13	1.26	<5	<5	<10	132	1431	70	29	<10	6	60
36474	981348	11	2	9.36	13	409	<2	1	3.63	<4	4	592	10	2.67	1.74	27	1.55	1205	5	15	513	5	1.52	<5	<5	<10	155	1563	53	30	<10	9	40
36475	981349	7	1	9.71	9	394	<2	1	3.59	<4	3	519	7	1.66	2.42	24	1.00	791	13	11	502	3	1.15	<5	<5	<10	180	1550	94	28	<10	6	14
36476	981350	<5	<1	8.56	12	539	<2	<1	1.97	<4	5	67	17	2.43	2.35	21	0.92	494	17	25	637	<1	0.08	<5	<5	<10	241	1890	68	79	39	15	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36477	981351	11	1	9.93	9	407	<2	<1	2.17	<4	<1	562	3	1.05	2.31	24	0.57	386	19	7	525	5	0.58	<5	<5	<10	176	1349	51	29	<10	5	15
36478	981352	15	2	9.35	13	349	<2	<1	2.23	<4	<1	624	5	1.63	2.12	26	0.84	609	13	9	507	10	1.32	<5	<5	<10	186	1388	61	31	<10	5	18
36479	981353	8	1	9.05	15	354	<2	1	2.01	<4	3	509	6	2.24	2.43	22	0.43	225	24	10	501	4	2.35	<5	<5	<10	225	1309	73	33	<10	5	31
36480	981354	5	1	9.29	9	472	<2	<1	1.98	<4	<1	410	13	1.18	2.41	28	0.47	215	28	6	475	<1	0.46	<5	16	<10	204	1682	46	32	<10	4	22
36481	981355	6	2	9.21	23	511	<2	<1	2.17	<4	<1	575	8	1.48	2.44	28	0.44	206	23	7	496	<1	0.34	<5	<5	<10	186	1593	66	34	<10	5	24
36482R	981355	13	2	9.69	16	512	<2	<1	2.27	<4	<1	528	7	1.43	2.55	27	0.45	201	21	7	494	<1	0.32	<5	<5	<10	193	1563	63	33	<10	5	22
36483	981356	253	2	9.34	12	473	<2	1	2.28	<4	<1	464	8	1.54	2.58	26	0.47	204	22	5	560	33	0.38	<5	<5	<10	196	1721	43	36	<10	6	23
36484	981357	<5	<1	9.41	17	535	<2	<1	2.14	<4	<1	460	10	1.38	2.10	29	0.63	249	19	7	580	<1	0.23	<5	20	<10	195	1741	52	36	<10	6	38
36485	981358	<5	<1	10.53	13	418	<2	<1	2.91	<4	3	413	5	2.70	1.20	32	1.16	422	11	10	661	2	2.10	<5	19	<10	230	1847	79	34	<10	8	23
36486	981359	<5	2	10.59	12	360	<2	<1	2.51	<4	2	559	9	1.81	1.42	30	1.09	292	12	10	583	3	1.64	<5	<5	<10	198	1574	48	34	<10	6	18
36487	981360	5121	2	7.93	379	1657	<2	<1	2.78	<4	6	129	69	3.27	1.45	25	1.20	437	20	39	836	4	1.10	25	<5	<10	169	1567	28	122	<10	15	236
36488	981361	114	33	9.57	18	375	<2	<1	0.82	<4	3	445	18	1.78	1.46	28	0.62	214	19	10	559	36	1.83	10	<5	<10	76	1634	52	35	<10	6	92
36489	981362	16	3	9.38	9	275	<2	<1	1.97	<4	2	451	5	1.74	1.47	27	0.75	418	13	7	486	5	1.78	<5	<5	<10	149	1193	29	23	<10	5	25
36490	981363	24	1	9.82	13	254	<2	<1	3.53	<4	2	629	4	1.79	1.54	22	0.86	657	12	9	460	2	1.65	<5	<5	<10	196	1109	54	22	<10	6	12
36491	981364	11	<1	9.22	22	216	<2	<1	3.68	<4	2	499	3	1.84	1.43	23	0.92	848	14	8	488	2	1.77	<5	15	<10	186	1148	69	22	<10	6	14
36492	981365	7	<1	8.63	15	367	<2	<1	1.68	<4	3	444	5	1.44	1.72	28	0.89	249	10	10	567	<1	1.23	<5	<5	<10	168	1328	38	28	<10	6	17
36493D	981365	6	<1	8.72	16	384	<2	<1	1.69	<4	3	466	6	1.54	2.20	30	0.93	255	10	11	589	<1	1.31	<5	<5	<10	172	1402	35	29	<10	6	17
36494	981366	6	2	9.04	13	393	<2	<1	1.80	<4	3	407	5	1.49	2.25	29	0.89	255	10	9	593	1	1.30	<5	<5	<10	185	1460	36	30	<10	6	16
36495	981367	11	2	9.27	18	488	<2	<1	2.12	<4	3	447	11	1.15	2.65	30	1.15	241	6	9	613	3	0.70	<5	<5	<10	242	1479	37	33	<10	5	19
36496	981368	6	1	7.82	23	447	2	1	1.47	<4	<1	387	10	0.89	1.28	26	0.92	208	13	12	614	5	0.47	<5	14	<10	189	1187	46	31	<10	7	16

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36497	981369	<5	<1	9.31	15	555	<2	<1	2.13	<4	<1	442	4	1.02	1.92	29	1.04	240	11	8	657	35	0.42	<5	<5	<10	263	1073	50	33	<10	5	16
36498	981370	<5	<1	7.86	14	516	<2	<1	1.88	<4	4	73	17	2.39	1.32	21	0.92	480	17	26	630	2	0.08	<5	<5	<10	218	1784	59	78	34	14	25
36499	981371	<5	1	8.67	20	538	<2	<1	1.36	<4	<1	430	5	0.98	1.22	25	0.78	157	15	7	654	4	0.48	<5	<5	<10	203	880	55	31	<10	5	15
36500	981372	<5	2	9.02	16	506	<2	<1	1.48	<4	<1	460	7	1.17	1.26	27	0.88	189	15	9	701	12	0.54	<5	<5	<10	215	916	53	33	<10	6	17
36501	981373	10	<1	8.94	17	419	<2	<1	1.85	<4	<1	487	8	1.82	1.23	30	1.11	409	12	9	665	5	0.70	<5	<5	<10	203	1063	89	30	<10	7	21
36502	981374	13	1	8.84	27	552	<2	<1	1.15	<4	2	466	6	2.41	1.93	26	0.52	283	25	10	643	6	1.76	<5	<5	<10	166	1266	36	36	<10	6	45
36503	981375	13	1	8.52	22	339	<2	<1	1.32	<4	3	451	5	4.03	1.42	25	0.65	461	25	12	632	16	3.90	<5	<5	<10	165	1090	48	34	<10	7	164
36504D	981375	15	1	8.37	28	371	<2	<1	1.39	<4	2	460	6	4.09	1.87	26	0.64	471	26	13	643	15	3.97	<5	<5	<10	174	1134	44	35	<10	6	171
36505	981376	10	1	8.55	31	422	<2	<1	1.51	<4	2	481	4	2.72	1.51	27	0.78	479	22	12	598	9	2.27	<5	<5	<10	173	1220	86	34	<10	6	29
36506	981377	22	2	9.82	21	401	2	<1	2.68	<4	7	587	36	3.71	1.33	31	1.36	636	13	53	658	13	2.20	<5	12	<10	277	1679	46	69	<10	14	62
36507	981378	30	2	9.68	40	448	<2	<1	2.26	<4	2	519	11	1.91	2.46	23	1.01	410	17	15	604	11	0.84	<5	15	<10	117	1579	82	37	<10	6	25
36508	981379	68	1	9.43	37	628	<2	1	1.07	<4	<1	436	9	1.50	2.46	23	0.51	184	23	11	598	16	0.95	<5	<5	<10	87	1812	39	39	<10	5	65
36509	981380	228	349	8.22	4423	104	<2	2	2.28	124	<1	51	405	6.88	0.84	19	0.88	1208	38	32	434	9119	5.47	71	<5	<10	183	1258	65	89	100	12	12688
36510	981381	93	7	9.56	113	494	<2	<1	1.18	<4	<1	651	24	1.94	1.59	22	0.56	223	23	14	600	138	1.30	<5	13	<10	102	1518	60	36	<10	6	237
36511	981382	317	5	8.95	59	495	<2	<1	1.17	<4	<1	600	16	2.05	1.44	24	0.60	248	25	15	593	149	1.55	<5	<5	<10	91	1450	48	37	<10	6	182
36512	981383	277	2	9.33	41	515	<2	<1	0.55	<4	<1	596	6	1.87	1.63	19	0.31	<100	29	11	606	31	1.47	<5	<5	<10	61	1453	86	36	<10	6	83
36513	981384	39	3	8.74	41	503	2	<1	1.26	<4	<1	403	38	2.09	1.74	22	0.53	222	24	18	547	37	1.45	<5	14	<10	96	1232	23	38	<10	7	225
36514	981385	60	<1	9.20	30	442	<2	<1	1.80	<4	<1	186	4	1.59	1.23	25	0.97	343	13	9	635	19	0.96	<5	12	<10	81	1130	63	26	<10	7	69
36515D	981385	95	2	9.14	36	436	<2	<1	1.84	<4	<1	190	4	1.62	1.23	25	0.99	357	15	9	665	18	0.96	<5	<5	<10	82	1114	68	25	<10	7	69
36516	981386	169	2	9.27	30	413	<2	<1	1.98	<4	<1	214	3	1.59	1.24	24	1.01	363	12	9	653	19	0.89	<5	<5	<10	87	1075	70	24	<10	7	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36517	981387	57	<1	8.36	32	536	<2	<1	0.81	<4	<1	205	8	1.42	2.25	20	0.48	135	20	<1	593	19	1.09	<5	<5	<10	55	1293	49	30	<10	5	31
36518	981388	498	3	9.02	60	568	<2	<1	0.63	<4	<1	288	25	1.67	2.49	21	0.46	<100	22	<1	560	49	1.40	8	<5	<10	57	1300	38	33	<10	5	164
36519	981389	496	3	8.39	122	452	<2	2	0.71	<4	<1	315	44	2.12	2.42	18	0.48	131	24	20	435	93	1.90	20	9	<10	56	1046	54	42	<10	6	614
36520	981390	7	2	8.38	22	519	<2	<1	1.85	<4	<1	62	17	2.30	2.40	21	0.87	457	18	29	601	9	0.07	<5	<5	<10	231	1873	30	77	36	13	20
36521	981391	31	<1	7.97	39	525	2	<1	0.51	<4	<1	454	19	1.40	2.31	19	0.35	<100	22	<1	472	24	1.07	<5	10	<10	52	1151	53	38	<10	4	15
36522	981392	262	1	7.73	86	526	<2	<1	0.45	<4	<1	392	45	2.40	2.19	17	0.32	<100	28	37	430	29	2.49	<5	9	<10	47	927	44	59	13	5	1904
36523	981393	99	1	8.20	72	620	<2	<1	0.50	<4	<1	459	30	1.80	1.98	18	0.35	<100	26	34	497	24	1.68	<5	<5	<10	50	911	63	61	<10	5	41
36524	981394	320	1	8.07	78	588	<2	1	0.48	<4	<1	277	29	1.60	2.09	17	0.34	<100	22	<1	527	39	1.47	<5	13	<10	50	869	67	35	<10	4	443
36525	981395	57	1	8.37	55	513	<2	<1	0.46	<4	<1	357	22	1.92	1.23	17	0.32	<100	27	17	504	29	1.84	<5	11	<10	49	835	32	36	<10	5	322
36526D	981395	64	<1	8.54	59	553	<2	1	0.44	<4	<1	355	22	1.93	1.31	16	0.32	<100	27	16	495	26	1.85	<5	<5	<10	49	878	44	37	<10	5	312
36527	981396	397	3	7.90	126	536	<2	<1	0.46	<4	<1	327	126	2.06	1.49	17	0.35	<100	27	37	415	102	1.93	23	10	<10	46	867	47	59	<10	6	201
36528	981397	90	2	8.38	51	824	<2	<1	0.56	<4	<1	396	23	1.58	2.14	20	0.54	155	25	13	528	25	1.28	6	11	<10	48	1220	61	35	<10	4	151
36529	981398	42	<1	8.53	42	773	<2	<1	0.59	<4	<1	258	17	1.35	2.41	22	0.51	159	23	<1	526	26	1.03	<5	<5	<10	46	1468	41	35	<10	4	189
36530	981399	72	2	9.50	27	615	<2	<1	1.45	<4	<1	287	27	1.44	2.58	23	0.92	441	13	11	573	95	0.96	<5	5	<10	81	1467	49	36	<10	5	175
36531	981400	5145	9	8.95	22	345	<2	<1	3.11	<4	<1	82	86	4.36	2.60	22	1.91	822	16	53	899	19	0.68	<5	<5	<10	275	2568	35	121	<10	14	71
36532	981401	111	2	8.50	48	587	<2	<1	1.03	<4	<1	202	33	1.32	2.30	24	0.66	277	18	<1	531	608	1.05	10	12	<10	57	1618	31	37	15	4	1339
36533	981402	208	<1	8.56	32	549	<2	<1	1.30	<4	<1	182	17	1.50	2.02	27	0.75	424	19	10	539	255	1.18	<5	<5	<10	65	1749	43	36	11	4	941
36534	981403	974	3	7.88	55	479	<2	<1	0.63	<4	<1	340	61	2.03	2.28	21	0.42	145	26	11	391	230	2.02	6	<5	<10	42	1374	40	30	44	4	5451
36535	981404	1225	6	8.76	50	563	<2	<1	1.49	<4	<1	237	109	2.18	2.28	27	0.89	478	16	13	438	1452	1.95	26	<5	<10	73	1636	75	36	29	5	3869
36536	981405	189	<1	8.39	15	576	<2	<1	1.05	<4	<1	268	22	1.40	1.64	22	0.64	281	12	4	485	31	1.56	<5	<5	<10	67	1512	65	30	<10	5	205

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
36537D	981405	171	2	8.43	29	596	<2	<1	1.05	<4	<1	273	23	1.39	1.99	23	0.65	289	23	<1	484	41	1.19	<5	<5	<10	67	1488	42	33	<10	5	211
36538	981406	224	1	7.18	32	552	<2	<1	0.91	<4	<1	311	39	1.53	1.34	17	0.59	274	25	35	535	54	1.20	<5	9	<10	59	1396	47	31	<10	5	364
36539	981407	31	2	8.73	28	531	<2	<1	2.73	<4	<1	258	12	1.92	1.12	22	1.60	597	11	16	595	25	0.67	<5	10	<10	174	1490	55	30	<10	6	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
36417	981296	16	<0.001	0.016
36418	981297	8	<0.001	0.008
36419	981298	7	<0.001	0.007
36420	981299	10	<0.001	0.010
36421	981300	5053	0.147	5.053
36422	981301	7	<0.001	0.007
36423	981302	8	<0.001	0.008
36424	981303	8	<0.001	0.008
36425	981304	9	<0.001	0.009
36426	981305	21	<0.001	0.021
36427 Dup	981305	46	0.001	0.046
36428	981306	20	<0.001	0.020
36429	981307	3208	0.094	3.208
36430	981308	324	0.009	0.324
36431	981309	185	0.005	0.185
36432	981310	5	<0.001	0.005
36433	981311	39	0.001	0.039
36434	981312	31	<0.001	0.031
36435	981313	11	<0.001	0.011
36436	981314	16	<0.001	0.016
36437	981315	14	<0.001	0.014
36438 Dup	981315	15	<0.001	0.015
36439	981316	<5	<0.001	<0.005
36440	981317	5	<0.001	0.005
36441	981318	<5	<0.001	<0.005
36442	981319	7	<0.001	0.007
36443	981320	246	0.007	0.246
36444	981321	11	<0.001	0.011
36445	981322	10	<0.001	0.010
36446	981323	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
36447	981324	19	<0.001	0.019
36448	981325	7	<0.001	0.007
36449 Dup	981325	9	<0.001	0.009
36450	981326	9	<0.001	0.009
36451	981327	12	<0.001	0.012
36452	981328	892	0.026	0.892
36453	981329	678	0.020	0.678
36454	981330	6	<0.001	0.006
36455	981331	392	0.011	0.392
36456	981332	446	0.013	0.446
36457	981333	549	0.016	0.549
36458	981334	321	0.009	0.321
36459	981335	1242	0.036	1.242
36460 Dup	981335	1180	0.034	1.180
36461	981336	959	0.028	0.959
36462	981337	5422	0.158	5.422
36463	981338	3309	0.097	3.309
36464	981339	433	0.013	0.433
36465	981340	4986	0.145	4.986
36466	981341	422	0.012	0.422
36467	981342	626	0.018	0.626
36468	981343	1387	0.040	1.387
36469	981344	226	0.007	0.226
36470	981345	291	0.008	0.291
36471 Dup	981345	312	0.009	0.312
36472	981346	286	0.008	0.286
36473	981347	35	0.001	0.035
36474	981348	11	<0.001	0.011
36475	981349	7	<0.001	0.007
36476	981350	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
36477	981351	11	<0.001	0.011
36478	981352	15	<0.001	0.015
36479	981353	8	<0.001	0.008
36480	981354	5	<0.001	0.005
36481	981355	6	<0.001	0.006
36482 Rep	981355	13	<0.001	0.013
36483	981356	253	0.007	0.253
36484	981357	<5	<0.001	<0.005
36485	981358	<5	<0.001	<0.005
36486	981359	<5	<0.001	<0.005
36487	981360	5121	0.149	5.121
36488	981361	114	0.003	0.114
36489	981362	16	<0.001	0.016
36490	981363	24	<0.001	0.024
36491	981364	11	<0.001	0.011
36492	981365	7	<0.001	0.007
36493 Dup	981365	6	<0.001	0.006
36494	981366	6	<0.001	0.006
36495	981367	11	<0.001	0.011
36496	981368	6	<0.001	0.006
36497	981369	<5	<0.001	<0.005
36498	981370	<5	<0.001	<0.005
36499	981371	<5	<0.001	<0.005
36500	981372	<5	<0.001	<0.005
36501	981373	10	<0.001	0.010
36502	981374	13	<0.001	0.013
36503	981375	13	<0.001	0.013
36504 Dup	981375	15	<0.001	0.015
36505	981376	10	<0.001	0.010
36506	981377	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
36507	981378	30	<0.001	0.030
36508	981379	68	0.002	0.068
36509	981380	228	0.007	0.228
36510	981381	93	0.003	0.093
36511	981382	317	0.009	0.317
36512	981383	277	0.008	0.277
36513	981384	39	0.001	0.039
36514	981385	60	0.002	0.060
36515 Dup	981385	95	0.003	0.095
36516	981386	169	0.005	0.169
36517	981387	57	0.002	0.057
36518	981388	498	0.015	0.498
36519	981389	496	0.014	0.496
36520	981390	7	<0.001	0.007
36521	981391	31	<0.001	0.031
36522	981392	262	0.008	0.262
36523	981393	99	0.003	0.099
36524	981394	320	0.009	0.320
36525	981395	57	0.002	0.057
36526 Dup	981395	64	0.002	0.064
36527	981396	397	0.012	0.397
36528	981397	90	0.003	0.090
36529	981398	42	0.001	0.042
36530	981399	72	0.002	0.072
36531	981400	5145	0.150	5.145
36532	981401	111	0.003	0.111
36533	981402	208	0.006	0.208
36534	981403	974	0.028	0.974
36535	981404	1225	0.036	1.225
36536	981405	189	0.006	0.189

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/04/2011  
 Date Completed: 02/15/2011  
 Job #: 201140557  
 Reference: TMI-TML  
 Sample #: 112

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
36537 Dup	981405	171	0.005	0.171
36538	981406	224	0.007	0.224
36539	981407	31	<0.001	0.031

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, February 18, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 02/18/2011  
 Job #: 201140697  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
47619	981307	0.150	5.134
47620	981338	0.222	7.610

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, February 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/09/2011  
 Date Completed: 02/22/2011  
 Job #: 201140599  
 Reference: TMI-TML  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39852	981408	108	0.003	0.108
39853	981409	1133	0.033	1.133
39854	981410	<5	<0.001	<0.005
39855	981411	652	0.019	0.652
39856	981412	178	0.005	0.178
39857	981413	108	0.003	0.108
39858	981414	137	0.004	0.137
39859	981415	350	0.010	0.350
39860	981416	140	0.004	0.140
39861	981417	146	0.004	0.146
39862 Dup	981417	147	0.004	0.147
39863	981418	81	0.002	0.081
39864	981419	12	<0.001	0.012
39865	981420	5139	0.150	5.139
39866	981421	20	<0.001	0.020
39867	981422	12	<0.001	0.012
39868	981423	8	<0.001	0.008
39869	981424	6	<0.001	0.006
39870	981425	8	<0.001	0.008
39871	981426	6	<0.001	0.006
39872	981427	9	<0.001	0.009
39873 Dup	981427	11	<0.001	0.011
39874	981428	13	<0.001	0.013
39875	981429	8	<0.001	0.008
39876	981430	6	<0.001	0.006
39877	981431	<5	<0.001	<0.005
39878	981432	7	<0.001	0.007
39879	981433	8	<0.001	0.008
39880	981434	11	<0.001	0.011
39881	981435	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/09/2011  
 Date Completed: 02/22/2011  
 Job #: 201140599  
 Reference: TMI-TML  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39882	981436	6	<0.001	0.006
39883	981437	6	<0.001	0.006
39884 Dup	981437	5	<0.001	0.005
39885	981438	9	<0.001	0.009
39886	981439	9	<0.001	0.009
39887	981440	285	0.008	0.285
39888	981441	8	<0.001	0.008
39889	981442	48	0.001	0.048
39890	981443	18	<0.001	0.018
39891	981444	448	0.013	0.448
39892	981445	18	<0.001	0.018
39893	981446	14	<0.001	0.014
39894	981447	15	<0.001	0.015
39895 Dup	981447	16	<0.001	0.016
39896	981448	24	<0.001	0.024
39897	981449	811	0.024	0.811
39898	981450	7	<0.001	0.007
39899	981451	11	<0.001	0.011
39900	981452	6	<0.001	0.006
39901	981453	5	<0.001	0.005
39902	981454	6	<0.001	0.006
39903	981455	8	<0.001	0.008
39904	981456	9	<0.001	0.009
39905	981457	10	<0.001	0.010
39906 Dup	981457	8	<0.001	0.008
39907	981458	12	<0.001	0.012
39908	981459	10	<0.001	0.010
39909	981460	5165	0.151	5.165
39910	981461	11	<0.001	0.011
39911	981462	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/09/2011  
 Date Completed: 02/22/2011  
 Job #: 201140599  
 Reference: TMI-TML  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39912	981463	15	<0.001	0.015
39913	981464	35	0.001	0.035
39914	981465	969	0.028	0.969
39915	981466	1780	0.052	1.780
39916	981467	1600	0.047	1.600
39917 Rep	981467	1513	0.044	1.513
39918	981468	2149	0.063	2.149
39919	981469	930	0.027	0.930
39920	981470	<5	<0.001	<0.005
39921	981471	237	0.007	0.237
39922	981472	1253	0.037	1.253
39923	981473	3539	0.103	3.539
39924	981474	3324	0.097	3.324
39925	981475	2300	0.067	2.300
39926	981476	1901	0.055	1.901
39927	981477	24196	0.706	24.196
39928 Dup	981477	22816	0.666	22.816
39929	981478	535	0.016	0.535
39930	981479	288	0.008	0.288
39931	981480	4915	0.143	4.915
39932	981481	31	<0.001	0.031
39933	981482	16	<0.001	0.016
39934	981483	11	<0.001	0.011
39935	981484	10	<0.001	0.010
39936	981485	9	<0.001	0.009
39937	981486	9	<0.001	0.009
39938	981487	6	<0.001	0.006
39939 Dup	981487	6	<0.001	0.006
39940	981488	7	<0.001	0.007
39941	981489	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/09/2011  
 Date Completed: 02/22/2011  
 Job #: 201140599  
 Reference: TMI-TML  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39942	981490	<5	<0.001	<0.005
39943	981491	12	<0.001	0.012
39944	981492	6	<0.001	0.006
39945	981493	<5	<0.001	<0.005
39946	981494	5	<0.001	0.005
39947	981495	9	<0.001	0.009
39948	981496	497	0.015	0.497
39949	981497	718	0.021	0.718
39950 Dup	981497	724	0.021	0.724
39951	981498	13	<0.001	0.013
39952	981499	18	<0.001	0.018
39953	981500	261	0.008	0.261
39954	981501	8	<0.001	0.008
39955	981502	5	<0.001	0.005
39956	981503	<5	<0.001	<0.005
39957	981504	6	<0.001	0.006
39958	981505	<5	<0.001	<0.005
39959	981506	<5	<0.001	<0.005
39960	981507	5	<0.001	0.005
39961 Dup	981507	<5	<0.001	<0.005
39962	981508	95	0.003	0.095
39963	981509	27	<0.001	0.027
39964	981510	<5	<0.001	<0.005
39965	981511	15	<0.001	0.015
39966	981512	250	0.007	0.250
39967	981513	624	0.018	0.624
39968	981514	555	0.016	0.555
39969	981515	234	0.007	0.234
39970	981516	462	0.013	0.462
39971	981517	124	0.004	0.124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, February 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/09/2011  
 Date Completed: 02/22/2011  
 Job #: 201140599  
 Reference: TMI-TML  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
39972 Dup	981517	153	0.004	0.153
39973	981518	65	0.002	0.065
39974	981519	109	0.003	0.109
39975	981520	5133	0.150	5.133
39976	981521	369	0.011	0.369
39977	981522	71	0.002	0.071
39978	981523	76	0.002	0.076
39979	981524	350	0.010	0.350
39980	981525	617	0.018	0.617
39981	981526	243	0.007	0.243
39982	981527	139	0.004	0.139
39983 Rep	981527	149	0.004	0.149
39984	981528	52	0.002	0.052
39985	981529	313	0.009	0.313
39986	981530	<5	<0.001	<0.005
39987	981531	147	0.004	0.147
39988	981532	33	<0.001	0.033
39989	981533	40	0.001	0.040
39990	981534	625	0.018	0.625
39991	981535	165	0.005	0.165
39992	981536	103	0.003	0.103
39993	981537	77	0.002	0.077
39994 Dup	981537	71	0.002	0.071
39995	981538	2276	0.066	2.276
39996	981539	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, February 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/23/2011  
 Date Completed: 02/28/2011  
 Job #: 201140755  
 Reference: TMI-TML  
 Sample #: 5

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
51582	981468	0.059	2.018
51583	981473	0.081	2.781
51584	981474	0.096	3.293
51585	981475	0.049	1.689
51586	981538	0.065	2.220

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianluk H.Bsc. Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, February 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/23/2011  
 Date Completed: 02/28/2011  
 Job #: 201140756  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
51587	981477	13.390	13.671	284.309	25.231	4.32%	43.21

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory





Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/14/2011  
 Date Completed: 02/24/2011  
 Job #: 201140664  
 Reference: TMI-TML  
 Sample #: 92

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44937	982520	<5	<1	6.71	<2	456	<2	<1	1.71	<4	11	57	21	2.07	1.84	23	0.74	422	3	29	558	12	0.04	<5	<5	<10	214	1697	<2	70	38	10	43
44938D	982520	IS																															
44939	982521	138	3	7.39	<2	402	2	<1	2.12	<4	7	20	7	1.60	1.89	31	0.67	409	2	15	624	23	0.27	<5	<5	<10	243	1856	7	36	<10	4	42
44940	982522	34	<1	7.00	7	488	2	<1	1.58	<4	7	18	16	1.46	1.97	30	0.47	306	3	13	512	34	0.59	<5	<5	<10	158	1626	<2	33	<10	4	69
44941	982523	62	<1	6.72	<2	425	2	<1	1.70	<4	6	22	10	1.45	1.73	28	0.40	338	3	17	588	22	0.32	<5	<5	<10	188	1704	<2	33	<10	3	60
44942	982524	128	2	6.78	<2	434	<2	<1	1.28	<4	8	19	10	1.27	1.88	29	0.36	267	3	17	562	14	0.26	<5	<5	<10	141	1854	3	36	<10	3	43
44943	982525	15	<1	6.71	<2	380	<2	<1	2.16	<4	7	19	12	1.53	1.86	29	0.60	512	2	14	531	15	0.14	<5	<5	<10	141	1868	2	34	<10	4	37
44944	982526	40	1	7.24	2	346	<2	<1	2.27	<4	7	21	12	1.57	1.81	26	0.65	510	2	15	501	13	0.15	<5	<5	<10	146	1792	<2	33	<10	4	38
44945	982527	10	<1	6.92	14	459	<2	<1	1.88	<4	7	20	13	1.38	1.83	35	0.60	461	4	21	644	27	0.41	<5	<5	<10	108	1875	<2	34	<10	3	48
44946	982528	78	2	6.44	22	592	2	<1	1.16	<4	6	19	8	0.88	1.71	33	0.51	371	5	17	599	33	0.50	<5	<5	<10	72	1754	<2	30	<10	3	235
44947	982529	1101	8	5.60	53	528	2	<1	0.57	21	7	22	17	2.21	1.44	24	0.27	100	7	24	421	932	2.17	8	<5	<10	68	1037	<2	19	42	3	3966
44948	982530	5027	1	6.77	318	1198	<2	<1	2.61	5	13	108	75	2.88	1.86	31	0.95	402	15	43	889	31	0.68	33	<5	<10	173	1618	<2	112	12	10	254
44949D	982530	IS																															
44950	982531	140	1	6.51	21	526	<2	<1	0.62	<4	9	19	34	1.29	1.95	28	0.33	130	20	22	464	79	0.76	5	<5	<10	47	1410	<2	26	11	3	242
44951	982532	58	2	6.34	17	518	2	<1	1.07	<4	8	18	7	0.77	1.89	31	0.48	362	4	19	418	198	0.41	<5	<5	<10	66	1681	<2	27	<10	2	264
44952	982533	138	1	5.87	22	457	2	<1	0.91	<4	9	21	13	0.71	1.74	30	0.38	283	5	27	579	147	0.34	<5	<5	<10	61	1815	<2	29	<10	2	345
44953	982534	53	1	7.15	13	406	2	<1	1.58	<4	10	18	24	0.76	1.59	34	0.61	456	5	20	739	35	0.21	<5	<5	<10	95	2037	<2	32	<10	3	44
44954	982535	22	<1	7.18	7	408	<2	<1	1.73	<4	7	18	17	0.82	1.87	32	0.69	396	3	18	577	33	0.25	<5	<5	<10	106	1764	<2	28	<10	3	87
44955	982536	37	1	7.20	15	406	<2	<1	1.34	<4	4	19	11	0.84	1.80	30	0.62	370	3	16	506	66	0.40	<5	<5	<10	93	1653	<2	28	<10	3	95
44956	982537	66	2	6.74	14	388	<2	<1	1.39	<4	4	24	8	0.91	1.71	27	0.64	410	4	23	548	103	0.40	<5	<5	<10	87	1479	<2	25	<10	3	174

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/14/2011  
 Date Completed: 02/24/2011  
 Job #: 201140664  
 Reference: TMI-TML  
 Sample #: 92

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44957	982538	20	2	6.95	8	359	<2	<1	1.79	<4	4	24	7	0.91	1.82	24	0.87	561	4	19	347	29	0.20	<5	<5	<10	102	1313	<2	23	<10	4	134
44958	982539	60	<1	7.17	14	390	<2	<1	1.58	<4	5	22	10	0.94	1.86	29	0.87	622	4	22	561	44	0.33	<5	<5	<10	108	1546	<2	26	<10	3	63
44959	982540	<5	2	6.83	3	428	<2	<1	1.69	<4	10	54	21	2.05	1.75	23	0.77	411	4	27	604	6	0.04	<5	<5	<10	205	1629	<2	67	37	10	42
44960D	982540	IS																															
44961	982541	48	<1	7.13	19	344	<2	<1	1.29	<4	4	20	7	0.93	1.72	29	0.67	455	3	19	532	55	0.46	<5	<5	<10	115	1557	<2	25	<10	4	81
44962	982542	1309	16	6.52	21	335	<2	<1	0.99	11	4	18	301	1.15	1.90	26	0.53	374	3	17	530	2171	0.94	11	<5	<10	89	1345	2	23	47	3	4387
44963	982543	203	<1	6.88	18	392	2	<1	1.42	<4	6	20	22	0.99	1.95	28	0.70	537	3	20	484	135	0.47	<5	<5	<10	120	1558	<2	27	<10	3	99
44964	982544	214	3	6.68	19	391	<2	<1	0.84	<4	4	29	65	1.09	2.00	28	0.43	271	6	37	465	691	0.68	<5	<5	<10	92	1437	<2	25	10	3	686
44965	982545	1325	4	6.97	16	434	<2	<1	0.87	5	6	27	65	1.10	1.84	28	0.46	276	6	33	545	382	0.64	<5	<5	<10	105	1490	<2	26	19	3	1696
44966	982546	132	1	7.06	16	456	<2	<1	0.85	6	7	24	79	1.24	1.78	30	0.43	239	5	27	533	535	0.80	<5	<5	<10	102	1535	<2	27	24	3	2084
44967	982547	62	3	6.98	14	385	<2	<1	1.48	<4	7	22	30	1.04	1.82	30	0.64	549	4	26	499	57	0.42	<5	<5	<10	131	1565	<2	27	<10	3	158
44968	982548	11	1	7.00	5	388	<2	<1	1.40	<4	8	15	18	0.94	1.65	29	0.62	452	2	17	394	24	0.24	<5	<5	<10	118	1529	3	26	<10	3	52
44969	982549	644	2	6.53	5	456	<2	<1	1.25	<4	6	15	12	0.84	1.82	29	0.50	368	3	15	463	21	0.26	<5	<5	<10	118	1472	<2	25	<10	3	35
44970	982550	215	369	6.14	3318	104	<2	<1	2.15	124	14	49	424	6.57	1.67	21	0.69	1138	7	23	577	9296	4.29	65	11	11	173	1193	<2	81	125	8	13284
44971D	982550	IS																															
44972	982551	1073	4	6.39	29	486	<2	<1	1.29	<4	6	15	24	1.14	1.91	26	0.55	450	3	13	400	78	0.48	<5	<5	<10	118	1380	<2	24	<10	3	119
44973	982552	169	1	7.08	<2	449	<2	<1	1.41	<4	8	15	40	1.47	1.87	25	0.71	569	2	16	647	41	0.50	<5	<5	<10	135	1398	<2	25	<10	4	67
44974	982553	109	2	6.59	11	454	<2	<1	1.73	<4	15	13	143	1.65	1.88	26	0.89	755	3	20	540	40	0.70	<5	<5	<10	128	1507	<2	27	<10	4	114
44975	982554	358	1	6.62	32	478	2	<1	0.75	<4	12	16	79	1.37	1.77	24	0.40	168	3	13	468	52	1.11	7	<5	<10	84	1395	<2	26	<10	3	101
44976	982555	2265	4	6.43	37	381	2	<1	0.61	<4	4	22	87	1.26	1.74	22	0.35	<100	6	20	367	237	1.02	21	6	<10	60	1152	<2	24	<10	4	235

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/14/2011  
 Date Completed: 02/24/2011  
 Job #: 201140664  
 Reference: TMI-TML  
 Sample #: 92

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44977	982556	293	2	6.26	21	432	2	<1	0.59	<4	4	16	37	1.34	1.66	23	0.33	114	5	13	524	103	1.09	<5	<5	<10	63	1365	<2	27	<10	4	191
44978	982557	25	<1	7.00	15	419	<2	<1	1.26	<4	5	17	15	1.34	1.73	26	0.60	451	2	10	523	31	0.82	<5	<5	<10	103	1634	<2	33	<10	4	49
44979	982558	176	<1	7.01	10	422	<2	<1	1.29	<4	5	19	21	1.24	1.70	28	0.58	537	3	10	630	35	0.43	<5	<5	<10	106	1766	<2	34	<10	3	63
44980	982559	131	2	6.71	17	400	2	<1	1.15	<4	8	28	27	1.42	1.79	30	0.53	607	3	14	522	46	0.56	<5	<5	<10	96	1748	<2	34	<10	3	150
44981	982560	<5	1	6.60	<2	460	<2	<1	1.69	<4	11	57	22	2.09	1.91	25	0.72	427	4	26	575	11	0.05	<5	<5	<10	214	1777	<2	71	40	9	45
44982R	982560	IS																															
44983	982561	1192	20	6.84	26	397	<2	<1	1.22	<4	9	27	370	1.56	1.91	26	0.63	687	3	536	455	102	0.79	6	<5	<10	106	1635	<2	33	<10	4	515
44984	982562	591	4	7.07	16	401	<2	<1	1.14	<4	7	21	45	1.38	1.85	24	0.63	516	3	41	459	105	0.84	<5	<5	<10	88	1442	<2	26	<10	4	210
44985	982563	858	10	6.84	24	473	2	<1	1.35	11	7	28	298	1.91	1.57	26	0.65	725	3	20	331	2971	1.39	21	<5	<10	94	1628	<2	31	43	4	4044
44986	982564	484	2	7.09	12	481	<2	<1	1.41	<4	9	33	86	1.63	1.80	28	0.65	893	3	20	528	273	0.65	<5	<5	<10	109	1746	<2	36	<10	4	550
44987	982565	361	2	6.57	15	353	<2	<1	1.40	<4	7	29	39	1.61	1.79	25	0.68	894	3	20	520	57	0.71	<5	<5	<10	125	1408	<2	30	<10	4	99
44988	982566	493	2	6.39	17	353	<2	<1	1.37	<4	8	33	25	1.70	1.62	22	0.62	590	3	19	420	47	0.75	<5	<5	<10	104	1441	2	32	<10	4	172
44989	982567	24	3	7.09	6	370	2	<1	2.03	<4	10	37	19	1.76	1.84	33	1.22	586	4	25	581	31	0.39	<5	<5	<10	149	1810	<2	36	<10	5	144
44990	982568	151	5	7.82	20	347	<2	<1	1.92	<4	9	23	18	1.27	1.77	27	1.05	706	3	20	424	152	0.54	<5	<5	<10	114	1208	<2	22	<10	5	209
44991	982569	26577	80	5.24	67	99	<2	<1	0.70	36	9	17	695	3.73	1.71	20	0.40	278	7	21	289	14996	3.89	165	<5	<10	56	837	<2	18	141	3	15422
44992	982570	4907	9	7.65	9	304	<2	<1	2.88	7	25	67	104	4.03	1.94	28	1.65	748	12	46	944	180	0.54	<5	<5	<10	254	2254	<2	107	<10	12	274
44993D	982570	IS																															
44994	982571	571	1	7.07	15	401	<2	<1	1.70	<4	4	24	33	1.23	1.86	25	0.94	778	3	23	305	131	0.49	<5	<5	<10	120	1197	<2	20	<10	4	161
44995	982572	327	2	7.17	26	273	<2	<1	1.74	<4	5	22	26	1.76	1.99	23	0.93	796	4	22	423	41	0.82	<5	<5	<10	96	1124	<2	19	<10	5	82
44996	982573	81	2	7.41	19	290	<2	<1	1.36	<4	4	19	12	1.32	1.83	24	0.60	565	3	14	442	22	0.50	<5	<5	<10	120	1288	<2	23	<10	4	43

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/14/2011  
 Date Completed: 02/24/2011  
 Job #: 201140664  
 Reference: TMI-TML  
 Sample #: 92

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
44997	982574	14	2	8.47	10	255	<2	<1	2.67	<4	6	17	17	1.00	2.00	28	1.37	506	2	15	565	51	0.17	<5	<5	<10	140	1247	<2	23	<10	5	46
44998	982575	111	2	6.98	17	329	2	<1	1.22	<4	4	17	22	1.13	1.87	30	0.70	328	2	11	493	21	0.67	<5	<5	<10	83	1596	<2	29	<10	3	38
44999	982576	72	1	7.17	32	255	<2	<1	0.92	<4	3	17	18	1.10	1.91	22	0.58	283	3	18	281	30	0.73	<5	<5	<10	67	1080	<2	19	<10	4	132
45000	982577	96	1	6.54	25	305	2	<1	0.52	<4	4	16	26	1.03	1.72	23	0.37	118	2	14	490	34	0.75	<5	<5	<10	50	1259	<2	23	<10	3	60
45001	982578	545	6	6.38	43	298	2	<1	0.50	<4	3	23	30	1.43	1.80	22	0.34	<100	4	27	379	112	1.14	<5	<5	<10	50	1051	<2	20	<10	3	146
45002	982579	719	3	6.57	15	362	<2	<1	0.63	<4	3	20	10	0.98	1.87	23	0.33	108	4	22	468	32	0.75	<5	<5	<10	53	1045	<2	20	<10	3	63
45003	982580	<5	1	6.65	<2	423	<2	<1	1.63	<4	11	53	21	2.03	1.82	21	0.77	402	3	27	523	9	0.05	<5	<5	<10	199	1568	<2	66	35	11	40
45004D	982580	IS																															
45005	982581	121	<1	6.32	11	385	<2	<1	1.19	<4	3	20	10	0.81	1.90	28	0.57	448	3	16	305	45	0.50	<5	<5	<10	91	1210	<2	25	<10	3	64
45006	982582	42	<1	5.91	15	251	2	<1	0.74	<4	2	22	10	0.54	1.97	18	0.29	<100	4	20	362	35	0.32	<5	<5	<10	63	915	<2	17	<10	3	23
45007	982583	199	18	6.73	34	307	<2	<1	0.43	<4	3	20	47	1.29	1.90	21	0.31	<100	3	17	285	147	1.04	7	7	<10	43	1068	<2	22	<10	3	634
45008	982584	428	55	7.22	22	251	<2	<1	0.61	<4	3	19	35	0.98	1.97	19	0.37	113	3	18	436	173	0.64	9	<5	<10	48	982	<2	19	<10	4	480
45009	982585	57	8	7.58	14	188	<2	<1	2.06	<4	3	16	12	1.37	1.98	23	0.91	628	2	10	313	46	0.42	<5	<5	<10	78	1104	2	17	<10	5	83
45010	982586	65	5	8.15	11	212	2	<1	2.18	<4	4	19	11	1.36	1.92	26	0.91	611	3	15	439	38	0.38	<5	<5	<10	83	1140	<2	19	<10	5	91
45011	982587	9	1	6.66	23	347	<2	<1	1.98	<4	9	19	9	0.79	1.69	20	0.51	277	2	17	522	17	0.28	<5	<5	<10	161	1222	<2	26	<10	4	15
45012	982588	23	1	6.90	30	430	<2	<1	1.39	<4	8	19	10	1.02	2.03	21	0.38	170	3	18	502	20	0.65	<5	5	<10	133	1393	<2	28	<10	4	19
45013	982589	40	2	7.87	32	384	<2	<1	1.80	<4	9	18	20	1.09	2.11	26	1.00	509	3	19	657	16	0.73	<5	<5	<10	111	1252	<2	26	<10	5	27
45014	982590	5075	<1	6.87	323	1326	<2	<1	2.68	5	12	112	78	2.95	1.80	30	1.03	400	16	46	876	30	0.66	30	<5	<10	169	1519	<2	113	<10	11	222
45015D	982590	IS																															
45016	982591	26	2	7.08	23	503	<2	<1	1.86	<4	7	18	13	1.30	1.94	27	0.92	460	3	17	588	25	0.93	<5	<5	<10	122	1617	2	32	<10	4	21

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/14/2011  
 Date Completed: 02/24/2011  
 Job #: 201140664  
 Reference: TMI-TML  
 Sample #: 92

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
45017	982592	52	2	7.87	23	390	2	<1	2.23	<4	18	83	82	2.59	2.04	34	1.05	467	3	43	691	31	1.07	<5	<5	<10	125	1965	<2	56	<10	8	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/14/2011  
Date Completed: 02/24/2011  
Job #: 201140664  
Reference: TMI-TML  
Sample #: 92

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
44917	982501	5	<0.001	0.005
44918	982502	13	<0.001	0.013
44919	982503	8	<0.001	0.008
44920	982504	10	<0.001	0.010
44921	982505	9	<0.001	0.009
44922	982506	8	<0.001	0.008
44923	982507	5	<0.001	0.005
44924	982508	14	<0.001	0.014
44925	982509	24	<0.001	0.024
44926	982510	4955	0.145	4.955
44927 Dup	982510	Insufficient Sample		
44928	982511	23	<0.001	0.023
44929	982512	16	<0.001	0.016
44930	982513	15	<0.001	0.015
44931	982514	7	<0.001	0.007
44932	982515	13	<0.001	0.013
44933	982516	21	<0.001	0.021
44934	982517	19	<0.001	0.019
44935	982518	10	<0.001	0.010
44936	982519	9	<0.001	0.009
44937	982520	<5	<0.001	<0.005
44938 Dup	982520	Insufficient Sample		
44939	982521	138	0.004	0.138
44940	982522	34	<0.001	0.034
44941	982523	62	0.002	0.062
44942	982524	128	0.004	0.128
44943	982525	15	<0.001	0.015
44944	982526	40	0.001	0.040
44945	982527	10	<0.001	0.010
44946	982528	78	0.002	0.078

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/14/2011  
Date Completed: 02/24/2011  
Job #: 201140664  
Reference: TMI-TML  
Sample #: 92

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
44947	982529	1101	0.032	1.101
44948	982530	5027	0.147	5.027
44949 Dup	982530	Insufficient Sample		
44950	982531	140	0.004	0.140
44951	982532	58	0.002	0.058
44952	982533	138	0.004	0.138
44953	982534	53	0.002	0.053
44954	982535	22	<0.001	0.022
44955	982536	37	0.001	0.037
44956	982537	66	0.002	0.066
44957	982538	20	<0.001	0.020
44958	982539	60	0.002	0.060
44959	982540	<5	<0.001	<0.005
44960 Dup	982540	Insufficient Sample		
44961	982541	48	0.001	0.048
44962	982542	1309	0.038	1.309
44963	982543	203	0.006	0.203
44964	982544	214	0.006	0.214
44965	982545	1325	0.039	1.325
44966	982546	132	0.004	0.132
44967	982547	62	0.002	0.062
44968	982548	11	<0.001	0.011
44969	982549	644	0.019	0.644
44970	982550	215	0.006	0.215
44971 Dup	982550	Insufficient Sample		
44972	982551	1073	0.031	1.073
44973	982552	169	0.005	0.169
44974	982553	109	0.003	0.109
44975	982554	358	0.010	0.358
44976	982555	2265	0.066	2.265

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, February 24, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/14/2011  
Date Completed: 02/24/2011  
Job #: 201140664  
Reference: TMI-TML  
Sample #: 92

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
44977	982556	293	0.009	0.293
44978	982557	25	<0.001	0.025
44979	982558	176	0.005	0.176
44980	982559	131	0.004	0.131
44981	982560	<5	<0.001	<0.005
44982 Rep	982560	Insufficient Sample		
44983	982561	1192	0.035	1.192
44984	982562	591	0.017	0.591
44985	982563	858	0.025	0.858
44986	982564	484	0.014	0.484
44987	982565	361	0.011	0.361
44988	982566	493	0.014	0.493
44989	982567	24	<0.001	0.024
44990	982568	151	0.004	0.151
44991	982569	26577	0.775	26.577
44992	982570	4907	0.143	4.907
44993 Dup	982570	Insufficient Sample		
44994	982571	571	0.017	0.571
44995	982572	327	0.010	0.327
44996	982573	81	0.002	0.081
44997	982574	14	<0.001	0.014
44998	982575	111	0.003	0.111
44999	982576	72	0.002	0.072
45000	982577	96	0.003	0.096
45001	982578	545	0.016	0.545
45002	982579	719	0.021	0.719
45003	982580	<5	<0.001	<0.005
45004 Dup	982580	Insufficient Sample		
45005	982581	121	0.004	0.121
45006	982582	42	0.001	0.042

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Thursday, February 24, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/14/2011  
Date Completed: 02/24/2011  
Job #: 201140664  
Reference: TMI-TML  
Sample #: 92

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
45007	982583	199	0.006	0.199
45008	982584	428	0.012	0.428
45009	982585	57	0.002	0.057
45010	982586	65	0.002	0.065
45011	982587	9	<0.001	0.009
45012	982588	23	<0.001	0.023
45013	982589	40	0.001	0.040
45014	982590	5075	0.148	5.075
45015 Dup	982590	Insufficient Sample		
45016	982591	26	<0.001	0.026
45017	982592	52	0.002	0.052

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, March 4, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/25/2011  
Date Completed: 03/04/2011  
Job #: 201140822  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
58215	982555	0.098	3.352

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, March 3, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/25/2011  
 Date Completed: 03/03/2011  
 Job #: 201140840  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
59719	982569	15.298	14.874	86.984	18.061	4.14%	41.38

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46578	981540	5206	2	7.76	332	1441	<2	<1	2.69	5	12	119	76	3.06	1.73	28	1.15	406	16	46	810	29	0.62	26	<5	<10	169	1530	<2	114	11	14	225
46579	981541	42	<1	9.56	35	440	2	<1	2.62	5	21	139	51	3.79	1.79	29	1.53	563	5	71	686	27	0.83	<5	<5	<10	278	1639	2	76	<10	12	123
46580	981542	12	2	8.26	10	593	<2	<1	0.97	<4	14	62	24	1.18	1.88	20	0.47	133	4	43	451	11	0.26	<5	<5	<10	188	1451	<2	53	<10	6	50
46581	981543	9	<1	7.50	<2	486	<2	2	0.76	<4	7	41	18	0.73	1.88	28	0.29	<100	3	23	468	15	0.24	<5	<5	<10	252	715	<2	33	<10	5	36
46582	981544	9	1	7.09	<2	500	<2	<1	0.95	<4	10	62	32	0.86	1.82	21	0.36	131	3	34	610	11	0.36	<5	<5	<10	187	693	<2	48	<10	6	33
46583	981545	15	<1	6.94	3	456	<2	<1	1.27	<4	8	43	28	0.65	1.85	20	0.34	115	3	25	422	11	0.28	<5	<5	<10	236	786	<2	41	<10	4	17
46584	981546	13	<1	7.63	2	504	<2	<1	1.18	<4	9	38	34	0.71	1.87	20	0.33	118	3	24	403	9	0.23	<5	<5	<10	219	963	<2	40	<10	5	19
46585	981547	9	<1	8.10	<2	576	<2	<1	1.24	<4	8	37	18	1.26	1.79	27	0.43	199	5	24	513	13	0.32	<5	<5	<10	192	1674	<2	36	<10	5	47
46586	981548	6	<1	8.45	<2	458	<2	<1	1.22	<4	7	22	10	1.08	1.70	26	0.46	195	3	13	365	7	0.21	<5	<5	<10	186	1442	<2	27	<10	5	248
46587	981549	10	3	7.86	<2	383	<2	<1	1.38	<4	11	48	30	1.98	1.68	27	0.69	448	3	32	527	12	0.27	<5	<5	<10	157	1782	<2	46	<10	8	115
46588D	981549	10	<1	7.71	2	386	<2	<1	1.38	<4	11	46	28	1.86	1.83	29	0.65	432	3	26	488	6	0.25	5	<5	<10	154	1815	<2	45	<10	7	113
46589	981550	<5	1	7.00	3	428	<2	<1	1.59	<4	11	53	20	1.96	1.91	20	0.78	387	4	27	443	10	0.04	<5	<5	<10	193	1517	<2	63	30	12	38
46590	981551	25	2	8.01	5	498	<2	<1	1.98	<4	9	26	16	1.96	1.94	29	0.86	321	3	16	498	10	0.28	<5	<5	<10	247	2139	<2	41	<10	7	65
46591	981552	<5	2	7.73	2	409	<2	<1	1.28	<4	7	38	6	0.46	1.86	27	0.54	120	3	19	432	14	0.02	<5	<5	<10	246	1361	<2	35	<10	6	22
46592	981553	<5	1	7.70	4	425	<2	<1	1.26	<4	6	33	8	0.28	1.86	26	0.45	<100	2	17	504	12	0.01	<5	<5	<10	199	1226	<2	33	<10	6	9
46593	981554	<5	<1	7.66	<2	501	<2	<1	1.53	<4	5	25	7	0.43	1.90	29	0.56	129	3	19	397	11	0.03	<5	<5	<10	255	1299	<2	30	<10	5	8
46594	981555	<5	1	7.24	8	463	<2	<1	1.10	<4	8	19	7	0.53	1.85	25	0.45	122	3	17	450	13	0.15	<5	<5	<10	170	1218	<2	24	<10	4	8
46595	981556	6	<1	6.83	2	481	<2	<1	1.11	<4	10	42	16	0.74	1.86	25	0.45	136	3	25	488	14	0.20	<5	<5	<10	194	1552	<2	37	<10	4	13
46596	981557	25	1	7.65	8	431	<2	<1	2.03	<4	14	65	19	2.10	1.86	31	0.95	395	3	41	562	33	0.66	<5	<5	<10	269	2039	<2	63	<10	7	49
46597	981558	116	2	8.55	18	412	2	<1	2.14	4	18	102	68	2.80	1.67	29	1.18	641	7	52	542	68	1.27	<5	<5	<10	121	1726	<2	61	<10	10	193

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46598	981559	60	<1	8.45	24	615	<2	<1	1.31	<4	10	41	9	1.66	1.71	26	0.66	295	4	28	377	105	1.11	<5	<5	<10	111	1486	<2	37	<10	6	149
46599D	981559	68	3	8.45	29	639	<2	<1	1.35	<4	9	42	9	1.71	1.89	28	0.66	303	4	28	443	101	1.15	<5	<5	<10	115	1554	<2	39	<10	5	149
46600	981560	241	362	7.43	3683	84	2	<1	2.41	139	17	56	469	7.26	1.54	23	0.81	1253	8	26	566	9677	4.60	65	9	13	195	1364	2	91	135	10	13201
46601	981561	39	<1	8.40	20	455	2	<1	1.88	<4	12	79	32	2.54	1.72	32	1.22	603	5	49	586	38	1.24	<5	<5	<10	122	1725	<2	51	<10	9	84
46602	981562	<5	1	7.52	6	513	<2	<1	1.45	<4	7	38	7	1.07	1.90	29	0.47	178	6	30	354	23	0.55	<5	<5	<10	196	1358	<2	30	<10	4	123
46603	981563	<5	2	7.41	6	524	<2	<1	1.71	<4	6	27	10	0.51	1.90	25	0.33	125	6	38	340	17	0.20	<5	<5	<10	252	1214	2	26	<10	3	124
46604	981564	<5	2	7.37	4	551	<2	<1	1.30	<4	5	30	9	0.52	1.81	27	0.29	<100	6	33	439	13	0.22	<5	<5	<10	262	1425	<2	28	<10	3	60
46605	981565	5	1	7.79	8	565	<2	<1	1.62	<4	7	32	9	0.65	1.78	26	0.30	107	6	36	409	20	0.34	<5	5	<10	281	1335	<2	27	<10	3	73
46606	981566	5	<1	6.80	10	555	<2	<1	1.52	<4	7	22	9	0.55	1.86	29	0.28	101	4	17	329	22	0.31	<5	5	<10	260	1362	<2	27	<10	3	45
46607	981567	<5	<1	6.57	12	583	<2	<1	1.44	<4	8	24	12	0.73	1.83	32	0.33	143	5	24	466	32	0.42	<5	<5	<10	243	1414	<2	28	<10	3	54
46608	981568	9	1	6.34	14	776	<2	<1	1.55	6	9	25	13	0.67	1.85	35	0.35	170	4	19	471	118	0.35	<5	<5	<10	263	1554	3	31	20	3	1566
46609	981569	7	1	6.67	10	748	<2	<1	1.56	<4	5	18	10	0.46	1.91	31	0.28	106	3	12	407	27	0.18	<5	<5	<10	272	1448	<2	27	<10	3	34
46610D	981569	9	1	6.56	11	742	<2	<1	1.55	<4	6	18	10	0.45	1.85	32	0.28	106	4	14	409	25	0.17	<5	<5	<10	270	1469	<2	27	<10	3	32
46611	981570	<5	<1	5.70	6	518	<2	<1	1.65	<4	12	60	22	2.02	1.79	29	0.61	426	5	29	640	11	0.04	<5	<5	<10	213	1949	<2	73	39	7	41
46612	981571	7	<1	0.02	<2	2	<2	<1	<0.01	<4	<1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	<3	<100	<2	<2	<10	<2	<1
46613	981572	8	2	7.60	6	584	<2	<1	1.71	<4	5	17	11	0.52	1.96	25	0.35	119	2	14	451	13	0.16	<5	<5	<10	303	1280	<2	28	<10	3	19
46614	981573	<5	<1	7.22	8	573	<2	<1	1.69	<4	5	18	11	0.45	1.92	28	0.28	<100	2	12	476	15	0.12	<5	<5	<10	300	1311	<2	28	<10	3	23
46615	981574	<5	2	8.82	10	428	<2	<1	2.32	<4	7	15	8	0.58	1.80	23	0.27	<100	1	12	754	21	0.30	<5	<5	<10	405	1273	<2	25	<10	4	16
46616	981575	7	<1	8.21	3	449	<2	<1	1.91	<4	4	18	8	0.45	1.88	21	0.29	<100	1	13	413	22	0.12	<5	<5	<10	326	1138	<2	23	<10	3	18
46617	981576	8	<1	7.90	<2	527	<2	<1	2.57	<4	7	18	6	1.53	1.72	21	0.72	303	2	13	493	13	0.32	<5	<5	<10	263	1548	<2	32	<10	5	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46618	981577	805	4	7.93	15	402	<2	<1	1.32	<4	6	22	32	1.67	1.82	25	0.77	738	2	16	554	49	0.75	<5	<5	<10	127	1615	2	35	<10	4	81
46619	981578	148	4	7.55	8	397	<2	<1	1.35	<4	7	20	16	1.61	1.76	25	0.86	986	2	15	629	45	0.48	<5	<5	<10	132	1810	<2	36	<10	4	94
46620	981579	746	6	7.19	19	417	<2	<1	1.34	<4	5	17	66	1.43	1.86	25	0.72	770	3	13	541	209	0.68	<5	<5	<10	117	1496	<2	28	<10	4	426
46621D	981579	689	8	7.64	18	411	<2	<1	1.35	<4	5	16	68	1.45	1.85	24	0.75	766	1	12	343	213	0.70	<5	<5	<10	117	1492	2	28	<10	4	434
46622	981580	5201	13	7.60	7	337	2	<1	3.03	7	27	75	97	4.26	1.96	24	1.74	798	13	50	1017	29	0.53	<5	<5	<10	276	2819	<2	116	<10	13	109
46623	981581	554	2	7.03	25	355	<2	<1	1.25	<4	4	18	13	1.28	1.91	22	0.72	701	3	15	492	70	0.61	<5	<5	<10	105	1539	<2	29	<10	4	74
46624	981582	929	7	5.98	39	359	<2	2	0.75	5	4	18	21	1.12	1.89	22	0.42	310	9	15	403	516	0.89	7	<5	<10	71	1186	<2	22	18	3	1536
46625	981583	6364	90	7.16	36	430	2	<1	1.87	<4	4	20	55	1.11	1.90	27	0.95	1030	2	11	431	258	0.64	27	<5	<10	120	1368	<2	24	11	3	724
46626	981584	110	2	7.02	9	376	<2	<1	1.29	<4	3	25	18	0.68	1.99	25	0.60	599	3	21	420	80	0.34	<5	<5	<10	100	1344	<2	24	<10	3	64
46627	981585	1030	5	7.89	12	436	<2	<1	1.51	<4	2	19	17	0.83	1.90	27	0.87	638	3	14	572	66	0.45	<5	<5	<10	96	1406	<2	24	<10	3	249
46628	981586	1326	7	7.55	10	441	<2	<1	1.48	<4	3	20	16	0.79	1.79	25	0.84	640	3	16	463	65	0.42	<5	<5	<10	96	1388	2	24	<10	3	458
46629	981587	13876	299	6.58	289	316	<2	<1	0.70	9	6	27	663	2.94	1.47	20	0.52	245	5	20	310	1854	2.76	116	<5	<10	54	1151	<2	23	23	4	2326
46630	981588	8833	243	6.76	84	369	<2	<1	1.10	6	5	26	86	1.48	1.69	22	0.68	605	3	21	523	904	1.20	69	<5	<10	71	1315	<2	29	22	4	2001
46631	981589	14278	116	7.22	52	429	2	<1	0.61	9	5	26	85	1.76	1.82	22	0.46	239	3	22	494	1128	1.55	48	<5	<10	55	1484	<2	31	28	4	2752
46632D	981589	14843	99	7.03	50	409	2	<1	0.56	8	6	25	80	1.71	1.96	20	0.45	223	3	21	433	1091	1.52	46	<5	<10	51	1416	<2	30	30	4	2670
46633	981590	<5	2	6.92	2	488	<2	<1	1.69	<4	13	58	22	2.17	1.89	18	0.80	432	4	31	541	17	0.05	<5	<5	<10	226	1768	<2	72	39	13	60
46634	981591	2934	23	7.22	29	461	2	<1	0.97	<4	6	28	37	1.33	1.88	25	0.65	434	3	19	383	161	0.94	7	<5	<10	74	1582	3	34	<10	4	477
46635	981592	18734	843	6.91	34	405	2	<1	1.62	<4	7	32	123	1.38	1.96	26	0.97	818	3	18	527	473	0.74	110	<5	<10	108	1715	<2	36	<10	4	388
46636	981593	267	9	6.29	29	383	2	<1	1.35	<4	7	33	19	1.27	1.86	31	0.92	596	4	19	500	82	0.60	<5	<5	<10	114	1657	<2	33	<10	3	163
46637	981594	2700	10	5.92	32	412	2	<1	1.39	4	5	41	81	1.31	1.73	34	0.71	487	8	36	530	450	0.90	12	<5	<10	115	1592	<2	32	16	3	1143

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46638	981595	2133	4	6.88	14	364	2	<1	1.35	6	5	34	25	0.91	1.84	36	0.59	325	7	32	564	238	0.63	<5	<5	<10	156	1535	2	30	16	3	1394
46639	981596	28	2	7.73	9	395	<2	<1	1.79	<4	6	34	15	0.93	1.71	32	0.77	446	6	34	531	27	0.47	<5	<5	<10	157	1329	<2	27	<10	4	36
46640	981597	19	<1	8.80	10	394	<2	<1	2.50	<4	7	41	5	1.70	1.82	32	1.25	775	7	46	527	30	0.77	<5	<5	<10	209	1548	<2	33	<10	5	84
46641	981598	23	2	8.76	3	443	2	<1	2.76	4	9	36	34	2.69	1.65	31	1.37	1008	5	38	594	29	1.22	<5	<5	<10	249	1545	4	31	<10	8	211
46642	981599	16	<1	7.67	6	422	<2	<1	2.09	<4	9	32	26	1.39	1.93	30	0.62	383	5	30	490	18	0.55	<5	<5	<10	294	1664	<2	36	<10	4	143
46643R	981599	16	2	7.94	4	445	<2	<1	2.08	<4	9	45	27	1.39	1.88	31	0.61	372	8	52	549	22	0.50	<5	<5	<10	310	1776	<2	38	<10	4	150
46644	981600	5259	<1	6.25	305	1375	<2	<1	2.47	5	11	112	73	2.80	1.83	31	0.86	391	15	45	847	28	0.62	34	<5	<10	173	1695	<2	109	11	9	248
46645	981601	11	2	6.86	5	567	<2	<1	1.78	<4	4	37	11	1.04	1.96	29	0.28	156	6	34	409	14	0.26	<5	<5	<10	226	1683	<2	36	<10	3	33
46646	981602	15	1	7.03	<2	576	2	<1	2.00	<4	5	46	10	1.57	1.88	31	0.35	214	8	49	630	11	0.31	<5	<5	<10	239	1941	<2	46	<10	3	68
46647	981603	14	2	7.31	2	565	<2	<1	2.05	<4	4	39	10	1.17	1.86	25	0.29	177	7	36	513	18	0.36	<5	<5	<10	217	1394	<2	34	<10	4	36
46648	981604	9	2	6.47	4	657	<2	<1	1.90	<4	5	29	11	1.34	1.85	31	0.33	238	4	22	569	17	0.30	<5	<5	<10	215	1687	<2	39	<10	3	85
46649	981605	7	1	7.32	3	691	<2	<1	2.09	<4	5	35	8	2.57	1.87	37	0.65	492	6	38	533	15	0.24	<5	<5	<10	200	2057	<2	40	<10	4	87
46650	981606	6	2	7.11	<2	735	<2	<1	2.16	<4	7	38	9	2.49	1.86	39	0.61	488	7	42	665	15	0.23	<5	<5	<10	205	2165	<2	42	<10	4	80
46651	981607	23	3	8.50	5	779	2	<1	3.01	<4	9	48	23	2.33	1.65	37	1.05	467	10	62	697	33	1.00	<5	<5	<10	257	1920	<2	46	<10	6	79
46652	981608	<5	1	8.23	7	479	2	<1	1.72	<4	5	35	8	1.22	1.83	38	0.97	499	6	36	533	20	0.74	<5	<5	<10	145	2002	4	42	<10	4	38
46653	981609	684	12	7.83	19	367	2	<1	0.77	<4	6	32	14	1.76	1.79	29	0.58	294	7	32	438	35	1.48	<5	<5	<10	89	1592	<2	33	<10	4	35
46654D	981609	659	14	8.02	19	379	2	<1	0.79	<4	6	31	14	1.84	1.73	31	0.59	298	6	30	385	35	1.54	<5	<5	<10	91	1630	<2	34	<10	3	37
46655	981610	<5	<1	7.17	4	487	<2	<1	1.71	<4	12	57	24	2.07	2.02	22	0.76	419	4	30	664	15	0.05	<5	<5	<10	219	1785	<2	70	40	11	93
46656	981611	532	59	6.38	24	268	2	<1	0.42	<4	5	37	54	1.61	1.89	24	0.34	<100	13	41	433	90	1.35	26	<5	<10	66	1164	<2	25	<10	3	87
46657	981612	122	22	6.49	18	264	<2	<1	0.42	<4	5	34	39	1.81	1.83	25	0.35	<100	7	36	393	99	1.59	5	<5	<10	69	1217	<2	25	10	3	576

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46658	981613	1319	45	6.86	27	315	<2	<1	0.63	4	5	36	20	1.26	1.50	25	0.34	186	7	39	534	177	0.89	<5	<5	<10	88	1383	<2	26	16	3	876
46659	981614	13	2	7.37	8	316	<2	<1	1.58	<4	4	33	6	1.31	1.78	28	0.75	642	6	33	441	85	0.83	<5	<5	<10	136	1396	<2	27	<10	4	205
46660	981615	8	<1	7.48	11	353	<2	<1	2.07	<4	5	48	8	1.53	1.90	22	0.60	409	8	57	412	24	1.09	<5	<5	<10	174	1139	<2	27	11	4	54
46661	981616	<5	<1	7.31	12	403	<2	<1	2.05	<4	7	42	5	1.69	1.82	28	0.76	306	6	45	578	14	1.29	<5	<5	<10	230	1289	<2	31	<10	4	27
46662	981617	<5	1	7.48	14	548	<2	<1	1.68	<4	9	37	9	0.87	1.95	36	0.94	228	7	44	680	17	0.40	<5	<5	<10	197	1770	<2	37	<10	4	26
46663	981618	<5	<1	8.17	15	581	<2	<1	1.71	<4	7	37	9	0.80	1.94	36	1.02	235	7	44	591	17	0.30	<5	<5	<10	233	1415	<2	34	<10	4	9
46664	981619	7	2	7.83	16	562	2	<1	1.86	<4	8	30	11	0.82	1.83	34	0.92	233	6	33	701	17	0.38	<5	<5	<10	256	1149	<2	34	<10	4	18
46665D	981619	7	3	7.88	21	626	<2	<1	1.88	<4	8	28	12	0.85	1.84	32	0.97	240	5	35	671	19	0.40	<5	<5	<10	265	1153	<2	35	<10	4	22
46666	981620	205	365	5.67	3399	76	2	<1	2.20	129	14	53	437	6.65	1.61	24	0.61	1190	8	23	515	9607	4.37	74	9	12	185	1416	2	87	125	7	12956
46667	981621	136	4	7.65	28	556	2	<1	2.25	4	16	105	38	2.87	1.78	34	1.19	752	6	61	578	93	0.58	<5	<5	<10	165	2005	<2	68	<10	7	167
46668	981622	15	2	6.53	18	556	<2	<1	0.83	<4	7	33	8	1.08	1.85	27	0.39	135	6	35	666	28	0.58	<5	<5	<10	87	1664	2	38	<10	3	39
46669	981623	32	1	6.09	24	414	<2	<1	1.10	<4	8	29	77	1.01	1.52	31	0.38	189	7	185	516	23	0.41	<5	<5	<10	87	1692	<2	33	<10	3	70
46670	981624	78	2	5.26	39	598	<2	<1	1.17	<4	8	34	9	1.30	1.66	32	0.41	215	12	41	562	27	0.74	<5	<5	<10	96	1706	<2	36	<10	3	69
46671	981625	22	<1	7.13	26	703	<2	<1	1.87	<4	8	25	11	1.32	1.72	29	0.73	354	7	27	510	42	0.53	<5	<5	<10	169	1763	<2	38	<10	4	72
46672	981626	23	2	6.95	22	718	2	<1	1.91	<4	8	25	12	1.29	1.70	32	0.74	372	6	24	680	51	0.49	<5	<5	<10	173	1763	<2	39	<10	4	65
46673	981627	12	2	7.73	13	652	2	<1	2.64	<4	7	23	23	1.58	1.62	30	1.04	495	4	19	649	51	0.46	<5	<5	<10	214	1686	<2	38	<10	4	76
46674	981628	83	2	6.89	32	624	2	<1	1.22	<4	7	32	11	1.38	1.66	28	0.47	229	5	26	644	39	0.80	<5	<5	<10	110	1678	<2	39	<10	4	50
46675	981629	98	1	6.63	38	579	2	<1	0.65	<4	7	23	18	1.34	1.76	28	0.31	<100	4	22	565	55	1.03	<5	<5	<10	90	1402	<2	35	<10	3	71
46676D	981629	88	<1	6.05	38	625	2	<1	0.71	<4	7	24	18	1.29	1.81	33	0.29	<100	5	26	607	51	0.95	<5	<5	<10	92	1459	<2	35	<10	3	67
46677	981630	27	1	6.57	2	611	<2	<1	1.75	<4	13	60	23	2.15	1.76	26	0.70	442	8	31	660	11	0.04	<5	<5	<10	229	1940	<2	75	36	8	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, March 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
46678	981631	100	1	6.79	49	629	2	<1	0.78	<4	9	26	24	1.69	1.74	29	0.38	123	5	23	659	71	1.31	<5	<5	<10	93	1391	<2	38	<10	3	117
46679	981632	560	1	6.13	45	623	2	<1	0.86	<4	11	86	42	1.76	1.76	30	0.37	161	6	49	549	73	1.31	<5	<5	<10	83	1230	<2	60	<10	4	127
46680	981633	511	1	5.87	48	619	<2	<1	0.54	<4	5	26	25	1.42	1.84	24	0.26	<100	7	25	459	153	1.21	9	<5	<10	62	982	<2	28	<10	2	379
46681	981634	2386	18	6.08	123	588	2	<1	0.70	4	14	115	144	2.22	1.47	26	0.32	103	7	62	524	1263	1.85	70	<5	<10	64	1095	<2	68	<10	4	539
46682	981635	276	1	6.61	67	572	2	<1	1.03	<4	17	140	77	2.40	1.59	26	0.45	221	6	72	674	99	1.76	5	<5	<10	76	1244	<2	77	<10	5	219
46683	981636	120	<1	6.59	55	492	2	<1	0.51	<4	11	91	30	1.64	1.55	21	0.28	<100	7	52	510	46	1.35	<5	<5	<10	58	956	<2	54	<10	4	173
46684	981637	198	1	6.54	49	458	<2	<1	0.69	7	5	27	50	1.63	1.58	23	0.37	<100	6	27	352	63	1.36	6	<5	<10	65	802	<2	24	18	3	1472
46685	981638	101	<1	7.08	34	607	2	<1	0.52	4	10	20	69	1.28	1.67	24	0.31	<100	4	17	500	46	1.03	<5	<5	<10	66	1143	<2	33	12	3	872
46686	981639	95	<1	6.75	76	605	2	<1	0.52	6	18	90	107	2.33	1.48	26	0.29	<100	6	52	618	42	2.03	5	<5	<10	66	1204	<2	62	17	3	1113
46687D	981639	88	2	6.50	76	596	2	<1	0.48	6	18	88	103	2.27	1.48	24	0.27	<100	6	51	577	39	2.00	5	<5	<10	62	1171	<2	60	14	3	1084
46688	981640	5181	13	6.76	7	422	2	<1	3.02	7	25	80	95	4.13	1.95	30	1.41	763	13	49	925	27	0.51	<5	<5	<10	275	3047	4	117	<10	9	108
46689	981641	144	<1	5.69	90	672	2	<1	0.50	<4	6	35	47	1.31	1.68	24	0.25	<100	5	25	462	114	1.08	15	<5	<10	60	1192	<2	38	12	3	653
46690	981642	62	2	6.17	31	739	2	<1	0.78	<4	8	30	23	1.11	1.71	30	0.36	154	5	26	522	38	0.75	<5	<5	<10	69	1589	<2	38	10	3	111
46691	981643	63	<1	6.96	22	680	2	<1	2.09	<4	7	29	31	1.40	1.76	32	0.87	718	5	27	579	50	0.67	<5	<5	<10	96	1632	<2	37	<10	3	179
46692	981644	26	1	10.40	9	587	<2	<1	3.43	12	7	24	286	2.47	1.91	36	2.48	978	5	25	717	27	0.95	<5	<5	<10	124	1574	3	34	41	7	2817

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
46578	981540	5206	0.152	5.206
46579	981541	42	0.001	0.042
46580	981542	12	<0.001	0.012
46581	981543	9	<0.001	0.009
46582	981544	9	<0.001	0.009
46583	981545	15	<0.001	0.015
46584	981546	13	<0.001	0.013
46585	981547	9	<0.001	0.009
46586	981548	6	<0.001	0.006
46587	981549	10	<0.001	0.010
46588 Dup	981549	10	<0.001	0.010
46589	981550	<5	<0.001	<0.005
46590	981551	25	<0.001	0.025
46591	981552	<5	<0.001	<0.005
46592	981553	<5	<0.001	<0.005
46593	981554	<5	<0.001	<0.005
46594	981555	<5	<0.001	<0.005
46595	981556	6	<0.001	0.006
46596	981557	25	<0.001	0.025
46597	981558	116	0.003	0.116
46598	981559	60	0.002	0.060
46599 Dup	981559	68	0.002	0.068
46600	981560	241	0.007	0.241
46601	981561	39	0.001	0.039
46602	981562	<5	<0.001	<0.005
46603	981563	<5	<0.001	<0.005
46604	981564	<5	<0.001	<0.005
46605	981565	5	<0.001	0.005
46606	981566	5	<0.001	0.005
46607	981567	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
46608	981568	9	<0.001	0.009
46609	981569	7	<0.001	0.007
46610 Dup	981569	9	<0.001	0.009
46611	981570	<5	<0.001	<0.005
46612	981571	7	<0.001	0.007
46613	981572	8	<0.001	0.008
46614	981573	<5	<0.001	<0.005
46615	981574	<5	<0.001	<0.005
46616	981575	7	<0.001	0.007
46617	981576	8	<0.001	0.008
46618	981577	805	0.023	0.805
46619	981578	148	0.004	0.148
46620	981579	746	0.022	0.746
46621 Dup	981579	689	0.020	0.689
46622	981580	5201	0.152	5.201
46623	981581	554	0.016	0.554
46624	981582	929	0.027	0.929
46625	981583	6364	0.186	6.364
46626	981584	110	0.003	0.110
46627	981585	1030	0.030	1.030
46628	981586	1326	0.039	1.326
46629	981587	13876	0.405	13.876
46630	981588	8833	0.258	8.833
46631	981589	14278	0.417	14.278
46632 Dup	981589	14843	0.433	14.843
46633	981590	<5	<0.001	<0.005
46634	981591	2934	0.086	2.934
46635	981592	18734	0.547	18.734
46636	981593	267	0.008	0.267
46637	981594	2700	0.079	2.700

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
46638	981595	2133	0.062	2.133
46639	981596	28	<0.001	0.028
46640	981597	19	<0.001	0.019
46641	981598	23	<0.001	0.023
46642	981599	16	<0.001	0.016
46643 Rep	981599	16	<0.001	0.016
46644	981600	5259	0.153	5.259
46645	981601	11	<0.001	0.011
46646	981602	15	<0.001	0.015
46647	981603	14	<0.001	0.014
46648	981604	9	<0.001	0.009
46649	981605	7	<0.001	0.007
46650	981606	6	<0.001	0.006
46651	981607	23	<0.001	0.023
46652	981608	<5	<0.001	<0.005
46653	981609	684	0.020	0.684
46654 Dup	981609	659	0.019	0.659
46655	981610	<5	<0.001	<0.005
46656	981611	532	0.016	0.532
46657	981612	122	0.004	0.122
46658	981613	1319	0.038	1.319
46659	981614	13	<0.001	0.013
46660	981615	8	<0.001	0.008
46661	981616	<5	<0.001	<0.005
46662	981617	<5	<0.001	<0.005
46663	981618	<5	<0.001	<0.005
46664	981619	7	<0.001	0.007
46665 Dup	981619	7	<0.001	0.007
46666	981620	205	0.006	0.205
46667	981621	136	0.004	0.136

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/15/2011  
 Date Completed: 03/01/2011  
 Job #: 201140683  
 Reference: TMI-TML  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
46668	981622	15	<0.001	0.015
46669	981623	32	<0.001	0.032
46670	981624	78	0.002	0.078
46671	981625	22	<0.001	0.022
46672	981626	23	<0.001	0.023
46673	981627	12	<0.001	0.012
46674	981628	83	0.002	0.083
46675	981629	98	0.003	0.098
46676 Dup	981629	88	0.003	0.088
46677	981630	27	<0.001	0.027
46678	981631	100	0.003	0.100
46679	981632	560	0.016	0.560
46680	981633	511	0.015	0.511
46681	981634	2386	0.070	2.386
46682	981635	276	0.008	0.276
46683	981636	120	0.003	0.120
46684	981637	198	0.006	0.198
46685	981638	101	0.003	0.101
46686	981639	95	0.003	0.095
46687 Dup	981639	88	0.003	0.088
46688	981640	5181	0.151	5.181
46689	981641	144	0.004	0.144
46690	981642	62	0.002	0.062
46691	981643	63	0.002	0.063
46692	981644	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 18, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/04/2011  
 Date Completed: 03/18/2011  
 Job #: 201140907  
 Reference: TMI-TML  
 Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
65899	981587	17101	16984	31707	17736	4.73%	49.69
65900	981588	7852	8270	10754	8125	2.38%	24.15
65901	981589	11668	10735	38547	12328	4.12%	42.52
65902	981592	11799	12316	221676	16076	1.92%	19.63

PROCEDURE CODES: ALPM1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/25/2011  
 Date Completed: 04/28/2011  
 Job #: 201141587  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
109625	981583	5.732	5.869	147.745	10.669	3.43%	34.37

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47959	982593	0.067	3	6.88	6	343	3	<1	1.45	4	18	417	31	3.73	1.82	18	0.99	452	28	52	457	14	1.36	<5	<5	<10	155	2190	3	53	<10	11	74
47960	982594	0.267	2	7.73	80	301	2	<1	2.70	6	6	459	112	2.10	1.87	22	1.68	918	21	14	311	575	0.89	<5	<5	<10	249	1093	6	18	10	4	1011
47961	982595	0.324	1	6.35	4	259	3	<1	1.85	4	21	334	48	3.89	1.89	24	1.47	431	26	72	481	19	0.74	<5	<5	<10	92	1407	5	66	<10	9	67
47962	982596	0.026	1	7.09	<2	286	2	<1	1.62	4	22	402	44	3.93	1.79	26	1.48	477	30	70	570	23	0.59	<5	<5	<10	103	1699	4	74	<10	9	65
47963	982597	0.010	2	5.80	6	264	2	<1	1.22	<4	5	340	10	1.45	1.81	15	0.74	273	16	13	401	34	0.93	<5	<5	<10	106	813	3	17	<10	4	59
47964	982598	0.013	<1	5.31	17	285	<2	<1	1.03	<4	6	182	4	1.75	1.81	14	0.53	199	15	10	154	29	1.97	<5	<5	<10	91	663	<2	11	<10	4	75
47965	982599	0.007	<1	5.48	16	307	2	<1	1.19	<4	10	206	4	1.47	1.89	16	0.71	258	15	17	333	20	1.46	<5	<5	<10	117	740	5	13	<10	5	23
47966	982600	<0.005	2	5.06	4	368	2	<1	1.56	<4	13	60	21	2.27	1.53	16	0.83	446	20	33	516	3	0.07	<5	<5	<10	171	1525	5	68	39	11	42
47967	982601	0.014	<1	3.93	13	244	<2	<1	1.54	<4	9	304	9	1.41	1.30	12	0.50	347	12	16	349	5	1.23	<5	<5	<10	93	872	<2	17	<10	4	12
47968	982602	0.010	2	4.87	4	289	<2	<1	1.42	<4	5	322	10	1.05	1.72	13	0.40	266	12	10	389	8	0.58	<5	<5	<10	120	1046	5	19	<10	3	12
47969R	982602	0.009	<1	4.39	4	260	<2	<1	1.20	<4	5	297	9	1.07	1.70	13	0.38	243	11	11	394	6	0.64	<5	<5	<10	105	973	3	19	<10	3	11
47970	982603	0.011	1	4.61	6	265	<2	<1	1.27	<4	5	281	7	0.99	1.77	13	0.32	200	11	10	418	2	0.66	<5	<5	<10	99	986	2	17	<10	4	11
47971	982604	<0.005	<1	5.48	2	379	<2	<1	0.93	<4	4	223	6	0.75	1.71	16	0.35	146	12	7	383	8	0.36	<5	<5	<10	109	945	<2	18	<10	3	11
47972	982605	0.076	1	6.32	<2	305	3	<1	2.07	<4	18	390	41	3.18	1.88	24	1.38	589	27	57	527	19	0.48	<5	<5	<10	186	1779	<2	57	<10	12	63
47973	982606	0.052	<1	6.49	<2	310	3	<1	2.06	<4	18	443	42	3.23	1.72	25	1.40	599	26	58	493	18	0.53	<5	<5	<10	183	1770	<2	56	<10	12	63
47974	982607	0.019	1	6.86	<2	324	3	<1	1.58	4	20	389	50	3.93	1.72	31	1.31	454	28	66	485	18	1.07	<5	<5	<10	201	1905	5	64	<10	12	72
47975	982608	0.014	<1	7.08	<2	387	3	<1	2.54	4	20	415	56	3.85	1.67	22	1.34	690	28	64	503	30	1.28	5	<5	<10	263	1884	2	69	<10	14	115
47976	982609	0.006	1	4.08	8	306	<2	<1	0.61	<4	5	349	13	0.72	1.79	15	0.31	126	13	12	376	14	0.28	<5	<5	<10	75	881	3	16	<10	4	62
47977	982610	0.232	354	4.79	4111	80	3	<1	2.01	130	14	50	436	7.16	1.45	14	0.80	1229	39	27	456	9533	6.32	27	<5	<10	132	1116	3	72	95	9	13471
47978	982611	0.006	3	3.98	56	276	<2	<1	0.71	<4	5	281	11	0.76	1.60	15	0.33	127	12	9	357	89	0.44	<5	<5	<10	86	909	2	17	<10	3	143

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47979	982612	<0.005	<1	3.25	14	229	<2	<1	0.78	<4	4	298	11	0.60	1.31	12	0.23	<100	9	10	377	16	0.28	<5	<5	<10	83	859	2	14	<10	3	30
47980D	982612	<0.005	1	4.56	11	284	<2	<1	1.03	<4	6	303	11	0.61	1.66	15	0.26	<100	12	10	392	6	0.28	<5	<5	<10	123	931	<2	16	<10	3	20
47981	982613	<0.005	<1	4.39	6	272	<2	<1	0.91	<4	6	320	7	0.85	1.68	14	0.38	134	11	11	446	6	0.30	5	<5	<10	140	1049	4	18	<10	4	22
47982	982614	0.007	2	6.51	<2	277	2	<1	2.25	<4	8	335	9	2.09	1.79	19	0.94	447	16	11	482	9	0.34	<5	<5	<10	325	1364	2	25	<10	6	44
47983	982615	0.005	<1	7.45	<2	290	2	<1	2.14	<4	7	288	9	2.01	1.83	22	0.88	439	16	11	503	7	0.22	<5	<5	<10	276	1332	6	27	<10	6	59
47984	982616	0.013	<1	7.01	10	216	2	<1	2.46	<4	16	393	8	1.33	1.76	17	1.00	652	18	22	662	17	0.75	<5	<5	<10	90	1304	9	21	<10	6	33
47985	982617	0.020	2	7.38	31	257	2	<1	2.34	<4	14	312	12	1.37	1.75	19	1.13	819	17	19	713	52	0.78	<5	<5	<10	79	1282	7	20	<10	6	146
47986	982618	0.073	<1	8.10	24	235	2	<1	3.90	<4	12	325	20	1.91	1.82	17	1.42	1276	19	16	607	54	1.17	<5	<5	<10	99	1468	3	24	<10	6	146
47987	982619	0.204	4	6.77	31	268	2	<1	1.79	<4	7	276	32	1.35	1.78	18	0.77	469	18	12	592	121	0.87	<5	<5	<10	83	1186	4	18	<10	5	163
47988	982620	<0.005	1	4.35	<2	324	<2	<1	1.41	<4	11	57	20	2.10	1.35	14	0.77	420	17	30	475	<1	0.06	<5	<5	<10	141	1398	<2	63	35	10	40
47989	982621	0.015	1	6.79	11	286	2	<1	2.21	<4	10	195	27	1.17	1.85	17	0.94	562	15	11	705	27	0.38	<5	<5	<10	107	1198	<2	17	<10	5	58
47990	982622	0.018	<1	5.93	<2	326	<2	<1	1.27	<4	5	300	36	1.42	1.85	19	0.77	509	16	9	614	24	0.40	5	<5	<10	73	1313	3	22	<10	5	397
47991D	982622	0.021	1	5.73	<2	312	<2	<1	1.29	<4	5	302	36	1.42	1.95	18	0.75	509	16	8	629	23	0.39	<5	<5	<10	74	1290	3	21	<10	5	397
47992	982623	0.686	4	5.63	40	247	2	<1	0.78	4	2	210	74	1.63	1.85	15	0.45	245	16	7	420	481	1.62	<5	<5	<10	59	942	3	14	<10	4	783
47993	982624	0.316	2	4.67	70	195	<2	<1	0.77	<4	3	202	29	1.43	1.72	15	0.53	393	13	6	448	222	1.12	<5	<5	<10	54	951	2	16	<10	4	420
47994	982625	0.429	2	5.92	62	246	2	<1	1.18	4	6	263	20	2.43	1.66	19	0.79	591	18	12	462	147	2.15	<5	<5	<10	78	1197	<2	20	<10	5	421
47995	982626	0.377	4	5.15	57	222	2	<1	0.94	<4	7	161	18	2.35	1.69	18	0.80	586	19	11	481	282	2.14	<5	<5	<10	59	1203	2	20	<10	5	251
47996	982627	0.485	2	4.49	43	219	2	<1	0.64	<4	7	213	35	1.86	1.67	16	0.62	508	15	11	475	54	1.42	<5	<5	<10	40	1155	4	19	<10	5	94
47997	982628	0.515	9	5.15	46	234	<2	<1	0.77	<4	8	200	38	1.87	1.73	19	0.72	593	16	13	452	37	1.13	<5	<5	<10	43	1254	2	22	<10	5	133
47998	982629	0.217	1	4.51	28	204	<2	<1	0.57	<4	7	250	21	1.38	1.68	16	0.51	401	14	11	420	25	0.92	<5	<5	<10	36	1009	<2	18	<10	4	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
47999	982630	5.270	9	6.90	6	271	3	<1	2.80	6	23	69	95	4.25	1.75	21	1.89	813	39	53	888	20	0.77	<5	<5	<10	220	1490	6	101	<10	13	92
48000	982631	0.675	1	5.14	28	236	<2	<1	0.79	<4	7	343	23	2.16	1.66	19	0.71	602	18	14	461	17	1.28	<5	<5	<10	49	1372	4	25	<10	5	73
48001	982632	0.318	6	5.18	24	184	<2	<1	0.79	<4	7	190	73	1.26	1.80	18	0.64	357	16	12	359	303	1.03	<5	<5	<10	62	829	<2	15	11	4	1065
48002D	982632	0.369	8	4.27	26	163	<2	<1	0.70	4	6	185	78	1.25	1.73	15	0.61	355	12	11	371	314	1.07	6	<5	<10	55	776	2	14	<10	4	1091
48003	982633	0.120	2	4.65	14	160	<2	<1	0.84	<4	3	173	35	0.73	1.75	14	0.63	339	11	7	421	51	0.48	<5	<5	<10	56	768	2	13	<10	3	111
48004	982634	0.019	1	5.02	7	163	2	<1	0.90	<4	4	256	18	0.90	1.75	16	0.81	461	14	9	453	36	0.30	<5	<5	<10	63	860	6	16	<10	4	67
48005	982635	0.497	3	4.70	17	179	<2	<1	0.52	<4	4	231	39	0.99	1.62	13	0.34	136	12	11	353	152	0.79	<5	<5	<10	45	730	<2	15	<10	4	383
48006	982636	0.182	3	5.21	10	177	2	<1	1.51	<4	7	328	24	2.66	1.59	21	0.66	437	19	15	459	25	2.53	<5	<5	<10	80	1072	3	22	<10	5	75
48007	982637	0.009	2	5.10	4	175	<2	<1	1.11	<4	4	232	14	1.36	1.71	19	0.71	476	13	9	420	10	0.34	<5	<5	<10	77	1219	3	19	<10	4	34
48008	982638	0.010	1	5.95	7	203	2	<1	2.19	<4	3	194	13	1.51	1.73	17	0.91	715	12	8	439	11	0.42	<5	<5	<10	124	1220	3	20	<10	4	41
48009	982639	0.010	<1	6.71	10	173	2	1	2.03	<4	3	302	10	1.50	1.88	20	1.04	656	14	9	451	13	0.97	<5	<5	<10	109	1111	<2	18	<10	4	41
48010	982640	<0.005	<1	3.96	2	320	2	<1	1.42	<4	12	58	21	2.22	1.12	13	0.79	439	18	33	496	3	0.06	<5	<5	<10	138	1446	3	65	35	11	41
48011	982641	0.155	15	3.49	23	101	<2	<1	0.33	<4	3	177	52	1.50	1.63	9	0.25	<100	13	7	383	101	1.68	5	<5	<10	27	475	<2	9	<10	3	155
48012	982642	0.142	2	3.30	23	84	<2	<1	0.20	<4	1	235	24	1.14	1.58	8	0.24	<100	10	7	310	8	1.13	<5	<5	<10	20	308	2	8	<10	3	51
48013D	982642	0.136	2	3.72	21	94	2	<1	0.22	<4	1	235	26	1.14	1.70	10	0.26	<100	12	9	306	12	1.14	<5	<5	<10	23	351	<2	10	<10	3	56
48014	982643	0.276	12	3.91	30	96	<2	<1	0.22	<4	1	378	27	1.25	1.58	10	0.26	<100	13	9	276	27	1.12	5	<5	<10	23	352	<2	9	<10	3	137
48015	982644	0.276	17	3.53	21	86	<2	<1	0.21	<4	2	212	26	1.16	1.64	9	0.23	<100	11	7	374	90	0.99	6	<5	<10	21	320	<2	9	<10	3	280
48016	982645	0.837	45	4.07	22	100	<2	<1	0.20	<4	2	302	33	1.01	1.66	9	0.19	<100	12	8	277	187	0.89	17	<5	<10	24	445	5	11	<10	2	265
48017	982646	0.355	45	4.12	23	101	<2	<1	0.21	<4	2	244	34	1.03	1.69	10	0.19	<100	11	8	292	131	0.96	12	<5	<10	24	450	<2	10	<10	2	205
48018	982647	0.167	48	3.77	28	98	<2	<1	0.21	<4	3	329	61	1.22	1.56	9	0.16	<100	11	9	318	127	1.13	13	<5	<10	22	457	<2	10	<10	3	348

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
48019	982648	0.370	81	4.32	26	116	<2	<1	0.38	<4	3	314	41	1.02	1.68	11	0.26	101	11	8	348	95	0.85	14	<5	<10	37	577	<2	11	<10	3	825
48020	982649	0.015	2	7.29	11	152	2	<1	2.44	<4	5	339	12	1.43	1.73	25	1.23	690	16	11	412	27	0.64	<5	<5	<10	121	1029	6	18	<10	5	63
48021	982650	5.152	3	4.93	394	673	2	<1	2.47	4	11	114	76	3.10	1.55	18	1.12	410	33	51	789	25	0.98	14	<5	<10	130	1321	4	107	<10	11	207
48022	982651	0.007	1	7.52	6	237	2	<1	2.96	<4	5	264	12	1.70	1.90	21	1.22	446	17	12	415	16	0.55	<5	<5	<10	177	1198	3	21	<10	5	45
48023	982652	<0.005	<1	7.21	2	318	2	<1	1.98	<4	8	370	9	1.11	1.82	21	0.74	287	17	12	516	12	0.31	<5	<5	<10	205	1116	<2	21	<10	5	25
48024D	982652	<0.005	1	6.41	<2	295	2	<1	1.84	<4	8	369	9	1.11	1.80	19	0.73	290	13	11	522	15	0.30	<5	<5	<10	189	1065	4	20	<10	4	25
48025	982653	0.733	10	6.38	47	237	2	<1	1.68	10	11	230	143	2.33	1.76	17	0.75	422	20	27	432	993	2.11	<5	<5	<10	102	1343	4	32	23	7	2933
48026	982654	0.038	<1	6.91	14	321	3	<1	2.61	4	18	337	51	3.30	1.82	20	1.37	810	24	55	491	52	1.20	<5	<5	<10	111	2104	7	56	<10	13	170
48027	982655	0.120	1	6.59	29	255	3	<1	2.18	4	18	431	64	3.49	1.78	19	1.30	712	27	55	482	48	1.87	<5	<5	<10	95	1809	3	58	<10	13	176
48028	982656	0.051	1	5.41	43	309	2	<1	1.09	<4	7	256	14	1.73	1.72	13	0.53	215	16	16	484	15	1.43	<5	<5	<10	69	1028	2	22	<10	5	63
48029	982657	0.043	<1	7.75	44	437	2	<1	2.61	<4	15	294	42	2.28	1.73	20	1.16	569	20	43	546	46	1.23	<5	<5	<10	113	1699	2	49	<10	10	50
48030	982658	0.069	<1	5.91	32	313	2	<1	1.12	<4	7	246	8	1.67	1.79	14	0.57	253	14	11	556	63	1.40	<5	<5	<10	77	1097	5	20	<10	5	376
48031	982659	0.195	1	5.54	47	294	2	<1	0.90	<4	6	218	28	1.64	1.73	13	0.47	198	14	10	522	47	1.55	<5	<5	<10	66	935	<2	18	<10	4	196
48032	982660	<0.005	<1	4.11	5	313	<2	<1	1.42	<4	11	58	20	2.19	1.27	14	0.79	433	17	32	487	2	0.07	<5	<5	<10	134	1400	<2	65	30	11	40
48033	982661	0.089	1	5.44	47	257	2	<1	1.04	<4	6	272	22	1.71	1.81	14	0.55	233	14	11	548	14	1.55	<5	<5	<10	63	1003	2	19	<10	5	36
48034	982662	0.062	2	6.58	38	286	2	<1	1.34	<4	8	300	18	1.61	1.84	17	0.66	257	16	11	564	11	1.17	<5	<5	<10	78	1184	2	20	<10	5	36
48035R	982662	0.062	1	5.79	34	256	2	<1	1.31	<4	7	311	19	1.55	1.93	15	0.64	259	15	11	551	14	1.09	<5	<5	<10	71	1092	3	19	<10	5	35
48036	982663	0.055	3	5.96	40	218	2	<1	1.30	<4	7	247	21	1.56	1.85	14	0.60	271	15	10	555	15	1.09	<5	<5	<10	72	1090	2	18	<10	5	57
48037	982664	0.049	<1	7.78	40	255	2	<1	1.98	<4	10	287	29	2.03	1.75	19	1.06	536	18	13	566	18	1.35	<5	<5	<10	96	1394	5	25	<10	6	70
48038	982665	0.064	<1	6.27	55	209	2	<1	1.04	4	15	278	49	2.83	1.66	16	0.82	397	22	35	547	29	2.25	<5	<5	<10	48	1149	4	33	<10	7	395

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
48039	982666	0.146	1	6.28	79	204	2	<1	0.95	4	19	269	67	3.11	1.73	17	0.83	410	23	41	554	28	2.51	<5	<5	<10	45	1151	2	34	<10	8	382
48040	982667	0.813	1	6.06	112	155	2	1	0.35	5	18	356	76	3.18	1.76	13	0.30	104	23	60	441	208	3.53	9	<5	<10	30	1240	<2	54	<10	9	558
48041	982668	0.272	<1	5.68	58	255	2	<1	0.65	<4	12	258	66	1.92	1.80	12	0.35	135	16	37	452	147	1.67	<5	<5	<10	39	1021	2	33	<10	9	575
48042	982669	0.304	3	5.58	39	280	2	<1	0.51	5	7	387	62	2.24	1.84	13	0.31	141	16	14	409	553	2.02	<5	<5	<10	28	1026	<2	21	13	5	1031
48043	982670	0.223	355	6.01	4061	67	4	3	2.14	127	15	53	476	7.18	1.71	15	0.83	1234	40	27	461	9534	6.48	32	<5	13	157	1202	6	83	92	10	13567
48044	982671	0.344	3	6.13	74	237	<2	<1	0.71	5	7	301	47	2.25	1.64	15	0.42	184	18	13	473	329	2.34	5	<5	<10	42	1042	3	22	<10	5	699
48045	982672	0.314	7	5.62	47	168	3	<1	0.82	27	9	325	173	3.44	1.82	15	0.51	311	22	14	431	1226	3.45	<5	<5	<10	35	941	5	20	63	5	7550
48046D	982672	0.330	7	5.35	51	142	2	<1	0.79	27	9	320	169	3.44	1.87	14	0.49	302	21	13	420	1215	3.47	<5	<5	<10	33	907	<2	19	64	5	8868
48047	982673	0.015	1	5.74	8	471	<2	<1	0.97	4	5	437	55	1.41	1.98	16	0.41	274	17	11	430	40	0.90	<5	<5	<10	33	989	2	21	11	5	768
48048	982674	0.032	<1	6.36	13	409	2	<1	1.95	<4	7	307	32	1.77	1.96	16	1.01	643	15	14	484	46	0.93	<5	<5	<10	68	1222	7	23	<10	5	220
48049	982675	0.016	2	8.14	2	470	2	<1	2.71	<4	7	297	21	1.79	2.02	20	1.51	835	19	12	524	115	0.52	5	<5	<10	91	1503	8	28	<10	5	217

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
47959	982593	67	0.002	0.067
47960	982594	267	0.008	0.267
47961	982595	324	0.009	0.324
47962	982596	26	<0.001	0.026
47963	982597	10	<0.001	0.010
47964	982598	13	<0.001	0.013
47965	982599	7	<0.001	0.007
47966	982600	<5	<0.001	<0.005
47967	982601	14	<0.001	0.014
47968	982602	10	<0.001	0.010
47969 Rep	982602	9	<0.001	0.009
47970	982603	11	<0.001	0.011
47971	982604	<5	<0.001	<0.005
47972	982605	76	0.002	0.076
47973	982606	52	0.002	0.052
47974	982607	19	<0.001	0.019
47975	982608	14	<0.001	0.014
47976	982609	6	<0.001	0.006
47977	982610	232	0.007	0.232
47978	982611	6	<0.001	0.006
47979	982612	<5	<0.001	<0.005
47980 Dup	982612	<5	<0.001	<0.005
47981	982613	<5	<0.001	<0.005
47982	982614	7	<0.001	0.007
47983	982615	5	<0.001	0.005
47984	982616	13	<0.001	0.013
47985	982617	20	<0.001	0.020
47986	982618	73	0.002	0.073
47987	982619	204	0.006	0.204
47988	982620	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
47989	982621	15	<0.001	0.015
47990	982622	18	<0.001	0.018
47991 Dup	982622	21	<0.001	0.021
47992	982623	686	0.020	0.686
47993	982624	316	0.009	0.316
47994	982625	429	0.013	0.429
47995	982626	377	0.011	0.377
47996	982627	485	0.014	0.485
47997	982628	515	0.015	0.515
47998	982629	217	0.006	0.217
47999	982630	5270	0.154	5.270
48000	982631	675	0.020	0.675
48001	982632	318	0.009	0.318
48002 Dup	982632	369	0.011	0.369
48003	982633	120	0.004	0.120
48004	982634	19	<0.001	0.019
48005	982635	497	0.015	0.497
48006	982636	182	0.005	0.182
48007	982637	9	<0.001	0.009
48008	982638	10	<0.001	0.010
48009	982639	10	<0.001	0.010
48010	982640	<5	<0.001	<0.005
48011	982641	155	0.005	0.155
48012	982642	142	0.004	0.142
48013 Dup	982642	136	0.004	0.136
48014	982643	276	0.008	0.276
48015	982644	276	0.008	0.276
48016	982645	837	0.024	0.837
48017	982646	355	0.010	0.355
48018	982647	167	0.005	0.167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/16/2011  
 Date Completed: 03/01/2011  
 Job #: 201140702  
 Reference: TMI-TML  
 Sample #: 83

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
48019	982648	370	0.011	0.370
48020	982649	15	<0.001	0.015
48021	982650	5152	0.150	5.152
48022	982651	7	<0.001	0.007
48023	982652	<5	<0.001	<0.005
48024 Dup	982652	<5	<0.001	<0.005
48025	982653	733	0.021	0.733
48026	982654	38	0.001	0.038
48027	982655	120	0.003	0.120
48028	982656	51	0.001	0.051
48029	982657	43	0.001	0.043
48030	982658	69	0.002	0.069
48031	982659	195	0.006	0.195
48032	982660	<5	<0.001	<0.005
48033	982661	89	0.003	0.089
48034	982662	62	0.002	0.062
48035 Rep	982662	62	0.002	0.062
48036	982663	55	0.002	0.055
48037	982664	49	0.001	0.049
48038	982665	64	0.002	0.064
48039	982666	146	0.004	0.146
48040	982667	813	0.024	0.813
48041	982668	272	0.008	0.272
48042	982669	304	0.009	0.304
48043	982670	223	0.006	0.223
48044	982671	344	0.010	0.344
48045	982672	314	0.009	0.314
48046 Dup	982672	330	0.010	0.330
48047	982673	15	<0.001	0.015
48048	982674	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 1, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/16/2011  
Date Completed: 03/01/2011  
Job #: 201140702  
Reference: TMI-TML  
Sample #: 83

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
48049	982675	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Wednesday, March 16, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56008	981645	0.309	15	12.28	88	450	2	15	5.80	37	10	44	352	3.48	1.47	36	2.81	2237	97	38	293	1776	5.87	28	35	330	548	1629	17	38	61	12	4656
56009	981646	0.302	16	12.29	21	399	2	14	6.27	42	10	49	412	3.82	1.61	38	3.08	2355	105	39	399	2108	5.35	30	39	384	539	1728	12	41	62	12	5984
56010	981647	0.076	8	8.29	40	444	<2	9	1.75	27	18	119	360	2.82	1.92	36	1.08	655	44	62	493	148	5.13	31	<5	340	214	2403	23	78	25	5	2715
56011	981648	0.052	4	7.87	52	568	<2	16	1.08	6	10	39	21	0.84	1.91	26	0.40	147	35	31	657	22	4.89	30	11	363	306	1252	20	48	11	3	698
56012	981649	0.026	5	8.78	<2	463	2	9	2.03	21	19	117	59	3.32	1.90	37	1.16	479	56	61	705	41	5.65	23	<5	391	267	2284	4	76	21	7	238
56013	981650	<0.005	4	7.63	46	481	<2	9	1.90	14	12	57	23	2.18	1.96	28	0.78	468	43	33	847	3	5.48	25	12	432	237	2068	11	76	11	9	54
56014	981651	0.009	5	8.55	3	487	<2	8	2.34	14	8	29	12	1.86	1.94	44	1.05	501	51	32	892	33	5.48	28	37	547	221	2098	9	38	28	5	884
56015	981652	0.008	4	8.72	41	484	<2	10	2.41	10	8	21	9	1.48	1.88	37	0.83	368	43	23	849	35	5.09	23	44	382	208	2052	14	37	<10	5	74
56016	981653	0.657	13	9.43	20	438	<2	9	3.42	23	7	23	1128	2.17	2.07	35	1.25	727	54	31	1012	1275	6.07	28	30	333	239	1854	14	36	<10	6	1253
56017	981654	0.088	5	9.06	44	394	2	12	2.03	24	23	148	78	3.79	2.17	42	1.47	567	68	81	866	37	4.80	23	11	423	163	2742	21	94	<10	8	99
56018D	981654	0.048	6	9.43	55	408	2	8	2.04	24	23	152	56	3.80	2.17	43	1.47	588	68	82	1026	13	5.44	30	8	434	165	2944	9	98	15	8	89
56019	981655	0.011	5	7.98	<2	515	<2	8	1.42	10	9	29	30	1.38	2.15	36	0.78	265	46	23	358	17	5.30	19	15	343	135	1583	2	32	10	4	64
56020	981656	0.010	5	8.44	81	712	<2	10	1.39	10	7	18	4	1.47	2.00	33	0.69	240	40	28	301	29	5.14	27	12	358	137	1695	9	28	10	4	83
56021	981657	0.008	6	8.19	6	820	<2	8	1.41	9	9	17	5	1.28	1.96	34	0.71	280	43	23	316	14	4.63	25	17	325	152	1804	12	31	<10	4	81
56022	981658	0.007	5	7.54	64	624	<2	10	1.77	12	10	14	11	1.84	1.92	30	0.49	227	29	22	590	19	4.60	28	12	356	193	1398	7	27	18	4	29
56023	981659	0.009	4	8.78	23	686	<2	10	2.20	8	8	16	12	0.96	1.94	29	0.48	233	28	20	591	9	4.52	27	<5	377	229	1301	12	28	<10	4	24
56024	981660	5.005	5	8.08	500	1312	<2	6	2.84	20	11	105	75	3.01	2.11	32	1.08	438	58	51	1309	13	5.10	53	<5	387	192	1754	18	116	27	11	227
56025	981661	0.012	4	8.19	61	563	<2	9	2.45	6	6	19	14	0.92	1.93	28	0.44	233	31	20	620	8	4.68	32	15	387	232	1297	15	26	<10	4	43
56026	981662	0.012	4	8.02	33	750	<2	8	1.99	7	8	23	13	0.92	1.92	29	0.45	206	32	25	631	3	4.82	22	13	328	233	1389	7	29	<10	4	32
56027	981663	<0.005	4	8.00	3	661	<2	8	1.75	6	7	14	6	0.72	1.97	32	0.49	184	30	21	573	16	4.80	25	38	353	218	1412	10	26	12	3	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56028	981664	0.212	5	9.08	8	476	2	11	1.96	22	23	141	54	3.20	2.18	42	1.09	432	52	80	802	15	5.40	28	43	422	229	2886	19	92	<10	8	131
56029D	981664	0.201	5	8.97	<2	481	2	10	1.94	22	22	143	53	3.21	2.18	42	1.09	436	53	77	751	22	5.16	29	5	392	227	2933	10	94	12	8	126
56030	981665	0.054	5	9.26	<2	431	2	11	2.27	21	21	110	44	3.17	2.06	42	1.07	444	49	68	775	14	5.90	29	<5	391	263	2539	12	81	15	7	87
56031	981666	0.322	4	9.33	15	415	2	13	2.20	21	20	109	51	3.06	2.04	41	1.05	383	52	62	617	22	5.38	24	11	434	262	2440	13	77	13	7	79
56032	981667	0.015	4	8.73	55	642	2	12	2.48	22	21	141	47	3.37	2.15	40	1.22	618	60	73	844	21	4.53	24	16	386	304	2912	6	94	<10	9	103
56033	981668	<0.005	4	8.02	44	815	<2	6	1.52	6	5	22	12	0.56	1.90	32	0.37	113	30	15	584	16	4.72	28	<5	348	263	1518	14	31	<10	3	60
56034	981669	<0.005	3	8.50	35	648	<2	11	1.83	5	6	16	10	0.57	2.09	29	0.40	108	30	18	518	8	3.00	26	15	332	314	1316	10	28	24	3	61
56035	981670	<0.005	4	7.82	29	490	<2	9	1.88	14	11	54	23	2.14	2.11	27	0.79	462	38	33	784	2	4.86	27	<5	370	235	1953	14	74	17	10	65
56036	981671	<0.005	4	8.27	70	703	<2	12	1.78	5	6	18	6	0.50	1.94	31	0.37	102	34	20	523	11	4.56	25	28	359	286	1418	8	29	<10	3	49
56037	981672	<0.005	4	5.72	19	93	<2	4	0.75	<4	<1	27	3	0.15	1.92	21	0.28	<100	24	23	105	<1	4.63	31	9	321	66	194	15	4	10	4	13
56038	981673	<0.005	3	8.60	57	575	<2	10	2.06	6	7	17	7	0.57	1.94	32	0.41	105	29	23	575	12	4.56	25	30	324	350	1454	11	30	<10	4	34
56039	981674	0.006	4	8.72	94	493	<2	9	2.53	12	7	19	10	1.77	2.04	37	0.88	429	44	26	812	<1	5.21	22	25	351	342	1965	4	35	<10	5	53
56040D	981674	<0.005	4	9.60	54	510	<2	8	2.69	13	8	19	10	1.86	1.99	38	0.94	448	47	31	825	22	5.51	26	<5	398	362	2031	13	36	<10	6	55
56041	981675	0.065	5	8.94	59	507	<2	10	1.86	11	6	28	35	1.41	2.07	36	1.04	672	52	24	997	25	4.77	27	22	342	159	1737	10	35	19	5	179
56042	981676	0.033	5	8.09	40	448	<2	10	1.16	10	6	18	14	1.37	2.02	34	0.52	358	36	23	644	55	5.56	23	15	369	137	1706	10	30	<10	4	198
56043	981677	0.276	6	8.37	26	377	2	7	2.20	11	10	15	36	1.30	2.02	33	0.83	1107	49	23	679	119	5.62	24	29	376	194	1599	19	26	<10	4	549
56044	981678	0.246	7	6.75	21	370	2	10	1.41	8	8	21	59	0.94	1.72	29	0.55	693	36	20	682	42	7.97	28	13	387	128	1375	11	25	<10	3	169
56045	981679	0.432	13	7.43	61	434	<2	9	1.28	12	7	18	39	1.46	1.82	32	0.55	689	39	24	735	56	5.73	24	20	339	129	1786	8	31	11	3	291
56046	981680	<0.005	4	8.28	7	506	<2	8	1.95	15	12	56	23	2.23	1.87	29	0.80	480	43	33	914	5	5.88	27	43	390	242	2060	10	76	27	9	55
56047	981681	0.068	6	7.92	<2	423	<2	10	1.56	11	43	18	103	1.37	1.86	34	0.70	1474	41	34	665	26	5.13	24	5	399	157	1851	32	32	21	4	129

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56048	981682	0.756	4	8.23	23	473	<2	11	1.41	9	7	24	38	1.47	1.79	32	0.67	597	35	31	1011	28	4.12	32	38	359	138	1740	10	29	<10	4	71
56049	981683	0.281	6	8.07	22	377	<2	11	1.67	10	19	23	64	1.39	1.89	33	0.70	1015	36	27	960	49	5.17	23	23	374	142	1703	10	30	<10	4	180
56050	981684	0.405	6	7.97	54	438	<2	14	1.08	14	6	20	80	1.80	1.92	33	0.52	339	32	20	604	108	4.98	27	19	367	100	1738	7	28	22	4	805
56051D	981684	0.348	6	8.41	78	442	<2	12	1.11	16	6	16	84	1.90	1.87	33	0.54	327	37	21	768	136	4.95	27	<5	373	103	1721	5	29	15	4	844
56052	981685	0.154	6	8.67	11	349	<2	5	1.97	13	7	31	39	1.70	1.98	33	0.82	819	44	39	1021	67	4.81	30	21	349	153	1740	16	31	<10	5	459
56053	981686	0.257	5	8.64	34	359	<2	14	1.94	11	6	18	39	1.49	1.87	33	0.82	808	42	18	1113	55	4.80	27	41	384	149	1738	11	31	12	5	175
56054	981687	1.015	7	8.52	51	502	<2	7	1.34	12	7	18	20	1.53	1.91	34	0.59	415	36	22	761	110	4.80	29	11	383	122	1846	7	31	<10	4	248
56055	981688	1.812	8	8.24	107	463	<2	8	1.37	12	6	25	15	1.78	1.94	35	0.60	540	40	27	678	52	4.75	30	10	357	111	1834	15	34	13	4	216
56056	981689	0.662	6	8.52	62	428	<2	16	1.64	13	9	30	41	1.91	1.90	34	0.76	992	40	32	710	31	4.99	26	25	356	120	1987	13	37	10	4	143
56057	981690	0.237	359	7.62	4534	111	<2	11	2.37	166	15	50	476	6.80	1.64	29	0.75	1294	76	31	504	9558	5.39	67	9	441	196	1559	7	89	153	8	13464
56058	981691	3.290	12	7.29	75	440	<2	17	1.18	15	9	25	62	1.87	1.94	36	0.52	563	41	24	637	104	4.39	26	20	388	98	2005	12	37	12	3	302
56059	981692	1.036	11	7.42	20	429	<2	10	1.30	10	8	23	21	1.39	2.01	35	0.58	593	40	21	750	36	5.12	27	<5	351	100	1954	12	36	<10	4	110
56060	981693	0.400	7	7.37	46	433	<2	10	1.60	12	7	23	15	1.53	2.02	35	0.65	711	35	26	608	22	5.05	27	5	373	115	1938	12	35	<10	4	277
56061	981694	0.063	5	7.75	12	414	<2	9	1.53	10	8	27	16	1.56	2.03	35	0.62	639	41	23	676	19	5.25	24	19	417	124	1986	13	37	<10	4	80
56062D	981694	0.088	5	8.12	41	421	<2	15	1.59	12	7	27	17	1.62	1.98	36	0.64	633	45	24	710	14	5.22	29	9	407	129	2004	21	38	<10	4	85
56063	981695	0.783	8	7.49	<2	430	<2	9	1.30	12	8	26	44	1.70	2.05	36	0.54	568	39	26	634	41	5.30	26	18	323	105	1905	13	35	<10	4	176
56064	981696	0.223	8	7.48	44	377	<2	9	0.69	6	5	22	20	0.53	1.89	32	0.37	<100	26	25	504	17	4.77	25	<5	357	73	1498	13	27	24	3	52
56065	981697	0.903	12	7.25	<2	315	<2	11	0.88	10	6	20	79	0.71	1.98	32	0.35	101	27	20	434	296	5.80	28	23	341	100	1386	21	24	<10	3	1048
56066	981698	1.029	7	7.71	61	326	<2	10	0.70	7	5	23	23	0.77	1.92	33	0.37	<100	34	26	383	91	5.14	26	<5	321	92	1339	10	24	20	3	156
56067	981699	0.152	5	7.98	51	418	<2	8	1.34	15	11	25	18	2.02	1.81	38	0.55	262	38	31	642	18	4.94	26	<5	370	159	1806	18	34	<10	4	124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56068	981700	4.898	12	9.06	<2	351	<2	12	3.37	31	28	81	100	4.37	2.00	35	1.77	852	86	61	1760	21	4.87	29	<5	401	298	3601	15	126	20	12	112
56069	981701	0.035	4	7.81	70	366	<2	10	1.61	10	9	28	17	1.28	2.04	34	0.69	392	38	28	634	13	4.00	28	16	398	192	1808	7	34	14	4	189
56070	981702	0.014	4	7.95	49	387	<2	7	1.40	10	6	26	15	1.42	1.97	39	0.95	419	44	26	823	28	3.71	27	<5	386	136	2048	12	36	<10	4	105
56071	981703	0.008	4	7.93	37	427	<2	4	1.51	8	5	19	6	1.08	1.91	41	0.80	397	43	19	731	8	4.50	33	16	353	175	1984	16	34	<10	4	30
56072	981704	0.195	8	8.46	<2	431	<2	8	1.65	9	6	23	21	1.22	1.98	40	0.92	548	46	22	786	53	4.78	27	<5	382	158	2049	15	37	<10	4	126
56073R	981704	0.286	7	8.43	12	424	<2	7	1.65	10	5	20	22	1.22	2.02	41	0.91	547	48	22	826	59	5.05	33	<5	395	159	2006	11	36	<10	4	125
56074	981705	0.353	8	8.77	81	334	<2	6	1.39	11	6	19	245	1.44	1.99	39	0.88	536	48	351	631	107	5.85	28	13	356	120	1643	17	31	18	4	245
56075	981706	0.297	9	8.51	59	301	<2	10	0.97	12	6	20	32	1.46	1.92	33	0.70	306	38	35	758	45	4.42	25	<5	384	87	1406	9	26	11	5	600
56076	981707	0.380	52	7.53	25	223	<2	11	0.64	10	5	15	61	1.42	1.92	26	0.37	<100	31	24	428	20	4.54	50	<5	356	63	1028	9	20	10	4	192
56077	981708	0.078	8	7.35	11	192	<2	9	0.59	6	3	20	26	0.72	1.88	26	0.35	<100	24	22	331	8	5.03	30	16	313	65	854	16	19	<10	3	63
56078	981709	0.176	9	7.70	<2	192	<2	11	0.51	7	4	15	20	0.85	1.82	24	0.43	<100	26	15	437	17	3.94	25	<5	296	59	897	6	20	<10	4	158
56079	981710	<0.005	4	7.86	55	465	<2	14	1.87	14	11	54	21	2.15	1.94	29	0.79	447	39	33	935	11	5.10	33	<5	370	226	1796	26	70	28	10	45
56080	981711	0.094	8	7.77	<2	220	<2	11	0.60	8	5	16	18	0.94	1.88	30	0.44	<100	24	19	475	16	4.83	29	<5	342	69	1105	10	23	17	3	112
56081	981712	0.298	39	8.18	34	232	<2	15	0.67	9	6	18	29	1.11	1.79	30	0.47	136	31	17	513	54	4.47	26	29	342	74	1265	13	23	<10	4	214
56082	981713	0.026	6	9.73	63	280	<2	11	2.86	14	8	20	46	1.30	1.98	37	1.21	708	54	24	596	20	4.68	27	<5	326	153	1400	18	26	30	6	625
56083	981714	0.007	4	9.63	45	437	<2	16	2.33	13	10	21	13	1.80	2.11	39	1.18	435	55	26	956	13	4.07	28	20	395	218	1643	15	35	14	8	55
56084D	981714	0.008	3	9.32	60	458	<2	9	2.34	14	8	22	13	1.79	2.11	40	1.15	431	53	26	893	<1	4.04	24	30	387	222	1703	19	36	23	7	48
56085	981715	0.007	4	8.56	59	487	<2	9	2.63	13	7	17	4	1.71	2.09	32	0.55	323	41	22	870	7	4.47	29	14	369	228	1447	18	32	<10	5	56
56086	981716	0.008	4	8.65	47	525	<2	7	2.39	13	7	20	5	1.69	1.85	30	0.55	294	36	28	1028	11	4.46	22	13	374	230	1533	17	31	17	6	57
56087	981717	0.008	4	9.18	19	645	<2	11	1.66	13	7	15	6	1.81	1.79	34	0.67	277	43	19	1039	17	5.01	29	9	281	199	1043	15	34	23	5	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56088	981718	0.059	5	8.41	19	653	<2	10	0.62	14	7	16	16	1.82	1.80	27	0.30	<100	25	23	938	55	4.81	28	22	337	130	1140	13	34	<10	4	132
56089	981719	0.162	13	9.30	73	470	<2	11	0.89	22	17	119	101	3.15	1.88	31	0.47	122	36	71	725	227	4.02	35	20	403	109	1180	11	75	23	11	508
56090	981720	4.938	5	8.51	446	1414	<2	12	2.86	21	11	108	81	3.04	1.88	32	1.16	430	57	56	1416	23	4.69	38	5	372	184	1586	13	115	25	13	213
56091	981721	0.055	8	9.35	84	566	<2	14	2.65	16	11	41	29	2.24	1.84	39	1.01	513	49	29	963	24	5.10	27	<5	406	205	1761	14	44	<10	7	87
56092	981722	0.019	4	9.79	71	457	2	9	2.72	16	11	15	13	2.23	2.13	45	1.05	412	52	20	1080	11	4.76	31	26	476	295	2542	13	35	<10	6	32
56093	981723	0.171	4	8.71	104	621	2	12	2.85	18	12	50	31	2.24	1.97	38	1.13	637	55	34	819	34	5.10	23	<5	360	147	1937	13	43	<10	7	332
56094	981724	0.047	4	8.91	95	514	<2	13	1.72	14	8	17	10	1.85	1.99	33	0.78	355	44	26	939	20	5.01	29	<5	359	124	1670	12	30	<10	6	53
56095D	981724	0.083	4	8.99	48	527	<2	13	1.71	13	9	18	10	1.80	2.04	33	0.77	350	38	26	924	17	5.01	27	20	419	123	1673	14	31	11	6	50
56096	981725	0.131	4	8.71	44	475	<2	6	1.29	13	8	17	11	1.58	1.97	31	0.60	221	41	26	851	28	4.97	31	20	357	104	1574	5	31	13	5	234
56097	981726	0.176	4	8.56	43	503	<2	9	1.08	12	9	16	12	1.60	2.04	30	0.53	174	36	27	851	18	4.85	25	<5	366	99	1606	13	30	18	5	120
56098	981727	0.062	4	8.19	70	390	<2	9	1.36	11	8	13	16	1.56	1.92	30	0.61	232	41	15	899	15	5.01	27	<5	390	91	1513	19	29	15	5	42
56099	981728	0.098	4	9.14	88	401	<2	16	1.02	14	9	15	31	1.83	1.83	31	0.52	157	41	26	974	22	5.01	22	<5	340	82	1656	13	30	12	5	47
56100	981729	0.063	5	8.77	69	382	<2	6	1.69	12	9	14	34	1.76	1.91	31	0.74	388	45	24	939	25	4.98	30	<5	315	101	1589	19	31	32	5	68
56101	981730	<0.005	3	8.19	<2	464	<2	14	1.89	15	13	55	22	2.19	2.04	28	0.86	456	48	30	831	8	4.53	30	14	359	226	1786	17	71	31	12	50
56102	981731	0.070	4	7.97	13	366	<2	7	0.77	10	10	16	21	1.57	1.96	29	0.43	130	32	21	855	9	4.52	22	20	334	60	1540	6	30	<10	5	63
56103	981732	0.204	5	7.80	204	332	<2	10	0.66	16	15	74	86	2.13	1.95	24	0.37	<100	29	47	1123	85	3.70	29	<5	311	59	1419	10	53	<10	7	799
56104	981733	0.160	5	8.10	85	455	<2	10	1.35	16	12	87	36	2.13	2.02	35	0.66	303	40	59	727	25	5.13	34	<5	414	73	2032	10	68	14	7	421
56105	981734	0.053	5	8.34	86	579	2	11	1.94	13	8	18	24	1.57	2.10	36	0.84	616	49	21	804	45	5.21	27	27	334	94	1859	8	34	<10	5	234
56106D	981734	0.064	5	8.55	69	581	2	15	1.95	13	8	18	25	1.57	2.11	36	0.87	613	50	20	768	55	5.19	29	22	441	94	1853	14	34	34	5	231
56107	981735	0.046	5	8.67	129	595	<2	11	2.68	13	9	17	21	1.62	2.25	33	1.10	1022	50	23	797	60	4.71	28	46	393	103	1839	24	35	<10	5	339

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56108	981736	0.032	4	9.20	<2	689	<2	8	2.76	13	7	20	14	1.63	2.17	33	1.21	932	58	20	779	19	4.78	30	54	339	112	1735	23	35	<10	5	117
56109	981737	0.025	6	9.63	57	921	2	10	2.98	12	7	20	31	1.64	2.01	40	1.16	976	56	24	762	34	7.20	28	29	434	128	1711	23	36	<10	5	129
56110	981738	0.151	6	8.02	48	1038	2	12	2.14	10	6	19	118	1.30	1.98	35	0.90	705	50	22	730	37	6.07	24	30	391	101	1723	14	35	16	4	99
56111	981739	0.049	5	9.84	<2	599	<2	14	3.32	16	8	19	143	2.04	1.93	33	1.47	1118	60	25	673	42	5.41	28	26	390	117	1702	28	34	<10	6	631
56112	981740	0.208	361	6.98	4228	90	<2	22	2.32	160	13	49	482	7.01	1.75	29	0.67	1237	69	32	487	9546	5.13	79	18	364	188	1430	17	86	151	7	13448
56113	981741	0.028	5	9.09	108	602	<2	9	2.55	13	8	17	16	1.60	2.11	35	1.28	1015	56	20	791	25	5.02	27	29	390	117	1996	13	36	24	5	148
56114	981742	0.066	5	8.50	20	569	<2	9	2.11	13	8	18	25	1.56	2.13	38	1.06	748	50	25	688	23	5.33	26	17	384	111	1803	18	34	17	5	389

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56008	981645	309	0.009	0.309
56009	981646	302	0.009	0.302
56010	981647	76	0.002	0.076
56011	981648	52	0.002	0.052
56012	981649	26	<0.001	0.026
56013	981650	<5	<0.001	<0.005
56014	981651	9	<0.001	0.009
56015	981652	8	<0.001	0.008
56016	981653	657	0.019	0.657
56017	981654	88	0.003	0.088
56018 Dup	981654	48	0.001	0.048
56019	981655	11	<0.001	0.011
56020	981656	10	<0.001	0.010
56021	981657	8	<0.001	0.008
56022	981658	7	<0.001	0.007
56023	981659	9	<0.001	0.009
56024	981660	5005	0.146	5.005
56025	981661	12	<0.001	0.012
56026	981662	12	<0.001	0.012
56027	981663	<5	<0.001	<0.005
56028	981664	212	0.006	0.212
56029 Dup	981664	201	0.006	0.201
56030	981665	54	0.002	0.054
56031	981666	322	0.009	0.322
56032	981667	15	<0.001	0.015
56033	981668	<5	<0.001	<0.005
56034	981669	<5	<0.001	<0.005
56035	981670	<5	<0.001	<0.005
56036	981671	<5	<0.001	<0.005
56037	981672	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56038	981673	<5	<0.001	<0.005
56039	981674	6	<0.001	0.006
56040 Dup	981674	<5	<0.001	<0.005
56041	981675	65	0.002	0.065
56042	981676	33	<0.001	0.033
56043	981677	276	0.008	0.276
56044	981678	246	0.007	0.246
56045	981679	432	0.013	0.432
56046	981680	<5	<0.001	<0.005
56047	981681	68	0.002	0.068
56048	981682	756	0.022	0.756
56049	981683	281	0.008	0.281
56050	981684	405	0.012	0.405
56051 Dup	981684	348	0.010	0.348
56052	981685	154	0.004	0.154
56053	981686	257	0.008	0.257
56054	981687	1015	0.030	1.015
56055	981688	1812	0.053	1.812
56056	981689	662	0.019	0.662
56057	981690	237	0.007	0.237
56058	981691	3290	0.096	3.290
56059	981692	1036	0.030	1.036
56060	981693	400	0.012	0.400
56061	981694	63	0.002	0.063
56062 Dup	981694	88	0.003	0.088
56063	981695	783	0.023	0.783
56064	981696	223	0.007	0.223
56065	981697	903	0.026	0.903
56066	981698	1029	0.030	1.029
56067	981699	152	0.004	0.152

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56068	981700	4898	0.143	4.898
56069	981701	35	0.001	0.035
56070	981702	14	<0.001	0.014
56071	981703	8	<0.001	0.008
56072	981704	195	0.006	0.195
56073 Rep	981704	286	0.008	0.286
56074	981705	353	0.010	0.353
56075	981706	297	0.009	0.297
56076	981707	380	0.011	0.380
56077	981708	78	0.002	0.078
56078	981709	176	0.005	0.176
56079	981710	<5	<0.001	<0.005
56080	981711	94	0.003	0.094
56081	981712	298	0.009	0.298
56082	981713	26	<0.001	0.026
56083	981714	7	<0.001	0.007
56084 Dup	981714	8	<0.001	0.008
56085	981715	7	<0.001	0.007
56086	981716	8	<0.001	0.008
56087	981717	8	<0.001	0.008
56088	981718	59	0.002	0.059
56089	981719	162	0.005	0.162
56090	981720	4938	0.144	4.938
56091	981721	55	0.002	0.055
56092	981722	19	<0.001	0.019
56093	981723	171	0.005	0.171
56094	981724	47	0.001	0.047
56095 Dup	981724	83	0.002	0.083
56096	981725	131	0.004	0.131
56097	981726	176	0.005	0.176

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140799  
 Reference: TMI-TML  
 Sample #: 98

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56098	981727	62	0.002	0.062
56099	981728	98	0.003	0.098
56100	981729	63	0.002	0.063
56101	981730	<5	<0.001	<0.005
56102	981731	70	0.002	0.070
56103	981732	204	0.006	0.204
56104	981733	160	0.005	0.160
56105	981734	53	0.002	0.053
56106 Dup	981734	64	0.002	0.064
56107	981735	46	0.001	0.046
56108	981736	32	<0.001	0.032
56109	981737	25	<0.001	0.025
56110	981738	151	0.004	0.151
56111	981739	49	0.001	0.049
56112	981740	208	0.006	0.208
56113	981741	28	<0.001	0.028
56114	981742	66	0.002	0.066

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 18, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/11/2011  
Date Completed: 03/18/2011  
Job #: 201140996  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
71128	981691	0.069	2.350

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51247	982676	0.030	1	5.45	64	216	3	<1	0.89	16	64	209	268	12.73	1.78	16	0.63	629	32	100	204	71	7.89	<5	<5	<10	64	1083	3	29	14	9	1327
51248	982677	0.092	1	6.95	12	227	<2	<1	1.90	<4	11	582	36	2.31	1.98	16	0.86	334	13	33	274	17	0.78	<5	<5	<10	212	681	<2	29	<10	7	93
51249	982678	0.024	3	8.80	5	341	2	<1	1.90	5	25	199	60	4.41	2.37	26	1.71	601	18	76	565	22	1.55	<5	<5	<10	236	1505	4	78	<10	11	107
51250	982679	0.061	2	8.49	73	372	2	<1	1.50	4	23	453	57	4.33	2.30	26	1.80	509	18	75	572	15	1.17	<5	<5	<10	165	1704	2	84	<10	9	80
51251	982680	<0.005	<1	6.00	6	406	<2	<1	1.63	<4	12	64	23	2.23	1.97	19	0.88	448	12	30	515	5	0.24	<5	<5	<10	161	1532	2	68	32	12	56
51252	982681	0.019	<1	8.63	33	390	2	<1	1.52	4	23	205	50	3.82	2.23	27	1.64	356	17	69	567	18	0.52	<5	<5	<10	173	1973	<2	84	<10	9	31
51253	982682	0.584	<1	8.48	3	374	2	<1	2.31	4	21	530	45	3.79	2.13	25	1.69	512	17	64	565	20	0.60	<5	<5	<10	230	1755	6	80	<10	11	91
51254	982683	0.006	1	8.41	45	470	<2	<1	0.93	<4	13	187	26	1.61	2.35	19	0.57	214	11	27	525	17	0.67	<5	<5	<10	163	1413	<2	51	<10	6	63
51255	982684	0.007	1	8.39	14	391	<2	<1	0.88	<4	11	396	12	0.75	2.32	18	0.44	133	11	23	436	8	0.27	5	<5	<10	170	787	<2	41	<10	5	27
51256	982685	0.014	<1	6.62	5	321	<2	<1	0.84	<4	7	104	16	0.91	2.18	18	0.44	145	10	19	432	7	0.33	<5	<5	<10	179	430	<2	25	<10	6	13
51257D	982685	0.010	<1	7.42	2	345	<2	<1	1.00	<4	7	100	16	0.90	2.36	19	0.45	144	10	19	425	9	0.35	<5	<5	<10	224	465	<2	27	<10	6	11
51258	982686	0.007	<1	7.49	2	374	<2	<1	1.01	<4	8	417	17	1.00	2.25	19	0.47	159	11	19	412	7	0.34	<5	<5	<10	216	488	<2	31	<10	6	13
51259	982687	0.006	<1	8.29	3	431	<2	<1	0.78	<4	6	156	17	0.60	2.48	27	0.29	<100	10	15	399	7	0.37	<5	<5	<10	293	589	<2	33	<10	7	10
51260	982688	0.005	1	8.70	<2	476	<2	<1	0.98	<4	6	359	28	0.77	2.56	20	0.30	<100	11	16	407	14	0.44	<5	<5	<10	241	561	<2	32	<10	7	10
51261	982689	0.005	<1	8.67	6	618	<2	<1	0.93	<4	7	128	11	0.62	2.45	18	0.31	<100	10	17	381	20	0.39	<5	<5	<10	315	780	2	34	<10	5	25
51262	982690	3.845	8	9.19	10	339	2	<1	3.05	6	26	67	102	4.42	2.16	27	1.95	827	29	52	950	23	0.77	<5	<5	<10	272	2121	<2	110	<10	15	102
51263	982691	0.011	1	8.26	<2	513	<2	<1	1.07	<4	10	424	13	1.31	2.37	19	0.37	194	10	24	344	10	0.48	<5	<5	<10	225	1167	<2	40	<10	5	34
51264	982692	0.008	<1	7.50	2	432	<2	<1	1.37	<4	8	137	13	2.09	2.34	22	0.65	388	10	16	397	9	0.68	<5	<5	<10	158	1336	<2	28	<10	6	44
51265	982693	0.015	2	7.71	4	420	<2	<1	1.23	<4	13	434	28	2.25	2.24	23	0.61	376	11	29	402	10	0.85	<5	<5	<10	154	1381	<2	33	<10	7	61
51266	982694	0.010	1	7.13	4	376	<2	<1	1.14	<4	16	158	20	1.98	2.08	23	0.56	338	10	26	370	6	0.68	<5	<5	<10	143	1349	<2	33	<10	7	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51267	982695	0.012	<1	7.97	2	458	<2	<1	1.58	<4	14	365	29	2.63	2.33	32	0.94	475	13	32	638	10	0.53	<5	<5	<10	175	1658	<2	51	<10	10	81
51268D	982695	0.012	1	7.53	2	437	<2	<1	1.52	<4	13	355	28	2.52	2.44	30	0.90	459	12	32	610	9	0.49	<5	<5	<10	167	1611	<2	49	<10	10	80
51269	982696	0.014	1	6.39	<2	323	<2	<1	0.96	<4	3	113	9	0.85	2.26	19	0.43	191	8	10	196	9	0.28	<5	<5	<10	149	602	<2	14	<10	6	17
51270	982697	0.009	2	7.01	3	439	<2	<1	1.36	<4	9	327	22	1.79	2.61	27	0.76	301	12	14	464	8	0.46	<5	<5	<10	193	1799	<2	33	<10	6	51
51271	982698	<0.005	<1	6.40	2	372	<2	<1	1.01	<4	6	115	6	0.62	2.18	22	0.49	133	9	9	356	7	0.21	<5	<5	<10	176	1089	<2	25	<10	5	11
51272	982699	<0.005	<1	5.47	<2	351	<2	<1	0.88	<4	7	439	6	0.58	1.87	21	0.50	137	9	11	316	9	0.15	<5	<5	<10	132	1080	<2	26	<10	4	12
51273	982700	<0.005	1	5.78	5	389	<2	<1	1.60	<4	11	65	21	2.22	2.03	19	0.87	448	12	31	515	7	0.23	<5	<5	<10	152	1531	<2	68	29	12	45
51274	982701	<0.005	1	6.95	4	388	<2	<1	1.07	<4	6	142	7	0.56	2.15	25	0.62	161	9	9	370	7	0.24	<5	<5	<10	161	1164	<2	23	<10	5	11
51275	982702	<0.005	<1	5.41	5	297	<2	<1	0.69	<4	8	107	4	0.69	1.86	19	0.39	140	8	9	361	7	0.30	<5	<5	<10	94	978	<2	18	<10	4	7
51276	982703	0.011	<1	7.42	7	341	<2	<1	0.94	<4	10	152	3	0.76	2.17	22	0.45	140	9	16	386	9	0.45	<5	<5	<10	152	1224	<2	27	<10	4	15
51277	982704	0.073	8	8.71	15	401	<2	<1	2.09	4	35	206	73	3.80	2.13	34	1.40	629	16	75	764	58	1.37	<5	<5	<10	240	3498	2	117	<10	13	102
51278	982705	0.123	<1	7.85	55	365	2	<1	2.10	<4	17	281	32	2.63	2.08	25	1.08	577	16	51	403	41	1.63	<5	<5	<10	147	1621	2	50	<10	12	65
51279D	982705	0.121	1	7.38	50	362	2	<1	2.02	<4	17	257	31	2.43	2.28	23	0.99	527	15	48	374	33	1.51	<5	<5	<10	147	1476	<2	47	<10	11	57
51280	982706	0.132	1	7.27	52	372	2	<1	2.09	<4	15	296	30	2.48	2.37	23	1.09	617	14	47	380	33	1.40	<5	<5	<10	139	1558	<2	51	<10	12	59
51281	982707	<0.005	<1	7.23	12	386	<2	<1	1.20	<4	5	150	6	1.02	2.53	23	0.51	142	9	11	278	10	0.75	<5	<5	<10	145	1005	<2	19	<10	4	102
51282	982708	<0.005	1	5.89	7	259	<2	<1	1.20	<4	6	128	7	0.52	2.12	17	0.36	119	7	7	485	6	0.36	<5	<5	<10	152	969	<2	16	<10	4	143
51283	982709	<0.005	<1	5.96	8	286	<2	<1	0.92	<4	4	138	5	0.54	1.99	17	0.33	<100	8	6	313	10	0.41	<5	<5	<10	148	959	<2	15	<10	3	73
51284	982710	5.041	<1	5.05	399	1445	<2	<1	2.47	4	12	120	78	3.06	1.66	19	1.11	405	24	49	787	24	0.79	16	<5	<10	122	1289	<2	110	<10	12	235
51285	982711	0.007	1	6.43	15	377	<2	<1	1.38	<4	6	150	8	0.83	2.11	20	0.62	207	9	9	348	16	0.50	<5	<5	<10	174	1062	<2	21	<10	4	55
51286	982712	0.009	1	6.43	15	465	<2	<1	1.33	<4	8	163	14	0.86	1.84	21	0.59	223	8	14	374	167	0.51	<5	<5	<10	181	1133	<2	24	<10	5	235

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51287	982713	0.006	<1	7.46	10	571	<2	<1	1.22	<4	4	126	8	0.47	2.09	20	0.32	<100	8	5	360	18	0.32	<5	<5	<10	206	1106	<2	20	<10	4	21
51288	982714	0.024	1	8.33	11	526	<2	<1	1.55	<4	4	130	17	0.50	2.26	20	0.35	120	8	7	369	80	0.33	<5	<5	<10	257	1102	<2	22	<10	4	49
51289	982715	0.011	1	7.54	10	452	<2	<1	1.38	<4	4	125	7	0.46	2.20	19	0.27	<100	8	6	343	8	0.32	<5	<5	<10	219	969	<2	19	<10	4	19
51290D	982715	0.010	2	7.45	12	429	<2	<1	1.34	<4	4	127	6	0.46	2.26	19	0.28	<100	8	6	345	9	0.33	<5	<5	<10	207	964	<2	19	<10	4	18
51291	982716	0.005	<1	7.73	6	406	<2	<1	1.63	<4	3	127	8	0.50	2.35	20	0.32	100	9	6	330	11	0.32	<5	<5	<10	221	964	<2	19	<10	4	22
51292	982717	<0.005	<1	6.22	5	317	<2	<1	1.13	<4	4	148	9	0.45	2.15	18	0.30	<100	8	7	365	8	0.27	<5	<5	<10	170	944	<2	17	<10	4	17
51293	982718	0.039	<1	7.55	2	411	<2	<1	2.13	<4	7	129	25	1.61	2.32	24	0.79	323	10	8	466	26	0.51	<5	<5	<10	199	1610	4	27	<10	6	117
51294	982719	0.020	<1	8.88	7	471	<2	<1	2.61	<4	8	205	12	1.87	2.45	24	0.90	484	11	9	480	25	0.58	5	<5	<10	186	1610	4	30	<10	6	89
51295	982720	<0.005	1	6.99	7	488	<2	<1	1.75	<4	12	63	21	2.25	2.15	19	0.86	463	12	30	518	9	0.22	<5	<5	<10	213	1737	<2	72	39	13	43
51296	982721	0.046	<1	7.76	23	356	<2	<1	1.03	<4	9	131	6	1.08	2.24	20	0.43	189	10	11	676	30	0.84	5	<5	<10	103	1430	<2	26	<10	6	117
51297	982722	0.282	2	7.00	48	272	<2	<1	1.28	<4	13	164	18	1.16	2.03	17	0.41	222	10	14	681	59	0.99	<5	<5	<10	114	1170	<2	21	<10	6	171
51298	982723	0.153	3	7.70	24	249	<2	<1	1.73	<4	5	132	15	1.06	2.06	21	0.57	277	11	7	702	41	0.83	<5	<5	<10	111	1102	2	19	<10	6	105
51299	982724	0.007	<1	6.52	4	309	<2	<1	1.58	<4	5	288	12	0.69	2.15	17	0.40	175	9	7	412	14	0.29	<5	<5	<10	90	900	<2	19	<10	4	24
51300	982725	0.156	2	7.45	18	304	<2	<1	0.98	<4	4	128	10	1.30	2.05	23	0.78	510	10	5	546	24	0.68	<5	<5	<10	91	1281	3	25	<10	5	68
51301D	982725	0.140	2	7.05	21	300	<2	<1	0.92	<4	4	120	10	1.29	2.37	22	0.77	499	10	6	523	24	0.67	<5	<5	<10	85	1216	<2	24	<10	5	70
51302	982726	0.220	2	7.38	16	310	<2	<1	0.92	<4	3	143	11	1.26	2.33	24	0.79	478	11	6	522	26	0.67	<5	<5	<10	82	1241	2	25	<10	5	67
51303	982727	0.650	6	6.60	21	259	<2	<1	0.80	<4	5	124	31	1.50	2.27	21	0.72	510	9	7	542	46	0.84	<5	<5	<10	73	1157	2	23	<10	5	144
51304	982728	0.072	3	7.63	21	316	<2	<1	1.09	<4	5	165	17	1.61	2.31	27	0.99	772	11	7	556	39	0.73	<5	<5	<10	87	1414	3	27	<10	5	94
51305	982729	1.179	2	7.52	36	296	<2	<1	0.99	<4	4	162	23	1.31	2.36	21	0.68	597	10	6	396	107	0.85	<5	<5	<10	88	1208	<2	20	<10	5	436
51306	982730	0.221	358	7.67	4288	168	2	<1	2.37	131	15	56	480	7.30	1.99	20	0.90	1281	25	26	493	9552	4.79	65	12	13	184	1302	<2	86	101	11	13462

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51307	982731	0.756	3	7.98	29	269	<2	<1	1.18	<4	5	166	15	1.71	2.09	25	1.13	834	11	7	436	612	0.96	<5	<5	<10	88	1394	<2	23	<10	5	561
51308	982732	2.239	17	8.18	52	369	<2	<1	0.83	<4	5	230	17	1.69	2.16	22	0.53	246	12	7	383	467	1.46	12	<5	<10	80	1228	<2	22	<10	5	769
51309	982733	0.285	4	8.15	25	378	<2	<1	1.21	<4	2	189	29	1.06	2.23	22	0.75	545	9	7	366	108	0.76	<5	<5	<10	90	1231	<2	21	<10	4	107
51310	982734	3.027	28	8.62	25	387	<2	<1	1.29	<4	4	185	52	0.93	2.11	24	0.76	537	10	6	375	114	0.69	11	<5	<10	94	1245	4	21	<10	5	44
51311	982735	1.836	11	7.42	18	360	<2	<1	1.02	<4	3	189	61	0.87	2.04	20	0.75	392	11	4	351	197	0.70	7	<5	<10	61	1032	<2	15	<10	4	331
51312R	982735	1.357	8	7.77	18	367	<2	<1	1.06	<4	3	189	50	0.84	2.22	21	0.78	414	11	5	366	164	0.66	7	<5	<10	67	1101	<2	16	<10	4	386
51313	982736	3.240	18	6.53	49	298	<2	<1	0.81	<4	5	213	252	1.58	2.24	18	0.63	285	10	308	380	286	1.35	13	<5	<10	47	994	<2	19	<10	5	562
51314	982737	13.734	45	6.68	96	306	<2	<1	0.45	11	6	233	687	2.39	2.10	18	0.39	139	12	14	267	2041	2.28	46	<5	<10	38	1039	<2	23	36	5	4217
51315	982738	3.672	30	6.57	42	316	<2	<1	0.39	4	6	208	48	1.64	1.97	18	0.33	<100	9	10	407	503	1.51	16	<5	<10	34	1056	<2	22	13	6	1224
51316	982739	1.876	20	6.65	41	347	<2	<1	0.49	<4	6	206	47	1.49	2.04	19	0.48	162	9	9	400	385	1.24	15	<5	<10	39	1199	<2	26	<10	5	727
51317	982740	<0.005	<1	5.43	4	379	<2	<1	1.57	<4	12	59	23	2.26	1.79	18	0.86	455	12	31	521	13	0.22	<5	<5	<10	149	1520	<2	70	26	12	55
51318	982741	1.196	40	7.66	30	285	<2	<1	1.48	<4	6	181	36	1.57	2.12	23	1.24	657	11	10	402	101	0.97	7	<5	<10	88	1237	3	24	<10	6	309
51319	982742	0.433	5	7.46	25	209	<2	<1	1.92	<4	5	176	18	1.31	2.07	22	1.32	773	11	9	416	240	0.83	5	<5	<10	111	1100	4	19	<10	6	601
51320	982743	0.475	1	7.64	16	326	<2	<1	1.18	<4	6	203	22	1.01	2.28	23	0.83	432	9	9	395	113	0.73	<5	<5	<10	110	1229	<2	23	<10	5	168
51321	982744	0.013	1	5.99	10	274	<2	<1	1.57	<4	5	150	10	1.26	2.19	20	1.04	604	8	6	392	17	0.75	<5	<5	<10	97	1204	<2	21	<10	4	45
51322	982745	0.011	2	6.46	6	284	<2	<1	1.34	<4	3	148	3	1.17	2.36	22	0.86	466	9	5	340	15	0.68	<5	<5	<10	114	1121	<2	20	<10	4	35
51323D	982745	0.006	<1	6.88	6	292	<2	<1	1.41	<4	3	146	3	1.19	2.35	23	0.87	464	9	5	351	18	0.71	<5	<5	<10	121	1122	<2	20	<10	5	34
51324	982746	<0.005	2	7.47	6	317	<2	<1	1.53	<4	3	120	3	1.13	2.44	23	0.84	444	9	6	369	16	0.69	<5	<5	<10	140	1114	<2	20	<10	5	35
51325	982747	0.025	<1	6.59	5	262	<2	<1	2.13	<4	8	168	8	2.81	2.21	28	1.47	972	12	8	373	15	1.28	<5	<5	<10	134	1430	2	23	<10	7	86
51326	982748	0.028	2	6.75	8	253	2	<1	1.93	6	21	165	26	6.15	1.88	27	1.25	795	18	19	378	17	4.04	<5	<5	<10	129	1383	<2	23	<10	12	289

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51327	982749	0.007	3	7.49	11	372	<2	<1	1.47	<4	10	179	12	2.71	2.07	23	0.49	216	12	9	405	15	2.07	<5	<5	<10	181	1375	<2	25	<10	5	70
51328	982750	3.871	8	7.75	9	315	2	<1	2.68	6	24	53	99	4.19	2.27	23	1.82	792	25	49	909	20	0.70	<5	<5	<10	232	1744	4	100	<10	14	99
51329	982751	0.008	<1	8.00	<2	461	<2	<1	1.82	<4	5	356	10	1.40	2.20	25	0.47	211	9	9	439	7	0.34	<5	<5	<10	175	1661	<2	35	<10	5	29
51330	982752	0.007	1	7.10	4	398	<2	<1	1.77	<4	4	188	5	1.39	1.95	22	0.48	180	9	6	452	3	0.37	<5	<5	<10	134	1571	<2	30	<10	5	33
51331	982753	0.011	1	8.43	<2	547	<2	<1	1.88	<4	4	449	12	1.45	2.21	21	0.34	188	8	9	446	10	0.56	<5	<5	<10	189	1370	<2	32	<10	5	42
51332	982754	0.033	<1	7.44	4	422	<2	<1	1.68	<4	4	215	10	2.17	2.11	26	0.62	375	10	7	434	7	0.59	<5	<5	<10	150	1621	<2	30	<10	6	69
51333	982755	0.024	2	10.13	7	596	2	<1	3.02	<4	6	270	38	2.61	2.35	34	1.50	712	13	10	707	23	0.74	<5	<5	<10	231	2017	2	44	<10	8	122
51334D	982755	0.027	3	10.16	2	584	2	<1	3.07	<4	5	272	39	2.63	2.31	34	1.52	720	12	11	715	25	0.75	<5	<5	<10	234	2006	4	44	<10	8	128
51335	982756	0.018	1	8.07	9	284	<2	<1	1.72	<4	3	63	8	1.35	2.49	27	1.17	465	9	6	486	16	1.08	<5	<5	<10	162	1257	<2	23	<10	5	33
51336	982757	0.211	26	7.79	24	294	<2	<1	0.77	<4	8	388	16	2.77	2.24	24	0.58	236	12	11	436	29	2.37	6	<5	<10	79	1203	<2	23	<10	5	151
51337	982758	1.000	93	6.68	34	223	<2	<1	0.37	4	6	273	101	2.09	1.96	17	0.29	<100	11	8	327	127	1.90	17	<5	<10	46	860	<2	17	11	5	1283
51338	982759	0.122	17	6.30	23	197	<2	<1	0.52	<4	7	511	33	2.36	1.88	21	0.54	228	11	14	374	51	1.90	<5	<5	<10	55	844	<2	15	<10	5	80
51339	982760	<0.005	2	6.33	8	455	<2	<1	1.65	<4	12	66	22	2.24	1.83	18	0.84	454	11	30	510	6	0.21	<5	<5	<10	194	1644	<2	70	34	12	47
51340	982761	0.085	19	6.99	14	208	<2	<1	0.91	<4	4	225	8	1.13	1.70	20	0.58	326	9	5	356	65	0.89	<5	<5	<10	94	925	<2	17	<10	4	107
51341	982762	0.033	4	7.29	21	240	<2	<1	0.91	<4	5	580	13	1.88	1.99	21	0.58	330	10	11	357	25	1.32	<5	<5	<10	98	1046	<2	19	<10	5	72
51342	982763	0.013	<1	7.64	8	286	2	<1	1.60	<4	6	164	16	1.87	2.02	22	0.63	412	11	9	351	23	1.10	<5	<5	<10	144	1014	<2	21	<10	5	36
51343	982764	<0.005	<1	7.99	11	331	<2	<1	1.86	<4	8	488	10	1.86	2.02	21	0.74	336	11	14	434	14	1.36	<5	<5	<10	175	1164	2	25	<10	5	46
51344	982765	<0.005	1	8.25	12	389	<2	<1	1.62	<4	8	210	9	0.76	2.27	27	1.14	225	11	10	526	10	0.46	<5	<5	<10	195	1274	<2	27	<10	5	8
51345D	982765	<0.005	1	8.02	15	371	<2	<1	1.59	<4	8	208	7	0.77	2.27	27	1.16	227	11	9	532	14	0.47	<5	<5	<10	188	1232	<2	26	<10	5	10
51346	982766	0.006	<1	7.94	15	374	<2	<1	1.55	<4	8	508	10	1.02	2.16	28	1.18	258	12	14	551	9	0.50	<5	<5	<10	167	1254	<2	26	<10	5	9

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51347	982767	0.009	<1	7.35	21	354	<2	<1	1.49	<4	10	193	9	0.77	2.29	26	1.07	243	10	12	529	11	0.48	<5	<5	<10	174	1033	<2	24	<10	5	4
51348	982768	0.007	<1	7.44	16	482	<2	<1	1.16	<4	7	420	6	1.04	2.22	25	0.87	215	10	13	554	6	0.56	<5	<5	<10	160	929	<2	26	<10	5	8
51349	982769	<0.005	1	7.97	25	418	<2	<1	1.34	<4	12	208	4	1.11	2.01	26	0.92	183	10	15	575	10	0.80	<5	<5	<10	217	774	<2	27	<10	5	12
51350	982770	4.940	<1	7.15	401	1586	2	<1	2.71	4	12	122	76	3.14	1.93	25	1.19	422	27	48	809	21	0.89	21	<5	<10	160	1484	3	114	10	14	230
51351	982771	0.009	1	7.61	23	374	<2	<1	1.46	<4	9	396	8	1.23	1.98	29	1.24	285	12	15	550	14	0.69	<5	<5	<10	179	708	<2	27	<10	5	12
51352	982772	0.009	1	7.71	8	404	<2	<1	1.42	<4	6	184	6	1.88	2.22	29	1.01	409	11	10	553	10	1.07	<5	<5	<10	163	1040	<2	27	<10	6	33
51353	982773	0.009	2	8.82	16	349	<2	<1	1.52	<4	7	441	12	1.68	2.20	26	0.82	288	12	12	505	17	0.85	<5	<5	<10	104	1332	2	28	<10	6	31
51354	982774	0.014	<1	7.77	28	309	<2	<1	1.91	<4	8	221	11	1.75	2.23	26	0.94	295	10	11	480	19	0.94	<5	<5	<10	83	1296	<2	26	<10	6	48
51355	982775	0.011	2	11.06	14	535	2	<1	4.41	<4	8	325	12	2.22	2.60	31	1.91	611	12	13	563	26	0.51	<5	<5	<10	192	1812	<2	36	<10	6	83
51356D	982775	0.009	<1	11.10	17	537	2	<1	4.49	<4	8	323	12	2.24	2.38	30	1.93	617	12	13	572	26	0.49	<5	<5	<10	197	1855	<2	36	<10	6	83
51357	982776	0.013	<1	7.45	21	314	<2	<1	1.99	<4	5	174	9	1.45	2.19	21	1.04	398	9	9	503	23	0.74	<5	<5	<10	112	1020	<2	24	<10	6	47
51358	982777	0.059	2	7.41	22	371	<2	<1	0.46	<4	7	604	11	1.04	2.30	17	0.36	<100	10	14	456	23	0.55	<5	<5	<10	51	1117	<2	26	<10	6	90
51359	982778	0.323	1	7.14	57	326	<2	<1	0.46	<4	8	199	12	1.74	2.29	14	0.26	<100	10	14	460	37	1.47	<5	<5	<10	60	908	<2	26	<10	5	446
51360	982779	0.206	<1	7.36	44	384	2	<1	0.86	<4	9	415	32	2.12	2.09	19	0.52	158	12	21	558	50	1.47	<5	<5	<10	61	821	<2	29	<10	6	87
51361	982780	<0.005	<1	6.17	6	425	<2	<1	1.62	<4	11	60	22	2.16	1.90	19	0.84	441	12	30	494	6	0.22	<5	<5	<10	178	1553	<2	68	35	12	44
51362	982781	0.325	2	6.92	78	410	<2	<1	0.40	<4	7	206	27	1.98	2.03	16	0.28	<100	10	15	405	99	1.76	10	<5	<10	43	731	<2	28	<10	5	223
51363	982782	0.133	2	7.41	104	350	2	<1	0.43	4	19	492	49	2.74	1.93	16	0.33	<100	14	59	506	34	2.24	<5	<5	<10	45	788	<2	61	<10	6	520
51364	982783	0.102	<1	7.52	90	342	2	<1	0.42	<4	14	308	25	2.15	2.08	15	0.30	<100	13	43	434	23	1.88	<5	<5	<10	46	792	<2	50	<10	6	26
51365	982784	0.057	2	7.26	62	380	<2	<1	0.40	<4	9	341	26	1.80	2.14	14	0.34	<100	12	16	458	28	1.45	<5	<5	<10	44	758	<2	28	<10	4	149
51366	982785	0.092	<1	7.23	99	404	2	<1	0.41	14	11	207	30	2.62	1.81	15	0.32	<100	13	25	379	62	2.44	16	<5	<10	44	805	<2	33	30	6	3255

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
51367D	982785	0.103	<1	6.88	95	371	<2	<1	0.39	14	12	204	31	2.60	1.98	15	0.30	<100	13	25	378	63	2.42	15	<5	<10	42	755	<2	31	28	6	3285
51368	982786	0.063	<1	7.64	87	456	2	<1	0.41	14	8	433	29	1.68	2.11	16	0.33	<100	11	25	437	64	1.42	18	<5	<10	47	888	<2	40	30	6	3664
51369	982787	0.342	2	6.48	309	401	2	<1	0.42	15	8	199	95	2.47	1.93	15	0.29	<100	12	18	579	1287	2.34	80	<5	<10	40	782	<2	26	35	6	4418
51370	982788	0.201	<1	7.16	69	488	<2	<1	0.39	<4	8	368	78	1.65	2.25	18	0.45	<100	10	19	480	129	1.22	9	<5	<10	43	1026	<2	35	<10	5	374
51371	982789	0.562	2	7.61	39	452	2	<1	0.80	<4	7	175	47	1.39	2.24	19	0.59	180	9	10	518	79	1.10	6	<5	<10	58	1127	<2	28	<10	6	415
51372	982790	0.216	365	7.03	4371	146	3	<1	2.32	133	14	56	479	7.47	1.97	17	0.89	1300	23	26	499	9577	4.87	65	8	14	181	1274	<2	87	107	11	13488
51373	982791	0.043	3	7.65	58	342	2	<1	1.35	<4	7	379	31	1.58	2.23	20	0.84	387	11	13	467	83	1.03	<5	<5	<10	72	1018	<2	23	<10	6	206
51374	982792	0.278	1	7.35	57	389	<2	<1	0.91	4	6	195	98	1.68	2.11	19	0.59	242	11	10	443	33	1.37	5	<5	<10	53	1135	<2	23	12	5	980
51375	982793	0.038	<1	8.57	33	407	2	<1	2.32	<4	7	362	19	1.79	2.23	24	1.21	697	12	13	479	27	0.94	<5	<5	<10	82	1396	<2	26	<10	6	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
51247	982676	30	<0.001	0.030
51248	982677	92	0.003	0.092
51249	982678	24	<0.001	0.024
51250	982679	61	0.002	0.061
51251	982680	<5	<0.001	<0.005
51252	982681	19	<0.001	0.019
51253	982682	584	0.017	0.584
51254	982683	6	<0.001	0.006
51255	982684	7	<0.001	0.007
51256	982685	14	<0.001	0.014
51257 Dup	982685	10	<0.001	0.010
51258	982686	7	<0.001	0.007
51259	982687	6	<0.001	0.006
51260	982688	5	<0.001	0.005
51261	982689	5	<0.001	0.005
51262	982690	3845	0.112	3.845
51263	982691	11	<0.001	0.011
51264	982692	8	<0.001	0.008
51265	982693	15	<0.001	0.015
51266	982694	10	<0.001	0.010
51267	982695	12	<0.001	0.012
51268 Dup	982695	12	<0.001	0.012
51269	982696	14	<0.001	0.014
51270	982697	9	<0.001	0.009
51271	982698	<5	<0.001	<0.005
51272	982699	<5	<0.001	<0.005
51273	982700	<5	<0.001	<0.005
51274	982701	<5	<0.001	<0.005
51275	982702	<5	<0.001	<0.005
51276	982703	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
51277	982704	73	0.002	0.073
51278	982705	123	0.004	0.123
51279 Dup	982705	121	0.004	0.121
51280	982706	132	0.004	0.132
51281	982707	<5	<0.001	<0.005
51282	982708	<5	<0.001	<0.005
51283	982709	<5	<0.001	<0.005
51284	982710	5041	0.147	5.041
51285	982711	7	<0.001	0.007
51286	982712	9	<0.001	0.009
51287	982713	6	<0.001	0.006
51288	982714	24	<0.001	0.024
51289	982715	11	<0.001	0.011
51290 Dup	982715	10	<0.001	0.010
51291	982716	5	<0.001	0.005
51292	982717	<5	<0.001	<0.005
51293	982718	39	0.001	0.039
51294	982719	20	<0.001	0.020
51295	982720	<5	<0.001	<0.005
51296	982721	46	0.001	0.046
51297	982722	282	0.008	0.282
51298	982723	153	0.004	0.153
51299	982724	7	<0.001	0.007
51300	982725	156	0.005	0.156
51301 Dup	982725	140	0.004	0.140
51302	982726	220	0.006	0.220
51303	982727	650	0.019	0.650
51304	982728	72	0.002	0.072
51305	982729	1179	0.034	1.179
51306	982730	221	0.006	0.221

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
51307	982731	756	0.022	0.756
51308	982732	2239	0.065	2.239
51309	982733	285	0.008	0.285
51310	982734	3027	0.088	3.027
51311	982735	1836	0.054	1.836
51312 Rep	982735	1357	0.040	1.357
51313	982736	3240	0.095	3.240
51314	982737	13734	0.401	13.734
51315	982738	3672	0.107	3.672
51316	982739	1876	0.055	1.876
51317	982740	<5	<0.001	<0.005
51318	982741	1196	0.035	1.196
51319	982742	433	0.013	0.433
51320	982743	475	0.014	0.475
51321	982744	13	<0.001	0.013
51322	982745	11	<0.001	0.011
51323 Dup	982745	6	<0.001	0.006
51324	982746	<5	<0.001	<0.005
51325	982747	25	<0.001	0.025
51326	982748	28	<0.001	0.028
51327	982749	7	<0.001	0.007
51328	982750	3871	0.113	3.871
51329	982751	8	<0.001	0.008
51330	982752	7	<0.001	0.007
51331	982753	11	<0.001	0.011
51332	982754	33	<0.001	0.033
51333	982755	24	<0.001	0.024
51334 Dup	982755	27	<0.001	0.027
51335	982756	18	<0.001	0.018
51336	982757	211	0.006	0.211

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
51337	982758	1000	0.029	1.000
51338	982759	122	0.004	0.122
51339	982760	<5	<0.001	<0.005
51340	982761	85	0.002	0.085
51341	982762	33	<0.001	0.033
51342	982763	13	<0.001	0.013
51343	982764	<5	<0.001	<0.005
51344	982765	<5	<0.001	<0.005
51345 Dup	982765	<5	<0.001	<0.005
51346	982766	6	<0.001	0.006
51347	982767	9	<0.001	0.009
51348	982768	7	<0.001	0.007
51349	982769	<5	<0.001	<0.005
51350	982770	4940	0.144	4.940
51351	982771	9	<0.001	0.009
51352	982772	9	<0.001	0.009
51353	982773	9	<0.001	0.009
51354	982774	14	<0.001	0.014
51355	982775	11	<0.001	0.011
51356 Dup	982775	9	<0.001	0.009
51357	982776	13	<0.001	0.013
51358	982777	59	0.002	0.059
51359	982778	323	0.009	0.323
51360	982779	206	0.006	0.206
51361	982780	<5	<0.001	<0.005
51362	982781	325	0.009	0.325
51363	982782	133	0.004	0.133
51364	982783	102	0.003	0.102
51365	982784	57	0.002	0.057
51366	982785	92	0.003	0.092

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/22/2011  
 Date Completed: 03/08/2011  
 Job #: 201140750  
 Reference: TMI-TML  
 Sample #: 118

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
51367 Dup	982785	103	0.003	0.103
51368	982786	63	0.002	0.063
51369	982787	342	0.010	0.342
51370	982788	201	0.006	0.201
51371	982789	562	0.016	0.562
51372	982790	216	0.006	0.216
51373	982791	43	0.001	0.043
51374	982792	278	0.008	0.278
51375	982793	38	0.001	0.038

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/09/2011  
Date Completed: 03/11/2011  
Job #: 201140957  
Reference: TMI-TML  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
68726	982734	0.061	2.078
68727	982736	0.118	4.048
68728	982758	0.101	3.452

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Monday, March 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/09/2011  
 Date Completed: 03/11/2011  
 Revised Date: 03/28/2011  
 Job #: 201140957  
 Reference: TMI-TML  
 Sample #: 3

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
68726	982734	0.061	2.078
68727	982736	0.118	4.048
68728	982738	0.101	3.452

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, March 24, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/09/2011  
 Date Completed: 03/23/2011  
 Job #: 201140958  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
68729	982737	14.124	13.174	250.635	18.117	1.89%	18.89

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56115	981743	0.169	<1	7.85	10	616	<2	<1	2.50	<4	10	237	44	2.03	2.27	31	0.90	873	13	9	529	<1	1.03	7	16	<10	353	1968	451	40	<10	4	375
56116	981744	1.637	11	6.74	14	794	2	<1	2.83	8	10	311	200	2.13	2.45	35	0.95	1325	18	12	520	1	1.35	<5	15	<10	393	2031	369	43	20	4	1962
56117	981745	0.451	4	7.96	12	904	2	2	4.22	35	13	277	317	2.97	2.36	33	1.33	1635	18	14	635	8	1.67	<5	17	<10	587	2744	394	53	110	5	10613
56118	981746	0.332	3	8.26	5	826	2	2	4.04	39	13	426	299	2.96	2.30	33	1.26	1576	20	16	615	7	1.63	<5	19	<10	551	2658	561	49	132	5	12914
56119	981747	0.056	3	8.40	137	731	2	3	2.07	5	29	465	59	3.96	2.14	36	0.89	480	26	66	533	33	1.43	5	16	<10	255	2208	212	91	<10	7	252
56120	981748	0.129	7	7.23	12	640	2	<1	1.34	<4	14	306	27	1.39	2.00	32	0.34	192	23	30	420	21	0.55	<5	25	<10	303	1114	403	53	<10	4	61
56121	981749	0.018	2	8.89	8	681	2	1	2.13	<4	10	223	19	1.51	2.36	37	0.64	535	22	23	460	3	0.49	6	20	<10	324	1356	320	41	<10	4	104
56122	981750	0.007	<1	7.76	5	545	2	<1	1.98	<4	14	62	25	2.42	2.49	33	0.76	507	20	35	560	<1	0.05	<5	20	<10	235	2243	524	82	38	8	62
56123	981751	0.016	<1	7.50	9	654	2	<1	1.97	<4	14	319	20	2.52	2.40	39	0.60	620	21	32	568	8	0.55	6	14	<10	237	2939	361	56	<10	5	122
56124	981752	0.027	<1	7.21	8	635	2	<1	1.60	<4	18	406	40	2.41	2.17	42	0.63	343	20	43	455	4	0.59	5	15	<10	244	2452	419	66	<10	5	91
56125D	981752	0.026	<1	7.56	8	632	2	<1	1.66	<4	19	400	38	2.46	2.33	42	0.63	345	21	42	451	6	0.56	<5	11	<10	250	2440	372	66	<10	5	100
56126	981753	0.007	2	7.10	13	503	2	<1	1.33	<4	10	381	8	0.68	2.24	35	0.32	152	20	18	393	5	0.10	<5	24	<10	234	1586	242	36	<10	3	24
56127	981754	0.780	<1	8.84	11	426	2	<1	2.79	6	26	408	42	4.74	2.20	45	1.51	875	20	79	577	13	0.31	6	14	<10	133	3085	372	112	<10	7	87
56128	981755	0.062	<1	7.07	14	530	2	2	1.56	5	25	481	76	3.67	2.18	43	1.08	568	18	70	522	33	0.69	<5	17	<10	111	2883	524	98	<10	5	116
56129	981756	0.033	<1	5.89	20	624	2	<1	1.03	<4	11	230	15	1.28	1.96	37	0.45	265	20	17	304	34	0.57	<5	18	<10	98	1678	366	40	<10	3	152
56130	981757	0.025	1	5.29	27	657	2	1	0.89	<4	13	233	4	1.85	1.70	34	0.31	202	27	17	303	20	1.40	<5	11	<10	94	1928	295	34	<10	2	76
56131	981758	0.011	<1	8.30	17	721	2	<1	1.08	<4	9	283	5	1.72	2.06	41	0.41	134	22	13	313	7	1.11	<5	18	<10	139	1809	236	31	<10	3	29
56132	981759	0.021	<1	7.87	10	686	2	<1	1.54	<4	17	423	22	2.43	2.42	40	0.61	393	19	40	315	9	0.80	<5	15	<10	163	2082	364	56	<10	4	50
56133	981760	4.808	7	9.21	17	357	2	<1	3.48	7	29	81	108	4.78	2.50	34	1.67	880	25	55	988	9	0.56	<5	22	<10	296	3312	261	128	<10	11	127
56134	981761	0.030	<1	8.08	11	568	2	<1	2.59	4	18	412	40	3.00	2.46	43	0.91	591	20	48	466	16	0.67	<5	14	<10	237	2318	612	71	<10	7	327

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56135	981762	0.009	1	7.68	16	611	2	1	1.96	<4	8	249	5	0.94	2.32	33	0.35	151	17	11	275	<1	0.44	<5	17	<10	271	1427	270	28	<10	3	38
56136D	981762	0.013	<1	7.83	14	600	2	<1	1.97	<4	8	250	5	0.93	2.18	32	0.35	150	16	11	270	<1	0.44	<5	22	<10	271	1383	320	27	<10	3	41
56137	981763	0.014	1	7.62	18	626	2	2	1.94	<4	11	335	10	0.97	2.50	33	0.35	156	16	14	297	3	0.42	<5	15	<10	281	1367	594	27	<10	3	118
56138	981764	0.010	<1	7.65	18	630	2	<1	1.90	<4	12	298	8	1.31	2.36	33	0.35	147	16	16	265	6	0.78	<5	24	<10	293	1451	263	28	<10	3	323
56139	981765	0.008	<1	7.84	15	568	2	1	2.06	<4	11	219	12	1.07	2.26	38	0.47	211	17	15	311	5	0.42	5	23	<10	305	1534	374	33	<10	3	181
56140	981766	0.011	<1	6.74	13	523	2	<1	1.80	<4	10	267	10	1.04	1.99	36	0.41	193	15	16	298	4	0.40	<5	15	<10	277	1483	180	31	<10	3	143
56141	981767	0.015	<1	8.02	26	810	2	1	1.87	<4	13	207	24	1.39	2.60	44	0.55	268	18	21	544	12	0.56	<5	16	<10	306	2339	259	50	<10	4	77
56142	981768	0.012	1	8.33	22	847	2	<1	1.64	<4	10	205	15	0.88	2.44	42	0.41	174	17	14	513	10	0.31	6	21	<10	309	2211	312	43	<10	4	39
56143	981769	0.027	2	7.77	19	657	2	<1	1.70	<4	6	399	46	0.74	2.45	37	0.35	142	19	8	294	109	0.18	<5	18	<10	263	1381	357	25	<10	3	141
56144	981770	<0.005	<1	7.47	11	517	2	1	1.92	<4	13	58	24	2.37	2.55	31	0.72	485	18	32	541	<1	0.05	<5	14	<10	234	2107	235	79	41	8	58
56145	981771	0.008	1	8.27	15	702	2	<1	1.93	<4	6	212	11	0.77	2.21	43	0.37	143	19	7	411	<1	0.23	6	13	<10	304	1655	366	29	<10	3	39
56146	981772	0.010	1	8.01	24	643	2	<1	1.78	<4	6	188	8	0.61	2.31	39	0.31	111	17	6	381	<1	0.17	<5	27	<10	298	1558	344	30	<10	3	49
56147D	981772	0.006	<1	8.23	15	641	2	2	1.81	<4	6	185	8	0.61	2.23	39	0.32	110	17	6	385	<1	0.17	<5	24	<10	303	1540	468	29	<10	3	47
56148	981773	0.012	<1	7.45	18	614	2	<1	1.81	<4	7	210	7	0.71	2.23	40	0.32	136	18	7	362	<1	0.16	5	15	<10	293	1511	234	26	<10	3	34
56149	981774	0.006	1	6.97	12	573	2	<1	1.68	<4	6	216	8	0.59	2.37	40	0.31	127	18	7	346	<1	0.12	5	23	<10	263	1486	288	29	<10	3	38
56150	981775	0.007	<1	7.25	8	635	2	<1	1.87	<4	7	211	8	0.66	2.08	37	0.32	132	17	7	361	<1	0.11	<5	22	<10	288	1493	127	28	<10	3	42
56151	981776	0.006	<1	8.58	10	648	2	<1	2.14	<4	7	226	8	0.78	2.48	41	0.40	149	16	10	426	2	0.13	<5	14	<10	382	1876	390	36	<10	3	42
56152	981777	0.013	<1	7.92	8	548	2	<1	2.71	<4	10	277	23	2.07	2.60	42	0.65	410	22	11	531	<1	0.30	<5	21	<10	314	2197	221	41	<10	4	78
56153	981778	0.011	<1	7.99	17	535	2	2	1.42	<4	7	368	5	1.50	2.50	40	0.69	665	18	10	517	26	0.63	<5	16	<10	158	2153	411	39	<10	3	108
56154	981779	0.018	2	7.41	17	480	2	<1	1.37	<4	8	123	18	1.97	2.49	41	0.67	703	16	8	516	33	0.99	7	22	<10	153	2076	397	37	<10	3	139

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56155	981780	5.002	<1	8.18	392	1495	2	1	3.04	5	15	120	90	3.49	2.19	39	1.01	485	33	53	864	14	0.77	48	17	<10	197	1998	271	128	10	10	263
56156	981781	0.044	3	8.18	39	456	2	1	1.44	<4	9	292	19	1.99	2.11	40	0.53	714	22	10	512	81	1.11	5	26	<10	148	1979	419	39	<10	3	208
56157	981782	0.159	4	7.98	33	459	2	2	1.24	<4	7	207	15	1.64	2.20	42	0.46	524	27	9	447	76	1.01	<5	21	<10	139	1928	448	33	<10	4	221
56158D	981782	0.208	3	7.60	35	411	<2	<1	1.04	<4	7	206	14	1.64	2.34	30	0.52	456	12	8	442	89	1.07	<5	14	<10	130	1628	368	29	<10	4	231
56159	981783	0.337	10	7.59	27	410	<2	<1	0.64	<4	6	419	7	1.43	2.24	28	0.37	198	12	10	407	155	0.86	7	15	10	70	1575	235	27	<10	4	196
56160	981784	1.378	13	7.77	24	493	2	1	0.80	<4	7	457	9	1.44	1.90	36	0.37	240	22	11	454	155	0.89	9	21	<10	79	1982	338	33	<10	3	211
56161	981785	1.030	16	8.78	38	422	2	2	1.88	<4	8	225	14	1.83	2.06	39	0.85	1073	20	10	481	156	1.03	7	23	<10	138	1993	391	36	<10	4	224
56162	981786	0.978	13	7.74	24	411	2	<1	1.76	<4	7	200	12	1.62	2.16	37	0.77	1084	17	9	457	134	0.90	5	17	<10	129	1939	583	35	<10	4	225
56163	981787	0.225	2	7.74	33	427	2	<1	1.48	<4	9	184	11	1.71	2.05	35	0.59	675	18	11	456	26	1.04	<5	6	<10	110	2054	363	37	<10	3	107
56164	981788	0.224	3	8.12	46	491	2	<1	1.48	<4	9	275	80	1.76	2.23	37	0.66	720	16	10	513	41	1.04	5	17	<10	119	2227	267	40	<10	3	158
56165	981789	0.636	22	7.12	41	428	2	<1	1.22	<4	6	200	62	1.40	2.19	32	0.65	562	15	8	460	473	0.94	13	19	<10	91	1606	374	28	<10	3	669
56166	981790	<0.005	<1	7.34	15	515	<2	<1	1.90	<4	14	57	24	2.38	2.30	29	0.77	488	16	31	538	<1	0.05	<5	23	<10	234	2080	211	78	41	8	61
56167	981791	5.497	8	6.73	17	412	2	<1	0.97	<4	5	354	14	0.87	2.36	33	0.47	396	16	9	306	139	0.39	6	15	<10	73	1510	186	28	<10	3	307
56168	981792	1.672	30	7.15	44	363	2	<1	1.46	19	7	205	54	1.71	2.02	33	0.65	753	18	8	343	1445	1.51	31	18	<10	86	1498	348	27	66	3	6090
56169D	981792	1.632	29	7.16	41	356	2	<1	1.46	19	6	203	52	1.71	2.04	32	0.62	726	17	9	340	1434	1.51	26	19	<10	86	1467	304	26	62	3	6003
56170	981793	0.206	<1	8.05	45	462	2	<1	1.95	<4	10	234	26	1.97	2.18	37	0.82	912	16	12	485	51	1.22	5	17	<10	117	2105	377	38	<10	4	138
56171	981794	0.565	5	8.31	40	440	2	<1	1.74	<4	9	184	37	1.86	2.12	36	0.75	822	18	10	493	147	1.29	7	19	<10	110	2063	451	38	<10	4	295
56172	981795	5.171	32	7.91	71	454	2	1	1.17	4	8	304	63	1.76	2.06	36	0.57	493	20	13	444	379	1.39	25	24	<10	85	1918	360	34	<10	3	790
56173	981796	1.760	6	8.32	53	510	2	<1	1.06	<4	10	160	83	1.76	2.09	38	0.55	363	18	11	517	259	1.38	9	18	<10	87	2103	457	38	<10	3	480
56174	981797	89.238	43	8.80	53	491	2	2	0.98	8	8	281	267	2.14	2.18	38	0.53	314	21	11	458	2433	1.85	50	18	<10	78	1945	293	35	24	3	2450

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56175	981798	0.452	3	8.65	47	464	2	<1	1.47	<4	9	187	28	2.00	2.37	38	0.67	592	19	11	466	88	1.44	<5	18	<10	96	1910	463	36	<10	4	272
56176	981799	1.627	4	9.14	40	490	2	<1	1.72	<4	10	258	53	2.19	2.35	41	0.88	912	19	14	490	99	1.22	8	21	<10	102	2144	475	42	<10	4	497
56177	981800	0.230	354	6.46	3672	178	2	<1	2.29	129	14	53	475	7.28	1.80	29	0.61	1278	27	25	492	9537	4.93	85	14	12	185	1542	367	92	118	7	13481
56178	981801	0.133	4	7.91	65	431	2	<1	1.76	<4	10	131	39	1.84	2.08	39	0.81	884	18	11	458	110	0.81	<5	20	<10	113	2077	305	40	<10	4	234
56179	981802	0.050	<1	7.97	23	413	2	<1	1.49	<4	11	160	24	1.62	2.32	41	0.68	693	17	13	470	16	0.45	5	14	<10	110	2198	320	41	<10	4	97
56180R	981802	0.039	1	7.73	21	389	2	<1	1.46	<4	11	179	23	1.70	2.40	40	0.66	699	17	12	466	13	0.50	7	17	<10	107	2078	342	39	<10	4	99
56181	981803	0.114	3	8.32	19	440	2	1	1.48	<4	9	207	27	1.16	2.21	42	0.62	470	19	11	439	88	0.47	5	23	<10	124	2008	447	37	<10	3	455
56182	981804	0.013	3	8.32	13	512	2	<1	2.17	<4	7	111	10	1.99	2.14	55	0.86	547	19	6	513	6	0.52	7	16	<10	173	2287	320	43	<10	4	88
56183	981805	0.773	313	7.76	62	335	2	<1	0.81	<4	5	281	90	1.39	1.97	36	0.41	201	26	8	334	351	1.12	66	17	<10	90	1461	403	28	<10	3	895
56184	981806	0.843	266	8.20	75	333	2	<1	0.77	4	6	162	81	1.45	2.18	37	0.43	182	21	7	335	309	1.37	66	17	<10	91	1423	221	27	10	3	1181
56185	981807	0.059	9	7.71	20	257	2	<1	0.52	<4	5	234	10	1.20	2.26	28	0.32	<100	21	8	317	38	1.02	7	18	<10	69	1156	391	24	<10	2	145
56186	981808	0.078	9	8.40	33	281	2	<1	0.62	<4	6	159	22	0.98	2.25	35	0.41	101	19	6	372	44	0.77	11	16	<10	72	1337	299	29	<10	3	151
56187	981809	0.063	6	8.65	28	314	2	<1	1.18	<4	6	185	16	1.37	2.14	42	0.69	612	19	8	419	43	1.13	6	21	<10	95	1448	398	31	<10	3	81
56188	981810	<0.005	<1	7.81	8	533	<2	<1	1.97	<4	14	59	25	2.46	2.08	31	0.79	502	17	34	564	<1	0.05	<5	19	<10	243	2185	413	81	42	9	59
56189	981811	0.120	16	7.36	38	262	2	<1	0.57	<4	7	174	15	1.38	2.10	35	0.33	<100	18	8	347	47	1.27	9	21	<10	67	1354	272	28	<10	3	133
56190	981812	0.036	15	7.02	30	260	2	1	0.62	<4	6	248	20	1.24	2.03	36	0.36	139	18	10	359	51	0.93	7	24	<10	67	1442	147	27	<10	2	230
56191D	981812	0.039	16	6.60	29	252	2	<1	0.62	<4	6	233	20	1.16	2.00	36	0.34	132	17	9	340	50	0.86	7	19	<10	66	1418	301	26	<10	2	218
56192	981813	0.149	18	7.77	29	308	2	<1	1.70	<4	7	255	13	1.61	2.34	39	0.48	570	19	9	412	55	1.20	8	21	<10	126	1417	266	28	<10	3	257
56193	981814	0.046	4	7.73	35	364	2	<1	2.05	<4	7	227	9	1.65	2.14	36	0.39	360	17	9	409	17	1.28	<5	18	<10	167	1466	330	28	<10	4	73
56194	981815	0.011	<1	10.05	19	391	2	<1	4.41	<4	9	264	11	2.56	1.93	36	1.39	797	18	13	456	11	1.49	5	17	<10	295	1507	655	34	<10	6	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56195	981816	<0.005	<1	8.58	18	552	2	<1	2.21	<4	11	153	10	1.11	2.28	44	0.82	229	20	10	592	<1	0.57	<5	24	<10	228	2046	470	38	<10	4	42
56196	981817	<0.005	1	8.88	13	473	3	<1	2.04	<4	8	174	7	0.81	1.91	43	0.71	198	23	7	777	3	0.18	5	26	<10	213	1707	537	31	<10	4	21
56197	981818	<0.005	<1	9.22	17	667	2	2	2.27	<4	8	121	8	1.46	2.21	47	0.83	238	17	8	658	<1	0.56	<5	17	<10	287	2002	285	41	<10	4	39
56198	981819	<0.005	<1	8.32	9	573	2	<1	2.04	<4	7	115	6	1.04	2.13	43	0.81	230	15	7	608	<1	0.21	<5	18	<10	248	1572	276	37	<10	4	34
56199	981820	5.024	7	9.11	11	368	2	2	3.51	7	30	80	115	5.02	2.22	36	1.83	908	25	57	1022	12	0.67	6	13	<10	308	3468	299	132	<10	11	132
56200	981821	0.009	<1	7.70	18	579	2	2	2.33	<4	8	159	20	1.53	2.07	40	0.85	332	15	9	587	<1	0.53	<5	22	<10	246	1574	247	39	<10	4	37
56201	981822	0.016	<1	8.23	19	635	2	<1	2.01	<4	9	148	18	1.31	2.32	47	1.10	417	15	8	629	<1	0.43	<5	16	<10	232	1635	445	38	<10	4	80
56202D	981822	0.007	<1	7.59	20	614	2	<1	1.88	<4	9	137	17	1.21	2.00	45	1.04	392	15	7	589	<1	0.42	5	18	14	218	1589	331	37	<10	3	70
56203	981823	0.027	<1	7.83	22	543	2	<1	1.78	<4	8	249	12	2.54	2.13	46	0.84	382	17	9	677	7	1.57	<5	26	<10	225	1577	727	37	<10	3	47
56204	981824	0.027	<1	7.53	13	520	2	1	1.55	<4	7	123	9	1.89	2.35	43	0.65	426	17	6	588	4	0.79	5	18	<10	230	1632	364	39	<10	3	73
56205	981825	0.015	<1	7.78	20	524	2	<1	1.77	4	6	108	6	3.02	2.39	42	0.61	546	17	7	569	3	2.18	5	17	<10	239	1719	353	39	<10	4	61
56206	981826	0.030	<1	7.15	18	492	2	1	1.76	<4	6	131	6	2.93	2.48	39	0.62	522	14	6	549	4	2.10	<5	18	<10	236	1641	343	37	<10	4	65
56207	981827	0.014	<1	7.78	28	443	2	<1	1.95	4	6	406	25	3.08	2.46	42	0.75	700	16	9	632	14	2.06	6	16	<10	215	1751	330	36	<10	5	104
56208	981828	0.005	<1	8.15	23	516	2	<1	1.92	<4	7	144	33	2.51	2.09	42	0.74	546	15	7	594	20	1.78	<5	23	<10	220	1981	457	40	<10	4	87
56209	981829	0.013	<1	8.67	42	596	2	<1	2.21	4	18	279	44	3.57	1.90	43	0.96	580	18	49	531	18	3.07	<5	16	<10	203	2088	220	78	<10	7	124
56210	981830	<0.005	<1	8.43	12	539	2	<1	2.08	<4	15	62	26	2.54	2.28	32	0.83	507	18	33	570	<1	0.07	6	19	<10	252	2128	323	82	40	9	63
56211	981831	0.009	<1	8.95	26	439	2	<1	2.35	<4	13	271	23	2.81	1.82	46	1.11	543	19	26	582	3	2.21	<5	15	<10	230	1626	389	47	<10	5	81
56212	981832	0.014	<1	8.89	35	674	2	<1	1.29	<4	11	433	24	2.60	2.00	40	0.54	252	19	13	636	<1	2.13	<5	20	<10	176	1893	439	42	<10	4	109
56213D	981832	0.014	<1	9.06	32	650	2	<1	1.30	<4	11	436	24	2.62	2.03	39	0.56	253	18	13	639	<1	2.14	5	25	<10	176	1837	290	41	<10	4	106
56214	981833	0.015	<1	9.20	32	695	2	<1	1.76	<4	10	333	13	2.31	2.18	41	0.67	335	17	12	656	<1	1.85	8	20	<10	180	1829	545	41	<10	4	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56215	981834	0.007	<1	8.07	30	720	2	<1	1.92	<4	9	370	8	2.22	2.49	38	0.63	367	20	11	609	4	1.82	<5	19	<10	206	1414	375	40	<10	3	103
56216	981835	0.010	<1	6.94	27	748	2	2	1.11	<4	8	214	9	1.81	2.19	35	0.54	290	16	8	558	12	1.68	<5	15	<10	145	1370	327	38	<10	3	69
56217	981836	0.070	<1	8.05	39	878	2	2	0.69	<4	11	269	17	2.40	2.47	40	0.35	133	20	14	598	36	2.37	5	25	<10	109	1581	306	44	<10	3	62
56218	981837	0.183	5	7.37	76	788	3	<1	1.62	5	22	280	77	4.17	2.03	43	0.65	438	21	67	523	63	4.06	6	9	<10	148	1788	202	98	<10	5	166
56219	981838	0.608	12	8.02	40	718	2	<1	1.66	<4	14	297	28	2.52	2.47	43	0.58	389	18	28	594	34	1.95	<5	15	<10	166	2161	329	60	<10	4	138
56220	981839	0.024	2	7.76	13	455	2	<1	1.74	<4	8	628	14	1.76	2.03	39	0.66	321	18	14	408	6	0.63	<5	21	<10	159	1314	314	26	<10	4	66
56221	981840	5.021	<1	8.05	395	1546	<2	1	3.01	5	15	125	90	3.48	2.14	38	1.04	478	31	52	874	13	0.84	44	18	<10	196	1979	425	128	<10	10	270
56222	981841	0.009	<1	7.51	10	423	2	<1	2.11	<4	7	467	8	1.51	2.04	35	0.52	255	18	10	436	<1	0.29	<5	14	<10	192	1633	303	30	<10	4	38
56223	981842	0.015	1	7.59	14	563	2	<1	2.35	<4	9	326	7	1.81	2.04	37	0.58	334	17	11	501	1	0.64	<5	16	<10	229	1718	407	33	<10	4	67
56224D	981842	0.016	<1	7.90	11	564	2	<1	2.38	<4	8	319	8	1.80	2.09	38	0.58	331	18	9	491	2	0.62	<5	21	<10	232	1728	265	33	<10	4	67
56225	981843	0.012	<1	8.56	16	796	2	<1	2.68	<4	10	305	4	2.11	2.52	47	0.82	444	16	10	644	<1	0.36	6	14	12	282	2219	278	44	<10	4	75
56226	981844	0.011	<1	8.45	14	830	2	2	3.76	<4	11	406	9	2.55	1.90	42	0.97	624	17	19	642	<1	0.52	6	24	<10	297	2221	428	40	<10	4	83
56227	981845	0.020	<1	8.46	12	660	2	<1	3.04	<4	12	343	13	2.47	1.92	44	1.05	523	17	16	652	<1	0.45	6	18	<10	242	2091	411	41	<10	4	68
56228	981846	0.012	<1	8.85	12	617	2	<1	2.91	<4	11	402	15	2.37	1.85	45	1.01	476	17	14	591	<1	0.43	6	19	<10	230	1915	317	37	<10	5	63
56229	981847	0.033	<1	7.18	8	454	2	2	1.92	5	23	447	56	3.96	2.14	45	1.14	513	17	66	525	6	0.90	5	13	<10	178	2711	340	89	<10	6	97
56230	981848	0.028	<1	7.98	34	564	2	2	2.28	4	16	564	37	2.96	1.81	38	0.85	507	15	32	542	7	1.36	6	16	<10	167	2263	494	55	<10	5	150
56231	981849	0.017	<1	7.95	15	592	2	2	2.73	<4	11	491	15	2.11	2.01	37	0.87	409	14	15	549	2	0.64	5	22	<10	172	2152	483	41	<10	4	67
56232	981850	0.006	<1	8.20	12	577	2	<1	2.16	<4	16	66	26	2.71	2.11	30	0.89	550	16	36	607	<1	0.06	6	17	<10	267	2252	371	88	41	10	67
56233	981851	0.069	<1	8.30	37	656	2	<1	2.32	<4	11	526	14	2.22	2.09	38	0.80	436	18	16	565	27	0.99	8	23	<10	159	2296	289	43	<10	4	99
56234	981852	0.024	<1	8.43	25	618	2	1	2.84	<4	10	476	14	2.06	2.13	37	0.95	536	17	13	560	18	0.49	5	18	<10	188	2115	323	39	<10	4	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56235D	981852	0.021	<1	7.93	23	594	2	<1	2.75	<4	10	474	14	2.03	2.12	37	0.90	531	16	14	555	18	0.48	7	25	<10	182	2015	361	37	<10	4	81
56236	981853	0.024	<1	8.00	22	573	2	<1	2.56	<4	9	406	14	1.98	2.07	38	0.92	536	17	11	559	25	0.68	6	23	<10	177	2094	728	41	<10	4	97
56237	981854	0.036	<1	8.37	73	584	2	<1	1.70	<4	10	328	14	1.97	2.00	40	0.65	350	20	13	539	99	1.21	5	24	<10	123	2018	234	39	<10	4	127
56238	981855	0.054	<1	8.17	65	611	2	1	0.98	<4	11	407	5	2.42	1.95	29	0.41	170	15	16	524	21	1.90	5	21	<10	91	2029	204	41	<10	3	113
56239	981856	0.098	<1	8.68	43	787	2	<1	2.69	<4	12	293	30	2.35	1.86	42	1.07	542	16	13	722	72	0.98	<5	14	<10	144	2545	429	50	<10	4	184
56240	981857	0.061	<1	8.50	36	582	2	1	2.66	4	20	428	37	3.39	1.65	37	1.23	750	14	43	649	45	1.79	5	22	<10	122	2186	374	63	<10	7	131
56241	981858	0.119	<1	7.54	80	774	2	<1	0.85	<4	16	651	58	2.60	1.83	32	0.37	185	20	65	464	42	1.88	7	11	<10	71	2161	318	84	<10	5	119
56242	981859	0.353	3	7.33	62	995	2	<1	0.63	<4	7	544	74	1.83	1.76	26	0.31	<100	17	14	382	73	1.42	11	13	<10	65	1394	299	30	<10	3	521
56243	981860	0.241	354	6.82	4040	115	2	<1	2.50	140	15	55	515	7.89	1.52	28	0.70	1398	24	30	520	9538	5.72	91	22	15	199	1593	329	99	132	7	13448
56244	981861	0.066	<1	7.77	68	1397	2	<1	2.19	4	9	547	26	2.66	1.81	32	0.90	579	18	17	532	40	2.06	8	17	<10	160	1640	169	38	<10	4	176
56245	981862	0.103	<1	7.50	98	668	2	<1	1.15	6	9	475	35	2.02	1.91	27	0.52	227	17	18	488	52	1.55	7	15	<10	95	1509	435	38	<10	3	1057
56246R	981862	0.136	<1	7.12	104	659	2	<1	1.16	5	9	576	35	2.07	1.91	29	0.50	235	19	18	481	55	1.53	6	16	<10	97	1508	394	37	<10	3	837
56247	981863	0.198	1	7.39	54	517	2	1	0.64	<4	9	477	19	1.91	1.90	28	0.34	110	18	15	451	25	1.50	6	18	<10	60	1586	336	34	<10	3	265
56248	981864	0.090	<1	7.59	42	566	2	<1	1.27	<4	9	485	20	1.90	2.40	31	0.60	331	15	12	532	20	1.27	6	19	<10	82	1667	352	36	<10	3	119
56249	981865	0.095	2	8.68	58	570	2	3	1.70	<4	9	566	40	2.19	2.42	37	0.81	457	17	15	537	34	1.38	6	25	<10	99	1618	429	41	<10	4	117
56250	981866	0.095	<1	8.78	54	480	2	<1	1.56	<4	8	467	36	1.93	2.26	30	0.81	396	14	12	522	39	1.20	<5	30	<10	88	1343	271	34	<10	4	117
56251	981867	0.091	2	8.31	39	528	2	<1	0.59	<4	11	583	45	1.95	1.94	29	0.34	<100	18	14	493	7	1.39	6	19	<10	63	1534	210	37	<10	3	78
56252	981868	0.049	1	7.87	41	529	2	<1	0.53	<4	12	565	24	1.81	1.96	29	0.32	<100	15	13	561	19	1.25	5	15	<10	61	1647	347	39	<10	3	87
56253	981869	0.106	<1	7.68	77	566	2	<1	0.55	<4	13	670	31	2.20	2.00	28	0.30	<100	17	33	451	38	1.75	5	23	<10	59	1446	177	55	<10	3	270
56254	981870	0.006	<1	7.84	12	536	<2	<1	2.04	<4	15	61	25	2.54	1.77	32	0.79	512	18	35	574	<1	0.06	5	17	10	245	2111	439	82	44	9	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
56255	981871	0.177	<1	7.20	85	733	2	<1	1.19	4	10	603	58	2.54	1.77	31	0.55	357	17	18	649	90	1.99	13	12	<10	68	1518	484	38	12	4	569
56256	981872	0.187	<1	7.55	63	686	2	<1	0.93	11	9	648	46	2.19	1.83	30	0.45	258	16	15	494	158	1.74	15	15	<10	64	1813	188	38	29	3	2747
56257D	981872	0.181	<1	7.01	60	689	2	<1	0.87	11	9	650	46	2.11	1.83	29	0.42	256	15	15	479	157	1.79	16	11	<10	61	1811	417	38	28	2	2740
56258	981873	0.100	6	7.91	75	733	2	<1	0.83	10	11	620	59	2.14	2.21	31	0.42	209	16	17	487	1629	1.69	16	24	<10	63	1924	388	39	28	3	2313
56259	981874	0.055	1	8.33	43	653	2	<1	2.28	<4	10	532	26	2.10	2.09	38	1.01	868	16	14	543	126	1.10	5	20	<10	94	2029	400	40	<10	4	296
56260	981875	0.105	<1	6.95	52	565	2	<1	1.04	<4	10	444	26	1.99	1.96	35	0.45	298	19	15	426	114	1.61	7	20	<10	55	1848	330	35	<10	3	376
56261	981876	0.016	<1	7.79	30	606	2	<1	2.81	4	10	368	15	1.99	2.01	30	1.23	1129	28	13	466	141	1.06	6	27	<10	98	1679	379	35	12	4	396
56262	981877	0.033	<1	10.33	8	429	2	2	3.89	12	10	382	646	3.07	1.97	34	2.60	1289	13	13	507	10	1.34	<5	20	<10	117	1450	600	33	58	7	3209

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56115	981743	169	0.005	0.169
56116	981744	1637	0.048	1.637
56117	981745	451	0.013	0.451
56118	981746	332	0.010	0.332
56119	981747	56	0.002	0.056
56120	981748	129	0.004	0.129
56121	981749	18	<0.001	0.018
56122	981750	7	<0.001	0.007
56123	981751	16	<0.001	0.016
56124	981752	27	<0.001	0.027
56125 Dup	981752	26	<0.001	0.026
56126	981753	7	<0.001	0.007
56127	981754	780	0.023	0.780
56128	981755	62	0.002	0.062
56129	981756	33	<0.001	0.033
56130	981757	25	<0.001	0.025
56131	981758	11	<0.001	0.011
56132	981759	21	<0.001	0.021
56133	981760	4808	0.140	4.808
56134	981761	30	<0.001	0.030
56135	981762	9	<0.001	0.009
56136 Dup	981762	13	<0.001	0.013
56137	981763	14	<0.001	0.014
56138	981764	10	<0.001	0.010
56139	981765	8	<0.001	0.008
56140	981766	11	<0.001	0.011
56141	981767	15	<0.001	0.015
56142	981768	12	<0.001	0.012
56143	981769	27	<0.001	0.027
56144	981770	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56145	981771	8	<0.001	0.008
56146	981772	10	<0.001	0.010
56147 Dup	981772	6	<0.001	0.006
56148	981773	12	<0.001	0.012
56149	981774	6	<0.001	0.006
56150	981775	7	<0.001	0.007
56151	981776	6	<0.001	0.006
56152	981777	13	<0.001	0.013
56153	981778	11	<0.001	0.011
56154	981779	18	<0.001	0.018
56155	981780	5002	0.146	5.002
56156	981781	44	0.001	0.044
56157	981782	173	0.005	0.173
56158 Dup	981782	168	0.005	0.168
56159	981783	337	0.010	0.337
56160	981784	1378	0.040	1.378
56161	981785	1030	0.030	1.030
56162	981786	978	0.029	0.978
56163	981787	225	0.007	0.225
56164	981788	224	0.007	0.224
56165	981789	636	0.019	0.636
56166	981790	<5	<0.001	<0.005
56167	981791	5497	0.160	5.497
56168	981792	1672	0.049	1.672
56169 Dup	981792	1632	0.048	1.632
56170	981793	206	0.006	0.206
56171	981794	565	0.016	0.565
56172	981795	5171	0.151	5.171
56173	981796	1760	0.051	1.760
56174	981797	89238	2.603	89.238

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56175	981798	452	0.013	0.452
56176	981799	1627	0.047	1.627
56177	981800	230	0.007	0.230
56178	981801	133	0.004	0.133
56179	981802	50	0.001	0.050
56180 Rep	981802	39	0.001	0.039
56181	981803	114	0.003	0.114
56182	981804	13	<0.001	0.013
56183	981805	773	0.023	0.773
56184	981806	843	0.025	0.843
56185	981807	59	0.002	0.059
56186	981808	78	0.002	0.078
56187	981809	63	0.002	0.063
56188	981810	<5	<0.001	<0.005
56189	981811	120	0.004	0.120
56190	981812	36	0.001	0.036
56191 Dup	981812	39	0.001	0.039
56192	981813	149	0.004	0.149
56193	981814	46	0.001	0.046
56194	981815	11	<0.001	0.011
56195	981816	<5	<0.001	<0.005
56196	981817	<5	<0.001	<0.005
56197	981818	<5	<0.001	<0.005
56198	981819	<5	<0.001	<0.005
56199	981820	5024	0.147	5.024
56200	981821	9	<0.001	0.009
56201	981822	16	<0.001	0.016
56202 Dup	981822	7	<0.001	0.007
56203	981823	27	<0.001	0.027
56204	981824	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56205	981825	15	<0.001	0.015
56206	981826	30	<0.001	0.030
56207	981827	14	<0.001	0.014
56208	981828	5	<0.001	0.005
56209	981829	13	<0.001	0.013
56210	981830	<5	<0.001	<0.005
56211	981831	9	<0.001	0.009
56212	981832	14	<0.001	0.014
56213 Dup	981832	14	<0.001	0.014
56214	981833	15	<0.001	0.015
56215	981834	7	<0.001	0.007
56216	981835	10	<0.001	0.010
56217	981836	70	0.002	0.070
56218	981837	183	0.005	0.183
56219	981838	608	0.018	0.608
56220	981839	24	<0.001	0.024
56221	981840	5021	0.146	5.021
56222	981841	9	<0.001	0.009
56223	981842	15	<0.001	0.015
56224 Dup	981842	16	<0.001	0.016
56225	981843	12	<0.001	0.012
56226	981844	11	<0.001	0.011
56227	981845	20	<0.001	0.020
56228	981846	12	<0.001	0.012
56229	981847	33	<0.001	0.033
56230	981848	28	<0.001	0.028
56231	981849	17	<0.001	0.017
56232	981850	6	<0.001	0.006
56233	981851	69	0.002	0.069
56234	981852	24	<0.001	0.024

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/24/2011  
 Date Completed: 03/10/2011  
 Job #: 201140800  
 Reference: TMI-TML  
 Sample #: 135

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
56235 Dup	981852	21	<0.001	0.021
56236	981853	24	<0.001	0.024
56237	981854	36	0.001	0.036
56238	981855	54	0.002	0.054
56239	981856	98	0.003	0.098
56240	981857	61	0.002	0.061
56241	981858	119	0.003	0.119
56242	981859	353	0.010	0.353
56243	981860	241	0.007	0.241
56244	981861	66	0.002	0.066
56245	981862	103	0.003	0.103
56246 Rep	981862	136	0.004	0.136
56247	981863	198	0.006	0.198
56248	981864	90	0.003	0.090
56249	981865	95	0.003	0.095
56250	981866	95	0.003	0.095
56251	981867	91	0.003	0.091
56252	981868	49	0.001	0.049
56253	981869	106	0.003	0.106
56254	981870	6	<0.001	0.006
56255	981871	177	0.005	0.177
56256	981872	187	0.005	0.187
56257 Dup	981872	181	0.005	0.181
56258	981873	100	0.003	0.100
56259	981874	55	0.002	0.055
56260	981875	105	0.003	0.105
56261	981876	16	<0.001	0.016
56262	981877	33	<0.001	0.033

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140833  
 Reference: TMI-TML  
 Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58787	982794	124	0.004	0.124
58788	982795	1748	0.051	1.748
58789	982796	350	0.010	0.350
58790	982797	251	0.007	0.251
58791	982798	17	<0.001	0.017
58792	982799	11	<0.001	0.011
58793	982800	<5	<0.001	<0.005
58794	982801	25	<0.001	0.025
58795	982802	5	<0.001	0.005
58796	982803	7	<0.001	0.007
58797 Dup	982803	14	<0.001	0.014
58798	982804	<5	<0.001	<0.005
58799	982805	<5	<0.001	<0.005
58800	982806	<5	<0.001	<0.005
58801	982807	9	<0.001	0.009
58802	982808	7	<0.001	0.007
58803	982809	56	0.002	0.056
58804	982810	5004	0.146	5.004
58805	982811	241	0.007	0.241
58806	982812	29	<0.001	0.029
58807	982813	6	<0.001	0.006
58808 Dup	982813	6	<0.001	0.006
58809	982814	5	<0.001	0.005
58810	982815	5	<0.001	0.005
58811	982816	<5	<0.001	<0.005
58812	982817	<5	<0.001	<0.005
58813	982818	8	<0.001	0.008
58814	982819	49	0.001	0.049
58815	982820	<5	<0.001	<0.005
58816	982821	88	0.003	0.088

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140833  
 Reference: TMI-TML  
 Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58817	982822	29	<0.001	0.029
58818	982823	16	<0.001	0.016
58819 Dup	982823	19	<0.001	0.019
58820	982824	114	0.003	0.114
58821	982825	40	0.001	0.040
58822	982826	44	0.001	0.044
58823	982827	59	0.002	0.059
58824	982828	34	<0.001	0.034
58825	982829	14	<0.001	0.014
58826	982830	5195	0.152	5.195
58827	982831	17	<0.001	0.017
58828	982832	18	<0.001	0.018
58829	982833	238	0.007	0.238
58830 Dup	982833	356	0.010	0.356
58831	982834	43	0.001	0.043
58832	982835	32	<0.001	0.032
58833	982836	125	0.004	0.125
58834	982837	73	0.002	0.073
58835	982838	98	0.003	0.098
58836	982839	185	0.005	0.185
58837	982840	<5	<0.001	<0.005
58838	982841	355	0.010	0.355
58839	982842	359	0.010	0.359
58840	982843	39	0.001	0.039
58841 Dup	982843	34	0.001	0.034
58842	982844	385	0.011	0.385
58843	982845	226	0.007	0.226
58844	982846	142	0.004	0.142
58845	982847	473	0.014	0.473
58846	982848	61	0.002	0.061

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140833  
 Reference: TMI-TML  
 Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58847	982849	150	0.004	0.150
58848	982850	231	0.007	0.231
58849	982851	213	0.006	0.213
58850	982852	449	0.013	0.449
58851	982853	3620	0.106	3.620
58852 Rep	982853	3352	0.098	3.352
58853	982854	204	0.006	0.204
58854	982855	73	0.002	0.073
58855	982856	66	0.002	0.066
58856	982857	192	0.006	0.192
58857	982858	151	0.004	0.151
58858	982859	140	0.004	0.140
58859	982860	<5	<0.001	<0.005
58860	982861	190	0.006	0.190
58861	982862	36	0.001	0.036
58862	982863	136	0.004	0.136
58863 Dup	982863	82	0.002	0.082
58864	982864	205	0.006	0.205
58865	982865	567	0.017	0.567
58866	982866	551	0.016	0.551
58867	982867	339	0.010	0.339
58868	982868	25	<0.001	0.025
58869	982869	12	<0.001	0.012
58870	982870	4716	0.138	4.716
58871	982871	4769	0.139	4.769
58872	982872	11401	0.333	11.401
58873	982873	92	0.003	0.092
58874 Dup	982873	130	0.004	0.130
58875	982874	367	0.011	0.367
58876	982875	273	0.008	0.273

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140833  
 Reference: TMI-TML  
 Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58877	982876	88	0.003	0.088
58878	982877	9	<0.001	0.009
58879	982878	<5	<0.001	<0.005
58880	982879	22	<0.001	0.022
58881	982880	6	<0.001	0.006
58882	982881	33	<0.001	0.033
58883	982882	29	<0.001	0.029
58884	982883	102	0.003	0.102
58885 Dup	982883	98	0.003	0.098
58886	982884	126	0.004	0.126
58887	982885	900	0.026	0.900
58888	982886	616	0.018	0.616
58889	982887	50	0.001	0.050
58890	982888	122	0.004	0.122
58891	982889	246	0.007	0.246
58892	982890	5447	0.159	5.447
58893	982891	264	0.008	0.264
58894	982892	680	0.020	0.680
58895	982893	30	<0.001	0.030
58896 Dup	982893	16	<0.001	0.016
58897	982894	138	0.004	0.138
58898	982895	99	0.003	0.099
58899	982896	44	0.001	0.044
58900	982897	76	0.002	0.076
58901	982898	82	0.002	0.082
58902	982899	404	0.012	0.404
58903	982900	5	<0.001	0.005
58904	982901	64	0.002	0.064
58905	982902	65	0.002	0.065
58906	982903	63	0.002	0.063

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140833  
 Reference: TMI-TML  
 Sample #: 120

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58907 Dup	982903	71	0.002	0.071
58908	982904	905	0.026	0.905
58909	982905	817	0.024	0.817
58910	982906	1708	0.050	1.708
58911	982907	151	0.004	0.151
58912	982908	178	0.005	0.178
58913	982909	136	0.004	0.136
58914	982910	232	0.007	0.232
58915	982911	574	0.017	0.574
58916	982912	67	0.002	0.067
58917	982913	31	<0.001	0.031
58918 Rep	982913	29	<0.001	0.029

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 18, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/16/2011  
 Date Completed: 03/18/2011  
 Job #: 201141029  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
74056	982853	0.063	2.171
74057	982871	0.092	3.169

PROCEDURE CODES: ALFA7

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 25, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/16/2011  
 Date Completed: 03/25/2011  
 Job #: 201141033  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
74081	982872	9.036	8.746	42.967	10.154	3.71%	37.11

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 25, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/16/2011  
 Date Completed: 03/25/2011  
 Job #: 201141036  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
74086	981989	68.096	68.046	3132.954	159.588	2.99%	29.86
74087	981991	2.369	2.333	65.998	3.951	2.51%	25.16

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58919	981878	104	0.003	0.104
58920	981879	50	0.001	0.050
58921	981880	4817	0.141	4.817
58922	981881	269	0.008	0.269
58923	981882	8	<0.001	0.008
58924	981883	27	<0.001	0.027
58925	981884	5	<0.001	0.005
58926	981885	14	<0.001	0.014
58927	981886	10	<0.001	0.010
58928	981887	12	<0.001	0.012
58929 Dup	981887	12	<0.001	0.012
58930	981888	22	<0.001	0.022
58931	981889	28	<0.001	0.028
58932	981890	Insufficient Sample		
58933	981891	19	<0.001	0.019
58934	981892	16	<0.001	0.016
58935	981893	32	<0.001	0.032
58936	981894	12	<0.001	0.012
58937	981895	9	<0.001	0.009
58938	981896	6	<0.001	0.006
58939	981897	7	<0.001	0.007
58940 Dup	981897	6	<0.001	0.006
58941	981898	7	<0.001	0.007
58942	981899	<5	<0.001	<0.005
58943	981900	5063	0.148	5.063
58944	981901	<5	<0.001	<0.005
58945	981902	<5	<0.001	<0.005
58946	981903	5	<0.001	0.005
58947	981904	12	<0.001	0.012
58948	981905	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58949	981906	13	<0.001	0.013
58950	981907	19	<0.001	0.019
58951 Dup	981907	20	<0.001	0.020
58952	981908	18	<0.001	0.018
58953	981909	107	0.003	0.107
58954	981910	<5	<0.001	<0.005
58955	981911	39	0.001	0.039
58956	981912	23	<0.001	0.023
58957	981913	17	<0.001	0.017
58958	981914	11	<0.001	0.011
58959	981915	15	<0.001	0.015
58960	981916	20	<0.001	0.020
58961	981917	44	0.001	0.044
58962 Dup	981917	34	<0.001	0.034
58963	981918	13	<0.001	0.013
58964	981919	43	0.001	0.043
58965	981920	242	0.007	0.242
58966	981921	<5	<0.001	<0.005
58967	981922	<5	<0.001	<0.005
58968	981923	55	0.002	0.055
58969	981924	16	<0.001	0.016
58970	981925	57	0.002	0.057
58971	981926	25	<0.001	0.025
58972	981927	722	0.021	0.722
58973 Dup	981927	769	0.022	0.769
58974	981928	79	0.002	0.079
58975	981929	514	0.015	0.514
58976	981930	<5	<0.001	<0.005
58977	981931	16	<0.001	0.016
58978	981932	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
58979	981933	<5	<0.001	<0.005
58980	981934	<5	<0.001	<0.005
58981	981935	<5	<0.001	<0.005
58982	981936	<5	<0.001	<0.005
58983	981937	22	<0.001	0.022
58984 Rep	981937	21	<0.001	0.021
58985	981938	<5	<0.001	<0.005
58986	981939	<5	<0.001	<0.005
58987	981940	5075	0.148	5.075
58988	981941	<5	<0.001	<0.005
58989	981942	<5	<0.001	<0.005
58990	981943	<5	<0.001	<0.005
58991	981944	<5	<0.001	<0.005
58992	981945	<5	<0.001	<0.005
58993	981946	<5	<0.001	<0.005
58994	981947	<5	<0.001	<0.005
58995 Dup	981947	<5	<0.001	<0.005
58996	981948	<5	<0.001	<0.005
58997	981949	<5	<0.001	<0.005
58998	981950	<5	<0.001	<0.005
58999	981951	22	<0.001	0.022
59000	981952	568	0.017	0.568
59001	981953	88	0.003	0.088
59002	981954	88	0.003	0.088
59003	981955	26	<0.001	0.026
59004	981956	34	<0.001	0.034
59005	981957	34	0.001	0.034
59006 Dup	981957	43	0.001	0.043
59007	981958	398	0.012	0.398
59008	981959	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
59009	981960	4732	0.138	4.732
59010	981961	60	0.002	0.060
59011	981962	28	<0.001	0.028
59012	981963	20	<0.001	0.020
59013	981964	34	0.001	0.034
59014	981965	105	0.003	0.105
59015	981966	101	0.003	0.101
59016	981967	52	0.002	0.052
59017 Dup	981967	72	0.002	0.072
59018	981968	21	<0.001	0.021
59019	981969	354	0.010	0.354
59020	981970	8	<0.001	0.008
59021	981971	9	<0.001	0.009
59022	981972	110	0.003	0.110
59023	981973	151	0.004	0.151
59024	981974	812	0.024	0.812
59025	981975	310	0.009	0.310
59026	981976	1310	0.038	1.310
59027	981977	336	0.010	0.336
59028 Dup	981977	342	0.010	0.342
59029	981978	1091	0.032	1.091
59030	981979	36	0.001	0.036
59031	981980	254	0.007	0.254
59032	981981	3310	0.097	3.310
59033	981982	74	0.002	0.074
59034	981983	381	0.011	0.381
59035	981984	1066	0.031	1.066
59036	981985	2190	0.064	2.190
59037	981986	2789	0.081	2.789
59038	981987	824	0.024	0.824

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
59039 Dup	981987	868	0.025	0.868
59040	981988	697	0.020	0.697
59041	981989	207181	6.044	207.181
59042	981990	7	<0.001	0.007
59043	981991	6173	0.180	6.173
59044	981992	4433	0.129	4.433
59045	981993	188	0.005	0.188
59046	981994	102	0.003	0.102
59047	981995	72	0.002	0.072
59048	981996	489	0.014	0.489
59049	981997	95	0.003	0.095
59050 Rep	981997	131	0.004	0.131
59051	981998	319	0.009	0.319
59052	981999	973	0.028	0.973
59053	982000	4749	0.139	4.749
59054	982001	1384	0.040	1.384
59055	982002	457	0.013	0.457
59056	982003	25	<0.001	0.025
59057	982004	17	<0.001	0.017
59058	982005	14	<0.001	0.014
59059	982006	15	<0.001	0.015
59060	982007	28	<0.001	0.028
59061 Dup	982007	14	<0.001	0.014
59062	982008	13	<0.001	0.013
59063	982009	9	<0.001	0.009
59064	982010	6	<0.001	0.006
59065	982011	23	<0.001	0.023
59066	982012	28	<0.001	0.028
59067	982013	15	<0.001	0.015
59068	982014	83	0.002	0.083

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 02/28/2011  
 Date Completed: 03/14/2011  
 Job #: 201140834  
 Reference: TMI-TML  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
59069	982015	111	0.003	0.111
59070	982016	261	0.008	0.261
59071	982017	201	0.006	0.201
59072 Dup	982017	192	0.006	0.192
59073	982018	285	0.008	0.285
59074	982019	41	0.001	0.041
59075	982020	4883	0.142	4.883
59076	982021	24	<0.001	0.024
59077	982022	33	<0.001	0.033
59078	982023	90	0.003	0.090
59079	982024	174	0.005	0.174
59080	982025	196	0.006	0.196
59081	982026	292	0.009	0.292
59082	982027	873	0.025	0.873
59083 Dup	982027	961	0.028	0.961
59084	982028	67	0.002	0.067
59085	982029	213	0.006	0.213
59086	982030	6	<0.001	0.006
59087	982031	83	0.002	0.083
59088	982032	147	0.004	0.147
59089	982033	636	0.019	0.636
59090	982034	101	0.003	0.101
59091	982035	95	0.003	0.095
59092	982036	156	0.005	0.156

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 18, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/16/2011  
Date Completed: 03/18/2011  
Job #: 201141027  
Reference: TMI-TML  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
74053	981981	0.061	2.091
74054	981992	0.091	3.108

PROCEDURE CODES: ALFA7

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, March 25, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/16/2011  
 Date Completed: 03/25/2011  
 Job #: 201141036  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
74086	981989	68.096	68.046	3132.954	159.588	2.99%	29.86
74087	981991	2.369	2.333	65.998	3.951	2.51%	25.16

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62046	982914	0.008	<1	8.07	17	370	4	<1	1.67	<4	18	85	35	3.21	2.16	28	1.17	406	33	59	393	29	1.44	<5	7	<10	124	1757	<2	60	<10	10	82
62047	982915	<0.005	<1	7.47	19	450	2	<1	1.15	<4	7	19	2	1.12	2.06	20	0.41	147	28	23	282	15	1.13	<5	12	<10	112	1129	<2	26	<10	4	65
62048	982916	<0.005	<1	6.06	18	371	2	<1	1.52	<4	6	17	3	0.80	1.96	15	0.25	139	22	20	337	11	0.82	<5	15	<10	118	999	<2	23	<10	4	56
62049	982917	<0.005	<1	6.28	17	415	2	<1	1.34	<4	5	21	8	0.73	1.87	18	0.40	191	23	20	388	15	0.61	<5	8	<10	111	1039	<2	21	<10	4	76
62050	982918	<0.005	<1	6.96	15	326	2	<1	0.78	<4	3	16	2	0.85	1.98	25	0.31	177	20	21	219	7	0.61	<5	10	<10	76	732	<2	17	<10	5	19
62051	982919	0.005	<1	5.12	9	296	2	<1	1.50	<4	5	18	2	0.88	1.60	15	0.30	217	22	18	296	7	0.84	<5	9	<10	110	995	<2	24	<10	4	2
62052	982920	<0.005	<1	4.89	10	383	2	<1	1.62	<4	14	56	23	2.46	1.53	17	0.86	484	20	33	517	4	0.07	<5	<5	<10	151	1623	<2	79	36	13	43
62053	982921	0.007	<1	4.99	14	335	2	<1	0.86	<4	7	18	2	1.32	1.64	16	0.48	199	21	20	334	9	1.22	<5	5	<10	84	1070	2	27	<10	4	19
62054	982922	0.039	<1	7.97	9	503	3	<1	2.49	<4	22	147	46	3.69	2.38	29	1.53	766	30	106	579	22	0.98	<5	11	<10	222	2176	<2	89	<10	13	86
62055	982923	0.111	<1	7.83	6	410	4	<1	1.88	<4	25	165	47	4.11	2.17	33	1.46	630	32	123	536	32	0.83	<5	<5	<10	222	2074	5	97	<10	13	94
62056D	982923	0.151	<1	7.15	7	376	3	<1	1.72	<4	24	152	43	3.84	2.02	30	1.37	587	28	113	495	30	0.78	<5	<5	<10	205	1963	10	90	<10	12	84
62057	982924	0.007	<1	3.75	18	409	2	<1	0.45	<4	12	42	12	1.02	1.51	15	0.33	140	23	66	542	7	0.57	<5	<5	<10	40	1221	<2	37	<10	6	34
62058	982925	<0.005	<1	3.94	15	414	2	<1	0.63	<4	11	41	14	0.98	1.47	17	0.28	120	23	60	508	5	0.52	<5	<5	<10	63	1372	<2	38	<10	6	21
62059	982926	<0.005	<1	3.67	8	390	2	<1	0.65	<4	11	45	17	1.00	1.46	16	0.28	126	22	65	497	3	0.50	<5	7	<10	60	1311	<2	37	<10	6	20
62060	982927	<0.005	<1	5.01	7	509	2	<1	0.81	<4	12	59	17	1.05	1.70	18	0.35	150	31	105	656	8	0.30	<5	10	<10	115	1725	<2	50	<10	7	20
62061	982928	<0.005	<1	6.35	12	565	2	<1	1.09	<4	13	40	13	0.87	1.94	22	0.45	149	30	72	667	4	0.17	<5	<5	<10	210	1817	<2	45	<10	7	20
62062	982929	0.016	<1	5.87	7	500	2	<1	1.64	<4	10	39	7	2.03	1.82	23	0.71	304	26	60	492	2	0.49	<5	7	<10	197	1990	<2	41	<10	6	102
62063	982930	4.969	5	8.60	14	340	3	<1	3.05	<4	27	54	104	4.65	2.01	26	1.96	860	40	54	935	18	0.83	<5	9	<10	263	2023	<2	119	<10	15	100
62064	982931	0.017	<1	9.10	28	381	3	<1	2.46	<4	7	36	9	1.48	2.18	25	1.28	759	36	56	698	47	0.46	<5	18	<10	88	1602	<2	32	<10	7	58
62065	982932	0.139	<1	8.44	44	417	3	<1	0.92	<4	8	40	28	1.29	2.37	22	0.57	246	36	59	608	110	0.84	<5	17	<10	49	1619	2	35	13	6	449

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62066	982933	0.665	<1	8.15	51	375	3	<1	1.24	<4	6	42	15	1.38	2.24	23	0.75	382	39	68	643	40	0.97	<5	17	<10	63	1461	<2	32	<10	7	103
62067D	982933	0.744	<1	7.52	48	374	3	<1	1.16	<4	7	56	15	1.41	2.03	21	0.72	379	38	98	630	39	0.89	<5	7	<10	58	1422	<2	36	<10	6	100
62068	982934	0.142	<1	7.28	46	310	3	<1	1.38	<4	7	57	19	1.54	1.92	20	0.75	415	39	95	618	41	1.02	<5	9	<10	59	1275	<2	33	<10	6	51
62069	982935	0.131	<1	8.18	52	302	3	<1	1.40	<4	7	43	23	1.49	1.92	28	0.80	405	41	71	778	50	1.08	5	15	<10	48	1448	<2	32	<10	8	424
62070	982936	0.443	<1	8.14	50	325	3	<1	1.54	<4	6	46	15	1.42	2.06	26	0.73	439	38	74	625	28	0.96	<5	13	<10	53	1478	<2	34	<10	7	168
62071	982937	0.013	<1	8.33	28	342	3	<1	2.02	<4	7	29	9	1.35	2.06	23	1.09	697	36	41	628	24	0.55	<5	23	<10	96	1461	<2	29	<10	7	108
62072	982938	0.012	2	6.60	26	315	2	<1	1.18	<4	5	38	14	1.32	2.01	25	0.95	611	33	55	577	40	0.71	<5	<5	<10	71	1447	<2	32	<10	6	79
62073	982939	0.010	1	6.19	21	283	3	<1	1.20	<4	5	34	13	1.40	1.63	20	0.92	655	30	57	559	24	0.76	<5	5	<10	80	1349	2	29	<10	5	42
62074	982940	<0.005	<1	5.11	12	393	3	<1	1.62	<4	14	55	22	2.40	1.67	17	0.85	477	22	32	511	8	0.08	<5	<5	<10	161	1627	<2	77	44	13	41
62075	982941	0.045	<1	6.19	8	388	2	<1	0.94	<4	5	59	65	1.33	2.07	18	0.57	366	33	90	449	66	0.54	<5	11	<10	74	1253	<2	33	12	5	115
62076	982942	0.359	7	5.82	32	366	2	<1	0.79	10	6	37	164	1.59	1.76	20	0.57	392	25	34	416	1433	1.88	<5	16	<10	54	1166	<2	25	72	4	4375
62077	982943	0.103	<1	6.69	21	389	2	<1	0.87	<4	8	38	18	1.17	1.86	23	0.77	495	32	59	494	91	0.85	<5	10	<10	70	1362	<2	32	<10	5	173
62078D	982943	0.086	<1	5.11	16	323	2	<1	0.66	<4	7	33	17	1.14	1.74	20	0.73	476	28	53	479	79	0.85	<5	8	<10	37	1166	<2	27	<10	4	153
62079	982944	0.020	<1	4.99	19	353	2	<1	0.46	<4	5	45	30	1.22	1.67	17	0.45	285	29	71	447	92	0.94	<5	8	<10	32	1092	<2	28	<10	4	135
62080	982945	0.806	<1	6.57	27	373	2	<1	0.87	<4	5	24	26	1.64	1.80	22	0.82	675	29	30	497	104	1.54	<5	7	<10	74	1416	<2	31	<10	5	418
62081	982946	0.658	<1	5.66	24	336	3	<1	0.73	<4	5	20	15	1.58	1.78	21	0.77	616	28	25	499	88	1.49	<5	<5	<10	55	1311	<2	28	<10	5	197
62082	982947	0.029	<1	4.12	20	253	2	<1	0.53	<4	7	21	24	1.29	1.66	16	0.66	618	24	26	449	28	0.93	<5	9	<10	34	1105	<2	24	<10	4	64
62083	982948	<0.005	<1	3.72	7	160	2	<1	0.48	<4	2	47	10	0.42	1.68	11	0.19	<100	26	42	<100	14	0.16	<5	6	<10	43	402	<2	12	<10	2	11
62084	982949	0.030	<1	6.62	13	396	2	<1	0.84	<4	4	25	187	1.62	2.24	20	0.48	320	30	26	421	102	1.17	<5	<5	<10	86	1192	<2	26	<10	5	153
62085	982950	5.110	<1	6.43	442	1413	3	<1	2.84	<4	15	116	83	3.41	1.87	24	1.23	448	42	53	822	27	1.13	14	7	<10	146	1495	<2	128	10	14	225

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62086	982951	0.376	<1	4.93	32	369	3	<1	0.49	<4	5	22	79	1.24	1.81	12	0.24	151	21	25	413	58	1.26	<5	6	<10	55	983	<2	23	<10	4	158
62087	982952	0.048	<1	4.72	15	355	2	<1	0.67	<4	5	19	22	1.26	1.67	16	0.46	400	23	23	470	21	0.72	<5	7	<10	52	1210	<2	27	<10	4	59
62088	982953	0.063	<1	4.10	12	302	2	<1	0.63	<4	21	24	113	1.55	1.55	17	0.67	568	21	33	437	18	0.65	<5	<5	<10	41	1219	<2	25	<10	4	68
62089D	982953	0.127	<1	4.76	13	328	2	<1	0.70	<4	20	23	107	1.48	1.79	19	0.67	541	26	31	420	17	0.61	<5	6	<10	46	1223	<2	25	<10	4	67
62090	982954	0.149	27	5.64	38	354	2	<1	0.83	16	19	26	63	2.23	1.65	19	0.71	566	25	37	507	2447	2.11	8	12	<10	63	1345	<2	28	108	5	6289
62091	982955	1.813	7	3.98	139	142	3	<1	0.48	31	5	36	265	4.48	1.63	12	0.22	101	30	55	276	646	6.21	8	<5	<10	27	670	<2	20	153	4	8857
62092	982956	0.344	<1	4.84	48	335	2	<1	0.45	<4	5	29	83	1.45	1.70	14	0.40	214	24	37	434	53	1.47	<5	10	<10	35	1002	<2	21	<10	4	260
62093	982957	0.101	<1	5.54	39	329	2	<1	1.02	<4	5	26	27	1.67	1.61	20	0.89	656	25	30	504	28	1.15	<5	9	<10	53	1359	<2	28	<10	5	106
62094	982958	0.521	<1	5.01	27	340	2	<1	0.53	<4	7	28	24	1.48	2.00	19	0.58	448	27	37	504	28	1.10	<5	<5	<10	33	1297	<2	27	<10	5	134
62095	982959	0.175	<1	5.22	50	343	2	<1	0.50	<4	7	43	16	1.86	1.84	18	0.53	442	28	65	485	52	1.75	5	<5	<10	36	1292	<2	33	<10	5	176
62096	982960	0.006	<1	5.02	10	375	2	<1	1.59	<4	13	55	22	2.38	1.69	18	0.86	469	23	33	503	4	0.07	<5	<5	<10	143	1579	<2	77	39	13	42
62097	982961	0.406	2	5.64	53	277	2	<1	1.04	<4	8	37	31	1.98	1.70	19	0.66	693	28	44	458	155	1.71	<5	5	<10	63	1265	<2	32	<10	6	353
62098	982962	0.275	<1	5.90	45	338	2	<1	0.87	<4	9	28	28	1.71	1.80	21	0.70	680	26	32	469	55	1.24	<5	8	<10	59	1476	<2	32	<10	6	123
62099	982963	0.108	<1	6.63	33	394	2	<1	0.85	<4	9	23	42	1.47	1.87	23	0.67	557	26	29	431	65	1.05	<5	8	<10	69	1374	<2	29	<10	5	155
62100D	982963	0.157	<1	4.95	29	335	2	<1	0.57	<4	7	22	37	1.38	1.59	19	0.61	510	22	25	398	57	1.02	<5	<5	<10	42	1197	<2	26	<10	5	150
62101	982964	0.075	<1	5.13	28	330	2	<1	0.58	<4	9	25	15	1.49	1.57	19	0.58	432	26	30	430	26	1.28	<5	9	<10	36	1160	<2	25	<10	5	69
62102	982965	0.046	<1	7.10	29	289	2	<1	1.35	<4	9	22	14	1.88	1.79	26	1.45	889	27	25	595	40	1.10	<5	17	<10	93	1573	2	32	<10	6	111
62103	982966	0.036	<1	8.44	23	289	2	<1	1.75	<4	8	20	11	1.70	2.26	28	1.40	796	33	22	680	45	0.97	<5	17	<10	120	1542	6	32	<10	7	94
62104	982967	0.059	<1	6.74	23	305	2	<1	0.88	<4	9	16	81	0.87	1.88	19	0.70	308	29	25	392	47	0.49	<5	9	<10	73	980	<2	19	26	4	122
62105	982968	0.796	37	6.45	29	333	2	<1	0.45	<4	6	13	16	0.66	1.86	17	0.35	<100	26	16	386	85	0.60	5	16	<10	45	979	<2	18	<10	4	159

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62106	982969	0.028	<1	5.65	18	263	2	<1	0.54	<4	5	18	22	0.67	1.77	19	0.57	276	27	21	377	25	0.47	<5	11	<10	38	961	<2	20	<10	4	44
62107	982970	0.231	352	5.47	4365	117	2	<1	2.16	131	15	44	480	7.55	1.80	16	0.83	1281	35	27	469	9501	6.83	27	23	10	133	1200	<2	88	203	10	13494
62108	982971	0.281	19	5.16	47	202	2	<1	0.47	<4	6	21	39	0.70	2.02	18	0.62	318	25	17	390	161	0.54	<5	6	<10	35	898	<2	19	14	4	760
62109	982972	0.048	2	6.31	18	239	2	<1	1.05	<4	6	21	28	0.88	1.94	22	0.89	527	27	21	388	66	0.46	<5	5	<10	66	1031	<2	22	<10	4	264
62110	982973	0.014	<1	6.18	14	215	2	<1	0.96	<4	6	19	18	1.36	1.94	22	0.72	466	28	17	379	23	0.56	<5	8	<10	63	1341	<2	26	<10	5	58
62111R	982973	0.010	<1	5.68	15	212	2	<1	0.84	<4	5	19	19	1.42	1.78	22	0.73	481	26	21	403	19	0.57	<5	15	<10	54	1349	<2	27	<10	5	58
62112	982974	0.009	<1	6.22	12	186	2	<1	1.21	<4	5	15	12	1.43	1.79	24	0.85	564	27	15	454	14	0.41	5	7	<10	80	1455	<2	27	<10	6	63
62113	982975	0.007	<1	7.07	19	183	3	<1	1.77	<4	5	17	12	1.21	1.68	21	0.84	420	28	19	436	17	0.63	<5	16	<10	117	1163	2	22	<10	5	31
62114	982976	0.637	53	4.63	49	135	2	<1	0.38	<4	4	18	50	0.72	1.78	12	0.26	<100	24	21	195	209	0.75	22	<5	<10	33	532	<2	13	14	3	732
62115	982977	1.702	77	4.61	82	126	2	<1	0.28	5	4	16	205	1.66	1.77	13	0.25	<100	25	21	240	1278	2.12	50	<5	<10	28	466	<2	14	34	3	2058
62116	982978	1.009	4	4.80	35	129	2	<1	0.25	<4	4	15	52	1.07	1.76	11	0.23	<100	20	20	321	99	1.22	<5	7	<10	27	476	<2	15	11	3	547
62117	982979	0.186	2	4.15	34	112	2	<1	0.20	<4	4	15	47	0.86	1.50	9	0.20	<100	17	20	283	53	0.93	<5	<5	<10	23	459	<2	14	<10	3	102
62118	982980	0.005	<1	3.81	10	323	3	<1	1.46	<4	13	54	23	2.36	1.15	14	0.81	457	17	34	502	8	0.07	<5	5	<10	122	1517	2	74	40	12	46
62119	982981	0.162	<1	4.75	28	126	2	<1	0.31	<4	4	15	12	0.80	1.74	12	0.24	<100	21	17	324	27	0.80	<5	10	<10	25	578	<2	14	<10	4	93
62120	982982	0.013	<1	5.92	22	128	2	<1	1.63	<4	4	16	8	1.10	1.59	16	0.93	564	18	16	362	21	0.56	<5	13	<10	58	775	<2	16	<10	3	33
62121	982983	0.018	<1	6.11	34	133	3	<1	1.69	<4	5	18	14	1.37	1.56	16	0.95	567	19	20	354	17	0.99	<5	<5	<10	62	851	<2	17	<10	3	27
62122D	982983	0.020	<1	7.00	38	142	2	<1	1.87	<4	5	18	14	1.42	1.80	19	1.01	587	23	22	369	19	1.01	<5	12	<10	70	914	<2	18	<10	4	28
62123	982984	0.094	<1	4.07	34	109	2	<1	0.42	<4	5	22	7	1.48	1.49	10	0.25	105	17	18	370	11	1.58	<5	8	<10	28	595	<2	17	<10	5	43
62124	982985	0.057	<1	6.06	49	144	2	<1	1.50	<4	7	18	26	1.88	1.58	17	0.87	528	24	25	459	29	1.73	<5	7	<10	68	916	<2	25	<10	6	189
62125	982986	0.035	<1	5.50	47	124	2	<1	1.41	<4	7	15	28	1.90	1.53	16	0.84	504	23	20	445	27	1.79	<5	15	<10	62	823	<2	22	<10	6	163

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62126	982987	0.028	<1	6.10	51	101	3	<1	1.91	<4	6	15	62	1.83	1.72	17	0.94	560	22	24	380	33	1.64	<5	7	<10	87	749	<2	18	<10	5	43
62127	982988	0.415	139	4.29	56	134	2	<1	0.48	<4	3	27	31	1.00	1.71	11	0.23	101	23	21	294	280	0.81	16	<5	<10	37	566	<2	12	<10	4	325
62128	982989	0.128	51	6.58	36	182	2	<1	1.58	<4	7	18	22	1.47	2.22	18	0.83	405	29	26	394	102	1.17	<5	13	<10	100	884	<2	18	10	5	417
62129	982990	4.754	3	8.25	15	318	3	<1	3.09	<4	26	67	102	4.59	2.22	26	2.01	859	40	55	915	25	0.84	<5	20	<10	241	1713	5	119	<10	15	103
62130	982991	0.013	<1	8.42	21	350	3	<1	2.02	<4	7	23	9	1.09	2.24	24	0.78	273	36	17	593	15	0.48	<5	20	<10	167	1249	<2	26	<10	7	21
62131	982992	0.012	<1	7.38	11	320	2	<1	1.83	<4	5	17	16	1.06	1.90	26	0.89	286	31	24	601	9	0.30	<5	18	<10	161	1171	<2	25	<10	6	65
62132	982993	0.012	<1	7.16	24	374	2	<1	1.63	<4	7	29	6	1.57	1.89	27	1.06	421	33	25	634	8	1.01	<5	11	<10	138	1331	<2	32	<10	7	67
62133D	982993	0.011	<1	7.75	29	382	2	<1	1.84	<4	8	29	5	1.56	2.03	27	1.05	416	32	24	633	12	1.02	<5	17	<10	168	1341	<2	33	<10	7	65
62134	982994	0.010	<1	7.48	11	368	2	<1	1.75	<4	4	21	7	1.32	2.05	24	0.70	271	33	32	571	13	0.59	<5	12	<10	197	1160	<2	27	<10	6	18
62135	982995	0.013	<1	7.24	6	368	2	<1	1.60	<4	6	25	10	1.65	1.96	29	1.08	342	31	15	605	7	0.59	<5	9	<10	169	1367	<2	29	<10	7	24
62136	982996	0.030	<1	6.91	34	108	3	<1	6.32	<4	6	14	15	3.03	1.64	15	2.29	990	30	25	478	7	1.52	<5	6	<10	280	1151	5	27	<10	8	21
62137	982997	0.011	<1	8.74	10	295	3	<1	2.49	<4	6	24	4	1.60	2.02	33	1.64	406	32	23	577	9	0.31	<5	25	<10	318	1300	<2	27	<10	7	27
62138	982998	0.016	<1	7.22	17	266	2	<1	1.84	<4	8	17	7	2.42	2.27	28	1.35	539	29	29	593	11	1.68	<5	<5	<10	229	1189	<2	28	<10	7	29
62139	982999	0.015	<1	5.82	30	230	3	<1	1.10	<4	7	28	3	3.06	1.92	24	0.74	415	28	34	589	15	3.18	<5	<5	<10	129	965	<2	25	<10	8	49
62140	983000	0.007	<1	4.19	9	335	2	<1	1.49	<4	13	53	22	2.37	1.39	16	0.83	460	18	32	505	4	0.07	<5	8	<10	124	1544	<2	74	42	12	42
62141	983001	0.041	<1	8.53	35	352	3	<1	2.14	<4	18	114	55	3.40	1.96	29	1.00	586	42	86	525	19	2.37	<5	13	<10	201	1591	<2	66	<10	13	242
62142	983002	0.074	<1	8.36	16	206	3	<1	2.19	<4	22	89	49	3.62	2.24	27	1.76	787	33	65	519	47	1.29	<5	5	<10	89	1814	<2	57	<10	13	289
62143	983003	0.959	<1	6.16	140	198	3	<1	0.52	<4	22	82	108	3.54	1.94	15	0.35	102	33	90	527	338	3.87	<5	<5	<10	45	938	<2	52	20	9	856
62144D	983003	0.976	<1	6.79	130	216	3	<1	0.54	<4	23	89	108	3.45	1.95	16	0.36	100	33	87	531	334	3.76	<5	13	<10	49	1037	<2	58	17	9	854
62145	983004	0.640	<1	5.31	71	230	3	<1	0.75	<4	16	66	57	2.51	1.63	13	0.48	181	28	82	528	157	2.49	<5	<5	<10	41	769	<2	39	<10	9	468

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62146	983005	0.415	<1	4.51	70	281	2	<1	0.36	6	8	44	70	1.87	1.77	10	0.21	<100	25	60	433	652	2.12	<5	7	<10	27	629	<2	22	35	5	1927
62147	983006	0.561	<1	3.64	77	225	2	<1	0.33	5	9	25	81	1.80	1.54	8	0.17	<100	22	45	436	448	2.14	<5	<5	<10	23	485	<2	17	30	5	1657
62148	983007	1.354	<1	7.77	44	470	3	<1	0.64	<4	8	24	73	1.84	2.22	20	0.38	101	34	29	444	440	1.60	<5	9	<10	43	1192	<2	29	13	7	481
62149	983008	0.094	<1	7.56	29	448	3	<1	2.91	<4	7	33	21	1.63	2.10	18	1.44	1150	16	21	503	95	0.90	<5	11	<10	74	1293	5	26	<10	5	172
62150	983009	0.135	<1	6.92	43	363	3	<1	2.73	4	8	17	53	2.10	2.06	17	1.36	1024	18	24	481	651	1.82	<5	11	<10	66	1212	4	26	23	5	1159

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
62046	982914	8	<0.001	0.008
62047	982915	<5	<0.001	<0.005
62048	982916	<5	<0.001	<0.005
62049	982917	<5	<0.001	<0.005
62050	982918	<5	<0.001	<0.005
62051	982919	5	<0.001	0.005
62052	982920	<5	<0.001	<0.005
62053	982921	7	<0.001	0.007
62054	982922	39	0.001	0.039
62055	982923	111	0.003	0.111
62056 Dup	982923	151	0.004	0.151
62057	982924	7	<0.001	0.007
62058	982925	<5	<0.001	<0.005
62059	982926	<5	<0.001	<0.005
62060	982927	<5	<0.001	<0.005
62061	982928	<5	<0.001	<0.005
62062	982929	16	<0.001	0.016
62063	982930	4969	0.145	4.969
62064	982931	17	<0.001	0.017
62065	982932	139	0.004	0.139
62066	982933	665	0.019	0.665
62067 Dup	982933	744	0.022	0.744
62068	982934	142	0.004	0.142
62069	982935	131	0.004	0.131
62070	982936	443	0.013	0.443
62071	982937	13	<0.001	0.013
62072	982938	12	<0.001	0.012
62073	982939	10	<0.001	0.010
62074	982940	<5	<0.001	<0.005
62075	982941	45	0.001	0.045

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
62076	982942	359	0.010	0.359
62077	982943	103	0.003	0.103
62078 Dup	982943	86	0.002	0.086
62079	982944	20	<0.001	0.020
62080	982945	806	0.024	0.806
62081	982946	658	0.019	0.658
62082	982947	29	<0.001	0.029
62083	982948	<5	<0.001	<0.005
62084	982949	30	<0.001	0.030
62085	982950	5110	0.149	5.110
62086	982951	376	0.011	0.376
62087	982952	48	0.001	0.048
62088	982953	63	0.002	0.063
62089 Dup	982953	127	0.004	0.127
62090	982954	149	0.004	0.149
62091	982955	1813	0.053	1.813
62092	982956	344	0.010	0.344
62093	982957	101	0.003	0.101
62094	982958	521	0.015	0.521
62095	982959	175	0.005	0.175
62096	982960	6	<0.001	0.006
62097	982961	406	0.012	0.406
62098	982962	275	0.008	0.275
62099	982963	108	0.003	0.108
62100 Dup	982963	157	0.005	0.157
62101	982964	75	0.002	0.075
62102	982965	46	0.001	0.046
62103	982966	36	0.001	0.036
62104	982967	59	0.002	0.059
62105	982968	796	0.023	0.796

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, March 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
62106	982969	28	<0.001	0.028
62107	982970	231	0.007	0.231
62108	982971	281	0.008	0.281
62109	982972	48	0.001	0.048
62110	982973	14	<0.001	0.014
62111 Rep	982973	10	<0.001	0.010
62112	982974	9	<0.001	0.009
62113	982975	7	<0.001	0.007
62114	982976	637	0.019	0.637
62115	982977	1702	0.050	1.702
62116	982978	1009	0.029	1.009
62117	982979	186	0.005	0.186
62118	982980	5	<0.001	0.005
62119	982981	162	0.005	0.162
62120	982982	13	<0.001	0.013
62121	982983	18	<0.001	0.018
62122 Dup	982983	20	<0.001	0.020
62123	982984	94	0.003	0.094
62124	982985	57	0.002	0.057
62125	982986	35	0.001	0.035
62126	982987	28	<0.001	0.028
62127	982988	415	0.012	0.415
62128	982989	128	0.004	0.128
62129	982990	4754	0.139	4.754
62130	982991	13	<0.001	0.013
62131	982992	12	<0.001	0.012
62132	982993	12	<0.001	0.012
62133 Dup	982993	11	<0.001	0.011
62134	982994	10	<0.001	0.010
62135	982995	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, March 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140868  
 Reference: TMI-TML  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
62136	982996	30	<0.001	0.030
62137	982997	11	<0.001	0.011
62138	982998	16	<0.001	0.016
62139	982999	15	<0.001	0.015
62140	983000	7	<0.001	0.007
62141	983001	41	0.001	0.041
62142	983002	74	0.002	0.074
62143	983003	959	0.028	0.959
62144 Dup	983003	976	0.028	0.976
62145	983004	640	0.019	0.640
62146	983005	415	0.012	0.415
62147	983006	561	0.016	0.561
62148	983007	1354	0.040	1.354
62149	983008	94	0.003	0.094
62150	983009	135	0.004	0.135

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61906	982037	0.121	<1	7.61	56	369	3	<1	1.90	<4	23	102	107	3.78	2.10	22	1.40	507	30	78	592	23	1.23	<5	<5	<10	265	1574	8	69	<10	11	149
61907	982038	0.006	<1	4.90	29	288	2	<1	0.60	<4	10	29	15	0.64	1.59	12	0.37	128	22	35	424	6	0.13	<5	12	<10	122	492	<2	26	<10	5	47
61908	982039	<0.005	1	4.51	11	285	<2	<1	0.81	<4	7	27	15	0.57	1.26	12	0.35	116	22	34	383	3	0.11	<5	8	<10	130	440	2	21	<10	5	56
61909	982040	0.241	354	4.92	4398	118	2	<1	2.07	131	14	41	455	7.34	1.63	15	0.79	1240	34	26	455	9578	6.22	30	23	11	129	1099	<2	79	196	10	13465
61910	982041	0.010	1	6.32	27	388	2	<1	1.73	<4	9	35	28	1.59	1.47	17	0.73	522	23	49	377	41	0.67	<5	9	<10	190	894	<2	27	<10	5	219
61911	982042	0.006	<1	5.00	6	318	2	<1	0.56	<4	8	26	19	0.65	1.56	12	0.25	103	24	41	403	8	0.26	<5	9	<10	122	445	<2	25	<10	6	173
61912	982043	0.007	<1	4.75	6	291	2	<1	0.55	<4	15	35	17	0.74	1.49	12	0.29	134	22	47	577	1	0.28	<5	6	<10	102	453	<2	34	<10	6	35
61913	982044	0.012	<1	4.11	6	243	2	<1	0.77	<4	11	41	18	1.45	1.11	12	0.37	231	22	54	514	11	0.75	<5	6	<10	89	789	<2	27	<10	6	40
61914	982045	0.009	<1	4.81	5	266	2	<1	0.92	<4	6	27	23	1.78	1.34	19	0.63	330	22	39	364	5	0.50	<5	7	<10	122	969	<2	21	<10	4	55
61915	982046	0.025	<1	5.38	3	284	2	<1	1.01	<4	6	23	19	1.92	1.58	21	0.74	388	23	32	383	5	0.46	<5	<5	<10	135	1105	<2	23	<10	5	59
61916D	982046	0.009	<1	5.50	4	291	3	<1	1.04	<4	7	23	22	1.96	1.72	22	0.75	394	23	33	395	6	0.48	5	10	<10	138	1125	<2	23	<10	5	65
61917	982047	<0.005	<1	3.87	7	173	2	<1	0.92	<4	6	14	17	0.42	1.48	14	0.30	123	19	17	343	5	0.17	<5	7	<10	100	787	<2	19	<10	4	25
61918	982048	<0.005	<1	5.17	9	305	2	<1	0.78	<4	9	20	10	0.38	1.81	19	0.41	<100	21	22	312	2	0.21	<5	13	<10	124	975	<2	23	<10	4	13
61919	982049	<0.005	<1	4.67	3	258	2	<1	0.77	<4	8	16	7	0.47	1.68	22	0.80	182	24	21	330	5	0.12	<5	5	<10	95	1010	<2	24	<10	3	14
61920	982050	<0.005	<1	4.74	13	373	2	<1	1.55	<4	14	53	22	2.29	1.41	16	0.82	448	20	31	497	<1	0.06	<5	7	<10	146	1513	<2	73	38	12	46
61921	982051	<0.005	3	4.80	5	288	2	<1	0.78	<4	6	21	6	0.45	1.63	21	0.66	152	25	30	403	5	0.13	<5	9	<10	103	982	<2	24	<10	4	11
61922	982052	<0.005	<1	4.70	5	241	2	<1	1.08	<4	8	22	8	0.50	1.42	20	0.62	192	21	26	350	9	0.14	<5	6	<10	98	899	<2	22	<10	4	18
61923	982053	<0.005	<1	5.45	8	285	2	<1	1.13	<4	13	30	20	1.05	1.46	19	0.64	258	24	37	422	12	0.44	<5	13	<10	123	1066	<2	27	<10	5	34
61924	982054	0.045	<1	7.65	2	395	3	<1	2.57	<4	24	56	40	4.12	1.75	33	1.36	893	24	58	673	13	0.64	<5	<5	<10	242	2752	5	78	<10	9	110
61925	982055	0.043	<1	6.78	6	272	3	<1	1.33	<4	24	109	77	3.72	1.75	28	1.49	450	30	78	507	37	0.55	<5	<5	<10	90	1914	<2	69	<10	10	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61926	982056	0.836	<1	9.80	63	181	4	<1	4.01	71	16	88	197	6.04	1.95	25	1.83	1357	33	50	429	91	6.84	<5	20	<10	176	1616	2	57	288	9	17867
61927D	982056	0.655	1	8.73	55	158	3	<1	3.84	69	13	84	191	5.79	1.77	22	1.74	1315	26	48	407	83	6.60	5	20	<10	164	1537	<2	54	281	8	18684
61928	982057	0.061	<1	7.55	40	282	2	<1	2.28	<4	11	29	30	1.73	1.94	22	1.06	528	28	39	361	58	1.23	<5	13	<10	137	1095	<2	25	<10	7	284
61929	982058	0.080	<1	4.87	51	226	3	<1	1.17	<4	13	27	31	1.88	1.48	13	0.55	259	23	35	371	53	1.80	<5	<5	<10	82	758	<2	21	<10	7	264
61930	982059	0.018	<1	5.80	22	464	2	<1	0.43	<4	10	15	7	1.23	1.86	15	0.25	<100	25	18	299	11	1.30	<5	11	<10	71	875	<2	18	<10	4	42
61931	982060	5.025	6	6.76	11	276	3	<1	2.71	<4	27	56	99	4.39	1.83	23	1.86	822	33	52	887	21	0.75	<5	<5	<10	204	1609	<2	109	<10	14	98
61932	982061	0.012	<1	6.08	25	387	2	<1	0.49	<4	10	13	6	2.10	1.81	18	0.34	<100	28	20	356	6	2.32	<5	<5	<10	80	904	<2	20	<10	5	21
61933	982062	0.016	<1	4.88	17	337	2	<1	0.74	<4	8	23	11	1.17	1.65	16	0.46	177	24	21	312	5	0.81	<5	7	<10	76	918	<2	24	<10	5	29
61934	982063	0.010	<1	5.42	12	316	2	<1	0.90	<4	6	13	5	0.56	1.69	17	0.35	125	21	14	257	15	0.38	<5	7	<10	127	980	<2	20	<10	3	86
61935	982064	0.012	<1	5.50	21	329	2	<1	1.07	<4	11	21	15	1.09	1.79	20	0.60	206	27	25	371	13	0.70	<5	5	<10	120	1212	<2	27	<10	6	74
61936	982065	0.011	<1	4.42	11	354	2	<1	0.63	<4	6	18	10	0.45	1.87	17	0.23	<100	22	28	328	8	0.20	<5	10	<10	69	890	<2	18	<10	3	162
61937	982066	0.020	2	4.53	11	348	2	<1	0.68	<4	5	19	12	0.44	1.76	17	0.23	<100	24	28	290	7	0.21	<5	7	<10	79	851	<2	17	14	3	404
61938D	982066	0.010	<1	4.50	15	341	2	<1	0.70	<4	5	22	10	0.47	1.73	16	0.23	<100	24	33	275	9	0.22	<5	6	<10	85	813	<2	17	10	3	392
61939	982067	0.006	1	2.87	6	87	2	<1	0.38	<4	1	34	3	0.19	1.46	9	0.12	<100	22	34	<100	5	0.02	<5	5	<10	42	178	<2	7	<10	2	12
61940	982068	0.010	1	5.14	9	262	2	<1	0.88	<4	6	15	13	0.47	1.73	18	0.31	108	27	21	395	9	0.18	<5	<5	<10	103	957	3	19	<10	4	29
61941	982069	0.013	<1	7.20	19	380	3	<1	1.33	<4	6	16	13	0.70	1.94	19	0.26	<100	24	20	376	8	0.56	<5	5	<10	203	1071	<2	19	<10	4	35
61942	982070	<0.005	<1	4.85	11	367	2	<1	1.57	<4	13	54	22	2.36	1.55	17	0.84	465	20	32	508	7	0.06	<5	<5	<10	145	1615	<2	75	43	12	42
61943	982071	<0.005	<1	5.39	12	278	2	<1	0.79	<4	5	15	7	0.50	1.72	20	0.39	115	27	19	372	6	0.18	<5	10	<10	93	1067	<2	17	<10	4	34
61944	982072	0.013	<1	6.43	11	364	2	<1	1.82	<4	9	16	6	1.75	1.79	22	0.74	328	24	20	489	6	0.49	<5	13	<10	187	1586	<2	30	<10	6	41
61945	982073	0.014	<1	5.52	118	573	3	<1	1.34	<4	15	20	57	1.08	2.10	14	0.29	161	27	31	411	87	0.56	<5	<5	<10	79	715	<2	12	<10	5	16

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61946	982074	0.007	<1	7.92	8	298	3	<1	2.25	<4	14	16	29	1.33	2.25	21	1.00	468	29	29	654	23	0.37	<5	14	<10	101	1389	<2	27	<10	6	38
61947	982075	0.018	<1	7.04	24	306	2	<1	1.67	<4	8	14	20	1.01	1.94	19	0.71	419	28	23	669	23	0.50	<5	17	<10	88	1228	3	22	<10	6	37
61948	982076	0.020	<1	6.56	25	317	3	<1	1.64	<4	7	14	14	1.10	1.88	18	0.73	477	26	21	655	20	0.66	<5	14	<10	86	1167	<2	21	<10	6	39
61949D	982076	0.023	<1	6.27	25	295	3	<1	1.59	<4	7	15	15	1.09	1.79	18	0.71	470	24	21	634	19	0.66	<5	<5	<10	83	1119	<2	21	<10	6	43
61950	982077	0.043	<1	7.03	16	401	2	<1	1.76	<4	6	15	13	1.36	1.84	20	0.89	669	25	20	605	14	0.44	<5	10	<10	95	1374	<2	28	<10	6	59
61951	982078	0.140	<1	6.96	32	324	3	<1	1.96	<4	6	14	17	1.28	1.86	19	0.94	669	26	18	599	65	0.76	<5	10	<10	112	1232	<2	22	<10	6	111
61952	982079	0.119	4	5.63	38	267	3	<1	0.97	<4	5	14	74	1.18	1.64	15	0.49	258	25	22	568	162	1.07	<5	<5	<10	87	944	<2	19	<10	5	478
61953	982080	5.614	<1	5.07	422	1139	2	<1	2.52	<4	13	101	81	3.15	1.60	19	1.11	407	35	50	791	27	0.95	11	15	<10	120	1324	<2	110	<10	12	223
61954	982081	0.075	1	5.46	37	256	2	<1	1.48	<4	7	37	36	1.28	1.59	17	0.98	565	24	35	571	166	0.82	<5	9	<10	85	1196	<2	22	<10	6	355
61955	982082	0.049	<1	4.23	18	289	2	<1	0.68	<4	4	14	13	1.12	1.50	15	0.72	499	19	20	519	29	0.66	<5	13	<10	44	1041	<2	19	<10	5	57
61956	982083	0.027	<1	6.45	17	262	2	<1	1.43	<4	7	18	22	1.81	2.16	28	1.93	1302	26	25	574	30	0.67	5	15	<10	96	1472	<2	30	136	6	143
61957	982084	0.079	5	4.33	18	275	2	<1	0.58	<4	5	19	121	1.35	1.53	17	0.81	539	21	27	490	25	0.94	<5	<5	<10	45	1077	<2	22	<10	4	109
61958	982085	0.055	1	4.04	20	236	2	<1	0.42	<4	5	19	20	1.28	1.53	15	0.43	302	22	29	493	78	1.08	<5	6	<10	31	916	3	18	<10	4	184
61959	982086	0.106	4	4.10	19	254	2	<1	0.44	<4	5	23	21	1.30	1.48	15	0.45	337	21	38	540	62	1.10	<5	<5	<10	32	988	<2	20	<10	4	195
61960D	982086	0.076	<1	4.26	19	251	2	<1	0.46	<4	5	22	21	1.30	1.62	16	0.46	338	23	34	548	64	1.11	<5	<5	<10	33	1012	<2	20	<10	5	197
61961	982087	0.083	4	5.58	11	223	2	<1	1.65	<4	7	26	26	1.89	1.76	21	1.29	1166	23	33	1286	77	0.87	<5	10	<10	90	1172	<2	26	10	8	425
61962	982088	0.244	27	6.45	16	219	2	<1	2.09	<4	6	23	7	1.55	1.83	20	1.34	1316	24	26	420	56	0.70	<5	<5	<10	111	1504	<2	26	<10	5	108
61963	982089	2.212	6	3.98	54	186	2	<1	0.39	<4	5	19	23	1.19	1.44	13	0.35	201	24	30	491	262	1.17	<5	9	<10	31	771	<2	16	12	5	524
61964	982090	<0.005	<1	4.30	7	335	2	<1	1.48	<4	14	52	22	2.28	1.32	15	0.81	447	21	32	498	4	0.07	<5	<5	<10	130	1500	<2	72	39	12	44
61965	982091	8.158	56	7.78	35	365	2	<1	0.43	<4	5	21	257	1.07	2.07	20	0.32	<100	33	31	378	1989	1.07	24	11	<10	46	1163	<2	23	10	5	363

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61966	982092	1.035	7	7.46	28	377	2	<1	1.07	<4	5	24	13	1.08	2.33	20	0.69	330	28	26	432	232	0.96	<5	10	<10	82	1329	<2	27	<10	5	244
61967	982093	1.765	33	6.61	37	292	2	<1	1.01	5	4	21	71	1.28	2.10	19	0.70	376	26	23	327	667	1.32	12	13	<10	69	1004	<2	17	40	4	2255
61968	982094	0.689	7	7.21	29	273	2	<1	1.34	<4	4	18	28	1.06	2.01	21	0.97	532	30	21	339	171	0.87	<5	9	<10	92	1085	<2	18	14	4	499
61969	982095	0.771	14	6.39	51	247	2	<1	0.98	<4	4	18	42	1.52	1.80	19	0.69	357	28	20	377	1025	1.60	<5	6	<10	67	974	<2	19	14	4	843
61970	982096	0.224	<1	7.16	59	243	3	<1	1.59	<4	6	18	11	1.74	1.92	21	0.90	536	29	26	520	52	1.69	<5	<5	<10	95	1173	<2	21	<10	6	267
61971R	982096	0.209	<1	6.34	55	220	2	<1	1.41	<4	6	17	8	1.48	2.20	19	0.88	502	25	25	506	42	1.35	<5	11	<10	82	1053	<2	19	<10	5	199
61972	982097	0.111	2	7.74	28	341	3	<1	1.19	<4	7	23	17	0.80	2.15	23	0.86	441	32	27	427	140	0.59	<5	21	<10	68	1332	<2	27	15	5	723
61973	982098	0.284	164	5.58	203	217	3	<1	0.32	26	6	24	1230	2.19	1.85	16	0.29	148	25	29	362	15975	3.21	182	24	<10	29	956	<2	23	161	5	10323
61974	982099	14.097	24	6.31	77	315	2	<1	0.32	8	6	30	426	2.15	2.01	17	0.31	<100	26	37	257	1285	2.51	23	<5	<10	33	1016	<2	25	53	4	3079
61975	982100	0.238	361	6.29	4488	118	2	<1	2.24	135	15	48	477	7.65	1.97	17	0.85	1328	36	27	474	9520	6.53	33	21	13	152	1285	<2	96	203	11	13492
61976	982101	1.460	19	7.18	73	290	3	<1	0.91	<4	8	26	46	1.63	1.77	21	0.70	297	33	30	408	155	1.62	5	21	<10	59	1101	<2	25	<10	6	243
61977	982102	0.926	5	8.00	45	311	3	<1	1.14	<4	8	25	31	1.66	1.85	23	0.84	402	33	28	412	71	1.51	<5	23	<10	70	1268	<2	27	<10	6	128
61978	982103	0.618	14	7.95	47	259	2	<1	1.25	<4	16	27	48	1.30	1.93	24	0.92	417	37	35	411	95	1.00	<5	11	<10	82	1153	<2	24	<10	6	293
61979	982104	0.342	3	5.16	51	188	2	<1	1.20	4	9	25	27	1.82	1.45	15	0.92	513	18	31	388	340	1.63	<5	6	<10	72	1003	<2	22	21	5	1012
61980	982105	0.180	<1	6.41	14	241	2	<1	1.62	<4	4	17	20	0.68	2.15	19	0.99	578	25	21	340	50	0.40	<5	6	<10	85	824	<2	17	<10	4	61
61981	982106	0.136	<1	6.51	15	247	3	<1	1.70	<4	4	16	19	0.75	1.99	20	1.10	657	27	21	338	35	0.45	<5	10	<10	90	824	<2	17	<10	4	65
61982D	982106	0.130	<1	6.32	15	239	2	<1	1.73	<4	3	17	19	0.78	1.83	19	1.12	675	24	22	343	35	0.48	<5	9	<10	92	808	<2	17	<10	3	66
61983	982107	0.025	<1	7.22	18	305	3	<1	1.66	<4	7	17	10	1.34	1.86	24	0.96	616	29	22	420	19	1.16	<5	12	<10	100	1078	<2	20	<10	5	42
61984	982108	0.062	<1	5.70	16	298	2	<1	1.12	<4	9	18	11	1.53	1.77	20	0.87	539	22	21	410	20	1.46	<5	7	<10	80	1025	<2	20	<10	5	49
61985	982109	0.051	<1	5.62	20	321	2	<1	0.44	<4	13	16	7	1.29	1.73	17	0.33	136	23	22	510	13	1.35	<5	9	<10	41	1007	<2	18	<10	5	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
61986	982110	<0.005	<1	5.28	7	376	2	<1	1.62	<4	14	56	22	2.37	1.65	18	0.86	466	24	32	506	8	0.07	<5	<5	<10	148	1565	<2	76	36	13	41
61987	982111	0.013	<1	7.19	19	393	2	<1	1.21	<4	10	28	13	1.56	1.82	27	0.63	311	28	25	392	10	1.08	<5	12	<10	111	1558	<2	32	<10	7	85
61988	982112	0.009	<1	6.73	19	353	2	<1	1.10	<4	10	17	18	1.20	1.78	25	0.57	190	27	19	382	8	0.87	<5	21	<10	101	1475	<2	28	<10	4	87
61989	982113	0.008	<1	6.52	16	371	3	<1	1.36	<4	5	19	11	0.95	1.88	26	0.54	201	24	20	418	3	0.22	<5	13	<10	106	1491	<2	29	<10	5	26
61990	982114	0.010	<1	7.29	6	395	2	<1	1.79	<4	4	19	12	1.29	2.30	26	0.57	220	28	18	511	6	0.43	<5	16	<10	137	1551	<2	33	<10	5	36
61991	982115	0.006	<1	6.85	5	387	2	<1	1.67	<4	6	25	7	1.32	2.03	30	0.92	279	29	34	512	5	0.27	<5	<5	<10	123	1628	<2	33	<10	6	34
61992	982116	0.007	<1	8.14	15	286	3	<1	2.97	<4	7	24	8	1.35	1.93	25	0.92	296	25	31	470	8	0.89	<5	11	<10	203	1421	3	28	<10	5	22
61993D	982116	0.008	<1	8.43	17	285	2	<1	3.07	<4	7	21	9	1.34	1.94	26	0.93	298	26	27	474	4	0.90	<5	25	<10	211	1411	<2	28	<10	5	21
61994	982117	0.010	<1	7.39	22	181	2	<1	2.76	<4	7	22	10	1.50	1.91	22	1.15	372	24	30	454	6	1.48	<5	20	<10	175	1168	<2	25	<10	5	31
61995	982118	0.025	1	6.42	19	188	3	<1	1.41	<4	8	17	6	1.47	1.79	22	0.90	384	24	27	503	18	1.51	<5	5	<10	105	1081	<2	21	<10	5	21
61996	982119	0.298	73	7.02	38	234	3	<1	0.34	<4	11	22	24	2.33	2.09	20	0.30	<100	27	34	325	80	2.68	<5	8	<10	41	1161	<2	24	<10	5	321
61997	982120	5.040	6	8.29	13	339	3	<1	3.01	<4	27	55	106	4.71	2.00	26	1.97	876	37	54	948	29	0.82	<5	8	<10	256	2019	<2	120	<10	15	103
61998	982121	0.320	93	8.94	57	299	3	<1	1.64	<4	7	22	73	2.66	1.93	27	0.66	335	32	28	392	115	3.01	14	13	<10	122	1324	<2	28	<10	6	213
61999	982122	0.013	<1	8.79	24	238	2	<1	3.14	<4	5	23	2	1.69	1.96	24	0.76	581	30	27	399	26	1.80	<5	18	<10	163	1124	6	23	<10	5	36
62000	982123	0.009	<1	9.24	24	253	2	<1	4.56	<4	6	28	3	1.73	2.23	22	1.21	976	27	35	371	16	1.73	<5	22	<10	216	1102	<2	27	<10	6	26
62001	982124	0.044	2	8.23	21	263	3	<1	2.57	<4	5	25	5	1.64	2.17	26	0.78	442	29	33	400	27	1.60	<5	9	<10	194	1072	<2	23	<10	5	45
62002	982125	0.015	<1	6.94	29	334	2	<1	1.40	<4	13	39	22	1.43	1.84	28	1.04	240	29	41	575	20	1.14	<5	14	<10	135	1367	<2	34	<10	7	28
62003	982126	0.014	<1	6.72	32	335	2	<1	1.36	<4	14	40	29	1.52	1.61	27	1.03	238	30	39	565	19	1.27	<5	<5	<10	129	1386	<2	36	<10	7	29
62004D	982126	0.016	<1	5.87	34	298	2	<1	1.35	<4	14	38	29	1.55	1.61	24	1.00	237	23	41	581	17	1.31	<5	<5	<10	131	1270	<2	33	<10	7	30
62005	982127	0.006	<1	7.09	19	445	3	<1	1.40	<4	9	21	8	0.95	2.01	28	1.07	226	24	32	617	9	0.56	<5	22	<10	165	1477	<2	35	<10	5	20

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62006	982128	0.008	<1	5.54	23	317	2	<1	1.10	<4	7	17	8	0.91	1.59	24	1.05	233	24	23	564	6	0.57	<5	13	<10	116	1004	<2	27	<10	5	14
62007	982129	0.005	<1	7.01	20	373	2	<1	1.56	<4	6	19	6	1.11	1.70	27	1.06	248	28	29	608	6	0.64	<5	5	<10	177	1064	2	30	<10	5	15
62008	982130	<0.005	<1	4.97	11	375	3	<1	1.59	<4	14	55	22	2.39	1.58	17	0.86	472	21	33	512	4	0.07	<5	<5	<10	147	1606	<2	77	38	13	42
62009	982131	0.006	<1	6.14	20	400	2	<1	1.08	<4	7	21	7	0.97	1.63	27	0.88	191	30	29	642	7	0.55	<5	<5	<10	101	1048	<2	30	<10	6	15
62010	982132	0.007	<1	6.78	15	395	2	<1	1.43	<4	8	22	9	1.65	2.25	28	1.06	296	27	32	773	7	0.89	<5	<5	<10	151	1331	<2	31	<10	7	18
62011	982133	0.011	<1	7.12	15	441	2	<1	1.17	<4	7	16	6	2.03	2.08	30	0.89	391	32	19	665	7	1.18	<5	<5	<10	125	1367	<2	31	<10	7	48
62012	982134	0.040	<1	7.14	12	464	3	<1	1.04	<4	6	22	5	2.09	1.97	32	0.91	581	32	32	633	6	1.10	<5	11	<10	97	1383	<2	38	<10	7	44
62013	982135	0.010	<1	6.95	23	374	2	<1	0.79	<4	5	18	1	2.84	1.83	26	0.59	354	30	23	602	5	2.79	<5	9	<10	89	1150	<2	33	<10	7	42
62014	982136	0.008	<1	7.50	16	442	2	<1	1.10	<4	5	16	3	1.99	1.98	28	0.73	446	28	19	595	8	1.77	<5	7	<10	126	1133	<2	35	<10	7	38
62015D	982136	0.019	<1	6.06	17	378	2	<1	0.79	<4	5	16	4	2.01	1.72	26	0.73	446	25	19	609	6	1.81	<5	9	<10	84	1030	<2	33	<10	6	44
62016	982137	0.012	<1	6.59	30	316	3	<1	0.76	<4	11	14	2	2.94	1.90	26	0.58	297	27	24	582	10	3.29	<5	<5	<10	106	1111	<2	32	<10	7	42
62017	982138	0.019	<1	9.03	45	367	3	<1	2.91	<4	21	114	49	3.38	1.90	31	1.36	736	37	67	507	43	2.95	<5	13	<10	294	1688	4	69	<10	14	173
62018	982139	0.021	<1	9.18	32	384	3	<1	2.96	<4	8	24	8	1.67	2.05	29	1.33	483	33	28	513	34	0.79	<5	15	<10	146	1371	4	31	<10	7	44
62019	982140	5.358	<1	6.73	438	1135	2	<1	2.86	<4	14	113	83	3.37	1.99	24	1.21	440	41	52	812	26	1.02	15	<5	<10	156	1487	<2	126	11	14	226
62020	982141	0.365	6	5.51	44	322	2	<1	0.91	<4	8	19	23	1.42	2.06	14	0.46	202	23	27	474	256	1.31	<5	5	<10	60	881	<2	21	<10	6	277
62021	982142	0.285	5	5.24	71	312	3	<1	0.95	<4	8	20	15	1.45	1.84	12	0.46	217	18	30	504	174	1.25	<5	<5	<10	67	910	<2	23	13	5	666
62022	982143	0.055	<1	5.95	72	254	3	<1	1.47	<4	8	26	14	2.34	1.79	18	0.87	418	22	38	542	57	1.98	<5	9	<10	82	1032	<2	26	<10	6	113
62023	982144	0.284	<1	5.75	82	280	3	<1	1.01	<4	18	67	45	3.00	1.80	13	0.55	276	23	68	518	91	2.74	<5	6	<10	61	1073	<2	52	13	10	400
62024	982145	0.237	<1	5.77	62	335	2	1	0.57	<4	10	47	35	1.92	1.73	14	0.34	<100	23	44	441	31	2.00	<5	15	<10	44	1022	<2	34	13	8	597
62025	982146	0.294	<1	5.35	56	304	2	<1	0.53	<4	9	39	42	1.85	1.72	13	0.31	<100	23	42	454	34	1.96	<5	<5	<10	41	894	<2	30	12	8	523

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, March 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
62026D	982146	0.240	<1	5.33	53	296	2	<1	0.54	<4	9	38	41	1.80	1.60	14	0.31	<100	24	41	455	32	1.91	<5	<5	<10	41	868	<2	29	11	8	509
62027	982147	0.056	<1	7.82	49	391	3	<1	2.46	<4	7	17	17	1.79	1.92	21	1.23	587	22	26	581	36	1.13	<5	17	<10	101	1181	<2	27	<10	6	58
62028	982148	0.050	<1	6.75	39	354	3	<1	1.84	<4	8	14	23	1.58	1.67	17	0.92	416	21	19	582	32	1.10	<5	16	<10	85	1058	<2	22	<10	5	42
62029	982149	0.214	<1	6.53	58	340	3	<1	1.65	<4	9	26	17	1.94	1.72	17	0.81	451	22	29	524	32	1.84	<5	<5	<10	73	976	<2	27	<10	6	66
62030	982150	<0.005	<1	4.65	9	370	2	<1	1.56	<4	14	54	23	2.37	1.54	16	0.84	463	20	32	506	5	0.07	<5	6	<10	139	1543	<2	75	39	12	40
62031	982151	0.230	<1	4.80	71	363	3	<1	0.81	<4	8	30	28	1.52	1.75	12	0.44	181	21	37	367	58	1.50	<5	11	<10	48	647	<2	21	<10	5	150
62032	982152	0.244	<1	7.53	128	465	2	<1	0.39	<4	17	100	59	2.33	2.01	15	0.28	<100	34	74	387	60	2.66	<5	5	<10	47	833	<2	67	10	6	426
62033	982153	0.356	<1	6.82	83	435	3	<1	0.37	<4	11	53	55	1.78	1.97	13	0.29	<100	31	48	421	56	1.90	<5	8	<10	43	645	<2	42	<10	5	104
62034	982154	0.053	<1	6.72	57	465	2	<1	0.35	<4	7	22	17	1.34	2.04	13	0.30	<100	25	29	399	46	1.35	5	20	<10	42	667	<2	29	<10	4	73
62035	982155	0.228	2	5.83	109	419	2	<1	0.32	<4	9	40	57	1.55	1.84	12	0.23	<100	27	46	421	556	1.61	20	7	<10	36	647	<2	31	<10	5	205
62036	982156	0.084	<1	6.66	63	460	3	<1	0.91	<4	10	28	74	1.55	1.88	16	0.52	188	27	36	504	149	1.44	<5	10	<10	54	881	<2	28	13	6	498
62037R	982156	0.069	<1	5.86	63	356	3	<1	1.00	<4	9	25	75	1.53	2.06	15	0.52	208	27	40	522	158	1.42	<5	10	<10	54	669	<2	22	12	6	489
62038	982157	0.108	2	7.35	37	467	3	<1	1.42	<4	9	27	108	1.57	2.17	19	0.86	424	28	47	477	558	1.05	<5	9	<10	67	1110	4	27	<10	5	295
62039	982158	0.161	<1	7.54	46	475	3	<1	1.42	<4	10	19	34	1.49	2.11	18	0.77	423	25	24	484	36	1.23	<5	13	<10	71	1267	<2	28	<10	5	107
62040	982159	0.041	<1	7.38	15	415	3	<1	1.74	<4	9	18	90	1.73	1.92	18	0.90	591	25	22	457	95	1.02	<5	18	<10	82	1228	<2	26	13	6	560
62041	982160	0.243	354	6.64	4519	107	3	<1	2.36	132	15	49	477	7.81	2.02	17	0.88	1350	37	30	469	9593	6.80	40	27	13	169	1335	<2	100	205	11	13402
62042	982161	0.084	<1	6.95	26	424	3	<1	1.47	5	9	22	78	2.53	1.92	17	0.74	450	25	25	446	159	1.60	<5	5	<10	66	1261	2	28	45	5	1459
62043	982162	0.067	<1	7.61	9	422	3	<1	1.57	<4	8	18	105	1.96	1.88	20	0.83	441	29	22	507	47	1.18	<5	10	<10	79	1226	<2	27	11	6	377
62044	982163	0.015	<1	9.43	11	552	3	<1	3.36	<4	9	19	33	2.02	2.23	26	1.89	760	27	30	502	32	0.67	<5	21	<10	206	1640	4	32	<10	6	121
62045	982164	0.020	<1	6.45	18	347	3	<1	4.38	14	17	59	128	2.80	1.93	22	2.64	1258	28	52	432	25	1.36	<5	8	<10	96	1225	3	42	52	12	3108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, March 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
61906	982037	121	0.004	0.121
61907	982038	6	<0.001	0.006
61908	982039	<5	<0.001	<0.005
61909	982040	241	0.007	0.241
61910	982041	10	<0.001	0.010
61911	982042	6	<0.001	0.006
61912	982043	7	<0.001	0.007
61913	982044	12	<0.001	0.012
61914	982045	9	<0.001	0.009
61915	982046	25	<0.001	0.025
61916 Dup	982046	9	<0.001	0.009
61917	982047	<5	<0.001	<0.005
61918	982048	<5	<0.001	<0.005
61919	982049	<5	<0.001	<0.005
61920	982050	<5	<0.001	<0.005
61921	982051	<5	<0.001	<0.005
61922	982052	<5	<0.001	<0.005
61923	982053	<5	<0.001	<0.005
61924	982054	45	0.001	0.045
61925	982055	43	0.001	0.043
61926	982056	836	0.024	0.836
61927 Dup	982056	655	0.019	0.655
61928	982057	61	0.002	0.061
61929	982058	80	0.002	0.080
61930	982059	18	<0.001	0.018
61931	982060	5025	0.147	5.025
61932	982061	12	<0.001	0.012
61933	982062	16	<0.001	0.016
61934	982063	10	<0.001	0.010
61935	982064	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
61936	982065	11	<0.001	0.011
61937	982066	20	<0.001	0.020
61938 Dup	982066	10	<0.001	0.010
61939	982067	6	<0.001	0.006
61940	982068	10	<0.001	0.010
61941	982069	13	<0.001	0.013
61942	982070	<5	<0.001	<0.005
61943	982071	<5	<0.001	<0.005
61944	982072	13	<0.001	0.013
61945	982073	14	<0.001	0.014
61946	982074	7	<0.001	0.007
61947	982075	18	<0.001	0.018
61948	982076	20	<0.001	0.020
61949 Dup	982076	23	<0.001	0.023
61950	982077	43	0.001	0.043
61951	982078	140	0.004	0.140
61952	982079	119	0.003	0.119
61953	982080	5614	0.164	5.614
61954	982081	75	0.002	0.075
61955	982082	49	0.001	0.049
61956	982083	27	<0.001	0.027
61957	982084	79	0.002	0.079
61958	982085	55	0.002	0.055
61959	982086	106	0.003	0.106
61960 Dup	982086	76	0.002	0.076
61961	982087	83	0.002	0.083
61962	982088	244	0.007	0.244
61963	982089	2212	0.065	2.212
61964	982090	<5	<0.001	<0.005
61965	982091	8158	0.238	8.158

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
61966	982092	1035	0.030	1.035
61967	982093	1765	0.051	1.765
61968	982094	689	0.020	0.689
61969	982095	771	0.023	0.771
61970	982096	224	0.007	0.224
61971 Rep	982096	209	0.006	0.209
61972	982097	111	0.003	0.111
61973	982098	284	0.008	0.284
61974	982099	14097	0.411	14.097
61975	982100	238	0.007	0.238
61976	982101	1460	0.043	1.460
61977	982102	926	0.027	0.926
61978	982103	618	0.018	0.618
61979	982104	342	0.010	0.342
61980	982105	180	0.005	0.180
61981	982106	136	0.004	0.136
61982 Dup	982106	130	0.004	0.130
61983	982107	25	<0.001	0.025
61984	982108	62	0.002	0.062
61985	982109	51	0.002	0.051
61986	982110	<5	<0.001	<0.005
61987	982111	13	<0.001	0.013
61988	982112	9	<0.001	0.009
61989	982113	8	<0.001	0.008
61990	982114	10	<0.001	0.010
61991	982115	6	<0.001	0.006
61992	982116	7	<0.001	0.007
61993 Dup	982116	8	<0.001	0.008
61994	982117	10	<0.001	0.010
61995	982118	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
61996	982119	298	0.009	0.298
61997	982120	5040	0.147	5.040
61998	982121	320	0.009	0.320
61999	982122	13	<0.001	0.013
62000	982123	9	<0.001	0.009
62001	982124	44	0.001	0.044
62002	982125	15	<0.001	0.015
62003	982126	14	<0.001	0.014
62004 Dup	982126	16	<0.001	0.016
62005	982127	6	<0.001	0.006
62006	982128	8	<0.001	0.008
62007	982129	5	<0.001	0.005
62008	982130	<5	<0.001	<0.005
62009	982131	6	<0.001	0.006
62010	982132	7	<0.001	0.007
62011	982133	11	<0.001	0.011
62012	982134	40	0.001	0.040
62013	982135	10	<0.001	0.010
62014	982136	8	<0.001	0.008
62015 Dup	982136	19	<0.001	0.019
62016	982137	12	<0.001	0.012
62017	982138	19	<0.001	0.019
62018	982139	21	<0.001	0.021
62019	982140	5358	0.156	5.358
62020	982141	365	0.011	0.365
62021	982142	285	0.008	0.285
62022	982143	55	0.002	0.055
62023	982144	284	0.008	0.284
62024	982145	237	0.007	0.237
62025	982146	294	0.009	0.294

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, March 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/01/2011  
 Date Completed: 03/15/2011  
 Job #: 201140867  
 Reference: TMI-TML  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
62026 Dup	982146	240	0.007	0.240
62027	982147	56	0.002	0.056
62028	982148	50	0.001	0.050
62029	982149	214	0.006	0.214
62030	982150	<5	<0.001	<0.005
62031	982151	230	0.007	0.230
62032	982152	244	0.007	0.244
62033	982153	356	0.010	0.356
62034	982154	53	0.002	0.053
62035	982155	228	0.007	0.228
62036	982156	84	0.002	0.084
62037 Rep	982156	69	0.002	0.069
62038	982157	108	0.003	0.108
62039	982158	161	0.005	0.161
62040	982159	41	0.001	0.041
62041	982160	243	0.007	0.243
62042	982161	84	0.002	0.084
62043	982162	67	0.002	0.067
62044	982163	15	<0.001	0.015
62045	982164	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81314	983010	1.336	2	7.97	20	657	<2	2	2.10	4	17	62	561	3.79	1.72	39	0.89	605	45	34	642	73	2.57	6	7	<10	247	2319	<2	115	29	8	112
81315	983011	0.036	<1	8.54	4	592	<2	2	2.29	<4	12	96	25	2.21	1.94	39	0.53	402	22	17	371	20	1.98	<5	<5	<10	407	2286	<2	47	<10	5	91
81316	983012	<0.005	<1	8.82	7	453	<2	<1	1.93	<4	14	171	15	0.76	1.96	33	0.43	123	19	22	461	13	1.49	<5	7	<10	331	1952	<2	54	<10	5	39
81317	983013	<0.005	1	8.56	6	507	2	1	1.80	<4	12	112	13	0.61	1.84	39	0.34	<100	23	20	487	14	1.87	<5	<5	<10	327	2072	<2	54	<10	4	27
81318	983014	<0.005	1	8.36	<2	505	<2	2	1.82	<4	15	186	20	0.75	1.79	41	0.42	100	25	25	485	14	1.97	<5	<5	<10	315	2023	<2	58	<10	4	21
81319	983015	<0.005	<1	9.01	4	537	<2	<1	1.88	<4	13	126	15	0.70	1.66	38	0.38	<100	20	19	420	11	1.79	<5	5	<10	319	1850	<2	53	<10	4	42
81320	983016	<0.005	<1	8.42	14	549	<2	1	1.83	<4	13	182	14	1.16	1.74	39	0.41	<100	21	21	402	13	2.17	<5	<5	<10	297	1806	<2	51	<10	4	57
81321	983017	<0.005	1	8.38	12	536	<2	1	1.98	<4	14	111	14	1.10	1.69	44	0.46	110	24	21	415	14	2.36	<5	5	<10	284	1939	<2	57	<10	4	45
81322	983018	0.008	<1	8.53	14	475	<2	<1	1.62	<4	18	177	20	1.61	1.68	38	0.40	137	21	39	434	20	2.37	<5	<5	<10	253	1414	<2	63	<10	4	56
81323	983019	0.021	<1	8.78	2	515	<2	2	2.66	5	36	211	68	4.40	1.67	47	0.85	730	19	89	763	18	2.50	<5	<5	<10	287	4280	<2	128	<10	9	162
81324D	983019	0.017	1	7.83	3	503	<2	2	2.51	4	34	202	65	4.14	1.71	51	0.75	717	25	83	714	17	2.86	<5	<5	<10	266	4410	<2	122	<10	7	152
81325	983020	<0.005	<1	8.10	8	540	<2	1	1.95	<4	15	60	21	2.49	1.83	33	0.81	504	19	31	508	6	1.74	<5	<5	<10	248	2145	<2	80	40	9	50
81326	983021	<0.005	<1	7.95	2	529	<2	3	2.22	<4	8	86	8	1.30	1.82	47	0.72	406	22	6	348	10	1.96	5	<5	<10	298	1672	<2	29	<10	4	53
81327	983022	0.006	<1	8.87	10	483	<2	2	1.51	<4	7	149	7	0.78	1.92	41	0.51	198	19	6	353	11	1.58	5	<5	<10	316	1588	<2	29	<10	4	25
81328	983023	<0.005	<1	9.02	3	452	<2	1	1.34	<4	7	111	6	0.69	1.83	38	0.42	148	20	6	327	12	1.62	<5	<5	<10	320	1519	2	30	<10	4	20
81329	983024	0.005	1	7.84	5	510	2	<1	1.41	<4	8	145	7	0.91	1.80	46	0.45	233	23	8	354	14	1.89	<5	<5	<10	300	1735	<2	32	<10	3	39
81330	983025	0.012	1	8.71	6	675	<2	1	2.23	<4	11	125	22	2.25	1.76	46	0.68	449	23	11	503	19	2.04	<5	<5	<10	304	2406	<2	51	<10	5	81
81331	983026	0.009	<1	9.07	4	649	<2	1	2.27	<4	11	162	19	2.27	1.72	42	0.74	458	17	11	547	18	1.78	<5	<5	<10	304	2450	<2	51	<10	5	88
81332	983027	0.025	1	8.83	2	548	<2	2	1.80	<4	14	114	23	2.50	1.63	48	0.74	507	23	17	479	26	2.36	7	<5	<10	275	2655	<2	53	<10	5	106
81333	983028	0.022	<1	9.05	20	592	<2	2	1.61	<4	19	149	8	1.61	1.62	42	0.60	270	20	15	555	29	2.20	<5	<5	<10	251	1983	2	58	<10	5	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81334	983029	0.021	1	8.38	21	531	<2	2	1.59	<4	25	158	12	1.44	1.65	45	0.58	241	24	15	456	34	2.44	<5	<5	<10	255	1858	<2	48	<10	4	49
81335D	983029	0.023	<1	8.24	17	495	<2	<1	1.49	<4	24	148	12	1.45	1.82	38	0.58	239	18	16	438	30	1.94	<5	<5	<10	248	1715	2	45	<10	4	47
81336	983030	0.235	359	7.36	4091	111	2	5	2.46	132	16	55	480	7.72	1.58	32	0.73	1350	41	26	468	9502	7.29	105	12	10	207	1628	<2	95	81	8	13414
81337	983031	0.018	4	7.58	51	554	<2	1	1.52	<4	17	153	21	1.57	1.78	44	0.52	259	23	11	508	96	2.34	<5	<5	<10	236	2156	<2	50	<10	4	144
81338	983032	0.054	2	8.95	30	517	2	2	2.12	4	20	273	55	3.71	1.78	61	1.38	699	19	49	448	59	3.09	5	<5	<10	175	2613	3	74	<10	9	166
81339	983033	<0.005	<1	9.17	6	533	<2	<1	1.66	<4	8	90	3	0.69	1.87	37	0.48	195	17	8	332	32	1.53	<5	<5	<10	187	1503	<2	27	<10	4	18
81340	983034	0.007	<1	8.91	13	456	<2	1	2.12	<4	8	172	5	0.90	1.84	39	0.57	227	20	8	309	38	1.89	<5	<5	<10	293	1439	<2	26	<10	3	24
81341	983035	<0.005	1	8.30	22	568	2	2	1.83	<4	10	124	3	0.88	1.77	39	0.41	161	22	10	319	22	2.31	<5	<5	<10	285	1563	<2	30	<10	3	50
81342	983036	<0.005	1	7.95	20	509	2	2	1.74	<4	10	154	3	0.97	1.79	42	0.47	174	24	11	277	17	2.41	<5	<5	<10	273	1589	<2	31	<10	3	59
81343	983037	0.006	2	8.85	17	586	2	2	2.12	<4	11	117	10	1.07	1.59	44	0.60	237	29	12	299	19	2.68	<5	<5	<10	273	1646	<2	34	<10	4	56
81344	983038	0.023	2	8.28	25	882	2	<1	1.97	<4	15	161	31	1.69	1.51	50	0.67	366	26	27	439	83	2.54	<5	<5	<10	288	2346	2	55	<10	5	108
81345	983039	0.009	<1	9.37	22	829	<2	2	1.68	<4	9	98	3	0.72	1.80	41	0.39	151	20	12	373	24	1.82	<5	<5	<10	299	1730	<2	31	<10	4	24
81346D	983039	0.011	1	9.15	20	829	<2	1	1.70	<4	9	99	3	0.71	1.79	43	0.38	150	22	11	369	24	1.97	<5	<5	<10	298	1739	<2	31	<10	4	22
81347	983040	<0.005	<1	8.02	6	548	<2	1	1.93	<4	15	62	22	2.50	1.73	34	0.80	502	18	32	506	8	1.63	<5	<5	<10	252	2162	<2	80	41	9	47
81348	983041	0.057	3	8.20	16	836	2	3	1.31	4	9	203	127	0.79	1.66	42	0.28	125	27	11	344	192	2.25	5	<5	<10	264	1799	<2	30	11	3	1244
81349	983042	0.016	<1	8.40	11	916	<2	<1	1.89	<4	10	132	17	0.89	1.83	42	0.35	186	21	11	366	28	1.83	<5	5	<10	304	1836	<2	34	<10	3	30
81350	983043	0.005	1	8.30	15	787	2	2	1.71	<4	8	137	7	0.73	1.77	43	0.31	127	26	9	344	19	2.23	<5	<5	<10	264	1658	<2	31	<10	3	22
81351	983044	<0.005	1	7.91	12	628	2	1	1.70	<4	7	122	3	0.70	1.77	45	0.35	141	24	6	315	15	2.07	5	<5	<10	274	1655	<2	29	<10	3	27
81352	983045	0.008	<1	8.83	3	625	<2	2	2.56	<4	9	169	21	1.98	1.75	41	0.72	454	16	8	446	18	1.86	<5	<5	<10	325	1966	<2	38	<10	5	52
81353	983046	0.009	<1	8.18	6	600	<2	3	2.50	<4	10	134	21	2.03	1.84	39	0.66	433	17	9	426	17	2.06	<5	<5	<10	311	1865	<2	36	<10	4	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81354	983047	0.032	2	7.91	19	672	2	2	2.17	<4	8	129	11	1.58	1.80	44	0.76	561	24	6	561	25	2.47	<5	<5	<10	153	2087	<2	35	<10	4	48
81355	983048	0.557	8	7.99	34	547	2	<1	1.13	<4	8	95	49	1.48	1.90	41	0.54	322	23	6	519	179	2.87	<5	<5	<10	105	2038	<2	33	<10	4	475
81356	983049	0.083	2	8.26	33	690	2	1	2.12	<4	8	150	15	1.73	1.92	43	0.79	594	21	7	537	41	2.63	<5	<5	<10	149	2088	<2	36	<10	4	108
81357D	983049	0.063	2	13.32	28	688	2	1	2.39	<4	8	142	14	1.76	1.64	45	1.11	577	25	7	561	37	2.37	5	<5	<10	163	2061	8	35	<10	6	103
81358	983050	5.155	9	16.47	13	374	<2	<1	3.70	6	27	77	91	4.84	1.78	40	2.48	832	12	50	907	17	1.95	8	<5	<10	337	3475	<2	122	<10	21	93
81359	983051	0.042	4	17.97	13	626	<2	<1	3.12	<4	9	125	41	2.13	1.74	42	1.76	666	15	20	628	137	2.21	7	<5	<10	199	1974	3	37	<10	9	371
81360	983052	0.039	2	16.87	18	606	<2	1	2.33	<4	6	144	10	1.51	1.76	39	1.04	440	19	5	489	33	1.88	5	<5	<10	190	1738	2	30	<10	7	357
81361	983053	0.037	1	18.54	15	521	<2	3	2.57	<4	6	103	18	1.86	1.76	44	1.47	609	20	5	488	25	2.18	<5	<5	<10	196	1832	5	31	<10	7	327
81362	983078	0.087	3	8.27	13	498	2	<1	1.29	<4	15	274	17	2.67	1.90	45	0.59	386	20	14	380	48	3.38	8	<5	<10	145	2128	<2	39	<10	5	159
81363	983079	0.020	3	19.56	16	558	<2	<1	2.66	<4	7	202	5	2.21	1.66	55	1.30	562	25	8	536	23	3.04	6	8	<10	241	2145	<2	41	<10	8	54
81364	983080	0.006	1	7.74	6	548	<2	1	1.93	<4	15	59	22	2.46	1.72	38	0.73	498	24	31	488	10	1.97	<5	<5	<10	247	2241	<2	80	41	8	49
81365	983081	0.050	3	8.25	11	477	2	1	1.87	<4	15	212	12	1.55	1.78	47	0.42	153	28	14	433	21	3.06	<5	<5	<10	236	1986	<2	42	<10	4	67
81366	983082	0.015	3	7.65	12	584	2	1	2.09	<4	11	198	12	1.39	1.79	52	0.49	214	28	9	408	17	2.54	<5	<5	<10	282	2359	<2	43	<10	3	94
81367	983083	0.009	1	8.46	9	497	<2	1	2.44	<4	7	207	12	1.44	1.80	42	0.51	277	22	6	336	10	1.83	6	<5	<10	253	1916	5	34	<10	4	35
81368D	983083	0.008	2	8.12	11	498	<2	2	2.31	<4	7	205	12	1.38	1.82	46	0.50	273	28	6	337	12	2.17	<5	<5	<10	239	1929	<2	33	<10	4	36
81369	983084	0.008	1	8.09	10	541	<2	3	2.25	<4	6	185	6	1.32	1.83	43	0.37	179	22	5	382	9	2.28	5	<5	<10	253	1876	<2	38	<10	4	45
81370	983085	0.010	1	8.67	9	575	<2	1	2.28	<4	7	229	8	1.62	1.81	44	0.42	186	21	7	411	8	2.25	<5	5	<10	262	1916	<2	43	<10	4	92
81371	983086	<0.005	1	8.24	23	611	<2	<1	2.18	<4	7	257	31	1.63	1.77	43	0.41	182	22	9	418	23	2.26	8	<5	<10	252	1916	<2	43	<10	4	199
81372	983087	0.008	1	8.58	8	607	<2	<1	2.22	<4	9	233	24	2.47	1.79	42	0.34	165	26	9	402	16	3.32	<5	<5	<10	266	1819	<2	37	<10	4	146
81373	983088	<0.005	1	8.82	6	624	<2	2	2.28	<4	7	189	7	2.17	1.62	49	0.52	322	24	7	425	12	2.52	<5	<5	<10	255	2121	<2	41	<10	4	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81374	983089	0.007	<1	9.01	10	767	<2	2	2.32	<4	9	192	14	3.05	1.69	49	0.74	369	18	8	440	16	3.01	6	<5	<10	290	2333	<2	43	<10	5	121
81375	983090	0.201	356	6.74	4290	99	2	4	2.48	136	15	55	480	8.07	1.49	33	0.68	1393	44	28	473	9588	7.19	112	14	12	212	1614	3	97	84	8	13473
81376	983091	<0.005	<1	9.08	14	586	<2	1	2.85	<4	11	173	6	1.74	1.67	47	0.81	247	14	11	453	18	2.30	<5	<5	<10	322	2090	<2	44	<10	4	49
81377	983092	0.005	<1	8.97	10	509	2	2	2.28	<4	13	203	17	1.32	1.70	42	0.87	139	13	11	418	16	1.81	<5	<5	<10	302	1768	4	36	<10	4	36
81378	983093	<0.005	1	9.79	15	458	<2	<1	2.66	<4	12	367	12	1.42	1.67	45	0.98	168	18	15	453	18	2.20	6	<5	<10	318	1886	<2	39	<10	4	109
81379R	983093	<0.005	<1	9.31	7	452	2	1	2.59	<4	12	408	11	1.37	1.58	43	0.98	173	17	14	448	16	1.97	<5	<5	<10	308	1843	3	39	<10	4	100
81380	983094	<0.005	<1	9.25	10	509	<2	1	2.22	<4	11	174	3	1.39	1.64	45	1.08	238	10	11	409	12	2.14	<5	<5	<10	279	1982	8	40	<10	4	61
81381	983095	0.009	1	9.49	14	446	<2	<1	2.54	<4	10	224	6	1.96	1.70	44	1.23	341	11	12	391	14	2.69	9	<5	<10	303	1621	4	34	<10	5	48
81382	983096	0.014	2	9.29	21	596	<2	<1	1.80	<4	14	211	14	1.50	1.69	43	0.91	226	15	19	454	14	2.43	6	<5	<10	244	1834	<2	48	<10	5	116
81383	983097	0.008	1	8.26	24	633	<2	1	1.81	<4	14	182	5	1.06	1.74	46	0.88	216	17	14	530	14	2.00	6	<5	<10	259	1755	4	39	<10	3	57
81384	983098	0.009	<1	9.10	18	592	<2	1	2.04	<4	13	216	4	0.91	1.58	43	0.73	177	17	14	533	14	1.69	<5	<5	<10	300	1547	<2	38	<10	4	82
81385	983099	0.011	1	8.45	24	559	<2	<1	2.09	<4	11	178	11	1.00	1.66	44	0.59	192	20	12	548	16	2.13	<5	<5	<10	297	1211	<2	38	<10	4	45
81386	983100	0.008	<1	7.94	7	548	<2	1	1.93	<4	15	60	22	2.52	1.66	34	0.79	505	19	31	496	9	1.65	<5	<5	<10	252	2236	3	81	41	9	48
81387	983101	0.010	1	9.16	25	682	<2	<1	2.05	<4	13	185	7	0.95	1.77	50	0.93	196	21	17	540	13	1.96	<5	<5	<10	339	1405	2	39	<10	4	119
81388	983102	0.011	1	8.99	19	659	<2	2	1.68	<4	11	220	11	1.22	1.77	45	0.66	193	21	14	533	11	2.11	<5	<5	<10	328	1063	<2	38	<10	4	15
81389	983103	0.014	1	8.81	14	643	<2	1	1.51	<4	9	210	3	1.98	1.80	48	0.60	286	24	8	514	11	3.06	<5	<5	<10	286	1342	<2	38	<10	4	34
81390D	983103	0.012	<1	8.24	15	627	<2	2	1.44	<4	8	210	3	1.96	1.79	42	0.59	288	18	8	509	11	2.60	<5	<5	<10	289	1255	<2	38	<10	4	35
81391	983104	0.013	<1	9.66	11	534	<2	1	2.98	<4	9	205	16	2.11	1.77	52	1.28	694	12	9	529	22	1.88	7	<5	<10	339	1820	12	39	<10	5	51
81392	983105	0.030	<1	10.04	24	553	<2	2	2.36	<4	11	351	11	1.96	1.76	35	1.05	440	7	12	493	21	1.58	7	<5	<10	115	1874	7	38	<10	5	57
81393	983106	0.038	<1	9.65	26	525	2	1	2.63	<4	10	335	13	2.08	1.74	39	1.13	504	13	13	487	20	1.87	9	<5	<10	125	1794	9	38	<10	5	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81394	983107	0.132	<1	9.15	59	513	<2	1	0.85	<4	10	386	16	1.84	1.59	30	0.39	130	20	12	450	43	2.46	6	<5	<10	102	1477	<2	37	<10	4	71
81395	983108	0.464	3	9.01	73	513	2	2	0.76	<4	10	335	23	2.30	1.59	32	0.37	140	23	13	445	81	3.10	10	<5	<10	98	1485	<2	39	<10	4	191
81396	983109	0.087	1	9.05	51	590	2	2	1.15	<4	10	299	9	1.67	1.59	34	0.51	227	20	13	460	30	2.36	<5	<5	<10	95	1571	<2	39	<10	4	53
81397	983110	5.021	9	10.29	16	372	<2	2	3.44	6	30	82	101	5.02	1.77	38	1.90	892	19	53	907	22	1.94	5	<5	<10	320	3543	5	130	<10	13	101
81398	983111	0.082	1	9.23	68	513	<2	1	2.06	<4	11	464	23	2.46	1.68	35	1.03	542	16	21	460	56	2.54	10	<5	<10	103	1289	<2	41	<10	5	79
81399	983112	2.213	16	8.30	72	653	2	1	0.57	<4	8	277	33	1.95	1.67	31	0.34	<100	22	9	453	111	2.82	16	<5	<10	65	1376	<2	36	<10	4	269
81400	983113	0.043	<1	8.71	40	640	<2	<1	0.51	<4	9	216	10	1.49	1.70	28	0.32	<100	21	9	361	54	2.46	<5	<5	<10	63	1265	<2	36	<10	4	77
81401D	983113	0.041	<1	8.18	42	640	<2	1	0.53	<4	9	214	10	1.47	1.65	29	0.30	<100	23	9	343	54	2.56	6	<5	<10	63	1267	<2	36	<10	3	77
81402	983114	0.027	<1	7.89	44	625	2	2	0.54	<4	9	234	15	1.63	1.69	31	0.33	<100	23	11	415	49	2.68	<5	<5	<10	62	1287	<2	36	<10	3	74
81403	983115	0.269	3	7.86	156	413	<2	2	0.55	6	19	545	54	3.61	1.40	30	0.31	<100	30	48	324	88	4.59	23	<5	<10	59	1075	<2	60	<10	4	796
81404	983116	0.192	2	7.67	154	401	<2	1	0.55	<4	19	390	50	2.48	1.58	29	0.28	<100	31	49	332	189	3.57	42	<5	<10	62	1108	<2	68	<10	4	252
81405	983117	0.291	2	7.87	148	499	<2	1	0.53	7	16	314	43	2.42	1.57	28	0.31	<100	28	45	367	103	3.40	18	<5	<10	60	1100	<2	67	10	4	1138
81406	983118	0.261	2	8.56	68	560	<2	2	0.76	4	10	136	39	2.01	1.72	34	0.42	101	26	11	530	138	3.25	9	<5	<10	67	1313	<2	35	<10	4	736
81407	983119	0.275	4	9.28	43	626	2	<1	1.29	7	9	134	70	1.45	1.75	41	0.73	431	26	9	488	924	2.89	18	<5	<10	81	1704	2	39	13	4	1471
81408	983120	0.009	<1	7.98	10	544	<2	1	1.90	<4	14	61	22	2.48	1.74	36	0.76	490	23	30	496	10	1.72	7	<5	<10	249	2221	<2	79	39	9	47
81409	983121	0.032	<1	8.90	16	506	<2	<1	0.58	<4	9	145	15	1.20	1.76	26	0.46	117	13	9	435	29	1.58	6	<5	<10	51	1606	<2	35	<10	4	219
81410	983122	0.051	<1	8.99	32	631	2	<1	0.78	<4	10	105	9	1.18	1.61	36	0.43	162	24	9	464	26	2.34	<5	<5	<10	61	1988	<2	39	<10	4	62
81411	983123	0.045	1	8.42	33	633	<2	<1	0.80	<4	9	168	14	1.29	1.63	37	0.44	192	22	10	452	24	2.37	<5	<5	<10	61	2111	<2	39	<10	3	50
81412D	983123	0.073	1	9.45	32	647	2	2	0.86	<4	10	169	14	1.33	1.52	38	0.48	195	24	10	459	23	2.45	5	<5	<10	65	2162	<2	40	<10	4	51
81413	983124	0.075	1	8.42	32	657	2	1	1.33	<4	9	109	16	1.39	1.65	41	0.70	454	22	9	467	20	2.36	<5	<5	<10	87	2134	<2	39	<10	4	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81414	983125	0.094	1	8.44	21	669	<2	1	0.97	<4	8	78	6	0.94	1.63	36	0.50	251	24	7	446	19	2.21	<5	<5	<10	69	2007	<2	37	<10	4	32
81415	983126	0.102	1	7.81	20	721	<2	<1	0.65	<4	8	227	9	0.93	1.61	35	0.35	130	23	8	407	15	2.10	6	<5	<10	54	2111	<2	38	<10	3	33
81416	983127	0.083	2	7.87	31	772	2	<1	1.09	<4	9	142	21	1.29	1.63	42	0.51	287	29	8	445	27	2.79	<5	<5	<10	77	2102	<2	38	<10	3	99
81417	983128	0.054	1	9.78	33	629	<2	1	2.46	<4	11	204	15	2.37	1.71	48	1.89	865	16	16	467	33	2.85	<5	<5	<10	125	2215	14	46	<10	5	231

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81314	983010	1336	0.039	1.336
81315	983011	36	0.001	0.036
81316	983012	<5	<0.001	<0.005
81317	983013	<5	<0.001	<0.005
81318	983014	<5	<0.001	<0.005
81319	983015	<5	<0.001	<0.005
81320	983016	<5	<0.001	<0.005
81321	983017	<5	<0.001	<0.005
81322	983018	8	<0.001	0.008
81323	983019	21	<0.001	0.021
81324 Dup	983019	17	<0.001	0.017
81325	983020	<5	<0.001	<0.005
81326	983021	<5	<0.001	<0.005
81327	983022	6	<0.001	0.006
81328	983023	<5	<0.001	<0.005
81329	983024	5	<0.001	0.005
81330	983025	12	<0.001	0.012
81331	983026	9	<0.001	0.009
81332	983027	25	<0.001	0.025
81333	983028	22	<0.001	0.022
81334	983029	21	<0.001	0.021
81335 Dup	983029	23	<0.001	0.023
81336	983030	235	0.007	0.235
81337	983031	18	<0.001	0.018
81338	983032	54	0.002	0.054
81339	983033	<5	<0.001	<0.005
81340	983034	7	<0.001	0.007
81341	983035	<5	<0.001	<0.005
81342	983036	<5	<0.001	<0.005
81343	983037	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81344	983038	23	<0.001	0.023
81345	983039	9	<0.001	0.009
81346 Dup	983039	11	<0.001	0.011
81347	983040	<5	<0.001	<0.005
81348	983041	57	0.002	0.057
81349	983042	16	<0.001	0.016
81350	983043	5	<0.001	0.005
81351	983044	<5	<0.001	<0.005
81352	983045	8	<0.001	0.008
81353	983046	9	<0.001	0.009
81354	983047	32	<0.001	0.032
81355	983048	557	0.016	0.557
81356	983049	83	0.002	0.083
81357 Dup	983049	63	0.002	0.063
81358	983050	5155	0.150	5.155
81359	983051	42	0.001	0.042
81360	983052	39	0.001	0.039
81361	983053	37	0.001	0.037
81362	983078	87	0.003	0.087
81363	983079	20	<0.001	0.020
81364	983080	6	<0.001	0.006
81365	983081	50	0.001	0.050
81366	983082	15	<0.001	0.015
81367	983083	9	<0.001	0.009
81368 Dup	983083	8	<0.001	0.008
81369	983084	8	<0.001	0.008
81370	983085	10	<0.001	0.010
81371	983086	<5	<0.001	<0.005
81372	983087	8	<0.001	0.008
81373	983088	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81374	983089	7	<0.001	0.007
81375	983090	201	0.006	0.201
81376	983091	<5	<0.001	<0.005
81377	983092	5	<0.001	0.005
81378	983093	<5	<0.001	<0.005
81379 Rep	983093	<5	<0.001	<0.005
81380	983094	<5	<0.001	<0.005
81381	983095	9	<0.001	0.009
81382	983096	14	<0.001	0.014
81383	983097	8	<0.001	0.008
81384	983098	9	<0.001	0.009
81385	983099	11	<0.001	0.011
81386	983100	8	<0.001	0.008
81387	983101	10	<0.001	0.010
81388	983102	11	<0.001	0.011
81389	983103	14	<0.001	0.014
81390 Dup	983103	12	<0.001	0.012
81391	983104	13	<0.001	0.013
81392	983105	30	<0.001	0.030
81393	983106	38	0.001	0.038
81394	983107	132	0.004	0.132
81395	983108	464	0.014	0.464
81396	983109	87	0.003	0.087
81397	983110	5021	0.146	5.021
81398	983111	82	0.002	0.082
81399	983112	2213	0.065	2.213
81400	983113	43	0.001	0.043
81401 Dup	983113	41	0.001	0.041
81402	983114	27	<0.001	0.027
81403	983115	269	0.008	0.269

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81404	983116	192	0.006	0.192
81405	983117	291	0.008	0.291
81406	983118	261	0.008	0.261
81407	983119	275	0.008	0.275
81408	983120	9	<0.001	0.009
81409	983121	32	<0.001	0.032
81410	983122	51	0.001	0.051
81411	983123	45	0.001	0.045
81412 Dup	983123	73	0.002	0.073
81413	983124	75	0.002	0.075
81414	983125	94	0.003	0.094
81415	983126	102	0.003	0.102
81416	983127	83	0.002	0.083
81417	983128	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81314	983010	1336	0.039	1.336
81315	983011	36	0.001	0.036
81316	983012	<5	<0.001	<0.005
81317	983013	<5	<0.001	<0.005
81318	983014	<5	<0.001	<0.005
81319	983015	<5	<0.001	<0.005
81320	983016	<5	<0.001	<0.005
81321	983017	<5	<0.001	<0.005
81322	983018	8	<0.001	0.008
81323	983019	21	<0.001	0.021
81324 Dup	983019	17	<0.001	0.017
81325	983020	<5	<0.001	<0.005
81326	983021	<5	<0.001	<0.005
81327	983022	6	<0.001	0.006
81328	983023	<5	<0.001	<0.005
81329	983024	5	<0.001	0.005
81330	983025	12	<0.001	0.012
81331	983026	9	<0.001	0.009
81332	983027	25	<0.001	0.025
81333	983028	22	<0.001	0.022
81334	983029	21	<0.001	0.021
81335 Dup	983029	23	<0.001	0.023
81336	983030	235	0.007	0.235
81337	983031	18	<0.001	0.018
81338	983032	54	0.002	0.054
81339	983033	<5	<0.001	<0.005
81340	983034	7	<0.001	0.007
81341	983035	<5	<0.001	<0.005
81342	983036	<5	<0.001	<0.005
81343	983037	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Boucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, April 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81344	983038	23	<0.001	0.023
81345	983039	9	<0.001	0.009
81346 Dup	983039	11	<0.001	0.011
81347	983040	<5	<0.001	<0.005
81348	983041	57	0.002	0.057
81349	983042	16	<0.001	0.016
81350	983043	5	<0.001	0.005
81351	983044	<5	<0.001	<0.005
81352	983045	8	<0.001	0.008
81353	983046	9	<0.001	0.009
81354	983047	32	<0.001	0.032
81355	983048	557	0.016	0.557
81356	983049	83	0.002	0.083
81357 Dup	983049	63	0.002	0.063
81358	983050	5155	0.150	5.155
81359	983051	42	0.001	0.042
81360	983052	39	0.001	0.039
81361	983053	37	0.001	0.037
81362	983078	87	0.003	0.087
81363	983079	20	<0.001	0.020
81364	983080	6	<0.001	0.006
81365	983081	50	0.001	0.050
81366	983082	15	<0.001	0.015
81367	983083	9	<0.001	0.009
81368 Dup	983083	8	<0.001	0.008
81369	983084	8	<0.001	0.008
81370	983085	10	<0.001	0.010
81371	983086	<5	<0.001	<0.005
81372	983087	8	<0.001	0.008
81373	983088	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Boucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81374	983089	7	<0.001	0.007
81375	983090	201	0.006	0.201
81376	983091	<5	<0.001	<0.005
81377	983092	5	<0.001	0.005
81378	983093	<5	<0.001	<0.005
81379 Rep	983093	<5	<0.001	<0.005
81380	983094	<5	<0.001	<0.005
81381	983095	9	<0.001	0.009
81382	983096	14	<0.001	0.014
81383	983097	8	<0.001	0.008
81384	983098	9	<0.001	0.009
81385	983099	11	<0.001	0.011
81386	983100	8	<0.001	0.008
81387	983101	10	<0.001	0.010
81388	983102	11	<0.001	0.011
81389	983103	14	<0.001	0.014
81390 Dup	983103	12	<0.001	0.012
81391	983104	13	<0.001	0.013
81392	983105	30	<0.001	0.030
81393	983106	38	0.001	0.038
81394	983107	132	0.004	0.132
81395	983108	464	0.014	0.464
81396	983109	87	0.003	0.087
81397	983110	5021	0.146	5.021
81398	983111	82	0.002	0.082
81399	983112	2213	0.065	2.213
81400	983113	43	0.001	0.043
81401 Dup	983113	41	0.001	0.041
81402	983114	27	<0.001	0.027
81403	983115	269	0.008	0.269

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Boucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 04/04/2011  
 Job #: 201141137  
 Reference: TMI-TML  
 Sample #: 95

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81404	983116	192	0.006	0.192
81405	983117	291	0.008	0.291
81406	983118	261	0.008	0.261
81407	983119	275	0.008	0.275
81408	983120	9	<0.001	0.009
81409	983121	32	<0.001	0.032
81410	983122	51	0.001	0.051
81411	983123	45	0.001	0.045
81412 Dup	983123	73	0.002	0.073
81413	983124	75	0.002	0.075
81414	983125	94	0.003	0.094
81415	983126	102	0.003	0.102
81416	983127	83	0.002	0.083
81417	983128	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Baucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 03/25/2011  
 Job #: 201141138  
 Reference: TMI-TML  
 Sample #: 24

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81418	983054	0.321	3	7.29	29	460	<2	26	0.51	<4	5	379	25	1.33	1.38	21	0.35	<100	28	10	273	136	1.63	6	30	<10	64	1110	5	24	<10	4	339
81419	983055	127.220	22	7.79	101	201	2	33	0.68	22	8	263	306	4.00	1.12	31	0.37	238	49	10	225	2204	5.25	89	23	<10	60	999	5	20	76	4	10005
81420	983056	1.202	4	7.34	42	341	2	19	0.67	4	4	348	35	1.55	1.38	28	0.41	152	39	5	268	397	2.21	10	28	<10	59	1118	6	22	13	4	1013
81421	983057	1.480	17	8.66	31	414	2	23	1.30	<4	6	154	36	1.86	1.40	33	0.71	602	39	6	328	2351	1.53	26	36	<10	95	1407	9	23	<10	5	312
81422	983058	0.196	3	8.52	26	371	2	21	2.22	<4	4	269	8	1.34	1.51	27	1.08	1156	31	5	359	395	1.35	<5	31	<10	111	1235	21	21	11	5	726
81423	983059	0.334	10	7.64	32	374	<2	17	1.64	4	4	234	69	1.16	1.40	27	0.90	701	28	4	346	1281	1.29	12	27	<10	79	1209	9	20	13	5	1062
81424	983060	<0.005	1	7.59	7	485	2	27	1.75	<4	9	56	19	1.99	1.55	26	0.74	413	32	25	439	19	0.10	<5	28	<10	211	1776	10	67	39	10	50
81425	983061	0.175	2	7.92	29	528	2	32	1.04	4	4	335	16	1.12	1.56	29	0.54	312	40	6	403	166	1.22	<5	36	<10	77	1588	9	27	13	4	1033
81426	983062	2.382	9	8.16	38	512	2	27	0.77	5	5	326	17	1.56	1.49	28	0.48	193	37	7	338	957	2.24	20	21	<10	60	1402	5	26	14	4	1147
81427	983063	664.192	65	7.57	124	240	2	34	0.70	17	6	475	239	2.91	1.30	32	0.37	102	50	10	221	1730	4.86	182	25	<10	50	1059	3	23	62	4	8463
81428D	983063	670.584	70	7.49	130	223	2	30	0.65	17	7	494	243	2.96	1.17	30	0.36	101	47	9	220	1792	5.02	194	27	<10	49	1050	3	23	63	4	8368
81429	983064	4.654	23	7.71	51	432	2	18	0.58	14	5	295	47	1.35	1.21	28	0.37	102	36	6	254	1976	2.29	53	26	<10	51	1226	9	21	54	4	7092
81430	983065	5.247	5	7.67	17	428	3	24	0.67	<4	4	422	13	0.92	1.37	33	0.42	117	43	6	262	294	0.98	12	29	<10	55	1305	5	20	12	3	784
81431	983066	0.955	4	6.02	12	320	2	21	0.49	<4	3	161	14	0.70	1.01	23	0.32	<100	29	3	210	289	0.93	7	24	<10	41	952	5	15	<10	3	552
81432	983067	14.191	194	6.31	103	40	2	18	0.62	71	5	487	736	5.50	1.33	27	0.32	308	49	10	209	26408	>10.00	307	23	<10	39	938	4	23	282	4	39892
81433	983068	6.958	17	7.74	36	396	2	27	0.59	10	4	411	286	1.30	1.33	30	0.38	115	38	8	283	1847	1.82	31	25	<10	54	1365	5	23	37	3	3535
81434	983069	3.516	9	7.96	19	433	2	10	0.66	<4	4	289	36	0.89	1.60	30	0.42	131	37	5	271	590	1.02	12	32	<10	58	1383	6	25	12	3	743
81435	983070	1.297	4	10.12	25	827	3	33	2.78	5	13	125	508	3.98	1.39	36	1.33	975	49	30	783	353	1.55	7	24	<10	266	2409	19	103	26	11	442
81436	983071	0.141	13	11.14	31	461	2	40	2.20	11	6	349	315	2.18	1.45	35	1.41	826	24	8	536	1139	2.76	9	37	<10	141	1760	13	31	37	7	3489
81437	983072	3.932	357	9.43	74	506	2	21	3.90	<4	5	344	128	1.56	1.51	35	1.87	1402	38	7	403	1511	1.32	91	28	<10	191	1404	18	30	<10	6	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 03/25/2011  
 Job #: 201141138  
 Reference: TMI-TML  
 Sample #: 24

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81438	983073	1.191	44	8.78	20	392	2	17	2.13	<4	5	336	20	1.18	1.48	38	1.14	685	34	6	346	57	0.84	<5	32	<10	131	1560	15	29	<10	5	82
81439D	983073	1.374	32	10.91	24	503	2	31	2.61	<4	6	394	23	1.44	1.52	50	1.31	812	46	8	417	66	1.04	10	44	<10	169	1970	8	38	<10	6	98
81440	983074	0.805	6	11.44	30	489	2	27	1.56	<4	6	387	116	1.94	1.66	38	0.89	432	43	9	352	163	2.35	<5	37	<10	102	1705	13	32	12	6	259
81441	983075	0.276	5	11.23	20	645	3	40	0.87	<4	6	297	129	0.95	1.53	42	0.68	181	46	7	410	80	0.89	10	32	<10	100	1940	10	30	10	4	382
81442	983076	0.308	3	10.61	17	546	2	31	1.20	<4	8	397	22	1.28	1.67	38	0.73	313	43	12	340	75	1.30	7	39	<10	108	1695	9	30	<10	5	194
81443	983077	0.089	4	10.44	12	454	3	24	1.83	<4	7	228	24	0.89	1.67	46	0.93	486	41	9	415	41	0.63	<5	42	<10	152	2010	16	39	<10	5	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, March 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 03/25/2011  
 Job #: 201141138  
 Reference: TMI-TML  
 Sample #: 24

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81418	983054	300	0.009	0.300
81419	983055	65117	1.900	65.117
81420	983056	1180	0.034	1.180
81421	983057	538	0.016	0.538
81422	983058	190	0.006	0.190
81423	983059	291	0.008	0.291
81424	983060	<5	<0.001	<0.005
81425	983061	165	0.005	0.165
81426	983062	3107	0.091	3.107
81427	983063	13277	0.387	13.277
81428 Dup	983063	12929	0.377	12.929
81429	983064	3997	0.117	3.997
81430	983065	5706	0.166	5.706
81431	983066	1095	0.032	1.095
81432	983067	21179	0.618	21.179
81433	983068	8602	0.251	8.602
81434	983069	2674	0.078	2.674
81435	983070	708	0.021	0.708
81436	983071	79	0.002	0.079
81437	983072	3328	0.097	3.328
81438	983073	1459	0.043	1.459
81439 Dup	983073	1463	0.043	1.463
81440	983074	694	0.020	0.694
81441	983075	255	0.007	0.255
81442	983076	120	0.004	0.120
81443	983077	105	0.003	0.105

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, April 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/22/2011  
 Date Completed: 03/25/2011  
 Job #: 201141138  
 Reference: TMI-TML  
 Sample #: 24

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81418	983054	321	0.009	0.321
81419	983055	127220	3.712	127.220
81420	983056	1202	0.035	1.202
81421	983057	1480	0.043	1.480
81422	983058	196	0.006	0.196
81423	983059	334	0.010	0.334
81424	983060	<5	<0.001	<0.005
81425	983061	175	0.005	0.175
81426	983062	2382	0.070	2.382
81427	983063	664192	19.377	664.192
81428 Dup	983063	670584	19.564	670.584
81429	983064	4654	0.136	4.654
81430	983065	5247	0.153	5.247
81431	983066	955	0.028	0.955
81432	983067	14191	0.414	14.191
81433	983068	6958	0.203	6.958
81434	983069	3516	0.103	3.516
81435	983070	1297	0.038	1.297
81436	983071	141	0.004	0.141
81437	983072	3932	0.115	3.932
81438	983073	1191	0.035	1.191
81439 Dup	983073	1374	0.040	1.374
81440	983074	805	0.023	0.805
81441	983075	276	0.008	0.276
81442	983076	308	0.009	0.308
81443	983077	89	0.003	0.089

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81818	982165	0.024	<1	8.69	25	708	<2	<1	3.18	5	16	274	46	2.63	1.78	36	0.85	1051	49	54	387	64	1.23	5	7	<10	457	2752	<2	58	12	5	138
81819	982166	0.025	<1	8.95	20	734	<2	<1	3.27	5	14	288	49	2.55	1.71	37	0.85	1103	47	49	825	72	1.25	<5	14	<10	474	2762	79	58	14	5	157
81820	982167	0.016	<1	7.71	21	835	2	<1	2.04	<4	15	224	34	1.56	1.59	35	0.48	590	37	56	536	38	0.92	<5	13	<10	327	1978	43	45	<10	4	285
81821	982168	0.011	3	9.35	26	1114	2	<1	2.94	7	27	517	88	3.49	1.30	39	0.76	1062	47	79	820	57	2.04	<5	<5	<10	470	3664	43	95	<10	5	385
81822	982169	0.013	<1	7.32	96	685	<2	<1	2.15	4	13	272	23	2.35	1.72	33	0.75	515	44	44	569	17	1.38	<5	<5	<10	285	1849	16	51	<10	4	71
81823	982170	<0.005	<1	7.58	9	635	<2	<1	2.05	5	17	77	26	2.68	1.69	34	0.73	569	46	56	570	10	0.10	<5	<5	<10	268	2418	<2	90	56	8	53
81824	982171	0.007	<1	7.41	84	752	<2	<1	1.98	4	13	272	28	2.47	1.74	34	0.74	465	47	56	481	24	1.50	<5	<5	<10	255	2052	<2	59	<10	4	77
81825	982172	0.034	<1	8.23	25	891	2	1	1.80	6	25	262	79	2.98	1.61	37	0.71	463	53	68	186	29	1.99	<5	<5	<10	256	1943	17	52	<10	5	315
81826	982173	1.141	1	7.26	5	906	2	<1	1.14	7	30	383	54	3.72	1.60	42	0.86	470	56	112	521	65	0.81	6	<5	<10	112	3759	<2	123	13	4	115
81827	982174	0.126	2	8.27	46	247	2	<1	8.18	18	17	241	83	4.28	1.73	30	2.75	4142	102	95	661	127	2.56	<5	<5	<10	205	2304	8	110	20	12	2025
81828D	982174	0.118	2	11.90	40	216	2	7	7.63	18	16	227	82	4.29	1.92	30	3.83	3715	126	77	766	124	2.36	<5	7	<10	197	2129	29	96	19	16	1952
81829	982175	0.303	2	10.76	90	814	2	4	2.38	10	32	527	56	4.97	2.05	50	1.21	1039	82	122	915	88	3.71	9	15	<10	142	3171	36	124	16	9	339
81830	982176	0.096	<1	9.14	9	497	2	<1	2.31	7	25	422	46	3.82	1.69	42	1.46	960	71	100	350	44	1.04	<5	<5	<10	141	2930	<2	100	<10	7	107
81831	982177	0.161	<1	8.91	62	640	2	<1	2.67	8	26	432	75	3.97	1.71	42	1.15	977	67	103	654	54	2.34	<5	6	<10	148	3024	<2	101	<10	8	358
81832	982178	0.228	1	8.75	12	614	2	<1	2.72	8	28	427	90	4.39	1.72	47	1.28	994	69	108	618	38	1.33	<5	7	<10	189	3607	<2	112	<10	8	156
81833	982179	0.011	<1	7.70	13	766	2	<1	1.72	<4	7	311	11	1.12	1.57	41	0.63	452	39	40	338	20	0.36	<5	<5	<10	198	2063	66	41	<10	3	48
81834	982180	5.063	6	9.31	10	428	<2	<1	3.57	11	32	99	112	5.03	1.88	39	1.66	965	89	90	1214	23	0.81	<5	<5	<10	321	3544	32	137	<10	11	107
81835	982181	0.008	<1	7.33	7	511	<2	<1	1.62	<4	6	591	10	0.86	1.73	32	0.35	189	33	38	113	32	0.21	6	21	<10	205	1159	15	23	<10	3	49
81836	982182	<0.005	<1	7.15	9	573	<2	<1	1.64	<4	7	251	7	0.67	1.61	37	0.37	215	30	39	282	35	0.24	<5	8	<10	233	1559	29	29	<10	3	27
81837	982183	0.009	<1	8.73	20	929	<2	<1	1.77	<4	7	300	7	0.76	1.65	36	0.38	177	31	30	431	40	0.26	6	18	<10	277	1752	<2	32	<10	3	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
81838	982184	0.007	<1	8.51	21	858	<2	<1	2.22	<4	12	299	25	1.17	1.58	36	0.53	322	35	48	371	35	0.64	<5	10	<10	276	1818	<2	37	<10	3	173
81839D	982184	0.007	<1	8.76	19	956	<2	<1	2.38	<4	14	330	27	1.30	1.62	40	0.55	355	39	50	406	42	0.72	<5	11	<10	299	2025	70	41	<10	3	189
81840	982185	0.005	<1	7.38	15	716	<2	<1	1.74	<4	8	436	19	0.91	1.62	34	0.36	222	31	44	340	24	0.31	<5	9	<10	298	1713	11	33	11	3	26
81841	982186	<0.005	<1	7.98	12	720	<2	<1	1.77	<4	7	257	16	0.78	1.68	35	0.39	195	31	38	188	22	0.29	<5	22	<10	308	1653	<2	31	<10	3	26
81842	982187	0.009	<1	8.26	11	641	<2	<1	1.82	<4	7	360	11	0.89	1.71	40	0.45	209	35	48	284	21	0.18	6	19	<10	306	1805	<2	35	<10	3	30
81843	982188	0.017	<1	9.13	14	726	<2	<1	2.47	4	13	333	139	2.18	1.59	36	0.75	510	44	43	641	78	0.69	<5	8	<10	312	1755	3	38	<10	4	144
81844	982189	0.683	4	8.46	32	748	<2	<1	1.89	5	8	383	55	1.92	1.59	36	0.70	685	40	31	639	444	1.12	<5	7	<10	139	2282	27	40	<10	4	993
81845	982190	<0.005	<1	8.23	12	569	<2	<1	1.93	5	15	71	29	2.51	1.58	29	0.81	523	45	55	626	12	0.09	<5	<5	<10	245	2147	4	82	56	9	77
84899	982247	0.018	<1	8.97	7	558	2	<1	2.65	8	28	437	56	4.06	1.51	50	1.26	667	64	95	777	33	1.09	5	<5	<10	287	2903	<2	104	<10	7	95
84900	982248	0.086	<1	8.96	12	576	<2	<1	3.42	7	23	552	23	3.75	1.55	43	1.34	1176	62	75	696	43	1.71	<5	7	<10	214	2240	62	75	<10	8	78
84901	982249	0.031	<1	8.74	30	572	2	<1	2.54	6	16	358	32	3.06	1.69	38	1.06	668	51	59	818	41	1.78	<5	<5	<10	157	2121	<2	71	<10	5	102
84902	982250	0.009	<1	8.16	5	594	<2	<1	1.98	5	16	71	25	2.55	1.70	32	0.78	536	46	58	594	9	0.09	<5	8	<10	253	2268	32	84	52	9	53
84903D	982250	IS																															
84904	982251	0.056	<1	9.03	33	556	<2	<1	0.78	<4	10	366	6	1.24	1.73	30	0.32	<100	31	42	636	23	0.89	5	9	<10	84	1773	<2	43	<10	4	61
84905	982252	0.089	<1	9.06	51	510	<2	<1	0.63	<4	9	346	12	1.69	1.70	27	0.27	<100	32	29	763	43	1.60	<5	<5	<10	86	1395	<2	42	<10	4	111
84906	982253	0.176	<1	9.57	38	505	<2	<1	2.14	4	8	475	26	2.02	1.84	36	0.82	499	49	49	634	64	1.14	5	10	<10	114	1316	92	41	<10	4	281
84907	982254	0.061	<1	8.33	67	480	<2	<1	1.67	4	9	288	13	2.06	1.82	32	0.68	363	41	34	574	66	1.54	8	<5	<10	110	1373	55	40	10	4	138
84908	982255	0.380	2	9.06	71	438	<2	<1	0.64	6	9	387	18	2.19	1.56	25	0.27	<100	33	30	476	94	2.02	<5	<5	<10	82	1298	13	38	<10	4	790
84909	982256	0.078	<1	8.70	132	430	<2	9	1.52	<4	7	287	12	1.90	1.68	31	0.79	429	43	33	405	75	1.41	<5	6	12	118	1024	35	39	<10	4	115
84910	982257	0.631	<1	8.81	51	464	<2	<1	0.84	<4	9	442	25	1.68	1.55	30	0.46	140	36	35	455	55	1.36	<5	12	<10	89	1065	140	34	10	4	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84911	982258	0.403	<1	8.70	44	626	<2	<1	1.05	<4	8	376	21	1.69	1.51	28	0.49	211	33	29	407	62	1.42	<5	15	<10	96	1302	<2	40	14	3	83
84912	982259	0.150	<1	8.89	63	706	<2	<1	1.09	<4	8	369	16	1.86	1.63	33	0.52	235	37	32	487	53	1.58	<5	<5	<10	87	1422	2	40	<10	4	55
84913	982260	1.280	<1	9.19	28	718	<2	<1	2.23	8	19	73	644	4.05	1.61	33	1.02	666	83	59	916	95	0.71	<5	9	<10	261	2280	39	124	37	10	115
84914D	982260	IS																															
84915	982261	0.146	<1	8.40	44	779	<2	<1	0.70	<4	11	319	24	1.62	1.67	30	0.34	111	33	31	510	56	1.46	<5	12	<10	73	1514	<2	43	15	3	153
84916	982262	0.365	<1	8.62	40	698	2	<1	0.72	<4	9	387	64	1.79	1.70	33	0.34	<100	37	51	284	61	1.55	<5	<5	<10	70	1488	42	39	<10	3	50
84917	982263	0.022	<1	8.75	36	755	<2	<1	1.15	<4	9	319	28	1.70	1.71	35	0.56	217	40	33	579	67	1.10	<5	14	<10	87	1580	<2	42	11	3	55
84918	982264	0.020	<1	7.82	37	700	2	<1	0.60	<4	7	439	19	1.31	1.70	30	0.28	<100	33	40	467	62	1.03	6	<5	<10	69	1389	61	39	11	3	56
84919	982265	0.035	<1	8.33	50	714	2	<1	0.63	<4	9	305	18	1.44	1.67	31	0.31	<100	33	35	573	61	1.27	6	15	<10	73	1424	<2	40	<10	3	55
84920	982266	0.034	<1	9.02	51	705	<2	<1	0.56	<4	9	249	18	1.36	1.58	27	0.32	<100	30	28	751	61	1.18	<5	6	<10	69	1394	12	40	<10	3	40
84921	982267	0.222	<1	8.76	108	543	<2	<1	0.55	5	11	365	54	2.04	1.43	27	0.32	<100	34	44	194	109	2.02	11	<5	<10	65	1180	<2	46	13	3	735
84922	982268	0.204	<1	8.27	84	512	2	<1	0.53	5	9	315	37	2.04	1.59	27	0.30	<100	33	37	297	125	2.08	12	<5	<10	64	1190	5	39	12	3	426
84923	982269	0.326	<1	8.28	186	499	<2	<1	0.57	12	15	480	98	2.53	1.50	28	0.30	<100	37	58	471	237	2.71	30	<5	<10	65	1145	80	64	19	3	2307
84924	982270	0.009	<1	8.36	6	583	<2	2	1.98	5	16	69	26	2.58	1.78	30	0.82	532	47	57	765	8	0.09	<5	8	<10	255	2237	<2	85	53	10	59
84925D	982270	IS																															
84926	982271	0.100	<1	8.44	66	569	<2	<1	0.59	6	8	349	48	1.52	1.75	30	0.32	<100	33	36	240	220	1.43	11	<5	<10	69	1237	52	40	17	3	836
84927	982272	0.127	<1	8.06	94	533	2	<1	0.57	4	9	342	32	1.88	1.70	27	0.30	<100	31	32	468	153	1.98	6	<5	<10	65	1257	<2	40	14	3	405
84928	982273	0.351	2	7.76	86	448	<2	<1	0.57	26	10	257	171	2.31	1.72	27	0.30	<100	34	31	457	2259	2.84	19	<5	<10	60	1189	12	32	38	3	4968
84929	982274	0.192	<1	8.46	72	511	<2	<1	0.80	6	11	226	33	2.13	1.71	30	0.38	<100	34	32	523	208	2.29	6	<5	<10	65	1487	83	37	13	4	623
84930	982275	0.545	<1	8.20	70	479	<2	<1	0.57	19	11	225	165	2.52	1.65	28	0.31	<100	34	30	323	607	2.99	11	<5	<10	57	1484	3	35	26	4	3352

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84931	982276	0.242	<1	11.22	63	533	<2	<1	3.20	6	12	291	38	2.40	1.77	28	1.47	1332	58	36	613	222	2.12	8	5	<10	100	1860	53	42	13	7	571
84932	982277	0.092	<1	10.92	38	577	2	<1	3.10	4	10	252	38	2.10	1.68	36	1.47	1068	57	33	781	63	1.14	<5	14	<10	122	1810	<2	35	<10	6	226

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, April 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/29/2011  
 Date Completed: 04/09/2011  
 Job #: 201141245  
 Reference: TMI-TML  
 Sample #: 5

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
90599	983055	27.122	26.976	2160.624	119.660	4.34%	43.58
90600	983063	256.550	255.874	11985.569	747.257	4.19%	40.19
90601	983065	3.860	3.842	233.454	15.773	5.19%	46.99
90602	983067	7.100	7.423	81.912	10.273	4.03%	39.86
90603	983068	5.347	5.230	62.817	8.123	4.93%	49.27

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 8, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/29/2011  
Date Completed: 04/04/2011  
Job #: 201141246  
Reference: TMI-TML  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
90604	983062	0.085	2.927
90605	983064	0.123	4.206
90606	983072	0.094	3.217

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, May 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/25/2011  
Date Completed: 05/02/2011  
Job #: 201141586  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
109624	983069	0.079	2.693

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, April 26, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/11/2011  
 Date Completed: 04/26/2011  
 Job #: 201141428  
 Reference:  
 Sample #: 7

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
100558	982219	1342	0.039	1.342
100559	982220	255	0.007	0.255
100560	982221	1447	0.042	1.447
100561	982222	23	<0.001	0.023
100562	982223	10	<0.001	0.010
100563	982224	11	<0.001	0.011
100564	982225	10	<0.001	0.010
100565 Dup	982225	7	<0.001	0.007

PROCEDURE CODES: ALM1, ALFA1

 Certified By:   
 Derek Demianiuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
81818	982165	24	<0.001	0.024
81819	982166	25	<0.001	0.025
81820	982167	16	<0.001	0.016
81821	982168	11	<0.001	0.011
81822	982169	13	<0.001	0.013
81823	982170	<5	<0.001	<0.005
81824	982171	7	<0.001	0.007
81825	982172	34	<0.001	0.034
81826	982173	1141	0.033	1.141
81827	982174	126	0.004	0.126
81828 Dup	982174	118	0.003	0.118
81829	982175	303	0.009	0.303
81830	982176	96	0.003	0.096
81831	982177	161	0.005	0.161
81832	982178	228	0.007	0.228
81833	982179	11	<0.001	0.011
81834	982180	5063	0.148	5.063
81835	982181	8	<0.001	0.008
81836	982182	<5	<0.001	<0.005
81837	982183	9	<0.001	0.009
81838	982184	7	<0.001	0.007
81839 Dup	982184	7	<0.001	0.007
81840	982185	5	<0.001	0.005
81841	982186	<5	<0.001	<0.005
81842	982187	9	<0.001	0.009
81843	982188	17	<0.001	0.017
81844	982189	683	0.020	0.683
81845	982190	<5	<0.001	<0.005
84899	982247	18	<0.001	0.018
84900	982248	86	0.003	0.086

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, April 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84901	982249	31	<0.001	0.031
84902	982250	9	<0.001	0.009
84903 Dup	982250	Insufficient Sample		
84904	982251	56	0.002	0.056
84905	982252	89	0.003	0.089
84906	982253	176	0.005	0.176
84907	982254	61	0.002	0.061
84908	982255	380	0.011	0.380
84909	982256	78	0.002	0.078
84910	982257	631	0.018	0.631
84911	982258	403	0.012	0.403
84912	982259	150	0.004	0.150
84913	982260	1280	0.037	1.280
84914 Dup	982260	Insufficient Sample		
84915	982261	146	0.004	0.146
84916	982262	365	0.011	0.365
84917	982263	22	<0.001	0.022
84918	982264	20	<0.001	0.020
84919	982265	35	0.001	0.035
84920	982266	34	0.001	0.034
84921	982267	222	0.006	0.222
84922	982268	204	0.006	0.204
84923	982269	326	0.010	0.326
84924	982270	9	<0.001	0.009
84925 Dup	982270	Insufficient Sample		
84926	982271	100	0.003	0.100
84927	982272	127	0.004	0.127
84928	982273	351	0.010	0.351
84929	982274	192	0.006	0.192
84930	982275	545	0.016	0.545

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 6, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/23/2011  
 Date Completed: 04/06/2011  
 Job #: 201141145  
 Reference: TMI-TML  
 Sample #: 57

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84931	982276	242	0.007	0.242
84932	982277	92	0.003	0.092

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
84933	982191	0.036	3	10.54	18	768	2	22	2.47	<4	5	94	18	1.40	1.71	39	0.96	774	40	5	589	63	0.67	<5	38	<10	169	1949	11	36	<10	6	79	
84934	982192	0.016	2	9.93	12	618	2	25	2.48	<4	8	207	32	1.78	1.81	37	1.30	726	31	35	668	65	0.94	<5	34	<10	154	2232	16	42	<10	7	367	
84935	982193	0.082	3	9.96	19	736	2	49	2.23	<4	3	89	116	1.53	1.93	31	1.00	694	25	115	181	427	0.03	13	49	<10	171	1510	6	24	30	5	504	
84936	982194	1.381	14	9.30	27	589	2	30	0.92	12	5	185	372	1.69	1.77	37	0.55	250	44	5	319	1316	2.62	21	35	<10	89	1535	10	25	43	4	4133	
84937	982195	1.383	6	9.90	19	501	3	30	1.88	7	5	115	28	0.97	1.72	41	0.94	683	42	5	346	357	1.00	10	33	<10	136	1695	12	27	23	4	2047	
84938	982196	0.645	10	10.22	16	395	2	19	2.45	<4	4	150	12	0.98	1.88	37	1.13	923	36	4	327	519	0.75	13	35	<10	148	1408	21	23	<10	5	372	
84939	982197	1.067	7	11.21	21	587	3	28	1.57	<4	4	100	9	1.19	1.37	43	0.89	434	46	3	360	227	1.40	13	44	<10	116	1707	10	29	<10	5	362	
84940	982198	0.319	7	10.95	19	874	3	41	0.80	7	4	195	232	1.06	1.57	38	0.55	113	48	4	323	894	1.43	13	41	<10	71	1561	5	26	23	5	2142	
84941	982199	18.653	33	8.81	50	573	2	31	0.96	5	3	231	1430	1.47	1.48	37	0.44	<100	76	4	173	3711	2.08	68	35	<10	90	979	7	16	14	5	929	
84942	982200	1.221	3	10.63	23	714	3	37	2.32	4	13	65	586	3.66	1.61	40	1.06	578	80	32	667	86	0.79	<5	27	<10	259	2313	6	114	32	12	114	
84943D	982200																																	
84944	982201	0.727	8	10.61	24	782	3	38	1.39	8	6	163	21	1.25	1.67	43	0.76	412	50	5	311	713	1.52	14	37	<10	110	1585	7	26	27	5	2231	
84945	982202	0.688	4	10.14	19	445	2	31	1.85	<4	5	119	52	1.01	1.62	36	0.99	578	32	37	359	197	0.99	5	33	<10	127	1510	14	26	<10	5	359	
84946	982203	14.266	3	9.72	40	278	2	18	1.36	<4	9	117	30	1.47	1.55	35	0.79	314	30	12	294	28	1.83	<5	39	<10	130	1448	8	27	<10	4	44	
84947	982204	0.088	1	9.94	19	308	2	29	1.27	<4	7	156	5	0.60	1.54	31	0.61	254	27	10	341	13	0.44	<5	36	<10	116	1394	8	28	<10	4	22	
84948	982205	0.934	1	9.83	27	336	2	37	1.61	<4	5	90	6	0.71	1.54	37	0.88	389	27	6	357	13	0.43	<5	35	<10	154	1496	8	27	<10	4	16	
84949	982206	2.159	1	9.63	18	343	2	33	1.60	<4	6	149	5	0.71	1.65	35	0.84	389	22	6	366	11	0.36	<5	38	<10	156	1533	9	28	<10	4	18	
84950	982207	0.249	1	9.00	26	251	2	27	1.35	<4	6	101	4	0.60	1.63	29	0.72	335	21	5	343	11	0.36	<5	36	<10	127	1257	10	23	<10	4	14	
84951	982208	0.067	2	9.53	15	344	3	36	1.48	<4	6	176	10	0.63	1.61	40	0.69	329	34	9	310	36	0.22	5	35	11	132	1599	11	31	<10	4	27	
84952	982209	0.016	1	9.02	13	291	2	24	1.33	<4	5	85	7	0.55	1.69	31	0.68	337	20	4	360	22	0.27	<5	33	<10	115	1458	11	23	<10	4	22	

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84953	982210	<0.005	<1	7.15	7	444	2	25	1.86	<4	11	65	24	2.50	1.60	24	0.95	490	22	34	549	8	0.10	<5	25	<10	176	1663	10	76	33	15	50
84954D	982210	IS																															
84955	982211	1.080	2	8.61	19	295	2	22	0.96	<4	5	201	12	0.80	1.82	31	0.57	214	27	5	337	89	0.81	<5	39	<10	85	1361	6	22	<10	4	178
84956	982212	1.843	1	9.22	16	292	2	35	1.43	<4	5	94	5	0.64	1.89	33	0.87	418	24	5	387	37	0.61	5	42	<10	101	1440	15	26	<10	4	67
84957	982213	10.156	2	10.17	20	302	2	23	1.38	<4	6	165	3	0.90	1.48	37	0.73	349	35	7	362	77	0.76	<5	46	<10	110	1507	9	26	<10	4	70
84958	982214	0.407	4	10.17	21	342	2	25	1.45	7	6	92	12	0.79	1.48	36	0.78	350	28	6	378	298	1.06	6	39	<10	118	1541	10	27	20	4	1839
84959	982215	0.061	2	10.09	13	387	2	23	1.50	<4	7	92	5	0.65	1.43	40	0.80	373	28	8	413	113	0.61	7	39	<10	129	1740	10	31	<10	4	104
84960	982216	0.198	2	9.93	13	368	2	36	1.85	<4	7	201	21	0.74	1.56	36	1.03	573	26	9	382	335	0.69	<5	35	<10	121	1571	14	29	<10	4	356
84961	982217	0.190	1	9.27	17	399	2	16	1.38	<4	6	84	12	0.65	1.62	34	1.02	516	22	8	368	138	0.54	6	36	<10	100	1394	9	26	<10	4	166
84962	982218	9.980	13	8.42	62	360	2	20	0.75	12	8	279	1044	2.16	1.56	30	0.63	276	23	10	336	3008	3.40	68	26	<10	65	1216	4	24	39	4	3850
84963	982219	1.342	6	9.81	25	420	2	23	1.16	<4	8	88	83	1.05	1.67	37	0.77	287	30	8	385	468	1.24	14	37	<10	120	1551	8	28	<10	5	658
84964	982220	0.236	353	8.66	3824	61	2	34	2.64	139	12	58	486	7.84	1.44	26	0.90	1362	42	27	505	9509	8.68	101	36	15	209	1525	12	99	124	12	13426
84965D	982220	IS																															
84966	982221	1.840	5	9.02	35	436	2	29	1.79	<4	5	273	26	1.50	1.78	34	0.88	425	25	7	371	227	1.28	<5	31	<10	132	1668	11	32	<10	5	268
84967	982222	0.015	1	8.87	13	381	2	18	1.54	<4	12	81	8	1.13	1.80	30	0.49	146	25	13	460	24	1.25	5	28	<10	209	1720	8	34	<10	5	243
84968	982223	0.015	1	9.03	11	499	<2	26	2.29	<4	5	237	13	1.58	1.79	27	0.53	193	24	6	269	29	1.80	<5	33	<10	241	1383	16	26	<10	5	51
84969	982224	0.101	2	9.39	6	524	2	24	2.20	<4	6	179	19	1.84	1.55	29	0.47	153	30	6	287	28	2.25	<5	38	<10	253	1355	5	25	<10	5	32
84970	982225	0.012	2	10.56	12	552	2	30	2.47	<4	6	207	17	2.66	1.43	42	0.99	230	34	7	413	25	3.35	<5	34	<10	286	1798	9	38	<10	6	253
84971	982226	0.014	2	10.14	12	487	2	23	2.40	<4	7	251	17	2.86	1.37	37	0.90	224	28	8	446	22	3.65	6	29	<10	275	1751	8	38	<10	6	164
84972	982227	0.029	2	10.55	12	543	2	29	2.20	<4	6	92	5	2.70	1.46	43	0.99	236	30	7	468	18	3.36	<5	36	<10	257	1895	4	40	<10	6	90

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84973	982228	0.022	2	10.26	11	477	2	28	2.36	<4	6	271	5	1.28	1.55	36	0.88	135	31	9	460	15	1.30	<5	34	11	320	1378	9	34	<10	5	35
84974	982229	0.034	2	10.57	21	423	2	34	2.29	<4	17	107	16	1.31	1.85	39	1.07	116	33	24	441	13	1.52	<5	34	<10	341	1125	6	36	<10	5	363
84975	982230	<0.005	1	9.10	9	571	2	40	2.07	<4	11	62	22	2.34	1.67	31	0.87	476	40	29	506	9	0.09	<5	32	<10	251	2100	8	78	44	12	49
84976D	982230	IS																															
84977	982231	0.015	2	10.72	19	459	2	18	2.64	<4	17	181	9	0.89	1.78	42	1.36	143	31	23	451	15	0.78	5	37	<10	347	1332	15	38	<10	5	63
84978	982232	0.014	1	10.18	23	441	2	24	2.47	<4	17	87	7	1.24	1.82	41	1.39	142	25	32	449	12	1.39	<5	34	<10	315	1379	10	40	<10	5	272
84979	982233	0.012	1	9.77	11	549	2	28	2.07	<4	6	189	4	1.33	1.84	40	1.07	248	25	8	388	10	1.47	<5	33	<10	262	1619	13	31	<10	5	32
84980	982234	0.018	2	10.47	32	452	2	29	2.44	<4	13	102	9	2.01	1.77	40	1.14	270	31	21	399	14	2.51	5	31	<10	294	1490	8	31	<10	8	125
84981	982235	0.014	1	9.83	25	582	<2	41	2.08	<4	9	188	5	1.07	1.73	39	0.63	128	24	11	621	13	1.21	<5	34	<10	268	1842	7	39	<10	5	60
84982	982236	0.013	1	10.49	31	611	2	38	2.39	<4	7	94	10	1.52	1.62	39	0.53	181	29	7	593	11	1.90	<5	41	<10	321	1851	11	40	<10	6	40
84983	982237	0.013	<1	10.12	26	605	2	31	2.04	<4	7	175	6	1.42	1.72	38	0.51	174	28	8	588	7	1.63	<5	41	<10	287	1703	5	38	<10	6	30
84984	982238	0.006	1	10.52	24	662	2	32	1.85	<4	7	99	7	1.43	1.44	36	0.54	207	30	9	614	9	1.24	5	34	<10	322	1162	9	38	<10	6	45
84985	982239	0.008	1	10.44	14	635	2	32	1.92	<4	6	143	8	1.42	1.48	37	0.64	245	33	7	576	10	1.03	<5	38	<10	344	947	9	37	<10	6	24
84986	982240	5.039	10	10.50	14	388	2	40	3.36	5	21	70	104	4.63	1.59	34	1.88	835	39	51	936	23	0.99	<5	27	<10	307	3024	18	121	<10	15	108
84987D	982240	IS																															
84988	982241	0.014	2	10.68	7	590	2	42	1.89	<4	6	153	4	2.06	1.64	36	0.71	326	32	7	597	7	1.30	6	34	<10	331	931	6	38	<10	6	42
84989	982242	0.021	2	10.65	11	662	2	33	1.84	<4	6	159	3	2.06	1.65	38	0.65	292	38	6	567	10	1.77	<5	35	<10	299	977	10	39	<10	6	34
84990	982243	0.026	2	10.68	14	717	2	14	1.73	<4	5	152	3	2.38	1.69	41	0.71	368	44	6	560	10	2.71	<5	34	<10	280	1215	7	40	<10	6	34
84991	982244	0.013	2	10.94	19	620	2	50	2.33	<4	8	138	4	3.07	1.62	44	1.06	528	41	9	537	15	3.73	<5	25	<10	321	1455	6	41	<10	7	49
84992	982245	0.012	2	11.10	18	621	2	45	2.30	<4	8	145	8	2.11	1.65	44	1.03	510	33	11	568	15	2.18	<5	38	<10	317	1735	18	41	<10	7	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
84993	982246	0.010	1	10.15	20	549	2	27	2.00	<4	8	153	6	2.10	1.63	38	0.98	473	27	10	597	13	2.18	<5	32	<10	274	1604	11	38	<10	7	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84933	982191	36	0.001	0.036
84934	982192	16	<0.001	0.016
84935	982193	82	0.002	0.082
84936	982194	1381	0.040	1.381
84937	982195	1383	0.040	1.383
84938	982196	645	0.019	0.645
84939	982197	1067	0.031	1.067
84940	982198	319	0.009	0.319
84941	982199	18653	0.544	18.653
84942	982200	1221	0.036	1.221
84943 Dup	982200	Insufficient Sample		
84944	982201	727	0.021	0.727
84945	982202	688	0.020	0.688
84946	982203	14266	0.416	14.266
84947	982204	88	0.003	0.088
84948	982205	934	0.027	0.934
84949	982206	2159	0.063	2.159
84950	982207	249	0.007	0.249
84951	982208	67	0.002	0.067
84952	982209	16	<0.001	0.016
84953	982210	8671	0.253	8.671
84954 Dup	982210	Insufficient Sample		
84955	982211	1080	0.032	1.080
84956	982212	1843	0.054	1.843
84957	982213	<5	<0.001	<0.005
84958	982214	407	0.012	0.407
84959	982215	61	0.002	0.061
84960	982216	198	0.006	0.198
84961	982217	190	0.006	0.190
84962	982218	9980	0.291	9.980

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Boucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84963	982219	1342	0.039	1.342
84964	982220	205	0.006	0.205
84965 Dup	982220	Insufficient Sample		
84966	982221	1840	0.054	1.840
84967	982222	15	<0.001	0.015
84968	982223	15	<0.001	0.015
84969	982224	101	0.003	0.101
84970	982225	12	<0.001	0.012
84971	982226	14	<0.001	0.014
84972	982227	29	<0.001	0.029
84973	982228	22	<0.001	0.022
84974	982229	34	0.001	0.034
84975	982230	<5	<0.001	<0.005
84976 Dup	982230	Insufficient Sample		
84977	982231	15	<0.001	0.015
84978	982232	14	<0.001	0.014
84979	982233	12	<0.001	0.012
84980	982234	18	<0.001	0.018
84981	982235	14	<0.001	0.014
84982	982236	13	<0.001	0.013
84983	982237	13	<0.001	0.013
84984	982238	6	<0.001	0.006
84985	982239	8	<0.001	0.008
84986	982240	5039	0.147	5.039
84987 Dup	982240	Insufficient Sample		
84988	982241	14	<0.001	0.014
84989	982242	21	<0.001	0.021
84990	982243	26	<0.001	0.026
84991	982244	13	<0.001	0.013
84992	982245	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: *P. Boucher*

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, April 7, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/24/2011  
Date Completed: 03/30/2011  
Job #: 201141190  
Reference: TMI-TML  
Sample #: 56

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84993	982246	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By: *P. Boucher*

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, April 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84933	982191	36	0.001	0.036
84934	982192	16	<0.001	0.016
84935	982193	82	0.002	0.082
84936	982194	1381	0.040	1.381
84937	982195	1383	0.040	1.383
84938	982196	645	0.019	0.645
84939	982197	1067	0.031	1.067
84940	982198	319	0.009	0.319
84941	982199	18653	0.544	18.653
84942	982200	1221	0.036	1.221
84943 Dup	982200	Insufficient Sample		
84944	982201	727	0.021	0.727
84945	982202	688	0.020	0.688
84946	982203	14266	0.416	14.266
84947	982204	88	0.003	0.088
84948	982205	934	0.027	0.934
84949	982206	2159	0.063	2.159
84950	982207	249	0.007	0.249
84951	982208	67	0.002	0.067
84952	982209	16	<0.001	0.016
84953	982210	<5	<0.001	<0.005
84954 Dup	982210	Insufficient Sample		
84955	982211	1080	0.032	1.080
84956	982212	1843	0.054	1.843
84957	982213	10156	0.296	10.156
84958	982214	407	0.012	0.407
84959	982215	61	0.002	0.061
84960	982216	198	0.006	0.198
84961	982217	190	0.006	0.190
84962	982218	9980	0.291	9.980

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/24/2011  
 Date Completed: 03/30/2011  
 Revised Date: 04/08/2011  
 Job #: 201141190  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84963	982219	1342	0.039	1.342
84964	982220	236	0.007	0.236
84965 Dup	982220	Insufficient Sample		
84966	982221	1840	0.054	1.840
84967	982222	15	<0.001	0.015
84968	982223	15	<0.001	0.015
84969	982224	101	0.003	0.101
84970	982225	12	<0.001	0.012
84971	982226	14	<0.001	0.014
84972	982227	29	<0.001	0.029
84973	982228	22	<0.001	0.022
84974	982229	34	0.001	0.034
84975	982230	<5	<0.001	<0.005
84976 Dup	982230	Insufficient Sample		
84977	982231	15	<0.001	0.015
84978	982232	14	<0.001	0.014
84979	982233	12	<0.001	0.012
84980	982234	18	<0.001	0.018
84981	982235	14	<0.001	0.014
84982	982236	13	<0.001	0.013
84983	982237	13	<0.001	0.013
84984	982238	6	<0.001	0.006
84985	982239	8	<0.001	0.008
84986	982240	5039	0.147	5.039
84987 Dup	982240	Insufficient Sample		
84988	982241	14	<0.001	0.014
84989	982242	21	<0.001	0.021
84990	982243	26	<0.001	0.026
84991	982244	13	<0.001	0.013
84992	982245	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 8, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/24/2011  
Date Completed: 03/30/2011  
Revised Date: 04/08/2011  
Job #: 201141190  
Reference: TMI-TML  
Sample #: 56

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
84993	982246	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, April 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/11/2011  
 Job #: 201141288  
 Reference: TMI-TML  
 Sample #: 3

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
94419	982199	7.506	7.613	140.421	12.833	3.97%	34.45
94420	982203	15.600	15.907	283.377	32.050	6.09%	49.75
94421	982218	4.727	4.610	52.641	7.486	5.87%	49.04

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88756	983129	0.135	1	7.36	5	239	2	<1	2.15	<4	20	252	64	3.32	1.26	24	1.58	747	8	61	548	42	1.10	<5	<5	<10	120	1778	5	52	<10	13	83
88757	983130	1.274	1	6.34	18	471	2	<1	1.85	<4	16	67	597	3.86	1.25	21	1.14	599	35	40	696	81	0.90	<5	<5	<10	159	1653	<2	100	23	14	119
88758	983131	0.186	2	6.37	65	297	2	<1	1.08	<4	16	368	60	2.86	1.04	20	0.65	263	21	42	435	84	2.61	<5	<5	<10	79	1133	<2	35	<10	10	378
88759	983132	0.020	<1	6.68	13	315	<2	<1	1.35	<4	6	161	8	1.13	1.22	22	0.98	316	12	11	331	36	0.99	<5	<5	<10	94	939	3	17	<10	5	80
88760	983133	0.069	<1	6.46	7	303	<2	<1	1.00	<4	5	189	7	1.19	1.19	25	0.94	289	10	9	382	15	0.90	<5	<5	<10	81	1142	4	19	<10	5	38
88761	983134	0.011	<1	5.92	8	342	<2	<1	0.70	<4	5	145	9	0.53	1.28	20	0.49	141	14	8	307	22	0.58	<5	<5	<10	75	930	<2	15	<10	4	20
88762	983135	0.013	<1	6.20	10	320	<2	<1	0.96	<4	6	216	4	0.59	1.29	21	0.47	191	13	9	368	23	0.60	<5	<5	<10	108	1012	<2	18	<10	4	111
88763	983136	0.011	<1	6.40	6	334	2	<1	1.24	<4	7	127	7	0.52	1.41	20	0.48	198	13	10	370	19	0.49	<5	<5	<10	139	996	2	18	<10	4	69
88764	983137	0.013	<1	6.50	16	461	<2	<1	0.93	<4	8	153	15	0.65	1.34	21	0.43	153	14	11	425	54	0.70	<5	<5	<10	137	1092	<2	18	<10	4	58
88765	983138	<0.005	<1	4.89	11	306	<2	<1	0.84	<4	7	141	5	0.55	1.32	17	0.44	134	10	9	369	11	0.46	<5	<5	<10	113	926	4	17	<10	4	29
88766D	983138	<0.005	<1	5.49	12	345	<2	<1	0.99	<4	7	139	5	0.57	1.27	18	0.46	139	11	9	374	12	0.45	<5	<5	<10	141	1000	<2	18	<10	4	32
88767	983139	<0.005	<1	6.76	7	470	<2	<1	1.32	<4	7	224	10	0.67	1.24	21	0.51	185	9	12	381	15	0.40	<5	<5	<10	201	1162	3	22	<10	4	29
88768	983140	<0.005	<1	6.06	6	416	<2	<1	1.67	<4	14	66	23	2.49	1.16	21	0.93	491	10	36	544	10	0.47	<5	<5	<10	163	1649	2	72	37	13	52
88769	983141	0.013	<1	7.09	3	497	<2	<1	1.83	<4	9	127	33	1.90	1.23	24	1.00	543	10	10	485	19	0.87	<5	<5	<10	193	1518	2	28	<10	6	62
88770	983142	0.019	<1	7.88	3	374	<2	<1	1.89	<4	9	229	27	1.80	1.20	25	0.88	597	14	12	510	34	0.91	<5	<5	<10	154	1347	<2	25	<10	7	143
88771	983143	0.087	2	7.43	27	381	2	<1	0.70	4	10	135	33	1.15	1.33	18	0.32	158	35	11	428	298	1.23	<5	<5	<10	82	1234	<2	22	23	6	2029
88772	983144	0.019	<1	8.58	4	352	2	<1	2.30	<4	8	229	13	1.94	1.27	25	1.04	783	9	10	496	34	0.83	<5	<5	<10	135	1427	4	23	<10	6	103
88773	983145	0.025	1	7.85	26	395	<2	<1	1.01	<4	9	128	10	1.43	1.51	22	0.54	324	15	12	490	93	1.29	<5	<5	<10	84	1554	<2	28	<10	5	380
88774	983146	0.026	<1	7.27	30	347	<2	<1	0.80	<4	10	235	10	1.58	1.36	18	0.46	265	18	14	472	93	1.43	<5	<5	<10	69	1368	3	25	<10	5	264
88775	983147	0.477	2	7.28	6	326	2	<1	1.78	<4	6	237	36	1.40	1.45	23	1.10	675	11	17	462	87	0.86	<5	<5	<10	106	1285	<2	24	<10	6	722

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88776	983148	0.986	8	8.20	27	451	2	<1	1.30	<4	6	216	43	1.73	1.34	25	0.85	429	14	9	390	789	1.70	<5	<5	<10	102	1229	2	22	12	5	820
88777D	983148	0.894	11	7.06	26	345	2	<1	1.08	<4	5	219	41	1.68	1.22	23	0.79	404	14	8	382	786	1.73	<5	<5	<10	76	1017	2	17	<10	5	803
88778	983149	0.165	3	7.02	18	319	2	<1	1.43	<4	5	177	29	1.09	1.21	24	1.05	613	10	6	354	245	1.11	<5	<5	<10	85	976	8	14	<10	4	594
88779	983150	0.237	353	2.60	2063	79	<2	<1	1.06	75	8	27	218	3.83	0.79	5	0.40	699	31	14	<100	4699	2.74	41	5	<10	88	638	<2	46	33	5	13571
88780	983151	0.568	18	7.06	72	251	<2	<1	1.01	6	5	412	99	1.32	1.21	23	0.83	466	17	10	310	757	1.36	8	<5	<10	70	942	5	15	18	4	1553
88781	983152	0.382	3	6.94	17	270	2	<1	0.89	<4	4	154	13	0.82	1.27	21	0.67	295	17	5	358	156	1.01	<5	<5	<10	70	946	5	15	<10	4	157
88782	983153	1.714	6	7.64	21	419	2	<1	0.47	<4	4	296	80	1.04	1.32	24	0.44	116	19	6	341	561	1.23	6	<5	<10	50	1134	<2	19	<10	4	529
88783	983154	4.574	12	6.44	87	538	<2	<1	0.46	9	5	298	228	2.52	1.07	20	0.35	108	22	8	193	1218	2.82	17	<5	<10	47	809	<2	15	30	4	2858
88784	983155	0.626	2	7.40	24	355	2	<1	1.46	<4	6	410	12	1.19	1.33	25	1.02	549	10	10	328	162	1.15	<5	<5	<10	106	1076	6	18	<10	4	145
88785	983156	0.850	2	7.45	34	258	<2	<1	0.80	<4	7	180	23	1.23	1.41	24	0.61	232	16	9	379	69	1.40	<5	<5	<10	82	1053	<2	19	<10	4	218
88786	983157	0.323	<1	6.22	25	164	<2	<1	0.77	<4	7	265	7	0.76	1.37	18	0.55	257	12	10	345	20	0.80	<5	<5	<10	63	906	<2	17	<10	3	22
88787	983158	0.133	<1	6.69	14	166	<2	<1	1.30	<4	6	187	3	0.57	1.37	21	0.91	471	7	10	358	12	0.50	<5	<5	<10	84	1027	8	19	<10	3	17
88788D	983158	0.132	<1	6.68	13	162	<2	<1	1.29	<4	6	180	2	0.55	1.52	19	0.89	458	7	8	345	10	0.50	<5	<5	<10	84	986	2	19	<10	3	16
88789	983159	0.560	<1	6.83	17	164	<2	<1	0.76	<4	8	315	4	0.62	1.29	21	0.58	256	12	11	340	9	0.60	<5	<5	<10	71	1003	<2	20	<10	3	19
88790	983160	<0.005	<1	6.33	3	414	2	<1	1.66	<4	13	67	22	2.38	1.29	20	0.90	471	11	34	526	8	0.51	<5	<5	<10	168	1616	<2	69	38	12	50
88791	983161	0.222	<1	7.77	18	208	<2	<1	0.78	<4	8	228	4	0.61	1.23	22	0.46	199	13	10	392	10	0.64	<5	<5	<10	80	1100	2	20	<10	4	19
88792	983162	0.081	<1	8.78	11	230	<2	<1	0.98	<4	6	376	12	0.74	1.26	26	0.73	368	13	9	389	13	0.65	<5	<5	<10	79	1222	5	23	<10	4	21
88793	983163	6.003	<1	7.85	11	202	2	<1	0.84	<4	5	218	3	0.65	1.40	25	0.58	250	14	8	363	17	0.72	<5	<5	<10	79	1127	2	19	<10	4	20
88794	983164	1.177	3	7.58	23	243	2	<1	0.66	9	8	481	30	1.24	1.33	26	0.51	228	17	13	327	83	1.27	<5	<5	<10	65	1093	<2	18	28	4	2490
88795	983165	2.566	<1	7.92	30	235	<2	<1	1.04	<4	8	190	9	0.86	1.34	26	0.75	344	12	9	374	43	0.84	<5	<5	<10	81	1176	<2	19	<10	4	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88796	983166	1.769	<1	7.63	22	247	<2	<1	0.97	<4	8	204	9	0.93	1.41	26	0.70	316	11	9	381	40	0.96	<5	<5	<10	75	1204	<2	19	<10	3	70
88797	983167	0.040	<1	6.64	11	187	<2	<1	0.80	<4	6	170	2	0.78	1.37	23	0.72	321	10	8	390	52	0.87	<5	<5	<10	59	1010	<2	16	<10	4	61
88798	983168	0.817	6	7.16	40	248	<2	<1	0.53	6	7	385	76	1.33	1.49	22	0.40	144	18	12	302	519	1.50	<5	<5	<10	48	992	<2	16	18	4	1774
88799D	983168	0.823	5	6.44	37	226	<2	<1	0.47	6	7	375	76	1.31	1.50	20	0.37	136	16	11	300	516	1.41	<5	<5	<10	43	888	2	15	18	3	1778
88800	983169	0.115	1	7.27	18	240	<2	<1	0.78	<4	8	175	14	0.64	1.63	25	0.56	210	14	9	434	231	0.86	<5	<5	<10	71	1092	2	17	<10	4	331
88801	983170	5.192	9	7.89	9	303	<2	<1	2.81	<4	25	61	101	4.48	1.36	26	1.93	844	13	55	945	29	1.06	<5	<5	<10	229	1560	7	98	<10	14	111
88802	983171	0.795	2	7.92	23	281	<2	<1	0.94	<4	9	364	21	1.18	1.36	27	0.85	385	12	14	428	380	1.21	<5	<5	<10	76	1227	<2	22	<10	4	404
88803	983172	0.870	1	10.27	19	349	<2	<1	0.95	<4	7	179	10	0.61	1.77	33	0.55	202	25	22	300	292	0.40	5	10	<10	106	1584	55	23	<10	4	152
88804	983173	0.116	<1	11.01	15	349	<2	<1	1.37	<4	8	382	8	0.86	1.86	36	0.92	444	35	24	266	91	0.47	8	9	<10	124	1605	<2	26	<10	5	165
88805	983174	0.550	1	9.63	33	376	<2	<1	0.73	<4	7	161	63	0.81	1.74	30	0.61	182	25	20	272	412	0.63	7	7	<10	85	1380	<2	21	<10	4	536
88806	983175	2.937	7	9.65	46	395	<2	<1	0.73	11	10	442	297	2.20	1.81	33	0.54	209	35	24	184	1204	2.11	17	<5	<10	84	1434	42	30	23	4	2987
88807	983176	0.324	<1	8.30	26	411	<2	<1	0.82	<4	5	111	9	1.42	1.73	27	0.59	267	25	10	351	44	1.14	<5	10	<10	84	1693	<2	29	<10	6	182
88808	983177	0.040	<1	10.00	17	453	<2	<1	1.78	<4	6	320	9	1.80	1.96	42	1.12	619	40	19	388	24	0.89	<5	11	<10	142	2146	<2	39	<10	6	89
88809	983178	0.025	1	10.70	12	419	<2	<1	2.88	<4	7	125	19	1.77	1.81	31	1.24	477	42	20	408	16	1.33	<5	<5	<10	205	1985	<2	39	<10	6	64
88810D	983178	0.025	<1	10.79	13	423	<2	<1	2.89	<4	7	115	19	1.71	1.88	30	1.22	468	42	21	481	13	1.29	<5	9	<10	209	1988	29	38	<10	6	61
88811	983179	0.010	<1	10.17	12	382	<2	<1	2.28	<4	12	204	12	1.29	1.85	32	0.70	243	32	21	408	20	1.01	<5	11	<10	227	1695	11	34	<10	5	156
88812	983180	<0.005	<1	7.36	5	480	2	<1	1.82	<4	14	66	23	2.47	1.55	20	0.95	491	11	36	559	12	0.56	<5	<5	<10	212	1755	8	74	44	13	56
88813	983181	0.013	<1	6.68	13	255	2	<1	1.10	<4	8	121	13	2.71	1.42	18	0.41	138	18	11	354	13	2.86	<5	<5	<10	132	1102	<2	22	<10	5	223
88814	983182	<0.005	<1	7.04	6	313	2	<1	1.51	<4	6	224	12	1.97	1.48	23	0.52	179	15	9	465	12	1.95	<5	<5	<10	142	1148	2	23	<10	6	63
88815	983183	0.005	<1	7.14	8	312	<2	<1	2.10	<4	5	181	8	1.93	1.52	24	0.65	222	13	9	443	10	1.95	<5	<5	<10	163	1259	<2	25	<10	5	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88816	983184	<0.005	<1	7.11	5	312	<2	<1	1.91	<4	6	226	8	2.43	1.57	24	0.69	231	13	8	463	12	2.25	<5	<5	<10	167	1304	<2	26	<10	5	50
88817	983185	0.009	<1	7.22	21	93	2	<1	1.79	<4	7	225	13	6.48	1.10	21	0.51	216	27	12	412	20	6.78	<5	<5	<10	160	1082	<2	24	<10	5	114
88818	983186	<0.005	<1	7.96	23	103	2	3	2.03	<4	8	392	16	6.81	1.11	23	0.58	260	27	14	433	21	6.86	<5	<5	<10	191	1181	6	28	<10	5	126
88819	983187	<0.005	<1	8.56	13	285	2	<1	1.79	<4	7	172	10	3.60	1.08	28	0.64	190	19	9	503	18	3.72	<5	<5	<10	193	1428	<2	32	<10	5	61
88820	983188	<0.005	1	7.78	6	303	<2	<1	2.09	<4	14	394	20	1.61	1.40	27	1.02	161	12	19	445	16	1.30	<5	<5	<10	218	1103	<2	22	<10	5	44
88821R	983188	<0.005	1	7.40	5	284	2	<1	1.96	<4	14	404	20	1.53	1.40	26	0.99	156	12	19	435	16	1.16	<5	<5	<10	199	1066	<2	21	<10	5	40
88822	983189	<0.005	<1	9.46	16	356	2	<1	2.38	<4	27	343	11	1.37	1.76	33	1.43	141	9	34	463	16	1.22	<5	<5	<10	314	1114	4	31	<10	5	215
88823	983190	1.100	1	7.72	22	542	<2	<1	1.96	<4	16	68	587	3.78	1.53	24	1.17	590	38	39	692	81	1.02	<5	<5	<10	194	1726	<2	101	26	14	118
88824	983191	0.010	<1	8.42	11	312	2	<1	1.62	<4	13	226	23	0.94	1.57	29	1.28	109	6	19	452	13	0.97	<5	<5	<10	251	699	11	29	<10	4	101
88825	983192	<0.005	<1	8.98	15	370	2	<1	1.92	<4	15	220	11	1.34	1.62	28	0.98	118	8	23	473	14	1.41	<5	<5	<10	279	891	5	32	<10	4	199
88826	983193	0.005	<1	8.37	16	322	2	<1	1.98	<4	10	210	12	1.85	1.63	28	1.15	360	9	15	473	16	1.94	<5	<5	<10	213	998	6	23	<10	5	77
88827	983194	0.007	1	9.36	34	344	2	<1	2.39	<4	14	249	28	2.66	1.32	35	1.47	493	10	36	517	21	2.36	<5	<5	<10	282	1519	4	43	<10	9	63
88828	983195	0.011	1	8.77	31	416	<2	<1	2.26	<4	9	211	12	1.63	1.48	31	0.90	222	12	13	539	16	1.59	<5	<5	<10	220	1326	3	29	<10	5	36
88829	983196	0.007	<1	8.33	38	429	2	<1	1.83	<4	9	193	10	1.29	1.57	28	0.44	160	17	11	615	11	1.38	<5	<5	<10	217	1397	<2	29	<10	6	57
88830	983197	<0.005	<1	8.93	32	502	2	<1	1.65	<4	11	172	4	1.30	1.43	29	0.42	156	16	15	650	11	1.43	<5	<5	<10	229	1421	<2	30	<10	5	37
88831	983198	0.006	<1	8.30	17	467	2	<1	1.21	<4	8	168	8	1.50	1.45	29	0.58	218	17	11	645	10	1.37	<5	<5	<10	196	954	3	29	<10	6	31
88832D	983198	<0.005	<1	8.58	15	500	<2	<1	1.30	<4	8	175	8	1.57	1.41	29	0.59	231	14	10	670	8	1.38	<5	<5	<10	223	987	2	30	<10	6	33
88833	983199	0.018	<1	6.46	12	341	<2	<1	0.85	<4	7	212	7	1.44	1.56	23	0.58	219	15	11	640	8	1.21	<5	<5	<10	151	479	<2	21	<10	6	29
88834	983200	<0.005	<1	6.42	4	429	<2	<1	1.70	<4	14	65	23	2.45	1.52	20	0.92	483	11	36	550	8	0.50	<5	<5	<10	180	1658	3	72	43	13	53
88835	983201	0.044	<1	7.52	4	375	2	<1	1.56	<4	9	200	13	2.33	1.56	23	0.54	277	16	10	723	10	1.47	<5	<5	<10	256	541	<2	26	<10	6	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88836	983202	0.012	<1	8.42	3	394	<2	<1	2.17	<4	9	293	5	2.31	1.53	34	1.13	504	12	11	630	9	1.31	<5	<5	<10	261	1013	6	29	<10	6	54
88837	983203	0.012	<1	9.27	15	522	2	<1	1.13	<4	8	199	3	2.75	1.19	30	0.54	226	18	11	707	11	2.42	<5	<5	<10	195	1155	<2	34	<10	7	35
88838	983204	0.012	<1	8.45	11	384	2	<1	1.92	<4	7	201	5	2.55	1.40	30	1.02	524	11	9	650	13	2.09	<5	<5	<10	232	1069	6	28	<10	7	64
88839	983205	0.007	<1	7.30	17	303	<2	<1	1.76	<4	8	202	3	2.12	1.45	33	1.12	581	7	12	625	11	1.74	<5	<5	<10	181	1195	<2	27	<10	6	79
88840	983206	0.009	<1	8.60	19	364	2	<1	1.94	<4	9	293	4	2.23	1.63	35	1.13	582	11	14	646	11	1.79	<5	<5	<10	216	1399	4	30	<10	6	71
88841	983207	0.008	1	8.76	10	383	2	<1	2.84	<4	16	296	28	2.97	1.41	36	1.55	687	8	38	598	17	1.45	<5	<5	<10	280	1727	5	47	<10	10	62
88842	983208	0.013	<1	8.34	33	277	2	<1	2.35	<4	9	289	12	1.86	1.31	26	1.28	498	6	16	595	20	1.13	<5	<5	<10	105	1186	4	26	<10	6	48
88843D	983208	0.016	<1	7.44	27	268	<2	<1	2.07	<4	8	273	11	1.74	1.42	25	1.20	465	5	13	555	18	1.04	<5	<5	<10	90	1109	3	25	<10	6	46
88844	983209	0.091	1	6.69	28	269	<2	<1	0.54	<4	8	232	15	1.46	1.47	14	0.29	<100	16	14	556	14	1.34	5	<5	<10	52	884	<2	22	<10	6	77
88845	983210	0.225	354	2.02	2114	77	<2	<1	1.05	77	7	27	223	3.91	0.76	5	0.33	718	30	14	<100	4800	2.80	42	<5	<10	83	670	<2	47	37	4	13468
88846	983211	0.071	2	6.93	44	183	<2	<1	2.08	<4	8	230	13	1.87	1.51	17	1.07	469	4	12	563	68	1.12	<5	<5	<10	87	749	<2	19	<10	5	120
88847	983212	0.202	3	7.41	58	305	<2	<1	0.63	<4	9	250	17	2.03	1.38	15	0.37	124	16	15	489	79	1.86	<5	<5	<10	65	824	<2	26	<10	4	169
88848	983213	0.188	2	5.40	95	204	2	<1	0.58	<4	9	288	10	1.98	1.51	12	0.39	153	12	14	491	50	1.89	<5	<5	<10	62	491	3	19	<10	4	74
88849	983214	0.117	1	6.64	39	254	<2	<1	0.71	<4	7	189	18	1.45	1.50	15	0.46	145	13	11	521	43	1.44	<5	<5	<10	80	618	<2	22	<10	4	106
88850	983215	0.149	<1	5.71	50	212	<2	<1	0.86	<4	7	471	21	1.59	1.56	16	0.63	242	10	14	448	30	1.32	<5	<5	<10	66	501	6	17	<10	4	150
88851	983216	0.242	<1	6.20	41	336	2	<1	0.97	<4	8	237	14	1.59	1.65	14	0.55	213	13	14	494	31	1.52	<5	<5	<10	58	623	2	19	<10	4	78
88852	983217	0.407	5	5.79	53	300	<2	<1	0.73	<4	8	217	26	1.64	1.77	14	0.43	140	14	12	455	57	1.70	5	<5	<10	51	588	<2	16	<10	4	154
88853	983218	0.073	<1	7.56	61	381	2	<1	1.52	<4	9	198	31	1.81	1.44	18	0.88	308	9	13	575	55	1.58	<5	<5	<10	83	758	<2	23	<10	5	88
88854D	983218	0.070	<1	7.70	59	401	2	<1	1.45	<4	9	192	30	1.74	1.51	20	0.86	298	9	13	551	51	1.56	<5	<5	<10	83	811	<2	25	<10	5	82
88855	983219	0.404	1	7.17	50	406	<2	<1	0.64	<4	12	327	21	2.12	1.48	16	0.46	147	14	26	481	43	2.03	<5	<5	<10	52	876	<2	32	<10	5	106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88856	983220	<0.005	<1	6.11	3	421	2	<1	1.62	<4	13	63	22	2.35	1.63	18	0.87	463	9	34	522	8	0.47	<5	<5	<10	177	1607	<2	69	41	12	52
88857	983221	0.044	<1	7.57	46	399	<2	<1	0.94	<4	10	259	13	1.89	1.35	19	0.59	209	15	16	607	33	1.69	<5	<5	<10	61	887	<2	25	<10	6	47
88858	983222	0.093	<1	8.27	61	408	2	<1	1.33	<4	9	465	17	1.82	1.33	27	0.92	273	12	15	559	159	1.41	<5	<5	<10	75	848	<2	25	<10	6	139
88859	983223	0.245	2	7.14	58	419	2	<1	0.40	<4	8	293	31	1.74	1.49	15	0.29	<100	18	12	449	93	1.73	5	<5	<10	47	822	<2	28	<10	4	516
88860	983224	0.226	1	7.64	72	469	<2	<1	0.36	<4	8	454	22	1.80	1.99	16	0.30	<100	19	13	363	111	1.85	5	<5	<10	51	926	<2	28	<10	3	394
88861	983225	0.091	1	7.07	86	345	2	<1	0.38	<4	13	445	33	2.13	1.76	15	0.28	<100	22	35	378	80	2.28	<5	<5	<10	45	733	<2	37	<10	4	122
88862	983226	0.081	<1	5.64	80	273	2	<1	0.33	<4	12	514	30	2.11	1.61	12	0.23	<100	18	34	385	51	2.09	<5	<5	<10	37	550	<2	27	<10	4	90
88863	983227	0.055	<1	5.73	59	272	<2	1	0.33	<4	9	298	26	1.90	1.82	13	0.23	<100	20	20	340	41	2.01	<5	<5	<10	38	547	<2	21	<10	4	122
88864	983228	0.303	2	5.71	207	271	<2	<1	0.29	8	10	475	89	2.98	1.82	13	0.22	<100	21	26	250	262	3.08	14	<5	<10	38	573	<2	25	27	3	2301
88865D	983228	0.321	2	5.89	227	259	2	<1	0.36	9	11	524	92	3.07	1.59	14	0.25	<100	21	26	271	266	3.25	14	<5	<10	44	566	3	24	25	4	2334
88866	983229	0.044	<1	6.93	122	323	2	<1	0.39	<4	11	288	24	1.90	1.64	15	0.27	<100	18	17	469	69	2.16	6	<5	<10	47	700	<2	23	11	4	620
88867	983230	5.156	9	6.92	10	269	2	<1	2.53	<4	24	58	97	4.24	1.59	24	1.80	794	11	52	903	27	1.05	<5	<5	<10	201	1418	3	90	<10	13	116
88868	983231	0.032	<1	6.52	31	311	2	<1	0.39	<4	8	294	29	1.24	1.46	13	0.28	<100	16	13	511	45	1.31	<5	<5	<10	45	689	<2	23	<10	4	137
88869	983232	0.102	2	1.24	128	167	<2	<1	0.03	31	4	125	54	0.77	1.27	4	0.04	<100	6	6	<100	4337	0.89	24	<5	<10	15	604	<2	18	31	<2	10622
88870	983233	0.085	<1	4.93	41	217	<2	<1	0.38	<4	15	349	404	1.66	1.26	14	0.24	<100	19	16	543	283	1.19	<5	<5	<10	34	550	<2	16	<10	4	451
88871	983234	0.705	15	4.63	206	226	<2	<1	0.58	<4	9	276	297	1.60	1.37	13	0.29	118	12	15	583	1363	1.61	106	<5	<10	38	612	<2	15	<10	5	498
88872	983235	0.138	<1	9.45	41	366	2	<1	2.97	<4	10	435	36	2.19	1.27	27	1.58	1082	4	16	544	66	1.39	<5	<5	<10	116	1383	7	28	<10	6	217
88873	983236	0.039	<1	9.83	21	469	2	<1	3.59	<4	11	247	35	2.18	1.31	27	1.81	1330	<1	15	575	58	0.98	<5	<5	<10	120	1525	10	31	<10	6	286
88874	983237	0.568	3	1.17	48	110	<2	<1	0.60	49	5	302	524	2.14	1.21	5	0.13	244	16	8	<100	61	2.50	5	<5	<10	28	695	<2	16	64	<2	23565
88875	983238	0.022	1	11.18	16	479	<2	<1	3.59	5	10	218	100	2.58	1.56	35	2.85	1066	<1	17	529	41	1.64	<5	<5	<10	133	1759	9	35	345	7	965

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
88876D	983238	0.021	<1	8.20	13	342	2	<1	3.17	4	9	201	81	2.39	1.41	26	2.58	968	<1	15	490	34	1.09	<5	<5	<10	113	1444	6	27	357	5	691

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
88756	983129	135	0.004	0.135
88757	983130	1274	0.037	1.274
88758	983131	186	0.005	0.186
88759	983132	20	<0.001	0.020
88760	983133	69	0.002	0.069
88761	983134	11	<0.001	0.011
88762	983135	13	<0.001	0.013
88763	983136	11	<0.001	0.011
88764	983137	13	<0.001	0.013
88765	983138	<5	<0.001	<0.005
88766 Dup	983138	<5	<0.001	<0.005
88767	983139	<5	<0.001	<0.005
88768	983140	<5	<0.001	<0.005
88769	983141	13	<0.001	0.013
88770	983142	19	<0.001	0.019
88771	983143	87	0.003	0.087
88772	983144	19	<0.001	0.019
88773	983145	25	<0.001	0.025
88774	983146	26	<0.001	0.026
88775	983147	477	0.014	0.477
88776	983148	986	0.029	0.986
88777 Dup	983148	894	0.026	0.894
88778	983149	165	0.005	0.165
88779	983150	237	0.007	0.237
88780	983151	568	0.017	0.568
88781	983152	382	0.011	0.382
88782	983153	1714	0.050	1.714
88783	983154	4574	0.133	4.574
88784	983155	626	0.018	0.626
88785	983156	850	0.025	0.850

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
88786	983157	323	0.009	0.323
88787	983158	133	0.004	0.133
88788 Dup	983158	132	0.004	0.132
88789	983159	560	0.016	0.560
88790	983160	<5	<0.001	<0.005
88791	983161	222	0.006	0.222
88792	983162	81	0.002	0.081
88793	983163	6003	0.175	6.003
88794	983164	1177	0.034	1.177
88795	983165	2566	0.075	2.566
88796	983166	1769	0.052	1.769
88797	983167	40	0.001	0.040
88798	983168	817	0.024	0.817
88799 Dup	983168	823	0.024	0.823
88800	983169	115	0.003	0.115
88801	983170	5192	0.151	5.192
88802	983171	795	0.023	0.795
88803	983172	870	0.025	0.870
88804	983173	116	0.003	0.116
88805	983174	550	0.016	0.550
88806	983175	2937	0.086	2.937
88807	983176	324	0.009	0.324
88808	983177	40	0.001	0.040
88809	983178	25	<0.001	0.025
88810 Dup	983178	25	<0.001	0.025
88811	983179	10	<0.001	0.010
88812	983180	<5	<0.001	<0.005
88813	983181	13	<0.001	0.013
88814	983182	<5	<0.001	<0.005
88815	983183	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
88816	983184	<5	<0.001	<0.005
88817	983185	9	<0.001	0.009
88818	983186	<5	<0.001	<0.005
88819	983187	<5	<0.001	<0.005
88820	983188	<5	<0.001	<0.005
88821 Rep	983188	<5	<0.001	<0.005
88822	983189	<5	<0.001	<0.005
88823	983190	1100	0.032	1.100
88824	983191	10	<0.001	0.010
88825	983192	<5	<0.001	<0.005
88826	983193	5	<0.001	0.005
88827	983194	7	<0.001	0.007
88828	983195	11	<0.001	0.011
88829	983196	7	<0.001	0.007
88830	983197	<5	<0.001	<0.005
88831	983198	6	<0.001	0.006
88832 Dup	983198	<5	<0.001	<0.005
88833	983199	18	<0.001	0.018
88834	983200	<5	<0.001	<0.005
88835	983201	44	0.001	0.044
88836	983202	12	<0.001	0.012
88837	983203	12	<0.001	0.012
88838	983204	12	<0.001	0.012
88839	983205	7	<0.001	0.007
88840	983206	9	<0.001	0.009
88841	983207	8	<0.001	0.008
88842	983208	13	<0.001	0.013
88843 Dup	983208	16	<0.001	0.016
88844	983209	91	0.003	0.091
88845	983210	225	0.007	0.225

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
88846	983211	71	0.002	0.071
88847	983212	202	0.006	0.202
88848	983213	188	0.005	0.188
88849	983214	117	0.003	0.117
88850	983215	149	0.004	0.149
88851	983216	242	0.007	0.242
88852	983217	407	0.012	0.407
88853	983218	73	0.002	0.073
88854 Dup	983218	70	0.002	0.070
88855	983219	404	0.012	0.404
88856	983220	<5	<0.001	<0.005
88857	983221	44	0.001	0.044
88858	983222	93	0.003	0.093
88859	983223	245	0.007	0.245
88860	983224	226	0.007	0.226
88861	983225	91	0.003	0.091
88862	983226	81	0.002	0.081
88863	983227	55	0.002	0.055
88864	983228	303	0.009	0.303
88865 Dup	983228	321	0.009	0.321
88866	983229	44	0.001	0.044
88867	983230	5156	0.150	5.156
88868	983231	32	<0.001	0.032
88869	983232	102	0.003	0.102
88870	983233	85	0.002	0.085
88871	983234	705	0.021	0.705
88872	983235	138	0.004	0.138
88873	983236	39	0.001	0.039
88874	983237	568	0.017	0.568
88875	983238	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, April 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 03/28/2011  
 Date Completed: 04/11/2011  
 Job #: 201141225  
 Reference: TMI-TML  
 Sample #: 110

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
88876 Dup	983238	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/21/2011  
 Job #: 201141444  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
101411	983163	1.834	1.660	33.833	2.990	3.87%	39

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 15, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/12/2011  
Date Completed: 04/15/2011  
Job #: 201141445  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
101412	983154	0.143	4.905

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95027	982278	<0.005	<1	8.17	3	481	<2	2	2.05	4	16	223	25	2.42	2.47	34	0.49	382	20	28	495	15	0.59	5	<5	<10	329	2596	<2	58	<10	5	73
95028	982279	<0.005	<1	6.89	<2	417	<2	<1	1.33	<4	12	174	15	0.72	2.11	25	0.29	<100	11	21	442	9	0.18	<5	16	<10	249	1614	<2	50	<10	3	23
95029	982280	0.245	355	6.83	4434	151	<2	11	2.43	138	14	57	499	7.48	1.71	28	0.66	1322	36	27	503	9533	7.90	86	19	<10	212	1602	2	95	79	8	13456
95030	982281	0.008	5	7.54	53	465	<2	3	1.54	4	13	236	24	1.38	2.27	33	0.33	132	17	27	545	120	0.94	<5	<5	<10	272	1620	<2	64	<10	4	243
95031	982282	<0.005	<1	7.72	<2	453	<2	1	3.06	7	38	352	54	4.04	2.00	44	0.71	738	23	103	754	8	0.48	<5	<5	<10	350	6089	<2	146	<10	8	122
95032	982283	<0.005	1	7.44	5	454	<2	4	1.60	<4	8	251	11	0.76	2.23	33	0.39	186	16	14	463	24	0.34	<5	6	<10	212	1471	<2	30	<10	3	217
95033	982284	0.017	<1	7.48	15	491	<2	2	1.68	<4	10	219	6	0.81	2.36	36	0.40	160	17	12	380	18	0.61	<5	<5	<10	249	1521	<2	29	<10	3	219
95034	982285	0.008	<1	7.25	14	571	<2	<1	1.84	<4	9	232	11	0.89	2.51	35	0.53	235	19	14	359	22	0.48	<5	<5	<10	258	1547	<2	31	<10	3	54
95035	982286	0.007	1	7.22	11	555	<2	4	1.81	<4	9	244	11	0.89	2.37	35	0.51	229	19	14	362	21	0.51	<5	<5	<10	250	1553	<2	32	<10	3	45
95036	982287	0.014	1	7.99	21	810	<2	7	1.81	<4	11	196	24	0.94	2.26	39	0.50	265	19	25	435	50	0.69	<5	7	<10	267	1798	<2	36	<10	4	131
95037D	982287	0.017	<1	7.87	20	840	<2	3	1.93	<4	12	208	25	1.02	2.33	38	0.49	280	17	25	444	49	0.74	<5	7	<10	291	1814	3	37	<10	4	142
95038	982288	0.023	<1	8.61	24	872	<2	5	1.63	<4	9	224	12	0.90	2.29	35	0.37	179	15	14	377	25	0.72	<5	13	<10	279	1635	<2	36	<10	3	57
95039	982289	0.009	<1	8.58	7	742	<2	8	1.89	<4	8	225	15	0.99	2.14	35	0.35	147	15	12	496	10	0.65	<5	7	<10	335	1544	<2	33	<10	3	23
95040	982290	<0.005	<1	7.98	6	531	<2	5	1.93	4	13	62	25	2.43	2.19	26	0.78	478	21	33	525	7	0.10	<5	7	<10	257	2050	2	79	48	11	49
95041	982291	<0.005	<1	7.69	10	573	<2	3	1.88	<4	9	266	13	0.93	1.99	30	0.33	145	13	13	367	14	0.55	<5	<5	<10	327	1424	<2	30	<10	3	23
95042	982292	0.007	2	7.81	11	568	2	3	1.98	<4	8	174	8	0.72	2.36	33	0.32	134	13	11	340	18	0.31	<5	7	<10	393	1601	2	33	<10	3	35
95043	982293	0.038	2	8.11	21	470	<2	3	1.74	<4	8	271	12	1.60	2.33	30	0.59	321	17	12	444	26	1.29	<5	<5	<10	131	1821	2	35	<10	4	82
95044	982294	0.056	3	7.87	30	563	<2	4	1.10	<4	10	284	11	1.39	2.37	36	0.52	259	18	13	557	34	1.18	<5	<5	<10	83	2047	<2	35	<10	4	54
95045	982295	0.027	2	8.81	21	565	<2	5	2.60	<4	8	270	11	1.82	2.51	37	1.01	709	22	11	675	53	1.06	<5	8	<10	148	2214	<2	37	<10	5	84
95046	982296	0.289	6	7.64	35	550	<2	4	0.99	4	8	251	34	1.75	2.30	35	0.42	225	18	12	643	328	1.92	<5	<5	<10	95	2303	<2	38	<10	3	559

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95047	982297	0.030	3	8.25	25	468	<2	2	2.23	<4	6	245	11	1.54	2.27	38	0.76	527	22	10	698	70	0.97	<5	<5	<10	150	2131	<2	39	15	4	97
95048D	982297	0.032	3	7.98	19	444	<2	5	2.14	<4	7	232	11	1.45	2.36	37	0.75	502	22	9	673	68	0.87	<5	<5	<10	144	2037	3	37	15	4	92
95049	982298	0.028	2	8.83	13	523	<2	6	2.48	<4	8	259	14	1.49	1.84	35	0.81	507	19	11	753	42	0.60	<5	<5	<10	162	1819	<2	36	41	5	87
95050	982299	0.036	2	8.75	24	623	<2	5	1.19	<4	7	250	15	1.21	2.09	32	0.40	167	15	8	646	47	0.90	<5	<5	<10	129	2008	<2	34	<10	5	46
95051	982300	4.827	8	9.79	9	345	<2	4	3.35	9	29	73	114	4.92	1.91	29	1.97	881	45	56	1000	23	0.99	<5	<5	<10	302	2651	<2	122	<10	16	113
95052	982301	0.056	2	8.27	11	671	<2	3	2.14	<4	7	229	13	1.22	2.35	33	0.75	407	17	9	701	24	0.45	<5	<5	<10	163	2021	4	37	<10	5	28
95053	982302	0.011	2	8.49	12	573	<2	3	2.33	<4	6	315	17	1.47	2.65	32	0.73	457	17	9	621	36	0.64	<5	<5	<10	161	1779	<2	34	<10	5	38
95054	982303	0.023	2	8.24	18	451	<2	<1	1.92	<4	7	341	17	1.52	2.68	27	0.72	489	18	9	531	33	0.89	<5	<5	<10	125	1612	<2	30	<10	5	92
95055	982304	0.735	8	8.21	22	479	<2	3	1.45	<4	6	113	18	1.47	2.72	29	0.60	427	17	7	512	111	1.30	<5	<5	<10	120	1787	<2	31	<10	4	220
95056	982305	0.024	3	8.63	23	576	<2	2	2.37	<4	8	155	21	1.74	2.60	31	0.90	928	20	8	573	47	0.98	<5	<5	<10	148	1943	<2	33	<10	4	64
95057	982306	0.026	3	9.24	16	523	<2	3	2.41	<4	7	248	24	1.86	2.41	30	0.99	910	18	8	590	43	1.00	<5	<5	<10	146	1917	<2	32	<10	5	59
95058	982307	0.325	11	8.25	31	630	<2	6	1.10	20	9	241	33	1.73	2.22	25	0.47	328	13	7	540	1100	1.98	8	<5	<10	102	1889	<2	33	40	4	6108
95059D	982307	0.365	13	8.15	31	667	<2	<1	1.15	20	8	236	33	1.70	2.24	31	0.45	329	14	8	531	1080	1.94	9	6	<10	108	2019	<2	34	41	4	5948
95060	982308	0.062	2	9.63	10	647	<2	<1	2.66	<4	8	157	18	1.88	2.14	33	1.15	708	21	21	607	50	0.87	<5	10	<10	164	1975	<2	37	<10	5	115
95061	982309	0.612	2	8.98	7	556	<2	5	2.26	<4	6	235	18	1.57	1.94	39	0.98	689	20	8	543	24	0.59	<5	<5	<10	168	1882	4	33	<10	4	63
95062	982310	0.006	<1	8.03	<2	515	<2	6	1.91	4	14	60	25	2.43	2.28	26	0.80	482	20	32	524	4	0.08	<5	7	<10	239	2065	2	78	47	10	47
95063	982311	0.034	2	7.94	10	525	<2	2	1.57	<4	6	267	19	1.34	2.02	31	0.74	487	15	6	417	122	0.77	<5	<5	<10	135	1603	2	30	<10	3	110
95064	982312	0.498	3	7.97	30	957	<2	<1	0.88	6	6	491	65	1.79	2.52	31	0.50	358	19	8	305	442	1.71	10	<5	<10	94	1529	<2	27	15	3	1287
95065	982313	3.579	53	6.78	79	177	<2	2	0.57	47	7	377	643	3.95	1.55	27	0.34	249	26	9	286	9539	5.73	104	<5	<10	53	1291	<2	23	106	5	16962
95066	982314	1.704	9	9.81	41	391	<2	7	3.58	7	7	356	35	2.28	2.18	32	1.68	1782	25	6	480	1069	1.87	11	12	<10	137	1761	19	26	21	6	1987

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95067	982315	0.301	22	11.22	63	272	<2	12	6.42	13	8	361	35	3.76	2.12	23	2.93	3526	36	8	562	4128	3.64	22	<5	<10	171	1825	19	31	29	9	3326
95068	982316	2.214	29	7.57	98	306	<2	7	1.38	26	7	384	212	3.36	1.68	28	0.74	621	30	8	315	3739	4.30	40	<5	<10	85	1200	<2	22	57	5	9331
95069	982317	1.128	8	8.91	41	446	<2	7	1.43	4	9	424	26	1.86	2.31	30	0.80	526	20	13	359	883	1.76	12	<5	<10	84	1653	<2	32	12	4	990
95070D	982317	1.053	6	8.19	37	413	<2	5	1.33	4	6	389	20	1.69	2.19	29	0.72	480	18	9	328	765	1.57	8	<5	<10	79	1547	<2	30	10	4	809
95071	982318	3.533	21	7.46	49	382	<2	9	1.22	21	8	662	893	2.83	1.78	24	0.72	568	18	12	374	4173	3.20	42	<5	<10	73	1317	<2	25	48	4	7085
95072	982319	0.414	5	7.31	77	354	<2	1	0.43	6	4	454	57	2.24	2.26	21	0.31	<100	18	7	229	499	2.41	11	<5	<10	42	1050	<2	18	12	4	1221
95073	982320	1.128	<1	8.74	21	606	<2	6	2.05	6	15	66	587	3.66	2.17	28	0.97	566	49	33	673	85	0.68	<5	<5	<10	234	2040	4	108	34	11	119
95074	982321	1.287	2	8.43	12	454	<2	4	1.09	<4	5	414	17	0.95	2.51	32	0.58	349	18	7	338	88	0.56	<5	<5	<10	100	1612	<2	26	<10	3	184
95075	982322	1.565	2	8.21	39	424	<2	4	1.56	<4	11	522	29	1.72	2.60	38	0.74	495	20	14	364	165	1.44	5	<5	<10	144	1715	<2	32	10	3	287
95076	982323	0.149	<1	8.91	54	340	<2	4	1.43	<4	10	281	32	0.87	2.48	38	0.70	412	16	10	336	30	0.44	5	<5	<10	129	1654	<2	27	<10	3	164
95077	982324	0.218	<1	7.45	23	272	<2	<1	1.32	<4	9	370	13	0.76	2.20	35	0.57	360	16	11	366	15	0.29	5	6	<10	118	1437	<2	26	<10	2	253
95078	982325	0.119	<1	8.55	16	307	<2	2	1.36	<4	6	394	7	0.81	2.39	37	0.61	354	14	7	338	18	0.26	<5	7	<10	134	1698	<2	30	<10	3	64
95079	982326	0.119	<1	8.32	20	300	<2	2	1.28	<4	5	221	6	0.69	2.23	35	0.59	319	14	6	337	17	0.28	<5	5	<10	129	1620	<2	29	<10	3	36
95080	982327	0.127	<1	8.32	16	358	<2	<1	1.65	<4	8	349	8	1.31	2.23	39	0.78	468	16	11	366	24	0.79	6	9	<10	135	1775	<2	29	<10	3	51
95081D	982327	0.169	<1	8.51	22	352	<2	8	1.65	<4	8	344	8	1.30	2.29	37	0.79	463	15	9	362	23	0.77	5	<5	<10	135	1743	2	28	<10	3	42
95082	982328	0.132	<1	8.00	26	353	<2	6	1.97	<4	7	424	20	1.59	2.26	36	0.94	596	17	11	356	35	1.00	<5	5	<10	130	1679	<2	29	<10	3	361
95083	982329	0.120	<1	8.08	25	327	<2	6	1.90	<4	8	335	17	2.06	2.31	36	1.01	644	20	10	344	93	2.00	<5	<5	<10	141	1485	<2	26	<10	3	180
95084	982330	0.006	<1	7.86	6	545	<2	4	1.96	4	15	64	26	2.55	2.15	27	0.81	507	19	33	547	12	0.10	<5	<5	<10	254	2215	<2	82	55	10	61
95085	982331	0.187	<1	7.92	21	337	<2	<1	1.59	<4	9	389	22	1.50	2.16	34	0.98	673	17	11	330	106	1.24	<5	5	<10	118	1372	<2	28	<10	3	104
95086	982332	0.327	<1	8.41	29	447	2	4	1.23	<4	9	407	41	1.99	1.97	40	0.62	385	17	11	401	128	1.98	5	<5	<10	134	1992	<2	35	10	3	127

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95087	982333	1.345	5	7.98	22	436	2	7	1.15	<4	9	207	54	1.49	2.19	39	0.56	306	17	10	374	331	1.34	<5	<5	<10	152	1763	<2	33	10	3	226
95088	982334	0.208	1	9.11	7	399	<2	4	1.74	<4	6	331	11	1.66	2.25	33	0.56	251	16	8	469	19	1.42	<5	<5	<10	198	1897	<2	38	<10	3	35
95089	982335	0.038	2	9.67	10	431	<2	4	2.64	<4	18	320	16	1.54	2.10	32	0.62	307	16	17	488	23	1.23	5	5	<10	249	1922	<2	40	<10	4	106
95090	982336	0.007	1	9.30	15	466	<2	9	2.46	<4	7	366	19	1.55	2.26	35	0.64	348	16	10	392	13	0.62	<5	<5	<10	262	1958	4	36	<10	4	47
95091	982337	0.009	<1	8.94	5	431	<2	10	2.41	4	5	267	12	2.61	1.96	28	0.49	230	14	7	399	13	2.28	<5	<5	<10	245	1706	<2	34	<10	4	40
95092R	982337	0.010	<1	9.03	9	467	<2	11	2.46	4	6	429	11	2.77	2.00	30	0.48	244	15	10	410	12	2.36	<5	<5	<10	253	1770	<2	37	<10	4	37
95093	982338	0.009	<1	9.19	5	506	<2	4	3.13	<4	6	365	8	1.97	2.32	27	0.41	263	12	8	452	13	1.46	<5	<5	<10	283	1817	4	38	<10	4	37
95094	982339	0.009	<1	7.53	3	462	<2	3	2.08	<4	5	393	7	1.42	1.93	29	0.31	184	12	8	408	7	0.73	<5	<5	<10	225	1419	<2	34	<10	3	28
95095	982340	0.256	357	6.88	4470	135	<2	6	2.50	143	15	60	495	7.71	1.77	24	0.71	1333	33	27	489	9519	6.95	88	12	12	210	1549	<2	94	84	8	13489
95096	982341	0.012	4	8.37	64	505	<2	7	2.36	7	8	386	19	3.45	1.69	27	0.32	228	15	11	420	125	3.36	5	<5	<10	259	1554	<2	35	<10	4	240
95097	982342	0.007	<1	8.42	3	562	<2	9	2.39	<4	8	377	12	2.32	2.25	39	0.58	432	15	10	450	17	0.32	<5	<5	<10	243	2148	<2	41	<10	4	70
95098	982343	0.014	<1	9.71	4	572	<2	9	3.12	5	7	177	10	3.21	2.31	49	1.07	594	21	8	483	12	0.49	<5	<5	<10	291	2493	<2	43	<10	5	100
95099	982344	0.006	1	9.49	4	484	<2	8	2.57	<4	6	322	8	1.71	2.58	40	0.78	178	17	9	465	16	1.33	5	<5	<10	323	1709	3	41	<10	4	26
95100	982345	0.006	<1	9.56	8	445	<2	<1	2.59	<4	11	340	6	1.31	2.45	36	1.00	158	18	13	439	19	0.87	5	<5	<10	330	1634	<2	39	<10	3	15
95101	982346	0.006	<1	9.70	5	447	<2	7	2.55	<4	10	413	10	1.35	2.47	35	1.05	168	17	15	456	16	0.86	<5	6	<10	317	1623	<2	40	<10	4	20
95102	982347	0.020	1	10.10	9	347	<2	5	3.95	<4	17	244	9	1.41	2.40	32	1.99	274	25	22	468	13	0.71	<5	8	<10	308	1667	5	37	<10	5	125
95103D	982347	0.007	<1	10.73	9	358	<2	6	4.18	<4	17	292	8	1.49	2.24	33	2.09	288	26	23	483	13	0.73	<5	<5	<10	325	1748	2	38	<10	6	125
95104	982348	0.008	2	8.64	5	349	2	8	2.67	<4	15	448	19	1.43	2.40	34	1.06	173	19	22	390	21	0.58	<5	<5	<10	325	1342	4	35	<10	4	270
95105	982349	0.006	<1	8.81	5	579	<2	9	2.16	<4	8	327	5	1.64	1.98	38	0.93	243	17	10	427	19	1.20	<5	<5	<10	303	1819	2	35	<10	4	37
95106	982350	0.008	<1	7.69	6	497	<2	4	1.80	4	13	58	23	2.37	2.36	22	0.81	460	17	31	507	7	0.08	<5	<5	<10	237	1908	<2	74	47	12	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95107	982351	0.030	2	8.73	13	474	<2	1	2.07	7	13	435	13	1.99	2.50	34	1.04	295	18	18	391	18	1.86	<5	7	<10	295	1622	6	35	10	4	827
95108	982352	0.014	<1	8.77	51	400	<2	3	2.17	7	16	361	13	4.08	1.89	35	1.03	213	25	25	495	25	4.79	<5	<5	<10	266	1449	<2	37	<10	5	131
95109	982353	0.008	<1	9.03	21	548	<2	5	1.50	<4	12	430	13	1.58	2.48	33	0.40	110	12	16	585	13	1.41	<5	<5	<10	234	1799	<2	37	<10	4	64
95110	982354	0.008	<1	9.04	22	538	<2	2	1.97	<4	10	234	9	1.33	2.47	33	0.53	163	12	11	591	12	1.18	<5	<5	<10	286	1693	<2	35	<10	4	20
95111	982355	0.006	1	9.08	23	598	<2	<1	1.90	<4	10	367	12	1.11	2.54	34	0.43	152	12	14	566	8	0.75	<5	7	<10	285	1697	5	37	<10	4	9
95112	982356	0.007	1	9.53	21	491	<2	3	1.78	<4	9	251	9	1.22	2.46	29	0.55	178	12	12	673	11	0.97	<5	<5	<10	267	1079	<2	34	<10	5	27
95113	982357	0.015	<1	8.09	16	525	<2	4	1.09	<4	11	451	10	1.54	1.94	26	0.59	228	11	18	580	5	0.80	<5	<5	<10	207	748	<2	32	<10	5	29
95114D	982357	0.011	<1	8.62	16	549	<2	4	1.21	<4	12	455	8	1.53	2.01	26	0.59	228	11	19	576	14	0.80	<5	<5	<10	235	783	<2	33	<10	5	25
95115	982358	0.016	<1	7.76	10	425	<2	2	1.05	<4	7	335	5	2.30	1.94	24	0.55	290	12	9	584	9	1.82	<5	<5	<10	210	595	<2	30	<10	5	35
95116	982359	0.025	<1	6.69	10	382	<2	3	0.81	4	8	372	4	2.69	1.97	24	0.62	318	14	10	581	9	2.66	<5	<5	<10	163	690	<2	29	<10	5	44
95117	982360	4.892	7	8.29	7	322	<2	3	3.00	8	28	71	107	4.76	1.93	24	1.89	859	39	55	965	21	0.87	<5	5	<10	267	2225	4	115	<10	14	107
95118	982361	0.019	<1	8.31	10	495	<2	5	1.19	<4	10	324	12	2.16	2.06	30	0.69	294	13	14	480	15	1.90	<5	<5	<10	201	1167	<2	33	<10	5	35
95119	982362	0.031	<1	9.04	14	366	<2	<1	2.26	4	8	548	15	2.68	2.16	23	1.21	800	19	15	552	31	1.19	<5	<5	<10	112	1414	3	36	<10	6	66
95120	982363	0.125	1	8.06	62	386	<2	6	0.45	<4	9	428	12	2.22	2.41	15	0.23	<100	11	12	431	30	2.19	<5	<5	<10	83	1077	<2	34	<10	4	38
95121	982364	0.109	<1	8.32	41	365	<2	<1	1.77	<4	10	502	17	2.14	2.16	17	0.89	465	15	16	512	29	1.26	6	<5	<10	86	1112	6	32	<10	5	46
95122	982365	0.046	<1	8.85	28	484	<2	3	1.97	<4	9	400	8	1.95	2.21	21	0.99	503	15	14	552	37	1.09	5	6	<10	92	1214	<2	33	10	5	54
95123	982366	0.035	<1	8.67	30	348	<2	3	2.29	<4	8	310	8	1.88	2.09	20	1.09	543	15	14	564	42	1.02	<5	<5	<10	100	1011	5	26	<10	6	53
95124	982367	0.717	1	8.66	65	408	<2	7	1.86	<4	12	428	46	2.33	2.06	20	0.84	429	17	18	446	57	1.94	<5	<5	<10	97	922	5	34	11	5	55
95125D	982367	0.716	<1	8.58	71	428	<2	<1	1.88	4	11	442	47	2.39	1.96	19	0.85	440	18	19	446	55	2.01	<5	<5	<10	99	944	<2	35	10	5	55
95126	982368	0.292	1	7.63	77	466	<2	5	0.38	<4	16	487	56	2.26	1.96	16	0.24	<100	14	43	323	48	2.24	<5	<5	<10	56	1026	<2	55	<10	5	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95127	982369	0.111	<1	7.63	41	522	<2	3	0.33	5	9	406	18	1.72	2.00	15	0.26	<100	10	15	480	43	1.62	<5	<5	<10	50	1080	<2	32	13	4	935
95128	982370	<0.005	<1	7.37	<2	495	<2	6	1.79	4	15	64	23	2.49	2.01	19	0.86	480	17	32	541	10	0.09	<5	<5	<10	227	1879	<2	77	50	13	49
95129	982371	0.088	<1	7.92	43	505	<2	6	0.35	<4	9	381	13	1.46	2.05	15	0.27	<100	10	11	514	52	1.26	<5	<5	<10	53	1088	<2	32	<10	4	142
95130	982372	0.248	<1	7.52	169	420	<2	7	0.32	16	18	516	58	3.28	1.90	15	0.24	<100	14	43	474	125	3.77	17	<5	<10	53	1004	<2	57	29	5	3573
95131	982373	0.067	<1	7.08	66	419	<2	2	0.33	<4	8	218	26	1.61	2.24	14	0.25	<100	10	10	285	65	1.65	5	<5	<10	49	915	<2	30	11	3	159
95132	982374	0.057	<1	7.53	64	479	<2	<1	0.37	<4	10	543	42	1.85	2.13	17	0.35	111	11	12	444	100	1.60	10	<5	<10	50	1110	<2	32	11	3	138
95133	982375	0.124	<1	7.29	57	452	<2	1	0.42	6	9	226	33	1.89	1.93	16	0.36	<100	11	10	448	166	1.98	<5	<5	<10	43	1082	<2	28	15	4	971
95134	982376	0.356	5	6.68	185	289	<2	2	0.35	26	12	522	117	3.42	1.76	13	0.28	122	16	14	410	3134	3.91	23	<5	<10	41	1140	<2	27	38	4	4946
95135	982377	0.031	<1	7.80	40	430	<2	4	0.35	<4	10	338	11	1.43	1.88	15	0.28	<100	11	11	463	45	1.19	<5	<5	<10	45	1388	<2	30	12	5	84
95136D	982377	0.025	2	8.49	44	546	2	4	0.36	<4	10	363	13	1.45	1.79	17	0.30	<100	11	11	471	40	1.22	<5	6	<10	52	1784	<2	38	<10	5	77
95137	982378	0.029	2	8.40	25	535	<2	8	0.84	4	9	134	50	1.88	1.83	22	0.50	327	15	9	504	129	0.90	<5	<5	<10	64	1808	<2	36	11	5	310
95138	982379	0.032	<1	8.63	29	478	<2	12	2.35	<4	9	443	28	1.99	1.91	26	1.25	992	19	12	497	38	1.10	<5	<5	<10	98	1617	<2	34	<10	6	92
95139	982380	1.209	<1	8.27	16	606	<2	5	2.01	6	17	62	602	3.79	1.97	21	1.04	586	47	35	704	71	0.68	<5	<5	<10	240	1981	<2	110	35	14	102
95140	982381	0.048	1	8.22	18	546	<2	3	1.99	<4	10	207	55	1.68	1.95	26	1.03	729	17	10	525	40	0.96	<5	7	<10	93	1784	<2	33	<10	5	188
95141	982382	0.022	1	9.58	5	347	2	7	4.68	4	8	333	42	2.54	1.93	29	3.09	1426	35	13	478	82	0.61	<5	7	<10	142	1606	12	30	<10	8	344
95142	982383	<0.005	<1	8.00	3	239	2	<1	4.40	7	8	161	43	2.34	1.79	35	3.12	1393	32	11	465	69	0.63	<5	7	<10	79	1489	8	27	107	7	1150
95143	982384	0.031	<1	7.69	29	281	<2	5	2.50	4	8	386	43	2.12	1.84	27	1.59	622	21	13	495	53	1.36	<5	<5	<10	86	1297	<2	24	11	7	428

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95027	982278	<5	<0.001	<0.005
95028	982279	<5	<0.001	<0.005
95029	982280	245	0.007	0.245
95030	982281	8	<0.001	0.008
95031	982282	<5	<0.001	<0.005
95032	982283	<5	<0.001	<0.005
95033	982284	17	<0.001	0.017
95034	982285	8	<0.001	0.008
95035	982286	7	<0.001	0.007
95036	982287	14	<0.001	0.014
95037 Dup	982287	17	<0.001	0.017
95038	982288	23	<0.001	0.023
95039	982289	9	<0.001	0.009
95040	982290	<5	<0.001	<0.005
95041	982291	<5	<0.001	<0.005
95042	982292	7	<0.001	0.007
95043	982293	38	0.001	0.038
95044	982294	56	0.002	0.056
95045	982295	27	<0.001	0.027
95046	982296	289	0.008	0.289
95047	982297	30	<0.001	0.030
95048 Dup	982297	32	<0.001	0.032
95049	982298	28	<0.001	0.028
95050	982299	36	0.001	0.036
95051	982300	4827	0.141	4.827
95052	982301	56	0.002	0.056
95053	982302	11	<0.001	0.011
95054	982303	23	<0.001	0.023
95055	982304	735	0.021	0.735
95056	982305	24	<0.001	0.024

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95057	982306	26	<0.001	0.026
95058	982307	325	0.009	0.325
95059 Dup	982307	365	0.011	0.365
95060	982308	62	0.002	0.062
95061	982309	612	0.018	0.612
95062	982310	6	<0.001	0.006
95063	982311	34	<0.001	0.034
95064	982312	498	0.015	0.498
95065	982313	3579	0.104	3.579
95066	982314	1704	0.050	1.704
95067	982315	301	0.009	0.301
95068	982316	2214	0.065	2.214
95069	982317	1128	0.033	1.128
95070 Dup	982317	1053	0.031	1.053
95071	982318	3533	0.103	3.533
95072	982319	414	0.012	0.414
95073	982320	1128	0.033	1.128
95074	982321	1287	0.038	1.287
95075	982322	1565	0.046	1.565
95076	982323	149	0.004	0.149
95077	982324	218	0.006	0.218
95078	982325	119	0.003	0.119
95079	982326	119	0.003	0.119
95080	982327	127	0.004	0.127
95081 Dup	982327	169	0.005	0.169
95082	982328	132	0.004	0.132
95083	982329	120	0.003	0.120
95084	982330	6	<0.001	0.006
95085	982331	187	0.005	0.187
95086	982332	327	0.010	0.327

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95087	982333	1345	0.039	1.345
95088	982334	208	0.006	0.208
95089	982335	38	0.001	0.038
95090	982336	7	<0.001	0.007
95091	982337	9	<0.001	0.009
95092 Rep	982337	10	<0.001	0.010
95093	982338	9	<0.001	0.009
95094	982339	9	<0.001	0.009
95095	982340	256	0.007	0.256
95096	982341	12	<0.001	0.012
95097	982342	7	<0.001	0.007
95098	982343	14	<0.001	0.014
95099	982344	6	<0.001	0.006
95100	982345	6	<0.001	0.006
95101	982346	6	<0.001	0.006
95102	982347	20	<0.001	0.020
95103 Dup	982347	7	<0.001	0.007
95104	982348	8	<0.001	0.008
95105	982349	6	<0.001	0.006
95106	982350	8	<0.001	0.008
95107	982351	30	<0.001	0.030
95108	982352	14	<0.001	0.014
95109	982353	8	<0.001	0.008
95110	982354	8	<0.001	0.008
95111	982355	6	<0.001	0.006
95112	982356	7	<0.001	0.007
95113	982357	15	<0.001	0.015
95114 Dup	982357	11	<0.001	0.011
95115	982358	16	<0.001	0.016
95116	982359	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141302  
 Reference: TMI-TML  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95117	982360	4892	0.143	4.892
95118	982361	19	<0.001	0.019
95119	982362	31	<0.001	0.031
95120	982363	125	0.004	0.125
95121	982364	109	0.003	0.109
95122	982365	46	0.001	0.046
95123	982366	35	0.001	0.035
95124	982367	717	0.021	0.717
95125 Dup	982367	716	0.021	0.716
95126	982368	292	0.009	0.292
95127	982369	111	0.003	0.111
95128	982370	<5	<0.001	<0.005
95129	982371	88	0.003	0.088
95130	982372	248	0.007	0.248
95131	982373	67	0.002	0.067
95132	982374	57	0.002	0.057
95133	982375	124	0.004	0.124
95134	982376	356	0.010	0.356
95135	982377	31	<0.001	0.031
95136 Dup	982377	25	<0.001	0.025
95137	982378	29	<0.001	0.029
95138	982379	32	<0.001	0.032
95139	982380	1209	0.035	1.209
95140	982381	48	0.001	0.048
95141	982382	22	<0.001	0.022
95142	982383	<5	<0.001	<0.005
95143	982384	31	<0.001	0.031

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/14/2011  
 Date Completed: 04/25/2011  
 Job #: 201141489  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
103877	982313	0.098	3.358
103878	982318	0.090	3.073

PROCEDURE CODES: ALFA7

 Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95144	983239	0.037	<1	9.18	4	476	2	10	1.79	6	24	284	60	3.62	1.97	50	1.16	556	35	63	525	44	0.58	<5	<5	<10	137	3034	2	99	<10	6	120
95145	983240	<0.005	<1	6.74	6	506	<2	7	1.76	<4	14	69	26	2.23	1.91	35	0.54	449	30	30	505	13	0.09	<5	<5	<10	214	2119	2	75	42	6	46
95146	983241	0.024	<1	8.73	29	775	2	10	1.47	<4	12	154	14	1.50	2.00	44	0.52	234	31	15	400	42	1.35	<5	8	<10	155	1941	<2	40	<10	4	91
95147	983242	0.011	<1	8.47	29	763	<2	3	1.37	<4	12	210	12	1.85	2.19	44	0.50	199	27	20	285	15	1.83	<5	<5	<10	161	1899	<2	38	<10	4	48
95148	983243	0.175	<1	9.79	<2	609	2	5	2.46	6	21	298	52	3.60	2.07	55	1.19	726	38	62	574	20	0.84	<5	9	<10	217	3179	10	105	<10	8	104
95149	983244	<0.005	<1	8.08	8	628	<2	1	1.68	<4	7	229	8	0.78	2.03	37	0.34	147	25	9	344	18	0.49	<5	12	<10	240	1572	<2	32	<10	4	23
95150	983245	0.006	<1	7.90	10	577	<2	<1	1.77	<4	7	187	12	0.77	2.13	36	0.35	157	24	10	341	13	0.59	<5	5	<10	245	1497	3	30	<10	3	59
95151	983246	0.009	<1	7.59	12	565	<2	<1	1.69	<4	8	233	9	0.87	1.98	36	0.34	158	25	11	323	11	0.65	5	11	<10	247	1435	<2	28	<10	3	25
95152	983247	<0.005	<1	7.12	8	483	<2	4	1.45	<4	7	177	9	0.68	2.04	33	0.30	122	22	11	268	19	0.48	<5	10	<10	237	1450	<2	24	<10	3	83
95153	983248	0.010	<1	7.38	13	607	<2	<1	1.72	<4	10	220	21	1.30	1.74	37	0.42	250	24	19	415	25	0.86	<5	10	<10	267	1927	<2	42	<10	4	85
95154D	983248	0.010	<1	7.92	16	627	<2	6	1.87	<4	12	222	20	1.38	1.78	37	0.47	260	24	20	424	31	0.88	<5	12	<10	281	1929	<2	42	<10	4	90
95155	983249	0.009	<1	8.78	18	767	2	8	1.73	<4	10	155	18	0.85	1.90	40	0.44	192	27	15	494	22	0.47	<5	10	<10	276	2017	6	38	<10	4	43
95156	983250	1.168	<1	8.31	20	615	<2	7	2.06	6	15	62	587	3.47	2.65	35	0.78	554	53	33	668	70	0.69	6	<5	<10	238	2109	<2	108	27	8	113
95157	983251	0.012	<1	8.30	9	712	<2	12	1.68	<4	7	203	18	0.67	2.34	42	0.37	135	22	7	404	24	0.27	<5	<5	<10	279	1576	<2	27	<10	3	77
95158	983252	0.008	<1	7.90	10	669	2	2	1.61	<4	7	178	14	0.61	2.50	43	0.34	136	21	7	387	26	0.26	<5	<5	<10	278	1549	<2	28	<10	3	36
95159	983253	0.006	<1	7.89	14	589	<2	8	1.70	<4	7	272	12	0.69	2.39	43	0.33	129	21	9	381	13	0.33	<5	<5	<10	266	1496	<2	29	<10	3	29
95160	983254	<0.005	<1	7.41	7	546	<2	<1	1.66	<4	5	164	7	0.52	2.53	39	0.30	104	20	8	394	14	0.17	<5	6	<10	280	1617	<2	31	<10	3	28
95161	983255	<0.005	<1	7.80	3	535	2	7	1.76	<4	6	213	7	0.68	2.25	40	0.37	138	22	9	426	19	0.15	<5	10	<10	332	1754	<2	34	<10	3	43
95162	983256	0.011	<1	7.47	<2	559	<2	6	2.34	<4	9	146	11	1.68	2.24	39	0.61	339	28	9	487	22	0.46	<5	<5	<10	270	2033	<2	38	<10	4	55
95163	983257	0.286	8	6.84	10	513	<2	<1	1.63	<4	5	233	43	0.87	2.04	38	0.56	846	25	6	378	109	0.57	<5	11	<10	116	1737	<2	26	<10	3	192

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95164	983258	2.418	15	6.83	33	390	<2	3	1.06	4	6	172	57	1.35	1.97	34	0.40	321	27	10	361	402	1.62	9	<5	<10	82	1630	<2	30	10	3	874
95165D	983258	2.545	18	7.65	39	417	2	2	1.17	4	7	184	62	1.55	2.13	36	0.47	351	29	11	414	458	1.81	13	12	<10	89	1757	<2	33	12	3	1000
95166	983259	6.025	68	7.34	63	432	2	3	0.88	18	8	342	538	2.45	2.20	34	0.37	213	30	12	337	2623	3.39	60	5	<10	76	1626	<2	32	43	3	6641
95167	983260	<0.005	<1	10.15	<2	563	<2	3	2.16	4	13	66	32	2.44	2.03	38	0.77	483	33	31	576	35	0.12	<5	15	<10	262	2230	8	80	50	9	105
95168	983261	4.555	45	6.54	63	440	2	4	0.86	4	7	200	70	1.48	2.44	36	0.37	222	26	10	339	482	1.68	34	<5	<10	77	1600	<2	32	<10	3	783
95169	983262	3.389	13	6.30	38	426	<2	<1	0.90	<4	8	223	30	1.45	2.02	33	0.45	352	20	10	343	115	1.58	<5	6	<10	72	1671	<2	34	<10	3	412
95170	983263	1.063	13	6.98	34	450	2	<1	1.23	<4	9	163	23	1.41	2.42	41	0.58	450	23	11	390	249	1.40	7	<5	<10	106	1927	3	38	<10	3	275
95171	983264	1.363	9	7.37	39	366	<2	2	1.55	7	7	244	32	1.61	2.06	38	0.78	625	25	10	362	428	1.52	11	<5	<10	114	1568	<2	30	16	3	1765
95172	983265	0.905	16	7.73	27	513	2	4	2.44	<4	7	156	264	1.67	2.35	42	0.94	849	26	8	367	366	1.60	6	6	<10	176	1751	2	32	<10	3	337
95173	983266	0.913	18	8.11	12	484	2	9	2.59	<4	8	226	279	1.70	2.09	41	0.97	885	25	9	385	451	1.58	5	12	<10	180	1709	<2	33	<10	4	356
95174	983267	0.036	<1	7.52	5	371	<2	6	3.37	<4	10	146	22	1.45	2.62	29	0.70	787	22	11	392	32	0.96	7	5	<10	206	1792	2	28	<10	4	44
95175	983268	0.012	<1	7.51	4	374	<2	3	2.71	<4	8	251	10	1.07	2.74	35	0.53	554	21	10	411	23	0.67	<5	7	<10	207	1696	2	29	<10	3	50
95176D	983268	0.017	<1	7.95	11	372	<2	2	2.73	<4	7	246	9	1.05	2.76	35	0.56	548	22	11	408	24	0.63	<5	14	<10	207	1692	<2	29	<10	3	40
95177	983269	0.009	<1	8.73	7	417	<2	<1	2.63	<4	8	175	8	1.08	2.62	39	0.72	625	25	8	444	24	0.68	<5	10	<10	214	1608	<2	30	<10	4	34
95178	983270	0.254	357	7.78	4278	276	<2	7	2.46	130	15	56	485	7.27	1.85	33	0.66	1280	37	26	494	9595	7.42	79	11	<10	215	1605	<2	91	69	7	13545
95179	983271	0.005	2	9.61	29	400	<2	10	2.41	<4	10	225	14	1.76	2.25	40	0.68	530	27	11	486	56	1.72	<5	6	<10	225	1578	4	36	<10	4	110
95180	983272	0.010	<1	8.89	5	538	4	3	4.21	4	17	157	25	2.35	2.61	36	0.86	740	27	16	437	23	1.64	<5	13	<10	304	1924	<2	37	110	5	112
95181	983273	<0.005	<1	8.27	<2	536	<2	4	2.43	<4	6	211	16	1.46	2.42	39	0.44	282	20	8	414	14	0.41	<5	9	<10	241	1901	<2	37	<10	4	41
95182	983274	<0.005	<1	8.49	<2	607	<2	3	2.33	<4	5	164	11	1.22	2.27	40	0.35	179	18	7	450	6	0.28	5	20	<10	238	1969	<2	41	<10	4	32
95183	983275	<0.005	<1	7.87	3	578	<2	2	2.09	<4	6	244	9	1.33	2.10	39	0.32	170	18	8	450	13	0.58	<5	11	<10	221	1891	<2	39	10	4	38

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95184	983276	0.005	<1	7.81	6	708	<2	3	2.30	4	8	144	19	2.58	2.29	47	0.44	316	23	9	470	16	2.00	<5	<5	<10	259	2198	3	43	<10	4	65
95185	983277	<0.005	<1	9.05	7	361	<2	<1	3.38	<4	6	368	8	1.23	2.31	38	0.81	305	23	9	396	13	0.87	<5	14	<10	233	1879	6	31	10	4	28
95186	983278	<0.005	<1	8.37	6	509	<2	5	1.75	<4	7	143	13	1.29	2.68	45	0.70	319	21	8	483	18	1.46	<5	13	<10	174	2239	2	46	<10	3	39
95187D	983278	<0.005	<1	8.46	9	511	<2	11	1.71	<4	7	137	13	1.25	2.35	47	0.64	317	23	8	497	20	1.37	<5	<5	<10	172	2275	5	46	<10	3	41
95188	983279	0.091	10	7.53	17	413	<2	1	0.82	<4	9	174	14	1.58	2.38	42	0.38	197	22	11	413	43	2.10	<5	8	<10	98	1955	<2	37	<10	3	231
95189	983280	<0.005	<1	8.60	5	548	<2	13	2.03	4	14	63	27	2.45	2.27	34	0.69	487	28	34	552	7	0.10	<5	<5	<10	256	2178	2	81	49	8	52
95190	983281	0.034	11	7.41	13	366	<2	5	1.04	<4	7	179	11	1.26	2.21	41	0.41	278	20	10	385	39	1.54	<5	8	<10	110	1679	<2	29	<10	3	118
95191	983282	0.177	12	9.61	8	379	<2	5	2.50	<4	6	260	13	1.83	2.27	45	0.75	586	24	10	414	31	1.87	8	6	<10	197	1684	3	30	<10	4	51
95192	983283	0.032	<1	8.79	2	468	2	<1	2.56	5	21	320	52	3.21	2.09	45	1.03	728	33	55	514	33	0.71	<5	<5	<10	208	2660	9	85	<10	7	84
95193	983284	0.015	<1	8.55	18	484	<2	12	2.15	<4	9	267	16	1.98	1.90	39	0.78	374	28	13	539	16	1.05	6	10	<10	135	1880	5	42	<10	4	52
95194	983285	0.008	<1	8.48	29	519	2	5	2.20	<4	10	208	16	1.80	2.21	42	0.83	392	27	12	524	18	0.81	<5	6	<10	142	2051	<2	41	11	4	52
95195	983286	0.006	<1	8.69	21	599	2	10	2.17	<4	10	268	16	1.85	2.21	44	0.84	377	27	14	550	23	0.86	<5	8	<10	145	2179	<2	43	14	4	56
95196	983287	0.007	<1	8.18	43	590	<2	8	1.93	<4	14	269	21	1.83	2.40	39	0.68	284	25	15	477	21	0.96	<5	<5	<10	132	2089	<2	42	16	4	47
95197	983288	0.020	<1	6.82	18	543	<2	2	1.57	<4	8	215	14	1.31	2.08	35	0.57	273	21	11	444	10	0.51	<5	<5	<10	119	1876	<2	34	<10	3	39
95198D	983288	0.076	<1	8.49	22	650	<2	2	1.93	<4	10	255	18	1.63	2.51	44	0.67	328	25	14	546	14	0.65	<5	13	<10	148	2199	<2	41	<10	4	57
95199	983289	0.018	<1	11.96	36	517	2	13	4.13	4	12	140	21	2.81	2.21	50	1.63	771	35	15	949	39	1.36	7	10	<10	219	2138	7	46	<10	6	113
95200	983290	4.990	5	8.46	8	357	<2	11	3.35	9	28	84	109	4.64	2.35	36	1.43	839	43	53	936	22	0.87	<5	<5	<10	299	3566	5	127	<10	10	113
95201	983291	0.061	<1	8.01	50	596	<2	4	1.11	<4	8	203	12	1.98	2.15	34	0.40	187	22	13	526	30	2.07	<5	<5	<10	109	1877	<2	41	<10	4	97
95202	983292	0.241	<1	7.55	51	492	2	<1	0.96	<4	9	148	16	1.75	2.11	32	0.36	147	20	11	495	41	2.02	5	<5	<10	107	1444	<2	36	<10	3	49
95203	983293	0.068	<1	8.80	55	682	2	8	1.75	<4	8	189	18	1.79	1.97	37	0.67	358	23	11	683	45	1.43	<5	<5	<10	113	1550	2	37	<10	4	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
95204	983294	0.098	<1	7.84	49	633	<2	<1	0.83	<4	8	350	35	1.79	2.15	33	0.37	127	23	13	496	43	1.94	<5	<5	<10	79	1412	<2	35	<10	3	177
95205	983295	0.679	4	7.70	161	501	2	8	0.70	6	12	413	97	2.40	2.27	33	0.32	<100	26	34	370	124	3.07	27	<5	<10	76	1098	<2	57	12	4	901
95206	983296	0.052	<1	6.99	89	412	2	5	0.63	<4	14	477	47	1.88	2.54	30	0.29	<100	23	43	301	38	2.24	<5	<5	<10	71	1015	<2	57	<10	3	255
95207	983297	0.144	<1	7.46	102	552	2	<1	0.65	6	15	406	51	2.28	2.29	31	0.30	<100	25	42	365	78	2.90	<5	7	<10	75	1057	2	62	14	4	879
95208	983298	3.406	83	6.61	1571	199	<2	<1	0.73	43	10	455	1963	5.67	1.55	27	0.27	116	28	33	429	3388	7.62	607	<5	<10	63	781	<2	31	66	4	12035
95209R	983298	3.985	88	6.70	1982	207	<2	4	0.78	52	11	565	2878	6.03	1.50	29	0.28	144	32	37	446	4943	8.27	939	<5	<10	68	817	2	32	80	4	13826
95210	983299	0.114	1	6.44	109	580	<2	1	0.65	43	9	311	142	1.43	2.31	31	0.28	<100	23	12	391	233	2.12	15	<5	<10	68	1138	<2	33	58	3	671
95211	983300	<0.005	<1	8.08	3	534	<2	6	1.95	4	15	66	29	2.45	2.57	31	0.75	482	24	35	544	25	0.10	<5	<5	<10	251	2148	4	81	52	9	152
95212	983301	0.075	<1	7.18	42	653	2	<1	0.58	<4	9	292	70	1.31	2.55	31	0.29	<100	19	12	451	217	1.50	7	6	<10	69	1448	3	39	13	3	557
95213	983302	0.042	<1	7.13	37	636	2	<1	0.77	<4	8	216	34	1.16	2.33	32	0.35	138	18	11	507	59	1.32	<5	<5	<10	72	1662	<2	39	<10	3	139
95214	983303	0.454	2	7.71	98	524	2	<1	1.62	10	11	285	90	2.64	2.32	33	0.84	589	24	13	496	510	3.45	32	<5	<10	102	1474	<2	38	22	4	1642
95215	983304	0.028	<1	7.30	38	560	<2	<1	0.73	<4	8	256	46	1.26	2.35	29	0.37	140	17	11	443	39	1.42	<5	<5	<10	69	1653	3	36	13	3	310
95216	983305	0.070	<1	9.00	31	645	2	10	1.86	<4	10	245	28	1.62	2.48	38	0.85	649	24	14	549	51	1.33	8	12	<10	103	2126	3	43	11	4	183
95217	983306	0.033	<1	8.09	35	613	2	8	1.63	<4	9	218	27	1.41	2.29	38	0.74	584	24	12	513	46	1.16	<5	12	<10	93	2058	2	41	11	3	232
95218	983307	0.037	<1	7.71	28	667	<2	5	1.81	<4	10	210	19	1.59	1.99	40	0.84	609	23	12	486	54	1.23	<5	6	<10	109	2072	5	39	<10	4	101
95219	983308	0.405	<1	7.56	66	726	<2	7	0.92	5	11	226	87	1.97	2.24	37	0.48	245	22	13	501	189	2.50	36	<5	<10	78	2088	<2	39	15	3	766
95220D	983308	0.395	1	7.43	66	743	<2	<1	0.91	5	10	227	91	1.97	2.38	39	0.46	243	23	13	520	195	2.56	38	<5	<10	80	2163	<2	40	14	3	791
95221	983309	0.026	<1	9.34	24	600	<2	8	2.24	<4	10	260	12	1.84	2.53	53	1.60	578	31	12	520	41	0.97	7	11	<10	74	2166	<2	39	12	5	143
95222	983310	1.054	<1	9.25	19	658	<2	8	2.21	7	16	67	628	3.90	2.45	28	1.04	609	52	37	714	81	0.83	<5	<5	<10	263	2194	4	117	36	12	123
95223	983311	0.012	<1	9.72	12	676	<2	3	2.52	4	10	207	30	2.02	2.47	37	1.64	750	28	14	529	31	0.87	<5	<5	<10	138	2161	6	41	11	5	465

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95144	983239	37	0.001	0.037
95145	983240	<5	<0.001	<0.005
95146	983241	24	<0.001	0.024
95147	983242	11	<0.001	0.011
95148	983243	175	0.005	0.175
95149	983244	<5	<0.001	<0.005
95150	983245	6	<0.001	0.006
95151	983246	9	<0.001	0.009
95152	983247	<5	<0.001	<0.005
95153	983248	10	<0.001	0.010
95154 Dup	983248	10	<0.001	0.010
95155	983249	9	<0.001	0.009
95156	983250	1168	0.034	1.168
95157	983251	12	<0.001	0.012
95158	983252	8	<0.001	0.008
95159	983253	6	<0.001	0.006
95160	983254	<5	<0.001	<0.005
95161	983255	<5	<0.001	<0.005
95162	983256	11	<0.001	0.011
95163	983257	286	0.008	0.286
95164	983258	2418	0.071	2.418
95165 Dup	983258	2545	0.074	2.545
95166	983259	6025	0.176	6.025
95167	983260	<5	<0.001	<0.005
95168	983261	4555	0.133	4.555
95169	983262	3389	0.099	3.389
95170	983263	1063	0.031	1.063
95171	983264	1363	0.040	1.363
95172	983265	905	0.026	0.905
95173	983266	913	0.027	0.913

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95174	983267	36	0.001	0.036
95175	983268	12	<0.001	0.012
95176 Dup	983268	17	<0.001	0.017
95177	983269	9	<0.001	0.009
95178	983270	254	0.007	0.254
95179	983271	5	<0.001	0.005
95180	983272	10	<0.001	0.010
95181	983273	<5	<0.001	<0.005
95182	983274	<5	<0.001	<0.005
95183	983275	<5	<0.001	<0.005
95184	983276	5	<0.001	0.005
95185	983277	<5	<0.001	<0.005
95186	983278	<5	<0.001	<0.005
95187 Dup	983278	<5	<0.001	<0.005
95188	983279	91	0.003	0.091
95189	983280	<5	<0.001	<0.005
95190	983281	34	<0.001	0.034
95191	983282	177	0.005	0.177
95192	983283	32	<0.001	0.032
95193	983284	15	<0.001	0.015
95194	983285	8	<0.001	0.008
95195	983286	6	<0.001	0.006
95196	983287	7	<0.001	0.007
95197	983288	20	<0.001	0.020
95198 Dup	983288	76	0.002	0.076
95199	983289	18	<0.001	0.018
95200	983290	4990	0.146	4.990
95201	983291	61	0.002	0.061
95202	983292	241	0.007	0.241
95203	983293	68	0.002	0.068

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, April 13, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/01/2011  
 Date Completed: 04/13/2011  
 Job #: 201141303  
 Reference: TMI-TML  
 Sample #: 73

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
95204	983294	98	0.003	0.098
95205	983295	679	0.020	0.679
95206	983296	52	0.002	0.052
95207	983297	144	0.004	0.144
95208	983298	3406	0.099	3.406
95209 Rep	983298	3985	0.116	3.985
95210	983299	114	0.003	0.114
95211	983300	<5	<0.001	<0.005
95212	983301	75	0.002	0.075
95213	983302	42	0.001	0.042
95214	983303	454	0.013	0.454
95215	983304	28	<0.001	0.028
95216	983305	70	0.002	0.070
95217	983306	33	<0.001	0.033
95218	983307	37	0.001	0.037
95219	983308	405	0.012	0.405
95220 Dup	983308	395	0.012	0.395
95221	983309	26	<0.001	0.026
95222	983310	1054	0.031	1.054
95223	983311	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/14/2011  
 Date Completed: 04/21/2011  
 Job #: 201141487  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
103873	983259	7.180	6.717	89.661	10.471	4.26%	42.8

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/14/2011  
Date Completed: 04/25/2011  
Job #: 201141488  
Reference: TMI-TML  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
103874	983261	0.150	5.130
103875	983262	0.119	4.095
103876	983298	0.116	3.987

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, April 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97052	982385	<0.005	<1	10.29	10	425	<2	4	1.79	<4	7	54	19	0.48	2.03	25	0.40	<100	23	49	426	13	0.08	<5	14	<10	311	1748	<2	41	<10	6	59
97053	982386	<0.005	<1	8.76	11	467	<2	<1	1.48	<4	11	82	21	0.60	1.97	24	0.41	<100	24	55	501	8	0.16	<5	12	<10	237	1920	7	46	<10	7	44
97054	982387	<0.005	<1	9.36	9	418	<2	<1	1.94	<4	12	63	21	0.69	1.94	23	0.51	124	22	47	493	16	0.19	<5	19	<10	292	1797	<2	49	<10	6	55
97055	982388	<0.005	<1	8.84	5	425	<2	<1	1.97	<4	13	66	19	0.69	1.94	21	0.46	122	20	47	498	11	0.18	<5	12	<10	313	1779	<2	51	<10	5	34
97056	982389	<0.005	<1	7.27	2	359	<2	<1	1.03	<4	12	60	15	0.56	1.87	21	0.38	<100	19	45	363	13	0.19	<5	12	<10	159	1409	<2	41	<10	5	39
97057	982390	<0.005	<1	6.79	7	455	<2	<1	1.66	4	14	62	21	2.33	1.81	19	0.85	478	36	39	333	8	0.07	<5	<5	<10	197	1720	<2	73	44	13	43
97058	982391	0.015	<1	8.53	14	466	<2	<1	1.85	6	24	103	44	3.34	1.90	31	0.98	574	50	83	604	24	2.03	<5	14	<10	191	1580	<2	63	<10	11	65
97059	982392	0.016	<1	7.78	21	368	<2	<1	1.09	<4	18	69	24	1.61	2.10	23	0.51	162	27	58	443	15	1.30	<5	<5	<10	172	1617	32	53	<10	6	100
97060	982393	0.018	<1	7.44	7	557	<2	<1	1.60	5	17	65	28	2.83	2.14	28	0.86	398	40	43	511	11	0.66	<5	<5	<10	265	2489	4	58	<10	9	93
97061	982394	0.018	<1	7.50	7	277	<2	<1	1.84	<4	10	20	19	1.67	2.16	24	0.97	587	33	17	394	24	0.37	<5	16	<10	235	1076	48	21	<10	7	63
97062D	982394	0.019	<1	6.29	3	245	<2	<1	1.57	<4	14	19	14	1.58	1.77	20	0.87	540	31	16	189	13	0.37	<5	<5	<10	205	963	<2	19	<10	6	47
97063	982395	0.012	<1	8.27	2	371	<2	<1	1.56	<4	7	29	8	1.02	2.06	27	0.67	354	28	26	280	19	0.12	<5	7	<10	249	1262	<2	24	<10	6	36
97064	982396	<0.005	<1	8.20	2	385	<2	<1	1.05	<4	4	24	6	0.82	2.05	30	0.56	227	24	29	260	5	0.08	<5	<5	<10	204	1288	9	24	<10	6	22
97065	982397	<0.005	<1	8.51	5	413	<2	<1	0.99	<4	5	26	3	0.71	2.10	27	0.51	178	24	29	383	3	0.10	<5	15	<10	209	1277	30	24	<10	5	18
97066	982398	0.009	<1	7.23	4	361	<2	<1	0.90	<4	6	43	8	0.70	1.88	22	0.45	159	26	64	381	3	0.12	<5	12	<10	181	1136	4	27	<10	5	15
97067	982399	0.008	<1	8.93	4	406	<2	<1	1.70	<4	7	57	5	1.06	2.00	31	0.79	278	34	68	216	7	0.16	<5	7	<10	254	1283	<2	32	<10	5	13
97068	982400	0.247	357	7.68	4171	145	<2	<1	2.30	144	16	56	477	7.59	1.80	19	0.90	1336	74	33	687	9537	6.13	67	12	13	184	1343	36	90	68	11	13463
97069	982401	<0.005	4	8.44	64	361	<2	<1	1.68	<4	9	36	11	1.14	2.02	26	0.81	359	32	46	436	119	0.23	5	9	<10	248	1207	<2	28	<10	5	179
97070	982402	0.009	<1	7.69	5	409	<2	<1	1.36	<4	8	28	7	1.16	2.08	26	0.72	368	29	38	430	6	0.15	<5	9	<10	188	1287	104	26	<10	6	43
97071	982403	0.010	<1	8.88	4	520	<2	<1	1.60	<4	11	60	13	2.05	1.95	30	0.79	433	38	71	500	8	0.34	<5	<5	<10	202	1918	21	46	10	7	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97072	982404	0.014	<1	8.12	4	411	<2	<1	1.57	4	13	47	26	2.22	2.05	30	0.87	437	39	53	532	13	0.41	<5	<5	<10	231	1897	28	44	<10	7	114
97073D	982404	0.020	<1	9.24	11	440	<2	<1	1.75	4	13	50	27	2.28	2.11	33	0.90	450	40	60	660	13	0.42	<5	6	<10	257	2003	<2	46	<10	8	111
97074	982405	0.035	<1	8.78	3	407	<2	<1	1.35	4	11	60	24	2.18	2.13	27	0.71	336	35	75	498	20	0.68	<5	<5	<10	205	1669	21	42	<10	7	123
97075	982406	0.036	<1	8.87	5	455	<2	<1	1.58	4	12	53	24	2.24	2.33	27	0.71	368	37	65	411	20	0.67	<5	9	<10	257	1894	31	45	<10	7	113
97076	982407	0.032	<1	8.61	10	428	<2	<1	1.10	<4	23	58	18	1.72	2.13	28	0.62	265	31	80	522	22	0.43	<5	6	<10	167	1661	<2	44	<10	7	71
97077	982408	0.056	<1	9.82	20	477	<2	8	1.42	<4	25	52	85	1.84	2.14	34	0.80	323	37	77	609	41	0.61	<5	7	<10	198	1788	<2	50	<10	7	49
97078	982409	0.049	<1	9.15	22	505	<2	<1	0.86	<4	30	50	39	1.02	2.01	26	0.41	117	27	75	588	40	0.37	<5	5	<10	152	1591	12	46	<10	6	26
97079	982410	<0.005	<1	8.43	7	505	<2	<1	1.86	4	14	63	23	2.49	2.34	24	0.93	506	40	39	492	18	0.07	<5	<5	<10	225	1921	20	76	47	14	48
97080	982411	0.014	<1	9.22	11	499	<2	<1	1.48	<4	10	36	19	1.90	2.07	28	0.75	351	34	53	577	26	0.44	<5	16	<10	208	1898	28	43	<10	7	60
97081	982412	0.152	<1	9.44	46	466	<2	<1	2.00	7	22	141	43	3.84	2.06	31	1.41	787	60	93	410	45	2.09	<5	<5	<10	142	2389	<2	76	<10	15	102
97082	982413	0.008	<1	8.29	9	451	<2	<1	1.31	<4	7	42	9	1.04	2.02	24	0.52	193	26	53	274	21	0.60	<5	7	<10	174	1274	<2	29	<10	5	59
97083	982414	<0.005	<1	8.80	11	461	<2	<1	1.78	<4	8	43	4	0.74	2.10	24	0.49	168	23	48	135	20	0.43	<5	14	<10	236	1283	58	29	<10	4	82
97084D	982414	0.010	<1	7.57	17	394	<2	<1	1.34	<4	7	42	4	0.75	2.10	23	0.51	167	24	51	346	14	0.44	<5	<5	<10	166	1215	119	27	<10	4	82
97085	982415	0.008	<1	8.90	19	506	<2	<1	1.66	<4	8	34	7	0.84	2.11	25	0.54	195	25	41	369	24	0.49	<5	15	<10	244	1410	12	31	<10	4	37
97086	982416	0.008	<1	7.20	6	425	<2	<1	1.20	<4	7	29	7	0.64	2.17	21	0.48	166	21	41	163	14	0.30	<5	<5	<10	174	1194	<2	24	<10	4	49
97087	982417	0.015	<1	8.28	16	531	<2	<1	1.73	<4	11	57	19	1.65	2.13	26	0.77	346	33	63	538	19	0.85	<5	<5	<10	222	1597	18	41	<10	8	64
97088	982418	0.028	<1	7.97	9	568	<2	1	1.73	4	13	67	33	2.10	2.18	28	0.90	434	39	51	445	22	0.76	<5	<5	<10	204	1731	28	50	<10	9	108
97089	982419	0.009	<1	8.25	14	619	<2	<1	1.22	<4	9	30	10	0.69	2.09	24	0.42	137	22	38	115	20	0.30	<5	11	<10	200	1357	<2	29	<10	5	80
97090	982420	5.165	7	8.96	8	338	<2	<1	3.11	10	28	77	102	4.73	2.16	26	2.03	911	86	62	909	28	0.79	<5	<5	<10	266	2027	<2	115	<10	15	101
97091	982421	1.138	<1	6.99	17	515	<2	<1	1.10	<4	6	32	12	0.60	2.15	20	0.32	117	19	44	191	22	0.30	5	7	<10	162	1061	<2	26	<10	4	24

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97092	982422	6.116	<1	7.95	22	571	<2	<1	1.14	<4	7	27	12	0.59	1.98	20	0.26	<100	17	39	174	76	0.36	<5	5	<10	193	1235	19	28	<10	4	203
97093	982423	0.154	<1	8.44	15	537	<2	<1	1.38	<4	5	31	24	0.62	2.05	22	0.28	109	19	46	337	82	0.36	<5	6	<10	207	1256	<2	30	<10	4	167
97094	982424	0.008	<1	7.99	9	437	<2	<1	1.38	<4	8	22	14	0.69	2.03	24	0.43	172	23	30	523	20	0.25	<5	<5	<10	202	1317	13	24	<10	5	44
97095D	982424	0.006	<1	6.16	6	352	<2	<1	1.08	<4	6	22	13	0.63	1.82	20	0.37	158	20	27	286	18	0.24	<5	8	<10	145	1152	<2	21	<10	5	41
97096	982425	0.011	<1	6.76	3	417	<2	<1	1.89	<4	8	24	14	1.63	1.83	22	0.68	365	30	32	383	14	0.37	<5	<5	<10	176	1621	<2	32	<10	6	37
97097	982426	0.011	<1	7.20	3	445	<2	<1	2.04	<4	8	24	15	1.75	2.04	23	0.74	394	30	28	512	16	0.42	<5	8	<10	187	1782	<2	33	<10	6	42
97098	982427	0.095	<1	7.06	20	393	<2	<1	1.29	<4	7	23	15	1.49	2.10	22	0.85	554	32	31	349	74	0.72	<5	<5	<10	106	1425	12	29	<10	5	126
97099	982428	5.627	25	4.84	76	245	<2	<1	0.72	15	2	24	175	2.12	1.81	14	0.42	243	27	26	<100	3373	2.45	29	<5	<10	73	655	<2	17	24	3	3617
97100	982429	4.012	8	6.54	80	311	<2	<1	0.38	13	3	22	137	2.50	1.76	18	0.29	<100	27	27	170	1451	2.99	26	<5	<10	47	826	<2	20	22	4	3341
97101	982430	<0.005	<1	6.34	6	431	<2	<1	1.63	4	13	62	23	2.39	1.88	20	0.87	478	36	36	394	28	0.11	<5	<5	<10	175	1645	<2	71	46	13	87
97102	982431	0.751	3	5.64	73	252	<2	<1	0.41	4	3	18	26	1.76	1.73	15	0.36	117	22	20	185	402	1.92	15	<5	<10	50	852	<2	21	12	4	805
97103	982432	0.925	26	5.68	124	244	<2	<1	0.32	12	6	18	169	2.37	1.73	15	0.25	<100	26	22	393	3366	2.85	27	<5	<10	36	954	<2	18	23	4	3331
97104	982433	0.312	4	6.66	69	281	<2	<1	0.42	11	4	23	59	1.79	1.98	18	0.31	111	26	31	224	723	2.09	7	<5	<10	44	1003	<2	21	23	7	3561
97105	982434	0.647	18	7.13	41	203	<2	<1	2.93	12	6	22	21	2.27	1.93	19	1.66	1805	53	30	621	2792	2.26	11	14	<10	110	1410	41	25	22	6	3551
97106D	982434	0.627	18	6.71	40	193	<2	<1	2.93	12	5	23	19	2.27	1.82	18	1.63	1818	51	30	466	2830	2.28	8	<5	<10	108	1360	<2	25	26	5	3513
97107	982435	0.375	5	8.95	35	386	<2	<1	2.13	6	5	25	11	1.46	2.04	26	1.27	1054	42	40	139	799	1.17	<5	7	<10	105	1429	36	29	13	5	1645
97108	982436	0.298	2	7.81	35	356	<2	<1	2.63	<4	5	25	9	1.47	1.97	19	1.30	1059	39	32	368	340	1.16	<5	13	<10	114	1319	29	25	<10	5	600
97109	982437	0.549	2	7.89	33	405	<2	<1	1.10	4	3	21	17	0.99	2.10	21	0.68	355	28	32	410	1038	0.89	6	12	<10	74	1238	47	24	14	4	1295
97110	982438	0.589	1	8.15	27	438	<2	<1	0.60	<4	5	27	21	0.97	2.00	22	0.54	199	25	37	250	212	0.87	<5	9	<10	55	1220	<2	27	<10	5	409
97111	982439	2.015	10	7.98	39	366	<2	<1	0.40	4	5	30	28	1.31	1.91	22	0.44	<100	24	35	357	609	1.35	7	12	<10	40	1196	<2	31	13	5	1264

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97112	982440	1.191	<1	8.31	19	664	<2	<1	2.09	7	18	67	574	3.78	2.31	34	0.80	619	71	66	510	80	0.61	<5	<5	<10	239	2279	52	115	33	8	107
97113	982441	3.923	11	8.53	68	344	<2	<1	0.57	10	5	38	123	2.02	2.02	26	0.39	<100	32	52	236	1111	2.23	13	<5	<10	50	1224	26	37	23	5	2848
97114	982442	1.893	6	8.73	36	359	<2	<1	0.44	6	6	22	70	1.22	2.07	24	0.41	<100	24	32	233	871	1.31	6	6	<10	45	1229	47	25	18	5	1993
97115	982443	7.146	22	9.15	21	394	<2	<1	0.51	<4	4	21	103	0.73	2.32	26	0.45	<100	25	31	257	672	0.65	5	<5	<10	50	1401	9	24	12	4	869
97116	982444	1.852	6	9.28	19	375	<2	<1	0.58	<4	2	20	40	0.63	2.11	26	0.50	129	23	26	230	640	0.53	9	7	<10	54	1339	47	24	12	5	829
97117R	982444	1.871	6	9.44	15	402	<2	<1	0.65	<4	3	23	44	0.67	2.14	29	0.51	140	27	32	501	691	0.55	7	11	<10	59	1439	31	27	13	4	992
97118	982445	1.233	10	10.22	33	445	<2	<1	1.70	5	8	33	135	1.91	2.34	39	1.10	568	46	40	475	756	1.90	5	8	<10	132	1908	<2	40	14	5	1169
97119	982446	0.617	5	9.77	32	446	<2	<1	1.66	5	7	32	26	1.62	2.37	38	1.00	542	42	35	212	434	1.46	5	5	<10	132	1870	<2	40	12	4	1038
97120	982447	20.154	17	9.34	26	400	<2	<1	0.84	<4	6	24	91	1.13	2.47	30	0.59	217	31	32	137	693	1.00	13	8	<10	89	1413	<2	27	10	4	701
97121	982448	0.777	5	9.74	28	491	<2	<1	0.62	<4	5	34	42	0.76	2.48	30	0.48	112	29	53	345	117	0.53	7	10	<10	76	1599	33	33	<10	4	168
97122	982449	0.416	5	9.78	24	428	<2	<1	0.93	<4	8	28	43	1.12	2.52	32	0.60	218	31	43	286	99	0.93	<5	10	<10	103	1532	<2	32	<10	5	155
97123	982450	0.010	<1	8.94	10	512	<2	<1	1.90	4	14	63	26	2.46	2.65	26	0.94	501	40	43	593	4	0.08	<5	<5	<10	231	1962	<2	76	48	14	59
97124	982451	1.273	11	9.79	25	404	<2	<1	1.78	<4	6	54	26	1.71	2.13	35	1.09	655	45	60	372	67	1.33	<5	12	<10	144	1572	14	32	<10	5	173
97125	982452	0.084	2	10.16	10	443	<2	<1	2.05	<4	10	27	26	2.31	2.11	36	1.03	713	42	42	250	28	1.89	<5	<5	<10	202	1738	73	34	<10	6	64
97126	982453	0.075	2	9.74	19	421	<2	2	3.01	6	8	28	10	3.66	1.93	34	1.09	949	51	38	372	20	3.37	<5	12	<10	206	1583	<2	28	<10	7	71
97127	982454	0.131	3	10.59	20	521	<2	<1	3.03	5	9	36	11	3.13	1.91	35	1.24	1030	52	58	404	23	2.75	<5	17	<10	253	1632	<2	35	<10	8	83
97128D	982454	0.149	3	11.74	22	557	<2	<1	3.27	5	10	29	11	3.11	2.03	37	1.29	1027	55	47	292	23	2.77	<5	12	<10	280	1643	4	34	<10	8	82
97129	982455	0.274	3	11.18	16	371	<2	<1	1.96	<4	9	34	9	2.03	2.30	32	0.57	196	32	41	338	27	2.05	<5	8	<10	240	1517	12	35	<10	6	38
97130	982456	0.037	2	9.77	17	369	<2	<1	2.51	6	29	32	15	2.11	2.21	28	0.67	215	33	63	427	24	2.20	<5	13	<10	281	1615	52	38	17	5	2242
97131	982457	0.011	<1	9.94	14	458	<2	<1	2.35	<4	6	24	13	1.00	2.23	33	0.50	229	29	29	385	17	0.46	<5	8	<10	262	1742	28	32	<10	4	63

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97132	982458	0.007	<1	10.40	6	491	<2	<1	2.38	<4	5	24	7	1.26	2.26	33	0.49	187	28	31	362	16	0.50	<5	14	<10	232	1721	9	34	<10	6	35
97133	982459	0.005	1	9.82	8	544	<2	<1	2.38	<4	6	29	8	1.40	2.20	34	0.46	163	29	38	267	7	0.60	<5	<5	<10	241	1859	28	42	<10	5	57
97134	982460	0.233	357	8.90	4223	168	<2	<1	2.53	144	15	57	479	7.83	2.01	24	0.91	1378	75	38	209	9585	6.34	85	8	13	211	1492	27	95	67	11	13483
97135	982461	0.013	<1	10.04	4	467	<2	<1	2.26	<4	5	23	6	1.64	2.08	32	0.51	184	28	27	368	6	0.72	<5	13	<10	213	1733	<2	34	<10	6	52
97136	982462	0.019	<1	9.50	8	467	<2	<1	2.40	6	5	22	13	3.56	1.81	32	0.36	150	37	30	288	9	3.81	6	<5	<10	253	1589	<2	34	<10	5	82
97137	982463	0.006	<1	10.44	7	548	<2	<1	2.31	4	7	21	9	2.38	2.07	40	0.74	411	36	29	397	7	0.53	<5	13	<10	247	2147	<2	38	<10	6	95
97138	982464	0.008	<1	11.91	5	579	<2	<1	2.97	5	8	23	6	2.74	2.02	46	1.18	522	46	31	365	9	0.93	6	8	<10	274	2141	61	38	<10	8	92
97139D	982464	0.008	<1	11.31	8	549	<2	<1	2.90	4	6	21	6	2.68	1.98	40	1.18	509	47	27	152	8	0.88	<5	<5	<10	274	2050	73	36	<10	8	90
97140	982465	0.007	<1	11.13	8	436	<2	<1	2.87	<4	9	19	7	1.47	1.90	37	0.91	207	37	28	340	13	0.93	<5	12	<10	274	1686	14	33	<10	6	30
97141	982466	0.007	<1	12.54	13	511	<2	<1	3.04	<4	9	50	9	1.82	2.19	43	1.03	243	46	81	398	10	0.99	<5	<5	<10	302	1941	55	40	<10	7	42
97142	982467	<0.005	<1	10.02	8	526	<2	<1	2.17	<4	14	29	8	1.34	2.42	39	1.01	155	40	45	232	16	1.12	<5	<5	<10	273	2059	2	43	<10	4	62
97143	982468	0.006	<1	8.94	11	297	<2	<1	2.37	<4	9	27	5	1.22	2.16	28	1.12	177	36	35	294	8	1.04	<5	<5	<10	262	1363	62	29	<10	5	40
97144	982469	<0.005	<1	10.71	17	431	<2	<1	2.74	<4	8	30	9	1.30	2.23	36	1.37	313	46	41	305	8	1.05	<5	9	<10	277	1625	53	35	<10	5	46
97145	982470	<0.005	<1	8.54	2	499	<2	<1	1.82	4	13	61	22	2.36	2.41	25	0.88	475	38	40	342	5	0.07	<5	9	<10	230	1882	<2	72	45	13	46
97146	982471	0.005	<1	9.54	10	417	<2	<1	2.07	<4	6	27	3	1.88	1.96	35	1.05	271	40	37	298	12	1.78	<5	11	<10	248	1500	<2	29	<10	5	51
97147	982472	0.014	<1	10.01	20	457	<2	<1	2.02	<4	10	40	9	1.67	2.07	33	1.22	314	45	56	361	13	1.43	<5	15	<10	219	1460	15	31	<10	6	41
97148	982473	0.008	<1	8.64	19	426	<2	<1	1.27	<4	9	26	6	0.80	2.18	29	0.91	163	31	37	497	9	0.59	<5	10	<10	191	1372	<2	29	<10	5	40
97149	982474	0.007	<1	10.46	16	557	<2	<1	1.86	<4	10	29	14	0.95	2.09	34	1.07	199	40	50	534	9	0.61	<5	11	<10	269	1340	<2	33	<10	6	75
97150D	982474	0.006	<1	8.09	19	432	<2	<1	1.60	<4	10	28	13	0.92	2.12	27	1.01	194	34	42	594	16	0.60	5	14	<10	237	1071	13	27	<10	5	76
97151	982475	0.006	<1	8.99	14	461	<2	<1	1.68	<4	7	32	23	0.69	2.23	34	0.77	163	32	48	465	12	0.30	<5	8	<10	251	1112	<2	31	<10	4	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97152	982476	0.005	<1	9.45	16	445	<2	<1	1.51	<4	7	21	5	0.76	2.09	33	0.86	196	33	30	694	10	0.36	<5	15	<10	226	1082	30	30	<10	6	20
97153	982477	0.005	<1	10.72	22	470	<2	<1	1.99	<4	12	25	2	0.75	2.11	36	1.16	188	40	41	504	11	0.36	<5	21	<10	332	1034	20	31	<10	5	27
97154	982478	<0.005	<1	6.68	16	317	<2	<1	1.14	<4	6	26	4	0.69	1.94	22	0.68	145	26	35	245	13	0.32	<5	6	<10	206	519	25	20	<10	5	11
97155	982479	<0.005	<1	9.32	16	468	<2	<1	1.42	<4	8	24	5	1.10	2.16	33	0.80	253	33	34	367	11	0.55	<5	7	<10	248	891	<2	30	<10	5	20
97156	982480	5.167	7	10.04	8	344	<2	<1	3.12	10	27	74	105	4.75	2.02	31	2.03	890	89	69	945	23	0.76	<5	<5	<10	277	2396	<2	117	<10	15	97
97157	982481	<0.005	<1	7.66	14	405	<2	<1	1.15	<4	7	24	6	1.89	2.04	30	0.84	396	34	26	446	8	1.34	<5	<5	<10	175	1144	39	30	<10	6	34
97158	982482	<0.005	<1	7.12	7	268	<2	<1	1.10	<4	2	61	3	1.11	2.26	24	0.49	225	29	69	<100	8	0.56	<5	<5	<10	135	864	37	19	<10	5	24
97159	982483	0.006	<1	9.62	9	494	<2	<1	2.00	<4	7	27	26	1.79	2.23	36	0.91	534	37	36	611	17	0.76	<5	8	<10	240	1660	<2	35	<10	6	42
97160	982484	<0.005	<1	8.66	12	348	<2	<1	2.58	6	5	20	41	3.24	2.11	39	1.40	897	54	15	401	16	1.89	<5	<5	<10	260	1588	<2	35	<10	7	37
97161D	982484	<0.005	<1	11.41	10	430	<2	<1	3.09	6	6	20	42	3.34	2.15	49	1.44	928	58	28	534	17	1.90	<5	<5	<10	310	1811	27	39	<10	9	39
97162	982485	0.007	<1	10.68	10	406	<2	<1	3.56	5	12	188	33	3.04	2.14	44	1.68	900	62	33	611	19	1.12	<5	9	<10	348	1907	<2	51	<10	10	50
97163	982486	0.006	1	11.82	6	439	2	6	3.69	5	13	224	34	3.17	2.11	47	1.71	924	63	39	717	11	1.16	<5	7	<10	361	1946	35	54	<10	11	50
97164	982487	0.021	1	10.28	3	379	<2	<1	2.85	7	21	260	54	4.04	2.08	40	1.70	700	66	68	313	30	1.28	<5	9	<10	304	2111	114	71	<10	14	73
97165	982488	0.018	<1	10.51	25	371	<2	<1	2.96	6	20	286	47	3.47	2.20	34	1.42	692	55	60	474	57	2.58	<5	<5	<10	292	1580	24	68	<10	13	65
97166	982489	0.009	1	9.24	16	459	<2	<1	2.38	5	13	334	45	2.84	2.15	30	1.06	467	45	51	424	14	1.78	<5	<5	<10	219	1317	<2	50	<10	8	46
97167	982490	<0.005	<1	8.04	7	488	<2	<1	1.81	4	13	66	23	2.47	2.06	23	0.91	494	39	40	546	6	0.09	<5	8	<10	223	1868	56	75	45	14	42
97168	982491	0.006	<1	9.44	19	399	<2	<1	2.87	<4	9	208	14	1.93	2.20	26	1.29	437	40	14	465	15	0.44	<5	<5	<10	128	1551	<2	29	<10	6	55
97169	982492	0.087	<1	9.42	50	506	<2	<1	1.05	<4	9	266	13	1.70	2.55	26	0.58	166	29	20	555	39	1.25	<5	8	<10	88	1523	14	34	<10	5	148
97170	982493	0.609	7	8.58	48	368	<2	<1	0.96	6	7	207	25	1.84	2.36	20	0.51	194	27	17	292	346	1.47	5	<5	<10	85	1056	32	27	11	5	1077
97171	982494	0.031	1	10.37	35	460	<2	<1	2.00	<4	9	200	12	2.00	2.29	27	0.99	446	38	21	622	38	1.06	<5	10	<10	111	1344	<2	33	<10	6	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97172D	982494	0.053	1	9.75	35	394	<2	<1	2.03	<4	8	204	12	1.99	2.10	24	1.00	450	36	19	473	32	1.08	<5	7	<10	109	1207	<2	29	<10	6	53
97173	982495	0.188	<1	9.79	64	571	<2	<1	0.56	<4	9	209	31	2.09	2.03	23	0.41	<100	28	25	431	62	1.84	<5	<5	<10	62	1165	16	37	<10	7	148
97174	982496	0.107	<1	9.02	59	527	<2	<1	0.41	<4	7	173	15	1.74	2.39	19	0.33	<100	23	17	201	44	1.59	<5	<5	<10	54	1025	<2	29	10	5	58
97175	982497	0.069	<1	9.18	53	500	2	<1	0.51	<4	9	223	16	1.77	2.24	21	0.41	<100	26	26	185	37	1.58	<5	<5	<10	57	1024	5	34	<10	5	171
97176	982498	0.638	2	9.59	159	387	<2	<1	0.51	12	19	420	66	3.46	1.99	23	0.40	<100	39	66	<100	153	3.50	32	5	<10	57	954	68	57	22	6	2221
97177	982499	0.037	<1	8.94	103	335	<2	<1	0.48	4	19	261	40	2.26	2.10	19	0.31	<100	27	61	215	33	2.16	<5	<5	<10	55	911	<2	60	<10	6	126
97178	982500	1.261	<1	10.67	28	655	<2	<1	2.18	7	17	70	616	3.95	2.33	29	1.18	619	75	45	787	80	0.65	5	<5	<10	257	2086	9	113	34	16	107
97179	1007001	0.323	<1	8.29	154	418	<2	<1	0.39	6	17	288	63	2.41	2.39	18	0.31	<100	28	65	282	89	2.28	19	<5	<10	52	936	<2	68	<10	7	635
97180	1007002	0.557	1	8.99	115	522	<2	<1	0.66	13	12	345	149	2.97	2.15	25	0.52	<100	35	40	465	72	2.94	14	<5	<10	56	1183	15	48	21	7	2295
97181	1007003	0.030	<1	9.65	47	578	2	<1	0.99	<4	9	244	28	1.52	2.25	32	0.88	299	37	23	427	157	1.03	<5	<5	<10	62	1499	26	36	11	5	250
97182	1007004	0.082	<1	7.95	33	407	<2	<1	0.88	<4	8	174	66	1.48	2.08	20	0.69	234	28	18	443	86	1.16	<5	12	<10	65	1070	8	27	<10	6	372
97183R	1007004	0.045	<1	9.60	27	510	<2	<1	0.91	<4	8	141	24	1.25	2.42	27	0.58	225	29	21	182	34	0.77	<5	<5	<10	66	1630	<2	33	<10	5	153
97184	1007005	0.021	1	9.77	26	528	<2	<1	1.12	<4	10	202	44	1.61	2.34	29	0.68	305	32	41	533	34	1.02	<5	5	<10	75	1732	11	36	<10	5	288
97185	1007006	0.031	<1	9.80	38	569	<2	<1	0.94	<4	10	220	66	1.55	2.28	29	0.68	222	32	29	329	97	1.19	<5	<5	<10	75	1575	<2	39	<10	5	206
97186	1007007	0.025	<1	9.87	42	541	<2	<1	1.63	<4	10	188	13	1.56	2.28	29	0.96	535	37	26	343	31	0.93	<5	<5	<10	89	1770	29	35	<10	5	96
97187	1007008	0.048	<1	9.42	32	570	<2	<1	0.96	<4	9	179	18	1.31	2.19	23	0.59	281	27	23	342	21	0.86	<5	<5	<10	65	1835	<2	34	<10	6	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
97052	982385	<5	<0.001	<0.005
97053	982386	<5	<0.001	<0.005
97054	982387	<5	<0.001	<0.005
97055	982388	<5	<0.001	<0.005
97056	982389	<5	<0.001	<0.005
97057	982390	<5	<0.001	<0.005
97058	982391	15	<0.001	0.015
97059	982392	16	<0.001	0.016
97060	982393	18	<0.001	0.018
97061	982394	18	<0.001	0.018
97062 Dup	982394	19	<0.001	0.019
97063	982395	12	<0.001	0.012
97064	982396	<5	<0.001	<0.005
97065	982397	<5	<0.001	<0.005
97066	982398	9	<0.001	0.009
97067	982399	8	<0.001	0.008
97068	982400	247	0.007	0.247
97069	982401	<5	<0.001	<0.005
97070	982402	9	<0.001	0.009
97071	982403	10	<0.001	0.010
97072	982404	14	<0.001	0.014
97073 Dup	982404	20	<0.001	0.020
97074	982405	35	0.001	0.035
97075	982406	36	0.001	0.036
97076	982407	32	<0.001	0.032
97077	982408	56	0.002	0.056
97078	982409	49	0.001	0.049
97079	982410	<5	<0.001	<0.005
97080	982411	14	<0.001	0.014
97081	982412	152	0.004	0.152

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
97082	982413	8	<0.001	0.008
97083	982414	<5	<0.001	<0.005
97084 Dup	982414	10	<0.001	0.010
97085	982415	8	<0.001	0.008
97086	982416	8	<0.001	0.008
97087	982417	15	<0.001	0.015
97088	982418	28	<0.001	0.028
97089	982419	9	<0.001	0.009
97090	982420	5165	0.151	5.165
97091	982421	1138	0.033	1.138
97092	982422	6116	0.178	6.116
97093	982423	154	0.004	0.154
97094	982424	8	<0.001	0.008
97095 Dup	982424	6	<0.001	0.006
97096	982425	11	<0.001	0.011
97097	982426	11	<0.001	0.011
97098	982427	95	0.003	0.095
97099	982428	5627	0.164	5.627
97100	982429	4012	0.117	4.012
97101	982430	<5	<0.001	<0.005
97102	982431	751	0.022	0.751
97103	982432	925	0.027	0.925
97104	982433	312	0.009	0.312
97105	982434	647	0.019	0.647
97106 Dup	982434	627	0.018	0.627
97107	982435	375	0.011	0.375
97108	982436	298	0.009	0.298
97109	982437	549	0.016	0.549
97110	982438	589	0.017	0.589
97111	982439	2015	0.059	2.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, April 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
97112	982440	1191	0.035	1.191
97113	982441	3923	0.114	3.923
97114	982442	1893	0.055	1.893
97115	982443	7146	0.208	7.146
97116	982444	1852	0.054	1.852
97117 Rep	982444	1871	0.055	1.871
97118	982445	1233	0.036	1.233
97119	982446	617	0.018	0.617
97120	982447	20154	0.588	20.154
97121	982448	777	0.023	0.777
97122	982449	416	0.012	0.416
97123	982450	10	<0.001	0.010
97124	982451	1273	0.037	1.273
97125	982452	84	0.002	0.084
97126	982453	75	0.002	0.075
97127	982454	131	0.004	0.131
97128 Dup	982454	149	0.004	0.149
97129	982455	274	0.008	0.274
97130	982456	37	0.001	0.037
97131	982457	11	<0.001	0.011
97132	982458	7	<0.001	0.007
97133	982459	5	<0.001	0.005
97134	982460	233	0.007	0.233
97135	982461	13	<0.001	0.013
97136	982462	19	<0.001	0.019
97137	982463	6	<0.001	0.006
97138	982464	8	<0.001	0.008
97139 Dup	982464	8	<0.001	0.008
97140	982465	7	<0.001	0.007
97141	982466	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
97142	982467	<5	<0.001	<0.005
97143	982468	6	<0.001	0.006
97144	982469	<5	<0.001	<0.005
97145	982470	<5	<0.001	<0.005
97146	982471	5	<0.001	0.005
97147	982472	14	<0.001	0.014
97148	982473	8	<0.001	0.008
97149	982474	7	<0.001	0.007
97150 Dup	982474	6	<0.001	0.006
97151	982475	6	<0.001	0.006
97152	982476	5	<0.001	0.005
97153	982477	5	<0.001	0.005
97154	982478	<5	<0.001	<0.005
97155	982479	<5	<0.001	<0.005
97156	982480	5167	0.151	5.167
97157	982481	<5	<0.001	<0.005
97158	982482	<5	<0.001	<0.005
97159	982483	6	<0.001	0.006
97160	982484	<5	<0.001	<0.005
97161 Dup	982484	<5	<0.001	<0.005
97162	982485	7	<0.001	0.007
97163	982486	6	<0.001	0.006
97164	982487	21	<0.001	0.021
97165	982488	18	<0.001	0.018
97166	982489	9	<0.001	0.009
97167	982490	<5	<0.001	<0.005
97168	982491	6	<0.001	0.006
97169	982492	87	0.003	0.087
97170	982493	609	0.018	0.609
97171	982494	31	<0.001	0.031

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/05/2011  
 Date Completed: 04/14/2011  
 Job #: 201141335  
 Reference: TMI-TML  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
97172 Dup	982494	53	0.002	0.053
97173	982495	188	0.005	0.188
97174	982496	107	0.003	0.107
97175	982497	69	0.002	0.069
97176	982498	638	0.019	0.638
97177	982499	37	0.001	0.037
97178	982500	1261	0.037	1.261
97179	1007001	323	0.009	0.323
97180	1007002	557	0.016	0.557
97181	1007003	30	<0.001	0.030
97182	1007004	82	0.002	0.082
97183 Rep	1007004	45	0.001	0.045
97184	1007005	21	<0.001	0.021
97185	1007006	31	<0.001	0.031
97186	1007007	25	<0.001	0.025
97187	1007008	48	0.001	0.048

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/21/2011  
 Job #: 201141505  
 Reference: TMI-TML  
 Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
104445	982422	5.742	6.442	93.848	9.050	3.37%	33.81
104446	982428	2.200	2.200	35.783	3.867	4.96%	49.94
104447	982443	3.879	4.247	61.929	5.860	3.11%	31.77
104448	982447	6.949	6.973	415.880	20.692	3.36%	33.88

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141506  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
104449	982429	0.094	3.216
104450	982441	0.091	3.115

PROCEDURE CODES: ALFA7

 Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98829	983312	0.023	<1	18.68	11	706	<2	<1	1.87	<4	13	235	42	5.26	2.17	36	0.89	518	8	12	504	63	0.82	<5	<5	<10	249	4490	8	45	<10	6	278
98830	983313	0.017	<1	20.31	11	693	<2	<1	1.79	<4	10	184	37	4.50	2.14	35	0.91	481	8	9	553	116	0.64	<5	<5	<10	247	4586	2	42	<10	7	290
98831	983314	12.836	30	17.44	24	215	<2	<1	1.64	94	13	314	1450	8.26	1.95	32	0.75	582	11	15	424	33447	3.98	26	<5	<10	249	3905	2	38	270	5	34238
98832	983315	0.027	<1	19.84	6	528	<2	<1	1.74	<4	10	166	36	4.32	2.24	33	0.88	461	7	8	528	127	0.43	<5	<5	<10	236	4460	<2	41	<10	7	171
98833	983316	0.084	<1	20.90	27	594	<2	<1	2.32	<4	18	344	40	7.28	2.07	37	1.72	820	7	45	442	61	1.49	<5	<5	<10	144	4543	10	66	<10	12	99
98834	983317	0.042	<1	19.47	12	596	<2	<1	1.80	<4	16	315	34	6.33	2.12	33	1.00	522	9	38	290	35	1.51	<5	<5	<10	190	4044	5	55	<10	8	56
98835	983318	0.007	<1	17.51	13	548	2	<1	1.86	<4	7	341	7	1.80	2.42	27	0.43	197	11	12	275	19	0.33	<5	<5	<10	264	2472	<2	25	<10	4	59
98836	983319	0.008	<1	16.52	13	621	<2	<1	1.94	<4	7	226	9	1.69	2.54	24	0.35	181	9	10	314	13	0.46	<5	<5	<10	296	2889	5	28	<10	3	37
98837	983320	<0.005	<1	16.93	3	578	<2	<1	1.80	<4	13	55	23	4.86	2.30	25	0.83	476	10	29	482	7	0.06	<5	<5	<10	253	4153	<2	76	39	12	36
98838	983321	<0.005	<1	18.30	11	602	<2	<1	1.51	<4	7	297	7	1.67	2.32	28	0.32	113	12	10	289	12	0.46	<5	<5	<10	261	2955	<2	24	<10	3	24
98839D	983321	<0.005	<1	19.99	13	617	<2	<1	1.60	<4	7	304	7	1.80	2.27	27	0.33	118	11	10	308	12	0.52	<5	<5	<10	281	2916	<2	25	<10	4	27
98840	983322	<0.005	<1	18.66	16	601	<2	<1	1.58	<4	8	215	12	1.64	2.43	27	0.37	129	9	12	307	46	0.46	<5	<5	<10	293	3005	<2	26	<10	4	77
98841	983323	0.019	2	18.50	22	754	2	<1	1.69	<4	9	212	17	2.03	2.32	32	0.48	207	10	13	348	593	0.57	<5	<5	<10	303	3382	<2	32	<10	5	425
98842	983324	<0.005	<1	19.65	16	760	<2	<1	1.75	<4	6	165	8	1.26	2.24	30	0.39	123	11	7	322	12	0.25	<5	<5	<10	295	2845	<2	25	<10	4	9
98843	983325	<0.005	<1	17.11	11	666	2	<1	1.65	<4	5	324	9	1.39	2.22	33	0.36	129	13	7	272	10	0.18	<5	<5	<10	280	2722	<2	25	<10	4	23
98844	983326	<0.005	<1	16.11	15	642	<2	<1	1.44	<4	5	312	9	1.26	2.14	27	0.31	111	10	9	237	7	0.17	<5	<5	<10	249	2270	<2	22	<10	3	20
98845	983327	<0.005	<1	17.17	8	607	<2	<1	1.75	<4	7	223	9	1.37	2.15	30	0.31	124	10	8	321	9	0.23	<5	<5	<10	308	2945	<2	32	<10	3	17
98846	983328	<0.005	<1	18.66	10	579	<2	<1	1.88	<4	8	230	8	1.26	2.10	27	0.27	111	10	9	342	11	0.21	<5	<5	<10	297	2680	<2	25	<10	4	13
98847	983329	<0.005	<1	17.96	8	542	<2	<1	1.95	<4	6	218	14	1.27	2.12	27	0.31	121	10	6	329	22	0.17	<5	<5	<10	330	2814	<2	24	<10	3	17
98848	983330	0.230	353	16.71	3674	133	2	<1	2.29	114	15	46	507	14.91	1.97	28	0.76	1230	23	23	445	9538	5.28	72	9	11	196	2955	<2	87	101	10	13405

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98849	983331	0.007	<1	19.08	20	615	<2	<1	2.16	<4	8	217	8	3.85	2.22	32	0.74	312	9	9	446	36	0.46	<5	<5	<10	266	3746	<2	34	<10	6	92
98850D	983331	0.008	<1	20.16	5	642	<2	<1	2.25	<4	9	223	7	4.15	2.27	35	0.78	324	10	9	487	14	0.48	<5	<5	<10	276	3868	4	36	<10	7	83
98851	983332	0.156	1	17.46	18	464	<2	<1	1.28	<4	6	162	9	3.41	2.16	35	0.79	605	11	6	491	27	0.81	<5	<5	<10	137	3774	4	34	<10	4	75
98852	983333	2.015	12	17.92	35	430	<2	<1	1.09	<4	6	248	39	3.23	2.26	33	0.61	406	13	6	473	120	1.06	<5	<5	<10	112	3500	2	31	<10	5	469
98853	983334	0.116	3	18.64	22	493	<2	<1	1.29	<4	7	234	28	3.75	2.33	35	0.91	822	10	8	496	48	0.79	<5	<5	<10	125	3934	8	37	<10	5	105
98854	983335	0.030	1	17.84	27	490	<2	<1	1.09	<4	6	205	14	3.29	2.38	33	0.70	566	10	6	453	27	0.73	<5	<5	<10	105	3691	<2	29	<10	4	54
98855	983336	0.671	1	17.78	33	387	<2	<1	1.22	<4	6	233	14	3.48	2.42	33	0.88	716	10	7	426	110	0.89	<5	<5	<10	105	3346	5	27	<10	4	473
98856	983337	0.908	7	18.45	39	400	<2	<1	1.32	<4	7	226	9	3.69	2.38	34	0.92	714	11	6	397	482	1.06	7	<5	<10	113	3501	9	27	<10	4	298
98857	983338	0.661	4	16.67	36	461	<2	<1	1.16	<4	5	231	16	2.88	2.39	29	0.65	391	12	6	320	182	1.03	<5	<5	<10	94	2939	2	22	<10	4	392
98858	983339	0.474	3	19.43	19	505	<2	<1	1.44	<4	4	252	34	2.35	2.34	32	0.80	594	11	6	326	65	0.64	<5	<5	<10	102	2943	9	23	<10	4	152
98859	983340	<0.005	<1	18.45	6	554	<2	<1	1.80	<4	13	52	22	4.62	2.31	27	0.85	451	12	28	470	8	0.07	<5	<5	<10	242	3838	<2	71	38	13	34
98860	983341	0.249	2	20.28	15	558	2	<1	1.53	<4	5	224	16	1.98	2.18	36	0.83	569	12	5	336	45	0.48	<5	<5	<10	106	3403	6	25	<10	4	45
98861D	983341	0.283	1	18.49	15	534	<2	<1	1.38	<4	4	218	15	1.85	2.23	33	0.79	545	11	5	313	45	0.44	<5	<5	<10	95	3236	4	24	<10	4	40
98862	983342	1.033	6	18.81	19	605	2	<1	1.08	<4	5	287	67	2.18	2.44	35	0.63	308	14	6	312	143	0.67	5	<5	<10	82	3320	2	23	<10	4	256
98863	983343	8.720	72	17.12	69	397	2	<1	0.58	12	7	358	477	4.36	2.56	28	0.45	173	13	9	266	2435	2.09	68	<5	<10	47	2615	<2	25	42	5	4646
98864	983344	18.231	208	16.01	93	141	2	<1	0.58	27	7	436	2928	9.88	1.98	25	0.41	215	16	13	213	10214	5.12	139	<5	<10	57	1983	<2	19	94	5	13800
98865	983345	3.643	17	16.24	44	424	2	<1	0.52	<4	6	380	78	2.92	2.42	29	0.43	106	12	10	285	373	1.06	12	<5	<10	49	2709	4	26	<10	5	649
98866	983346	2.686	22	17.01	35	450	2	<1	0.55	<4	6	369	70	2.97	2.27	31	0.45	107	14	10	298	377	1.08	14	<5	<10	52	2890	2	28	<10	4	594
98867	983347	1.066	11	18.53	27	418	2	<1	1.29	<4	8	214	17	3.04	2.38	32	0.94	486	11	9	324	94	0.91	<5	<5	<10	89	3216	3	30	<10	5	178
98868	983348	15.836	17	16.69	32	321	<2	<1	0.83	7	6	358	172	3.08	2.42	28	0.59	249	11	10	316	1221	1.23	27	<5	<10	80	2943	<2	28	28	4	2861

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98869	983349	12.893	21	16.39	45	309	<2	<1	0.50	8	5	337	351	3.11	2.25	27	0.38	<100	10	7	215	1650	1.34	27	<5	<10	76	2467	<2	21	27	4	2920
98870	983350	5.123	9	20.41	12	397	2	<1	3.10	5	26	73	103	9.23	2.38	33	1.79	825	17	49	852	32	0.66	<5	<5	<10	303	5079	5	116	<10	14	110
98871	983351	7.406	5	16.76	12	316	<2	<1	1.00	<4	5	167	60	1.70	2.02	29	0.57	238	10	5	256	305	0.50	<5	<5	<10	110	2267	<2	20	<10	4	456
98872D	983351	5.174	7	18.73	17	418	2	<1	1.20	<4	6	228	74	2.11	2.37	37	0.64	301	14	7	307	371	0.61	5	<5	<10	136	3032	<2	26	<10	4	577
98873	983352	0.026	<1	19.56	10	296	<2	<1	2.81	<4	8	293	12	4.32	2.21	34	1.30	908	10	9	391	20	1.04	<5	<5	<10	165	3429	14	26	<10	7	64
98874	983353	0.013	<1	18.60	13	414	<2	<1	2.27	<4	6	213	8	3.40	2.07	31	0.94	635	11	7	336	17	0.95	5	<5	<10	166	2993	<2	25	<10	6	37
98875	983354	0.009	<1	18.30	10	355	<2	<1	2.07	<4	11	273	9	3.46	2.43	37	0.95	635	10	12	336	14	0.92	<5	<5	<10	190	2890	9	26	<10	5	44
98876	983355	0.013	<1	17.09	10	437	2	<1	1.27	<4	21	312	10	8.90	1.78	39	0.49	242	16	20	356	19	4.16	<5	<5	<10	197	3485	<2	32	<10	6	167
98877	983356	0.010	<1	16.44	10	445	<2	<1	1.40	<4	12	309	10	3.43	2.27	38	0.51	204	13	12	391	16	1.22	<5	<5	<10	200	3606	2	37	<10	4	31
98878	983357	0.023	<1	19.73	11	348	2	1	3.30	<4	25	343	17	8.14	1.72	34	1.28	514	11	25	435	17	3.46	<5	<5	<10	268	3565	5	35	<10	6	118
98879	983358	0.010	<1	17.41	14	471	<2	<1	2.32	<4	7	247	20	2.95	2.27	36	0.61	370	31	7	375	14	0.71	<5	<5	<10	215	3628	<2	29	<10	4	16
98880	983359	0.006	<1	17.91	6	559	2	<1	2.05	<4	5	201	9	2.67	2.29	36	0.46	217	12	5	362	10	0.27	<5	<5	<10	218	3608	<2	32	<10	5	20
98881	983360	<0.005	<1	15.94	9	558	<2	<1	1.76	<4	13	51	21	4.60	2.29	28	0.73	452	12	27	459	6	0.05	<5	<5	<10	238	3907	<2	72	38	10	39
98882	983361	0.006	<1	18.72	7	619	<2	<1	2.05	<4	5	154	8	2.49	2.28	33	0.38	163	12	5	426	8	0.34	<5	<5	<10	221	3602	<2	35	<10	5	21
98883D	983361	0.010	<1	19.46	7	591	<2	<1	2.05	<4	5	145	7	2.40	2.39	32	0.39	156	12	5	414	7	0.34	<5	<5	<10	223	3423	<2	33	<10	5	23
98884	983362	0.010	<1	18.69	9	588	<2	<1	1.96	<4	6	268	13	3.65	2.16	32	0.35	164	12	8	385	11	1.03	<5	<5	<10	218	3138	<2	30	<10	5	25
98885	983363	<0.005	<1	18.29	9	590	<2	<1	1.71	<4	6	269	6	4.21	1.97	34	0.41	229	12	7	411	10	1.35	<5	<5	<10	185	3354	<2	34	<10	5	31
98886	983364	0.015	<1	18.81	22	434	<2	<1	1.92	<4	7	225	10	2.88	2.45	27	0.89	323	8	9	410	16	0.42	<5	<5	<10	108	2688	5	26	<10	6	29
98887	983365	0.068	<1	18.76	42	464	<2	<1	0.81	<4	9	389	6	3.21	2.32	30	0.64	139	10	12	460	22	1.00	<5	<5	<10	76	3300	<2	32	<10	6	10
98888	983366	0.044	<1	18.83	43	468	<2	<1	0.77	<4	9	350	7	3.11	2.19	29	0.59	134	10	12	453	18	0.95	<5	<5	<10	70	3320	<2	33	<10	6	7

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 26, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
98889	983367	1.128	6	17.12	34	441	<2	<1	1.20	<4	8	308	16	3.44	2.22	29	0.62	272	11	9	414	90	0.99	<5	<5	<10	99	2581	<2	31	<10	5	56
98890	983368	0.050	<1	18.12	39	533	2	<1	1.78	<4	9	269	14	4.07	2.13	34	0.96	460	11	13	463	44	0.90	<5	<5	<10	111	2820	6	34	<10	6	59
98891	983369	0.212	<1	17.76	55	645	2	<1	0.55	<4	8	274	37	4.38	2.21	26	0.37	<100	13	9	419	53	1.80	<5	<5	<10	62	2484	<2	31	<10	4	278
98892	983370	1.069	<1	18.69	22	630	<2	<1	1.86	<4	14	53	567	7.01	2.12	26	1.02	527	31	30	596	62	0.52	<5	<5	<10	227	3604	3	99	25	15	89
98893	983371	0.043	<1	16.66	35	601	2	<1	0.56	<4	7	179	21	2.61	2.48	25	0.32	<100	14	8	396	37	0.99	<5	<5	<10	61	2288	<2	30	<10	4	84
98894R	983371	0.040	<1	17.75	46	623	2	<1	0.54	<4	8	334	17	2.98	2.21	25	0.32	<100	14	11	414	37	1.07	<5	<5	<10	63	2350	<2	31	<10	4	88
98895	983372	0.537	3	18.19	121	431	2	<1	0.58	4	15	353	73	5.16	2.33	28	0.47	<100	16	42	323	122	2.21	23	<5	<10	61	2021	<2	56	<10	5	689
98896	983373	0.247	<1	18.65	109	492	2	<1	0.56	<4	20	483	54	6.02	2.12	26	0.34	<100	18	61	411	59	2.59	9	<5	<10	66	2373	<2	80	<10	5	205
98897	983374	0.348	<1	17.64	120	521	2	<1	0.49	5	15	424	130	5.44	2.08	23	0.33	<100	15	43	338	123	2.30	14	<5	<10	56	2042	<2	60	<10	6	821
98898	983375	0.066	1	16.66	86	592	2	<1	0.60	<4	10	320	35	3.91	2.31	30	0.55	148	12	16	432	307	1.47	<5	<5	<10	53	2758	<2	38	<10	4	642
98899	983376	0.025	<1	17.11	21	565	2	<1	0.69	<4	7	176	33	2.27	2.37	31	0.45	142	13	9	427	47	0.71	<5	<5	<10	61	3131	<2	33	<10	4	188
98900	983377	0.024	<1	18.37	22	605	2	<1	0.94	<4	10	307	14	2.81	2.18	30	0.51	212	12	12	442	24	0.72	<5	<5	<10	72	3483	<2	34	<10	5	52
98901	983378	0.053	<1	17.45	29	523	2	<1	1.45	<4	8	220	16	2.85	2.15	29	0.77	452	11	10	410	23	0.78	<5	<5	<10	84	3200	<2	30	<10	5	50
98902	983379	0.107	<1	18.93	48	635	2	<1	0.86	<4	9	260	25	3.33	2.24	33	0.63	241	11	12	436	13	1.15	<5	<5	<10	56	3765	<2	32	<10	5	49
98903	983380	<0.005	<1	15.56	8	476	<2	<1	1.57	<4	11	45	19	4.12	2.01	23	0.74	394	9	24	412	5	0.05	<5	<5	<10	207	3284	<2	63	31	12	24
98904	983381	0.144	1	19.88	35	771	2	<1	0.88	<4	8	393	92	3.43	2.29	32	0.63	257	10	12	416	17	1.08	<5	<5	<10	70	3559	<2	33	<10	6	489
98905D	983381	0.138	<1	18.19	34	766	2	<1	0.86	<4	9	388	93	3.42	2.25	33	0.59	257	11	11	411	16	1.09	<5	<5	<10	68	3579	<2	32	<10	5	493
98906	983382	0.028	<1	22.39	25	535	<2	<1	2.49	<4	9	245	28	4.39	2.44	35	1.76	727	8	13	439	27	1.05	<5	<5	<10	115	3471	13	33	<10	8	316

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 18, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
98829	983312	23	<0.001	0.023
98830	983313	17	<0.001	0.017
98831	983314	12836	0.374	12.836
98832	983315	27	<0.001	0.027
98833	983316	84	0.002	0.084
98834	983317	42	0.001	0.042
98835	983318	7	<0.001	0.007
98836	983319	8	<0.001	0.008
98837	983320	<5	<0.001	<0.005
98838	983321	<5	<0.001	<0.005
98839 Dup	983321	<5	<0.001	<0.005
98840	983322	<5	<0.001	<0.005
98841	983323	19	<0.001	0.019
98842	983324	<5	<0.001	<0.005
98843	983325	<5	<0.001	<0.005
98844	983326	<5	<0.001	<0.005
98845	983327	<5	<0.001	<0.005
98846	983328	<5	<0.001	<0.005
98847	983329	<5	<0.001	<0.005
98848	983330	230	0.007	0.230
98849	983331	7	<0.001	0.007
98850 Dup	983331	8	<0.001	0.008
98851	983332	156	0.005	0.156
98852	983333	2015	0.059	2.015
98853	983334	116	0.003	0.116
98854	983335	30	<0.001	0.030
98855	983336	671	0.020	0.671
98856	983337	908	0.026	0.908
98857	983338	661	0.019	0.661
98858	983339	474	0.014	0.474

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 18, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
98859	983340	<5	<0.001	<0.005
98860	983341	249	0.007	0.249
98861 Dup	983341	283	0.008	0.283
98862	983342	1033	0.030	1.033
98863	983343	8720	0.254	8.720
98864	983344	18231	0.532	18.231
98865	983345	3643	0.106	3.643
98866	983346	2686	0.078	2.686
98867	983347	1066	0.031	1.066
98868	983348	15836	0.462	15.836
98869	983349	12893	0.376	12.893
98870	983350	5123	0.149	5.123
98871	983351	7406	0.216	7.406
98872 Dup	983351	5174	0.151	5.174
98873	983352	26	<0.001	0.026
98874	983353	13	<0.001	0.013
98875	983354	9	<0.001	0.009
98876	983355	13	<0.001	0.013
98877	983356	10	<0.001	0.010
98878	983357	23	<0.001	0.023
98879	983358	10	<0.001	0.010
98880	983359	6	<0.001	0.006
98881	983360	<5	<0.001	<0.005
98882	983361	6	<0.001	0.006
98883 Dup	983361	10	<0.001	0.010
98884	983362	10	<0.001	0.010
98885	983363	<5	<0.001	<0.005
98886	983364	15	<0.001	0.015
98887	983365	68	0.002	0.068
98888	983366	44	0.001	0.044

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 18, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/08/2011  
 Date Completed: 04/18/2011  
 Job #: 201141365  
 Reference: TMI-TML  
 Sample #: 71

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
98889	983367	1128	0.033	1.128
98890	983368	50	0.001	0.050
98891	983369	212	0.006	0.212
98892	983370	1069	0.031	1.069
98893	983371	43	0.001	0.043
98894 Rep	983371	40	0.001	0.040
98895	983372	537	0.016	0.537
98896	983373	247	0.007	0.247
98897	983374	348	0.010	0.348
98898	983375	66	0.002	0.066
98899	983376	25	<0.001	0.025
98900	983377	24	<0.001	0.024
98901	983378	53	0.002	0.053
98902	983379	107	0.003	0.107
98903	983380	<5	<0.001	<0.005
98904	983381	144	0.004	0.144
98905 Dup	983381	138	0.004	0.138
98906	983382	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/19/2011  
Date Completed: 04/25/2011  
Job #: 201141533  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
105922	983345	0.103	3.519

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101562	1007009	0.017	<1	14.67	6	392	<2	<1	1.08	<4	10	40	19	3.14	2.05	22	0.40	165	9	26	358	8	0.38	<5	<5	<10	198	2856	<2	33	<10	7	29
101563	1007010	0.006	<1	15.80	6	505	<2	<1	1.69	<4	13	51	22	4.67	2.07	24	0.85	448	8	28	467	6	0.05	<5	<5	<10	210	3549	<2	70	36	14	37
101564	1007011	0.009	<1	14.69	4	378	<2	<1	1.10	<4	6	20	11	1.78	2.04	19	0.32	142	9	15	340	14	0.20	<5	<5	<10	214	2717	2	22	<10	5	35
101565	1007012	0.013	<1	15.52	3	417	<2	<1	1.09	<4	5	19	7	1.17	2.09	21	0.31	110	10	13	349	11	0.10	<5	<5	<10	191	2619	<2	24	<10	4	59
101566	1007013	0.005	<1	12.88	3	359	<2	<1	0.89	<4	4	19	5	0.88	1.96	19	0.35	<100	7	12	394	8	0.02	<5	<5	<10	141	2299	5	22	<10	4	68
101567	1007014	0.006	<1	12.08	3	275	<2	<1	0.95	<4	6	29	10	1.38	2.01	20	0.38	127	8	20	638	6	0.13	<5	<5	<10	125	2337	<2	21	<10	6	82
101568	1007015	0.006	<1	14.04	5	324	<2	<1	1.12	<4	9	41	12	2.54	1.92	24	0.48	250	7	20	440	5	0.15	<5	<5	<10	146	3240	<2	35	<10	6	42
101569	1007016	0.006	<1	14.52	<2	321	<2	<1	1.65	<4	10	43	15	4.52	2.08	29	0.80	453	6	27	392	5	0.19	<5	<5	<10	174	3339	<2	40	<10	7	60
101570	1007017	0.015	<1	13.94	5	307	<2	<1	1.02	<4	11	38	7	2.79	1.92	26	0.71	259	7	27	438	8	0.70	<5	<5	<10	134	2708	<2	34	<10	6	27
101571	1007018	0.016	<1	18.08	9	407	<2	<1	1.39	<4	12	32	20	4.36	1.98	28	0.57	329	9	32	350	16	1.24	<5	<5	<10	241	2340	<2	30	<10	8	46
101572D	1007018	0.018	<1	13.75	10	352	<2	<1	0.99	<4	12	32	20	4.43	1.89	25	0.55	338	6	34	358	13	1.27	<5	<5	<10	159	2221	<2	28	<10	7	54
101573	1007019	0.019	<1	15.36	3	346	<2	<1	1.38	<4	15	62	30	5.34	2.10	34	0.66	388	8	50	565	10	0.51	<5	<5	<10	158	3843	<2	53	<10	9	90
101574	1007020	0.242	356	13.60	3691	118	<2	<1	2.05	115	13	43	458	14.73	1.78	18	0.81	1213	15	24	427	9560	5.29	45	9	10	155	2506	2	80	96	11	13489
101575	1007021	0.011	<1	11.09	19	285	<2	<1	1.98	<4	9	21	7	3.63	1.81	22	1.08	445	2	14	408	34	0.30	<5	<5	<10	142	3406	3	25	<10	5	105
101576	1007022	0.008	<1	13.02	4	331	<2	<1	0.87	<4	7	17	8	1.40	1.80	22	0.46	169	5	16	383	6	0.10	<5	<5	<10	162	2293	<2	20	<10	4	7
101577	1007023	0.009	<1	16.69	4	547	<2	<1	1.53	<4	9	16	10	1.52	2.21	30	0.47	217	9	15	336	11	0.11	<5	<5	<10	289	2927	3	30	<10	3	32
101578	1007024	0.006	<1	16.72	5	530	<2	<1	1.32	<4	6	16	6	1.23	2.15	30	0.37	173	9	13	332	11	0.07	<5	<5	<10	282	2987	3	25	<10	3	16
101579	1007025	0.009	<1	16.64	8	469	<2	<1	1.50	<4	7	15	6	1.79	2.17	33	0.47	243	9	14	355	14	0.12	<5	<5	<10	298	3103	<2	28	<10	4	29
101580	1007026	0.010	<1	16.78	10	456	<2	<1	1.45	<4	6	16	4	1.65	2.11	32	0.44	219	9	15	335	15	0.10	<5	<5	<10	297	3057	<2	27	<10	4	26
101581	1007027	0.013	<1	16.47	3	548	<2	<1	2.08	<4	9	23	19	3.98	2.09	33	0.75	462	6	14	466	13	0.29	<5	<5	<10	279	4393	4	43	<10	5	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101582	1007028	0.007	<1	15.73	3	428	<2	<1	1.49	<4	10	26	8	4.97	2.10	32	0.83	399	5	15	557	9	0.23	<5	<5	<10	185	4431	2	44	<10	8	68
101583D	1007028	0.010	<1	16.33	3	546	<2	<1	1.99	<4	11	26	8	4.95	2.08	39	0.73	415	9	15	532	13	0.24	<5	<5	<10	268	5298	<2	51	<10	6	67
101584	1007029	0.021	<1	16.53	5	698	2	<1	2.08	<4	11	23	19	4.64	1.94	42	0.63	403	11	18	597	16	0.49	<5	<5	<10	300	5316	<2	54	<10	5	74
101585	1007030	0.007	<1	16.38	8	596	<2	<1	1.79	<4	13	53	22	4.70	2.41	30	0.77	471	12	28	477	5	0.06	<5	<5	<10	249	4471	3	76	40	10	38
101586	1007031	0.044	<1	16.59	16	545	<2	<1	1.56	<4	21	26	28	4.40	2.34	39	0.65	361	11	20	488	23	0.72	<5	<5	<10	315	4559	<2	48	<10	5	59
101587	1007032	0.021	<1	16.43	18	503	<2	<1	1.43	<4	24	21	43	2.78	2.20	34	0.55	242	11	23	493	75	0.50	<5	<5	<10	269	3406	<2	41	<10	4	82
101588	1007033	0.140	<1	17.95	18	501	<2	<1	1.68	4	23	14	53	3.08	2.28	33	0.78	311	9	23	494	265	0.68	<5	<5	<10	276	3292	<2	43	<10	5	943
101589	1007034	0.101	<1	18.06	14	519	<2	<1	1.39	<4	18	16	118	2.95	2.04	33	0.52	201	10	15	523	106	0.73	<5	<5	<10	280	3524	<2	44	<10	5	96
101590	1007035	0.017	<1	16.73	4	595	<2	<1	1.84	<4	9	15	9	3.89	2.02	34	0.54	279	8	11	516	11	0.20	<5	<5	<10	300	5129	<2	44	<10	5	59
101591	1007036	0.097	2	18.76	33	713	2	<1	3.03	4	22	131	76	7.10	1.77	40	1.25	919	17	64	523	65	1.65	<5	<5	<10	216	5774	14	92	<10	10	414
101592	1007037	0.018	<1	15.92	19	617	<2	<1	1.28	<4	9	27	5	2.16	2.01	28	0.44	171	8	21	316	18	0.71	<5	<5	<10	200	3184	<2	31	<10	4	20
101593	1007038	0.015	<1	16.19	9	531	<2	<1	1.77	<4	9	17	9	1.37	2.05	30	0.42	166	10	15	307	249	0.42	<5	<5	<10	277	2726	3	25	<10	3	380
101594D	1007038	0.026	<1	16.00	13	504	<2	<1	1.74	<4	9	16	8	1.32	2.03	28	0.41	159	9	15	305	241	0.40	<5	<5	<10	270	2570	5	24	<10	3	374
101595	1007039	0.008	<1	18.55	18	571	<2	<1	1.87	<4	8	17	7	1.37	2.38	31	0.41	156	10	16	305	23	0.41	<5	<5	<10	293	2867	2	26	<10	3	44
101596	1007040	5.156	9	19.05	15	404	2	<1	3.09	4	27	70	104	9.42	2.04	35	1.73	842	17	49	862	22	0.64	<5	<5	<10	305	6048	11	120	<10	13	98
101597	1007041	0.008	<1	17.09	16	589	<2	<1	1.85	<4	9	19	7	1.55	2.10	30	0.46	159	9	16	247	13	0.38	<5	<5	<10	293	3035	3	29	<10	3	116
101598	1007042	0.023	<1	16.19	19	730	2	<1	2.09	<4	11	40	29	3.11	2.06	36	0.66	344	11	25	405	69	0.65	<5	<5	<10	305	4163	<2	47	<10	5	117
101599	1007043	0.099	<1	15.71	8	814	2	<1	2.17	<4	15	68	32	3.94	1.98	39	0.69	428	12	34	406	23	0.63	<5	<5	<10	311	4604	<2	57	<10	6	76
101600	1007044	0.016	<1	17.38	16	785	<2	<1	1.66	<4	7	15	10	1.49	1.94	30	0.35	168	11	16	343	19	0.39	<5	<5	<10	294	2943	<2	25	<10	3	13
101601	1007045	0.014	<1	17.25	16	843	2	<1	1.74	<4	7	13	13	1.51	1.99	34	0.32	172	11	14	355	21	0.41	<5	5	<10	293	3355	<2	29	<10	3	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101602	1007046	0.013	<1	16.96	12	839	<2	<1	1.68	<4	7	14	7	1.34	1.87	30	0.28	130	10	14	336	20	0.35	<5	<5	<10	294	3108	<2	26	<10	3	10
101603	1007047	0.034	<1	15.64	13	740	<2	<1	1.55	<4	6	14	3	1.01	1.97	28	0.25	102	10	13	307	16	0.17	<5	<5	<10	268	2944	2	25	<10	3	11
101604	1007048	0.012	<1	14.49	5	621	<2	<1	2.18	<4	8	18	15	3.29	2.11	31	0.58	372	10	14	455	15	0.48	<5	<5	<10	272	3480	<2	33	<10	4	41
101605D	1007048	0.012	<1	16.35	4	635	<2	<1	2.27	<4	8	18	15	3.42	2.53	32	0.64	381	8	14	470	15	0.49	<5	<5	<10	284	3587	2	34	<10	5	44
101606	1007049	0.013	<1	16.40	17	538	<2	<1	2.54	<4	6	13	16	2.75	2.43	30	0.74	430	8	10	605	24	0.44	<5	<5	<10	132	3821	6	35	<10	5	29
101607	1007050	<0.005	<1	16.40	5	590	<2	<1	1.79	<4	13	53	22	4.76	2.15	27	0.79	474	10	29	476	8	0.05	<5	<5	<10	249	4252	<2	75	37	11	35
101608	1007051	0.046	2	15.96	19	630	2	<1	1.47	<4	7	12	11	2.00	2.15	35	0.56	324	12	11	556	53	0.45	<5	<5	<10	105	4397	<2	34	<10	4	230
101609	1007052	0.585	16	14.64	26	593	2	<1	1.08	<4	6	11	23	1.82	2.07	29	0.44	207	12	10	499	49	0.58	<5	<5	<10	97	3831	<2	29	<10	4	71
101610	1007053	0.029	<1	15.96	22	593	2	<1	1.73	<4	6	15	9	2.37	2.10	30	0.62	359	12	16	489	31	0.57	<5	<5	<10	108	3560	<2	34	<10	4	37
101611	1007054	0.030	<1	17.06	9	654	2	<1	2.09	<4	6	14	16	2.64	2.12	31	0.70	417	9	15	554	34	0.38	<5	<5	<10	139	4041	2	37	<10	4	39
101612	1007055	0.077	<1	17.06	33	703	<2	<1	1.90	<4	6	14	24	2.96	2.13	31	0.79	564	10	17	473	85	0.79	<5	<5	<10	141	3950	4	34	<10	4	138
101613	1007056	0.040	<1	16.86	22	805	<2	<1	1.64	<4	6	16	7	2.70	2.06	33	0.64	464	11	14	509	41	0.62	<5	<5	<10	128	4284	<2	36	<10	4	65
101614	1007057	0.032	<1	16.40	9	801	2	<1	2.44	<4	8	13	27	3.71	2.08	34	0.77	553	11	13	542	24	0.59	<5	<5	<10	166	4113	4	39	<10	4	73
101615	1007058	0.016	<1	17.10	16	682	<2	<1	2.24	<4	6	15	10	2.59	2.52	31	0.78	445	10	12	486	18	0.46	<5	<5	<10	169	3614	2	34	<10	4	24
101616D	1007058	0.016	<1	15.72	11	661	<2	<1	2.13	<4	5	13	9	2.42	2.42	30	0.73	422	10	13	456	15	0.42	<5	<5	<10	161	3432	8	33	<10	4	22
101617	1007059	0.012	<1	17.82	8	617	<2	<1	1.98	<4	7	40	14	3.08	2.18	30	0.87	398	7	25	459	15	0.43	<5	<5	<10	172	3813	5	37	<10	5	40
101618	1007060	1.139	<1	16.73	19	674	<2	<1	1.86	<4	15	52	576	7.06	2.22	27	0.92	547	35	30	596	65	0.51	<5	<5	<10	245	4238	<2	105	25	11	91
101619	1007061	0.247	4	16.21	10	607	2	<1	1.57	<4	6	15	31	2.95	2.10	31	0.72	482	9	13	424	179	0.71	<5	<5	<10	153	3364	<2	32	<10	4	418
101620	1007062	1.930	67	14.34	75	67	2	2	0.57	45	8	21	426	14.50	1.74	29	0.33	185	22	24	199	9828	8.08	63	<5	<10	47	2159	<2	26	156	10	19337
101621	1007063	0.249	3	15.20	36	459	2	<1	0.53	<4	7	20	37	3.29	1.97	33	0.33	<100	15	18	317	236	1.60	<5	<5	<10	53	3383	<2	33	<10	4	589

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101622	1007064	0.987	26	14.09	58	310	<2	<1	0.53	16	6	18	269	4.61	1.79	27	0.32	110	14	14	230	3026	2.60	28	<5	<10	50	2339	<2	22	55	5	6748
101623	1007065	0.640	5	16.90	55	243	2	<1	2.93	6	6	14	34	5.02	2.01	36	1.67	1690	1	17	1072	526	2.09	5	<5	<10	180	3368	38	30	15	8	1956
101624	1007066	0.292	4	21.66	44	256	2	<1	3.22	5	7	13	17	5.44	2.15	39	2.02	1929	6	17	868	435	2.14	<5	<5	<10	194	3665	25	32	14	9	1538
101625	1007067	0.343	7	18.28	61	417	2	<1	2.62	7	7	14	46	4.68	2.21	34	1.25	986	9	14	253	759	2.09	9	<5	<10	210	3178	<2	26	21	5	2338
101626	1007068	2.279	7	14.54	59	423	<2	<1	0.50	8	4	22	141	3.43	2.27	26	0.32	<100	14	19	225	610	1.73	7	<5	<10	46	2117	<2	23	19	4	2134
101627R	1007068	2.431	8	14.28	71	445	<2	<1	0.51	6	4	23	183	3.34	2.13	27	0.32	<100	16	19	238	594	1.70	7	<5	<10	47	2229	<2	24	15	4	1658
101628	1007069	0.736	4	13.71	39	717	<2	<1	0.45	4	4	21	25	2.92	2.25	27	0.31	<100	15	20	219	488	1.47	<5	<5	<10	47	2261	<2	25	11	3	1141
101629	1007070	0.009	<1	16.32	5	577	<2	<1	1.78	<4	13	53	22	4.76	2.13	26	0.79	471	10	28	475	10	0.06	<5	<5	<10	247	4126	<2	75	40	11	36
101630	1007071	10.582	58	13.07	32	152	2	15	0.54	38	3	27	1161	10.85	1.77	24	0.31	109	21	25	150	8461	4.32	81	10	<10	39	1221	<2	17	111	4	13674
101631	1007072	3.446	59	16.38	46	501	2	<1	0.47	9	4	19	44	3.15	1.96	31	0.35	<100	14	17	311	1751	1.68	38	<5	<10	58	3040	<2	26	31	3	3606
101632	1007073	0.349	13	15.98	19	431	2	<1	1.09	<4	5	23	10	2.13	1.98	32	0.74	437	12	15	325	234	0.83	<5	<5	<10	106	3007	<2	31	<10	4	305
101633	1007074	0.794	1	16.86	16	390	2	<1	1.77	<4	6	17	6	1.61	2.16	32	0.95	613	7	15	298	67	0.42	<5	<5	<10	157	2935	10	26	<10	3	78
101634	1007075	0.128	<1	15.24	16	246	<2	<1	1.04	<4	5	15	6	0.97	2.02	23	0.62	302	4	14	286	23	0.20	<5	<5	<10	90	2281	3	21	<10	3	13
101635	1007076	0.060	<1	18.65	16	296	<2	<1	1.29	<4	5	14	4	1.07	2.26	32	0.67	327	8	11	328	36	0.20	<5	<5	<10	112	3028	3	28	<10	3	19
101636	1007077	0.139	<1	18.90	19	340	<2	<1	1.33	<4	8	15	14	1.82	2.18	34	0.72	337	8	14	304	51	0.57	<5	<5	<10	112	3088	6	30	<10	4	25
101637	1007078	0.083	<1	16.31	26	375	2	<1	1.52	<4	6	15	7	1.95	2.12	39	0.72	431	13	12	299	65	0.70	<5	<5	<10	117	3296	<2	27	<10	3	133
101638D	1007078	0.085	<1	16.21	18	342	<2	<1	1.48	<4	6	15	7	1.94	2.14	35	0.74	415	10	12	287	62	0.68	<5	<5	<10	116	2896	2	25	<10	3	121
101639	1007079	0.541	1	16.12	39	451	<2	<1	1.20	<4	8	18	27	2.49	2.09	38	0.71	318	12	16	302	119	1.11	<5	<5	<10	96	3333	<2	30	<10	3	76
101640	1007080	0.227	355	15.19	3730	108	2	<1	2.27	117	14	46	468	14.82	1.81	24	0.76	1265	18	24	434	9571	5.29	75	11	10	199	3001	3	89	101	10	13513
101641	1007081	0.939	2	16.64	46	403	<2	<1	0.94	<4	11	13	16	1.53	2.10	34	0.57	231	8	17	296	121	0.62	<5	<5	<10	97	3205	<2	32	<10	3	139

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101642	1007082	0.427	1	17.45	27	456	<2	<1	0.90	<4	9	13	44	1.22	2.00	37	0.56	239	11	17	325	81	0.44	<5	6	<10	89	3299	<2	30	<10	3	77
101643	1007083	0.341	<1	18.54	20	388	<2	<1	1.78	<4	8	14	15	2.83	2.21	32	0.92	495	9	15	313	46	1.21	<5	<5	<10	122	2649	17	26	<10	5	60
101644	1007084	0.280	1	17.83	18	325	<2	<1	1.14	<4	8	12	16	1.24	2.02	37	0.75	382	10	15	349	144	0.41	<5	<5	<10	115	2850	2	24	<10	4	340
101645	1007085	0.402	3	17.82	14	325	<2	<1	1.16	<4	9	19	72	3.07	1.87	36	0.65	323	13	24	376	65	1.33	<5	<5	<10	149	2992	<2	28	<10	5	704
101646	1007086	0.310	1	16.39	14	300	<2	<1	1.00	<4	7	16	59	2.91	1.89	31	0.53	259	11	22	353	65	1.27	<5	<5	<10	130	2731	<2	26	<10	4	377
101647	1007087	0.056	1	16.82	9	308	<2	<1	1.98	<4	8	15	9	4.04	1.85	29	0.72	250	10	19	435	18	1.86	<5	<5	<10	236	3139	<2	29	<10	5	56
101648	1007088	0.008	1	23.80	20	576	<2	<1	2.45	<4	16	33	24	4.78	1.85	47	1.05	286	12	39	775	19	1.75	<5	<5	<10	270	5047	18	47	<10	8	140
101649D	1007088	0.007	<1	21.04	14	510	2	<1	2.13	<4	9	20	13	2.70	2.62	38	0.67	171	11	22	432	14	0.93	<5	<5	<10	258	3559	3	34	<10	6	76
101650	1007089	0.007	<1	18.24	7	507	<2	<1	2.09	<4	5	16	6	2.96	2.10	30	0.42	129	11	18	388	12	1.13	<5	<5	<10	257	3282	3	32	<10	4	21
101651	1007090	0.006	<1	16.64	8	515	<2	<1	1.70	<4	12	47	20	4.42	2.25	25	0.81	426	9	29	451	7	0.06	<5	<5	<10	229	3586	<2	68	38	12	35
101652	1007091	0.012	<1	18.82	6	434	<2	<1	2.28	<4	6	16	6	3.45	1.99	31	0.73	223	9	24	450	8	1.05	<5	<5	<10	238	3350	4	30	<10	6	45
101653	1007092	0.010	<1	20.65	14	485	2	<1	2.46	<4	6	17	8	4.95	2.07	35	0.60	165	12	72	421	11	2.21	<5	<5	<10	293	3273	<2	34	<10	5	48
101654	1007093	0.077	<1	17.34	8	472	<2	<1	1.60	<4	5	15	6	2.78	2.05	37	0.77	159	9	18	400	9	1.11	<5	<5	<10	221	3327	2	33	<10	4	33
101655	1007094	0.008	<1	17.71	14	400	<2	<1	2.43	<4	8	18	3	2.07	2.06	40	1.09	160	9	22	414	15	0.69	<5	<5	<10	274	3073	2	36	<10	4	14
101656	1007095	0.010	<1	18.02	14	421	<2	<1	2.12	<4	13	17	7	2.40	2.00	39	1.14	321	9	28	372	13	0.94	<5	<5	<10	233	2895	21	30	<10	4	153
101657	1007096	0.006	<1	13.79	9	295	<2	<1	1.45	<4	4	20	11	2.30	1.77	23	0.68	107	6	17	411	7	0.97	<5	<5	<10	159	2114	<2	25	<10	5	19
101658	1007097	0.010	<1	19.49	16	424	<2	<1	2.13	<4	6	17	17	2.41	2.33	33	0.75	<100	11	21	438	10	1.03	<5	<5	<10	265	2687	2	34	<10	5	22
101659	1007098	0.010	<1	18.59	14	492	<2	<1	2.01	<4	8	18	4	2.47	2.32	38	1.04	241	9	20	359	13	0.99	<5	<5	<10	266	3094	9	28	<10	4	46
101660D	1007098	0.012	<1	25.58	18	512	2	<1	2.51	<4	9	22	6	3.15	2.73	47	1.39	294	12	26	466	16	1.23	<5	<5	<10	323	3152	12	30	<10	7	70
101661	1007099	0.014	<1	18.54	29	533	<2	<1	1.59	<4	14	35	17	3.92	2.10	37	0.79	207	12	32	518	14	1.75	<5	<5	<10	198	3550	3	40	<10	6	97

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101662	1007100	5.249	9	20.26	14	376	<2	<1	3.01	4	26	66	103	9.07	2.10	31	1.86	817	15	48	853	22	0.68	<5	<5	<10	291	4892	7	112	<10	15	90
101663	1007101	0.010	<1	17.35	18	517	<2	<1	1.49	<4	11	14	12	1.80	2.18	36	0.75	141	11	21	515	10	0.52	<5	<5	<10	217	3281	<2	32	<10	4	44
101664	1007102	0.006	<1	19.81	24	538	<2	<1	1.93	<4	9	15	3	1.55	1.93	40	0.66	128	12	21	556	11	0.50	<5	<5	<10	249	3290	<2	33	<10	5	14
101665	1007103	0.009	<1	20.76	27	503	<2	<1	2.62	<4	8	16	15	2.06	2.15	34	0.62	198	12	18	531	10	0.66	<5	<5	<10	297	2898	2	31	<10	6	6
101666	1007104	0.007	<1	17.51	21	577	<2	<1	1.76	<4	8	13	7	2.09	1.96	37	0.70	202	9	17	512	10	0.52	<5	<5	<10	273	2754	<2	33	<10	4	23
101667	1007105	0.015	<1	17.03	14	556	2	<1	1.37	<4	7	15	5	2.52	1.90	34	0.62	198	12	23	579	8	0.65	<5	<5	<10	264	1614	<2	31	<10	5	10
101668	1007106	0.020	<1	17.13	13	486	<2	<1	1.25	<4	7	15	4	2.34	2.31	30	0.65	189	10	20	534	8	0.58	<5	<5	<10	239	1390	<2	28	<10	5	11
101669	1007107	0.012	<1	16.16	9	488	<2	<1	1.35	<4	6	14	6	2.58	2.23	30	0.52	207	9	17	489	10	0.71	<5	<5	<10	267	1439	<2	30	<10	4	18
101670	1007108	0.012	<1	16.80	9	531	<2	<1	1.44	<4	5	15	5	3.48	2.11	33	0.62	269	10	16	555	9	1.16	<5	<5	<10	266	1827	<2	34	<10	4	30
101671D	1007108	0.013	<1	16.89	9	508	<2	<1	1.43	<4	5	14	5	3.55	2.11	33	0.63	269	11	14	531	11	1.21	<5	<5	<10	258	1767	<2	32	<10	4	30
101672	1007109	0.008	<1	16.80	9	519	<2	<1	1.22	<4	5	15	<1	2.22	2.08	35	0.62	263	11	16	574	13	0.75	<5	<5	<10	218	2163	2	31	<10	5	19
101673	1007110	0.006	<1	15.93	8	538	<2	<1	1.69	<4	12	49	21	4.45	2.12	25	0.78	439	9	26	454	8	0.06	<5	<5	<10	234	3755	<2	69	37	11	34
101674	1007111	0.012	<1	19.77	27	629	<2	<1	2.49	<4	8	16	8	3.47	2.08	44	1.12	486	10	19	585	15	0.72	<5	<5	<10	306	3853	8	35	<10	6	35
101675	1007112	0.193	<1	21.32	6	481	2	<1	2.58	<4	16	69	28	6.14	2.02	39	1.30	629	10	47	518	25	0.68	<5	<5	<10	210	4344	24	58	<10	10	64
101676	1007113	0.049	<1	19.49	38	434	<2	<1	2.40	<4	8	18	16	3.87	2.12	30	0.95	532	10	20	523	29	1.01	<5	<5	<10	119	2987	<2	33	<10	6	72
101677	1007114	0.034	<1	21.30	25	380	2	<1	2.65	<4	15	83	39	5.81	2.10	34	1.31	622	10	53	522	35	1.38	<5	<5	<10	136	3264	10	57	<10	12	78
101678	1007115	0.064	<1	17.97	28	566	<2	<1	0.75	<4	8	23	13	2.73	2.33	28	0.40	104	12	25	482	19	0.88	<5	<5	<10	78	3136	2	39	<10	4	84
101679	1007116	0.058	1	17.07	21	481	<2	<1	1.64	<4	8	20	10	3.17	2.25	29	0.73	271	11	22	487	37	0.90	<5	<5	<10	94	2741	<2	37	<10	4	92
101680	1007117	0.059	1	18.06	35	526	2	<1	1.61	<4	9	21	13	3.87	2.08	30	0.78	411	10	22	542	44	0.97	<5	<5	<10	102	3430	5	39	<10	4	68
101681	1007118	0.342	1	16.12	53	431	<2	<1	0.58	<4	7	16	7	3.16	1.96	23	0.26	<100	13	18	432	47	1.46	<5	<5	<10	83	2256	<2	32	<10	4	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101682D	1007118	0.253	1	14.74	44	393	<2	<1	0.51	<4	7	15	6	2.83	2.10	20	0.23	<100	12	14	385	42	1.33	<5	<5	<10	76	2074	<2	30	<10	4	57
101683	1007119	0.136	<1	15.88	54	548	2	<1	1.18	<4	9	28	12	3.50	2.10	25	0.65	275	12	27	418	43	1.41	<5	<5	<10	83	2320	4	38	<10	4	532
101684	1007120	1.144	<1	17.92	21	662	<2	<1	1.93	<4	15	54	597	7.29	1.98	27	1.02	561	32	32	622	67	0.57	<5	<5	<10	242	3957	12	104	25	13	104
101685	1007121	0.078	<1	17.24	57	394	2	<1	1.94	<4	14	74	84	4.84	2.13	27	1.14	439	11	47	402	43	1.52	<5	<5	<10	88	1857	<2	41	<10	7	66
101686	1007122	0.470	1	16.41	71	552	<2	<1	0.54	5	10	33	43	3.98	1.90	24	0.33	<100	14	28	373	87	1.94	11	<5	<10	53	2176	<2	34	11	5	1131
101687	1007123	1.049	3	15.92	81	640	<2	<1	0.50	<4	7	17	30	3.75	1.93	24	0.33	<100	14	20	373	116	1.86	15	<5	<10	55	2299	<2	29	<10	4	283
101688	1007124	0.233	1	18.03	83	521	2	<1	0.51	4	11	49	33	3.93	2.29	24	0.34	<100	15	36	292	61	1.92	5	<5	<10	60	2093	<2	41	12	4	1023
101689	1007125	0.222	<1	17.62	87	415	2	<1	0.53	<4	16	97	48	4.03	2.09	24	0.34	<100	17	58	360	42	1.91	<5	<5	<10	59	1920	<2	59	<10	5	154
101690	1007126	0.290	<1	14.96	88	403	<2	<1	0.43	<4	16	96	46	3.70	2.03	21	0.28	<100	13	52	307	45	1.82	<5	<5	<10	53	1880	<2	60	<10	4	163
101691	1007127	0.876	3	14.18	220	370	<2	<1	0.47	10	11	56	113	4.99	1.94	23	0.31	<100	15	36	281	267	2.64	30	<5	<10	48	1610	<2	41	18	3	1910
101692	1007128	0.097	<1	15.19	51	587	2	<1	0.55	<4	8	17	34	3.00	1.89	26	0.37	<100	11	17	432	195	1.49	<5	<5	<10	57	2585	3	33	<10	3	548
101693R	1007128	0.116	<1	15.22	56	572	<2	<1	0.53	<4	8	16	33	2.98	1.94	25	0.36	<100	12	17	404	219	1.47	<5	<5	<10	55	2428	<2	31	<10	3	475
101694	1007129	0.496	4	15.81	146	459	<2	<1	0.60	25	8	16	77	3.50	1.85	20	0.43	126	9	19	391	2250	1.86	119	<5	<10	61	2198	<2	29	51	4	5675
101695	1007130	<0.005	<1	14.94	6	560	<2	<1	1.70	<4	13	52	23	4.74	1.91	22	0.78	463	6	29	475	22	0.07	<5	<5	<10	244	3976	<2	74	40	11	74
101696	1007131	0.140	<1	15.70	39	520	<2	<1	0.45	<4	7	17	33	2.54	1.82	23	0.31	<100	10	17	405	53	1.16	<5	<5	<10	57	2563	<2	31	<10	4	273
101697	1007132	0.072	<1	15.97	28	554	2	<1	0.52	<4	9	15	26	2.28	1.86	22	0.37	<100	8	16	438	30	0.95	<5	<5	<10	54	3015	4	32	<10	4	322
101698	1007133	0.125	<1	17.99	30	566	<2	<1	1.07	<4	8	14	13	2.86	2.24	27	0.59	247	9	16	452	27	1.14	<5	<5	<10	79	3200	3	30	<10	5	63
101699	1007134	0.046	<1	17.88	24	648	2	<1	1.25	<4	7	13	15	2.28	2.23	28	0.67	293	10	14	435	43	0.70	<5	<5	<10	84	3340	<2	31	<10	4	36
101700	1007135	0.074	<1	20.50	25	496	2	<1	2.13	<4	9	14	56	3.86	2.14	34	1.62	605	6	15	455	27	1.08	<5	<5	<10	109	3285	12	28	<10	7	91
101701	1007136	<0.005	<1	21.73	17	473	2	<1	2.27	<4	10	13	8	4.16	2.15	37	2.01	615	4	15	499	27	0.91	<5	<5	<10	115	3656	13	28	<10	8	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
101702	1007137	0.038	<1	20.28	21	286	3	<1	4.70	20	7	11	96	5.37	2.12	28	2.65	1592	2	13	369	30	1.37	<5	<5	<10	115	2683	11	23	50	9	4923
101703	1007138	0.207	1	18.99	18	319	<2	<1	1.70	24	8	16	36	4.87	1.98	62	3.18	612	<1	17	456	20	1.24	<5	<5	<10	99	2247	9	29	66	5	7698
101704D	1007138	0.207	1	21.64	21	350	2	<1	1.77	22	7	16	38	4.97	2.04	71	3.06	602	6	16	432	18	1.11	<5	<5	<10	109	2383	20	30	63	6	8757
101705	1007139	0.591	5	19.81	8	554	<2	8	3.94	5	7	13	63	4.43	2.01	34	2.54	1031	8	14	440	317	0.67	<5	<5	<10	218	2695	10	26	135	8	893
101706	1007140	0.270	355	14.89	3825	112	2	2	2.31	120	14	47	476	15.01	1.62	27	0.73	1295	21	24	451	9608	5.55	76	16	11	204	3049	3	90	98	8	13497
101707	1007141	0.070	<1	14.54	12	591	2	<1	1.85	13	10	14	59	3.65	2.02	45	1.12	415	12	12	393	54	0.64	<5	<5	<10	164	3802	7	35	23	4	2457
101708	1007142	0.028	1	16.14	9	634	2	<1	1.33	<4	21	128	61	6.89	1.91	54	0.99	567	20	70	429	43	1.05	<5	<5	<10	88	5434	<2	102	<10	8	174
101709	1007143	0.055	1	17.17	20	532	2	<1	1.65	<4	22	134	58	7.40	1.86	49	1.07	586	18	62	476	42	1.52	<5	<5	<10	107	5454	4	94	<10	8	182
101710	1007144	0.373	2	14.45	82	450	2	<1	1.49	<4	19	123	85	6.19	1.93	46	0.68	466	21	53	415	77	2.10	<5	<5	<10	98	5038	<2	78	<10	7	213
101711	1007145	0.156	5	15.48	48	491	2	<1	1.84	<4	15	100	55	5.40	1.86	50	0.73	576	24	46	354	64	1.57	<5	<5	<10	104	4290	<2	63	<10	7	131
101712	1007146	0.191	2	14.39	58	481	2	<1	1.82	<4	16	104	52	5.55	1.86	41	0.77	623	18	51	374	62	1.65	<5	<5	<10	100	4173	<2	64	<10	7	111
101713	1007147	0.037	<1	16.57	5	673	2	<1	1.94	<4	12	57	52	4.16	1.91	41	0.63	450	18	33	434	36	0.83	<5	<5	<10	115	4195	<2	57	<10	6	126
101714	1007148	0.016	2	13.88	4	536	2	<1	2.07	<4	6	16	10	2.43	2.05	38	0.44	367	18	12	272	25	0.44	<5	<5	<10	122	2564	4	26	<10	4	51
101715D	1007148	0.016	<1	14.27	9	566	2	<1	2.15	<4	6	17	10	2.56	1.98	40	0.47	391	17	13	282	26	0.47	<5	<5	<10	124	2762	<2	27	<10	4	59
101716	1007149	0.020	2	14.92	7	539	2	<1	1.74	<4	7	19	16	2.90	2.11	40	0.53	410	16	14	283	29	0.59	<5	<5	<10	126	3266	<2	30	<10	4	141
101717	1007150	0.009	<1	14.66	6	551	2	<1	1.77	<4	12	49	20	4.29	2.10	38	0.64	433	19	26	410	9	0.06	<5	<5	<10	222	4135	<2	69	36	8	34
101718	1007151	0.030	2	15.58	7	563	2	<1	1.42	6	12	63	50	4.57	2.28	45	0.52	324	21	38	365	145	1.09	<5	<5	<10	105	4369	4	58	<10	6	664
101719	1007152	0.039	3	16.75	6	433	2	<1	2.26	<4	19	116	52	6.54	1.97	49	0.92	617	21	50	479	283	1.24	<5	<5	<10	134	4809	3	75	<10	9	398

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101562	1007009	17	<0.001	0.017
101563	1007010	6	<0.001	0.006
101564	1007011	9	<0.001	0.009
101565	1007012	13	<0.001	0.013
101566	1007013	5	<0.001	0.005
101567	1007014	6	<0.001	0.006
101568	1007015	6	<0.001	0.006
101569	1007016	6	<0.001	0.006
101570	1007017	15	<0.001	0.015
101571	1007018	16	<0.001	0.016
101572 Dup	1007018	18	<0.001	0.018
101573	1007019	19	<0.001	0.019
101574	1007020	242	0.007	0.242
101575	1007021	11	<0.001	0.011
101576	1007022	8	<0.001	0.008
101577	1007023	9	<0.001	0.009
101578	1007024	6	<0.001	0.006
101579	1007025	9	<0.001	0.009
101580	1007026	10	<0.001	0.010
101581	1007027	13	<0.001	0.013
101582	1007028	7	<0.001	0.007
101583 Dup	1007028	10	<0.001	0.010
101584	1007029	21	<0.001	0.021
101585	1007030	7	<0.001	0.007
101586	1007031	44	0.001	0.044
101587	1007032	21	<0.001	0.021
101588	1007033	140	0.004	0.140
101589	1007034	101	0.003	0.101
101590	1007035	17	<0.001	0.017
101591	1007036	97	0.003	0.097

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101592	1007037	18	<0.001	0.018
101593	1007038	15	<0.001	0.015
101594 Dup	1007038	26	<0.001	0.026
101595	1007039	8	<0.001	0.008
101596	1007040	5156	0.150	5.156
101597	1007041	8	<0.001	0.008
101598	1007042	23	<0.001	0.023
101599	1007043	99	0.003	0.099
101600	1007044	16	<0.001	0.016
101601	1007045	14	<0.001	0.014
101602	1007046	13	<0.001	0.013
101603	1007047	34	<0.001	0.034
101604	1007048	12	<0.001	0.012
101605 Dup	1007048	12	<0.001	0.012
101606	1007049	13	<0.001	0.013
101607	1007050	<5	<0.001	<0.005
101608	1007051	46	0.001	0.046
101609	1007052	585	0.017	0.585
101610	1007053	29	<0.001	0.029
101611	1007054	30	<0.001	0.030
101612	1007055	77	0.002	0.077
101613	1007056	40	0.001	0.040
101614	1007057	32	<0.001	0.032
101615	1007058	16	<0.001	0.016
101616 Dup	1007058	16	<0.001	0.016
101617	1007059	12	<0.001	0.012
101618	1007060	1139	0.033	1.139
101619	1007061	247	0.007	0.247
101620	1007062	1930	0.056	1.930
101621	1007063	249	0.007	0.249

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101622	1007064	987	0.029	0.987
101623	1007065	640	0.019	0.640
101624	1007066	292	0.009	0.292
101625	1007067	343	0.010	0.343
101626	1007068	2279	0.066	2.279
101627 Rep	1007068	2431	0.071	2.431
101628	1007069	736	0.021	0.736
101629	1007070	9	<0.001	0.009
101630	1007071	10582	0.309	10.582
101631	1007072	3446	0.101	3.446
101632	1007073	349	0.010	0.349
101633	1007074	794	0.023	0.794
101634	1007075	128	0.004	0.128
101635	1007076	60	0.002	0.060
101636	1007077	139	0.004	0.139
101637	1007078	83	0.002	0.083
101638 Dup	1007078	85	0.002	0.085
101639	1007079	541	0.016	0.541
101640	1007080	227	0.007	0.227
101641	1007081	939	0.027	0.939
101642	1007082	427	0.012	0.427
101643	1007083	341	0.010	0.341
101644	1007084	280	0.008	0.280
101645	1007085	402	0.012	0.402
101646	1007086	310	0.009	0.310
101647	1007087	56	0.002	0.056
101648	1007088	8	<0.001	0.008
101649 Dup	1007088	7	<0.001	0.007
101650	1007089	7	<0.001	0.007
101651	1007090	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101652	1007091	12	<0.001	0.012
101653	1007092	10	<0.001	0.010
101654	1007093	77	0.002	0.077
101655	1007094	8	<0.001	0.008
101656	1007095	10	<0.001	0.010
101657	1007096	6	<0.001	0.006
101658	1007097	10	<0.001	0.010
101659	1007098	10	<0.001	0.010
101660 Dup	1007098	12	<0.001	0.012
101661	1007099	14	<0.001	0.014
101662	1007100	5249	0.153	5.249
101663	1007101	10	<0.001	0.010
101664	1007102	6	<0.001	0.006
101665	1007103	9	<0.001	0.009
101666	1007104	7	<0.001	0.007
101667	1007105	15	<0.001	0.015
101668	1007106	20	<0.001	0.020
101669	1007107	12	<0.001	0.012
101670	1007108	12	<0.001	0.012
101671 Dup	1007108	13	<0.001	0.013
101672	1007109	8	<0.001	0.008
101673	1007110	6	<0.001	0.006
101674	1007111	12	<0.001	0.012
101675	1007112	193	0.006	0.193
101676	1007113	49	0.001	0.049
101677	1007114	34	<0.001	0.034
101678	1007115	64	0.002	0.064
101679	1007116	58	0.002	0.058
101680	1007117	59	0.002	0.059
101681	1007118	342	0.010	0.342

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101682 Dup	1007118	253	0.007	0.253
101683	1007119	136	0.004	0.136
101684	1007120	1144	0.033	1.144
101685	1007121	78	0.002	0.078
101686	1007122	470	0.014	0.470
101687	1007123	1049	0.031	1.049
101688	1007124	233	0.007	0.233
101689	1007125	222	0.006	0.222
101690	1007126	290	0.008	0.290
101691	1007127	876	0.026	0.876
101692	1007128	97	0.003	0.097
101693 Rep	1007128	116	0.003	0.116
101694	1007129	496	0.014	0.496
101695	1007130	<5	<0.001	<0.005
101696	1007131	140	0.004	0.140
101697	1007132	72	0.002	0.072
101698	1007133	125	0.004	0.125
101699	1007134	46	0.001	0.046
101700	1007135	74	0.002	0.074
101701	1007136	<5	<0.001	<0.005
101702	1007137	38	0.001	0.038
101703	1007138	207	0.006	0.207
101704 Dup	1007138	207	0.006	0.207
101705	1007139	591	0.017	0.591
101706	1007140	270	0.008	0.270
101707	1007141	70	0.002	0.070
101708	1007142	28	<0.001	0.028
101709	1007143	55	0.002	0.055
101710	1007144	373	0.011	0.373
101711	1007145	156	0.005	0.156

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/12/2011  
 Date Completed: 04/19/2011  
 Job #: 201141448  
 Reference: TMI-TML  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
101712	1007146	191	0.006	0.191
101713	1007147	37	0.001	0.037
101714	1007148	16	<0.001	0.016
101715 Dup	1007148	16	<0.001	0.016
101716	1007149	20	<0.001	0.020
101717	1007150	9	<0.001	0.009
101718	1007151	30	<0.001	0.030
101719	1007152	39	0.001	0.039

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Derek Demianiuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/25/2011  
Date Completed: 05/02/2011  
Job #: 201141574  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
108657	1007072	0.105	3.601

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, April 29, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/25/2011  
 Date Completed: 04/29/2011  
 Job #: 201141575  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
108658	1007071	4.328	4.522	43.967	5.879	3.68%	36.8

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102424	983383	0.021	<1	17.78	11	413	<2	<1	1.71	<4	13	133	23	4.86	2.15	31	0.72	443	8	24	474	9	0.66	<5	<5	<10	177	4153	2	44	<10	11	52
102425	983384	0.039	<1	19.13	8	472	<2	<1	1.05	<4	10	177	23	1.89	2.15	36	0.56	165	10	11	519	9	0.14	<5	<5	<10	184	3101	4	43	<10	9	72
102426	983385	0.010	<1	20.26	7	535	2	<1	1.18	<4	11	108	10	2.36	2.20	34	0.48	177	11	12	449	16	0.29	<5	<5	<10	237	2896	<2	45	<10	6	23
102427	983386	0.007	<1	20.56	9	525	2	<1	1.10	<4	9	163	11	1.91	2.10	34	0.49	146	11	11	433	13	0.25	<5	<5	<10	216	2770	2	43	<10	7	23
102428	983387	0.009	<1	17.41	8	451	<2	<1	1.54	<4	16	139	113	3.50	2.11	37	0.63	311	10	20	400	18	0.25	<5	<5	<10	260	3290	<2	44	<10	6	85
102429	983388	0.154	2	15.29	50	340	2	<1	1.39	5	17	137	69	6.40	2.14	23	0.97	510	7	45	402	161	2.05	<5	<5	<10	102	3263	<2	53	<10	14	840
102430	983389	0.452	1	17.04	53	384	2	<1	1.48	5	19	228	73	6.92	1.87	26	1.07	564	8	49	414	160	2.16	<5	<5	<10	108	3783	<2	62	<10	15	864
102431	983390	0.215	355	13.98	3872	125	2	<1	2.10	119	13	43	464	15.13	1.79	18	0.82	1229	16	24	444	9597	5.44	57	14	<10	162	2466	6	78	106	11	13429
102432	983391	0.007	<1	15.40	13	414	<2	<1	1.51	<4	5	139	6	1.22	2.07	20	0.53	191	6	7	331	28	0.14	<5	<5	<10	182	2307	<2	20	<10	3	63
102433	983392	<0.005	<1	17.78	7	484	<2	<1	1.75	<4	7	92	3	1.21	1.94	23	0.52	182	8	7	359	18	0.25	<5	<5	<10	245	2373	<2	20	<10	4	35
102434D	983392	0.007	<1	18.86	6	501	<2	<1	1.82	<4	7	96	4	1.25	2.04	24	0.54	187	9	7	368	17	0.25	<5	<5	<10	253	2524	<2	21	<10	4	39
102435	983393	0.006	<1	18.28	9	465	<2	<1	1.64	<4	7	115	5	1.12	2.20	26	0.47	168	9	8	355	13	0.19	<5	<5	<10	239	2540	7	22	<10	4	9
102436	983394	0.005	<1	17.74	15	409	<2	<1	1.57	<4	12	140	11	1.50	1.90	25	0.58	225	7	16	364	12	0.33	<5	<5	<10	213	2547	<2	20	<10	4	480
102437	983395	0.158	<1	18.64	20	468	<2	<1	1.72	<4	12	76	7	1.37	1.97	25	0.55	232	9	15	344	21	0.34	<5	<5	<10	230	2504	3	19	<10	5	294
102438	983396	0.025	<1	17.59	16	590	<2	<1	1.33	<4	7	141	62	1.52	2.09	26	0.45	149	9	12	362	72	0.37	<5	<5	<10	212	2442	<2	22	<10	5	226
102439	983397	0.005	<1	19.12	10	592	<2	<1	1.56	<4	6	147	6	1.27	2.03	28	0.43	119	10	7	359	18	0.20	<5	<5	<10	298	2540	<2	22	<10	5	56
102440	983398	0.007	<1	14.83	10	437	<2	<1	1.32	<4	5	99	8	1.21	2.12	23	0.46	122	7	5	351	7	0.18	<5	<5	<10	219	2278	<2	19	<10	5	21
102441	983399	<0.005	<1	12.31	2	325	<2	<1	1.01	<4	4	189	4	0.92	1.94	19	0.27	<100	7	5	347	6	0.08	<5	<5	<10	146	2070	<2	15	<10	4	7
102442	983400	<0.005	<1	13.12	6	441	<2	<1	1.52	<4	12	49	21	4.46	2.07	20	0.80	425	6	29	447	5	0.06	<5	<5	<10	182	3225	<2	65	35	13	32
102443	983401	<0.005	<1	14.87	6	410	<2	<1	1.27	<4	5	148	8	1.18	2.09	22	0.42	122	7	4	339	8	0.11	<5	<5	<10	201	2278	2	19	<10	5	10

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102444	983402	0.008	<1	16.00	9	438	<2	<1	1.86	<4	8	78	14	3.21	2.10	24	0.85	494	5	6	415	21	0.41	<5	<5	<10	234	2998	2	25	<10	6	37
102445D	983402	0.009	<1	15.15	4	427	<2	<1	1.82	<4	8	78	15	3.24	2.00	23	0.85	502	3	6	414	21	0.41	<5	<5	<10	230	3034	11	25	<10	6	37
102446	983403	0.009	<1	16.16	4	308	2	<1	2.43	<4	5	215	27	2.69	1.99	19	0.51	404	8	8	374	41	0.62	<5	<5	<10	145	1946	<2	16	<10	6	46
102447	983404	0.009	<1	16.60	22	289	<2	<1	2.17	<4	4	136	11	2.50	1.97	19	0.51	376	6	6	362	13	0.69	<5	<5	<10	122	1884	3	15	<10	5	30
102448	983405	0.012	<1	15.26	19	280	<2	<1	2.15	<4	11	116	8	5.76	1.96	17	0.44	555	6	14	324	13	0.88	<5	<5	<10	115	1863	2	17	<10	5	39
102449	983406	0.007	<1	16.66	21	300	<2	<1	2.22	<4	6	163	8	2.73	1.95	19	0.47	344	6	8	333	11	0.85	<5	<5	<10	129	1940	<2	17	<10	5	33
102450	983407	0.011	<1	17.28	22	283	<2	<1	1.98	<4	6	142	5	2.74	2.25	21	0.50	314	7	7	320	12	0.89	<5	5	<10	118	1949	<2	16	<10	5	65
102451	983408	0.008	<1	17.10	11	277	<2	<1	2.21	<4	5	237	9	2.80	2.32	20	0.65	361	6	8	320	9	0.62	<5	<5	<10	120	2187	<2	18	<10	5	22
102452	983409	0.138	<1	18.12	34	445	<2	<1	1.35	<4	8	315	19	3.93	2.03	33	0.77	319	13	13	526	227	1.25	<5	<5	<10	99	3144	<2	26	<10	6	407
102453	983410	4.864	8	16.70	12	320	<2	<1	2.70	4	24	61	103	8.90	1.99	26	1.82	804	10	48	838	24	0.67	<5	<5	<10	245	3537	10	104	<10	15	90
102454	983411	0.013	<1	17.54	11	488	<2	<1	1.67	<4	5	306	10	2.73	2.14	26	0.95	631	6	7	451	23	0.34	<5	<5	<10	117	2748	7	24	<10	6	26
102455	983412	0.014	<1	14.72	16	444	<2	<1	0.85	<4	6	477	23	2.45	2.13	24	0.57	360	7	11	256	47	0.52	<5	<5	<10	81	2734	<2	21	<10	4	42
102456D	983412	0.025	<1	13.32	12	360	<2	<1	0.73	<4	6	416	22	2.37	1.92	21	0.49	317	7	11	245	45	0.51	<5	<5	<10	68	2170	<2	19	<10	4	38
102457	983413	0.055	<1	15.50	14	372	<2	<1	0.85	<4	5	277	40	1.95	1.94	24	0.60	338	7	8	319	44	0.50	<5	<5	<10	79	2431	<2	20	<10	4	29
102458	983414	0.261	9	13.15	37	295	<2	<1	0.40	16	5	344	248	4.75	1.93	20	0.33	158	8	9	285	1994	2.32	16	<5	<10	39	1861	<2	15	54	5	7960
102459	983415	0.587	7	14.54	39	298	<2	<1	1.42	11	6	321	26	4.12	2.00	25	0.94	683	5	10	345	1341	1.68	8	<5	<10	74	2489	9	21	40	5	4403
102460	983416	0.722	9	17.12	22	297	<2	<1	3.10	4	6	228	40	3.97	2.14	28	2.06	1808	3	8	379	436	1.00	<5	<5	<10	106	2873	18	24	<10	6	1237
102461	983417	0.697	3	15.60	28	296	<2	<1	2.64	<4	7	318	16	4.28	2.21	31	1.69	1268	3	11	344	296	1.30	<5	<5	<10	65	2832	20	26	<10	5	578
102462	983418	0.016	21	16.02	38	401	<2	<1	1.25	5	7	289	130	3.88	2.11	27	0.85	539	8	12	363	618	1.53	11	<5	<10	77	2605	4	24	16	6	1707
102463	983419	0.026	4	15.21	35	402	<2	<1	0.49	7	5	395	36	3.38	2.28	24	0.43	140	10	10	307	1142	1.34	7	<5	<10	46	2430	<2	18	17	4	2174

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102464	983420	<0.005	<1	13.83	10	459	<2	<1	1.57	<4	12	54	22	4.53	2.07	21	0.82	431	5	28	464	21	0.07	<5	<5	<10	188	3300	<2	67	37	13	56
102465	983421	0.208	17	10.83	39	266	<2	<1	0.32	17	5	449	226	4.10	1.89	16	0.29	138	8	11	238	2271	1.90	14	<5	<10	34	1811	<2	17	56	4	8512
102466	983422	0.121	<1	14.52	12	277	<2	<1	0.66	<4	3	442	13	2.23	2.03	22	0.62	228	8	8	275	56	0.58	<5	<5	<10	70	2052	<2	16	<10	4	154
102467D	983422	0.120	<1	15.31	15	281	<2	<1	0.70	<4	4	452	11	2.29	2.04	23	0.64	237	8	8	285	39	0.59	<5	<5	<10	74	2172	<2	17	<10	4	103
102468	983423	0.112	<1	15.10	14	249	<2	<1	1.25	<4	6	327	17	1.82	1.99	25	0.97	447	8	11	297	26	0.32	<5	<5	<10	95	2148	4	17	<10	4	38
102469	983424	0.040	<1	16.90	13	278	<2	<1	1.11	<4	7	332	10	1.73	2.09	29	0.85	380	7	11	330	14	0.26	<5	<5	<10	114	2508	6	20	<10	5	12
102470	983425	0.074	<1	18.66	13	424	<2	<1	1.45	<4	8	349	6	2.46	1.91	31	1.01	548	8	11	307	32	0.45	<5	<5	<10	154	2764	6	25	<10	5	39
102471	983426	0.061	<1	15.98	12	326	<2	<1	1.38	<4	8	317	10	2.47	2.07	26	1.02	548	7	10	281	30	0.52	<5	<5	<10	126	2329	8	21	<10	5	29
102472	983427	0.073	<1	17.37	18	651	<2	<1	1.94	<4	12	305	19	4.10	2.04	29	1.48	640	6	33	827	52	0.70	<5	<5	<10	260	3367	2	40	<10	9	63
102473	983428	0.062	<1	16.02	30	302	<2	<1	1.49	<4	9	302	10	3.59	2.05	28	1.20	653	5	10	310	47	1.10	<5	<5	<10	179	2140	9	21	<10	5	56
102474	983429	0.212	1	12.79	22	244	<2	<1	0.74	<4	7	244	21	2.00	2.25	21	0.51	259	6	9	277	115	0.62	<5	<5	<10	99	1770	<2	16	<10	4	199
102475	983430	1.267	<1	17.73	21	608	<2	<1	1.80	<4	14	53	563	6.83	2.22	24	1.00	519	29	29	586	64	0.51	<5	<5	<10	223	3540	2	95	25	14	92
102476	983431	0.129	2	14.42	22	237	<2	<1	0.91	<4	8	320	41	3.11	1.89	24	0.71	422	5	10	328	203	1.04	<5	<5	<10	106	2173	<2	19	<10	5	334
102477	983432	0.236	20	13.82	37	269	<2	<1	0.71	<4	7	321	129	4.26	1.91	20	0.49	253	7	10	356	40	1.60	<5	<5	<10	99	2373	<2	20	<10	6	86
102478D	983432	0.240	27	16.49	40	490	2	<1	0.95	<4	8	367	144	4.73	1.96	37	0.48	354	14	11	377	48	1.69	<5	<5	<10	131	4421	<2	36	<10	4	101
102479	983433	0.079	46	14.30	18	233	<2	<1	0.96	<4	6	301	71	3.05	1.89	26	0.81	329	6	9	382	21	0.74	<5	<5	<10	113	2410	2	24	<10	5	135
102480	983434	<0.005	<1	17.01	7	319	<2	<1	1.45	<4	6	272	13	2.88	2.07	29	0.81	288	6	9	404	10	0.45	<5	<5	<10	154	2978	<2	27	<10	6	18
102481	983435	<0.005	<1	14.61	12	333	<2	<1	1.30	<4	6	227	13	2.78	2.06	23	0.51	212	6	8	411	8	0.51	<5	<5	<10	125	3070	<2	26	<10	5	13
102482	983436	<0.005	<1	12.85	4	271	<2	<1	1.12	<4	4	230	6	2.18	1.91	21	0.45	172	6	6	404	4	0.27	<5	<5	<10	109	2615	<2	21	<10	5	2
102483	983437	0.008	<1	13.67	7	275	<2	<1	2.64	<4	5	267	7	2.13	2.00	19	0.35	511	7	8	387	4	0.26	<5	<5	<10	140	2437	<2	20	<10	5	12

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, April 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102484	983438	0.009	<1	16.66	3	314	<2	<1	1.97	<4	7	218	5	6.72	2.02	35	0.87	657	4	9	401	6	0.30	<5	<5	<10	154	3374	<2	27	<10	7	81
102485	983439	0.022	<1	20.34	2	412	<2	<1	2.73	<4	9	263	10	7.83	2.11	35	0.98	825	5	10	404	10	0.73	<5	<5	<10	237	3928	5	32	<10	8	89
102486	983440	<0.005	<1	14.97	8	503	<2	<1	1.66	<4	13	53	22	4.72	1.96	21	0.84	452	6	29	480	6	0.06	<5	<5	<10	217	3516	2	70	37	13	34
102487	983441	0.013	<1	20.88	8	343	<2	<1	2.60	<4	7	220	5	5.44	2.07	31	0.92	687	5	9	432	7	0.80	<5	<5	<10	246	3971	<2	31	<10	8	70
102488	983442	0.008	<1	18.03	27	404	<2	<1	1.83	<4	7	165	5	4.32	2.12	33	0.71	460	8	7	433	7	1.00	<5	<5	<10	186	3901	<2	32	<10	6	47
102489R	983442	0.008	<1	16.50	30	390	<2	<1	1.75	<4	7	209	5	4.31	2.06	30	0.68	458	6	7	412	6	0.98	<5	<5	<10	176	3774	<2	31	<10	5	45
102490	983443	0.005	<1	18.25	16	329	<2	<1	2.21	<4	6	254	10	3.78	2.03	30	1.00	529	5	8	428	8	0.61	<5	<5	<10	216	3378	8	26	<10	6	48
102491	983444	0.009	<1	15.63	4	317	<2	<1	2.92	<4	4	442	7	2.17	2.21	23	0.64	260	8	9	318	8	0.36	<5	<5	<10	244	2296	<2	24	<10	5	18
102492	983445	0.009	1	17.81	8	585	<2	<1	3.08	<4	10	274	33	3.35	2.01	28	0.97	305	4	25	763	19	0.96	<5	<5	<10	242	3650	6	40	<10	7	19
102493	983446	0.012	3	19.62	10	929	2	<1	3.68	<4	15	274	152	4.12	1.90	36	1.03	388	8	29	898	28	1.09	<5	<5	<10	326	4630	19	53	<10	7	77
102494	983447	<0.005	<1	18.00	8	683	<2	<1	1.92	<4	8	287	12	2.32	1.99	30	0.94	206	4	10	438	7	0.54	<5	<5	<10	247	3520	<2	35	<10	4	29
102495	983448	<0.005	<1	17.86	6	520	<2	<1	1.57	<4	5	264	11	2.37	2.13	30	0.67	130	5	7	430	7	0.82	<5	<5	<10	288	3313	<2	33	<10	4	24
102496	983449	<0.005	<1	18.86	9	524	<2	<1	2.52	<4	9	223	12	2.91	2.14	31	1.27	234	2	10	425	9	1.06	<5	<5	<10	383	4091	10	39	<10	4	36
102497	983450	0.226	355	14.91	3614	117	2	<1	2.08	114	13	46	438	14.32	2.10	19	0.81	1198	15	23	423	9611	5.01	62	11	11	179	2584	3	82	98	11	13443
102498	983451	<0.005	<1	16.29	15	445	<2	<1	1.37	<4	6	214	9	2.34	2.11	30	0.51	105	8	9	376	11	0.92	<5	<5	<10	212	2950	<2	29	<10	5	40
102499	983452	0.046	<1	16.40	12	357	<2	<1	1.54	<4	5	295	5	2.70	2.11	22	0.51	158	6	9	325	22	1.05	<5	<5	<10	221	2234	<2	21	<10	5	<1
102500D	983452	0.005	<1	18.30	13	409	<2	<1	1.73	<4	5	297	5	2.71	2.05	25	0.53	163	8	9	326	23	1.06	<5	<5	<10	259	2344	<2	22	<10	5	2
102501	983453	<0.005	<1	15.62	12	345	<2	<1	1.54	<4	5	252	3	2.86	1.90	25	0.47	172	7	7	322	7	1.15	<5	<5	<10	209	2304	<2	21	<10	4	14
102502	983454	<0.005	<1	16.15	9	431	<2	<1	1.54	<4	5	286	3	3.39	2.05	35	0.93	207	5	8	317	11	1.16	<5	<5	<10	222	2640	9	23	<10	4	10
102503	983455	<0.005	<1	19.29	7	436	2	<1	4.26	<4	13	146	5	4.81	2.07	26	2.17	657	<1	16	400	15	1.34	<5	<5	<10	306	3255	14	30	11	6	152

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102504	983456	<0.005	2	18.24	28	478	<2	<1	1.07	<4	16	290	28	4.62	2.03	26	0.70	161	8	26	430	14	1.96	<5	<5	<10	195	3220	<2	34	<10	8	32
102505	983457	<0.005	<1	16.37	32	537	<2	<1	1.32	<4	18	265	9	2.29	2.08	25	0.39	134	8	24	516	8	0.81	<5	<5	<10	214	2862	3	28	<10	5	17
102506	983458	<0.005	<1	18.54	29	593	<2	<1	1.23	<4	20	256	11	2.15	2.02	26	0.44	136	6	26	538	12	0.69	<5	<5	<10	330	3015	<2	32	<10	5	26
102507	983459	<0.005	2	18.52	11	426	<2	<1	1.16	<4	11	171	6	2.64	2.09	32	0.81	234	7	13	520	26	0.58	<5	<5	<10	215	2886	4	29	<10	6	8
102508	983460	<0.005	<1	14.93	5	492	<2	<1	1.62	<4	12	50	21	4.54	2.02	22	0.82	436	6	28	462	7	0.05	<5	<5	<10	203	3379	<2	68	32	13	30
102509	983461	<0.005	<1	17.48	8	637	<2	<1	1.75	<4	11	244	13	4.94	2.03	35	1.06	432	6	26	861	15	0.90	<5	<5	<10	228	3573	2	40	<10	10	46
102510	983462	0.016	<1	22.16	57	597	2	<1	1.50	<4	14	190	8	4.58	2.45	30	0.69	419	8	14	617	16	1.45	<5	<5	<10	177	5100	<2	47	<10	6	37
102511D	983462	0.017	<1	17.06	46	313	<2	<1	1.31	<4	10	164	7	3.67	2.12	21	0.61	328	6	11	537	15	1.24	<5	<5	<10	138	2892	<2	25	<10	7	22
102512	983463	0.011	<1	16.72	27	358	<2	<1	1.40	<4	8	267	11	3.32	2.08	22	0.67	286	5	11	495	12	0.79	<5	<5	<10	112	3026	<2	27	<10	6	60
102513	983464	0.007	<1	20.05	12	389	<2	<1	3.06	<4	9	162	13	3.99	2.19	27	1.49	468	2	10	450	11	0.33	<5	<5	<10	155	3178	11	28	<10	6	43
102514	983465	0.007	<1	16.01	25	413	<2	<1	1.30	<4	8	303	9	3.25	2.11	18	0.43	167	6	11	457	12	0.96	<5	<5	<10	119	2553	<2	23	<10	6	<1
102515	983466	0.010	<1	14.42	24	350	<2	<1	1.33	<4	7	134	14	3.23	1.77	16	0.49	212	6	8	402	9	0.98	<5	<5	<10	107	2273	<2	20	<10	6	<1
102516	983467	<0.005	<1	21.58	9	426	<2	<1	3.10	<4	8	279	13	3.94	2.35	29	1.44	541	4	10	453	14	0.29	<5	<5	<10	147	3462	7	30	<10	7	30
102517	983468	0.007	<1	20.16	15	397	<2	<1	2.54	<4	11	161	10	3.85	2.19	26	1.11	553	5	12	460	13	0.58	<5	<5	<10	141	3138	6	28	<10	7	31
102518	983469	0.015	<1	17.13	35	368	<2	<1	1.18	<4	10	288	8	4.67	2.16	19	0.51	282	6	14	491	14	1.63	<5	<5	<10	123	2989	<2	29	<10	7	15
102519	983470	4.978	8	17.78	12	352	<2	<1	2.78	4	25	64	103	9.17	2.07	26	1.83	811	10	48	829	20	0.67	<5	<5	<10	275	4723	19	111	<10	15	90
102520	983471	0.013	<1	17.50	15	436	<2	<1	2.06	<4	8	158	11	3.46	2.14	25	0.91	586	6	9	455	24	0.57	<5	<5	<10	149	3429	10	35	<10	5	49
102521	983472	0.157	<1	14.56	45	365	<2	<1	0.50	<4	8	285	13	3.76	1.98	16	0.24	<100	9	11	427	17	1.47	<5	<5	<10	73	2464	<2	27	<10	5	99
102522D	983472	0.170	<1	14.51	42	361	<2	<1	0.48	<4	8	282	12	3.70	2.06	16	0.23	<100	9	12	410	16	1.45	<5	<5	<10	72	2440	<2	27	<10	5	95
102523	983473	0.230	<1	17.01	94	392	<2	<1	0.73	<4	10	186	14	7.24	1.75	18	0.34	137	9	12	433	30	3.29	<5	<5	<10	114	2345	<2	33	<10	5	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
102524	983474	0.192	<1	15.12	32	396	<2	<1	0.61	<4	8	368	10	2.63	2.20	18	0.36	122	8	11	407	23	0.83	<5	<5	<10	84	1878	<2	27	<10	4	31
102525	983475	0.193	1	16.86	48	518	<2	<1	0.45	<4	7	176	61	3.38	2.17	18	0.25	<100	10	9	394	34	1.46	<5	<5	<10	78	2066	<2	29	<10	4	293
102526	983476	0.192	<1	14.31	42	473	<2	<1	0.39	<4	8	366	25	3.39	2.06	17	0.24	<100	9	12	379	39	1.32	<5	<5	<10	62	1852	<2	27	<10	3	161
102527	983477	0.045	<1	17.04	35	448	<2	<1	0.47	<4	8	136	12	2.44	2.10	19	0.35	<100	9	8	528	25	0.93	<5	<5	<10	60	1819	<2	26	<10	5	38
102528	983478	0.850	3	13.95	136	301	<2	1	0.35	4	12	367	70	4.15	2.14	15	0.23	<100	11	30	296	207	1.76	32	<5	<10	48	1396	<2	33	<10	5	836
102529	983479	0.145	<1	15.73	60	409	<2	<1	0.37	11	7	238	16	3.36	1.97	16	0.26	<100	10	11	326	34	1.54	<5	<5	<10	60	1642	<2	26	28	4	2887
102530	983480	0.006	<1	16.49	7	551	<2	<1	1.74	<4	13	54	22	4.84	2.07	22	0.84	463	7	29	489	10	0.07	<5	<5	<10	244	3831	<2	74	39	14	55
102531	983481	0.079	<1	17.16	47	499	<2	<1	0.72	<4	7	404	20	3.22	1.97	19	0.44	160	9	12	435	28	1.02	<5	<5	<10	76	2133	<2	30	<10	4	233
102532	983482	0.062	<1	17.50	44	425	<2	<1	1.00	<4	9	166	28	3.09	2.04	22	0.54	198	8	10	462	33	1.15	<5	<5	<10	80	2287	<2	26	<10	6	370
102533D	983482	0.066	<1	18.94	40	488	2	<1	1.03	<4	9	172	30	3.19	2.07	23	0.57	210	8	10	493	37	1.18	<5	<5	<10	85	2618	2	29	<10	6	389
102534	983483	0.066	<1	16.96	39	438	<2	<1	0.74	<4	10	315	28	2.62	2.04	22	0.42	138	9	13	453	25	0.82	<5	<5	<10	65	2600	<2	27	<10	6	156
102535	983484	0.072	<1	22.76	30	579	2	<1	2.75	<4	8	183	41	3.72	2.13	31	1.49	934	5	10	487	27	0.65	<5	<5	<10	118	3616	26	31	<10	7	91
102536	983485	0.028	<1	18.35	28	534	<2	<1	1.92	<4	8	318	19	3.23	2.10	25	1.06	585	5	11	468	24	0.64	<5	<5	<10	101	3101	3	27	<10	7	56
102537	983486	0.041	<1	19.16	21	525	<2	<1	1.93	<4	8	138	18	2.82	2.17	27	1.06	559	7	9	464	20	0.59	<5	<5	<10	100	3077	4	26	<10	7	54
102538	983487	0.084	<1	16.72	34	518	<2	<1	1.19	<4	7	321	26	3.52	2.15	27	0.71	311	9	11	409	19	1.13	<5	<5	<10	81	2848	<2	27	<10	6	239
102539	983488	0.085	<1	18.52	32	532	2	<1	2.50	<4	8	145	33	3.74	2.04	27	1.24	655	4	9	445	20	1.01	<5	<5	<10	102	3094	<2	26	<10	6	364
102540	983489	0.065	<1	17.42	32	578	<2	<1	1.76	<4	7	303	34	3.72	2.18	25	1.07	429	5	12	396	18	0.92	<5	<5	<10	110	2758	<2	25	<10	7	82
102541	983490	1.100	<1	13.62	17	505	<2	<1	1.70	<4	14	52	575	7.15	1.93	21	1.00	534	28	31	591	65	0.53	<5	<5	<10	167	3251	<2	95	24	14	97
102542	983491	0.054	<1	18.12	32	492	<2	<1	1.84	<4	11	142	16	4.01	1.97	27	1.17	435	6	23	443	17	1.13	<5	<5	<10	110	3257	12	35	<10	9	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
102424	983383	21	<0.001	0.021
102425	983384	39	0.001	0.039
102426	983385	10	<0.001	0.010
102427	983386	7	<0.001	0.007
102428	983387	9	<0.001	0.009
102429	983388	154	0.004	0.154
102430	983389	452	0.013	0.452
102431	983390	215	0.006	0.215
102432	983391	7	<0.001	0.007
102433	983392	<5	<0.001	<0.005
102434 Dup	983392	7	<0.001	0.007
102435	983393	6	<0.001	0.006
102436	983394	5	<0.001	0.005
102437	983395	158	0.005	0.158
102438	983396	25	<0.001	0.025
102439	983397	5	<0.001	0.005
102440	983398	7	<0.001	0.007
102441	983399	<5	<0.001	<0.005
102442	983400	<5	<0.001	<0.005
102443	983401	<5	<0.001	<0.005
102444	983402	8	<0.001	0.008
102445 Dup	983402	9	<0.001	0.009
102446	983403	9	<0.001	0.009
102447	983404	9	<0.001	0.009
102448	983405	12	<0.001	0.012
102449	983406	7	<0.001	0.007
102450	983407	11	<0.001	0.011
102451	983408	8	<0.001	0.008
102452	983409	138	0.004	0.138
102453	983410	4864	0.142	4.864

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
102454	983411	13	<0.001	0.013
102455	983412	14	<0.001	0.014
102456 Dup	983412	25	<0.001	0.025
102457	983413	55	0.002	0.055
102458	983414	261	0.008	0.261
102459	983415	587	0.017	0.587
102460	983416	722	0.021	0.722
102461	983417	697	0.020	0.697
102462	983418	16	<0.001	0.016
102463	983419	26	<0.001	0.026
102464	983420	<5	<0.001	<0.005
102465	983421	208	0.006	0.208
102466	983422	121	0.004	0.121
102467 Dup	983422	120	0.004	0.120
102468	983423	112	0.003	0.112
102469	983424	40	0.001	0.040
102470	983425	74	0.002	0.074
102471	983426	61	0.002	0.061
102472	983427	73	0.002	0.073
102473	983428	62	0.002	0.062
102474	983429	212	0.006	0.212
102475	983430	1267	0.037	1.267
102476	983431	129	0.004	0.129
102477	983432	236	0.007	0.236
102478 Dup	983432	240	0.007	0.240
102479	983433	79	0.002	0.079
102480	983434	<5	<0.001	<0.005
102481	983435	<5	<0.001	<0.005
102482	983436	<5	<0.001	<0.005
102483	983437	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
102484	983438	9	<0.001	0.009
102485	983439	22	<0.001	0.022
102486	983440	<5	<0.001	<0.005
102487	983441	13	<0.001	0.013
102488	983442	8	<0.001	0.008
102489 Rep	983442	8	<0.001	0.008
102490	983443	5	<0.001	0.005
102491	983444	9	<0.001	0.009
102492	983445	9	<0.001	0.009
102493	983446	12	<0.001	0.012
102494	983447	<5	<0.001	<0.005
102495	983448	<5	<0.001	<0.005
102496	983449	<5	<0.001	<0.005
102497	983450	226	0.007	0.226
102498	983451	<5	<0.001	<0.005
102499	983452	46	0.001	0.046
102500 Dup	983452	5	<0.001	0.005
102501	983453	<5	<0.001	<0.005
102502	983454	<5	<0.001	<0.005
102503	983455	<5	<0.001	<0.005
102504	983456	<5	<0.001	<0.005
102505	983457	<5	<0.001	<0.005
102506	983458	<5	<0.001	<0.005
102507	983459	<5	<0.001	<0.005
102508	983460	<5	<0.001	<0.005
102509	983461	<5	<0.001	<0.005
102510	983462	16	<0.001	0.016
102511 Dup	983462	17	<0.001	0.017
102512	983463	11	<0.001	0.011
102513	983464	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, April 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/13/2011  
 Date Completed: 04/19/2011  
 Job #: 201141467  
 Reference: TMI-TML  
 Sample #: 109

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
102514	983465	7	<0.001	0.007
102515	983466	10	<0.001	0.010
102516	983467	<5	<0.001	<0.005
102517	983468	7	<0.001	0.007
102518	983469	15	<0.001	0.015
102519	983470	4978	0.145	4.978
102520	983471	13	<0.001	0.013
102521	983472	157	0.005	0.157
102522 Dup	983472	170	0.005	0.170
102523	983473	230	0.007	0.230
102524	983474	192	0.006	0.192
102525	983475	193	0.006	0.193
102526	983476	192	0.006	0.192
102527	983477	45	0.001	0.045
102528	983478	850	0.025	0.850
102529	983479	145	0.004	0.145
102530	983480	6	<0.001	0.006
102531	983481	79	0.002	0.079
102532	983482	62	0.002	0.062
102533 Dup	983482	66	0.002	0.066
102534	983483	66	0.002	0.066
102535	983484	72	0.002	0.072
102536	983485	28	<0.001	0.028
102537	983486	41	0.001	0.041
102538	983487	84	0.002	0.084
102539	983488	85	0.002	0.085
102540	983489	65	0.002	0.065
102541	983490	1100	0.032	1.100
102542	983491	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104499	1007153	3.775	62	>10.00	12	371	2	<1	2.09	71	10	33	4485	3.55	1.65	33	1.35	828	14	50	546	29	5.94	<5	6	<10	480	1868	3	41	244	7	28113
104500	1007154	0.023	1	>10.00	4	529	<2	<1	2.32	<4	9	42	47	2.07	1.79	27	0.79	530	16	58	518	21	1.52	<5	<5	<10	382	1944	3	38	<10	7	202
104501	1007155	0.013	<1	9.84	6	532	<2	<1	2.40	<4	9	39	29	2.19	2.03	28	0.90	645	12	47	513	12	1.44	<5	<5	<10	359	2141	2	44	<10	7	99
104502	1007156	<0.005	<1	8.37	9	452	<2	<1	1.19	<4	10	52	31	2.28	1.60	22	0.59	256	16	81	269	16	2.13	<5	<5	<10	213	1371	<2	31	<10	5	39
104503	1007157	0.017	1	9.81	2	499	<2	<1	1.31	<4	12	32	62	3.39	1.59	28	0.72	331	15	59	127	23	2.78	<5	<5	<10	230	1446	<2	30	<10	5	37
104504	1007158	0.007	<1	9.42	2	694	<2	<1	1.69	<4	6	30	17	1.65	1.68	25	0.82	470	12	37	495	16	1.45	<5	<5	<10	243	1550	2	35	<10	7	40
104505	1007159	0.008	<1	7.31	4	340	<2	<1	1.81	<4	6	83	18	1.53	1.87	20	0.89	555	20	113	352	27	1.16	<5	<5	<10	194	1124	5	30	<10	7	182
104506	1007160	5.115	9	8.22	8	314	<2	<1	3.00	4	26	69	101	4.63	1.77	25	2.02	870	11	55	901	24	1.34	<5	<5	<10	252	1730	7	110	<10	14	101
104507	1007161	0.013	1	9.97	124	573	<2	<1	2.08	<4	16	67	59	2.96	1.57	27	1.22	603	14	74	369	38	2.38	<5	<5	<10	290	1386	<2	48	<10	9	223
104508	1007162	0.021	1	9.61	379	528	<2	<1	1.23	<4	19	50	50	2.67	1.61	26	1.16	344	16	78	317	27	2.39	<5	<5	<10	217	1169	4	38	<10	9	183
104509D	1007162	0.018	1	9.83	373	549	<2	<1	1.26	<4	19	43	53	2.50	1.65	26	1.12	328	14	60	301	32	2.22	<5	<5	<10	235	1185	5	38	<10	9	196
104510	1007163	0.029	3	>10.00	86	451	<2	<1	1.64	5	23	53	704	2.87	1.68	28	1.68	720	13	62	322	33	2.77	<5	<5	<10	207	948	7	49	13	10	1190
104511	1007164	0.059	1	>10.00	5	329	<2	<1	2.06	<4	20	126	53	3.48	1.58	34	1.37	595	16	92	476	24	1.32	<5	<5	<10	159	2459	4	72	<10	13	82
104512	1007165	0.098	2	>10.00	27	463	2	<1	2.30	<4	22	134	82	3.61	1.70	32	1.36	714	16	96	467	42	2.58	<5	<5	<10	176	2116	5	73	<10	14	109
104513	1007166	0.094	2	9.65	20	332	2	<1	2.39	<4	23	131	82	3.89	1.76	27	1.48	818	12	100	459	47	2.47	<5	<5	<10	179	1906	3	63	<10	15	127
104514	1007167	0.447	3	9.89	51	537	<2	<1	1.41	<4	11	136	119	2.20	1.93	29	0.77	335	33	148	331	56	2.20	<5	<5	<10	133	1867	<2	65	<10	9	114
104515	1007168	0.015	<1	8.96	10	470	<2	<1	1.24	<4	5	45	5	0.77	1.99	27	0.59	193	17	72	245	14	0.89	<5	<5	<10	143	1389	2	26	<10	4	13
104516	1007169	0.014	<1	>10.00	13	518	<2	<1	1.30	<4	5	27	5	0.59	2.01	28	0.59	200	15	43	319	41	1.03	<5	<5	<10	182	1409	3	25	<10	4	132
104517	1007170	<0.005	<1	7.94	6	468	<2	<1	1.75	<4	11	48	19	2.15	2.24	23	0.83	432	11	30	444	6	0.88	<5	<5	<10	209	1767	<2	66	36	12	38
104518	1007171	0.006	<1	9.29	10	462	<2	<1	1.24	<4	5	36	2	0.54	1.76	26	0.41	143	16	62	351	20	0.86	<5	<5	<10	175	1373	2	24	<10	4	14

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, May 5, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104519	1007172	0.010	<1	9.51	12	405	<2	<1	1.54	<4	5	22	3	0.56	1.76	24	0.45	162	13	32	347	50	0.97	<5	<5	<10	200	1266	3	22	<10	4	61
104520D	1007172	0.013	<1	7.55	10	322	<2	<1	1.21	<4	5	22	3	0.55	1.64	20	0.41	158	11	33	343	48	0.83	<5	<5	<10	154	1126	5	19	<10	4	61
104521	1007173	0.010	<1	9.75	8	471	<2	<1	1.93	<4	3	40	5	0.61	1.69	25	0.36	162	17	61	356	13	0.84	<5	<5	<10	245	1300	2	24	<10	4	12
104522	1007174	0.011	<1	>10.00	14	409	<2	<1	2.14	<4	4	34	5	0.58	1.88	26	0.34	154	16	49	357	13	0.93	<5	<5	<10	247	1285	7	24	<10	4	21
104523	1007175	0.011	<1	9.30	11	523	<2	<1	1.82	<4	3	35	5	0.58	1.83	23	0.30	165	15	55	354	20	0.81	<5	<5	<10	218	1332	3	24	<10	4	10
104524	1007176	0.009	<1	>10.00	14	632	<2	<1	2.08	<4	3	25	7	0.62	1.53	27	0.44	161	15	36	379	14	0.95	<5	<5	<10	221	1385	3	23	<10	5	27
104525	1007177	0.011	<1	9.87	9	673	<2	<1	2.00	<4	3	37	13	0.70	1.59	24	0.40	160	16	56	425	18	0.82	<5	<5	<10	221	1300	5	24	<10	5	36
104526	1007178	0.010	<1	8.85	10	569	<2	<1	1.50	<4	4	49	6	0.77	1.59	24	0.44	193	18	81	354	24	0.81	<5	<5	<10	168	1253	<2	25	<10	4	38
104527	1007179	0.012	<1	9.94	14	670	<2	<1	1.67	<4	4	40	6	0.93	1.67	27	0.52	255	17	66	388	44	0.96	<5	<5	<10	239	1597	<2	28	<10	5	38
104528	1007180	1.442	1	9.16	21	594	<2	<1	1.98	<4	14	54	543	3.53	1.56	24	1.07	554	35	33	620	67	1.24	<5	<5	<10	229	1907	2	100	23	14	94
104529	1007181	<0.005	<1	7.92	18	420	<2	<1	2.03	<4	9	53	20	1.96	1.82	22	0.82	510	16	89	457	26	1.35	<5	<5	<10	237	1528	4	30	<10	6	82
104530	1007182	0.014	<1	7.03	10	416	<2	<1	1.33	<4	5	71	11	1.48	1.69	21	0.49	286	22	120	298	20	1.17	<5	<5	<10	168	1115	<2	23	<10	5	45
104531D	1007182	0.015	<1	7.70	9	435	<2	<1	1.48	<4	5	64	10	1.43	2.00	23	0.51	283	22	104	295	20	1.27	<5	<5	<10	189	1178	4	24	<10	5	46
104532	1007183	0.016	<1	8.64	13	515	<2	<1	1.87	<4	4	49	7	1.43	1.67	24	0.81	489	18	85	622	39	1.14	<5	<5	<10	119	1449	2	30	<10	6	55
104533	1007184	0.205	2	7.58	13	437	<2	<1	1.11	<4	3	23	16	1.25	1.56	22	0.50	261	12	35	355	102	1.37	<5	<5	<10	99	1239	<2	21	<10	5	149
104534	1007185	0.484	3	8.98	28	447	<2	<1	1.01	8	5	56	53	1.52	1.60	28	0.79	281	15	59	442	158	1.79	<5	<5	<10	94	1659	3	29	21	6	1924
104535	1007186	0.272	2	>10.00	36	505	<2	<1	1.27	<4	6	74	32	1.74	1.82	32	0.88	321	20	94	428	104	1.92	<5	<5	<10	109	1835	3	35	<10	6	174
104536	1007187	0.020	<1	>10.00	11	442	<2	<1	1.43	<4	5	24	2	0.57	1.53	33	0.79	439	14	30	315	26	1.04	<5	<5	<10	116	1580	<2	27	<10	5	24
104537	1007188	0.093	<1	9.66	16	380	<2	<1	1.55	<4	5	30	2	0.81	1.57	30	0.91	614	12	42	353	20	1.05	<5	<5	<10	126	1519	6	25	<10	4	39
104538	1007189	0.110	<1	9.00	11	370	<2	<1	1.25	<4	5	31	2	0.60	1.60	27	0.76	470	13	42	328	19	0.74	<5	<5	<10	105	1439	9	26	<10	4	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104539	1007190	<0.005	<1	6.27	6	440	<2	<1	1.63	<4	12	52	20	2.24	1.74	18	0.81	446	6	32	468	5	0.53	<5	<5	<10	190	1606	<2	67	35	11	38
104540	1007191	0.071	<1	9.65	14	425	<2	<1	1.19	<4	4	34	8	0.81	1.65	29	0.72	417	14	46	320	53	1.07	<5	<5	<10	110	1524	2	28	<10	4	97
104541	1007192	0.164	<1	9.88	22	433	<2	<1	1.60	<4	5	31	8	1.20	1.64	30	1.01	585	14	43	358	49	1.48	<5	<5	<10	115	1578	5	28	<10	5	119
104542D	1007192	0.106	<1	>10.00	24	437	<2	<1	1.66	<4	4	34	9	1.20	1.91	29	1.02	576	15	46	356	52	1.46	<5	<5	<10	120	1613	8	29	<10	6	145
104543	1007193	0.100	1	>10.00	12	355	<2	<1	1.60	<4	3	36	7	0.88	1.61	33	0.94	527	16	50	334	62	1.21	<5	<5	<10	132	1632	6	27	<10	5	76
104544	1007194	2.412	10	8.86	20	334	<2	<1	0.77	<4	3	35	108	0.90	1.68	27	0.58	212	19	49	266	728	1.41	7	<5	<10	77	1287	4	20	<10	4	966
104545	1007195	0.104	1	9.41	17	354	<2	<1	1.45	<4	4	23	15	0.83	1.72	30	0.84	473	13	29	304	75	1.22	<5	<5	<10	115	1444	3	24	<10	4	187
104546	1007196	0.082	1	>10.00	11	345	<2	<1	1.22	<4	3	22	7	0.80	1.79	32	0.77	387	13	26	313	58	1.20	<5	<5	<10	107	1507	4	25	<10	5	98
104547	1007197	0.043	<1	>10.00	13	387	2	<1	2.30	<4	4	22	1	0.98	1.70	36	1.40	887	14	29	406	55	1.20	<5	<5	<10	189	1906	12	32	<10	5	97
104548	1007198	0.796	<1	>10.00	12	333	<2	<1	1.24	<4	3	27	6	0.75	1.92	27	0.80	357	13	38	323	21	1.11	<5	<5	<10	130	1499	4	25	<10	5	105
104549	1007199	0.195	<1	>10.00	10	358	<2	<1	2.00	<4	4	32	2	1.05	1.70	31	1.14	625	15	45	332	22	1.29	<5	<5	<10	159	1520	8	28	<10	5	41
104550	1007200	0.233	350	9.05	3706	64	<2	<1	2.40	117	14	45	430	7.07	1.38	23	0.91	1207	19	25	436	9548	5.84	72	10	11	192	1315	4	84	113	11	13470
104551	1007201	0.009	3	>10.00	43	418	<2	<1	1.62	<4	2	56	8	0.95	1.67	31	0.95	416	20	87	320	84	0.91	<5	<5	<10	166	1536	4	27	<10	5	125
104552	1007202	0.008	1	9.48	6	547	2	<1	1.47	<4	2	35	7	0.71	1.75	27	0.68	267	16	49	182	54	0.95	<5	<5	<10	187	1039	2	23	<10	4	43
104553D	1007202	0.006	1	8.28	6	537	2	<1	1.26	<4	2	36	8	0.71	1.61	25	0.67	271	14	50	185	54	0.86	<5	<5	<10	157	1004	2	22	<10	4	49
104554	1007203	0.041	6	8.16	22	311	2	<1	2.40	<4	8	35	48	2.27	1.75	27	1.44	947	7	46	1079	49	1.65	<5	<5	<10	213	1537	10	30	<10	9	131
104555	1007204	0.046	8	>10.00	23	378	<2	<1	3.01	<4	4	28	27	1.60	1.74	32	1.40	1127	15	36	353	27	1.92	<5	<5	<10	187	1338	14	24	<10	6	50
104556	1007205	0.015	2	9.56	19	464	<2	<1	1.40	<4	8	27	13	0.97	1.67	31	0.65	336	14	40	372	44	1.49	<5	<5	<10	180	1669	2	30	<10	5	67
104557	1007206	0.052	8	>10.00	17	504	<2	<1	1.63	<4	8	31	15	1.05	1.74	34	0.72	393	16	48	396	80	1.62	<5	<5	<10	205	1830	4	32	<10	5	35
104558	1007207	0.018	1	>10.00	20	463	<2	<1	2.49	<4	19	31	9	1.47	1.83	31	0.95	478	14	55	409	28	1.81	<5	<5	<10	198	1737	2	35	<10	6	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104559	1007208	0.008	<1	>10.00	17	414	<2	<1	2.33	<4	12	29	7	1.74	1.70	30	0.88	424	14	44	407	21	1.99	<5	<5	<10	213	1900	2	36	<10	5	48
104560	1007209	0.007	<1	>10.00	9	379	<2	<1	1.98	<4	5	29	3	1.78	1.77	31	0.78	261	15	41	413	10	2.13	<5	<5	<10	205	1811	2	33	<10	6	37
104561	1007210	0.007	<1	8.72	7	517	<2	<1	1.91	<4	13	54	22	2.38	1.72	24	0.91	477	10	32	490	8	0.82	<5	<5	<10	237	1936	<2	73	36	13	42
104562	1007211	0.026	2	>10.00	12	229	<2	<1	2.86	<4	8	26	12	4.71	1.67	31	1.22	443	14	34	373	19	4.76	<5	<5	<10	276	1741	7	37	<10	9	101
104563	1007212	0.024	2	>10.00	8	441	<2	<1	2.31	<4	8	25	10	3.09	1.73	35	1.21	432	13	42	451	15	2.45	<5	<5	<10	280	1897	2	38	<10	9	94
104564R	1007212	0.025	2	>10.00	6	472	<2	<1	2.67	<4	8	21	11	3.59	1.71	38	1.28	474	13	33	495	16	2.88	<5	<5	<10	327	2006	7	41	<10	9	96
104565	1007213	0.010	1	>10.00	5	569	<2	<1	1.75	<4	4	34	6	1.53	1.60	35	0.88	244	15	48	472	10	1.09	<5	<5	<10	236	1982	3	39	<10	6	41
104566	1007214	0.009	<1	9.82	4	444	<2	<1	1.83	<4	4	57	6	1.53	1.59	33	1.00	293	18	93	511	9	0.89	<5	5	<10	220	1665	5	34	<10	6	52
104567	1007215	0.012	1	>10.00	4	500	<2	<1	2.68	<4	5	34	9	1.67	1.68	36	1.23	381	13	44	584	14	1.32	<5	<5	<10	272	1721	5	35	<10	7	42
104568	1007216	0.010	1	9.57	6	357	<2	<1	2.22	<4	4	18	8	1.80	1.85	26	0.43	266	12	21	336	12	2.22	<5	<5	<10	210	1215	4	23	<10	5	28
104569	1007217	0.009	<1	7.93	7	342	<2	<1	1.75	<4	4	28	14	1.67	1.90	25	0.39	253	13	40	363	10	1.89	<5	<5	<10	157	1241	<2	23	<10	5	21
104570	1007218	<0.005	<1	8.52	15	311	<2	<1	1.52	<4	7	15	6	1.97	1.65	25	0.40	121	11	25	371	12	2.58	<5	<5	<10	194	1333	<2	24	<10	5	102
104571	1007219	<0.005	<1	9.54	16	394	<2	<1	1.82	<4	8	28	5	1.22	1.69	28	0.41	158	15	49	384	15	1.66	<5	<5	<10	229	1310	2	26	<10	5	48
104572	1007220	5.006	9	>10.00	10	350	<2	<1	3.18	4	25	64	99	4.58	1.65	30	2.01	847	19	54	870	24	1.38	<5	<5	<10	279	2250	9	110	<10	15	93
104573	1007221	0.007	<1	9.78	10	402	<2	<1	1.88	<4	5	73	5	1.95	1.63	30	0.56	228	29	122	347	15	2.16	<5	<5	<10	249	1431	2	30	<10	5	227
104574	1007222	<0.005	<1	>10.00	11	422	<2	<1	2.39	<4	7	44	4	2.11	1.72	34	0.83	329	16	67	505	25	2.34	<5	<5	<10	340	1927	<2	35	<10	6	41
104575D	1007222	<0.005	<1	8.55	7	315	<2	<1	1.61	<4	4	25	2	1.14	1.78	26	0.53	183	14	37	276	16	1.65	<5	<5	<10	216	1113	<2	20	<10	5	22
104576	1007223	<0.005	<1	9.76	7	462	<2	<1	1.87	<4	6	28	2	1.33	1.80	33	0.84	281	14	41	360	29	1.71	<5	<5	<10	252	1483	<2	27	<10	5	40
104577	1007224	<0.005	1	>10.00	8	519	<2	<1	2.07	<4	8	22	4	1.50	1.71	32	0.96	256	12	31	370	23	1.62	<5	<5	<10	292	1441	2	29	<10	5	62
104578	1007225	0.007	2	9.60	8	1190	2	<1	2.35	<4	13	49	14	1.93	1.72	33	1.19	261	13	65	950	29	1.30	<5	<5	<10	440	1891	7	52	<10	10	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104579	1007226	0.006	2	>10.00	3	1331	2	<1	2.58	<4	14	79	18	2.44	1.61	38	1.35	311	22	128	1024	31	1.61	<5	<5	<10	466	1967	8	58	<10	10	54
104580	1007227	0.005	<1	8.98	10	586	<2	<1	1.25	<4	7	51	9	1.74	1.57	26	0.49	136	18	75	396	29	1.79	<5	<5	<10	236	1410	<2	31	<10	6	54
104581	1007228	0.009	<1	0.65	2	60	<2	<1	0.34	<4	<1	5	1	0.22	0.11	3	0.14	<100	<1	7	138	2	0.09	<5	<5	<10	64	<100	<2	5	<10	<2	<1
104582	1007229	0.026	<1	8.84	23	491	<2	<1	1.85	<4	7	31	5	1.92	1.79	25	0.91	391	12	48	565	29	1.51	<5	<5	<10	204	1622	2	31	<10	7	55
104583	1007230	<0.005	<1	7.15	7	474	<2	<1	1.79	<4	11	54	21	2.38	1.78	21	0.89	475	7	32	503	8	0.59	<5	<5	<10	211	1703	5	71	34	13	42
104584	1007231	0.011	8	9.57	48	399	<2	<1	0.66	<4	7	40	27	2.25	1.79	23	0.39	<100	20	66	438	44	2.58	<5	<5	<10	127	1609	<2	33	<10	7	290
104585	1007232	<0.005	2	>10.00	31	420	<2	1	1.65	<4	8	57	28	2.14	1.72	26	0.77	467	21	98	496	34	2.08	<5	<5	<10	181	1509	<2	37	<10	7	55
104586D	1007232	<0.005	2	9.64	33	392	<2	<1	1.57	<4	7	52	28	2.08	1.75	24	0.74	447	19	91	488	35	1.89	<5	<5	<10	173	1414	2	35	<10	7	54
104587	1007233	0.022	1	9.48	17	397	<2	<1	1.47	<4	10	35	9	2.24	1.91	23	0.69	369	16	58	464	20	2.24	<5	5	<10	132	1403	2	34	<10	6	23
104588	1007234	0.021	1	9.91	10	372	<2	<1	1.25	<4	7	50	11	2.27	1.83	27	0.96	431	19	81	486	19	1.47	<5	<5	<10	116	1562	3	34	<10	6	66
104589	1007235	0.018	1	>10.00	13	411	<2	<1	0.85	<4	13	28	13	1.87	1.66	26	0.93	298	12	46	502	13	1.23	<5	<5	<10	87	1525	<2	33	<10	7	99
104590	1007236	0.014	1	>10.00	27	363	<2	<1	2.35	<4	12	31	3	1.67	1.64	26	1.22	462	14	50	534	22	1.60	<5	<5	<10	178	1128	7	33	<10	6	80
104591	1007237	0.010	<1	9.98	30	458	<2	<1	1.01	<4	11	34	12	2.04	1.66	22	0.78	262	15	61	535	16	2.06	<5	<5	<10	129	1241	3	38	<10	5	79
104592	1007238	0.804	<1	5.85	27	251	<2	<1	0.78	<4	8	29	6	1.61	1.70	11	0.50	193	9	48	501	14	1.49	<5	<5	<10	99	683	<2	24	<10	4	29
104593	1007239	0.012	1	9.74	10	383	<2	<1	1.27	<4	6	28	8	1.95	1.66	24	1.02	376	12	34	520	19	1.23	<5	<5	<10	132	1481	6	34	<10	6	38
104594	1007240	1.242	<1	7.31	21	528	<2	<1	1.83	<4	14	51	538	3.42	1.75	20	1.02	540	32	31	601	68	1.04	<5	5	<10	194	1629	4	95	20	13	91
104595	1007241	0.009	2	8.78	19	300	<2	<1	1.92	<4	9	29	11	2.19	1.73	22	1.11	495	8	38	501	20	1.20	<5	<5	<10	132	1289	5	29	<10	6	42
104596	1007242	0.009	3	>10.00	74	459	2	<1	3.25	<4	13	39	23	3.08	1.84	28	1.60	841	11	50	913	45	2.43	<5	<5	<10	240	1603	8	45	<10	9	102
104597D	1007242	0.006	1	9.89	37	366	<2	<1	1.95	<4	6	23	12	1.64	1.74	23	0.95	481	12	27	471	23	1.61	<5	<5	<10	146	1122	7	31	<10	6	58
104598	1007243	0.255	4	9.59	41	357	<2	<1	1.56	<4	6	22	18	1.56	1.96	22	0.72	335	12	28	483	35	1.83	<5	<5	<10	161	1109	2	32	<10	5	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104599	1007244	0.023	2	>10.00	36	439	<2	<1	1.98	<4	7	31	16	1.54	1.67	25	0.93	464	15	44	509	37	1.62	<5	<5	<10	120	1449	7	32	<10	6	91
104600	1007245	0.035	<1	9.09	42	371	<2	<1	1.83	<4	8	40	8	1.85	1.69	26	1.02	441	12	38	398	35	1.77	<5	<5	<10	92	1354	4	30	<10	7	39
104601	1007246	0.043	1	>10.00	40	457	<2	<1	1.97	<4	9	40	10	1.79	1.79	31	1.05	455	15	32	444	43	1.92	<5	<5	<10	104	1585	8	34	194	7	45
104602	1007247	0.280	2	9.72	79	259	<2	<1	2.33	<4	19	116	104	3.69	1.67	26	1.29	559	15	72	472	63	3.30	<5	<5	<10	108	1478	2	59	<10	12	87
104603	1007248	0.107	1	9.71	45	368	<2	<1	1.81	<4	16	79	40	2.84	1.84	25	1.10	332	13	62	493	59	2.30	<5	<5	<10	87	1458	4	52	<10	10	58
104604	1007249	0.904	5	8.77	121	395	<2	<1	0.50	10	8	43	116	2.72	1.68	19	0.33	<100	14	35	452	839	3.44	25	<5	<10	59	1090	<2	38	29	6	2673
104605	1007250	<0.005	<1	8.88	6	527	<2	<1	1.95	<4	12	56	23	2.46	1.65	24	0.94	493	12	33	515	13	0.81	<5	<5	<10	237	1942	4	75	39	14	58
104606	1007251	0.082	<1	9.22	26	676	<2	<1	0.91	<4	7	20	17	1.04	1.76	21	0.52	139	11	21	456	52	1.30	<5	5	<10	85	1314	3	32	<10	5	75
104607	1007252	0.046	<1	>10.00	28	574	<2	1	1.86	<4	6	31	10	1.46	1.62	25	0.98	394	12	41	564	38	1.33	<5	<5	<10	113	1374	4	32	<10	7	91
104608D	1007252	0.048	2	>10.00	29	673	2	1	2.11	<4	7	34	10	1.50	1.85	33	1.08	417	16	46	594	46	3.34	<5	<5	<10	127	1600	2	37	<10	7	106
104609	1007253	0.066	1	>10.00	30	571	<2	<1	0.83	<4	5	32	19	0.99	1.76	24	0.52	113	18	48	459	52	1.42	<5	<5	<10	86	1404	<2	34	<10	6	134
104610	1007254	0.094	1	>10.00	53	426	2	<1	2.02	<4	15	110	54	2.84	1.58	29	1.20	543	17	71	499	57	2.19	<5	<5	<10	104	2011	<2	69	<10	10	500
104611	1007255	0.057	1	>10.00	41	340	2	<1	2.46	<4	21	137	52	3.37	1.66	32	1.53	703	15	85	485	41	2.16	<5	<5	<10	105	2154	12	73	<10	11	103
104612	1007256	0.311	2	9.81	64	445	2	<1	0.55	<4	7	44	44	1.50	1.68	23	0.43	<100	17	50	422	106	1.97	6	<5	<10	76	1267	2	39	11	5	509
104613	1007257	0.213	2	9.01	93	430	<2	<1	0.58	4	6	43	49	1.67	1.75	20	0.43	<100	17	63	311	127	2.03	8	<5	<10	79	1163	<2	33	13	4	833
104614	1007258	0.379	3	9.01	158	437	<2	<1	0.78	18	7	34	38	1.96	1.60	23	0.48	140	17	50	367	2892	2.90	27	<5	<10	89	1149	<2	30	48	5	4602
104615	1007259	0.183	1	9.10	55	454	2	<1	1.12	<4	12	68	36	1.74	1.74	24	0.66	250	16	57	449	128	2.11	<5	<5	<10	103	1318	<2	52	<10	8	236
104616	1007260	0.241	357	8.89	4112	68	<2	<1	2.53	129	16	50	463	7.70	1.52	23	0.95	1345	19	27	478	9586	6.60	76	11	10	202	1445	<2	90	119	12	13411
104617	1007261	0.759	6	9.18	102	475	<2	<1	1.16	5	8	32	149	2.20	1.47	23	0.70	298	16	48	455	178	2.60	<5	<5	<10	111	1480	<2	32	<10	6	716
104618	1007262	0.098	11	7.41	148	353	<2	<1	0.64	8	6	39	243	2.96	1.56	19	0.39	113	17	53	312	775	3.72	22	<5	<10	76	1165	<2	26	21	4	1820

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
104619D	1007262	0.099	11	7.39	126	349	<2	<1	0.61	7	6	47	243	2.88	1.77	19	0.38	108	19	72	309	754	3.48	21	<5	<10	74	1143	<2	25	22	4	1803
104620	1007263	3.825	5	8.54	99	340	<2	<1	0.55	<4	5	29	83	2.03	1.48	21	0.37	<100	15	39	350	278	2.52	18	<5	<10	65	1305	<2	27	<10	6	349
104621	1007264	0.207	3	9.92	102	351	<2	<1	1.45	10	9	53	72	2.73	1.56	25	0.80	372	15	58	496	355	3.08	8	<5	<10	131	1639	<2	41	34	8	2781
104622	1007265	0.181	1	7.92	41	260	<2	<1	1.06	<4	5	28	25	1.43	1.67	20	0.64	249	11	40	412	164	1.56	<5	<5	<10	85	1219	2	25	<10	6	213
104623	1007266	0.208	2	8.60	48	311	<2	<1	1.00	<4	6	26	25	1.48	1.84	23	0.62	239	11	31	415	257	1.74	<5	<5	<10	83	1457	3	30	<10	5	201
104624	1007267	0.059	1	8.41	37	295	<2	<1	1.34	14	10	62	74	2.15	1.59	24	1.08	458	11	57	425	75	1.94	<5	<5	<10	83	1467	7	40	33	8	3228
104625	1007268	0.061	<1	9.93	33	328	<2	<1	2.79	<4	7	27	9	1.91	1.63	27	1.49	775	9	32	461	39	1.38	<5	<5	<10	123	1625	9	30	<10	6	432
104626	1007269	0.077	1	>10.00	43	450	2	<1	2.24	<4	9	29	34	2.14	1.52	27	1.03	467	12	37	597	58	1.83	<5	<5	<10	144	1698	9	31	11	7	506

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
104499	1007153	3775	0.110	3.775
104500	1007154	23	<0.001	0.023
104501	1007155	13	<0.001	0.013
104502	1007156	<5	<0.001	<0.005
104503	1007157	17	<0.001	0.017
104504	1007158	7	<0.001	0.007
104505	1007159	8	<0.001	0.008
104506	1007160	5115	0.149	5.115
104507	1007161	13	<0.001	0.013
104508	1007162	21	<0.001	0.021
104509 Dup	1007162	18	<0.001	0.018
104510	1007163	29	<0.001	0.029
104511	1007164	59	0.002	0.059
104512	1007165	98	0.003	0.098
104513	1007166	94	0.003	0.094
104514	1007167	447	0.013	0.447
104515	1007168	15	<0.001	0.015
104516	1007169	14	<0.001	0.014
104517	1007170	<5	<0.001	<0.005
104518	1007171	6	<0.001	0.006
104519	1007172	10	<0.001	0.010
104520 Dup	1007172	13	<0.001	0.013
104521	1007173	10	<0.001	0.010
104522	1007174	11	<0.001	0.011
104523	1007175	11	<0.001	0.011
104524	1007176	9	<0.001	0.009
104525	1007177	11	<0.001	0.011
104526	1007178	10	<0.001	0.010
104527	1007179	12	<0.001	0.012
104528	1007180	1442	0.042	1.442

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
104529	1007181	<5	<0.001	<0.005
104530	1007182	14	<0.001	0.014
104531 Dup	1007182	15	<0.001	0.015
104532	1007183	16	<0.001	0.016
104533	1007184	205	0.006	0.205
104534	1007185	484	0.014	0.484
104535	1007186	272	0.008	0.272
104536	1007187	20	<0.001	0.020
104537	1007188	93	0.003	0.093
104538	1007189	110	0.003	0.110
104539	1007190	<5	<0.001	<0.005
104540	1007191	71	0.002	0.071
104541	1007192	164	0.005	0.164
104542 Dup	1007192	106	0.003	0.106
104543	1007193	100	0.003	0.100
104544	1007194	2412	0.070	2.412
104545	1007195	104	0.003	0.104
104546	1007196	82	0.002	0.082
104547	1007197	43	0.001	0.043
104548	1007198	796	0.023	0.796
104549	1007199	195	0.006	0.195
104550	1007200	233	0.007	0.233
104551	1007201	9	<0.001	0.009
104552	1007202	8	<0.001	0.008
104553 Dup	1007202	6	<0.001	0.006
104554	1007203	41	0.001	0.041
104555	1007204	46	0.001	0.046
104556	1007205	15	<0.001	0.015
104557	1007206	52	0.002	0.052
104558	1007207	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, April 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
104559	1007208	8	<0.001	0.008
104560	1007209	7	<0.001	0.007
104561	1007210	7	<0.001	0.007
104562	1007211	26	<0.001	0.026
104563	1007212	24	<0.001	0.024
104564 Rep	1007212	25	<0.001	0.025
104565	1007213	10	<0.001	0.010
104566	1007214	9	<0.001	0.009
104567	1007215	12	<0.001	0.012
104568	1007216	10	<0.001	0.010
104569	1007217	9	<0.001	0.009
104570	1007218	<5	<0.001	<0.005
104571	1007219	<5	<0.001	<0.005
104572	1007220	5006	0.146	5.006
104573	1007221	7	<0.001	0.007
104574	1007222	<5	<0.001	<0.005
104575 Dup	1007222	<5	<0.001	<0.005
104576	1007223	<5	<0.001	<0.005
104577	1007224	<5	<0.001	<0.005
104578	1007225	7	<0.001	0.007
104579	1007226	6	<0.001	0.006
104580	1007227	5	<0.001	0.005
104581	1007228	9	<0.001	0.009
104582	1007229	26	<0.001	0.026
104583	1007230	<5	<0.001	<0.005
104584	1007231	11	<0.001	0.011
104585	1007232	<5	<0.001	<0.005
104586 Dup	1007232	<5	<0.001	<0.005
104587	1007233	22	<0.001	0.022
104588	1007234	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
104589	1007235	18	<0.001	0.018
104590	1007236	14	<0.001	0.014
104591	1007237	10	<0.001	0.010
104592	1007238	804	0.023	0.804
104593	1007239	12	<0.001	0.012
104594	1007240	1242	0.036	1.242
104595	1007241	9	<0.001	0.009
104596	1007242	9	<0.001	0.009
104597 Dup	1007242	6	<0.001	0.006
104598	1007243	255	0.007	0.255
104599	1007244	23	<0.001	0.023
104600	1007245	35	0.001	0.035
104601	1007246	43	0.001	0.043
104602	1007247	280	0.008	0.280
104603	1007248	107	0.003	0.107
104604	1007249	904	0.026	0.904
104605	1007250	<5	<0.001	<0.005
104606	1007251	82	0.002	0.082
104607	1007252	46	0.001	0.046
104608 Dup	1007252	48	0.001	0.048
104609	1007253	66	0.002	0.066
104610	1007254	94	0.003	0.094
104611	1007255	57	0.002	0.057
104612	1007256	311	0.009	0.311
104613	1007257	213	0.006	0.213
104614	1007258	379	0.011	0.379
104615	1007259	183	0.005	0.183
104616	1007260	241	0.007	0.241
104617	1007261	759	0.022	0.759
104618	1007262	98	0.003	0.098

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, April 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/15/2011  
 Date Completed: 04/25/2011  
 Job #: 201141508  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
104619 Dup	1007262	99	0.003	0.099
104620	1007263	3825	0.112	3.825
104621	1007264	207	0.006	0.207
104622	1007265	181	0.005	0.181
104623	1007266	208	0.006	0.208
104624	1007267	59	0.002	0.059
104625	1007268	61	0.002	0.061
104626	1007269	77	0.002	0.077

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
Date Completed: 05/02/2011  
Job #: 201141593  
Reference: TMI-TML  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
109807	1007153	0.111	3.808
109808	1007263	0.078	2.673

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/12/2011  
 Date Completed: 05/17/2011  
 Job #: 201141795  
 Reference: 201141540  
 Sample #: 20

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
123710	983665	18	<0.001	0.018
123711	983666	18	<0.001	0.018
123712	983667	79	0.002	0.079
123713	983668	45	0.001	0.045
123714	983669	80	0.002	0.080
123715	983670	238	0.007	0.238
123716	983671	219	0.006	0.219
123717	983672	737	0.021	0.737
123718	983673	2201	0.064	2.201
123719	983674	955	0.028	0.955
123720 Dup	983674	946	0.028	0.946
123721	983685	2245	0.065	2.245
123722	983686	932	0.027	0.932
123723	983687	5223	0.152	5.223
123724	983688	142	0.004	0.142
123725	983689	353	0.010	0.353
123726	983690	5247	0.153	5.247
123727	983691	1122	0.033	1.122
123728	983692	362	0.011	0.362
123729	983693	68	0.002	0.068
123730	983694	533	0.016	0.533
123731 Dup	983694	547	0.016	0.547

PROCEDURE CODES: ALM1, ALFA1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106781	983492	0.023	<1	8.32	16	459	<2	<1	2.51	18	10	263	75	2.21	1.46	<1	0.88	646	22	11	398	26	1.29	5	27	12	465	1964	<2	40	137	3	4176
106782	983493	0.019	2	8.78	20	518	<2	<1	1.51	<4	8	148	19	2.30	1.47	<1	1.27	440	30	19	448	24	1.79	<5	21	<10	564	1878	<2	43	24	3	490
106783	983494	0.155	1	7.58	7	477	<2	<1	1.96	<4	9	354	69	1.91	1.47	<1	0.47	750	25	14	368	22	1.14	<5	17	11	429	1793	<2	39	24	3	727
106784	983495	0.025	1	7.57	13	430	<2	<1	2.06	<4	6	197	21	1.38	1.39	<1	0.38	368	24	21	289	20	0.85	<5	16	<10	492	1371	<2	26	<10	3	148
106785	983496	0.022	2	7.87	12	465	<2	<1	2.11	<4	7	348	12	1.56	1.66	<1	0.49	498	26	22	324	7	0.80	6	15	<10	411	1624	<2	32	<10	3	184
106786	983497	0.024	2	7.66	14	402	<2	<1	2.01	<4	7	324	9	1.46	1.46	<1	0.37	310	26	9	298	24	0.94	6	27	<10	481	1352	<2	26	<10	3	302
106787	983498	0.035	<1	7.53	11	395	2	<1	2.22	<4	6	478	14	1.47	1.55	<1	0.34	300	27	14	261	25	0.88	5	22	10	520	1284	<2	25	19	3	339
106788	983499	0.041	<1	8.12	<2	509	<2	<1	2.30	<4	7	283	32	1.55	1.57	<1	0.41	383	27	13	314	27	1.13	<5	20	<10	575	1556	<2	32	16	4	249
106789	983500	0.005	<1	7.85	8	563	<2	<1	1.86	<4	14	64	24	2.22	1.51	<1	0.58	472	35	20	452	15	0.02	<5	25	<10	229	2226	<2	80	45	6	40
106790	983601	0.104	1	7.54	33	429	<2	<1	1.65	<4	19	762	52	3.01	1.46	<1	0.73	576	39	54	352	31	1.25	5	7	<10	124	2079	<2	70	12	5	107
106791D	983601	0.106	<1	7.88	36	420	<2	<1	1.67	<4	16	736	51	3.01	1.53	<1	0.70	562	38	39	346	29	1.24	<5	14	<10	124	2017	<2	68	<10	5	104
106792	983602	0.020	1	8.71	13	487	2	<1	1.61	<4	12	288	6	1.45	1.43	<1	0.67	496	37	12	303	33	0.21	7	38	18	152	1760	<2	31	13	3	84
106793	983603	0.017	<1	7.96	26	432	<2	<1	1.50	<4	10	542	9	0.96	1.38	<1	0.47	308	33	11	305	23	0.30	7	9	12	153	1802	<2	33	<10	3	27
106794	983604	0.015	<1	8.14	22	406	<2	<1	1.41	<4	8	311	9	0.81	1.38	<1	0.43	269	36	14	320	38	0.30	<5	34	<10	200	1662	<2	30	<10	3	28
106795	983605	0.011	3	7.71	12	558	<2	<1	1.42	<4	6	447	4	0.62	1.59	<1	0.37	226	26	9	333	19	0.08	8	9	<10	179	1683	<2	30	<10	2	49
106796	983606	0.011	<1	7.47	16	556	<2	<1	1.39	<4	6	299	4	0.57	1.57	<1	0.36	217	22	9	333	48	0.11	<5	29	<10	180	1617	<2	29	<10	2	18
106797	983607	0.009	1	7.18	10	530	<2	<1	1.64	<4	5	490	5	0.65	1.58	<1	0.39	286	26	9	322	64	0.12	5	15	<10	186	1518	<2	28	<10	2	87
106798	983608	0.012	<1	7.27	10	490	<2	<1	1.52	<4	6	188	5	0.50	1.63	<1	0.32	191	26	7	344	38	0.18	<5	16	11	201	1659	<2	29	10	2	56
106799	983609	0.018	4	7.55	15	505	<2	<1	1.55	<4	7	283	18	0.72	1.67	<1	0.31	204	28	5	326	16	0.19	<5	24	<10	201	1516	<2	29	<10	3	13
106800	983610	0.221	352	6.68	4089	190	<2	4	2.12	109	15	57	476	6.66	1.54	<1	0.48	1217	43	26	421	9552	4.64	72	27	18	176	1740	<2	94	345	5	13481

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106801	983611	0.012	2	7.22	53	466	<2	<1	1.22	<4	6	415	11	0.74	1.59	<1	0.28	161	29	8	337	83	0.15	<5	24	<10	180	1645	<2	31	10	2	149
106802D	983611	0.014	<1	6.96	11	457	<2	<1	1.15	<4	6	417	6	0.65	1.49	<1	0.26	148	29	13	336	35	0.16	8	20	10	171	1652	<2	31	10	2	56
106803	983612	0.013	<1	7.27	12	456	<2	<1	1.51	<4	5	222	8	0.56	1.53	<1	0.31	190	29	17	318	25	0.11	<5	5	<10	186	1547	<2	30	<10	3	27
106804	983613	0.009	<1	7.61	16	487	2	<1	2.00	<4	6	291	8	0.70	1.50	<1	0.36	271	31	8	353	26	0.12	<5	11	<10	248	1610	<2	33	<10	3	18
106805	983614	0.008	<1	7.53	15	457	<2	<1	1.55	<4	7	197	7	0.67	1.52	<1	0.34	194	33	16	363	12	0.19	5	20	<10	218	1877	<2	36	<10	3	28
106806	983615	0.008	<1	7.66	18	465	<2	<1	1.62	<4	11	427	10	0.97	1.58	<1	0.37	210	27	23	319	25	0.25	<5	21	11	236	1673	<2	33	<10	3	18
106807	983616	0.012	2	8.17	11	704	<2	<1	1.73	<4	11	422	22	1.18	1.57	<1	0.40	259	27	9	448	127	0.33	<5	36	<10	250	2045	<2	43	15	3	123
106808	983617	0.009	3	8.01	18	544	2	<1	2.23	<4	8	630	29	1.71	1.60	<1	0.57	410	29	13	353	26	0.37	<5	18	13	246	1684	<2	36	<10	4	46
106809	983618	0.026	<1	8.45	28	659	<2	<1	2.25	<4	6	289	19	1.44	1.62	<1	0.58	364	28	6	351	19	0.85	5	27	12	151	1655	<2	33	<10	3	137
106810	983619	0.041	<1	8.10	29	720	<2	<1	1.75	<4	7	515	17	1.63	1.61	<1	0.63	471	28	8	501	38	1.03	<5	19	<10	129	2208	<2	41	12	3	66
106811	983620	<0.005	<1	7.56	9	558	<2	<1	1.79	<4	14	65	23	2.21	1.52	<1	0.55	472	39	23	461	14	0.02	5	21	<10	218	2345	<2	81	48	6	39
106812	983621	1.099	2	7.72	44	798	<2	<1	1.20	<4	5	257	76	1.42	1.51	<1	0.44	333	30	7	501	613	1.26	5	20	10	91	2195	<2	37	36	3	1000
106813D	983621	1.002	<1	6.75	36	678	<2	<1	1.12	<4	5	236	74	1.35	1.58	<1	0.37	312	31	6	462	562	1.15	7	15	13	83	2086	<2	35	30	2	937
106814	983622	0.054	3	7.36	29	521	<2	<1	1.66	<4	5	478	15	1.36	1.42	<1	0.44	466	34	12	520	45	0.73	<5	9	10	129	2092	<2	40	12	3	43
106815	983623	0.061	3	8.56	26	531	2	<1	1.45	<4	6	265	17	1.24	1.85	<1	0.47	433	44	15	413	112	0.68	<5	10	11	142	2132	<2	35	<10	3	151
106816	983624	0.120	3	8.69	24	429	<2	<1	1.58	<4	9	614	46	1.72	1.69	<1	0.63	503	42	32	421	112	0.85	<5	28	<10	126	2101	<2	41	10	4	167
106817	983625	0.066	2	7.70	100	434	2	<1	1.33	<4	6	303	14	1.25	1.48	<1	0.49	616	31	11	351	37	0.79	<5	36	12	118	1809	<2	34	<10	3	33
106818	983626	0.053	1	7.46	70	463	2	<1	1.42	<4	8	682	12	1.60	1.65	<1	0.49	739	34	9	353	23	0.83	<5	16	13	128	1907	<2	38	<10	3	37
106819	983627	0.087	1	8.39	42	516	2	<1	1.18	<4	7	357	15	1.25	1.61	<1	0.45	378	32	7	394	116	0.75	5	17	12	116	1984	<2	36	<10	3	28
106820	983628	0.273	2	8.46	42	469	<2	<1	1.46	<4	8	633	19	1.45	1.62	<1	0.55	588	25	11	359	49	0.76	<5	34	<10	127	1752	<2	34	<10	3	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106821	983629	0.008	1	9.07	12	549	<2	<1	1.56	<4	7	234	4	0.57	1.60	<1	0.53	560	25	5	341	31	0.04	5	29	<10	148	1796	<2	32	<10	3	29
106822	983630	5.298	8	>10.00	24	438	<2	<1	3.53	<4	29	91	108	4.78	1.72	<1	1.46	902	40	44	867	32	0.62	<5	15	<10	301	4033	<2	139	11	10	98
106823	983631	0.043	2	8.13	8	499	<2	<1	1.28	<4	4	641	17	1.01	1.42	<1	0.48	435	30	7	281	60	0.30	<5	30	12	134	1768	<2	32	11	3	103
106824D	983631	0.043	1	8.00	15	494	<2	<1	1.24	<4	6	634	15	0.95	1.39	<1	0.47	428	29	6	275	56	0.28	<5	18	<10	132	1719	<2	30	13	3	102
106825	983632	0.047	2	8.20	25	508	<2	<1	0.98	<4	7	325	7	1.01	1.59	<1	0.38	219	27	8	293	36	0.57	<5	22	<10	100	1722	<2	30	<10	2	96
106826	983633	0.061	<1	8.16	34	435	<2	<1	2.07	<4	7	505	12	1.83	1.68	<1	0.71	942	28	7	381	47	0.88	<5	19	<10	136	1939	<2	36	13	3	85
106827	983634	0.025	<1	8.15	27	448	<2	<1	1.96	<4	6	284	12	1.26	1.56	<1	0.64	657	28	7	356	30	0.49	<5	20	13	135	1774	<2	31	16	3	53
106828	983635	0.033	1	8.80	26	438	2	<1	1.56	<4	5	605	14	1.60	1.56	<1	0.67	505	33	8	332	26	0.82	<5	24	<10	119	1809	<2	32	<10	3	85
106829	983636	0.021	<1	8.93	24	368	2	<1	1.91	<4	9	269	10	1.55	1.52	<1	0.68	608	44	12	539	23	0.83	<5	17	<10	152	2002	<2	36	<10	3	41
106830	983637	0.012	1	8.85	14	457	2	<1	2.54	<4	7	499	15	1.72	1.54	2	0.84	880	40	9	326	22	0.46	5	12	<10	193	1812	<2	32	<10	3	36
106831	983638	0.005	<1	8.84	12	631	2	<1	1.69	<4	8	386	12	1.18	1.49	<1	0.63	522	33	10	334	18	0.27	<5	10	<10	173	1833	<2	32	<10	3	26
106832	983639	0.009	1	8.45	3	790	2	<1	2.19	<4	9	581	14	1.77	1.56	<1	0.82	494	38	24	847	21	0.40	<5	26	<10	372	1821	<2	41	<10	5	40
106833	983640	0.012	<1	8.31	10	588	<2	<1	1.97	<4	14	67	24	2.34	1.53	<1	0.63	485	28	17	472	16	0.02	<5	32	<10	242	2234	<2	81	50	7	36
106834	983641	0.012	<1	8.22	6	854	2	<1	2.24	<4	7	351	7	1.52	1.46	<1	0.68	821	33	6	407	22	0.48	<5	16	<10	297	1837	<2	41	<10	3	46
106835D	983641	0.012	2	8.44	10	856	2	<1	2.26	<4	6	348	7	1.52	1.81	<1	0.75	827	32	8	408	34	0.46	<5	30	<10	298	1831	<2	41	<10	3	50
106836	983642	0.022	2	7.76	22	503	<2	<1	1.62	<4	7	411	9	1.37	1.79	<1	0.55	582	31	13	349	26	0.47	<5	19	<10	182	1740	<2	31	<10	3	53
106837	983643	0.010	2	8.18	7	477	<2	<1	1.31	<4	7	362	9	1.13	1.54	<1	0.41	295	26	5	330	31	0.27	<5	10	<10	168	1818	<2	31	<10	3	33
106838	983644	0.025	2	7.34	27	565	2	<1	1.07	<4	9	428	56	1.68	1.57	<1	0.36	204	35	19	397	69	1.06	<5	9	<10	168	1792	<2	39	17	3	305
106839	983645	0.022	1	8.23	21	719	4	<1	1.76	<4	9	425	36	1.73	1.71	<1	0.58	533	25	8	392	54	0.83	6	15	13	280	1934	<2	44	<10	3	96
106840	983646	0.022	2	8.80	25	719	4	<1	1.84	<4	9	439	29	1.83	1.55	3	0.62	594	31	12	408	49	0.87	5	20	<10	271	2023	<2	44	17	3	183

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106841	983647	0.007	<1	9.22	21	415	2	<1	1.67	<4	6	455	5	1.59	1.46	1	0.54	439	44	15	342	31	0.73	<5	14	12	159	1874	<2	32	<10	3	30
106842	983648	0.009	2	8.86	22	401	<2	<1	2.24	<4	7	444	15	1.65	1.41	<1	0.65	630	38	16	348	27	0.54	<5	33	11	187	1918	<2	32	<10	3	148
106843	983649	0.009	<1	8.84	25	454	<2	<1	2.65	<4	6	444	5	2.11	1.43	<1	0.60	537	35	10	353	18	1.58	<5	<5	<10	222	1518	<2	32	<10	4	25
106844	983650	1.226	2	8.89	33	686	<2	<1	2.13	<4	15	74	594	3.56	1.51	<1	0.71	591	65	24	621	66	0.56	<5	18	11	239	2393	<2	116	35	7	95
106845	983651	0.012	<1	8.49	13	463	<2	<1	2.10	<4	7	405	8	1.78	1.69	2	0.50	452	35	6	324	25	1.42	<5	37	11	195	1672	<2	30	11	3	91
106846R	983651	0.008	1	8.06	17	472	<2	<1	2.05	<4	6	443	6	1.94	1.68	2	0.50	439	32	8	332	26	1.63	<5	14	<10	197	1688	<2	31	<10	3	37
106847	983652	0.010	<1	8.43	18	454	<2	<1	2.28	<4	6	610	19	1.98	1.64	<1	0.49	403	29	14	341	22	1.58	<5	19	<10	214	1526	<2	33	<10	3	27
106848	983653	0.008	2	7.13	22	422	<2	<1	2.99	<4	6	590	15	1.72	1.58	1	0.46	354	25	9	307	35	2.74	<5	<5	<10	357	1437	<2	28	<10	3	176
106849	983654	0.018	2	8.87	21	459	<2	<1	1.61	<4	8	491	13	1.76	1.46	3	0.57	369	22	7	364	36	1.47	<5	27	<10	251	1863	<2	34	14	3	112
106850	983655	0.008	1	8.27	6	429	<2	<1	2.14	<4	8	465	8	1.67	1.78	3	0.46	252	24	9	368	11	1.46	<5	10	12	263	1687	<2	35	<10	3	30
106851	983656	0.009	<1	8.26	18	489	<2	<1	1.96	<4	9	505	12	1.89	1.80	2	0.58	222	17	13	347	8	1.66	5	14	<10	262	1654	<2	35	<10	3	55
106852	983657	0.008	<1	8.17	15	516	<2	<1	1.90	<4	8	389	6	2.06	1.73	1	0.62	232	14	10	361	26	1.99	<5	9	<10	275	1596	<2	39	<10	4	82
106853	983658	0.010	3	7.94	21	754	<2	<1	1.45	<4	12	653	18	2.48	1.56	2	0.33	213	20	13	373	30	2.42	<5	6	17	265	1975	<2	46	19	4	47
106854	983659	0.011	<1	8.37	30	711	2	<1	2.11	<4	19	549	21	3.21	1.67	2	0.73	589	12	41	419	16	3.02	<5	19	<10	339	2128	<2	79	<10	6	43
106855	983660	0.007	<1	7.59	18	603	<2	<1	1.96	<4	15	65	25	2.38	1.62	<1	0.67	507	22	23	480	12	0.03	5	27	<10	246	2311	<2	85	48	7	40
106856	983661	0.008	1	8.01	31	665	<2	<1	1.32	<4	10	632	12	1.91	1.55	1	0.42	293	18	11	369	32	1.41	<5	24	<10	262	1988	<2	46	<10	4	24
106857D	983661	0.009	1	8.38	29	655	<2	<1	1.36	<4	11	634	11	1.95	1.50	<1	0.44	293	16	14	385	24	1.38	<5	9	<10	265	1974	<2	47	<10	4	24
106858	983662	0.042	2	7.81	10	564	2	<1	1.78	<4	22	609	50	3.40	1.59	10	0.85	462	30	45	420	19	1.07	<5	30	<10	276	2402	<2	90	12	5	70
106859	983663	0.012	1	8.26	20	807	2	<1	2.38	<4	8	526	16	1.78	1.49	1	0.72	540	28	11	463	24	0.41	<5	9	12	158	2140	<2	44	13	4	48
106860	983664	0.092	<1	8.33	40	842	<2	<1	1.05	<4	8	531	15	1.76	1.61	<1	0.38	232	26	7	376	36	1.24	<5	30	<10	109	1927	<2	40	15	3	117

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106861	983665	0.016	<1	8.82	44	748	2	<1	1.49	<4	7	518	15	2.01	1.54	<1	0.51	628	27	6	483	44	1.33	5	26	<10	139	1971	<2	46	<10	4	91
106862	983666	0.018	2	8.01	41	683	2	<1	1.40	<4	7	362	13	1.80	1.78	<1	0.45	563	29	4	443	41	1.23	8	26	<10	128	1842	<2	42	13	3	86
106863	983667	0.072	3	8.05	40	661	<2	<1	0.79	<4	8	433	25	1.85	1.50	<1	0.30	123	28	11	434	49	1.65	<5	20	<10	94	1775	<2	43	<10	3	81
106864	983668	0.045	2	8.09	57	585	2	<1	1.32	<4	8	387	32	1.78	1.60	<1	0.50	641	17	8	440	60	1.45	7	20	<10	139	1386	<2	41	<10	3	79
106865	983669	0.085	2	7.08	66	625	2	<1	0.72	<4	9	495	25	1.94	1.51	<1	0.29	133	27	11	425	88	1.90	5	13	10	97	1524	<2	44	13	3	137
106866	983670	0.213	354	6.61	4424	174	<2	5	2.25	115	15	58	479	7.10	1.63	<1	0.49	1307	44	24	442	9536	6.13	73	42	19	186	1828	<2	99	361	5	13449
106867	983671	0.194	2	6.64	55	546	2	<1	0.71	<4	9	405	17	2.09	1.55	<1	0.24	<100	30	8	397	92	2.23	<5	33	<10	95	1388	<2	41	15	2	99
106868D	983671	0.207	1	6.75	57	527	2	<1	0.67	<4	9	391	16	2.05	1.68	<1	0.23	<100	24	9	398	65	2.17	6	21	<10	93	1325	<2	40	16	3	84
106869	983672	0.665	13	5.95	62	502	2	<1	0.69	<4	7	348	38	1.67	1.42	<1	0.21	<100	29	8	422	466	1.75	11	21	<10	93	1310	<2	39	30	2	680
106870	983673	2.297	5	6.88	79	510	2	<1	0.75	<4	9	270	85	1.64	1.63	<1	0.26	<100	35	7	374	307	1.76	9	24	<10	94	1312	<2	38	34	3	895
106871	983674	1.018	3	7.35	84	513	<2	<1	0.81	5	8	545	66	2.18	1.53	<1	0.29	114	32	8	347	487	2.29	5	16	<10	92	1346	<2	38	53	3	1576
106872	983675	0.565	1	7.54	78	527	2	<1	0.85	<4	9	362	45	1.72	1.58	<1	0.32	115	24	7	383	264	1.80	13	30	<10	93	1382	<2	38	25	3	602
106873	983676	0.247	2	7.97	83	625	2	<1	0.93	<4	8	581	23	2.00	1.41	<1	0.33	136	32	14	389	109	1.95	<5	11	<10	99	1490	<2	39	37	3	851
106874	983677	0.685	6	7.84	76	770	2	<1	0.92	<4	8	360	115	1.82	1.54	<1	0.34	110	30	4	371	712	1.84	16	8	<10	93	1520	<2	37	37	3	933
106875	983678	0.127	2	8.46	39	1068	2	<1	1.48	<4	10	549	28	1.85	1.50	<1	0.59	378	23	11	465	81	1.41	6	12	<10	116	1964	<2	44	46	3	894
106876	983679	0.305	1	8.27	65	694	2	<1	1.71	<4	8	391	33	1.84	1.56	<1	0.63	448	28	8	427	81	1.32	11	19	<10	103	1870	<2	41	30	3	480
106877	983680	0.007	<1	7.94	5	604	<2	<1	2.00	<4	14	69	25	2.44	1.51	<1	0.68	515	22	23	483	21	0.06	<5	25	<10	249	2285	<2	86	47	7	44
106878	983681	0.048	1	7.84	42	583	2	<1	1.55	<4	10	470	13	1.52	1.52	<1	0.58	453	29	7	443	57	0.72	<5	11	<10	103	2084	<2	45	14	3	73
106879D	983681	0.051	1	7.85	54	592	2	<1	1.57	<4	9	491	13	1.55	1.45	<1	0.62	468	21	8	449	63	0.79	<5	7	<10	101	2078	<2	45	13	3	74
106880	983682	0.543	4	7.95	124	512	2	<1	1.21	<4	15	404	100	2.36	1.64	<1	0.56	370	20	23	427	163	2.28	11	25	<10	92	1887	<2	58	34	3	790

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
106881	983683	0.054	<1	7.37	78	519	2	<1	0.84	<4	9	455	21	1.48	1.60	<1	0.36	143	25	7	397	62	1.12	<5	12	<10	83	1680	<2	41	18	3	67
106882	983684	1.606	26	6.80	82	476	<2	<1	0.82	<4	7	415	41	1.27	1.55	<1	0.31	137	23	7	335	218	1.05	20	9	<10	75	1416	<2	35	31	3	508
106883	983685	2.433	22	7.14	161	543	<2	<1	0.73	<4	8	647	92	1.85	1.47	<1	0.29	130	24	11	340	626	1.60	56	14	12	73	1484	<2	37	26	3	539
106884	983686	1.335	9	7.07	133	585	2	<1	0.85	<4	6	557	78	1.86	1.34	<1	0.29	132	39	11	375	235	1.53	10	27	<10	82	1656	<2	40	37	3	768
106885	983687	2.332	2	7.25	82	542	2	<1	0.77	<4	8	381	74	1.69	1.35	<1	0.30	<100	37	15	347	154	1.57	10	13	<10	82	1520	<2	39	24	3	333
106886	983688	0.162	<1	7.44	88	558	2	<1	0.95	<4	9	533	35	1.44	1.40	<1	0.36	176	38	18	370	72	1.02	5	16	<10	90	1542	<2	39	22	3	428
106887	983689	0.496	2	7.14	75	531	2	<1	0.86	<4	6	260	26	1.26	1.40	<1	0.34	115	35	7	351	337	1.08	8	19	<10	81	1441	<2	35	20	3	359
106888	983690	5.227	7	8.54	19	418	<2	<1	3.21	<4	29	88	100	4.41	1.61	<1	1.21	845	44	39	794	32	0.67	5	9	14	271	4128	<2	131	<10	8	96
106889	983691	0.815	3	6.47	71	501	2	<1	0.96	<4	11	549	59	1.69	1.45	<1	0.34	210	31	35	349	283	1.34	9	10	<10	87	1603	<2	42	12	3	189
106890D	983691	0.824	2	6.75	68	506	2	<1	0.95	<4	9	551	60	1.62	1.63	<1	0.35	200	34	21	330	276	1.31	7	19	10	86	1560	<2	40	12	3	187
106891	983692	0.400	<1	6.18	73	509	2	<1	0.97	<4	8	518	45	1.87	1.65	<1	0.33	257	28	8	351	57	1.67	<5	14	<10	78	1726	<2	35	17	2	173
106892	983693	0.087	1	7.49	42	517	2	<1	2.28	<4	8	387	32	1.77	1.65	<1	0.78	789	29	10	381	42	0.99	<5	17	10	116	1801	<2	37	<10	3	66
106893	983694	0.524	2	6.90	63	472	2	<1	1.62	<4	10	605	85	2.06	1.56	<1	0.52	540	33	13	372	60	1.33	<5	20	<10	98	1953	<2	39	33	3	650
106894	983695	0.324	1	7.36	56	548	2	<1	1.97	<4	8	508	13	1.85	1.49	<1	0.63	638	32	13	425	45	0.90	<5	27	12	109	2053	<2	43	20	3	66
106895	983696	0.596	4	6.62	71	484	2	<1	0.90	<4	8	708	34	2.12	1.44	<1	0.33	182	31	10	362	473	1.76	<5	<5	<10	78	1845	<2	38	20	3	269
106896	983697	0.262	<1	7.43	68	506	2	<1	1.22	<4	10	495	20	2.14	1.38	<1	0.41	296	37	11	385	66	1.72	<5	26	<10	90	1921	<2	40	12	3	173
106897	983698	0.385	<1	7.60	46	511	2	<1	1.44	<4	10	600	29	1.78	1.40	<1	0.49	409	35	14	408	48	1.03	<5	30	<10	99	1956	<2	42	12	3	55
106898	983699	2.951	2	7.58	49	525	2	<1	1.04	<4	9	436	16	1.41	1.38	<1	0.37	214	35	14	395	73	0.92	<5	15	12	81	2067	<2	44	14	3	104
106899	983700	<0.005	<1	8.01	13	583	<2	<1	1.92	<4	13	67	23	2.24	1.37	<1	0.61	476	36	23	454	17	0.04	<5	7	14	225	2249	<2	79	49	6	39
106900	983701	0.077	<1	8.35	34	600	2	<1	2.36	<4	9	472	15	1.91	1.50	3	0.71	626	34	19	441	40	0.52	6	18	13	120	2338	<2	47	16	4	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
106781	983492	23	<0.001	0.023
106782	983493	19	<0.001	0.019
106783	983494	155	0.005	0.155
106784	983495	25	<0.001	0.025
106785	983496	22	<0.001	0.022
106786	983497	24	<0.001	0.024
106787	983498	35	0.001	0.035
106788	983499	41	0.001	0.041
106789	983500	5	<0.001	0.005
106790	983601	104	0.003	0.104
106791 Dup	983601	106	0.003	0.106
106792	983602	20	<0.001	0.020
106793	983603	17	<0.001	0.017
106794	983604	15	<0.001	0.015
106795	983605	11	<0.001	0.011
106796	983606	11	<0.001	0.011
106797	983607	9	<0.001	0.009
106798	983608	12	<0.001	0.012
106799	983609	18	<0.001	0.018
106800	983610	221	0.006	0.221
106801	983611	12	<0.001	0.012
106802 Dup	983611	14	<0.001	0.014
106803	983612	13	<0.001	0.013
106804	983613	9	<0.001	0.009
106805	983614	8	<0.001	0.008
106806	983615	8	<0.001	0.008
106807	983616	12	<0.001	0.012
106808	983617	9	<0.001	0.009
106809	983618	26	<0.001	0.026
106810	983619	41	0.001	0.041

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
106811	983620	<5	<0.001	<0.005
106812	983621	1099	0.032	1.099
106813 Dup	983621	1002	0.029	1.002
106814	983622	54	0.002	0.054
106815	983623	61	0.002	0.061
106816	983624	120	0.004	0.120
106817	983625	66	0.002	0.066
106818	983626	53	0.002	0.053
106819	983627	87	0.003	0.087
106820	983628	273	0.008	0.273
106821	983629	8	<0.001	0.008
106822	983630	5298	0.155	5.298
106823	983631	43	0.001	0.043
106824 Dup	983631	43	0.001	0.043
106825	983632	47	0.001	0.047
106826	983633	61	0.002	0.061
106827	983634	25	<0.001	0.025
106828	983635	33	<0.001	0.033
106829	983636	21	<0.001	0.021
106830	983637	12	<0.001	0.012
106831	983638	5	<0.001	0.005
106832	983639	9	<0.001	0.009
106833	983640	12	<0.001	0.012
106834	983641	12	<0.001	0.012
106835 Dup	983641	12	<0.001	0.012
106836	983642	22	<0.001	0.022
106837	983643	10	<0.001	0.010
106838	983644	25	<0.001	0.025
106839	983645	22	<0.001	0.022
106840	983646	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
106841	983647	7	<0.001	0.007
106842	983648	9	<0.001	0.009
106843	983649	9	<0.001	0.009
106844	983650	1226	0.036	1.226
106845	983651	12	<0.001	0.012
106846 Rep	983651	8	<0.001	0.008
106847	983652	10	<0.001	0.010
106848	983653	8	<0.001	0.008
106849	983654	18	<0.001	0.018
106850	983655	8	<0.001	0.008
106851	983656	9	<0.001	0.009
106852	983657	8	<0.001	0.008
106853	983658	10	<0.001	0.010
106854	983659	11	<0.001	0.011
106855	983660	7	<0.001	0.007
106856	983661	8	<0.001	0.008
106857 Dup	983661	9	<0.001	0.009
106858	983662	42	0.001	0.042
106859	983663	12	<0.001	0.012
106860	983664	92	0.003	0.092
106861	983665	16	<0.001	0.016
106862	983666	18	<0.001	0.018
106863	983667	72	0.002	0.072
106864	983668	45	0.001	0.045
106865	983669	85	0.002	0.085
106866	983670	213	0.006	0.213
106867	983671	194	0.006	0.194
106868 Dup	983671	207	0.006	0.207
106869	983672	665	0.019	0.665
106870	983673	2297	0.067	2.297

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, April 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/19/2011  
 Date Completed: 04/29/2011  
 Job #: 201141540  
 Reference: TMI-TML  
 Sample #: 110

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
106871	983674	1018	0.030	1.018
106872	983675	565	0.016	0.565
106873	983676	247	0.007	0.247
106874	983677	685	0.020	0.685
106875	983678	127	0.004	0.127
106876	983679	305	0.009	0.305
106877	983680	7	<0.001	0.007
106878	983681	48	0.001	0.048
106879 Dup	983681	51	0.001	0.051
106880	983682	543	0.016	0.543
106881	983683	54	0.002	0.054
106882	983684	1606	0.047	1.606
106883	983685	2433	0.071	2.433
106884	983686	1335	0.039	1.335
106885	983687	2332	0.068	2.332
106886	983688	162	0.005	0.162
106887	983689	496	0.014	0.496
106888	983690	5227	0.152	5.227
106889	983691	815	0.024	0.815
106890 Dup	983691	824	0.024	0.824
106891	983692	400	0.012	0.400
106892	983693	87	0.003	0.087
106893	983694	524	0.015	0.524
106894	983695	324	0.009	0.324
106895	983696	596	0.017	0.596
106896	983697	262	0.008	0.262
106897	983698	385	0.011	0.385
106898	983699	2951	0.086	2.951
106899	983700	<5	<0.001	<0.005
106900	983701	77	0.002	0.077

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/02/2011  
 Date Completed: 05/09/2011  
 Job #: 201141677  
 Reference: TMI-TML  
 Sample #: 4

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
114947	983673	0.046	1.564
114948	983685	0.066	2.257
114949	983687	0.106	3.627
114950	983699	0.059	2.036

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107776	1007270	0.009	<1	7.75	8	532	<2	19	2.05	<4	14	59	23	2.31	2.21	6	0.76	498	3	38	539	9	3.91	5	13	<10	255	2016	6	81	47	9	53
107777	1007271	0.024	2	8.20	8	616	<2	30	2.81	<4	13	531	16	2.40	2.18	7	0.66	437	2	24	578	39	4.15	<5	10	<10	532	2609	8	52	15	5	107
107778	1007272	0.006	<1	9.12	4	430	2	26	1.66	<4	7	151	6	0.87	2.07	13	0.50	206	2	14	365	10	4.08	<5	19	<10	287	1481	9	29	<10	4	21
107779	1007273	0.009	<1	9.31	3	489	2	18	1.49	<4	7	486	6	1.08	1.97	16	0.50	207	3	20	373	12	4.19	<5	22	<10	240	1514	6	31	<10	5	22
107780	1007274	0.009	<1	9.18	8	513	<2	18	2.14	<4	11	238	12	1.85	2.05	15	0.60	347	1	18	546	12	3.80	<5	14	<10	303	2137	7	46	<10	5	59
107781	1007275	0.528	2	>10.00	13	461	<2	21	5.00	24	13	542	490	3.92	1.77	16	1.86	1297	2	23	520	10763	5.92	10	16	<10	389	2131	11	40	99	9	8221
107782	1007276	0.224	<1	9.31	16	451	2	31	1.39	<4	25	419	47	3.89	2.21	37	1.87	653	3	68	527	129	5.12	6	10	<10	103	2214	20	92	11	10	502
107783	1007277	0.078	<1	8.13	4	398	2	24	1.86	<4	24	455	80	3.77	2.16	20	1.29	738	2	62	482	111	3.99	<5	6	<10	159	2061	6	82	10	8	336
107784	1007278	0.247	1	8.30	25	472	2	23	2.05	15	24	335	46	4.93	1.65	17	1.45	832	2	53	439	350	6.03	5	14	<10	179	2121	9	72	42	10	3420
107785	1007279	0.010	2	7.78	5	464	2	27	1.68	<4	8	561	6	0.82	2.19	7	0.45	210	2	21	332	18	4.07	<5	16	<10	230	1180	10	26	<10	4	57
107786D	1007279	0.007	3	7.25	13	466	2	26	1.63	<4	7	569	6	0.82	2.08	6	0.42	213	2	22	331	15	4.10	5	7	<10	226	1213	8	27	<10	3	57
107787	1007280	5.452	4	8.30	12	351	<2	23	3.30	<4	29	80	97	4.36	2.19	8	1.52	840	12	56	912	25	3.79	5	10	<10	302	3234	23	128	<10	11	117
107788	1007281	0.011	1	7.91	12	504	2	25	1.79	<4	8	253	7	0.78	1.89	9	0.51	230	2	17	357	10	4.31	<5	17	<10	249	1333	6	28	<10	3	108
107789	1007282	0.006	<1	7.63	10	520	<2	16	1.41	<4	8	265	5	0.73	1.93	7	0.38	138	1	13	349	12	3.26	<5	18	<10	247	1400	4	26	<10	3	28
107790	1007283	0.008	<1	9.32	9	521	2	25	1.80	<4	8	193	10	0.93	2.24	12	0.54	186	2	17	374	22	4.17	<5	18	<10	296	1386	8	26	<10	4	164
107791	1007284	0.007	<1	8.99	12	452	2	20	1.96	<4	8	356	8	1.02	2.44	12	0.53	205	2	16	370	14	4.23	<5	18	<10	279	1312	7	26	<10	4	191
107792	1007285	0.008	<1	9.52	16	514	2	25	1.95	<4	11	266	16	0.98	2.10	12	0.59	223	2	23	401	17	4.27	<5	20	<10	292	1595	7	34	<10	5	60
107793	1007286	0.011	<1	8.68	19	499	<2	24	1.85	<4	12	346	24	1.15	2.18	9	0.63	240	1	24	407	17	3.26	<5	17	<10	281	1540	14	36	<10	5	50
107794	1007287	0.006	<1	8.98	23	546	<2	22	1.70	<4	10	190	7	0.83	2.20	9	0.53	173	<1	16	348	13	3.58	<5	20	<10	274	1442	5	26	<10	4	188
107795	1007288	0.012	<1	7.58	25	670	<2	28	1.57	<4	13	448	27	1.46	2.03	8	0.66	287	1	26	404	40	3.03	<5	19	<10	229	1573	7	36	<10	5	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107796	1007289	0.007	<1	7.72	14	629	2	17	1.80	<4	6	228	7	0.68	2.22	8	0.41	167	1	11	341	15	3.32	<5	19	<10	275	1288	7	26	<10	4	33
107797D	1007289	0.006	<1	7.83	9	632	<2	22	1.81	<4	6	230	7	0.68	2.14	9	0.42	167	1	14	337	16	3.43	<5	15	<10	277	1336	9	26	<10	4	34
107798	1007290	<0.005	<1	6.99	6	505	<2	21	1.86	<4	14	56	21	2.17	2.03	3	0.68	462	3	35	507	7	3.11	<5	17	<10	241	1871	8	77	46	8	48
107799	1007291	0.008	<1	6.95	11	690	<2	27	1.69	<4	6	316	10	0.71	2.04	5	0.30	146	<1	10	353	20	2.88	<5	16	<10	284	1320	7	28	<10	3	31
107800	1007292	0.011	<1	7.81	16	682	2	21	1.66	<4	8	249	10	0.86	2.35	6	0.27	107	<1	14	381	16	3.42	<5	14	<10	310	1392	13	29	<10	4	25
107801	1007293	0.006	<1	8.22	11	562	2	22	2.31	<4	6	368	12	0.79	2.56	8	0.32	157	2	13	396	9	3.53	<5	23	<10	343	1238	7	27	<10	4	25
107802	1007294	<0.005	<1	9.48	7	533	<2	21	2.38	<4	6	291	14	0.76	2.64	5	0.39	155	1	11	383	13	2.97	5	22	<10	349	1192	3	26	<10	5	26
107803	1007295	0.011	<1	9.26	7	623	2	19	2.14	<4	6	221	9	0.73	2.62	9	0.44	167	1	10	393	14	3.52	<5	19	<10	355	1457	9	27	<10	4	30
107804	1007296	0.013	<1	9.29	3	628	<2	33	2.72	<4	10	178	43	1.84	2.33	11	0.74	469	1	19	496	33	3.99	5	21	<10	306	1899	8	37	<10	5	192
107805	1007297	0.161	<1	8.41	34	500	2	24	1.44	<4	11	404	19	1.57	2.35	12	0.62	346	1	17	583	44	4.20	<5	14	<10	131	2011	8	39	<10	4	300
107806	1007298	0.070	<1	8.87	33	566	2	24	1.87	<4	8	266	10	1.49	2.23	11	0.61	380	2	18	610	59	4.42	<5	14	<10	159	1866	12	35	<10	5	76
107807	1007299	0.030	2	7.89	26	564	<2	24	1.91	<4	7	544	15	1.37	2.21	9	0.68	454	2	17	584	50	3.78	<5	15	<10	130	1618	13	30	<10	5	86
107808D	1007299	0.042	2	7.53	19	566	<2	14	1.90	<4	7	563	15	1.37	2.17	9	0.67	459	2	16	588	56	3.66	<5	13	<10	129	1609	10	30	<10	4	85
107809	1007300	1.201	<1	7.77	28	622	<2	27	2.09	<4	17	63	554	3.40	2.23	6	0.85	575	29	40	670	72	3.96	5	14	<10	246	1917	5	111	33	9	110
107810	1007301	0.026	<1	8.40	25	510	<2	19	1.78	<4	6	210	18	1.19	2.38	4	0.84	477	<1	10	653	49	2.72	<5	18	<10	131	1624	12	30	<10	6	83
107811	1007302	0.014	<1	8.28	21	508	<2	23	2.26	<4	7	246	9	1.29	2.54	8	0.70	428	<1	12	620	22	3.08	<5	17	<10	152	1751	8	35	<10	5	33
107812	1007303	0.009	<1	8.37	10	446	<2	25	2.50	<4	7	196	9	1.31	2.49	8	0.82	455	<1	12	613	18	3.06	<5	18	<10	172	1661	6	33	<10	5	75
107813	1007304	0.017	1	8.22	10	455	<2	17	2.37	<4	6	553	11	1.46	2.54	6	0.69	488	2	15	466	19	3.50	5	16	<10	155	1415	9	30	<10	5	44
107814	1007305	0.074	<1	9.14	27	579	2	25	2.03	<4	7	211	7	1.41	2.65	13	0.77	584	1	11	561	47	3.77	6	17	<10	167	1777	8	32	<10	5	69
107815	1007306	0.055	<1	9.26	31	572	2	25	2.01	<4	7	423	7	1.67	2.62	13	0.76	596	2	13	529	48	3.87	<5	13	<10	164	1707	8	31	<10	5	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107816	1007307	0.018	<1	9.76	22	615	2	11	2.59	<4	8	181	22	1.53	2.32	13	1.00	699	<1	16	580	34	3.70	<5	20	<10	195	1864	9	34	<10	5	84
107817	1007308	0.051	<1	8.68	31	493	<2	17	1.63	<4	9	380	21	2.11	2.45	10	0.67	629	<1	17	658	46	4.20	<5	9	<10	160	1897	9	41	<10	5	65
107818	1007309	0.032	<1	8.86	17	520	<2	25	1.97	<4	7	180	21	1.40	2.15	11	0.78	742	1	11	586	52	3.80	<5	18	<10	179	2004	15	38	<10	5	83
107819D	1007309	0.060	<1	7.99	17	502	2	24	1.86	<4	7	174	20	1.31	2.10	10	0.70	720	1	12	562	57	3.55	<5	17	<10	171	1961	13	37	<10	4	74
107820	1007310	<0.005	<1	8.57	4	533	<2	18	2.07	<4	14	59	23	2.31	2.31	6	0.81	489	3	37	542	8	3.96	5	15	<10	263	1966	8	80	49	11	50
107821	1007311	0.212	5	7.88	10	411	2	26	1.96	14	6	497	167	2.05	2.47	8	0.94	908	3	16	380	1046	4.68	6	14	<10	163	1193	12	27	54	5	4001
107822	1007312	0.820	7	9.40	258	420	<2	34	2.16	17	7	283	459	2.33	2.18	10	0.86	888	5	17	379	2067	5.32	12	16	28	150	1187	16	26	88	6	5374
107823	1007313	1.703	12	8.21	57	809	2	14	0.96	17	6	267	58	2.27	1.53	8	0.38	175	6	17	317	3534	6.63	22	14	<10	112	1180	9	22	80	5	6839
107824	1007314	0.531	4	9.64	32	583	<2	23	1.40	<4	5	235	31	1.28	2.44	9	0.62	416	2	11	442	410	4.32	5	17	<10	129	1468	11	24	18	5	1094
107825	1007315	1.394	<1	9.24	33	456	2	25	1.57	<4	7	255	25	1.61	2.54	15	0.57	621	2	14	474	153	5.25	<5	16	<10	143	1775	7	31	<10	4	425
107826	1007316	0.679	2	9.81	41	420	2	25	1.61	<4	6	200	22	1.45	2.44	12	0.63	480	2	14	461	87	4.78	<5	19	<10	138	1669	11	28	<10	5	186
107827	1007317	0.992	3	8.36	36	426	2	26	1.05	<4	7	223	221	1.42	2.64	8	0.48	210	1	13	354	704	4.77	12	18	<10	112	1457	12	26	13	4	843
107828	1007318	0.277	<1	9.40	25	450	2	27	1.42	<4	5	208	19	0.94	2.36	8	0.67	409	1	13	382	100	4.08	5	17	<10	123	1402	12	24	<10	4	322
107829	1007319	1.809	5	7.90	23	445	2	19	0.71	<4	4	174	32	0.86	2.34	9	0.41	109	2	11	339	591	4.16	17	14	<10	82	1203	9	19	<10	4	285
107830D	1007319	2.125	6	8.46	19	447	2	24	0.67	<4	5	181	29	0.97	2.21	8	0.44	115	2	8	340	667	4.11	15	17	<10	81	1197	5	19	<10	4	293
107831	1007320	0.237	356	8.83	4014	178	2	30	2.59	124	15	51	484	6.95	1.82	4	0.81	1249	6	29	483	9560	8.00	81	26	14	215	1277	6	90	139	11	13485
107832	1007321	6.920	18	9.06	98	351	2	27	0.77	7	8	236	41	3.09	2.07	8	0.41	<100	2	16	323	1335	6.76	25	14	<10	86	1113	8	24	33	6	2773
107833	1007322	2.168	2	9.65	24	386	2	27	1.11	<4	8	356	59	1.44	2.25	9	0.63	328	2	17	401	141	4.28	7	26	10	119	1425	15	30	<10	5	292
107834	1007323	0.061	<1	>10.00	14	667	2	22	4.06	<4	11	196	12	1.88	2.59	23	2.47	1405	2	38	941	185	4.45	8	24	<10	403	1968	33	43	19	12	430
107835	1007324	0.298	<1	>10.00	12	718	2	26	2.50	<4	8	420	55	1.54	2.52	16	1.34	870	4	24	444	161	4.66	<5	25	<10	249	1408	16	33	88	6	383

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107836	1007325	0.059	<1	>10.00	18	471	2	17	1.95	<4	7	254	10	0.80	2.35	17	0.77	491	2	22	408	60	4.85	<5	24	<10	203	1581	15	26	<10	5	96
107837	1007326	0.053	<1	9.95	12	496	2	23	2.01	<4	7	248	11	0.81	2.52	17	0.84	553	2	13	409	60	4.44	5	25	<10	223	1480	12	24	<10	4	78
107838	1007327	0.467	3	>10.00	22	446	2	17	2.06	<4	9	382	104	1.38	2.30	18	0.86	553	4	17	422	241	4.88	7	23	<10	221	1535	12	32	<10	5	133
107839	1007328	0.087	<1	9.09	12	412	2	23	1.24	<4	7	162	10	1.15	2.31	13	0.50	243	3	13	358	102	4.31	<5	19	<10	162	1473	10	26	<10	5	176
107840	1007329	0.015	<1	9.03	13	493	2	29	2.28	<4	7	291	25	1.75	2.38	15	0.68	627	1	13	471	33	4.12	<5	18	<10	220	1999	9	40	<10	5	80
107841R	1007329	0.010	<1	9.22	14	479	2	24	2.42	<4	7	168	35	1.74	2.24	17	0.72	644	1	18	467	33	4.62	<5	12	<10	230	2034	10	41	<10	5	81
107842	1007330	<0.005	<1	8.20	7	541	<2	25	2.07	<4	14	61	22	2.31	2.06	7	0.71	492	3	39	548	9	3.87	5	12	<10	263	1977	10	80	48	9	51
107843	1007331	0.007	<1	9.21	18	441	2	19	2.00	<4	7	333	8	1.98	1.96	13	0.57	313	2	16	454	18	4.88	<5	17	<10	276	1632	13	40	<10	4	51
107844	1007332	0.009	<1	>10.00	18	473	<2	22	2.38	<4	6	222	16	1.80	2.53	17	0.78	318	2	14	469	6	5.65	<5	18	<10	264	1531	6	38	<10	7	40
107845	1007333	0.007	<1	>10.00	7	612	2	53	3.01	<4	7	338	9	1.89	2.62	23	0.79	347	2	17	532	8	5.25	<5	20	<10	290	1910	9	42	<10	7	40
107846	1007334	0.010	<1	>10.00	16	504	2	25	2.67	<4	7	179	9	1.63	2.55	15	0.54	314	2	19	482	11	5.39	<5	14	<10	257	1742	17	37	<10	6	43
107847	1007335	0.008	<1	8.71	2	373	<2	25	2.85	<4	10	305	12	4.15	1.91	13	0.74	958	1	16	416	13	4.84	<5	8	<10	200	1902	4	34	<10	7	120
107848	1007336	0.047	<1	>10.00	6	500	2	34	2.72	<4	9	301	14	3.10	2.31	25	0.77	666	2	18	491	10	5.17	<5	14	<10	220	2243	7	42	<10	7	92
107849	1007337	0.008	<1	>10.00	12	591	<2	28	2.33	<4	6	343	7	1.55	2.27	17	0.83	366	1	12	493	6	3.85	<5	11	<10	222	2041	15	38	<10	6	40
107850	1007338	<0.005	1	9.44	5	628	2	24	2.40	<4	6	323	6	1.45	2.43	18	0.64	345	2	18	464	11	4.53	<5	20	<10	236	2225	6	42	<10	4	37
107851	1007339	0.027	3	9.34	12	392	2	18	2.39	<4	6	214	6	1.53	2.32	13	0.66	375	1	12	390	26	4.75	<5	18	<10	211	1383	9	27	<10	5	101
107852D	1007339	0.022	6	8.60	10	395	2	16	2.28	<4	5	209	6	1.45	2.19	13	0.57	374	2	18	374	23	5.86	6	13	<10	203	1417	14	27	<10	4	99
107853	1007340	5.096	7	>10.00	18	361	2	25	3.45	<4	29	78	98	4.42	2.21	11	1.57	839	12	61	929	23	4.73	<5	13	<10	315	3167	16	127	<10	13	105
107854	1007341	0.143	48	9.29	20	382	2	26	1.65	<4	6	423	23	1.54	2.45	14	0.53	310	2	18	384	72	5.61	11	18	<10	169	1464	7	26	<10	4	128
107855	1007342	0.006	2	9.45	18	341	2	11	2.44	<4	5	682	10	1.48	2.75	11	0.49	251	4	20	330	23	5.39	<5	16	<10	221	1018	6	20	<10	5	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107856	1007343	0.007	<1	>10.00	17	431	2	18	2.70	<4	7	415	7	1.92	2.74	16	0.72	311	2	21	415	16	5.23	6	18	<10	262	1462	7	28	<10	6	86
107857	1007344	0.009	<1	>10.00	22	390	<2	18	2.24	<4	9	489	9	2.52	2.73	11	0.93	231	1	17	444	15	4.87	6	17	<10	301	1467	7	27	<10	8	60
107858	1007345	0.007	<1	>10.00	14	468	2	24	2.88	<4	8	357	5	1.80	2.50	20	0.80	255	3	22	418	15	6.09	5	17	<10	312	1550	17	32	<10	6	28
107859	1007346	0.007	<1	>10.00	13	422	<2	20	2.81	<4	8	506	7	1.87	2.55	19	0.81	266	3	18	407	11	5.49	<5	19	<10	289	1461	12	29	<10	5	27
107860	1007347	0.008	<1	>10.00	14	465	2	21	2.40	<4	7	335	5	1.57	2.52	17	0.76	264	2	15	414	12	4.85	6	19	<10	299	1572	12	29	<10	5	29
107861	1007348	<0.005	<1	9.77	16	477	2	26	2.35	<4	10	417	7	1.72	2.64	18	0.90	312	2	20	407	18	5.21	5	16	<10	319	1610	7	31	11	5	175
107862	1007349	0.019	<1	9.74	48	723	2	29	1.75	4	51	319	25	1.49	2.08	19	0.65	214	6	74	545	24	5.36	<5	15	<10	290	2119	8	54	33	6	2350
107863D	1007349	0.019	<1	9.13	40	699	2	20	1.66	4	49	307	25	1.46	2.24	17	0.60	207	6	67	530	23	4.61	5	11	<10	281	2047	9	52	31	5	2293
107864	1007350	<0.005	<1	9.33	14	517	<2	32	2.10	<4	14	58	22	2.31	2.55	4	0.91	476	3	34	536	6	3.22	7	15	<10	259	1806	8	78	45	14	53
107865	1007351	0.006	<1	9.61	24	610	2	24	2.13	<4	18	369	10	1.32	2.64	14	0.61	222	2	33	580	14	4.73	<5	12	<10	334	1459	10	37	<10	5	47
107866	1007352	<0.005	2	9.80	21	593	2	22	2.20	<4	12	342	10	1.05	2.41	16	0.73	199	3	26	606	13	4.75	<5	15	<10	386	1291	7	39	<10	5	49
107867	1007353	<0.005	<1	9.42	19	460	<2	21	1.71	<4	7	406	8	1.17	2.61	7	0.49	170	1	16	579	11	3.76	<5	20	<10	302	755	7	31	<10	6	19
107868	1007354	<0.005	2	>10.00	13	611	2	24	2.06	<4	7	426	8	2.09	2.33	14	0.63	352	2	18	598	14	5.01	5	19	<10	345	1176	14	37	<10	6	32
107869	1007355	0.007	<1	>10.00	12	1416	3	30	3.78	<4	18	114	25	2.69	2.52	26	1.56	478	2	69	1753	31	4.72	<5	19	<10	1251	2557	25	62	<10	13	61
107870	1007356	0.007	<1	>10.00	11	719	2	22	2.23	<4	12	429	13	2.53	2.25	19	0.84	445	2	30	601	19	5.80	6	13	<10	332	1719	13	50	<10	7	42
107871	1007357	0.015	1	>10.00	9	525	2	22	2.48	<4	24	634	45	3.93	2.34	26	1.50	548	3	68	552	28	5.24	<5	11	<10	306	2342	12	86	<10	12	84
107872	1007358	0.021	<1	8.78	7	389	2	20	1.96	<4	20	423	42	3.21	1.81	13	0.99	420	3	57	456	32	5.15	<5	7	<10	239	1965	9	80	<10	7	81
107873	1007359	0.019	4	9.55	40	563	2	26	2.44	<4	24	672	52	4.20	2.24	24	0.85	593	6	73	564	33	6.99	<5	10	10	259	2516	8	87	<10	8	112
107874D	1007359	0.020	3	>10.00	45	594	2	30	2.60	<4	25	712	55	4.44	2.27	26	0.92	626	7	80	606	33	7.27	<5	10	<10	277	2653	8	92	<10	10	116
107875	1007360	1.129	1	>10.00	27	652	<2	28	2.38	<4	17	65	580	3.64	2.53	9	1.05	596	31	39	707	72	4.13	6	18	<10	275	1951	14	116	34	13	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
107876	1007361	0.033	2	9.93	30	906	2	30	2.27	<4	10	421	11	2.15	2.54	15	0.51	393	3	19	602	30	5.73	<5	17	<10	254	1906	6	39	<10	5	77
107877	1007362	0.012	4	9.97	39	1012	2	22	2.09	<4	11	531	13	2.51	1.97	15	0.71	426	2	26	727	34	4.94	<5	14	<10	270	1808	10	42	<10	6	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107776	1007270	9	<0.001	0.009
107777	1007271	24	<0.001	0.024
107778	1007272	6	<0.001	0.006
107779	1007273	9	<0.001	0.009
107780	1007274	9	<0.001	0.009
107781	1007275	528	0.015	0.528
107782	1007276	224	0.007	0.224
107783	1007277	78	0.002	0.078
107784	1007278	247	0.007	0.247
107785	1007279	10	<0.001	0.010
107786 Dup	1007279	7	<0.001	0.007
107787	1007280	5452	0.159	5.452
107788	1007281	11	<0.001	0.011
107789	1007282	6	<0.001	0.006
107790	1007283	8	<0.001	0.008
107791	1007284	7	<0.001	0.007
107792	1007285	8	<0.001	0.008
107793	1007286	11	<0.001	0.011
107794	1007287	6	<0.001	0.006
107795	1007288	12	<0.001	0.012
107796	1007289	7	<0.001	0.007
107797 Dup	1007289	6	<0.001	0.006
107798	1007290	<5	<0.001	<0.005
107799	1007291	8	<0.001	0.008
107800	1007292	11	<0.001	0.011
107801	1007293	6	<0.001	0.006
107802	1007294	<5	<0.001	<0.005
107803	1007295	11	<0.001	0.011
107804	1007296	13	<0.001	0.013
107805	1007297	161	0.005	0.161

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107806	1007298	70	0.002	0.070
107807	1007299	30	<0.001	0.030
107808 Dup	1007299	42	0.001	0.042
107809	1007300	1201	0.035	1.201
107810	1007301	26	<0.001	0.026
107811	1007302	14	<0.001	0.014
107812	1007303	9	<0.001	0.009
107813	1007304	17	<0.001	0.017
107814	1007305	74	0.002	0.074
107815	1007306	55	0.002	0.055
107816	1007307	18	<0.001	0.018
107817	1007308	51	0.001	0.051
107818	1007309	32	<0.001	0.032
107819 Dup	1007309	60	0.002	0.060
107820	1007310	<5	<0.001	<0.005
107821	1007311	212	0.006	0.212
107822	1007312	820	0.024	0.820
107823	1007313	1703	0.050	1.703
107824	1007314	531	0.015	0.531
107825	1007315	1394	0.041	1.394
107826	1007316	679	0.020	0.679
107827	1007317	992	0.029	0.992
107828	1007318	277	0.008	0.277
107829	1007319	1809	0.053	1.809
107830 Dup	1007319	2125	0.062	2.125
107831	1007320	237	0.007	0.237
107832	1007321	6920	0.202	6.920
107833	1007322	2168	0.063	2.168
107834	1007323	61	0.002	0.061
107835	1007324	298	0.009	0.298

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, April 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107836	1007325	59	0.002	0.059
107837	1007326	53	0.002	0.053
107838	1007327	467	0.014	0.467
107839	1007328	87	0.003	0.087
107840	1007329	15	<0.001	0.015
107841 Rep	1007329	10	<0.001	0.010
107842	1007330	<5	<0.001	<0.005
107843	1007331	7	<0.001	0.007
107844	1007332	9	<0.001	0.009
107845	1007333	7	<0.001	0.007
107846	1007334	10	<0.001	0.010
107847	1007335	8	<0.001	0.008
107848	1007336	47	0.001	0.047
107849	1007337	8	<0.001	0.008
107850	1007338	<5	<0.001	<0.005
107851	1007339	27	<0.001	0.027
107852 Dup	1007339	22	<0.001	0.022
107853	1007340	5096	0.149	5.096
107854	1007341	143	0.004	0.143
107855	1007342	6	<0.001	0.006
107856	1007343	7	<0.001	0.007
107857	1007344	9	<0.001	0.009
107858	1007345	7	<0.001	0.007
107859	1007346	7	<0.001	0.007
107860	1007347	8	<0.001	0.008
107861	1007348	<5	<0.001	<0.005
107862	1007349	19	<0.001	0.019
107863 Dup	1007349	19	<0.001	0.019
107864	1007350	<5	<0.001	<0.005
107865	1007351	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, April 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/20/2011  
 Date Completed: 04/28/2011  
 Job #: 201141558  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
107866	1007352	<5	<0.001	<0.005
107867	1007353	<5	<0.001	<0.005
107868	1007354	<5	<0.001	<0.005
107869	1007355	7	<0.001	0.007
107870	1007356	7	<0.001	0.007
107871	1007357	15	<0.001	0.015
107872	1007358	21	<0.001	0.021
107873	1007359	19	<0.001	0.019
107874 Dup	1007359	20	<0.001	0.020
107875	1007360	1129	0.033	1.129
107876	1007361	33	<0.001	0.033
107877	1007362	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/29/2011  
Date Completed: 05/09/2011  
Job #: 201141646  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
113496	1007321	6.675	6.048	66.661	8.132	2.94%	29.56

PROCEDURE CODES: ALPM1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110187	983702	17	<1	>10.00	27	605	2	<1	2.38	4	18	46	250	3.40	1.51	<1	0.80	573	<1	41	514	41	2.13	<5	9	<10	455	1978	<2	51	20	6	474
110188	983703	22	1	9.30	23	568	<2	2	1.39	<4	10	68	33	2.21	1.42	<1	0.55	223	<1	36	196	385	2.49	<5	21	<10	328	1958	<2	50	23	4	296
110189	983704	14	<1	8.67	21	404	<2	2	1.77	<4	7	28	8	2.97	1.35	<1	0.42	217	<1	26	116	93	3.80	6	10	<10	358	1429	<2	26	11	3	148
110190	983705	8	<1	9.61	15	426	2	1	2.22	<4	6	28	5	1.66	1.33	<1	0.48	249	<1	27	129	19	1.82	<5	10	<10	390	1445	<2	27	<10	4	34
110191	983706	8	<1	>10.00	18	505	2	1	2.32	<4	6	27	5	1.63	1.32	<1	0.52	250	<1	26	124	10	1.84	<5	<5	12	406	1436	<2	27	<10	4	19
110192	983707	12	<1	9.46	22	532	2	2	2.29	<4	7	27	9	2.13	1.33	<1	0.55	353	<1	26	132	27	2.27	<5	<5	<10	386	1459	<2	27	<10	4	23
110193	983708	14	<1	8.45	24	563	2	2	2.15	<4	6	26	9	1.64	1.40	<1	0.51	431	<1	23	235	25	1.34	<5	<5	<10	373	1496	<2	29	<10	3	39
110194	983709	11	<1	9.23	12	544	<2	2	1.86	<4	7	28	6	1.51	1.36	<1	0.52	346	<1	25	178	19	1.35	<5	<5	<10	323	1263	<2	27	<10	3	26
110195	983710	1034	<1	9.36	26	609	<2	3	2.10	<4	13	61	592	3.53	1.36	<1	0.86	590	8	35	652	83	0.75	<5	8	<10	270	2067	<2	108	35	9	98
110196	983711	18	<1	8.89	4	603	2	<1	2.36	<4	9	38	45	2.28	1.36	<1	0.79	535	<1	32	251	92	1.44	<5	<5	<10	357	1559	3	37	16	4	205
110197D	983711	16	<1	9.74	4	591	2	3	2.50	<4	9	39	38	2.38	1.44	<1	0.85	552	<1	34	268	89	1.53	<5	<5	<10	377	1590	<2	37	15	4	214
110198	983712	241	3	9.10	21	483	2	<1	2.50	39	11	27	382	2.68	1.34	<1	0.74	779	<1	24	611	2677	2.63	5	<5	<10	241	2177	<2	54	246	4	10732
110199	983713	203	2	9.76	15	730	<2	<1	3.23	14	12	26	111	2.76	1.39	<1	1.06	1054	<1	24	674	1287	1.69	<5	<5	<10	260	2928	2	58	94	5	3184
110200	983714	50	<1	9.20	7	393	2	<1	1.72	<4	21	137	42	3.42	1.32	<1	0.87	613	3	75	515	64	0.88	<5	<5	<10	171	2937	<2	91	<10	5	147
110201	983715	27	<1	9.13	9	503	2	1	1.25	<4	7	42	6	0.93	1.35	<1	0.47	194	<1	27	242	37	0.39	<5	<5	<10	156	1835	<2	41	<10	3	38
110202	983716	419	3	8.86	58	310	2	<1	1.64	<4	17	116	92	2.42	1.24	<1	0.59	512	5	61	411	82	2.11	<5	<5	<10	149	2070	<2	80	19	5	341
110203	983717	10	<1	9.48	7	473	2	2	1.33	<4	5	25	3	0.52	1.27	<1	0.49	175	<1	20	229	23	0.21	<5	<5	<10	191	1781	<2	31	<10	3	19
110204	983718	17	<1	8.18	10	411	2	<1	1.72	<4	4	36	8	0.76	1.38	<1	0.42	193	<1	23	264	24	0.56	<5	<5	<10	222	1549	<2	32	11	3	22
110205	983719	7	<1	8.72	9	454	2	5	1.72	<4	4	29	6	0.49	1.30	<1	0.38	182	<1	20	376	30	0.26	<5	<5	<10	257	1528	<2	30	<10	3	19
110206	983720	5	<1	9.48	17	516	2	2	2.05	<4	10	63	25	2.38	1.31	<1	0.68	501	<1	33	532	10	0.06	<5	<5	<10	278	2157	<2	78	51	8	43

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110207	983721	11	<1	8.91	14	416	2	<1	1.85	<4	3	28	4	0.41	1.61	<1	0.37	162	<1	18	373	30	0.20	<5	5	<10	244	1218	<2	24	<10	3	13
110208D	983721	11	<1	9.24	12	418	2	<1	1.91	<4	3	30	4	0.43	1.43	<1	0.37	163	<1	18	378	21	0.20	<5	<5	<10	251	1236	<2	24	<10	4	12
110209	983722	11	<1	9.25	9	442	2	2	2.01	<4	4	29	4	0.50	1.37	<1	0.36	168	<1	23	393	23	0.28	<5	<5	<10	265	1453	<2	29	11	4	14
110210	983723	11	<1	8.53	25	441	2	2	2.01	<4	4	29	3	0.48	1.33	<1	0.35	187	<1	17	391	38	0.27	<5	<5	<10	264	1509	<2	30	<10	3	17
110211	983724	7	<1	7.62	6	272	2	<1	1.74	<4	2	33	6	0.43	1.30	<1	0.30	147	6	19	421	28	0.16	<5	<5	<10	239	1499	3	30	<10	3	12
110212	983725	5	<1	9.56	11	572	2	2	2.18	<4	3	31	3	0.57	1.31	<1	0.36	177	<1	20	414	22	0.35	<5	6	<10	280	1526	<2	30	12	4	21
110213	983726	12	<1	8.82	22	413	2	3	2.00	<4	5	29	4	0.55	1.30	<1	0.34	192	<1	17	413	24	0.31	<5	9	<10	260	1573	<2	31	<10	3	18
110214	983727	8	<1	8.90	13	444	2	<1	1.92	<4	4	29	7	0.67	1.35	<1	0.41	216	<1	14	425	15	0.29	<5	<5	<10	257	1662	<2	29	<10	3	22
110215	983728	15	<1	8.87	10	403	2	2	2.06	<4	4	31	16	0.97	1.39	<1	0.50	331	<1	16	459	47	0.54	5	<5	<10	268	1800	<2	36	<10	4	41
110216	983729	28	<1	8.21	13	440	2	<1	2.06	<4	7	28	31	1.68	1.36	<1	0.44	409	<1	19	488	40	0.91	<5	<5	<10	298	1954	<2	40	<10	4	53
110217	983730	241	355	8.39	3944	163	2	<1	2.43	129	14	55	494	7.28	1.56	<1	0.66	1347	2	26	490	9497	7.31	77	<5	11	233	1560	<2	94	327	7	12993
110218	983731	10	3	9.38	48	435	2	5	2.03	<4	6	35	20	1.58	1.43	<1	0.60	363	<1	24	405	82	1.00	<5	8	<10	203	1793	<2	36	<10	4	129
110219D	983731	9	<1	8.87	15	384	2	1	1.94	<4	6	36	16	1.51	1.36	<1	0.59	355	<1	27	418	26	0.93	<5	<5	<10	199	1832	<2	37	10	4	57
110220	983732	37	<1	9.45	33	615	2	<1	1.99	<4	8	29	13	1.80	1.43	<1	0.56	303	<1	23	473	70	1.49	<5	<5	<10	238	1942	<2	40	10	4	127
110221	983733	87	<1	>10.00	31	537	2	2	2.05	<4	7	31	29	1.77	1.39	<1	0.67	426	<1	27	685	82	1.66	<5	10	11	199	2228	3	43	14	5	204
110222	983734	76	<1	9.59	34	585	2	1	1.42	<4	8	29	18	1.60	1.39	<1	0.51	259	<1	25	592	59	1.77	<5	<5	<10	171	2082	<2	38	10	4	88
110223	983735	53	<1	8.70	23	485	2	2	1.63	<4	5	34	26	1.33	1.34	<1	0.56	490	<1	19	465	91	1.00	<5	<5	<10	171	1817	<2	35	10	4	106
110224	983736	760	4	9.18	32	509	2	3	1.35	<4	4	26	41	1.13	1.38	<1	0.60	391	<1	15	377	237	1.19	<5	<5	<10	144	1603	<2	30	14	3	229
110225	983737	216	<1	9.21	23	412	2	<1	1.73	<4	6	27	8	1.00	1.36	<1	0.73	680	<1	18	367	88	1.04	<5	<5	<10	157	1539	<2	30	12	3	215
110226	983738	65	<1	9.12	18	452	2	<1	1.51	<4	3	26	6	0.80	1.36	<1	0.62	514	<1	15	378	83	0.70	<5	6	<10	150	1625	<2	31	11	3	112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110227	983739	74	<1	8.68	25	429	2	<1	0.99	<4	<1	23	10	0.84	1.60	<1	0.48	221	<1	14	331	61	0.84	6	<5	<10	119	1400	<2	26	12	3	73
110228	983740	7	<1	8.13	17	519	2	1	1.92	<4	11	61	25	2.43	1.47	<1	0.77	509	<1	37	528	11	0.09	<5	<5	<10	267	2113	<2	80	57	8	45
110229	983741	1881	10	8.16	35	373	2	<1	0.85	11	2	23	101	1.14	1.49	<1	0.49	212	<1	16	287	1099	1.49	11	6	<10	117	1334	<2	27	72	4	2341
110230D	983741	1804	12	8.01	26	368	2	3	0.83	10	1	25	103	1.13	1.37	<1	0.47	205	<1	17	289	1125	1.52	9	7	<10	114	1312	<2	26	80	3	2442
110231	983742	67	<1	9.10	28	362	2	2	1.57	<4	6	20	7	0.67	1.41	<1	0.75	579	<1	16	364	71	0.59	<5	8	<10	153	1455	<2	28	10	3	95
110232	983743	134	<1	9.94	19	326	2	1	1.61	<4	6	21	9	0.66	1.38	<1	0.82	554	<1	19	348	80	0.64	5	<5	<10	157	1471	<2	28	10	4	63
110233	983744	725	<1	8.96	25	301	2	<1	1.12	<4	3	22	19	0.88	1.42	<1	0.61	277	<1	17	303	53	1.05	8	<5	<10	148	1343	<2	25	<10	3	55
110234	983745	317	1	8.47	27	312	2	<1	0.85	<4	4	24	14	0.81	1.40	<1	0.51	199	<1	22	331	125	0.95	5	<5	<10	97	1357	<2	26	17	3	271
110235	983746	225	2	9.18	18	333	2	1	1.01	<4	5	25	14	0.76	1.31	<1	0.48	214	<1	19	342	103	0.82	7	11	<10	120	1467	<2	27	14	3	166
110236	983747	221	3	9.56	18	348	2	1	1.90	<4	6	27	12	0.71	1.37	<1	0.82	766	<1	17	345	103	0.59	5	17	<10	156	1556	<2	27	13	3	141
110237	983748	75	<1	9.21	25	333	2	2	1.61	<4	7	24	23	0.60	1.56	<1	0.65	535	<1	18	364	45	0.49	<5	<5	<10	156	1682	<2	29	10	3	61
110238	983749	206	<1	8.89	18	343	2	2	1.27	<4	5	25	8	0.62	1.37	<1	0.57	366	<1	16	357	50	0.56	<5	<5	<10	145	1611	<2	28	10	3	74
110239	983750	5072	8	>10.00	15	358	2	<1	3.51	4	27	83	110	4.68	1.65	<1	1.80	885	<1	54	914	30	0.88	<5	<5	<10	336	3760	<2	127	11	14	92
110240	983751	1223	2	8.23	29	271	<2	1	0.86	<4	1	30	70	0.67	1.35	<1	0.38	<100	<1	17	261	171	0.65	11	<5	<10	104	1166	<2	24	13	4	284
110241D	983751	1130	2	8.07	29	286	<2	3	0.76	<4	1	33	73	0.64	1.31	<1	0.35	<100	<1	19	261	187	0.72	8	7	<10	95	1158	<2	24	18	3	313
110242	983752	566	<1	7.80	25	380	2	<1	1.19	<4	6	28	22	0.59	1.26	<1	0.52	416	<1	22	381	67	0.52	8	10	<10	126	1726	<2	32	12	2	71
110243	983753	845	<1	7.33	22	379	2	<1	0.83	<4	4	25	16	0.57	1.31	<1	0.38	153	<1	17	291	35	0.59	6	<5	<10	101	1365	<2	26	<10	3	51
110244	983754	337	<1	7.93	24	372	<2	4	1.48	<4	4	25	14	0.73	1.32	<1	0.64	421	<1	18	351	41	0.76	<5	12	<10	140	1587	<2	29	11	3	69
110245	983755	129	<1	9.41	18	425	2	2	1.70	<4	8	23	12	0.66	1.38	<1	0.65	406	<1	20	369	30	0.54	<5	17	<10	160	1589	5	29	17	3	317
110246	983756	134	<1	9.35	22	363	2	<1	1.51	<4	4	24	28	0.69	1.32	<1	0.56	337	<1	16	476	53	0.60	7	7	<10	170	1593	<2	28	<10	3	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110247	983757	313	<1	9.86	32	336	2	<1	1.15	<4	3	26	19	0.85	1.43	<1	0.51	242	3	16	420	74	0.81	<5	<5	<10	145	1757	<2	31	12	3	166
110248	983758	367	4	9.69	20	326	2	1	1.31	<4	2	31	76	0.95	1.37	<1	0.56	372	<1	17	375	346	0.97	9	<5	<10	179	1568	<2	30	21	3	394
110249	983759	1492	1	8.61	28	358	2	1	1.07	<4	2	28	14	0.99	1.33	<1	0.47	281	<1	17	360	143	1.07	5	10	<10	143	1593	<2	30	<10	3	137
110250	983760	<5	<1	9.10	10	516	<2	<1	2.01	<4	12	63	26	2.44	1.35	<1	0.73	510	<1	34	529	14	0.09	<5	<5	<10	275	2181	<2	79	54	8	45
110251	983761	16677	2	8.68	18	430	2	2	0.93	<4	5	181	14	1.04	1.28	<1	0.37	148	<1	8	338	235	0.91	<5	5	<10	147	1906	<2	33	25	3	460
110252R	983761	15050	3	8.65	20	442	2	<1	0.89	<4	6	210	13	1.11	1.32	<1	0.36	145	<1	8	343	244	1.01	<5	14	<10	142	1981	<2	34	21	3	486
110253	983762	34	<1	8.51	15	430	2	<1	1.73	<4	5	188	11	1.64	1.46	4	0.59	357	<1	7	421	26	1.72	<5	<5	<10	211	2253	2	43	10	4	72
110254	983763	18	<1	8.87	12	414	2	<1	3.26	<4	4	28	6	1.46	1.36	<1	0.74	609	<1	11	464	27	1.58	<5	<5	<10	310	1731	4	42	<10	4	36
110255	983764	10	<1	8.36	4	394	2	2	2.55	<4	4	25	5	1.86	1.48	1	0.84	351	<1	11	442	13	2.23	5	8	<10	280	1533	<2	37	<10	4	47
110256	983765	7	<1	8.05	23	360	2	3	2.25	<4	7	24	10	3.98	1.36	2	0.70	285	<1	17	416	24	5.48	<5	<5	<10	334	1528	<2	40	11	4	78
110257	983766	6	<1	8.35	16	363	2	<1	2.28	<4	7	22	2	4.08	1.55	<1	0.82	298	<1	16	457	27	5.70	<5	<5	<10	326	1559	<2	43	12	4	77
110258	983767	8	<1	9.15	15	423	2	3	2.87	<4	8	24	7	3.30	1.37	2	1.15	529	<1	18	427	27	4.36	<5	<5	<10	346	1415	<2	41	10	5	86
110259	983768	14	<1	8.42	15	438	2	4	2.88	<4	10	28	15	2.59	1.40	2	0.89	601	<1	23	456	23	3.31	<5	<5	<10	334	1599	<2	45	<10	4	68
110260	983769	10	<1	8.20	10	451	2	<1	2.84	<4	5	25	13	2.93	1.42	4	0.85	522	<1	14	438	18	3.70	5	<5	<10	338	1455	<2	44	<10	4	79
110261	983770	1236	<1	8.52	24	632	2	<1	2.12	<4	13	64	629	3.74	1.75	<1	0.86	614	9	38	654	90	0.78	<5	<5	12	276	2209	<2	114	34	9	100
110262	983771	11	<1	9.01	8	547	2	2	2.65	<4	4	27	14	1.66	1.53	6	0.77	334	<1	16	464	9	0.72	<5	<5	<10	335	1840	<2	46	<10	4	47
110263D	983771	5	<1	8.36	14	524	2	<1	2.50	<4	3	25	13	1.56	1.56	4	0.71	319	<1	13	443	14	0.67	<5	11	<10	315	1782	<2	44	<10	4	44
110264	983772	<5	<1	8.63	13	595	2	3	2.00	<4	4	25	11	1.71	1.50	9	0.61	226	<1	16	431	24	1.69	<5	<5	<10	342	1940	<2	48	11	3	47
110265	983773	<5	<1	9.28	9	616	2	<1	2.07	<4	3	25	3	1.88	1.46	7	0.61	245	<1	18	446	19	2.38	<5	<5	<10	319	1941	<2	48	14	4	46
110266	983774	<5	<1	9.82	14	493	2	5	2.13	<4	5	28	7	1.86	1.39	4	0.53	202	<1	16	438	28	2.28	<5	<5	<10	327	1542	<2	37	<10	4	29

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110267	983775	8	<1	8.82	15	510	<2	1	2.23	<4	7	30	11	1.44	1.30	8	0.41	163	<1	23	454	21	1.81	<5	<5	<10	316	1883	<2	43	<10	4	72
110268	983776	<5	<1	8.15	16	469	2	<1	1.42	<4	4	30	6	1.23	1.39	3	0.33	128	<1	15	388	23	1.55	<5	6	<10	231	1765	<2	35	10	4	54
110269	983777	5	<1	7.66	11	450	<2	2	1.81	<4	4	30	3	1.09	1.51	5	0.60	237	<1	14	369	17	1.26	<5	6	<10	258	1671	<2	33	10	3	16
110270	983778	<5	<1	8.05	19	474	2	<1	2.09	<4	5	34	6	1.79	1.46	8	0.72	240	<1	20	420	23	2.25	<5	<5	<10	298	1711	<2	37	11	4	43
110271	983779	13	<1	8.31	29	542	2	<1	1.79	<4	8	36	16	1.63	1.80	5	0.50	277	<1	24	387	16	2.04	7	<5	<10	307	1729	<2	39	10	4	80
110272	983780	<5	<1	8.25	9	530	<2	3	1.98	<4	11	62	24	2.35	1.54	<1	0.63	492	<1	32	511	20	0.09	<5	8	<10	274	2154	<2	77	51	8	41
110273	983781	<5	<1	7.92	33	606	2	2	1.85	<4	7	46	16	2.27	1.47	7	0.43	375	<1	23	417	19	2.79	<5	<5	<10	297	1857	<2	45	11	4	53
110274D	983781	5	<1	7.78	28	611	2	<1	1.79	<4	8	48	10	2.21	1.42	8	0.40	373	<1	21	430	23	2.71	<5	<5	<10	293	1907	<2	45	<10	4	60
110275	983782	5	<1	7.63	27	492	<2	1	1.96	<4	4	36	10	1.53	1.51	<1	0.35	272	<1	18	391	24	1.95	<5	<5	<10	320	1481	<2	38	13	4	29
110276	983783	27	<1	8.82	24	570	2	<1	1.90	<4	5	35	7	1.56	1.46	5	0.42	281	<1	18	381	21	1.83	<5	<5	<10	346	1568	<2	37	<10	4	18
110277	983784	5	<1	8.27	16	484	2	<1	1.80	<4	5	31	6	1.80	1.47	<1	0.43	275	<1	17	367	19	2.10	<5	5	<10	321	1365	<2	34	<10	4	27
110278	983785	8	<1	8.15	22	533	2	<1	1.64	<4	7	45	7	1.94	1.43	2	0.47	317	<1	25	421	20	1.98	<5	<5	<10	297	1707	<2	43	<10	4	25
110279	983786	8	<1	8.63	16	556	2	<1	1.70	<4	8	46	7	1.99	1.39	3	0.49	312	<1	23	398	24	2.11	<5	<5	<10	318	1743	3	44	<10	4	25
110280	983787	7	<1	8.78	13	633	2	2	1.96	<4	9	59	18	2.19	1.35	10	0.65	364	<1	32	502	20	1.46	<5	13	<10	338	2121	<2	56	<10	5	45
110281	983788	9	<1	7.76	25	376	2	2	2.27	<4	5	32	12	1.88	1.63	<1	0.75	635	<1	18	471	37	1.42	<5	<5	<10	156	1648	<2	41	10	4	52
110282	983789	13	<1	8.05	22	415	2	<1	1.42	<4	8	28	22	1.77	1.46	6	0.60	436	<1	21	481	33	0.91	<5	12	<10	131	1792	<2	44	15	3	226
110283	983790	237	353	7.51	3866	140	2	3	2.35	124	13	55	480	7.18	1.62	<1	0.57	1307	3	25	469	9563	7.15	76	16	10	228	1646	<2	92	310	7	13170
110284	983791	10	5	7.33	72	365	2	4	1.98	<4	6	29	16	1.64	1.51	<1	0.62	532	<1	18	465	119	0.98	<5	<5	<10	150	1481	<2	42	14	3	195
110285D	983791	13	<1	7.57	27	367	2	4	2.02	<4	6	28	10	1.57	1.59	<1	0.74	521	<1	20	473	39	0.93	6	5	<10	147	1474	<2	42	11	4	71
110286	983792	23	<1	7.55	25	391	2	<1	1.44	<4	8	28	11	1.97	1.47	<1	0.55	433	<1	21	474	23	1.32	<5	<5	<10	134	1520	<2	43	11	3	61

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110287	983793	24	<1	7.90	27	413	<2	4	1.58	<4	5	34	14	1.93	1.46	<1	0.58	451	<1	20	478	19	0.78	<5	<5	<10	144	1614	2	43	<10	3	47
110288	983794	19	<1	9.04	60	388	2	2	2.37	<4	7	29	20	2.42	1.41	<1	0.91	614	<1	20	507	38	1.96	<5	6	<10	195	1445	<2	44	<10	4	54
110289	983795	21	<1	8.76	49	372	2	2	2.15	<4	6	28	20	1.92	1.41	<1	0.82	611	<1	21	489	36	1.58	<5	<5	<10	175	1457	<2	43	<10	4	60
110290	983796	46	<1	8.71	55	438	<2	2	1.39	<4	6	40	8	1.59	1.35	<1	0.55	268	<1	25	442	37	1.56	5	12	<10	119	1354	<2	38	<10	4	42
110291	983797	170	<1	8.98	63	449	2	3	2.20	<4	21	128	69	3.44	1.72	<1	0.95	585	<1	65	501	105	2.73	9	<5	<10	127	1738	<2	84	14	5	246
110292	983798	80	<1	7.66	58	178	2	4	1.09	<4	6	84	41	1.41	1.56	<1	0.52	141	<1	50	192	129	1.27	<5	<5	<10	95	511	<2	33	<10	5	121
110293	983799	1035	5	8.38	119	463	2	2	0.80	5	4	39	89	2.10	1.51	<1	0.35	<100	<1	28	351	647	2.81	16	<5	<10	103	981	<2	34	49	4	1337
110294	983800	<5	<1	9.00	9	561	2	<1	2.12	<4	14	65	28	2.61	1.43	<1	0.73	531	<1	33	536	21	0.12	5	<5	<10	294	2307	2	84	55	9	61
110295	983801	16	<1	8.50	19	664	2	2	1.77	<4	4	31	15	1.26	1.53	<1	0.66	385	<1	21	470	64	0.52	<5	<5	<10	145	1513	<2	40	17	4	84
110296D	983801	19	<1	8.29	19	680	2	3	1.78	<4	5	29	15	1.28	1.56	<1	0.69	393	<1	23	471	63	0.56	<5	14	<10	137	1467	<2	40	13	4	82
110297	983802	13	<1	8.21	31	589	2	1	2.09	<4	5	34	18	1.35	1.52	<1	0.70	483	2	27	484	54	0.55	8	<5	<10	158	1489	<2	38	13	4	78
110298	983803	113	1	7.84	39	596	2	2	0.86	<4	4	33	24	1.18	1.46	<1	0.32	<100	3	27	492	66	1.20	5	8	<10	120	1536	<2	39	30	3	615
110299	983804	248	1	7.29	31	564	2	<1	0.89	<4	4	32	19	0.98	1.50	<1	0.31	<100	4	26	485	69	0.84	5	<5	<10	122	1547	<2	39	16	3	65
110300	983805	41	<1	8.10	43	469	2	5	2.21	<4	14	95	30	2.45	1.55	1	0.77	565	8	46	475	56	1.42	<5	8	10	152	1836	<2	64	15	5	64
110301	983806	35	<1	9.09	34	493	2	4	2.18	<4	16	100	30	2.40	1.56	1	0.81	545	5	49	512	51	1.36	<5	<5	<10	144	1899	<2	69	11	5	60
110302	983807	119	1	9.18	82	400	2	<1	2.11	<4	18	153	69	3.29	1.50	<1	0.77	591	7	73	543	69	2.54	<5	<5	12	140	1978	<2	86	<10	6	114
110303	983808	437	1	7.90	91	416	2	<1	0.88	5	12	97	54	2.68	1.53	<1	0.35	113	<1	52	435	66	3.17	<5	13	<10	114	1558	<2	69	36	4	1009
110304	983809	440	1	8.04	143	400	2	2	0.86	<4	13	135	132	2.26	1.52	<1	0.33	<100	3	70	466	64	2.67	<5	5	<10	119	1339	<2	84	21	4	573
110305	983810	4917	9	>10.00	14	368	2	<1	3.52	4	26	87	114	4.83	1.69	<1	1.46	894	10	55	898	27	0.88	<5	15	<10	341	4251	<2	132	<10	12	100
110306	983811	485	<1	7.85	103	397	2	2	1.29	<4	19	133	55	3.17	1.49	<1	0.54	323	2	73	479	62	3.24	7	<5	<10	133	1491	<2	83	13	4	127

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110307D	983811	472	2	9.09	81	373	2	2	1.23	<4	14	135	83	2.79	1.83	<1	0.50	285	5	73	478	64	2.78	<5	<5	<10	128	1349	<2	77	<10	4	128
110308	983812	95	<1	7.60	61	476	2	2	0.95	<4	10	61	15	1.48	1.52	<1	0.35	122	4	34	467	81	1.47	<5	5	<10	123	1467	<2	51	13	4	238
110309	983813	109	2	9.19	82	552	2	2	1.17	<4	5	33	45	1.77	1.19	6	0.44	154	11	24	449	88	1.96	5	<5	11	147	1681	<2	37	23	4	409
110310	983814	95	<1	8.01	50	521	2	3	1.21	<4	8	44	37	1.45	1.46	<1	0.44	241	7	28	450	58	1.46	<5	5	<10	143	1726	<2	41	16	3	251
110311	983815	270	1	7.93	58	617	2	1	1.23	<4	13	92	46	2.23	1.57	<1	0.44	269	<1	50	462	71	2.61	<5	<5	<10	144	1952	<2	67	17	4	385
110312	983816	153	2	8.44	64	559	2	1	1.67	<4	7	59	91	2.02	1.52	<1	0.62	464	9	48	463	105	1.99	6	<5	<10	182	1786	<2	46	27	4	491
110313	983817	80	<1	>10.00	38	532	2	2	2.98	<4	5	33	25	1.64	1.50	2	1.14	812	4	25	488	114	0.78	<5	<5	<10	203	1956	<2	40	16	5	93
110314	983818	35	<1	9.59	31	503	2	2	2.81	<4	6	32	21	1.72	1.45	<1	1.00	822	4	24	486	41	1.16	<5	<5	<10	189	1926	2	40	16	5	65
110315	983819	498	2	8.11	77	416	2	<1	1.42	<4	13	87	45	2.32	1.41	<1	0.48	356	<1	48	469	195	2.24	<5	<5	<10	147	1972	<2	59	13	4	191
110316	983820	9	<1	8.30	19	508	<2	<1	1.94	<4	11	62	25	2.33	1.46	<1	0.60	486	<1	28	499	22	0.09	<5	<5	<10	268	2183	<2	75	49	7	41
110317	983821	1314	3	7.51	85	373	2	<1	1.55	5	14	107	227	2.94	1.39	<1	0.49	423	7	52	461	263	2.92	<5	<5	<10	141	2130	<2	65	47	4	1245
110318R	983821	1248	3	7.81	88	379	2	<1	1.48	5	14	105	302	2.93	1.42	1	0.51	386	7	55	451	284	3.05	<5	<5	<10	137	2085	<2	63	52	5	1580
110319	983822	476	<1	>10.00	66	389	2	<1	2.00	4	14	30	274	2.37	1.54	<1	0.90	472	<1	26	541	58	1.70	<5	<5	<10	140	1886	<2	41	38	5	877

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110187	983702	17	<0.001	0.017
110188	983703	22	<0.001	0.022
110189	983704	14	<0.001	0.014
110190	983705	8	<0.001	0.008
110191	983706	8	<0.001	0.008
110192	983707	12	<0.001	0.012
110193	983708	14	<0.001	0.014
110194	983709	11	<0.001	0.011
110195	983710	1034	0.030	1.034
110196	983711	18	<0.001	0.018
110197 Dup	983711	16	<0.001	0.016
110198	983712	241	0.007	0.241
110199	983713	203	0.006	0.203
110200	983714	50	0.001	0.050
110201	983715	27	<0.001	0.027
110202	983716	419	0.012	0.419
110203	983717	10	<0.001	0.010
110204	983718	17	<0.001	0.017
110205	983719	7	<0.001	0.007
110206	983720	5	<0.001	0.005
110207	983721	11	<0.001	0.011
110208 Dup	983721	11	<0.001	0.011
110209	983722	11	<0.001	0.011
110210	983723	11	<0.001	0.011
110211	983724	7	<0.001	0.007
110212	983725	5	<0.001	0.005
110213	983726	12	<0.001	0.012
110214	983727	8	<0.001	0.008
110215	983728	15	<0.001	0.015
110216	983729	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110217	983730	241	0.007	0.241
110218	983731	10	<0.001	0.010
110219 Dup	983731	9	<0.001	0.009
110220	983732	37	0.001	0.037
110221	983733	87	0.003	0.087
110222	983734	76	0.002	0.076
110223	983735	53	0.002	0.053
110224	983736	760	0.022	0.760
110225	983737	216	0.006	0.216
110226	983738	65	0.002	0.065
110227	983739	74	0.002	0.074
110228	983740	7	<0.001	0.007
110229	983741	1881	0.055	1.881
110230 Dup	983741	1804	0.053	1.804
110231	983742	67	0.002	0.067
110232	983743	134	0.004	0.134
110233	983744	725	0.021	0.725
110234	983745	317	0.009	0.317
110235	983746	225	0.007	0.225
110236	983747	221	0.006	0.221
110237	983748	75	0.002	0.075
110238	983749	206	0.006	0.206
110239	983750	5072	0.148	5.072
110240	983751	1223	0.036	1.223
110241 Dup	983751	1130	0.033	1.130
110242	983752	566	0.017	0.566
110243	983753	845	0.025	0.845
110244	983754	337	0.010	0.337
110245	983755	129	0.004	0.129
110246	983756	134	0.004	0.134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110247	983757	313	0.009	0.313
110248	983758	367	0.011	0.367
110249	983759	1492	0.044	1.492
110250	983760	<5	<0.001	<0.005
110251	983761	16677	0.487	16.677
110252 Rep	983761	15050	0.439	15.050
110253	983762	34	<0.001	0.034
110254	983763	18	<0.001	0.018
110255	983764	10	<0.001	0.010
110256	983765	7	<0.001	0.007
110257	983766	6	<0.001	0.006
110258	983767	8	<0.001	0.008
110259	983768	14	<0.001	0.014
110260	983769	10	<0.001	0.010
110261	983770	1236	0.036	1.236
110262	983771	11	<0.001	0.011
110263 Dup	983771	5	<0.001	0.005
110264	983772	<5	<0.001	<0.005
110265	983773	<5	<0.001	<0.005
110266	983774	<5	<0.001	<0.005
110267	983775	8	<0.001	0.008
110268	983776	<5	<0.001	<0.005
110269	983777	5	<0.001	0.005
110270	983778	<5	<0.001	<0.005
110271	983779	13	<0.001	0.013
110272	983780	<5	<0.001	<0.005
110273	983781	<5	<0.001	<0.005
110274 Dup	983781	5	<0.001	0.005
110275	983782	5	<0.001	0.005
110276	983783	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110277	983784	5	<0.001	0.005
110278	983785	8	<0.001	0.008
110279	983786	8	<0.001	0.008
110280	983787	7	<0.001	0.007
110281	983788	9	<0.001	0.009
110282	983789	13	<0.001	0.013
110283	983790	237	0.007	0.237
110284	983791	10	<0.001	0.010
110285 Dup	983791	13	<0.001	0.013
110286	983792	23	<0.001	0.023
110287	983793	24	<0.001	0.024
110288	983794	19	<0.001	0.019
110289	983795	21	<0.001	0.021
110290	983796	46	0.001	0.046
110291	983797	170	0.005	0.170
110292	983798	80	0.002	0.080
110293	983799	1035	0.030	1.035
110294	983800	<5	<0.001	<0.005
110295	983801	16	<0.001	0.016
110296 Dup	983801	19	<0.001	0.019
110297	983802	13	<0.001	0.013
110298	983803	113	0.003	0.113
110299	983804	248	0.007	0.248
110300	983805	41	0.001	0.041
110301	983806	35	0.001	0.035
110302	983807	119	0.003	0.119
110303	983808	437	0.013	0.437
110304	983809	440	0.013	0.440
110305	983810	4917	0.143	4.917
110306	983811	485	0.014	0.485

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110307 Dup	983811	472	0.014	0.472
110308	983812	95	0.003	0.095
110309	983813	109	0.003	0.109
110310	983814	95	0.003	0.095
110311	983815	270	0.008	0.270
110312	983816	153	0.004	0.153
110313	983817	80	0.002	0.080
110314	983818	35	0.001	0.035
110315	983819	498	0.015	0.498
110316	983820	9	<0.001	0.009
110317	983821	1314	0.038	1.314
110318 Rep	983821	1248	0.036	1.248
110319	983822	476	0.014	0.476

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110187	983702	17	<0.001	0.017
110188	983703	22	<0.001	0.022
110189	983704	14	<0.001	0.014
110190	983705	8	<0.001	0.008
110191	983706	8	<0.001	0.008
110192	983707	12	<0.001	0.012
110193	983708	14	<0.001	0.014
110194	983709	11	<0.001	0.011
110195	983710	1034	0.030	1.034
110196	983711	18	<0.001	0.018
110197 Dup	983711	16	<0.001	0.016
110198	983712	241	0.007	0.241
110199	983713	203	0.006	0.203
110200	983714	50	0.001	0.050
110201	983715	27	<0.001	0.027
110202	983716	419	0.012	0.419
110203	983717	10	<0.001	0.010
110204	983718	17	<0.001	0.017
110205	983719	7	<0.001	0.007
110206	983720	5	<0.001	0.005
110207	983721	11	<0.001	0.011
110208 Dup	983721	11	<0.001	0.011
110209	983722	11	<0.001	0.011
110210	983723	11	<0.001	0.011
110211	983724	7	<0.001	0.007
110212	983725	5	<0.001	0.005
110213	983726	12	<0.001	0.012
110214	983727	8	<0.001	0.008
110215	983728	15	<0.001	0.015
110216	983729	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110217	983730	241	0.007	0.241
110218	983731	10	<0.001	0.010
110219 Dup	983731	9	<0.001	0.009
110220	983732	37	0.001	0.037
110221	983733	87	0.003	0.087
110222	983734	76	0.002	0.076
110223	983735	53	0.002	0.053
110224	983736	760	0.022	0.760
110225	983737	216	0.006	0.216
110226	983738	65	0.002	0.065
110227	983739	74	0.002	0.074
110228	983740	7	<0.001	0.007
110229	983741	1881	0.055	1.881
110230 Dup	983741	1804	0.053	1.804
110231	983742	67	0.002	0.067
110232	983743	134	0.004	0.134
110233	983744	725	0.021	0.725
110234	983745	317	0.009	0.317
110235	983746	225	0.007	0.225
110236	983747	221	0.006	0.221
110237	983748	75	0.002	0.075
110238	983749	206	0.006	0.206
110239	983750	5072	0.148	5.072
110240	983751	1223	0.036	1.223
110241 Dup	983751	1130	0.033	1.130
110242	983752	566	0.017	0.566
110243	983753	845	0.025	0.845
110244	983754	337	0.010	0.337
110245	983755	129	0.004	0.129
110246	983756	134	0.004	0.134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110247	983757	313	0.009	0.313
110248	983758	367	0.011	0.367
110249	983759	1492	0.044	1.492
110250	983760	<5	<0.001	<0.005
110251	983761	16677	0.487	16.677
110252 Rep	983761	15050	0.439	15.050
110253	983762	34	<0.001	0.034
110254	983763	18	<0.001	0.018
110255	983764	10	<0.001	0.010
110256	983765	7	<0.001	0.007
110257	983766	6	<0.001	0.006
110258	983767	8	<0.001	0.008
110259	983768	14	<0.001	0.014
110260	983769	10	<0.001	0.010
110261	983770	1236	0.036	1.236
110262	983771	11	<0.001	0.011
110263 Dup	983771	5	<0.001	0.005
110264	983772	<5	<0.001	<0.005
110265	983773	<5	<0.001	<0.005
110266	983774	<5	<0.001	<0.005
110267	983775	8	<0.001	0.008
110268	983776	<5	<0.001	<0.005
110269	983777	5	<0.001	0.005
110270	983778	<5	<0.001	<0.005
110271	983779	13	<0.001	0.013
110272	983780	<5	<0.001	<0.005
110273	983781	<5	<0.001	<0.005
110274 Dup	983781	5	<0.001	0.005
110275	983782	5	<0.001	0.005
110276	983783	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110277	983784	5	<0.001	0.005
110278	983785	8	<0.001	0.008
110279	983786	8	<0.001	0.008
110280	983787	7	<0.001	0.007
110281	983788	9	<0.001	0.009
110282	983789	13	<0.001	0.013
110283	983790	237	0.007	0.237
110284	983791	10	<0.001	0.010
110285 Dup	983791	13	<0.001	0.013
110286	983792	23	<0.001	0.023
110287	983793	24	<0.001	0.024
110288	983794	19	<0.001	0.019
110289	983795	21	<0.001	0.021
110290	983796	46	0.001	0.046
110291	983797	170	0.005	0.170
110292	983798	80	0.002	0.080
110293	983799	1035	0.030	1.035
110294	983800	<5	<0.001	<0.005
110295	983801	16	<0.001	0.016
110296 Dup	983801	19	<0.001	0.019
110297	983802	13	<0.001	0.013
110298	983803	113	0.003	0.113
110299	983804	248	0.007	0.248
110300	983805	41	0.001	0.041
110301	983806	35	0.001	0.035
110302	983807	119	0.003	0.119
110303	983808	437	0.013	0.437
110304	983809	440	0.013	0.440
110305	983810	4917	0.143	4.917
110306	983811	485	0.014	0.485

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/05/2011  
 Job #: 201141602  
 Reference: TMI-TML  
 Sample #: 121

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110307 Dup	983811	472	0.014	0.472
110308	983812	95	0.003	0.095
110309	983813	109	0.003	0.109
110310	983814	95	0.003	0.095
110311	983815	270	0.008	0.270
110312	983816	153	0.004	0.153
110313	983817	80	0.002	0.080
110314	983818	35	0.001	0.035
110315	983819	498	0.015	0.498
110316	983820	9	<0.001	0.009
110317	983821	1314	0.038	1.314
110318 Rep	983821	1248	0.036	1.248
110319	983822	476	0.014	0.476

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/16/2011  
 Job #: 201141739  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
119672	983761	7.255	7.309	156.565	12.774	3.68%	36.86

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110044	1007363	12	<1	8.65	4	519	2	<1	2.36	<4	10	479	27	2.44	1.71	2	0.67	628	<1	21	514	33	0.75	<5	<5	<10	379	2240	<2	52	21	4	77
110045	1007364	<5	<1	8.57	11	523	2	2	1.76	<4	5	342	4	0.76	1.67	<1	0.46	254	<1	13	360	28	0.15	<5	5	<10	430	1509	<2	30	<10	3	36
110046	1007365	13	<1	8.67	10	563	2	1	1.85	<4	8	248	18	1.07	1.61	<1	0.51	257	<1	17	368	24	0.43	<5	<5	<10	453	1936	<2	39	11	4	51
110047	1007366	<5	<1	9.28	14	560	2	1	1.65	<4	9	421	17	1.12	1.74	<1	0.57	236	<1	22	391	27	0.43	5	<5	<10	421	1812	<2	38	<10	4	47
110048	1007367	6	<1	9.01	11	571	2	<1	1.93	<4	6	282	6	0.82	1.46	<1	0.51	253	<1	12	231	34	0.28	5	<5	<10	416	1661	<2	33	11	3	105
110049	1007368	5	<1	9.39	18	610	2	1	2.18	<4	7	393	6	1.09	1.71	<1	0.65	311	<1	13	159	30	0.47	<5	<5	<10	399	1507	2	26	14	3	127
110050	1007369	6	<1	>10.00	15	515	2	1	2.30	<4	6	181	11	1.02	1.67	<1	0.64	245	<1	10	156	21	0.60	<5	<5	<10	397	1374	<2	24	12	4	19
110051	1007370	5	<1	8.93	13	492	<2	<1	1.96	<4	10	60	24	2.26	1.61	<1	0.73	469	<1	30	492	15	0.05	<5	9	<10	268	2029	<2	73	47	8	39
110052	1007371	9	<1	9.16	11	482	2	2	2.13	<4	8	391	9	1.75	1.52	<1	0.48	256	<1	15	159	39	1.27	<5	8	<10	379	1297	<2	26	14	4	103
110053	1007372	11	<1	9.06	25	500	2	<1	1.90	<4	13	174	12	2.78	1.76	<1	0.57	267	<1	21	145	23	2.44	<5	<5	<10	370	1590	5	29	11	4	40
110054D	1007372	11	<1	8.68	18	492	<2	<1	1.87	<4	12	175	12	2.77	1.68	<1	0.53	269	<1	21	141	30	2.39	<5	<5	<10	368	1618	<2	29	13	3	38
110055	1007373	40	2	8.45	17	671	2	1	2.13	<4	10	391	46	2.25	1.66	<1	0.66	606	<1	31	373	325	1.21	<5	<5	<10	332	1861	<2	53	16	5	262
110056	1007374	193	<1	>10.00	246	643	<2	<1	1.27	6	21	634	483	1.58	1.54	<1	0.40	180	<1	54	1283	186	0.58	<5	5	28	324	3163	<2	195	46	6	1384
110057	1007375	6	<1	9.56	24	574	2	<1	1.08	<4	11	644	91	0.81	1.58	<1	0.33	101	<1	30	1308	18	0.13	7	<5	<10	268	2037	<2	204	<10	4	84
110058	1007376	<5	<1	9.41	9	232	<2	2	1.43	<4	6	347	11	0.60	1.90	<1	0.32	133	<1	11	106	7	0.03	<5	5	<10	259	797	<2	25	<10	4	19
110059	1007377	8	<1	>10.00	8	443	2	<1	1.48	<4	20	588	71	2.57	1.64	<1	0.48	277	<1	61	1089	9	0.36	<5	<5	<10	310	3749	<2	153	13	5	31
110060	1007378	283	<1	9.82	18	598	2	<1	1.10	<4	20	813	40	1.94	1.68	<1	0.35	252	<1	76	1336	15	0.16	<5	<5	<10	294	3632	<2	230	12	5	42
110061	1007379	205	<1	9.01	11	449	<2	<1	1.76	<4	17	883	44	2.28	1.62	<1	0.39	453	<1	68	1356	15	0.55	<5	<5	<10	273	2860	<2	117	63	7	29
110062	1007380	248	338	8.25	4084	138	2	<1	2.48	133	14	65	518	7.62	1.71	<1	0.69	1373	<1	28	509	9195	5.85	82	12	11	237	1604	<2	97	332	7	12411
110063	1007381	335	4	8.79	70	635	2	<1	2.73	17	13	382	353	3.25	1.71	<1	0.87	881	<1	17	663	507	1.74	<5	<5	<10	298	2532	<2	59	116	4	3994

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110064	1007382	307	4	8.71	36	723	2	<1	2.78	7	10	350	177	2.92	1.61	<1	0.88	941	<1	12	678	3423	1.53	<5	<5	<10	258	2601	3	57	44	4	1274
110065D	1007382	163	3	8.77	34	712	2	<1	2.78	7	9	350	175	2.89	1.54	<1	0.88	943	<1	10	679	3408	1.52	<5	<5	11	258	2614	<2	58	43	4	1230
110066	1007383	88	1	9.24	33	865	2	3	1.66	5	8	357	25	2.31	2.05	<1	0.55	453	<1	10	609	851	1.37	<5	<5	<10	199	2763	<2	57	37	4	1079
110067	1007384	84	<1	9.04	44	888	2	<1	1.51	<4	8	298	13	2.52	1.77	<1	0.52	467	<1	13	656	266	1.53	<5	<5	<10	195	2910	3	59	12	4	80
110068	1007385	255	1	>10.00	55	519	2	<1	1.62	<4	19	520	65	3.37	1.62	2	0.90	539	<1	59	497	68	1.72	<5	7	<10	142	2539	<2	93	10	7	98
110069	1007386	236	2	>10.00	57	479	2	<1	1.72	<4	19	238	74	3.35	1.50	3	0.90	509	4	58	528	54	1.84	7	<5	<10	153	2487	<2	89	<10	7	100
110070	1007387	14	<1	9.96	19	634	2	1	1.46	<4	7	374	8	0.91	1.69	<1	0.61	212	<1	15	200	34	0.26	<5	12	<10	164	1900	<2	38	12	4	47
110071	1007388	16	<1	10.00	8	686	2	<1	1.37	<4	6	343	12	0.84	1.57	<1	0.56	194	<1	12	223	23	0.38	<5	10	<10	170	1860	<2	34	<10	3	62
110072	1007389	13	<1	8.88	17	527	2	2	1.47	<4	7	455	6	0.94	1.62	<1	0.58	235	<1	16	158	19	0.40	<5	13	<10	178	1597	<2	27	11	3	16
110073	1007390	<5	<1	8.91	14	516	2	<1	2.00	<4	11	67	26	2.42	1.64	<1	0.73	501	<1	32	531	16	0.06	<5	<5	<10	278	2154	4	78	51	8	46
110074	1007391	10	<1	8.73	10	551	<2	1	1.43	<4	5	220	6	0.80	1.51	<1	0.52	215	<1	10	178	15	0.33	<5	7	<10	189	1792	<2	31	10	3	14
110075	1007392	11	<1	8.94	17	530	2	3	1.65	<4	6	427	10	0.99	1.41	<1	0.54	274	<1	11	265	15	0.33	<5	6	<10	213	1831	4	33	<10	3	17
110076D	1007392	10	<1	>10.00	5	567	<2	1	1.77	<4	3	435	9	1.02	1.96	1	0.63	280	<1	10	258	14	0.34	<5	8	<10	223	1802	5	33	<10	4	18
110077	1007393	20	<1	9.61	17	671	2	<1	1.68	<4	6	343	7	1.01	1.83	<1	0.62	338	<1	11	313	37	0.38	<5	8	<10	231	1990	<2	35	11	3	69
110078	1007394	13	<1	8.48	12	516	2	2	1.91	<4	4	334	11	0.75	1.79	<1	0.39	236	<1	7	411	56	0.17	<5	<5	<10	265	1720	<2	32	<10	3	33
110079	1007395	22	<1	9.12	17	498	2	4	2.22	<4	4	379	64	0.76	1.80	<1	0.42	231	<1	12	396	101	0.19	<5	<5	10	275	1395	<2	27	17	3	245
110080	1007396	8	<1	>10.00	14	513	2	1	2.47	<4	5	221	7	0.64	1.64	<1	0.53	273	<1	10	408	29	0.12	<5	13	<10	299	1372	<2	28	<10	4	17
110081	1007397	10	<1	>10.00	11	585	2	3	3.22	<4	6	357	15	0.98	1.77	<1	0.77	396	<1	13	441	22	0.18	<5	<5	<10	322	1576	<2	30	11	4	64
110082	1007398	22	<1	9.92	12	610	2	2	2.52	<4	5	377	36	0.85	1.82	<1	0.54	284	<1	10	390	104	0.13	<5	<5	<10	325	1513	3	29	12	4	148
110083	1007399	11	<1	>10.00	14	581	2	<1	2.87	<4	8	367	19	2.17	1.70	<1	0.72	434	<1	12	497	26	0.37	<5	<5	<10	350	2099	<2	40	10	5	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110084	1007400	4859	9	>10.00	7	377	2	<1	3.71	5	30	89	121	5.10	1.79	<1	1.88	948	<1	60	999	28	0.73	5	15	<10	359	3596	3	135	10	13	104
110085	1007401	344	9	9.15	18	513	2	<1	2.25	<4	4	395	35	1.48	1.59	<1	0.76	841	<1	9	621	160	0.53	7	<5	<10	178	2029	2	36	15	4	307
110086	1007402	96	4	8.84	26	605	2	3	1.14	<4	5	467	48	1.58	2.01	<1	0.46	286	<1	11	511	440	1.04	<5	<5	<10	137	2011	<2	33	18	4	607
110087D	1007402	99	5	8.95	30	617	2	2	1.16	<4	6	489	53	1.66	1.68	<1	0.46	299	<1	8	543	446	1.07	<5	<5	<10	142	2107	<2	35	26	3	647
110088	1007403	67	4	8.47	24	632	2	<1	1.50	<4	5	273	19	1.41	1.73	<1	0.63	464	<1	8	508	755	0.73	<5	<5	<10	154	1997	<2	32	21	3	353
110089	1007404	39	4	8.61	22	582	2	<1	1.28	<4	7	394	12	1.34	1.58	<1	0.57	423	<1	11	386	784	0.80	<5	<5	<10	146	1784	2	29	30	3	781
110090	1007405	63	<1	8.83	19	480	2	3	2.13	<4	6	371	11	1.12	1.63	<1	0.89	796	<1	8	319	116	0.57	<5	5	<10	201	1582	<2	27	18	3	380
110091	1007406	47	<1	9.34	17	527	2	4	2.21	<4	5	468	8	1.06	1.59	<1	0.93	773	<1	11	319	84	0.38	<5	16	<10	207	1565	<2	27	12	3	154
110092	1007407	2443	6	9.36	65	386	<2	5	1.32	13	9	433	226	3.41	1.68	<1	0.69	513	19	11	323	1126	3.47	7	<5	<10	146	1396	<2	32	131	4	4461
110093	1007408	154	<1	9.64	20	322	2	2	1.58	<4	4	365	16	1.20	1.73	<1	0.78	549	<1	9	333	121	0.78	<5	<5	<10	151	1394	<2	26	17	4	373
110094	1007409	62	<1	9.91	13	409	2	2	1.56	<4	4	408	11	0.89	1.68	<1	0.73	531	<1	10	366	81	0.40	<5	<5	<10	153	1667	<2	27	14	3	110
110095	1007410	<5	<1	8.57	9	532	<2	<1	2.01	<4	10	65	27	2.52	1.47	<1	0.75	522	<1	35	542	10	0.05	6	<5	<10	282	2194	<2	81	52	8	45
110096	1007411	74	1	>10.00	22	402	2	<1	1.60	<4	6	200	9	0.92	1.68	39	0.82	470	6	10	643	72	0.70	8	12	<10	152	1683	7	28	<10	4	135
110097	1007412	516	5	9.87	51	370	<2	<1	1.03	4	12	391	30	1.77	1.65	37	0.54	227	7	15	565	237	1.83	14	13	<10	112	1611	5	27	15	4	919
110098D	1007412	544	3	9.82	52	371	<2	<1	1.04	<4	12	393	31	1.78	1.59	36	0.53	224	8	16	309	239	1.86	14	6	<10	114	1596	5	27	15	4	909
110099	1007413	314	3	9.83	28	354	2	<1	1.15	<4	13	358	14	1.17	1.56	38	0.58	284	7	24	754	212	0.94	9	13	<10	127	1730	10	27	<10	4	384
110100	1007414	2437	10	>10.00	30	320	2	<1	2.22	6	12	430	27	1.35	1.61	37	1.20	1106	7	25	402	880	1.14	18	7	<10	163	1537	6	27	27	4	1898
110101	1007415	407	3	9.28	21	428	<2	<1	1.59	<4	10	449	13	1.01	1.57	36	0.78	549	6	16	466	106	0.61	10	11	<10	136	1832	11	29	<10	3	145
110102	1007416	324	3	9.25	24	415	<2	<1	1.33	<4	8	394	22	1.12	1.44	36	0.62	420	7	14	550	57	0.79	8	18	<10	126	1792	5	28	<10	3	41
110103	1007417	112	2	>10.00	20	370	2	2	1.58	<4	8	365	15	1.10	1.43	38	0.64	362	7	22	424	51	0.72	6	21	<10	149	1886	9	29	<10	4	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110104	1007418	147	3	>10.00	17	374	2	<1	1.92	<4	6	313	26	0.93	1.40	44	0.69	367	7	16	<100	224	0.51	8	12	<10	163	1870	10	32	<10	5	80
110105	1007419	1102	2	>10.00	18	372	2	<1	1.69	<4	8	351	8	0.90	1.59	41	0.71	352	7	28	397	56	0.50	11	20	<10	152	1793	7	29	<10	4	66
110106	1007420	1075	1	>10.00	21	652	<2	<1	2.33	<4	16	70	568	3.70	1.65	37	1.03	627	37	39	1026	74	0.66	10	9	<10	282	2261	6	113	32	10	95
110107	1007421	65	2	>10.00	35	391	<2	<1	1.46	6	12	104	142	0.90	1.79	41	0.74	316	6	14	<100	308	0.75	12	18	<10	128	1607	7	28	22	5	1482
110108	1007422	689	6	>10.00	35	376	<2	<1	1.52	7	13	210	91	1.26	1.42	44	0.68	363	7	16	386	1688	1.28	20	8	<10	142	1717	7	28	28	4	2079
110109R	1007422	705	8	9.76	39	370	<2	<1	1.49	6	12	242	83	1.21	1.58	40	0.61	357	7	23	585	1434	1.17	15	18	<10	143	1799	4	29	28	4	1888
110110	1007423	344	2	9.30	46	386	<2	<1	1.24	<4	17	203	40	0.89	1.69	41	0.54	256	6	15	465	467	0.80	12	17	<10	127	1721	4	29	13	4	896
110111	1007424	51	2	9.93	23	359	<2	<1	1.70	<4	19	237	12	0.81	1.67	42	0.76	523	6	22	563	72	0.57	8	11	<10	148	1783	9	32	<10	4	92
110112	1007425	49	2	9.46	11	376	<2	<1	1.57	<4	10	196	7	0.92	1.65	40	0.64	390	7	15	197	56	0.77	8	12	<10	138	1663	6	28	<10	4	100
110113	1007426	93	3	9.76	17	409	<2	<1	1.65	<4	10	258	7	0.97	1.60	41	0.65	413	6	15	410	60	0.77	7	15	<10	142	1726	14	30	<10	4	106
110114	1007427	92	<1	>10.00	13	338	<2	<1	1.70	<4	8	170	8	0.85	1.65	42	0.78	528	6	13	344	78	0.65	11	13	<10	151	1724	7	29	<10	4	65
110115	1007428	46	1	>10.00	18	361	2	<1	1.87	<4	8	186	9	0.89	1.52	44	0.81	613	5	11	371	77	0.61	9	20	<10	180	1854	6	30	<10	4	255
110116	1007429	411	5	>10.00	40	403	2	<1	1.98	4	6	203	129	1.93	1.60	48	0.91	734	8	19	340	487	1.84	10	11	<10	189	1658	8	28	11	5	896
110117	1007430	6	2	>10.00	10	417	<2	<1	2.28	<4	14	71	26	2.49	1.43	36	0.91	540	9	42	447	11	0.10	8	7	<10	291	2375	4	82	48	9	52
110118	1007431	78	2	>10.00	29	436	2	<1	1.95	<4	5	197	12	1.42	1.68	49	0.92	700	6	10	220	74	1.13	12	23	<10	192	1810	8	33	<10	5	120
110119	1007432	47	2	>10.00	13	411	2	<1	1.99	<4	11	157	14	1.45	1.52	48	0.78	555	6	20	734	81	1.26	8	12	<10	238	2181	10	41	<10	4	348
110120D	1007432	32	1	>10.00	14	416	2	<1	1.94	<4	8	150	13	1.36	1.71	48	0.75	523	7	24	442	72	1.15	7	9	<10	231	2053	4	39	<10	4	333
110121	1007433	18	2	9.80	7	456	2	<1	2.37	<4	10	191	14	1.88	1.53	42	0.81	307	6	21	334	19	1.78	12	7	<10	264	1929	7	44	<10	5	74
110122	1007434	<5	3	9.40	8	415	<2	<1	2.46	<4	6	158	10	1.48	1.56	39	0.67	217	5	13	739	17	1.20	6	12	<10	284	1799	4	38	<10	4	35
110123	1007435	<5	2	>10.00	7	360	<2	<1	2.31	25	6	202	57	1.45	1.61	37	1.05	255	5	9	591	28	1.16	8	25	<10	247	1701	7	36	59	7	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110124	1007436	7	2	9.22	3	312	<2	<1	2.97	<4	5	171	6	1.75	1.64	32	1.36	377	4	5	464	10	1.15	9	9	<10	235	1741	9	30	<10	5	63
110125	1007437	30	<1	>10.00	8	323	<2	<1	1.62	<4	6	163	5	2.64	1.67	37	0.90	181	4	6	753	6	2.81	11	20	<10	234	1355	6	31	<10	7	53
110126	1007438	10	3	>10.00	6	361	<2	<1	3.37	<4	8	138	10	2.88	1.59	42	1.55	479	4	7	465	8	1.90	9	17	<10	303	1782	9	36	<10	8	88
110127	1007439	<5	2	>10.00	5	566	<2	<1	3.56	<4	7	210	8	2.70	1.76	46	1.55	468	3	7	765	5	0.92	10	24	<10	296	2152	5	39	<10	8	72
110128	1007440	233	361	10.00	4435	53	<2	<1	2.72	139	15	58	497	8.16	1.42	25	1.05	1471	9	28	848	9704	7.25	88	19	11	233	1471	6	98	154	14	13584
110129	1007441	9	6	9.84	50	366	<2	<1	2.52	<4	10	161	16	1.13	1.70	32	1.03	183	4	12	625	101	0.65	7	16	<10	301	1269	8	29	16	6	135
110130	1007442	<5	<1	>10.00	6	497	<2	1	2.66	<4	7	184	11	1.43	1.51	42	0.97	167	5	9	236	14	1.47	5	15	<10	370	1120	7	37	<10	5	39
110131D	1007442	6	<1	>10.00	5	380	<2	1	2.28	<4	7	169	10	1.34	1.64	32	0.98	151	2	9	523	10	1.40	9	20	<10	308	909	4	30	<10	6	35
110132	1007443	7	2	>10.00	20	348	<2	1	1.83	<4	13	167	10	1.08	1.42	29	0.54	101	4	16	390	16	1.01	8	20	<10	261	887	6	22	<10	6	24
110133	1007444	7	2	9.70	18	423	<2	1	1.64	<4	12	201	8	1.48	1.63	35	0.89	190	4	17	163	10	1.48	8	14	<10	224	1265	6	30	<10	7	46
110134	1007445	10	1	>10.00	28	424	<2	<1	2.72	<4	13	198	29	2.49	1.52	34	1.04	544	4	24	434	20	2.61	8	14	<10	302	1531	5	38	<10	9	35
110135	1007446	8	2	>10.00	27	316	<2	<1	2.72	<4	13	234	27	2.51	1.56	35	1.08	553	4	25	474	21	2.62	9	15	<10	298	1631	5	40	<10	9	35
110136	1007447	10	2	9.02	24	306	<2	1	2.36	<4	10	190	8	2.17	1.52	28	0.60	330	3	11	873	10	2.25	9	6	<10	271	1255	6	32	<10	7	10
110137	1007448	8	2	8.78	20	352	<2	<1	1.38	<4	8	156	6	2.14	1.67	30	0.57	303	3	7	622	10	2.15	8	16	<10	235	1027	5	29	<10	6	70
110138	1007449	9	1	7.43	15	339	<2	1	1.00	<4	7	123	5	1.61	1.21	24	0.34	162	3	7	538	10	1.87	7	8	<10	215	630	6	23	<10	6	19
110139	1007450	8	2	8.36	8	493	<2	<1	1.86	<4	14	62	23	2.40	1.80	24	0.94	501	6	32	738	7	0.09	7	16	<10	236	1845	9	75	40	14	38
110140	1007451	7	2	>10.00	14	458	<2	2	1.88	<4	7	159	8	1.61	1.66	35	0.60	308	4	9	954	8	1.03	7	9	<10	323	818	6	34	<10	6	18
110141	1007452	6	<1	>10.00	18	470	<2	<1	1.54	<4	7	165	5	2.00	1.82	31	0.56	238	3	7	533	12	1.92	8	17	<10	305	753	4	30	<10	6	23
110142D	1007452	6	1	>10.00	15	501	<2	<1	1.75	<4	6	163	5	1.96	1.58	32	0.59	234	3	7	478	8	1.77	8	14	<10	354	790	5	31	<10	8	20
110143	1007453	31	2	>10.00	12	486	<2	<1	1.75	<4	8	155	9	2.05	1.83	35	0.74	325	4	9	326	11	1.88	12	14	<10	327	827	3	30	<10	7	32

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110144	1007454	8	<1	>10.00	12	448	<2	<1	2.12	<4	7	172	6	1.89	1.73	35	0.81	408	4	11	731	8	1.60	10	14	<10	302	1094	8	31	<10	7	26
110145	1007455	6	<1	9.02	12	365	<2	<1	1.26	<4	9	142	2	1.60	1.61	32	0.60	231	3	11	453	7	1.43	8	7	<10	217	1080	4	25	<10	6	20
110146	1007456	6	2	>10.00	13	410	<2	<1	1.93	<4	10	144	10	2.19	1.72	43	1.01	409	3	15	733	11	1.42	7	9	<10	265	1449	10	32	<10	8	33
110147	1007457	14	2	>10.00	16	429	<2	2	2.09	<4	8	155	11	1.78	1.59	40	1.07	467	4	11	389	14	0.83	9	9	<10	140	1633	8	35	<10	6	31
110148	1007458	43	<1	>10.00	26	485	<2	<1	1.48	<4	9	182	17	2.15	1.51	37	0.77	277	6	12	537	15	1.16	6	20	<10	129	1850	4	42	<10	6	34
110149	1007459	39	2	>10.00	28	382	<2	<1	1.81	<4	8	140	11	1.87	1.69	30	0.93	399	4	8	196	23	1.15	7	9	<10	107	1320	6	34	<10	6	61
110150	1007460	5334	8	>10.00	13	363	<2	<1	3.51	5	28	73	103	4.75	1.67	35	2.16	921	16	57	1022	20	0.84	8	7	<10	330	2458	18	120	<10	17	90
110151	1007461	180	7	8.77	45	302	<2	<1	0.75	<4	9	231	38	2.06	1.60	18	0.35	102	4	12	745	41	2.17	11	12	<10	83	903	7	28	<10	6	306
110152	1007462	34	<1	>10.00	35	412	<2	<1	1.73	<4	8	173	13	1.56	1.62	32	1.08	253	4	11	720	47	1.01	8	24	<10	144	1233	6	33	<10	13	80
110153D	1007462	36	<1	>10.00	34	387	<2	2	1.53	<4	8	184	13	1.61	1.70	30	0.83	260	5	9	736	45	1.12	9	18	<10	125	1245	7	33	<10	7	93
110154	1007463	30	<1	>10.00	29	442	<2	<1	2.13	<4	10	200	14	1.88	1.71	32	1.05	307	5	12	238	36	1.09	9	18	<10	132	1669	4	35	<10	8	151
110155	1007464	82	2	>10.00	35	460	<2	<1	3.06	<4	10	236	10	2.01	1.77	36	1.40	601	4	12	931	31	0.76	7	13	<10	141	1802	11	36	<10	7	81
110156	1007465	49	2	>10.00	23	538	<2	<1	2.11	<4	9	280	10	1.75	1.66	34	1.14	434	4	10	461	34	0.84	9	20	<10	128	1731	11	37	<10	8	56
110157	1007466	108	2	9.75	22	368	<2	<1	2.01	<4	8	164	10	1.58	1.90	26	1.07	436	3	10	284	35	0.80	10	12	<10	110	1315	7	27	<10	7	56
110158	1007467	48	3	>10.00	35	424	2	<1	2.88	<4	10	223	19	1.88	1.72	32	1.43	631	4	13	443	50	0.92	8	19	<10	145	1402	12	33	<10	8	52
110159	1007468	227	2	>10.00	53	570	2	<1	2.23	<4	9	176	44	1.82	1.86	38	1.10	444	5	15	567	80	1.30	11	25	<10	150	1445	7	38	<10	7	89
110160	1007469	89	2	>10.00	45	576	2	<1	0.83	<4	9	374	15	1.44	1.60	31	0.47	<100	6	16	326	35	1.17	11	16	<10	120	1324	5	37	<10	6	53
110161	1007470	6	<1	>10.00	3	557	<2	<1	2.18	<4	14	67	23	2.48	1.67	34	0.99	523	6	34	661	8	0.08	9	7	<10	285	2131	3	80	47	13	37
110162	1007471	770	4	>10.00	144	498	<2	<1	0.78	5	8	278	89	1.78	1.59	29	0.40	<100	6	14	512	226	1.83	48	16	<10	114	1093	6	34	19	6	1018
110163	1007472	344	1	>10.00	154	420	<2	2	0.72	4	18	286	50	2.70	1.66	30	0.48	<100	6	61	690	180	2.80	19	14	<10	94	1096	3	66	<10	8	530

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110164D	1007472	331	1	>10.00	147	435	<2	2	0.83	4	19	290	51	2.77	1.40	31	0.60	<100	7	61	114	183	2.78	20	22	<10	106	1101	7	67	11	13	524
110165	1007473	153	1	>10.00	44	413	<2	<1	1.18	<4	25	280	80	3.65	1.61	34	1.24	397	6	76	267	58	1.50	11	18	<10	91	1813	7	96	<10	8	87
110166	1007474	164	2	>10.00	90	400	2	<1	1.19	<4	18	354	55	2.54	1.54	32	0.62	200	6	52	708	80	2.28	14	12	<10	105	1248	3	70	<10	9	219
110167	1007475	156	3	>10.00	45	334	2	<1	1.65	<4	19	260	69	3.15	1.62	35	1.04	367	6	61	395	69	2.11	10	5	<10	117	1268	10	74	<10	9	134
110168	1007476	112	3	>10.00	43	449	2	<1	1.35	<4	18	282	43	2.88	1.53	34	1.07	342	5	47	438	72	1.89	12	21	<10	115	1505	5	74	<10	9	86
110169	1007477	95	<1	>10.00	31	468	<2	<1	0.76	<4	8	188	14	1.36	1.58	28	0.48	<100	6	12	608	78	1.25	7	19	<10	104	1099	12	32	10	6	475
110170	1007478	46	1	>10.00	59	522	<2	1	0.88	<4	9	191	27	1.57	1.48	31	0.61	<100	6	21	501	55	1.49	10	18	<10	123	1203	5	41	<10	10	294
110171	1007479	459	3	>10.00	124	527	2	<1	1.11	11	9	301	140	2.37	1.57	32	0.74	<100	7	16	410	793	2.38	57	25	<10	146	1228	6	34	36	17	2429
110172	1007480	1185	2	>10.00	15	617	<2	<1	2.15	<4	16	65	517	3.50	1.66	32	1.06	579	36	40	458	84	0.60	12	5	<10	260	2037	8	105	31	12	115
110173	1007481	78	2	9.97	32	491	<2	<1	0.88	<4	7	237	28	1.35	1.57	29	0.46	<100	6	16	475	58	1.15	10	17	<10	111	1313	3	29	<10	6	137
110174	1007482	27	2	>10.00	34	616	2	<1	6.70	23	8	194	174	3.32	2.27	28	3.28	1968	27	17	1592	78	3.83	<5	13	<10	201	1728	25	35	55	10	4479
110175R	1007482	28	2	>10.00	41	579	2	<1	6.57	18	8	172	162	3.25	1.78	24	3.30	1934	15	16	1652	76	3.12	<5	10	<10	189	1656	19	34	48	9	3783
110176	1007483	30	1	>10.00	31	649	<2	<1	2.79	<4	9	178	17	2.00	1.62	41	1.85	628	5	11	188	23	0.95	6	<5	<10	161	1917	8	35	<10	7	148
110177	1007484	23	1	>10.00	25	606	<2	<1	2.57	<4	8	206	9	1.65	1.65	40	1.26	568	5	12	576	19	0.61	9	15	<10	154	1935	8	35	<10	5	82
110178	1007485	30	2	>10.00	19	726	2	<1	2.89	<4	9	243	20	1.80	1.65	44	1.30	725	6	18	535	36	0.62	9	13	<10	179	2088	7	39	<10	6	84
110179	1007486	28	1	>10.00	18	725	2	<1	2.89	<4	9	160	21	1.75	1.67	41	1.28	705	6	12	465	41	0.68	11	18	<10	176	2029	13	38	<10	6	80
110180	1007487	39	<1	>10.00	6	601	2	<1	3.39	<4	9	222	15	1.86	1.73	40	1.54	835	5	16	409	43	0.67	9	22	<10	191	1550	18	36	<10	7	73
110181	1007488	167	2	>10.00	14	519	<2	1	0.93	<4	8	138	30	1.11	1.56	35	0.49	104	8	10	319	40	0.63	10	20	<10	101	1812	6	34	11	6	268
110182	1007489	1360	13	9.38	105	338	<2	1	1.16	19	8	246	215	4.61	1.42	32	0.59	202	16	12	518	1603	5.07	25	9	<10	118	1362	4	27	66	5	6433
110183	1007490	10	1	9.90	5	508	<2	<1	2.01	<4	13	61	23	2.26	1.58	34	0.89	470	7	33	702	26	0.12	9	14	<10	260	1955	5	72	44	11	85

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110184	1007491	62	28	9.28	128	96	<2	2	1.14	36	9	409	1390	5.70	1.53	30	0.50	219	14	16	167	2685	6.83	47	7	<10	111	1141	6	24	127	6	12074
110185	1007492	72	2	>10.00	26	523	2	<1	2.68	<4	9	176	65	1.84	1.55	39	1.19	616	5	14	388	107	1.04	12	12	<10	156	1759	8	36	11	6	615
110186D	1007492	69	2	>10.00	32	534	2	<1	2.78	<4	10	172	50	1.84	1.59	41	1.21	624	5	15	895	74	1.02	12	22	<10	164	1797	5	37	12	6	531

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110044	1007363	12	<0.001	0.012
110045	1007364	<5	<0.001	<0.005
110046	1007365	13	<0.001	0.013
110047	1007366	<5	<0.001	<0.005
110048	1007367	6	<0.001	0.006
110049	1007368	5	<0.001	0.005
110050	1007369	6	<0.001	0.006
110051	1007370	5	<0.001	0.005
110052	1007371	9	<0.001	0.009
110053	1007372	11	<0.001	0.011
110054 Dup	1007372	11	<0.001	0.011
110055	1007373	40	0.001	0.040
110056	1007374	193	0.006	0.193
110057	1007375	6	<0.001	0.006
110058	1007376	<5	<0.001	<0.005
110059	1007377	8	<0.001	0.008
110060	1007378	283	0.008	0.283
110061	1007379	205	0.006	0.205
110062	1007380	248	0.007	0.248
110063	1007381	335	0.010	0.335
110064	1007382	307	0.009	0.307
110065 Dup	1007382	163	0.005	0.163
110066	1007383	88	0.003	0.088
110067	1007384	84	0.002	0.084
110068	1007385	255	0.007	0.255
110069	1007386	236	0.007	0.236
110070	1007387	14	<0.001	0.014
110071	1007388	16	<0.001	0.016
110072	1007389	13	<0.001	0.013
110073	1007390	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110074	1007391	10	<0.001	0.010
110075	1007392	11	<0.001	0.011
110076 Dup	1007392	10	<0.001	0.010
110077	1007393	20	<0.001	0.020
110078	1007394	13	<0.001	0.013
110079	1007395	22	<0.001	0.022
110080	1007396	8	<0.001	0.008
110081	1007397	10	<0.001	0.010
110082	1007398	22	<0.001	0.022
110083	1007399	11	<0.001	0.011
110084	1007400	4859	0.142	4.859
110085	1007401	344	0.010	0.344
110086	1007402	96	0.003	0.096
110087 Dup	1007402	99	0.003	0.099
110088	1007403	67	0.002	0.067
110089	1007404	39	0.001	0.039
110090	1007405	63	0.002	0.063
110091	1007406	47	0.001	0.047
110092	1007407	2443	0.071	2.443
110093	1007408	154	0.004	0.154
110094	1007409	62	0.002	0.062
110095	1007410	<5	<0.001	<0.005
110096	1007411	74	0.002	0.074
110097	1007412	516	0.015	0.516
110098 Dup	1007412	544	0.016	0.544
110099	1007413	314	0.009	0.314
110100	1007414	2437	0.071	2.437
110101	1007415	407	0.012	0.407
110102	1007416	324	0.009	0.324
110103	1007417	112	0.003	0.112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110104	1007418	147	0.004	0.147
110105	1007419	1102	0.032	1.102
110106	1007420	1075	0.031	1.075
110107	1007421	65	0.002	0.065
110108	1007422	689	0.020	0.689
110109 Rep	1007422	705	0.021	0.705
110110	1007423	344	0.010	0.344
110111	1007424	51	0.001	0.051
110112	1007425	49	0.001	0.049
110113	1007426	93	0.003	0.093
110114	1007427	92	0.003	0.092
110115	1007428	46	0.001	0.046
110116	1007429	411	0.012	0.411
110117	1007430	6	<0.001	0.006
110118	1007431	78	0.002	0.078
110119	1007432	47	0.001	0.047
110120 Dup	1007432	32	<0.001	0.032
110121	1007433	18	<0.001	0.018
110122	1007434	<5	<0.001	<0.005
110123	1007435	<5	<0.001	<0.005
110124	1007436	7	<0.001	0.007
110125	1007437	30	<0.001	0.030
110126	1007438	10	<0.001	0.010
110127	1007439	<5	<0.001	<0.005
110128	1007440	233	0.007	0.233
110129	1007441	9	<0.001	0.009
110130	1007442	<5	<0.001	<0.005
110131 Dup	1007442	6	<0.001	0.006
110132	1007443	7	<0.001	0.007
110133	1007444	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110134	1007445	10	<0.001	0.010
110135	1007446	8	<0.001	0.008
110136	1007447	10	<0.001	0.010
110137	1007448	8	<0.001	0.008
110138	1007449	9	<0.001	0.009
110139	1007450	8	<0.001	0.008
110140	1007451	7	<0.001	0.007
110141	1007452	6	<0.001	0.006
110142 Dup	1007452	6	<0.001	0.006
110143	1007453	31	<0.001	0.031
110144	1007454	8	<0.001	0.008
110145	1007455	6	<0.001	0.006
110146	1007456	6	<0.001	0.006
110147	1007457	14	<0.001	0.014
110148	1007458	43	0.001	0.043
110149	1007459	39	0.001	0.039
110150	1007460	5334	0.156	5.334
110151	1007461	180	0.005	0.180
110152	1007462	34	0.001	0.034
110153 Dup	1007462	36	0.001	0.036
110154	1007463	30	<0.001	0.030
110155	1007464	82	0.002	0.082
110156	1007465	49	0.001	0.049
110157	1007466	108	0.003	0.108
110158	1007467	48	0.001	0.048
110159	1007468	227	0.007	0.227
110160	1007469	89	0.003	0.089
110161	1007470	6	<0.001	0.006
110162	1007471	770	0.022	0.770
110163	1007472	344	0.010	0.344

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141601  
 Reference: TMI-TML  
 Sample #: 130

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110164 Dup	1007472	331	0.010	0.331
110165	1007473	153	0.004	0.153
110166	1007474	164	0.005	0.164
110167	1007475	156	0.005	0.156
110168	1007476	112	0.003	0.112
110169	1007477	95	0.003	0.095
110170	1007478	46	0.001	0.046
110171	1007479	459	0.013	0.459
110172	1007480	1185	0.035	1.185
110173	1007481	78	0.002	0.078
110174	1007482	27	<0.001	0.027
110175 Rep	1007482	28	<0.001	0.028
110176	1007483	30	<0.001	0.030
110177	1007484	23	<0.001	0.023
110178	1007485	30	<0.001	0.030
110179	1007486	28	<0.001	0.028
110180	1007487	39	0.001	0.039
110181	1007488	167	0.005	0.167
110182	1007489	1360	0.040	1.360
110183	1007490	10	<0.001	0.010
110184	1007491	62	0.002	0.062
110185	1007492	72	0.002	0.072
110186 Dup	1007492	69	0.002	0.069

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141603  
 Reference: TMI-TML  
 Sample #: 46

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110320	983823	0.008	1	6.34	13	81	<2	15	3.08	10	65	1533	64	7.33	1.43	21	7.51	1233	<1	764	148	11	0.65	<5	15	<10	57	1063	17	157	19	6	105
110321	983824	0.008	1	9.29	5	405	<2	9	1.20	<4	9	36	5	0.62	1.52	<1	0.71	181	<1	28	277	17	0.80	<5	22	<10	162	1315	10	26	16	4	128
110322	983825	0.007	1	9.56	6	471	<2	23	1.74	<4	7	19	5	0.54	1.49	<1	0.63	189	<1	16	326	14	0.79	<5	30	<10	206	1410	6	29	18	4	212
110323	983826	<0.005	1	>10.00	9	498	<2	14	1.91	<4	7	20	6	0.58	1.61	<1	0.69	211	<1	20	325	13	0.85	<5	27	<10	225	1501	6	31	24	5	671
110324	983827	<0.005	1	>10.00	4	473	<2	9	1.94	<4	10	20	8	0.65	1.71	<1	0.53	177	<1	22	323	18	0.98	<5	18	<10	256	1529	7	31	29	4	1209
110325	983828	<0.005	1	>10.00	5	522	<2	11	2.03	<4	9	20	6	0.73	1.72	<1	0.57	189	<1	19	336	17	1.01	<5	22	<10	293	1671	16	30	18	4	100
110326	983829	<0.005	1	8.75	10	416	<2	13	1.28	<4	10	20	11	0.77	1.66	<1	0.50	153	<1	21	313	25	0.92	<5	27	<10	191	1427	14	24	16	4	89
110327	983830	1.182	2	>10.00	18	625	<2	11	2.31	6	17	66	660	4.26	1.81	<1	1.34	682	<1	39	594	89	1.15	<5	28	<10	237	2103	12	119	43	17	144
110328	983831	0.017	1	>10.00	13	471	<2	14	1.79	<4	11	20	12	0.89	1.74	<1	0.52	176	<1	24	335	19	1.17	<5	26	<10	243	1590	9	28	18	5	90
110329	983832	0.008	1	9.24	10	387	<2	13	1.51	<4	11	19	6	0.77	1.77	<1	0.54	181	<1	20	332	14	1.00	<5	23	<10	205	1444	10	25	16	5	115
110330D	983832	0.011	1	9.67	10	410	<2	13	1.67	<4	10	17	5	0.73	1.64	<1	0.52	176	<1	20	335	17	0.93	<5	23	<10	241	1443	8	25	17	4	118
110331	983833	<0.005	1	8.74	11	403	<2	12	1.39	<4	10	17	7	0.68	1.65	<1	0.46	146	<1	21	331	18	0.85	<5	22	<10	202	1310	7	23	18	4	345
110332	983834	0.010	<1	9.66	18	448	<2	12	1.67	<4	11	20	8	0.77	1.58	<1	0.48	171	<1	20	306	39	0.95	<5	24	<10	273	1424	7	26	17	4	209
110333	983835	0.010	1	8.57	22	567	<2	11	1.41	<4	12	27	30	1.18	1.52	<1	0.79	288	<1	32	413	46	1.06	<5	16	<10	180	1583	9	31	16	7	152
110334	983836	0.027	1	8.71	14	501	<2	10	1.39	<4	5	17	5	0.56	1.58	<1	0.48	127	<1	13	367	11	0.75	<5	25	<10	179	1306	6	23	15	5	43
110335	983837	0.010	1	9.47	5	512	<2	14	1.72	<4	4	18	10	0.63	1.70	<1	0.67	198	<1	12	330	13	0.68	<5	24	<10	225	1376	8	26	16	5	54
110336	983838	<0.005	1	8.36	<2	467	<2	10	1.51	<4	3	18	8	0.57	1.64	<1	0.56	173	<1	10	354	9	0.56	<5	25	<10	213	1310	9	24	17	5	45
110337	983839	0.128	1	9.15	2	490	<2	12	1.52	<4	6	20	10	0.61	1.72	<1	0.52	149	<1	10	344	8	0.67	<5	24	<10	224	1482	8	28	17	5	45
110338	983840	<0.005	1	7.87	3	430	<2	9	1.80	4	14	57	22	2.38	1.80	<1	0.97	485	<1	31	476	7	0.63	<5	21	<10	175	1709	14	72	47	14	69
110339	983841	0.013	1	9.80	<2	500	<2	16	2.55	<4	7	19	17	1.48	1.74	<1	1.09	381	<1	12	402	14	0.77	<5	17	<10	247	1728	6	32	17	7	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141603  
 Reference: TMI-TML  
 Sample #: 46

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110340	983842	0.041	1	9.46	3	494	<2	10	2.33	<4	9	19	25	1.95	1.69	<1	1.05	541	<1	12	449	31	1.08	<5	19	<10	214	1795	10	33	14	7	102
110341D	983842	0.009	1	7.44	9	392	<2	13	2.15	<4	9	18	26	2.01	1.84	<1	1.00	561	<1	14	436	28	0.83	<5	24	<10	204	1791	7	32	17	6	110
110342	983918	0.076	1	9.45	65	352	<2	13	1.62	4	10	25	24	1.90	1.87	<1	0.90	317	<1	24	488	53	1.87	<5	26	<10	109	909	7	30	24	7	306
110343	983919	0.378	3	8.43	88	377	<2	11	0.53	24	7	16	45	2.22	1.87	<1	0.34	<100	<1	20	413	130	2.49	<5	23	<10	60	1011	5	29	71	6	5134
110344	983920	0.006	1	9.21	4	525	<2	9	2.02	4	15	63	25	2.63	1.75	<1	1.05	538	<1	35	492	4	0.68	<5	21	<10	231	2042	8	81	58	15	107
110345	983921	0.027	1	9.72	39	364	<2	13	1.31	<4	7	15	12	1.48	1.69	<1	0.79	257	<1	17	509	42	1.48	<5	26	<10	88	993	7	28	17	7	102
110346	983922	0.061	1	6.72	25	299	<2	11	1.09	<4	7	14	6	1.28	1.78	<1	0.69	263	<1	14	535	26	0.95	<5	14	<10	66	774	5	22	14	5	99
110347	983923	0.023	1	8.65	26	383	<2	7	0.49	<4	7	14	11	0.80	1.79	<1	0.33	<100	<1	14	474	41	1.00	<5	16	<10	64	940	5	28	17	5	67
110348	983924	0.021	5	8.50	117	375	<2	12	0.44	9	7	19	117	2.34	1.72	<1	0.30	<100	<1	17	231	359	2.54	23	13	<10	65	939	5	31	35	4	1737
110349	983925	0.553	50	8.16	180	268	<2	15	0.51	19	10	27	237	2.73	1.55	<1	0.30	<100	<1	29	317	12552	3.11	81	49	<10	63	889	5	35	60	5	4488
110350	983926	1.264	11	6.39	156	290	<2	11	0.34	8	10	35	227	2.50	1.72	<1	0.23	<100	<1	32	315	1416	2.50	27	19	<10	49	683	5	34	29	5	1313
110351	983927	0.160	1	9.18	119	445	<2	10	0.53	4	19	91	49	2.50	1.75	<1	0.37	<100	<1	69	421	81	2.48	5	11	<10	72	1161	6	67	19	7	268
110352D	983927	0.160	1	6.97	109	315	<2	14	0.42	5	19	65	50	2.56	1.89	<1	0.30	<100	<1	69	438	55	2.38	<5	20	<10	50	755	7	46	18	8	264
110353	983928	0.053	1	8.94	96	413	<2	10	0.49	4	18	94	35	2.35	1.81	<1	0.34	<100	<1	60	419	43	2.37	<5	22	<10	66	1117	3	66	18	6	84
110354	983929	0.041	<1	9.69	40	524	<2	12	0.56	<4	7	18	17	1.36	1.81	<1	0.41	<100	<1	14	464	106	1.58	<5	19	<10	76	1373	8	36	20	5	240
110355	983930	5.073	10	>10.00	12	378	<2	17	3.62	14	28	79	119	5.13	1.97	<1	2.31	982	<1	58	921	27	1.23	<5	13	<10	316	2371	7	128	29	17	1250
110356	983931	0.159	1	8.56	68	431	<2	10	0.52	<4	8	17	39	1.54	1.75	<1	0.37	<100	<1	17	436	35	1.47	<5	21	<10	63	1175	8	30	18	6	170
110357	983932	0.101	1	9.29	56	619	<2	9	0.86	7	12	23	39	1.93	1.84	<1	0.47	161	<1	19	417	79	2.11	<5	22	<10	83	1835	7	39	28	5	944
110358	983933	0.092	2	9.63	32	690	<2	12	1.18	5	9	23	54	1.37	1.82	<1	0.56	241	<1	23	441	278	1.63	<5	17	<10	98	2005	9	42	27	5	789
110359	983934	0.016	1	>10.00	32	568	<2	9	1.01	<4	10	21	31	1.59	1.77	<1	0.53	194	<1	23	453	46	1.65	<5	20	<10	89	1596	9	34	22	7	217

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141603  
 Reference: TMI-TML  
 Sample #: 46

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
110360	983935	0.030	1	>10.00	13	579	<2	11	2.07	<4	8	23	36	1.57	1.63	<1	1.02	589	<1	17	433	48	1.20	<5	25	<10	121	1898	8	37	21	6	188
110361	983936	0.159	1	>10.00	20	558	<2	9	2.29	<4	9	22	21	1.76	1.76	<1	1.22	604	<1	19	510	28	1.27	<5	24	<10	121	1656	13	33	20	7	111
110362	983937	0.409	2	10.00	35	427	<2	10	1.71	9	8	20	67	2.51	1.67	<1	0.87	350	<1	18	437	127	2.38	<5	18	<10	108	1524	8	31	35	6	1623
110363D	983937	0.408	2	>10.00	35	456	<2	9	1.75	9	10	21	67	2.57	1.69	<1	0.88	359	<1	20	447	128	2.46	<5	23	<10	111	1622	5	33	36	6	1620
110364	983938	0.242	1	>10.00	9	334	<2	13	2.23	8	18	87	48	3.60	1.92	<1	1.96	591	<1	54	427	23	1.80	<5	12	<10	116	1795	8	62	25	9	932
110365	983939	0.070	<1	>10.00	<2	309	2	11	6.91	4	6	18	13	2.29	1.92	<1	3.71	1559	<1	14	441	13	1.00	<5	15	<10	174	1600	28	37	21	7	99
110366	983940	<0.005	<1	9.29	5	515	<2	10	2.04	4	13	58	23	2.51	1.88	<1	1.04	527	<1	31	472	9	0.66	<5	33	<10	231	1945	9	78	58	14	69
110367	983941	0.005	<1	>10.00	8	574	2	11	3.15	<4	8	22	17	1.73	1.96	<1	1.54	503	<1	16	431	15	0.94	<5	24	<10	170	1568	9	35	18	7	168
110368	983942	0.052	1	>10.00	35	546	2	11	2.84	4	9	21	21	2.03	1.63	<1	1.29	512	<1	18	445	17	1.52	<5	21	<10	143	1873	9	37	19	6	323
110369	983943	0.369	2	>10.00	17	641	<2	10	3.06	5	9	22	71	2.05	1.64	<1	1.30	521	<1	15	432	31	1.29	<5	29	<10	148	2098	8	41	23	5	531

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141603  
 Reference: TMI-TML  
 Sample #: 46

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110320	983823	8	<0.001	0.008
110321	983824	8	<0.001	0.008
110322	983825	7	<0.001	0.007
110323	983826	<5	<0.001	<0.005
110324	983827	<5	<0.001	<0.005
110325	983828	<5	<0.001	<0.005
110326	983829	<5	<0.001	<0.005
110327	983830	1182	0.034	1.182
110328	983831	17	<0.001	0.017
110329	983832	8	<0.001	0.008
110330 Dup	983832	11	<0.001	0.011
110331	983833	<5	<0.001	<0.005
110332	983834	10	<0.001	0.010
110333	983835	10	<0.001	0.010
110334	983836	27	<0.001	0.027
110335	983837	10	<0.001	0.010
110336	983838	<5	<0.001	<0.005
110337	983839	128	0.004	0.128
110338	983840	<5	<0.001	<0.005
110339	983841	13	<0.001	0.013
110340	983842	41	0.001	0.041
110341 Dup	983842	9	<0.001	0.009
110342	983918	76	0.002	0.076
110343	983919	378	0.011	0.378
110344	983920	6	<0.001	0.006
110345	983921	27	<0.001	0.027
110346	983922	61	0.002	0.061
110347	983923	23	<0.001	0.023
110348	983924	21	<0.001	0.021
110349	983925	553	0.016	0.553

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 2, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/02/2011  
 Job #: 201141603  
 Reference: TMI-TML  
 Sample #: 46

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
110350	983926	1264	0.037	1.264
110351	983927	160	0.005	0.160
110352 Dup	983927	160	0.005	0.160
110353	983928	53	0.002	0.053
110354	983929	41	0.001	0.041
110355	983930	5073	0.148	5.073
110356	983931	159	0.005	0.159
110357	983932	101	0.003	0.101
110358	983933	92	0.003	0.092
110359	983934	16	<0.001	0.016
110360	983935	30	<0.001	0.030
110361	983936	159	0.005	0.159
110362	983937	409	0.012	0.409
110363 Dup	983937	408	0.012	0.408
110364	983938	242	0.007	0.242
110365	983939	70	0.002	0.070
110366	983940	<5	<0.001	<0.005
110367	983941	5	<0.001	0.005
110368	983942	52	0.002	0.052
110369	983943	369	0.011	0.369

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H. B.Sc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112486	983843	0.023	<1	9.35	27	452	<2	13	2.04	<4	8	206	11	1.76	1.52	2	0.73	382	<1	14	481	16	2.22	<5	12	<10	200	1606	10	29	<10	7	59
112487	983844	0.016	<1	>10.00	11	438	<2	3	3.42	<4	7	213	8	1.34	1.67	<1	0.91	543	<1	12	408	21	2.03	<5	13	<10	200	1182	21	23	<10	6	59
112488	983845	0.021	<1	>10.00	12	381	<2	7	3.26	<4	6	181	6	1.30	1.57	2	0.77	458	<1	10	387	19	2.09	<5	13	<10	177	1163	14	22	<10	6	52
112489	983846	0.008	<1	>10.00	10	436	2	5	3.34	<4	6	202	7	1.39	1.77	5	0.77	486	<1	11	380	20	2.41	<5	13	<10	184	1284	14	25	<10	6	56
112490	983847	0.019	<1	>10.00	16	386	<2	3	3.05	<4	7	179	14	1.44	1.61	<1	0.75	441	<1	12	398	15	2.22	<5	12	<10	153	1226	19	22	<10	6	58
112491	983848	0.023	<1	>10.00	20	408	<2	29	3.12	<4	7	194	18	1.56	1.70	2	0.71	539	<1	12	407	21	2.51	<5	16	<10	149	1316	12	24	<10	5	87
112492	983849	0.031	<1	8.37	34	264	<2	10	2.78	<4	7	168	9	1.56	1.78	<1	0.71	521	<1	10	371	18	2.13	5	12	<10	118	932	16	17	<10	5	53
112493	983850	0.245	349	8.44	4656	129	2	17	2.70	136	16	58	481	8.12	1.41	6	0.80	1450	<1	34	540	9590	8.67	92	21	12	220	1579	15	100	149	9	13491
112494	983851	0.062	<1	>10.00	36	409	2	10	3.02	<4	8	217	13	1.55	1.49	7	0.93	599	<1	12	397	41	2.72	<5	13	<10	152	1508	12	28	<10	6	74
112495	983852	0.019	<1	>10.00	17	397	<2	9	2.87	<4	8	190	12	1.60	1.59	5	0.95	457	<1	13	394	37	2.51	<5	10	<10	154	1412	22	26	<10	6	134
112496D	983852	0.020	<1	>10.00	21	386	<2	16	2.83	<4	8	197	12	1.64	1.54	5	0.94	469	<1	13	395	38	2.51	<5	16	<10	150	1415	10	26	<10	6	147
112497	983853	0.022	<1	7.42	29	490	2	7	2.03	<4	8	182	14	1.66	1.76	13	0.46	402	<1	32	455	56	4.39	<5	12	<10	153	1796	10	31	<10	4	100
112498	983854	0.031	<1	>10.00	23	409	<2	16	2.57	<4	8	163	16	1.70	1.54	4	1.20	696	<1	11	721	28	1.95	<5	12	<10	148	1677	17	28	<10	8	91
112499	983855	0.021	<1	>10.00	18	488	<2	10	2.15	<4	7	177	7	1.39	1.82	5	0.96	565	<1	11	695	23	2.01	<5	14	<10	146	1795	16	33	<10	7	43
112500	983856	0.015	<1	8.59	17	465	<2	9	1.70	<4	7	216	5	1.06	1.84	4	0.75	425	<1	10	554	26	1.79	<5	12	<10	128	1627	8	29	<10	5	34
112501	983857	0.032	<1	8.43	22	596	<2	<1	1.94	<4	7	183	23	1.28	1.70	9	0.79	506	<1	11	665	62	2.20	<5	6	<10	160	2056	13	35	<10	5	132
112502	983858	0.006	<1	8.53	13	474	<2	11	2.43	<4	7	151	8	1.24	1.73	2	0.72	453	<1	11	609	38	1.92	<5	6	<10	173	1734	19	32	<10	6	41
112503	983859	0.017	<1	9.82	20	593	<2	3	2.85	<4	12	206	21	2.22	1.66	11	1.31	662	<1	32	771	137	2.46	<5	8	<10	186	2417	20	43	<10	8	228
112504	983860	<0.005	<1	8.24	6	456	<2	6	1.90	<4	14	61	22	2.43	1.82	<1	0.97	496	<1	35	549	7	1.54	<5	13	<10	212	1749	18	74	42	14	47
112505	983861	0.016	<1	9.46	6	603	2	6	2.60	<4	7	154	10	1.61	1.96	11	0.73	504	<1	10	609	20	2.61	<5	10	<10	182	1847	17	34	<10	5	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112506	983862	0.081	<1	9.23	16	722	3	12	2.00	<4	7	193	14	1.49	2.00	16	0.77	685	<1	15	608	221	2.89	5	15	<10	198	2132	<2	36	<10	4	115
112507D	983862	0.035	<1	9.93	15	698	2	15	2.02	<4	7	194	14	1.52	1.87	13	0.90	685	<1	11	621	223	2.55	<5	<5	<10	196	1996	13	34	<10	5	114
112508	983863	0.031	<1	>10.00	16	525	<2	13	1.57	<4	9	175	21	2.34	1.83	11	1.23	727	<1	11	529	47	2.69	<5	7	<10	166	1975	23	33	<10	7	208
112509	983864	0.441	<1	>10.00	42	530	2	12	1.77	<4	10	212	164	2.14	1.73	9	1.00	667	<1	14	561	120	3.36	<5	13	<10	206	1953	19	36	<10	6	156
112510	983865	0.077	<1	>10.00	35	436	<2	7	1.94	<4	11	165	23	2.00	1.72	8	1.22	811	<1	15	665	54	3.04	<5	8	<10	197	2037	16	37	<10	7	83
112511	983866	0.051	<1	9.48	33	428	<2	9	1.79	<4	11	195	10	1.95	1.90	6	1.21	817	<1	14	629	44	2.73	<5	11	<10	183	1964	13	37	<10	7	76
112512	983867	0.101	<1	9.42	36	356	<2	12	1.44	<4	7	192	21	1.75	1.78	3	0.95	595	<1	12	511	109	2.66	<5	11	<10	142	1629	16	28	<10	6	284
112513	983868	0.295	<1	8.87	41	377	<2	8	1.74	<4	7	310	16	2.09	1.81	6	1.04	795	<1	14	456	315	3.08	<5	<5	<10	151	1679	10	31	<10	5	435
112514	983869	0.403	19	8.32	96	367	<2	6	0.66	7	8	225	109	3.24	1.88	2	0.41	105	<1	18	328	1523	5.21	14	7	<10	73	1341	15	25	26	6	2281
112515	983870	0.500	<1	9.51	6	323	<2	11	3.06	4	27	68	101	4.61	1.55	4	1.98	879	<1	59	949	34	1.98	<5	7	<10	275	2150	12	114	<10	15	111
112516	983871	0.125	<1	8.47	37	397	<2	12	1.23	<4	7	362	17	1.81	1.93	<1	0.70	434	<1	11	435	60	2.76	<5	16	<10	130	1456	17	26	<10	5	138
112517	983872	0.303	<1	8.65	22	476	2	11	2.12	<4	7	217	38	1.76	1.84	12	0.89	1021	<1	16	488	84	3.64	<5	11	<10	164	1861	19	31	<10	4	146
112518D	983872	0.304	<1	>10.00	23	496	2	8	2.36	<4	8	240	41	1.99	1.68	10	1.12	1045	<1	12	528	93	3.10	<5	12	<10	175	1933	18	33	<10	5	153
112519	983873	0.693	<1	>10.00	25	617	<2	24	2.20	<4	7	317	5	1.69	1.46	8	1.24	960	<1	14	571	91	2.24	<5	9	<10	169	1851	14	27	<10	7	104
112520	983874	0.239	<1	>10.00	35	555	2	7	2.02	<4	7	213	18	1.56	1.76	9	0.97	898	<1	11	528	82	2.65	<5	11	<10	150	1902	20	30	<10	5	123
112521	983875	1.363	30	8.85	51	407	<2	9	0.88	9	7	520	29	2.34	1.50	3	0.56	368	<1	14	357	3155	3.49	33	5	<10	93	1440	13	25	40	4	3583
112522	983876	0.373	<1	9.04	74	363	<2	9	1.36	<4	7	294	65	1.66	1.82	2	0.84	628	<1	12	479	206	2.50	<5	10	<10	104	1528	13	23	<10	5	547
112523	983877	0.564	<1	9.58	33	446	<2	12	1.44	<4	7	331	23	1.60	1.79	7	0.76	570	<1	10	451	291	2.65	<5	16	<10	121	1652	13	26	<10	5	503
112524	983878	1.223	11	8.52	56	402	<2	11	0.62	20	6	279	212	3.03	1.61	1	0.41	135	<1	12	384	1706	4.46	25	12	<10	75	1314	10	22	57	5	5405
112525	983879	0.739	<1	>10.00	40	562	<2	22	1.91	<4	7	391	34	1.96	1.66	9	1.03	822	<1	13	493	199	3.11	<5	10	<10	152	1657	17	26	<10	6	300

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112526	983880	0.005	<1	>10.00	5	537	<2	8	2.13	<4	14	63	24	2.57	2.35	2	1.03	528	<1	38	577	10	1.74	5	9	<10	267	2001	20	81	47	16	56
112527	983881	0.748	<1	9.16	35	530	<2	8	1.46	<4	8	244	55	2.00	1.56	5	1.02	774	<1	11	467	286	2.77	<5	14	<10	118	1421	17	26	10	6	947
112528	983882	0.074	<1	>10.00	13	1067	2	4	3.76	<4	20	294	44	3.28	1.56	9	2.19	721	<1	85	2013	74	2.52	<5	5	<10	860	2765	21	67	<10	16	122
112529D	983882	0.074	<1	>10.00	10	1089	2	13	3.82	<4	20	298	44	3.31	1.57	10	2.17	733	<1	86	2084	71	2.80	<5	15	<10	874	2863	34	68	<10	16	121
112530	983883	0.014	<1	9.84	7	1450	4	6	3.13	<4	18	365	151	3.04	1.45	10	1.86	683	<1	82	2116	52	2.66	<5	8	<10	1202	2290	30	53	<10	15	130
112531	983884	0.181	<1	>10.00	11	1239	2	11	3.66	<4	17	261	32	2.78	1.51	11	2.21	1043	<1	63	1633	55	2.63	<5	13	<10	1079	2629	19	58	<10	13	148
112532	983885	0.184	9	8.22	36	295	<2	11	0.97	12	8	266	265	1.88	1.77	5	0.61	330	<1	15	325	1520	3.46	17	11	<10	131	1271	8	23	41	4	3674
112533	983886	0.227	8	8.88	26	286	<2	7	0.87	10	8	334	166	1.73	1.76	1	0.61	278	<1	18	333	1828	2.73	21	9	<10	122	1242	7	23	33	5	2968
112534	983887	0.249	<1	>10.00	17	459	2	10	1.40	<4	7	208	27	1.25	1.72	13	0.78	411	<1	11	418	157	2.53	<5	15	<10	149	1805	20	34	<10	5	420
112535	983888	0.034	<1	>10.00	14	471	<2	9	1.87	<4	9	258	13	1.74	1.66	16	0.78	444	<1	14	514	28	2.37	<5	8	<10	190	2433	9	40	<10	5	64
112536	983889	0.021	<1	>10.00	5	479	<2	11	2.20	<4	7	132	9	1.78	2.07	13	0.85	471	<1	9	488	16	2.04	5	9	<10	195	2130	16	39	<10	6	46
112537	983890	1.136	<1	>10.00	21	626	<2	17	2.30	<4	16	64	599	3.91	1.46	4	1.24	628	10	39	734	81	2.31	<5	10	<10	257	1987	10	112	26	17	116
112538	983891	0.005	<1	>10.00	6	458	<2	8	1.91	<4	6	121	5	1.34	1.94	12	0.67	380	<1	10	503	11	1.91	<5	14	<10	196	2130	14	37	<10	6	30
112539	983892	0.006	<1	1.11	18	103	<2	3	0.29	<4	5	177	9	1.94	0.67	<1	0.62	477	<1	7	513	7	1.43	<5	<5	<10	8	721	9	20	<10	4	40
112540D	983892	<0.005	<1	9.37	18	418	<2	8	2.09	<4	6	173	10	2.25	1.82	4	0.78	541	<1	9	535	10	2.76	<5	7	<10	172	1688	11	36	<10	6	42
112541	983893	0.006	<1	9.34	17	424	<2	11	2.16	<4	8	302	6	2.89	1.58	16	0.66	471	<1	15	483	11	4.14	<5	7	<10	221	1755	20	37	<10	6	36
112542	983894	0.005	<1	8.87	12	456	<2	11	2.17	<4	8	226	5	2.99	1.70	11	0.70	571	<1	12	444	12	3.40	<5	10	<10	195	1882	10	35	<10	6	57
112543	983895	0.027	<1	>10.00	4	430	<2	29	2.88	<4	11	240	12	5.99	1.60	16	1.11	1143	<1	14	464	16	3.89	<5	<5	<10	216	2043	21	38	<10	9	158
112544	983896	0.014	<1	9.56	<2	467	<2	19	2.70	<4	9	185	11	4.73	1.79	25	0.97	939	<1	13	507	11	2.24	<5	<5	<10	204	2385	11	41	<10	8	120
112545	983897	0.008	<1	9.38	<2	459	<2	14	2.23	<4	7	185	5	2.25	1.75	16	0.86	507	<1	12	498	11	1.68	<5	10	<10	191	2107	8	39	<10	6	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112546	983898	0.016	<1	>10.00	12	533	<2	13	2.28	<4	7	166	8	1.58	1.60	19	0.99	534	<1	12	535	17	2.19	<5	16	<10	181	2023	15	39	<10	6	54
112547	983899	0.106	11	>10.00	19	351	2	9	1.59	<4	6	173	16	1.54	1.81	9	0.80	337	<1	12	422	75	3.02	7	10	<10	160	1516	24	28	<10	6	103
112548	983900	<0.005	<1	9.09	7	497	<2	10	1.99	<4	14	61	23	2.48	1.60	<1	0.98	506	<1	36	555	8	1.50	<5	8	<10	242	1842	7	76	44	15	47
112549	983901	0.097	18	>10.00	24	272	<2	10	1.29	<4	6	183	19	1.82	1.72	3	0.81	351	<1	11	414	88	2.95	10	9	<10	107	1304	14	23	<10	6	252
112550	983902	<0.005	<1	9.84	13	324	<2	11	2.48	<4	6	294	6	1.41	1.71	7	0.80	472	<1	14	394	17	2.83	<5	14	<10	162	1300	25	23	<10	5	29
112551R	983902	0.005	<1	2.79	10	47	<2	<1	1.39	<4	5	278	7	1.30	0.64	<1	0.62	425	<1	8	359	10	0.99	<5	7	<10	55	355	10	9	<10	2	22
112552	983903	0.130	<1	9.43	7	260	<2	14	2.24	<4	6	235	4	1.63	1.84	5	0.78	393	<1	11	383	22	2.77	<5	13	<10	167	1154	18	20	<10	6	35
112553	983904	0.008	<1	>10.00	13	316	<2	6	2.90	<4	12	216	5	2.14	1.77	10	1.05	522	<1	17	391	129	3.64	<5	7	<10	228	1233	18	24	<10	6	341
112554	983905	<0.005	<1	9.80	6	255	<2	4	2.65	<4	9	216	16	2.42	1.63	5	1.04	417	<1	15	412	23	2.96	<5	7	<10	204	1214	18	23	<10	7	48
112555	983906	0.005	<1	9.04	3	290	<2	5	2.81	<4	9	180	13	2.47	1.69	8	0.91	413	<1	14	385	23	3.38	<5	<5	<10	225	1293	18	24	<10	5	54
112556	983907	0.005	<1	9.44	6	358	<2	8	2.14	<4	7	157	4	1.67	1.53	6	1.09	378	<1	11	413	17	2.39	<5	11	<10	204	1350	17	23	<10	6	34
112557	983908	0.007	<1	9.88	7	364	<2	12	2.32	<4	7	173	5	1.37	2.00	8	1.14	314	<1	12	459	17	2.56	<5	11	<10	237	1429	12	27	<10	6	40
112558	983909	0.085	8	>10.00	53	587	<2	11	1.49	<4	32	182	46	1.73	1.84	8	0.80	195	<1	51	762	52	2.99	<5	13	<10	219	1601	23	40	<10	7	679
112559	983910	0.248	366	9.09	4690	113	<2	13	2.62	139	16	56	484	8.22	1.50	<1	1.01	1442	<1	32	535	9534	7.14	78	23	10	201	1398	10	97	159	13	13486
112560	983911	0.022	<1	9.53	23	391	<2	8	1.70	<4	15	213	23	1.78	1.87	2	0.72	228	<1	29	482	38	2.21	<5	11	<10	246	1260	28	35	<10	7	64
112561	983912	0.008	<1	9.28	14	466	<2	9	1.57	<4	11	175	13	1.67	1.80	5	0.53	196	<1	19	559	21	2.46	<5	10	<10	232	1535	8	36	<10	6	25
112562D	983912	0.019	<1	9.41	15	508	<2	21	1.67	<4	12	176	14	1.66	1.71	9	0.53	197	<1	20	573	20	2.73	<5	10	<10	249	1665	20	38	<10	6	23
112563	983913	0.015	<1	2.41	15	159	<2	6	0.90	<4	20	249	41	3.45	1.03	<1	1.13	529	<1	54	503	15	2.23	<5	<5	<10	70	1081	5	45	<10	8	66
112564	983914	0.193	<1	8.31	37	279	<2	18	1.81	<4	8	182	28	1.90	1.93	<1	1.00	380	<1	15	510	57	2.29	<5	6	<10	108	847	15	23	<10	6	64
112565	983915	0.317	<1	8.48	63	540	2	11	1.21	<4	9	171	17	1.26	1.71	3	0.48	188	<1	14	517	33	2.62	<5	10	<10	117	1337	11	32	<10	5	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
112566	983916	0.582	<1	8.71	42	586	2	10	0.64	<4	10	201	17	1.49	2.13	<1	0.31	<100	<1	13	501	36	2.83	5	8	<10	94	1389	5	37	<10	4	92
112567	983917	0.088	<1	8.45	26	536	<2	7	0.55	<4	7	178	7	0.92	1.81	<1	0.28	<100	<1	13	527	33	2.21	<5	12	<10	89	1161	13	34	<10	5	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 3, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112486	983843	23	<0.001	0.023
112487	983844	16	<0.001	0.016
112488	983845	21	<0.001	0.021
112489	983846	8	<0.001	0.008
112490	983847	19	<0.001	0.019
112491	983848	23	<0.001	0.023
112492	983849	31	<0.001	0.031
112493	983850	245	0.007	0.245
112494	983851	62	0.002	0.062
112495	983852	19	<0.001	0.019
112496 Dup	983852	20	<0.001	0.020
112497	983853	22	<0.001	0.022
112498	983854	31	<0.001	0.031
112499	983855	21	<0.001	0.021
112500	983856	15	<0.001	0.015
112501	983857	32	<0.001	0.032
112502	983858	6	<0.001	0.006
112503	983859	17	<0.001	0.017
112504	983860	<5	<0.001	<0.005
112505	983861	16	<0.001	0.016
112506	983862	81	0.002	0.081
112507 Dup	983862	35	0.001	0.035
112508	983863	31	<0.001	0.031
112509	983864	441	0.013	0.441
112510	983865	77	0.002	0.077
112511	983866	51	0.001	0.051
112512	983867	101	0.003	0.101
112513	983868	295	0.009	0.295
112514	983869	403	0.012	0.403
112515	983870	500	0.015	0.500

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 3, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112516	983871	125	0.004	0.125
112517	983872	303	0.009	0.303
112518 Dup	983872	304	0.009	0.304
112519	983873	693	0.020	0.693
112520	983874	239	0.007	0.239
112521	983875	1363	0.040	1.363
112522	983876	373	0.011	0.373
112523	983877	564	0.016	0.564
112524	983878	1223	0.036	1.223
112525	983879	739	0.022	0.739
112526	983880	5	<0.001	0.005
112527	983881	748	0.022	0.748
112528	983882	74	0.002	0.074
112529 Dup	983882	74	0.002	0.074
112530	983883	14	<0.001	0.014
112531	983884	181	0.005	0.181
112532	983885	184	0.005	0.184
112533	983886	227	0.007	0.227
112534	983887	249	0.007	0.249
112535	983888	34	<0.001	0.034
112536	983889	21	<0.001	0.021
112537	983890	1136	0.033	1.136
112538	983891	5	<0.001	0.005
112539	983892	6	<0.001	0.006
112540 Dup	983892	<5	<0.001	<0.005
112541	983893	6	<0.001	0.006
112542	983894	5	<0.001	0.005
112543	983895	27	<0.001	0.027
112544	983896	14	<0.001	0.014
112545	983897	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 3, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/27/2011  
 Date Completed: 05/03/2011  
 Job #: 201141632  
 Reference: TMI-TML  
 Sample #: 75

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
112546	983898	16	<0.001	0.016
112547	983899	106	0.003	0.106
112548	983900	<5	<0.001	<0.005
112549	983901	97	0.003	0.097
112550	983902	<5	<0.001	<0.005
112551 Rep	983902	5	<0.001	0.005
112552	983903	130	0.004	0.130
112553	983904	8	<0.001	0.008
112554	983905	<5	<0.001	<0.005
112555	983906	5	<0.001	0.005
112556	983907	5	<0.001	0.005
112557	983908	7	<0.001	0.007
112558	983909	85	0.002	0.085
112559	983910	248	0.007	0.248
112560	983911	22	<0.001	0.022
112561	983912	8	<0.001	0.008
112562 Dup	983912	19	<0.001	0.019
112563	983913	15	<0.001	0.015
112564	983914	193	0.006	0.193
112565	983915	317	0.009	0.317
112566	983916	582	0.017	0.582
112567	983917	88	0.003	0.088

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
115931	1007665	459	0.013	0.459
115932	1007666	79	0.002	0.079
115933	1007667	8	<0.001	0.008
115934	1007668	6	<0.001	0.006
115935	1007669	6	<0.001	0.006
115936	1007670	<5	<0.001	<0.005
115937	1007671	8	<0.001	0.008
115938	1007672	13	<0.001	0.013
115939	1007673	7	<0.001	0.007
115940	1007674	12	<0.001	0.012
115941 Dup	1007674	17	<0.001	0.017
115942	1007675	14	<0.001	0.014
115943	1007676	605	0.018	0.605
115944	1007677	196	0.006	0.196
115945	1007678	117	0.003	0.117
115946	1007679	119	0.003	0.119
115947	1007680	1160	0.034	1.160
115948	1007681	24	<0.001	0.024
115949	1007682	25	<0.001	0.025
115950	1007683	10	<0.001	0.010
115951	1007684	27	<0.001	0.027
115952 Dup	1007684	27	<0.001	0.027
115953	1007685	9	<0.001	0.009
115954	1007686	5	<0.001	0.005
115955	1007687	75	0.002	0.075
115956	1007688	9	<0.001	0.009
115957	1007689	14	<0.001	0.014
115958	1007690	<5	<0.001	<0.005
115959	1007691	8	<0.001	0.008
115960	1007692	33	<0.001	0.033

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
115961	1007693	28	<0.001	0.028
115962	1007694	28	<0.001	0.028
115963 Dup	1007694	32	<0.001	0.032
115964	1007695	54	0.002	0.054
115965	1007696	128	0.004	0.128
115966	1007697	65	0.002	0.065
115967	1007698	51	0.001	0.051
115968	1007699	27	<0.001	0.027
115969	1007700	238	0.007	0.238
115970	1007701	1153	0.034	1.153
115971	1007702	118	0.003	0.118
115972	1007703	17	<0.001	0.017
115973	1007704	13	<0.001	0.013
115974 Dup	1007704	17	<0.001	0.017
115975	1007705	18	<0.001	0.018
115976	1007706	17	<0.001	0.017
115977	1007707	470	0.014	0.470
115978	1007708	73	0.002	0.073
115979	1007709	26	<0.001	0.026
115980	1007710	<5	<0.001	<0.005
115981	1007711	17	<0.001	0.017
115982	1007712	11	<0.001	0.011
115983	1007713	18	<0.001	0.018
115984	1007714	10	<0.001	0.010
115985 Dup	1007714	7	<0.001	0.007
115986	1007715	13	<0.001	0.013
115987	1007716	66	0.002	0.066
115988	1007717	328	0.010	0.328
115989	1007718	385	0.011	0.385
115990	1007719	419	0.012	0.419

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
115991	1007720	5276	0.154	5.276
115992	1007721	538	0.016	0.538
115993	1007722	2052	0.060	2.052
115994	1007723	1254	0.037	1.254
115995	1007724	41	0.001	0.041
115996 Rep	1007724	82	0.002	0.082
115997	1007725	54	0.002	0.054
115998	1007726	73	0.002	0.073
115999	1007727	844	0.025	0.844
116000	1007728	37	0.001	0.037
116001	1007729	730	0.021	0.730
116002	1007730	<5	<0.001	<0.005
116003	1007731	44	0.001	0.044
116004	1007732	45	0.001	0.045
116005	1007733	110	0.003	0.110
116006	1007734	933	0.027	0.933
116007 Dup	1007734	958	0.028	0.958
116008	1007735	587	0.017	0.587
116009	1007736	2517	0.073	2.517
116010	1007737	332	0.010	0.332
116011	1007738	57	0.002	0.057
116012	1007739	53	0.002	0.053
116013	1007740	1166	0.034	1.166
116014	1007741	17	<0.001	0.017
116015	1007742	17	<0.001	0.017
116016	1007743	10	<0.001	0.010
116017	1007744	26	<0.001	0.026
116018 Dup	1007744	17	<0.001	0.017
116019	1007745	7	<0.001	0.007
116020	1007746	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116021	1007747	30	<0.001	0.030
116022	1007748	8	<0.001	0.008
116023	1007749	12	<0.001	0.012
116024	1007750	<5	<0.001	<0.005
116025	1007751	<5	<0.001	<0.005
116026	1007752	<5	<0.001	<0.005
116027	1007753	9	<0.001	0.009
116028	1007754	<5	<0.001	<0.005
116029 Dup	1007754	14	<0.001	0.014
116030	1007755	9	<0.001	0.009
116031	1007756	39	0.001	0.039
116032	1007757	<5	<0.001	<0.005
116033	1007758	10	<0.001	0.010
116034	1007759	17	<0.001	0.017
116035	1007760	236	0.007	0.236
116036	1007761	20	<0.001	0.020
116037	1007762	15	<0.001	0.015
116038	1007763	<5	<0.001	<0.005
116039	1007764	8	<0.001	0.008
116040 Dup	1007764	<5	<0.001	<0.005
116041	1007765	<5	<0.001	<0.005
116042	1007766	<5	<0.001	<0.005
116043	1007767	<5	<0.001	<0.005
116044	1007768	<5	<0.001	<0.005
116045	1007769	<5	<0.001	<0.005
116046	1007770	<5	<0.001	<0.005
116047	1007771	<5	<0.001	<0.005
116048	1007772	<5	<0.001	<0.005
116049	1007773	5	<0.001	0.005
116050	1007774	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116051 Dup	1007774	11	<0.001	0.011
116052	1007775	8	<0.001	0.008
116053	1007776	5	<0.001	0.005
116054	1007777	88	0.003	0.088
116055	1007778	22	<0.001	0.022
116056	1007779	90	0.003	0.090
116057	1007780	5134	0.150	5.134
116058	1007781	215	0.006	0.215
116059	1007782	67	0.002	0.067
116060	1007783	349	0.010	0.349
116061	1007784	607	0.018	0.607
116062 Rep	1007784	628	0.018	0.628
116063	1007785	199	0.006	0.199
116064	1007786	217	0.006	0.217
116065	1007787	127	0.004	0.127
116066	1007788	33	<0.001	0.033
116067	1007789	<5	<0.001	<0.005
116068	1007790	<5	<0.001	<0.005
116069	1007791	19	<0.001	0.019
116070	1007792	30	<0.001	0.030
116071	1007793	134	0.004	0.134
116072	1007794	78	0.002	0.078
116073 Dup	1007794	51	0.001	0.051
116074	1007795	237	0.007	0.237
116075	1007796	57	0.002	0.057
116076	1007797	51	0.001	0.051
116077	1007798	60	0.002	0.060
116078	1007799	585	0.017	0.585
116079	1007800	1201	0.035	1.201
116080	1007801	498	0.015	0.498

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/03/2011  
 Date Completed: 05/16/2011  
 Job #: 201141691  
 Reference: TMI-TML  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
116081	1007802	400	0.012	0.400
116082	1007803	233	0.007	0.233
116083	1007804	233	0.007	0.233
116084 Dup	1007804	235	0.007	0.235
116085	1007805	149	0.004	0.149
116086	1007806	113	0.003	0.113
116087	1007807	577	0.017	0.577
116088	1007808	33	<0.001	0.033
116089	1007809	47	0.001	0.047
116090	1007810	<5	<0.001	<0.005
116091	1007811	10	<0.001	0.010
116092	1007812	18	<0.001	0.018
116093	1007813	10	<0.001	0.010
116094	1007814	12	<0.001	0.012
116095 Dup	1007814	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/04/2011  
 Date Completed: 05/16/2011  
 Job #: 201141710  
 Reference: TMI-TML  
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
117702	983944	21	<0.001	0.021
117703	983945	108	0.003	0.108
117704	983946	76	0.002	0.076
117705	983947	11	<0.001	0.011
117706	983948	139	0.004	0.139
117707	983949	13	<0.001	0.013
117708	983950	1282	0.037	1.282
117709	983951	9	<0.001	0.009
117710	983952	7	<0.001	0.007
117711	983953	<5	<0.001	<0.005
117712 Dup	983953	6	<0.001	0.006
117713	983954	10	<0.001	0.010
117714	983955	20	<0.001	0.020
117715	983956	6	<0.001	0.006
117716	983957	12	<0.001	0.012
117717	983958	20	<0.001	0.020
117718	983959	14	<0.001	0.014
117719	983960	<5	<0.001	<0.005
117720	983961	6	<0.001	0.006
117721	983962	7	<0.001	0.007
117722	983963	8	<0.001	0.008
117723 Dup	983963	<5	<0.001	<0.005
117724	983964	<5	<0.001	<0.005
117725	983965	6	<0.001	0.006
117726	983966	7	<0.001	0.007
117727	983967	10	<0.001	0.010
117728	983968	44	0.001	0.044
117729	983969	<5	<0.001	<0.005
117730	983970	248	0.007	0.248
117731	983971	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/04/2011  
 Date Completed: 05/16/2011  
 Job #: 201141710  
 Reference: TMI-TML  
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
117732	983972	<5	<0.001	<0.005
117733	983973	<5	<0.001	<0.005
117734 Dup	983973	<5	<0.001	<0.005
117735	983974	<5	<0.001	<0.005
117736	983975	<5	<0.001	<0.005
117737	983976	8	<0.001	0.008
117738	983977	6	<0.001	0.006
117739	983978	40	0.001	0.040
117740	983979	87	0.003	0.087
117741	983980	<5	<0.001	<0.005
117742	983981	27	<0.001	0.027
117743	983982	16	<0.001	0.016
117744	983983	9	<0.001	0.009
117745 Dup	983983	9	<0.001	0.009
117746	983984	10	<0.001	0.010
117747	983985	7	<0.001	0.007
117748	983986	9	<0.001	0.009
117749	983987	14	<0.001	0.014
117750	983988	12	<0.001	0.012
117751	983989	9	<0.001	0.009
117752	983990	5125	0.150	5.125
117753	983991	19	<0.001	0.019
117754	983992	15	<0.001	0.015
117755	983993	14	<0.001	0.014
117756 Dup	983993	12	<0.001	0.012
117757	983994	8	<0.001	0.008
117758	983995	10	<0.001	0.010
117759	983996	10	<0.001	0.010
117760	983997	11	<0.001	0.011
117761	983998	418	0.012	0.418

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/04/2011  
 Date Completed: 05/16/2011  
 Job #: 201141710  
 Reference: TMI-TML  
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
117762	983999	5874	0.171	5.874
117763	984000	<5	<0.001	<0.005
117764	1006101	761	0.022	0.761
117765	1006102	2827	0.082	2.827
117766	1006103	5021	0.146	5.021
117767 Rep	1006103	4338	0.127	4.338
117768	1006104	3713	0.108	3.713
117769	1006105	1992	0.058	1.992
117770	1006106	2568	0.075	2.568
117771	1006107	995	0.029	0.995
117772	1006108	328	0.010	0.328
117773	1006109	914	0.027	0.914
117774	1006110	1259	0.037	1.259
117775	1006111	108	0.003	0.108
117776	1006112	866	0.025	0.866
117777	1006113	1426	0.042	1.426
117778 Dup	1006113	1417	0.041	1.417
117779	1006114	3691	0.108	3.691
117780	1006115	669	0.020	0.669
117781	1006116	115	0.003	0.115
117782	1006117	92	0.003	0.092
117783	1006118	54	0.002	0.054
117784	1006119	31	<0.001	0.031
117785	1006120	<5	<0.001	<0.005
117786	1006121	33	<0.001	0.033
117787	1006122	106	0.003	0.106
117788	1006123	200	0.006	0.200
117789 Dup	1006123	201	0.006	0.201
117790	1006124	15	<0.001	0.015
117791	1006125	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/04/2011  
 Date Completed: 05/16/2011  
 Job #: 201141710  
 Reference: TMI-TML  
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
117792	1006126	6	<0.001	0.006
117793	1006127	5	<0.001	0.005
117794	1006128	<5	<0.001	<0.005
117795	1006129	<5	<0.001	<0.005
117796	1006130	240	0.007	0.240
117797	1006131	7	<0.001	0.007
117798	1006132	8	<0.001	0.008
117799	1006133	9	<0.001	0.009
117800 Dup	1006133	9	<0.001	0.009
117801	1006134	107	0.003	0.107
117802	1006135	6887	0.201	6.887
117803	1006136	3961	0.116	3.961
117804	1006137	21	<0.001	0.021
117805	1006138	13	<0.001	0.013
117806	1006139	11	<0.001	0.011
117807	1006140	<5	<0.001	<0.005
117808	1006141	8	<0.001	0.008
117809	1006142	8	<0.001	0.008
117810	1006143	10	<0.001	0.010
117811 Dup	1006143	11	<0.001	0.011
117812	1006144	8	<0.001	0.008
117813	1006145	10	<0.001	0.010
117814	1006146	12	<0.001	0.012
117815	1006147	52	0.002	0.052
117816	1006148	144	0.004	0.144
117817	1006149	28	<0.001	0.028
117818	1006150	5231	0.153	5.231
117819	1006151	18	<0.001	0.018
117820	1006152	100	0.003	0.100
117821	1006153	47	0.001	0.047

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/04/2011  
 Date Completed: 05/16/2011  
 Job #: 201141710  
 Reference: TMI-TML  
 Sample #: 134

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
117822 Dup	1006153	74	0.002	0.074
117823	1006154	81	0.002	0.081
117824	1006155	50	0.001	0.050
117825	1006156	36	0.001	0.036
117826	1006157	44	0.001	0.044
117827	1006158	52	0.002	0.052
117828	1006159	220	0.006	0.220
117829	1006160	<5	<0.001	<0.005
117830	1006161	35	0.001	0.035
117831	1006162	95	0.003	0.095
117832	1006163	223	0.006	0.223
117833 Rep	1006163	247	0.007	0.247
117834	1006164	355	0.010	0.355
117835	1006165	383	0.011	0.383
117836	1006166	402	0.012	0.402
117837	1006167	90	0.003	0.090
117838	1006168	3006	0.088	3.006
117839	1006169	218	0.006	0.218
117840	1006170	1259	0.037	1.259
117841	1006171	4956	0.145	4.956
117842	1006172	191	0.006	0.191
117843	1006173	426	0.012	0.426
117844 Dup	1006173	535	0.016	0.535
117845	1006174	321	0.009	0.321
117846	1006175	84	0.002	0.084
117847	1006176	65	0.002	0.065
117848	1006177	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/19/2011  
 Job #: 201141831  
 Reference: TMI-TML  
 Sample #: 5

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
126365	1006104	0.068	2.331
126366	1006114	0.114	3.924
126367	1006136	0.113	3.865
126368	1006168	0.094	3.227
126369	1006171	0.078	2.689

PROCEDURE CODES: ALFA7

 Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/06/2011  
 Job #: 201141669  
 Reference: TMI-TML  
 Sample #: 55

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114502	1007568	24	2	9.41	7	546	<2	<1	2.41	<4	9	21	57	2.04	1.85	<1	1.13	622	<1	14	507	250	0.96	<5	17	<10	227	1628	9	33	<10	7	344
114655	1007569	19	2	6.99	14	380	<2	<1	1.22	<4	5	18	14	1.31	1.85	<1	0.99	722	<1	17	607	23	0.60	<5	14	<10	76	1392	13	26	<10	7	63
114656	1007570	<5	<1	6.92	4	442	<2	<1	1.81	<4	13	60	22	2.29	1.85	<1	0.91	488	<1	31	522	9	0.07	5	11	<10	203	1648	9	73	35	12	52
114657	1007571	108	4	6.78	28	375	<2	<1	0.84	<4	5	27	22	1.10	1.81	<1	0.48	236	<1	41	526	162	1.03	<5	16	<10	82	1228	16	23	<10	5	413
114658	1007572	127	4	7.53	24	359	<2	<1	0.88	<4	4	23	65	0.93	1.88	<1	0.53	240	<1	26	590	203	0.88	<5	16	<10	80	1212	9	22	13	6	1287
114659	1007573	37	1	7.66	18	329	<2	<1	1.73	<4	5	15	37	1.16	1.94	<1	1.04	706	<1	13	553	56	0.78	<5	13	<10	106	1342	17	22	<10	6	99
114660	1007574	28	2	8.50	17	299	<2	1	2.45	<4	4	15	20	1.27	1.93	<1	1.36	1005	<1	23	552	46	0.69	<5	14	<10	126	1395	20	25	<10	7	62
114661	1007575	22	<1	8.20	29	358	<2	<1	2.07	<4	4	19	14	1.31	1.94	<1	1.25	787	<1	19	667	51	0.78	<5	15	<10	123	1392	12	24	<10	7	69
114662	1007576	158	7	6.89	24	315	<2	<1	1.10	4	6	13	45	1.76	1.89	<1	0.76	497	<1	12	520	665	1.77	<5	8	<10	91	1263	11	21	<10	6	1077
114663	1007577	105	2	6.47	9	183	<2	<1	1.58	<4	9	18	40	1.09	1.82	<1	1.28	807	<1	20	466	41	0.39	<5	14	<10	115	982	12	15	<10	5	111
114664D	1007577	93	2	7.39	6	205	<2	<1	1.68	<4	7	19	41	1.11	1.92	<1	1.33	830	<1	21	467	40	0.39	<5	15	<10	125	1017	12	16	<10	6	112
114665	1007578	1287	20	7.01	10	299	<2	<1	0.95	<4	8	17	79	1.69	1.85	<1	1.15	704	<1	15	542	169	1.17	<5	16	<10	73	1212	10	22	<10	6	530
114666	1007579	74	4	6.47	21	280	<2	<1	0.87	<4	6	20	19	1.53	1.85	<1	1.03	792	<1	14	477	68	1.11	<5	19	<10	71	1378	4	23	<10	6	127
114667	1007580	5171	9	6.92	11	253	<2	<1	2.53	5	26	60	99	4.31	1.82	<1	1.94	860	<1	54	910	27	0.90	<5	9	<10	195	1425	10	104	<10	14	103
114668	1007581	44	1	7.32	10	311	<2	<1	2.20	<4	4	25	7	1.15	1.90	<1	1.21	985	<1	18	279	55	0.63	<5	14	<10	145	1050	15	18	<10	4	131
114669	1007582	35	2	6.84	24	300	<2	<1	1.06	<4	8	38	18	1.65	1.79	<1	1.10	863	<1	16	526	60	1.14	6	11	<10	86	1454	13	25	<10	6	90
114670	1007583	2062	98	5.46	30	243	<2	<1	0.78	<4	6	15	17	1.44	1.87	<1	0.75	505	<1	14	407	167	1.51	6	8	<10	63	1020	11	17	<10	4	348
114671	1007584	680	16	6.75	35	367	<2	<1	0.50	7	4	19	56	1.39	1.85	<1	0.31	110	<1	18	365	1123	1.82	13	12	<10	61	1189	5	22	27	4	2055
114672	1007585	65	1	7.27	29	300	<2	<1	1.13	<4	5	25	17	1.26	1.81	<1	0.88	466	<1	16	558	41	1.19	<5	13	<10	86	1453	5	28	<10	6	54
114673	1007586	59	<1	6.11	29	248	<2	<1	0.97	<4	6	23	16	1.18	1.95	<1	0.81	431	<1	17	544	33	1.16	<5	11	<10	72	1185	14	22	<10	6	43

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/06/2011  
 Job #: 201141669  
 Reference: TMI-TML  
 Sample #: 55

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114674	1007587	35	1	6.36	31	232	<2	<1	1.09	<4	5	22	18	1.73	1.80	<1	0.94	577	<1	16	504	27	1.82	<5	13	<10	79	1174	8	21	<10	6	47
114675D	1007587	41	1	5.73	32	211	<2	<1	1.02	<4	5	21	18	1.68	1.84	<1	0.89	542	<1	15	482	22	1.77	5	9	<10	74	1098	13	20	<10	5	48
114676	1007588	187	2	6.82	15	240	<2	<1	0.94	<4	2	16	14	0.97	1.89	<1	0.89	513	<1	12	401	67	0.89	<5	12	<10	75	1085	10	18	<10	5	154
114677	1007589	54	1	6.86	19	245	<2	<1	0.88	<4	3	17	14	1.08	1.84	<1	0.88	527	<1	9	416	41	1.05	<5	18	<10	65	1165	14	20	<10	5	60
114678	1007590	<5	<1	6.73	2	407	<2	<1	1.78	<4	13	61	22	2.30	1.91	<1	0.93	484	<1	33	532	10	0.07	<5	9	<10	179	1582	8	72	33	13	41
114679	1007591	66	<1	6.89	34	242	<2	<1	1.35	<4	6	23	13	1.32	1.90	<1	0.98	572	<1	15	468	35	1.26	<5	17	<10	85	1188	14	20	<10	5	99
114680	1007592	463	<1	5.42	16	220	<2	<1	0.67	<4	3	19	4	0.77	1.92	<1	0.58	269	<1	11	382	44	0.81	<5	12	<10	49	853	6	15	<10	4	90
114681	1007593	2321	35	6.02	54	240	<2	<1	0.42	10	8	24	148	1.65	1.99	<1	0.36	171	<1	19	401	3428	2.36	27	14	<10	39	1014	7	22	39	5	3698
114682	1007594	2943	5	6.59	37	214	<2	<1	1.11	<4	9	24	17	1.17	1.94	<1	0.96	452	<1	20	439	177	1.28	<5	15	<10	77	1043	14	19	<10	5	241
114683	1007595	12175	270	5.72	272	211	<2	<1	0.77	11	10	21	79	1.30	2.04	<1	0.72	426	<1	24	496	658	1.75	71	10	<10	53	947	5	18	42	5	3973
114684	1007596	15377	165	5.49	78	205	<2	<1	0.58	<4	11	22	153	1.10	1.93	<1	0.57	236	<1	22	424	664	1.33	55	12	<10	47	896	10	17	<10	5	706
114685	1007597	17414	135	6.34	54	181	<2	<1	0.83	7	6	27	418	1.57	2.00	<1	0.84	388	<1	19	308	851	1.97	37	10	<10	60	828	7	18	28	4	2496
114686D	1007597	18605	98	7.26	63	222	<2	<1	0.91	7	7	30	423	1.64	1.96	<1	0.86	401	<1	19	315	865	2.06	56	15	<10	71	1000	9	22	29	4	2543
114687	1007598	512	21	9.10	40	198	<2	<1	2.70	4	4	19	69	1.54	1.94	<1	2.34	1264	<1	13	395	773	1.17	10	16	<10	163	1184	31	21	15	4	1179
114688	1007599	1129	11	6.28	40	176	<2	<1	1.05	<4	5	26	44	1.39	1.97	<1	0.85	385	<1	19	309	312	1.54	11	13	<10	89	752	9	16	<10	5	501
114689	1007600	1153	2	8.08	20	450	<2	<1	2.04	4	16	62	604	3.62	1.87	<1	1.18	608	<1	35	700	103	0.77	<5	8	<10	192	1693	5	105	23	15	117
114690	1007601	1023	5	6.33	36	179	<2	<1	0.82	<4	7	23	52	1.33	1.79	<1	0.74	267	<1	19	374	110	1.51	<5	15	<10	66	930	8	19	<10	5	251
114691	1007602	105337	15	7.66	23	193	<2	<1	1.36	<4	4	20	269	1.68	1.84	<1	1.06	472	<1	13	321	215	1.91	<5	13	<10	94	934	9	15	<10	4	89
114692	1007603	858	2	7.53	14	215	<2	<1	1.30	<4	3	17	11	0.65	1.92	<1	1.03	495	<1	10	351	66	0.45	<5	20	<10	98	980	17	17	<10	4	70
114693	1007604	5593	8	6.90	26	287	<2	<1	0.45	<4	6	18	81	0.86	1.83	<1	0.36	<100	<1	16	397	359	1.02	7	11	<10	52	1028	5	20	10	4	933

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/06/2011  
 Job #: 201141669  
 Reference: TMI-TML  
 Sample #: 55

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114694	1007605	1550	7	6.46	29	320	<2	<1	0.33	<4	8	19	74	0.88	1.87	<1	0.27	<100	<1	17	262	435	1.08	5	14	<10	51	985	10	20	<10	3	583
114695	1007606	1456	6	5.70	24	262	<2	<1	0.28	<4	5	17	50	0.69	1.82	<1	0.24	<100	<1	16	300	389	0.83	8	15	<10	41	797	10	15	<10	4	475
114696	1007607	3212	4	4.71	21	219	<2	<1	0.28	<4	4	16	54	0.69	1.84	<1	0.24	<100	<1	13	336	254	0.86	7	10	<10	36	622	7	12	<10	3	703
114697D	1007607	2632	4	5.26	18	253	<2	<1	0.30	<4	5	16	54	0.69	1.84	<1	0.26	<100	<1	13	344	258	0.83	6	13	<10	42	705	5	13	11	3	720
114698	1007608	224	3	5.19	14	244	<2	<1	0.58	<4	6	16	38	1.47	1.77	<1	0.62	345	<1	15	449	37	1.69	<5	8	<10	52	989	8	19	<10	5	72
114699	1007609	39	2	5.04	12	253	<2	<1	0.72	<4	8	15	13	1.09	1.80	<1	0.55	320	<1	15	576	14	1.18	<5	10	<10	56	954	7	21	<10	6	105
114700	1007610	<5	<1	6.24	4	380	<2	<1	1.70	<4	13	60	22	2.31	1.81	<1	0.91	479	<1	34	530	9	0.08	<5	9	<10	172	1572	7	72	37	13	45
114701	1007611	31	2	7.39	20	283	<2	<1	1.33	<4	14	21	17	2.19	1.83	<1	0.77	412	<1	23	456	19	2.55	<5	17	<10	105	1393	10	28	<10	8	154
114702	1007612	21	1	8.23	19	245	<2	<1	1.48	<4	16	20	15	3.32	1.88	<1	0.86	419	<1	24	417	19	4.06	<5	7	<10	153	1537	6	29	<10	7	125
114703	1007613	14	<1	5.07	5	141	<2	<1	4.51	<4	3	24	8	0.89	1.77	<1	0.34	260	<1	17	282	10	0.95	<5	15	<10	130	854	15	15	<10	9	16
114704	1007614	17	1	5.06	18	173	<2	<1	2.78	<4	20	20	14	3.16	1.55	<1	0.54	330	<1	29	453	12	3.91	<5	10	<10	115	1394	5	24	<10	4	177
114705	1007615	9	<1	4.59	3	239	<2	<1	0.79	<4	4	16	13	0.68	1.83	<1	0.48	180	<1	9	344	9	0.32	<5	10	<10	66	1226	12	21	<10	4	23
114706	1007616	163	<1	4.13	5	219	<2	<1	0.96	<4	5	18	6	1.28	1.66	<1	0.48	205	<1	10	439	6	0.48	<5	9	<10	64	1314	5	24	<10	5	33
114707	1007617	9	<1	5.78	2	294	<2	<1	1.13	<4	4	18	9	0.99	1.90	<1	0.54	178	<1	10	465	7	0.44	<5	13	<10	90	1391	12	27	<10	5	66
114708D	1007617	8	<1	6.78	6	337	<2	<1	1.37	<4	3	19	9	1.00	1.92	<1	0.56	179	<1	9	472	5	0.43	6	10	<10	121	1409	7	28	<10	5	67
114709	1007618	8	<1	9.48	4	361	<2	<1	2.47	<4	5	20	7	1.33	1.98	5	1.18	317	<1	12	490	7	0.46	<5	19	<10	200	1647	19	29	<10	6	37
114710	1007619	11	2	9.91	13	272	<2	<1	2.97	<4	5	20	31	1.43	1.81	4	1.07	284	<1	11	441	12	1.08	<5	17	<10	233	1378	18	25	<10	7	43
114711	1007620	233	350	7.59	4439	113	<2	<1	2.44	138	16	53	482	7.68	1.87	<1	0.95	1394	<1	28	509	9379	7.41	61	24	11	175	1308	9	90	148	12	13077
114712	1007621	8	2	9.69	21	241	<2	<1	2.66	<4	5	18	9	1.61	1.85	<1	0.97	162	<1	32	476	26	1.96	<5	13	<10	219	1249	9	24	<10	6	48
114713	1007622	5	1	8.53	13	371	<2	<1	1.95	<4	6	20	5	1.32	1.89	7	1.01	341	<1	14	456	12	1.50	5	14	<10	182	1837	8	34	<10	4	32

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/06/2011  
 Job #: 201141669  
 Reference: TMI-TML  
 Sample #: 55

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114502	1007568	24	<0.001	0.024
114655	1007569	19	<0.001	0.019
114656	1007570	<5	<0.001	<0.005
114657	1007571	108	0.003	0.108
114658	1007572	127	0.004	0.127
114659	1007573	37	0.001	0.037
114660	1007574	28	<0.001	0.028
114661	1007575	22	<0.001	0.022
114662	1007576	158	0.005	0.158
114663	1007577	105	0.003	0.105
114664 Dup	1007577	93	0.003	0.093
114665	1007578	1287	0.038	1.287
114666	1007579	74	0.002	0.074
114667	1007580	5171	0.151	5.171
114668	1007581	44	0.001	0.044
114669	1007582	35	0.001	0.035
114670	1007583	2062	0.060	2.062
114671	1007584	680	0.020	0.680
114672	1007585	65	0.002	0.065
114673	1007586	59	0.002	0.059
114674	1007587	35	0.001	0.035
114675 Dup	1007587	41	0.001	0.041
114676	1007588	187	0.005	0.187
114677	1007589	54	0.002	0.054
114678	1007590	<5	<0.001	<0.005
114679	1007591	66	0.002	0.066
114680	1007592	463	0.014	0.463
114681	1007593	2321	0.068	2.321
114682	1007594	2943	0.086	2.943
114683	1007595	12175	0.355	12.175

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: 

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/06/2011  
 Job #: 201141669  
 Reference: TMI-TML  
 Sample #: 55

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114684	1007596	15377	0.449	15.377
114685	1007597	17414	0.508	17.414
114686 Dup	1007597	18605	0.543	18.605
114687	1007598	512	0.015	0.512
114688	1007599	1129	0.033	1.129
114689	1007600	1153	0.034	1.153
114690	1007601	1023	0.030	1.023
114691	1007602	105337	3.073	105.337
114692	1007603	858	0.025	0.858
114693	1007604	5593	0.163	5.593
114694	1007605	1550	0.045	1.550
114695	1007606	1456	0.042	1.456
114696	1007607	3212	0.094	3.212
114697 Dup	1007607	2632	0.077	2.632
114698	1007608	224	0.007	0.224
114699	1007609	39	0.001	0.039
114700	1007610	<5	<0.001	<0.005
114701	1007611	31	<0.001	0.031
114702	1007612	21	<0.001	0.021
114703	1007613	14	<0.001	0.014
114704	1007614	17	<0.001	0.017
114705	1007615	9	<0.001	0.009
114706	1007616	163	0.005	0.163
114707	1007617	9	<0.001	0.009
114708 Dup	1007617	8	<0.001	0.008
114709	1007618	8	<0.001	0.008
114710	1007619	11	<0.001	0.011
114711	1007620	233	0.007	0.233
114712	1007621	8	<0.001	0.008
114713	1007622	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: 

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114508	1007493	143	2	7.90	23	410	<2	<1	1.80	8	11	30	218	2.27	1.84	<1	1.03	877	<1	28	588	129	1.78	<5	9	<10	183	1866	7	39	24	6	2189
114509	1007494	83	1	9.35	27	512	<2	<1	2.80	6	14	56	85	2.65	1.76	2	1.27	1247	<1	42	592	57	1.92	<5	16	<10	221	1899	7	50	13	7	1099
114510	1007495	32	2	>10.00	18	477	<2	<1	2.87	4	6	32	18	1.92	1.82	<1	2.04	1344	<1	27	348	59	1.08	<5	17	<10	286	1335	16	25	<10	6	510
114511	1007496	90	2	8.72	25	441	<2	<1	1.27	<4	5	25	21	1.58	1.90	<1	1.23	709	<1	22	335	74	1.15	5	16	<10	133	1273	18	21	<10	5	275
114512	1007497	78	5	7.06	12	573	2	<1	1.55	4	5	27	63	1.16	1.67	5	0.66	541	8	20	326	241	0.91	<5	14	<10	200	1579	14	26	11	3	944
114513	1007498	208	3	7.34	69	539	2	<1	1.86	5	15	99	119	2.71	1.79	6	0.99	692	3	61	437	160	1.59	<5	13	<10	245	1931	8	67	<10	5	718
114514	1007499	108	1	9.65	14	497	2	<1	1.94	4	26	166	55	3.99	1.62	6	1.33	486	<1	91	550	32	0.70	<5	8	<10	274	2349	12	99	<10	8	112
114515	1007500	238	357	8.05	4409	97	<2	<1	2.60	138	16	57	478	7.68	1.76	<1	0.85	1409	<1	28	511	9495	7.35	74	28	11	203	1476	3	97	147	10	13037
114516	1007501	31	2	9.64	121	513	<2	<1	2.29	4	21	109	44	3.37	1.75	<1	1.37	550	<1	63	506	40	1.14	6	10	<10	258	1842	24	65	<10	12	150
114517	1007502	8	1	8.09	49	491	<2	<1	1.31	<4	10	47	15	1.13	1.78	<1	0.41	195	<1	38	367	18	0.37	5	14	<10	284	1528	4	41	<10	4	73
114518D	1007502	8	<1	7.22	47	495	<2	<1	1.32	<4	9	43	15	1.08	1.63	<1	0.38	195	<1	30	361	19	0.39	<5	18	<10	296	1568	10	41	<10	4	68
114519	1007503	596	<1	7.58	16	418	<2	<1	1.61	<4	6	29	20	0.88	1.66	<1	0.30	128	<1	25	358	18	0.42	<5	17	<10	331	850	7	28	<10	4	26
114520	1007504	127	<1	5.82	6	370	<2	<1	1.46	<4	8	43	33	0.53	1.68	<1	0.21	<100	<1	38	302	16	0.22	<5	11	<10	322	618	7	33	<10	3	226
114521	1007505	10	<1	6.62	3	555	<2	<1	1.75	<4	9	47	24	1.21	1.78	<1	0.45	386	<1	35	399	16	0.56	<5	16	<10	276	1126	3	39	<10	4	158
114522	1007506	11	1	7.20	<2	548	<2	<1	1.81	<4	9	50	22	1.22	1.71	<1	0.47	422	<1	39	410	15	0.53	<5	13	<10	290	1142	9	39	<10	4	161
114523	1007507	10	<1	7.94	4	503	<2	<1	1.15	<4	13	48	16	0.57	1.80	<1	0.35	137	<1	31	432	16	0.15	<5	18	<10	248	1157	7	57	<10	5	51
114524	1007508	13	<1	7.63	5	473	<2	<1	1.25	<4	15	65	16	0.94	1.79	<1	0.44	207	<1	41	540	12	0.32	<5	13	<10	254	1106	9	61	<10	5	28
114525	1007509	22	1	7.51	6	497	<2	<1	1.42	<4	17	81	23	1.51	1.70	<1	0.46	259	<1	53	364	15	0.61	<5	15	<10	244	1563	8	69	<10	5	36
114526	1007510	7	<1	7.08	5	528	<2	<1	1.98	<4	14	66	22	2.40	1.67	<1	0.81	527	<1	34	532	11	0.07	<5	11	<10	261	2058	7	81	41	10	44
114527	1007511	13	<1	6.89	2	561	<2	<1	0.89	<4	13	57	14	0.90	1.65	<1	0.27	114	<1	47	329	14	0.52	5	16	<10	175	1372	4	53	<10	3	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114528	1007512	27	1	6.77	6	523	<2	<1	2.10	<4	17	73	32	3.12	1.81	<1	0.75	592	<1	56	610	26	1.78	7	11	<10	249	2116	12	58	<10	7	121
114529D	1007512	28	1	7.18	6	482	<2	<1	1.99	<4	17	72	32	3.10	1.82	<1	0.79	580	<1	58	607	27	1.76	<5	10	<10	231	2043	9	55	<10	8	123
114530	1007513	24	<1	8.01	2	414	<2	<1	1.74	<4	12	52	23	2.42	1.81	5	0.81	539	<1	41	478	14	0.72	<5	9	<10	212	1978	7	46	<10	7	94
114531	1007514	29	<1	8.93	<2	623	<2	<1	2.61	<4	15	28	32	2.64	1.74	9	1.03	551	<1	24	714	14	1.03	5	10	<10	326	3303	8	61	<10	6	82
114532	1007515	27	<1	8.43	4	461	<2	<1	1.40	<4	5	22	3	0.40	1.81	3	0.44	118	<1	16	354	17	0.13	<5	20	<10	360	1421	12	28	<10	3	19
114533	1007516	8	<1	7.23	2	572	<2	<1	1.38	<4	5	23	4	0.54	1.91	6	0.56	156	<1	17	370	13	0.19	5	17	<10	304	1524	13	31	<10	3	21
114534	1007517	23	<1	8.18	<2	446	<2	<1	1.33	<4	5	22	3	0.55	1.85	3	0.54	167	<1	16	386	16	0.17	<5	20	<10	276	1362	8	28	<10	4	19
114535	1007518	15	<1	7.48	11	485	<2	<1	1.50	<4	6	23	6	0.58	1.83	<1	0.39	175	<1	19	404	15	0.26	<5	14	<10	319	1248	4	29	<10	3	21
114536	1007519	11	<1	7.06	5	398	2	<1	1.59	<4	7	30	7	0.72	1.83	<1	0.48	211	<1	28	280	17	0.19	<5	13	<10	399	1259	12	28	<10	3	27
114537	1007520	4875	10	9.13	17	344	<2	<1	3.25	6	29	71	107	4.69	1.84	2	1.91	924	<1	57	976	30	0.90	<5	13	<10	312	2656	15	121	<10	13	107
114538	1007521	14	<1	>10.00	2	832	<2	<1	2.06	<4	12	39	9	1.65	1.63	18	1.30	537	<1	38	708	18	0.27	<5	13	<10	337	2302	12	51	<10	6	65
114539	1007522	15	<1	7.44	9	436	<2	<1	1.74	<4	8	24	4	0.77	1.79	<1	0.63	260	<1	21	383	15	0.27	<5	15	<10	302	1480	14	33	<10	4	182
114540D	1007522	25	<1	7.84	5	433	<2	<1	1.70	<4	8	23	4	0.77	1.75	<1	0.66	260	<1	21	394	15	0.28	<5	17	<10	288	1479	6	33	<10	4	181
114541	1007523	35	<1	8.86	7	471	<2	<1	2.20	<4	16	46	22	2.66	1.79	3	1.06	652	<1	41	581	15	0.89	<5	14	<10	253	2466	6	54	<10	8	163
114542	1007524	45	<1	>10.00	3	452	<2	<1	2.87	<4	19	50	32	3.34	1.80	12	1.28	861	<1	39	640	20	0.54	<5	12	<10	323	3093	11	66	<10	9	150
114543	1007525	19	<1	7.93	<2	428	<2	<1	1.68	<4	10	26	17	1.98	1.75	3	0.87	455	<1	19	488	19	0.42	<5	14	<10	199	1844	11	39	<10	6	88
114544	1007526	20	1	7.81	5	434	<2	<1	1.73	<4	9	25	17	1.97	1.76	4	0.81	458	<1	21	483	19	0.41	<5	11	<10	203	1843	7	40	<10	5	101
114545	1007527	30	1	7.27	<2	468	<2	<1	1.45	<4	9	31	26	1.85	1.62	5	0.64	388	<1	21	456	32	0.66	<5	9	<10	211	1770	15	39	<10	4	111
114546	1007528	45	<1	9.33	5	467	<2	<1	2.08	<4	16	24	20	2.12	1.77	<1	0.88	475	<1	21	700	54	0.80	5	10	<10	247	1934	8	40	<10	7	97
114547	1007529	17	<1	>10.00	<2	454	<2	<1	2.45	<4	9	24	24	2.25	1.83	4	1.08	612	<1	20	614	41	0.65	<5	16	<10	269	1975	13	43	<10	8	93

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114548	1007530	8	<1	8.72	5	507	<2	<1	2.02	<4	13	63	22	2.35	1.78	<1	0.94	503	<1	33	537	9	0.08	<5	11	<10	253	1843	11	77	41	13	44
114549	1007531	18	<1	8.00	<2	435	<2	<1	2.19	<4	9	27	15	2.34	1.66	4	1.02	622	<1	22	553	28	0.66	6	14	<10	213	1943	11	44	<10	6	111
114550	1007532	23	<1	9.26	2	442	<2	<1	2.14	<4	11	20	9	2.16	1.68	8	1.18	573	<1	15	581	43	0.37	<5	13	<10	233	2157	16	43	<10	6	531
114551D	1007532	13	<1	9.05	4	409	<2	<1	1.99	<4	10	18	9	2.09	1.69	6	1.16	548	<1	14	558	38	0.35	<5	15	<10	215	2014	14	41	<10	6	501
114552	1007533	12	1	9.45	4	523	<2	<1	2.00	<4	9	20	30	2.08	1.57	9	1.29	706	<1	16	601	162	0.22	5	15	<10	213	2193	9	42	<10	7	397
114553	1007534	17	1	>10.00	10	503	<2	<1	2.86	12	9	20	2	2.30	1.73	10	1.62	936	<1	16	550	844	0.57	<5	21	<10	258	2025	23	41	27	7	2674
114554	1007535	194	4	>10.00	12	358	<2	<1	4.12	104	16	24	21	3.98	1.68	10	2.03	1370	<1	21	505	3251	4.07	7	18	<10	298	2061	27	41	299	8	28340
114555	1007536	22	<1	>10.00	12	509	<2	<1	2.55	<4	10	26	5	2.24	1.70	8	1.32	885	<1	24	603	115	0.74	6	19	<10	242	1931	8	39	<10	8	382
114556	1007537	16	<1	8.97	6	484	<2	<1	1.88	<4	9	29	13	2.09	1.74	6	1.20	827	<1	22	606	40	0.44	<5	15	<10	170	2036	15	40	<10	7	104
114557	1007538	18	<1	9.31	3	497	<2	<1	2.45	<4	9	26	19	2.01	1.75	4	1.05	859	<1	26	557	36	0.49	5	16	<10	213	2018	11	38	<10	6	313
114558	1007539	24	<1	>10.00	7	438	<2	<1	2.40	<4	8	22	7	1.97	1.86	2	0.98	743	<1	18	599	16	0.44	5	16	<10	196	2094	12	39	<10	7	72
114559	1007540	1124	2	7.77	17	616	<2	<1	2.13	4	15	62	568	3.42	1.88	<1	0.92	599	16	34	651	76	0.67	6	17	<10	260	1989	4	109	26	9	104
114560	1007541	79	2	>10.00	4	354	2	<1	1.88	4	25	146	67	4.00	1.86	12	1.55	549	<1	105	604	43	0.77	6	13	<10	162	2260	5	86	<10	11	103
114561	1007542	1052	9	7.58	49	317	<2	<1	1.80	7	10	76	292	2.65	1.68	<1	1.00	491	<1	66	371	267	2.83	5	5	<10	114	1468	7	43	12	6	1224
114562D	1007542	1045	10	8.85	50	237	<2	<1	1.78	8	10	72	309	2.78	1.63	<1	1.17	491	<1	66	391	277	2.98	5	18	<10	104	1262	12	36	14	8	1288
114563	1007543	58	1	9.70	32	408	<2	<1	2.42	<4	13	63	26	2.21	1.61	5	1.22	616	<1	44	435	54	1.57	5	8	<10	150	1921	6	45	<10	8	94
114564	1007544	48	1	9.53	22	511	<2	<1	2.26	<4	15	98	24	2.64	1.67	7	1.21	572	<1	69	497	29	1.65	<5	20	<10	163	2161	16	58	<10	9	70
114565	1007545	13	<1	7.62	23	684	<2	<1	0.91	<4	9	26	4	1.51	1.63	<1	0.48	119	<1	27	321	20	1.64	<5	11	<10	136	1450	4	27	<10	4	34
114566	1007546	18	<1	6.93	25	730	<2	<1	1.02	<4	9	26	8	1.75	1.65	<1	0.50	143	<1	26	315	25	1.99	<5	12	<10	150	1531	3	28	<10	3	56
114567	1007547	16	1	7.55	17	695	<2	<1	0.66	<4	9	27	14	1.36	1.67	<1	0.31	<100	<1	25	289	20	1.62	5	11	<10	129	1410	3	28	<10	3	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114568	1007548	19	<1	7.27	17	753	<2	<1	0.68	<4	7	24	5	1.31	1.78	<1	0.27	<100	<1	23	296	27	1.65	<5	14	<10	177	1386	6	28	<10	3	13
114569	1007549	12	1	7.76	19	660	<2	<1	0.87	<4	8	24	10	1.22	1.82	<1	0.34	<100	<1	25	271	77	1.44	<5	13	<10	166	1329	8	27	<10	4	140
114570	1007550	6	<1	9.43	7	526	<2	<1	2.12	<4	14	66	23	2.55	1.89	<1	1.04	534	<1	35	582	10	0.09	<5	16	<10	263	1926	8	82	42	15	46
114571	1007551	13	1	8.84	19	609	<2	<1	1.76	<4	12	52	19	2.30	1.78	2	0.76	324	<1	37	297	37	2.16	<5	14	<10	240	1810	8	45	<10	6	76
114572	1007552	<5	<1	8.10	7	561	<2	<1	1.66	<4	5	27	2	0.57	1.79	<1	0.56	185	<1	27	375	20	0.21	6	18	<10	225	1195	10	24	<10	4	43
114573R	1007552	<5	<1	7.71	7	616	<2	<1	1.93	<4	6	24	3	0.57	1.65	<1	0.48	193	<1	21	362	26	0.20	<5	20	<10	267	1306	8	27	<10	3	42
114574	1007553	<5	<1	8.55	11	475	<2	<1	1.42	<4	4	29	4	0.51	1.69	<1	0.39	121	<1	27	400	22	0.30	5	18	<10	199	1326	10	25	<10	5	60
114575	1007554	<5	<1	7.79	15	615	<2	<1	1.56	<4	8	32	10	0.66	1.69	1	0.36	128	<1	25	359	34	0.42	<5	22	<10	269	1584	9	31	<10	3	117
114576	1007555	7	1	7.48	20	885	<2	<1	2.02	<4	10	37	13	0.97	1.67	4	0.51	248	<1	27	389	28	0.79	<5	14	<10	305	1737	15	40	<10	4	89
114577	1007556	7	<1	8.86	20	761	<2	<1	1.48	<4	6	24	8	0.61	1.69	<1	0.39	124	<1	18	370	28	0.48	<5	17	<10	241	1500	11	28	<10	4	68
114578	1007557	8	1	7.76	20	720	<2	<1	1.58	<4	6	34	12	0.61	1.76	1	0.39	135	<1	37	358	23	0.34	<5	19	<10	228	1335	11	25	<10	4	29
114579	1007558	6	<1	7.21	6	613	<2	<1	1.37	<4	6	23	9	0.52	1.84	<1	0.34	132	<1	20	355	27	0.21	<5	12	<10	213	1281	14	26	<10	3	28
114580	1007559	<5	1	7.84	11	739	<2	<1	1.94	6	7	27	19	0.56	1.64	9	0.36	152	<1	22	388	29	0.31	<5	20	<10	309	1584	7	35	17	3	1297
114581	1007560	240	356	8.25	4514	75	<2	<1	2.66	139	17	60	485	7.72	1.63	<1	0.83	1444	2	29	522	9795	7.54	97	28	15	215	1656	9	101	147	10	13471
114582	1007561	7	2	8.59	21	657	<2	<1	2.06	<4	6	22	10	0.57	1.73	<1	0.35	147	<1	16	424	59	0.27	5	14	<10	312	1389	14	32	<10	3	90
114583	1007562	6	<1	7.93	4	580	<2	<1	1.97	<4	4	22	26	0.46	1.64	<1	0.23	104	<1	17	380	34	0.20	<5	14	<10	325	1518	7	29	<10	3	121
114584D	1007562	7	<1	7.33	3	540	<2	<1	1.81	<4	5	22	24	0.44	1.65	<1	0.23	100	<1	15	368	26	0.20	<5	18	<10	296	1454	12	28	<10	3	110
114585	1007563	<5	<1	7.57	4	506	4	<1	1.76	<4	4	26	6	0.47	1.62	2	0.32	135	<1	19	369	36	0.12	<5	14	<10	257	1380	7	31	<10	3	40
114586	1007564	<5	<1	8.01	2	477	3	<1	1.86	<4	4	25	6	0.55	1.68	3	0.45	182	<1	16	348	28	0.10	5	16	<10	302	1468	10	29	<10	3	37
114587	1007565	15	2	6.19	4	571	2	<1	2.47	<4	8	27	24	1.74	1.75	6	0.62	410	<1	20	470	32	0.79	5	10	<10	297	1799	5	38	<10	4	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114588	1007566	10	1	7.65	3	489	<2	<1	2.30	<4	9	21	27	1.69	1.66	2	0.75	404	<1	17	442	29	0.76	<5	16	<10	271	1579	9	34	<10	5	69
114589	1007567	15	1	7.72	13	642	<2	<1	2.58	<4	8	28	12	1.86	1.68	5	0.72	462	<1	22	493	53	1.08	<5	14	<10	285	1822	10	36	<10	5	152
114590	1007623	9	2	8.48	13	383	<2	<1	2.32	<4	7	23	7	1.35	1.70	7	0.74	396	<1	15	435	18	1.59	<5	20	<10	218	1841	8	34	<10	4	45
114591	1007624	6	2	8.95	16	375	<2	<1	2.78	<4	5	22	3	1.41	1.71	3	0.76	474	<1	13	371	16	1.71	<5	14	<10	237	1276	6	25	<10	4	22
114592	1007625	7	1	9.35	20	239	<2	<1	2.06	<4	7	25	9	1.92	1.67	2	1.02	283	<1	18	395	12	2.22	<5	12	<10	187	1173	15	21	<10	7	24
114593	1007626	7	1	9.36	20	251	<2	<1	2.04	<4	7	27	8	1.88	2.34	1	0.96	266	<1	15	384	12	2.20	5	17	<10	185	1195	13	21	<10	7	25
114594	1007627	11	2	9.09	33	300	<2	<1	1.96	<4	14	55	22	2.21	1.59	7	1.13	266	<1	31	524	16	2.44	<5	18	<10	214	1656	14	41	<10	8	46
114595D	1007627	7	2	9.58	40	285	<2	<1	2.00	<4	15	53	21	2.28	1.58	6	1.18	267	<1	31	533	14	2.49	<5	17	<10	218	1686	12	41	<10	9	48
114596	1007628	5	1	7.56	26	520	<2	<1	1.72	<4	9	25	8	0.92	1.73	12	1.02	241	<1	16	543	13	0.74	<5	14	<10	244	1885	13	38	<10	4	19
114597	1007629	8	1	7.01	31	607	<2	<1	1.94	<4	10	20	7	1.15	1.62	9	0.91	254	<1	15	561	14	1.08	<5	13	<10	259	1856	15	39	<10	4	17
114598	1007630	7	<1	5.85	5	510	<2	<1	1.85	<4	13	61	21	2.26	1.79	<1	0.69	502	<1	33	496	10	0.09	<5	10	<10	244	1978	6	78	41	8	44
114599	1007631	<5	1	5.74	24	629	<2	<1	1.83	<4	7	23	9	0.81	1.83	14	0.75	278	<1	14	531	17	0.59	<5	15	<10	244	1862	13	39	<10	3	13
114600	1007632	<5	1	7.36	20	600	<2	<1	2.09	<4	7	20	6	0.83	1.68	11	0.83	212	<1	12	570	13	0.52	<5	20	<10	284	1518	17	39	<10	4	14
114601	1007633	6	1	7.36	25	530	<2	<1	2.34	<4	6	25	7	1.31	1.72	9	0.74	223	<1	18	590	17	1.02	5	14	<10	309	1471	10	37	<10	4	26
114602	1007634	<5	1	6.62	11	455	<2	<1	2.49	<4	6	22	5	1.27	1.72	13	0.94	360	<1	13	616	16	0.69	<5	15	<10	321	1500	8	37	<10	4	28
114603	1007635	7	1	7.49	25	609	<2	<1	2.16	<4	6	23	6	1.48	1.69	15	0.80	422	<1	13	574	17	1.15	<5	13	<10	321	1850	8	40	<10	4	49
114604	1007636	7	<1	8.19	21	415	<2	<1	1.33	<4	6	21	9	1.64	1.62	3	0.85	473	<1	16	611	11	1.23	<5	17	<10	162	1244	9	34	<10	6	74
114605	1007637	6	<1	8.72	21	397	<2	<1	1.40	<4	6	24	7	2.14	1.63	4	0.82	458	<1	19	596	13	2.08	<5	14	<10	166	1282	10	35	<10	6	55
114606D	1007637	<5	<1	8.30	17	401	<2	<1	1.44	<4	6	27	7	2.06	1.59	4	0.77	456	<1	22	587	11	1.98	<5	18	<10	177	1306	9	35	<10	5	55
114607	1007638	<5	<1	8.66	21	384	<2	<1	1.31	<4	9	20	2	2.25	1.81	5	0.83	422	<1	16	610	12	2.47	<5	15	<10	162	1406	7	35	<10	6	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114608	1007639	25	2	>10.00	14	354	<2	<1	2.43	<4	18	77	36	3.51	1.87	14	1.72	754	<1	46	634	24	2.22	<5	14	<10	279	1826	8	63	<10	11	102
114609	1007640	4820	10	>10.00	14	349	<2	<1	3.34	6	28	65	112	4.88	1.85	2	2.19	944	<1	58	1017	29	0.97	<5	11	<10	318	2110	28	119	<10	17	113
114610	1007641	18	1	>10.00	19	419	<2	<1	2.76	<4	8	30	7	1.68	1.82	3	1.30	445	<1	20	561	23	0.69	<5	17	<10	144	1634	10	30	<10	7	46
114611	1007642	42	1	9.48	29	413	<2	<1	1.84	<4	8	22	6	1.36	1.87	<1	0.84	288	<1	16	546	25	1.08	5	11	<10	117	1280	10	25	<10	7	52
114612	1007643	79	1	8.33	41	424	<2	<1	0.95	<4	8	27	10	1.64	1.80	<1	0.42	145	<1	21	532	35	1.78	<5	15	<10	110	1351	14	30	<10	6	84
114613	1007644	658	12	7.63	92	439	<2	<1	0.62	<4	9	29	35	2.08	1.69	<1	0.27	<100	<1	24	479	232	2.57	9	11	<10	89	1454	10	34	<10	4	409
114614	1007645	145	2	9.29	60	335	<2	<1	1.52	<4	8	36	18	1.78	1.77	<1	0.75	295	<1	27	586	63	1.64	5	15	<10	109	1174	9	34	<10	8	590
114615	1007646	224	2	8.54	54	260	<2	<1	1.64	4	7	36	24	1.82	1.83	<1	0.70	319	<1	29	473	63	1.66	<5	17	<10	104	907	7	28	10	8	854
114616	1007647	364	3	>10.00	57	297	<2	<1	1.55	<4	17	117	53	2.84	1.59	<1	0.94	382	<1	78	538	62	2.58	5	21	<10	105	1443	5	67	<10	13	247
114617D	1007647	331	2	9.50	54	462	2	<1	1.41	<4	17	149	50	2.67	1.75	<1	0.83	385	<1	74	491	70	2.38	6	16	<10	103	1953	7	93	<10	10	237
114618	1007648	168	1	9.30	54	404	<2	<1	1.69	<4	7	33	15	1.52	1.62	<1	0.89	280	<1	27	567	40	1.13	<5	14	<10	94	1367	10	30	<10	8	158
114619	1007649	42	<1	>10.00	87	490	<2	<1	2.73	<4	8	23	9	2.03	1.73	<1	1.32	482	<1	26	663	42	1.42	<5	16	<10	129	1606	11	28	<10	8	46
114620	1007650	8	<1	6.65	5	424	<2	<1	1.80	<4	13	64	22	2.42	1.64	<1	0.95	505	<1	34	548	9	0.08	<5	9	<10	184	1654	8	75	30	14	45
114621	1007651	563	<1	8.85	50	564	<2	<1	1.28	<4	7	20	9	1.61	1.71	<1	0.63	243	<1	16	547	24	1.60	<5	15	<10	97	1688	11	31	<10	5	50
114622	1007652	109	<1	9.55	41	403	<2	<1	1.96	<4	7	22	10	1.68	1.86	<1	1.01	412	<1	20	618	31	1.45	<5	16	<10	110	1270	8	25	<10	7	43
114623	1007653	260	1	8.19	47	341	<2	<1	1.32	<4	6	23	16	1.46	1.80	<1	0.73	288	<1	21	595	31	1.47	<5	12	<10	91	959	9	21	<10	7	92
114624	1007654	195	2	8.25	71	389	<2	<1	0.93	<4	9	33	36	1.78	1.73	<1	0.49	150	<1	27	480	106	1.94	18	8	<10	88	974	5	30	<10	6	166
114625	1007655	151	1	7.16	100	637	<2	<1	0.48	<4	7	40	44	1.39	1.76	<1	0.26	<100	<1	32	539	51	1.70	7	10	<10	63	874	4	31	<10	5	700
114626	1007656	250	2	7.20	72	764	<2	<1	0.51	<4	9	61	78	1.81	1.67	<1	0.27	<100	<1	57	716	49	2.24	7	17	<10	58	666	3	36	<10	7	307
114627	1007657	149	1	7.35	115	731	2	<1	0.51	<4	15	116	46	2.16	1.64	<1	0.31	<100	<1	72	442	37	2.79	7	10	<10	71	809	7	68	<10	5	142

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
114628D	1007657	123	1	8.28	118	481	2	<1	0.51	<4	16	111	47	2.32	1.55	<1	0.34	<100	<1	78	486	37	2.90	<5	11	<10	66	729	10	63	<10	6	147
114629	1007658	316	2	8.00	75	460	<2	<1	0.45	5	6	45	28	1.66	1.64	<1	0.31	<100	<1	36	379	160	2.04	8	18	<10	63	695	4	33	12	5	1074
114630	1007659	180	2	7.74	37	623	<2	<1	0.41	<4	6	31	41	1.14	1.57	<1	0.29	<100	<1	20	432	290	1.31	6	10	<10	64	1008	7	32	11	4	849
114631	1007660	1198	1	8.71	21	523	<2	<1	2.07	4	15	63	589	3.69	1.52	<1	1.18	607	8	37	710	84	0.74	<5	12	<10	210	1732	10	107	23	15	113
114632	1007661	219	2	6.60	28	478	<2	<1	0.61	<4	6	38	51	1.21	1.60	<1	0.37	110	<1	36	492	278	1.05	5	13	<10	54	830	5	23	<10	5	298
114633	1007662	39	1	8.13	17	375	2	<1	1.71	<4	6	28	105	1.72	1.77	<1	0.81	428	<1	23	532	54	1.15	<5	12	<10	96	913	9	21	10	6	546
114634	1007663	105	2	8.21	22	417	<2	<1	1.63	<4	6	27	37	1.28	1.87	<1	0.85	484	<1	27	550	98	1.03	<5	16	<10	88	1221	12	24	<10	6	324
114635	1007664	32	1	8.72	13	330	<2	<1	2.43	10	19	85	140	3.24	1.78	<1	2.27	944	<1	54	488	20	1.65	<5	13	<10	100	1846	15	51	22	12	1722

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114508	1007493	143	0.004	0.143
114509	1007494	83	0.002	0.083
114510	1007495	32	<0.001	0.032
114511	1007496	90	0.003	0.090
114512	1007497	78	0.002	0.078
114513	1007498	208	0.006	0.208
114514	1007499	108	0.003	0.108
114515	1007500	238	0.007	0.238
114516	1007501	31	<0.001	0.031
114517	1007502	8	<0.001	0.008
114518 Dup	1007502	8	<0.001	0.008
114519	1007503	596	0.017	0.596
114520	1007504	127	0.004	0.127
114521	1007505	10	<0.001	0.010
114522	1007506	11	<0.001	0.011
114523	1007507	10	<0.001	0.010
114524	1007508	13	<0.001	0.013
114525	1007509	22	<0.001	0.022
114526	1007510	7	<0.001	0.007
114527	1007511	13	<0.001	0.013
114528	1007512	27	<0.001	0.027
114529 Dup	1007512	28	<0.001	0.028
114530	1007513	24	<0.001	0.024
114531	1007514	29	<0.001	0.029
114532	1007515	27	<0.001	0.027
114533	1007516	8	<0.001	0.008
114534	1007517	23	<0.001	0.023
114535	1007518	15	<0.001	0.015
114536	1007519	11	<0.001	0.011
114537	1007520	4875	0.142	4.875

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, May 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114538	1007521	14	<0.001	0.014
114539	1007522	15	<0.001	0.015
114540 Dup	1007522	25	<0.001	0.025
114541	1007523	35	0.001	0.035
114542	1007524	45	0.001	0.045
114543	1007525	19	<0.001	0.019
114544	1007526	20	<0.001	0.020
114545	1007527	30	<0.001	0.030
114546	1007528	45	0.001	0.045
114547	1007529	17	<0.001	0.017
114548	1007530	8	<0.001	0.008
114549	1007531	18	<0.001	0.018
114550	1007532	23	<0.001	0.023
114551 Dup	1007532	13	<0.001	0.013
114552	1007533	12	<0.001	0.012
114553	1007534	17	<0.001	0.017
114554	1007535	194	0.006	0.194
114555	1007536	22	<0.001	0.022
114556	1007537	16	<0.001	0.016
114557	1007538	18	<0.001	0.018
114558	1007539	24	<0.001	0.024
114559	1007540	1124	0.033	1.124
114560	1007541	79	0.002	0.079
114561	1007542	1052	0.031	1.052
114562 Dup	1007542	1045	0.030	1.045
114563	1007543	58	0.002	0.058
114564	1007544	48	0.001	0.048
114565	1007545	13	<0.001	0.013
114566	1007546	18	<0.001	0.018
114567	1007547	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114568	1007548	19	<0.001	0.019
114569	1007549	12	<0.001	0.012
114570	1007550	6	<0.001	0.006
114571	1007551	13	<0.001	0.013
114572	1007552	<5	<0.001	<0.005
114573 Rep	1007552	<5	<0.001	<0.005
114574	1007553	<5	<0.001	<0.005
114575	1007554	<5	<0.001	<0.005
114576	1007555	7	<0.001	0.007
114577	1007556	7	<0.001	0.007
114578	1007557	8	<0.001	0.008
114579	1007558	6	<0.001	0.006
114580	1007559	<5	<0.001	<0.005
114581	1007560	240	0.007	0.240
114582	1007561	7	<0.001	0.007
114583	1007562	6	<0.001	0.006
114584 Dup	1007562	7	<0.001	0.007
114585	1007563	<5	<0.001	<0.005
114586	1007564	<5	<0.001	<0.005
114587	1007565	15	<0.001	0.015
114588	1007566	10	<0.001	0.010
114589	1007567	15	<0.001	0.015
114590	1007623	9	<0.001	0.009
114591	1007624	6	<0.001	0.006
114592	1007625	7	<0.001	0.007
114593	1007626	7	<0.001	0.007
114594	1007627	11	<0.001	0.011
114595 Dup	1007627	7	<0.001	0.007
114596	1007628	5	<0.001	0.005
114597	1007629	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114598	1007630	7	<0.001	0.007
114599	1007631	<5	<0.001	<0.005
114600	1007632	<5	<0.001	<0.005
114601	1007633	6	<0.001	0.006
114602	1007634	<5	<0.001	<0.005
114603	1007635	7	<0.001	0.007
114604	1007636	7	<0.001	0.007
114605	1007637	6	<0.001	0.006
114606 Dup	1007637	<5	<0.001	<0.005
114607	1007638	<5	<0.001	<0.005
114608	1007639	25	<0.001	0.025
114609	1007640	4820	0.141	4.820
114610	1007641	18	<0.001	0.018
114611	1007642	42	0.001	0.042
114612	1007643	79	0.002	0.079
114613	1007644	658	0.019	0.658
114614	1007645	145	0.004	0.145
114615	1007646	224	0.007	0.224
114616	1007647	364	0.011	0.364
114617 Dup	1007647	331	0.010	0.331
114618	1007648	168	0.005	0.168
114619	1007649	42	0.001	0.042
114620	1007650	8	<0.001	0.008
114621	1007651	563	0.016	0.563
114622	1007652	109	0.003	0.109
114623	1007653	260	0.008	0.260
114624	1007654	195	0.006	0.195
114625	1007655	151	0.004	0.151
114626	1007656	250	0.007	0.250
114627	1007657	149	0.004	0.149

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 9, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 04/29/2011  
 Date Completed: 05/09/2011  
 Job #: 201141670  
 Reference: TMI-TML  
 Sample #: 117

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
114628 Dup	1007657	123	0.004	0.123
114629	1007658	316	0.009	0.316
114630	1007659	180	0.005	0.180
114631	1007660	1198	0.035	1.198
114632	1007661	219	0.006	0.219
114633	1007662	39	0.001	0.039
114634	1007663	105	0.003	0.105
114635	1007664	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/09/2011  
Date Completed: 05/16/2011  
Job #: 201141747  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
120379	1007607	0.060	2.046

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141748  
 Reference: TMI-TML  
 Sample #: 5

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
120380	1007595	16051	16748	64823	18017	3.34%	29.11
120381	1007596	10594	10631	72684	13417	4.52%	38.11
120382	1007597	8047	7996	77181	11160	4.54%	45.51
120383	1007602	34556	34666	1564774	98159	4.15%	42.61
120384	1007604	6072	6102	30662	7141	4.29%	42.87

PROCEDURE CODES: ALPM1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120238	1006178	6	2	8.01	6	638	<2	15	2.08	<4	8	36	8	1.62	1.86	9	0.59	363	<1	<1	392	<1	0.27	<5	<5	<10	281	1571	<2	<2	<10	<2	11
120239	1006179	<5	2	8.00	6	533	<2	13	1.38	<4	9	38	10	0.91	1.85	12	0.43	174	<1	<1	325	<1	0.19	<5	<5	<10	255	1690	<2	<2	<10	<2	<1
120240	1006180	<5	2	8.63	10	522	<2	13	2.04	<4	14	58	22	2.35	2.13	3	0.87	487	<1	<1	448	<1	0.08	<5	<5	<10	189	1709	<2	29	<10	<2	<1
120241	1006181	<5	2	8.49	2	588	<2	15	1.78	<4	11	52	13	1.34	2.12	15	0.59	255	<1	<1	379	<1	0.39	<5	<5	<10	364	1628	<2	<2	<10	<2	<1
120242	1006182	10	2	8.05	9	526	<2	14	1.49	<4	7	39	3	0.89	2.08	10	0.43	213	<1	2	330	<1	0.35	<5	<5	<10	278	1280	<2	<2	<10	<2	<1
120243	1006183	<5	1	7.67	8	517	<2	12	1.79	<4	8	26	5	0.77	2.16	8	0.40	211	<1	<1	303	<1	0.39	<5	<5	<10	270	1188	<2	<2	<10	<2	<1
120244	1006184	5	3	7.97	8	544	<2	12	1.34	<4	13	22	7	0.72	2.17	15	0.37	160	<1	<1	122	<1	0.31	<5	<5	<10	<3	<100	<2	<2	<10	<2	274
120245	1006185	<5	2	7.53	<2	520	<2	16	1.46	<4	7	24	5	0.69	2.22	16	0.38	194	<1	<1	<100	<1	0.08	<5	<5	<10	<3	<100	<2	<2	<10	<2	75
120246	1006186	<5	2	8.55	<2	548	<2	13	1.61	<4	7	25	5	0.72	2.28	17	0.44	198	<1	<1	<100	<1	0.11	<5	<5	<10	<3	<100	<2	<2	<10	<2	107
120247	1006187	<5	2	7.87	<2	461	<2	14	1.89	<4	7	29	7	0.87	2.31	13	0.51	250	<1	<1	316	<1	0.12	<5	<5	<10	243	1244	<2	<2	<10	<2	<1
120248D	1006187	<5	2	8.54	4	451	<2	12	1.94	<4	6	30	6	0.89	2.24	13	0.57	251	<1	<1	310	<1	0.12	<5	<5	<10	243	1196	<2	<2	<10	<2	<1
120249	1006188	<5	2	6.44	<2	441	<2	15	1.50	<4	6	24	11	0.81	2.28	10	0.37	208	<1	<1	335	<1	0.28	<5	<5	<10	180	1231	<2	<2	<10	<2	<1
120250	1006189	8	2	7.72	4	618	<2	12	2.20	<4	9	42	13	1.58	2.15	16	0.56	333	<1	<1	418	<1	0.53	<5	<5	<10	259	1673	<2	<2	<10	<2	7
120251	1006190	238	352	6.93	4570	162	<2	17	2.57	145	15	57	481	7.50	2.24	7	0.66	1406	2	<1	438	8146	9.17	37	<5	<10	166	1494	<2	51	95	<2	12746
120252	1006191	19	6	8.10	71	650	<2	13	2.41	4	10	35	25	2.01	2.24	19	0.80	800	<1	<1	477	15	0.76	<5	<5	<10	112	1881	<2	<2	<10	<2	95
120253	1006192	49	1	8.10	15	673	2	12	2.36	<4	20	104	40	3.05	2.18	20	0.86	623	<1	10	474	<1	1.30	<5	<5	<10	116	2495	<2	28	<10	<2	95
120254	1006193	159	2	9.23	11	502	2	15	1.87	<4	26	165	66	3.77	2.41	22	1.27	580	<1	90	592	52	1.29	<5	<5	<10	183	2975	7	104	<10	9	130
120255	1006194	226	3	>10.00	75	540	<2	13	2.01	<4	22	166	20	3.48	2.33	28	1.41	777	9	95	576	27	2.96	<5	<5	<10	134	2608	3	91	<10	10	41
120256	1006195	102	2	>10.00	37	718	2	18	1.71	<4	11	54	19	1.88	2.43	15	0.84	353	<1	46	415	42	1.90	<5	9	<10	178	1833	7	45	<10	5	123
120257	1006196	25	2	8.86	22	791	<2	16	0.98	<4	9	32	4	1.51	2.34	11	0.47	135	<1	31	317	23	1.83	<5	12	<10	182	1696	5	37	<10	3	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120258	1006197	11	3	8.16	17	696	<2	14	0.90	<4	7	32	7	1.46	2.31	11	0.34	<100	<1	30	342	18	1.90	<5	15	<10	188	1516	12	33	<10	3	3
120259D	1006197	13	2	7.88	13	665	<2	13	0.89	<4	6	27	6	1.41	2.28	10	0.33	<100	<1	22	332	10	1.86	<5	7	<10	183	1451	10	32	<10	3	<1
120260	1006198	5	3	7.54	33	711	<2	14	0.64	<4	8	29	6	2.08	2.21	3	0.27	<100	<1	22	343	13	2.98	<5	<5	<10	183	1378	7	31	<10	3	<1
120261	1006199	9	3	7.51	17	609	<2	16	1.07	<4	7	26	6	2.00	2.19	9	0.39	144	<1	19	167	16	2.79	<5	5	<10	222	1375	6	34	<10	3	110
120262	1006200	<5	2	8.04	7	554	<2	14	2.04	<4	15	61	23	2.37	2.19	6	0.78	501	<1	30	561	7	0.11	<5	<5	<10	298	2156	8	86	50	9	27
120263	1006201	30	4	8.57	23	746	2	14	1.89	<4	16	93	39	2.28	2.15	19	0.69	443	<1	69	321	28	1.92	<5	12	<10	251	2073	8	62	12	5	329
120264	1006202	7	2	6.77	9	555	<2	14	1.45	<4	7	27	8	0.62	2.26	11	0.34	154	<1	18	320	34	0.40	<5	13	<10	247	1501	9	31	<10	3	84
120265	1006203	<5	3	8.31	11	609	<2	13	1.73	<4	7	27	5	0.55	2.34	11	0.36	106	<1	18	330	14	0.41	<5	16	<10	296	1437	5	32	<10	3	93
120266	1006204	8	2	8.30	21	828	<2	13	1.74	<4	13	28	21	0.90	2.26	17	0.38	175	<1	26	622	28	0.72	<5	<5	<10	322	2258	5	52	<10	4	32
120267	1006205	<5	3	9.37	15	731	<2	11	2.12	<4	12	29	19	0.89	2.27	15	0.47	197	<1	26	582	36	0.56	<5	12	<10	348	2114	10	49	<10	5	62
120268	1006206	13	2	9.61	16	701	<2	16	2.07	<4	12	29	22	0.85	2.24	12	0.48	194	<1	26	569	32	0.50	<5	16	<10	343	2049	12	47	<10	5	56
120269	1006207	6	2	8.53	9	566	<2	14	2.20	<4	8	36	10	0.78	2.22	12	0.41	147	<1	30	443	18	0.38	<5	14	<10	324	1541	6	34	<10	4	3
120270D	1006207	8	3	8.69	10	530	<2	14	2.17	<4	7	28	9	0.73	2.12	8	0.42	139	<1	21	419	13	0.38	<5	18	<10	315	1436	6	31	<10	4	2
120271	1006208	8	2	9.87	5	567	<2	12	2.97	<4	9	30	6	1.81	2.11	15	1.04	427	<1	26	564	16	0.31	<5	16	<10	395	2101	12	41	<10	5	31
120272	1006209	8	2	9.15	7	553	<2	16	2.91	<4	9	23	8	1.75	2.15	11	0.92	455	<1	16	517	16	0.48	<5	17	<10	294	1956	8	39	<10	6	46
120273	1006210	5264	12	9.35	9	383	<2	9	3.54	6	32	79	104	4.73	2.08	12	1.76	914	1	52	989	26	0.88	<5	6	<10	350	3322	9	138	<10	12	86
120274	1006211	37	2	8.38	15	496	<2	15	0.92	<4	10	27	8	1.35	2.13	6	0.33	128	<1	19	550	19	0.99	<5	16	<10	186	2099	6	44	<10	4	57
120275	1006212	12	2	8.59	13	618	2	13	1.31	<4	12	24	26	1.45	2.26	10	0.40	240	<1	20	547	200	1.06	<5	20	<10	178	2247	11	45	16	4	412
120276	1006213	29	3	>10.00	22	570	2	18	3.10	<4	7	27	20	1.42	2.37	16	1.09	678	<1	24	775	126	0.76	<5	14	<10	176	1910	15	35	<10	7	29
120277	1006214	11	2	>10.00	15	545	2	16	3.09	<4	8	24	11	1.16	2.23	16	0.95	511	3	20	727	24	0.42	<5	16	<10	159	1947	8	38	<10	5	7

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120278	1006215	16	3	9.02	15	476	<2	14	2.08	<4	10	19	16	1.11	2.20	12	0.72	472	<1	17	691	40	0.42	<5	22	<10	139	2054	10	37	<10	5	39
120279	1006216	11	3	8.22	16	571	<2	18	2.24	<4	6	30	15	1.09	2.21	12	0.65	559	6	30	531	46	0.53	<5	15	<10	161	1484	6	29	<10	4	63
120280	1006217	17	2	>10.00	20	453	<2	19	3.16	<4	7	23	19	1.32	2.19	11	1.07	659	<1	19	699	39	0.60	<5	20	<10	163	1584	11	31	<10	7	15
120281D	1006217	16	2	>10.00	19	469	2	16	3.25	<4	9	22	19	1.38	2.11	9	1.11	696	<1	16	710	44	0.64	<5	20	<10	164	1677	11	32	<10	7	17
120282	1006218	38	4	9.88	19	458	2	19	2.55	<4	5	22	18	1.47	2.12	10	0.93	736	<1	14	722	57	1.03	<5	13	<10	150	1759	8	32	10	6	64
120283	1006219	388	32	9.35	25	477	<2	14	1.52	<4	6	30	28	1.31	2.01	7	0.64	391	<1	32	668	95	1.05	<5	14	<10	116	1895	11	34	11	5	242
120284	1006220	<5	2	9.11	6	540	<2	15	2.15	<4	15	62	24	2.52	2.09	1	0.95	520	<1	31	580	9	0.08	<5	13	<10	290	2036	11	87	51	14	25
120285	1006221	67	9	10.00	26	559	<2	17	2.46	<4	6	21	17	1.47	2.22	3	0.98	710	<1	20	725	60	0.88	<5	6	<10	148	1891	18	37	<10	7	77
120286	1006222	90	5	9.04	22	627	<2	14	1.87	<4	5	22	31	1.45	2.22	8	0.67	509	<1	18	582	136	1.00	<5	17	<10	140	1869	8	35	10	5	338
120287	1006223	32	3	9.71	34	542	<2	15	2.37	<4	8	24	28	1.44	2.26	7	1.00	746	<1	20	588	49	0.96	<5	20	<10	160	1878	12	36	<10	6	134
120288	1006224	17	3	9.54	23	589	<2	15	2.00	<4	7	18	8	1.44	2.24	4	0.87	614	<1	14	540	50	1.15	<5	9	<10	157	1746	12	32	<10	5	65
120289	1006225	26	3	9.56	22	514	<2	16	2.22	<4	6	19	13	1.66	2.19	4	0.87	536	<1	12	592	18	0.78	<5	10	<10	155	1760	6	34	<10	6	22
120290	1006226	109	2	9.29	11	491	<2	14	2.07	<4	5	15	12	1.58	2.19	3	0.86	506	<1	13	582	16	0.73	<5	<5	<10	145	1684	11	31	<10	6	22
120291	1006227	19	3	9.37	<2	530	<2	16	2.02	<4	5	20	20	1.39	2.06	5	0.80	405	<1	16	546	44	0.51	<5	12	<10	156	1553	4	32	<10	5	83
120292D	1006227	24	2	9.41	3	559	<2	15	2.05	<4	5	20	20	1.37	2.07	6	0.80	407	<1	16	547	45	0.50	<5	16	<10	159	1674	8	33	<10	5	79
120293	1006228	14	3	9.82	3	632	<2	14	2.38	<4	8	40	16	1.61	2.06	9	1.10	590	<1	28	638	56	0.76	<5	17	<10	168	1769	10	37	<10	5	36
120294	1006229	15	2	>10.00	18	575	<2	17	2.41	<4	8	38	22	1.88	2.29	11	1.32	783	<1	25	698	59	1.13	<5	15	<10	173	1997	5	41	<10	6	55
120295	1006230	1181	2	>10.00	24	653	<2	17	2.37	4	18	63	607	3.96	2.38	4	1.19	637	15	34	751	88	0.74	<5	<5	<10	293	2107	9	126	35	15	93
120296	1006231	75	3	8.44	43	529	<2	13	0.82	<4	5	22	6	1.73	2.30	5	0.45	190	<1	17	424	275	1.96	<5	18	<10	100	1737	7	32	16	4	649
120297	1006232	662	13	8.86	70	449	<2	17	0.95	12	7	30	29	2.52	2.12	6	0.50	273	<1	25	383	1451	3.29	6	<5	<10	117	1591	5	30	57	4	4190

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120298	1006233	62	4	8.52	11	493	2	13	1.54	4	6	37	96	1.89	2.30	3	0.64	507	<1	35	396	160	1.35	<5	14	<10	131	1468	4	32	19	5	829
120299	1006234	113	4	9.09	24	481	<2	14	1.31	<4	8	28	24	1.57	2.09	6	0.72	437	<1	22	448	189	1.31	<5	11	<10	126	1708	5	33	15	5	476
120300	1006235	61	3	5.42	6	101	<2	13	0.68	<4	1	53	14	0.50	2.18	<1	0.25	<100	<1	61	<100	146	0.24	<5	9	<10	61	278	8	8	<10	4	35
120301	1006236	427	8	8.04	49	485	<2	12	0.67	6	5	46	123	1.87	2.01	<1	0.36	<100	<1	51	391	749	1.78	6	9	<10	92	1283	3	31	26	4	1553
120302	1006237	2144	5	3.96	23	287	<2	4	0.33	<4	2	15	69	0.74	1.00	4	0.18	<100	<1	17	182	357	0.95	<5	6	<10	41	712	4	14	16	2	954
120303R	1006237	2220	5	7.83	48	556	<2	15	0.63	4	6	24	74	1.55	1.91	5	0.36	<100	<1	28	354	544	1.96	<5	12	<10	79	1386	6	28	18	4	1122
120304	1006238	2212	15	8.27	112	355	2	12	0.81	28	5	41	631	2.90	2.09	<1	0.37	<100	<1	45	201	1735	4.11	16	6	<10	115	1086	5	25	105	4	7567
120305	1006239	6112	8	9.27	35	439	<2	16	1.03	<4	5	33	29	1.30	2.13	4	0.64	256	<1	32	361	658	1.40	<5	7	<10	126	1442	5	27	15	4	670
120306	1006240	<5	1	8.30	9	486	<2	14	1.93	<4	13	55	21	2.26	2.19	<1	0.87	468	<1	28	516	3	0.07	<5	19	<10	257	1813	3	79	47	13	23
120307	1006241	554	8	8.92	35	382	<2	14	1.33	<4	7	36	36	1.37	2.22	6	0.88	477	<1	30	474	409	1.43	<5	18	<10	131	1537	6	32	<10	5	322
120308	1006242	2248	29	8.53	43	424	<2	14	0.71	<4	6	31	102	1.19	2.09	3	0.47	175	<1	36	354	1393	1.28	22	14	<10	82	1467	6	26	<10	3	352
120309	1006243	74	4	8.31	21	333	<2	14	1.56	<4	9	28	13	0.61	1.99	7	0.80	424	<1	26	378	140	0.37	<5	11	<10	132	1369	11	27	<10	4	183
120310	1006244	68	<1	8.77	13	306	<2	13	1.46	<4	7	19	5	0.49	2.03	5	0.80	351	<1	17	356	25	0.25	<5	17	<10	122	1243	15	25	<10	4	14
120311	1006245	1104	3	>10.00	28	401	<2	17	2.95	<4	8	23	19	1.13	2.11	18	1.55	878	<1	21	453	71	0.83	<5	26	<10	193	1623	12	33	<10	5	197
120312	1006246	1569	2	>10.00	29	363	<2	15	3.24	<4	8	23	28	1.16	2.09	16	1.63	903	<1	20	443	143	0.85	<5	6	<10	198	1483	14	30	<10	5	137
120313	1006247	308	2	9.63	23	318	<2	16	2.76	<4	6	26	13	0.93	2.10	11	1.46	768	<1	24	381	66	0.52	<5	20	<10	170	1282	14	25	<10	5	109
120314D	1006247	282	2	9.57	20	328	<2	14	2.81	<4	6	26	12	0.96	1.97	9	1.49	791	<1	24	381	62	0.54	<5	17	<10	173	1354	12	26	<10	4	109
120315	1006248	2171	2	7.49	30	278	<2	13	0.89	<4	5	30	13	0.83	2.05	<1	0.57	223	<1	23	297	50	0.76	<5	16	<10	85	1169	8	25	<10	4	33
120316	1006249	316	3	>10.00	36	291	<2	20	4.24	<4	6	26	8	1.82	2.05	7	2.34	1639	<1	15	318	65	1.45	<5	21	<10	172	1207	19	26	<10	7	91
120317	1006250	234	328	7.78	4062	109	<2	12	2.45	131	14	48	432	6.99	2.04	<1	0.83	1268	<1	22	462	7797	6.57	55	18	13	219	1336	2	94	157	10	10436

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120318	1006251	652	4	7.07	52	280	<2	11	0.82	<4	6	30	14	1.58	1.98	<1	0.56	208	<1	20	266	83	1.80	<5	7	<10	77	1196	3	27	<10	3	34
120319	1006252	799	1	8.92	19	409	<2	13	1.33	<4	7	18	12	1.28	2.00	9	0.90	333	<1	16	503	39	0.90	<5	6	<10	122	1953	11	43	<10	4	59
120320	1006253	29	3	8.80	70	389	<2	14	1.18	<4	6	19	14	1.22	1.98	12	0.82	324	<1	18	492	34	0.68	<5	13	<10	124	1925	6	43	<10	4	24
120321	1006254	21	2	7.70	26	306	<2	12	0.90	<4	5	19	7	1.12	1.96	7	0.69	277	<1	17	413	27	0.84	<5	13	<10	101	1656	7	37	<10	3	10
120322	1006255	16	2	8.18	21	267	<2	14	1.42	<4	4	17	12	1.09	1.96	8	1.03	509	<1	11	428	51	0.60	<5	8	<10	137	1408	7	37	<10	3	70
120323	1006256	9	2	9.06	14	290	<2	13	1.24	<4	4	19	7	1.19	2.04	10	1.21	548	<1	14	467	48	0.46	<5	15	<10	116	1471	7	34	<10	4	121
120324	1006257	18	2	9.24	21	320	<2	12	1.34	<4	4	20	10	1.47	1.99	10	1.19	579	<1	14	508	40	0.63	<5	18	<10	130	1639	9	38	<10	5	87
120325D	1006257	15	3	9.03	17	301	<2	15	1.24	<4	5	19	10	1.40	1.96	10	1.17	553	<1	14	474	37	0.59	<5	18	<10	120	1542	11	35	<10	5	82
120326	1006258	15	2	9.78	17	404	<2	18	1.46	<4	5	22	15	1.29	2.02	11	1.14	553	<1	12	520	30	0.47	<5	8	<10	133	1871	7	42	<10	5	35
120327	1006259	13	3	9.06	18	379	<2	16	1.79	<4	4	21	13	1.51	1.98	6	1.06	583	<1	13	480	30	0.86	<5	20	<10	161	1717	6	37	<10	5	61
120328	1006260	<5	1	8.15	9	492	<2	15	1.93	<4	14	56	22	2.28	1.98	<1	0.85	473	<1	28	519	5	0.07	<5	11	<10	264	1887	9	79	46	12	20
120329	1006261	6	2	8.88	16	339	<2	14	1.68	<4	8	22	10	1.27	2.14	1	0.43	216	<1	16	430	14	1.33	<5	6	<10	180	1446	5	36	<10	5	17
120330	1006262	<5	3	8.69	7	314	<2	14	2.15	<4	4	26	23	1.19	2.08	4	0.39	173	<1	20	353	15	0.79	<5	18	<10	201	1564	7	37	<10	5	8
120331	1006263	9	3	9.20	13	515	<2	15	2.65	<4	9	19	10	2.41	2.09	4	0.50	236	<1	16	429	18	2.51	<5	7	<10	280	1684	9	39	<10	5	19
120332	1006264	8	2	7.88	9	406	<2	12	1.70	<4	6	18	8	2.15	2.06	3	0.39	138	<1	14	335	13	2.52	<5	12	<10	214	1383	4	30	<10	3	43
120333	1006265	6	2	7.68	9	491	<2	13	1.54	<4	4	15	18	1.70	2.07	4	0.33	112	<1	12	379	14	1.88	<5	14	<10	233	1711	6	39	<10	3	67
120334	1006266	<5	2	8.64	6	502	<2	15	1.73	<4	5	17	25	1.84	2.05	3	0.39	133	<1	12	407	18	1.94	<5	<5	<10	256	1738	9	41	<10	4	100
120335	1006267	16	2	8.99	17	391	<2	17	2.07	<4	3	19	6	2.40	2.07	4	0.44	158	<1	14	354	13	2.73	<5	5	<10	251	1449	5	34	<10	5	<1
120336D	1006267	16	3	8.99	16	428	<2	14	2.21	<4	3	20	6	2.43	2.05	7	0.43	162	<1	14	362	16	2.77	<5	7	<10	276	1509	7	36	<10	4	<1
120337	1006268	17	1	9.21	13	453	<2	16	2.86	<4	4	29	12	2.96	2.05	6	0.80	308	<1	30	430	16	3.12	<5	11	<10	259	1484	7	37	11	5	20

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120338	1006269	13	3	8.69	9	478	<2	12	2.16	<4	4	25	5	1.39	1.98	12	0.73	197	<1	21	448	12	1.11	<5	<5	<10	274	1845	9	43	<10	4	14
120339	1006270	5164	10	9.67	10	322	<2	17	3.15	5	28	63	102	4.53	2.40	4	2.02	880	<1	51	962	21	0.77	<5	9	<10	292	2240	8	121	<10	16	86
120340	1006271	15	2	9.15	7	395	<2	16	2.37	<4	4	32	4	1.26	2.39	10	1.04	211	<1	29	478	10	0.74	<5	17	<10	254	1496	5	39	<10	5	12
120341	1006272	15	3	9.15	11	491	<2	14	2.00	<4	4	21	9	1.42	2.44	14	0.87	211	<1	16	472	10	1.18	<5	10	<10	224	1884	9	39	<10	5	13
120342	1006273	17	2	9.42	13	441	<2	16	2.24	<4	5	25	9	1.13	2.44	4	0.58	122	<1	24	466	10	1.07	<5	19	<10	268	1669	12	38	<10	5	10
120343	1006274	<5	2	9.55	9	431	<2	12	2.62	<4	5	27	7	1.19	2.40	7	0.79	118	<1	26	470	10	1.13	<5	15	<10	264	1728	8	40	<10	5	<1
120344	1006275	46	14	8.90	14	455	<2	11	2.24	<4	5	26	8	1.11	2.34	13	0.72	173	<1	24	463	19	1.04	<5	18	<10	268	1934	5	41	<10	4	45
120345	1006276	<5	2	9.60	14	399	<2	13	2.60	<4	5	21	3	1.22	2.27	16	0.84	403	<1	18	398	18	1.16	5	13	<10	262	1519	7	30	<10	5	<1
120346	1006277	7	2	8.40	28	262	<2	12	2.57	<4	10	41	22	1.85	2.20	2	1.33	296	<1	28	449	12	1.56	<5	10	<10	260	1321	8	34	<10	8	61
120347D	1006277	8	3	9.37	30	341	<2	13	2.77	<4	10	46	22	1.82	2.20	6	1.36	302	<1	30	432	12	1.48	<5	10	<10	286	1553	15	41	<10	8	60
120348	1006278	7	3	9.63	41	315	<2	14	2.44	<4	13	50	20	2.37	2.14	10	1.26	294	<1	41	493	15	2.09	<5	13	<10	316	1520	4	41	<10	9	23
120349	1006279	7	2	8.92	27	341	<2	13	1.70	<4	9	22	8	1.58	2.44	10	1.06	283	<1	25	591	12	1.49	<5	14	<10	255	1538	12	36	<10	6	12
120350	1006280	<5	1	7.84	7	483	<2	15	1.90	<4	14	58	23	2.37	2.47	<1	0.89	484	<1	31	532	6	0.07	<5	15	<10	253	1806	12	81	47	14	23
120351	1006281	206	15	8.07	51	437	<2	15	0.65	<4	8	22	23	1.65	2.60	<1	0.30	<100	<1	22	477	282	1.67	6	12	<10	86	1380	5	34	12	5	415
120352	1006282	32	1	8.86	93	462	<2	14	1.21	<4	13	61	21	1.89	2.47	<1	0.58	254	<1	50	581	43	1.48	<5	12	<10	101	1521	7	52	<10	8	81
120353	1006283	56	3	>10.00	30	368	<2	13	2.46	4	25	137	74	3.99	2.56	8	1.44	780	<1	88	567	56	1.95	7	18	<10	112	2009	8	84	<10	16	179
120354	1006284	26	2	9.78	37	506	<2	16	1.88	<4	19	94	28	2.58	2.38	7	1.09	367	<1	58	448	34	1.36	<5	12	<10	111	2054	8	70	<10	12	48
120355	1006285	15	3	>10.00	14	452	<2	18	3.26	<4	7	20	4	1.80	2.28	4	1.28	431	<1	17	619	25	0.48	<5	7	<10	143	1616	9	31	<10	7	37
120356	1006286	18	2	>10.00	16	473	<2	14	3.25	<4	8	20	5	1.86	2.24	5	1.27	437	<1	21	605	24	0.49	<5	9	<10	145	1798	13	36	<10	7	39
120357	1006287	18	1	>10.00	20	594	<2	17	2.99	<4	8	20	4	1.72	2.12	9	1.34	429	<1	21	641	27	0.53	<5	8	<10	150	1921	11	36	<10	7	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120358D	1006287	19	2	>10.00	17	526	<2	17	3.04	<4	8	25	4	1.72	2.12	9	1.33	427	<1	25	645	30	0.54	<5	11	<10	150	1662	11	31	<10	7	31
120359	1006288	33	2	>10.00	21	593	2	14	2.27	<4	9	25	16	1.82	2.41	6	1.10	482	<1	27	673	30	0.86	<5	12	<10	126	1564	7	34	<10	7	69
120360	1006289	272	3	8.96	41	695	<2	13	0.72	<4	8	25	20	1.52	2.48	<1	0.45	100	<1	25	575	39	1.42	<5	5	<10	77	1625	6	37	<10	5	74
120361	1006290	1238	2	9.31	23	605	<2	15	2.16	4	16	58	558	3.63	2.61	<1	1.11	586	7	33	679	75	0.59	<5	16	<10	273	1934	7	116	33	14	83
120362	1006291	383	2	8.68	56	703	2	16	0.60	<4	7	27	57	1.45	2.43	<1	0.36	<100	<1	33	571	53	1.31	<5	11	<10	85	1491	7	38	10	4	109
120363	1006292	66	3	8.97	35	715	2	16	0.60	<4	8	19	16	1.31	2.36	<1	0.36	<100	<1	20	620	46	1.25	<5	14	<10	83	1542	7	39	<10	5	28
120364	1006293	50	2	9.46	51	646	2	15	1.44	<4	9	31	20	1.63	2.23	2	0.67	260	<1	22	596	71	1.36	<5	5	<10	117	1337	10	42	10	6	133
120365	1006294	58	2	8.41	38	620	<2	15	0.52	<4	10	41	15	1.32	2.27	<1	0.28	<100	<1	27	466	61	1.33	<5	13	<10	84	1120	7	45	11	4	327
120366	1006295	266	3	8.08	90	707	<2	15	0.52	<4	9	50	142	1.45	2.20	<1	0.28	<100	<1	34	458	144	1.53	5	12	<10	86	974	6	48	10	4	25
120367	1006296	1106	4	7.28	177	686	<2	13	0.55	12	7	35	77	1.84	2.23	<1	0.40	<100	<1	25	320	524	2.12	42	8	<10	78	763	9	33	44	4	3042
120368	1006297	537	3	7.42	129	695	<2	13	0.48	6	13	75	53	1.90	2.17	<1	0.28	<100	<1	46	442	168	2.11	8	12	<10	78	809	9	51	24	4	1313
120369R	1006297	611	3	8.20	84	721	<2	15	0.52	4	10	72	44	1.56	2.31	<1	0.30	<100	<1	44	431	133	1.63	8	20	<10	82	822	8	50	20	4	843
120370	1006298	177	2	9.56	119	672	2	16	0.70	<4	24	144	98	2.91	2.09	<1	0.62	111	<1	84	555	129	2.91	<5	13	<10	96	982	2	94	<10	7	232
120371	1006299	151	2	8.46	66	653	2	12	0.61	<4	16	102	84	1.90	2.37	1	0.49	105	<1	85	411	171	1.67	<5	10	<10	85	981	6	65	10	5	356
120372	1006300	<5	2	8.91	6	522	<2	16	2.10	<4	14	61	24	2.50	2.54	<1	0.97	514	<1	32	574	6	0.07	<5	8	<10	277	1956	8	86	50	15	25
120373	1006301	220	2	9.01	27	665	<2	14	0.80	<4	7	32	33	1.00	2.32	<1	0.48	131	<1	40	497	85	0.68	<5	16	<10	90	1261	7	38	10	4	176
120374	1006302	161	2	8.75	37	685	<2	15	0.82	<4	7	36	55	1.22	2.29	<1	0.42	133	<1	46	535	46	0.93	<5	16	<10	91	1429	10	40	16	5	493
120375	1006303	244	2	7.59	37	620	<2	15	0.51	<4	9	25	14	0.98	2.19	<1	0.28	<100	<1	30	435	33	0.84	<5	12	<10	67	1308	10	33	<10	4	170
120376	1006304	83	3	7.40	21	505	<2	12	0.86	<4	6	54	28	1.21	2.06	<1	0.43	163	<1	82	358	58	0.66	<5	14	<10	80	1270	9	31	14	4	321
120377	1006305	31	4	9.66	55	585	2	18	2.64	22	10	45	70	1.99	2.07	13	1.08	728	14	59	579	72	1.08	<5	17	<10	151	2078	9	44	65	5	4923

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
120378	1006306	28	2	9.33	95	546	2	12	2.60	<4	8	30	41	1.88	2.06	12	1.05	712	13	33	559	61	0.87	<5	27	<10	150	1972	15	40	12	5	169

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
120238	1006178	6	<0.001	0.006
120239	1006179	<5	<0.001	<0.005
120240	1006180	<5	<0.001	<0.005
120241	1006181	<5	<0.001	<0.005
120242	1006182	10	<0.001	0.010
120243	1006183	<5	<0.001	<0.005
120244	1006184	5	<0.001	0.005
120245	1006185	<5	<0.001	<0.005
120246	1006186	<5	<0.001	<0.005
120247	1006187	<5	<0.001	<0.005
120248 Dup	1006187	<5	<0.001	<0.005
120249	1006188	<5	<0.001	<0.005
120250	1006189	8	<0.001	0.008
120251	1006190	238	0.007	0.238
120252	1006191	19	<0.001	0.019
120253	1006192	49	0.001	0.049
120254	1006193	159	0.005	0.159
120255	1006194	226	0.007	0.226
120256	1006195	102	0.003	0.102
120257	1006196	25	<0.001	0.025
120258	1006197	11	<0.001	0.011
120259 Dup	1006197	13	<0.001	0.013
120260	1006198	5	<0.001	0.005
120261	1006199	9	<0.001	0.009
120262	1006200	<5	<0.001	<0.005
120263	1006201	30	<0.001	0.030
120264	1006202	7	<0.001	0.007
120265	1006203	<5	<0.001	<0.005
120266	1006204	8	<0.001	0.008
120267	1006205	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
120268	1006206	13	<0.001	0.013
120269	1006207	6	<0.001	0.006
120270 Dup	1006207	8	<0.001	0.008
120271	1006208	8	<0.001	0.008
120272	1006209	8	<0.001	0.008
120273	1006210	5264	0.154	5.264
120274	1006211	37	0.001	0.037
120275	1006212	12	<0.001	0.012
120276	1006213	29	<0.001	0.029
120277	1006214	11	<0.001	0.011
120278	1006215	16	<0.001	0.016
120279	1006216	11	<0.001	0.011
120280	1006217	17	<0.001	0.017
120281 Dup	1006217	16	<0.001	0.016
120282	1006218	38	0.001	0.038
120283	1006219	388	0.011	0.388
120284	1006220	<5	<0.001	<0.005
120285	1006221	67	0.002	0.067
120286	1006222	90	0.003	0.090
120287	1006223	32	<0.001	0.032
120288	1006224	17	<0.001	0.017
120289	1006225	26	<0.001	0.026
120290	1006226	109	0.003	0.109
120291	1006227	19	<0.001	0.019
120292 Dup	1006227	24	<0.001	0.024
120293	1006228	14	<0.001	0.014
120294	1006229	15	<0.001	0.015
120295	1006230	1181	0.034	1.181
120296	1006231	75	0.002	0.075
120297	1006232	662	0.019	0.662

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
120298	1006233	62	0.002	0.062
120299	1006234	113	0.003	0.113
120300	1006235	61	0.002	0.061
120301	1006236	427	0.012	0.427
120302	1006237	2144	0.063	2.144
120303 Rep	1006237	2220	0.065	2.220
120304	1006238	2212	0.065	2.212
120305	1006239	6112	0.178	6.112
120306	1006240	<5	<0.001	<0.005
120307	1006241	554	0.016	0.554
120308	1006242	2248	0.066	2.248
120309	1006243	74	0.002	0.074
120310	1006244	68	0.002	0.068
120311	1006245	1104	0.032	1.104
120312	1006246	1569	0.046	1.569
120313	1006247	308	0.009	0.308
120314 Dup	1006247	282	0.008	0.282
120315	1006248	2171	0.063	2.171
120316	1006249	316	0.009	0.316
120317	1006250	234	0.007	0.234
120318	1006251	652	0.019	0.652
120319	1006252	799	0.023	0.799
120320	1006253	29	<0.001	0.029
120321	1006254	21	<0.001	0.021
120322	1006255	16	<0.001	0.016
120323	1006256	9	<0.001	0.009
120324	1006257	18	<0.001	0.018
120325 Dup	1006257	15	<0.001	0.015
120326	1006258	15	<0.001	0.015
120327	1006259	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
120328	1006260	<5	<0.001	<0.005
120329	1006261	6	<0.001	0.006
120330	1006262	<5	<0.001	<0.005
120331	1006263	9	<0.001	0.009
120332	1006264	8	<0.001	0.008
120333	1006265	6	<0.001	0.006
120334	1006266	<5	<0.001	<0.005
120335	1006267	16	<0.001	0.016
120336 Dup	1006267	16	<0.001	0.016
120337	1006268	17	<0.001	0.017
120338	1006269	13	<0.001	0.013
120339	1006270	5164	0.151	5.164
120340	1006271	15	<0.001	0.015
120341	1006272	15	<0.001	0.015
120342	1006273	17	<0.001	0.017
120343	1006274	<5	<0.001	<0.005
120344	1006275	46	0.001	0.046
120345	1006276	<5	<0.001	<0.005
120346	1006277	7	<0.001	0.007
120347 Dup	1006277	8	<0.001	0.008
120348	1006278	7	<0.001	0.007
120349	1006279	7	<0.001	0.007
120350	1006280	<5	<0.001	<0.005
120351	1006281	206	0.006	0.206
120352	1006282	32	<0.001	0.032
120353	1006283	56	0.002	0.056
120354	1006284	26	<0.001	0.026
120355	1006285	15	<0.001	0.015
120356	1006286	18	<0.001	0.018
120357	1006287	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/09/2011  
 Date Completed: 05/16/2011  
 Job #: 201141746  
 Reference: TMI-TML  
 Sample #: 129

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
120358 Dup	1006287	19	<0.001	0.019
120359	1006288	33	<0.001	0.033
120360	1006289	272	0.008	0.272
120361	1006290	1238	0.036	1.238
120362	1006291	383	0.011	0.383
120363	1006292	66	0.002	0.066
120364	1006293	50	0.001	0.050
120365	1006294	58	0.002	0.058
120366	1006295	266	0.008	0.266
120367	1006296	1106	0.032	1.106
120368	1006297	537	0.016	0.537
120369 Rep	1006297	611	0.018	0.611
120370	1006298	177	0.005	0.177
120371	1006299	151	0.004	0.151
120372	1006300	<5	<0.001	<0.005
120373	1006301	220	0.006	0.220
120374	1006302	161	0.005	0.161
120375	1006303	244	0.007	0.244
120376	1006304	83	0.002	0.083
120377	1006305	31	<0.001	0.031
120378	1006306	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119413	1007815	222	0.006	0.222
119414	1007816	68	0.002	0.068
119415	1007817	126	0.004	0.126
119416	1007818	42	0.001	0.042
119417	1007819	35	0.001	0.035
119418	1007820	237	0.007	0.237
119419	1007821	52	0.002	0.052
119420	1007822	146	0.004	0.146
119421	1007823	150	0.004	0.150
119422	1007824	260	0.008	0.260
119423 Dup	1007824	265	0.008	0.265
119424	1007825	193	0.006	0.193
119425	1007826	239	0.007	0.239
119426	1007827	241	0.007	0.241
119427	1007828	44	0.001	0.044
119428	1007829	27	<0.001	0.027
119429	1007830	<5	<0.001	<0.005
119430	1007831	11	<0.001	0.011
119431	1007832	12	<0.001	0.012
119432	1007833	13	<0.001	0.013
119433	1007834	13	<0.001	0.013
119434 Dup	1007834	15	<0.001	0.015
119435	1007835	15	<0.001	0.015
119436	1007836	17	<0.001	0.017
119437	1007837	17	<0.001	0.017
119438	1007838	13	<0.001	0.013
119439	1007839	13	<0.001	0.013
119440	1007840	5294	0.154	5.294
119441	1007841	9	<0.001	0.009
119442	1007842	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119443	1007843	<5	<0.001	<0.005
119444	1007844	<5	<0.001	<0.005
119445 Dup	1007844	8	<0.001	0.008
119446	1007845	11	<0.001	0.011
119447	1007846	18	<0.001	0.018
119448	1007847	8	<0.001	0.008
119449	1007848	18	<0.001	0.018
119450	1007849	37	0.001	0.037
119451	1007850	<5	<0.001	<0.005
119452	1007851	12	<0.001	0.012
119453	1007852	11	<0.001	0.011
119454	1007853	7	<0.001	0.007
119455	1007854	125	0.004	0.125
119456 Dup	1007854	103	0.003	0.103
119457	1007855	50	0.001	0.050
119458	1007856	88	0.003	0.088
119459	1007857	21	<0.001	0.021
119460	1007858	13	<0.001	0.013
119461	1007859	98	0.003	0.098
119462	1007860	1161	0.034	1.161
119463	1007861	134	0.004	0.134
119464	1007862	148	0.004	0.148
119465	1007863	394	0.011	0.394
119466	1007864	2561	0.075	2.561
119467 Dup	1007864	2561	0.075	2.561
119468	1007865	1576	0.046	1.576
119469	1007866	975	0.028	0.975
119470	1007867	912	0.027	0.912
119471	1007868	766	0.022	0.766
119472	1007869	155	0.005	0.155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119473	1007870	<5	<0.001	<0.005
119474	1007871	891	0.026	0.891
119475	1007872	294	0.009	0.294
119476	1007873	315	0.009	0.315
119477	1007874	73	0.002	0.073
119478 Rep	1007874	83	0.002	0.083
119479	1007875	2177	0.064	2.177
119480	1007876	47	0.001	0.047
119481	1007877	779	0.023	0.779
119482	1007878	769	0.022	0.769
119483	1007879	166	0.005	0.166
119484	1007880	242	0.007	0.242
119485	1007881	175	0.005	0.175
119486	1007882	1013	0.030	1.013
119487	1007883	118	0.003	0.118
119488	1007884	539	0.016	0.539
119489 Dup	1007884	466	0.014	0.466
119490	1007885	574	0.017	0.574
119491	1007886	126	0.004	0.126
119492	1007887	56	0.002	0.056
119493	1007888	288	0.008	0.288
119494	1007889	33	<0.001	0.033
119495	1007890	<5	<0.001	<0.005
119496	1007891	243	0.007	0.243
119497	1007892	170	0.005	0.170
119498	1007893	48	0.001	0.048
119499	1007894	14	<0.001	0.014
119500 Dup	1007894	14	<0.001	0.014
119501	1007895	6	<0.001	0.006
119502	1007896	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119503	1007897	<5	<0.001	<0.005
119504	1007898	<5	<0.001	<0.005
119505	1007899	<5	<0.001	<0.005
119506	1007900	5232	0.153	5.232
119507	1007901	11	<0.001	0.011
119508	1007902	12	<0.001	0.012
119509	1007903	8	<0.001	0.008
119510	1007904	6	<0.001	0.006
119511 Dup	1007904	8	<0.001	0.008
119512	1007905	11	<0.001	0.011
119513	1007906	28	<0.001	0.028
119514	1007907	8	<0.001	0.008
119515	1007908	15	<0.001	0.015
119516	1007909	17	<0.001	0.017
119517	1007910	<5	<0.001	<0.005
119518	1007911	37	0.001	0.037
119519	1007912	11	<0.001	0.011
119520	1007913	<5	<0.001	<0.005
119521	1007914	16	<0.001	0.016
119522 Dup	1007914	11	<0.001	0.011
119523	1007915	6	<0.001	0.006
119524	1007916	5	<0.001	0.005
119525	1007917	7	<0.001	0.007
119526	1007918	8	<0.001	0.008
119527	1007919	9	<0.001	0.009
119528	1007920	1150	0.034	1.150
119529	1007921	17	<0.001	0.017
119530	1007922	12	<0.001	0.012
119531	1007923	<5	<0.001	<0.005
119532	1007924	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119533 Dup	1007924	20	<0.001	0.020
119534	1007925	9	<0.001	0.009
119535	1007926	9	<0.001	0.009
119536	1007927	11	<0.001	0.011
119537	1007928	7	<0.001	0.007
119538	1007929	13	<0.001	0.013
119539	1007930	<5	<0.001	<0.005
119540	1007931	19	<0.001	0.019
119541	1007932	34	<0.001	0.034
119542	1007933	61	0.002	0.061
119543	1007934	221	0.006	0.221
119544 Rep	1007934	194	0.006	0.194
119545	1007935	26	<0.001	0.026
119546	1007936	13	<0.001	0.013
119547	1007937	512	0.015	0.512
119548	1007938	812	0.024	0.812
119549	1007939	8196	0.239	8.196
119550	1007940	238	0.007	0.238
119551	1007941	4012	0.117	4.012
119552	1007942	124	0.004	0.124
119553	1007943	1528	0.045	1.528
119554	1007944	400	0.012	0.400
119555 Dup	1007944	386	0.011	0.386
119556	1007945	90	0.003	0.090
119557	1007946	103	0.003	0.103
119558	1007947	167	0.005	0.167
119559	1007948	87	0.003	0.087
119560	1007949	707	0.021	0.707
119561	1007950	<5	<0.001	<0.005
119562	1007951	640	0.019	0.640

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, May 17, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/06/2011  
 Date Completed: 05/17/2011  
 Job #: 201141735  
 Reference: TMI-TML  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
119563	1007952	164	0.005	0.164
119564	1007953	77	0.002	0.077
119565	1007954	138	0.004	0.138
119566 Dup	1007954	145	0.004	0.145
119567	1007955	906	0.026	0.906
119568	1007956	97	0.003	0.097
119569	1007957	25	<0.001	0.025
119570	1007958	138	0.004	0.138
119571	1007959	147	0.004	0.147
119572	1007960	5183	0.151	5.183
119573	1007961	39	0.001	0.039
119574	1007962	11	<0.001	0.011
119575	1007963	14	<0.001	0.014
119576	1007964	19	<0.001	0.019
119577 Dup	1007964	15	<0.001	0.015
119578	1007965	37	0.001	0.037
119579	1007966	53	0.002	0.053
119580	1007967	64	0.002	0.064
119581	1007968	44	0.001	0.044

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/17/2011  
Date Completed: 05/19/2011  
Job #: 201141845  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
126547	1007941	0.085	2.908

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242345	1226941	0.497	3	1.67	12	346	<2	20	0.58	<4	6	12	17	1.46	0.05	12	0.65	800	<1	19	386	52	0.64	<5	16	<10	147	1885	2	34	22	3	102
242346	1226942	1.036	2	1.11	18	319	<2	7	0.46	<4	7	12	11	1.34	0.29	15	0.68	787	<1	17	368	50	0.70	<5	7	<10	131	1927	2	33	20	3	103
242347	1226943	0.042	<1	0.96	19	317	<2	12	0.57	<4	5	12	5	1.15	0.16	14	0.70	886	<1	17	364	89	0.63	<5	16	<10	124	1802	4	31	21	3	205
242348	1226944	9.269	2	1.33	17	315	<2	17	0.84	<4	6	15	14	1.49	0.25	16	0.74	1154	2	24	381	219	0.90	<5	13	<10	133	1946	7	32	24	4	773
242349	1226945	0.086	2	3.10	48	305	<2	13	1.27	<4	7	21	45	2.14	0.20	12	1.16	929	<1	25	534	233	1.94	<5	23	<10	128	1894	2	30	24	6	439
242350	1226946	0.315	<1	3.47	29	418	2	23	1.49	<4	7	14	18	1.46	0.08	17	1.00	1110	<1	20	502	103	1.14	<5	19	<10	170	2124	10	36	24	5	192
242351	1226947	0.119	2	3.15	56	401	<2	5	0.12	<4	5	18	17	1.36	0.04	14	0.48	212	<1	22	475	351	1.42	6	14	<10	91	2060	9	34	24	5	782
242352	1226948	46.751	43	3.33	102	<1	2	9	0.34	31	9	20	190	3.84	<0.01	10	0.58	544	4	25	372	3238	5.24	33	15	<10	124	1876	2	39	143	6	12055
242353	1226949	6.305	5	2.64	31	342	2	10	0.34	<4	7	29	49	1.27	0.01	16	0.51	347	3	25	346	544	1.25	9	25	<10	131	2063	<2	37	26	5	530
242354	1226950	0.298	108	1.45	221	132	<2	22	1.01	23	15	51	6253	5.18	0.13	10	0.92	1625	19	29	396	10603	2.29	333	<5	<10	199	2062	<2	81	63	8	5037
242355D	1226950	IS																															
242356	1226951	0.795	<1	1.74	32	312	<2	5	0.73	<4	7	27	46	1.41	0.19	11	0.68	707	<1	25	390	126	1.07	<5	10	<10	153	2040	<2	38	21	4	160
242357	1226952	0.164	<1	3.39	15	337	<2	25	1.51	<4	6	25	14	1.22	0.17	15	1.35	881	<1	25	413	96	0.55	<5	6	<10	181	1744	2	34	26	6	422
242358	1226953	0.529	23	0.99	23	305	<2	29	0.90	4	5	20	34	0.97	0.27	16	0.89	594	1	21	286	1038	0.70	10	21	<10	154	1614	4	30	37	3	1517
242359	1226954	1.429	5	1.21	21	348	<2	11	0.36	<4	7	20	25	0.67	0.27	15	0.55	300	2	23	289	204	0.50	<5	18	<10	138	1769	<2	28	22	3	341
242360	1226955	0.094	<1	1.66	17	311	2	13	0.74	<4	7	17	9	0.70	0.27	18	0.72	482	1	19	359	44	0.39	<5	30	<10	160	2069	2	34	23	4	74
242361	1226956	0.091	<1	2.14	20	307	2	12	0.80	<4	7	14	9	0.76	0.28	16	0.84	517	<1	20	382	45	0.44	<5	27	<10	168	2111	<2	35	23	4	86
242362	1226957	0.023	177	2.63	203	296	2	11	1.16	<4	6	18	605	1.27	0.41	15	0.76	579	2	22	290	85	1.11	13	5	<10	167	1707	2	31	29	5	147
242363	1226958	2.938	<1	3.43	8	576	2	27	1.64	<4	6	19	21	2.13	0.07	24	0.80	599	<1	23	440	29	1.25	<5	24	<10	261	2445	2	48	18	5	63
242364	1226959	0.008	<1	1.81	5	458	<2	8	1.47	<4	4	18	9	2.00	0.15	20	0.65	338	<1	15	406	18	1.02	<5	13	<10	277	1791	3	45	21	4	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242365	1226960	<0.005	<1	2.43	5	440	<2	9	1.51	<4	13	36	24	2.45	0.11	12	0.79	495	3	23	498	16	0.07	<5	19	<10	278	2538	3	89	43	10	45
242366D	1226960	IS																															
242367	1226961	0.013	<1	1.47	3	497	<2	23	1.25	<4	5	15	19	1.72	0.17	15	0.48	247	<1	13	414	35	0.89	<5	17	<10	287	1732	<2	42	25	4	39
242368	1226962	0.013	<1	1.80	<2	386	<2	16	1.35	<4	6	14	9	1.96	0.14	13	0.50	316	<1	18	386	8	0.64	<5	17	<10	294	2105	<2	38	21	4	34
242369	1226963	0.011	<1	1.84	2	566	<2	22	1.56	<4	8	15	8	2.18	0.16	18	0.64	373	<1	14	433	10	0.46	<5	27	<10	277	2507	<2	53	21	4	52
242370	1226964	0.005	<1	0.72	17	536	4	11	0.62	<4	8	14	5	1.41	0.16	9	0.28	218	<1	15	359	5	1.11	<5	14	<10	196	1995	<2	42	22	6	45
242371	1226965	0.006	<1	0.66	11	537	<2	16	1.13	<4	5	20	10	1.18	0.30	10	0.29	242	<1	16	380	14	0.64	<5	15	<10	212	1762	5	40	20	3	33
242372	1226966	0.009	<1	1.25	4	466	<2	21	1.67	<4	7	18	9	3.28	0.21	19	0.57	814	<1	21	389	10	0.51	<5	8	<10	221	2381	4	44	17	5	81
242373	1226967	0.014	<1	1.67	<2	466	<2	18	1.32	<4	6	13	7	2.82	0.40	21	0.67	603	<1	17	421	7	0.19	<5	<5	<10	186	2284	<2	42	19	5	88
242374	1226968	0.010	<1	2.93	2	560	<2	17	1.48	<4	6	16	8	1.39	0.24	19	0.73	368	<1	16	434	10	0.29	<5	15	<10	236	2491	6	50	21	4	40
242375	1226969	0.009	<1	2.48	11	434	2	17	1.10	<4	6	15	6	1.22	0.21	21	0.72	404	<1	16	373	18	0.74	<5	20	<10	211	2099	<2	38	20	4	59
242376	1226970	4.996	<1	1.06	419	1496	<2	16	2.14	<4	15	123	81	3.37	0.02	18	0.87	500	17	54	738	28	0.97	40	12	<10	213	2226	<2	133	27	9	231
242377D	1226970	IS																															
242378	1226971	0.195	2	1.83	30	348	2	12	0.14	<4	6	17	16	1.11	0.12	11	0.42	229	<1	20	346	38	1.09	<5	17	<10	113	1814	<2	33	20	4	50
242379	1226972	0.429	16	2.49	26	266	2	13	<0.01	<4	4	14	17	1.03	0.18	14	0.40	<100	4	21	268	95	1.04	6	<5	<10	100	1569	<2	26	18	4	214
242380	1226973	0.344	15	2.84	22	332	2	13	0.21	<4	6	15	13	0.89	0.15	18	0.48	280	4	19	358	46	0.66	<5	28	<10	110	1965	<2	32	21	3	143
242381	1226974	0.045	<1	2.92	15	275	2	17	0.78	<4	6	16	19	1.28	0.25	20	0.69	670	5	35	340	32	1.07	<5	14	<10	152	1909	<2	32	23	4	35
242382	1226975	0.028	<1	3.24	18	243	2	16	1.27	<4	9	13	10	1.57	0.18	19	0.92	691	4	21	339	42	1.45	<5	15	<10	166	1717	<2	31	21	5	108
242383	1226976	0.031	3	3.08	17	250	2	24	1.35	<4	9	16	10	1.72	0.20	20	0.89	774	4	27	335	46	1.68	<5	26	<10	173	1761	<2	32	22	5	115
242384	1226977	0.304	16	2.29	41	228	<2	17	0.08	<4	8	18	31	2.51	<0.01	20	0.44	116	12	26	307	83	3.12	<5	28	<10	105	1678	<2	28	31	4	1024

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242385	1226978	0.181	11	1.30	33	217	2	16	0.31	<4	6	16	22	1.90	0.07	16	0.48	383	8	25	276	128	2.19	<5	15	<10	124	1578	<2	27	23	4	373
242386	1226979	0.184	4	<0.01	24	<1	<2	105	<0.01	<4	<1	<1	8	<0.01	<0.01	<1	<0.01	<100	<1	32	101	98	0.02	62	140	23	32	<100	26	<2	89	<2	78
242387	1226980	<0.005	<1	2.65	7	434	<2	25	1.45	<4	14	33	22	2.35	0.50	13	0.81	505	5	24	480	15	0.14	<5	25	<10	264	2368	<2	82	45	9	56
242388D	1226980																IS																
242389	1226981	0.062	4	1.53	12	280	<2	13	0.96	<4	5	20	6	1.00	0.25	15	0.58	399	3	23	298	33	0.91	<5	16	<10	184	1687	<2	30	20	4	46
242390	1226982	0.006	<1	3.41	8	436	2	18	1.98	<4	7	22	5	1.55	0.15	20	0.76	368	4	28	409	23	1.62	<5	22	<10	311	1911	<2	38	22	5	33
242391	1226983	0.005	<1	1.41	13	514	<2	10	1.15	<4	23	22	9	1.03	0.29	21	0.81	249	4	45	439	24	0.66	5	16	<10	280	2012	4	39	20	4	152
242392	1226984	<0.005	<1	2.01	2	479	<2	22	1.45	<4	17	16	10	0.87	0.24	18	0.95	215	<1	33	531	27	0.34	<5	20	<10	357	1390	6	40	20	4	112
242393	1226985	<0.005	<1	1.14	15	524	<2	18	0.91	<4	12	13	6	0.79	0.35	15	0.73	158	<1	28	497	17	0.55	<5	16	<10	326	1224	<2	40	19	3	21
242394	1226986	<0.005	<1	0.21	14	427	<2	3	0.31	<4	5	10	3	0.79	<0.01	6	0.45	145	<1	16	401	14	0.72	<5	16	<10	224	1166	<2	34	18	3	21
242395	1226987	0.008	<1	1.27	15	486	<2	16	0.70	<4	8	11	4	1.40	0.37	12	0.63	278	<1	18	498	22	1.32	<5	20	<10	262	1638	<2	39	24	4	63
242396	1226988	0.008	<1	2.20	5	450	<2	19	1.54	<4	13	46	28	2.42	0.20	19	0.98	531	<1	35	469	29	1.47	<5	5	<10	289	2042	4	53	21	6	72
242397	1226989	0.021	<1	2.88	9	381	2	25	2.00	<4	19	119	46	3.34	0.26	24	1.15	670	2	60	492	28	1.75	<5	11	<10	328	2424	4	82	21	9	73
242398	1226990	1.442	<1	1.21	32	606	<2	18	2.33	<4	20	69	7619	5.18	0.04	9	0.85	586	795	19	863	44	2.90	10	17	<10	264	1077	2	116	25	8	103
242399D	1226990																IS																
242400	1226991	0.036	<1	1.74	6	396	2	13	1.66	<4	23	147	85	3.32	0.20	26	1.14	492	10	68	450	28	1.06	<5	18	<10	307	2849	2	93	20	7	87
242401	1226992	0.031	<1	2.76	44	125	2	12	1.84	<4	28	162	29	4.26	0.06	22	1.01	665	3	89	480	36	4.21	<5	18	<10	266	2837	<2	113	20	10	73
242402	1226993	0.006	<1	3.02	20	557	2	14	2.34	<4	10	36	6	2.26	0.14	18	1.06	713	2	30	530	26	2.16	<5	<5	<10	286	2137	7	51	22	6	58
242403	1226994	0.036	<1	2.86	28	749	<2	21	0.21	<4	9	12	3	1.94	0.21	11	0.42	166	<1	22	473	30	2.27	<5	11	<10	157	2079	<2	41	25	5	97
242404	1226995	0.011	<1	3.05	30	741	2	19	0.33	<4	9	12	11	1.93	0.04	14	0.47	294	<1	21	492	26	2.18	<5	21	<10	172	2108	<2	42	21	5	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242405	1226996	0.016	<1	3.02	25	758	2	17	0.38	<4	9	13	11	1.92	0.15	17	0.48	282	<1	21	490	29	2.30	<5	8	<10	174	2128	<2	42	23	5	82
242406	1226997	0.008	<1	3.11	35	795	2	17	0.09	<4	10	17	9	1.72	0.17	15	0.38	100	3	23	497	30	1.99	<5	14	<10	131	2265	2	45	22	5	68
242407	1226998	0.089	<1	3.76	58	381	2	11	1.28	<4	19	113	36	3.23	0.04	21	0.73	517	4	63	491	46	3.46	<5	20	<10	231	2499	4	84	21	9	89
242408	1226999	0.032	<1	3.67	23	630	2	18	2.09	<4	15	75	49	2.66	0.21	28	1.02	751	8	43	454	70	1.70	<5	11	<10	275	2312	9	63	25	8	134
242409	1227000	<0.005	<1	2.86	8	459	<2	22	1.60	<4	14	36	22	2.44	0.15	14	0.82	489	6	25	460	13	0.08	<5	20	<10	282	2458	3	87	47	10	46
242410R	1227000	IS																															
242411	1227001	0.031	<1	3.29	14	644	2	27	1.59	<4	14	65	45	2.86	0.21	28	1.10	747	4	43	469	51	1.48	<5	20	<10	240	2608	5	67	23	7	177
242412	1227002	0.006	<1	3.59	4	731	2	23	2.11	<4	8	15	4	1.73	0.20	24	1.11	529	3	21	506	28	0.39	<5	20	<10	266	2117	4	44	22	6	59
242413	1227003	0.068	<1	2.48	<2	714	<2	20	2.00	<4	9	15	4	1.74	0.34	19	1.00	491	2	20	479	19	0.33	<5	16	<10	239	2114	6	41	22	5	60
242414	1227004	0.007	<1	3.12	<2	885	2	14	2.22	<4	10	15	4	2.03	0.24	21	1.19	547	2	21	543	20	0.43	<5	26	<10	253	2342	5	46	22	5	61
242415	1227005	0.007	<1	3.77	<2	700	2	21	2.15	<4	10	33	12	2.13	0.38	23	1.27	484	4	30	527	27	0.46	<5	29	<10	238	2291	2	51	25	7	42
242416	1227006	0.039	<1	6.78	5	834	2	33	1.76	<4	27	152	62	3.90	0.11	37	1.77	550	7	90	512	43	1.03	5	28	<10	233	3326	<2	119	26	14	109
242417	1227007	0.034	<1	3.91	39	636	2	19	0.14	<4	10	19	30	1.49	0.31	15	0.42	<100	5	25	435	69	1.51	6	25	<10	130	2391	<2	46	26	5	574
242418	1227008	0.012	<1	6.47	22	558	2	28	2.77	<4	10	20	17	2.07	0.21	29	1.49	577	7	24	514	53	1.04	<5	37	<10	264	2395	<2	47	25	8	184
242419	1227009	0.009	<1	6.52	11	556	6	30	2.62	4	13	19	23	1.84	0.17	24	1.34	483	4	26	477	51	0.70	<5	32	<10	254	2172	2	48	32	12	438
242420	1227010	0.261	117	3.70	254	364	<2	28	1.37	25	15	57	6783	5.73	<0.01	20	1.17	1827	29	31	467	11206	2.73	388	<5	<10	237	2297	<2	88	69	11	5311
242421D	1227010	IS																															
242422	1227011	0.009	<1	5.49	9	587	2	19	2.84	<4	9	19	14	1.89	0.15	27	1.32	434	5	24	469	29	0.42	<5	44	<10	222	2257	<2	44	23	7	53
242423	1227012	0.011	<1	4.48	3	651	2	20	2.68	<4	9	22	32	1.98	0.27	27	1.19	454	9	26	449	26	0.52	<5	14	<10	235	2241	5	45	24	6	59
242424	1227013	0.053	<1	2.42	20	651	2	19	0.97	<4	11	21	11	1.57	0.25	20	0.63	196	5	29	375	24	1.09	<5	20	<10	192	2106	<2	43	23	5	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242425	1227014	0.013	<1	3.30	4	602	2	16	2.57	<4	6	19	11	1.63	0.47	18	1.23	450	5	25	389	53	0.35	<5	28	<10	269	2072	<2	46	23	6	84
242426	1227015	0.029	<1	2.07	21	657	2	16	0.48	<4	9	18	6	1.11	0.33	11	0.41	123	2	22	370	39	0.79	6	17	<10	180	2088	<2	38	28	4	149
242427	1227016	0.024	<1	4.17	26	709	2	9	0.74	<4	9	18	6	1.11	0.18	14	0.49	139	3	25	412	44	0.68	<5	31	<10	210	2383	<2	42	27	5	185
242428	1227017	0.010	<1	6.06	4	770	<2	27	3.42	<4	8	20	15	1.82	0.13	14	1.02	378	1	23	486	32	0.46	<5	30	<10	383	2311	2	45	21	7	53
242429	1227018	0.011	<1	6.37	5	777	2	28	3.64	<4	9	24	17	1.95	0.07	19	1.05	404	4	32	500	28	0.50	<5	44	<10	396	2405	4	47	26	8	55
242430	1227019	0.018	<1	5.52	16	565	2	14	2.23	<4	7	21	17	1.62	0.21	26	1.21	478	6	27	478	44	0.63	<5	7	<10	236	2239	2	44	24	7	65
242431	1227020	<0.005	<1	5.60	<2	482	<2	23	1.85	<4	15	37	23	2.59	0.04	19	1.05	509	7	28	525	15	0.09	<5	25	<10	305	2595	<2	91	50	14	49
242432D	1227020	IS																															
242433	1227021	0.049	<1	5.25	34	655	2	18	1.09	<4	11	20	14	1.45	0.09	22	0.72	241	6	28	481	36	1.13	<5	24	<10	213	2390	2	48	29	7	55
242434	1227022	0.086	<1	5.07	36	608	2	23	1.42	<4	11	28	15	1.96	0.08	21	0.87	383	7	28	513	29	1.47	<5	20	<10	156	2373	<2	50	29	7	85
242435	1227023	0.159	<1	3.46	40	610	2	17	0.54	<4	9	15	17	1.52	0.21	16	0.51	174	4	25	455	32	1.34	<5	22	<10	124	2217	4	40	26	5	104
242436	1227024	0.065	<1	5.20	27	481	2	19	2.17	<4	14	57	35	2.57	0.14	18	1.32	740	4	41	532	34	1.46	<5	35	<10	165	2198	<2	62	23	8	85
242437	1227025	0.263	<1	2.23	89	468	2	23	0.20	<4	21	129	67	2.53	0.48	16	0.44	133	5	65	408	61	2.88	<5	25	<10	102	1791	4	86	21	6	109
242438	1227026	0.009	<1	1.38	59	548	3	28	0.22	<4	12	37	27	1.72	0.25	17	0.43	130	7	32	439	57	1.85	<5	19	<10	106	1652	2	48	22	4	70
242439	1227027	0.059	<1	4.32	47	532	<2	20	0.13	<4	7	14	19	1.46	0.23	14	0.50	<100	5	21	462	43	1.59	5	23	<10	104	1477	3	39	29	6	59
242440	1227028	0.032	<1	4.14	68	666	4	23	0.17	<4	8	39	20	1.66	<0.01	15	0.53	<100	8	40	376	44	2.01	<5	29	<10	102	1355	<2	45	25	7	114
242441	1227029	0.137	<1	2.77	145	476	2	12	<0.01	26	17	103	188	2.47	<0.01	7	0.37	<100	3	61	405	90	3.43	20	23	<10	96	1421	<2	83	91	6	7567
242442	1227030	5.024	<1	3.78	452	1586	<2	13	2.58	<4	14	125	88	3.78	<0.01	27	1.14	516	23	57	750	28	1.11	43	14	<10	241	2279	2	142	31	13	292
242443D	1227030	IS																															
242444	1227031	0.029	<1	4.54	56	740	2	13	0.12	<4	9	20	37	1.60	<0.01	17	0.57	<100	6	25	404	53	1.81	5	14	<10	100	1706	<2	43	32	6	173

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory





Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242345	1226941	497	0.015	0.497
242346	1226942	1036	0.030	1.036
242347	1226943	42	0.001	0.042
242348	1226944	9269	0.270	9.269
242349	1226945	86	0.003	0.086
242350	1226946	315	0.009	0.315
242351	1226947	119	0.003	0.119
242352	1226948	46751	1.364	46.751
242353	1226949	6305	0.184	6.305
242354	1226950	298	0.009	0.298
242355 Dup	1226950	Insufficient Sample		
242356	1226951	795	0.023	0.795
242357	1226952	164	0.005	0.164
242358	1226953	529	0.015	0.529
242359	1226954	1429	0.042	1.429
242360	1226955	94	0.003	0.094
242361	1226956	91	0.003	0.091
242362	1226957	23	<0.001	0.023
242363	1226958	2938	0.086	2.938
242364	1226959	8	<0.001	0.008
242365	1226960	<5	<0.001	<0.005
242366 Dup	1226960	Insufficient Sample		
242367	1226961	13	<0.001	0.013
242368	1226962	13	<0.001	0.013
242369	1226963	11	<0.001	0.011
242370	1226964	5	<0.001	0.005
242371	1226965	6	<0.001	0.006
242372	1226966	9	<0.001	0.009
242373	1226967	14	<0.001	0.014
242374	1226968	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242375	1226969	9	<0.001	0.009
242376	1226970	4996	0.146	4.996
242377 Dup	1226970	Insufficient Sample		
242378	1226971	195	0.006	0.195
242379	1226972	429	0.013	0.429
242380	1226973	344	0.010	0.344
242381	1226974	45	0.001	0.045
242382	1226975	28	<0.001	0.028
242383	1226976	31	<0.001	0.031
242384	1226977	304	0.009	0.304
242385	1226978	181	0.005	0.181
242386	1226979	184	0.005	0.184
242387	1226980	<5	<0.001	<0.005
242388 Dup	1226980	Insufficient Sample		
242389	1226981	62	0.002	0.062
242390	1226982	6	<0.001	0.006
242391	1226983	5	<0.001	0.005
242392	1226984	<5	<0.001	<0.005
242393	1226985	<5	<0.001	<0.005
242394	1226986	<5	<0.001	<0.005
242395	1226987	8	<0.001	0.008
242396	1226988	8	<0.001	0.008
242397	1226989	21	<0.001	0.021
242398	1226990	1442	0.042	1.442
242399 Dup	1226990	Insufficient Sample		
242400	1226991	36	0.001	0.036
242401	1226992	31	<0.001	0.031
242402	1226993	6	<0.001	0.006
242403	1226994	36	0.001	0.036
242404	1226995	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242405	1226996	16	<0.001	0.016
242406	1226997	8	<0.001	0.008
242407	1226998	89	0.003	0.089
242408	1226999	32	<0.001	0.032
242409	1227000	<5	<0.001	<0.005
242410 Rep	1227000	Insufficient Sample		
242411	1227001	31	<0.001	0.031
242412	1227002	6	<0.001	0.006
242413	1227003	68	0.002	0.068
242414	1227004	7	<0.001	0.007
242415	1227005	7	<0.001	0.007
242416	1227006	39	0.001	0.039
242417	1227007	34	<0.001	0.034
242418	1227008	12	<0.001	0.012
242419	1227009	9	<0.001	0.009
242420	1227010	261	0.008	0.261
242421 Dup	1227010	Insufficient Sample		
242422	1227011	9	<0.001	0.009
242423	1227012	11	<0.001	0.011
242424	1227013	53	0.002	0.053
242425	1227014	13	<0.001	0.013
242426	1227015	29	<0.001	0.029
242427	1227016	24	<0.001	0.024
242428	1227017	10	<0.001	0.010
242429	1227018	11	<0.001	0.011
242430	1227019	18	<0.001	0.018
242431	1227020	<5	<0.001	<0.005
242432 Dup	1227020	Insufficient Sample		
242433	1227021	49	0.001	0.049
242434	1227022	86	0.002	0.086

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143619  
 Reference: TL11155  
 Sample #: 107

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242435	1227023	159	0.005	0.159
242436	1227024	65	0.002	0.065
242437	1227025	263	0.008	0.263
242438	1227026	9	<0.001	0.009
242439	1227027	59	0.002	0.059
242440	1227028	32	<0.001	0.032
242441	1227029	137	0.004	0.137
242442	1227030	5024	0.147	5.024
242443 Dup	1227030	Insufficient Sample		
242444	1227031	29	<0.001	0.029
242445	1227032	67	0.002	0.067
242446	1227033	38	0.001	0.038
242447	1227034	23	<0.001	0.023
242448	1227035	68	0.002	0.068
242449	1227036	56	0.002	0.056
242450	1227037	41	0.001	0.041
242451	1227038	25	<0.001	0.025
242452	1227039	181	0.005	0.181
242453	1227040	<5	<0.001	<0.005
242454 Dup	1227040	Insufficient Sample		
242455	1227041	53	0.002	0.053
242456	1227042	27411	0.800	27.411
242457	1227043	163	0.005	0.163
242458	1227044	196	0.006	0.196
242459	1227045	34	<0.001	0.034
242460	1227046	96	0.003	0.096
242461	1227047	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/16/2011  
 Job #: 201141773  
 Reference: TMI-TML  
 Sample #: 37

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
121947	1006307	137	0.004	0.137
121948	1006308	57	0.002	0.057
121949	1006309	12	<0.001	0.012
121950	1006310	255	0.007	0.255
121951	1006311	9	<0.001	0.009
121952	1006312	8	<0.001	0.008
121953	1006313	5	<0.001	0.005
121954	1006314	6	<0.001	0.006
121955	1006315	<5	<0.001	<0.005
121956	1006316	10	<0.001	0.010
121957 Dup	1006316	6	<0.001	0.006
121958	1006317	6	<0.001	0.006
121959	1006318	5	<0.001	0.005
121960	1006319	9	<0.001	0.009
121961	1006320	<5	<0.001	<0.005
121962	1006321	8	<0.001	0.008
121963	1006322	10	<0.001	0.010
121964	1006323	12	<0.001	0.012
121965	1006324	7	<0.001	0.007
121966	1006325	8	<0.001	0.008
121967	1006326	8	<0.001	0.008
121968 Dup	1006326	7	<0.001	0.007
121969	1006327	8	<0.001	0.008
121970	1006328	<5	<0.001	<0.005
121971	1006329	12	<0.001	0.012
121972	1006330	5278	0.154	5.278
121973	1006331	9	<0.001	0.009
121974	1006332	12	<0.001	0.012
121975	1006333	12	<0.001	0.012
121976	1006334	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, May 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/16/2011  
 Job #: 201141773  
 Reference: TMI-TML  
 Sample #: 37

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
121977	1006335	16	<0.001	0.016
121978	1006336	19	<0.001	0.019
121979 Dup	1006336	17	<0.001	0.017
121980	1006337	179	0.005	0.179
121981	1006338	139	0.004	0.139
121982	1006339	304	0.009	0.304
121983	1006340	<5	<0.001	<0.005
121984	1006341	318	0.009	0.318
121985	1006342	173	0.005	0.173
121986	1006343	45	0.001	0.045

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

  
 Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256353	1227565	0.013	<1	1.74	<2	417	<2	8	2.02	<4	10	256	22	2.11	0.06	15	0.80	637	2	18	519	9	0.35	<5	<5	<10	410	2718	40	47	<10	4	196
256354	1227566	0.016	<1	2.92	4	198	<2	18	1.53	<4	9	457	20	2.06	0.14	8	0.89	498	<1	16	312	6	0.68	<5	<5	<10	302	2017	58	36	<10	6	159
256355	1227567	0.014	<1	3.16	4	326	<2	13	1.57	<4	5	337	13	1.36	<0.01	5	0.44	250	<1	7	359	6	0.44	<5	11	<10	443	1471	54	25	<10	5	69
256356	1227568	0.006	<1	2.62	<2	264	2	14	1.78	<4	8	345	13	2.12	<0.01	9	0.88	637	<1	9	289	8	0.75	<5	6	<10	411	2209	<2	37	<10	5	255
256357	1227569	0.065	<1	3.81	<2	429	<2	6	1.93	<4	11	437	50	2.51	0.15	13	0.98	691	<1	13	505	11	0.80	<5	11	<10	469	2970	<2	49	<10	6	206
256358	1227570	5.079	<1	2.09	447	1260	<2	14	2.33	<4	12	113	77	3.37	0.17	13	1.02	465	11	46	678	26	0.71	23	<5	<10	192	2070	97	125	12	11	225
256359	1227571	0.049	<1	2.84	<2	423	<2	10	2.41	<4	11	432	34	2.50	0.07	12	0.88	713	<1	15	507	12	0.66	<5	9	<10	459	3061	87	50	<10	5	155
256360	1227572	6.417	27	3.08	<2	376	<2	13	2.10	19	12	327	580	2.65	0.04	11	0.94	788	<1	11	432	10	1.13	<5	17	<10	479	2886	17	49	79	5	6492
256361	1227573	0.116	<1	3.64	<2	448	<2	14	2.30	<4	10	303	37	2.41	0.11	12	1.11	897	<1	12	404	5	0.85	<5	21	<10	543	2951	38	50	<10	6	215
256362	1227574	0.100	<1	3.10	<2	333	<2	15	1.95	<4	10	335	34	2.40	0.08	11	0.99	1013	<1	12	557	10	0.69	<5	5	<10	463	2816	27	48	13	5	445
256363D	1227574	0.098	<1	2.50	<2	334	<2	16	1.96	<4	11	345	36	2.51	<0.01	12	0.98	1047	<1	11	533	13	0.74	<5	18	<10	465	2890	96	49	<10	5	474
256364	1227575	0.030	<1	3.96	<2	357	<2	14	2.08	<4	11	379	103	2.49	0.11	13	1.19	1290	<1	12	469	10	0.76	<5	5	<10	463	2881	<2	48	11	6	708
256365	1227576	0.033	1	3.14	<2	433	<2	15	1.94	<4	12	376	110	2.51	0.12	13	1.05	1148	<1	12	603	10	0.81	<5	10	<10	507	2987	48	50	<10	5	495
256366	1227577	0.018	<1	2.31	<2	613	<2	6	2.36	<4	10	392	34	2.42	0.13	13	0.92	1160	1	11	486	8	0.64	<5	14	<10	477	3155	<2	51	<10	5	376
256367	1227578	0.230	<1	2.24	<2	580	<2	8	2.10	10	12	347	539	2.56	0.19	21	0.70	863	8	13	523	961	0.85	<5	22	<10	401	2983	159	53	45	4	2774
256368	1227579	0.013	<1	2.64	4	377	<2	25	2.49	<4	13	442	141	3.67	0.07	13	0.79	888	<1	32	449	79	1.40	<5	7	<10	411	2478	49	56	10	6	223
256369	1227580	<0.005	<1	2.30	5	265	<2	15	1.56	<4	12	33	20	2.44	0.18	6	0.79	461	<1	18	363	6	0.05	<5	<5	<10	245	2384	<2	82	29	11	43
256370	1227581	0.024	<1	2.82	<2	314	<2	12	1.71	<4	10	401	58	2.32	0.20	7	0.65	487	<1	18	449	139	1.01	<5	<5	<10	324	1761	48	41	<10	5	134
256371	1227582	0.116	<1	2.47	597	588	<2	14	1.06	<4	22	393	47	2.60	0.11	11	0.70	454	3	31	248	79	1.14	<5	6	<10	231	1850	126	40	<10	6	387
256372	1227583	0.028	<1	1.44	51	533	2	11	1.34	<4	12	306	59	2.84	0.15	9	0.85	648	<1	23	161	19	1.10	<5	14	<10	227	2136	67	58	<10	5	166

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256373	1227584	0.028	<1	0.82	23	601	2	12	1.29	<4	13	395	40	3.45	0.04	12	0.67	571	4	30	479	23	1.43	<5	7	<10	237	2356	<2	57	<10	4	147
256374D	1227584	0.058	2	1.45	21	552	2	8	1.31	<4	12	401	42	3.52	0.20	10	0.75	576	<1	30	370	23	1.46	<5	6	<10	237	2221	68	55	<10	5	147
256375	1227585	0.012	<1	2.79	<2	248	<2	14	2.15	<4	9	303	20	2.71	0.28	6	1.01	529	<1	17	358	11	0.71	<5	10	<10	306	2067	145	45	<10	6	48
256376	1227586	0.013	<1	2.52	<2	136	2	16	1.14	<4	33	341	66	5.63	0.28	22	0.84	568	<1	78	1080	7	0.27	<5	<5	<10	170	2824	<2	159	<10	7	145
256377	1227587	0.013	<1	2.06	<2	384	<2	12	0.84	<4	9	116	16	1.17	0.11	13	0.33	175	<1	14	277	12	0.17	<5	20	<10	219	2125	<2	53	<10	5	50
256378	1227588	0.024	<1	1.61	<2	236	<2	3	0.48	<4	8	228	21	1.06	<0.01	11	0.28	155	<1	11	466	9	0.09	<5	11	<10	204	1742	<2	80	<10	5	66
256379	1227589	0.030	<1	2.67	<2	487	<2	3	0.71	<4	9	221	31	1.91	0.33	20	0.37	224	<1	18	413	15	0.30	<5	14	<10	220	2370	<2	58	<10	5	73
256380	1227590	1.484	2	1.14	30	<1	3	16	2.39	4	17	62	7276	5.12	0.24	10	0.78	548	789	17	676	35	2.08	5	7	<10	230	1221	64	107	11	7	99
256381	1227591	0.014	<1	2.46	<2	504	<2	15	0.56	<4	9	112	17	1.01	0.30	17	0.32	135	<1	12	626	10	0.18	<5	28	<10	219	2145	54	59	<10	5	44
256382	1227592	0.013	<1	2.54	<2	484	2	16	1.45	<4	12	206	14	1.64	0.30	22	0.71	363	<1	17	464	12	0.32	<5	8	<10	320	1897	<2	41	<10	4	55
256383	1227593	0.006	<1	3.01	<2	322	<2	8	0.77	<4	4	104	2	0.64	0.17	17	0.48	170	<1	5	239	14	0.06	<5	10	<10	318	1713	<2	30	<10	4	28
256384	1227594	0.011	<1	2.87	2	417	<2	11	1.31	<4	10	220	14	1.65	0.26	22	0.70	313	<1	13	429	8	0.33	<5	11	<10	281	2338	9	47	<10	5	42
256385D	1227594	0.011	<1	2.81	<2	347	<2	11	1.21	<4	9	230	14	1.68	0.34	21	0.73	323	<1	14	341	6	0.33	<5	19	<10	261	2235	69	45	<10	5	44
256386	1227595	0.013	<1	2.93	<2	406	<2	14	1.80	<4	12	153	10	2.51	0.41	21	0.84	442	<1	9	615	5	0.24	<5	16	<10	313	3070	<2	55	<10	6	65
256387	1227596	0.010	<1	2.50	<2	423	<2	6	1.89	<4	11	220	10	2.37	0.29	18	0.73	409	<1	9	549	2	0.20	<5	19	<10	349	3046	26	55	<10	5	54
256388	1227597	3.523	<1	1.78	<2	199	<2	9	1.15	<4	11	146	16	2.87	0.15	18	0.79	365	<1	16	495	6	0.23	<5	6	<10	252	2178	86	51	<10	5	76
256389	1227598	0.013	<1	1.93	<2	246	<2	9	1.01	<4	8	392	10	2.07	0.26	14	0.51	214	<1	8	482	9	0.67	<5	<5	<10	251	1925	51	42	<10	5	33
256390	1227599	0.030	<1	1.73	<2	319	<2	8	1.17	<4	12	128	13	2.62	0.17	16	0.47	210	<1	7	495	17	1.43	<5	<5	<10	311	2276	85	53	<10	4	39
256391	1227600	0.008	<1	1.80	3	278	<2	10	1.55	<4	12	32	21	2.47	0.21	6	0.74	469	<1	19	429	8	0.06	<5	<5	<10	254	2466	141	85	29	9	40
256392	1227601	0.017	<1	2.30	<2	315	<2	13	1.56	<4	12	339	18	2.52	0.26	18	0.61	363	<1	9	521	8	0.42	<5	5	<10	301	2398	<2	49	<10	5	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, December 6, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256393	1227602	0.009	<1	1.54	<2	259	<2	12	1.35	<4	8	161	2	2.11	0.11	17	0.54	350	<1	4	331	5	0.13	<5	6	<10	285	2377	<2	44	<10	4	55
256394	1227603	0.010	<1	2.10	<2	306	<2	8	1.43	<4	10	294	3	2.51	0.20	19	0.64	445	<1	6	453	7	0.19	<5	10	<10	255	2382	<2	46	<10	5	63
256395	1227604	0.024	<1	2.82	5	389	<2	9	1.14	<4	10	144	27	2.15	0.18	17	0.61	391	<1	4	433	81	0.72	<5	9	<10	266	2492	162	43	<10	5	141
256396D	1227604	0.032	<1	1.52	6	324	<2	13	1.10	<4	9	145	29	2.14	0.14	15	0.57	396	<1	6	507	79	0.73	<5	5	<10	267	2412	<2	43	<10	4	128
256397	1227605	0.061	<1	1.49	17	373	<2	12	1.19	<4	11	189	37	2.49	0.33	17	0.52	410	<1	6	432	69	1.15	<5	10	<10	264	2494	35	46	12	4	552
256398	1227606	0.044	<1	2.03	<2	189	<2	13	1.24	<4	10	192	8	2.29	0.24	15	0.77	527	<1	5	466	21	0.33	<5	9	<10	213	2363	64	41	<10	5	66
256399	1227607	0.014	<1	1.56	<2	279	<2	4	1.29	<4	5	207	18	1.56	0.14	4	0.23	164	<1	3	429	28	0.39	<5	<5	<10	216	2238	<2	48	<10	4	31
256400	1227608	0.063	3	2.56	5	503	<2	4	1.79	28	8	379	28	2.29	0.40	18	0.82	772	<1	8	619	3665	0.80	<5	9	<10	232	2934	93	54	95	5	7081
256401	1227609	0.021	<1	1.78	4	547	<2	10	1.55	<4	7	115	32	2.01	0.26	16	0.57	587	<1	3	507	365	0.37	<5	6	<10	232	2893	50	58	<10	4	374
256402	1227610	0.257	99	0.50	235	<1	2	13	1.09	24	12	48	6123	5.47	0.24	9	0.80	1641	17	22	404	10930	1.67	277	<5	<10	179	2263	<2	82	65	6	5216
256403	1227611	0.024	<1	2.70	<2	493	<2	10	2.09	<4	9	269	15	2.48	0.20	20	0.90	948	<1	8	384	39	0.28	<5	<5	<10	247	2956	56	52	<10	5	106
256404	1227612	0.355	<1	2.59	21	474	2	8	1.29	<4	23	442	48	3.44	0.32	20	0.99	558	4	59	399	32	0.82	<5	<5	<10	148	3118	29	93	<10	8	116
256405	1227613	0.015	<1	2.57	3	419	<2	8	0.93	6	4	274	32	1.02	0.19	16	0.42	246	<1	6	225	182	0.24	<5	10	<10	215	2113	44	34	28	3	1599
256406	1227614	0.007	<1	2.69	<2	386	4	16	1.47	<4	4	286	5	0.69	0.25	12	0.41	236	<1	3	238	33	0.09	<5	17	<10	234	1748	109	30	<10	4	30
256407D	1227614	0.007	<1	2.86	<2	328	4	17	1.48	<4	3	288	6	0.68	0.23	10	0.41	235	<1	6	216	35	0.08	<5	19	<10	236	1663	78	29	<10	4	25
256408	1227615	0.008	<1	2.16	7	246	3	15	1.39	<4	9	181	8	1.00	0.15	9	0.38	280	<1	9	218	47	0.14	<5	8	<10	248	1672	66	26	<10	3	45
256409	1227616	0.007	<1	2.51	<2	333	4	8	1.51	<4	8	365	9	0.83	0.18	12	0.38	243	<1	10	<100	45	0.13	<5	11	<10	257	1790	<2	26	<10	3	48
256410	1227617	0.029	<1	2.24	8	201	<2	16	1.51	<4	8	166	14	0.79	0.16	8	0.44	292	<1	10	226	31	0.28	<5	17	<10	221	1524	83	26	13	4	646
256411	1227618	0.019	<1	2.53	5	287	<2	3	1.07	<4	8	153	11	0.82	0.38	8	0.36	224	<1	9	360	42	0.22	<5	12	<10	217	1667	<2	27	<10	4	62
256412	1227619	0.030	<1	3.88	21	334	2	16	1.86	<4	9	159	38	1.90	0.32	12	0.94	508	<1	19	411	31	0.78	<5	12	<10	247	1916	57	41	<10	8	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256413	1227620	<0.005	<1	2.26	<2	448	<2	14	1.62	<4	12	34	20	2.52	0.14	11	0.72	478	3	18	416	2	0.05	<5	18	<10	262	2712	77	87	29	9	44
256414	1227621	0.009	<1	2.69	7	312	<2	7	1.38	<4	7	223	8	0.79	0.25	8	0.33	155	<1	10	253	22	0.28	<5	7	<10	290	1645	25	25	<10	4	28
256415	1227622	0.006	<1	2.97	<2	392	<2	13	1.42	<4	6	205	12	0.67	0.28	11	0.32	122	<1	4	205	11	0.17	<5	16	<10	288	1848	25	30	<10	4	20
256416	1227623	0.005	<1	2.79	<2	373	<2	10	1.31	<4	4	221	8	0.68	0.33	15	0.33	109	<1	3	326	5	0.12	<5	12	<10	346	1893	9	31	<10	4	23
256417	1227624	0.007	<1	2.45	<2	441	<2	13	1.35	<4	4	283	8	0.77	0.27	16	0.40	136	<1	4	216	10	0.10	<5	6	<10	341	1902	<2	30	<10	4	32
256418R	1227624	<0.005	<1	2.22	<2	441	<2	11	1.29	<4	5	163	6	0.68	0.17	16	0.36	122	<1	2	226	8	0.10	<5	17	<10	338	1923	88	30	<10	4	26
256419	1227625	<0.005	<1	2.41	<2	473	<2	6	1.39	<4	4	222	8	0.70	0.33	15	0.40	138	<1	3	303	13	0.07	<5	7	<10	351	1969	<2	31	<10	4	81
256420	1227626	0.007	<1	3.07	<2	527	<2	8	2.06	<4	8	173	20	2.00	0.34	16	0.79	490	<1	7	377	17	0.26	<5	11	<10	312	2316	49	38	<10	5	60
256421	1227627	0.009	<1	4.18	<2	443	<2	10	2.01	<4	7	122	37	2.06	0.44	16	0.90	535	<1	4	360	19	0.32	<5	<5	<10	282	2178	36	37	<10	7	75
256422	1227628	0.006	<1	2.83	<2	409	<2	9	1.73	<4	7	221	21	2.05	0.41	15	0.72	510	<1	6	382	24	0.35	<5	11	<10	256	2261	58	38	<10	5	82
256423	1227629	0.011	<1	3.32	<2	420	<2	6	2.00	<4	7	117	12	1.95	0.43	18	0.77	457	<1	4	221	24	0.45	<5	9	<10	284	2160	25	37	<10	5	229
256424	1227630	5.156	<1	3.03	438	1225	<2	7	2.35	<4	13	110	78	3.34	0.42	14	1.10	458	12	47	669	19	0.67	26	<5	<10	194	2074	83	123	11	12	219
256425	1227631	0.010	<1	4.87	4	490	<2	14	2.35	<4	10	94	8	2.27	0.48	23	0.90	444	<1	7	488	11	0.38	<5	13	<10	325	2640	8	43	<10	7	44
256426	1227632	0.006	<1	2.99	<2	328	<2	10	1.94	<4	8	205	7	1.76	0.41	15	0.62	347	<1	6	269	7	0.19	<5	<5	<10	299	2227	25	37	<10	5	34
256427	1227633	0.017	<1	3.30	<2	324	<2	11	2.35	<4	8	226	15	1.73	0.43	16	0.63	372	<1	7	406	10	0.30	<5	12	<10	233	2223	<2	37	<10	6	50
256428	1227634	0.016	<1	4.08	3	475	<2	13	2.24	<4	9	158	19	2.13	0.57	16	0.79	565	<1	7	290	29	0.32	<5	12	<10	277	2343	<2	39	<10	6	125
256429D	1227634	0.012	<1	3.87	<2	412	2	17	2.15	<4	9	144	17	2.03	0.42	14	0.79	545	<1	6	311	28	0.31	<5	18	<10	268	2226	38	38	<10	6	119
256430	1227635	0.049	<1	4.51	11	491	<2	18	0.94	<4	9	442	13	1.92	0.42	17	0.51	390	2	9	371	15	0.56	<5	6	<10	174	2297	<2	37	<10	7	84
256431	1227636	0.067	<1	3.71	21	616	<2	19	0.88	<4	10	245	11	1.99	0.67	21	0.44	392	2	9	536	21	0.66	<5	13	<10	178	2575	46	43	<10	6	102
256432	1227637	0.051	<1	2.90	7	542	<2	7	1.27	<4	9	366	23	2.13	0.49	21	0.47	665	3	7	221	14	0.58	<5	<5	<10	198	2528	74	40	<10	5	177

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256433	1227638	0.033	<1	3.09	12	395	<2	8	1.45	<4	9	141	10	2.26	0.51	16	0.50	839	<1	7	416	18	0.55	<5	9	<10	198	2320	17	36	<10	5	65
256434	1227639	0.020	<1	3.05	7	280	<2	19	1.66	<4	7	327	20	1.93	0.41	10	0.70	700	<1	6	324	26	0.46	<5	15	<10	176	1989	<2	32	<10	5	121
256435	1227640	<0.005	<1	2.27	<2	440	<2	8	1.57	<4	12	34	20	2.46	0.37	11	0.69	463	3	19	440	3	0.05	5	13	<10	252	2653	33	84	31	9	43
256436	1227641	0.012	<1	1.60	16	465	<2	13	0.76	<4	7	230	4	1.43	0.33	11	0.27	257	<1	7	224	17	0.33	<5	<5	<10	127	2048	49	33	<10	4	33
256437	1227642	0.008	<1	3.07	28	386	<2	8	1.08	<4	6	375	8	1.62	0.25	15	0.35	288	<1	9	196	19	0.75	<5	20	<10	152	2116	60	33	<10	5	32
256438	1227643	0.012	<1	3.10	21	423	<2	15	1.68	<4	8	274	7	1.72	0.32	15	0.39	502	4	8	233	17	0.52	<5	13	<10	175	2069	82	32	<10	5	29
256439	1227644	0.009	<1	2.18	37	248	<2	9	1.07	<4	8	515	10	1.73	0.39	10	0.34	343	<1	10	263	10	0.75	<5	<5	<10	135	1847	54	29	<10	4	52
256440D	1227644	0.008	<1	2.51	41	209	<2	9	1.01	<4	7	508	9	1.70	0.40	9	0.35	319	<1	9	273	13	0.76	<5	9	<10	127	1705	<2	27	<10	4	46
256441	1227645	0.015	<1	2.99	<2	131	<2	7	1.95	<4	5	170	16	1.64	0.34	9	0.66	433	<1	6	239	12	0.24	<5	<5	<10	144	1840	96	33	<10	5	45
256442	1227646	0.011	<1	4.19	8	216	<2	6	1.99	<4	16	283	4	1.24	0.38	16	1.04	144	<1	17	307	11	0.57	<5	23	<10	403	1481	<2	37	<10	4	270
256443	1227647	<0.005	<1	2.89	2	597	<2	9	1.48	<4	11	218	3	1.53	0.29	25	0.64	134	5	11	270	7	0.74	<5	13	<10	338	2267	94	45	<10	4	63
256444	1227648	0.032	<1	3.02	10	308	<2	10	1.35	<4	8	265	6	1.13	0.32	17	0.47	141	<1	9	127	7	0.63	<5	12	<10	233	1735	23	30	<10	4	21
256445	1227649	0.074	<1	3.45	3	283	<2	15	1.14	<4	7	48	<1	1.47	0.19	15	0.44	<100	<1	5	399	13	1.03	<5	15	<10	309	1812	<2	32	<10	5	70
256446	1227650	1.454	<1	2.30	30	<1	2	11	2.48	4	17	60	7336	5.05	0.09	11	0.91	536	776	14	603	33	1.84	<5	18	<10	227	1161	25	103	<10	10	96
256447	1227651	0.005	<1	3.42	3	162	<2	13	0.99	<4	7	202	24	1.29	0.30	16	0.81	133	<1	6	255	2	0.76	<5	14	<10	205	1803	21	31	<10	5	21
256448	1227652	<0.005	<1	3.21	10	70	<2	11	1.31	<4	7	56	3	0.94	0.28	10	0.63	131	<1	6	350	6	0.61	<5	14	<10	228	1418	<2	26	<10	5	17
256449	1227653	<0.005	<1	2.36	<2	195	<2	13	1.08	<4	5	100	3	0.79	0.38	17	0.81	140	<1	3	330	6	0.35	<5	<5	<10	255	1779	81	28	<10	4	15
256450	1227654	0.089	<1	3.34	14	164	<2	7	1.12	<4	12	200	27	2.05	0.28	15	0.92	245	<1	20	302	14	1.30	<5	<5	<10	264	1956	<2	44	<10	7	37
256451D	1227654	0.034	<1	3.58	14	107	<2	18	1.08	<4	11	199	28	2.09	0.28	14	0.97	246	<1	20	395	7	1.33	<5	11	<10	255	1880	<2	42	<10	8	39
256452	1227655	0.021	<1	2.87	18	172	<2	12	1.46	<4	13	110	28	2.65	0.16	16	0.77	447	<1	23	453	12	1.59	<5	9	<10	268	2257	103	49	<10	7	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256453	1227656	0.027	<1	3.32	18	84	<2	3	1.29	<4	14	274	29	2.57	0.21	13	0.88	403	<1	25	275	10	1.50	5	14	<10	225	2005	<2	46	<10	9	55
256454	1227657	0.006	<1	4.32	25	198	<2	12	1.24	<4	8	102	7	1.91	0.32	10	0.44	221	<1	8	402	8	1.08	<5	13	<10	274	1753	<2	30	<10	7	32
256455	1227658	<0.005	<1	3.02	18	169	<2	8	0.65	<4	8	230	7	1.48	0.34	12	0.54	258	<1	7	368	3	0.84	<5	14	<10	189	1648	<2	33	<10	6	22
256456	1227659	0.008	<1	2.68	13	192	<2	11	0.92	<4	6	79	10	1.57	0.28	10	0.39	199	<1	7	292	5	1.02	<5	9	<10	267	1686	<2	30	<10	6	21
256457	1227660	<0.005	<1	2.99	<2	193	<2	11	1.53	<4	11	32	20	2.52	0.41	5	0.93	458	<1	19	315	<1	0.05	<5	6	<10	217	2201	39	81	25	15	43
256458	1227661	0.025	<1	2.16	7	43	<2	7	0.61	<4	3	218	2	1.18	0.44	4	0.36	160	<1	5	287	6	0.70	<5	17	<10	169	1156	14	20	<10	5	21
256459	1227662	<0.005	<1	4.09	<2	<1	<2	17	0.02	<4	2	290	11	6.30	0.43	20	0.14	777	<1	9	<100	5	0.03	<5	<5	<10	46	511	127	8	<10	5	35
256460	1227663	0.006	<1	3.15	3	313	<2	14	1.50	<4	9	250	12	2.24	0.55	20	0.86	420	<1	15	285	8	0.61	<5	<5	<10	255	2026	<2	44	<10	7	48
256461	1227664	0.008	<1	3.56	<2	208	<2	16	1.76	<4	14	125	24	2.71	0.53	24	1.15	469	<1	28	190	12	0.54	5	<5	<10	263	2308	<2	55	<10	9	65
256462D	1227664	0.007	<1	3.70	2	208	<2	14	1.77	<4	14	123	25	2.69	0.52	24	1.20	473	<1	30	431	9	0.55	5	16	<10	262	2326	<2	55	<10	10	64
256463	1227665	0.012	<1	3.63	5	181	<2	9	1.54	<4	12	169	21	2.88	0.36	23	1.16	498	<1	24	458	14	0.98	<5	8	<10	236	2123	<2	51	<10	9	59
256464	1227666	<0.005	<1	3.94	6	165	<2	16	2.44	<4	8	76	7	1.99	0.45	21	1.24	461	<1	5	459	9	0.20	<5	12	<10	283	2192	15	39	<10	6	42
256465	1227667	0.009	<1	5.76	3	266	<2	15	2.63	<4	15	280	28	2.71	0.49	21	1.49	576	<1	28	416	11	0.35	<5	<5	<10	310	2366	38	56	<10	11	56
256466	1227668	0.077	<1	3.96	21	<1	<2	17	1.46	<4	22	154	48	4.23	0.21	15	1.10	487	<1	64	408	12	2.29	<5	8	<10	248	2201	<2	68	<10	14	59
256467	1227669	0.024	1	2.96	28	323	<2	13	0.96	<4	9	195	15	2.36	0.26	15	0.45	242	<1	15	391	12	1.56	<5	18	<10	209	2062	88	45	<10	6	111
256468	1227670	0.257	100	1.79	241	<1	<2	18	1.13	25	12	47	6210	5.60	0.28	8	0.99	1658	12	22	366	9377	1.65	230	14	<10	176	2120	72	80	69	9	5169
256469	1227671	0.007	<1	2.57	15	397	2	8	2.26	<4	8	78	11	1.83	0.34	21	0.79	526	<1	5	382	22	0.49	<5	20	<10	253	2336	<2	41	<10	5	66
256470	1227672	0.017	<1	2.97	17	387	<2	7	2.00	<4	8	137	15	1.89	0.49	18	0.92	580	<1	6	361	23	0.55	<5	17	<10	133	2264	49	37	<10	5	64
256471	1227673	0.057	<1	2.80	62	129	2	18	0.80	<4	8	70	10	2.65	0.16	8	0.56	329	<1	8	268	19	1.60	<5	14	<10	101	1919	24	34	<10	6	88
256472	1227674	0.010	<1	4.87	17	296	<2	10	2.65	<4	6	169	9	2.26	0.44	21	1.48	805	3	6	388	4	0.31	<5	10	<10	135	2184	45	40	<10	7	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256473D	1227674	0.012	<1	5.08	10	241	2	15	2.57	<4	7	166	8	2.19	0.39	20	1.53	788	<1	6	355	9	0.29	<5	18	<10	131	2126	60	38	<10	7	48
256474	1227675	<0.005	<1	4.40	4	199	<2	20	2.41	<4	7	101	8	1.90	0.47	17	1.48	520	<1	5	390	7	0.16	<5	16	<10	126	2042	65	36	<10	6	53
256475	1227676	<0.005	<1	3.31	5	348	<2	22	2.42	<4	7	157	7	1.98	0.42	20	1.28	543	1	5	330	9	0.16	<5	10	<10	129	2307	147	41	<10	5	53
256476	1227677	0.025	<1	2.80	14	189	2	10	2.11	<4	7	95	10	3.21	0.25	16	1.07	801	<1	8	346	17	0.56	<5	9	<10	134	2045	<2	39	<10	5	40
256477	1227678	0.029	<1	3.08	25	162	<2	8	1.68	<4	6	186	11	2.27	0.35	22	1.02	653	<1	7	405	30	0.82	<5	<5	<10	124	1930	55	36	<10	6	52
256478	1227679	0.059	<1	3.98	23	176	<2	8	1.32	<4	7	89	21	1.95	0.51	21	0.97	538	<1	7	393	15	0.73	<5	13	<10	113	1986	86	36	<10	6	155
256479	1227680	<0.005	<1	1.88	4	574	<2	7	1.67	<4	12	36	21	2.58	0.35	15	0.64	487	9	18	211	5	0.05	<5	<5	<10	269	2867	5	89	29	8	46
256480	1227681	0.031	<1	1.57	43	536	<2	13	0.21	<4	9	171	2	1.55	0.25	12	0.23	<100	11	7	373	29	0.97	<5	13	<10	106	2198	28	44	<10	4	26
256481	1227682	0.128	<1	1.57	51	446	<2	11	0.30	<4	6	72	9	1.52	0.31	11	0.26	<100	9	8	381	24	0.93	<5	10	<10	115	1699	56	37	<10	4	44
256482	1227683	0.242	<1	1.98	49	552	<2	6	0.21	<4	7	139	9	1.58	0.37	12	0.26	<100	11	6	286	29	0.95	<5	5	<10	103	1882	82	40	<10	4	55
256483	1227684	0.158	<1	1.59	90	459	<2	4	0.54	<4	7	172	15	2.01	0.29	12	0.38	179	3	8	250	35	1.23	<5	5	<10	111	1695	65	40	<10	3	261
256484R	1227684	0.162	<1	1.55	90	408	<2	7	0.57	<4	7	86	17	1.87	0.16	11	0.39	169	2	8	419	28	1.16	<5	<5	<10	112	1560	37	36	<10	3	294
256485	1227685	0.653	<1	3.82	46	436	<2	13	0.94	<4	7	181	21	2.03	0.43	13	0.59	271	4	9	284	42	1.19	<5	16	<10	121	1613	43	37	<10	5	295
256486	1227686	0.068	<1	2.27	33	336	<2	8	<0.01	<4	7	418	14	1.50	0.46	2	0.22	<100	<1	10	232	30	0.80	<5	5	<10	82	1428	161	35	<10	4	82
256487	1227687	0.273	<1	2.94	41	409	2	13	0.38	<4	7	194	16	1.30	0.53	9	0.51	147	<1	10	347	34	0.66	<5	16	<10	97	1426	43	37	<10	4	85
256488	1227688	0.086	<1	2.84	44	278	<2	12	0.03	<4	9	282	10	1.47	0.49	4	0.30	<100	<1	10	295	20	0.79	<5	14	<10	70	1342	13	31	<10	5	62
256489	1227689	0.154	<1	2.73	76	271	<2	3	<0.01	<4	9	205	22	1.73	0.39	2	0.28	<100	<1	12	224	51	1.17	<5	5	<10	66	1364	<2	36	<10	4	314
256490	1227690	4.915	<1	3.53	449	1027	<2	10	2.43	<4	13	110	82	3.44	0.23	13	1.21	466	9	49	681	24	0.69	22	<5	<10	192	2032	36	126	<10	14	232
256491	1227691	0.344	<1	2.34	103	248	<2	9	0.03	4	14	185	58	2.15	0.17	4	0.26	<100	<1	43	329	103	1.55	<5	10	<10	67	1448	<2	62	23	5	1199
256492	1227692	0.493	<1	4.54	54	271	2	14	0.76	<4	7	262	24	1.75	0.30	11	0.83	319	<1	9	255	523	0.88	<5	21	<10	96	1574	<2	35	17	6	659

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
256493	1227693	0.174	<1	2.56	51	281	<2	13	0.30	<4	8	69	9	2.01	0.24	7	0.43	152	<1	8	345	79	1.31	<5	12	<10	75	1459	118	32	<10	4	142
256494	1227694	0.300	<1	3.48	98	231	<2	8	0.34	<4	11	185	32	2.20	<0.01	7	0.42	120	<1	20	473	164	1.49	<5	6	<10	81	1444	9	40	10	6	280
256495D	1227694	0.338	<1	2.29	92	206	<2	4	0.27	<4	10	167	30	2.04	0.07	5	0.36	112	<1	17	368	154	1.39	8	<5	<10	76	1362	<2	37	<10	5	259
256496	1227695	0.079	<1	3.73	111	185	2	11	0.39	<4	21	178	69	2.95	0.06	10	0.74	243	<1	60	422	95	1.80	<5	12	<10	82	1504	<2	68	<10	8	97
256497	1227696	0.085	<1	2.27	98	260	<2	7	0.41	<4	19	303	68	2.78	0.26	13	0.60	255	2	57	353	108	1.65	<5	<5	<10	87	1714	54	80	<10	5	93
256498	1227697	0.052	<1	3.34	86	41	<2	10	0.80	<4	10	119	59	2.27	0.16	6	0.89	288	<1	22	330	97	1.41	<5	<5	<10	84	1197	<2	36	11	7	330
256499	1227698	0.026	<1	3.87	52	232	2	11	1.63	<4	8	172	10	1.87	0.32	10	0.98	446	<1	11	363	50	0.95	<5	16	<10	117	1484	<2	36	<10	6	43
256500	1227699	0.032	<1	2.49	51	10	<2	12	0.24	<4	7	89	15	1.64	0.40	<1	0.45	151	<1	7	381	37	0.94	<5	<5	<10	54	1135	24	26	<10	6	249
256501	1227700	0.009	<1	3.42	<2	334	<2	7	1.66	<4	12	34	21	2.56	0.36	8	0.87	475	<1	19	375	6	0.05	<5	14	<10	261	2460	<2	86	31	13	42
256502	1227701	0.038	<1	3.61	32	474	<2	7	0.31	<4	8	161	36	1.29	0.38	10	0.40	120	<1	8	454	24	0.60	<5	9	<10	84	2007	23	41	10	5	93
256503	1227702	0.031	<1	2.48	36	410	<2	8	0.20	<4	8	75	16	1.26	0.31	8	0.34	104	<1	6	378	16	0.71	<5	8	<10	74	1928	63	35	<10	5	56
256504	1227703	0.010	<1	5.65	4	263	2	14	1.94	<4	5	214	17	1.71	0.46	13	1.25	626	<1	8	442	22	0.41	<5	27	<10	137	1877	25	33	<10	8	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, November 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256353	1227565	13	<0.001	0.013
256354	1227566	16	<0.001	0.016
256355	1227567	14	<0.001	0.014
256356	1227568	6	<0.001	0.006
256357	1227569	65	0.002	0.065
256358	1227570	5079	0.148	5.079
256359	1227571	49	0.001	0.049
256360	1227572	6417	0.187	6.417
256361	1227573	116	0.003	0.116
256362	1227574	100	0.003	0.100
256363 Dup	1227574	98	0.003	0.098
256364	1227575	30	<0.001	0.030
256365	1227576	33	<0.001	0.033
256366	1227577	18	<0.001	0.018
256367	1227578	230	0.007	0.230
256368	1227579	13	<0.001	0.013
256369	1227580	<5	<0.001	<0.005
256370	1227581	24	<0.001	0.024
256371	1227582	116	0.003	0.116
256372	1227583	28	<0.001	0.028
256373	1227584	28	<0.001	0.028
256374 Dup	1227584	58	0.002	0.058
256375	1227585	12	<0.001	0.012
256376	1227586	13	<0.001	0.013
256377	1227587	13	<0.001	0.013
256378	1227588	24	<0.001	0.024
256379	1227589	30	<0.001	0.030
256380	1227590	1484	0.043	1.484
256381	1227591	14	<0.001	0.014
256382	1227592	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, November 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256383	1227593	6	<0.001	0.006
256384	1227594	11	<0.001	0.011
256385 Dup	1227594	11	<0.001	0.011
256386	1227595	13	<0.001	0.013
256387	1227596	10	<0.001	0.010
256388	1227597	3523	0.103	3.523
256389	1227598	13	<0.001	0.013
256390	1227599	30	<0.001	0.030
256391	1227600	8	<0.001	0.008
256392	1227601	17	<0.001	0.017
256393	1227602	9	<0.001	0.009
256394	1227603	10	<0.001	0.010
256395	1227604	24	<0.001	0.024
256396 Dup	1227604	32	<0.001	0.032
256397	1227605	61	0.002	0.061
256398	1227606	44	0.001	0.044
256399	1227607	14	<0.001	0.014
256400	1227608	63	0.002	0.063
256401	1227609	21	<0.001	0.021
256402	1227610	257	0.008	0.257
256403	1227611	24	<0.001	0.024
256404	1227612	355	0.010	0.355
256405	1227613	15	<0.001	0.015
256406	1227614	7	<0.001	0.007
256407 Dup	1227614	7	<0.001	0.007
256408	1227615	8	<0.001	0.008
256409	1227616	7	<0.001	0.007
256410	1227617	29	<0.001	0.029
256411	1227618	19	<0.001	0.019
256412	1227619	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, November 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256413	1227620	<5	<0.001	<0.005
256414	1227621	9	<0.001	0.009
256415	1227622	6	<0.001	0.006
256416	1227623	5	<0.001	0.005
256417	1227624	7	<0.001	0.007
256418 Rep	1227624	<5	<0.001	<0.005
256419	1227625	<5	<0.001	<0.005
256420	1227626	7	<0.001	0.007
256421	1227627	9	<0.001	0.009
256422	1227628	6	<0.001	0.006
256423	1227629	11	<0.001	0.011
256424	1227630	5156	0.150	5.156
256425	1227631	10	<0.001	0.010
256426	1227632	6	<0.001	0.006
256427	1227633	17	<0.001	0.017
256428	1227634	16	<0.001	0.016
256429 Dup	1227634	12	<0.001	0.012
256430	1227635	49	0.001	0.049
256431	1227636	67	0.002	0.067
256432	1227637	51	0.001	0.051
256433	1227638	33	<0.001	0.033
256434	1227639	20	<0.001	0.020
256435	1227640	<5	<0.001	<0.005
256436	1227641	12	<0.001	0.012
256437	1227642	8	<0.001	0.008
256438	1227643	12	<0.001	0.012
256439	1227644	9	<0.001	0.009
256440 Dup	1227644	8	<0.001	0.008
256441	1227645	15	<0.001	0.015
256442	1227646	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, November 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256443	1227647	<5	<0.001	<0.005
256444	1227648	32	<0.001	0.032
256445	1227649	74	0.002	0.074
256446	1227650	1454	0.042	1.454
256447	1227651	5	<0.001	0.005
256448	1227652	<5	<0.001	<0.005
256449	1227653	<5	<0.001	<0.005
256450	1227654	89	0.003	0.089
256451 Dup	1227654	34	<0.001	0.034
256452	1227655	21	<0.001	0.021
256453	1227656	27	<0.001	0.027
256454	1227657	6	<0.001	0.006
256455	1227658	<5	<0.001	<0.005
256456	1227659	8	<0.001	0.008
256457	1227660	<5	<0.001	<0.005
256458	1227661	25	<0.001	0.025
256459	1227662	<5	<0.001	<0.005
256460	1227663	6	<0.001	0.006
256461	1227664	8	<0.001	0.008
256462 Dup	1227664	7	<0.001	0.007
256463	1227665	12	<0.001	0.012
256464	1227666	<5	<0.001	<0.005
256465	1227667	9	<0.001	0.009
256466	1227668	77	0.002	0.077
256467	1227669	24	<0.001	0.024
256468	1227670	257	0.007	0.257
256469	1227671	7	<0.001	0.007
256470	1227672	17	<0.001	0.017
256471	1227673	57	0.002	0.057
256472	1227674	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, November 4, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256473 Dup	1227674	12	<0.001	0.012
256474	1227675	<5	<0.001	<0.005
256475	1227676	<5	<0.001	<0.005
256476	1227677	25	<0.001	0.025
256477	1227678	29	<0.001	0.029
256478	1227679	59	0.002	0.059
256479	1227680	<5	<0.001	<0.005
256480	1227681	31	<0.001	0.031
256481	1227682	128	0.004	0.128
256482	1227683	242	0.007	0.242
256483	1227684	158	0.005	0.158
256484 Rep	1227684	162	0.005	0.162
256485	1227685	653	0.019	0.653
256486	1227686	68	0.002	0.068
256487	1227687	273	0.008	0.273
256488	1227688	86	0.003	0.086
256489	1227689	154	0.004	0.154
256490	1227690	4915	0.143	4.915
256491	1227691	344	0.010	0.344
256492	1227692	493	0.014	0.493
256493	1227693	174	0.005	0.174
256494	1227694	300	0.009	0.300
256495 Dup	1227694	338	0.010	0.338
256496	1227695	79	0.002	0.079
256497	1227696	85	0.002	0.085
256498	1227697	52	0.002	0.052
256499	1227698	26	<0.001	0.026
256500	1227699	32	<0.001	0.032
256501	1227700	9	<0.001	0.009
256502	1227701	38	0.001	0.038

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, November 4, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/17/2011  
 Date Completed: 11/04/2011  
 Job #: 201143817  
 Reference: TL11156  
 Sample #: 139

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
256503	1227702	31	<0.001	0.031
256504	1227703	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 15, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 11/09/2011  
Date Completed: 11/15/2011  
Job #: 201144114  
Reference: TL11156  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
279698	1227597	0.034	1.160

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/19/2011  
 Job #: 201141774  
 Reference: TMI-TML  
 Sample #: 32

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
121987	1007969	6	<0.001	0.006
121988	1007970	<5	<0.001	<0.005
121989	1007971	180	0.005	0.180
121990	1007972	2152	0.063	2.152
121991	1007973	163	0.005	0.163
121992	1007974	5277	0.154	5.277
121993	1007975	1289	0.038	1.289
121994	1007976	40	0.001	0.040
121995	1007977	171	0.005	0.171
121996	1007978	923	0.027	0.923
121997 Dup	1007978	974	0.028	0.974
121998	1007979	2260	0.066	2.260
121999	1007980	1154	0.034	1.154
122000	1007981	93	0.003	0.093
122001	1007982	266	0.008	0.266
122002	1007983	36	0.001	0.036
122003	1007984	35	0.001	0.035
122004	1007985	19	<0.001	0.019
122005	1007986	14	<0.001	0.014
122006	1007987	17	<0.001	0.017
122007	1007988	33	<0.001	0.033
122008 Dup	1007988	45	0.001	0.045
122009	1007989	18	<0.001	0.018
122010	1007990	5	<0.001	0.005
122011	1007991	68	0.002	0.068
122012	1007992	172	0.005	0.172
122013	1007993	528	0.015	0.528
122014	1007994	58	0.002	0.058
122015	1007995	176	0.005	0.176
122016	1007996	309	0.009	0.309

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 19, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/11/2011  
 Date Completed: 05/19/2011  
 Job #: 201141774  
 Reference: TMI-TML  
 Sample #: 32

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122017	1007997	83	0.002	0.083
122018	1007998	58	0.002	0.058
122019 Dup	1007998	31	<0.001	0.031
122020	1007999	29	<0.001	0.029
122021	1008000	246	0.007	0.246

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260367	1227704	0.012	<1	6.01	9	212	<2	24	1.97	<4	10	151	29	2.18	0.29	16	0.86	657	<1	17	548	90	0.90	<5	7	<10	319	1921	7	41	<10	7	302
260368	1227705	0.020	<1	5.18	95	<1	2	36	1.08	4	20	247	22	6.50	<0.01	15	0.55	366	<1	50	207	64	6.77	<5	<5	<10	294	1220	5	27	10	5	951
260369	1227706	0.009	<1	6.56	9	317	<2	17	1.19	<4	14	199	29	2.30	0.03	16	0.62	323	<1	36	246	33	1.47	<5	8	<10	312	1547	3	45	<10	6	175
260370	1227707	0.014	<1	5.81	<2	<1	<2	19	1.41	<4	12	276	60	3.24	0.12	5	0.62	418	<1	29	221	47	2.04	<5	9	<10	212	936	11	17	<10	5	85
260371	1227708	0.007	<1	7.04	2	522	2	24	1.04	<4	11	209	37	2.18	0.08	13	0.57	285	<1	25	360	28	1.30	<5	11	<10	244	1578	12	40	<10	7	47
260372	1227709	0.022	<1	4.98	507	93	2	24	1.03	<4	14	209	35	2.65	<0.01	9	0.71	313	<1	32	360	20	1.58	<5	7	<10	225	1350	11	33	<10	7	91
260373	1227710	IS																															
260374	1227711	0.045	<1	5.82	56	282	2	24	1.05	<4	23	162	71	2.90	<0.01	14	0.75	315	<1	43	335	29	1.96	<5	6	<10	233	1661	<2	47	<10	9	296
260375	1227712	0.006	<1	7.85	3	102	2	23	2.95	<4	34	370	52	4.68	0.28	30	1.25	668	<1	111	1326	12	0.36	<5	<5	<10	353	2518	12	135	<10	15	94
260376	1227713	0.021	<1	4.57	6	<1	<2	23	0.56	<4	21	291	45	1.89	0.25	11	0.43	185	<1	63	582	5	0.47	<5	13	<10	171	1192	10	55	<10	6	43
260377D	1227713	0.021	<1	7.28	5	49	2	28	0.95	<4	22	302	42	1.99	0.09	22	0.51	277	<1	59	565	7	0.44	<5	12	<10	229	2598	<2	69	<10	7	44
260378	1227714	0.007	<1	6.43	21	109	<2	14	0.87	<4	29	356	43	1.46	0.25	14	0.40	191	<1	58	898	8	0.34	<5	7	<10	255	3013	8	120	<10	5	59
260379	1227715	0.013	<1	8.38	2	14	<2	26	2.92	<4	39	435	52	4.37	0.24	28	1.05	689	<1	139	1184	14	0.53	<5	7	<10	299	3102	23	151	<10	12	73
260380	1227716	0.020	<1	7.86	2	<1	2	23	2.73	<4	40	395	61	4.24	0.11	26	1.06	605	<1	144	1108	12	0.53	<5	7	<10	276	2515	28	135	<10	12	73
260381	1227717	0.013	<1	7.28	5	6	<2	33	2.17	<4	38	328	49	4.50	0.22	25	0.79	592	<1	106	1140	15	0.71	<5	<5	<10	280	2070	<2	118	<10	13	70
260382	1227718	0.040	<1	9.26	9	146	2	41	3.85	<4	56	537	63	5.56	0.32	39	1.11	919	<1	180	1182	14	0.30	<5	10	<10	311	4447	27	183	<10	16	106
260383	1227719	0.009	<1	7.66	3	117	2	33	3.24	<4	48	491	41	5.46	0.29	35	1.29	849	<1	169	1236	14	0.20	<5	<5	<10	266	4076	20	166	<10	14	100
260384	1227720	0.006	<1	4.97	9	143	<2	21	1.75	<4	13	33	21	2.34	0.06	11	0.90	444	<1	24	497	7	0.07	<5	<5	<10	245	2026	3	78	23	13	44
260385	1227721	0.019	<1	6.71	2	135	<2	22	1.36	<4	29	323	34	3.36	0.12	25	0.78	405	<1	89	1366	11	0.28	<5	5	<10	218	2736	<2	157	<10	11	79
260386	1227722	0.008	<1	6.18	4	93	<2	19	0.56	<4	11	217	22	0.81	<0.01	14	0.26	101	<1	22	664	11	0.17	<5	10	<10	219	1555	25	75	<10	6	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, December 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260387	1227723	0.017	<1	8.02	5	216	2	24	1.34	<4	19	226	23	1.96	0.24	20	0.64	305	<1	33	862	14	0.59	<5	6	<10	360	2282	15	90	<10	10	71
260388D	1227723	0.022	<1	6.99	7	179	2	40	1.19	<4	18	217	21	1.77	0.14	20	0.59	266	<1	26	807	11	0.59	<5	11	<10	333	2068	4	84	<10	9	67
260389	1227724	0.028	<1	6.87	9	311	2	34	0.77	<4	22	215	22	1.79	0.20	20	0.49	131	<1	37	933	11	0.79	5	7	<10	238	2056	2	85	<10	9	81
260390	1227725	0.010	<1	7.24	4	192	<2	18	1.50	<4	11	189	19	1.76	0.35	25	0.70	281	<1	19	495	10	0.27	<5	11	<10	292	1903	23	44	<10	6	47
260391	1227726	0.064	<1	6.58	<2	158	<2	25	1.97	<4	10	145	4	1.99	0.30	23	1.13	386	<1	12	588	8	0.24	<5	7	<10	290	1980	16	46	<10	7	50
260392	1227727	0.017	<1	6.93	6	176	2	27	2.27	<4	11	152	8	2.51	0.29	21	0.96	546	<1	11	557	20	0.34	<5	11	<10	297	2157	12	40	<10	6	63
260393	1227728	0.032	<1	7.06	13	227	2	17	2.24	<4	12	137	13	2.46	0.31	21	0.99	591	<1	10	617	34	0.83	<5	12	<10	274	2314	12	47	<10	7	64
260394	1227729	1.436	49	6.37	37	<1	2	26	1.90	147	21	265	2915	4.51	<0.01	17	0.77	700	<1	16	532	27605	6.24	35	10	<10	262	1991	22	44	417	6	36054
260395	1227730	0.240	101	3.64	258	<1	<2	25	1.21	24	14	45	6228	5.49	0.13	9	1.17	1638	15	28	487	8994	2.42	175	<5	<10	169	1860	12	73	49	13	5105
260396	1227731	0.073	<1	7.41	37	74	<2	28	1.93	7	15	156	201	3.07	0.10	23	0.96	645	8	13	596	949	2.22	<5	<5	<10	238	2931	6	57	22	7	1774
260397	1227732	0.042	<1	7.70	17	207	2	28	2.48	<4	11	152	89	2.56	<0.01	21	1.16	830	<1	13	628	368	1.19	<5	13	<10	283	2352	28	46	<10	7	846
260398	1227733	0.064	<1	7.27	28	371	2	22	1.68	<4	11	158	76	2.44	0.09	21	0.85	544	5	11	632	467	1.51	<5	14	<10	235	3000	18	54	<10	7	203
260399D	1227733	0.053	<1	7.48	29	719	<2	24	1.76	<4	12	162	77	2.52	0.11	24	0.85	564	8	12	646	473	1.53	<5	14	<10	248	3292	9	59	<10	7	198
260400	1227734	0.081	<1	6.87	58	<1	2	16	1.47	13	14	209	109	3.29	0.04	20	0.73	504	<1	14	627	1817	2.87	<5	9	<10	219	2542	6	54	36	6	3282
260401	1227735	0.042	<1	7.85	19	268	2	28	2.74	<4	11	240	50	2.67	<0.01	23	1.27	910	<1	12	626	577	1.25	<5	8	<10	301	2250	9	51	<10	7	304
260402	1227736	0.049	<1	8.21	19	251	2	19	2.67	<4	12	188	39	2.61	0.05	23	1.23	845	<1	13	622	429	1.25	<5	<5	<10	288	2198	12	48	<10	7	246
260403	1227737	0.076	<1	7.35	48	<1	<2	26	1.91	43	15	314	17	3.43	<0.01	21	0.99	693	7	17	663	3159	3.31	<5	8	<10	253	2886	<2	58	133	7	12514
260404	1227738	0.037	<1	6.87	29	283	2	24	1.50	<4	12	174	31	2.40	0.15	20	0.75	459	5	13	612	58	1.65	<5	6	<10	202	2852	3	56	<10	7	120
260405	1227739	0.030	<1	6.58	17	843	2	27	1.75	<4	11	546	24	2.64	<0.01	20	0.91	574	6	19	534	26	1.07	<5	8	<10	219	2352	12	55	<10	8	114
260406	1227740	<0.005	<1	5.45	6	533	<2	24	1.74	<4	12	32	20	2.31	0.16	11	0.91	435	6	22	497	5	0.07	<5	12	<10	249	2341	<2	78	25	14	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260407	1227741	0.067	<1	8.24	3	567	2	28	2.82	<4	21	324	39	3.87	0.32	29	1.67	793	14	60	476	20	0.71	<5	11	<10	209	2557	23	71	<10	16	200
260408	1227742	3.316	<1	6.95	12	93	2	17	1.68	<4	24	429	44	3.94	0.26	24	1.47	534	<1	74	468	55	1.02	<5	<5	<10	155	1878	<2	76	<10	11	93
260409	1227743	0.061	<1	6.10	2	50	2	27	1.45	<4	20	332	55	3.54	0.31	22	1.30	447	<1	62	443	50	0.94	<5	5	<10	140	1674	17	66	<10	10	108
260410D	1227743	0.064	<1	6.96	<2	471	2	32	1.62	<4	22	351	57	3.74	0.13	23	1.36	473	8	65	470	52	1.01	<5	7	<10	159	2210	3	72	<10	11	114
260411	1227744	0.347	<1	7.43	4	95	2	29	1.19	<4	23	373	47	4.18	0.29	28	1.70	525	<1	74	525	38	0.48	<5	9	<10	125	1931	10	90	<10	11	98
260412	1227745	0.015	<1	7.11	5	415	2	34	1.39	<4	24	269	46	4.12	0.36	26	1.67	441	6	77	578	32	0.37	<5	7	<10	114	2110	24	85	<10	11	87
260413	1227746	0.023	<1	6.64	6	379	2	13	1.59	<4	24	347	72	3.95	0.21	24	1.52	464	5	73	545	31	0.54	<5	8	<10	141	2238	5	77	<10	11	156
260414	1227747	1.004	6	6.31	41	<1	2	25	3.21	25	18	355	897	4.92	0.04	13	1.98	1404	5	62	410	736	3.94	<5	7	<10	139	1796	25	71	49	13	4545
260415	1227748	0.037	<1	7.80	<2	499	2	22	1.68	<4	24	316	48	4.10	<0.01	27	1.81	657	10	71	560	27	0.89	<5	<5	<10	133	2648	<2	78	<10	13	125
260416	1227749	0.052	<1	7.56	4	635	2	23	1.56	<4	18	243	33	2.74	0.17	24	1.30	537	12	49	452	20	0.72	<5	6	<10	136	2389	12	69	<10	12	64
260417	1227750	4.879	<1	5.28	435	607	<2	23	2.46	<4	14	105	76	3.19	0.09	17	1.21	441	18	50	765	21	0.91	30	5	<10	186	2024	20	118	<10	15	215
260418	1227751	0.281	<1	6.21	50	528	2	16	0.67	5	10	389	72	1.94	0.11	23	0.71	258	9	23	200	67	1.55	<5	6	<10	80	1947	<2	40	13	7	1104
260419	1227752	0.095	<1	5.52	29	532	2	24	0.86	<4	9	226	11	1.23	0.15	14	0.80	412	<1	17	140	27	0.88	<5	13	<10	93	1790	8	35	<10	5	91
260420	1227753	0.037	<1	6.26	19	612	2	26	1.47	<4	8	265	5	0.99	0.31	17	0.93	469	7	13	148	24	0.54	<5	7	<10	137	1766	17	28	<10	5	41
260421D	1227753	0.043	<1	6.69	19	637	2	19	1.51	<4	9	272	4	1.02	0.27	18	0.98	470	11	14	154	21	0.57	<5	14	<10	136	1745	11	27	<10	6	41
260422	1227754	0.020	<1	7.32	7	669	2	16	1.99	<4	14	377	45	1.95	0.18	20	1.15	472	14	36	495	36	0.67	<5	8	<10	194	2063	16	50	<10	12	174
260423	1227755	0.035	<1	6.43	13	549	<2	24	0.75	<4	5	198	4	0.58	0.33	17	0.46	151	3	8	339	30	0.22	<5	19	<10	165	1719	7	26	<10	5	21
260424	1227756	0.011	<1	6.82	12	648	<2	25	0.80	<4	6	174	4	0.56	0.27	20	0.47	148	5	8	345	29	0.21	<5	11	<10	172	1900	10	28	<10	5	22
260425	1227757	0.011	<1	6.83	17	524	<2	26	1.56	<4	7	243	5	0.69	0.14	14	0.47	206	3	11	347	24	0.32	<5	14	<10	204	1505	7	26	<10	5	18
260426	1227758	0.010	<1	7.06	9	542	<2	18	2.20	<4	7	220	7	0.71	0.18	14	0.43	226	2	13	413	18	0.34	<5	14	<10	255	1556	10	28	<10	5	18

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260427	1227759	0.008	<1	6.79	11	601	2	14	1.43	<4	7	255	4	0.65	0.15	14	0.37	164	4	11	358	44	0.24	<5	13	<10	227	1686	19	28	<10	4	57
260428	1227760	<0.005	<1	6.62	5	622	<2	25	1.90	<4	14	34	20	2.46	0.21	14	0.97	457	11	23	523	6	0.07	<5	12	<10	269	2584	3	84	24	16	42
260429	1227761	0.007	<1	7.67	9	166	4	18	2.13	<4	5	136	4	0.48	0.26	15	0.35	156	<1	10	314	43	0.15	<5	12	<10	319	1315	22	22	<10	4	38
260430	1227762	0.005	<1	6.51	13	630	2	24	1.57	<4	6	227	5	0.73	0.12	17	0.39	175	4	10	353	53	0.34	<5	14	<10	252	1837	8	31	<10	5	77
260431	1227763	0.007	<1	7.02	8	635	2	17	1.75	<4	6	156	16	0.78	0.13	17	0.41	171	4	6	396	36	0.40	<5	13	<10	273	1834	4	29	<10	5	55
260432R	1227763	0.008	<1	8.14	8	688	2	19	1.79	<4	6	225	16	0.86	0.21	18	0.43	170	7	9	391	35	0.42	<5	11	<10	282	1902	5	31	<10	5	50
260433	1227764	0.007	<1	7.39	4	732	2	21	1.72	<4	6	178	13	0.69	0.29	21	0.55	197	7	8	356	16	0.16	<5	16	<10	304	1925	4	30	<10	5	30
260434	1227765	<0.005	<1	7.60	5	727	<2	30	1.65	<4	5	272	7	0.69	0.15	20	0.47	151	5	8	371	13	0.14	<5	13	<10	305	1883	11	29	<10	5	24
260435	1227766	0.008	<1	7.29	11	665	2	19	1.76	<4	5	214	8	0.98	0.11	19	0.62	258	4	8	375	26	0.34	<5	16	<10	293	1807	15	30	<10	6	34
260436	1227767	0.015	<1	6.65	2	566	<2	25	1.87	<4	9	228	40	1.82	0.22	15	0.70	388	<1	11	459	34	0.66	<5	14	<10	277	1944	18	34	<10	7	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260367	1227704	7	<0.001	0.007
260368	1227705	44	0.001	0.044
260369	1227706	7	<0.001	0.007
260370	1227707	79	0.002	0.079
260371	1227708	15	<0.001	0.015
260372	1227709	22	<0.001	0.022
260373	1227710	Insufficient Sample		
260374	1227711	45	0.001	0.045
260375	1227712	6	<0.001	0.006
260376	1227713	21	<0.001	0.021
260377 Dup	1227713	21	<0.001	0.021
260378	1227714	7	<0.001	0.007
260379	1227715	13	<0.001	0.013
260380	1227716	20	<0.001	0.020
260381	1227717	13	<0.001	0.013
260382	1227718	40	0.001	0.040
260383	1227719	9	<0.001	0.009
260384	1227720	6	<0.001	0.006
260385	1227721	19	<0.001	0.019
260386	1227722	8	<0.001	0.008
260387	1227723	17	<0.001	0.017
260388 Dup	1227723	22	<0.001	0.022
260389	1227724	28	<0.001	0.028
260390	1227725	10	<0.001	0.010
260391	1227726	64	0.002	0.064
260392	1227727	17	<0.001	0.017
260393	1227728	32	<0.001	0.032
260394	1227729	1436	0.042	1.436
260395	1227730	240	0.007	0.240
260396	1227731	73	0.002	0.073

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260397	1227732	42	0.001	0.042
260398	1227733	64	0.002	0.064
260399 Dup	1227733	53	0.002	0.053
260400	1227734	81	0.002	0.081
260401	1227735	42	0.001	0.042
260402	1227736	49	0.001	0.049
260403	1227737	76	0.002	0.076
260404	1227738	37	0.001	0.037
260405	1227739	30	<0.001	0.030
260406	1227740	<5	<0.001	<0.005
260407	1227741	67	0.002	0.067
260408	1227742	3316	0.097	3.316
260409	1227743	61	0.002	0.061
260410 Dup	1227743	64	0.002	0.064
260411	1227744	347	0.010	0.347
260412	1227745	15	<0.001	0.015
260413	1227746	23	<0.001	0.023
260414	1227747	1004	0.029	1.004
260415	1227748	37	0.001	0.037
260416	1227749	52	0.002	0.052
260417	1227750	4879	0.142	4.879
260418	1227751	281	0.008	0.281
260419	1227752	95	0.003	0.095
260420	1227753	37	0.001	0.037
260421 Dup	1227753	43	0.001	0.043
260422	1227754	20	<0.001	0.020
260423	1227755	35	0.001	0.035
260424	1227756	11	<0.001	0.011
260425	1227757	11	<0.001	0.011
260426	1227758	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/20/2011  
 Date Completed: 11/09/2011  
 Job #: 201143854  
 Reference: TL11157  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260427	1227759	8	<0.001	0.008
260428	1227760	<5	<0.001	<0.005
260429	1227761	7	<0.001	0.007
260430	1227762	5	<0.001	0.005
260431	1227763	7	<0.001	0.007
260432 Rep	1227763	8	<0.001	0.008
260433	1227764	7	<0.001	0.007
260434	1227765	<5	<0.001	<0.005
260435	1227766	8	<0.001	0.008
260436	1227767	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 22, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 11/11/2011  
Date Completed: 11/22/2011  
Job #: 201144168  
Reference: TL11157  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
285529	1227742	0.153	5.233

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, May 20, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/20/2011  
 Job #: 201141780  
 Reference: TMI-TML  
 Sample #: 114

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122678	1006344	19	<0.001	0.019
122679	1006345	317	0.009	0.317
122680	1006346	247	0.007	0.247
122681	1006347	113	0.003	0.113
122682	1006348	199	0.006	0.199
122683	1006349	116	0.003	0.116
122684	1006350	1139	0.033	1.139
122685	1006351	137	0.004	0.137
122686	1006352	283	0.008	0.283
122687	1006353	627	0.018	0.627
122688 Dup	1006353	569	0.017	0.569
122689	1006354	43	0.001	0.043
122690	1006355	15	<0.001	0.015
122691	1006356	129	0.004	0.129
122692	1006357	30	<0.001	0.030
122693	1006358	48	0.001	0.048
122694	1006359	1025	0.030	1.025
122695	1006360	7	<0.001	0.007
122696	1006361	92	0.003	0.092
122697	1006362	34	0.001	0.034
122698	1006363	25	<0.001	0.025
122699 Dup	1006363	22	<0.001	0.022
122700	1006364	86	0.002	0.086
122701	1006365	19	<0.001	0.019
122702	1006366	17	<0.001	0.017
122703	1006367	25	<0.001	0.025
122704	1006368	6739	0.197	6.739
122705	1006369	165	0.005	0.165
122706	1006370	229	0.007	0.229
122707	1006371	56	0.002	0.056

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, May 20, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/20/2011  
 Job #: 201141780  
 Reference: TMI-TML  
 Sample #: 114

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122708	1006372	167	0.005	0.167
122709	1006373	52	0.002	0.052
122710 Dup	1006373	74	0.002	0.074
122711	1006374	36	0.001	0.036
122712	1006375	26	<0.001	0.026
122713	1006376	<5	<0.001	<0.005
122714	1006377	5	<0.001	0.005
122715	1006378	<5	<0.001	<0.005
122716	1006379	11	<0.001	0.011
122717	1006380	<5	<0.001	<0.005
122718	1006381	6	<0.001	0.006
122719	1006382	11	<0.001	0.011
122720	1006383	<5	<0.001	<0.005
122721 Dup	1006383	<5	<0.001	<0.005
122722	1006384	<5	<0.001	<0.005
122723	1006385	5	<0.001	0.005
122724	1006386	<5	<0.001	<0.005
122725	1006387	<5	<0.001	<0.005
122726	1006388	<5	<0.001	<0.005
122727	1006389	<5	<0.001	<0.005
122728	1006390	5132	0.150	5.132
122729	1006391	7	<0.001	0.007
122730	1006392	<5	<0.001	<0.005
122731	1006393	6	<0.001	0.006
122732 Dup	1006393	21	<0.001	0.021
122733	1006394	<5	<0.001	<0.005
122734	1006395	<5	<0.001	<0.005
122735	1006396	6	<0.001	0.006
122736	1006397	<5	<0.001	<0.005
122737	1006398	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/20/2011  
 Job #: 201141780  
 Reference: TMI-TML  
 Sample #: 114

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122738	1006399	7	<0.001	0.007
122739	1006400	<5	<0.001	<0.005
122740	1006401	10	<0.001	0.010
122741	1006402	<5	<0.001	<0.005
122742	1006403	14	<0.001	0.014
122743 Rep	1006403	6	<0.001	0.006
122744	1006404	37	0.001	0.037
122745	1006405	7	<0.001	0.007
122746	1006406	6	<0.001	0.006
122747	1006407	<5	<0.001	<0.005
122748	1006408	7	<0.001	0.007
122749	1006409	19	<0.001	0.019
122750	1006410	1183	0.035	1.183
122751	1006411	13	<0.001	0.013
122752	1006412	20	<0.001	0.020
122753	1006413	157	0.005	0.157
122754 Dup	1006413	157	0.005	0.157
122755	1006414	23	<0.001	0.023
122756	1006415	7	<0.001	0.007
122757	1006416	34	<0.001	0.034
122758	1006417	31	<0.001	0.031
122759	1006418	16	<0.001	0.016
122760	1006419	51	0.001	0.051
122761	1006420	<5	<0.001	<0.005
122762	1006421	29	<0.001	0.029
122763	1006422	22	<0.001	0.022
122764	1006423	9	<0.001	0.009
122765 Dup	1006423	12	<0.001	0.012
122766	1006424	103	0.003	0.103
122767	1006425	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/20/2011  
 Job #: 201141780  
 Reference: TMI-TML  
 Sample #: 114

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122768	1006426	45	0.001	0.045
122769	1006427	12	<0.001	0.012
122770	1006428	11	<0.001	0.011
122771	1006429	9	<0.001	0.009
122772	1006430	243	0.007	0.243
122773	1006431	19	<0.001	0.019
122774	1006432	41	0.001	0.041
122775	1006433	20	<0.001	0.020
122776 Dup	1006433	21	<0.001	0.021
122777	1006434	39	0.001	0.039
122778	1006435	55	0.002	0.055
122779	1006436	46	0.001	0.046
122780	1006437	21	<0.001	0.021
122781	1006438	207	0.006	0.207
122782	1006439	325	0.009	0.325
122783	1006440	7	<0.001	0.007
122784	1006441	39	0.001	0.039
122785	1006442	508	0.015	0.508
122786	1006443	20	<0.001	0.020
122787 Dup	1006443	18	<0.001	0.018
122788	1006444	65	0.002	0.065
122789	1006445	106	0.003	0.106
122790	1006446	98	0.003	0.098
122791	1006447	37	0.001	0.037
122792	1006448	160	0.005	0.160
122793	1006449	263	0.008	0.263
122794	1006450	4915	0.143	4.915
122795	1006451	427	0.012	0.427
122796	1006452	200	0.006	0.200
122797	1006453	206	0.006	0.206

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 20, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/11/2011  
 Date Completed: 05/20/2011  
 Job #: 201141780  
 Reference: TMI-TML  
 Sample #: 114

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
122798 Dup	1006453	219	0.006	0.219
122799	1006454	180	0.005	0.180
122800	1006455	1042	0.030	1.042
122801	1006456	76	0.002	0.076
122802	1006457	60	0.002	0.060

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, May 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/24/2011  
 Date Completed: 05/27/2011  
 Job #: 201141890  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
129185	1006368	3599	3907	90374	7762	4.63%	46.28

PROCEDURE CODES: ALPM1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260297	1227768	0.022	<1	5.05	6	339	<2	28	1.73	<4	10	295	53	2.15	0.20	13	0.90	454	<1	12	469	7	0.97	<5	<5	<10	412	2052	12	35	<10	6	121
260298	1227769	0.005	<1	3.62	2	166	<2	23	1.81	<4	7	399	26	1.81	<0.01	5	0.48	307	<1	10	364	8	1.41	<5	9	<10	285	1765	7	18	<10	6	35
260299	1227770	1.506	<1	5.85	37	<1	2	26	2.75	<4	18	57	7032	4.95	<0.01	12	1.19	537	750	19	907	41	2.80	6	8	<10	220	859	2	96	<10	14	93
260300	1227771	0.011	<1	4.22	3	239	<2	21	1.50	<4	8	170	17	1.77	0.09	12	0.91	382	<1	9	449	8	0.80	<5	11	<10	320	1940	<2	29	<10	7	125
260301	1227772	0.419	<1	5.90	3	226	2	29	1.37	<4	24	457	54	4.11	0.22	20	1.50	444	<1	77	485	25	0.68	<5	<5	<10	115	2256	<2	79	<10	10	76
260302	1227773	0.027	<1	4.39	27	180	<2	11	1.17	<4	10	225	14	1.64	0.05	9	0.83	337	<1	25	354	31	1.08	<5	10	<10	99	1182	4	28	<10	7	78
260303	1227774	0.027	<1	5.88	25	171	<2	21	1.16	<4	8	318	13	1.76	<0.01	12	0.71	240	<1	14	284	38	1.61	<5	10	<10	126	1485	<2	27	<10	6	112
260304	1227775	0.011	<1	4.70	14	15	<2	21	0.71	<4	7	226	6	1.73	<0.01	9	0.58	179	<1	11	225	27	1.79	<5	6	<10	116	1309	<2	21	<10	5	88
260305	1227776	0.010	<1	3.86	17	76	<2	22	0.68	<4	7	294	9	1.73	0.02	8	0.51	153	<1	12	228	25	1.75	<5	6	<10	110	1094	5	17	<10	5	59
260306	1227777	0.008	<1	4.63	14	299	<2	26	0.75	<4	7	175	5	1.13	<0.01	11	0.56	221	<1	15	360	30	0.98	<5	10	<10	119	1251	15	19	<10	5	46
260307D	1227777	0.011	<1	5.40	14	488	<2	16	0.81	<4	7	176	4	1.14	<0.01	12	0.58	236	<1	10	342	32	0.97	<5	9	<10	136	1455	5	23	<10	5	41
260308	1227778	0.013	<1	4.62	13	213	<2	14	0.99	<4	8	341	13	1.59	<0.01	7	0.37	207	<1	16	386	28	1.23	<5	<5	<10	138	1294	12	24	<10	5	21
260309	1227779	0.014	<1	4.03	5	307	2	22	1.21	<4	15	364	67	2.88	<0.01	10	0.70	479	<1	40	360	33	0.93	<5	5	<10	168	1484	2	42	<10	8	69
260310	1227780	<0.005	<1	3.77	6	307	<2	25	1.67	<4	13	31	21	2.40	0.09	7	0.90	452	<1	23	516	9	0.08	<5	6	<10	227	2053	17	79	25	14	43
260311	1227781	0.078	<1	6.03	<2	288	2	32	1.97	<4	21	496	87	3.51	0.02	20	1.30	626	<1	58	595	33	1.22	<5	<5	<10	236	2205	<2	61	<10	15	109
260312	1227782	0.013	<1	4.71	2	240	<2	25	1.11	<4	18	227	51	2.37	0.01	13	0.85	353	<1	44	363	29	1.02	<5	<5	<10	194	1769	<2	45	<10	10	86
260313	1227783	0.029	<1	7.13	<2	185	2	30	2.57	<4	26	309	74	4.51	<0.01	23	1.59	680	<1	79	670	39	1.42	<5	5	<10	353	2701	4	85	<10	16	125
260314	1227784	0.013	<1	6.44	<2	349	2	17	2.60	<4	20	253	50	3.69	0.22	22	1.38	762	<1	58	530	93	1.16	5	5	<10	320	2346	20	69	<10	15	169
260315	1227785	0.005	<1	3.61	13	345	<2	20	0.83	<4	8	300	16	0.98	0.17	10	0.50	168	<1	15	303	19	0.49	<5	11	<10	167	1247	<2	23	<10	5	63
260316	1227786	0.009	<1	3.56	16	314	<2	24	0.73	<4	6	162	8	0.52	0.12	7	0.30	<100	<1	8	342	9	0.27	<5	<5	<10	174	1136	<2	19	<10	4	15

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260317	1227787	<0.005	<1	2.97	16	274	<2	13	0.80	<4	6	274	6	0.69	0.07	7	0.35	105	<1	9	433	9	0.34	<5	10	<10	167	1142	6	18	<10	5	20
260318D	1227787	0.006	<1	4.84	14	337	<2	19	1.31	<4	7	287	6	0.71	0.19	7	0.34	109	<1	10	439	12	0.35	<5	10	<10	277	1224	2	22	<10	4	22
260319	1227788	0.005	<1	3.97	10	299	<2	19	1.01	<4	6	109	7	0.59	<0.01	8	0.38	104	<1	8	337	7	0.26	<5	8	<10	221	1173	7	22	<10	4	17
260320	1227789	0.008	<1	4.23	9	310	<2	3	1.10	<4	6	298	11	0.67	0.15	10	0.36	<100	<1	10	370	6	0.25	<5	9	<10	233	1259	12	23	<10	4	13
260321	1227790	0.266	100	3.25	240	<1	<2	30	1.13	23	13	42	5763	5.18	<0.01	8	1.12	1566	11	27	476	9311	2.29	155	<5	<10	159	1731	6	68	45	13	5099
260322	1227791	0.010	<1	5.29	14	301	<2	21	1.54	<4	10	130	14	0.88	0.11	12	0.51	148	<1	16	400	10	0.38	<5	8	<10	298	1465	19	31	<10	5	36
260323	1227792	0.011	<1	3.92	9	253	<2	10	0.79	<4	9	229	14	0.87	0.13	13	0.51	157	<1	12	413	9	0.25	<5	10	<10	189	1470	3	27	<10	6	31
260324	1227793	0.201	<1	5.06	<2	146	<2	17	1.83	<4	12	97	13	2.48	0.26	15	0.98	454	<1	10	457	12	0.52	<5	6	<10	305	1491	8	27	<10	8	62
260325	1227794	0.016	<1	4.67	<2	240	<2	21	1.53	<4	8	188	9	1.94	0.04	14	0.86	412	<1	9	456	12	0.31	<5	7	<10	226	1505	7	26	<10	7	51
260326	1227795	0.009	<1	5.28	2	263	<2	22	2.05	<4	8	81	4	1.65	0.09	10	0.86	378	<1	7	496	14	0.40	<5	8	<10	268	1556	12	26	<10	6	47
260327	1227796	0.008	<1	5.80	3	343	<2	20	2.09	<4	8	202	5	1.76	0.04	12	0.88	389	<1	8	482	14	0.39	<5	5	<10	276	1661	8	28	<10	7	51
260328	1227797	0.025	<1	4.47	10	216	<2	22	1.87	<4	10	275	22	2.01	0.04	9	0.80	487	<1	13	463	515	0.96	<5	5	<10	203	1540	17	25	<10	6	297
260329D	1227797	0.028	<1	5.52	9	301	<2	31	2.03	<4	9	269	21	2.02	0.17	11	0.81	485	<1	11	454	507	0.97	<5	8	<10	224	1640	<2	26	<10	6	292
260330	1227798	0.021	<1	5.12	20	257	<2	23	3.00	<4	9	258	23	1.83	0.04	11	0.93	672	<1	13	552	66	0.76	<5	6	<10	171	1568	17	24	<10	8	138
260331	1227799	0.085	<1	3.34	40	186	<2	14	1.04	<4	15	142	14	0.98	0.13	5	0.47	225	<1	13	696	65	0.77	<5	9	<10	122	1304	15	20	<10	6	508
260332	1227800	0.006	<1	2.63	4	228	<2	11	1.49	<4	12	28	20	2.25	<0.01	7	0.85	419	<1	20	485	7	0.07	<5	<5	<10	185	1843	6	71	22	13	40
260333	1227801	0.029	<1	5.26	27	424	<2	14	1.20	<4	17	103	12	0.71	0.03	8	0.43	232	<1	13	599	34	0.52	<5	13	<10	152	1835	3	30	<10	5	66
260334	1227802	0.017	<1	3.23	17	189	<2	27	0.84	<4	10	147	7	0.72	0.13	3	0.26	130	<1	11	630	23	0.56	<5	5	<10	110	1292	2	20	<10	6	20
260335	1227803	0.019	<1	5.19	12	183	2	24	2.18	<4	13	92	10	2.64	0.10	9	0.80	575	<1	17	610	23	0.48	<5	5	<10	134	1471	<2	24	<10	7	31
260336	1227804	0.028	<1	4.97	4	163	2	31	1.42	<4	21	305	46	3.59	0.09	21	1.50	557	<1	61	501	27	0.37	<5	<5	<10	142	2127	<2	75	<10	10	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260337	1227805	0.068	<1	4.19	19	54	2	20	1.52	<4	9	99	11	1.92	<0.01	13	0.87	353	<1	13	509	24	1.55	<5	8	<10	202	1349	14	25	<10	7	78
260338	1227806	0.090	<1	5.07	21	259	<2	27	2.63	<4	9	267	15	1.85	0.19	10	0.91	374	<1	13	513	14	0.86	<5	13	<10	188	1796	22	29	<10	7	53
260339	1227807	0.023	<1	5.78	23	419	<2	26	2.34	<4	9	143	19	1.85	0.03	13	0.91	358	<1	12	505	31	0.86	<5	11	<10	180	1793	5	32	<10	6	68
260340D	1227807	0.029	<1	5.98	26	379	2	18	2.39	<4	9	137	19	1.82	0.04	13	0.91	350	<1	11	512	30	0.86	<5	11	<10	182	1691	11	28	<10	7	66
260341	1227808	0.036	<1	4.93	42	346	2	15	2.01	<4	11	98	12	1.93	0.01	13	1.02	440	<1	18	521	34	1.19	<5	7	<10	154	1693	18	28	<10	8	70
260342	1227809	0.751	<1	3.96	54	<1	2	26	1.12	9	17	236	42	3.05	<0.01	16	0.87	389	<1	45	509	495	2.44	<5	<5	<10	77	1873	5	42	22	12	2132
260343	1227810	4.982	<1	3.63	439	469	<2	21	2.32	<4	13	99	78	3.08	0.10	13	1.17	422	9	50	775	26	0.98	14	7	<10	156	1604	11	108	<10	14	228
260344	1227811	0.044	<1	4.20	25	<1	2	25	2.10	<4	23	303	53	3.94	<0.01	21	1.49	799	<1	67	509	54	1.66	<5	<5	<10	109	2485	2	69	<10	15	277
260345	1227812	0.146	<1	3.08	67	<1	<2	12	0.98	<4	21	151	48	2.01	0.02	9	0.58	273	<1	63	427	27	1.64	<5	<5	<10	82	1596	3	43	<10	14	83
260346	1227813	0.015	<1	4.58	22	231	2	16	2.44	<4	18	334	44	2.64	0.16	15	1.31	702	<1	42	504	34	1.10	<5	9	<10	118	1927	6	47	<10	13	77
260347	1227814	0.062	<1	4.20	55	8	2	25	1.87	<4	13	180	21	2.34	0.15	11	1.00	507	<1	22	521	60	1.67	<5	7	<10	114	1604	9	31	<10	9	121
260348	1227815	0.024	<1	2.42	34	<1	2	12	1.29	<4	8	117	6	1.76	0.01	3	0.75	362	<1	9	492	28	1.44	<5	8	<10	102	966	3	17	<10	4	62
260349	1227816	0.017	<1	4.88	39	43	2	16	1.68	<4	9	246	8	2.07	0.13	11	0.95	442	<1	11	538	33	1.47	<5	5	<10	127	1231	5	22	<10	6	47
260350	1227817	0.050	<1	2.79	76	<1	<2	17	0.51	<4	7	73	12	1.50	0.01	4	0.42	139	<1	9	477	26	1.46	<5	<5	<10	66	792	<2	16	<10	5	45
260351D	1227817	0.051	<1	2.96	53	<1	<2	23	0.54	<4	8	71	12	1.53	0.07	5	0.43	142	<1	9	483	24	1.49	<5	10	<10	68	789	<2	15	<10	5	47
260352	1227818	0.013	<1	3.77	38	<1	<2	24	0.81	<4	8	280	13	1.59	0.01	4	0.57	229	<1	11	515	12	1.25	<5	5	<10	71	991	10	19	<10	5	26
260353	1227819	0.036	<1	3.56	63	<1	<2	9	0.68	<4	7	124	25	1.49	0.07	5	0.50	177	<1	10	480	11	1.25	<5	9	<10	68	923	14	18	<10	5	33
260354	1227820	<0.005	<1	2.49	4	22	<2	14	1.48	<4	11	28	20	2.22	0.17	6	0.87	415	<1	20	487	6	0.07	<5	<5	<10	170	1605	6	70	22	12	42
260355	1227821	0.013	<1	4.24	37	<1	<2	18	1.74	<4	8	176	23	1.76	0.05	7	0.98	535	<1	9	504	17	1.07	<5	6	<10	88	1032	2	19	<10	5	55
260356	1227822	0.028	<1	2.32	73	<1	<2	7	0.60	<4	10	98	31	1.64	<0.01	2	0.46	185	<1	11	504	18	1.37	<5	<5	<10	56	756	3	16	<10	5	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
260357	1227823	0.139	<1	1.99	132	<1	<2	11	<0.01	7	16	234	89	2.66	<0.01	<1	0.22	<100	<1	52	436	109	2.99	<5	<5	<10	28	899	<2	43	21	8	1839
260358	1227824	0.039	<1	2.29	40	<1	<2	18	0.89	<4	9	254	30	1.68	0.14	3	0.63	333	<1	16	475	29	1.26	<5	<5	<10	53	942	7	20	<10	6	118
260359	1227825	0.070	<1	3.54	43	6	<2	11	1.17	<4	8	149	19	1.61	0.13	6	0.75	420	<1	11	463	213	1.41	<5	6	<10	64	1033	2	18	<10	6	187
260360	1227826	0.016	<1	9.46	30	308	3	24	2.19	<4	8	236	15	1.54	<0.01	30	1.13	804	4	16	451	43	0.71	<5	19	<10	117	1986	14	36	<10	7	102
260361	1227827	0.011	<1	5.91	19	305	2	22	2.39	<4	7	96	26	1.56	0.05	14	1.39	838	<1	12	449	33	0.80	<5	12	<10	100	1367	39	26	<10	6	79
260362R	1227827	0.010	<1	7.07	21	338	2	19	2.54	<4	7	194	24	1.69	0.02	17	1.47	885	<1	14	457	38	0.81	<5	9	<10	109	1461	19	29	<10	6	83
260363	1227828	<0.005	<1	8.11	24	380	2	27	3.54	<4	8	97	29	1.97	<0.01	18	1.93	1309	<1	11	473	29	1.20	<5	11	<10	120	1618	24	32	<10	7	115
260364	1227829	0.034	<1	6.99	40	106	2	17	1.96	<4	8	228	112	2.09	<0.01	18	1.25	717	<1	13	436	71	1.68	<5	15	<10	93	1477	32	30	<10	6	119
260365	1227830																IS																
260366	1227831	0.024	<1	7.64	21	297	2	29	2.70	<4	8	91	109	1.76	0.19	21	1.57	961	<1	12	472	97	0.66	<5	12	<10	111	1832	23	35	<10	6	131

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260297	1227768	22	<0.001	0.022
260298	1227769	5	<0.001	0.005
260299	1227770	1506	0.044	1.506
260300	1227771	11	<0.001	0.011
260301	1227772	419	0.012	0.419
260302	1227773	27	<0.001	0.027
260303	1227774	27	<0.001	0.027
260304	1227775	11	<0.001	0.011
260305	1227776	10	<0.001	0.010
260306	1227777	8	<0.001	0.008
260307 Dup	1227777	11	<0.001	0.011
260308	1227778	13	<0.001	0.013
260309	1227779	14	<0.001	0.014
260310	1227780	<5	<0.001	<0.005
260311	1227781	78	0.002	0.078
260312	1227782	13	<0.001	0.013
260313	1227783	29	<0.001	0.029
260314	1227784	13	<0.001	0.013
260315	1227785	5	<0.001	0.005
260316	1227786	9	<0.001	0.009
260317	1227787	<5	<0.001	<0.005
260318 Dup	1227787	6	<0.001	0.006
260319	1227788	5	<0.001	0.005
260320	1227789	8	<0.001	0.008
260321	1227790	266	0.008	0.266
260322	1227791	10	<0.001	0.010
260323	1227792	11	<0.001	0.011
260324	1227793	201	0.006	0.201
260325	1227794	16	<0.001	0.016
260326	1227795	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260327	1227796	8	<0.001	0.008
260328	1227797	25	<0.001	0.025
260329 Dup	1227797	28	<0.001	0.028
260330	1227798	21	<0.001	0.021
260331	1227799	85	0.002	0.085
260332	1227800	6	<0.001	0.006
260333	1227801	29	<0.001	0.029
260334	1227802	17	<0.001	0.017
260335	1227803	19	<0.001	0.019
260336	1227804	28	<0.001	0.028
260337	1227805	68	0.002	0.068
260338	1227806	90	0.003	0.090
260339	1227807	23	<0.001	0.023
260340 Dup	1227807	29	<0.001	0.029
260341	1227808	36	0.001	0.036
260342	1227809	751	0.022	0.751
260343	1227810	4982	0.145	4.982
260344	1227811	44	0.001	0.044
260345	1227812	146	0.004	0.146
260346	1227813	15	<0.001	0.015
260347	1227814	62	0.002	0.062
260348	1227815	24	<0.001	0.024
260349	1227816	17	<0.001	0.017
260350	1227817	50	0.001	0.050
260351 Dup	1227817	51	0.001	0.051
260352	1227818	13	<0.001	0.013
260353	1227819	36	0.001	0.036
260354	1227820	<5	<0.001	<0.005
260355	1227821	13	<0.001	0.013
260356	1227822	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/20/2011  
 Date Completed: 11/10/2011  
 Job #: 201143853  
 Reference: TL11158  
 Sample #: 64

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
260357	1227823	139	0.004	0.139
260358	1227824	39	0.001	0.039
260359	1227825	70	0.002	0.070
260360	1227826	16	<0.001	0.016
260361	1227827	11	<0.001	0.011
260362 Rep	1227827	10	<0.001	0.010
260363	1227828	<5	<0.001	<0.005
260364	1227829	34	0.001	0.034
260365	1227830	Insufficient Sample		
260366	1227831	24	<0.001	0.024

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, May 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/25/2011  
 Job #: 201141801  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
124128	1004001	588	0.017	0.588
124129	1004002	282	0.008	0.282
124130	1004003	254	0.007	0.254
124131	1004004	690	0.020	0.690
124132	1004005	1904	0.056	1.904
124133	1004006	1179	0.034	1.179
124134	1004007	503	0.015	0.503
124135	1004008	317	0.009	0.317
124136	1004009	571	0.017	0.571
124137	1004010	<5	<0.001	<0.005
124138 Dup	1004010	Insufficient Sample		
124139	1004011	2194	0.064	2.194
124140	1004012	139	0.004	0.139
124141	1004013	218	0.006	0.218
124142	1004014	112	0.003	0.112
124143	1004015	197	0.006	0.197
124144	1004016	1399	0.041	1.399
124145	1004017	6198	0.181	6.198
124146	1004018	33	<0.001	0.033
124147	1004019	11	<0.001	0.011
124148	1004020	5134	0.150	5.134
124149 Dup	1004020	Insufficient Sample		
124150	1004021	14	<0.001	0.014
124151	1004022	11	<0.001	0.011
124152	1004023	8	<0.001	0.008
124153	1004024	21	<0.001	0.021
124154	1004025	439	0.013	0.439
124155	1004026	247	0.007	0.247
124156	1004027	94	0.003	0.094
124157	1004028	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, May 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/25/2011  
 Job #: 201141801  
 Reference: TMI-TML  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
124158	1004029	356	0.010	0.356
124159	1004030	6	<0.001	0.006
124160 Dup	1004030	Insufficient Sample		
124161	1004031	54	0.002	0.054
124162	1004032	98	0.003	0.098
124163	1004033	444	0.013	0.444
124164	1004034	61	0.002	0.061
124165	1004035	25	<0.001	0.025
124166	1004036	9	<0.001	0.009
124167	1004037	10	<0.001	0.010
124168	1004038	7	<0.001	0.007
124169	1004039	5	<0.001	0.005
124170	1004040	1144	0.033	1.144
124171 Dup	1004040	Insufficient Sample		
124172	1004041	7	<0.001	0.007
124173	1004042	11	<0.001	0.011
124174	1004043	11	<0.001	0.011
124175	1004044	14	<0.001	0.014
124176	1004045	24	<0.001	0.024
124177	1004046	23	<0.001	0.023
124178	1004047	25	<0.001	0.025
124179	1004048	24	<0.001	0.024
124180	1004049	8	<0.001	0.008
124181	1004050	<5	<0.001	<0.005
124182 Dup	1004050	Insufficient Sample		
124183	1004051	<5	<0.001	<0.005
124184	1004052	19	<0.001	0.019
124185	1004053	156	0.005	0.156
124186	1004054	708	0.021	0.708
124187	1004055	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, May 25, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/16/2011  
Date Completed: 05/25/2011  
Job #: 201141801  
Reference: TMI-TML  
Sample #: 56

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
124188	1004056	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, June 1, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/26/2011  
 Date Completed: 06/01/2011  
 Job #: 201141921  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
131084	1004017	5.911	6.116	61.728	7.600	2.85%	28.48

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, December 8, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263578	1227832	0.008	<1	3.07	3	112	<2	14	1.05	<4	8	29	15	1.89	<0.01	9	0.48	263	<1	24	305	8	0.54	<5	<5	<10	211	1531	<2	27	<10	6	<1
263579	1227833	<0.005	<1	2.18	2	148	<2	<1	0.54	<4	12	46	18	0.59	<0.01	6	0.28	<100	<1	28	308	5	0.18	<5	<5	<10	178	1352	5	53	<10	5	<1
263580	1227834	<0.005	<1	1.61	<2	33	<2	1	0.25	<4	13	47	18	0.50	<0.01	3	0.32	<100	<1	34	358	3	0.15	<5	<5	<10	113	972	4	52	<10	6	<1
263581	1227835	<0.005	<1	2.33	5	113	<2	2	0.64	<4	15	47	27	0.65	<0.01	6	0.36	<100	<1	40	364	3	0.25	<5	<5	<10	136	1059	<2	49	<10	6	107
263582	1227836	<0.005	<1	2.96	8	128	<2	5	0.95	<4	17	53	26	0.69	<0.01	6	0.36	106	<1	37	363	4	0.24	<5	<5	<10	214	1169	<2	59	<10	5	109
263583	1227837	<0.005	<1	1.96	6	64	<2	4	0.55	<4	6	11	7	1.28	<0.01	8	0.42	157	<1	13	368	3	0.18	<5	<5	<10	124	1178	<2	28	<10	5	<1
263584	1227838	<0.005	<1	2.35	6	79	<2	<1	0.34	<4	4	12	<1	0.36	<0.01	5	0.22	<100	<1	11	377	2	0.01	<5	<5	<10	146	1238	<2	27	<10	4	<1
263585	1227839	0.017	<1	3.09	2	151	<2	15	0.69	<4	15	67	33	1.89	<0.01	14	0.53	163	<1	45	438	10	0.63	<5	<5	<10	154	1366	2	50	<10	10	<1
263586	1227840	<0.005	<1	2.77	4	250	<2	<1	1.32	<4	10	24	17	1.93	<0.01	7	0.73	349	<1	17	415	6	0.08	<5	<5	<10	197	1915	5	65	17	11	<1
263587	1227841	<0.005	<1	2.94	4	181	<2	4	0.35	<4	14	35	8	0.52	<0.01	5	0.23	<100	<1	34	405	7	0.09	<5	<5	<10	158	1523	<2	48	<10	6	<1
263588D	1227841	<0.005	<1	1.16	5	<1	<2	<1	0.07	<4	13	26	8	0.43	<0.01	<1	0.20	<100	<1	32	412	5	0.08	<5	<5	<10	85	1019	3	34	<10	7	<1
263589	1227842	<0.005	<1	2.45	4	145	<2	2	0.97	<4	9	39	6	1.24	<0.01	13	0.49	270	<1	25	344	10	0.18	<5	<5	<10	174	1712	<2	35	<10	5	<1
263590	1227843	0.131	<1	4.86	31	168	2	15	1.64	<4	19	109	45	3.32	0.05	18	1.23	646	2	68	492	66	1.92	<5	5	<10	127	2333	6	71	<10	12	240
263591	1227844	0.126	<1	4.77	31	14	2	16	2.43	<4	19	102	44	3.09	<0.01	14	1.87	1170	<1	60	445	23	2.31	<5	<5	<10	128	2062	15	67	<10	13	19
263592	1227845	0.095	<1	4.94	13	171	2	11	2.08	<4	22	113	49	3.45	<0.01	17	1.45	780	2	67	488	36	1.65	<5	<5	<10	182	2118	14	71	<10	13	19
263593	1227846	0.030	<1	4.56	30	597	2	21	1.09	<4	11	35	14	1.03	<0.01	16	0.38	146	5	30	557	21	0.97	<5	<5	<10	205	2050	<2	39	<10	6	26
263594	1227847	0.008	<1	2.55	13	75	<2	9	0.76	<4	7	10	3	0.52	0.18	4	0.37	115	<1	15	341	11	0.48	<5	5	<10	146	1266	<2	21	<10	4	13
263595	1227848	<0.005	<1	1.95	13	48	<2	5	0.61	<4	9	12	5	0.68	<0.01	7	0.54	182	<1	18	364	12	0.51	<5	<5	<10	127	1336	<2	22	<10	5	93
263596	1227849	<0.005	<1	3.10	14	133	<2	6	0.90	<4	9	12	5	0.59	0.13	6	0.46	164	<1	19	331	55	0.43	<5	<5	<10	183	1339	<2	22	<10	4	221
263597	1227850	0.273	100	2.03	224	<1	<2	10	0.99	21	13	40	6220	5.03	0.34	3	1.04	1469	12	24	446	9520	2.98	143	<5	<10	152	1688	12	66	39	13	>5000

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263598	1227851	<0.005	<1	2.10	15	95	<2	<1	1.03	<4	8	12	13	0.60	0.12	5	0.45	200	<1	19	327	37	0.38	<5	<5	<10	203	1286	<2	21	<10	3	129
263599D	1227851	0.011	<1	1.40	15	76	<2	<1	0.49	<4	9	11	3	0.60	0.27	5	0.51	198	<1	18	347	18	0.37	<5	<5	<10	109	1246	2	19	<10	4	127
263600	1227852	0.007	<1	1.53	21	85	<2	<1	0.75	<4	9	13	9	0.75	0.07	4	0.57	238	<1	21	346	18	0.57	<5	<5	<10	137	1260	6	20	<10	4	53
263601	1227853	0.013	<1	2.87	19	411	<2	4	1.19	<4	7	10	19	0.57	0.17	7	0.30	145	<1	18	317	31	0.50	<5	<5	<10	254	1455	6	27	<10	3	146
263602	1227854	<0.005	<1	3.30	13	240	<2	<1	1.18	<4	8	14	10	0.93	<0.01	10	0.38	140	<1	22	349	14	0.84	<5	<5	<10	297	1591	2	33	<10	3	<1
263603	1227855	<0.005	<1	3.41	5	281	<2	17	1.17	<4	7	13	3	0.62	0.09	9	0.27	<100	<1	20	333	9	0.47	<5	<5	<10	341	1595	4	36	<10	3	<1
263604	1227856	<0.005	<1	4.68	8	186	<2	4	1.21	<4	7	12	3	0.60	0.15	7	0.30	<100	<1	23	351	9	0.45	<5	5	<10	337	1420	10	30	<10	4	<1
263605	1227857	<0.005	<1	5.67	14	342	<2	1	1.46	<4	9	15	5	0.66	0.24	13	0.42	<100	<1	23	344	7	0.41	<5	11	<10	361	1616	<2	27	<10	5	<1
263606	1227858	<0.005	<1	3.72	12	93	<2	6	1.02	<4	6	13	6	0.52	0.10	7	0.35	<100	<1	19	329	6	0.23	<5	10	<10	294	1366	<2	26	<10	4	<1
263607	1227859	<0.005	<1	3.44	10	197	<2	9	0.86	<4	7	12	8	0.62	0.01	10	0.43	122	<1	18	351	9	0.29	<5	<5	<10	230	1541	<2	25	<10	4	<1
263608	1227860	<0.005	<1	2.67	5	205	<2	7	1.44	<4	12	28	19	2.21	0.03	6	0.86	397	<1	19	476	5	0.08	<5	<5	<10	187	1969	6	72	19	14	<1
263609	1227861	0.016	<1	3.71	13	218	<2	13	1.77	<4	8	14	41	1.73	<0.01	11	0.79	521	<1	15	422	53	0.82	<5	<5	<10	298	1932	3	35	<10	5	68
263610D	1227861	0.018	<1	2.71	14	228	<2	<1	1.72	<4	8	13	39	1.65	<0.01	10	0.68	504	<1	19	406	55	0.80	<5	<5	<10	295	1936	<2	36	<10	4	61
263611	1227862	0.007	<1	3.96	8	298	<2	5	1.30	<4	8	13	10	1.57	<0.01	11	0.74	449	<1	16	424	19	0.63	<5	<5	<10	201	1824	4	32	<10	7	<1
263612	1227863	0.010	<1	3.17	6	143	<2	6	1.10	<4	9	11	21	1.68	<0.01	9	0.68	441	<1	14	407	27	0.70	<5	5	<10	176	1689	<2	28	<10	6	38
263613	1227864	0.009	<1	2.83	2	165	<2	<1	1.54	<4	9	13	8	1.80	<0.01	10	0.69	445	<1	17	414	18	0.57	<5	5	<10	231	1916	4	34	<10	5	<1
263614	1227865	0.011	<1	3.17	3	170	<2	8	1.41	<4	8	9	8	1.58	0.17	9	0.76	388	<1	14	406	9	0.33	<5	<5	<10	205	1744	<2	29	<10	7	<1
263615	1227866	0.016	<1	3.60	3	161	<2	<1	1.76	<4	7	11	7	1.57	0.09	10	0.71	416	<1	12	415	6	0.51	<5	<5	<10	242	1813	8	31	<10	6	<1
263616	1227867	0.016	<1	4.58	9	90	2	16	1.81	<4	8	13	10	1.77	<0.01	9	0.77	452	<1	17	414	28	1.42	<5	<5	<10	197	1627	5	26	<10	7	7
263617	1227868	0.014	<1	3.49	12	103	<2	4	1.50	<4	8	18	27	1.41	0.05	5	0.57	417	<1	22	419	37	1.03	<5	7	<10	151	1449	2	22	<10	7	137

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263618	1227869	0.013	<1	3.08	16	11	<2	8	1.32	<4	4	13	5	0.97	0.05	<1	0.32	209	<1	17	303	20	0.94	<5	<5	<10	133	1188	<2	18	<10	5	<1
263619	1227870	5.111	<1	2.25	410	529	<2	4	2.10	<4	13	98	79	3.00	<0.01	9	1.10	401	9	45	724	26	1.15	17	<5	<10	135	1565	6	108	<10	13	147
263620	1227871	0.015	<1	2.70	30	77	<2	2	0.86	<4	7	14	1	1.19	<0.01	6	0.30	187	<1	14	302	11	1.32	<5	<5	<10	106	1459	<2	24	<10	4	4
263621D	1227871	0.012	<1	2.89	26	<1	<2	8	0.83	<4	7	15	1	1.16	<0.01	5	0.31	185	<1	14	302	13	1.30	<5	<5	<10	102	1368	3	23	<10	4	3
263622	1227872	0.012	<1	2.98	13	<1	<2	11	2.12	<4	5	17	10	1.32	0.07	4	0.68	471	<1	16	291	11	1.06	<5	6	<10	122	1193	<2	24	<10	4	<1
263623	1227873	0.008	<1	3.22	14	<1	<2	7	1.56	<4	7	18	13	1.42	<0.01	4	0.60	313	<1	19	309	10	1.27	<5	<5	<10	106	1224	<2	22	<10	6	<1
263624	1227874	0.010	<1	2.88	12	<1	<2	6	1.55	<4	6	12	10	1.15	0.13	4	0.57	286	<1	14	381	47	0.90	<5	5	<10	116	1211	<2	19	<10	6	5
263625	1227875	0.123	<1	3.33	23	<1	<2	4	1.55	<4	7	12	25	1.44	<0.01	8	0.82	386	<1	18	500	40	1.27	<5	<5	<10	118	1450	8	24	<10	7	28
263626	1227876	0.111	<1	2.80	24	<1	<2	5	1.52	<4	7	11	55	1.42	<0.01	5	0.76	366	<1	16	495	28	1.29	<5	<5	<10	113	1333	3	22	<10	6	53
263627	1227877	0.151	<1	2.05	34	97	<2	8	0.01	<4	7	12	14	1.13	<0.01	<1	0.25	<100	8	18	391	38	1.29	<5	<5	<10	52	1638	<2	29	<10	4	137
263628	1227878	0.146	<1	1.87	44	<1	<2	2	0.68	<4	6	6	12	1.41	<0.01	<1	0.50	250	<1	13	537	41	1.76	<5	<5	<10	94	1175	<2	16	<10	6	215
263629	1227879	0.040	<1	4.81	26	198	<2	11	1.86	<4	5	10	10	1.25	0.24	10	0.94	494	<1	16	583	22	0.87	<5	7	<10	140	1587	14	24	<10	7	<1
263630	1227880	<0.005	<1	1.57	4	89	<2	5	1.32	<4	12	27	19	2.19	0.18	4	0.82	393	<1	18	470	4	0.08	<5	<5	<10	167	1838	7	70	19	13	<1
263631	1227881	<0.005	<1	0.96	3	<1	<2	1	0.67	<4	6	10	8	0.87	0.05	5	0.68	<100	<1	15	309	6	0.55	<5	<5	<10	136	1041	3	20	<10	4	<1
263632D	1227881	<0.005	<1	1.72	4	<1	<2	<1	1.08	<4	5	9	7	0.82	<0.01	5	0.60	<100	<1	13	301	9	0.52	<5	<5	<10	230	1125	<2	22	<10	3	<1
263633	1227882	0.008	<1	1.86	10	<1	<2	1	1.24	<4	5	12	<1	1.19	<0.01	9	0.77	194	<1	14	266	8	1.25	<5	<5	<10	205	1181	4	22	<10	3	<1
263634	1227883	0.007	<1	2.34	13	<1	<2	2	1.83	<4	6	15	5	1.82	<0.01	11	1.28	268	<1	17	294	12	1.86	<5	<5	<10	183	1217	24	22	<10	6	<1
263635	1227884	0.006	<1	2.20	19	<1	<2	10	0.99	<4	14	24	7	2.01	<0.01	10	0.87	196	<1	31	295	12	2.51	<5	<5	<10	200	1252	3	27	<10	6	3
263636	1227885	<0.005	<1	1.72	22	<1	<2	6	0.78	<4	12	41	15	1.90	<0.01	7	0.49	196	<1	30	375	12	2.57	<5	<5	<10	191	1630	<2	43	<10	5	<1
263637	1227886	<0.005	<1	1.72	33	<1	<2	<1	1.16	<4	8	8	7	1.46	<0.01	3	0.37	156	<1	15	455	7	2.03	<5	<5	<10	163	1244	<2	24	<10	5	<1

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263638	1227887	0.005	<1	1.90	33	<1	<2	7	0.80	<4	10	7	8	1.00	<0.01	3	0.34	115	<1	18	442	6	1.30	<5	<5	<10	186	1155	<2	22	<10	5	<1
263639	1227888	<0.005	<1	<0.01	27	<1	<2	<1	0.22	<4	9	5	5	0.77	<0.01	<1	0.22	<100	<1	15	385	5	1.01	<5	<5	<10	96	889	<2	16	<10	4	<1
263640	1227889	0.008	<1	1.14	20	<1	<2	1	1.12	<4	9	10	6	1.24	0.04	4	0.42	242	<1	19	452	6	1.52	<5	<5	<10	186	997	<2	21	<10	6	<1
263641	1227890	1.433	<1	1.88	36	<1	2	15	2.25	<4	16	49	7575	4.45	<0.01	2	0.99	481	694	15	803	31	3.12	5	7	<10	168	658	2	78	<10	13	19
263642	1227891	0.008	<1	2.04	12	<1	<2	7	0.68	<4	6	15	<1	1.32	<0.01	10	0.50	282	<1	15	363	5	1.63	<5	6	<10	149	1232	6	25	<10	6	<1
263643R	1227891	<0.005	<1	2.16	10	<1	<2	2	0.77	<4	6	15	48	1.28	<0.01	8	0.47	277	<1	14	342	6	1.54	<5	<5	<10	169	1202	8	26	<10	6	<1
263644	1227892	<0.005	<1	2.96	13	<1	<2	8	1.19	<4	9	24	11	1.96	<0.01	11	0.80	320	<1	21	420	10	2.16	<5	<5	<10	196	1416	<2	32	<10	7	<1
263645	1227893	0.153	<1	4.04	20	<1	2	1	1.83	<4	13	38	10	2.40	<0.01	17	1.05	427	<1	31	502	12	2.58	<5	<5	<10	289	1623	19	41	<10	9	<1
263646	1227894	0.028	<1	3.51	17	<1	<2	6	1.36	<4	8	11	9	1.84	<0.01	9	1.07	497	<1	16	465	14	1.04	<5	<5	<10	120	1394	6	24	<10	7	<1
263647	1227895	0.056	<1	2.50	39	<1	<2	7	0.66	<4	6	11	10	1.91	<0.01	1	0.59	232	<1	16	488	23	2.36	<5	<5	<10	96	891	<2	19	<10	6	<1
263648	1227896	0.087	<1	1.78	44	<1	<2	6	0.13	<4	8	9	6	1.95	<0.01	<1	0.35	147	<1	19	456	23	2.64	<5	<5	<10	82	1224	<2	30	<10	4	<1
263649	1227897	0.155	<1	3.02	25	2	2	13	0.65	<4	8	14	12	1.45	0.05	<1	0.56	250	<1	18	407	30	1.24	<5	5	<10	94	1088	<2	31	<10	4	<1
263650	1227898	10.472	<1	1.56	42	<1	<2	4	0.05	<4	6	11	6	1.21	0.21	<1	0.21	<100	<1	18	410	11	1.56	<5	<5	<10	65	784	<2	19	<10	5	<1
263651	1227899	0.427	<1	<0.01	52	<1	<2	<1	<0.01	<4	7	9	12	1.33	0.12	<1	0.18	<100	<1	16	390	7	1.84	<5	<5	<10	47	567	<2	14	<10	4	11
263652	1227900	<0.005	<1	1.79	5	83	<2	6	1.32	<4	12	26	18	2.16	0.08	1	0.80	389	<1	18	465	6	0.08	<5	<5	<10	187	1870	3	70	26	13	<1
263653	1227901	0.265	<1	2.32	67	<1	<2	7	0.27	<4	7	12	13	1.68	0.09	<1	0.43	<100	<1	21	432	18	2.20	<5	<5	<10	72	876	<2	22	<10	5	<1
263654D	1227901	0.264	<1	2.49	61	<1	<2	8	0.19	<4	7	13	14	1.65	0.12	<1	0.42	<100	<1	20	410	20	2.12	<5	<5	<10	72	944	<2	26	<10	4	<1
263655	1227902	0.135	<1	3.53	30	23	2	3	1.38	<4	7	12	12	1.34	0.36	3	0.90	352	<1	17	432	24	1.14	<5	<5	<10	102	961	11	22	<10	5	<1
263656	1227903	0.529	<1	1.65	69	<1	<2	4	<0.01	<4	7	22	48	1.88	<0.01	<1	0.18	<100	<1	28	382	43	2.84	5	<5	<10	59	1069	2	29	11	3	977
263657	1227904	0.474	<1	2.60	99	188	<2	<1	<0.01	<4	7	16	25	1.20	<0.01	1	0.23	<100	<1	21	442	58	1.65	6	<5	<10	62	1258	2	33	11	3	860

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263658	1227905	0.035	<1	5.20	145	<1	2	13	0.11	<4	13	28	32	2.08	<0.01	6	0.50	<100	<1	36	846	59	2.81	7	<5	<10	73	1319	<2	39	11	6	906
263659	1227906	0.073	<1	3.13	57	55	<2	14	<0.01	<4	7	11	21	1.57	0.25	2	0.31	<100	<1	19	442	30	2.15	<5	<5	<10	52	1065	<2	24	<10	5	110
263660	1227907	0.156	<1	2.72	59	147	<2	<1	<0.01	<4	9	32	19	0.96	0.07	<1	0.23	<100	<1	27	353	43	1.26	5	<5	<10	58	1151	<2	35	<10	4	51
263661	1227908	0.057	<1	2.80	61	307	2	3	0.04	<4	10	37	13	1.18	<0.01	5	0.25	<100	2	30	355	28	1.62	<5	<5	<10	67	1377	<2	41	<10	4	<1
263662	1227909	0.351	<1	2.32	93	105	<2	<1	0.07	<4	6	15	28	1.57	<0.01	6	0.25	<100	4	19	255	142	2.42	15	<5	<10	64	1287	<2	28	<10	4	636
263663	1227910	0.284	100	2.65	217	<1	<2	10	1.03	20	13	37	6360	4.69	<0.01	9	0.91	1384	15	21	418	9438	2.68	288	<5	<10	165	1882	4	68	39	10	5200
263664	1227911	0.587	<1	2.73	107	112	2	9	0.12	<4	9	35	27	2.03	0.14	10	0.27	<100	6	29	304	63	2.95	<5	<5	<10	70	1474	<2	38	<10	4	685
263665D	1227911	0.589	<1	2.54	100	172	<2	11	0.09	<4	9	32	25	1.94	0.05	8	0.26	<100	4	28	292	57	2.84	<5	<5	<10	67	1344	<2	35	<10	4	645
263666	1227912	0.047	<1	3.02	59	471	2	10	0.27	<4	8	17	8	1.39	<0.01	13	0.38	<100	4	18	430	29	1.63	<5	<5	<10	79	1663	<2	35	<10	4	7
263667	1227913	0.115	<1	1.84	37	206	2	4	0.13	4	9	12	41	1.38	0.18	9	0.30	125	<1	16	413	42	1.72	<5	<5	<10	59	1758	<2	34	17	4	1381
263668	1227914	0.049	<1	1.94	47	374	2	6	0.08	<4	8	12	21	1.17	0.05	9	0.28	<100	2	18	365	20	1.49	<5	<5	<10	60	1863	<2	34	12	3	719
263669	1227915	0.057	<1	1.84	25	456	2	7	0.11	<4	7	14	17	0.68	0.07	13	0.26	<100	3	17	380	21	0.65	<5	<5	<10	58	2061	<2	34	12	4	432
263670	1227916	0.057	<1	4.38	26	460	2	1	0.18	<4	7	15	26	0.77	<0.01	14	0.35	<100	2	19	416	34	0.73	<5	<5	<10	65	2010	<2	34	<10	6	310
263671	1227917	0.050	<1	5.10	37	291	2	<1	1.90	<4	7	12	19	1.43	0.04	18	1.10	610	<1	17	416	22	0.94	<5	<5	<10	117	1858	11	30	<10	6	30
263672	1227918	0.064	<1	4.91	32	82	2	4	1.95	<4	8	9	32	1.68	0.17	11	1.13	697	<1	16	453	19	1.46	<5	7	<10	107	1653	28	27	<10	7	124
263673	1227919	0.647	<1	3.37	12	<1	<2	12	4.58	<4	49	47	605	5.81	0.06	16	1.81	949	<1	51	484	11	0.33	<5	<5	<10	159	8870	15	343	<10	21	<1
263674	1227920	0.005	<1	3.46	8	556	<2	10	1.57	<4	13	30	21	2.22	0.17	13	0.66	418	7	22	466	7	0.08	<5	<5	<10	243	2691	<2	82	23	9	<1
263675	1227921	0.076	<1	2.55	13	<1	<2	3	5.91	<4	49	46	143	7.01	0.27	22	2.37	1259	<1	45	477	8	0.32	<5	<5	<10	95	7666	12	379	<10	20	6
263676D	1227921	0.075	<1	5.64	13	<1	<2	17	6.07	<4	49	48	130	6.67	0.48	29	2.14	1236	<1	44	468	7	0.32	<5	<5	<10	159	8664	4	410	<10	24	2

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 14, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Revised Date: 12/14/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263578	1227832	0.008	<1	3.07	3	112	<2	14	1.05	<4	8	29	15	1.89	<0.01	9	0.48	263	<1	24	305	8	0.54	<5	<5	<10	211	1531	<2	27	<10	6	<1
263579	1227833	<0.005	<1	2.18	2	148	<2	<1	0.54	<4	12	46	18	0.59	<0.01	6	0.28	<100	<1	28	308	5	0.18	<5	<5	<10	178	1352	5	53	<10	5	<1
263580	1227834	<0.005	<1	1.61	<2	33	<2	1	0.25	<4	13	47	18	0.50	<0.01	3	0.32	<100	<1	34	358	3	0.15	<5	<5	<10	113	972	4	52	<10	6	<1
263581	1227835	<0.005	<1	2.33	5	113	<2	2	0.64	<4	15	47	27	0.65	<0.01	6	0.36	<100	<1	40	364	3	0.25	<5	<5	<10	136	1059	<2	49	<10	6	107
263582	1227836	<0.005	<1	2.96	8	128	<2	5	0.95	<4	17	53	26	0.69	<0.01	6	0.36	106	<1	37	363	4	0.24	<5	<5	<10	214	1169	<2	59	<10	5	109
263583	1227837	<0.005	<1	1.96	6	64	<2	4	0.55	<4	6	11	7	1.28	<0.01	8	0.42	157	<1	13	368	3	0.18	<5	<5	<10	124	1178	<2	28	<10	5	<1
263584	1227838	<0.005	<1	2.35	6	79	<2	<1	0.34	<4	4	12	<1	0.36	<0.01	5	0.22	<100	<1	11	377	2	0.01	<5	<5	<10	146	1238	<2	27	<10	4	<1
263585	1227839	0.017	<1	3.09	2	151	<2	15	0.69	<4	15	67	33	1.89	<0.01	14	0.53	163	<1	45	438	10	0.63	<5	<5	<10	154	1366	2	50	<10	10	<1
263586	1227840	<0.005	<1	2.77	4	250	<2	<1	1.32	<4	10	24	17	1.93	<0.01	7	0.73	349	<1	17	415	6	0.08	<5	<5	<10	197	1915	5	65	17	11	<1
263587	1227841	<0.005	<1	2.94	4	181	<2	4	0.35	<4	14	35	8	0.52	<0.01	5	0.23	<100	<1	34	405	7	0.09	<5	<5	<10	158	1523	<2	48	<10	6	<1
263588D	1227841	<0.005	<1	1.16	5	<1	<2	<1	0.07	<4	13	26	8	0.43	<0.01	<1	0.20	<100	<1	32	412	5	0.08	<5	<5	<10	85	1019	3	34	<10	7	<1
263589	1227842	<0.005	<1	2.45	4	145	<2	2	0.97	<4	9	39	6	1.24	<0.01	13	0.49	270	<1	25	344	10	0.18	<5	<5	<10	174	1712	<2	35	<10	5	<1
263590	1227843	0.131	<1	4.86	31	168	2	15	1.64	<4	19	109	45	3.32	0.05	18	1.23	646	2	68	492	66	1.92	<5	5	<10	127	2333	6	71	<10	12	240
263591	1227844	0.126	<1	4.77	31	14	2	16	2.43	<4	19	102	44	3.09	<0.01	14	1.87	1170	<1	60	445	23	2.31	<5	<5	<10	128	2062	15	67	<10	13	19
263592	1227845	0.095	<1	4.94	13	171	2	11	2.08	<4	22	113	49	3.45	<0.01	17	1.45	780	2	67	488	36	1.65	<5	<5	<10	182	2118	14	71	<10	13	19
263593	1227846	0.030	<1	4.56	30	597	2	21	1.09	<4	11	35	14	1.03	<0.01	16	0.38	146	5	30	557	21	0.97	<5	<5	<10	205	2050	<2	39	<10	6	26
263594	1227847	0.008	<1	2.55	13	75	<2	9	0.76	<4	7	10	3	0.52	0.18	4	0.37	115	<1	15	341	11	0.48	<5	5	<10	146	1266	<2	21	<10	4	13
263595	1227848	<0.005	<1	1.95	13	48	<2	5	0.61	<4	9	12	5	0.68	<0.01	7	0.54	182	<1	18	364	12	0.51	<5	<5	<10	127	1336	<2	22	<10	5	93
263596	1227849	<0.005	<1	3.10	14	133	<2	6	0.90	<4	9	12	5	0.59	0.13	6	0.46	164	<1	19	331	55	0.43	<5	<5	<10	183	1339	<2	22	<10	4	221
263597	1227850	0.273	100	2.03	224	<1	<2	10	0.99	21	13	40	6220	5.03	0.34	3	1.04	1469	12	24	446	9520	2.98	143	<5	<10	152	1688	12	66	39	13	>5000

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 14, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Revised Date: 12/14/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263598	1227851	<0.005	<1	2.10	15	95	<2	<1	1.03	<4	8	12	13	0.60	0.12	5	0.45	200	<1	19	327	37	0.38	<5	<5	<10	203	1286	<2	21	<10	3	129
263599D	1227851	0.011	<1	1.40	15	76	<2	<1	0.49	<4	9	11	3	0.60	0.27	5	0.51	198	<1	18	347	18	0.37	<5	<5	<10	109	1246	2	19	<10	4	127
263600	1227852	0.007	<1	1.53	21	85	<2	<1	0.75	<4	9	13	9	0.75	0.07	4	0.57	238	<1	21	346	18	0.57	<5	<5	<10	137	1260	6	20	<10	4	53
263601	1227853	0.013	<1	2.87	19	411	<2	4	1.19	<4	7	10	19	0.57	0.17	7	0.30	145	<1	18	317	31	0.50	<5	<5	<10	254	1455	6	27	<10	3	146
263602	1227854	<0.005	<1	3.30	13	240	<2	<1	1.18	<4	8	14	10	0.93	<0.01	10	0.38	140	<1	22	349	14	0.84	<5	<5	<10	297	1591	2	33	<10	3	<1
263603	1227855	<0.005	<1	3.41	5	281	<2	17	1.17	<4	7	13	3	0.62	0.09	9	0.27	<100	<1	20	333	9	0.47	<5	<5	<10	341	1595	4	36	<10	3	<1
263604	1227856	<0.005	<1	4.68	8	186	<2	4	1.21	<4	7	12	3	0.60	0.15	7	0.30	<100	<1	23	351	9	0.45	<5	5	<10	337	1420	10	30	<10	4	<1
263605	1227857	<0.005	<1	5.67	14	342	<2	1	1.46	<4	9	15	5	0.66	0.24	13	0.42	<100	<1	23	344	7	0.41	<5	11	<10	361	1616	<2	27	<10	5	<1
263606	1227858	<0.005	<1	3.72	12	93	<2	6	1.02	<4	6	13	6	0.52	0.10	7	0.35	<100	<1	19	329	6	0.23	<5	10	<10	294	1366	<2	26	<10	4	<1
263607	1227859	<0.005	<1	3.44	10	197	<2	9	0.86	<4	7	12	8	0.62	0.01	10	0.43	122	<1	18	351	9	0.29	<5	<5	<10	230	1541	<2	25	<10	4	<1
263608	1227860	<0.005	<1	2.67	5	205	<2	7	1.44	<4	12	28	19	2.21	0.03	6	0.86	397	<1	19	476	5	0.08	<5	<5	<10	187	1969	6	72	19	14	<1
263609	1227861	0.016	<1	3.71	13	218	<2	13	1.77	<4	8	14	41	1.73	<0.01	11	0.79	521	<1	15	422	53	0.82	<5	<5	<10	298	1932	3	35	<10	5	68
263610D	1227861	0.018	<1	2.71	14	228	<2	<1	1.72	<4	8	13	39	1.65	<0.01	10	0.68	504	<1	19	406	55	0.80	<5	<5	<10	295	1936	<2	36	<10	4	61
263611	1227862	0.007	<1	3.96	8	298	<2	5	1.30	<4	8	13	10	1.57	<0.01	11	0.74	449	<1	16	424	19	0.63	<5	<5	<10	201	1824	4	32	<10	7	<1
263612	1227863	0.010	<1	3.17	6	143	<2	6	1.10	<4	9	11	21	1.68	<0.01	9	0.68	441	<1	14	407	27	0.70	<5	5	<10	176	1689	<2	28	<10	6	38
263613	1227864	0.009	<1	2.83	2	165	<2	<1	1.54	<4	9	13	8	1.80	<0.01	10	0.69	445	<1	17	414	18	0.57	<5	5	<10	231	1916	4	34	<10	5	<1
263614	1227865	0.011	<1	3.17	3	170	<2	8	1.41	<4	8	9	8	1.58	0.17	9	0.76	388	<1	14	406	9	0.33	<5	<5	<10	205	1744	<2	29	<10	7	<1
263615	1227866	0.016	<1	3.60	3	161	<2	<1	1.76	<4	7	11	7	1.57	0.09	10	0.71	416	<1	12	415	6	0.51	<5	<5	<10	242	1813	8	31	<10	6	<1
263616	1227867	0.016	<1	4.58	9	90	2	16	1.81	<4	8	13	10	1.77	<0.01	9	0.77	452	<1	17	414	28	1.42	<5	<5	<10	197	1627	5	26	<10	7	7
263617	1227868	0.014	<1	3.49	12	103	<2	4	1.50	<4	8	18	27	1.41	0.05	5	0.57	417	<1	22	419	37	1.03	<5	7	<10	151	1449	2	22	<10	7	137

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Dr. David Brown, VP Quality

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 14, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Revised Date: 12/14/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263618	1227869	0.013	<1	3.08	16	11	<2	8	1.32	<4	4	13	5	0.97	0.05	<1	0.32	209	<1	17	303	20	0.94	<5	<5	<10	133	1188	<2	18	<10	5	<1
263619	1227870	5.111	<1	2.25	410	529	<2	4	2.10	<4	13	98	79	3.00	<0.01	9	1.10	401	9	45	724	26	1.15	17	<5	<10	135	1565	6	108	<10	13	147
263620	1227871	0.015	<1	2.70	30	77	<2	2	0.86	<4	7	14	1	1.19	<0.01	6	0.30	187	<1	14	302	11	1.32	<5	<5	<10	106	1459	<2	24	<10	4	4
263621D	1227871	0.012	<1	2.89	26	<1	<2	8	0.83	<4	7	15	1	1.16	<0.01	5	0.31	185	<1	14	302	13	1.30	<5	<5	<10	102	1368	3	23	<10	4	3
263622	1227872	0.012	<1	2.98	13	<1	<2	11	2.12	<4	5	17	10	1.32	0.07	4	0.68	471	<1	16	291	11	1.06	<5	6	<10	122	1193	<2	24	<10	4	<1
263623	1227873	0.008	<1	3.22	14	<1	<2	7	1.56	<4	7	18	13	1.42	<0.01	4	0.60	313	<1	19	309	10	1.27	<5	<5	<10	106	1224	<2	22	<10	6	<1
263624	1227874	0.010	<1	2.88	12	<1	<2	6	1.55	<4	6	12	10	1.15	0.13	4	0.57	286	<1	14	381	47	0.90	<5	5	<10	116	1211	<2	19	<10	6	5
263625	1227875	0.123	<1	3.33	23	<1	<2	4	1.55	<4	7	12	25	1.44	<0.01	8	0.82	386	<1	18	500	40	1.27	<5	<5	<10	118	1450	8	24	<10	7	28
263626	1227876	0.111	<1	2.80	24	<1	<2	5	1.52	<4	7	11	55	1.42	<0.01	5	0.76	366	<1	16	495	28	1.29	<5	<5	<10	113	1333	3	22	<10	6	53
263627	1227877	0.151	<1	2.05	34	97	<2	8	0.01	<4	7	12	14	1.13	<0.01	<1	0.25	<100	8	18	391	38	1.29	<5	<5	<10	52	1638	<2	29	<10	4	137
263628	1227878	0.146	<1	1.87	44	<1	<2	2	0.68	<4	6	6	12	1.41	<0.01	<1	0.50	250	<1	13	537	41	1.76	<5	<5	<10	94	1175	<2	16	<10	6	215
263629	1227879	0.040	<1	4.81	26	198	<2	11	1.86	<4	5	10	10	1.25	0.24	10	0.94	494	<1	16	583	22	0.87	<5	7	<10	140	1587	14	24	<10	7	<1
263630	1227880	<0.005	<1	1.57	4	89	<2	5	1.32	<4	12	27	19	2.19	0.18	4	0.82	393	<1	18	470	4	0.08	<5	<5	<10	167	1838	7	70	19	13	<1
263631	1227881	<0.005	<1	0.96	3	<1	<2	1	0.67	<4	6	10	8	0.87	0.05	5	0.68	<100	<1	15	309	6	0.55	<5	<5	<10	136	1041	3	20	<10	4	<1
263632D	1227881	<0.005	<1	1.72	4	<1	<2	<1	1.08	<4	5	9	7	0.82	<0.01	5	0.60	<100	<1	13	301	9	0.52	<5	<5	<10	230	1125	<2	22	<10	3	<1
263633	1227882	0.008	<1	1.86	10	<1	<2	1	1.24	<4	5	12	<1	1.19	<0.01	9	0.77	194	<1	14	266	8	1.25	<5	<5	<10	205	1181	4	22	<10	3	<1
263634	1227883	0.007	<1	2.34	13	<1	<2	2	1.83	<4	6	15	5	1.82	<0.01	11	1.28	268	<1	17	294	12	1.86	<5	<5	<10	183	1217	24	22	<10	6	<1
263635	1227884	0.006	<1	2.20	19	<1	<2	10	0.99	<4	14	24	7	2.01	<0.01	10	0.87	196	<1	31	295	12	2.51	<5	<5	<10	200	1252	3	27	<10	6	3
263636	1227885	<0.005	<1	1.72	22	<1	<2	6	0.78	<4	12	41	15	1.90	<0.01	7	0.49	196	<1	30	375	12	2.57	<5	<5	<10	191	1630	<2	43	<10	5	<1
263637	1227886	<0.005	<1	1.72	33	<1	<2	<1	1.16	<4	8	8	7	1.46	<0.01	3	0.37	156	<1	15	455	7	2.03	<5	<5	<10	163	1244	<2	24	<10	5	<1

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, December 14, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Revised Date: 12/14/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263638	1227887	0.005	<1	1.90	33	<1	<2	7	0.80	<4	10	7	8	1.00	<0.01	3	0.34	115	<1	18	442	6	1.30	<5	<5	<10	186	1155	<2	22	<10	5	<1
263639	1227888	<0.005	<1	<0.01	27	<1	<2	<1	0.22	<4	9	5	5	0.77	<0.01	<1	0.22	<100	<1	15	385	5	1.01	<5	<5	<10	96	889	<2	16	<10	4	<1
263640	1227889	0.008	<1	1.14	20	<1	<2	1	1.12	<4	9	10	6	1.24	0.04	4	0.42	242	<1	19	452	6	1.52	<5	<5	<10	186	997	<2	21	<10	6	<1
263641	1227890	1.433	<1	1.88	36	<1	2	15	2.25	<4	16	49	7575	4.45	<0.01	2	0.99	481	694	15	803	31	3.12	5	7	<10	168	658	2	78	<10	13	19
263642	1227891	0.008	<1	2.04	12	<1	<2	7	0.68	<4	6	15	<1	1.32	<0.01	10	0.50	282	<1	15	363	5	1.63	<5	6	<10	149	1232	6	25	<10	6	<1
263643R	1227891	<0.005	<1	2.16	10	<1	<2	2	0.77	<4	6	15	48	1.28	<0.01	8	0.47	277	<1	14	342	6	1.54	<5	<5	<10	169	1202	8	26	<10	6	<1
263644	1227892	<0.005	<1	2.96	13	<1	<2	8	1.19	<4	9	24	11	1.96	<0.01	11	0.80	320	<1	21	420	10	2.16	<5	<5	<10	196	1416	<2	32	<10	7	<1
263645	1227893	0.153	<1	4.04	20	<1	2	1	1.83	<4	13	38	10	2.40	<0.01	17	1.05	427	<1	31	502	12	2.58	<5	<5	<10	289	1623	19	41	<10	9	<1
263646	1227894	0.028	<1	3.51	17	<1	<2	6	1.36	<4	8	11	9	1.84	<0.01	9	1.07	497	<1	16	465	14	1.04	<5	<5	<10	120	1394	6	24	<10	7	<1
263647	1227895	0.056	<1	2.50	39	<1	<2	7	0.66	<4	6	11	10	1.91	<0.01	1	0.59	232	<1	16	488	23	2.36	<5	<5	<10	96	891	<2	19	<10	6	<1
263648	1227896	0.087	<1	1.78	44	<1	<2	6	0.13	<4	8	9	6	1.95	<0.01	<1	0.35	147	<1	19	456	23	2.64	<5	<5	<10	82	1224	<2	30	<10	4	<1
263649	1227897	0.155	<1	3.02	25	2	2	13	0.65	<4	8	14	12	1.45	0.05	<1	0.56	250	<1	18	407	30	1.24	<5	5	<10	94	1088	<2	31	<10	4	<1
263650	1227898	0.643	<1	1.56	42	<1	<2	4	0.05	<4	6	11	6	1.21	0.21	<1	0.21	<100	<1	18	410	11	1.56	<5	<5	<10	65	784	<2	19	<10	5	<1
263651	1227899	0.427	<1	<0.01	52	<1	<2	<1	<0.01	<4	7	9	12	1.33	0.12	<1	0.18	<100	<1	16	390	7	1.84	<5	<5	<10	47	567	<2	14	<10	4	11
263652	1227900	<0.005	<1	1.79	5	83	<2	6	1.32	<4	12	26	18	2.16	0.08	1	0.80	389	<1	18	465	6	0.08	<5	<5	<10	187	1870	3	70	26	13	<1
263653	1227901	0.265	<1	2.32	67	<1	<2	7	0.27	<4	7	12	13	1.68	0.09	<1	0.43	<100	<1	21	432	18	2.20	<5	<5	<10	72	876	<2	22	<10	5	<1
263654D	1227901	0.264	<1	2.49	61	<1	<2	8	0.19	<4	7	13	14	1.65	0.12	<1	0.42	<100	<1	20	410	20	2.12	<5	<5	<10	72	944	<2	26	<10	4	<1
263655	1227902	0.135	<1	3.53	30	23	2	3	1.38	<4	7	12	12	1.34	0.36	3	0.90	352	<1	17	432	24	1.14	<5	<5	<10	102	961	11	22	<10	5	<1
263656	1227903	0.529	<1	1.65	69	<1	<2	4	<0.01	<4	7	22	48	1.88	<0.01	<1	0.18	<100	<1	28	382	43	2.84	5	<5	<10	59	1069	2	29	11	3	977
263657	1227904	0.474	<1	2.60	99	188	<2	<1	<0.01	<4	7	16	25	1.20	<0.01	1	0.23	<100	<1	21	442	58	1.65	6	<5	<10	62	1258	2	33	11	3	860

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Dr. David Brown, VP Quality

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 14, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Revised Date: 12/14/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
263658	1227905	0.035	<1	5.20	145	<1	2	13	0.11	<4	13	28	32	2.08	<0.01	6	0.50	<100	<1	36	846	59	2.81	7	<5	<10	73	1319	<2	39	11	6	906
263659	1227906	0.073	<1	3.13	57	55	<2	14	<0.01	<4	7	11	21	1.57	0.25	2	0.31	<100	<1	19	442	30	2.15	<5	<5	<10	52	1065	<2	24	<10	5	110
263660	1227907	0.156	<1	2.72	59	147	<2	<1	<0.01	<4	9	32	19	0.96	0.07	<1	0.23	<100	<1	27	353	43	1.26	5	<5	<10	58	1151	<2	35	<10	4	51
263661	1227908	0.057	<1	2.80	61	307	2	3	0.04	<4	10	37	13	1.18	<0.01	5	0.25	<100	2	30	355	28	1.62	<5	<5	<10	67	1377	<2	41	<10	4	<1
263662	1227909	0.351	<1	2.32	93	105	<2	<1	0.07	<4	6	15	28	1.57	<0.01	6	0.25	<100	4	19	255	142	2.42	15	<5	<10	64	1287	<2	28	<10	4	636
263663	1227910	0.284	100	2.65	217	<1	<2	10	1.03	20	13	37	6360	4.69	<0.01	9	0.91	1384	15	21	418	9438	2.68	288	<5	<10	165	1882	4	68	39	10	5200
263664	1227911	0.587	<1	2.73	107	112	2	9	0.12	<4	9	35	27	2.03	0.14	10	0.27	<100	6	29	304	63	2.95	<5	<5	<10	70	1474	<2	38	<10	4	685
263665D	1227911	0.589	<1	2.54	100	172	<2	11	0.09	<4	9	32	25	1.94	0.05	8	0.26	<100	4	28	292	57	2.84	<5	<5	<10	67	1344	<2	35	<10	4	645
263666	1227912	0.047	<1	3.02	59	471	2	10	0.27	<4	8	17	8	1.39	<0.01	13	0.38	<100	4	18	430	29	1.63	<5	<5	<10	79	1663	<2	35	<10	4	7
263667	1227913	0.115	<1	1.84	37	206	2	4	0.13	4	9	12	41	1.38	0.18	9	0.30	125	<1	16	413	42	1.72	<5	<5	<10	59	1758	<2	34	17	4	1381
263668	1227914	0.049	<1	1.94	47	374	2	6	0.08	<4	8	12	21	1.17	0.05	9	0.28	<100	2	18	365	20	1.49	<5	<5	<10	60	1863	<2	34	12	3	719
263669	1227915	0.057	<1	1.84	25	456	2	7	0.11	<4	7	14	17	0.68	0.07	13	0.26	<100	3	17	380	21	0.65	<5	<5	<10	58	2061	<2	34	12	4	432
263670	1227916	0.057	<1	4.38	26	460	2	1	0.18	<4	7	15	26	0.77	<0.01	14	0.35	<100	2	19	416	34	0.73	<5	<5	<10	65	2010	<2	34	<10	6	310
263671	1227917	0.050	<1	5.10	37	291	2	<1	1.90	<4	7	12	19	1.43	0.04	18	1.10	610	<1	17	416	22	0.94	<5	<5	<10	117	1858	11	30	<10	6	30
263672	1227918	0.064	<1	4.91	32	82	2	4	1.95	<4	8	9	32	1.68	0.17	11	1.13	697	<1	16	453	19	1.46	<5	7	<10	107	1653	28	27	<10	7	124
263673	1227919	0.647	<1	3.37	12	<1	<2	12	4.58	<4	49	47	605	5.81	0.06	16	1.81	949	<1	51	484	11	0.33	<5	<5	<10	159	8870	15	343	<10	21	<1
263674	1227920	0.005	<1	3.46	8	556	<2	10	1.57	<4	13	30	21	2.22	0.17	13	0.66	418	7	22	466	7	0.08	<5	<5	<10	243	2691	<2	82	23	9	<1
263675	1227921	0.076	<1	2.55	13	<1	<2	3	5.91	<4	49	46	143	7.01	0.27	22	2.37	1259	<1	45	477	8	0.32	<5	<5	<10	95	7666	12	379	<10	20	6
263676D	1227921	0.075	<1	5.64	13	<1	<2	17	6.07	<4	49	48	130	6.67	0.48	29	2.14	1236	<1	44	468	7	0.32	<5	<5	<10	159	8664	4	410	<10	24	2

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
263578	1227832	8	<0.001	0.008
263579	1227833	<5	<0.001	<0.005
263580	1227834	<5	<0.001	<0.005
263581	1227835	<5	<0.001	<0.005
263582	1227836	<5	<0.001	<0.005
263583	1227837	<5	<0.001	<0.005
263584	1227838	<5	<0.001	<0.005
263585	1227839	17	<0.001	0.017
263586	1227840	<5	<0.001	<0.005
263587	1227841	<5	<0.001	<0.005
263588 Dup	1227841	<5	<0.001	<0.005
263589	1227842	<5	<0.001	<0.005
263590	1227843	131	0.004	0.131
263591	1227844	126	0.004	0.126
263592	1227845	95	0.003	0.095
263593	1227846	30	<0.001	0.030
263594	1227847	8	<0.001	0.008
263595	1227848	<5	<0.001	<0.005
263596	1227849	<5	<0.001	<0.005
263597	1227850	273	0.008	0.273
263598	1227851	<5	<0.001	<0.005
263599 Dup	1227851	11	<0.001	0.011
263600	1227852	7	<0.001	0.007
263601	1227853	13	<0.001	0.013
263602	1227854	<5	<0.001	<0.005
263603	1227855	<5	<0.001	<0.005
263604	1227856	<5	<0.001	<0.005
263605	1227857	<5	<0.001	<0.005
263606	1227858	<5	<0.001	<0.005
263607	1227859	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
263608	1227860	<5	<0.001	<0.005
263609	1227861	16	<0.001	0.016
263610 Dup	1227861	18	<0.001	0.018
263611	1227862	7	<0.001	0.007
263612	1227863	10	<0.001	0.010
263613	1227864	9	<0.001	0.009
263614	1227865	11	<0.001	0.011
263615	1227866	16	<0.001	0.016
263616	1227867	16	<0.001	0.016
263617	1227868	14	<0.001	0.014
263618	1227869	13	<0.001	0.013
263619	1227870	5111	0.149	5.111
263620	1227871	15	<0.001	0.015
263621 Dup	1227871	12	<0.001	0.012
263622	1227872	12	<0.001	0.012
263623	1227873	8	<0.001	0.008
263624	1227874	10	<0.001	0.010
263625	1227875	123	0.004	0.123
263626	1227876	111	0.003	0.111
263627	1227877	151	0.004	0.151
263628	1227878	146	0.004	0.146
263629	1227879	40	0.001	0.040
263630	1227880	<5	<0.001	<0.005
263631	1227881	<5	<0.001	<0.005
263632 Dup	1227881	<5	<0.001	<0.005
263633	1227882	8	<0.001	0.008
263634	1227883	7	<0.001	0.007
263635	1227884	6	<0.001	0.006
263636	1227885	<5	<0.001	<0.005
263637	1227886	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
263638	1227887	5	<0.001	0.005
263639	1227888	<5	<0.001	<0.005
263640	1227889	8	<0.001	0.008
263641	1227890	1433	0.042	1.433
263642	1227891	8	<0.001	0.008
263643 Rep	1227891	<5	<0.001	<0.005
263644	1227892	<5	<0.001	<0.005
263645	1227893	153	0.004	0.153
263646	1227894	28	<0.001	0.028
263647	1227895	56	0.002	0.056
263648	1227896	87	0.003	0.087
263649	1227897	155	0.005	0.155
263650	1227898	10472	0.306	10.472
263651	1227899	427	0.012	0.427
263652	1227900	<5	<0.001	<0.005
263653	1227901	265	0.008	0.265
263654 Dup	1227901	264	0.008	0.264
263655	1227902	135	0.004	0.135
263656	1227903	529	0.015	0.529
263657	1227904	474	0.014	0.474
263658	1227905	35	0.001	0.035
263659	1227906	73	0.002	0.073
263660	1227907	156	0.005	0.156
263661	1227908	57	0.002	0.057
263662	1227909	351	0.010	0.351
263663	1227910	284	0.008	0.284
263664	1227911	587	0.017	0.587
263665 Dup	1227911	589	0.017	0.589
263666	1227912	47	0.001	0.047
263667	1227913	115	0.003	0.115

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/24/2011  
 Date Completed: 11/09/2011  
 Job #: 201143901  
 Reference: TL11159  
 Sample #: 90

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
263668	1227914	49	0.001	0.049
263669	1227915	57	0.002	0.057
263670	1227916	57	0.002	0.057
263671	1227917	50	0.001	0.050
263672	1227918	64	0.002	0.064
263673	1227919	647	0.019	0.647
263674	1227920	5	<0.001	0.005
263675	1227921	76	0.002	0.076
263676 Dup	1227921	75	0.002	0.075

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 14, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 12/08/2011  
 Job #: 201144169  
 Reference: TL11159  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
285530	1227898	446	317	2088	465	4.89%	49.08

**PROCEDURE CODES: ALPM1**

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/26/2011  
 Job #: 201141800  
 Reference: TMI-TML  
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
124086	1006458	0.019	<1	0.97	11	217	<2	27	1.16	<4	6	79	8	1.35	<0.01	4	1.00	706	<1	8	429	18	0.51	<5	13	<10	85	1197	<2	25	<10	5	44
124087	1006459	0.049	<1	1.93	16	281	<2	29	0.93	<4	7	325	24	1.42	0.04	6	0.89	609	<1	9	432	38	0.76	<5	15	<10	84	1353	<2	25	<10	5	71
124088	1006460	0.008	<1	1.43	9	351	<2	28	1.61	<4	14	61	20	2.28	0.03	2	0.88	474	<1	32	508	8	0.07	6	15	<10	184	1596	5	67	41	12	41
124089	1006461	0.095	4	2.19	21	313	<2	25	0.74	<4	6	361	50	1.30	0.01	<1	0.63	376	<1	10	349	497	0.99	7	10	<10	83	1188	<2	21	13	4	555
124090	1006462	0.253	3	2.13	35	259	<2	24	0.51	<4	6	478	53	1.77	0.10	2	0.46	192	<1	11	323	587	1.86	<5	13	<10	68	997	<2	17	13	5	877
124091	1006463	0.852	20	0.77	72	97	<2	23	0.35	24	8	352	313	4.56	<0.01	<1	0.28	127	<1	10	213	3825	5.96	27	5	<10	48	716	<2	13	111	4	8762
124092	1006464	0.335	11	1.88	25	291	<2	22	0.45	11	5	598	55	1.95	<0.01	2	0.40	176	<1	10	235	1662	1.90	11	10	<10	59	928	<2	16	53	5	3896
124093	1006465	1.238	6	2.07	46	238	<2	21	0.71	<4	6	241	14	1.83	0.07	2	0.54	342	<1	10	334	445	1.97	9	18	<10	62	1206	<2	24	12	5	523
124094	1006466	0.665	5	2.73	49	287	<2	15	0.77	<4	8	345	10	1.93	0.19	8	0.62	323	<1	12	364	394	2.02	6	16	<10	69	1399	3	29	11	5	609
124095	1006467	0.610	11	2.38	42	307	<2	27	0.63	<4	7	465	13	1.83	0.16	6	0.52	240	1	12	328	629	1.87	18	16	<10	68	1328	<2	27	12	4	992
124096D	1006467	0.563	11	2.41	40	287	<2	27	0.62	<4	7	473	14	1.83	0.08	6	0.53	236	<1	12	331	643	1.92	12	8	<10	68	1274	<2	26	15	4	1020
124097	1006468	1.783	5	1.91	36	290	<2	29	0.43	<4	6	495	10	1.29	0.06	2	0.36	<100	<1	9	266	564	1.17	10	15	<10	61	1098	<2	21	<10	4	464
124098	1006469	4.380	14	0.42	121	129	<2	18	0.40	15	7	728	379	4.64	<0.01	1	0.30	175	<1	14	154	2023	5.80	37	12	<10	54	689	<2	14	61	4	4639
124099	1006470	1.098	1	2.97	26	447	<2	28	1.90	<4	16	73	537	3.62	0.01	6	1.11	587	11	36	647	101	0.80	<5	5	<10	203	1709	4	99	26	14	178
124100	1006471	0.507	2	2.25	39	381	<2	21	0.53	<4	6	595	43	1.94	<0.01	7	0.51	178	<1	12	280	575	1.94	13	14	<10	75	1090	<2	21	14	4	917
124101	1006472	0.528	<1	1.81	17	316	<2	21	0.56	<4	3	214	13	1.05	0.06	<1	0.44	148	<1	7	283	116	1.05	<5	18	<10	73	924	<2	16	<10	4	252
124102	1006473	0.171	<1	2.82	16	183	<2	18	1.30	<4	5	186	4	0.80	<0.01	6	1.12	596	<1	5	375	27	0.52	<5	19	<10	104	1189	9	20	<10	4	39
124103	1006474	1.257	<1	2.95	19	214	<2	27	1.09	<4	6	213	19	0.76	0.09	8	0.77	347	<1	9	333	170	0.45	7	17	<10	109	1231	7	22	<10	4	57
124104	1006475	0.108	<1	2.59	12	168	<2	21	1.03	<4	8	199	7	0.88	0.09	8	0.84	405	<1	9	326	16	0.64	<5	17	<10	102	1193	7	21	<10	4	22
124105	1006476	0.099	<1	3.33	17	185	<2	14	1.29	<4	10	224	8	0.94	0.06	10	0.87	441	<1	10	357	12	0.61	<5	16	<10	129	1372	2	24	<10	4	21

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, June 1, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/26/2011  
 Job #: 201141800  
 Reference: TMI-TML  
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
124106	1006477	0.145	<1	2.06	8	141	<2	18	1.24	<4	7	262	5	0.74	0.06	4	0.96	569	<1	8	344	11	0.33	6	15	<10	103	1156	14	20	<10	4	17
124107D	1006477	0.137	<1	3.17	12	177	<2	20	1.55	<4	6	265	5	0.75	0.04	6	0.96	589	<1	9	352	6	0.35	<5	17	<10	133	1233	<2	22	<10	4	18
124108	1006478	0.043	<1	2.62	10	162	<2	24	1.17	<4	6	302	5	0.83	0.05	9	0.81	427	<1	8	328	12	0.38	<5	16	<10	123	1290	<2	24	<10	4	17
124109	1006479	0.071	<1	3.04	24	194	<2	26	1.87	<4	8	578	12	1.48	0.03	14	1.35	818	<1	12	427	20	0.75	7	12	<10	131	1391	14	25	<10	5	50
124110	1006480	<0.005	<1	2.69	6	413	<2	21	1.79	<4	14	67	20	2.33	<0.01	3	0.91	493	<1	34	513	7	0.10	<5	12	<10	224	1736	<2	71	42	12	45
124111	1006481	0.107	<1	3.23	30	261	<2	21	1.55	<4	7	95	11	1.48	0.14	10	1.07	543	<1	9	390	37	1.24	<5	15	<10	154	1299	9	21	<10	5	96
124112	1006482	0.126	2	3.97	33	356	<2	24	2.02	<4	13	461	26	3.52	0.09	14	1.95	1024	<1	16	550	78	2.21	8	5	<10	201	1771	9	44	<10	5	318
124113	1006483	0.049	<1	4.43	8	836	<2	20	3.01	<4	20	290	25	3.05	0.29	18	2.29	652	<1	87	1655	36	0.99	<5	13	<10	859	1986	<2	59	<10	15	94
124114	1006484	0.156	1	2.73	31	425	<2	26	1.00	<4	10	454	12	1.70	0.09	12	0.74	334	<1	15	383	267	1.47	<5	13	<10	186	1255	7	23	<10	4	177
124115	1006485	1.038	4	2.49	68	280	<2	25	1.82	5	10	940	130	3.40	0.20	9	0.74	487	<1	21	308	482	4.32	9	10	<10	321	995	<2	22	16	5	902
124116	1006486	1.057	3	2.65	64	410	<2	19	1.20	6	10	760	71	2.92	0.11	9	0.77	473	<1	17	322	277	3.23	7	12	<10	232	1059	<2	24	19	5	1026
124117	1006487	0.386	3	3.08	25	321	<2	33	0.99	6	10	635	56	1.60	0.12	13	0.78	493	<1	17	324	310	1.22	<5	14	<10	142	1188	<2	22	22	5	1333
124118D	1006487	0.305	2	2.95	24	314	<2	31	0.94	6	10	632	56	1.61	0.04	13	0.79	500	<1	17	327	310	1.24	6	12	<10	131	1203	3	22	23	5	1359
124119	1006488	0.287	3	3.43	23	369	<2	27	0.96	<4	8	438	109	1.35	0.07	12	0.74	371	<1	12	370	305	1.39	6	12	<10	139	1287	<2	23	16	5	915
124120	1006489	1.919	15	4.10	43	638	2	24	1.71	4	8	405	62	1.74	0.20	21	0.74	624	14	17	377	1200	1.57	19	14	<10	205	1470	<2	27	17	4	1052
124121	1006490	0.249	353	2.36	4335	89	<2	28	2.40	135	15	54	544	7.66	0.06	2	0.87	1378	5	29	498	9483	7.64	86	23	19	190	1355	<2	89	161	11	13428
124122	1006491	0.102	6	3.04	63	256	<2	24	1.65	<4	16	385	44	3.28	0.09	8	1.04	892	<1	19	366	56	2.99	5	9	<10	147	1614	7	29	<10	8	202
124123	1006492	0.043	5	3.27	29	236	<2	22	1.28	<4	8	189	25	2.31	0.05	10	0.82	570	<1	11	388	24	1.61	<5	15	<10	148	1546	<2	27	<10	7	88
124124	1006493	0.011	2	3.86	26	391	<2	14	1.80	<4	7	255	13	1.45	0.12	10	0.62	316	<1	10	353	14	1.09	<5	15	<10	184	1603	<2	31	<10	5	41
124125	1006494	0.007	1	3.80	12	621	<2	29	2.03	<4	8	244	12	1.82	0.02	10	0.80	353	<1	16	579	13	0.88	<5	12	<10	187	1786	<2	40	<10	6	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/26/2011  
 Job #: 201141800  
 Reference: TMI-TML  
 Sample #: 39

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
124126	1006495	0.010	<1	3.55	3	401	<2	17	1.92	<4	7	351	5	1.71	0.09	9	0.55	328	<1	9	433	7	0.50	<5	10	<10	177	1678	<2	33	<10	6	36
124127	1006496	0.012	<1	3.78	3	372	<2	27	2.27	<4	10	301	9	3.33	0.08	14	0.75	708	<1	13	454	9	0.58	<5	17	<10	198	1941	<2	34	<10	6	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/26/2011  
 Job #: 201141800  
 Reference: TMI-TML  
 Sample #: 39

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
124086	1006458	19	<0.001	0.019
124087	1006459	49	0.001	0.049
124088	1006460	8	<0.001	0.008
124089	1006461	95	0.003	0.095
124090	1006462	253	0.007	0.253
124091	1006463	852	0.025	0.852
124092	1006464	335	0.010	0.335
124093	1006465	1238	0.036	1.238
124094	1006466	665	0.019	0.665
124095	1006467	610	0.018	0.610
124096 Dup	1006467	563	0.016	0.563
124097	1006468	1783	0.052	1.783
124098	1006469	4380	0.128	4.380
124099	1006470	1098	0.032	1.098
124100	1006471	507	0.015	0.507
124101	1006472	528	0.015	0.528
124102	1006473	171	0.005	0.171
124103	1006474	1257	0.037	1.257
124104	1006475	108	0.003	0.108
124105	1006476	99	0.003	0.099
124106	1006477	145	0.004	0.145
124107 Dup	1006477	137	0.004	0.137
124108	1006478	43	0.001	0.043
124109	1006479	71	0.002	0.071
124110	1006480	<5	<0.001	<0.005
124111	1006481	107	0.003	0.107
124112	1006482	126	0.004	0.126
124113	1006483	49	0.001	0.049
124114	1006484	156	0.005	0.156
124115	1006485	1038	0.030	1.038

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/16/2011  
 Date Completed: 05/26/2011  
 Job #: 201141800  
 Reference: TMI-TML  
 Sample #: 39

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
124116	1006486	1057	0.031	1.057
124117	1006487	386	0.011	0.386
124118 Dup	1006487	305	0.009	0.305
124119	1006488	287	0.008	0.287
124120	1006489	1919	0.056	1.919
124121	1006490	249	0.007	0.249
124122	1006491	102	0.003	0.102
124123	1006492	43	0.001	0.043
124124	1006493	11	<0.001	0.011
124125	1006494	7	<0.001	0.007
124126	1006495	10	<0.001	0.010
124127	1006496	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/26/2011  
 Date Completed: 06/01/2011  
 Job #: 201141925  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
131092	1006469	3.661	3.714	35.388	4.749	3.35%	33.5

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144160  
 Reference: TL11160  
 Sample #: 60

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285187	1227922	<5	<0.001	<0.005
285188	1227923	<5	<0.001	<0.005
285189	1227924	<5	<0.001	<0.005
285190	1227925	<5	<0.001	<0.005
285191	1227926	<5	<0.001	<0.005
285192	1227927	<5	<0.001	<0.005
285193	1227928	462	0.013	0.462
285194	1227929	<5	<0.001	<0.005
285195	1227930	5281	0.154	5.281
285196	1227931	40	0.001	0.040
285197 Dup	1227931	27	<0.001	0.027
285198	1227932	6	<0.001	0.006
285199	1227933	6	<0.001	0.006
285200	1227934	24	<0.001	0.024
285201	1227935	9	<0.001	0.009
285202	1227936	8	<0.001	0.008
285203	1227937	<5	<0.001	<0.005
285204	1227938	111	0.003	0.111
285205	1227939	10	<0.001	0.010
285206	1227940	<5	<0.001	<0.005
285207	1227941	56	0.002	0.056
285208 Dup	1227941	40	0.001	0.040
285209	1227942	52	0.002	0.052
285210	1227943	49	0.001	0.049
285211	1227944	29	<0.001	0.029
285212	1227945	595	0.017	0.595
285213	1227946	31	<0.001	0.031
285214	1227947	68	0.002	0.068
285215	1227948	9	<0.001	0.009
285216	1227949	49	0.001	0.049

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144160  
 Reference: TL11160  
 Sample #: 60

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285217	1227950	1338	0.039	1.338
285218	1227951	74	0.002	0.074
285219 Dup	1227951	107	0.003	0.107
285220	1227952	18	<0.001	0.018
285221	1227953	30	<0.001	0.030
285222	1227954	82	0.002	0.082
285223	1227955	141	0.004	0.141
285224	1227956	62	0.002	0.062
285225	1227957	1151	0.034	1.151
285226	1227958	25	<0.001	0.025
285227	1227959	235	0.007	0.235
285228	1227960	<5	<0.001	<0.005
285229	1227961	2513	0.073	2.513
285230 Dup	1227961	2495	0.073	2.495
285231	1227962	26	<0.001	0.026
285232	1227963	280	0.008	0.280
285233	1227964	358	0.010	0.358
285234	1227965	159	0.005	0.159
285235	1227966	68	0.002	0.068
285236	1227967	145	0.004	0.145
285237	1227968	107	0.003	0.107
285238	1227969	100	0.003	0.100
285239	1227970	273	0.008	0.273
285240	1227971	101	0.003	0.101
285241 Dup	1227971	94	0.003	0.094
285242	1227972	251	0.007	0.251
285243	1227973	75	0.002	0.075
285244	1227974	13	<0.001	0.013
285245	1227975	26	<0.001	0.026
285246	1227976	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144160  
 Reference: TL11160  
 Sample #: 60

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285247	1227977	64	0.002	0.064
285248	1227978	428	0.012	0.428
285249	1227979	145	0.004	0.145
285250	1227980	<5	<0.001	<0.005
285251	1227981	30	<0.001	0.030
285252 Rep	1227981	38	0.001	0.038

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141838  
 Reference: TMI-TML  
 Sample #: 68

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126398	1004057	354	0.010	0.354
126399	1004058	140	0.004	0.140
126400	1004059	2712	0.079	2.712
126401	1004060	233	0.007	0.233
126402	1004061	36	0.001	0.036
126403	1004062	42	0.001	0.042
126404	1004063	10	<0.001	0.010
126405	1004064	7	<0.001	0.007
126406	1004065	10	<0.001	0.010
126407	1004066	8	<0.001	0.008
126408 Dup	1004066	10	<0.001	0.010
126409	1004067	10	<0.001	0.010
126410	1004068	5	<0.001	0.005
126411	1004069	6	<0.001	0.006
126412	1004070	<5	<0.001	<0.005
126413	1004071	37	0.001	0.037
126414	1004072	5	<0.001	0.005
126415	1004073	9	<0.001	0.009
126416	1004074	<5	<0.001	<0.005
126417	1004075	6	<0.001	0.006
126418	1004076	6	<0.001	0.006
126419 Dup	1004076	6	<0.001	0.006
126420	1004077	5	<0.001	0.005
126421	1004078	<5	<0.001	<0.005
126422	1004079	9	<0.001	0.009
126423	1004080	5091	0.149	5.091
126424	1004081	10	<0.001	0.010
126425	1004082	10	<0.001	0.010
126426	1004083	51	0.002	0.051
126427	1004084	10166	0.297	10.166

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141838  
 Reference: TMI-TML  
 Sample #: 68

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126428	1004085	469	0.014	0.469
126429	1004086	570	0.017	0.570
126430 Dup	1004086	592	0.017	0.592
126431	1004087	188	0.005	0.188
126432	1004088	348	0.010	0.348
126433	1004089	2363	0.069	2.363
126434	1004090	<5	<0.001	<0.005
126435	1004091	230	0.007	0.230
126436	1004092	475	0.014	0.475
126437	1004093	369	0.011	0.369
126438	1004094	671	0.020	0.671
126439	1004095	221	0.006	0.221
126440	1004096	2163	0.063	2.163
126441 Dup	1004096	2044	0.060	2.044
126442	1004097	784	0.023	0.784
126443	1004098	42	0.001	0.042
126444	1004099	61	0.002	0.061
126445	1004100	1210	0.035	1.210
126446	1004101	334	0.010	0.334
126447	1004102	19	<0.001	0.019
126448	1004103	14	<0.001	0.014
126449	1004104	80	0.002	0.080
126450	1004105	882	0.026	0.882
126451	1004106	1584	0.046	1.584
126452 Dup	1004106	1381	0.040	1.381
126453	1004107	43	0.001	0.043
126454	1004108	32	<0.001	0.032
126455	1004109	19	<0.001	0.019
126456	1004110	9	<0.001	0.009
126457	1004111	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141838  
 Reference: TMI-TML  
 Sample #: 68

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126458	1004112	<5	<0.001	<0.005
126459	1004113	<5	<0.001	<0.005
126460	1004114	<5	<0.001	<0.005
126461	1004115	5	<0.001	0.005
126462	1004116	315	0.009	0.315
126463 Rep	1004116	378	0.011	0.378
126464	1004117	179	0.005	0.179
126465	1004118	20	<0.001	0.020
126466	1004119	28	<0.001	0.028
126467	1004120	231	0.007	0.231
126468	1004121	16	<0.001	0.016
126469	1004122	65	0.002	0.065
126470	1004123	60	0.002	0.060
126471	1004124	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141839  
 Reference: TMI-TML  
 Sample #: 58

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126472	1006497	232	0.007	0.232
126473	1006498	1089	0.032	1.089
126474	1006499	852	0.025	0.852
126475	1006500	10	<0.001	0.010
126476	1006501	5421	0.158	5.421
126477	1006502	5596	0.163	5.596
126478	1006503	1351	0.039	1.351
126479	1006504	255	0.007	0.255
126480	1006505	262	0.008	0.262
126481	1006506	198	0.006	0.198
126482 Dup	1006506	201	0.006	0.201
126483	1006507	572	0.017	0.572
126484	1006508	2881	0.084	2.881
126485	1006509	1554	0.045	1.554
126486	1006510	4973	0.145	4.973
126487	1006511	581	0.017	0.581
126488	1006512	23206	0.677	23.206
126489	1006513	5214	0.152	5.214
126490	1006514	2370	0.069	2.370
126491	1006515	679	0.020	0.679
126492	1006516	2643	0.077	2.643
126493 Dup	1006516	2692	0.079	2.692
126494	1006517	17263	0.504	17.263
126495	1006518	1075	0.031	1.075
126496	1006519	56	0.002	0.056
126497	1006520	<5	<0.001	<0.005
126498	1006521	88	0.003	0.088
126499	1006522	23	<0.001	0.023
126500	1006523	25	<0.001	0.025
126501	1006524	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141839  
 Reference: TMI-TML  
 Sample #: 58

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126502	1006525	<5	<0.001	<0.005
126503	1006526	<5	<0.001	<0.005
126504 Dup	1006526	11	<0.001	0.011
126505	1006527	<5	<0.001	<0.005
126506	1006528	<5	<0.001	<0.005
126507	1006529	9	<0.001	0.009
126508	1006530	1232	0.036	1.232
126509	1006531	15	<0.001	0.015
126510	1006532	11	<0.001	0.011
126511	1006533	9	<0.001	0.009
126512	1006534	<5	<0.001	<0.005
126513	1006535	<5	<0.001	<0.005
126514	1006536	<5	<0.001	<0.005
126515 Dup	1006536	<5	<0.001	<0.005
126516	1006537	8	<0.001	0.008
126517	1006538	20	<0.001	0.020
126518	1006539	<5	<0.001	<0.005
126519	1006540	<5	<0.001	<0.005
126520	1006541	<5	<0.001	<0.005
126521	1006542	<5	<0.001	<0.005
126522	1006543	<5	<0.001	<0.005
126523	1006544	<5	<0.001	<0.005
126524	1006545	<5	<0.001	<0.005
126525	1006546	<5	<0.001	<0.005
126526 Dup	1006546	<5	<0.001	<0.005
126527	1006547	<5	<0.001	<0.005
126528	1006548	<5	<0.001	<0.005
126529	1006549	7	<0.001	0.007
126530	1006550	229	0.007	0.229
126531	1006551	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, May 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/17/2011  
 Date Completed: 05/26/2011  
 Job #: 201141839  
 Reference: TMI-TML  
 Sample #: 58

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
126532	1006552	16	<0.001	0.016
126533	1006553	64	0.002	0.064
126534	1006554	34	0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/26/2011  
 Date Completed: 06/01/2011  
 Job #: 201141922  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
131085	1004084	10.424	10.407	120.427	13.224	2.55%	25.53

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144161  
 Reference: TL11161  
 Sample #: 59

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285253	1227982	27	<0.001	0.027
285254	1227983	<5	<0.001	<0.005
285255	1227984	<5	<0.001	<0.005
285256	1227985	<5	<0.001	<0.005
285257	1227986	<5	<0.001	<0.005
285258	1227987	10	<0.001	0.010
285259	1227988	<5	<0.001	<0.005
285260	1227989	<5	<0.001	<0.005
285261	1227990	4721	0.138	4.721
285262	1227991	33	<0.001	0.033
285263 Dup	1227991	24	<0.001	0.024
285264	1227992	94	0.003	0.094
285265	1227993	293	0.009	0.293
285266	1227994	91	0.003	0.091
285267	1227995	64	0.002	0.064
285268	1227996	47	0.001	0.047
285269	1227997	65	0.002	0.065
285270	1227998	5	<0.001	0.005
285271	1227999	<5	<0.001	<0.005
285272	1228000	<5	<0.001	<0.005
285273	1212001	6	<0.001	0.006
285274 Dup	1212001	<5	<0.001	<0.005
285275	1212002	6	<0.001	0.006
285276	1212003	7	<0.001	0.007
285277	1212004	7	<0.001	0.007
285278	1212005	88	0.003	0.088
285279	1212006	19	<0.001	0.019
285280	1212007	14	<0.001	0.014
285281	1212008	190	0.006	0.190
285282	1212009	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144161  
 Reference: TL11161  
 Sample #: 59

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285283	1212010	1523	0.044	1.523
285284	1212011	13	<0.001	0.013
285285 Dup	1212011	11	<0.001	0.011
285286	1212012	9	<0.001	0.009
285287	1212013	23	<0.001	0.023
285288	1212014	26	<0.001	0.026
285289	1212015	188	0.005	0.188
285290	1212016	272	0.008	0.272
285291	1212017	317	0.009	0.317
285292	1212018	89	0.003	0.089
285293	1212019	109	0.003	0.109
285294	1212020	7	<0.001	0.007
285295	1212021	1269	0.037	1.269
285296 Dup	1212021	1283	0.037	1.283
285297	1212022	575	0.017	0.575
285298	1212023	103	0.003	0.103
285299	1212024	235	0.007	0.235
285300	1212025	280	0.008	0.280
285301	1212026	201	0.006	0.201
285302	1212027	57	0.002	0.057
285303	1212028	31	<0.001	0.031
285304	1212029	136	0.004	0.136
285305	1212030	Insufficient Sample		
285306	1212031	137	0.004	0.137
285307 Dup	1212031	115	0.003	0.115
285308	1212032	64	0.002	0.064
285309	1212033	22	<0.001	0.022
285310	1212034	27	<0.001	0.027
285311	1212035	79	0.002	0.079
285312	1212036	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144161  
 Reference: TL11161  
 Sample #: 59

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285313	1212037	206	0.006	0.206
285314	1212038	668	0.019	0.668
285315	1212039	24	<0.001	0.024
285316	1212040	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/26/2011  
 Date Completed: 06/01/2011  
 Job #: 201141923  
 Reference: TMI-TML  
 Sample #: 5

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
131086	1006501	5.553	5.365	71.170	7.451	3.03%	30.35
131087	1006502	2.348	2.575	93.624	5.128	2.93%	29.25
131088	1006512	14.849	15.289	166.406	19.423	2.88%	28.77
131089	1006513	3.802	3.797	16.492	4.151	2.77%	27.69
131090	1006517	15.111	14.987	360.116	25.794	3.11%	31.14

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144159  
 Reference: TL11162  
 Sample #: 31

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285153	1212041	56	0.002	0.056
285154	1212042	75	0.002	0.075
285155	1212043	40	0.001	0.040
285156	1212044	24	<0.001	0.024
285157	1212045	653	0.019	0.653
285158	1212046	75	0.002	0.075
285159	1212047	6810	0.199	6.810
285160	1212048	91	0.003	0.091
285161	1212049	95	0.003	0.095
285162	1212050	5375	0.157	5.375
285163 Dup	1212050	Insufficient Sample		
285164	1212051	406	0.012	0.406
285165	1212052	602	0.018	0.602
285166	1212053	1061	0.031	1.061
285167	1212054	516	0.015	0.516
285168	1212055	184	0.005	0.184
285169	1212056	175	0.005	0.175
285170	1212057	86	0.003	0.086
285171	1212058	94	0.003	0.094
285172	1212059	48	0.001	0.048
285173	1212060	<5	<0.001	<0.005
285174 Dup	1212060	Insufficient Sample		
285175	1212061	46	0.001	0.046
285176	1212062	54	0.002	0.054
285177	1212063	325	0.009	0.325
285178	1212064	179	0.005	0.179
285179	1212065	129	0.004	0.129
285180	1212066	222	0.006	0.222
285181	1212067	124	0.004	0.124
285182	1212068	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144159  
 Reference: TL11162  
 Sample #: 31

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285183	1212069	<5	<0.001	<0.005
285184	1212070	1089	0.032	1.089
285185 Dup	1212070	Insufficient Sample		
285186	1212071	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130508	1004125	0.055	1	3.22	10	390	2	23	1.69	27	20	153	100	4.01	<0.01	<1	1.41	527	3	88	514	38	1.08	<5	<5	<10	119	2967	<2	102	68	6	69
130509	1004126	0.055	1	3.26	2	390	2	32	1.75	<4	19	156	47	3.92	<0.01	<1	1.40	563	4	88	533	22	0.64	<5	<5	<10	120	3093	<2	103	<10	6	175
130510	1004127	0.066	1	3.31	5	328	2	29	2.40	<4	14	124	152	3.07	0.04	<1	1.38	778	<1	78	447	35	0.91	<5	<5	<10	121	2087	<2	69	<10	10	239
130511	1004128	0.396	11	1.32	17	494	2	28	1.44	35	7	47	386	2.05	<0.01	<1	0.59	442	9	61	237	1442	2.71	<5	7	<10	96	1156	<2	29	103	4	8726
130512	1004129	0.025	1	1.31	21	652	2	28	1.34	<4	9	52	26	1.44	<0.01	<1	0.61	309	3	42	290	57	1.80	<5	7	<10	117	1653	<2	41	<10	3	229
130513	1004130	<0.005	<1	1.52	5	407	<2	25	1.57	<4	10	55	23	2.01	<0.01	<1	0.67	444	3	35	473	2	0.08	<5	<5	<10	203	1908	<2	69	44	7	127
130514	1004131	0.019	1	0.51	21	546	2	24	1.47	<4	8	21	8	1.46	0.09	<1	0.38	236	6	28	300	26	2.19	<5	<5	<10	148	1284	<2	24	<10	3	255
130515	1004132	0.018	1	0.72	7	489	3	19	1.63	<4	6	16	7	0.82	0.01	<1	0.29	187	5	25	356	18	1.17	<5	<5	<10	172	1117	<2	22	<10	3	86
130516	1004133	0.013	1	2.12	3	486	2	23	1.82	<4	5	17	9	0.76	0.09	<1	0.36	220	2	23	322	17	0.80	<5	10	<10	190	1230	<2	24	<10	3	114
130517	1004134	0.007	<1	2.15	3	674	2	26	1.14	<4	6	21	5	0.58	0.13	<1	0.24	102	<1	25	268	14	0.56	<5	6	<10	192	1507	<2	30	<10	2	76
130518D	1004134	0.008	1	1.27	3	669	2	39	1.04	<4	6	21	4	0.54	0.14	<1	0.23	100	6	26	264	16	0.59	<5	6	<10	172	1595	<2	31	<10	2	77
130519	1004135	0.009	<1	1.29	<2	504	2	32	1.38	<4	5	18	7	0.43	0.25	<1	0.26	131	3	20	253	10	0.27	<5	9	<10	191	1282	<2	25	<10	2	71
130520	1004136	0.702	1	2.73	<2	368	2	21	1.94	<4	15	141	49	3.02	0.07	<1	1.02	488	7	73	442	22	0.77	<5	<5	<10	210	2562	<2	75	<10	7	143
130521	1004137	0.039	1	2.97	<2	397	2	27	2.22	<4	15	126	42	2.87	0.11	<1	1.02	514	4	72	437	17	1.12	<5	<5	<10	235	2123	<2	72	<10	7	133
130522	1004138	0.015	<1	1.72	19	375	2	31	0.86	<4	9	23	7	2.80	0.09	<1	0.32	115	3	31	<100	15	3.93	<5	<5	<10	185	1407	<2	26	<10	3	143
130523	1004139	0.016	1	2.37	2	561	2	31	2.07	<4	11	70	33	1.83	0.17	<1	0.64	365	<1	50	429	14	1.02	<5	5	<10	302	2029	<2	59	<10	6	112
130524	1004140	4.823	7	3.35	2	291	2	24	3.01	<4	21	78	95	4.34	0.17	<1	1.65	833	8	57	848	18	0.86	<5	<5	<10	274	3402	<2	117	<10	11	166
130525	1004141	0.011	1	1.95	12	715	2	33	1.34	<4	9	31	13	0.90	0.14	<1	0.31	136	2	37	470	11	0.70	<5	6	<10	271	2169	<2	43	<10	3	110
130526	1004142	0.009	<1	1.67	4	606	2	27	1.59	<4	6	20	12	0.53	<0.01	<1	0.28	113	3	24	345	8	0.43	<5	6	<10	266	1342	<2	27	<10	3	130
130527	1004143	0.010	<1	1.00	8	568	2	24	1.44	<4	5	20	10	0.47	<0.01	<1	0.26	<100	4	21	332	6	0.38	<5	7	<10	239	1282	<2	26	<10	2	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130528	1004144	0.006	<1	1.86	12	480	3	29	1.49	<4	7	21	9	0.79	0.08	<1	0.39	132	4	23	386	8	0.59	<5	<5	<10	294	1651	<2	32	<10	3	83
130529D	1004144	<0.005	<1	1.76	9	479	2	20	1.51	<4	6	21	10	0.80	<0.01	<1	0.38	134	<1	23	377	9	0.58	<5	8	<10	303	1655	<2	32	<10	3	85
130530	1004145	0.069	<1	1.46	<2	398	2	23	1.54	<4	7	17	11	1.28	0.15	<1	0.50	261	4	22	388	6	0.48	<5	<5	<10	308	1653	<2	33	<10	3	101
130531	1004146	0.079	<1	2.53	<2	431	2	19	1.68	<4	8	17	11	1.40	0.13	<1	0.57	284	3	23	428	6	0.49	<5	6	<10	331	1816	<2	35	<10	4	101
130532	1004147	0.011	1	2.14	<2	418	2	26	2.06	<4	7	17	13	1.57	0.26	<1	0.70	407	4	21	408	6	0.38	<5	<5	<10	265	1771	<2	32	<10	4	114
130533	1004148	0.010	<1	1.97	11	254	3	29	1.63	<4	10	25	13	0.63	0.02	<1	0.52	387	9	33	438	17	0.23	<5	9	<10	102	1326	<2	22	<10	4	91
130534	1004149	0.009	<1	2.60	15	293	2	34	1.88	<4	14	28	10	0.75	0.05	<1	0.62	481	6	43	525	23	0.26	<5	8	<10	107	1513	<2	26	<10	4	85
130535	1004150	<0.005	<1	2.47	7	419	2	26	1.71	<4	11	55	23	2.13	0.10	<1	0.73	462	1	35	484	2	0.07	<5	<5	<10	219	1906	<2	69	43	9	107
130536	1004151	0.108	1	2.40	42	272	2	21	1.37	<4	14	15	35	1.16	0.09	<1	0.58	422	<1	30	555	32	1.15	<5	13	<10	97	1767	<2	29	<10	3	402
130537	1004152	0.015	<1	2.02	14	393	2	22	1.45	<4	7	17	7	0.94	0.18	<1	0.53	403	3	27	593	27	0.66	<5	5	<10	92	1972	<2	33	<10	3	112
130538	1004153	0.016	1	2.77	3	379	4	25	2.03	<4	8	16	35	1.26	<0.01	<1	0.86	604	3	24	585	46	0.51	<5	10	<10	91	1797	<2	32	<10	4	230
130539	1004154	0.024	1	3.32	28	404	2	21	2.11	<4	8	20	10	1.24	0.15	<1	0.92	765	<1	26	616	40	0.72	<5	9	<10	86	1801	<2	30	<10	4	163
130540D	1004154	0.027	1	2.99	31	402	2	26	2.07	<4	7	22	9	1.22	0.14	<1	0.86	754	4	28	622	42	0.70	<5	6	<10	87	1825	<2	30	<10	4	157
130541	1004155	0.032	1	2.60	14	380	2	30	2.03	<4	8	18	17	1.04	0.27	<1	0.88	595	2	27	562	43	0.47	<5	10	<10	83	1721	<2	29	<10	4	160
130542	1004156	0.034	1	3.14	11	496	3	33	2.09	<4	6	17	18	1.16	0.14	<1	0.86	529	3	24	600	42	0.66	<5	8	<10	94	1906	<2	31	<10	4	138
130543	1004157	0.079	1	1.94	19	399	2	26	1.30	<4	6	28	13	0.78	0.16	<1	0.60	394	7	34	478	35	0.47	<5	7	<10	80	1565	<2	25	<10	3	110
130544	1004158	0.069	1	2.87	17	484	2	28	2.16	<4	6	18	20	1.29	0.11	<1	0.81	625	2	21	633	42	0.64	<5	<5	<10	126	1917	<2	34	<10	4	183
130545	1004159	0.033	1	2.94	22	580	2	18	2.00	<4	9	14	23	1.25	0.10	<1	0.71	518	<1	19	571	25	0.63	<5	10	<10	137	1846	<2	33	<10	4	129
130546	1004160	1.146	1	2.94	14	528	2	30	1.87	<4	12	57	512	3.40	0.07	<1	0.91	569	24	38	628	68	0.70	5	6	<10	221	1935	<2	101	31	10	158
130547	1004161	0.013	1	2.12	7	514	2	21	2.17	<4	5	18	29	1.12	0.15	<1	0.68	465	<1	19	479	31	0.41	<5	10	<10	142	1541	<2	30	<10	4	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130548	1004162	1.002	5	2.34	18	507	2	36	1.16	5	6	19	185	1.53	<0.01	<1	0.44	290	3	24	503	756	1.71	<5	9	<10	113	1745	<2	29	25	3	1969
130549	1004163	0.226	1	2.52	<2	447	2	29	1.47	<4	4	16	33	0.83	<0.01	<1	0.46	336	1	17	484	273	0.50	<5	12	<10	135	1767	<2	31	<10	3	507
130550	1004164	0.036	1	2.60	7	392	2	24	2.02	<4	6	56	25	1.35	0.26	<1	0.95	620	<1	37	613	68	0.70	<5	7	<10	142	1726	<2	33	<10	4	169
130551D	1004164	0.048	1	2.95	5	434	2	32	2.13	<4	7	59	26	1.39	0.45	<1	1.01	662	1	41	627	66	0.67	<5	7	<10	150	1969	<2	35	<10	4	171
130552	1004165	0.321	4	2.34	11	406	2	20	1.55	<4	5	22	39	1.22	0.25	<1	0.91	934	4	27	450	35	0.96	<5	5	<10	138	1615	<2	31	<10	3	146
130553	1004166	0.270	2	2.27	5	414	2	35	1.62	<4	5	22	26	1.30	0.33	<1	0.89	916	1	26	455	37	1.08	<5	9	<10	147	1536	<2	30	<10	4	163
130554	1004167	0.032	1	2.12	4	335	2	25	1.25	<4	4	18	11	1.15	0.17	<1	0.86	715	<1	19	466	22	0.87	<5	7	<10	141	1461	<2	30	<10	3	163
130555	1004168	0.152	3	2.41	16	406	2	27	1.16	<4	11	24	73	1.02	0.25	<1	0.70	586	<1	28	423	54	0.68	<5	<5	<10	134	1544	4	28	<10	3	210
130556	1004169	0.331	4	3.17	10	377	<2	17	1.16	<4	16	17	147	1.19	<0.01	<1	0.54	480	<1	23	427	75	0.73	<5	7	<10	131	1454	<2	26	<10	4	269
130557	1004170	<0.005	<1	2.46	4	418	<2	18	1.69	<4	11	55	24	2.18	0.03	<1	0.73	465	<1	34	479	2	0.12	<5	<5	<10	219	1878	<2	69	44	9	106
130558	1004171	0.126	2	2.77	9	407	2	41	1.45	<4	5	16	43	1.39	<0.01	<1	0.51	605	<1	19	395	24	0.73	<5	5	<10	145	1406	<2	26	<10	4	132
130559	1004172	0.399	2	2.11	13	406	2	23	1.29	<4	5	19	54	1.30	0.11	<1	0.47	629	<1	21	415	64	0.89	<5	<5	<10	135	1347	<2	25	<10	3	241
130560	1004173	0.584	2	2.54	<2	394	2	19	1.51	<4	11	19	103	1.58	0.11	<1	0.62	835	<1	30	420	25	0.81	<5	6	<10	139	1401	<2	25	<10	4	143
130561	1004174	0.112	3	2.05	3	372	2	39	1.52	<4	18	24	94	2.09	0.14	<1	0.66	936	<1	45	426	33	0.88	<5	7	<10	134	1732	<2	29	<10	3	175
130562D	1004174	0.067	3	2.75	2	358	2	42	1.56	<4	19	24	95	2.15	0.10	<1	0.75	886	<1	45	432	31	0.85	<5	5	<10	133	1649	<2	29	<10	4	174
130563	1004175	0.202	3	1.88	13	366	2	22	0.72	<4	4	24	48	0.96	0.23	<1	0.33	215	2	34	344	118	0.82	<5	6	<10	71	1306	<2	22	14	3	701
130564	1004176	1.110	6	2.48	63	361	2	23	0.58	4	5	32	54	2.08	0.10	<1	0.39	178	4	47	377	1204	2.74	<5	<5	<10	69	1458	<2	25	17	3	1100
130565	1004177	0.450	8	2.13	18	354	2	20	1.16	<4	5	31	32	1.52	0.19	<1	0.55	546	3	47	435	484	1.42	<5	<5	<10	105	1594	<2	28	<10	3	310
130566	1004178	0.092	1	2.47	20	383	2	16	1.37	<4	6	18	21	1.42	0.14	<1	0.59	593	<1	25	452	39	0.76	<5	6	<10	117	1701	<2	28	<10	3	184
130567	1004179	0.144	2	2.72	14	261	2	25	1.56	<4	5	23	30	1.63	0.12	<1	0.75	781	<1	25	425	41	0.99	<5	6	<10	136	1621	<2	29	<10	3	165

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130568	1004180	0.234	362	2.96	3637	62	2	26	2.30	116	11	58	415	6.94	0.02	<1	0.77	1272	11	34	461	9636	7.16	53	10	<10	187	1400	<2	85	147	9	13420
130569	1004181	0.838	16	3.53	100	389	2	27	1.40	<4	7	26	58	1.99	0.25	<1	0.61	616	<1	30	463	647	2.01	6	<5	<10	118	1788	<2	35	<10	4	406
130570	1004182	0.457	8	3.15	40	315	2	30	1.55	<4	6	28	41	1.91	0.17	<1	0.72	633	<1	33	377	181	2.00	<5	9	<10	110	1548	<2	28	<10	4	282
130571	1004183	1.946	4	2.69	42	299	2	23	1.08	<4	5	22	59	1.92	0.09	<1	0.69	474	<1	33	411	144	2.29	<5	9	<10	84	1487	<2	24	<10	4	332
130572	1004184	0.402	2	2.86	29	395	2	25	1.63	<4	7	32	38	1.79	0.03	<1	0.78	1009	2	33	455	44	1.20	<5	10	<10	98	1861	<2	34	<10	4	149
130573R	1004184	0.360	2	2.09	31	380	2	30	1.51	<4	7	28	26	1.67	0.11	<1	0.72	907	<1	26	412	39	1.17	<5	5	<10	92	1769	<2	32	<10	3	139
130574	1004185	0.183	1	2.01	21	349	2	25	1.32	<4	7	27	31	1.38	0.20	<1	0.63	608	<1	26	390	33	0.99	<5	7	<10	86	1675	<2	30	<10	3	122
130575	1004186	0.239	2	3.45	39	316	2	31	1.40	38	7	25	108	1.43	0.14	<1	0.67	542	5	26	388	57	1.61	<5	11	<10	90	1527	<2	26	100	4	63
130576	1004187	0.887	3	3.30	42	303	2	38	0.92	<4	6	29	19	1.51	0.04	<1	0.55	355	4	30	405	86	1.71	<5	11	<10	78	1463	<2	26	<10	4	463
130577	1004188	0.152	1	3.13	26	253	2	27	1.03	<4	6	27	15	1.26	0.21	<1	0.61	398	<1	30	373	29	1.16	<5	7	<10	80	1385	<2	25	<10	4	138
130578	1004189	0.100	2	3.32	19	227	2	45	1.24	<4	6	24	17	1.50	0.17	<1	0.79	580	<1	23	411	22	1.09	<5	5	<10	90	1469	<2	28	<10	5	138
130579	1004190	<0.005	<1	2.96	<2	399	2	26	1.73	<4	10	55	21	2.14	0.05	<1	0.80	452	2	33	478	3	0.11	<5	<5	<10	206	1717	<2	66	38	10	116
130580	1004191	0.105	1	3.33	19	264	2	34	1.22	<4	7	27	11	1.35	0.14	<1	0.79	445	1	25	411	20	1.13	<5	5	<10	100	1476	<2	29	<10	5	174
130581	1004192	0.465	10	3.17	26	243	2	27	0.72	17	5	27	110	1.40	<0.01	<1	0.43	171	5	31	327	1421	2.07	6	12	<10	76	1301	<2	25	70	4	5971
130582	1004193	0.160	5	4.09	7	251	2	33	2.00	<4	4	18	78	0.95	0.05	<1	1.21	826	1	20	409	305	0.68	<5	11	<10	132	1358	<2	22	<10	4	250
130583	1004194	0.029	1	3.18	10	237	2	31	1.24	<4	5	26	9	0.56	0.20	<1	0.64	270	1	27	339	21	0.28	<5	10	<10	102	1233	<2	21	<10	4	97
130584D	1004194	0.029	1	3.59	7	258	2	30	1.31	<4	6	26	8	0.56	0.26	<1	0.63	265	4	27	336	17	0.32	<5	<5	<10	108	1304	<2	22	<10	4	94
130585	1004195	0.045	1	4.30	4	307	2	36	1.39	<4	7	19	10	0.63	0.14	<1	0.74	356	2	19	440	16	0.34	<5	8	<10	111	1483	<2	25	<10	5	88
130586	1004196	14.550	53	3.67	42	271	2	22	0.75	5	5	29	1869	1.31	0.18	<1	0.44	128	7	30	326	4802	1.82	62	8	<10	79	1209	<2	22	24	4	1818
130587	1004197	4.645	84	3.13	27	262	2	34	0.57	4	4	23	121	0.96	0.16	<1	0.36	<100	3	20	294	1366	1.31	53	13	<10	64	1161	<2	22	24	4	1832

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130588	1004198	0.043	3	4.75	9	311	2	18	2.02	<4	4	19	13	1.17	0.11	<1	1.09	645	<1	17	444	54	0.70	<5	11	<10	148	1717	<2	30	<10	5	186
130589	1004199	0.010	2	3.61	9	309	2	33	2.02	<4	6	24	14	1.65	0.13	<1	0.90	484	3	30	415	12	0.96	<5	8	<10	148	1510	<2	28	<10	6	145
130590	1004200	5.104	7	5.02	14	283	2	35	3.02	<4	21	68	93	4.37	0.07	<1	1.83	827	9	56	878	16	0.83	<5	<5	<10	269	2657	<2	109	<10	14	164
130591	1004201	0.010	1	3.52	<2	297	3	27	1.91	<4	5	20	13	1.13	<0.01	<1	0.73	323	4	18	434	3	0.28	<5	<5	<10	141	1707	<2	30	<10	5	101
130592	1004202	0.009	1	3.10	6	296	2	30	1.91	<4	4	17	9	1.12	0.03	<1	0.64	307	1	17	420	3	0.25	<5	8	<10	139	1520	<2	25	<10	4	94
130593	1004203	0.009	1	4.09	5	268	2	36	2.02	<4	4	21	6	1.21	0.09	<1	0.90	477	2	20	458	6	0.64	<5	10	<10	141	1584	<2	27	<10	5	94
130594	1004204	0.009	<1	4.15	9	176	2	32	2.10	<4	4	32	8	1.18	0.20	<1	1.08	652	2	37	401	9	0.91	<5	8	<10	115	1313	<2	25	<10	5	95
130595D	1004204	0.009	1	4.53	17	181	2	18	2.17	<4	4	33	11	1.19	0.14	<1	1.09	672	5	43	406	9	0.95	<5	7	<10	121	1358	<2	25	<10	5	92
130596	1004205	0.051	3	3.30	11	189	2	32	0.84	<4	4	19	7	1.09	0.16	<1	0.52	214	5	22	343	20	1.28	<5	9	<10	71	1171	<2	23	<10	3	137
130597	1004206	0.047	3	3.72	7	208	2	39	0.82	<4	4	24	8	1.12	0.11	<1	0.53	216	7	32	348	20	1.30	<5	<5	<10	73	1278	<2	27	<10	3	102
130598	1004207	0.013	2	3.50	12	137	2	40	0.49	<4	3	20	6	1.00	0.07	<1	0.36	<100	2	25	310	16	1.26	<5	10	<10	60	847	<2	21	<10	4	74
130599	1004208	0.077	5	2.96	5	131	2	28	0.47	<4	4	18	10	0.75	<0.01	<1	0.35	<100	3	22	293	27	0.89	<5	9	<10	59	801	<2	20	<10	3	103
130600	1004209	0.116	21	2.87	29	151	2	29	0.42	<4	6	21	23	0.98	<0.01	<1	0.35	<100	<1	26	319	55	1.26	7	5	<10	59	877	<2	22	<10	3	197
130601	1004210	<0.005	<1	3.04	<2	393	<2	17	1.68	<4	10	54	21	2.14	0.05	<1	0.84	435	<1	32	475	4	0.09	<5	<5	<10	199	1615	<2	65	39	12	109
130602	1004211	0.232	42	2.93	22	142	2	20	0.47	<4	4	28	39	0.86	<0.01	<1	0.35	<100	<1	31	296	129	0.96	22	<5	<10	59	883	<2	22	<10	4	436
130603	1004212	0.008	2	3.07	21	139	2	22	0.74	<4	4	18	10	1.18	<0.01	<1	0.55	252	<1	22	338	31	1.44	<5	9	<10	74	889	<2	20	<10	4	138
130604	1004213	0.061	20	3.02	28	189	2	31	0.69	<4	4	21	16	1.00	<0.01	<1	0.43	159	4	23	347	58	1.21	<5	9	<10	81	1092	<2	22	<10	4	129
130605	1004214	0.147	57	2.82	34	235	2	32	0.50	<4	4	20	19	1.24	0.09	<1	0.30	<100	2	23	307	51	1.60	6	5	<10	69	1032	<2	20	<10	4	250
130606D	1004214	0.134	48	3.18	31	230	2	28	0.52	<4	4	19	20	1.26	<0.01	<1	0.31	<100	1	21	324	52	1.64	7	8	<10	70	1016	<2	20	<10	5	254
130607	1004215	0.007	2	3.80	10	289	2	29	1.86	<4	7	19	10	0.76	0.07	<1	0.78	206	<1	21	484	12	0.49	<5	10	<10	181	1112	<2	25	<10	5	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130608	1004216	<0.005	1	3.94	18	366	2	31	2.02	<4	15	21	10	0.71	0.08	<1	0.67	172	2	27	528	7	0.47	<5	12	<10	232	1327	<2	28	<10	5	78
130609	1004217	<0.005	1	3.86	5	360	2	26	2.03	<4	8	22	8	0.79	<0.01	<1	0.63	217	5	28	473	11	0.37	<5	10	<10	219	1442	<2	28	<10	5	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130508	1004125	55	0.002	0.055
130509	1004126	55	0.002	0.055
130510	1004127	66	0.002	0.066
130511	1004128	396	0.012	0.396
130512	1004129	25	<0.001	0.025
130513	1004130	<5	<0.001	<0.005
130514	1004131	19	<0.001	0.019
130515	1004132	18	<0.001	0.018
130516	1004133	13	<0.001	0.013
130517	1004134	7	<0.001	0.007
130518 Dup	1004134	8	<0.001	0.008
130519	1004135	9	<0.001	0.009
130520	1004136	702	0.020	0.702
130521	1004137	39	0.001	0.039
130522	1004138	15	<0.001	0.015
130523	1004139	16	<0.001	0.016
130524	1004140	4823	0.141	4.823
130525	1004141	11	<0.001	0.011
130526	1004142	9	<0.001	0.009
130527	1004143	10	<0.001	0.010
130528	1004144	6	<0.001	0.006
130529 Dup	1004144	<5	<0.001	<0.005
130530	1004145	69	0.002	0.069
130531	1004146	79	0.002	0.079
130532	1004147	11	<0.001	0.011
130533	1004148	10	<0.001	0.010
130534	1004149	9	<0.001	0.009
130535	1004150	<5	<0.001	<0.005
130536	1004151	108	0.003	0.108
130537	1004152	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 05/25/2011  
Date Completed: 06/01/2011  
Job #: 201141913  
Reference: TMI-TML  
Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130538	1004153	16	<0.001	0.016
130539	1004154	24	<0.001	0.024
130540 Dup	1004154	27	<0.001	0.027
130541	1004155	32	<0.001	0.032
130542	1004156	34	<0.001	0.034
130543	1004157	79	0.002	0.079
130544	1004158	69	0.002	0.069
130545	1004159	33	<0.001	0.033
130546	1004160	1146	0.033	1.146
130547	1004161	13	<0.001	0.013
130548	1004162	1002	0.029	1.002
130549	1004163	226	0.007	0.226
130550	1004164	36	0.001	0.036
130551 Dup	1004164	48	0.001	0.048
130552	1004165	321	0.009	0.321
130553	1004166	270	0.008	0.270
130554	1004167	32	<0.001	0.032
130555	1004168	152	0.004	0.152
130556	1004169	331	0.010	0.331
130557	1004170	<5	<0.001	<0.005
130558	1004171	126	0.004	0.126
130559	1004172	399	0.012	0.399
130560	1004173	584	0.017	0.584
130561	1004174	112	0.003	0.112
130562 Dup	1004174	67	0.002	0.067
130563	1004175	202	0.006	0.202
130564	1004176	1110	0.032	1.110
130565	1004177	450	0.013	0.450
130566	1004178	92	0.003	0.092
130567	1004179	144	0.004	0.144

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130568	1004180	234	0.007	0.234
130569	1004181	838	0.024	0.838
130570	1004182	457	0.013	0.457
130571	1004183	1946	0.057	1.946
130572	1004184	402	0.012	0.402
130573 Rep	1004184	360	0.011	0.360
130574	1004185	183	0.005	0.183
130575	1004186	239	0.007	0.239
130576	1004187	887	0.026	0.887
130577	1004188	152	0.004	0.152
130578	1004189	100	0.003	0.100
130579	1004190	<5	<0.001	<0.005
130580	1004191	105	0.003	0.105
130581	1004192	465	0.014	0.465
130582	1004193	160	0.005	0.160
130583	1004194	29	<0.001	0.029
130584 Dup	1004194	29	<0.001	0.029
130585	1004195	45	0.001	0.045
130586	1004196	14550	0.424	14.550
130587	1004197	4645	0.136	4.645
130588	1004198	43	0.001	0.043
130589	1004199	10	<0.001	0.010
130590	1004200	5104	0.149	5.104
130591	1004201	10	<0.001	0.010
130592	1004202	9	<0.001	0.009
130593	1004203	9	<0.001	0.009
130594	1004204	9	<0.001	0.009
130595 Dup	1004204	9	<0.001	0.009
130596	1004205	51	0.001	0.051
130597	1004206	47	0.001	0.047

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141913  
 Reference: TMI-TML  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130598	1004207	13	<0.001	0.013
130599	1004208	77	0.002	0.077
130600	1004209	116	0.003	0.116
130601	1004210	<5	<0.001	<0.005
130602	1004211	232	0.007	0.232
130603	1004212	8	<0.001	0.008
130604	1004213	61	0.002	0.061
130605	1004214	147	0.004	0.147
130606 Dup	1004214	134	0.004	0.134
130607	1004215	7	<0.001	0.007
130608	1004216	<5	<0.001	<0.005
130609	1004217	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/02/2011  
Date Completed: 06/10/2011  
Job #: 201142033  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
137865	1004197	0.151	5.165

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144163  
 Reference: TL11163  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285368	1212072	1371	0.040	1.371
285369	1212073	29	<0.001	0.029
285370	1212074	20	<0.001	0.020
285371	1212075	56	0.002	0.056
285372	1212076	47	0.001	0.047
285373	1212077	25	<0.001	0.025
285374	1212078	23	<0.001	0.023
285375	1212079	14	<0.001	0.014
285376	1212080	10	<0.001	0.010
285377	1212081	22	<0.001	0.022
285378 Dup	1212081	17	<0.001	0.017
285379	1212082	21	<0.001	0.021
285380	1212083	29	<0.001	0.029
285381	1212084	14	<0.001	0.014
285382	1212085	287	0.008	0.287
285383	1212086	23	<0.001	0.023
285384	1212087	11	<0.001	0.011
285385	1212088	13	<0.001	0.013
285386	1212089	11	<0.001	0.011
285387	1212090	253	0.007	0.253
285388	1212091	14	<0.001	0.014
285389 Dup	1212091	15	<0.001	0.015
285390	1212092	13	<0.001	0.013
285391	1212093	12	<0.001	0.012
285392	1212094	11	<0.001	0.011
285393	1212095	16	<0.001	0.016
285394	1212096	21	<0.001	0.021
285395	1212097	16	<0.001	0.016
285396	1212098	14	<0.001	0.014
285397	1212099	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144163  
 Reference: TL11163  
 Sample #: 56

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285398	1212100	9	<0.001	0.009
285399	1212101	34	<0.001	0.034
285400 Dup	1212101	37	0.001	0.037
285401	1212102	18	<0.001	0.018
285402	1212103	15	<0.001	0.015
285403	1212104	20	<0.001	0.020
285404	1212105	25	<0.001	0.025
285405	1212106	2527	0.074	2.527
285406	1212107	390	0.011	0.390
285407	1212108	30	<0.001	0.030
285408	1212109	15	<0.001	0.015
285409	1212110	4713	0.138	4.713
285410	1212111	<5	<0.001	<0.005
285411 Dup	1212111	5	<0.001	0.005
285412	1212112	<5	<0.001	<0.005
285413	1212113	11	<0.001	0.011
285414	1212114	17	<0.001	0.017
285415	1212115	18	<0.001	0.018
285416	1212116	18	<0.001	0.018
285417	1212117	303	0.009	0.303
285418	1212118	164	0.005	0.164
285419	1212119	28	<0.001	0.028
285420	1212120	<5	<0.001	<0.005
285421	1212121	44	0.001	0.044
285422 Dup	1212121	50	0.001	0.050
285423	1212122	20	<0.001	0.020
285424	1212123	19	<0.001	0.019
285425	1212124	27	<0.001	0.027
285426	1212125	53	0.002	0.053
285427	1212126	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, November 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/11/2011  
 Date Completed: 11/28/2011  
 Job #: 201144163  
 Reference: TL11163  
 Sample #: 56

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
285428	1212127	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141912  
 Reference: TMI-TML  
 Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130463	1006555	0.033	<1	5.84	33	596	2	34	2.63	<4	10	27	15	1.91	<0.01	5	0.90	492	<1	21	542	15	0.75	9	19	<10	198	2129	<2	39	<10	9	45
130464	1006556	0.025	<1	5.83	20	425	2	16	2.73	<4	12	34	14	1.78	0.11	4	0.97	512	<1	25	540	16	0.67	8	28	<10	177	2058	2	39	<10	9	38
130465	1006557	0.088	<1	5.17	49	577	2	33	2.68	<4	23	25	44	1.25	0.08	2	0.75	351	<1	35	738	42	0.76	8	26	<10	176	2083	<2	39	<10	8	195
130466	1006558	0.022	<1	5.32	23	555	2	22	2.41	<4	13	28	9	0.82	0.13	<1	0.55	222	<1	26	713	34	0.53	8	27	<10	172	1964	<2	38	<10	8	12
130467	1006559	0.056	<1	4.91	26	474	2	17	1.13	<4	13	26	20	0.85	0.14	<1	0.57	154	<1	23	674	19	0.52	10	34	<10	108	2116	4	37	<10	7	35
130468	1006560	<0.005	<1	3.29	5	432	<2	16	2.18	<4	13	59	24	2.41	0.19	<1	0.99	482	<1	35	547	11	0.03	6	17	<10	270	2009	<2	77	46	15	37
130469	1006561	0.031	<1	5.41	12	377	2	6	3.00	<4	12	25	23	1.25	<0.01	<1	1.07	412	<1	26	729	22	0.39	12	31	<10	258	1984	2	36	<10	8	35
130470	1006562	0.019	<1	5.51	15	356	2	12	2.68	<4	10	21	10	0.81	0.13	1	1.02	288	<1	21	644	18	0.13	13	28	<10	170	1972	5	36	<10	8	18
130471	1006563	0.019	<1	5.88	15	350	2	9	3.32	22	19	24	55	1.02	0.06	2	1.07	470	<1	29	668	32	0.65	11	26	<10	181	1728	7	32	60	8	47
130472	1006564	0.029	<1	6.36	26	405	2	11	3.10	<4	18	24	18	1.30	0.09	5	1.43	745	<1	31	705	45	0.40	9	28	<10	149	1766	5	33	11	9	136
130473D	1006564	0.032	<1	6.95	24	418	2	31	3.15	<4	19	26	19	1.32	0.01	8	1.43	741	12	33	700	47	0.41	8	24	<10	155	1828	<2	34	10	9	119
130474	1006565	0.017	<1	4.85	17	356	3	23	1.86	<4	9	42	30	1.11	<0.01	2	0.71	284	9	30	575	174	0.53	11	32	<10	117	1397	<2	25	46	8	267
130475	1006566	0.015	<1	5.33	12	369	3	48	1.93	<4	9	44	34	1.16	<0.01	3	0.72	280	12	32	510	227	0.52	13	24	<10	122	1410	5	26	16	8	403
130476	1006567	0.025	<1	7.06	26	488	2	20	3.11	<4	15	28	36	1.25	<0.01	9	1.27	753	10	27	704	45	0.32	11	25	<10	167	2045	4	36	10	9	62
130477	1006568	0.075	<1	5.51	21	435	2	12	2.92	<4	8	25	22	1.41	0.07	4	1.20	663	<1	22	728	33	0.33	9	33	<10	175	2001	5	36	<10	8	50
130478	1006569	0.019	<1	6.66	14	565	2	45	3.04	<4	6	26	32	1.23	<0.01	2	1.19	648	4	21	627	49	0.29	8	28	<10	194	1700	15	36	10	8	46
130479	1006570	5.147	7	7.00	14	288	2	33	3.89	6	28	81	106	4.80	0.14	6	2.14	870	15	55	970	23	0.63	9	18	<10	346	3770	10	128	<10	18	92
130480	1006571	0.032	<1	6.36	16	520	2	14	2.25	<4	6	22	16	1.34	0.07	6	1.18	570	2	21	566	195	0.48	7	32	<10	213	1874	5	33	<10	8	142
130481	1006572	0.045	<1	7.40	29	349	2	<1	2.09	<4	6	23	19	1.59	<0.01	5	1.10	631	9	22	549	21	0.86	10	34	<10	184	1815	8	32	<10	9	37
130482	1006573	0.095	1	5.55	40	319	2	32	1.49	<4	8	20	64	1.37	<0.01	1	0.74	390	<1	21	493	162	0.98	10	34	<10	182	1629	2	29	10	7	311

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141912  
 Reference: TMI-TML  
 Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130483	1006574	2.230	58	2.76	38	122	<2	13	1.30	20	8	21	148	2.34	<0.01	<1	0.73	509	<1	23	453	4584	2.34	51	18	<10	158	1501	2	28	112	6	8642
130484D	1006574	1.856	58	3.39	39	119	2	<1	1.37	21	9	22	155	2.45	<0.01	<1	0.78	547	<1	23	480	4818	2.40	54	25	<10	167	1593	<2	31	108	6	8514
130485	1006575	0.032	<1	5.08	12	389	4	13	2.17	<4	6	23	27	1.17	0.05	<1	0.97	808	<1	21	500	137	0.44	7	29	<10	226	1562	5	26	<10	7	238
130486	1006576	0.017	<1	5.29	8	354	2	1	1.91	<4	8	22	62	1.20	<0.01	1	0.87	670	<1	20	508	33	0.32	9	24	<10	202	1692	<2	30	11	7	51
130487	1006577	0.033	<1	4.66	8	380	3	7	2.01	4	9	25	72	1.97	0.02	2	0.86	858	<1	23	1047	56	0.83	8	32	<10	178	1748	5	30	10	8	412
130488	1006578	0.332	<1	5.27	22	418	2	25	1.88	<4	8	30	34	2.01	<0.01	8	0.92	771	<1	23	507	54	0.93	10	19	<10	164	2020	<2	37	<10	8	125
130489	1006579	0.477	<1	4.64	31	344	<2	22	1.99	<4	7	30	22	1.73	0.07	1	0.96	790	<1	24	476	73	0.80	9	25	<10	160	1897	2	36	12	7	205
130490	1006580	<0.005	<1	4.00	6	437	2	11	2.27	<4	13	58	25	2.41	0.08	<1	1.00	487	<1	35	551	13	0.05	10	25	<10	274	2027	<2	77	46	15	38
130491	1006581	1.491	1	3.55	41	351	2	2	0.89	<4	7	28	63	1.29	0.04	<1	0.50	130	<1	23	404	254	0.97	13	25	<10	87	1597	<2	30	15	7	486
130492	1006582	0.256	<1	4.55	48	412	2	18	1.48	<4	6	25	32	1.65	0.11	<1	0.75	388	<1	22	472	125	1.16	9	29	<10	122	1825	<2	33	<10	7	119
130493	1006583	0.880	4	6.30	51	350	2	40	1.81	6	8	24	34	2.31	<0.01	2	0.83	597	<1	21	551	142	1.64	16	31	<10	146	1922	<2	32	20	8	1191
130494	1006584	1.582	<1	7.15	32	339	2	28	2.11	<4	8	26	39	1.81	0.04	4	1.04	907	8	20	491	51	0.81	8	38	<10	154	1993	2	36	12	9	138
130495D	1006584	1.549	2	5.82	31	342	2	34	2.06	<4	8	25	38	1.90	0.04	7	0.98	889	<1	21	511	59	0.92	15	28	<10	153	2011	2	36	<10	8	150
130496	1006585	0.279	1	7.06	29	421	2	18	2.15	<4	6	23	24	1.45	<0.01	11	1.01	741	12	20	495	87	0.76	8	44	<10	156	1944	4	32	<10	8	168
130497	1006586	0.270	<1	4.84	30	383	2	73	1.97	<4	7	22	21	1.44	0.08	4	0.95	720	<1	19	480	87	0.76	9	23	<10	141	1853	<2	31	<10	7	158
130498	1006587	2.784	<1	5.73	28	374	2	47	2.20	<4	6	22	27	1.43	<0.01	6	1.00	911	4	19	471	51	0.65	7	22	<10	140	1678	2	28	<10	8	69
130499	1006588	1.587	<1	4.35	29	382	<2	6	1.88	<4	6	22	31	1.46	0.03	<1	0.88	811	<1	23	533	80	0.71	13	27	<10	120	1779	3	30	<10	6	126
130500	1006589	2.970	2	5.15	48	423	2	24	2.03	<4	9	35	82	2.02	0.05	5	0.92	866	<1	37	576	133	1.24	10	31	<10	138	2033	3	39	10	7	262
130501	1006590	1.172	<1	3.98	21	514	<2	22	2.31	4	15	57	584	3.56	0.13	<1	1.17	564	15	36	669	66	0.46	14	12	<10	265	1938	<2	106	36	15	89
130502	1006591	6.626	<1	5.93	43	402	2	18	1.86	<4	8	37	67	1.73	0.05	5	0.88	719	3	34	477	128	0.93	16	25	<10	161	1918	2	38	<10	8	208

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141912  
 Reference: TMI-TML  
 Sample #: 41

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130503	1006592	0.300	<1	4.75	27	386	<2	21	2.03	<4	9	41	33	1.80	0.10	<1	0.94	846	<1	48	519	50	0.69	5	33	<10	152	1921	<2	38	<10	7	118
130504	1006593	0.077	<1	5.24	30	453	2	20	1.86	<4	10	37	19	1.59	0.05	2	0.79	589	<1	39	491	22	0.62	12	26	<10	152	1990	<2	38	<10	7	45
130505	1006594	0.118	<1	4.46	26	504	2	10	1.95	<4	10	36	21	1.93	0.09	<1	0.87	784	<1	29	481	20	0.73	10	25	<10	185	1897	4	39	<10	7	63
130506D	1006594	0.109	<1	4.56	26	522	2	19	1.99	<4	9	36	22	2.00	<0.01	1	0.90	789	<1	31	494	23	0.75	12	30	<10	189	1940	<2	39	<10	7	66
130507	1006595	0.538	2	4.51	29	502	2	30	1.48	7	7	39	77	1.58	<0.01	3	0.82	397	<1	43	365	128	0.94	10	39	<10	151	1526	<2	31	25	7	1502

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141912  
 Reference: TMI-TML  
 Sample #: 41

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130463	1006555	33	<0.001	0.033
130464	1006556	25	<0.001	0.025
130465	1006557	88	0.003	0.088
130466	1006558	22	<0.001	0.022
130467	1006559	56	0.002	0.056
130468	1006560	<5	<0.001	<0.005
130469	1006561	31	<0.001	0.031
130470	1006562	19	<0.001	0.019
130471	1006563	19	<0.001	0.019
130472	1006564	29	<0.001	0.029
130473 Dup	1006564	32	<0.001	0.032
130474	1006565	17	<0.001	0.017
130475	1006566	15	<0.001	0.015
130476	1006567	25	<0.001	0.025
130477	1006568	75	0.002	0.075
130478	1006569	19	<0.001	0.019
130479	1006570	5147	0.150	5.147
130480	1006571	32	<0.001	0.032
130481	1006572	45	0.001	0.045
130482	1006573	95	0.003	0.095
130483	1006574	2230	0.065	2.230
130484 Dup	1006574	1856	0.054	1.856
130485	1006575	32	<0.001	0.032
130486	1006576	17	<0.001	0.017
130487	1006577	33	<0.001	0.033
130488	1006578	332	0.010	0.332
130489	1006579	477	0.014	0.477
130490	1006580	<5	<0.001	<0.005
130491	1006581	1491	0.044	1.491
130492	1006582	256	0.007	0.256

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141912  
 Reference: TMI-TML  
 Sample #: 41

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130493	1006583	880	0.026	0.880
130494	1006584	1582	0.046	1.582
130495 Dup	1006584	1549	0.045	1.549
130496	1006585	279	0.008	0.279
130497	1006586	270	0.008	0.270
130498	1006587	2784	0.081	2.784
130499	1006588	1587	0.046	1.587
130500	1006589	2970	0.087	2.970
130501	1006590	1172	0.034	1.172
130502	1006591	6626	0.193	6.626
130503	1006592	300	0.009	0.300
130504	1006593	77	0.002	0.077
130505	1006594	118	0.003	0.118
130506 Dup	1006594	109	0.003	0.109
130507	1006595	538	0.016	0.538

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144297  
 Reference: TL11164  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294946	1212128	18	<0.001	0.018
294947	1212129	34	<0.001	0.034
294948	1212130	593	0.017	0.593
294949	1212131	11	<0.001	0.011
294950	1212132	8	<0.001	0.008
294951	1212133	39	0.001	0.039
294952	1212134	<5	<0.001	<0.005
294953	1212135	<5	<0.001	<0.005
294954	1212136	<5	<0.001	<0.005
294955	1212137	7	<0.001	0.007
294956 Dup	1212137	8	<0.001	0.008
294957	1212138	6	<0.001	0.006
294958	1212139	<5	<0.001	<0.005
294959	1212140	Insufficient Sample		
294960	1212141	12	<0.001	0.012
294961	1212142	<5	<0.001	<0.005
294962	1212143	12	<0.001	0.012
294963	1212144	9	<0.001	0.009
294964	1212145	<5	<0.001	<0.005
294965	1212146	7	<0.001	0.007
294966	1212147	<5	<0.001	<0.005
294967 Dup	1212147	8	<0.001	0.008
294968	1212148	10	<0.001	0.010
294969	1212149	<5	<0.001	<0.005
294970	1212150	282	0.008	0.282
294971	1212151	<5	<0.001	<0.005
294972	1212152	<5	<0.001	<0.005
294973	1212153	<5	<0.001	<0.005
294974	1212154	<5	<0.001	<0.005
294975	1212155	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144297  
 Reference: TL11164  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294976	1212156	<5	<0.001	<0.005
294977	1212157	37	0.001	0.037
294978 Dup	1212157	50	0.001	0.050
294979	1212158	26	<0.001	0.026
294980	1212159	15	<0.001	0.015
294981	1212160	<5	<0.001	<0.005
294982	1212161	16	<0.001	0.016
294983	1212162	30	<0.001	0.030
294984	1212163	9	<0.001	0.009
294985	1212164	<5	<0.001	<0.005
294986	1212165	16	<0.001	0.016
294987	1212166	25	<0.001	0.025
294988	1212167	68	0.002	0.068
294989 Dup	1212167	62	0.002	0.062
294990	1212168	6	<0.001	0.006
294991	1212169	21	<0.001	0.021
294992	1212170	4855	0.142	4.855
294993	1212171	<5	<0.001	<0.005
294994	1212172	<5	<0.001	<0.005
294995	1212173	<5	<0.001	<0.005
294996	1212174	41	0.001	0.041
294997	1212175	23	<0.001	0.023
294998	1212176	27	<0.001	0.027
294999	1212177	<5	<0.001	<0.005
295000 Dup	1212177	<5	<0.001	<0.005
295001	1212178	39	0.001	0.039
295002	1212179	44	0.001	0.044
295003	1212180	<5	<0.001	<0.005
295004	1212181	406	0.012	0.406
295005	1212182	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144297  
 Reference: TL11164  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
295006	1212183	12	<0.001	0.012
295007	1212184	39	0.001	0.039
295008	1212185	20	<0.001	0.020
295009	1212186	121	0.004	0.121
295010	1212187	84	0.002	0.084
295011 Rep	1212187	105	0.003	0.105
295012	1212188	20	<0.001	0.020
295013	1212189	104	0.003	0.104
295014	1212190	1106	0.032	1.106
295015	1212191	40	0.001	0.040
295016	1212192	1257	0.037	1.257
295017	1212193	127	0.004	0.127
295018	1212194	124	0.004	0.124
295019	1212195	159	0.005	0.159
295020	1212196	165	0.005	0.165
295021	1212197	43	0.001	0.043
295022 Dup	1212197	36	0.001	0.036
295023	1212198	108	0.003	0.108
295024	1212199	74	0.002	0.074
295025	1212200	<5	<0.001	<0.005
295026	1212201	107	0.003	0.107
295027	1212202	154	0.004	0.154
295028	1212203	519	0.015	0.519
295029	1212204	54	0.002	0.054
295030	1212205	29	<0.001	0.029
295031	1212206	41	0.001	0.041
295032	1212207	62	0.002	0.062
295033 Dup	1212207	59	0.002	0.059
295034	1212208	32	<0.001	0.032
295035	1212209	36	0.001	0.036

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144297  
 Reference: TL11164  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
295036	1212210	295	0.009	0.295
295037	1212211	117	0.003	0.117
295038	1212212	67	0.002	0.067
295039	1212213	75	0.002	0.075
295040	1212214	106	0.003	0.106
295041	1212215	38	0.001	0.038
295042	1212216	37	0.001	0.037
295043	1212217	741	0.022	0.741
295044 Dup	1212217	783	0.023	0.783
295045	1212218	125	0.004	0.125
295046	1212219	42	0.001	0.042
295047	1212220	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141911  
 Reference: TMI-TML  
 Sample #: 54

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130404	1004218	0.559	<1	3.06	27	363	2	<1	1.68	<4	8	41	17	1.88	<0.01	2	0.92	922	<1	18	531	73	1.11	8	19	<10	165	1874	<2	41	13	6	382
130405	1004219	2.179	<1	2.81	39	389	2	38	1.01	<4	7	39	23	1.59	<0.01	5	0.64	356	<1	26	473	81	1.31	11	25	<10	112	1863	<2	34	<10	6	261
130406	1004220	1.163	<1	2.61	22	552	2	13	2.38	4	17	64	616	3.79	<0.01	<1	1.12	617	22	39	725	89	0.58	9	7	<10	271	2086	<2	115	33	13	106
130407	1004221	0.711	<1	2.67	40	369	2	40	1.29	<4	7	32	26	1.64	<0.01	<1	0.70	517	<1	22	471	100	1.36	9	19	<10	138	1893	<2	34	12	6	252
130408	1004222	0.898	1	4.34	35	371	2	17	2.43	<4	7	39	13	1.75	0.11	6	1.06	1146	<1	33	643	189	0.99	11	27	<10	202	2121	4	38	<10	7	233
130409	1004223	1.363	10	2.22	48	386	2	<1	1.13	7	6	32	61	1.60	<0.01	1	0.57	364	<1	30	453	526	1.43	19	18	<10	113	1809	<2	31	27	5	1876
130410	1004224	0.608	<1	2.94	45	418	2	17	0.83	<4	6	32	32	1.43	0.17	2	0.61	209	<1	31	461	62	1.16	11	15	<10	92	1913	<2	32	10	5	226
130411	1004225	0.455	<1	2.91	34	423	<2	14	1.47	<4	7	36	17	1.60	<0.01	<1	0.97	617	<1	40	592	71	1.00	13	25	<10	123	1990	5	35	<10	6	254
130412	1004226	0.245	<1	2.16	25	391	2	43	1.43	<4	7	27	14	1.55	0.03	<1	0.92	696	<1	25	503	52	0.99	11	13	<10	121	1832	2	33	10	5	209
130413	1004227	0.194	<1	2.98	27	365	2	16	2.19	<4	7	25	15	1.67	<0.01	1	1.24	987	<1	21	576	86	0.87	12	26	<10	159	2040	5	33	<10	6	133
130414D	1004227	0.217	<1	2.63	31	337	2	28	2.07	<4	7	22	13	1.53	0.16	<1	1.16	912	<1	20	530	77	0.83	12	16	<10	151	1894	12	31	<10	5	120
130415	1004228	6.594	34	2.63	68	261	2	32	2.23	4	9	25	34	2.07	<0.01	2	1.22	1238	<1	24	450	260	1.51	19	19	<10	159	1810	<2	30	14	6	627
130416	1004229	12.774	11	1.85	30	295	2	<1	1.28	<4	5	27	45	1.26	0.23	<1	0.70	356	<1	23	451	582	1.07	15	19	<10	102	1560	<2	26	10	5	521
130417	1004230	<0.005	<1	1.73	11	451	<2	8	2.16	<4	15	62	25	2.50	0.10	<1	0.92	517	<1	36	556	14	0.07	5	17	<10	266	2062	<2	81	51	13	51
130418	1004231	3.265	8	2.72	71	364	2	7	1.35	5	8	31	54	1.97	0.11	2	0.71	431	2	30	456	557	1.81	19	26	<10	113	1796	<2	34	21	6	1086
130419	1004232	1.784	8	2.47	41	354	2	5	1.13	<4	7	37	60	1.50	0.05	2	0.60	291	<1	31	435	418	1.29	14	20	<10	104	1882	<2	34	11	6	390
130420	1004233	0.532	<1	2.69	43	330	2	16	1.34	<4	8	35	54	1.50	0.14	4	0.64	411	<1	24	462	109	1.25	14	30	<10	114	1900	<2	37	<10	6	105
130421	1004234	0.580	3	2.66	54	399	2	13	1.77	4	11	39	36	2.00	0.05	9	0.90	838	<1	25	500	315	1.69	16	17	<10	139	2166	4	43	16	6	673
130422	1004235	0.440	<1	2.38	50	337	2	3	1.96	<4	11	39	32	1.89	0.20	<1	1.01	885	<1	27	464	110	1.16	10	24	<10	138	1940	2	40	10	7	225
130423	1004236	0.526	<1	2.87	38	304	2	26	2.22	4	10	38	42	2.31	0.10	7	1.06	1083	<1	27	467	112	1.36	13	16	<10	152	2030	<2	41	13	6	484

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141911  
 Reference: TMI-TML  
 Sample #: 54

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130424	1004237	1.043	<1	3.35	31	421	2	20	1.40	<4	9	28	33	1.35	0.22	5	0.75	410	<1	20	478	73	0.86	9	17	<10	126	2095	<2	40	<10	6	163
130425D	1004237	1.121	<1	2.71	34	405	<2	7	1.32	<4	8	27	31	1.32	0.19	<1	0.71	393	<1	20	479	79	0.81	8	25	<10	121	2025	2	39	<10	6	147
130426	1004238	0.390	<1	3.31	26	385	2	25	1.84	<4	11	27	16	1.07	0.18	5	1.00	522	<1	27	503	46	0.65	9	18	<10	182	2117	<2	38	<10	6	38
130427	1004239	0.271	8	3.94	30	255	2	12	3.42	<4	8	26	15	1.67	0.10	6	1.72	1262	<1	26	458	263	1.12	16	33	<10	208	1539	12	30	12	7	495
130428	1004240	0.237	360	0.71	4654	<1	<2	19	2.57	129	15	53	479	7.60	<0.01	<1	0.93	1346	<1	31	503	9503	5.92	88	31	<10	202	1319	<2	94	174	11	13404
130429	1004241	0.140	4	4.37	75	167	<2	32	2.89	<4	10	26	14	2.25	<0.01	2	1.76	1117	<1	25	467	119	1.85	8	25	<10	182	1382	2	28	<10	8	167
130430	1004242	0.063	1	3.82	41	224	2	17	3.16	<4	8	29	9	2.52	<0.01	5	1.64	1367	<1	32	422	45	1.86	10	25	<10	229	1436	<2	26	<10	7	67
130431	1004243	0.817	23	3.87	23	252	2	40	4.34	5	10	33	60	4.71	<0.01	1	1.71	1307	<1	30	402	47	3.08	11	21	<10	294	1771	22	34	12	12	206
130432	1004244	0.006	<1	3.63	16	426	<2	14	2.14	<4	7	26	16	1.18	0.07	4	0.62	274	<1	23	422	20	0.41	8	29	<10	273	1936	<2	37	<10	6	25
130433	1004245	0.011	<1	2.72	7	519	<2	8	2.40	<4	5	30	14	1.59	0.03	<1	0.59	256	<1	26	418	13	0.35	10	24	<10	223	1906	2	38	<10	6	34
130434	1004246	0.007	<1	3.38	6	459	<2	2	2.69	<4	7	25	14	1.68	0.18	2	0.62	281	<1	21	425	11	0.39	10	17	<10	237	1948	<2	41	<10	6	31
130435	1004247	0.007	<1	3.61	13	534	<2	2	2.70	<4	5	24	6	1.48	0.11	<1	0.56	242	<1	17	458	14	0.27	10	21	<10	234	1921	2	42	<10	6	21
130436D	1004247	0.008	<1	2.77	8	487	<2	37	2.56	<4	5	20	6	1.36	0.15	<1	0.51	221	<1	15	417	13	0.25	8	23	<10	220	1749	<2	40	<10	5	21
130437	1004248	0.088	<1	0.72	7	396	<2	<1	1.88	<4	5	18	5	1.25	<0.01	<1	0.37	164	<1	15	371	13	0.33	8	19	<10	172	1400	<2	30	<10	5	20
130438	1004249	0.006	<1	3.03	7	598	<2	27	2.54	<4	5	23	6	1.25	0.14	<1	0.52	228	<1	18	439	18	0.30	13	28	<10	223	1549	<2	34	<10	6	30
130439	1004250	<0.005	<1	2.50	6	435	<2	4	2.15	<4	14	60	24	2.42	0.13	<1	0.95	491	<1	34	544	7	0.04	9	20	<10	265	1958	<2	78	45	14	34
130440	1004251	0.006	<1	4.87	8	754	2	27	2.42	<4	6	26	6	1.05	0.04	<1	0.66	227	<1	21	497	16	0.14	11	35	<10	257	1608	<2	39	<10	6	19
130441	1004252	0.011	<1	5.23	15	1058	2	38	4.67	<4	23	71	32	3.41	<0.01	9	2.34	609	<1	98	2366	38	1.00	14	23	<10	1047	3171	11	78	<10	17	79
130442	1004253	0.011	<1	5.24	11	1269	3	42	4.67	<4	21	69	31	3.31	<0.01	4	2.43	593	<1	98	2401	36	0.95	11	20	<10	1411	3110	<2	78	<10	18	57
130443	1004254	0.199	4	4.00	25	297	2	27	1.14	<4	6	23	8	2.17	0.10	<1	0.76	263	<1	23	438	22	1.91	13	33	<10	156	1495	2	29	<10	6	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141911  
 Reference: TMI-TML  
 Sample #: 54

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
130444	1004255	0.076	1	4.62	27	232	2	29	0.79	<4	5	23	10	1.21	0.14	<1	0.58	<100	<1	21	387	25	1.04	11	31	<10	106	1422	<2	27	<10	6	35
130445	1004256	0.182	4	3.91	47	186	2	14	0.77	<4	5	23	26	1.15	0.07	<1	0.55	<100	<1	17	369	36	0.99	13	25	<10	94	1252	3	25	<10	6	202
130446	1004257	0.069	<1	3.75	48	183	2	19	1.13	<4	5	25	13	1.23	0.27	<1	0.80	452	<1	19	354	58	0.99	11	31	<10	112	1204	3	24	<10	6	261
130447D	1004257	0.061	<1	4.22	43	191	2	28	1.21	<4	6	26	12	1.22	0.17	1	0.83	467	<1	20	343	54	0.92	12	28	<10	118	1232	<2	24	<10	6	258
130448	1004258	0.073	<1	4.27	37	187	2	5	0.78	<4	6	29	7	1.23	0.11	<1	0.53	<100	<1	28	383	28	1.07	10	32	<10	91	1442	5	28	<10	6	97
130449	1004259	0.146	7	3.18	25	161	<2	26	0.66	<4	6	29	25	1.11	0.11	<1	0.48	<100	<1	30	368	41	0.74	13	24	<10	81	1400	<2	27	12	6	197
130450	1004260	5.248	5	4.63	19	274	2	<1	3.66	6	28	80	105	4.71	0.09	<1	2.08	871	<1	58	964	25	0.64	11	20	11	330	3126	12	125	<10	16	96
130451	1004261	0.242	15	3.83	35	192	2	19	1.23	<4	6	34	28	1.50	<0.01	<1	0.70	395	<1	35	389	87	1.13	14	23	<10	121	1440	<2	29	11	6	241
130452	1004262	0.027	<1	5.47	23	271	2	21	2.46	<4	6	37	3	1.24	0.06	3	0.75	468	4	37	419	27	0.84	12	28	<10	198	1541	<2	30	10	7	30
130453	1004263	0.008	<1	5.08	13	261	2	17	2.86	<4	5	41	6	1.29	0.08	3	0.82	294	<1	37	447	56	0.71	7	31	<10	222	1460	<2	27	<10	8	68
130454	1004264	0.008	<1	6.07	21	475	2	33	2.35	<4	9	42	23	1.04	0.14	12	1.03	226	8	45	535	66	0.42	17	33	<10	263	1887	2	38	14	8	180
130455	1004265	0.006	<1	6.12	26	535	2	16	2.15	<4	8	27	4	0.67	0.13	16	0.93	167	6	30	613	18	0.22	10	38	<10	270	1974	7	37	<10	7	3
130456	1004266	0.007	<1	7.22	24	603	2	58	2.46	<4	9	30	4	0.81	0.40	20	1.11	206	7	34	710	19	0.29	8	32	<10	336	2382	2	43	<10	8	8
130457	1004267	0.014	<1	7.07	19	456	2	24	3.63	<4	9	33	7	1.28	0.20	10	1.30	297	14	41	599	34	0.52	12	25	<10	355	1541	3	39	<10	8	44
130458D	1004267	0.012	<1	6.66	20	483	2	10	3.75	<4	10	38	8	1.37	0.20	10	1.30	317	6	51	637	34	0.56	12	39	<10	370	1585	2	41	<10	8	46
130459	1004268	0.012	<1	5.12	16	578	2	26	2.35	<4	11	30	8	1.75	0.12	14	1.04	291	<1	41	628	21	0.90	7	26	<10	327	2029	<2	43	<10	7	18
130460	1004269	0.018	<1	5.55	7	411	2	10	2.96	<4	5	23	10	1.26	0.19	7	0.99	275	<1	27	635	18	0.32	8	29	<10	339	1571	<2	34	<10	8	20
130461	1004270	<0.005	<1	3.99	7	440	2	6	2.31	<4	13	61	24	2.43	0.06	1	1.01	488	5	32	550	11	0.04	10	22	<10	276	2053	<2	77	44	14	37
130462	1004271	0.012	<1	4.70	8	441	<2	5	2.53	<4	7	28	9	1.62	0.03	7	0.99	286	<1	32	631	16	0.72	10	31	<10	330	1590	<2	39	<10	7	19

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141911  
 Reference: TMI-TML  
 Sample #: 54

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130404	1004218	559	0.016	0.559
130405	1004219	2179	0.064	2.179
130406	1004220	1163	0.034	1.163
130407	1004221	711	0.021	0.711
130408	1004222	898	0.026	0.898
130409	1004223	1363	0.040	1.363
130410	1004224	608	0.018	0.608
130411	1004225	455	0.013	0.455
130412	1004226	245	0.007	0.245
130413	1004227	194	0.006	0.194
130414 Dup	1004227	217	0.006	0.217
130415	1004228	6594	0.192	6.594
130416	1004229	12774	0.373	12.774
130417	1004230	<5	<0.001	<0.005
130418	1004231	3265	0.095	3.265
130419	1004232	1784	0.052	1.784
130420	1004233	532	0.016	0.532
130421	1004234	580	0.017	0.580
130422	1004235	440	0.013	0.440
130423	1004236	526	0.015	0.526
130424	1004237	1043	0.030	1.043
130425 Dup	1004237	1121	0.033	1.121
130426	1004238	390	0.011	0.390
130427	1004239	271	0.008	0.271
130428	1004240	237	0.007	0.237
130429	1004241	140	0.004	0.140
130430	1004242	63	0.002	0.063
130431	1004243	817	0.024	0.817
130432	1004244	6	<0.001	0.006
130433	1004245	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, June 1, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/25/2011  
 Date Completed: 06/01/2011  
 Job #: 201141911  
 Reference: TMI-TML  
 Sample #: 54

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
130434	1004246	7	<0.001	0.007
130435	1004247	7	<0.001	0.007
130436 Dup	1004247	8	<0.001	0.008
130437	1004248	88	0.003	0.088
130438	1004249	6	<0.001	0.006
130439	1004250	<5	<0.001	<0.005
130440	1004251	6	<0.001	0.006
130441	1004252	11	<0.001	0.011
130442	1004253	11	<0.001	0.011
130443	1004254	199	0.006	0.199
130444	1004255	76	0.002	0.076
130445	1004256	182	0.005	0.182
130446	1004257	69	0.002	0.069
130447 Dup	1004257	61	0.002	0.061
130448	1004258	73	0.002	0.073
130449	1004259	146	0.004	0.146
130450	1004260	5248	0.153	5.248
130451	1004261	242	0.007	0.242
130452	1004262	27	<0.001	0.027
130453	1004263	8	<0.001	0.008
130454	1004264	8	<0.001	0.008
130455	1004265	6	<0.001	0.006
130456	1004266	7	<0.001	0.007
130457	1004267	14	<0.001	0.014
130458 Dup	1004267	12	<0.001	0.012
130459	1004268	12	<0.001	0.012
130460	1004269	18	<0.001	0.018
130461	1004270	<5	<0.001	<0.005
130462	1004271	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/02/2011  
Date Completed: 06/10/2011  
Job #: 201142034  
Reference: TMI-TML  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
137866	1004231	0.081	2.779

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, June 10, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/02/2011  
 Date Completed: 06/10/2011  
 Job #: 201142038  
 Reference: TMI-TML  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
137870	1004228	5.187	5.179	29.906	5.629	1.80%	18.02
137871	1004229	6.943	6.627	266.019	65.527	22.66%	22.66

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140246	1006596	0.067	<1	1.19	13	327	2	9	1.34	<4	17	114	48	2.78	0.09	<1	1.02	506	<1	90	450	31	3.33	7	8	<10	212	2020	<2	65	<10	12	57
140247	1006597	0.017	<1	1.40	18	527	<2	12	1.13	<4	9	23	14	1.54	0.17	<1	0.73	294	<1	30	368	22	3.63	6	9	<10	177	1508	<2	42	<10	7	44
140248	1006598	0.015	<1	1.31	18	598	<2	10	1.46	<4	8	22	11	1.50	0.18	<1	0.70	288	<1	30	384	11	2.90	6	10	<10	190	1479	2	36	<10	7	32
140249	1006599	0.017	<1	1.96	32	851	<2	20	0.74	<4	9	21	10	1.08	0.21	<1	0.40	134	<1	34	411	12	2.89	6	15	<10	187	1496	<2	36	<10	6	48
140250	1006600	0.007	<1	0.31	14	387	<2	4	0.93	<4	11	41	20	2.01	0.24	<1	0.78	404	<1	33	448	7	3.05	6	<5	<10	243	1750	<2	67	37	13	42
140251	1006601	0.010	<1	4.78	29	684	<2	21	1.28	<4	8	20	10	0.77	0.28	<1	0.47	146	<1	27	485	9	3.25	5	14	<10	234	1457	<2	37	<10	8	45
140252	1006602	0.016	<1	2.39	31	489	<2	8	1.15	<4	10	27	15	1.41	0.29	<1	0.70	358	<1	32	411	17	3.37	5	12	<10	175	1846	4	43	<10	7	59
140253	1006603	0.030	<1	1.95	22	331	<2	13	2.05	<4	10	21	17	2.02	0.33	<1	0.92	679	<1	29	399	11	3.36	6	15	<10	144	1676	4	38	<10	8	63
140254	1006604	0.021	<1	2.33	32	350	2	7	1.59	<4	8	19	11	1.57	0.38	<1	1.02	718	<1	27	406	13	3.50	6	13	<10	116	1753	11	39	<10	7	56
140255	1006605	0.150	<1	2.28	46	341	2	10	1.18	<4	8	18	19	1.32	0.33	<1	0.96	906	<1	25	386	27	3.14	<5	8	<10	104	1690	12	41	<10	8	59
140256D	1006605	0.127	<1	2.43	32	347	2	14	1.17	<4	8	18	19	1.29	0.31	<1	0.97	948	<1	27	391	25	3.10	6	12	<10	105	1724	8	41	<10	8	61
140257	1006606	0.049	<1	2.24	39	349	2	6	1.12	<4	8	18	15	1.18	0.32	2	0.92	604	<1	33	402	25	3.67	5	9	<10	109	1734	<2	41	<10	7	64
140258	1006607	0.281	<1	1.58	43	330	2	7	<0.01	<4	5	11	22	1.00	0.20	<1	0.53	148	<1	28	459	104	4.08	6	11	<10	78	1388	<2	30	<10	6	248
140259	1006608	0.431	<1	2.08	52	390	2	15	<0.01	<4	5	11	28	1.14	0.17	<1	0.57	117	<1	27	563	127	4.26	6	14	<10	86	1452	<2	31	<10	6	427
140260	1006609	0.777	1	1.58	44	556	2	5	0.14	<4	5	9	22	1.06	0.31	<1	0.60	223	<1	23	530	94	3.96	5	16	<10	96	1668	<2	32	<10	6	211
140261	1006610	0.230	351	<0.01	3210	<1	<2	12	1.23	94	12	33	478	5.71	0.12	<1	0.70	992	<1	27	376	9652	5.29	63	11	<10	182	1273	<2	74	102	10	13427
140262	1006611	0.168	5	1.27	74	962	<2	11	0.93	<4	15	69	42	2.11	0.23	2	1.01	549	<1	46	394	124	3.74	6	10	<10	150	2006	4	64	<10	9	191
140263	1006612	0.226	<1	1.30	25	602	<2	7	1.45	<4	18	103	41	2.91	0.22	<1	1.03	1095	<1	56	429	30	4.18	5	7	<10	163	2504	<2	75	<10	12	88
140264	1006613	0.058	<1	2.19	24	476	2	3	0.97	<4	8	23	16	1.42	0.35	<1	0.80	592	<1	34	323	37	3.58	8	5	<10	152	1422	2	29	<10	8	65
140265	1006614	0.026	<1	2.45	9	531	2	4	1.10	<4	6	14	5	0.87	0.25	<1	0.78	490	<1	25	344	80	3.31	5	12	<10	141	1358	<2	23	<10	7	491

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140266	1006615	0.021	<1	1.11	12	491	<2	8	0.91	<4	5	15	8	0.83	0.32	<1	0.57	390	<1	23	298	20	2.83	<5	16	<10	182	1134	<2	24	<10	6	51
140267D	1006615	0.010	<1	2.18	12	454	<2	6	0.91	<4	4	12	6	0.77	0.41	<1	0.58	349	<1	23	284	17	2.76	<5	15	<10	184	1038	3	22	<10	7	41
140268	1006616	0.013	<1	0.83	15	469	<2	8	0.67	<4	5	51	29	1.05	0.23	<1	0.57	304	<1	92	265	40	2.85	5	11	<10	137	1232	4	26	<10	5	231
140269	1006617	0.299	<1	1.18	11	854	2	6	0.95	4	10	38	31	1.90	0.34	<1	1.07	647	<1	55	523	237	3.35	5	10	<10	129	1459	<2	37	<10	8	595
140270	1006618	1.635	<1	0.14	9	552	<2	4	0.38	<4	3	11	4	1.02	0.49	<1	1.21	531	<1	20	436	227	1.93	<5	9	<10	91	1006	<2	23	<10	6	423
140271	1006619	0.768	4	0.45	28	284	<2	5	0.24	15	4	19	30	1.44	0.45	<1	1.05	444	<1	37	404	2500	2.42	9	9	<10	94	820	3	26	64	5	7218
140272	1006620	0.009	<1	0.55	3	385	<2	2	0.91	<4	12	42	20	2.07	0.52	<1	0.82	413	<1	31	445	30	2.37	<5	11	<10	248	1700	<2	68	35	15	90
140273	1006621	0.629	<1	2.01	28	302	2	5	<0.01	5	6	45	112	1.07	0.39	<1	0.60	205	<1	84	439	610	2.68	7	12	<10	86	966	<2	31	21	6	1539
140274	1006622	2.773	<1	2.63	25	141	2	4	0.62	<4	7	19	12	1.28	0.41	30	1.99	1114	<1	38	412	408	2.86	6	8	<10	108	725	9	23	13	7	922
140275	1006623	0.589	<1	1.16	32	198	<2	7	0.07	8	5	22	6	1.15	0.22	<1	0.96	387	<1	39	349	965	3.66	<5	12	<10	88	786	2	24	33	6	2899
140276	1006624	1.630	<1	1.91	21	88	<2	7	0.44	4	5	14	6	1.48	0.45	23	2.49	1491	<1	30	370	481	3.14	5	9	<10	101	657	20	21	15	7	1226
140277	1006625	0.336	<1	2.36	9	172	<2	1	1.02	<4	5	15	4	1.44	0.44	11	2.46	1415	<1	31	379	129	3.49	6	11	<10	115	781	14	26	<10	7	259
140278D	1006625	0.345	<1	1.82	18	159	<2	9	0.90	<4	4	13	3	1.37	0.49	7	2.38	1338	<1	27	360	117	3.09	<5	8	<10	108	738	13	24	<10	7	231
140279	1006626	0.147	<1	2.68	26	158	2	13	1.04	<4	5	17	3	1.43	0.43	11	2.48	1419	<1	35	376	165	3.20	<5	10	<10	113	740	25	25	<10	8	248
140280	1006627	0.131	<1	0.60	29	258	2	9	0.05	<4	6	16	3	0.78	0.34	<1	0.79	307	<1	30	409	364	3.35	7	13	<10	92	916	<2	26	11	5	712
140281	1006628	0.281	<1	1.81	27	280	<2	8	0.56	6	12	19	28	2.17	0.32	12	1.97	1426	<1	39	425	1160	3.70	9	8	<10	115	1110	17	32	22	6	1687
140282	1006629	0.389	<1	2.58	40	444	2	11	1.11	8	7	31	87	2.13	0.21	<1	1.68	1323	<1	62	378	1135	4.68	8	6	<10	136	1176	4	27	29	7	2462
140283	1006630	4.768	5	2.21	18	260	2	13	2.39	5	26	65	92	4.22	0.29	<1	1.67	782	<1	53	812	36	3.72	8	<5	<10	309	3548	3	117	<10	14	126
140284	1006631	1.540	2	0.70	24	472	2	7	0.47	13	7	24	92	1.61	0.04	<1	0.67	280	<1	40	332	2036	4.74	9	14	<10	131	1307	<2	31	52	5	4499
140285	1006632	0.287	<1	1.43	42	571	2	9	<0.01	<4	6	13	14	1.31	0.22	<1	0.52	149	<1	20	315	410	4.43	5	7	<10	93	1410	<2	28	12	6	876

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140286	1006633	0.200	<1	1.74	36	462	2	7	0.61	5	7	19	81	1.62	0.19	3	0.71	569	<1	26	361	319	4.24	6	7	<10	129	1571	<2	32	17	7	1285
140287	1006634	0.635	<1	1.62	16	388	2	5	0.92	<4	6	15	60	1.27	0.31	<1	0.82	639	<1	23	327	72	3.80	<5	11	<10	149	1564	<2	27	<10	6	177
140288	1006635	0.312	<1	1.76	32	377	<2	9	0.46	<4	6	11	75	1.44	0.62	<1	0.58	487	<1	22	359	98	3.57	<5	10	<10	136	1430	<2	27	<10	6	309
140289D	1006635	0.270	<1	2.65	34	378	<2	6	0.50	<4	6	11	74	1.45	0.57	<1	0.63	480	<1	23	367	103	3.57	5	13	<10	138	1440	<2	27	<10	7	315
140290	1006636	0.368	<1	2.51	30	318	<2	16	0.61	<4	7	16	47	1.81	0.53	<1	0.87	808	<1	31	417	103	3.49	6	14	<10	156	1474	3	29	<10	7	369
140291	1006637	0.599	<1	3.26	9	364	2	14	0.63	<4	8	29	77	1.80	0.45	<1	0.97	792	<1	27	370	301	3.61	6	11	<10	152	1431	8	36	<10	8	386
140292	1006638	0.546	<1	2.96	15	345	2	9	0.59	<4	8	49	50	2.01	0.45	<1	1.02	873	<1	67	485	75	2.71	6	7	<10	154	1530	<2	40	<10	8	97
140293	1006639	0.311	<1	1.96	15	278	<2	8	0.74	<4	6	16	22	1.58	0.32	<1	0.86	673	<1	29	390	43	3.01	5	9	<10	150	1358	<2	29	<10	7	83
140294	1006640	0.005	<1	1.20	10	378	<2	19	1.00	<4	12	40	20	1.99	0.25	<1	0.79	400	<1	29	439	7	3.16	6	10	<10	251	1757	<2	65	35	13	36
140295	1006641	0.129	<1	1.87	21	305	2	6	0.67	<4	6	17	10	1.47	0.19	3	0.84	590	<1	33	396	74	3.66	6	8	<10	151	1563	2	29	<10	6	116
140296	1006642	0.057	<1	1.54	22	332	<2	9	0.39	<4	6	15	33	1.35	0.17	2	0.69	480	<1	26	358	100	3.18	6	10	<10	140	1534	<2	28	<10	6	160
140297	1006643	0.106	<1	2.45	26	366	<2	5	0.72	<4	6	9	25	1.52	0.19	3	0.75	500	<1	19	454	88	3.65	<5	9	<10	163	1717	<2	31	<10	7	111
140298	1006644	0.131	<1	1.98	19	354	<2	6	1.03	<4	6	15	19	1.68	0.34	<1	0.82	618	<1	29	407	40	3.36	6	10	<10	172	1436	<2	30	<10	7	63
140299	1006645	0.246	<1	1.60	18	388	2	9	0.52	<4	7	16	10	1.62	0.26	<1	0.81	481	<1	23	429	33	4.01	6	<5	<10	135	1581	3	32	<10	7	81
140300D	1006645	0.236	<1	1.42	20	412	2	10	0.54	<4	7	19	11	1.71	0.15	<1	0.83	510	<1	27	450	34	3.76	5	12	<10	137	1678	<2	34	<10	7	83
140301	1006646	0.171	<1	1.55	15	443	2	11	0.72	<4	7	15	53	1.74	0.40	<1	0.83	540	<1	27	455	60	3.79	5	9	<10	143	1654	<2	32	<10	7	119
140302	1006647	0.164	<1	3.28	<2	310	2	6	0.59	<4	16	100	39	2.88	0.25	6	1.43	954	<1	56	442	92	3.53	5	7	<10	137	2235	2	76	<10	13	154
140303	1006648	0.534	<1	3.68	22	270	2	5	0.78	<4	15	83	49	2.59	0.32	4	1.14	784	<1	56	400	79	3.96	<5	8	<10	146	1919	<2	64	<10	13	63
140304	1006649	0.386	<1	4.70	8	335	2	14	0.99	<4	19	113	79	3.09	0.38	13	1.55	1012	<1	68	461	43	3.80	5	12	<10	155	1942	<2	88	<10	16	64
140305	1006650	1.071	<1	3.04	17	465	<2	6	1.16	<4	13	42	480	3.06	0.44	<1	1.03	481	9	35	555	55	3.40	7	9	<10	256	1763	<2	94	25	17	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140306	1006651	0.301	<1	3.11	27	238	<2	2	1.14	<4	16	110	63	2.84	0.29	2	1.48	1091	<1	68	427	36	3.40	<5	13	<10	131	1829	6	76	<10	14	64
140307	1006652	0.207	<1	3.66	25	308	2	12	1.24	6	14	95	193	2.60	0.25	3	1.36	1025	<1	61	404	842	3.69	6	11	<10	127	1807	<2	66	11	14	1081
140308	1006653	0.181	<1	3.39	31	411	2	11	0.52	<4	8	17	13	1.50	0.35	<1	0.85	400	<1	30	443	59	4.11	<5	14	<10	97	1628	<2	39	<10	8	93
140309	1006654	0.086	<1	2.78	43	431	2	20	<0.01	<4	8	12	5	1.29	0.17	<1	0.54	115	<1	27	455	177	3.72	<5	10	<10	72	1637	<2	35	<10	7	563
140310	1006655	0.031	<1	2.60	26	445	<2	4	0.10	<4	7	9	23	0.97	0.21	<1	0.59	169	<1	24	459	25	3.42	<5	18	<10	82	1611	<2	35	<10	7	34
140311R	1006655	0.033	<1	3.52	20	501	2	5	0.14	<4	9	10	24	1.12	0.37	<1	0.62	180	<1	26	501	29	3.20	5	13	<10	87	1839	<2	38	<10	7	34
140312	1006656	0.056	<1	4.58	24	403	2	4	1.24	5	7	16	104	1.45	0.15	4	1.04	550	<1	29	425	275	4.05	7	12	<10	121	1569	6	33	12	9	1035
140313	1006657	0.104	<1	4.47	30	390	2	16	0.83	<4	7	12	30	1.39	0.23	2	0.91	464	<1	29	422	375	4.50	5	12	<10	111	1582	4	34	<10	8	659
140314	1006658	0.050	<1	5.95	24	465	2	22	1.75	<4	8	11	10	1.34	0.47	4	1.27	731	<1	26	512	77	4.25	5	22	<10	147	1847	15	38	<10	10	90
140315	1006659	0.134	<1	4.50	16	729	2	8	1.44	<4	6	12	24	1.17	0.37	5	1.12	492	<1	28	452	68	4.23	5	19	<10	135	1710	<2	35	<10	8	284
140316	1006660	<0.005	<1	2.98	7	413	<2	12	1.18	<4	12	43	21	2.15	0.46	<1	0.90	417	<1	31	470	5	3.50	6	10	<10	277	1885	<2	70	37	16	41
140317	1006661	0.138	<1	3.13	21	375	<2	10	0.62	<4	6	10	31	1.26	0.28	<1	0.83	381	<1	25	409	205	3.41	8	14	<10	119	1534	<2	34	12	7	920
140318	1006662	0.102	<1	3.50	15	424	2	21	0.44	<4	6	9	12	1.04	0.27	1	0.75	389	<1	24	406	126	3.76	<5	15	<10	126	1624	<2	34	<10	7	86
140319	1006663	0.059	<1	3.01	23	346	<2	8	0.71	<4	6	9	48	1.32	0.36	<1	1.08	660	<1	23	407	194	3.32	5	15	<10	129	1459	4	33	<10	7	204
140320	1006664	0.155	<1	2.87	34	386	<2	11	0.93	<4	6	8	51	1.32	0.30	<1	1.02	588	<1	23	399	105	3.31	5	8	<10	130	1470	5	31	<10	7	183
140321	1006665	0.183	<1	2.62	50	496	<2	10	1.29	8	6	12	21	2.14	0.30	<1	1.28	942	<1	26	395	367	3.95	6	6	<10	131	1329	<2	32	26	9	2188
140322D	1006665	0.200	<1	2.86	46	501	<2	<1	1.33	8	7	11	20	2.18	0.27	<1	1.29	933	<1	26	397	368	4.27	6	10	<10	135	1299	11	32	25	9	2170
140323	1006666	0.229	<1	2.67	57	497	<2	3	1.46	10	7	11	17	2.30	0.21	<1	1.34	761	<1	27	402	486	4.17	<5	10	<10	134	1286	15	31	31	10	2599
140324	1006667	0.443	<1	3.86	39	390	2	16	1.11	<4	11	51	27	2.27	0.16	7	1.23	708	2	42	476	230	4.87	<5	13	<10	144	1852	2	51	11	10	547
140325	1006668	0.058	<1	4.30	34	461	2	8	1.41	<4	6	8	14	1.20	0.35	<1	0.96	537	<1	22	323	23	3.71	5	13	<10	171	1491	6	27	<10	8	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140326	1006669	0.468	<1	4.18	17	487	2	16	1.26	<4	6	8	20	1.06	0.32	4	0.92	484	<1	19	311	19	3.63	<5	13	<10	165	1463	<2	26	<10	8	36
140327	1006670	0.247	351	2.56	3404	<1	2	10	1.60	99	12	36	482	6.27	0.05	<1	0.87	1066	<1	25	421	9636	5.91	68	20	10	217	1370	<2	79	105	13	13470
140328	1006671	0.758	3	3.70	69	563	2	8	1.28	<4	7	14	44	1.35	0.35	8	1.07	647	<1	24	361	160	3.74	6	12	<10	145	1535	5	32	<10	9	279
140329	1006672	0.103	<1	3.70	29	485	2	11	1.33	<4	7	15	12	1.37	0.31	7	1.11	720	<1	31	351	131	4.00	5	19	<10	144	1528	10	32	<10	10	327
140330	1006673	0.350	<1	2.86	29	462	<2	4	1.02	<4	11	51	25	1.68	0.35	8	0.97	785	<1	41	379	158	3.72	6	9	<10	135	1798	<2	47	<10	10	337
140331	1006674	0.119	<1	2.43	26	500	<2	8	0.76	<4	8	25	14	1.33	0.32	4	0.91	517	<1	32	309	20	3.30	<5	14	<10	137	1575	2	38	<10	7	211
140332	1006675	0.057	<1	2.92	16	582	2	6	1.21	<4	6	15	17	1.12	0.25	3	0.81	393	<1	26	332	15	3.75	5	10	<10	155	1448	<2	30	<10	7	36
140333D	1006675	0.044	<1	3.73	19	627	2	9	1.35	<4	7	17	17	1.20	0.31	3	0.86	414	<1	26	354	20	3.55	<5	16	<10	161	1530	6	32	<10	7	36
140334	1006676	0.090	<1	3.54	18	733	2	13	1.35	<4	7	12	17	1.04	0.32	6	1.08	612	<1	26	296	18	3.55	<5	8	<10	140	1530	8	27	<10	7	33
140335	1006677	0.071	<1	3.64	32	912	2	9	2.19	<4	9	37	80	1.91	0.23	1	1.62	1218	<1	37	338	111	4.15	5	11	<10	155	1555	6	35	74	10	386
140336	1006678	0.082	<1	3.71	32	689	2	14	1.27	<4	10	14	19	1.21	0.16	8	1.17	605	<1	31	311	115	3.49	5	10	<10	148	1510	4	28	11	7	494
140337	1006679	0.124	<1	2.49	28	333	2	7	1.76	<4	12	73	61	2.39	0.24	<1	1.86	1215	<1	49	510	115	3.69	5	10	<10	126	1384	12	54	<10	14	475
140338	1006680	0.006	<1	3.98	13	433	<2	<1	1.31	<4	13	45	23	2.22	0.07	<1	0.96	440	<1	32	488	9	3.97	6	10	<10	284	1955	<2	72	36	17	41
140339	1006681	0.164	<1	5.22	31	441	2	15	1.45	<4	18	113	65	2.93	0.18	14	1.70	940	<1	63	515	75	4.37	7	6	<10	146	1971	22	83	<10	15	139
140340	1006682	0.148	<1	4.66	25	392	2	6	1.23	<4	18	120	65	3.12	0.31	10	1.46	721	<1	66	503	40	4.98	5	10	<10	152	2129	5	77	<10	14	141
140341	1006683	0.081	<1	4.52	24	585	2	14	1.13	<4	18	100	55	3.04	0.40	9	1.50	762	<1	55	453	35	4.74	6	13	<10	152	2148	8	70	<10	13	194
140342	1006684	0.063	<1	4.16	11	573	2	4	1.26	<4	5	14	14	1.09	0.27	7	1.16	544	<1	26	276	22	4.12	5	16	<10	145	1649	<2	25	<10	6	34
140343	1006685	0.066	<1	4.13	13	565	2	8	1.28	<4	5	12	16	1.13	0.39	5	1.20	559	<1	22	274	26	3.90	7	16	<10	145	1622	4	25	<10	7	35
140344D	1006685	0.046	<1	4.13	19	576	2	6	1.31	<4	6	12	16	1.14	0.30	6	1.20	567	<1	22	277	28	3.94	6	12	<10	145	1653	9	25	<10	7	35
140345	1006686	0.061	<1	4.43	11	574	2	13	1.31	<4	6	12	16	1.13	0.38	6	1.20	563	<1	21	273	26	4.08	5	10	<10	145	1662	9	25	<10	7	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140346	1006687	0.074	<1	4.46	28	466	<2	2	1.22	<4	6	11	22	1.05	0.30	7	1.18	562	<1	21	265	220	4.08	8	15	<10	129	1551	<2	22	<10	7	42
140347	1006688	0.060	<1	4.69	20	534	2	10	1.27	<4	6	14	50	1.14	0.21	13	1.09	542	<1	25	297	249	4.85	<5	14	<10	116	1681	4	25	<10	7	368
140348	1006689	0.088	<1	4.98	17	533	2	11	1.55	<4	5	11	11	1.06	0.24	9	1.21	473	<1	18	288	13	4.27	6	16	<10	121	1688	3	24	<10	7	35
140349	1006690	4.813	6	5.31	12	301	2	25	2.72	5	27	70	96	4.38	0.36	7	1.87	772	3	55	820	22	4.57	5	9	<10	331	3840	12	122	<10	17	89
140350	1006691	0.618	<1	5.72	16	580	2	22	1.59	<4	6	15	18	1.26	0.27	17	1.29	514	<1	22	313	21	4.91	7	18	<10	139	1861	10	27	<10	8	59
140351	1006692	0.094	<1	4.80	17	491	2	20	1.32	<4	6	13	17	1.17	0.35	13	1.19	462	<1	18	293	12	4.38	5	16	<10	128	1754	10	25	<10	7	33
140352	1006693	0.020	<1	4.78	7	542	2	11	1.65	<4	6	19	15	1.27	0.35	11	1.32	407	<1	19	321	12	3.97	5	12	<10	166	1729	11	27	<10	7	45
140353	1006694	0.030	<1	4.59	14	494	2	11	1.83	<4	6	11	12	1.94	0.38	9	1.35	450	<1	19	297	19	4.15	6	14	<10	149	1641	13	25	<10	7	215
140354	1006695	0.048	<1	3.94	7	542	2	14	1.45	<4	7	12	18	1.32	0.44	17	1.14	284	<1	23	302	14	4.45	<5	14	<10	155	1867	15	26	<10	6	42
140355D	1006695	0.028	<1	4.65	11	526	2	20	1.43	<4	6	12	18	1.29	0.39	13	1.17	275	<1	19	296	14	3.79	5	14	<10	153	1757	5	25	<10	7	39
140356	1006696	0.008	<1	4.87	15	557	2	10	1.42	<4	6	13	7	1.27	0.29	14	1.08	250	<1	20	289	11	4.34	<5	15	<10	173	1776	15	26	<10	7	34
140357	1006697	0.021	<1	4.74	15	583	2	10	1.37	<4	6	11	40	1.31	0.39	9	1.10	332	<1	18	293	281	3.98	<5	14	<10	149	1727	10	25	<10	7	292
140358	1006698	0.023	<1	4.58	11	600	2	12	1.81	<4	6	14	17	1.35	0.23	7	1.37	472	<1	17	342	30	3.65	6	10	<10	143	1750	14	26	<10	7	191
140359	1006699	0.056	<1	4.06	10	579	<2	4	1.88	<4	6	14	12	1.35	0.29	<1	1.43	511	<1	19	312	19	3.21	<5	14	<10	120	1623	3	25	<10	7	46
140360	1006700	<0.005	<1	2.54	16	451	<2	9	1.17	<4	13	45	22	2.25	0.12	<1	0.90	444	<1	34	478	7	3.54	<5	7	<10	271	2077	<2	75	39	15	40
140361	1006701	0.040	<1	4.61	13	570	2	11	1.55	<4	6	11	96	1.45	0.28	10	1.35	550	<1	20	305	138	4.44	5	13	<10	129	1693	3	25	<10	7	480
140362	1006702	0.075	<1	4.74	8	527	<2	12	1.50	<4	6	11	3	1.35	0.14	8	1.51	400	<1	20	331	20	3.47	5	17	<10	164	1687	16	24	<10	7	38
140363	1006703	0.019	<1	4.67	5	537	2	16	1.96	<4	6	11	8	1.38	0.31	9	1.72	653	<1	18	297	31	3.86	5	20	<10	130	1680	15	25	<10	7	132
140364	1006704	0.012	<1	3.92	7	548	2	12	1.49	<4	5	14	12	1.01	0.36	5	1.16	407	<1	19	283	33	3.48	5	12	<10	110	1585	5	24	<10	7	55
140365	1006705	0.108	<1	4.52	12	543	2	12	2.41	5	5	10	13	1.17	0.52	10	1.45	688	<1	21	287	32	4.96	5	18	<10	131	1593	5	23	11	7	852

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140366D	1006705	0.134	<1	3.92	5	529	2	11	2.27	5	6	9	12	1.14	0.59	5	1.43	672	<1	17	280	34	4.03	6	14	<10	121	1472	15	23	12	7	838
140367	1006706	0.024	<1	4.51	14	528	2	8	2.41	6	5	10	13	1.24	0.57	5	1.56	719	<1	20	294	33	4.09	6	14	<10	124	1509	14	23	17	7	946
140368	1006707	0.023	<1	4.80	22	569	2	5	1.57	<4	7	12	13	1.19	0.44	10	1.15	409	<1	21	312	37	3.97	6	15	<10	114	1791	5	26	<10	7	48
140369	1006708	0.386	<1	1.78	13	365	<2	2	0.74	<4	5	23	12	0.92	0.42	<1	0.85	261	<1	25	243	53	3.53	<5	15	<10	78	1152	<2	17	<10	6	251
140370	1006709	0.417	<1	3.56	18	503	2	4	0.45	<4	7	15	26	1.28	0.30	7	0.80	163	<1	25	348	201	4.52	5	7	<10	89	1650	4	29	<10	6	509
140371	1006710	1.064	<1	3.56	36	537	<2	13	1.32	<4	14	45	545	3.34	0.30	<1	1.03	510	19	36	583	61	4.39	6	6	<10	267	2135	2	103	24	14	88
140372	1006711	0.256	<1	3.88	8	454	2	11	0.31	<4	6	12	15	1.20	0.16	3	0.91	117	<1	25	330	22	3.90	5	16	<10	82	1601	<2	25	<10	7	30
140373	1006712	0.057	<1	3.62	8	412	2	2	1.26	<4	6	10	9	1.25	0.44	<1	1.45	262	<1	17	310	16	3.12	5	14	<10	88	1548	9	24	<10	6	31
140374	1006713	0.048	<1	3.87	10	397	2	13	1.10	<4	6	14	13	1.24	0.46	1	1.32	323	<1	21	309	18	3.49	5	16	<10	84	1591	6	24	<10	7	51
140375	1006714	0.029	<1	3.84	13	427	<2	10	1.45	<4	6	12	8	1.23	0.41	2	1.28	340	<1	21	303	14	3.29	8	11	<10	83	1592	<2	25	<10	7	32
140376	1006715	0.023	<1	3.75	15	419	<2	<1	1.30	<4	6	13	11	1.14	0.28	<1	1.16	276	<1	22	301	13	3.41	<5	15	<10	84	1564	5	24	<10	7	28
140377R	1006715	0.020	<1	4.50	14	453	2	5	1.42	<4	6	15	11	1.20	0.34	6	1.19	285	<1	28	316	17	3.94	<5	12	<10	90	1669	<2	26	<10	7	30
140378	1006716	0.040	<1	1.76	14	282	<2	13	1.70	<4	6	14	13	1.35	0.11	<1	1.42	422	<1	24	322	24	2.33	5	7	<10	89	1198	6	21	<10	7	90
140379	1006717	0.258	<1	2.43	22	436	<2	4	<0.01	<4	7	15	24	1.00	0.04	<1	0.60	122	<1	26	340	22	2.71	6	11	<10	72	1450	<2	24	<10	6	138

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140246	1006596	67	0.002	0.067
140247	1006597	17	<0.001	0.017
140248	1006598	15	<0.001	0.015
140249	1006599	17	<0.001	0.017
140250	1006600	7	<0.001	0.007
140251	1006601	10	<0.001	0.010
140252	1006602	16	<0.001	0.016
140253	1006603	30	<0.001	0.030
140254	1006604	21	<0.001	0.021
140255	1006605	150	0.004	0.150
140256 Dup	1006605	127	0.004	0.127
140257	1006606	49	0.001	0.049
140258	1006607	281	0.008	0.281
140259	1006608	431	0.013	0.431
140260	1006609	777	0.023	0.777
140261	1006610	230	0.007	0.230
140262	1006611	168	0.005	0.168
140263	1006612	226	0.007	0.226
140264	1006613	58	0.002	0.058
140265	1006614	26	<0.001	0.026
140266	1006615	21	<0.001	0.021
140267 Dup	1006615	10	<0.001	0.010
140268	1006616	13	<0.001	0.013
140269	1006617	299	0.009	0.299
140270	1006618	1635	0.048	1.635
140271	1006619	768	0.022	0.768
140272	1006620	9	<0.001	0.009
140273	1006621	629	0.018	0.629
140274	1006622	2773	0.081	2.773
140275	1006623	589	0.017	0.589

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140276	1006624	1630	0.048	1.630
140277	1006625	336	0.010	0.336
140278 Dup	1006625	345	0.010	0.345
140279	1006626	147	0.004	0.147
140280	1006627	131	0.004	0.131
140281	1006628	281	0.008	0.281
140282	1006629	389	0.011	0.389
140283	1006630	4768	0.139	4.768
140284	1006631	1540	0.045	1.540
140285	1006632	287	0.008	0.287
140286	1006633	200	0.006	0.200
140287	1006634	635	0.019	0.635
140288	1006635	312	0.009	0.312
140289 Dup	1006635	270	0.008	0.270
140290	1006636	368	0.011	0.368
140291	1006637	599	0.017	0.599
140292	1006638	546	0.016	0.546
140293	1006639	311	0.009	0.311
140294	1006640	5	<0.001	0.005
140295	1006641	129	0.004	0.129
140296	1006642	57	0.002	0.057
140297	1006643	106	0.003	0.106
140298	1006644	131	0.004	0.131
140299	1006645	246	0.007	0.246
140300 Dup	1006645	236	0.007	0.236
140301	1006646	171	0.005	0.171
140302	1006647	164	0.005	0.164
140303	1006648	534	0.016	0.534
140304	1006649	386	0.011	0.386
140305	1006650	1071	0.031	1.071

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140306	1006651	301	0.009	0.301
140307	1006652	207	0.006	0.207
140308	1006653	181	0.005	0.181
140309	1006654	86	0.003	0.086
140310	1006655	31	<0.001	0.031
140311 Rep	1006655	33	<0.001	0.033
140312	1006656	56	0.002	0.056
140313	1006657	104	0.003	0.104
140314	1006658	50	0.001	0.050
140315	1006659	134	0.004	0.134
140316	1006660	<5	<0.001	<0.005
140317	1006661	138	0.004	0.138
140318	1006662	102	0.003	0.102
140319	1006663	59	0.002	0.059
140320	1006664	155	0.005	0.155
140321	1006665	183	0.005	0.183
140322 Dup	1006665	200	0.006	0.200
140323	1006666	229	0.007	0.229
140324	1006667	443	0.013	0.443
140325	1006668	58	0.002	0.058
140326	1006669	468	0.014	0.468
140327	1006670	247	0.007	0.247
140328	1006671	758	0.022	0.758
140329	1006672	103	0.003	0.103
140330	1006673	350	0.010	0.350
140331	1006674	119	0.003	0.119
140332	1006675	57	0.002	0.057
140333 Dup	1006675	44	0.001	0.044
140334	1006676	90	0.003	0.090
140335	1006677	71	0.002	0.071

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140336	1006678	82	0.002	0.082
140337	1006679	124	0.004	0.124
140338	1006680	6	<0.001	0.006
140339	1006681	164	0.005	0.164
140340	1006682	148	0.004	0.148
140341	1006683	81	0.002	0.081
140342	1006684	63	0.002	0.063
140343	1006685	66	0.002	0.066
140344 Dup	1006685	46	0.001	0.046
140345	1006686	61	0.002	0.061
140346	1006687	74	0.002	0.074
140347	1006688	60	0.002	0.060
140348	1006689	88	0.003	0.088
140349	1006690	4813	0.140	4.813
140350	1006691	618	0.018	0.618
140351	1006692	94	0.003	0.094
140352	1006693	20	<0.001	0.020
140353	1006694	30	<0.001	0.030
140354	1006695	48	0.001	0.048
140355 Dup	1006695	28	<0.001	0.028
140356	1006696	8	<0.001	0.008
140357	1006697	21	<0.001	0.021
140358	1006698	23	<0.001	0.023
140359	1006699	56	0.002	0.056
140360	1006700	<5	<0.001	<0.005
140361	1006701	40	0.001	0.040
140362	1006702	75	0.002	0.075
140363	1006703	19	<0.001	0.019
140364	1006704	12	<0.001	0.012
140365	1006705	108	0.003	0.108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142069  
 Reference: TL11165  
 Sample #: 122

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140366 Dup	1006705	134	0.004	0.134
140367	1006706	24	<0.001	0.024
140368	1006707	23	<0.001	0.023
140369	1006708	386	0.011	0.386
140370	1006709	417	0.012	0.417
140371	1006710	1064	0.031	1.064
140372	1006711	256	0.007	0.256
140373	1006712	57	0.002	0.057
140374	1006713	48	0.001	0.048
140375	1006714	29	<0.001	0.029
140376	1006715	23	<0.001	0.023
140377 Rep	1006715	20	<0.001	0.020
140378	1006716	40	0.001	0.040
140379	1006717	258	0.008	0.258

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, January 17, 2012

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144298  
 Reference: TL11165  
 Sample #: 33

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
295048	1212221	0.021	<1	4.25	9	441	<2	23	1.07	<4	7	19	11	0.56	0.47	11	0.45	288	3	<1	225	41	0.08	<5	15	<10	136	1277	<2	36	<10	4	58
295049	1212222	0.021	<1	4.19	8	464	<2	14	1.26	<4	6	15	5	0.36	0.55	9	0.29	191	4	<1	<100	14	0.07	<5	12	<10	161	1152	<2	34	<10	3	29
295050	1212223	0.019	<1	5.50	11	538	<2	23	1.37	<4	8	14	3	0.43	0.13	8	0.34	174	3	<1	869	24	0.16	<5	21	<10	163	1250	245	33	<10	4	37
295051	1212224	0.017	<1	4.73	12	640	<2	18	1.19	<4	8	16	3	0.50	0.41	12	0.34	239	4	<1	702	46	0.16	<5	18	<10	161	1304	<2	34	<10	3	30
295052	1212225	0.022	<1	4.97	10	1620	<2	18	1.37	<4	8	18	2	0.47	0.28	9	0.44	321	33	<1	<100	12	0.13	<5	17	<10	150	2161	<2	36	<10	5	28
295053	1212226	0.368	3	4.48	9	492	<2	9	0.87	<4	7	16	120	0.51	0.38	10	0.50	361	3	<1	621	1717	0.17	<5	18	<10	117	1251	<2	30	<10	4	386
295054	1212227	0.022	<1	5.07	10	305	<2	22	1.28	<4	8	19	7	0.84	0.53	17	1.03	722	1	<1	<100	64	0.21	<5	15	<10	149	1269	<2	30	<10	4	126
295055	1212228	0.022	<1	5.55	17	396	<2	21	1.54	<4	9	19	9	1.30	0.38	17	1.14	716	2	<1	778	24	0.39	<5	18	<10	191	1596	199	32	<10	5	92
295056	1212229	0.103	<1	6.30	26	342	<2	25	1.78	<4	15	64	38	2.55	0.27	22	1.52	882	4	<1	<100	78	0.69	<5	16	<10	198	1760	202	50	<10	9	227
295057	1212230	5.015	<1	5.19	460	1388	<2	28	2.58	<4	16	121	88	3.54	0.20	19	1.15	509	22	<1	630	16	0.76	41	13	<10	191	1893	8	134	<10	11	253
295058D	1212230	IS																															
295059	1212231	2.400	<1	5.56	45	473	2	21	1.37	<4	27	146	81	4.41	0.42	28	1.43	1045	10	<1	747	73	1.68	<5	14	<10	200	2569	249	104	<10	8	341
295060	1212232	0.107	<1	5.68	33	335	2	25	1.34	<4	24	119	52	3.72	0.17	19	1.27	759	5	<1	1138	35	1.61	<5	16	<10	160	2099	35	74	<10	11	136
295061	1212233	0.012	<1	4.73	12	341	<2	17	0.60	<4	6	21	9	0.53	0.03	8	0.44	194	4	<1	595	9	0.11	<5	19	<10	128	1263	15	30	<10	4	36
295062	1212234	0.044	<1	4.23	18	303	<2	14	1.06	<4	10	31	43	1.21	0.23	13	0.67	380	10	<1	<100	29	0.58	<5	16	<10	186	1236	<2	30	<10	4	75
295063	1212235	0.081	<1	5.08	31	505	<2	22	0.99	<4	13	24	60	1.52	0.23	14	0.63	330	3	<1	962	64	0.84	<5	18	<10	179	1868	<2	42	<10	6	211
295064	1212236	0.119	<1	3.71	33	571	<2	20	0.90	<4	14	29	50	1.54	0.13	18	0.48	303	8	<1	897	62	0.85	<5	7	<10	176	2023	<2	46	<10	4	198
295065	1212237	0.151	<1	4.20	19	480	<2	18	1.56	<4	10	18	29	1.70	0.14	17	0.79	666	4	<1	<100	44	0.60	<5	12	<10	219	1781	189	39	<10	5	174
295066	1212238	0.198	<1	6.69	50	440	<2	25	2.22	<4	16	89	21	2.36	0.42	28	1.68	914	<1	<1	<100	9	0.88	<5	18	<10	176	1944	39	56	<10	8	85
295067	1212239	5.596	2	3.11	80	1041	<2	17	0.24	7	10	47	168	1.61	0.27	16	0.37	122	5	<1	680	315	1.34	48	13	<10	60	1366	86	38	21	3	1735

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, January 17, 2012


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144298  
 Reference: TL11165  
 Sample #: 33

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
295068	1212240	0.010																															
295069D	1212240																IS																
295070	1212241	0.469	<1	2.38	23	396	<2	10	0.13	4	4	9	43	0.74	0.32	11	0.36	111	<1	<1	1000	290	0.50	<5	11	<10	48	854	<2	16	11	2	1022
295071	1212242	0.271	<1	2.72	23	443	<2	17	0.33	<4	4	10	27	0.71	0.31	17	0.55	258	<1	<1	<100	472	0.43	5	14	<10	62	1082	<2	18	<10	2	321
295072	1212243	0.976	<1	1.60	61	422	<2	15	0.05	<4	5	9	22	0.56	0.12	11	0.34	107	<1	<1	<100	86	0.27	<5	10	<10	43	1016	14	17	<10	2	387
295073	1212244	0.136	<1	4.08	701	324	2	22	1.18	<4	25	124	61	3.44	0.40	22	1.37	642	5	<1	1345	53	1.18	<5	7	<10	94	1764	43	84	<10	7	208
295074	1212245	0.199	<1	3.53	95	311	2	24	1.36	13	26	138	71	4.50	0.29	16	1.23	612	2	<1	138	121	2.82	<5	6	<10	94	1764	<2	84	42	7	3738
295075	1212246	0.084	<1	4.92	7	282	2	23	1.12	<4	25	147	58	3.93	0.28	29	1.62	574	3	<1	988	16	0.69	<5	10	<10	98	2106	80	88	<10	8	171
295076	1212247	0.106	<1	3.67	5	308	2	22	1.16	<4	21	136	43	3.17	0.19	25	1.47	604	2	<1	1170	14	0.60	<5	8	<10	103	2152	<2	81	<10	6	112
295077	1212248	0.035	<1	3.33	17	482	<2	16	1.34	<4	10	37	29	1.68	0.15	18	0.93	397	<1	<1	529	26	0.58	<5	15	<10	130	1398	<2	36	<10	4	185
295078	1212249	0.016	<1	3.19	13	602	<2	11	2.25	<4	8	18	10	1.53	0.09	18	1.01	431	<1	<1	615	19	0.46	<5	12	<10	149	1559	<2	32	<10	4	89
295079	1212250	1.101																															
295080D	1212250																IS																
295081	1212251	0.014	<1	2.92	13	679	2	20	1.84	<4	10	22	82	1.48	0.05	19	0.76	331	3	<1	847	10	0.41	<5	12	<10	131	1531	280	30	<10	3	62
295082	1212252	0.017	<1	2.66	20	810	<2	17	1.01	<4	9	19	13	1.25	0.08	18	0.56	312	2	<1	1140	17	0.55	<5	17	<10	114	1529	<2	29	<10	3	116
295083	1212253	0.013	<1	2.76	7	688	<2	8	1.45	<4	10	38	17	1.77	0.09	16	0.89	359	<1	<1	179	10	0.41	<5	13	<10	145	1534	34	39	<10	4	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144298  
 Reference: TL11165  
 Sample #: 33

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
295048	1212221	21	<0.001	0.021
295049	1212222	21	<0.001	0.021
295050	1212223	19	<0.001	0.019
295051	1212224	17	<0.001	0.017
295052	1212225	22	<0.001	0.022
295053	1212226	368	0.011	0.368
295054	1212227	22	<0.001	0.022
295055	1212228	22	<0.001	0.022
295056	1212229	103	0.003	0.103
295057	1212230	5015	0.146	5.015
295058 Dup	1212230	Insufficient Sample		
295059	1212231	2400	0.070	2.400
295060	1212232	107	0.003	0.107
295061	1212233	12	<0.001	0.012
295062	1212234	44	0.001	0.044
295063	1212235	81	0.002	0.081
295064	1212236	119	0.003	0.119
295065	1212237	151	0.004	0.151
295066	1212238	198	0.006	0.198
295067	1212239	5596	0.163	5.596
295068	1212240	10	<0.001	0.010
295069 Dup	1212240	Insufficient Sample		
295070	1212241	469	0.014	0.469
295071	1212242	271	0.008	0.271
295072	1212243	976	0.028	0.976
295073	1212244	136	0.004	0.136
295074	1212245	199	0.006	0.199
295075	1212246	84	0.002	0.084
295076	1212247	106	0.003	0.106
295077	1212248	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, December 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144298  
 Reference: TL11165  
 Sample #: 33

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
295078	1212249	16	<0.001	0.016
295079	1212250	1101	0.032	1.101
295080 Dup	1212250	Insufficient Sample		
295081	1212251	14	<0.001	0.014
295082	1212252	17	<0.001	0.017
295083	1212253	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/08/2011  
 Job #: 201144295  
 Reference: TL11166  
 Sample #: 63

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294782	1212254	35	0.001	0.035
294783	1212255	4550	0.133	4.550
294784	1212256	3851	0.112	3.851
294785	1212257	1017	0.030	1.017
294786	1212258	616	0.018	0.616
294787	1212259	89	0.003	0.089
294788	1212260	<5	<0.001	<0.005
294789	1212261	531	0.015	0.531
294790	1212262	115	0.003	0.115
294791	1212263	258	0.008	0.258
294792 Dup	1212263	261	0.008	0.261
294793	1212264	57	0.002	0.057
294794	1212265	109	0.003	0.109
294795	1212266	<5	<0.001	<0.005
294796	1212267	34	<0.001	0.034
294797	1212268	14	<0.001	0.014
294798	1212269	<5	<0.001	<0.005
294799	1212270	282	0.008	0.282
294800	1212271	50	0.001	0.050
294801	1212272	<5	<0.001	<0.005
294802	1212273	<5	<0.001	<0.005
294803 Dup	1212273	<5	<0.001	<0.005
294804	1212274	341	0.010	0.341
294805	1212275	23	<0.001	0.023
294806	1212276	32	<0.001	0.032
294807	1212277	6	<0.001	0.006
294808	1212278	8	<0.001	0.008
294809	1212279	<5	<0.001	<0.005
294810	1212280	<5	<0.001	<0.005
294811	1212281	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/08/2011  
 Job #: 201144295  
 Reference: TL11166  
 Sample #: 63

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294812	1212282	<5	<0.001	<0.005
294813	1212283	11	<0.001	0.011
294814 Dup	1212283	15	<0.001	0.015
294815	1212284	41	0.001	0.041
294816	1212285	43	0.001	0.043
294817	1212286	14	<0.001	0.014
294818	1212287	12	<0.001	0.012
294819	1212288	800	0.023	0.800
294820	1212289	59	0.002	0.059
294821	1212290	5149	0.150	5.149
294822	1212291	53	0.002	0.053
294823	1212292	418	0.012	0.418
294824	1212293	148	0.004	0.148
294825 Dup	1212293	88	0.003	0.088
294826	1212294	57	0.002	0.057
294827	1212295	10	<0.001	0.010
294828	1212296	28	<0.001	0.028
294829	1212297	42	0.001	0.042
294830	1212298	131	0.004	0.131
294831	1212299	48	0.001	0.048
294832	1212300	<5	<0.001	<0.005
294833	1212301	24	<0.001	0.024
294834	1212302	54	0.002	0.054
294835	1212303	45	0.001	0.045
294836 Dup	1212303	41	0.001	0.041
294837	1212304	2294	0.067	2.294
294838	1212305	423	0.012	0.423
294839	1212306	156	0.005	0.156
294840	1212307	226	0.007	0.226
294841	1212308	37	0.001	0.037

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, December 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/08/2011  
 Job #: 201144295  
 Reference: TL11166  
 Sample #: 63

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294842	1212309	31	<0.001	0.031
294843	1212310	1407	0.041	1.407
294844	1212311	441	0.013	0.441
294845	1212312	19	<0.001	0.019
294846	1212313	86	0.003	0.086
294847 Rep	1212313	84	0.002	0.084
294848	1212314	29	<0.001	0.029
294849	1212315	20	<0.001	0.020
294850	1212316	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
133937	1004272	0.018	<1	3.37	7	504	2	7	2.03	26	23	165	92	3.60	<0.01	13	1.31	630	17	86	549	45	0.83	5	7	<10	273	2780	7	108	63	8	85
133938	1004273	0.017	<1	3.66	20	743	<2	<1	1.87	<4	11	47	22	1.43	<0.01	8	0.60	215	13	44	489	18	0.78	<5	19	<10	317	1979	5	52	<10	6	317
133939	1004274	0.011	<1	3.24	17	823	<2	<1	1.64	<4	9	26	14	0.82	<0.01	7	0.42	135	11	27	477	21	0.47	<5	11	<10	369	2009	<2	49	<10	5	239
133940	1004275	0.010	<1	3.10	3	661	<2	<1	2.01	<4	8	36	14	0.86	<0.01	8	0.49	165	14	40	471	14	0.39	<5	10	<10	432	1887	3	49	<10	5	265
133941	1004276	0.008	<1	3.78	2	488	<2	3	1.80	<4	5	38	11	0.62	<0.01	<1	0.44	<100	6	31	303	7	0.11	<5	19	<10	398	1294	<2	32	<10	5	202
133942	1004277	0.010	<1	3.80	2	599	<2	1	2.77	<4	7	24	7	1.73	<0.01	1	0.83	295	4	22	447	3	0.30	<5	10	<10	405	1918	<2	40	<10	6	237
133943	1004278	0.015	<1	4.23	<2	560	<2	<1	2.95	<4	9	29	5	1.90	<0.01	2	0.99	365	7	29	459	7	0.24	6	20	<10	374	1957	<2	41	<10	7	247
133944	1004279	0.017	<1	3.50	<2	375	<2	1	2.23	<4	8	26	11	1.65	<0.01	<1	0.81	376	<1	22	431	11	0.20	<5	8	<10	284	1746	<2	37	<10	7	210
133945	1004280	1.087	<1	3.66	24	510	<2	8	2.05	<4	16	58	551	3.55	<0.01	<1	1.08	567	23	35	650	71	0.66	6	14	<10	246	1915	<2	105	28	15	264
133946	1004281	0.031	<1	3.70	2	537	<2	<1	2.35	<4	9	32	31	1.89	<0.01	2	0.87	492	7	38	516	33	0.58	<5	13	<10	269	1959	<2	45	<10	7	262
133947D	1004281	0.031	<1	4.15	2	526	<2	13	2.38	<4	9	29	24	1.92	<0.01	2	0.94	509	7	34	532	34	0.60	<5	13	<10	268	1947	<2	43	<10	7	266
133948	1004282	0.023	<1	3.39	3	522	<2	8	1.88	<4	9	22	12	1.93	<0.01	3	0.68	499	10	21	457	17	0.50	8	10	<10	207	2080	<2	40	<10	6	297
133949	1004283	0.012	<1	3.98	<2	547	<2	2	2.45	<4	9	34	18	1.79	<0.01	5	0.83	512	11	33	496	17	0.47	<5	21	<10	206	1992	<2	42	<10	6	287
133950	1004284	0.015	<1	4.16	6	765	<2	10	2.20	<4	22	30	11	1.22	0.04	1	0.67	329	12	45	614	12	0.41	<5	11	<10	212	1946	3	47	<10	6	348
133951	1004285	0.035	<1	4.68	18	590	2	12	1.90	<4	14	28	20	1.17	<0.01	8	0.78	461	11	35	678	18	0.72	<5	14	<10	172	2348	2	48	<10	5	271
133952	1004286	0.037	<1	4.78	14	554	<2	7	1.90	<4	14	30	24	1.16	0.23	8	0.81	461	11	34	656	32	0.73	<5	24	<10	173	2245	<2	46	<10	6	264
133953	1004287	0.011	<1	4.19	17	370	<2	<1	2.07	<4	21	26	12	0.95	<0.01	4	0.87	685	11	37	599	18	0.26	<5	13	<10	160	2192	3	43	<10	5	251
133954	1004288	0.062	<1	3.21	14	350	<2	1	1.74	<4	21	30	11	1.00	<0.01	4	0.78	613	12	41	547	18	0.50	<5	19	<10	147	1899	4	41	<10	5	254
133955	1004289	0.016	<1	4.05	18	405	<2	2	1.75	<4	19	52	15	1.28	<0.01	7	0.82	534	17	81	659	58	0.53	<5	8	<10	116	2058	<2	38	<10	6	307
133956	1004290	0.007	<1	2.70	6	430	<2	6	1.88	<4	13	57	23	2.27	<0.01	<1	0.81	464	3	32	500	8	0.06	<5	9	<10	252	1909	<2	74	45	12	234

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
133957	1004291	0.021	<1	3.30	15	417	<2	<1	1.67	<4	17	28	14	1.15	<0.01	8	0.85	511	8	37	621	85	0.49	<5	10	<10	116	1940	<2	35	<10	6	406
133958D	1004291	0.026	<1	3.34	11	418	<2	2	1.66	<4	17	27	13	1.12	<0.01	9	0.84	506	12	39	615	83	0.46	<5	13	<10	115	1928	<2	34	<10	5	415
133959	1004292	0.030	<1	3.50	6	549	<2	5	1.47	<4	11	28	29	1.10	<0.01	12	1.13	515	16	30	566	50	0.33	<5	16	<10	143	1745	<2	29	11	5	672
133960	1004293	0.024	<1	4.15	5	448	<2	3	2.58	<4	10	35	37	1.23	<0.01	3	0.90	498	13	45	625	31	0.43	<5	15	<10	165	1719	<2	32	<10	6	275
133961	1004294	0.023	<1	3.79	11	476	<2	9	2.36	<4	12	51	31	1.34	<0.01	3	1.00	645	19	70	643	43	0.48	<5	21	<10	146	1918	15	36	<10	6	283
133962	1004295	0.050	<1	4.05	16	511	<2	<1	2.02	<4	9	25	30	1.16	<0.01	3	0.95	545	10	27	608	71	0.55	<5	20	<10	139	2038	<2	35	<10	5	332
133963	1004296	<0.005	<1	3.65	2	416	3	<1	2.05	<4	6	64	21	1.25	0.43	2	1.04	794	22	73	581	43	0.18	<5	18	10	131	1548	<2	29	10	6	318
133964	1004297	0.007	<1	3.35	3	531	4	<1	1.51	<4	5	85	30	1.12	0.54	<1	0.53	326	20	114	497	51	0.24	<5	13	<10	122	1302	<2	23	<10	6	237
133965	1004298	<0.005	<1	3.87	3	424	2	5	1.97	<4	6	30	25	1.05	0.09	<1	0.79	493	9	32	516	52	0.27	<5	8	<10	168	1560	<2	28	<10	6	245
133966	1004299	0.510	12	2.88	12	415	<2	2	0.61	7	5	75	216	1.46	<0.01	<1	0.37	119	11	107	331	1952	1.10	13	7	<10	87	1353	<2	26	37	5	2892
133967	1004300	0.250	361	3.06	4250	94	<2	<1	2.59	129	14	55	478	7.44	<0.01	<1	0.85	1309	11	31	503	9496	5.58	83	17	14	227	1449	<2	93	158	12	13464
133968	1004301	0.243	4	3.55	54	528	<2	<1	0.75	<4	5	41	64	1.17	0.02	<1	0.45	175	11	47	432	597	1.04	<5	12	<10	117	1740	<2	30	14	5	1068
133969D	1004301	0.220	2	3.24	27	520	<2	5	0.70	<4	4	43	62	1.14	<0.01	<1	0.43	167	9	55	424	558	0.99	6	10	<10	113	1719	<2	30	11	4	995
133970	1004302	0.044	<1	3.53	12	457	<2	<1	1.62	<4	8	31	14	0.99	<0.01	1	0.81	576	11	40	414	51	0.51	<5	11	<10	154	1578	<2	28	<10	5	296
133971	1004303	0.095	<1	3.81	17	439	<2	6	1.58	<4	13	39	35	1.17	<0.01	6	0.76	512	18	56	483	123	0.64	<5	17	<10	172	1810	3	32	10	5	409
133972	1004304	0.130	<1	3.07	19	490	2	<1	1.42	<4	10	34	66	1.08	0.51	16	0.57	413	54	46	474	62	0.71	<5	14	<10	168	1906	4	35	10	5	594
133973	1004305	0.122	<1	2.44	23	453	<2	<1	1.48	<4	5	33	20	1.29	0.55	9	0.59	605	31	43	477	61	1.03	<5	13	<10	171	1693	<2	36	<10	4	466
133974	1004306	0.087	<1	4.24	22	428	<2	<1	1.54	<4	6	26	22	1.35	0.52	3	0.72	612	9	25	463	63	1.10	<5	13	<10	175	1628	<2	35	<10	5	381
133975	1004307	0.963	3	4.62	23	404	<2	16	1.17	<4	5	21	51	1.32	0.09	<1	0.53	325	6	18	405	343	1.26	5	19	<10	158	1534	<2	28	14	5	865
133976	1004308	0.315	<1	3.86	17	356	<2	<1	1.34	<4	4	21	122	1.20	<0.01	<1	0.57	480	2	16	436	274	0.88	<5	15	<10	162	1446	<2	28	11	5	531

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 10, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
133977	1004309	0.078	<1	4.72	13	407	<2	<1	1.78	<4	7	41	35	1.76	<0.01	1	0.71	656	8	53	589	26	0.67	<5	16	<10	178	1773	<2	33	<10	6	270
133978	1004310	0.007	<1	3.06	7	425	<2	7	1.88	<4	13	55	23	2.25	0.13	<1	0.81	458	6	30	489	5	0.05	<5	12	<10	253	1882	<2	72	39	12	236
133979	1004311	0.138	<1	3.57	22	432	<2	11	1.62	<4	6	34	39	1.74	<0.01	<1	0.67	621	<1	40	522	68	0.75	<5	19	<10	140	1680	<2	31	<10	6	157
133980D	1004311	0.133	<1	2.85	18	417	<2	<1	1.58	<4	6	33	37	1.67	<0.01	<1	0.62	601	<1	39	509	69	0.70	<5	10	<10	140	1626	5	31	<10	5	154
133981	1004312	0.033	<1	4.12	4	440	<2	<1	1.88	<4	7	30	26	1.94	<0.01	<1	0.77	859	<1	29	576	11	0.22	<5	14	<10	146	1937	<2	33	<10	6	51
133982	1004313	0.169	<1	4.40	11	415	<2	2	1.84	<4	9	23	69	1.80	<0.01	2	0.82	868	<1	21	504	28	0.54	<5	12	<10	152	1804	<2	32	<10	6	96
133983	1004314	0.116	<1	4.29	17	421	<2	13	2.07	<4	15	24	44	1.71	<0.01	<1	0.97	974	<1	25	463	16	0.49	<5	14	<10	143	1704	<2	30	<10	6	385
133984	1004315	0.491	<1	3.53	41	360	<2	<1	0.79	<4	9	23	93	1.44	<0.01	<1	0.44	182	<1	24	390	214	1.38	5	13	<10	89	1451	<2	25	<10	5	329
133985	1004316	0.378	<1	3.54	52	375	<2	2	1.04	<4	6	24	52	1.71	<0.01	<1	0.54	319	<1	21	445	110	1.52	<5	16	<10	94	1587	<2	27	<10	4	368
133986	1004317	0.588	<1	4.53	23	404	<2	7	2.10	<4	6	19	16	1.64	<0.01	2	0.90	729	<1	16	482	21	0.76	<5	21	<10	140	1784	<2	32	<10	5	54
133987	1004318	0.152	<1	5.20	16	471	<2	<1	2.00	<4	7	20	15	1.71	<0.01	6	0.83	709	<1	17	548	72	0.81	5	12	<10	159	2032	<2	36	<10	5	106
133988	1004319	0.458	8	3.94	105	404	<2	<1	1.24	7	8	30	51	2.03	<0.01	<1	0.56	453	<1	24	441	947	1.71	13	<5	<10	120	1830	<2	34	21	5	1526
133989	1004320	4.956	7	4.60	10	253	<2	14	3.28	5	28	71	102	4.53	<0.01	<1	1.89	848	<1	55	923	30	0.61	<5	<5	<10	308	2959	3	117	<10	14	114
133990	1004321	0.389	<1	3.64	47	339	<2	<1	1.74	<4	7	27	47	1.69	<0.01	<1	0.84	938	<1	21	431	47	1.19	<5	20	<10	120	1730	2	36	<10	5	94
133991D	1004321	0.347	<1	2.96	43	323	<2	<1	1.62	<4	7	27	44	1.57	<0.01	<1	0.78	900	<1	23	417	44	1.05	<5	15	<10	111	1636	<2	33	<10	5	90
133992	1004322	0.901	2	2.83	37	370	<2	<1	0.99	<4	6	25	73	1.63	0.36	3	0.53	416	<1	19	394	186	1.52	<5	7	<10	106	1682	<2	31	13	4	713
133993	1004323	0.141	<1	3.63	18	351	<2	<1	1.74	<4	8	41	27	1.82	<0.01	2	0.75	843	<1	30	395	35	0.74	<5	16	<10	142	1699	<2	36	<10	5	60
133994	1004324	0.239	<1	4.11	27	406	<2	3	1.75	<4	12	33	30	1.50	<0.01	2	0.77	660	<1	41	511	35	0.68	<5	12	<10	128	1692	5	32	<10	6	87
133995	1004325	0.865	<1	3.60	32	312	<2	<1	1.50	<4	12	44	22	1.28	<0.01	<1	0.82	602	<1	58	393	41	0.67	<5	12	<10	115	1488	<2	28	<10	5	132
133996	1004326	0.282	<1	3.75	32	314	<2	<1	1.73	<4	12	39	17	1.25	<0.01	<1	0.82	647	<1	45	347	46	0.69	<5	9	<10	131	1491	<2	28	<10	5	127

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
133997	1004327	0.598	4	3.82	23	336	<2	4	0.98	<4	5	29	30	0.83	<0.01	<1	0.62	358	<1	31	360	49	0.44	<5	16	<10	92	1475	<2	26	<10	4	150
133998	1004328	0.188	<1	3.55	23	320	<2	<1	0.90	<4	5	35	14	0.88	0.17	<1	0.54	284	<1	48	346	27	0.58	<5	16	<10	89	1439	<2	26	<10	3	86
133999	1004329	0.081	<1	3.56	31	278	<2	19	1.09	<4	6	25	21	1.03	<0.01	<1	0.62	342	<1	21	339	17	0.80	<5	16	<10	93	1451	<2	29	<10	4	32
134000	1004330	0.005	<1	2.75	6	373	<2	<1	1.79	<4	12	53	22	2.19	0.31	<1	0.81	439	<1	30	469	7	0.05	<5	<5	<10	236	1766	<2	70	36	12	31
134001	1004331	0.128	2	4.08	22	276	<2	<1	1.47	<4	6	31	21	0.98	<0.01	<1	0.80	488	<1	26	394	48	0.65	<5	22	<10	132	1594	<2	33	<10	4	183
134002R	1004331	0.143	2	3.32	19	258	<2	28	1.50	<4	5	30	21	0.93	0.35	<1	0.73	504	<1	28	363	48	0.58	<5	19	15	133	1519	<2	32	<10	4	239
134003	1004332	0.232	3	2.11	21	221	<2	<1	0.88	<4	4	18	10	0.63	<0.01	<1	0.35	178	<1	14	329	26	0.30	<5	11	<10	107	1565	<2	29	<10	4	53
134004	1004333	0.024	<1	4.50	10	260	<2	<1	1.65	<4	6	25	13	1.40	<0.01	<1	0.72	503	<1	27	470	10	0.38	5	13	<10	146	1823	<2	33	<10	6	46
134005	1004334	0.026	<1	3.37	14	181	<2	4	1.62	<4	6	28	12	2.05	<0.01	<1	0.77	598	<1	26	446	10	0.96	<5	8	<10	134	2525	3	51	<10	5	35
134006	1004335	0.138	<1	4.37	13	270	<2	8	1.89	<4	5	24	12	1.34	<0.01	<1	0.74	451	<1	22	453	12	0.28	<5	16	<10	146	1790	<2	35	<10	5	47
134007	1004336	0.016	<1	5.38	10	270	<2	<1	2.12	<4	5	21	12	0.98	<0.01	<1	1.02	441	<1	16	451	22	0.18	<5	23	<10	153	1649	<2	31	<10	6	38
134008	1004337	0.386	9	3.88	17	212	<2	<1	0.64	<4	3	24	32	0.83	0.37	<1	0.43	<100	<1	19	287	70	0.67	9	25	<10	78	1231	<2	24	<10	4	205
134009	1004338	0.426	2	3.91	26	156	<2	<1	0.46	<4	4	21	29	0.98	<0.01	<1	0.41	<100	<1	19	294	34	0.85	<5	13	<10	61	1041	<2	22	<10	5	158
134010	1004339	0.141	<1	4.56	21	180	<2	2	0.49	<4	4	26	18	1.00	<0.01	<1	0.45	<100	<1	25	381	29	0.78	<5	21	<10	64	1146	<2	25	<10	5	39
134011	1004340	1.155	<1	3.93	15	462	<2	2	1.99	<4	14	55	550	3.44	<0.01	<1	1.04	533	18	36	626	65	0.60	6	16	<10	237	1779	<2	100	24	14	89
134012	1004341	0.105	<1	3.62	20	164	<2	<1	0.50	<4	4	20	19	0.92	0.34	<1	0.36	<100	<1	21	332	54	0.84	<5	11	<10	57	1223	<2	24	<10	4	404
134013D	1004341	0.097	1	3.60	18	165	<2	<1	0.51	<4	4	25	18	0.88	<0.01	<1	0.36	<100	<1	27	334	50	0.72	<5	10	<10	59	1227	<2	24	<10	4	240
134014	1004342	0.224	<1	3.72	29	125	<2	<1	0.44	<4	5	19	35	1.09	<0.01	<1	0.34	<100	<1	17	363	44	0.99	<5	12	<10	48	1133	<2	22	<10	5	217
134015	1004343	0.038	<1	3.21	29	109	<2	<1	1.27	<4	4	18	10	1.18	<0.01	<1	0.71	385	<1	17	351	28	0.74	<5	<5	<10	70	1085	5	19	<10	5	35
134016	1004344	0.024	<1	3.76	21	152	<2	<1	0.71	<4	4	16	10	1.06	<0.01	<1	0.48	227	<1	13	374	12	0.67	<5	14	<10	58	1361	<2	24	<10	5	17

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
134017	1004345	0.013	<1	4.58	11	135	<2	<1	1.16	<4	4	22	13	1.05	<0.01	<1	0.65	432	<1	23	386	12	0.58	<5	18	<10	69	1303	<2	23	<10	5	21
134018	1004346	0.014	<1	4.92	19	157	<2	<1	1.36	<4	5	25	12	1.10	<0.01	<1	0.72	511	<1	21	386	8	0.58	<5	20	<10	78	1430	8	25	<10	5	20
134019	1004347	0.021	<1	4.32	25	123	<2	<1	1.44	<4	5	23	7	1.15	<0.01	<1	0.69	465	<1	25	391	17	0.72	<5	17	<10	78	1161	<2	20	<10	6	36
134020	1004348	0.011	<1	5.94	11	166	<2	11	2.79	<4	6	19	18	1.38	<0.01	5	1.25	513	<1	16	390	12	0.51	<5	26	<10	130	1288	3	23	<10	6	42
134021	1004349	0.008	<1	5.54	4	255	<2	4	3.42	<4	6	25	13	1.65	<0.01	4	1.31	401	<1	21	393	15	0.43	<5	15	<10	181	1312	4	26	<10	6	25
134022	1004350	0.005	<1	3.66	7	393	<2	<1	1.94	<4	13	58	27	2.33	<0.01	<1	0.89	462	<1	41	498	9	0.05	<5	10	<10	247	1813	<2	73	38	13	36
134023	1004351	0.006	<1	5.23	<2	260	<2	<1	2.62	<4	6	27	12	1.61	<0.01	5	1.07	373	<1	21	497	14	0.63	<5	20	<10	177	1471	<2	28	20	7	44
134024D	1004351	0.007	<1	5.70	11	251	<2	6	2.71	<4	7	28	13	1.68	<0.01	6	1.13	389	<1	20	529	15	0.67	<5	16	<10	182	1477	<2	28	20	8	49
134025	1004352	0.010	<1	5.14	4	408	3	5	2.55	<4	8	19	10	1.27	<0.01	4	0.85	341	<1	19	652	16	0.39	5	19	<10	223	1627	<2	33	<10	7	20
134026	1004353	0.008	<1	3.79	19	445	<2	6	1.50	<4	7	17	7	1.06	<0.01	<1	0.58	233	<1	18	586	9	0.54	<5	18	<10	172	1384	<2	33	<10	6	11
134027	1004354	0.019	<1	4.24	27	380	<2	3	2.10	<4	6	20	13	1.38	<0.01	<1	0.77	289	<1	21	578	21	0.63	5	14	<10	217	1284	3	35	<10	6	192
134028	1004355	0.035	<1	4.64	7	368	<2	7	2.34	<4	5	24	8	2.51	<0.01	4	1.00	451	<1	25	594	11	1.32	<5	16	<10	242	1307	<2	40	<10	7	25
134029	1004356	0.021	<1	4.55	<2	264	<2	<1	2.58	<4	6	27	9	1.97	<0.01	5	1.12	540	<1	26	512	6	0.64	<5	20	<10	154	1345	2	34	<10	8	9
134030	1004357	0.025	<1	4.31	9	361	<2	4	1.87	<4	22	125	42	3.47	<0.01	8	1.19	481	<1	77	489	21	1.33	<5	9	<10	223	1958	<2	81	<10	10	74
134031	1004358	0.022	<1	3.82	30	451	<2	<1	1.94	<4	21	143	42	3.40	<0.01	6	1.02	430	<1	75	465	24	2.76	<5	5	<10	210	2170	<2	90	<10	10	82
134032	1004359	0.017	<1	6.19	30	353	2	4	2.68	<4	23	139	56	4.00	<0.01	4	1.41	547	<1	85	509	24	3.14	<5	16	<10	265	1970	<2	87	<10	15	78
134033	1004360	0.248	365	2.87	4353	76	<2	23	2.59	134	15	54	487	7.64	<0.01	<1	0.88	1361	<1	30	499	9527	5.43	74	22	12	216	1380	<2	95	159	12	13388
134034	1004361	0.014	<1	5.07	33	480	<2	7	2.21	<4	13	83	37	2.53	<0.01	5	1.15	438	<1	59	535	22	2.20	<5	13	<10	238	1827	<2	74	<10	10	58
134035D	1004361	0.016	<1	4.79	32	471	<2	7	2.14	<4	14	82	36	2.52	<0.01	5	1.12	432	<1	59	536	15	2.18	6	<5	<10	229	1783	<2	72	<10	10	51
134036	1004362	0.010	<1	3.48	24	412	<2	4	2.09	<4	8	21	18	1.91	<0.01	<1	0.78	372	<1	21	541	9	1.98	<5	11	<10	198	1407	<2	37	<10	6	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
134037	1004363	0.008	<1	4.39	35	443	<2	<1	2.25	<4	8	26	9	1.99	<0.01	<1	0.60	332	<1	24	602	14	2.12	<5	14	<10	235	1099	<2	38	<10	6	48
134038	1004364	0.019	<1	4.43	33	503	<2	4	1.94	<4	9	25	22	2.24	<0.01	<1	0.95	402	<1	26	560	18	2.24	<5	12	<10	211	1250	<2	40	<10	6	52
134039	1004365	0.066	<1	3.16	72	396	<2	8	0.90	<4	19	121	63	3.39	<0.01	<1	0.47	175	<1	70	462	102	3.86	<5	<5	<10	111	1380	<2	75	<10	11	378
134040	1004366	0.061	<1	3.51	75	654	<2	<1	1.10	<4	20	131	55	3.44	<0.01	2	0.50	220	5	70	464	107	3.97	5	8	<10	133	1565	<2	85	<10	9	296
134041	1004367	0.031	<1	5.25	59	477	2	<1	2.70	4	23	137	60	4.32	<0.01	9	1.12	584	<1	79	536	74	4.19	5	15	<10	185	2268	<2	92	<10	13	145
134042	1004368	0.010	<1	4.80	11	557	<2	<1	3.54	<4	9	28	9	1.95	<0.01	11	1.01	548	5	31	570	10	0.57	5	21	<10	247	2079	<2	41	<10	6	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
133937	1004272	18	<0.001	0.018
133938	1004273	17	<0.001	0.017
133939	1004274	11	<0.001	0.011
133940	1004275	10	<0.001	0.010
133941	1004276	8	<0.001	0.008
133942	1004277	10	<0.001	0.010
133943	1004278	15	<0.001	0.015
133944	1004279	17	<0.001	0.017
133945	1004280	1087	0.032	1.087
133946	1004281	31	<0.001	0.031
133947 Dup	1004281	31	<0.001	0.031
133948	1004282	23	<0.001	0.023
133949	1004283	12	<0.001	0.012
133950	1004284	15	<0.001	0.015
133951	1004285	35	0.001	0.035
133952	1004286	37	0.001	0.037
133953	1004287	11	<0.001	0.011
133954	1004288	62	0.002	0.062
133955	1004289	16	<0.001	0.016
133956	1004290	7	<0.001	0.007
133957	1004291	21	<0.001	0.021
133958 Dup	1004291	26	<0.001	0.026
133959	1004292	30	<0.001	0.030
133960	1004293	24	<0.001	0.024
133961	1004294	23	<0.001	0.023
133962	1004295	50	0.001	0.050
133963	1004296	<5	<0.001	<0.005
133964	1004297	7	<0.001	0.007
133965	1004298	<5	<0.001	<0.005
133966	1004299	510	0.015	0.510

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
133967	1004300	250	0.007	0.250
133968	1004301	243	0.007	0.243
133969 Dup	1004301	220	0.006	0.220
133970	1004302	44	0.001	0.044
133971	1004303	95	0.003	0.095
133972	1004304	130	0.004	0.130
133973	1004305	122	0.004	0.122
133974	1004306	87	0.003	0.087
133975	1004307	963	0.028	0.963
133976	1004308	315	0.009	0.315
133977	1004309	78	0.002	0.078
133978	1004310	7	<0.001	0.007
133979	1004311	138	0.004	0.138
133980 Dup	1004311	133	0.004	0.133
133981	1004312	33	<0.001	0.033
133982	1004313	169	0.005	0.169
133983	1004314	116	0.003	0.116
133984	1004315	491	0.014	0.491
133985	1004316	378	0.011	0.378
133986	1004317	588	0.017	0.588
133987	1004318	152	0.004	0.152
133988	1004319	458	0.013	0.458
133989	1004320	4956	0.145	4.956
133990	1004321	389	0.011	0.389
133991 Dup	1004321	347	0.010	0.347
133992	1004322	901	0.026	0.901
133993	1004323	141	0.004	0.141
133994	1004324	239	0.007	0.239
133995	1004325	865	0.025	0.865
133996	1004326	282	0.008	0.282

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
133997	1004327	598	0.017	0.598
133998	1004328	188	0.005	0.188
133999	1004329	81	0.002	0.081
134000	1004330	5	<0.001	0.005
134001	1004331	128	0.004	0.128
134002 Rep	1004331	143	0.004	0.143
134003	1004332	232	0.007	0.232
134004	1004333	24	<0.001	0.024
134005	1004334	26	<0.001	0.026
134006	1004335	138	0.004	0.138
134007	1004336	16	<0.001	0.016
134008	1004337	386	0.011	0.386
134009	1004338	426	0.012	0.426
134010	1004339	141	0.004	0.141
134011	1004340	1155	0.034	1.155
134012	1004341	105	0.003	0.105
134013 Dup	1004341	97	0.003	0.097
134014	1004342	224	0.007	0.224
134015	1004343	38	0.001	0.038
134016	1004344	24	<0.001	0.024
134017	1004345	13	<0.001	0.013
134018	1004346	14	<0.001	0.014
134019	1004347	21	<0.001	0.021
134020	1004348	11	<0.001	0.011
134021	1004349	8	<0.001	0.008
134022	1004350	5	<0.001	0.005
134023	1004351	6	<0.001	0.006
134024 Dup	1004351	7	<0.001	0.007
134025	1004352	10	<0.001	0.010
134026	1004353	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/30/2011  
 Date Completed: 06/09/2011  
 Job #: 201141981  
 Reference: TMI-TML  
 Sample #: 97

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
134027	1004354	19	<0.001	0.019
134028	1004355	35	0.001	0.035
134029	1004356	21	<0.001	0.021
134030	1004357	25	<0.001	0.025
134031	1004358	22	<0.001	0.022
134032	1004359	17	<0.001	0.017
134033	1004360	248	0.007	0.248
134034	1004361	14	<0.001	0.014
134035 Dup	1004361	16	<0.001	0.016
134036	1004362	10	<0.001	0.010
134037	1004363	8	<0.001	0.008
134038	1004364	19	<0.001	0.019
134039	1004365	66	0.002	0.066
134040	1004366	61	0.002	0.061
134041	1004367	31	<0.001	0.031
134042	1004368	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:    
Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 24, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140380	1006718	0.032	<1	5.69	15	449	<2	2	1.68	<4	9	297	27	1.82	0.09	<1	1.27	942	<1	10	428	42	0.93	<5	14	<10	160	1541	20	33	<10	6	101
140381	1006719	0.013	<1	6.51	8	521	<2	3	1.14	<4	7	287	8	0.68	0.22	<1	0.53	300	4	8	284	37	0.21	<5	17	<10	165	1474	6	36	<10	5	59
140382	1006720	<0.005	<1	4.41	7	418	<2	<1	1.57	<4	13	54	24	2.45	0.07	<1	0.91	482	3	29	517	9	0.09	<5	11	<10	213	1650	<2	76	34	15	70
140383	1006721	0.010	<1	5.23	4	370	<2	<1	1.31	<4	6	264	8	0.46	0.05	<1	0.36	256	<1	7	186	13	0.07	<5	12	<10	152	1124	5	31	<10	4	36
140384	1006722	0.012	<1	4.57	6	337	<2	<1	1.02	<4	7	295	5	0.49	0.20	<1	0.32	217	4	9	211	25	0.06	<5	14	<10	120	1082	7	31	<10	5	43
140385	1006723	0.012	<1	6.41	6	464	<2	2	1.46	<4	7	324	7	0.66	0.27	<1	0.32	259	3	8	262	26	0.26	<5	18	<10	168	1152	6	31	<10	5	100
140386	1006724	0.155	<1	7.45	15	527	<2	2	2.17	<4	10	382	54	1.87	0.19	<1	1.54	1073	7	13	474	770	1.01	<5	15	<10	186	1770	23	39	<10	7	756
140387	1006725	0.024	<1	6.58	4	607	<2	2	1.10	<4	8	309	5	0.81	0.17	<1	0.71	408	5	10	347	185	0.15	6	21	<10	182	1774	<2	38	<10	5	455
140388	1006726	0.021	<1	4.92	7	431	<2	<1	0.63	<4	7	310	4	0.77	0.08	<1	0.67	365	<1	8	273	136	0.17	<5	8	<10	110	1448	3	30	<10	5	389
140389	1006727	0.012	<1	4.74	3	401	<2	1	1.02	<4	7	256	3	0.87	<0.01	<1	0.85	490	<1	10	<100	52	0.17	<5	19	<10	168	1437	3	37	<10	3	136
140390D	1006727	0.009	<1	3.04	6	338	<2	<1	0.53	<4	7	255	3	0.84	<0.01	<1	0.86	479	<1	9	<100	41	0.16	5	11	<10	92	1347	6	34	<10	4	132
140391	1006728	0.081	<1	6.84	12	384	2	<1	1.95	<4	15	377	63	2.87	0.10	<1	1.58	1013	3	41	448	178	1.15	<5	16	<10	231	1855	12	57	<10	12	412
140392	1006729	0.046	<1	4.61	17	329	2	<1	1.50	<4	14	492	38	2.79	<0.01	<1	1.23	855	2	40	463	40	1.45	<5	13	<10	159	1345	6	50	<10	12	134
140393	1006730	0.241	353	4.04	4468	47	2	3	2.09	134	16	47	501	7.88	<0.01	<1	0.90	1347	14	25	497	9560	6.78	24	23	12	174	1270	<2	93	129	12	13402
140394	1006731	0.010	<1	5.15	12	391	<2	<1	0.79	<4	4	303	8	0.64	<0.01	<1	0.47	241	5	7	103	26	0.14	<5	12	<10	121	1273	9	29	<10	5	70
140395	1006732	<0.005	<1	2.56	7	246	<2	<1	0.59	<4	4	311	3	0.51	<0.01	<1	0.68	253	<1	6	<100	10	0.02	<5	12	<10	85	1129	12	25	<10	4	52
140396	1006733	<0.005	<1	6.78	4	505	2	<1	1.17	<4	6	253	4	0.49	0.24	<1	0.62	177	5	5	124	5	0.05	<5	19	<10	209	1638	3	36	<10	4	44
140397	1006734	<0.005	<1	4.76	6	342	<2	1	0.63	<4	5	216	6	0.48	0.10	<1	0.55	196	1	5	<100	10	0.01	<5	18	<10	129	1367	3	28	<10	4	36
140398	1006735	0.108	<1	7.09	16	458	2	1	2.00	<4	11	317	26	2.15	0.13	<1	1.10	834	11	13	470	39	0.82	<5	13	<10	259	1917	9	44	<10	10	124
140399	1006736	0.041	<1	5.92	2	344	2	<1	1.51	<4	22	562	55	3.83	0.27	<1	1.39	588	3	57	488	39	0.96	<5	6	<10	178	2076	4	77	<10	13	154

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140400	1006737	0.014	<1	5.82	5	424	2	2	1.83	<4	15	620	46	2.84	0.17	<1	0.93	497	7	39	549	35	1.14	<5	10	<10	170	1531	<2	50	<10	12	117
140401D	1006737	0.016	<1	5.14	6	382	<2	<1	1.83	<4	15	609	47	2.82	<0.01	<1	0.89	489	<1	39	555	38	1.14	<5	7	<10	174	1436	7	46	<10	11	123
140402	1006738	0.011	<1	5.52	9	639	<2	<1	1.64	<4	8	433	16	1.91	0.08	<1	0.65	308	4	15	437	9	0.69	<5	13	<10	137	1528	<2	37	<10	8	62
140403	1006739	0.008	<1	6.42	32	822	<2	2	1.69	<4	8	342	13	1.13	0.45	<1	0.40	171	10	12	429	11	0.73	5	12	<10	186	1420	<2	39	<10	6	82
140404	1006740	<0.005	<1	6.40	6	449	<2	<1	1.78	<4	13	54	24	2.45	0.20	<1	0.97	483	15	29	528	10	0.04	<5	13	<10	238	1726	7	75	35	16	72
140405	1006741	0.016	<1	6.57	36	860	<2	1	1.59	<4	9	351	18	1.28	0.21	<1	0.36	157	<1	17	472	25	1.03	<5	15	<10	196	1594	5	43	<10	5	111
140406	1006742	0.041	<1	7.12	39	372	<2	2	1.96	<4	9	351	30	1.78	0.14	<1	0.81	406	7	16	459	59	1.41	<5	16	<10	138	1557	<2	34	<10	8	207
140407	1006743	0.012	<1	5.87	38	265	<2	1	2.38	<4	12	390	25	2.37	<0.01	<1	1.15	753	<1	17	542	21	1.48	<5	14	<10	114	1742	6	36	<10	7	73
140408	1006744	0.033	<1	4.21	35	243	<2	<1	1.68	<4	9	297	21	1.66	0.02	<1	0.90	625	<1	14	505	24	1.11	<5	10	<10	81	1304	5	28	<10	7	86
140409	1006745	0.136	<1	4.26	28	297	<2	<1	0.32	<4	6	332	12	1.16	0.09	<1	0.41	180	2	9	620	43	0.88	<5	9	<10	45	1209	<2	25	<10	6	103
140410	1006746	0.205	<1	4.29	29	298	<2	1	0.35	<4	5	200	12	1.09	0.15	<1	0.43	185	1	6	604	50	0.85	<5	8	<10	47	1228	<2	25	<10	6	113
140411	1006747	0.224	<1	4.56	59	326	<2	<1	0.08	<4	6	433	31	1.56	0.14	<1	0.35	<100	1	10	569	88	1.36	<5	16	<10	37	1190	4	26	<10	6	274
140412D	1006747	0.222	<1	4.66	58	384	<2	1	0.07	<4	6	433	31	1.48	0.43	<1	0.36	<100	2	9	530	88	1.26	<5	13	<10	41	1453	<2	31	<10	4	266
140413	1006748	0.444	<1	5.25	57	329	2	<1	0.63	<4	6	267	26	1.58	0.18	<1	0.70	348	<1	7	620	109	1.37	<5	11	<10	59	1341	5	28	<10	6	186
140414	1006749	0.239	<1	3.50	45	222	2	<1	1.23	<4	5	451	39	1.66	<0.01	<1	1.09	618	<1	10	633	89	1.16	<5	7	<10	77	981	16	22	<10	6	154
140415	1006750	4.946	7	4.27	11	245	2	<1	2.45	<4	27	57	109	4.64	0.12	<1	1.94	860	<1	52	911	23	0.83	5	<5	<10	222	1586	15	112	<10	15	131
140416	1006751	0.158	<1	5.01	41	494	<2	1	0.63	<4	5	247	12	1.35	0.29	<1	0.63	298	<1	6	575	88	1.08	<5	14	<10	74	1407	3	30	<10	6	213
140417	1006752	0.069	<1	5.75	16	485	2	1	1.59	<4	11	489	26	2.01	0.21	<1	1.03	588	7	30	463	50	0.71	<5	12	<10	150	1369	9	40	<10	11	120
140418	1006753	0.103	<1	6.05	8	530	<2	<1	1.36	<4	23	368	52	3.63	0.21	<1	1.24	983	3	58	511	40	1.08	<5	9	<10	133	2400	11	77	<10	16	190
140419	1006754	0.081	<1	5.43	13	471	2	2	1.96	<4	23	490	85	3.63	0.09	<1	1.19	978	1	59	541	60	1.51	<5	7	<10	138	2370	<2	70	<10	16	214

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140420	1006755	0.046	<1	3.35	20	393	<2	<1	0.82	<4	9	363	33	2.27	0.07	<1	0.85	685	<1	18	368	42	1.17	<5	<5	<10	71	1469	8	34	<10	8	172
140421	1006756	0.017	<1	3.73	3	445	<2	1	0.77	<4	5	553	12	1.46	0.07	<1	0.66	523	<1	15	296	31	0.31	<5	8	<10	82	1122	3	23	<10	5	80
140422	1006757	0.057	<1	5.12	3	271	2	<1	1.10	<4	20	460	83	3.81	0.14	<1	1.79	954	<1	59	465	302	1.23	<5	11	<10	103	1725	19	66	<10	12	388
140423D	1006757	0.058	<1	5.82	3	326	2	<1	1.18	<4	22	493	85	4.03	0.16	<1	1.89	1044	<1	62	487	318	1.31	<5	6	<10	112	1917	9	75	<10	12	405
140424	1006758	0.279	<1	6.29	5	391	<2	<1	0.94	<4	15	499	25	3.07	0.26	<1	1.66	785	4	41	530	151	1.15	<5	10	<10	105	1336	5	56	<10	9	790
140425	1006759	9.280	<1	3.51	8	381	<2	<1	0.79	<4	3	549	12	1.34	0.17	<1	0.69	370	<1	8	576	442	0.54	<5	7	<10	78	731	4	20	<10	5	453
140426	1006760	<0.005	<1	2.25	5	317	<2	<1	1.35	<4	13	54	24	2.42	<0.01	<1	0.87	472	<1	30	521	9	0.08	<5	14	<10	151	1510	<2	73	38	14	71
140427	1006761	4.678	6	2.58	23	232	<2	2	0.44	33	5	473	951	1.75	<0.01	<1	0.67	341	<1	9	438	4906	1.92	8	13	<10	49	581	2	18	109	4	12149
140428	1006762	0.202	<1	4.35	39	188	2	3	0.57	<4	8	254	21	1.42	0.09	<1	1.17	639	<1	10	463	372	1.08	5	7	<10	64	535	5	17	<10	4	413
140429	1006763	0.565	<1	4.24	21	191	<2	<1	0.75	<4	4	342	13	1.40	<0.01	<1	1.78	833	<1	7	443	510	0.57	<5	11	<10	72	601	10	20	12	5	1186
140430	1006764	0.103	<1	6.21	20	204	<2	<1	0.88	<4	5	282	11	1.53	0.35	5	2.14	959	<1	5	480	183	0.64	<5	16	<10	90	724	16	21	<10	5	299
140431	1006765	0.295	<1	6.17	34	307	<2	2	0.27	<4	6	455	8	1.53	0.29	2	1.07	548	<1	9	428	448	0.99	<5	17	<10	75	795	4	26	<10	5	304
140432	1006766	0.366	<1	4.96	35	246	<2	<1	0.22	<4	6	392	6	1.46	0.15	<1	1.12	457	<1	7	448	427	0.95	<5	9	<10	63	649	<2	22	<10	5	336
140433	1006767	0.694	<1	5.40	141	135	<2	2	1.03	<4	6	399	8	2.40	0.04	2	3.28	1527	<1	11	395	123	0.88	<5	9	<10	101	563	23	26	<10	5	263
140434D	1006767	0.556	<1	5.26	143	132	<2	1	1.02	<4	7	394	8	2.38	<0.01	<1	3.29	1521	<1	12	389	120	0.90	<5	15	<10	101	556	21	25	<10	4	256
140435	1006768	0.026	<1	6.39	24	168	<2	2	2.02	7	9	314	7	2.50	0.14	<1	3.54	1747	<1	9	407	707	1.28	<5	6	<10	118	732	19	24	27	5	2616
140436	1006769	0.033	<1	7.18	26	277	2	<1	1.82	<4	14	348	6	1.44	0.33	<1	2.61	1256	<1	13	475	123	0.27	5	21	<10	121	898	29	24	<10	6	181
140437	1006770	1.163	<1	3.79	18	453	<2	<1	1.62	<4	15	54	611	3.66	0.14	<1	1.07	571	23	31	649	73	0.66	<5	6	<10	187	1571	10	104	26	14	128
140438	1006771	0.315	<1	4.85	32	203	<2	<1	0.98	<4	11	346	37	2.01	0.16	<1	2.04	960	<1	15	523	1199	0.97	<5	11	<10	100	911	5	27	10	6	1255
140439	1006772	0.248	<1	4.50	46	366	<2	<1	1.14	5	8	505	30	2.30	0.04	<1	1.20	695	<1	16	444	835	1.78	<5	9	<10	145	1016	14	27	18	6	1767

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140440	1006773	0.401	2	3.48	33	519	<2	<1	0.14	8	6	224	18	1.67	0.06	<1	0.36	<100	1	5	332	940	2.01	6	6	<10	53	996	3	24	28	4	2913
140441	1006774	0.269	<1	3.51	35	327	<2	<1	0.56	<4	6	460	30	2.19	0.25	<1	0.75	490	<1	12	456	48	1.57	<5	13	<10	66	1146	2	25	<10	6	112
140442	1006775	2.094	2	5.74	25	343	<2	<1	0.95	6	9	439	151	2.35	0.29	<1	1.09	746	6	16	451	900	1.47	<5	11	<10	87	1372	6	35	19	7	1914
140443	1006776	2.643	6	5.40	38	386	<2	<1	0.69	10	7	465	168	2.04	0.17	<1	0.76	452	8	12	383	1675	1.94	<5	8	<10	84	1191	9	25	37	7	3507
140444	1006777	0.293	<1	4.87	20	373	<2	<1	0.67	<4	5	362	72	1.91	0.37	<1	0.72	640	<1	7	421	167	1.03	<5	10	<10	102	1272	<2	29	<10	5	439
140445R	1006777	0.266	<1	1.94	19	282	<2	<1	0.21	<4	5	367	74	1.91	<0.01	<1	0.71	607	<1	8	413	155	1.04	<5	5	<10	43	1084	5	24	<10	5	539
140446	1006778	0.225	<1	3.99	14	338	<2	2	0.43	<4	6	386	77	2.07	0.11	<1	0.88	706	<1	8	434	200	0.93	<5	8	<10	68	1422	8	29	11	6	1037
140447	1006779	0.182	<1	4.29	7	387	<2	1	0.68	<4	7	387	34	2.18	0.10	<1	0.88	772	<1	12	461	36	0.46	<5	9	<10	85	1680	<2	35	<10	7	96
140448	1006780	0.005	<1	3.73	7	399	<2	1	1.48	<4	12	52	23	2.38	0.12	<1	0.87	468	1	29	504	7	0.07	<5	10	<10	200	1607	4	73	37	14	70
140449	1006781	0.055	<1	4.36	14	349	<2	1	0.63	<4	11	372	28	2.49	<0.01	<1	0.92	746	<1	19	443	17	0.89	<5	<5	<10	77	1772	6	41	<10	8	78
140450	1006782	0.033	<1	4.01	14	313	<2	<1	1.63	<4	8	313	77	2.07	0.06	<1	0.98	928	<1	7	425	16	1.07	<5	6	<10	94	1448	7	28	<10	5	61
140451	1006783	0.033	<1	3.49	9	249	<2	<1	0.51	<4	5	371	11	1.81	<0.01	<1	0.77	606	<1	6	380	10	0.61	<5	12	<10	68	1478	5	25	<10	5	71
140452	1006784	0.104	<1	4.54	15	328	<2	2	0.86	<4	6	448	13	1.89	0.18	<1	1.04	855	<1	9	444	32	0.64	<5	6	<10	94	1513	6	27	<10	6	94
140453	1006785	0.072	<1	4.80	20	395	<2	2	0.94	<4	6	327	15	1.75	0.07	<1	0.77	689	<1	6	469	29	0.95	<5	9	<10	99	1521	11	29	<10	5	74
140454	1006786	0.069	<1	4.54	23	367	<2	2	0.71	<4	6	427	19	1.97	0.05	<1	0.84	691	3	8	482	25	1.04	<5	8	<10	74	1486	5	28	<10	6	91
140455	1006787	0.141	4	4.64	25	386	<2	2	0.37	16	9	426	573	2.50	0.13	<1	0.50	380	2	20	506	1092	2.13	5	7	<10	66	1437	<2	35	61	7	6344
140456D	1006787	0.102	4	5.33	27	408	<2	2	0.45	16	10	435	567	2.49	0.03	<1	0.52	401	4	19	504	1069	2.08	<5	11	<10	76	1626	<2	39	60	7	6461
140457	1006788	0.127	<1	6.09	14	270	<2	1	1.56	<4	20	556	70	3.74	0.11	<1	1.57	1065	2	55	496	52	1.42	<5	<5	<10	120	1986	14	69	<10	12	126
140458	1006789	0.199	<1	6.01	13	280	2	1	1.42	<4	22	456	79	3.97	0.18	<1	1.56	956	<1	60	512	78	1.30	6	12	<10	116	1857	3	78	<10	13	187
140459	1006790	0.238	353	4.69	4479	40	<2	<1	2.25	134	16	49	503	7.99	0.06	<1	0.90	1385	14	25	490	9538	7.67	53	13	12	205	1421	5	100	125	12	13439

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140460	1006791	0.338	<1	6.00	18	236	2	2	1.37	<4	21	610	57	3.73	0.20	<1	1.51	806	<1	57	504	79	1.20	<5	7	<10	107	1658	4	74	<10	11	178
140461	1006792	0.703	<1	5.55	7	253	<2	<1	1.27	<4	22	566	114	3.71	0.06	<1	1.63	918	<1	57	501	98	1.10	<5	7	<10	95	1605	12	72	<10	11	162
140462	1006793	0.570	<1	5.21	11	269	2	2	1.40	<4	23	544	68	4.03	0.07	<1	1.64	890	<1	64	524	43	1.43	<5	6	<10	90	1815	<2	72	<10	11	111
140463	1006794	0.563	<1	4.93	43	277	2	2	1.58	4	10	518	90	2.54	0.12	<1	1.06	655	<1	21	472	454	2.01	<5	5	<10	75	1239	6	32	14	7	1413
140464	1006795	0.049	<1	6.24	26	326	2	2	1.86	<4	7	434	18	1.99	0.24	<1	1.18	819	<1	11	474	35	0.89	<5	15	<10	79	1349	9	25	<10	6	87
140465	1006796	0.071	<1	4.67	32	337	<2	<1	0.17	<4	7	461	10	1.49	0.12	<1	0.36	125	3	10	457	213	1.26	<5	14	<10	34	1158	<2	24	<10	6	510
140466	1006797	0.050	<1	5.83	33	313	<2	2	0.89	<4	6	449	28	1.70	0.13	<1	0.71	346	4	10	504	73	1.17	<5	13	<10	65	1240	6	25	<10	6	131
140467D	1006797	0.062	<1	6.31	32	382	<2	1	0.89	<4	7	451	28	1.71	0.27	<1	0.73	359	4	10	486	75	1.21	<5	12	<10	67	1443	<2	29	<10	6	130
140468	1006798	0.041	<1	6.11	21	402	2	<1	1.11	<4	6	193	20	1.36	0.38	<1	0.83	433	6	5	482	39	0.72	<5	11	<10	78	1615	5	31	<10	5	79
140469	1006799	0.056	<1	6.44	23	332	2	<1	1.92	<4	7	396	43	1.87	0.21	<1	1.06	725	2	9	502	42	0.98	<5	14	<10	92	1371	10	25	<10	6	118
140470	1006800	<0.005	<1	3.22	8	364	<2	2	1.44	<4	13	52	24	2.41	0.08	<1	0.89	468	<1	29	503	5	0.06	<5	6	<10	164	1566	4	73	36	14	66
140471	1006801	0.048	<1	6.12	27	327	<2	<1	1.57	<4	8	293	19	1.60	0.20	<1	1.03	687	<1	8	500	41	0.85	<5	14	<10	81	1392	5	25	<10	6	110
140472	1006802	0.059	<1	5.84	25	346	<2	<1	1.66	<4	6	383	10	1.61	0.19	<1	1.15	839	<1	8	488	51	0.78	<5	11	<10	83	1439	13	27	<10	6	91
140473	1006803	0.031	<1	<0.01	<2	<1	<2	1	<0.01	<4	<1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	<3	<100	<2	<2	<10	<2	23
140474	1006804	0.091	<1	3.35	17	264	<2	<1	1.08	<4	7	411	47	1.74	<0.01	<1	0.99	798	<1	10	515	172	0.66	<5	6	<10	72	1268	3	22	<10	5	357
140475	1006805	0.032	<1	2.08	20	222	<2	<1	0.53	<4	6	351	21	1.58	<0.01	<1	1.02	804	<1	7	467	40	0.60	5	7	<10	54	1199	5	23	<10	4	129
140476	1006806	0.029	<1	1.98	16	226	<2	1	0.47	<4	6	415	22	1.55	<0.01	<1	0.96	733	<1	9	417	42	0.55	<5	<5	<10	50	1165	4	22	<10	4	120
140477	1006807	0.276	<1	2.28	19	263	<2	<1	0.50	<4	5	345	32	1.26	<0.01	<1	0.86	533	<1	6	389	75	0.55	<5	6	<10	46	1075	9	18	<10	4	92
140478D	1006807	0.268	<1	4.43	21	391	<2	<1	0.83	<4	6	347	33	1.33	0.12	<1	0.91	560	<1	8	385	78	0.54	<5	12	<10	81	1372	14	23	<10	5	95
140479	1006808	0.237	<1	3.99	45	280	<2	<1	2.20	16	10	551	197	3.34	<0.01	<1	1.65	1293	<1	21	756	119	2.86	<5	5	<10	110	1432	13	37	52	9	5816

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140480	1006809	0.183	<1	3.95	18	391	<2	<1	0.93	<4	7	369	25	1.35	0.02	<1	0.87	533	<1	7	313	21	0.57	<5	9	<10	79	1221	9	19	<10	4	126
140481	1006810	4.949	7	4.60	8	264	2	<1	2.70	<4	28	63	110	4.67	0.06	<1	1.95	864	<1	53	909	22	0.93	<5	6	<10	254	1725	17	114	<10	15	128
140482	1006811	0.106	<1	3.01	21	305	<2	2	0.74	<4	6	377	37	1.50	<0.01	<1	0.87	621	<1	9	350	39	0.69	<5	7	<10	67	1209	5	20	<10	4	92
140483	1006812	0.224	<1	7.76	29	569	<2	1	1.91	4	7	334	82	1.69	0.17	<1	1.14	773	1	11	380	694	1.21	<5	12	<10	125	1605	6	28	15	6	1524
140484	1006813	0.241	<1	5.99	32	349	<2	<1	2.84	5	8	414	166	2.45	0.13	<1	1.58	1182	<1	17	447	2017	1.87	<5	15	<10	127	1402	8	28	20	8	1959
140485	1006814	0.119	<1	4.05	25	305	<2	<1	0.85	<4	5	236	17	1.16	0.07	<1	0.55	290	<1	11	359	47	0.78	<5	8	<10	86	967	2	14	<10	6	62
140486	1006815	9.480	<1	4.14	11	363	<2	1	1.36	<4	6	383	19	1.58	0.03	<1	0.88	607	<1	11	352	286	0.59	<5	9	<10	86	1153	8	20	<10	6	142
140487	1006816	0.046	<1	5.62	7	519	<2	<1	1.56	<4	5	319	16	1.45	0.17	<1	0.97	530	<1	7	324	11	0.28	<5	16	<10	95	1347	6	21	<10	5	56
140488	1006817	0.104	<1	4.55	15	469	<2	<1	2.31	<4	6	385	18	1.62	0.03	<1	1.26	864	<1	9	304	63	0.70	<5	10	<10	103	1134	20	16	<10	4	100
140489D	1006817	0.101	<1	5.67	13	615	<2	<1	2.45	<4	6	396	20	1.70	0.31	<1	1.35	917	<1	8	316	65	0.63	<5	15	<10	113	1287	12	19	<10	5	103
140490	1006818	0.031	<1	2.53	6	229	<2	2	1.54	<4	6	392	9	1.60	<0.01	<1	1.63	496	<1	9	319	47	0.46	<5	7	<10	68	1023	14	14	<10	4	105
140491	1006819	0.047	<1	3.48	15	305	<2	<1	1.46	<4	4	297	31	1.78	0.13	<1	1.66	574	<1	6	339	431	0.90	<5	<5	<10	58	1108	14	18	<10	4	319
140492	1006820	<0.005	<1	2.16	5	341	<2	<1	1.35	<4	13	55	25	2.46	<0.01	<1	0.86	477	<1	30	518	7	0.09	<5	6	<10	164	1621	<2	74	41	13	71
140493	1006821	0.077	<1	6.03	16	563	<2	<1	1.31	<4	6	454	28	1.66	0.23	<1	1.32	484	<1	10	312	98	0.91	<5	12	<10	59	1470	13	25	<10	5	540
140494	1006822	0.226	<1	3.43	8	293	<2	1	0.88	<4	5	253	26	1.30	<0.01	<1	0.83	302	<1	7	386	81	0.54	<5	12	<10	58	959	12	15	<10	5	716
140495	1006823	1.531	3	6.35	18	379	<2	2	0.96	<4	7	410	33	1.57	0.22	<1	0.81	229	7	11	395	49	0.92	<5	11	<10	59	1337	3	25	<10	7	134
140496	1006824	0.145	<1	5.82	6	361	<2	<1	0.90	<4	7	346	12	1.57	0.22	<1	1.02	221	2	8	373	60	0.63	<5	18	<10	54	1250	<2	21	<10	6	92
140497	1006825	0.013	<1	4.67	16	324	<2	1	1.11	<4	5	718	12	1.34	0.29	<1	0.98	276	5	14	232	19	0.18	5	13	<10	59	930	9	15	<10	5	62
140498	1006826	0.016	<1	2.03	12	282	<2	<1	0.46	<4	3	745	11	1.12	0.13	<1	0.67	196	<1	11	167	16	0.09	<5	6	<10	36	758	5	13	<10	3	50
140499	1006827	1.634	<1	4.23	10	282	<2	<1	1.27	<4	5	414	26	1.39	0.01	<1	1.03	303	<1	10	351	22	0.33	<5	11	<10	54	1007	5	15	<10	5	239

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
140500D	1006827	1.881	<1	4.08	8	297	<2	<1	1.24	<4	6	408	25	1.37	0.03	<1	1.01	299	<1	9	349	21	0.29	6	12	<10	54	1013	3	15	<10	5	239
140501	1006828	0.351	<1	5.83	10	225	<2	2	2.24	<4	7	390	17	1.83	0.11	<1	1.62	583	<1	9	356	59	0.59	<5	<5	<10	82	1135	19	18	<10	5	122
140502	1006829	0.040	<1	5.20	13	241	<2	2	1.88	<4	6	374	11	1.52	0.06	<1	1.34	425	<1	9	354	22	0.42	5	11	<10	67	1052	12	16	<10	5	93
140503	1006830	1.102	<1	0.64	21	296	<2	<1	1.28	<4	16	53	624	3.65	<0.01	<1	0.97	557	14	32	636	73	0.72	<5	<5	<10	110	1460	4	96	24	12	131
140504	1006831	0.066	<1	7.26	13	298	<2	2	1.64	<4	6	271	16	1.28	0.34	<1	1.07	318	10	6	337	23	0.45	5	12	<10	76	1193	5	19	<10	6	82
140505	1006832	0.040	<1	3.25	16	279	<2	1	0.38	<4	6	331	16	1.23	<0.01	<1	0.48	141	<1	8	362	10	0.68	<5	8	<10	41	890	3	15	<10	5	59
140506	1006833	0.009	<1	7.09	4	392	2	<1	2.65	<4	5	425	14	1.68	0.09	<1	1.43	348	<1	8	322	55	0.13	5	18	<10	139	1264	14	19	<10	6	87
140507	1006834	0.008	<1	7.80	5	490	2	2	2.62	<4	6	412	9	1.57	0.21	<1	1.30	284	4	10	331	18	0.05	<5	21	<10	147	1309	12	20	<10	6	61
140508	1006835	<0.005	<1	7.01	5	438	<2	1	2.60	<4	6	377	8	1.65	0.14	<1	1.30	308	<1	8	340	20	0.13	<5	10	<10	143	1343	10	20	<10	5	71
140509	1006836	0.010	<1	4.80	6	281	<2	1	1.82	<4	6	355	13	1.54	<0.01	<1	1.03	307	<1	9	375	20	0.37	<5	12	<10	107	1191	7	17	<10	5	76
140510	1006837	0.058	<1	5.94	17	290	<2	<1	1.50	<4	6	317	22	1.45	0.17	<1	0.98	269	6	9	366	11	0.73	<5	17	<10	87	1078	<2	16	<10	6	90
140511R	1006837	0.033	<1	3.11	14	229	<2	2	1.12	<4	6	400	25	1.42	<0.01	<1	0.81	251	<1	9	357	11	0.67	<5	13	<10	67	854	<2	13	<10	4	83
140512	1006838	0.025	<1	1.68	34	126	<2	<1	1.01	<4	5	198	16	1.37	<0.01	<1	0.83	260	<1	6	364	17	1.01	<5	5	<10	60	640	5	10	<10	4	84
140513	1006839	0.343	<1	3.39	30	297	<2	<1	0.17	<4	8	481	72	1.53	0.05	<1	0.37	104	<1	13	422	107	1.32	<5	9	<10	42	1006	<2	21	<10	5	315
140514	1006840	0.007	<1	2.89	6	367	<2	<1	1.40	<4	13	52	24	2.41	<0.01	<1	0.86	467	<1	30	509	7	0.05	<5	5	<10	179	1615	<2	73	42	13	70
140515	1006841	0.052	<1	4.65	7	338	<2	2	1.74	<4	7	323	13	1.89	0.02	<1	1.09	317	<1	10	535	17	0.71	<5	8	<10	81	1565	2	30	<10	6	81
140516	1006842	0.007	<1	3.04	6	279	<2	<1	1.56	<4	8	347	5	1.95	<0.01	<1	0.89	282	<1	11	489	9	0.28	<5	6	<10	118	1688	5	33	<10	5	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140380	1006718	32	<0.001	0.032
140381	1006719	13	<0.001	0.013
140382	1006720	<5	<0.001	<0.005
140383	1006721	10	<0.001	0.010
140384	1006722	12	<0.001	0.012
140385	1006723	12	<0.001	0.012
140386	1006724	155	0.005	0.155
140387	1006725	24	<0.001	0.024
140388	1006726	21	<0.001	0.021
140389	1006727	12	<0.001	0.012
140390 Dup	1006727	9	<0.001	0.009
140391	1006728	81	0.002	0.081
140392	1006729	46	0.001	0.046
140393	1006730	241	0.007	0.241
140394	1006731	10	<0.001	0.010
140395	1006732	<5	<0.001	<0.005
140396	1006733	<5	<0.001	<0.005
140397	1006734	<5	<0.001	<0.005
140398	1006735	108	0.003	0.108
140399	1006736	41	0.001	0.041
140400	1006737	14	<0.001	0.014
140401 Dup	1006737	16	<0.001	0.016
140402	1006738	11	<0.001	0.011
140403	1006739	8	<0.001	0.008
140404	1006740	<5	<0.001	<0.005
140405	1006741	16	<0.001	0.016
140406	1006742	41	0.001	0.041
140407	1006743	12	<0.001	0.012
140408	1006744	33	<0.001	0.033
140409	1006745	136	0.004	0.136

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140410	1006746	205	0.006	0.205
140411	1006747	224	0.007	0.224
140412 Dup	1006747	222	0.006	0.222
140413	1006748	444	0.013	0.444
140414	1006749	239	0.007	0.239
140415	1006750	4946	0.144	4.946
140416	1006751	158	0.005	0.158
140417	1006752	69	0.002	0.069
140418	1006753	103	0.003	0.103
140419	1006754	81	0.002	0.081
140420	1006755	46	0.001	0.046
140421	1006756	17	<0.001	0.017
140422	1006757	57	0.002	0.057
140423 Dup	1006757	58	0.002	0.058
140424	1006758	279	0.008	0.279
140425	1006759	9280	0.271	9.280
140426	1006760	<5	<0.001	<0.005
140427	1006761	4678	0.136	4.678
140428	1006762	202	0.006	0.202
140429	1006763	565	0.016	0.565
140430	1006764	103	0.003	0.103
140431	1006765	295	0.009	0.295
140432	1006766	366	0.011	0.366
140433	1006767	694	0.020	0.694
140434 Dup	1006767	556	0.016	0.556
140435	1006768	26	<0.001	0.026
140436	1006769	33	<0.001	0.033
140437	1006770	1163	0.034	1.163
140438	1006771	315	0.009	0.315
140439	1006772	248	0.007	0.248

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140440	1006773	401	0.012	0.401
140441	1006774	269	0.008	0.269
140442	1006775	2094	0.061	2.094
140443	1006776	2643	0.077	2.643
140444	1006777	293	0.009	0.293
140445 Rep	1006777	266	0.008	0.266
140446	1006778	225	0.007	0.225
140447	1006779	182	0.005	0.182
140448	1006780	5	<0.001	0.005
140449	1006781	55	0.002	0.055
140450	1006782	33	<0.001	0.033
140451	1006783	33	<0.001	0.033
140452	1006784	104	0.003	0.104
140453	1006785	72	0.002	0.072
140454	1006786	69	0.002	0.069
140455	1006787	141	0.004	0.141
140456 Dup	1006787	102	0.003	0.102
140457	1006788	127	0.004	0.127
140458	1006789	199	0.006	0.199
140459	1006790	238	0.007	0.238
140460	1006791	338	0.010	0.338
140461	1006792	703	0.021	0.703
140462	1006793	570	0.017	0.570
140463	1006794	563	0.016	0.563
140464	1006795	49	0.001	0.049
140465	1006796	71	0.002	0.071
140466	1006797	50	0.001	0.050
140467 Dup	1006797	62	0.002	0.062
140468	1006798	41	0.001	0.041
140469	1006799	56	0.002	0.056

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140470	1006800	<5	<0.001	<0.005
140471	1006801	48	0.001	0.048
140472	1006802	59	0.002	0.059
140473	1006803	31	<0.001	0.031
140474	1006804	91	0.003	0.091
140475	1006805	32	<0.001	0.032
140476	1006806	29	<0.001	0.029
140477	1006807	276	0.008	0.276
140478 Dup	1006807	268	0.008	0.268
140479	1006808	237	0.007	0.237
140480	1006809	183	0.005	0.183
140481	1006810	4949	0.144	4.949
140482	1006811	106	0.003	0.106
140483	1006812	224	0.007	0.224
140484	1006813	241	0.007	0.241
140485	1006814	119	0.003	0.119
140486	1006815	9480	0.277	9.480
140487	1006816	46	0.001	0.046
140488	1006817	104	0.003	0.104
140489 Dup	1006817	101	0.003	0.101
140490	1006818	31	<0.001	0.031
140491	1006819	47	0.001	0.047
140492	1006820	<5	<0.001	<0.005
140493	1006821	77	0.002	0.077
140494	1006822	226	0.007	0.226
140495	1006823	1531	0.045	1.531
140496	1006824	145	0.004	0.145
140497	1006825	13	<0.001	0.013
140498	1006826	16	<0.001	0.016
140499	1006827	1634	0.048	1.634

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/06/2011  
 Date Completed: 06/16/2011  
 Job #: 201142070  
 Reference: TL11167  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
140500 Dup	1006827	1881	0.055	1.881
140501	1006828	351	0.010	0.351
140502	1006829	40	0.001	0.040
140503	1006830	1102	0.032	1.102
140504	1006831	66	0.002	0.066
140505	1006832	40	0.001	0.040
140506	1006833	9	<0.001	0.009
140507	1006834	8	<0.001	0.008
140508	1006835	<5	<0.001	<0.005
140509	1006836	10	<0.001	0.010
140510	1006837	58	0.002	0.058
140511 Rep	1006837	33	<0.001	0.033
140512	1006838	25	<0.001	0.025
140513	1006839	343	0.010	0.343
140514	1006840	7	<0.001	0.007
140515	1006841	52	0.002	0.052
140516	1006842	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/20/2011  
Date Completed: 06/23/2011  
Job #: 201142286  
Reference: TL11167  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
152520	1006761	0.154	5.276

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, June 24, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/20/2011  
 Date Completed: 06/24/2011  
 Job #: 201142288  
 Reference: TL11167  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
152522	1006759	6.316	6.286	72.812	9.282	4.48%	45.13
152523	1006815	2.478	2.228	24.642	3.050	3.13%	32.72

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TL11168  
 Sample #: 91

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
135624	1004369	0.076	1	3.79	4	323	<2	18	2.17	<4	20	102	52	3.31	0.66	13	1.33	589	<1	69	504	31	1.28	9	27	10	173	1600	6	67	13	12	152
135625	1004370	0.008	<1	0.18	3	336	<2	21	1.60	<4	13	57	23	2.24	0.60	<1	0.85	450	<1	35	489	7	0.07	9	23	<10	153	1476	<2	69	40	12	42
135626	1004371	0.016	<1	1.84	25	332	<2	14	1.82	<4	12	33	24	1.84	0.76	4	0.71	346	<1	32	414	13	1.47	9	32	<10	120	1422	3	42	<10	7	48
135627	1004372	0.078	<1	2.22	21	381	<2	18	1.52	<4	17	68	54	2.58	0.79	5	0.69	313	<1	65	451	19	1.77	6	25	<10	139	1551	<2	51	<10	10	58
135628	1004373	0.009	<1	2.81	34	556	<2	11	1.93	<4	9	30	11	1.32	0.96	<1	0.51	236	<1	30	430	18	1.30	8	33	<10	142	1131	<2	32	<10	5	60
135629	1004374	0.015	1	3.38	38	577	<2	21	2.32	<4	10	31	11	1.01	0.77	11	0.33	160	11	28	480	14	1.06	11	40	<10	188	1409	2	37	<10	5	70
135630	1004375	0.023	<1	3.30	23	237	<2	20	2.41	<4	10	32	21	1.79	0.80	8	1.05	616	<1	32	437	17	1.42	8	32	<10	111	1360	<2	28	<10	7	64
135631	1004376	0.035	<1	2.86	27	210	<2	17	2.41	<4	9	33	28	1.57	0.79	10	1.13	706	<1	35	459	27	0.80	10	29	<10	93	1314	2	30	<10	7	61
135632	1004377	2.055	8	0.86	39	256	<2	16	0.43	<4	4	25	119	1.19	0.75	<1	0.28	<100	<1	33	595	654	1.34	13	24	<10	33	870	<2	21	14	6	514
135633	1004378	1.242	13	0.89	98	224	<2	18	0.42	7	6	18	38	2.05	0.62	<1	0.30	<100	<1	22	539	748	2.72	11	21	<10	34	771	<2	20	37	5	2196
135634D	1004378	1.143	9	0.99	93	244	<2	14	0.42	7	6	19	40	2.05	0.67	<1	0.30	<100	<1	23	531	749	2.65	15	29	<10	35	834	<2	22	36	5	2178
135635	1004379	0.851	<1	1.86	43	369	<2	12	0.71	<4	5	17	16	0.89	0.55	7	0.46	162	<1	20	557	37	0.85	9	26	<10	53	1266	3	29	10	4	106
135636	1004380	4.933	9	3.16	7	274	<2	26	2.85	5	25	59	100	4.19	0.59	9	1.84	817	7	55	852	23	0.74	7	25	<10	244	1863	17	106	<10	14	113
135637	1004381	1.366	<1	2.29	46	348	<2	14	1.43	<4	5	19	20	1.16	0.65	9	0.84	449	4	24	589	77	1.00	10	24	<10	78	1202	<2	27	<10	5	87
135638	1004382	1.591	1	1.67	22	783	<2	13	1.04	<4	6	25	6	0.70	0.76	8	0.53	270	5	22	475	200	0.47	8	31	<10	85	1443	4	33	11	4	251
135639	1004383	1.371	3	1.31	70	460	<2	11	0.54	4	7	17	56	1.65	0.66	4	0.38	107	<1	19	511	449	2.10	9	28	<10	50	1239	<2	26	21	4	971
135640	1004384	0.092	2	3.39	36	676	<2	14	2.00	<4	18	110	34	2.54	0.77	8	1.18	707	1	81	498	68	1.52	9	28	<10	135	2036	9	69	<10	16	153
135641	1004385	0.201	3	8.76	69	694	2	22	4.04	6	41	220	82	5.79	0.69	24	2.16	1620	10	162	954	98	3.58	17	18	10	245	3794	10	127	13	27	279
135642	1004386	0.175	1	3.32	39	516	<2	22	2.54	4	24	129	59	3.42	0.68	11	1.15	1012	2	81	500	43	2.11	11	32	<10	141	2321	<2	77	<10	15	204
135643	1004387	0.123	1	1.58	7	274	<2	18	1.54	<4	16	86	63	2.85	0.50	7	0.97	830	10	67	377	59	1.59	11	22	<10	104	1189	<2	41	<10	11	123

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TL11168  
 Sample #: 91

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
135644	1004388	1.907	2	2.01	16	929	<2	15	1.26	4	12	58	19	2.19	0.82	13	1.06	634	8	37	509	414	1.12	8	17	<10	104	1419	10	48	19	5	754
135645D	1004388	1.626	1	2.86	12	716	<2	13	1.19	4	11	47	16	1.92	0.64	7	1.16	548	<1	33	491	381	1.06	8	27	<10	95	1227	4	38	18	7	623
135646	1004389	1.016	<1	1.92	10	304	<2	9	1.69	<4	5	16	4	1.39	0.94	8	1.88	781	<1	17	497	157	0.34	6	30	<10	97	866	7	18	<10	5	244
135647	1004390	0.008	<1	2.51	13	434	<2	16	1.87	<4	13	58	23	2.31	0.67	5	0.91	472	<1	34	517	8	0.06	12	26	<10	214	1673	5	73	43	13	49
135648	1004391	0.076	<1	3.47	14	266	<2	9	2.77	<4	4	20	12	1.23	0.71	6	1.93	1078	<1	21	501	87	0.45	7	34	<10	99	833	14	24	10	6	191
135649	1004392	1.300	3	1.53	44	283	<2	16	0.60	9	7	20	11	1.68	0.66	3	0.34	118	3	23	450	1195	2.28	11	24	<10	65	864	2	30	52	3	2967
135650	1004393	5.063	5	2.83	38	220	<2	16	0.93	26	5	23	747	1.75	0.78	19	1.37	673	<1	25	451	4589	2.23	22	29	<10	72	703	7	24	146	4	9629
135651	1004394	0.405	2	4.33	23	218	<2	15	1.25	4	4	25	17	1.56	0.84	42	2.43	1097	<1	25	484	887	0.85	9	33	<10	88	775	17	25	19	5	1002
135652	1004395	0.254	1	4.52	21	150	<2	16	1.53	<4	5	21	8	2.02	0.58	35	4.12	2025	<1	22	451	412	0.39	11	41	<10	93	763	38	27	13	5	569
135653	1004396	0.534	3	5.27	136	233	<2	17	1.39	21	7	21	117	2.54	0.83	31	2.27	1141	<1	27	220	1168	1.87	13	33	<10	125	382	8	24	99	4	6530
135654	1004397	0.140	<1	2.59	37	309	<2	15	0.61	4	8	22	6	1.50	0.64	10	1.47	522	<1	22	438	406	1.25	13	23	<10	70	656	7	22	21	4	914
135655	1004398	0.135	<1	4.98	29	333	<2	22	2.59	4	7	28	7	1.75	0.81	16	2.37	1122	5	21	448	152	1.11	11	27	<10	119	987	19	27	19	6	913
135656D	1004398	0.109	<1	4.28	28	316	<2	12	2.55	4	8	26	7	1.75	0.82	13	2.39	1102	<1	22	440	148	1.07	7	36	<10	114	958	22	26	18	5	913
135657	1004399	0.304	<1	1.57	50	288	<2	15	0.55	<4	17	40	57	1.13	0.57	3	0.56	168	<1	34	464	136	1.18	11	32	<10	57	861	4	32	14	5	268
135658	1004400	1.040	<1	1.34	25	445	<2	11	1.81	<4	16	55	574	3.42	0.65	2	1.04	539	12	35	635	72	0.71	8	19	12	178	1516	3	96	28	13	103
135659	1004401	1.075	5	1.14	39	940	<2	12	0.60	15	9	41	46	1.55	0.44	7	0.40	137	3	27	389	2718	2.18	15	28	<10	66	1085	2	35	92	3	6719
135660	1004402	0.490	5	2.34	25	471	<2	17	0.76	8	5	17	146	1.18	0.64	6	0.53	189	<1	16	359	1731	1.50	11	29	<10	76	1074	<2	21	38	4	2311
135661	1004403	0.195	1	2.45	36	586	<2	13	1.57	<4	7	30	29	1.58	0.72	9	0.87	569	<1	23	400	303	1.20	8	31	<10	93	1345	4	30	15	4	502
135662	1004404	0.106	<1	3.45	6	381	<2	16	1.99	<4	9	37	49	1.85	0.71	9	1.21	913	<1	37	399	136	0.70	8	25	<10	109	1419	10	29	12	7	268
135663	1004405	0.450	<1	2.25	42	489	<2	12	0.91	<4	7	35	53	1.79	0.61	12	0.82	542	<1	39	392	104	1.20	9	23	<10	97	1515	3	28	<10	5	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TL11168  
 Sample #: 91

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
135664	1004406	0.256	<1	1.59	31	371	<2	10	0.95	<4	7	25	34	1.54	0.67	7	0.68	430	<1	20	390	77	1.16	10	28	<10	76	1343	5	25	<10	5	120
135665	1004407	0.723	1	1.35	27	209	<2	14	1.10	<4	8	27	119	1.47	0.64	3	0.64	448	<1	24	399	35	1.01	7	30	<10	74	1292	2	25	10	5	292
135666	1004408	0.308	<1	1.40	11	239	<2	15	1.06	<4	8	35	55	1.77	0.82	6	0.90	714	<1	25	360	119	0.83	10	23	<10	91	1277	5	29	<10	5	213
135667D	1004408	0.283	<1	1.19	14	303	<2	19	1.23	<4	7	37	57	1.83	0.63	11	0.85	770	<1	24	370	123	0.87	6	29	<10	115	1449	3	33	11	4	217
135668	1004409	0.058	<1	1.88	17	393	<2	16	1.38	<4	10	34	23	1.84	0.58	13	0.73	610	<1	25	422	70	0.98	8	18	<10	124	1622	<2	34	11	5	138
135669	1004410	<0.005	<1	1.13	4	393	<2	13	1.70	<4	14	56	23	2.24	0.69	2	0.86	454	<1	35	504	5	0.03	11	32	<10	186	1543	<2	69	41	13	41
135670	1004411	0.218	<1	1.01	9	171	<2	21	1.16	<4	9	33	42	1.78	0.72	4	0.99	779	<1	26	418	34	0.59	7	28	<10	89	1394	<2	29	11	6	157
135671	1004412	0.088	3	2.46	18	326	<2	16	1.43	10	7	24	77	1.85	0.58	11	0.88	711	<1	21	414	899	1.31	11	25	<10	120	1435	2	29	58	4	3458
135672	1004413	0.157	2	2.28	42	303	<2	12	1.20	<4	8	20	43	1.54	0.73	11	0.66	540	<1	24	411	102	1.33	9	30	<10	123	1435	<2	26	<10	4	148
135673	1004414	0.070	1	2.79	33	352	<2	17	1.67	<4	8	26	33	1.80	0.55	12	0.85	823	2	32	450	29	1.26	10	23	<10	124	1527	6	28	<10	5	61
135674	1004415	0.044	<1	2.40	19	346	<2	18	1.40	<4	6	23	13	1.45	0.64	6	0.73	596	<1	24	429	20	0.80	10	29	<10	108	1348	<2	26	<10	5	27
135675	1004416	0.272	1	3.86	21	298	<2	20	1.67	<4	21	124	104	3.66	0.63	20	1.62	1016	6	76	526	61	1.55	12	26	<10	107	1962	12	74	<10	11	101
135676	1004417	0.406	1	3.49	11	256	<2	12	1.32	<4	21	122	54	3.36	0.60	17	1.35	669	2	78	513	37	1.12	9	17	<10	91	1922	2	70	<10	13	122
135677	1004418	0.512	2	3.74	31	272	<2	16	1.68	<4	20	124	92	3.35	0.51	15	1.50	857	4	72	496	58	1.70	9	27	<10	106	1545	9	71	<10	11	89
135678D	1004418	0.436	1	3.08	30	243	<2	14	1.57	<4	20	119	91	3.30	0.66	12	1.50	818	<1	73	494	59	1.66	7	25	<10	96	1493	8	67	<10	11	87
135679	1004419	0.256	1	2.06	12	288	<2	17	1.58	<4	22	132	69	3.41	0.73	21	1.36	870	12	72	476	77	1.11	8	23	<10	93	1977	<2	77	<10	8	153
135680	1004420	0.239	353	0.98	3926	169	<2	22	2.27	120	14	48	476	6.94	0.66	1	0.74	1235	7	29	448	9571	6.67	73	30	14	175	1228	5	88	182	10	13465
135681	1004421	0.361	10	2.11	89	210	<2	16	1.76	13	9	35	216	2.75	0.79	6	1.00	570	<1	38	428	2514	3.06	12	18	<10	80	958	6	27	59	6	3357
135682	1004422	0.054	<1	<0.01	36	377	<2	14	0.84	<4	8	27	16	1.43	0.70	11	0.40	219	6	29	416	120	1.50	11	28	<10	56	1251	<2	29	15	3	388
135683	1004423	0.046	<1	2.77	24	326	<2	14	1.39	<4	6	22	17	1.21	0.66	9	0.78	380	1	27	499	44	0.91	10	32	<10	75	1209	2	25	10	5	275

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TL11168  
 Sample #: 91

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
135684	1004424	0.035	<1	2.03	15	333	<2	15	0.96	<4	7	24	40	1.04	0.63	7	0.54	258	2	24	440	88	0.80	10	30	<10	58	1227	<2	25	<10	4	116
135685	1004425	0.052	<1	3.85	22	312	<2	16	1.95	<4	7	21	21	1.46	0.55	10	1.06	653	3	27	491	53	0.81	7	36	<10	80	1241	10	24	<10	6	63
135686	1004426	0.089	<1	2.79	16	285	<2	17	1.73	<4	7	21	19	1.35	0.66	7	1.00	627	<1	25	457	42	0.75	7	30	<10	69	1109	12	21	10	5	85
135687	1004427	0.049	2	2.06	16	339	<2	15	0.92	5	7	22	59	1.66	0.56	10	0.56	307	2	25	436	403	1.37	9	23	<10	57	1262	<2	27	27	4	1356
135688	1004428	0.080	<1	3.63	19	357	<2	14	2.12	<4	7	24	8	1.33	0.52	8	1.18	778	<1	29	522	50	0.71	7	31	<10	95	1338	9	24	<10	6	69
135689R	1004428	0.043	<1	4.36	19	412	<2	12	2.17	<4	6	26	8	1.24	0.78	11	1.15	746	<1	31	532	47	0.60	10	38	<10	100	1442	5	26	<10	6	65
135690	1004429	0.121	4	3.06	16	441	<2	17	1.58	4	6	27	47	1.20	0.60	7	0.90	448	<1	33	548	613	0.89	11	28	11	80	1254	<2	23	16	6	652
135691	1004430	0.007	<1	1.81	10	424	<2	16	1.83	<4	14	56	24	2.25	0.71	7	0.83	460	1	33	498	12	0.03	12	17	<10	207	1630	<2	71	38	12	48
135692	1004431	0.296	1	1.96	24	333	<2	12	1.01	<4	7	18	50	1.24	0.60	8	0.83	535	<1	18	441	172	0.85	6	27	<10	75	1298	9	27	10	5	360
135693	1004432	0.227	<1	3.55	44	364	<2	12	1.72	<4	9	27	28	1.86	0.64	10	1.14	686	<1	26	482	199	1.51	7	25	<10	98	1365	8	28	12	6	404
135694	1004433	0.140	<1	1.35	19	338	<2	17	1.44	<4	5	30	11	0.92	0.60	7	0.70	382	2	23	240	25	0.56	9	31	<10	87	1022	7	17	<10	4	124
135695	1004434	0.024	1	3.58	2	371	<2	14	2.30	<4	6	29	11	1.38	0.58	10	1.39	415	<1	37	361	200	0.34	7	37	<10	131	1155	6	18	<10	5	218
135696	1004435	0.074	4	4.00	7	294	<2	18	4.15	10	6	26	105	1.88	0.63	9	2.31	1161	2	29	300	1198	0.91	12	31	<10	118	1158	13	19	44	5	2625
135697	1004436	0.026	<1	1.66	9	187	<2	18	2.16	<4	3	44	10	0.90	0.62	6	1.47	595	2	23	274	26	0.19	12	26	<10	62	702	10	13	<10	6	110
135698	1004437	0.283	5	4.45	10	470	<2	15	2.63	<4	6	30	14	1.39	0.56	12	1.37	487	<1	35	380	254	0.59	9	40	<10	99	1208	10	18	<10	5	215
135699	1004438	0.324	2	1.94	28	425	<2	15	0.89	<4	7	30	18	1.26	0.65	6	0.52	163	<1	29	369	106	1.26	13	19	<10	54	1233	6	27	11	5	218
135700D	1004438	0.295	2	2.34	31	436	<2	20	0.93	<4	9	30	18	1.31	0.58	7	0.54	167	2	31	388	113	1.40	9	26	<10	55	1263	7	27	10	5	233
135701	1004439	0.062	<1	3.02	24	263	<2	21	1.78	<4	7	33	22	1.19	0.64	6	0.93	339	3	40	410	36	1.04	9	25	<10	76	1015	6	29	<10	6	98
135702	1004440	4.815	9	3.78	11	273	<2	18	3.10	5	26	65	102	4.33	0.56	9	1.97	832	6	55	901	19	0.90	11	21	<10	258	1670	10	108	<10	14	102
135703	1004441	0.407	<1	2.31	21	259	<2	17	1.32	<4	6	24	19	1.08	0.65	10	0.97	217	<1	27	356	22	0.65	8	30	<10	50	951	13	21	<10	6	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TL11168  
 Sample #: 91

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
135704	1004442	0.326	<1	2.99	16	232	<2	15	2.25	<4	5	27	17	1.27	0.69	12	1.50	410	<1	32	368	27	0.33	8	28	<10	74	1007	4	22	<10	6	60
135705	1004443	0.188	1	2.74	16	221	<2	20	1.91	<4	6	26	26	1.13	0.67	7	1.16	311	<1	28	310	27	0.44	8	29	<10	70	921	8	19	10	5	142
135706	1004444	0.042	<1	2.40	15	252	<2	12	1.42	<4	7	22	10	1.13	0.66	7	1.05	316	<1	26	338	28	0.37	9	27	<10	58	962	8	19	<10	5	52
135707	1004445	0.233	<1	3.95	3	266	<2	22	2.34	<4	6	23	9	1.27	0.67	10	1.38	439	3	27	347	23	0.27	8	28	<10	75	1077	3	21	<10	5	56
135708	1004446	0.105	<1	3.92	7	267	<2	18	2.30	<4	6	26	10	1.26	0.61	10	1.36	432	2	29	345	22	0.27	10	41	<10	76	1066	13	22	10	5	59
135709	1004447	0.034	<1	2.18	12	330	<2	16	1.54	<4	5	26	11	1.12	0.58	17	0.93	249	2	32	332	54	0.41	5	23	<10	70	1208	3	24	<10	4	102
135710	1004448	0.018	<1	2.48	3	248	<2	18	1.70	<4	6	21	14	0.99	0.59	7	0.93	261	<1	26	355	12	0.21	9	28	<10	70	915	6	18	<10	5	42
135711D	1004448	0.021	<1	2.79	3	286	<2	13	1.68	<4	6	22	13	0.97	0.65	8	0.91	254	2	24	339	17	0.24	6	33	<10	70	1005	7	20	<10	5	42
135712	1004449	0.015	<1	4.64	4	373	<2	22	2.68	<4	6	23	12	1.26	0.69	15	1.33	260	3	26	328	18	0.10	8	36	<10	133	1145	6	21	11	5	49
135713	1004450	0.007	<1	2.63	5	432	<2	16	1.90	<4	14	57	24	2.33	0.56	6	0.93	470	<1	35	522	10	0.06	7	28	<10	213	1653	5	73	43	14	47
135714	1004451	0.012	<1	4.74	16	415	<2	20	2.83	<4	6	28	8	1.22	0.61	15	1.19	215	2	30	328	13	0.08	7	34	<10	181	1144	6	22	<10	5	37
135715	1004452	0.010	<1	4.44	6	350	<2	16	2.74	<4	6	25	10	1.27	0.55	14	1.15	221	2	30	334	13	0.08	8	31	<10	211	1160	13	23	<10	5	42
135716	1004453	0.015	<1	3.84	5	305	<2	20	2.50	<4	6	21	10	1.31	0.59	11	1.17	237	<1	24	391	10	0.32	8	37	<10	159	1089	2	20	<10	6	35
135717	1004454	0.026	<1	2.39	20	303	<2	14	1.31	<4	6	20	13	1.19	0.57	10	0.70	155	<1	25	385	7	0.64	7	20	<10	94	973	7	20	<10	5	19
135718	1004455	0.017	<1	4.03	9	318	<2	19	2.31	<4	5	18	7	1.17	0.66	12	1.19	221	<1	22	329	10	0.25	10	32	<10	142	1116	<2	20	<10	5	27
135719	1004456	0.052	2	2.04	<2	390	<2	11	1.12	<4	7	24	44	1.29	0.63	10	0.58	169	3	27	409	188	0.72	10	25	<10	83	1141	<2	30	15	5	264
135720	1004457	1.262	2	1.69	27	366	<2	18	0.87	<4	9	23	93	1.26	0.57	10	0.50	164	<1	27	471	485	1.13	10	28	<10	76	1283	8	33	19	5	758
135721	1004458	0.013	<1	3.92	8	313	<2	14	2.47	<4	8	24	15	1.63	0.54	19	1.18	307	1	25	515	22	0.46	10	23	<10	167	1425	3	33	<10	6	54
135722D	1004458	0.013	<1	4.05	6	285	<2	25	2.44	<4	8	21	13	1.64	0.60	17	1.27	310	<1	24	521	19	0.43	10	28	<10	162	1394	7	32	<10	7	47
135723	1004459	0.011	<1	2.37	5	393	<2	15	2.37	<4	10	24	12	1.78	0.64	20	0.86	252	<1	26	477	9	0.30	10	31	<10	147	1851	2	41	<10	5	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144296  
 Reference: TL11168  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294851	1212317	47	0.001	0.047
294852	1212318	21	<0.001	0.021
294853	1212319	15	<0.001	0.015
294854	1212320	<5	<0.001	<0.005
294855	1212321	22	<0.001	0.022
294856	1212322	26	<0.001	0.026
294857	1212323	24	<0.001	0.024
294858	1212324	35	0.001	0.035
294859	1212325	234	0.007	0.234
294860	1212326	163	0.005	0.163
294861 Dup	1212326	156	0.005	0.156
294862	1212327	12	<0.001	0.012
294863	1212328	42	0.001	0.042
294864	1212329	11	<0.001	0.011
294865	1212330	281	0.008	0.281
294866	1212331	8	<0.001	0.008
294867	1212332	54	0.002	0.054
294868	1212333	80	0.002	0.080
294869	1212334	26	<0.001	0.026
294870	1212335	21	<0.001	0.021
294871	1212336	26	<0.001	0.026
294872 Dup	1212336	28	<0.001	0.028
294873	1212337	20	<0.001	0.020
294874	1212338	11	<0.001	0.011
294875	1212339	11	<0.001	0.011
294876	1212340	7	<0.001	0.007
294877	1212341	14	<0.001	0.014
294878	1212342	13	<0.001	0.013
294879	1212343	32	<0.001	0.032
294880	1212344	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144296  
 Reference: TL11168  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294881	1212345	55	0.002	0.055
294882	1212346	31	<0.001	0.031
294883 Dup	1212346	35	0.001	0.035
294884	1212347	26	<0.001	0.026
294885	1212348	16	<0.001	0.016
294886	1212349	73	0.002	0.073
294887	1212350	4938	0.144	4.938
294888	1212351	28	<0.001	0.028
294889	1212352	95	0.003	0.095
294890	1212353	20	<0.001	0.020
294891	1212354	21	<0.001	0.021
294892	1212355	55	0.002	0.055
294893	1212356	48	0.001	0.048
294894 Dup	1212356	47	0.001	0.047
294895	1212357	1266	0.037	1.266
294896	1212358	386	0.011	0.386
294897	1212359	420	0.012	0.420
294898	1212360	7	<0.001	0.007
294899	1212361	126	0.004	0.126
294900	1212362	43	0.001	0.043
294901	1212363	119	0.003	0.119
294902	1212364	262	0.008	0.262
294903	1212365	13	<0.001	0.013
294904	1212366	63	0.002	0.063
294905 Dup	1212366	63	0.002	0.063
294906	1212367	7756	0.226	7.756
294907	1212368	63	0.002	0.063
294908	1212369	18	<0.001	0.018
294909	1212370	1120	0.033	1.120
294910	1212371	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144296  
 Reference: TL11168  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294911	1212372	144	0.004	0.144
294912	1212373	66	0.002	0.066
294913	1212374	402	0.012	0.402
294914	1212375	2650	0.077	2.650
294915	1212376	3235	0.094	3.235
294916 Rep	1212376	2726	0.080	2.726
294917	1212377	344	0.010	0.344
294918	1212378	148	0.004	0.148
294919	1212379	288	0.008	0.288
294920	1212380	6	<0.001	0.006
294921	1212381	104	0.003	0.104
294922	1212382	63	0.002	0.063
294923	1212383	59	0.002	0.059
294924	1212384	<5	<0.001	<0.005
294925	1212385	5	<0.001	0.005
294926	1212386	8	<0.001	0.008
294927 Dup	1212386	11	<0.001	0.011
294928	1212387	10	<0.001	0.010
294929	1212388	21	<0.001	0.021
294930	1212389	39	0.001	0.039
294931	1212390	262	0.008	0.262
294932	1212391	36	0.001	0.036
294933	1212392	47	0.001	0.047
294934	1212393	465	0.014	0.465
294935	1212394	574	0.017	0.574
294936	1212395	24	<0.001	0.024
294937	1212396	38	0.001	0.038
294938 Dup	1212396	11	<0.001	0.011
294939	1212397	8	<0.001	0.008
294940	1212398	259	0.008	0.259

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, December 7, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 11/21/2011  
 Date Completed: 12/05/2011  
 Job #: 201144296  
 Reference: TL11168  
 Sample #: 87

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
294941	1212399	8	<0.001	0.008
294942	1212400	<5	<0.001	<0.005
294943	1212401	<5	<0.001	<0.005
294944	1212402	26	<0.001	0.026
294945	1212403	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
135624	1004369	76	0.002	0.076
135625	1004370	8	<0.001	0.008
135626	1004371	16	<0.001	0.016
135627	1004372	78	0.002	0.078
135628	1004373	9	<0.001	0.009
135629	1004374	15	<0.001	0.015
135630	1004375	23	<0.001	0.023
135631	1004376	35	0.001	0.035
135632	1004377	2055	0.060	2.055
135633	1004378	1242	0.036	1.242
135634 Dup	1004378	1143	0.033	1.143
135635	1004379	851	0.025	0.851
135636	1004380	4933	0.144	4.933
135637	1004381	1366	0.040	1.366
135638	1004382	1591	0.046	1.591
135639	1004383	1371	0.040	1.371
135640	1004384	92	0.003	0.092
135641	1004385	201	0.006	0.201
135642	1004386	175	0.005	0.175
135643	1004387	123	0.004	0.123
135644	1004388	1907	0.056	1.907
135645 Dup	1004388	1626	0.047	1.626
135646	1004389	1016	0.030	1.016
135647	1004390	8	<0.001	0.008
135648	1004391	76	0.002	0.076
135649	1004392	1300	0.038	1.300
135650	1004393	5063	0.148	5.063
135651	1004394	405	0.012	0.405
135652	1004395	254	0.007	0.254
135653	1004396	534	0.016	0.534

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
135654	1004397	140	0.004	0.140
135655	1004398	135	0.004	0.135
135656 Dup	1004398	109	0.003	0.109
135657	1004399	304	0.009	0.304
135658	1004400	1040	0.030	1.040
135659	1004401	1075	0.031	1.075
135660	1004402	490	0.014	0.490
135661	1004403	195	0.006	0.195
135662	1004404	106	0.003	0.106
135663	1004405	450	0.013	0.450
135664	1004406	256	0.007	0.256
135665	1004407	723	0.021	0.723
135666	1004408	308	0.009	0.308
135667 Dup	1004408	283	0.008	0.283
135668	1004409	58	0.002	0.058
135669	1004410	<5	<0.001	<0.005
135670	1004411	218	0.006	0.218
135671	1004412	88	0.003	0.088
135672	1004413	157	0.005	0.157
135673	1004414	70	0.002	0.070
135674	1004415	44	0.001	0.044
135675	1004416	272	0.008	0.272
135676	1004417	406	0.012	0.406
135677	1004418	512	0.015	0.512
135678 Dup	1004418	436	0.013	0.436
135679	1004419	256	0.007	0.256
135680	1004420	239	0.007	0.239
135681	1004421	361	0.011	0.361
135682	1004422	54	0.002	0.054
135683	1004423	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
135684	1004424	35	0.001	0.035
135685	1004425	52	0.002	0.052
135686	1004426	89	0.003	0.089
135687	1004427	49	0.001	0.049
135688	1004428	80	0.002	0.080
135689 Rep	1004428	43	0.001	0.043
135690	1004429	121	0.004	0.121
135691	1004430	7	<0.001	0.007
135692	1004431	296	0.009	0.296
135693	1004432	227	0.007	0.227
135694	1004433	140	0.004	0.140
135695	1004434	24	<0.001	0.024
135696	1004435	74	0.002	0.074
135697	1004436	26	<0.001	0.026
135698	1004437	283	0.008	0.283
135699	1004438	324	0.009	0.324
135700 Dup	1004438	295	0.009	0.295
135701	1004439	62	0.002	0.062
135702	1004440	4815	0.140	4.815
135703	1004441	407	0.012	0.407
135704	1004442	326	0.010	0.326
135705	1004443	188	0.005	0.188
135706	1004444	42	0.001	0.042
135707	1004445	233	0.007	0.233
135708	1004446	105	0.003	0.105
135709	1004447	34	0.001	0.034
135710	1004448	18	<0.001	0.018
135711 Dup	1004448	21	<0.001	0.021
135712	1004449	15	<0.001	0.015
135713	1004450	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 05/31/2011  
 Date Completed: 06/10/2011  
 Job #: 201142003  
 Reference: TMI-TML  
 Sample #: 91

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
135714	1004451	12	<0.001	0.012
135715	1004452	10	<0.001	0.010
135716	1004453	15	<0.001	0.015
135717	1004454	26	<0.001	0.026
135718	1004455	17	<0.001	0.017
135719	1004456	52	0.002	0.052
135720	1004457	1262	0.037	1.262
135721	1004458	13	<0.001	0.013
135722 Dup	1004458	13	<0.001	0.013
135723	1004459	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/22/2011  
 Job #: 201142182  
 Reference: TMI-TML  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
146592	1004393	5.036	5.040	18.825	5.615	4.19%	42.57

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138748	1004615	0.021	<1	3.34	5	432	2	12	1.64	<4	20	121	49	3.22	0.18	<1	1.32	676	<1	64	487	34	3.96	5	11	<10	306	2046	7	84	<10	15	92
138749	1004616	0.046	<1	3.83	5	267	2	10	0.27	17	43	36	130	4.77	0.11	<1	0.52	190	35	77	351	1685	5.14	7	7	<10	237	1278	<2	47	27	9	2110
138750	1004617	0.013	<1	3.60	11	586	<2	8	0.55	<4	10	33	17	1.12	0.18	<1	0.57	154	<1	37	393	49	3.48	5	11	<10	384	1153	<2	42	<10	9	126
138751	1004618	0.027	<1	3.84	9	503	2	7	1.30	<4	23	132	54	3.79	0.25	5	1.43	599	<1	74	541	30	3.95	7	5	<10	321	2617	<2	96	<10	15	72
138752	1004619	0.006	<1	1.27	16	201	<2	3	1.09	<4	4	46	6	1.10	0.23	<1	0.59	196	<1	62	266	10	4.14	5	14	<10	182	889	<2	21	<10	8	29
138753	1004620	5.033	6	3.75	8	277	<2	23	2.63	5	27	68	96	4.46	0.29	<1	1.90	795	<1	52	854	19	3.95	7	<5	<10	335	3340	7	124	<10	18	96
138754	1004621	0.022	<1	3.31	27	461	<2	15	1.11	<4	10	18	6	1.54	0.28	<1	0.73	268	<1	28	476	21	4.14	6	15	<10	273	1867	<2	35	<10	8	159
138755	1004622	0.019	<1	3.94	28	460	2	18	1.05	<4	12	15	12	1.54	0.21	<1	0.64	260	<1	31	475	32	4.16	<5	19	<10	261	2022	<2	36	<10	8	428
138756	1004623	0.030	<1	4.10	19	422	<2	12	2.05	<4	8	22	20	1.52	0.29	<1	0.76	385	<1	36	482	44	3.59	7	13	<10	275	1911	<2	36	<10	9	173
138757	1004624	0.043	<1	3.73	28	415	2	8	0.91	<4	12	15	27	1.55	0.34	<1	0.67	266	<1	34	427	117	4.10	6	12	<10	237	1797	2	34	<10	8	423
138758D	1004624	0.039	<1	3.65	23	433	<2	17	0.94	<4	14	16	27	1.60	0.23	<1	0.67	276	<1	35	441	123	3.98	<5	12	<10	241	1910	<2	36	<10	8	436
138759	1004625	0.017	<1	3.86	21	426	2	17	1.50	<4	10	15	7	1.62	0.14	<1	0.76	358	<1	27	486	17	4.35	<5	11	<10	288	1913	4	38	<10	8	50
138760	1004626	0.022	<1	3.52	16	414	2	16	1.48	<4	9	18	6	1.60	0.17	1	0.76	367	<1	32	471	15	4.54	6	14	<10	288	1949	<2	37	<10	8	50
138761	1004627	0.031	<1	3.55	7	409	2	22	1.51	<4	7	22	10	3.10	0.19	5	0.96	623	<1	31	350	13	4.32	6	14	<10	291	1553	<2	30	<10	10	83
138762	1004628	0.098	<1	3.39	11	295	2	9	1.53	<4	21	120	48	3.41	0.17	3	1.30	489	<1	70	440	36	4.40	5	13	<10	185	2641	<2	85	<10	12	58
138763	1004629	0.032	<1	2.91	27	437	2	8	0.59	<4	10	37	12	1.47	0.11	<1	0.76	224	<1	31	333	27	4.40	<5	10	<10	125	1564	<2	38	<10	8	54
138764	1004630	<0.005	<1	2.28	23	413	<2	10	1.15	<4	12	44	21	2.14	0.09	<1	0.87	421	<1	34	470	8	4.31	7	11	<10	268	1931	<2	70	38	14	39
138765	1004631	0.094	<1	3.74	35	478	2	17	0.86	5	9	35	35	1.61	0.21	<1	0.85	276	<1	37	332	65	4.95	5	16	<10	146	1636	<2	39	13	8	728
138766	1004632	0.016	<1	3.54	21	516	<2	10	0.50	<4	6	15	3	1.04	0.31	<1	0.64	126	<1	20	182	25	4.04	5	10	<10	153	1378	<2	24	<10	7	86
138767	1004633	0.023	<1	3.91	24	838	2	10	0.46	<4	8	13	4	1.48	0.05	<1	0.72	199	<1	24	276	27	5.05	5	11	<10	150	1613	<2	28	<10	7	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138768	1004634	0.017	<1	3.83	26	551	2	10	0.87	<4	8	18	3	0.85	0.17	<1	0.59	180	<1	27	402	13	3.92	6	12	<10	216	1426	2	29	<10	7	12
138769D	1004634	0.014	<1	4.41	18	555	2	15	0.95	<4	8	17	3	0.85	0.17	<1	0.61	181	<1	28	405	15	4.35	6	14	<10	220	1437	<2	29	<10	7	15
138770	1004635	0.039	<1	3.97	16	591	2	9	1.45	<4	10	48	25	1.91	0.25	<1	0.66	297	<1	41	407	11	4.28	<5	14	<10	255	1334	<2	45	<10	9	50
138771	1004636	0.049	<1	3.40	13	393	<2	10	1.99	<4	16	94	41	2.97	0.20	<1	1.23	545	<1	64	427	25	4.20	6	11	<10	283	2215	<2	69	<10	14	85
138772	1004637	0.052	<1	3.05	11	320	<2	1	1.62	<4	17	114	43	2.99	0.27	4	1.22	470	<1	56	480	19	3.74	6	13	<10	268	2515	4	74	<10	14	62
138773	1004638	0.022	<1	4.50	14	688	2	12	1.69	<4	21	113	37	3.08	0.22	7	1.16	394	<1	63	475	20	4.53	6	<5	<10	327	2610	<2	94	<10	13	66
138774	1004639	0.032	<1	3.94	4	540	2	11	1.97	<4	16	87	43	2.78	0.13	<1	1.08	483	<1	53	448	30	4.56	7	11	<10	369	2048	3	67	<10	13	83
138775	1004640	1.086	<1	3.03	20	539	<2	14	1.33	<4	15	47	564	3.47	0.24	<1	1.07	531	16	34	632	60	3.89	6	<5	<10	279	2044	<2	106	26	16	87
138776	1004641	0.022	<1	4.33	15	594	2	6	0.83	<4	6	19	11	0.59	0.32	<1	0.50	<100	<1	28	292	17	4.52	6	15	<10	284	1206	<2	25	<10	8	33
138777	1004642	0.035	<1	6.13	19	731	2	14	1.44	<4	7	13	7	0.53	0.24	2	0.52	<100	<1	22	387	13	4.10	7	19	<10	419	1560	2	32	<10	7	19
138778	1004643	0.015	<1	4.08	27	642	2	14	1.02	<4	6	14	5	0.54	0.27	<1	0.45	<100	<1	22	349	9	3.56	5	19	<10	359	1436	<2	27	<10	7	21
138779	1004644	0.017	<1	4.86	8	647	2	19	2.27	<4	20	106	52	3.46	0.49	2	1.18	512	<1	68	491	34	4.25	6	9	<10	404	2367	4	85	<10	16	91
138780D	1004644	0.013	<1	4.66	2	661	2	6	2.26	<4	21	108	52	3.48	0.46	<1	1.19	523	<1	65	494	37	4.14	6	15	<10	404	2427	2	87	<10	16	96
138781	1004645	0.010	<1	3.82	18	552	2	14	1.17	<4	5	14	11	0.45	0.33	<1	0.49	<100	<1	18	344	10	3.73	5	18	<10	352	1285	<2	27	<10	7	14
138782	1004646	0.011	<1	4.54	9	587	2	14	1.21	<4	5	15	9	0.45	0.36	<1	0.49	<100	<1	21	352	11	3.83	5	17	<10	361	1311	<2	28	<10	7	16
138783	1004647	0.016	<1	4.80	16	588	2	15	1.42	<4	7	21	12	0.59	0.23	<1	0.53	<100	<1	37	385	8	4.04	5	17	<10	389	1440	<2	30	<10	7	16
138784	1004648	0.020	<1	3.71	17	410	2	10	1.21	<4	8	20	14	0.92	0.27	<1	0.66	168	<1	28	364	8	3.62	<5	10	<10	371	1568	2	37	<10	8	22
138785	1004649	0.026	<1	5.25	8	343	2	9	2.04	<4	14	17	15	2.63	0.37	3	0.99	547	<1	35	459	9	4.13	6	8	<10	471	2164	<2	42	<10	12	57
138786	1004650	0.007	<1	3.04	13	463	<2	7	1.28	<4	14	48	24	2.36	0.34	<1	0.95	463	<1	35	515	8	3.78	7	6	<10	293	2080	<2	77	42	17	40
138787	1004651	0.026	<1	3.69	5	401	<2	15	1.32	<4	9	10	7	1.92	0.06	<1	0.87	421	<1	25	418	8	3.92	<5	8	<10	314	1878	<2	36	<10	9	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138788	1004652	0.012	<1	3.65	8	511	<2	7	1.95	<4	8	14	9	1.81	0.23	<1	0.94	407	<1	25	439	16	3.51	5	16	<10	342	1853	3	38	<10	9	54
138789	1004653	0.019	<1	4.20	18	515	<2	2	1.85	<4	8	13	13	1.64	0.37	<1	0.89	407	<1	26	427	71	3.99	<5	8	<10	286	1812	<2	37	<10	9	209
138790	1004654	0.019	<1	5.49	20	547	2	14	2.04	<4	8	15	12	1.91	0.45	<1	1.03	555	<1	26	453	31	4.29	<5	15	<10	270	2012	11	41	<10	10	105
138791D	1004654	0.039	<1	5.68	15	572	2	23	2.16	<4	9	17	13	1.98	0.36	6	1.04	565	<1	30	469	32	4.91	5	15	<10	279	2079	<2	42	<10	10	99
138792	1004655	0.099	<1	4.43	55	545	2	12	1.22	<4	11	14	16	1.83	0.22	1	0.80	368	<1	31	502	332	5.05	5	11	<10	190	1936	<2	37	<10	9	289
138793	1004656	0.046	<1	5.23	25	605	2	9	1.17	<4	13	14	20	0.75	0.33	<1	0.54	165	<1	27	572	76	4.44	5	16	<10	205	1910	<2	39	<10	9	94
138794	1004657	0.027	<1	5.16	24	494	2	16	0.93	<4	9	16	8	0.65	0.28	<1	0.52	184	<1	32	553	28	4.96	5	13	<10	190	1903	2	38	<10	9	35
138795	1004658	0.028	<1	4.81	16	403	2	11	1.76	<4	7	15	15	1.17	0.16	<1	0.84	300	<1	30	590	12	4.55	5	17	<10	198	1927	5	41	<10	9	23
138796	1004659	0.011	<1	3.23	13	326	2	5	0.64	<4	5	22	23	1.08	0.20	<1	0.70	325	<1	27	328	34	4.70	<5	13	<10	164	1282	3	26	<10	8	50
138797	1004660	0.247	355	4.69	3667	25	2	10	1.97	106	13	40	476	6.85	0.23	<1	1.01	1166	5	30	467	9600	8.44	73	26	<10	243	1567	4	86	112	14	13464
138798	1004661	0.131	1	5.99	19	378	2	10	1.20	<4	6	17	9	1.43	0.39	9	1.41	979	2	28	436	122	5.48	<5	15	<10	213	1870	2	36	<10	9	285
138799	1004662	0.204	3	5.39	9	301	2	10	1.02	<4	5	13	25	1.14	0.41	8	1.12	751	<1	27	453	106	4.59	5	16	<10	227	1589	5	32	<10	9	415
138800	1004663	0.277	<1	5.67	19	374	2	15	1.07	<4	6	14	30	1.18	0.36	7	1.17	759	<1	26	488	26	4.59	5	13	<10	229	1701	9	35	<10	9	87
138801	1004664	0.291	8	5.64	20	428	2	14	0.85	<4	7	20	100	1.35	0.36	4	0.94	596	<1	36	519	61	4.57	6	10	<10	208	1757	<2	41	<10	9	227
138802D	1004664	0.263	8	5.01	17	409	2	13	0.77	<4	6	16	95	1.28	0.27	3	0.90	573	<1	30	484	58	4.36	5	12	<10	197	1699	6	37	<10	9	211
138803	1004665	0.395	4	4.74	29	351	2	7	0.73	<4	6	20	35	1.51	0.26	3	1.03	689	<1	25	426	57	4.53	<5	12	<10	178	1799	4	38	<10	9	117
138804	1004666	0.193	3	4.20	16	316	2	9	0.66	<4	6	17	36	1.43	0.27	1	0.96	645	<1	25	417	49	4.12	5	14	<10	173	1683	2	36	<10	9	90
138805	1004667	0.985	2	4.08	31	487	2	5	0.56	<4	7	21	42	1.62	0.27	4	0.83	596	<1	26	430	140	4.48	5	10	<10	176	1768	<2	40	<10	9	246
138806	1004668	0.577	1	3.89	34	326	2	10	0.81	<4	6	25	44	1.81	0.31	1	0.98	873	<1	41	396	147	4.62	<5	11	<10	185	1603	<2	39	<10	9	486
138807	1004669	0.570	1	4.49	38	424	2	8	0.23	<4	6	18	9	1.31	0.38	<1	0.65	249	<1	33	431	233	4.60	7	13	<10	119	1768	<2	34	13	8	484

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138808	1004670	0.009	<1	4.52	8	449	2	16	1.38	<4	13	47	23	2.26	0.37	<1	0.98	438	<1	37	506	7	4.74	<5	15	<10	295	2003	<2	74	38	17	40
138809	1004671	0.203	<1	4.51	45	382	2	16	0.76	<4	6	23	38	1.38	0.35	1	0.90	577	<1	35	419	48	4.68	5	9	<10	154	1639	3	34	<10	9	109
138810	1004672	0.333	<1	5.25	33	381	2	9	0.89	<4	6	14	29	1.35	0.38	3	0.90	632	<1	24	454	48	4.35	6	17	<10	157	1824	7	35	<10	8	80
138811	1004673	0.140	<1	5.41	27	311	2	11	0.68	<4	6	16	26	1.38	0.33	8	0.91	524	<1	24	502	30	4.53	7	16	<10	190	1793	<2	34	<10	9	71
138812	1004674	0.161	<1	5.09	27	357	<2	13	1.18	<4	8	20	20	1.78	0.39	2	0.98	865	<1	25	443	31	4.40	7	16	<10	185	1831	9	40	<10	10	63
138813R	1004674	0.166	<1	5.25	31	362	2	15	1.15	<4	8	20	19	1.75	0.28	2	0.97	847	<1	29	442	32	4.36	<5	16	<10	182	1866	10	39	<10	10	68
138814	1004675	0.277	<1	5.36	41	397	2	14	1.33	<4	7	13	62	1.69	0.26	2	1.05	738	<1	28	390	173	4.34	6	16	<10	184	1774	11	36	<10	9	275
138815	1004676	0.743	<1	5.80	34	499	2	5	1.24	<4	7	13	16	1.55	0.15	5	1.05	818	<1	22	460	54	4.72	7	14	<10	162	1817	<2	33	<10	9	90
138816	1004677	0.245	<1	4.43	41	381	2	9	1.01	<4	7	19	25	1.61	0.25	<1	0.88	723	<1	26	388	55	4.30	<5	10	<10	151	1723	<2	35	<10	9	51
138817	1004678	0.696	2	5.75	44	468	2	6	1.11	<4	8	18	50	1.75	0.24	8	0.98	868	<1	26	451	73	5.24	5	15	<10	161	1989	14	39	<10	9	235
138818	1004679	1.273	<1	5.26	50	369	2	15	0.92	<4	8	18	71	1.83	0.29	3	0.85	678	<1	27	473	135	4.67	9	14	<10	148	1935	<2	38	<10	9	180
138819	1004680	4.906	4	4.81	17	272	2	8	2.65	5	26	64	96	4.35	0.57	2	1.87	751	2	53	830	20	4.20	5	6	<10	340	3718	<2	119	<10	18	83
138820	1004681	0.491	<1	4.42	47	353	2	3	0.83	<4	8	20	23	1.69	0.44	<1	0.81	700	<1	23	425	63	3.99	<5	20	<10	135	1817	<2	35	<10	9	101
138821	1004682	0.325	<1	4.27	20	348	2	11	1.10	<4	8	23	27	1.88	0.47	2	0.92	875	<1	33	459	49	4.07	<5	10	<10	157	2004	5	37	<10	9	68
138822	1004683	0.086	<1	4.86	13	360	<2	14	1.16	<4	8	17	15	1.70	0.48	1	0.85	672	<1	23	433	27	4.14	6	14	<10	154	1925	<2	35	<10	9	50
138823	1004684	0.119	<1	4.89	25	389	2	17	0.99	<4	8	21	25	1.47	0.46	4	0.85	558	<1	28	437	25	3.93	5	15	<10	179	1870	<2	35	<10	9	105
138824D	1004684	0.099	<1	5.37	31	399	2	16	1.05	<4	8	20	26	1.51	0.43	6	0.88	573	<1	29	429	27	4.49	5	14	<10	183	1947	<2	35	<10	9	110
138825	1004685	0.450	5	4.22	28	410	2	12	<0.01	<4	6	13	22	0.52	0.10	2	0.55	<100	<1	32	331	44	5.03	8	13	<10	118	1606	<2	27	<10	6	96
138826	1004686	0.265	1	4.40	22	425	2	4	<0.01	<4	6	15	22	0.56	0.15	3	0.56	<100	<1	29	340	36	4.48	8	14	<10	122	1620	<2	28	<10	6	44
138827	1004687	0.576	12	4.53	72	398	2	19	<0.01	<4	6	18	179	0.88	0.16	<1	0.53	<100	<1	28	336	186	4.65	20	15	<10	111	1551	<2	28	18	7	1215

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138828	1004688	0.110	<1	5.55	30	353	2	20	1.22	<4	7	19	19	1.04	0.21	5	1.07	504	<1	27	473	60	4.70	7	17	<10	195	1854	2	35	<10	8	82
138829	1004689	31.671	15	4.12	29	246	2	9	0.20	4	6	16	77	1.43	0.17	2	0.63	170	<1	25	285	701	5.57	20	11	<10	121	1329	<2	22	14	8	1007
138830	1004690	<0.005	<1	3.80	10	441	2	18	1.31	<4	13	45	23	2.27	0.27	<1	0.94	435	<1	32	504	8	4.39	6	10	<10	292	2002	2	73	38	16	39
138831	1004691	1.081	1	4.73	29	364	2	6	1.52	<4	7	13	19	1.72	0.37	5	1.05	640	<1	23	380	49	4.82	8	16	<10	230	1569	9	29	<10	9	79
138832	1004692	0.019	<1	5.52	20	346	2	2	1.42	<4	8	15	17	1.53	0.45	4	0.77	332	<1	25	388	12	4.81	6	12	<10	257	1786	<2	32	<10	8	83
138833	1004693	0.020	<1	4.73	2	359	2	30	1.52	<4	6	14	8	1.47	0.43	5	0.78	340	<1	21	402	6	3.76	5	13	<10	248	2071	<2	37	<10	8	28
138834	1004694	0.010	<1	4.67	10	325	2	16	1.26	<4	4	14	7	1.06	0.38	6	0.75	272	<1	20	358	4	4.51	6	16	<10	214	1713	<2	31	<10	8	18
138835D	1004694	0.011	<1	4.32	10	321	2	13	1.25	<4	4	16	7	1.07	0.35	5	0.74	271	<1	25	361	7	4.50	5	15	<10	213	1646	<2	31	<10	8	18
138836	1004695	0.018	1	4.86	23	316	2	11	2.20	<4	7	14	13	1.73	0.29	11	1.20	638	<1	27	1150	47	4.12	7	15	<10	248	2205	8	42	<10	9	64
138837	1004696	0.012	<1	5.40	22	346	2	15	1.47	<4	5	15	7	1.14	0.21	11	1.10	510	<1	35	409	36	4.43	6	12	<10	186	1902	9	34	<10	8	77
138838	1004697	0.013	<1	6.75	21	337	2	9	1.64	<4	5	14	7	1.35	0.22	10	1.26	691	<1	26	446	18	5.12	<5	13	<10	198	1851	8	35	<10	9	34
138839	1004698	0.149	20	5.29	35	252	2	18	0.45	4	5	11	13	1.63	0.05	9	0.73	240	7	25	338	57	6.46	20	12	<10	131	1420	<2	24	10	8	988
138840	1004699	0.062	2	5.89	21	218	2	15	0.70	<4	4	14	10	1.06	0.18	8	0.87	446	3	29	371	46	5.48	8	12	<10	143	1290	<2	24	<10	8	132
138841	1004700	1.143	<1	4.64	23	498	2	21	1.41	<4	13	42	523	3.16	0.21	2	1.07	481	20	35	585	56	5.02	8	8	<10	274	1951	9	96	25	15	78
138842	1004701	0.065	4	4.07	32	165	2	6	0.11	<4	4	14	32	0.98	0.26	3	0.57	<100	7	28	314	49	5.82	10	14	<10	109	1051	<2	21	<10	7	64
138843	1004702	0.061	<1	3.85	26	156	3	6	0.08	<4	4	14	15	0.53	0.12	2	0.54	<100	5	30	319	21	5.76	<5	13	<10	109	999	<2	21	<10	6	23
138844	1004703	0.085	<1	4.07	30	183	3	13	0.12	<4	4	12	11	0.83	0.18	6	0.59	<100	6	29	335	31	5.58	7	14	<10	115	1163	2	23	<10	6	64
138845	1004704	0.047	<1	4.03	14	174	2	8	<0.01	<4	5	13	14	0.77	0.21	<1	0.52	<100	<1	23	349	33	4.69	6	14	<10	102	1203	<2	24	<10	6	42
138846D	1004704	0.058	<1	4.19	16	165	2	16	<0.01	<4	4	13	14	0.74	0.23	<1	0.52	<100	<1	25	341	36	5.00	5	12	<10	102	1148	<2	23	<10	6	42
138847	1004705	0.124	7	4.47	34	171	2	14	0.22	<4	5	17	22	1.24	0.16	7	0.70	136	5	38	356	61	6.08	10	17	<10	119	1317	<2	25	<10	7	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138848	1004706	0.074	2	4.99	33	167	2	12	0.18	<4	5	14	17	1.23	0.39	<1	0.76	128	4	44	368	38	6.15	5	15	<10	125	1314	<2	25	<10	8	64
138849	1004707	0.024	<1	5.33	35	197	3	1	0.68	<4	5	20	13	1.25	0.06	14	0.92	521	7	31	419	48	5.74	6	12	<10	146	1667	9	29	<10	7	74
138850	1004708	0.013	<1	5.48	16	236	5	4	0.61	<4	6	18	16	0.96	0.07	7	0.58	126	26	30	356	17	5.59	5	16	<10	164	1547	<2	26	<10	8	76
138851	1004709	0.014	<1	<0.01	46	<1	<2	21	<0.01	<4	2	<1	4	<0.01	<0.01	<1	<0.01	<100	<1	4	<100	10	0.35	17	19	<10	28	<100	5	<2	<10	<2	86
138852	1004710	<0.005	<1	3.36	4	385	2	4	1.15	<4	11	40	20	2.00	0.12	<1	0.87	382	<1	29	451	5	4.16	5	9	<10	265	1803	3	64	33	14	31
138853	1004711	0.006	<1	4.52	9	318	2	9	1.74	<4	5	16	4	1.15	0.18	4	1.02	237	<1	20	347	12	4.27	<5	14	<10	226	1510	<2	26	<10	8	18
138854	1004712	0.010	<1	4.35	13	324	2	9	2.28	<4	7	39	17	1.81	0.27	5	1.18	350	<1	39	341	13	4.78	<5	10	<10	247	1374	6	33	<10	11	23
138855	1004713	0.008	<1	5.03	9	421	2	<1	1.88	<4	8	23	9	0.90	0.08	9	0.94	222	2	34	452	15	5.23	<5	15	<10	312	1606	<2	32	<10	9	36
138856	1004714	<0.005	<1	6.07	16	575	3	13	1.88	<4	7	21	12	1.30	0.14	16	0.98	269	2	23	615	15	5.00	5	18	<10	340	2019	<2	39	<10	9	32
138857D	1004714	0.012	<1	6.04	7	564	3	12	1.91	<4	8	17	12	1.29	0.19	18	0.96	263	3	24	603	16	5.06	<5	19	<10	340	2015	<2	39	<10	9	31
138858	1004715	<0.005	<1	6.27	9	529	2	14	1.88	<4	6	15	8	1.18	0.18	18	1.00	262	3	22	567	16	5.28	5	14	<10	344	1758	5	37	<10	9	34
138859	1004716	0.010	<1	5.32	23	707	2	7	0.56	<4	7	12	9	1.88	0.22	15	0.74	200	<1	18	606	9	5.67	<5	9	<10	204	2353	<2	43	<10	8	22
138860	1004717	0.012	<1	3.68	23	522	2	7	0.73	<4	9	25	9	2.14	0.07	7	0.71	237	<1	29	516	14	4.91	6	8	<10	252	1799	<2	44	<10	7	35
138861	1004718	0.027	<1	4.23	23	394	2	8	1.45	<4	11	56	32	2.65	0.11	10	1.06	450	<1	41	478	17	5.44	<5	7	<10	294	1804	8	54	<10	10	53
138862	1004719	0.026	<1	4.76	29	489	2	16	1.86	<4	16	100	48	3.12	0.13	13	1.21	549	<1	59	510	20	6.09	6	11	<10	287	2245	2	77	<10	13	64
138863	1004720	0.243	354	3.44	3562	31	2	11	1.77	103	13	39	478	6.60	0.19	<1	0.91	1131	3	30	448	9542	7.44	73	19	<10	233	1501	<2	83	112	12	13449
138864	1004721	0.016	3	4.43	36	541	2	9	1.45	<4	19	131	39	3.36	0.05	18	1.11	412	6	70	496	21	6.80	9	10	<10	195	2565	5	94	<10	12	57
138865	1004722	0.007	<1	4.88	28	509	2	9	1.87	<4	10	26	3	2.00	0.24	7	0.77	299	2	33	536	11	5.47	5	15	<10	285	1834	<2	40	<10	10	44
138866	1004723	0.012	<1	4.87	36	570	2	13	1.98	<4	9	14	3	2.13	0.15	5	0.57	232	2	26	554	15	6.63	<5	11	<10	295	1563	<2	36	<10	8	53
138867	1004724	0.013	<1	5.06	29	445	2	9	2.32	<4	8	13	6	2.04	0.15	6	0.89	366	3	40	532	16	6.18	7	16	<10	301	1503	<2	36	<10	9	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138868D	1004724	0.017	<1	5.44	29	483	2	11	2.57	<4	9	15	6	2.17	0.07	8	0.92	393	2	23	565	18	6.00	5	11	<10	326	1605	<2	39	<10	9	55
138869	1004725	0.010	<1	6.31	31	573	3	29	2.06	<4	7	16	11	1.50	<0.01	12	0.74	281	9	20	545	38	6.35	7	15	<10	290	1581	2	35	<10	9	141
138870	1004726	0.011	<1	5.49	29	570	3	<1	2.24	<4	8	20	17	1.65	0.17	9	0.71	306	4	23	577	127	6.19	7	16	<10	304	1588	<2	37	<10	9	418
138871	1004727	0.017	<1	4.84	28	739	2	13	0.59	<4	7	16	3	1.47	0.23	8	0.68	153	2	22	540	19	5.83	<5	16	<10	207	1391	<2	35	<10	8	51
138872	1004728	0.131	<1	4.20	22	564	2	11	0.41	<4	7	16	10	1.67	0.31	<1	0.46	<100	<1	25	469	21	5.47	8	15	<10	150	1232	<2	32	<10	8	34
138873	1004729	0.019	<1	5.04	26	689	2	4	0.80	<4	8	15	3	1.81	0.24	9	0.89	253	1	25	534	17	5.55	<5	15	<10	195	1713	<2	36	<10	8	30
138874	1004730	<0.005	<1	4.17	11	413	<2	12	1.31	<4	12	43	21	2.08	0.37	<1	0.93	407	<1	34	472	10	4.93	6	8	<10	278	1886	<2	67	33	15	39
138875	1004731	0.024	<1	5.54	33	583	2	15	1.95	<4	8	20	7	1.67	0.32	10	0.89	356	<1	26	517	15	5.43	5	10	<10	259	1806	<2	37	<10	9	60
138876	1004732	0.008	<1	5.06	12	530	2	6	2.18	<4	8	18	3	1.67	0.26	7	0.82	340	<1	24	524	10	4.84	5	9	<10	266	1972	4	35	<10	9	36
138877	1004733	0.009	<1	4.71	7	380	2	12	1.43	<4	8	13	3	1.51	0.31	8	0.85	278	<1	22	502	5	4.43	7	17	<10	220	1989	<2	35	<10	9	8
138878	1004734	0.007	<1	4.07	10	427	<2	10	1.75	<4	7	10	3	1.52	0.26	5	0.74	219	<1	19	493	9	3.76	7	12	<10	279	1865	<2	33	<10	8	30
138879R	1004734	<0.005	<1	4.19	12	411	<2	11	1.84	<4	8	10	3	1.61	0.06	5	0.75	226	<1	19	493	9	4.05	<5	9	<10	280	1876	3	34	<10	8	36
138880	1004735	0.031	<1	5.82	23	597	2	9	2.40	<4	8	18	10	1.61	0.10	7	1.04	347	<1	23	487	15	4.97	<5	10	<10	241	1868	16	35	<10	10	47
138881	1004736	0.036	<1	5.38	19	558	2	16	2.16	<4	7	25	16	1.60	0.05	7	1.08	411	<1	22	462	19	5.10	6	18	<10	251	1963	6	35	<10	9	60
138882	1004737	0.083	<1	5.59	53	617	2	14	1.65	<4	10	27	13	1.78	0.17	8	1.01	429	<1	26	481	22	5.12	5	9	<10	178	2023	<2	41	<10	10	50
138883	1004738	0.434	<1	4.24	27	578	2	10	1.21	<4	7	15	99	1.44	0.20	4	0.91	329	<1	21	476	121	4.74	6	14	<10	146	1907	<2	31	10	8	689
138884	1004739	0.107	<1	4.81	27	559	2	6	1.74	<4	14	67	32	2.36	0.18	8	1.14	487	<1	44	493	33	5.16	6	9	<10	168	2489	10	61	<10	11	64
138885	1004740	4.843	5	4.47	15	276	2	13	2.61	5	26	63	97	4.26	0.30	6	1.75	751	7	50	811	17	5.11	5	7	<10	332	3794	8	117	<10	15	84
138886	1004741	0.165	<1	4.60	46	460	2	10	1.50	<4	22	121	43	3.16	0.17	16	1.08	568	6	65	479	18	5.78	7	<5	<10	144	2834	<2	94	<10	13	46
138887	1004742	0.150	<1	3.34	36	448	2	9	1.48	<4	19	122	67	3.17	0.34	<1	1.24	596	<1	70	481	37	4.49	6	5	<10	161	2537	7	87	<10	16	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138888	1004743	0.067	<1	4.86	36	620	2	8	1.68	<4	14	63	33	2.03	0.30	6	1.18	490	<1	40	489	37	4.93	6	17	<10	177	2194	12	58	<10	11	74
138889	1004744	0.107	<1	4.44	44	515	2	16	0.68	<4	7	17	11	1.51	0.26	2	0.77	215	<1	26	501	21	5.26	5	10	<10	143	1719	<2	31	<10	8	31
138890D	1004744	0.113	<1	3.96	41	522	2	11	0.66	<4	8	15	11	1.61	0.21	2	0.75	221	<1	26	485	22	5.05	5	8	<10	144	1709	<2	32	<10	7	31
138891	1004745	0.166	<1	3.78	42	439	2	8	0.28	<4	8	14	11	1.32	0.12	<1	0.62	133	2	26	451	15	5.28	5	15	<10	116	1686	<2	31	<10	7	38
138892	1004746	0.130	<1	4.22	37	414	2	9	0.44	<4	8	15	13	1.31	0.09	3	0.64	147	5	25	448	16	5.60	<5	9	<10	126	1626	<2	34	<10	8	32
138893	1004747	0.058	<1	5.67	22	377	3	6	1.84	<4	7	15	20	1.39	<0.01	9	1.21	456	5	23	493	16	5.33	<5	12	<10	175	1693	11	35	<10	9	56
138894	1004748	0.126	<1	3.12	43	350	2	<1	<0.01	<4	7	16	19	1.33	0.20	<1	0.49	<100	<1	23	461	14	3.87	5	13	<10	91	1477	<2	35	<10	7	35
138895	1004749	0.134	<1	2.52	38	335	2	7	<0.01	<4	8	11	18	1.33	<0.01	<1	0.45	<100	<1	21	426	13	4.60	<5	7	<10	91	1355	<2	32	<10	6	33
138896	1004750	0.010	<1	3.28	13	364	2	9	1.11	<4	11	37	19	1.85	0.15	<1	0.85	354	<1	30	420	6	4.70	<5	8	<10	252	1686	<2	60	33	13	32
138897	1004751	0.077	<1	2.80	47	321	2	1	<0.01	<4	13	29	86	1.22	0.10	<1	0.45	<100	<1	26	412	19	4.26	5	13	<10	92	1385	<2	42	<10	7	247
138898	1004752	0.387	<1	2.75	114	314	2	13	<0.01	7	13	71	196	1.89	0.15	<1	0.45	<100	<1	50	517	63	4.78	20	<5	<10	90	1201	<2	60	17	9	1344
138899	1004753	0.229	<1	2.72	57	305	2	12	<0.01	<4	5	15	42	0.89	0.07	<1	0.47	<100	<1	24	322	65	4.58	10	12	<10	88	1189	<2	29	12	7	852
138900	1004754	0.120	<1	2.73	48	387	2	7	0.20	<4	7	12	13	1.39	0.19	<1	0.62	151	<1	22	341	25	4.53	<5	7	<10	88	1340	<2	29	<10	7	84
138901D	1004754	0.096	<1	2.54	46	394	2	7	0.24	<4	8	12	13	1.44	0.11	<1	0.62	153	<1	26	340	25	4.63	<5	12	<10	92	1378	<2	29	<10	7	78
138902	1004755	0.035	<1	3.43	14	463	2	5	0.90	<4	7	14	13	1.13	0.06	<1	0.86	370	<1	37	372	39	4.94	7	10	<10	112	1510	<2	31	<10	7	111
138903	1004756	0.040	<1	4.54	30	453	2	8	1.45	<4	7	15	10	1.56	0.07	<1	1.07	714	<1	24	391	47	4.59	<5	9	<10	121	1507	10	31	<10	8	156
138904	1004757	0.041	3	4.09	15	465	2	3	1.55	10	8	18	34	1.73	0.05	<1	1.14	786	<1	22	389	1131	4.31	7	14	<10	119	1597	3	34	33	8	2525
138905	1004758	0.011	<1	3.47	7	485	2	11	1.32	<4	6	16	20	1.27	0.04	<1	1.05	665	<1	19	371	59	3.68	6	16	<10	112	1484	8	32	<10	8	90
138906	1004759	0.005	<1	3.42	12	527	2	6	1.49	<4	5	17	16	1.08	0.12	<1	1.09	595	<1	23	328	28	4.14	5	14	<10	122	1321	8	28	<10	8	72
138907	1004760	1.103	<1	2.80	19	457	<2	14	1.14	<4	12	39	487	2.97	0.07	<1	0.95	450	12	32	543	51	4.15	7	8	<10	253	1763	<2	90	22	14	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138908	1004761	0.018	<1	4.08	8	1009	2	10	1.94	<4	6	18	45	1.36	0.16	<1	1.22	672	<1	26	382	103	4.56	5	13	<10	148	1500	5	33	<10	8	72
138909	1004762	0.052	<1	4.32	19	615	2	10	1.59	<4	6	15	28	1.26	0.27	2	1.12	625	<1	23	394	45	4.46	5	8	<10	133	1634	23	32	<10	8	91
138910	1004763	0.230	<1	3.15	29	402	2	7	1.01	5	6	14	30	1.31	0.09	1	0.96	463	<1	23	365	30	4.42	7	15	<10	111	1466	6	31	16	7	1072
138911	1004764	0.017	<1	6.11	15	489	2	9	2.29	<4	7	14	73	1.67	0.40	7	1.50	971	2	26	436	30	4.93	<5	11	<10	145	1805	22	36	14	10	127
138912D	1004764	0.025	<1	6.50	12	521	2	2	2.49	<4	8	15	78	1.78	0.35	10	1.59	1039	3	27	464	35	5.01	<5	17	<10	156	1921	10	38	12	10	121
138913	1004765	0.048	<1	4.49	25	484	2	12	1.85	<4	7	15	15	1.41	0.25	2	1.31	744	<1	23	400	22	4.45	6	14	<10	130	1541	16	33	<10	9	47
138914	1004766	0.041	<1	4.76	23	466	2	6	1.91	<4	7	13	16	1.41	0.27	3	1.39	774	<1	25	395	21	4.06	5	9	<10	133	1583	11	32	<10	9	49
138915	1004767	1.119	<1	4.21	39	392	2	7	1.39	<4	6	15	172	1.67	0.17	3	1.16	572	<1	26	374	14	5.23	5	14	<10	127	1418	4	31	<10	9	397
138916	1004768	0.029	<1	5.78	15	472	2	15	1.72	<4	8	19	16	1.68	0.22	9	1.80	559	<1	23	461	15	5.02	5	14	<10	184	1841	6	37	<10	10	133
138917	1004769	0.065	<1	4.08	8	116	2	17	5.34	4	9	21	198	4.83	0.32	1	4.55	2216	<1	26	433	15	5.80	8	12	<10	140	1188	10	36	644	13	155
138918	1004770	0.009	<1	3.84	6	428	2	21	1.28	<4	12	43	22	2.14	0.18	<1	0.93	416	<1	31	472	6	4.60	7	13	<10	283	1978	<2	69	37	15	35
138919	1004771	0.090	<1	5.30	28	362	2	8	2.81	5	9	35	78	2.13	0.24	4	1.71	984	4	34	414	43	5.34	7	13	<10	150	1668	11	41	24	11	910
138920	1004772	0.022	<1	4.64	8	437	2	6	1.41	<4	8	26	10	1.67	0.32	5	1.69	504	<1	26	422	12	4.50	5	11	<10	154	1704	10	37	<10	9	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138748	1004615	21	<0.001	0.021
138749	1004616	46	0.001	0.046
138750	1004617	13	<0.001	0.013
138751	1004618	27	<0.001	0.027
138752	1004619	6	<0.001	0.006
138753	1004620	5033	0.147	5.033
138754	1004621	22	<0.001	0.022
138755	1004622	19	<0.001	0.019
138756	1004623	30	<0.001	0.030
138757	1004624	43	0.001	0.043
138758 Dup	1004624	39	0.001	0.039
138759	1004625	17	<0.001	0.017
138760	1004626	22	<0.001	0.022
138761	1004627	31	<0.001	0.031
138762	1004628	98	0.003	0.098
138763	1004629	32	<0.001	0.032
138764	1004630	<5	<0.001	<0.005
138765	1004631	94	0.003	0.094
138766	1004632	16	<0.001	0.016
138767	1004633	23	<0.001	0.023
138768	1004634	17	<0.001	0.017
138769 Dup	1004634	14	<0.001	0.014
138770	1004635	39	0.001	0.039
138771	1004636	49	0.001	0.049
138772	1004637	52	0.002	0.052
138773	1004638	22	<0.001	0.022
138774	1004639	32	<0.001	0.032
138775	1004640	1086	0.032	1.086
138776	1004641	22	<0.001	0.022
138777	1004642	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138778	1004643	15	<0.001	0.015
138779	1004644	17	<0.001	0.017
138780 Dup	1004644	13	<0.001	0.013
138781	1004645	10	<0.001	0.010
138782	1004646	11	<0.001	0.011
138783	1004647	16	<0.001	0.016
138784	1004648	20	<0.001	0.020
138785	1004649	26	<0.001	0.026
138786	1004650	7	<0.001	0.007
138787	1004651	26	<0.001	0.026
138788	1004652	12	<0.001	0.012
138789	1004653	19	<0.001	0.019
138790	1004654	19	<0.001	0.019
138791 Dup	1004654	39	0.001	0.039
138792	1004655	99	0.003	0.099
138793	1004656	46	0.001	0.046
138794	1004657	27	<0.001	0.027
138795	1004658	28	<0.001	0.028
138796	1004659	11	<0.001	0.011
138797	1004660	247	0.007	0.247
138798	1004661	131	0.004	0.131
138799	1004662	204	0.006	0.204
138800	1004663	277	0.008	0.277
138801	1004664	291	0.008	0.291
138802 Dup	1004664	263	0.008	0.263
138803	1004665	395	0.012	0.395
138804	1004666	193	0.006	0.193
138805	1004667	985	0.029	0.985
138806	1004668	577	0.017	0.577
138807	1004669	570	0.017	0.570

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138808	1004670	9	<0.001	0.009
138809	1004671	203	0.006	0.203
138810	1004672	333	0.010	0.333
138811	1004673	140	0.004	0.140
138812	1004674	161	0.005	0.161
138813 Rep	1004674	166	0.005	0.166
138814	1004675	277	0.008	0.277
138815	1004676	743	0.022	0.743
138816	1004677	245	0.007	0.245
138817	1004678	696	0.020	0.696
138818	1004679	1273	0.037	1.273
138819	1004680	4906	0.143	4.906
138820	1004681	491	0.014	0.491
138821	1004682	325	0.009	0.325
138822	1004683	86	0.003	0.086
138823	1004684	119	0.003	0.119
138824 Dup	1004684	99	0.003	0.099
138825	1004685	450	0.013	0.450
138826	1004686	265	0.008	0.265
138827	1004687	576	0.017	0.576
138828	1004688	110	0.003	0.110
138829	1004689	31671	0.924	31.671
138830	1004690	<5	<0.001	<0.005
138831	1004691	1081	0.032	1.081
138832	1004692	19	<0.001	0.019
138833	1004693	20	<0.001	0.020
138834	1004694	10	<0.001	0.010
138835 Dup	1004694	11	<0.001	0.011
138836	1004695	18	<0.001	0.018
138837	1004696	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138838	1004697	13	<0.001	0.013
138839	1004698	149	0.004	0.149
138840	1004699	62	0.002	0.062
138841	1004700	1143	0.033	1.143
138842	1004701	65	0.002	0.065
138843	1004702	61	0.002	0.061
138844	1004703	85	0.002	0.085
138845	1004704	47	0.001	0.047
138846 Dup	1004704	58	0.002	0.058
138847	1004705	124	0.004	0.124
138848	1004706	74	0.002	0.074
138849	1004707	24	<0.001	0.024
138850	1004708	13	<0.001	0.013
138851	1004709	14	<0.001	0.014
138852	1004710	<5	<0.001	<0.005
138853	1004711	6	<0.001	0.006
138854	1004712	10	<0.001	0.010
138855	1004713	8	<0.001	0.008
138856	1004714	<5	<0.001	<0.005
138857 Dup	1004714	12	<0.001	0.012
138858	1004715	<5	<0.001	<0.005
138859	1004716	10	<0.001	0.010
138860	1004717	12	<0.001	0.012
138861	1004718	27	<0.001	0.027
138862	1004719	26	<0.001	0.026
138863	1004720	243	0.007	0.243
138864	1004721	16	<0.001	0.016
138865	1004722	7	<0.001	0.007
138866	1004723	12	<0.001	0.012
138867	1004724	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138868 Dup	1004724	17	<0.001	0.017
138869	1004725	10	<0.001	0.010
138870	1004726	11	<0.001	0.011
138871	1004727	17	<0.001	0.017
138872	1004728	131	0.004	0.131
138873	1004729	19	<0.001	0.019
138874	1004730	<5	<0.001	<0.005
138875	1004731	24	<0.001	0.024
138876	1004732	8	<0.001	0.008
138877	1004733	9	<0.001	0.009
138878	1004734	7	<0.001	0.007
138879 Rep	1004734	<5	<0.001	<0.005
138880	1004735	31	<0.001	0.031
138881	1004736	36	0.001	0.036
138882	1004737	83	0.002	0.083
138883	1004738	434	0.013	0.434
138884	1004739	107	0.003	0.107
138885	1004740	4843	0.141	4.843
138886	1004741	165	0.005	0.165
138887	1004742	150	0.004	0.150
138888	1004743	67	0.002	0.067
138889	1004744	107	0.003	0.107
138890 Dup	1004744	113	0.003	0.113
138891	1004745	166	0.005	0.166
138892	1004746	130	0.004	0.130
138893	1004747	58	0.002	0.058
138894	1004748	126	0.004	0.126
138895	1004749	134	0.004	0.134
138896	1004750	10	<0.001	0.010
138897	1004751	77	0.002	0.077

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142049  
 Reference: TL11169  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138898	1004752	387	0.011	0.387
138899	1004753	229	0.007	0.229
138900	1004754	120	0.004	0.120
138901 Dup	1004754	96	0.003	0.096
138902	1004755	35	0.001	0.035
138903	1004756	40	0.001	0.040
138904	1004757	41	0.001	0.041
138905	1004758	11	<0.001	0.011
138906	1004759	5	<0.001	0.005
138907	1004760	1103	0.032	1.103
138908	1004761	18	<0.001	0.018
138909	1004762	52	0.002	0.052
138910	1004763	230	0.007	0.230
138911	1004764	17	<0.001	0.017
138912 Dup	1004764	25	<0.001	0.025
138913	1004765	48	0.001	0.048
138914	1004766	41	0.001	0.041
138915	1004767	1119	0.033	1.119
138916	1004768	29	<0.001	0.029
138917	1004769	65	0.002	0.065
138918	1004770	9	<0.001	0.009
138919	1004771	90	0.003	0.090
138920	1004772	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/16/2011  
 Date Completed: 06/22/2011  
 Job #: 201142236  
 Reference: TL 11169  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
149843	1004689	18.126	18.864	409.224	34.790	4.17%	42.5

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138578	1004460	1.163	1	3.87	21	448	<2	<1	1.60	<4	15	51	572	3.53	<0.01	12	1.04	548	23	33	625	70	0.58	<5	<5	<10	193	1495	4	99	25	14	195
138579	1004461	0.118	1	4.57	4	490	<2	1	2.08	<4	10	32	46	2.14	0.09	13	0.93	637	3	38	639	10	0.87	<5	11	<10	311	2489	7	41	<10	8	273
138580	1004462	1.649	8	3.45	6	331	<2	<1	1.49	6	12	30	746	2.39	0.15	12	0.92	631	<1	33	621	10	1.38	<5	11	<10	308	2287	6	39	13	7	1388
138581	1004463	0.657	5	3.60	7	416	<2	1	1.10	4	12	22	157	2.42	<0.01	14	1.14	826	<1	25	719	11	1.55	<5	7	<10	240	2203	2	43	13	7	1292
138582	1004464	0.033	<1	2.21	3	394	<2	1	1.63	<4	12	22	29	2.45	<0.01	9	1.18	759	<1	26	690	7	1.26	<5	7	<10	229	2726	7	43	<10	7	207
138583	1004465	0.022	<1	4.89	4	452	<2	<1	1.59	<4	12	23	29	2.28	0.04	16	1.30	590	<1	24	690	9	0.54	<5	14	<10	378	2328	6	42	<10	7	296
138584	1004466	0.025	<1	2.86	3	424	<2	1	1.11	<4	11	20	33	2.31	<0.01	13	1.30	623	<1	21	668	14	0.62	<5	8	<10	265	2243	6	42	<10	6	294
138585	1004467	0.589	10	3.15	<2	404	<2	<1	1.26	27	10	24	1589	2.39	<0.01	13	1.33	885	<1	31	647	1228	1.50	5	<5	<10	289	2137	6	39	100	6	10755
138586	1004468	0.400	2	3.00	7	373	<2	<1	1.37	<4	11	22	189	2.24	<0.01	12	1.15	757	<1	25	652	39	0.63	<5	6	<10	258	2090	5	41	<10	6	656
138587	1004469	0.018	<1	3.12	11	245	<2	<1	0.94	<4	4	20	23	1.24	1.08	13	1.26	615	<1	27	306	188	0.39	<5	10	<10	113	1014	8	18	<10	4	469
138588D	1004469	0.020	1	3.10	14	379	2	4	1.03	<4	4	23	21	1.09	1.09	13	0.95	575	20	29	285	170	0.57	<5	9	<10	189	1422	4	24	<10	3	400
138589	1004470	0.007	<1	<0.01	5	427	2	16	1.01	<4	12	49	22	2.04	2.42	9	0.57	461	7	31	472	9	0.07	<5	7	<10	230	1916	2	73	39	6	52
138590	1004471	0.036	2	<0.01	5	465	2	5	1.04	<4	16	105	39	2.72	2.05	16	1.01	606	19	64	399	96	1.48	<5	<5	<10	212	2031	<2	81	<10	5	118
138591	1004472	0.027	2	<0.01	7	455	2	9	1.02	<4	15	104	38	2.68	2.04	15	1.00	591	18	63	393	90	1.46	<5	<5	<10	211	1982	9	80	<10	5	116
138592	1004473	0.023	<1	<0.01	<2	570	2	16	0.45	<4	7	40	16	1.20	1.99	11	0.43	235	7	33	345	22	0.73	<5	7	<10	188	1434	<2	40	<10	3	54
138593	1004474	0.016	1	<0.01	<2	395	<2	<1	0.25	<4	5	63	14	0.78	2.29	3	0.29	138	14	47	236	18	0.61	<5	<5	<10	156	868	2	34	<10	3	30
138594	1004475	0.021	<1	5.05	6	474	<2	1	0.49	<4	17	89	44	1.66	0.09	11	0.45	155	8	80	565	17	0.94	<5	14	<10	135	850	3	51	<10	11	307
138595	1004476	0.011	1	7.85	12	814	2	<1	0.44	<4	8	37	16	0.60	0.29	22	0.41	<100	19	46	452	16	0.23	5	20	<10	183	1497	2	37	<10	6	712
138596	1004477	0.016	<1	2.16	5	341	<2	<1	0.33	<4	5	24	12	0.62	<0.01	7	0.35	123	<1	30	429	4	0.26	5	12	<10	66	730	8	18	<10	5	57
138597	1004478	0.027	<1	2.12	9	363	<2	<1	0.50	<4	8	24	13	1.79	<0.01	14	0.74	354	<1	27	468	7	0.69	5	12	<10	93	1227	8	27	<10	6	85

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138598	1004479	0.020	<1	2.68	3	450	<2	<1	1.03	<4	11	53	20	2.15	0.04	16	0.94	400	<1	36	436	11	0.42	<5	11	<10	148	1602	6	42	<10	8	82
138599D	1004479	0.018	<1	2.63	<2	449	<2	2	1.11	<4	12	55	21	2.27	<0.01	14	0.97	420	<1	38	461	10	0.51	<5	11	<10	161	1671	8	44	<10	8	83
138600	1004480	0.253	353	2.74	4750	72	2	<1	2.22	140	17	46	520	8.25	0.20	7	0.89	1406	11	28	525	9537	7.25	24	15	13	166	1265	2	89	130	12	13475
138601	1004481	0.076	1	4.23	23	259	<2	<1	1.30	<4	15	47	31	2.55	<0.01	20	1.01	500	<1	46	502	23	1.08	<5	14	<10	197	1754	5	48	<10	8	111
138602	1004482	0.139	2	7.27	23	273	2	<1	2.35	<4	25	67	48	5.56	0.06	30	1.45	911	5	60	621	24	3.03	<5	10	<10	274	2810	2	76	<10	12	159
138603	1004483	0.116	<1	4.92	13	308	2	<1	1.42	<4	13	41	42	2.51	0.05	23	1.02	547	2	32	488	54	0.81	<5	13	<10	173	1978	12	45	<10	9	201
138604	1004484	0.096	1	6.18	<2	291	2	2	1.61	<4	23	136	51	4.16	0.13	28	1.71	530	6	79	514	29	0.63	<5	7	<10	120	1722	5	77	<10	12	108
138605	1004485	0.567	2	3.63	5	253	2	<1	1.44	<4	16	113	40	3.13	<0.01	14	1.19	591	<1	84	420	42	0.87	<5	<5	<10	102	1424	<2	55	<10	11	123
138606	1004486	0.061	2	4.19	7	267	2	<1	1.39	<4	19	123	50	3.41	0.06	16	1.20	552	7	97	561	38	0.91	5	12	<10	107	1490	5	59	<10	12	117
138607	1004487	0.213	3	5.22	68	299	<2	<1	1.47	<4	22	109	61	3.44	<0.01	16	1.14	728	8	86	456	138	2.48	<5	14	<10	77	1556	2	66	<10	14	541
138608	1004488	0.116	2	2.61	31	319	<2	<1	0.72	<4	12	72	55	1.89	<0.01	8	0.73	386	<1	84	367	188	0.93	<5	<5	<10	55	1053	4	30	<10	8	416
138609	1004489	0.054	1	3.70	9	396	2	<1	1.66	<4	22	125	67	3.78	<0.01	16	1.40	757	<1	112	514	42	1.16	<5	<5	<10	84	1784	7	57	<10	14	150
138610D	1004489	0.042	2	3.90	8	414	2	<1	1.69	<4	23	128	67	3.82	0.01	17	1.43	773	<1	115	532	41	1.08	<5	7	<10	89	1888	10	59	<10	15	148
138611	1004490	<0.005	<1	0.43	3	240	<2	<1	1.07	<4	12	50	23	2.30	<0.01	6	0.79	448	<1	31	487	9	0.09	<5	7	<10	108	1388	<2	69	38	12	71
138612	1004491	0.017	<1	1.78	21	223	<2	<1	0.57	<4	5	22	14	1.24	<0.01	7	0.67	388	<1	31	360	16	0.66	<5	8	<10	54	923	4	18	<10	5	50
138613	1004492	0.020	<1	5.58	24	492	<2	1	0.86	<4	5	27	3	1.46	0.10	18	0.65	239	11	41	328	56	1.22	<5	11	<10	112	1268	<2	24	<10	5	77
138614	1004493	0.009	<1	2.90	20	372	<2	<1	0.53	<4	5	13	2	1.36	<0.01	8	0.32	<100	<1	18	306	31	1.37	<5	8	<10	83	1016	<2	20	<10	4	102
138615	1004494	0.014	<1	2.25	14	297	<2	<1	0.48	<4	6	22	10	1.12	<0.01	8	0.49	210	<1	27	339	23	0.74	<5	10	<10	74	938	3	21	<10	5	81
138616	1004495	0.044	<1	5.33	3	308	2	1	2.22	<4	20	126	39	3.58	0.04	21	1.48	657	<1	75	461	24	0.76	<5	8	<10	173	1755	<2	68	<10	13	105
138617	1004496	0.552	<1	4.09	3	289	2	<1	1.57	<4	24	138	49	4.24	<0.01	21	1.64	604	<1	89	492	20	0.71	<5	<5	<10	137	1908	5	80	<10	12	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138618	1004497	0.190	<1	4.70	<2	309	2	2	0.78	<4	26	142	53	4.29	0.08	22	1.61	533	<1	99	535	25	0.40	<5	9	<10	119	1584	6	93	<10	11	112
138619	1004498	0.140	<1	4.95	2	300	2	1	1.57	<4	23	133	49	4.08	<0.01	25	1.67	567	<1	79	518	21	0.39	<5	12	<10	178	1647	10	80	<10	11	109
138620	1004499	0.020	<1	2.05	8	394	<2	<1	0.49	<4	5	19	14	0.61	<0.01	9	0.39	118	<1	20	427	11	0.21	5	13	<10	112	887	<2	20	<10	5	46
138621D	1004499	0.015	<1	2.06	11	289	<2	<1	0.10	<4	4	17	14	0.58	<0.01	6	0.35	111	<1	20	411	7	0.21	<5	<5	<10	43	702	6	16	<10	4	47
138622	1004500	4.781	9	3.03	8	215	2	<1	2.13	<4	26	46	103	4.34	<0.01	13	1.79	813	<1	51	873	24	0.70	<5	<5	<10	181	1307	15	101	<10	14	128
138623	1004501	0.029	<1	0.96	18	307	<2	<1	0.18	<4	6	29	8	0.70	<0.01	11	0.43	<100	<1	32	379	6	0.43	<5	9	<10	64	912	3	21	<10	4	66
138624	1004502	0.021	<1	1.65	20	317	<2	<1	0.47	<4	6	26	9	0.71	0.03	12	0.50	119	<1	37	395	8	0.34	<5	8	<10	92	947	2	21	<10	4	58
138625	1004503	0.018	<1	5.82	32	494	2	<1	1.31	<4	10	29	11	1.23	0.14	22	0.63	147	6	29	467	17	0.97	6	22	<10	276	1400	9	34	<10	7	67
138626	1004504	0.018	<1	3.06	15	385	<2	<1	0.94	<4	8	35	23	1.11	<0.01	16	0.60	170	<1	36	510	11	0.70	<5	20	<10	176	1362	5	35	<10	7	80
138627	1004505	0.019	<1	0.21	5	308	<2	2	0.18	<4	6	12	8	0.51	<0.01	7	0.44	103	<1	22	404	6	0.12	<5	10	<10	74	902	9	18	<10	3	43
138628	1004506	0.017	<1	5.81	5	507	<2	<1	1.67	<4	7	14	8	0.54	0.26	19	0.49	101	5	20	403	10	0.07	<5	15	<10	398	1353	6	28	<10	5	46
138629	1004507	0.033	<1	1.54	5	349	<2	<1	0.65	<4	8	26	22	0.86	<0.01	9	0.51	123	<1	27	396	5	0.29	<5	7	<10	135	950	8	28	<10	6	55
138630	1004508	0.034	<1	2.62	<2	344	<2	<1	0.86	<4	7	14	13	1.78	<0.01	15	0.77	268	<1	20	450	6	0.36	<5	<5	<10	146	1353	5	30	<10	6	81
138631	1004509	0.024	<1	2.44	<2	271	<2	<1	0.69	<4	9	16	14	1.78	<0.01	13	0.72	313	<1	32	481	9	0.34	<5	11	<10	134	1142	5	26	<10	6	112
138632D	1004509	0.022	<1	2.44	3	288	<2	<1	0.63	<4	8	18	14	1.86	<0.01	14	0.77	330	<1	33	498	14	0.31	<5	12	<10	121	1178	<2	28	<10	7	116
138633	1004510	<0.005	<1	1.32	5	291	<2	<1	1.24	<4	13	54	25	2.42	<0.01	9	0.85	477	<1	32	517	9	0.07	<5	<5	<10	137	1504	4	73	38	13	85
138634	1004511	0.067	<1	1.83	7	248	<2	<1	0.64	<4	8	16	28	1.73	<0.01	9	0.67	309	<1	29	483	10	0.42	5	<5	<10	122	1093	6	24	<10	6	90
138635	1004512	0.048	<1	2.98	7	322	<2	<1	1.01	<4	7	13	66	1.72	0.03	13	0.80	533	<1	22	491	42	0.58	<5	15	<10	117	1347	6	26	<10	6	194
138636	1004513	0.054	<1	2.81	4	319	<2	<1	1.17	<4	7	26	20	1.58	0.03	10	0.63	440	2	40	489	27	0.47	<5	10	<10	124	1192	5	22	<10	6	143
138637	1004514	0.068	1	6.17	9	377	2	<1	1.53	<4	7	22	23	1.68	0.19	18	0.71	471	8	36	570	38	0.56	<5	12	<10	181	1460	5	27	<10	8	111

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138638	1004515	0.054	<1	3.87	12	371	<2	<1	0.51	<4	6	12	39	1.32	<0.01	13	0.48	265	<1	19	474	43	0.68	<5	15	<10	102	1347	4	26	<10	6	279
138639	1004516	0.025	<1	6.03	3	488	2	<1	1.34	<4	7	16	25	1.76	0.28	17	0.61	408	3	25	504	21	0.34	<5	17	<10	182	1897	3	36	<10	7	82
138640	1004517	0.035	<1	4.44	5	371	<2	<1	1.22	<4	8	25	20	1.77	0.06	17	0.72	375	5	33	459	9	0.31	<5	15	<10	127	1500	9	28	<10	8	71
138641	1004518	0.019	<1	5.51	3	533	2	1	2.31	<4	9	36	17	2.14	0.08	17	1.07	509	<1	40	502	11	0.33	<5	10	<10	195	1574	3	35	<10	8	81
138642	1004519	0.023	<1	5.53	13	559	<2	<1	1.46	<4	13	36	13	1.42	0.25	18	0.65	334	11	75	667	8	0.40	<5	22	<10	173	1585	2	38	<10	7	65
138643R	1004519	0.032	1	5.58	14	541	<2	<1	1.27	<4	13	26	13	1.31	0.34	20	0.65	314	9	52	638	11	0.36	<5	21	<10	159	1645	8	37	<10	7	69
138644	1004520	1.282	1	2.96	21	421	<2	<1	1.59	<4	16	55	634	3.85	<0.01	11	1.09	596	20	35	681	81	0.66	<5	<5	<10	167	1577	15	107	24	14	191
138645	1004521	0.044	<1	2.13	22	288	<2	<1	0.72	<4	22	26	39	1.42	<0.01	12	0.68	451	<1	58	692	11	0.59	<5	8	<10	69	1346	7	32	<10	7	562
138646	1004522	0.055	1	6.81	37	597	<2	<1	1.44	<4	34	37	48	1.30	0.28	18	0.67	362	10	87	733	35	0.67	5	21	<10	180	2029	8	43	<10	7	409
138647	1004523	0.078	<1	4.59	22	268	<2	<1	1.59	<4	6	27	18	1.59	<0.01	17	0.87	596	3	50	688	27	1.14	<5	12	<10	126	1370	9	27	<10	7	136
138648	1004524	0.023	<1	4.95	14	160	<2	<1	2.06	7	13	21	40	1.04	0.02	14	0.78	560	3	44	647	29	0.48	<5	14	<10	133	1342	5	26	21	7	1529
138649	1004525	0.023	1	3.76	15	131	2	<1	2.40	<4	13	18	35	0.82	<0.01	10	0.60	512	<1	43	698	30	0.35	5	13	<10	55	1200	9	21	11	7	657
138650	1004526	0.035	2	5.65	16	173	2	<1	2.80	<4	16	30	16	1.01	0.16	14	0.67	455	9	66	778	28	0.43	<5	16	<10	89	1409	8	25	<10	8	247
138651	1004527	0.027	<1	1.03	4	106	3	<1	0.96	<4	11	41	34	1.28	<0.01	5	0.44	579	3	80	490	52	0.56	<5	6	<10	46	833	6	18	<10	5	155
138652	1004528	0.014	<1	4.92	8	269	<2	<1	2.13	<4	17	25	41	1.18	0.14	12	0.92	523	<1	57	691	54	0.31	<5	16	<10	116	1312	6	24	<10	6	158
138653	1004529	1.742	<1	4.62	18	285	2	<1	1.97	<4	10	18	33	1.34	0.06	14	1.01	549	<1	37	660	37	0.56	<5	15	<10	101	1361	11	23	<10	6	399
138654D	1004529	1.672	1	5.04	15	301	<2	<1	2.02	<4	10	21	36	1.36	0.19	15	1.00	542	<1	42	662	36	0.50	<5	19	<10	104	1334	9	23	<10	6	469
138655	1004530	0.010	<1	2.03	8	342	<2	<1	1.36	<4	13	55	32	2.47	<0.01	9	0.87	484	<1	32	523	10	0.11	<5	5	<10	164	1541	<2	75	44	13	324
138656	1004531	0.032	1	4.55	15	254	2	2	2.12	<4	7	12	48	1.19	<0.01	10	1.05	576	<1	22	693	28	0.48	<5	14	<10	102	1331	10	22	<10	6	209
138657	1004532	0.035	4	6.54	22	334	2	2	2.25	<4	5	19	32	1.58	0.13	17	1.02	576	4	37	647	733	0.72	6	18	<10	129	1538	2	27	<10	7	423

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138658	1004533	0.011	<1	3.95	17	223	<2	2	1.97	<4	6	11	30	1.66	<0.01	13	1.28	787	<1	20	616	52	0.61	<5	11	<10	95	1283	13	27	<10	7	128
138659	1004534	0.007	<1	2.75	3	315	<2	<1	0.84	<4	6	13	11	1.22	<0.01	11	0.86	502	<1	28	578	11	0.20	<5	11	<10	71	1309	11	27	<10	6	75
138660	1004535	0.011	<1	3.29	8	327	<2	<1	0.92	<4	7	28	18	1.51	0.05	15	1.05	596	<1	32	573	21	0.51	<5	12	<10	67	1481	8	31	<10	7	108
138661	1004536	0.068	4	2.74	24	278	<2	<1	0.46	4	8	15	57	1.61	<0.01	11	0.80	536	<1	30	491	392	1.12	<5	11	<10	63	1352	3	24	15	5	1455
138662	1004537	0.348	11	4.18	35	364	2	<1	0.22	6	7	13	216	2.26	0.12	10	0.40	135	2	24	358	1061	2.47	7	13	<10	85	1229	3	25	20	4	1919
138663	1004538	0.006	<1	1.98	5	303	<2	<1	0.24	<4	4	12	22	0.85	<0.01	10	0.60	432	<1	24	414	75	0.40	<5	10	<10	41	1092	2	18	<10	4	144
138664	1004539	0.013	<1	2.24	5	185	<2	<1	0.34	<4	3	7	12	0.61	0.02	7	0.37	236	<1	13	262	21	0.32	<5	5	<10	56	725	<2	15	<10	3	78
138665D	1004539	0.014	<1	2.08	9	294	<2	<1	0.27	<4	5	16	23	1.21	<0.01	12	0.71	474	<1	29	517	36	0.68	<5	9	<10	51	1243	9	26	<10	5	132
138666	1004540	0.238	359	3.97	4466	62	2	2	2.11	133	17	47	506	7.89	0.08	9	0.90	1351	14	27	494	9595	6.59	33	23	12	180	1269	<2	95	133	12	13457
138667	1004541	0.036	1	2.22	12	261	<2	<1	0.41	<4	4	13	65	1.49	<0.01	11	0.78	589	<1	22	565	55	0.72	<5	15	<10	64	1336	11	26	<10	5	201
138668	1004542	0.050	<1	2.39	6	310	<2	<1	0.36	<4	3	14	37	1.19	<0.01	12	0.75	638	<1	20	447	55	0.47	<5	6	<10	58	1267	11	26	<10	5	141
138669	1004543	0.743	2	4.93	5	308	<2	<1	0.85	<4	16	10	107	1.84	<0.01	13	0.80	784	<1	18	467	233	0.82	<5	16	<10	132	1473	4	30	<10	5	319
138670	1004544	0.138	1	5.64	6	335	<2	<1	0.78	<4	5	10	64	1.49	0.34	15	0.77	681	<1	14	474	61	0.59	<5	18	<10	128	1607	8	30	<10	5	183
138671	1004545	0.023	1	2.83	5	281	<2	<1	0.48	<4	6	16	76	1.98	<0.01	15	0.95	907	<1	20	399	47	1.00	<5	9	<10	60	1396	3	27	<10	6	308
138672	1004546	0.042	2	3.36	5	283	<2	2	0.71	<4	6	19	79	2.09	<0.01	17	1.01	1031	<1	22	436	49	1.01	<5	9	<10	66	1454	11	28	<10	6	341
138673	1004547	0.046	5	2.47	2	308	<2	<1	0.38	<4	6	15	58	1.87	<0.01	17	1.01	1015	<1	25	657	27	0.66	<5	8	<10	44	1298	3	28	<10	6	145
138674	1004548	0.105	1	4.66	21	473	<2	2	0.90	<4	8	16	63	1.88	0.04	16	0.84	710	<1	24	536	56	1.24	<5	9	<10	93	1511	8	29	<10	6	148
138675	1004549	3.411	25	3.51	106	52	2	1	0.06	28	6	13	253	5.79	0.27	8	0.30	165	11	21	314	3255	7.15	27	11	<10	45	1146	5	22	80	7	7586
138676D	1004549	4.523	24	3.14	105	63	2	<1	0.04	26	5	11	237	5.42	0.27	7	0.29	155	9	19	300	3050	6.93	23	13	<10	46	1118	<2	20	73	6	7438
138677	1004550	0.008	<1	3.48	4	391	<2	<1	1.53	<4	14	58	28	2.57	<0.01	11	0.93	510	<1	34	543	20	0.05	<5	13	<10	202	1736	7	81	41	15	100

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138678	1004551	0.206	<1	5.63	28	461	<2	<1	0.94	<4	5	43	36	1.60	0.31	15	0.77	626	7	79	476	40	1.02	<5	14	<10	99	1614	9	30	<10	6	85
138679	1004552	0.238	9	2.66	52	266	<2	<1	0.49	<4	5	34	592	1.92	<0.01	9	0.71	645	<1	63	434	461	1.33	5	11	<10	60	1188	9	23	<10	5	729
138680	1004553	0.870	4	4.17	32	345	2	<1	0.42	<4	6	75	61	1.99	0.11	12	0.51	498	12	133	449	294	1.36	<5	14	<10	70	1466	4	31	11	6	778
138681	1004554	0.430	2	3.40	26	294	<2	<1	0.48	<4	8	22	29	1.75	<0.01	13	0.66	722	<1	30	453	90	1.13	<5	10	<10	58	1567	4	30	<10	6	223
138682	1004555	0.462	<1	5.84	32	455	<2	2	1.41	<4	5	14	40	1.65	0.13	16	0.93	899	<1	26	512	52	0.99	<5	15	<10	109	1798	10	32	<10	5	134
138683	1004556	1.173	<1	3.95	43	353	<2	<1	0.65	<4	8	28	32	2.01	0.03	16	0.86	994	2	43	493	50	1.40	<5	8	<10	65	1704	4	33	<10	7	139
138684	1004557	0.525	2	5.43	34	429	<2	2	0.77	<4	6	21	64	1.68	0.18	19	0.82	672	4	28	507	59	1.17	<5	13	<10	88	1646	10	30	<10	7	183
138685	1004558	10.398	3	2.30	28	331	<2	<1	0.06	<4	5	15	21	1.09	<0.01	9	0.44	227	<1	25	418	153	0.93	<5	12	<10	36	1039	4	20	<10	5	114
138686	1004559	0.176	2	4.08	21	297	<2	<1	0.56	<4	7	23	34	1.67	<0.01	17	0.77	625	<1	23	428	24	0.81	<5	11	<10	75	1713	4	33	<10	7	105
138687D	1004559	0.114	1	3.88	19	291	<2	<1	0.56	<4	9	21	37	1.65	0.02	16	0.76	620	<1	22	436	23	0.85	<5	17	<10	75	1703	8	33	<10	6	108
138688	1004560	4.862	10	4.45	9	253	<2	1	2.37	<4	26	46	108	4.45	0.10	15	1.83	828	<1	51	887	26	0.71	<5	8	<10	228	1588	13	105	<10	15	133
138689	1004561	0.075	1	4.63	19	252	2	<1	1.24	<4	7	21	14	1.50	0.18	16	1.03	784	<1	26	412	55	0.94	<5	16	<10	121	1444	9	28	<10	6	175
138690	1004562	0.146	2	3.92	16	295	<2	1	0.28	<4	2	13	18	0.82	0.05	13	0.51	209	<1	20	323	94	0.58	<5	14	<10	68	1080	<2	19	<10	5	246
138691	1004563	0.026	<1	3.83	8	224	<2	2	1.31	<4	3	16	9	0.81	<0.01	13	1.03	597	<1	25	356	26	0.28	<5	12	<10	143	1005	7	17	<10	4	90
138692	1004564	0.027	1	2.92	8	246	<2	<1	0.82	<4	3	18	14	1.84	<0.01	13	0.84	620	<1	27	427	14	0.64	<5	7	<10	83	1313	7	25	<10	6	85
138693	1004565	0.018	1	4.14	11	310	<2	1	1.30	<4	10	19	19	3.19	<0.01	20	1.13	899	<1	30	486	11	0.99	<5	8	<10	114	1736	2	29	<10	8	124
138694	1004566	0.022	1	4.75	10	323	<2	1	1.39	<4	8	18	20	2.76	0.04	20	1.08	857	<1	25	475	11	0.86	<5	14	<10	122	1776	3	31	<10	8	104
138695	1004567	0.010	1	1.91	5	295	<2	<1	0.67	<4	7	17	21	1.71	<0.01	15	0.92	435	<1	27	724	8	0.46	<5	10	<10	74	1585	4	35	<10	8	70
138696	1004568	0.030	3	5.14	9	609	<2	<1	3.38	<4	25	63	42	3.79	<0.01	21	2.44	664	6	106	2065	45	1.76	<5	8	<10	936	2081	17	81	<10	21	130
138697	1004569	0.009	1	1.74	3	596	<2	2	1.04	<4	8	24	18	2.03	<0.01	17	1.29	597	<1	35	844	20	0.54	<5	13	<10	162	1918	14	46	<10	8	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138698D	1004569	0.011	1	4.65	8	759	<2	<1	1.63	<4	8	22	17	1.97	0.13	21	1.33	590	<1	30	824	24	0.54	<5	12	<10	314	1970	12	48	<10	9	85
138699	1004570	0.007	<1	2.53	4	339	<2	<1	1.33	<4	12	51	24	2.33	0.05	9	0.84	458	<1	29	490	8	0.06	<5	8	<10	169	1473	2	72	33	13	70
138700	1004571	0.010	1	3.33	2	519	<2	<1	0.79	<4	5	14	14	2.04	0.05	17	0.92	557	<1	19	472	10	0.46	<5	8	<10	89	1619	3	32	<10	7	78
138701	1004572	0.020	1	5.18	4	381	2	<1	1.90	<4	5	19	18	2.43	0.06	18	1.10	652	<1	31	471	23	0.60	<5	15	<10	163	1730	10	30	<10	8	102
138702	1004573	0.796	12	3.98	17	319	<2	<1	<0.01	<4	4	20	92	1.11	0.12	10	0.32	<100	<1	31	316	266	0.93	8	11	<10	59	1225	7	24	<10	4	748
138703	1004574	0.059	1	3.10	30	163	<2	<1	0.56	<4	4	19	15	1.35	<0.01	8	0.50	308	<1	34	370	24	1.00	<5	9	<10	59	853	6	17	<10	5	89
138704	1004575	0.034	1	6.46	9	185	2	1	2.17	<4	5	17	8	1.74	0.23	19	1.15	791	2	26	392	13	0.40	5	16	<10	101	1208	13	20	<10	6	69
138705	1004576	0.024	<1	4.94	16	133	<2	<1	1.78	<4	4	12	8	1.52	0.05	14	1.04	809	<1	21	384	21	0.60	<5	13	<10	88	1107	2	18	<10	5	63
138706	1004577	0.038	<1	4.12	35	132	<2	<1	0.86	<4	4	14	7	1.14	<0.01	11	0.61	394	2	24	394	12	0.72	<5	12	<10	62	943	3	16	<10	6	67
138707	1004578	0.019	1	4.56	18	139	<2	<1	1.77	<4	5	12	12	1.81	<0.01	17	0.98	677	<1	23	363	18	0.83	5	12	<10	82	1095	6	18	<10	5	57
138708	1004579	0.010	1	3.53	3	238	<2	2	2.69	<4	4	17	8	1.67	0.14	24	1.25	634	7	25	377	18	0.34	6	16	<10	113	1255	5	22	<10	6	57
138709R	1004579	0.007	<1	4.88	6	152	<2	<1	2.48	<4	3	12	11	1.58	0.10	15	1.19	628	<1	19	353	16	0.42	<5	15	<10	92	1076	12	18	<10	5	55
138710	1004580	1.201	1	3.17	22	453	<2	<1	1.57	<4	16	54	606	3.71	0.01	10	1.05	576	17	34	650	78	0.63	5	6	<10	184	1567	3	106	23	14	153
138711	1004581	0.008	<1	4.81	15	139	<2	<1	2.17	<4	4	13	5	1.35	0.13	13	1.01	583	<1	20	365	13	0.37	<5	13	<10	93	1032	<2	18	<10	5	61
138712	1004582	0.006	<1	6.86	7	172	<2	4	2.19	<4	4	14	3	1.25	0.10	20	1.03	473	6	19	398	10	0.31	<5	18	<10	116	1193	6	20	<10	6	57
138713	1004583	0.008	<1	6.03	11	190	<2	1	2.03	<4	4	19	4	1.06	0.13	17	1.00	434	3	27	379	21	0.27	5	18	<10	114	1080	11	20	<10	6	90
138714	1004584	0.010	<1	7.40	10	298	<2	1	3.10	<4	6	27	6	1.92	0.12	21	1.45	422	1	28	415	11	0.67	<5	17	<10	184	1280	27	28	<10	8	72
138715	1004585	0.029	1	6.98	7	319	2	<1	3.14	<4	10	51	15	2.76	0.11	22	1.45	635	<1	46	413	19	0.88	<5	19	<10	218	1533	12	38	<10	10	83
138716	1004586	0.011	1	7.55	6	320	2	1	3.22	<4	9	37	14	2.73	0.18	23	1.48	630	1	31	430	14	0.82	5	14	<10	226	1598	18	37	<10	10	76
138717	1004587	0.008	<1	4.12	25	340	<2	<1	0.87	<4	9	21	7	1.70	<0.01	18	0.61	180	3	26	578	10	1.48	5	15	<10	122	1486	4	36	<10	7	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138718	1004588	0.006	<1	4.63	28	369	<2	2	0.92	<4	10	15	6	0.97	0.05	19	0.64	151	4	23	522	9	0.69	<5	12	<10	134	1390	3	32	<10	6	58
138719	1004589	0.007	<1	2.15	11	189	<2	<1	0.55	<4	4	6	3	0.49	0.01	10	0.37	<100	<1	10	309	4	0.24	<5	6	<10	61	716	<2	15	<10	3	22
138720D	1004589	0.007	<1	2.11	24	313	<2	<1	0.78	<4	9	10	6	0.91	<0.01	14	0.65	189	<1	20	596	14	0.48	5	11	<10	92	1223	<2	26	<10	5	44
138721	1004590	0.008	<1	2.17	3	344	<2	<1	1.33	<4	13	53	23	2.41	<0.01	8	0.85	468	<1	31	505	7	0.08	<5	5	<10	171	1515	11	73	38	13	72
138722	1004591	0.010	<1	3.47	13	323	<2	<1	1.49	<4	5	16	8	0.96	0.02	15	0.66	216	<1	19	536	7	0.27	<5	9	<10	133	1344	7	24	<10	6	40
138723	1004592	0.010	<1	5.74	7	265	<2	<1	3.10	<4	5	16	9	1.29	0.09	17	1.03	411	<1	21	600	9	0.40	<5	14	<10	240	1345	7	30	<10	7	56
138724	1004593	0.011	<1	6.74	20	428	2	<1	2.39	<4	8	24	22	1.72	0.17	23	1.29	512	2	21	590	18	0.92	6	19	<10	237	1433	23	37	<10	8	106
138725	1004594	0.018	<1	6.35	16	380	<2	1	2.03	<4	4	12	6	2.12	0.08	20	1.16	524	1	14	597	16	1.55	<5	16	<10	277	1274	11	29	<10	8	51
138726	1004595	0.084	1	7.71	30	324	2	<1	2.83	<4	20	110	48	3.99	0.04	20	1.29	693	8	61	599	45	3.37	<5	13	<10	301	1440	5	67	<10	14	99
138727	1004596	0.063	1	5.12	58	161	<2	<1	0.55	<4	19	108	28	3.24	0.02	13	0.49	188	10	60	476	128	3.54	5	5	<10	102	1530	<2	66	<10	12	553
138728	1004597	0.035	2	6.36	29	283	2	<1	2.58	<4	26	126	67	4.12	0.11	20	1.52	674	3	79	560	33	2.92	<5	14	<10	191	1575	14	72	<10	16	114
138729	1004598	0.012	<1	5.24	26	452	2	<1	0.48	<4	9	16	7	1.95	0.12	11	0.42	158	4	21	552	15	2.11	<5	9	<10	118	1513	<2	33	<10	7	117
138730	1004599	0.008	1	7.38	23	450	<2	2	2.90	<4	8	10	10	1.87	0.19	19	1.18	523	2	16	597	13	1.21	6	13	<10	228	1368	6	28	<10	8	85
138731D	1004599	0.011	<1	7.01	18	424	<2	<1	2.88	<4	7	9	11	1.84	0.15	18	1.15	514	<1	14	600	15	1.32	<5	20	<10	227	1326	9	27	<10	7	82
138732	1004600	0.239	362	4.10	4398	89	<2	<1	2.15	132	16	46	494	7.84	<0.01	9	0.91	1343	14	25	487	9596	6.76	30	20	10	185	1261	3	93	126	12	13449
138733	1004601	0.009	1	5.99	23	315	<2	<1	2.62	<4	7	12	3	1.79	0.02	15	1.00	408	<1	20	624	23	1.52	<5	17	<10	240	1094	16	25	<10	7	90
138734	1004602	0.012	<1	3.13	24	375	<2	<1	0.17	<4	7	8	<1	1.68	<0.01	7	0.28	<100	<1	16	564	13	1.88	<5	6	<10	67	888	4	23	<10	6	77
138735	1004603	0.113	7	7.31	26	620	2	<1	0.38	<4	7	14	15	1.64	0.18	21	0.36	<100	24	18	502	42	1.78	<5	20	<10	130	1187	3	35	<10	7	280
138736	1004604	0.068	2	6.20	31	437	2	<1	0.37	<4	8	12	8	1.82	<0.01	15	0.42	177	2	18	639	38	1.97	<5	10	<10	121	1383	<2	38	<10	6	165
138737	1004605	0.017	2	5.59	19	463	<2	<1	1.85	<4	10	22	7	2.05	<0.01	19	0.97	454	4	23	580	15	1.36	<5	11	<10	167	1446	6	34	<10	8	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
138738	1004606	0.017	2	6.87	19	496	2	<1	2.04	<4	10	24	7	2.15	0.03	22	1.04	481	10	26	606	19	1.50	<5	16	<10	184	1496	4	36	<10	9	76
138739	1004607	0.029	2	4.97	14	403	<2	<1	1.50	<4	13	63	30	2.61	0.07	23	1.10	439	3	38	576	29	1.11	<5	7	<10	128	1976	4	50	<10	12	109
138740	1004608	0.055	2	7.06	12	399	2	1	2.57	<4	15	59	35	2.82	0.19	21	1.26	638	2	42	532	34	1.04	<5	8	<10	177	1937	10	50	<10	12	105
138741	1004609	0.107	<1	5.05	55	474	<2	<1	0.32	<4	10	12	1	2.01	<0.01	9	0.31	<100	2	20	507	19	1.96	<5	14	<10	97	1610	<2	32	<10	6	80
138742D	1004609	0.084	<1	5.82	54	491	2	<1	0.41	<4	10	13	1	1.97	0.10	12	0.34	101	7	21	498	21	1.89	<5	10	<10	104	1644	<2	32	<10	7	80
138743	1004610	0.006	<1	4.62	6	454	<2	<1	1.53	<4	13	51	22	2.35	0.12	12	0.85	470	<1	27	492	8	0.03	<5	11	<10	245	1859	9	76	42	14	68
138744	1004611	0.028	<1	5.06	40	366	<2	1	1.90	<4	7	18	16	1.60	<0.01	15	0.95	468	<1	26	511	25	0.87	<5	10	<10	203	1411	2	26	<10	6	75
138745	1004612	0.016	<1	5.18	21	406	<2	<1	1.84	<4	7	15	10	1.75	<0.01	18	0.92	388	<1	21	506	16	0.88	<5	14	<10	177	1508	3	29	<10	7	69
138746	1004613	0.017	<1	2.99	14	398	<2	<1	1.15	<4	8	14	11	1.84	<0.01	16	0.94	399	<1	17	532	19	0.92	<5	9	<10	106	1596	<2	33	<10	6	88
138747	1004614	0.076	1	5.04	48	376	<2	1	1.24	<4	11	16	20	2.30	<0.01	17	0.76	326	2	28	504	48	2.04	<5	14	<10	136	1607	2	31	<10	6	165

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138578	1004460	1163	0.034	1.163
138579	1004461	118	0.003	0.118
138580	1004462	1649	0.048	1.649
138581	1004463	657	0.019	0.657
138582	1004464	33	<0.001	0.033
138583	1004465	22	<0.001	0.022
138584	1004466	25	<0.001	0.025
138585	1004467	589	0.017	0.589
138586	1004468	400	0.012	0.400
138587	1004469	18	<0.001	0.018
138588 Dup	1004469	20	<0.001	0.020
138589	1004470	7	<0.001	0.007
138590	1004471	36	0.001	0.036
138591	1004472	27	<0.001	0.027
138592	1004473	23	<0.001	0.023
138593	1004474	16	<0.001	0.016
138594	1004475	21	<0.001	0.021
138595	1004476	11	<0.001	0.011
138596	1004477	16	<0.001	0.016
138597	1004478	27	<0.001	0.027
138598	1004479	20	<0.001	0.020
138599 Dup	1004479	18	<0.001	0.018
138600	1004480	253	0.007	0.253
138601	1004481	76	0.002	0.076
138602	1004482	139	0.004	0.139
138603	1004483	116	0.003	0.116
138604	1004484	96	0.003	0.096
138605	1004485	567	0.017	0.567
138606	1004486	61	0.002	0.061
138607	1004487	213	0.006	0.213

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138608	1004488	116	0.003	0.116
138609	1004489	54	0.002	0.054
138610 Dup	1004489	42	0.001	0.042
138611	1004490	<5	<0.001	<0.005
138612	1004491	17	<0.001	0.017
138613	1004492	20	<0.001	0.020
138614	1004493	9	<0.001	0.009
138615	1004494	14	<0.001	0.014
138616	1004495	44	0.001	0.044
138617	1004496	552	0.016	0.552
138618	1004497	190	0.006	0.190
138619	1004498	140	0.004	0.140
138620	1004499	20	<0.001	0.020
138621 Dup	1004499	15	<0.001	0.015
138622	1004500	4781	0.139	4.781
138623	1004501	29	<0.001	0.029
138624	1004502	21	<0.001	0.021
138625	1004503	18	<0.001	0.018
138626	1004504	18	<0.001	0.018
138627	1004505	19	<0.001	0.019
138628	1004506	17	<0.001	0.017
138629	1004507	33	<0.001	0.033
138630	1004508	34	<0.001	0.034
138631	1004509	24	<0.001	0.024
138632 Dup	1004509	22	<0.001	0.022
138633	1004510	<5	<0.001	<0.005
138634	1004511	67	0.002	0.067
138635	1004512	48	0.001	0.048
138636	1004513	54	0.002	0.054
138637	1004514	68	0.002	0.068

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138638	1004515	54	0.002	0.054
138639	1004516	25	<0.001	0.025
138640	1004517	35	0.001	0.035
138641	1004518	19	<0.001	0.019
138642	1004519	23	<0.001	0.023
138643 Rep	1004519	32	<0.001	0.032
138644	1004520	1282	0.037	1.282
138645	1004521	44	0.001	0.044
138646	1004522	55	0.002	0.055
138647	1004523	78	0.002	0.078
138648	1004524	23	<0.001	0.023
138649	1004525	23	<0.001	0.023
138650	1004526	35	0.001	0.035
138651	1004527	27	<0.001	0.027
138652	1004528	14	<0.001	0.014
138653	1004529	1742	0.051	1.742
138654 Dup	1004529	1672	0.049	1.672
138655	1004530	10	<0.001	0.010
138656	1004531	32	<0.001	0.032
138657	1004532	35	0.001	0.035
138658	1004533	11	<0.001	0.011
138659	1004534	7	<0.001	0.007
138660	1004535	11	<0.001	0.011
138661	1004536	68	0.002	0.068
138662	1004537	348	0.010	0.348
138663	1004538	6	<0.001	0.006
138664	1004539	13	<0.001	0.013
138665 Dup	1004539	14	<0.001	0.014
138666	1004540	238	0.007	0.238
138667	1004541	36	0.001	0.036

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138668	1004542	50	0.001	0.050
138669	1004543	743	0.022	0.743
138670	1004544	138	0.004	0.138
138671	1004545	23	<0.001	0.023
138672	1004546	42	0.001	0.042
138673	1004547	46	0.001	0.046
138674	1004548	104	0.003	0.104
138675	1004549	3411	0.100	3.411
138676 Dup	1004549	4523	0.132	4.523
138677	1004550	8	<0.001	0.008
138678	1004551	206	0.006	0.206
138679	1004552	238	0.007	0.238
138680	1004553	870	0.025	0.870
138681	1004554	430	0.013	0.430
138682	1004555	462	0.013	0.462
138683	1004556	1173	0.034	1.173
138684	1004557	525	0.015	0.525
138685	1004558	10398	0.303	10.398
138686	1004559	176	0.005	0.176
138687 Dup	1004559	114	0.003	0.114
138688	1004560	4862	0.142	4.862
138689	1004561	75	0.002	0.075
138690	1004562	146	0.004	0.146
138691	1004563	26	<0.001	0.026
138692	1004564	27	<0.001	0.027
138693	1004565	18	<0.001	0.018
138694	1004566	22	<0.001	0.022
138695	1004567	10	<0.001	0.010
138696	1004568	30	<0.001	0.030
138697	1004569	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138698 Dup	1004569	11	<0.001	0.011
138699	1004570	7	<0.001	0.007
138700	1004571	10	<0.001	0.010
138701	1004572	20	<0.001	0.020
138702	1004573	796	0.023	0.796
138703	1004574	59	0.002	0.059
138704	1004575	34	<0.001	0.034
138705	1004576	24	<0.001	0.024
138706	1004577	38	0.001	0.038
138707	1004578	19	<0.001	0.019
138708	1004579	10	<0.001	0.010
138709 Rep	1004579	7	<0.001	0.007
138710	1004580	1201	0.035	1.201
138711	1004581	8	<0.001	0.008
138712	1004582	6	<0.001	0.006
138713	1004583	8	<0.001	0.008
138714	1004584	10	<0.001	0.010
138715	1004585	29	<0.001	0.029
138716	1004586	11	<0.001	0.011
138717	1004587	8	<0.001	0.008
138718	1004588	6	<0.001	0.006
138719	1004589	7	<0.001	0.007
138720 Dup	1004589	7	<0.001	0.007
138721	1004590	8	<0.001	0.008
138722	1004591	10	<0.001	0.010
138723	1004592	10	<0.001	0.010
138724	1004593	11	<0.001	0.011
138725	1004594	18	<0.001	0.018
138726	1004595	84	0.002	0.084
138727	1004596	63	0.002	0.063

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 16, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/03/2011  
 Date Completed: 06/16/2011  
 Job #: 201142048  
 Reference: TL11170  
 Sample #: 155

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
138728	1004597	35	0.001	0.035
138729	1004598	12	<0.001	0.012
138730	1004599	8	<0.001	0.008
138731 Dup	1004599	11	<0.001	0.011
138732	1004600	239	0.007	0.239
138733	1004601	9	<0.001	0.009
138734	1004602	12	<0.001	0.012
138735	1004603	113	0.003	0.113
138736	1004604	68	0.002	0.068
138737	1004605	17	<0.001	0.017
138738	1004606	17	<0.001	0.017
138739	1004607	29	<0.001	0.029
138740	1004608	55	0.002	0.055
138741	1004609	107	0.003	0.107
138742 Dup	1004609	84	0.002	0.084
138743	1004610	6	<0.001	0.006
138744	1004611	28	<0.001	0.028
138745	1004612	16	<0.001	0.016
138746	1004613	17	<0.001	0.017
138747	1004614	76	0.002	0.076

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/16/2011  
 Date Completed: 06/22/2011  
 Job #: 201142235  
 Reference: TL 11170  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
149842	1004558	5.154	5.018	226.463	12.519	3.36%	37.07

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/20/2011  
Date Completed: 06/23/2011  
Job #: 201142287  
Reference: TL11170  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
152521	1004549	0.123	4.200

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142378	1006843	101	<1	5.73	33	405	2	52	1.51	4	12	<1	33	2.23	0.20	15	1.79	1057	<1	<1	441	493	0.16	9	34	<10	215	1500	17	33	16	7	723
142379	1006844	6957	<1	3.87	58	352	<2	<1	<0.01	8	10	13	148	2.47	0.32	<1	0.51	156	3	<1	337	674	0.68	9	<5	<10	89	1118	<2	26	43	5	2426
142380	1006845	4228	<1	4.67	64	568	<2	23	0.14	6	11	56	116	2.49	0.36	13	0.53	258	17	<1	402	1065	0.48	9	12	<10	120	1698	<2	41	34	5	2100
142381	1006846	158	2	3.85	52	380	<2	19	<0.01	9	10	75	159	2.22	0.39	<1	0.53	243	16	<1	454	1157	0.29	7	21	<10	94	1183	6	32	45	7	2802
142382	1006847	160	<1	4.52	36	328	<2	17	1.17	<4	10	60	46	2.30	0.17	<1	1.38	942	7	<1	510	553	0.22	13	22	<10	185	1401	<2	33	12	7	555
142383	1006848	342	<1	1.78	43	215	<2	6	0.58	5	9	33	76	1.62	<0.01	<1	0.85	574	3	10	297	738	0.44	8	<5	<10	108	916	<2	23	22	5	1348
142384	1006849	20	<1	2.77	25	324	<2	8	0.20	<4	10	34	17	0.73	0.03	<1	0.59	332	3	<1	275	84	0.17	<5	7	<10	94	1194	36	30	<10	4	231
142385	1006850	251	379	4.43	3875	114	<2	25	1.94	143	18	32	481	8.07	0.27	<1	1.06	1464	10	<1	481	10422	0.99	75	26	<10	205	1406	96	98	204	13	12890
142386	1006851	98	9	3.52	124	329	2	19	0.46	<4	10	31	19	0.92	0.09	<1	0.79	368	2	<1	267	205	0.18	14	16	<10	136	1213	<2	29	<10	5	381
142387	1006852	75	<1	5.48	31	469	<2	19	1.75	<4	11	40	27	1.80	0.24	9	1.74	962	2	<1	388	90	0.18	<5	20	<10	260	1642	<2	36	<10	7	318
142388D	1006852	72	<1	5.68	29	483	<2	10	1.83	<4	11	42	28	1.87	0.54	10	1.85	1010	<1	<1	412	83	0.22	5	16	<10	271	1707	<2	39	<10	7	325
142389	1006853	53	<1	5.53	32	473	<2	29	1.62	<4	14	42	27	2.38	0.39	21	1.74	1054	2	<1	470	26	0.22	8	24	<10	262	1952	105	41	<10	7	126
142390	1006854	66	<1	5.60	33	445	2	21	2.35	<4	20	106	30	2.95	0.49	16	1.94	1015	<1	<1	553	8	0.25	<5	25	<10	229	1995	<2	67	<10	9	145
142391	1006855	155	<1	5.35	43	425	2	16	2.37	<4	20	123	31	2.85	0.32	24	2.08	914	<1	<1	609	<1	0.17	6	16	<10	212	2110	<2	68	<10	9	102
142392	1006856	93	21	3.57	353	238	<2	18	0.26	27	16	100	953	3.23	0.35	2	0.78	389	10	<1	403	709	0.31	98	28	<10	80	1057	25	43	123	7	7971
142393	1006857	89	31	4.07	217	368	2	27	<0.01	10	8	62	829	2.04	0.39	<1	0.67	372	10	<1	235	222	0.25	25	20	<10	66	833	<2	20	41	4	2666
142394	1006858	145	2	3.69	237	333	2	13	0.07	<4	12	49	64	1.97	0.34	<1	0.73	292	5	<1	330	86	0.18	7	31	<10	69	761	<2	29	<10	6	191
142395	1006859	148	<1	4.57	213	349	<2	22	<0.01	<4	15	77	34	2.50	0.35	3	1.24	387	3	<1	344	6	0.21	<5	18	<10	68	943	41	53	<10	7	91
142396	1006860	<5	<1	1.46	22	359	<2	11	0.89	<4	17	37	25	2.39	0.09	<1	0.92	484	<1	<1	465	<1	0.06	<5	26	<10	181	1592	<2	74	37	12	50
142397	1006861	113	<1	5.00	284	280	<2	36	0.64	<4	28	148	50	4.47	0.31	17	1.92	669	6	<1	518	2	0.23	9	22	<10	122	1693	55	84	<10	12	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142398	1006862	43	<1	4.97	32	449	2	41	1.49	<4	21	84	42	2.97	0.58	2	1.03	520	2	<1	474	3	0.25	<5	15	<10	187	1835	<2	57	<10	11	123
142399D	1006862	48	<1	5.33	35	470	2	23	1.59	<4	23	92	43	3.07	0.37	11	1.03	529	8	<1	486	<1	0.19	9	22	<10	196	1875	11	60	<10	12	115
142400	1006863	34	<1	4.03	43	390	<2	44	1.32	<4	10	49	25	1.99	0.32	2	0.80	374	4	<1	412	9	0.16	<5	37	11	176	1376	<2	36	11	8	95
142401	1006864	13	<1	3.97	41	418	2	28	1.20	<4	11	25	16	1.21	0.37	<1	0.46	214	2	<1	409	<1	0.12	<5	21	<10	180	1183	<2	27	11	6	597
142402	1006865	12	<1	4.76	51	257	<2	13	1.80	<4	12	52	28	2.19	0.18	<1	1.09	649	7	<1	507	<1	0.19	<5	37	<10	147	1550	<2	35	12	8	78
142403	1006866	16	<1	5.71	51	276	<2	27	1.88	<4	13	21	21	1.97	0.35	7	1.20	651	<1	<1	504	<1	0.23	<5	27	<10	145	1617	7	35	<10	8	75
142404	1006867	121	4	4.48	62	251	<2	31	0.13	<4	9	3	16	1.31	0.29	1	0.57	225	<1	<1	575	<1	0.21	<5	13	<10	76	1450	<2	29	<10	7	79
142405	1006868	409	3	3.41	59	244	<2	23	<0.01	<4	7	5	16	1.36	0.22	<1	0.45	145	<1	<1	560	91	0.17	6	29	<10	53	1088	<2	26	16	6	288
142406	1006869	350	<1	2.13	60	229	<2	17	<0.01	<4	6	53	44	1.60	0.12	<1	0.32	<100	10	<1	559	101	0.15	8	32	<10	47	862	47	24	19	6	783
142407	1006870	4711	6	5.37	36	287	2	42	2.58	<4	32	49	106	4.83	0.26	9	2.18	925	4	<1	892	<1	0.16	13	26	<10	283	2240	<2	122	<10	16	143
142408	1006871	393	<1	4.25	61	391	<2	13	<0.01	<4	10	34	21	1.58	0.50	11	0.68	166	6	<1	567	46	0.21	5	27	<10	75	1375	<2	37	<10	6	172
142409	1006872	1021	6	2.59	60	476	2	32	<0.01	<4	10	3	80	1.56	0.24	<1	0.43	116	2	<1	566	344	0.15	7	40	<10	56	996	<2	23	13	6	449
142410D	1006872	1109	5	4.65	65	622	<2	14	<0.01	<4	11	2	83	1.55	0.37	6	0.52	126	2	<1	545	344	0.21	9	38	<10	68	1282	4	30	12	6	422
142411	1006873	166	<1	3.22	19	326	2	48	0.96	<4	8	37	16	0.89	0.28	<1	0.99	409	5	7	362	58	0.13	10	31	<10	127	840	19	19	<10	6	53
142412	1006874	16	<1	5.26	23	570	2	39	0.43	<4	6	61	16	0.92	0.33	16	0.78	270	12	<1	376	<1	0.17	6	48	<10	144	1226	<2	28	<10	7	80
142413	1006875	93	<1	5.39	42	543	2	39	0.73	<4	13	74	31	1.95	0.23	18	0.93	475	8	<1	436	17	0.22	9	47	<10	161	1481	60	44	<10	10	112
142414	1006876	165	<1	4.81	67	342	3	35	1.30	<4	24	117	67	3.58	0.31	11	1.28	931	3	<1	495	15	0.18	<5	34	<10	151	2097	<2	75	13	14	191
142415	1006877	88	<1	5.80	29	444	3	39	1.81	<4	24	95	63	2.84	0.26	15	1.49	990	4	<1	447	6	0.18	<5	36	<10	179	2083	<2	75	<10	13	205
142416	1006878	221	<1	4.06	22	213	2	39	1.04	<4	24	109	72	3.46	0.10	17	1.66	978	<1	<1	492	29	0.15	5	44	<10	145	1763	30	74	15	11	172
142417	1006879	342	<1	4.97	24	291	2	72	0.86	<4	15	65	31	2.54	0.16	13	1.73	912	<1	<1	514	425	0.17	13	34	<10	138	1315	13	63	11	9	554

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142418	1006880	<5	1	1.76	6	373	2	3	0.82	<4	13	26	22	2.05	<0.01	<1	0.82	410	<1	28	448	2	0.10	<5	<5	<10	188	1454	<2	65	38	12	43
142419	1006881	98	1	2.29	12	247	<2	5	0.21	<4	4	24	9	1.50	<0.01	8	1.48	648	<1	75	477	183	0.32	<5	<5	<10	91	726	12	38	<10	4	110
142420	1006882	47	<1	3.82	10	311	<2	5	0.20	<4	2	11	4	1.08	0.15	16	1.82	683	<1	47	492	125	0.20	<5	<5	<10	93	722	<2	37	11	5	442
142421D	1006882	47	2	3.80	7	270	<2	<1	0.21	<4	3	10	3	1.04	0.14	14	1.85	675	<1	48	490	123	0.23	<5	<5	<10	91	651	<2	34	<10	5	432
142422	1006883	1653	2	2.89	24	223	<2	12	<0.01	<4	4	12	6	1.67	0.10	9	1.95	620	<1	45	476	147	0.70	<5	<5	<10	65	680	<2	36	<10	5	163
142423	1006884	608	3	0.81	38	111	<2	5	<0.01	<4	2	11	16	1.70	<0.01	6	1.36	574	<1	52	428	585	1.04	<5	<5	<10	53	512	<2	28	16	4	1261
142424	1006885	191	2	3.64	38	222	<2	4	<0.01	<4	6	25	11	1.61	<0.01	5	1.39	520	3	73	441	374	0.81	<5	7	<10	83	762	12	41	<10	5	184
142425	1006886	212	2	1.02	37	129	<2	7	<0.01	<4	5	25	13	1.52	<0.01	9	1.22	483	<1	69	438	419	0.83	<5	<5	<10	55	559	<2	34	<10	4	174
142426	1006887	799	3	3.55	42	255	<2	7	0.37	<4	6	35	32	1.88	<0.01	5	1.46	671	3	83	417	263	1.13	<5	<5	<10	84	827	<2	43	14	5	779
142427	1006888	275	2	4.03	43	380	<2	6	0.07	<4	6	19	34	1.47	<0.01	<1	0.76	271	<1	51	443	210	1.17	<5	5	<10	67	969	<2	39	13	6	534
142428	1006889	129	2	3.84	23	384	<2	5	0.09	<4	3	15	29	0.98	0.03	<1	0.61	224	<1	61	387	173	0.79	<5	<5	<10	78	1041	<2	34	<10	5	406
142429	1006890	1180	2	2.38	25	485	<2	4	1.03	<4	14	32	529	3.36	<0.01	<1	1.03	522	22	36	622	79	0.62	<5	<5	<10	191	1508	<2	95	29	13	108
142430	1006891	149	2	3.77	21	590	<2	6	<0.01	<4	4	13	30	1.08	<0.01	<1	0.55	194	4	56	396	173	0.80	<5	6	<10	75	1182	<2	36	<10	5	361
142431	1006892	1389	20	3.15	26	1177	<2	<1	0.10	20	3	14	227	1.58	<0.01	<1	0.73	313	4	58	335	4339	2.09	10	<5	<10	78	1140	<2	32	124	4	8934
142432D	1006892	1259	21	3.33	23	986	<2	5	0.16	21	5	18	235	1.61	<0.01	2	0.72	328	6	64	341	4375	2.11	13	<5	<10	83	1208	<2	35	129	4	8629
142433	1006893	390	3	4.70	33	649	<2	5	0.50	<4	4	11	13	1.53	<0.01	7	0.86	511	5	64	408	1032	1.38	<5	14	<10	115	1369	9	38	15	5	989
142434	1006894	168	2	4.47	27	454	<2	<1	0.88	<4	7	21	28	1.82	<0.01	8	1.03	738	2	51	411	82	0.83	<5	18	<10	131	1623	17	42	<10	7	129
142435	1006895	467	2	3.80	12	379	<2	3	1.19	<4	6	17	14	1.36	<0.01	1	0.97	657	5	69	293	14	0.51	<5	8	<10	97	1251	<2	36	<10	5	26
142436	1006896	158	1	4.41	27	487	<2	7	1.88	<4	6	12	13	1.43	<0.01	2	1.04	835	<1	58	343	19	0.36	<5	7	<10	113	1392	<2	35	<10	5	63
142437	1006897	180	1	4.09	31	288	<2	<1	0.73	<4	8	28	18	2.08	<0.01	5	0.92	725	3	62	471	27	0.85	<5	11	<10	127	1453	6	46	<10	7	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 8, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142438	1006898	180	<1	4.40	19	314	<2	7	0.61	<4	8	<1	25	1.73	<0.01	7	0.96	701	<1	29	456	12	0.67	<5	6	<10	129	1503	8	33	<10	6	47
142439	1006899	73	2	2.89	9	305	<2	7	0.32	<4	8	<1	11	1.88	0.04	2	1.09	772	<1	30	472	35	0.76	<5	5	<10	97	1544	<2	34	<10	5	143
142440	1006900	<5	2	3.30	10	429	<2	<1	1.06	<4	14	30	23	2.26	0.12	<1	0.92	463	<1	32	508	7	0.08	<5	14	<10	219	1667	<2	70	36	13	44
142441	1006901	278	3	3.33	14	304	<2	<1	0.36	<4	7	6	30	1.61	0.02	2	0.78	569	<1	46	392	833	0.86	<5	10	<10	101	1293	<2	33	<10	6	152
142442	1006902	225	7	1.42	25	232	<2	7	<0.01	7	5	<1	128	1.55	<0.01	<1	0.37	161	1	36	376	1160	1.56	<5	6	<10	48	953	<2	23	47	4	2595
142443R	1006902	174	6	3.48	25	330	<2	<1	<0.01	7	5	<1	133	1.62	<0.01	1	0.42	158	4	36	386	1121	1.57	<5	14	<10	77	1273	<2	30	44	4	2829
142444	1006903	83	1	4.46	28	287	<2	<1	0.18	<4	5	6	51	1.52	0.24	1	0.63	353	2	48	433	152	1.18	<5	<5	<10	101	1352	<2	35	<10	5	344
142445	1006904	58	2	4.09	35	220	<2	12	0.46	<4	5	6	22	1.55	0.19	2	0.80	579	<1	48	426	75	0.89	<5	<5	<10	114	1232	<2	37	<10	5	102
142446	1006905	30	2	5.10	9	315	<2	<1	0.65	<4	8	5	41	1.53	0.13	6	0.88	577	<1	42	383	59	0.63	<5	<5	<10	123	1432	<2	35	20	5	677
142447	1006906	46	2	4.48	10	311	<2	<1	0.69	5	9	4	54	1.69	0.14	3	0.89	677	2	45	376	163	0.81	<5	<5	<10	116	1416	<2	37	23	5	1269
142448	1006907	14	1	2.84	6	306	<2	6	0.24	<4	9	<1	28	1.10	0.12	2	0.70	465	<1	27	407	49	0.36	<5	<5	<10	84	1262	<2	27	<10	4	73
142449	1006908	38	2	5.37	13	366	<2	10	0.89	<4	7	2	20	1.67	0.12	5	0.92	644	1	42	448	41	0.76	<5	<5	<10	123	1471	<2	41	<10	6	85
142450	1006909	53	<1	5.77	6	273	2	6	1.50	<4	21	105	55	3.53	0.11	9	1.67	917	<1	85	536	53	1.03	<5	<5	<10	153	1935	<2	78	<10	14	102
142451	1006910	249	390	4.64	4291	136	<2	3	2.00	140	16	33	483	7.93	0.15	7	1.08	1400	10	29	521	10158	5.65	87	<5	<10	223	1385	<2	97	201	13	13055
142452	1006911	3863	2	5.28	17	356	2	4	1.29	<4	21	133	89	3.75	0.22	12	1.88	970	3	120	514	261	2.00	<5	<5	<10	143	2200	18	97	12	15	585
142453	1006912	32	1	5.71	10	562	2	<1	1.83	<4	5	13	15	1.40	0.39	7	1.49	463	1	53	345	46	0.58	<5	<5	<10	99	1399	<2	34	<10	5	138
142454D	1006912	122	2	5.95	13	564	2	3	1.90	<4	7	8	14	1.34	0.21	8	1.50	453	<1	47	343	38	0.58	<5	<5	<10	100	1362	<2	31	<10	6	133
142455	1006913	799	14	3.89	28	370	<2	11	0.50	6	6	15	71	1.79	0.26	1	0.81	268	8	73	363	936	1.63	<5	<5	<10	67	1143	<2	40	31	6	1971
142456	1006914	164	3	4.31	26	373	<2	5	0.46	<4	8	10	32	1.41	0.18	6	0.84	274	3	51	383	132	0.98	<5	<5	<10	74	1219	<2	36	<10	6	329
142457	1006915	230	4	4.15	13	436	<2	2	<0.01	<4	4	11	30	0.97	0.27	<1	0.48	<100	3	60	400	265	0.54	<5	<5	<10	49	1184	<2	36	<10	6	351

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142458	1006916	33	2	3.80	35	274	<2	6	1.60	<4	6	11	24	1.40	0.14	5	1.55	437	<1	52	454	49	0.27	<5	<5	<10	78	1183	4	28	<10	5	102
142459	1006917	72	2	5.19	11	384	<2	3	1.65	<4	8	8	15	1.44	0.17	5	1.58	380	<1	57	363	23	0.08	<5	<5	<10	81	1341	<2	33	<10	5	55
142460	1006918	364	2	4.71	14	363	<2	5	0.76	<4	6	14	45	1.24	0.01	6	1.10	289	1	57	358	24	0.43	<5	<5	<10	71	1285	3	33	14	5	144
142461	1006919	22	2	4.50	14	348	<2	<1	1.53	<4	6	14	15	1.47	<0.01	2	1.49	330	<1	66	356	21	0.27	<5	<5	<10	86	1284	<2	33	<10	5	60
142462	1006920	<5	1	3.48	2	457	<2	<1	1.20	<4	13	37	26	2.39	0.16	2	1.00	477	<1	35	527	9	0.03	<5	<5	<10	230	1725	<2	75	39	14	45
142463	1006921	20	1	4.32	17	434	<2	1	0.23	<4	7	3	10	0.97	0.31	4	0.62	101	2	36	349	4	0.43	<5	<5	<10	72	1281	<2	29	<10	5	37
142464	1006922	<5	1	5.97	6	404	<2	<1	2.13	<4	4	<1	6	1.30	0.17	6	1.32	232	<1	39	342	9	0.10	<5	<5	<10	144	1320	<2	30	<10	6	47
142465D	1006922	<5	<1	5.55	8	432	<2	1	2.10	<4	5	<1	8	1.30	0.32	9	1.27	233	2	39	333	4	0.08	<5	8	<10	143	1393	<2	30	<10	5	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142378	1006843	101	0.003	0.101
142379	1006844	6957	0.203	6.957
142380	1006845	4228	0.123	4.228
142381	1006846	158	0.005	0.158
142382	1006847	160	0.005	0.160
142383	1006848	342	0.010	0.342
142384	1006849	20	<0.001	0.020
142385	1006850	1233	0.036	1.233
142386	1006851	98	0.003	0.098
142387	1006852	75	0.002	0.075
142388 Dup	1006852	72	0.002	0.072
142389	1006853	53	0.002	0.053
142390	1006854	66	0.002	0.066
142391	1006855	155	0.005	0.155
142392	1006856	93	0.003	0.093
142393	1006857	89	0.003	0.089
142394	1006858	145	0.004	0.145
142395	1006859	148	0.004	0.148
142396	1006860	<5	<0.001	<0.005
142397	1006861	113	0.003	0.113
142398	1006862	43	0.001	0.043
142399 Dup	1006862	48	0.001	0.048
142400	1006863	34	<0.001	0.034
142401	1006864	13	<0.001	0.013
142402	1006865	12	<0.001	0.012
142403	1006866	16	<0.001	0.016
142404	1006867	121	0.004	0.121
142405	1006868	409	0.012	0.409
142406	1006869	350	0.010	0.350
142407	1006870	4711	0.137	4.711

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142408	1006871	393	0.011	0.393
142409	1006872	1021	0.030	1.021
142410 Dup	1006872	1109	0.032	1.109
142411	1006873	166	0.005	0.166
142412	1006874	16	<0.001	0.016
142413	1006875	93	0.003	0.093
142414	1006876	165	0.005	0.165
142415	1006877	88	0.003	0.088
142416	1006878	221	0.006	0.221
142417	1006879	342	0.010	0.342
142418	1006880	<5	<0.001	<0.005
142419	1006881	98	0.003	0.098
142420	1006882	47	0.001	0.047
142421 Dup	1006882	47	0.001	0.047
142422	1006883	1653	0.048	1.653
142423	1006884	608	0.018	0.608
142424	1006885	191	0.006	0.191
142425	1006886	212	0.006	0.212
142426	1006887	799	0.023	0.799
142427	1006888	275	0.008	0.275
142428	1006889	129	0.004	0.129
142429	1006890	1180	0.034	1.180
142430	1006891	149	0.004	0.149
142431	1006892	1389	0.041	1.389
142432 Dup	1006892	1259	0.037	1.259
142433	1006893	390	0.011	0.390
142434	1006894	168	0.005	0.168
142435	1006895	467	0.014	0.467
142436	1006896	158	0.005	0.158
142437	1006897	180	0.005	0.180

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142096  
 Reference: TL11171  
 Sample #: 80

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142438	1006898	180	0.005	0.180
142439	1006899	73	0.002	0.073
142440	1006900	<5	<0.001	<0.005
142441	1006901	278	0.008	0.278
142442	1006902	225	0.007	0.225
142443 Rep	1006902	174	0.005	0.174
142444	1006903	83	0.002	0.083
142445	1006904	58	0.002	0.058
142446	1006905	30	<0.001	0.030
142447	1006906	46	0.001	0.046
142448	1006907	14	<0.001	0.014
142449	1006908	38	0.001	0.038
142450	1006909	53	0.002	0.053
142451	1006910	249	0.007	0.249
142452	1006911	3863	0.113	3.863
142453	1006912	32	<0.001	0.032
142454 Dup	1006912	122	0.004	0.122
142455	1006913	799	0.023	0.799
142456	1006914	164	0.005	0.164
142457	1006915	230	0.007	0.230
142458	1006916	33	<0.001	0.033
142459	1006917	72	0.002	0.072
142460	1006918	364	0.011	0.364
142461	1006919	22	<0.001	0.022
142462	1006920	<5	<0.001	<0.005
142463	1006921	20	<0.001	0.020
142464	1006922	<5	<0.001	<0.005
142465 Dup	1006922	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 29, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 06/29/2011  
Job #: 201142339  
Reference: TL11171  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
155252	1006845	0.091	3.129
155253	1006911	0.093	3.189

PROCEDURE CODES: ALFA7

Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/23/2011  
 Date Completed: 07/08/2011  
 Job #: 201142348  
 Reference: TL11171  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
155266	1006844	3.509	3.554	81.186	6.322	3.59%	35.93

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142213	1004773	0.022	<1	2.38	14	469	2	29	2.03	<4	19	96	41	3.72	<0.01	<1	1.46	804	2	72	488	29	2.22	5	9	<10	266	2176	14	72	<10	10	96
142214	1004774	0.008	<1	1.91	9	477	2	34	0.54	10	13	37	46	2.33	<0.01	<1	0.46	206	11	52	614	271	2.40	7	11	<10	185	1933	<2	41	25	6	1926
142215	1004775	<0.005	<1	1.32	4	530	<2	33	1.35	<4	9	18	12	1.72	0.02	<1	0.75	413	<1	25	466	22	2.02	7	8	<10	246	1885	15	38	<10	5	51
142216	1004776	1.401	<1	1.72	8	367	2	26	1.00	<4	24	140	42	3.73	0.10	<1	1.31	551	3	90	493	30	1.91	<5	<5	<10	121	2932	2	100	<10	7	66
142217	1004777	0.045	<1	3.94	13	329	2	36	1.70	<4	21	131	55	3.50	0.16	<1	1.49	738	6	75	555	30	2.42	9	8	<10	148	2496	10	78	<10	11	75
142218	1004778	0.006	<1	3.61	18	673	<2	39	0.93	<4	7	25	1	1.23	0.14	<1	0.89	283	2	28	333	74	2.13	5	15	<10	150	1693	<2	32	<10	5	70
142219	1004779	<0.005	<1	3.34	21	537	<2	23	0.67	<4	7	20	4	1.51	0.24	<1	0.59	180	2	27	239	52	2.14	5	12	<10	160	1580	4	28	<10	4	41
142220	1004780	0.264	358	2.47	4203	14	2	32	1.87	128	15	47	469	7.51	<0.01	<1	0.94	1394	11	30	500	9519	4.51	92	20	12	207	1673	<2	96	134	11	13460
142221	1004781	<0.005	<1	3.73	28	699	2	38	0.85	<4	9	18	15	1.41	0.09	<1	0.47	169	5	30	313	43	2.35	7	15	<10	170	1535	<2	28	<10	4	49
142222	1004782	<0.005	<1	2.30	9	536	<2	46	0.76	<4	8	18	18	0.76	0.12	<1	0.41	161	<1	26	277	21	1.69	7	8	<10	161	1200	3	25	<10	5	89
142223D	1004782	<0.005	<1	1.98	13	507	<2	24	0.70	<4	7	17	18	0.73	0.11	<1	0.40	160	<1	24	275	14	1.61	7	8	<10	164	1078	9	23	<10	5	88
142224	1004783	0.006	<1	3.31	17	582	<2	23	0.74	<4	7	20	3	1.13	0.03	<1	0.40	156	<1	26	303	40	1.97	8	15	<10	189	1318	6	25	<10	5	171
142225	1004784	0.005	<1	2.71	14	524	<2	30	0.62	<4	7	13	2	1.31	<0.01	<1	0.49	188	<1	19	371	42	1.74	<5	8	<10	199	1301	<2	26	<10	5	27
142226	1004785	0.303	<1	4.27	8	490	2	45	1.94	<4	22	121	38	3.45	0.05	<1	1.44	646	<1	70	527	30	1.69	6	11	<10	287	2712	<2	91	<10	12	70
142227	1004786	0.272	<1	3.57	4	438	2	26	1.67	<4	19	106	35	3.24	0.25	<1	1.35	593	<1	65	495	27	1.61	6	10	<10	266	2457	8	81	<10	11	75
142228	1004787	0.614	1	3.63	5	435	<2	35	1.26	<4	26	152	66	3.84	0.17	<1	1.44	670	<1	82	572	71	1.56	5	5	<10	260	2898	6	99	<10	12	220
142229	1004788	0.072	<1	3.10	4	405	2	41	1.36	<4	24	136	47	3.59	0.02	<1	1.29	545	<1	83	533	31	1.59	7	<5	<10	301	2582	<2	88	<10	13	82
142230	1004789	0.014	<1	2.96	9	579	<2	29	1.15	<4	13	37	22	1.25	0.18	<1	0.53	235	<1	33	476	15	1.38	<5	11	<10	291	1660	10	48	<10	7	31
142231	1004790	0.006	<1	0.03	7	407	<2	28	0.93	<4	13	49	21	2.24	0.32	<1	0.80	468	<1	34	501	6	1.03	<5	8	<10	226	1776	<2	73	38	12	43
142232	1004791	0.010	<1	2.05	19	587	<2	31	0.79	<4	11	19	13	0.73	0.16	<1	0.31	110	<1	22	499	5	1.09	<5	13	<10	291	1611	7	40	<10	6	17

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142233	1004792	0.010	<1	1.58	11	547	<2	34	1.05	<4	12	14	15	0.78	0.11	<1	0.31	123	<1	27	559	11	0.81	8	11	<10	371	1886	<2	46	<10	6	17
142234D	1004792	0.009	<1	6.12	8	628	2	27	1.51	<4	12	17	14	0.80	<0.01	2	0.56	140	5	25	560	12	3.47	5	21	<10	399	2093	12	50	<10	8	25
142235	1004793	0.008	<1	5.17	13	547	2	38	1.50	<4	7	15	8	0.64	<0.01	<1	0.59	134	3	16	429	12	3.21	6	18	<10	428	1397	12	28	<10	6	30
142236	1004794	0.023	<1	5.58	30	549	2	27	2.32	<4	8	19	13	1.67	<0.01	<1	0.79	276	<1	26	497	13	2.74	5	13	<10	404	2063	10	36	<10	8	55
142237	1004795	0.026	<1	5.46	8	471	2	27	2.47	<4	9	17	8	1.83	<0.01	<1	0.88	352	<1	23	498	16	2.92	7	14	<10	348	1942	4	37	<10	8	52
142238	1004796	0.097	<1	6.76	25	403	2	38	1.98	<4	7	35	7	1.39	0.15	<1	1.26	700	5	65	722	27	2.86	7	19	<10	147	2126	24	37	<10	8	39
142239	1004797	0.018	<1	6.74	40	516	2	40	1.79	<4	8	26	19	1.48	0.25	3	1.35	803	<1	36	735	37	2.69	8	19	<10	151	2192	21	39	<10	8	55
142240	1004798	0.209	<1	4.56	40	423	2	32	0.60	<4	8	19	27	1.39	0.28	3	0.88	370	1	37	603	73	2.88	7	13	<10	83	1891	2	32	<10	7	743
142241	1004799	0.225	<1	4.47	50	494	2	39	0.78	<4	8	24	18	1.43	<0.01	<1	0.84	393	2	35	652	51	3.24	<5	13	<10	112	2041	9	34	<10	6	350
142242	1004800	4.750	5	4.90	15	287	2	45	2.77	<4	28	73	98	4.56	0.21	2	1.91	854	9	54	933	22	3.09	8	12	<10	312	3924	7	124	<10	14	102
142243	1004801	0.137	<1	5.40	41	411	2	29	0.76	<4	7	14	14	1.27	0.23	<1	0.90	396	<1	28	673	44	2.89	7	10	<10	104	1908	9	33	<10	7	114
142244	1004802	0.171	<1	5.19	45	434	2	35	0.65	<4	8	26	13	1.38	<0.01	<1	0.79	377	4	33	683	24	3.47	6	16	<10	104	2134	13	35	<10	6	61
142245D	1004802	0.142	<1	4.68	45	420	2	24	0.61	<4	8	24	13	1.32	<0.01	<1	0.77	366	4	31	657	24	3.29	5	12	<10	101	2075	5	34	<10	5	56
142246	1004803	0.277	2	6.55	36	412	2	39	1.55	<4	7	11	72	1.50	<0.01	4	1.19	669	2	18	661	165	3.46	6	14	<10	134	2044	18	34	<10	8	165
142247	1004804	0.041	<1	6.48	28	414	2	35	1.82	<4	6	20	14	1.21	<0.01	<1	1.09	654	3	25	563	50	3.34	7	15	<10	167	1745	8	30	<10	8	69
142248	1004805	0.041	<1	6.26	22	344	2	31	1.59	<4	5	19	17	1.31	<0.01	3	1.18	732	5	37	553	62	3.10	6	18	<10	190	1850	9	31	<10	7	77
142249	1004806	0.059	<1	5.77	18	352	2	27	1.54	<4	6	24	18	1.42	0.10	<1	1.18	731	<1	39	541	62	2.25	6	17	<10	181	1905	8	33	<10	7	72
142250	1004807	0.023	<1	5.53	27	402	2	30	1.43	<4	6	17	25	1.16	0.01	1	1.08	646	<1	28	532	60	2.77	7	20	<10	177	1872	7	31	<10	7	64
142251	1004808	2.309	923	6.64	11	154	2	666	4.74	25	7	29	224	2.58	0.34	2	2.81	2670	52	26	1747	26529	3.48	20	24	<10	156	1738	33	32	841	16	7206
142252	1004809	<0.005	3	0.02	5	41	<2	33	0.27	<4	1	61	10	0.58	0.12	<1	0.48	208	9	101	625	203	2.56	6	11	<10	73	298	<2	8	32	6	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142253	1004810	0.006	<1	3.75	9	431	2	23	1.36	<4	13	49	22	2.24	<0.01	<1	0.95	472	<1	32	533	10	3.77	7	<5	<10	256	2008	<2	72	39	12	51
142254	1004811	0.031	<1	4.61	12	469	2	28	0.91	<4	7	21	60	1.26	<0.01	2	0.75	511	4	30	485	120	3.66	6	5	<10	159	1778	11	30	11	5	512
142255	1004812	0.069	<1	4.06	14	350	2	17	0.72	<4	5	17	62	0.91	<0.01	<1	0.79	396	2	29	514	56	3.35	5	14	<10	137	1518	<2	25	<10	5	261
142256D	1004812	0.051	<1	4.76	17	356	2	32	0.80	<4	5	19	66	0.95	<0.01	2	0.82	402	3	34	539	62	3.52	<5	12	<10	145	1544	11	25	<10	6	271
142257	1004813	0.039	<1	4.84	20	455	2	35	0.94	<4	14	19	13	0.89	0.10	<1	0.85	493	<1	37	470	52	2.41	5	16	<10	156	1597	13	28	<10	6	48
142258	1004814	0.120	<1	5.34	26	452	2	29	0.86	<4	10	11	14	1.01	<0.01	<1	0.84	533	<1	23	480	91	2.98	8	15	<10	161	1639	<2	26	<10	6	85
142259	1004815	0.283	<1	6.37	17	476	2	22	1.11	<4	6	12	16	1.31	<0.01	2	0.89	611	<1	17	517	108	3.12	8	14	<10	183	1730	6	32	<10	7	162
142260	1004816	0.241	<1	4.24	12	239	2	34	0.74	<4	3	16	19	0.93	<0.01	<1	0.70	444	<1	20	332	44	3.27	<5	14	<10	141	996	6	20	<10	6	134
142261	1004817	0.068	<1	5.49	17	428	2	34	0.99	<4	5	13	18	1.46	<0.01	<1	0.73	571	<1	18	527	28	2.69	8	16	<10	183	1616	4	33	<10	6	50
142262	1004818	0.059	<1	4.97	25	342	<2	25	0.98	<4	5	12	40	1.49	<0.01	<1	0.72	769	<1	20	493	46	2.46	7	12	<10	173	1348	15	29	<10	7	98
142263	1004819	0.082	<1	4.52	14	575	2	42	0.54	<4	6	13	40	1.28	<0.01	<1	0.51	285	<1	20	462	284	3.39	8	9	<10	141	1463	3	28	<10	5	608
142264	1004820	1.079	<1	4.49	24	536	2	42	1.54	<4	16	52	549	3.50	<0.01	<1	1.15	576	23	35	687	70	3.01	8	10	<10	260	2075	5	106	24	14	105
142265	1004821	0.096	<1	4.39	15	431	<2	23	0.98	<4	5	10	19	1.29	<0.01	<1	0.70	519	<1	16	467	36	2.41	5	17	<10	174	1436	<2	28	<10	6	53
142266	1004822	0.069	<1	5.06	4	443	2	31	0.91	<4	5	21	44	1.28	<0.01	<1	0.63	433	3	21	422	129	3.39	7	15	<10	179	1347	<2	28	<10	6	199
142267D	1004822	0.097	<1	4.22	9	440	2	37	0.82	<4	5	21	44	1.30	<0.01	<1	0.58	430	<1	22	415	131	2.80	6	12	<10	175	1341	21	28	<10	5	208
142268	1004823	0.091	<1	4.51	5	445	2	30	0.96	<4	5	10	12	1.23	<0.01	<1	0.67	736	<1	16	457	26	2.80	7	13	<10	176	1389	15	29	<10	5	42
142269	1004824	0.126	<1	4.65	6	482	2	23	0.82	<4	5	11	21	1.10	<0.01	<1	0.60	467	<1	13	459	44	2.79	5	13	<10	174	1454	12	29	<10	5	46
142270	1004825	0.052	<1	4.64	3	507	3	31	0.91	<4	7	9	109	1.40	<0.01	<1	0.59	458	3	18	427	68	2.70	<5	17	<10	180	1823	<2	33	<10	6	182
142271	1004826	0.016	<1	4.53	8	481	3	20	0.91	<4	6	9	95	1.24	<0.01	<1	0.58	401	<1	16	384	68	3.01	6	12	<10	181	1760	10	30	<10	5	52
142272	1004827	0.087	<1	4.71	6	485	2	40	1.39	<4	9	10	54	1.44	<0.01	<1	0.89	750	<1	15	471	51	2.79	7	14	<10	175	1767	5	31	<10	6	100

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142273	1004828	0.125	<1	4.51	45	500	2	28	0.72	<4	5	10	18	1.18	0.06	<1	0.85	525	<1	15	419	83	3.05	9	12	<10	137	1671	8	27	<10	5	128
142274	1004829	2.916	9	2.78	216	187	2	41	<0.01	27	7	19	305	5.07	<0.01	<1	0.45	108	5	20	303	1191	4.92	78	<5	<10	78	1031	5	18	88	6	10531
142275	1004830	0.010	<1	3.62	11	398	<2	30	1.22	<4	12	46	21	2.14	<0.01	<1	0.92	434	<1	31	504	9	2.48	6	12	<10	244	1778	3	68	35	14	68
142276	1004831	4.592	38	3.55	283	263	<2	34	0.04	10	5	13	982	2.72	<0.01	<1	0.47	<100	2	21	290	2243	4.14	267	11	<10	81	1099	<2	19	26	6	2522
142277	1004832	0.097	<1	5.17	32	530	2	29	0.85	<4	5	22	24	1.16	<0.01	3	0.96	456	<1	16	450	71	3.35	10	15	<10	141	1797	<2	29	<10	6	68
142278R	1004832	0.062	<1	5.39	35	518	2	47	0.81	<4	5	22	16	1.15	0.02	<1	0.96	447	<1	18	446	51	2.75	8	13	<10	138	1705	6	28	<10	6	47
142279	1004833	0.122	<1	5.41	31	523	2	42	0.73	<4	6	12	12	1.44	<0.01	3	0.80	360	<1	17	474	96	3.33	8	14	<10	134	1877	<2	31	<10	6	51
142280	1004834	0.066	<1	4.80	30	449	2	31	0.97	<4	7	18	10	1.61	<0.01	2	0.85	454	<1	15	477	21	3.32	7	9	<10	149	1882	<2	31	<10	6	49
142281	1004835	1.529	<1	5.13	21	455	2	36	1.02	<4	6	13	19	1.38	<0.01	1	0.83	509	<1	16	470	36	3.00	9	18	<10	147	1810	<2	31	<10	6	81
142282	1004836	0.750	<1	4.36	39	485	2	30	0.30	<4	8	24	17	1.79	<0.01	2	0.55	317	2	23	449	97	3.31	6	12	<10	119	1926	2	35	<10	6	184
142283	1004837	0.144	<1	4.37	26	367	2	25	1.28	<4	8	20	18	1.65	0.06	<1	0.85	818	<1	17	415	30	2.76	6	9	<10	147	1673	3	34	<10	6	57
142284	1004838	0.161	<1	4.52	31	407	2	32	1.49	<4	9	24	18	1.86	0.02	<1	0.89	991	<1	22	447	29	2.83	7	15	<10	159	1842	9	36	<10	7	95
142285	1004839	0.323	4	4.62	37	429	<2	28	1.47	<4	9	16	221	2.07	0.02	<1	0.97	773	<1	22	476	420	2.88	5	14	<10	164	1904	6	35	10	6	1151
142286	1004840	0.226	358	4.16	3645	66	2	36	1.79	106	13	41	469	6.66	<0.01	<1	0.94	1196	6	27	483	9631	4.87	80	23	<10	214	1486	9	82	112	11	13477
142287	1004841	0.055	<1	4.93	29	437	2	40	1.34	<4	7	15	23	1.65	<0.01	5	0.85	740	<1	17	465	47	3.27	7	14	<10	169	1723	14	33	<10	6	150
142288	1004842	0.040	<1	4.18	31	957	2	27	0.92	<4	13	17	15	1.39	<0.01	1	0.73	508	<1	30	428	36	3.09	8	10	<10	150	1531	5	31	<10	6	230
142289D	1004842	0.049	<1	5.04	37	1018	2	41	1.03	<4	14	17	17	1.51	<0.01	3	0.79	552	<1	32	455	37	3.31	6	13	<10	161	1619	<2	33	<10	6	249
142290	1004843	0.025	<1	5.57	23	555	2	28	1.00	<4	8	19	10	1.37	<0.01	6	0.73	414	2	22	456	18	3.36	8	13	<10	156	1720	<2	33	<10	6	40
142291	1004844	0.037	<1	4.88	15	372	2	27	1.16	<4	8	22	11	1.45	0.06	5	0.86	623	2	20	454	15	3.04	7	9	<10	153	1922	13	37	<10	7	57
142292	1004845	0.129	<1	6.22	28	300	2	43	2.12	<4	10	21	8	1.76	0.06	7	1.71	1387	3	22	517	44	3.10	6	12	<10	181	1889	25	37	<10	8	112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142293	1004846	0.045	<1	6.05	20	282	2	41	2.03	<4	9	21	8	1.68	0.24	4	1.67	1214	2	23	511	43	3.04	7	17	<10	175	1745	8	35	<10	8	121
142294	1004847	1.614	32	5.44	37	362	2	36	0.80	<4	7	16	106	0.95	0.04	2	0.92	414	<1	23	376	331	2.93	27	14	<10	137	1408	2	25	<10	6	236
142295	1004848	0.042	<1	6.48	25	329	2	24	2.06	<4	5	11	7	1.30	0.13	5	1.43	951	<1	15	395	27	3.18	9	9	<10	190	1399	26	24	<10	7	59
142296	1004849	0.029	<1	4.52	15	309	2	34	1.33	<4	5	13	7	0.89	<0.01	4	1.06	685	<1	14	367	18	2.91	5	10	<10	158	1481	9	24	<10	5	36
142297	1004850	0.007	<1	4.09	11	429	<2	38	1.38	<4	12	49	22	2.21	0.10	<1	0.94	461	<1	31	526	9	3.14	7	<5	<10	258	1990	7	71	38	12	45
142298	1004851	0.049	<1	4.99	18	292	2	38	1.13	<4	6	16	16	0.80	0.09	4	0.99	548	<1	17	405	32	3.09	7	13	<10	151	1578	8	28	<10	5	65
142299	1004852	0.106	4	4.78	19	280	2	30	0.90	<4	5	15	17	0.71	0.01	6	0.92	446	1	16	416	83	3.05	9	15	<10	153	1613	7	26	<10	5	139
142300D	1004852	0.113	3	5.21	21	285	2	37	0.92	<4	5	16	18	0.74	<0.01	4	0.95	462	<1	17	421	88	2.75	7	22	<10	154	1622	17	27	<10	6	143
142301	1004853	0.045	<1	5.61	17	306	2	47	1.01	<4	5	16	4	0.97	<0.01	3	0.78	505	1	18	300	36	2.83	6	12	<10	166	1912	15	33	<10	5	77
142302	1004854	0.006	<1	5.51	12	302	2	35	1.56	<4	6	17	12	1.46	<0.01	2	0.85	575	<1	19	439	11	2.70	5	17	<10	179	2115	7	37	<10	7	35
142303	1004855	0.018	<1	5.85	13	320	2	32	1.50	<4	6	14	11	1.57	<0.01	9	0.87	520	1	16	484	10	3.15	8	14	<10	190	2264	24	40	<10	7	38
142304	1004856	<0.005	<1	5.91	8	319	2	33	1.70	<4	5	17	8	1.27	0.10	9	0.95	551	3	20	505	10	2.94	8	21	<10	198	2152	21	40	<10	6	48
142305	1004857	0.006	<1	6.22	11	378	2	35	1.91	<4	6	13	9	1.13	<0.01	8	1.13	520	2	15	499	22	3.05	7	21	<10	194	2185	8	40	<10	6	29
142306	1004858	0.948	24	3.44	32	266	2	32	<0.01	<4	5	12	43	1.08	0.09	<1	0.45	<100	<1	17	313	298	2.97	32	17	<10	78	1372	2	25	<10	4	298
142307	1004859	15.262	719	2.81	279	189	2	30	<0.01	5	4	15	467	1.25	0.02	<1	0.43	<100	2	19	250	2243	3.15	528	14	<10	82	1042	9	21	18	4	1773
142308	1004860	4.977	7	4.50	17	291	2	24	2.77	<4	28	75	100	4.57	0.16	2	1.91	863	9	56	924	32	2.82	8	8	<10	309	4103	<2	125	<10	13	104
142309	1004861	1.070	12	3.01	45	226	2	45	<0.01	<4	4	14	114	1.00	<0.01	<1	0.46	<100	2	19	447	192	3.36	18	8	<10	89	1164	8	26	<10	4	479
142310	1004862	1.215	16	3.67	21	210	2	34	<0.01	<4	4	19	83	0.97	<0.01	<1	0.49	<100	1	28	371	526	2.89	26	16	<10	83	1128	<2	26	<10	5	449
142311D	1004862	1.320	16	3.21	36	199	2	40	<0.01	<4	4	18	78	0.90	<0.01	<1	0.48	<100	2	25	355	477	3.03	19	13	<10	84	1126	6	24	<10	4	425
142312	1004863	0.436	6	3.56	35	174	2	37	<0.01	<4	5	16	32	0.97	<0.01	<1	0.49	<100	2	20	343	116	2.98	9	12	<10	77	1186	4	23	<10	5	446

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142313	1004864	0.119	<1	4.89	25	208	2	34	0.12	<4	5	18	12	0.87	0.04	1	0.56	133	3	22	367	28	3.24	9	18	<10	82	1396	16	25	<10	5	291
142314	1004865	0.023	<1	5.80	23	234	2	28	0.99	<4	5	16	5	1.10	0.04	2	0.95	642	<1	19	400	22	3.01	6	21	<10	107	1661	4	28	<10	6	33
142315	1004866	0.018	<1	5.97	28	226	2	32	0.96	<4	4	16	5	1.09	0.04	2	0.95	594	1	23	396	23	3.04	7	21	<10	106	1546	12	27	<10	6	31
142316	1004867	0.014	<1	7.14	9	233	2	32	2.09	<4	6	18	6	1.51	0.09	6	1.37	733	<1	27	430	23	2.84	5	16	<10	138	1700	15	28	<10	7	37
142317	1004868	0.012	<1	5.38	24	236	2	37	1.28	<4	5	14	7	0.99	<0.01	8	0.95	571	2	19	394	18	3.14	7	15	<10	113	1596	6	27	<10	6	29
142318	1004869	0.064	<1	5.20	21	199	2	21	0.98	<4	5	13	8	1.15	0.04	2	0.91	593	<1	19	376	22	3.24	6	15	<10	110	1569	13	26	<10	6	36
142319	1004870	<0.005	<1	3.71	12	424	2	51	1.34	<4	13	48	22	2.23	<0.01	<1	0.93	461	<1	31	518	6	2.96	9	16	<10	256	1990	11	72	37	13	46
142320	1004871	0.179	11	3.93	45	198	2	37	0.50	<4	8	15	19	1.66	<0.01	1	0.67	402	<1	19	398	40	3.18	7	11	<10	103	1605	<2	29	<10	5	112
142321	1004872	0.373	25	4.09	47	199	2	34	0.21	<4	7	14	26	1.73	<0.01	<1	0.55	226	2	20	370	103	3.05	10	12	<10	91	1535	10	29	<10	5	119
142322D	1004872	0.359	26	4.28	47	205	2	41	0.23	<4	6	14	28	1.75	<0.01	<1	0.57	229	2	18	369	102	3.47	12	13	<10	94	1536	5	28	<10	5	123
142323	1004873	0.391	64	3.15	29	186	2	44	<0.01	<4	4	14	26	0.85	<0.01	<1	0.38	<100	<1	16	310	221	2.40	21	7	<10	73	1282	5	22	<10	5	547
142324	1004874	0.019	<1	2.92	11	204	2	28	0.04	<4	3	27	19	0.77	<0.01	<1	0.41	<100	1	29	253	12	2.56	6	16	<10	85	1028	9	18	<10	6	36
142325	1004875	0.020	<1	6.19	21	348	2	36	1.59	<4	7	14	16	1.27	<0.01	7	1.14	323	<1	20	479	18	2.93	5	19	<10	185	1634	15	29	<10	7	28
142326	1004876	<0.005	<1	4.66	11	423	2	31	1.35	<4	6	16	7	0.93	<0.01	5	0.71	216	3	21	526	14	2.83	6	13	<10	240	1805	10	33	<10	6	21
142327	1004877	<0.005	<1	5.10	9	414	2	34	1.45	<4	6	19	8	1.35	<0.01	13	1.20	371	1	26	552	12	2.55	6	15	<10	171	2017	2	35	<10	6	61
142328	1004878	<0.005	<1	4.31	15	511	2	24	1.51	<4	8	17	7	1.27	<0.01	9	1.06	362	<1	21	565	14	2.99	6	13	<10	263	1872	4	38	<10	6	33
142329	1004879	<0.005	<1	4.39	16	438	2	46	1.47	<4	6	13	7	1.41	0.02	3	0.95	325	<1	16	608	16	2.77	6	15	<10	269	1688	6	35	<10	6	27
142330	1004880	1.154	<1	3.79	24	512	<2	35	1.42	<4	15	50	525	3.37	0.07	<1	1.09	556	23	35	659	69	2.81	7	9	<10	248	2030	6	103	26	14	116
142331	1004881	0.009	<1	4.90	10	521	2	42	1.60	<4	7	16	6	1.62	<0.01	9	1.14	346	<1	25	687	17	2.97	6	15	<10	336	2124	5	44	<10	6	42
142332	1004882	0.005	<1	4.37	11	538	2	27	1.34	<4	8	16	6	1.46	<0.01	11	1.38	411	<1	23	649	13	2.65	6	16	<10	273	2021	10	38	<10	6	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142333D	1004882	0.010	<1	4.21	15	513	2	36	1.31	<4	8	14	6	1.46	0.03	7	1.36	403	<1	22	636	13	2.30	5	12	<10	272	1889	12	37	<10	6	39
142334	1004883	0.008	<1	3.66	17	437	2	44	0.88	<4	9	14	2	2.56	<0.01	6	1.26	434	<1	21	550	13	3.28	9	11	<10	231	1883	9	38	<10	7	58
142335	1004884	0.016	<1	4.16	15	415	2	41	1.51	<4	18	112	36	3.09	0.02	2	1.17	646	<1	60	504	21	3.11	8	6	<10	252	1951	13	74	<10	11	64
142336	1004885	0.020	<1	4.81	6	345	2	26	1.80	<4	20	130	53	3.46	0.16	2	1.27	556	<1	74	518	18	3.07	5	6	<10	262	2249	16	82	<10	13	58
142337	1004886	0.013	<1	4.66	5	383	2	49	1.75	<4	19	124	47	3.31	0.12	<1	1.27	545	<1	70	513	16	2.82	6	8	<10	255	2254	3	79	<10	13	59
142338	1004887	0.030	<1	4.39	2	348	2	17	1.75	<4	16	113	40	3.02	0.15	<1	1.50	665	<1	66	518	26	2.27	6	12	<10	193	1993	<2	68	<10	13	75
142339	1004888	0.039	<1	5.65	18	564	2	29	1.41	<4	22	139	49	3.68	0.02	<1	1.23	646	<1	79	539	35	3.27	6	7	<10	188	2365	5	101	<10	13	81
142340	1004889	0.061	<1	4.48	23	447	2	40	1.36	<4	20	135	65	3.44	0.09	<1	1.22	779	<1	93	546	66	2.94	7	9	<10	178	2197	9	93	<10	12	136
142341	1004890	<0.005	<1	2.07	4	395	<2	32	1.09	<4	12	45	20	2.08	0.05	<1	0.85	438	<1	30	486	8	2.25	5	9	<10	231	1851	<2	68	35	12	42
142342	1004891	0.295	<1	2.88	68	367	<2	26	0.09	<4	15	109	69	2.81	<0.01	<1	0.50	204	<1	74	467	55	2.66	6	7	<10	91	2012	<2	70	<10	10	477
142343	1004892	0.121	<1	4.24	25	372	2	37	2.00	<4	20	113	59	3.20	0.04	<1	1.30	854	<1	67	534	40	2.40	7	7	<10	158	2540	6	79	<10	14	140
142344R	1004892	0.125	<1	5.56	19	436	2	42	2.05	<4	21	131	63	3.37	0.30	<1	1.41	885	<1	74	546	42	2.72	8	7	<10	164	2684	10	90	<10	14	152
142345	1004893	0.017	<1	5.58	26	642	2	35	2.07	<4	10	37	12	1.86	0.08	<1	1.20	552	<1	43	594	22	2.88	5	14	<10	203	1976	3	42	<10	8	69
142346	1004894	0.139	<1	6.86	18	697	2	25	1.99	<4	23	133	71	3.95	0.04	4	1.46	987	2	82	600	43	2.95	8	6	<10	195	3195	14	104	<10	15	153
142347	1004895	0.212	<1	4.99	70	524	2	40	1.05	<4	23	144	53	2.90	0.02	<1	0.94	458	2	78	508	50	3.42	8	5	<10	130	2417	6	108	<10	12	142
142348	1004896	0.395	<1	2.97	68	453	2	34	0.08	<4	16	125	37	2.09	<0.01	<1	0.48	<100	10	85	454	47	3.70	8	12	<10	85	2090	5	77	<10	7	90
142349	1004897	0.043	<1	6.15	39	514	2	51	1.98	<4	14	63	43	2.10	0.10	<1	1.29	522	<1	42	550	37	2.93	8	10	<10	174	2217	23	62	<10	10	53
142350	1004898	0.035	<1	5.64	27	415	2	36	2.25	<4	7	15	10	1.63	0.17	<1	1.20	442	<1	24	526	28	2.70	6	21	<10	200	1873	<2	34	<10	8	55
142351	1004899	0.205	<1	3.68	55	442	2	27	0.74	<4	8	12	23	1.59	<0.01	<1	0.79	304	<1	19	468	71	3.10	10	14	<10	131	1603	12	30	<10	5	715
142352	1004900	0.244	359	3.67	3631	71	<2	36	1.77	108	13	41	469	6.70	0.05	<1	0.95	1230	5	28	477	9637	4.43	78	22	11	212	1481	5	83	113	12	13394

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142353	1004901	0.086	<1	5.17	68	502	2	33	1.08	<4	10	15	18	1.77	<0.01	<1	0.96	402	<1	27	576	91	3.08	6	17	<10	129	2084	<2	37	<10	6	270
142354	1004902	0.133	<1	5.12	48	381	2	42	1.39	<4	9	17	29	1.76	0.31	<1	1.03	421	<1	29	566	21	2.51	7	12	<10	136	1852	4	33	<10	8	62
142355D	1004902	0.137	<1	5.89	45	405	2	30	1.44	<4	9	17	30	1.79	0.19	<1	1.06	427	<1	29	577	16	2.54	6	9	<10	144	2022	15	35	<10	8	76
142356	1004903	0.105	<1	5.03	48	355	2	37	1.01	<4	8	16	12	1.63	0.08	<1	0.92	397	<1	23	550	15	2.90	10	14	<10	120	2002	3	35	<10	7	109
142357	1004904	0.056	<1	4.96	66	381	2	31	0.30	<4	8	21	15	1.44	0.02	<1	0.61	163	3	34	559	15	3.30	8	17	<10	88	2051	2	36	<10	6	86
142358	1004905	0.026	<1	5.77	40	357	<2	36	1.56	<4	11	12	20	1.84	0.23	<1	1.06	485	<1	21	558	19	2.68	7	8	<10	128	2074	<2	36	<10	7	99
142359	1004906	0.078	<1	5.51	51	331	2	29	1.51	<4	10	14	18	1.95	0.20	<1	1.15	532	<1	27	564	18	2.79	8	14	<10	126	1996	11	35	<10	7	89
142360	1004907	0.047	<1	5.70	52	334	2	30	1.77	<4	9	18	38	1.84	0.05	<1	1.18	644	<1	27	542	15	2.92	6	8	<10	140	1935	9	35	<10	7	95
142361	1004908	0.040	<1	5.90	23	297	2	40	1.57	<4	16	84	38	2.86	0.21	<1	1.59	823	1	66	550	29	3.06	6	10	<10	123	2307	11	64	<10	10	145
142362	1004909	0.406	<1	3.56	119	270	<2	37	0.06	7	21	125	66	3.16	0.04	<1	0.59	151	<1	71	537	307	3.38	7	11	<10	74	1823	6	80	25	9	1856
142363	1004910	<0.005	<1	3.23	9	420	<2	35	1.25	<4	13	49	21	2.19	0.19	<1	0.94	460	<1	33	516	7	2.44	<5	14	<10	246	1859	9	71	38	13	56
142364	1004911	0.401	<1	4.78	70	376	2	44	0.67	<4	20	143	66	3.34	<0.01	<1	1.19	464	3	89	519	57	3.22	6	13	<10	100	2080	3	93	<10	10	110
142365	1004912	0.098	<1	5.81	44	574	2	29	1.16	<4	14	90	44	2.45	<0.01	<1	1.19	547	3	66	530	47	3.06	6	14	<10	108	1970	19	69	<10	11	117
142366D	1004912	0.145	<1	5.68	39	591	2	38	1.20	<4	15	94	45	2.52	<0.01	<1	1.21	570	<1	67	546	49	3.06	7	8	<10	109	2052	<2	72	<10	10	119
142367	1004913	0.146	<1	4.72	60	669	2	46	0.43	<4	11	40	18	1.83	<0.01	<1	0.70	232	<1	38	491	51	3.05	9	10	<10	83	1878	2	48	12	8	456
142368	1004914	0.065	<1	3.89	36	567	2	40	0.33	<4	8	34	17	1.50	<0.01	<1	0.67	271	<1	43	464	70	2.11	8	17	<10	75	1696	<2	38	<10	7	333
142369	1004915	0.038	<1	4.94	16	611	<2	37	1.60	<4	8	36	19	1.78	0.12	<1	1.33	802	<1	56	554	48	2.05	5	14	<10	106	1985	6	40	<10	7	86
142370	1004916	0.055	<1	5.77	5	500	2	34	2.54	<4	8	31	27	1.69	<0.01	<1	1.32	747	<1	47	532	43	2.67	8	12	<10	109	2081	7	41	14	8	137
142371	1004917	1.154	<1	5.11	11	555	2	29	2.51	<4	8	27	28	2.03	0.11	<1	1.71	1025	<1	41	517	96	2.65	6	14	<10	133	1602	14	35	<10	8	177
142372	1004918	0.045	<1	4.66	11	502	2	25	2.49	<4	8	18	23	1.62	0.04	<1	1.60	957	<1	23	495	56	2.20	8	11	<10	130	1636	6	33	<10	8	93

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, June 24, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
142373	1004919	0.036	<1	3.94	9	408	2	40	1.04	<4	22	119	78	3.51	0.21	<1	2.05	865	4	75	503	51	2.52	6	12	<10	87	2452	12	72	<10	12	350
142374	1004920	5.087	5	4.20	16	277	<2	31	2.65	<4	27	73	98	4.51	0.13	<1	1.99	850	5	55	921	23	2.24	7	9	<10	303	3404	<2	121	<10	15	134
142375	1004921	0.044	<1	<0.01	17	4	7	23	>10.00	31	5	17	27	2.93	0.18	<1	6.21	5109	<1	27	222	39	2.46	7	7	<10	91	547	58	28	293	9	8698
142376	1004922	0.038	<1	5.29	8	466	2	45	1.59	<4	18	105	74	3.29	<0.01	6	2.26	957	<1	68	529	23	2.93	<5	9	<10	116	2506	4	81	<10	12	545
142377D	1004922	0.032	<1	5.54	6	451	2	35	1.47	<4	16	98	68	3.12	<0.01	5	2.17	878	<1	63	506	22	2.91	6	14	<10	112	2293	17	77	10	12	500

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142213	1004773	22	<0.001	0.022
142214	1004774	8	<0.001	0.008
142215	1004775	<5	<0.001	<0.005
142216	1004776	1401	0.041	1.401
142217	1004777	45	0.001	0.045
142218	1004778	6	<0.001	0.006
142219	1004779	<5	<0.001	<0.005
142220	1004780	264	0.008	0.264
142221	1004781	<5	<0.001	<0.005
142222	1004782	<5	<0.001	<0.005
142223 Dup	1004782	<5	<0.001	<0.005
142224	1004783	6	<0.001	0.006
142225	1004784	5	<0.001	0.005
142226	1004785	303	0.009	0.303
142227	1004786	272	0.008	0.272
142228	1004787	614	0.018	0.614
142229	1004788	72	0.002	0.072
142230	1004789	14	<0.001	0.014
142231	1004790	6	<0.001	0.006
142232	1004791	10	<0.001	0.010
142233	1004792	10	<0.001	0.010
142234 Dup	1004792	9	<0.001	0.009
142235	1004793	8	<0.001	0.008
142236	1004794	23	<0.001	0.023
142237	1004795	26	<0.001	0.026
142238	1004796	97	0.003	0.097
142239	1004797	18	<0.001	0.018
142240	1004798	209	0.006	0.209
142241	1004799	225	0.007	0.225
142242	1004800	4750	0.139	4.750

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142243	1004801	137	0.004	0.137
142244	1004802	171	0.005	0.171
142245 Dup	1004802	142	0.004	0.142
142246	1004803	277	0.008	0.277
142247	1004804	41	0.001	0.041
142248	1004805	41	0.001	0.041
142249	1004806	59	0.002	0.059
142250	1004807	23	<0.001	0.023
142251	1004808	2309	0.067	2.309
142252	1004809	<5	<0.001	<0.005
142253	1004810	6	<0.001	0.006
142254	1004811	31	<0.001	0.031
142255	1004812	69	0.002	0.069
142256 Dup	1004812	51	0.001	0.051
142257	1004813	39	0.001	0.039
142258	1004814	120	0.004	0.120
142259	1004815	283	0.008	0.283
142260	1004816	241	0.007	0.241
142261	1004817	68	0.002	0.068
142262	1004818	59	0.002	0.059
142263	1004819	82	0.002	0.082
142264	1004820	1079	0.031	1.079
142265	1004821	96	0.003	0.096
142266	1004822	69	0.002	0.069
142267 Dup	1004822	97	0.003	0.097
142268	1004823	91	0.003	0.091
142269	1004824	126	0.004	0.126
142270	1004825	52	0.002	0.052
142271	1004826	16	<0.001	0.016
142272	1004827	87	0.003	0.087

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142273	1004828	125	0.004	0.125
142274	1004829	2916	0.085	2.916
142275	1004830	10	<0.001	0.010
142276	1004831	4592	0.134	4.592
142277	1004832	97	0.003	0.097
142278 Rep	1004832	62	0.002	0.062
142279	1004833	122	0.004	0.122
142280	1004834	66	0.002	0.066
142281	1004835	1529	0.045	1.529
142282	1004836	750	0.022	0.750
142283	1004837	144	0.004	0.144
142284	1004838	161	0.005	0.161
142285	1004839	323	0.009	0.323
142286	1004840	226	0.007	0.226
142287	1004841	55	0.002	0.055
142288	1004842	40	0.001	0.040
142289 Dup	1004842	49	0.001	0.049
142290	1004843	25	<0.001	0.025
142291	1004844	37	0.001	0.037
142292	1004845	129	0.004	0.129
142293	1004846	45	0.001	0.045
142294	1004847	1614	0.047	1.614
142295	1004848	42	0.001	0.042
142296	1004849	29	<0.001	0.029
142297	1004850	7	<0.001	0.007
142298	1004851	49	0.001	0.049
142299	1004852	106	0.003	0.106
142300 Dup	1004852	113	0.003	0.113
142301	1004853	45	0.001	0.045
142302	1004854	6	<0.001	0.006

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142303	1004855	18	<0.001	0.018
142304	1004856	<5	<0.001	<0.005
142305	1004857	6	<0.001	0.006
142306	1004858	948	0.028	0.948
142307	1004859	15262	0.445	15.262
142308	1004860	4977	0.145	4.977
142309	1004861	1070	0.031	1.070
142310	1004862	1215	0.035	1.215
142311 Dup	1004862	1320	0.038	1.320
142312	1004863	436	0.013	0.436
142313	1004864	119	0.003	0.119
142314	1004865	23	<0.001	0.023
142315	1004866	18	<0.001	0.018
142316	1004867	14	<0.001	0.014
142317	1004868	12	<0.001	0.012
142318	1004869	64	0.002	0.064
142319	1004870	<5	<0.001	<0.005
142320	1004871	179	0.005	0.179
142321	1004872	373	0.011	0.373
142322 Dup	1004872	359	0.010	0.359
142323	1004873	391	0.011	0.391
142324	1004874	19	<0.001	0.019
142325	1004875	20	<0.001	0.020
142326	1004876	<5	<0.001	<0.005
142327	1004877	<5	<0.001	<0.005
142328	1004878	<5	<0.001	<0.005
142329	1004879	<5	<0.001	<0.005
142330	1004880	1154	0.034	1.154
142331	1004881	9	<0.001	0.009
142332	1004882	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142333 Dup	1004882	10	<0.001	0.010
142334	1004883	8	<0.001	0.008
142335	1004884	16	<0.001	0.016
142336	1004885	20	<0.001	0.020
142337	1004886	13	<0.001	0.013
142338	1004887	30	<0.001	0.030
142339	1004888	39	0.001	0.039
142340	1004889	61	0.002	0.061
142341	1004890	<5	<0.001	<0.005
142342	1004891	295	0.009	0.295
142343	1004892	121	0.004	0.121
142344 Rep	1004892	125	0.004	0.125
142345	1004893	17	<0.001	0.017
142346	1004894	139	0.004	0.139
142347	1004895	212	0.006	0.212
142348	1004896	395	0.012	0.395
142349	1004897	43	0.001	0.043
142350	1004898	35	0.001	0.035
142351	1004899	205	0.006	0.205
142352	1004900	244	0.007	0.244
142353	1004901	86	0.003	0.086
142354	1004902	133	0.004	0.133
142355 Dup	1004902	137	0.004	0.137
142356	1004903	105	0.003	0.105
142357	1004904	56	0.002	0.056
142358	1004905	26	<0.001	0.026
142359	1004906	78	0.002	0.078
142360	1004907	47	0.001	0.047
142361	1004908	40	0.001	0.040
142362	1004909	406	0.012	0.406

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/07/2011  
 Date Completed: 06/21/2011  
 Job #: 201142095  
 Reference: TL11172  
 Sample #: 150

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
142363	1004910	<5	<0.001	<0.005
142364	1004911	401	0.012	0.401
142365	1004912	98	0.003	0.098
142366 Dup	1004912	145	0.004	0.145
142367	1004913	146	0.004	0.146
142368	1004914	65	0.002	0.065
142369	1004915	38	0.001	0.038
142370	1004916	55	0.002	0.055
142371	1004917	1154	0.034	1.154
142372	1004918	45	0.001	0.045
142373	1004919	36	0.001	0.036
142374	1004920	5087	0.148	5.087
142375	1004921	44	0.001	0.044
142376	1004922	38	0.001	0.038
142377 Dup	1004922	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/22/2011  
Date Completed: 06/23/2011  
Job #: 201142309  
Reference: TL11172  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
153655	1004831	0.174	5.964

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, June 29, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 06/29/2011  
 Job #: 201142310  
 Reference: TL11172  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
153656	1004859	18.941	18.506	654.905	37.338	2.93%	29.36

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, September 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/23/2011  
 Date Completed: 09/15/2011  
 Job #: 201143102  
 Reference: TL11172  
 Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
205539	1004828	0.112	0.105	0.716	0.133	3.96%	39.59
205540	1004829	2.710	2.770	6.011	2.909	5.17%	42.59
205541	1004830	Insufficient Sample					
205542	1004831	5.163	5.179	35.198	6.727	5.18%	48.81

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143502	1006923	45	<1	>10.00	21	421	<2	10	2.17	<4	8	59	8	2.19	1.53	<1	1.72	1017	<1	103	412	124	0.94	<5	14	11	200	1358	<2	36	<10	6	377
143503	1006924	37	<1	9.85	18	375	<2	12	2.82	<4	8	54	7	1.90	1.64	<1	1.56	1222	<1	94	434	96	1.05	<5	10	10	201	1359	3	32	<10	6	133
143504	1006925	14	<1	8.79	5	425	<2	13	1.32	<4	7	55	5	0.78	1.78	<1	0.68	382	<1	91	294	41	0.20	<5	19	<10	135	1347	<2	32	<10	4	66
143505	1006926	14	<1	9.18	4	448	<2	9	1.41	<4	7	22	5	0.57	1.66	<1	0.69	369	<1	29	302	76	0.20	<5	9	<10	146	1418	2	31	<10	4	170
143506	1006927	17	<1	9.29	4	479	<2	18	1.74	<4	6	47	3	0.50	1.74	<1	0.37	213	<1	75	199	20	0.11	<5	10	<10	176	1189	3	32	<10	4	51
143507	1006928	12	<1	9.02	<2	643	<2	11	1.68	<4	8	39	7	0.47	1.61	<1	0.42	216	<1	62	154	36	0.11	<5	<5	<10	175	1215	7	29	<10	4	34
143508	1006929	22	1	9.09	3	434	<2	14	1.97	<4	7	32	8	0.41	1.69	<1	0.44	268	<1	45	126	47	0.10	<5	12	<10	188	1172	<2	31	<10	4	42
143509	1006930	4815	8	>10.00	5	342	<2	13	3.35	<4	28	72	104	4.61	1.61	<1	2.04	909	5	61	911	23	0.74	<5	6	11	305	2237	2	122	<10	16	105
143510	1006931	48	1	9.46	<2	538	<2	12	1.69	<4	6	33	10	0.38	1.73	<1	0.36	195	<1	46	138	56	0.07	<5	16	<10	186	1116	3	31	<10	4	96
143511	1006932	34	<1	8.85	2	527	<2	12	1.10	<4	8	41	7	0.50	1.70	<1	0.34	172	<1	60	141	56	0.14	<5	19	<10	145	1295	<2	33	<10	4	115
143512D	1006932	32	1	9.52	3	531	<2	17	1.13	<4	8	48	7	0.55	1.62	<1	0.36	176	<1	74	140	54	0.14	<5	6	10	148	1314	3	34	<10	4	99
143513	1006933	112	<1	>10.00	11	657	<2	18	2.91	<4	12	42	15	1.65	1.80	12	1.48	990	<1	45	373	96	0.76	<5	28	<10	293	1960	<2	46	<10	8	183
143514	1006934	52	1	9.95	10	480	<2	12	2.40	<4	9	34	34	1.83	1.66	4	1.43	937	<1	44	466	43	0.71	<5	21	<10	245	1923	<2	42	<10	6	102
143515	1006935	465	3	9.48	8	412	<2	7	2.31	<4	10	49	59	1.98	1.62	<1	1.27	841	<1	48	480	253	0.95	<5	10	<10	228	1763	<2	43	<10	7	601
143516	1006936	19	1	9.38	<2	495	<2	6	1.47	<4	5	23	4	0.31	1.59	<1	0.31	150	<1	26	130	34	0.03	<5	16	<10	187	1318	<2	33	<10	4	62
143517	1006937	18	<1	9.37	<2	570	<2	15	1.90	<4	4	28	3	0.38	1.65	<1	0.40	202	<1	39	124	20	0.08	<5	7	<10	228	1278	<2	30	<10	4	53
143518	1006938	13	1	9.46	<2	540	<2	14	1.77	<4	5	28	3	0.31	1.55	<1	0.40	186	<1	37	127	9	0.03	<5	19	<10	222	1298	5	31	<10	4	46
143519	1006939	13	1	9.01	<2	404	<2	11	1.51	<4	5	29	10	0.38	1.68	<1	0.41	183	<1	42	<100	15	0.05	<5	6	<10	175	1342	<2	29	<10	5	49
143520	1006940	<5	<1	9.04	<2	491	<2	12	1.98	<4	13	61	23	2.41	1.72	<1	0.96	505	<1	38	518	10	0.07	<5	<5	<10	244	1826	<2	79	41	15	47
143521	1006941	45	<1	9.91	16	476	<2	15	2.60	<4	10	32	29	2.04	1.57	2	1.13	833	<1	39	437	89	1.04	<5	13	<10	265	1971	<2	48	<10	8	150

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143522	1006942	102	<1	>10.00	22	488	<2	14	2.77	<4	16	117	50	2.58	1.72	15	1.88	736	<1	88	568	21	0.92	<5	15	<10	236	2181	<2	69	<10	8	93
143523D	1006942	114	<1	>10.00	20	476	<2	22	2.75	<4	16	115	50	2.55	1.58	14	1.86	732	<1	86	569	21	0.92	<5	16	<10	231	2187	7	68	<10	8	95
143524	1006943	579	3	8.70	37	819	<2	10	0.77	8	8	66	82	1.46	1.57	2	0.47	179	<1	74	287	135	1.43	<5	6	<10	83	1181	<2	34	25	4	2394
143525	1006944	175	2	9.98	20	594	<2	12	1.19	<4	4	29	25	0.92	1.64	2	0.80	329	<1	48	247	229	0.64	<5	18	<10	94	995	<2	19	10	4	744
143526	1006945	85	<1	8.98	8	473	<2	9	0.88	<4	4	29	12	0.76	1.57	<1	0.64	188	<1	42	246	83	0.35	<5	12	<10	76	896	<2	17	<10	5	218
143527	1006946	278	1	8.92	22	573	<2	8	0.81	<4	5	38	18	1.00	1.50	<1	0.60	180	<1	45	257	107	0.70	<5	13	<10	75	973	<2	22	<10	5	317
143528	1006947	1112	<1	9.24	11	430	<2	11	1.70	<4	25	110	76	3.18	1.52	<1	1.14	462	<1	90	481	36	1.13	<5	10	<10	132	1548	<2	63	<10	11	110
143529	1006948	551	<1	9.32	<2	403	<2	13	2.08	<4	20	136	44	3.13	1.51	3	1.29	660	<1	82	443	32	0.56	<5	5	<10	185	2138	5	74	<10	11	104
143530	1006949	123	<1	9.76	21	650	<2	13	2.03	<4	8	48	24	1.71	1.64	3	0.85	394	<1	45	397	48	0.97	<5	15	<10	201	1734	2	45	<10	6	96
143531	1006950	1113	<1	8.94	16	564	<2	9	2.00	<4	14	58	546	3.44	1.61	<1	1.04	568	18	40	595	70	0.57	<5	<5	10	234	1826	<2	105	25	13	100
143532	1006951	41	<1	8.70	9	659	<2	6	1.79	<4	7	29	21	1.13	1.73	<1	0.50	221	<1	34	357	55	0.61	<5	6	<10	184	1429	<2	33	<10	5	70
143533	1006952	23	<1	8.67	23	752	<2	10	1.80	<4	9	33	17	1.05	1.63	<1	0.48	187	<1	41	401	28	0.65	<5	15	<10	184	1376	2	33	<10	5	469
143534D	1006952	19	<1	8.53	27	729	<2	9	1.72	<4	10	32	17	1.07	1.66	<1	0.49	191	<1	38	413	30	0.68	<5	8	<10	172	1366	<2	32	<10	5	486
143535	1006953	58	1	8.88	33	584	<2	9	1.82	<4	8	37	31	1.43	1.52	<1	0.48	221	<1	43	381	95	1.22	<5	17	<10	171	1458	<2	33	<10	6	267
143536	1006954	30	<1	9.63	16	409	<2	9	2.09	<4	10	40	29	1.80	1.65	1	0.95	585	<1	49	453	35	1.03	<5	10	<10	127	1784	<2	41	<10	7	75
143537	1006955	86	<1	9.55	31	422	<2	13	1.13	<4	10	29	21	1.05	1.62	<1	0.62	312	<1	38	567	29	0.74	<5	6	10	80	1739	<2	37	<10	6	75
143538	1006956	417	4	9.14	59	419	<2	11	0.71	<4	6	26	33	1.53	1.45	<1	0.48	145	<1	35	557	222	1.50	<5	<5	<10	66	1636	<2	33	<10	5	585
143539	1006957	391	2	9.49	39	394	<2	10	1.34	<4	5	26	32	1.22	1.46	<1	0.82	468	<1	34	566	111	0.94	<5	7	<10	85	1676	<2	33	<10	5	266
143540	1006958	111	1	9.94	25	425	<2	14	1.66	<4	5	26	12	0.94	1.36	<1	0.97	628	<1	31	607	54	0.51	<5	17	<10	97	1781	<2	33	<10	6	70
143541	1006959	189	<1	>10.00	34	495	<2	11	1.33	<4	5	29	5	1.10	1.58	<1	0.80	397	<1	40	672	40	0.75	<5	11	<10	94	1913	2	35	<10	6	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143542	1006960	<5	3	0.05	<2	3	10	152	<0.01	<4	<1	4	10	<0.01	0.02	<1	<0.01	<100	<1	37	<100	105	0.02	113	175	48	45	<100	91	4	95	<2	156
143543	1006961	45	<1	9.54	43	464	<2	7	1.77	<4	4	21	8	1.16	1.41	<1	1.01	599	<1	27	568	39	0.60	<5	12	<10	121	1716	<2	32	<10	5	52
143544	1006962	135	<1	9.63	17	578	<2	22	1.97	<4	10	56	16	1.94	1.58	<1	0.91	564	<1	48	359	53	1.15	<5	<5	<10	169	1767	3	44	<10	7	132
143545D	1006962	137	<1	9.13	23	503	<2	11	1.85	<4	10	53	16	1.92	1.54	<1	0.89	545	<1	45	352	46	1.16	<5	<5	10	154	1542	<2	38	<10	7	128
143546	1006963	284	<1	8.99	36	317	<2	15	1.69	<4	18	137	112	3.42	1.53	8	1.61	955	<1	88	506	455	1.42	<5	12	<10	138	1711	<2	83	<10	8	121
143547	1006964	188	<1	9.67	5	338	<2	13	1.58	<4	19	126	61	3.36	1.50	10	1.97	1003	<1	95	538	74	0.59	<5	<5	<10	128	1906	3	77	<10	10	83
143548	1006965	1337	<1	8.86	19	399	<2	6	1.17	<4	4	29	5	1.38	1.48	4	1.21	584	<1	39	488	134	0.67	<5	5	<10	115	902	2	29	<10	4	144
143549	1006966	880	<1	9.69	18	362	<2	13	1.24	<4	4	27	4	1.50	1.48	4	1.36	637	<1	38	495	203	0.77	<5	10	<10	120	824	<2	27	<10	5	153
143550	1006967	1060	2	9.46	19	310	<2	11	1.36	6	4	35	19	1.37	1.45	<1	1.23	572	<1	33	493	1024	0.88	<5	9	<10	104	744	<2	23	22	6	2259
143551	1006968	157	1	>10.00	6	311	<2	18	1.68	<4	3	25	5	1.19	1.40	9	2.07	941	<1	34	465	442	0.39	<5	12	<10	120	895	<2	25	12	6	1303
143552	1006969	44	<1	>10.00	10	314	<2	11	1.34	<4	4	28	2	1.28	1.66	29	2.41	1189	<1	36	444	187	0.31	<5	7	<10	131	921	<2	29	<10	6	403
143553	1006970	244	383	8.08	3870	59	<2	14	2.28	114	13	48	424	6.75	1.51	<1	0.82	1218	<1	30	414	10479	5.53	60	<5	16	187	1236	<2	86	86	11	12952
143554	1006971	85	<1	>10.00	22	238	<2	14	0.87	<4	6	32	6	2.24	1.57	44	3.20	1285	<1	36	382	66	0.81	<5	<5	<10	102	954	<2	29	<10	6	153
143555	1006972	100	<1	>10.00	10	252	<2	19	1.19	<4	6	38	4	2.07	1.60	38	3.09	1443	<1	47	416	29	0.51	<5	7	10	132	1078	4	30	<10	7	111
143556D	1006972	108	<1	>10.00	14	215	<2	12	1.01	<4	6	36	3	1.97	1.68	29	2.93	1351	<1	43	387	29	0.49	<5	<5	<10	113	955	<2	27	<10	6	108
143557	1006973	1081	<1	>10.00	20	355	<2	13	1.56	<4	6	29	2	1.36	1.86	13	1.56	775	<1	36	430	70	0.81	<5	22	<10	152	930	2	28	<10	5	182
143558	1006974	53	<1	9.74	13	255	<2	12	1.97	<4	7	36	4	1.36	1.70	2	1.96	1035	<1	38	432	78	0.37	<5	<5	<10	135	800	5	25	<10	6	120
143559	1006975	138	<1	9.36	30	269	<2	13	1.06	<4	9	36	7	1.60	1.53	4	1.59	795	<1	39	493	114	0.85	<5	11	<10	120	1063	<2	32	<10	5	1019
143560	1006976	164	1	8.65	28	568	<2	11	1.11	<4	6	34	58	1.22	1.65	<1	0.74	363	<1	37	538	761	1.00	<5	8	<10	127	1095	<2	34	10	5	1061
143561	1006977	173	2	9.45	25	1333	<2	7	1.64	<4	6	38	48	1.66	1.48	<1	0.91	530	<1	31	422	555	1.45	<5	11	<10	159	1514	3	34	<10	6	687

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143562	1006978	744	<1	9.99	22	509	<2	8	1.57	<4	7	30	18	1.84	1.51	2	1.00	750	<1	36	491	151	1.20	<5	15	<10	141	1696	<2	36	<10	5	884
143563	1006979	1269	2	9.72	33	433	<2	6	1.62	<4	12	71	60	2.36	1.41	2	1.32	1047	<1	59	457	608	1.39	<5	10	<10	134	1878	<2	55	11	7	933
143564	1006980	5	<1	8.69	<2	460	<2	16	1.85	<4	12	56	21	2.13	1.66	<1	0.83	454	<1	38	459	7	0.07	<5	<5	<10	238	1788	<2	72	40	12	43
143565	1006981	4692	7	8.66	40	391	<2	11	1.12	10	8	51	34	1.82	1.34	<1	0.67	339	<1	47	361	1634	2.05	<5	9	<10	108	1340	2	34	32	6	3808
143566	1006982	258	2	9.47	18	547	<2	17	1.80	<4	4	24	17	1.60	1.51	4	1.34	1169	<1	30	363	294	1.12	<5	8	<10	176	1560	<2	30	<10	4	618
143567R	1006982	254	2	9.93	18	567	<2	11	1.89	<4	4	25	18	1.67	1.52	6	1.39	1222	<1	32	379	315	1.17	<5	7	<10	183	1608	<2	30	<10	5	715
143568	1006983	226	<1	9.60	20	468	<2	11	1.47	<4	6	22	28	1.48	1.47	4	0.95	719	<1	30	372	52	0.63	<5	13	<10	147	1689	<2	29	<10	4	159
143569	1006984	55	<1	>10.00	3	551	<2	17	1.76	<4	6	25	15	1.54	1.42	8	0.77	673	<1	42	437	19	0.36	<5	22	<10	162	1911	<2	33	<10	5	80
143570	1006985	19	<1	>10.00	6	610	<2	15	1.64	<4	7	28	15	1.81	1.49	11	0.66	424	<1	43	431	34	0.82	<5	22	<10	164	1987	<2	37	<10	6	49
143571	1006986	20	<1	>10.00	4	577	<2	14	1.61	<4	5	27	13	1.58	1.41	8	0.61	399	<1	31	383	31	0.69	<5	<5	<10	163	1802	<2	34	<10	5	49
143572	1006987	40	<1	>10.00	2	498	<2	9	1.67	<4	6	27	5	1.57	1.47	6	0.58	455	<1	35	457	28	0.68	<5	6	<10	161	1765	<2	34	<10	5	44
143573	1006988	14	<1	9.90	5	387	<2	15	1.86	<4	5	27	6	1.48	1.55	3	0.63	527	<1	36	381	19	0.65	<5	<5	<10	168	1490	<2	27	<10	5	45
143574	1006989	17	<1	8.93	5	405	<2	11	1.65	<4	5	25	6	1.25	1.59	<1	0.53	479	<1	33	369	41	0.56	<5	<5	<10	157	1421	<2	27	<10	5	38
143575	1006990	4846	7	>10.00	7	333	<2	19	3.17	<4	26	68	95	4.29	1.77	4	1.75	830	5	60	825	20	0.71	<5	<5	<10	295	2797	2	115	<10	13	92
143576	1006991	113	<1	8.31	14	390	<2	17	1.76	<4	6	23	15	1.52	1.54	6	0.61	726	<1	33	378	31	0.67	<5	<5	<10	168	1617	<2	30	<10	4	83
143577	1006992	305	5	9.03	32	357	<2	10	1.10	<4	5	29	67	1.33	1.53	7	0.46	305	<1	40	381	386	1.14	<5	<5	<10	137	1601	<2	27	<10	4	242
143578D	1006992	306	5	9.19	33	347	<2	8	1.08	<4	5	26	62	1.29	1.68	5	0.47	289	<1	36	353	365	1.12	<5	11	<10	134	1535	<2	26	<10	4	229
143579	1006993	969	6	8.87	41	367	<2	7	1.52	6	6	31	38	2.00	1.73	6	0.76	717	<1	41	369	714	1.83	<5	10	<10	145	1427	<2	30	22	4	2132
143580	1006994	352	<1	9.21	8	410	2	10	1.69	<4	19	137	49	3.12	1.51	19	1.26	1134	<1	99	415	45	1.17	<5	<5	<10	189	2255	<2	71	<10	9	120
143581	1006995	313	<1	>10.00	9	352	2	13	1.95	<4	17	132	47	3.34	1.49	10	1.30	854	<1	87	462	37	1.18	<5	7	<10	151	2225	<2	76	<10	10	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143582	1006996	1794	16	9.97	42	394	2	13	1.50	5	19	144	171	3.10	1.41	12	0.99	742	<1	86	421	862	2.16	<5	<5	<10	130	1868	<2	79	13	9	1309
143583	1006997	435	<1	>10.00	29	368	<2	11	1.92	<4	20	142	65	3.29	1.32	16	1.52	1328	<1	92	452	50	1.40	<5	13	<10	152	2121	<2	83	<10	12	85
143584	1006998	408	<1	>10.00	8	345	<2	13	1.84	<4	21	156	57	3.45	1.47	22	1.63	1209	<1	98	485	58	1.21	<5	8	<10	167	2124	4	87	<10	10	237
143585	1006999	182	1	>10.00	63	409	<2	14	2.02	<4	9	80	141	2.10	1.38	11	0.68	491	<1	84	415	369	1.85	<5	14	<10	95	1437	<2	42	<10	7	555
143586	1007000	9	<1	8.88	2	500	<2	7	1.98	<4	13	59	22	2.27	1.54	2	0.80	483	<1	42	474	7	0.07	<5	<5	<10	257	2049	<2	78	38	11	44
143587	1075001	51	<1	9.16	33	453	2	13	1.16	<4	6	43	13	1.47	1.46	9	0.68	375	<1	62	426	47	1.11	<5	10	<10	93	1534	<2	34	<10	5	70
143588	1075002	34	<1	9.70	39	457	<2	14	1.00	<4	7	32	9	1.37	1.41	5	0.63	251	<1	41	451	43	1.20	<5	7	<10	92	1631	<2	35	<10	5	138
143589D	1075002	46	<1	>10.00	36	454	<2	15	1.05	<4	7	33	9	1.45	1.34	6	0.67	252	<1	44	466	45	1.25	<5	6	<10	96	1605	<2	35	<10	6	140
143590	1075003	65	<1	9.02	39	318	<2	10	1.48	<4	6	22	12	1.47	1.52	<1	0.69	379	<1	25	385	163	1.39	<5	<5	<10	89	1159	<2	24	13	6	1279
143591	1075004	56	<1	>10.00	15	460	<2	10	1.77	<4	7	25	43	1.39	1.60	4	0.95	629	<1	32	443	99	0.76	<5	6	<10	102	1625	<2	31	<10	5	271
143592	1075005	106	1	9.73	20	441	<2	14	1.29	<4	5	24	40	1.39	1.37	3	0.69	404	<1	39	445	154	1.03	<5	7	<10	86	1598	<2	30	<10	5	644
143593	1075006	73	<1	>10.00	27	463	<2	16	1.38	<4	6	21	25	1.50	1.41	5	0.76	414	<1	32	431	99	1.17	<5	15	<10	90	1656	<2	31	<10	5	595
143594	1075007	76	2	>10.00	5	421	<2	14	2.22	5	6	24	9	1.50	1.24	8	1.20	894	<1	34	451	435	0.76	<5	14	<10	130	1629	<2	31	19	6	2066
143595	1075008	33	<1	>10.00	11	479	<2	12	2.36	<4	6	24	11	1.58	1.30	8	1.17	934	<1	33	418	153	0.84	<5	14	<10	138	1613	5	32	<10	6	282
143596	1075009	50659	31	>10.00	12	532	<2	10	2.08	5	7	40	89	1.71	1.50	8	1.10	737	<1	48	366	1018	1.12	<5	13	10	123	1523	3	32	18	6	1712
143597	1075010	1140	<1	>10.00	19	585	<2	20	2.16	<4	14	58	537	3.49	1.65	<1	1.06	572	20	42	597	73	0.60	<5	6	<10	257	2004	5	110	28	13	103
143598	1075011	379	2	>10.00	15	539	<2	6	1.88	<4	5	33	33	1.27	1.48	14	1.08	680	<1	35	326	365	0.84	<5	9	<10	134	1475	<2	28	<10	6	782
143599	1075012	2881	1	10.00	13	549	<2	16	1.78	<4	5	30	26	1.13	1.53	8	0.76	528	<1	39	285	20	0.53	<5	14	<10	143	1398	2	24	<10	5	37
143600D	1075012	3097	<1	9.84	15	572	<2	13	1.81	<4	5	32	27	1.17	1.67	9	0.75	551	<1	39	288	21	0.55	<5	9	<10	145	1455	<2	25	<10	4	36
143601	1075013	436	<1	9.82	12	573	<2	15	1.84	<4	5	34	15	1.12	1.60	13	0.94	532	<1	48	293	25	0.50	<5	<5	<10	151	1528	<2	24	<10	4	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143602	1075014	97	<1	9.75	<2	331	<2	11	1.71	<4	19	142	56	3.34	1.52	12	1.62	812	<1	80	475	55	0.77	<5	<5	<10	122	2025	4	77	<10	8	92
143603	1075015	59	<1	>10.00	<2	524	<2	14	1.97	<4	7	38	38	1.37	1.54	8	1.10	579	<1	40	290	28	0.37	<5	7	<10	132	1396	<2	30	<10	5	55
143604	1075016	38	<1	>10.00	7	611	<2	13	1.71	<4	4	32	9	1.16	1.44	14	1.23	643	<1	56	287	24	0.37	<5	<5	<10	125	1460	<2	25	<10	4	41
143605	1075017	69	<1	9.32	15	491	<2	15	1.60	<4	5	30	17	1.26	1.44	9	1.28	628	<1	46	260	95	0.55	<5	11	<10	117	1223	<2	23	<10	4	134
143606	1075018	1265	<1	>10.00	8	557	<2	10	2.08	<4	5	31	16	1.19	1.51	17	1.23	693	<1	45	277	30	0.44	<5	13	<10	113	1447	<2	24	<10	5	92
143607	1075019	57	<1	>10.00	4	487	<2	9	2.16	<4	5	25	19	1.19	1.36	5	1.25	517	<1	33	285	56	0.36	<5	<5	<10	106	1305	3	22	<10	6	68
143608	1075020	<5	<1	8.34	<2	438	<2	12	1.77	<4	11	51	20	2.02	1.56	<1	0.76	430	<1	44	431	2	0.06	<5	<5	<10	228	1852	<2	70	38	9	40
143609	1075021	25	<1	9.72	3	511	<2	14	2.06	<4	5	26	6	1.20	1.60	15	1.14	471	<1	37	281	16	0.29	<5	<5	<10	121	1386	<2	25	<10	4	34
143610	1075022	34	<1	>10.00	<2	547	<2	12	2.12	<4	6	24	8	1.37	1.54	15	1.28	544	<1	30	296	12	0.29	<5	11	<10	126	1588	<2	26	<10	5	40
143611D	1075022	46	<1	>10.00	2	509	<2	13	1.97	<4	6	22	7	1.33	1.57	9	1.33	524	<1	28	288	9	0.29	<5	6	<10	114	1468	<2	24	<10	5	33
143612	1075023	29	<1	9.19	5	583	<2	7	1.48	<4	5	23	10	1.34	1.55	20	1.14	494	<1	32	296	12	0.24	<5	15	<10	148	1710	<2	27	<10	4	21
143613	1075024	123	<1	9.37	<2	555	<2	8	1.76	<4	6	26	6	1.26	1.72	11	0.97	295	<1	37	299	8	0.15	<5	<5	<10	124	1668	<2	27	<10	4	31
143614	1075025	<5	<1	9.45	<2	457	<2	16	1.85	<4	6	27	7	1.18	1.71	12	0.99	310	<1	34	275	12	0.17	<5	12	<10	122	1518	<2	24	<10	4	33
143615	1075026	<5	<1	>10.00	<2	491	<2	20	1.96	<4	6	30	7	1.24	1.72	14	1.06	331	<1	40	278	10	0.18	<5	11	<10	125	1521	<2	25	<10	4	31
143616	1075027	<5	<1	7.75	<2	555	<2	6	1.91	<4	6	25	18	1.12	1.83	9	0.98	387	<1	41	308	11	0.24	<5	<5	<10	124	1617	2	25	<10	3	38
143617	1075028	<5	<1	>10.00	<2	628	<2	16	2.18	<4	6	24	8	1.30	1.40	13	1.08	324	<1	40	315	24	0.28	<5	13	<10	154	1683	<2	27	<10	5	43
143618	1075029	7	1	>10.00	<2	591	<2	21	2.13	<4	5	42	21	1.43	1.45	9	1.11	398	<1	55	310	204	0.48	<5	13	<10	153	1451	3	25	10	5	453
143619	1075030	239	375	8.95	3842	62	<2	15	2.46	114	14	51	428	6.90	1.43	2	0.81	1275	1	39	421	10264	5.73	72	<5	14	201	1540	<2	92	90	9	13057
143620	1075031	<5	<1	9.54	2	537	<2	14	2.01	<4	6	24	6	1.20	1.57	11	1.00	333	<1	41	288	23	0.24	<5	<5	<10	137	1560	<2	25	<10	4	40
143621	1075032	7	<1	>10.00	<2	588	<2	11	2.21	<4	4	22	7	1.25	1.55	13	1.09	429	<1	38	288	25	0.38	<5	14	<10	138	1518	<2	25	<10	4	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
143622D	1075032	<5	<1	9.93	<2	608	<2	21	2.19	<4	5	25	6	1.28	1.48	12	1.09	437	<1	43	303	26	0.40	<5	<5	10	136	1563	<2	26	<10	4	46
143623	1075033	22	2	>10.00	<2	475	<2	16	3.32	<4	6	26	138	1.68	1.76	15	1.51	787	<1	48	231	44	0.61	<5	<5	<10	153	1520	<2	25	<10	5	678
143624	1075034	11	<1	9.52	<2	532	<2	17	2.55	<4	5	22	14	1.17	1.69	10	1.16	482	<1	48	229	51	0.29	<5	15	<10	148	1423	2	24	<10	4	296
143625	1075035	5	<1	9.74	<2	484	<2	20	2.09	<4	4	24	13	1.16	1.84	13	1.38	402	<1	38	270	27	0.16	<5	7	<10	117	1442	<2	23	<10	4	62
143626	1075036	11	<1	>10.00	<2	567	<2	10	1.92	<4	5	18	10	1.09	1.76	11	1.19	335	<1	36	292	29	0.20	<5	13	<10	107	1538	8	24	<10	4	58
143627	1075037	73	<1	>10.00	12	554	<2	21	1.91	<4	6	22	8	1.08	1.71	10	0.97	360	<1	33	300	38	0.54	<5	5	<10	107	1504	<2	24	<10	4	56
143628	1075038	274	1	9.50	7	509	<2	16	1.67	<4	5	19	14	1.05	1.56	12	0.91	328	<1	42	299	66	0.58	<5	<5	<10	100	1552	<2	26	<10	4	148
143629	1075039	495	2	9.78	11	423	<2	12	2.02	<4	6	32	38	1.15	1.48	8	1.01	426	<1	47	328	124	0.65	<5	25	<10	100	1504	<2	32	<10	6	362
143630	1075040	<5	<1	8.93	5	429	<2	4	1.81	<4	10	51	19	1.98	1.58	<1	0.80	421	<1	41	412	8	0.06	<5	17	<10	229	1818	<2	68	35	10	41
143631	1075041	95	<1	>10.00	14	506	<2	8	1.87	<4	6	19	18	1.25	1.49	13	1.14	383	<1	34	308	30	0.62	<5	13	<10	103	1512	<2	24	<10	6	377
143632	1075042	16	1	>10.00	5	540	<2	23	2.09	<4	6	27	10	1.21	1.56	9	1.21	293	<1	46	324	31	0.27	<5	7	<10	96	1605	3	27	<10	5	44
143633R	1075042	24	<1	>10.00	9	559	<2	13	2.15	<4	6	23	10	1.27	1.67	11	1.29	298	<1	41	320	39	0.32	<5	<5	<10	99	1650	<2	28	<10	4	44
143634	1075043	967	2	9.81	18	493	<2	7	1.67	<4	5	17	14	0.98	1.53	6	0.90	286	<1	42	306	46	0.42	<5	<5	<10	89	1463	5	25	<10	4	111
143635	1075044	331	5	>10.00	8	475	<2	12	1.70	<4	6	25	44	1.17	1.83	5	1.01	314	<1	45	327	158	0.46	<5	15	<10	87	1561	<2	27	<10	5	1006
143636	1075045	19	<1	>10.00	5	482	<2	16	2.24	<4	7	23	9	1.32	1.66	8	1.34	359	<1	45	338	43	0.23	<5	13	<10	94	1597	6	28	<10	5	68
143637	1075046	18	<1	>10.00	5	483	<2	17	2.15	<4	6	22	9	1.22	1.68	6	1.31	340	<1	35	310	38	0.19	<5	22	<10	91	1548	<2	27	<10	5	61
143638	1075047	156	<1	>10.00	13	545	<2	9	0.73	<4	6	22	17	0.94	1.64	<1	0.56	125	<1	35	361	23	0.46	<5	14	<10	63	1658	<2	28	<10	4	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
143502	1006923	45	0.001	0.045
143503	1006924	37	0.001	0.037
143504	1006925	14	<0.001	0.014
143505	1006926	14	<0.001	0.014
143506	1006927	17	<0.001	0.017
143507	1006928	12	<0.001	0.012
143508	1006929	22	<0.001	0.022
143509	1006930	4815	0.140	4.815
143510	1006931	48	0.001	0.048
143511	1006932	34	<0.001	0.034
143512 Dup	1006932	32	<0.001	0.032
143513	1006933	112	0.003	0.112
143514	1006934	52	0.002	0.052
143515	1006935	465	0.014	0.465
143516	1006936	19	<0.001	0.019
143517	1006937	18	<0.001	0.018
143518	1006938	13	<0.001	0.013
143519	1006939	13	<0.001	0.013
143520	1006940	<5	<0.001	<0.005
143521	1006941	45	0.001	0.045
143522	1006942	102	0.003	0.102
143523 Dup	1006942	114	0.003	0.114
143524	1006943	579	0.017	0.579
143525	1006944	175	0.005	0.175
143526	1006945	85	0.002	0.085
143527	1006946	278	0.008	0.278
143528	1006947	1112	0.032	1.112
143529	1006948	551	0.016	0.551
143530	1006949	123	0.004	0.123
143531	1006950	1113	0.032	1.113

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
143532	1006951	41	0.001	0.041
143533	1006952	23	<0.001	0.023
143534 Dup	1006952	19	<0.001	0.019
143535	1006953	58	0.002	0.058
143536	1006954	30	<0.001	0.030
143537	1006955	86	0.003	0.086
143538	1006956	417	0.012	0.417
143539	1006957	391	0.011	0.391
143540	1006958	111	0.003	0.111
143541	1006959	189	0.006	0.189
143542	1006960	<5	<0.001	<0.005
143543	1006961	45	0.001	0.045
143544	1006962	135	0.004	0.135
143545 Dup	1006962	137	0.004	0.137
143546	1006963	284	0.008	0.284
143547	1006964	188	0.005	0.188
143548	1006965	1337	0.039	1.337
143549	1006966	880	0.026	0.880
143550	1006967	1060	0.031	1.060
143551	1006968	157	0.005	0.157
143552	1006969	44	0.001	0.044
143553	1006970	244	0.007	0.244
143554	1006971	85	0.002	0.085
143555	1006972	100	0.003	0.100
143556 Dup	1006972	108	0.003	0.108
143557	1006973	1081	0.032	1.081
143558	1006974	53	0.002	0.053
143559	1006975	138	0.004	0.138
143560	1006976	164	0.005	0.164
143561	1006977	173	0.005	0.173

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
143562	1006978	744	0.022	0.744
143563	1006979	1269	0.037	1.269
143564	1006980	5	<0.001	0.005
143565	1006981	4692	0.137	4.692
143566	1006982	258	0.008	0.258
143567 Rep	1006982	254	0.007	0.254
143568	1006983	226	0.007	0.226
143569	1006984	55	0.002	0.055
143570	1006985	19	<0.001	0.019
143571	1006986	20	<0.001	0.020
143572	1006987	40	0.001	0.040
143573	1006988	14	<0.001	0.014
143574	1006989	17	<0.001	0.017
143575	1006990	4846	0.141	4.846
143576	1006991	113	0.003	0.113
143577	1006992	305	0.009	0.305
143578 Dup	1006992	306	0.009	0.306
143579	1006993	969	0.028	0.969
143580	1006994	352	0.010	0.352
143581	1006995	313	0.009	0.313
143582	1006996	1794	0.052	1.794
143583	1006997	435	0.013	0.435
143584	1006998	408	0.012	0.408
143585	1006999	182	0.005	0.182
143586	1007000	9	<0.001	0.009
143587	1075001	51	0.001	0.051
143588	1075002	34	<0.001	0.034
143589 Dup	1075002	46	0.001	0.046
143590	1075003	65	0.002	0.065
143591	1075004	56	0.002	0.056

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
143592	1075005	106	0.003	0.106
143593	1075006	73	0.002	0.073
143594	1075007	76	0.002	0.076
143595	1075008	33	<0.001	0.033
143596	1075009	50659	1.478	50.659
143597	1075010	1140	0.033	1.140
143598	1075011	379	0.011	0.379
143599	1075012	2881	0.084	2.881
143600 Dup	1075012	3097	0.090	3.097
143601	1075013	436	0.013	0.436
143602	1075014	97	0.003	0.097
143603	1075015	59	0.002	0.059
143604	1075016	38	0.001	0.038
143605	1075017	69	0.002	0.069
143606	1075018	1265	0.037	1.265
143607	1075019	57	0.002	0.057
143608	1075020	<5	<0.001	<0.005
143609	1075021	25	<0.001	0.025
143610	1075022	34	<0.001	0.034
143611 Dup	1075022	46	0.001	0.046
143612	1075023	29	<0.001	0.029
143613	1075024	123	0.004	0.123
143614	1075025	<5	<0.001	<0.005
143615	1075026	<5	<0.001	<0.005
143616	1075027	<5	<0.001	<0.005
143617	1075028	<5	<0.001	<0.005
143618	1075029	7	<0.001	0.007
143619	1075030	239	0.007	0.239
143620	1075031	<5	<0.001	<0.005
143621	1075032	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/08/2011  
 Date Completed: 06/22/2011  
 Job #: 201142115  
 Reference: TL11173  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
143622 Dup	1075032	<5	<0.001	<0.005
143623	1075033	22	<0.001	0.022
143624	1075034	11	<0.001	0.011
143625	1075035	5	<0.001	0.005
143626	1075036	11	<0.001	0.011
143627	1075037	73	0.002	0.073
143628	1075038	274	0.008	0.274
143629	1075039	495	0.014	0.495
143630	1075040	<5	<0.001	<0.005
143631	1075041	95	0.003	0.095
143632	1075042	16	<0.001	0.016
143633 Rep	1075042	24	<0.001	0.024
143634	1075043	967	0.028	0.967
143635	1075044	331	0.010	0.331
143636	1075045	19	<0.001	0.019
143637	1075046	18	<0.001	0.018
143638	1075047	156	0.005	0.156

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 29, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 06/29/2011  
Job #: 201142340  
Reference: TL11173  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
155254	1006981	0.125	4.274
155255	1075012	0.073	2.513

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/23/2011  
 Date Completed: 07/08/2011  
 Job #: 201142347  
 Reference: TL11173  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
155265	1075009	45.080	45.749	534.061	65.746	4.16%	41.69

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144150	1004923	19	<1	9.58	17	359	<2	17	1.74	<4	18	110	31	3.33	1.65	7	1.13	529	<1	83	418	26	0.22	<5	13	<10	235	2748	<2	83	<10	8	286
144151	1004924	26	<1	6.76	<2	132	2	25	1.59	8	62	39	231	19.21	1.74	<1	1.07	2983	21	132	141	37	>10.00	<5	6	<10	120	1001	3	41	<10	8	494
144152	1004925	14	<1	8.89	<2	539	<2	12	2.64	<4	8	22	17	2.07	1.66	<1	0.61	355	<1	42	389	16	0.67	<5	8	<10	301	1975	<2	38	<10	4	61
144153	1004926	18	<1	8.55	<2	510	<2	9	2.42	<4	9	24	19	2.22	1.85	<1	0.60	364	<1	38	368	18	0.79	<5	6	<10	283	1948	<2	38	<10	4	75
144154	1004927	14	<1	8.43	86	378	2	21	1.96	<4	35	45	124	7.40	1.69	3	0.88	351	5	85	351	28	4.90	<5	<5	<10	276	1986	<2	60	<10	6	286
144155	1004928	11	<1	9.95	<2	882	<2	13	2.94	<4	13	29	29	2.58	1.84	4	1.01	372	<1	41	566	9	0.18	<5	<5	<10	291	3219	<2	62	<10	6	91
144156	1004929	167	<1	>10.00	<2	391	<2	18	2.23	<4	19	121	49	3.68	1.93	9	1.38	641	<1	88	529	43	1.07	<5	<5	<10	158	2251	<2	82	<10	10	98
144157	1004930	7	<1	8.36	2	449	<2	9	1.79	<4	12	54	20	2.11	1.77	<1	0.82	444	<1	39	443	6	0.06	<5	9	<10	234	1799	<2	71	41	11	43
144158	1004931	19	<1	>10.00	12	587	<2	10	1.41	<4	7	26	8	1.09	1.54	7	0.69	296	<1	48	242	33	0.45	<5	11	<10	112	1576	<2	30	<10	5	71
144159	1004932	38	<1	>10.00	14	539	<2	18	1.61	<4	7	20	18	1.07	1.61	7	0.94	428	<1	38	262	42	0.46	<5	<5	<10	112	1497	<2	28	<10	5	64
144160D	1004932	41	1	9.88	14	513	<2	8	1.54	<4	6	18	19	1.01	1.60	6	0.88	412	<1	38	242	37	0.43	<5	23	<10	109	1434	<2	26	<10	5	62
144161	1004933	106	5	>10.00	15	677	<2	15	1.71	<4	13	81	91	2.07	1.73	11	0.94	461	<1	62	359	282	1.00	<5	<5	<10	111	2016	<2	58	<10	7	313
144162	1004934	13	<1	>10.00	<2	483	2	15	2.02	<4	6	26	18	1.36	1.69	10	0.95	432	<1	47	318	39	0.52	<5	8	12	170	1563	<2	36	<10	5	70
144163	1004935	8	<1	9.31	9	616	<2	15	1.27	<4	6	24	9	1.41	1.69	6	0.63	170	<1	35	278	44	1.22	<5	12	<10	143	1561	<2	27	<10	4	55
144164	1004936	24	<1	<0.01	2	<1	<2	<1	<0.01	<4	1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	<3	<100	<2	<2	<10	<2	<1
144165	1004937	38	<1	9.80	<2	487	<2	14	2.08	<4	19	141	43	3.00	1.87	8	1.09	504	<1	73	422	24	0.77	<5	9	<10	189	2365	<2	77	<10	9	65
144166	1004938	18	<1	>10.00	<2	428	<2	10	2.03	<4	20	120	35	3.08	1.81	10	1.23	464	<1	76	391	25	0.34	<5	6	<10	221	2616	<2	86	<10	7	48
144167	1004939	181	<1	>10.00	<2	467	<2	19	2.14	<4	22	153	43	3.68	1.89	16	1.45	693	<1	94	428	37	0.47	<5	<5	<10	234	2924	<2	102	<10	8	66
144168	1004940	1139	<1	9.53	18	555	<2	14	2.03	<4	13	55	511	3.29	1.83	<1	0.99	541	16	42	555	63	0.58	<5	7	12	244	1942	<2	104	25	11	96
144169	1004941	17	<1	>10.00	<2	466	<2	8	2.25	<4	16	106	37	2.79	1.52	9	1.24	519	<1	75	450	20	0.40	<5	<5	<10	242	2110	2	69	<10	8	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144170	1004942	12	<1	9.81	13	656	<2	4	1.57	<4	5	20	5	0.45	1.60	<1	0.38	<100	<1	23	307	7	0.26	<5	11	<10	240	1082	<2	24	<10	5	16
144171D	1004942	12	<1	9.68	12	689	<2	13	1.63	<4	5	21	6	0.46	1.57	<1	0.41	<100	<1	29	310	10	0.27	<5	12	<10	243	1194	<2	26	<10	4	18
144172	1004943	9	<1	9.17	5	698	<2	13	1.64	<4	5	19	9	0.46	1.77	2	0.44	<100	<1	36	302	9	0.25	<5	<5	<10	278	1221	3	27	<10	4	18
144173	1004944	9	<1	9.10	15	676	<2	17	1.72	<4	6	23	6	0.49	1.57	3	0.37	<100	<1	30	311	6	0.33	<5	<5	<10	306	1292	<2	30	<10	4	26
144174	1004945	7	<1	>10.00	16	793	<2	17	2.38	<4	9	22	25	0.81	1.56	13	0.53	134	<1	37	474	13	0.50	<5	15	<10	504	1933	3	43	<10	4	50
144175	1004946	6	<1	9.26	14	680	<2	14	2.07	<4	8	19	21	0.74	1.79	9	0.48	120	<1	33	427	9	0.46	<5	12	<10	437	1799	6	40	<10	4	43
144176	1004947	8	<1	9.46	4	657	<2	14	2.13	<4	6	22	7	0.68	1.82	6	0.56	135	<1	35	339	6	0.22	<5	<5	<10	405	1428	2	31	<10	4	20
144177	1004948	19	<1	9.86	<2	553	<2	11	2.59	<4	8	25	10	1.68	1.90	8	0.84	337	<1	40	424	9	0.30	<5	12	11	366	1840	<2	37	<10	5	41
144178	1004949	38	<1	9.38	<2	412	<2	21	2.23	<4	10	19	13	1.92	1.78	6	0.77	427	<1	33	455	22	0.42	<5	<5	<10	348	2039	<2	36	<10	5	51
144179	1004950	<5	<1	9.12	<2	502	<2	10	2.00	<4	13	58	23	2.31	1.95	<1	0.87	489	<1	38	477	7	0.07	<5	7	<10	260	2010	2	78	44	11	48
144180	1004951	6	<1	>10.00	<2	500	<2	13	2.68	<4	7	20	10	1.80	1.80	3	0.94	453	<1	27	418	14	0.33	<5	13	<10	285	1854	<2	35	<10	6	47
144181	1004952	13	<1	>10.00	<2	553	<2	15	2.32	<4	6	24	26	1.66	1.67	3	0.77	543	<1	42	419	22	0.49	<5	<5	<10	210	1863	<2	35	<10	6	79
144182D	1004952	13	<1	>10.00	<2	555	<2	12	2.32	<4	7	25	26	1.67	1.69	3	0.78	546	<1	41	417	25	0.50	<5	11	<10	210	1896	<2	36	<10	6	80
144183	1004953	12	<1	>10.00	<2	621	<2	16	1.86	<4	9	19	19	1.61	1.74	8	0.63	374	<1	38	437	32	0.64	<5	12	<10	182	2055	<2	39	<10	6	65
144184	1004954	12	<1	>10.00	6	624	<2	19	2.31	<4	9	32	10	1.80	1.69	7	0.75	411	<1	47	432	17	0.52	<5	<5	10	189	2214	<2	44	<10	6	39
144185	1004955	10	<1	9.87	5	638	<2	14	2.43	<4	16	26	11	1.48	1.71	<1	0.78	370	<1	44	410	9	0.37	<5	9	<10	187	1721	2	37	<10	6	33
144186	1004956	19	<1	9.76	8	697	<2	8	2.16	<4	27	22	13	1.12	1.80	<1	0.63	332	<1	55	573	13	0.41	<5	9	<10	175	1751	<2	38	<10	5	48
144187	1004957	36	2	9.53	18	955	<2	13	1.44	<4	25	22	31	0.56	1.74	<1	0.41	181	<1	58	561	28	0.32	<5	11	<10	175	1918	<2	35	<10	5	100
144188	1004958	28	<1	>10.00	7	375	<2	9	2.63	<4	8	22	27	1.04	1.87	<1	0.83	515	<1	34	591	17	0.49	<5	18	<10	159	1879	4	36	<10	6	39
144189	1004959	10	<1	9.86	15	354	<2	28	2.52	<4	16	16	4	0.91	1.87	5	0.80	652	<1	43	598	22	0.36	<5	<5	<10	134	1920	<2	36	<10	5	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144190	1004960	240	375	8.28	3869	86	<2	12	2.41	113	13	50	430	6.89	1.69	<1	0.79	1264	<1	35	407	9842	5.86	72	20	14	205	1422	<2	92	91	9	8326
144191	1004961	11	<1	>10.00	12	408	<2	11	2.13	<4	19	19	6	0.93	1.81	1	0.77	491	<1	37	613	37	0.45	<5	<5	<10	130	1907	<2	33	<10	5	48
144192	1004962	35	2	>10.00	17	532	<2	13	3.13	<4	16	18	36	1.35	1.70	5	1.29	798	<1	39	605	87	0.60	<5	<5	<10	158	1899	<2	34	<10	6	87
144193D	1004962	38	1	>10.00	16	498	<2	10	2.86	<4	16	15	33	1.26	1.68	2	1.23	746	<1	49	568	78	0.53	<5	24	<10	144	1849	<2	34	<10	6	78
144194	1004963	52	1	>10.00	18	531	<2	15	2.65	<4	14	18	53	1.27	1.48	2	1.15	703	<1	32	609	44	0.57	<5	20	<10	137	1982	<2	37	<10	6	58
144195	1004964	25	<1	>10.00	14	488	<2	13	2.75	<4	8	15	13	1.38	1.53	3	1.15	780	<1	29	573	23	0.59	<5	9	<10	146	1860	<2	34	<10	6	43
144196	1004965	20	<1	>10.00	7	536	<2	15	2.35	<4	6	20	16	1.27	1.54	4	0.95	618	<1	33	537	35	0.44	<5	11	<10	159	1903	<2	35	<10	6	53
144197	1004966	21	<1	>10.00	9	536	<2	12	2.23	<4	5	15	11	1.18	1.56	<1	0.92	516	<1	28	497	30	0.40	<5	11	<10	152	1732	<2	32	<10	6	50
144198	1004967	19	<1	9.81	4	592	<2	13	2.18	<4	6	19	19	1.42	1.65	6	0.86	615	<1	30	505	30	0.52	<5	10	<10	164	2016	<2	37	<10	5	48
144199	1004968	48	5	8.44	6	375	<2	2	0.87	<4	6	20	75	1.10	1.60	<1	0.47	167	<1	35	318	805	0.84	<5	<5	<10	96	1154	<2	21	12	4	1183
144200	1004969	441	4	8.30	15	454	<2	9	0.79	<4	5	25	57	1.33	1.66	3	0.40	141	<1	34	324	553	1.24	<5	14	<10	131	1521	<2	26	13	3	1134
144201	1004970	9	<1	7.58	<2	457	<2	14	1.78	<4	13	53	21	2.08	1.73	<1	0.71	445	<1	40	437	8	0.07	<5	<5	<10	233	1876	<2	72	40	8	43
144202	1004971	12	1	8.39	<2	454	2	8	1.46	<4	9	15	38	0.96	1.73	1	0.58	465	<1	33	374	50	0.48	<5	8	<10	161	1503	<2	29	<10	4	117
144203	1004972	56	<1	8.26	<2	379	<2	9	1.47	<4	9	22	31	1.05	1.74	<1	0.61	624	<1	26	430	64	0.44	<5	7	<10	161	1464	2	28	<10	4	65
144204D	1004972	62	1	9.70	<2	406	<2	8	1.64	<4	9	24	33	1.13	1.79	3	0.68	654	<1	29	464	65	0.47	<5	9	<10	179	1554	<2	30	<10	4	69
144205	1004973	274	3	9.47	10	348	<2	10	1.36	<4	7	16	183	1.27	1.51	2	0.74	689	<1	32	361	115	0.73	<5	13	<10	168	1570	<2	30	<10	4	319
144206	1004974	179	2	9.11	13	356	<2	6	1.10	<4	5	22	54	1.09	1.47	<1	0.58	431	<1	31	380	81	0.77	<5	10	<10	139	1612	2	31	<10	5	98
144207	1004975	40	1	9.71	5	467	<2	9	1.55	<4	6	20	46	1.31	1.50	2	0.63	660	<1	27	545	79	0.80	<5	15	<10	149	1676	2	31	<10	5	142
144208	1004976	1104	1	9.30	64	440	<2	9	1.05	<4	5	21	49	2.20	1.42	<1	0.54	343	<1	28	356	101	2.35	<5	7	<10	110	1589	<2	27	<10	5	265
144209	1004977	5304	62	8.12	42	119	<2	3	0.63	38	4	18	1043	2.74	1.32	<1	0.36	111	<1	32	268	7114	3.78	90	<5	<10	70	1200	<2	21	86	4	12673

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144210	1004978	224	1	9.26	25	386	<2	15	1.49	<4	6	18	41	1.38	1.68	<1	0.66	661	<1	29	401	87	1.13	<5	5	<10	134	1664	<2	29	<10	4	120
144211	1004979	393	2	9.78	39	438	<2	11	1.07	<4	7	28	19	1.48	1.43	2	0.55	383	<1	30	400	162	1.35	<5	10	<10	117	1797	<2	32	<10	5	215
144212	1004980	5070	7	>10.00	5	331	<2	18	3.38	<4	27	80	95	4.45	1.49	5	1.80	846	5	63	812	21	0.73	<5	<5	<10	310	3494	<2	127	<10	13	102
144213	1004981	698	2	>10.00	35	520	<2	11	1.67	<4	7	24	23	1.59	1.36	8	0.80	757	<1	31	433	102	1.17	<5	<5	<10	147	1909	<2	35	<10	5	172
144214	1004982	1148	5	9.63	36	500	<2	15	0.81	7	5	20	29	1.12	1.46	6	0.47	175	<1	35	397	346	1.17	<5	<5	<10	79	1679	<2	29	26	4	2594
144215R	1004982	995	6	8.54	27	465	<2	11	0.69	6	5	19	26	1.05	1.73	1	0.42	163	<1	31	368	340	1.11	<5	5	<10	68	1549	<2	27	23	4	2487
144216	1004983	1265	1	9.55	37	462	<2	8	2.93	<4	6	30	103	1.63	1.77	8	0.68	523	<1	38	406	137	1.34	6	7	<10	102	1849	<2	36	<10	6	169
144217	1004984	692	2	>10.00	34	594	<2	10	1.58	<4	9	31	50	1.73	1.56	8	0.73	629	<1	35	455	105	1.37	<5	7	<10	138	2132	<2	42	<10	5	208
144218	1004985	677	2	8.79	28	507	<2	13	1.12	<4	7	26	14	1.22	1.59	3	0.53	330	<1	29	383	67	1.06	<5	12	<10	115	1633	<2	31	<10	5	125
144219	1004986	955	3	8.92	36	494	<2	9	1.10	<4	8	25	16	1.23	1.64	2	0.51	279	<1	30	388	89	1.11	<5	5	<10	114	1624	<2	30	<10	5	121
144220	1004987	199	1	8.79	31	446	<2	8	1.66	<4	9	30	24	1.59	1.62	7	0.75	739	<1	33	410	40	1.11	<5	14	<10	146	1890	<2	38	<10	5	113
144221	1004988	44	1	9.52	9	367	<2	12	2.46	<4	4	25	5	0.90	1.75	4	1.24	953	<1	31	316	30	0.36	<5	12	<10	179	1344	3	26	<10	5	48
144222	1004989	67	2	9.73	6	356	<2	11	1.81	<4	4	23	3	0.64	1.65	6	0.92	598	<1	35	311	11	0.27	<5	<5	<10	163	1471	<2	26	<10	4	21
144223	1004990	<5	<1	8.65	3	456	<2	13	1.85	<4	12	55	21	2.13	1.50	<1	0.83	449	<1	38	444	9	0.07	<5	<5	<10	236	1771	<2	71	37	12	40
144224	1004991	56	2	>10.00	6	326	<2	14	1.87	<4	4	23	7	0.69	1.54	5	1.08	672	<1	33	341	18	0.34	<5	17	<10	153	1357	<2	24	<10	5	31
144225	1004992	177	3	9.94	23	372	<2	9	1.23	<4	5	22	23	0.96	1.54	5	0.71	410	<1	29	335	18	0.80	<5	8	<10	141	1490	<2	27	<10	5	39
144226D	1004992	186	3	>10.00	21	379	<2	22	1.26	<4	5	23	24	1.00	1.58	5	0.73	421	<1	35	344	19	0.81	<5	18	<10	144	1507	<2	28	<10	5	39
144227	1004993	860	3	9.76	12	345	<2	14	1.69	<4	8	25	21	0.98	1.63	5	0.82	506	<1	34	356	95	0.55	<5	6	<10	176	1743	<2	32	<10	4	393
144228	1004994	14	1	9.44	15	372	<2	14	1.31	<4	15	21	21	1.01	1.69	3	0.58	329	<1	34	389	19	0.48	<5	10	<10	186	1870	<2	36	<10	5	175
144229	1004995	<5	1	9.54	11	397	<2	6	0.99	<4	6	21	8	0.80	1.69	3	0.37	157	<1	29	374	14	0.37	<5	6	<10	165	2031	<2	34	<10	4	25

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144230	1004996	<5	1	9.01	10	370	<2	9	1.83	<4	5	19	11	1.45	1.68	5	0.61	477	<1	27	378	12	0.51	<5	10	<10	188	1914	<2	36	<10	4	32
144231	1004997	14	<1	>10.00	9	436	<2	21	2.57	<4	6	21	14	2.52	1.66	10	0.92	666	<1	32	441	16	1.06	<5	17	10	206	2159	<2	45	<10	6	57
144232	1004998	105	2	>10.00	26	500	<2	14	2.31	<4	6	22	30	1.66	1.68	13	0.96	640	<1	33	443	96	0.87	<5	19	10	218	2211	<2	43	<10	6	163
144233	1004999	363	7	9.46	24	344	<2	14	0.88	<4	6	24	39	1.60	1.56	4	0.49	171	<1	38	349	88	1.73	6	5	<10	102	1636	4	32	<10	4	81
144234	1005000	1145	<1	>10.00	18	599	<2	17	2.17	<4	14	59	543	3.46	1.81	3	1.04	571	19	45	599	70	0.62	<5	5	<10	261	2009	3	109	31	12	96
144235	1005001	1004	47	9.37	38	244	<2	13	0.76	<4	4	24	994	1.94	1.45	2	0.42	<100	<1	43	256	372	2.24	23	7	<10	86	1151	<2	25	<10	5	497
144236	1005002	298	17	9.31	32	254	<2	12	0.69	<4	5	22	113	1.79	1.53	<1	0.41	<100	<1	36	300	455	2.10	10	12	<10	79	1290	<2	25	<10	4	222
144237D	1005002	324	16	9.72	27	245	<2	12	0.71	<4	4	21	112	1.75	1.53	<1	0.43	<100	<1	37	305	456	2.01	12	7	<10	79	1277	<2	25	<10	4	228
144238	1005003	178	4	9.91	23	215	<2	10	1.11	<4	4	20	20	1.07	1.60	<1	0.62	294	<1	31	305	73	1.00	<5	19	10	99	1205	<2	23	<10	5	156
144239	1005004	220	3	>10.00	35	226	<2	7	1.32	<4	3	21	29	1.30	1.72	3	0.71	545	<1	34	331	97	1.19	<5	12	<10	95	1309	<2	26	<10	4	248
144240	1005005	73	2	9.44	18	213	<2	13	0.72	<4	4	22	15	0.95	1.66	<1	0.43	105	<1	40	314	36	0.79	<5	18	<10	77	1265	<2	24	<10	4	61
144241	1005006	73	2	9.10	20	214	<2	16	0.73	<4	4	24	16	0.95	1.65	<1	0.44	121	<1	43	302	40	0.80	<5	14	<10	79	1309	<2	25	<10	4	50
144242	1005007	503	3	9.48	40	241	<2	18	0.97	<4	4	19	19	1.30	1.74	2	0.50	282	<1	30	312	63	1.33	<5	9	<10	90	1355	3	26	<10	4	227
144243	1005008	82	8	>10.00	15	213	<2	14	1.97	<4	5	22	43	1.36	1.76	3	0.94	942	<1	32	360	195	0.94	<5	16	<10	123	1264	<2	27	<10	5	65
144244	1005009	173	6	>10.00	11	239	<2	12	0.87	<4	5	21	27	1.21	1.71	<1	0.48	171	<1	28	364	63	0.94	<5	18	<10	87	1408	<2	27	<10	5	137
144245	1005010	242	377	8.56	3935	86	<2	13	2.48	117	13	52	433	7.02	1.52	<1	0.79	1275	3	38	420	10255	6.09	75	24	16	215	1412	<2	92	94	9	12832
144246	1005011	194	5	>10.00	5	244	<2	9	0.77	<4	4	21	25	1.08	1.73	<1	0.41	108	<1	34	324	46	0.67	<5	18	<10	82	1392	<2	26	<10	5	72
144247	1005012	14	<1	>10.00	8	156	<2	15	2.42	<4	4	18	7	1.28	1.66	<1	1.16	757	<1	24	370	20	0.56	<5	13	<10	127	1089	2	19	<10	7	31
144248D	1005012	18	1	>10.00	10	161	<2	13	2.42	<4	5	20	6	1.27	1.69	3	1.12	770	<1	27	367	19	0.54	<5	15	<10	128	1118	<2	20	<10	6	33
144249	1005013	23	<1	>10.00	4	265	<2	15	2.93	<4	5	23	8	1.19	1.90	1	1.20	337	<1	29	367	17	0.31	<5	9	<10	163	1115	<2	21	<10	6	30

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144250	1005014	37	<1	>10.00	16	277	2	21	2.55	<4	19	119	43	3.43	1.29	5	1.44	540	<1	80	476	20	2.57	<5	12	<10	196	1666	2	66	<10	15	65
144251	1005015	15	<1	>10.00	24	370	<2	16	2.54	<4	9	30	13	2.03	1.37	4	1.02	426	<1	30	545	18	2.01	<5	21	<10	213	1396	<2	32	<10	8	93
144252	1005016	13	<1	>10.00	25	463	<2	19	3.58	<4	8	17	3	1.86	1.33	<1	0.60	300	<1	26	548	14	2.00	<5	11	<10	280	1403	<2	33	<10	7	48
144253	1005017	12	<1	9.87	22	456	<2	14	1.56	<4	7	18	4	1.80	1.38	<1	0.61	217	<1	25	553	18	2.01	<5	<5	<10	172	986	<2	30	<10	7	101
144254	1005018	52	1	9.61	17	596	<2	15	0.65	<4	7	21	7	1.83	1.54	<1	0.35	<100	<1	28	467	32	2.23	<5	<5	<10	117	1028	<2	34	<10	6	117
144255	1005019	51	<1	9.72	30	745	<2	18	1.15	<4	10	46	5	2.11	1.56	2	0.43	110	<1	36	476	31	2.32	<5	5	<10	150	1353	<2	48	<10	6	214
144256	1005020	8	<1	9.06	2	464	<2	12	1.89	<4	12	58	22	2.19	1.69	<1	0.88	459	<1	36	466	6	0.08	<5	7	<10	240	1739	<2	72	38	13	43
144257	1005021	15	<1	>10.00	7	659	<2	12	2.93	<4	7	28	5	1.93	1.58	10	1.15	530	<1	30	514	20	1.08	<5	9	11	206	1430	<2	36	<10	8	69
144258	1005022	9	<1	>10.00	4	668	<2	11	2.44	<4	7	26	3	1.61	1.73	7	0.87	296	<1	36	480	10	0.38	<5	8	<10	213	1657	<2	35	<10	7	36
144259D	1005022	8	<1	9.79	<2	643	<2	10	2.15	<4	8	28	4	1.65	1.59	4	0.89	302	<1	40	486	9	0.39	<5	7	<10	185	1631	<2	33	<10	7	40
144260	1005023	20	<1	>10.00	13	434	<2	12	2.13	<4	8	28	14	1.73	1.53	3	1.04	392	<1	40	478	19	0.91	<5	8	10	161	1627	2	30	<10	8	56
144261	1005024	54	<1	9.68	33	373	<2	15	2.22	<4	8	34	12	1.70	1.45	<1	0.93	449	<1	42	475	28	1.24	<5	<5	<10	161	1403	<2	27	<10	8	106
144262	1005025	432	<1	9.97	42	350	<2	11	1.75	<4	18	98	43	2.85	1.33	<1	0.91	436	<1	74	495	66	2.05	<5	6	<10	104	1958	<2	57	<10	13	196
144263	1005026	337	<1	9.50	38	337	<2	18	1.65	<4	16	92	38	2.78	1.45	<1	0.86	409	<1	71	464	66	2.05	<5	<5	<10	99	1882	<2	53	<10	12	208
144264	1005027	124	1	>10.00	64	310	2	19	1.89	<4	22	122	40	3.21	1.25	<1	0.94	473	<1	96	486	59	3.14	<5	16	<10	132	1960	<2	73	<10	16	100
144265	1005028	74	<1	9.21	40	489	<2	15	1.13	<4	11	64	13	1.60	1.46	<1	0.54	179	<1	54	465	30	1.52	<5	<5	<10	97	1490	<2	45	<10	10	57
144266	1005029	212	<1	8.72	46	410	<2	6	1.78	<4	9	33	20	1.73	1.56	<1	0.86	338	<1	39	482	31	1.27	<5	12	<10	123	1266	<2	27	<10	7	109
144267	1005030	4916	7	9.36	4	272	<2	20	2.73	<4	23	53	96	4.05	1.60	<1	1.81	792	<1	53	806	18	0.80	<5	<5	<10	239	1559	3	99	<10	15	92
144268	1005031	85	<1	7.03	53	263	<2	12	0.76	<4	7	21	13	1.56	1.51	<1	0.38	106	<1	31	513	16	1.72	<5	<5	<10	74	905	<2	18	<10	6	79
144269	1005032	62	<1	>10.00	38	317	<2	8	2.25	<4	9	21	25	1.74	1.80	<1	1.03	417	<1	28	540	22	1.22	<5	5	<10	135	1409	<2	25	<10	7	267

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
144270D	1005032	52	<1	9.34	37	286	2	12	2.18	<4	8	21	23	1.65	1.39	<1	0.99	404	<1	28	513	18	1.15	<5	8	<10	128	1306	5	23	<10	6	259
144271	1005033	95	<1	>10.00	46	284	<2	6	1.63	<4	9	21	29	1.74	1.47	<1	0.77	308	<1	28	562	15	1.57	<5	9	<10	105	1337	<2	26	<10	8	59
144272	1005034	50	<1	>10.00	49	253	<2	6	1.92	<4	13	23	34	1.79	1.58	<1	0.93	472	<1	34	509	26	1.42	<5	13	<10	100	1231	3	26	<10	7	90
144273	1005035	11306	87	8.04	3235	94	<2	24	0.66	9	17	89	1506	3.07	1.45	<1	0.33	<100	<1	79	420	43627	5.05	4287	21	<10	57	972	<2	54	20	8	1677
144274	1005036	625	<1	9.25	170	224	<2	13	1.08	<4	22	113	87	3.79	1.49	<1	0.82	279	<1	93	442	363	3.96	39	7	<10	72	1372	<2	70	<10	11	483
144275	1005037	151	<1	9.49	49	295	<2	9	1.95	<4	16	77	46	2.94	1.61	<1	1.25	641	<1	63	468	89	2.09	<5	6	<10	88	1561	<2	50	<10	11	128
144276	1005038	39	<1	>10.00	26	560	<2	20	2.74	<4	7	26	22	1.64	1.51	2	1.27	959	<1	35	444	54	0.89	<5	<5	<10	107	1564	4	32	<10	6	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
144150	1004923	19	<0.001	0.019
144151	1004924	26	<0.001	0.026
144152	1004925	14	<0.001	0.014
144153	1004926	18	<0.001	0.018
144154	1004927	14	<0.001	0.014
144155	1004928	11	<0.001	0.011
144156	1004929	167	0.005	0.167
144157	1004930	7	<0.001	0.007
144158	1004931	19	<0.001	0.019
144159	1004932	38	0.001	0.038
144160 Dup	1004932	41	0.001	0.041
144161	1004933	106	0.003	0.106
144162	1004934	13	<0.001	0.013
144163	1004935	8	<0.001	0.008
144164	1004936	24	<0.001	0.024
144165	1004937	38	0.001	0.038
144166	1004938	18	<0.001	0.018
144167	1004939	181	0.005	0.181
144168	1004940	1139	0.033	1.139
144169	1004941	17	<0.001	0.017
144170	1004942	12	<0.001	0.012
144171 Dup	1004942	12	<0.001	0.012
144172	1004943	9	<0.001	0.009
144173	1004944	9	<0.001	0.009
144174	1004945	7	<0.001	0.007
144175	1004946	6	<0.001	0.006
144176	1004947	8	<0.001	0.008
144177	1004948	19	<0.001	0.019
144178	1004949	38	0.001	0.038
144179	1004950	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
144180	1004951	6	<0.001	0.006
144181	1004952	13	<0.001	0.013
144182 Dup	1004952	13	<0.001	0.013
144183	1004953	12	<0.001	0.012
144184	1004954	12	<0.001	0.012
144185	1004955	10	<0.001	0.010
144186	1004956	19	<0.001	0.019
144187	1004957	36	0.001	0.036
144188	1004958	28	<0.001	0.028
144189	1004959	10	<0.001	0.010
144190	1004960	240	0.007	0.240
144191	1004961	11	<0.001	0.011
144192	1004962	35	0.001	0.035
144193 Dup	1004962	38	0.001	0.038
144194	1004963	52	0.002	0.052
144195	1004964	25	<0.001	0.025
144196	1004965	20	<0.001	0.020
144197	1004966	21	<0.001	0.021
144198	1004967	19	<0.001	0.019
144199	1004968	48	0.001	0.048
144200	1004969	441	0.013	0.441
144201	1004970	9	<0.001	0.009
144202	1004971	12	<0.001	0.012
144203	1004972	56	0.002	0.056
144204 Dup	1004972	62	0.002	0.062
144205	1004973	274	0.008	0.274
144206	1004974	179	0.005	0.179
144207	1004975	40	0.001	0.040
144208	1004976	1104	0.032	1.104
144209	1004977	5304	0.155	5.304

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
144210	1004978	224	0.007	0.224
144211	1004979	393	0.011	0.393
144212	1004980	5070	0.148	5.070
144213	1004981	698	0.020	0.698
144214	1004982	1148	0.034	1.148
144215 Rep	1004982	995	0.029	0.995
144216	1004983	1265	0.037	1.265
144217	1004984	692	0.020	0.692
144218	1004985	677	0.020	0.677
144219	1004986	955	0.028	0.955
144220	1004987	199	0.006	0.199
144221	1004988	44	0.001	0.044
144222	1004989	67	0.002	0.067
144223	1004990	<5	<0.001	<0.005
144224	1004991	56	0.002	0.056
144225	1004992	177	0.005	0.177
144226 Dup	1004992	186	0.005	0.186
144227	1004993	860	0.025	0.860
144228	1004994	14	<0.001	0.014
144229	1004995	<5	<0.001	<0.005
144230	1004996	<5	<0.001	<0.005
144231	1004997	14	<0.001	0.014
144232	1004998	105	0.003	0.105
144233	1004999	363	0.011	0.363
144234	1005000	1145	0.033	1.145
144235	1005001	1004	0.029	1.004
144236	1005002	298	0.009	0.298
144237 Dup	1005002	324	0.009	0.324
144238	1005003	178	0.005	0.178
144239	1005004	220	0.006	0.220

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
144240	1005005	73	0.002	0.073
144241	1005006	73	0.002	0.073
144242	1005007	503	0.015	0.503
144243	1005008	82	0.002	0.082
144244	1005009	173	0.005	0.173
144245	1005010	242	0.007	0.242
144246	1005011	194	0.006	0.194
144247	1005012	14	<0.001	0.014
144248 Dup	1005012	18	<0.001	0.018
144249	1005013	23	<0.001	0.023
144250	1005014	37	0.001	0.037
144251	1005015	15	<0.001	0.015
144252	1005016	13	<0.001	0.013
144253	1005017	12	<0.001	0.012
144254	1005018	52	0.002	0.052
144255	1005019	51	0.001	0.051
144256	1005020	8	<0.001	0.008
144257	1005021	15	<0.001	0.015
144258	1005022	9	<0.001	0.009
144259 Dup	1005022	8	<0.001	0.008
144260	1005023	20	<0.001	0.020
144261	1005024	54	0.002	0.054
144262	1005025	432	0.013	0.432
144263	1005026	337	0.010	0.337
144264	1005027	124	0.004	0.124
144265	1005028	74	0.002	0.074
144266	1005029	212	0.006	0.212
144267	1005030	4916	0.143	4.916
144268	1005031	85	0.002	0.085
144269	1005032	62	0.002	0.062

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 22, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/09/2011  
 Date Completed: 06/22/2011  
 Job #: 201142130  
 Reference: TL11174  
 Sample #: 116

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
144270 Dup	1005032	52	0.002	0.052
144271	1005033	95	0.003	0.095
144272	1005034	50	0.001	0.050
144273	1005035	11306	0.330	11.306
144274	1005036	625	0.018	0.625
144275	1005037	151	0.004	0.151
144276	1005038	39	0.001	0.039

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 8, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 07/08/2011  
Job #: 201142346  
Reference: TL11174  
Sample #: 2

---

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
155263	1004977	4.992	5.230	20.543	5.825	4.63%	46.25
155264	1005035	5.967	5.877	55.593	9.036	6.27%	47.02

PROCEDURE CODES: ALPM1

Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146634	1075048	165	12	1.84	41	164	2	27	1.56	11	12	48	109	2.84	0.14	8	1.87	945	<1	41	417	515	2.42	<5	8	<10	167	1137	3	36	22	8	1675
146635	1075049	17	3	1.91	26	375	2	25	0.84	<4	9	12	24	1.97	0.08	3	0.73	349	<1	25	411	41	1.92	<5	<5	<10	239	1216	6	29	<10	6	174
146636	1075050	4963	45	2.84	21	267	2	38	2.63	6	27	66	124	4.61	<0.01	8	2.06	891	<1	59	969	40	1.51	<5	8	<10	305	2214	12	120	<10	16	197
146637	1075051	10	2	2.20	7	388	2	8	1.18	<4	9	15	19	1.80	<0.01	8	1.05	541	<1	31	501	37	1.26	<5	9	<10	235	1555	2	30	<10	7	115
146638	1075052	16	1	2.15	12	443	2	19	1.31	<4	10	12	18	1.35	0.06	5	0.88	485	<1	25	500	60	1.14	<5	9	<10	264	1532	<2	31	<10	6	109
146639	1075053	37	2	3.15	21	385	2	16	2.15	<4	11	16	17	1.58	0.07	10	1.39	845	<1	32	444	73	1.40	<5	10	<10	309	1387	14	26	<10	7	236
146640	1075054	19	2	1.74	16	284	2	15	1.26	<4	11	7	28	1.24	0.02	7	1.03	669	<1	22	502	143	1.22	<5	6	<10	208	1296	5	24	<10	6	261
146641	1075055	16	1	2.23	27	390	2	18	1.20	<4	16	10	12	1.25	<0.01	7	0.91	583	<1	34	515	60	1.36	<5	7	<10	221	1363	2	28	<10	6	590
146642	1075056	12	2	2.31	8	436	2	12	1.20	<4	12	45	26	1.85	0.07	8	0.84	507	<1	37	411	28	1.17	<5	<5	<10	240	1479	<2	38	<10	9	276
146643	1075057	19	2	1.99	17	309	2	33	1.28	<4	9	14	28	1.68	0.04	7	0.99	540	<1	28	501	114	1.37	<5	8	<10	175	1316	5	27	<10	7	225
146644D	1075057	12	2	0.96	17	253	2	21	1.14	<4	10	13	30	1.74	0.04	5	1.01	562	<1	30	516	121	1.25	<5	10	<10	161	1269	<2	26	<10	6	237
146645	1075058	56	2	2.92	25	407	2	32	1.20	<4	10	10	44	1.58	0.04	12	0.81	470	<1	23	547	275	1.47	<5	6	<10	215	1789	2	33	12	6	545
146646	1075059	88	1	0.88	22	288	2	49	0.86	<4	7	11	18	1.59	0.08	5	0.78	535	<1	24	502	81	1.15	<5	<5	<10	164	1459	<2	25	<10	6	176
146647	1075060	6	<1	0.65	6	422	2	25	1.10	<4	14	50	24	2.38	0.11	2	0.91	489	<1	36	536	9	0.82	<5	5	<10	224	1711	<2	75	46	14	51
146648	1075061	153	8	1.24	33	329	<2	17	0.34	5	12	12	120	1.77	<0.01	4	0.41	228	<1	27	477	876	2.04	<5	7	<10	148	1379	<2	26	12	5	912
146649	1075062	33	2	2.58	21	370	2	30	1.47	<4	8	12	15	1.61	0.04	8	0.71	535	<1	23	508	104	1.37	<5	8	<10	189	1630	4	34	<10	6	91
146650	1075063	33	2	<0.01	20	180	<2	13	0.16	<4	9	7	20	1.61	<0.01	<1	0.49	340	<1	19	496	42	1.38	<5	7	<10	83	1040	<2	17	<10	6	454
146651	1075064	16	3	1.19	26	231	2	14	1.30	<4	9	18	14	1.69	0.03	6	0.85	552	<1	32	462	48	1.35	<5	8	<10	165	1265	2	23	<10	7	142
146652	1075065	27	2	1.70	26	343	2	29	1.08	<4	9	13	11	1.71	<0.01	5	0.72	436	<1	32	510	49	1.86	<5	6	<10	160	1357	<2	24	<10	6	167
146653	1075066	29	2	2.36	31	336	2	31	1.27	<4	9	13	10	1.75	<0.01	6	0.79	468	<1	32	532	51	2.01	<5	6	<10	169	1331	3	24	<10	7	97

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146654	1075067	47	4	2.92	38	386	2	27	1.69	<4	9	9	10	1.55	<0.01	5	0.89	564	<1	25	517	60	1.99	<5	7	<10	177	1286	3	24	<10	7	99
146655D	1075067	45	4	2.43	37	325	2	36	1.67	<4	8	9	9	1.54	0.03	4	0.88	554	<1	26	511	61	1.90	<5	9	<10	172	1163	3	22	<10	7	91
146656	1075068	82	8	1.66	36	404	2	28	0.62	<4	8	14	11	1.34	0.06	2	0.62	319	<1	26	479	94	1.62	<5	<5	<10	156	1466	3	28	<10	6	167
146657	1075069	37	4	1.63	36	291	2	32	0.88	<4	9	8	6	1.81	0.07	2	0.71	374	<1	23	519	38	2.23	<5	<5	<10	168	1243	5	22	<10	7	86
146658	1075070	1246	6	1.63	19	490	2	8	1.25	4	15	47	567	3.42	0.10	4	1.08	562	11	38	650	74	1.29	<5	10	<10	220	1652	<2	100	31	14	105
146659	1075071	21	4	2.07	32	333	2	25	1.44	<4	8	12	10	1.67	0.09	6	0.94	517	<1	31	476	27	1.77	<5	5	<10	183	1208	<2	26	<10	7	175
146660	1075072	40	13	1.05	24	355	2	11	0.79	<4	9	25	19	1.61	<0.01	7	0.76	382	<1	41	430	140	1.63	<5	13	<10	160	1165	3	32	<10	7	128
146661	1075073	32	15	0.77	9	359	<2	26	0.06	<4	9	26	17	1.15	0.03	<1	0.36	<100	<1	51	503	24	1.23	<5	10	<10	144	1109	<2	34	<10	6	80
146662	1075074	15	14	0.89	4	341	2	19	0.07	<4	9	14	17	1.49	0.06	<1	0.37	105	<1	37	513	34	1.40	<5	<5	<10	189	1112	<2	29	<10	6	69
146663	1075075	20	6	1.40	37	313	2	21	0.58	<4	11	23	21	1.91	0.03	3	0.73	253	<1	38	535	29	1.79	<5	10	<10	240	1221	3	38	<10	7	62
146664	1075076	55	5	1.33	5	291	2	14	0.66	<4	10	29	17	1.58	0.10	8	0.91	370	<1	42	427	66	1.10	<5	7	<10	210	1372	6	37	<10	7	116
146665	1075077	89	6	1.60	13	252	2	5	1.08	<4	20	99	46	3.36	0.12	7	1.21	577	<1	101	518	35	1.91	<5	10	<10	126	1557	3	66	10	14	232
146666D	1075077	81	5	1.64	11	245	2	16	1.12	4	20	99	47	3.44	0.09	7	1.24	596	<1	99	529	35	2.02	<5	9	<10	127	1558	3	65	<10	14	237
146667	1075078	17	2	1.10	15	379	2	28	0.36	<4	5	15	2	0.81	0.08	<1	0.63	194	<1	37	286	55	1.04	<5	9	<10	121	987	2	24	<10	5	92
146668	1075079	23	5	2.12	17	434	2	15	0.66	<4	7	20	11	1.86	<0.01	4	0.64	250	<1	43	157	103	2.09	<5	7	<10	156	1114	5	31	12	5	429
146669	1075080	<5	<1	0.42	6	395	2	35	1.02	<4	13	45	23	2.25	0.18	<1	0.87	462	<1	35	510	8	0.91	<5	11	<10	218	1648	4	71	45	13	47
146670	1075081	17	8	1.61	8	406	2	34	0.67	<4	5	13	6	1.75	<0.01	<1	0.32	142	<1	30	<100	29	1.80	<5	<5	<10	168	974	<2	26	<10	4	17
146671	1075082	33	13	1.86	9	368	2	14	0.71	<4	8	25	26	2.70	<0.01	3	0.45	200	<1	44	205	32	2.15	<5	5	<10	175	1118	<2	32	<10	5	30
146672	1075083	24	4	2.19	11	347	2	21	0.48	<4	9	26	25	1.77	<0.01	7	0.62	226	<1	41	326	34	1.64	5	10	<10	183	1325	2	37	<10	6	41
146673	1075084	529	6	2.70	6	256	2	38	1.48	<4	22	135	51	3.97	0.07	18	1.69	836	<1	83	551	43	1.40	<5	6	<10	237	2113	5	84	<10	14	121

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146674	1075085	52	3	<0.01	22	229	2	22	0.13	<4	11	26	11	1.55	0.09	<1	0.56	214	<1	43	350	29	1.45	<5	5	<10	128	803	<2	29	<10	6	79
146675	1075086	63	5	2.58	23	502	2	10	0.71	<4	12	34	12	1.70	0.03	9	0.70	258	<1	43	342	43	1.69	<5	7	<10	253	1394	3	45	<10	6	84
146676	1075087	25	4	<0.01	13	219	2	12	0.55	<4	16	32	26	1.72	0.05	4	0.72	265	<1	52	419	19	1.37	<5	<5	<10	151	1162	3	34	<10	7	348
146677D	1075087	19	4	1.31	15	308	2	<1	0.72	<4	16	35	26	1.75	0.07	8	0.76	272	<1	53	422	20	1.46	<5	6	<10	191	1363	3	39	<10	8	349
146678	1075088	9	3	1.43	15	485	2	20	0.60	<4	12	16	12	0.77	0.04	<1	0.33	121	<1	34	590	13	1.04	<5	8	<10	225	1365	<2	33	<10	7	26
146679	1075089	8	4	2.73	10	492	2	25	1.23	<4	11	14	17	0.77	<0.01	4	0.35	146	<1	31	555	12	1.03	<5	11	<10	320	1617	3	36	<10	6	26
146680	1075090	232	334	0.09	4335	35	2	32	1.60	138	14	38	480	7.61	<0.01	<1	0.89	1335	<1	30	495	8587	5.26	66	18	12	178	1167	6	79	142	11	12595
146681	1075091	9	3	2.93	18	587	2	27	1.00	<4	11	12	13	0.65	<0.01	5	0.33	116	<1	27	599	16	1.08	<5	13	<10	337	1526	3	36	<10	7	29
146682	1075092	21	2	2.38	15	574	2	40	0.82	<4	11	14	15	0.70	<0.01	6	0.32	114	<1	29	585	12	1.11	<5	11	<10	295	1585	3	37	<10	7	21
146683	1075093	29	6	1.32	18	407	2	25	1.11	<4	13	14	39	0.84	<0.01	2	0.36	212	<1	32	539	261	1.21	5	13	<10	250	1365	<2	33	12	7	717
146684	1075094	17	2	2.34	16	529	2	20	1.13	<4	10	14	14	0.69	0.10	4	0.36	158	<1	32	569	16	0.99	<5	9	<10	314	1507	<2	38	<10	6	23
146685	1075095	54	3	2.68	10	459	2	18	1.21	<4	10	15	16	0.72	0.08	8	0.56	175	<1	32	504	13	0.93	<5	10	<10	302	1464	<2	38	<10	7	26
146686	1075096	9	3	3.42	4	522	2	17	1.73	<4	9	13	19	1.60	0.13	10	0.69	290	<1	34	521	20	1.02	<5	13	<10	340	1837	2	42	<10	7	73
146687	1075097	32	3	3.94	2	452	2	27	2.30	<4	8	11	10	2.07	0.07	14	1.09	594	<1	26	535	16	1.28	<5	7	<10	355	1816	8	37	<10	8	56
146688D	1075097	17	3	3.37	2	414	2	26	2.07	<4	9	11	10	2.07	0.02	12	1.10	590	<1	26	547	16	1.22	<5	9	<10	322	1747	5	35	<10	8	58
146689	1075098	8	2	1.79	4	348	<2	45	1.26	<4	9	9	10	1.83	0.10	8	0.81	310	<1	22	508	12	0.94	<5	6	<10	230	1731	6	34	<10	7	56
146690	1075099	14	4	2.63	2	426	2	23	1.79	<4	9	15	22	1.75	0.08	9	0.92	513	<1	28	434	39	1.14	<5	11	<10	276	1568	2	35	<10	7	86
146691	1075100	<5	2	1.25	5	435	2	23	1.11	<4	13	47	22	2.31	0.17	2	0.90	478	<1	36	523	10	0.79	<5	10	<10	240	1713	<2	75	47	14	48
146692	1075101	308	3	2.80	2	441	2	26	1.66	<4	9	12	12	1.79	0.05	7	0.81	339	<1	27	491	17	1.15	<5	5	<10	248	1741	4	36	<10	7	116
146693	1075102	236	3	2.56	2	492	2	4	1.58	<4	8	16	13	1.74	<0.01	7	0.60	472	<1	31	466	18	1.31	5	11	<10	299	1525	<2	35	<10	6	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146694	1075103	75	3	3.09	6	439	2	25	1.47	<4	8	18	18	1.60	0.01	9	0.59	347	<1	34	515	24	1.29	<5	7	<10	262	1642	<2	37	88	7	84
146695	1075104	69	3	3.47	4	408	2	18	1.36	<4	9	11	60	1.83	0.03	12	0.86	528	<1	28	496	70	1.22	<5	9	<10	228	1759	<2	32	<10	8	429
146696	1075105	23	3	3.49	12	530	2	26	1.27	<4	9	10	15	1.65	<0.01	8	0.63	371	<1	26	624	43	1.36	<5	9	<10	224	1866	<2	39	<10	7	70
146697	1075106	28	2	<0.01	11	165	<2	5	0.41	<4	7	7	15	1.36	0.06	<1	0.49	302	<1	25	600	28	1.02	<5	5	<10	117	980	<2	19	<10	6	63
146698	1075107	12	3	<0.01	9	195	<2	6	1.10	<4	10	11	14	0.96	0.01	<1	0.59	375	<1	35	721	32	0.76	<5	<5	<10	126	1051	6	21	10	6	55
146699R	1075107	11	2	1.46	10	279	2	23	1.48	<4	10	13	12	0.98	0.12	2	0.63	374	<1	37	747	33	1.04	<5	11	<10	153	1209	6	25	13	8	52
146700	1075108	37	2	2.88	17	273	2	23	1.91	<4	12	14	17	1.12	0.05	7	1.05	550	<1	39	725	18	1.03	<5	6	<10	144	1318	8	23	<10	7	38
146701	1075109	11	<1	4.08	11	329	2	30	2.67	<4	11	10	8	1.27	0.01	9	1.41	848	<1	33	701	15	1.19	<5	5	<10	150	1355	17	28	<10	8	36
146702	1075110	4907	45	3.72	13	292	3	30	2.72	5	28	67	105	4.74	0.07	10	2.11	905	<1	61	971	28	1.21	<5	<5	<10	316	2520	19	124	<10	17	108
146703	1075111	25	2	3.51	18	352	2	21	1.81	<4	9	9	7	1.10	0.10	6	0.95	617	<1	28	687	23	1.05	5	7	<10	143	1370	8	25	<10	8	30
146704	1075112	119	2	1.21	39	330	2	20	<0.01	<4	7	16	8	1.07	<0.01	<1	0.39	118	<1	38	613	27	1.26	<5	9	<10	62	1370	<2	27	<10	6	69
146705	1075113	122	3	3.25	41	475	2	18	0.22	<4	8	17	9	1.16	<0.01	8	0.56	193	<1	38	588	28	1.58	<5	13	<10	84	1813	<2	33	<10	6	61
146706	1075114	57	3	3.53	37	315	2	24	1.56	<4	8	8	14	1.32	0.07	9	1.12	633	<1	26	707	46	1.54	<5	7	<10	125	1364	7	23	<10	8	56
146707	1075115	41	2	3.82	24	370	3	21	2.27	<4	8	9	13	1.37	0.10	7	1.33	919	<1	28	621	49	1.17	<5	10	<10	148	1389	16	25	<10	7	69
146708	1075116	44	9	1.51	21	205	2	<1	2.63	<4	6	5	27	1.30	0.16	1	1.73	1676	<1	21	491	155	1.00	<5	<5	<10	131	1028	31	20	<10	6	217
146709	1075117	160	3	2.98	22	384	2	13	0.55	<4	5	9	4	0.78	0.11	8	0.74	365	<1	29	499	54	1.16	<5	9	<10	111	1526	3	27	<10	6	85
146710D	1075117	152	3	3.29	22	423	2	39	0.57	<4	6	8	4	0.80	0.08	9	0.75	375	<1	26	493	54	1.15	<5	12	<10	114	1638	2	29	10	6	83
146711	1075118	144	2	4.36	13	389	2	22	1.29	<4	5	9	9	0.93	0.15	13	1.03	617	<1	24	472	42	1.18	<5	12	<10	148	1715	7	30	<10	6	37
146712	1075119	803	3	3.88	11	378	2	17	0.99	<4	5	11	26	0.93	0.02	12	0.85	491	<1	25	486	36	0.97	<5	<5	10	140	1722	8	30	<10	6	41
146713	1075120	<5	1	2.29	10	477	2	26	1.28	<4	13	51	23	2.41	0.08	6	0.93	504	<1	37	539	8	0.92	<5	10	<10	265	1960	4	80	49	14	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146714	1075121	73	2	3.96	13	387	2	17	1.13	<4	6	7	18	1.00	0.07	12	0.95	584	<1	24	501	46	1.02	<5	13	<10	153	1742	2	32	<10	6	50
146715	1075122	15	4	1.39	4	240	2	20	0.53	<4	9	7	32	1.20	<0.01	7	0.97	557	<1	28	479	20	0.93	<5	8	<10	109	1392	5	26	<10	6	42
146716	1075123	10	4	1.16	3	273	<2	17	0.43	<4	8	7	33	1.08	0.01	7	0.85	577	<1	26	509	39	0.94	<5	12	<10	103	1282	10	26	<10	6	46
146717	1075124	17	4	3.58	3	339	2	22	1.00	<4	8	8	26	1.18	<0.01	11	0.93	737	<1	29	554	60	0.88	<5	12	<10	165	1642	14	32	10	6	160
146718	1075125	32	2	<0.01	4	<1	2	20	<0.01	<4	<1	26	9	0.25	0.08	<1	0.23	<100	<1	46	212	10	0.89	<5	6	<10	58	145	<2	6	<10	5	11
146719	1075126	9	<1	<0.01	5	<1	2	22	<0.01	<4	<1	29	7	0.28	0.17	<1	0.25	<100	<1	51	181	10	1.00	<5	7	<10	55	142	<2	8	<10	5	7
146720	1075127	8	4	0.56	4	321	2	27	0.74	<4	6	15	63	1.43	0.08	2	0.77	682	<1	33	598	94	0.88	<5	6	<10	121	1240	11	20	<10	7	105
146721D	1075127	8	3	3.32	3	482	3	14	1.30	<4	6	12	64	1.48	0.07	7	0.84	717	<1	34	618	103	1.00	<5	11	<10	177	1503	<2	25	10	7	109
146722	1075128	101	4	2.39	4	415	2	26	0.77	<4	6	6	23	1.56	0.19	7	0.88	661	<1	23	468	30	0.98	<5	8	<10	157	1431	3	29	<10	5	98
146723	1075129	34	4	2.63	6	434	2	31	0.79	<4	6	5	16	1.41	0.17	8	0.78	568	<1	20	511	29	1.05	<5	7	<10	163	1499	8	28	<10	6	53
146724	1075130	1164	5	0.82	19	467	2	34	1.25	4	16	50	597	3.66	0.08	3	1.12	593	14	40	693	82	0.94	5	9	<10	204	1639	2	103	29	14	110
146725	1075131	15	6	2.07	3	346	2	30	0.58	<4	5	8	35	1.47	<0.01	7	0.71	506	<1	23	434	46	1.11	<5	8	<10	144	1419	<2	26	10	6	75
146726	1075132	20	6	1.72	<2	349	2	43	0.80	<4	5	9	11	1.59	<0.01	6	0.92	702	<1	21	488	34	1.19	<5	7	<10	153	1326	3	30	<10	6	55
146727	1075133	169	7	3.64	12	407	2	21	1.49	<4	7	11	24	1.99	<0.01	10	0.98	956	<1	23	475	39	1.49	<5	9	<10	220	1750	2	37	<10	6	136
146728	1075134	130	6	2.78	15	387	2	21	0.92	<4	6	11	20	1.53	0.08	8	0.69	695	<1	24	443	26	1.35	<5	13	<10	172	1477	6	31	<10	6	64
146729	1075135	89	5	2.86	11	434	2	25	0.95	<4	6	8	14	1.61	0.02	8	0.67	682	<1	21	480	14	1.07	<5	7	<10	181	1620	2	30	<10	5	60
146730	1075136	114	4	2.74	9	443	2	30	1.00	<4	6	10	14	1.55	0.11	8	0.66	675	<1	25	442	15	1.12	<5	6	<10	178	1538	4	28	<10	6	58
146731	1075137	326	6	2.23	28	402	2	17	0.85	<4	6	11	22	2.06	0.11	5	0.65	634	<1	29	527	60	4.98	<5	<5	<10	168	1478	2	27	10	6	452
146732D	1075137	318	7	3.17	28	444	2	7	1.05	<4	6	9	23	2.15	0.09	7	0.68	658	<1	23	539	62	3.94	<5	<5	<10	192	1586	<2	29	10	6	466
146733	1075138	246	5	2.78	7	380	2	15	1.06	<4	6	15	18	1.69	0.03	8	0.81	803	<1	31	541	19	1.62	<5	<5	<10	178	1654	<2	29	<10	6	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146734	1075139	323	5	2.90	14	378	2	21	1.40	<4	7	14	46	1.81	0.07	8	0.92	927	<1	30	505	43	1.73	5	11	<10	197	1612	10	29	<10	6	78
146735	1075140	<5	<1	1.17	5	443	<2	27	1.17	<4	14	49	25	2.41	0.09	2	0.92	500	<1	38	557	8	0.93	<5	5	<10	245	1780	2	77	46	14	52
146736	1075141	133	3	3.95	4	505	2	28	1.07	<4	9	7	59	1.57	0.06	15	0.85	806	<1	22	506	22	1.55	<5	<5	<10	176	1763	<2	30	<10	7	74
146737	1075142	447	11	3.86	42	466	2	23	1.62	<4	17	12	234	2.27	<0.01	14	1.09	1039	<1	33	497	86	2.44	<5	<5	<10	186	1686	12	31	<10	7	495
146738	1075143	166	2	3.65	38	516	2	5	1.10	<4	9	13	21	1.37	0.10	13	0.95	579	<1	25	476	38	1.90	<5	15	<10	138	1674	3	28	<10	6	80
146739	1075144	100	3	3.01	29	487	2	26	0.77	<4	7	17	16	1.21	<0.01	11	0.84	427	<1	30	489	49	1.76	<5	5	<10	123	1514	5	25	<10	6	82
146740	1075145	305	4	2.38	38	404	2	13	0.91	<4	7	13	53	1.97	<0.01	10	0.76	467	<1	28	468	65	4.91	5	<5	<10	147	1542	3	26	<10	6	201
146741	1075146	237	5	3.19	35	399	2	18	1.05	<4	8	18	50	1.99	<0.01	11	0.82	493	<1	37	672	56	3.36	<5	<5	<10	153	1830	2	30	<10	7	276
146742	1075147	615	4	2.98	25	405	2	27	1.10	<4	7	15	22	1.70	<0.01	10	0.80	526	<1	29	595	32	2.29	<5	6	<10	138	1588	15	27	<10	7	89
146743D	1075147	623	5	3.39	22	426	2	34	1.16	<4	7	14	22	1.72	<0.01	10	0.82	535	<1	26	599	35	2.14	<5	<5	<10	144	1627	7	28	<10	7	88
146744	1075148	128	3	1.45	21	293	2	22	0.48	<4	5	16	11	1.22	0.05	5	0.66	408	<1	29	462	32	1.64	<5	9	<10	106	1319	2	23	<10	6	62
146745	1075149	206	8	2.28	28	432	2	12	0.38	<4	6	20	10	1.49	0.04	6	0.52	300	<1	29	482	48	2.28	<5	6	<10	122	1508	3	29	<10	6	188
146746	1075150	242	329	<0.01	4291	51	2	43	1.48	136	15	35	463	7.30	<0.01	<1	0.83	1277	<1	30	484	9363	6.37	61	16	11	168	1112	<2	73	135	10	10521
146747	1075151	56	4	2.15	34	367	2	12	0.39	<4	9	25	4	1.60	<0.01	8	0.61	372	<1	31	485	30	2.05	<5	7	<10	124	1526	<2	29	<10	7	59
146748	1075152	240	4	3.12	20	482	2	7	1.16	<4	9	33	15	1.76	0.05	13	0.94	782	<1	37	466	34	1.70	<5	8	<10	171	1741	5	35	<10	7	89
146749	1075153	161	2	3.91	28	546	2	35	0.94	<4	9	27	13	1.67	<0.01	18	0.89	666	<1	29	493	36	2.12	<5	<5	<10	170	1936	11	38	<10	7	69
146750	1075154	307	7	3.33	28	400	2	27	1.09	<4	12	14	12	1.90	0.03	13	0.82	641	<1	31	454	102	2.37	5	<5	<10	163	1595	2	32	<10	6	126
146751	1075155	215	8	4.32	37	413	2	13	1.61	<4	18	14	23	2.01	0.14	14	1.00	939	<1	37	471	81	2.36	<5	5	<10	185	1554	4	33	<10	7	227
146752	1075156	394	6	4.05	29	478	2	47	1.27	<4	8	20	25	1.78	0.08	17	0.90	764	<1	25	457	37	2.20	<5	10	<10	169	1810	12	36	<10	7	99
146753	1075157	101	6	4.13	23	500	2	26	1.32	<4	10	26	13	1.77	0.04	18	0.91	638	<1	36	481	36	2.33	<5	6	<10	163	1838	6	37	<10	7	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146754D	1075157	135	6	3.53	24	443	2	26	1.22	<4	10	23	13	1.71	0.09	14	0.89	591	<1	31	474	34	2.16	6	11	<10	155	1697	<2	34	<10	7	83
146755	1075158	73	9	3.30	31	403	2	7	1.54	<4	10	23	14	1.86	0.08	12	1.12	772	<1	31	487	45	1.90	<5	8	<10	167	1726	9	36	<10	7	135
146756	1075159	36	8	3.54	27	287	2	21	1.39	<4	8	26	15	1.82	0.04	15	1.38	827	<1	39	467	44	1.80	<5	8	<10	158	1539	16	29	<10	8	78
146757	1075160	<5	1	2.19	4	463	2	18	1.30	<4	14	50	24	2.36	0.07	7	0.93	496	<1	37	537	10	1.04	<5	6	<10	259	1863	4	77	47	14	49
146758	1075161	52	8	3.84	12	277	2	17	1.15	<4	6	18	10	1.12	0.05	15	1.38	696	<1	29	401	24	1.41	<5	11	<10	167	1466	3	29	<10	6	68
146759	1075162	42	7	4.03	12	314	2	11	1.20	<4	5	13	10	0.90	0.14	17	1.20	548	<1	22	390	27	1.45	<5	10	<10	176	1439	9	26	<10	6	102
146760	1075163	230	41	4.23	12	474	3	11	0.93	<4	6	32	18	1.04	<0.01	21	1.08	473	<1	30	399	62	1.79	9	9	<10	159	1601	10	32	<10	6	130
146761	1075164	519	98	2.68	25	317	2	26	0.17	<4	6	17	28	1.20	0.03	13	0.88	292	<1	27	388	38	1.54	13	11	<10	103	1404	<2	25	<10	5	225
146762	1075165	124	25	3.25	26	258	2	34	0.75	<4	4	10	40	0.81	0.06	13	0.85	413	<1	24	386	44	1.34	9	9	<10	142	1271	<2	22	<10	6	127
146763	1075166	110	16	3.08	21	269	2	11	0.77	<4	4	9	21	0.82	<0.01	13	0.85	421	<1	18	399	37	1.33	<5	5	<10	149	1345	5	23	<10	5	90
146764	1075167	31	26	2.97	12	260	2	31	1.10	<4	11	20	19	1.60	0.12	12	0.83	577	<1	43	444	25	1.31	<5	9	<10	150	1700	2	33	<10	7	105
146765R	1075167	26	20	3.58	12	272	2	11	1.31	<4	13	13	17	1.62	0.04	15	0.88	612	<1	29	441	30	1.50	<5	9	<10	166	1720	3	35	<10	7	120
146766	1075168	17	7	3.40	12	274	2	20	1.21	<4	6	25	17	1.26	0.05	13	0.74	417	<1	43	332	18	1.17	<5	8	<10	173	1694	4	41	<10	6	126
146767	1075169	10	3	3.86	4	344	2	10	1.16	<4	6	18	12	1.39	0.08	17	0.78	417	<1	35	435	10	1.01	<5	14	<10	201	1999	3	42	<10	6	74
146768	1075170	4810	45	4.45	9	321	2	54	2.94	6	29	77	106	4.88	0.08	15	2.10	920	<1	64	989	28	1.48	<5	8	<10	336	3329	10	135	<10	16	128
146769	1075171	10	6	4.64	8	321	3	15	1.83	<4	6	14	8	1.55	0.01	18	1.01	481	<1	30	491	15	1.38	<5	13	<10	192	1900	11	38	<10	7	50
146770	1075172	13	4	4.82	16	367	3	50	1.79	<4	5	16	11	1.24	0.04	18	1.12	579	<1	36	497	18	1.34	<5	6	<10	151	1947	7	43	<10	7	41
146771	1075173	229	16	3.27	19	291	2	31	<0.01	<4	5	11	6	1.07	0.01	11	0.48	<100	<1	28	303	76	1.79	<5	9	<10	74	1416	<2	31	<10	5	231
146772	1075174	1780	127	3.26	74	268	2	26	<0.01	10	5	19	226	1.28	<0.01	13	0.55	187	<1	38	281	2181	1.94	123	8	<10	75	1368	<2	33	50	5	3998
146773	1075175	1260	24	3.97	29	243	3	14	0.76	4	5	26	123	1.47	<0.01	18	0.89	540	<1	49	377	602	2.06	19	5	<10	103	1364	5	37	17	6	970

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146774	1075176	88	9	4.59	31	221	2	21	1.11	<4	5	21	12	1.33	0.07	17	1.00	610	<1	43	407	51	1.74	<5	7	<10	102	1555	7	37	<10	6	87
146775	1075177	44	4	3.04	29	163	2	20	0.51	<4	6	11	10	1.17	<0.01	8	0.72	381	<1	27	397	23	1.37	<5	7	<10	80	1315	<2	28	<10	5	55
146776D	1075177	95	4	4.20	30	208	3	28	0.59	<4	6	11	9	1.15	0.02	14	0.76	437	<1	29	389	20	1.61	<5	11	<10	90	1528	2	31	<10	6	56
146777	1075178	55	5	4.61	53	221	3	34	0.75	<4	5	17	16	1.30	0.03	16	0.81	494	2	39	408	28	1.73	<5	5	<10	97	1516	3	33	<10	6	45
146778	1075179	63	5	4.90	22	235	3	17	0.49	<4	4	15	20	0.95	<0.01	16	0.68	392	1	29	426	27	1.67	<5	8	<10	93	1585	3	33	<10	6	65
146779	1075180	5	2	3.21	11	502	2	25	1.43	<4	14	52	25	2.45	<0.01	10	0.95	513	<1	39	558	11	1.21	<5	<5	<10	279	2075	5	82	49	14	49
146780	1075181	24	6	3.89	20	210	3	26	0.15	<4	5	18	15	0.95	<0.01	14	0.64	418	<1	35	420	29	1.34	<5	8	<10	81	1554	3	36	<10	5	48
146781	1075182	48	9	3.31	23	204	2	15	<0.01	<4	4	13	17	1.06	<0.01	10	0.54	189	<1	32	376	29	1.34	<5	9	<10	70	1416	2	33	<10	5	33
146782	1075183	131	24	4.45	39	198	2	21	0.51	<4	5	14	21	1.25	0.03	14	0.79	497	<1	28	380	54	1.62	<5	9	<10	97	1369	2	31	<10	6	116
146783	1075184	880	67	3.74	39	200	3	19	<0.01	<4	5	14	23	1.11	0.01	10	0.44	<100	<1	28	336	93	1.86	18	8	<10	75	1351	3	30	<10	5	91
146784	1075185	17	8	4.54	32	220	2	11	0.60	<4	4	14	8	1.25	0.04	14	0.74	515	<1	29	382	36	1.85	<5	11	<10	106	1374	<2	32	<10	6	29
146785	1075186	29	7	3.28	37	176	2	23	0.48	<4	5	9	8	1.38	0.01	7	0.70	398	<1	27	372	37	1.63	<5	9	<10	95	1190	2	28	<10	5	27
146786	1075187	38	48	3.01	26	193	2	27	0.14	<4	5	8	31	1.13	0.09	8	0.57	296	<1	23	376	69	1.29	6	9	<10	88	1281	2	28	<10	5	125
146787D	1075187	34	67	4.16	31	227	3	13	0.28	<4	5	9	31	1.13	0.07	15	0.62	334	<1	24	381	68	1.64	<5	8	<10	101	1410	8	30	<10	6	125
146788	1075188	58	64	3.56	26	225	2	26	<0.01	<4	5	14	14	1.24	0.06	8	0.39	<100	<1	33	367	53	1.84	7	8	<10	78	1297	2	30	<10	5	186
146789	1075189	33	52	3.99	25	254	2	38	0.97	<4	5	10	9	1.21	0.11	11	0.82	337	<1	21	358	43	1.71	5	7	<10	117	1269	7	26	<10	6	77
146790	1075190	1223	6	2.64	23	542	2	18	1.37	4	15	48	569	3.51	0.02	7	1.12	576	15	39	664	77	1.20	5	5	<10	242	1767	<2	105	31	15	103
146791	1075191	<5	5	4.30	14	248	2	9	3.44	<4	7	12	9	1.92	<0.01	9	1.83	658	<1	28	405	14	1.14	<5	7	<10	195	1299	18	28	<10	8	43
146792	1075192	7	7	4.61	9	425	2	31	3.17	<4	12	75	28	2.37	0.09	13	1.52	515	<1	49	486	18	1.52	<5	13	<10	247	1739	27	54	<10	11	47
146793	1075193	<5	4	4.80	8	467	2	47	2.14	<4	11	10	13	1.79	<0.01	21	1.03	441	<1	31	618	17	1.42	<5	<5	<10	281	2030	8	43	<10	7	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146794	1075194	20	3	4.65	6	437	2	25	1.98	<4	7	14	10	2.19	0.05	17	0.96	292	<1	30	601	14	1.44	<5	5	<10	299	1820	10	43	<10	8	39
146795	1075195	7	3	4.04	14	434	2	29	1.75	<4	7	14	8	2.14	0.04	16	1.05	336	<1	30	613	17	1.62	<5	5	<10	305	1758	6	42	<10	7	39
146796	1075196	6	2	3.85	20	479	2	37	1.19	<4	7	16	4	2.02	0.06	14	0.81	429	<1	23	597	13	1.84	<5	<5	<10	241	1659	4	39	<10	7	42
146797	1075197	<5	3	2.73	16	402	2	19	1.02	<4	7	11	5	1.97	<0.01	9	0.67	402	<1	22	612	11	1.63	<5	9	<10	220	1473	3	36	<10	7	37
146798D	1075197	<5	2	4.58	19	531	2	26	1.29	<4	7	11	5	1.99	0.06	17	0.72	451	<1	23	598	12	1.88	<5	<5	<10	255	1746	3	41	<10	7	40
146799	1075198	6	4	4.69	21	525	2	26	1.39	<4	9	13	9	2.26	<0.01	17	0.70	454	<1	35	635	13	1.94	<5	5	<10	256	1821	<2	44	<10	7	56
146800	1075199	14	9	4.52	25	479	2	24	1.58	<4	8	10	13	1.88	<0.01	17	0.70	402	<1	24	611	19	2.05	<5	<5	<10	234	1783	3	40	<10	7	38
146801	1075200	<5	1	3.05	8	496	2	24	1.42	<4	14	50	25	2.44	<0.01	10	0.96	512	<1	37	558	12	0.99	<5	<5	<10	279	1993	<2	82	49	14	49
146802	1075201	44	17	5.66	39	658	3	26	1.71	<4	11	30	19	2.15	<0.01	21	0.86	438	7	38	606	27	2.57	<5	6	<10	234	2173	2	51	<10	8	79
146803	1075202	11	5	5.54	21	674	2	31	2.62	<4	9	15	10	1.99	<0.01	19	0.93	423	2	34	623	16	1.99	<5	<5	<10	263	1807	<2	39	<10	8	103
146804	1075203	<5	2	5.24	6	622	2	18	2.36	<4	9	16	9	1.75	0.09	16	0.79	346	<1	33	583	11	1.37	<5	5	13	247	1905	5	37	<10	8	55
146805	1075204	12	3	5.40	4	629	2	16	3.13	<4	9	14	9	1.93	0.10	17	0.83	359	<1	36	598	11	1.51	<5	9	<10	282	2087	4	39	<10	8	56
146806	1075205	9	3	4.46	11	700	2	31	1.88	<4	9	11	10	1.82	0.11	18	0.83	328	<1	25	589	15	1.52	<5	11	<10	208	1885	7	36	<10	7	52
146807	1075206	13	3	5.67	8	757	2	29	2.10	<4	9	12	10	1.79	0.09	19	0.85	321	<1	31	620	13	1.67	<5	8	<10	234	2044	<2	40	<10	8	52
146808	1075207	34	8	4.70	22	402	3	16	1.79	<4	18	65	36	3.45	<0.01	21	1.16	525	<1	69	494	16	2.38	5	8	<10	204	2022	10	57	<10	12	47
146809D	1075207	22	7	3.62	21	334	2	31	1.68	<4	18	60	36	3.39	<0.01	15	1.12	506	<1	64	485	18	2.20	<5	<5	<10	190	1796	3	49	<10	12	44
146810	1075208	35	5	3.53	13	331	2	25	1.51	<4	22	116	51	3.54	0.06	13	1.34	629	<1	77	575	28	1.86	<5	11	<10	182	2160	19	73	<10	16	79
146811	1075209	40	5	4.59	9	439	3	14	1.82	<4	15	86	30	2.83	<0.01	20	1.49	780	<1	61	479	55	1.71	<5	7	<10	199	1797	19	60	<10	12	92
146812	1075210	245	335	1.22	3924	11	2	13	1.58	124	13	38	440	6.97	0.05	<1	0.87	1230	<1	29	454	9295	4.44	74	17	11	188	1153	<2	82	130	11	12275
146813	1075211	879	6	3.89	10	301	3	21	1.31	<4	23	115	54	3.81	0.19	17	1.61	716	<1	77	495	108	1.54	<5	<5	<10	169	2174	9	88	<10	11	134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146814	1075212	55	7	5.23	7	373	3	18	1.77	<4	21	127	44	3.66	<0.01	21	1.51	727	<1	82	551	62	1.91	5	<5	<10	193	2250	21	86	<10	13	85
146815	1075213	61	7	6.05	22	387	3	14	1.77	<4	22	132	56	3.96	<0.01	20	1.45	742	5	85	556	70	2.56	<5	7	<10	175	2307	12	94	<10	14	102
146816	1075214	238	6	4.01	87	393	3	16	0.45	<4	19	117	54	3.09	<0.01	11	0.63	212	5	73	492	65	3.13	<5	5	<10	109	1557	<2	80	<10	11	138
146817	1075215	321	11	4.28	102	438	3	38	0.07	4	18	120	77	3.06	<0.01	8	0.44	<100	12	79	457	81	3.67	<5	6	<10	100	1565	<2	84	<10	8	359
146818	1075216	471	7	3.43	74	427	2	9	0.08	<4	15	72	48	2.80	<0.01	8	0.46	<100	2	55	506	61	2.90	<5	<5	<10	102	1585	<2	65	<10	7	212
146819	1075217	88	4	4.78	42	366	3	34	1.56	<4	11	52	37	2.13	<0.01	16	1.11	467	5	55	463	32	2.42	<5	10	<10	143	1561	4	47	<10	10	75
146820D	1075217	90	3	4.66	45	384	3	44	1.60	<4	11	60	40	2.23	0.04	16	1.13	485	3	64	481	33	2.39	<5	14	<10	143	1594	5	50	<10	11	72
146821	1075218	183	9	5.24	106	552	3	28	1.00	<4	20	115	82	3.07	<0.01	19	0.92	352	10	79	494	94	3.07	5	5	<10	132	2353	4	82	12	12	174
146822	1075219	91	3	5.26	43	619	3	15	1.43	<4	9	11	20	1.89	<0.01	19	0.92	439	2	28	516	21	2.22	<5	8	<10	161	1810	<2	35	<10	8	87
146823	1075220	<5	3	4.52	7	493	2	22	1.51	<4	13	50	24	2.34	0.02	13	0.99	489	<1	44	539	8	1.42	<5	10	<10	280	1962	2	77	46	15	49
146824	1075221	49	3	6.18	32	590	3	12	1.89	<4	10	9	17	2.08	<0.01	19	1.03	545	2	27	555	20	1.97	6	<5	<10	186	1972	3	38	<10	8	69
146825	1075222	61	4	6.93	46	546	3	2	1.74	<4	9	9	17	1.90	<0.01	21	1.14	500	7	25	570	21	2.12	<5	<5	<10	180	2125	4	42	11	9	89
146826	1075223	49	3	6.93	54	524	3	30	1.82	<4	9	12	11	1.74	<0.01	17	1.15	443	4	34	572	19	1.94	<5	12	<10	171	2002	2	38	10	9	52
146827	1075224	373	5	5.64	61	452	2	25	0.95	<4	9	9	32	1.68	<0.01	13	0.87	367	1	30	552	24	2.03	<5	8	<10	129	1789	9	34	10	8	135
146828	1075225	77	3	6.15	39	482	3	20	1.59	<4	8	9	29	1.73	<0.01	24	1.23	616	<1	38	574	29	1.92	<5	13	<10	139	1983	10	37	11	8	172
146829	1075226	95	3	5.76	36	458	3	32	1.31	<4	8	9	21	1.83	<0.01	22	1.11	518	<1	30	557	20	1.95	<5	<5	<10	127	1911	6	37	10	8	214
146830	1075227	72	3	5.53	49	409	3	4	1.25	<4	9	10	44	1.80	<0.01	21	1.08	549	2	22	562	66	2.03	<5	11	<10	125	1811	8	34	10	8	111
146831R	1075227	77	3	5.89	42	431	3	25	1.26	<4	10	9	43	1.80	<0.01	19	1.10	548	<1	25	560	66	2.05	<5	10	<10	127	1902	5	36	<10	8	110
146832	1075228	64	3	5.62	67	378	2	21	1.30	5	11	11	54	2.09	<0.01	19	1.12	563	<1	27	578	25	1.95	<5	6	<10	119	1958	11	37	18	8	1008
146833	1075229	41	3	6.14	19	314	2	2	1.57	<4	18	45	25	2.91	0.05	18	1.71	793	<1	45	573	32	1.77	6	<5	<10	139	2025	8	57	<10	9	138

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142189  
 Reference: TL11175  
 Sample #: 190

Acc #	Client ID	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146834	1075230	4871	44	4.77	10	316	2	46	2.86	5	28	69	104	4.72	<0.01	14	2.10	894	<1	60	973	26	1.31	5	<5	<10	327	2568	11	126	<10	17	123
146835	1075231	2951	6	6.11	16	267	3	36	1.34	4	21	128	65	3.60	0.03	21	1.97	578	<1	77	574	139	1.69	<5	<5	<10	110	2304	14	90	<10	11	236
146836	1075232	1179	12	4.54	132	286	2	16	0.15	7	20	109	218	3.29	<0.01	10	0.49	<100	8	73	600	481	3.50	6	7	<10	86	1403	6	78	20	9	1329
146837	1075233	848	10	4.66	61	472	3	44	0.21	6	10	67	49	2.25	0.02	13	0.60	183	12	102	480	238	2.38	<5	6	<10	78	1549	3	41	24	8	1308
146838	1075234	157	4	4.52	33	305	3	12	1.27	<4	21	117	37	3.65	0.02	17	1.83	722	<1	79	515	48	2.12	5	<5	<10	93	1740	7	77	<10	13	91
146839	1075235	284	5	4.53	96	333	3	8	0.55	4	22	121	62	2.72	0.05	12	0.77	224	3	77	611	80	2.74	5	<5	<10	93	1443	5	89	15	10	689
146840	1075236	115	4	5.25	26	501	2	22	1.68	<4	8	23	9	1.62	0.08	18	1.26	678	<1	44	504	32	1.59	<5	14	<10	108	1847	10	36	11	8	76
146841	1075237	62	3	4.66	4	462	2	25	1.69	<4	9	20	18	1.60	0.09	16	1.19	606	<1	40	513	32	1.32	<5	11	<10	101	1740	9	33	<10	8	104
146842D	1075237	51	5	5.45	4	505	3	28	1.77	<4	9	21	18	1.66	<0.01	19	1.23	627	<1	42	530	35	1.44	<5	7	<10	107	1843	11	35	<10	8	110

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146634	1075048	165	0.005	0.165
146635	1075049	17	<0.001	0.017
146636	1075050	4963	0.145	4.963
146637	1075051	10	<0.001	0.010
146638	1075052	16	<0.001	0.016
146639	1075053	37	0.001	0.037
146640	1075054	19	<0.001	0.019
146641	1075055	16	<0.001	0.016
146642	1075056	12	<0.001	0.012
146643	1075057	19	<0.001	0.019
146644 Dup	1075057	12	<0.001	0.012
146645	1075058	56	0.002	0.056
146646	1075059	88	0.003	0.088
146647	1075060	6	<0.001	0.006
146648	1075061	153	0.004	0.153
146649	1075062	33	<0.001	0.033
146650	1075063	33	<0.001	0.033
146651	1075064	16	<0.001	0.016
146652	1075065	27	<0.001	0.027
146653	1075066	29	<0.001	0.029
146654	1075067	47	0.001	0.047
146655 Dup	1075067	45	0.001	0.045
146656	1075068	82	0.002	0.082
146657	1075069	37	0.001	0.037
146658	1075070	1246	0.036	1.246
146659	1075071	21	<0.001	0.021
146660	1075072	40	0.001	0.040
146661	1075073	32	<0.001	0.032
146662	1075074	15	<0.001	0.015
146663	1075075	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146664	1075076	55	0.002	0.055
146665	1075077	89	0.003	0.089
146666 Dup	1075077	81	0.002	0.081
146667	1075078	17	<0.001	0.017
146668	1075079	23	<0.001	0.023
146669	1075080	<5	<0.001	<0.005
146670	1075081	17	<0.001	0.017
146671	1075082	33	<0.001	0.033
146672	1075083	24	<0.001	0.024
146673	1075084	529	0.015	0.529
146674	1075085	52	0.002	0.052
146675	1075086	63	0.002	0.063
146676	1075087	25	<0.001	0.025
146677 Dup	1075087	19	<0.001	0.019
146678	1075088	9	<0.001	0.009
146679	1075089	8	<0.001	0.008
146680	1075090	232	0.007	0.232
146681	1075091	9	<0.001	0.009
146682	1075092	21	<0.001	0.021
146683	1075093	29	<0.001	0.029
146684	1075094	17	<0.001	0.017
146685	1075095	54	0.002	0.054
146686	1075096	9	<0.001	0.009
146687	1075097	32	<0.001	0.032
146688 Dup	1075097	17	<0.001	0.017
146689	1075098	8	<0.001	0.008
146690	1075099	14	<0.001	0.014
146691	1075100	<5	<0.001	<0.005
146692	1075101	308	0.009	0.308
146693	1075102	236	0.007	0.236

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146694	1075103	75	0.002	0.075
146695	1075104	69	0.002	0.069
146696	1075105	23	<0.001	0.023
146697	1075106	28	<0.001	0.028
146698	1075107	12	<0.001	0.012
146699 Rep	1075107	11	<0.001	0.011
146700	1075108	37	0.001	0.037
146701	1075109	11	<0.001	0.011
146702	1075110	4907	0.143	4.907
146703	1075111	25	<0.001	0.025
146704	1075112	119	0.003	0.119
146705	1075113	122	0.004	0.122
146706	1075114	57	0.002	0.057
146707	1075115	41	0.001	0.041
146708	1075116	44	0.001	0.044
146709	1075117	160	0.005	0.160
146710 Dup	1075117	152	0.004	0.152
146711	1075118	144	0.004	0.144
146712	1075119	803	0.023	0.803
146713	1075120	<5	<0.001	<0.005
146714	1075121	73	0.002	0.073
146715	1075122	15	<0.001	0.015
146716	1075123	10	<0.001	0.010
146717	1075124	17	<0.001	0.017
146718	1075125	32	<0.001	0.032
146719	1075126	9	<0.001	0.009
146720	1075127	8	<0.001	0.008
146721 Dup	1075127	8	<0.001	0.008
146722	1075128	101	0.003	0.101
146723	1075129	34	0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146724	1075130	1164	0.034	1.164
146725	1075131	15	<0.001	0.015
146726	1075132	20	<0.001	0.020
146727	1075133	169	0.005	0.169
146728	1075134	130	0.004	0.130
146729	1075135	89	0.003	0.089
146730	1075136	114	0.003	0.114
146731	1075137	326	0.010	0.326
146732 Dup	1075137	318	0.009	0.318
146733	1075138	246	0.007	0.246
146734	1075139	323	0.009	0.323
146735	1075140	<5	<0.001	<0.005
146736	1075141	133	0.004	0.133
146737	1075142	447	0.013	0.447
146738	1075143	166	0.005	0.166
146739	1075144	100	0.003	0.100
146740	1075145	305	0.009	0.305
146741	1075146	237	0.007	0.237
146742	1075147	615	0.018	0.615
146743 Dup	1075147	623	0.018	0.623
146744	1075148	128	0.004	0.128
146745	1075149	206	0.006	0.206
146746	1075150	242	0.007	0.242
146747	1075151	56	0.002	0.056
146748	1075152	240	0.007	0.240
146749	1075153	161	0.005	0.161
146750	1075154	307	0.009	0.307
146751	1075155	215	0.006	0.215
146752	1075156	394	0.011	0.394
146753	1075157	101	0.003	0.101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146754 Dup	1075157	135	0.004	0.135
146755	1075158	73	0.002	0.073
146756	1075159	36	0.001	0.036
146757	1075160	<5	<0.001	<0.005
146758	1075161	52	0.002	0.052
146759	1075162	42	0.001	0.042
146760	1075163	230	0.007	0.230
146761	1075164	519	0.015	0.519
146762	1075165	124	0.004	0.124
146763	1075166	110	0.003	0.110
146764	1075167	31	<0.001	0.031
146765 Rep	1075167	26	<0.001	0.026
146766	1075168	17	<0.001	0.017
146767	1075169	10	<0.001	0.010
146768	1075170	4810	0.140	4.810
146769	1075171	10	<0.001	0.010
146770	1075172	13	<0.001	0.013
146771	1075173	229	0.007	0.229
146772	1075174	1780	0.052	1.780
146773	1075175	1260	0.037	1.260
146774	1075176	88	0.003	0.088
146775	1075177	44	0.001	0.044
146776 Dup	1075177	95	0.003	0.095
146777	1075178	55	0.002	0.055
146778	1075179	63	0.002	0.063
146779	1075180	5	<0.001	0.005
146780	1075181	24	<0.001	0.024
146781	1075182	48	0.001	0.048
146782	1075183	131	0.004	0.131
146783	1075184	880	0.026	0.880

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146784	1075185	17	<0.001	0.017
146785	1075186	29	<0.001	0.029
146786	1075187	38	0.001	0.038
146787 Dup	1075187	34	0.001	0.034
146788	1075188	58	0.002	0.058
146789	1075189	33	<0.001	0.033
146790	1075190	1223	0.036	1.223
146791	1075191	<5	<0.001	<0.005
146792	1075192	7	<0.001	0.007
146793	1075193	<5	<0.001	<0.005
146794	1075194	20	<0.001	0.020
146795	1075195	7	<0.001	0.007
146796	1075196	6	<0.001	0.006
146797	1075197	<5	<0.001	<0.005
146798 Dup	1075197	<5	<0.001	<0.005
146799	1075198	6	<0.001	0.006
146800	1075199	14	<0.001	0.014
146801	1075200	<5	<0.001	<0.005
146802	1075201	44	0.001	0.044
146803	1075202	11	<0.001	0.011
146804	1075203	<5	<0.001	<0.005
146805	1075204	12	<0.001	0.012
146806	1075205	9	<0.001	0.009
146807	1075206	13	<0.001	0.013
146808	1075207	34	<0.001	0.034
146809 Dup	1075207	22	<0.001	0.022
146810	1075208	35	0.001	0.035
146811	1075209	40	0.001	0.040
146812	1075210	245	0.007	0.245
146813	1075211	879	0.026	0.879

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
Date Completed: 06/23/2011  
Job #: 201142189  
Reference: TL11175  
Sample #: 190

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146814	1075212	55	0.002	0.055
146815	1075213	61	0.002	0.061
146816	1075214	238	0.007	0.238
146817	1075215	321	0.009	0.321
146818	1075216	471	0.014	0.471
146819	1075217	88	0.003	0.088
146820 Dup	1075217	90	0.003	0.090
146821	1075218	183	0.005	0.183
146822	1075219	91	0.003	0.091
146823	1075220	<5	<0.001	<0.005
146824	1075221	49	0.001	0.049
146825	1075222	61	0.002	0.061
146826	1075223	49	0.001	0.049
146827	1075224	373	0.011	0.373
146828	1075225	77	0.002	0.077
146829	1075226	95	0.003	0.095
146830	1075227	72	0.002	0.072
146831 Rep	1075227	77	0.002	0.077
146832	1075228	64	0.002	0.064
146833	1075229	41	0.001	0.041
146834	1075230	4871	0.142	4.871
146835	1075231	2951	0.086	2.951
146836	1075232	1179	0.034	1.179
146837	1075233	848	0.025	0.848
146838	1075234	157	0.005	0.157
146839	1075235	284	0.008	0.284
146840	1075236	115	0.003	0.115
146841	1075237	62	0.002	0.062
146842 Dup	1075237	51	0.001	0.051

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, September 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/23/2011  
 Date Completed: 09/15/2011  
 Job #: 201143103  
 Reference: TL11175  
 Sample #: 6

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
205543	1075173	0.240	0.234	0.148	0.232	5.29%	48.75
205544	1075174	1.623	1.617	1.082	1.592	5.18%	40.64
205545	1075175	0.919	0.990	1.500	0.979	4.44%	44.38
205546	1075231	3.128	3.107	74.451	5.748	3.69%	36.87
205547	1075232	1.225	1.180	1.146	1.198	7.83%	49.08
205548	1075233	0.466	0.484	1.253	0.507	4.06%	40.63

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147010	1005039	0.038	2	4.18	16	575	<2	<1	1.76	<4	7	22	10	1.67	1.34	2	0.75	554	<1	21	445	33	0.97	<5	16	<10	246	1680	<2	39	<10	7	157
147011	1005040	0.006	2	2.47	11	428	<2	<1	1.07	<4	11	45	20	2.10	1.45	<1	0.78	441	<1	31	510	11	0.10	<5	16	<10	248	1694	<2	71	39	12	54
147012	1005041	0.012	2	3.05	6	425	<2	<1	0.08	<4	1	19	3	0.73	1.36	<1	0.37	164	<1	24	207	16	0.20	<5	13	<10	191	716	<2	11	<10	6	41
147013	1005042	0.065	2	4.65	17	608	2	<1	1.74	<4	16	39	30	2.33	1.26	2	0.88	615	<1	53	716	79	1.19	<5	12	<10	231	2497	<2	53	<10	9	210
147014	1005043	0.263	2	4.66	15	387	<2	<1	1.20	<4	10	60	32	2.01	1.37	8	1.19	705	<1	47	422	43	0.74	<5	<5	<10	169	1411	<2	48	<10	9	158
147015	1005044	<0.005	3	4.79	16	415	<2	<1	0.53	4	3	15	120	1.03	1.34	6	0.65	369	<1	21	244	29	0.96	5	21	<10	160	909	<2	18	<10	5	690
147016	1005045	0.070	2	5.08	21	393	<2	<1	0.57	<4	3	19	69	1.03	1.43	3	0.63	321	<1	33	237	18	0.91	<5	6	<10	150	831	<2	17	<10	5	390
147017	1005046	0.083	2	4.98	23	393	<2	<1	0.49	6	2	11	83	0.92	1.43	3	0.60	259	<1	19	261	16	0.90	<5	40	<10	141	800	<2	16	<10	5	365
147018	1005047	0.057	2	5.50	13	374	<2	<1	1.32	<4	9	65	47	2.13	1.37	15	1.24	771	<1	43	400	23	0.93	<5	7	<10	162	1279	<2	47	<10	9	111
147019	1005048	0.176	4	4.71	38	423	<2	<1	0.21	10	8	44	124	1.53	1.29	7	0.64	263	<1	36	396	981	1.65	<5	12	<10	116	1186	<2	43	23	7	2300
147020D	1005048	0.196	4	5.00	41	424	<2	<1	0.20	10	7	45	128	1.54	1.33	7	0.63	244	<1	39	403	1029	1.67	<5	<5	<10	115	1203	<2	43	20	7	2393
147021	1005049	0.025	2	5.61	15	457	<2	<1	1.47	<4	9	46	34	1.77	1.35	11	1.08	562	<1	44	405	81	0.72	<5	10	<10	159	1481	<2	40	<10	8	156
147022	1005050	1.135	2	4.05	26	543	<2	<1	1.30	<4	13	47	476	3.19	1.38	<1	0.99	535	13	35	635	79	0.79	<5	12	11	255	1842	<2	101	26	14	123
147023	1005051	0.008	2	5.49	15	429	<2	<1	1.26	<4	3	15	24	1.02	1.35	8	0.74	469	<1	22	283	23	0.33	<5	26	<10	203	1099	<2	22	<10	6	46
147024	1005052	<0.005	2	5.01	8	430	<2	<1	1.02	<4	1	12	8	0.90	1.31	4	0.61	226	<1	21	270	15	0.22	<5	<5	<10	233	1034	<2	19	<10	6	40
147025	1005053	0.012	2	5.04	13	446	<2	<1	1.18	<4	3	12	9	1.21	1.32	3	0.73	248	<1	18	265	18	0.61	<5	35	<10	235	1085	<2	23	<10	6	55
147026	1005054	0.012	2	5.09	10	358	<2	<1	1.05	<4	17	113	37	2.92	1.33	13	1.22	397	<1	70	531	28	0.72	<5	<5	<10	190	2362	<2	77	<10	9	45
147027	1005055	0.600	2	4.90	6	354	2	<1	1.17	<4	19	122	40	3.40	1.35	11	1.34	538	<1	69	537	36	1.37	<5	48	<10	193	2109	4	85	<10	11	77
147028	1005056	0.062	2	3.30	10	248	<2	<1	1.48	<4	13	92	37	2.77	1.32	4	1.27	639	<1	59	487	29	1.44	<5	6	<10	164	1341	<2	58	<10	11	76
147029	1005057	0.269	3	6.19	17	508	2	<1	1.39	20	20	112	81	3.23	1.32	16	1.37	677	5	70	471	120	1.55	<5	14	<10	205	2229	5	80	33	13	3581

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147030	1005058	0.388	8	5.51	60	511	<2	<1	0.69	19	14	76	243	2.55	1.23	15	0.71	328	<1	53	430	1559	2.95	<5	26	<10	166	2029	<2	61	38	10	4057
147031D	1005058	0.450	8	5.22	61	515	<2	<1	0.67	19	12	76	245	2.55	1.25	16	0.69	321	<1	52	430	1607	2.95	6	24	<10	165	2019	<2	61	35	9	3656
147032	1005059	0.034	2	5.20	19	654	<2	<1	1.48	7	8	32	37	1.61	1.29	7	0.71	370	<1	37	435	92	0.86	<5	11	<10	231	1611	<2	41	12	7	1046
147033	1005060	<0.005	2	4.05	11	444	<2	<1	1.24	5	12	46	28	2.06	1.36	4	0.82	432	<1	31	500	22	0.19	<5	<5	<10	259	1833	<2	70	47	12	696
147034	1005061	0.011	2	4.82	23	652	<2	<1	1.13	5	9	31	19	1.29	1.28	9	0.64	279	<1	31	401	31	0.74	<5	26	<10	223	1603	<2	41	<10	6	653
147035	1005062	0.062	4	4.90	14	486	<2	<1	1.25	12	8	21	22	0.87	1.38	9	0.65	347	<1	33	568	576	0.63	<5	<5	<10	234	1728	<2	34	23	6	2487
147036	1005063	0.011	2	4.77	10	694	<2	<1	1.63	4	7	20	22	1.08	1.31	11	0.79	396	<1	28	502	69	0.59	<5	28	<10	256	1762	<2	43	<10	6	663
147037	1005064	0.033	3	4.87	26	259	<2	<1	6.70	5	36	636	55	3.94	1.43	9	4.58	1050	<1	332	3825	32	1.36	<5	<5	<10	343	3388	<2	99	<10	26	675
147038	1005065	0.065	3	4.78	14	587	<2	<1	0.59	5	8	50	46	1.18	1.33	10	0.79	155	<1	39	820	91	0.80	<5	7	10	143	1954	<2	39	<10	6	537
147039	1005066	0.077	3	5.20	9	607	<2	<1	0.40	<4	8	32	41	1.06	1.30	10	0.66	132	<1	32	744	109	0.74	<5	39	<10	140	1904	<2	39	<10	6	463
147040	1005067	0.056	3	5.89	10	503	2	<1	1.35	5	6	53	25	1.38	1.36	19	0.99	380	<1	38	773	117	0.88	<5	16	<10	130	1941	<2	37	<10	8	711
147041	1005068	0.055	6	4.63	17	142	2	<1	6.78	<4	36	744	42	3.99	1.39	10	5.12	1347	<1	356	3535	86	1.24	<5	<5	<10	201	3540	3	101	<10	26	336
147042D	1005068	0.036	6	4.76	20	127	<2	<1	7.06	<4	38	773	41	4.10	1.50	10	5.30	1400	<1	373	3645	92	1.26	5	<5	<10	205	3674	<2	102	<10	27	269
147043	1005069	0.436	3	6.27	16	585	<2	<1	1.87	<4	8	117	23	1.53	1.32	15	1.46	557	<1	70	1094	41	0.92	<5	34	<10	179	2124	<2	45	<10	11	141
147044	1005070	0.232	354	6.56	4769	25	3	<1	2.49	145	17	58	482	7.84	1.56	12	1.08	1414	17	36	606	10091	8.89	84	13	20	274	1695	<2	104	125	14	12739
147045	1005071	0.356	7	6.43	92	474	<2	<1	1.31	4	6	19	18	1.40	1.43	14	1.02	527	<1	23	603	177	1.04	<5	20	<10	145	2118	<2	42	<10	8	365
147046	1005072	0.193	4	6.10	40	544	<2	<1	1.61	5	8	37	23	1.59	1.46	13	1.06	578	<1	37	674	155	1.44	<5	8	11	168	2124	<2	42	11	8	726
147047	1005073	0.048	2	5.68	25	468	<2	<1	1.80	<4	8	56	24	1.74	1.40	11	1.08	781	<1	39	424	49	0.90	<5	23	<10	185	1863	<2	46	<10	9	192
147048	1005074	0.026	3	4.32	6	397	4	<1	1.48	4	18	104	36	2.73	1.34	10	1.21	837	<1	68	433	53	0.77	<5	7	<10	177	2179	<2	70	10	13	125
147049	1005075	0.019	3	5.32	5	473	2	<1	2.38	4	19	137	42	3.05	1.48	11	1.48	1132	<1	76	500	85	0.75	7	<5	<10	212	2586	<2	80	<10	14	121

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147050	1005076	0.065	3	5.02	7	481	2	<1	2.15	<4	22	144	50	3.30	1.49	12	1.25	965	<1	77	518	54	0.97	<5	6	<10	194	2797	<2	81	<10	14	114
147051	1005077	0.295	2	5.95	30	473	2	<1	1.21	<4	15	57	22	2.08	1.48	10	1.25	695	<1	54	406	96	1.32	<5	30	11	198	1444	<2	47	10	9	357
147052	1005078	0.042	3	6.65	30	452	2	<1	0.29	<4	16	27	14	1.19	1.64	9	1.32	505	<1	58	533	66	0.43	<5	14	11	174	1345	<2	36	<10	7	88
147053D	1005078	0.044	2	6.14	25	391	<2	<1	0.28	<4	13	19	11	0.97	1.57	9	1.19	423	<1	42	462	49	0.34	5	32	<10	161	1193	3	31	<10	6	72
147054	1005079	0.034	2	6.30	30	537	2	<1	0.59	<4	13	15	5	1.14	1.47	10	1.21	460	<1	37	464	63	0.52	5	32	<10	174	1208	<2	30	<10	6	73
147055	1005080	0.008	2	3.90	7	463	<2	<1	1.23	<4	11	50	21	2.21	1.46	<1	0.90	476	<1	34	529	15	0.09	<5	8	11	270	1903	<2	76	44	14	49
147056	1005081	0.033	2	7.00	29	465	2	<1	0.60	<4	27	14	5	1.08	1.38	9	1.32	412	<1	49	721	28	0.39	5	17	<10	185	1292	<2	38	<10	7	59
147057	1005082	0.016	2	6.75	15	416	2	<1	0.78	<4	11	18	3	0.83	1.45	7	1.19	378	<1	42	550	79	0.28	<5	25	<10	221	1149	<2	33	<10	7	60
147058	1005083	0.303	2	6.29	26	328	<2	<1	0.60	<4	7	21	4	1.04	1.51	9	1.28	534	<1	40	482	297	0.71	5	17	<10	179	942	<2	29	<10	7	206
147059	1005084	0.497	4	4.81	36	329	<2	<1	0.07	19	9	21	16	0.95	1.40	4	0.56	181	<1	44	482	2845	1.27	8	26	<10	127	1103	<2	29	56	5	6603
147060	1005085	0.798	3	4.80	32	267	<2	<1	0.46	5	10	20	8	1.02	1.39	4	1.39	574	<1	45	525	965	0.87	7	<5	<10	122	1009	<2	29	21	6	1727
147061	1005086	0.368	2	4.70	24	255	<2	<1	0.45	7	8	19	5	0.95	1.52	6	1.33	546	<1	45	493	416	0.78	6	10	<10	121	949	<2	27	20	6	1742
147062	1005087	0.205	2	5.14	26	276	<2	<1	0.20	<4	7	21	2	0.67	1.44	4	0.84	238	<1	49	518	330	0.45	<5	12	<10	123	948	<2	28	<10	6	202
147063	1005088	0.828	12	4.58	42	218	<2	<1	0.40	20	9	19	22	1.05	1.46	<1	0.79	249	<1	39	456	7879	1.55	23	9	<10	144	894	<2	25	66	5	7352
147064D	1005088	0.806	12	5.04	39	224	<2	<1	0.45	19	8	16	22	1.04	1.44	3	0.80	244	<1	32	454	7523	1.59	19	24	11	149	896	<2	25	64	6	6864
147065	1005089	18.525	4	5.93	30	256	<2	<1	0.36	17	9	17	9	0.95	1.41	5	1.02	322	<1	35	493	1852	1.16	11	18	<10	139	983	<2	27	55	6	5924
147066	1005090	4.890	9	6.24	16	302	<2	<1	2.72	5	26	67	84	4.10	1.45	9	1.85	787	6	52	910	143	0.85	<5	9	10	324	3440	3	118	<10	16	295
147067	1005091	0.166	1	6.67	72	283	<2	<1	0.67	4	43	15	6	1.25	1.40	18	1.72	687	<1	57	536	296	0.65	<5	17	<10	154	991	<2	33	<10	6	195
147068	1005092	0.128	1	6.31	39	251	2	<1	0.63	8	13	14	2	1.03	1.40	13	1.39	699	<1	34	509	525	0.73	7	14	<10	143	913	<2	28	25	7	2278
147069	1005093	0.215	1	5.61	28	280	<2	<1	0.36	4	5	16	2	0.83	1.38	4	0.84	351	<1	29	502	557	0.72	<5	22	<10	127	984	2	27	14	6	1093

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147070	1005094	0.152	2	5.78	45	321	<2	<1	0.71	16	7	18	14	1.32	1.42	6	1.01	530	<1	28	468	1023	1.50	6	<5	<10	149	1060	<2	30	49	6	4669
147071	1005095	0.191	1	5.28	28	220	<2	<1	0.74	5	4	22	12	1.56	1.47	16	1.72	936	<1	36	405	264	1.11	<5	20	<10	144	983	3	28	10	6	849
147072	1005096	0.249	3	5.85	32	215	<2	<1	0.69	6	5	30	41	1.87	1.29	29	2.04	1265	<1	43	424	1145	1.43	8	15	<10	158	1039	<2	30	14	7	1235
147073	1005097	0.548	4	5.17	30	359	<2	<1	0.92	11	5	27	38	1.90	1.47	12	1.46	1012	<1	40	339	995	1.91	6	24	<10	143	1188	<2	33	31	7	2948
147074	1005098	0.365	3	5.32	28	497	<2	<1	1.24	4	4	28	9	1.86	1.43	15	1.54	1251	<1	42	435	913	1.71	9	28	<10	161	1396	<2	30	12	7	1088
147075R	1005098	0.363	4	4.99	30	488	<2	<1	1.22	5	4	32	9	1.95	1.61	13	1.57	1292	<1	51	433	1249	1.79	6	17	<10	158	1402	<2	29	13	7	997
147076	1005099	3.545	15	4.00	64	436	<2	<1	0.08	32	4	37	305	2.14	1.29	7	0.61	223	<1	57	225	2203	3.34	20	6	<10	89	1132	<2	26	78	6	8953
147077	1005100	0.007	<1	3.55	11	446	<2	<1	1.11	<4	10	46	32	2.13	1.37	<1	0.83	444	<1	33	510	94	0.18	<5	<5	<10	252	1839	<2	71	47	14	310
147078	1005101	1.623	13	4.62	55	363	<2	<1	0.19	7	7	53	27	1.90	1.31	4	0.69	295	<1	47	328	901	2.53	8	15	<10	108	1349	<2	42	23	7	1834
147079	1005102	0.669	2	4.89	55	333	<2	<1	0.45	4	9	44	22	1.96	1.27	6	0.96	682	<1	48	388	369	2.06	<5	15	<10	112	1435	<2	53	<10	7	495
147080	1005103	0.549	1	4.32	62	496	<2	<1	0.53	<4	7	61	17	2.18	1.31	6	1.10	941	<1	80	382	206	2.06	<5	22	<10	131	1377	<2	43	<10	7	217
147081	1005104	0.612	2	5.01	43	480	<2	<1	0.87	6	8	55	44	2.02	1.25	12	1.48	961	<1	55	426	617	1.58	6	24	<10	160	1135	<2	41	17	7	1327
147082	1005105	0.239	2	6.67	25	442	<2	<1	0.66	<4	11	65	41	2.48	1.27	20	1.48	1016	<1	46	466	86	1.26	<5	17	10	151	1418	6	52	<10	9	168
147083	1005106	0.158	2	6.97	24	486	<2	<1	0.60	<4	11	74	41	2.37	1.37	19	1.39	872	3	58	487	71	1.23	<5	30	<10	144	1402	<2	57	<10	9	131
147084	1005107	0.023	1	4.07	13	214	<2	<1	0.40	<4	5	50	52	1.42	1.43	4	0.79	515	<1	44	320	53	0.73	<5	14	<10	114	754	<2	30	<10	9	177
147085	1005108	0.066	2	6.15	12	297	<2	<1	0.93	4	15	108	56	2.52	1.36	15	1.26	822	6	75	454	79	1.23	<5	<5	<10	160	1474	<2	57	<10	11	155
147086D	1005108	0.075	2	6.30	10	297	<2	<1	0.92	4	15	111	58	2.60	1.38	13	1.32	840	4	79	462	77	1.27	<5	35	10	159	1527	<2	58	<10	12	154
147087	1005109	0.507	2	6.56	33	394	2	<1	1.27	4	17	113	109	2.86	1.40	13	1.22	987	<1	81	465	156	2.27	<5	<5	<10	164	1758	<2	75	<10	13	372
147088	1005110	1.141	2	5.13	24	547	2	<1	1.44	<4	14	49	486	3.14	1.43	8	1.00	539	20	33	639	73	0.70	<5	<5	11	266	2100	<2	102	24	13	107
147089	1005111	0.807	3	5.89	54	339	<2	<1	1.19	6	14	109	104	2.54	1.43	23	1.10	863	8	69	446	394	2.04	<5	15	<10	155	2197	<2	66	11	11	1060

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147090	1005112	0.200	2	5.58	34	361	2	<1	1.34	4	19	125	77	2.89	1.33	23	1.24	1208	2	83	478	70	1.77	<5	17	<10	141	2626	<2	83	<10	12	113
147091	1005113	0.867	3	6.95	52	441	<2	<1	2.10	<4	12	57	37	2.12	1.31	22	1.16	886	5	51	572	68	1.47	<5	24	<10	188	2294	<2	51	<10	9	161
147092	1005114	0.041	1	5.85	28	460	<2	<1	1.02	<4	5	26	19	1.24	1.33	18	0.77	448	4	34	471	47	0.98	<5	26	11	139	1722	<2	34	<10	7	161
147093	1005115	0.036	1	5.13	22	373	<2	<1	1.50	<4	4	12	15	1.10	1.38	9	0.94	571	<1	19	479	148	0.68	<5	<5	<10	150	1380	<2	31	<10	6	78
147094	1005116	0.508	4	4.83	31	354	<2	<1	0.48	21	7	16	59	1.66	1.33	10	0.58	282	<1	28	513	1784	2.28	<5	17	<10	142	1333	<2	31	52	6	6815
147095	1005117	0.068	2	5.06	25	309	<2	<1	0.99	10	4	21	43	1.22	1.40	12	0.92	607	<1	31	459	388	0.93	<5	26	<10	158	1052	<2	25	14	7	1497
147096	1005118	0.093	2	6.04	33	332	<2	<1	0.69	8	5	15	55	1.54	1.27	14	0.74	341	<1	25	504	364	1.92	<5	12	13	169	1305	<2	32	12	7	1033
147097D	1005118	0.098	2	5.77	33	337	<2	<1	0.65	6	5	15	54	1.57	1.29	12	0.72	341	<1	24	511	370	1.99	<5	15	<10	168	1328	<2	32	<10	6	763
147098	1005119	0.461	3	5.17	32	368	2	<1	0.30	9	5	17	71	1.59	1.29	17	0.50	142	2	26	515	828	2.23	7	17	<10	133	1392	<2	32	23	5	2239
147099	1005120	<0.005	1	4.83	12	463	<2	<1	1.42	4	11	46	24	2.08	1.32	14	0.80	435	1	29	518	27	0.14	<5	16	<10	274	1986	<2	71	43	10	349
147100	1005121	0.160	2	5.45	32	330	<2	<1	0.89	<4	4	20	13	1.45	1.30	11	0.82	423	<1	34	533	287	1.61	<5	<5	<10	171	1260	<2	32	<10	6	431
147101	1005122	1.053	11	4.31	65	64	<2	<1	0.43	38	6	16	12	3.58	1.27	15	0.54	342	4	29	443	7341	6.25	18	<5	<10	129	1271	<2	27	107	5	13394
147102	1005123	0.122	2	4.53	29	329	<2	<1	1.05	4	4	14	16	1.48	1.40	14	0.85	558	<1	22	454	333	1.75	<5	20	<10	156	1315	<2	29	<10	6	519
147103	1005124	0.517	4	4.34	29	477	<2	<1	0.36	13	5	14	52	1.60	1.39	17	0.51	207	<1	22	487	1181	2.32	<5	<5	<10	120	1635	<2	30	32	5	3465
147104	1005125	1.620	13	3.86	37	212	<2	<1	0.63	14	5	15	33	2.24	1.38	18	0.63	282	2	19	418	4656	3.51	18	<5	<10	124	1414	<2	26	35	5	4003
147105	1005126	0.797	10	3.66	45	232	<2	<1	0.53	18	4	16	32	2.44	1.40	16	0.59	252	<1	21	407	3582	3.88	11	35	<10	123	1337	<2	25	44	5	4838
147106	1005127	0.048	2	4.62	19	364	2	<1	1.15	<4	4	18	15	1.26	1.39	14	0.94	756	<1	27	456	290	0.94	<5	<5	<10	165	1523	<2	29	<10	6	503
147107	1005128	0.033	3	5.85	13	437	<2	<1	1.38	9	4	12	158	1.36	1.36	13	1.06	835	<1	17	472	1480	0.95	6	5	<10	180	1524	<2	30	19	7	2039
147108D	1005128	0.046	3	5.96	10	427	<2	<1	1.35	10	4	14	156	1.29	1.28	16	1.06	810	<1	17	460	1449	0.91	5	<5	<10	178	1497	<2	30	18	7	1974
147109	1005129	0.099	3	6.05	7	511	<2	<1	2.78	4	3	13	60	1.60	1.47	8	1.67	1591	<1	21	442	719	0.89	<5	9	<10	197	1482	<2	27	59	8	842

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147110	1005130	0.237	337	5.45	3893	21	2	<1	1.98	132	13	40	394	6.29	1.35	11	0.86	1162	12	23	473	8000	7.30	67	37	16	237	1487	<2	83	100	11	12049
147111	1005131	0.128	7	8.36	82	572	2	<1	1.75	7	5	18	46	1.28	1.46	29	1.17	702	8	26	529	351	0.70	<5	19	<10	188	1939	<2	33	11	8	641
147112	1005132	0.125	3	5.51	36	427	<2	<1	2.28	7	4	15	32	1.29	1.38	16	1.64	875	<1	24	365	118	0.57	<5	<5	<10	127	1412	6	25	10	7	1040
147113	1005133	0.234	<1	4.31	13	421	<2	<1	1.62	<4	4	14	8	1.10	1.27	13	1.31	468	<1	24	321	33	0.59	<5	<5	<10	128	1443	<2	23	<10	5	70
147114	1005134	0.431	1	3.45	33	516	<2	<1	<0.01	<4	3	14	14	1.05	1.25	<1	0.39	102	<1	28	310	51	1.32	<5	17	<10	67	1431	<2	23	<10	4	109
147115	1005135	0.311	3	4.41	46	470	<2	<1	1.02	<4	5	16	21	1.17	1.36	14	0.78	271	<1	19	354	117	1.03	<5	18	<10	120	1585	<2	28	<10	5	371
147116	1005136	0.243	3	5.36	26	550	<2	<1	1.78	<4	5	15	25	1.27	1.42	16	1.05	347	<1	19	343	108	0.71	<5	12	<10	153	1640	<2	29	<10	6	170
147117	1005137	0.095	2	4.74	21	556	<2	<1	1.01	4	4	14	29	1.02	1.40	16	0.85	290	<1	19	391	83	0.59	<5	8	<10	120	1624	<2	26	<10	6	629
147118	1005138	0.033	1	5.48	18	565	<2	<1	1.59	<4	4	13	14	1.07	1.42	13	1.16	411	<1	21	348	57	0.41	<5	18	<10	127	1591	<2	26	<10	6	83
147119D	1005138	0.030	1	6.00	21	539	<2	<1	1.56	4	4	13	13	1.03	1.47	10	1.17	399	<1	22	339	56	0.38	<5	16	<10	122	1541	<2	25	<10	6	66
147120	1005139	0.053	1	5.79	30	580	<2	<1	1.04	<4	4	15	7	0.93	1.40	10	0.93	315	<1	24	383	45	0.45	5	32	<10	110	1574	<2	25	<10	6	59
147121	1005140	<0.005	<1	4.23	8	453	<2	<1	1.28	<4	11	45	20	2.05	1.46	4	0.84	436	<1	30	512	10	0.09	<5	<5	<10	264	1890	<2	70	41	12	50
147122	1005141	1.497	2	8.05	19	567	<2	<1	1.62	<4	5	12	39	1.33	1.45	21	1.21	356	2	16	375	65	0.82	<5	25	10	141	1671	<2	27	<10	7	92
147123	1005142	0.017	1	7.20	36	570	<2	<1	1.30	<4	5	13	9	1.11	1.39	16	1.11	301	<1	20	403	34	0.31	<5	11	<10	125	1721	<2	28	<10	7	85
147124	1005143	0.040	2	7.43	24	544	<2	<1	1.16	4	5	15	44	1.15	1.39	20	1.00	259	2	22	381	64	0.64	<5	<5	10	127	1637	<2	26	<10	7	373
147125	1005144	0.096	1	6.72	36	581	<2	<1	1.07	<4	5	14	14	1.19	1.45	17	0.94	263	<1	21	346	35	0.63	<5	14	<10	117	1617	<2	25	<10	7	78
147126	1005145	0.051	1	6.63	146	527	<2	<1	2.19	<4	7	15	14	1.32	1.41	25	1.27	327	<1	25	242	36	0.43	<5	12	<10	172	1830	<2	29	<10	7	138
147127	1005146	0.033	1	6.27	58	485	<2	<1	2.11	<4	6	11	14	1.29	1.46	20	1.19	290	<1	21	247	28	0.46	<5	8	<10	162	1779	<2	28	<10	6	89
147128	1005147	0.168	1	5.25	24	616	<2	<1	0.78	<4	4	13	26	0.96	1.44	15	1.03	233	<1	18	225	26	0.30	<5	20	<10	117	1411	<2	21	<10	7	30
147129	1005148	0.106	1	4.94	22	502	<2	<1	0.27	<4	3	12	13	0.71	1.33	14	0.57	<100	<1	19	263	19	0.52	<5	22	<10	78	1472	<2	23	<10	5	45

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147130D	1005148	0.134	1	6.37	22	557	<2	<1	0.47	<4	4	15	15	0.79	1.41	21	0.65	103	<1	22	291	20	0.58	<5	23	<10	93	1606	<2	25	<10	6	50
147131	1005149	0.122	6	8.00	15	468	<2	<1	1.05	19	5	22	71	1.09	1.46	23	1.01	166	6	35	346	619	0.87	<5	42	13	135	1516	<2	24	33	8	3216
147132	1005150	4.849	8	8.07	10	310	<2	<1	2.81	4	26	63	85	3.98	1.45	18	1.76	745	12	48	869	35	0.91	<5	<5	13	335	3710	<2	115	<10	16	163
147133	1005151	0.389	2	7.93	23	488	2	<1	0.83	<4	5	13	14	0.91	1.32	28	0.82	177	9	16	355	38	0.54	<5	28	<10	134	1654	<2	27	<10	7	95
147134	1005152	0.464	2	7.73	27	442	2	<1	0.51	<4	5	12	13	0.87	1.32	25	0.70	122	6	16	338	34	0.68	<5	28	<10	119	1583	<2	26	<10	7	92
147135	1005153	0.117	2	8.27	33	419	<2	<1	0.82	<4	4	12	7	0.97	1.34	23	0.90	213	5	17	362	32	0.71	<5	11	<10	129	1550	<2	26	<10	7	59
147136	1005154	0.026	2	8.22	20	381	<2	<1	1.62	4	2	18	9	1.14	1.35	23	1.34	386	5	23	391	18	0.45	5	30	<10	151	1492	<2	25	<10	8	63
147137	1005155	0.028	2	6.63	20	447	<2	<1	0.69	<4	4	11	15	0.91	1.28	21	0.85	190	2	14	347	15	0.66	<5	<5	<10	121	1433	<2	24	<10	6	48
147138	1005156	0.014	1	6.65	14	562	<2	<1	0.97	<4	5	13	15	1.04	1.36	21	0.86	219	<1	16	366	21	0.56	<5	8	<10	138	1536	<2	27	<10	6	56
147139	1005157	<0.005	2	8.55	11	457	<2	<1	2.33	5	6	14	4	1.54	1.37	24	1.19	276	4	15	490	20	0.29	<5	14	<10	244	1776	<2	35	<10	9	62
147140	1005158	<0.005	1	7.20	8	504	<2	<1	2.15	<4	6	15	2	1.52	1.45	21	0.90	256	<1	15	490	10	0.20	<5	11	<10	228	1860	<2	36	<10	8	58
147141R	1005158	<0.005	1	7.22	10	494	<2	<1	2.19	<4	6	16	2	1.52	1.42	18	0.88	250	<1	19	494	9	0.20	<5	19	<10	230	1838	<2	35	<10	8	56
147142	1005159	<0.005	1	5.91	9	409	3	<1	1.84	6	9	16	6	1.45	1.29	12	0.78	230	<1	20	478	11	0.19	<5	15	10	200	1855	<2	37	<10	10	61
147143	1005160	<0.005	2	7.53	15	422	<2	<1	1.52	<4	9	40	17	1.83	1.31	18	0.91	382	6	25	489	7	0.08	<5	25	11	269	1801	<2	62	38	13	42
147144	1005161	<0.005	2	8.86	8	467	<2	<1	2.33	<4	7	18	5	1.53	1.26	26	1.11	265	4	21	530	13	0.27	<5	39	<10	264	1880	<2	36	<10	10	53
147145	1005162	<0.005	1	7.21	9	408	<2	<1	1.84	<4	7	15	5	1.45	1.28	18	0.99	233	<1	18	529	9	0.34	<5	17	<10	208	1882	<2	37	<10	8	39
147146	1005163	<0.005	1	7.52	14	445	<2	<1	2.02	<4	6	19	6	1.57	1.27	20	0.86	248	<1	25	519	14	0.43	<5	24	<10	231	2048	<2	37	<10	8	53
147147	1005164	0.021	1	7.80	3	483	<2	<1	2.34	<4	7	20	6	1.70	1.33	23	1.06	275	<1	27	528	14	0.37	<5	6	<10	237	1973	<2	37	<10	9	73
147148	1005165	0.038	2	8.23	15	423	2	<1	2.54	4	6	22	4	1.68	1.26	34	1.41	356	8	30	519	28	0.46	<5	41	10	202	1909	<2	38	<10	9	92
147149	1005166	0.012	1	6.99	14	425	<2	<1	2.40	<4	6	22	4	1.62	1.37	30	1.34	345	3	33	501	20	0.42	<5	7	10	186	1881	<2	37	<10	8	167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147150	1005167	0.092	1	7.03	43	355	<2	<1	1.72	4	7	20	5	1.43	1.38	41	1.24	345	1	31	563	14	1.11	5	15	<10	131	1952	<2	37	<10	8	23
147151	1005168	0.022	1	7.43	23	373	<2	<1	1.58	<4	7	20	7	1.32	1.41	30	1.22	313	4	29	522	18	0.72	<5	37	<10	150	1844	<2	36	<10	7	39
147152D	1005168	0.031	1	8.14	31	401	<2	<1	1.70	<4	6	22	8	1.39	1.42	34	1.32	329	5	32	559	16	0.75	<5	10	<10	157	1963	<2	39	<10	8	42
147153	1005169	0.019	1	7.47	15	408	<2	<1	1.91	<4	6	20	15	1.42	1.51	29	1.50	446	<1	29	546	24	0.72	<5	22	11	151	1988	<2	39	<10	8	79
147154	1005170	1.208	2	5.98	24	529	<2	<1	1.49	4	12	44	458	3.02	1.36	8	1.04	503	17	31	631	65	0.74	<5	10	<10	264	1902	<2	95	29	14	94
147155	1005171	0.136	2	7.36	20	353	<2	<1	1.77	<4	6	20	27	1.54	1.34	20	1.16	364	2	27	507	20	0.74	<5	<5	<10	191	1738	<2	37	<10	8	59
147156	1005172	0.019	1	7.27	19	359	<2	<1	1.94	<4	5	19	12	1.45	1.32	21	1.22	472	1	24	492	28	0.69	<5	13	<10	192	1723	6	34	<10	8	63
147157	1005173	0.028	1	6.78	8	332	<2	<1	2.31	<4	5	17	8	1.39	1.20	17	1.34	515	1	24	426	23	0.59	<5	<5	<10	199	1484	<2	32	<10	8	44
147158	1005174	0.209	2	6.41	28	372	<2	<1	0.77	5	6	24	33	1.39	1.23	21	0.76	277	<1	34	494	106	1.55	<5	15	<10	144	1762	<2	34	<10	7	558
147159	1005175	0.054	1	6.30	60	393	2	<1	1.49	<4	7	54	18	1.61	1.26	22	1.23	328	3	46	501	27	0.34	<5	19	<10	177	1390	<2	35	<10	9	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
147010	1005039	38	0.001	0.038
147011	1005040	6	<0.001	0.006
147012	1005041	12	<0.001	0.012
147013	1005042	65	0.002	0.065
147014	1005043	263	0.008	0.263
147015	1005044	<5	<0.001	<0.005
147016	1005045	70	0.002	0.070
147017	1005046	83	0.002	0.083
147018	1005047	57	0.002	0.057
147019	1005048	176	0.005	0.176
147020 Dup	1005048	196	0.006	0.196
147021	1005049	25	<0.001	0.025
147022	1005050	1135	0.033	1.135
147023	1005051	8	<0.001	0.008
147024	1005052	<5	<0.001	<0.005
147025	1005053	12	<0.001	0.012
147026	1005054	12	<0.001	0.012
147027	1005055	600	0.018	0.600
147028	1005056	62	0.002	0.062
147029	1005057	269	0.008	0.269
147030	1005058	388	0.011	0.388
147031 Dup	1005058	450	0.013	0.450
147032	1005059	34	<0.001	0.034
147033	1005060	<5	<0.001	<0.005
147034	1005061	11	<0.001	0.011
147035	1005062	62	0.002	0.062
147036	1005063	11	<0.001	0.011
147037	1005064	33	<0.001	0.033
147038	1005065	65	0.002	0.065
147039	1005066	77	0.002	0.077

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
147040	1005067	56	0.002	0.056
147041	1005068	55	0.002	0.055
147042 Dup	1005068	36	0.001	0.036
147043	1005069	436	0.013	0.436
147044	1005070	232	0.007	0.232
147045	1005071	356	0.010	0.356
147046	1005072	193	0.006	0.193
147047	1005073	48	0.001	0.048
147048	1005074	26	<0.001	0.026
147049	1005075	19	<0.001	0.019
147050	1005076	65	0.002	0.065
147051	1005077	295	0.009	0.295
147052	1005078	42	0.001	0.042
147053 Dup	1005078	44	0.001	0.044
147054	1005079	34	<0.001	0.034
147055	1005080	8	<0.001	0.008
147056	1005081	33	<0.001	0.033
147057	1005082	16	<0.001	0.016
147058	1005083	303	0.009	0.303
147059	1005084	497	0.015	0.497
147060	1005085	798	0.023	0.798
147061	1005086	368	0.011	0.368
147062	1005087	205	0.006	0.205
147063	1005088	828	0.024	0.828
147064 Dup	1005088	806	0.024	0.806
147065	1005089	18525	0.540	18.525
147066	1005090	4890	0.143	4.890
147067	1005091	166	0.005	0.166
147068	1005092	128	0.004	0.128
147069	1005093	215	0.006	0.215

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
147070	1005094	152	0.004	0.152
147071	1005095	191	0.006	0.191
147072	1005096	249	0.007	0.249
147073	1005097	548	0.016	0.548
147074	1005098	365	0.011	0.365
147075 Rep	1005098	363	0.011	0.363
147076	1005099	3545	0.103	3.545
147077	1005100	7	<0.001	0.007
147078	1005101	1623	0.047	1.623
147079	1005102	669	0.020	0.669
147080	1005103	549	0.016	0.549
147081	1005104	612	0.018	0.612
147082	1005105	239	0.007	0.239
147083	1005106	158	0.005	0.158
147084	1005107	23	<0.001	0.023
147085	1005108	66	0.002	0.066
147086 Dup	1005108	75	0.002	0.075
147087	1005109	507	0.015	0.507
147088	1005110	1141	0.033	1.141
147089	1005111	807	0.024	0.807
147090	1005112	200	0.006	0.200
147091	1005113	867	0.025	0.867
147092	1005114	41	0.001	0.041
147093	1005115	36	0.001	0.036
147094	1005116	508	0.015	0.508
147095	1005117	68	0.002	0.068
147096	1005118	93	0.003	0.093
147097 Dup	1005118	98	0.003	0.098
147098	1005119	461	0.013	0.461
147099	1005120	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
147100	1005121	160	0.005	0.160
147101	1005122	1053	0.031	1.053
147102	1005123	122	0.004	0.122
147103	1005124	517	0.015	0.517
147104	1005125	1620	0.047	1.620
147105	1005126	797	0.023	0.797
147106	1005127	48	0.001	0.048
147107	1005128	33	<0.001	0.033
147108 Dup	1005128	46	0.001	0.046
147109	1005129	99	0.003	0.099
147110	1005130	237	0.007	0.237
147111	1005131	128	0.004	0.128
147112	1005132	125	0.004	0.125
147113	1005133	234	0.007	0.234
147114	1005134	431	0.013	0.431
147115	1005135	311	0.009	0.311
147116	1005136	243	0.007	0.243
147117	1005137	95	0.003	0.095
147118	1005138	33	<0.001	0.033
147119 Dup	1005138	30	<0.001	0.030
147120	1005139	53	0.002	0.053
147121	1005140	<5	<0.001	<0.005
147122	1005141	1497	0.044	1.497
147123	1005142	17	<0.001	0.017
147124	1005143	40	0.001	0.040
147125	1005144	96	0.003	0.096
147126	1005145	51	0.001	0.051
147127	1005146	33	<0.001	0.033
147128	1005147	168	0.005	0.168
147129	1005148	106	0.003	0.106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142191  
 Reference: TL11176  
 Sample #: 137

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
147130 Dup	1005148	134	0.004	0.134
147131	1005149	122	0.004	0.122
147132	1005150	4849	0.141	4.849
147133	1005151	389	0.011	0.389
147134	1005152	464	0.014	0.464
147135	1005153	117	0.003	0.117
147136	1005154	26	<0.001	0.026
147137	1005155	28	<0.001	0.028
147138	1005156	14	<0.001	0.014
147139	1005157	<5	<0.001	<0.005
147140	1005158	<5	<0.001	<0.005
147141 Rep	1005158	<5	<0.001	<0.005
147142	1005159	<5	<0.001	<0.005
147143	1005160	<5	<0.001	<0.005
147144	1005161	<5	<0.001	<0.005
147145	1005162	<5	<0.001	<0.005
147146	1005163	<5	<0.001	<0.005
147147	1005164	21	<0.001	0.021
147148	1005165	38	0.001	0.038
147149	1005166	12	<0.001	0.012
147150	1005167	92	0.003	0.092
147151	1005168	22	<0.001	0.022
147152 Dup	1005168	31	<0.001	0.031
147153	1005169	19	<0.001	0.019
147154	1005170	1208	0.035	1.208
147155	1005171	136	0.004	0.136
147156	1005172	19	<0.001	0.019
147157	1005173	28	<0.001	0.028
147158	1005174	209	0.006	0.209
147159	1005175	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, June 28, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 06/28/2011  
Job #: 201142341  
Reference: TL11176  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
155256	1005229	0.127	4.346

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, June 28, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 06/28/2011  
Job #: 201142342  
Reference: TL11176  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
155257	1005099	0.101	3.473

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/23/2011  
 Date Completed: 07/08/2011  
 Job #: 201142345  
 Reference: TL11176  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
155262	1005089	10.312	10.955	190.461	19.669	5.02%	49.69

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146843	1005176	0.008	<1	8.17	14	591	<2	<1	2.04	4	7	22	36	1.61	1.28	7	0.94	364	<1	33	394	37	0.58	<5	17	10	389	1587	<2	37	<10	9	177
146844	1005177	0.023	1	7.84	19	518	<2	<1	2.70	4	10	33	62	1.90	1.28	7	1.05	788	<1	39	514	58	1.09	<5	6	<10	461	1992	<2	45	<10	9	430
146845	1005178	0.008	1	7.76	22	589	<2	<1	1.35	5	12	25	26	1.09	1.18	9	0.76	264	<1	41	275	27	0.70	<5	41	<10	379	1565	<2	38	<10	8	335
146846	1005179	0.009	<1	7.19	32	630	<2	<1	1.38	<4	14	35	20	1.15	1.31	7	0.80	290	<1	48	269	28	0.63	<5	7	<10	354	1693	<2	42	<10	8	772
146847	1005180	<0.005	<1	5.91	12	460	<2	<1	1.41	<4	11	45	24	2.12	1.36	6	0.93	446	<1	30	518	10	0.11	<5	19	<10	278	1930	<2	72	44	14	118
146848	1005181	0.051	2	7.25	347	649	2	<1	1.28	4	24	43	119	2.62	1.26	6	0.92	407	<1	52	360	31	2.46	<5	11	<10	309	1622	<2	51	<10	10	693
146849	1005182	0.061	2	6.89	103	619	<2	<1	0.96	5	22	44	53	2.14	1.27	10	0.82	275	<1	60	314	25	1.94	<5	<5	11	249	1563	<2	48	<10	9	246
146850	1005183	0.016	1	8.87	6	324	<2	<1	4.17	<4	44	283	56	4.51	1.30	21	1.35	884	<1	141	1079	11	0.45	<5	27	10	444	5488	<2	161	<10	16	134
146851	1005184	0.020	1	8.20	13	526	<2	<1	0.59	<4	28	436	51	1.46	1.32	8	0.51	257	<1	88	1244	12	0.24	6	19	<10	291	5008	<2	201	<10	8	57
146852	1005185	0.031	<1	5.78	4	351	<2	<1	0.30	<4	21	212	28	1.62	1.39	<1	0.48	205	<1	79	839	16	0.54	<5	16	<10	248	2611	<2	97	<10	7	76
146853D	1005185	0.015	<1	5.92	7	375	<2	<1	0.32	<4	22	221	27	1.69	1.35	<1	0.48	232	<1	79	837	13	0.56	<5	43	<10	259	3011	<2	102	<10	7	76
146854	1005186	0.007	<1	6.71	12	400	<2	<1	0.37	<4	24	263	36	2.10	1.30	4	0.53	293	<1	79	872	17	0.68	<5	18	<10	257	3801	<2	122	<10	7	79
146855	1005187	0.081	<1	5.59	8	462	<2	<1	1.29	<4	27	265	79	2.49	1.28	2	0.77	412	<1	83	1091	17	1.06	<5	28	<10	277	2447	<2	123	<10	11	95
146856	1005188	0.046	<1	5.38	7	365	<2	<1	1.68	<4	14	96	35	2.64	1.35	11	1.06	494	<1	55	522	20	0.57	<5	9	<10	279	2342	<2	69	<10	11	133
146857	1005189	0.013	<1	3.03	11	281	<2	<1	0.61	<4	3	30	9	1.23	1.33	<1	0.56	264	<1	29	360	16	0.34	<5	<5	<10	182	1320	<2	27	<10	6	83
146858	1005190	0.242	355	3.75	4072	14	2	<1	1.75	128	13	40	459	6.61	1.29	<1	0.85	1189	2	26	471	9511	7.20	71	31	15	221	1299	<2	87	102	12	13406
146859	1005191	0.171	8	5.63	46	349	<2	<1	1.11	38	21	20	24	3.38	1.30	6	0.74	433	<1	37	541	4156	3.15	<5	31	<10	276	2068	<2	45	69	7	8135
146860	1005192	0.021	2	6.25	24	488	<2	<1	1.63	4	8	11	7	1.89	1.41	8	0.94	505	<1	18	587	151	0.73	<5	65	<10	320	2046	<2	43	<10	8	301
146861	1005193	0.094	1	6.45	26	467	<2	<1	2.03	4	8	13	9	2.02	1.36	11	1.11	625	<1	23	578	73	0.68	<5	<5	<10	333	2110	<2	44	<10	8	245
146862	1005194	0.041	1	5.94	32	543	<2	<1	1.48	<4	9	14	55	1.85	1.34	10	0.88	490	<1	18	555	62	0.96	<5	27	<10	272	1976	<2	43	<10	8	144

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146863	1005195	0.020	<1	5.95	17	608	<2	<1	1.85	<4	9	15	40	2.04	1.39	6	0.85	597	<1	26	612	71	0.83	<5	6	<10	302	2149	<2	49	<10	8	132
146864D	1005195	0.019	<1	5.72	15	622	<2	<1	1.87	<4	8	14	41	2.06	1.34	5	0.84	613	<1	21	622	71	0.86	<5	16	<10	307	2201	<2	50	<10	8	128
146865	1005196	0.028	<1	7.26	17	648	<2	<1	1.50	<4	6	12	19	1.72	1.35	7	0.51	313	<1	18	683	44	1.06	<5	12	<10	306	2647	<2	57	<10	7	79
146866	1005197	0.021	<1	7.14	21	742	<2	<1	1.14	<4	6	22	8	1.74	1.36	10	0.63	318	<1	34	663	31	1.33	<5	23	<10	249	2341	<2	54	<10	8	62
146867	1005198	0.040	1	7.55	19	601	<2	<1	1.86	4	8	15	25	2.01	1.29	11	1.03	666	<1	22	584	120	0.80	<5	16	11	286	2255	<2	48	<10	9	347
146868	1005199	0.044	6	6.24	17	541	<2	<1	1.69	14	9	12	65	1.91	1.32	11	0.98	712	<1	23	527	2158	1.05	<5	12	10	265	2054	<2	41	45	7	5714
146869	1005200	0.005	<1	3.59	8	378	<2	<1	1.02	<4	10	37	19	1.80	1.16	<1	0.73	379	<1	27	450	10	0.06	<5	<5	<10	230	1643	<2	62	37	12	74
146870	1005201	0.015	<1	5.76	15	542	<2	<1	1.83	<4	8	14	5	1.97	1.42	9	0.92	586	<1	23	573	73	0.71	<5	<5	<10	270	2100	<2	44	<10	7	121
146871	1005202	0.022	<1	6.08	25	566	<2	<1	1.75	<4	9	19	5	1.82	1.40	11	0.91	568	<1	30	537	40	0.95	<5	24	<10	256	1984	<2	42	<10	7	141
146872	1005203	0.032	<1	4.94	31	594	<2	<1	1.18	<4	9	13	3	1.71	1.37	17	0.86	460	<1	24	486	39	0.90	<5	<5	<10	246	2017	<2	40	<10	6	328
146873	1005204	0.039	<1	5.56	27	633	<2	<1	1.90	<4	9	10	2	1.63	1.31	17	0.77	401	<1	20	515	32	1.16	<5	21	<10	161	2085	<2	42	<10	7	39
146874	1005205	0.248	5	5.17	39	625	<2	<1	0.47	8	10	19	29	2.38	1.26	16	0.63	251	<1	34	489	233	2.80	<5	16	<10	136	2081	<2	43	17	6	1831
146875D	1005205	0.274	4	5.12	36	620	<2	<1	0.38	8	12	19	29	2.52	1.33	14	0.63	249	<1	36	503	253	3.02	<5	17	<10	132	2149	<2	44	21	6	1977
146876	1005206	0.769	8	5.46	45	589	<2	<1	0.48	15	13	22	27	2.79	1.24	17	0.62	251	<1	42	487	426	3.60	<5	18	<10	130	2110	<2	43	41	6	4329
146877	1005207	0.421	1	6.16	26	551	2	<1	1.68	<4	9	20	14	2.21	1.36	11	0.98	659	<1	32	567	43	1.47	<5	6	<10	231	2245	<2	47	<10	8	184
146878	1005208	0.116	2	6.26	17	630	<2	<1	1.68	<4	17	81	38	3.12	1.31	21	1.13	695	<1	55	590	44	1.29	<5	29	10	209	2854	<2	75	<10	10	160
146879	1005209	0.130	2	6.31	33	515	<2	<1	1.76	4	20	122	48	3.45	1.28	15	1.34	816	<1	76	508	54	2.25	<5	25	<10	177	2585	<2	90	<10	13	152
146880	1005210	4.855	8	5.44	11	299	<2	<1	2.51	<4	26	65	87	4.00	1.29	10	1.61	762	7	49	858	27	0.88	<5	8	<10	305	3730	10	117	<10	13	127
146881	1005211	0.410	2	5.80	67	413	<2	<1	1.43	4	18	119	43	2.46	1.29	13	1.02	600	<1	69	495	50	2.44	<5	<5	<10	146	2255	<2	82	<10	11	179
146882	1005212	0.075	2	6.31	19	370	<2	<1	1.57	<4	19	112	45	2.81	1.35	15	1.23	607	<1	62	483	35	1.36	<5	12	<10	168	2263	<2	77	<10	12	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146883	1005213	0.023	1	5.59	11	621	<2	<1	0.89	<4	4	24	4	0.75	1.37	9	0.81	235	<1	32	311	46	0.54	<5	<5	<10	165	1595	<2	32	<10	5	119
146884	1005214	0.021	1	6.42	17	617	<2	<1	0.86	4	4	25	6	0.66	1.41	9	0.69	158	<1	32	344	20	0.55	<5	17	11	171	1507	<2	31	<10	6	263
146885	1005215	0.010	1	6.21	13	573	<2	<1	0.62	<4	4	13	4	0.51	1.35	12	0.64	145	<1	22	267	16	0.34	<5	22	<10	175	1619	<2	30	<10	5	30
146886D	1005215	0.011	1	6.39	17	581	<2	<1	0.64	<4	4	14	4	0.53	1.31	12	0.65	148	<1	22	272	15	0.36	<5	14	<10	178	1623	<2	30	<10	5	35
146887	1005216	0.018	<1	5.83	21	500	<2	<1	1.07	4	4	14	4	0.79	1.39	7	0.96	400	<1	22	192	19	0.61	<5	31	<10	190	1433	<2	27	<10	6	79
146888	1005217	0.015	1	6.20	16	482	<2	<1	1.33	<4	3	19	7	0.61	1.42	8	0.60	189	<1	27	264	17	0.44	<5	38	<10	218	1405	<2	29	<10	6	24
146889	1005218	0.011	1	5.87	18	501	<2	<1	1.51	<4	3	13	3	0.55	1.35	12	0.59	229	<1	22	365	41	0.33	5	16	<10	271	1431	<2	27	<10	5	34
146890	1005219	0.007	<1	5.47	14	399	<2	<1	1.46	<4	3	11	3	0.45	1.49	1	0.49	179	<1	21	367	35	0.26	5	11	<10	267	1158	<2	23	<10	5	48
146891	1005220	<0.005	1	6.24	9	358	<2	<1	1.41	<4	10	42	19	1.96	1.31	8	0.87	423	2	28	514	13	0.07	<5	21	<10	263	1950	<2	69	42	11	49
146892	1005221	0.005	3	6.83	9	405	<2	<1	1.47	<4	4	12	12	0.48	1.14	12	0.57	194	<1	18	420	28	0.17	<5	27	<10	289	1580	<2	30	<10	5	41
146893	1005222	0.009	1	6.60	21	512	<2	<1	2.00	<4	7	23	12	0.87	1.30	12	0.76	310	<1	28	404	22	0.52	<5	26	<10	306	1430	<2	31	<10	6	351
146894	1005223	0.026	2	6.47	18	549	<2	<1	1.39	<4	5	23	34	0.77	1.42	12	0.61	239	<1	29	420	145	0.49	<5	19	10	296	1546	<2	32	<10	6	231
146895	1005224	0.027	1	4.40	<2	538	<2	<1	1.94	<4	5	11	73	1.46	1.37	4	0.70	387	<1	17	471	131	0.44	5	34	<10	311	1730	<2	34	<10	6	332
146896	1005225	0.008	1	4.74	5	532	<2	<1	1.80	<4	6	16	19	1.53	1.40	5	0.66	361	<1	23	451	27	0.55	<5	24	<10	298	1533	<2	31	<10	7	68
146897D	1005225	0.008	<1	3.68	98	482	<2	<1	1.55	8	7	14	163	1.63	1.31	<1	0.63	356	<1	25	450	101	0.71	<5	<5	17	263	1468	<2	28	15	6	1465
146898	1005226	0.010	<1	5.14	64	466	<2	<1	1.93	6	7	13	101	1.64	1.33	4	0.69	376	<1	23	454	63	0.63	<5	25	12	306	1554	<2	32	15	7	1160
146899	1005227	0.018	2	5.25	42	484	<2	<1	1.69	6	5	10	68	1.43	1.36	4	0.82	507	<1	19	665	53	0.88	<5	6	<10	176	1793	<2	34	12	7	907
146900	1005228	1.183	91	5.29	55	455	<2	<1	0.17	7	5	10	92	1.32	1.26	2	0.49	136	<1	21	643	244	1.62	20	35	12	106	1771	<2	31	14	7	1260
146901	1005229	4.318	279	3.21	66	328	<2	<1	<0.01	11	3	18	367	1.80	1.27	<1	0.35	<100	<1	38	997	1569	2.69	67	12	<10	85	1460	<2	28	31	6	3358
146902	1005230	1.205	8	3.79	40	518	<2	<1	1.26	7	14	47	556	3.31	1.27	<1	1.01	530	14	38	688	129	0.92	6	16	12	243	1708	<2	100	39	14	1057

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146903	1005231	0.247	10	3.85	41	447	<2	<1	<0.01	<4	2	15	127	1.38	1.36	<1	0.39	<100	<1	29	531	205	1.78	5	22	<10	103	1426	<2	26	<10	7	640
146904	1005232	0.072	2	4.49	27	499	<2	<1	1.07	4	3	10	32	1.01	1.23	<1	0.78	498	<1	19	588	55	0.85	<5	13	<10	156	1459	<2	27	<10	8	682
146905	1005233	0.015	<1	5.89	11	577	<2	<1	1.77	<4	3	11	14	1.32	1.26	4	0.78	424	<1	22	529	25	0.74	<5	29	<10	197	1479	<2	29	<10	7	159
146906	1005234	0.019	<1	4.97	17	580	<2	<1	1.27	<4	4	10	15	1.28	1.32	3	0.87	571	<1	20	507	42	0.74	<5	6	<10	167	1552	<2	29	<10	6	159
146907	1005235	0.065	3	4.28	26	389	<2	<1	0.63	<4	5	35	29	1.24	1.12	3	0.78	342	<1	33	453	489	1.02	<5	15	<10	142	1485	<2	29	<10	7	669
146908R	1005235	0.052	4	5.68	23	409	<2	<1	0.75	5	5	45	34	1.29	1.14	7	0.88	375	<1	40	505	565	0.96	<5	10	<10	147	1624	<2	31	<10	8	657
146909	1005236	0.181	5	5.31	11	462	<2	<1	1.91	4	3	19	13	0.90	1.34	7	1.33	957	<1	33	355	368	0.50	7	26	<10	187	1274	<2	27	52	6	567
146910	1005237	0.150	3	5.55	15	417	<2	<1	2.86	<4	4	17	8	1.15	1.29	5	1.93	1632	<1	29	363	245	0.86	5	29	11	187	1269	19	26	<10	6	341
146911	1005238	0.076	1	4.11	17	261	<2	<1	1.22	<4	6	14	6	0.80	1.35	<1	1.07	854	<1	26	326	124	0.60	<5	21	<10	141	1161	<2	21	<10	5	185
146912	1005239	0.445	3	4.36	26	281	<2	<1	0.23	<4	4	19	13	0.78	1.29	1	0.58	275	<1	32	323	264	0.89	<5	<5	<10	108	1304	<2	23	<10	5	537
146913	1005240	0.007	<1	3.08	12	443	<2	<1	1.08	<4	11	44	21	2.10	1.33	<1	0.81	450	<1	33	503	23	0.10	<5	<5	<10	252	1763	<2	72	43	13	81
146914	1005241	1.683	15	5.07	31	245	<2	<1	1.73	<4	6	14	28	1.23	1.31	5	1.26	728	<1	26	311	730	1.51	14	12	<10	166	1112	<2	23	10	5	955
146915	1005242	2.868	17	3.87	55	279	<2	<1	0.15	6	5	19	65	1.22	1.33	<1	0.56	231	<1	35	258	1105	1.76	17	9	<10	93	1058	<2	22	19	5	1984
146916	1005243	0.312	2	5.07	19	324	<2	<1	0.35	<4	5	15	7	0.55	1.25	4	0.64	267	<1	28	342	166	0.54	<5	13	<10	117	1396	<2	24	<10	5	256
146917	1005244	0.066	1	5.20	21	311	<2	<1	0.92	<4	5	17	7	0.52	1.38	4	0.92	495	<1	30	368	117	0.40	<5	16	<10	137	1427	<2	26	<10	5	136
146918	1005245	0.567	5	4.84	44	340	<2	<1	0.42	9	3	20	49	0.98	1.42	3	0.67	306	<1	41	368	382	1.21	7	21	11	110	1426	<2	25	16	5	1525
146919D	1005245	0.595	5	5.00	45	317	<2	<1	0.42	7	3	18	48	0.96	1.36	2	0.66	287	<1	37	361	370	1.24	5	25	<10	109	1336	<2	24	14	5	1502
146920	1005246	1.101	10	4.18	54	290	<2	<1	0.34	9	3	10	69	1.17	1.38	<1	0.66	310	<1	22	325	1509	1.77	8	33	<10	102	1246	<2	21	18	5	2161
146921	1005247	0.232	1	5.32	24	286	<2	<1	0.55	<4	3	14	13	0.60	1.25	5	0.58	245	<1	24	350	134	0.63	<5	12	<10	115	1325	<2	24	<10	5	190
146922	1005248	0.112	2	5.69	23	277	<2	<1	0.96	<4	2	12	9	0.56	1.33	7	0.56	262	<1	20	356	155	0.63	<5	27	<10	128	1345	<2	25	<10	5	283

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146923	1005249	0.424	3	5.45	33	318	<2	<1	0.78	4	5	12	40	0.58	1.33	6	0.80	345	<1	23	348	259	0.60	<5	18	<10	125	1415	<2	24	<10	5	266
146924	1005250	0.243	355	5.05	3499	106	2	<1	1.81	113	12	36	484	5.95	1.18	9	0.83	1094	8	24	440	9597	6.18	62	<5	14	226	1475	<2	80	90	9	13428
146925	1005251	0.265	12	6.63	150	402	2	<1	1.06	7	5	18	29	0.71	1.24	17	0.83	400	3	29	440	357	0.52	<5	15	<10	153	1532	<2	28	<10	5	494
146926	1005252	0.266	5	5.69	53	471	<2	<1	0.79	5	4	17	22	0.56	1.16	14	0.73	344	<1	31	389	160	0.49	<5	42	<10	132	1508	<2	26	<10	4	590
146927	1005253	0.074	3	6.55	38	448	<2	<1	0.86	<4	14	15	20	0.56	1.32	11	0.81	347	<1	29	368	88	0.49	<5	41	<10	140	1438	<2	25	<10	5	505
146928	1005254	0.115	3	4.74	24	433	<2	<1	0.58	<4	11	14	17	0.51	1.40	1	0.70	318	<1	33	364	147	0.44	<5	30	<10	114	1314	<2	24	<10	5	241
146929	1005255	0.368	2	3.20	20	386	<2	<1	0.35	<4	3	8	14	0.46	1.26	<1	0.66	309	<1	17	315	91	0.50	<5	17	<10	102	1091	<2	20	<10	4	124
146930D	1005255	0.367	3	4.92	26	467	<2	<1	0.57	<4	4	9	16	0.54	1.46	3	0.78	359	<1	19	364	107	0.59	<5	15	<10	121	1297	<2	23	<10	5	146
146931	1005256	0.095	3	5.49	25	329	<2	<1	0.80	<4	5	13	14	0.54	1.48	5	0.81	423	<1	24	395	248	0.54	8	17	<10	131	1334	<2	24	<10	5	189
146932	1005257	0.042	1	6.16	24	258	<2	<1	1.14	<4	3	11	7	0.70	1.45	11	1.07	704	<1	19	414	83	0.70	<5	13	<10	151	1395	2	27	<10	6	111
146933	1005258	0.067	2	4.91	26	437	<2	<1	0.61	<4	3	14	10	0.94	1.37	7	0.82	529	<1	22	382	169	1.12	<5	7	<10	168	1484	<2	29	<10	5	164
146934	1005259	0.347	5	4.59	30	431	<2	<1	<0.01	7	4	20	34	1.04	1.30	4	0.47	158	<1	34	432	698	1.34	6	16	<10	123	1471	<2	30	23	5	1783
146935	1005260	0.006	<1	2.44	12	419	<2	<1	0.93	<4	10	41	20	1.98	1.34	<1	0.76	417	<1	29	475	40	0.13	<5	27	<10	235	1759	<2	68	42	12	106
146936	1005261	0.016	1	3.21	13	198	<2	<1	0.99	<4	5	23	23	1.07	1.36	<1	0.66	291	<1	39	321	70	0.98	<5	20	<10	186	1075	<2	29	<10	5	82
146937	1005262	0.014	1	3.93	12	303	<2	<1	0.99	<4	4	10	16	1.54	1.35	1	0.68	122	<1	18	385	24	1.45	<5	13	<10	236	1131	<2	28	<10	6	60
146938	1005263	0.008	<1	4.76	11	328	<2	<1	1.48	<4	2	15	8	1.09	1.40	3	0.73	141	<1	26	429	24	1.21	<5	9	<10	288	1189	<2	34	<10	5	51
146939	1005264	0.006	<1	4.22	10	314	<2	<1	1.46	<4	2	13	5	1.13	1.48	2	0.85	142	<1	21	411	19	1.32	<5	14	<10	279	1103	<2	30	<10	5	44
146940	1005265	0.009	<1	4.93	10	288	<2	<1	1.95	<4	4	14	4	1.70	1.36	7	1.30	169	<1	27	448	17	2.07	<5	44	<10	303	974	<2	31	<10	6	185
146941D	1005265	0.010	<1	4.82	13	306	<2	<1	2.02	<4	5	14	4	1.72	1.44	7	1.30	171	<1	24	453	18	2.04	<5	28	11	314	1008	<2	31	<10	7	191
146942	1005266	0.010	<1	5.10	9	327	<2	<1	2.00	<4	5	17	4	1.75	1.45	8	1.28	165	<1	30	454	19	2.08	<5	15	<10	309	1032	<2	31	<10	7	210

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146943	1005267	0.007	<1	5.69	13	400	<2	<1	2.16	<4	6	14	6	1.62	1.49	11	1.32	165	<1	28	501	17	1.75	5	20	<10	329	1397	<2	36	<10	6	77
146944	1005268	0.013	<1	5.68	14	382	<2	<1	2.20	<4	6	19	9	1.85	1.40	8	1.15	179	<1	38	470	19	2.31	<5	14	<10	369	1223	<2	35	<10	6	45
146945	1005269	0.009	<1	4.90	11	308	<2	<1	2.09	<4	15	13	9	0.90	1.36	4	1.11	152	<1	33	455	23	0.95	<5	26	<10	377	1319	<2	33	<10	5	116
146946	1005270	4.967	8	3.53	10	272	<2	<1	2.35	<4	24	59	85	3.88	1.27	<1	1.74	746	<1	50	863	26	0.94	<5	<5	<10	299	2082	<2	107	<10	14	100
146947	1005271	0.019	<1	4.14	20	377	<2	<1	1.34	<4	11	30	21	1.84	1.37	4	1.05	268	<1	33	455	22	2.23	<5	<5	<10	287	1517	<2	40	<10	8	43
146948	1005272	0.010	<1	4.00	26	375	<2	<1	1.57	<4	10	39	9	1.79	1.35	3	0.86	405	<1	33	543	19	2.20	<5	18	<10	309	1518	<2	44	<10	8	45
146949	1005273	0.014	<1	3.98	15	446	<2	<1	0.96	<4	4	9	5	1.43	1.52	2	0.52	250	<1	18	588	15	1.17	<5	9	<10	300	1120	<2	34	<10	6	33
146950	1005274	0.010	<1	3.65	11	439	<2	<1	0.86	<4	5	12	5	1.41	1.34	<1	0.55	275	<1	16	547	13	0.87	<5	16	<10	293	1025	<2	33	<10	6	45
146951	1005275	0.015	<1	3.04	9	417	<2	<1	0.73	<4	3	9	5	1.20	1.38	<1	0.44	193	<1	18	505	12	0.60	<5	<5	<10	273	925	<2	31	<10	5	34
146952D	1005275	0.011	<1	3.66	9	450	<2	<1	0.83	<4	4	9	5	1.20	1.42	<1	0.44	197	<1	16	519	11	0.58	<5	<5	<10	293	986	<2	32	<10	5	38
146953	1005276	0.011	<1	4.73	11	541	<2	<1	0.93	<4	5	8	6	1.18	1.45	4	0.60	232	<1	13	598	12	0.60	<5	14	<10	360	858	<2	35	<10	6	32
146954	1005277	0.298	<1	4.85	12	582	<2	<1	0.99	<4	4	13	4	1.61	1.46	1	0.62	304	<1	24	603	14	0.90	<5	23	<10	378	941	<2	36	<10	6	30
146955	1005278	0.016	<1	5.05	8	588	<2	<1	1.30	<4	5	11	5	1.97	1.43	7	0.68	359	<1	16	581	12	1.70	<5	<5	<10	354	1377	<2	36	<10	6	51
146956	1005279	0.015	<1	4.79	19	589	<2	<1	1.38	<4	5	16	6	1.82	1.29	7	0.70	411	<1	22	578	19	1.59	<5	<5	<10	335	1428	<2	37	<10	7	54
146957	1005280	0.008	<1	4.43	8	493	<2	<1	1.39	<4	12	50	21	2.39	1.50	<1	0.90	481	<1	35	590	12	0.15	<5	8	<10	300	1840	<2	80	49	14	51
146958	1005281	0.015	1	5.10	19	549	<2	<1	2.33	<4	7	16	7	1.83	1.41	8	1.18	731	<1	15	562	18	1.29	<5	18	<10	402	1526	<2	36	<10	8	104
146959	1005282	0.024	<1	5.55	21	500	<2	<1	2.19	4	7	20	7	1.68	1.43	8	1.20	509	<1	30	552	26	1.29	<5	15	<10	171	1805	<2	39	<10	7	49
146960	1005283	0.029	2	4.63	35	363	5	<1	1.53	6	11	18	14	1.60	1.27	3	1.00	444	<1	23	500	28	1.35	<5	30	11	130	1390	3	40	<10	11	73
146961	1005284	0.036	1	4.33	38	329	<2	<1	0.13	<4	7	11	9	1.47	1.35	<1	0.41	128	<1	18	462	26	2.02	<5	20	<10	104	1070	<2	34	<10	6	132
146962	1005285	0.265	1	4.48	43	418	<2	<1	0.06	<4	5	18	10	1.59	1.35	<1	0.42	109	<1	26	509	23	1.99	<5	6	<10	86	1398	<2	35	<10	6	35

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146963D	1005285	0.223	1	4.44	49	394	<2	<1	0.09	20	7	17	42	1.56	1.32	<1	0.42	102	<1	28	476	35	2.17	<5	<5	<10	87	1300	<2	33	32	7	3505
146964	1005286	0.112	1	4.74	37	417	<2	<1	0.10	12	6	10	27	1.36	1.30	<1	0.44	101	<1	18	494	27	1.72	<5	8	<10	90	1400	<2	34	20	6	1714
146965	1005287	0.121	1	4.79	49	380	<2	<1	0.53	7	5	16	24	1.20	1.38	<1	0.52	153	<1	17	486	30	1.28	<5	<5	<10	113	1290	<2	32	13	7	1021
146966	1005288	0.114	<1	2.62	44	382	<2	<1	<0.01	8	6	11	21	1.20	1.40	<1	0.35	112	<1	22	494	35	1.49	<5	13	<10	69	1230	<2	29	16	6	1067
146967	1005289	1.532	3	4.33	62	417	<2	<1	0.16	4	5	18	77	1.37	1.35	<1	0.45	123	<1	22	471	76	1.87	<5	10	<10	108	1104	<2	33	11	6	819
146968	1005290	1.115	1	3.83	28	535	<2	<1	1.24	5	13	45	487	3.16	1.36	<1	0.96	511	13	34	630	78	0.86	<5	15	11	250	1830	<2	99	33	13	682
146969	1005291	0.129	<1	4.62	43	461	<2	<1	0.28	5	6	18	37	1.34	1.37	<1	0.49	139	<1	28	491	76	1.56	<5	15	<10	131	1108	<2	39	<10	6	420
146970	1005292	0.409	1	4.54	43	469	<2	<1	<0.01	<4	5	22	36	1.15	1.34	<1	0.39	<100	<1	32	492	77	1.41	5	14	<10	108	1107	<2	35	<10	6	386
146971	1005293	0.897	4	4.86	85	481	<2	<1	<0.01	6	4	17	29	1.43	1.42	<1	0.37	<100	<1	30	482	127	2.09	11	14	<10	111	1122	<2	35	18	6	1314
146972	1005294	0.577	4	4.04	76	386	<2	<1	<0.01	<4	3	23	36	0.82	1.45	<1	0.34	<100	<1	32	373	159	1.01	18	20	<10	104	921	<2	30	10	5	271
146973	1005295	0.699	6	3.93	166	399	<2	<1	<0.01	6	4	18	92	1.23	1.38	<1	0.30	<100	<1	30	399	210	1.86	26	8	<10	100	977	<2	33	16	5	1101
146974R	1005295	0.883	8	4.01	164	387	<2	<1	<0.01	7	4	20	113	1.26	1.32	<1	0.33	<100	<1	31	391	272	1.88	34	7	<10	106	965	<2	32	16	5	1249
146975	1005296	0.175	3	4.00	55	413	<2	<1	<0.01	<4	4	33	62	0.97	1.30	<1	0.31	<100	<1	43	354	101	1.03	<5	33	<10	91	1054	<2	34	<10	5	234
146976	1005297	0.355	3	5.23	95	401	2	<1	0.86	<4	23	124	63	3.51	1.38	6	1.54	508	<1	84	528	77	1.97	5	<5	<10	100	1614	<2	102	<10	9	197
146977	1005298	0.268	2	4.88	23	418	2	<1	0.66	<4	22	137	49	3.23	1.37	6	1.24	435	<1	89	563	45	1.21	<5	8	<10	97	2192	<2	104	<10	9	119
146978	1005299	0.089	3	5.10	20	432	2	<1	1.22	4	20	118	55	3.50	1.38	8	1.51	547	<1	72	508	61	1.07	<5	<5	10	111	2301	2	100	<10	9	172
146979	1005300	0.008	2	2.60	11	438	<2	<1	1.06	<4	12	49	22	2.16	1.41	<1	0.81	446	<1	34	503	13	0.13	<5	19	<10	243	1834	<2	73	39	12	76
146980	1005301	0.366	4	3.48	64	456	<2	<1	<0.01	<4	12	86	34	1.61	1.33	<1	0.40	<100	<1	54	410	111	2.04	<5	5	<10	86	1289	<2	70	<10	6	568
146981	1005302	0.856	3	2.50	164	274	2	<1	<0.01	7	16	100	50	2.78	1.34	<1	0.29	<100	<1	75	345	178	4.36	10	8	<10	63	939	<2	74	16	6	1525
146982	1005303	1.425	3	4.10	54	323	<2	<1	0.57	<4	16	111	45	2.41	1.44	<1	0.82	279	<1	66	423	72	2.42	<5	<5	<10	99	1149	<2	69	<10	9	236

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
146983	1005304	0.183	2	2.67	66	286	2	<1	<0.01	<4	13	98	43	1.87	1.45	<1	0.33	<100	<1	60	372	144	2.51	<5	12	<10	66	1055	<2	61	<10	8	210
146984	1005305	0.073	2	4.73	13	344	2	<1	1.14	<4	19	132	42	3.41	1.36	6	1.27	565	<1	75	502	52	1.70	<5	7	<10	125	2089	5	92	<10	12	117
146985D	1005305	0.057	2	3.89	13	311	2	<1	1.06	<4	21	129	40	3.45	1.42	<1	1.31	580	<1	74	482	44	1.65	<5	<5	<10	117	2088	<2	89	<10	12	99
146986	1005306	0.075	2	4.18	12	286	2	<1	1.14	<4	20	121	44	3.55	1.41	<1	1.36	588	<1	82	525	43	1.78	<5	6	<10	120	1902	<2	83	<10	14	97
146987	1005307	0.107	2	3.98	23	290	2	<1	1.52	<4	16	105	40	2.83	1.36	<1	1.31	579	<1	75	485	49	1.40	<5	31	<10	139	1741	<2	70	<10	13	97
146988	1005308	0.786	3	2.68	75	149	<2	<1	0.86	67	8	17	36	2.94	1.26	<1	0.87	416	<1	28	409	167	5.16	<5	11	<10	121	1262	<2	31	150	6	16920
146989	1005309	0.037	2	4.51	43	532	<2	<1	2.00	<4	6	20	17	1.54	1.37	<1	1.27	602	<1	23	475	47	1.32	<5	11	<10	157	1526	<2	35	11	7	655
146990	1005310	0.251	355	1.69	3921	27	<2	<1	1.55	126	13	39	494	6.47	1.40	<1	0.80	1182	<1	27	447	9621	7.70	70	14	15	198	1243	<2	85	105	10	13481
146991	1005311	0.064	12	3.47	180	398	<2	<1	1.22	6	7	16	35	1.97	1.37	<1	0.98	514	<1	26	448	290	2.26	<5	20	<10	130	1462	<2	34	10	7	548
146992	1005312	0.068	4	3.89	62	508	<2	<1	1.18	<4	5	23	26	1.71	1.49	2	0.96	513	<1	33	443	91	1.67	<5	22	<10	125	1600	<2	34	<10	6	219
146993	1005313	0.052	3	4.84	47	590	<2	<1	1.61	<4	7	14	17	1.38	1.40	4	1.09	549	<1	22	473	52	1.07	<5	11	<10	130	1692	<2	35	<10	7	295
146994	1005314	0.030	2	4.64	33	643	<2	<1	2.65	<4	5	20	11	1.50	1.39	<1	1.49	692	<1	22	462	47	0.78	<5	10	<10	145	1666	<2	35	<10	7	146
146995	1005315	0.109	2	4.17	41	435	<2	<1	1.67	<4	7	16	18	1.60	1.43	2	1.10	522	<1	23	462	57	1.28	<5	<5	<10	139	1586	<2	35	<10	7	169
146996D	1005315	0.102	2	4.26	39	432	<2	<1	1.65	<4	6	16	17	1.61	1.42	3	1.09	519	<1	23	461	60	1.32	<5	15	<10	141	1610	<2	36	<10	7	166
146997	1005316	0.162	2	4.07	57	402	<2	<1	0.86	4	6	16	28	1.52	1.49	2	0.75	321	<1	21	454	112	1.69	<5	27	<10	120	1592	<2	33	<10	6	577
146998	1005317	0.055	2	4.83	39	423	<2	<1	1.85	<4	6	20	10	1.55	1.46	6	1.18	562	<1	34	513	43	1.19	<5	17	<10	144	1682	<2	35	<10	7	130
146999	1005318	0.060	2	4.07	31	392	<2	<1	1.09	<4	6	18	26	1.21	1.33	3	0.86	441	<1	23	453	71	0.99	<5	8	<10	124	1596	<2	33	<10	6	268
147000	1005319	2.941	13	2.95	79	80	2	<1	0.36	114	7	17	642	5.16	1.20	2	0.53	296	10	36	337	386	9.86	20	8	<10	89	1235	<2	25	290	6	34770
147001	1005320	<0.005	2	3.56	11	428	<2	<1	1.14	6	10	46	44	2.21	1.44	<1	0.82	438	<1	32	503	24	0.45	<5	36	<10	251	1786	<2	69	49	13	1064
147002	1005321	0.030	2	4.76	8	424	2	<1	2.13	<4	6	29	25	1.56	1.34	4	1.31	625	<1	37	465	43	0.67	<5	11	<10	147	1507	<2	34	<10	7	456

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
147003	1005322	0.024	2	4.32	20	470	<2	<1	0.73	10	6	16	22	1.42	1.36	6	0.68	261	<1	25	446	24	1.44	<5	7	<10	113	1617	<2	33	26	6	2250
147004	1005323	0.079	2	4.27	21	479	<2	<1	1.33	<4	6	18	14	1.32	1.30	5	0.90	355	<1	20	454	27	1.00	<5	8	<10	139	1640	<2	34	10	6	362
147005	1005324	0.015	2	4.50	14	428	<2	<1	2.00	<4	5	24	10	1.67	1.38	2	1.16	447	<1	39	473	20	1.00	<5	7	<10	170	1469	<2	33	<10	7	109
147006	1005325	0.018	2	4.14	19	504	<2	<1	1.98	<4	5	22	6	1.69	1.36	4	1.23	525	<1	24	480	28	1.20	<5	45	<10	168	1596	<2	35	<10	6	148
147007D	1005325	0.015	2	4.52	18	527	<2	<1	2.09	<4	7	22	6	1.71	1.39	6	1.26	536	<1	23	483	28	1.17	<5	12	<10	173	1685	<2	37	<10	6	133
147008	1005326	0.018	2	4.57	18	507	<2	<1	2.13	<4	6	16	6	1.72	1.52	4	1.33	572	<1	24	490	30	1.13	<5	23	<10	170	1626	<2	34	<10	7	149
147009	1005327	0.009	2	3.94	13	483	<2	<1	2.09	<4	7	16	5	1.71	1.59	<1	1.15	474	<1	18	505	20	0.84	<5	19	<10	160	1625	<2	38	<10	6	60

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146843	1005176	8	<0.001	0.008
146844	1005177	23	<0.001	0.023
146845	1005178	8	<0.001	0.008
146846	1005179	9	<0.001	0.009
146847	1005180	<5	<0.001	<0.005
146848	1005181	51	0.001	0.051
146849	1005182	61	0.002	0.061
146850	1005183	16	<0.001	0.016
146851	1005184	20	<0.001	0.020
146852	1005185	31	<0.001	0.031
146853 Dup	1005185	15	<0.001	0.015
146854	1005186	7	<0.001	0.007
146855	1005187	81	0.002	0.081
146856	1005188	46	0.001	0.046
146857	1005189	13	<0.001	0.013
146858	1005190	242	0.007	0.242
146859	1005191	171	0.005	0.171
146860	1005192	21	<0.001	0.021
146861	1005193	94	0.003	0.094
146862	1005194	41	0.001	0.041
146863	1005195	20	<0.001	0.020
146864 Dup	1005195	19	<0.001	0.019
146865	1005196	28	<0.001	0.028
146866	1005197	21	<0.001	0.021
146867	1005198	40	0.001	0.040
146868	1005199	44	0.001	0.044
146869	1005200	5	<0.001	0.005
146870	1005201	15	<0.001	0.015
146871	1005202	22	<0.001	0.022
146872	1005203	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146873	1005204	39	0.001	0.039
146874	1005205	248	0.007	0.248
146875 Dup	1005205	274	0.008	0.274
146876	1005206	769	0.022	0.769
146877	1005207	421	0.012	0.421
146878	1005208	116	0.003	0.116
146879	1005209	130	0.004	0.130
146880	1005210	4855	0.142	4.855
146881	1005211	410	0.012	0.410
146882	1005212	75	0.002	0.075
146883	1005213	23	<0.001	0.023
146884	1005214	21	<0.001	0.021
146885	1005215	10	<0.001	0.010
146886 Dup	1005215	11	<0.001	0.011
146887	1005216	18	<0.001	0.018
146888	1005217	15	<0.001	0.015
146889	1005218	11	<0.001	0.011
146890	1005219	7	<0.001	0.007
146891	1005220	<5	<0.001	<0.005
146892	1005221	5	<0.001	0.005
146893	1005222	9	<0.001	0.009
146894	1005223	26	<0.001	0.026
146895	1005224	27	<0.001	0.027
146896	1005225	8	<0.001	0.008
146897 Dup	1005225	8	<0.001	0.008
146898	1005226	10	<0.001	0.010
146899	1005227	18	<0.001	0.018
146900	1005228	1183	0.034	1.183
146901	1005229	4318	0.126	4.318
146902	1005230	1205	0.035	1.205

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146903	1005231	247	0.007	0.247
146904	1005232	72	0.002	0.072
146905	1005233	15	<0.001	0.015
146906	1005234	19	<0.001	0.019
146907	1005235	65	0.002	0.065
146908 Rep	1005235	52	0.002	0.052
146909	1005236	181	0.005	0.181
146910	1005237	150	0.004	0.150
146911	1005238	76	0.002	0.076
146912	1005239	445	0.013	0.445
146913	1005240	7	<0.001	0.007
146914	1005241	1683	0.049	1.683
146915	1005242	2868	0.084	2.868
146916	1005243	312	0.009	0.312
146917	1005244	66	0.002	0.066
146918	1005245	567	0.017	0.567
146919 Dup	1005245	595	0.017	0.595
146920	1005246	1101	0.032	1.101
146921	1005247	232	0.007	0.232
146922	1005248	112	0.003	0.112
146923	1005249	424	0.012	0.424
146924	1005250	243	0.007	0.243
146925	1005251	265	0.008	0.265
146926	1005252	266	0.008	0.266
146927	1005253	74	0.002	0.074
146928	1005254	115	0.003	0.115
146929	1005255	368	0.011	0.368
146930 Dup	1005255	367	0.011	0.367
146931	1005256	95	0.003	0.095
146932	1005257	42	0.001	0.042

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146933	1005258	67	0.002	0.067
146934	1005259	347	0.010	0.347
146935	1005260	6	<0.001	0.006
146936	1005261	16	<0.001	0.016
146937	1005262	14	<0.001	0.014
146938	1005263	8	<0.001	0.008
146939	1005264	6	<0.001	0.006
146940	1005265	9	<0.001	0.009
146941 Dup	1005265	10	<0.001	0.010
146942	1005266	10	<0.001	0.010
146943	1005267	7	<0.001	0.007
146944	1005268	13	<0.001	0.013
146945	1005269	9	<0.001	0.009
146946	1005270	4967	0.145	4.967
146947	1005271	19	<0.001	0.019
146948	1005272	10	<0.001	0.010
146949	1005273	14	<0.001	0.014
146950	1005274	10	<0.001	0.010
146951	1005275	15	<0.001	0.015
146952 Dup	1005275	11	<0.001	0.011
146953	1005276	11	<0.001	0.011
146954	1005277	298	0.009	0.298
146955	1005278	16	<0.001	0.016
146956	1005279	15	<0.001	0.015
146957	1005280	8	<0.001	0.008
146958	1005281	15	<0.001	0.015
146959	1005282	24	<0.001	0.024
146960	1005283	29	<0.001	0.029
146961	1005284	36	0.001	0.036
146962	1005285	265	0.008	0.265

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146963 Dup	1005285	223	0.007	0.223
146964	1005286	112	0.003	0.112
146965	1005287	121	0.004	0.121
146966	1005288	114	0.003	0.114
146967	1005289	1532	0.045	1.532
146968	1005290	1115	0.033	1.115
146969	1005291	129	0.004	0.129
146970	1005292	409	0.012	0.409
146971	1005293	897	0.026	0.897
146972	1005294	577	0.017	0.577
146973	1005295	699	0.020	0.699
146974 Rep	1005295	883	0.026	0.883
146975	1005296	175	0.005	0.175
146976	1005297	355	0.010	0.355
146977	1005298	268	0.008	0.268
146978	1005299	89	0.003	0.089
146979	1005300	8	<0.001	0.008
146980	1005301	366	0.011	0.366
146981	1005302	856	0.025	0.856
146982	1005303	1425	0.042	1.425
146983	1005304	183	0.005	0.183
146984	1005305	73	0.002	0.073
146985 Dup	1005305	57	0.002	0.057
146986	1005306	75	0.002	0.075
146987	1005307	107	0.003	0.107
146988	1005308	786	0.023	0.786
146989	1005309	37	0.001	0.037
146990	1005310	251	0.007	0.251
146991	1005311	64	0.002	0.064
146992	1005312	68	0.002	0.068

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/14/2011  
 Date Completed: 06/23/2011  
 Job #: 201142190  
 Reference: TL11177  
 Sample #: 152

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
146993	1005313	52	0.002	0.052
146994	1005314	30	<0.001	0.030
146995	1005315	109	0.003	0.109
146996 Dup	1005315	102	0.003	0.102
146997	1005316	162	0.005	0.162
146998	1005317	55	0.002	0.055
146999	1005318	60	0.002	0.060
147000	1005319	2941	0.086	2.941
147001	1005320	<5	<0.001	<0.005
147002	1005321	30	<0.001	0.030
147003	1005322	24	<0.001	0.024
147004	1005323	79	0.002	0.079
147005	1005324	15	<0.001	0.015
147006	1005325	18	<0.001	0.018
147007 Dup	1005325	15	<0.001	0.015
147008	1005326	18	<0.001	0.018
147009	1005327	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150157	1075238	0.158	<1	1.18	28	4773	2	27	1.63	<4	8	20	20	1.79	<0.01	6	0.73	720	<1	31	557	80	0.83	<5	12	<10	216	2018	4	43	<10	4	79
150158	1075239	0.259	<1	2.14	22	>5000	2	38	1.53	<4	8	21	83	1.71	<0.01	8	0.86	819	<1	32	531	241	0.83	<5	17	<10	208	1819	2	40	<10	4	555
150159	1075240	<0.005	<1	2.26	6	>5000	<2	40	1.28	<4	13	52	27	2.26	<0.01	3	0.86	506	<1	33	576	12	0.05	<5	19	<10	275	2006	<2	79	45	9	78
150160	1075241	0.108	<1	1.90	28	574	2	<1	1.21	18	7	23	78	1.72	<0.01	7	0.85	887	<1	32	542	478	1.48	<5	15	<10	186	1720	4	40	69	4	5961
150161	1075242	0.146	1	0.07	24	>5000	2	12	1.59	4	9	25	87	1.91	<0.01	7	1.13	1278	<1	37	560	294	1.18	<5	7	<10	202	1833	3	40	18	3	1177
150162	1075243	0.007	<1	<0.01	6	1779	2	6	0.48	<4	5	23	13	1.15	<0.01	5	0.43	294	<1	29	248	36	0.45	<5	13	<10	232	1042	2	19	<10	4	106
150163	1075244	<0.005	<1	0.88	7	<1	2	10	<0.01	<4	2	14	2	0.54	0.05	1	0.34	131	<1	18	278	11	0.05	<5	26	<10	184	1000	7	16	<10	4	45
150164	1075245	0.012	<1	<0.01	7	<1	2	6	0.54	<4	6	24	11	1.12	<0.01	5	0.53	261	<1	29	334	14	0.20	<5	11	<10	201	1450	<2	30	<10	3	55
150165	1075246	0.008	<1	0.59	3	<1	2	18	0.73	<4	5	24	11	1.13	<0.01	8	0.58	260	<1	29	324	11	0.23	<5	15	<10	213	1391	<2	28	<10	4	36
150166	1075247	0.007	<1	0.11	8	<1	2	20	0.22	<4	5	22	11	1.06	<0.01	14	0.71	287	<1	29	316	14	0.16	<5	17	<10	174	1377	2	25	<10	3	25
150167D	1075247	0.008	<1	1.04	9	<1	2	8	0.30	<4	5	27	11	1.12	<0.01	14	0.80	296	<1	30	321	7	0.16	6	15	<10	182	1394	<2	26	<10	3	33
150168	1075248	0.015	<1	1.90	15	637	2	26	1.42	<4	6	20	15	1.32	<0.01	11	0.93	405	<1	28	357	12	0.34	8	15	<10	151	1519	10	30	<10	4	28
150169	1075249	0.027	<1	0.04	9	>5000	2	<1	0.88	<4	5	21	22	1.32	<0.01	8	0.89	427	<1	29	317	33	0.40	<5	<5	<10	172	1331	6	26	<10	3	123
150170	1075250	1.284	1	1.79	19	>5000	<2	29	1.33	<4	15	54	640	3.47	0.11	3	1.00	607	14	36	714	80	0.49	9	11	<10	269	2046	<2	112	38	9	112
150171	1075251	0.047	<1	0.96	11	>5000	2	47	1.06	<4	10	55	50	1.75	<0.01	14	1.29	642	<1	49	414	47	0.51	<5	20	<10	161	1760	<2	49	<10	4	182
150172	1075252	0.027	<1	1.28	13	>5000	2	31	0.98	<4	5	20	17	1.10	0.08	15	1.06	450	<1	24	317	21	0.47	7	19	<10	162	1379	8	26	<10	3	79
150173	1075253	0.017	<1	0.17	10	>5000	2	45	0.79	<4	3	12	10	0.86	0.04	7	0.77	263	<1	23	297	19	0.15	<5	14	<10	139	1227	7	22	<10	3	50
150174	1075254	0.013	<1	1.04	8	>5000	2	17	1.00	4	3	24	6	0.98	0.03	8	0.92	432	<1	35	286	27	0.23	<5	11	<10	167	1109	9	24	12	3	781
150175	1075255	0.028	<1	<0.01	16	<1	2	3	0.19	<4	2	13	17	0.90	0.10	7	0.56	307	<1	24	235	36	0.41	<5	18	<10	147	990	2	19	<10	2	86
150176	1075256	0.005	2	<0.01	14	>5000	2	14	0.20	<4	3	12	7	0.75	<0.01	5	0.47	345	<1	22	278	37	0.39	<5	14	<10	125	1085	2	19	<10	2	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150177	1075257	0.013	<1	1.49	14	>5000	2	3	0.12	<4	4	12	11	0.82	0.14	10	0.52	338	<1	23	284	35	0.43	<5	12	<10	138	1062	3	19	<10	3	114
150178D	1075257	0.009	<1	0.48	18	>5000	2	1	0.11	<4	3	13	11	0.78	<0.01	7	0.43	343	<1	21	293	35	0.41	8	9	<10	135	1082	8	19	<10	3	111
150179	1075258	0.330	3	0.55	16	>5000	2	12	0.18	5	3	14	160	0.78	<0.01	7	0.46	329	<1	23	287	51	0.44	<5	20	<10	130	1013	2	19	22	3	1612
150180	1075259	0.023	<1	1.19	20	>5000	2	5	0.42	<4	3	14	36	0.89	<0.01	8	0.56	493	<1	20	312	106	0.47	<5	18	<10	147	1085	5	22	<10	3	211
150181	1075260	<0.005	<1	0.06	8	>5000	2	11	1.05	<4	12	53	26	2.19	0.16	3	0.77	498	<1	35	558	9	0.04	6	10	<10	256	2030	<2	78	50	7	53
150182	1075261	0.046	<1	1.14	7	>5000	2	28	1.05	<4	15	91	45	2.58	0.07	16	1.28	620	<1	56	503	15	0.51	<5	14	<10	154	2056	6	69	<10	5	69
150183	1075262	0.198	1	0.18	14	>5000	2	22	0.91	<4	11	65	33	1.96	0.11	17	1.00	584	<1	47	511	47	0.62	9	12	<10	147	1671	5	58	<10	4	87
150184	1075263	0.245	<1	<0.01	24	>5000	2	20	<0.01	<4	5	18	54	0.89	0.08	5	0.37	163	<1	25	287	25	0.58	<5	16	<10	93	1103	<2	24	<10	2	118
150185	1075264	0.034	<1	<0.01	13	<1	2	4	0.65	<4	3	14	13	0.95	<0.01	9	0.66	1012	<1	26	319	40	0.37	<5	14	<10	139	1305	5	23	<10	2	79
150186	1075265	0.010	<1	<0.01	23	>5000	2	32	0.81	<4	4	11	12	0.99	<0.01	4	0.54	889	<1	20	316	30	0.38	8	12	<10	192	1272	2	23	<10	2	68
150187	1075266	0.013	<1	<0.01	20	340	2	7	1.09	<4	4	14	12	1.04	0.37	8	0.64	820	<1	19	320	42	0.39	<5	18	<10	226	1243	<2	22	<10	3	62
150188	1075267	0.021	<1	<0.01	16	<1	2	26	1.07	<4	6	32	11	1.32	0.16	12	0.76	1216	<1	31	358	37	0.36	6	16	<10	203	1577	6	36	<10	3	96
150189D	1075267	0.026	<1	0.07	16	1446	2	<1	1.08	<4	6	32	11	1.28	0.15	10	0.79	1239	<1	29	345	42	0.31	6	10	<10	203	1519	4	36	<10	3	96
150190	1075268	0.260	4	1.04	31	4068	2	36	0.64	<4	14	96	191	2.70	0.24	12	0.92	585	<1	55	442	667	1.41	6	8	<10	163	1724	2	76	10	4	761
150191	1075269	0.033	<1	1.18	5	>5000	3	12	0.44	<4	16	85	35	2.48	0.20	14	0.96	440	<1	53	504	30	0.60	5	13	<10	174	2239	<2	77	<10	4	161
150192	1075270	0.237	342	0.80	4349	209	2	23	1.70	123	15	48	532	6.94	<0.01	6	0.68	1373	8	31	543	9680	5.14	110	28	<10	240	1633	<2	97	158	7	12266
150193	1075271	0.019	<1	1.84	26	>5000	2	35	1.13	<4	9	24	17	1.08	0.01	9	0.66	426	<1	33	629	41	0.46	<5	5	<10	201	2051	7	48	<10	4	141
150194	1075272	0.011	<1	1.97	24	4910	2	<1	1.21	<4	7	15	7	0.64	0.09	7	0.60	568	<1	26	686	36	0.26	9	22	<10	180	1795	2	36	<10	4	26
150195	1075273	0.016	<1	1.59	17	>5000	2	11	0.91	<4	7	19	15	1.01	0.01	10	0.68	426	<1	28	585	26	0.41	<5	17	<10	179	1971	2	42	<10	4	58
150196	1075274	0.206	1	<0.01	18	>5000	2	11	7.26	<4	41	644	76	4.39	0.10	11	3.99	1085	<1	346	4490	28	1.07	8	<5	<10	315	3981	31	117	<10	21	154

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150197	1075275	0.247	1	1.72	20	>5000	2	<1	0.75	<4	9	31	29	1.47	0.07	16	0.82	357	<1	38	745	118	0.80	5	15	<10	200	2051	<2	44	10	4	402
150198	1075276	0.087	<1	1.51	32	>5000	2	<1	1.36	<4	10	29	35	1.74	0.32	15	0.89	528	<1	33	487	23	0.86	6	12	<10	178	2055	<2	50	<10	4	75
150199	1075277	0.181	1	1.87	43	>5000	2	25	1.24	<4	16	95	53	2.62	0.26	21	0.99	803	<1	59	561	75	1.36	10	14	<10	182	2618	5	78	10	6	438
150200D	1075277	0.162	<1	2.10	41	>5000	2	19	1.25	<4	15	94	51	2.55	0.24	22	0.96	781	<1	61	558	77	1.32	<5	13	<10	184	2568	4	78	<10	6	430
150201	1075278	0.364	<1	2.04	44	>5000	2	10	0.89	<4	14	83	62	2.58	0.37	23	0.93	739	<1	55	488	60	1.17	6	15	<10	165	2297	3	67	<10	6	223
150202	1075279	0.055	<1	1.77	18	>5000	2	43	1.21	<4	5	22	9	1.26	0.32	13	0.69	550	<1	24	396	19	0.37	<5	23	<10	177	1488	3	32	<10	4	46
150203	1075280	<0.005	<1	2.27	6	>5000	<2	23	1.31	<4	13	54	27	2.26	0.29	11	0.86	499	<1	35	573	9	0.05	<5	7	<10	285	1952	5	78	45	10	53
150204	1075281	0.059	<1	2.50	16	>5000	2	24	1.24	<4	7	40	17	1.52	0.12	16	0.82	589	<1	39	389	26	0.54	9	12	<10	206	1457	11	37	<10	5	110
150205	1075282	0.067	<1	1.13	18	>5000	2	10	1.01	<4	7	49	14	1.67	<0.01	7	0.70	611	<1	61	419	24	0.50	6	18	<10	188	1666	<2	37	<10	4	60
150206	1075283	0.116	<1	<0.01	28	>5000	2	2	0.71	<4	11	64	37	1.89	<0.01	11	0.61	657	<1	60	423	120	0.91	5	18	<10	151	1999	4	51	<10	4	231
150207	1075284	0.189	2	1.48	24	>5000	2	15	0.66	<4	9	67	27	2.04	0.21	18	0.78	648	<1	64	414	79	0.91	5	19	<10	163	1959	<2	50	<10	4	115
150208	1075285	0.031	<1	0.04	13	>5000	2	26	0.49	<4	7	40	15	1.19	0.13	8	0.90	584	<1	63	499	43	0.38	<5	14	<10	187	1491	7	35	<10	3	154
150209	1075286	0.047	<1	<0.01	13	>5000	2	<1	0.42	<4	6	35	15	1.15	0.06	7	0.84	574	<1	50	436	39	0.38	<5	15	<10	179	1424	13	33	<10	3	288
150210	1075287	0.016	<1	0.15	13	>5000	2	<1	0.12	<4	15	30	16	0.81	0.17	8	0.66	286	<1	64	426	17	0.25	7	14	<10	149	1392	2	28	<10	3	27
150211D	1075287	0.012	<1	0.41	11	>5000	2	8	0.14	<4	17	31	16	0.83	0.29	9	0.71	293	<1	67	425	23	0.17	7	10	<10	154	1396	4	29	<10	3	27
150212	1075288	0.022	<1	0.54	15	>5000	2	24	0.25	<4	25	22	13	0.89	0.24	10	0.69	327	<1	61	509	26	0.27	5	17	<10	197	1497	5	36	<10	3	33
150213	1075289	0.024	<1	0.03	18	>5000	2	17	0.19	<4	15	30	5	0.76	0.16	7	0.68	342	<1	60	440	35	0.27	<5	18	<10	169	1196	<2	33	<10	3	39
150214	1075290	5.015	9	3.12	12	>5000	<2	28	2.73	4	26	74	113	4.38	0.49	14	1.79	872	<1	56	962	29	0.65	11	11	<10	338	3479	4	126	<10	12	110
150215	1075291	11.280	17	0.50	51	>5000	2	18	0.27	52	17	22	749	3.20	<0.01	5	0.68	340	<1	47	330	11528	4.62	37	18	<10	129	801	<2	23	260	4	22996
150216	1075292	0.323	<1	0.96	50	>5000	<2	21	<0.01	6	20	24	14	1.43	0.14	4	0.33	<100	<1	50	402	528	1.60	8	13	<10	135	997	<2	27	32	3	2329

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150217	1075293	1.838	6	1.49	43	>5000	<2	21	<0.01	27	15	44	71	1.37	<0.01	3	0.38	103	<1	86	417	4909	1.80	21	12	<10	124	1040	<2	27	143	4	11903
150218	1075294	1.787	3	1.18	34	>5000	2	19	0.03	7	11	39	10	1.25	<0.01	6	0.46	149	22	70	495	2276	1.21	5	19	<10	128	1376	<2	30	33	3	2704
150219	1075295	0.557	3	1.13	33	>5000	2	2	0.06	6	17	40	7	1.02	0.05	8	0.66	227	8	83	466	1921	0.83	6	18	<10	121	1268	6	29	33	3	2534
150220	1075296	2.305	10	0.86	36	>5000	2	<1	0.49	63	23	49	46	1.34	<0.01	8	0.84	436	11	101	414	12553	2.37	24	12	<10	160	1029	<2	26	328	4	29775
150221	1075297	0.497	1	1.18	24	>5000	2	<1	0.10	<4	14	33	5	0.95	<0.01	10	0.60	256	7	66	500	692	0.70	5	12	<10	144	1318	<2	30	17	3	1254
150222R	1075297	0.411	1	0.98	24	>5000	2	19	0.15	<4	15	35	5	0.98	<0.01	10	0.54	265	16	68	509	820	0.79	7	17	<10	148	1384	3	31	20	3	1261
150223	1075298	0.643	2	1.57	45	>5000	<2	49	0.14	9	26	35	6	1.25	<0.01	16	1.22	631	9	85	510	1570	0.80	16	20	<10	139	1252	6	31	46	3	3569
150224	1075299	0.656	<1	2.05	44	>5000	<2	24	0.30	<4	32	41	5	1.09	0.19	13	1.13	565	3	93	537	181	0.47	16	22	<10	159	1088	11	32	<10	4	303
150225	1075300	<0.005	<1	1.36	6	>5000	2	29	1.18	<4	12	51	25	2.25	0.04	4	0.86	498	<1	34	559	21	0.05	<5	22	<10	276	2091	2	79	43	9	77
150226	1075301	0.333	<1	1.99	21	>5000	2	21	0.28	<4	5	50	15	1.44	<0.01	9	1.18	713	11	81	438	197	0.66	5	21	<10	143	1216	8	35	<10	4	507
150227	1075302	0.343	11	1.97	38	>5000	2	22	0.57	<4	6	50	69	1.65	0.08	12	1.24	726	6	78	472	599	1.11	5	15	<10	171	1215	6	33	20	4	1075
150228	1075303	0.138	1	2.31	29	>5000	2	21	0.62	<4	5	53	30	2.05	0.02	21	1.85	1101	10	83	392	782	1.12	6	26	<10	164	1183	14	34	12	4	928
150229	1075304	0.611	4	1.47	34	>5000	2	29	0.69	9	6	47	14	1.82	0.15	20	1.28	923	7	70	434	1470	1.41	8	14	<10	155	1527	10	34	41	4	3200
150230	1075305	0.480	4	2.24	36	>5000	2	49	1.32	6	7	26	14	2.15	0.14	29	1.60	1279	<1	36	489	941	1.58	10	18	<10	155	1702	13	35	25	5	1981
150231	1075306	0.541	5	2.64	36	>5000	2	24	1.28	5	6	27	12	2.20	0.24	28	1.60	1231	3	39	504	1076	1.66	17	24	<10	157	1669	<2	35	21	5	1673
150232	1075307	9.905	14	0.78	25	>5000	2	8	0.35	7	5	34	127	1.52	0.22	18	0.76	468	4	46	360	1095	1.58	22	14	<10	122	1449	<2	30	34	4	2521
150233D	1075307	9.902	13	1.04	38	>5000	2	19	0.38	7	6	37	135	1.58	0.03	19	0.79	493	5	49	375	1169	1.62	21	14	<10	126	1526	<2	33	35	4	2643
150234	1075308	0.346	<1	3.00	19	>5000	2	24	0.65	<4	8	44	8	1.77	<0.01	33	1.52	1021	7	56	431	116	1.18	8	20	<10	173	1691	8	39	<10	4	216
150235	1075309	2.671	2	1.44	36	>5000	<2	15	0.36	<4	7	51	13	1.87	0.33	13	1.28	830	<1	65	473	213	1.31	8	12	<10	148	1336	7	40	<10	4	426
150236	1075310	1.270	1	2.14	24	>5000	<2	25	1.40	<4	16	55	660	3.55	0.10	6	1.08	606	22	38	729	76	0.64	12	11	<10	278	2003	<2	113	32	11	124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150237	1075311	0.398	1	1.35	31	>5000	2	38	0.06	<4	7	43	45	1.57	0.21	13	1.34	668	<1	48	415	131	0.67	<5	16	<10	135	1203	9	37	<10	4	349
150238	1075312	0.413	2	1.49	28	>5000	2	44	0.31	5	6	38	50	1.72	0.32	18	1.80	1004	3	59	403	826	0.89	13	5	<10	148	1084	6	33	25	4	1680
150239	1075313	0.290	2	2.03	25	>5000	<2	24	0.63	5	7	37	115	1.85	0.13	15	1.71	1012	4	51	477	833	1.03	<5	8	<10	175	1356	8	38	22	4	1610
150240	1075314	0.381	4	0.61	50	>5000	2	13	0.32	10	6	60	303	2.15	0.15	18	1.61	1023	7	100	422	1044	1.48	8	15	<10	162	1253	4	58	43	4	3383
150241	1075315	0.470	11	1.76	91	>5000	2	42	0.89	17	6	27	137	2.39	0.23	19	1.95	1272	3	44	369	4679	2.17	15	14	<10	161	1343	2	37	76	4	6780
150242	1075316	0.708	14	2.60	37	>5000	2	<1	1.40	13	8	40	247	2.70	0.07	27	2.12	1370	<1	48	402	4171	2.01	18	15	<10	158	1775	3	48	61	6	4930
150243	1075317	0.831	3	2.10	46	>5000	2	22	1.87	4	15	118	292	3.44	0.25	25	1.29	1349	5	89	420	402	2.55	5	15	<10	175	2311	16	85	15	7	688
150244D	1075317	0.848	3	2.01	49	>5000	2	5	1.86	<4	16	114	284	3.39	0.17	25	1.26	1323	6	88	420	395	2.62	8	18	<10	174	2302	12	84	16	7	673
150245	1075318	0.708	2	2.36	51	>5000	2	39	0.98	<4	23	151	94	3.51	0.05	28	1.03	1039	10	101	566	271	2.43	6	11	<10	125	2969	5	109	<10	7	244
150246	1075319	0.402	3	1.78	58	>5000	2	40	0.74	<4	15	95	175	2.35	0.13	21	0.77	639	3	66	501	268	1.97	10	19	<10	118	2344	<2	73	10	6	258
150247	1075320	<0.005	<1	0.67	9	>5000	<2	23	1.06	<4	11	50	25	2.16	0.22	2	0.81	475	<1	33	533	12	0.02	<5	12	<10	265	1937	7	75	47	9	55
150248	1075321	0.087	1	1.34	25	>5000	2	18	1.29	<4	5	20	68	1.40	0.13	13	0.95	782	<1	31	504	149	0.73	7	24	<10	142	1732	<2	37	<10	4	432
150249	1075322	0.250	<1	1.06	32	>5000	2	20	0.19	<4	5	21	13	1.28	0.15	10	0.69	496	<1	39	450	176	0.98	<5	11	<10	107	1662	2	38	<10	4	652
150250	1075323	0.088	<1	1.00	28	>5000	2	<1	1.03	<4	6	22	39	1.20	0.05	13	0.92	744	2	35	498	60	0.72	<5	17	<10	133	1825	2	41	<10	4	118
150251	1075324	0.095	<1	0.68	24	>5000	2	20	0.86	<4	6	28	22	1.20	0.13	7	0.87	646	2	46	434	150	0.59	<5	18	<10	146	1374	5	36	<10	4	114
150252	1075325	0.136	<1	1.69	16	>5000	<2	26	0.62	<4	6	24	26	1.67	0.21	17	1.03	790	<1	41	525	86	0.94	5	12	<10	186	1801	10	42	<10	4	318
150253	1075326	0.163	<1	1.80	20	>5000	2	22	0.63	<4	6	18	23	1.55	0.30	19	1.03	777	<1	31	520	91	0.80	6	12	<10	197	1737	4	38	10	4	382
150254	1075327	1.705	1	2.88	26	>5000	2	21	1.96	<4	10	18	38	2.63	0.34	24	1.74	1549	<1	35	690	69	1.89	12	12	<10	198	1850	8	45	<10	5	354
150255D	1075327	2.107	1	2.90	29	>5000	<2	15	1.95	<4	10	19	37	2.59	0.30	23	1.74	1503	<1	35	690	66	1.83	6	18	<10	197	1816	8	43	<10	6	350
150256	1075328	0.150	<1	1.74	21	>5000	<2	<1	0.69	<4	6	28	33	1.44	0.21	21	0.85	668	3	45	513	60	0.76	7	20	<10	177	1818	<2	43	<10	4	162

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150257	1075329	0.062	2	1.48	19	>5000	2	17	0.71	<4	6	18	31	1.45	0.20	17	0.99	826	<1	31	492	117	0.54	6	13	<10	181	1765	6	39	<10	4	130
150258	1075330	0.254	349	1.79	4341	>5000	2	71	1.84	121	15	47	528	7.19	<0.01	8	0.81	1338	13	29	524	9966	6.48	114	21	<10	245	1494	<2	96	156	9	12453
150259	1075331	0.134	2	2.11	23	>5000	2	<1	0.68	<4	6	19	41	1.51	<0.01	12	0.87	719	2	33	526	147	0.91	9	17	<10	185	1803	9	41	<10	4	242
150260	1075332	0.915	4	1.40	19	>5000	<2	27	0.54	4	6	27	204	1.71	0.05	16	0.74	552	<1	50	508	651	1.35	5	12	<10	180	1700	<2	43	18	4	1299
150261	1075333	0.065	<1	2.18	16	>5000	2	79	0.83	<4	5	17	11	1.48	0.13	11	0.88	745	<1	30	509	85	1.00	<5	23	<10	165	1710	<2	38	<10	4	182
150262	1075334	0.991	2	1.88	22	>5000	<2	19	0.52	<4	6	22	83	1.74	0.31	18	0.84	529	<1	39	516	306	1.54	<5	19	<10	162	1724	6	41	<10	4	500
150263	1075335	0.309	6	1.68	21	>5000	2	14	0.33	9	6	20	172	1.82	0.15	15	0.62	320	5	38	487	2229	1.98	8	10	<10	120	1736	<2	38	40	4	3256
150264	1075336	0.073	3	2.28	10	>5000	<2	30	1.77	<4	5	17	41	1.43	0.22	12	1.29	930	<1	30	501	413	0.66	<5	19	<10	131	1479	13	35	10	5	430
150265	1075337	0.033	<1	1.92	12	>5000	<2	37	1.16	<4	5	22	33	1.40	0.29	20	1.09	709	<1	41	515	101	0.63	<5	18	<10	154	1649	12	39	<10	4	89
150266D	1075337	0.035	<1	2.16	12	>5000	<2	3	1.20	<4	5	22	34	1.44	0.33	22	1.08	726	<1	39	526	108	0.61	<5	14	<10	161	1732	<2	40	<10	4	86
150267	1075338	0.080	2	1.58	15	>5000	2	24	1.33	<4	5	16	33	1.25	0.31	18	0.94	633	3	27	414	88	0.57	<5	8	<10	179	1704	6	34	<10	4	209
150268	1075339	0.042	2	2.54	4	>5000	2	32	1.77	<4	5	22	31	1.45	0.28	24	1.51	858	<1	40	464	60	0.34	<5	18	<10	154	1590	10	33	<10	5	400
150269	1075340	<0.005	2	1.20	9	>5000	<2	27	1.16	<4	12	50	25	2.23	0.28	7	0.83	487	<1	36	550	12	0.09	<5	21	<10	278	1990	7	77	45	10	53
150270	1075341	0.026	1	1.64	8	1803	2	25	0.98	<4	5	18	14	1.23	0.17	26	0.98	474	<1	31	359	22	0.29	12	17	<10	148	1678	2	32	<10	4	47
150271	1075342	0.052	<1	2.75	9	3350	2	22	1.21	<4	4	23	9	1.37	0.05	23	1.19	531	3	43	365	15	0.31	<5	16	<10	170	1710	10	36	<10	4	33
150272	1075343	0.057	<1	2.31	3	<1	2	12	0.66	<4	4	17	20	1.11	0.26	24	0.98	360	<1	31	379	24	0.40	5	15	<10	147	1766	<2	32	15	4	878
150273	1075344	0.011	<1	2.32	<2	>5000	2	19	1.13	<4	4	18	7	1.18	0.22	24	1.11	450	1	33	373	108	0.28	9	24	<10	139	1665	7	31	<10	4	70
150274	1075345	0.015	<1	2.19	2	>5000	<2	27	1.15	<4	4	20	14	1.35	0.25	23	1.18	449	<1	38	370	37	0.25	<5	22	<10	157	1652	11	33	<10	4	94
150275	1075346	0.031	<1	1.22	3	>5000	<2	22	1.02	<4	4	17	13	1.35	0.36	22	1.21	451	<1	35	361	30	0.32	<5	13	<10	148	1652	8	32	<10	4	81
150276	1075347	0.016	<1	2.03	4	>5000	<2	67	1.24	<4	4	19	7	1.32	0.41	17	1.42	466	<1	36	376	15	0.30	5	22	<10	152	1595	8	29	<10	4	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150277D	1075347	0.020	1	2.00	3	>5000	<2	39	1.25	<4	4	26	8	1.33	0.36	19	1.32	462	2	48	387	19	0.30	<5	19	<10	159	1647	10	31	<10	4	39
150278	1075348	0.018	1	1.88	6	>5000	2	29	1.07	<4	4	28	5	1.28	0.37	25	1.31	481	<1	54	365	22	0.35	5	19	<10	149	1626	7	31	<10	4	37
150279	1075349	0.037	1	3.26	7	>5000	<2	14	1.66	<4	6	38	41	1.59	0.28	22	1.83	715	2	70	348	80	0.44	6	24	<10	127	1581	9	41	<10	5	193
150280	1075350	4.941	11	5.10	11	>5000	2	26	2.89	4	27	71	118	4.52	<0.01	14	2.00	883	5	57	988	35	0.83	<5	8	<10	358	2846	7	124	<10	15	111
150281	1075351	0.045	<1	2.50	9	>5000	<2	13	0.96	<4	5	19	7	1.25	0.32	18	1.57	501	<1	36	380	25	0.28	<5	24	<10	111	1484	5	25	<10	5	70
150282	1075352	0.039	<1	5.10	11	>5000	2	40	2.33	<4	5	21	37	1.66	0.33	21	2.44	940	3	39	364	111	0.47	6	25	<10	145	1499	19	27	10	7	376
150283	1075353	0.075	7	5.04	17	>5000	<2	52	3.25	5	4	13	31	1.48	<0.01	16	2.37	1100	<1	26	439	1038	0.43	11	32	<10	150	1460	15	24	14	7	961
150284	1075354	0.054	<1	2.98	10	>5000	<2	27	1.83	<4	5	20	23	1.30	0.08	21	1.42	648	2	34	396	39	0.53	9	21	<10	134	1608	5	28	<10	5	139
150285	1075355	0.089	<1	2.07	18	>5000	2	49	0.81	<4	4	21	22	1.01	0.17	17	0.80	377	2	39	367	64	0.67	<5	20	<10	121	1562	2	29	<10	4	165
150286	1075356	0.612	2	1.62	24	>5000	2	28	0.46	<4	5	16	32	1.03	0.23	14	0.64	214	<1	25	477	98	0.59	6	17	<10	108	1710	<2	30	10	4	610
150287	1075357	0.079	2	1.44	19	>5000	2	<1	0.68	<4	5	20	12	1.16	0.20	14	0.73	278	<1	31	428	37	0.69	6	21	<10	116	1875	6	35	<10	4	60
150288R	1075357	0.050	2	2.01	18	>5000	2	24	0.71	<4	6	24	12	1.20	0.10	14	0.72	276	3	32	437	42	0.67	<5	14	<10	119	1893	3	36	<10	4	62
150289	1075358	0.067	<1	1.40	19	>5000	<2	37	1.30	<4	6	18	16	1.15	0.21	17	0.92	365	<1	27	410	47	0.50	9	18	<10	134	1646	5	30	<10	4	270
150290	1075359	0.050	<1	1.22	26	>5000	2	45	1.43	<4	9	26	31	1.54	0.08	21	1.11	386	<1	42	438	43	0.57	11	15	<10	145	1942	6	38	11	4	522
150291	1075360	<0.005	<1	0.19	4	>5000	<2	5	1.07	<4	12	51	25	2.29	0.26	2	0.85	497	<1	34	550	14	0.06	<5	20	<10	267	1922	3	78	49	10	59
150292	1075361	0.076	<1	0.34	12	1126	<2	31	1.24	<4	6	24	27	1.47	0.13	15	1.10	324	<1	37	419	44	0.59	<5	18	<10	133	1936	2	40	<10	4	549
150293	1075362	0.038	2	<0.01	11	1446	<2	13	1.08	<4	7	23	30	1.25	0.16	15	1.04	306	<1	34	367	52	0.40	5	16	<10	123	1801	4	35	<10	3	139
150294	1075363	0.089	2	1.30	11	>5000	<2	19	1.45	<4	4	14	10	1.28	0.06	25	1.29	360	<1	25	374	27	0.29	<5	17	<10	108	1711	6	28	<10	4	78
150295	1075364	0.171	1	0.87	8	>5000	<2	20	0.85	<4	5	16	12	1.08	0.32	18	0.94	300	<1	30	374	20	0.30	7	20	<10	92	1716	8	29	<10	3	85
150296	1075365	0.057	2	1.23	11	>5000	<2	12	1.14	<4	7	56	15	1.22	0.22	14	1.15	412	<1	52	643	38	0.23	<5	21	<10	112	1662	7	31	<10	5	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150297	1075366	0.056	2	0.91	13	>5000	<2	<1	1.03	<4	6	48	16	1.22	0.40	11	1.11	413	<1	48	582	41	0.34	11	21	<10	110	1615	<2	30	<10	4	109
150298	1075367	0.016	2	2.06	12	>5000	<2	3	1.68	<4	6	17	15	1.19	0.34	21	1.26	391	<1	31	376	20	0.17	<5	24	<10	100	1504	8	27	<10	5	47
150299D	1075367	0.014	2	2.36	11	>5000	<2	22	1.72	<4	5	16	15	1.20	0.27	22	1.26	391	<1	34	388	20	0.18	<5	26	<10	103	1492	7	27	11	5	45
150300	1075368	0.155	2	1.78	18	>5000	<2	16	0.32	<4	6	14	17	1.27	0.28	15	0.70	174	<1	22	374	17	0.68	5	19	<10	86	1628	4	26	<10	4	46
150301	1075369	0.156	1	1.77	6	>5000	2	30	1.39	<4	5	15	10	1.20	0.23	19	1.22	344	<1	30	371	27	0.37	10	27	<10	88	1555	4	26	<10	5	44
150302	1075370	1.263	3	0.72	19	>5000	<2	28	1.23	<4	14	53	632	3.43	0.12	3	1.03	585	16	37	699	76	0.68	12	13	<10	264	1919	<2	109	29	10	112
150303	1075371	0.222	2	0.53	29	>5000	<2	16	0.51	<4	5	16	36	1.16	0.16	12	0.91	256	<1	24	295	116	0.56	7	19	<10	92	1513	7	27	<10	3	251
150304	1075372	0.010	1	1.91	10	>5000	<2	11	1.45	<4	5	12	9	1.22	0.03	16	1.43	292	<1	23	372	29	0.08	5	23	<10	113	1504	19	23	<10	5	60
150305	1075373	0.020	2	0.85	11	>5000	2	61	1.04	<4	4	15	5	1.25	0.33	15	1.05	242	<1	24	357	36	0.59	6	24	<10	115	1573	5	27	<10	4	55
150306	1075374	0.626	2	1.53	10	>5000	2	9	<0.01	<4	6	13	27	0.78	0.30	14	0.54	<100	<1	26	292	49	0.44	<5	25	<10	84	1518	7	27	<10	4	87
150307	1075375	0.376	2	1.03	23	>5000	<2	33	<0.01	<4	5	15	25	0.87	0.44	12	0.45	<100	<1	21	276	22	0.73	7	15	<10	70	1525	<2	25	<10	4	31
150308	1075376	0.116	2	0.77	27	>5000	<2	14	0.39	<4	5	15	17	1.20	0.46	16	0.85	279	<1	28	370	27	0.74	9	18	<10	88	1526	5	28	<10	3	48
150309	1075377	0.128	2	1.08	17	>5000	<2	36	0.47	<4	5	14	22	1.28	0.30	13	0.89	279	<1	23	381	25	0.81	<5	20	<10	89	1496	5	26	<10	4	67
150310D	1075377	0.141	1	0.90	24	>5000	<2	18	0.45	<4	5	13	22	1.30	0.16	13	0.90	285	<1	24	385	21	0.80	7	22	<10	88	1559	2	27	<10	3	65
150311	1075378	0.053	2	1.25	15	165	2	<1	0.53	<4	6	13	10	1.08	0.08	16	0.90	265	<1	26	379	27	0.48	<5	16	<10	99	1487	6	27	<10	4	55
150312	1075379	0.222	2	0.85	24	420	2	26	<0.01	<4	4	29	15	0.86	0.33	14	0.53	128	<1	46	301	40	0.48	5	16	<10	84	1438	4	37	<10	3	41
150313	1075380	0.005	1	0.12	5	>5000	<2	<1	1.02	<4	11	50	24	2.21	0.28	2	0.85	475	<1	32	532	10	0.07	6	10	<10	252	1817	<2	74	45	10	50
150314	1075381	0.167	2	0.15	26	<1	<2	15	<0.01	<4	5	42	41	1.13	0.14	10	0.47	<100	<1	91	299	37	0.82	<5	16	<10	75	1411	6	49	<10	3	135
150315	1075382	0.050	2	1.01	16	>5000	<2	20	1.37	<4	7	28	70	1.72	0.19	18	1.12	294	<1	50	392	46	0.50	<5	12	<10	135	1606	5	42	<10	5	472
150316	1075383	<0.005	1	1.61	8	>5000	<2	14	2.19	<4	6	25	5	1.75	0.38	15	1.22	342	<1	35	539	27	0.16	9	19	<10	245	1944	2	42	<10	5	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
150317	1075384	<0.005	1	1.11	8	>5000	<2	13	1.62	<4	8	21	7	1.78	0.43	8	0.92	278	<1	38	531	16	0.25	5	11	<10	214	1912	<2	43	<10	5	57
150318	1075385	<0.005	1	1.45	<2	>5000	<2	27	1.53	<4	7	24	7	1.81	0.46	10	0.97	294	<1	42	533	11	0.29	<5	16	<10	202	1899	<2	44	<10	5	56
150319	1075386	<0.005	1	0.99	9	>5000	<2	19	1.55	<4	6	24	7	1.75	0.45	9	0.93	288	<1	36	530	12	0.35	6	19	<10	206	1909	3	43	<10	5	63
150320	1075387	0.005	1	1.54	4	>5000	<2	31	1.94	<4	9	20	8	1.92	0.33	16	1.13	316	<1	32	550	15	0.41	10	20	<10	216	1922	2	45	<10	5	63
150321D	1075387	<0.005	1	1.18	5	>5000	<2	26	1.86	<4	8	20	8	1.84	0.35	15	1.09	303	<1	34	530	15	0.37	<5	21	<10	211	1857	<2	44	<10	5	62
150322	1075388	0.005	1	2.28	6	>5000	<2	30	2.10	<4	7	30	7	1.88	0.40	19	1.56	366	<1	51	549	10	0.46	<5	16	<10	225	1591	<2	46	<10	5	69
150323	1075389	0.010	1	2.07	2	>5000	2	36	1.56	<4	7	22	6	1.66	0.05	28	1.46	387	<1	41	543	18	0.34	5	20	<10	160	1590	<2	46	<10	5	65
150324	1075390	0.245	344	1.61	4482	>5000	2	22	1.84	133	15	47	544	7.33	<0.01	2	0.92	1360	3	31	549	9831	7.96	113	23	<10	241	1368	<2	93	154	11	12491
150325	1075391	0.028	2	2.20	22	>5000	<2	17	0.42	<4	6	29	6	1.28	0.27	18	0.86	259	2	44	605	21	0.69	6	26	<10	119	1708	2	48	<10	4	56
150326	1075392	0.028	2	1.48	22	>5000	2	40	0.78	<4	8	29	38	1.52	0.22	23	0.98	333	1	51	567	28	0.88	8	13	<10	118	1877	9	48	<10	4	51
150327	1075393	0.074	2	1.64	43	>5000	2	13	0.72	<4	8	33	5	1.43	0.30	23	0.93	333	<1	54	665	21	0.94	<5	23	<10	112	2113	2	52	<10	4	53
150328	1075394	0.778	4	1.88	28	>5000	2	18	1.94	<4	8	21	59	1.92	0.21	29	1.33	552	<1	37	552	41	0.94	<5	10	<10	160	1911	<2	44	<10	5	481
150329	1075395	0.155	2	1.85	12	>5000	2	22	1.68	<4	7	25	21	1.65	0.16	25	1.33	498	<1	37	521	73	0.65	8	22	<10	158	1900	6	42	<10	5	391
150330	1075396	0.040	2	1.62	5	>5000	2	16	1.89	<4	7	25	14	1.71	0.28	24	1.40	597	1	41	529	90	0.58	5	16	<10	192	1977	6	47	<10	4	97

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianluk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150157	1075238	158	0.005	0.158
150158	1075239	259	0.008	0.259
150159	1075240	<5	<0.001	<0.005
150160	1075241	108	0.003	0.108
150161	1075242	146	0.004	0.146
150162	1075243	7	<0.001	0.007
150163	1075244	<5	<0.001	<0.005
150164	1075245	12	<0.001	0.012
150165	1075246	8	<0.001	0.008
150166	1075247	7	<0.001	0.007
150167 Dup	1075247	8	<0.001	0.008
150168	1075248	15	<0.001	0.015
150169	1075249	27	<0.001	0.027
150170	1075250	1284	0.037	1.284
150171	1075251	47	0.001	0.047
150172	1075252	27	<0.001	0.027
150173	1075253	17	<0.001	0.017
150174	1075254	13	<0.001	0.013
150175	1075255	28	<0.001	0.028
150176	1075256	5	<0.001	0.005
150177	1075257	13	<0.001	0.013
150178 Dup	1075257	9	<0.001	0.009
150179	1075258	330	0.010	0.330
150180	1075259	23	<0.001	0.023
150181	1075260	<5	<0.001	<0.005
150182	1075261	46	0.001	0.046
150183	1075262	198	0.006	0.198
150184	1075263	245	0.007	0.245
150185	1075264	34	<0.001	0.034
150186	1075265	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150187	1075266	13	<0.001	0.013
150188	1075267	21	<0.001	0.021
150189 Dup	1075267	26	<0.001	0.026
150190	1075268	260	0.008	0.260
150191	1075269	33	<0.001	0.033
150192	1075270	237	0.007	0.237
150193	1075271	19	<0.001	0.019
150194	1075272	11	<0.001	0.011
150195	1075273	16	<0.001	0.016
150196	1075274	206	0.006	0.206
150197	1075275	247	0.007	0.247
150198	1075276	87	0.003	0.087
150199	1075277	181	0.005	0.181
150200 Dup	1075277	162	0.005	0.162
150201	1075278	364	0.011	0.364
150202	1075279	55	0.002	0.055
150203	1075280	<5	<0.001	<0.005
150204	1075281	59	0.002	0.059
150205	1075282	67	0.002	0.067
150206	1075283	116	0.003	0.116
150207	1075284	189	0.006	0.189
150208	1075285	31	<0.001	0.031
150209	1075286	47	0.001	0.047
150210	1075287	16	<0.001	0.016
150211 Dup	1075287	12	<0.001	0.012
150212	1075288	22	<0.001	0.022
150213	1075289	24	<0.001	0.024
150214	1075290	5015	0.146	5.015
150215	1075291	11280	0.329	11.280
150216	1075292	323	0.009	0.323

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150217	1075293	1838	0.054	1.838
150218	1075294	1787	0.052	1.787
150219	1075295	557	0.016	0.557
150220	1075296	2305	0.067	2.305
150221	1075297	497	0.015	0.497
150222 Rep	1075297	411	0.012	0.411
150223	1075298	643	0.019	0.643
150224	1075299	656	0.019	0.656
150225	1075300	<5	<0.001	<0.005
150226	1075301	333	0.010	0.333
150227	1075302	343	0.010	0.343
150228	1075303	138	0.004	0.138
150229	1075304	611	0.018	0.611
150230	1075305	480	0.014	0.480
150231	1075306	541	0.016	0.541
150232	1075307	9905	0.289	9.905
150233 Dup	1075307	9902	0.289	9.902
150234	1075308	346	0.010	0.346
150235	1075309	2671	0.078	2.671
150236	1075310	1270	0.037	1.270
150237	1075311	398	0.012	0.398
150238	1075312	413	0.012	0.413
150239	1075313	290	0.008	0.290
150240	1075314	381	0.011	0.381
150241	1075315	470	0.014	0.470
150242	1075316	708	0.021	0.708
150243	1075317	831	0.024	0.831
150244 Dup	1075317	848	0.025	0.848
150245	1075318	708	0.021	0.708
150246	1075319	402	0.012	0.402

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150247	1075320	<5	<0.001	<0.005
150248	1075321	87	0.003	0.087
150249	1075322	250	0.007	0.250
150250	1075323	88	0.003	0.088
150251	1075324	95	0.003	0.095
150252	1075325	136	0.004	0.136
150253	1075326	163	0.005	0.163
150254	1075327	1705	0.050	1.705
150255 Dup	1075327	2107	0.061	2.107
150256	1075328	150	0.004	0.150
150257	1075329	62	0.002	0.062
150258	1075330	254	0.007	0.254
150259	1075331	134	0.004	0.134
150260	1075332	915	0.027	0.915
150261	1075333	65	0.002	0.065
150262	1075334	991	0.029	0.991
150263	1075335	309	0.009	0.309
150264	1075336	73	0.002	0.073
150265	1075337	33	<0.001	0.033
150266 Dup	1075337	35	0.001	0.035
150267	1075338	80	0.002	0.080
150268	1075339	42	0.001	0.042
150269	1075340	<5	<0.001	<0.005
150270	1075341	26	<0.001	0.026
150271	1075342	52	0.002	0.052
150272	1075343	57	0.002	0.057
150273	1075344	11	<0.001	0.011
150274	1075345	15	<0.001	0.015
150275	1075346	31	<0.001	0.031
150276	1075347	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150277 Dup	1075347	20	<0.001	0.020
150278	1075348	18	<0.001	0.018
150279	1075349	37	0.001	0.037
150280	1075350	4941	0.144	4.941
150281	1075351	45	0.001	0.045
150282	1075352	39	0.001	0.039
150283	1075353	75	0.002	0.075
150284	1075354	54	0.002	0.054
150285	1075355	89	0.003	0.089
150286	1075356	612	0.018	0.612
150287	1075357	79	0.002	0.079
150288 Rep	1075357	50	0.001	0.050
150289	1075358	67	0.002	0.067
150290	1075359	50	0.001	0.050
150291	1075360	<5	<0.001	<0.005
150292	1075361	76	0.002	0.076
150293	1075362	38	0.001	0.038
150294	1075363	89	0.003	0.089
150295	1075364	171	0.005	0.171
150296	1075365	57	0.002	0.057
150297	1075366	56	0.002	0.056
150298	1075367	16	<0.001	0.016
150299 Dup	1075367	14	<0.001	0.014
150300	1075368	155	0.005	0.155
150301	1075369	156	0.005	0.156
150302	1075370	1263	0.037	1.263
150303	1075371	222	0.006	0.222
150304	1075372	10	<0.001	0.010
150305	1075373	20	<0.001	0.020
150306	1075374	626	0.018	0.626

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 30, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/17/2011  
 Date Completed: 06/30/2011  
 Job #: 201142245  
 Reference: TL11178  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
150307	1075375	376	0.011	0.376
150308	1075376	116	0.003	0.116
150309	1075377	128	0.004	0.128
150310 Dup	1075377	141	0.004	0.141
150311	1075378	53	0.002	0.053
150312	1075379	222	0.006	0.222
150313	1075380	5	<0.001	0.005
150314	1075381	167	0.005	0.167
150315	1075382	50	0.001	0.050
150316	1075383	<5	<0.001	<0.005
150317	1075384	<5	<0.001	<0.005
150318	1075385	<5	<0.001	<0.005
150319	1075386	<5	<0.001	<0.005
150320	1075387	5	<0.001	0.005
150321 Dup	1075387	<5	<0.001	<0.005
150322	1075388	5	<0.001	0.005
150323	1075389	10	<0.001	0.010
150324	1075390	245	0.007	0.245
150325	1075391	28	<0.001	0.028
150326	1075392	28	<0.001	0.028
150327	1075393	74	0.002	0.074
150328	1075394	778	0.023	0.778
150329	1075395	155	0.005	0.155
150330	1075396	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/18/2011  
 Job #: 201142461  
 Reference: TL11178  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
162474	1075291	11.258	11.250	176.908	16.285	3.04%	22.93
162475	1075307	6.635	6.711	120.191	10.446	3.32%	30.41

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/23/2011  
 Date Completed: 09/19/2011  
 Job #: 201143104  
 Reference: TL11178  
 Sample #: 7

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
205550	1075292	0.354	0.351	7.278	0.620	3.86%	38.58
205551	1075293	1.745	1.769	2.965	1.813	4.64%	46.42
205552	1075294	1.138	1.160	10.859	1.434	2.94%	29.4
205553	1075295	0.393	0.385	0.547	0.397	4.85%	48.59
205554	1075296	1.029	1.055	9.009	1.323	3.53%	29.51
205556	1075308	0.162	0.161	0.655	0.185	4.69%	46.95
205557	1075309	1.923	1.851	13.656	2.398	4.35%	43.24

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148527	1005328	0.009	2	6.19	5	725	3	8	2.42	<4	13	15	20	2.34	<0.01	19	0.96	410	<1	27	656	14	1.35	<5	8	<10	494	3042	3	56	<10	9	73
148528	1005329	0.012	2	6.45	8	672	3	11	1.79	<4	10	22	9	1.76	<0.01	16	0.88	320	<1	26	582	16	1.37	<5	9	<10	470	2160	3	46	<10	9	56
148529	1005330	4.949	43	5.57	11	317	2	19	2.92	5	29	72	101	4.67	0.13	15	2.07	874	3	58	952	27	1.55	<5	<5	<10	334	3195	6	129	<10	17	106
148530	1005331	0.008	2	4.75	8	558	3	30	1.34	<4	7	21	5	0.98	0.05	17	0.73	243	<1	32	440	13	1.10	<5	16	<10	506	1499	6	32	<10	7	39
148531	1005332	0.012	2	5.17	7	341	3	26	1.49	<4	8	16	7	1.28	0.04	16	0.84	334	<1	24	405	13	1.36	<5	7	<10	320	1449	5	32	<10	7	46
148532	1005333	0.014	2	4.76	7	357	2	21	1.21	<4	9	16	11	0.79	0.05	14	0.62	217	<1	31	401	14	1.09	<5	6	<10	362	1342	6	28	<10	6	28
148533	1005334	0.012	1	5.21	7	444	3	21	0.82	<4	8	13	8	0.54	0.05	14	0.45	130	<1	28	388	14	1.11	<5	10	<10	337	1423	<2	28	<10	6	14
148534	1005335	0.023	2	5.28	8	395	3	18	1.00	<4	8	10	8	0.69	0.05	17	0.55	191	<1	23	393	13	1.13	<5	5	<10	330	1351	<2	28	<10	6	19
148535	1005336	0.012	2	5.46	3	453	3	16	1.52	<4	8	11	10	0.76	<0.01	15	0.60	230	<1	24	419	17	1.10	<5	12	<10	377	1290	<2	25	<10	7	26
148536	1005337	0.009	<1	5.12	6	414	2	30	1.48	<4	9	14	10	1.00	<0.01	18	0.73	287	<1	30	427	16	1.03	<5	11	<10	336	1594	5	36	<10	7	35
148537D	1005337	0.009	3	5.40	3	418	2	8	1.52	<4	9	14	10	1.01	0.02	18	0.74	289	<1	29	437	18	1.20	<5	7	<10	341	1599	3	37	<10	7	31
148538	1005338	0.014	2	5.10	3	431	3	24	1.51	<4	7	17	8	1.04	<0.01	17	0.73	293	<1	26	451	15	1.32	<5	9	<10	301	1525	3	34	<10	7	37
148539	1005339	0.008	2	5.91	5	424	3	18	1.94	<4	9	13	8	1.90	0.06	17	0.81	336	<1	27	544	10	1.29	<5	9	<10	329	2107	<2	45	<10	9	48
148540	1005340	<0.005	2	3.27	7	485	2	49	1.36	<4	14	47	24	2.35	0.02	8	0.94	488	<1	38	531	10	1.09	<5	10	<10	269	1943	3	78	49	14	47
148541	1005341	0.013	1	5.36	7	555	2	54	2.00	<4	11	22	10	2.41	0.01	14	0.93	433	<1	36	602	17	1.36	<5	<5	<10	298	2380	<2	53	<10	8	68
148542	1005342	0.158	7	5.01	4	415	3	18	1.33	<4	22	123	58	3.70	0.03	17	1.43	790	2	87	521	93	1.89	<5	5	<10	157	2385	3	85	<10	13	170
148543	1005343	3.152	35	3.09	57	308	2	12	0.15	40	8	45	312	3.69	<0.01	8	0.53	184	9	65	249	1460	4.03	14	<5	<10	85	1116	<2	33	111	8	10418
148544	1005344	0.336	6	5.03	10	413	3	24	1.19	<4	21	126	70	3.34	0.07	22	1.43	697	3	85	509	38	1.78	<5	10	<10	146	2380	3	81	<10	14	187
148545	1005345	0.152	6	5.61	21	400	3	27	1.69	<4	24	137	58	3.50	0.03	24	1.47	695	6	89	547	35	2.07	<5	6	<10	169	2796	<2	92	<10	15	86
148546	1005346	0.306	7	5.21	26	389	2	9	1.65	<4	24	139	62	3.55	0.04	24	1.48	716	3	93	559	32	1.99	5	<5	<10	164	2760	13	91	<10	15	93

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, July 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148547	1005347	0.120	8	5.20	62	539	3	<1	2.26	<4	19	111	63	3.07	<0.01	19	1.38	852	4	82	517	46	2.59	<5	5	<10	191	2272	9	75	<10	14	81
148548D	1005347	0.126	7	5.55	67	597	2	26	2.28	<4	19	111	63	3.04	<0.01	19	1.39	855	5	80	518	43	2.57	<5	12	<10	194	2278	4	76	<10	14	84
148549	1005348	0.017	2	5.81	19	623	3	27	0.73	<4	7	11	2	1.23	<0.01	18	0.72	193	5	27	159	23	1.98	<5	10	<10	192	1635	2	29	<10	6	22
148550	1005349	0.013	2	4.94	19	527	2	20	0.93	<4	8	17	6	1.21	0.03	17	0.70	241	3	38	171	23	1.83	5	5	<10	191	1502	12	27	<10	6	24
148551	1005350	1.122	7	4.25	23	586	2	35	1.58	<4	16	49	573	3.50	0.14	12	1.11	585	25	42	674	77	1.60	<5	8	<10	273	1972	4	110	31	14	105
148552	1005351	0.011	2	5.41	13	545	2	3	0.90	<4	8	13	6	0.90	<0.01	17	0.68	194	<1	28	202	24	1.70	<5	8	<10	216	1631	<2	29	<10	6	84
148553	1005352	0.009	3	5.22	19	488	3	11	1.39	<4	8	12	8	0.86	<0.01	11	0.59	177	<1	27	333	31	1.44	<5	10	<10	263	1304	<2	27	<10	6	286
148554	1005353	0.022	2	5.20	13	521	3	40	1.81	<4	8	14	8	0.79	<0.01	12	0.68	225	2	31	358	35	1.43	<5	10	<10	331	1374	6	28	<10	6	135
148555	1005354	0.010	3	4.94	14	619	3	13	2.07	<4	11	39	18	1.71	0.03	17	1.00	343	<1	39	477	17	1.58	<5	7	<10	323	1779	7	44	<10	8	65
148556	1005355	0.008	3	5.01	9	615	3	16	1.25	<4	8	14	5	0.69	0.05	13	0.46	136	3	33	515	23	1.32	5	11	<10	300	1793	4	36	<10	7	23
148557	1005356	0.123	3	4.04	4	598	2	1	1.88	<4	14	67	39	2.18	0.07	16	0.94	475	<1	50	489	29	1.38	<5	6	<10	307	1820	<2	55	<10	10	105
148558	1005357	0.040	2	4.75	13	640	2	9	1.39	<4	7	15	13	0.58	<0.01	13	0.45	169	<1	26	386	52	1.10	<5	10	<10	319	1398	3	29	<10	6	33
148559D	1005357	0.035	2	5.01	13	658	2	33	1.42	<4	6	17	13	0.60	<0.01	13	0.45	173	<1	30	396	54	1.14	<5	12	<10	327	1429	<2	29	<10	6	33
148560	1005358	0.049	2	4.71	<2	583	2	35	2.06	<4	9	20	11	1.79	0.13	16	0.92	409	<1	30	483	18	1.25	<5	9	<10	319	1896	3	37	<10	8	51
148561	1005359	0.042	2	5.31	5	537	3	22	2.35	<4	9	15	9	1.89	0.07	16	0.89	502	<1	38	502	24	1.38	<5	9	<10	314	1912	2	35	<10	8	109
148562	1005360	<0.005	1	3.63	9	496	3	16	1.44	<4	14	50	23	2.37	<0.01	12	0.94	498	<1	38	545	11	1.26	<5	6	<10	278	1975	10	79	50	13	50
148563	1005361	0.017	2	4.26	6	458	2	19	1.69	<4	9	12	9	1.75	<0.01	15	0.72	413	<1	28	496	22	1.24	<5	7	<10	268	1937	2	34	<10	7	50
148564	1005362	0.014	1	5.23	6	564	3	29	2.23	<4	9	16	10	1.86	0.02	14	0.76	389	<1	36	503	20	1.41	<5	<5	<10	328	2028	<2	38	<10	7	51
148565	1005363	0.020	2	5.95	<2	464	3	19	2.24	<4	9	14	8	1.80	0.04	13	0.82	305	3	30	508	16	1.46	<5	12	<10	361	1970	<2	37	<10	8	50
148566	1005364	0.013	3	5.39	3	476	3	29	2.15	<4	9	17	10	1.88	<0.01	14	0.81	433	1	28	521	21	1.41	<5	10	<10	318	1944	8	36	<10	8	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148567	1005365	0.030	3	4.81	5	442	3	25	1.79	<4	13	18	12	1.95	0.02	14	0.79	347	<1	40	501	20	1.25	<5	7	<10	276	1877	6	34	10	8	357
148568	1005366	0.026	3	5.45	2	445	3	32	1.85	<4	11	11	12	1.91	0.03	13	0.82	348	3	31	491	22	1.52	<5	5	<10	285	1906	3	35	10	8	462
148569	1005367	0.017	2	5.22	7	462	2	16	2.16	<4	12	14	10	1.90	0.09	14	0.90	530	<1	32	485	29	1.60	<5	5	<10	260	1822	8	32	<10	8	78
148570D	1005367	0.023	2	5.19	7	465	3	20	2.18	<4	13	12	10	1.94	0.12	14	0.91	542	<1	33	495	30	1.58	5	6	<10	263	1853	<2	32	<10	8	77
148571	1005368	0.022	3	5.38	11	522	3	16	1.86	<4	10	11	12	1.71	0.07	16	0.91	583	<1	26	506	38	1.48	<5	9	<10	216	1885	8	33	<10	8	72
148572	1005369	0.059	5	5.53	37	526	3	35	0.60	<4	9	10	14	1.54	<0.01	11	0.59	229	4	27	496	168	2.10	<5	15	<10	153	1828	<2	35	<10	8	185
148573	1005370	0.235	325	4.55	3937	38	3	29	2.01	125	14	42	454	7.27	<0.01	11	0.99	1298	11	34	504	9000	4.93	76	17	13	236	1370	5	92	134	13	12298
148574	1005371	0.046	5	7.10	33	356	4	24	1.30	<4	9	12	7	1.71	0.03	13	0.84	395	12	38	488	51	2.48	<5	12	<10	190	1900	<2	37	10	9	55
148575	1005372	0.044	15	7.72	17	383	3	13	2.39	<4	6	11	19	1.19	0.08	17	1.21	584	13	32	632	139	2.15	6	10	<10	183	1758	6	33	<10	9	75
148576	1005373	0.019	3	2.84	18	287	2	21	1.67	<4	5	10	10	1.16	0.10	9	1.05	579	<1	30	653	29	1.16	<5	6	<10	127	1373	11	23	<10	7	51
148577	1005374	0.079	8	2.58	28	381	2	20	0.79	<4	6	15	23	1.14	0.05	8	0.65	314	<1	39	672	59	1.20	<5	10	<10	123	1613	4	27	<10	6	207
148578	1005375	0.048	5	2.55	25	308	2	18	1.70	<4	6	11	10	1.15	0.06	6	1.02	520	<1	30	671	67	1.09	<5	10	<10	146	1255	5	20	<10	7	153
148579	1005376	0.071	16	3.77	21	499	2	11	1.69	<4	7	16	39	1.59	0.08	11	0.91	473	<1	35	616	196	1.30	<5	11	<10	158	1657	3	30	<10	7	190
148580	1005377	0.163	15	0.89	25	328	2	17	0.84	5	7	6	27	1.81	<0.01	2	0.59	311	<1	24	645	170	1.28	<5	7	<10	108	1303	<2	23	19	6	1337
148581D	1005377	0.192	17	1.15	20	360	2	13	0.93	5	8	7	27	1.83	<0.01	2	0.58	311	<1	27	637	166	1.33	<5	<5	<10	113	1328	5	24	20	6	1321
148582	1005378	0.018	6	5.79	8	558	3	7	1.99	<4	5	14	22	1.26	0.09	17	0.88	418	3	42	502	38	1.55	<5	10	<10	171	1418	8	29	10	9	53
148583	1005379	0.042	3	3.49	15	471	2	44	1.84	<4	6	10	9	1.57	0.19	8	1.01	549	<1	28	553	17	1.12	<5	16	<10	149	1446	3	24	<10	7	51
148584	1005380	0.008	<1	1.73	9	446	<2	9	1.15	<4	13	46	22	2.30	0.18	4	0.89	474	<1	34	510	13	0.73	<5	6	<10	246	1774	<2	75	45	14	48
148585	1005381	0.046	6	4.38	20	601	2	11	1.78	<4	7	11	28	1.82	0.08	13	1.02	705	<1	30	631	65	1.39	5	9	<10	167	1812	5	32	<10	7	195
148586	1005382	0.034	4	4.03	13	509	2	29	1.70	<4	7	5	13	1.51	0.12	12	1.08	577	<1	20	643	31	1.18	<5	8	<10	175	1636	8	31	<10	7	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148587	1005383	0.016	4	5.37	18	666	2	7	2.22	<4	6	8	9	1.46	0.16	16	1.28	656	<1	26	650	38	1.20	<5	9	<10	209	1860	11	35	<10	7	137
148588	1005384	0.030	4	3.65	22	589	2	33	1.22	<4	8	46	10	1.34	0.22	11	1.04	441	<1	42	581	41	1.17	<5	7	<10	157	1863	9	34	<10	7	60
148589	1005385	0.043	5	4.63	11	476	2	15	1.39	<4	14	13	39	1.69	0.14	16	1.22	652	<1	28	512	30	1.23	6	10	<10	171	1821	9	35	<10	7	145
148590	1005386	0.024	6	4.01	10	445	2	4	1.40	<4	12	15	31	1.77	0.12	15	1.28	697	<1	29	508	30	1.14	<5	7	<10	167	1764	6	34	<10	7	157
148591	1005387	0.334	34	3.10	22	393	2	17	1.46	<4	5	12	30	1.69	0.25	13	1.32	883	<1	27	383	291	1.56	6	9	<10	148	1316	11	24	<10	5	465
148592R	1005387	0.383	22	3.99	24	443	2	22	1.50	<4	6	15	32	1.73	0.19	16	1.36	916	<1	31	378	288	1.70	<5	9	<10	155	1447	17	28	10	6	509
148593	1005388	1.227	93	3.89	25	430	2	15	2.19	4	5	10	11	1.33	0.18	11	1.53	1156	<1	23	347	1042	1.48	13	11	<10	178	1173	22	21	19	6	1536
148594	1005389	38.293	640	3.24	91	297	2	16	1.38	14	5	11	290	1.89	0.12	13	1.24	816	<1	26	306	2487	2.32	103	7	<10	126	1095	5	20	63	6	5743
148595	1005390	4.986	46	3.96	10	313	2	23	2.79	5	28	69	106	4.73	0.17	12	2.08	898	<1	59	971	31	1.19	5	5	<10	324	2654	15	126	<10	16	114
148596	1005391	1.032	59	3.99	22	347	2	19	1.58	<4	6	14	23	1.16	0.03	15	1.35	843	<1	28	366	465	1.49	9	11	<10	158	1261	13	23	13	6	800
148597	1005392	2.862	56	1.48	72	241	2	7	0.30	4	9	21	25	2.07	0.07	8	0.66	283	<1	33	340	1969	2.28	11	8	<10	95	1078	<2	24	15	5	732
148598	1005393	0.088	5	2.27	17	218	2	25	0.88	<4	7	8	10	0.64	0.25	12	0.99	504	<1	25	322	77	0.85	<5	11	<10	134	1185	10	20	<10	4	126
148599	1005394	0.086	3	2.64	21	231	2	19	0.75	<4	10	13	7	1.33	0.11	11	0.89	452	<1	32	319	40	1.42	<5	6	<10	146	1189	9	23	<10	4	29
148600	1005395	0.106	3	3.50	16	140	2	24	1.83	<4	8	17	10	1.10	0.17	12	1.62	1063	<1	38	387	24	1.24	<5	11	<10	196	1174	19	30	<10	5	49
148601	1005396	0.084	4	3.98	20	301	3	26	0.66	<4	10	14	4	0.73	0.14	15	0.77	355	<1	26	419	32	0.99	6	5	<10	186	1474	6	29	<10	5	23
148602	1005397	0.019	2	3.43	16	296	2	15	0.52	<4	8	10	2	0.61	0.13	13	0.63	284	<1	20	344	40	0.98	<5	5	<10	163	1309	<2	25	<10	5	310
148603D	1005397	0.015	3	3.81	17	299	2	11	0.57	<4	8	9	2	0.63	0.10	14	0.64	287	<1	21	356	43	1.08	<5	13	<10	168	1328	12	25	<10	5	319
148604	1005398	0.017	3	3.53	14	342	2	20	0.44	<4	8	10	12	0.57	0.06	14	0.58	249	<1	25	335	61	1.07	<5	8	<10	156	1280	<2	21	<10	5	29
148605	1005399	0.055	6	4.16	114	181	3	9	1.38	<4	12	9	119	1.21	0.15	12	0.77	520	<1	28	512	108	1.25	5	13	<10	192	1084	9	18	<10	6	70
148606	1005400	<0.005	<1	2.02	6	457	2	16	1.22	<4	14	49	23	2.36	0.31	5	0.93	487	<1	35	533	13	0.77	5	9	<10	253	1804	2	77	48	14	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148607	1005401	0.054	2	2.53	12	277	2	17	0.54	<4	6	10	8	0.58	0.15	9	0.71	361	<1	23	341	54	0.87	<5	6	<10	116	1067	7	20	<10	5	19
148608	1005402	0.050	3	4.05	20	264	2	20	0.71	<4	10	11	8	0.81	0.15	14	0.76	369	<1	31	362	33	1.17	<5	7	<10	129	1352	4	24	<10	5	25
148609	1005403	1.143	33	2.45	36	292	2	19	<0.01	9	8	10	71	1.37	0.10	10	0.47	168	<1	24	294	562	1.73	6	<5	<10	84	1261	<2	21	28	4	2102
148610	1005404	0.048	2	3.74	19	293	2	26	0.79	<4	8	12	4	0.69	0.09	14	0.91	438	<1	27	387	79	1.15	<5	7	<10	140	1454	6	23	<10	5	273
148611	1005405	0.175	10	4.03	23	410	2	8	0.78	<4	8	12	8	0.63	0.13	15	0.89	401	<1	29	390	250	1.09	<5	11	<10	129	1564	11	25	10	5	286
148612	1005406	0.205	9	4.06	20	368	3	13	0.72	<4	8	12	5	0.64	0.10	15	0.91	386	<1	26	375	220	1.16	5	11	<10	126	1454	2	23	<10	5	321
148613	1005407	4.123	54	2.07	46	241	2	26	<0.01	39	4	15	247	1.38	<0.01	7	0.39	176	<1	27	198	6108	2.33	62	11	<10	73	963	<2	16	133	5	12722
148614D	1005407	4.672	55	1.64	39	243	2	22	<0.01	39	4	15	243	1.34	0.04	5	0.38	171	<1	27	194	6163	2.17	59	9	<10	69	930	3	15	130	5	12936
148615	1005408	0.263	11	4.59	13	625	2	24	1.02	<4	6	13	10	0.58	0.16	15	1.03	445	<1	27	429	99	1.02	<5	19	<10	139	1524	12	26	<10	5	179
148616	1005409	0.135	14	4.38	17	440	2	42	1.14	<4	8	11	14	0.65	0.16	15	1.06	481	<1	23	448	115	1.00	<5	12	<10	139	1513	19	29	<10	6	192
148617	1005410	1.214	4	2.49	23	571	2	21	1.37	<4	16	49	578	3.60	0.16	5	1.13	591	13	39	675	79	1.05	6	<5	<10	253	1846	<2	110	32	15	106
148618	1005411	0.033	4	3.99	26	430	2	13	1.03	<4	12	20	24	1.19	0.17	13	0.97	415	<1	33	562	49	1.23	<5	7	<10	137	2005	8	47	<10	7	143
148619	1005412	0.018	4	6.41	24	532	2	28	1.25	<4	7	11	12	1.49	0.13	24	0.97	394	<1	24	564	39	1.50	<5	12	<10	165	2456	12	48	<10	7	55
148620	1005413	0.018	4	5.00	19	298	2	12	1.26	<4	9	8	2	1.81	0.15	24	1.42	588	<1	25	956	61	1.72	<5	11	<10	171	1825	9	34	<10	9	280
148621	1005414	0.020	8	5.99	26	459	2	26	1.04	<4	6	9	16	1.21	0.11	22	0.99	365	<1	21	551	50	1.30	<5	13	<10	167	2184	<2	49	<10	7	60
148622	1005415	0.060	6	5.59	20	480	2	31	0.35	<4	7	9	8	1.02	0.11	20	0.60	166	<1	19	571	74	1.37	5	6	<10	138	2122	<2	42	<10	7	77
148623	1005416	0.749	29	4.15	22	298	3	11	0.59	<4	9	9	17	1.13	0.10	17	0.79	343	<1	28	375	111	1.57	6	13	<10	158	1310	4	26	<10	5	73
148624	1005417	0.131	7	4.09	16	333	2	19	0.35	<4	11	10	22	2.19	0.11	16	0.67	232	<1	27	390	44	2.39	<5	7	<10	147	1424	<2	29	<10	6	44
148625D	1005417	0.135	9	4.23	19	352	2	42	0.35	<4	10	10	22	2.18	0.12	16	0.67	231	<1	26	381	46	2.33	5	9	<10	147	1501	<2	30	<10	6	43
148626	1005418	0.030	6	4.36	10	392	2	12	1.13	<4	9	17	16	1.91	0.21	20	1.04	456	<1	27	490	20	1.40	5	8	<10	176	1689	4	38	<10	8	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148627	1005419	0.013	4	5.01	9	349	2	21	2.28	<4	10	9	13	1.66	0.14	13	0.95	298	<1	23	426	14	1.77	6	10	<10	314	1479	5	34	<10	6	246
148628	1005420	<0.005	<1	1.84	7	458	2	25	1.21	<4	13	48	23	2.34	0.20	5	0.91	486	<1	35	533	9	0.84	<5	<5	<10	254	1796	<2	77	46	14	46
148629	1005421	0.055	4	4.45	22	321	3	31	2.20	<4	21	108	55	3.56	0.17	18	1.48	689	<1	74	552	41	2.08	<5	8	<10	179	2136	4	73	<10	16	89
148630	1005422	0.081	4	4.29	22	461	2	19	1.78	<4	7	10	22	1.65	0.22	16	0.92	344	<1	26	594	110	1.59	<5	11	<10	154	1493	<2	28	<10	8	283
148631	1005423	0.157	16	4.39	35	347	2	19	<0.01	<4	8	14	17	1.78	0.07	4	0.32	<100	<1	31	477	77	2.39	5	7	<10	97	1172	<2	37	<10	6	212
148632	1005424	0.463	52	4.08	64	332	2	22	0.03	<4	8	14	53	2.00	0.02	7	0.44	<100	<1	30	499	89	2.35	6	8	<10	103	1007	<2	35	<10	6	136
148633	1005425	0.091	6	5.00	38	444	2	25	0.77	<4	8	13	13	1.57	0.11	10	0.71	225	<1	29	539	52	1.88	5	9	<10	112	1187	2	37	10	7	207
148634	1005426	0.097	5	3.69	40	395	2	28	0.64	<4	8	12	16	1.59	0.10	7	0.64	214	<1	27	516	47	1.68	5	12	<10	101	1074	<2	33	<10	6	109
148635	1005427	0.183	5	4.76	28	493	2	21	1.03	<4	7	33	13	1.62	0.15	12	0.89	320	<1	58	574	76	1.62	5	8	<10	116	1223	3	39	<10	7	183
148636D	1005427	0.272	5	4.09	30	375	3	5	1.02	<4	7	29	13	1.52	0.17	11	0.86	302	<1	53	558	61	1.65	<5	6	<10	111	995	7	31	10	7	177
148637	1005428	0.279	5	3.95	46	446	2	23	0.37	<4	8	22	39	1.57	0.09	7	0.57	169	<1	36	501	48	1.86	5	11	<10	110	1067	<2	37	10	6	50
148638	1005429	0.257	6	3.79	48	389	2	29	1.06	<4	8	25	21	1.57	0.20	8	0.89	325	<1	43	492	52	1.79	6	8	<10	115	875	6	33	<10	7	77
148639	1005430	0.222	325	3.25	4075	15	3	25	1.90	127	14	42	453	7.30	0.03	10	0.95	1306	6	31	494	9338	4.90	81	22	12	225	1364	<2	93	134	12	12765
148640	1005431	0.825	16	3.38	76	491	2	10	<0.01	<4	7	39	29	1.96	0.15	5	0.34	<100	5	74	447	89	2.34	11	7	<10	94	1027	4	34	13	6	422
148641	1005432	0.432	6	3.86	42	532	3	11	0.10	<4	6	27	29	1.35	0.16	6	0.44	<100	2	55	500	80	1.88	7	6	<10	106	1021	<2	34	11	7	107
148642	1005433	0.192	3	4.23	37	530	3	24	0.24	4	7	13	61	1.26	0.15	8	0.53	122	<1	29	509	59	1.81	<5	12	<10	108	1028	4	32	16	7	813
148643	1005434	0.042	2	5.34	67	621	2	31	0.55	<4	8	15	24	1.63	0.06	14	0.95	252	<1	30	513	84	1.93	<5	10	<10	118	1230	<2	39	<10	7	83
148644	1005435	0.065	2	3.99	52	534	2	8	<0.01	<4	8	19	20	1.40	0.08	6	0.45	<100	<1	38	387	65	2.05	<5	9	<10	90	1111	3	35	10	6	36
148645	1005436	0.815	34	2.22	290	205	3	32	<0.01	31	6	21	453	4.77	0.06	5	0.37	<100	8	47	255	749	5.01	85	6	<10	78	699	<2	26	109	6	10700
148646	1005437	0.134	3	4.47	72	500	3	37	<0.01	<4	18	133	55	2.03	0.10	9	0.59	<100	4	81	535	85	2.16	5	13	<10	90	1198	<2	92	10	7	122

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, July 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
148647D	1005437	0.127	4	5.12	71	500	3	30	<0.01	<4	17	133	55	2.02	0.09	10	0.61	<100	5	82	539	83	2.19	6	9	<10	93	1193	<2	92	<10	8	117
148648	1005438	0.473	28	3.60	143	306	3	29	<0.01	26	17	105	59	3.19	0.03	7	0.38	<100	5	75	260	1186	3.49	12	<5	<10	86	964	<2	65	76	7	6863
148649	1005439	0.597	10	2.87	187	342	3	31	<0.01	10	23	133	237	2.99	0.11	5	0.34	<100	4	103	351	233	2.97	14	<5	<10	80	1037	<2	85	27	6	2150
148650	1005440	0.007	2	2.47	7	464	2	18	1.26	<4	13	48	22	2.31	0.26	8	0.90	482	<1	36	521	12	1.03	<5	5	<10	260	1910	<2	77	46	13	57
148651	1005441	0.438	13	4.30	105	442	3	29	<0.01	5	20	142	97	2.35	0.12	9	0.49	<100	5	104	514	211	2.47	9	6	<10	91	1243	<2	103	18	7	855
148652	1005442	0.099	4	3.53	70	370	3	26	<0.01	<4	14	83	53	1.86	0.11	8	0.47	<100	1	63	478	83	2.20	<5	9	<10	85	1098	<2	60	12	7	452
148653	1005443	0.090	4	3.13	58	344	3	19	0.03	<4	19	142	58	2.16	0.11	8	0.64	163	3	103	502	73	1.98	<5	<5	<10	84	1043	<2	77	11	8	181
148654	1005444	0.205	5	2.82	75	297	2	15	<0.01	<4	14	118	26	1.57	0.19	3	0.37	<100	3	81	312	89	2.06	<5	5	<10	81	907	<2	67	10	6	252
148655	1005445	0.170	4	1.22	68	243	2	3	<0.01	<4	15	91	37	1.72	0.60	<1	0.46	<100	<1	64	365	78	1.85	<5	<5	<10	70	770	<2	59	<10	7	66
148656	1005446	0.142	5	4.28	76	340	3	34	0.18	<4	17	126	47	2.11	0.20	10	0.62	127	4	90	457	78	2.43	5	<5	<10	97	1032	<2	78	<10	9	105
148657	1005447	0.248	5	2.89	73	296	2	32	<0.01	<4	15	118	29	1.76	0.13	5	0.37	<100	4	72	411	32	2.32	<5	<5	<10	78	980	<2	63	<10	8	71
148658R	1005447	0.270	5	3.12	76	317	2	15	<0.01	<4	15	122	29	1.78	0.10	7	0.40	<100	8	74	405	38	2.40	<5	9	<10	85	1036	<2	65	10	8	75
148659	1005448	0.760	5	3.28	102	357	3	18	<0.01	<4	17	118	32	2.21	0.10	7	0.39	<100	13	93	425	73	2.85	<5	14	<10	87	1166	5	82	<10	7	172
148660	1005449	0.391	23	2.66	75	327	3	10	0.16	12	11	59	148	2.19	0.18	8	0.45	122	3	60	375	560	2.81	6	8	<10	79	1143	<2	43	37	7	2877
148661	1005450	4.977	45	4.99	10	317	3	32	2.89	5	28	72	104	4.72	0.25	16	2.07	893	<1	62	961	26	1.60	<5	12	<10	332	2965	11	128	<10	17	107
148662	1005451	0.023	3	4.48	26	560	3	18	2.29	<4	9	21	49	1.82	0.22	16	1.53	706	<1	38	526	33	1.53	<5	6	<10	156	1766	11	34	<10	7	86
148663	1005452	0.088	2	3.98	47	657	2	3	1.19	<4	9	18	43	1.91	0.23	21	1.16	497	<1	35	503	25	1.82	5	11	<10	114	1947	12	39	16	7	489
148664	1005453	0.101	3	4.09	43	574	2	49	1.48	<4	8	17	20	1.78	0.15	21	1.20	554	<1	34	508	30	2.02	<5	6	<10	118	1821	6	38	13	7	80
148665	1005454	0.137	3	3.62	42	488	2	32	1.90	<4	9	16	30	1.75	0.10	12	1.30	679	<1	31	507	44	1.77	6	13	<10	129	1577	14	32	<10	7	235

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:  Derek Demianliuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148527	1005328	9	<0.001	0.009
148528	1005329	12	<0.001	0.012
148529	1005330	4949	0.144	4.949
148530	1005331	8	<0.001	0.008
148531	1005332	12	<0.001	0.012
148532	1005333	14	<0.001	0.014
148533	1005334	12	<0.001	0.012
148534	1005335	23	<0.001	0.023
148535	1005336	12	<0.001	0.012
148536	1005337	9	<0.001	0.009
148537 Dup	1005337	9	<0.001	0.009
148538	1005338	14	<0.001	0.014
148539	1005339	8	<0.001	0.008
148540	1005340	<5	<0.001	<0.005
148541	1005341	13	<0.001	0.013
148542	1005342	158	0.005	0.158
148543	1005343	3152	0.092	3.152
148544	1005344	336	0.010	0.336
148545	1005345	152	0.004	0.152
148546	1005346	306	0.009	0.306
148547	1005347	120	0.004	0.120
148548 Dup	1005347	126	0.004	0.126
148549	1005348	17	<0.001	0.017
148550	1005349	13	<0.001	0.013
148551	1005350	1122	0.033	1.122
148552	1005351	11	<0.001	0.011
148553	1005352	9	<0.001	0.009
148554	1005353	22	<0.001	0.022
148555	1005354	10	<0.001	0.010
148556	1005355	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148557	1005356	123	0.004	0.123
148558	1005357	40	0.001	0.040
148559 Dup	1005357	35	0.001	0.035
148560	1005358	49	0.001	0.049
148561	1005359	42	0.001	0.042
148562	1005360	<5	<0.001	<0.005
148563	1005361	17	<0.001	0.017
148564	1005362	14	<0.001	0.014
148565	1005363	20	<0.001	0.020
148566	1005364	13	<0.001	0.013
148567	1005365	30	<0.001	0.030
148568	1005366	26	<0.001	0.026
148569	1005367	17	<0.001	0.017
148570 Dup	1005367	23	<0.001	0.023
148571	1005368	22	<0.001	0.022
148572	1005369	59	0.002	0.059
148573	1005370	235	0.007	0.235
148574	1005371	46	0.001	0.046
148575	1005372	44	0.001	0.044
148576	1005373	19	<0.001	0.019
148577	1005374	79	0.002	0.079
148578	1005375	48	0.001	0.048
148579	1005376	71	0.002	0.071
148580	1005377	163	0.005	0.163
148581 Dup	1005377	192	0.006	0.192
148582	1005378	18	<0.001	0.018
148583	1005379	42	0.001	0.042
148584	1005380	8	<0.001	0.008
148585	1005381	46	0.001	0.046
148586	1005382	34	0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, June 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148587	1005383	16	<0.001	0.016
148588	1005384	30	<0.001	0.030
148589	1005385	43	0.001	0.043
148590	1005386	24	<0.001	0.024
148591	1005387	334	0.010	0.334
148592 Rep	1005387	383	0.011	0.383
148593	1005388	1227	0.036	1.227
148594	1005389	38293	1.117	38.293
148595	1005390	4986	0.145	4.986
148596	1005391	1032	0.030	1.032
148597	1005392	2862	0.084	2.862
148598	1005393	88	0.003	0.088
148599	1005394	86	0.003	0.086
148600	1005395	106	0.003	0.106
148601	1005396	84	0.002	0.084
148602	1005397	19	<0.001	0.019
148603 Dup	1005397	15	<0.001	0.015
148604	1005398	17	<0.001	0.017
148605	1005399	55	0.002	0.055
148606	1005400	<5	<0.001	<0.005
148607	1005401	54	0.002	0.054
148608	1005402	50	0.001	0.050
148609	1005403	1143	0.033	1.143
148610	1005404	48	0.001	0.048
148611	1005405	175	0.005	0.175
148612	1005406	205	0.006	0.205
148613	1005407	4123	0.120	4.123
148614 Dup	1005407	4672	0.136	4.672
148615	1005408	263	0.008	0.263
148616	1005409	135	0.004	0.135

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148617	1005410	1214	0.035	1.214
148618	1005411	33	<0.001	0.033
148619	1005412	18	<0.001	0.018
148620	1005413	18	<0.001	0.018
148621	1005414	20	<0.001	0.020
148622	1005415	60	0.002	0.060
148623	1005416	749	0.022	0.749
148624	1005417	131	0.004	0.131
148625 Dup	1005417	135	0.004	0.135
148626	1005418	30	<0.001	0.030
148627	1005419	13	<0.001	0.013
148628	1005420	<5	<0.001	<0.005
148629	1005421	55	0.002	0.055
148630	1005422	81	0.002	0.081
148631	1005423	157	0.005	0.157
148632	1005424	463	0.014	0.463
148633	1005425	91	0.003	0.091
148634	1005426	97	0.003	0.097
148635	1005427	183	0.005	0.183
148636 Dup	1005427	272	0.008	0.272
148637	1005428	279	0.008	0.279
148638	1005429	257	0.008	0.257
148639	1005430	222	0.006	0.222
148640	1005431	825	0.024	0.825
148641	1005432	432	0.013	0.432
148642	1005433	192	0.006	0.192
148643	1005434	42	0.001	0.042
148644	1005435	65	0.002	0.065
148645	1005436	815	0.024	0.815
148646	1005437	134	0.004	0.134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, June 23, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/15/2011  
 Date Completed: 06/23/2011  
 Job #: 201142218  
 Reference: TL11179  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
148647 Dup	1005437	127	0.004	0.127
148648	1005438	473	0.014	0.473
148649	1005439	597	0.017	0.597
148650	1005440	7	<0.001	0.007
148651	1005441	438	0.013	0.438
148652	1005442	99	0.003	0.099
148653	1005443	90	0.003	0.090
148654	1005444	205	0.006	0.205
148655	1005445	170	0.005	0.170
148656	1005446	142	0.004	0.142
148657	1005447	248	0.007	0.248
148658 Rep	1005447	270	0.008	0.270
148659	1005448	760	0.022	0.760
148660	1005449	391	0.011	0.391
148661	1005450	4977	0.145	4.977
148662	1005451	23	<0.001	0.023
148663	1005452	88	0.003	0.088
148664	1005453	101	0.003	0.101
148665	1005454	137	0.004	0.137

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H. Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, June 29, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 06/23/2011  
Date Completed: 06/29/2011  
Job #: 201142343  
Reference: TL11179  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
155258	1005343	0.083	2.847
155259	1005392	0.071	2.433
155260	1005407	0.124	4.262

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 8, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/23/2011  
 Date Completed: 07/08/2011  
 Job #: 201142344  
 Reference: TL11179  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
155261	1005389	29.072	29.532	94.185	32.172	4.42%	44.37

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153898	1005455	0.031	<1	0.40	<2	385	2	<1	0.86	<4	23	141	54	3.55	<0.01	6	0.95	495	<1	72	473	27	1.83	<5	17	<10	194	2134	<2	95	15	6	98
153899	1005456	0.024	<1	<0.01	2	366	<2	1	0.92	<4	16	81	34	2.37	<0.01	<1	0.68	473	<1	46	363	29	1.43	<5	35	<10	214	1437	<2	52	16	5	80
153900	1005457	0.079	3	<0.01	<2	<1	<2	23	0.03	21	10	16	149	27.17	<0.01	<1	0.64	1002	24	179	<100	43	>10.00	5	19	10	79	284	<2	35	16	5	131
153901	1005458	<0.005	<1	0.36	<2	509	<2	<1	<0.01	<4	8	27	6	0.59	<0.01	<1	0.24	<100	<1	31	313	17	0.34	<5	37	<10	161	1079	<2	32	14	3	14
153902	1005459	0.010	<1	0.07	<2	429	<2	<1	<0.01	<4	7	21	14	0.56	<0.01	<1	0.23	<100	<1	28	293	17	0.33	<5	33	10	168	1101	<2	26	13	3	122
153903	1005460	0.007	<1	0.14	<2	384	<2	<1	0.92	<4	13	45	19	2.03	<0.01	<1	0.65	439	<1	26	450	9	0.11	<5	39	<10	228	1845	<2	71	52	7	42
153904	1005461	0.006	<1	0.50	3	552	<2	<1	0.27	<4	7	41	8	0.54	<0.01	<1	0.28	100	<1	48	313	28	0.20	<5	41	<10	233	1082	<2	36	17	3	23
153905	1005462	0.010	<1	0.93	2	431	<2	<1	1.35	<4	7	13	10	1.09	0.08	4	0.62	346	<1	21	341	33	0.34	<5	43	10	263	1035	<2	27	15	4	45
153906	1005463	0.010	<1	0.67	2	449	<2	<1	0.81	<4	6	8	10	1.26	<0.01	6	0.47	222	<1	13	312	14	0.49	<5	35	<10	252	1370	<2	25	15	3	35
153907	1005464	0.015	<1	0.34	4	653	<2	<1	1.53	<4	10	39	21	1.35	<0.01	7	0.71	412	<1	33	463	32	0.52	<5	45	<10	325	1899	<2	48	16	4	56
153908D	1005464	0.013	<1	0.57	7	632	<2	<1	1.53	<4	10	42	20	1.34	<0.01	8	0.74	400	<1	36	453	31	0.49	<5	37	<10	320	1844	<2	46	14	4	51
153909	1005465	0.006	<1	1.37	6	661	<2	<1	0.67	<4	8	14	5	0.52	0.01	9	0.35	108	<1	18	350	27	0.24	<5	41	<10	290	1524	<2	28	16	3	21
153910	1005466	0.007	<1	1.32	6	593	<2	<1	0.53	<4	7	11	2	0.47	<0.01	2	0.33	<100	<1	18	346	26	0.24	<5	41	11	264	1451	<2	26	16	3	15
153911	1005467	0.057	3	1.39	8	486	<2	<1	1.17	<4	13	12	117	0.78	0.07	2	0.50	173	<1	23	429	343	0.60	<5	47	10	302	1333	<2	29	15	3	165
153912	1005468	0.007	<1	0.48	9	435	<2	<1	0.39	<4	10	19	5	0.38	0.02	<1	0.31	<100	<1	25	229	18	0.20	<5	37	<10	210	1041	<2	19	16	3	18
153913	1005469	0.007	<1	0.55	5	532	<2	<1	0.67	<4	9	13	3	0.49	<0.01	1	0.30	<100	<1	19	355	15	0.31	<5	41	<10	300	1505	<2	25	16	3	17
153914	1005470	1.067	<1	0.18	17	497	<2	4	1.06	<4	16	48	514	3.25	0.02	<1	0.80	552	15	29	575	76	0.74	<5	37	11	233	1973	<2	105	40	8	94
153915	1005471	0.006	<1	0.89	8	545	<2	<1	0.85	<4	11	11	6	0.57	<0.01	3	0.33	<100	<1	20	359	16	0.34	<5	37	<10	339	1469	<2	26	14	3	21
153916	1005472	0.008	<1	0.84	7	455	<2	<1	0.97	<4	9	22	7	0.62	0.02	2	0.34	111	<1	35	326	12	0.40	<5	37	10	341	1435	<2	34	16	3	20
153917	1005473	0.008	<1	0.21	5	470	<2	<1	0.88	<4	7	20	7	0.65	<0.01	5	0.36	123	<1	36	326	15	0.41	<5	43	<10	317	1342	<2	33	17	3	21

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153918	1005474	0.007	<1	1.42	6	494	<2	<1	1.06	<4	8	17	7	0.70	0.15	7	0.40	129	<1	32	350	16	0.45	<5	39	12	365	1495	<2	33	16	3	28
153919D	1005474	0.007	<1	0.81	5	541	<2	<1	1.15	<4	8	19	7	0.74	0.22	9	0.38	138	<1	31	366	17	0.47	<5	42	<10	392	1620	<2	36	15	3	33
153920	1005475	0.008	<1	<0.01	7	474	<2	<1	0.77	<4	7	24	5	0.70	0.16	5	0.35	137	<1	40	315	20	0.39	<5	37	12	328	1439	<2	38	14	3	18
153921	1005476	0.023	<1	0.89	8	673	<2	<1	1.48	<4	9	39	23	1.83	0.22	2	0.62	347	<1	72	531	26	1.12	<5	43	<10	288	1774	<2	57	18	5	139
153922	1005477	0.045	<1	0.65	12	346	<2	<1	1.17	<4	6	39	8	1.30	<0.01	<1	0.61	399	<1	67	310	30	1.04	<5	37	<10	142	1242	<2	41	13	4	46
153923	1005478	3.550	10	<0.01	60	287	<2	<1	<0.01	15	4	26	420	2.40	<0.01	<1	0.30	<100	<1	47	229	1369	3.38	8	24	10	89	1055	<2	31	56	3	4262
153924	1005479	0.374	<1	0.98	37	360	<2	9	<0.01	<4	7	24	32	1.53	<0.01	<1	0.35	<100	<1	40	453	210	1.75	<5	34	13	93	1750	<2	42	19	4	432
153925	1005480	<0.005	<1	0.47	2	383	<2	<1	0.95	<4	12	45	19	2.08	<0.01	<1	0.69	443	<1	27	452	13	0.11	<5	33	11	232	1837	<2	72	51	8	47
153926	1005481	0.157	<1	0.06	32	390	<2	<1	0.69	<4	8	45	31	1.46	0.07	2	0.61	386	<1	80	554	204	1.26	<5	35	<10	140	1794	<2	55	22	4	622
153927	1005482	0.032	<1	0.42	29	535	<2	4	1.21	<4	7	36	12	1.55	<0.01	2	0.59	441	<1	64	528	31	1.00	<5	43	11	168	1671	<2	47	15	4	57
153928	1005483	0.399	<1	0.73	21	371	<2	<1	0.58	<4	5	26	13	1.26	0.02	5	0.57	561	<1	45	382	63	0.93	<5	41	10	110	1618	<2	39	19	4	248
153929	1005484	0.457	<1	0.85	19	451	<2	<1	0.70	<4	6	31	31	1.39	0.07	6	0.62	620	<1	59	411	65	1.01	<5	33	<10	114	1620	<2	42	20	4	323
153930D	1005484	0.431	1	0.65	21	456	<2	<1	0.66	<4	5	33	31	1.38	0.08	5	0.60	629	<1	60	415	68	0.94	<5	39	<10	112	1644	<2	44	20	3	315
153931	1005485	1.183	2	0.45	54	374	<2	<1	<0.01	<4	5	22	19	1.42	0.06	1	0.35	124	<1	38	304	444	1.68	<5	27	<10	83	1245	<2	31	18	4	400
153932	1005486	0.564	1	0.04	40	418	<2	<1	0.03	<4	5	31	24	1.43	0.02	5	0.35	156	<1	59	344	288	1.55	<5	36	<10	96	1392	<2	38	19	3	386
153933	1005487	0.853	<1	0.45	36	327	<2	<1	0.93	<4	6	15	30	1.62	<0.01	8	0.61	734	<1	25	389	80	1.53	<5	38	<10	141	1593	<2	32	16	3	255
153934	1005488	1.247	<1	0.64	24	271	<2	7	1.00	<4	7	24	31	1.99	0.22	<1	0.89	1269	<1	45	414	170	1.21	<5	33	<10	127	1612	<2	39	18	4	389
153935	1005489	38.714	72	<0.01	76	<1	<2	<1	0.06	35	8	23	1049	5.30	<0.01	<1	0.38	391	<1	42	347	3810	8.11	57	21	<10	89	1260	<2	33	142	3	16141
153936	1005490	0.239	355	0.20	4369	<1	<2	<1	1.47	118	14	40	477	6.78	<0.01	<1	0.68	1221	<1	20	406	9551	6.79	74	44	16	194	1259	<2	87	118	8	13476
153937	1005491	0.784	3	0.32	34	291	<2	<1	0.37	<4	7	41	35	1.46	<0.01	<1	0.49	497	<1	73	432	112	1.30	<5	31	10	114	1791	<2	50	19	3	216

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959

Date Received: 06/22/2011  
Date Completed: 07/06/2011  
Job #: 201142318  
Reference: TL11180  
Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153938	1005492	0.414	<1	0.95	23	313	<2	1	0.52	<4	7	32	24	1.53	<0.01	2	0.66	637	<1	51	412	48	1.09	<5	26	10	107	1738	<2	45	14	4	94
153939	1005493	0.228	<1	0.98	22	322	<2	<1	1.11	<4	8	24	11	1.58	0.03	6	0.89	720	<1	31	414	52	1.15	<5	42	10	153	1809	<2	42	17	4	55
153940	1005494	0.080	2	1.42	27	148	<2	<1	2.25	<4	12	47	43	3.86	<0.01	9	1.32	1133	<1	82	401	32	4.00	<5	38	11	148	1576	<2	52	18	8	118
153941D	1005494	0.101	2	2.43	22	147	<2	<1	2.46	4	12	44	44	4.04	0.12	11	1.48	1161	<1	75	407	32	4.19	<5	39	10	157	1618	<2	50	20	10	124
153942	1005495	0.018	<1	1.57	11	529	<2	<1	1.17	<4	11	17	13	1.94	<0.01	10	0.76	619	<1	24	434	38	1.41	<5	34	<10	155	2121	<2	45	18	5	64
153943	1005496	0.009	<1	0.90	6	393	<2	9	0.90	<4	7	17	11	1.37	0.11	8	0.69	491	<1	23	424	23	0.59	<5	39	<10	148	2073	<2	42	16	4	43
153944	1005497	0.027	2	2.63	2	305	<2	2	1.44	<4	7	14	19	2.75	0.23	10	1.19	657	<1	25	455	20	1.14	<5	41	11	183	1959	<2	40	17	6	105
153945	1005498	0.024	<1	0.78	5	292	<2	<1	0.94	<4	6	18	41	2.15	0.07	5	0.91	559	<1	35	405	19	0.99	<5	44	10	160	1725	<2	39	18	4	69
153946	1005499	0.016	<1	1.14	12	346	<2	<1	1.22	<4	8	19	23	1.85	<0.01	5	0.72	562	<1	30	429	19	0.99	<5	37	<10	170	2168	<2	46	16	4	46
153947	1005500	<0.005	<1	0.65	4	390	<2	<1	1.00	<4	14	46	20	2.16	<0.01	<1	0.72	456	<1	26	454	10	0.10	<5	39	<10	235	1789	<2	73	52	9	38
153948	1005501	0.036	<1	1.11	6	252	<2	2	1.07	<4	6	15	7	1.91	<0.01	4	0.79	559	<1	19	393	19	0.81	<5	41	<10	156	1789	<2	38	15	4	57
153949	1005502	0.010	<1	1.21	6	316	<2	<1	0.89	<4	5	19	3	1.34	<0.01	5	0.66	433	<1	27	429	12	0.45	<5	38	<10	153	1870	<2	42	17	4	38
153950	1005503	0.014	<1	0.63	10	268	<2	<1	0.89	<4	6	12	4	1.42	0.07	4	0.65	481	<1	19	410	14	0.49	<5	44	10	138	1914	<2	41	14	4	33
153951	1005504	0.013	<1	1.33	2	312	<2	<1	0.93	<4	12	18	12	1.20	0.10	8	0.64	507	<1	36	428	10	0.22	<5	41	10	147	2080	<2	46	18	4	38
153952D	1005504	0.017	<1	2.06	5	325	<2	<1	1.07	<4	12	19	13	1.26	0.12	11	0.68	539	<1	38	459	15	0.23	<5	48	10	159	2150	<2	47	17	4	43
153953	1005505	0.063	<1	0.78	2	280	<2	<1	1.16	<4	8	41	20	2.60	<0.01	9	0.86	742	<1	75	436	14	0.96	<5	38	10	147	2041	<2	41	15	5	92
153954	1005506	0.030	<1	1.61	2	224	<2	2	1.01	<4	9	36	17	2.38	0.10	5	0.92	634	<1	68	421	13	0.85	<5	41	10	132	1734	<2	35	17	6	79
153955	1005507	0.013	<1	0.91	3	218	<2	<1	0.82	<4	6	22	6	1.18	<0.01	1	0.68	472	<1	37	406	17	0.31	<5	40	<10	137	1664	<2	34	17	4	40
153956	1005508	0.018	<1	0.92	10	222	<2	<1	0.82	<4	5	18	7	1.17	<0.01	<1	0.64	391	<1	27	411	26	0.56	<5	28	<10	147	1666	<2	34	16	4	47
153957	1005509	1.824	8	<0.01	18	156	<2	<1	<0.01	<4	3	63	34	0.94	<0.01	<1	0.27	130	<1	94	174	322	0.53	5	32	<10	82	835	<2	21	21	3	548

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153958	1005510	5.051	7	2.39	6	257	<2	<1	2.41	5	27	67	92	4.35	<0.01	1	1.68	839	<1	44	832	22	0.93	<5	35	10	295	3018	<2	122	14	12	90
153959	1005511	2.263	13	0.32	32	289	<2	<1	<0.01	<4	6	28	58	1.15	<0.01	1	0.36	170	<1	37	347	64	1.20	<5	35	<10	98	1511	<2	31	16	3	96
153960	1005512	0.046	<1	0.66	40	351	<2	<1	0.67	<4	8	25	15	1.56	<0.01	3	0.59	396	<1	26	465	32	1.67	<5	37	<10	123	1943	<2	40	17	4	51
153961	1005513	1.480	3	0.73	26	237	<2	<1	1.02	<4	6	22	33	1.25	0.02	2	0.80	580	<1	35	331	81	1.02	<5	24	<10	138	1356	<2	26	14	3	269
153962	1005514	0.087	<1	0.76	20	297	<2	<1	0.83	<4	5	29	20	0.92	0.07	3	0.72	596	<1	45	331	49	0.64	<5	35	<10	124	1498	<2	28	17	3	26
153963R	1005514	0.069	<1	1.07	18	312	<2	<1	0.89	<4	5	37	16	0.96	<0.01	8	0.68	603	<1	60	348	47	0.53	<5	35	<10	128	1472	<2	28	18	4	36
153964	1005515	0.199	2	0.42	15	295	<2	<1	0.53	<4	6	46	21	1.01	<0.01	6	0.54	442	<1	69	333	52	0.68	<5	36	<10	117	1470	<2	29	16	3	49
153965	1005516	0.034	<1	0.30	19	248	<2	4	1.43	<4	5	30	6	1.62	0.11	4	0.65	470	<1	47	325	35	1.65	<5	40	<10	164	1268	<2	27	15	4	58
153966	1005517	0.104	7	0.09	27	246	<2	<1	0.66	<4	4	33	4	1.62	0.06	5	0.58	490	<1	50	308	43	1.68	<5	39	<10	122	1377	<2	26	15	3	42
153967	1005518	1.298	62	0.14	44	233	<2	3	<0.01	<4	6	17	21	1.67	<0.01	4	0.34	160	<1	26	300	819	2.03	32	24	<10	83	1393	<2	25	17	3	154
153968	1005519	0.439	18	0.32	43	240	2	<1	0.04	<4	6	32	14	1.47	0.11	9	0.41	194	<1	51	357	67	1.59	<5	36	10	98	1569	<2	29	20	3	62
153969	1005520	<0.005	<1	0.27	2	457	<2	<1	1.19	<4	14	54	23	2.40	0.22	4	0.67	512	<1	32	486	8	0.11	<5	38	10	267	2074	<2	82	56	8	48
153970	1005521	0.051	<1	<0.01	25	196	<2	<1	0.05	<4	4	20	8	1.03	<0.01	6	0.41	262	<1	31	319	34	0.99	<5	28	<10	90	1393	<2	26	19	3	50
153971	1005522	0.082	5	0.61	28	158	<2	<1	1.02	<4	7	37	18	2.03	<0.01	8	0.77	813	<1	60	323	53	1.79	<5	34	<10	109	1282	<2	26	19	4	221
153972	1005523	0.008	<1	0.78	6	209	<2	<1	1.49	<4	5	22	4	1.04	<0.01	8	0.78	557	<1	33	305	25	0.54	<5	41	<10	122	1301	<2	24	16	4	43
153973	1005524	0.008	<1	1.40	10	240	<2	<1	2.33	<4	4	18	5	1.32	<0.01	7	0.73	425	<1	25	321	20	1.12	<5	40	<10	150	1259	<2	26	14	4	16
153974D	1005524	0.007	<1	1.47	10	245	<2	<1	2.35	<4	4	18	5	1.32	<0.01	8	0.72	428	<1	24	326	20	1.14	<5	50	<10	153	1282	<2	26	17	4	17
153975	1005525	0.007	<1	1.48	9	240	<2	4	2.42	<4	5	12	7	1.50	0.03	10	0.90	644	<1	17	374	24	1.38	<5	46	<10	161	1459	<2	29	15	4	40
153976	1005526	0.006	<1	1.27	10	265	<2	<1	2.33	<4	4	15	6	1.41	<0.01	7	0.84	617	<1	22	367	27	1.28	<5	35	11	161	1323	<2	27	17	4	37
153977	1005527	0.007	<1	0.87	15	249	<2	<1	1.25	<4	6	16	8	1.63	<0.01	12	0.81	625	<1	22	329	25	1.87	<5	37	<10	150	1564	<2	28	15	4	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153978	1005528	0.012	<1	0.52	16	291	<2	<1	0.56	<4	6	15	3	1.64	<0.01	13	0.52	388	<1	19	343	21	2.04	<5	35	10	127	1694	<2	29	14	4	43
153979	1005529	<0.005	<1	0.56	8	304	<2	<1	1.18	<4	6	20	4	1.34	0.01	15	0.72	547	<1	26	347	17	1.50	<5	45	11	154	1688	<2	31	17	4	33
153980	1005530	1.070	<1	<0.01	21	528	<2	<1	1.14	<4	14	50	496	3.31	0.06	3	0.67	553	25	29	559	74	0.73	<5	20	<10	244	2048	2	107	41	7	100
153981	1005531	0.006	<1	0.66	7	299	<2	<1	1.53	<4	5	21	6	1.38	0.07	13	0.86	659	<1	31	327	18	1.47	<5	38	10	167	1580	<2	29	15	4	37
153982	1005532	0.006	<1	0.10	9	335	<2	<1	1.12	<4	6	18	3	1.46	<0.01	14	0.66	710	<1	18	332	24	1.57	<5	35	10	161	1668	3	30	16	3	43
153983	1005533	0.005	<1	1.02	7	337	<2	<1	1.28	<4	6	27	2	1.59	0.05	16	0.76	441	<1	35	347	19	1.67	<5	38	<10	207	1744	<2	32	20	4	34
153984	1005534	0.006	<1	<0.01	13	409	<2	<1	1.66	<4	6	21	3	1.39	<0.01	12	0.65	303	<1	23	337	16	1.35	<5	35	<10	260	1623	<2	31	17	3	41
153985D	1005534	0.008	<1	<0.01	12	393	<2	<1	1.63	<4	5	17	3	1.34	<0.01	10	0.63	295	<1	15	316	14	1.34	<5	30	10	257	1563	<2	30	18	3	41
153986	1005535	0.008	<1	0.59	17	420	<2	<1	2.21	<4	6	20	8	1.47	0.03	10	0.69	336	<1	29	386	20	1.59	<5	42	<10	274	1391	<2	32	16	4	35
153987	1005536	0.008	<1	0.46	14	432	<2	<1	0.79	<4	6	22	4	1.11	<0.01	10	0.40	153	<1	29	353	18	1.30	<5	32	10	238	1658	<2	33	16	4	28
153988	1005537	0.015	<1	0.16	11	423	<2	<1	0.61	<4	8	28	4	1.01	<0.01	9	0.43	158	<1	42	325	19	1.04	<5	43	<10	216	1466	<2	34	15	4	30
153989	1005538	0.009	<1	<0.01	26	509	<2	<1	0.52	<4	20	44	8	1.28	<0.01	10	0.41	195	<1	61	368	20	1.12	<5	34	<10	229	1742	<2	46	17	3	78
153990	1005539	0.038	<1	<0.01	2	347	2	3	1.36	<4	17	125	41	3.23	<0.01	13	0.75	500	4	78	437	23	1.81	<5	29	10	270	1810	<2	81	20	6	71
153991	1005540	0.011	<1	<0.01	<2	440	<2	<1	1.02	<4	13	51	21	2.22	<0.01	5	0.55	475	<1	29	456	11	0.12	<5	41	<10	250	2151	4	77	56	6	50
153992	1005541	0.025	<1	<0.01	7	387	2	<1	1.13	<4	21	129	35	3.35	<0.01	14	0.73	455	5	79	455	27	2.84	<5	17	<10	262	1899	3	92	17	5	70
153993	1005542	0.023	<1	1.16	11	585	2	6	1.80	<4	22	152	55	3.74	0.12	21	0.99	649	8	87	473	34	1.79	<5	20	11	196	3070	<2	108	20	8	125
153994	1005543	0.015	<1	0.74	18	601	2	2	1.14	<4	11	45	17	2.06	0.15	15	0.63	553	2	45	532	62	1.84	<5	40	<10	169	2385	<2	54	18	5	119
153995	1005544	0.036	<1	<0.01	27	411	<2	<1	1.51	<4	14	83	20	2.58	0.12	11	0.72	769	<1	57	429	76	2.21	<5	37	10	136	2077	<2	63	17	6	77
153996D	1005544	0.037	<1	0.29	30	423	2	<1	1.60	<4	15	85	20	2.68	0.18	12	0.75	794	2	57	440	79	2.37	<5	37	<10	141	2146	<2	65	20	6	80
153997	1005545	0.062	<1	<0.01	44	543	2	<1	0.18	<4	7	17	19	1.70	<0.01	9	0.31	185	4	25	466	135	1.96	<5	42	<10	114	2089	<2	41	20	3	349

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
153998	1005546	0.059	<1	<0.01	43	507	2	<1	0.24	<4	8	28	17	1.68	<0.01	8	0.33	211	13	39	490	93	1.83	<5	38	11	122	2172	<2	45	18	3	190
153999	1005547	0.228	3	0.19	51	600	<2	<1	0.02	8	9	19	70	1.90	<0.01	5	0.30	146	<1	30	474	823	2.53	<5	38	<10	98	2079	<2	41	36	3	2117
154000	1005548	0.066	<1	0.51	11	568	<2	<1	1.87	<4	9	27	106	1.75	<0.01	8	0.61	482	<1	40	508	55	1.17	<5	38	<10	190	1825	<2	42	17	4	100
154001	1005549	0.022	<1	<0.01	3	520	<2	<1	1.89	<4	8	20	20	1.74	<0.01	3	0.49	445	<1	22	485	26	1.00	<5	41	<10	182	1629	<2	40	18	4	54
154002	1005550	0.233	362	<0.01	4301	8	<2	4	1.41	118	14	43	477	6.75	<0.01	<1	0.55	1254	5	22	415	9607	7.03	74	41	18	202	1519	<2	90	117	6	1343160
154003	1005551	0.016	<1	0.25	6	538	<2	<1	2.20	<4	6	18	16	1.72	<0.01	3	0.60	424	<1	29	455	47	1.13	<5	37	10	201	1480	<2	35	17	4	62
154004	1005552	0.052	<1	0.10	19	483	<2	<1	1.49	<4	9	29	35	1.74	0.17	10	0.72	456	<1	50	499	51	0.96	<5	46	<10	132	2041	<2	43	17	4	284
154005	1005553	0.155	2	<0.01	55	319	<2	<1	<0.01	<4	9	18	48	1.98	0.09	4	0.25	<100	<1	27	350	117	2.65	<5	31	<10	88	1707	<2	35	18	3	165
154006	1005554	0.031	<1	0.55	26	358	<2	<1	2.02	<4	8	22	17	1.77	0.17	10	0.93	667	<1	32	434	37	1.09	<5	37	11	120	1813	<2	40	17	5	53
154007D	1005554	0.040	<1	0.63	30	357	<2	<1	2.06	<4	9	21	15	1.79	0.17	9	0.97	681	<1	29	442	36	1.12	<5	37	11	119	1823	<2	40	18	5	53
154008	1005555	0.045	<1	0.83	31	396	<2	<1	2.16	<4	10	29	20	2.43	0.12	7	1.06	669	<1	32	444	26	1.64	<5	42	10	124	1937	<2	46	16	6	70
154009	1005556	0.028	<1	0.70	16	376	<2	<1	1.39	<4	10	22	23	2.10	0.07	3	0.78	379	<1	29	395	25	1.66	<5	47	<10	117	1759	<2	38	17	6	51
154010	1005557	0.019	<1	1.76	19	424	<2	<1	1.93	<4	8	15	16	1.83	0.14	5	0.99	515	<1	22	404	29	1.12	<5	44	10	145	1737	<2	38	17	6	52
154011	1005558	0.041	<1	1.54	20	526	<2	4	2.20	<4	9	16	17	2.06	<0.01	9	0.90	428	<1	22	472	37	1.25	<5	31	<10	183	1913	<2	38	21	5	356
154012	1005559	0.023	<1	1.66	8	593	<2	<1	2.18	<4	10	13	5	1.84	0.04	7	0.91	464	<1	21	491	33	0.75	<5	38	<10	194	2126	<2	40	19	5	75
154013	1005560	<0.005	<1	0.16	<2	421	<2	<1	1.00	<4	13	47	20	2.15	0.24	1	0.68	462	<1	29	456	15	0.11	<5	35	10	245	2007	<2	76	55	8	48
154014	1005561	0.073	<1	0.93	18	540	<2	<1	1.80	<4	8	13	4	1.64	0.09	7	0.91	537	<1	23	462	29	0.89	<5	37	<10	133	1932	4	37	17	4	75
154015	1005562	0.094	<1	1.34	20	587	<2	<1	1.82	<4	8	13	5	1.59	0.11	9	1.00	555	<1	21	499	22	0.80	<5	41	12	124	2139	<2	40	18	4	61
154016	1005563	0.096	<1	1.18	38	542	2	<1	1.96	<4	7	15	8	1.74	0.12	11	1.01	734	<1	23	489	33	1.07	<5	42	<10	135	1949	<2	39	17	4	62
154017	1005564	0.071	<1	<0.01	40	601	<2	<1	0.10	<4	8	11	5	1.26	0.09	5	0.34	137	<1	17	461	26	1.40	<5	27	<10	93	1864	<2	36	20	3	157

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
154018D	1005564	0.071	<1	0.46	36	615	<2	<1	0.13	<4	8	11	5	1.30	0.10	5	0.37	138	<1	19	482	26	1.45	<5	38	<10	95	1885	<2	37	22	4	155
154019	1005565	0.075	<1	<0.01	27	668	2	<1	<0.01	<4	7	10	4	1.03	0.09	3	0.27	<100	<1	16	486	23	1.24	<5	41	<10	84	1821	<2	37	21	3	118
154020	1005566	0.067	<1	<0.01	27	669	<2	<1	<0.01	<4	8	11	4	1.02	0.05	<1	0.28	<100	<1	20	477	25	1.20	<5	40	<10	82	1816	<2	38	21	3	59
154021	1005567	0.136	<1	<0.01	38	556	<2	<1	<0.01	<4	8	13	8	1.23	<0.01	<1	0.27	<100	<1	22	439	24	1.56	<5	44	<10	78	1491	<2	34	20	4	104
154022	1005568	0.057	<1	0.96	47	495	<2	<1	<0.01	<4	8	9	6	1.45	0.07	<1	0.37	106	<1	16	443	21	1.79	<5	26	11	81	1469	<2	32	18	4	140
154023	1005569	0.034	<1	1.02	36	454	2	<1	1.17	<4	8	10	5	1.64	0.02	6	0.82	500	<1	18	464	31	1.39	<5	36	<10	115	1444	<2	35	18	4	51
154024	1005570	5.022	7	0.85	7	270	<2	<1	2.36	5	29	72	91	4.32	0.11	5	1.49	834	6	48	804	24	0.89	<5	37	<10	294	3760	<2	127	18	10	100
154025	1005571	0.112	<1	<0.01	31	461	2	<1	0.25	<4	8	30	10	1.36	<0.01	1	0.42	237	<1	55	461	28	1.38	<5	36	<10	89	1579	<2	49	20	3	106
154026	1005572	0.053	<1	<0.01	42	555	<2	<1	<0.01	<4	10	16	7	1.59	<0.01	3	0.27	<100	<1	27	510	30	2.00	<5	28	<10	80	1781	<2	49	19	3	33
154027	1005573	0.211	<1	<0.01	28	377	2	<1	0.32	<4	19	134	71	2.76	<0.01	6	0.66	477	8	94	448	38	2.26	<5	46	11	95	1689	<2	99	19	4	179
154028	1005574	0.488	<1	<0.01	23	343	2	<1	0.65	<4	19	151	45	3.00	0.14	8	0.84	760	3	85	495	45	2.10	<5	34	10	101	1754	<2	106	18	6	80
154029R	1005574	0.488	<1	0.55	32	335	<2	<1	0.40	<4	19	150	47	2.94	<0.01	3	0.73	528	3	95	495	45	2.19	<5	23	13	93	1635	<2	102	18	5	86
154030	1005575	0.089	<1	0.35	45	351	<2	<1	<0.01	<4	17	141	35	1.96	<0.01	<1	0.38	164	1	95	432	49	1.89	<5	37	<10	77	1275	<2	99	18	4	58
154031	1005576	1.575	13	0.03	102	357	<2	<1	<0.01	11	11	51	141	2.43	<0.01	<1	0.25	<100	1	66	381	1469	3.19	13	32	<10	79	1170	<2	57	46	4	2720
154032	1005577	0.065	<1	<0.01	18	410	<2	<1	<0.01	6	7	24	43	1.26	<0.01	<1	0.25	<100	<1	41	397	68	1.26	<5	30	<10	73	1254	<2	44	32	3	1405
154033	1005578	0.102	<1	0.40	41	457	<2	<1	<0.01	<4	8	20	14	1.32	<0.01	<1	0.32	<100	<1	32	404	34	1.55	<5	38	<10	72	1580	<2	41	19	4	185
154034	1005579	0.077	<1	0.13	52	468	<2	<1	0.40	<4	10	32	10	1.70	<0.01	2	0.50	254	<1	55	425	34	1.75	<5	37	10	91	1780	<2	51	18	3	116
154035	1005580	<0.005	<1	0.53	2	407	<2	<1	1.04	<4	12	48	21	2.22	<0.01	<1	0.76	468	<1	29	460	10	0.14	<5	39	11	242	1852	<2	74	54	10	43
154036	1005581	0.073	<1	0.24	33	465	<2	<1	0.05	<4	9	22	16	1.18	0.15	<1	0.40	166	<1	37	435	24	1.09	<5	46	<10	68	1806	<2	43	20	4	140
154037	1005582	0.021	<1	0.54	3	454	<2	<1	0.31	<4	8	15	11	0.92	0.13	<1	0.48	225	<1	24	475	20	0.49	<5	32	<10	79	1807	<2	38	21	4	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
154038	1005583	0.041	<1	0.17	<2	539	2	<1	0.34	5	7	14	43	1.02	0.32	<1	0.43	205	8	21	390	89	0.69	<5	39	11	89	1580	<2	35	34	4	1155
154039	1005584	0.032	<1	1.07	31	444	<2	<1	0.88	<4	8	15	25	1.36	0.28	1	0.79	418	<1	26	430	38	1.15	<5	39	11	92	1687	<2	38	21	5	137
154040D	1005584	0.036	<1	0.84	36	422	<2	<1	0.87	<4	8	14	25	1.32	0.28	<1	0.76	409	<1	26	400	37	1.12	<5	32	<10	91	1624	<2	36	20	5	130
154041	1005585	0.053	<1	1.87	11	508	<2	<1	1.84	4	8	18	66	1.71	<0.01	7	1.33	762	<1	29	442	277	0.94	5	41	<10	113	1815	4	40	21	5	535
154042	1005586	0.051	<1	1.40	22	488	<2	<1	1.67	5	9	19	59	1.83	<0.01	5	1.25	734	<1	34	420	210	1.16	<5	36	<10	107	1780	<2	40	25	5	783

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
153898	1005455	31	<0.001	0.031
153899	1005456	24	<0.001	0.024
153900	1005457	79	0.002	0.079
153901	1005458	<5	<0.001	<0.005
153902	1005459	10	<0.001	0.010
153903	1005460	7	<0.001	0.007
153904	1005461	6	<0.001	0.006
153905	1005462	10	<0.001	0.010
153906	1005463	10	<0.001	0.010
153907	1005464	15	<0.001	0.015
153908 Dup	1005464	13	<0.001	0.013
153909	1005465	6	<0.001	0.006
153910	1005466	7	<0.001	0.007
153911	1005467	57	0.002	0.057
153912	1005468	7	<0.001	0.007
153913	1005469	7	<0.001	0.007
153914	1005470	1067	0.031	1.067
153915	1005471	6	<0.001	0.006
153916	1005472	8	<0.001	0.008
153917	1005473	8	<0.001	0.008
153918	1005474	7	<0.001	0.007
153919 Dup	1005474	7	<0.001	0.007
153920	1005475	8	<0.001	0.008
153921	1005476	23	<0.001	0.023
153922	1005477	45	0.001	0.045
153923	1005478	3550	0.104	3.550
153924	1005479	374	0.011	0.374
153925	1005480	<5	<0.001	<0.005
153926	1005481	157	0.005	0.157
153927	1005482	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
153928	1005483	399	0.012	0.399
153929	1005484	457	0.013	0.457
153930 Dup	1005484	431	0.013	0.431
153931	1005485	1183	0.035	1.183
153932	1005486	564	0.016	0.564
153933	1005487	853	0.025	0.853
153934	1005488	1247	0.036	1.247
153935	1005489	38714	1.129	38.714
153936	1005490	239	0.007	0.239
153937	1005491	784	0.023	0.784
153938	1005492	414	0.012	0.414
153939	1005493	228	0.007	0.228
153940	1005494	80	0.002	0.080
153941 Dup	1005494	101	0.003	0.101
153942	1005495	18	<0.001	0.018
153943	1005496	9	<0.001	0.009
153944	1005497	27	<0.001	0.027
153945	1005498	24	<0.001	0.024
153946	1005499	16	<0.001	0.016
153947	1005500	<5	<0.001	<0.005
153948	1005501	36	0.001	0.036
153949	1005502	10	<0.001	0.010
153950	1005503	14	<0.001	0.014
153951	1005504	13	<0.001	0.013
153952 Dup	1005504	17	<0.001	0.017
153953	1005505	63	0.002	0.063
153954	1005506	30	<0.001	0.030
153955	1005507	13	<0.001	0.013
153956	1005508	18	<0.001	0.018
153957	1005509	1824	0.053	1.824

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
153958	1005510	5051	0.147	5.051
153959	1005511	2263	0.066	2.263
153960	1005512	46	0.001	0.046
153961	1005513	1480	0.043	1.480
153962	1005514	87	0.003	0.087
153963 Rep	1005514	69	0.002	0.069
153964	1005515	199	0.006	0.199
153965	1005516	34	0.001	0.034
153966	1005517	104	0.003	0.104
153967	1005518	1298	0.038	1.298
153968	1005519	439	0.013	0.439
153969	1005520	<5	<0.001	<0.005
153970	1005521	51	0.001	0.051
153971	1005522	82	0.002	0.082
153972	1005523	8	<0.001	0.008
153973	1005524	8	<0.001	0.008
153974 Dup	1005524	7	<0.001	0.007
153975	1005525	7	<0.001	0.007
153976	1005526	6	<0.001	0.006
153977	1005527	7	<0.001	0.007
153978	1005528	12	<0.001	0.012
153979	1005529	<5	<0.001	<0.005
153980	1005530	1070	0.031	1.070
153981	1005531	6	<0.001	0.006
153982	1005532	6	<0.001	0.006
153983	1005533	5	<0.001	0.005
153984	1005534	6	<0.001	0.006
153985 Dup	1005534	8	<0.001	0.008
153986	1005535	8	<0.001	0.008
153987	1005536	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, July 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
153988	1005537	15	<0.001	0.015
153989	1005538	9	<0.001	0.009
153990	1005539	38	0.001	0.038
153991	1005540	11	<0.001	0.011
153992	1005541	25	<0.001	0.025
153993	1005542	23	<0.001	0.023
153994	1005543	15	<0.001	0.015
153995	1005544	36	0.001	0.036
153996 Dup	1005544	37	0.001	0.037
153997	1005545	62	0.002	0.062
153998	1005546	59	0.002	0.059
153999	1005547	228	0.007	0.228
154000	1005548	66	0.002	0.066
154001	1005549	22	<0.001	0.022
154002	1005550	233	0.007	0.233
154003	1005551	16	<0.001	0.016
154004	1005552	52	0.002	0.052
154005	1005553	155	0.005	0.155
154006	1005554	31	<0.001	0.031
154007 Dup	1005554	40	0.001	0.040
154008	1005555	45	0.001	0.045
154009	1005556	28	<0.001	0.028
154010	1005557	19	<0.001	0.019
154011	1005558	41	0.001	0.041
154012	1005559	23	<0.001	0.023
154013	1005560	<5	<0.001	<0.005
154014	1005561	73	0.002	0.073
154015	1005562	94	0.003	0.094
154016	1005563	96	0.003	0.096
154017	1005564	71	0.002	0.071

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 6, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/22/2011  
 Date Completed: 07/06/2011  
 Job #: 201142318  
 Reference: TL11180  
 Sample #: 132

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
154018 Dup	1005564	71	0.002	0.071
154019	1005565	75	0.002	0.075
154020	1005566	67	0.002	0.067
154021	1005567	136	0.004	0.136
154022	1005568	57	0.002	0.057
154023	1005569	34	<0.001	0.034
154024	1005570	5022	0.146	5.022
154025	1005571	112	0.003	0.112
154026	1005572	53	0.002	0.053
154027	1005573	211	0.006	0.211
154028	1005574	488	0.014	0.488
154029 Rep	1005574	488	0.014	0.488
154030	1005575	89	0.003	0.089
154031	1005576	1575	0.046	1.575
154032	1005577	65	0.002	0.065
154033	1005578	102	0.003	0.102
154034	1005579	77	0.002	0.077
154035	1005580	<5	<0.001	<0.005
154036	1005581	73	0.002	0.073
154037	1005582	21	<0.001	0.021
154038	1005583	41	0.001	0.041
154039	1005584	32	<0.001	0.032
154040 Dup	1005584	36	0.001	0.036
154041	1005585	53	0.002	0.053
154042	1005586	51	0.001	0.051

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

**Certificate of Analysis**Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959Date Received: 07/08/2011  
Date Completed: 07/18/2011  
Job #: 201142549  
Reference: TL1180  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
168382	1005478	0.081	2.763

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory ManagerThe results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, July 18, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/08/2011  
 Date Completed: 07/18/2011  
 Job #: 201142550  
 Reference: TL11180  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
168383	1005489	28.696	26.070	894.403	64.298	4.26%	41.81

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157625	1075397	0.014	<1	3.13	34	251	2	13	0.73	<4	6	16	15	1.22	0.42	5	0.84	523	<1	25	263	51	0.77	<5	7	<10	96	1078	<2	20	<10	5	135
157626	1075398	0.048	1	4.62	27	319	2	15	0.90	6	6	16	62	1.41	1.01	8	0.89	539	<1	29	327	104	1.00	5	10	<10	123	1275	<2	22	20	6	1522
157627	1075399	0.063	1	3.48	31	270	<2	10	0.71	<4	5	20	69	1.19	0.77	6	0.60	358	<1	39	250	101	0.90	<5	7	<10	107	1065	<2	19	<10	5	363
157628	1075400	<0.005	<1	4.09	2	477	2	17	1.60	<4	16	53	23	2.62	0.51	8	1.00	547	<1	38	505	8	0.07	<5	6	<10	237	1913	<2	82	43	15	62
157629	1075401	0.037	<1	3.22	37	282	2	9	0.65	<4	5	16	33	1.03	0.44	5	0.64	414	<1	27	247	80	0.72	<5	8	<10	105	1072	4	19	<10	5	245
157630	1075402	0.025	<1	4.02	34	344	2	13	0.57	<4	6	18	17	1.34	0.65	8	0.71	395	<1	32	302	38	1.03	<5	14	<10	92	1227	<2	22	<10	5	90
157631	1075403	0.035	1	4.29	50	409	2	13	0.84	<4	6	19	19	1.54	0.69	9	0.74	501	<1	32	286	65	1.27	5	<5	<10	116	1304	<2	23	<10	5	219
157632	1075404	0.052	1	2.93	33	290	2	12	0.66	<4	6	13	14	1.24	0.42	4	0.67	449	<1	23	252	62	1.01	<5	6	<10	85	1058	<2	19	<10	5	176
157633	1075405	0.030	<1	3.30	24	315	2	12	0.87	<4	5	11	13	1.20	0.18	4	0.68	455	<1	23	254	55	0.89	<5	8	<10	109	1063	<2	19	<10	4	225
157634	1075406	0.034	1	4.06	23	357	2	19	1.07	<4	5	12	17	1.26	0.17	5	0.73	468	<1	23	273	72	1.04	6	12	<10	120	1111	<2	20	<10	5	224
157635D	1075406	0.037	1	3.00	25	307	<2	12	0.90	<4	5	11	16	1.18	0.37	3	0.67	436	<1	23	260	66	0.91	<5	12	<10	105	1017	4	18	<10	5	214
157636	1075407	0.059	<1	3.27	27	292	2	12	0.97	<4	5	12	8	1.12	0.53	2	0.48	343	<1	22	250	38	0.99	<5	<5	<10	110	905	<2	17	<10	4	272
157637	1075408	0.031	1	3.90	34	357	<2	19	1.13	<4	6	16	9	1.31	0.88	5	0.69	474	<1	24	287	55	1.01	<5	13	<10	108	1126	<2	21	<10	5	251
157638	1075409	0.033	<1	4.19	28	401	2	9	1.31	<4	6	18	8	1.44	0.96	6	0.86	613	<1	28	285	63	1.09	5	6	<10	121	1201	<2	21	10	5	413
157639	1075410	4.801	8	4.30	5	269	2	12	2.34	<4	25	46	84	4.29	0.57	9	1.86	827	<1	53	748	22	0.75	<5	5	<10	244	1746	8	104	<10	14	106
157640	1075411	0.044	<1	4.03	22	404	<2	15	0.92	<4	7	15	12	1.38	0.39	7	0.70	420	<1	25	284	85	0.96	<5	7	<10	115	1211	<2	23	<10	5	198
157641	1075412	0.056	1	5.24	3	418	2	10	1.15	<4	18	86	33	3.01	0.81	13	1.34	737	<1	73	419	33	1.07	<5	7	<10	157	1894	<2	61	<10	12	159
157642	1075413	0.009	<1	3.77	2	489	<2	13	1.16	<4	10	20	9	1.82	0.86	8	0.68	393	<1	29	434	16	0.63	<5	7	<10	193	1626	<2	34	<10	7	53
157643	1075414	0.005	<1	3.65	<2	359	2	15	0.92	<4	7	18	9	1.02	0.31	8	0.38	181	<1	26	349	21	0.48	<5	14	<10	201	1285	<2	27	<10	6	34
157644	1075415	0.006	<1	3.66	3	330	2	11	0.50	<4	27	12	23	0.55	0.16	5	0.29	<100	<1	44	399	29	0.20	<5	9	<10	179	1476	<2	27	<10	6	205

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157645	1075416	0.011	<1	3.42	2	347	<2	14	0.91	<4	31	23	30	0.89	0.53	6	0.43	208	<1	80	416	30	0.30	<5	10	<10	181	1399	<2	30	<10	6	432
157646D	1075416	0.012	<1	3.74	4	347	2	15	0.98	<4	32	24	31	0.92	0.56	6	0.45	213	<1	84	446	30	0.31	<5	6	<10	190	1427	<2	30	<10	7	455
157647	1075417	0.021	<1	3.29	8	375	2	13	1.24	<4	11	23	27	1.69	0.47	5	0.62	409	<1	32	411	26	0.81	<5	5	<10	171	1418	<2	30	<10	6	177
157648	1075418	0.012	<1	3.49	4	351	2	15	1.08	<4	9	15	9	1.78	0.42	5	0.52	321	<1	26	435	18	0.61	<5	10	<10	170	1530	<2	29	<10	6	57
157649	1075419	0.072	<1	4.43	9	387	<2	13	0.96	<4	9	24	9	1.70	0.54	8	0.58	341	<1	36	415	21	0.69	7	11	<10	155	1659	<2	33	<10	6	71
157650	1075420	<0.005	<1	2.78	5	417	2	13	1.29	<4	13	45	19	2.26	0.19	4	0.85	473	<1	33	430	9	0.13	5	9	<10	208	1691	<2	71	39	13	59
157651	1075421	0.042	<1	5.47	2	402	2	15	1.95	<4	24	104	89	4.02	0.55	16	1.51	1196	<1	87	422	48	1.63	9	5	<10	270	2208	5	72	<10	14	223
157652	1075422	0.112	<1	5.29	<2	327	2	9	1.81	<4	21	109	72	3.55	0.48	19	1.46	1070	<1	74	445	67	0.60	9	5	<10	244	2261	<2	75	<10	14	177
157653	1075423	0.046	<1	7.38	<2	400	3	18	2.45	<4	24	132	52	4.14	0.52	28	1.91	1220	<1	89	530	48	0.67	9	8	<10	285	2608	5	85	<10	16	144
157654	1075424	0.041	<1	5.90	<2	309	3	15	1.69	<4	20	91	78	3.59	0.32	22	1.64	1050	<1	69	492	90	0.66	<5	5	<10	233	2387	<2	72	<10	12	227
157655	1075425	0.081	2	3.55	27	325	<2	13	0.75	8	12	14	65	2.10	0.42	12	0.94	618	<1	25	384	2018	1.59	<5	<5	<10	145	1532	<2	32	25	6	2175
157656	1075426	0.151	2	3.27	25	305	2	15	0.62	7	13	19	85	2.23	0.62	12	0.99	684	<1	36	382	1902	1.69	<5	5	<10	123	1459	<2	30	22	7	2014
157657D	1075426	0.124	3	4.88	28	359	2	16	1.08	9	14	30	104	2.55	0.55	14	1.08	755	<1	57	470	2326	1.96	<5	9	<10	189	1640	<2	33	30	7	2469
157658	1075427	0.071	<1	4.27	27	325	2	24	1.13	4	13	15	40	1.87	0.52	12	1.05	728	<1	34	420	493	1.31	<5	5	10	181	1519	<2	29	15	7	1123
157659	1075428	0.107	<1	5.62	30	393	2	20	1.44	4	14	15	50	1.88	0.64	12	1.08	787	<1	31	469	855	1.31	<5	11	<10	243	1678	<2	31	12	7	992
157660	1075429	0.260	<1	5.17	28	330	2	15	1.96	7	11	18	73	2.47	0.55	12	1.36	1089	<1	34	485	500	1.71	<5	11	<10	249	1616	<2	28	21	8	2024
157661	1075430	1.271	<1	3.78	19	469	3	17	1.57	<4	16	49	500	3.70	0.56	8	1.13	611	12	38	584	75	0.69	<5	<5	<10	197	1687	<2	104	27	15	136
157662	1075431	0.046	<1	4.53	14	400	<2	13	0.88	<4	9	25	41	2.23	0.63	14	1.15	810	<1	46	445	164	1.03	<5	7	<10	156	1776	<2	36	<10	7	315
157663	1075432	0.222	1	3.47	7	358	2	17	0.91	4	10	15	212	2.01	0.48	11	1.02	742	<1	28	383	903	0.80	<5	7	<10	153	1594	<2	30	13	6	1211
157664	1075433	0.187	<1	4.37	5	415	2	17	1.06	<4	9	17	118	1.98	0.57	13	1.17	870	<1	29	417	735	0.62	<5	11	<10	166	1762	2	33	10	7	948

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157665	1075434	0.041	2	3.66	6	420	2	15	0.80	9	9	20	128	1.84	0.79	12	0.95	660	<1	38	415	1393	0.82	<5	10	<10	134	1540	<2	30	32	7	2927
157666	1075435	0.022	<1	3.42	7	672	2	11	1.00	<4	8	18	10	1.65	0.66	13	0.98	521	<1	36	378	53	0.58	<5	9	<10	195	1365	<2	29	<10	7	113
157667	1075436	0.027	<1	4.62	9	630	2	11	1.37	<4	8	18	11	1.62	0.50	14	1.00	499	<1	32	408	26	0.49	<5	9	<10	191	1479	5	29	<10	7	79
157668D	1075436	0.025	<1	5.46	11	680	2	11	1.55	<4	9	22	13	1.83	0.79	17	1.11	558	<1	40	464	27	0.53	<5	12	<10	208	1633	<2	32	<10	8	91
157669	1075437	0.032	<1	4.69	12	463	2	8	1.40	<4	8	23	19	1.78	0.37	14	1.12	627	<1	43	437	39	0.97	6	5	<10	175	1548	4	29	<10	7	138
157670	1075438	0.024	<1	3.76	11	335	2	11	1.22	<4	9	19	8	1.65	0.47	9	0.89	461	<1	38	424	35	0.94	<5	7	<10	152	1444	<2	26	<10	6	134
157671	1075439	0.044	<1	4.53	17	339	2	17	1.55	<4	9	21	23	1.83	0.54	11	0.97	526	<1	42	467	172	1.35	<5	11	<10	175	1424	<2	25	10	7	724
157672	1075440	0.007	<1	3.64	5	470	2	11	1.51	<4	15	51	23	2.54	0.13	6	0.96	523	<1	37	493	9	0.12	8	<5	<10	237	1813	<2	79	43	14	66
157673	1075441	0.046	<1	4.98	14	380	2	12	1.80	<4	9	15	24	1.82	0.65	14	1.12	623	<1	25	420	158	0.83	<5	12	<10	165	1593	<2	30	<10	7	227
157674	1075442	0.023	<1	4.12	10	448	2	11	1.66	<4	8	20	21	1.80	0.45	10	0.94	528	<1	38	416	35	0.91	<5	5	<10	137	1546	5	30	<10	7	142
157675	1075443	0.016	<1	5.22	7	472	2	13	2.18	<4	9	17	15	1.94	0.76	12	1.01	491	<1	27	474	25	0.75	5	9	<10	160	1600	<2	33	<10	8	79
157676	1075444	0.015	<1	3.80	14	290	2	15	1.36	<4	9	15	5	1.56	0.68	10	0.84	416	<1	26	370	25	0.83	<5	13	<10	124	1350	<2	24	<10	7	70
157677	1075445	0.012	<1	6.86	9	468	2	9	2.50	<4	8	17	7	1.73	0.83	13	1.06	511	<1	29	452	25	0.67	<5	5	<10	196	1552	<2	29	<10	8	74
157678	1075446	0.052	<1	6.29	9	480	2	13	2.51	<4	8	16	8	1.73	0.83	11	1.05	516	<1	28	463	24	0.67	11	12	<10	194	1573	2	29	<10	7	76
157679D	1075446	0.056	<1	7.17	6	472	2	12	2.44	<4	8	19	9	1.77	0.76	15	1.11	521	<1	31	456	23	0.67	<5	10	<10	188	1528	2	29	<10	9	80
157680	1075447	0.015	<1	6.46	26	422	2	23	2.26	<4	9	15	5	2.01	0.85	13	1.05	523	<1	27	451	41	1.66	<5	11	<10	185	1533	<2	27	<10	8	85
157681	1075448	0.019	<1	6.93	16	609	3	17	3.14	<4	9	17	19	1.98	0.56	11	1.34	755	<1	32	466	40	0.92	<5	13	<10	186	1628	6	29	<10	8	128
157682	1075449	0.022	<1	3.98	23	397	2	10	1.40	<4	7	14	8	1.41	0.29	6	0.76	413	<1	30	445	48	1.15	<5	9	<10	130	1201	<2	20	<10	7	102
157683	1075450	0.235	352	3.17	4281	113	2	22	1.95	129	16	41	483	7.66	0.40	3	0.92	1364	<1	31	428	9528	6.39	82	18	<10	177	1296	<2	88	133	11	13448
157684	1075451	0.034	5	4.31	98	394	2	11	1.14	<4	9	15	18	1.86	0.54	8	0.78	422	<1	32	498	201	1.76	<5	9	<10	124	1253	<2	22	10	8	596

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157685	1075452	0.034	<1	5.09	50	551	2	18	1.05	<4	10	15	10	2.31	0.82	10	0.69	366	<1	27	440	125	2.40	<5	<5	<10	120	1736	<2	32	<10	7	236
157686	1075453	0.062	<1	5.18	30	320	2	14	2.86	<4	8	21	20	1.89	0.69	7	1.09	765	<1	40	433	80	1.66	6	13	<10	163	1337	<2	27	<10	9	161
157687	1075454	0.057	2	5.07	24	610	2	15	0.56	<4	9	19	26	1.45	0.83	7	0.56	208	<1	35	571	179	1.40	<5	13	<10	120	1579	<2	31	11	8	559
157688	1075455	0.064	3	4.49	26	590	2	9	0.28	<4	11	14	44	1.57	0.89	4	0.43	139	<1	28	537	147	1.58	5	6	<10	95	1608	<2	29	<10	8	295
157689	1075456	0.019	1	5.66	28	371	2	16	1.72	<4	8	23	20	1.80	0.40	10	0.96	467	<1	43	378	38	1.47	<5	7	<10	202	1240	<2	25	<10	8	60
157690R	1075456	0.019	<1	4.52	24	489	2	15	1.24	<4	9	20	15	1.68	1.00	10	0.91	455	<1	31	375	33	1.41	<5	12	<10	157	1445	4	29	<10	6	141
157691	1075457	0.495	9	4.54	34	788	2	17	0.53	<4	12	22	7	1.98	1.20	13	0.56	316	<1	42	445	32	1.70	<5	<5	<10	135	1812	<2	34	<10	5	111
157692	1075458	0.103	13	2.62	6	563	2	19	0.79	<4	8	29	24	1.16	0.74	12	0.52	263	<1	48	309	46	0.42	<5	7	<10	188	1479	4	29	10	4	157
157693	1075459	0.087	8	7.32	6	478	2	18	2.70	<4	11	54	39	3.09	0.67	16	1.68	727	<1	78	443	49	1.06	5	10	<10	274	1691	9	40	<10	11	125
157694	1075460	0.007	<1	2.07	3	438	2	13	1.39	<4	14	48	21	2.33	0.75	8	0.79	494	<1	34	427	6	0.07	<5	6	<10	217	1711	<2	74	38	11	57
157695	1075461	0.062	1	5.88	11	334	2	16	1.76	5	19	99	49	3.55	0.95	18	1.59	595	<1	86	463	60	1.32	6	<5	<10	137	1826	9	65	14	13	1053
157696	1075462	0.791	3	2.55	70	318	2	9	0.50	57	16	70	209	3.51	0.73	9	0.60	335	<1	65	319	212	4.01	5	11	<10	75	1247	<2	54	172	7	17295
157697	1075463	0.149	2	2.17	39	368	2	12	0.61	5	18	100	103	2.48	0.61	15	0.85	394	<1	89	357	190	1.37	<5	<5	<10	84	1378	<2	68	11	7	1060
157698	1075464	0.146	1	4.94	2	320	3	15	0.88	<4	22	106	46	3.65	0.64	20	1.55	539	<1	99	442	47	0.89	<5	8	<10	117	1971	11	74	<10	13	169
157699	1075465	0.990	2	4.57	2	291	2	11	1.01	<4	19	93	42	3.41	0.74	16	1.15	485	<1	92	435	22	1.27	<5	<5	<10	122	1449	<2	53	<10	15	94
157700	1075466	0.104	<1	3.51	5	255	3	12	0.88	<4	21	84	44	3.40	0.81	12	1.16	524	<1	91	489	25	1.30	6	<5	<10	118	1299	<2	49	<10	14	96
157701D	1075466	0.079	<1	3.40	9	244	2	10	0.88	<4	21	78	44	3.37	0.34	12	1.16	514	<1	84	480	28	1.25	<5	9	<10	117	1289	<2	48	<10	15	94
157702	1075467	0.067	<1	3.28	22	378	2	15	0.93	<4	19	110	35	2.98	0.72	15	0.97	544	<1	94	401	32	1.53	<5	<5	<10	133	1535	<2	63	<10	11	191
157703	1075468	0.008	<1	3.82	17	452	<2	9	0.49	<4	8	18	4	0.90	0.80	10	0.51	129	<1	35	208	18	0.57	<5	6	<10	141	1223	<2	25	<10	4	49
157704	1075469	0.006	<1	3.86	11	486	2	12	0.43	<4	7	25	3	0.78	0.74	8	0.50	112	<1	51	195	19	0.36	<5	11	<10	137	1206	2	24	<10	5	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157705	1075470	4.810	8	5.04	7	291	3	18	2.52	<4	26	50	88	4.48	0.58	10	1.94	857	<1	54	794	21	0.78	10	5	<10	269	2038	<2	110	<10	15	108
157706	1075471	0.020	<1	4.48	14	431	2	13	0.65	<4	7	21	7	0.98	0.67	12	0.63	140	<1	44	205	27	0.58	6	9	<10	177	1277	5	26	<10	5	144
157707	1075472	0.011	<1	5.04	12	598	2	19	0.79	<4	8	22	15	1.06	0.49	18	0.80	185	<1	43	306	46	0.46	<5	9	<10	200	1525	<2	29	<10	5	138
157708	1075473	0.026	2	4.18	14	644	2	11	0.55	<4	12	29	18	1.17	0.43	15	0.69	208	<1	49	395	445	0.62	5	<5	<10	144	1657	<2	41	10	7	595
157709	1075474	0.017	<1	4.20	7	716	2	15	0.80	<4	15	19	14	0.77	0.71	12	0.36	136	<1	43	528	24	0.33	5	9	<10	199	1936	<2	47	<10	7	38
157710	1075475	0.066	<1	3.97	8	593	2	13	0.76	<4	12	19	15	0.75	0.58	8	0.30	116	<1	33	458	17	0.44	<5	7	<10	196	1454	<2	38	<10	6	27
157711	1075476	0.041	<1	5.51	11	655	2	13	1.06	<4	11	24	17	0.88	0.93	12	0.37	160	<1	34	483	20	0.55	6	15	<10	266	1795	<2	45	<10	7	37
157712D	1075476	0.034	<1	3.88	11	504	2	15	0.72	<4	10	21	15	0.78	0.46	7	0.32	137	<1	34	428	16	0.44	<5	9	<10	197	1452	<2	36	<10	6	34
157713	1075477	0.352	<1	4.23	14	514	2	9	0.90	<4	10	18	22	1.11	0.38	8	0.41	198	<1	25	416	22	0.74	7	6	<10	248	1624	<2	37	<10	6	59
157714	1075478	0.043	<1	6.25	7	703	2	15	1.30	<4	14	42	28	2.29	0.56	20	0.99	438	<1	45	447	20	0.97	<5	6	<10	261	2141	<2	51	<10	9	66
157715	1075479	0.051	<1	4.80	<2	667	2	14	1.42	<4	13	42	26	2.39	0.82	15	0.87	454	<1	41	401	17	0.70	<5	5	<10	248	2021	2	49	<10	10	79
157716	1075480	<0.005	<1	3.85	6	470	2	8	1.53	<4	15	53	23	2.57	0.29	7	0.97	532	<1	38	486	10	0.06	<5	10	<10	232	1882	<2	79	41	15	58
157717	1075481	0.021	<1	4.57	<2	645	2	15	1.63	<4	14	35	21	2.17	0.75	14	0.89	443	<1	40	429	19	0.72	<5	11	<10	243	2048	<2	44	<10	9	70
157718	1075482	0.040	<1	5.46	11	619	2	14	1.41	<4	16	35	20	1.68	0.58	14	0.73	342	<1	44	378	229	0.95	5	11	<10	274	1948	<2	44	<10	8	396
157719	1075483	0.016	<1	5.33	11	604	2	15	1.36	<4	14	34	17	1.45	0.36	13	0.67	294	<1	39	348	16	0.73	<5	11	<10	266	1950	<2	46	<10	8	55
157720	1075484	2.014	<1	3.56	6	681	2	14	1.21	<4	21	38	20	1.17	0.66	13	0.46	230	<1	77	520	12	0.42	<5	12	<10	274	1768	<2	47	<10	6	315
157721	1075485	0.023	<1	4.57	<2	696	2	14	1.27	<4	18	35	18	1.15	0.38	12	0.55	235	<1	70	546	11	0.34	<5	10	<10	278	1658	<2	43	<10	6	121
157722	1075486	0.049	<1	4.98	<2	700	2	18	1.28	<4	20	25	17	1.12	0.56	12	0.58	235	<1	53	662	19	0.33	5	7	<10	269	1797	<2	43	<10	7	81
157723D	1075486	0.050	<1	4.32	<2	685	2	12	1.32	<4	18	19	15	0.98	0.17	12	0.49	211	<1	41	561	17	0.31	9	6	<10	291	1639	<2	40	<10	6	74
157724	1075487	0.023	<1	3.34	<2	493	2	8	0.82	<4	17	18	15	0.82	0.28	7	0.49	168	<1	42	541	8	0.25	<5	6	<10	204	1569	<2	36	<10	6	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157725	1075488	0.016	<1	3.10	<2	603	2	16	1.23	<4	18	24	15	0.99	0.62	11	0.49	209	<1	50	489	15	0.26	<5	8	<10	289	1786	<2	42	<10	5	48
157726	1075489	0.019	<1	4.19	<2	602	2	12	1.40	<4	12	36	19	1.42	0.59	16	0.79	299	<1	47	411	19	0.41	<5	10	<10	308	1886	<2	46	<10	6	165
157727	1075490	1.286	<1	4.84	16	520	2	15	1.68	<4	17	50	514	3.75	0.43	10	1.17	610	18	38	597	69	0.65	<5	<5	<10	222	1773	2	107	25	16	115
157728	1075491	0.063	<1	5.86	<2	444	2	12	1.22	<4	8	16	14	1.82	0.44	18	1.20	401	<1	27	425	10	0.36	5	8	<10	245	1976	<2	37	<10	7	103
157729	1075492	0.019	<1	5.21	<2	516	2	17	0.93	<4	10	16	72	0.81	0.57	17	0.90	151	<1	25	449	16	0.23	<5	7	<10	193	1720	<2	39	<10	7	42
157730	1075493	0.019	<1	4.44	<2	526	2	13	1.21	<4	10	26	18	1.34	0.55	14	0.82	282	<1	40	371	21	0.30	7	11	<10	220	1707	<2	39	<10	7	76
157731	1075494	0.017	<1	2.32	<2	519	2	13	1.33	<4	10	16	22	1.55	0.75	17	0.72	340	<1	22	345	12	0.23	<5	<5	<10	228	2002	<2	39	<10	5	72
157732	1075495	0.013	<1	4.52	3	495	2	13	1.77	<4	7	11	12	1.35	0.78	14	1.01	436	<1	23	492	16	0.34	<5	<5	<10	107	1488	3	29	<10	7	40
157733	1075496	0.020	<1	6.03	11	598	2	16	1.93	<4	8	15	12	1.32	0.72	15	1.13	561	<1	30	517	168	0.34	5	15	<10	164	1581	<2	28	<10	8	168
157734D	1075496	0.019	<1	4.35	8	537	2	13	1.74	<4	8	14	12	1.30	0.90	12	1.05	551	<1	30	470	165	0.39	<5	16	<10	142	1432	<2	26	<10	7	169
157735	1075497	0.060	<1	5.25	26	406	2	9	1.84	<4	8	8	20	1.42	0.57	10	0.99	539	<1	21	510	246	1.09	9	11	<10	141	1360	<2	22	<10	7	442
157736	1075498	0.137	<1	4.72	16	390	2	9	1.36	<4	7	12	59	1.12	0.30	11	0.91	476	<1	27	512	65	0.67	<5	9	<10	117	1456	<2	23	<10	7	173
157737	1075499	0.040	<1	4.12	16	297	2	11	1.33	<4	7	9	22	0.99	0.20	8	0.84	421	<1	24	488	24	0.54	<5	11	<10	109	1220	3	20	<10	6	38
157738	1075500	0.009	<1	4.27	<2	454	2	17	1.46	<4	13	46	20	2.31	0.25	8	0.89	483	<1	33	445	9	0.09	<5	<5	<10	239	1835	<2	73	40	14	60
157739	1075501	0.032	<1	4.60	9	403	2	15	1.56	<4	7	13	20	1.17	0.51	9	0.89	493	<1	26	421	55	0.44	<5	10	<10	123	1431	7	27	<10	6	94
157740	1075502	0.057	<1	5.67	6	438	2	13	1.46	<4	6	15	4	1.16	0.89	15	1.20	719	<1	32	404	58	0.51	<5	12	<10	118	1519	7	25	<10	7	91
157741	1075503	0.048	<1	4.88	6	418	2	15	1.06	<4	5	13	15	1.11	0.61	12	1.08	601	<1	28	401	35	0.41	<5	8	<10	96	1637	<2	28	<10	6	50
157742	1075504	0.131	8	5.30	12	584	3	12	0.74	<4	7	18	104	1.54	1.09	18	0.65	356	<1	39	423	439	0.91	<5	11	<10	98	1895	<2	31	15	5	861
157743	1075505	0.043	<1	4.79	10	459	2	16	0.80	<4	6	12	9	1.16	0.65	13	0.89	472	<1	25	398	33	0.43	<5	11	<10	89	1644	<2	28	<10	6	54
157744	1075506	0.110	1	6.01	6	525	2	11	1.08	<4	7	10	10	1.24	1.02	15	0.95	511	<1	19	446	36	0.52	6	12	<10	111	1902	<2	31	<10	6	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157745D	1075506	0.087	1	5.98	8	534	2	17	1.06	<4	7	10	10	1.29	0.46	15	0.96	528	<1	20	446	31	0.55	<5	7	<10	109	1907	<2	32	<10	7	60
157746	1075507	0.092	2	4.41	<2	393	2	13	1.00	<4	5	14	50	1.18	0.32	13	1.18	734	<1	27	413	91	0.37	<5	7	<10	112	1548	<2	27	<10	7	260
157747	1075508	2.477	16	3.72	13	436	3	16	0.59	16	6	14	139	2.16	0.21	12	0.53	397	<1	32	355	2676	1.87	12	7	<10	126	1523	<2	27	73	5	7002
157748	1075509	0.041	1	3.50	<2	402	2	11	0.54	<4	6	12	63	1.03	0.16	6	0.47	365	<1	25	557	153	0.46	6	9	<10	99	1273	<2	21	12	6	316
157749	1075510	0.231	100	3.06	217	451	2	17	1.10	24	14	40	6246	5.26	0.35	5	1.14	1614	7	27	386	10354	2.38	271	<5	<10	172	1569	<2	71	46	13	5125
157750	1075511	0.031	2	5.91	<2	580	3	16	1.35	<4	6	16	86	1.13	0.89	21	0.74	572	4	31	446	206	0.41	7	8	<10	207	2109	9	35	<10	5	150
157751	1075512	0.013	<1	4.31	<2	478	<2	11	1.07	<4	20	12	40	1.57	0.52	10	0.97	737	<1	32	427	41	0.39	5	6	<10	113	1571	<2	29	<10	7	182
157752	1075513	0.181	5	4.83	24	493	2	11	1.15	<4	16	10	77	1.48	0.50	9	0.92	575	<1	23	378	504	0.76	11	6	<10	107	1500	3	27	<10	7	337
157753	1075514	0.266	<1	5.12	26	491	2	14	0.87	<4	12	17	23	1.27	0.54	9	0.81	439	<1	37	369	37	0.81	<5	6	<10	105	1473	<2	25	<10	7	81
157754	1075515	0.571	1	5.98	58	552	2	14	0.55	<4	24	26	55	1.41	0.95	9	0.58	241	<1	62	427	68	1.07	9	9	<10	106	1705	<2	30	<10	7	192
157755	1075516	0.218	<1	5.87	23	511	2	11	1.08	<4	8	13	89	1.51	0.90	12	0.88	564	<1	25	400	99	1.12	<5	13	<10	108	1630	6	27	<10	6	264
157756R	1075516	0.254	<1	4.29	29	439	2	15	0.84	<4	7	9	47	1.28	0.30	7	0.75	422	<1	19	368	51	0.95	<5	9	<10	96	1439	<2	24	<10	5	154
157757	1075517	2.371	7	2.85	115	198	2	20	0.26	30	6	14	186	4.53	0.22	6	0.41	214	1	24	267	1349	5.55	92	9	<10	61	1223	<2	22	86	5	9537
157758	1075518	0.099	<1	4.64	40	481	2	17	0.87	<4	32	21	63	1.41	0.21	13	0.70	586	<1	43	404	89	0.85	11	<5	<10	111	1797	<2	33	<10	6	205
157759	1075519	0.777	7	5.62	14	455	2	16	0.94	<4	25	14	513	1.05	0.27	15	0.75	576	<1	30	446	31	0.40	<5	7	<10	109	1944	2	37	<10	6	87
157760	1075520	0.006	<1	4.47	<2	456	2	19	1.49	<4	14	45	24	2.31	0.21	9	0.90	486	<1	32	448	10	0.07	<5	8	<10	236	1837	<2	74	37	14	54
157761	1075521	0.054	<1	4.80	11	432	2	12	0.83	<4	13	17	28	0.88	0.15	13	0.75	592	<1	25	412	29	0.27	5	10	<10	100	1789	<2	35	<10	6	50
157762	1075522	0.497	3	4.69	90	487	2	16	0.63	<4	112	12	101	1.09	0.32	15	0.55	354	<1	68	450	34	0.73	5	15	<10	103	1871	<2	33	<10	5	595
157763	1075523	0.056	<1	4.41	13	406	2	10	0.63	<4	8	15	9	1.04	0.22	9	0.50	356	<1	26	428	20	0.41	<5	13	<10	93	1685	<2	29	<10	6	39
157764	1075524	1.408	<1	4.02	21	442	2	13	0.98	<4	8	17	61	1.71	0.17	11	0.74	743	<1	23	384	91	0.89	<5	5	<10	97	1689	2	32	<10	6	334

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157765	1075525	0.302	<1	4.25	14	449	2	9	1.16	<4	8	24	13	1.65	0.25	10	0.87	847	<1	27	401	23	0.55	5	13	<10	96	1676	<2	32	<10	7	60
157766	1075526	1.066	<1	5.38	22	451	2	10	1.32	<4	9	15	59	1.68	0.15	11	0.81	710	<1	21	420	69	0.80	8	9	<10	116	1710	8	31	<10	7	257
157767D	1075526	1.354	<1	5.37	19	418	<2	19	1.30	<4	8	15	57	1.65	0.23	11	0.81	688	<1	21	422	69	0.76	5	<5	<10	116	1657	<2	29	<10	7	259
157768	1075527	0.284	<1	4.89	17	433	2	18	1.13	<4	8	18	14	1.64	0.20	12	0.87	911	<1	27	411	26	0.62	5	9	<10	106	1756	5	32	<10	7	71
157769	1075528	1.611	4	4.40	88	359	2	9	0.50	8	10	19	227	2.69	0.18	10	0.51	396	<1	26	347	721	2.83	5	<5	<10	88	1648	<2	30	21	6	2175
157770	1075529	0.804	<1	4.91	30	451	2	11	1.06	<4	8	21	30	1.85	0.30	13	0.75	597	<1	22	360	169	1.25	<5	9	<10	118	1786	<2	34	<10	7	219
157771	1075530	4.945	8	5.37	8	286	2	7	2.40	<4	24	45	82	4.16	0.44	12	1.82	801	<1	51	736	28	0.73	<5	<5	<10	259	1913	10	101	<10	15	103
157772	1075531	0.306	<1	4.59	7	522	2	10	1.45	<4	9	31	16	1.86	0.18	16	0.77	692	<1	32	376	22	0.51	<5	6	<10	136	1971	<2	38	<10	7	72
157773	1075532	0.247	<1	4.12	7	448	2	8	1.22	<4	9	24	16	1.92	0.24	13	0.73	588	<1	24	354	97	0.59	6	7	<10	116	1834	<2	34	<10	7	95
157774	1075533	0.325	<1	6.39	19	558	2	10	1.27	<4	11	35	19	2.05	1.02	17	0.73	585	<1	37	465	21	0.95	9	12	<10	125	2124	<2	39	<10	9	70
157775	1075534	0.146	<1	5.18	19	416	2	10	0.98	<4	8	19	9	1.64	0.54	11	0.67	513	<1	21	419	24	1.09	<5	<5	<10	107	1712	<2	35	<10	7	64
157776	1075535	0.169	3	3.43	14	318	<2	15	0.64	4	8	17	28	1.63	0.14	8	0.70	489	<1	26	343	286	1.38	6	10	<10	89	1309	<2	28	13	5	1350
157777	1075536	0.122	<1	4.23	22	349	2	13	1.54	<4	9	25	33	1.44	0.03	7	0.92	579	<1	40	357	69	0.85	<5	7	<10	134	1291	<2	25	<10	6	135
157778D	1075536	0.105	<1	4.56	24	342	2	15	1.69	<4	9	25	33	1.48	<0.01	7	0.96	603	<1	39	374	69	0.87	<5	10	<10	144	1287	<2	25	<10	7	125
157779	1075537	0.081	<1	8.23	31	432	3	18	1.66	<4	12	41	15	2.37	0.70	21	1.80	905	<1	43	526	41	1.35	10	19	<10	171	2084	7	41	<10	10	196
157780	1075538	0.013	<1	4.28	4	304	2	17	0.90	<4	4	14	7	1.01	0.20	12	1.19	672	<1	22	311	18	0.38	5	18	<10	115	1362	<2	25	<10	5	59
157781	1075539	0.039	<1	4.84	17	289	2	8	0.98	<4	11	16	14	1.82	0.15	11	1.30	727	<1	25	321	17	1.55	<5	8	<10	112	1281	<2	26	<10	5	63
157782	1075540	<0.005	<1	3.72	3	409	2	14	1.36	<4	13	43	19	2.23	0.04	7	0.89	468	<1	31	427	14	0.10	<5	5	<10	207	1637	<2	69	36	14	49
157783	1075541	0.029	<1	7.32	12	340	2	28	1.24	<4	8	15	7	1.01	0.75	16	1.67	799	<1	22	394	20	0.40	5	11	13	134	1564	4	28	<10	7	45
157784	1075542	0.052	<1	5.77	10	342	2	10	1.20	<4	5	17	4	1.06	0.22	17	1.20	639	<1	19	341	19	0.58	<5	8	<10	129	1451	8	26	<10	6	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157785	1075543	0.112	<1	5.29	13	279	2	14	1.17	<4	5	14	7	1.31	0.23	14	1.26	607	<1	21	313	21	0.78	<5	7	<10	117	1398	8	23	<10	6	56
157786	1075544	0.071	<1	4.93	23	282	2	15	1.13	<4	8	19	13	1.42	0.19	12	1.10	600	<1	22	306	28	0.92	6	13	<10	120	1468	<2	27	<10	6	171
157787	1075545	0.025	<1	5.37	23	391	2	12	1.31	<4	9	19	10	2.05	0.38	16	1.06	761	<1	28	427	19	1.13	<5	<5	<10	119	1858	3	37	<10	8	71
157788	1075546	0.026	<1	6.36	29	429	2	14	1.25	<4	11	26	11	2.26	0.73	17	1.09	763	<1	31	472	25	1.36	5	6	<10	123	2068	<2	39	<10	9	67
157789D	1075546	0.040	<1	3.56	24	376	2	9	1.43	<4	9	21	10	1.91	0.53	12	0.79	664	<1	25	380	21	1.18	<5	7	<10	139	1813	<2	33	<10	6	58
157790	1075547	0.032	2	4.76	16	273	2	16	1.80	<4	11	19	15	2.67	<0.01	10	1.05	718	<1	31	362	18	1.42	<5	<5	<10	152	1475	2	25	<10	9	103
157791	1075548	0.046	6	4.23	7	221	2	13	1.52	<4	11	23	30	4.13	0.02	11	1.24	956	<1	37	301	31	2.19	<5	11	<10	141	1314	<2	24	<10	12	150
157792	1075549	0.021	<1	5.83	8	291	2	16	1.26	<4	7	26	9	1.53	0.16	11	0.87	662	<1	40	405	15	0.50	8	15	<10	144	1842	<2	35	<10	8	49
157793	1075550	1.048	<1	4.10	15	469	2	9	1.55	<4	16	47	487	3.56	0.33	8	1.10	584	13	36	567	73	0.65	6	<5	<10	205	1682	<2	102	25	15	108
157794	1075551	0.016	1	5.05	13	322	2	13	1.21	<4	9	19	16	1.71	0.14	16	0.87	643	<1	23	342	22	0.67	<5	7	<10	147	1991	2	36	<10	7	69
157795	1075552	0.010	2	6.04	6	277	2	11	1.58	<4	7	17	15	1.69	0.35	14	1.09	759	<1	24	347	16	0.53	<5	5	<10	145	1743	<2	31	<10	8	57
157796	1075553	0.010	1	5.21	20	299	2	10	1.46	<4	12	18	11	1.88	0.36	15	0.85	573	<1	24	391	18	1.30	<5	8	<10	137	1853	2	39	<10	7	234
157797	1075554	0.018	1	6.55	13	282	2	14	1.90	<4	6	12	16	1.94	0.23	13	1.11	646	<1	17	668	32	1.52	5	<5	<10	150	1525	<2	31	<10	8	56
157798	1075555	0.010	<1	3.83	16	366	<2	12	0.51	<4	6	14	3	1.66	0.27	9	0.47	263	<1	21	278	28	1.69	<5	11	<10	84	1444	<2	29	<10	5	55
157799	1075556	0.558	10	3.27	14	288	2	15	<0.01	<4	4	13	12	1.13	0.18	3	0.28	<100	<1	24	267	203	1.16	12	6	<10	49	1124	<2	21	13	4	798
157800D	1075556	0.448	12	3.20	17	268	2	7	<0.01	<4	4	12	12	1.16	0.10	1	0.28	<100	<1	22	275	210	1.23	12	9	<10	45	1028	<2	20	<10	4	831
157801	1075557	0.135	9	3.29	18	308	2	9	<0.01	<4	5	18	29	0.93	0.11	4	0.30	<100	<1	27	293	65	0.98	12	6	<10	52	1072	<2	21	<10	4	351
157802	1075558	0.494	9	3.78	16	346	2	14	<0.01	<4	4	14	50	0.94	<0.01	6	0.35	<100	<1	24	294	171	0.92	11	6	<10	57	1156	<2	22	<10	4	321
157803	1075559	0.638	2	4.39	19	355	2	10	<0.01	<4	4	27	27	1.07	0.25	4	0.35	<100	<1	41	340	65	0.95	<5	7	<10	51	1103	<2	22	<10	5	260
157804	1075560	<0.005	<1	4.12	<2	441	2	15	1.42	<4	13	45	20	2.28	0.40	8	0.89	472	<1	33	435	9	0.12	<5	11	<10	227	1766	<2	72	38	14	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157805	1075561	0.452	2	4.33	22	298	2	12	0.01	<4	5	15	29	1.09	0.35	6	0.36	<100	<1	24	316	77	0.99	<5	5	<10	54	1219	<2	25	<10	5	112
157806	1075562	0.464	2	5.81	24	243	3	11	0.90	<4	6	21	24	1.41	0.18	12	0.72	439	<1	35	336	55	0.85	9	10	<10	77	1383	<2	25	<10	6	154
157807	1075563	0.029	1	6.67	114	224	2	13	1.84	<4	7	17	8	1.83	0.39	16	1.12	814	<1	33	443	25	0.79	<5	8	<10	91	1503	<2	23	<10	7	56
157808	1075564	0.010	<1	6.91	5	274	3	13	2.59	<4	6	14	11	1.81	0.47	21	1.27	869	2	20	377	33	0.38	<5	13	<10	118	1715	7	28	<10	7	57
157809	1075565	0.034	<1	5.85	23	196	3	17	2.06	<4	5	16	14	1.50	0.22	19	1.11	812	<1	24	317	27	0.84	<5	5	<10	97	1353	5	23	<10	6	52
157810	1075566	0.031	<1	5.41	33	177	2	15	1.88	<4	5	14	16	1.32	0.30	14	1.04	792	<1	22	306	25	0.65	<5	12	<10	90	1235	9	21	<10	6	70
157811D	1075566	0.027	<1	6.24	23	177	2	13	2.08	<4	5	14	17	1.39	0.15	15	1.11	823	<1	23	342	27	0.78	8	12	<10	97	1292	3	21	<10	7	72
157812	1075567	0.073	2	5.58	47	234	2	18	0.37	<4	8	22	42	1.54	0.26	11	0.45	215	<1	31	403	23	1.45	<5	8	<10	68	1713	<2	36	<10	6	206
157813	1075568	0.030	1	5.48	25	171	2	13	0.70	<4	6	17	23	0.92	0.19	10	0.55	373	<1	22	380	31	0.73	6	9	<10	77	1385	<2	27	<10	7	118
157814	1075569	0.437	7	4.09	39	137	2	9	0.41	<4	5	13	28	1.15	0.24	6	0.52	282	<1	19	292	96	1.13	<5	10	<10	57	1085	<2	20	<10	6	91
157815	1075570	0.257	105	4.88	252	514	2	14	1.45	28	17	48	6120	6.32	0.64	11	1.38	1920	14	34	461	10233	2.89	340	6	<10	211	1916	<2	83	54	16	5302
157816	1075571	0.060	11	4.12	26	192	2	11	0.08	<4	5	21	114	1.00	0.11	8	0.37	107	<1	27	275	154	0.81	6	9	<10	60	1347	<2	25	<10	4	123
157817	1075572	0.146	2	3.68	20	208	3	13	0.08	<4	5	19	20	1.04	0.25	9	0.33	<100	<1	36	295	23	0.86	<5	14	<10	62	1426	<2	27	<10	4	129
157818	1075573	0.057	1	4.55	16	222	2	15	0.08	<4	6	18	18	1.14	0.32	8	0.33	<100	<1	23	307	18	0.81	<5	7	<10	62	1537	<2	28	<10	4	83
157819	1075574	0.017	3	4.60	6	230	3	14	0.69	<4	5	19	15	1.37	0.60	17	0.53	442	3	28	320	70	0.79	<5	8	<10	80	1641	<2	29	<10	4	267
157820	1075575	0.008	<1	6.12	3	170	2	13	1.94	<4	5	22	5	1.32	0.37	15	1.19	923	<1	32	338	30	0.43	<5	11	<10	103	1277	2	21	<10	6	45
157821	1075576	0.010	<1	5.86	16	199	2	13	2.00	<4	7	15	6	1.76	0.53	15	1.11	794	<1	27	362	23	0.91	<5	6	<10	112	1391	2	22	<10	6	202
157822R	1075576	0.015	<1	5.74	14	156	2	15	1.96	<4	7	23	5	1.72	0.26	11	1.04	716	<1	49	368	19	0.88	7	8	<10	108	1176	<2	19	<10	6	45
157823	1075577	0.012	<1	5.11	26	178	2	12	2.01	<4	5	19	5	1.33	0.15	9	1.07	756	<1	29	352	18	0.60	<5	10	<10	104	1053	<2	18	<10	6	32
157824	1075578	0.073	5	4.68	29	182	2	11	1.65	<4	6	18	11	1.33	0.32	11	0.87	624	<1	33	353	37	0.81	<5	12	<10	109	1178	2	19	<10	6	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157825	1075579	0.013	1	8.36	23	315	2	16	3.69	<4	7	20	7	2.11	0.70	18	1.79	795	<1	26	396	24	0.67	<5	12	<10	180	1525	29	29	<10	8	54
157826	1075580	0.007	<1	3.10	<2	460	2	10	1.50	<4	14	47	20	2.34	0.37	9	0.84	503	<1	34	438	13	0.04	10	6	<10	234	1845	<2	75	40	11	55
157827	1075581	0.011	<1	6.17	8	280	2	14	2.86	<4	5	14	4	1.69	0.52	15	1.42	500	<1	23	346	16	0.40	<5	10	<10	180	1365	<2	24	<10	7	41
157828	1075582	0.073	1	3.13	63	146	3	16	1.62	<4	92	55	29	3.60	0.54	9	0.84	338	<1	62	189	15	2.86	<5	6	<10	100	998	<2	27	<10	7	45
157829	1075583	0.016	<1	2.49	30	406	3	12	1.22	<4	12	15	15	1.58	0.38	12	0.47	207	<1	25	419	24	0.82	<5	5	<10	177	1697	<2	34	<10	4	53
157830	1075584	0.019	<1	5.23	39	438	2	17	1.41	<4	10	16	13	1.49	0.73	15	0.62	197	<1	27	592	49	0.91	<5	7	<10	219	1785	<2	35	<10	7	104
157831	1075585	0.103	<1	6.43	33	303	3	10	2.78	<4	25	114	62	4.59	0.66	15	1.66	880	<1	98	565	64	3.14	<5	8	<10	216	1945	<2	71	<10	17	111
157832	1075586	0.072	<1	8.14	26	353	4	13	3.23	<4	25	139	54	4.46	0.74	19	1.79	980	<1	106	570	65	2.73	6	13	<10	247	2231	9	85	<10	19	118
157833D	1075586	0.084	<1	7.64	26	377	3	14	3.03	<4	24	134	51	4.22	0.41	20	1.66	954	<1	95	522	65	2.70	5	7	<10	234	2181	<2	82	<10	17	114
157834	1075587	0.204	1	4.95	102	366	3	19	1.56	<4	20	72	33	3.48	0.39	10	0.91	511	<1	73	498	65	3.62	6	6	<10	135	1366	<2	57	<10	12	185
157835	1075588	0.249	1	4.51	119	437	3	17	1.19	<4	19	89	39	3.17	0.26	11	0.75	430	7	72	436	74	3.25	<5	<5	<10	102	1638	<2	61	<10	11	270
157836	1075589	0.457	2	2.70	72	493	2	11	0.29	<4	14	56	23	2.60	0.12	8	0.28	178	6	48	380	164	2.95	5	8	<10	85	1574	<2	50	<10	6	250
157837	1075590	5.116	9	5.11	4	296	2	15	2.65	<4	27	57	89	4.44	0.39	13	1.90	860	<1	54	773	28	0.83	5	5	<10	278	2234	15	114	<10	15	109
157838	1075591	0.550	1	2.52	103	457	3	16	0.13	<4	20	93	53	2.70	0.36	7	0.28	<100	5	84	439	63	2.97	5	7	<10	77	1629	<2	74	<10	7	108
157839	1075592	2.860	11	2.03	122	363	2	17	0.02	<4	18	93	59	2.54	0.21	4	0.23	<100	3	64	294	156	2.92	18	5	<10	62	1325	<2	65	<10	6	192
157840	1075593	0.099	1	3.50	58	353	2	13	0.45	<4	15	75	53	1.84	0.28	7	0.44	174	<1	84	506	79	1.61	<5	10	<10	77	1310	<2	55	<10	10	104
157841	1075594	0.486	<1	5.66	48	328	2	21	1.61	<4	11	29	20	2.15	0.59	13	0.90	455	2	44	497	51	1.76	6	6	<10	118	1300	6	30	<10	10	78
157842	1075595	0.254	<1	4.58	127	218	3	16	2.03	<4	21	52	58	3.28	0.41	9	0.82	408	1	97	691	45	1.72	7	<5	<10	141	1661	<2	38	<10	17	57
157843	1075596	0.098	<1	4.63	5	202	2	22	1.46	<4	21	81	42	3.66	0.57	14	1.62	645	<1	77	487	28	1.04	8	8	<10	116	2013	5	57	<10	15	110
157844D	1075596	0.085	<1	4.27	3	184	2	13	1.42	<4	22	79	42	3.66	0.39	13	1.61	641	<1	80	486	28	1.08	<5	8	<10	114	1968	<2	54	<10	15	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157845	1075597	0.061	<1	5.81	5	244	2	15	1.52	<4	27	103	46	4.22	0.28	19	1.74	690	<1	88	492	27	1.37	<5	8	<10	128	2377	<2	75	<10	17	99
157846	1075598	0.075	<1	5.91	31	310	3	16	1.94	<4	13	39	43	2.39	0.27	13	1.11	513	<1	58	494	69	1.55	<5	7	<10	155	1574	<2	36	<10	10	67
157847	1075599	0.131	<1	4.94	48	368	2	12	1.49	<4	9	18	14	1.75	0.50	11	0.76	372	<1	34	481	19	1.16	<5	9	<10	128	1403	<2	24	<10	7	81
157848	1075600	<0.005	<1	4.04	2	454	2	10	1.50	<4	14	48	21	2.40	0.37	8	0.92	495	<1	35	463	12	0.05	<5	10	<10	231	1791	<2	75	42	14	54
157849	1075601	0.026	<1	5.27	35	341	2	14	1.89	<4	9	13	18	1.75	0.28	13	0.99	530	<1	22	471	16	0.91	<5	6	<10	143	1538	<2	25	<10	7	88
157850	1075602	0.151	<1	5.76	54	356	2	13	2.10	<4	11	13	23	2.25	0.33	14	1.02	672	<1	25	482	26	1.37	<5	9	<10	139	1669	<2	29	<10	7	108
157851	1075603	0.054	<1	6.15	36	303	3	15	2.48	<4	9	13	18	1.91	0.69	13	1.19	759	<1	28	542	24	0.99	6	7	<10	157	1541	<2	24	<10	8	72
157852	1075604	0.090	<1	4.42	47	285	2	9	1.42	<4	9	16	37	1.74	0.22	12	0.81	427	<1	33	488	19	1.28	<5	7	<10	121	1448	<2	25	<10	6	67
157853	1075605	0.651	<1	4.57	42	319	3	18	1.74	<4	10	17	37	1.94	0.30	12	0.88	461	<1	34	481	17	1.26	<5	8	<10	141	1571	<2	27	<10	6	89
157854	1075606	0.078	<1	4.19	38	264	2	13	1.73	<4	9	11	29	1.82	0.30	9	0.89	449	<1	22	445	16	1.17	7	6	<10	136	1337	2	22	<10	6	84
157855D	1075606	0.069	<1	4.50	40	276	2	17	1.88	<4	10	12	32	1.91	0.23	10	0.94	482	<1	23	490	15	1.24	<5	7	<10	145	1399	<2	23	<10	7	85
157856	1075607	0.095	<1	2.98	54	273	2	13	1.57	<4	11	17	46	1.93	0.48	10	0.71	396	<1	35	498	16	1.19	<5	5	<10	127	1436	<2	25	<10	5	90
157857	1075608	0.145	2	4.93	53	280	2	11	1.41	<4	11	17	75	2.01	0.49	11	0.82	422	<1	34	525	15	1.51	<5	11	<10	113	1496	<2	27	<10	7	225
157858	1075609	0.293	<1	4.74	52	183	2	10	1.88	<4	19	18	63	1.97	0.44	8	0.99	531	<1	37	498	18	1.38	<5	9	<10	120	1247	<2	22	<10	7	170
157859	1075610	1.168	1	4.81	17	532	3	15	1.68	<4	16	48	505	3.63	0.56	10	1.12	594	19	36	585	72	0.62	5	6	<10	231	1774	<2	104	29	15	111
157860	1075611	0.240	<1	4.71	70	247	2	12	1.00	<4	23	60	59	3.02	0.42	8	0.85	406	<1	76	536	31	2.25	8	5	<10	91	1533	<2	53	<10	13	378
157861	1075612	0.124	<1	4.42	28	284	2	16	0.70	<4	23	98	50	3.20	0.37	14	1.13	470	1	89	477	41	1.87	<5	12	<10	73	1825	<2	65	<10	12	86
157862	1075613	0.054	<1	2.94	24	435	3	17	0.86	<4	14	64	35	2.22	0.37	12	0.81	467	<1	65	516	43	1.32	9	6	<10	70	1636	<2	50	<10	8	196
157863	1075614	0.064	<1	3.27	28	449	2	16	0.64	<4	8	18	24	1.29	0.28	10	0.58	296	<1	32	410	53	0.96	<5	7	<10	67	1448	<2	29	<10	5	218
157864	1075615	0.091	<1	5.36	30	450	3	18	1.75	<4	9	24	17	1.94	0.17	14	1.10	752	<1	43	496	48	1.48	<5	6	<10	104	1670	4	32	<10	7	137

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
157865	1075616	0.060	<1	4.92	28	467	3	14	1.17	<4	9	21	44	1.47	0.39	13	0.82	440	<1	36	491	21	1.03	<5	10	<10	88	1575	<2	30	10	7	181
157866D	1075616	0.061	<1	3.45	25	330	2	12	1.00	<4	8	16	39	1.30	0.17	8	0.74	382	<1	31	445	19	0.98	<5	8	<10	77	1204	<2	22	<10	6	157
157867	1075617	0.027	<1	5.77	29	549	2	6	2.40	<4	8	22	57	1.87	0.48	10	1.42	852	<1	41	456	24	1.03	<5	8	<10	102	1447	<2	29	<10	7	179
157868	1075618	0.022	<1	4.54	31	396	3	10	1.87	<4	9	14	20	1.80	0.69	8	1.16	703	<1	27	438	26	1.41	<5	6	<10	93	1323	6	24	<10	7	97
157869	1075619	0.014	<1	6.07	21	515	3	13	1.92	<4	9	18	17	1.45	0.64	14	1.13	717	<1	34	465	34	0.89	<5	9	<10	105	1460	3	26	<10	8	166
157870	1075620	<0.005	<1	4.04	4	456	2	13	1.46	<4	14	46	20	2.32	0.57	7	0.91	487	<1	34	453	11	0.12	<5	5	<10	236	1774	<2	73	42	14	52
157871	1075621	0.017	<1	5.82	4	507	2	12	2.51	9	8	18	35	1.59	0.52	9	1.52	977	<1	34	427	25	0.74	<5	<5	<10	108	1428	8	28	27	7	2414
157872	1075622	0.041	1	3.66	<2	429	2	14	0.56	<4	8	17	129	1.26	0.42	10	0.56	233	<1	32	371	19	0.62	<5	7	<10	63	1309	<2	26	<10	5	143
157873	1075623	0.016	1	4.09	3	317	3	14	1.74	4	9	20	127	1.97	0.37	11	1.21	590	<1	38	596	25	0.90	<5	10	<10	81	1268	5	26	15	7	986
157874	1075624	0.007	<1	5.50	<2	563	3	17	2.37	<4	9	17	16	1.68	0.50	14	1.44	609	<1	26	438	28	0.36	<5	8	<10	133	1639	<2	30	<10	7	108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157625	1075397	14	<0.001	0.014
157626	1075398	48	0.001	0.048
157627	1075399	63	0.002	0.063
157628	1075400	<5	<0.001	<0.005
157629	1075401	37	0.001	0.037
157630	1075402	25	<0.001	0.025
157631	1075403	35	0.001	0.035
157632	1075404	52	0.002	0.052
157633	1075405	30	<0.001	0.030
157634	1075406	34	<0.001	0.034
157635 Dup	1075406	37	0.001	0.037
157636	1075407	59	0.002	0.059
157637	1075408	31	<0.001	0.031
157638	1075409	33	<0.001	0.033
157639	1075410	4801	0.140	4.801
157640	1075411	44	0.001	0.044
157641	1075412	56	0.002	0.056
157642	1075413	9	<0.001	0.009
157643	1075414	5	<0.001	0.005
157644	1075415	6	<0.001	0.006
157645	1075416	11	<0.001	0.011
157646 Dup	1075416	12	<0.001	0.012
157647	1075417	21	<0.001	0.021
157648	1075418	12	<0.001	0.012
157649	1075419	72	0.002	0.072
157650	1075420	<5	<0.001	<0.005
157651	1075421	42	0.001	0.042
157652	1075422	112	0.003	0.112
157653	1075423	46	0.001	0.046
157654	1075424	41	0.001	0.041

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157655	1075425	81	0.002	0.081
157656	1075426	151	0.004	0.151
157657 Dup	1075426	124	0.004	0.124
157658	1075427	71	0.002	0.071
157659	1075428	107	0.003	0.107
157660	1075429	260	0.008	0.260
157661	1075430	1271	0.037	1.271
157662	1075431	46	0.001	0.046
157663	1075432	222	0.006	0.222
157664	1075433	187	0.005	0.187
157665	1075434	41	0.001	0.041
157666	1075435	22	<0.001	0.022
157667	1075436	27	<0.001	0.027
157668 Dup	1075436	25	<0.001	0.025
157669	1075437	32	<0.001	0.032
157670	1075438	24	<0.001	0.024
157671	1075439	44	0.001	0.044
157672	1075440	7	<0.001	0.007
157673	1075441	46	0.001	0.046
157674	1075442	23	<0.001	0.023
157675	1075443	16	<0.001	0.016
157676	1075444	15	<0.001	0.015
157677	1075445	12	<0.001	0.012
157678	1075446	52	0.002	0.052
157679 Dup	1075446	56	0.002	0.056
157680	1075447	15	<0.001	0.015
157681	1075448	19	<0.001	0.019
157682	1075449	22	<0.001	0.022
157683	1075450	235	0.007	0.235
157684	1075451	34	<0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157685	1075452	34	<0.001	0.034
157686	1075453	62	0.002	0.062
157687	1075454	57	0.002	0.057
157688	1075455	64	0.002	0.064
157689	1075456	19	<0.001	0.019
157690 Rep	1075456	19	<0.001	0.019
157691	1075457	495	0.014	0.495
157692	1075458	103	0.003	0.103
157693	1075459	87	0.003	0.087
157694	1075460	7	<0.001	0.007
157695	1075461	62	0.002	0.062
157696	1075462	791	0.023	0.791
157697	1075463	149	0.004	0.149
157698	1075464	146	0.004	0.146
157699	1075465	990	0.029	0.990
157700	1075466	104	0.003	0.104
157701 Dup	1075466	79	0.002	0.079
157702	1075467	67	0.002	0.067
157703	1075468	8	<0.001	0.008
157704	1075469	6	<0.001	0.006
157705	1075470	4810	0.140	4.810
157706	1075471	20	<0.001	0.020
157707	1075472	11	<0.001	0.011
157708	1075473	26	<0.001	0.026
157709	1075474	17	<0.001	0.017
157710	1075475	66	0.002	0.066
157711	1075476	41	0.001	0.041
157712 Dup	1075476	34	<0.001	0.034
157713	1075477	352	0.010	0.352
157714	1075478	43	0.001	0.043

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157715	1075479	51	0.001	0.051
157716	1075480	<5	<0.001	<0.005
157717	1075481	21	<0.001	0.021
157718	1075482	40	0.001	0.040
157719	1075483	16	<0.001	0.016
157720	1075484	2014	0.059	2.014
157721	1075485	23	<0.001	0.023
157722	1075486	49	0.001	0.049
157723 Dup	1075486	50	0.001	0.050
157724	1075487	23	<0.001	0.023
157725	1075488	16	<0.001	0.016
157726	1075489	19	<0.001	0.019
157727	1075490	1286	0.038	1.286
157728	1075491	63	0.002	0.063
157729	1075492	19	<0.001	0.019
157730	1075493	19	<0.001	0.019
157731	1075494	17	<0.001	0.017
157732	1075495	13	<0.001	0.013
157733	1075496	20	<0.001	0.020
157734 Dup	1075496	19	<0.001	0.019
157735	1075497	60	0.002	0.060
157736	1075498	137	0.004	0.137
157737	1075499	40	0.001	0.040
157738	1075500	9	<0.001	0.009
157739	1075501	32	<0.001	0.032
157740	1075502	57	0.002	0.057
157741	1075503	48	0.001	0.048
157742	1075504	131	0.004	0.131
157743	1075505	43	0.001	0.043
157744	1075506	110	0.003	0.110

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157745 Dup	1075506	87	0.003	0.087
157746	1075507	92	0.003	0.092
157747	1075508	2477	0.072	2.477
157748	1075509	41	0.001	0.041
157749	1075510	231	0.007	0.231
157750	1075511	31	<0.001	0.031
157751	1075512	13	<0.001	0.013
157752	1075513	181	0.005	0.181
157753	1075514	266	0.008	0.266
157754	1075515	571	0.017	0.571
157755	1075516	218	0.006	0.218
157756 Rep	1075516	254	0.007	0.254
157757	1075517	2371	0.069	2.371
157758	1075518	99	0.003	0.099
157759	1075519	777	0.023	0.777
157760	1075520	6	<0.001	0.006
157761	1075521	54	0.002	0.054
157762	1075522	497	0.015	0.497
157763	1075523	56	0.002	0.056
157764	1075524	1408	0.041	1.408
157765	1075525	302	0.009	0.302
157766	1075526	1066	0.031	1.066
157767 Dup	1075526	1354	0.039	1.354
157768	1075527	284	0.008	0.284
157769	1075528	1611	0.047	1.611
157770	1075529	804	0.023	0.804
157771	1075530	4945	0.144	4.945
157772	1075531	306	0.009	0.306
157773	1075532	247	0.007	0.247
157774	1075533	325	0.009	0.325

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157775	1075534	146	0.004	0.146
157776	1075535	169	0.005	0.169
157777	1075536	122	0.004	0.122
157778 Dup	1075536	105	0.003	0.105
157779	1075537	81	0.002	0.081
157780	1075538	13	<0.001	0.013
157781	1075539	39	0.001	0.039
157782	1075540	<5	<0.001	<0.005
157783	1075541	29	<0.001	0.029
157784	1075542	52	0.002	0.052
157785	1075543	112	0.003	0.112
157786	1075544	71	0.002	0.071
157787	1075545	25	<0.001	0.025
157788	1075546	26	<0.001	0.026
157789 Dup	1075546	40	0.001	0.040
157790	1075547	32	<0.001	0.032
157791	1075548	46	0.001	0.046
157792	1075549	21	<0.001	0.021
157793	1075550	1048	0.031	1.048
157794	1075551	16	<0.001	0.016
157795	1075552	10	<0.001	0.010
157796	1075553	10	<0.001	0.010
157797	1075554	18	<0.001	0.018
157798	1075555	10	<0.001	0.010
157799	1075556	558	0.016	0.558
157800 Dup	1075556	448	0.013	0.448
157801	1075557	135	0.004	0.135
157802	1075558	494	0.014	0.494
157803	1075559	638	0.019	0.638
157804	1075560	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157805	1075561	452	0.013	0.452
157806	1075562	464	0.014	0.464
157807	1075563	29	<0.001	0.029
157808	1075564	10	<0.001	0.010
157809	1075565	34	<0.001	0.034
157810	1075566	31	<0.001	0.031
157811 Dup	1075566	27	<0.001	0.027
157812	1075567	73	0.002	0.073
157813	1075568	30	<0.001	0.030
157814	1075569	437	0.013	0.437
157815	1075570	257	0.008	0.257
157816	1075571	60	0.002	0.060
157817	1075572	146	0.004	0.146
157818	1075573	57	0.002	0.057
157819	1075574	17	<0.001	0.017
157820	1075575	8	<0.001	0.008
157821	1075576	10	<0.001	0.010
157822 Rep	1075576	15	<0.001	0.015
157823	1075577	12	<0.001	0.012
157824	1075578	73	0.002	0.073
157825	1075579	13	<0.001	0.013
157826	1075580	7	<0.001	0.007
157827	1075581	11	<0.001	0.011
157828	1075582	73	0.002	0.073
157829	1075583	16	<0.001	0.016
157830	1075584	19	<0.001	0.019
157831	1075585	103	0.003	0.103
157832	1075586	72	0.002	0.072
157833 Dup	1075586	84	0.002	0.084
157834	1075587	204	0.006	0.204

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157835	1075588	249	0.007	0.249
157836	1075589	457	0.013	0.457
157837	1075590	5116	0.149	5.116
157838	1075591	550	0.016	0.550
157839	1075592	2860	0.083	2.860
157840	1075593	99	0.003	0.099
157841	1075594	486	0.014	0.486
157842	1075595	254	0.007	0.254
157843	1075596	98	0.003	0.098
157844 Dup	1075596	85	0.002	0.085
157845	1075597	61	0.002	0.061
157846	1075598	75	0.002	0.075
157847	1075599	131	0.004	0.131
157848	1075600	<5	<0.001	<0.005
157849	1075601	26	<0.001	0.026
157850	1075602	151	0.004	0.151
157851	1075603	54	0.002	0.054
157852	1075604	90	0.003	0.090
157853	1075605	651	0.019	0.651
157854	1075606	78	0.002	0.078
157855 Dup	1075606	69	0.002	0.069
157856	1075607	95	0.003	0.095
157857	1075608	145	0.004	0.145
157858	1075609	293	0.009	0.293
157859	1075610	1168	0.034	1.168
157860	1075611	240	0.007	0.240
157861	1075612	124	0.004	0.124
157862	1075613	54	0.002	0.054
157863	1075614	64	0.002	0.064
157864	1075615	91	0.003	0.091

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/27/2011  
 Date Completed: 07/06/2011  
 Revised Date: 07/08/2011  
 Job #: 201142386  
 Reference: TL11181  
 Sample #: 228

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
157865	1075616	60	0.002	0.060
157866 Dup	1075616	61	0.002	0.061
157867	1075617	27	<0.001	0.027
157868	1075618	22	<0.001	0.022
157869	1075619	14	<0.001	0.014
157870	1075620	<5	<0.001	<0.005
157871	1075621	17	<0.001	0.017
157872	1075622	41	0.001	0.041
157873	1075623	16	<0.001	0.016
157874	1075624	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160643	1005587	0.073	<1	3.75	5	389	<2	<1	1.53	<4	5	11	19	1.71	0.41	20	1.41	924	6	23	391	87	0.39	<5	20	<10	188	1413	<2	30	<10	5	142
160644	1005588	3.184	3	2.45	53	432	2	<1	0.23	7	7	14	138	2.12	0.13	10	0.45	175	4	20	264	1022	2.68	<5	20	<10	102	1222	<2	29	23	3	2010
160645	1005589	1.274	<1	8.19	<2	480	<2	<1	1.28	<4	<1	21	<1	0.05	1.99	33	0.21	<100	34	25	381	1445	2.22	<5	8	<10	125	1246	<2	28	20	5	1728
160646	1005590	1.106	2	2.74	22	573	2	<1	1.50	<4	15	54	560	3.54	0.43	11	0.92	594	35	33	643	76	0.67	<5	5	<10	231	1932	<2	110	27	10	113
160647	1005591	0.829	2	2.97	44	444	<2	<1	0.45	5	8	16	65	1.48	0.31	13	0.42	217	5	23	366	577	1.59	<5	12	<10	100	1491	<2	29	18	4	1363
160648	1005592	0.083	2	4.94	50	495	2	<1	1.64	<4	17	12	21	2.92	0.10	24	1.39	931	10	31	362	120	2.65	<5	25	<10	202	1980	4	40	<10	5	441
160649	1005593	0.230	5	2.57	27	484	<2	<1	0.66	6	6	22	57	1.27	0.34	14	0.56	375	6	27	361	2258	1.28	<5	19	<10	138	1547	<2	32	19	3	1684
160650	1005594	0.061	1	2.94	12	455	<2	<1	0.50	<4	5	14	15	0.69	0.17	12	0.44	242	6	21	334	212	0.53	<5	26	<10	131	1448	<2	28	<10	4	589
160651	1005595	0.039	1	2.36	5	415	<2	<1	0.68	<4	8	24	4	0.46	0.20	11	0.42	230	6	30	307	27	0.17	<5	20	<10	126	1462	<2	31	<10	3	40
160652	1005596	0.308	12	2.39	14	582	<2	<1	1.00	<4	8	60	29	1.32	0.33	13	0.72	542	16	107	384	835	0.76	<5	14	<10	186	1526	<2	37	<10	3	427
160653D	1005596	0.306	11	2.84	9	523	<2	<1	0.96	<4	8	53	28	1.26	0.45	12	0.78	518	16	94	383	808	0.77	<5	13	<10	175	1409	<2	34	<10	4	408
160654	1005597	0.138	2	4.32	14	387	<2	<1	1.66	<4	8	44	21	1.96	0.36	17	1.51	966	13	70	484	216	0.94	<5	24	<10	234	1598	4	35	<10	6	521
160655	1005598	0.050	<1	5.65	20	344	<2	<1	2.19	<4	17	128	22	2.84	0.48	30	2.05	900	8	102	593	17	1.06	<5	11	<10	229	2101	5	72	<10	9	93
160656	1005599	0.082	<1	5.37	28	409	<2	<1	2.31	<4	19	119	23	2.65	0.39	30	1.75	812	11	103	636	25	1.17	<5	15	<10	223	1959	4	64	<10	9	163
160657	1005600	0.009	<1	2.89	3	441	<2	<1	1.35	<4	13	52	21	2.24	0.26	8	0.83	470	4	31	489	9	0.09	<5	20	<10	224	1765	3	74	41	12	52
160658	1005601	0.246	20	2.42	260	343	2	<1	0.47	78	10	56	1769	2.96	<0.01	18	0.58	487	10	61	306	600	4.28	152	<5	<10	92	1191	<2	36	203	4	22704
160659	1005602	0.164	2	3.41	64	400	<2	<1	0.48	<4	3	25	30	1.09	0.38	15	0.64	375	6	37	258	88	0.88	12	20	<10	73	928	<2	17	<10	4	182
160660	1005603	0.064	1	3.47	680	375	2	<1	0.81	<4	11	93	39	2.28	0.33	22	1.17	478	13	78	416	38	1.79	7	20	<10	68	1128	<2	52	<10	7	204
160661	1005604	0.953	1	4.43	658	335	2	<1	0.88	<4	24	131	42	3.87	0.32	26	1.61	538	20	119	544	32	1.36	<5	13	<10	111	1741	2	86	<10	10	91
160662	1005605	0.024	<1	4.96	9	208	2	<1	1.41	<4	20	145	44	3.51	0.50	25	1.76	500	14	93	541	21	0.46	<5	16	<10	139	2072	<2	76	<10	10	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160663	1005606	0.049	<1	4.85	3	209	2	<1	1.40	<4	19	144	41	3.40	0.50	25	1.70	493	14	91	519	23	0.41	<5	14	<10	135	2015	<2	75	<10	10	60
160664D	1005606	0.042	<1	5.87	5	221	2	<1	1.53	<4	21	150	43	3.64	0.51	27	1.87	512	15	90	574	26	0.44	<5	15	<10	147	2172	10	80	<10	12	61
160665	1005607	0.469	2	4.57	8	313	2	<1	1.13	4	23	130	187	3.85	0.43	24	1.58	587	14	90	490	59	1.90	<5	8	<10	136	1776	2	80	15	10	909
160666	1005608	0.124	1	4.87	3	321	2	<1	1.28	6	24	156	89	4.29	0.20	36	1.68	666	19	114	535	25	1.36	<5	8	<10	144	2531	<2	84	16	12	1392
160667	1005609	0.037	1	3.86	4	323	<2	<1	1.37	<4	18	135	43	3.31	0.47	22	1.28	547	15	102	447	17	0.66	<5	5	<10	161	1855	<2	68	<10	12	100
160668	1005610	0.336	101	2.94	233	387	<2	<1	1.17	25	14	47	6175	5.45	0.15	9	1.15	1684	31	27	433	10110	2.57	234	<5	<10	180	1739	<2	76	47	12	5124
160669	1005611	0.026	1	3.35	5	422	<2	<1	1.14	<4	10	63	24	1.79	0.18	17	0.91	418	11	74	358	77	0.50	<5	14	<10	152	1536	<2	41	<10	7	124
160670	1005612	0.027	2	3.26	22	336	<2	<1	1.03	<4	10	67	32	2.25	0.19	16	1.09	492	10	80	421	43	1.42	<5	18	<10	136	1440	3	38	<10	9	137
160671	1005613	0.039	<1	3.48	21	471	<2	<1	1.47	<4	15	78	35	2.62	0.16	15	0.95	545	11	76	441	21	1.42	<5	16	<10	157	1813	<2	51	<10	9	164
160672	1005614	0.034	<1	3.24	32	593	<2	<1	1.13	<4	9	46	17	1.63	0.21	14	0.59	313	11	64	425	21	1.08	<5	20	<10	139	1573	<2	38	<10	6	66
160673	1005615	0.023	<1	3.56	34	455	<2	<1	1.41	<4	8	41	16	1.19	0.25	8	0.54	241	9	55	462	17	0.95	<5	17	<10	152	1301	2	32	<10	6	89
160674	1005616	0.027	1	4.00	35	281	<2	<1	1.50	<4	14	36	42	1.80	0.38	17	1.02	599	13	70	576	25	1.34	<5	22	<10	123	1603	2	35	<10	6	89
160675D	1005616	0.027	2	3.77	36	280	2	<1	1.54	<4	14	37	44	1.84	0.45	16	1.04	617	13	73	621	25	1.36	<5	21	<10	124	1622	<2	35	<10	6	91
160676	1005617	0.028	1	3.41	44	281	<2	<1	0.63	<4	5	30	14	1.44	0.33	11	0.60	358	8	49	655	20	1.21	<5	27	<10	93	1598	<2	32	<10	5	69
160677	1005618	0.135	1	2.99	36	290	<2	<1	0.35	<4	5	27	9	1.35	0.52	14	0.52	270	10	49	614	26	1.14	<5	14	<10	62	1510	<2	31	<10	4	128
160678	1005619	0.786	3	3.06	34	413	<2	<1	0.14	<4	4	26	17	1.12	0.34	10	0.38	112	8	39	594	131	1.01	<5	11	<10	65	1370	<2	33	<10	4	157
160679	1005620	<0.005	<1	3.40	5	450	<2	<1	1.44	<4	14	56	23	2.41	0.33	10	0.92	496	6	33	540	8	0.10	<5	18	<10	220	1807	<2	77	42	14	52
160680	1005621	0.183	1	3.28	31	389	<2	<1	0.17	<4	5	23	11	0.92	0.26	9	0.45	115	6	41	622	42	0.77	<5	19	<10	62	1205	<2	30	<10	5	87
160681	1005622	0.878	9	4.01	53	532	2	<1	0.46	<4	8	22	24	1.38	0.22	13	0.60	265	9	40	730	82	1.38	<5	18	<10	79	1513	<2	35	<10	5	183
160682	1005623	2.542	5	3.11	59	429	2	<1	0.11	<4	5	26	132	1.94	0.01	8	0.40	<100	7	49	564	445	2.32	7	14	<10	66	1310	<2	29	14	4	1060

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160683	1005624	0.659	2	3.10	17	481	<2	<1	0.37	<4	2	38	15	0.86	0.45	5	0.46	185	12	52	374	225	0.66	<5	9	<10	86	1206	<2	28	<10	5	345
160684	1005625	0.130	2	3.50	18	446	<2	<1	0.88	<4	5	36	25	0.94	0.37	7	0.78	361	10	64	369	42	0.57	<5	25	<10	121	1107	2	24	<10	6	149
160685	1005626	0.151	2	2.81	16	491	<2	<1	0.93	<4	6	37	28	0.94	0.33	9	0.75	387	11	58	372	43	0.51	<5	23	<10	128	1230	<2	26	<10	5	157
160686D	1005626	0.154	2	3.44	20	486	<2	<1	0.95	<4	6	39	27	0.97	0.34	8	0.81	393	10	61	383	49	0.54	<5	5	<10	128	1224	<2	26	<10	5	157
160687	1005627	0.027	1	2.49	4	254	<2	<1	1.34	<4	7	78	40	1.61	0.51	7	0.78	653	15	125	426	27	0.59	<5	24	<10	123	968	<2	33	<10	8	47
160688	1005628	0.350	1	2.86	19	230	3	<1	1.06	<4	20	136	71	3.46	0.56	14	1.46	745	13	109	485	46	1.25	<5	19	<10	119	1729	<2	70	<10	9	120
160689	1005629	0.104	1	4.22	11	244	<2	<1	1.11	<4	23	135	58	3.60	0.31	18	1.57	683	15	102	518	43	1.07	<5	9	<10	120	1807	<2	76	<10	9	114
160690	1005630	4.934	9	4.35	7	266	2	<1	2.34	<4	27	51	99	4.26	0.16	14	1.85	833	19	50	865	22	0.83	<5	<5	<10	250	1878	<2	105	<10	15	100
160691	1005631	0.423	2	3.29	25	412	<2	<1	0.66	<4	10	63	83	1.97	0.05	14	0.92	521	11	80	429	651	0.79	<5	11	<10	105	1239	<2	37	12	6	1042
160692	1005632	0.582	1	4.56	13	1252	<2	<1	1.38	<4	6	54	13	1.70	0.07	15	1.57	666	11	59	672	205	0.72	<5	22	<10	121	1227	5	29	<10	8	462
160693	1005633	2.327	<1	3.54	17	362	<2	<1	1.76	<4	6	105	25	1.73	0.39	10	1.54	532	16	102	1125	69	0.59	<5	20	<10	151	807	<2	29	<10	11	110
160694	1005634	0.533	2	4.04	11	479	<2	<1	1.37	6	6	22	14	1.84	0.56	11	1.49	716	9	37	512	524	0.94	<5	19	<10	131	1012	<2	24	19	6	1618
160695	1005635	2.085	2	2.80	34	385	<2	<1	0.37	<4	5	25	16	1.47	0.33	11	0.72	367	9	37	515	734	1.26	<5	16	<10	88	1065	<2	28	13	4	838
160696	1005636	0.493	3	3.26	43	313	<2	<1	0.32	8	5	33	66	1.99	0.38	16	1.03	583	9	49	469	2105	1.80	<5	8	<10	92	942	<2	29	31	4	2985
160697D	1005636	0.430	3	3.10	48	284	<2	<1	0.31	8	5	35	70	2.05	0.24	15	1.10	585	10	53	495	2206	1.88	<5	16	<10	88	880	<2	28	30	5	3103
160698	1005637	0.195	1	4.68	33	228	<2	<1	1.17	5	7	26	14	2.35	0.39	19	2.13	967	11	45	444	906	1.59	<5	22	<10	107	1025	2	26	21	6	1909
160699	1005638	0.869	3	4.58	37	338	<2	<1	1.87	7	7	38	83	2.34	0.41	14	1.91	961	11	58	411	1577	1.80	<5	6	<10	128	1102	5	27	24	6	2357
160700	1005639	0.181	3	2.72	15	722	<2	<1	0.29	<4	3	26	14	0.87	0.18	8	0.46	173	8	46	410	937	0.76	5	5	<10	91	1174	<2	24	10	4	681
160701	1005640	0.006	<1	2.10	3	434	<2	<1	1.30	<4	12	51	21	2.22	0.14	8	0.76	469	3	30	493	12	0.08	<5	11	<10	216	1764	<2	74	45	10	51
160702	1005641	0.332	4	2.83	23	421	<2	<1	0.35	<4	4	41	42	1.02	0.29	13	0.38	182	14	70	412	924	0.92	7	21	<10	110	1491	<2	28	13	3	1042

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160703	1005642	0.144	1	3.06	18	389	<2	<1	0.26	<4	4	37	11	1.06	0.39	11	0.43	166	11	73	393	176	0.82	<5	21	<10	97	1308	<2	25	<10	4	337
160704	1005643	0.331	2	2.75	17	479	<2	<1	0.40	5	3	40	61	1.33	0.31	13	0.49	311	13	71	379	743	1.26	5	9	<10	97	1358	<2	25	17	3	1728
160705	1005644	1.141	8	2.77	26	378	2	<1	0.94	34	4	62	224	2.48	<0.01	9	0.85	656	18	120	310	3490	2.68	19	9	<10	171	1040	2	25	111	4	12988
160706	1005645	0.207	1	2.84	20	659	<2	<1	1.08	<4	13	97	43	2.61	0.22	17	0.94	877	15	88	466	147	1.09	<5	21	<10	130	2207	<2	55	<10	7	230
160707	1005646	0.041	1	2.88	19	542	<2	<1	1.07	<4	12	73	39	2.46	0.19	15	1.04	871	7	59	453	122	0.96	<5	<5	<10	125	2041	<2	50	<10	7	171
160708R	1005646	0.040	1	3.42	20	601	<2	<1	1.07	<4	11	79	39	2.43	0.24	16	0.97	828	13	81	469	216	0.98	<5	<5	<10	129	2047	<2	49	<10	7	235
160709	1005647	0.389	<1	4.15	12	433	<2	<1	1.41	<4	9	42	33	1.96	0.26	15	1.19	799	7	47	392	16	0.69	<5	13	<10	135	1634	2	34	<10	8	75
160710	1005648	0.311	<1	3.53	13	414	<2	<1	1.23	<4	6	19	36	1.34	0.29	13	1.00	682	6	27	353	9	0.55	<5	10	<10	123	1459	<2	25	<10	5	48
160711	1005649	0.552	1	2.78	22	322	<2	<1	0.61	<4	4	21	73	1.21	0.29	8	0.72	487	3	31	293	126	0.67	<5	19	<10	93	1213	<2	20	<10	5	84
160712	1005650	1.249	1	3.31	17	468	<2	<1	1.44	<4	14	52	545	3.45	0.07	8	1.07	560	30	32	617	75	0.63	<5	13	<10	194	1623	<2	99	21	15	104
160713	1005651	0.114	<1	3.18	15	374	<2	<1	0.92	<4	5	29	47	1.58	0.33	12	0.75	718	6	43	418	64	0.49	<5	21	<10	126	1498	<2	28	<10	5	75
160714	1005652	0.665	2	3.10	20	329	<2	<1	0.55	<4	6	23	205	1.77	0.16	15	0.75	622	7	31	446	439	0.83	<5	14	<10	123	1575	<2	28	<10	5	428
160715	1005653	0.167	<1	3.07	15	406	<2	<1	0.73	<4	5	20	23	1.76	0.20	16	0.87	803	6	33	466	49	0.54	<5	10	<10	130	1708	<2	29	<10	4	160
160716	1005654	0.126	<1	2.42	15	324	<2	<1	0.80	<4	5	19	33	1.66	0.36	11	0.83	794	4	27	402	27	0.56	<5	12	<10	120	1509	<2	26	<10	4	68
160717	1005655	0.110	<1	3.31	22	423	<2	<1	0.91	<4	6	21	8	1.57	0.47	17	0.80	718	8	30	432	45	0.66	<5	11	<10	139	1672	<2	29	<10	5	73
160718	1005656	0.109	<1	3.12	17	301	<2	<1	0.85	<4	4	23	14	1.42	0.45	13	0.69	624	6	36	381	171	0.77	<5	20	<10	144	1472	<2	25	<10	4	58
160719D	1005656	0.104	<1	4.66	19	324	<2	<1	1.09	<4	4	25	15	1.51	0.47	15	0.78	647	9	39	413	173	0.87	<5	33	<10	172	1541	<2	26	<10	5	60
160720	1005657	0.392	2	3.46	22	356	<2	<1	0.95	<4	5	21	13	1.78	0.34	16	0.67	612	10	36	402	475	1.45	<5	19	<10	163	1561	<2	26	12	4	832
160721	1005658	0.522	5	3.29	28	328	<2	<1	1.18	10	5	39	64	2.60	0.03	13	0.85	828	12	61	395	1982	2.29	<5	14	<10	148	1426	<2	29	35	5	3310
160722	1005659	0.137	2	2.94	9	447	<2	<1	0.67	<4	4	28	44	1.56	0.35	14	0.60	562	9	50	402	349	0.82	<5	15	<10	118	1491	<2	27	<10	4	289

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160723	1005660	<0.005	<1	3.29	5	459	<2	<1	1.41	<4	12	53	22	2.33	0.40	10	0.87	487	5	31	513	9	0.06	<5	13	<10	233	1839	<2	76	46	12	51
160724	1005661	0.082	2	4.11	11	388	<2	<1	2.34	<4	13	183	46	2.22	0.32	12	2.03	836	9	113	1161	110	0.76	<5	23	<10	250	1832	3	48	<10	11	445
160725	1005662	1.113	2	2.37	28	454	<2	<1	0.58	<4	5	23	28	1.56	0.05	12	0.59	539	7	40	384	182	1.33	<5	16	<10	115	1374	<2	26	14	4	1038
160726	1005663	0.090	<1	3.06	28	442	<2	<1	0.76	<4	6	24	18	1.54	0.40	12	0.67	586	6	39	402	28	1.12	<5	14	<10	114	1440	<2	25	<10	4	72
160727	1005664	0.140	1	4.49	6	393	<2	<1	1.36	<4	19	118	49	3.33	0.37	20	1.41	838	12	80	466	22	0.95	<5	8	<10	138	2073	<2	68	<10	14	117
160728	1005665	0.054	<1	4.15	3	400	<2	<1	0.96	<4	19	125	42	3.40	0.48	21	1.44	671	12	96	505	37	0.79	<5	19	<10	162	2076	<2	69	<10	11	79
160729	1005666	0.049	<1	3.33	4	298	<2	<1	1.81	<4	21	251	34	3.29	0.27	18	2.33	726	7	144	1028	23	0.68	<5	10	<10	182	2111	<2	68	<10	14	86
160730D	1005666	0.058	<1	3.68	3	329	<2	<1	1.95	<4	21	253	34	3.31	0.40	17	2.36	737	8	146	1012	24	0.69	<5	21	<10	200	2194	<2	71	<10	14	87
160731	1005667	0.205	2	4.27	12	379	2	<1	1.38	6	19	123	84	3.41	0.39	16	1.35	655	13	91	643	201	1.95	<5	14	<10	273	1653	<2	64	13	11	1463
160732	1005668	0.046	<1	3.41	15	125	<2	<1	5.95	<4	40	833	38	4.30	0.25	20	5.24	1227	<1	437	3698	20	0.69	<5	6	<10	422	3028	7	102	<10	25	162
160733	1005669	0.160	1	4.04	13	410	2	<1	1.36	<4	19	165	51	3.34	0.07	19	1.70	864	16	108	699	79	1.57	<5	17	<10	207	1685	<2	68	<10	12	86
160734	1005670	0.337	100	3.08	221	350	<2	<1	1.13	24	13	45	6155	5.25	<0.01	10	1.15	1620	28	25	413	10224	2.47	195	<5	<10	164	1621	<2	71	42	13	5201
160735	1005671	0.232	1	4.10	23	294	2	<1	1.15	<4	17	133	40	3.02	0.08	18	1.35	863	15	114	470	53	1.32	<5	22	<10	117	1671	2	63	<10	10	99
160736	1005672	0.254	1	4.95	13	240	2	<1	1.22	<4	21	144	70	3.95	0.26	25	1.79	941	19	126	537	68	1.38	<5	<5	<10	122	1902	<2	77	<10	12	139
160737	1005673	0.182	1	5.06	11	187	<2	<1	1.58	<4	19	139	42	3.52	0.43	21	2.08	1056	14	87	514	96	1.34	<5	17	<10	122	1680	7	67	<10	12	325
160738	1005674	0.166	6	3.46	26	250	<2	<1	1.21	15	7	29	592	2.41	0.34	12	0.94	624	8	44	432	1495	2.34	<5	14	<10	106	1212	<2	25	51	6	5758
160739	1005675	0.054	1	4.46	35	323	<2	<1	1.31	4	5	27	12	1.97	0.35	13	0.93	577	10	49	497	255	1.57	<5	14	<10	112	1293	<2	25	12	7	1000
160740	1005676	0.028	<1	3.27	15	322	<2	<1	0.86	<4	6	50	7	1.44	0.30	12	0.79	476	14	89	492	39	0.72	<5	18	<10	94	1315	<2	26	<10	5	72
160741D	1005676	0.028	<1	2.96	15	259	<2	<1	0.84	<4	6	33	6	1.34	0.41	9	0.81	461	8	59	494	39	0.71	<5	21	<10	89	1154	<2	22	<10	5	71
160742	1005677	0.042	2	3.37	26	405	2	<1	1.01	4	6	39	16	1.72	0.25	15	0.77	540	13	73	470	456	1.23	<5	21	<10	94	1487	<2	29	18	5	1425

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160743	1005678	0.017	<1	4.65	18	450	<2	<1	1.25	<4	6	39	5	1.78	0.35	17	0.86	625	16	75	477	73	1.09	<5	24	<10	107	1535	<2	30	<10	5	229
160744	1005679	0.013	1	3.94	3	458	<2	<1	1.16	<4	6	43	29	1.47	0.34	15	0.89	546	13	82	525	198	0.56	<5	16	<10	114	1511	<2	30	<10	5	436
160745	1005680	<0.005	<1	2.97	7	442	<2	<1	1.35	<4	12	51	21	2.26	0.10	9	0.82	474	3	29	502	7	0.06	<5	13	<10	227	1807	<2	74	44	11	48
160746	1005681	0.098	1	4.61	8	380	<2	<1	4.19	<4	26	444	59	3.26	0.12	19	3.69	928	11	232	2414	52	0.79	<5	15	<10	327	2468	11	70	168	21	85
160747	1005682	0.034	2	2.67	9	358	2	<1	6.11	<4	40	802	85	4.33	0.33	24	5.10	1245	<1	394	3440	35	0.92	<5	5	<10	258	3220	<2	99	<10	25	175
160748	1005683	0.095	<1	3.63	2	1057	<2	<1	1.16	<4	5	25	22	1.36	0.20	12	1.00	447	6	38	523	74	0.61	<5	19	<10	250	1339	<2	31	<10	6	90
160749	1005684	0.107	5	4.15	3	560	<2	<1	1.32	12	5	18	65	1.51	0.43	14	1.12	733	6	30	485	769	0.90	<5	21	<10	113	1431	3	27	34	6	3304
160750	1005685	0.040	<1	4.60	5	435	<2	<1	1.48	<4	4	21	9	1.71	0.10	17	1.37	1015	10	35	501	84	0.77	<5	13	<10	132	1475	<2	28	<10	7	121
160751	1005686	0.026	<1	2.98	5	477	<2	<1	1.34	<4	5	18	7	1.47	0.29	16	1.05	842	8	29	436	87	0.63	<5	12	<10	126	1498	<2	29	<10	4	78
160752D	1005686	0.025	<1	3.93	9	428	<2	<1	1.32	<4	5	19	7	1.51	0.28	16	1.18	840	8	31	442	87	0.68	<5	7	<10	122	1400	3	27	<10	6	77
160753	1005687	0.045	1	2.95	9	366	<2	<1	0.95	<4	5	17	25	1.59	0.27	14	1.06	658	4	28	462	366	0.93	<5	12	<10	117	1314	<2	25	11	5	897
160754	1005688	0.064	<1	3.34	19	451	<2	<1	0.75	<4	4	16	19	1.25	0.26	16	0.88	447	6	26	467	98	0.98	<5	21	<10	104	1369	<2	26	<10	5	175
160755	1005689	0.161	1	4.48	13	566	<2	<1	0.88	<4	5	23	27	1.05	0.29	17	0.83	357	9	42	342	98	0.65	<5	17	<10	124	1290	<2	22	10	5	557
160756	1005690	4.942	9	4.63	9	277	2	<1	2.48	<4	26	56	98	4.28	0.19	13	1.87	841	17	51	873	23	0.79	<5	22	<10	265	2045	6	109	<10	15	103
160757	1005691	0.067	<1	4.32	13	591	<2	<1	1.10	<4	4	23	17	1.15	0.41	16	1.09	506	9	39	329	44	0.71	<5	16	<10	113	1259	<2	21	<10	5	266
160758	1005692	0.042	<1	4.14	2	617	<2	<1	0.68	<4	4	33	11	1.05	0.36	18	0.78	374	11	60	367	11	0.47	<5	22	<10	98	1389	<2	23	<10	5	29
160759	1005693	0.021	<1	3.57	5	575	<2	<1	0.88	<4	6	48	23	1.28	0.22	13	1.00	468	13	93	391	34	0.50	<5	17	<10	161	1332	<2	26	<10	6	81
160760	1005694	0.035	1	3.75	10	729	<2	<1	5.86	<4	42	605	85	4.88	0.20	26	5.19	1021	3	340	3780	21	1.23	<5	9	<10	493	2721	7	104	123	31	113
160761	1005695	0.030	1	3.81	14	597	2	<1	6.76	<4	42	788	70	4.46	0.32	23	5.42	1005	<1	409	3899	20	0.87	<5	8	<10	396	3418	<2	104	140	29	85
160762	1005696	0.035	1	3.93	12	382	2	<1	5.51	<4	41	693	103	4.00	0.38	23	4.76	1055	7	352	3518	24	0.97	<5	12	<10	269	2912	4	86	<10	26	167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160763D	1005696	0.027	1	3.59	15	366	2	<1	5.44	<4	39	705	109	4.04	0.39	23	4.75	1042	7	370	3590	21	1.02	<5	10	<10	252	2499	4	85	<10	27	162
160764	1005697	0.026	<1	3.31	<2	648	<2	<1	1.29	<4	7	39	14	1.56	0.26	12	0.85	461	9	64	409	14	0.46	<5	24	<10	144	1424	<2	28	<10	5	76
160765	1005698	0.024	<1	4.39	4	339	<2	<1	1.76	<4	4	14	8	1.12	0.16	15	1.18	464	7	23	326	22	0.35	<5	20	<10	103	1180	<2	17	<10	6	39
160766	1005699	0.039	<1	3.93	<2	418	<2	<1	1.69	<4	3	22	11	1.16	0.10	21	1.07	427	10	37	333	9	0.36	<5	28	<10	92	1376	<2	20	<10	5	19
160767	1005700	<0.005	<1	3.71	6	433	<2	<1	1.38	<4	12	50	22	2.26	0.27	9	0.90	465	4	31	512	5	0.08	<5	22	<10	227	1730	3	73	43	14	48
160768	1005701	0.021	<1	4.29	3	496	<2	<1	1.25	<4	5	22	2	1.23	0.28	27	0.88	347	12	34	333	10	0.34	<5	14	<10	122	1652	<2	24	<10	4	22
160769	1005702	0.489	<1	4.09	4	589	<2	<1	1.74	<4	4	26	43	1.48	0.16	18	1.07	421	11	41	332	45	0.51	<5	16	<10	120	1413	<2	23	<10	4	231
160770	1005703	0.392	<1	3.26	13	466	<2	<1	1.29	<4	5	34	27	1.70	0.42	21	1.03	416	10	64	336	93	1.13	<5	18	<10	104	1520	4	25	10	3	833
160771	1005704	0.016	<1	4.02	<2	367	<2	<1	1.40	<4	4	24	8	1.19	0.10	18	1.08	371	8	42	327	7	0.25	<5	16	<10	102	1273	<2	20	<10	5	21
160772	1005705	0.016	<1	4.39	<2	420	<2	<1	1.48	<4	5	20	4	1.32	0.10	19	1.05	365	8	36	328	12	0.30	<5	11	<10	146	1402	<2	21	<10	5	24
160773	1005706	0.013	<1	4.39	2	343	<2	<1	1.52	<4	4	19	4	1.32	0.06	17	1.06	369	8	35	316	10	0.31	<5	22	<10	142	1277	<2	19	<10	6	28
160774R	1005706	0.016	<1	4.52	<2	417	<2	<1	1.47	<4	3	24	4	1.34	0.07	18	1.03	359	9	45	331	13	0.31	<5	12	<10	143	1375	4	21	<10	5	56
160775	1005707	0.041	1	4.47	7	485	<2	<1	1.72	5	5	20	34	1.54	0.06	19	1.07	469	9	36	339	196	0.86	<5	31	<10	134	1370	2	21	17	5	1209
160776	1005708	0.008	<1	4.47	4	343	<2	<1	2.31	<4	5	50	8	1.43	0.04	17	1.42	468	8	48	495	13	0.41	<5	24	<10	142	1228	2	21	<10	7	52
160777	1005709	0.021	2	4.33	4	389	2	<1	2.15	5	3	25	46	1.72	0.19	11	1.58	844	9	43	315	424	0.90	<5	18	<10	121	1059	3	20	16	6	1483
160778	1005710	1.158	1	4.06	20	516	<2	<1	1.60	<4	15	55	570	3.56	0.02	13	1.07	587	37	36	637	81	0.70	<5	18	<10	226	1808	<2	107	27	13	111
160779	1005711	0.018	<1	4.90	3	443	<2	<1	2.08	<4	4	40	6	1.61	<0.01	17	1.46	480	16	76	340	21	0.28	<5	23	<10	154	1250	<2	21	<10	6	61
160780	1005712	0.220	<1	5.06	2	392	<2	<1	2.00	<4	3	30	6	1.54	0.36	18	1.68	546	11	54	318	51	0.43	<5	17	<10	153	1212	<2	19	<10	6	93
160781	1005713	0.057	<1	4.21	9	455	<2	<1	1.01	<4	4	34	14	1.10	0.35	21	0.72	269	13	63	349	51	0.60	<5	23	<10	101	1309	<2	22	<10	5	81
160782	1005714	0.214	1	5.24	8	456	<2	<1	1.83	<4	4	56	7	1.49	0.25	20	1.26	417	18	110	340	53	0.52	<5	19	<10	128	1325	<2	22	<10	6	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
160783	1005715	0.212	<1	4.83	13	505	<2	<1	1.73	<4	5	28	12	1.32	0.08	21	1.41	500	10	52	336	120	0.54	5	25	<10	114	1397	3	21	<10	6	191
160784	1005716	0.163	<1	3.49	14	399	<2	<1	1.20	<4	3	49	15	1.57	0.36	18	1.04	375	15	98	319	29	0.82	<5	20	<10	90	1255	<2	21	<10	5	222
160785D	1005716	0.170	<1	4.50	14	496	<2	<1	1.34	<4	5	31	15	1.54	0.39	23	1.11	399	14	57	334	37	0.94	<5	16	<10	102	1482	2	24	<10	5	230
160786	1005717	0.740	5	3.15	31	377	2	<1	0.43	10	4	25	98	1.77	0.20	14	0.57	173	8	37	387	457	2.12	5	17	<10	61	1106	<2	21	30	5	2880
160787	1005718	0.465	2	3.36	13	305	<2	<1	0.92	<4	3	20	13	1.01	0.32	14	0.76	243	6	30	395	134	0.79	<5	21	<10	81	1128	<2	23	<10	6	137
160788	1005719	0.194	1	3.52	11	348	<2	<1	1.17	<4	4	24	19	0.92	0.26	12	0.88	307	6	39	361	54	0.47	<5	24	<10	83	1126	<2	21	<10	5	306
160789	1005720	0.009	<1	3.48	6	436	<2	<1	1.39	<4	12	51	22	2.26	0.12	9	0.89	469	3	30	506	7	0.08	<5	22	<10	222	1733	<2	73	43	14	49
160790	1005721	0.037	<1	3.77	7	299	2	<1	1.27	<4	5	22	17	1.15	0.35	15	1.32	309	8	36	352	53	0.33	<5	17	<10	87	1140	6	19	<10	5	155
160791	1005722	0.025	1	5.58	26	404	<2	<1	2.84	<4	8	25	23	1.96	0.24	25	1.37	544	8	34	522	22	1.00	<5	28	<10	148	1517	4	31	<10	7	71
160792	1005723	1.414	6	3.51	44	319	<2	<1	0.47	<4	8	21	125	1.60	0.35	14	0.45	150	8	33	460	97	1.58	<5	12	<10	74	1515	<2	31	10	5	430
160793	1005724	0.200	2	4.69	22	200	<2	<1	1.86	<4	7	21	22	1.60	0.36	16	1.02	403	6	36	531	30	0.87	<5	20	<10	103	1415	2	26	<10	7	74
160794	1005725	0.019	1	5.34	10	245	<2	<1	2.55	<4	7	21	4	1.68	0.20	15	1.24	425	5	32	513	21	0.58	<5	24	<10	120	1442	<2	28	<10	7	82
160795	1005726	0.027	1	4.56	11	218	<2	<1	2.37	<4	6	28	4	1.63	0.22	13	1.13	414	6	46	529	23	0.52	<5	25	<10	115	1324	<2	25	<10	7	146
160796D	1005726	0.036	1	4.57	7	227	<2	<1	2.38	<4	5	28	4	1.63	0.18	16	1.11	415	9	45	518	24	0.54	<5	15	<10	119	1349	<2	25	<10	7	146
160797	1005727	0.036	2	5.81	7	271	<2	<1	2.54	<4	8	21	9	1.77	0.24	18	1.27	440	6	33	568	29	0.59	<5	29	<10	127	1552	<2	29	<10	8	102
160798	1005728	0.057	1	3.98	12	291	<2	<1	2.00	<4	8	22	4	1.56	0.14	17	0.94	331	6	34	527	16	0.55	<5	14	<10	118	1487	<2	29	<10	6	55
160799	1005729	0.041	1	4.17	126	162	<2	<1	1.50	<4	13	63	44	2.81	0.02	19	1.51	515	8	60	506	24	0.79	<5	5	<10	111	1631	<2	42	<10	9	75
160800	1005730																																
160801	1005731	0.063	1	5.03	740	211	2	<1	1.26	<4	22	95	35	3.73	0.30	24	1.83	532	15	81	481	33	1.07	<5	11	<10	122	1997	<2	64	<10	12	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160643	1005587	73	0.002	0.073
160644	1005588	3184	0.093	3.184
160645	1005589	1274	0.037	1.274
160646	1005590	1106	0.032	1.106
160647	1005591	829	0.024	0.829
160648	1005592	83	0.002	0.083
160649	1005593	230	0.007	0.230
160650	1005594	61	0.002	0.061
160651	1005595	39	0.001	0.039
160652	1005596	308	0.009	0.308
160653 Dup	1005596	306	0.009	0.306
160654	1005597	138	0.004	0.138
160655	1005598	50	0.001	0.050
160656	1005599	82	0.002	0.082
160657	1005600	9	<0.001	0.009
160658	1005601	246	0.007	0.246
160659	1005602	164	0.005	0.164
160660	1005603	64	0.002	0.064
160661	1005604	953	0.028	0.953
160662	1005605	24	<0.001	0.024
160663	1005606	49	0.001	0.049
160664 Dup	1005606	42	0.001	0.042
160665	1005607	469	0.014	0.469
160666	1005608	124	0.004	0.124
160667	1005609	37	0.001	0.037
160668	1005610	336	0.010	0.336
160669	1005611	26	<0.001	0.026
160670	1005612	27	<0.001	0.027
160671	1005613	39	0.001	0.039
160672	1005614	34	<0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160673	1005615	23	<0.001	0.023
160674	1005616	27	<0.001	0.027
160675 Dup	1005616	27	<0.001	0.027
160676	1005617	28	<0.001	0.028
160677	1005618	135	0.004	0.135
160678	1005619	786	0.023	0.786
160679	1005620	<5	<0.001	<0.005
160680	1005621	183	0.005	0.183
160681	1005622	878	0.026	0.878
160682	1005623	2542	0.074	2.542
160683	1005624	659	0.019	0.659
160684	1005625	130	0.004	0.130
160685	1005626	151	0.004	0.151
160686 Dup	1005626	154	0.004	0.154
160687	1005627	27	<0.001	0.027
160688	1005628	350	0.010	0.350
160689	1005629	104	0.003	0.104
160690	1005630	4934	0.144	4.934
160691	1005631	423	0.012	0.423
160692	1005632	582	0.017	0.582
160693	1005633	2327	0.068	2.327
160694	1005634	533	0.016	0.533
160695	1005635	2085	0.061	2.085
160696	1005636	493	0.014	0.493
160697 Dup	1005636	430	0.013	0.430
160698	1005637	195	0.006	0.195
160699	1005638	869	0.025	0.869
160700	1005639	181	0.005	0.181
160701	1005640	6	<0.001	0.006
160702	1005641	332	0.010	0.332

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160703	1005642	144	0.004	0.144
160704	1005643	331	0.010	0.331
160705	1005644	1141	0.033	1.141
160706	1005645	207	0.006	0.207
160707	1005646	41	0.001	0.041
160708 Rep	1005646	40	0.001	0.040
160709	1005647	389	0.011	0.389
160710	1005648	311	0.009	0.311
160711	1005649	552	0.016	0.552
160712	1005650	1249	0.036	1.249
160713	1005651	114	0.003	0.114
160714	1005652	665	0.019	0.665
160715	1005653	167	0.005	0.167
160716	1005654	126	0.004	0.126
160717	1005655	110	0.003	0.110
160718	1005656	109	0.003	0.109
160719 Dup	1005656	104	0.003	0.104
160720	1005657	392	0.011	0.392
160721	1005658	522	0.015	0.522
160722	1005659	137	0.004	0.137
160723	1005660	<5	<0.001	<0.005
160724	1005661	82	0.002	0.082
160725	1005662	1113	0.032	1.113
160726	1005663	90	0.003	0.090
160727	1005664	140	0.004	0.140
160728	1005665	54	0.002	0.054
160729	1005666	49	0.001	0.049
160730 Dup	1005666	58	0.002	0.058
160731	1005667	205	0.006	0.205
160732	1005668	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160733	1005669	160	0.005	0.160
160734	1005670	337	0.010	0.337
160735	1005671	232	0.007	0.232
160736	1005672	254	0.007	0.254
160737	1005673	182	0.005	0.182
160738	1005674	166	0.005	0.166
160739	1005675	54	0.002	0.054
160740	1005676	28	<0.001	0.028
160741 Dup	1005676	28	<0.001	0.028
160742	1005677	42	0.001	0.042
160743	1005678	17	<0.001	0.017
160744	1005679	13	<0.001	0.013
160745	1005680	<5	<0.001	<0.005
160746	1005681	98	0.003	0.098
160747	1005682	34	<0.001	0.034
160748	1005683	95	0.003	0.095
160749	1005684	107	0.003	0.107
160750	1005685	40	0.001	0.040
160751	1005686	26	<0.001	0.026
160752 Dup	1005686	25	<0.001	0.025
160753	1005687	45	0.001	0.045
160754	1005688	64	0.002	0.064
160755	1005689	161	0.005	0.161
160756	1005690	4942	0.144	4.942
160757	1005691	67	0.002	0.067
160758	1005692	42	0.001	0.042
160759	1005693	21	<0.001	0.021
160760	1005694	35	0.001	0.035
160761	1005695	30	<0.001	0.030
160762	1005696	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160763 Dup	1005696	27	<0.001	0.027
160764	1005697	26	<0.001	0.026
160765	1005698	24	<0.001	0.024
160766	1005699	39	0.001	0.039
160767	1005700	<5	<0.001	<0.005
160768	1005701	21	<0.001	0.021
160769	1005702	489	0.014	0.489
160770	1005703	392	0.011	0.392
160771	1005704	16	<0.001	0.016
160772	1005705	16	<0.001	0.016
160773	1005706	13	<0.001	0.013
160774 Rep	1005706	16	<0.001	0.016
160775	1005707	41	0.001	0.041
160776	1005708	8	<0.001	0.008
160777	1005709	21	<0.001	0.021
160778	1005710	1158	0.034	1.158
160779	1005711	18	<0.001	0.018
160780	1005712	220	0.006	0.220
160781	1005713	57	0.002	0.057
160782	1005714	214	0.006	0.214
160783	1005715	212	0.006	0.212
160784	1005716	163	0.005	0.163
160785 Dup	1005716	170	0.005	0.170
160786	1005717	740	0.022	0.740
160787	1005718	465	0.014	0.465
160788	1005719	194	0.006	0.194
160789	1005720	9	<0.001	0.009
160790	1005721	37	0.001	0.037
160791	1005722	25	<0.001	0.025
160792	1005723	1414	0.041	1.414

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, July 13, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/28/2011  
 Date Completed: 07/13/2011  
 Job #: 201142426  
 Reference: TL11182  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
160793	1005724	200	0.006	0.200
160794	1005725	19	<0.001	0.019
160795	1005726	27	<0.001	0.027
160796 Dup	1005726	36	0.001	0.036
160797	1005727	36	0.001	0.036
160798	1005728	57	0.002	0.057
160799	1005729	41	0.001	0.041
160800	1005730	Insufficient Sample		
160801	1005731	63	0.002	0.063

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, July 26, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/18/2011  
Date Completed: 07/26/2011  
Job #: 201142655  
Reference: TL11182  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
174587	1005588	0.095	3.255

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162581	1075625	0.040	2	2.96	6	497	3	2	1.36	4	17	73	104	2.76	0.16	11	0.83	709	<1	53	337	38	4.97	7	<5	<10	264	1648	15	56	<10	6	228
162582	1075626	0.033	2	3.70	6	370	3	1	1.69	4	15	84	79	2.77	0.15	14	1.11	867	<1	58	352	30	5.03	<5	12	<10	269	1865	<2	62	<10	7	192
162583	1075627	0.038	1	3.52	8	431	2	1	1.24	<4	13	61	42	2.10	0.21	13	0.92	642	<1	38	387	32	4.95	<5	5	<10	227	1621	<2	53	<10	6	212
162584	1075628	0.014	<1	3.48	20	387	2	2	0.70	<4	6	15	8	0.89	0.09	3	0.31	144	<1	21	361	11	4.93	<5	10	<10	238	1300	<2	32	<10	4	26
162585	1075629	0.015	<1	2.60	8	359	2	<1	0.88	<4	5	13	4	0.42	0.15	3	0.20	114	<1	16	405	6	4.44	<5	<5	<10	270	1268	<2	32	<10	3	12
162586	1075630	0.248	100	3.70	216	327	2	4	1.01	27	14	45	6229	4.90	<0.01	4	1.10	1488	10	23	433	10331	5.61	358	<5	<10	188	1587	<2	72	38	12	5202
162587	1075631	0.015	1	3.99	11	336	2	2	1.07	<4	7	13	87	0.74	0.04	1	0.27	173	<1	11	380	111	3.77	7	17	<10	299	1287	<2	30	<10	4	73
162588	1075632	0.047	<1	3.72	14	324	2	3	1.07	<4	8	16	11	1.55	<0.01	<1	0.38	216	<1	22	370	15	3.85	6	18	<10	251	1329	<2	29	<10	5	35
162589	1075633	0.018	<1	3.19	8	403	3	2	1.00	<4	8	17	16	1.23	<0.01	4	0.29	179	<1	21	368	12	4.19	<5	11	<10	283	1438	<2	31	<10	4	50
162590	1075634	0.103	<1	2.64	11	488	2	2	1.46	<4	7	16	14	1.52	0.11	6	0.32	299	<1	20	357	10	4.69	<5	12	<10	311	1599	<2	34	<10	4	55
162591D	1075634	0.063	<1	2.53	4	510	2	1	1.38	<4	7	18	14	1.52	0.23	8	0.33	309	<1	24	367	11	5.33	<5	19	<10	303	1721	<2	36	<10	4	51
162592	1075635	0.035	<1	3.20	4	569	2	3	0.95	<4	7	19	9	1.00	0.20	6	0.27	212	<1	26	378	8	4.56	<5	11	<10	246	1683	<2	34	<10	4	49
162593	1075636	0.030	<1	2.90	22	485	2	1	0.98	<4	7	16	17	1.17	0.20	9	0.46	279	<1	20	366	61	4.91	<5	<5	<10	251	1498	16	32	<10	3	243
162594	1075637	0.021	<1	2.97	31	610	2	4	0.86	<4	10	15	8	0.85	0.18	11	0.40	220	<1	22	361	15	5.63	<5	15	<10	224	1582	<2	33	<10	3	67
162595	1075638	0.017	<1	3.67	24	548	2	1	1.37	<4	8	20	8	1.10	0.17	9	0.54	319	<1	30	356	10	4.76	<5	16	<10	228	1468	<2	33	<10	4	41
162596	1075639	0.020	<1	3.73	12	524	2	2	1.98	<4	8	17	29	1.42	0.07	9	0.67	403	<1	20	444	87	5.04	9	14	<10	167	1515	<2	32	<10	5	188
162597	1075640	<0.005	<1	2.40	6	413	2	2	1.16	<4	13	51	19	2.11	0.11	5	0.69	454	<1	32	484	6	4.55	<5	10	<10	227	1845	<2	72	40	9	50
162598	1075641	0.050	<1	2.62	16	553	2	2	0.90	<4	8	21	12	1.44	0.07	13	0.51	337	<1	36	451	55	5.68	<5	12	<10	147	1724	<2	34	<10	4	110
162599	1075642	0.034	1	3.70	26	560	2	<1	1.26	<4	9	17	9	1.56	<0.01	11	0.53	344	<1	24	502	29	5.35	<5	21	<10	174	1815	<2	36	<10	4	63
162600	1075643	0.132	3	3.75	14	589	2	3	1.59	<4	8	20	13	1.89	0.09	15	0.87	528	<1	25	361	32	5.60	<5	12	<10	194	1680	9	32	<10	4	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162601	1075644	0.139	6	3.51	27	626	2	1	0.64	<4	9	17	7	1.04	0.08	14	0.51	243	<1	24	328	21	4.63	<5	15	<10	160	1523	<2	29	<10	3	285
162602D	1075644	0.133	6	2.68	22	641	2	<1	0.62	<4	9	18	7	1.01	0.21	19	0.43	244	<1	26	332	22	6.26	<5	15	<10	158	1595	<2	30	<10	3	285
162603	1075645	0.016	1	3.53	15	519	3	2	1.65	<4	8	15	3	1.52	0.23	12	0.76	390	<1	22	361	10	4.66	<5	12	<10	207	1379	<2	26	<10	4	67
162604	1075646	0.006	1	3.11	10	550	2	2	1.62	<4	7	15	2	1.43	0.15	13	0.71	372	<1	21	353	13	5.41	<5	5	<10	211	1429	<2	28	<10	4	69
162605	1075647	0.011	<1	3.41	5	626	2	2	0.95	<4	9	33	7	1.34	0.16	17	0.50	301	<1	32	371	14	4.50	<5	13	<10	196	1743	6	38	<10	4	68
162606	1075648	0.752	1	3.54	13	436	2	3	1.78	6	26	127	53	3.83	0.09	16	0.99	690	<1	71	548	25	5.96	<5	<5	<10	230	2511	<2	88	<10	9	115
162607	1075649	0.068	1	4.10	11	390	3	2	1.46	5	20	124	62	3.31	0.21	17	1.21	663	<1	77	506	32	5.71	9	6	<10	129	2109	<2	77	<10	9	95
162608	1075650	4.766	9	2.48	14	292	3	1	2.55	10	29	75	99	4.35	0.24	14	1.20	842	11	53	868	25	7.10	9	<5	<10	285	3561	<2	126	<10	8	562
162609	1075651	0.053	2	1.95	32	695	2	<1	0.30	<4	10	35	11	0.90	0.21	12	0.38	160	10	47	298	92	6.52	<5	6	<10	100	1611	<2	39	<10	3	158
162610	1075652	0.069	1	2.72	30	672	2	3	0.38	<4	10	34	19	0.75	0.17	17	0.44	229	9	59	185	72	6.16	7	11	<10	94	1606	<2	37	11	4	275
162611	1075653	0.162	4	3.87	34	497	3	4	1.96	7	17	100	70	2.41	0.19	16	1.16	965	<1	59	417	426	6.36	12	18	<10	143	1928	<2	71	<10	8	857
162612	1075654	0.160	2	3.27	10	426	3	3	1.85	5	21	135	51	3.51	0.05	24	1.11	990	3	70	511	38	7.69	<5	<5	<10	192	2523	<2	92	<10	7	115
162613D	1075654	0.124	2	3.35	6	415	3	2	1.86	5	21	136	51	3.54	0.10	23	1.15	984	4	73	515	29	7.63	<5	10	18	190	2478	<2	91	<10	8	104
162614	1075655	0.016	1	2.62	29	557	3	<1	0.77	<4	8	28	5	1.29	0.12	18	0.32	147	5	37	323	21	7.63	<5	16	<10	191	1540	<2	30	<10	3	66
162615	1075656	0.009	<1	2.65	19	652	2	2	0.83	<4	7	17	4	0.76	0.18	18	0.39	128	<1	23	309	17	6.02	<5	10	<10	240	1565	<2	29	<10	3	48
162616	1075657	0.012	<1	2.73	34	721	3	2	0.89	<4	11	23	5	1.04	0.12	22	0.36	148	3	27	462	15	6.99	<5	14	<10	273	1969	<2	42	<10	4	123
162617	1075658	0.057	2	2.06	31	656	3	<1	0.87	<4	17	25	15	0.88	0.20	16	0.29	158	<1	47	460	15	6.61	<5	8	<10	261	1945	<2	46	<10	4	80
162618	1075659	0.017	<1	1.86	24	613	2	2	0.94	<4	16	41	11	0.97	0.09	14	0.29	180	6	76	399	13	7.30	<5	19	<10	302	1700	<2	38	<10	3	95
162619	1075660	0.006	1	2.21	12	422	2	1	1.15	<4	13	50	19	2.06	0.14	12	0.61	449	2	37	480	6	7.36	<5	12	<10	228	1963	<2	73	35	7	56
162620	1075661	0.016	<1	1.98	24	623	3	1	1.12	<4	20	15	9	0.81	0.18	15	0.32	191	<1	33	433	17	6.73	<5	8	10	329	1590	<2	31	<10	3	168

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162621	1075662	0.020	<1	2.26	16	671	3	2	1.09	<4	13	23	9	0.88	0.16	19	0.33	191	3	44	539	11	6.63	6	13	<10	323	1746	<2	33	<10	3	42
162622	1075663	0.013	<1	2.69	19	664	2	<1	1.10	<4	14	33	12	0.92	0.15	18	0.38	175	1	33	428	17	7.18	<5	9	<10	322	1706	5	39	<10	4	67
162623	1075664	0.016	1	2.88	20	569	3	2	1.06	<4	16	29	7	1.16	0.20	17	0.40	174	<1	31	396	13	7.23	<5	13	<10	304	1664	<2	40	<10	4	68
162624D	1075664	0.015	<1	2.35	21	590	3	2	1.08	<4	17	30	7	1.21	0.13	18	0.38	180	1	30	398	18	6.95	<5	10	<10	312	1732	<2	41	<10	4	69
162625	1075665	0.029	<1	3.05	13	559	2	2	1.73	<4	16	45	21	1.56	0.23	17	0.53	308	1	37	392	15	6.43	7	16	<10	353	1789	<2	48	<10	5	98
162626	1075666	0.027	1	3.36	15	644	2	<1	1.67	<4	17	47	22	1.63	0.19	19	0.56	324	<1	36	412	20	6.86	<5	11	<10	356	1822	<2	49	<10	5	96
162627	1075667	0.019	<1	3.02	25	580	3	3	1.12	<4	17	18	6	1.19	0.25	17	0.36	192	<1	32	245	25	7.01	8	16	<10	319	1826	<2	37	<10	4	320
162628	1075668	0.198	<1	2.55	25	594	3	3	1.05	<4	9	16	7	1.70	0.19	19	0.46	330	<1	23	437	38	7.50	<5	9	<10	254	1895	<2	38	<10	4	188
162629	1075669	0.039	1	2.71	<2	365	3	<1	1.41	<4	10	14	9	1.66	0.04	16	0.45	437	<1	20	447	17	6.85	<5	<5	<10	191	1893	<2	36	<10	4	51
162630	1075670	1.123	1	2.82	24	520	3	<1	1.39	5	16	52	539	3.34	0.11	13	0.76	555	24	37	631	67	6.93	5	15	<10	241	1989	<2	106	27	8	103
162631	1075671	0.024	<1	2.50	5	490	3	3	1.28	<4	11	10	19	1.43	0.18	23	0.47	422	<1	20	485	29	6.43	<5	5	<10	133	2244	<2	42	<10	3	52
162632	1075672	0.053	1	3.63	25	454	3	2	1.36	<4	9	17	8	1.25	0.23	21	0.74	592	1	33	516	23	6.44	<5	8	<10	130	2055	<2	37	<10	4	103
162633	1075673	0.041	<1	3.17	18	498	3	2	1.13	<4	7	11	5	0.93	0.24	22	0.67	654	<1	22	442	24	6.32	<5	10	<10	118	1889	<2	32	<10	4	78
162634	1075674	0.049	<1	4.16	28	503	2	2	1.18	<4	7	10	5	0.94	0.24	16	0.75	703	<1	16	444	28	5.64	<5	15	<10	96	1799	11	32	<10	4	58
162635D	1075674	0.060	<1	3.40	25	512	3	3	1.12	<4	8	10	5	0.92	0.32	19	0.65	719	<1	20	431	26	6.59	<5	13	<10	95	1832	<2	32	<10	4	60
162636	1075675	0.136	3	2.13	30	477	3	<1	0.80	<4	9	11	13	0.97	0.41	18	0.49	524	<1	20	409	478	6.82	<5	10	<10	92	1773	<2	31	<10	3	905
162637	1075676	0.161	3	2.33	43	501	3	2	0.47	<4	11	8	36	1.30	0.32	17	0.42	337	1	15	409	354	7.96	11	12	<10	87	1798	<2	30	<10	3	434
162638	1075677	0.046	1	3.52	19	485	3	<1	1.04	<4	10	10	20	0.70	0.27	19	0.67	579	1	19	453	42	7.26	<5	15	<10	109	1876	<2	31	<10	4	54
162639	1075678	0.118	3	2.26	22	464	3	<1	0.29	<4	10	10	59	0.60	0.16	14	0.38	243	4	20	427	65	6.36	<5	15	<10	78	1871	<2	31	<10	3	129
162640	1075679	0.012	1	2.66	13	462	3	1	1.04	<4	10	17	29	0.80	0.14	18	0.60	473	3	32	483	39	6.69	<5	13	<10	125	2011	<2	34	<10	3	63

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162641	1075680	0.007	<1	2.91	6	430	3	3	1.26	<4	14	50	20	2.13	0.14	13	0.67	462	<1	32	503	8	6.71	<5	5	<10	238	1975	<2	74	41	8	52
162642	1075681	0.015	1	1.80	10	422	3	3	0.33	<4	8	9	9	0.68	0.11	14	0.36	233	<1	25	399	34	6.39	<5	15	<10	92	1850	<2	32	<10	3	64
162643	1075682	0.018	1	2.08	7	387	3	<1	0.75	<4	7	10	31	0.84	0.16	13	0.43	307	<1	20	766	62	5.62	<5	6	<10	106	1618	<2	28	<10	4	181
162644	1075683	0.228	10	2.35	27	417	3	<1	0.25	15	8	20	71	1.38	0.18	16	0.38	294	1	33	369	1986	6.96	14	14	<10	84	1677	<2	29	53	3	7194
162645	1075684	0.056	1	3.26	22	385	2	2	1.47	<4	6	58	17	1.26	0.26	16	0.80	748	11	106	449	75	5.99	<5	11	<10	145	1788	<2	33	<10	4	205
162646R	1075684	0.046	1	3.07	11	380	2	3	1.41	<4	6	47	16	1.15	0.27	15	0.82	727	6	80	451	43	5.76	8	15	<10	142	1772	<2	32	<10	4	129
162647	1075685	0.060	2	2.39	12	502	3	2	0.89	<4	6	25	75	1.34	0.29	15	0.54	483	<1	31	431	35	6.18	<5	11	<10	121	1886	<2	36	<10	4	80
162648	1075686	0.038	1	2.73	7	494	2	2	0.91	<4	6	28	69	1.33	0.31	12	0.57	467	<1	30	435	40	5.32	<5	13	<10	125	1840	<2	35	<10	4	74
162649	1075687	0.428	3	2.42	28	468	3	1	0.21	<4	6	35	182	1.65	0.24	11	0.35	179	4	54	384	155	6.67	<5	9	<10	87	1583	<2	31	<10	3	423
162650	1075688	0.669	2	2.17	62	397	3	<1	0.02	5	6	41	80	2.14	0.13	11	0.28	<100	7	58	317	116	8.32	13	<5	<10	77	1489	<2	31	12	3	809
162651	1075689	6.770	13	1.92	79	410	3	<1	0.40	32	7	43	409	2.77	0.09	10	0.42	383	5	70	357	1256	8.73	56	15	<10	94	1555	<2	33	75	3	9569
162652	1075690	0.276	99	2.37	231	343	3	3	1.05	28	14	49	6141	5.01	<0.01	10	0.87	1539	15	28	449	10602	7.58	412	<5	<10	194	1806	<2	78	42	8	5170
162653	1075691	0.807	5	2.68	23	458	2	2	0.98	<4	7	38	164	1.69	0.07	14	0.56	860	3	61	524	203	6.60	11	9	<10	127	2036	14	41	<10	4	438
162654	1075692	0.763	2	3.29	22	391	2	1	0.80	<4	8	21	27	1.68	0.03	11	0.60	707	<1	27	451	47	5.22	9	7	<10	117	1881	<2	35	<10	4	86
162655	1075693	0.097	1	3.56	12	348	2	1	1.11	<4	8	54	15	2.04	0.08	10	0.70	871	3	88	439	34	5.11	<5	9	<10	131	1918	7	39	<10	4	77
162656	1075694	0.210	2	3.25	8	459	2	<1	0.92	<4	10	44	36	1.88	0.37	20	0.68	905	3	50	462	35	6.82	6	18	<10	125	2384	<2	43	<10	5	98
162657D	1075694	0.201	2	2.53	11	376	2	1	0.71	<4	8	47	32	1.72	0.22	15	0.57	802	1	57	432	28	5.67	<5	7	<10	112	2009	<2	40	<10	4	87
162658	1075695	0.200	2	2.78	14	459	3	1	0.96	<4	8	22	29	1.37	0.11	14	0.60	882	<1	23	405	46	5.79	<5	11	<10	121	1936	<2	37	<10	4	134
162659	1075696	3.022	4	3.32	18	292	2	1	0.72	4	6	60	67	1.34	0.13	9	0.51	549	7	92	300	373	5.99	<5	12	<10	100	1271	<2	28	16	5	1341
162660	1075697	0.552	1	3.41	34	460	2	2	1.08	<4	8	43	31	1.73	0.17	12	0.64	1067	<1	56	405	89	5.83	<5	13	<10	139	1760	<2	37	<10	4	138

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162661	1075698	0.046	1	2.20	40	459	2	1	0.78	<4	8	28	24	1.63	0.16	15	0.47	694	1	29	399	108	6.84	<5	11	<10	126	1787	<2	36	<10	4	280
162662	1075699	0.325	2	2.45	32	436	3	2	0.65	<4	7	34	26	1.58	0.08	12	0.42	518	<1	39	397	123	6.31	<5	15	<10	126	1740	<2	37	<10	4	225
162663	1075700	0.006	<1	2.28	7	408	2	1	1.18	<4	14	49	19	2.09	0.12	8	0.64	452	<1	32	476	11	5.83	8	13	<10	230	1860	<2	72	39	8	57
162664	1075701	0.037	1	2.73	17	390	2	<1	1.53	<4	10	60	13	1.89	<0.01	17	0.83	681	5	87	414	24	6.94	<5	12	<10	154	1861	<2	40	<10	4	97
162665	1075702	0.058	1	2.97	12	354	2	<1	1.53	<4	9	32	12	1.71	0.19	17	1.06	715	<1	33	420	31	6.35	10	9	<10	153	1877	<2	39	<10	4	99
162666	1075703	0.175	2	2.85	27	416	3	3	1.13	<4	12	20	21	1.51	<0.01	18	0.78	900	<1	32	416	55	7.33	<5	12	<10	150	1820	<2	35	<10	4	84
162667	1075704	0.044	2	1.80	21	368	3	4	0.77	<4	9	15	9	1.08	0.01	17	0.54	728	3	30	343	44	7.80	<5	12	<10	135	1547	<2	28	<10	3	69
162668D	1075704	0.043	1	1.76	20	369	3	1	0.82	<4	9	16	8	1.09	0.22	17	0.52	721	<1	29	328	45	7.01	<5	10	<10	143	1525	<2	27	<10	3	65
162669	1075705	0.920	2	2.00	23	337	3	2	1.10	<4	6	18	17	1.56	0.30	17	0.65	994	<1	27	330	33	6.86	5	12	<10	143	1447	<2	26	<10	3	97
162670	1075706	0.132	2	2.17	22	348	3	4	1.17	<4	7	15	20	1.63	0.23	20	0.65	1022	<1	22	332	42	7.71	<5	15	<10	150	1521	<2	27	<10	4	96
162671	1075707	4.941	39	1.74	32	392	2	3	0.60	11	5	33	100	1.24	0.22	20	0.47	586	6	54	320	955	7.43	46	16	<10	122	1382	<2	25	31	3	3391
162672	1075708	0.187	1	1.97	15	326	3	<1	0.75	<4	5	20	15	0.94	0.19	19	0.43	444	2	22	323	37	7.25	<5	13	<10	129	1382	<2	25	<10	3	88
162673	1075709	0.130	2	2.22	21	379	3	2	1.07	<4	7	19	13	1.43	0.14	18	0.49	591	2	24	412	156	7.37	6	14	<10	155	1694	2	34	<10	4	140
162674	1075710	4.775	8	4.93	16	295	3	4	2.73	8	29	77	95	4.40	0.29	13	1.65	851	7	53	915	21	6.59	<5	10	<10	298	3224	10	125	<10	12	169
162675	1075711	0.043	1	4.00	20	248	2	2	0.82	<4	6	17	12	0.84	0.23	7	0.45	358	<1	24	353	60	5.22	<5	7	<10	136	1291	<2	26	<10	4	186
162676	1075712	0.052	1	3.45	22	325	3	<1	0.54	<4	7	19	17	0.77	0.09	13	0.36	191	4	26	350	72	7.19	<5	15	<10	135	1425	2	27	<10	4	217
162677	1075713	0.036	1	2.78	15	335	2	1	1.03	<4	4	16	5	0.64	0.13	9	0.33	241	<1	20	368	16	6.34	<5	13	<10	149	1227	<2	28	<10	3	44
162678	1075714	0.048	<1	2.48	18	353	3	2	0.59	<4	5	20	3	0.90	0.24	13	0.34	176	<1	26	308	25	6.80	8	7	<10	147	1404	<2	29	<10	3	41
162679D	1075714	0.049	<1	2.61	15	339	2	2	0.56	<4	4	18	2	0.85	0.26	12	0.34	166	<1	24	291	17	6.52	<5	11	<10	146	1327	<2	27	<10	3	26
162680	1075715	0.013	1	2.54	4	358	2	<1	1.34	<4	7	18	10	1.26	0.26	18	0.54	389	1	29	376	14	7.43	<5	14	<10	196	1653	16	33	<10	4	61

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162681	1075716	0.010	2	3.20	6	415	3	3	2.03	<4	9	23	10	1.78	0.36	19	0.84	718	2	42	430	31	7.34	5	18	<10	221	1996	<2	44	<10	4	130
162682	1075717	0.007	1	2.47	7	310	3	1	1.08	<4	8	15	7	1.30	0.27	19	0.57	417	3	25	412	16	8.33	<5	9	<10	179	1906	10	40	<10	3	52
162683	1075718	0.015	2	2.73	16	374	3	1	0.94	<4	15	26	12	1.36	0.31	22	0.49	338	3	40	429	23	7.63	<5	<5	<10	161	2032	<2	42	<10	3	63
162684	1075719	0.007	2	2.96	13	328	3	<1	1.23	<4	10	20	10	1.50	0.12	17	0.60	496	<1	34	425	17	7.79	<5	7	<10	189	2207	<2	42	<10	4	66
162685	1075720	<0.005	1	2.69	8	404	3	2	1.18	<4	13	49	19	2.05	0.21	8	0.61	449	4	38	495	10	7.21	<5	10	<10	224	1927	8	72	38	7	49
162686	1075721	0.020	2	3.95	25	300	3	1	1.87	<4	12	27	23	1.93	0.07	14	0.98	530	<1	33	449	18	6.41	<5	16	<10	191	1853	<2	38	<10	5	78
162687	1075722	0.006	1	3.32	7	358	3	1	1.50	<4	7	19	11	1.22	0.06	18	0.65	325	<1	24	488	15	6.96	<5	8	<10	196	2170	<2	44	<10	3	50
162688	1075723	0.010	1	6.39	29	369	2	3	4.03	<4	8	19	12	2.20	0.12	19	1.71	877	<1	28	542	35	7.14	5	14	<10	236	2126	<2	41	<10	6	73
162689	1075724	0.156	2	2.99	22	350	2	<1	0.41	<4	6	21	8	0.86	0.27	15	0.46	229	2	33	340	22	6.30	<5	6	<10	90	1560	11	29	<10	3	98
162690D	1075724	0.165	2	2.85	21	367	3	2	0.35	<4	6	25	8	0.86	0.23	16	0.43	228	3	38	349	24	7.00	<5	7	<10	91	1636	<2	30	<10	3	99
162691	1075725	0.157	2	2.11	23	287	3	<1	0.04	<4	5	19	6	1.00	0.30	11	0.30	110	2	34	335	31	7.10	<5	13	<10	68	1462	<2	27	<10	3	96
162692	1075726	0.154	2	2.90	31	301	4	<1	0.31	<4	5	21	12	1.00	0.16	12	0.44	296	3	33	374	45	6.91	<5	8	<10	82	1571	<2	29	<10	3	105
162693	1075727	0.026	1	4.18	12	256	2	2	1.54	<4	5	27	5	1.30	0.44	17	0.88	848	<1	37	388	31	5.76	5	14	<10	104	1518	2	29	<10	4	65
162694	1075728	0.017	<1	3.62	6	198	2	<1	1.62	<4	5	16	3	1.28	0.17	15	1.01	826	<1	25	371	13	4.83	5	5	<10	95	1565	<2	27	<10	4	53
162695	1075729	0.204	2	3.74	18	189	2	2	1.34	<4	6	20	7	1.20	0.13	11	0.82	607	<1	29	390	10	4.83	<5	8	<10	87	1352	<2	23	<10	4	37
162696	1075730	1.100	1	3.10	26	510	2	4	1.36	5	15	52	533	3.33	0.16	7	0.87	562	19	33	638	64	5.12	<5	6	<10	234	1877	<2	106	26	9	97
162697	1075731	0.019	<1	2.68	11	247	2	3	0.89	<4	6	36	20	0.99	0.11	12	0.61	566	3	63	390	16	5.67	<5	10	<10	87	1583	12	29	<10	3	33
162698	1075732	0.034	1	3.24	25	217	2	<1	0.65	<4	7	15	24	0.85	0.19	9	0.64	538	<1	21	369	29	5.38	<5	14	<10	81	1379	<2	25	<10	3	99
162699	1075733	0.081	2	2.93	27	219	3	2	0.04	<4	5	25	18	0.90	0.19	8	0.40	149	<1	39	352	32	5.65	<5	12	<10	64	1338	<2	25	<10	3	293
162700	1075734	0.020	2	3.01	97	243	3	<1	<0.01	<4	5	21	10	0.85	0.09	7	0.30	<100	<1	31	365	35	6.43	<5	16	<10	70	1281	<2	26	<10	3	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162701D	1075734	0.027	2	2.88	92	233	2	3	<0.01	<4	4	17	10	0.81	0.18	6	0.29	<100	<1	23	349	34	5.56	<5	8	<10	67	1222	<2	25	<10	3	61
162702	1075735	0.027	2	2.55	20	236	2	<1	<0.01	<4	4	20	4	0.66	0.13	8	0.29	<100	<1	30	327	32	5.68	<5	8	<10	65	1287	<2	25	<10	3	98
162703	1075736	0.030	1	3.33	23	228	2	3	0.47	<4	5	19	3	0.95	0.24	8	0.50	312	<1	30	329	47	5.41	<5	13	<10	92	1234	<2	23	<10	3	54
162704	1075737	0.012	2	3.41	26	270	2	1	1.90	<4	6	14	6	1.51	0.07	16	0.88	833	<1	21	391	26	6.27	<5	5	<10	113	1561	<2	29	<10	4	78
162705	1075738	0.008	1	4.55	12	248	2	<1	2.35	<4	5	30	5	1.67	0.15	12	1.00	671	<1	50	429	18	4.90	<5	16	<10	127	1569	<2	28	<10	4	51
162706	1075739	0.007	1	2.64	14	267	3	2	1.46	<4	5	20	2	1.24	0.19	12	0.64	584	<1	29	362	8	5.92	<5	15	<10	107	1488	13	26	<10	3	36
162707	1075740	0.005	<1	2.10	7	404	2	2	1.14	<4	13	49	19	2.07	0.17	8	0.61	449	<1	31	479	3	6.07	7	11	<10	225	1875	<2	72	38	7	43
162708	1075741	0.008	1	2.46	12	228	2	2	1.84	<4	6	14	3	1.49	0.12	9	0.82	864	<1	19	363	16	5.14	<5	9	<10	117	1341	<2	26	<10	4	38
162709	1075742	0.014	2	2.98	11	152	3	1	2.80	<4	18	63	25	2.53	0.20	10	0.97	723	3	47	626	12	6.95	<5	9	<10	153	1714	<2	46	104	6	54
162710	1075743	0.008	1	2.17	4	337	4	3	1.16	<4	6	21	11	1.22	<0.01	12	0.37	273	6	32	570	16	7.87	<5	8	<10	158	1676	<2	39	<10	4	31
162711	1075744	0.007	<1	2.34	19	426	2	3	1.09	<4	7	12	10	1.29	0.12	15	0.53	354	<1	24	533	9	6.63	<5	7	11	177	1884	<2	37	<10	3	33
162712R	1075744	0.009	<1	2.84	21	462	3	4	1.21	<4	8	20	10	1.44	<0.01	17	0.56	384	<1	34	575	13	6.23	<5	13	<10	193	2005	<2	40	<10	4	39
162713	1075745	0.007	<1	3.51	12	432	2	2	1.68	<4	13	18	11	1.37	<0.01	15	0.65	386	<1	30	603	13	5.73	<5	7	<10	227	1880	<2	40	<10	4	37
162714	1075746	0.008	<1	2.56	9	391	2	1	1.47	<4	13	15	11	1.25	<0.01	12	0.60	355	<1	26	522	13	5.36	<5	12	<10	210	1757	<2	36	<10	4	35
162715	1075747	0.006	<1	3.40	14	463	2	2	1.08	<4	10	15	15	0.74	0.04	11	0.40	178	<1	24	525	7	4.78	5	18	<10	189	1732	<2	35	<10	4	29
162716	1075748	0.015	1	2.56	29	509	2	1	0.71	<4	7	30	12	1.01	<0.01	9	0.31	171	4	53	528	6	6.07	<5	12	<10	165	1270	<2	36	<10	3	26
162717	1075749	0.009	1	2.43	28	661	3	<1	0.41	<4	8	30	4	0.92	0.01	11	0.34	172	4	52	569	10	6.49	6	7	<10	147	1313	<2	41	<10	3	27
162718	1075750	0.272	99	1.78	223	363	2	5	0.94	26	13	44	6112	4.75	<0.01	7	0.78	1481	14	28	428	10350	7.63	404	7	<10	179	1719	<2	74	38	7	5134
162719	1075751	0.019	2	2.71	15	775	2	2	0.54	<4	7	28	85	0.91	0.03	12	0.41	211	1	44	552	121	5.25	10	12	<10	145	1606	<2	46	<10	3	78
162720	1075752	0.019	2	3.26	12	380	3	2	1.47	6	26	159	62	4.27	0.02	22	1.18	646	4	121	579	38	6.66	8	<5	<10	166	2385	<2	108	<10	6	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162581	1075625	40	0.001	0.040
162582	1075626	33	<0.001	0.033
162583	1075627	38	0.001	0.038
162584	1075628	14	<0.001	0.014
162585	1075629	15	<0.001	0.015
162586	1075630	248	0.007	0.248
162587	1075631	15	<0.001	0.015
162588	1075632	47	0.001	0.047
162589	1075633	18	<0.001	0.018
162590	1075634	103	0.003	0.103
162591 Dup	1075634	63	0.002	0.063
162592	1075635	35	0.001	0.035
162593	1075636	30	<0.001	0.030
162594	1075637	21	<0.001	0.021
162595	1075638	17	<0.001	0.017
162596	1075639	20	<0.001	0.020
162597	1075640	<5	<0.001	<0.005
162598	1075641	50	0.001	0.050
162599	1075642	34	0.001	0.034
162600	1075643	132	0.004	0.132
162601	1075644	139	0.004	0.139
162602 Dup	1075644	133	0.004	0.133
162603	1075645	16	<0.001	0.016
162604	1075646	6	<0.001	0.006
162605	1075647	11	<0.001	0.011
162606	1075648	752	0.022	0.752
162607	1075649	68	0.002	0.068
162608	1075650	4766	0.139	4.766
162609	1075651	53	0.002	0.053
162610	1075652	69	0.002	0.069

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162611	1075653	162	0.005	0.162
162612	1075654	160	0.005	0.160
162613 Dup	1075654	124	0.004	0.124
162614	1075655	16	<0.001	0.016
162615	1075656	9	<0.001	0.009
162616	1075657	12	<0.001	0.012
162617	1075658	57	0.002	0.057
162618	1075659	17	<0.001	0.017
162619	1075660	6	<0.001	0.006
162620	1075661	16	<0.001	0.016
162621	1075662	20	<0.001	0.020
162622	1075663	13	<0.001	0.013
162623	1075664	16	<0.001	0.016
162624 Dup	1075664	15	<0.001	0.015
162625	1075665	29	<0.001	0.029
162626	1075666	27	<0.001	0.027
162627	1075667	19	<0.001	0.019
162628	1075668	198	0.006	0.198
162629	1075669	39	0.001	0.039
162630	1075670	1123	0.033	1.123
162631	1075671	24	<0.001	0.024
162632	1075672	53	0.002	0.053
162633	1075673	41	0.001	0.041
162634	1075674	49	0.001	0.049
162635 Dup	1075674	60	0.002	0.060
162636	1075675	136	0.004	0.136
162637	1075676	161	0.005	0.161
162638	1075677	46	0.001	0.046
162639	1075678	118	0.003	0.118
162640	1075679	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162641	1075680	7	<0.001	0.007
162642	1075681	15	<0.001	0.015
162643	1075682	18	<0.001	0.018
162644	1075683	228	0.007	0.228
162645	1075684	56	0.002	0.056
162646 Rep	1075684	46	0.001	0.046
162647	1075685	60	0.002	0.060
162648	1075686	38	0.001	0.038
162649	1075687	428	0.012	0.428
162650	1075688	669	0.020	0.669
162651	1075689	6770	0.197	6.770
162652	1075690	276	0.008	0.276
162653	1075691	807	0.024	0.807
162654	1075692	763	0.022	0.763
162655	1075693	97	0.003	0.097
162656	1075694	210	0.006	0.210
162657 Dup	1075694	201	0.006	0.201
162658	1075695	200	0.006	0.200
162659	1075696	3022	0.088	3.022
162660	1075697	552	0.016	0.552
162661	1075698	46	0.001	0.046
162662	1075699	325	0.009	0.325
162663	1075700	6	<0.001	0.006
162664	1075701	37	0.001	0.037
162665	1075702	58	0.002	0.058
162666	1075703	175	0.005	0.175
162667	1075704	44	0.001	0.044
162668 Dup	1075704	43	0.001	0.043
162669	1075705	920	0.027	0.920
162670	1075706	132	0.004	0.132

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162671	1075707	4941	0.144	4.941
162672	1075708	187	0.005	0.187
162673	1075709	130	0.004	0.130
162674	1075710	4775	0.139	4.775
162675	1075711	43	0.001	0.043
162676	1075712	52	0.002	0.052
162677	1075713	36	0.001	0.036
162678	1075714	48	0.001	0.048
162679 Dup	1075714	49	0.001	0.049
162680	1075715	13	<0.001	0.013
162681	1075716	10	<0.001	0.010
162682	1075717	7	<0.001	0.007
162683	1075718	15	<0.001	0.015
162684	1075719	7	<0.001	0.007
162685	1075720	<5	<0.001	<0.005
162686	1075721	20	<0.001	0.020
162687	1075722	6	<0.001	0.006
162688	1075723	10	<0.001	0.010
162689	1075724	156	0.005	0.156
162690 Dup	1075724	165	0.005	0.165
162691	1075725	157	0.005	0.157
162692	1075726	154	0.004	0.154
162693	1075727	26	<0.001	0.026
162694	1075728	17	<0.001	0.017
162695	1075729	204	0.006	0.204
162696	1075730	1100	0.032	1.100
162697	1075731	19	<0.001	0.019
162698	1075732	34	<0.001	0.034
162699	1075733	81	0.002	0.081
162700	1075734	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142463  
 Reference: TL11183  
 Sample #: 128

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162701 Dup	1075734	27	<0.001	0.027
162702	1075735	27	<0.001	0.027
162703	1075736	30	<0.001	0.030
162704	1075737	12	<0.001	0.012
162705	1075738	8	<0.001	0.008
162706	1075739	7	<0.001	0.007
162707	1075740	5	<0.001	0.005
162708	1075741	8	<0.001	0.008
162709	1075742	14	<0.001	0.014
162710	1075743	8	<0.001	0.008
162711	1075744	7	<0.001	0.007
162712 Rep	1075744	9	<0.001	0.009
162713	1075745	7	<0.001	0.007
162714	1075746	8	<0.001	0.008
162715	1075747	6	<0.001	0.006
162716	1075748	15	<0.001	0.015
162717	1075749	9	<0.001	0.009
162718	1075750	272	0.008	0.272
162719	1075751	19	<0.001	0.019
162720	1075752	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/19/2011  
Date Completed: 07/26/2011  
Job #: 201142674  
Reference: TL11183  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
175444	1075696	0.057	1.956
175445	1075707	0.120	4.102

PROCEDURE CODES: ALFA7

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, July 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/19/2011  
 Date Completed: 07/26/2011  
 Job #: 201142677  
 Reference: TL11183  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
175448	1075689	7462	742	47740	5791	3.87%	38.71

PROCEDURE CODES: ALPM1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162476	1005732	0.017	<1	2.92	16	416	2	1	0.52	<4	8	12	3	0.57	0.06	5	0.46	285	<1	18	240	49	3.62	5	14	<10	155	1235	<2	35	<10	3	100
162477	1005733	0.017	<1	3.19	10	519	2	2	0.62	<4	10	26	7	0.84	0.10	7	0.59	336	<1	35	320	35	3.96	<5	20	<10	192	1479	<2	45	<10	3	61
162478	1005734	0.026	<1	2.78	17	454	2	3	0.72	<4	8	20	13	0.67	0.02	5	0.66	379	<1	19	301	34	3.35	5	13	<10	172	1284	<2	37	<10	3	106
162479	1005735	0.007	<1	2.70	4	442	2	2	0.79	<4	6	16	4	0.39	0.10	5	0.60	389	<1	16	270	43	3.29	<5	23	<10	195	1265	5	33	<10	3	83
162480	1005736	0.006	<1	2.32	6	447	<2	1	0.92	<4	7	19	1	0.58	0.02	6	0.68	534	<1	22	192	32	3.00	6	16	<10	191	1322	2	37	<10	3	61
162481	1005737	0.007	<1	2.58	5	446	2	1	0.23	<4	6	15	1	0.33	<0.01	5	0.36	181	<1	19	<100	51	3.26	8	9	<10	143	1354	<2	38	<10	2	96
162482	1005738	0.008	<1	2.85	13	441	2	2	1.05	<4	7	20	4	0.51	0.04	5	0.50	335	<1	27	111	37	3.31	<5	12	<10	186	1240	<2	35	<10	3	68
162483	1005739	0.013	<1	2.71	10	407	2	<1	1.33	<4	6	18	2	0.35	<0.01	2	0.23	198	<1	27	100	16	3.71	<5	11	<10	196	1102	33	33	<10	2	32
162484	1005740	<0.005	<1	2.21	5	416	2	2	1.15	<4	13	50	20	2.12	0.15	7	0.67	460	<1	31	484	8	4.08	<5	10	<10	227	1890	<2	74	43	8	59
162485	1005741	0.023	<1	3.88	14	406	2	1	1.49	<4	8	31	11	0.73	<0.01	5	0.43	325	<1	35	153	16	3.91	<5	18	<10	202	1428	<2	42	<10	4	48
162486D	1005741	0.027	<1	2.84	12	433	2	<1	1.43	<4	9	32	11	0.72	<0.01	9	0.38	336	<1	34	155	16	4.77	<5	14	<10	202	1513	<2	45	<10	3	46
162487	1005742	0.030	<1	2.99	23	470	<2	2	1.27	<4	10	25	15	1.04	<0.01	10	0.51	378	<1	35	358	30	4.34	8	15	<10	194	1599	<2	44	<10	4	92
162488	1005743	0.058	<1	2.70	33	469	3	1	1.42	<4	10	37	19	1.21	0.16	13	0.51	475	<1	30	311	36	5.47	<5	13	<10	215	1628	<2	49	<10	4	87
162489	1005744	0.012	<1	3.48	11	456	2	3	1.34	<4	8	18	3	0.48	0.15	4	0.34	195	<1	20	204	23	3.15	<5	10	<10	226	1358	<2	38	<10	3	32
162490	1005745	0.015	<1	3.33	12	485	2	1	1.74	<4	10	26	13	1.68	0.06	9	0.58	472	<1	30	399	30	3.80	8	8	<10	255	1846	<2	44	<10	5	85
162491	1005746	0.023	<1	2.93	9	487	2	<1	1.65	<4	9	23	14	1.75	0.04	9	0.59	488	<1	32	445	31	4.33	<5	17	<10	238	1871	<2	44	<10	5	110
162492	1005747	0.010	<1	3.17	2	453	2	3	2.01	<4	11	24	7	1.85	0.04	8	0.63	501	<1	25	438	15	3.51	<5	<5	<10	290	2228	<2	47	<10	6	78
162493	1005748	0.346	<1	3.95	299	323	3	<1	1.02	5	21	128	59	3.37	0.06	12	1.36	843	<1	81	481	23	5.58	6	11	<10	104	1614	<2	91	<10	9	120
162494	1005749	1.615	5	2.98	111	373	2	<1	0.29	7	17	101	147	2.30	<0.01	4	0.56	384	<1	65	365	269	5.05	20	<5	<10	73	1269	<2	70	13	6	1058
162495	1005750	4.829	9	5.03	18	306	3	2	2.73	8	28	74	103	4.53	0.18	13	1.78	874	5	59	939	29	5.38	<5	7	<10	304	2972	<2	125	<10	13	127

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162496	1005751	1.007	6	2.35	98	431	2	2	0.42	8	15	87	81	2.32	0.15	7	0.54	445	2	82	356	216	5.74	23	<5	<10	77	1103	6	61	16	4	1420
162497D	1005751	0.996	7	3.45	105	433	2	2	0.44	8	14	97	83	2.50	0.12	6	0.61	444	5	99	361	224	5.59	26	10	<10	75	1061	<2	61	13	5	1479
162498	1005752	0.072	2	5.43	120	354	2	3	1.76	4	17	96	64	2.85	0.05	13	1.62	938	<1	89	724	71	5.58	9	7	<10	95	1060	17	57	<10	11	150
162499	1005753	0.045	1	4.29	172	270	2	4	1.31	5	23	130	66	3.67	0.14	13	1.40	592	<1	81	502	27	4.50	<5	<5	<10	118	1673	<2	82	<10	10	151
162500	1005754	0.033	<1	5.13	37	298	2	2	1.76	<4	11	29	17	1.61	0.39	13	1.12	506	<1	35	539	9	3.99	<5	14	<10	147	1539	6	34	<10	8	295
162501	1005755	0.021	<1	4.17	11	213	2	3	1.32	<4	7	23	12	1.35	0.22	10	0.91	515	<1	30	445	10	3.28	<5	8	<10	105	1401	2	29	<10	6	55
162502	1005756	0.030	<1	5.68	29	213	2	2	2.13	<4	11	26	17	2.12	0.15	14	1.34	822	<1	32	478	21	4.29	<5	16	<10	127	1592	3	31	<10	8	79
162503	1005757	2.909	<1	4.50	34	324	2	2	1.08	<4	7	25	8	1.42	0.10	14	0.88	541	<1	24	468	18	3.65	<5	19	<10	89	1676	<2	39	<10	5	44
162504	1005758	2.893	3	3.87	83	280	3	2	0.53	6	11	21	37	2.36	0.03	11	0.82	350	<1	27	549	533	4.84	7	11	<10	63	1318	<2	34	16	6	1405
162505	1005759	3.901	6	2.20	167	226	2	2	<0.01	15	9	27	178	4.27	<0.01	4	0.41	139	<1	44	348	935	7.29	11	<5	<10	46	988	<2	22	37	4	4099
162506	1005760	0.008	<1	3.35	8	393	2	2	1.19	4	14	49	22	2.26	0.14	3	0.85	454	<1	29	499	14	3.40	<5	10	<10	224	1678	<2	72	39	13	98
162507	1005761	2.229	5	1.92	138	279	2	1	<0.01	8	8	21	114	2.87	0.07	6	0.36	<100	<1	30	364	541	6.15	8	6	<10	56	1001	<2	25	18	4	1738
162508D	1005761	2.259	6	2.02	142	266	2	2	<0.01	8	8	19	114	2.79	0.08	6	0.36	<100	<1	29	361	515	6.72	12	5	<10	53	983	<2	23	18	4	1695
162509	1005762	0.697	3	1.54	93	357	2	3	<0.01	8	6	17	41	1.74	0.08	6	0.28	<100	2	27	367	308	5.78	5	9	<10	57	1034	<2	24	26	3	2696
162510	1005763	0.224	3	2.78	35	708	2	4	<0.01	<4	10	35	61	1.24	0.01	9	0.32	<100	6	27	345	43	4.59	<5	7	<10	58	1459	<2	36	<10	3	127
162511	1005764	0.050	1	3.05	21	666	2	3	0.28	<4	5	32	36	0.59	<0.01	8	0.44	147	5	28	330	19	3.38	<5	16	<10	81	1343	<2	29	<10	4	41
162512	1005765	0.648	2	3.98	59	401	2	3	1.16	4	17	52	112	2.02	0.07	7	0.91	480	<1	52	422	164	4.19	<5	14	<10	128	1109	<2	37	<10	8	506
162513	1005766	0.438	2	3.82	70	432	2	4	1.10	4	16	58	97	2.02	0.18	7	0.85	460	<1	58	397	102	4.11	<5	11	<10	120	1143	<2	39	<10	8	487
162514	1005767	0.189	<1	3.24	16	219	2	2	1.28	5	22	109	76	3.30	<0.01	9	1.36	651	<1	68	510	47	3.52	<5	13	<10	116	1564	<2	67	<10	13	134
162515	1005768	0.133	<1	2.88	5	185	3	2	0.36	5	24	113	54	3.78	<0.01	12	1.59	526	<1	83	504	32	3.19	7	<5	10	69	1573	<2	77	<10	10	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162516	1005769	0.148	<1	3.63	8	319	2	3	1.02	5	23	116	66	3.37	0.35	13	1.24	783	<1	82	529	45	3.49	<5	11	<10	112	2080	<2	79	<10	9	123
162517	1005770	1.288	<1	3.62	20	472	2	1	1.31	5	15	52	539	3.38	0.15	3	1.04	550	17	31	632	65	3.38	<5	8	<10	216	1684	<2	102	27	13	100
162518	1005771	0.043	<1	2.92	<2	351	2	3	0.83	<4	9	44	32	1.77	0.08	7	0.98	576	<1	32	429	156	3.14	<5	6	<10	103	1213	<2	36	<10	7	253
162519D	1005771	0.033	<1	3.47	9	373	3	2	0.89	<4	8	45	25	1.77	0.04	9	1.01	583	<1	32	424	162	3.46	5	6	<10	107	1252	<2	37	<10	7	257
162520	1005772	1.263	2	3.30	13	224	2	3	0.92	<4	5	14	15	1.71	0.09	7	1.22	738	<1	21	586	253	3.44	<5	11	<10	94	828	19	20	<10	6	318
162521	1005773	0.278	2	3.90	9	284	<2	2	0.29	<4	3	14	<1	0.81	0.15	16	1.42	469	<1	18	534	579	2.54	11	19	<10	91	751	<2	28	<10	5	208
162522	1005774	0.102	<1	4.86	14	272	<2	2	0.34	<4	4	13	3	1.06	0.10	32	1.73	682	<1	20	547	82	3.59	5	14	<10	82	731	9	26	<10	5	90
162523	1005775	0.376	5	2.98	29	270	2	2	0.05	7	4	10	9	1.14	<0.01	15	1.08	415	<1	15	468	1376	3.04	8	14	<10	61	802	<2	25	16	4	1886
162524	1005776	0.227	3	3.47	27	183	2	<1	0.19	5	4	11	12	1.20	0.18	32	1.86	909	<1	17	511	912	2.55	<5	14	<10	62	688	16	22	13	5	1525
162525	1005777	0.280	1	3.28	30	127	<2	1	0.51	5	5	10	44	2.00	0.08	16	2.35	1094	<1	17	468	503	2.75	<5	5	<10	69	687	<2	27	<10	5	772
162526	1005778	0.768	<1	2.17	35	186	<2	3	<0.01	<4	7	10	17	1.55	0.22	<1	0.92	381	<1	17	464	121	3.22	<5	11	<10	51	613	<2	24	<10	4	446
162527	1005779	0.230	<1	2.10	25	226	2	4	<0.01	<4	6	18	54	1.06	0.32	<1	0.74	275	<1	17	462	147	2.79	<5	7	<10	47	619	<2	25	<10	5	415
162528	1005780	<0.005	<1	1.21	3	328	<2	2	0.94	<4	13	47	19	2.12	0.13	<1	0.80	436	<1	26	473	<1	2.07	5	5	<10	168	1491	<2	67	37	12	49
162529	1005781	0.511	1	3.46	23	235	<2	<1	0.76	4	7	15	147	1.65	0.40	3	1.39	639	<1	18	424	227	2.98	<5	13	<10	74	775	<2	25	10	5	526
162530D	1005781	0.514	3	2.61	31	178	<2	<1	0.70	4	6	14	149	1.60	0.36	2	1.38	624	<1	17	409	225	2.91	<5	6	<10	67	655	12	21	<10	5	529
162531	1005782	0.512	<1	1.85	28	208	<2	2	0.34	<4	6	20	39	1.39	<0.01	<1	0.87	393	<1	19	392	71	2.81	<5	7	<10	57	764	<2	21	<10	5	122
162532	1005783	1.049	1	1.79	15	272	2	<1	0.15	<4	4	17	36	0.94	<0.01	<1	0.51	205	<1	25	373	184	2.54	<5	15	<10	61	727	<2	20	<10	4	404
162533	1005784	0.149	<1	1.22	21	331	<2	<1	<0.01	<4	4	20	12	0.89	<0.01	<1	0.37	111	<1	30	357	82	2.59	<5	5	<10	46	740	<2	20	<10	4	158
162534	1005785	0.940	11	2.38	30	272	2	2	0.11	15	6	27	95	1.85	0.02	1	0.49	185	<1	49	296	3893	3.73	16	18	<10	65	958	<2	25	46	3	4664
162535	1005786	1.315	9	1.87	29	485	2	<1	0.03	13	5	22	221	1.68	<0.01	<1	0.39	153	<1	34	285	3017	3.92	12	9	<10	57	865	<2	21	36	3	3924

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162536	1005787	0.078	<1	3.22	27	497	<2	2	0.25	<4	4	16	13	0.99	0.09	5	0.46	234	<1	29	390	108	3.70	<5	12	<10	75	1289	<2	26	<10	4	193
162537	1005788	0.099	<1	2.79	28	307	2	3	0.53	<4	5	23	20	1.34	0.22	2	0.66	533	<1	46	381	55	2.99	<5	13	<10	83	1330	<2	29	<10	4	82
162538	1005789	0.090	<1	3.77	21	317	2	2	0.55	<4	6	29	3	1.30	0.16	5	0.66	442	<1	50	440	89	3.04	<5	15	<10	91	1381	<2	29	<10	5	119
162539	1005790	0.298	99	1.69	246	411	2	5	0.88	33	15	48	6272	5.80	0.03	<1	1.25	1792	9	26	489	10297	4.43	400	<5	<10	174	1689	<2	78	44	13	5125
162540	1005791	0.201	1	3.79	31	258	2	3	1.58	4	15	62	117	2.46	0.10	5	1.34	995	<1	51	523	129	2.98	<5	10	<10	115	1859	<2	47	<10	9	128
162541R	1005791	0.202	<1	3.72	22	250	2	3	1.58	<4	14	59	50	2.38	0.19	5	1.31	964	<1	48	507	33	3.07	<5	15	<10	113	1854	<2	46	<10	8	84
162542	1005792	0.302	2	2.78	34	351	3	2	1.53	4	9	32	28	1.93	0.22	14	0.90	1070	<1	34	412	101	6.69	<5	13	<10	138	1779	<2	39	<10	4	370
162543	1005793	0.068	1	2.41	14	363	3	2	0.66	4	7	23	26	1.53	0.28	15	0.61	632	<1	38	418	282	5.72	<5	11	<10	121	1670	<2	34	12	3	873
162544	1005794	0.113	1	2.78	21	359	2	2	0.74	<4	6	29	33	1.50	0.13	13	0.57	645	<1	42	422	193	5.73	7	16	<10	126	1591	<2	37	<10	3	276
162545	1005795	0.393	6	1.86	37	335	2	2	0.26	8	5	21	83	1.44	0.06	11	0.38	362	2	36	315	1261	6.37	5	12	<10	85	1322	<2	29	29	3	2615
162546	1005796	0.400	2	2.09	42	362	3	2	0.38	<4	5	18	22	1.15	0.06	14	0.41	376	<1	31	393	180	6.49	<5	12	<10	100	1488	<2	31	<10	3	392
162547	1005797	0.371	3	2.35	31	406	3	2	0.18	5	6	17	32	1.12	<0.01	16	0.32	193	<1	32	377	383	6.71	<5	<5	<10	86	1687	<2	33	16	3	1291
162548	1005798	0.289	2	2.35	43	305	2	2	0.90	<4	6	17	40	1.43	<0.01	13	0.58	789	<1	31	432	195	6.70	<5	<5	<10	137	1258	<2	30	<10	3	228
162549	1005799	0.280	36	1.95	55	139	3	2	0.10	33	8	15	161	2.60	<0.01	14	0.31	246	2	27	292	8147	9.24	31	<5	<10	71	1275	<2	24	105	3	13479
162550	1005800	0.008	1	2.86	17	427	3	<1	1.22	4	14	53	22	2.18	<0.01	9	0.65	473	2	36	509	91	6.15	<5	<5	<10	233	2010	<2	76	48	8	210
162551	1005801	0.471	2	2.37	28	331	3	1	0.46	<4	6	21	42	1.19	0.08	12	0.44	536	4	32	397	207	6.51	<5	11	<10	120	1405	<2	30	<10	3	333
162552D	1005801	0.458	3	2.96	34	341	3	<1	0.50	<4	6	17	42	1.17	0.03	14	0.47	533	<1	30	399	188	6.58	<5	18	<10	124	1423	<2	28	<10	3	307
162553	1005802	0.145	2	2.39	30	350	2	3	0.32	<4	8	13	17	0.89	<0.01	16	0.35	333	4	31	397	59	7.47	<5	16	<10	111	1622	<2	30	<10	3	96
162554	1005803	0.102	1	2.96	28	327	2	1	0.80	<4	6	15	14	1.19	0.20	14	0.51	506	<1	28	400	78	5.54	6	15	<10	146	1609	<2	32	<10	3	108
162555	1005804	0.294	<1	2.54	21	350	2	4	0.69	<4	10	12	15	0.97	0.25	15	0.50	406	<1	23	392	26	5.27	<5	14	<10	126	1601	<2	28	<10	3	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162556	1005805	0.052	<1	2.51	23	361	2	2	0.88	<4	8	15	15	1.16	0.17	13	0.51	459	<1	23	395	14	5.26	6	6	<10	130	1605	25	31	<10	3	36
162557	1005806	0.046	<1	2.60	25	359	2	2	0.90	<4	8	16	14	1.18	0.14	13	0.51	452	<1	25	397	14	5.44	7	12	<10	132	1583	<2	30	<10	3	37
162558	1005807	0.154	1	3.03	18	351	3	2	1.26	5	23	122	50	3.26	0.04	22	1.05	914	<1	76	508	24	6.09	<5	<5	<10	132	2413	<2	84	<10	6	96
162559	1005808	0.205	1	3.14	<2	372	3	<1	1.09	4	20	124	44	2.96	0.06	22	1.08	835	<1	68	480	47	5.99	<5	9	<10	120	2150	<2	83	<10	6	93
162560	1005809	0.192	2	3.30	11	328	2	4	0.98	4	19	118	47	2.85	<0.01	21	1.13	955	<1	66	456	54	6.21	<5	12	<10	121	1632	<2	81	<10	5	105
162561	1005810	4.942	9	4.05	9	291	3	2	2.62	8	29	75	95	4.37	0.24	13	1.56	841	7	54	886	25	6.21	<5	<5	<10	293	3596	13	126	<10	11	105
162562	1005811	0.142	2	4.09	16	479	2	4	1.64	<4	8	13	22	1.42	0.07	18	1.07	472	<1	18	346	208	5.47	5	6	<10	111	1556	<2	27	<10	4	516
162563D	1005811	0.140	2	3.28	17	475	3	2	1.45	<4	7	12	20	1.32	0.16	18	0.88	447	<1	21	329	201	5.77	<5	9	10	106	1540	<2	26	<10	3	502
162564	1005812	0.070	<1	3.76	9	556	3	2	1.52	<4	6	14	3	1.13	0.03	19	1.02	434	<1	25	332	32	4.89	<5	11	<10	110	1600	<2	27	<10	3	67
162565	1005813	0.090	<1	3.19	18	506	3	2	1.28	<4	6	15	11	1.07	0.12	21	0.89	409	<1	28	308	43	5.28	<5	13	<10	95	1465	<2	25	<10	4	63
162566	1005814	0.479	5	2.41	28	421	2	3	0.13	4	6	15	22	1.02	0.19	13	0.38	108	<1	23	347	560	5.46	10	8	<10	64	1313	<2	26	<10	3	759
162567	1005815	0.221	1	3.21	31	442	2	2	0.32	<4	7	22	18	1.01	0.10	16	0.49	172	<1	38	380	94	5.28	9	14	<10	71	1479	<2	37	<10	3	248
162568	1005816	0.139	<1	3.49	28	431	2	<1	1.06	<4	6	17	14	1.18	0.13	10	0.81	365	<1	29	351	47	5.38	5	10	<10	77	1352	<2	34	<10	4	129
162569	1005817	0.139	1	4.13	19	424	2	1	1.11	<4	7	20	22	1.32	0.06	18	1.06	297	<1	36	347	34	5.45	<5	14	<10	83	1523	<2	34	<10	4	126
162570	1005818	0.182	<1	3.71	14	407	2	<1	1.40	<4	6	14	7	1.18	0.09	16	1.04	353	<1	22	330	17	4.87	<5	9	<10	84	1443	<2	28	<10	4	40
162571	1005819	0.015	<1	4.75	9	402	3	4	2.64	<4	12	38	36	2.28	0.17	21	1.19	632	<1	44	546	25	6.04	6	9	<10	221	1867	<2	55	<10	6	73
162572	1005820	0.008	<1	3.29	17	434	2	1	1.31	<4	14	52	20	2.22	0.15	9	0.77	475	<1	31	506	8	5.33	<5	12	<10	245	1942	<2	76	44	9	53
162573	1005821	0.009	<1	3.75	12	523	3	2	2.34	<4	8	18	10	1.62	0.16	18	0.95	457	<1	25	485	15	5.01	<5	13	<10	198	1705	<2	41	<10	5	56
162574D	1005821	0.007	<1	3.23	15	516	2	2	2.19	<4	8	18	10	1.56	0.03	18	0.86	440	<1	30	477	10	5.09	5	13	<10	193	1693	<2	41	<10	4	50
162575	1005822	0.091	2	2.63	33	751	3	1	0.12	<4	9	18	25	1.16	0.05	12	0.28	115	<1	34	483	22	5.89	<5	10	<10	79	1797	<2	41	<10	3	204

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
162576	1005823	0.615	2	3.38	52	538	3	4	0.35	<4	10	18	42	1.89	<0.01	14	0.42	193	<1	32	447	115	6.93	<5	13	<10	90	1725	<2	40	<10	4	320
162577	1005824	0.040	1	3.01	10	463	2	2	0.43	<4	9	23	40	1.30	<0.01	23	0.46	234	<1	39	464	35	5.69	<5	10	<10	85	1853	<2	43	<10	3	139
162578	1005825	0.065	1	4.01	55	338	2	3	1.63	<4	8	21	6	1.56	0.09	21	0.97	483	<1	36	470	33	4.96	7	13	<10	109	1700	7	41	<10	5	67
162579	1005826	0.026	1	2.94	69	342	3	3	1.45	<4	9	19	4	1.43	0.05	23	0.77	447	<1	29	471	34	5.41	<5	14	<10	107	1824	<2	42	<10	4	69
162580	1005827	0.877	25	3.77	86	318	3	<1	1.85	<4	7	14	16	1.47	0.13	18	0.90	408	<1	21	458	132	4.66	7	5	<10	104	1604	<2	35	12	4	325

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162476	1005732	17	<0.001	0.017
162477	1005733	17	<0.001	0.017
162478	1005734	26	<0.001	0.026
162479	1005735	7	<0.001	0.007
162480	1005736	6	<0.001	0.006
162481	1005737	7	<0.001	0.007
162482	1005738	8	<0.001	0.008
162483	1005739	13	<0.001	0.013
162484	1005740	<5	<0.001	<0.005
162485	1005741	23	<0.001	0.023
162486 Dup	1005741	27	<0.001	0.027
162487	1005742	30	<0.001	0.030
162488	1005743	58	0.002	0.058
162489	1005744	12	<0.001	0.012
162490	1005745	15	<0.001	0.015
162491	1005746	23	<0.001	0.023
162492	1005747	10	<0.001	0.010
162493	1005748	346	0.010	0.346
162494	1005749	1615	0.047	1.615
162495	1005750	4829	0.141	4.829
162496	1005751	1007	0.029	1.007
162497 Dup	1005751	996	0.029	0.996
162498	1005752	72	0.002	0.072
162499	1005753	45	0.001	0.045
162500	1005754	33	<0.001	0.033
162501	1005755	21	<0.001	0.021
162502	1005756	30	<0.001	0.030
162503	1005757	2909	0.085	2.909
162504	1005758	2893	0.084	2.893
162505	1005759	3901	0.114	3.901

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162506	1005760	8	<0.001	0.008
162507	1005761	2229	0.065	2.229
162508 Dup	1005761	2259	0.066	2.259
162509	1005762	697	0.020	0.697
162510	1005763	224	0.007	0.224
162511	1005764	50	0.001	0.050
162512	1005765	648	0.019	0.648
162513	1005766	438	0.013	0.438
162514	1005767	189	0.006	0.189
162515	1005768	133	0.004	0.133
162516	1005769	148	0.004	0.148
162517	1005770	1288	0.038	1.288
162518	1005771	43	0.001	0.043
162519 Dup	1005771	33	<0.001	0.033
162520	1005772	1263	0.037	1.263
162521	1005773	278	0.008	0.278
162522	1005774	102	0.003	0.102
162523	1005775	376	0.011	0.376
162524	1005776	227	0.007	0.227
162525	1005777	280	0.008	0.280
162526	1005778	768	0.022	0.768
162527	1005779	230	0.007	0.230
162528	1005780	<5	<0.001	<0.005
162529	1005781	511	0.015	0.511
162530 Dup	1005781	514	0.015	0.514
162531	1005782	512	0.015	0.512
162532	1005783	1049	0.031	1.049
162533	1005784	149	0.004	0.149
162534	1005785	940	0.027	0.940
162535	1005786	1315	0.038	1.315

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162536	1005787	78	0.002	0.078
162537	1005788	99	0.003	0.099
162538	1005789	90	0.003	0.090
162539	1005790	298	0.009	0.298
162540	1005791	201	0.006	0.201
162541 Rep	1005791	202	0.006	0.202
162542	1005792	302	0.009	0.302
162543	1005793	68	0.002	0.068
162544	1005794	113	0.003	0.113
162545	1005795	393	0.011	0.393
162546	1005796	400	0.012	0.400
162547	1005797	371	0.011	0.371
162548	1005798	289	0.008	0.289
162549	1005799	280	0.008	0.280
162550	1005800	8	<0.001	0.008
162551	1005801	471	0.014	0.471
162552 Dup	1005801	458	0.013	0.458
162553	1005802	145	0.004	0.145
162554	1005803	102	0.003	0.102
162555	1005804	294	0.009	0.294
162556	1005805	52	0.002	0.052
162557	1005806	46	0.001	0.046
162558	1005807	154	0.004	0.154
162559	1005808	205	0.006	0.205
162560	1005809	192	0.006	0.192
162561	1005810	4942	0.144	4.942
162562	1005811	142	0.004	0.142
162563 Dup	1005811	140	0.004	0.140
162564	1005812	70	0.002	0.070
162565	1005813	90	0.003	0.090

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 15, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 06/30/2011  
 Date Completed: 07/15/2011  
 Job #: 201142462  
 Reference: TL11184  
 Sample #: 96

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
162566	1005814	479	0.014	0.479
162567	1005815	221	0.006	0.221
162568	1005816	139	0.004	0.139
162569	1005817	139	0.004	0.139
162570	1005818	182	0.005	0.182
162571	1005819	15	<0.001	0.015
162572	1005820	8	<0.001	0.008
162573	1005821	9	<0.001	0.009
162574 Dup	1005821	7	<0.001	0.007
162575	1005822	91	0.003	0.091
162576	1005823	615	0.018	0.615
162577	1005824	40	0.001	0.040
162578	1005825	65	0.002	0.065
162579	1005826	26	<0.001	0.026
162580	1005827	877	0.026	0.877

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/19/2011  
Date Completed: 07/26/2011  
Job #: 201142676  
Reference: TL11184  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
175447	1005759	0.055	1.891

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164349	1005828	0.029	<1	7.37	22	578	2	20	3.01	<4	9	21	16	2.01	0.63	6	1.05	541	<1	27	446	58	0.73	8	32	<10	203	1776	15	40	<10	8	78
164350	1005829	0.032	1	7.12	36	665	2	22	2.25	<4	10	23	14	1.82	0.65	5	0.95	515	<1	32	444	77	1.23	5	34	<10	206	1735	<2	36	<10	7	163
164351	1005830	1.176	2	6.19	25	663	2	27	1.98	4	18	58	580	3.86	0.65	1	1.14	632	30	35	656	99	0.70	10	29	<10	286	2145	<2	130	34	16	117
164352	1005831	0.336	36	6.11	42	620	2	24	1.63	<4	10	25	17	1.77	0.37	12	0.92	540	<1	37	443	71	1.19	7	36	<10	162	2075	5	45	<10	6	188
164353	1005832	0.025	2	5.07	27	647	2	14	1.48	<4	10	28	20	1.70	0.49	9	0.70	378	3	41	447	87	1.45	9	14	<10	207	1859	3	44	<10	5	184
164354	1005833	0.014	<1	4.62	18	685	2	22	0.66	<4	9	20	8	1.22	0.52	8	0.36	<100	<1	25	398	51	1.26	<5	13	<10	192	1746	<2	44	<10	4	59
164355	1005834	0.012	2	4.11	22	678	<2	14	0.70	<4	8	19	5	1.24	0.58	8	0.33	<100	<1	25	414	54	1.37	6	35	<10	174	1698	<2	42	<10	4	154
164356	1005835	0.024	4	4.18	19	622	<2	10	0.93	<4	11	41	16	1.67	0.62	14	0.55	299	6	54	462	88	1.38	7	16	<10	199	1939	2	55	<10	4	102
164357	1005836	0.113	4	3.93	8	511	2	29	1.38	<4	25	74	36	3.13	0.54	19	0.57	591	8	64	587	59	1.91	10	9	<10	260	2648	<2	97	10	6	101
164358	1005837	0.011	<1	4.48	8	377	2	10	1.87	<4	9	40	15	2.02	0.53	7	0.62	392	2	48	344	41	0.84	<5	14	<10	286	1823	6	56	<10	6	42
164359D	1005837	0.007	<1	4.48	13	409	<2	34	1.81	<4	12	45	16	2.03	0.92	13	0.63	410	7	54	359	33	0.81	15	18	<10	279	1999	<2	60	<10	5	46
164360	1005838	0.245	<1	4.59	9	450	3	25	1.63	<4	23	150	58	3.44	0.45	18	1.11	699	11	84	446	109	0.67	8	10	<10	236	3068	<2	106	<10	7	216
164361	1005839	0.059	<1	5.91	15	670	<2	9	1.56	<4	14	63	24	2.01	0.60	4	0.72	309	<1	53	413	45	1.04	12	20	<10	284	1814	<2	65	<10	8	70
164362	1005840	<0.005	<1	5.43	9	551	<2	23	1.79	<4	15	57	25	2.50	0.55	1	0.92	523	<1	32	512	33	0.03	8	15	<10	286	2175	2	92	52	14	53
164363	1005841	0.019	1	5.79	5	802	3	20	2.37	<4	17	82	31	2.54	0.57	9	0.88	516	<1	61	428	60	1.39	<5	14	<10	360	2120	2	78	<10	9	143
164364	1005842	0.032	<1	4.98	19	810	<2	16	1.34	<4	12	43	18	1.04	0.47	7	0.36	180	<1	55	306	37	0.61	<5	24	<10	325	2129	<2	63	<10	5	47
164365	1005843	0.024	<1	5.50	13	805	2	16	1.73	<4	11	53	16	1.06	0.58	5	0.38	184	4	80	480	36	0.40	10	21	<10	358	1888	<2	65	<10	5	40
164366	1005844	0.025	<1	4.63	10	850	2	17	1.69	<4	11	46	17	1.04	0.44	3	0.34	193	1	72	520	36	0.48	<5	18	<10	390	1859	2	59	<10	5	36
164367	1005845	0.025	<1	4.09	20	910	<2	20	1.49	<4	10	31	13	0.78	0.53	9	0.29	170	2	41	474	36	0.43	<5	18	<10	357	1917	<2	55	<10	4	31
164368	1005846	0.034	<1	5.71	18	877	<2	20	1.73	<4	9	28	16	0.83	0.44	5	0.34	177	<1	40	545	39	0.48	7	28	<10	396	1920	2	55	<10	5	30

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164369	1005847	0.034	<1	5.46	15	834	2	14	1.76	<4	12	33	18	0.84	0.98	9	0.33	181	1	51	599	44	0.46	8	37	<10	409	1934	<2	60	<10	5	29
164370D	1005847	0.030	<1	4.70	18	826	2	22	1.70	<4	9	33	17	0.82	0.89	8	0.31	181	<1	53	598	45	0.51	<5	23	<10	398	1961	2	61	<10	5	30
164371	1005848	0.010	<1	4.64	12	748	2	20	1.66	<4	10	26	17	0.73	0.73	4	0.31	145	<1	33	496	35	0.31	<5	23	<10	381	1852	<2	66	<10	5	21
164372	1005849	0.008	<1	4.01	13	684	<2	14	1.42	<4	10	27	11	0.64	0.61	8	0.31	123	<1	36	426	31	0.32	15	17	<10	359	1972	2	61	<10	4	19
164373	1005850	0.296	103	5.91	254	362	2	29	1.54	29	16	53	6160	5.64	0.78	<1	1.28	1731	20	28	429	10482	3.06	424	22	<10	226	1880	<2	92	49	16	5125
164374	1005851	0.016	<1	6.05	9	716	2	23	1.76	<4	11	30	15	1.04	1.09	13	0.56	199	3	42	424	43	0.27	<5	20	<10	376	2194	<2	61	<10	6	48
164375	1005852	0.021	2	5.52	5	603	2	23	2.45	<4	8	20	6	1.77	0.68	9	0.80	372	2	27	435	35	0.34	7	26	<10	377	2045	<2	51	<10	5	59
164376	1005853	0.010	<1	4.79	7	558	2	20	2.47	<4	10	23	10	1.96	0.67	10	0.69	407	2	34	429	40	0.56	7	20	<10	362	2044	4	52	<10	5	55
164377	1005854	0.104	<1	5.68	24	656	2	27	2.23	<4	11	19	36	1.34	0.40	11	0.92	574	5	31	589	66	0.70	7	16	<10	142	2136	<2	48	<10	5	147
164378	1005855	0.399	1	3.73	49	647	2	12	0.93	5	10	25	76	1.54	0.26	9	0.50	328	3	45	540	284	1.67	6	17	<10	106	2089	5	50	15	4	1195
164379	1005856	0.029	<1	5.78	25	638	2	18	1.86	<4	9	27	16	1.32	0.71	4	0.73	407	3	50	580	76	0.62	<5	20	<10	146	2046	4	54	<10	5	85
164380	1005857	0.113	<1	5.50	27	449	2	16	3.11	4	8	24	32	2.10	0.66	11	1.39	1530	6	39	472	177	1.80	6	25	<10	173	1894	<2	48	<10	6	694
164381D	1005857	0.095	3	5.35	25	410	2	25	2.88	4	9	26	30	1.95	0.76	6	1.38	1428	4	43	443	166	1.60	7	26	<10	161	1753	13	45	10	6	651
164382	1005858	6.654	9	4.60	29	559	2	26	1.31	6	6	32	464	1.46	0.69	13	0.77	749	8	45	485	413	1.13	12	19	<10	137	2187	<2	55	25	4	1880
164383	1005859	0.290	1	4.04	16	533	2	15	1.48	<4	6	21	11	1.02	0.49	12	0.78	717	5	34	437	79	0.44	5	15	<10	140	2191	3	49	<10	3	107
164384	1005860	<0.005	<1	3.86	7	510	<2	12	1.60	<4	14	53	25	2.22	0.76	2	0.77	483	<1	29	461	33	0.04	5	15	<10	253	2070	4	85	48	10	50
164385	1005861	0.061	<1	3.72	19	496	2	13	1.47	<4	6	21	13	0.95	0.45	15	0.74	560	6	33	416	54	0.26	12	25	<10	135	1955	7	45	<10	4	50
164386	1005862	0.053	<1	3.87	15	388	<2	20	1.63	<4	5	17	21	1.08	0.35	10	0.96	614	4	26	384	63	0.35	<5	17	<10	139	1573	<2	39	<10	4	82
164387	1005863	0.018	<1	4.69	6	463	2	18	1.62	<4	8	23	12	1.25	0.32	10	0.85	443	5	39	488	38	0.67	10	29	<10	165	1832	7	49	<10	4	36
164388	1005864	0.024	<1	4.90	10	475	2	19	1.71	<4	7	17	27	1.14	0.51	11	0.90	529	4	31	516	44	0.46	10	14	<10	188	1916	2	48	<10	4	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164389	1005865	0.073	2	5.31	9	470	2	15	1.82	<4	6	17	56	1.23	0.76	12	0.92	731	<1	23	503	99	0.50	<5	25	<10	209	1980	7	40	10	4	80
164390	1005866	0.097	1	4.67	8	551	<2	21	1.92	<4	6	20	83	1.29	0.91	14	0.88	801	4	29	506	110	0.49	<5	17	<10	208	2038	6	42	<10	4	110
164391	1005867	0.016	<1	3.69	6	477	2	18	1.42	<4	6	18	16	1.13	1.04	11	0.74	567	5	29	478	64	0.42	9	22	<10	173	1894	<2	39	<10	4	50
164392D	1005867	0.014	2	3.69	5	460	<2	18	1.41	<4	7	16	15	1.09	0.79	10	0.67	543	4	22	457	51	0.39	<5	25	<10	172	1811	2	37	<10	4	47
164393	1005868	0.089	<1	4.62	13	688	2	21	1.61	<4	8	18	19	1.59	0.66	16	0.66	648	4	20	466	70	0.94	6	28	<10	201	2130	8	44	<10	4	56
164394	1005869	0.108	3	4.22	5	644	<2	16	1.46	<4	7	28	25	1.57	0.67	11	0.71	512	7	46	491	88	0.70	<5	28	<10	243	1789	4	39	<10	4	103
164395	1005870	4.727	8	5.83	11	377	2	22	3.39	5	33	80	102	4.74	0.84	12	1.69	926	16	53	869	43	0.78	<5	<5	<10	338	3749	5	149	<10	13	106
164396	1005871	0.112	<1	4.23	4	579	2	17	1.64	<4	7	18	28	1.55	0.66	10	0.75	703	3	25	533	81	0.66	5	<5	<10	203	1966	6	39	<10	4	126
164397	1005872	0.029	<1	6.35	12	648	2	32	1.68	<4	6	19	46	1.74	0.51	10	0.83	634	2	24	492	71	0.92	7	22	<10	220	1896	<2	41	<10	5	101
164398	1005873	0.156	2	4.74	17	532	<2	22	1.67	<4	6	33	17	1.68	0.41	13	0.78	1005	7	44	464	61	1.13	8	23	<10	208	1928	5	43	<10	5	73
164399	1005874	0.068	2	4.66	17	524	2	26	1.58	<4	6	29	19	1.87	1.02	13	0.81	1463	6	37	393	75	1.14	7	34	<10	209	1999	5	42	<10	5	133
164400	1005875	0.009	<1	5.44	5	647	<2	20	1.48	<4	6	38	39	1.61	0.98	7	0.58	908	4	58	448	83	0.65	7	26	<10	207	1905	3	41	10	5	78
164401	1005876	1.037	5	4.06	8	511	<2	18	1.44	<4	8	22	172	1.53	0.96	9	0.58	1102	4	27	397	71	0.64	13	28	<10	202	1717	3	37	<10	4	155
164402	1005877	3.317	<1	4.29	12	538	<2	19	2.07	<4	6	33	47	1.92	0.86	9	0.85	1387	6	46	423	118	0.75	7	22	<10	221	1779	<2	40	<10	5	95
164403D	1005877	2.799	<1	3.98	5	509	2	23	1.91	<4	7	33	45	1.82	0.97	9	0.80	1323	7	48	396	115	0.70	<5	29	<10	206	1718	2	38	<10	4	91
164404	1005878	0.176	1	3.17	24	585	<2	19	1.53	4	7	25	154	1.85	0.87	12	0.64	898	8	35	384	301	1.17	<5	8	<10	159	1909	5	37	16	4	1116
164405	1005879	0.088	<1	4.28	40	634	2	20	1.67	<4	34	21	53	1.31	0.76	15	0.73	860	6	37	412	64	0.50	<5	19	<10	136	2114	2	39	<10	4	189
164406	1005880	<0.005	<1	3.61	9	511	<2	22	1.65	<4	14	55	23	2.30	0.68	6	0.69	503	<1	29	489	26	0.06	<5	6	<10	278	2056	<2	88	51	9	52
164407	1005881	0.080	2	4.19	29	652	2	22	1.48	<4	12	22	20	1.34	0.73	13	0.66	557	1	28	434	60	0.81	8	17	<10	141	1963	<2	37	<10	4	71
164408	1005882	0.059	3	4.54	39	623	3	21	1.55	4	10	22	51	1.96	0.63	13	0.71	578	2	31	476	244	1.48	<5	18	<10	145	1926	<2	45	12	5	705

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164409	1005883	0.046	<1	4.12	16	599	2	14	1.67	<4	7	21	10	1.63	0.99	22	0.64	697	<1	26	478	60	0.77	6	32	<10	170	1932	<2	46	<10	5	62
164410	1005884	0.033	<1	3.83	10	672	2	23	1.22	<4	7	18	23	1.43	1.00	20	0.48	500	<1	20	457	72	0.79	8	20	<10	161	2016	7	45	<10	4	133
164411	1005885	0.740	1	4.06	21	569	2	16	0.64	<4	8	22	54	1.62	0.97	16	0.36	219	<1	27	398	67	1.46	<5	24	<10	124	1829	<2	42	<10	5	576
164412	1005886	0.654	<1	3.73	16	554	2	14	0.62	<4	7	20	77	1.59	0.94	14	0.37	247	<1	25	378	85	1.45	5	18	<10	123	1810	2	41	<10	4	486
164413	1005887	0.032	<1	3.42	30	582	2	16	0.95	<4	8	24	4	1.81	0.88	16	0.42	470	<1	25	479	50	1.88	<5	16	<10	150	2028	<2	50	<10	4	119
164414R	1005887	0.048	<1	3.97	30	567	2	13	1.04	<4	8	27	4	1.93	0.79	17	0.45	475	<1	24	485	52	2.07	<5	20	<10	157	2025	2	49	<10	5	108
164415	1005888	0.092	<1	>10.00	53	557	2	37	2.71	<4	11	43	20	3.39	0.75	22	1.30	1158	4	44	631	65	2.73	<5	35	<10	217	1999	4	55	<10	9	148
164416	1005889	0.175	1	>10.00	38	665	2	30	1.74	<4	9	34	17	2.06	0.62	18	0.98	776	<1	31	469	59	1.50	7	39	<10	185	2114	<2	53	<10	8	86
164417	1005890	1.239	<1	6.41	28	655	3	25	2.08	4	18	60	579	3.87	0.62	4	1.12	636	26	36	663	96	0.72	11	15	<10	309	2094	<2	130	35	15	121
164418	1005891	0.077	<1	6.10	54	514	<2	24	1.48	<4	15	36	16	1.61	0.66	2	0.77	661	<1	47	381	67	1.15	13	20	<10	149	1562	<2	46	<10	8	205
164419	1005892	0.205	<1	5.85	33	463	<2	23	1.79	<4	17	20	31	2.12	0.65	8	0.82	931	<1	33	472	161	1.65	6	24	<10	185	1812	<2	45	10	6	709
164420	1005893	0.206	1	5.67	31	550	<2	20	1.63	<4	9	22	21	2.02	0.71	3	0.76	800	<1	26	445	71	1.51	<5	16	<10	159	1824	5	45	<10	6	175
164421	1005894	0.107	<1	5.60	27	584	2	19	0.85	<4	18	26	12	1.21	0.44	11	0.48	327	<1	33	415	61	0.97	11	20	<10	136	1974	8	48	<10	5	197
164422	1005895	0.275	4	4.83	33	524	2	19	2.18	<4	11	29	44	1.80	0.35	12	0.93	920	<1	35	417	70	1.12	<5	25	<10	173	1763	5	48	<10	5	79
164423	1005896	0.030	1	6.07	27	368	<2	16	2.05	<4	5	21	7	1.26	0.68	20	1.40	926	2	24	364	51	0.39	7	21	<10	205	1693	2	40	<10	5	70
164424	1005897	0.027	<1	5.33	14	376	2	19	1.99	<4	4	23	11	1.04	0.59	19	1.17	749	1	25	374	47	0.35	<5	29	<10	198	1615	7	41	<10	5	69
164425D	1005897	0.024	<1	4.92	14	364	2	27	1.88	<4	4	24	10	0.99	0.62	17	1.14	716	2	28	377	48	0.32	10	22	<10	189	1567	5	40	<10	4	66
164426	1005898	0.307	16	5.27	17	471	2	19	1.84	<4	5	21	16	1.00	0.53	22	0.93	689	3	24	409	86	0.57	11	34	<10	188	1772	2	41	<10	4	123
164427	1005899	2.890	28	6.07	35	413	2	21	1.33	<4	7	22	55	1.10	0.58	13	0.75	466	<1	22	335	347	1.01	33	23	<10	146	1623	<2	40	11	5	606
164428	1005900	0.005	<1	6.78	8	568	<2	24	2.02	<4	15	61	25	2.62	0.37	5	1.01	554	<1	35	558	29	0.03	<5	18	<10	323	2243	<2	96	55	17	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164429	1005901	0.102	5	6.98	20	375	2	17	1.52	<4	4	20	11	0.78	0.45	8	0.90	535	<1	25	395	68	0.35	15	31	<10	166	1636	2	39	<10	5	82
164430	1005902	0.041	<1	4.84	18	373	2	20	2.10	<4	14	28	41	2.13	0.66	24	0.65	835	<1	29	424	48	1.19	5	14	<10	180	2182	<2	53	<10	7	158
164431	1005903	0.030	<1	5.20	17	355	2	19	2.27	<4	7	27	30	1.73	0.37	17	0.78	770	<1	30	479	41	0.37	13	22	<10	233	2112	3	53	<10	6	53
164432	1005904	0.055	2	5.56	11	371	<2	23	2.03	<4	6	17	15	1.64	0.51	11	0.77	591	<1	19	433	44	0.32	6	22	<10	207	2153	3	49	<10	5	54
164433	1005905	0.278	16	5.93	28	480	2	22	2.28	<4	8	18	30	1.37	0.57	22	0.97	687	<1	17	499	48	0.48	10	36	<10	189	2415	4	55	<10	5	58
164434	1005906	1.677	109	6.10	22	454	3	24	2.32	<4	7	18	46	1.36	0.70	20	0.96	671	<1	21	493	65	0.53	28	31	<10	189	2330	3	53	<10	5	68
164435	1005907	0.722	93	4.21	28	423	2	19	0.32	<4	6	16	174	1.19	0.68	17	0.36	113	<1	18	217	2852	1.55	112	21	<10	88	1829	<2	41	<10	3	311
164436D	1005907	0.679	91	4.05	32	412	3	21	0.34	<4	6	16	173	1.15	0.64	15	0.36	112	<1	17	224	2820	1.45	104	18	<10	89	1783	<2	41	<10	3	307
164437	1005908	0.406	31	4.71	35	287	2	18	0.31	<4	5	16	97	1.01	0.68	6	0.40	<100	<1	21	240	378	1.16	32	19	<10	81	1309	2	33	12	4	774
164438	1005909	0.041	<1	4.73	39	356	3	26	0.94	<4	6	18	22	1.16	0.64	16	0.56	466	<1	20	379	71	0.99	6	14	<10	108	1629	9	38	10	4	164
164439	1005910	0.262	102	4.40	255	419	2	27	1.62	28	16	54	6375	5.47	0.64	9	1.01	1707	20	27	405	10262	2.89	431	10	<10	239	1926	8	92	49	11	5149
164440	1005911	0.549	7	5.43	43	321	<2	21	0.70	<4	6	18	105	1.43	0.50	14	0.44	218	<1	22	337	340	1.62	17	18	<10	78	1581	<2	37	<10	5	527
164441	1005912	0.141	<1	7.19	35	269	2	28	2.52	<4	6	19	9	1.62	0.48	13	1.28	1311	<1	24	409	58	0.96	<5	26	<10	119	1628	<2	39	<10	7	118
164442	1005913	0.010	<1	6.08	22	257	<2	13	1.65	<4	6	18	7	1.24	0.46	14	0.85	854	<1	22	381	41	0.65	10	22	<10	105	1677	<2	38	<10	5	84
164443	1005914	0.024	<1	5.45	34	240	2	20	0.57	<4	5	17	9	1.15	1.27	4	0.52	445	<1	24	342	31	0.86	<5	20	<10	72	1562	<2	32	<10	4	80
164444	1005915	0.016	<1	5.50	23	258	2	24	1.01	<4	5	19	15	0.99	0.73	11	0.56	617	<1	24	361	38	0.51	<5	20	<10	97	1688	6	35	<10	4	40
164445	1005916	0.034	1	5.02	29	204	2	22	1.12	<4	5	19	9	1.06	0.81	5	0.64	709	<1	25	344	44	0.67	7	17	<10	101	1493	3	32	<10	4	57
164446	1005917	0.013	<1	4.81	27	255	2	16	1.69	<4	8	23	11	1.21	0.63	16	0.77	970	<1	32	386	56	0.74	11	25	<10	124	1655	<2	38	<10	4	44
164447D	1005917	0.011	3	5.29	29	240	2	21	1.70	<4	6	21	11	1.24	0.67	12	0.84	871	<1	29	361	51	0.74	<5	28	<10	119	1575	2	37	<10	5	44
164448	1005918	0.107	5	3.57	32	230	2	23	0.38	<4	6	18	22	1.01	0.53	11	0.35	165	<1	19	315	47	0.94	8	21	<10	76	1507	<2	31	<10	3	96

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164449	1005919	0.008	1	4.86	20	226	2	17	2.30	<4	5	21	8	1.31	0.46	13	0.99	995	<1	26	370	48	0.55	7	26	<10	138	1554	8	35	<10	4	34
164450	1005920	0.005	<1	3.07	6	509	<2	17	1.61	<4	14	56	22	2.20	0.35	5	0.68	490	<1	29	492	25	0.05	<5	5	<10	268	2125	<2	87	49	9	52
164451	1005921	0.011	<1	4.55	25	246	3	21	1.62	<4	4	20	11	1.24	0.26	13	0.68	673	<1	20	329	49	0.84	10	33	<10	124	1424	<2	30	<10	5	45
164452	1005922	0.015	1	5.55	17	233	2	17	1.68	<4	4	23	8	1.35	0.14	7	0.82	810	<1	29	334	45	0.87	8	22	<10	117	1300	3	31	<10	5	59
164453	1005923	0.072	34	5.46	50	253	2	22	0.96	<4	6	17	17	1.08	0.59	3	0.55	391	<1	21	303	84	0.82	14	22	<10	119	1218	<2	27	<10	5	92
164454	1005924	0.006	1	4.63	9	368	2	11	2.54	<4	9	43	13	1.65	0.62	15	1.03	478	<1	32	380	38	0.74	10	26	<10	185	1628	5	46	<10	6	46
164455	1005925	<0.005	1	5.02	9	257	<2	23	1.75	<4	5	39	8	1.30	0.63	<1	0.77	271	<1	48	424	33	0.56	<5	8	<10	202	1143	<2	31	<10	7	28
164456	1005926	<0.005	<1	3.82	11	228	2	17	1.81	<4	4	34	10	1.21	0.48	8	0.61	249	2	45	418	35	0.58	7	15	<10	210	1089	4	29	<10	5	33
164457	1005927	<0.005	1	5.16	4	542	2	18	2.58	<4	7	19	6	1.50	0.62	16	0.94	290	<1	26	535	34	0.40	<5	29	<10	366	2016	<2	47	<10	5	35
164458D	1005927	<0.005	1	4.51	8	518	<2	13	2.44	<4	8	18	6	1.42	0.52	16	0.84	276	<1	25	518	35	0.39	8	10	<10	350	1936	7	45	<10	5	32
164459	1005928	0.007	2	5.09	8	496	<2	20	2.38	<4	7	16	7	1.76	0.42	14	1.13	393	<1	22	513	36	0.85	5	22	<10	317	1805	3	43	<10	6	36
164460	1005929	0.016	<1	2.91	18	408	<2	17	1.69	<4	11	14	13	3.06	1.10	7	0.67	675	<1	22	474	38	2.88	5	11	<10	228	1737	4	43	<10	6	60
164461	1005930	4.972	8	3.69	10	238	<2	<1	2.49	4	27	64	97	4.29	<0.01	<1	1.92	852	<1	48	918	23	0.49	<5	17	<10	228	1580	9	111	15	14	205
164462	1005931	0.026	<1	5.18	20	422	2	14	2.18	<4	16	59	25	3.15	0.53	8	0.89	697	1	46	452	34	2.18	<5	13	<10	252	1725	<2	60	<10	9	80
164463	1005932	0.016	<1	5.57	16	494	2	14	3.20	<4	21	131	44	3.14	0.48	13	1.11	757	<1	73	455	35	1.95	<5	15	<10	309	2257	<2	94	<10	12	65
164464	1005933	0.018	<1	5.65	48	470	2	21	2.46	<4	16	69	22	3.17	0.41	15	1.01	744	2	42	500	69	3.76	<5	<5	<10	272	1834	2	63	<10	9	541
164465	1005934	0.018	<1	5.52	63	525	2	16	1.60	9	22	15	11	2.70	0.26	10	0.73	527	37	28	524	76	3.47	<5	18	<10	220	1907	3	45	29	7	2759
164466	1005935	0.013	<1	5.47	79	506	2	22	2.12	7	20	15	26	3.16	0.28	8	0.89	683	6	33	512	72	3.82	13	13	<10	236	1734	7	44	28	7	2304
164467	1005936	0.012	<1	5.09	44	534	<2	18	1.52	<4	12	15	6	2.06	0.54	9	0.71	503	<1	22	518	72	2.23	<5	18	<10	214	1918	3	43	<10	6	530
164468	1005937	0.023	<1	5.29	70	611	2	13	2.23	<4	15	51	27	2.40	0.42	9	0.80	535	<1	36	499	56	2.49	<5	18	<10	268	1960	6	61	<10	8	118

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164469D	1005937	0.022	1	5.06	65	590	2	16	2.13	<4	13	49	26	2.36	0.41	7	0.81	528	<1	35	498	59	2.47	<5	18	<10	257	1944	2	59	<10	8	114
164470	1005938	0.015	<1	4.39	14	573	<2	13	2.86	<4	8	15	15	1.72	0.47	8	0.66	397	<1	19	509	33	1.05	<5	6	<10	263	1682	4	40	<10	5	50
164471	1005939	0.014	<1	5.39	7	588	2	22	2.70	<4	9	14	8	1.82	0.17	9	0.69	375	<1	18	569	32	0.92	<5	10	<10	316	1750	8	44	<10	6	73
164472	1005940	0.007	<1	4.54	11	502	<2	23	1.75	<4	15	55	22	2.31	0.18	4	0.79	493	<1	30	488	25	0.05	<5	<5	<10	288	1960	<2	86	45	12	50
164473	1005941	0.009	1	5.27	15	571	<2	16	2.42	<4	7	18	6	1.59	0.60	5	0.70	325	<1	24	505	27	0.76	<5	20	<10	255	1565	5	38	<10	6	46
164474	1005942	0.017	<1	5.38	21	696	2	18	2.33	<4	9	17	4	1.89	0.52	10	0.91	387	<1	23	517	41	0.92	5	16	<10	246	1691	6	42	<10	6	43
164475	1005943	0.011	2	4.12	11	725	2	17	2.20	<4	10	21	5	1.98	0.64	24	0.68	375	2	26	510	33	1.01	<5	14	<10	248	2007	2	45	<10	5	56
164476	1005944	0.019	<1	4.11	9	649	<2	23	1.92	<4	13	42	14	1.85	0.53	19	0.70	312	<1	27	470	35	0.62	<5	13	<10	198	2087	2	59	<10	6	51
164477	1005945	0.023	1	5.32	14	599	3	17	2.09	<4	15	68	27	2.77	0.46	21	1.10	585	<1	42	499	43	1.59	<5	9	<10	209	2133	3	68	<10	8	129
164478	1005946	0.025	<1	4.76	15	577	2	15	2.07	<4	17	69	27	2.78	0.41	18	1.04	575	<1	40	475	46	1.61	<5	10	<10	204	2069	8	68	<10	8	118
164479	1005947	0.072	<1	5.23	15	531	2	15	1.88	<4	22	112	33	3.39	0.31	11	1.22	742	<1	63	475	80	1.80	7	17	<10	205	1938	7	92	<10	8	117
164480R	1005947	0.067	2	5.13	14	546	2	20	1.78	<4	22	121	36	3.45	0.40	13	1.14	740	<1	70	478	75	1.75	<5	12	<10	201	2026	2	94	<10	8	108
164481	1005948	0.035	<1	5.01	17	598	2	20	2.10	<4	21	123	36	3.62	0.57	24	1.05	830	3	65	501	84	2.15	<5	11	<10	232	2209	<2	103	<10	7	115
164482	1005949	0.100	1	6.83	10	421	2	25	2.27	<4	25	148	44	3.98	0.49	15	1.60	890	<1	75	515	64	1.71	<5	24	<10	221	2297	4	108	<10	11	108
164483	1005950	1.164	1	5.74	28	661	2	21	2.12	4	17	61	594	3.84	0.42	10	1.01	643	29	35	661	96	0.81	5	20	<10	313	2222	5	132	33	12	118
164484	1005951	0.299	<1	6.38	31	499	3	22	2.22	4	29	170	64	4.09	0.34	17	1.26	928	<1	84	554	92	2.33	<5	15	<10	194	3028	6	120	<10	13	249
164485	1005952	0.080	2	5.63	97	593	3	24	1.94	7	29	149	93	4.01	0.29	16	0.80	598	1	93	518	450	4.32	9	23	<10	176	2956	<2	121	15	11	1000
164486	1005953	0.158	<1	4.87	64	815	3	18	0.57	<4	24	148	71	2.44	0.44	10	0.49	345	<1	85	489	106	2.33	10	15	<10	110	2618	<2	125	13	9	488
164487	1005954	0.395	<1	4.27	124	614	2	16	0.35	<4	18	124	40	2.46	0.68	3	0.32	<100	11	74	377	82	3.54	<5	12	<10	94	1511	3	79	<10	6	159
164488	1005955	0.382	4	4.40	100	497	<2	20	0.57	<4	13	110	48	2.15	0.95	3	0.40	106	13	75	345	135	2.85	12	14	<10	103	1452	<2	65	<10	7	327

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164489	1005956	0.398	1	5.35	109	550	2	19	1.56	5	24	137	250	3.79	0.53	8	0.78	441	<1	78	480	144	4.56	<5	<5	<10	136	2376	<2	99	11	11	519
164490	1005957	0.023	<1	5.26	30	415	2	14	2.39	<4	11	36	31	2.02	0.76	8	1.01	496	<1	28	489	50	1.27	5	19	<10	192	1856	<2	49	<10	7	71
164491D	1005957	0.015	2	4.80	22	467	2	18	2.48	<4	12	40	31	2.03	0.64	14	0.95	513	<1	30	506	58	1.17	<5	17	<10	206	2039	<2	56	<10	6	73
164492	1005958	0.019	<1	3.54	16	489	3	23	2.09	<4	9	19	16	1.70	0.48	11	0.73	534	<1	22	467	42	0.89	<5	11	<10	190	1819	3	39	<10	4	71
164493	1005959	0.013	1	4.43	17	526	2	22	2.16	<4	10	22	9	1.88	0.13	18	0.77	524	<1	26	496	38	0.98	<5	17	<10	187	1874	4	40	<10	5	46
164494	1005960	<0.005	<1	4.22	10	498	<2	22	1.73	<4	13	54	22	2.22	0.10	11	0.71	485	<1	28	477	24	0.03	<5	9	<10	280	2047	2	84	48	10	52
164495	1005961	0.040	1	4.03	50	466	2	21	2.09	<4	8	20	16	1.96	0.08	14	0.76	576	<1	23	491	39	1.47	<5	<5	<10	178	1936	2	40	<10	5	56
164496	1005962	0.369	<1	4.75	63	409	2	20	1.36	<4	9	20	18	1.90	0.08	17	0.62	350	2	24	494	44	1.79	<5	8	<10	158	1919	<2	40	<10	5	70
164497	1005963	0.063	2	6.24	52	402	2	20	1.72	<4	9	19	16	2.00	0.51	10	0.87	477	<1	20	530	41	1.79	<5	30	<10	145	1908	<2	40	<10	6	58
164498	1005964	0.106	<1	4.32	50	417	2	19	0.59	<4	10	19	22	1.45	0.78	14	0.40	124	<1	23	472	32	1.46	5	20	<10	106	1972	<2	40	<10	4	33
164499	1005965	0.040	<1	3.73	42	389	2	25	1.69	<4	11	19	47	1.77	0.58	16	0.73	530	2	21	487	42	1.19	<5	15	<10	143	1925	<2	41	<10	4	75
164500	1005966	0.041	<1	4.93	37	396	2	26	1.86	<4	9	21	39	1.87	0.55	16	0.80	531	<1	24	499	43	1.07	<5	9	<10	149	1897	2	40	<10	5	77
164501	1005967	0.067	<1	3.98	67	411	2	19	0.83	<4	12	17	48	1.83	0.46	16	0.42	207	<1	16	455	37	1.75	5	30	<10	98	1970	<2	40	<10	4	78
164502D	1005967	0.063	<1	3.65	69	372	2	19	0.73	<4	12	15	44	1.72	0.35	11	0.40	192	<1	17	435	41	1.59	<5	5	<10	89	1837	<2	38	<10	4	75
164503	1005968	0.044	1	4.13	26	330	2	16	1.91	<4	20	88	39	2.92	0.43	13	1.04	877	1	56	482	50	1.24	<5	15	<10	130	2180	<2	76	<10	7	184
164504	1005969	0.757	<1	3.51	115	403	2	21	0.64	<4	26	135	55	2.97	0.35	11	0.47	220	<1	74	500	161	3.24	5	<5	<10	93	2044	<2	110	<10	6	387
164505	1005970	0.261	102	5.07	248	423	2	27	1.52	26	15	51	6225	5.26	0.13	3	1.10	1626	16	25	422	10473	2.77	405	15	<10	230	1772	6	86	41	13	5249
164506	1005971	0.206	<1	5.64	44	503	3	12	1.24	<4	20	144	54	3.26	0.21	12	1.24	579	<1	74	495	77	2.23	<5	<5	<10	99	2236	2	115	<10	9	96
164507	1005972	0.592	<1	6.70	45	720	2	25	1.58	<4	22	128	73	3.42	0.32	12	1.24	627	<1	67	462	73	2.62	8	13	<10	106	2115	<2	98	<10	12	132
164508	1005973	0.130	<1	4.72	80	1063	2	16	1.01	<4	19	108	21	2.16	0.44	11	0.60	280	<1	63	438	61	2.30	8	8	<10	98	1977	<2	92	<10	7	177

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, July 22, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164509	1005974	0.249	2	5.01	58	674	2	23	0.68	<4	9	19	57	1.51	0.56	5	0.54	199	<1	20	372	127	1.65	7	32	<10	81	1604	2	37	<10	5	231
164510	1005975	0.314	3	5.23	65	504	2	20	0.46	<4	7	23	84	1.65	0.66	<1	0.50	156	<1	30	415	463	1.91	12	21	<10	70	1483	<2	36	14	7	562
164511	1005976	0.069	<1	5.96	31	595	2	19	2.51	<4	10	19	13	1.87	0.69	12	1.24	873	4	18	437	74	1.47	7	16	<10	134	1945	7	43	<10	7	119
164512	1005977	0.023	<1	5.95	16	715	2	23	2.78	<4	9	18	4	1.82	0.54	12	1.20	654	<1	16	467	48	0.66	5	28	<10	142	2060	6	44	<10	6	83
164513D	1005977	0.027	<1	6.29	18	680	2	22	2.81	<4	9	17	5	1.84	0.61	7	1.28	656	<1	15	466	45	0.74	7	15	<10	135	1913	3	41	<10	6	81
164514	1005978	0.018	<1	5.19	22	688	2	14	2.79	<4	9	16	5	1.69	0.46	7	1.17	642	<1	15	442	37	0.70	<5	19	<10	141	1946	3	42	<10	5	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164349	1005828	29	<0.001	0.029
164350	1005829	32	<0.001	0.032
164351	1005830	1176	0.034	1.176
164352	1005831	336	0.010	0.336
164353	1005832	25	<0.001	0.025
164354	1005833	14	<0.001	0.014
164355	1005834	12	<0.001	0.012
164356	1005835	24	<0.001	0.024
164357	1005836	113	0.003	0.113
164358	1005837	11	<0.001	0.011
164359 Dup	1005837	7	<0.001	0.007
164360	1005838	245	0.007	0.245
164361	1005839	59	0.002	0.059
164362	1005840	<5	<0.001	<0.005
164363	1005841	19	<0.001	0.019
164364	1005842	32	<0.001	0.032
164365	1005843	24	<0.001	0.024
164366	1005844	25	<0.001	0.025
164367	1005845	25	<0.001	0.025
164368	1005846	34	<0.001	0.034
164369	1005847	34	<0.001	0.034
164370 Dup	1005847	30	<0.001	0.030
164371	1005848	10	<0.001	0.010
164372	1005849	8	<0.001	0.008
164373	1005850	296	0.009	0.296
164374	1005851	16	<0.001	0.016
164375	1005852	21	<0.001	0.021
164376	1005853	10	<0.001	0.010
164377	1005854	104	0.003	0.104
164378	1005855	399	0.012	0.399

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164379	1005856	29	<0.001	0.029
164380	1005857	113	0.003	0.113
164381 Dup	1005857	95	0.003	0.095
164382	1005858	6654	0.194	6.654
164383	1005859	290	0.008	0.290
164384	1005860	<5	<0.001	<0.005
164385	1005861	61	0.002	0.061
164386	1005862	53	0.002	0.053
164387	1005863	18	<0.001	0.018
164388	1005864	24	<0.001	0.024
164389	1005865	73	0.002	0.073
164390	1005866	97	0.003	0.097
164391	1005867	16	<0.001	0.016
164392 Dup	1005867	14	<0.001	0.014
164393	1005868	89	0.003	0.089
164394	1005869	108	0.003	0.108
164395	1005870	4727	0.138	4.727
164396	1005871	112	0.003	0.112
164397	1005872	29	<0.001	0.029
164398	1005873	156	0.005	0.156
164399	1005874	68	0.002	0.068
164400	1005875	9	<0.001	0.009
164401	1005876	1037	0.030	1.037
164402	1005877	3317	0.097	3.317
164403 Dup	1005877	2799	0.082	2.799
164404	1005878	176	0.005	0.176
164405	1005879	88	0.003	0.088
164406	1005880	<5	<0.001	<0.005
164407	1005881	80	0.002	0.080
164408	1005882	59	0.002	0.059

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164409	1005883	46	0.001	0.046
164410	1005884	33	<0.001	0.033
164411	1005885	740	0.022	0.740
164412	1005886	654	0.019	0.654
164413	1005887	32	<0.001	0.032
164414 Rep	1005887	48	0.001	0.048
164415	1005888	92	0.003	0.092
164416	1005889	175	0.005	0.175
164417	1005890	1239	0.036	1.239
164418	1005891	77	0.002	0.077
164419	1005892	205	0.006	0.205
164420	1005893	206	0.006	0.206
164421	1005894	107	0.003	0.107
164422	1005895	275	0.008	0.275
164423	1005896	30	<0.001	0.030
164424	1005897	27	<0.001	0.027
164425 Dup	1005897	24	<0.001	0.024
164426	1005898	307	0.009	0.307
164427	1005899	2890	0.084	2.890
164428	1005900	5	<0.001	0.005
164429	1005901	102	0.003	0.102
164430	1005902	41	0.001	0.041
164431	1005903	30	<0.001	0.030
164432	1005904	55	0.002	0.055
164433	1005905	278	0.008	0.278
164434	1005906	1677	0.049	1.677
164435	1005907	722	0.021	0.722
164436 Dup	1005907	679	0.020	0.679
164437	1005908	406	0.012	0.406
164438	1005909	41	0.001	0.041

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164439	1005910	262	0.008	0.262
164440	1005911	549	0.016	0.549
164441	1005912	141	0.004	0.141
164442	1005913	10	<0.001	0.010
164443	1005914	24	<0.001	0.024
164444	1005915	16	<0.001	0.016
164445	1005916	34	<0.001	0.034
164446	1005917	13	<0.001	0.013
164447 Dup	1005917	11	<0.001	0.011
164448	1005918	107	0.003	0.107
164449	1005919	8	<0.001	0.008
164450	1005920	5	<0.001	0.005
164451	1005921	11	<0.001	0.011
164452	1005922	15	<0.001	0.015
164453	1005923	72	0.002	0.072
164454	1005924	6	<0.001	0.006
164455	1005925	<5	<0.001	<0.005
164456	1005926	<5	<0.001	<0.005
164457	1005927	<5	<0.001	<0.005
164458 Dup	1005927	<5	<0.001	<0.005
164459	1005928	7	<0.001	0.007
164460	1005929	16	<0.001	0.016
164461	1005930	4972	0.145	4.972
164462	1005931	26	<0.001	0.026
164463	1005932	16	<0.001	0.016
164464	1005933	18	<0.001	0.018
164465	1005934	18	<0.001	0.018
164466	1005935	13	<0.001	0.013
164467	1005936	12	<0.001	0.012
164468	1005937	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By: 
  
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164469 Dup	1005937	22	<0.001	0.022
164470	1005938	15	<0.001	0.015
164471	1005939	14	<0.001	0.014
164472	1005940	7	<0.001	0.007
164473	1005941	9	<0.001	0.009
164474	1005942	17	<0.001	0.017
164475	1005943	11	<0.001	0.011
164476	1005944	19	<0.001	0.019
164477	1005945	23	<0.001	0.023
164478	1005946	25	<0.001	0.025
164479	1005947	72	0.002	0.072
164480 Rep	1005947	67	0.002	0.067
164481	1005948	35	0.001	0.035
164482	1005949	100	0.003	0.100
164483	1005950	1164	0.034	1.164
164484	1005951	299	0.009	0.299
164485	1005952	80	0.002	0.080
164486	1005953	158	0.005	0.158
164487	1005954	395	0.012	0.395
164488	1005955	382	0.011	0.382
164489	1005956	398	0.012	0.398
164490	1005957	23	<0.001	0.023
164491 Dup	1005957	15	<0.001	0.015
164492	1005958	19	<0.001	0.019
164493	1005959	13	<0.001	0.013
164494	1005960	<5	<0.001	<0.005
164495	1005961	40	0.001	0.040
164496	1005962	369	0.011	0.369
164497	1005963	63	0.002	0.063
164498	1005964	106	0.003	0.106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, July 18, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/18/2011  
 Job #: 201142494  
 Reference: TL11185  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164499	1005965	40	0.001	0.040
164500	1005966	41	0.001	0.041
164501	1005967	67	0.002	0.067
164502 Dup	1005967	63	0.002	0.063
164503	1005968	44	0.001	0.044
164504	1005969	757	0.022	0.757
164505	1005970	261	0.008	0.261
164506	1005971	206	0.006	0.206
164507	1005972	592	0.017	0.592
164508	1005973	130	0.004	0.130
164509	1005974	249	0.007	0.249
164510	1005975	314	0.009	0.314
164511	1005976	69	0.002	0.069
164512	1005977	23	<0.001	0.023
164513 Dup	1005977	27	<0.001	0.027
164514	1005978	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/19/2011  
Date Completed: 07/26/2011  
Job #: 201142675  
Reference: TL11185  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
175446	1005877	0.033	1.118

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, July 22, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/19/2011  
 Date Completed: 07/22/2011  
 Job #: 201142678  
 Reference: TL11185  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
175449	1005858	5.876	5.727	153.120	10.841	3.42%	23.88

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164515	1075753	0.031	1	5.30	17	537	2	10	1.38	<4	14	67	34	2.09	0.06	10	0.95	452	2	59	290	26	2.10	<5	<5	<10	203	1764	10	56	<10	8	316
164516	1075754	0.008	1	4.70	14	437	<2	9	1.18	<4	6	18	6	0.57	0.02	2	0.48	170	<1	28	323	20	0.80	<5	13	<10	251	1323	<2	32	<10	4	179
164517	1075755	0.009	<1	5.19	18	460	<2	12	1.07	<4	7	15	3	0.53	0.03	5	0.39	109	<1	24	330	12	1.08	<5	13	<10	265	1392	6	31	<10	5	83
164518	1075756	0.014	<1	5.76	19	545	2	11	1.35	<4	7	19	4	0.83	0.03	3	0.32	106	<1	33	347	12	1.48	<5	10	<10	339	1386	<2	33	<10	5	35
164519	1075757	0.012	<1	5.05	21	513	<2	15	1.29	<4	6	20	9	0.65	0.14	<1	0.32	122	<1	33	328	14	1.06	<5	12	<10	323	1309	3	33	<10	4	57
164520	1075758	0.009	<1	5.06	16	480	<2	14	1.22	<4	5	16	4	0.55	<0.01	6	0.40	120	<1	23	332	17	1.04	<5	12	<10	311	1387	<2	32	<10	4	56
164521	1075759	0.011	<1	5.44	21	480	<2	8	1.48	<4	8	16	8	0.76	<0.01	12	0.52	173	<1	23	306	20	1.40	<5	7	<10	338	1483	4	32	<10	5	54
164522	1075760	0.006	<1	4.14	16	440	<2	14	1.38	<4	13	49	23	2.25	0.04	5	0.88	463	<1	27	492	10	0.93	6	8	<10	256	1887	<2	74	42	14	46
164523	1075761	0.014	<1	5.76	23	608	<2	9	1.19	<4	8	18	12	0.71	<0.01	13	0.47	153	1	24	347	25	1.39	<5	18	<10	299	1594	2	34	<10	5	77
164524	1075762	0.013	1	5.07	22	629	<2	12	1.24	<4	7	16	11	0.66	0.05	13	0.52	165	<1	20	360	109	1.18	<5	12	<10	303	1536	11	35	<10	5	44
164525D	1075762	0.040	1	5.95	20	667	<2	21	1.36	<4	6	17	12	0.67	<0.01	17	0.56	172	3	21	372	110	1.31	<5	13	<10	321	1642	<2	38	<10	5	44
164526	1075763	0.011	<1	4.98	17	528	<2	16	1.20	<4	7	15	10	0.55	<0.01	18	0.50	141	3	18	342	25	1.14	<5	11	<10	314	1589	<2	35	<10	4	36
164527	1075764	0.011	1	6.19	17	483	<2	15	1.13	<4	7	21	11	0.63	0.14	12	0.56	127	<1	30	311	17	0.98	<5	13	<10	327	1458	<2	36	<10	5	29
164528	1075765	0.011	<1	5.70	21	517	<2	10	1.26	<4	5	17	9	0.51	0.16	7	0.38	103	<1	26	371	10	0.78	<5	10	<10	338	1396	4	32	<10	5	26
164529	1075766	0.011	<1	5.88	16	528	<2	15	1.24	<4	6	14	7	0.49	<0.01	8	0.38	<100	<1	19	361	13	0.82	<5	10	<10	332	1399	<2	30	<10	5	19
164530	1075767	0.014	<1	6.17	16	500	<2	10	1.71	<4	7	17	10	0.61	0.09	10	0.41	106	<1	26	380	19	0.99	6	11	<10	411	1543	<2	34	<10	5	25
164531	1075768	0.018	1	5.26	14	474	<2	13	1.39	<4	6	16	28	0.59	0.21	14	0.51	136	<1	22	368	58	0.90	<5	8	<10	372	1559	4	33	<10	4	50
164532	1075769	0.016	<1	5.07	12	621	<2	10	1.98	<4	7	14	9	1.68	0.02	8	0.91	391	<1	20	429	27	1.33	<5	<5	<10	321	1723	5	37	<10	7	67
164533	1075770	4.847	9	4.78	19	275	2	15	2.61	4	25	60	103	4.45	<0.01	7	1.94	848	7	49	870	22	1.54	<5	<5	<10	296	2526	6	115	<10	16	93
164534	1075771	0.032	1	5.85	24	446	2	11	2.13	<4	8	26	11	1.89	<0.01	15	1.14	589	<1	29	454	32	1.93	<5	<5	<10	207	1720	8	35	<10	7	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164535	1075772	0.049	1	5.57	55	250	2	12	2.27	<4	9	19	29	1.69	0.12	10	0.89	474	<1	32	799	37	2.09	<5	8	<10	165	1656	<2	36	<10	8	94
164536D	1075772	0.067	1	5.27	53	238	2	14	2.20	<4	10	16	27	1.65	0.03	9	0.86	458	<1	28	780	36	2.08	<5	10	<10	161	1584	4	34	<10	8	91
164537	1075773	0.511	5	4.00	42	313	<2	11	0.07	<4	7	18	11	1.12	0.04	<1	0.40	<100	<1	30	619	91	2.04	5	6	<10	78	1680	2	37	<10	7	196
164538	1075774	0.149	2	3.62	37	276	<2	12	0.10	<4	11	19	20	0.94	<0.01	<1	0.39	<100	1	41	628	42	1.61	<5	6	<10	84	1539	2	35	<10	7	99
164539	1075775	0.180	2	5.62	31	380	<2	14	0.87	<4	6	17	23	1.58	0.03	15	0.86	554	<1	27	536	21	1.80	<5	11	<10	136	1809	<2	40	<10	7	53
164540	1075776	1.520	24	4.77	33	352	<2	18	0.93	<4	5	10	20	1.39	0.23	7	0.76	777	<1	14	432	95	1.85	<5	11	<10	148	1520	<2	32	<10	5	199
164541	1075777	0.691	28	4.79	24	338	<2	8	0.66	<4	5	13	34	1.35	<0.01	7	0.75	725	<1	19	454	107	1.54	<5	<5	<10	127	1650	8	29	<10	6	294
164542	1075778	0.074	3	5.07	27	328	<2	13	0.72	<4	6	17	26	1.48	<0.01	9	0.96	844	<1	28	437	47	1.42	6	7	<10	123	1702	5	29	<10	6	84
164543	1075779	0.155	1	4.35	25	270	<2	12	0.75	<4	4	24	15	1.42	<0.01	8	1.19	1065	<1	36	435	63	1.36	<5	<5	<10	132	1536	5	27	<10	6	161
164544	1075780	<0.005	<1	2.73	17	397	<2	13	1.20	<4	12	50	23	2.23	<0.01	<1	0.86	459	<1	28	474	6	0.80	<5	<5	<10	218	1685	6	70	37	14	42
164545	1075781	1.268	7	4.40	39	305	2	11	0.82	13	6	22	28	2.29	0.08	14	1.33	1255	<1	33	412	994	3.25	6	<5	<10	154	1452	<2	27	56	6	4910
164546	1075782	1.100	10	4.68	45	388	<2	12	0.54	<4	5	12	63	1.66	0.15	10	0.79	585	<1	17	439	591	2.49	7	5	<10	142	1578	2	27	<10	7	596
164547D	1075782	1.107	8	4.20	43	367	<2	13	0.50	<4	6	12	60	1.59	0.16	9	0.76	544	<1	17	420	567	2.37	5	10	<10	136	1487	4	25	<10	6	550
164548	1075783	0.457	7	3.31	44	306	<2	9	0.05	5	5	29	34	1.22	0.07	2	0.45	157	<1	35	272	570	2.24	6	14	<10	74	1201	<2	22	19	5	1132
164549	1075784	0.218	3	4.34	22	405	<2	12	0.64	<4	6	21	10	0.74	<0.01	9	1.02	615	<1	31	321	84	1.15	7	<5	<10	110	1293	7	20	<10	5	94
164550	1075785	0.961	3	4.48	16	427	<2	9	0.20	<4	3	15	8	0.56	<0.01	7	0.66	230	<1	24	349	34	1.10	<5	13	<10	72	1416	<2	21	<10	5	56
164551	1075786	0.814	3	5.57	19	499	2	13	0.25	<4	4	23	11	0.59	0.02	13	0.67	241	4	34	347	27	1.27	<5	13	<10	83	1555	<2	24	<10	5	46
164552	1075787	5.712	13	4.21	37	339	2	15	<0.01	<4	4	18	92	1.15	<0.01	7	0.49	<100	2	20	283	294	2.16	8	6	<10	63	1311	3	24	<10	5	329
164553	1075788	0.820	11	4.95	41	350	2	16	0.24	5	6	21	75	1.53	<0.01	12	0.65	202	2	23	428	341	2.80	7	8	<10	84	1694	<2	32	20	7	1667
164554	1075789	0.827	91	5.22	40	343	2	16	1.57	4	6	30	49	2.16	<0.01	18	1.79	1661	2	39	403	1015	2.74	20	<5	<10	167	1626	3	31	16	7	1198

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164555	1075790	1.074	2	4.54	26	492	2	11	1.44	<4	15	49	545	3.35	<0.01	6	1.07	548	25	29	596	71	1.50	<5	<5	<10	232	1769	3	98	25	15	104
164556	1075791	0.457	83	4.97	58	309	2	7	1.34	<4	7	30	62	1.99	<0.01	18	1.70	1349	1	30	409	340	2.17	20	<5	<10	157	1810	<2	33	12	7	1024
164557	1075792	0.454	9	4.84	26	378	2	12	0.07	<4	7	22	9	1.11	0.21	16	0.65	194	2	25	409	42	1.84	<5	9	<10	68	1827	2	34	<10	6	250
164558D	1075792	0.406	10	4.83	27	377	<2	16	0.07	<4	6	24	8	1.14	<0.01	16	0.65	186	1	26	422	42	1.93	<5	6	<10	68	1825	<2	34	<10	6	259
164559	1075793	0.620	7	2.89	23	197	<2	<1	2.08	<4	8	24	10	1.21	<0.01	9	0.61	317	<1	35	586	60	1.43	<5	19	<10	66	1383	12	27	<10	7	17
164560	1075794	0.436	7	3.82	27	349	<2	<1	0.58	<4	8	25	13	1.37	<0.01	15	1.17	603	<1	32	598	108	1.11	5	21	<10	128	1588	<2	31	11	8	352
164561	1075795	0.119	4	4.04	31	375	<2	<1	1.93	<4	11	36	13	1.61	<0.01	12	1.60	915	2	47	963	223	1.14	6	21	<10	238	1697	5	41	10	12	1143
164562	1075796	0.374	2	4.48	17	603	<2	<1	0.72	<4	6	14	3	1.06	<0.01	19	0.98	397	<1	19	624	71	1.14	<5	21	<10	171	1780	2	35	<10	6	67
164563	1075797	0.185	3	4.84	18	489	2	<1	0.53	<4	7	13	11	0.94	<0.01	18	0.75	314	<1	19	674	49	1.03	<5	20	<10	175	2142	<2	42	<10	6	69
164564	1075798	0.122	11	3.62	11	417	<2	<1	0.66	<4	8	12	12	0.85	<0.01	14	0.69	390	<1	22	549	52	1.05	8	16	<10	172	1878	8	33	<10	4	30
164565	1075799	0.119	15	3.09	10	367	<2	<1	0.67	<4	6	17	10	0.97	0.07	9	0.71	445	2	24	516	62	1.32	11	25	<10	176	1582	3	29	<10	4	53
164566	1075800	<0.005	<1	3.43	3	515	<2	<1	1.54	<4	15	53	23	2.38	0.12	7	0.88	506	2	34	701	6	0.02	<5	16	<10	289	2051	<2	86	47	15	55
164567	1075801	0.156	9	3.43	13	505	<2	<1	1.04	<4	7	17	25	1.49	<0.01	16	0.80	545	1	26	565	46	1.99	<5	19	<10	189	1788	<2	33	<10	5	46
164568	1075802	0.036	3	3.15	5	602	<2	<1	1.91	<4	12	25	15	2.41	<0.01	18	0.84	771	2	41	593	27	1.96	<5	18	<10	260	2110	7	44	<10	6	112
164569D	1075802	0.030	3	3.20	9	540	<2	<1	1.79	<4	12	26	15	2.42	<0.01	16	0.87	757	3	44	581	26	2.07	<5	12	<10	242	1970	<2	41	<10	7	102
164570	1075803	0.023	2	5.50	14	424	<2	16	1.87	<4	6	19	20	2.48	<0.01	15	1.12	548	<1	22	452	12	1.95	<5	<5	<10	221	1847	<2	37	<10	8	77
164571	1075804	0.009	1	6.15	13	298	<2	11	1.44	<4	4	20	12	0.85	<0.01	11	0.65	162	<1	22	349	16	1.00	<5	6	<10	339	1747	<2	31	<10	5	28
164572	1075805	0.010	1	5.64	12	334	2	13	1.66	<4	5	16	16	1.37	<0.01	11	0.85	250	<1	19	406	10	1.15	<5	<5	<10	295	1680	2	35	<10	6	32
164573	1075806	<0.005	1	6.31	15	377	<2	14	1.75	<4	4	22	16	1.34	<0.01	16	0.85	240	3	27	392	11	1.32	<5	11	<10	316	1784	11	37	<10	6	30
164574	1075807	<0.005	<1	5.89	11	517	2	20	1.39	<4	4	30	7	1.45	<0.01	21	0.73	243	4	42	430	10	1.15	<5	<5	<10	264	2153	<2	40	<10	6	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164575	1075808	<0.005	<1	6.46	10	582	2	20	2.21	<4	4	21	8	1.22	0.26	18	0.57	194	4	23	392	6	1.24	<5	13	<10	316	1961	3	37	<10	6	34
164576	1075809	0.011	1	5.93	8	544	<2	12	1.88	<4	6	28	8	2.00	0.03	22	0.54	264	7	37	441	10	1.83	<5	7	<10	275	2438	4	48	<10	6	44
164577	1075810	0.244	101	4.89	204	320	<2	15	1.29	22	14	48	6220	5.19	<0.01	14	1.16	1563	24	23	435	10293	3.72	328	<5	<10	218	1981	6	78	46	12	5206
164578	1075811	0.018	1	4.84	13	525	<2	15	1.76	<4	7	39	7	1.92	<0.01	16	0.48	267	7	58	408	8	1.57	<5	9	<10	243	2131	3	46	<10	6	41
164579	1075812	0.007	1	4.97	14	510	<2	14	1.63	<4	7	32	24	1.95	0.06	13	0.52	337	6	49	404	9	1.72	<5	<5	<10	241	2009	<2	42	<10	5	56
164580R	1075812	0.009	1	5.04	12	491	<2	15	1.60	<4	6	31	22	1.93	<0.01	11	0.53	326	4	45	386	10	1.67	<5	12	<10	236	1901	3	41	<10	6	54
164581	1075813	<0.005	<1	5.86	9	426	<2	9	1.43	<4	4	29	6	1.10	0.10	12	0.49	267	6	48	357	3	1.12	<5	8	<10	210	1879	<2	39	<10	6	26
164582	1075814	<0.005	1	7.44	11	450	2	17	2.36	<4	7	37	8	3.71	0.05	29	0.95	786	11	55	410	7	1.44	<5	<5	<10	257	2199	2	46	<10	10	85
164583	1075815	<0.005	1	7.06	14	654	2	9	1.74	<4	6	16	4	1.65	<0.01	30	0.87	417	6	17	462	10	1.38	<5	10	<10	256	2509	4	46	<10	7	45
164584	1075816	<0.005	2	6.66	13	591	2	16	1.72	<4	5	20	8	1.49	<0.01	28	0.93	315	8	23	469	15	1.87	<5	15	<10	285	2310	2	46	<10	6	40
164585	1075817	0.656	82	4.48	21	324	2	12	0.14	<4	5	16	75	1.67	<0.01	14	0.40	<100	5	20	273	127	2.59	12	8	<10	121	1442	<2	25	17	5	1067
164586	1075818	0.259	84	5.35	21	315	2	14	0.49	<4	5	22	24	1.30	<0.01	20	0.62	282	8	30	332	110	2.58	11	9	<10	148	1566	4	26	<10	5	193
164587	1075819	<0.005	3	5.43	18	320	2	20	1.32	<4	4	22	5	1.36	<0.01	22	0.89	433	7	26	340	24	2.51	<5	5	<10	193	1550	4	27	<10	5	39
164588	1075820	<0.005	<1	4.10	14	399	<2	11	1.30	<4	12	44	20	2.01	0.08	12	0.80	414	5	26	436	8	1.26	<5	8	<10	242	1882	<2	66	37	11	40
164589	1075821	<0.005	1	6.05	16	372	<2	14	1.87	<4	5	30	7	1.73	<0.01	22	0.85	287	9	42	338	14	2.61	<5	10	<10	217	1514	9	29	<10	6	27
164590	1075822	<0.005	2	5.74	18	412	<2	22	1.82	<4	6	31	5	1.50	0.02	23	0.85	392	8	40	354	22	2.63	<5	10	<10	227	1599	8	31	<10	6	59
164591D	1075822	0.007	3	5.96	17	436	<2	15	1.96	<4	6	33	5	1.65	<0.01	23	0.89	421	7	46	379	26	2.69	<5	11	<10	241	1693	7	33	<10	6	60
164592	1075823	<0.005	1	5.79	17	772	2	11	0.91	<4	9	41	3	1.61	0.01	33	0.85	283	13	64	389	20	2.45	<5	8	<10	208	2181	2	41	<10	5	74
164593	1075824	<0.005	2	6.10	15	1331	3	12	2.32	<4	11	39	14	1.96	<0.01	41	1.13	392	11	53	958	36	2.36	<5	8	<10	449	2986	<2	76	<10	6	61
164594	1075825	<0.005	2	5.61	15	645	2	21	2.84	<4	10	62	18	2.25	<0.01	20	1.20	414	16	95	1026	28	2.40	5	<5	<10	414	2108	9	52	<10	9	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164595	1075826	<0.005	2	5.08	12	443	2	14	2.14	<4	6	42	12	1.50	0.11	14	1.03	315	12	63	664	20	1.93	<5	6	<10	295	1348	6	34	<10	9	44
164596	1075827	<0.005	1	5.67	14	813	2	15	1.05	<4	7	31	2	1.83	0.03	30	0.85	307	9	42	365	22	2.92	<5	7	<10	229	1799	5	31	<10	6	64
164597	1075828	0.031	1	5.45	15	748	2	14	1.28	<4	7	23	2	1.45	0.06	28	0.92	289	8	34	370	18	2.51	<5	5	<10	241	1758	10	31	<10	6	51
164598	1075829	<0.005	1	6.27	19	651	2	19	1.67	<4	9	29	6	1.51	0.02	27	1.28	325	8	42	413	29	2.12	<5	8	<10	293	1502	<2	36	<10	7	35
164599	1075830	4.644	8	6.65	19	301	2	20	2.96	4	27	71	102	4.54	0.36	18	1.95	839	14	44	856	16	1.85	<5	8	<10	333	3486	7	123	<10	16	93
164600	1075831	<0.005	2	7.06	18	786	3	20	3.32	<4	20	78	39	3.20	<0.01	32	2.15	563	11	122	1928	32	2.09	<5	6	<10	947	2828	6	68	<10	17	90
164601	1075832	0.005	3	6.89	13	1142	3	17	3.35	<4	20	71	42	3.24	<0.01	33	2.21	587	10	105	2407	31	2.36	<5	18	<10	1394	3175	<2	71	<10	16	100
164602D	1075832	0.007	3	6.58	15	1008	3	15	3.24	<4	20	72	43	3.31	<0.01	29	2.30	596	5	111	2262	31	2.12	<5	8	<10	1364	2825	7	70	<10	18	99
164603	1075833	0.015	2	5.98	14	796	2	15	3.54	<4	20	63	33	3.38	<0.01	21	2.31	533	4	99	2306	29	2.26	<5	<5	<10	1111	3102	4	76	<10	18	78
164604	1075834	0.014	2	6.02	14	972	2	11	3.03	<4	18	52	27	2.75	<0.01	19	1.96	495	3	82	1707	34	1.93	6	8	<10	756	2570	7	69	<10	15	66
164605	1075835	<0.005	<1	5.83	19	907	<2	16	1.02	<4	10	29	7	0.93	<0.01	21	0.74	145	4	38	554	19	1.37	<5	19	<10	277	1779	3	40	<10	6	17
164606	1075836	<0.005	<1	5.47	22	620	<2	11	1.22	<4	26	22	7	0.92	<0.01	19	1.05	199	3	63	575	18	1.03	<5	<5	<10	287	1652	7	34	<10	6	135
164607	1075837	<0.005	<1	5.63	18	574	2	20	1.37	<4	20	22	6	0.74	0.05	18	1.11	204	2	51	541	22	0.89	<5	6	<10	354	1590	9	34	<10	6	51
164608	1075838	<0.005	<1	5.45	26	573	<2	16	1.15	<4	11	23	4	0.77	<0.01	15	1.08	141	2	46	541	14	1.16	<5	12	<10	324	1507	8	35	<10	6	18
164609	1075839	<0.005	<1	4.85	22	499	<2	13	1.16	<4	8	24	4	1.14	<0.01	11	0.83	190	<1	40	504	9	1.38	<5	5	<10	345	1212	5	35	<10	6	17
164610	1075840	<0.005	<1	3.81	13	413	<2	10	1.27	<4	12	47	21	2.16	<0.01	4	0.86	440	<1	27	462	7	0.91	<5	11	<10	241	1775	<2	70	37	14	39
164611	1075841	<0.005	<1	2.76	12	206	<2	10	0.44	<4	2	71	4	1.00	<0.01	6	0.39	134	13	122	275	7	1.18	<5	<5	<10	168	541	<2	20	<10	6	16
164612	1075842	0.012	<1	5.09	15	458	<2	13	1.17	<4	5	36	4	1.78	<0.01	11	0.72	386	4	58	530	15	1.89	<5	<5	<10	346	1205	<2	38	<10	6	38
164613D	1075842	0.008	<1	5.81	16	475	2	8	1.27	<4	5	35	3	1.79	0.04	14	0.74	398	6	56	544	11	2.01	<5	5	<10	365	1260	<2	39	<10	7	39
164614	1075843	0.010	<1	5.51	18	688	2	15	1.17	<4	5	33	6	2.24	0.03	14	0.66	325	5	55	548	20	2.68	<5	10	<10	311	1635	<2	38	<10	7	30

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, July 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164615	1075844	0.174	2	5.00	36	295	4	13	1.60	<4	22	99	43	3.51	<0.01	10	0.82	259	2	93	506	26	3.39	<5	6	<10	314	1591	<2	50	10	13	56
164616	1075845	0.019	1	5.70	9	297	2	20	1.57	<4	20	134	48	3.64	<0.01	29	1.48	455	1	85	478	21	1.55	<5	8	<10	263	2556	8	78	<10	12	70
164617	1075846	0.012	1	5.88	9	286	2	16	1.56	<4	19	142	44	3.59	<0.01	27	1.50	451	1	98	475	21	1.43	<5	<5	<10	264	2413	4	76	<10	13	64
164618	1075847	0.025	2	6.81	16	443	2	18	2.07	<4	20	160	80	3.68	<0.01	28	1.68	689	2	96	528	25	2.28	<5	7	<10	276	2411	4	91	<10	15	81
164619	1075848	0.029	2	6.49	43	333	2	18	2.10	<4	19	118	61	3.49	<0.01	19	1.13	593	3	83	474	30	3.88	<5	<5	<10	278	1916	<2	87	11	14	269
164620	1075849	0.014	1	6.47	31	499	<2	14	1.30	<4	11	59	22	2.12	<0.01	20	0.88	385	1	57	548	19	2.95	<5	7	<10	224	1792	<2	49	<10	9	62
164621	1075850	1.176	1	5.02	25	510	<2	14	1.50	<4	14	50	553	3.43	<0.01	7	1.08	548	19	30	614	69	1.50	<5	10	<10	245	1830	2	101	26	15	89
164622	1075851	0.015	1	6.16	26	543	2	12	2.13	<4	7	34	10	1.84	<0.01	15	0.71	392	2	55	565	18	2.82	<5	9	<10	257	1377	10	36	<10	7	102
164623	1075852	0.016	1	6.59	26	618	2	10	1.69	<4	7	27	3	1.98	<0.01	20	0.99	471	<1	45	571	20	2.97	<5	5	<10	256	1441	<2	38	<10	7	47
164624D	1075852	0.018	1	6.80	27	649	2	16	1.73	<4	7	30	3	2.06	<0.01	18	1.04	493	<1	50	591	21	2.90	<5	5	<10	263	1513	<2	40	<10	7	49
164625	1075853	0.019	2	6.08	32	601	2	15	1.04	<4	7	44	10	2.04	0.05	13	0.70	306	2	76	571	18	2.68	<5	<5	<10	240	1649	6	40	<10	7	42
164626	1075854	0.026	1	4.55	34	467	2	14	0.93	<4	9	42	13	2.16	<0.01	7	0.66	306	<1	42	493	20	2.72	<5	<5	<10	195	1499	<2	42	<10	7	52
164627	1075855	0.032	4	6.00	28	453	2	14	2.04	<4	21	155	52	3.69	<0.01	24	1.22	657	2	80	519	20	3.00	5	<5	<10	213	2389	7	90	<10	13	65
164628	1075856	0.018	2	6.35	25	421	2	18	2.67	<4	11	59	20	2.35	<0.01	19	1.29	610	<1	48	506	23	2.06	<5	6	<10	249	1878	8	48	<10	10	53
164629	1075857	0.039	<1	5.86	37	387	2	12	1.71	<4	9	18	13	1.76	<0.01	13	0.98	345	<1	23	449	29	2.00	<5	10	<10	158	1761	3	34	<10	7	456
164630	1075858	0.011	<1	6.11	20	381	<2	11	2.29	<4	6	48	7	1.59	<0.01	16	1.19	519	2	72	440	32	1.28	<5	<5	<10	170	1558	3	34	<10	7	54
164631	1075859	0.013	<1	6.47	16	461	2	16	2.56	<4	7	42	12	1.71	<0.01	17	1.30	537	2	65	470	27	1.40	<5	12	<10	166	1585	8	36	<10	7	54
164632	1075860	0.007	<1	4.69	13	421	<2	17	1.38	<4	12	47	22	2.21	<0.01	7	0.89	449	<1	25	467	5	0.96	<5	<5	<10	252	1835	<2	71	41	14	36
164633	1075861	0.047	1	5.59	34	520	2	13	0.67	<4	9	56	13	1.67	<0.01	12	0.52	195	5	92	474	32	2.10	<5	10	<10	134	1801	5	40	11	6	38
164634	1075862	0.086	2	6.58	15	396	2	10	2.25	<4	6	25	18	1.72	0.03	14	1.28	592	<1	39	488	52	1.73	<5	19	<10	200	1277	<2	34	<10	8	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164635D	1075862	0.090	2	6.10	21	379	2	12	2.12	<4	7	23	17	1.62	0.17	11	1.24	565	<1	34	456	43	1.51	5	12	<10	191	1219	6	33	<10	7	55
164636	1075863	0.171	1	5.89	44	494	2	10	0.39	<4	8	25	10	1.41	<0.01	7	0.44	124	<1	29	516	42	2.12	<5	14	<10	136	1716	<2	41	11	6	79
164637	1075864	0.324	1	5.53	28	421	2	16	1.53	<4	6	37	14	1.39	0.24	10	0.98	421	<1	60	460	37	1.40	<5	6	<10	145	1271	6	35	<10	6	42
164638	1075865	0.553	<1	5.34	49	425	<2	16	0.39	<4	7	24	11	1.48	0.13	6	0.44	115	<1	36	428	30	2.18	<5	8	<10	109	1297	7	33	<10	6	109
164639	1075866	1.029	1	5.29	66	430	<2	10	0.42	<4	9	35	13	2.00	<0.01	7	0.47	139	<1	55	429	43	2.81	<5	<5	<10	112	1318	2	34	<10	6	111
164640	1075867	0.108	1	6.02	44	423	2	11	1.49	<4	6	23	20	1.41	<0.01	13	0.91	376	<1	27	485	44	1.80	5	<5	<10	153	1321	<2	36	<10	6	45
164641	1075868	0.220	<1	4.94	36	485	<2	15	0.25	<4	6	23	7	1.09	<0.01	13	0.40	<100	<1	23	417	34	2.05	<5	<5	<10	93	1426	2	34	<10	5	33
164642	1075869	0.249	<1	5.33	47	503	2	19	0.67	<4	7	30	15	1.51	<0.01	15	0.65	224	<1	34	419	43	2.29	5	6	<10	125	1261	4	37	<10	5	45
164643	1075870	0.269	101	4.60	175	321	<2	16	1.15	20	11	43	6145	4.75	<0.01	12	1.08	1403	13	20	387	10142	3.01	286	10	<10	200	1708	5	69	39	12	5098
164644	1075871	0.107	1	4.64	41	475	2	11	0.44	<4	7	29	73	1.28	<0.01	14	0.55	165	<1	36	345	111	2.27	7	10	<10	112	1088	<2	34	<10	5	73
164645	1075872	0.845	7	4.16	195	422	<2	15	0.07	5	10	63	145	2.01	<0.01	5	0.35	<100	<1	41	268	443	3.16	90	<5	<10	87	950	<2	43	16	5	1088
164646R	1075872	0.756	6	4.58	160	462	2	14	0.15	5	9	69	137	1.82	<0.01	10	0.37	<100	3	48	280	390	3.10	80	7	<10	96	1034	2	46	17	5	1162
164647	1075873	0.669	4	4.64	67	506	<2	13	0.14	<4	10	49	45	1.39	<0.01	10	0.37	<100	<1	35	464	109	2.53	14	7	<10	98	1258	6	47	<10	4	334
164648	1075874	0.066	<1	5.45	57	457	2	11	0.09	<4	7	32	17	1.48	<0.01	5	0.41	<100	<1	49	471	53	2.19	<5	5	<10	91	1200	<2	36	<10	5	192
164649	1075875	0.437	4	4.24	231	337	<2	14	0.10	7	7	61	159	2.51	<0.01	5	0.35	<100	4	87	295	413	3.54	62	<5	<10	84	873	<2	34	30	5	2101
164650	1075876	0.243	2	4.40	109	387	2	12	0.14	<4	8	60	66	1.86	<0.01	8	0.36	<100	4	65	364	188	2.90	24	10	<10	92	943	<2	43	14	5	831
164651	1075877	0.151	1	5.60	53	536	2	21	0.29	5	8	31	32	1.94	<0.01	14	0.52	156	<1	45	460	244	2.84	<5	8	<10	93	1439	2	37	21	5	1252
164652	1075878	0.120	1	5.76	37	570	2	14	0.81	<4	7	32	38	1.50	<0.01	22	0.72	344	4	44	462	164	2.22	<5	6	<10	115	1723	2	39	11	5	417
164653	1075879	0.404	4	>10.00	119	240	2	27	5.54	23	22	62	285	5.03	<0.01	26	2.94	2100	2	51	883	952	3.60	8	12	<10	322	2995	17	93	88	18	4712
164654	1075880	<0.005	<1	5.20	12	412	<2	17	1.48	<4	12	46	26	2.15	<0.01	16	0.88	455	<1	22	465	17	1.33	<5	<5	<10	253	1927	<2	69	39	11	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
164655	1075881	0.126	<1	4.83	44	448	<2	13	0.24	<4	7	27	25	1.45	<0.01	11	0.42	<100	<1	41	383	28	2.26	<5	7	<10	82	1433	2	30	14	6	493
164656	1075882	0.064	<1	5.67	36	475	<2	14	1.18	<4	7	23	32	1.37	<0.01	16	0.87	472	<1	34	453	36	1.87	<5	8	<10	124	1700	<2	35	<10	6	162
164657D	1075882	0.051	1	5.55	36	470	2	11	1.18	<4	7	21	31	1.34	<0.01	18	0.85	468	<1	29	450	33	1.85	<5	10	<10	125	1708	6	35	<10	6	155
164658	1075883	0.162	2	6.07	32	459	2	16	1.70	<4	7	26	73	1.58	<0.01	24	1.09	609	3	37	426	35	1.91	<5	13	<10	129	1840	<2	35	<10	6	74
164659	1075884	0.159	2	6.61	30	590	2	15	1.30	<4	7	24	133	1.59	<0.01	17	1.03	516	<1	34	479	26	1.75	6	7	<10	126	1882	4	36	13	7	548
164660	1075885	0.295	2	6.03	42	490	2	13	1.23	<4	7	23	424	1.88	<0.01	11	0.98	428	<1	35	463	40	2.29	13	14	<10	114	1663	3	34	14	8	621
164661	1075886	0.112	1	5.79	35	584	2	10	1.17	<4	7	44	202	1.77	<0.01	13	1.00	443	3	70	445	41	2.08	13	9	<10	110	1726	<2	37	15	7	520
164662	1075887	0.041	<1	6.28	28	531	2	17	1.84	<4	8	23	37	1.70	<0.01	20	1.26	596	<1	35	453	29	1.92	6	8	<10	132	1790	<2	34	<10	7	129
164663	1075888	0.042	<1	6.18	24	513	2	10	1.89	<4	6	26	23	1.72	<0.01	19	1.38	510	<1	34	441	13	1.72	<5	5	<10	143	1754	9	34	14	7	594

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164515	1075753	31	<0.001	0.031
164516	1075754	8	<0.001	0.008
164517	1075755	9	<0.001	0.009
164518	1075756	14	<0.001	0.014
164519	1075757	12	<0.001	0.012
164520	1075758	9	<0.001	0.009
164521	1075759	11	<0.001	0.011
164522	1075760	6	<0.001	0.006
164523	1075761	14	<0.001	0.014
164524	1075762	13	<0.001	0.013
164525 Dup	1075762	40	0.001	0.040
164526	1075763	11	<0.001	0.011
164527	1075764	11	<0.001	0.011
164528	1075765	11	<0.001	0.011
164529	1075766	11	<0.001	0.011
164530	1075767	14	<0.001	0.014
164531	1075768	18	<0.001	0.018
164532	1075769	16	<0.001	0.016
164533	1075770	4847	0.141	4.847
164534	1075771	32	<0.001	0.032
164535	1075772	49	0.001	0.049
164536 Dup	1075772	67	0.002	0.067
164537	1075773	511	0.015	0.511
164538	1075774	149	0.004	0.149
164539	1075775	180	0.005	0.180
164540	1075776	1520	0.044	1.520
164541	1075777	691	0.020	0.691
164542	1075778	74	0.002	0.074
164543	1075779	155	0.005	0.155
164544	1075780	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164545	1075781	1268	0.037	1.268
164546	1075782	1100	0.032	1.100
164547 Dup	1075782	1107	0.032	1.107
164548	1075783	457	0.013	0.457
164549	1075784	218	0.006	0.218
164550	1075785	961	0.028	0.961
164551	1075786	814	0.024	0.814
164552	1075787	5712	0.167	5.712
164553	1075788	820	0.024	0.820
164554	1075789	827	0.024	0.827
164555	1075790	1074	0.031	1.074
164556	1075791	457	0.013	0.457
164557	1075792	454	0.013	0.454
164558 Dup	1075792	406	0.012	0.406
164559	1075793	620	0.018	0.620
164560	1075794	436	0.013	0.436
164561	1075795	119	0.003	0.119
164562	1075796	374	0.011	0.374
164563	1075797	185	0.005	0.185
164564	1075798	122	0.004	0.122
164565	1075799	119	0.003	0.119
164566	1075800	<5	<0.001	<0.005
164567	1075801	156	0.005	0.156
164568	1075802	36	0.001	0.036
164569 Dup	1075802	30	<0.001	0.030
164570	1075803	23	<0.001	0.023
164571	1075804	9	<0.001	0.009
164572	1075805	10	<0.001	0.010
164573	1075806	<5	<0.001	<0.005
164574	1075807	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164575	1075808	<5	<0.001	<0.005
164576	1075809	11	<0.001	0.011
164577	1075810	244	0.007	0.244
164578	1075811	18	<0.001	0.018
164579	1075812	7	<0.001	0.007
164580 Rep	1075812	9	<0.001	0.009
164581	1075813	<5	<0.001	<0.005
164582	1075814	<5	<0.001	<0.005
164583	1075815	<5	<0.001	<0.005
164584	1075816	<5	<0.001	<0.005
164585	1075817	656	0.019	0.656
164586	1075818	259	0.008	0.259
164587	1075819	<5	<0.001	<0.005
164588	1075820	<5	<0.001	<0.005
164589	1075821	<5	<0.001	<0.005
164590	1075822	<5	<0.001	<0.005
164591 Dup	1075822	7	<0.001	0.007
164592	1075823	<5	<0.001	<0.005
164593	1075824	<5	<0.001	<0.005
164594	1075825	<5	<0.001	<0.005
164595	1075826	<5	<0.001	<0.005
164596	1075827	<5	<0.001	<0.005
164597	1075828	31	<0.001	0.031
164598	1075829	<5	<0.001	<0.005
164599	1075830	4644	0.135	4.644
164600	1075831	<5	<0.001	<0.005
164601	1075832	5	<0.001	0.005
164602 Dup	1075832	7	<0.001	0.007
164603	1075833	15	<0.001	0.015
164604	1075834	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164605	1075835	<5	<0.001	<0.005
164606	1075836	<5	<0.001	<0.005
164607	1075837	<5	<0.001	<0.005
164608	1075838	<5	<0.001	<0.005
164609	1075839	<5	<0.001	<0.005
164610	1075840	<5	<0.001	<0.005
164611	1075841	<5	<0.001	<0.005
164612	1075842	12	<0.001	0.012
164613 Dup	1075842	8	<0.001	0.008
164614	1075843	10	<0.001	0.010
164615	1075844	174	0.005	0.174
164616	1075845	19	<0.001	0.019
164617	1075846	12	<0.001	0.012
164618	1075847	25	<0.001	0.025
164619	1075848	29	<0.001	0.029
164620	1075849	14	<0.001	0.014
164621	1075850	1176	0.034	1.176
164622	1075851	15	<0.001	0.015
164623	1075852	16	<0.001	0.016
164624 Dup	1075852	18	<0.001	0.018
164625	1075853	19	<0.001	0.019
164626	1075854	26	<0.001	0.026
164627	1075855	32	<0.001	0.032
164628	1075856	18	<0.001	0.018
164629	1075857	39	0.001	0.039
164630	1075858	11	<0.001	0.011
164631	1075859	13	<0.001	0.013
164632	1075860	7	<0.001	0.007
164633	1075861	47	0.001	0.047
164634	1075862	86	0.003	0.086

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 19, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/05/2011  
 Date Completed: 07/19/2011  
 Job #: 201142495  
 Reference: TL11186A  
 Sample #: 136

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
164635 Dup	1075862	90	0.003	0.090
164636	1075863	171	0.005	0.171
164637	1075864	324	0.009	0.324
164638	1075865	553	0.016	0.553
164639	1075866	1029	0.030	1.029
164640	1075867	108	0.003	0.108
164641	1075868	220	0.006	0.220
164642	1075869	249	0.007	0.249
164643	1075870	269	0.008	0.269
164644	1075871	107	0.003	0.107
164645	1075872	845	0.025	0.845
164646 Rep	1075872	756	0.022	0.756
164647	1075873	669	0.020	0.669
164648	1075874	66	0.002	0.066
164649	1075875	437	0.013	0.437
164650	1075876	243	0.007	0.243
164651	1075877	151	0.004	0.151
164652	1075878	120	0.004	0.120
164653	1075879	404	0.012	0.404
164654	1075880	<5	<0.001	<0.005
164655	1075881	126	0.004	0.126
164656	1075882	64	0.002	0.064
164657 Dup	1075882	51	0.001	0.051
164658	1075883	162	0.005	0.162
164659	1075884	159	0.005	0.159
164660	1075885	295	0.009	0.295
164661	1075886	112	0.003	0.112
164662	1075887	41	0.001	0.041
164663	1075888	42	0.001	0.042

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, July 26, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/20/2011  
 Date Completed: 07/26/2011  
 Job #: 201142689  
 Reference: TL11186A  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
175748	1075787	5396	5700	45656	7257	4.26%	45.35

PROCEDURE CODES: ALPM1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170674	1005979	0.035	<1	>10.00	23	724	2	3	3.22	<4	12	37	26	2.27	0.59	10	1.34	960	<1	53	655	57	2.18	10	7	<10	318	2156	11	46	<10	10	131
170675	1005980	<0.005	<1	6.10	9	513	<2	<1	1.83	<4	16	69	25	2.78	0.51	<1	1.08	581	<1	37	650	11	1.20	13	<5	<10	268	2030	<2	85	40	17	62
170676	1005981	0.027	<1	8.55	20	731	<2	<1	2.85	<4	10	37	19	2.23	0.49	5	1.28	990	<1	49	604	68	2.00	15	8	<10	254	2042	2	42	<10	8	114
170677	1005982	0.049	<1	7.81	28	718	2	2	2.68	<4	11	42	29	2.32	0.45	7	1.14	1099	2	56	603	64	2.47	12	8	<10	270	2069	10	46	<10	7	106
170678	1005983	0.658	<1	5.46	40	808	2	2	1.10	5	11	33	50	2.08	0.34	5	0.64	511	7	42	524	456	2.78	8	7	<10	131	2059	9	41	12	6	1253
170679	1005984	0.624	11	4.85	54	560	<2	4	0.42	16	10	47	203	2.33	0.22	<1	0.46	237	12	70	538	2721	3.10	10	5	<10	82	1755	<2	36	45	5	4554
170680	1005985	0.204	2	5.92	15	444	<2	5	2.11	<4	9	34	27	1.89	0.43	5	1.78	1088	<1	40	702	110	1.09	6	<5	<10	233	1829	13	35	<10	7	176
170681	1005986	0.205	5	5.22	16	430	<2	3	1.76	<4	9	34	25	1.82	0.46	3	1.69	1011	<1	42	561	71	1.13	9	8	<10	194	1743	16	34	<10	7	145
170682	1005987	0.013	<1	5.13	8	593	<2	2	0.47	<4	8	38	8	0.52	0.46	<1	0.62	229	1	53	<100	52	0.65	12	10	<10	115	1544	<2	38	<10	4	93
170683	1005988	0.008	<1	5.82	11	613	<2	2	0.89	<4	11	28	3	0.58	0.48	<1	0.77	365	1	39	<100	20	0.86	8	11	<10	143	1525	2	42	<10	4	45
170684D	1005988	0.009	1	6.18	9	685	<2	2	1.04	<4	11	39	4	0.67	0.49	<1	0.78	396	3	58	<100	23	0.91	11	11	<10	163	1645	2	47	<10	4	50
170685	1005989	0.009	<1	5.77	9	656	<2	1	0.86	<4	10	31	3	0.63	0.38	<1	0.63	340	4	43	119	38	1.03	9	5	<10	158	1701	4	40	<10	4	190
170686	1005990	5.300	6	6.88	10	350	<2	4	3.00	5	31	72	111	5.04	0.42	1	2.10	973	6	56	1030	28	1.56	12	8	<10	320	2641	<2	125	<10	17	114
170687	1005991	0.016	<1	5.60	7	583	<2	2	0.71	<4	10	33	2	0.54	0.38	<1	0.70	376	<1	43	117	28	0.70	7	7	<10	131	1722	7	37	<10	4	41
170688	1005992	0.011	2	4.92	14	631	<2	2	0.98	<4	9	45	11	0.91	0.51	<1	0.56	367	5	46	202	58	1.14	12	7	<10	174	1818	4	41	<10	5	65
170689	1005993	0.159	<1	6.94	21	520	<2	3	1.84	<4	12	43	51	1.88	0.44	6	1.25	1083	<1	43	605	131	1.75	11	7	<10	209	2037	9	48	<10	8	407
170690	1005994	0.124	<1	4.33	31	474	<2	2	1.85	<4	11	29	15	1.80	0.37	3	0.94	948	<1	33	459	82	1.70	8	6	<10	223	1941	6	44	<10	6	342
170691	1005995	0.033	<1	6.83	28	466	<2	2	2.41	<4	6	32	15	1.47	0.34	6	1.38	652	<1	37	289	57	1.14	12	12	<10	178	1250	10	21	<10	7	128
170692	1005996	0.110	<1	5.65	22	418	<2	4	1.72	<4	5	34	8	1.26	0.34	3	1.17	599	<1	40	299	29	1.21	8	5	<10	122	1057	2	18	<10	6	204
170693	1005997	0.165	<1	5.80	29	487	<2	5	1.21	<4	6	43	14	1.55	0.31	5	1.03	563	<1	53	307	19	1.54	10	8	<10	105	1115	6	21	<10	6	135

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170694	1005998	0.251	<1	4.95	27	568	<2	1	0.44	<4	7	47	27	1.15	0.37	<1	0.54	168	5	55	324	39	1.35	9	6	<10	75	1287	3	26	<10	5	193
170695D	1005998	0.258	<1	6.21	28	569	<2	2	0.47	<4	7	57	30	1.26	0.40	<1	0.61	178	3	74	354	41	1.34	8	<5	<10	78	1292	<2	27	<10	6	211
170696	1005999	0.107	<1	7.28	22	587	<2	3	0.98	<4	6	40	13	1.23	0.33	5	0.94	366	<1	51	339	139	1.29	14	5	<10	103	1167	14	21	<10	6	179
170697	1006000	<0.005	<1	4.89	7	464	<2	3	1.62	<4	14	63	23	2.58	0.48	<1	0.99	537	<1	33	591	8	0.83	10	7	<10	238	1848	<2	79	38	16	48
170698	1077001	0.079	<1	6.25	14	661	<2	3	0.55	<4	4	43	6	0.94	0.31	9	0.64	211	3	61	271	26	1.11	8	11	<10	92	1188	2	20	<10	5	49
170699	1077002	0.148	<1	5.94	13	603	<2	3	1.23	<4	4	38	7	1.15	0.38	7	0.93	356	<1	42	303	25	1.01	6	<5	<10	130	1185	5	21	<10	5	48
170700	1077003	0.036	<1	7.04	6	337	2	6	1.87	<4	23	155	57	3.78	0.32	13	1.76	848	<1	93	673	35	1.80	9	<5	<10	143	1504	11	76	<10	16	136
170701	1077004	0.162	<1	8.34	3	394	2	4	0.97	<4	27	175	56	4.49	0.40	37	2.51	852	<1	109	636	25	1.25	14	8	<10	120	2333	10	109	<10	15	98
170702	1077005	0.109	<1	7.63	20	375	2	5	1.12	<4	21	162	30	3.90	0.45	28	2.41	905	<1	98	552	47	2.05	12	<5	<10	120	1545	2	86	<10	10	143
170703	1077006	0.061	<1	6.21	17	291	<2	4	0.85	<4	21	155	28	3.85	0.36	18	2.50	864	<1	100	567	52	1.62	13	<5	<10	96	1380	5	77	<10	10	136
170704	1077007	0.339	<1	4.29	98	334	<2	6	1.48	20	24	154	66	5.29	0.56	12	1.16	1010	22	97	482	1109	5.05	15	8	<10	125	1218	3	72	41	7	4793
170705	1077008	0.146	<1	4.69	27	388	2	3	1.49	<4	21	158	36	3.46	0.59	25	1.38	973	11	96	534	42	2.34	13	7	<10	143	1887	8	83	<10	8	144
170706D	1077008	0.156	<1	9.54	27	414	2	5	1.74	<4	20	156	36	3.54	0.52	29	1.96	975	2	89	565	44	2.34	12	<5	<10	159	1901	7	82	<10	11	146
170707	1077009	0.158	<1	3.87	42	542	2	5	1.31	<4	17	132	34	2.93	0.35	19	0.84	651	16	83	450	60	2.73	7	<5	<10	145	1679	10	66	<10	6	249
170708	1077010	1.168	<1	3.39	20	640	<2	3	1.81	<4	18	63	590	3.81	0.44	8	0.76	641	40	36	690	81	1.94	16	8	<10	273	2275	3	116	28	8	112
170709	1077011	0.045	<1	4.08	11	486	2	1	1.83	<4	11	67	23	2.06	0.49	24	0.96	700	14	48	405	43	1.97	10	6	<10	174	1918	4	47	<10	6	91
170710	1077012	0.029	<1	4.66	5	417	2	4	1.93	<4	13	100	27	2.43	0.21	17	1.09	797	10	85	408	31	1.64	10	<5	<10	175	1809	8	51	<10	6	82
170711	1077013	0.033	<1	6.74	6	526	2	2	2.56	<4	14	99	127	2.78	0.42	14	1.46	1077	<1	63	502	34	1.54	11	<5	<10	184	1523	4	61	<10	10	274
170712	1077014	0.156	<1	6.88	16	422	<2	6	1.44	<4	20	135	87	3.46	0.51	9	1.47	1004	<1	87	577	40	1.68	12	5	<10	129	1539	5	70	<10	13	263
170713	1077015	0.773	3	4.90	65	356	<2	4	0.39	29	19	118	186	3.30	0.37	<1	0.57	243	12	85	435	483	3.24	11	6	<10	86	1112	4	69	72	8	8682

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170714	1077016	0.122	<1	7.07	3	437	<2	2	1.73	<4	21	139	46	3.66	0.53	13	1.77	830	<1	97	579	46	1.30	15	5	<10	126	1978	6	73	<10	13	118
170715	1077017	0.010	<1	6.41	6	565	<2	4	1.78	<4	10	61	12	2.03	0.26	3	1.20	473	<1	63	417	13	0.97	10	6	<10	162	1461	13	32	<10	9	64
170716	1077018	0.012	<1	6.39	3	487	<2	3	1.50	<4	10	53	16	1.86	0.24	5	1.11	465	<1	50	375	17	1.08	9	<5	<10	178	1505	8	34	<10	8	70
170717D	1077018	0.016	<1	4.73	8	453	<2	1	1.13	<4	10	51	15	1.82	0.32	<1	1.08	456	<1	48	364	12	0.89	8	9	<10	138	1376	9	32	<10	7	70
170718	1077019	0.171	<1	4.92	<2	314	<2	3	1.35	<4	23	161	46	3.79	0.28	7	1.51	495	<1	92	608	22	1.02	7	<5	<10	138	2033	3	80	<10	13	74
170719	1077020	<0.005	<1	4.79	6	488	<2	3	1.66	<4	16	65	25	2.73	0.38	<1	1.01	562	<1	34	622	8	0.69	9	5	<10	249	1951	2	84	40	16	54
170720	1077021	0.193	<1	5.75	2	364	<2	4	1.45	<4	27	181	53	4.38	0.34	7	1.77	597	<1	104	580	28	1.16	11	<5	<10	139	1916	<2	94	<10	12	76
170721	1077022	0.034	<1	5.92	<2	325	<2	4	1.27	<4	23	160	42	4.06	0.46	10	1.69	455	<1	93	586	26	1.14	11	<5	<10	142	1903	4	90	<10	11	45
170722	1077023	0.035	<1	6.06	2	319	<2	3	1.04	<4	24	150	60	4.22	0.56	5	1.39	436	4	101	538	28	1.48	15	<5	<10	131	2040	2	82	<10	11	85
170723	1077024	0.018	<1	5.65	4	364	<2	1	1.50	<4	18	155	36	3.12	0.40	<1	1.10	506	5	90	747	37	1.48	5	<5	<10	162	1570	6	76	<10	14	76
170724	1077025	0.033	<1	6.20	2	371	<2	7	1.82	<4	24	159	49	4.20	0.48	8	1.64	784	<1	101	542	38	1.49	14	<5	<10	196	2193	4	79	<10	15	115
170725	1077026	0.087	<1	5.95	<2	382	<2	4	1.82	<4	24	169	50	4.31	0.45	8	1.66	787	<1	99	592	38	1.35	14	6	<10	197	2293	4	85	<10	15	115
170726	1077027	0.078	<1	3.28	9	507	<2	2	1.18	<4	13	56	36	2.68	0.40	<1	1.19	830	<1	57	479	40	1.10	7	5	<10	118	1797	12	44	<10	9	147
170727	1077028	0.168	1	5.35	34	882	<2	2	1.58	4	12	48	25	2.17	0.29	5	0.82	510	4	50	463	458	2.12	9	6	<10	214	2030	5	43	10	6	938
170728D	1077028	0.185	<1	5.59	40	785	<2	2	1.41	4	12	46	27	2.20	0.33	2	0.88	511	2	48	476	470	2.10	13	9	<10	187	1936	2	41	<10	7	959
170729	1077029	0.019	1	6.00	10	648	<2	2	1.54	<4	11	55	16	1.77	0.30	<1	0.77	383	3	66	464	17	1.17	10	6	<10	191	1692	8	41	<10	7	86
170730	1077030	0.260	100	4.95	263	434	<2	10	1.51	29	16	61	6108	6.22	0.27	<1	1.23	1923	30	29	571	10280	3.06	506	<5	<10	229	2083	2	88	45	13	5222
170731	1077031	0.018	<1	5.68	11	936	<2	3	1.53	<4	13	55	21	2.00	0.37	<1	0.49	344	10	76	512	19	1.43	8	5	<10	229	1798	2	46	<10	6	120
170732	1077032	0.027	<1	5.74	25	829	<2	4	1.17	<4	11	46	22	1.70	0.46	<1	0.54	299	8	49	446	23	1.63	7	<5	<10	227	1746	5	43	<10	6	50
170733	1077033	0.034	<1	3.76	24	752	<2	3	1.24	<4	8	48	12	1.43	0.35	7	0.46	305	20	58	440	24	2.83	<5	7	<10	249	1648	<2	38	<10	4	171

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170734	1077034	0.018	<1	3.53	31	1005	<2	2	0.97	<4	11	64	11	1.37	0.30	7	0.35	180	18	60	450	19	2.40	8	7	<10	228	1935	<2	50	<10	4	125
170735	1077035	0.017	<1	3.87	25	855	<2	7	1.22	<4	10	44	12	1.01	0.25	4	0.36	173	12	55	408	25	1.89	6	8	<10	245	1685	5	40	<10	4	131
170736	1077036	0.018	<1	4.40	23	688	<2	3	1.53	<4	10	44	13	1.04	0.10	3	0.44	221	12	50	499	17	1.93	6	8	<10	199	1702	3	39	<10	5	62
170737	1077037	0.058	<1	4.78	29	438	<2	3	1.54	<4	10	32	28	1.17	0.19	8	0.66	454	10	40	599	178	2.09	14	6	<10	149	1863	<2	35	<10	5	218
170738	1077038	0.296	<1	5.08	48	610	2	2	0.92	4	10	38	70	1.78	0.35	15	0.59	364	17	53	703	414	2.68	14	11	<10	118	2440	<2	45	11	5	1093
170739R	1077038	0.329	2	6.54	46	614	2	3	1.08	4	9	39	71	1.71	0.37	14	0.73	407	13	52	766	382	2.46	10	8	<10	115	2494	3	46	<10	6	1068
170740	1077039	0.175	<1	6.41	40	550	2	4	1.52	<4	9	37	17	1.67	0.33	10	0.87	553	6	52	760	47	2.03	8	9	<10	122	2462	6	45	<10	6	139
170741	1077040	<0.005	<1	5.85	5	504	<2	2	1.71	<4	15	62	24	2.61	0.56	<1	1.01	543	<1	34	601	8	0.93	12	5	<10	261	2004	2	81	42	16	54
170742	1077041	0.029	<1	7.17	23	412	2	3	1.99	<4	8	29	21	1.61	0.24	8	1.07	636	3	41	679	25	1.83	8	5	<10	129	2001	<2	36	<10	8	69
170743	1077042	0.040	<1	7.50	20	364	<2	4	1.93	<4	8	30	24	1.32	0.37	3	1.10	601	<1	42	676	25	1.33	9	7	<10	116	1774	6	34	<10	8	57
170744	1077043	0.017	<1	7.34	14	372	<2	1	2.27	<4	7	27	4	1.17	0.47	<1	1.31	614	<1	41	792	23	0.97	12	8	<10	124	1552	4	26	<10	8	36
170745	1077044	0.121	<1	7.42	27	471	<2	2	1.78	<4	8	34	33	1.48	0.30	<1	1.11	569	<1	52	663	72	1.42	10	10	<10	129	1682	6	27	<10	8	132
170746	1077045	0.397	5	5.58	60	463	<2	2	0.63	4	7	43	37	2.06	0.40	<1	0.60	295	7	63	509	948	2.20	18	8	<10	91	1720	6	30	10	6	1040
170747	1077046	0.792	5	5.90	55	522	2	3	0.68	<4	8	37	47	1.99	0.52	<1	0.61	297	9	54	550	934	2.29	12	7	<10	96	1858	8	32	<10	6	756
170748	1077047	0.362	<1	7.22	47	408	<2	4	1.97	<4	19	138	74	3.31	0.42	3	1.30	978	4	104	588	189	2.21	7	7	<10	140	2279	6	66	<10	16	295
170749	1077048	0.064	<1	7.67	29	438	2	3	2.55	<4	22	147	80	3.37	0.53	2	1.32	1150	<1	88	593	182	2.09	13	<5	<10	168	2389	11	70	<10	18	235
170750D	1077048	0.062	<1	7.42	28	437	2	3	2.52	<4	23	154	83	3.42	0.51	1	1.33	1169	2	100	598	182	1.96	9	10	<10	165	2423	<2	71	<10	18	244
170751	1077049	0.045	<1	6.18	26	563	<2	2	1.37	<4	11	53	17	2.14	0.44	1	0.92	642	<1	44	453	25	1.69	11	9	<10	138	1829	4	40	<10	9	73
170752	1077050	5.388	<1	5.28	433	1339	<2	2	2.65	<4	15	123	87	3.53	0.38	<1	1.31	494	10	51	893	28	1.65	39	7	<10	193	1660	3	126	<10	16	237
170753	1077051	0.017	<1	6.56	13	610	<2	2	1.49	<4	6	27	2	1.50	0.45	5	0.86	589	<1	29	412	19	1.31	9	11	<10	171	1606	8	26	<10	6	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170754	1077052	0.084	<1	6.52	18	539	<2	2	1.44	<4	7	37	12	2.23	0.56	<1	0.87	771	<1	53	409	38	1.70	7	7	<10	140	1487	<2	27	<10	8	96
170755	1077053	0.060	<1	7.30	31	613	<2	3	1.20	<4	20	70	27	1.86	0.47	10	1.07	616	4	80	565	52	1.82	7	8	<10	156	1674	16	44	<10	8	95
170756	1077054	0.509	<1	6.54	29	612	<2	1	1.36	4	17	43	44	1.42	0.46	9	1.03	572	3	78	457	1271	1.72	9	8	<10	158	1533	6	31	11	5	1265
170757	1077055	0.221	5	7.34	24	364	<2	6	2.43	8	17	34	63	1.68	0.42	1	2.01	1057	<1	66	505	2051	1.64	12	9	<10	194	970	14	25	23	7	2505
170758	1077056	0.142	<1	8.56	14	303	<2	2	2.27	<4	15	40	11	1.33	0.46	10	2.42	1043	<1	63	524	378	1.14	7	<5	<10	221	1078	17	25	<10	8	398
170759	1077057	0.220	<1	5.31	19	436	<2	3	0.37	5	8	58	6	1.05	0.43	<1	0.66	328	10	99	562	668	1.23	12	8	<10	117	1266	3	36	14	4	1565
170760	1077058	0.118	<1	6.26	26	412	<2	<1	0.33	<4	12	39	3	1.04	0.41	<1	0.97	235	<1	63	545	253	1.29	12	5	<10	115	1209	5	33	<10	4	627
170761D	1077058	0.096	<1	5.55	29	408	<2	<1	0.38	<4	12	37	3	1.02	0.45	4	0.89	234	5	60	536	250	1.45	10	8	<10	117	1233	3	34	<10	4	617
170762	1077059	0.608	4	5.53	26	404	<2	4	0.40	4	9	34	5	0.97	0.43	<1	1.05	278	<1	52	526	877	1.33	8	10	<10	125	1216	2	33	11	4	1269
170763	1077060	<0.005	<1	6.57	4	559	<2	3	1.83	<4	16	65	24	2.71	0.68	<1	1.04	565	<1	34	620	10	1.02	8	<5	<10	282	2126	8	85	44	16	52
170764	1077061	0.239	51	6.86	26	474	<2	1	0.40	5	10	33	5	0.94	0.76	1	0.65	176	7	52	587	869	1.51	13	<5	<10	146	1384	5	37	13	5	1790
170765	1077062	0.488	<1	9.41	18	336	<2	3	1.10	7	11	68	8	2.03	0.45	52	3.17	1892	<1	114	580	474	1.44	10	9	<10	158	1036	9	31	14	8	1899
170766	1077063	0.383	<1	9.29	31	269	<2	1	0.99	<4	21	32	3	1.96	0.42	47	3.62	2196	<1	58	567	462	1.39	13	17	<10	162	1233	19	31	<10	8	945
170767	1077064	0.463	<1	7.46	22	328	<2	2	0.95	<4	20	28	4	1.26	0.55	18	2.21	1185	<1	50	565	220	1.17	13	11	<10	137	1005	11	32	<10	6	315
170768	1077065	0.145	<1	5.66	27	412	<2	3	0.57	<4	18	39	2	1.12	0.56	1	0.95	497	<1	66	570	450	1.35	8	7	<10	124	1208	4	33	<10	5	291
170769	1077066	0.125	<1	5.44	30	389	<2	4	0.52	<4	21	28	1	1.02	0.53	<1	0.93	440	<1	49	539	473	1.33	9	8	<10	120	1145	2	30	<10	5	266
170770	1077067	0.061	<1	5.15	24	411	<2	3	0.18	<4	11	43	<1	0.98	0.47	<1	0.53	156	2	65	617	93	1.04	11	9	<10	95	1148	3	30	<10	5	78
170771	1077068	0.406	3	4.31	31	505	2	4	0.28	10	15	34	25	0.81	0.48	2	0.38	119	9	50	429	1345	1.52	12	9	<10	115	1384	<2	32	31	4	3648
170772D	1077068	0.407	<1	4.76	28	534	2	3	0.34	11	15	39	27	0.86	0.30	5	0.40	125	11	55	445	1400	1.73	11	9	<10	120	1458	2	33	31	4	3809
170773	1077069	0.067	<1	5.92	26	575	<2	1	0.80	<4	8	23	62	1.57	0.75	5	1.28	748	<1	24	448	316	1.32	10	6	<10	150	1157	11	33	<10	4	311

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170774	1077070	1.332	<1	7.28	23	645	<2	4	1.97	<4	18	64	639	4.01	0.48	<1	1.23	657	31	35	758	87	1.51	10	7	<10	277	2090	4	116	31	17	111
170775	1077071	0.241	1	7.76	22	353	<2	3	0.61	<4	9	28	76	1.97	0.52	13	1.97	1002	<1	28	469	380	1.58	14	6	<10	140	913	9	31	<10	6	841
170776	1077072	0.062	<1	7.70	23	344	<2	4	0.73	4	8	86	40	2.59	0.70	30	2.73	1581	<1	140	506	619	1.58	15	6	<10	141	1110	12	34	10	7	1143
170777	1077073	0.110	<1	7.57	21	668	<2	2	2.38	9	7	58	50	2.36	0.45	11	2.14	1675	<1	81	426	788	1.93	13	5	<10	226	1243	11	30	26	8	2870
170778	1077074	2.690	9	5.58	37	296	<2	3	1.28	25	7	48	221	2.75	0.52	2	1.04	643	4	74	377	4507	3.21	52	6	<10	127	1337	2	30	76	6	8459
170779	1077075	0.213	<1	7.55	22	622	<2	2	2.27	7	14	128	33	2.83	0.47	9	2.14	1117	<1	81	1201	938	2.10	16	<5	<10	281	2025	5	49	17	10	1808
170780	1077076	0.137	<1	7.16	22	310	<2	6	6.85	4	50	921	84	5.81	0.76	14	6.21	1701	<1	421	4593	60	2.13	22	<5	<10	256	3333	12	124	<10	36	383
170781	1077077	0.205	<1	8.81	18	387	<2	3	4.23	6	37	554	85	4.47	0.61	25	4.37	1040	<1	264	3527	163	2.19	20	6	<10	376	3184	13	97	<10	28	1046
170782	1077078	0.342	<1	5.68	22	661	<2	2	1.55	23	10	45	115	2.81	0.30	<1	1.16	531	2	56	529	2931	2.87	14	7	<10	224	1336	3	42	68	6	7229
170783D	1077078	0.328	4	6.10	24	753	<2	6	1.58	22	9	47	114	2.79	0.57	3	1.17	538	5	61	530	2867	2.97	15	8	<10	228	1379	3	42	66	6	7502
170784	1077079	0.074	<1	5.54	4	1145	2	1	1.41	<4	8	30	25	1.69	0.59	3	1.02	647	<1	44	454	116	1.47	9	7	<10	334	1517	7	38	<10	5	230
170785	1077080	<0.005	<1	5.47	7	528	<2	4	1.67	<4	15	61	23	2.54	0.64	<1	0.95	537	<1	32	583	11	0.94	6	7	<10	267	2022	6	81	44	14	52
170786	1077081	0.066	<1	6.86	17	319	<2	6	6.20	<4	41	740	60	4.93	0.71	8	5.48	1507	<1	357	3316	59	1.70	19	6	<10	451	2550	19	103	<10	29	265
170787	1077082	0.049	8	3.76	19	210	<2	1	5.45	<4	34	1073	30	4.02	0.53	1	5.13	1392	<1	434	2292	53	1.33	26	5	<10	180	2802	11	89	<10	18	194
170788	1077083	0.115	<1	6.73	5	498	2	3	1.47	<4	23	208	78	3.75	0.50	8	2.13	992	<1	110	886	95	1.78	13	<5	<10	259	1918	10	78	<10	16	242
170789	1077084	0.129	<1	6.45	6	454	<2	5	0.92	<4	25	124	38	3.44	0.48	8	1.43	983	<1	72	533	26	1.47	9	6	<10	124	2052	4	73	<10	13	133
170790	1077085	0.444	<1	6.52	9	436	<2	5	2.12	<4	25	182	92	4.33	0.41	5	2.09	1172	<1	118	1092	65	2.24	8	6	<10	188	2271	10	76	<10	19	154
170791	1077086	0.348	<1	6.45	15	402	<2	3	2.26	<4	32	191	66	4.15	0.38	2	2.17	1120	<1	113	1175	62	2.16	11	8	<10	192	2189	5	74	<10	19	132
170792	1077087	0.757	<1	4.93	10	317	<2	2	1.33	4	25	127	90	3.90	0.42	<1	1.56	1166	<1	92	488	79	2.06	8	5	<10	135	1884	4	67	<10	15	484
170793	1077088	1.528	<1	6.79	31	378	<2	3	1.70	<4	23	136	131	3.53	0.54	9	1.40	1080	<1	91	562	147	2.30	9	<5	<10	149	2375	6	74	<10	17	317

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170794D	1077088	1.491	<1	5.45	29	430	2	4	1.65	<4	22	150	130	3.50	0.53	14	1.21	1141	5	95	546	147	2.42	16	5	<10	153	2580	<2	83	<10	12	322
170795	1077089	0.387	<1	6.96	9	377	2	3	1.93	<4	25	160	64	3.91	0.50	13	1.74	1407	<1	90	598	42	1.81	13	<5	<10	161	2774	7	84	<10	16	117
170796	1077090	NS																															
170797	1077091	0.357	1	4.62	36	547	2	3	1.10	16	20	102	126	2.61	0.41	10	0.73	633	5	62	493	2175	2.71	13	7	<10	104	2421	3	72	46	8	5058
170798	1077092	0.105	<1	6.08	18	501	<2	3	1.68	<4	9	43	45	1.58	0.46	8	1.00	729	<1	58	538	155	1.59	8	9	<10	144	1866	5	34	<10	6	241
170799	1077093	0.165	1	5.60	44	543	<2	2	0.70	<4	10	23	47	2.01	0.59	6	0.54	276	10	31	570	107	2.66	7	6	<10	114	1920	<2	35	<10	5	398
170800	1077094	0.019	<1	5.81	23	599	<2	2	1.71	<4	7	30	18	1.75	0.52	11	1.22	1031	<1	38	541	71	1.79	10	10	<10	185	1719	9	34	<10	5	260
170801	1077095	0.048	<1	5.90	24	535	<2	4	0.26	<4	8	33	28	1.29	0.55	<1	0.44	105	7	49	592	620	1.89	15	6	<10	97	1679	<2	36	<10	5	444
170802	1077096	0.048	<1	5.88	22	529	<2	2	0.55	<4	7	30	39	1.29	0.41	<1	0.61	256	3	43	579	120	1.79	12	8	<10	127	1446	<2	36	<10	5	353
170803	1077097	0.046	<1	5.92	35	552	<2	4	0.92	<4	8	36	37	2.20	0.44	3	0.73	427	9	51	541	379	2.63	12	6	<10	126	1351	2	36	<10	5	322
170804	1077098	0.086	<1	4.95	54	523	<2	2	0.21	<4	8	41	27	2.85	0.37	<1	0.43	114	13	52	529	982	3.24	13	9	<10	91	1434	<2	36	<10	4	521
170805R	1077098	0.108	<1	5.16	56	567	<2	3	0.29	<4	8	32	22	3.01	0.37	4	0.43	110	14	33	517	806	3.80	12	<5	<10	98	1477	4	35	<10	5	512
170806	1077099	0.337	<1	4.98	47	529	2	4	0.29	14	8	38	115	2.49	0.30	3	0.43	120	14	57	545	3262	3.23	18	<5	<10	101	1559	<2	36	38	5	4403
170807	1077100	<0.005	<1	5.48	5	520	<2	3	1.68	<4	14	62	23	2.53	0.62	<1	0.95	530	<1	33	578	12	0.98	11	12	<10	267	2016	<2	80	40	14	54
170808	1077101	0.068	<1	4.89	39	613	<2	3	0.24	<4	8	32	2	2.62	0.51	5	0.48	149	10	40	523	251	3.12	8	7	<10	83	1721	<2	34	<10	4	446
170809	1077102	0.068	<1	4.90	4	691	2	2	0.43	<4	7	30	14	1.61	0.69	8	0.49	170	9	40	543	138	1.80	<5	<5	<10	94	1821	5	36	<10	4	153
170810	1077103	0.027	<1	5.42	11	717	2	3	1.67	<4	8	48	13	1.67	0.61	11	1.01	787	5	68	580	82	1.67	6	<5	<10	162	1985	3	39	<10	5	115
170811	1077104	0.020	<1	5.78	11	557	<2	<1	1.29	<4	7	41	16	1.61	0.47	<1	1.29	896	<1	63	567	64	1.74	10	<5	<10	131	1581	7	29	<10	6	63
170812	1077105	0.027	1	7.36	3	548	<2	2	1.98	<4	6	29	33	1.35	0.38	8	1.46	581	<1	37	385	73	1.89	11	6	<10	108	1349	7	21	<10	7	191
170813	1077106	0.023	<1	7.29	7	566	<2	3	1.91	<4	7	33	29	1.46	0.36	7	1.59	628	<1	49	400	67	1.70	7	5	<10	104	1302	5	21	<10	7	175

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170814	1077107	0.096	<1	7.27	23	618	<2	2	1.93	<4	8	30	30	1.50	0.56	15	1.28	438	<1	42	410	43	2.14	13	5	<10	122	1740	7	26	<10	6	146
170815	1077108	4.146	17	5.23	30	581	<2	2	0.47	18	7	36	109	1.76	0.49	<1	0.51	144	8	53	380	723	2.94	32	8	<10	73	1696	<2	31	40	5	4754
170816D	1077108	4.232	24	4.80	30	582	<2	2	0.44	18	7	35	112	1.77	0.49	<1	0.49	144	7	52	372	740	2.93	36	9	<10	70	1699	<2	31	42	5	4821
170817	1077109	0.085	<1	6.97	42	465	<2	2	1.78	<4	9	68	56	1.68	0.57	5	1.21	483	<1	80	451	134	2.35	10	<5	<10	105	1541	9	32	<10	9	291
170818	1077110	5.316	<1	5.47	428	1625	<2	4	2.70	<4	15	129	87	3.56	0.61	3	1.25	506	12	52	876	28	2.18	56	5	<10	213	1893	4	129	<10	15	237
170819	1077111	0.072	<1	8.00	15	601	<2	3	2.05	5	7	40	46	1.66	0.46	13	1.60	608	<1	59	435	50	1.73	12	6	<10	120	1740	12	30	<10	8	836
170820	1077112	0.235	<1	6.54	15	586	<2	2	0.99	<4	7	31	87	1.18	0.53	8	0.92	300	2	41	417	128	1.80	9	7	<10	104	1741	<2	28	<10	6	359
170821	1077113	0.071	<1	6.43	15	608	<2	2	1.68	<4	7	33	23	1.32	0.47	11	1.10	390	3	47	413	96	1.82	13	8	<10	124	1771	7	27	<10	6	387
170822	1077114	0.026	<1	7.00	29	441	<2	4	2.94	<4	8	89	9	1.58	0.37	6	1.64	369	<1	61	618	33	1.54	9	9	<10	141	1486	3	25	<10	8	65
170823	1077115	0.016	<1	7.60	10	493	<2	4	2.72	<4	11	144	9	1.87	0.40	11	2.31	515	<1	81	985	42	1.49	10	9	<10	130	1785	8	29	<10	11	99
170824	1077116	0.109	<1	6.93	23	588	<2	2	1.51	<4	11	42	31	1.91	0.40	5	1.15	337	<1	53	529	44	1.49	7	7	<10	105	1682	7	27	<10	7	130
170825	1077117	0.034	<1	6.82	20	745	<2	2	1.50	<4	8	42	26	1.45	0.31	8	0.86	315	8	67	441	44	1.41	9	11	<10	112	1982	3	31	<10	5	70
170826	1077118	0.118	<1	6.87	11	618	<2	3	1.59	<4	7	43	14	1.50	0.34	12	1.14	360	1	60	418	29	1.67	6	7	<10	104	1709	<2	27	<10	6	63
170827D	1077118	0.107	<1	7.69	11	569	<2	2	1.60	<4	7	37	14	1.47	0.39	9	1.25	357	<1	50	424	24	1.43	8	8	<10	98	1578	4	24	<10	7	61
170828	1077119	0.189	1	8.28	7	602	<2	3	2.99	<4	6	36	7	1.99	0.47	13	2.01	560	<1	53	411	23	1.29	5	6	<10	113	1645	8	26	<10	7	58
170829	1077120	<0.005	<1	5.93	4	526	<2	3	1.69	<4	15	61	24	2.56	0.57	<1	0.98	537	<1	30	581	7	1.06	5	<5	<10	266	2028	<2	80	40	15	46
170830	1077121	0.126	<1	5.36	15	678	<2	2	0.47	<4	8	34	13	1.17	0.54	9	0.51	101	8	47	372	20	1.49	9	8	<10	73	1985	<2	31	<10	4	52
170831	1077122	0.788	<1	5.09	21	563	<2	2	0.40	<4	8	31	17	1.16	0.61	<1	0.47	<100	8	44	361	25	1.52	14	7	<10	81	1800	<2	30	<10	4	52
170832	1077123	0.323	<1	5.18	26	534	<2	3	0.07	<4	9	42	30	1.23	0.53	<1	0.44	<100	6	52	295	31	1.48	11	5	<10	62	1787	2	30	<10	4	115
170833	1077124	0.120	<1	7.17	32	448	<2	3	1.43	<4	7	46	14	1.62	0.43	7	1.12	456	4	73	407	43	1.65	7	<5	<10	100	1571	3	27	<10	6	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170834	1077125	0.215	<1	6.48	28	348	<2	2	1.31	<4	7	44	27	1.56	0.41	<1	1.01	434	1	71	411	42	1.50	10	<5	<10	96	1255	2	22	<10	6	54
170835	1077126	0.108	<1	6.63	28	379	<2	2	1.30	<4	8	32	22	1.51	0.40	<1	0.98	419	<1	49	394	38	1.62	8	<5	<10	89	1320	<2	22	<10	6	52
170836	1077127	0.245	<1	5.75	25	477	<2	4	0.79	<4	7	42	20	1.27	0.44	3	0.74	285	7	69	344	31	1.53	12	5	<10	80	1667	3	30	<10	4	69
170837	1077128	0.050	<1	7.18	24	442	<2	2	1.83	<4	6	49	13	1.43	0.53	10	1.28	530	4	78	402	32	1.52	7	7	<10	115	1505	5	27	<10	6	73
170838D	1077128	0.030	<1	7.15	24	425	<2	3	1.75	<4	6	48	12	1.39	0.63	7	1.26	510	<1	76	387	27	1.36	8	7	<10	110	1448	6	26	<10	6	70
170839	1077129	0.078	<1	6.23	26	590	<2	5	0.34	<4	8	29	9	1.40	0.58	8	0.50	132	8	41	337	16	1.92	7	6	<10	71	1798	2	30	<10	5	32
170840	1077130	1.190	<1	5.99	20	652	<2	4	1.84	<4	17	62	607	3.89	0.64	<1	1.10	639	32	35	732	78	1.51	9	7	<10	276	2136	2	115	28	13	112
170841	1077131	0.018	<1	5.89	11	586	<2	4	0.97	<4	7	32	10	1.11	0.57	16	0.81	279	2	39	338	26	1.40	10	6	<10	102	1680	2	29	<10	4	50
170842	1077132	0.032	<1	5.82	14	567	<2	3	1.26	<4	10	38	34	1.49	0.62	9	0.83	353	5	50	376	86	1.46	7	6	<10	101	1740	4	33	<10	5	353
170843	1077133	0.013	<1	6.22	3	532	<2	3	2.11	<4	10	35	9	2.06	0.59	24	1.35	506	<1	43	563	22	1.43	12	<5	<10	168	2208	6	43	<10	6	70
170844	1077134	0.027	<1	6.42	23	580	<2	2	0.83	<4	11	35	7	1.71	0.73	7	0.63	230	3	50	617	19	1.65	11	<5	<10	107	2263	3	44	<10	6	46
170845	1077135	0.020	<1	6.32	5	553	<2	2	0.45	<4	11	42	17	1.42	0.45	7	0.46	146	8	59	585	10	1.29	<5	9	<10	92	2272	6	46	<10	6	24
170846	1077136	0.007	<1	7.43	4	453	<2	5	2.24	<4	10	29	22	1.84	0.43	13	1.30	516	<1	34	567	13	1.22	7	<5	<10	165	1753	4	34	<10	8	51
170847	1077137	0.011	<1	7.59	12	484	<2	2	2.70	<4	10	30	27	1.91	0.48	23	1.29	464	<1	35	591	16	1.49	11	5	<10	226	2170	7	40	<10	7	56

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170674	1005979	35	0.001	0.035
170675	1005980	<5	<0.001	<0.005
170676	1005981	27	<0.001	0.027
170677	1005982	49	0.001	0.049
170678	1005983	658	0.019	0.658
170679	1005984	624	0.018	0.624
170680	1005985	204	0.006	0.204
170681	1005986	205	0.006	0.205
170682	1005987	13	<0.001	0.013
170683	1005988	8	<0.001	0.008
170684 Dup	1005988	9	<0.001	0.009
170685	1005989	9	<0.001	0.009
170686	1005990	5300	0.155	5.300
170687	1005991	16	<0.001	0.016
170688	1005992	11	<0.001	0.011
170689	1005993	159	0.005	0.159
170690	1005994	124	0.004	0.124
170691	1005995	33	<0.001	0.033
170692	1005996	110	0.003	0.110
170693	1005997	165	0.005	0.165
170694	1005998	251	0.007	0.251
170695 Dup	1005998	258	0.008	0.258
170696	1005999	107	0.003	0.107
170697	1006000	<5	<0.001	<0.005
170698	1077001	79	0.002	0.079
170699	1077002	148	0.004	0.148
170700	1077003	36	0.001	0.036
170701	1077004	162	0.005	0.162
170702	1077005	109	0.003	0.109
170703	1077006	61	0.002	0.061

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170704	1077007	339	0.010	0.339
170705	1077008	146	0.004	0.146
170706 Dup	1077008	156	0.005	0.156
170707	1077009	158	0.005	0.158
170708	1077010	1168	0.034	1.168
170709	1077011	45	0.001	0.045
170710	1077012	29	<0.001	0.029
170711	1077013	33	<0.001	0.033
170712	1077014	156	0.005	0.156
170713	1077015	773	0.023	0.773
170714	1077016	122	0.004	0.122
170715	1077017	10	<0.001	0.010
170716	1077018	12	<0.001	0.012
170717 Dup	1077018	16	<0.001	0.016
170718	1077019	171	0.005	0.171
170719	1077020	<5	<0.001	<0.005
170720	1077021	193	0.006	0.193
170721	1077022	34	<0.001	0.034
170722	1077023	35	0.001	0.035
170723	1077024	18	<0.001	0.018
170724	1077025	33	<0.001	0.033
170725	1077026	87	0.003	0.087
170726	1077027	78	0.002	0.078
170727	1077028	168	0.005	0.168
170728 Dup	1077028	185	0.005	0.185
170729	1077029	19	<0.001	0.019
170730	1077030	260	0.008	0.260
170731	1077031	18	<0.001	0.018
170732	1077032	27	<0.001	0.027
170733	1077033	34	<0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170734	1077034	18	<0.001	0.018
170735	1077035	17	<0.001	0.017
170736	1077036	18	<0.001	0.018
170737	1077037	58	0.002	0.058
170738	1077038	296	0.009	0.296
170739 Rep	1077038	329	0.010	0.329
170740	1077039	175	0.005	0.175
170741	1077040	<5	<0.001	<0.005
170742	1077041	29	<0.001	0.029
170743	1077042	40	0.001	0.040
170744	1077043	17	<0.001	0.017
170745	1077044	121	0.004	0.121
170746	1077045	397	0.012	0.397
170747	1077046	792	0.023	0.792
170748	1077047	362	0.011	0.362
170749	1077048	64	0.002	0.064
170750 Dup	1077048	62	0.002	0.062
170751	1077049	45	0.001	0.045
170752	1077050	5388	0.157	5.388
170753	1077051	17	<0.001	0.017
170754	1077052	84	0.002	0.084
170755	1077053	60	0.002	0.060
170756	1077054	509	0.015	0.509
170757	1077055	221	0.006	0.221
170758	1077056	142	0.004	0.142
170759	1077057	220	0.006	0.220
170760	1077058	118	0.003	0.118
170761 Dup	1077058	96	0.003	0.096
170762	1077059	608	0.018	0.608
170763	1077060	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170764	1077061	239	0.007	0.239
170765	1077062	488	0.014	0.488
170766	1077063	383	0.011	0.383
170767	1077064	463	0.014	0.463
170768	1077065	145	0.004	0.145
170769	1077066	125	0.004	0.125
170770	1077067	61	0.002	0.061
170771	1077068	406	0.012	0.406
170772 Dup	1077068	407	0.012	0.407
170773	1077069	67	0.002	0.067
170774	1077070	1332	0.039	1.332
170775	1077071	241	0.007	0.241
170776	1077072	62	0.002	0.062
170777	1077073	110	0.003	0.110
170778	1077074	2690	0.078	2.690
170779	1077075	213	0.006	0.213
170780	1077076	137	0.004	0.137
170781	1077077	205	0.006	0.205
170782	1077078	342	0.010	0.342
170783 Dup	1077078	328	0.010	0.328
170784	1077079	74	0.002	0.074
170785	1077080	<5	<0.001	<0.005
170786	1077081	66	0.002	0.066
170787	1077082	49	0.001	0.049
170788	1077083	115	0.003	0.115
170789	1077084	129	0.004	0.129
170790	1077085	444	0.013	0.444
170791	1077086	348	0.010	0.348
170792	1077087	757	0.022	0.757
170793	1077088	1528	0.045	1.528

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170794 Dup	1077088	1491	0.044	1.491
170795	1077089	387	0.011	0.387
170796	1077090	No Sample Received		
170797	1077091	357	0.010	0.357
170798	1077092	105	0.003	0.105
170799	1077093	165	0.005	0.165
170800	1077094	19	<0.001	0.019
170801	1077095	48	0.001	0.048
170802	1077096	48	0.001	0.048
170803	1077097	46	0.001	0.046
170804	1077098	86	0.003	0.086
170805 Rep	1077098	108	0.003	0.108
170806	1077099	337	0.010	0.337
170807	1077100	<5	<0.001	<0.005
170808	1077101	68	0.002	0.068
170809	1077102	68	0.002	0.068
170810	1077103	27	<0.001	0.027
170811	1077104	20	<0.001	0.020
170812	1077105	27	<0.001	0.027
170813	1077106	23	<0.001	0.023
170814	1077107	96	0.003	0.096
170815	1077108	4146	0.121	4.146
170816 Dup	1077108	4232	0.123	4.232
170817	1077109	85	0.002	0.085
170818	1077110	5316	0.155	5.316
170819	1077111	72	0.002	0.072
170820	1077112	235	0.007	0.235
170821	1077113	71	0.002	0.071
170822	1077114	26	<0.001	0.026
170823	1077115	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, July 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/26/2011  
 Job #: 201142584  
 Reference: TL11187  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170824	1077116	109	0.003	0.109
170825	1077117	34	<0.001	0.034
170826	1077118	118	0.003	0.118
170827 Dup	1077118	107	0.003	0.107
170828	1077119	189	0.005	0.189
170829	1077120	<5	<0.001	<0.005
170830	1077121	126	0.004	0.126
170831	1077122	788	0.023	0.788
170832	1077123	323	0.009	0.323
170833	1077124	120	0.004	0.120
170834	1077125	215	0.006	0.215
170835	1077126	108	0.003	0.108
170836	1077127	245	0.007	0.245
170837	1077128	50	0.001	0.050
170838 Dup	1077128	30	<0.001	0.030
170839	1077129	78	0.002	0.078
170840	1077130	1190	0.035	1.190
170841	1077131	18	<0.001	0.018
170842	1077132	32	<0.001	0.032
170843	1077133	13	<0.001	0.013
170844	1077134	27	<0.001	0.027
170845	1077135	20	<0.001	0.020
170846	1077136	7	<0.001	0.007
170847	1077137	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176897	1075889	0.024	<1	3.50	14	360	2	1	1.30	<4	6	13	11	1.42	<0.01	9	1.31	541	<1	17	308	23	1.17	<5	38	<10	166	1326	7	25	<10	5	90
176898	1075890	5.167	2	2.53	412	1496	<2	1	2.24	4	13	113	80	3.33	<0.01	13	1.07	482	8	50	778	26	1.07	40	31	<10	206	1860	4	122	10	12	238
176899	1075891	0.037	1	2.80	34	446	2	2	1.64	<4	6	20	14	1.31	<0.01	9	1.10	615	<1	26	310	42	1.34	<5	35	<10	208	1430	4	26	<10	4	134
176900	1075892	0.055	1	1.68	35	432	2	2	0.55	<4	6	12	14	1.22	<0.01	7	0.53	383	<1	17	282	77	1.46	<5	26	<10	162	1394	2	24	<10	3	268
176901	1075893	0.081	2	2.32	50	392	2	2	0.79	<4	6	11	13	1.46	0.02	9	0.64	506	<1	16	301	99	1.67	<5	35	<10	154	1372	2	24	<10	4	253
176902	1075894	0.017	1	2.20	37	315	2	2	1.04	<4	5	15	24	1.14	<0.01	6	0.65	510	<1	19	280	46	1.29	<5	34	<10	155	1270	6	23	<10	4	400
176903	1075895	0.012	1	1.93	32	326	<2	<1	1.01	<4	5	25	19	1.20	<0.01	6	0.69	544	<1	37	300	90	1.25	5	33	<10	145	1289	<2	23	<10	4	167
176904	1075896	0.032	1	0.80	28	369	2	<1	0.85	<4	6	15	36	1.16	<0.01	7	0.46	410	<1	23	280	58	1.35	<5	28	<10	151	1289	4	24	<10	3	381
176905	1075897	0.019	1	1.70	29	356	<2	1	1.36	<4	6	14	5	1.24	0.17	6	0.64	541	<1	21	288	49	1.21	<5	32	<10	167	1232	10	23	<10	4	217
176906	1075898	0.029	1	1.74	21	348	<2	<1	0.93	<4	6	14	4	1.25	0.22	4	0.57	439	<1	19	289	72	1.31	<5	31	<10	159	1155	2	23	<10	4	239
176907D	1075898	0.030	1	2.45	25	399	2	2	1.08	<4	6	17	4	1.37	<0.01	6	0.60	474	<1	21	310	80	1.56	<5	27	<10	178	1260	<2	25	<10	4	253
176908	1075899	0.014	1	3.66	4	414	2	<1	1.11	<4	24	144	49	3.84	<0.01	15	1.35	645	<1	74	522	38	1.33	<5	32	<10	241	2884	4	94	<10	10	138
176909	1075900	<0.005	<1	1.52	2	413	<2	<1	1.17	<4	13	51	21	2.23	0.02	5	0.74	476	<1	30	478	5	1.01	<5	32	<10	233	1899	<2	73	41	10	67
176910	1075901	0.044	2	2.71	6	409	2	<1	1.24	<4	15	69	144	2.58	<0.01	11	0.93	588	<1	46	435	45	1.48	<5	33	<10	239	1888	2	56	<10	7	154
176911	1075902	0.018	1	2.33	2	601	2	<1	0.83	<4	11	26	18	1.64	<0.01	9	0.55	273	<1	28	345	26	1.26	<5	28	<10	254	1336	<2	38	<10	4	207
176912	1075903	0.020	<1	2.23	17	504	<2	<1	1.39	<4	8	17	10	1.86	<0.01	11	0.70	451	<1	19	409	21	1.34	<5	27	<10	305	1503	<2	37	<10	4	101
176913	1075904	0.013	<1	3.87	16	512	<2	2	1.09	<4	8	22	9	1.77	<0.01	12	0.71	312	<1	26	388	23	1.62	5	33	<10	268	1464	<2	33	<10	5	109
176914	1075905	0.012	1	3.55	9	433	2	<1	1.20	<4	19	20	35	0.99	<0.01	10	0.40	215	<1	44	457	36	1.21	<5	34	<10	312	1730	<2	38	<10	5	193
176915	1075906	0.009	<1	3.65	6	420	<2	<1	1.17	<4	22	18	41	1.04	<0.01	10	0.44	228	<1	45	477	35	1.02	<5	34	<10	296	1837	<2	39	<10	5	457
176916	1075907	0.013	<1	3.17	13	498	2	<1	1.46	<4	21	16	13	1.25	<0.01	13	0.50	323	<1	36	497	35	1.35	<5	34	<10	283	1724	<2	38	<10	5	197

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176917	1075908	0.011	<1	2.81	8	455	2	<1	1.41	<4	8	16	11	1.67	<0.01	10	0.46	337	<1	17	455	30	1.33	<5	35	<10	238	1717	3	35	<10	5	82
176918D	1075908	0.015	<1	2.33	6	449	<2	<1	1.35	<4	7	17	11	1.64	<0.01	10	0.45	335	<1	21	451	26	1.23	5	28	<10	232	1683	<2	35	<10	5	77
176919	1075909	0.050	1	2.89	7	493	2	<1	1.23	<4	18	99	52	3.03	<0.01	15	0.83	691	<1	59	488	42	1.54	<5	25	<10	219	2509	9	78	<10	8	175
176920	1075910	1.159	2	2.86	20	548	<2	3	1.47	<4	16	55	586	3.64	<0.01	10	0.95	603	26	34	650	72	1.45	<5	27	<10	250	1992	3	109	27	11	128
176921	1075911	0.025	<1	2.48	18	717	<2	<1	1.07	<4	10	19	7	1.53	<0.01	16	0.62	415	<1	25	467	41	1.32	<5	32	<10	198	2025	7	37	<10	5	109
176922	1075912	0.021	<1	3.14	17	660	2	<1	1.52	<4	15	20	14	1.51	<0.01	20	0.96	583	<1	30	475	108	1.64	<5	36	<10	225	1844	2	35	<10	5	197
176923	1075913	0.026	1	1.89	16	536	2	1	1.52	<4	9	29	12	1.73	0.02	16	0.77	550	<1	43	473	77	1.35	<5	35	<10	200	2026	5	39	<10	4	201
176924	1075914	0.009	1	3.86	11	433	<2	1	1.85	<4	9	19	5	1.79	<0.01	14	0.93	481	<1	26	479	31	1.33	<5	30	<10	173	1729	7	31	<10	6	126
176925	1075915	0.019	1	3.96	23	755	2	<1	0.50	<4	11	17	12	1.48	<0.01	16	0.53	215	<1	25	466	113	1.67	<5	38	<10	123	2092	<2	37	<10	5	362
176926	1075916	0.040	3	4.31	43	611	2	1	1.47	<4	10	20	18	2.16	<0.01	14	0.96	641	<1	27	516	198	2.02	<5	38	<10	139	1918	5	35	<10	7	426
176927	1075917	0.022	1	3.62	38	604	2	<1	0.94	<4	9	26	8	1.46	<0.01	12	0.62	339	<1	38	506	56	1.89	<5	36	<10	138	1949	2	36	<10	6	123
176928	1075918	0.067	7	3.53	40	504	<2	<1	1.36	5	10	21	105	1.86	<0.01	11	0.82	456	<1	26	466	699	1.78	<5	34	<10	165	1786	<2	35	<10	6	775
176929D	1075918	0.078	8	4.37	41	527	<2	1	1.48	5	10	23	107	1.89	<0.01	15	0.86	469	<1	28	492	726	2.28	6	43	<10	178	1814	2	36	11	7	808
176930	1075919	0.039	4	3.33	28	744	2	<1	0.75	<4	10	18	19	1.43	<0.01	15	0.60	274	<1	23	516	395	1.87	7	34	<10	164	2170	5	41	<10	5	424
176931	1075920	<0.005	<1	3.59	5	498	2	<1	1.68	<4	13	44	53	3.57	<0.01	12	0.98	634	<1	32	603	13	1.61	<5	30	<10	275	2307	<2	92	<10	12	84
176932	1075921	0.015	2	3.02	21	612	2	2	1.89	<4	9	21	15	1.96	<0.01	17	0.97	679	<1	26	411	35	2.01	5	33	<10	214	1680	11	31	<10	5	104
176933	1075922	0.239	22	2.83	26	678	2	<1	0.32	<4	9	18	11	1.15	<0.01	12	0.45	158	<1	23	367	55	1.74	<5	38	<10	169	1696	<2	31	<10	4	209
176934	1075923	0.025	6	3.81	2	655	2	<1	1.60	<4	15	64	34	2.79	<0.01	26	1.06	523	<1	46	514	39	1.75	<5	35	<10	291	2149	3	55	<10	8	147
176935	1075924	<0.005	1	2.72	5	474	<2	<1	0.66	<4	8	22	4	0.70	<0.01	9	0.47	186	<1	22	380	16	1.26	<5	35	<10	202	1361	<2	30	<10	4	46
176936	1075925	0.136	2	2.76	15	421	2	2	1.23	<4	20	108	42	3.07	<0.01	18	1.05	498	<1	64	469	18	1.36	5	34	<10	242	2272	7	78	<10	7	95

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176937	1075926	0.300	2	4.21	8	441	2	<1	1.44	<4	21	116	42	3.36	<0.01	25	1.13	533	<1	63	490	21	1.67	6	35	<10	252	2400	<2	82	<10	9	104
176938	1075927	0.207	1	4.60	3	432	2	2	1.67	<4	26	152	50	4.15	<0.01	24	1.59	692	<1	82	573	23	1.72	<5	35	<10	142	2681	13	103	<10	9	110
176939	1075928	0.046	2	4.36	21	434	2	<1	1.69	<4	22	117	43	3.83	<0.01	19	1.24	547	<1	76	491	25	2.30	<5	25	<10	140	2172	7	86	<10	8	118
176940D	1075928	0.074	2	4.75	23	413	2	2	1.71	<4	22	113	42	3.82	<0.01	18	1.25	540	<1	77	484	27	2.49	<5	34	<10	143	2059	<2	80	<10	9	114
176941	1075929	0.058	4	3.25	61	429	2	2	1.10	12	12	56	56	2.51	<0.01	11	0.82	437	<1	40	365	220	2.33	<5	34	<10	103	1391	<2	47	22	6	2124
176942	1075930	0.357	100	3.38	267	339	2	3	1.32	28	16	58	6045	6.00	0.13	12	1.18	1812	20	30	542	9994	2.60	375	25	<10	232	2025	12	87	51	11	5130
176943	1075931	0.162	3	3.67	5	389	2	2	1.26	<4	23	135	74	4.13	<0.01	22	1.38	796	<1	87	684	57	1.85	<5	25	<10	142	2366	17	82	<10	9	191
176944	1075932	0.118	2	3.66	5	427	2	1	1.09	<4	22	142	53	3.54	<0.01	21	1.12	635	<1	78	560	30	1.95	<5	31	<10	150	2259	16	83	<10	10	148
176945	1075933	0.008	<1	2.62	7	575	2	2	0.94	<4	8	21	4	1.10	<0.01	15	0.64	223	<1	22	356	19	1.46	5	40	<10	209	1475	<2	32	<10	4	76
176946	1075934	0.005	<1	2.46	12	530	<2	1	0.73	<4	7	11	8	0.91	<0.01	13	0.45	137	<1	14	335	16	1.49	<5	34	<10	226	1447	8	27	<10	3	92
176947	1075935	0.009	<1	2.32	13	481	<2	1	1.50	<4	7	17	11	1.46	<0.01	15	0.72	355	<1	20	374	15	1.53	5	35	<10	278	1464	2	26	<10	4	89
176948	1075936	0.016	1	2.62	20	585	2	2	0.81	<4	8	13	5	0.93	<0.01	16	0.49	172	<1	18	295	106	1.57	<5	38	<10	287	1543	<2	29	<10	3	342
176949	1075937	0.014	1	4.51	18	745	2	1	1.11	<4	17	17	14	0.87	<0.01	18	0.45	168	<1	32	667	25	1.37	<5	40	<10	299	2058	4	48	<10	6	104
176950	1075938	0.023	1	4.05	12	610	2	1	1.24	<4	17	20	18	1.02	<0.01	12	0.40	188	<1	27	560	13	1.29	<5	35	<10	311	1736	<2	49	<10	6	69
176951D	1075938	0.019	1	5.49	16	709	2	2	1.58	<4	19	25	20	1.18	<0.01	21	0.44	211	<1	32	652	19	1.68	<5	43	<10	364	1905	<2	58	<10	6	79
176952	1075939	0.012	1	3.55	11	684	2	1	1.36	<4	12	23	21	0.98	<0.01	17	0.43	232	<1	23	528	17	1.71	<5	34	<10	364	1970	2	49	<10	5	68
176953	1075940	<0.005	1	3.23	4	493	2	<1	1.65	<4	13	42	51	3.46	<0.01	12	0.90	617	<1	31	571	8	1.44	<5	31	<10	281	2371	<2	92	<10	11	82
176954	1075941	0.015	1	2.73	10	691	2	<1	1.18	<4	15	23	14	1.27	<0.01	14	0.44	279	<1	30	398	15	1.58	<5	33	<10	333	1909	7	45	<10	5	78
176955	1075942	0.019	1	2.50	17	720	2	2	1.42	<4	13	15	9	1.29	<0.01	13	0.44	272	<1	24	422	32	1.63	<5	33	<10	357	1766	<2	39	<10	4	165
176956	1075943	0.017	<1	2.60	10	689	2	<1	1.20	<4	14	22	12	1.15	<0.01	16	0.47	244	<1	31	500	36	1.54	<5	33	<10	304	1871	<2	38	<10	5	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176957	1075944	0.016	1	1.92	16	759	2	<1	1.43	<4	20	23	11	1.35	<0.01	19	0.44	243	<1	38	574	16	1.62	<5	32	<10	365	2069	<2	44	<10	4	85
176958	1075945	0.010	1	2.26	6	710	2	<1	1.43	<4	17	17	14	0.97	<0.01	17	0.43	219	<1	29	577	16	1.47	<5	33	<10	338	1880	<2	37	<10	4	112
176959	1075946	0.020	<1	1.97	6	666	2	<1	1.37	<4	17	19	14	0.95	0.14	14	0.41	206	<1	36	539	11	1.30	<5	32	<10	334	1744	<2	34	<10	4	112
176960	1075947	0.011	<1	2.58	10	583	2	<1	1.75	<4	14	29	14	1.18	0.14	15	0.56	314	<1	35	593	18	1.38	<5	36	<10	331	2079	5	50	<10	5	90
176961	1075948	0.010	<1	4.84	7	518	<2	<1	1.64	<4	10	16	11	2.01	<0.01	17	0.94	474	<1	23	521	10	1.35	<5	38	<10	258	2007	4	37	<10	7	84
176962R	1075948	0.010	<1	4.59	4	559	<2	2	1.96	<4	10	16	11	2.02	<0.01	21	0.86	490	<1	22	520	12	1.47	<5	35	<10	316	2138	<2	41	<10	6	86
176963	1075949	0.007	<1	3.71	4	559	2	<1	1.88	<4	10	17	10	1.97	<0.01	18	0.88	443	<1	21	525	11	1.33	<5	34	<10	313	2208	3	42	<10	5	83
176964	1075950	5.281	2	2.59	437	1557	<2	<1	2.32	4	14	120	81	3.44	<0.01	12	1.09	492	9	51	802	25	1.81	37	34	<10	206	1875	2	125	<10	12	251
176965	1075951	0.032	<1	2.47	7	537	2	3	1.56	<4	9	22	4	1.88	<0.01	16	0.66	440	<1	25	481	9	1.30	<5	35	<10	253	2172	4	42	<10	5	82
176966	1075952	0.068	1	3.50	3	566	2	1	1.98	<4	10	25	10	2.00	<0.01	22	0.67	493	<1	30	479	17	1.79	<5	35	<10	288	2138	<2	41	<10	6	86
176967	1075953	0.013	<1	2.63	2	511	2	2	1.97	<4	9	20	6	1.98	<0.01	14	0.50	458	<1	26	480	13	1.52	<5	33	<10	262	2266	<2	40	<10	5	82
176968	1075954	0.063	<1	2.08	6	491	2	2	1.71	<4	9	20	11	1.80	<0.01	13	0.51	450	<1	27	455	16	1.28	<5	32	<10	260	2061	<2	37	<10	5	98
176969	1075955	0.256	1	1.70	22	651	2	1	0.70	<4	9	20	13	1.68	<0.01	19	0.60	436	2	28	476	24	1.79	<5	28	<10	185	1765	<2	41	<10	4	98
176970	1075956	0.333	1	2.38	31	684	2	1	0.46	<4	9	26	17	1.55	<0.01	16	0.39	223	5	40	500	47	2.16	<5	35	<10	171	1808	<2	43	<10	4	119
176971	1075957	0.077	1	3.04	22	583	2	2	0.82	<4	8	15	29	1.68	<0.01	12	0.69	420	<1	19	469	52	1.85	<5	38	<10	160	1777	3	37	<10	5	183
176972	1075958	0.099	2	3.25	10	552	2	<1	1.34	<4	9	36	18	2.04	<0.01	15	0.78	528	<1	54	538	27	1.81	<5	35	<10	180	2144	2	41	<10	5	112
176973D	1075958	0.096	2	4.15	9	570	2	3	1.36	<4	10	39	17	2.06	<0.01	16	0.82	527	2	60	536	28	1.62	<5	35	<10	180	2169	<2	42	<10	6	105
176974	1075959	0.032	1	3.06	49	387	2	<1	1.07	<4	7	27	23	1.25	<0.01	10	0.61	364	<1	39	410	41	1.30	<5	33	<10	161	1543	<2	27	<10	5	149
176975	1075960	<0.005	<1	3.50	5	458	2	<1	1.55	<4	13	41	51	3.45	<0.01	7	0.98	608	<1	35	583	6	1.09	<5	25	<10	269	2284	7	89	<10	13	83
176976	1075961	0.110	2	3.72	39	401	2	1	0.91	<4	7	19	19	1.28	<0.01	17	0.80	443	<1	27	479	100	1.79	5	36	<10	126	1685	6	29	<10	5	256

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176977	1075962	0.267	2	2.89	46	402	2	<1	0.65	<4	8	13	10	1.35	<0.01	14	0.61	352	<1	19	478	82	1.81	5	35	<10	100	1884	6	31	<10	4	112
176978	1075963	0.031	1	3.70	29	401	2	<1	0.96	<4	8	15	6	1.29	<0.01	15	0.76	447	<1	18	498	23	1.77	<5	33	<10	114	1798	9	29	<10	5	83
176979	1075964	0.021	<1	4.16	29	374	<2	<1	0.91	<4	8	14	9	1.07	<0.01	12	0.87	448	<1	25	508	29	1.31	<5	39	<10	106	1712	14	27	<10	5	120
176980	1075965	0.075	4	2.72	5	338	<2	3	0.78	13	6	32	133	1.90	<0.01	13	0.78	375	<1	42	476	129	1.77	<5	30	<10	77	1612	5	28	34	5	2962
176981	1075966	0.060	10	3.29	6	343	2	9	1.07	16	6	28	93	1.68	<0.01	15	0.81	424	<1	31	490	482	1.56	5	36	<10	98	1611	3	26	47	6	4218
176982	1075967	0.014	1	4.05	6	487	2	<1	1.45	<4	7	11	19	1.23	<0.01	23	1.16	561	<1	15	541	58	1.01	5	36	<10	180	2083	10	33	<10	5	183
176983	1075968	0.009	1	3.81	13	511	<2	1	1.12	<4	6	11	25	1.05	0.03	8	0.82	292	<1	17	480	25	1.08	<5	41	<10	147	1749	<2	29	<10	5	99
176984D	1075968	0.013	<1	4.05	9	516	2	4	1.13	<4	6	10	21	1.06	0.06	10	0.87	299	<1	14	486	21	1.17	<5	39	<10	147	1756	<2	29	<10	5	86
176985	1075969	0.010	<1	2.42	6	503	<2	2	1.13	<4	5	13	10	1.10	0.29	8	0.86	265	<1	17	454	13	1.11	<5	34	<10	162	1564	5	26	<10	4	94
176986	1075970	1.153	2	3.20	23	496	<2	2	1.40	<4	15	54	596	3.58	<0.01	7	1.04	592	21	34	656	78	1.18	<5	29	<10	230	1824	4	105	24	12	153
176987	1075971	0.010	<1	3.43	6	613	<2	<1	1.29	<4	6	16	17	1.28	<0.01	19	1.12	402	<1	20	464	35	1.21	<5	38	<10	206	1629	4	29	<10	5	160
176988	1075972	<0.005	<1	3.17	4	473	2	<1	0.96	<4	6	12	13	1.39	<0.01	13	1.23	316	<1	15	489	10	1.19	<5	35	<10	157	1864	14	30	<10	5	92
176989	1075973	0.030	<1	2.73	3	434	<2	1	0.97	<4	8	18	10	1.57	<0.01	12	1.16	324	<1	19	493	10	1.03	<5	31	<10	163	1757	5	32	<10	5	79
176990	1075974	0.037	1	2.53	5	372	<2	<1	0.88	<4	6	11	14	1.35	<0.01	13	1.01	351	<1	18	481	9	1.33	5	36	<10	164	1764	6	30	<10	4	91
176991	1075975	0.026	1	3.81	5	388	2	<1	1.01	<4	8	19	21	1.15	<0.01	21	0.83	315	<1	24	426	15	1.46	<5	40	<10	181	1837	6	30	<10	4	68
176992	1075976	0.017	<1	4.42	10	304	<2	<1	0.96	<4	6	18	8	1.23	<0.01	11	0.96	360	<1	23	449	9	1.18	<5	39	<10	173	1524	9	27	<10	6	95
176993	1075977	0.148	1	5.01	8	379	<2	<1	0.80	<4	7	16	17	1.40	<0.01	19	1.17	429	<1	19	486	24	1.27	<5	39	<10	178	1865	9	31	<10	6	65
176994	1075978	1.211	2	4.61	6	294	<2	<1	1.22	<4	6	13	18	1.42	<0.01	16	1.14	517	<1	19	544	38	1.42	<5	44	<10	205	1725	6	30	<10	6	105
176995D	1075978	1.221	1	3.56	9	288	<2	2	1.13	<4	6	12	15	1.32	<0.01	14	1.03	486	<1	17	502	36	1.43	<5	36	<10	198	1685	6	29	<10	5	100
176996	1075979	0.040	1	3.85	11	419	<2	<1	0.55	<4	7	12	23	1.09	<0.01	18	0.72	372	<1	17	485	44	1.35	<5	35	<10	169	1854	14	30	<10	5	128

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
176997	1075980	<0.005	<1	3.52	6	475	<2	2	1.59	<4	12	42	52	3.48	<0.01	10	0.97	617	<1	31	597	10	1.11	<5	27	<10	266	2306	3	91	<10	12	78
176998	1075981	0.029	2	2.95	6	426	2	<1	0.71	<4	6	17	36	1.25	<0.01	17	0.60	383	<1	24	438	71	1.64	<5	34	<10	186	1697	2	29	<10	4	254
176999	1075982	0.016	1	2.65	5	391	2	<1	1.19	<4	6	20	37	1.30	<0.01	14	0.78	482	<1	30	554	97	1.43	<5	33	<10	216	1729	<2	30	<10	4	143
177000	1075983	0.021	1	2.62	7	505	2	<1	0.65	<4	7	13	53	1.18	<0.01	21	0.71	404	<1	17	498	68	1.48	<5	31	<10	180	1987	10	33	<10	4	357
177001	1075984	0.087	2	2.99	9	504	2	2	0.78	<4	7	12	27	1.20	<0.01	15	0.72	421	<1	17	519	157	1.21	<5	39	<10	194	1839	2	29	<10	4	173
177002	1075985	0.066	5	2.81	9	557	2	2	0.89	7	7	17	67	1.22	<0.01	12	0.63	458	<1	27	485	2424	1.51	<5	34	<10	149	1644	<2	28	29	4	2623
177003	1075986	0.074	4	4.45	9	669	2	<1	1.14	7	7	14	75	1.17	<0.01	19	0.70	503	<1	20	501	2360	1.54	5	37	<10	170	1947	9	32	24	5	2196
177004	1075987	0.105	1	4.66	11	602	2	<1	1.01	<4	9	17	28	1.27	<0.01	20	0.74	474	<1	24	522	183	1.74	<5	37	<10	210	2001	<2	32	<10	5	129
177005	1075988	0.413	3	3.51	15	740	2	<1	0.79	<4	10	13	45	1.08	<0.01	25	0.52	358	<1	19	499	32	1.94	<5	38	<10	176	2114	<2	34	<10	4	103
177006D	1075988	0.409	2	4.41	13	766	2	<1	0.84	<4	10	15	48	1.16	<0.01	25	0.56	371	<1	22	551	32	1.66	<5	38	<10	182	2195	3	35	<10	5	105
177007	1075989	0.525	1	3.37	11	512	2	2	1.14	<4	8	15	28	1.34	<0.01	13	0.64	483	<1	22	501	30	1.58	<5	37	<10	184	1782	4	33	<10	4	82
177008	1075990	0.274	102	2.83	246	281	2	3	1.20	27	15	52	6215	5.68	<0.01	10	1.12	1731	17	28	512	10260	2.46	290	23	<10	199	1903	8	80	47	10	5201
177009	1075991	0.101	2	2.96	14	563	2	<1	0.82	<4	10	12	88	1.27	<0.01	14	0.59	398	<1	18	472	103	1.75	6	32	<10	168	1862	<2	32	<10	4	108
177010	1075992	0.095	1	2.49	13	535	2	<1	0.86	<4	7	10	14	1.20	<0.01	11	0.58	404	<1	15	452	20	1.50	<5	32	<10	165	1771	11	30	<10	4	68
177011	1075993	0.202	1	2.53	13	541	2	<1	1.01	<4	6	11	13	1.41	<0.01	14	0.63	508	<1	15	459	25	1.38	<5	34	<10	185	1804	3	32	<10	4	71
177012	1075994	0.830	4	2.38	12	450	2	<1	0.69	<4	6	15	15	1.31	<0.01	16	0.66	662	<1	20	447	48	1.54	<5	36	<10	165	1715	<2	32	<10	4	292
177013	1075995	0.071	3	2.48	9	309	2	3	0.75	<4	6	13	6	1.44	0.06	11	0.84	695	<1	15	457	43	1.49	<5	35	<10	166	1578	7	32	<10	4	109
177014	1075996	0.111	2	2.53	14	242	<2	2	1.18	<4	7	14	12	1.93	0.15	10	1.18	983	<1	18	449	29	1.67	<5	35	<10	173	1535	9	29	<10	5	114
177015	1075997	0.168	3	3.93	19	471	2	1	1.25	<4	8	19	25	2.03	<0.01	14	1.00	936	<1	20	485	39	1.70	<5	36	<10	194	1836	10	34	<10	5	97
177016	1075998	0.391	2	1.82	16	468	2	<1	1.13	<4	12	15	123	2.02	<0.01	13	0.80	905	<1	25	450	19	1.63	<5	28	<10	155	1887	3	31	<10	4	120

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177017D	1075998	0.390	2	3.72	15	485	2	<1	1.36	<4	13	18	128	2.17	<0.01	13	0.91	891	<1	28	472	15	1.62	<5	34	<10	174	1906	6	32	<10	5	122
177018	1075999	0.084	2	3.13	7	549	2	<1	1.09	<4	38	15	111	1.77	<0.01	16	0.88	663	<1	37	472	12	1.34	<5	34	<10	154	1915	11	32	<10	5	197
177019	1076000	<0.005	<1	2.59	4	450	<2	2	1.43	<4	12	40	49	3.27	<0.01	8	0.88	594	<1	29	563	9	1.21	<5	34	<10	255	2271	3	86	<10	11	78
177020	1076251	0.019	6	4.32	24	625	2	<1	1.08	7	40	28	126	2.01	<0.01	19	1.06	679	<1	45	666	579	1.47	8	39	<10	167	2301	13	40	17	5	1428
177021	1076252	0.077	5	1.68	9	272	<2	<1	0.43	8	6	15	77	1.13	<0.01	6	0.53	321	<1	19	305	739	1.58	5	32	<10	94	1078	<2	18	19	4	1848
177022	1076253	0.031	<1	3.11	22	527	2	<1	0.95	<4	9	21	21	1.19	<0.01	11	0.80	703	<1	23	513	82	1.24	<5	35	<10	115	2129	<2	39	<10	5	133
177023	1076254	0.095	1	3.11	27	401	2	<1	0.58	<4	11	19	31	1.05	0.01	12	0.65	476	<1	29	558	46	1.53	<5	36	<10	112	2002	11	34	<10	5	184
177024	1076255	0.034	2	2.70	24	453	2	1	0.63	<4	11	11	21	1.39	<0.01	11	0.57	542	<1	19	472	18	1.32	<5	41	<10	103	1898	9	31	<10	4	90
177025	1076256	0.030	1	3.17	8	396	2	<1	1.21	<4	8	12	13	1.64	<0.01	7	0.79	877	<1	19	530	29	1.15	<5	34	<10	116	1879	<2	32	<10	4	84
177026	1076257	0.107	1	2.99	19	379	<2	<1	1.14	<4	7	11	7	1.82	<0.01	8	0.75	764	<1	16	605	16	1.48	<5	31	<10	113	2003	11	33	<10	5	82
177027	1076258	0.396	<1	4.23	15	479	2	<1	1.41	<4	11	11	22	1.49	<0.01	11	0.86	836	<1	20	578	30	1.46	<5	36	<10	133	2067	8	34	<10	5	107
177028R	1076258	0.394	1	4.39	14	484	2	<1	1.34	<4	11	11	28	1.47	<0.01	10	0.85	814	<1	18	566	32	1.20	<5	40	<10	128	2066	5	34	<10	5	119
177029	1076259	0.287	1	3.48	21	474	<2	2	1.34	<4	9	16	28	1.69	<0.01	9	0.80	768	<1	22	531	44	1.32	<5	35	<10	128	1951	<2	36	<10	5	86
177030	1076260	5.106	2	2.45	416	1497	<2	3	2.19	<4	14	111	80	3.33	<0.01	11	1.08	482	7	48	785	28	1.54	41	30	<10	195	1862	3	122	12	12	245
177031	1076261	0.172	<1	3.20	13	462	2	<1	1.34	<4	9	21	28	1.84	<0.01	10	0.73	730	<1	21	471	21	1.38	<5	30	<10	132	2018	4	38	<10	5	116
177032	1076262	0.112	1	3.05	6	380	<2	<1	1.37	<4	8	20	8	1.68	<0.01	5	0.75	834	<1	21	454	18	1.09	<5	35	<10	156	1911	<2	35	<10	5	75
177033	1076263	0.131	1	3.22	10	387	2	<1	1.32	<4	10	27	9	2.30	<0.01	16	1.00	1111	<1	30	465	17	1.31	<5	35	<10	191	2027	11	37	<10	5	85
177034	1076264	0.196	1	3.68	17	427	<2	<1	0.88	<4	7	17	16	1.78	<0.01	13	0.83	585	<1	22	454	58	1.38	<5	36	<10	147	1821	<2	33	<10	5	163
177035	1076265	1.303	4	2.51	29	521	2	1	0.46	<4	10	23	39	1.84	0.01	19	0.82	558	<1	23	450	30	1.69	<5	33	<10	145	2028	<2	37	<10	4	245
177036	1076266	1.315	11	1.24	28	357	<2	<1	0.25	<4	8	17	46	1.83	<0.01	10	0.70	422	<1	21	361	61	1.42	<5	30	<10	121	1525	2	28	<10	4	546

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177037	1076267	0.036	1	2.37	35	506	2	<1	1.16	<4	8	27	12	1.76	0.08	13	0.70	599	<1	24	434	17	1.29	<5	37	<10	169	1982	<2	37	<10	4	88
177038	1076268	0.067	<1	2.96	11	415	<2	1	1.27	<4	9	26	15	1.89	<0.01	7	0.72	566	<1	29	441	10	1.05	<5	37	<10	146	1732	<2	33	<10	6	83
177039D	1076268	0.091	1	4.66	13	558	2	2	1.65	<4	9	32	16	2.09	<0.01	12	0.77	624	<1	31	483	13	1.25	5	35	<10	191	2095	<2	41	<10	6	89
177040	1076269	0.536	2	3.49	9	435	<2	<1	2.46	<4	9	31	9	2.40	<0.01	12	1.03	884	<1	27	438	24	1.46	<5	32	<10	176	1922	5	37	<10	6	147
177041	1076270	<0.005	<1	3.01	7	446	<2	1	1.49	<4	12	40	48	3.33	<0.01	8	0.92	602	<1	30	569	10	1.30	<5	34	<10	261	2280	<2	88	<10	12	78
177042	1076271	0.081	2	3.35	9	388	2	<1	2.98	<4	9	29	8	2.35	<0.01	12	1.26	1123	<1	22	467	30	1.75	<5	33	<10	197	2199	15	41	<10	6	111
177043	1076272	0.114	2	3.90	7	378	<2	1	2.69	<4	8	37	8	2.03	<0.01	11	1.25	908	<1	38	468	24	1.16	<5	35	<10	183	2145	8	39	<10	7	89
177044	1076273	0.140	3	2.60	16	358	<2	1	2.01	<4	8	27	12	1.75	<0.01	9	1.09	894	<1	20	407	49	1.26	<5	34	<10	179	1836	9	36	<10	5	152
177045	1076274	0.198	2	2.64	23	392	2	1	1.75	<4	10	29	12	1.80	<0.01	15	1.13	623	<1	26	407	34	1.63	<5	34	<10	158	1985	<2	36	<10	5	209
177046	1076275	0.304	2	3.42	18	384	2	2	2.20	<4	9	28	25	2.12	<0.01	15	1.56	1032	<1	28	435	81	1.82	<5	33	<10	170	1936	12	34	<10	6	161
177047	1076276	0.038	2	1.18	18	457	2	<1	1.23	<4	10	23	9	1.10	<0.01	19	0.87	885	<1	22	393	38	1.51	<5	29	<10	162	1906	6	37	<10	4	98
177048	1076277	0.027	<1	1.08	8	203	<2	1	1.04	<4	5	23	7	0.76	<0.01	10	0.70	933	<1	23	340	35	1.25	<5	36	<10	137	1374	12	26	<10	3	68
177049	1076278	0.023	1	1.66	7	209	2	2	1.19	<4	4	34	2	0.68	<0.01	14	0.68	555	3	36	195	24	1.48	<5	36	<10	136	1113	3	21	<10	4	72
177050D	1076278	0.007	1	1.39	5	183	2	1	1.06	<4	3	41	3	0.66	<0.01	9	0.69	546	<1	36	186	22	1.41	<5	34	<10	125	1068	9	20	<10	4	70
177051	1076279	<0.005	1	2.80	4	378	2	1	2.07	<4	6	14	5	1.18	<0.01	23	1.30	1208	<1	16	415	77	1.29	<5	39	<10	213	2224	17	40	<10	4	123
177052	1076280	1.185	2	2.42	22	542	2	<1	1.44	<4	16	57	607	3.72	<0.01	8	0.97	624	25	36	677	82	1.40	<5	34	<10	245	2023	<2	111	27	11	139
177053	1076281	0.013	2	3.11	7	314	2	<1	1.30	<4	5	17	12	1.12	<0.01	20	0.99	658	<1	20	383	28	1.58	<5	32	<10	168	1719	11	30	<10	4	109
177054	1076282	0.092	3	2.86	28	286	2	<1	1.19	<4	9	36	49	1.63	<0.01	13	0.96	639	<1	34	382	74	1.50	<5	29	<10	150	1608	9	32	<10	5	128
177055	1076283	0.054	24	1.39	26	321	2	2	0.60	<4	11	23	238	1.56	<0.01	14	0.52	394	<1	30	371	621	2.27	10	29	<10	128	1807	<2	35	<10	4	268
177056	1076284	0.047	3	2.51	32	386	2	<1	1.68	<4	10	18	13	1.77	<0.01	16	0.89	838	<1	24	410	28	1.78	<5	35	<10	188	2296	8	44	<10	4	110

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, August 11, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177057	1076285	0.011	3	4.83	26	315	2	2	2.64	<4	10	18	30	2.30	<0.01	14	1.36	1066	<1	23	449	26	1.74	<5	34	<10	164	2038	4	37	<10	7	107
177058	1076286	0.013	3	2.99	22	333	2	1	2.63	<4	11	18	21	2.35	<0.01	21	1.18	1101	<1	19	434	20	2.34	<5	31	<10	176	2191	4	42	<10	6	114
177059	1076287	0.011	2	1.92	18	398	2	1	1.36	<4	10	23	3	1.44	<0.01	23	0.73	556	<1	17	446	15	1.89	<5	35	<10	147	2370	2	44	<10	4	70
177060	1076288	<0.005	1	1.32	10	301	2	<1	1.87	<4	6	14	6	1.29	<0.01	18	0.97	818	<1	13	422	17	1.71	<5	25	<10	141	2043	19	38	<10	4	80
177061D	1076288	<0.005	1	2.87	11	305	2	<1	1.99	<4	6	15	6	1.32	<0.01	17	1.13	849	<1	16	469	18	1.73	<5	33	<10	142	2163	10	39	<10	4	80
177062	1076289	0.013	2	2.73	21	590	2	<1	1.20	<4	8	20	5	1.59	<0.01	24	0.82	643	<1	23	517	30	2.12	<5	32	<10	139	2746	3	52	<10	4	87
177063	1076290	<0.005	<1	1.30	5	428	<2	<1	1.33	<4	11	38	46	3.02	<0.01	10	0.74	557	<1	27	510	12	1.60	<5	25	<10	241	2220	5	82	<10	9	76
177064	1076291	1.206	93	1.49	73	384	2	<1	0.04	4	5	18	73	1.36	<0.01	12	0.34	152	2	25	338	291	2.10	68	30	<10	68	1556	<2	27	11	3	916
177065	1076292	0.232	19	1.33	45	354	2	1	<0.01	<4	5	12	46	1.10	<0.01	8	0.28	<100	<1	15	286	149	2.33	18	28	<10	67	1389	<2	25	<10	3	182
177066	1076293	0.102	9	1.30	33	328	2	<1	0.04	<4	5	13	31	1.05	<0.01	9	0.31	<100	<1	16	395	150	1.83	8	31	<10	69	1367	3	25	<10	3	150
177067	1076294	0.012	2	2.24	24	248	2	<1	1.34	<4	5	15	10	1.13	<0.01	12	0.90	1072	<1	20	373	45	1.78	<5	32	<10	98	1264	13	24	<10	4	83
177068	1076295	0.037	2	1.88	30	285	2	1	0.21	<4	6	15	40	1.11	<0.01	10	0.48	320	<1	19	352	49	1.72	<5	35	<10	71	1407	<2	27	<10	3	136
177069	1076296	0.156	7	0.96	29	237	2	1	<0.01	<4	5	15	38	1.00	<0.01	10	0.31	<100	<1	12	273	82	1.65	6	31	<10	68	1247	<2	25	<10	3	269
177070	1076297	0.033	2	0.62	40	232	2	1	<0.01	<4	5	13	21	1.28	<0.01	11	0.40	144	<1	14	291	57	1.99	5	32	<10	69	1176	<2	26	<10	3	228
177071	1076298	0.046	4	0.25	26	272	2	2	<0.01	<4	4	16	13	0.78	<0.01	8	0.26	<100	<1	16	279	46	1.79	<5	29	<10	69	1148	<2	26	<10	3	103
177072D	1076298	0.058	3	0.75	22	271	2	<1	<0.01	<4	4	14	12	0.80	<0.01	8	0.28	<100	<1	15	289	43	1.80	<5	34	<10	70	1141	<2	26	<10	3	96
177073	1076299	0.042	2	<0.01	14	223	2	2	<0.01	<4	3	14	10	0.54	<0.01	3	0.24	<100	<1	18	260	31	1.30	<5	28	<10	57	928	<2	22	<10	2	70
177074	1076300	0.278	103	2.11	269	381	<2	5	1.18	29	15	59	6162	6.04	<0.01	7	1.13	1851	20	31	533	10543	2.25	341	28	<10	218	1979	11	87	54	10	5195
177075	1076301	0.040	3	2.48	26	262	2	3	<0.01	<4	4	15	139	0.97	<0.01	7	0.47	155	<1	15	335	171	1.49	8	36	<10	69	1180	<2	26	<10	3	150
177076	1076302	0.058	3	1.63	19	188	2	1	<0.01	<4	3	15	14	0.66	<0.01	4	0.32	<100	<1	16	285	42	1.39	<5	29	<10	63	1019	<2	23	<10	3	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177077	1076303	0.297	12	0.81	31	197	2	1	<0.01	<4	4	14	35	0.91	<0.01	9	0.34	<100	<1	15	281	80	1.75	6	29	<10	68	1130	<2	24	<10	3	423
177078	1076304	0.182	19	1.41	40	229	2	2	0.64	<4	5	16	29	1.36	<0.01	11	0.51	669	<1	19	335	90	2.33	5	36	<10	83	1420	<2	27	35	3	228
177079	1076305	0.006	2	1.84	14	210	2	2	1.56	<4	5	10	4	1.37	0.27	9	0.95	724	<1	13	349	25	1.86	<5	37	<10	103	1309	9	24	<10	4	94
177080	1076306	0.005	1	1.52	16	254	2	<1	1.62	<4	5	14	4	1.37	0.22	12	0.97	836	<1	18	383	25	2.15	<5	32	<10	116	1492	10	27	<10	4	85
177081	1076307	0.015	1	3.32	12	257	2	1	1.95	<4	6	13	1	1.27	<0.01	13	1.06	480	<1	15	387	11	1.63	<5	37	<10	133	1618	14	28	<10	4	57
177082	1076308	<0.005	1	3.16	11	261	2	<1	2.10	<4	6	12	2	1.25	<0.01	12	0.98	273	<1	16	387	12	1.34	<5	42	<10	176	1660	4	29	<10	4	54
177083D	1076308	<0.005	1	3.20	11	256	<2	1	2.11	<4	6	13	2	1.25	<0.01	11	0.98	273	<1	18	387	11	1.17	<5	32	<10	182	1718	10	29	<10	4	50
177084	1076309	<0.005	<1	1.37	3	182	<2	<1	4.02	<4	5	19	5	1.23	<0.01	16	0.72	440	<1	19	328	25	1.13	<5	32	<10	114	1587	<2	28	<10	4	48
177085	1076310	<0.005	<1	1.40	6	437	<2	1	1.44	<4	12	41	49	3.33	<0.01	6	0.81	607	<1	29	543	8	1.20	<5	27	<10	255	2358	<2	90	<10	10	76
177086	1076311	0.023	3	5.92	12	183	2	2	6.65	<4	13	74	25	3.97	<0.01	12	3.28	1666	<1	38	460	50	1.91	<5	32	<10	253	2172	25	61	<10	11	140
177087	1076312	0.010	1	2.06	<2	424	<2	3	2.87	<4	10	31	9	1.91	<0.01	7	1.09	576	<1	22	319	21	1.21	<5	39	<10	220	1756	4	41	<10	5	82
177088	1076313	0.006	1	2.58	5	326	<2	<1	1.74	<4	7	9	5	1.40	<0.01	14	0.91	496	<1	14	523	12	1.41	<5	34	<10	187	1815	17	36	<10	5	56
177089	1076314	0.006	1	2.34	19	393	2	<1	1.37	<4	7	12	9	1.40	<0.01	14	0.53	293	<1	15	548	13	1.68	<5	33	<10	199	1936	<2	37	<10	5	65
177090	1076315	<0.005	1	3.08	8	368	<2	1	2.15	<4	11	10	7	1.33	0.17	11	1.10	435	<1	16	568	13	1.33	<5	39	<10	207	1741	7	34	<10	5	60
177091	1076316	<0.005	1	2.11	16	356	<2	<1	1.39	<4	10	10	5	1.18	0.21	12	0.78	297	<1	16	526	13	1.49	<5	36	<10	171	1766	4	34	<10	4	59
177092	1076317	0.006	1	1.47	28	347	2	1	1.48	<4	11	12	25	1.10	0.17	14	0.84	365	<1	19	487	17	1.46	<5	33	<10	184	1722	3	33	<10	4	76
177093	1076318	0.012	1	2.02	37	403	<2	<1	1.00	<4	15	11	24	0.90	<0.01	22	0.59	301	<1	20	518	14	1.30	<5	33	<10	180	2100	4	41	<10	4	47
177094R	1076318	0.010	<1	2.31	44	404	<2	1	1.05	<4	13	12	25	0.89	<0.01	22	0.61	314	<1	21	530	13	1.40	<5	35	<10	169	2155	5	41	<10	4	48
177095	1076319	0.006	1	1.74	33	366	<2	<1	2.04	<4	10	12	4	1.38	<0.01	18	0.42	422	<1	18	529	15	1.81	<5	32	<10	223	1960	<2	40	<10	5	42
177096	1076320	5.115	2	1.56	462	1617	<2	3	2.36	4	15	126	87	3.71	<0.01	15	1.02	515	10	53	815	28	1.97	44	30	<10	210	2050	10	134	12	11	257

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177097	1076321	0.010	1	1.52	16	448	2	<1	1.49	<4	9	11	13	1.25	<0.01	14	0.53	391	<1	17	534	17	1.46	<5	31	<10	206	1961	<2	38	<10	4	86
177098	1076322	0.014	1	2.52	24	502	<2	<1	1.15	<4	9	12	14	1.26	<0.01	16	0.63	399	<1	18	573	13	1.40	<5	40	<10	184	2111	<2	40	<10	4	63
177099	1076323	<0.005	1	3.28	19	487	2	2	2.00	<4	10	15	11	1.60	<0.01	20	1.15	565	<1	16	575	18	1.74	<5	36	<10	226	2025	16	40	<10	5	84
177100	1076324	0.017	3	4.35	25	488	2	<1	1.74	<4	11	29	32	2.33	<0.01	17	1.19	634	<1	23	592	24	2.04	<5	35	<10	179	2021	7	43	<10	7	106
177101	1076325	0.046	4	2.49	25	474	<2	1	1.09	<4	9	11	10	1.91	0.09	14	0.78	454	<1	17	524	51	2.26	<5	31	<10	136	1774	<2	33	<10	5	195
177102	1076326	0.008	2	2.98	20	578	<2	<1	1.88	<4	8	16	7	1.82	0.22	14	0.95	608	<1	25	563	28	1.79	<5	36	<10	161	1714	6	35	<10	5	97
177103	1076327	0.046	4	2.15	25	515	2	1	1.18	<4	10	11	7	2.03	0.04	15	0.79	487	<1	17	536	60	2.12	<5	32	<10	146	1878	5	36	<10	5	274
177104	1076328	0.066	2	2.88	52	413	2	3	2.05	<4	24	143	57	3.33	<0.01	11	1.03	982	<1	89	561	116	2.23	<5	29	<10	138	2368	4	85	<10	10	186
177105D	1076328	0.096	2	3.44	46	491	2	2	2.07	<4	24	152	54	3.19	<0.01	14	1.06	1000	<1	87	545	115	2.38	<5	33	<10	146	2633	7	99	<10	10	181
177106	1076329	0.115	2	1.41	71	486	2	4	0.25	<4	15	74	37	2.36	<0.01	9	0.35	171	2	48	459	49	2.70	<5	30	<10	99	2069	2	64	<10	5	342
177107	1076330	<0.005	<1	1.60	6	437	<2	1	1.39	<4	13	41	50	3.35	<0.01	5	0.84	602	<1	29	556	7	0.82	5	31	<10	254	2344	3	89	<10	11	79
177108	1076331	0.041	2	1.54	37	595	2	<1	1.11	<4	11	39	14	1.79	<0.01	14	0.67	357	<1	28	489	41	2.11	<5	33	<10	140	2060	10	50	<10	5	105
177109	1076332	0.072	<1	1.89	18	589	2	<1	0.81	<4	9	13	6	1.53	<0.01	10	0.54	269	<1	19	496	16	1.80	<5	35	<10	141	2076	7	38	<10	4	125
177110	1076333	0.016	<1	1.71	17	572	2	<1	1.55	<4	9	16	4	1.57	<0.01	11	0.80	416	<1	17	537	17	1.51	<5	31	<10	158	2115	2	40	<10	4	140
177111	1076334	0.053	1	4.32	58	366	2	<1	1.82	<4	20	116	32	2.96	<0.01	16	0.98	566	<1	65	566	80	2.32	<5	38	<10	167	2707	<2	96	10	9	208
177112	1076335	0.024	2	2.41	35	595	2	2	1.71	<4	11	13	11	1.80	<0.01	17	0.84	587	<1	18	531	165	2.12	<5	34	<10	168	2156	3	40	<10	4	253
177113	1076336	3.528	<1	1.14	38	544	<2	1	1.46	<4	9	11	5	1.68	<0.01	7	0.79	450	<1	17	442	17	1.16	<5	32	<10	133	1715	<2	33	<10	4	82
177114	1076337	0.195	1	1.75	45	761	2	<1	1.17	<4	9	17	18	1.98	<0.01	13	0.73	536	<1	26	472	69	2.01	<5	34	<10	142	1847	4	35	<10	4	167
177115	1076338	0.153	1	2.75	39	660	2	2	1.58	<4	11	13	37	2.04	<0.01	16	0.84	404	<1	20	511	37	2.13	<5	32	<10	166	2105	6	38	<10	4	102
177116D	1076338	0.113	2	1.99	46	693	2	<1	1.59	<4	10	13	39	2.05	<0.01	19	0.79	416	<1	20	507	38	2.27	<5	28	<10	167	2180	9	39	<10	4	104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177117	1076339	0.015	1	2.52	23	507	2	<1	1.90	<4	10	13	11	1.83	<0.01	19	0.93	399	<1	17	546	16	1.82	<5	30	<10	167	2208	5	40	<10	5	82
177118	1076340	1.146	2	2.69	23	600	2	2	1.60	<4	17	59	601	3.77	<0.01	16	0.91	637	30	36	671	84	2.19	<5	31	<10	271	2288	7	116	31	10	136
177119	1076341	0.048	1	2.23	54	372	2	2	1.71	<4	9	14	31	1.98	<0.01	17	0.90	526	<1	17	527	15	2.22	<5	34	<10	135	2070	4	39	<10	5	106
177120	1076342	0.020	1	1.95	41	540	2	1	1.91	<4	11	13	6	1.94	<0.01	19	0.93	470	<1	17	512	16	2.15	<5	39	<10	167	2100	<2	39	<10	4	83
177121	1076343	0.054	1	3.41	53	406	2	<1	2.24	<4	12	13	28	2.40	<0.01	24	1.08	685	<1	18	629	26	2.33	<5	35	<10	154	2432	<2	44	<10	5	127
177122	1076344	0.038	1	2.40	51	390	2	1	1.28	<4	13	15	19	2.08	0.30	22	0.73	452	<1	21	634	20	2.53	<5	35	<10	142	2433	<2	45	<10	4	128
177123	1076345	0.093	1	4.37	72	299	2	<1	1.89	<4	14	18	24	2.48	<0.01	19	1.26	731	<1	23	616	27	1.98	<5	36	<10	131	2127	4	45	<10	6	141
177124	1076346	0.072	1	5.64	64	300	2	<1	2.03	<4	13	13	15	2.30	<0.01	20	1.52	815	<1	17	617	26	1.68	<5	30	<10	134	2217	19	46	<10	6	165
177125	1076347	0.125	2	4.88	45	357	2	2	0.83	5	30	164	122	3.80	<0.01	16	1.24	564	<1	88	565	50	2.23	<5	33	<10	92	2239	10	120	<10	6	506
177126	1076348	0.587	2	1.88	32	328	2	1	0.90	<4	24	162	48	3.96	<0.01	13	1.42	590	<1	89	594	158	2.24	<5	33	<10	80	1857	6	105	<10	5	276
177127D	1076348	0.592	2	2.47	35	338	2	4	0.96	4	25	165	49	4.06	<0.01	16	1.51	609	<1	89	611	165	2.43	<5	32	<10	83	1942	7	108	<10	5	276
177128	1076349	0.216	2	1.91	7	350	2	1	0.60	4	20	133	40	3.42	<0.01	19	1.67	554	<1	71	466	136	2.05	<5	27	<10	74	2036	15	91	<10	4	289
177129	1076350	<0.005	<1	3.17	7	479	<2	3	1.59	<4	13	45	52	3.58	<0.01	8	0.97	640	<1	32	596	10	1.23	<5	35	<10	277	2451	5	94	<10	12	84
177130	1076351	0.184	2	3.06	44	429	2	3	0.71	4	24	165	51	4.58	0.85	16	1.45	649	<1	92	530	64	2.64	<5	29	<10	78	2085	14	121	<10	4	358
177131	1076352	0.198	<1	2.95	18	562	2	3	1.98	<4	9	18	7	1.53	<0.01	17	1.19	736	<1	18	457	19	1.87	<5	37	<10	103	1767	20	36	<10	5	130
177132	1076353	0.018	<1	1.38	11	507	2	1	2.60	<4	7	21	8	1.58	0.34	10	1.34	1042	<1	27	448	22	1.42	<5	34	<10	114	1744	16	35	<10	4	96
177133	1076354	0.025	1	3.83	21	401	2	3	2.38	<4	9	16	14	2.23	0.15	20	2.23	1140	<1	21	494	20	1.83	<5	35	<10	108	1853	15	35	<10	6	234
177134	1076355	0.027	1	4.83	9	223	2	2	4.76	<4	8	15	204	3.30	0.20	8	2.60	1628	<1	25	378	72	1.98	<5	38	<10	138	1307	18	28	<10	8	248

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
176897	1075889	24	<0.001	0.024
176898	1075890	5167	0.151	5.167
176899	1075891	37	0.001	0.037
176900	1075892	55	0.002	0.055
176901	1075893	81	0.002	0.081
176902	1075894	17	<0.001	0.017
176903	1075895	12	<0.001	0.012
176904	1075896	32	<0.001	0.032
176905	1075897	19	<0.001	0.019
176906	1075898	29	<0.001	0.029
176907 Dup	1075898	30	<0.001	0.030
176908	1075899	14	<0.001	0.014
176909	1075900	<5	<0.001	<0.005
176910	1075901	44	0.001	0.044
176911	1075902	18	<0.001	0.018
176912	1075903	20	<0.001	0.020
176913	1075904	13	<0.001	0.013
176914	1075905	12	<0.001	0.012
176915	1075906	9	<0.001	0.009
176916	1075907	13	<0.001	0.013
176917	1075908	11	<0.001	0.011
176918 Dup	1075908	15	<0.001	0.015
176919	1075909	50	0.001	0.050
176920	1075910	1159	0.034	1.159
176921	1075911	25	<0.001	0.025
176922	1075912	21	<0.001	0.021
176923	1075913	26	<0.001	0.026
176924	1075914	9	<0.001	0.009
176925	1075915	19	<0.001	0.019
176926	1075916	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
176927	1075917	22	<0.001	0.022
176928	1075918	67	0.002	0.067
176929 Dup	1075918	78	0.002	0.078
176930	1075919	39	0.001	0.039
176931	1075920	<5	<0.001	<0.005
176932	1075921	15	<0.001	0.015
176933	1075922	239	0.007	0.239
176934	1075923	25	<0.001	0.025
176935	1075924	<5	<0.001	<0.005
176936	1075925	136	0.004	0.136
176937	1075926	300	0.009	0.300
176938	1075927	207	0.006	0.207
176939	1075928	46	0.001	0.046
176940 Dup	1075928	74	0.002	0.074
176941	1075929	58	0.002	0.058
176942	1075930	357	0.010	0.357
176943	1075931	162	0.005	0.162
176944	1075932	118	0.003	0.118
176945	1075933	8	<0.001	0.008
176946	1075934	5	<0.001	0.005
176947	1075935	9	<0.001	0.009
176948	1075936	16	<0.001	0.016
176949	1075937	14	<0.001	0.014
176950	1075938	23	<0.001	0.023
176951 Dup	1075938	19	<0.001	0.019
176952	1075939	12	<0.001	0.012
176953	1075940	<5	<0.001	<0.005
176954	1075941	15	<0.001	0.015
176955	1075942	19	<0.001	0.019
176956	1075943	17	<0.001	0.017

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
176957	1075944	16	<0.001	0.016
176958	1075945	10	<0.001	0.010
176959	1075946	20	<0.001	0.020
176960	1075947	11	<0.001	0.011
176961	1075948	10	<0.001	0.010
176962 Rep	1075948	10	<0.001	0.010
176963	1075949	7	<0.001	0.007
176964	1075950	5281	0.154	5.281
176965	1075951	32	<0.001	0.032
176966	1075952	68	0.002	0.068
176967	1075953	13	<0.001	0.013
176968	1075954	63	0.002	0.063
176969	1075955	256	0.007	0.256
176970	1075956	333	0.010	0.333
176971	1075957	77	0.002	0.077
176972	1075958	99	0.003	0.099
176973 Dup	1075958	96	0.003	0.096
176974	1075959	32	<0.001	0.032
176975	1075960	<5	<0.001	<0.005
176976	1075961	110	0.003	0.110
176977	1075962	267	0.008	0.267
176978	1075963	31	<0.001	0.031
176979	1075964	21	<0.001	0.021
176980	1075965	75	0.002	0.075
176981	1075966	60	0.002	0.060
176982	1075967	14	<0.001	0.014
176983	1075968	9	<0.001	0.009
176984 Dup	1075968	13	<0.001	0.013
176985	1075969	10	<0.001	0.010
176986	1075970	1153	0.034	1.153

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
176987	1075971	10	<0.001	0.010
176988	1075972	<5	<0.001	<0.005
176989	1075973	30	<0.001	0.030
176990	1075974	37	0.001	0.037
176991	1075975	26	<0.001	0.026
176992	1075976	17	<0.001	0.017
176993	1075977	148	0.004	0.148
176994	1075978	1211	0.035	1.211
176995 Dup	1075978	1221	0.036	1.221
176996	1075979	40	0.001	0.040
176997	1075980	<5	<0.001	<0.005
176998	1075981	29	<0.001	0.029
176999	1075982	16	<0.001	0.016
177000	1075983	21	<0.001	0.021
177001	1075984	87	0.003	0.087
177002	1075985	66	0.002	0.066
177003	1075986	74	0.002	0.074
177004	1075987	105	0.003	0.105
177005	1075988	413	0.012	0.413
177006 Dup	1075988	409	0.012	0.409
177007	1075989	525	0.015	0.525
177008	1075990	274	0.008	0.274
177009	1075991	101	0.003	0.101
177010	1075992	95	0.003	0.095
177011	1075993	202	0.006	0.202
177012	1075994	830	0.024	0.830
177013	1075995	71	0.002	0.071
177014	1075996	111	0.003	0.111
177015	1075997	168	0.005	0.168
177016	1075998	391	0.011	0.391

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177017 Dup	1075998	390	0.011	0.390
177018	1075999	84	0.002	0.084
177019	1076000	<5	<0.001	<0.005
177020	1076251	19	<0.001	0.019
177021	1076252	77	0.002	0.077
177022	1076253	31	<0.001	0.031
177023	1076254	95	0.003	0.095
177024	1076255	34	<0.001	0.034
177025	1076256	30	<0.001	0.030
177026	1076257	107	0.003	0.107
177027	1076258	396	0.012	0.396
177028 Rep	1076258	394	0.011	0.394
177029	1076259	287	0.008	0.287
177030	1076260	5106	0.149	5.106
177031	1076261	172	0.005	0.172
177032	1076262	112	0.003	0.112
177033	1076263	131	0.004	0.131
177034	1076264	196	0.006	0.196
177035	1076265	1303	0.038	1.303
177036	1076266	1315	0.038	1.315
177037	1076267	36	0.001	0.036
177038	1076268	67	0.002	0.067
177039 Dup	1076268	91	0.003	0.091
177040	1076269	536	0.016	0.536
177041	1076270	<5	<0.001	<0.005
177042	1076271	81	0.002	0.081
177043	1076272	114	0.003	0.114
177044	1076273	140	0.004	0.140
177045	1076274	198	0.006	0.198
177046	1076275	304	0.009	0.304

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177047	1076276	38	0.001	0.038
177048	1076277	27	<0.001	0.027
177049	1076278	23	<0.001	0.023
177050 Dup	1076278	7	<0.001	0.007
177051	1076279	<5	<0.001	<0.005
177052	1076280	1185	0.035	1.185
177053	1076281	13	<0.001	0.013
177054	1076282	92	0.003	0.092
177055	1076283	54	0.002	0.054
177056	1076284	47	0.001	0.047
177057	1076285	11	<0.001	0.011
177058	1076286	13	<0.001	0.013
177059	1076287	11	<0.001	0.011
177060	1076288	<5	<0.001	<0.005
177061 Dup	1076288	<5	<0.001	<0.005
177062	1076289	13	<0.001	0.013
177063	1076290	<5	<0.001	<0.005
177064	1076291	1206	0.035	1.206
177065	1076292	232	0.007	0.232
177066	1076293	102	0.003	0.102
177067	1076294	12	<0.001	0.012
177068	1076295	37	0.001	0.037
177069	1076296	156	0.005	0.156
177070	1076297	33	<0.001	0.033
177071	1076298	46	0.001	0.046
177072 Dup	1076298	58	0.002	0.058
177073	1076299	42	0.001	0.042
177074	1076300	278	0.008	0.278
177075	1076301	40	0.001	0.040
177076	1076302	58	0.002	0.058

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177077	1076303	297	0.009	0.297
177078	1076304	182	0.005	0.182
177079	1076305	6	<0.001	0.006
177080	1076306	5	<0.001	0.005
177081	1076307	15	<0.001	0.015
177082	1076308	<5	<0.001	<0.005
177083 Dup	1076308	<5	<0.001	<0.005
177084	1076309	<5	<0.001	<0.005
177085	1076310	<5	<0.001	<0.005
177086	1076311	23	<0.001	0.023
177087	1076312	10	<0.001	0.010
177088	1076313	6	<0.001	0.006
177089	1076314	6	<0.001	0.006
177090	1076315	<5	<0.001	<0.005
177091	1076316	<5	<0.001	<0.005
177092	1076317	6	<0.001	0.006
177093	1076318	12	<0.001	0.012
177094 Rep	1076318	10	<0.001	0.010
177095	1076319	6	<0.001	0.006
177096	1076320	5115	0.149	5.115
177097	1076321	10	<0.001	0.010
177098	1076322	14	<0.001	0.014
177099	1076323	<5	<0.001	<0.005
177100	1076324	17	<0.001	0.017
177101	1076325	46	0.001	0.046
177102	1076326	8	<0.001	0.008
177103	1076327	46	0.001	0.046
177104	1076328	66	0.002	0.066
177105 Dup	1076328	96	0.003	0.096
177106	1076329	115	0.003	0.115

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 5, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/05/2011  
 Job #: 201142713  
 Reference: TL11188  
 Sample #: 217

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177107	1076330	<5	<0.001	<0.005
177108	1076331	41	0.001	0.041
177109	1076332	72	0.002	0.072
177110	1076333	16	<0.001	0.016
177111	1076334	53	0.002	0.053
177112	1076335	24	<0.001	0.024
177113	1076336	3528	0.103	3.528
177114	1076337	195	0.006	0.195
177115	1076338	153	0.004	0.153
177116 Dup	1076338	113	0.003	0.113
177117	1076339	15	<0.001	0.015
177118	1076340	1146	0.033	1.146
177119	1076341	48	0.001	0.048
177120	1076342	20	<0.001	0.020
177121	1076343	54	0.002	0.054
177122	1076344	38	0.001	0.038
177123	1076345	93	0.003	0.093
177124	1076346	72	0.002	0.072
177125	1076347	125	0.004	0.125
177126	1076348	587	0.017	0.587
177127 Dup	1076348	592	0.017	0.592
177128	1076349	216	0.006	0.216
177129	1076350	<5	<0.001	<0.005
177130	1076351	184	0.005	0.184
177131	1076352	198	0.006	0.198
177132	1076353	18	<0.001	0.018
177133	1076354	25	<0.001	0.025
177134	1076355	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
Date Completed: 08/16/2011  
Job #: 201142939  
Reference: TL11188  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
196067	1076336	0.072	2.451

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, September 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/06/2011  
 Job #: 201142968  
 Reference: TL11188  
 Sample #: 20

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
197826	1076253	0.029	0.031	0.065	0.032	4.51%	46.33
197827	1076254	0.072	0.102	1.246	0.134	4.06%	42.48
197828	1076255	1.470	1.468	81.044	4.248	3.49%	33.63
197829	1076256	0.031	0.030	0.023	0.030	2.96%	29.9
197830	1076257	0.061	0.064	0.092	0.064	4.10%	41.62
197831	1076258	0.320	0.324	1.434	0.367	4.03%	40.91
197832	1076259	0.276	0.277	1.609	0.324	3.56%	35.8
197833	1076260	Insufficient Sample					
197834	1076261	0.268	0.276	1.055	0.302	3.83%	38.41
197835	1076262	0.075	0.064	0.290	0.079	4.45%	44.6
197836	1076263	0.103	0.155	0.240	0.134	4.78%	48.05
197837	1076264	0.246	0.241	1.241	0.281	3.77%	37.72
197838	1076265	0.678	0.670	5.478	0.906	4.84%	36.09
197839	1076288	0.012	0.006	0.011	0.009	5.42%	46.3
197840	1076289	0.026	0.028	0.023	0.027	4.22%	42.76
197841	1076290	Insufficient Sample					
197842	1076291	0.724	0.729	2.882	0.825	4.57%	39.63
197843	1076292	0.185	0.177	0.141	0.179	4.39%	43.98
197844	1076293	0.086	0.090	0.094	0.088	4.94%	49.35
197845	1076294	0.042	0.014	0.023	0.028	4.88%	48.82

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170469	1077138	0.018	<1	8.51	18	549	<2	<1	1.84	<4	9	33	13	0.68	1.87	16	0.63	323	7	20	244	65	0.94	5	28	<10	185	1484	11	38	20	4	99
170470	1077139	0.043	1	8.65	26	561	2	<1	2.25	4	12	52	32	1.65	1.97	16	0.87	555	9	44	320	113	1.44	<5	22	<10	221	1704	9	46	22	6	345
170471	1077140	<0.005	<1	8.21	8	527	3	<1	1.94	4	14	57	21	2.25	1.99	14	0.82	473	9	27	473	8	0.80	6	28	<10	264	1840	6	74	63	11	47
170472	1077141	0.058	2	>10.00	8	648	2	<1	2.21	5	7	30	44	0.66	2.19	20	0.72	441	11	25	<100	462	0.76	9	37	<10	265	1849	6	40	26	4	817
170473	1077142	0.011	<1	8.87	18	656	2	<1	1.57	<4	9	35	3	0.55	1.95	19	0.52	324	11	33	173	35	0.79	<5	36	<10	191	1597	11	36	22	4	36
170474	1077143	0.636	9	9.12	27	757	3	<1	0.98	18	12	27	285	1.34	1.90	16	0.34	148	13	23	<100	1397	1.83	12	28	<10	170	1726	6	42	54	4	3847
170475	1077144	0.099	<1	7.83	13	635	2	<1	1.52	<4	6	25	12	0.39	1.81	13	0.30	205	8	16	<100	54	0.81	<5	29	<10	194	1380	10	36	20	3	162
170476	1077145	0.016	<1	7.84	16	578	<2	<1	2.03	<4	6	29	3	0.41	1.76	12	0.28	275	9	28	<100	25	0.83	6	19	<10	206	1133	11	32	21	3	41
170477	1077146	0.018	<1	7.71	16	585	3	<1	2.07	<4	7	22	3	0.36	1.70	11	0.27	257	5	14	<100	27	0.73	<5	29	<10	209	1132	10	33	22	3	38
170478	1077147	0.055	2	7.85	28	779	<2	<1	2.80	4	10	36	37	1.75	1.73	18	0.82	1107	12	34	443	73	1.45	8	29	<10	235	1657	17	39	22	5	111
170479D	1077147	0.059	2	7.81	27	769	2	<1	2.82	4	10	36	37	1.71	1.83	19	0.79	1098	15	35	438	68	1.59	<5	24	<10	241	1674	7	39	23	5	105
170480	1077148	0.062	1	7.91	17	561	2	<1	1.91	<4	9	31	18	1.17	1.91	19	0.75	690	13	22	277	87	1.30	8	25	<10	191	1760	8	39	23	4	251
170481	1077149	0.045	1	8.95	15	551	<2	<1	2.63	<4	10	30	13	1.31	1.90	15	1.29	799	9	27	346	42	1.03	<5	25	<10	229	1675	11	37	19	5	112
170482	1077150	0.283	101	8.41	223	442	3	<1	1.66	27	13	53	6149	5.18	1.93	8	1.17	1581	29	22	415	9730	2.07	300	29	<10	210	1681	8	75	57	13	5147
170483	1077151	0.014	2	9.98	12	520	2	<1	2.26	<4	9	28	43	1.10	1.97	16	1.45	750	10	21	270	89	0.83	10	27	<10	205	1498	19	37	21	6	120
170484	1077152	0.011	<1	9.85	12	532	2	<1	1.57	<4	9	33	9	0.64	1.88	16	0.77	325	8	23	118	33	0.66	6	35	<10	191	1656	8	41	21	5	41
170485	1077153	0.011	1	8.63	6	567	2	<1	1.40	<4	7	34	10	0.58	1.93	15	0.47	242	8	22	<100	54	0.75	5	34	<10	178	1622	12	35	22	4	161
170486	1077154	0.022	<1	9.02	5	558	<2	<1	1.99	<4	5	27	3	0.39	1.87	10	0.36	207	5	18	<100	39	0.69	7	26	<10	223	1228	9	34	19	4	42
170487	1077155	0.011	<1	9.00	12	589	<2	<1	2.00	<4	5	25	2	0.35	1.79	6	0.35	195	4	13	<100	15	0.70	<5	29	<10	211	1045	5	28	19	4	40
170488	1077156	0.013	<1	8.31	15	525	<2	<1	1.99	<4	7	33	17	0.64	1.76	9	0.49	258	7	19	<100	20	0.85	<5	23	<10	223	1385	4	35	17	4	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170489	1077157	0.053	1	9.05	39	529	2	<1	1.72	<4	16	76	31	1.82	1.93	12	1.05	503	9	45	271	44	1.57	<5	28	<10	189	1717	5	52	18	10	104
170490D	1077157	0.062	1	9.04	38	578	<2	<1	1.99	4	16	80	31	1.84	1.98	14	0.99	515	9	43	280	51	1.53	<5	21	<10	227	1814	9	57	19	8	104
170491	1077158	0.033	<1	8.51	23	537	3	<1	1.94	<4	10	40	15	1.57	1.92	16	0.93	669	8	28	310	49	1.19	<5	24	<10	257	1767	15	42	20	6	105
170492	1077159	0.037	<1	9.45	30	475	<2	<1	2.40	<4	8	24	6	1.73	1.94	14	1.08	618	7	21	422	39	1.07	<5	34	<10	155	1629	13	30	20	6	70
170493	1077160	<0.005	<1	7.95	9	498	<2	<1	1.85	4	12	55	20	2.17	1.95	8	0.82	453	6	26	461	7	0.71	<5	28	<10	247	1733	7	71	53	11	45
170494	1077161	0.135	<1	8.67	36	506	2	<1	2.16	5	10	26	22	1.90	1.92	15	0.92	564	9	25	419	83	1.35	<5	28	<10	158	1772	11	33	22	5	484
170495	1077162	1.158	12	8.23	119	124	2	<1	1.42	19	15	22	63	4.06	1.71	13	0.65	365	14	23	348	4563	3.62	12	27	<10	135	1491	7	30	56	5	4281
170496	1077163	0.030	<1	9.49	12	499	2	<1	2.72	4	11	41	17	2.10	1.93	11	1.03	551	7	26	445	89	1.03	5	22	<10	170	2123	15	42	21	8	80
170497	1077164	0.033	<1	7.98	33	343	<2	<1	1.84	<4	9	41	28	1.67	1.79	7	0.68	346	4	32	287	26	0.99	<5	29	<10	142	1250	8	26	21	7	98
170498	1077165	0.040	1	>10.00	131	481	2	<1	2.08	6	22	124	46	3.47	1.77	19	1.18	460	15	67	512	24	1.59	<5	22	<10	251	1862	7	74	20	12	83
170499	1077166	0.034	<1	9.91	152	450	3	<1	2.04	5	21	120	42	3.48	2.05	16	1.26	459	13	66	468	23	1.48	7	19	<10	247	1891	6	73	19	11	74
170500	1077167	0.030	<1	9.90	7	350	2	8	1.91	5	23	138	46	3.51	2.03	20	1.42	502	12	68	470	18	1.32	9	28	<10	217	2135	6	80	17	12	79
170501D	1077167	0.039	1	9.95	6	370	3	<1	1.98	5	23	145	48	3.54	1.91	22	1.37	515	14	76	462	18	1.42	<5	20	<10	230	2244	7	84	21	11	80
170502	1077168	0.026	1	9.34	4	403	2	<1	3.49	5	27	144	46	3.61	1.93	24	1.38	619	13	67	471	29	1.93	5	17	<10	233	2198	7	82	22	12	83
170503	1077169	0.010	2	9.71	14	744	<2	<1	1.48	4	21	157	34	1.72	1.89	21	0.63	270	17	99	481	20	1.18	<5	22	<10	166	2550	7	87	26	10	312
170504	1077170	5.288	1	8.63	392	1374	<2	<1	2.83	6	14	116	75	3.16	1.92	10	1.18	446	23	46	751	22	1.41	29	37	<10	207	1628	13	118	25	14	207
170505	1077171	<0.005	<1	8.90	10	482	3	<1	2.11	<4	7	26	10	1.42	1.71	14	1.01	357	6	19	272	16	0.82	<5	21	<10	210	1356	11	31	18	5	39
170506	1077172	0.009	<1	8.54	8	417	<2	<1	2.09	<4	7	28	7	1.33	1.69	13	0.92	413	7	17	242	13	0.87	<5	23	<10	201	1332	7	26	19	5	56
170507	1077173	0.014	<1	9.48	12	348	2	<1	2.54	<4	8	33	14	1.78	1.75	15	1.29	549	7	26	394	9	0.98	<5	19	<10	218	1299	13	31	21	7	62
170508	1077174	0.258	1	8.21	25	462	<2	<1	2.02	4	18	112	42	2.58	1.73	16	1.08	500	11	55	353	13	1.50	<5	24	<10	202	1977	6	65	21	9	134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170509	1077175	0.059	1	9.59	20	499	<2	<1	2.15	<4	8	56	14	1.73	1.84	13	1.29	528	8	31	293	17	1.12	<5	28	<10	187	1265	14	31	14	8	52
170510	1077176	0.402	1	8.58	63	423	<2	<1	1.55	5	16	112	23	2.14	1.86	13	0.94	549	7	67	553	25	1.99	<5	19	<10	138	1707	9	66	23	6	349
170511	1077177	0.794	3	8.03	47	526	<2	<1	0.69	5	8	46	37	1.31	1.86	9	0.42	135	4	31	296	418	1.77	8	29	<10	93	1112	10	32	23	4	533
170512D	1077177	0.794	3	7.91	46	530	<2	<1	0.69	5	8	45	38	1.36	1.87	9	0.41	138	5	32	290	440	1.75	7	34	<10	93	1124	8	32	25	4	553
170513	1077178	0.221	<1	8.69	26	579	<2	<1	1.07	<4	4	29	21	0.83	1.95	9	0.70	332	6	24	215	52	1.06	<5	25	<10	102	996	10	18	20	4	53
170514	1077179	0.133	<1	8.15	20	579	2	<1	0.87	<4	3	27	8	0.75	1.87	8	0.59	224	4	21	218	75	0.86	<5	22	<10	92	1025	9	17	21	3	165
170515	1077180	<0.005	<1	8.32	8	526	<2	<1	1.89	4	14	57	21	2.29	1.87	4	0.87	476	5	29	476	4	0.71	<5	20	<10	259	1845	7	75	57	13	43
170516	1077181	0.114	1	8.68	15	327	2	<1	1.84	4	18	100	73	2.85	1.82	13	1.10	518	14	76	342	35	1.52	<5	28	<10	139	1265	4	47	17	10	58
170517	1077182	0.994	1	9.02	9	495	2	<1	1.77	5	21	142	112	3.81	1.73	17	1.20	587	18	93	454	33	1.88	<5	16	<10	140	1639	13	81	23	10	180
170518	1077183	0.049	1	9.40	11	349	<2	<1	1.72	5	22	136	51	3.52	1.72	19	1.49	552	14	68	501	33	1.25	<5	20	<10	129	2228	11	79	21	9	87
170519	1077184	1.022	2	7.32	80	412	2	<1	1.14	9	18	131	241	3.08	1.82	12	0.87	459	10	59	360	140	2.56	<5	27	<10	107	1400	7	71	33	6	1515
170520	1077185	0.031	<1	8.48	21	477	<2	<1	1.97	<4	6	35	12	1.37	1.92	14	1.01	374	8	30	309	34	0.97	<5	22	<10	161	1256	8	28	20	5	78
170521	1077186	0.056	<1	8.60	12	512	2	<1	2.06	<4	6	37	7	1.36	1.86	15	0.99	370	10	30	316	34	0.95	<5	20	<10	177	1292	7	29	19	4	59
170522	1077187	0.126	1	>10.00	24	507	<2	<1	1.89	5	18	108	46	2.87	2.00	21	1.47	736	13	68	431	69	1.61	<5	23	<10	165	1843	6	63	21	11	183
170523D	1077187	0.126	1	9.70	24	456	2	<1	1.74	5	15	101	44	2.73	1.88	17	1.41	694	10	66	406	64	1.43	<5	30	<10	152	1670	6	58	17	11	178
170524	1077188	0.064	<1	9.26	7	420	<2	<1	1.98	5	21	143	41	3.37	1.86	14	1.31	571	12	70	448	11	1.12	<5	26	<10	172	2080	12	78	16	13	72
170525	1077189	0.045	<1	9.35	8	468	2	<1	2.00	4	13	64	24	2.37	1.85	10	1.05	505	5	35	355	15	1.03	<5	31	<10	205	1758	6	51	22	9	49
170526	1077190	1.149	1	8.74	19	552	3	<1	1.96	5	15	58	515	3.44	1.81	4	1.10	556	34	29	603	68	1.05	<5	27	<10	233	1705	5	101	39	15	90
170527	1077191	0.134	<1	9.65	19	564	<2	<1	2.34	4	11	59	29	2.30	1.77	14	1.22	671	11	46	437	49	1.35	<5	27	<10	216	1793	4	45	23	9	122
170528	1077192	0.040	<1	8.33	19	580	<2	<1	1.31	<4	9	32	33	1.57	1.76	8	0.70	289	3	24	385	31	1.24	<5	27	<10	130	1478	5	33	22	7	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170529	1077193	0.015	<1	6.60	11	261	<2	<1	1.97	<4	3	53	19	0.55	1.80	2	0.30	119	9	47	121	3	0.94	<5	27	<10	78	528	6	14	22	5	5
170530	1077194	0.015	<1	8.73	19	558	<2	<1	1.43	<4	8	42	17	1.05	1.99	6	0.47	162	7	36	314	11	1.11	<5	26	<10	169	1230	12	27	20	5	24
170531	1077195	0.055	1	8.85	40	816	<2	<1	1.39	<4	11	35	30	1.20	1.81	7	0.50	177	5	29	422	72	1.36	<5	41	<10	185	1577	7	37	19	5	290
170532	1077196	0.036	<1	9.52	34	628	2	<1	1.87	<4	9	36	13	1.59	1.84	10	0.73	309	8	32	409	23	1.63	<5	35	<10	173	1720	9	38	18	6	75
170533	1077197	0.127	1	8.95	49	537	2	<1	1.75	<4	11	31	30	1.59	1.90	12	0.82	502	7	27	522	35	1.60	<5	24	<10	130	2072	11	44	20	6	67
170534R	1077197	0.127	1	8.43	41	568	<2	<1	1.82	<4	12	33	26	1.61	1.74	15	0.81	549	9	26	502	32	1.65	<5	19	<10	137	2220	14	48	21	5	59
170535	1077198	0.109	1	8.71	59	408	<2	<1	1.63	<4	8	22	18	1.28	1.79	9	0.86	539	13	18	545	43	1.60	<5	28	<10	112	1621	7	31	20	6	177
170536	1077199	0.170	2	9.52	29	429	<2	<1	1.24	<4	6	22	15	1.03	1.88	6	0.80	375	7	24	608	112	1.23	<5	19	<10	98	1602	10	32	18	7	141
170537	1077200	<0.005	<1	7.35	14	442	<2	<1	1.82	4	14	59	22	2.39	1.87	2	0.95	494	5	28	522	5	0.62	<5	19	<10	209	1660	9	75	49	15	53
170538	1077201	0.180	2	9.17	78	474	2	<1	0.83	4	9	19	45	1.42	1.89	6	0.56	208	5	18	570	140	1.73	5	25	<10	82	1856	10	36	22	6	325
170539	1077202	0.351	4	9.02	95	407	2	<1	0.84	8	8	24	60	2.20	1.85	6	0.50	193	7	23	544	349	2.58	8	15	<10	81	1685	6	31	33	6	1525
170540	1077203	0.033	<1	>10.00	20	379	3	<1	2.49	<4	8	20	18	1.52	1.87	11	1.27	901	8	19	611	32	1.19	<5	28	<10	125	1813	9	34	19	7	92
170541	1077204	0.052	<1	>10.00	21	453	<2	<1	1.86	<4	7	50	13	1.37	1.85	10	1.16	568	12	45	728	40	1.17	<5	21	<10	116	1687	7	33	19	9	115
170542	1077205	0.094	1	>10.00	33	498	<2	<1	1.81	<4	7	49	13	1.34	1.89	8	1.10	442	9	33	688	85	1.25	<5	23	<10	135	1675	12	33	23	8	171
170543	1077206	0.079	2	>10.00	38	507	2	<1	1.79	4	7	35	12	1.31	2.09	8	1.09	459	8	27	639	68	1.24	<5	30	<10	134	1652	8	33	20	8	289
170544	1077207	0.419	<1	>10.00	16	431	2	<1	2.63	<4	9	34	14	1.19	1.94	8	1.55	799	18	24	577	66	0.97	<5	27	<10	162	1589	9	30	19	7	105
170545D	1077207	0.351	1	>10.00	12	431	2	<1	2.63	<4	10	33	14	1.16	2.01	7	1.55	791	17	23	569	65	0.98	<5	25	<10	160	1520	13	29	22	7	129
170546	1077208	0.516	2	9.92	13	417	<2	<1	2.78	5	16	87	39	3.23	1.94	8	1.77	1244	13	66	450	64	2.03	<5	24	<10	174	1665	7	50	27	12	235
170547	1077209	0.171	<1	9.23	6	390	2	<1	1.30	5	21	138	50	3.37	1.82	12	2.07	954	9	68	481	60	1.25	<5	25	<10	128	1864	13	66	21	12	213
170548	1077210	0.247	96	8.21	226	390	2	<1	1.65	28	14	58	6192	5.37	1.81	2	1.22	1632	30	24	425	9994	2.45	235	17	<10	202	1712	6	78	53	14	5088

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170549	1077211	0.218	2	9.28	36	346	<2	<1	1.17	6	19	155	164	3.61	1.93	13	2.03	1179	18	89	467	215	1.40	5	22	<10	139	1655	16	72	20	11	221
170550	1077212	0.614	1	9.52	62	353	<2	<1	1.15	6	22	137	56	3.78	1.83	16	2.08	1115	12	71	484	101	1.83	5	14	<10	124	1657	8	76	19	10	124
170551	1077213	0.876	1	>10.00	35	399	2	<1	1.36	5	17	100	33	3.12	1.88	21	2.25	1009	7	50	489	132	1.56	<5	22	<10	142	1384	8	65	19	10	184
170552	1077214	0.537	1	9.63	27	358	<2	<1	1.10	4	6	27	6	1.41	1.83	28	1.87	794	11	27	459	206	1.18	<5	24	<10	134	907	8	28	20	5	292
170553	1077215	0.493	<1	9.83	24	389	<2	<1	1.23	<4	4	17	4	1.16	2.00	14	1.94	599	9	12	435	126	0.91	9	26	<10	129	845	16	28	23	5	288
170554	1077216	0.454	2	9.27	20	495	<2	<1	0.60	5	6	23	6	0.72	2.06	6	0.64	134	8	22	498	459	1.00	6	20	<10	105	1138	5	33	25	4	1016
170555	1077217	3.120	1	9.35	22	478	<2	<1	0.62	<4	5	19	4	0.67	2.15	6	0.55	107	6	16	469	474	1.08	<5	26	<10	114	1168	5	31	22	4	523
170556D	1077217	2.578	1	9.19	22	445	<2	<1	0.59	<4	5	21	3	0.64	1.85	4	0.54	103	7	20	471	466	1.02	<5	27	<10	109	1077	11	30	20	4	505
170557	1077218	1.473	<1	>10.00	40	239	2	<1	0.97	4	8	24	8	2.39	2.22	41	3.86	1571	2	19	411	43	1.44	<5	18	<10	111	934	11	28	18	6	184
170558	1077219	0.584	<1	>10.00	22	293	<2	<1	1.19	<4	7	28	4	1.67	2.13	44	2.88	1245	15	32	447	25	1.01	<5	28	<10	157	857	11	29	20	6	132
170559	1077220	<0.005	<1	7.15	10	441	<2	<1	1.74	4	14	57	22	2.29	1.71	<1	0.91	474	3	27	478	8	0.59	6	14	<10	212	1598	10	72	49	14	59
170560	1077221	0.072	1	9.66	8	288	2	<1	0.91	<4	7	18	2	1.16	1.82	32	2.80	1204	11	20	479	64	0.68	5	25	<10	114	964	10	27	20	6	155
170561	1077222	0.166	3	8.86	16	214	<2	<1	1.11	4	8	26	2	1.73	1.93	37	2.85	1620	12	34	446	143	1.01	<5	28	<10	129	664	18	24	18	5	256
170562	1077223	0.143	<1	8.62	23	362	2	<1	0.99	<4	8	34	3	1.53	1.77	31	1.76	997	7	27	457	62	1.04	<5	23	<10	119	1043	9	33	16	5	101
170563	1077224	0.196	4	8.57	33	352	<2	<1	1.42	<4	9	41	5	1.47	1.81	15	1.34	1093	8	27	460	1057	1.34	9	28	<10	151	950	12	38	18	5	144
170564	1077225	0.031	<1	>10.00	35	270	<2	<1	1.29	<4	7	31	5	1.89	2.01	22	2.66	1518	11	19	449	55	1.20	<5	27	<10	122	954	16	30	20	7	109
170565	1077226	0.034	<1	9.76	27	283	2	<1	1.37	<4	7	32	5	1.85	1.93	21	2.42	1441	10	21	449	54	1.31	7	17	<10	131	967	17	31	18	6	121
170566	1077227	0.036	<1	>10.00	28	322	2	<1	0.97	6	7	27	3	2.23	2.00	39	2.75	1530	7	23	578	127	1.26	7	27	<10	127	1059	16	34	22	7	728
170567D	1077227	0.066	<1	>10.00	25	328	<2	<1	1.00	6	7	29	3	2.22	2.01	39	2.70	1534	8	22	582	131	1.26	<5	22	<10	131	1070	12	34	24	6	729
170568	1077228	0.075	<1	9.92	23	328	<2	<1	1.09	4	7	22	4	2.09	2.01	19	2.24	1181	9	17	429	98	1.32	<5	28	<10	120	1060	18	30	19	6	126

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170569	1077229	0.877	3	9.70	22	473	<2	<1	1.05	5	6	25	33	1.77	1.94	11	1.36	650	7	20	420	374	1.54	<5	27	<10	118	1116	9	30	25	5	690
170570	1077230	5.132	2	9.25	396	1483	<2	<1	2.94	6	13	120	76	3.25	2.00	11	1.23	468	25	46	758	29	1.54	26	27	<10	217	1724	8	121	27	15	232
170571	1077231	0.206	<1	7.58	28	404	<2	<1	1.21	<4	4	21	17	1.73	1.71	13	1.42	834	9	17	407	99	1.32	<5	17	<10	127	1414	10	32	21	4	158
170572	1077232	0.518	10	7.67	41	342	<2	<1	1.59	9	6	23	123	1.86	1.72	9	0.98	783	6	25	322	2424	1.77	6	28	<10	147	1177	10	25	39	4	2350
170573	1077233	0.130	1	8.21	23	486	<2	<1	1.57	4	5	17	13	1.52	2.00	11	1.16	929	5	14	366	129	1.22	<5	25	<10	141	1487	11	27	20	4	306
170574	1077234	0.143	<1	8.75	23	623	2	<1	1.70	<4	5	19	6	1.34	1.84	13	1.15	901	7	16	353	62	1.15	7	29	<10	146	1480	7	27	20	4	102
170575	1077235	0.674	9	9.48	21	626	<2	<1	1.43	5	6	19	8	1.56	1.94	9	1.41	1105	4	18	374	160	1.16	<5	17	<10	132	1496	8	26	23	6	721
170576	1077236	0.467	3	>10.00	16	909	<2	<1	2.93	4	6	24	8	1.86	1.84	12	1.86	1526	9	25	434	204	1.11	<5	29	<10	168	1598	10	29	21	8	387
170577	1077237	0.019	<1	9.00	8	695	<2	<1	1.60	<4	6	17	10	1.45	1.86	11	0.80	570	5	12	410	17	0.88	<5	19	<10	150	1755	6	30	19	5	45
170578D	1077237	0.015	<1	8.84	8	709	<2	<1	1.63	<4	7	17	10	1.44	1.92	12	0.79	567	5	11	403	10	0.86	<5	27	<10	154	1784	7	31	18	5	46
170579	1077238	0.020	<1	9.26	20	507	<2	<1	1.51	<4	5	23	4	1.39	1.83	7	0.66	454	5	25	423	9	0.94	<5	25	<10	135	1589	10	28	18	6	40
170580	1077239	0.023	<1	8.81	17	511	<2	<1	1.64	<4	5	18	6	1.50	1.93	8	0.62	485	5	14	449	7	1.07	<5	22	<10	147	1605	6	29	17	5	41
170581	1077240	<0.005	<1	7.07	9	422	<2	<1	1.71	4	13	56	20	2.22	1.80	<1	0.87	458	3	25	472	6	0.62	<5	22	<10	202	1567	10	70	48	13	47
170582	1077241	0.019	<1	7.63	15	446	<2	<1	1.11	<4	6	18	7	1.46	1.88	6	0.67	453	2	15	402	6	0.90	<5	18	<10	101	1403	8	26	17	6	43
170583	1077242	0.023	<1	8.06	9	450	<2	<1	1.71	<4	6	16	7	1.77	1.90	12	0.70	515	7	14	405	12	1.05	<5	24	<10	168	1793	4	30	19	4	57
170584	1077243	0.032	<1	8.09	12	410	<2	<1	1.44	<4	7	15	7	1.65	1.81	8	0.74	577	4	13	389	8	0.78	<5	24	<10	140	1625	10	28	20	5	41
170585	1077244	0.158	<1	7.75	14	404	<2	<1	1.26	<4	8	17	25	1.67	1.96	11	0.78	659	3	14	354	37	0.98	<5	30	<10	139	1708	8	28	19	4	75
170586	1077245	0.621	3	8.26	22	405	<2	<1	1.44	5	6	17	95	1.50	1.96	9	0.78	693	6	18	378	459	1.22	<5	19	<10	158	1563	7	28	24	4	816
170587	1077246	0.419	3	8.74	27	419	2	<1	1.48	5	7	20	51	1.60	1.93	10	0.86	864	7	21	394	547	1.28	<5	12	<10	158	1584	8	29	27	5	771
170588	1077247	0.212	1	9.28	17	384	2	<1	1.22	<4	12	60	69	1.94	1.99	8	1.00	718	6	29	409	133	1.26	<5	31	<10	130	1506	11	48	18	8	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170589D	1077247	0.262	1	8.49	19	357	<2	<1	0.99	4	13	60	72	1.95	1.91	6	1.03	708	5	29	404	124	1.16	<5	24	<10	102	1398	4	47	17	8	103
170590	1077248	0.903	1	9.31	8	362	<2	<1	1.31	5	16	107	55	2.84	1.94	9	1.35	827	8	54	507	49	1.43	<5	24	<10	114	1572	11	61	20	12	139
170591	1077249	0.567	<1	7.02	10	341	<2	<1	0.86	4	10	80	62	2.04	1.66	1	0.61	442	4	51	240	37	1.32	<5	25	<10	88	1095	10	50	21	8	78
170592	1077250	1.247	1	8.27	21	522	2	<1	1.92	6	15	58	520	3.41	1.98	2	1.07	552	33	31	596	69	0.98	<5	22	<10	220	1630	8	100	35	15	101
170593	1077251	0.762	3	8.41	47	306	3	<1	1.39	7	21	116	102	3.24	2.01	6	1.16	901	9	63	462	297	2.14	<5	17	<10	99	1816	7	65	24	13	764
170594	1077252	0.251	1	7.79	51	218	2	<1	2.00	7	16	105	74	2.73	1.96	3	1.16	857	5	56	456	125	1.96	<5	28	<10	127	1599	6	49	27	12	1113
170595	1077253	0.394	2	9.32	41	320	<2	<1	2.05	5	17	104	103	2.66	1.83	12	1.21	875	12	51	450	80	1.88	<5	17	<10	145	1882	9	58	20	11	148
170596	1077254	0.495	1	>10.00	33	282	2	<1	2.15	5	21	130	63	3.30	1.89	11	1.74	1098	12	63	484	40	1.62	<5	31	<10	140	1982	10	71	17	14	82
170597	1077255	0.301	4	8.20	50	445	<2	<1	0.77	5	13	86	827	1.83	1.73	6	0.48	220	8	52	448	434	1.79	7	18	<10	83	1718	7	56	23	7	796
170598	1077256	0.038	<1	>10.00	29	463	2	<1	2.09	<4	8	23	23	1.62	1.86	8	1.24	791	5	18	475	32	1.11	<5	19	<10	128	1527	11	30	18	7	73
170599	1077257	0.059	3	8.77	47	432	<2	<1	1.07	8	8	21	13	1.92	1.85	7	0.67	358	7	20	452	645	1.97	7	23	<10	93	1426	5	30	30	5	1304
170600R	1077257	0.097	3	9.33	48	429	2	<1	1.05	8	7	17	12	1.92	1.76	6	0.71	359	3	13	456	675	1.94	5	23	<10	91	1412	6	29	27	6	1379
170601	1077258	0.019	<1	7.78	43	349	<2	<1	0.98	<4	7	17	3	1.59	1.74	1	0.66	326	2	14	442	36	1.75	<5	12	<10	78	1192	7	25	16	5	76
170602	1077259	0.011	<1	7.54	21	308	<2	<1	1.34	<4	6	19	3	1.02	1.57	2	0.83	522	3	16	377	22	1.05	<5	24	<10	83	1031	8	22	19	5	36
170603	1077260	<0.005	<1	7.62	10	462	<2	<1	1.83	4	14	58	22	2.33	1.75	2	0.92	480	2	27	496	5	0.63	<5	27	<10	218	1657	7	73	48	14	44
170604	1077261	0.027	1	9.11	31	379	<2	<1	1.51	4	7	19	11	1.50	1.65	7	0.91	531	5	17	443	330	1.50	7	23	<10	104	1346	9	27	24	6	545
170605	1077262	0.036	<1	9.28	27	358	<2	<1	1.43	<4	9	21	11	1.34	1.75	7	0.98	525	7	17	483	32	1.35	<5	23	<10	106	1367	8	27	17	7	59
170606	1077263	0.058	<1	8.34	33	404	<2	<1	1.08	4	6	17	6	1.54	1.56	4	0.67	361	5	15	430	60	1.65	<5	24	<10	87	1313	4	26	17	5	264
170607	1077264	0.086	<1	8.35	26	508	<2	<1	1.33	<4	7	22	9	1.30	1.79	9	0.74	468	8	24	462	103	1.44	6	24	<10	106	1603	9	31	20	5	116
170608	1077265	0.074	<1	9.35	32	417	<2	<1	1.73	<4	10	17	15	1.53	1.85	9	1.06	662	5	17	438	50	1.37	<5	25	<10	108	1471	5	27	20	6	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
Date Completed: 07/25/2011  
Job #: 201142583  
Reference: TL11189  
Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170609	1077266	0.059	<1	9.24	24	422	<2	<1	1.66	<4	8	19	12	1.39	1.61	9	1.00	629	7	21	425	69	1.26	<5	21	<10	104	1409	10	26	18	6	64
170610	1077267	0.024	<1	>10.00	17	387	<2	<1	2.30	<4	8	18	22	1.45	1.75	10	1.42	957	6	13	494	70	1.00	<5	23	<10	136	1489	12	27	18	7	113
170611D	1077267	0.033	<1	>10.00	19	478	<2	<1	2.36	<4	7	18	21	1.44	1.89	12	1.36	958	9	17	467	70	0.98	5	28	<10	144	1590	4	29	18	6	112
170612	1077268	0.141	6	9.72	26	437	<2	<1	1.83	11	8	21	43	1.73	1.73	12	0.98	691	10	20	471	1645	1.67	<5	28	<10	121	1520	10	28	45	6	2638
170613	1077269	0.084	1	8.28	9	437	<2	<1	1.80	<4	6	16	24	1.40	1.72	7	1.15	847	4	12	468	74	0.96	<5	28	<10	109	1368	10	25	15	6	120
170614	1077270	0.279	96	7.43	228	347	2	<1	1.62	28	15	57	6132	5.37	1.79	2	1.15	1645	30	23	397	9955	2.23	257	26	<10	198	1720	10	78	55	12	5131
170615	1077271	0.029	1	8.98	8	435	<2	<1	2.05	<4	7	25	53	1.51	1.70	9	1.31	860	6	23	434	122	0.90	<5	28	<10	134	1539	7	30	19	6	130
170616	1077272	0.173	2	8.32	19	511	<2	<1	1.62	6	6	19	25	1.25	1.70	10	1.02	645	6	16	354	279	1.18	<5	20	<10	120	1490	5	26	33	5	1371
170617	1077273	0.339	<1	8.73	16	491	<2	<1	1.43	<4	6	22	20	1.18	1.83	9	1.02	716	5	22	274	20	0.94	<5	32	<10	119	1482	3	23	21	5	61
170618	1077274	0.142	<1	8.88	14	628	<2	<1	1.34	<4	7	18	22	1.20	1.91	7	1.05	620	4	15	313	17	0.86	<5	24	<10	107	1537	9	24	18	5	42
170619	1077275	0.148	<1	9.26	10	576	2	<1	1.50	<4	6	19	19	1.16	1.82	8	1.22	580	8	17	310	36	0.92	<5	23	<10	114	1435	11	23	19	5	56
170620	1077276	0.087	<1	8.89	7	545	<2	<1	1.43	<4	6	21	32	1.11	1.91	8	1.06	546	6	18	295	179	0.88	<5	17	<10	112	1362	4	22	23	5	140
170621	1077277	0.037	<1	9.44	10	570	<2	<1	1.48	<4	6	22	24	1.12	1.80	15	1.16	556	6	23	311	84	0.90	<5	22	<10	120	1444	16	23	20	6	217
170622D	1077277	0.036	<1	9.14	15	603	<2	<1	1.47	<4	6	22	23	1.12	1.83	15	1.14	565	4	20	309	86	0.84	<5	21	<10	126	1507	6	24	21	5	211
170623	1077278	0.026	<1	8.38	24	603	<2	<1	1.32	<4	7	19	15	1.00	1.76	8	0.97	545	4	16	297	18	0.91	<5	32	<10	119	1434	11	23	19	5	28
170624	1077279	0.091	<1	9.14	12	417	<2	<1	3.20	<4	4	20	26	0.88	1.79	7	0.94	481	6	18	298	4	0.81	<5	25	<10	78	1245	13	22	19	6	7
170625	1077280	<0.005	<1	6.90	8	426	<2	<1	1.71	4	13	56	21	2.20	1.67	<1	0.87	453	2	26	472	3	0.58	<5	32	<10	201	1566	9	69	48	13	40
170626	1077281	0.197	<1	8.41	9	460	<2	<1	2.55	<4	5	21	5	0.98	1.59	10	0.94	473	7	21	313	3	0.82	6	26	<10	83	1349	7	22	20	6	4
170627	1077282	0.076	<1	8.78	11	611	2	<1	1.91	<4	6	18	14	1.27	1.75	13	1.12	618	8	14	306	11	1.01	<5	23	<10	151	1442	10	23	20	5	26
170628	1077283	0.076	<1	8.91	12	630	<2	<1	2.15	<4	7	21	17	1.33	1.69	13	1.39	688	7	21	307	26	0.91	<5	24	<10	143	1510	8	24	22	5	74

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, August 3, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170629	1077284	0.081	<1	8.49	7	551	<2	<1	1.55	<4	6	24	17	1.23	1.74	10	1.19	552	8	21	293	17	0.82	6	24	<10	114	1510	9	24	17	5	48
170630	1077285	0.179	<1	9.64	13	523	2	<1	1.93	<4	5	23	23	1.30	1.76	11	1.38	662	9	22	335	151	0.90	6	29	<10	120	1373	11	24	21	6	113
170631	1077286	0.119	<1	9.26	10	476	<2	<1	1.78	<4	6	17	25	1.30	1.76	9	1.43	673	7	13	320	191	0.88	<5	32	<10	109	1336	13	23	20	6	172
170632	1077287	0.009	<1	>10.00	3	531	<2	<1	3.12	4	5	20	15	1.67	1.89	10	2.02	902	9	19	299	54	0.94	<5	21	<10	156	1241	24	20	21	6	296
170633D	1077287	0.010	<1	9.97	12	514	<2	2	3.19	5	5	22	16	1.74	1.82	9	2.08	937	6	21	303	58	0.89	<5	27	<10	155	1255	10	21	23	6	314
170634	1077288	0.017	2	9.47	8	414	2	<1	2.56	6	6	19	15	1.42	1.74	9	1.80	744	4	16	352	343	0.80	<5	28	<10	141	1256	12	20	26	6	852
170635	1077289	0.007	<1	>10.00	5	478	<2	<1	2.66	<4	6	20	17	1.35	1.85	9	1.65	580	6	19	314	32	0.84	<5	25	<10	156	1250	10	20	20	6	75
170636	1077290	5.302	1	7.74	390	1408	3	<1	2.68	6	13	115	75	3.08	1.78	5	1.20	430	19	45	740	23	1.24	24	33	<10	177	1438	3	115	21	14	205
170637	1077291	0.059	11	9.80	12	415	3	26	4.81	10	5	17	30	1.32	1.76	15	1.80	1051	10	16	128	1277	1.01	<5	27	<10	247	1207	10	18	32	5	1598
170638	1077292	0.028	<1	8.91	11	490	<2	<1	2.43	<4	6	19	23	1.18	1.66	12	1.31	607	7	14	305	48	1.05	<5	25	<10	123	1352	11	21	17	5	68
170639	1077293	0.070	<1	8.50	28	538	2	<1	1.80	<4	6	18	16	1.14	1.82	13	0.96	444	6	15	299	60	1.24	<5	21	<10	100	1443	7	23	18	4	144
170640	1077294	0.458	<1	8.27	17	600	<2	<1	1.73	<4	6	29	13	1.18	1.74	14	0.89	384	11	32	312	92	1.31	6	22	<10	112	1538	5	25	19	4	132
170641	1077295	0.225	1	7.13	43	626	3	<1	0.81	12	6	19	41	1.65	1.79	12	0.42	137	8	21	292	120	1.94	<5	22	<10	83	1507	4	25	39	3	2436
170642	1077296	0.051	<1	8.79	17	560	2	<1	2.25	<4	6	22	12	1.26	1.87	15	1.15	387	11	22	303	36	1.16	<5	23	<10	127	1507	6	24	24	5	78
170643	1077297	0.208	3	7.56	26	570	<2	<1	0.77	10	7	24	54	1.12	1.88	8	0.38	110	7	26	433	144	1.45	9	22	<10	74	1651	5	32	37	4	1824
170644D	1077297	0.160	3	7.12	22	553	2	<1	0.71	9	7	24	53	1.08	1.87	6	0.35	105	5	24	408	139	1.34	<5	21	<10	70	1605	5	32	34	4	1763
170645	1077298	0.227	4	7.61	70	554	<2	<1	0.93	5	8	26	77	1.33	1.68	7	0.44	146	5	19	469	207	1.52	<5	25	<10	79	1571	6	31	23	5	610
170646	1077299	0.050	<1	8.91	29	531	<2	<1	1.68	<4	7	21	8	1.07	1.78	11	1.06	337	7	18	306	37	1.02	<5	22	<10	98	1496	7	26	21	5	87
170647	1077300	<0.005	<1	7.60	10	465	<2	<1	1.79	4	14	56	21	2.25	1.93	<1	0.89	465	2	25	482	5	0.58	<5	21	<10	228	1650	5	72	51	14	44
170648	1077301	0.082	<1	9.47	32	408	<2	<1	1.81	<4	6	20	9	1.18	1.87	7	1.28	379	7	17	345	41	1.01	<5	21	<10	100	1226	9	19	19	6	152

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 3, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170649	1077302	0.802	<1	8.36	18	423	<2	<1	1.95	<4	6	21	13	1.11	1.66	10	1.28	288	7	14	291	39	0.88	<5	23	<10	106	1216	5	19	18	4	61
170650	1077303	0.022	<1	8.44	7	379	<2	<1	1.97	<4	7	23	7	1.14	1.74	9	1.36	306	8	17	325	22	0.85	<5	24	<10	103	1125	14	17	19	5	55
170651	1077304	0.045	1	7.71	55	511	<2	<1	1.09	<4	6	25	18	0.86	1.74	4	0.68	176	5	17	307	19	0.74	<5	24	<10	76	1276	13	22	21	4	56
170652	1077305	0.047	<1	8.46	20	431	<2	<1	1.78	<4	6	20	14	1.17	1.77	10	1.05	236	7	16	298	19	0.96	<5	25	<10	106	1247	8	21	19	5	75
170653	1077306	0.032	<1	9.31	113	417	<2	<1	1.77	<4	7	20	14	1.20	1.81	8	1.17	237	5	15	306	20	0.85	<5	34	<10	102	1231	5	20	18	6	80
170654	1077307	0.048	<1	8.56	23	508	<2	<1	0.68	<4	7	22	7	0.84	1.78	6	0.65	130	4	16	328	20	0.86	<5	25	<10	61	1447	5	24	19	4	42
170655D	1077307	0.047	<1	8.28	22	534	<2	<1	0.69	<4	7	25	7	0.88	1.76	7	0.63	135	4	20	323	27	0.92	<5	11	<10	64	1541	9	25	19	4	45
170656	1077308	0.009	<1	>10.00	17	500	2	<1	2.11	<4	5	27	9	1.26	1.87	10	1.51	275	7	26	323	20	0.97	6	33	<10	110	1298	6	21	21	5	48
170657	1077309	0.033	<1	8.69	12	433	<2	<1	1.65	<4	5	20	11	1.02	1.67	7	1.05	258	3	14	291	18	0.84	<5	27	<10	91	1159	6	19	17	5	78
170658	1077310	1.176	1	8.48	22	517	2	<1	2.04	6	16	61	565	3.66	1.99	3	1.17	592	37	31	634	78	1.13	<5	25	<10	217	1693	7	106	38	15	104
170659	1077311	0.033	<1	9.82	28	535	<2	<1	2.08	<4	7	26	19	1.28	1.93	13	1.34	308	8	25	348	26	0.96	<5	26	<10	107	1387	12	23	20	6	82
170660	1077312	0.024	<1	9.48	23	516	2	<1	1.76	<4	7	44	13	0.97	1.90	8	0.90	190	8	28	469	18	0.86	<5	18	<10	135	1252	10	24	24	7	40
170661	1077313	0.058	<1	8.61	15	410	<2	<1	1.94	<4	5	19	13	1.14	1.72	9	1.15	293	8	16	309	20	1.00	<5	27	<10	106	1185	6	19	19	5	50
170662	1077314	0.017	<1	9.71	20	487	2	<1	2.66	<4	6	24	6	1.29	1.71	10	1.59	311	4	18	314	9	0.82	<5	21	<10	127	1218	10	19	19	5	40
170663	1077315	0.036	<1	8.84	21	475	2	<1	2.41	<4	6	24	10	1.25	1.71	11	1.42	354	9	20	326	7	1.12	<5	20	<10	139	1341	12	21	21	5	33
170664	1077316	0.018	<1	9.57	14	438	<2	<1	2.11	<4	5	23	14	1.22	1.67	12	1.48	325	8	21	329	12	0.86	<5	31	<10	136	1293	11	21	20	6	44
170665	1077317	0.013	<1	9.16	29	474	2	<1	2.01	<4	6	21	8	1.27	1.87	12	1.39	327	10	19	321	17	1.03	<5	22	<10	137	1330	19	22	19	5	44
170666R	1077317	0.025	<1	9.61	24	451	<2	<1	2.06	<4	6	20	9	1.30	1.76	11	1.50	341	9	20	336	17	0.95	<5	25	<10	139	1281	12	21	19	5	45
170667	1077318	0.027	<1	7.84	27	501	<2	<1	0.65	<4	7	22	11	0.94	1.64	5	0.40	<100	6	15	324	19	1.22	6	21	<10	92	1330	7	23	23	4	124
170668	1077319	1.625	1	8.63	41	434	<2	<1	1.05	4	22	149	69	2.89	1.57	12	0.82	207	12	71	550	90	2.23	<5	25	<10	152	1672	5	94	20	8	155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, August 3, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
170669	1077320	<0.005	<1	8.23	7	490	2	<1	1.88	4	14	60	22	2.30	1.73	3	0.90	472	7	29	494	7	0.71	6	18	<10	243	1731	8	74	54	14	45
170670	1077321	0.316	2	9.05	16	416	2	<1	1.00	5	30	138	83	3.29	1.58	13	0.74	192	14	88	541	71	2.22	7	15	<10	141	1757	6	102	20	9	129
170671	1077322	0.025	<1	9.80	13	360	2	<1	3.03	4	10	34	8	1.97	1.77	14	1.35	480	10	22	471	22	1.03	<5	16	<10	218	1671	7	34	17	7	50
170672	1077323	0.005	<1	8.46	6	360	<2	<1	2.60	4	11	27	4	1.83	1.81	13	0.96	325	5	20	468	5	0.88	<5	22	<10	170	2014	14	39	17	6	44
170673	1077324	0.015	<1	>10.00	16	423	<2	<1	2.71	<4	10	31	9	1.88	1.74	20	1.26	386	8	27	481	19	1.03	<5	25	<10	180	1872	4	38	21	7	92

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170469	1077138	18	<0.001	0.018
170470	1077139	43	0.001	0.043
170471	1077140	<5	<0.001	<0.005
170472	1077141	58	0.002	0.058
170473	1077142	11	<0.001	0.011
170474	1077143	636	0.019	0.636
170475	1077144	99	0.003	0.099
170476	1077145	16	<0.001	0.016
170477	1077146	18	<0.001	0.018
170478	1077147	55	0.002	0.055
170479 Dup	1077147	59	0.002	0.059
170480	1077148	62	0.002	0.062
170481	1077149	45	0.001	0.045
170482	1077150	283	0.008	0.283
170483	1077151	14	<0.001	0.014
170484	1077152	11	<0.001	0.011
170485	1077153	11	<0.001	0.011
170486	1077154	22	<0.001	0.022
170487	1077155	11	<0.001	0.011
170488	1077156	13	<0.001	0.013
170489	1077157	53	0.002	0.053
170490 Dup	1077157	62	0.002	0.062
170491	1077158	33	<0.001	0.033
170492	1077159	37	0.001	0.037
170493	1077160	<5	<0.001	<0.005
170494	1077161	135	0.004	0.135
170495	1077162	1158	0.034	1.158
170496	1077163	30	<0.001	0.030
170497	1077164	33	<0.001	0.033
170498	1077165	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170499	1077166	34	0.001	0.034
170500	1077167	30	<0.001	0.030
170501 Dup	1077167	39	0.001	0.039
170502	1077168	26	<0.001	0.026
170503	1077169	10	<0.001	0.010
170504	1077170	5288	0.154	5.288
170505	1077171	<5	<0.001	<0.005
170506	1077172	9	<0.001	0.009
170507	1077173	14	<0.001	0.014
170508	1077174	258	0.008	0.258
170509	1077175	59	0.002	0.059
170510	1077176	402	0.012	0.402
170511	1077177	794	0.023	0.794
170512 Dup	1077177	794	0.023	0.794
170513	1077178	221	0.006	0.221
170514	1077179	133	0.004	0.133
170515	1077180	<5	<0.001	<0.005
170516	1077181	114	0.003	0.114
170517	1077182	994	0.029	0.994
170518	1077183	49	0.001	0.049
170519	1077184	1022	0.030	1.022
170520	1077185	31	<0.001	0.031
170521	1077186	56	0.002	0.056
170522	1077187	126	0.004	0.126
170523 Dup	1077187	126	0.004	0.126
170524	1077188	64	0.002	0.064
170525	1077189	45	0.001	0.045
170526	1077190	1149	0.034	1.149
170527	1077191	134	0.004	0.134
170528	1077192	40	0.001	0.040

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170529	1077193	15	<0.001	0.015
170530	1077194	15	<0.001	0.015
170531	1077195	55	0.002	0.055
170532	1077196	36	0.001	0.036
170533	1077197	127	0.004	0.127
170534 Rep	1077197	127	0.004	0.127
170535	1077198	109	0.003	0.109
170536	1077199	170	0.005	0.170
170537	1077200	<5	<0.001	<0.005
170538	1077201	180	0.005	0.180
170539	1077202	351	0.010	0.351
170540	1077203	33	<0.001	0.033
170541	1077204	52	0.002	0.052
170542	1077205	94	0.003	0.094
170543	1077206	79	0.002	0.079
170544	1077207	419	0.012	0.419
170545 Dup	1077207	351	0.010	0.351
170546	1077208	516	0.015	0.516
170547	1077209	171	0.005	0.171
170548	1077210	247	0.007	0.247
170549	1077211	218	0.006	0.218
170550	1077212	614	0.018	0.614
170551	1077213	876	0.026	0.876
170552	1077214	537	0.016	0.537
170553	1077215	493	0.014	0.493
170554	1077216	454	0.013	0.454
170555	1077217	3120	0.091	3.120
170556 Dup	1077217	2578	0.075	2.578
170557	1077218	1473	0.043	1.473
170558	1077219	584	0.017	0.584

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170559	1077220	<5	<0.001	<0.005
170560	1077221	72	0.002	0.072
170561	1077222	166	0.005	0.166
170562	1077223	143	0.004	0.143
170563	1077224	196	0.006	0.196
170564	1077225	31	<0.001	0.031
170565	1077226	34	<0.001	0.034
170566	1077227	36	0.001	0.036
170567 Dup	1077227	66	0.002	0.066
170568	1077228	75	0.002	0.075
170569	1077229	877	0.026	0.877
170570	1077230	5132	0.150	5.132
170571	1077231	206	0.006	0.206
170572	1077232	518	0.015	0.518
170573	1077233	130	0.004	0.130
170574	1077234	143	0.004	0.143
170575	1077235	674	0.020	0.674
170576	1077236	467	0.014	0.467
170577	1077237	19	<0.001	0.019
170578 Dup	1077237	15	<0.001	0.015
170579	1077238	20	<0.001	0.020
170580	1077239	23	<0.001	0.023
170581	1077240	<5	<0.001	<0.005
170582	1077241	19	<0.001	0.019
170583	1077242	23	<0.001	0.023
170584	1077243	32	<0.001	0.032
170585	1077244	158	0.005	0.158
170586	1077245	621	0.018	0.621
170587	1077246	419	0.012	0.419
170588	1077247	212	0.006	0.212

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170589 Dup	1077247	262	0.008	0.262
170590	1077248	903	0.026	0.903
170591	1077249	567	0.017	0.567
170592	1077250	1247	0.036	1.247
170593	1077251	762	0.022	0.762
170594	1077252	251	0.007	0.251
170595	1077253	394	0.012	0.394
170596	1077254	495	0.014	0.495
170597	1077255	301	0.009	0.301
170598	1077256	38	0.001	0.038
170599	1077257	59	0.002	0.059
170600 Rep	1077257	97	0.003	0.097
170601	1077258	19	<0.001	0.019
170602	1077259	11	<0.001	0.011
170603	1077260	<5	<0.001	<0.005
170604	1077261	27	<0.001	0.027
170605	1077262	36	0.001	0.036
170606	1077263	58	0.002	0.058
170607	1077264	86	0.003	0.086
170608	1077265	74	0.002	0.074
170609	1077266	59	0.002	0.059
170610	1077267	24	<0.001	0.024
170611 Dup	1077267	33	<0.001	0.033
170612	1077268	141	0.004	0.141
170613	1077269	84	0.002	0.084
170614	1077270	279	0.008	0.279
170615	1077271	29	<0.001	0.029
170616	1077272	173	0.005	0.173
170617	1077273	339	0.010	0.339
170618	1077274	142	0.004	0.142

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170619	1077275	148	0.004	0.148
170620	1077276	87	0.003	0.087
170621	1077277	37	0.001	0.037
170622 Dup	1077277	36	0.001	0.036
170623	1077278	26	<0.001	0.026
170624	1077279	91	0.003	0.091
170625	1077280	<5	<0.001	<0.005
170626	1077281	197	0.006	0.197
170627	1077282	76	0.002	0.076
170628	1077283	76	0.002	0.076
170629	1077284	81	0.002	0.081
170630	1077285	179	0.005	0.179
170631	1077286	119	0.003	0.119
170632	1077287	9	<0.001	0.009
170633 Dup	1077287	10	<0.001	0.010
170634	1077288	17	<0.001	0.017
170635	1077289	7	<0.001	0.007
170636	1077290	5302	0.155	5.302
170637	1077291	59	0.002	0.059
170638	1077292	28	<0.001	0.028
170639	1077293	70	0.002	0.070
170640	1077294	458	0.013	0.458
170641	1077295	225	0.007	0.225
170642	1077296	51	0.001	0.051
170643	1077297	208	0.006	0.208
170644 Dup	1077297	160	0.005	0.160
170645	1077298	227	0.007	0.227
170646	1077299	50	0.001	0.050
170647	1077300	<5	<0.001	<0.005
170648	1077301	82	0.002	0.082

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, July 25, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959

 Date Received: 07/12/2011  
 Date Completed: 07/25/2011  
 Job #: 201142583  
 Reference: TL11189  
 Sample #: 187

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
170649	1077302	802	0.023	0.802
170650	1077303	22	<0.001	0.022
170651	1077304	45	0.001	0.045
170652	1077305	47	0.001	0.047
170653	1077306	32	<0.001	0.032
170654	1077307	48	0.001	0.048
170655 Dup	1077307	47	0.001	0.047
170656	1077308	9	<0.001	0.009
170657	1077309	33	<0.001	0.033
170658	1077310	1176	0.034	1.176
170659	1077311	33	<0.001	0.033
170660	1077312	24	<0.001	0.024
170661	1077313	58	0.002	0.058
170662	1077314	17	<0.001	0.017
170663	1077315	36	0.001	0.036
170664	1077316	18	<0.001	0.018
170665	1077317	13	<0.001	0.013
170666 Rep	1077317	25	<0.001	0.025
170667	1077318	27	<0.001	0.027
170668	1077319	1625	0.047	1.625
170669	1077320	<5	<0.001	<0.005
170670	1077321	316	0.009	0.316
170671	1077322	25	<0.001	0.025
170672	1077323	5	<0.001	0.005
170673	1077324	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, July 28, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/25/2011  
Date Completed: 07/28/2011  
Job #: 201142765  
Reference: TL11189  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
180773	1077217	0.052	1.790

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177135	1077325	0.031	1	2.25	7	633	2	2	2.02	<4	9	26	10	1.80	<0.01	12	0.83	849	<1	41	464	14	1.74	<5	32	<10	453	1972	7	50	<10	5	120
177136	1077326	0.025	1	2.17	7	646	2	2	2.16	<4	10	26	10	1.90	<0.01	14	0.80	911	<1	46	469	9	1.71	<5	31	<10	462	2178	5	53	<10	5	125
177137	1077327	0.126	3	0.83	8	543	2	3	1.86	<4	10	31	18	1.87	<0.01	13	0.75	957	<1	54	457	9	2.04	<5	30	<10	426	1903	5	53	<10	4	123
177138	1077328	0.869	7	2.19	5	763	2	<1	1.45	10	10	31	390	2.24	<0.01	16	0.72	950	<1	55	481	8	2.17	<5	34	<10	439	2140	<2	57	29	4	2852
177139	1077329	0.075	2	1.71	10	814	<2	1	1.90	<4	11	25	24	2.04	<0.01	13	1.00	1076	<1	41	502	16	1.83	<5	27	<10	452	2155	<2	52	<10	5	392
177140	1077330	0.240	100	2.32	240	258	2	4	1.12	25	14	53	6176	5.37	<0.01	8	1.03	1654	15	27	467	10375	2.58	339	27	<10	201	1829	2	77	45	10	5325
177141	1077331	0.235	3	3.78	11	926	<2	<1	2.08	<4	11	38	24	2.18	<0.01	14	1.28	1225	<1	71	527	27	1.84	5	32	<10	491	2202	9	60	<10	5	182
177142	1077332	0.025	1	1.92	7	414	<2	1	1.77	<4	10	54	24	1.97	0.20	9	0.71	646	4	89	462	11	1.33	<5	32	<10	278	2194	<2	61	<10	5	85
177143	1077333	0.032	1	1.48	34	570	<2	2	1.85	<4	10	29	22	1.96	0.20	14	0.75	725	<1	45	511	17	1.70	<5	25	<10	287	2298	4	55	<10	4	87
177144	1077334	0.076	4	1.99	55	618	<2	2	1.17	9	10	39	139	2.19	<0.01	20	0.69	857	3	66	479	996	2.32	5	35	<10	219	2122	10	57	20	5	1830
177145D	1077334	0.102	4	2.21	53	588	<2	2	1.15	9	10	41	141	2.20	<0.01	18	0.71	837	3	69	469	997	2.23	5	34	<10	212	2050	2	56	19	5	1843
177146	1077335	0.019	<1	0.47	20	321	<2	2	0.89	<4	6	19	9	1.46	<0.01	8	0.92	561	<1	37	259	64	1.62	<5	25	<10	148	1160	11	28	<10	3	211
177147	1077336	0.046	1	2.21	25	434	2	3	2.10	6	6	30	57	1.82	<0.01	15	1.30	993	<1	50	304	218	1.56	<5	31	<10	235	1413	6	37	14	4	1352
177148	1077337	0.015	1	3.21	5	348	2	<1	1.69	<4	19	133	36	3.10	<0.01	16	1.12	603	<1	80	451	30	1.44	<5	40	<10	137	2357	<2	77	<10	8	102
177149	1077338	0.029	2	2.28	14	499	2	3	1.52	<4	17	106	42	2.51	<0.01	19	0.99	546	<1	79	382	54	1.87	<5	39	<10	172	1917	3	82	<10	6	124
177150	1077339	0.011	<1	1.51	13	514	2	<1	0.28	<4	6	32	4	1.01	<0.01	10	0.36	127	2	58	141	31	1.43	<5	32	<10	126	1545	<2	43	<10	3	98
177151	1077340	<0.005	<1	1.67	6	433	<2	<1	1.43	<4	12	40	49	3.23	<0.01	8	0.80	589	<1	29	524	11	1.39	<5	19	<10	255	2278	<2	86	<10	10	76
177152	1077341	0.006	1	2.19	11	622	2	1	0.71	<4	9	25	3	1.64	0.02	15	0.55	224	2	47	244	27	2.46	<5	35	<10	162	1589	<2	40	<10	4	69
177153	1077342	0.011	2	2.25	18	412	2	1	1.61	<4	11	58	37	3.60	<0.01	16	0.91	589	3	63	272	35	3.06	<5	31	<10	212	1605	2	49	<10	7	183
177154	1077343	<0.005	1	1.97	8	490	2	1	0.70	<4	9	34	8	0.85	0.03	13	0.33	163	3	68	<100	38	1.41	<5	39	<10	211	1506	<2	42	<10	3	144

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177155	1077344	<0.005	<1	2.17	11	435	2	1	1.12	<4	10	28	9	0.71	<0.01	10	0.37	153	2	56	190	14	1.43	<5	34	<10	260	1362	2	40	<10	3	180
177156D	1077344	<0.005	1	1.39	8	419	<2	2	1.06	<4	9	34	10	0.72	0.07	9	0.33	150	4	70	180	14	1.28	<5	32	<10	252	1310	6	43	<10	3	177
177157	1077345	<0.005	1	1.98	10	497	2	<1	1.12	<4	9	45	7	0.81	<0.01	13	0.32	149	7	90	255	10	1.54	<5	42	<10	255	1438	<2	49	<10	3	78
177158	1077346	0.006	1	1.61	9	458	2	2	1.18	<4	9	19	5	0.64	<0.01	12	0.30	132	<1	37	261	13	1.54	<5	34	<10	273	1436	<2	34	<10	3	79
177159	1077347	<0.005	<1	1.87	10	419	2	2	1.45	<4	11	23	4	0.73	<0.01	10	0.37	172	<1	45	215	13	1.17	<5	31	<10	347	1599	<2	39	<10	3	93
177160	1077348	<0.005	<1	2.12	12	480	2	<1	1.42	<4	11	30	8	0.79	<0.01	14	0.43	201	1	55	233	12	1.55	<5	40	<10	324	1669	<2	41	<10	3	397
177161	1077349	<0.005	1	2.16	10	461	2	<1	1.17	<4	9	21	7	0.68	<0.01	11	0.37	153	<1	40	281	12	1.51	<5	37	<10	311	1523	<2	36	<10	3	77
177162	1077350	5.216	2	2.95	459	1553	2	2	2.41	4	16	123	84	3.70	<0.01	16	1.13	510	10	52	827	30	1.95	41	34	<10	214	2062	3	132	16	13	260
177163	1077351	0.007	1	2.28	17	467	2	<1	1.16	<4	10	22	5	0.75	<0.01	14	0.50	229	<1	41	273	28	1.50	<5	34	<10	324	1605	<2	36	<10	3	152
177164	1077352	0.014	2	1.22	23	495	2	2	1.55	5	12	20	27	1.42	<0.01	12	0.70	497	<1	39	141	505	1.84	<5	36	<10	326	1326	2	35	<10	3	752
177165	1077353	<0.005	<1	2.64	27	483	<2	2	0.88	<4	11	30	3	1.24	<0.01	13	0.43	214	3	63	165	25	1.78	<5	41	<10	277	1632	<2	43	<10	3	84
177166	1077354	0.015	1	3.23	28	628	2	2	1.24	<4	11	34	12	0.98	<0.01	19	0.54	239	<1	45	263	33	1.67	<5	33	<10	288	1764	2	45	<10	4	132
177167D	1077354	0.006	<1	2.09	27	630	2	<1	1.18	<4	11	44	12	1.01	<0.01	19	0.49	243	2	59	263	31	1.51	<5	30	<10	282	1780	2	48	<10	4	128
177168	1077355	0.006	1	1.94	8	594	2	3	1.15	<4	8	31	8	0.89	<0.01	23	0.51	217	1	44	371	66	1.66	<5	39	<10	292	1678	8	42	<10	4	80
177169	1077356	0.006	1	1.84	14	572	2	<1	1.25	<4	9	23	10	0.61	<0.01	19	0.36	132	3	39	365	17	1.82	<5	39	<10	328	1684	<2	41	<10	3	59
177170	1077357	<0.005	1	2.31	9	549	2	<1	1.25	<4	6	35	11	0.65	<0.01	16	0.39	132	4	65	351	8	1.41	<5	35	<10	339	1564	7	44	<10	4	53
177171	1077358	<0.005	1	2.58	15	577	2	1	1.52	<4	8	32	11	0.69	<0.01	17	0.36	139	<1	51	392	16	1.37	<5	37	<10	402	1771	<2	33	<10	4	67
177172	1077359	<0.005	<1	2.02	11	587	2	1	1.55	<4	8	44	12	0.77	<0.01	16	0.40	167	4	73	348	15	1.32	<5	34	<10	397	1689	<2	34	<10	4	56
177173	1077360	<0.005	<1	2.22	6	452	<2	2	1.50	<4	13	42	51	3.39	<0.01	8	0.87	613	<1	30	549	9	1.27	<5	29	<10	267	2422	3	90	<10	11	79
177174	1077361	<0.005	<1	2.15	12	548	2	1	1.40	<4	7	29	8	0.62	<0.01	10	0.31	116	<1	46	328	15	1.09	<5	36	<10	414	1653	6	32	<10	3	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177175	1077362	0.005	1	1.54	12	576	2	1	1.42	<4	8	20	11	0.74	<0.01	14	0.35	130	<1	28	348	19	1.35	<5	29	<10	385	1727	2	33	<10	3	144
177176	1077363	<0.005	<1	2.44	6	666	2	<1	2.15	<4	10	42	5	1.94	<0.01	17	0.74	405	2	66	494	19	1.62	<5	33	<10	371	2209	3	43	<10	5	87
177177	1077364	0.011	1	3.14	11	621	2	<1	2.13	<4	8	30	24	1.91	<0.01	18	0.76	548	<1	46	484	37	1.96	<5	36	<10	260	2039	<2	40	<10	6	122
177178D	1077364	0.015	1	2.59	6	629	2	<1	2.25	<4	9	30	26	1.88	<0.01	15	0.71	553	<1	46	489	36	1.79	<5	36	<10	280	2127	<2	42	<10	5	105
177179	1077365	0.016	1	5.74	11	547	2	2	2.59	<4	9	30	11	1.97	<0.01	18	1.06	669	3	40	523	35	1.89	5	42	<10	235	2113	2	41	<10	6	255
177180	1077366	0.019	1	0.28	10	557	2	<1	2.14	<4	9	32	11	1.70	0.63	13	0.53	586	<1	45	450	33	1.35	<5	26	<10	188	2039	4	40	<10	4	114
177181	1077367	0.006	<1	1.76	5	498	2	3	2.26	<4	6	28	14	1.32	<0.01	10	0.55	371	<1	40	329	19	1.42	<5	33	<10	186	1410	<2	28	<10	4	83
177182	1077368	0.020	<1	1.69	8	375	2	3	2.54	<4	6	24	10	1.46	<0.01	9	0.57	424	<1	30	330	14	1.63	<5	27	<10	164	1413	4	28	<10	4	83
177183	1077369	0.024	1	3.52	30	395	2	<1	2.80	<4	9	25	13	2.04	<0.01	14	0.91	776	<1	29	376	22	2.23	<5	33	<10	147	1807	6	40	<10	5	104
177184	1077370	1.150	2	2.26	22	551	2	3	1.45	<4	16	54	574	3.60	<0.01	12	0.89	605	26	34	648	77	1.91	<5	34	<10	253	2173	<2	111	29	9	133
177185	1077371	0.040	1	2.75	29	405	2	1	0.99	<4	8	33	4	1.19	<0.01	10	0.54	280	3	53	436	31	1.98	5	36	<10	121	1920	4	37	<10	5	352
177186	1077372	0.106	2	2.14	45	378	2	1	0.50	<4	8	32	9	1.57	<0.01	6	0.48	201	<1	49	589	98	2.14	<5	33	<10	114	1866	<2	38	<10	4	135
177187	1077373	0.214	2	2.01	39	388	2	<1	0.61	<4	7	24	12	1.26	<0.01	11	0.53	333	<1	38	677	53	1.98	<5	34	<10	118	2250	7	41	<10	4	127
177188	1077374	0.198	2	2.05	33	379	2	<1	0.90	<4	7	20	5	1.20	0.02	13	0.64	486	<1	30	631	35	2.07	<5	28	<10	122	2143	18	39	<10	4	206
177189D	1077374	0.198	2	2.11	35	378	2	3	0.97	<4	7	23	5	1.23	<0.01	14	0.64	508	<1	32	591	35	1.99	<5	34	<10	123	2202	2	40	<10	5	211
177190	1077375	0.156	4	3.44	63	368	2	2	1.31	4	9	24	65	1.92	<0.01	16	0.92	723	<1	36	557	59	2.51	<5	33	<10	152	2141	7	40	10	5	769
177191	1077376	0.051	2	5.71	20	508	2	1	2.62	<4	8	31	29	1.45	<0.01	14	0.95	589	<1	42	673	27	1.88	<5	43	<10	161	2164	14	44	<10	7	81
177192	1077377	0.045	2	2.04	24	617	2	1	1.81	<4	7	19	16	1.21	<0.01	19	0.65	449	<1	26	561	138	1.91	<5	32	<10	165	2084	3	40	<10	5	186
177193	1077378	0.022	1	2.17	22	682	2	<1	1.33	<4	10	30	27	1.15	<0.01	15	0.60	378	<1	45	595	31	1.58	<5	30	<10	145	2136	8	39	<10	4	142
177194	1077379	0.030	1	1.52	23	592	2	<1	1.23	<4	12	15	15	1.06	<0.01	16	0.62	433	<1	27	582	44	1.73	<5	34	<10	139	2142	3	37	<10	4	196

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177195	1077380	<0.005	1	2.96	7	483	<2	1	1.59	<4	13	42	50	3.40	<0.01	12	0.89	618	<1	30	575	13	1.62	<5	31	<10	273	2481	<2	91	<10	11	82
177196	1077381	0.009	1	2.93	16	594	2	1	1.54	<4	10	14	14	1.20	<0.01	17	0.80	574	<1	25	653	40	1.66	<5	37	<10	160	2131	5	38	<10	5	92
177197	1077382	0.015	2	2.42	15	562	2	<1	2.06	<4	10	51	20	1.63	<0.01	14	0.86	596	<1	45	729	37	1.63	<5	36	<10	166	2042	7	42	<10	5	101
177198	1077383	0.013	2	3.01	16	519	2	1	0.95	<4	6	15	11	1.20	<0.01	15	0.69	470	<1	21	506	69	1.64	<5	29	<10	138	1729	6	30	<10	5	107
177199	1077384	0.104	4	1.55	20	475	2	2	1.02	<4	6	12	35	1.24	<0.01	15	0.67	598	<1	17	533	327	1.78	<5	33	<10	142	1680	3	29	<10	4	430
177200R	1077384	0.068	4	1.61	19	463	2	2	1.00	<4	6	10	32	1.16	<0.01	17	0.60	553	<1	16	438	286	2.20	<5	29	<10	143	1686	4	29	<10	4	327
177201	1077385	0.069	2	3.12	17	414	2	2	1.77	<4	7	16	11	1.53	<0.01	23	1.33	1341	<1	17	442	85	2.15	<5	41	<10	210	1766	16	33	<10	5	200
177202	1077386	0.020	2	2.22	16	415	2	1	1.56	<4	6	16	12	1.41	<0.01	23	1.16	1238	<1	17	429	65	2.01	<5	31	<10	206	1716	8	33	<10	5	169
177203	1077387	0.043	3	1.75	14	413	2	2	0.92	<4	6	12	14	1.25	<0.01	19	0.84	856	<1	15	438	78	1.77	<5	32	<10	194	1771	4	33	<10	4	127
177204	1077388	0.016	2	1.40	15	467	2	2	0.70	<4	6	11	32	1.23	<0.01	17	0.47	694	<1	17	475	18	1.90	<5	32	<10	187	1792	<2	35	<10	4	81
177205	1077389	0.016	2	2.15	12	474	2	1	0.76	<4	6	13	16	1.41	<0.01	16	0.48	647	<1	21	479	18	1.61	<5	33	<10	181	1869	<2	36	<10	4	76
177206	1077390	0.252	100	1.31	230	364	<2	4	1.07	25	13	51	6276	5.21	<0.01	9	0.92	1609	16	26	452	10698	2.50	330	23	<10	197	1784	8	76	44	8	5205
177207	1077391	0.038	2	2.18	7	409	2	<1	0.99	<4	7	14	79	1.67	<0.01	16	0.57	962	<1	18	620	92	1.75	<5	30	<10	179	1882	6	38	<10	4	126
177208	1077392	0.070	2	2.51	25	360	2	<1	0.94	<4	7	11	15	1.70	0.05	13	0.60	1011	<1	15	609	26	1.69	<5	33	<10	177	1876	9	36	<10	4	90
177209	1077393	0.110	2	2.56	27	402	2	<1	1.05	<4	6	12	21	1.48	<0.01	18	0.73	1051	<1	19	468	27	1.66	<5	36	<10	169	1843	14	31	<10	4	118
177210	1077394	0.403	2	2.73	26	324	2	<1	0.76	<4	5	10	8	1.25	<0.01	14	0.70	804	<1	15	408	81	1.51	5	32	<10	150	1677	3	29	<10	4	104
177211D	1077394	0.405	2	2.16	25	299	2	2	0.65	<4	5	10	8	1.20	0.03	12	0.67	725	<1	16	403	75	1.42	<5	30	<10	135	1552	4	27	<10	4	104
177212	1077395	0.422	2	2.11	19	299	<2	2	0.87	<4	6	8	8	1.21	0.02	17	0.90	1108	<1	11	400	69	1.63	<5	32	<10	144	1713	20	28	<10	3	149
177213	1077396	0.439	3	2.29	31	386	2	<1	0.90	<4	6	13	3	1.40	<0.01	21	0.78	1073	<1	17	399	122	1.71	<5	35	<10	136	1870	10	31	<10	4	305
177214	1077397	0.397	2	2.36	25	403	2	2	1.15	<4	6	12	10	1.37	<0.01	19	0.78	1193	<1	15	438	92	1.87	<5	34	<10	142	1910	11	34	<10	4	161

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177215	1077398	0.243	2	2.82	31	417	2	<1	1.28	<4	7	10	21	1.34	<0.01	19	0.83	1116	<1	14	470	54	2.03	<5	31	<10	141	1953	10	31	<10	4	109
177216	1077399	0.238	3	1.97	35	454	2	<1	0.67	<4	6	13	17	1.30	<0.01	16	0.51	518	<1	16	439	226	2.10	<5	37	<10	131	1895	7	31	<10	4	490
177217	1077400	<0.005	<1	1.70	5	440	<2	3	1.45	<4	12	41	50	3.25	<0.01	10	0.79	593	<1	28	527	14	1.30	<5	28	<10	259	2340	6	87	<10	10	80
177218	1077401	0.366	3	1.94	28	364	2	<1	0.49	<4	5	11	26	1.08	<0.01	14	0.54	409	<1	15	425	209	2.17	<5	39	<10	121	1753	5	28	<10	4	344
177219	1077402	0.296	19	2.52	55	332	2	1	0.14	19	6	15	127	1.62	<0.01	14	0.38	183	2	17	364	3077	2.92	20	32	<10	94	1541	7	27	73	5	7832
177220	1077403	0.016	4	2.24	55	357	2	2	0.42	<4	7	22	29	1.54	0.09	17	0.51	346	<1	24	443	209	2.47	<5	24	<10	152	1847	<2	33	<10	4	287
177221	1077404	0.658	12	2.44	53	475	2	<1	0.26	9	7	27	21	1.56	<0.01	16	0.45	333	2	34	409	1291	2.42	15	33	<10	130	1874	<2	34	25	4	2274
177222D	1077404	0.683	11	1.85	55	464	2	4	0.26	8	7	27	20	1.48	0.04	17	0.41	319	3	33	389	1245	2.52	12	33	<10	127	1778	<2	33	22	4	2183
177223	1077405	0.077	2	3.26	15	512	2	1	1.86	<4	9	34	17	1.82	<0.01	21	1.48	1140	<1	37	549	81	1.87	<5	36	<10	221	1855	9	41	<10	6	256
177224	1077406	0.125	2	2.46	14	531	2	1	1.89	<4	9	36	15	1.79	<0.01	20	1.40	1179	<1	40	541	77	1.77	<5	40	<10	230	1900	5	43	<10	6	272
177225	1077407	0.138	<1	2.09	12	313	2	<1	1.73	<4	6	30	3	1.22	0.16	19	1.47	958	<1	33	373	88	1.28	<5	37	<10	215	1731	14	35	<10	4	269
177226	1077408	0.080	4	3.20	13	370	2	2	0.84	<4	6	34	21	0.87	<0.01	24	0.86	445	<1	40	447	337	1.71	5	42	<10	142	1847	8	36	13	5	631
177227	1077409	0.011	1	1.70	8	335	2	<1	1.28	<4	6	29	8	1.36	<0.01	23	0.78	637	<1	36	329	35	2.29	<5	40	<10	153	1737	6	32	<10	5	107
177228	1077410	3.894	2	2.71	478	1673	2	4	2.57	4	15	131	89	3.87	<0.01	19	1.10	534	13	54	841	34	2.21	39	30	<10	227	1989	8	137	13	12	266
177229	1077411	0.011	2	1.85	18	502	2	<1	1.31	<4	8	28	14	2.27	<0.01	27	0.63	509	3	33	434	17	2.11	<5	32	<10	200	2373	3	45	<10	5	118
177230	1077412	0.011	1	2.43	6	483	2	2	1.78	<4	7	19	5	2.46	<0.01	19	0.74	673	<1	25	411	14	1.73	<5	34	<10	207	1932	2	37	<10	6	144
177231	1077413	0.011	1	2.49	5	532	<2	<1	1.46	<4	8	19	4	2.40	<0.01	16	0.56	492	<1	27	411	17	1.78	<5	30	<10	215	1997	<2	38	<10	6	104
177232	1077414	0.014	1	1.90	13	242	<2	3	1.17	<4	9	18	13	4.15	<0.01	11	0.49	355	2	31	384	17	3.18	<5	25	<10	198	1488	<2	32	<10	4	99
177233D	1077414	0.009	1	2.08	14	249	2	<1	1.24	<4	8	19	13	4.23	<0.01	14	0.51	366	3	30	391	21	3.53	<5	29	<10	210	1552	<2	34	<10	4	101
177234	1077415	0.007	1	2.18	9	492	<2	2	1.12	<4	8	20	8	1.67	<0.01	14	0.49	296	<1	30	431	12	1.65	<5	34	<10	224	1588	2	41	<10	4	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177235	1077416	<0.005	1	2.20	5	508	2	3	1.33	<4	5	19	5	1.42	0.22	18	0.56	289	<1	27	437	9	1.88	<5	38	<10	244	1435	<2	41	<10	4	66
177236	1077417	0.013	<1	1.86	3	504	<2	<1	0.89	<4	5	14	6	1.03	0.48	15	0.43	219	<1	22	399	4	1.12	<5	33	<10	219	1584	<2	38	<10	3	49
177237	1077418	0.012	1	2.22	3	679	2	<1	1.89	<4	8	22	6	2.30	<0.01	22	0.56	415	<1	28	478	10	1.72	<5	34	<10	304	2694	<2	55	<10	4	77
177238	1077419	<0.005	1	0.81	10	500	<2	1	1.32	<4	6	21	5	1.12	<0.01	13	0.26	274	<1	27	387	8	1.41	<5	31	<10	208	1767	<2	41	<10	3	61
177239	1077420	<0.005	1	1.95	4	447	2	1	1.45	<4	13	42	50	3.29	<0.01	8	0.83	601	<1	31	545	9	1.33	5	33	<10	261	2406	5	89	<10	10	81
177240	1077421	0.024	1	2.98	3	453	2	2	1.67	<4	9	16	5	4.14	<0.01	19	0.63	912	<1	23	416	12	1.72	<5	32	<10	212	2286	5	41	<10	6	123
177241	1077422	0.010	1	3.21	3	494	2	1	1.59	<4	9	16	9	3.26	<0.01	25	0.70	775	<1	23	437	7	1.46	<5	29	<10	215	2419	<2	43	<10	6	125
177242	1077423	<0.005	1	2.10	4	464	<2	<1	1.60	<4	7	14	6	2.39	<0.01	19	0.68	554	<1	20	414	9	1.26	<5	30	<10	196	2241	2	43	<10	5	96
177243	1077424	<0.005	2	4.53	7	552	2	1	1.67	<4	7	21	8	1.50	<0.01	24	0.86	367	<1	31	560	10	1.70	<5	36	<10	214	2500	2	52	<10	5	86
177244D	1077424	<0.005	2	3.38	7	572	2	1	1.67	<4	7	21	7	1.46	<0.01	24	0.77	366	<1	30	543	11	1.52	5	38	<10	218	2627	<2	55	<10	4	73
177245	1077425	<0.005	1	3.10	16	351	2	<1	2.22	<4	6	17	3	1.39	<0.01	14	0.72	389	<1	28	399	14	1.76	<5	36	<10	211	1523	<2	35	<10	4	68
177246	1077426	<0.005	1	2.91	16	335	2	<1	2.16	<4	6	18	3	1.35	<0.01	14	0.69	388	<1	26	394	14	1.75	<5	31	<10	211	1456	4	33	<10	4	69
177247	1077427	0.019	2	3.65	20	296	2	<1	0.08	<4	6	23	2	0.86	<0.01	12	0.37	130	1	29	416	17	1.95	<5	37	<10	85	1712	4	36	<10	4	70
177248	1077428	0.140	13	3.96	28	238	2	1	0.02	<4	5	14	9	0.98	<0.01	12	0.39	<100	<1	21	399	37	2.10	6	38	<10	78	1512	2	30	<10	4	106
177249	1077429	0.008	4	4.21	31	221	2	<1	1.70	<4	6	19	23	1.36	<0.01	21	1.11	887	<1	26	444	38	1.98	<5	35	<10	165	1648	19	32	<10	5	82
177250	1077430	0.775	2	3.22	27	558	2	2	1.49	<4	16	57	619	3.74	<0.01	10	0.99	627	24	35	693	84	1.80	7	35	<10	253	2075	3	112	30	11	166
177251	1077431	0.034	4	3.37	26	236	2	1	1.61	<4	6	18	25	1.33	<0.01	20	1.08	919	<1	28	433	36	1.83	5	36	<10	157	1740	16	34	<10	4	83
177252	1077432	<0.005	2	2.74	7	227	2	2	1.91	<4	7	13	7	1.37	<0.01	19	0.99	670	<1	19	384	17	1.70	<5	33	<10	139	1568	3	29	<10	4	65
177253	1077433	0.020	4	2.25	25	264	2	2	0.54	<4	9	16	6	1.94	<0.01	16	0.54	297	<1	26	397	35	2.66	<5	33	<10	116	1731	<2	34	<10	4	149
177254	1077434	0.035	13	4.36	29	279	2	<1	0.31	<4	7	18	11	1.51	<0.01	16	0.52	186	2	28	402	60	2.69	5	33	<10	122	1614	2	32	<10	5	329

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177255D	1077434	0.037	13	4.41	30	281	2	<1	0.27	<4	8	18	12	1.56	<0.01	16	0.52	193	2	27	401	60	2.34	<5	38	<10	119	1706	<2	34	<10	4	336
177256	1077435	<0.005	2	3.25	18	306	2	<1	1.66	<4	6	16	3	1.56	<0.01	19	0.87	572	<1	21	407	21	2.40	<5	38	<10	216	1729	6	34	<10	5	61
177257	1077436	<0.005	2	2.85	15	354	2	2	1.76	<4	6	23	3	1.40	<0.01	18	0.77	321	<1	32	419	14	2.22	<5	31	<10	250	1803	<2	39	<10	4	59
177258	1077437	<0.005	3	2.87	15	314	<2	2	2.65	<4	8	27	6	1.46	<0.01	17	1.21	593	<1	45	342	53	1.97	<5	32	<10	253	1488	19	38	<10	5	95
177259	1077438	<0.005	2	3.42	27	541	2	1	1.10	<4	17	35	8	1.10	<0.01	20	0.80	230	2	72	506	18	1.70	<5	38	<10	277	1896	3	51	<10	4	387
177260	1077439	<0.005	<1	3.04	26	515	2	<1	1.43	<4	14	43	6	0.98	0.06	19	0.96	246	4	98	554	14	1.40	<5	41	<10	292	1545	14	56	<10	4	57
177261	1077440	<0.005	1	3.21	5	457	2	<1	1.58	<4	13	43	49	3.42	0.07	12	0.89	581	<1	32	603	12	1.71	<5	32	<10	276	2228	<2	91	<10	11	83
177262	1077441	<0.005	<1	2.31	21	453	2	1	1.08	<4	12	27	6	0.77	0.12	17	0.65	162	2	61	524	16	1.67	<5	35	<10	289	1283	3	48	<10	4	45
177263	1077442	<0.005	1	3.05	26	452	2	2	1.71	<4	9	20	5	0.71	<0.01	13	0.48	139	<1	42	574	10	1.76	<5	40	<10	349	1366	7	46	<10	4	45
177264	1077443	<0.005	<1	2.34	31	416	2	2	1.78	<4	10	26	4	0.84	<0.01	13	0.43	181	2	53	570	15	1.76	<5	37	<10	345	1544	<2	48	<10	4	43
177265	1077444	<0.005	1	2.77	12	464	2	<1	1.09	<4	7	64	5	2.10	<0.01	17	0.60	332	12	128	692	19	2.35	<5	30	<10	280	1568	2	71	<10	5	54
177266R	1077444	0.007	<1	3.88	12	427	2	1	1.11	<4	7	26	2	1.94	<0.01	14	0.68	319	<1	46	736	17	2.08	<5	36	<10	277	1473	<2	47	<10	6	49
177267	1077445	0.037	2	3.92	11	472	2	2	1.46	<4	20	126	40	3.78	<0.01	29	1.23	546	2	91	609	20	2.82	5	36	<10	296	2194	10	94	<10	8	111
177268	1077446	0.026	1	3.42	11	473	2	3	1.43	<4	21	128	40	3.90	<0.01	29	1.26	563	3	94	597	22	2.68	<5	30	<10	291	2269	8	95	<10	8	113
177269	1077447	0.045	2	3.33	8	359	2	<1	1.49	<4	21	158	51	3.95	<0.01	26	1.42	576	2	108	548	28	2.69	<5	35	<10	278	2076	3	97	<10	8	116
177270	1077448	0.028	2	3.11	16	541	2	4	1.89	<4	27	173	62	4.22	<0.01	26	1.33	661	2	107	571	37	2.92	<5	28	<10	335	2588	4	117	<10	9	132
177271	1077449	0.040	3	2.98	86	442	2	<1	1.00	<4	21	148	53	3.78	<0.01	24	0.73	449	11	109	543	85	3.89	5	30	<10	205	2426	<2	104	<10	7	239
177272	1077450	0.259	107	3.07	276	377	2	4	1.31	29	16	58	6212	6.00	<0.01	16	1.09	1868	23	29	597	10410	3.30	386	28	<10	233	2182	<2	88	52	9	5050
177273	1077451	0.012	3	2.58	39	666	2	<1	1.50	<4	10	24	11	2.13	<0.01	18	0.45	373	5	43	610	36	2.96	<5	33	<10	232	2039	<2	48	<10	4	122
177274	1077452	0.027	6	2.20	37	726	2	<1	1.12	<4	10	25	5	1.94	<0.01	15	0.43	351	4	46	571	27	2.60	<5	29	<10	194	2188	4	49	<10	4	108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177275	1077453	0.010	3	2.43	39	752	2	2	1.08	<4	10	26	7	1.92	<0.01	16	0.60	510	2	47	593	20	2.50	<5	31	<10	166	2260	4	52	<10	4	100
177276	1077454	0.034	5	3.37	32	625	2	<1	1.18	<4	9	30	3	1.88	0.04	14	0.47	373	4	60	563	31	2.41	<5	36	<10	171	1874	3	49	<10	5	105
177277D	1077454	0.038	4	2.45	37	700	2	1	1.17	<4	9	25	3	1.84	<0.01	17	0.42	399	4	49	553	32	2.45	<5	34	<10	183	2045	2	49	<10	4	106
177278	1077455	0.061	5	3.54	54	588	2	2	1.01	<4	15	69	25	2.69	<0.01	19	0.62	423	5	73	592	29	2.84	<5	32	<10	174	2235	<2	68	<10	6	95
177279	1077456	0.037	6	3.80	42	200	2	1	2.75	<4	22	151	87	3.94	<0.01	20	1.25	1080	<1	89	610	44	3.02	<5	31	<10	220	2545	10	92	<10	10	143
177280	1077457	0.026	2	4.09	49	404	2	2	1.92	<4	14	57	36	2.82	<0.01	17	0.94	680	<1	49	559	93	2.74	5	38	<10	212	2090	6	52	<10	7	214
177281	1077458	0.023	2	3.38	21	449	2	<1	1.96	<4	10	36	23	2.04	<0.01	14	1.06	748	<1	41	512	76	1.85	<5	36	<10	220	1743	8	38	<10	6	241
177282	1077459	0.017	1	3.48	7	538	2	<1	2.36	<4	10	16	5	2.04	<0.01	21	1.20	711	<1	25	690	35	1.65	<5	39	<10	249	2105	10	39	<10	5	145
177283	1077460	<0.005	<1	2.21	5	397	<2	2	1.31	<4	11	36	44	3.01	0.06	7	0.81	539	<1	26	518	9	1.35	<5	29	<10	232	2028	<2	78	<10	10	75
177284	1077461	0.014	1	3.96	8	524	<2	<1	2.61	<4	9	17	3	2.23	<0.01	17	1.35	712	<1	26	590	15	1.71	<5	31	<10	217	1861	11	36	<10	6	101
177285	1077462	0.007	1	2.50	4	556	<2	<1	1.74	<4	8	19	1	1.77	<0.01	16	0.93	429	<1	25	541	14	1.49	<5	35	<10	180	1793	6	34	<10	5	78
177286	1077463	0.023	2	2.45	4	525	2	2	1.46	<4	21	116	39	3.35	<0.01	23	1.14	555	<1	74	501	31	1.94	<5	31	<10	185	2590	9	82	<10	8	132
177287	1077464	0.016	1	2.45	39	365	2	<1	0.54	<4	9	26	10	1.43	<0.01	7	0.30	111	<1	36	451	37	1.97	<5	37	<10	145	1614	<2	32	<10	5	101
177288D	1077464	0.014	1	2.95	38	395	2	<1	0.58	<4	9	30	10	1.45	<0.01	7	0.31	116	1	42	461	41	2.12	<5	35	<10	159	1737	3	35	<10	5	100
177289	1077465	0.006	2	3.05	8	439	2	<1	2.16	<4	8	25	17	1.52	0.13	18	0.97	538	<1	34	570	54	1.54	<5	35	<10	191	1895	13	38	<10	5	188
177290	1077466	0.006	2	2.72	7	415	2	2	2.28	<4	9	25	17	1.60	0.08	20	1.05	576	<1	32	523	60	1.69	<5	36	<10	203	1949	3	39	<10	4	170
177291	1077467	0.022	5	4.25	11	363	<2	<1	2.47	5	9	27	42	2.05	<0.01	15	1.31	591	<1	37	460	806	1.68	<5	31	<10	156	1664	2	33	13	6	900
177292	1077468	0.006	1	3.22	9	370	2	2	2.12	<4	11	25	28	2.04	0.31	18	1.08	542	<1	33	898	36	1.67	<5	37	<10	136	2355	12	43	<10	5	132
177293	1077469	0.006	1	1.93	11	378	2	2	1.27	<4	10	25	9	1.26	<0.01	8	0.69	286	<1	34	372	31	1.42	<5	32	<10	116	1418	<2	28	<10	4	77
177294	1077470	5.298	2	1.10	403	1086	<2	2	1.91	<4	13	108	74	3.20	0.24	11	0.87	449	8	47	749	26	1.83	39	32	<10	177	1826	<2	115	10	9	228

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177295	1077471	0.008	1	3.00	8	448	2	1	2.22	<4	9	26	13	1.83	<0.01	17	1.12	428	<1	34	515	28	1.52	5	35	<10	151	2060	5	40	<10	5	90
177296	1077472	0.026	<1	2.33	26	425	2	1	0.37	<4	10	16	3	1.13	<0.01	12	0.35	104	<1	22	468	16	1.67	<5	32	<10	110	1863	2	35	<10	4	72
177297	1077473	0.018	2	2.96	13	379	2	1	2.78	<4	10	23	16	1.86	<0.01	15	1.17	634	<1	32	513	86	1.86	<5	35	<10	155	1834	10	37	<10	5	316
177298	1077474	0.259	4	2.60	90	412	2	2	0.34	4	20	19	52	1.64	<0.01	9	0.32	120	<1	38	511	222	2.22	5	33	<10	109	1785	<2	35	15	5	809
177299D	1077474	0.257	5	2.81	97	438	2	2	0.37	4	21	19	56	1.75	0.02	10	0.32	120	<1	38	533	238	2.50	5	34	<10	124	1833	<2	36	13	5	838
177300	1077475	0.056	1	3.67	42	464	2	<1	0.38	<4	10	19	17	1.29	0.02	8	0.37	133	<1	28	595	31	1.78	<5	37	<10	124	1806	4	37	<10	5	91
177301	1077476	0.130	2	2.70	60	428	2	3	0.02	<4	10	21	4	1.76	<0.01	6	0.26	<100	2	36	511	22	2.50	<5	31	<10	98	1616	<2	36	<10	4	175
177302	1077477	0.282	2	2.39	31	420	2	<1	0.27	<4	8	16	16	1.06	0.20	8	0.34	<100	<1	24	509	27	1.93	<5	37	<10	138	1467	<2	34	<10	4	87
177303	1077478	0.227	1	2.54	46	405	2	<1	0.14	<4	8	13	7	1.24	<0.01	6	0.34	<100	<1	18	468	29	2.11	<5	29	<10	109	1357	<2	33	<10	4	66
177304	1077479	0.465	1	2.75	37	445	2	2	0.31	<4	8	16	8	1.36	<0.01	6	0.39	109	<1	23	532	42	1.82	<5	34	<10	134	1482	<2	35	<10	5	60
177305	1077480	0.006	<1	2.99	4	446	<2	<1	1.46	<4	12	39	48	3.27	<0.01	8	0.90	589	<1	28	566	9	1.37	<5	32	<10	257	2204	<2	86	<10	11	79
177306	1077481	0.131	2	3.00	33	504	2	1	1.14	<4	8	24	18	1.64	<0.01	11	0.76	373	<1	31	554	52	1.98	<5	38	<10	139	1579	2	40	<10	5	160
177307	1077482	0.136	2	3.75	55	486	2	2	0.17	<4	9	17	17	1.50	<0.01	9	0.36	<100	<1	20	524	50	2.34	<5	33	<10	107	1444	<2	36	<10	5	187
177308	1077483	0.317	3	3.31	51	585	2	1	0.02	<4	9	35	11	1.58	<0.01	8	0.29	<100	4	51	528	79	2.24	5	39	<10	99	1657	<2	41	<10	4	167
177309	1077484	0.024	1	2.69	47	499	2	2	2.09	<4	8	28	7	1.80	0.04	11	1.10	841	<1	32	570	60	2.24	<5	42	<10	148	1407	2	40	<10	4	94
177310D	1077484	0.021	1	2.57	44	509	2	2	2.07	<4	9	28	8	1.79	<0.01	12	1.06	849	<1	30	571	57	2.30	<5	35	<10	150	1461	9	41	<10	4	87
177311	1077485	0.042	2	1.82	31	569	2	1	0.05	<4	8	21	9	1.25	<0.01	8	0.29	<100	<1	33	552	53	1.99	5	32	<10	89	1651	<2	37	<10	3	189
177312	1077486	0.033	7	1.71	44	582	2	<1	0.08	<4	8	25	33	1.34	<0.01	10	0.28	<100	3	41	563	124	2.41	13	34	<10	96	1687	<2	38	<10	3	204
177313	1077487	0.039	1	2.19	214	578	2	2	<0.01	<4	10	25	78	1.41	<0.01	9	0.28	<100	2	43	565	37	2.02	<5	37	<10	92	1696	<2	37	<10	3	80
177314	1077488	0.032	2	2.10	36	668	2	<1	1.27	<4	12	45	21	1.70	0.03	11	0.74	310	2	64	994	67	2.02	<5	31	<10	178	1774	11	53	<10	5	95

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
177315	1077489	0.150	7	1.91	39	449	2	<1	<0.01	5	8	35	30	1.85	<0.01	7	0.26	<100	7	55	282	960	2.52	9	37	<10	93	1305	6	45	15	3	1090
177316	1077490	1.196	2	1.93	24	575	2	1	1.42	<4	16	57	596	3.58	<0.01	10	0.80	623	28	35	689	86	2.06	<5	33	<10	251	2218	<2	113	32	7	138
177317	1077491	0.235	7	1.74	58	495	2	1	<0.01	4	11	48	290	1.76	<0.01	8	0.26	<100	7	54	525	671	2.67	11	34	<10	96	1340	<2	53	<10	3	595
177318	1077492	0.053	1	2.03	75	469	2	2	<0.01	<4	14	74	43	1.89	<0.01	8	0.28	<100	12	105	529	55	2.49	<5	30	<10	95	1351	<2	67	<10	3	239
177319	1077493	0.116	1	2.24	101	486	2	<1	<0.01	<4	21	161	63	2.57	<0.01	5	0.28	<100	13	153	570	45	2.29	<5	28	<10	86	1428	7	108	<10	4	175
177320	1077494	0.244	5	1.98	83	404	2	<1	0.57	10	15	67	235	3.18	<0.01	7	0.52	263	7	84	511	1694	3.05	14	31	<10	110	1299	<2	61	21	5	1932
177321D	1077494	0.247	4	2.93	76	474	2	<1	0.67	10	15	70	233	3.13	<0.01	13	0.55	267	8	83	507	1646	3.37	15	35	<10	121	1417	<2	64	21	5	1912
177322	1077495	0.074	2	3.07	40	757	2	1	0.54	<4	9	34	20	1.58	<0.01	14	0.48	218	5	61	516	80	2.28	<5	36	<10	124	1923	<2	50	<10	4	221
177323	1077496	0.025	1	7.66	20	916	2	2	4.55	<4	20	61	31	3.00	0.13	18	2.51	794	<1	96	2165	46	1.70	<5	39	<10	288	3082	7	75	<10	17	220
177324	1077497	0.048	2	2.49	55	828	2	2	0.18	14	8	38	13	1.46	<0.01	9	0.31	105	8	75	468	67	2.17	<5	38	<10	127	1685	<2	50	34	4	2875
177325	1077498	0.025	1	2.86	15	672	2	1	1.77	<4	12	91	23	2.28	<0.01	14	0.93	649	17	186	779	71	2.04	<5	33	<10	160	2080	4	84	<10	5	176
177326	1077499	0.010	1	3.70	10	647	2	1	1.35	<4	9	42	30	1.65	<0.01	14	0.78	506	5	81	545	42	1.66	<5	37	<10	137	1851	5	53	<10	5	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 4, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177135	1077325	31	<0.001	0.031
177136	1077326	25	<0.001	0.025
177137	1077327	126	0.004	0.126
177138	1077328	869	0.025	0.869
177139	1077329	75	0.002	0.075
177140	1077330	240	0.007	0.240
177141	1077331	235	0.007	0.235
177142	1077332	25	<0.001	0.025
177143	1077333	32	<0.001	0.032
177144	1077334	76	0.002	0.076
177145 Dup	1077334	102	0.003	0.102
177146	1077335	19	<0.001	0.019
177147	1077336	46	0.001	0.046
177148	1077337	15	<0.001	0.015
177149	1077338	29	<0.001	0.029
177150	1077339	11	<0.001	0.011
177151	1077340	<5	<0.001	<0.005
177152	1077341	6	<0.001	0.006
177153	1077342	11	<0.001	0.011
177154	1077343	<5	<0.001	<0.005
177155	1077344	<5	<0.001	<0.005
177156 Dup	1077344	<5	<0.001	<0.005
177157	1077345	<5	<0.001	<0.005
177158	1077346	6	<0.001	0.006
177159	1077347	<5	<0.001	<0.005
177160	1077348	<5	<0.001	<0.005
177161	1077349	<5	<0.001	<0.005
177162	1077350	5216	0.152	5.216
177163	1077351	7	<0.001	0.007
177164	1077352	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 4, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177165	1077353	<5	<0.001	<0.005
177166	1077354	15	<0.001	0.015
177167 Dup	1077354	6	<0.001	0.006
177168	1077355	6	<0.001	0.006
177169	1077356	6	<0.001	0.006
177170	1077357	<5	<0.001	<0.005
177171	1077358	<5	<0.001	<0.005
177172	1077359	<5	<0.001	<0.005
177173	1077360	<5	<0.001	<0.005
177174	1077361	<5	<0.001	<0.005
177175	1077362	5	<0.001	0.005
177176	1077363	<5	<0.001	<0.005
177177	1077364	11	<0.001	0.011
177178 Dup	1077364	15	<0.001	0.015
177179	1077365	16	<0.001	0.016
177180	1077366	19	<0.001	0.019
177181	1077367	6	<0.001	0.006
177182	1077368	20	<0.001	0.020
177183	1077369	24	<0.001	0.024
177184	1077370	1150	0.034	1.150
177185	1077371	40	0.001	0.040
177186	1077372	106	0.003	0.106
177187	1077373	214	0.006	0.214
177188	1077374	198	0.006	0.198
177189 Dup	1077374	198	0.006	0.198
177190	1077375	156	0.005	0.156
177191	1077376	51	0.001	0.051
177192	1077377	45	0.001	0.045
177193	1077378	22	<0.001	0.022
177194	1077379	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 4, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177195	1077380	<5	<0.001	<0.005
177196	1077381	9	<0.001	0.009
177197	1077382	15	<0.001	0.015
177198	1077383	13	<0.001	0.013
177199	1077384	104	0.003	0.104
177200 Rep	1077384	68	0.002	0.068
177201	1077385	69	0.002	0.069
177202	1077386	20	<0.001	0.020
177203	1077387	43	0.001	0.043
177204	1077388	16	<0.001	0.016
177205	1077389	16	<0.001	0.016
177206	1077390	252	0.007	0.252
177207	1077391	38	0.001	0.038
177208	1077392	70	0.002	0.070
177209	1077393	110	0.003	0.110
177210	1077394	403	0.012	0.403
177211 Dup	1077394	405	0.012	0.405
177212	1077395	422	0.012	0.422
177213	1077396	439	0.013	0.439
177214	1077397	397	0.012	0.397
177215	1077398	243	0.007	0.243
177216	1077399	238	0.007	0.238
177217	1077400	<5	<0.001	<0.005
177218	1077401	366	0.011	0.366
177219	1077402	296	0.009	0.296
177220	1077403	16	<0.001	0.016
177221	1077404	658	0.019	0.658
177222 Dup	1077404	683	0.020	0.683
177223	1077405	77	0.002	0.077
177224	1077406	125	0.004	0.125

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 4, 2011


### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/21/2011  
Date Completed: 08/04/2011  
Job #: 201142714  
Reference: TL11190  
Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177225	1077407	138	0.004	0.138
177226	1077408	80	0.002	0.080
177227	1077409	11	<0.001	0.011
177228	1077410	3894	0.114	3.894
177229	1077411	11	<0.001	0.011
177230	1077412	11	<0.001	0.011
177231	1077413	11	<0.001	0.011
177232	1077414	14	<0.001	0.014
177233 Dup	1077414	9	<0.001	0.009
177234	1077415	7	<0.001	0.007
177235	1077416	<5	<0.001	<0.005
177236	1077417	13	<0.001	0.013
177237	1077418	12	<0.001	0.012
177238	1077419	<5	<0.001	<0.005
177239	1077420	<5	<0.001	<0.005
177240	1077421	24	<0.001	0.024
177241	1077422	10	<0.001	0.010
177242	1077423	<5	<0.001	<0.005
177243	1077424	<5	<0.001	<0.005
177244 Dup	1077424	<5	<0.001	<0.005
177245	1077425	<5	<0.001	<0.005
177246	1077426	<5	<0.001	<0.005
177247	1077427	19	<0.001	0.019
177248	1077428	140	0.004	0.140
177249	1077429	8	<0.001	0.008
177250	1077430	775	0.023	0.775
177251	1077431	34	<0.001	0.034
177252	1077432	<5	<0.001	<0.005
177253	1077433	20	<0.001	0.020
177254	1077434	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, August 4, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177255 Dup	1077434	37	0.001	0.037
177256	1077435	<5	<0.001	<0.005
177257	1077436	<5	<0.001	<0.005
177258	1077437	<5	<0.001	<0.005
177259	1077438	<5	<0.001	<0.005
177260	1077439	<5	<0.001	<0.005
177261	1077440	<5	<0.001	<0.005
177262	1077441	<5	<0.001	<0.005
177263	1077442	<5	<0.001	<0.005
177264	1077443	<5	<0.001	<0.005
177265	1077444	<5	<0.001	<0.005
177266 Rep	1077444	7	<0.001	0.007
177267	1077445	37	0.001	0.037
177268	1077446	26	<0.001	0.026
177269	1077447	45	0.001	0.045
177270	1077448	28	<0.001	0.028
177271	1077449	40	0.001	0.040
177272	1077450	259	0.008	0.259
177273	1077451	12	<0.001	0.012
177274	1077452	27	<0.001	0.027
177275	1077453	10	<0.001	0.010
177276	1077454	34	<0.001	0.034
177277 Dup	1077454	38	0.001	0.038
177278	1077455	61	0.002	0.061
177279	1077456	37	0.001	0.037
177280	1077457	26	<0.001	0.026
177281	1077458	23	<0.001	0.023
177282	1077459	17	<0.001	0.017
177283	1077460	<5	<0.001	<0.005
177284	1077461	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, August 4, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177285	1077462	7	<0.001	0.007
177286	1077463	23	<0.001	0.023
177287	1077464	16	<0.001	0.016
177288 Dup	1077464	14	<0.001	0.014
177289	1077465	6	<0.001	0.006
177290	1077466	6	<0.001	0.006
177291	1077467	22	<0.001	0.022
177292	1077468	6	<0.001	0.006
177293	1077469	6	<0.001	0.006
177294	1077470	5298	0.155	5.298
177295	1077471	8	<0.001	0.008
177296	1077472	26	<0.001	0.026
177297	1077473	18	<0.001	0.018
177298	1077474	259	0.008	0.259
177299 Dup	1077474	257	0.008	0.257
177300	1077475	56	0.002	0.056
177301	1077476	130	0.004	0.130
177302	1077477	282	0.008	0.282
177303	1077478	227	0.007	0.227
177304	1077479	465	0.014	0.465
177305	1077480	6	<0.001	0.006
177306	1077481	131	0.004	0.131
177307	1077482	136	0.004	0.136
177308	1077483	317	0.009	0.317
177309	1077484	24	<0.001	0.024
177310 Dup	1077484	21	<0.001	0.021
177311	1077485	42	0.001	0.042
177312	1077486	33	<0.001	0.033
177313	1077487	39	0.001	0.039
177314	1077488	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 4, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/21/2011  
 Date Completed: 08/04/2011  
 Job #: 201142714  
 Reference: TL11190  
 Sample #: 175

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
177315	1077489	150	0.004	0.150
177316	1077490	1196	0.035	1.196
177317	1077491	235	0.007	0.235
177318	1077492	53	0.002	0.053
177319	1077493	116	0.003	0.116
177320	1077494	244	0.007	0.244
177321 Dup	1077494	247	0.007	0.247
177322	1077495	74	0.002	0.074
177323	1077496	25	<0.001	0.025
177324	1077497	48	0.001	0.048
177325	1077498	25	<0.001	0.025
177326	1077499	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, September 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/06/2011  
 Job #: 201142969  
 Reference: TL11190  
 Sample #: 14

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
197846	1077394	0.871	0.913	8.720	1.181	3.69%	36.91
197847	1077395	0.879	0.835	3.075	0.932	3.40%	34
197848	1077396	3.052	3.953	48.022	5.517	4.52%	47.78
197849	1077397	0.365	0.338	0.878	0.375	4.41%	44.13
197850	1077398	0.202	0.291	0.785	0.273	5.00%	50.01
197851	1077399	2.092	3.015	6.160	2.746	5.34%	48.73
197852	1077400	Insufficient Sample					
197853	1077401	0.455	0.423	4.543	0.639	4.87%	48.65
197854	1077402	3.947	4.335	43.808	6.133	5.02%	50.23
197855	1077403	1.669	1.913	48.990	3.707	4.06%	40.6
197856	1077404	1.152	1.065	5.277	1.329	5.30%	47.46
197857	1077405	0.154	0.198	0.356	0.189	7.49%	42.87
197858	1077406	0.241	0.186	0.249	0.216	7.21%	48.85
197859	1077407	0.195	0.232	0.269	0.216	4.20%	41.99

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178875	1076356	0.083	2	2.85	14	469	<2	<1	1.84	<4	7	35	87	2.13	0.33	<1	0.72	510	2	57	541	17	3.79	<5	<5	<10	531	1991	<2	57	<10	4	421
178876	1076357	1.040	14	2.55	11	505	<2	<1	2.10	<4	8	31	464	2.22	0.17	<1	0.97	981	<1	50	505	17	3.01	<5	<5	<10	695	2082	4	55	<10	3	1212
178877	1076358	0.100	<1	1.77	15	520	<2	<1	1.91	<4	8	29	28	2.11	<0.01	<1	0.71	766	<1	43	505	19	3.33	<5	<5	<10	530	2132	<2	53	<10	3	412
178878	1076359	0.051	<1	2.83	16	390	2	<1	1.61	<4	20	191	58	4.06	0.02	6	1.41	872	1	102	553	36	3.19	<5	<5	<10	165	3496	<2	120	<10	7	99
178879	1076360	0.247	108	2.08	213	277	<2	13	1.13	26	12	53	6341	5.90	<0.01	<1	1.03	1796	16	29	476	10842	3.88	302	<5	<10	225	2109	<2	88	37	8	5112
178880	1076361	0.075	<1	2.75	22	457	<2	4	1.39	<4	20	170	59	4.29	<0.01	5	1.41	897	<1	100	537	79	3.37	<5	<5	<10	184	3092	<2	115	<10	7	116
178881	1076362	0.037	<1	2.18	37	652	2	1	0.12	<4	9	58	20	1.41	<0.01	<1	0.46	196	3	68	342	59	2.72	<5	5	<10	114	2101	<2	59	<10	3	155
178882	1076363	0.022	1	2.32	33	604	<2	<1	0.54	4	6	33	33	0.93	<0.01	<1	0.66	385	6	50	288	245	2.53	<5	<5	<10	132	1936	<2	45	<10	3	391
178883	1076364	0.130	4	3.06	37	524	2	<1	1.69	5	8	45	33	1.59	<0.01	<1	1.05	836	3	68	157	425	2.87	<5	9	<10	156	1691	<2	46	<10	4	774
178884	1076365	0.195	2	4.30	14	356	2	<1	2.59	6	19	156	81	4.84	<0.01	<1	2.09	1519	<1	99	543	251	3.21	5	<5	<10	192	2923	<2	109	<10	9	1130
178885D	1076365	0.198	<1	4.62	15	368	2	4	2.55	6	18	157	77	4.73	0.33	2	2.05	1496	<1	97	540	243	3.24	<5	<5	<10	192	2925	<2	109	<10	8	1112
178886	1076366	0.148	3	4.23	17	377	2	3	2.56	6	19	150	79	4.68	0.31	<1	1.93	1459	<1	88	520	388	3.31	<5	<5	<10	197	2835	<2	105	<10	8	1128
178887	1076367	0.077	<1	3.14	8	262	2	<1	1.29	<4	21	171	58	4.30	0.10	<1	1.38	751	<1	86	568	30	2.46	<5	<5	<10	177	3273	<2	114	<10	6	68
178888	1076368	0.280	<1	3.39	8	359	2	5	1.19	<4	20	158	57	3.69	0.09	<1	1.26	619	<1	85	564	26	2.25	<5	<5	<10	198	2946	<2	108	<10	6	78
178889	1076369	0.010	<1	2.97	23	567	2	3	0.76	<4	7	35	5	1.45	0.01	<1	0.41	181	<1	46	378	23	2.93	<5	6	<10	222	1940	<2	41	<10	3	86
178890	1076370	<0.005	<1	1.98	10	370	<2	3	1.45	<4	10	42	51	3.44	<0.01	<1	0.77	618	<1	30	550	12	2.11	<5	<5	<10	280	2577	<2	96	<10	7	42
178891	1076371	0.011	<1	2.92	27	610	<2	<1	0.97	<4	8	28	9	1.21	<0.01	<1	0.47	181	<1	35	386	20	2.25	<5	6	<10	291	1965	2	44	<10	3	72
178892	1076372	0.005	<1	3.08	24	541	<2	<1	1.18	<4	6	18	7	0.84	<0.01	<1	0.57	174	<1	28	342	14	2.03	<5	6	<10	303	1764	2	36	<10	3	26
178893	1076373	0.006	<1	1.91	23	550	2	1	1.24	<4	6	17	7	0.98	<0.01	<1	0.54	221	<1	25	379	23	2.68	<5	6	<10	324	1817	2	38	<10	2	177
178894	1076374	0.007	<1	2.32	20	583	2	<1	1.09	<4	7	21	8	0.85	<0.01	<1	0.49	214	<1	33	396	26	2.43	<5	5	<10	355	1873	<2	39	<10	3	93

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178895	1076375	0.011	<1	3.39	22	496	<2	<1	1.29	<4	9	28	12	0.85	0.24	<1	0.52	278	<1	38	442	21	1.85	<5	8	<10	306	1731	<2	48	<10	4	60
178896D	1076375	0.012	<1	2.25	24	511	2	<1	1.21	<4	8	30	10	0.82	0.22	<1	0.44	277	<1	39	426	23	2.60	<5	<5	<10	293	1803	<2	49	<10	3	60
178897	1076376	0.020	2	2.60	28	581	<2	3	1.16	<4	10	29	24	1.03	0.08	<1	0.34	193	<1	33	456	31	2.63	<5	<5	<10	336	1870	<2	56	<10	3	94
178898	1076377	0.013	<1	2.88	24	496	<2	<1	0.97	<4	8	24	13	0.89	0.02	<1	0.33	168	<1	31	410	18	2.28	<5	7	<10	315	1827	<2	61	<10	3	13
178899	1076378	0.026	<1	3.44	20	558	2	6	1.39	<4	14	28	20	1.34	<0.01	<1	0.46	271	<1	51	461	97	2.28	<5	<5	<10	411	1969	<2	48	<10	4	470
178900	1076379	0.016	<1	3.83	12	534	<2	4	1.61	<4	12	18	10	1.24	<0.01	<1	0.48	281	<1	39	560	20	2.07	<5	8	<10	416	1822	<2	38	17	4	40
178901	1076380	5.186	<1	3.51	385	1290	2	6	2.58	<4	12	126	87	3.78	<0.01	1	1.15	536	8	56	844	29	2.67	36	10	<10	240	2180	<2	142	<10	10	247
178902	1076381	0.012	<1	4.36	12	735	2	1	1.55	<4	9	16	11	0.99	<0.01	9	0.47	245	<1	33	585	12	2.06	<5	11	<10	443	2040	<2	39	<10	4	26
178903	1076382	0.014	<1	3.83	10	591	2	2	1.49	<4	8	22	18	1.16	<0.01	2	0.55	268	<1	29	519	14	2.10	<5	<5	<10	419	1926	<2	42	<10	4	40
178904	1076383	0.011	<1	2.67	11	610	2	<1	1.35	<4	10	32	11	0.93	<0.01	<1	0.41	190	<1	36	477	16	2.18	<5	<5	<10	413	1992	<2	47	<10	3	54
178905	1076384	0.019	<1	2.56	12	611	2	7	1.45	<4	14	55	21	1.62	0.45	<1	0.55	333	<1	53	512	16	2.17	<5	<5	<10	372	2256	<2	65	<10	4	58
178906	1076385	0.044	<1	2.71	19	466	2	4	1.48	<4	13	35	16	1.70	0.04	<1	0.46	257	<1	45	380	33	2.66	<5	<5	<10	395	2068	<2	51	<10	3	81
178907D	1076385	0.013	<1	1.97	16	461	2	3	1.37	<4	12	38	16	1.61	0.19	<1	0.41	251	1	47	365	30	2.88	<5	<5	<10	381	2076	<2	52	<10	3	81
178908	1076386	0.024	<1	2.14	17	459	<2	<1	1.22	<4	10	45	17	1.35	0.25	<1	0.40	215	<1	44	362	26	2.77	<5	<5	<10	342	2013	<2	49	<10	3	91
178909	1076387	0.030	<1	2.15	20	515	2	<1	1.92	<4	6	21	20	2.28	0.16	<1	0.95	707	<1	30	528	38	2.55	<5	<5	<10	339	2474	<2	52	<10	4	95
178910	1076388	0.012	<1	1.86	11	529	2	12	1.29	<4	6	17	7	2.02	0.33	3	0.60	487	2	25	499	26	3.12	<5	<5	<10	307	2430	<2	49	<10	3	84
178911	1076389	0.014	<1	2.78	8	572	2	<1	1.27	<4	6	23	21	1.93	0.07	5	0.63	481	<1	28	479	41	2.88	<5	6	<10	315	2410	<2	51	<10	3	55
178912	1076390	0.006	<1	3.36	12	403	<2	6	1.67	<4	10	45	52	3.72	<0.01	<1	0.87	658	<1	32	596	7	2.07	<5	<5	<10	305	2701	<2	101	<10	9	43
178913	1076391	0.019	<1	3.83	7	398	<2	<1	1.39	<4	5	36	26	1.80	<0.01	<1	0.89	529	<1	36	475	52	2.42	<5	<5	<10	268	1729	<2	44	<10	5	197
178914	1076392	0.035	<1	3.75	7	387	2	4	1.95	<4	10	32	12	2.38	<0.01	<1	0.89	624	<1	31	527	19	2.07	<5	<5	<10	338	2561	<2	57	<10	4	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178915	1076393	0.061	<1	3.96	10	437	2	<1	1.98	<4	7	38	10	1.86	0.42	<1	1.00	588	<1	38	519	13	2.03	<5	<5	<10	167	2306	<2	56	<10	5	33
178916	1076394	0.040	<1	3.12	16	433	2	3	0.76	<4	7	32	24	1.72	0.23	<1	0.41	321	2	40	859	32	2.68	<5	<5	<10	176	1549	<2	42	<10	4	26
178917	1076395	0.024	<1	2.99	6	391	<2	<1	1.55	<4	8	23	11	2.19	0.18	<1	0.58	558	<1	23	552	18	2.32	<5	6	<10	302	2609	<2	55	<10	4	48
178918D	1076395	0.026	<1	2.25	10	383	2	5	1.50	<4	8	24	10	2.19	0.14	<1	0.53	535	1	33	544	19	2.46	<5	<5	<10	297	2565	<2	55	<10	3	51
178919	1076396	0.031	<1	2.61	10	363	2	<1	1.64	<4	8	17	14	2.08	0.20	<1	0.50	471	<1	26	518	16	2.19	<5	<5	<10	280	2574	<2	52	<10	4	87
178920	1076397	0.013	<1	3.55	9	338	<2	4	2.94	<4	8	18	6	2.23	<0.01	<1	0.70	574	<1	26	523	12	2.14	<5	6	<10	274	2475	<2	51	<10	4	43
178921	1076398	0.016	<1	2.87	13	405	2	7	1.57	<4	8	16	11	1.88	<0.01	<1	0.64	591	<1	27	545	27	2.30	<5	5	<10	159	2671	<2	53	<10	3	47
178922	1076399	0.015	1	2.22	14	488	2	<1	0.60	<4	6	17	18	1.09	<0.01	<1	0.52	483	<1	30	495	113	2.06	<5	<5	<10	112	2344	<2	46	<10	3	93
178923	1076400	1.128	<1	3.20	24	504	<2	<1	1.64	<4	14	63	645	4.20	<0.01	<1	0.99	698	23	40	719	82	2.27	<5	<5	<10	302	2535	<2	132	23	8	109
178924	1076401	0.042	<1	3.65	26	472	2	<1	1.30	<4	6	15	6	1.45	<0.01	<1	0.81	861	<1	26	462	30	2.86	<5	8	<10	126	2276	<2	43	<10	4	28
178925	1076402	0.049	<1	3.92	27	505	2	8	0.84	<4	9	17	34	1.22	0.39	<1	0.66	543	1	32	543	85	2.71	<5	5	<10	122	2627	<2	48	<10	3	251
178926	1076403	0.079	<1	4.21	28	473	2	<1	1.04	<4	11	14	17	1.17	0.25	4	0.85	621	<1	26	550	69	2.40	<5	6	<10	148	2573	<2	47	<10	3	119
178927	1076404	0.058	<1	3.72	36	469	2	<1	0.77	<4	10	18	43	1.46	0.10	3	0.61	417	<1	36	505	427	2.94	<5	7	<10	130	2476	<2	46	<10	3	930
178928	1076405	0.030	<1	3.35	20	469	2	<1	0.96	<4	6	23	14	1.06	0.05	6	0.68	496	<1	38	544	88	2.59	<5	<5	<10	151	2614	<2	50	<10	3	235
178929D	1076405	0.030	<1	2.75	19	464	2	<1	0.92	<4	6	23	15	1.04	0.16	7	0.65	495	<1	35	538	91	2.46	<5	<5	<10	143	2556	<2	49	<10	3	236
178930	1076406	0.036	<1	2.86	19	457	2	<1	0.86	<4	6	24	16	1.06	0.10	7	0.66	466	<1	40	526	72	2.48	<5	<5	<10	141	2491	<2	49	<10	3	172
178931	1076407	0.051	<1	2.00	24	421	2	<1	0.67	<4	7	25	5	1.07	0.06	2	0.54	438	<1	33	469	139	2.69	<5	6	<10	127	2297	<2	44	<10	2	99
178932	1076408	0.095	4	2.97	32	397	2	<1	1.11	<4	7	18	9	1.20	<0.01	4	0.67	650	<1	29	463	1028	2.47	5	6	<10	148	2268	3	43	<10	3	966
178933	1076409	0.156	<1	4.28	21	314	2	<1	1.81	<4	5	13	8	1.28	<0.01	<1	1.19	950	<1	19	503	52	1.50	<5	13	<10	177	2204	18	40	<10	4	57
178934	1076410	<0.005	<1	1.89	9	410	2	<1	1.61	<4	10	47	55	3.80	<0.01	<1	0.82	684	<1	34	594	10	1.91	<5	<5	<10	306	2769	<2	105	<10	8	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178935	1076411	0.030	<1	3.26	22	407	2	<1	1.44	<4	6	13	5	1.17	0.45	<1	0.93	797	<1	21	507	29	2.48	<5	<5	<10	180	2403	5	45	<10	3	59
178936	1076412	0.031	<1	3.43	11	318	2	2	1.33	<4	5	24	18	1.47	0.36	<1	0.86	556	<1	39	484	28	2.04	<5	<5	<10	199	2097	<2	44	<10	3	54
178937	1076413	0.062	<1	3.41	10	546	2	2	1.41	<4	7	16	44	1.65	0.22	<1	0.46	491	<1	23	471	29	2.46	<5	<5	<10	237	1958	<2	44	<10	3	38
178938	1076414	0.025	<1	3.56	8	463	2	<1	1.12	<4	9	14	34	1.87	0.09	<1	0.57	501	<1	28	460	63	2.49	<5	<5	<10	225	2070	<2	44	<10	3	79
178939	1076415	0.015	<1	2.67	15	446	2	9	1.57	<4	6	18	34	1.63	0.08	<1	0.58	573	<1	22	468	50	2.44	<5	<5	<10	214	1934	<2	40	<10	3	67
178940R	1076415	0.026	<1	2.48	12	440	2	<1	1.51	<4	5	21	35	1.65	0.10	<1	0.63	597	<1	29	473	51	2.38	<5	5	<10	208	1962	<2	43	<10	3	71
178941	1076416	0.062	<1	2.03	14	485	2	9	0.85	<4	7	19	75	1.35	0.25	<1	0.57	458	<1	23	478	157	2.91	<5	6	<10	155	2266	<2	39	<10	3	287
178942	1076417	0.059	<1	3.09	26	513	2	<1	1.27	<4	6	13	59	1.64	0.26	<1	0.79	665	<1	14	547	35	2.82	<5	<5	<10	160	2585	<2	43	<10	3	40
178943	1076418	4.232	7	2.43	110	305	<2	9	0.09	24	5	38	457	4.22	<0.01	<1	0.34	162	11	53	314	1150	5.72	35	<5	<10	96	1568	<2	30	56	3	6582
178944	1076419	0.713	4	3.08	95	424	2	1	<0.01	6	5	27	43	2.48	<0.01	<1	0.35	<100	3	29	375	751	3.84	10	7	<10	93	1820	2	37	12	3	1801
178945	1076420	0.294	107	1.38	236	271	<2	3	1.21	29	15	61	6340	6.42	<0.01	<1	1.04	2028	18	32	537	10796	3.57	343	<5	<10	237	2423	<2	99	40	7	5156
178946	1076421	0.072	<1	3.01	27	604	2	2	1.12	<4	6	20	27	1.51	0.12	6	0.79	798	<1	16	623	67	2.52	<5	7	<10	163	2908	<2	55	<10	3	221
178947	1076422	0.248	3	1.96	22	404	2	4	0.89	<4	7	19	50	1.79	0.07	4	0.60	1028	<1	22	544	79	3.21	<5	<5	<10	163	2698	4	48	<10	3	269
178948	1076423	0.206	5	1.94	12	398	2	<1	0.82	<4	7	26	35	1.66	<0.01	<1	0.62	1042	<1	22	524	84	2.70	5	<5	<10	146	2700	<2	49	<10	3	292
178949	1076424	0.054	<1	2.10	8	387	2	<1	0.87	<4	8	36	49	1.90	0.80	<1	0.72	1226	<1	27	474	52	2.35	<5	<5	<10	146	2612	10	50	<10	3	89
178950	1076425	0.250	1	1.55	22	393	2	<1	1.05	<4	7	35	29	1.86	0.44	<1	0.72	1121	<1	25	488	44	2.44	<5	<5	<10	149	2495	<2	48	<10	3	75
178951D	1076425	0.262	<1	1.13	17	388	2	3	0.95	<4	7	34	28	1.81	0.64	<1	0.67	1094	<1	22	486	41	2.69	<5	<5	<10	136	2563	<2	48	<10	3	73
178952	1076426	0.171	<1	1.02	18	393	2	<1	0.99	<4	8	32	30	1.85	0.51	<1	0.70	1142	<1	20	484	46	2.72	<5	5	<10	139	2584	<2	49	<10	3	75
178953	1076427	3.194	<1	1.92	32	521	2	<1	1.15	<4	12	22	59	1.57	0.33	<1	0.66	1021	<1	23	399	130	3.00	<5	<5	<10	180	2148	6	38	<10	3	271
178954	1076428	0.779	<1	2.22	31	411	2	<1	0.91	<4	9	29	59	1.90	0.33	<1	0.63	981	<1	27	462	82	3.06	<5	<5	<10	146	2537	<2	45	<10	3	164

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178955	1076429	0.177	<1	2.96	22	396	2	<1	1.15	<4	7	28	34	2.12	0.11	<1	0.67	1320	<1	21	487	155	3.20	<5	6	<10	149	2419	<2	46	<10	4	222
178956	1076430	<0.005	<1	2.74	10	440	<2	6	1.69	<4	11	49	56	3.87	0.16	<1	0.86	703	2	36	635	12	2.54	<5	<5	<10	313	2946	<2	109	<10	8	47
178957	1076431	0.177	7	2.05	16	415	2	2	1.06	9	7	34	140	2.19	<0.01	<1	0.55	906	<1	27	573	1483	3.36	7	<5	<10	164	2361	<2	47	25	3	3333
178958	1076432	0.782	<1	1.40	35	424	2	3	1.13	<4	8	29	51	2.11	<0.01	<1	0.60	1115	<1	23	483	312	3.45	<5	<5	<10	159	2412	<2	47	<10	3	369
178959	1076433	0.158	<1	2.19	36	376	<2	<1	0.78	<4	7	38	37	1.98	0.58	<1	0.52	1079	<1	36	451	110	3.16	<5	<5	<10	152	2138	<2	44	<10	3	159
178960	1076434	0.237	2	2.21	17	336	<2	<1	3.72	<4	8	32	19	3.50	0.54	<1	1.17	2244	<1	27	451	33	3.30	<5	5	<10	240	2322	6	44	<10	5	195
178961	1076435	0.299	2	1.16	15	413	2	3	2.34	<4	8	38	12	2.30	0.36	<1	1.00	1202	<1	29	456	38	2.93	<5	<5	<10	205	2436	<2	51	<10	3	108
178962D	1076435	0.304	4	1.86	19	433	2	<1	2.50	<4	8	40	13	2.41	0.31	<1	1.03	1247	<1	30	484	42	2.84	<5	<5	<10	215	2534	<2	53	<10	4	111
178963	1076436	0.076	<1	1.81	33	406	2	<1	1.27	<4	11	23	26	1.39	0.22	<1	0.74	975	<1	40	391	63	2.89	<5	<5	<10	196	1989	<2	35	<10	3	61
178964	1076437	0.068	<1	1.03	22	403	2	<1	1.18	<4	5	15	20	1.57	0.13	<1	0.78	1011	<1	18	387	41	2.91	<5	<5	<10	191	1997	<2	34	<10	3	99
178965	1076438	1.044	2	1.79	27	432	2	<1	0.27	<4	4	20	35	1.38	0.08	<1	0.40	282	2	24	365	83	3.44	<5	<5	<10	125	1788	<2	30	<10	3	113
178966	1076439	1.188	8	1.49	43	489	2	<1	0.24	4	5	19	160	1.75	<0.01	<1	0.39	304	2	21	365	227	3.80	17	<5	<10	124	1872	<2	33	10	2	1412
178967	1076440	4.848	3	3.32	430	1261	2	<1	2.72	<4	13	139	94	4.10	0.17	5	1.05	591	13	60	932	31	3.56	40	<5	<10	259	2502	<2	156	<10	9	273
178968	1076441	1.909	12	2.33	33	459	2	<1	0.21	7	5	20	537	1.28	<0.01	<1	0.41	318	2	26	391	953	3.87	22	6	<10	127	1853	<2	33	19	3	2992
178969	1076442	4.970	<1	2.08	24	317	2	<1	0.82	<4	4	21	21	1.40	0.45	1	0.61	504	<1	26	431	46	3.22	<5	<5	<10	172	1904	<2	37	<10	3	81
178970	1076443	0.069	18	1.75	25	317	2	<1	0.53	<4	6	23	229	0.99	0.22	<1	0.43	274	<1	24	397	259	2.86	6	8	<10	160	1930	<2	39	<10	3	340
178971	1076444	0.065	<1	1.50	21	287	2	<1	0.56	<4	6	17	23	1.08	0.19	<1	0.44	313	<1	22	370	73	2.84	<5	5	<10	180	1825	<2	34	<10	2	132
178972	1076445	0.067	<1	0.87	18	335	2	<1	0.49	<4	7	18	27	2.64	0.19	<1	0.29	177	3	27	365	52	4.46	<5	<5	<10	156	1592	<2	33	<10	2	126
178973D	1076445	0.060	<1	<0.01	18	326	2	<1	0.40	<4	7	20	27	2.50	0.10	<1	0.26	173	2	30	358	48	4.64	<5	<5	<10	149	1537	<2	33	<10	2	128
178974	1076446	0.031	<1	0.70	19	279	2	<1	0.43	<4	7	20	16	2.27	0.06	<1	0.28	167	3	28	391	33	4.14	<5	<5	<10	147	1524	<2	33	<10	3	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, August 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178975	1076447	0.010	<1	0.24	13	320	2	<1	0.65	<4	8	19	9	1.66	0.02	<1	0.46	368	<1	23	424	38	3.39	<5	<5	<10	173	2252	<2	47	<10	2	26
178976	1076448	<0.005	3	0.59	12	278	2	<1	0.66	<4	6	19	3	1.44	0.08	<1	0.54	340	2	23	419	27	3.72	<5	<5	<10	141	2393	<2	45	<10	2	43
178977	1076449	<0.005	<1	1.56	14	216	2	1	0.99	<4	6	27	9	1.82	<0.01	<1	0.55	492	7	30	389	19	4.99	<5	<5	<10	184	2279	<2	47	<10	3	95
178978	1076450	<0.005	<1	2.80	12	443	2	<1	1.66	<4	11	49	55	3.82	<0.01	7	0.82	689	3	36	630	15	2.81	<5	<5	<10	316	2925	2	109	<10	8	48
178979	1076451	0.009	<1	4.14	23	375	2	5	1.33	<4	9	23	12	1.77	0.69	7	0.79	552	<1	27	475	16	2.91	<5	<5	<10	228	2924	<2	53	<10	4	29
178980	1076452	<0.005	<1	4.31	19	407	2	5	2.55	<4	7	25	21	1.69	0.71	13	1.05	626	<1	28	508	31	2.38	<5	9	<10	261	2785	<2	54	<10	4	74
178981	1076453	<0.005	<1	4.38	23	512	2	7	2.26	<4	8	23	26	1.74	0.51	14	1.13	510	<1	24	623	38	3.21	<5	9	<10	240	3245	<2	66	<10	4	131
178982	1076454	0.087	2	3.69	37	536	2	<1	1.09	<4	8	25	19	2.04	0.62	15	0.71	515	1	26	594	31	3.54	<5	<5	<10	161	3118	<2	68	<10	3	158
178983	1076455	0.010	<1	2.85	30	300	2	<1	0.80	<4	5	27	7	1.73	0.46	10	0.64	694	<1	34	450	29	3.06	<5	9	<10	128	2083	<2	40	<10	3	74
178984D	1076455	0.006	<1	1.98	24	292	2	11	0.70	<4	6	24	6	1.58	0.29	8	0.56	672	1	28	419	24	3.31	<5	6	<10	125	2126	<2	39	<10	3	70
178985	1076456	0.006	1	1.71	24	235	2	<1	1.40	<4	5	23	11	1.72	0.02	3	0.79	1042	<1	32	392	29	2.94	<5	5	<10	131	1960	<2	36	<10	2	47
178986	1076457	0.006	<1	2.33	20	249	2	5	1.36	<4	5	20	4	1.42	0.09	<1	0.77	826	<1	24	387	19	2.45	<5	6	<10	112	2074	<2	36	<10	3	29
178987	1076458	0.008	1	3.14	19	230	2	2	2.02	<4	5	30	5	1.67	<0.01	2	0.99	950	<1	41	422	20	2.43	<5	<5	<10	129	2000	<2	37	<10	3	34
178988	1076459	<0.005	<1	2.76	13	229	2	4	1.66	<4	5	18	6	1.30	<0.01	2	0.91	894	<1	22	421	22	2.24	<5	7	<10	121	2123	<2	37	<10	3	37
178989	1076460	1.205	<1	3.19	29	575	2	12	1.76	<4	16	70	686	4.37	0.94	15	0.99	736	25	44	771	91	3.10	6	6	<10	318	2836	<2	145	27	7	122
178990	1076461	0.012	<1	3.05	12	288	2	<1	1.25	<4	5	24	15	1.08	0.51	9	0.72	766	<1	29	440	48	3.08	<5	<5	<10	139	2118	<2	40	<10	3	48
178991	1076462	0.192	6	1.65	27	226	2	<1	0.03	<4	4	20	18	1.06	0.09	<1	0.32	180	1	23	374	58	3.30	<5	<5	<10	88	1773	<2	33	<10	2	111
178992	1076463	0.064	<1	1.39	28	211	2	<1	0.16	<4	4	19	47	1.08	0.17	<1	0.42	353	2	20	368	89	3.31	<5	<5	<10	100	1794	<2	32	<10	2	138
178993	1076464	0.071	<1	1.10	19	190	2	<1	<0.01	<4	3	23	13	0.73	0.12	<1	0.28	<100	1	28	330	34	2.87	<5	7	<10	89	1478	<2	31	<10	2	39
178994	1076465	0.037	<1	0.87	29	216	2	<1	<0.01	<4	5	23	5	1.14	0.20	<1	0.29	106	1	28	322	29	3.02	<5	5	<10	90	1580	<2	32	<10	2	36

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1


 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
178995D	1076465	0.045	<1	0.61	28	203	2	<1	<0.01	<4	5	24	5	1.09	0.02	<1	0.28	102	<1	27	310	30	2.94	<5	<5	<10	85	1546	<2	32	<10	2	33
178996	1076466	0.049	<1	0.80	27	206	2	6	<0.01	<4	4	24	8	1.09	<0.01	<1	0.28	<100	<1	30	313	28	2.82	<5	6	<10	80	1596	<2	32	<10	2	78
178997	1076467	0.013	<1	1.82	15	249	3	<1	1.37	<4	5	23	9	1.44	0.02	3	0.67	792	<1	29	394	26	2.86	<5	8	<10	131	1852	2	36	<10	3	55
178998	1076468	0.045	<1	2.28	13	221	6	<1	1.82	<4	4	20	6	1.55	<0.01	9	0.74	647	1	27	404	17	3.07	<5	10	16	143	1957	5	36	<10	3	40
178999	1076469	<0.005	<1	2.93	12	219	4	1	1.77	<4	4	24	5	1.34	0.47	9	0.79	650	1	30	388	17	2.99	<5	8	<10	142	1777	3	33	<10	3	28
179000	1076470	<0.005	<1	2.63	12	431	2	11	1.69	<4	10	47	55	3.74	0.38	4	0.82	684	2	35	607	11	2.46	<5	6	<10	314	2885	<2	106	<10	8	44
179001	1076471	<0.005	<1	3.43	9	257	2	<1	1.74	<4	4	22	6	1.37	0.37	5	0.81	857	<1	27	421	24	3.10	<5	6	<10	144	2048	<2	37	<10	3	110
179002	1076472	0.031	5	3.76	13	264	2	<1	2.19	<4	6	23	10	2.16	0.18	6	0.90	1109	<1	29	438	46	3.32	<5	<5	<10	172	2076	4	39	<10	4	62
179003	1076473	0.012	1	3.86	9	294	2	3	2.30	<4	17	136	39	3.39	0.25	12	0.97	747	3	74	538	32	3.18	<5	12	<10	180	3100	<2	92	<10	6	64
179004	1076474	0.032	1	3.84	5	284	2	3	2.56	<4	22	172	59	4.71	0.15	12	1.18	824	2	91	599	27	3.35	<5	<5	<10	193	3802	<2	123	<10	8	90
179005	1076475	0.006	3	2.70	18	378	2	<1	2.22	<4	7	26	12	2.12	0.25	10	0.72	582	<1	24	643	32	3.07	<5	8	<10	250	2676	<2	57	<10	4	36
179006R	1076475	0.016	<1	1.79	16	376	2	17	1.86	<4	7	27	10	1.89	0.28	7	0.63	527	2	27	600	30	3.39	<5	8	<10	236	2577	<2	56	<10	3	35
179007	1076476	0.010	<1	2.36	22	450	2	3	2.09	<4	7	20	15	2.03	0.18	8	0.55	474	<1	24	619	24	3.01	<5	6	<10	252	2605	<2	50	<10	4	94
179008	1076477	<0.005	<1	3.25	12	440	2	<1	2.18	<4	7	23	13	1.76	0.03	7	0.67	545	<1	28	625	22	2.41	<5	<5	<10	242	2630	<2	51	<10	4	54
179009	1076478	<0.005	<1	2.69	19	417	2	4	2.12	<4	9	19	16	1.64	<0.01	<1	0.72	533	<1	27	595	14	2.43	<5	7	<10	254	2346	<2	49	<10	4	36
179010	1076479	0.006	<1	2.35	46	422	2	6	1.56	<4	10	14	15	1.26	0.01	<1	0.54	347	<1	28	594	16	2.26	<5	6	<10	229	2057	<2	50	<10	3	82
179011	1076480	0.249	106	2.40	236	270	<2	9	1.29	29	14	59	6334	6.54	0.15	7	1.10	2003	17	33	536	10677	3.44	348	<5	<10	245	2361	<2	98	38	8	5064
179012	1076481	<0.005	<1	3.29	35	454	2	<1	1.82	<4	7	17	21	0.94	0.03	3	0.38	251	<1	21	609	16	2.62	<5	11	<10	248	1677	<2	48	<10	4	13
179013	1076482	0.019	<1	2.73	46	547	2	6	0.89	<4	7	22	26	1.53	0.55	<1	0.54	339	1	30	640	17	3.09	<5	6	<10	193	1643	8	53	<10	3	22
179014	1076483	0.012	<1	2.27	34	674	2	3	0.24	<4	8	19	19	0.95	0.46	<1	0.31	143	<1	28	610	17	2.44	<5	6	<10	178	1852	<2	52	<10	3	9

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
179015	1076484	0.038	<1	2.20	49	596	2	<1	0.80	<4	9	50	22	1.77	0.27	3	0.55	326	<1	39	571	25	2.91	<5	5	<10	163	2185	<2	66	<10	4	83
179016	1076485	0.020	<1	2.98	11	364	2	<1	1.67	<4	20	171	54	4.17	0.35	9	1.28	687	<1	86	591	29	2.81	<5	6	<10	195	3204	<2	112	<10	6	84
179017D	1076485	0.014	<1	2.40	10	360	2	<1	1.60	<4	21	165	52	4.02	0.27	9	1.10	662	<1	83	573	27	3.10	<5	<5	<10	193	3228	<2	108	<10	6	80
179018	1076486	0.019	<1	3.14	6	340	2	4	1.78	<4	21	165	50	4.23	0.24	10	1.24	698	1	89	573	27	3.05	<5	<5	<10	201	3171	<2	108	<10	6	85
179019	1076487	0.040	<1	2.88	6	347	2	8	1.55	<4	22	160	43	3.99	<0.01	8	1.16	693	3	83	559	31	3.40	<5	<5	<10	183	3748	<2	123	<10	5	90
179020	1076488	0.032	<1	1.95	19	406	2	5	1.41	<4	8	20	7	1.84	<0.01	<1	0.66	589	<1	23	623	33	3.05	<5	<5	<10	184	2404	<2	52	<10	3	82
179021	1076489	0.113	<1	2.95	42	460	2	3	1.53	<4	10	40	32	2.31	<0.01	<1	0.79	551	<1	34	592	127	3.56	<5	5	<10	197	2568	<2	60	<10	4	195
179022	1076490	0.006	<1	2.43	11	433	2	4	1.60	<4	11	48	54	3.76	<0.01	5	0.78	678	3	33	620	12	2.67	<5	<5	<10	307	2930	<2	107	<10	7	47
179023	1076491	1.365	12	2.28	78	303	2	<1	0.87	14	9	27	174	3.84	<0.01	<1	0.61	359	4	44	491	2725	4.92	18	5	<10	160	2087	<2	47	38	3	4818
179024	1076492	0.028	<1	2.40	19	481	2	<1	1.71	<4	9	28	7	2.18	0.51	6	0.90	479	<1	33	608	44	2.83	<5	7	<10	227	2269	3	53	<10	4	72
179025	1076493	0.020	<1	2.40	32	493	2	<1	1.94	<4	9	21	8	2.37	0.42	7	0.94	448	<1	23	613	19	3.41	<5	7	<10	206	2408	2	53	<10	4	59
179026	1076494	0.061	<1	2.02	46	409	2	8	1.60	<4	10	34	19	2.09	0.40	8	0.89	449	<1	31	601	14	3.55	<5	8	<10	173	2740	<2	60	<10	4	43
179027	1076495	0.120	<1	1.05	47	397	2	<1	0.68	27	8	15	39	2.75	0.42	6	0.48	320	3	28	503	19	4.28	<5	<5	<10	140	2357	2	45	58	3	7388
179028D	1076495	0.137	2	1.60	45	387	2	<1	0.67	26	8	14	39	2.61	0.13	4	0.51	311	1	20	491	14	4.24	<5	<5	<10	141	2274	<2	44	57	3	7378
179029	1076496	0.053	<1	1.44	48	407	2	<1	1.20	<4	9	17	16	2.19	0.17	4	0.67	459	1	22	541	16	4.15	<5	7	<10	147	2462	<2	47	<10	3	57
179030	1076497	0.016	<1	1.56	30	360	2	6	1.77	<4	8	20	10	2.03	0.13	3	0.91	446	<1	24	563	16	3.18	<5	7	<10	160	2350	<2	50	<10	3	52
179031	1076498	0.043	<1	1.43	45	378	2	<1	1.44	<4	9	19	19	1.95	<0.01	6	0.84	491	<1	20	559	15	3.10	<5	<5	<10	157	2447	<2	47	<10	3	89
179032	1076499	0.027	<1	2.31	39	286	2	<1	1.54	<4	9	14	19	1.89	<0.01	<1	0.93	559	<1	17	574	14	2.87	<5	8	<10	159	2461	<2	48	<10	3	77
179033	1076500	5.067	<1	3.12	416	1297	2	3	2.61	<4	13	133	90	3.91	0.25	10	1.10	565	10	58	897	33	3.48	41	<5	<10	251	2466	8	152	10	9	260
179034	1076501	0.024	<1	3.42	32	305	2	<1	2.00	<4	11	35	32	2.52	0.40	11	1.16	833	<1	30	592	25	3.07	<5	<5	<10	176	2422	<2	55	<10	4	118

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 12, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
179035	1076502	0.059	<1	4.68	24	281	2	<1	1.43	<4	21	175	61	4.41	0.33	17	1.72	962	3	103	600	52	3.58	<5	<5	<10	130	3206	<2	121	<10	6	179
179036	1076503	0.271	<1	4.24	97	326	2	4	1.68	<4	19	166	31	4.37	0.26	10	1.67	681	<1	90	575	84	4.50	<5	<5	<10	121	2114	<2	114	<10	5	156
179037	1076504	0.387	2	9.09	22	240	2	4	6.14	26	21	136	253	6.11	0.49	11	4.69	2474	<1	85	528	594	4.50	<5	8	<10	152	2230	10	110	57	12	7439
179038	1076505	0.180	<1	3.46	10	418	2	<1	0.47	<4	21	164	64	3.90	0.41	16	1.89	647	<1	99	563	72	3.62	<5	9	<10	96	2448	5	134	<10	4	147
179039D	1076505	0.188	<1	3.53	12	426	2	5	0.45	<4	22	170	68	4.16	0.29	18	1.97	691	<1	103	589	76	3.29	5	<5	<10	94	2540	2	139	<10	3	149
179040	1076506	0.303	<1	3.91	23	466	2	3	0.82	<4	11	113	46	2.76	0.37	20	1.18	520	7	74	623	116	3.92	<5	11	<10	124	1999	9	85	<10	4	704
179041	1076507	0.208	<1	4.87	15	452	2	7	0.69	<4	23	179	77	4.56	0.44	27	2.13	738	<1	116	636	80	3.71	<5	5	<10	116	2668	24	144	<10	4	144
179042	1076508	0.483	3	3.24	39	240	3	17	0.87	4	11	74	96	2.73	0.28	17	1.30	633	7	63	565	388	5.45	<5	9	<10	128	2044	3	61	11	3	1342
179043	1076509	0.616	5	2.80	56	406	2	10	0.48	17	11	31	385	3.32	0.92	12	0.58	373	11	44	496	957	6.06	<5	<5	<10	113	2295	<2	54	34	3	4455
179044	1076510	0.006	<1	3.51	8	419	2	<1	1.67	<4	10	46	53	3.69	0.50	4	0.88	659	2	32	612	10	2.58	<5	<5	<10	305	2796	5	101	<10	8	47
179045	1076511	0.298	2	3.81	52	470	2	<1	1.47	9	9	26	79	2.92	0.10	12	1.02	864	<1	31	667	1297	4.17	5	<5	<10	126	2265	2	50	23	4	2695
179046	1076512	0.063	<1	4.42	22	547	2	2	2.79	<4	8	23	39	1.93	0.26	15	1.62	1445	<1	29	546	53	2.90	<5	12	<10	139	2278	2	49	19	4	564
179047	1076513	0.233	2	4.65	40	557	2	<1	3.40	5	7	23	110	2.67	0.06	6	1.78	1468	<1	29	511	352	3.56	<5	11	<10	165	2076	14	45	12	5	1667
179048	1076514	0.017	<1	5.80	27	489	2	<1	2.59	<4	9	23	9	2.24	0.27	14	2.10	1107	<1	29	562	21	2.87	<5	8	<10	148	2333	8	49	<10	5	106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
178875	1076356	83	0.002	0.083
178876	1076357	1040	0.030	1.040
178877	1076358	100	0.003	0.100
178878	1076359	51	0.001	0.051
178879	1076360	247	0.007	0.247
178880	1076361	75	0.002	0.075
178881	1076362	37	0.001	0.037
178882	1076363	22	<0.001	0.022
178883	1076364	130	0.004	0.130
178884	1076365	195	0.006	0.195
178885 Dup	1076365	198	0.006	0.198
178886	1076366	148	0.004	0.148
178887	1076367	77	0.002	0.077
178888	1076368	280	0.008	0.280
178889	1076369	10	<0.001	0.010
178890	1076370	<5	<0.001	<0.005
178891	1076371	11	<0.001	0.011
178892	1076372	5	<0.001	0.005
178893	1076373	6	<0.001	0.006
178894	1076374	7	<0.001	0.007
178895	1076375	11	<0.001	0.011
178896 Dup	1076375	12	<0.001	0.012
178897	1076376	20	<0.001	0.020
178898	1076377	13	<0.001	0.013
178899	1076378	26	<0.001	0.026
178900	1076379	16	<0.001	0.016
178901	1076380	5186	0.151	5.186
178902	1076381	12	<0.001	0.012
178903	1076382	14	<0.001	0.014
178904	1076383	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
178905	1076384	19	<0.001	0.019
178906	1076385	44	0.001	0.044
178907 Dup	1076385	13	<0.001	0.013
178908	1076386	24	<0.001	0.024
178909	1076387	30	<0.001	0.030
178910	1076388	12	<0.001	0.012
178911	1076389	14	<0.001	0.014
178912	1076390	6	<0.001	0.006
178913	1076391	19	<0.001	0.019
178914	1076392	35	0.001	0.035
178915	1076393	61	0.002	0.061
178916	1076394	40	0.001	0.040
178917	1076395	24	<0.001	0.024
178918 Dup	1076395	26	<0.001	0.026
178919	1076396	31	<0.001	0.031
178920	1076397	13	<0.001	0.013
178921	1076398	16	<0.001	0.016
178922	1076399	15	<0.001	0.015
178923	1076400	1128	0.033	1.128
178924	1076401	42	0.001	0.042
178925	1076402	49	0.001	0.049
178926	1076403	79	0.002	0.079
178927	1076404	58	0.002	0.058
178928	1076405	30	<0.001	0.030
178929 Dup	1076405	30	<0.001	0.030
178930	1076406	36	0.001	0.036
178931	1076407	51	0.001	0.051
178932	1076408	95	0.003	0.095
178933	1076409	156	0.005	0.156
178934	1076410	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
178935	1076411	30	<0.001	0.030
178936	1076412	31	<0.001	0.031
178937	1076413	62	0.002	0.062
178938	1076414	25	<0.001	0.025
178939	1076415	15	<0.001	0.015
178940 Rep	1076415	26	<0.001	0.026
178941	1076416	62	0.002	0.062
178942	1076417	59	0.002	0.059
178943	1076418	4232	0.123	4.232
178944	1076419	713	0.021	0.713
178945	1076420	294	0.009	0.294
178946	1076421	72	0.002	0.072
178947	1076422	248	0.007	0.248
178948	1076423	206	0.006	0.206
178949	1076424	54	0.002	0.054
178950	1076425	250	0.007	0.250
178951 Dup	1076425	262	0.008	0.262
178952	1076426	171	0.005	0.171
178953	1076427	3194	0.093	3.194
178954	1076428	779	0.023	0.779
178955	1076429	177	0.005	0.177
178956	1076430	<5	<0.001	<0.005
178957	1076431	177	0.005	0.177
178958	1076432	782	0.023	0.782
178959	1076433	158	0.005	0.158
178960	1076434	237	0.007	0.237
178961	1076435	299	0.009	0.299
178962 Dup	1076435	304	0.009	0.304
178963	1076436	76	0.002	0.076
178964	1076437	68	0.002	0.068

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AIsu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
178965	1076438	1044	0.030	1.044
178966	1076439	1188	0.035	1.188
178967	1076440	4848	0.141	4.848
178968	1076441	1909	0.056	1.909
178969	1076442	4970	0.145	4.970
178970	1076443	69	0.002	0.069
178971	1076444	65	0.002	0.065
178972	1076445	67	0.002	0.067
178973 Dup	1076445	60	0.002	0.060
178974	1076446	31	<0.001	0.031
178975	1076447	10	<0.001	0.010
178976	1076448	<5	<0.001	<0.005
178977	1076449	<5	<0.001	<0.005
178978	1076450	<5	<0.001	<0.005
178979	1076451	9	<0.001	0.009
178980	1076452	<5	<0.001	<0.005
178981	1076453	<5	<0.001	<0.005
178982	1076454	87	0.003	0.087
178983	1076455	10	<0.001	0.010
178984 Dup	1076455	6	<0.001	0.006
178985	1076456	6	<0.001	0.006
178986	1076457	6	<0.001	0.006
178987	1076458	8	<0.001	0.008
178988	1076459	<5	<0.001	<0.005
178989	1076460	1205	0.035	1.205
178990	1076461	12	<0.001	0.012
178991	1076462	192	0.006	0.192
178992	1076463	64	0.002	0.064
178993	1076464	71	0.002	0.071
178994	1076465	37	0.001	0.037

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
178995 Dup	1076465	45	0.001	0.045
178996	1076466	49	0.001	0.049
178997	1076467	13	<0.001	0.013
178998	1076468	45	0.001	0.045
178999	1076469	<5	<0.001	<0.005
179000	1076470	<5	<0.001	<0.005
179001	1076471	<5	<0.001	<0.005
179002	1076472	31	<0.001	0.031
179003	1076473	12	<0.001	0.012
179004	1076474	32	<0.001	0.032
179005	1076475	6	<0.001	0.006
179006 Rep	1076475	16	<0.001	0.016
179007	1076476	10	<0.001	0.010
179008	1076477	<5	<0.001	<0.005
179009	1076478	<5	<0.001	<0.005
179010	1076479	6	<0.001	0.006
179011	1076480	249	0.007	0.249
179012	1076481	<5	<0.001	<0.005
179013	1076482	19	<0.001	0.019
179014	1076483	12	<0.001	0.012
179015	1076484	38	0.001	0.038
179016	1076485	20	<0.001	0.020
179017 Dup	1076485	14	<0.001	0.014
179018	1076486	19	<0.001	0.019
179019	1076487	40	0.001	0.040
179020	1076488	32	<0.001	0.032
179021	1076489	113	0.003	0.113
179022	1076490	6	<0.001	0.006
179023	1076491	1365	0.040	1.365
179024	1076492	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 8, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/22/2011  
 Date Completed: 08/08/2011  
 Job #: 201142737  
 Reference: TL11191  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
179025	1076493	20	<0.001	0.020
179026	1076494	61	0.002	0.061
179027	1076495	120	0.004	0.120
179028 Dup	1076495	137	0.004	0.137
179029	1076496	53	0.002	0.053
179030	1076497	16	<0.001	0.016
179031	1076498	43	0.001	0.043
179032	1076499	27	<0.001	0.027
179033	1076500	5067	0.148	5.067
179034	1076501	24	<0.001	0.024
179035	1076502	59	0.002	0.059
179036	1076503	271	0.008	0.271
179037	1076504	387	0.011	0.387
179038	1076505	180	0.005	0.180
179039 Dup	1076505	188	0.005	0.188
179040	1076506	303	0.009	0.303
179041	1076507	208	0.006	0.208
179042	1076508	483	0.014	0.483
179043	1076509	616	0.018	0.616
179044	1076510	6	<0.001	0.006
179045	1076511	298	0.009	0.298
179046	1076512	63	0.002	0.063
179047	1076513	233	0.007	0.233
179048	1076514	17	<0.001	0.017

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

**Certificate of Analysis**


Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
Date Completed: 08/16/2011  
Job #: 201142938  
Reference: TL11191  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
196064	1076418	0.118	4.046
196065	1076427	0.093	3.199
196066	1076442	0.132	4.526

PROCEDURE CODES: ALFA7

  
Certified By: Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181872	1077500	<0.005	2	3.42	13	423	<2	2	1.73	<4	11	47	55	3.94	0.06	2	0.98	695	<1	35	631	10	1.79	<5	5	<10	320	2667	<2	107	<10	10	45
181873	1077501	0.033	<1	2.92	16	333	2	6	0.24	<4	9	27	7	1.30	0.26	5	1.28	716	<1	59	552	36	1.98	<5	6	<10	175	1258	<2	44	<10	2	72
181874	1077502	0.028	3	2.29	15	350	2	3	0.34	<4	5	35	14	1.13	0.12	9	0.80	610	<1	63	564	42	2.43	<5	<5	<10	174	1312	3	41	<10	2	96
181875	1077503	0.020	5	2.52	15	338	2	3	0.25	<4	3	18	41	1.06	0.08	3	0.69	444	<1	32	539	63	2.20	<5	7	<10	184	1204	6	35	<10	3	108
181876	1077504	0.260	8	2.22	21	557	2	14	0.57	5	6	16	122	1.23	0.77	9	0.54	428	<1	25	549	933	2.70	<5	7	<10	179	1560	<2	36	13	3	1717
181877	1077505	0.015	2	2.28	12	302	2	<1	0.46	<4	6	31	23	0.84	0.74	5	0.54	283	<1	52	306	37	2.45	<5	5	<10	175	1042	<2	24	<10	3	46
181878	1077506	0.007	2	1.52	14	312	2	12	0.39	<4	6	29	17	0.86	0.51	8	0.64	359	<1	45	285	35	3.14	<5	10	<10	167	1216	<2	27	<10	3	67
181879	1077507	0.035	4	2.26	18	416	2	<1	0.93	<4	12	17	42	1.15	0.45	4	0.55	451	<1	40	487	68	2.28	<5	8	<10	270	1343	<2	36	<10	3	62
181880	1077508	0.014	<1	2.09	15	354	2	<1	0.89	<4	11	23	35	1.23	0.23	5	0.47	330	<1	41	368	64	2.84	<5	9	<10	222	1117	<2	30	<10	3	44
181881	1077509	0.015	3	3.19	18	574	2	7	1.16	<4	10	35	58	1.59	0.27	8	0.60	337	1	66	561	86	2.48	<5	6	<10	270	1486	<2	46	<10	3	78
181882D	1077509	0.017	4	3.26	14	520	2	7	1.11	<4	10	28	56	1.53	0.13	5	0.63	321	<1	55	540	80	2.54	<5	10	<10	254	1374	12	42	<10	3	74
181883	1077510	0.269	107	2.31	242	276	2	2	1.34	28	14	60	6184	6.40	0.01	6	0.97	1964	21	33	556	10295	4.41	347	<5	<10	250	2436	5	99	40	7	5167
181884	1077511	0.044	<1	1.40	12	377	2	3	0.90	<4	4	21	35	1.24	<0.01	2	0.55	452	<1	35	429	59	2.48	<5	5	<10	228	1177	5	33	<10	3	213
181885	1077512	0.118	5	1.57	32	428	2	9	0.19	<4	14	17	25	0.91	<0.01	3	0.31	146	<1	38	655	371	2.38	<5	7	<10	158	1664	<2	35	<10	2	1076
181886	1077513	0.095	2	1.03	42	306	2	<1	0.05	5	14	17	8	0.98	0.38	7	0.40	186	<1	43	439	525	2.80	<5	5	<10	135	1571	<2	33	14	2	1979
181887	1077514	0.159	3	1.03	51	265	2	<1	<0.01	9	17	22	7	0.99	0.29	4	0.28	110	<1	55	371	1458	2.69	<5	<5	<10	107	1561	<2	31	24	2	3770
181888	1077515	0.050	1	1.29	39	265	2	<1	1.00	<4	19	14	3	1.25	0.05	7	0.79	663	<1	38	480	70	2.38	<5	6	<10	206	1546	<2	34	<10	2	60
181889	1077516	0.032	<1	2.95	47	343	<2	6	1.42	<4	11	17	7	1.43	0.12	3	1.13	984	<1	36	533	39	2.40	<5	9	<10	174	1889	12	37	<10	3	57
181890	1077517	0.162	3	1.94	46	307	<2	<1	1.22	5	9	15	63	1.73	0.15	5	1.03	917	<1	27	529	740	2.81	<5	5	<10	180	1913	3	38	14	3	2179
181891	1077518	0.162	2	2.65	32	366	2	<1	0.84	<4	10	18	315	1.86	0.11	13	0.72	772	<1	32	532	818	3.05	<5	8	<10	154	2091	3	40	10	3	1438

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181892	1077519	0.149	5	3.12	42	373	2	5	1.36	<4	7	23	29	1.86	0.12	11	0.84	876	<1	29	453	182	3.43	<5	10	<10	181	2022	6	39	<10	3	864
181893D	1077519	0.165	2	1.13	42	364	2	<1	1.09	<4	6	28	29	1.79	0.08	14	0.71	890	<1	37	442	187	3.29	<5	6	<10	152	2036	<2	40	10	3	906
181894	1077520	<0.005	2	2.88	11	458	2	2	1.68	<4	11	50	57	3.86	0.26	8	0.90	705	3	39	638	13	2.83	<5	<5	<10	316	2957	<2	111	<10	8	50
181895	1077521	0.114	2	2.25	45	328	2	<1	0.79	<4	7	27	16	1.69	0.08	13	0.55	477	3	35	462	92	4.23	<5	10	<10	148	2270	<2	42	<10	3	611
181896	1077522	0.088	3	2.00	46	329	2	2	1.25	<4	7	28	9	2.02	0.11	11	0.90	880	<1	43	551	221	3.43	<5	5	<10	178	2509	10	45	<10	3	505
181897	1077523	0.188	2	2.76	50	439	2	<1	1.49	<4	7	27	7	2.04	0.03	12	0.96	863	<1	35	524	593	3.38	<5	6	<10	177	2267	2	42	<10	3	787
181898	1077524	0.098	3	2.83	36	417	2	3	1.43	<4	7	32	8	1.90	<0.01	5	1.09	1028	<1	42	413	155	3.02	5	7	<10	168	2024	7	41	<10	3	419
181899	1077525	0.092	4	2.06	42	350	2	<1	1.13	5	7	38	7	1.93	<0.01	<1	0.91	903	<1	54	483	806	3.27	<5	8	<10	147	2095	<2	43	13	3	1988
181900	1077526	0.078	5	2.11	40	336	2	4	1.01	5	6	29	6	1.77	0.62	<1	0.97	890	<1	37	455	1005	2.74	<5	<5	<10	147	2018	<2	40	14	3	2018
181901	1077527	0.286	4	1.47	43	394	2	<1	0.55	<4	7	38	6	1.77	0.47	<1	0.73	611	<1	54	415	385	3.07	<5	<5	<10	124	1906	<2	41	<10	2	845
181902	1077528	0.480	4	0.77	44	350	2	<1	0.53	<4	6	27	5	1.40	0.26	<1	0.69	657	<1	32	423	461	2.70	<5	6	<10	131	1574	4	39	<10	2	1181
181903	1077529	3.621	57	1.14	61	299	2	5	0.05	21	6	40	37	1.71	0.06	<1	0.48	345	<1	53	383	5803	3.03	40	8	<10	106	1329	<2	40	54	2	6946
181904D	1077529	3.004	50	1.37	63	297	2	11	0.11	20	7	36	36	1.68	0.04	<1	0.47	332	<1	47	381	5702	3.24	35	9	<10	110	1296	<2	39	56	2	6815
181905	1077530	4.938	2	2.00	412	1131	<2	4	2.54	<4	12	124	88	3.77	0.35	2	1.07	552	10	59	877	32	2.41	37	11	<10	237	2152	<2	147	<10	8	259
181906	1077531	0.101	2	2.73	44	295	2	<1	0.41	<4	7	39	15	2.16	0.38	3	1.30	876	<1	52	497	161	2.66	<5	6	<10	119	1579	8	46	<10	2	167
181907	1077532	0.374	3	2.44	39	330	2	2	0.89	<4	8	39	62	1.99	0.26	5	1.16	971	<1	62	524	372	2.43	<5	7	<10	127	1987	<2	44	<10	3	666
181908	1077533	0.228	4	0.78	45	370	2	3	0.57	12	7	54	27	1.77	0.17	10	0.55	568	6	87	500	1270	3.09	6	5	<10	108	2214	2	45	36	2	4065
181909	1077534	0.109	2	3.98	31	456	2	10	1.57	<4	7	27	31	2.17	0.15	15	1.34	1074	<1	40	557	122	2.69	5	9	<10	170	2311	10	43	<10	4	270
181910	1077535	0.075	4	3.50	50	389	2	<1	0.70	<4	7	27	11	1.88	0.80	5	0.77	583	<1	46	534	136	3.45	5	6	<10	110	2227	<2	41	<10	3	675
181911	1077536	0.335	5	2.33	92	310	2	<1	0.94	5	10	50	167	2.32	0.52	4	0.76	1064	1	60	447	418	3.76	<5	8	<10	103	2221	<2	54	13	3	1660

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181912	1077537	0.339	3	2.92	118	210	2	<1	1.96	<4	20	159	214	3.98	0.55	16	1.36	1862	<1	98	620	348	4.23	<5	7	<10	131	2680	14	90	<10	7	593
181913	1077538	0.480	<1	2.64	49	393	2	<1	1.51	<4	19	168	89	3.80	0.46	13	1.10	1610	2	112	607	86	3.75	<5	<5	<10	118	3592	2	116	<10	6	146
181914	1077539	0.460	5	1.79	56	415	2	4	1.03	4	8	44	142	2.20	0.42	11	0.73	875	<1	48	528	194	3.58	<5	6	<10	110	2421	<2	50	<10	3	1531
181915D	1077539	0.571	3	2.93	63	460	2	6	1.25	4	9	48	155	2.42	0.35	12	0.82	920	<1	56	569	210	3.62	<5	9	<10	111	2628	<2	54	13	3	1646
181916	1077540	<0.005	2	2.64	13	418	<2	2	1.65	<4	11	47	55	3.82	0.45	5	0.90	692	<1	36	630	13	2.31	<5	7	<10	308	2756	<2	106	<10	8	47
181917	1077541	0.073	<1	1.98	22	471	2	<1	0.81	<4	7	33	31	1.15	0.24	12	0.65	782	2	56	562	45	2.49	<5	10	<10	114	2352	<2	45	<10	2	117
181918	1077542	0.120	6	2.91	36	448	2	4	0.85	<4	7	28	81	1.63	0.23	15	0.65	626	1	47	555	187	3.07	5	8	<10	121	2429	<2	43	<10	3	290
181919	1077543	0.339	4	2.64	60	370	2	6	0.66	<4	6	33	211	2.08	0.20	10	0.66	616	<1	59	537	479	2.81	6	6	<10	107	2264	<2	43	<10	3	488
181920	1077544	0.037	4	5.11	30	391	2	<1	1.66	<4	6	29	15	1.69	0.64	14	1.05	949	<1	47	637	60	3.04	<5	9	<10	176	2479	3	46	<10	4	91
181921	1077545	0.497	2	4.27	35	386	2	<1	1.90	<4	7	23	353	2.02	0.56	10	1.16	1188	<1	33	623	643	3.04	<5	9	<10	189	2353	<2	39	<10	4	925
181922	1077546	0.717	3	4.64	34	433	2	2	2.08	<4	7	26	228	2.03	0.42	10	1.18	1242	<1	42	653	559	3.36	6	10	<10	201	2591	11	43	<10	4	1292
181923	1077547	0.033	<1	3.16	30	269	2	5	1.81	<4	8	20	33	1.49	0.51	10	1.10	1207	<1	32	521	114	2.73	<5	6	<10	205	2237	3	43	<10	3	160
181924	1077548	0.081	4	2.51	16	276	2	1	1.16	<4	7	35	25	1.80	0.41	10	1.07	1278	<1	57	586	103	2.77	5	7	<10	168	2287	12	41	<10	3	129
181925	1077549	0.032	3	2.97	16	278	2	2	0.92	<4	6	24	12	1.71	0.37	15	1.09	1098	<1	40	590	190	2.56	<5	<5	<10	161	2172	<2	44	<10	3	150
181926D	1077549	0.020	4	2.91	14	263	2	5	0.91	<4	6	23	12	1.73	0.47	13	1.13	1091	<1	39	573	193	2.23	<5	9	<10	163	2148	2	43	<10	3	149
181927	1077550	1.265	4	3.07	26	522	2	6	1.65	<4	15	66	667	4.26	0.31	8	1.00	721	25	41	757	89	2.33	5	<5	<10	307	2594	<2	138	28	8	115
181928	1077551	0.071	3	2.35	18	280	<2	2	1.26	<4	7	24	40	2.19	0.22	18	0.99	1180	<1	41	556	300	2.73	<5	8	<10	167	2156	6	43	<10	3	399
181929	1077552	0.337	<1	<0.01	2	<1	<2	<1	<0.01	<4	<1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	<3	<100	<2	<2	<10	<2	<1
181930	1077553	0.114	3	1.38	9	104	<2	7	1.28	4	3	15	158	1.48	<0.01	<1	0.91	776	<1	26	394	811	1.54	<5	7	<10	153	1049	3	24	<10	3	1455
181931	1077554	0.048	3	2.62	20	297	2	<1	1.31	<4	5	19	96	1.77	0.28	13	1.21	1187	<1	30	551	422	2.89	<5	9	<10	195	1999	<2	40	<10	3	658

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181932	1077555	0.075	7	4.74	16	168	2	10	1.57	9	7	20	62	2.36	0.15	9	1.32	1364	<1	36	508	1216	3.91	<5	9	<10	212	1741	3	33	23	4	3474
181933	1077556	0.093	3	3.73	14	209	2	1	1.04	<4	6	31	36	1.96	0.08	9	1.24	1231	<1	55	536	79	2.24	<5	5	<10	196	1838	12	38	<10	3	205
181934	1077557	0.062	2	3.13	15	254	2	<1	1.14	<4	6	18	33	1.85	0.06	11	1.09	1075	<1	30	546	55	2.33	<5	5	<10	190	2096	14	39	<10	3	128
181935	1077558	0.893	3	3.00	27	319	2	7	0.90	<4	7	24	105	1.74	<0.01	9	0.75	737	<1	42	518	550	2.77	<5	15	<10	186	2093	10	39	10	3	1377
181936	1077559	0.318	3	2.54	23	253	2	<1	0.95	<4	7	24	12	1.80	<0.01	4	0.90	1084	<1	39	532	156	3.06	<5	7	<10	175	2215	3	40	<10	3	297
181937R	1077559	0.240	3	2.37	23	215	2	<1	0.92	<4	6	19	14	1.70	0.07	4	0.85	988	<1	33	503	168	3.07	<5	7	<10	172	1910	4	36	<10	3	293
181938	1077560	0.009	2	2.28	12	411	2	6	1.60	<4	11	47	55	3.80	0.19	6	0.85	684	1	35	625	10	2.36	<5	<5	<10	302	2694	<2	106	<10	7	45
181939	1077561	0.231	5	2.46	24	343	2	1	1.50	<4	6	21	154	1.91	0.07	17	0.93	1033	<1	32	540	489	2.90	<5	11	<10	193	2096	<2	40	<10	3	1086
181940	1077562	2.018	18	3.75	30	338	2	4	1.69	17	6	21	367	2.69	0.07	7	1.14	1073	<1	35	546	6297	3.00	14	12	<10	191	1758	7	36	51	4	6576
181941	1077563	0.107	6	4.31	24	543	2	8	1.28	<4	5	26	36	1.47	0.60	15	0.85	726	<1	41	579	197	2.94	<5	5	<10	187	2239	7	41	<10	4	363
181942	1077564	0.127	9	6.67	30	1423	2	6	3.13	7	5	20	303	2.68	0.36	10	1.73	975	<1	32	557	2567	3.74	8	8	<10	277	1759	<2	31	21	6	2560
181943	1077565	0.083	4	4.84	31	989	2	7	1.76	<4	6	28	30	1.76	0.34	10	1.06	777	<1	50	566	306	3.41	<5	7	<10	231	2117	<2	36	<10	4	869
181944	1077566	0.095	6	4.79	31	968	2	<1	1.72	<4	5	27	33	1.78	0.39	11	1.14	815	<1	45	577	484	3.05	<5	12	<10	231	2090	17	37	<10	4	1155
181945	1077567	0.108	3	5.04	17	621	2	10	1.70	<4	5	27	46	1.60	0.52	22	1.17	690	<1	44	431	41	2.30	<5	9	<10	191	2162	7	35	<10	4	138
181946	1077568	0.108	3	5.02	19	565	2	2	1.84	<4	5	35	29	1.68	0.34	18	1.39	846	<1	54	417	32	2.02	<5	8	<10	185	2009	17	34	<10	4	62
181947	1077569	0.020	4	4.46	11	532	<2	<1	1.87	<4	5	30	42	1.75	0.29	14	1.67	1053	<1	53	394	130	1.92	<5	12	<10	153	2046	5	33	<10	3	475
181948D	1077569	0.025	2	3.81	12	558	2	<1	1.79	<4	6	31	41	1.69	0.22	20	1.53	1044	<1	50	398	131	2.30	<5	5	<10	168	2127	15	34	<10	3	472
181949	1077570	0.251	107	3.63	234	399	<2	8	1.29	29	13	58	6222	6.71	0.09	13	1.28	2012	14	32	541	10387	3.07	342	9	<10	254	2253	<2	97	43	10	5165
181950	1077571	0.028	3	6.63	23	519	2	4	3.16	<4	5	25	17	1.66	0.34	19	1.76	643	<1	44	382	53	1.57	<5	13	<10	206	1879	<2	28	<10	5	76
181951	1077572	0.074	2	4.76	28	539	2	2	1.67	<4	6	31	12	1.54	0.60	15	1.36	523	<1	53	413	24	1.50	<5	12	<10	147	2119	6	33	<10	3	158

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181952	1077573	0.159	5	4.15	32	477	2	6	0.10	<4	6	36	77	1.67	0.46	11	0.46	132	<1	67	460	120	2.29	<5	15	<10	90	1898	<2	35	<10	3	653
181953	1077574	0.031	4	3.81	23	477	2	6	0.92	<4	6	28	10	1.23	0.38	18	0.71	304	1	45	445	41	2.95	5	10	<10	132	2057	<2	35	<10	3	53
181954	1077575	0.108	4	4.27	19	448	2	7	1.15	<4	6	38	28	1.41	0.15	13	0.76	369	5	63	495	54	3.81	<5	7	<10	146	2178	<2	42	<10	3	277
181955	1077576	0.146	7	4.25	24	362	2	2	1.26	<4	7	34	18	1.47	0.29	8	0.86	465	3	57	922	49	3.32	<5	7	<10	135	1926	4	39	<10	4	76
181956	1077577	0.214	3	4.45	19	469	<2	<1	0.92	<4	5	31	17	1.23	0.22	7	0.93	381	<1	51	413	48	2.15	<5	6	<10	125	1738	2	33	<10	4	126
181957	1077578	0.025	2	4.74	27	505	2	4	1.43	<4	6	36	19	1.49	0.10	12	1.09	562	<1	57	447	66	2.58	<5	15	<10	145	1890	7	37	<10	4	92
181958	1077579	0.044	1	2.99	22	581	<2	<1	0.33	<4	6	34	12	1.36	0.09	8	0.52	309	<1	58	449	34	2.34	<5	5	<10	93	2030	4	39	<10	2	51
181959D	1077579	0.059	<1	3.99	29	598	<2	<1	0.38	<4	7	31	12	1.40	0.01	6	0.57	310	<1	54	452	34	2.21	<5	7	<10	94	2082	<2	39	<10	3	52
181960	1077580	<0.005	1	3.98	14	430	<2	16	1.79	<4	11	50	58	4.05	0.69	14	1.05	717	<1	36	662	12	1.90	<5	<5	<10	327	2881	<2	110	<10	10	46
181961	1077581	0.254	4	3.75	32	437	<2	6	2.19	<4	7	34	55	1.87	0.55	19	1.51	1095	<1	52	441	182	2.22	5	8	<10	140	1851	8	38	<10	3	755
181962	1077582	0.078	3	4.08	20	660	2	15	1.20	<4	7	43	20	1.47	0.16	26	0.90	650	4	65	476	75	3.56	<5	9	<10	137	2246	5	44	<10	3	279
181963	1077583	0.326	<1	4.68	29	696	2	9	0.29	<4	7	45	63	1.55	0.10	25	0.47	183	7	75	494	101	3.42	<5	7	<10	114	2271	3	42	<10	3	152
181964	1077584	0.371	1	4.53	33	677	2	7	1.30	<4	5	32	19	1.45	0.49	25	1.13	576	<1	51	442	89	2.50	<5	9	<10	125	2169	<2	39	<10	3	115
181965	1077585	0.126	8	4.18	26	735	2	9	0.68	<4	6	31	18	1.35	0.50	30	0.67	320	3	59	452	432	3.47	<5	11	<10	125	2235	10	41	<10	3	837
181966	1077586	0.079	2	3.37	21	691	2	4	0.61	4	6	21	15	1.20	0.32	26	0.62	312	1	37	425	258	3.35	<5	11	<10	122	2142	<2	37	<10	3	866
181967	1077587	0.182	4	3.41	22	572	2	4	1.25	<4	6	25	23	1.39	0.21	19	1.05	520	<1	45	409	77	3.22	<5	8	<10	119	2061	6	36	<10	3	267

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181872	1077500	<5	<0.001	<0.005
181873	1077501	33	<0.001	0.033
181874	1077502	28	<0.001	0.028
181875	1077503	20	<0.001	0.020
181876	1077504	260	0.008	0.260
181877	1077505	15	<0.001	0.015
181878	1077506	7	<0.001	0.007
181879	1077507	35	0.001	0.035
181880	1077508	14	<0.001	0.014
181881	1077509	15	<0.001	0.015
181882 Dup	1077509	17	<0.001	0.017
181883	1077510	269	0.008	0.269
181884	1077511	44	0.001	0.044
181885	1077512	118	0.003	0.118
181886	1077513	95	0.003	0.095
181887	1077514	159	0.005	0.159
181888	1077515	50	0.001	0.050
181889	1077516	32	<0.001	0.032
181890	1077517	162	0.005	0.162
181891	1077518	162	0.005	0.162
181892	1077519	149	0.004	0.149
181893 Dup	1077519	165	0.005	0.165
181894	1077520	<5	<0.001	<0.005
181895	1077521	114	0.003	0.114
181896	1077522	88	0.003	0.088
181897	1077523	188	0.005	0.188
181898	1077524	98	0.003	0.098
181899	1077525	92	0.003	0.092
181900	1077526	78	0.002	0.078
181901	1077527	286	0.008	0.286

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181902	1077528	480	0.014	0.480
181903	1077529	3621	0.106	3.621
181904 Dup	1077529	3004	0.088	3.004
181905	1077530	4938	0.144	4.938
181906	1077531	101	0.003	0.101
181907	1077532	374	0.011	0.374
181908	1077533	228	0.007	0.228
181909	1077534	109	0.003	0.109
181910	1077535	75	0.002	0.075
181911	1077536	335	0.010	0.335
181912	1077537	339	0.010	0.339
181913	1077538	480	0.014	0.480
181914	1077539	460	0.013	0.460
181915 Dup	1077539	571	0.017	0.571
181916	1077540	<5	<0.001	<0.005
181917	1077541	73	0.002	0.073
181918	1077542	120	0.004	0.120
181919	1077543	339	0.010	0.339
181920	1077544	37	0.001	0.037
181921	1077545	497	0.014	0.497
181922	1077546	717	0.021	0.717
181923	1077547	33	<0.001	0.033
181924	1077548	81	0.002	0.081
181925	1077549	32	<0.001	0.032
181926 Dup	1077549	20	<0.001	0.020
181927	1077550	1265	0.037	1.265
181928	1077551	71	0.002	0.071
181929	1077552	337	0.010	0.337
181930	1077553	114	0.003	0.114
181931	1077554	48	0.001	0.048

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181932	1077555	75	0.002	0.075
181933	1077556	93	0.003	0.093
181934	1077557	62	0.002	0.062
181935	1077558	893	0.026	0.893
181936	1077559	318	0.009	0.318
181937 Rep	1077559	240	0.007	0.240
181938	1077560	9	<0.001	0.009
181939	1077561	231	0.007	0.231
181940	1077562	2018	0.059	2.018
181941	1077563	107	0.003	0.107
181942	1077564	127	0.004	0.127
181943	1077565	83	0.002	0.083
181944	1077566	95	0.003	0.095
181945	1077567	108	0.003	0.108
181946	1077568	108	0.003	0.108
181947	1077569	20	<0.001	0.020
181948 Dup	1077569	25	<0.001	0.025
181949	1077570	251	0.007	0.251
181950	1077571	28	<0.001	0.028
181951	1077572	74	0.002	0.074
181952	1077573	159	0.005	0.159
181953	1077574	31	<0.001	0.031
181954	1077575	108	0.003	0.108
181955	1077576	146	0.004	0.146
181956	1077577	214	0.006	0.214
181957	1077578	25	<0.001	0.025
181958	1077579	44	0.001	0.044
181959 Dup	1077579	59	0.002	0.059
181960	1077580	<5	<0.001	<0.005
181961	1077581	254	0.007	0.254

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142776  
 Reference: TL11192  
 Sample #: 88

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181962	1077582	78	0.002	0.078
181963	1077583	326	0.010	0.326
181964	1077584	371	0.011	0.371
181965	1077585	126	0.004	0.126
181966	1077586	79	0.002	0.079
181967	1077587	182	0.005	0.182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181968	1076515	0.055	1	6.88	19	364	3	11	2.15	6	22	161	48	4.11	0.52	26	1.61	817	13	103	542	46	1.10	6	7	<10	223	2134	9	93	11	13	70
181969	1076516	0.126	1	5.33	59	505	2	8	2.03	5	17	51	19	2.25	0.31	18	1.16	677	10	52	508	66	1.36	<5	7	<10	189	1931	<2	52	16	7	589
181970	1076517	0.050	1	2.61	93	119	2	12	1.20	10	23	17	19	6.96	0.22	16	0.32	190	12	38	375	39	5.99	7	11	<10	171	1556	2	47	15	4	366
181971	1076518	0.033	1	2.80	46	537	2	8	1.01	<4	19	15	11	1.41	0.36	18	0.30	153	5	31	497	26	1.18	6	7	<10	198	1671	<2	46	11	4	107
181972	1076519	0.035	<1	3.58	92	318	2	12	0.94	5	23	17	12	3.48	0.22	14	0.32	142	7	43	429	32	2.94	6	10	<10	211	1674	<2	44	13	5	522
181973	1076520	1.353	1	5.16	29	513	2	14	1.65	6	15	55	555	3.48	0.25	12	1.06	560	31	32	657	82	0.65	7	<5	<10	230	1698	6	104	34	14	104
181974	1076521	0.041	1	3.86	53	514	2	7	1.05	<4	18	24	11	1.41	0.24	15	0.32	127	7	42	335	30	1.22	5	9	<10	237	1565	<2	37	<10	5	94
181975	1076522	0.022	<1	3.81	34	527	2	9	1.28	<4	14	20	23	0.86	0.28	15	0.35	179	5	27	449	25	0.72	6	5	<10	251	1505	<2	40	<10	4	38
181976	1076523	0.023	<1	3.94	29	556	2	10	1.11	<4	11	18	15	0.96	0.31	14	0.35	161	5	22	462	29	0.82	6	7	<10	241	1575	<2	37	12	5	32
181977	1076524	0.013	<1	3.51	19	544	<2	12	1.16	<4	9	22	14	1.12	0.36	18	0.37	155	6	25	378	20	0.89	6	7	<10	251	1471	<2	40	<10	4	25
181978D	1076524	0.016	<1	3.81	19	505	2	8	1.03	<4	10	23	14	1.13	0.18	16	0.39	153	6	26	385	22	0.84	5	6	<10	227	1419	<2	39	11	5	23
181979	1076525	0.009	<1	3.77	20	557	2	10	0.92	<4	12	31	10	1.01	0.15	16	0.32	121	9	52	330	23	0.71	<5	8	<10	232	1645	<2	38	10	5	32
181980	1076526	0.010	<1	4.03	17	581	2	10	1.08	<4	12	30	10	1.02	0.44	17	0.31	119	11	49	350	22	0.75	<5	5	<10	278	1660	<2	38	12	5	43
181981	1076527	0.019	<1	3.25	23	585	2	12	1.40	<4	13	33	15	1.19	0.54	20	0.38	196	10	51	393	22	0.78	7	10	<10	321	1727	4	38	11	4	146
181982	1076528	0.015	1	4.14	13	508	<2	7	1.29	<4	12	40	12	0.94	0.36	18	0.44	187	9	53	471	27	0.56	7	11	<10	265	1539	4	36	57	5	104
181983	1076529	0.026	<1	3.20	11	546	2	10	1.74	<4	13	46	24	1.93	0.33	25	0.60	362	7	42	414	32	0.76	5	10	<10	286	1899	<2	45	11	5	121
181984	1076530	<0.005	<1	3.17	14	462	2	9	1.62	5	10	40	47	3.18	0.28	15	0.78	555	9	28	541	15	0.35	8	8	10	240	1991	2	84	12	9	56
181985	1076531	0.061	<1	3.31	27	331	2	11	1.34	<4	9	14	11	1.52	0.68	13	0.40	327	5	20	458	26	0.71	7	6	<10	178	1568	2	33	<10	4	50
181986	1076532	0.021	<1	3.60	10	286	2	9	1.96	<4	7	13	9	1.76	0.53	14	0.68	673	4	16	463	22	0.51	7	<5	<10	148	1618	<2	31	12	4	51
181987	1076533	0.074	<1	4.95	8	243	2	14	2.22	<4	7	14	7	2.02	0.46	12	0.85	782	4	19	465	34	0.62	6	11	<10	142	1577	<2	28	11	6	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
181988	1076534	0.026	<1	2.67	17	438	2	11	1.15	<4	7	14	26	1.31	0.54	17	0.52	576	6	18	443	46	0.78	6	5	<10	99	1565	<2	29	14	3	216
181989D	1076534	0.027	1	3.03	15	408	2	7	1.16	<4	7	14	27	1.31	0.60	14	0.55	555	6	18	452	50	0.74	5	8	<10	97	1445	<2	27	14	3	210
181990	1076535	0.094	1	3.21	36	389	2	10	0.32	<4	7	12	12	0.79	0.65	12	0.34	136	6	19	377	157	0.73	5	9	<10	63	1281	<2	23	12	3	219
181991	1076536	0.032	4	3.82	41	407	2	10	0.40	4	8	11	39	1.02	0.66	11	0.39	145	7	20	404	769	0.92	9	13	<10	71	1318	<2	22	22	4	1113
181992	1076537	0.444	<1	3.59	22	479	2	10	1.48	<4	10	15	11	0.94	0.58	17	0.81	642	8	25	438	47	0.61	<5	7	<10	120	1759	8	31	13	3	52
181993	1076538	0.143	2	3.47	33	455	2	6	0.51	<4	7	10	9	0.96	0.51	15	0.37	163	6	14	433	237	0.90	8	10	<10	93	1563	<2	27	13	3	304
181994	1076539	0.065	<1	3.78	33	328	2	11	0.57	<4	6	9	5	0.87	0.65	11	0.45	208	5	14	404	72	0.78	5	14	<10	89	1321	<2	23	13	3	213
181995	1076540	0.278	100	2.78	210	322	2	11	1.14	27	13	46	6170	4.91	0.23	12	0.90	1502	24	22	416	10061	1.68	261	13	<10	179	1555	<2	71	51	8	5201
181996	1076541	0.158	1	3.08	34	296	2	9	0.53	<4	5	11	26	1.00	0.45	12	0.47	254	4	18	379	177	0.80	6	<5	<10	73	1174	<2	20	15	3	427
181997	1076542	0.051	1	3.17	17	386	2	9	1.21	<4	4	14	14	0.94	0.37	15	0.75	568	5	21	415	133	0.57	5	7	<10	105	1487	<2	24	12	3	231
181998	1076543	0.035	<1	3.13	26	309	2	6	1.44	<4	6	12	14	0.96	0.36	12	0.95	751	4	18	395	64	0.52	<5	<5	<10	111	1270	4	23	12	3	62
181999	1076544	0.294	3	2.32	38	368	2	6	0.47	4	7	9	154	0.92	0.40	17	0.38	230	5	15	384	657	0.81	8	9	<10	81	1416	<2	25	22	3	1106
182000D	1076544	0.271	3	2.66	37	334	2	7	0.47	4	7	9	154	0.92	0.47	16	0.39	218	4	16	378	677	0.82	9	13	<10	79	1326	<2	23	22	3	1110
182001	1076545	0.068	1	3.41	33	317	2	9	1.40	<4	6	12	42	0.98	0.46	15	0.85	679	5	18	426	164	0.68	6	9	<10	132	1488	2	24	11	3	79
182002	1076546	0.230	2	3.68	35	293	2	9	1.29	<4	6	11	145	1.02	0.37	12	0.83	605	3	18	388	145	0.74	7	8	<10	122	1273	2	21	11	3	122
182003	1076547	0.070	1	4.77	33	270	2	10	1.12	<4	7	11	17	0.87	0.31	13	0.81	502	5	17	445	95	0.62	6	7	<10	117	1297	5	21	10	5	185
182004	1076548	0.088	<1	4.86	32	332	2	8	1.32	<4	6	10	13	0.96	0.65	17	0.82	629	6	14	437	53	0.55	5	15	<10	129	1648	5	27	10	4	91
182005	1076549	0.058	<1	3.44	32	313	2	7	1.22	<4	8	13	17	1.04	0.49	14	0.75	627	5	21	430	67	0.60	5	5	<10	126	1568	3	27	15	3	157
182006	1076550	0.008	<1	3.09	12	384	2	12	1.40	4	10	35	41	2.81	0.07	10	0.78	489	5	26	483	15	0.27	<5	9	<10	213	1700	<2	73	11	10	61
182007	1076551	0.120	5	2.22	25	402	2	5	0.61	5	5	11	18	0.97	0.47	17	0.38	324	5	14	366	857	0.76	9	8	<10	99	1509	2	26	26	2	1554

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182008	1076552	0.060	<1	2.94	27	312	2	6	1.06	<4	6	13	18	1.19	0.29	15	0.75	594	4	21	380	236	0.72	6	7	<10	114	1368	<2	23	10	3	201
182009	1076553	0.131	1	2.27	39	399	2	7	0.50	<4	8	11	33	1.05	0.55	16	0.38	276	4	16	387	155	0.82	7	9	<10	109	1494	2	25	14	3	190
182010	1076554	0.097	1	2.94	37	360	2	7	0.67	<4	8	10	28	1.22	0.49	18	0.48	328	5	17	437	133	0.91	6	14	<10	146	1562	<2	26	15	3	104
182011D	1076554	0.101	1	2.54	39	327	2	7	0.57	<4	8	11	28	1.18	0.30	15	0.48	316	3	17	438	108	0.91	8	5	<10	130	1397	<2	24	11	3	103
182012	1076555	0.213	32	1.63	55	79	2	12	0.35	66	14	11	179	3.63	0.32	12	0.31	359	7	24	348	9138	3.91	27	7	<10	86	1165	<2	20	256	3	26071
182013	1076556	0.026	1	2.29	13	358	<2	10	0.92	<4	9	10	37	1.01	0.37	15	0.58	526	4	18	421	96	0.58	<5	11	<10	128	1363	<2	25	13	3	186
182014	1076557	0.021	1	3.09	10	323	<2	9	1.06	<4	6	9	13	1.03	0.35	15	0.69	580	4	17	384	39	0.55	<5	<5	<10	126	1266	<2	23	<10	3	70
182015	1076558	0.047	1	4.16	25	302	2	7	0.93	<4	7	10	22	1.08	0.25	13	0.69	496	4	17	433	92	0.63	6	16	<10	121	1228	<2	21	15	4	242
182016	1076559	0.511	<1	3.35	31	438	2	7	0.98	<4	10	16	53	1.07	0.34	16	0.52	415	6	15	413	34	0.72	5	<5	<10	131	1605	<2	29	10	3	46
182017	1076560	5.202	1	3.49	363	1232	2	10	2.19	5	11	99	69	2.82	0.13	15	0.99	393	15	43	706	31	0.81	32	9	<10	170	1377	3	106	14	11	197
182018	1076561	0.608	7	3.00	45	422	2	10	0.30	6	5	18	90	1.40	0.32	14	0.34	206	6	17	393	408	1.15	9	10	<10	85	1458	<2	27	20	3	1044
182019	1076562	1.173	1	2.79	13	365	2	8	0.92	<4	7	13	19	1.17	0.32	13	0.55	558	3	14	435	28	0.53	<5	10	<10	118	1436	3	28	<10	3	55
182020	1076563	0.779	<1	2.92	20	352	2	4	1.24	<4	7	29	23	1.51	0.30	12	0.63	1019	5	29	370	67	0.73	7	<5	<10	119	1361	4	30	10	4	105
182021	1076564	1.913	1	2.75	32	354	2	8	0.72	<4	8	23	23	1.58	0.17	15	0.59	647	3	20	390	56	0.99	7	11	<10	98	1363	<2	25	11	4	114
182022D	1076564	1.480	1	2.70	28	362	2	10	0.75	<4	7	24	22	1.53	0.29	14	0.56	622	3	20	368	61	0.99	6	6	<10	102	1358	<2	26	11	3	109
182023	1076565	0.749	2	2.16	46	353	2	5	0.29	4	6	20	22	1.49	0.28	11	0.26	163	4	18	331	149	1.24	5	9	<10	89	1261	<2	23	14	3	589
182024	1076566	1.302	3	2.49	45	390	2	9	0.35	4	7	20	26	1.64	0.66	13	0.29	185	4	17	347	214	1.39	5	<5	<10	96	1321	<2	24	15	3	555
182025	1076567	0.395	1	2.73	22	328	2	11	0.97	<4	8	23	20	1.56	0.27	14	0.54	652	4	19	410	39	0.84	7	5	<10	119	1396	<2	29	12	3	73
182026	1076568	0.658	2	4.68	27	314	<2	7	0.59	<4	6	23	20	1.59	0.15	18	0.91	470	2	22	432	45	0.85	7	<5	<10	119	1242	<2	26	<10	6	147
182027	1076569	22.409	<1	4.77	33	311	2	8	0.94	<4	8	22	22	1.63	0.27	10	0.57	450	4	18	461	48	0.99	5	12	<10	113	1264	<2	27	<10	6	68

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182028	1076570	<0.005	<1	3.73	12	420	2	11	1.53	4	10	37	43	2.97	0.07	12	0.83	513	7	25	508	14	0.29	<5	16	<10	226	1792	6	78	<10	11	45
182029	1076571	0.056	<1	3.62	22	352	2	9	1.58	<4	8	30	17	1.54	0.37	16	0.99	691	6	23	385	47	0.72	7	8	<10	144	1450	6	29	10	5	87
182030	1076572	4.163	37	2.51	45	236	2	11	0.94	15	4	16	284	2.32	0.44	15	0.61	474	5	22	266	1986	1.97	30	13	<10	104	1042	<2	20	56	3	4655
182031	1076573	0.341	5	2.72	24	389	2	7	0.96	4	3	15	153	1.20	0.39	17	0.61	498	5	17	297	296	0.95	10	7	<10	125	1255	<2	21	20	3	1057
182032	1076574	0.097	<1	3.10	25	285	<2	5	0.74	<4	5	18	14	0.91	0.12	13	0.58	451	5	25	336	30	0.62	7	11	<10	119	1186	<2	21	10	3	41
182033R	1076574	0.058	<1	2.95	25	242	<2	8	0.64	<4	4	13	13	0.90	<0.01	11	0.58	425	3	17	325	26	0.62	6	11	<10	110	1082	2	20	10	3	38
182034	1076575	0.108	<1	3.18	22	239	<2	9	0.53	<4	3	21	5	0.93	0.19	15	0.60	319	4	26	358	27	0.59	6	8	<10	100	1030	4	19	10	3	20
182035	1076576	3.959	2	2.84	36	277	2	8	0.99	4	7	19	27	1.72	0.08	12	0.61	702	4	23	583	72	0.93	5	5	<10	131	1217	2	26	15	5	404
182036	1076577	0.027	<1	2.88	21	312	2	6	0.83	<4	6	17	12	1.21	0.14	13	0.42	351	3	19	467	30	0.60	5	<5	<10	126	1432	<2	28	<10	4	55
182037	1076578	0.029	<1	2.87	30	284	2	14	0.92	<4	10	19	14	1.29	0.15	14	0.48	346	3	19	434	23	0.69	5	10	<10	138	1405	<2	29	10	4	42
182038	1076579	0.023	1	3.16	20	306	2	8	1.07	<4	13	16	26	1.60	0.13	11	0.55	426	3	27	315	22	0.83	7	12	<10	119	1135	<2	21	10	5	86
182039	1076580	1.187	1	4.86	24	488	2	9	1.51	5	16	49	502	3.16	0.48	11	0.98	510	29	29	598	72	0.59	8	13	<10	220	1564	<2	95	31	13	94
182040	1076581	0.021	1	4.16	25	292	2	9	1.11	4	11	15	15	2.54	0.10	13	0.46	339	5	23	372	28	1.90	5	7	<10	139	1152	<2	24	<10	5	41
182041	1076582	0.018	1	3.52	21	229	2	9	0.79	<4	5	18	14	1.14	0.12	11	0.42	251	5	21	336	31	0.73	5	11	<10	117	1017	<2	20	<10	4	32
182042	1076583	0.012	2	3.93	11	260	2	11	1.57	<4	8	15	15	1.95	0.18	19	0.90	674	4	18	416	32	1.01	5	11	<10	162	1572	<2	33	11	4	56
182043	1076584	0.008	1	4.03	21	301	2	8	1.30	<4	16	19	18	1.26	0.42	24	0.81	508	6	32	471	26	0.62	6	10	<10	172	1827	<2	35	13	4	93
182044D	1076584	0.005	1	3.16	17	328	2	8	1.20	<4	15	18	17	1.21	0.98	25	0.73	490	7	30	441	29	0.61	5	<5	<10	168	1959	<2	37	12	3	90
182045	1076585	0.009	1	4.40	18	205	2	7	1.66	<4	11	19	9	1.13	0.45	18	1.14	470	5	27	395	18	0.57	7	8	<10	104	1341	2	26	11	6	130
182046	1076586	0.019	2	6.74	28	327	2	11	2.08	5	15	17	20	1.80	0.56	27	1.40	521	8	27	459	35	1.06	17	16	<10	155	1601	<2	33	15	7	615
182047	1076587	0.016	1	6.17	23	378	2	9	1.49	<4	6	15	11	0.80	0.29	22	1.01	396	9	19	443	29	0.52	5	13	<10	152	1776	<2	32	10	5	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182048	1076588	0.144	8	4.69	25	317	2	10	0.24	<4	4	22	18	1.00	0.69	14	0.40	103	8	30	388	59	0.85	7	13	<10	70	1268	2	24	12	4	269
182049	1076589	0.169	3	4.85	29	278	2	8	0.14	<4	3	16	10	0.92	0.71	12	0.35	<100	6	21	345	24	0.84	6	7	<10	64	1151	<2	22	10	4	28
182050	1076590	0.006	<1	3.97	11	420	2	9	1.50	4	9	35	41	2.82	0.72	13	0.79	489	7	23	479	19	0.32	<5	11	<10	227	1776	<2	75	10	11	47
182051	1076591	0.226	5	4.19	32	255	2	8	0.14	<4	2	17	14	1.00	0.52	12	0.35	<100	6	21	295	62	0.91	6	11	<10	61	1031	<2	20	16	4	334
182052	1076592	1.014	24	4.67	35	301	2	9	0.27	<4	3	16	45	1.00	0.54	14	0.40	<100	7	20	319	701	0.91	23	<5	<10	73	1088	4	21	11	4	134
182053	1076593	0.337	3	4.25	22	286	2	11	0.90	<4	3	15	7	0.82	0.69	14	0.66	459	6	37	315	110	0.66	8	14	<10	99	1070	<2	21	10	4	51
182054	1076594	0.542	7	4.09	23	317	2	12	0.40	<4	4	13	30	0.85	0.81	13	0.39	194	6	16	327	116	0.75	8	5	<10	67	1173	<2	22	14	3	173
182055D	1076594	0.527	6	4.21	24	307	2	8	0.36	<4	3	13	30	0.84	0.81	11	0.40	185	5	14	325	117	0.73	5	8	<10	63	1117	<2	21	14	4	170
182056	1076595	0.103	4	4.11	23	295	2	10	0.64	<4	4	13	29	0.98	0.65	15	0.53	380	5	15	317	111	0.74	<5	<5	<10	81	1168	<2	22	15	3	240
182057	1076596	0.031	2	3.99	21	183	<2	7	0.16	<4	2	24	9	0.64	0.45	8	0.29	<100	7	31	328	48	0.53	<5	12	<10	57	843	2	16	<10	5	97
182058	1076597	0.057	6	5.21	26	267	2	7	0.35	<4	5	16	12	1.22	0.58	14	0.40	146	6	21	346	94	0.84	7	14	<10	66	1170	<2	22	15	5	159
182059	1076598	0.058	6	4.75	11	242	2	6	1.58	<4	4	15	6	1.31	0.90	15	0.79	568	4	18	329	36	0.51	7	13	<10	99	1324	<2	23	12	4	121
182060	1076599	0.006	<1	4.90	18	473	2	10	2.49	<4	9	15	19	1.42	0.68	19	0.79	484	6	18	554	23	0.64	6	6	<10	219	1736	2	37	<10	4	31
182061	1076600	0.262	100	5.29	238	400	2	14	1.36	30	14	52	6018	5.51	0.35	14	1.21	1659	27	26	461	9968	1.85	240	10	<10	201	1720	<2	78	55	15	5211
182062	1076601	0.006	3	5.40	63	415	2	12	2.30	<4	13	17	21	1.34	0.63	14	0.78	452	5	25	524	271	0.89	7	11	<10	191	1375	<2	30	12	5	63
182063	1076602	0.012	<1	5.89	50	402	2	13	1.97	<4	12	15	24	1.02	0.55	20	1.24	500	5	23	524	23	0.64	<5	7	<10	155	1451	<2	30	<10	6	8
182064	1076603	<0.005	<1	7.20	29	431	2	16	2.39	<4	12	12	14	0.97	0.64	20	1.51	721	7	17	628	31	0.60	<5	9	<10	192	1500	4	33	11	7	26
182065	1076604	0.016	2	4.52	34	548	2	5	0.60	<4	10	12	11	1.03	0.66	16	0.40	156	7	18	531	34	1.00	7	10	<10	110	1683	<2	33	10	4	27
182066D	1076604	0.013	2	5.28	39	535	2	10	0.63	<4	10	12	12	1.10	0.46	15	0.44	159	7	18	572	29	1.01	<5	<5	<10	111	1672	<2	32	11	5	30
182067	1076605	0.013	1	7.16	31	457	2	11	2.33	<4	8	14	6	0.75	0.46	21	1.46	721	8	21	600	25	0.57	5	17	<10	168	1510	7	31	<10	6	20

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182068	1076606	0.011	1	5.00	27	437	2	8	2.04	<4	8	12	5	0.68	1.11	19	1.23	655	7	18	529	23	0.56	6	12	<10	151	1440	3	29	12	5	17
182069	1076607	0.024	1	5.55	31	463	2	12	2.14	<4	7	22	6	1.49	1.02	19	1.22	508	5	26	512	32	0.95	5	11	<10	148	1519	2	33	10	6	41
182070	1076608	0.049	3	5.93	55	358	2	10	2.73	5	20	126	50	3.43	0.77	23	1.24	762	10	66	486	45	1.75	6	5	<10	166	2364	<2	81	11	12	125
182071	1076609	0.055	1	6.10	22	374	3	14	1.81	6	23	134	47	4.02	0.51	20	1.38	714	9	70	503	36	1.50	6	12	<10	149	2384	<2	86	11	14	80
182072	1076610	<0.005	<1	4.28	10	412	2	10	1.50	4	9	36	42	2.91	0.62	11	0.88	499	6	25	502	13	0.29	6	6	<10	222	1739	<2	75	<10	13	45
182073	1076611	0.196	1	4.64	42	571	2	8	0.49	6	8	24	24	1.93	0.64	11	0.45	159	4	22	495	198	1.45	6	12	<10	100	1616	<2	37	19	5	982
182074	1076612	0.044	<1	4.68	29	835	2	8	1.67	<4	7	13	7	1.51	0.94	19	0.82	479	4	14	516	36	0.80	<5	5	<10	164	1759	<2	34	14	5	58
182075	1076613	0.045	<1	5.04	42	500	2	8	2.24	<4	8	13	4	1.79	0.91	17	0.83	650	5	15	596	38	0.80	5	12	<10	177	1721	<2	37	<10	5	70
182076	1076614	0.059	<1	5.02	25	394	2	12	2.02	<4	6	11	3	1.60	0.83	17	0.71	548	4	17	509	24	0.69	6	13	<10	163	1610	<2	32	13	5	46
182077D	1076614	0.074	<1	5.29	27	419	2	7	2.21	<4	8	12	3	1.63	0.56	21	0.69	558	6	13	504	26	0.80	6	7	<10	180	1654	5	33	<10	6	48
182078	1076615	0.014	<1	5.39	25	414	2	10	2.20	<4	8	12	3	1.56	0.98	16	0.68	484	5	15	507	22	0.68	6	13	<10	175	1699	<2	31	10	6	39
182079	1076616	0.018	<1	5.40	24	461	2	10	1.76	<4	6	10	2	1.55	0.79	16	0.78	461	3	13	501	20	0.56	5	9	<10	159	1608	<2	30	<10	6	43
182080	1076617	0.021	<1	6.20	24	424	2	8	2.66	<4	7	13	3	1.85	0.85	17	1.00	631	4	19	578	26	0.76	5	7	<10	191	1689	<2	33	12	7	70
182081	1076618	0.081	<1	4.88	22	373	2	9	1.58	<4	7	12	2	1.41	0.77	10	0.61	419	4	17	523	24	0.82	8	12	<10	138	1297	<2	29	12	6	42
182082	1076619	0.041	<1	5.23	23	524	2	10	1.86	<4	9	31	3	2.00	0.68	15	0.89	439	4	24	514	29	0.89	7	7	<10	137	1580	<2	44	11	7	53
182083	1076620	5.391	1	3.85	370	1288	2	9	2.20	5	11	100	70	2.88	0.60	14	1.06	394	16	43	715	30	0.79	25	8	<10	168	1338	<2	107	16	13	192
182084	1076621	0.451	3	3.57	31	297	2	10	1.14	10	8	13	111	3.06	0.47	5	0.61	288	6	28	514	445	1.71	<5	11	<10	103	1140	<2	23	27	5	1694
182085	1076622	0.032	<1	6.29	30	455	2	14	1.80	<4	8	12	13	1.62	0.54	15	1.04	433	3	16	534	38	0.83	5	11	<10	167	1680	3	33	10	6	66
182086	1076623	0.059	<1	5.33	56	447	2	13	0.94	5	9	12	16	1.80	0.64	12	0.59	245	5	18	561	24	2.22	5	8	<10	113	1577	<2	30	18	6	555
182087	1076624	0.124	<1	5.42	41	578	2	11	1.19	<4	8	13	33	1.62	0.96	16	0.75	317	4	17	497	23	1.09	7	10	<10	121	1609	3	31	15	5	208

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182088D	1076624	0.076	<1	5.55	43	525	2	10	1.17	<4	8	13	32	1.62	1.20	14	0.78	315	4	16	504	21	1.09	<5	7	<10	118	1511	<2	29	13	6	208
182089	1076625	0.041	<1	5.77	43	510	2	11	1.87	4	8	10	12	1.87	1.07	18	0.91	378	5	16	507	20	0.97	<5	<5	<10	139	1698	<2	34	<10	5	99
182090	1076626	0.040	<1	6.42	38	480	2	6	1.71	<4	7	14	8	1.69	0.71	17	0.94	361	5	16	502	22	0.90	9	12	<10	130	1592	<2	32	13	6	56
182091	1076627	0.023	<1	6.62	36	440	2	13	2.10	<4	8	12	20	1.81	1.00	16	0.95	368	4	17	524	19	0.80	<5	18	<10	143	1611	<2	32	<10	7	45
182092	1076628	0.023	<1	6.26	26	481	2	8	2.05	<4	9	11	5	1.72	0.90	17	1.00	348	2	14	505	28	0.70	7	18	<10	142	1615	<2	31	11	6	38
182093	1076629	0.091	<1	5.79	28	485	2	8	1.99	<4	6	14	14	1.69	1.11	19	1.05	419	3	20	528	22	0.62	5	16	<10	136	1544	2	30	11	6	45
182094	1076630	0.007	<1	3.61	13	391	2	10	1.43	4	10	36	42	2.91	0.23	9	0.87	492	5	25	492	13	0.23	<5	5	<10	209	1629	<2	75	10	13	44
182095	1076631	0.039	<1	6.30	29	421	2	9	2.10	4	11	10	31	2.09	0.62	17	1.05	358	4	13	557	17	0.85	5	7	<10	132	1614	<2	32	12	7	222
182096	1076632	0.013	<1	5.78	21	413	2	9	1.75	<4	7	10	10	1.78	0.54	17	1.14	358	3	13	540	12	0.63	6	5	<10	130	1510	3	31	13	6	50
182097	1076633	0.028	<1	6.36	38	391	2	7	1.94	<4	10	15	22	1.93	0.28	25	1.22	510	6	17	543	20	0.84	5	13	<10	144	1814	3	35	14	6	65
182098	1076634	0.077	<1	6.57	65	317	2	12	1.49	<4	9	13	12	1.85	0.62	20	0.98	458	4	15	518	24	1.00	5	15	<10	124	1617	3	31	10	7	47
182099R	1076634	0.068	<1	5.85	57	282	2	8	1.52	<4	8	17	13	1.69	0.66	17	0.94	441	4	20	556	22	0.85	5	6	<10	123	1481	2	30	<10	7	44
182100	1076635	0.248	<1	5.91	78	272	2	12	1.85	6	20	111	51	3.75	0.63	21	1.88	732	7	66	529	29	1.62	6	5	<10	101	1807	<2	76	13	12	217
182101	1076636	0.125	<1	6.22	59	303	2	11	1.43	5	18	128	41	3.41	0.89	29	1.90	561	8	62	483	54	1.43	6	8	<10	93	1696	<2	74	12	7	127
182102	1076637	0.297	1	5.48	64	219	2	10	1.87	7	20	106	71	3.98	0.87	36	3.09	863	5	67	472	60	1.55	7	10	<10	82	1272	7	71	11	8	338
182103	1076638	0.177	<1	6.22	31	315	3	12	0.94	6	24	127	64	3.80	0.82	30	1.94	560	8	83	497	52	1.23	<5	16	<10	80	1832	<2	90	<10	8	104
182104	1076639	0.164	<1	5.35	17	290	3	14	0.74	5	16	95	54	2.97	1.12	21	1.83	609	5	59	457	87	0.97	6	<5	<10	68	1477	3	64	14	9	350
182105	1076640	1.318	<1	4.11	26	482	2	10	1.45	5	14	50	506	3.21	0.66	9	0.97	513	31	30	585	72	0.55	9	<5	<10	207	1496	2	95	30	13	94
182106	1076641	0.346	3	4.81	35	351	2	10	0.49	11	7	22	57	1.30	0.90	13	0.58	228	4	24	418	1051	0.97	6	10	<10	61	1161	3	29	42	6	3090
182107	1076642	2.168	6	4.51	70	327	2	6	0.52	21	6	18	158	2.27	0.62	12	0.57	276	5	22	353	798	2.00	9	6	<10	58	1081	<2	25	76	5	7995

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, August 16, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
182108	1076643	0.098	<1	5.14	21	339	2	12	1.49	<4	6	16	24	1.17	0.88	11	0.97	576	3	19	391	55	0.59	6	5	<10	80	1228	2	26	12	6	143
182109	1076644	0.017	<1	4.25	18	326	2	11	1.90	<4	5	20	70	1.36	0.64	12	1.12	761	3	26	414	40	0.67	5	8	<10	55	1189	<2	25	32	6	139
182110D	1076644	0.014	<1	5.94	17	439	2	11	2.14	<4	6	22	72	1.46	0.84	17	1.28	853	7	26	436	45	0.72	5	9	<10	66	1457	4	32	37	7	152
182111	1076645	0.248	2	5.47	24	410	2	8	1.75	6	7	18	402	1.57	0.72	15	1.14	642	4	22	449	245	0.87	7	10	<10	77	1444	<2	29	25	6	1001
182112	1076646	0.102	2	5.72	26	351	2	12	1.86	7	5	16	460	1.66	0.57	16	1.17	645	5	21	452	170	1.00	8	12	<10	84	1331	4	27	27	7	1561
182113	1076647	0.039	<1	5.92	33	477	2	6	2.06	<4	6	18	16	1.48	0.80	21	1.37	963	6	21	499	45	0.78	6	21	<10	91	1617	3	31	14	6	182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181968	1076515	55	0.002	0.055
181969	1076516	126	0.004	0.126
181970	1076517	50	0.001	0.050
181971	1076518	33	<0.001	0.033
181972	1076519	35	0.001	0.035
181973	1076520	1353	0.039	1.353
181974	1076521	41	0.001	0.041
181975	1076522	22	<0.001	0.022
181976	1076523	23	<0.001	0.023
181977	1076524	13	<0.001	0.013
181978 Dup	1076524	16	<0.001	0.016
181979	1076525	9	<0.001	0.009
181980	1076526	10	<0.001	0.010
181981	1076527	19	<0.001	0.019
181982	1076528	15	<0.001	0.015
181983	1076529	26	<0.001	0.026
181984	1076530	<5	<0.001	<0.005
181985	1076531	61	0.002	0.061
181986	1076532	21	<0.001	0.021
181987	1076533	74	0.002	0.074
181988	1076534	26	<0.001	0.026
181989 Dup	1076534	27	<0.001	0.027
181990	1076535	94	0.003	0.094
181991	1076536	32	<0.001	0.032
181992	1076537	444	0.013	0.444
181993	1076538	143	0.004	0.143
181994	1076539	65	0.002	0.065
181995	1076540	278	0.008	0.278
181996	1076541	158	0.005	0.158
181997	1076542	51	0.002	0.051

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
181998	1076543	35	0.001	0.035
181999	1076544	294	0.009	0.294
182000 Dup	1076544	271	0.008	0.271
182001	1076545	68	0.002	0.068
182002	1076546	230	0.007	0.230
182003	1076547	70	0.002	0.070
182004	1076548	88	0.003	0.088
182005	1076549	58	0.002	0.058
182006	1076550	8	<0.001	0.008
182007	1076551	120	0.004	0.120
182008	1076552	60	0.002	0.060
182009	1076553	131	0.004	0.131
182010	1076554	97	0.003	0.097
182011 Dup	1076554	101	0.003	0.101
182012	1076555	213	0.006	0.213
182013	1076556	26	<0.001	0.026
182014	1076557	21	<0.001	0.021
182015	1076558	47	0.001	0.047
182016	1076559	511	0.015	0.511
182017	1076560	5202	0.152	5.202
182018	1076561	608	0.018	0.608
182019	1076562	1173	0.034	1.173
182020	1076563	779	0.023	0.779
182021	1076564	1913	0.056	1.913
182022 Dup	1076564	1480	0.043	1.480
182023	1076565	749	0.022	0.749
182024	1076566	1302	0.038	1.302
182025	1076567	395	0.012	0.395
182026	1076568	658	0.019	0.658
182027	1076569	22409	0.654	22.409

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
182028	1076570	<5	<0.001	<0.005
182029	1076571	56	0.002	0.056
182030	1076572	4163	0.121	4.163
182031	1076573	341	0.010	0.341
182032	1076574	97	0.003	0.097
182033 Rep	1076574	58	0.002	0.058
182034	1076575	108	0.003	0.108
182035	1076576	3959	0.115	3.959
182036	1076577	27	<0.001	0.027
182037	1076578	29	<0.001	0.029
182038	1076579	23	<0.001	0.023
182039	1076580	1187	0.035	1.187
182040	1076581	21	<0.001	0.021
182041	1076582	18	<0.001	0.018
182042	1076583	12	<0.001	0.012
182043	1076584	8	<0.001	0.008
182044 Dup	1076584	5	<0.001	0.005
182045	1076585	9	<0.001	0.009
182046	1076586	19	<0.001	0.019
182047	1076587	16	<0.001	0.016
182048	1076588	144	0.004	0.144
182049	1076589	169	0.005	0.169
182050	1076590	6	<0.001	0.006
182051	1076591	226	0.007	0.226
182052	1076592	1014	0.030	1.014
182053	1076593	337	0.010	0.337
182054	1076594	542	0.016	0.542
182055 Dup	1076594	527	0.015	0.527
182056	1076595	103	0.003	0.103
182057	1076596	31	<0.001	0.031

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 10, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
182058	1076597	57	0.002	0.057
182059	1076598	58	0.002	0.058
182060	1076599	6	<0.001	0.006
182061	1076600	262	0.008	0.262
182062	1076601	6	<0.001	0.006
182063	1076602	12	<0.001	0.012
182064	1076603	<5	<0.001	<0.005
182065	1076604	16	<0.001	0.016
182066 Dup	1076604	13	<0.001	0.013
182067	1076605	13	<0.001	0.013
182068	1076606	11	<0.001	0.011
182069	1076607	24	<0.001	0.024
182070	1076608	49	0.001	0.049
182071	1076609	55	0.002	0.055
182072	1076610	<5	<0.001	<0.005
182073	1076611	196	0.006	0.196
182074	1076612	44	0.001	0.044
182075	1076613	45	0.001	0.045
182076	1076614	59	0.002	0.059
182077 Dup	1076614	74	0.002	0.074
182078	1076615	14	<0.001	0.014
182079	1076616	18	<0.001	0.018
182080	1076617	21	<0.001	0.021
182081	1076618	81	0.002	0.081
182082	1076619	41	0.001	0.041
182083	1076620	5391	0.157	5.391
182084	1076621	451	0.013	0.451
182085	1076622	32	<0.001	0.032
182086	1076623	59	0.002	0.059
182087	1076624	124	0.004	0.124

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, August 10, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 07/26/2011  
 Date Completed: 08/10/2011  
 Job #: 201142777  
 Reference: TL11193  
 Sample #: 133

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
182088 Dup	1076624	76	0.002	0.076
182089	1076625	41	0.001	0.041
182090	1076626	40	0.001	0.040
182091	1076627	23	<0.001	0.023
182092	1076628	23	<0.001	0.023
182093	1076629	91	0.003	0.091
182094	1076630	7	<0.001	0.007
182095	1076631	39	0.001	0.039
182096	1076632	13	<0.001	0.013
182097	1076633	28	<0.001	0.028
182098	1076634	77	0.002	0.077
182099 Rep	1076634	68	0.002	0.068
182100	1076635	248	0.007	0.248
182101	1076636	125	0.004	0.125
182102	1076637	297	0.009	0.297
182103	1076638	177	0.005	0.177
182104	1076639	164	0.005	0.164
182105	1076640	1318	0.038	1.318
182106	1076641	346	0.010	0.346
182107	1076642	2168	0.063	2.168
182108	1076643	98	0.003	0.098
182109	1076644	17	<0.001	0.017
182110 Dup	1076644	14	<0.001	0.014
182111	1076645	248	0.007	0.248
182112	1076646	102	0.003	0.102
182113	1076647	39	0.001	0.039

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/07/2011  
 Job #: 201142970  
 Reference: TL11193  
 Sample #: 18

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
197860	1076562	0.290	0.229	17.567	0.755	2.87%	28.65
197861	1076563	0.794	0.654	3.920	0.799	2.33%	23.33
197862	1076564	1.459	1.301	63.646	4.472	4.97%	49.65
197863	1076565	0.689	0.657	8.038	1.142	6.37%	34.08
197864	1076566	0.492	0.546	2.086	0.730	13.48%	44.89
197865	1076567	0.299	0.268	0.670	0.291	1.84%	18.42
197866	1076568	0.411	0.391	0.583	0.410	4.97%	49.72
197867	1076569	4.041	4.231	252.136	12.494	3.37%	33.7
197868	1076570	No Sample Received					
197869	1076571	0.055	0.160	0.091	0.107	3.58%	35.83
197870	1076572	2.551	2.597	11.134	3.000	4.97%	49.73
197871	1076573	0.462	0.486	2.984	0.585	4.42%	44.15
197872	1076574	0.043	0.049	0.120	0.049	3.49%	34.95
197873	1076575	0.062	0.126	0.066	0.093	3.78%	37.81
197874	1076576	1.626	1.546	15.432	2.069	3.49%	34.87
197875	1076641	0.603	0.556	0.816	0.591	4.82%	48.22
197876	1076642	1.750	1.890	10.748	2.261	4.95%	49.45
197877	1076643	0.112	0.101	0.069	0.105	4.81%	48.11

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188682	1077588	0.018	1	2.91	13	510	2	3	1.50	<4	11	19	4	1.95	<0.01	18	2.74	1299	<1	26	685	21	1.12	<5	5	<10	664	1821	30	45	<10	6	257
188683	1077589	0.051	2	0.55	9	134	2	5	0.62	<4	10	22	82	5.18	<0.01	11	1.38	774	<1	34	543	23	5.93	<5	<5	<10	406	1715	3	45	<10	5	564
188684	1077590	4.888	2	<0.01	423	1240	<2	<1	2.02	<4	15	116	78	3.26	<0.01	5	0.93	469	4	49	786	28	1.00	33	5	<10	209	1778	2	122	11	11	213
188685	1077591	0.034	<1	1.32	12	406	2	2	2.25	<4	9	17	12	1.76	<0.01	9	0.90	591	<1	21	478	31	0.46	<5	6	<10	211	1821	8	34	<10	6	74
188686	1077592	0.042	2	0.65	9	389	<2	4	0.77	6	9	22	131	2.32	<0.01	10	1.48	978	<1	34	551	36	2.17	<5	<5	<10	477	1520	9	40	28	5	2455
188687	1077593	0.010	1	0.44	14	521	2	2	1.52	<4	9	16	11	1.60	<0.01	10	0.75	563	<1	21	468	34	0.61	<5	<5	<10	192	2067	5	37	<10	5	89
188688	1077594	0.044	1	1.41	62	620	2	1	0.94	<4	11	18	12	1.68	<0.01	6	0.57	364	<1	25	425	49	1.22	<5	<5	<10	190	1724	7	29	<10	6	89
188689	1077595	0.020	2	1.97	23	450	<2	1	0.95	<4	7	15	32	1.37	<0.01	6	0.69	341	<1	17	383	18	0.69	<5	<5	<10	240	1455	10	29	<10	6	46
188690	1077596	0.021	1	1.20	20	525	2	<1	0.66	<4	10	15	13	1.80	<0.01	7	0.55	281	<1	25	447	30	1.63	<5	<5	<10	254	1830	6	36	<10	5	136
188691	1077597	0.082	2	0.62	54	576	2	4	0.51	<4	12	15	14	2.86	<0.01	10	0.45	239	3	26	398	27	3.24	<5	<5	<10	224	1647	<2	35	<10	5	63
188692D	1077597	0.032	1	0.64	53	525	<2	2	0.43	<4	11	14	14	2.80	<0.01	6	0.46	225	<1	25	385	24	3.21	<5	<5	<10	217	1545	<2	33	<10	5	59
188693	1077598	0.009	1	1.26	28	575	2	2	0.24	<4	11	12	5	1.79	<0.01	6	0.41	139	<1	18	489	23	2.03	<5	<5	<10	213	1770	<2	38	<10	5	76
188694	1077599	0.011	1	0.96	16	554	2	1	0.10	<4	10	11	5	1.25	<0.01	5	0.33	<100	<1	15	475	22	1.36	<5	<5	<10	185	1626	<2	34	<10	5	87
188695	1077600	<0.005	<1	1.31	4	417	<2	1	1.27	<4	13	40	50	3.45	<0.01	<1	0.97	590	<1	31	587	8	0.10	<5	<5	<10	258	2137	2	88	<10	15	44
188696	1077601	0.010	1	0.87	20	570	2	2	0.18	<4	9	14	7	1.45	<0.01	7	0.35	110	<1	19	494	34	1.59	<5	<5	<10	207	1779	<2	37	<10	5	38
188697	1077602	0.010	2	0.91	40	497	2	2	0.87	<4	9	13	19	1.54	<0.01	5	0.66	375	<1	16	486	32	1.30	<5	<5	<10	211	1661	2	35	<10	5	57
188698	1077603	0.053	3	0.90	29	520	2	4	1.47	<4	10	16	21	1.51	<0.01	9	0.64	451	<1	22	513	67	1.24	<5	<5	<10	282	1883	10	40	<10	5	120
188699	1077604	0.059	3	0.97	31	423	<2	3	0.89	<4	13	29	28	1.66	<0.01	8	0.66	410	<1	33	505	50	1.02	<5	<5	<10	216	2143	6	47	<10	6	139
188700	1077605	0.014	2	1.37	6	285	<2	1	1.32	<4	13	35	19	2.38	<0.01	8	0.73	513	<1	32	454	16	0.55	<5	<5	<10	236	2292	2	49	<10	7	59
188701	1077606	0.019	2	2.29	6	296	<2	2	1.42	<4	15	34	20	2.56	<0.01	8	0.79	531	<1	32	480	17	0.66	<5	<5	<10	245	2452	2	52	<10	8	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188702	1077607	0.079	2	3.57	5	364	<2	4	2.13	<4	10	23	80	2.77	<0.01	5	1.55	1961	<1	23	536	38	0.99	<5	<5	<10	218	2066	14	40	<10	7	125
188703D	1077607	0.114	2	1.49	4	358	<2	2	2.07	<4	9	21	74	2.54	<0.01	6	1.25	2058	<1	19	487	38	0.91	<5	5	<10	221	2068	26	38	<10	5	122
188704	1077608	0.183	2	1.58	18	426	2	2	0.73	<4	8	18	62	1.33	<0.01	4	0.67	704	<1	19	550	61	0.83	<5	<5	<10	177	2088	3	37	<10	5	111
188705	1077609	0.298	2	1.68	40	433	<2	2	0.58	<4	8	14	24	1.72	<0.01	2	0.66	548	<1	18	526	103	1.57	<5	<5	<10	164	1859	<2	32	<10	5	298
188706	1077610	1.281	4	0.20	36	416	2	4	2.21	4	20	65	7349	5.09	<0.01	2	0.87	570	723	18	891	41	2.91	15	9	<10	257	898	<2	106	<10	10	99
188707	1077611	0.666	2	0.52	56	404	<2	2	0.21	<4	8	15	50	1.71	<0.01	<1	0.44	325	<1	22	437	250	1.83	7	<5	<10	128	1628	<2	29	10	5	873
188708	1077612	4.944	9	<0.01	132	16	<2	<1	0.14	17	8	14	256	4.54	<0.01	1	0.43	293	6	21	363	3167	5.88	74	7	<10	101	1376	<2	23	52	4	4920
188709	1077613	0.191	1	1.20	18	475	2	<1	1.38	<4	7	14	33	1.56	<0.01	9	0.87	967	<1	18	480	87	0.80	<5	<5	<10	161	1881	4	32	<10	5	152
188710	1077614	0.079	1	0.99	15	539	2	2	1.27	<4	8	15	71	1.74	<0.01	5	0.81	935	<1	22	502	71	0.86	<5	5	<10	175	1882	<2	32	<10	5	105
188711	1077615	0.170	1	1.70	18	530	2	1	1.29	<4	8	17	36	1.69	<0.01	7	0.80	876	<1	24	542	53	0.76	<5	6	<10	174	2064	7	34	<10	5	78
188712	1077616	0.705	1	0.98	20	286	2	1	0.95	<4	6	24	30	1.16	<0.01	6	0.57	680	<1	19	350	27	0.62	<5	<5	<10	153	1377	6	23	<10	5	28
188713	1077617	0.450	2	1.82	24	464	2	3	0.93	<4	9	14	43	1.56	<0.01	8	0.70	736	<1	18	482	58	1.00	<5	5	<10	164	1977	<2	34	<10	5	143
188714D	1077617	0.445	1	1.82	21	448	<2	3	0.88	<4	9	13	44	1.56	<0.01	5	0.71	725	<1	17	485	53	1.00	<5	<5	<10	158	1972	2	34	<10	5	144
188715	1077618	0.574	1	1.13	35	423	<2	<1	1.09	<4	8	22	21	1.51	<0.01	3	0.80	952	<1	23	525	62	0.94	<5	7	<10	158	1928	10	35	<10	5	79
188716	1077619	1.102	1	0.65	28	492	2	1	1.03	<4	11	15	24	1.69	<0.01	6	0.76	908	<1	18	464	71	1.27	5	<5	<10	162	2115	5	38	<10	5	66
188717	1077620	<0.005	<1	1.07	5	438	<2	2	1.31	<4	13	40	51	3.36	<0.01	<1	0.88	600	<1	30	571	10	0.10	5	6	<10	273	2280	2	89	<10	12	45
188718	1077621	0.591	2	0.09	39	443	2	3	0.45	<4	8	18	37	1.58	<0.01	6	0.54	513	<1	22	441	149	1.54	<5	5	<10	151	1959	<2	35	<10	4	396
188719	1077622	14.539	28	<0.01	53	75	<2	2	0.03	57	10	18	97	2.81	<0.01	5	0.34	483	6	28	359	4487	4.42	36	<5	<10	106	1579	<2	27	226	4	20555
188720	1077623	0.376	2	0.71	14	430	2	3	0.79	<4	10	26	45	1.78	<0.01	6	0.63	797	<1	27	511	116	0.73	<5	<5	<10	150	2026	<2	40	<10	5	341
188721	1077624	0.178	1	1.10	23	450	2	2	0.99	<4	13	37	18	2.11	<0.01	5	0.64	676	<1	31	485	28	1.14	<5	<5	<10	174	2116	3	45	<10	6	83

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188722	1077625	0.048	1	0.81	15	490	<2	2	0.93	<4	10	22	13	1.39	<0.01	2	0.60	523	<1	31	445	27	0.52	<5	<5	<10	149	1672	3	30	<10	5	61
188723	1077626	0.065	1	1.69	12	405	2	2	0.96	<4	10	22	14	1.41	<0.01	2	0.68	546	<1	31	460	20	0.47	<5	<5	<10	145	1711	7	32	<10	6	58
188724	1077627	0.971	2	1.11	18	614	2	<1	1.25	<4	13	22	63	1.53	<0.01	8	0.79	842	<1	28	449	74	0.55	<5	<5	<10	158	1940	<2	33	<10	5	127
188725D	1077627	0.945	2	1.17	19	624	2	2	1.28	<4	13	23	66	1.55	<0.01	7	0.82	875	<1	30	454	76	0.57	<5	<5	<10	163	1982	7	34	<10	5	129
188726	1077628	0.275	2	2.17	27	532	2	<1	1.11	<4	12	22	26	1.67	<0.01	7	0.80	705	<1	29	521	40	0.80	<5	5	<10	145	2052	4	37	<10	6	101
188727	1077629	0.436	2	1.87	23	511	2	1	1.63	<4	12	24	24	2.03	<0.01	5	0.96	898	<1	25	500	34	0.81	<5	<5	<10	156	2203	7	40	<10	6	101
188728	1077630	0.272	109	1.40	246	354	<2	7	0.95	25	16	50	6142	5.68	<0.01	<1	1.17	1710	12	28	528	9943	2.65	334	<5	<10	209	1869	4	81	51	13	5167
188729	1077631	0.268	2	0.90	29	536	2	3	1.38	<4	11	26	16	1.96	<0.01	5	0.81	815	<1	30	508	42	0.99	<5	<5	<10	151	2178	<2	41	<10	5	104
188730	1077632	8.301	6	1.01	33	404	<2	1	0.73	<4	10	30	24	1.90	<0.01	5	0.61	656	<1	34	491	56	1.42	<5	<5	<10	136	1965	<2	39	<10	5	150
188731	1077633	2.253	3	0.84	27	447	2	2	0.37	<4	8	20	19	1.45	<0.01	6	0.56	410	<1	22	447	91	1.30	<5	<5	<10	123	1743	6	34	<10	4	312
188732	1077634	1.469	21	0.90	26	284	2	2	<0.01	5	5	18	165	1.14	<0.01	<1	0.31	<100	<1	23	345	695	1.32	14	5	<10	81	1377	3	27	18	3	1723
188733	1077635	1.001	15	0.79	33	301	2	3	<0.01	4	5	16	145	1.22	<0.01	<1	0.28	<100	<1	20	260	992	1.45	18	5	<10	89	1506	<2	29	15	3	1234
188734	1077636	0.456	2	0.91	25	406	2	2	<0.01	<4	7	15	12	1.23	<0.01	2	0.30	<100	<1	18	461	64	1.33	<5	<5	<10	96	1725	<2	32	<10	4	79
188735	1077637	0.036	2	1.03	5	350	2	2	0.91	<4	7	17	19	0.85	<0.01	<1	0.47	429	<1	24	396	39	0.31	<5	6	<10	169	1553	2	32	12	4	131
188736D	1077637	0.023	2	0.78	2	319	2	<1	0.84	<4	7	19	19	0.87	<0.01	<1	0.47	410	<1	28	408	39	0.31	<5	<5	<10	157	1488	5	31	11	4	129
188737	1077638	<0.005	2	1.86	<2	366	<2	1	1.13	<4	7	14	11	1.71	<0.01	3	0.96	675	<1	20	568	32	0.52	<5	7	<10	192	2208	4	41	10	5	70
188738	1077639	<0.005	2	2.43	<2	301	<2	1	1.49	<4	8	13	8	1.95	<0.01	6	1.17	830	<1	17	544	25	0.51	<5	6	<10	220	2131	5	40	<10	6	71
188739	1077640	<0.005	1	1.22	3	429	<2	4	1.32	<4	13	41	52	3.42	<0.01	<1	0.95	598	<1	31	596	12	0.09	<5	<5	<10	270	2133	3	89	<10	13	53
188740	1077641	<0.005	2	2.71	<2	290	2	<1	2.06	<4	8	15	9	1.73	<0.01	6	1.21	926	<1	18	494	196	0.41	<5	<5	<10	243	1902	12	36	<10	6	106
188741	1077642	<0.005	1	3.31	2	281	2	2	2.10	<4	7	16	8	1.66	<0.01	6	1.28	992	<1	19	523	24	0.35	<5	<5	<10	244	1960	3	36	<10	6	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188742	1077643	<0.005	<1	2.86	<2	287	2	2	1.56	<4	7	15	8	1.62	<0.01	4	1.03	816	<1	20	537	21	0.36	<5	<5	<10	234	2158	14	39	<10	6	65
188743	1077644	0.021	2	3.45	<2	194	<2	2	1.79	<4	9	16	25	3.30	<0.01	7	1.44	1104	<1	20	498	20	1.00	<5	7	<10	214	1941	10	35	<10	9	163
188744	1077645	0.006	<1	3.25	<2	236	<2	<1	1.79	<4	8	13	11	2.00	<0.01	5	1.34	962	<1	15	523	14	0.35	<5	<5	<10	195	2109	17	37	<10	7	56
188745	1077646	<0.005	1	2.68	<2	285	<2	2	1.62	<4	7	13	8	1.86	<0.01	4	1.20	900	<1	18	520	15	0.30	<5	6	<10	191	2283	11	41	<10	6	51
188746	1077647	0.013	1	2.64	9	341	2	1	1.59	<4	8	17	6	1.56	<0.01	8	1.13	908	<1	21	521	17	0.40	<5	<5	<10	169	2326	8	43	<10	5	39
188747R	1077647	0.012	1	2.74	9	274	<2	2	1.48	<4	7	15	6	1.55	<0.01	4	1.20	900	<1	21	512	14	0.41	<5	<5	<10	155	2047	7	37	<10	5	34
188748	1077648	0.086	1	2.74	34	249	2	2	1.37	<4	8	13	14	1.58	<0.01	4	1.05	757	<1	20	510	37	0.92	<5	5	<10	149	1804	12	32	<10	6	66
188749	1077649	0.038	<1	2.51	28	274	2	18	0.83	<4	7	13	31	1.45	<0.01	11	0.78	501	<1	22	587	38	1.13	<5	16	<10	150	2026	<2	40	<10	5	108
188750	1077650	5.028	2	2.64	493	1410	<2	3	2.51	<4	17	128	90	3.76	<0.01	7	1.35	527	1	57	955	31	1.20	34	<5	<10	226	1846	4	136	11	17	248
188751	1077651	0.917	8	1.06	40	332	2	2	<0.01	<4	7	13	66	1.60	<0.01	5	0.42	191	<1	18	433	460	1.74	6	<5	<10	96	1799	2	33	17	4	1089
188752	1077652	0.255	5	1.57	19	306	2	2	<0.01	<4	6	11	29	1.02	<0.01	2	0.39	134	<1	16	394	335	0.97	<5	<5	<10	93	1586	<2	28	<10	4	461
188753	1077653	1.373	23	1.12	51	327	2	2	<0.01	11	7	17	304	2.02	<0.01	2	0.38	186	<1	24	387	2296	2.58	17	<5	<10	116	1563	<2	28	48	4	4461
188754	1077654	0.348	7	1.15	30	356	2	2	<0.01	<4	6	21	147	1.77	<0.01	2	0.36	151	<1	33	427	466	1.89	<5	7	<10	95	1649	<2	30	13	4	920
188755	1077655	0.018	2	3.52	11	260	2	2	1.62	<4	6	16	12	1.49	<0.01	8	1.15	911	<1	23	468	34	0.54	<5	5	<10	168	1561	9	26	<10	6	71
188756	1077656	0.245	1	1.72	49	389	2	2	0.65	<4	22	120	50	3.19	<0.01	6	0.91	648	<1	80	632	57	2.15	<5	<5	<10	138	2431	20	85	<10	11	314
188757	1077657	0.214	2	0.58	113	423	2	1	<0.01	<4	21	134	24	2.66	<0.01	<1	0.30	<100	3	79	592	74	3.17	<5	5	<10	84	1877	<2	83	12	9	554
188758D	1077657	0.216	2	0.55	125	424	2	1	<0.01	<4	21	130	22	2.69	<0.01	<1	0.30	<100	5	76	543	69	3.26	<5	5	<10	88	1871	<2	82	11	8	536
188759	1077658	0.133	1	0.63	73	565	2	2	<0.01	<4	11	23	32	1.75	<0.01	<1	0.38	<100	<1	28	488	63	1.96	<5	5	<10	106	1693	<2	40	11	4	224
188760	1077659	0.011	1	4.22	8	444	2	1	2.43	<4	12	34	17	2.48	<0.01	11	2.35	948	<1	32	602	33	0.93	<5	<5	<10	157	1970	15	43	<10	9	79
188761	1077660	<0.005	<1	1.85	2	450	<2	2	1.43	<4	14	43	53	3.68	<0.01	<1	1.07	638	<1	32	651	13	0.10	<5	<5	<10	273	2216	<2	94	<10	16	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188762	1077661	0.011	1	0.10	15	<1	<2	6	>10.00	<4	7	14	59	3.98	<0.01	<1	5.25	3825	<1	21	330	31	2.13	<5	6	<10	163	1026	72	30	<10	10	332
188763	1077662	0.014	2	3.76	2	565	2	2	2.49	<4	23	109	91	3.83	<0.01	8	1.95	956	<1	69	625	49	2.08	<5	<5	<10	172	2590	5	78	<10	13	147
188764	1077663	0.015	2	2.05	<2	367	2	1	1.49	<4	21	129	46	2.80	<0.01	9	1.52	654	<1	66	478	26	1.36	<5	<5	<10	143	2189	5	71	<10	11	79
188765	1077664	0.052	2	2.89	5	321	2	2	1.99	<4	24	135	53	4.05	<0.01	11	2.18	902	<1	85	594	31	2.18	<5	5	<10	134	2282	12	84	<10	17	104
188766	1077665	0.360	5	2.44	42	348	2	4	0.66	<4	26	141	57	4.18	<0.01	16	1.73	569	<1	85	616	33	2.60	5	<5	<10	116	2261	7	94	<10	11	160
188767	1077666	0.400	2	2.54	41	323	2	4	0.67	<4	26	135	52	4.13	<0.01	13	1.82	611	<1	82	606	32	2.56	<5	<5	<10	111	2176	5	92	<10	11	170
188768	1077667	0.196	2	2.80	33	244	2	5	0.82	6	26	136	50	4.54	<0.01	17	2.10	648	<1	94	612	26	2.64	<5	<5	<10	115	1995	4	87	16	12	1001
188769D	1077667	0.192	2	1.32	25	265	2	4	0.72	5	25	136	45	4.27	<0.01	16	1.86	621	<1	91	575	29	2.50	<5	<5	<10	113	1962	3	89	16	9	931
188770	1077668	0.051	2	1.98	21	239	2	3	0.94	<4	24	145	45	4.00	<0.01	15	2.04	698	<1	79	607	24	1.41	<5	<5	<10	121	2259	9	87	<10	8	101
188771	1077669	0.050	1	3.03	5	262	2	2	1.13	<4	27	159	52	4.75	<0.01	19	2.29	790	<1	84	699	24	1.60	<5	<5	<10	130	2370	5	101	<10	10	104
188772	1077670	1.291	4	1.98	40	353	2	3	2.56	4	22	71	7489	5.64	<0.01	<1	1.18	626	751	21	986	45	3.24	15	9	<10	255	871	<2	113	10	14	110
188773	1077671	0.037	2	2.70	9	247	2	3	1.93	<4	24	125	111	4.06	<0.01	13	2.14	893	<1	76	639	32	2.07	<5	<5	<10	145	1691	17	79	<10	14	107
188774	1077672	0.039	1	1.92	5	210	2	3	1.20	21	22	128	46	3.85	<0.01	21	2.04	717	<1	65	584	18	1.95	<5	5	<10	132	2000	7	81	53	10	5081
188775	1077673	0.029	1	2.19	<2	174	2	3	0.87	<4	24	147	42	3.84	<0.01	14	1.93	653	<1	70	602	16	1.26	<5	<5	<10	123	2037	8	85	<10	10	115
188776	1077674	0.023	1	2.96	<2	259	2	3	1.95	<4	23	141	48	4.08	<0.01	16	2.23	799	<1	72	618	28	1.40	<5	<5	<10	163	2402	4	92	<10	11	109

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
188682	1077588	18	<0.001	0.018
188683	1077589	51	0.001	0.051
188684	1077590	4888	0.143	4.888
188685	1077591	34	<0.001	0.034
188686	1077592	42	0.001	0.042
188687	1077593	10	<0.001	0.010
188688	1077594	44	0.001	0.044
188689	1077595	20	<0.001	0.020
188690	1077596	21	<0.001	0.021
188691	1077597	82	0.002	0.082
188692 Dup	1077597	32	<0.001	0.032
188693	1077598	9	<0.001	0.009
188694	1077599	11	<0.001	0.011
188695	1077600	<5	<0.001	<0.005
188696	1077601	10	<0.001	0.010
188697	1077602	10	<0.001	0.010
188698	1077603	53	0.002	0.053
188699	1077604	59	0.002	0.059
188700	1077605	14	<0.001	0.014
188701	1077606	19	<0.001	0.019
188702	1077607	79	0.002	0.079
188703 Dup	1077607	114	0.003	0.114
188704	1077608	183	0.005	0.183
188705	1077609	298	0.009	0.298
188706	1077610	1281	0.037	1.281
188707	1077611	666	0.019	0.666
188708	1077612	4944	0.144	4.944
188709	1077613	191	0.006	0.191
188710	1077614	79	0.002	0.079
188711	1077615	170	0.005	0.170

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, August 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
188712	1077616	705	0.021	0.705
188713	1077617	450	0.013	0.450
188714 Dup	1077617	445	0.013	0.445
188715	1077618	574	0.017	0.574
188716	1077619	1102	0.032	1.102
188717	1077620	<5	<0.001	<0.005
188718	1077621	591	0.017	0.591
188719	1077622	14539	0.424	14.539
188720	1077623	376	0.011	0.376
188721	1077624	178	0.005	0.178
188722	1077625	48	0.001	0.048
188723	1077626	65	0.002	0.065
188724	1077627	971	0.028	0.971
188725 Dup	1077627	945	0.028	0.945
188726	1077628	275	0.008	0.275
188727	1077629	436	0.013	0.436
188728	1077630	272	0.008	0.272
188729	1077631	268	0.008	0.268
188730	1077632	8301	0.242	8.301
188731	1077633	2253	0.066	2.253
188732	1077634	1469	0.043	1.469
188733	1077635	1001	0.029	1.001
188734	1077636	456	0.013	0.456
188735	1077637	36	0.001	0.036
188736 Dup	1077637	23	<0.001	0.023
188737	1077638	<5	<0.001	<0.005
188738	1077639	<5	<0.001	<0.005
188739	1077640	<5	<0.001	<0.005
188740	1077641	<5	<0.001	<0.005
188741	1077642	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
188742	1077643	<5	<0.001	<0.005
188743	1077644	21	<0.001	0.021
188744	1077645	6	<0.001	0.006
188745	1077646	<5	<0.001	<0.005
188746	1077647	13	<0.001	0.013
188747 Rep	1077647	12	<0.001	0.012
188748	1077648	86	0.003	0.086
188749	1077649	38	0.001	0.038
188750	1077650	5028	0.147	5.028
188751	1077651	917	0.027	0.917
188752	1077652	255	0.007	0.255
188753	1077653	1373	0.040	1.373
188754	1077654	348	0.010	0.348
188755	1077655	18	<0.001	0.018
188756	1077656	245	0.007	0.245
188757	1077657	214	0.006	0.214
188758 Dup	1077657	216	0.006	0.216
188759	1077658	133	0.004	0.133
188760	1077659	11	<0.001	0.011
188761	1077660	<5	<0.001	<0.005
188762	1077661	11	<0.001	0.011
188763	1077662	14	<0.001	0.014
188764	1077663	15	<0.001	0.015
188765	1077664	52	0.002	0.052
188766	1077665	360	0.011	0.360
188767	1077666	400	0.012	0.400
188768	1077667	196	0.006	0.196
188769 Dup	1077667	192	0.006	0.192
188770	1077668	51	0.001	0.051
188771	1077669	50	0.001	0.050

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 18, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142871  
 Reference: TL11194A  
 Sample #: 87

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
188772	1077670	1291	0.038	1.291
188773	1077671	37	0.001	0.037
188774	1077672	39	0.001	0.039
188775	1077673	29	<0.001	0.029
188776	1077674	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/19/2011  
 Date Completed: 09/12/2011  
 Job #: 201143064  
 Reference: TL11194A  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
203606	1077622	5376	5436	132545	8397	2.35%	47.38
203607	1077632	3938	4060	18092	4315	2.24%	47.12

PROCEDURE CODES: ALPM1

 Certified By:  Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188777	1076648	2.171	2	2.81	<2	408	2	2	1.14	<4	30	168	57	4.78	<0.01	14	1.71	654	<1	115	606	48	0.83	<5	5	<10	242	2807	5	126	<10	9	82
188778	1076649	0.014	1	2.47	11	576	<2	2	0.97	<4	11	38	12	1.06	<0.01	2	0.57	187	<1	48	452	16	0.48	<5	7	<10	265	1539	<2	48	<10	6	40
188779	1076650	<0.005	<1	1.87	4	432	<2	3	1.39	<4	14	42	51	3.58	<0.01	<1	1.05	617	<1	30	637	9	0.10	<5	<5	<10	263	2148	3	91	<10	16	52
188780	1076651	0.008	1	1.71	16	514	<2	1	0.98	<4	9	26	16	0.86	<0.01	<1	0.56	167	<1	40	396	8	0.38	<5	<5	<10	241	1405	<2	36	<10	5	66
188781	1076652	<0.005	<1	2.65	23	715	<2	2	1.00	<4	15	27	12	0.95	<0.01	7	0.40	123	<1	48	617	14	0.66	<5	7	<10	402	2336	<2	58	<10	6	27
188782	1076653	0.013	1	1.51	21	531	2	1	1.40	<4	11	33	18	1.02	<0.01	3	0.56	194	<1	38	468	16	0.56	<5	<5	<10	407	1558	<2	41	<10	5	35
188783	1076654	<0.005	<1	2.22	5	373	<2	1	1.29	<4	9	19	16	0.73	<0.01	<1	0.63	146	<1	35	453	9	0.18	<5	5	<10	422	1375	4	33	<10	5	24
188784	1076655	<0.005	<1	1.41	3	456	<2	3	1.37	<4	9	33	21	1.19	<0.01	4	0.61	185	<1	36	452	11	0.37	<5	<5	<10	362	1477	<2	42	<10	6	32
188785	1076656	<0.005	<1	0.46	<2	383	<2	2	1.15	<4	6	17	9	0.66	<0.01	1	0.53	124	<1	21	382	8	0.08	<5	5	<10	344	1295	4	32	<10	4	21
188786	1076657	<0.005	<1	1.54	2	466	2	1	1.17	<4	8	14	5	0.74	<0.01	<1	0.49	153	<1	23	420	13	0.12	<5	6	<10	356	1494	<2	32	<10	4	21
188787D	1076657	<0.005	<1	1.24	2	449	<2	2	1.11	<4	8	14	5	0.72	<0.01	<1	0.48	149	<1	22	419	12	0.13	5	<5	<10	333	1433	<2	32	<10	4	21
188788	1076658	0.010	<1	2.50	7	417	<2	2	1.57	<4	11	16	13	1.97	<0.01	2	0.74	402	<1	24	539	25	0.75	<5	5	<10	297	2022	<2	42	<10	7	60
188789	1076659	0.062	1	2.50	3	420	<2	4	2.02	<4	10	32	40	2.13	<0.01	<1	0.85	562	<1	54	548	144	1.03	<5	6	<10	263	1771	<2	46	<10	7	274
188790	1076660	0.261	107	1.74	278	320	<2	8	1.00	27	17	53	6176	6.06	<0.01	<1	1.28	1821	13	30	569	9938	2.82	304	<5	<10	208	1890	<2	84	50	15	5248
188791	1076661	0.035	1	1.75	7	420	2	3	0.95	<4	10	20	30	2.06	<0.01	2	0.73	546	<1	28	506	40	0.87	<5	<5	<10	176	1767	5	38	<10	7	94
188792	1076662	0.019	1	1.43	7	494	<2	2	0.84	4	10	21	22	1.70	<0.01	2	0.62	448	<1	35	532	132	0.75	<5	<5	<10	189	1927	7	44	10	6	866
188793	1076663	0.014	1	1.65	<2	626	<2	3	1.24	<4	11	23	13	1.76	<0.01	4	0.63	414	<1	29	539	15	0.40	<5	<5	<10	201	2082	<2	46	<10	6	57
188794	1076664	0.011	<1	2.41	<2	580	<2	2	1.91	<4	12	16	19	1.89	<0.01	2	0.87	480	<1	29	721	10	0.36	5	6	<10	233	1902	<2	44	<10	7	54
188795	1076665	0.015	2	<0.01	5	768	2	1	1.38	<4	22	17	15	1.24	<0.01	14	0.42	366	5	36	815	23	0.30	<5	<5	<10	239	2194	5	52	<10	4	122
188796	1076666	0.010	3	<0.01	4	616	3	<1	0.98	<4	20	17	16	1.11	<0.01	16	0.34	311	22	38	773	23	0.24	<5	<5	<10	212	2250	<2	50	<10	3	82

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188797	1076667	0.031	3	0.05	22	611	3	2	0.95	4	27	20	19	1.23	<0.01	20	0.38	464	23	43	773	37	0.74	<5	<5	<10	196	2644	6	53	16	3	1280
188798D	1076667	0.030	3	<0.01	18	584	2	4	0.79	4	26	19	18	1.12	<0.01	17	0.37	438	16	44	735	34	0.73	<5	5	<10	174	2571	2	51	16	3	1251
188799	1076668	0.048	3	<0.01	15	343	2	3	1.30	<4	17	17	9	0.98	<0.01	16	0.45	710	9	33	650	40	0.50	<5	<5	<10	158	2116	7	43	<10	4	56
188800	1076669	0.039	4	0.06	19	478	3	2	1.22	<4	23	14	34	1.17	<0.01	14	0.52	542	11	34	718	207	0.57	<5	<5	<10	155	2290	2	46	<10	4	340
188801	1076670	0.007	2	<0.01	3	487	2	1	1.11	<4	14	41	49	3.04	<0.01	11	0.60	566	19	33	593	15	0.08	<5	6	<10	249	2520	<2	89	<10	7	56
188802	1076671	0.034	2	0.70	19	608	3	2	1.14	<4	10	17	17	1.38	<0.01	16	0.55	548	18	36	692	33	0.72	<5	5	<10	157	2422	<2	47	<10	4	51
188803	1076672	0.014	3	<0.01	20	517	3	3	1.00	<4	9	17	8	1.13	<0.01	13	0.48	588	16	39	637	22	0.44	<5	<5	<10	155	2218	<2	42	<10	4	41
188804	1076673	0.048	2	<0.01	14	475	2	2	0.96	<4	8	16	14	1.11	<0.01	14	0.41	489	10	25	531	27	0.53	<5	8	<10	145	1965	<2	38	<10	4	88
188805	1076674	0.046	3	0.47	19	480	2	2	1.17	<4	9	18	23	1.28	<0.01	14	0.56	720	13	31	547	97	0.74	<5	5	<10	178	2128	<2	42	<10	4	221
188806	1076675	0.064	4	0.41	18	526	3	<1	1.39	<4	11	12	54	1.31	<0.01	14	0.78	1005	3	25	539	296	1.10	<5	6	<10	213	1948	6	37	<10	4	555
188807	1076676	0.015	2	0.15	45	501	3	<1	1.25	<4	11	17	14	0.91	<0.01	14	0.65	604	8	31	523	58	0.57	<5	<5	<10	193	1776	5	30	<10	4	56
188808	1076677	0.054	2	<0.01	8	578	6	2	0.93	<4	9	20	23	1.12	<0.01	17	0.42	603	10	31	622	133	0.52	<5	<5	<10	197	2054	6	34	11	4	86
188809D	1076677	0.046	2	<0.01	9	550	6	<1	0.84	<4	9	21	22	1.08	<0.01	16	0.40	582	9	32	602	131	0.50	<5	5	<10	182	2046	8	33	<10	3	85
188810	1076678	0.033	2	<0.01	6	513	3	2	0.68	<4	8	23	41	1.34	<0.01	15	0.40	731	10	31	516	80	0.78	<5	<5	<10	186	2028	6	36	<10	3	123
188811	1076679	<0.005	2	<0.01	2	312	4	1	0.62	<4	5	36	34	0.94	<0.01	10	0.34	575	12	45	346	67	0.44	<5	<5	<10	168	1146	2	19	<10	4	86
188812	1076680	4.703	2	<0.01	458	1405	2	5	1.97	<4	16	121	80	3.39	<0.01	13	0.76	503	19	53	868	31	1.09	39	<5	<10	219	2156	<2	132	13	8	230
188813	1076681	0.498	3	<0.01	<2	443	2	1	1.44	<4	10	28	86	2.26	<0.01	13	0.83	1529	<1	37	572	51	1.08	<5	<5	<10	219	2165	<2	42	<10	4	184
188814	1076682	1.217	2	<0.01	<2	549	3	1	1.02	<4	12	28	121	1.56	<0.01	13	0.48	1296	9	41	653	74	0.77	<5	<5	<10	189	1896	3	34	<10	4	126
188815	1076683	0.212	3	<0.01	11	580	3	3	0.25	<4	7	26	42	1.16	<0.01	11	0.29	295	10	36	451	173	0.84	<5	5	<10	153	1785	<2	31	<10	3	256
188816	1076684	0.249	2	<0.01	25	524	2	<1	0.87	<4	9	23	44	1.50	<0.01	13	0.59	969	4	39	534	118	1.38	<5	<5	<10	149	2188	8	36	<10	3	338

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188817	1076685	1.041	11	<0.01	38	431	2	1	0.16	6	9	22	135	2.00	<0.01	11	0.31	315	9	25	443	323	2.33	9	<5	<10	118	1908	<2	30	25	3	1974
188818	1076686	0.992	19	<0.01	51	376	2	3	0.12	14	9	24	266	3.37	<0.01	12	0.29	355	16	40	431	873	4.52	19	<5	<10	110	1795	<2	29	55	3	5621
188819	1076687	0.272	2	0.75	30	370	2	1	0.91	<4	9	28	29	1.78	<0.01	10	0.63	1005	<1	31	488	57	1.12	<5	<5	<10	151	2048	6	40	<10	5	115
188820D	1076687	0.273	2	<0.01	29	327	2	1	0.75	<4	9	25	26	1.65	<0.01	6	0.55	936	<1	29	442	54	1.02	<5	<5	<10	138	1867	10	37	<10	4	102
188821	1076688	0.606	7	<0.01	56	440	2	2	0.42	<4	9	27	50	1.99	<0.01	14	0.40	676	9	32	483	409	2.04	6	6	<10	126	2168	2	39	<10	3	483
188822	1076689	1.114	6	<0.01	40	483	2	1	0.31	5	8	17	52	1.46	<0.01	8	0.45	439	<1	25	468	764	1.48	8	<5	<10	120	1939	<2	33	18	4	1617
188823	1076690	0.007	1	<0.01	3	459	2	3	1.14	<4	14	41	57	3.13	<0.01	8	0.61	578	7	31	574	17	0.10	<5	5	<10	249	2348	<2	89	<10	7	63
188824	1076691	0.831	1	<0.01	38	505	2	2	0.89	<4	11	40	31	1.76	<0.01	11	0.57	949	3	54	516	77	1.29	<5	<5	<10	145	2199	5	42	<10	4	199
188825	1076692	0.838	1	<0.01	18	485	2	<1	1.01	<4	9	22	27	1.48	<0.01	10	0.59	768	<1	27	485	47	0.85	<5	5	<10	157	1963	3	36	<10	4	86
188826	1076693	0.901	3	<0.01	33	629	2	<1	0.29	<4	10	24	20	1.33	<0.01	14	0.38	407	4	27	459	247	1.15	6	<5	<10	140	2018	<2	37	<10	3	352
188827	1076694	0.034	2	<0.01	7	747	2	2	1.67	<4	15	36	15	2.16	<0.01	9	0.77	577	1	49	1098	33	0.87	<5	<5	<10	409	2248	<2	52	<10	6	82
188828	1076695	0.021	2	<0.01	3	412	2	1	1.58	<4	9	18	21	2.11	<0.01	14	0.67	677	<1	20	505	29	0.56	<5	<5	<10	218	2389	4	45	<10	4	104
188829	1076696	0.879	38	0.56	22	290	2	2	<0.01	<4	6	14	142	1.08	<0.01	5	0.32	<100	<1	17	364	360	1.19	28	<5	<10	108	1471	<2	27	10	3	860
188830	1076697	0.248	4	<0.01	17	292	2	2	<0.01	<4	6	15	26	0.87	<0.01	10	0.27	114	5	20	366	151	0.76	5	<5	<10	105	1583	<2	28	<10	3	126
188831D	1076697	0.247	4	<0.01	19	299	2	3	<0.01	<4	6	18	28	0.93	<0.01	9	0.31	121	3	25	373	158	0.78	<5	<5	<10	106	1617	3	29	<10	3	138
188832	1076698	0.033	2	0.27	16	316	2	2	0.99	<4	7	16	10	1.49	<0.01	15	0.59	827	3	22	429	44	0.72	<5	<5	<10	148	1828	3	32	<10	4	54
188833	1076699	0.022	2	1.02	<2	351	2	2	2.62	<4	12	52	17	2.80	<0.01	14	1.07	648	<1	37	444	18	1.04	<5	<5	<10	246	1935	3	48	<10	6	64
188834	1076700	1.650	4	<0.01	38	799	2	3	2.18	4	22	69	7564	5.30	<0.01	9	0.74	602	745	23	994	47	3.16	15	6	<10	261	1110	<2	114	10	8	113
188835	1076701	0.012	1	0.91	27	353	2	1	2.03	<4	11	18	78	1.57	<0.01	9	0.63	243	2	27	551	20	1.52	<5	<5	<10	322	1618	<2	39	<10	5	36
188836	1076702	0.008	1	<0.01	28	496	2	1	1.21	<4	13	13	8	0.98	<0.01	16	0.52	205	1	23	640	15	0.72	<5	6	<10	265	2104	<2	42	<10	4	28

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188837	1076703	<0.005	1	1.18	26	464	2	2	1.79	<4	15	17	9	1.17	<0.01	13	0.86	297	<1	29	675	14	0.61	<5	<5	<10	280	1891	<2	41	<10	5	29
188838	1076704	0.006	2	<0.01	9	566	2	<1	1.39	<4	8	32	9	1.07	<0.01	21	0.44	292	7	36	605	13	0.36	<5	<5	<10	238	2005	4	40	<10	4	23
188839	1076705	<0.005	2	<0.01	5	572	2	2	1.39	<4	9	25	8	1.15	<0.01	21	0.55	356	4	31	618	18	0.27	<5	<5	<10	262	2134	<2	42	<10	4	26
188840	1076706	<0.005	2	0.71	2	641	2	2	1.52	<4	9	23	10	1.15	<0.01	23	0.59	360	4	29	672	17	0.24	<5	<5	<10	275	2302	2	45	<10	4	22
188841	1076707	<0.005	2	1.68	9	532	2	3	2.72	<4	9	21	12	1.63	<0.01	18	0.98	707	2	23	677	22	0.62	<5	<5	<10	327	2069	23	44	<10	5	49
188842R	1076707	<0.005	2	1.71	8	555	2	1	2.32	<4	9	19	10	1.45	<0.01	17	0.93	609	3	23	664	18	0.48	<5	<5	<10	308	2071	6	44	<10	5	43
188843	1076708	0.010	2	<0.01	19	589	2	2	1.38	<4	10	23	4	2.41	<0.01	16	0.60	433	9	28	631	22	2.32	<5	<5	<10	314	2154	6	48	<10	4	56
188844	1076709	0.010	2	<0.01	30	711	2	3	1.45	<4	21	74	37	3.39	<0.01	20	0.63	529	10	51	561	33	3.04	<5	<5	<10	310	2339	<2	76	<10	5	50
188845	1076710																IS																
188846	1076711	0.016	2	1.48	33	455	2	4	1.97	<4	24	161	71	4.14	<0.01	15	1.14	693	<1	91	586	31	3.43	<5	<5	<10	197	2364	6	96	<10	10	91
188847	1076712	0.012	2	<0.01	38	670	2	3	0.18	<4	13	48	17	2.00	<0.01	12	0.34	237	10	39	618	25	2.46	<5	<5	<10	138	2323	4	56	<10	4	71
188848	1076713	<0.005	1	0.96	14	624	2	2	2.03	<4	10	18	6	1.61	<0.01	12	0.84	561	<1	28	617	22	1.15	<5	6	<10	233	1868	<2	42	<10	5	68
188849	1076714	0.006	2	<0.01	20	702	3	2	1.04	<4	11	19	5	1.89	<0.01	15	0.52	545	9	28	632	29	2.14	<5	5	<10	212	1770	<2	46	<10	4	76
188850	1076715	0.017	2	<0.01	28	759	2	<1	<0.01	<4	10	19	4	1.81	<0.01	10	0.26	113	13	29	631	32	2.38	<5	<5	<10	161	1543	<2	45	<10	3	82
188851	1076716	0.117	10	0.44	26	776	2	2	<0.01	<4	9	17	6	1.69	<0.01	5	0.25	<100	5	27	588	69	2.18	<5	<5	<10	140	1347	3	41	<10	4	249
188852	1076717	<0.005	5	0.73	26	819	2	3	0.70	<4	10	14	9	1.80	<0.01	11	0.53	342	1	21	617	46	1.95	<5	<5	<10	202	1545	<2	41	<10	4	67
188853D	1076717	<0.005	5	0.89	27	830	2	2	0.72	<4	9	14	9	1.76	<0.01	11	0.55	339	3	20	625	43	1.91	<5	5	<10	202	1550	<2	41	<10	4	59
188854	1076718	0.052	6	1.46	17	573	2	4	2.13	<4	13	35	56	2.28	<0.01	11	0.80	507	<1	32	658	27	1.45	<5	<5	<10	250	1836	8	47	<10	6	100
188855	1076719	0.029	2	0.72	32	630	2	1	1.91	<4	11	19	18	1.73	<0.01	13	0.84	588	<1	23	536	33	0.89	<5	6	<10	208	2169	9	43	<10	5	85
188856	1076720	0.306	106	<0.01	245	324	2	6	0.99	25	16	51	6072	5.43	<0.01	9	0.79	1687	29	30	555	10007	2.62	354	6	<10	210	2114	10	85	49	7	5155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Saturday, August 20, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188857	1076721	0.073	2	<0.01	54	669	2	2	0.06	<4	11	19	73	1.60	<0.01	11	0.29	183	10	31	589	107	1.79	<5	5	<10	105	2263	<2	45	<10	3	116
188858	1076722	0.063	3	<0.01	41	607	3	2	0.79	<4	11	15	19	1.77	<0.01	12	0.53	466	6	25	606	152	1.64	<5	5	<10	152	2115	<2	43	13	4	451
188859	1076723	0.044	2	<0.01	44	726	2	3	0.18	<4	11	13	10	1.68	<0.01	10	0.33	187	10	22	548	76	1.88	<5	<5	<10	118	2041	<2	40	<10	3	75
188860	1076724	0.329	3	<0.01	103	663	2	3	<0.01	<4	19	116	74	2.68	<0.01	9	0.27	116	19	81	598	62	3.50	6	<5	<10	110	1761	<2	73	<10	5	159
188861	1076725	0.405	3	<0.01	40	777	2	2	<0.01	<4	9	41	16	1.12	<0.01	6	0.26	113	14	41	502	80	1.29	7	5	<10	116	1683	<2	40	<10	3	399
188862	1076726	0.350	2	<0.01	39	821	2	1	<0.01	<4	9	32	18	1.12	<0.01	5	0.28	129	10	36	481	78	1.31	<5	7	<10	121	1665	<2	40	<10	3	258
188863	1076727	0.067	2	0.42	36	951	2	2	1.68	<4	10	18	20	1.94	<0.01	12	0.88	621	<1	28	547	33	1.50	<5	<5	<10	179	1853	3	38	<10	4	64
188864D	1076727	0.075	2	<0.01	33	892	2	3	1.39	<4	11	19	21	1.80	<0.01	9	0.73	600	3	27	539	35	1.49	<5	<5	<10	169	1891	<2	40	<10	4	62
188865	1076728	0.059	2	0.01	33	748	2	2	1.26	<4	11	34	30	1.76	<0.01	11	0.62	504	5	33	545	34	1.00	5	<5	<10	192	2229	<2	47	<10	4	67
188866	1076729	0.058	1	<0.01	45	523	2	1	1.04	<4	11	21	16	1.76	<0.01	7	0.71	531	<1	31	560	26	1.38	<5	<5	<10	167	1969	<2	39	<10	4	57
188867	1076730	0.009	1	<0.01	5	448	2	1	1.10	<4	13	40	49	3.07	<0.01	7	0.65	567	7	30	567	14	0.09	<5	<5	<10	248	2377	<2	87	<10	8	53
188868	1076731	0.158	2	<0.01	69	389	2	2	0.13	<4	11	17	35	1.62	<0.01	10	0.33	213	7	24	507	46	1.73	<5	<5	<10	113	2009	<2	39	<10	3	206
188869	1076732	0.103	2	<0.01	49	367	2	3	0.34	<4	12	20	45	1.53	<0.01	10	0.39	290	7	28	544	29	1.49	<5	<5	<10	110	2045	<2	41	<10	3	129
188870	1076733	0.056	2	<0.01	59	384	2	1	0.80	<4	15	20	62	1.90	<0.01	10	0.53	435	10	31	608	33	1.43	<5	5	<10	130	2191	5	43	<10	3	257
188871	1076734	0.206	3	<0.01	135	377	2	2	<0.01	4	22	126	199	2.27	<0.01	9	0.27	122	18	75	530	164	2.84	38	6	<10	91	2071	<2	86	15	4	904
188872	1076735	0.071	2	<0.01	29	416	3	2	0.23	<4	14	69	46	1.86	<0.01	9	0.53	320	7	52	448	119	1.58	<5	<5	<10	96	1809	<2	57	<10	4	138
188873	1076736	2.406	6	<0.01	296	45	2	6	0.07	84	19	39	256	7.71	<0.01	6	0.29	333	39	60	356	555	>10.00	25	<5	<10	87	1293	<2	31	218	3	22755
188874	1076737	0.408	2	<0.01	60	603	2	1	0.37	4	11	21	23	2.10	<0.01	8	0.42	332	9	32	469	71	2.60	5	<5	<10	104	1844	<2	38	14	3	757
188875D	1076737	0.365	2	<0.01	56	620	2	2	0.35	<4	11	20	20	1.95	<0.01	9	0.39	325	10	30	464	67	2.46	<5	<5	<10	105	1838	3	38	13	3	578
188876	1076738	0.121	2	0.33	40	599	2	1	1.33	<4	11	27	24	1.80	<0.01	11	0.84	815	<1	33	516	54	1.48	<5	<5	<10	124	2016	<2	43	<10	4	147

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142872  
 Reference: TL11195  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188877	1076739	0.056	2	<0.01	33	648	2	2	0.64	<4	11	23	19	1.26	<0.01	12	0.47	560	5	31	515	48	1.04	<5	<5	<10	107	2209	<2	42	<10	3	150
188878	1076740	4.847	2	<0.01	435	1332	2	3	1.77	<4	15	112	78	3.16	<0.01	11	0.73	478	13	49	811	29	1.02	42	5	<10	204	2067	5	123	12	8	214
188879	1076741	0.023	2	0.70	25	757	2	1	2.54	<4	10	25	14	1.53	<0.01	10	1.13	1247	<1	34	499	56	0.75	<5	<5	<10	148	1859	15	40	<10	5	133
188880	1076742	0.052	2	0.22	25	1062	2	1	1.76	<4	9	26	51	1.62	<0.01	9	0.92	817	<1	27	503	39	1.22	<5	5	<10	140	1822	8	37	10	4	340
188881	1076743	0.076	2	<0.01	26	639	2	2	1.24	<4	9	26	56	1.44	<0.01	10	0.67	750	5	32	529	34	1.13	<5	<5	<10	126	1958	10	40	11	4	209
188882	1076744	0.091	<1	2.59	31	479	<2	22	1.76	<4	9	22	24	1.81	<0.01	10	1.26	742	<1	30	553	38	1.03	<5	18	<10	124	1844	2	34	<10	6	197
188883	1076745	0.093	2	1.09	53	568	2	1	1.96	<4	10	21	56	1.79	<0.01	10	1.03	989	<1	28	547	54	1.36	<5	<5	<10	134	1999	6	41	<10	5	254
188884	1076746	0.089	2	1.06	44	558	2	<1	1.86	<4	9	18	41	1.60	<0.01	10	1.05	927	<1	25	513	54	1.12	<5	<5	<10	131	1917	<2	39	<10	5	141
188885	1076747	0.039	1	1.38	41	630	2	<1	2.31	<4	10	23	21	1.75	<0.01	9	1.38	1299	<1	28	550	27	0.92	<5	<5	<10	139	1991	10	39	<10	5	109
188886D	1076747	0.042	2	1.99	41	660	2	3	2.50	<4	10	22	22	1.87	<0.01	13	1.39	1341	<1	28	587	26	0.97	<5	5	<10	152	2048	7	40	<10	6	113

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
Date Completed: 08/17/2011  
Job #: 201142873  
Reference: TL11196  
Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188887	1076748	0.040	1	<0.01	22	638	2	2	0.78	<4	14	48	22	1.80	<0.01	14	0.42	437	7	36	424	44	1.31	<5	7	<10	185	1987	<2	49	<10	4	100
188888	1076749	0.028	2	<0.01	34	519	2	<1	0.46	<4	13	34	27	1.19	<0.01	13	0.35	367	7	35	608	79	0.79	<5	9	<10	142	2269	2	48	<10	3	149
188889	1076750	<0.005	1	<0.01	3	470	<2	2	1.22	<4	14	41	50	3.21	<0.01	7	0.68	588	4	32	593	12	0.09	<5	<5	<10	265	2388	<2	90	<10	8	54
188890	1076751	0.023	1	0.05	24	360	2	<1	0.63	<4	12	12	12	0.67	<0.01	13	0.46	416	<1	25	689	26	0.37	<5	<5	<10	133	2184	4	38	<10	3	44
188891	1076752	0.024	2	<0.01	20	419	2	2	0.89	<4	11	19	11	0.85	<0.01	15	0.39	374	2	25	608	18	0.43	<5	<5	<10	156	2202	12	43	<10	4	38
188892	1076753	0.052	2	<0.01	19	513	2	1	1.05	<4	13	30	18	1.41	<0.01	11	0.41	372	4	33	503	20	0.74	<5	<5	<10	175	2159	<2	52	<10	4	30
188893	1076754	0.366	2	<0.01	39	559	2	<1	0.71	<4	12	19	13	1.25	<0.01	21	0.58	496	<1	22	634	36	0.97	<5	5	<10	128	2511	<2	52	<10	4	134
188894	1076755	0.076	2	<0.01	45	565	2	2	1.63	<4	11	19	24	1.77	<0.01	15	0.68	759	<1	24	583	175	1.61	<5	6	<10	140	2047	<2	38	<10	4	282
188895	1076756	0.464	6	<0.01	59	601	2	1	0.85	<4	13	51	188	2.10	<0.01	18	0.56	564	5	35	508	159	1.93	<5	<5	<10	149	2256	2	54	<10	4	338
188896	1076757	0.020	1	<0.01	7	547	2	1	1.28	<4	7	19	10	1.33	<0.01	9	0.65	624	<1	20	365	22	0.48	<5	5	<10	160	1472	2	27	<10	4	54
188897D	1076757	0.021	1	<0.01	7	548	2	1	1.12	<4	7	23	11	1.23	<0.01	10	0.60	612	<1	21	381	23	0.46	<5	<5	<10	156	1512	7	28	<10	3	79
188898	1076758	0.023	1	<0.01	11	322	2	2	0.78	<4	8	44	13	1.10	<0.01	7	0.46	413	3	40	268	24	0.54	<5	5	<10	138	1124	<2	25	<10	4	51
188899	1076759	0.011	2	<0.01	8	433	2	<1	0.59	<4	8	14	9	1.13	<0.01	15	0.70	549	<1	21	535	39	0.42	<5	<5	<10	160	1706	3	35	<10	3	90
188900	1076760	1.672	4	<0.01	31	662	2	2	1.85	4	20	63	7455	4.73	<0.01	7	0.70	546	714	20	899	46	2.86	15	<5	<10	240	1066	<2	104	11	7	106
188901	1076761	0.022	2	<0.01	10	474	2	3	0.52	<4	8	10	77	1.50	<0.01	20	1.12	601	<1	18	619	34	0.56	<5	<5	<10	174	1465	17	39	<10	3	114
188902	1076762	0.006	1	<0.01	8	270	2	1	<0.01	<4	5	5	11	0.83	<0.01	5	0.61	364	<1	11	375	23	0.47	<5	<5	<10	120	803	3	26	<10	2	52
188903	1076763	0.005	3	<0.01	5	337	2	3	0.25	<4	8	13	281	0.92	<0.01	11	0.71	599	<1	23	513	230	0.43	<5	<5	<10	167	1009	2	32	12	3	1114
188904	1076764	0.079	1	<0.01	4	461	2	2	0.20	<4	13	16	13	0.79	<0.01	12	0.54	396	2	27	505	29	0.19	<5	<5	<10	166	1259	<2	31	<10	3	57
188905	1076765	0.009	<1	<0.01	4	439	2	2	0.20	<4	12	13	10	0.79	<0.01	10	0.53	388	<1	27	484	23	0.20	<5	<5	<10	168	1228	<2	30	<10	2	44
188906	1076766	0.005	1	<0.01	5	526	2	1	0.23	<4	13	12	9	0.84	<0.01	12	0.54	438	<1	28	526	22	0.21	<5	5	<10	166	1338	2	33	<10	3	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142873  
 Reference: TL11196  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188907	1076767	0.020	1	<0.01	15	532	2	<1	0.22	<4	21	13	17	0.74	<0.01	11	0.38	239	<1	35	515	27	0.31	<5	<5	<10	181	1307	<2	32	<10	3	35
188908D	1076767	0.025	1	<0.01	16	520	2	<1	0.20	<4	20	14	17	0.70	<0.01	11	0.40	228	<1	35	501	28	0.30	<5	<5	<10	173	1307	4	32	<10	3	34
188909	1076768	0.016	1	<0.01	4	393	2	<1	0.42	<4	10	12	29	0.86	<0.01	8	0.53	458	<1	21	432	71	0.33	<5	6	<10	184	1171	<2	29	<10	3	79
188910	1076769	0.022	1	<0.01	14	504	2	2	0.22	<4	9	12	22	0.89	<0.01	8	0.41	355	<1	19	389	41	0.61	<5	<5	<10	176	1188	<2	30	<10	3	43
188911	1076770	<0.005	1	0.69	2	453	<2	2	1.28	<4	14	41	50	3.30	<0.01	4	0.83	594	<1	31	601	11	0.09	<5	<5	<10	269	2330	<2	90	<10	11	50
188912	1076771	0.995	6	<0.01	37	392	2	2	0.18	9	16	21	183	1.05	<0.01	11	0.35	240	5	39	402	2248	1.24	11	6	<10	146	1295	<2	27	34	3	3067
188913	1076772	0.227	2	<0.01	47	397	2	4	0.21	<4	23	21	11	1.04	<0.01	16	0.50	325	4	49	486	928	1.15	5	<5	<10	141	1385	2	31	<10	3	485
188914	1076773	0.155	2	<0.01	45	352	2	<1	0.62	<4	22	21	8	1.18	<0.01	12	0.57	446	2	48	455	823	1.18	5	<5	<10	150	1396	5	29	14	3	990
188915	1076774	0.078	1	<0.01	27	341	2	3	0.74	<4	13	17	6	1.04	<0.01	11	0.62	590	<1	29	531	99	0.67	<5	<5	<10	150	1608	2	33	<10	3	91
188916	1076775	0.042	2	<0.01	48	275	2	3	1.02	<4	16	15	10	1.42	<0.01	12	0.98	900	<1	27	507	455	0.95	<5	<5	<10	166	1510	25	32	10	3	782
188917	1076776	0.829	5	<0.01	47	316	2	3	1.69	4	17	16	115	1.36	<0.01	9	1.04	1014	<1	27	508	3694	1.08	10	7	<10	173	1354	11	30	17	4	1399
188918	1076777	0.214	2	<0.01	57	290	2	2	1.27	<4	8	21	20	1.49	<0.01	10	0.89	862	<1	28	402	353	1.14	<5	<5	<10	140	1491	15	31	<10	4	336
188919D	1076777	0.211	2	0.48	50	309	2	<1	1.40	<4	8	20	19	1.57	<0.01	12	1.04	899	<1	28	406	344	1.19	<5	<5	<10	147	1557	7	31	<10	4	337
188920	1076778	0.259	3	<0.01	37	335	2	2	0.48	<4	9	23	14	1.39	<0.01	17	0.51	361	4	27	429	524	1.49	<5	7	<10	126	1716	3	31	12	3	909
188921	1076779	0.253	2	0.08	35	455	2	3	0.91	<4	9	29	8	1.58	<0.01	18	0.78	778	1	38	432	188	1.31	<5	5	<10	157	1870	4	36	<10	4	281
188922	1076780	0.265	104	0.36	245	332	<2	7	0.98	24	16	50	6024	5.36	<0.01	7	0.90	1666	24	28	539	9976	2.54	338	<5	<10	211	2021	<2	81	49	8	5148
188923	1076781	0.274	3	1.28	45	417	2	1	0.80	<4	10	30	66	1.90	<0.01	12	0.99	775	<1	31	436	234	1.64	5	<5	<10	140	1766	13	37	<10	5	443
188924	1076782	0.150	2	0.38	39	450	2	2	0.49	<4	10	33	10	1.53	<0.01	8	0.85	624	<1	29	438	177	1.32	<5	<5	<10	117	1646	<2	40	<10	4	313
188925	1076783	1.310	3	<0.01	47	383	2	1	0.09	4	8	28	11	1.36	<0.01	10	0.49	394	3	31	420	519	1.54	<5	<5	<10	115	1332	<2	34	14	3	1235
188926	1076784	2.689	6	<0.01	70	334	2	2	<0.01	8	9	32	12	1.59	<0.01	7	0.54	518	<1	35	392	1040	1.96	5	<5	<10	107	1185	<2	37	29	3	2509

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142873  
 Reference: TL11196  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188927	1076785	2.959	2	<0.01	53	243	2	2	0.35	<4	9	36	22	1.94	<0.01	6	1.03	1006	<1	44	441	132	1.55	<5	6	<10	126	1176	10	37	<10	3	154
188928	1076786	1.963	2	<0.01	51	243	2	4	0.38	<4	10	30	21	2.06	<0.01	8	1.18	1228	<1	35	469	117	1.60	<5	<5	<10	125	1230	3	37	<10	3	166
188929	1076787	0.123	6	<0.01	30	317	2	2	0.53	8	10	25	21	1.88	<0.01	11	0.98	967	<1	27	465	1064	1.50	7	<5	<10	128	1469	36	36	29	3	2570
188930D	1076787	0.098	6	<0.01	26	307	2	4	0.53	8	9	25	22	1.86	<0.01	10	1.13	962	<1	27	470	1071	1.44	5	<5	<10	126	1445	12	35	27	4	2495
188931	1076788	0.496	2	0.37	42	296	2	<1	0.79	<4	9	38	15	1.66	<0.01	11	0.95	848	<1	34	452	382	1.16	<5	<5	<10	135	1481	17	39	<10	4	638
188932	1076789	0.754	2	0.68	28	418	2	3	0.80	<4	11	24	12	1.26	<0.01	12	0.78	574	<1	25	448	247	1.02	<5	5	<10	119	1730	<2	35	10	4	636
188933	1076790	<0.005	1	0.32	5	458	<2	3	1.30	<4	14	41	50	3.35	<0.01	5	0.78	607	<1	32	606	14	0.10	<5	<5	<10	264	2380	8	91	<10	10	60
188934	1076791	0.295	2	1.09	28	457	3	1	1.05	<4	8	35	11	1.52	<0.01	11	0.89	837	<1	55	537	86	0.84	<5	<5	<10	126	1835	8	35	<10	5	167
188935	1076792	0.521	3	<0.01	35	341	2	2	<0.01	6	10	21	27	1.05	<0.01	7	0.27	<100	5	29	426	1461	1.27	6	<5	<10	77	1640	<2	33	19	3	1763
188936	1076793	1.236	8	<0.01	93	288	2	2	<0.01	8	15	90	399	2.42	<0.01	8	0.30	171	10	55	423	2773	3.16	15	<5	<10	80	1803	<2	57	32	5	2795
188937	1076794	0.286	2	0.45	47	301	2	2	0.87	<4	20	99	74	2.84	<0.01	11	0.92	911	<1	61	483	210	1.97	<5	<5	<10	102	2198	4	70	<10	7	482
188938	1076795	0.880	5	0.16	64	282	2	2	1.06	4	22	130	201	3.54	<0.01	11	0.89	1237	4	74	433	929	2.77	<5	<5	<10	103	2314	2	79	13	8	1138
188939	1076796	0.169	2	<0.01	50	447	2	3	0.72	<4	11	34	46	1.57	<0.01	10	0.58	630	<1	32	500	119	1.28	<5	<5	<10	98	1991	6	40	<10	4	156
188940	1076797	0.116	2	<0.01	34	451	2	2	0.49	<4	9	23	12	1.41	<0.01	10	0.54	514	<1	34	503	118	1.20	<5	<5	<10	95	1824	5	34	<10	4	167
188941D	1076797	0.107	2	<0.01	32	407	2	2	0.41	<4	8	19	11	1.34	<0.01	6	0.55	476	<1	27	474	113	1.14	<5	7	<10	87	1682	5	32	<10	3	155
188942	1076798	0.150	2	0.31	34	396	2	3	0.71	<4	8	20	37	1.28	<0.01	6	0.61	563	<1	29	489	166	0.89	<5	<5	<10	101	1763	4	32	<10	4	235
188943	1076799	0.074	2	0.67	33	401	2	2	0.95	<4	10	20	95	1.47	<0.01	9	0.70	667	<1	30	535	138	1.12	<5	<5	<10	117	1869	6	32	<10	4	279
188944	1076800	5.206	2	0.44	430	1229	<2	2	2.05	<4	15	109	77	3.20	<0.01	8	0.97	470	7	49	820	28	1.01	36	<5	<10	212	1820	<2	121	10	11	224
188945	1076801	0.092	1	0.46	19	309	2	2	1.62	<4	8	17	11	1.47	<0.01	9	0.95	1020	<1	24	501	69	0.83	<5	6	<10	146	1696	14	31	<10	4	89
188946	1076802	0.160	2	0.40	24	379	2	2	0.27	<4	9	20	16	1.26	<0.01	9	0.45	386	<1	29	571	339	1.22	<5	<5	<10	110	1944	2	33	<10	4	258

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142873  
 Reference: TL11196  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188947	1076803	1.810	14	<0.01	45	26	<2	2	<0.01	42	10	22	306	3.42	<0.01	5	0.26	168	9	31	457	6996	5.27	27	<5	<10	80	1391	<2	28	157	4	15701
188948	1076804	0.922	16	<0.01	29	59	2	3	0.04	47	9	17	159	3.38	<0.01	7	0.34	334	7	22	520	10136	4.70	27	<5	<10	107	1554	<2	32	182	5	17891
188949	1076805	0.397	6	2.96	15	251	2	3	2.58	22	8	23	132	2.96	<0.01	8	1.90	1662	<1	27	483	2664	2.41	8	5	<10	191	1568	10	27	75	7	7503
188950	1076806	3.923	7	2.62	13	267	2	2	2.70	17	8	19	137	3.00	<0.01	10	1.89	1717	<1	25	537	2697	2.35	7	<5	<10	202	1664	25	30	56	7	5354
188951	1076807	0.289	3	<0.01	27	345	2	1	0.94	<4	10	22	38	2.06	<0.01	10	0.78	840	<1	32	512	276	1.91	<5	<5	<10	160	1720	9	33	<10	4	521
188952R	1076807	0.291	3	0.47	33	349	2	1	0.99	<4	11	17	40	2.22	<0.01	9	0.89	829	<1	21	517	266	2.12	<5	7	<10	169	1766	3	33	<10	4	508
188953	1076808	5.565	3	0.54	28	315	2	3	0.78	<4	9	24	39	1.72	<0.01	11	0.83	820	<1	34	535	216	1.35	<5	<5	<10	155	1848	13	33	<10	4	665
188954	1076809	0.364	1	0.62	4	187	<2	1	0.45	<4	8	14	42	1.56	<0.01	6	0.94	820	<1	22	509	217	0.72	<5	<5	<10	134	1434	4	29	<10	4	570
188955	1076810	0.006	<1	1.78	6	423	<2	2	1.38	<4	13	41	50	3.47	<0.01	<1	1.00	602	<1	32	627	13	0.10	<5	<5	<10	263	2072	4	88	<10	14	57
188956	1076811	0.067	1	0.64	8	225	<2	3	0.72	<4	8	16	19	1.56	<0.01	11	1.05	1060	<1	24	535	49	0.54	<5	<5	<10	161	1590	19	33	<10	4	88
188957	1076812	0.374	2	0.64	11	166	2	3	0.54	<4	7	13	71	1.36	<0.01	4	0.85	733	<1	20	481	314	0.71	<5	<5	<10	150	1266	<2	28	12	4	835
188958	1076813	0.655	15	<0.01	31	72	2	2	0.20	28	12	20	1108	3.32	<0.01	10	0.41	438	5	25	549	6998	4.18	13	<5	<10	131	1752	<2	33	101	4	9895
188959	1076814	0.328	2	0.68	18	375	2	2	0.81	<4	8	16	43	1.34	<0.01	9	0.76	683	<1	22	543	580	0.96	<5	<5	<10	177	1736	2	32	10	4	642
188960	1076815	0.703	8	0.69	22	684	<2	1	1.04	7	8	20	137	1.74	<0.01	10	0.82	783	<1	27	540	2358	1.57	11	<5	<10	164	1790	<2	34	27	4	2443
188961	1076816	0.079	2	0.40	22	609	<2	<1	1.23	<4	8	14	12	1.61	<0.01	6	0.96	797	<1	21	537	138	1.22	<5	5	<10	143	1653	16	29	<10	5	222
188962	1076817	0.191	2	<0.01	24	719	2	3	0.83	<4	8	19	12	1.20	<0.01	12	0.65	494	<1	25	527	404	0.91	<5	<5	<10	140	1899	<2	33	12	4	686
188963D	1076817	0.189	1	<0.01	22	720	2	2	0.79	<4	8	18	12	1.19	<0.01	11	0.64	495	<1	25	521	410	0.91	<5	<5	<10	138	1900	6	33	12	4	682
188964	1076818	0.778	6	0.39	30	450	<2	3	0.89	10	8	16	161	1.47	<0.01	6	0.78	541	<1	24	482	2857	1.55	13	5	<10	132	1592	8	26	39	4	3599
188965	1076819	0.284	2	<0.01	15	538	2	2	0.97	<4	7	16	60	1.21	<0.01	6	0.75	572	<1	24	350	62	0.58	<5	6	<10	144	1681	4	26	<10	3	125
188966	1076820	1.562	3	<0.01	32	451	2	4	2.03	4	20	63	7470	4.82	<0.01	<1	0.79	545	684	19	871	42	2.84	15	8	<10	238	874	<2	102	12	8	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142873  
 Reference: TL11196  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188967	1076821	0.155	<1	<0.01	8	604	2	<1	1.19	<4	7	18	26	1.25	<0.01	8	1.00	619	<1	25	328	19	0.38	<5	7	<10	159	1613	4	26	<10	3	44
188968	1076822	0.177	2	<0.01	10	479	2	2	1.14	<4	9	18	19	1.31	<0.01	6	0.91	407	<1	24	357	40	0.50	<5	<5	<10	120	1721	3	32	<10	4	62
188969	1076823	0.283	2	<0.01	24	465	2	<1	0.91	<4	8	25	42	1.24	<0.01	9	0.94	512	<1	34	386	68	0.60	<5	5	<10	102	1667	5	31	<10	3	149
188970	1076824	0.065	1	<0.01	23	546	2	2	0.85	<4	9	20	29	1.17	<0.01	10	0.89	494	<1	27	387	48	0.59	<5	5	<10	93	1707	6	32	<10	3	145
188971	1076825	0.478	4	0.52	13	603	<2	2	0.89	<4	7	12	71	1.18	<0.01	2	0.93	574	<1	21	355	261	0.74	<5	<5	<10	100	1531	17	27	<10	3	346
188972	1076826	0.397	3	0.52	11	635	<2	<1	0.87	<4	8	15	52	1.22	<0.01	4	0.90	585	<1	24	376	218	0.78	<5	6	<10	102	1557	13	28	<10	3	356
188973	1076827	0.537	1	0.12	19	545	<2	<1	0.29	<4	8	22	50	1.12	<0.01	1	0.57	355	<1	33	427	90	0.89	<5	<5	<10	77	1487	9	31	<10	3	341
188974D	1076827	0.535	1	<0.01	15	606	<2	2	0.34	<4	8	24	54	1.14	<0.01	6	0.52	381	<1	35	441	93	0.92	<5	5	<10	86	1654	2	33	<10	3	363
188975	1076828	0.254	1	0.47	10	611	2	2	0.42	<4	8	21	36	1.19	<0.01	3	0.55	383	<1	34	458	109	0.89	<5	<5	<10	91	1663	7	30	<10	3	215
188976	1076829	0.081	1	0.76	13	550	2	2	1.45	<4	8	20	25	1.24	<0.01	5	0.97	583	<1	30	429	110	0.48	<5	<5	<10	102	1490	15	28	<10	4	354
188977	1076830	<0.005	<1	0.84	3	438	<2	2	1.30	<4	14	41	49	3.37	<0.01	<1	0.89	601	<1	31	598	8	0.09	<5	<5	<10	266	2305	2	89	<10	12	52
188978	1076831	0.240	1	<0.01	22	607	2	1	0.54	<4	8	21	33	1.14	<0.01	6	0.50	329	<1	33	377	94	0.62	<5	<5	<10	92	1649	3	30	<10	3	384
188979	1076832	0.071	1	0.66	16	560	<2	2	0.14	<4	8	15	25	1.05	<0.01	<1	0.63	233	<1	26	401	76	0.59	<5	<5	<10	71	1658	<2	29	<10	3	470
188980	1076833	0.495	1	<0.01	28	527	2	2	0.15	<4	8	14	17	1.05	<0.01	4	0.47	191	<1	23	348	64	0.82	<5	<5	<10	80	1574	<2	28	<10	3	115
188981	1076834	0.083	1	<0.01	21	546	2	<1	0.21	<4	7	14	11	1.03	<0.01	6	0.45	170	<1	22	338	32	0.66	<5	<5	<10	77	1648	<2	28	<10	2	45
188982	1076835	0.027	<1	0.59	19	511	<2	2	1.13	<4	9	20	8	1.28	<0.01	8	1.02	372	<1	28	391	33	0.43	<5	6	<10	100	1674	8	28	<10	3	45
188983	1076836	0.035	<1	0.41	25	470	<2	3	1.33	<4	8	14	9	1.31	<0.01	7	1.08	383	<1	22	367	29	0.38	<5	<5	<10	101	1701	8	28	<10	3	56
188984	1076837	0.006	1	2.62	11	372	2	3	2.71	<4	7	15	9	1.37	<0.01	5	1.71	406	<1	24	353	35	0.25	<5	<5	<10	127	1454	16	22	<10	6	53
188985D	1076837	0.013	1	2.35	16	412	2	2	2.78	<4	7	18	10	1.39	<0.01	8	1.65	420	<1	29	371	34	0.25	6	<5	<10	133	1543	9	24	<10	5	55
188986	1076838	0.939	1	0.34	25	502	2	1	0.63	<4	9	16	40	1.17	<0.01	12	0.79	244	<1	24	351	35	0.50	<5	<5	<10	96	1841	<2	29	<10	3	111

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142873  
 Reference: TL11196  
 Sample #: 100

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188987	1076839	0.019	<1	0.61	14	505	2	4	1.40	<4	8	16	8	1.26	<0.01	8	1.11	340	<1	25	375	23	0.22	<5	5	<10	109	1679	4	28	<10	4	49
188988	1076840	0.260	105	<0.01	244	272	<2	5	0.80	23	15	46	6190	5.09	<0.01	<1	0.95	1584	14	26	492	10027	2.36	326	<5	<10	191	1793	<2	76	44	9	5162
188989	1076841	0.024	1	<0.01	15	435	2	<1	0.92	<4	7	16	31	1.17	<0.01	5	0.93	346	<1	26	358	58	0.33	<5	<5	<10	102	1647	10	27	<10	3	66
188990	1076842	0.016	<1	<0.01	18	490	2	1	0.60	<4	8	14	8	1.25	<0.01	6	0.84	289	<1	24	361	24	0.51	<5	<5	<10	85	1661	5	28	<10	3	41
188991	1076843	0.102	2	<0.01	20	428	<2	2	0.37	<4	7	11	18	1.28	<0.01	6	0.66	287	<1	19	341	44	0.81	<5	7	<10	85	1432	<2	26	<10	3	69
188992	1076844	0.237	1	<0.01	33	416	2	1	<0.01	<4	7	15	14	0.88	<0.01	6	0.31	<100	<1	25	254	62	0.76	<5	<5	<10	75	1286	<2	27	<10	2	154
188993	1076845	0.231	2	<0.01	29	410	2	2	<0.01	<4	8	18	27	0.82	<0.01	2	0.22	<100	<1	25	311	104	0.82	<5	5	<10	79	1321	<2	31	<10	2	100
188994	1076846	0.303	2	<0.01	28	395	2	<1	<0.01	7	8	13	40	0.83	<0.01	<1	0.23	<100	<1	20	266	181	0.88	<5	<5	<10	79	1223	<2	29	17	3	1634
188995	1076847	0.010	<1	0.28	18	487	2	1	1.69	<4	11	30	8	1.83	<0.01	12	1.05	404	<1	45	560	49	0.56	<5	<5	<10	164	2021	9	40	<10	4	118
188996D	1076847	0.006	<1	<0.01	13	492	2	<1	1.55	<4	11	23	7	1.69	<0.01	14	0.93	393	<1	32	521	44	0.52	<5	<5	<10	159	2013	<2	40	<10	4	99

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, August 30, 2011

**Certificate of Analysis**Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.caDate Received: 08/22/2011  
Date Completed: 08/30/2011  
Job #: 201143073  
Reference: TL11196  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
203890	1076806	0.064	2.199

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory ManagerThe results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, September 15, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/15/2011  
 Job #: 201143074  
 Reference: TL11196  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
203891	1076808	1.263	1.243	45.860	3.203	4.37%	43.72

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142870  
 Reference: TL11197  
 Sample #: 77

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
188598	1078001	0.035	2	<0.01	7	463	2	2	0.95	<4	10	12	7	1.81	<0.01	14	1.52	894	<1	25	461	66	0.39	<5	7	<10	196	1634	9	40	<10	3	138	
188599	1078002	0.036	1	<0.01	15	479	2	2	1.04	<4	10	12	8	1.67	<0.01	11	1.08	922	<1	25	434	85	0.80	<5	<5	<10	207	1811	15	40	<10	3	252	
188600	1078003	0.018	1	<0.01	8	484	2	<1	0.94	<4	9	21	12	0.94	<0.01	12	0.56	618	8	29	437	55	0.46	<5	5	<10	201	1762	15	40	<10	3	82	
188601	1078004	0.018	1	<0.01	6	507	2	2	1.15	<4	11	17	6	0.40	<0.01	4	0.30	314	1	24	232	44	0.13	<5	<5	<10	193	1295	4	36	<10	3	42	
188602	1078005	0.025	1	<0.01	8	490	2	2	1.07	<4	11	18	3	0.43	<0.01	3	0.33	486	<1	25	133	46	0.17	<5	<5	<10	213	1478	9	38	<10	3	63	
188603	1078006	0.015	1	0.27	6	494	2	<1	1.24	<4	11	19	4	0.43	<0.01	5	0.36	459	<1	26	129	43	0.17	<5	<5	<10	222	1484	5	36	<10	3	65	
188604	1078007	0.025	1	0.03	9	620	2	<1	0.93	<4	10	55	7	0.43	<0.01	<1	0.24	304	<1	30	152	48	0.18	<5	<5	<10	209	1309	<2	42	<10	3	48	
188605	1078008	0.150	5	<0.01	11	651	2	2	0.33	19	10	43	34	0.70	<0.01	9	0.32	401	6	61	153	2690	0.69	5	<5	<10	169	1767	8	42	65	3	6172	
188606	1078009	0.054	1	1.05	10	619	2	2	2.44	<4	12	29	17	1.74	<0.01	12	1.50	1353	<1	43	508	98	0.71	<5	<5	<10	293	2087	5	47	<10	5	186	
188607	1078010	1.578	4	<0.01	33	1036	2	3	2.09	4	21	67	7542	5.13	<0.01	8	0.74	598	770	22	938	44	2.91	14	9	<10	264	1096	<2	112	10	7	106	
188608D	1078010																																	
188609	1078011	0.069	2	1.58	19	603	2	2	1.72	<4	15	42	68	2.09	<0.01	17	1.26	1141	6	47	542	101	1.16	<5	5	<10	277	2189	5	57	<10	5	211	
188610	1078012	0.475	2	<0.01	41	389	2	1	0.48	7	15	103	37	2.50	<0.01	14	0.75	748	7	69	409	532	1.67	<5	<5	<10	139	1373	<2	63	26	4	2105	
188611	1078013	0.239	2	0.22	31	372	2	2	0.95	<4	10	71	23	2.01	<0.01	17	0.98	1020	<1	52	452	372	1.04	<5	<5	<10	146	1188	16	50	<10	4	302	
188612	1078014	0.778	4	<0.01	46	305	<2	1	0.46	8	9	40	10	1.52	<0.01	9	0.71	682	2	58	474	1766	1.32	<5	<5	<10	104	1193	5	37	32	3	3053	
188613	1078015	0.087	1	0.32	32	369	2	2	0.57	<4	7	44	11	1.41	<0.01	11	0.81	683	4	60	541	162	0.91	<5	<5	<10	113	1330	8	43	<10	3	416	
188614	1078016	0.210	2	0.36	28	408	2	<1	0.01	<4	7	29	9	1.00	<0.01	9	0.41	174	5	40	520	316	0.87	<5	<5	<10	99	1418	2	38	10	3	387	
188615	1078017	0.051	1	0.22	48	424	2	2	0.49	<4	24	27	16	1.15	<0.01	21	1.15	541	<1	50	576	92	0.35	<5	<5	<10	135	1091	11	39	<10	3	108	
188616	1078018	0.200	3	<0.01	26	359	2	1	0.45	11	15	29	18	0.95	<0.01	15	0.67	642	<1	42	522	631	0.65	<5	<5	<10	119	1561	3	38	42	4	3971	
188617	1078019	0.177	1	<0.01	47	348	2	2	0.12	<4	12	27	16	1.71	<0.01	10	0.74	765	<1	35	490	294	1.32	<5	<5	<10	109	1481	3	38	<10	3	191	

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142870  
 Reference: TL11197  
 Sample #: 77

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188618	1078020	0.006	1	<0.01	4	470	<2	3	1.27	<4	14	43	50	3.37	<0.01	5	0.71	592	2	31	595	12	0.09	<5	<5	<10	274	2337	<2	94	<10	9	49
188619D	1078020	IS																															
188620	1078021	0.751	3	<0.01	40	744	2	<1	0.85	4	11	35	31	1.99	<0.01	11	0.84	837	4	33	505	670	1.64	<5	5	<10	135	1559	4	43	13	4	1072
188621	1078022	0.243	3	<0.01	39	1025	2	2	0.14	5	8	23	11	1.77	<0.01	15	0.39	312	9	31	444	875	1.98	<5	<5	<10	111	1799	<2	34	19	3	1572
188622	1078023	0.102	2	0.90	38	480	2	2	1.00	<4	9	21	12	2.03	<0.01	16	1.04	1151	<1	25	644	154	1.06	<5	6	<10	155	2081	15	40	<10	4	283
188623	1078024	0.538	4	1.78	22	650	2	<1	0.95	<4	7	17	20	1.61	<0.01	10	1.04	739	<1	22	426	192	1.11	<5	<5	<10	135	1499	6	27	<10	5	322
188624	1078025	0.110	2	1.45	24	882	2	1	1.06	<4	7	16	33	1.61	<0.01	11	1.02	891	<1	25	436	163	1.05	<5	<5	<10	150	1782	5	32	<10	4	377
188625	1078026	0.144	3	1.10	41	260	2	2	1.13	4	8	15	20	2.06	<0.01	6	0.83	6207	<1	22	355	681	1.17	<5	9	<10	166	1295	118	24	12	5	1041
188626	1078027	0.577	4	0.92	36	1429	2	4	1.46	4	7	16	51	1.74	<0.01	11	1.35	1492	<1	24	401	562	0.97	5	<5	<10	182	1735	19	29	10	4	943
188627	1078028	0.249	3	<0.01	21	580	2	<1	0.75	<4	7	15	12	1.31	<0.01	10	0.71	658	<1	22	409	703	0.81	<5	<5	<10	144	1798	<2	32	12	4	1008
188628	1078029	0.065	1	0.05	21	538	2	2	0.98	<4	8	13	11	1.54	<0.01	8	0.58	538	<1	20	463	24	0.69	<5	6	<10	145	1918	<2	35	<10	4	51
188629	1078030	0.277	108	<0.01	260	334	<2	8	0.95	25	16	52	6159	5.58	<0.01	4	0.87	1753	22	29	551	9830	2.59	356	<5	<10	216	2100	<2	87	48	8	5233
188630D	1078030	IS																															
188631	1078031	0.062	2	<0.01	12	467	2	<1	0.79	<4	8	16	92	1.43	<0.01	9	0.50	525	<1	22	481	121	0.62	<5	<5	<10	141	1906	<2	37	<10	4	88
188632	1078032	0.193	1	<0.01	11	426	2	<1	0.89	<4	7	15	56	1.34	<0.01	7	0.61	642	<1	24	455	23	0.60	<5	<5	<10	151	1782	<2	33	<10	4	55
188633	1078033	0.104	1	1.00	14	411	2	<1	1.14	<4	10	30	19	1.98	<0.01	8	0.72	630	<1	27	517	24	1.00	<5	7	<10	160	1966	<2	41	<10	5	52
188634	1078034	0.097	2	0.79	19	316	2	2	1.01	<4	23	139	54	3.65	<0.01	13	1.11	873	<1	77	510	41	1.47	5	5	<10	145	2451	2	88	<10	7	115
188635	1078035	0.314	2	0.96	3	311	2	3	1.04	<4	24	154	51	3.69	<0.01	16	1.02	944	3	80	566	31	0.93	<5	<5	<10	148	2877	6	100	<10	7	84
188636	1078036	0.198	2	0.29	19	309	2	3	1.56	<4	21	138	42	3.13	<0.01	11	0.95	998	<1	68	535	43	1.15	<5	<5	<10	152	2234	<2	87	<10	7	89
188637	1078037	2.350	3	0.51	50	429	2	3	0.52	<4	26	153	87	3.74	<0.01	16	0.85	960	2	82	566	148	2.31	<5	<5	<10	116	2271	6	104	<10	7	157

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142870  
 Reference: TL11197  
 Sample #: 77

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188638	1078038	0.199	2	<0.01	48	315	<2	2	1.07	<4	22	142	60	3.06	<0.01	9	0.91	1090	<1	70	491	74	2.06	<5	<5	<10	110	1809	6	82	<10	7	101
188639	1078039	0.414	2	0.09	35	285	2	3	1.15	<4	23	142	61	3.49	<0.01	13	1.19	1118	<1	73	519	75	1.81	<5	5	<10	132	2174	9	89	<10	7	90
188640	1078040	<0.005	<1	0.53	5	464	<2	1	1.34	<4	13	42	53	3.46	<0.01	1	0.82	620	<1	31	591	13	0.09	<5	<5	<10	279	2423	<2	93	<10	11	54
188641D	1078040																IS																
188642	1078041	0.157	2	<0.01	29	252	2	3	1.15	<4	23	150	66	3.45	<0.01	12	1.14	1200	<1	91	549	71	1.67	<5	<5	<10	126	1984	<2	88	<10	6	132
188643	1078042	0.052	2	0.10	23	426	2	2	0.94	<4	12	63	33	1.71	<0.01	13	0.74	632	<1	59	504	81	0.88	<5	<5	<10	130	2004	<2	58	<10	5	142
188644	1078043	0.020	<1	0.70	16	448	2	1	1.30	<4	9	30	16	1.46	<0.01	7	0.81	672	<1	51	496	39	0.47	<5	5	<10	135	1927	5	47	<10	4	82
188645	1078044	0.035	2	1.08	20	399	2	<1	1.42	<4	9	25	11	1.55	<0.01	8	1.03	822	<1	46	493	176	0.73	<5	<5	<10	119	1732	9	43	10	5	820
188646	1078045	0.020	1	0.70	19	422	2	2	0.92	<4	9	18	12	1.29	<0.01	9	0.71	555	<1	30	484	57	0.80	<5	5	<10	110	1767	<2	38	<10	4	322
188647	1078046	0.020	1	0.55	19	371	2	2	0.88	<4	9	22	15	1.22	<0.01	6	0.74	536	<1	33	471	50	0.71	<5	<5	<10	104	1595	<2	37	<10	4	201
188648	1078047	0.046	1	0.85	15	463	2	1	1.25	<4	10	19	22	1.39	<0.01	8	0.80	605	<1	30	517	27	0.61	<5	<5	<10	118	1997	8	41	<10	4	72
188649	1078048	0.068	1	0.77	19	519	2	2	1.31	<4	9	19	33	1.52	<0.01	14	0.94	754	<1	35	495	45	0.78	<5	8	<10	128	1887	13	40	<10	4	124
188650	1078049	0.093	2	0.49	22	549	2	2	0.93	<4	9	27	39	1.50	<0.01	16	0.75	694	<1	42	489	212	0.81	<5	<5	<10	108	1911	<2	44	<10	4	394
188651	1078050	4.809	2	<0.01	427	1279	2	3	1.99	<4	15	113	81	3.24	<0.01	8	0.87	483	7	50	793	28	1.00	39	<5	<10	211	1933	<2	124	11	9	217
188652D	1078050																IS																
188653	1078051	0.122	<1	0.10	19	532	2	1	1.49	<4	8	16	10	1.64	<0.01	9	0.87	804	<1	26	491	32	0.54	<5	<5	<10	134	1950	16	41	<10	4	64
188654	1078052	0.044	<1	0.45	18	575	2	1	1.47	<4	8	15	18	1.53	<0.01	11	0.91	942	<1	26	486	47	0.58	<5	<5	<10	136	1951	12	40	<10	4	84
188655	1078053	0.070	2	0.90	15	491	2	2	1.67	<4	7	20	33	1.14	<0.01	13	1.06	733	<1	33	350	87	0.54	<5	<5	<10	107	1488	11	32	<10	4	128
188656	1078054	0.087	1	0.94	13	470	2	1	1.26	<4	7	20	48	1.22	<0.01	14	0.98	495	<1	36	343	38	0.59	<5	<5	<10	107	1582	7	32	<10	4	57
188657	1078055	0.113	2	0.65	33	531	2	1	0.59	<4	6	26	23	1.09	<0.01	10	0.56	218	1	46	344	86	0.71	<5	<5	<10	100	1563	3	37	<10	4	215

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142870  
 Reference: TL11197  
 Sample #: 77

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm		
188658	1078056	0.046	1	1.37	10	546	2	2	1.18	<4	7	21	22	1.11	<0.01	13	0.87	336	<1	35	337	41	0.30	<5	7	<10	114	1641	4	32	<10	4	58		
188659	1078057	0.628	6	0.73	26	453	2	1	0.37	<4	7	19	27	1.15	<0.01	11	0.56	193	<1	31	427	160	0.86	<5	<5	<10	94	1645	4	32	<10	4	475		
188660	1078058	1.462	12	0.46	100	428	2	<1	0.01	10	8	26	103	1.56	<0.01	8	0.36	115	5	42	534	350	1.71	15	5	<10	82	1571	<2	39	27	5	2439		
188661	1078059	0.045	2	1.14	25	499	2	1	1.29	<4	9	16	17	1.28	<0.01	15	1.05	406	<1	25	366	54	0.40	<5	<5	<10	119	1860	9	35	<10	4	153		
188662	1078060	0.006	<1	0.65	4	427	<2	1	1.25	<4	13	39	47	3.31	<0.01	<1	0.85	587	<1	29	564	10	0.09	<5	<5	<10	265	2259	4	88	<10	11	46		
188663R	1078060																																		
188664	1078061	0.008	1	2.00	10	530	2	2	1.84	<4	7	18	5	1.33	<0.01	10	1.10	269	<1	24	353	27	0.15	<5	<5	<10	136	1573	11	30	<10	5	46		
188665	1078062	0.026	1	1.97	15	472	<2	2	1.32	<4	8	17	7	1.26	<0.01	9	1.24	296	<1	29	375	17	0.18	<5	<5	<10	108	1513	7	30	<10	5	47		
188666	1078063	0.012	<1	1.72	9	453	2	1	1.53	<4	9	16	10	1.37	<0.01	9	1.24	329	<1	25	353	14	0.25	<5	<5	<10	108	1521	6	30	<10	5	43		
188667	1078064	0.122	1	0.85	20	540	<2	2	0.12	<4	8	26	11	1.04	<0.01	7	0.64	152	<1	44	375	14	0.55	<5	<5	<10	82	1682	5	39	<10	4	40		
188668	1078065	0.222	1	0.02	16	498	<2	1	0.53	<4	8	23	34	1.30	<0.01	5	0.70	196	<1	33	324	20	0.52	<5	<5	<10	88	1562	<2	33	<10	3	46		
188669	1078066	0.343	1	1.17	7	560	2	2	0.66	<4	8	22	34	1.14	<0.01	7	0.76	203	<1	30	368	21	0.35	<5	<5	<10	96	1665	7	35	<10	4	48		
188670	1078067	0.063	1	0.73	8	444	2	2	1.33	<4	7	20	16	1.30	<0.01	8	1.00	353	<1	29	336	25	0.31	<5	<5	<10	112	1473	<2	31	<10	4	68		
188671	1078068	0.537	2	0.23	5	473	2	<1	0.57	<4	8	17	21	1.11	<0.01	8	0.77	238	<1	29	318	19	0.39	<5	5	<10	102	1573	<2	32	<10	4	51		
188672	1078069	0.020	1	0.36	27	447	2	2	0.69	<4	7	20	12	1.13	<0.01	9	0.89	278	<1	29	368	25	0.60	<5	5	<10	115	1455	5	34	<10	4	65		
188673	1078070	1.138	4	0.18	36	404	2	2	2.27	4	20	65	7584	5.17	<0.01	4	0.88	577	736	19	919	42	2.92	13	5	<10	259	879	5	107	10	10	102		
188674D	1078070																																		
188675	1078071	0.114	1	0.73	13	552	<2	3	<0.01	<4	6	18	13	0.74	<0.01	<1	0.38	<100	<1	28	317	29	0.45	<5	<5	<10	91	1335	<2	33	<10	3	65		
188676	1078072	0.375	3	0.55	30	410	2	3	0.29	<4	7	26	33	0.96	<0.01	2	0.44	<100	<1	36	486	144	0.79	<5	<5	<10	102	1069	6	39	<10	4	407		
188677	1078073	0.135	1	1.05	34	423	2	3	0.30	<4	8	35	30	1.59	<0.01	8	0.71	201	<1	48	468	58	1.30	<5	<5	<10	112	1200	<2	48	<10	5	175		

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/03/2011  
 Date Completed: 08/17/2011  
 Job #: 201142870  
 Reference: TL11197  
 Sample #: 77

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
188678	1078074	0.845	2	0.40	32	401	<2	1	0.02	5	8	27	81	1.44	<0.01	10	0.57	142	<1	40	544	323	1.19	<5	<5	<10	99	1479	<2	46	18	5	1495
188679	1078075	0.021	<1	1.50	11	399	2	3	2.02	<4	11	28	5	1.85	<0.01	14	1.24	373	<1	44	527	25	0.43	<5	5	<10	171	1912	<2	51	<10	5	71
188680	1078076	0.075	1	0.85	25	402	<2	1	0.71	<4	10	28	9	1.28	<0.01	8	0.66	263	<1	35	479	36	0.58	<5	6	<10	132	1900	<2	46	<10	5	216
188681	1078077	0.030	2	1.47	22	448	2	2	1.87	<4	10	27	17	1.74	<0.01	15	1.12	396	<1	40	499	23	0.47	<5	<5	<10	182	1913	8	45	<10	6	43

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189578	1077675	0.012	<1	1.97	41	<1	3	6	0.69	9	97	52	356	17.77	<0.01	4	0.89	721	20	222	175	52	>10.00	6	<5	<10	71	601	7	30	<10	10	292
189579	1077676	0.020	<1	4.14	9	373	<2	<1	1.48	<4	10	21	29	2.00	<0.01	13	0.65	398	<1	32	521	19	1.14	<5	<5	<10	191	1620	<2	32	<10	7	71
189580	1077677	0.455	33	4.08	24	320	<2	<1	1.50	8	10	18	61	2.71	<0.01	9	0.70	465	<1	28	582	6327	2.45	9	16	<10	231	1392	<2	26	24	8	2737
189581	1077678	0.020	<1	3.27	10	240	<2	<1	1.19	<4	8	26	16	1.68	<0.01	7	0.69	416	<1	38	486	126	0.87	<5	8	<10	175	1165	<2	21	<10	7	128
189582	1077679	0.068	<1	4.04	26	313	<2	<1	0.80	<4	6	19	30	1.58	<0.01	9	0.72	527	<1	26	494	50	1.35	<5	5	<10	136	1311	<2	26	<10	6	144
189583	1077680	<0.005	<1	3.26	14	401	<2	<1	1.46	<4	12	38	47	3.06	<0.01	7	0.97	532	<1	30	560	8	0.43	<5	<5	<10	209	1782	<2	79	<10	14	49
189584	1077681	0.061	<1	4.59	20	386	<2	<1	0.94	<4	7	26	56	1.61	<0.01	10	0.71	610	2	37	551	54	1.28	<5	<5	<10	140	1381	<2	29	<10	6	665
189585	1077682	0.043	<1	4.08	18	381	2	<1	0.96	<4	9	27	70	2.10	<0.01	8	0.62	628	1	41	499	60	1.62	<5	<5	<10	140	1311	<2	26	<10	6	78
189586	1077683	0.212	<1	4.21	35	356	<2	<1	1.16	<4	8	22	68	1.50	<0.01	11	0.85	662	<1	34	463	180	1.22	<5	10	<10	123	1354	<2	24	<10	6	269
189587	1077684	7.046	72	3.27	178	126	<2	<1	0.33	11	7	26	372	3.17	<0.01	11	0.49	268	5	38	329	4457	3.61	256	9	<10	67	1139	<2	20	29	5	3219
189588D	1077684	7.181	36	3.11	186	104	2	<1	0.28	12	7	28	389	3.29	<0.01	9	0.48	271	4	42	342	4683	3.75	267	6	<10	65	1145	<2	21	32	5	3397
189589	1077685	0.053	<1	4.17	31	417	2	<1	0.92	<4	5	18	20	1.37	<0.01	12	0.85	574	<1	23	488	168	1.19	7	5	<10	108	1361	<2	23	<10	6	160
189590	1077686	0.051	<1	3.94	34	357	2	<1	1.04	<4	6	19	21	1.38	<0.01	11	0.87	561	<1	27	514	120	1.17	<5	5	<10	112	1274	2	21	<10	6	640
189591	1077687	0.122	<1	3.97	32	416	2	<1	0.78	<4	5	20	14	1.14	<0.01	8	0.63	287	<1	27	506	28	1.00	<5	<5	<10	101	1318	<2	23	<10	6	95
189592	1077688	1.035	<1	3.70	40	425	<2	<1	0.84	<4	6	19	15	1.36	<0.01	8	0.73	389	<1	29	507	322	1.17	<5	5	<10	105	1346	<2	23	<10	6	875
189593	1077689	0.243	<1	3.54	28	352	<2	<1	0.81	<4	6	23	20	1.32	<0.01	9	0.65	368	<1	35	493	49	0.92	<5	9	<10	97	1380	<2	24	<10	6	91
189594	1077690	0.296	103	2.59	229	331	<2	3	1.06	24	14	46	6093	5.11	<0.01	6	1.15	1570	16	27	482	9993	2.27	201	<5	<10	158	1493	<2	68	43	14	4842
189595	1077691	2.963	3	2.37	48	296	<2	1	0.25	<4	6	22	150	1.56	0.07	5	0.38	185	<1	22	403	448	1.62	6	8	<10	77	1042	<2	19	<10	5	903
189596	1077692	0.465	<1	3.30	35	293	<2	<1	0.84	<4	8	20	33	1.65	<0.01	8	0.77	662	<1	25	486	46	1.19	<5	10	<10	103	1503	<2	27	<10	6	124
189597	1077693	0.441	<1	2.99	33	265	<2	<1	0.75	<4	9	20	25	1.96	<0.01	7	0.77	690	<1	24	516	23	1.16	<5	<5	<10	96	1509	<2	28	<10	7	90

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189598	1077694	0.010	<1	3.68	21	275	<2	<1	0.95	<4	6	18	7	1.79	0.03	8	0.78	311	<1	27	635	15	1.58	<5	<5	<10	193	1071	<2	27	<10	8	64
189599D	1077694	0.012	<1	4.42	23	385	2	<1	1.24	<4	6	19	6	1.77	0.22	16	0.73	310	3	24	619	20	1.75	<5	11	<10	240	1349	<2	34	<10	7	64
189600	1077695	0.028	<1	5.71	19	262	2	<1	2.56	<4	19	110	43	3.36	<0.01	18	1.56	676	<1	72	560	33	2.00	<5	<5	<10	281	1501	5	62	<10	16	84
189601	1077696	0.073	<1	4.85	58	323	2	<1	1.22	<4	25	115	51	3.91	<0.01	15	0.88	347	4	93	554	33	3.50	<5	<5	<10	170	1560	<2	70	<10	15	102
189602	1077697	0.044	<1	3.72	43	177	2	<1	1.84	<4	22	95	52	3.61	<0.01	10	1.33	557	<1	71	727	29	2.48	<5	<5	<10	164	1263	9	52	<10	15	92
189603	1077698	0.027	<1	3.06	55	249	2	1	0.66	<4	19	64	66	2.86	<0.01	7	0.58	228	1	69	577	23	2.78	<5	5	<10	122	1038	<2	48	<10	12	57
189604	1077699	0.016	<1	3.51	30	289	2	<1	1.29	<4	10	11	12	1.87	<0.01	8	0.90	423	<1	20	626	20	1.90	<5	8	<10	173	972	<2	22	<10	7	100
189605	1077700	<0.005	<1	3.15	13	392	<2	<1	1.47	<4	12	38	46	3.07	<0.01	8	0.98	530	<1	28	562	10	0.49	<5	<5	<10	205	1768	<2	79	<10	15	51
189606	1077701	0.009	<1	4.06	31	294	<2	<1	1.96	<4	7	20	6	1.70	<0.01	6	0.70	306	<1	35	637	13	1.54	<5	7	<10	215	874	<2	24	<10	7	72
189607	1077702	0.010	<1	4.24	24	291	<2	<1	2.26	<4	8	10	5	1.56	<0.01	7	0.79	370	<1	16	580	14	1.45	<5	7	<10	226	926	<2	23	<10	7	54
189608	1077703	0.010	<1	4.36	30	293	2	<1	1.98	<4	7	12	3	1.56	<0.01	8	0.79	359	<1	19	611	15	1.55	<5	6	<10	216	745	<2	22	<10	8	60
189609	1077704	0.068	<1	3.32	55	452	2	1	0.19	<4	12	40	13	2.34	<0.01	8	0.33	<100	2	38	516	71	2.60	<5	<5	<10	105	1052	<2	37	<10	7	89
189610D	1077704	0.063	<1	3.13	54	471	2	<1	0.17	<4	12	40	13	2.34	<0.01	9	0.31	<100	3	38	498	73	2.83	<5	6	<10	105	1057	<2	37	<10	6	89
189611	1077705	0.043	<1	4.04	57	262	2	<1	1.31	<4	21	88	37	3.52	<0.01	12	0.89	430	1	68	500	50	3.56	<5	<5	<10	147	1098	<2	53	<10	14	129
189612	1077706	0.065	<1	4.83	62	225	2	<1	1.47	<4	22	99	40	3.70	<0.01	13	0.92	435	2	78	535	59	3.57	<5	<5	<10	166	1178	<2	58	<10	15	150
189613	1077707	0.010	<1	4.68	18	405	2	<1	1.90	<4	9	18	6	1.74	<0.01	15	1.00	361	<1	31	659	14	1.01	<5	5	<10	165	1450	<2	29	<10	8	57
189614	1077708	0.089	<1	0.58	42	170	<2	<1	0.50	<4	14	52	43	2.00	<0.01	2	0.57	298	1	69	511	18	1.62	<5	<5	<10	78	940	<2	36	<10	9	102
189615	1077709	0.166	<1	1.40	23	259	<2	<1	0.27	<4	8	34	9	1.50	<0.01	2	0.41	168	4	73	538	9	1.29	<5	<5	<10	86	933	<2	35	<10	7	101
189616	1077710	5.228	<1	0.83	416	1244	<2	<1	1.96	<4	14	103	77	2.99	<0.01	5	1.09	401	6	52	797	24	1.04	19	9	<10	113	1230	<2	104	<10	13	235
189617	1077711	0.018	<1	2.94	37	356	<2	<1	1.42	<4	11	29	13	1.93	<0.01	10	0.96	451	<1	53	546	11	1.18	<5	<5	<10	135	1490	2	42	<10	7	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189618	1077712	0.043	<1	2.55	28	311	<2	<1	1.11	<4	9	18	13	1.68	<0.01	7	0.90	379	<1	34	536	36	1.23	<5	<5	<10	125	1285	<2	30	<10	7	156
189619	1077713	0.057	<1	3.63	43	308	2	<1	1.98	<4	11	30	22	1.78	<0.01	6	1.02	476	<1	50	516	40	1.27	<5	8	<10	171	1235	2	31	<10	7	111
189620	1077714	1.053	<1	2.96	111	331	2	<1	0.18	<4	18	87	23	2.64	<0.01	4	0.33	104	7	78	427	221	2.76	16	<5	<10	69	1528	<2	59	<10	10	304
189621D	1077714	1.034	<1	3.30	107	392	2	<1	0.20	<4	18	93	24	2.66	<0.01	5	0.33	103	8	80	430	226	2.92	18	5	<10	75	1666	<2	64	<10	9	307
189622	1077715	0.114	<1	4.80	37	334	2	<1	2.34	<4	26	144	71	3.96	<0.01	12	1.45	858	3	128	686	45	1.93	6	7	<10	119	2401	<2	84	<10	18	114
189623	1077716	0.219	<1	3.75	86	560	2	<1	0.42	<4	23	139	57	2.65	<0.01	10	0.46	171	14	122	535	50	2.48	<5	6	<10	79	1940	<2	89	<10	12	178
189624	1077717	0.345	<1	3.62	94	434	2	<1	0.90	<4	20	107	94	2.94	<0.01	10	0.66	310	9	107	481	66	2.86	<5	<5	<10	99	1440	<2	70	<10	12	220
189625	1077718	0.471	<1	3.54	70	460	2	<1	0.36	4	9	36	34	1.97	<0.01	7	0.42	131	9	69	499	55	2.07	8	6	<10	86	1348	<2	44	12	6	1075
189626	1077719	0.326	<1	5.65	54	378	2	<1	2.67	<4	10	25	12	2.00	<0.01	15	1.40	685	<1	52	594	28	1.41	5	8	<10	184	1422	6	35	<10	8	70
189627	1077720	<0.005	<1	2.91	14	365	<2	<1	1.50	<4	12	39	49	3.17	<0.01	9	1.03	549	<1	33	594	8	0.53	<5	7	<10	182	1772	<2	79	<10	15	54
189628	1077721	0.054	<1	5.45	48	378	2	<1	2.88	<4	10	26	23	1.99	<0.01	14	1.21	693	<1	50	612	47	1.16	<5	11	<10	226	1475	11	34	<10	7	136
189629	1077722	0.172	<1	4.06	53	340	2	3	1.17	<4	9	31	12	1.80	<0.01	12	0.74	375	7	64	563	17	1.69	<5	9	<10	134	1337	<2	38	<10	7	212
189630	1077723	0.034	<1	5.99	51	341	2	<1	2.61	<4	10	35	13	2.00	<0.01	13	1.32	611	2	68	611	19	1.20	<5	15	<10	191	1556	10	40	<10	8	57
189631	1077724	0.122	<1	4.03	70	328	2	<1	0.56	<4	10	26	19	1.83	<0.01	12	0.51	185	6	51	564	11	1.84	<5	<5	<10	106	1483	<2	39	<10	6	52
189632D	1077724	0.119	<1	3.45	64	287	2	<1	0.47	<4	9	27	18	1.72	<0.01	10	0.47	167	6	54	531	11	1.80	<5	<5	<10	97	1301	<2	37	<10	6	50
189633	1077725	0.097	<1	3.62	58	164	2	<1	1.17	<4	9	24	41	1.68	<0.01	8	0.85	375	2	51	545	26	1.50	<5	8	<10	112	1061	<2	30	<10	7	57
189634	1077726	0.106	<1	4.57	55	210	2	<1	1.27	<4	10	33	41	1.72	<0.01	10	0.85	372	5	64	582	21	1.46	<5	8	<10	121	1234	5	37	<10	8	59
189635	1077727	0.161	<1	3.99	59	185	2	<1	1.17	<4	11	30	128	2.05	<0.01	8	0.74	318	6	63	563	19	1.71	<5	7	<10	106	1215	<2	35	<10	7	199
189636	1077728	0.066	<1	4.45	70	167	2	<1	1.60	<4	12	26	52	2.06	<0.01	9	0.92	442	4	57	553	21	1.63	<5	6	<10	118	1186	<2	33	<10	8	69
189637	1077729	0.053	<1	2.99	71	137	<2	<1	0.66	<4	15	27	51	1.69	0.02	4	0.59	211	5	61	529	22	1.60	<5	<5	<10	84	884	<2	32	<10	7	186

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189638	1077730	1.461	1	4.33	40	218	2	<1	2.71	4	20	60	7244	4.78	<0.01	11	1.20	539	767	20	929	42	2.58	7	12	<10	193	627	<2	93	<10	16	106
189639	1077731	0.413	<1	3.22	163	257	2	<1	0.12	7	21	102	226	2.81	<0.01	5	0.35	<100	18	92	563	154	2.89	25	6	<10	59	1368	<2	74	16	8	1541
189640	1077732	0.108	<1	3.79	25	196	2	1	1.22	<4	25	122	59	3.72	<0.01	12	1.55	692	4	123	514	34	1.87	<5	<5	<10	78	1637	<2	76	<10	14	112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189578	1077675	12	<0.001	0.012
189579	1077676	20	<0.001	0.020
189580	1077677	455	0.013	0.455
189581	1077678	20	<0.001	0.020
189582	1077679	68	0.002	0.068
189583	1077680	<5	<0.001	<0.005
189584	1077681	61	0.002	0.061
189585	1077682	43	0.001	0.043
189586	1077683	212	0.006	0.212
189587	1077684	7046	0.206	7.046
189588 Dup	1077684	7181	0.210	7.181
189589	1077685	53	0.002	0.053
189590	1077686	51	0.001	0.051
189591	1077687	122	0.004	0.122
189592	1077688	1035	0.030	1.035
189593	1077689	243	0.007	0.243
189594	1077690	296	0.009	0.296
189595	1077691	2963	0.086	2.963
189596	1077692	465	0.014	0.465
189597	1077693	441	0.013	0.441
189598	1077694	10	<0.001	0.010
189599 Dup	1077694	12	<0.001	0.012
189600	1077695	28	<0.001	0.028
189601	1077696	73	0.002	0.073
189602	1077697	44	0.001	0.044
189603	1077698	27	<0.001	0.027
189604	1077699	16	<0.001	0.016
189605	1077700	<5	<0.001	<0.005
189606	1077701	9	<0.001	0.009
189607	1077702	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189608	1077703	10	<0.001	0.010
189609	1077704	68	0.002	0.068
189610 Dup	1077704	63	0.002	0.063
189611	1077705	43	0.001	0.043
189612	1077706	65	0.002	0.065
189613	1077707	10	<0.001	0.010
189614	1077708	89	0.003	0.089
189615	1077709	166	0.005	0.166
189616	1077710	5228	0.153	5.228
189617	1077711	18	<0.001	0.018
189618	1077712	43	0.001	0.043
189619	1077713	57	0.002	0.057
189620	1077714	1053	0.031	1.053
189621 Dup	1077714	1034	0.030	1.034
189622	1077715	114	0.003	0.114
189623	1077716	219	0.006	0.219
189624	1077717	345	0.010	0.345
189625	1077718	471	0.014	0.471
189626	1077719	326	0.010	0.326
189627	1077720	<5	<0.001	<0.005
189628	1077721	54	0.002	0.054
189629	1077722	172	0.005	0.172
189630	1077723	34	<0.001	0.034
189631	1077724	122	0.004	0.122
189632 Dup	1077724	119	0.003	0.119
189633	1077725	97	0.003	0.097
189634	1077726	106	0.003	0.106
189635	1077727	161	0.005	0.161
189636	1077728	66	0.002	0.066
189637	1077729	53	0.002	0.053

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011

## Certificate of Analysis


 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142891  
 Reference: TL11198  
 Sample #: 58

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189638	1077730	1461	0.043	1.461
189639	1077731	413	0.012	0.413
189640	1077732	108	0.003	0.108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 15, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/15/2011  
 Job #: 201143076  
 Reference: TL11198  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
203895	1077684	4.230	3.708	58.848	4.870	1.64%	40.29

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189641	1078078	0.017	<1	3.64	15	251	2	<1	0.94	<4	7	22	19	0.92	0.07	9	0.74	262	<1	40	222	23	0.70	<5	5	<10	92	886	2	23	<10	7	632
189642	1078079	0.040	<1	3.74	26	247	2	<1	1.32	<4	9	37	30	1.54	0.11	11	0.87	383	2	52	351	28	1.22	<5	8	<10	115	1075	<2	32	<10	8	152
189643	1078080	<0.005	<1	3.93	13	436	<2	<1	1.55	<4	12	43	47	3.05	<0.01	10	0.94	529	<1	29	537	7	0.56	<5	8	<10	236	1861	<2	81	<10	14	59
189644	1078081	0.016	<1	3.67	35	384	2	<1	1.11	<4	8	26	3	1.56	<0.01	9	0.80	276	<1	41	370	23	1.42	<5	<5	<10	125	1201	<2	32	<10	5	58
189645	1078082	0.006	<1	3.93	27	582	2	<1	0.67	<4	7	22	2	1.29	<0.01	14	0.52	118	3	33	366	18	1.41	<5	7	<10	129	1392	<2	33	<10	4	67
189646	1078083	0.008	<1	2.84	60	106	2	3	0.45	<4	17	21	15	7.17	<0.01	13	0.34	126	11	48	292	32	7.47	<5	<5	<10	126	1219	<2	32	<10	4	789
189647	1078084	0.019	<1	3.31	21	510	2	<1	0.50	<4	16	20	44	2.92	<0.01	10	0.50	160	2	43	349	27	2.18	<5	<5	<10	127	1166	<2	31	<10	6	481
189648	1078085	0.021	<1	3.57	11	466	2	<1	1.57	<4	22	131	59	3.09	<0.01	16	0.99	435	6	102	481	27	1.40	<5	<5	<10	197	1980	<2	81	<10	10	100
189649	1078086	0.021	<1	3.46	9	427	2	<1	1.60	<4	23	128	62	3.19	<0.01	20	0.95	437	5	85	513	25	1.42	<5	<5	<10	196	2306	2	84	<10	9	93
189650	1078087	0.014	<1	4.04	13	370	2	<1	1.71	<4	20	130	57	2.78	<0.01	17	1.08	388	<1	71	439	18	0.85	<5	6	<10	206	2072	<2	66	<10	11	72
189651D	1078087	0.012	<1	4.20	11	364	2	<1	1.72	<4	19	129	57	2.75	<0.01	17	1.09	381	<1	70	441	19	0.86	<5	<5	<10	206	2047	<2	65	<10	11	72
189652	1078088	0.355	<1	3.38	27	320	<2	<1	0.79	<4	5	16	11	1.03	0.24	16	0.64	526	<1	22	405	254	1.02	<5	7	<10	148	1300	3	28	<10	4	302
189653	1078089	0.211	<1	2.64	16	220	<2	<1	1.28	<4	5	10	26	1.32	<0.01	13	1.74	1424	<1	15	494	179	0.75	<5	5	<10	109	1157	3	24	<10	5	545
189654	1078090	0.287	104	2.16	213	319	<2	2	0.95	23	14	42	6224	4.87	<0.01	6	1.10	1507	13	26	459	9932	1.95	181	<5	<10	138	1395	2	62	45	12	5068
189655	1078091	0.067	<1	4.00	18	437	2	<1	1.09	<4	6	14	69	1.07	<0.01	21	0.68	735	7	18	522	145	1.31	<5	5	<10	180	1708	<2	37	<10	4	138
189656	1078092	0.049	<1	4.58	17	381	2	<1	0.73	<4	5	12	13	0.98	<0.01	16	0.62	429	<1	16	581	80	0.92	<5	<5	<10	151	1479	<2	32	<10	5	215
189657	1078093	0.045	<1	4.02	14	387	2	<1	0.78	<4	5	16	12	1.02	<0.01	14	0.58	442	<1	21	592	28	0.85	<5	9	<10	143	1447	<2	31	<10	5	45
189658	1078094	0.022	<1	3.91	18	323	2	<1	0.75	<4	6	12	12	1.22	0.04	14	0.63	492	<1	19	577	25	1.05	<5	9	<10	140	1386	<2	31	<10	5	58
189659	1078095	0.021	<1	3.80	22	353	2	<1	0.63	<4	5	14	7	1.13	<0.01	12	0.51	384	<1	20	500	26	1.02	<5	8	<10	137	1387	<2	30	<10	5	48
189660	1078096	0.014	<1	3.41	11	347	3	<1	0.66	<4	5	14	8	1.12	<0.01	15	0.50	420	4	21	529	19	0.91	<5	<5	<10	131	1293	2	28	<10	4	36

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189661	1078097	0.019	<1	3.89	12	369	4	<1	0.58	<4	5	32	20	1.17	<0.01	15	0.44	396	5	57	545	70	0.88	<5	7	<10	140	1391	3	36	<10	4	84
189662D	1078097	0.022	<1	3.45	13	325	3	<1	0.47	<4	5	32	20	1.15	<0.01	12	0.43	374	4	59	524	66	0.83	<5	<5	<10	128	1268	<2	33	<10	4	83
189663	1078098	0.196	<1	3.58	35	369	<2	<1	0.43	<4	6	21	68	1.55	0.02	11	0.36	257	2	37	532	142	1.47	<5	8	<10	129	1294	<2	29	<10	5	224
189664	1078099	0.194	<1	2.62	22	346	<2	<1	0.16	<4	5	20	47	1.08	0.04	4	0.26	156	<1	37	538	188	0.94	5	6	<10	90	1024	<2	23	<10	5	111
189665	1078100	<0.005	<1	2.89	9	396	<2	<1	1.40	<4	12	37	47	3.06	<0.01	7	0.94	522	<1	28	548	10	0.44	<5	<5	<10	199	1771	<2	78	<10	14	51
189666	1078101	0.257	<1	3.69	44	382	<2	<1	0.45	<4	8	22	60	1.99	<0.01	7	0.37	377	<1	39	505	204	1.70	<5	6	<10	118	1232	<2	28	<10	5	674
189667	1078102	0.402	<1	3.33	32	289	<2	<1	0.49	<4	7	22	6	1.78	<0.01	11	0.55	546	<1	38	571	136	1.40	<5	9	<10	104	1329	<2	29	<10	5	676
189668	1078103	0.554	6	3.67	26	307	<2	<1	0.72	<4	9	39	33	1.67	<0.01	13	0.59	784	5	66	507	127	0.97	<5	5	<10	123	1554	<2	37	<10	5	254
189669	1078104	0.291	<1	3.78	30	367	2	<1	0.81	<4	10	32	33	2.30	<0.01	16	0.71	932	4	55	570	59	1.24	<5	<5	<10	140	1872	<2	40	<10	5	134
189670	1078105	0.155	<1	3.71	23	410	<2	<1	0.90	<4	9	23	16	1.81	<0.01	17	0.63	848	2	34	569	19	0.91	<5	<5	<10	153	1959	2	38	<10	4	82
189671	1078106	0.183	<1	3.91	25	378	<2	<1	0.83	<4	8	28	13	1.88	<0.01	16	0.68	901	2	49	570	17	0.89	<5	<5	<10	141	1863	3	38	<10	5	83
189672	1078107	0.162	<1	3.76	19	354	<2	<1	0.76	<4	8	27	19	1.85	0.01	15	0.68	856	2	46	603	13	0.81	<5	<5	<10	138	1860	<2	38	<10	5	83
189673D	1078107	0.287	<1	3.53	15	303	<2	<1	0.65	<4	7	26	19	1.75	0.15	13	0.67	777	2	43	575	14	0.77	<5	<5	<10	120	1652	<2	34	<10	5	76
189674	1078108	0.220	<1	3.46	27	358	<2	<1	0.74	<4	7	23	23	1.62	0.20	12	0.60	659	<1	39	573	19	0.88	<5	<5	<10	123	1648	<2	35	<10	5	76
189675	1078109	0.259	<1	3.59	39	454	2	<1	0.49	<4	5	34	22	1.43	0.03	12	0.46	368	5	67	453	72	1.11	<5	<5	<10	125	1396	<2	31	<10	4	91
189676	1078110	5.125	<1	3.90	394	1253	<2	<1	2.33	<4	14	100	78	3.04	<0.01	13	1.18	426	7	51	784	24	1.03	32	7	<10	179	1493	7	115	<10	14	220
189677	1078111	2.386	14	3.70	50	384	<2	<1	0.13	<4	6	24	44	1.77	<0.01	8	0.35	126	3	45	427	1578	1.45	10	<5	<10	72	1199	<2	25	<10	5	592
189678	1078112	1.047	<1	4.03	40	483	2	<1	0.17	<4	6	24	43	1.49	<0.01	13	0.40	154	4	43	387	392	1.30	<5	8	<10	99	1493	<2	29	<10	4	968
189679	1078113	1.577	<1	4.31	40	438	2	<1	0.43	<4	6	24	27	1.39	<0.01	15	0.45	268	5	45	418	340	1.18	<5	6	<10	116	1537	<2	29	<10	4	311
189680	1078114	0.205	<1	3.68	30	364	2	<1	0.89	<4	5	48	20	1.25	<0.01	13	0.65	709	7	88	372	155	0.85	<5	5	<10	123	1191	<2	31	<10	4	121

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189681	1078115	0.276	<1	3.24	32	293	<2	<1	0.74	<4	5	22	14	1.35	<0.01	10	0.82	792	<1	42	410	92	0.80	<5	<5	<10	99	1247	<2	26	<10	5	91
189682	1078116	0.060	<1	3.04	24	299	2	<1	0.61	<4	5	17	9	1.19	0.05	10	0.70	656	<1	30	330	87	0.67	<5	6	<10	98	1201	<2	24	<10	4	101
189683	1078117	0.349	<1	3.53	26	362	<2	<1	0.84	<4	6	21	25	1.45	<0.01	11	0.77	755	<1	38	447	122	0.89	<5	6	<10	122	1330	<2	27	<10	5	188
189684D	1078117	0.348	<1	3.86	26	398	2	<1	0.96	<4	6	21	25	1.48	<0.01	14	0.78	783	<1	38	447	130	0.92	<5	<5	<10	137	1409	<2	28	<10	5	190
189685	1078118	0.131	<1	3.02	33	409	<2	<1	0.62	<4	6	16	34	1.60	<0.01	9	0.89	753	<1	32	473	149	0.87	<5	<5	<10	97	1275	<2	27	<10	5	302
189686	1078119	0.811	1	2.30	37	422	<2	<1	0.18	<4	5	13	21	1.15	<0.01	7	0.49	274	<1	28	380	527	0.91	<5	6	<10	78	1036	<2	19	<10	5	478
189687	1078120	<0.005	<1	1.97	11	351	2	1	1.25	<4	11	35	45	2.94	<0.01	4	0.89	500	<1	29	522	39	0.32	<5	<5	<10	180	1644	<2	75	<10	13	51
189688	1078121	0.387	<1	2.21	44	494	<2	<1	<0.01	<4	4	10	12	1.22	0.42	7	0.31	<100	<1	20	325	598	1.03	<5	<5	<10	54	1105	<2	21	<10	4	278
189689	1078122	1.074	<1	3.45	41	507	2	<1	0.52	<4	6	13	4	1.18	<0.01	12	0.60	367	<1	24	450	185	1.16	<5	5	<10	147	1161	<2	24	<10	5	229
189690	1078123	0.038	<1	2.66	13	850	2	<1	2.45	<4	21	55	29	2.85	<0.01	12	1.97	614	<1	92	1795	36	0.90	<5	<5	<10	826	2088	7	64	<10	16	85
189691	1078124	0.013	<1	5.52	13	1346	2	<1	3.34	<4	23	62	33	3.21	<0.01	27	2.42	670	<1	101	2486	38	0.98	<5	7	<10	1404	2959	<2	81	<10	19	99
189692	1078125	0.036	<1	4.77	16	957	2	<1	3.14	<4	21	58	35	3.06	<0.01	17	2.29	819	<1	95	2080	50	1.13	<5	<5	<10	1052	2535	12	73	<10	18	142
189693	1078126	0.035	<1	4.83	13	814	2	<1	3.00	<4	21	56	37	2.98	<0.01	21	2.24	832	<1	93	2186	44	1.11	<5	6	<10	1022	2460	13	77	<10	17	152
189694	1078127	0.844	<1	2.51	30	447	<2	<1	0.66	<4	5	13	6	1.33	<0.01	8	0.91	737	<1	26	471	81	0.81	<5	6	<10	116	1142	<2	26	<10	5	101
189695D	1078127	1.240	<1	3.35	32	564	2	<1	0.99	<4	6	14	6	1.32	<0.01	13	0.87	795	<1	23	454	87	0.86	<5	5	<10	143	1287	<2	28	<10	4	97
189696	1078128	5.566	4	2.76	32	416	<2	<1	0.94	<4	5	18	28	1.52	<0.01	10	0.75	768	<1	30	391	764	1.09	<5	5	<10	139	1166	3	25	<10	4	883
189697	1078129	123.823	87	2.91	72	11	2	2	0.53	89	7	23	36	4.73	<0.01	8	0.52	675	370	42	235	16445	5.10	85	5	<10	104	832	<2	23	353	8	35183
189698	1078130	4.587	<1	4.37	45	299	2	2	2.62	5	19	59	7446	4.79	<0.01	12	1.07	540	777	22	896	223	2.15	14	10	<10	232	726	<2	100	<10	12	493
189699	1078131	27.251	97	3.07	108	22	2	<1	0.73	77	9	25	158	4.66	<0.01	8	0.62	821	36	46	362	11935	4.64	65	10	<10	102	859	<2	29	297	5	30942
189700	1078132	1.631	<1	3.23	32	305	<2	<1	1.38	<4	7	22	15	1.35	<0.01	11	0.99	901	<1	28	424	271	0.85	<5	7	<10	138	1406	<2	30	<10	4	645

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189701	1078133	0.310	<1	4.10	26	339	2	<1	1.41	<4	8	26	18	1.54	<0.01	16	0.95	935	<1	35	440	56	0.91	<5	7	<10	143	1702	<2	35	<10	5	162
189702	1078134	0.254	<1	3.64	37	296	2	<1	0.64	<4	8	26	13	1.44	0.08	14	0.63	470	<1	26	451	67	1.04	<5	7	<10	112	1611	<2	34	<10	5	279
189703	1078135	0.168	<1	3.66	29	305	2	<1	0.70	<4	9	27	8	1.43	<0.01	16	0.63	516	<1	31	449	35	0.99	<5	<5	<10	118	1655	<2	35	<10	5	68
189704	1078136	0.079	<1	3.70	27	290	2	<1	1.00	<4	10	28	21	1.67	0.05	14	0.77	704	<1	23	449	21	0.99	<5	11	<10	124	1628	2	37	<10	5	160
189705	1078137	0.040	<1	3.50	28	318	<2	<1	0.86	<4	10	32	16	1.54	0.01	12	0.59	469	<1	32	452	19	0.86	<5	6	<10	116	1543	<2	36	<10	6	57
189706R	1078137	0.045	<1	3.42	28	304	2	<1	0.82	<4	10	29	15	1.49	<0.01	11	0.58	458	<1	28	446	14	0.91	<5	<5	<10	112	1494	<2	34	<10	6	53
189707	1078138	0.029	<1	4.49	26	394	2	<1	1.12	<4	9	24	7	1.64	<0.01	22	0.54	457	4	22	434	34	1.46	<5	<5	<10	143	1679	<2	38	<10	5	67
189708	1078139	0.095	<1	4.51	39	354	2	<1	0.91	<4	10	23	22	1.79	<0.01	19	0.44	281	3	23	409	60	1.68	<5	8	<10	138	1574	<2	35	<10	5	195
189709	1078140	<0.005	<1	4.79	12	494	2	<1	1.73	<4	12	39	46	3.07	<0.01	17	0.90	543	4	30	545	9	0.67	<5	8	<10	263	2068	<2	84	<10	12	52
189710	1078141	0.046	<1	4.56	31	449	2	<1	2.04	<4	12	25	13	2.27	<0.01	28	0.90	909	5	28	414	29	1.95	<5	9	<10	190	1742	<2	38	<10	5	90
189711	1078142	0.076	2	4.27	25	378	2	<1	1.88	<4	19	16	19	2.00	<0.01	24	1.00	911	2	33	362	33	1.65	<5	<5	<10	177	1324	4	29	<10	6	137
189712	1078143	0.054	5	4.66	13	390	2	<1	2.61	<4	8	15	20	2.49	<0.01	21	1.37	1206	<1	20	348	30	1.41	<5	<5	<10	216	1344	9	25	<10	7	100
189713	1078144	0.280	14	4.92	14	512	2	<1	2.69	<4	7	16	45	3.26	<0.01	26	1.55	1531	<1	22	362	64	1.76	<5	<5	<10	213	1409	7	27	<10	7	270
189714	1078145	0.234	13	3.83	33	404	2	<1	2.38	<4	12	17	72	2.97	<0.01	22	1.09	1243	3	22	347	65	2.42	<5	<5	<10	200	1317	<2	26	<10	6	176
189715	1078146	0.148	10	4.41	31	436	2	<1	2.50	<4	12	18	58	2.87	<0.01	23	1.16	1315	4	25	356	67	2.21	<5	5	<10	207	1343	<2	27	<10	6	153
189716	1078147	0.022	<1	4.53	23	518	2	<1	2.04	<4	11	17	14	1.84	<0.01	30	0.97	820	4	23	505	20	1.35	<5	<5	<10	210	1938	4	41	<10	5	62
189717D	1078147	0.018	<1	5.32	21	512	2	<1	2.16	<4	12	17	14	1.92	<0.01	31	1.09	849	3	27	540	20	1.40	<5	8	<10	215	1964	<2	41	<10	6	62
189718	1078148	0.021	<1	4.43	10	527	2	<1	1.80	<4	8	17	19	1.52	<0.01	32	0.75	408	5	19	475	15	0.99	<5	10	<10	194	2172	<2	44	<10	4	66
189719	1078149	0.015	<1	4.35	11	462	2	<1	1.35	<4	6	14	8	1.04	0.08	27	0.62	238	2	14	441	14	0.77	<5	<5	<10	172	1885	<2	42	<10	4	45
189720	1078150	5.021	99	4.28	218	387	2	<1	1.34	23	15	49	6168	5.04	<0.01	16	1.04	1549	20	26	485	10009	2.04	317	<5	<10	210	1776	<2	77	41	10	5178

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189721	1078151	<0.005	<1	4.71	20	524	2	<1	1.19	<4	9	14	85	1.04	<0.01	21	0.49	166	2	18	424	113	0.81	5	10	<10	162	1655	<2	39	<10	5	108
189722	1078152	<0.005	<1	4.73	19	479	2	<1	1.55	<4	14	14	18	1.23	<0.01	23	0.56	196	2	22	471	17	1.04	<5	11	<10	170	1634	<2	39	<10	5	56
189723	1078153	0.012	<1	4.19	24	467	2	<1	1.55	<4	12	15	17	1.42	<0.01	24	0.51	209	3	20	425	15	1.44	<5	<5	<10	182	1562	<2	39	<10	4	72
189724	1078154	0.016	<1	3.32	29	91	2	<1	0.56	<4	13	14	27	6.29	<0.01	23	0.30	140	10	24	395	22	5.74	<5	<5	<10	139	1840	<2	37	<10	5	258
189725	1078155	0.005	<1	4.10	21	450	2	<1	1.18	<4	6	13	3	1.05	<0.01	21	0.37	173	3	15	434	15	1.09	<5	9	<10	180	1550	<2	34	<10	4	40
189726	1078156	<0.005	<1	3.93	22	411	2	<1	1.30	<4	6	15	13	1.25	0.04	23	0.47	299	3	17	390	10	1.07	<5	<5	<10	198	1590	<2	34	<10	4	53
189727	1078157	0.006	<1	4.18	12	553	2	<1	1.93	<4	7	18	11	2.74	<0.01	25	0.73	677	3	27	511	10	1.36	<5	<5	<10	217	1943	<2	38	<10	6	84
189728D	1078157	0.006	<1	3.92	10	588	2	<1	2.01	<4	7	18	11	2.70	<0.01	28	0.67	681	5	23	511	12	1.45	<5	<5	<10	229	2046	<2	39	<10	5	84
189729	1078158	0.014	<1	3.67	12	497	2	<1	1.74	<4	8	16	2	3.33	0.02	26	0.59	719	5	19	437	10	1.49	<5	<5	<10	203	1979	<2	37	<10	5	89
189730	1078159	0.023	<1	3.91	11	404	2	<1	1.72	<4	7	16	6	3.62	<0.01	20	0.68	647	2	22	372	14	1.62	<5	<5	<10	182	1604	<2	32	<10	7	87
189731	1078160	<0.005	<1	3.81	13	511	2	<1	1.69	<4	12	40	46	3.11	0.16	18	0.81	558	5	29	548	8	0.73	<5	<5	<10	268	2192	<2	87	<10	9	51
189732	1078161	0.061	<1	4.72	31	444	2	<1	1.98	<4	15	55	43	2.47	<0.01	24	0.91	589	5	41	535	54	1.48	<5	<5	<10	191	2039	<2	54	<10	7	157
189733	1078162	0.007	<1	4.26	9	444	3	<1	1.91	<4	9	24	21	1.83	<0.01	21	0.81	468	4	28	486	29	1.20	<5	<5	<10	173	1523	<2	31	<10	6	63
189734	1078163	0.027	<1	3.57	34	492	2	<1	1.38	<4	11	26	13	1.70	<0.01	23	0.68	427	3	27	492	79	1.46	<5	5	<10	156	1910	<2	45	<10	4	73
189735	1078164	0.030	<1	3.79	51	558	2	<1	0.44	<4	12	25	6	1.18	<0.01	19	0.34	144	5	24	476	23	1.38	<5	8	<10	99	1961	<2	41	<10	4	83
189736	1078165	0.028	<1	3.97	50	560	2	<1	0.80	<4	11	16	21	1.53	<0.01	22	0.45	218	6	23	475	45	1.67	<5	<5	<10	146	1869	<2	38	<10	4	73
189737	1078166	0.024	<1	3.70	43	564	3	<1	0.79	<4	10	17	17	1.15	<0.01	23	0.43	203	5	19	460	35	1.33	<5	<5	<10	148	1811	2	36	<10	4	65
189738	1078167	0.169	<1	3.34	57	496	2	<1	0.18	<4	10	15	101	1.64	<0.01	15	0.26	<100	6	20	432	133	1.96	<5	<5	<10	83	1747	<2	36	<10	4	210
189739D	1078167	0.180	<1	3.04	55	500	2	<1	0.18	<4	9	15	99	1.58	<0.01	16	0.25	<100	6	18	422	132	1.92	<5	<5	<10	87	1753	2	36	<10	3	213
189740	1078168	0.028	<1	3.35	32	473	3	<1	1.03	<4	9	16	24	1.06	0.06	20	0.50	236	3	17	453	66	1.19	<5	5	<10	141	1597	<2	34	<10	4	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189741	1078169	0.032	<1	4.31	47	534	2	<1	0.38	<4	10	16	10	0.98	<0.01	16	0.31	<100	6	21	469	44	1.19	<5	7	<10	100	1874	<2	38	<10	4	99
189742	1078170	5.105	<1	3.96	384	1471	2	<1	2.45	<4	14	105	76	3.05	<0.01	23	0.99	442	15	48	759	26	1.36	35	5	<10	212	1789	<2	120	<10	11	212
189743	1078171	0.010	<1	4.98	45	416	2	<1	1.63	<4	11	16	20	1.67	<0.01	16	1.03	413	<1	23	533	64	1.27	<5	<5	<10	138	1456	<2	33	<10	7	56
189744	1078172	0.013	<1	5.86	32	357	2	<1	2.54	<4	10	17	30	1.80	<0.01	20	1.32	528	<1	20	522	39	1.11	<5	<5	<10	136	1435	4	29	<10	8	49
189745	1078173	0.010	<1	6.28	25	433	2	1	2.81	<4	11	21	15	1.78	<0.01	19	1.36	529	<1	31	546	28	0.92	<5	6	<10	134	1665	5	32	<10	7	85
189746	1078174	0.009	<1	5.82	34	320	2	<1	2.12	<4	11	18	6	1.46	<0.01	15	1.15	464	<1	27	538	22	0.91	<5	6	<10	134	1381	2	26	<10	8	56
189747	1078175	0.056	<1	5.58	54	260	2	<1	3.44	<4	14	20	21	2.33	<0.01	12	1.73	891	<1	36	475	50	1.37	<5	6	<10	141	1433	15	27	<10	9	195
189748	1078176	0.035	<1	4.74	47	334	2	<1	1.73	<4	14	18	16	1.33	<0.01	14	0.87	405	<1	32	529	31	0.94	<5	9	<10	123	1565	2	30	<10	6	95
189749	1078177	0.022	<1	4.89	43	299	2	<1	1.03	<4	11	14	15	1.04	<0.01	11	0.67	255	<1	21	532	31	0.89	<5	8	<10	107	1290	<2	26	<10	7	38
189750D	1078177	0.026	<1	4.64	44	344	2	<1	1.00	<4	11	15	13	1.03	<0.01	13	0.63	255	<1	22	508	27	0.92	<5	9	<10	106	1480	<2	29	<10	6	36
189751	1078178	0.044	<1	3.53	59	251	<2	<1	0.66	<4	10	14	10	1.31	<0.01	6	0.50	178	<1	24	538	20	1.15	<5	7	<10	87	1051	<2	22	<10	8	46
189752	1078179	0.060	<1	3.53	73	348	2	<1	0.40	<4	11	16	13	1.78	0.09	9	0.43	125	<1	24	474	20	1.63	<5	8	<10	84	1499	<2	31	<10	6	80
189753	1078180	<0.005	<1	3.79	13	440	<2	<1	1.53	<4	12	38	47	3.13	<0.01	9	0.97	534	<1	29	549	9	0.39	<5	<5	<10	233	1850	<2	82	<10	15	48
189754	1078181	0.058	<1	4.18	61	300	<2	<1	0.55	<4	10	14	11	1.70	<0.01	7	0.48	148	<1	23	540	19	1.61	<5	<5	<10	95	1253	<2	26	<10	8	22
189755	1078182	0.024	<1	5.47	29	277	2	<1	2.27	<4	8	17	12	1.50	<0.01	14	1.27	501	<1	23	517	23	0.91	<5	9	<10	139	1126	4	25	<10	7	47
189756	1078183	0.057	<1	4.21	49	373	<2	<1	0.47	<4	10	17	6	1.27	<0.01	7	0.44	116	<1	25	528	16	1.17	<5	8	<10	79	1330	<2	28	<10	7	21
189757	1078184	0.027	<1	4.79	34	296	2	<1	1.46	<4	8	13	11	1.21	<0.01	12	0.93	268	<1	20	507	18	0.88	<5	10	<10	120	1131	3	22	<10	7	43
189758	1078185	0.022	<1	6.12	20	348	2	<1	2.70	<4	8	21	13	1.75	<0.01	15	1.37	403	<1	28	539	21	0.79	<5	8	<10	156	1282	5	28	<10	7	68
189759	1078186	0.024	<1	6.09	23	352	2	<1	2.59	<4	9	23	12	1.75	<0.01	14	1.31	383	<1	36	525	19	0.88	<5	6	<10	156	1275	5	33	<10	7	63
189760	1078187	0.021	<1	4.51	35	549	2	<1	0.65	<4	10	20	8	1.35	<0.01	10	0.47	111	1	34	561	13	1.20	5	8	<10	109	1578	<2	40	<10	6	31

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189761D	1078187	0.021	<1	4.29	34	457	<2	<1	0.57	<4	10	19	8	1.27	0.02	7	0.45	<100	<1	33	554	9	1.16	<5	<5	<10	99	1308	<2	35	<10	7	29
189762	1078188	0.022	<1	3.64	29	298	2	<1	0.95	<4	9	13	16	1.08	<0.01	7	0.69	177	<1	24	491	15	0.91	<5	8	<10	113	975	<2	25	<10	7	51
189763	1078189	0.085	<1	3.80	41	325	2	<1	0.76	<4	9	16	12	1.14	<0.01	6	0.53	145	<1	27	522	15	1.14	<5	8	<10	107	976	<2	26	<10	7	31
189764	1078190	1.471	<1	4.76	41	284	2	<1	2.60	4	19	59	7390	4.68	<0.01	12	1.13	518	746	21	858	38	2.54	8	5	<10	215	694	<2	96	<10	14	97
189765	1078191	0.318	<1	2.77	74	289	<2	<1	0.17	<4	8	21	117	1.71	<0.01	2	0.31	<100	11	32	455	14	1.89	<5	<5	<10	65	834	<2	26	<10	7	27
189766	1078192	0.112	<1	3.70	58	334	2	<1	0.21	<4	9	22	24	1.56	<0.01	5	0.36	<100	3	30	539	17	1.75	<5	6	<10	71	987	<2	30	<10	7	234
189767	1078193	0.079	<1	4.81	65	392	2	<1	0.68	<4	10	17	14	1.73	<0.01	9	0.60	186	2	34	613	24	1.82	<5	<5	<10	95	1099	<2	32	<10	7	39
189768	1078194	0.132	<1	4.62	47	444	2	<1	0.09	4	8	15	39	1.47	<0.01	9	0.33	<100	4	28	403	18	1.78	<5	<5	<10	71	1205	<2	35	12	5	1112
189769	1078195	0.149	<1	2.92	47	295	<2	<1	<0.01	<4	9	13	9	1.49	<0.01	4	0.36	<100	<1	27	577	20	1.56	<5	9	<10	52	909	<2	27	<10	7	45
189770	1078196	0.144	<1	3.43	55	288	<2	<1	0.09	<4	9	16	7	1.37	<0.01	4	0.36	<100	<1	28	560	12	1.50	<5	6	<10	56	968	<2	28	<10	7	168
189771	1078197	0.061	<1	3.52	36	232	2	<1	0.91	<4	8	14	10	1.32	<0.01	8	0.82	309	<1	26	547	25	1.19	<5	6	<10	78	797	<2	24	<10	7	56
189772R	1078197	0.054	<1	4.09	46	277	2	<1	0.91	<4	8	17	10	1.39	<0.01	9	0.82	311	<1	29	532	28	1.24	<5	7	<10	80	899	<2	27	<10	6	57
189773	1078198	0.031	<1	3.14	40	260	<2	<1	<0.01	<4	8	18	23	0.88	<0.01	2	0.30	<100	<1	31	589	24	1.09	<5	5	<10	55	809	<2	27	<10	6	606
189774	1078199	0.081	<1	3.14	52	249	<2	<1	0.05	<4	8	21	27	1.19	<0.01	3	0.35	<100	1	33	539	40	1.38	<5	<5	<10	59	733	<2	28	<10	7	206
189775	1078200	<0.005	<1	4.14	13	409	<2	2	1.56	<4	12	39	47	3.09	<0.01	11	1.00	530	<1	30	561	11	0.60	<5	<5	<10	220	1810	<2	79	<10	15	59
189776	1078201	0.410	<1	3.85	112	370	2	<1	0.05	<4	16	58	36	2.29	<0.01	6	0.31	<100	5	46	453	64	2.56	11	<5	<10	69	982	<2	50	<10	6	425
189777	1078202	0.174	<1	3.64	73	376	2	<1	<0.01	<4	9	19	17	1.97	<0.01	4	0.29	<100	3	31	372	45	2.24	5	<5	<10	65	871	<2	32	<10	5	100
189778	1078203	0.027	<1	3.74	46	355	2	<1	0.03	<4	7	19	9	1.12	<0.01	4	0.28	<100	3	30	455	40	1.43	<5	<5	<10	68	826	<2	31	<10	5	22
189779	1078204	1.461	4	3.44	331	264	<2	<1	0.07	14	17	83	197	3.13	<0.01	5	0.31	<100	9	70	685	756	3.60	73	8	<10	61	884	<2	59	41	7	4395
189780	1078205	0.145	<1	3.57	163	292	2	<1	0.07	<4	20	110	65	2.52	<0.01	6	0.49	<100	3	88	513	91	2.40	5	<5	<10	67	981	<2	76	<10	7	331

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
189781	1078206	0.121	<1	3.71	116	313	2	<1	0.06	<4	19	117	55	2.06	<0.01	7	0.35	<100	5	81	522	62	2.31	<5	<5	<10	70	1036	<2	82	<10	7	239
189782	1078207	0.469	<1	3.92	106	293	2	<1	0.39	29	21	113	367	4.40	<0.01	9	0.37	180	7	102	511	97	3.97	<5	5	<10	90	1037	<2	72	88	8	9602
189783D	1078207	0.469	<1	3.70	104	289	2	1	0.37	29	21	111	369	4.37	<0.01	9	0.36	178	7	100	500	91	4.04	<5	<5	<10	87	1020	<2	71	90	7	9605
189784	1078208	0.133	<1	3.96	56	233	2	<1	0.39	<4	22	85	61	3.01	0.05	9	0.95	295	2	82	527	35	2.21	<5	6	<10	68	1032	<2	56	<10	11	247
189785	1078209	0.136	<1	4.56	12	213	2	<1	0.93	<4	26	108	60	4.01	<0.01	15	1.82	697	<1	89	537	27	1.93	<5	5	<10	79	1588	<2	74	<10	13	109
189786	1078210	0.284	104	3.49	235	311	2	5	1.17	25	15	50	6382	5.31	<0.01	10	1.22	1610	17	29	509	9674	2.49	159	7	<10	167	1588	<2	72	45	14	5234
189787	1078211	0.145	<1	5.41	19	223	2	<1	1.65	<4	23	120	149	4.02	<0.01	21	2.13	914	<1	86	536	144	2.08	5	<5	<10	105	1621	6	73	<10	15	151
189788	1078212	0.123	<1	4.11	25	218	2	<1	1.00	<4	25	84	71	3.35	<0.01	20	1.49	568	<1	83	507	63	2.03	<5	<5	<10	55	1486	<2	62	<10	17	103
189789	1078213	0.070	<1	3.59	63	276	2	<1	0.55	<4	14	72	17	1.63	<0.01	11	0.71	205	4	67	502	31	1.66	7	6	<10	60	1136	<2	49	<10	11	43
189790	1078214	0.035	<1	4.02	23	356	2	<1	0.66	<4	8	24	19	0.96	<0.01	10	0.62	229	2	38	569	17	0.95	<5	6	<10	65	1196	<2	31	<10	7	119
189791	1078215	0.036	<1	4.73	32	451	2	<1	0.89	<4	8	21	17	0.97	<0.01	12	0.67	221	3	34	517	21	1.20	<5	11	<10	89	1292	<2	32	<10	7	92
189792	1078216	0.156	<1	3.79	51	365	2	<1	0.53	<4	10	15	51	1.34	<0.01	8	0.44	114	1	29	515	15	1.70	<5	8	<10	74	1060	<2	25	<10	7	75
189793	1078217	0.048	<1	4.16	33	386	<2	<1	0.73	<4	8	17	33	0.97	<0.01	11	0.61	235	1	27	518	12	1.15	<5	5	<10	87	1301	<2	30	<10	6	65
189794D	1078217	0.054	<1	3.21	34	265	2	<1	0.69	<4	7	16	34	0.94	<0.01	5	0.57	215	2	30	546	12	0.99	<5	6	<10	78	950	<2	24	<10	7	63
189795	1078218	0.025	<1	3.92	35	313	2	<1	0.90	<4	8	16	18	1.04	<0.01	8	0.65	234	<1	27	551	12	1.03	<5	8	<10	92	1195	<2	28	<10	7	57
189796	1078219	0.019	<1	4.26	23	320	2	<1	2.18	<4	8	16	13	1.48	<0.01	8	1.32	585	<1	22	502	16	0.89	<5	6	<10	107	1303	<2	26	<10	7	76
189797	1078220	<0.005	<1	3.95	13	400	<2	<1	1.59	<4	12	39	47	3.14	<0.01	11	1.02	542	<1	30	567	11	0.62	<5	<5	<10	211	1810	<2	80	<10	16	51
189798	1078221	0.027	<1	6.15	29	369	2	<1	2.15	<4	9	20	27	1.65	<0.01	17	1.74	594	<1	28	516	18	0.93	<5	5	<10	137	1480	16	31	<10	9	121
189799	1078222	0.072	<1	5.41	33	322	2	<1	1.95	<4	10	22	165	1.95	<0.01	17	1.74	597	<1	29	512	15	1.18	<5	<5	<10	130	1502	5	32	11	8	715

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189641	1078078	17	<0.001	0.017
189642	1078079	40	0.001	0.040
189643	1078080	<5	<0.001	<0.005
189644	1078081	16	<0.001	0.016
189645	1078082	6	<0.001	0.006
189646	1078083	8	<0.001	0.008
189647	1078084	19	<0.001	0.019
189648	1078085	21	<0.001	0.021
189649	1078086	21	<0.001	0.021
189650	1078087	14	<0.001	0.014
189651 Dup	1078087	12	<0.001	0.012
189652	1078088	355	0.010	0.355
189653	1078089	211	0.006	0.211
189654	1078090	287	0.008	0.287
189655	1078091	67	0.002	0.067
189656	1078092	49	0.001	0.049
189657	1078093	45	0.001	0.045
189658	1078094	22	<0.001	0.022
189659	1078095	21	<0.001	0.021
189660	1078096	14	<0.001	0.014
189661	1078097	19	<0.001	0.019
189662 Dup	1078097	22	<0.001	0.022
189663	1078098	196	0.006	0.196
189664	1078099	194	0.006	0.194
189665	1078100	<5	<0.001	<0.005
189666	1078101	257	0.007	0.257
189667	1078102	402	0.012	0.402
189668	1078103	554	0.016	0.554
189669	1078104	291	0.008	0.291
189670	1078105	155	0.005	0.155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189671	1078106	183	0.005	0.183
189672	1078107	162	0.005	0.162
189673 Dup	1078107	287	0.008	0.287
189674	1078108	220	0.006	0.220
189675	1078109	259	0.008	0.259
189676	1078110	5125	0.150	5.125
189677	1078111	2386	0.070	2.386
189678	1078112	1047	0.031	1.047
189679	1078113	1577	0.046	1.577
189680	1078114	205	0.006	0.205
189681	1078115	276	0.008	0.276
189682	1078116	60	0.002	0.060
189683	1078117	349	0.010	0.349
189684 Dup	1078117	348	0.010	0.348
189685	1078118	131	0.004	0.131
189686	1078119	811	0.024	0.811
189687	1078120	<5	<0.001	<0.005
189688	1078121	387	0.011	0.387
189689	1078122	1074	0.031	1.074
189690	1078123	38	0.001	0.038
189691	1078124	13	<0.001	0.013
189692	1078125	36	0.001	0.036
189693	1078126	35	0.001	0.035
189694	1078127	844	0.025	0.844
189695 Dup	1078127	855	0.025	0.855
189696	1078128	10016	0.292	10.016
189697	1078129	68204	1.990	68.204
189698	1078130	336	0.010	0.336
189699	1078131	25761	0.752	25.761
189700	1078132	1234	0.036	1.234

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189701	1078133	315	0.009	0.315
189702	1078134	716	0.021	0.716
189703	1078135	197	0.006	0.197
189704	1078136	75	0.002	0.075
189705	1078137	44	0.001	0.044
189706 Rep	1078137	35	0.001	0.035
189707	1078138	34	0.001	0.034
189708	1078139	84	0.002	0.084
189709	1078140	<5	<0.001	<0.005
189710	1078141	45	0.001	0.045
189711	1078142	47	0.001	0.047
189712	1078143	46	0.001	0.046
189713	1078144	278	0.008	0.278
189714	1078145	245	0.007	0.245
189715	1078146	143	0.004	0.143
189716	1078147	11	<0.001	0.011
189717 Dup	1078147	11	<0.001	0.011
189718	1078148	6	<0.001	0.006
189719	1078149	<5	<0.001	<0.005
189720	1078150	334	0.010	0.334
189721	1078151	<5	<0.001	<0.005
189722	1078152	<5	<0.001	<0.005
189723	1078153	12	<0.001	0.012
189724	1078154	16	<0.001	0.016
189725	1078155	5	<0.001	0.005
189726	1078156	<5	<0.001	<0.005
189727	1078157	6	<0.001	0.006
189728 Dup	1078157	6	<0.001	0.006
189729	1078158	14	<0.001	0.014
189730	1078159	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189731	1078160	<5	<0.001	<0.005
189732	1078161	61	0.002	0.061
189733	1078162	7	<0.001	0.007
189734	1078163	27	<0.001	0.027
189735	1078164	30	<0.001	0.030
189736	1078165	28	<0.001	0.028
189737	1078166	24	<0.001	0.024
189738	1078167	169	0.005	0.169
189739 Dup	1078167	180	0.005	0.180
189740	1078168	28	<0.001	0.028
189741	1078169	32	<0.001	0.032
189742	1078170	5105	0.149	5.105
189743	1078171	10	<0.001	0.010
189744	1078172	13	<0.001	0.013
189745	1078173	10	<0.001	0.010
189746	1078174	9	<0.001	0.009
189747	1078175	56	0.002	0.056
189748	1078176	35	0.001	0.035
189749	1078177	22	<0.001	0.022
189750 Dup	1078177	26	<0.001	0.026
189751	1078178	44	0.001	0.044
189752	1078179	60	0.002	0.060
189753	1078180	<5	<0.001	<0.005
189754	1078181	58	0.002	0.058
189755	1078182	24	<0.001	0.024
189756	1078183	57	0.002	0.057
189757	1078184	27	<0.001	0.027
189758	1078185	22	<0.001	0.022
189759	1078186	24	<0.001	0.024
189760	1078187	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189761 Dup	1078187	21	<0.001	0.021
189762	1078188	22	<0.001	0.022
189763	1078189	85	0.002	0.085
189764	1078190	1471	0.043	1.471
189765	1078191	318	0.009	0.318
189766	1078192	112	0.003	0.112
189767	1078193	79	0.002	0.079
189768	1078194	132	0.004	0.132
189769	1078195	149	0.004	0.149
189770	1078196	144	0.004	0.144
189771	1078197	61	0.002	0.061
189772 Rep	1078197	54	0.002	0.054
189773	1078198	31	<0.001	0.031
189774	1078199	81	0.002	0.081
189775	1078200	<5	<0.001	<0.005
189776	1078201	410	0.012	0.410
189777	1078202	174	0.005	0.174
189778	1078203	27	<0.001	0.027
189779	1078204	1461	0.043	1.461
189780	1078205	145	0.004	0.145
189781	1078206	121	0.004	0.121
189782	1078207	469	0.014	0.469
189783 Dup	1078207	469	0.014	0.469
189784	1078208	133	0.004	0.133
189785	1078209	136	0.004	0.136
189786	1078210	284	0.008	0.284
189787	1078211	145	0.004	0.145
189788	1078212	123	0.004	0.123
189789	1078213	70	0.002	0.070
189790	1078214	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Saturday, August 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189791	1078215	36	0.001	0.036
189792	1078216	156	0.005	0.156
189793	1078217	48	0.001	0.048
189794 Dup	1078217	54	0.002	0.054
189795	1078218	25	<0.001	0.025
189796	1078219	19	<0.001	0.019
189797	1078220	<5	<0.001	<0.005
189798	1078221	27	<0.001	0.027
189799	1078222	72	0.002	0.072

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189641	1078078	17	<0.001	0.017
189642	1078079	40	0.001	0.040
189643	1078080	<5	<0.001	<0.005
189644	1078081	16	<0.001	0.016
189645	1078082	6	<0.001	0.006
189646	1078083	8	<0.001	0.008
189647	1078084	19	<0.001	0.019
189648	1078085	21	<0.001	0.021
189649	1078086	21	<0.001	0.021
189650	1078087	14	<0.001	0.014
189651 Dup	1078087	12	<0.001	0.012
189652	1078088	355	0.010	0.355
189653	1078089	211	0.006	0.211
189654	1078090	287	0.008	0.287
189655	1078091	67	0.002	0.067
189656	1078092	49	0.001	0.049
189657	1078093	45	0.001	0.045
189658	1078094	22	<0.001	0.022
189659	1078095	21	<0.001	0.021
189660	1078096	14	<0.001	0.014
189661	1078097	19	<0.001	0.019
189662 Dup	1078097	22	<0.001	0.022
189663	1078098	196	0.006	0.196
189664	1078099	194	0.006	0.194
189665	1078100	<5	<0.001	<0.005
189666	1078101	257	0.007	0.257
189667	1078102	402	0.012	0.402
189668	1078103	554	0.016	0.554
189669	1078104	291	0.008	0.291
189670	1078105	155	0.005	0.155

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189671	1078106	183	0.005	0.183
189672	1078107	162	0.005	0.162
189673 Dup	1078107	287	0.008	0.287
189674	1078108	220	0.006	0.220
189675	1078109	259	0.008	0.259
189676	1078110	5125	0.150	5.125
189677	1078111	2386	0.070	2.386
189678	1078112	1047	0.031	1.047
189679	1078113	1577	0.046	1.577
189680	1078114	205	0.006	0.205
189681	1078115	276	0.008	0.276
189682	1078116	60	0.002	0.060
189683	1078117	349	0.010	0.349
189684 Dup	1078117	348	0.010	0.348
189685	1078118	131	0.004	0.131
189686	1078119	811	0.024	0.811
189687	1078120	<5	<0.001	<0.005
189688	1078121	387	0.011	0.387
189689	1078122	1074	0.031	1.074
189690	1078123	38	0.001	0.038
189691	1078124	13	<0.001	0.013
189692	1078125	36	0.001	0.036
189693	1078126	35	0.001	0.035
189694	1078127	844	0.025	0.844
189695 Dup	1078127	1240	0.036	1.240
189696	1078128	5566	0.162	5.566
189697	1078129	123823	3.612	123.823
189698	1078130	4587	0.134	4.587
189699	1078131	27251	0.795	27.251
189700	1078132	1631	0.048	1.631

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189701	1078133	310	0.009	0.310
189702	1078134	254	0.007	0.254
189703	1078135	168	0.005	0.168
189704	1078136	79	0.002	0.079
189705	1078137	40	0.001	0.040
189706 Rep	1078137	45	0.001	0.045
189707	1078138	29	<0.001	0.029
189708	1078139	95	0.003	0.095
189709	1078140	<5	<0.001	<0.005
189710	1078141	46	0.001	0.046
189711	1078142	76	0.002	0.076
189712	1078143	54	0.002	0.054
189713	1078144	280	0.008	0.280
189714	1078145	234	0.007	0.234
189715	1078146	148	0.004	0.148
189716	1078147	22	<0.001	0.022
189717 Dup	1078147	18	<0.001	0.018
189718	1078148	21	<0.001	0.021
189719	1078149	15	<0.001	0.015
189720	1078150	5021	0.146	5.021
189721	1078151	<5	<0.001	<0.005
189722	1078152	<5	<0.001	<0.005
189723	1078153	12	<0.001	0.012
189724	1078154	16	<0.001	0.016
189725	1078155	5	<0.001	0.005
189726	1078156	<5	<0.001	<0.005
189727	1078157	6	<0.001	0.006
189728 Dup	1078157	6	<0.001	0.006
189729	1078158	14	<0.001	0.014
189730	1078159	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, August 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189731	1078160	<5	<0.001	<0.005
189732	1078161	61	0.002	0.061
189733	1078162	7	<0.001	0.007
189734	1078163	27	<0.001	0.027
189735	1078164	30	<0.001	0.030
189736	1078165	28	<0.001	0.028
189737	1078166	24	<0.001	0.024
189738	1078167	169	0.005	0.169
189739 Dup	1078167	180	0.005	0.180
189740	1078168	28	<0.001	0.028
189741	1078169	32	<0.001	0.032
189742	1078170	5105	0.149	5.105
189743	1078171	10	<0.001	0.010
189744	1078172	13	<0.001	0.013
189745	1078173	10	<0.001	0.010
189746	1078174	9	<0.001	0.009
189747	1078175	56	0.002	0.056
189748	1078176	35	0.001	0.035
189749	1078177	22	<0.001	0.022
189750 Dup	1078177	26	<0.001	0.026
189751	1078178	44	0.001	0.044
189752	1078179	60	0.002	0.060
189753	1078180	<5	<0.001	<0.005
189754	1078181	58	0.002	0.058
189755	1078182	24	<0.001	0.024
189756	1078183	57	0.002	0.057
189757	1078184	27	<0.001	0.027
189758	1078185	22	<0.001	0.022
189759	1078186	24	<0.001	0.024
189760	1078187	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189761 Dup	1078187	21	<0.001	0.021
189762	1078188	22	<0.001	0.022
189763	1078189	85	0.002	0.085
189764	1078190	1471	0.043	1.471
189765	1078191	318	0.009	0.318
189766	1078192	112	0.003	0.112
189767	1078193	79	0.002	0.079
189768	1078194	132	0.004	0.132
189769	1078195	149	0.004	0.149
189770	1078196	144	0.004	0.144
189771	1078197	61	0.002	0.061
189772 Rep	1078197	54	0.002	0.054
189773	1078198	31	<0.001	0.031
189774	1078199	81	0.002	0.081
189775	1078200	<5	<0.001	<0.005
189776	1078201	410	0.012	0.410
189777	1078202	174	0.005	0.174
189778	1078203	27	<0.001	0.027
189779	1078204	1461	0.043	1.461
189780	1078205	145	0.004	0.145
189781	1078206	121	0.004	0.121
189782	1078207	469	0.014	0.469
189783 Dup	1078207	469	0.014	0.469
189784	1078208	133	0.004	0.133
189785	1078209	136	0.004	0.136
189786	1078210	284	0.008	0.284
189787	1078211	145	0.004	0.145
189788	1078212	123	0.004	0.123
189789	1078213	70	0.002	0.070
189790	1078214	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/05/2011  
 Date Completed: 08/20/2011  
 Revised Date: 08/26/2011  
 Job #: 201142892  
 Reference: TL11199  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
189791	1078215	36	0.001	0.036
189792	1078216	156	0.005	0.156
189793	1078217	48	0.001	0.048
189794 Dup	1078217	54	0.002	0.054
189795	1078218	25	<0.001	0.025
189796	1078219	19	<0.001	0.019
189797	1078220	<5	<0.001	<0.005
189798	1078221	27	<0.001	0.027
189799	1078222	72	0.002	0.072

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, August 25, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/23/2011  
 Date Completed: 08/25/2011  
 Job #: 201143095  
 Reference: TL11199  
 Sample #: 4

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
205402	1078127	0.965	0.991	2.392	1.028	3.55%	35.57
205403	1078128	4.075	4.137	34.725	5.218	3.63%	36.4
205404	1078129	26.591	26.283	369.798	39.716	3.87%	46.09
205405	1078131	16.140	15.769	137.041	20.062	3.39%	37.31

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190961	1076848	0.037	1	2.53	5	384	<2	10	1.29	<4	11	57	39	1.93	0.08	18	1.09	679	<1	40	353	34	0.71	<5	8	<10	148	1153	2	40	<10	5	152
190962	1076849	0.018	<1	2.98	7	331	<2	5	0.85	<4	3	16	14	0.90	<0.01	8	0.63	393	<1	21	242	21	0.49	<5	<5	<10	140	850	9	15	<10	3	96
190963	1076850	<0.005	<1	3.22	6	411	<2	24	1.47	<4	11	39	49	3.25	<0.01	7	1.00	568	<1	31	551	9	0.26	<5	<5	<10	225	1842	2	80	<10	14	81
190964	1076851	0.079	<1	3.40	17	436	<2	8	0.34	<4	5	17	73	1.01	<0.01	11	0.48	269	<1	23	270	23	0.83	<5	6	<10	113	963	<2	18	12	3	980
190965	1076852	0.056	<1	3.16	17	405	<2	13	0.73	<4	4	16	73	1.02	<0.01	15	0.67	429	<1	21	252	30	0.78	5	5	<10	131	982	<2	17	<10	3	365
190966	1076853	0.030	<1	2.98	15	409	<2	17	0.45	<4	4	14	24	0.88	<0.01	8	0.49	341	<1	21	252	10	0.57	<5	9	<10	121	1017	2	17	<10	3	122
190967	1076854	0.015	<1	2.63	9	451	<2	7	0.93	<4	4	13	4	0.94	<0.01	9	0.68	431	<1	20	239	14	0.37	<5	<5	<10	133	1021	6	16	<10	3	64
190968	1076855	0.181	<1	4.62	4	286	2	9	1.31	<4	19	103	44	3.15	<0.01	22	1.58	586	<1	65	486	47	0.81	<5	<5	<10	139	1592	7	63	<10	9	114
190969	1076856	0.592	5	2.32	43	386	<2	20	0.15	15	10	55	215	1.84	<0.01	14	0.49	206	2	43	385	3307	1.66	5	12	<10	89	1174	<2	44	48	4	4691
190970	1076857	0.040	<1	4.36	10	368	2	9	1.45	<4	9	39	23	1.93	<0.01	16	1.11	552	<1	37	382	77	0.79	<5	<5	<10	141	1188	8	29	<10	7	168
190971D	1076857	0.105	<1	2.84	12	501	2	10	1.32	<4	9	44	21	1.94	0.01	19	0.95	572	<1	37	373	47	0.79	<5	<5	<10	136	1425	5	36	<10	5	129
190972	1076858	0.042	<1	3.86	5	330	2	21	1.46	<4	22	119	108	3.73	0.04	21	1.62	768	<1	75	496	123	1.11	<5	<5	<10	174	1899	10	71	<10	9	124
190973	1076859	0.126	5	2.99	22	567	<2	20	1.04	8	13	65	175	2.59	<0.01	17	0.80	468	<1	50	426	1229	1.53	<5	12	<10	181	1737	<2	48	22	7	1973
190974	1076860	5.355	<1	4.55	404	1381	<2	31	2.49	<4	15	116	84	3.37	<0.01	14	1.30	479	12	55	826	40	1.07	37	6	<10	209	1638	2	121	11	15	282
190975	1076861	0.019	<1	3.35	14	525	<2	21	1.18	<4	9	29	20	1.71	<0.01	10	0.67	312	<1	37	454	34	0.76	5	5	<10	183	1443	<2	37	<10	6	194
190976	1076862	0.024	<1	3.30	19	480	<2	14	0.85	<4	10	28	18	1.40	<0.01	10	0.65	278	<1	34	438	24	0.77	<5	7	<10	147	1463	3	34	<10	6	174
190977	1076863	0.022	<1	4.02	24	434	2	15	1.41	<4	8	21	11	0.74	<0.01	13	0.68	410	<1	28	604	40	0.54	<5	6	<10	148	1483	4	28	<10	6	74
190978	1076864	0.020	<1	4.03	13	338	<2	11	1.83	<4	9	18	13	0.90	<0.01	13	0.82	476	<1	27	543	19	0.50	<5	<5	<10	144	1511	5	29	<10	5	61
190979	1076865	0.197	<1	3.97	47	377	2	10	0.84	<4	10	15	22	1.24	<0.01	10	0.69	356	<1	28	621	41	1.08	<5	8	<10	103	1554	2	30	<10	6	129
190980	1076866	0.153	<1	3.74	40	337	<2	9	0.59	<4	9	13	22	1.08	<0.01	7	0.59	273	<1	27	610	46	0.94	<5	<5	<10	88	1405	<2	27	<10	6	135

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190981	1076867	0.236	<1	2.45	33	301	<2	11	0.07	<4	6	12	13	0.91	<0.01	6	0.32	<100	2	22	529	81	0.92	<5	8	<10	60	1312	<2	26	<10	4	262
190982D	1076867	0.277	<1	2.32	33	282	<2	19	0.05	<4	7	11	13	0.89	<0.01	4	0.31	<100	<1	23	517	84	0.91	6	11	<10	57	1258	<2	25	<10	4	266
190983	1076868	0.110	<1	3.94	38	311	2	17	1.01	<4	6	15	11	1.19	<0.01	11	0.78	494	<1	25	652	76	0.97	6	7	<10	98	1572	4	28	<10	6	156
190984	1076869	0.064	<1	3.36	21	311	2	14	0.65	<4	6	15	12	1.22	<0.01	10	0.55	316	<1	26	622	92	0.88	<5	<5	<10	82	1556	3	27	11	5	553
190985	1076870	<0.005	<1	3.06	11	417	<2	16	1.47	<4	11	38	46	3.12	<0.01	8	0.91	553	<1	30	537	10	0.28	<5	10	<10	238	1883	<2	80	<10	12	87
190986	1076871	0.011	<1	4.62	9	315	2	11	1.42	<4	7	16	14	1.44	0.17	11	0.95	521	<1	25	528	50	0.66	<5	<5	<10	121	1465	5	28	<10	7	117
190987	1076872	0.021	<1	2.90	2	406	2	15	1.19	<4	16	90	30	2.42	0.22	15	0.91	687	2	54	459	50	1.05	<5	7	<10	131	2004	6	60	<10	7	153
190988	1076873	0.369	5	5.02	25	205	2	12	0.89	<4	8	15	9	1.24	0.14	30	2.28	902	<1	27	442	1217	0.66	6	13	<10	124	882	17	21	15	5	1064
190989	1076874	0.239	<1	2.19	30	266	2	9	<0.01	5	8	18	5	0.71	0.05	7	0.39	106	<1	28	445	730	0.79	<5	6	<10	74	926	<2	24	19	3	1877
190990	1076875	0.405	2	2.35	30	258	<2	15	<0.01	<4	7	14	4	0.58	<0.01	7	0.38	<100	<1	26	490	1800	0.62	<5	<5	<10	75	965	3	25	16	3	1121
190991	1076876	0.266	3	2.80	36	221	2	9	<0.01	12	9	13	7	0.63	<0.01	8	0.36	<100	<1	24	450	4411	0.86	15	7	<10	76	873	7	21	50	4	4724
190992	1076877	0.111	<1	2.11	37	261	<2	12	0.36	<4	14	14	3	0.73	<0.01	11	0.47	184	<1	28	449	448	0.72	<5	6	<10	99	926	5	25	<10	3	362
190993D	1076877	0.099	<1	3.97	43	250	2	27	0.52	4	14	14	13	0.77	<0.01	10	0.58	189	<1	31	485	414	0.76	5	5	<10	111	883	7	24	12	4	847
190994	1076878	0.108	<1	3.46	45	232	<2	15	0.41	4	22	13	7	0.96	<0.01	13	0.87	353	<1	37	496	438	0.84	6	6	<10	106	908	4	24	13	4	1234
190995	1076879	0.075	<1	2.78	47	259	2	19	0.56	<4	19	16	3	0.95	<0.01	12	0.76	434	<1	31	468	322	0.84	5	<5	<10	110	842	3	25	<10	4	427
190996	1076880	1.332	2	3.48	35	276	2	14	2.46	4	20	62	7284	4.80	<0.01	10	1.02	541	738	20	856	45	2.34	12	9	<10	232	721	<2	96	<10	11	139
190997	1076881	0.077	<1	3.12	27	239	<2	18	0.51	<4	5	19	121	1.32	<0.01	10	0.80	507	8	26	479	492	0.90	5	6	<10	108	916	3	27	10	4	727
190998	1076882	0.053	<1	3.12	22	235	<2	18	0.37	<4	4	17	40	1.23	<0.01	8	0.83	488	<1	22	473	162	0.67	6	6	<10	87	894	6	24	<10	4	282
190999	1076883	0.270	<1	3.13	28	283	<2	11	0.67	<4	6	23	77	1.34	<0.01	14	0.90	648	<1	28	413	487	0.86	<5	8	<10	116	1004	2	27	<10	4	438
191000	1076884	0.351	<1	3.85	33	249	<2	10	0.93	<4	7	20	6	1.82	0.04	23	1.55	815	<1	26	418	52	1.03	<5	<5	<10	124	1031	7	29	<10	4	137

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191001	1076885	0.135	<1	5.11	21	274	<2	34	0.68	<4	7	21	4	1.93	0.18	31	2.13	1052	<1	27	460	39	0.73	<5	9	<10	124	1180	10	32	<10	5	137
191002	1076886	0.124	<1	6.08	23	214	2	16	0.82	<4	7	19	4	2.04	0.16	35	2.57	1190	<1	24	446	36	0.73	<5	6	<10	127	1186	12	30	<10	6	147
191003	1076887	0.455	2	3.96	40	336	2	13	1.09	9	7	20	31	2.09	0.05	13	1.05	714	<1	26	390	2007	1.87	6	<5	<10	124	1111	8	27	36	5	3522
191004D	1076887	0.532	<1	3.48	38	358	<2	16	1.09	10	7	22	31	2.12	0.09	15	0.98	750	<1	29	398	2101	1.89	7	7	<10	126	1165	<2	29	35	4	3659
191005	1076888	0.800	3	3.88	40	399	<2	27	1.18	8	6	18	66	2.06	<0.01	11	1.07	692	<1	24	417	1301	1.72	6	<5	<10	103	1093	3	23	28	6	2572
191006	1076889	8.353	17	2.88	51	187	<2	16	0.94	23	5	19	102	2.19	<0.01	8	0.88	528	<1	24	312	5577	2.34	24	6	<10	82	1022	3	21	88	5	9429
191007	1076890	<0.005	<1	3.44	10	433	<2	21	1.52	<4	10	39	48	3.19	<0.01	9	0.94	566	<1	30	539	78	0.32	5	<5	<10	245	1950	<2	80	<10	12	195
191008	1076891	9.123	3	2.96	39	407	<2	18	0.40	6	5	21	45	1.83	<0.01	12	0.53	285	1	20	352	1180	1.57	8	5	<10	91	1288	2	26	23	4	2029
191009	1076892	4.650	5	3.72	38	288	<2	16	0.57	4	5	23	28	1.75	<0.01	12	0.85	532	<1	27	412	685	1.42	5	<5	<10	94	1196	<2	28	17	5	1552
191010	1076893	1.338	2	2.45	81	328	<2	13	0.23	6	9	40	11	2.16	0.04	13	0.50	309	2	36	370	672	2.15	6	5	<10	78	1266	<2	40	22	4	2091
191011	1076894	0.270	3	3.51	121	393	2	25	0.93	<4	13	69	29	2.92	<0.01	18	1.60	1226	<1	47	366	653	1.71	6	<5	<10	116	1312	9	52	<10	5	312
191012	1076895	2.907	<1	4.87	24	322	2	18	0.69	<4	12	53	34	2.36	<0.01	16	1.54	837	<1	39	492	76	0.83	<5	5	<10	119	1441	5	45	<10	7	170
191013	1076896	0.134	<1	3.62	22	310	2	16	0.53	<4	15	90	45	2.75	<0.01	17	1.36	670	<1	55	437	56	0.91	<5	6	<10	91	1523	3	57	<10	6	164
191014	1076897	0.848	<1	3.67	14	276	2	9	1.18	<4	13	63	68	2.35	<0.01	15	1.44	904	<1	43	410	114	0.76	<5	6	<10	128	1506	4	46	<10	6	154
191015D	1076897	0.915	<1	3.54	14	287	2	20	1.24	<4	13	63	70	2.32	<0.01	17	1.38	906	<1	43	401	119	0.76	<5	<5	<10	133	1548	4	46	<10	5	156
191016	1076898	4.768	2	3.41	62	255	2	9	0.56	<4	19	104	179	2.94	<0.01	10	0.86	472	<1	69	457	286	2.01	5	<5	<10	86	1337	<2	64	<10	9	341
191017	1076899	0.874	<1	3.77	20	253	2	12	1.36	<4	20	105	107	3.20	<0.01	16	1.37	1012	<1	64	498	81	1.40	<5	<5	<10	103	1740	11	67	<10	10	452
191018	1076900	0.274	108	2.86	216	267	<2	12	1.15	24	15	50	6303	5.34	<0.01	9	1.09	1649	18	29	487	10795	2.13	276	6	<10	189	1701	<2	75	44	10	5228
191019	1076901	1.259	2	3.23	67	306	2	11	0.74	<4	19	120	220	3.31	<0.01	14	0.86	725	2	69	474	583	2.33	8	<5	<10	86	1966	<2	78	13	8	835
191020	1076902	1.383	2	3.41	81	295	2	12	0.66	4	17	107	92	2.53	<0.01	10	0.60	524	3	62	438	616	2.22	6	7	<10	76	1791	<2	63	12	8	1062

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191021	1076903	0.525	<1	2.89	54	298	2	11	1.75	<4	20	142	68	3.11	<0.01	16	1.08	1172	1	73	450	108	1.83	<5	<5	<10	98	2388	8	76	<10	8	271
191022	1076904	1.177	<1	4.18	36	310	2	20	1.54	<4	23	132	95	3.67	<0.01	16	1.26	1147	<1	82	515	65	1.82	6	5	<10	93	2331	4	76	<10	11	178
191023	1076905	2.886	2	3.47	26	372	2	13	1.40	<4	9	34	84	1.59	<0.01	14	0.90	715	<1	35	450	548	0.90	6	7	<10	102	1661	3	34	11	6	876
191024	1076906	11.428	3	3.25	26	367	<2	21	1.36	<4	8	30	73	1.51	<0.01	12	0.88	700	<1	33	432	555	0.84	6	7	<10	98	1656	<2	33	10	5	672
191025	1076907	0.154	<1	2.66	30	366	2	4	1.23	<4	10	37	28	1.73	<0.01	14	0.80	688	<1	36	465	298	1.16	<5	<5	<10	103	1697	4	35	<10	5	482
191026R	1076907	0.207	<1	2.13	27	381	2	9	1.14	<4	8	34	27	1.51	<0.01	13	0.69	613	<1	32	469	225	1.00	<5	<5	<10	100	1666	<2	36	<10	4	397
191027	1076908	0.033	<1	2.61	22	395	<2	6	1.18	<4	7	14	22	1.14	0.03	10	0.77	522	<1	20	453	63	0.73	<5	7	<10	109	1380	3	29	<10	4	156
191028	1076909	0.053	<1	3.15	25	300	<2	13	0.66	4	8	14	37	1.35	<0.01	8	0.62	313	<1	26	555	176	1.13	<5	8	<10	98	1047	<2	26	16	4	1312
191029	1076910	<0.005	<1	4.32	6	442	<2	17	1.59	<4	11	40	47	3.24	<0.01	10	1.00	569	<1	33	555	12	0.31	5	<5	<10	252	1986	3	82	<10	14	102
191030	1076911	0.045	<1	4.64	13	340	2	12	1.85	<4	6	18	12	1.35	<0.01	15	1.21	829	<1	25	490	43	0.58	<5	7	<10	139	1220	11	29	<10	5	118
191031	1076912	0.116	<1	5.07	18	322	<2	9	1.26	<4	6	17	11	1.29	<0.01	16	1.08	602	<1	27	506	486	0.78	<5	7	<10	128	1114	8	28	<10	6	132
191032	1076913	0.205	3	3.77	17	285	<2	21	0.23	10	5	12	44	1.33	<0.01	7	0.51	198	<1	20	508	1562	1.28	8	6	<10	93	1103	3	27	33	4	3302
191033	1076914	0.043	<1	4.27	14	302	<2	11	1.31	<4	5	15	102	1.30	<0.01	9	1.17	651	<1	20	532	111	0.78	<5	7	<10	113	941	8	28	<10	5	171
191034	1076915	0.124	<1	3.24	42	267	<2	19	0.52	<4	8	14	23	2.73	<0.01	12	0.61	353	1	23	465	446	2.55	<5	<5	<10	112	1077	<2	28	<10	4	504
191035	1076916	0.205	1	3.02	35	319	2	10	0.09	5	7	13	12	1.92	<0.01	12	0.32	<100	2	18	495	904	2.09	7	<5	<10	85	1236	<2	30	19	4	1847
191036	1076917	1.925	2	2.45	51	188	<2	16	<0.01	15	9	15	174	3.19	<0.01	8	0.29	105	4	25	439	2106	3.38	10	5	<10	73	1078	<2	27	48	3	4942
191037D	1076917	2.296	2	2.52	51	207	<2	8	0.02	15	9	16	171	3.25	<0.01	9	0.30	105	5	27	434	2118	3.45	12	<5	<10	76	1047	<2	26	50	4	5342
191038	1076918	0.163	<1	2.59	21	374	2	11	1.48	<4	6	15	24	1.45	0.16	18	0.98	931	<1	25	478	173	0.82	5	7	<10	133	1524	<2	33	<10	4	219
191039	1076919	0.138	<1	3.39	22	376	<2	15	1.17	<4	6	14	72	1.48	0.01	18	0.91	724	<1	21	484	223	0.91	<5	<5	<10	125	1655	2	29	<10	4	220
191040	1076920	5.219	<1	3.81	390	1362	<2	24	2.36	<4	14	111	82	3.24	0.02	12	1.23	468	9	52	796	32	1.00	34	13	<10	199	1579	6	118	10	14	255

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191041	1076921	0.172	1	4.03	51	426	<2	19	0.26	4	8	17	72	1.90	0.02	22	0.48	173	1	24	574	738	1.85	6	7	<10	85	1673	<2	31	13	5	1073
191042	1076922	0.215	<1	3.88	40	403	<2	11	0.43	<4	7	16	13	1.94	<0.01	16	0.59	260	3	26	486	280	1.83	7	6	<10	90	1495	<2	29	10	5	612
191043	1076923	0.222	<1	4.26	21	406	2	14	1.21	<4	5	17	6	1.29	<0.01	18	1.02	671	<1	23	495	58	0.89	5	9	<10	122	1511	5	27	<10	5	105
191044	1076924	0.341	<1	3.88	23	351	<2	21	1.13	6	6	15	280	1.96	<0.01	15	1.23	987	<1	26	473	404	1.30	<5	7	<10	104	1429	3	26	25	6	2171
191045	1076925	0.571	3	4.41	16	1051	<2	15	2.13	4	5	18	68	1.74	<0.01	14	1.55	1333	<1	22	453	742	1.00	6	6	<10	143	1472	5	27	14	6	1278
191046	1076926	0.373	2	4.48	19	905	<2	24	1.94	<4	5	15	61	1.67	<0.01	12	1.66	1288	<1	20	474	996	0.89	6	8	<10	128	1430	16	26	12	7	1120
191047	1076927	0.212	<1	4.84	28	322	<2	22	1.78	<4	6	16	80	1.83	0.03	14	1.58	1057	<1	21	459	298	1.01	<5	8	<10	129	1404	8	25	13	6	822
191048D	1076927	0.178	<1	4.58	24	335	<2	15	1.66	<4	6	16	79	1.88	<0.01	18	1.56	1081	<1	25	461	283	1.11	5	9	<10	124	1461	15	26	10	6	828
191049	1076928	0.044	<1	4.44	11	466	2	16	1.87	<4	6	17	13	1.21	0.08	19	1.25	421	<1	26	364	47	0.49	5	9	<10	114	1371	7	20	<10	5	114
191050	1076929	1.004	7	3.14	29	397	2	24	0.40	5	6	14	76	1.24	0.13	10	0.51	155	<1	26	350	455	1.15	11	10	<10	76	1274	2	20	19	4	1587
191051	1076930	<0.005	<1	3.64	8	434	<2	20	1.54	<4	11	41	48	3.29	0.09	7	1.01	575	<1	33	564	17	0.29	<5	<5	<10	242	1910	2	82	<10	14	102
191052	1076931	0.118	<1	4.95	16	310	2	18	1.65	<4	7	16	19	1.49	0.15	13	1.20	359	<1	21	425	42	0.83	5	7	<10	128	1328	4	23	<10	7	111
191053	1076932	0.026	<1	5.42	17	370	<2	23	2.06	<4	7	20	15	1.48	0.08	12	1.18	346	<1	26	407	45	0.64	<5	7	<10	148	1469	6	25	<10	7	98
191054	1076933	0.025	2	4.70	18	471	2	18	1.76	<4	7	18	22	1.40	<0.01	16	1.19	357	<1	24	379	33	0.58	5	7	<10	142	1554	6	27	<10	5	115
191055	1076934	0.078	<1	4.69	32	357	<2	15	1.37	<4	6	19	29	1.21	<0.01	14	1.22	407	<1	31	401	39	0.65	<5	11	<10	106	1308	3	21	<10	7	483
191056	1076935	0.039	<1	5.06	17	424	<2	8	1.47	<4	7	18	12	1.23	<0.01	14	1.21	387	<1	26	353	65	0.57	<5	9	<10	100	1293	3	19	<10	5	155
191057	1076936	0.247	7	4.29	27	480	<2	18	0.85	<4	5	15	25	0.90	<0.01	14	0.79	266	<1	24	388	227	0.59	7	9	<10	82	1405	3	22	11	5	741
191058	1076937	0.118	2	5.28	28	334	<2	9	1.92	<4	5	17	57	1.34	<0.01	14	1.40	762	<1	28	352	68	0.78	<5	8	<10	90	1235	6	20	<10	6	117
191059D	1076937	0.087	<1	4.88	30	282	<2	14	1.89	<4	5	15	54	1.34	0.02	12	1.42	753	<1	26	342	62	0.75	<5	5	<10	87	1157	11	19	<10	6	110
191060	1076938	0.040	<1	4.69	20	336	2	11	1.80	<4	6	16	14	1.40	<0.01	16	1.55	484	<1	27	356	34	0.65	<5	8	<10	91	1266	2	21	<10	5	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191061	1076939	0.026	1	4.14	8	472	<2	14	0.58	<4	5	13	8	1.02	<0.01	13	0.89	206	<1	22	395	21	0.50	<5	5	<10	71	1414	2	22	<10	4	94
191062	1076940	0.271	107	3.69	229	320	<2	24	1.21	25	16	53	6364	5.52	<0.01	8	1.23	1696	18	30	499	9769	2.16	284	5	<10	192	1676	3	75	48	13	5308
191063	1076941	0.020	<1	4.43	14	458	<2	22	1.10	<4	6	17	100	1.12	<0.01	11	0.83	288	<1	25	391	141	0.58	5	13	<10	86	1331	4	22	<10	5	151
191064	1076942	0.060	<1	3.89	23	274	2	6	1.52	<4	5	20	38	1.19	<0.01	9	0.82	285	<1	27	362	39	0.64	5	8	<10	96	1000	4	16	<10	6	134
191065	1076943	0.025	<1	4.07	6	466	<2	9	1.48	<4	6	16	13	1.30	<0.01	20	1.23	320	<1	22	350	29	0.46	5	8	<10	90	1530	3	24	<10	4	111
191066	1076944	0.038	<1	4.41	15	440	2	19	1.75	<4	5	15	20	1.28	<0.01	21	1.44	357	<1	21	375	41	0.59	5	11	<10	98	1358	7	21	<10	5	307
191067	1076945	0.053	<1	2.84	24	414	2	19	0.47	<4	5	15	23	0.86	<0.01	15	0.55	114	<1	23	341	29	0.62	<5	6	<10	71	1367	4	21	<10	4	101
191068	1076946	0.054	<1	2.72	15	468	2	20	0.44	<4	6	16	28	0.86	<0.01	19	0.50	109	2	24	347	34	0.62	<5	8	<10	73	1517	<2	24	<10	3	158
191069	1076947	0.169	<1	3.67	17	413	2	20	1.63	<4	6	19	7	1.29	<0.01	20	1.08	273	<1	27	310	33	0.59	<5	<5	<10	106	1400	9	22	<10	4	73
191070D	1076947	0.129	<1	4.31	21	368	2	15	1.70	<4	5	17	7	1.28	<0.01	18	1.16	272	<1	26	312	34	0.62	<5	6	<10	107	1315	2	20	<10	5	73
191071	1076948	0.109	<1	3.53	25	305	2	12	0.68	<4	5	13	22	0.96	<0.01	10	0.79	210	<1	22	355	28	0.62	5	7	<10	75	1039	4	16	<10	5	94
191072	1076949	0.211	<1	3.62	23	372	<2	8	0.22	<4	8	14	11	1.15	<0.01	12	0.49	108	<1	25	328	19	0.91	<5	11	<10	61	1330	<2	21	<10	4	79
191073	1076950	<0.005	<1	3.64	9	417	<2	15	1.50	<4	11	40	47	3.25	<0.01	6	1.02	565	<1	32	563	8	0.28	5	7	<10	234	1892	<2	81	<10	14	83
191074	1076951	0.042	<1	3.65	17	349	<2	21	0.87	<4	6	13	8	1.05	<0.01	11	0.82	267	<1	19	364	18	0.65	<5	6	<10	89	1361	3	22	<10	4	82
191075	1076952	0.037	<1	3.99	20	257	<2	9	1.12	<4	5	13	6	1.12	<0.01	11	1.09	325	<1	21	391	17	0.59	5	10	<10	90	1109	2	17	<10	5	87
191076	1076953	0.014	<1	4.12	16	341	<2	10	1.36	<4	6	15	9	1.21	<0.01	16	1.26	337	<1	25	362	16	0.38	<5	5	<10	97	1304	8	20	<10	5	82
191077	1076954	0.011	<1	4.05	11	316	<2	22	1.20	<4	5	13	14	1.06	<0.01	15	1.18	285	<1	22	360	17	0.38	<5	9	<10	102	1214	7	19	<10	5	82
191078	1076955	0.048	<1	3.55	11	573	<2	28	0.24	<4	5	11	8	0.74	<0.01	10	0.39	<100	1	18	355	12	0.57	<5	<5	<10	74	1387	<2	23	<10	4	52
191079	1076956	0.084	<1	4.71	12	427	2	16	3.83	<4	18	241	32	2.39	0.11	20	2.93	490	<1	138	1976	28	0.58	6	<5	<10	214	1784	9	53	<10	15	106
191080	1076957	0.225	<1	2.86	14	527	2	19	0.21	<4	5	20	28	0.89	<0.01	10	0.40	<100	1	28	357	49	0.75	<5	8	<10	81	1259	4	25	<10	4	116

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
191081D	1076957	0.181	<1	3.26	16	524	<2	12	0.18	<4	5	17	28	0.88	<0.01	10	0.38	<100	1	25	342	48	0.78	<5	9	<10	81	1245	4	24	<10	4	112
191082	1076958	0.014	<1	5.17	7	428	2	12	2.52	<4	9	21	6	1.78	<0.01	21	1.24	317	<1	30	508	24	0.43	<5	10	<10	241	1635	5	30	<10	6	104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 24, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190961	1076848	37	0.001	0.037
190962	1076849	18	<0.001	0.018
190963	1076850	<5	<0.001	<0.005
190964	1076851	79	0.002	0.079
190965	1076852	56	0.002	0.056
190966	1076853	30	<0.001	0.030
190967	1076854	15	<0.001	0.015
190968	1076855	181	0.005	0.181
190969	1076856	592	0.017	0.592
190970	1076857	40	0.001	0.040
190971 Dup	1076857	105	0.003	0.105
190972	1076858	42	0.001	0.042
190973	1076859	126	0.004	0.126
190974	1076860	5355	0.156	5.355
190975	1076861	19	<0.001	0.019
190976	1076862	24	<0.001	0.024
190977	1076863	22	<0.001	0.022
190978	1076864	20	<0.001	0.020
190979	1076865	197	0.006	0.197
190980	1076866	153	0.004	0.153
190981	1076867	236	0.007	0.236
190982 Dup	1076867	277	0.008	0.277
190983	1076868	110	0.003	0.110
190984	1076869	64	0.002	0.064
190985	1076870	<5	<0.001	<0.005
190986	1076871	11	<0.001	0.011
190987	1076872	21	<0.001	0.021
190988	1076873	369	0.011	0.369
190989	1076874	239	0.007	0.239
190990	1076875	405	0.012	0.405

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 24, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190991	1076876	266	0.008	0.266
190992	1076877	111	0.003	0.111
190993 Dup	1076877	99	0.003	0.099
190994	1076878	108	0.003	0.108
190995	1076879	75	0.002	0.075
190996	1076880	1332	0.039	1.332
190997	1076881	77	0.002	0.077
190998	1076882	53	0.002	0.053
190999	1076883	270	0.008	0.270
191000	1076884	351	0.010	0.351
191001	1076885	135	0.004	0.135
191002	1076886	124	0.004	0.124
191003	1076887	455	0.013	0.455
191004 Dup	1076887	532	0.016	0.532
191005	1076888	800	0.023	0.800
191006	1076889	8353	0.244	8.353
191007	1076890	<5	<0.001	<0.005
191008	1076891	9123	0.266	9.123
191009	1076892	4650	0.136	4.650
191010	1076893	1338	0.039	1.338
191011	1076894	270	0.008	0.270
191012	1076895	2907	0.085	2.907
191013	1076896	134	0.004	0.134
191014	1076897	848	0.025	0.848
191015 Dup	1076897	915	0.027	0.915
191016	1076898	4768	0.139	4.768
191017	1076899	874	0.025	0.874
191018	1076900	274	0.008	0.274
191019	1076901	1259	0.037	1.259
191020	1076902	1383	0.040	1.383

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 24, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
191021	1076903	525	0.015	0.525
191022	1076904	1177	0.034	1.177
191023	1076905	2886	0.084	2.886
191024	1076906	11428	0.333	11.428
191025	1076907	154	0.004	0.154
191026 Rep	1076907	207	0.006	0.207
191027	1076908	33	<0.001	0.033
191028	1076909	53	0.002	0.053
191029	1076910	<5	<0.001	<0.005
191030	1076911	45	0.001	0.045
191031	1076912	116	0.003	0.116
191032	1076913	205	0.006	0.205
191033	1076914	43	0.001	0.043
191034	1076915	124	0.004	0.124
191035	1076916	205	0.006	0.205
191036	1076917	1925	0.056	1.925
191037 Dup	1076917	2296	0.067	2.296
191038	1076918	163	0.005	0.163
191039	1076919	138	0.004	0.138
191040	1076920	5219	0.152	5.219
191041	1076921	172	0.005	0.172
191042	1076922	215	0.006	0.215
191043	1076923	222	0.006	0.222
191044	1076924	341	0.010	0.341
191045	1076925	571	0.017	0.571
191046	1076926	373	0.011	0.373
191047	1076927	212	0.006	0.212
191048 Dup	1076927	178	0.005	0.178
191049	1076928	44	0.001	0.044
191050	1076929	1004	0.029	1.004

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 24, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
191051	1076930	<5	<0.001	<0.005
191052	1076931	118	0.003	0.118
191053	1076932	26	<0.001	0.026
191054	1076933	25	<0.001	0.025
191055	1076934	78	0.002	0.078
191056	1076935	39	0.001	0.039
191057	1076936	247	0.007	0.247
191058	1076937	118	0.003	0.118
191059 Dup	1076937	87	0.003	0.087
191060	1076938	40	0.001	0.040
191061	1076939	26	<0.001	0.026
191062	1076940	271	0.008	0.271
191063	1076941	20	<0.001	0.020
191064	1076942	60	0.002	0.060
191065	1076943	25	<0.001	0.025
191066	1076944	38	0.001	0.038
191067	1076945	53	0.002	0.053
191068	1076946	54	0.002	0.054
191069	1076947	169	0.005	0.169
191070 Dup	1076947	129	0.004	0.129
191071	1076948	109	0.003	0.109
191072	1076949	211	0.006	0.211
191073	1076950	<5	<0.001	<0.005
191074	1076951	42	0.001	0.042
191075	1076952	37	0.001	0.037
191076	1076953	14	<0.001	0.014
191077	1076954	11	<0.001	0.011
191078	1076955	48	0.001	0.048
191079	1076956	84	0.002	0.084
191080	1076957	225	0.007	0.225

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, August 24, 2011

## Certificate of Analysis


 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/23/2011  
 Job #: 201142905  
 Reference: TL11200  
 Sample #: 111

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
191081 Dup	1076957	181	0.005	0.181
191082	1076958	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190795	1078223	0.126	<1	4.28	34	388	<2	19	1.89	<4	9	22	17	1.74	<0.01	7	0.94	598	<1	31	481	148	1.04	<5	<5	<10	165	1284	6	25	<10	7	137
190796	1078224	0.030	<1	4.32	30	322	<2	10	1.56	<4	8	18	12	1.59	<0.01	10	0.95	591	<1	31	468	66	1.02	<5	<5	<10	175	1370	<2	24	<10	7	170
190797	1078225	0.021	<1	1.51	16	278	<2	11	0.09	<4	6	14	5	1.02	<0.01	<1	0.30	<100	<1	27	368	21	0.84	<5	<5	<10	76	837	<2	17	<10	5	143
190798	1078226	0.023	<1	1.88	15	284	<2	7	0.16	<4	6	13	4	0.98	<0.01	<1	0.30	<100	<1	26	354	25	0.80	<5	<5	<10	105	920	3	18	<10	5	142
190799	1078227	0.014	<1	2.18	16	282	<2	6	0.17	<4	8	14	9	1.49	<0.01	2	0.45	130	<1	25	468	25	1.33	<5	<5	<10	116	1097	3	24	<10	5	76
190800	1078228	0.024	<1	3.03	26	321	<2	15	0.56	<4	7	13	13	1.43	<0.01	3	0.47	192	<1	22	481	39	1.31	<5	<5	<10	137	1048	<2	24	<10	6	120
190801	1078229	0.018	<1	2.27	23	307	<2	11	0.48	<4	7	20	11	1.46	<0.01	1	0.47	201	<1	37	482	35	1.22	<5	<5	<10	122	1003	2	25	<10	6	106
190802	1078230	5.112	<1	1.67	363	1362	<2	14	1.95	<4	13	104	76	3.05	<0.01	4	1.10	415	6	51	735	27	0.84	17	11	<10	140	1290	2	106	<10	12	245
190803	1078231	0.162	6	2.06	29	397	<2	9	0.46	<4	8	24	14	1.14	<0.01	9	0.36	182	2	35	427	58	0.96	<5	<5	<10	138	1390	2	33	<10	4	254
190804	1078232	1.913	81	2.09	39	247	<2	14	0.20	4	11	29	24	1.37	<0.01	6	0.42	176	6	40	440	532	1.03	6	<5	<10	102	1281	<2	33	<10	7	496
190805D	1078232	1.816	83	2.03	38	235	<2	12	0.27	4	11	26	22	1.29	<0.01	4	0.38	160	5	36	422	509	0.95	8	<5	<10	132	1291	3	31	10	7	464
190806	1078233	0.101	<1	3.22	10	235	<2	20	0.90	<4	11	31	18	1.97	<0.01	6	0.65	367	<1	41	401	27	0.72	<5	<5	<10	175	1610	<2	36	<10	7	83
190807	1078234	0.060	<1	2.67	14	336	<2	14	0.92	<4	10	36	15	2.05	<0.01	9	0.65	300	<1	47	353	14	0.84	<5	<5	<10	159	1666	<2	40	<10	6	57
190808	1078235	0.030	<1	2.49	3	285	<2	9	0.96	<4	14	32	18	2.11	<0.01	5	0.60	442	<1	61	451	19	0.86	<5	<5	<10	144	1370	<2	30	<10	6	84
190809	1078236	0.031	<1	2.92	4	467	<2	6	0.98	<4	9	21	14	1.85	<0.01	11	0.81	446	<1	39	503	9	0.37	<5	<5	<10	162	1671	4	38	<10	7	88
190810	1078237	0.012	<1	2.50	4	347	<2	8	1.11	<4	11	15	14	1.90	<0.01	10	0.84	397	<1	25	557	9	0.31	<5	7	<10	171	1926	4	35	<10	7	104
190811	1078238	0.012	<1	3.29	11	429	<2	3	0.89	<4	16	10	17	1.22	<0.01	7	0.87	346	<1	30	656	6	0.41	5	7	<10	96	1474	9	31	<10	7	66
190812	1078239	0.020	<1	4.21	11	502	<2	3	1.35	<4	9	18	13	1.14	<0.01	9	0.91	386	<1	35	700	18	0.35	5	<5	<10	119	1546	6	29	<10	7	69
190813	1078240	0.005	<1	2.11	8	374	<2	17	1.33	<4	11	39	48	3.27	<0.01	4	0.98	560	<1	32	552	9	0.21	<5	<5	<10	182	1705	<2	78	<10	14	81
190814	1078241	0.359	1	3.42	30	491	2	11	0.68	<4	9	20	107	1.16	<0.01	7	0.58	289	<1	37	555	69	0.85	<5	6	<10	99	1368	<2	27	<10	6	196

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190815	1078242	0.039	<1	1.51	33	448	2	<1	1.64	<4	8	22	6	1.10	0.66	21	0.70	664	12	34	480	32	2.01	<5	<5	<10	137	1692	<2	31	<10	4	68
190816D	1078242	0.038	<1	1.31	33	472	3	<1	2.30	<4	9	51	6	1.21	1.16	51	0.80	709	18	27	516	33	2.12	<5	<5	<10	156	1774	9	33	<10	5	64
190817	1078243	0.102	<1	4.07	19	234	<2	11	1.58	<4	5	21	23	1.40	<0.01	7	1.00	730	<1	37	493	163	0.76	<5	9	<10	124	1225	<2	23	<10	6	247
190818	1078244	0.068	<1	1.59	12	178	<2	13	0.41	<4	4	16	9	1.18	<0.01	4	0.75	563	<1	28	446	29	0.58	<5	<5	<10	91	1130	4	22	<10	5	76
190819	1078245	0.102	<1	3.52	13	310	<2	15	0.84	<4	4	16	30	1.28	<0.01	7	0.84	610	<1	27	476	20	0.60	<5	6	<10	135	1394	6	26	<10	5	79
190820	1078246	0.127	<1	2.84	15	284	<2	12	0.60	<4	4	11	26	1.31	<0.01	6	0.81	633	<1	20	424	20	0.66	<5	8	<10	115	1317	2	25	<10	5	78
190821	1078247	0.084	<1	2.12	15	261	<2	14	0.49	<4	4	23	10	1.07	<0.01	2	0.74	572	<1	35	434	49	0.57	<5	<5	<10	106	1236	<2	27	<10	5	147
190822	1078248	0.051	<1	2.27	9	276	<2	7	0.55	<4	4	22	16	1.28	<0.01	3	0.66	513	<1	37	478	43	0.69	<5	7	<10	108	1232	3	26	<10	5	191
190823	1078249	0.019	<1	2.89	4	311	2	20	0.78	<4	5	17	41	1.76	<0.01	3	0.58	643	<1	25	472	65	0.87	<5	<5	<10	125	1269	3	26	<10	5	131
190824	1078250	0.273	104	2.04	200	220	<2	21	0.89	23	14	43	6172	5.00	<0.01	2	1.09	1516	12	26	448	9970	1.72	142	<5	<10	152	1411	3	64	42	12	5212
190825	1078251	0.035	3	3.01	14	325	<2	12	0.60	<4	6	23	91	1.76	<0.01	2	0.53	637	<1	33	399	149	0.98	6	<5	<10	126	1194	2	24	<10	6	253
190826	1078252	0.051	<1	2.79	14	379	<2	15	0.70	<4	5	17	52	1.59	<0.01	4	0.63	643	<1	26	437	61	0.91	<5	<5	<10	115	1375	4	25	<10	5	106
190827D	1078252	0.056	<1	2.72	15	357	<2	13	0.69	<4	6	16	47	1.56	<0.01	3	0.62	616	<1	25	431	55	0.91	<5	<5	<10	115	1318	3	24	<10	5	98
190828	1078253	0.195	<1	2.31	34	309	<2	<1	0.69	<4	5	24	118	1.55	<0.01	4	0.67	462	<1	25	414	156	1.00	5	9	<10	89	1192	<2	21	<10	5	369
190829	1078254	0.121	<1	1.78	21	415	<2	8	0.98	<4	7	16	34	1.21	<0.01	6	0.72	545	<1	22	421	43	0.70	<5	<5	<10	110	1409	3	25	<10	4	111
190830	1078255	2.058	4	1.09	108	140	<2	5	<0.01	19	7	23	104	3.95	<0.01	<1	0.24	103	5	36	306	872	3.68	14	<5	<10	40	960	<2	17	50	4	5863
190831	1078256	0.726	<1	2.02	66	214	<2	14	0.13	4	8	18	103	2.80	<0.01	4	0.33	146	4	29	348	130	2.42	5	<5	<10	55	1051	<2	18	12	4	860
190832	1078257	0.514	<1	3.89	20	380	<2	20	1.18	<4	4	22	10	1.27	<0.01	8	0.90	541	<1	30	441	37	0.80	<5	5	<10	110	1233	3	20	<10	6	156
190833	1078258	0.207	<1	2.17	24	337	<2	18	0.55	<4	5	18	9	1.27	<0.01	2	0.79	500	<1	25	487	40	0.80	5	7	<10	80	1155	5	19	<10	5	132
190834	1078259	0.375	<1	2.14	34	326	<2	3	0.50	<4	5	13	46	1.39	<0.01	3	0.72	438	<1	21	462	34	0.83	<5	<5	<10	77	1198	2	20	<10	5	353

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190835	1078260	0.008	<1	1.67	8	339	<2	20	1.22	<4	10	37	47	3.12	<0.01	3	0.94	534	<1	31	525	9	0.21	<5	<5	<10	170	1609	<2	74	<10	13	83
190836	1078261	0.225	<1	2.98	32	368	<2	7	0.36	<4	5	26	19	1.28	<0.01	3	0.52	315	<1	40	494	198	0.80	6	<5	<10	77	1219	2	22	<10	6	412
190837	1078262	0.167	<1	2.68	24	302	<2	21	0.58	<4	6	20	19	1.60	<0.01	5	0.76	727	<1	25	401	42	1.00	<5	<5	<10	81	1309	5	24	<10	6	118
190838D	1078262	0.179	<1	2.20	26	289	<2	17	0.54	<4	6	19	18	1.61	<0.01	4	0.74	717	<1	22	392	42	1.00	<5	9	<10	79	1289	<2	24	<10	5	117
190839	1078263	0.321	<1	2.43	24	385	<2	13	0.72	<4	7	28	29	1.68	<0.01	7	0.65	661	<1	31	411	61	0.83	<5	5	<10	96	1580	2	31	<10	5	158
190840	1078264	0.150	<1	1.80	21	340	<2	<1	1.22	<4	9	29	9	1.56	<0.01	8	0.51	503	<1	39	358	17	0.85	5	<5	<10	85	1440	2	28	<10	5	68
190841	1078265	0.111	<1	3.54	16	316	<2	15	0.96	<4	8	27	12	1.74	<0.01	10	0.75	559	<1	32	440	18	0.92	<5	<5	<10	109	1448	<2	27	<10	7	85
190842	1078266	0.152	<1	3.05	15	326	<2	11	0.88	<4	7	30	14	1.75	<0.01	8	0.74	579	<1	39	452	16	0.83	<5	<5	<10	109	1479	4	29	<10	6	91
190843	1078267	0.054	<1	3.70	20	413	<2	12	0.92	<4	9	27	18	1.77	<0.01	8	0.76	638	<1	35	460	30	1.03	5	<5	<10	115	1588	5	30	<10	6	148
190844	1078268	0.215	<1	1.67	19	299	<2	14	0.63	<4	7	28	30	1.60	<0.01	<1	0.75	655	<1	38	454	24	0.65	<5	<5	<10	79	1383	3	27	<10	6	123
190845	1078269	0.408	3	2.75	19	241	<2	18	1.06	<4	9	23	15	1.79	<0.01	5	1.08	826	<1	26	462	38	0.90	<5	<5	<10	104	1400	8	26	<10	6	180
190846	1078270	0.289	106	2.12	213	317	<2	24	0.96	24	14	47	6301	5.28	<0.01	3	1.15	1625	14	29	469	9952	1.80	153	5	<10	158	1501	6	67	43	12	5279
190847	1078271	0.831	14	1.41	29	168	<2	9	0.27	5	5	28	233	1.45	<0.01	3	0.47	299	<1	37	277	264	1.16	6	<5	<10	58	924	<2	19	12	5	1091
190848	1078272	0.291	4	2.76	26	230	<2	13	0.82	12	6	27	180	1.82	<0.01	5	0.79	486	<1	33	269	144	1.50	5	5	<10	114	1019	5	20	33	5	3167
190849D	1078272	0.316	7	3.37	29	239	<2	20	0.85	13	6	30	189	1.91	<0.01	9	0.84	504	<1	35	290	152	1.62	5	10	<10	113	1080	<2	22	36	5	3311
190850	1078273	0.065	<1	5.30	15	240	2	20	1.38	<4	5	22	19	1.35	<0.01	12	1.76	787	<1	25	416	25	0.69	<5	11	<10	142	1348	13	23	<10	6	291
190851	1078274	0.298	<1	4.33	21	196	<2	16	1.03	<4	5	16	9	1.65	<0.01	8	1.16	611	<1	21	360	82	1.27	6	5	<10	129	1146	5	20	<10	6	218
190852	1078275	0.071	<1	3.22	17	155	<2	13	1.16	<4	4	17	13	1.20	<0.01	5	0.95	617	<1	22	412	18	0.65	<5	<5	<10	146	1109	<2	19	<10	5	86
190853	1078276	0.006	<1	3.44	14	217	<2	10	0.54	<4	5	13	13	1.60	<0.01	10	0.91	591	<1	16	488	11	0.69	6	6	<10	113	1445	2	28	<10	7	82
190854	1078277	0.070	4	4.50	36	161	<2	17	0.86	<4	8	15	52	4.01	<0.01	12	1.24	707	<1	26	532	18	2.14	<5	5	<10	155	1389	3	25	<10	8	125

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190855	1078278	0.008	<1	3.44	9	273	<2	10	0.84	<4	5	19	7	1.38	0.04	11	0.66	506	<1	21	567	13	0.49	<5	8	<10	161	1650	<2	31	<10	6	66
190856	1078279	<0.005	<1	1.66	8	210	<2	21	0.23	<4	4	17	9	1.04	0.12	4	0.65	423	<1	25	460	6	0.24	<5	<5	<10	76	1359	<2	25	<10	5	53
190857	1078280	<0.005	<1	1.46	5	351	<2	7	1.23	<4	11	37	48	3.20	<0.01	2	0.93	549	<1	31	529	13	0.18	<5	<5	<10	178	1688	2	76	<10	13	78
190858	1078281	0.005	<1	3.14	9	229	<2	6	0.70	<4	5	17	7	1.25	<0.01	7	0.70	507	<1	21	447	8	0.35	<5	<5	<10	119	1501	<2	28	<10	6	65
190859	1078282	0.008	<1	3.92	6	246	<2	16	1.62	<4	5	14	9	1.75	0.08	8	1.08	834	<1	18	477	12	0.38	<5	5	<10	146	1555	7	29	<10	6	70
190860R	1078282	0.008	<1	4.91	8	262	<2	17	2.00	<4	6	16	9	1.80	0.04	9	1.10	845	<1	21	497	14	0.46	<5	5	<10	177	1616	2	29	<10	7	71
190861	1078283	0.012	1	4.57	14	187	<2	11	1.69	<4	5	14	32	2.01	<0.01	10	1.19	678	<1	18	500	28	0.64	<5	<5	<10	163	1502	5	25	<10	8	636
190862	1078284	0.345	42	2.66	34	182	<2	12	<0.01	<4	5	15	41	1.12	<0.01	<1	0.33	<100	<1	19	393	148	0.94	22	<5	<10	64	1004	<2	19	<10	5	527
190863	1078285	0.579	24	3.34	23	196	2	14	<0.01	<4	3	17	81	0.89	<0.01	4	0.32	<100	<1	26	359	773	0.89	24	8	<10	70	1037	<2	21	10	4	907
190864	1078286	0.643	25	2.98	25	244	2	12	<0.01	<4	4	18	126	0.92	<0.01	8	0.31	<100	<1	21	314	602	0.98	24	<5	<10	78	1231	<2	24	<10	3	517
190865	1078287	0.277	4	3.15	20	225	2	23	0.03	<4	3	17	42	0.83	<0.01	5	0.36	114	<1	23	319	231	0.79	6	<5	<10	71	1110	<2	23	10	4	708
190866	1078288	0.101	<1	4.13	17	214	2	15	0.89	<4	4	17	17	1.18	<0.01	9	0.87	514	<1	22	369	59	0.78	<5	10	<10	100	1083	<2	20	<10	5	111
190867	1078289	0.318	5	2.70	25	221	2	5	0.04	<4	4	20	62	1.21	<0.01	5	0.33	<100	<1	25	297	284	1.07	9	6	<10	59	1059	<2	22	<10	4	597
190868	1078290	5.214	<1	2.81	379	1333	<2	7	2.17	<4	13	111	79	3.20	<0.01	9	1.16	445	7	52	774	29	0.94	24	7	<10	173	1480	3	115	10	13	260
190869	1078291	0.071	<1	3.73	32	183	2	<1	1.21	<4	5	17	19	1.41	<0.01	8	0.83	554	<1	22	362	49	0.82	<5	5	<10	92	1116	8	21	<10	5	116
190870	1078292	0.026	<1	4.43	26	162	2	16	1.68	<4	5	18	19	1.47	<0.01	12	1.03	759	<1	25	381	37	0.78	<5	6	<10	99	1178	5	21	<10	5	98
190871D	1078292	0.037	<1	4.73	27	158	<2	17	1.72	<4	5	20	19	1.46	0.04	12	1.04	751	<1	29	384	36	0.75	5	<5	<10	100	1172	5	21	<10	6	101
190872	1078293	0.035	<1	2.39	34	164	<2	19	0.37	<4	5	14	11	1.03	<0.01	8	0.40	245	<1	22	342	14	0.78	<5	<5	<10	63	1161	<2	21	<10	4	83
190873	1078294	0.012	<1	3.69	7	97	<2	9	1.55	<4	5	14	6	1.33	<0.01	9	0.97	693	<1	23	373	16	0.56	<5	9	<10	86	994	5	16	<10	5	69
190874	1078295	0.006	<1	4.95	7	139	<2	12	2.16	<4	6	16	6	1.48	<0.01	11	1.17	788	<1	22	377	11	0.51	<5	<5	<10	96	1130	6	20	<10	6	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190875	1078296	<0.005	<1	3.93	9	181	<2	9	1.58	<4	5	18	5	1.21	<0.01	15	0.85	720	<1	28	366	14	0.51	<5	<5	<10	94	1300	4	23	<10	4	63
190876	1078297	0.009	<1	2.98	22	188	<2	4	0.45	<4	5	17	10	1.07	<0.01	10	0.39	285	1	27	348	9	0.71	<5	5	<10	67	1376	2	25	<10	4	75
190877	1078298	0.007	<1	4.95	8	177	2	11	1.88	<4	4	18	6	1.30	<0.01	14	1.05	784	<1	27	379	15	0.50	<5	5	<10	105	1193	4	21	<10	5	63
190878	1078299	0.013	<1	3.97	18	141	<2	11	1.51	<4	5	19	7	1.54	<0.01	9	0.92	801	<1	30	381	12	0.86	<5	<5	<10	97	1126	6	21	<10	6	83
190879	1078300	<0.005	<1	3.50	5	417	<2	13	1.48	<4	11	38	47	3.13	<0.01	9	0.95	555	<1	30	532	11	0.30	<5	<5	<10	223	1809	3	78	<10	13	78
190880	1078301	0.012	<1	4.34	8	204	2	9	2.22	<4	5	21	7	1.67	0.02	10	1.04	583	<1	33	404	16	0.54	<5	7	<10	126	1215	3	25	<10	6	88
190881	1078302	0.010	<1	4.08	4	266	2	9	2.94	<4	6	19	5	2.11	0.04	13	1.27	682	<1	23	408	13	0.74	<5	5	<10	151	1318	5	26	<10	5	69
190882D	1078302	0.012	<1	4.87	6	242	<2	8	2.91	<4	6	18	5	2.03	0.04	13	1.32	648	<1	23	388	11	0.74	<5	9	<10	152	1231	7	24	<10	6	63
190883	1078303	0.009	<1	4.49	6	278	2	11	3.03	<4	5	17	5	2.07	0.07	14	1.41	556	<1	21	383	10	0.68	<5	<5	<10	175	1276	5	26	<10	5	76
190884	1078304	0.011	<1	5.36	3	277	2	14	2.25	<4	15	83	25	2.54	0.13	17	1.17	424	<1	60	472	12	0.74	<5	<5	<10	179	1756	3	51	<10	11	87
190885	1078305	0.006	<1	3.45	12	340	2	12	0.79	<4	9	24	15	0.86	<0.01	9	0.46	137	<1	33	494	13	0.49	<5	6	<10	160	1423	<2	33	<10	6	53
190886	1078306	<0.005	<1	3.06	12	347	<2	9	0.97	<4	9	21	13	0.92	<0.01	13	0.54	184	<1	27	505	11	0.54	<5	7	<10	175	1480	<2	33	<10	5	62
190887	1078307	0.017	2	3.59	16	403	<2	7	1.42	<4	7	15	11	1.39	<0.01	16	0.68	337	<1	23	555	35	0.65	<5	<5	<10	180	1595	4	36	<10	5	128
190888	1078308	0.007	<1	3.09	5	535	<2	11	1.05	<4	6	13	8	0.91	<0.01	14	0.51	233	<1	21	540	12	0.43	<5	5	<10	184	1697	<2	34	<10	4	65
190889	1078309	0.009	<1	4.90	23	414	<2	7	1.48	<4	8	26	14	1.79	<0.01	17	1.30	502	<1	30	722	14	0.91	5	<5	<10	186	1498	8	37	<10	9	113
190890	1078310	1.501	<1	4.14	33	280	2	19	2.51	4	20	65	7401	4.88	<0.01	9	1.13	558	743	22	861	39	2.24	7	9	<10	215	691	<2	96	<10	13	136
190891	1078311	0.016	<1	2.74	11	411	2	1	0.86	<4	7	12	103	1.56	<0.01	12	0.67	304	8	19	566	15	0.98	<5	6	<10	155	1495	7	32	<10	5	59
190892	1078312	0.022	<1	2.61	3	273	<2	19	1.00	<4	5	17	20	1.80	<0.01	7	0.66	337	<1	26	409	16	0.92	5	<5	<10	179	1142	3	24	<10	6	57
190893D	1078312	0.013	<1	2.80	5	246	<2	19	0.87	<4	5	18	12	1.83	<0.01	7	0.71	340	<1	26	421	15	0.87	<5	<5	<10	162	1074	3	22	<10	7	60
190894	1078313	0.045	<1	2.45	36	350	<2	5	0.66	<4	16	78	27	2.92	<0.01	11	0.57	299	1	63	466	27	2.17	<5	5	<10	143	1554	2	60	<10	8	190

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190895	1078314	0.060	<1	4.28	43	343	2	10	1.43	<4	23	129	58	3.66	<0.01	13	1.06	446	2	84	480	53	2.37	<5	<5	<10	189	1602	<2	71	<10	11	145
190896	1078315	0.034	<1	4.54	58	289	2	18	1.36	<4	20	82	47	3.54	<0.01	8	0.86	411	1	71	550	43	2.97	<5	<5	<10	174	1166	<2	57	<10	12	106
190897	1078316	0.043	<1	3.05	29	403	2	26	0.44	<4	8	17	34	1.88	<0.01	5	0.49	225	<1	23	564	27	1.75	<5	<5	<10	106	1281	<2	30	<10	5	81
190898	1078317	0.021	<1	4.73	22	342	2	12	1.75	<4	7	17	19	1.62	<0.01	18	1.11	508	<1	24	545	110	1.15	<5	9	<10	201	1125	5	27	<10	7	315
190899	1078318	0.010	<1	3.65	23	532	<2	20	1.98	<4	8	18	4	1.91	<0.01	12	0.60	335	<1	22	573	15	1.53	5	8	<10	235	1592	<2	33	<10	5	96
190900	1078319	0.010	<1	4.25	18	375	<2	19	2.30	<4	6	17	5	1.61	<0.01	13	0.92	437	<1	23	515	14	1.08	5	<5	<10	222	1318	<2	26	<10	6	91
190901	1078320	<0.005	<1	4.08	6	426	2	14	1.59	<4	11	41	49	3.34	<0.01	9	1.05	583	<1	32	573	12	0.33	8	<5	<10	233	1899	<2	82	<10	15	83
190902	1078321	0.012	<1	3.12	33	426	2	16	1.03	<4	8	22	8	1.91	<0.01	12	0.66	363	<1	29	541	28	1.62	<5	<5	<10	137	1138	5	29	<10	5	86
190903	1078322	0.030	<1	1.82	50	378	<2	15	0.03	<4	13	82	13	2.46	<0.01	6	0.26	<100	3	60	460	41	2.42	<5	<5	<10	75	1166	<2	49	<10	6	112
190904D	1078322	0.026	<1	1.70	57	412	2	13	0.04	<4	13	83	13	2.49	<0.01	7	0.25	<100	4	60	456	43	2.47	<5	<5	<10	77	1193	<2	51	<10	6	119
190905	1078323	0.087	2	1.98	76	234	<2	16	<0.01	<4	23	121	38	3.56	<0.01	7	0.25	<100	6	99	406	39	3.41	5	<5	<10	66	1295	<2	75	<10	7	91
190906	1078324	0.174	14	1.70	66	313	<2	12	0.37	<4	20	115	50	3.39	<0.01	8	0.38	199	6	92	445	50	3.18	5	<5	<10	102	1273	<2	66	<10	8	177
190907	1078325	0.036	3	4.10	14	460	2	30	2.03	<4	9	30	28	1.95	<0.01	14	0.94	379	<1	38	521	19	0.81	<5	<5	<10	190	1635	<2	36	<10	7	111
190908	1078326	0.162	<1	5.85	12	417	2	10	2.37	<4	9	35	16	1.97	<0.01	11	1.00	389	1	49	573	24	0.79	<5	9	<10	224	1584	2	35	<10	8	110
190909	1078327	0.013	<1	3.64	10	421	<2	17	1.21	<4	8	20	3	1.77	<0.01	14	0.97	289	<1	31	579	7	0.44	<5	<5	<10	129	1681	2	30	<10	7	79
190910	1078328	0.022	<1	4.11	10	345	<2	16	1.93	<4	16	99	51	2.70	<0.01	20	1.27	446	<1	62	521	13	0.95	<5	9	<10	166	1915	6	54	<10	11	105
190911	1078329	0.095	<1	3.97	40	258	<2	19	1.05	<4	18	96	98	3.68	<0.01	11	0.90	374	2	75	490	280	2.50	<5	<5	<10	144	1465	2	56	<10	13	320
190912	1078330	0.286	104	3.19	216	217	<2	19	1.08	24	14	49	6191	5.27	<0.01	7	1.19	1614	16	29	456	9957	1.99	150	<5	<10	166	1500	5	69	45	14	4704
190913	1078331	0.042	1	4.74	20	311	2	11	2.47	<4	14	68	102	2.74	<0.01	16	1.18	613	<1	59	353	128	1.22	<5	<5	<10	262	1579	3	45	<10	10	171
190914	1078332	0.015	<1	4.78	9	471	<2	8	1.86	<4	8	19	11	1.84	<0.01	16	1.30	555	<1	23	565	22	0.63	<5	<5	<10	183	1551	8	31	<10	7	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190915D	1078332	0.014	<1	4.61	8	470	<2	13	1.86	<4	8	15	4	1.80	<0.01	16	1.27	546	<1	22	546	18	0.66	5	<5	<10	177	1532	5	31	<10	7	81
190916	1078333	0.096	<1	5.17	31	373	2	12	2.14	<4	18	92	46	3.12	<0.01	16	1.37	839	<1	63	514	28	1.36	5	<5	<10	219	2188	5	60	<10	12	143
190917	1078334	0.082	<1	2.58	21	363	2	6	0.67	<4	7	17	6	1.33	<0.01	8	0.48	229	<1	21	466	18	0.98	<5	<5	<10	159	1391	2	25	<10	5	110
190918	1078335	0.027	<1	2.38	10	381	<2	8	1.57	<4	8	16	11	1.61	<0.01	13	0.76	331	<1	21	425	14	0.67	<5	6	<10	152	1593	5	29	<10	5	90
190919	1078336	0.022	<1	3.73	14	492	<2	11	1.78	<4	8	17	8	1.72	<0.01	13	0.80	359	<1	21	488	15	0.89	<5	5	<10	191	1650	5	33	<10	6	93
190920	1078337	0.029	<1	4.02	20	467	<2	14	1.79	<4	8	16	13	1.62	0.05	12	0.84	409	<1	19	477	13	0.82	<5	<5	<10	179	1580	4	29	<10	6	99
190921	1078338	0.276	<1	2.63	29	664	2	17	1.44	<4	8	20	37	1.71	<0.01	17	0.73	437	<1	27	489	110	1.20	7	<5	<10	185	1878	3	35	10	4	521
190922	1078339	0.032	<1	4.69	22	538	2	23	2.09	<4	8	19	12	1.69	<0.01	14	1.08	466	<1	25	508	27	0.93	5	<5	<10	200	1630	2	29	<10	6	100
190923	1078340	<0.005	<1	3.64	7	422	<2	7	1.52	<4	11	40	47	3.26	<0.01	7	0.99	570	<1	33	546	11	0.32	<5	7	<10	240	1916	<2	82	<10	14	81
190924	1078341	0.515	<1	2.39	112	249	2	<1	0.62	<4	18	81	36	3.19	<0.01	7	0.51	281	3	61	433	59	2.89	<5	6	<10	102	1608	<2	56	<10	7	118
190925	1078342	0.079	<1	4.44	47	366	2	16	1.81	<4	18	107	48	2.60	<0.01	9	0.99	620	<1	64	463	60	1.87	<5	5	<10	122	1557	2	58	<10	12	220
190926R	1078342	0.081	<1	3.92	55	397	2	11	1.50	<4	19	113	44	2.62	<0.01	8	0.87	542	<1	73	462	63	1.90	5	8	<10	109	1568	4	60	<10	11	360
190927	1078343	0.335	<1	2.82	83	335	<2	12	0.02	4	21	90	55	2.55	<0.01	3	0.31	<100	5	73	488	52	2.50	5	5	<10	63	1167	<2	56	<10	10	635
190928	1078344	0.375	<1	2.80	50	708	2	11	<0.01	<4	6	21	14	1.69	<0.01	3	0.28	<100	5	28	478	40	1.67	7	6	<10	71	1221	<2	30	<10	5	212
190929	1078345	0.526	<1	2.42	58	697	2	18	0.05	<4	8	51	23	1.84	<0.01	6	0.30	<100	5	37	397	46	1.86	5	<5	<10	77	1274	2	37	<10	5	133
190930	1078346	0.288	<1	1.97	66	611	2	10	0.14	<4	9	55	16	2.11	<0.01	7	0.33	126	5	43	465	45	2.03	<5	5	<10	85	1470	<2	44	<10	4	104
190931	1078347	0.397	2	1.70	48	341	<2	7	0.60	6	8	33	9	2.40	<0.01	12	1.00	569	<1	30	504	599	1.89	6	<5	<10	92	1569	<2	36	21	4	1583
190932	1078348	0.077	<1	3.50	52	421	2	13	2.56	<4	10	62	50	1.92	<0.01	12	0.97	787	<1	44	512	78	1.10	<5	9	<10	212	1700	3	29	<10	6	188
190933	1078349	0.037	<1	3.73	36	363	<2	15	1.45	<4	8	17	8	1.70	<0.01	10	0.78	498	<1	22	511	22	1.16	5	<5	<10	161	1487	7	25	<10	6	90
190934	1078350	3.330	<1	2.50	379	1330	<2	10	2.18	<4	13	113	79	3.15	<0.01	11	1.07	449	10	54	758	30	0.98	28	<5	<10	179	1505	5	114	<10	12	257

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190935	1078351	0.051	<1	2.69	33	378	<2	9	2.10	<4	8	26	9	1.72	<0.01	12	0.93	717	<1	42	490	19	0.85	<5	5	<10	176	1511	3	32	<10	4	91
190936	1078352	0.151	<1	1.46	37	274	<2	6	0.52	<4	7	28	36	1.64	<0.01	7	0.43	246	4	47	436	15	1.39	<5	6	<10	96	1374	<2	29	<10	4	254
190937D	1078352	0.174	<1	2.73	41	317	2	8	0.65	<4	9	32	39	1.79	<0.01	9	0.51	261	5	53	488	14	1.52	<5	<5	<10	108	1558	<2	34	10	4	273
190938	1078353	0.139	<1	4.03	62	256	2	5	1.07	<4	10	32	71	2.12	<0.01	9	0.73	345	4	55	539	19	1.62	<5	6	<10	128	1433	5	31	<10	6	111
190939	1078354	0.070	<1	4.37	48	229	2	22	1.00	<4	10	35	36	1.89	<0.01	8	0.73	345	3	61	557	16	1.31	<5	6	<10	101	1425	2	30	<10	6	104
190940	1078355	0.059	<1	3.78	46	262	<2	21	1.12	<4	12	33	51	1.93	<0.01	7	0.81	437	<1	54	547	25	1.24	<5	6	<10	89	1621	2	35	<10	5	348
190941	1078356	0.619	<1	2.84	111	253	2	12	0.20	5	16	119	49	2.88	<0.01	7	0.42	153	10	102	422	76	2.67	7	5	<10	66	1493	4	66	15	6	1322
190942	1078357	0.773	<1	3.01	108	291	2	18	0.53	<4	22	143	45	3.52	<0.01	8	0.77	393	5	105	447	49	2.64	<5	<5	<10	71	1811	<2	84	<10	8	223
190943	1078358	0.144	<1	4.05	34	321	2	17	1.15	<4	17	92	54	3.00	<0.01	13	1.38	762	<1	86	525	45	1.60	<5	8	<10	89	1702	<2	63	<10	10	173
190944	1078359	0.146	<1	2.57	35	739	3	<1	1.57	<4	9	34	58	1.48	0.75	27	0.82	782	11	47	468	117	2.03	<5	<5	<10	111	1983	<2	44	<10	4	443
190945	1078360	<0.005	<1	3.12	6	420	<2	13	1.50	<4	11	41	46	3.19	<0.01	9	0.92	565	<1	33	542	10	0.34	<5	<5	<10	235	1909	<2	80	<10	12	80
190946	1078361	0.059	<1	4.74	26	640	2	15	1.93	<4	8	40	27	1.78	<0.01	15	1.11	918	<1	62	509	46	1.08	<5	9	<10	111	1730	5	38	<10	6	138
190947	1078362	0.057	<1	3.22	16	665	2	12	1.89	<4	8	27	25	1.59	0.10	14	1.10	885	<1	41	489	33	0.86	<5	8	<10	109	1861	3	39	<10	4	137
190948D	1078362	0.062	<1	2.88	19	677	2	10	1.84	<4	8	27	25	1.56	0.01	14	1.06	891	<1	38	482	33	0.82	<5	6	<10	107	1921	6	39	<10	4	138
190949	1078363	0.035	<1	4.20	25	802	2	13	2.12	<4	10	31	14	1.83	0.03	14	1.19	785	<1	51	477	25	1.13	<5	6	<10	120	1725	6	36	<10	5	98
190950	1078364	0.107	1	5.63	18	1054	2	11	2.49	4	6	36	229	1.54	0.03	13	1.46	851	<1	58	482	34	0.91	5	<5	<10	126	1408	9	35	19	7	1236
190951	1078365	0.261	<1	5.14	23	745	2	19	2.10	<4	7	37	151	1.66	<0.01	10	1.28	740	<1	61	482	92	1.01	<5	8	<10	113	1428	2	32	<10	7	325
190952	1078366	0.405	1	4.46	22	794	2	22	2.15	<4	7	32	46	1.66	<0.01	13	1.23	794	<1	50	474	67	0.98	5	<5	<10	115	1607	2	36	10	5	279
190953	1078367	0.057	<1	3.82	22	570	2	16	1.71	<4	7	25	34	1.62	<0.01	14	1.11	745	<1	31	480	32	1.10	5	<5	<10	105	1680	8	35	11	5	772
190954	1078368	0.134	1	3.37	29	512	2	17	1.07	<4	7	23	134	1.46	<0.01	11	0.78	453	<1	29	449	28	1.19	<5	<5	<10	84	1654	2	36	14	4	948

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
190955	1078369	0.569	4	2.71	37	416	<2	17	0.63	13	7	32	443	1.62	<0.01	10	0.57	268	8	26	414	67	1.59	16	<5	<10	76	1501	2	33	37	4	3610
190956	1078370	1.325	2	2.98	35	199	2	19	2.46	4	21	65	7297	5.00	<0.01	8	1.02	559	764	21	877	41	2.40	13	10	<10	227	746	2	100	<10	10	164
190957	1078371	0.039	<1	3.72	31	583	<2	10	2.16	<4	9	23	99	1.78	<0.01	14	1.40	904	5	26	514	30	0.91	<5	<5	<10	120	1993	6	40	<10	5	185
190958	1078372	0.027	<1	4.43	8	534	2	13	2.42	<4	7	28	41	1.62	0.02	14	1.37	859	<1	29	442	41	0.67	<5	<5	<10	118	1628	10	31	<10	6	166
190959D	1078372	0.024	<1	3.81	11	505	2	17	2.38	<4	7	29	33	1.61	0.08	15	1.29	864	<1	29	435	41	0.70	<5	8	<10	115	1511	13	29	<10	5	167
190960	1078373	0.047	3	5.45	10	513	2	18	3.02	6	8	21	57	2.08	0.10	12	1.88	1302	<1	29	486	350	1.02	<5	6	<10	111	1516	18	32	24	7	1666

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190795	1078223	126	0.004	0.126
190796	1078224	30	<0.001	0.030
190797	1078225	21	<0.001	0.021
190798	1078226	23	<0.001	0.023
190799	1078227	14	<0.001	0.014
190800	1078228	24	<0.001	0.024
190801	1078229	18	<0.001	0.018
190802	1078230	5112	0.149	5.112
190803	1078231	162	0.005	0.162
190804	1078232	1913	0.056	1.913
190805 Dup	1078232	1816	0.053	1.816
190806	1078233	101	0.003	0.101
190807	1078234	60	0.002	0.060
190808	1078235	30	<0.001	0.030
190809	1078236	31	<0.001	0.031
190810	1078237	12	<0.001	0.012
190811	1078238	12	<0.001	0.012
190812	1078239	20	<0.001	0.020
190813	1078240	5	<0.001	0.005
190814	1078241	359	0.010	0.359
190815	1078242	39	0.001	0.039
190816 Dup	1078242	38	0.001	0.038
190817	1078243	102	0.003	0.102
190818	1078244	68	0.002	0.068
190819	1078245	102	0.003	0.102
190820	1078246	127	0.004	0.127
190821	1078247	84	0.002	0.084
190822	1078248	51	0.001	0.051
190823	1078249	19	<0.001	0.019
190824	1078250	273	0.008	0.273

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190825	1078251	35	0.001	0.035
190826	1078252	51	0.001	0.051
190827 Dup	1078252	56	0.002	0.056
190828	1078253	195	0.006	0.195
190829	1078254	121	0.004	0.121
190830	1078255	2058	0.060	2.058
190831	1078256	726	0.021	0.726
190832	1078257	514	0.015	0.514
190833	1078258	207	0.006	0.207
190834	1078259	375	0.011	0.375
190835	1078260	8	<0.001	0.008
190836	1078261	225	0.007	0.225
190837	1078262	167	0.005	0.167
190838 Dup	1078262	179	0.005	0.179
190839	1078263	321	0.009	0.321
190840	1078264	150	0.004	0.150
190841	1078265	111	0.003	0.111
190842	1078266	152	0.004	0.152
190843	1078267	54	0.002	0.054
190844	1078268	215	0.006	0.215
190845	1078269	408	0.012	0.408
190846	1078270	289	0.008	0.289
190847	1078271	831	0.024	0.831
190848	1078272	291	0.009	0.291
190849 Dup	1078272	316	0.009	0.316
190850	1078273	65	0.002	0.065
190851	1078274	298	0.009	0.298
190852	1078275	71	0.002	0.071
190853	1078276	6	<0.001	0.006
190854	1078277	70	0.002	0.070

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190855	1078278	8	<0.001	0.008
190856	1078279	<5	<0.001	<0.005
190857	1078280	<5	<0.001	<0.005
190858	1078281	5	<0.001	0.005
190859	1078282	8	<0.001	0.008
190860 Rep	1078282	8	<0.001	0.008
190861	1078283	12	<0.001	0.012
190862	1078284	345	0.010	0.345
190863	1078285	579	0.017	0.579
190864	1078286	643	0.019	0.643
190865	1078287	277	0.008	0.277
190866	1078288	101	0.003	0.101
190867	1078289	318	0.009	0.318
190868	1078290	5214	0.152	5.214
190869	1078291	71	0.002	0.071
190870	1078292	26	<0.001	0.026
190871 Dup	1078292	37	0.001	0.037
190872	1078293	35	0.001	0.035
190873	1078294	12	<0.001	0.012
190874	1078295	6	<0.001	0.006
190875	1078296	<5	<0.001	<0.005
190876	1078297	9	<0.001	0.009
190877	1078298	7	<0.001	0.007
190878	1078299	13	<0.001	0.013
190879	1078300	<5	<0.001	<0.005
190880	1078301	12	<0.001	0.012
190881	1078302	10	<0.001	0.010
190882 Dup	1078302	12	<0.001	0.012
190883	1078303	9	<0.001	0.009
190884	1078304	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190885	1078305	6	<0.001	0.006
190886	1078306	<5	<0.001	<0.005
190887	1078307	17	<0.001	0.017
190888	1078308	7	<0.001	0.007
190889	1078309	9	<0.001	0.009
190890	1078310	1501	0.044	1.501
190891	1078311	16	<0.001	0.016
190892	1078312	22	<0.001	0.022
190893 Dup	1078312	13	<0.001	0.013
190894	1078313	45	0.001	0.045
190895	1078314	60	0.002	0.060
190896	1078315	34	<0.001	0.034
190897	1078316	43	0.001	0.043
190898	1078317	21	<0.001	0.021
190899	1078318	10	<0.001	0.010
190900	1078319	10	<0.001	0.010
190901	1078320	<5	<0.001	<0.005
190902	1078321	12	<0.001	0.012
190903	1078322	30	<0.001	0.030
190904 Dup	1078322	26	<0.001	0.026
190905	1078323	87	0.003	0.087
190906	1078324	174	0.005	0.174
190907	1078325	36	0.001	0.036
190908	1078326	162	0.005	0.162
190909	1078327	13	<0.001	0.013
190910	1078328	22	<0.001	0.022
190911	1078329	95	0.003	0.095
190912	1078330	286	0.008	0.286
190913	1078331	42	0.001	0.042
190914	1078332	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190915 Dup	1078332	14	<0.001	0.014
190916	1078333	96	0.003	0.096
190917	1078334	82	0.002	0.082
190918	1078335	27	<0.001	0.027
190919	1078336	22	<0.001	0.022
190920	1078337	29	<0.001	0.029
190921	1078338	276	0.008	0.276
190922	1078339	32	<0.001	0.032
190923	1078340	<5	<0.001	<0.005
190924	1078341	515	0.015	0.515
190925	1078342	79	0.002	0.079
190926 Rep	1078342	81	0.002	0.081
190927	1078343	335	0.010	0.335
190928	1078344	375	0.011	0.375
190929	1078345	526	0.015	0.526
190930	1078346	288	0.008	0.288
190931	1078347	397	0.012	0.397
190932	1078348	77	0.002	0.077
190933	1078349	37	0.001	0.037
190934	1078350	3330	0.097	3.330
190935	1078351	51	0.001	0.051
190936	1078352	151	0.004	0.151
190937 Dup	1078352	174	0.005	0.174
190938	1078353	139	0.004	0.139
190939	1078354	70	0.002	0.070
190940	1078355	59	0.002	0.059
190941	1078356	619	0.018	0.619
190942	1078357	773	0.023	0.773
190943	1078358	144	0.004	0.144
190944	1078359	146	0.004	0.146

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190945	1078360	<5	<0.001	<0.005
190946	1078361	59	0.002	0.059
190947	1078362	57	0.002	0.057
190948 Dup	1078362	62	0.002	0.062
190949	1078363	35	0.001	0.035
190950	1078364	107	0.003	0.107
190951	1078365	261	0.008	0.261
190952	1078366	405	0.012	0.405
190953	1078367	57	0.002	0.057
190954	1078368	134	0.004	0.134
190955	1078369	569	0.017	0.569
190956	1078370	1325	0.039	1.325
190957	1078371	39	0.001	0.039
190958	1078372	27	<0.001	0.027
190959 Dup	1078372	24	<0.001	0.024
190960	1078373	47	0.001	0.047

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190795	1078223	126	0.004	0.126
190796	1078224	30	<0.001	0.030
190797	1078225	21	<0.001	0.021
190798	1078226	23	<0.001	0.023
190799	1078227	14	<0.001	0.014
190800	1078228	24	<0.001	0.024
190801	1078229	18	<0.001	0.018
190802	1078230	5112	0.149	5.112
190803	1078231	162	0.005	0.162
190804	1078232	1913	0.056	1.913
190805 Dup	1078232	1816	0.053	1.816
190806	1078233	101	0.003	0.101
190807	1078234	60	0.002	0.060
190808	1078235	30	<0.001	0.030
190809	1078236	31	<0.001	0.031
190810	1078237	12	<0.001	0.012
190811	1078238	12	<0.001	0.012
190812	1078239	20	<0.001	0.020
190813	1078240	5	<0.001	0.005
190814	1078241	359	0.010	0.359
190815	1078242	39	0.001	0.039
190816 Dup	1078242	38	0.001	0.038
190817	1078243	102	0.003	0.102
190818	1078244	68	0.002	0.068
190819	1078245	102	0.003	0.102
190820	1078246	127	0.004	0.127
190821	1078247	84	0.002	0.084
190822	1078248	51	0.001	0.051
190823	1078249	19	<0.001	0.019
190824	1078250	273	0.008	0.273

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190825	1078251	35	0.001	0.035
190826	1078252	51	0.001	0.051
190827 Dup	1078252	56	0.002	0.056
190828	1078253	195	0.006	0.195
190829	1078254	121	0.004	0.121
190830	1078255	2058	0.060	2.058
190831	1078256	726	0.021	0.726
190832	1078257	514	0.015	0.514
190833	1078258	207	0.006	0.207
190834	1078259	375	0.011	0.375
190835	1078260	8	<0.001	0.008
190836	1078261	225	0.007	0.225
190837	1078262	167	0.005	0.167
190838 Dup	1078262	179	0.005	0.179
190839	1078263	321	0.009	0.321
190840	1078264	150	0.004	0.150
190841	1078265	111	0.003	0.111
190842	1078266	152	0.004	0.152
190843	1078267	54	0.002	0.054
190844	1078268	215	0.006	0.215
190845	1078269	408	0.012	0.408
190846	1078270	289	0.008	0.289
190847	1078271	831	0.024	0.831
190848	1078272	291	0.009	0.291
190849 Dup	1078272	316	0.009	0.316
190850	1078273	65	0.002	0.065
190851	1078274	298	0.009	0.298
190852	1078275	71	0.002	0.071
190853	1078276	6	<0.001	0.006
190854	1078277	70	0.002	0.070

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190855	1078278	8	<0.001	0.008
190856	1078279	<5	<0.001	<0.005
190857	1078280	<5	<0.001	<0.005
190858	1078281	5	<0.001	0.005
190859	1078282	8	<0.001	0.008
190860 Rep	1078282	8	<0.001	0.008
190861	1078283	12	<0.001	0.012
190862	1078284	345	0.010	0.345
190863	1078285	579	0.017	0.579
190864	1078286	643	0.019	0.643
190865	1078287	277	0.008	0.277
190866	1078288	101	0.003	0.101
190867	1078289	318	0.009	0.318
190868	1078290	5214	0.152	5.214
190869	1078291	71	0.002	0.071
190870	1078292	26	<0.001	0.026
190871 Dup	1078292	37	0.001	0.037
190872	1078293	35	0.001	0.035
190873	1078294	12	<0.001	0.012
190874	1078295	6	<0.001	0.006
190875	1078296	<5	<0.001	<0.005
190876	1078297	9	<0.001	0.009
190877	1078298	7	<0.001	0.007
190878	1078299	13	<0.001	0.013
190879	1078300	<5	<0.001	<0.005
190880	1078301	12	<0.001	0.012
190881	1078302	10	<0.001	0.010
190882 Dup	1078302	12	<0.001	0.012
190883	1078303	9	<0.001	0.009
190884	1078304	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190885	1078305	6	<0.001	0.006
190886	1078306	<5	<0.001	<0.005
190887	1078307	17	<0.001	0.017
190888	1078308	7	<0.001	0.007
190889	1078309	9	<0.001	0.009
190890	1078310	1501	0.044	1.501
190891	1078311	16	<0.001	0.016
190892	1078312	22	<0.001	0.022
190893 Dup	1078312	13	<0.001	0.013
190894	1078313	45	0.001	0.045
190895	1078314	60	0.002	0.060
190896	1078315	34	<0.001	0.034
190897	1078316	43	0.001	0.043
190898	1078317	21	<0.001	0.021
190899	1078318	10	<0.001	0.010
190900	1078319	10	<0.001	0.010
190901	1078320	<5	<0.001	<0.005
190902	1078321	12	<0.001	0.012
190903	1078322	30	<0.001	0.030
190904 Dup	1078322	26	<0.001	0.026
190905	1078323	87	0.003	0.087
190906	1078324	174	0.005	0.174
190907	1078325	36	0.001	0.036
190908	1078326	162	0.005	0.162
190909	1078327	13	<0.001	0.013
190910	1078328	22	<0.001	0.022
190911	1078329	95	0.003	0.095
190912	1078330	286	0.008	0.286
190913	1078331	42	0.001	0.042
190914	1078332	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190915 Dup	1078332	14	<0.001	0.014
190916	1078333	96	0.003	0.096
190917	1078334	82	0.002	0.082
190918	1078335	27	<0.001	0.027
190919	1078336	22	<0.001	0.022
190920	1078337	29	<0.001	0.029
190921	1078338	276	0.008	0.276
190922	1078339	32	<0.001	0.032
190923	1078340	<5	<0.001	<0.005
190924	1078341	515	0.015	0.515
190925	1078342	79	0.002	0.079
190926 Rep	1078342	81	0.002	0.081
190927	1078343	335	0.010	0.335
190928	1078344	375	0.011	0.375
190929	1078345	526	0.015	0.526
190930	1078346	288	0.008	0.288
190931	1078347	397	0.012	0.397
190932	1078348	77	0.002	0.077
190933	1078349	37	0.001	0.037
190934	1078350	3330	0.097	3.330
190935	1078351	51	0.001	0.051
190936	1078352	151	0.004	0.151
190937 Dup	1078352	174	0.005	0.174
190938	1078353	139	0.004	0.139
190939	1078354	70	0.002	0.070
190940	1078355	59	0.002	0.059
190941	1078356	619	0.018	0.619
190942	1078357	773	0.023	0.773
190943	1078358	144	0.004	0.144
190944	1078359	146	0.004	0.146

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/08/2011  
 Date Completed: 08/26/2011  
 Job #: 201142904  
 Reference: TL11201  
 Sample #: 151

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
190945	1078360	<5	<0.001	<0.005
190946	1078361	59	0.002	0.059
190947	1078362	57	0.002	0.057
190948 Dup	1078362	62	0.002	0.062
190949	1078363	35	0.001	0.035
190950	1078364	107	0.003	0.107
190951	1078365	261	0.008	0.261
190952	1078366	405	0.012	0.405
190953	1078367	57	0.002	0.057
190954	1078368	134	0.004	0.134
190955	1078369	569	0.017	0.569
190956	1078370	1325	0.039	1.325
190957	1078371	39	0.001	0.039
190958	1078372	27	<0.001	0.027
190959 Dup	1078372	24	<0.001	0.024
190960	1078373	47	0.001	0.047

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197425	1077733	0.077	<1	5.20	7	315	2	54	0.62	<4	25	132	64	4.08	0.30	25	2.04	721	<1	94	567	31	1.74	16	48	<10	122	2408	12	97	17	14	165
197426	1077734	0.053	<1	3.20	18	407	<2	49	<0.01	<4	6	21	11	1.16	<0.01	4	0.60	247	<1	37	266	29	1.21	14	38	<10	111	984	<2	28	20	4	231
197427	1077735	0.062	<1	2.91	14	432	<2	40	0.39	<4	4	13	6	1.09	0.11	5	0.67	339	<1	27	292	54	1.20	13	45	<10	141	997	6	22	19	4	174
197428	1077736	0.042	<1	3.50	8	371	<2	35	0.17	<4	5	20	10	0.96	0.09	<1	0.66	271	<1	29	260	41	0.94	15	40	<10	121	958	<2	25	19	5	126
197429	1077737	0.135	<1	0.92	5	317	2	40	0.80	<4	18	94	136	2.56	<0.01	21	0.85	885	6	60	430	44	1.76	12	38	<10	165	1755	2	74	19	5	246
197430	1077738	0.019	<1	3.40	8	308	<2	35	0.89	<4	4	11	20	1.10	0.02	1	0.94	444	<1	28	247	20	0.63	16	49	<10	142	950	<2	22	18	5	100
197431	1077739	0.030	<1	2.68	12	281	<2	30	0.11	<4	4	11	35	0.73	<0.01	<1	0.42	150	<1	27	230	28	0.81	15	39	<10	136	934	<2	20	21	4	143
197432	1077740	<0.005	<1	2.04	8	388	<2	44	1.20	<4	11	39	52	3.40	<0.01	<1	1.02	582	<1	37	565	7	0.18	17	36	<10	251	2113	2	89	20	16	84
197433	1077741	0.073	<1	3.24	13	334	<2	50	0.35	<4	5	22	105	1.09	<0.01	2	0.61	270	<1	43	281	36	1.00	15	47	<10	149	1054	2	31	22	5	235
197434	1077742	0.113	<1	4.33	12	280	<2	44	1.05	<4	14	81	41	2.62	0.16	14	1.40	515	<1	62	464	69	1.22	13	47	<10	135	1766	5	62	19	11	273
197435D	1077742	0.109	<1	4.07	16	284	<2	23	1.03	<4	14	80	39	2.63	0.12	14	1.39	515	<1	61	453	66	1.21	17	48	<10	131	1786	<2	61	22	10	272
197436	1077743	0.227	<1	2.82	22	326	<2	42	<0.01	<4	5	17	62	0.85	0.13	<1	0.45	118	<1	30	263	56	1.07	16	41	<10	87	1014	<2	26	21	5	323
197437	1077744	0.054	<1	3.14	14	407	<2	44	0.96	<4	5	12	8	0.98	0.22	10	0.82	658	<1	31	258	25	0.66	17	52	<10	149	1205	<2	25	18	4	79
197438	1077745	0.010	<1	2.89	16	401	<2	57	1.02	<4	4	11	4	1.10	0.04	7	0.75	832	<1	28	276	22	0.83	17	49	<10	175	1283	3	25	19	4	76
197439	1077746	0.012	<1	3.24	16	424	<2	48	1.07	<4	5	14	5	1.16	<0.01	9	0.78	881	<1	33	275	16	0.82	17	55	<10	176	1326	4	27	19	4	75
197440	1077747	0.147	<1	1.66	15	472	<2	33	0.85	<4	20	130	53	3.03	0.08	15	1.01	812	<1	80	465	95	2.59	15	37	<10	157	1961	3	92	19	8	146
197441	1077748	0.262	2	2.02	49	505	<2	35	0.85	5	12	44	174	2.69	0.11	4	0.76	428	<1	49	389	1083	4.00	14	46	<10	183	1703	3	50	29	7	1246
197442	1077749	0.015	<1	3.05	18	915	<2	36	0.77	<4	12	35	16	1.42	0.02	8	0.68	328	<1	46	440	38	1.22	17	43	<10	219	2067	4	52	23	7	363
197443	1077750	0.255	98	1.99	223	391	<2	47	0.87	25	14	50	6341	5.40	0.10	<1	1.05	1665	15	36	421	10843	4.05	310	25	<10	218	1976	<2	81	56	13	5411
197444	1077751	0.015	<1	1.30	2	628	<2	39	1.56	<4	9	30	87	1.93	0.04	4	0.68	457	<1	40	394	105	0.81	15	40	<10	265	1906	2	48	19	5	238

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197445	1077752	0.019	1	3.32	11	573	<2	40	1.48	<4	9	27	16	1.88	0.16	<1	0.88	466	<1	34	415	15	1.10	15	42	<10	250	1783	2	43	18	7	116
197446D	1077752	0.021	<1	1.75	11	581	<2	40	1.43	<4	9	26	15	1.79	0.30	2	0.74	448	<1	36	379	17	1.04	17	40	<10	250	1715	<2	44	20	5	117
197447	1077753	0.646	<1	2.81	9	621	<2	39	1.02	<4	20	91	57	2.84	0.23	11	0.92	639	<1	70	479	39	1.75	18	46	<10	213	2465	<2	81	19	9	144
197448	1077754	0.101	<1	3.17	21	317	<2	41	0.97	<4	10	13	8	0.73	0.23	<1	0.50	390	<1	34	611	21	0.62	17	44	<10	161	1720	<2	36	21	6	50
197449	1077755	0.104	<1	3.00	26	431	<2	29	1.03	<4	8	17	45	1.08	0.18	6	0.76	474	<1	32	498	104	1.14	18	34	<10	154	1836	4	41	20	5	168
197450	1077756	0.296	1	2.79	24	460	<2	50	1.46	<4	9	22	28	1.85	0.11	6	0.79	568	<1	34	424	134	2.10	17	38	<10	176	1858	2	43	23	6	352
197451	1077757	0.208	<1	3.30	58	429	<2	27	1.51	<4	16	73	27	2.55	0.13	7	0.98	665	<1	67	555	91	3.12	15	41	<10	163	2151	2	64	24	9	372
197452	1077758	0.113	<1	4.03	20	392	<2	47	1.69	<4	17	102	51	3.07	0.18	9	1.35	1103	<1	71	489	79	1.85	11	46	<10	170	2279	4	68	22	13	270
197453	1077759	0.568	3	2.50	20	397	<2	33	0.87	15	11	30	85	1.84	0.12	<1	0.86	599	<1	41	266	2300	2.56	20	41	<10	168	1252	2	35	54	6	4016
197454	1077760	0.007	<1	1.35	3	411	<2	40	1.17	<4	12	38	49	3.22	0.09	<1	0.77	565	<1	36	525	19	0.22	16	33	<10	263	2208	<2	87	17	11	100
197455	1077761	0.018	<1	3.51	12	406	<2	58	0.29	<4	22	13	5	0.92	<0.01	4	1.00	477	<1	41	522	71	0.46	15	53	<10	154	1538	9	38	23	6	97
197456	1077762	0.303	2	1.71	41	293	<2	28	<0.01	18	19	14	21	1.98	<0.01	<1	0.48	237	<1	44	375	3798	4.10	25	36	<10	116	1063	<2	31	74	4	7919
197457D	1077762	0.302	4	1.91	38	286	<2	39	<0.01	19	18	16	22	1.94	0.22	<1	0.51	231	<1	50	383	3909	4.02	27	36	<10	105	983	<2	30	75	5	7857
197458	1077763	1.039	1	1.97	39	216	<2	36	0.18	13	16	14	22	1.90	0.04	1	0.84	425	<1	40	418	3467	3.63	25	32	<10	121	1027	<2	29	55	4	4556
197459	1077764	0.685	<1	2.10	22	225	<2	38	<0.01	6	11	16	11	0.79	0.15	<1	0.42	101	<1	41	458	1148	1.24	20	42	<10	97	1084	<2	32	33	4	1907
197460	1077765	0.453	5	2.21	22	232	<2	30	<0.01	13	11	21	27	0.99	0.02	<1	0.46	155	<1	47	411	4573	1.94	27	39	<10	106	1104	<2	35	57	4	4550
197461	1077766	0.359	2	2.48	20	227	<2	40	<0.01	18	11	15	20	1.02	<0.01	<1	0.47	169	<1	33	376	2927	2.21	21	41	<10	107	1046	<2	26	74	5	9021
197462	1077767	0.229	2	1.61	29	254	<2	26	0.04	6	23	14	8	1.13	<0.01	2	0.63	333	<1	49	451	1669	1.87	18	33	<10	113	1286	<2	29	35	3	1935
197463	1077768	0.239	<1	1.15	31	210	<2	32	0.03	7	22	15	6	0.96	0.11	2	0.58	368	<1	50	417	1463	1.59	16	40	<10	120	1079	<2	27	38	4	2582
197464	1077769	0.563	<1	4.16	36	188	<2	36	0.64	<4	23	13	2	1.34	0.26	9	1.74	987	<1	47	517	110	1.17	21	41	<10	150	1191	<2	30	21	6	227

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197465	1077770	4.804	<1	1.57	369	1098	<2	41	1.89	<4	13	104	75	3.07	0.16	3	0.98	440	5	55	733	29	1.57	43	36	<10	206	1769	2	118	26	12	239
197466	1077771	0.939	<1	2.67	45	202	<2	46	0.42	<4	26	14	4	1.27	0.16	8	1.50	916	<1	48	458	206	1.06	17	36	<10	138	1092	<2	31	22	5	460
197467	1077772	0.232	<1	0.62	28	238	<2	25	0.15	<4	30	16	8	0.78	0.24	4	0.60	396	<1	46	424	277	0.70	18	43	<10	137	1017	<2	32	26	3	964
197468D	1077772	0.239	<1	1.06	30	233	<2	35	0.16	<4	30	17	8	0.77	<0.01	3	0.63	384	<1	48	412	271	0.64	17	32	<10	137	985	<2	32	26	3	961
197469	1077773	0.030	<1	1.33	14	191	<2	43	0.35	<4	7	18	8	1.36	0.17	4	0.87	612	<1	28	378	108	1.10	17	40	<10	131	1097	<2	30	21	3	292
197470	1077774	0.289	<1	1.30	16	236	<2	36	0.53	<4	6	23	16	1.48	0.06	7	0.92	612	<1	34	394	349	1.39	22	39	<10	147	1132	2	32	21	4	522
197471	1077775	0.113	1	2.35	62	157	<2	39	0.55	9	7	21	67	1.76	0.04	10	1.43	936	<1	27	372	1716	2.19	17	45	<10	142	1088	2	30	44	5	2940
197472	1077776	0.143	<1	1.85	25	227	<2	29	0.57	<4	6	26	20	1.46	0.10	7	1.11	693	<1	36	371	1236	1.91	21	46	<10	152	1205	2	31	27	4	1025
197473	1077777	0.189	<1	2.43	24	414	<2	36	0.08	<4	6	26	10	1.16	0.11	11	0.55	264	<1	38	375	182	1.77	14	33	<10	111	1604	<2	32	21	5	220
197474	1077778	0.267	<1	1.89	21	557	<2	40	1.44	<4	7	21	32	1.73	<0.01	10	1.00	881	<1	31	398	232	2.15	16	31	<10	182	1604	2	32	21	5	431
197475	1077779	0.342	<1	1.35	47	779	<2	34	<0.01	<4	5	35	9	1.77	0.09	8	0.38	109	<1	59	328	545	3.14	18	21	<10	88	1628	<2	33	25	4	785
197476	1077780	0.008	1	1.47	3	405	<2	39	1.13	<4	11	36	46	3.10	0.04	<1	0.78	546	<1	36	508	11	0.22	9	44	<10	258	2160	<2	85	18	11	84
197477	1077781	3.076	31	0.49	44	375	<2	31	<0.01	20	9	25	306	1.74	<0.01	8	0.34	198	<1	31	285	3234	3.81	34	44	<10	106	1304	<2	32	76	4	9239
197478	1077782	0.120	<1	0.73	51	588	<2	36	0.75	<4	6	19	14	0.96	<0.01	12	0.48	960	<1	30	329	76	0.48	16	43	<10	122	1767	3	29	20	3	156
197479D	1077782	0.135	<1	0.86	23	400	<2	31	0.43	<4	7	33	46	1.49	0.03	11	0.96	1023	<1	36	416	97	0.94	12	38	<10	145	1451	<2	39	19	3	181
197480	1077783	0.127	<1	3.07	28	298	<2	39	0.29	<4	8	26	22	1.93	0.12	8	1.63	874	<1	37	381	832	1.21	20	38	<10	143	1191	5	33	25	5	793
197481	1077784	0.028	<1	1.25	16	349	<2	39	0.10	<4	6	17	61	1.42	<0.01	12	1.16	1003	<1	28	326	355	0.88	15	32	<10	135	817	<2	27	30	3	803
197482	1077785	0.120	<1	2.30	19	336	<2	48	0.23	<4	7	16	56	1.52	<0.01	14	1.45	965	<1	29	378	632	0.92	20	43	<10	139	911	<2	30	24	4	906
197483	1077786	0.128	<1	4.21	21	294	<2	32	0.25	<4	7	17	77	1.67	0.11	12	1.98	1031	<1	32	387	857	0.98	17	39	<10	142	899	4	29	25	6	857
197484	1077787	0.210	<1	5.51	25	258	<2	58	0.30	<4	6	17	4	1.91	0.21	23	2.64	1456	<1	27	403	166	0.71	17	46	<10	145	996	7	32	23	8	175

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197485	1077788	1.048	<1	5.52	25	323	<2	63	0.59	5	8	39	13	2.44	0.24	27	2.91	1442	<1	34	394	1012	1.28	20	37	<10	172	1184	8	37	31	9	1368
197486	1077789	0.125	2	2.67	16	548	<2	52	0.81	7	7	28	6	1.94	0.05	11	1.35	1017	3	36	316	1374	1.47	18	36	<10	156	1391	<2	31	35	5	2101
197487	1077790	1.534	2	0.65	31	1053	<2	47	1.80	4	17	59	7758	4.55	<0.01	4	0.67	523	734	25	743	53	2.45	26	30	<10	252	984	<2	101	23	7	146
197488	1077791	0.093	1	1.73	10	803	2	43	1.64	4	7	23	112	1.70	0.06	7	0.86	793	11	28	367	270	1.05	17	39	<10	206	1378	7	34	83	4	1048
197489	1077792	0.638	<1	1.00	14	431	<2	38	0.98	4	7	19	25	1.90	<0.01	8	1.08	1292	1	30	367	442	1.15	18	35	<10	162	1413	4	33	31	4	1169
197490R	1077792	0.490	<1	0.67	14	448	<2	47	0.95	4	6	18	18	1.88	<0.01	8	1.14	1281	<1	30	366	391	1.20	19	27	<10	159	1404	4	33	27	4	1066
197491	1077793	0.322	<1	0.44	20	403	2	44	0.79	5	9	20	92	2.31	0.10	10	0.76	1099	<1	30	349	759	1.76	13	35	<10	163	1568	4	41	32	4	1401
197492	1077794	0.096	<1	0.65	15	515	<2	49	0.33	20	14	80	126	2.48	<0.01	14	0.37	421	1	71	442	323	1.81	13	12	<10	116	1990	<2	64	61	6	4794
197493	1077795	0.503	<1	1.65	36	420	2	41	1.18	5	26	145	99	4.10	<0.01	17	0.75	1111	<1	89	509	564	2.96	18	23	<10	165	2936	<2	104	29	8	968
197494	1077796	0.160	<1	1.13	34	364	2	41	0.85	<4	15	45	41	2.04	0.03	8	0.58	654	<1	46	435	97	1.56	17	31	<10	139	2030	<2	48	19	5	217
197495	1077797	0.074	<1	1.27	9	324	<2	34	1.27	<4	7	21	28	1.45	0.08	8	0.71	867	<1	38	473	59	0.60	20	39	<10	155	1885	<2	35	20	4	117
197496	1077798	0.107	<1	1.01	13	364	<2	36	0.99	<4	7	21	46	1.29	0.05	9	0.63	702	<1	32	448	91	0.60	17	38	<10	144	1931	<2	39	21	4	222
197497	1077799	0.114	<1	0.66	22	427	2	40	0.45	<4	6	14	27	1.23	<0.01	9	0.46	509	<1	28	440	286	1.01	19	43	<10	139	1899	4	36	20	3	181
197498	1077800	<0.005	<1	2.10	5	444	<2	45	1.29	<4	12	39	51	3.37	0.10	<1	0.87	596	<1	39	550	13	0.13	21	38	10	281	2336	2	91	18	12	89
197499	1077801	0.093	<1	1.15	14	385	<2	44	0.93	<4	6	19	42	1.26	<0.01	13	0.66	673	<1	32	486	142	0.91	16	40	<10	166	1941	<2	36	22	4	322
197500	1077802	0.078	1	1.27	14	438	<2	43	1.20	<4	7	15	42	1.35	0.23	10	0.65	724	<1	32	463	72	0.76	14	37	<10	184	1892	4	38	20	4	145
197501D	1077802	0.097	<1	2.95	15	435	<2	35	1.34	<4	8	15	44	1.45	0.18	9	0.84	768	<1	34	492	71	0.90	15	47	<10	185	1845	4	38	19	5	148
197502	1077803	0.098	<1	2.58	9	280	<2	40	1.12	<4	8	18	52	1.98	0.16	10	1.01	968	<1	37	464	59	1.20	13	42	<10	170	1645	2	36	20	5	147
197503	1077804	0.246	<1	1.68	11	331	<2	41	0.94	<4	6	16	28	1.52	<0.01	16	0.80	902	<1	29	440	55	0.80	14	36	<10	172	1697	<2	36	20	4	263
197504	1077805	0.948	<1	1.28	5	549	<2	46	0.77	4	6	24	183	1.61	<0.01	9	0.63	528	<1	36	450	529	1.15	15	39	<10	249	1391	4	34	30	4	1291

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197505	1077806	0.372	2	1.05	6	539	2	50	0.76	6	6	22	170	1.78	<0.01	9	0.62	561	<1	39	435	763	1.34	19	41	<10	242	1400	<2	35	35	4	2064
197506	1077807	<0.005	<1	2.48	<2	524	<2	48	1.27	<4	6	22	13	1.36	0.02	21	1.18	578	<1	42	329	47	0.36	21	46	<10	138	1786	2	30	20	4	186
197507	1077808	0.005	<1	1.57	5	632	<2	41	0.71	<4	7	28	24	1.15	0.07	20	0.76	443	<1	48	363	61	0.34	13	36	<10	118	1889	<2	35	25	4	127
197508	1077809	0.208	<1	0.83	23	541	<2	48	0.45	5	9	19	73	1.95	<0.01	12	0.47	252	<1	36	488	318	1.40	17	27	<10	112	1950	<2	36	30	4	1323
197509	1077810	0.275	109	0.24	212	363	<2	62	0.78	24	14	46	6453	5.10	0.06	3	0.75	1566	15	33	390	10254	2.25	304	27	<10	214	1952	<2	80	52	7	5347
197510	1077811	0.896	7	0.24	26	587	<2	34	0.10	10	9	29	132	1.58	0.14	13	0.30	186	<1	55	520	528	1.38	31	40	<10	102	1720	<2	36	49	4	3271
197511	1077812	0.266	<1	1.20	20	554	<2	44	0.79	<4	8	25	22	1.30	0.14	18	0.64	295	<1	41	362	50	0.57	15	42	<10	122	1974	<2	39	20	4	197
197512D	1077812	0.266	<1	1.71	19	515	<2	29	0.84	<4	8	32	22	1.31	0.20	15	0.76	294	<1	43	357	48	0.57	19	48	<10	117	1866	5	38	20	4	184
197513	1077813	0.011	<1	1.50	5	658	<2	57	1.06	<4	8	28	9	1.37	0.08	18	0.71	360	2	43	389	37	0.50	17	35	<10	148	2034	4	40	20	4	100
197514	1077814	0.048	<1	1.98	18	603	<2	49	0.94	<4	11	23	15	1.30	<0.01	16	0.64	353	<1	35	487	38	0.61	17	42	<10	147	2094	<2	39	21	4	109
197515	1077815	0.073	<1	1.99	12	709	<2	47	0.63	<4	7	21	45	1.09	<0.01	19	0.57	235	<1	37	438	36	0.49	15	42	<10	123	1944	<2	36	21	4	193
197516	1077816	0.013	<1	0.90	9	574	<2	35	0.96	<4	6	26	15	1.17	0.02	14	0.72	352	2	41	348	57	0.29	18	35	<10	133	1823	<2	33	17	3	153
197517	1077817	0.009	<1	<0.01	2	<1	<2	<1	<0.01	<4	1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	5	<100	<1	<0.01	9	17	<10	3	<100	<2	<2	11	<2	19
197518	1077818	0.251	<1	0.78	116	404	<2	32	1.37	<4	11	83	27	1.41	<0.01	12	0.73	423	1	63	542	48	0.43	19	41	<10	138	1712	<2	34	23	4	131
197519	1077819	0.016	<1	0.81	18	570	<2	36	0.75	<4	7	23	16	1.13	0.02	18	0.57	314	<1	35	325	16	0.28	19	27	<10	102	1871	<2	31	23	3	92
197520	1077820	<0.005	<1	0.81	2	455	<2	37	1.12	<4	12	38	48	3.10	<0.01	7	0.61	555	<1	35	520	14	0.12	16	42	10	267	2394	<2	88	19	8	86
197521	1077821	0.011	<1	0.59	57	537	<2	51	1.18	<4	8	21	21	1.45	0.03	20	0.59	426	<1	34	391	32	0.41	15	29	<10	127	2073	<2	35	22	3	108
197522	1077822	<0.005	<1	0.93	148	672	2	37	1.24	<4	8	22	8	1.31	<0.01	16	0.71	395	<1	32	350	40	0.22	18	45	<10	130	2030	<2	33	23	3	95
197523D	1077822	<0.005	1	0.29	141	634	2	31	1.09	<4	7	19	8	1.24	<0.01	13	0.67	379	<1	30	343	40	0.21	13	43	<10	123	1962	<2	31	23	3	95
197524	1077823	0.029	<1	0.72	9	510	<2	39	0.53	<4	5	26	11	0.94	0.06	13	0.48	279	<1	41	305	34	0.32	13	41	<10	110	1579	<2	28	23	3	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197525	1077824	0.895	<1	<0.01	5	566	<2	32	0.37	<4	7	22	36	1.03	<0.01	9	0.36	210	<1	34	256	134	0.42	13	38	<10	97	1627	<2	28	28	3	501
197526	1077825	<0.005	<1	1.47	3	563	3	43	1.27	<4	6	21	11	1.31	<0.01	23	0.84	350	<1	33	332	43	0.19	15	35	<10	129	1895	6	31	22	4	122
197527	1077826	<0.005	<1	2.35	3	547	3	50	1.27	<4	7	25	12	1.28	<0.01	23	0.89	338	3	43	324	53	0.19	16	37	<10	131	1794	<2	31	22	4	109
197528	1077827	<0.005	<1	1.62	5	550	2	48	1.16	<4	7	19	4	1.24	<0.01	16	0.87	286	2	32	334	39	0.23	16	42	<10	132	1909	6	34	21	4	96
197529	1077828	0.458	<1	0.66	16	518	<2	49	0.17	<4	6	18	7	0.94	<0.01	11	0.36	117	<1	33	277	28	0.61	11	34	<10	104	1727	<2	32	21	3	73
197530	1077829	0.204	<1	0.98	19	555	<2	38	<0.01	<4	7	18	12	0.92	<0.01	14	0.35	101	<1	30	350	38	0.61	16	34	<10	96	1844	<2	34	21	3	100
197531	1077830	4.974	<1	<0.01	373	1117	<2	45	1.74	<4	15	109	79	3.14	<0.01	10	0.65	457	12	55	730	26	0.96	50	32	<10	216	2035	<2	124	26	7	239
197532	1077831	0.471	<1	0.23	30	433	<2	30	0.21	<4	9	19	21	1.25	<0.01	14	0.39	191	<1	33	316	40	0.91	14	32	<10	102	1721	<2	33	19	3	104
197533	1077832	0.345	<1	<0.01	18	407	<2	38	0.25	<4	8	17	12	0.98	<0.01	14	0.36	187	<1	31	252	29	0.61	14	32	<10	99	1635	<2	31	21	3	76
197534D	1077832	0.348	<1	0.73	20	394	<2	33	0.27	<4	6	19	11	0.98	<0.01	13	0.44	188	<1	32	252	27	0.57	16	38	<10	96	1619	<2	31	19	3	77
197535	1077833	0.063	<1	0.34	12	377	<2	28	0.83	<4	7	21	29	1.27	<0.01	12	0.62	427	<1	31	311	33	0.65	18	39	<10	122	1698	<2	33	19	3	111
197536	1077834	0.215	<1	0.95	15	416	<2	31	0.61	<4	6	19	42	1.18	<0.01	20	0.57	273	<1	34	327	17	0.66	17	33	<10	100	1797	3	34	19	3	69
197537	1077835	0.101	<1	0.20	19	427	<2	53	0.67	<4	7	17	8	1.17	<0.01	18	0.57	345	<1	28	320	16	0.46	11	38	<10	106	1758	4	32	19	3	104
197538	1077836	0.153	<1	0.13	19	492	<2	43	<0.01	<4	6	19	14	0.91	<0.01	14	0.31	104	<1	28	275	28	0.76	18	40	<10	94	1553	<2	32	20	3	53
197539	1077837	0.178	<1	<0.01	17	494	<2	39	<0.01	<4	7	19	14	0.85	<0.01	10	0.27	<100	<1	30	242	32	0.66	13	31	<10	95	1514	<2	32	20	3	52
197540	1077838	0.266	<1	0.84	28	575	<2	40	0.11	<4	8	24	68	1.18	<0.01	15	0.35	127	3	35	314	51	0.87	17	33	<10	120	1826	<2	42	21	3	185
197541	1077839	0.011	<1	0.35	5	509	<2	32	1.20	<4	8	17	3	1.48	<0.01	16	0.65	296	<1	25	425	21	0.26	12	38	<10	175	1972	3	40	20	4	112
197542	1077840	<0.005	<1	1.85	5	477	<2	60	1.30	<4	12	40	49	3.32	<0.01	7	0.69	585	<1	37	549	10	0.16	11	37	<10	286	2481	<2	92	20	9	86
197543	1077841	<0.005	<1	0.69	2	620	<2	17	1.81	<4	8	25	6	1.70	<0.01	17	0.62	313	<1	34	487	19	0.19	19	37	<10	283	2275	<2	49	18	4	81
197544	1077842	0.007	<1	0.78	2	468	<2	26	1.34	<4	9	23	7	1.78	<0.01	13	0.56	304	<1	33	477	15	0.32	14	31	<10	258	2098	2	46	19	4	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197545D	1077842	0.006	<1	0.31	2	462	<2	35	1.24	<4	9	24	7	1.73	<0.01	13	0.53	298	<1	32	464	19	0.28	17	37	<10	250	2073	<2	45	17	4	81
197546	1077843	<0.005	<1	0.08	<2	432	<2	40	1.44	<4	8	23	5	1.75	<0.01	16	0.52	299	<1	31	482	15	0.29	18	32	<10	255	2239	3	47	20	4	64
197547	1077844	0.006	<1	0.12	<2	467	<2	30	1.09	<4	10	31	7	1.56	<0.01	13	0.50	254	<1	38	428	16	0.45	14	30	<10	219	2014	2	44	18	4	71
197548	1077845	<0.005	<1	1.00	2	528	<2	30	1.37	<4	8	23	9	1.64	<0.01	14	0.53	276	<1	33	455	13	0.41	19	38	<10	228	2028	<2	46	19	4	88
197549	1077846	0.007	<1	0.35	<2	549	<2	31	1.35	<4	8	22	10	1.66	<0.01	13	0.51	274	<1	35	480	12	0.46	18	37	<10	219	2061	<2	47	19	4	86
197550	1077847	<0.005	<1	1.46	3	462	<2	26	1.61	<4	9	21	13	1.80	<0.01	15	0.68	289	<1	34	473	9	0.52	16	34	<10	227	1966	<2	46	18	4	77
197551	1077848	0.008	<1	2.02	4	479	<2	35	1.67	<4	10	22	7	1.72	<0.01	25	0.81	346	<1	33	480	13	0.44	13	31	<10	239	2134	<2	46	19	5	94
197552	1077849	<0.005	<1	0.90	2	463	2	49	1.46	<4	9	21	14	1.63	<0.01	18	0.62	324	2	32	486	15	0.49	16	32	<10	235	1967	3	44	18	4	76
197553	1077850	1.450	<1	0.22	30	962	<2	49	1.73	4	17	59	7450	4.51	<0.01	7	0.55	506	718	23	726	42	2.54	27	37	<10	251	1049	<2	101	23	6	123
197554	1077851	0.011	<1	0.45	5	615	2	35	0.17	<4	10	21	49	1.28	<0.01	19	0.36	146	4	32	529	14	0.56	18	39	<10	134	1779	<2	48	19	3	59
197555	1077852	0.039	<1	0.27	18	498	<2	34	0.31	<4	10	18	4	1.38	<0.01	18	0.44	187	<1	28	480	14	0.79	18	36	<10	128	1582	<2	44	21	3	75
197556R	1077852	0.045	<1	0.60	16	522	<2	32	0.45	<4	10	22	4	1.45	<0.01	19	0.45	202	<1	31	509	14	0.73	21	40	<10	145	1713	<2	46	21	3	73
197557	1077853	0.013	<1	0.05	7	469	<2	45	0.16	<4	7	20	5	1.06	<0.01	19	0.33	161	<1	31	496	12	0.55	14	31	<10	121	1786	<2	45	20	3	62
197558	1077854	0.023	<1	0.35	20	297	2	32	0.67	13	8	20	45	1.37	<0.01	13	0.54	331	4	30	517	29	0.97	15	40	<10	127	1935	<2	45	41	3	2775
197559	1077855	0.034	<1	1.34	26	310	2	52	0.97	<4	12	22	32	1.79	<0.01	18	0.64	476	4	35	595	28	1.12	16	41	<10	123	2179	6	49	20	4	141
197560	1077856	0.053	<1	0.59	17	339	2	36	0.28	<4	10	20	12	1.22	<0.01	15	0.40	228	<1	34	624	16	0.77	18	34	<10	116	2294	<2	47	23	3	77
197561	1077857	0.013	<1	1.27	4	425	2	24	1.61	<4	9	23	26	1.59	<0.01	21	0.80	479	<1	33	506	43	0.58	17	39	<10	202	2142	<2	47	20	4	87
197562	1077858	0.607	<1	0.28	23	363	<2	78	0.68	<4	9	24	18	1.55	0.24	18	0.69	459	<1	31	495	76	0.85	16	40	<10	141	2247	3	45	22	4	147
197563	1077859	0.046	<1	1.57	7	373	2	49	1.45	<4	9	22	9	1.62	<0.01	22	0.77	431	1	29	494	30	0.68	21	40	<10	193	2271	3	43	23	4	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197425	1077733	77	0.002	0.077
197426	1077734	53	0.002	0.053
197427	1077735	62	0.002	0.062
197428	1077736	42	0.001	0.042
197429	1077737	135	0.004	0.135
197430	1077738	19	<0.001	0.019
197431	1077739	30	<0.001	0.030
197432	1077740	<5	<0.001	<0.005
197433	1077741	73	0.002	0.073
197434	1077742	113	0.003	0.113
197435 Dup	1077742	109	0.003	0.109
197436	1077743	227	0.007	0.227
197437	1077744	54	0.002	0.054
197438	1077745	10	<0.001	0.010
197439	1077746	12	<0.001	0.012
197440	1077747	147	0.004	0.147
197441	1077748	262	0.008	0.262
197442	1077749	15	<0.001	0.015
197443	1077750	255	0.007	0.255
197444	1077751	15	<0.001	0.015
197445	1077752	19	<0.001	0.019
197446 Dup	1077752	21	<0.001	0.021
197447	1077753	646	0.019	0.646
197448	1077754	101	0.003	0.101
197449	1077755	104	0.003	0.104
197450	1077756	296	0.009	0.296
197451	1077757	208	0.006	0.208
197452	1077758	113	0.003	0.113
197453	1077759	568	0.017	0.568
197454	1077760	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197455	1077761	18	<0.001	0.018
197456	1077762	303	0.009	0.303
197457 Dup	1077762	302	0.009	0.302
197458	1077763	1039	0.030	1.039
197459	1077764	685	0.020	0.685
197460	1077765	453	0.013	0.453
197461	1077766	359	0.010	0.359
197462	1077767	229	0.007	0.229
197463	1077768	239	0.007	0.239
197464	1077769	563	0.016	0.563
197465	1077770	4804	0.140	4.804
197466	1077771	939	0.027	0.939
197467	1077772	232	0.007	0.232
197468 Dup	1077772	239	0.007	0.239
197469	1077773	30	<0.001	0.030
197470	1077774	289	0.008	0.289
197471	1077775	113	0.003	0.113
197472	1077776	143	0.004	0.143
197473	1077777	189	0.006	0.189
197474	1077778	267	0.008	0.267
197475	1077779	342	0.010	0.342
197476	1077780	8	<0.001	0.008
197477	1077781	3076	0.090	3.076
197478	1077782	120	0.003	0.120
197479 Dup	1077782	135	0.004	0.135
197480	1077783	127	0.004	0.127
197481	1077784	28	<0.001	0.028
197482	1077785	120	0.004	0.120
197483	1077786	128	0.004	0.128
197484	1077787	210	0.006	0.210

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197485	1077788	1048	0.031	1.048
197486	1077789	125	0.004	0.125
197487	1077790	1534	0.045	1.534
197488	1077791	93	0.003	0.093
197489	1077792	638	0.019	0.638
197490 Rep	1077792	490	0.014	0.490
197491	1077793	322	0.009	0.322
197492	1077794	96	0.003	0.096
197493	1077795	503	0.015	0.503
197494	1077796	160	0.005	0.160
197495	1077797	74	0.002	0.074
197496	1077798	107	0.003	0.107
197497	1077799	114	0.003	0.114
197498	1077800	<5	<0.001	<0.005
197499	1077801	93	0.003	0.093
197500	1077802	78	0.002	0.078
197501 Dup	1077802	97	0.003	0.097
197502	1077803	98	0.003	0.098
197503	1077804	246	0.007	0.246
197504	1077805	948	0.028	0.948
197505	1077806	372	0.011	0.372
197506	1077807	<5	<0.001	<0.005
197507	1077808	5	<0.001	0.005
197508	1077809	208	0.006	0.208
197509	1077810	275	0.008	0.275
197510	1077811	896	0.026	0.896
197511	1077812	266	0.008	0.266
197512 Dup	1077812	266	0.008	0.266
197513	1077813	11	<0.001	0.011
197514	1077814	48	0.001	0.048

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, August 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197515	1077815	73	0.002	0.073
197516	1077816	13	<0.001	0.013
197517	1077817	9	<0.001	0.009
197518	1077818	251	0.007	0.251
197519	1077819	16	<0.001	0.016
197520	1077820	<5	<0.001	<0.005
197521	1077821	11	<0.001	0.011
197522	1077822	<5	<0.001	<0.005
197523 Dup	1077822	<5	<0.001	<0.005
197524	1077823	29	<0.001	0.029
197525	1077824	895	0.026	0.895
197526	1077825	<5	<0.001	<0.005
197527	1077826	<5	<0.001	<0.005
197528	1077827	<5	<0.001	<0.005
197529	1077828	458	0.013	0.458
197530	1077829	204	0.006	0.204
197531	1077830	4974	0.145	4.974
197532	1077831	471	0.014	0.471
197533	1077832	345	0.010	0.345
197534 Dup	1077832	348	0.010	0.348
197535	1077833	63	0.002	0.063
197536	1077834	215	0.006	0.215
197537	1077835	101	0.003	0.101
197538	1077836	153	0.004	0.153
197539	1077837	178	0.005	0.178
197540	1077838	266	0.008	0.266
197541	1077839	11	<0.001	0.011
197542	1077840	<5	<0.001	<0.005
197543	1077841	<5	<0.001	<0.005
197544	1077842	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, August 29, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197545 Dup	1077842	6	<0.001	0.006
197546	1077843	<5	<0.001	<0.005
197547	1077844	6	<0.001	0.006
197548	1077845	<5	<0.001	<0.005
197549	1077846	7	<0.001	0.007
197550	1077847	<5	<0.001	<0.005
197551	1077848	8	<0.001	0.008
197552	1077849	<5	<0.001	<0.005
197553	1077850	1450	0.042	1.450
197554	1077851	11	<0.001	0.011
197555	1077852	39	0.001	0.039
197556 Rep	1077852	45	0.001	0.045
197557	1077853	13	<0.001	0.013
197558	1077854	23	<0.001	0.023
197559	1077855	34	<0.001	0.034
197560	1077856	53	0.002	0.053
197561	1077857	13	<0.001	0.013
197562	1077858	607	0.018	0.607
197563	1077859	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197425	1077733	77	0.002	0.077
197426	1077734	53	0.002	0.053
197427	1077735	62	0.002	0.062
197428	1077736	42	0.001	0.042
197429	1077737	135	0.004	0.135
197430	1077738	19	<0.001	0.019
197431	1077739	30	<0.001	0.030
197432	1077740	<5	<0.001	<0.005
197433	1077741	73	0.002	0.073
197434	1077742	113	0.003	0.113
197435 Dup	1077742	109	0.003	0.109
197436	1077743	227	0.007	0.227
197437	1077744	54	0.002	0.054
197438	1077745	10	<0.001	0.010
197439	1077746	12	<0.001	0.012
197440	1077747	147	0.004	0.147
197441	1077748	262	0.008	0.262
197442	1077749	15	<0.001	0.015
197443	1077750	255	0.007	0.255
197444	1077751	15	<0.001	0.015
197445	1077752	19	<0.001	0.019
197446 Dup	1077752	21	<0.001	0.021
197447	1077753	646	0.019	0.646
197448	1077754	101	0.003	0.101
197449	1077755	104	0.003	0.104
197450	1077756	296	0.009	0.296
197451	1077757	208	0.006	0.208
197452	1077758	113	0.003	0.113
197453	1077759	568	0.017	0.568
197454	1077760	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197455	1077761	18	<0.001	0.018
197456	1077762	303	0.009	0.303
197457 Dup	1077762	302	0.009	0.302
197458	1077763	1039	0.030	1.039
197459	1077764	685	0.020	0.685
197460	1077765	453	0.013	0.453
197461	1077766	359	0.010	0.359
197462	1077767	229	0.007	0.229
197463	1077768	239	0.007	0.239
197464	1077769	563	0.016	0.563
197465	1077770	4804	0.140	4.804
197466	1077771	939	0.027	0.939
197467	1077772	232	0.007	0.232
197468 Dup	1077772	239	0.007	0.239
197469	1077773	30	<0.001	0.030
197470	1077774	289	0.008	0.289
197471	1077775	113	0.003	0.113
197472	1077776	143	0.004	0.143
197473	1077777	189	0.006	0.189
197474	1077778	267	0.008	0.267
197475	1077779	342	0.010	0.342
197476	1077780	8	<0.001	0.008
197477	1077781	3076	0.090	3.076
197478	1077782	120	0.003	0.120
197479 Dup	1077782	135	0.004	0.135
197480	1077783	127	0.004	0.127
197481	1077784	28	<0.001	0.028
197482	1077785	120	0.004	0.120
197483	1077786	128	0.004	0.128
197484	1077787	210	0.006	0.210

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197485	1077788	1048	0.031	1.048
197486	1077789	125	0.004	0.125
197487	1077790	1534	0.045	1.534
197488	1077791	93	0.003	0.093
197489	1077792	638	0.019	0.638
197490 Rep	1077792	490	0.014	0.490
197491	1077793	322	0.009	0.322
197492	1077794	96	0.003	0.096
197493	1077795	503	0.015	0.503
197494	1077796	160	0.005	0.160
197495	1077797	74	0.002	0.074
197496	1077798	107	0.003	0.107
197497	1077799	114	0.003	0.114
197498	1077800	<5	<0.001	<0.005
197499	1077801	93	0.003	0.093
197500	1077802	78	0.002	0.078
197501 Dup	1077802	97	0.003	0.097
197502	1077803	98	0.003	0.098
197503	1077804	246	0.007	0.246
197504	1077805	948	0.028	0.948
197505	1077806	372	0.011	0.372
197506	1077807	<5	<0.001	<0.005
197507	1077808	5	<0.001	0.005
197508	1077809	208	0.006	0.208
197509	1077810	275	0.008	0.275
197510	1077811	896	0.026	0.896
197511	1077812	266	0.008	0.266
197512 Dup	1077812	266	0.008	0.266
197513	1077813	11	<0.001	0.011
197514	1077814	48	0.001	0.048

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197515	1077815	73	0.002	0.073
197516	1077816	13	<0.001	0.013
197517	1077817	9	<0.001	0.009
197518	1077818	251	0.007	0.251
197519	1077819	16	<0.001	0.016
197520	1077820	<5	<0.001	<0.005
197521	1077821	11	<0.001	0.011
197522	1077822	<5	<0.001	<0.005
197523 Dup	1077822	<5	<0.001	<0.005
197524	1077823	29	<0.001	0.029
197525	1077824	895	0.026	0.895
197526	1077825	<5	<0.001	<0.005
197527	1077826	<5	<0.001	<0.005
197528	1077827	<5	<0.001	<0.005
197529	1077828	458	0.013	0.458
197530	1077829	204	0.006	0.204
197531	1077830	4974	0.145	4.974
197532	1077831	471	0.014	0.471
197533	1077832	345	0.010	0.345
197534 Dup	1077832	348	0.010	0.348
197535	1077833	63	0.002	0.063
197536	1077834	215	0.006	0.215
197537	1077835	101	0.003	0.101
197538	1077836	153	0.004	0.153
197539	1077837	178	0.005	0.178
197540	1077838	266	0.008	0.266
197541	1077839	11	<0.001	0.011
197542	1077840	<5	<0.001	<0.005
197543	1077841	<5	<0.001	<0.005
197544	1077842	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/29/2011  
 Job #: 201142959  
 Reference: TL11202  
 Sample #: 127

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197545 Dup	1077842	6	<0.001	0.006
197546	1077843	<5	<0.001	<0.005
197547	1077844	6	<0.001	0.006
197548	1077845	<5	<0.001	<0.005
197549	1077846	7	<0.001	0.007
197550	1077847	<5	<0.001	<0.005
197551	1077848	8	<0.001	0.008
197552	1077849	<5	<0.001	<0.005
197553	1077850	1450	0.042	1.450
197554	1077851	11	<0.001	0.011
197555	1077852	39	0.001	0.039
197556 Rep	1077852	45	0.001	0.045
197557	1077853	13	<0.001	0.013
197558	1077854	23	<0.001	0.023
197559	1077855	34	<0.001	0.034
197560	1077856	53	0.002	0.053
197561	1077857	13	<0.001	0.013
197562	1077858	607	0.018	0.607
197563	1077859	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H. Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/30/2011  
Date Completed: 09/02/2011  
Job #: 201143202  
Reference: TL11202  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
213115	1077781	0.085	2.914

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198754	1077860	0.009	1	2.27	6	433	<2	29	1.39	<4	11	38	46	3.13	<0.01	6	0.93	548	2	27	545	8	0.08	<5	13	<10	267	2194	3	88	11	12	61
198755	1077861	0.400	1	2.17	5	386	2	27	1.01	<4	16	97	37	2.60	0.10	11	1.04	597	2	56	440	34	0.92	6	5	<10	209	2105	<2	70	11	9	89
198756	1077862	0.020	1	2.64	10	366	<2	37	1.04	<4	6	16	11	1.71	0.02	4	0.58	374	<1	19	386	17	1.06	<5	7	<10	205	1572	<2	34	11	6	48
198757	1077863	0.014	1	2.41	17	385	<2	31	1.06	<4	6	12	6	1.49	0.02	<1	0.40	241	<1	17	404	20	1.29	<5	14	<10	193	1403	<2	30	11	5	49
198758	1077864	0.018	1	3.38	21	415	<2	31	1.25	<4	5	28	13	1.42	0.10	<1	0.33	200	2	31	303	39	1.47	6	10	<10	210	1189	<2	28	10	7	51
198759	1077865	0.014	2	3.54	7	287	<2	48	1.03	<4	5	15	19	1.43	<0.01	2	0.46	248	2	22	293	20	1.14	6	11	<10	183	1298	2	29	<10	6	49
198760	1077866	0.015	2	2.34	8	334	<2	18	1.03	<4	5	14	21	1.60	<0.01	<1	0.38	257	<1	19	319	21	1.39	5	8	<10	187	1221	<2	29	12	6	48
198761	1077867	0.018	1	0.92	7	336	<2	24	0.78	<4	6	12	21	0.81	<0.01	<1	0.26	180	<1	16	302	28	0.74	7	6	<10	173	1164	<2	27	14	5	81
198762	1077868	0.012	2	>10.00	14	648	<2	53	2.05	<4	6	17	12	0.76	<0.01	5	0.53	146	<1	25	451	33	0.55	5	18	<10	368	1571	<2	41	<10	13	51
198763	1077869	0.029	2	2.00	17	468	<2	27	0.94	<4	6	16	17	0.58	<0.01	2	0.28	167	<1	22	417	43	0.45	7	10	<10	228	1561	<2	37	12	4	143
198764D	1077869	0.024	2	4.47	16	495	<2	30	1.18	<4	7	16	17	0.60	<0.01	4	0.37	173	<1	25	434	48	0.42	6	13	<10	248	1589	<2	38	12	6	143
198765	1077870	0.258	101	3.96	215	406	<2	42	1.22	26	14	45	6203	5.30	<0.01	7	1.27	1608	19	28	507	9712	2.19	303	<5	<10	231	1972	<2	84	55	14	5157
198766	1077871	0.030	2	4.58	32	479	<2	35	1.03	<4	7	17	36	1.36	<0.01	5	0.40	221	<1	27	403	47	1.21	<5	10	<10	153	1696	<2	38	13	7	43
198767	1077872	0.041	2	4.21	25	526	<2	33	1.12	<4	7	19	12	1.62	<0.01	5	0.50	360	<1	26	398	51	1.30	8	11	<10	246	1476	<2	35	12	7	166
198768	1077873	0.016	1	4.16	5	691	<2	26	0.79	<4	6	15	13	1.59	0.07	8	0.46	229	<1	21	391	39	0.80	<5	13	<10	202	1673	<2	37	13	6	53
198769	1077874	0.008	1	5.46	2	624	2	49	2.17	<4	9	18	15	1.63	<0.01	14	0.86	480	2	23	442	53	0.46	<5	8	<10	316	1773	3	39	11	8	84
198770	1077875	0.017	1	3.56	3	437	2	30	0.81	<4	9	47	18	2.11	0.15	20	1.76	449	3	33	436	53	0.24	6	5	<10	133	1413	3	40	<10	9	81
198771	1077876	<0.005	<1	4.39	<2	588	<2	34	1.10	<4	8	17	7	0.65	0.04	5	0.95	228	<1	21	449	35	0.16	5	16	<10	191	1542	6	36	11	6	59
198772	1077877	<0.005	<1	4.02	4	491	<2	27	1.03	<4	8	10	2	0.47	0.23	4	0.90	197	<1	20	407	29	0.12	5	10	<10	178	1537	5	30	11	5	61
198773	1077878	0.093	3	3.12	28	517	<2	27	0.49	22	10	13	15	2.06	<0.01	10	0.83	236	1	26	322	225	2.20	7	15	<10	112	1346	<2	28	79	5	6598

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198774	1077879	0.045	2	4.27	20	461	<2	34	0.59	<4	6	12	5	0.91	0.11	12	0.99	244	2	23	321	81	0.69	7	16	<10	108	1480	<2	29	13	6	442
198775D	1077879	0.045	2	4.76	22	501	2	35	0.63	<4	6	13	6	0.92	<0.01	16	1.02	250	3	23	322	81	0.69	7	10	<10	113	1573	<2	31	13	6	423
198776	1077880	<0.005	<1	4.20	6	469	<2	39	1.59	<4	11	39	46	3.21	0.04	8	1.08	563	3	30	577	11	0.08	<5	8	<10	285	2279	2	91	<10	15	62
198777	1077881	0.072	2	5.55	13	402	<2	43	1.01	<4	6	12	7	0.53	<0.01	16	1.13	270	6	20	370	104	0.27	6	9	<10	124	1385	<2	27	14	8	255
198778	1077882	0.091	3	5.21	14	484	<2	39	0.62	<4	6	21	10	0.50	<0.01	14	0.81	166	4	33	315	88	0.23	8	15	<10	116	1622	<2	33	14	6	332
198779	1077883	0.049	3	4.63	11	419	<2	31	0.96	<4	8	20	10	0.58	0.20	8	1.02	219	2	38	294	81	0.31	5	13	<10	126	1519	2	35	16	7	498
198780	1077884	0.023	2	4.05	13	452	<2	31	0.50	<4	5	25	4	0.59	<0.01	5	0.79	181	4	42	340	98	0.33	7	12	<10	115	1491	<2	33	14	6	353
198781	1077885	0.032	2	3.99	23	516	<2	27	0.69	<4	6	25	8	0.77	<0.01	8	0.90	224	4	37	216	66	0.52	7	11	<10	138	1486	<2	33	15	6	155
198782	1077886	0.032	1	2.76	21	420	<2	26	0.54	<4	6	21	6	0.72	0.09	<1	0.82	204	4	33	199	63	0.51	<5	13	<10	124	1248	<2	27	13	6	189
198783	1077887	0.022	1	3.14	37	520	<2	23	0.63	<4	8	33	21	1.41	<0.01	6	0.76	243	2	43	239	129	1.21	6	6	<10	126	1416	2	38	14	7	398
198784	1077888	0.019	1	4.02	25	555	<2	42	0.49	<4	7	24	6	1.33	0.03	11	0.75	213	2	37	264	53	1.14	8	10	<10	157	1482	2	32	12	6	152
198785	1077889	0.009	1	4.34	18	445	<2	25	0.85	<4	6	22	6	0.92	0.02	12	0.89	244	1	37	282	42	0.66	6	10	<10	221	1454	2	32	11	5	59
198786D	1077889	0.011	<1	4.14	16	435	<2	42	0.82	<4	7	20	6	0.92	0.19	11	0.88	238	<1	35	267	39	0.65	6	9	<10	217	1416	2	31	10	5	57
198787	1077890	5.199	2	2.56	381	1126	<2	34	2.20	<4	12	102	75	3.16	<0.01	7	1.27	441	12	48	795	27	0.88	34	<5	<10	208	1613	<2	123	20	15	228
198788	1077891	0.008	1	3.61	14	494	<2	27	0.96	<4	6	19	6	0.81	0.15	5	0.77	223	<1	29	346	55	0.55	6	11	<10	257	1254	3	27	11	6	82
198789	1077892	0.007	<1	2.96	12	469	<2	23	1.09	<4	6	15	9	0.65	0.13	3	0.64	168	<1	29	387	21	0.44	5	12	<10	254	1209	4	26	11	5	31
198790	1077893	0.010	1	3.87	14	543	<2	33	0.98	<4	12	18	20	0.87	0.07	11	0.73	220	2	33	340	44	0.61	6	13	<10	240	1382	<2	30	10	6	35
198791	1077894	<0.005	<1	5.08	15	635	<2	42	0.91	<4	9	21	15	0.85	0.08	15	0.70	234	1	34	335	37	0.49	<5	14	<10	286	1691	4	37	10	6	42
198792	1077895	0.009	1	4.14	11	479	<2	32	0.84	<4	6	17	16	0.86	0.08	8	0.55	158	1	32	372	62	0.54	6	11	<10	243	1355	<2	28	10	5	147
198793	1077896	0.007	<1	4.19	8	474	2	41	1.14	<4	7	25	12	0.91	0.03	3	0.47	151	2	45	410	26	0.45	5	13	<10	263	1355	<2	32	12	5	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198794	1077897	0.014	<1	3.62	11	500	<2	40	0.97	<4	6	20	9	0.75	0.16	8	0.47	141	1	35	398	18	0.57	<5	12	<10	243	1376	<2	31	12	5	66
198795	1077898	0.015	<1	3.64	10	576	<2	30	0.90	<4	7	18	6	0.75	0.25	8	0.55	166	1	33	397	30	0.43	6	18	<10	267	1576	5	31	11	4	72
198796	1077899	0.050	1	3.10	<2	468	<2	42	1.61	<4	6	19	23	1.65	0.18	5	0.87	454	<1	32	451	35	0.44	7	6	<10	218	1684	6	35	12	7	67
198797D	1077899	0.117	1	3.46	<2	493	<2	35	1.72	<4	7	22	24	1.75	0.12	7	0.92	484	1	33	488	34	0.47	7	14	<10	228	1779	<2	37	<10	7	71
198798	1077900	0.009	<1	2.24	3	418	<2	38	1.36	<4	11	37	46	3.12	0.21	3	0.96	547	1	27	546	7	0.09	7	<5	<10	261	2122	2	86	10	13	59
198799	1077901	0.090	2	3.34	20	302	<2	33	0.78	<4	6	21	16	1.79	0.23	6	0.79	568	<1	34	504	50	1.01	<5	5	<10	143	1597	<2	37	12	6	297
198800	1077902	0.050	1	3.54	67	248	<2	35	1.19	<4	5	17	20	1.46	0.09	6	0.86	677	1	28	424	35	0.69	7	9	<10	165	1493	3	33	10	6	71
198801	1077903	0.054	<1	4.26	21	482	<2	35	0.98	<4	7	13	9	0.92	0.18	7	0.77	460	<1	30	534	34	0.47	<5	12	<10	143	1854	<2	37	<10	6	45
198802	1077904	1.002	2	3.21	39	364	<2	32	0.53	<4	6	12	130	1.35	0.04	5	0.64	284	<1	22	490	286	1.34	5	<5	<10	143	1431	<2	29	14	6	554
198803	1077905	0.761	2	3.23	66	378	<2	33	0.45	7	5	14	21	2.06	<0.01	7	0.65	264	4	23	484	416	2.30	7	13	<10	131	1395	<2	30	30	6	1875
198804	1077906	0.393	2	2.42	53	335	<2	28	0.29	<4	5	18	31	1.99	0.02	<1	0.62	262	3	28	451	295	2.12	6	<5	<10	112	1271	<2	29	18	6	683
198805	1077907	0.208	2	2.85	71	375	<2	33	0.74	<4	5	14	115	1.70	0.17	2	0.73	377	<1	19	560	227	1.61	8	15	<10	127	1549	<2	32	16	6	601
198806	1077908	0.412	2	2.73	30	478	<2	33	0.22	<4	7	22	52	1.19	0.13	3	0.55	221	2	32	493	383	1.11	9	13	<10	100	1546	2	31	12	6	310
198807	1077909	0.097	1	3.57	16	642	<2	41	0.62	<4	5	18	5	0.74	0.32	9	0.73	340	2	29	434	61	0.50	6	11	<10	141	1540	<2	30	11	5	83
198808D	1077909	0.107	<1	2.03	18	612	<2	27	0.49	<4	6	18	5	0.75	0.06	4	0.66	336	<1	31	412	60	0.53	5	13	<10	131	1507	<2	29	12	4	82
198809	1077910	1.474	4	3.50	34	367	2	49	2.51	6	19	61	7091	5.02	<0.01	5	1.21	551	803	18	922	37	2.69	18	17	<10	267	785	3	110	16	14	117
198810	1077911	0.472	2	2.58	34	941	<2	32	0.69	5	9	16	13	1.11	0.10	7	0.79	504	2	30	396	151	0.97	5	8	<10	155	1441	2	28	31	5	1734
198811	1077912	0.065	<1	3.63	22	434	<2	31	1.00	<4	9	14	14	1.26	0.12	7	0.97	642	<1	31	469	27	0.70	6	11	<10	193	1692	10	31	12	5	59
198812	1077913	0.646	2	2.11	17	229	<2	31	0.55	<4	19	13	112	1.62	0.07	<1	0.94	656	<1	34	443	27	0.84	6	17	<10	150	1499	3	28	10	5	137
198813	1077914	0.826	2	2.45	22	226	<2	46	0.55	<4	7	13	68	1.51	0.06	<1	0.70	493	<1	22	481	51	1.06	5	<5	<10	150	1371	<2	29	13	5	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198814	1077915	0.911	3	1.75	22	396	<2	29	0.15	<4	8	26	74	1.52	0.08	11	0.44	305	<1	27	435	156	1.17	7	7	<10	121	1891	<2	40	12	5	369
198815	1077916	0.572	2	2.69	6	310	<2	31	0.69	<4	7	21	45	1.68	0.14	<1	0.64	691	<1	26	488	44	0.77	5	11	<10	154	1493	<2	39	11	6	95
198816	1077917	0.189	2	3.04	<2	353	<2	31	0.79	<4	7	24	29	1.83	0.16	5	0.61	588	1	35	476	35	0.75	5	7	<10	163	1671	3	44	11	6	73
198817	1077918	0.411	5	3.55	8	466	<2	24	0.73	<4	12	25	43	1.66	0.24	10	0.63	529	2	40	449	51	0.84	7	11	<10	185	1721	3	44	14	6	116
198818	1077919	0.045	2	2.25	5	278	<2	30	0.63	<4	8	21	21	1.63	0.22	<1	0.73	606	<1	32	494	26	0.54	6	12	<10	155	1690	4	39	13	6	78
198819R	1077919	0.034	2	3.59	3	344	<2	38	1.03	<4	7	23	20	1.61	0.26	6	0.76	646	<1	33	467	23	0.49	<5	7	<10	201	1810	<2	44	11	6	75
198820	1077920	0.006	<1	2.36	6	415	<2	46	1.37	<4	11	39	52	3.32	0.07	<1	1.05	571	<1	30	571	9	0.08	7	<5	<10	262	2098	<2	90	10	16	89
198821	1077921	0.020	2	2.02	4	335	<2	23	0.63	<4	5	19	10	1.10	0.42	<1	0.49	321	1	34	408	25	0.41	5	10	<10	137	1407	<2	36	10	5	71
198822	1077922	0.022	2	2.25	4	338	<2	44	0.96	<4	6	16	12	1.42	0.09	<1	0.70	491	<1	29	424	21	0.57	7	14	<10	141	1459	2	35	11	5	63
198823	1077923	0.036	1	2.75	7	382	<2	24	1.09	<4	6	17	10	1.31	0.04	2	0.74	557	<1	27	406	18	0.49	5	12	<10	145	1489	<2	37	10	6	70
198824	1077924	0.026	1	2.96	17	396	<2	36	1.00	<4	7	21	9	1.53	0.10	4	0.76	522	1	36	453	25	0.94	<5	11	<10	149	1595	<2	41	12	6	107
198825	1077925	0.014	2	3.96	17	411	<2	30	0.92	<4	7	21	12	1.57	0.20	8	0.71	392	2	30	449	52	1.09	<5	<5	<10	147	1692	<2	42	11	7	130
198826	1077926	0.022	2	3.78	16	419	<2	22	0.88	<4	6	19	12	1.50	0.13	5	0.69	375	<1	26	464	45	1.09	<5	9	<10	144	1604	<2	38	10	7	107
198827	1077927	0.013	2	3.60	12	390	<2	39	1.20	<4	5	20	9	1.09	0.15	<1	0.54	349	<1	29	432	18	0.51	5	17	<10	156	1313	3	37	<10	6	57
198828	1077928	0.021	2	3.12	11	245	<2	30	1.20	<4	6	15	21	1.41	<0.01	2	0.70	480	<1	23	460	18	0.70	5	12	<10	152	1462	<2	37	10	6	69
198829	1077929	0.055	2	3.50	26	367	<2	31	0.93	<4	8	24	12	1.25	0.03	11	0.82	467	2	29	438	29	0.68	5	15	<10	133	1896	<2	43	11	6	74
198830D	1077929	0.056	1	2.84	24	348	<2	32	0.87	<4	8	22	10	1.26	0.06	8	0.79	466	<1	29	428	26	0.72	6	9	<10	126	1834	<2	41	10	6	72
198831	1077930	0.276	104	2.36	205	342	2	38	1.01	25	13	45	6203	5.12	<0.01	4	1.15	1547	16	25	470	9954	2.05	291	14	<10	213	1786	<2	80	57	12	5244
198832	1077931	0.086	4	3.67	25	280	<2	29	1.32	<4	7	31	64	1.76	0.14	10	0.97	713	<1	27	477	92	0.93	7	13	<10	144	1857	2	49	12	7	193
198833	1077932	0.118	3	3.83	21	265	<2	25	1.06	<4	7	31	13	2.29	0.17	11	1.54	783	2	35	553	35	1.56	6	10	<10	121	1659	<2	49	15	7	299

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198834	1077933	0.029	2	4.07	15	244	<2	42	0.88	<4	9	25	10	1.62	0.10	10	1.43	573	2	33	459	25	0.85	7	14	<10	144	1737	2	45	10	6	76
198835	1077934	1.026	1	3.75	17	250	<2	28	1.06	<4	8	21	10	1.22	0.01	6	1.27	578	1	31	445	48	0.71	6	15	<10	149	1563	3	42	12	6	78
198836	1077935	0.588	2	3.88	14	207	<2	30	0.94	<4	7	19	19	1.08	0.18	7	1.47	625	<1	29	435	127	0.39	7	12	<10	137	1563	2	37	11	6	118
198837	1077936	5.823	17	1.79	63	153	<2	20	0.42	11	7	15	63	1.61	<0.01	<1	0.74	334	<1	27	374	482	1.61	35	15	<10	78	1162	<2	28	38	6	2646
198838	1077937	0.223	3	2.62	21	161	<2	35	1.06	<4	6	15	44	1.29	<0.01	<1	1.05	643	<1	27	402	107	0.77	8	6	<10	100	1346	2	27	11	6	206
198839	1077938	0.045	1	3.52	23	268	2	35	1.59	<4	7	25	17	1.65	0.26	7	1.19	675	2	36	472	34	0.63	6	9	<10	131	1855	<2	41	12	7	81
198840	1077939	0.032	1	3.05	21	273	<2	35	0.82	<4	7	24	12	1.50	<0.01	4	0.76	395	<1	31	433	25	0.95	5	12	<10	114	1850	<2	41	<10	6	65
198841D	1077939	0.097	1	2.50	21	249	<2	28	0.81	<4	7	23	12	1.52	0.04	<1	0.75	396	<1	33	436	24	1.00	6	10	<10	112	1755	4	39	11	6	67
198842	1077940	<0.005	<1	2.13	5	429	2	33	1.38	<4	11	38	46	3.16	<0.01	4	0.95	554	1	28	546	13	0.09	6	6	<10	265	2171	<2	88	10	12	64
198843	1077941	0.052	2	4.25	12	280	2	39	1.55	<4	9	19	79	1.63	0.04	10	1.08	582	<1	27	489	60	0.58	7	8	<10	179	2057	2	42	14	7	130
198844	1077942	0.292	2	2.93	23	199	<2	26	0.99	<4	8	16	15	1.37	<0.01	4	0.92	537	<1	27	409	160	1.07	6	<5	<10	117	1464	4	31	14	6	540
198845	1077943	0.480	2	4.67	18	282	<2	39	1.32	<4	7	18	10	1.43	0.15	8	1.15	628	<1	28	426	114	1.24	8	11	<10	143	1713	2	38	12	6	231
198846	1077944	0.676	5	3.78	17	243	<2	36	0.71	<4	6	15	27	1.03	<0.01	8	0.79	396	<1	19	355	120	0.90	7	12	<10	115	1503	2	32	11	6	285
198847	1077945	0.255	4	4.19	28	260	<2	40	0.44	<4	5	17	47	1.07	<0.01	8	0.68	372	2	29	344	171	0.80	8	19	<10	101	1557	<2	34	14	6	236
198848	1077946	0.329	4	3.97	28	271	2	37	0.47	<4	5	18	58	1.13	<0.01	10	0.66	365	2	28	360	101	0.81	6	13	<10	106	1586	<2	34	13	6	203
198849	1077947	0.157	2	3.21	24	278	<2	31	0.32	<4	5	14	26	1.13	<0.01	7	0.61	350	<1	22	353	32	0.82	6	8	<10	94	1569	<2	32	14	5	106
198850	1077948	0.110	2	3.29	26	266	2	38	1.11	<4	5	12	21	1.21	<0.01	10	0.87	604	<1	17	377	39	0.60	6	12	<10	112	1570	<2	28	13	5	158
198851	1077949	0.011	1	3.43	3	306	<2	24	1.72	<4	5	11	5	1.41	<0.01	11	0.92	616	<1	16	361	15	0.22	5	8	<10	148	1677	2	28	<10	6	51
198852D	1077949	0.015	1	3.86	4	294	2	37	1.73	<4	5	11	5	1.38	<0.01	10	0.94	596	<1	17	364	15	0.22	7	12	<10	147	1629	<2	28	10	6	47
198853	1077950	5.213	2	2.76	388	1339	2	34	2.36	4	13	110	78	3.33	0.17	15	1.19	473	14	48	814	29	0.90	35	13	<10	225	1961	<2	131	19	13	237

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198854	1077951	0.037	2	4.72	34	359	<2	43	2.03	<4	6	11	61	2.00	<0.01	15	1.32	567	2	18	577	16	1.54	7	13	<10	148	1925	5	39	13	7	48
198855	1077952	0.016	1	4.02	45	418	<2	39	1.55	<4	7	9	8	2.02	<0.01	9	0.96	493	<1	16	566	16	1.79	<5	7	<10	177	1978	<2	38	10	7	37
198856	1077953	0.015	1	4.76	44	454	<2	29	1.55	<4	6	11	7	1.60	<0.01	15	1.02	469	<1	16	581	21	1.24	<5	11	<10	157	2082	<2	39	10	7	39
198857	1077954	0.031	1	4.93	30	842	<2	47	1.19	<4	5	9	17	1.68	0.03	13	0.96	429	<1	13	652	28	1.55	7	14	<10	130	2146	<2	40	13	7	89
198858	1077955	0.089	1	2.97	42	418	<2	29	0.69	<4	11	9	16	2.99	<0.01	5	0.74	362	<1	18	534	80	3.28	6	11	<10	99	1660	2	32	12	7	188
198859	1077956	0.056	3	3.82	57	545	2	39	0.95	<4	13	44	29	2.42	0.08	15	0.86	439	2	31	520	80	2.34	6	7	<10	107	2145	<2	51	13	8	291
198860	1077957	0.176	1	3.42	61	422	2	30	1.17	<4	12	41	38	2.56	0.01	12	0.95	539	<1	31	511	33	2.09	6	<5	<10	122	2164	<2	55	13	8	177
198861	1077958	0.029	2	4.14	40	373	2	46	1.47	<4	25	141	54	3.86	0.03	20	1.48	756	1	73	543	40	1.99	6	8	<10	142	3034	<2	105	14	13	191
198862	1077959	0.033	4	<0.01	29	<1	<2	37	>10.00	6	3	17	77	2.89	0.37	<1	7.39	5088	<1	20	165	370	0.81	9	8	<10	111	580	21	40	28	12	1310
198863D	1077959	0.030	4	<0.01	23	<1	<2	40	>10.00	6	3	14	75	2.91	0.27	<1	7.53	5033	<1	17	153	374	0.82	8	10	<10	103	523	15	38	28	11	1311
198864	1077960	0.010	<1	2.23	3	427	<2	40	1.35	<4	10	37	44	3.04	<0.01	6	0.90	532	2	26	535	10	0.09	5	14	<10	259	2132	<2	85	11	12	67
198865	1077961	0.021	1	4.30	16	439	2	35	2.25	<4	9	16	16	1.91	<0.01	24	1.81	666	<1	23	487	20	0.53	6	6	<10	119	2078	5	40	13	7	79
198866	1077962	0.018	<1	4.99	14	413	<2	43	2.24	<4	8	17	5	1.69	<0.01	23	1.61	470	<1	22	504	36	0.59	6	17	<10	154	2041	<2	39	12	7	66
198867	1077963	0.461	5	4.34	46	378	<2	40	1.47	6	7	21	113	2.31	<0.01	20	1.09	472	1	25	464	321	1.92	7	15	<10	105	1865	3	38	30	7	1487
198868	1077964	0.081	1	5.03	15	315	<2	30	1.95	<4	7	20	6	1.80	0.04	26	1.81	506	<1	25	515	33	0.47	6	14	<10	125	1921	7	39	14	8	86
198869	1077965	0.098	1	4.40	41	300	2	36	1.27	<4	17	103	59	2.86	0.38	22	1.60	521	2	58	491	46	1.57	6	12	<10	107	2170	2	70	11	10	125
198870	1077966	0.121	2	4.47	30	336	<2	49	0.83	<4	21	119	44	3.49	0.22	23	1.83	601	1	64	508	48	1.54	5	<5	<10	94	2464	6	82	12	10	102
198871	1077967	0.090	2	5.02	6	282	2	37	0.97	4	20	131	43	3.72	0.29	32	2.33	675	2	70	495	48	1.07	6	11	<10	103	2677	<2	86	14	9	334
198872	1077968	0.096	1	4.22	42	305	2	33	1.28	<4	17	105	61	2.92	0.28	22	1.58	525	2	57	483	50	1.63	5	10	<10	108	2226	9	74	11	10	122
198873	1077969	0.070	1	4.05	26	309	<2	34	1.02	<4	18	114	51	3.04	0.23	25	1.87	562	2	59	499	46	1.00	5	12	<10	99	2322	9	76	10	9	116

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198874D	1077969	0.064	2	4.13	23	320	2	28	1.01	<4	17	114	49	2.97	0.12	26	1.85	549	2	57	490	49	0.96	6	<5	<10	100	2332	5	77	15	9	111
198875	1077970	1.418	4	4.13	34	981	2	39	2.64	5	18	65	7026	5.19	<0.01	13	1.21	568	823	21	940	40	2.70	16	5	<10	292	930	<2	115	17	13	116
198876	1077971	0.091	1	4.80	34	285	2	29	2.63	8	14	77	32	2.83	0.02	17	2.11	837	1	52	499	50	1.52	5	17	<10	122	1584	12	65	33	9	1973
198877	1077972	0.164	2	4.60	55	320	2	38	1.02	<4	21	129	25	3.72	<0.01	29	2.40	684	2	69	496	61	1.86	7	11	<10	106	2062	6	86	13	8	101
198878	1077973	0.127	1	4.25	74	350	2	44	0.67	4	17	112	21	3.46	<0.01	22	2.04	489	2	65	457	60	2.21	5	15	<10	100	1450	11	80	14	7	317
198879	1077974	0.066	1	5.62	48	310	2	54	0.60	4	20	129	15	3.99	<0.01	34	3.30	634	2	75	542	41	1.78	5	<5	<10	100	1490	<2	98	13	10	183
198880	1077975	0.058	1	5.98	44	370	2	50	1.16	<4	18	113	8	3.70	0.27	40	3.28	600	3	62	502	44	1.86	5	<5	<10	131	1561	7	83	<10	10	120
198881	1077976	0.097	1	3.97	21	335	2	25	1.73	<4	15	94	25	2.77	0.01	24	1.53	559	<1	53	506	33	1.36	<5	14	<10	159	1658	<2	68	11	8	100
198882	1077977	0.062	2	3.89	3	220	2	41	1.66	<4	19	128	41	3.54	0.06	24	1.56	551	<1	65	502	35	1.32	7	8	<10	149	1902	<2	84	10	9	95
198883	1077978	0.055	2	5.84	4	293	<2	34	1.29	<4	18	125	39	3.31	<0.01	21	1.75	528	2	64	512	36	1.11	6	9	<10	126	1745	12	90	<10	11	133
198884	1077979	0.180	2	4.07	<2	205	2	37	1.52	<4	25	133	47	4.01	0.24	19	1.83	570	<1	74	605	35	1.07	<5	<5	<10	132	2012	<2	90	11	13	94
198885R	1077979	0.149	2	4.31	<2	202	2	37	1.51	<4	23	131	45	3.94	<0.01	21	1.89	573	<1	75	604	34	0.99	7	14	<10	130	2029	2	89	<10	13	93
198886	1077980	0.012	<1	3.44	2	438	<2	40	1.50	<4	10	38	47	3.14	0.13	11	1.00	547	2	30	545	9	0.10	6	6	<10	276	2263	<2	88	11	14	96
198887	1077981	0.084	1	4.97	5	271	2	37	1.86	<4	20	134	48	3.54	0.20	27	1.64	652	3	76	527	38	0.96	6	7	<10	147	2495	18	93	10	11	108
198888	1077982	0.127	1	4.18	2	300	2	41	1.74	<4	17	104	35	2.97	<0.01	23	1.45	531	3	62	462	22	0.64	7	9	<10	134	2488	3	78	14	11	90
198889	1077983	0.062	2	6.35	38	404	2	47	2.87	<4	19	96	67	3.21	0.14	26	1.64	838	5	77	479	54	1.76	7	13	<10	154	2571	4	88	15	12	101
198890	1077984	0.041	1	5.59	15	406	2	48	3.15	<4	9	26	22	2.00	0.18	20	1.86	1002	3	40	506	29	0.44	<5	13	<10	128	2049	3	51	11	8	97
198891	1077985	0.046	2	3.99	14	329	<2	32	2.45	<4	7	18	31	1.60	0.01	13	1.58	820	1	30	442	307	0.44	5	14	<10	104	1784	4	43	14	7	545
198892	1077986	0.073	2	2.87	18	281	<2	28	2.08	<4	7	19	28	1.48	<0.01	8	1.38	721	<1	30	405	243	0.50	<5	8	<10	94	1523	4	40	13	6	540
198893	1077987	0.414	3	1.24	113	311	2	33	0.85	4	19	101	58	2.97	<0.01	15	0.64	433	5	75	427	199	3.28	6	7	<10	90	2311	<2	82	22	6	915

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
198894	1077988	0.057	1	1.79	9	335	<2	31	2.33	<4	12	63	30	2.20	<0.01	17	1.28	760	3	46	501	31	0.60	6	9	<10	108	2361	<2	63	12	6	95
198895	1077989	0.045	<1	2.44	13	340	2	26	2.54	<4	7	19	14	1.76	0.04	16	1.31	850	<1	25	472	34	0.35	<5	15	<10	107	1890	2	44	11	6	90
198896D	1077989	0.050	<1	2.13	15	343	<2	34	2.45	<4	7	17	14	1.73	0.14	14	1.33	838	<1	25	471	33	0.34	<5	10	<10	104	1977	<2	45	12	5	90
198897	1077990	0.241	100	1.06	204	317	<2	38	0.96	25	12	45	5912	5.08	<0.01	7	0.99	1539	17	24	468	10078	2.61	290	9	<10	208	1828	<2	79	54	9	5235
198898	1077991	0.023	1	3.76	10	409	<2	38	2.29	<4	8	24	25	1.60	<0.01	21	1.29	677	2	35	489	60	0.41	5	8	<10	115	2008	<2	49	10	6	87
198899	1077992	0.025	<1	3.72	8	445	<2	37	2.35	<4	8	19	22	1.69	0.18	16	1.39	808	<1	29	518	56	0.57	<5	9	<10	103	2080	2	46	13	6	91
198900	1077993	0.051	<1	4.22	23	422	2	31	2.44	<4	7	25	12	1.85	<0.01	20	1.52	1136	2	38	483	38	1.12	5	9	<10	109	1812	3	47	15	7	75
198901	1077994	0.041	1	4.08	16	433	<2	40	2.34	<4	7	20	8	1.56	0.09	20	1.40	1024	<1	31	495	37	0.56	6	6	<10	117	1856	13	42	14	7	82
198902	1077995	0.084	1	4.74	22	482	2	38	2.54	<4	9	18	22	2.14	0.27	22	1.53	1131	1	27	551	55	1.15	6	14	<10	123	2290	10	51	15	7	114
198903	1077996	0.104	1	3.57	42	366	2	33	1.78	<4	6	17	14	1.77	0.06	15	1.23	787	<1	26	432	63	1.43	<5	9	<10	108	1479	<2	38	12	7	130
198904	1077997	0.041	<1	2.75	14	386	2	36	2.65	<4	7	18	21	1.61	0.08	15	1.50	1027	<1	24	427	40	0.65	<5	6	<10	129	1748	6	40	10	6	92
198905	1077998	0.039	<1	2.44	14	416	2	25	2.06	<4	6	18	9	1.43	0.01	20	1.33	867	<1	25	465	29	0.53	<5	10	<10	129	1723	5	40	11	5	81
198906	1077999	0.075	1	1.63	24	399	<2	34	1.95	<4	8	21	18	2.02	0.03	17	1.38	887	3	34	392	137	1.60	<5	14	<10	111	1451	5	39	13	5	247
198907D	1077999	0.088	1	1.85	26	416	<2	38	1.99	<4	7	21	18	2.07	0.05	18	1.40	898	4	35	407	138	1.61	<5	6	<10	115	1474	<2	39	14	5	251
198908	1078000	<0.005	<1	1.25	7	421	<2	36	1.30	<4	10	37	45	3.06	<0.01	7	0.82	539	2	28	525	8	0.11	5	13	<10	260	2164	2	86	<10	10	56
198909	1079001	0.013	<1	2.17	9	580	2	25	2.14	<4	8	18	5	1.60	<0.01	21	1.22	515	1	26	497	16	0.48	<5	9	<10	170	2082	<2	46	11	5	56
198910	1079002	0.014	<1	5.83	8	491	<2	32	2.08	<4	8	14	5	1.72	0.10	19	1.27	379	<1	22	476	16	0.58	5	6	<10	196	1839	2	40	10	9	74
198911	1079003	0.012	1	2.73	12	486	<2	34	1.84	<4	7	16	5	1.63	0.03	21	0.95	339	<1	19	472	19	0.62	<5	8	<10	175	1908	<2	43	11	6	71

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198754	1077860	9	<0.001	0.009
198755	1077861	400	0.012	0.400
198756	1077862	20	<0.001	0.020
198757	1077863	14	<0.001	0.014
198758	1077864	18	<0.001	0.018
198759	1077865	14	<0.001	0.014
198760	1077866	15	<0.001	0.015
198761	1077867	18	<0.001	0.018
198762	1077868	12	<0.001	0.012
198763	1077869	29	<0.001	0.029
198764 Dup	1077869	24	<0.001	0.024
198765	1077870	258	0.008	0.258
198766	1077871	30	<0.001	0.030
198767	1077872	41	0.001	0.041
198768	1077873	16	<0.001	0.016
198769	1077874	8	<0.001	0.008
198770	1077875	17	<0.001	0.017
198771	1077876	<5	<0.001	<0.005
198772	1077877	<5	<0.001	<0.005
198773	1077878	93	0.003	0.093
198774	1077879	45	0.001	0.045
198775 Dup	1077879	45	0.001	0.045
198776	1077880	<5	<0.001	<0.005
198777	1077881	72	0.002	0.072
198778	1077882	91	0.003	0.091
198779	1077883	49	0.001	0.049
198780	1077884	23	<0.001	0.023
198781	1077885	32	<0.001	0.032
198782	1077886	32	<0.001	0.032
198783	1077887	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, September 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198784	1077888	19	<0.001	0.019
198785	1077889	9	<0.001	0.009
198786 Dup	1077889	11	<0.001	0.011
198787	1077890	5199	0.152	5.199
198788	1077891	8	<0.001	0.008
198789	1077892	7	<0.001	0.007
198790	1077893	10	<0.001	0.010
198791	1077894	<5	<0.001	<0.005
198792	1077895	9	<0.001	0.009
198793	1077896	7	<0.001	0.007
198794	1077897	14	<0.001	0.014
198795	1077898	15	<0.001	0.015
198796	1077899	50	0.001	0.050
198797 Dup	1077899	117	0.003	0.117
198798	1077900	9	<0.001	0.009
198799	1077901	90	0.003	0.090
198800	1077902	50	0.001	0.050
198801	1077903	54	0.002	0.054
198802	1077904	1002	0.029	1.002
198803	1077905	761	0.022	0.761
198804	1077906	393	0.011	0.393
198805	1077907	208	0.006	0.208
198806	1077908	412	0.012	0.412
198807	1077909	97	0.003	0.097
198808 Dup	1077909	107	0.003	0.107
198809	1077910	1474	0.043	1.474
198810	1077911	472	0.014	0.472
198811	1077912	65	0.002	0.065
198812	1077913	646	0.019	0.646
198813	1077914	826	0.024	0.826

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198814	1077915	911	0.027	0.911
198815	1077916	572	0.017	0.572
198816	1077917	189	0.006	0.189
198817	1077918	411	0.012	0.411
198818	1077919	45	0.001	0.045
198819 Rep	1077919	34	<0.001	0.034
198820	1077920	6	<0.001	0.006
198821	1077921	20	<0.001	0.020
198822	1077922	22	<0.001	0.022
198823	1077923	36	0.001	0.036
198824	1077924	26	<0.001	0.026
198825	1077925	14	<0.001	0.014
198826	1077926	22	<0.001	0.022
198827	1077927	13	<0.001	0.013
198828	1077928	21	<0.001	0.021
198829	1077929	55	0.002	0.055
198830 Dup	1077929	56	0.002	0.056
198831	1077930	276	0.008	0.276
198832	1077931	86	0.002	0.086
198833	1077932	118	0.003	0.118
198834	1077933	29	<0.001	0.029
198835	1077934	1026	0.030	1.026
198836	1077935	588	0.017	0.588
198837	1077936	5823	0.170	5.823
198838	1077937	223	0.007	0.223
198839	1077938	45	0.001	0.045
198840	1077939	32	<0.001	0.032
198841 Dup	1077939	97	0.003	0.097
198842	1077940	<5	<0.001	<0.005
198843	1077941	52	0.002	0.052

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198844	1077942	292	0.009	0.292
198845	1077943	480	0.014	0.480
198846	1077944	676	0.020	0.676
198847	1077945	255	0.007	0.255
198848	1077946	329	0.010	0.329
198849	1077947	157	0.005	0.157
198850	1077948	110	0.003	0.110
198851	1077949	11	<0.001	0.011
198852 Dup	1077949	15	<0.001	0.015
198853	1077950	5213	0.152	5.213
198854	1077951	37	0.001	0.037
198855	1077952	16	<0.001	0.016
198856	1077953	15	<0.001	0.015
198857	1077954	31	<0.001	0.031
198858	1077955	89	0.003	0.089
198859	1077956	56	0.002	0.056
198860	1077957	176	0.005	0.176
198861	1077958	29	<0.001	0.029
198862	1077959	33	<0.001	0.033
198863 Dup	1077959	30	<0.001	0.030
198864	1077960	10	<0.001	0.010
198865	1077961	21	<0.001	0.021
198866	1077962	18	<0.001	0.018
198867	1077963	461	0.013	0.461
198868	1077964	81	0.002	0.081
198869	1077965	98	0.003	0.098
198870	1077966	121	0.004	0.121
198871	1077967	90	0.003	0.090
198872	1077968	96	0.003	0.096
198873	1077969	70	0.002	0.070

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 1, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198874 Dup	1077969	64	0.002	0.064
198875	1077970	1418	0.041	1.418
198876	1077971	91	0.003	0.091
198877	1077972	164	0.005	0.164
198878	1077973	127	0.004	0.127
198879	1077974	66	0.002	0.066
198880	1077975	58	0.002	0.058
198881	1077976	97	0.003	0.097
198882	1077977	62	0.002	0.062
198883	1077978	55	0.002	0.055
198884	1077979	180	0.005	0.180
198885 Rep	1077979	149	0.004	0.149
198886	1077980	12	<0.001	0.012
198887	1077981	84	0.002	0.084
198888	1077982	127	0.004	0.127
198889	1077983	62	0.002	0.062
198890	1077984	41	0.001	0.041
198891	1077985	46	0.001	0.046
198892	1077986	73	0.002	0.073
198893	1077987	414	0.012	0.414
198894	1077988	57	0.002	0.057
198895	1077989	45	0.001	0.045
198896 Dup	1077989	50	0.001	0.050
198897	1077990	241	0.007	0.241
198898	1077991	23	<0.001	0.023
198899	1077992	25	<0.001	0.025
198900	1077993	51	0.001	0.051
198901	1077994	41	0.001	0.041
198902	1077995	84	0.002	0.084
198903	1077996	104	0.003	0.104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, September 1, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198904	1077997	41	0.001	0.041
198905	1077998	39	0.001	0.039
198906	1077999	75	0.002	0.075
198907 Dup	1077999	88	0.003	0.088
198908	1078000	<5	<0.001	<0.005
198909	1079001	13	<0.001	0.013
198910	1079002	14	<0.001	0.014
198911	1079003	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198754	1077860	9	<0.001	0.009
198755	1077861	400	0.012	0.400
198756	1077862	20	<0.001	0.020
198757	1077863	14	<0.001	0.014
198758	1077864	18	<0.001	0.018
198759	1077865	14	<0.001	0.014
198760	1077866	15	<0.001	0.015
198761	1077867	18	<0.001	0.018
198762	1077868	12	<0.001	0.012
198763	1077869	29	<0.001	0.029
198764 Dup	1077869	24	<0.001	0.024
198765	1077870	258	0.008	0.258
198766	1077871	30	<0.001	0.030
198767	1077872	41	0.001	0.041
198768	1077873	16	<0.001	0.016
198769	1077874	8	<0.001	0.008
198770	1077875	17	<0.001	0.017
198771	1077876	<5	<0.001	<0.005
198772	1077877	<5	<0.001	<0.005
198773	1077878	93	0.003	0.093
198774	1077879	45	0.001	0.045
198775 Dup	1077879	45	0.001	0.045
198776	1077880	<5	<0.001	<0.005
198777	1077881	72	0.002	0.072
198778	1077882	91	0.003	0.091
198779	1077883	49	0.001	0.049
198780	1077884	23	<0.001	0.023
198781	1077885	32	<0.001	0.032
198782	1077886	32	<0.001	0.032
198783	1077887	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198784	1077888	19	<0.001	0.019
198785	1077889	9	<0.001	0.009
198786 Dup	1077889	11	<0.001	0.011
198787	1077890	5199	0.152	5.199
198788	1077891	8	<0.001	0.008
198789	1077892	7	<0.001	0.007
198790	1077893	10	<0.001	0.010
198791	1077894	<5	<0.001	<0.005
198792	1077895	9	<0.001	0.009
198793	1077896	7	<0.001	0.007
198794	1077897	14	<0.001	0.014
198795	1077898	15	<0.001	0.015
198796	1077899	50	0.001	0.050
198797 Dup	1077899	117	0.003	0.117
198798	1077900	9	<0.001	0.009
198799	1077901	90	0.003	0.090
198800	1077902	50	0.001	0.050
198801	1077903	54	0.002	0.054
198802	1077904	1002	0.029	1.002
198803	1077905	761	0.022	0.761
198804	1077906	393	0.011	0.393
198805	1077907	208	0.006	0.208
198806	1077908	412	0.012	0.412
198807	1077909	97	0.003	0.097
198808 Dup	1077909	107	0.003	0.107
198809	1077910	1474	0.043	1.474
198810	1077911	472	0.014	0.472
198811	1077912	65	0.002	0.065
198812	1077913	646	0.019	0.646
198813	1077914	826	0.024	0.826

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198814	1077915	911	0.027	0.911
198815	1077916	572	0.017	0.572
198816	1077917	189	0.006	0.189
198817	1077918	411	0.012	0.411
198818	1077919	45	0.001	0.045
198819 Rep	1077919	34	<0.001	0.034
198820	1077920	6	<0.001	0.006
198821	1077921	20	<0.001	0.020
198822	1077922	22	<0.001	0.022
198823	1077923	36	0.001	0.036
198824	1077924	26	<0.001	0.026
198825	1077925	14	<0.001	0.014
198826	1077926	22	<0.001	0.022
198827	1077927	13	<0.001	0.013
198828	1077928	21	<0.001	0.021
198829	1077929	55	0.002	0.055
198830 Dup	1077929	56	0.002	0.056
198831	1077930	276	0.008	0.276
198832	1077931	86	0.002	0.086
198833	1077932	118	0.003	0.118
198834	1077933	29	<0.001	0.029
198835	1077934	1026	0.030	1.026
198836	1077935	588	0.017	0.588
198837	1077936	5823	0.170	5.823
198838	1077937	223	0.007	0.223
198839	1077938	45	0.001	0.045
198840	1077939	32	<0.001	0.032
198841 Dup	1077939	97	0.003	0.097
198842	1077940	<5	<0.001	<0.005
198843	1077941	52	0.002	0.052

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198844	1077942	292	0.009	0.292
198845	1077943	480	0.014	0.480
198846	1077944	676	0.020	0.676
198847	1077945	255	0.007	0.255
198848	1077946	329	0.010	0.329
198849	1077947	157	0.005	0.157
198850	1077948	110	0.003	0.110
198851	1077949	11	<0.001	0.011
198852 Dup	1077949	15	<0.001	0.015
198853	1077950	5213	0.152	5.213
198854	1077951	37	0.001	0.037
198855	1077952	16	<0.001	0.016
198856	1077953	15	<0.001	0.015
198857	1077954	31	<0.001	0.031
198858	1077955	89	0.003	0.089
198859	1077956	56	0.002	0.056
198860	1077957	176	0.005	0.176
198861	1077958	29	<0.001	0.029
198862	1077959	33	<0.001	0.033
198863 Dup	1077959	30	<0.001	0.030
198864	1077960	10	<0.001	0.010
198865	1077961	21	<0.001	0.021
198866	1077962	18	<0.001	0.018
198867	1077963	461	0.013	0.461
198868	1077964	81	0.002	0.081
198869	1077965	98	0.003	0.098
198870	1077966	121	0.004	0.121
198871	1077967	90	0.003	0.090
198872	1077968	96	0.003	0.096
198873	1077969	70	0.002	0.070

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198874 Dup	1077969	64	0.002	0.064
198875	1077970	1418	0.041	1.418
198876	1077971	91	0.003	0.091
198877	1077972	164	0.005	0.164
198878	1077973	127	0.004	0.127
198879	1077974	66	0.002	0.066
198880	1077975	58	0.002	0.058
198881	1077976	97	0.003	0.097
198882	1077977	62	0.002	0.062
198883	1077978	55	0.002	0.055
198884	1077979	180	0.005	0.180
198885 Rep	1077979	149	0.004	0.149
198886	1077980	12	<0.001	0.012
198887	1077981	84	0.002	0.084
198888	1077982	127	0.004	0.127
198889	1077983	62	0.002	0.062
198890	1077984	41	0.001	0.041
198891	1077985	46	0.001	0.046
198892	1077986	73	0.002	0.073
198893	1077987	414	0.012	0.414
198894	1077988	57	0.002	0.057
198895	1077989	45	0.001	0.045
198896 Dup	1077989	50	0.001	0.050
198897	1077990	241	0.007	0.241
198898	1077991	23	<0.001	0.023
198899	1077992	25	<0.001	0.025
198900	1077993	51	0.001	0.051
198901	1077994	41	0.001	0.041
198902	1077995	84	0.002	0.084
198903	1077996	104	0.003	0.104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/12/2011  
 Date Completed: 09/01/2011  
 Job #: 201142982  
 Reference: TL11203  
 Sample #: 144

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
198904	1077997	41	0.001	0.041
198905	1077998	39	0.001	0.039
198906	1077999	75	0.002	0.075
198907 Dup	1077999	88	0.003	0.088
198908	1078000	<5	<0.001	<0.005
198909	1079001	13	<0.001	0.013
198910	1079002	14	<0.001	0.014
198911	1079003	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/06/2011  
 Date Completed: 09/23/2011  
 Job #: 201143261  
 Reference: TL11203  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
217326	1077936	3.582	3.466	26.534	4.574	4.56%	45.96

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197252	1078374	<0.005	2	0.55	2	519	<2	47	1.24	<4	11	25	20	1.89	<0.01	10	0.49	491	<1	42	446	77	0.33	16	37	<10	311	2593	<2	47	21	4	194
197253	1078375	0.005	1	1.22	5	587	<2	25	1.17	<4	9	26	22	1.92	0.03	10	0.58	483	<1	44	455	51	0.42	13	39	<10	297	2458	<2	45	19	4	142
197254	1078376	0.009	<1	1.09	<2	495	<2	35	1.12	<4	10	20	15	1.86	0.01	9	0.54	476	<1	31	422	19	0.50	16	54	<10	264	2363	4	43	20	4	70
197255	1078377	0.028	3	0.60	2	509	<2	39	0.93	<4	9	26	16	1.89	0.03	8	0.56	520	<1	34	450	13	0.67	19	36	<10	265	2294	<2	46	19	4	72
197256	1078378	0.027	1	1.14	7	368	<2	43	1.04	<4	11	22	11	1.54	<0.01	7	0.65	400	<1	35	394	11	0.77	18	36	<10	214	2173	6	41	20	4	58
197257	1078379	0.015	2	0.58	5	631	<2	39	0.58	<4	8	18	12	1.51	<0.01	16	0.56	479	<1	33	412	18	0.46	13	41	<10	222	2084	<2	39	18	3	74
197258	1078380	<0.005	2	1.75	5	463	<2	40	1.18	<4	12	39	48	3.13	<0.01	4	0.62	559	3	35	536	9	0.16	14	34	<10	269	2430	2	88	19	8	84
197259	1078381	0.031	2	1.66	2	628	<2	36	0.41	<4	8	25	12	1.79	<0.01	14	0.79	638	<1	44	474	24	0.41	19	31	<10	179	2121	<2	39	21	4	74
197260	1078382	0.025	2	1.05	12	549	<2	39	0.27	<4	8	19	42	1.66	<0.01	17	0.73	644	<1	36	426	60	0.65	14	32	<10	126	1960	3	37	23	3	94
197261	1078383	0.024	1	1.02	22	477	<2	40	0.23	<4	8	20	18	1.51	<0.01	18	0.70	540	8	33	415	34	0.81	11	37	<10	120	1959	<2	36	20	3	75
197262D	1078383	0.024	<1	0.66	20	495	<2	39	0.23	<4	7	21	19	1.54	0.32	18	0.70	549	<1	35	425	36	0.78	13	31	<10	119	2017	3	37	22	3	76
197263	1078384	0.057	2	0.80	18	511	<2	51	0.53	<4	9	16	44	1.63	0.10	12	0.68	471	<1	28	433	44	0.88	15	35	<10	132	2114	2	38	23	3	66
197264	1078385	0.049	2	0.28	11	365	<2	59	0.25	<4	8	14	7	1.69	0.21	14	0.99	526	<1	27	436	13	0.58	16	25	<10	138	1980	5	35	19	4	58
197265	1078386	0.049	<1	1.00	15	527	<2	48	0.36	<4	8	20	5	1.68	<0.01	14	0.79	552	<1	35	430	15	0.59	16	39	<10	156	2022	<2	36	19	3	59
197266	1078387	0.032	<1	1.20	11	571	<2	40	0.14	<4	9	16	4	1.62	0.15	13	0.76	437	<1	30	445	12	0.43	16	29	<10	166	2095	<2	38	19	4	51
197267	1078388	0.055	3	1.52	12	478	<2	55	0.49	<4	10	24	5	1.48	0.03	14	0.89	404	<1	34	377	18	0.55	15	31	<10	154	1905	<2	39	19	4	48
197268	1078389	0.129	<1	1.86	13	410	2	36	0.74	<4	9	22	3	1.09	<0.01	8	0.83	229	7	39	346	10	0.83	15	36	<10	143	1830	2	35	19	4	44
197269	1078390	0.256	108	2.76	212	511	<2	57	1.03	24	14	46	6395	5.20	<0.01	11	0.85	1581	23	35	418	10238	2.26	298	32	<10	241	2111	<2	83	56	9	5193
197270	1078391	0.023	2	1.65	6	379	<2	45	1.43	<4	11	20	74	1.60	<0.01	9	0.77	426	<1	31	421	88	0.90	16	32	<10	151	2367	<2	40	20	5	102
197271	1078392	0.013	2	1.72	9	516	<2	41	0.81	<4	8	22	6	1.75	<0.01	16	0.92	619	<1	32	451	17	0.69	17	34	<10	157	2274	<2	47	23	5	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197272	1078393	0.009	2	1.78	14	531	<2	44	1.14	<4	10	25	22	1.91	0.09	17	0.84	661	<1	38	456	22	0.46	12	39	<10	233	2368	<2	50	19	5	78
197273D	1078393	0.011	4	1.41	11	522	<2	42	1.06	<4	10	26	24	1.84	<0.01	15	0.77	692	<1	39	453	21	0.42	16	36	<10	218	2665	4	49	19	5	82
197274	1078394	0.019	2	2.49	8	447	<2	34	1.36	<4	10	25	20	2.02	0.05	16	0.88	616	<1	39	459	40	0.49	15	52	<10	275	2510	<2	45	20	6	81
197275	1078395	0.006	1	0.58	3	489	<2	42	0.97	<4	9	20	13	1.68	0.14	10	0.60	474	<1	34	420	30	0.40	13	33	<10	243	2439	<2	44	16	4	71
197276	1078396	0.008	2	<0.01	3	470	<2	49	0.93	<4	9	22	10	1.75	0.31	6	0.66	482	<1	37	438	17	0.52	17	37	<10	256	2161	<2	42	19	4	75
197277	1078397	0.006	<1	0.70	<2	418	<2	42	1.00	<4	9	24	20	1.58	0.07	9	0.50	494	<1	39	431	27	0.57	18	31	<10	268	2107	5	40	22	4	78
197278	1078398	0.005	1	1.75	<2	410	<2	52	2.50	<4	9	25	9	2.09	0.06	6	0.47	494	<1	39	397	15	0.57	22	42	<10	425	2120	<2	43	19	5	63
197279	1078399	0.009	3	0.80	2	405	<2	43	1.14	<4	9	23	16	1.71	0.09	3	0.51	474	<1	38	416	47	0.34	16	34	<10	280	2318	3	42	21	4	238
197280	1078400	<0.005	1	1.03	4	447	<2	52	1.09	<4	11	37	47	2.97	<0.01	6	0.62	541	<1	34	516	7	0.06	15	29	<10	262	2306	<2	86	20	7	80
197281	1078401	0.016	2	1.54	9	472	2	45	1.21	<4	9	25	23	1.70	<0.01	11	0.50	523	<1	40	417	93	0.64	17	34	<10	305	1993	2	41	20	5	204
197282	1078402	0.026	1	1.56	7	474	<2	39	0.46	<4	4	12	16	1.02	<0.01	7	0.43	382	<1	27	469	22	0.39	16	41	<10	201	1775	<2	33	17	4	74
197283	1078403	0.014	4	1.40	7	461	<2	38	0.40	<4	7	12	8	0.86	0.05	9	0.45	369	<1	28	418	32	0.37	14	35	<10	205	1727	3	33	19	3	118
197284D	1078403	0.016	3	1.96	9	463	<2	34	0.43	<4	6	12	8	0.92	0.17	11	0.55	393	<1	29	436	34	0.44	19	42	<10	208	1745	<2	33	20	4	123
197285	1078404	0.015	2	1.39	9	410	<2	37	0.55	<4	9	12	14	0.91	0.27	6	0.53	418	<1	33	433	24	0.48	12	36	<10	199	1532	<2	32	18	4	63
197286	1078405	0.087	1	0.69	26	424	<2	47	0.34	<4	9	24	35	1.37	0.13	8	0.46	573	<1	40	433	40	1.02	9	28	<10	203	1540	3	32	20	4	128
197287	1078406	0.544	1	0.76	20	409	<2	31	0.11	<4	8	16	32	1.18	0.21	4	0.32	362	<1	36	432	31	0.96	13	35	<10	194	1451	<2	30	20	4	69
197288	1078407	0.186	2	1.48	20	581	<2	35	0.55	<4	6	17	44	1.33	0.07	10	0.51	634	<1	33	397	81	0.93	19	46	<10	180	1801	<2	33	22	4	419
197289	1078408	0.705	2	0.89	23	474	<2	36	0.59	<4	10	19	17	1.22	0.21	8	0.52	613	<1	38	428	153	0.91	17	39	10	173	1636	<2	32	22	3	453
197290	1078409	0.690	2	1.64	36	443	<2	39	0.22	<4	35	16	3	0.71	0.13	12	0.68	431	<1	51	473	25	0.26	21	37	<10	152	1474	<2	32	20	3	71
197291	1078410	5.086	3	1.30	367	1227	<2	51	1.94	<4	14	104	79	3.09	0.06	12	0.82	457	10	55	733	25	0.97	49	36	<10	223	1930	<2	123	27	9	233

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197292	1078411	0.061	2	1.25	25	367	<2	40	0.36	<4	18	13	5	0.85	0.21	11	0.69	526	<1	36	472	21	0.43	10	35	<10	162	1376	<2	35	19	3	76
197293	1078412	0.129	<1	1.84	26	370	<2	44	0.37	<4	7	17	4	1.43	0.12	11	0.48	307	<1	27	369	151	1.41	19	26	<10	147	1251	<2	29	20	4	219
197294	1078413	0.124	2	1.64	31	348	<2	38	<0.01	4	6	18	9	1.49	0.15	10	0.46	261	<1	29	383	308	1.56	14	41	<10	123	1475	4	32	29	4	1409
197295D	1078413	0.076	2	1.37	36	334	<2	37	<0.01	4	6	18	9	1.43	0.04	8	0.43	252	<1	30	373	297	1.45	19	42	<10	120	1434	<2	31	27	4	1360
197296	1078414	0.110	2	1.66	33	491	<2	44	0.23	<4	6	27	16	1.42	0.04	8	0.48	348	<1	44	407	185	1.33	16	36	<10	127	1453	<2	33	20	4	433
197297	1078415	0.627	11	0.52	59	189	<2	33	<0.01	34	9	28	607	2.27	<0.01	6	0.35	203	<1	46	295	6709	3.25	39	32	<10	88	1371	<2	29	124	4	15138
197298	1078416	0.070	<1	1.54	30	421	<2	43	0.32	<4	8	30	17	1.44	0.14	7	0.58	451	<1	48	346	511	1.36	15	47	<10	133	1680	3	33	24	4	839
197299	1078417	0.207	2	0.58	37	381	<2	41	0.40	<4	7	21	7	1.70	0.26	9	0.57	576	<1	29	350	635	1.60	19	28	<10	137	1809	3	34	21	3	552
197300	1078418	0.411	1	0.29	37	390	<2	31	0.43	<4	8	33	10	1.52	<0.01	10	0.59	650	<1	35	378	550	1.37	21	31	<10	142	1902	<2	40	20	3	310
197301	1078419	0.258	2	1.23	23	397	<2	26	0.15	4	6	25	13	1.42	0.19	11	0.55	378	<1	32	352	849	1.51	20	39	<10	120	1754	<2	32	28	4	1082
197302	1078420	<0.005	<1	<0.01	3	<1	<2	<1	<0.01	<4	1	<1	<1	0.06	<0.01	<1	0.02	<100	<1	6	<100	28	0.06	10	20	<10	7	<100	<2	<2	11	<2	62
197303	1078421	0.898	3	1.28	26	326	<2	30	0.64	8	8	18	23	1.63	0.03	13	0.72	653	<1	36	372	1666	1.78	20	29	<10	154	1522	2	27	43	4	2732
197304	1078422	1.081	10	1.49	28	466	<2	34	0.53	7	9	17	50	1.55	0.06	11	0.57	504	<1	34	374	1973	1.73	29	37	<10	147	1583	<2	28	38	4	2277
197305	1078423	126.304	26	2.27	23	560	<2	29	0.21	11	8	16	39	1.36	<0.01	9	0.53	297	<1	31	376	4582	1.78	40	32	<10	134	1451	<2	27	50	4	3685
197306D	1078423	128.583	26	0.74	27	569	<2	20	0.13	11	8	17	39	1.42	<0.01	7	0.41	302	<1	33	377	4662	1.76	44	41	<10	129	1520	<2	28	51	3	3764
197307	1078424	0.581	2	1.08	24	236	<2	41	0.52	<4	8	20	33	1.56	<0.01	4	0.98	915	<1	31	390	236	1.20	11	37	<10	142	1199	<2	34	18	3	265
197308	1078425	8.159	11	1.63	25	252	<2	19	0.39	10	8	21	1249	2.08	<0.01	9	1.02	914	<1	32	369	2271	1.90	27	41	<10	143	1198	3	33	44	4	3180
197309	1078426	1.079	7	1.31	29	231	<2	26	0.30	11	8	22	2444	2.18	0.04	9	1.06	918	<1	36	354	2364	2.19	25	29	<10	127	1139	<2	32	50	4	3721
197310	1078427	0.579	7	1.47	23	255	<2	34	0.74	5	7	19	64	1.60	<0.01	8	1.19	1094	<1	29	365	2069	1.07	24	39	<10	137	1433	4	33	30	4	1353
197311	1078428	0.047	<1	1.06	9	363	<2	37	0.52	<4	5	14	9	0.97	<0.01	11	0.71	675	<1	23	394	111	0.56	15	36	<10	135	1541	2	31	20	3	144

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197312	1078429	0.331	1	1.18	28	345	<2	43	0.43	13	6	16	47	1.18	0.13	9	0.55	504	<1	29	433	498	1.01	18	41	<10	125	1701	<2	32	43	3	3193
197313	1078430	1.391	3	2.08	36	1364	2	53	2.55	5	21	71	7649	5.72	0.17	9	0.84	643	912	29	933	50	3.44	35	35	10	315	1116	3	127	24	9	182
197314	1078431	0.185	2	0.59	23	373	<2	36	0.99	<4	9	20	46	1.57	0.06	9	0.67	905	<1	32	462	591	0.87	20	38	<10	147	2114	3	38	18	3	195
197315	1078432	0.348	2	1.13	32	449	2	41	0.61	<4	9	24	27	1.56	0.06	13	0.62	643	<1	35	413	164	1.25	16	33	<10	128	2131	<2	42	23	3	306
197316	1078433	0.767	1	1.30	41	357	<2	37	<0.01	<4	9	20	9	1.55	0.50	3	0.48	256	<1	31	360	72	1.73	15	33	<10	83	1630	<2	34	20	4	245
197317R	1078433	0.782	2	0.41	31	418	2	45	<0.01	<4	9	27	7	1.47	0.49	9	0.41	327	<1	48	398	77	1.55	17	25	<10	91	1799	3	37	21	3	193
197318	1078434	0.141	2	0.89	45	368	2	36	0.13	<4	12	31	35	1.44	0.38	10	0.48	323	<1	37	399	178	1.65	19	29	<10	100	1776	<2	40	21	4	206
197319	1078435	0.052	3	0.26	23	399	<2	39	0.15	<4	8	17	6	1.06	0.15	7	0.38	307	<1	36	435	88	1.13	18	20	<10	104	1870	<2	34	20	3	218
197320	1078436	0.097	2	0.13	22	481	<2	35	0.04	<4	8	13	8	0.87	0.06	5	0.34	259	<1	28	414	176	0.95	18	38	<10	102	1791	<2	31	19	3	209
197321	1078437	0.291	3	1.53	20	459	2	31	1.02	<4	9	18	62	1.43	0.13	12	0.67	738	<1	38	475	172	1.17	11	43	<10	152	1936	3	36	21	4	422
197322	1078438	0.113	<1	0.40	18	358	2	40	0.94	<4	7	17	37	1.47	<0.01	12	0.52	835	2	32	463	44	1.10	17	33	<10	166	1905	3	35	19	3	141
197323	1078439	0.126	2	1.24	23	231	<2	39	1.05	<4	8	22	21	1.98	<0.01	15	0.71	920	1	36	448	169	1.69	19	43	<10	184	1855	<2	37	19	4	203
197324	1078440	<0.005	<1	1.11	5	385	<2	32	1.17	<4	12	37	48	3.12	0.10	2	0.69	566	<1	36	527	10	0.14	12	31	<10	269	2336	<2	87	18	9	84
197325	1078441	0.078	2	1.13	16	190	<2	33	0.63	<4	8	16	34	1.58	0.07	9	0.62	713	<1	33	464	39	1.21	14	48	<10	167	1830	<2	33	20	4	91
197326	1078442	0.267	2	0.88	13	235	<2	40	0.72	<4	7	12	27	1.29	0.43	8	0.62	760	<1	29	446	52	0.94	12	46	<10	160	1731	<2	32	26	3	853
197327	1078443	0.649	5	1.05	15	147	<2	41	0.91	14	8	10	286	2.77	0.47	3	0.95	1148	<1	27	390	1269	3.02	18	39	<10	155	1395	2	31	57	4	4626
197328D	1078443	0.653	4	0.82	15	160	<2	38	0.92	14	9	12	293	2.80	0.33	4	0.90	1184	<1	28	389	1286	3.12	17	36	<10	157	1415	2	32	62	4	4734
197329	1078444	0.110	2	0.69	9	128	<2	29	0.48	4	6	11	34	1.49	0.30	9	0.75	819	<1	26	450	1156	1.12	15	43	<10	165	1491	<2	30	28	3	997
197330	1078445	0.112	4	0.99	19	169	<2	41	0.54	9	6	11	56	1.66	0.33	5	0.66	747	<1	29	420	913	1.80	14	38	<10	172	1306	2	27	43	4	2901
197331	1078446	0.203	5	0.54	16	125	<2	41	0.50	15	6	11	47	1.80	0.37	5	0.70	856	<1	30	411	1698	2.11	18	37	<10	164	1274	<2	26	62	3	4869

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197332	1078447	0.065	1	0.82	19	194	<2	44	0.55	5	10	13	49	1.86	0.13	6	0.66	838	<1	31	437	389	1.73	15	27	<10	175	1208	<2	29	32	3	1392
197333	1078448	0.215	2	2.33	5	168	<2	44	0.43	<4	9	14	19	1.29	0.28	5	0.92	729	<1	29	462	130	0.61	20	40	<10	166	1374	<2	31	21	4	146
197334	1078449	0.040	2	4.31	12	212	<2	59	0.98	<4	8	14	55	2.00	0.20	21	1.30	1110	<1	38	571	120	1.11	16	47	<10	216	1576	<2	38	26	5	277
197335	1078450	0.290	109	1.86	203	414	<2	42	0.88	24	14	43	6472	5.30	<0.01	1	0.99	1622	14	33	413	10074	2.68	306	23	<10	228	1826	11	79	55	11	5269
197336	1078451	0.125	3	1.59	20	111	<2	63	0.64	6	6	12	170	1.50	0.12	4	0.70	686	<1	30	390	656	1.41	23	43	<10	200	1132	3	26	33	4	1917
197337	1078452	0.039	2	1.32	17	137	<2	43	0.59	<4	5	10	26	1.60	0.22	7	0.76	748	<1	26	445	346	1.39	15	37	<10	172	1321	<2	30	26	4	824
197338	1078453	0.028	2	1.57	6	140	<2	37	0.23	<4	6	10	38	1.52	0.35	8	0.87	714	<1	28	451	55	0.80	14	38	<10	146	1503	<2	29	20	4	190
197339D	1078453	0.036	2	1.35	8	167	<2	36	0.28	<4	6	12	38	1.52	0.26	9	0.76	716	<1	29	463	55	0.81	21	35	<10	158	1599	<2	32	21	4	183
197340	1078454	0.032	1	1.21	15	208	<2	30	0.70	<4	6	11	68	1.23	0.33	7	0.62	620	<1	27	434	118	0.99	18	39	<10	201	1547	<2	26	19	4	175
197341	1078455	0.108	3	1.15	13	158	<2	36	0.68	<4	6	13	20	1.16	0.34	5	0.78	766	<1	28	409	287	0.92	18	38	<10	178	1479	2	25	26	4	730
197342	1078456	0.232	2	1.45	17	169	<2	44	0.47	7	7	10	22	1.38	0.26	8	0.73	621	<1	26	414	409	1.34	17	39	<10	160	1423	<2	26	37	4	2522
197343	1078457	2.865	3	1.35	27	190	<2	39	0.91	5	10	12	58	1.99	0.25	9	0.87	1014	<1	31	435	548	2.14	16	41	<10	166	1518	<2	30	33	4	1720
197344	1078458	0.103	4	2.82	19	406	<2	46	1.45	<4	6	16	111	1.58	0.09	8	1.37	902	<1	36	458	816	1.62	21	41	<10	188	1418	<2	24	23	6	498
197345	1078459	0.547	2	2.95	11	670	<2	40	1.52	<4	6	14	19	1.34	0.03	6	1.11	857	<1	26	341	371	1.01	16	44	<10	200	1504	<2	25	21	5	279
197346	1078460	<0.005	2	2.10	5	397	<2	34	1.25	<4	12	37	49	3.24	0.22	<1	0.86	575	<1	37	532	14	0.13	13	33	<10	280	2244	<2	88	18	12	88
197347	1078461	0.260	2	2.72	10	568	<2	40	1.44	<4	6	15	25	1.24	0.23	8	1.03	778	<1	26	305	51	0.52	20	36	<10	180	1614	<2	26	20	5	165
197348	1078462	0.045	2	1.98	14	569	<2	34	1.51	<4	6	14	31	1.22	0.21	6	0.91	805	<1	24	319	52	0.53	13	34	<10	157	1585	4	25	18	4	109
197349	1078463	0.017	1	1.80	2	285	<2	46	0.95	<4	23	147	53	3.75	0.10	15	1.08	639	<1	84	488	25	0.84	15	27	<10	179	2396	<2	94	19	6	113
197350D	1078463	0.055	<1	2.74	<2	252	<2	52	0.94	<4	23	141	54	3.76	0.27	13	1.28	591	<1	86	491	23	0.81	16	32	10	173	2180	<2	88	20	8	105
197351	1078464	0.067	1	2.07	2	304	<2	45	1.01	<4	18	103	33	2.89	0.12	10	1.00	629	<1	61	458	23	0.64	16	36	<10	182	2312	6	73	17	8	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197352	1078465	0.031	1	1.40	20	492	<2	31	0.82	<4	9	34	37	1.67	0.07	6	0.60	555	<1	37	339	97	1.13	18	43	<10	196	1685	<2	37	22	5	437
197353	1078466	0.028	2	2.88	25	483	<2	39	0.72	<4	9	32	33	1.62	0.06	4	0.69	504	<1	36	343	77	1.09	19	40	<10	178	1512	<2	32	22	6	413
197354	1078467	0.028	<1	2.59	23	228	<2	40	1.30	<4	9	19	27	0.80	0.14	<1	0.62	384	<1	37	611	65	0.44	16	54	<10	152	1517	<2	26	24	7	180
197355	1078468	0.021	1	3.95	20	273	<2	48	1.28	<4	9	14	26	1.19	0.09	<1	0.77	481	<1	31	681	32	0.53	16	43	<10	177	1799	<2	32	21	7	153
197356	1078469	0.082	3	2.41	18	323	<2	47	1.20	4	12	22	80	2.00	0.26	<1	0.62	546	<1	32	448	458	1.13	18	27	<10	184	1833	3	44	27	7	1222
197357	1078470	5.264	2	2.13	358	885	<2	42	1.90	<4	13	93	77	3.00	0.23	<1	1.10	424	4	55	722	22	0.90	47	47	<10	206	1589	3	115	30	14	235
197358	1078471	0.408	3	3.65	15	351	<2	47	1.31	<4	11	22	66	1.71	0.21	<1	0.78	604	<1	33	431	131	0.72	18	48	<10	196	1587	<2	40	20	8	241
197359	1078472	0.049	2	3.27	8	645	<2	39	1.06	<4	11	25	31	1.39	0.16	<1	0.54	381	<1	35	424	27	0.75	13	42	<10	202	1491	<2	35	22	7	68
197360	1078473	0.098	<1	3.67	6	591	<2	44	1.54	<4	8	28	36	1.65	0.10	5	0.87	613	<1	38	450	38	0.73	16	33	<10	209	1728	<2	40	21	8	103
197361D	1078473	0.103	1	3.22	8	490	<2	47	1.41	<4	9	26	36	1.64	0.32	<1	0.94	606	<1	36	446	34	0.69	18	48	<10	187	1622	<2	37	20	8	103
197362	1078474	0.013	<1	3.68	8	459	<2	43	1.76	<4	7	18	7	1.77	0.09	8	1.20	599	<1	31	638	24	0.57	17	56	<10	201	1852	<2	32	21	8	81
197363	1078475	<0.005	3	4.66	7	366	<2	50	1.94	<4	7	14	4	1.36	0.18	7	1.55	543	<1	29	636	22	0.48	17	44	<10	204	1687	4	30	19	8	73
197364	1078476	0.010	2	2.44	6	430	<2	40	0.92	<4	6	26	7	1.18	0.18	10	1.26	451	<1	46	725	33	0.20	16	40	<10	166	1858	3	35	20	6	131
197365	1078477	0.129	3	3.21	20	312	<2	35	1.77	<4	7	20	42	1.64	0.09	9	1.25	733	<1	36	614	30	0.94	20	41	<10	192	1688	<2	31	21	7	111
197366	1078478	0.178	2	2.23	15	256	<2	40	0.69	<4	6	21	77	1.30	0.22	4	0.89	626	<1	33	461	347	0.86	14	29	<10	159	1450	<2	28	24	5	615
197367	1078479	0.144	2	1.83	9	254	<2	33	0.25	<4	5	16	108	1.04	0.26	2	0.65	406	<1	31	507	213	0.65	15	36	<10	175	1279	<2	28	20	5	228
197368	1078480	<0.005	1	2.47	5	348	<2	43	1.13	<4	10	34	46	3.02	0.45	<1	0.90	522	<1	36	514	12	0.18	17	37	<10	260	1986	<2	80	21	14	79
197369	1078481	0.043	3	2.18	11	326	<2	41	0.53	<4	5	10	33	1.18	0.49	2	0.57	436	<1	23	446	27	0.61	19	45	<10	189	1452	2	28	20	5	77
197370	1078482	0.032	3	4.67	7	419	<2	46	1.77	<4	5	14	22	1.13	0.48	7	1.37	453	<1	27	319	48	0.29	13	34	<10	181	1442	<2	21	19	7	145
197371	1078483	0.167	2	4.39	21	340	<2	51	1.14	<4	6	15	42	1.22	0.30	4	1.31	429	<1	29	339	40	0.61	20	42	<10	134	1366	<2	20	18	7	100

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197372D	1078483	0.165	2	3.97	17	383	<2	29	1.04	<4	7	14	40	1.20	0.31	5	1.21	422	<1	28	319	34	0.63	17	41	<10	129	1405	2	21	19	6	99
197373	1078484	0.283	7	2.25	32	390	<2	51	0.48	8	7	14	139	1.47	0.25	10	0.70	275	<1	28	360	598	1.56	38	37	<10	104	1696	<2	26	37	4	2470
197374	1078485	0.012	1	2.80	14	350	<2	35	1.60	<4	6	17	21	1.39	0.17	6	1.04	331	<1	28	348	66	0.80	16	41	<10	154	1514	<2	30	20	6	105
197375	1078486	0.010	2	3.40	19	313	<2	46	1.67	<4	8	24	21	1.55	0.09	5	1.13	335	<1	42	353	72	0.93	21	48	<10	155	1436	4	28	20	6	97
197376	1078487	0.049	3	2.54	18	504	<2	40	0.65	<4	5	19	10	1.01	0.19	7	0.64	246	<1	34	329	30	0.69	17	47	<10	123	1438	<2	27	19	4	69
197377	1078488	0.024	3	4.64	31	417	<2	45	1.66	<4	7	27	19	1.58	0.14	14	1.48	603	<1	37	398	46	0.77	12	47	<10	164	1694	3	33	21	7	130
197378	1078489	0.344	3	1.58	17	584	<2	35	<0.01	<4	7	24	32	1.02	0.04	5	0.38	143	<1	32	505	42	0.93	16	27	<10	88	1829	<2	35	26	4	640
197379	1078490	1.398	3	0.96	35	990	<2	38	1.91	4	17	57	7539	4.66	<0.01	<1	0.75	518	750	24	782	37	2.94	28	34	<10	252	845	4	103	23	8	146
197380	1078491	0.095	1	1.72	14	400	<2	42	1.50	<4	7	24	41	1.49	0.20	7	1.00	715	<1	33	413	39	0.75	15	39	<10	151	1631	<2	32	19	5	151
197381	1078492	0.024	3	1.48	9	407	<2	40	1.35	<4	8	29	14	1.42	0.17	7	0.91	735	<1	44	384	34	0.64	20	34	<10	130	1502	2	29	19	5	121
197382	1078493	0.445	3	0.33	12	300	<2	46	0.83	<4	6	19	10	1.27	0.38	5	0.49	449	<1	29	322	21	1.39	20	39	<10	106	1469	2	25	20	4	77
197383R	1078493	0.441	3	0.36	12	423	<2	25	0.21	<4	6	18	12	1.25	0.53	4	0.40	268	<1	28	342	23	1.42	17	40	<10	98	1600	2	27	19	3	74
197384	1078494	0.507	4	1.09	26	415	<2	28	0.23	<4	6	20	42	1.39	0.34	4	0.47	294	<1	32	338	103	1.53	22	37	<10	92	1516	<2	27	22	4	296
197385	1078495	0.028	1	2.21	4	488	<2	40	0.81	<4	6	16	20	1.10	0.30	7	0.83	452	<1	26	342	45	0.51	16	39	<10	96	1520	4	26	21	4	113
197386	1078496	0.020	3	1.18	11	526	<2	40	0.90	<4	6	29	14	1.12	0.32	12	0.66	427	<1	40	353	30	0.49	14	48	<10	106	1572	<2	28	26	4	114
197387	1078497	0.450	2	1.00	7	439	<2	39	0.70	<4	6	20	14	1.32	0.16	16	0.70	397	<1	27	329	57	0.61	17	46	<10	91	1777	<2	28	22	3	132
197388	1078498	0.126	1	0.93	18	525	<2	36	0.17	<4	7	22	12	1.01	0.23	16	0.42	181	<1	32	347	25	0.64	22	45	<10	98	1866	<2	29	20	3	73
197389	1078499	0.007	2	2.29	11	374	<2	46	1.07	<4	6	12	6	1.16	0.14	8	1.04	280	<1	24	322	19	0.19	14	44	<10	133	1550	<2	24	19	5	65
197390	1078500	0.006	2	1.04	2	367	<2	36	1.06	<4	11	36	46	3.01	0.10	1	0.67	537	<1	35	513	7	0.10	21	35	<10	257	2210	<2	84	20	9	82
197391	1078501	0.006	1	1.63	5	430	<2	42	0.99	<4	6	20	4	1.11	0.02	7	0.78	237	<1	27	315	25	0.11	18	43	<10	152	1693	4	26	21	4	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197392	1078502	0.026	1	2.01	<2	594	<2	33	1.41	<4	6	23	30	1.36	<0.01	17	0.91	322	<1	37	357	24	0.13	14	45	<10	188	1888	2	30	19	4	73
197393	1078503	0.744	<1	0.50	26	438	<2	37	0.35	<4	6	19	77	1.21	<0.01	8	0.49	181	<1	28	378	49	0.62	13	47	<10	119	1785	<2	28	25	3	399
197394D	1078503	0.747	2	1.45	26	471	<2	34	0.46	<4	7	19	85	1.33	0.07	9	0.59	186	<1	34	399	52	0.76	14	42	<10	118	1709	<2	28	22	4	444
197395	1078504	0.392	2	1.57	18	340	<2	40	0.64	<4	5	15	16	1.13	<0.01	6	0.67	284	<1	28	331	45	0.54	13	32	<10	120	1378	4	23	19	4	114
197396	1078505	0.097	1	0.30	13	496	<2	38	<0.01	<4	6	16	9	0.73	<0.01	8	0.29	<100	<1	26	257	25	0.38	16	37	<10	96	1704	<2	27	24	3	109
197397	1078506	0.058	3	1.15	9	527	<2	30	<0.01	<4	6	21	7	0.73	<0.01	6	0.31	<100	<1	25	262	24	0.45	15	32	<10	89	1677	<2	27	23	3	87
197398	1078507	0.053	2	1.12	12	486	7	44	0.81	<4	7	39	17	0.94	0.08	5	0.46	172	<1	43	374	34	0.47	16	28	<10	148	1263	<2	24	22	4	97
197399	1078508	0.215	1	1.40	25	508	<2	34	<0.01	<4	6	24	24	1.14	<0.01	11	0.40	103	<1	37	283	65	0.87	18	39	<10	101	1729	<2	30	22	3	174
197400	1078509	0.395	<1	1.60	22	373	<2	30	0.36	<4	7	16	20	1.38	0.15	13	0.57	210	<1	30	402	74	0.95	20	43	<10	116	1598	<2	28	20	4	165
197401	1078510	0.246	108	1.78	209	405	<2	49	0.91	24	14	46	6532	5.39	<0.01	5	0.94	1632	16	34	413	10104	2.57	314	27	<10	231	1943	3	81	56	10	5269
197402	1078511	0.265	3	1.05	17	307	<2	42	0.11	<4	6	19	98	1.03	0.06	5	0.42	149	3	30	310	378	0.75	25	33	<10	107	1482	<2	27	27	3	470
197403	1078512	0.179	2	0.27	17	300	<2	39	<0.01	<4	6	18	17	0.76	0.01	4	0.30	<100	3	25	420	75	0.57	17	37	<10	102	1622	<2	36	23	3	87
197404	1078513	0.012	<1	2.05	6	438	<2	38	1.60	<4	8	22	8	1.64	<0.01	12	0.77	339	4	30	499	27	0.37	17	41	<10	165	2196	<2	41	21	5	87
197405D	1078513	<0.005	1	2.12	10	492	<2	44	1.82	<4	9	24	7	1.74	<0.01	14	0.87	359	<1	33	522	21	0.46	12	38	<10	164	2021	3	39	20	5	83
197406	1078514	<0.005	2	1.77	10	414	<2	47	2.02	<4	8	21	7	1.76	0.12	11	0.86	331	<1	30	486	21	0.37	15	44	<10	199	1888	<2	36	19	5	94
197407	1078515	<0.005	2	1.10	15	466	<2	43	1.67	<4	9	19	4	1.78	<0.01	15	0.65	306	<1	30	507	14	0.55	14	38	<10	229	2227	4	42	19	4	84
197408	1078516	<0.005	1	2.03	6	458	<2	31	1.60	<4	8	20	9	1.61	0.15	18	1.04	364	<1	29	493	14	0.48	12	33	<10	181	1996	<2	38	22	5	73
197409	1078517	0.039	2	0.97	7	315	<2	27	1.28	<4	9	21	63	1.50	0.17	31	0.88	376	<1	29	472	29	0.48	17	39	<10	118	1855	<2	39	21	4	566
197410	1078518	0.065	2	1.71	27	399	<2	44	0.39	<4	9	25	39	1.32	0.37	21	0.54	215	<1	41	555	137	1.01	14	33	10	125	1841	4	44	24	4	225
197411	1078519	0.021	2	1.55	18	285	<2	54	0.80	<4	10	23	10	1.45	0.29	21	0.87	345	<1	39	506	89	0.91	19	44	<10	127	1561	<2	40	23	4	112

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
197412	1078520	<0.005	1	2.97	11	440	<2	46	1.45	<4	12	41	52	3.47	0.57	5	0.92	612	<1	40	581	12	0.14	16	34	<10	302	2435	2	95	23	13	90
197413	1078521	0.060	2	4.00	29	357	<2	46	1.13	<4	8	23	13	1.75	0.13	21	1.17	410	<1	38	611	33	1.21	21	40	<10	140	1809	<2	43	21	6	92
197414	1078522	0.018	<1	2.56	27	311	2	50	1.14	<4	10	21	10	1.73	<0.01	15	1.07	414	5	30	546	22	0.95	18	39	<10	159	2085	2	44	21	4	86
197415	1078523	0.034	2	2.30	2	341	<2	39	1.30	<4	8	23	13	1.64	<0.01	11	0.85	361	2	29	517	24	0.52	15	34	<10	199	2072	<2	42	22	5	103
197416D	1078523	0.031	<1	1.17	2	333	<2	45	1.15	<4	9	21	13	1.60	0.03	10	0.71	352	2	30	506	26	0.62	15	44	<10	192	2109	2	41	23	4	104
197417	1078524	0.037	2	1.33	7	344	2	40	1.22	<4	8	22	56	2.00	0.02	17	0.76	452	2	32	490	70	0.91	18	38	<10	209	2028	<2	41	22	4	284
197418	1078525	0.031	2	0.73	7	292	2	45	0.89	<4	8	19	7	1.29	<0.01	15	0.55	287	1	26	470	29	0.60	18	37	<10	154	1977	<2	41	21	4	223
197419	1078526	0.027	3	0.75	12	303	2	41	0.96	<4	8	23	9	1.34	<0.01	16	0.55	295	3	29	465	31	0.56	19	44	<10	163	1940	<2	39	23	4	155
197420	1078527	0.016	<1	0.76	<2	254	2	57	1.39	<4	9	27	17	1.50	0.07	16	0.64	418	4	36	486	57	0.48	19	42	<10	174	1976	4	38	21	4	153
197421	1078528	0.862	2	0.66	26	263	2	35	0.62	<4	8	25	81	1.70	<0.01	19	0.44	399	7	35	484	148	1.36	14	38	<10	140	2120	<2	39	27	3	377
197422	1078529	0.559	2	0.91	39	267	2	37	0.53	<4	8	22	80	1.65	0.10	24	0.42	265	13	32	428	56	1.58	11	38	<10	147	2018	<2	40	25	4	132
197423	1078530	5.549	2	1.29	377	1298	<2	39	1.93	<4	14	108	79	3.16	0.25	16	0.78	464	16	55	753	31	1.07	49	30	<10	233	2121	<2	125	26	8	237
197424	1078531	0.008	1	1.68	9	277	<2	43	1.35	<4	6	16	7	1.37	0.01	22	0.73	276	2	24	437	12	0.35	12	34	<10	202	1868	<2	36	21	5	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197252	1078374	<5	<0.001	<0.005
197253	1078375	5	<0.001	0.005
197254	1078376	9	<0.001	0.009
197255	1078377	28	<0.001	0.028
197256	1078378	27	<0.001	0.027
197257	1078379	15	<0.001	0.015
197258	1078380	<5	<0.001	<0.005
197259	1078381	31	<0.001	0.031
197260	1078382	25	<0.001	0.025
197261	1078383	24	<0.001	0.024
197262 Dup	1078383	24	<0.001	0.024
197263	1078384	57	0.002	0.057
197264	1078385	49	0.001	0.049
197265	1078386	49	0.001	0.049
197266	1078387	32	<0.001	0.032
197267	1078388	55	0.002	0.055
197268	1078389	129	0.004	0.129
197269	1078390	256	0.007	0.256
197270	1078391	23	<0.001	0.023
197271	1078392	13	<0.001	0.013
197272	1078393	9	<0.001	0.009
197273 Dup	1078393	11	<0.001	0.011
197274	1078394	19	<0.001	0.019
197275	1078395	6	<0.001	0.006
197276	1078396	8	<0.001	0.008
197277	1078397	6	<0.001	0.006
197278	1078398	5	<0.001	0.005
197279	1078399	9	<0.001	0.009
197280	1078400	<5	<0.001	<0.005
197281	1078401	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197282	1078402	26	<0.001	0.026
197283	1078403	14	<0.001	0.014
197284 Dup	1078403	16	<0.001	0.016
197285	1078404	15	<0.001	0.015
197286	1078405	87	0.003	0.087
197287	1078406	544	0.016	0.544
197288	1078407	186	0.005	0.186
197289	1078408	705	0.021	0.705
197290	1078409	690	0.020	0.690
197291	1078410	5086	0.148	5.086
197292	1078411	61	0.002	0.061
197293	1078412	129	0.004	0.129
197294	1078413	124	0.004	0.124
197295 Dup	1078413	76	0.002	0.076
197296	1078414	110	0.003	0.110
197297	1078415	627	0.018	0.627
197298	1078416	70	0.002	0.070
197299	1078417	207	0.006	0.207
197300	1078418	411	0.012	0.411
197301	1078419	258	0.008	0.258
197302	1078420	<5	<0.001	<0.005
197303	1078421	898	0.026	0.898
197304	1078422	1081	0.032	1.081
197305	1078423	126304	3.685	126.304
197306 Dup	1078423	128583	3.751	128.583
197307	1078424	581	0.017	0.581
197308	1078425	8159	0.238	8.159
197309	1078426	1079	0.031	1.079
197310	1078427	579	0.017	0.579
197311	1078428	47	0.001	0.047

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197312	1078429	331	0.010	0.331
197313	1078430	1391	0.041	1.391
197314	1078431	185	0.005	0.185
197315	1078432	348	0.010	0.348
197316	1078433	767	0.022	0.767
197317 Rep	1078433	782	0.023	0.782
197318	1078434	141	0.004	0.141
197319	1078435	52	0.002	0.052
197320	1078436	97	0.003	0.097
197321	1078437	291	0.008	0.291
197322	1078438	113	0.003	0.113
197323	1078439	126	0.004	0.126
197324	1078440	<5	<0.001	<0.005
197325	1078441	78	0.002	0.078
197326	1078442	267	0.008	0.267
197327	1078443	649	0.019	0.649
197328 Dup	1078443	653	0.019	0.653
197329	1078444	110	0.003	0.110
197330	1078445	112	0.003	0.112
197331	1078446	203	0.006	0.203
197332	1078447	65	0.002	0.065
197333	1078448	215	0.006	0.215
197334	1078449	40	0.001	0.040
197335	1078450	290	0.008	0.290
197336	1078451	125	0.004	0.125
197337	1078452	39	0.001	0.039
197338	1078453	28	<0.001	0.028
197339 Dup	1078453	36	0.001	0.036
197340	1078454	32	<0.001	0.032
197341	1078455	108	0.003	0.108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197342	1078456	232	0.007	0.232
197343	1078457	2865	0.084	2.865
197344	1078458	103	0.003	0.103
197345	1078459	547	0.016	0.547
197346	1078460	<5	<0.001	<0.005
197347	1078461	260	0.008	0.260
197348	1078462	45	0.001	0.045
197349	1078463	17	<0.001	0.017
197350 Dup	1078463	55	0.002	0.055
197351	1078464	67	0.002	0.067
197352	1078465	31	<0.001	0.031
197353	1078466	28	<0.001	0.028
197354	1078467	28	<0.001	0.028
197355	1078468	21	<0.001	0.021
197356	1078469	82	0.002	0.082
197357	1078470	5264	0.154	5.264
197358	1078471	408	0.012	0.408
197359	1078472	49	0.001	0.049
197360	1078473	98	0.003	0.098
197361 Dup	1078473	103	0.003	0.103
197362	1078474	13	<0.001	0.013
197363	1078475	<5	<0.001	<0.005
197364	1078476	10	<0.001	0.010
197365	1078477	129	0.004	0.129
197366	1078478	178	0.005	0.178
197367	1078479	144	0.004	0.144
197368	1078480	<5	<0.001	<0.005
197369	1078481	43	0.001	0.043
197370	1078482	32	<0.001	0.032
197371	1078483	167	0.005	0.167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197372 Dup	1078483	165	0.005	0.165
197373	1078484	283	0.008	0.283
197374	1078485	12	<0.001	0.012
197375	1078486	10	<0.001	0.010
197376	1078487	49	0.001	0.049
197377	1078488	24	<0.001	0.024
197378	1078489	344	0.010	0.344
197379	1078490	1398	0.041	1.398
197380	1078491	95	0.003	0.095
197381	1078492	24	<0.001	0.024
197382	1078493	445	0.013	0.445
197383 Rep	1078493	441	0.013	0.441
197384	1078494	507	0.015	0.507
197385	1078495	28	<0.001	0.028
197386	1078496	20	<0.001	0.020
197387	1078497	450	0.013	0.450
197388	1078498	126	0.004	0.126
197389	1078499	7	<0.001	0.007
197390	1078500	6	<0.001	0.006
197391	1078501	6	<0.001	0.006
197392	1078502	26	<0.001	0.026
197393	1078503	744	0.022	0.744
197394 Dup	1078503	747	0.022	0.747
197395	1078504	392	0.011	0.392
197396	1078505	97	0.003	0.097
197397	1078506	58	0.002	0.058
197398	1078507	53	0.002	0.053
197399	1078508	215	0.006	0.215
197400	1078509	395	0.012	0.395
197401	1078510	246	0.007	0.246

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, August 26, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/10/2011  
 Date Completed: 08/26/2011  
 Job #: 201142958  
 Reference: TL11204A  
 Sample #: 158

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
197402	1078511	265	0.008	0.265
197403	1078512	179	0.005	0.179
197404	1078513	12	<0.001	0.012
197405 Dup	1078513	<5	<0.001	<0.005
197406	1078514	<5	<0.001	<0.005
197407	1078515	<5	<0.001	<0.005
197408	1078516	<5	<0.001	<0.005
197409	1078517	39	0.001	0.039
197410	1078518	65	0.002	0.065
197411	1078519	21	<0.001	0.021
197412	1078520	<5	<0.001	<0.005
197413	1078521	60	0.002	0.060
197414	1078522	18	<0.001	0.018
197415	1078523	34	<0.001	0.034
197416 Dup	1078523	31	<0.001	0.031
197417	1078524	37	0.001	0.037
197418	1078525	31	<0.001	0.031
197419	1078526	27	<0.001	0.027
197420	1078527	16	<0.001	0.016
197421	1078528	862	0.025	0.862
197422	1078529	559	0.016	0.559
197423	1078530	5549	0.162	5.549
197424	1078531	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/23/2011  
 Job #: 201143230  
 Reference: TL11204A  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
215799	1078423	70.906	70.665	617.184	95.678	4.56%	45.74
215800	1048426	1.337	1.280	17.664	2.072	4.67%	42.47

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200663	1078532	0.025	<1	<0.01	21	210	2	9	0.78	<4	17	102	45	2.76	0.18	5	0.80	563	3	56	391	49	1.06	9	<5	<10	188	2237	3	73	<10	5	105
200664	1078533	0.018	1	0.23	7	322	2	13	1.09	<4	19	118	41	3.14	0.15	13	0.98	605	5	68	465	33	1.01	7	13	<10	222	2647	<2	87	<10	6	110
200665	1078534	0.005	2	<0.01	14	420	<2	4	0.98	<4	6	13	12	0.85	0.18	<1	0.27	210	<1	23	346	20	0.97	6	8	<10	205	1289	2	33	<10	3	46
200666	1078535	0.008	1	<0.01	13	395	<2	3	1.20	<4	5	12	6	0.66	0.13	<1	0.29	246	<1	22	337	15	0.80	5	6	<10	211	1126	<2	32	<10	4	39
200667	1078536	0.009	1	<0.01	16	403	<2	8	1.02	<4	6	15	10	0.94	<0.01	3	0.32	253	2	26	348	21	1.15	7	8	<10	226	1393	4	33	<10	4	94
200668	1078537	0.006	1	0.14	12	473	<2	7	1.13	<4	6	13	6	0.60	<0.01	3	0.27	228	<1	24	376	21	0.90	7	12	<10	250	1473	6	36	<10	4	40
200669	1078538	<0.005	2	0.34	14	405	<2	12	1.08	<4	6	15	14	0.44	0.05	5	0.26	215	5	25	401	20	0.89	<5	<5	<10	259	1675	2	38	<10	4	52
200670	1078539	<0.005	1	0.38	8	350	<2	7	1.08	<4	6	14	9	0.42	0.05	4	0.28	158	4	23	409	22	0.86	7	11	<10	259	1579	<2	35	<10	4	42
200671	1078540	0.010	2	0.44	7	398	<2	6	1.07	<4	11	34	45	2.94	0.41	<1	0.78	525	<1	28	497	9	0.61	8	<5	<10	252	2077	2	82	<10	10	65
200672	1078541	0.012	1	0.44	12	398	<2	4	1.03	<4	5	11	10	0.49	0.23	1	0.24	130	<1	18	392	16	0.70	9	12	<10	247	1331	5	34	<10	4	30
200673D	1078541	0.006	2	0.03	10	366	<2	2	0.92	<4	5	10	9	0.46	0.17	<1	0.23	120	<1	19	363	13	0.65	<5	10	<10	234	1245	<2	31	<10	4	29
200674	1078542	0.007	2	<0.01	11	474	<2	6	0.96	<4	7	10	6	0.46	0.21	<1	0.21	138	<1	19	372	20	0.80	7	22	<10	257	1455	5	33	<10	4	34
200675	1078543	0.033	2	<0.01	26	468	<2	7	1.03	<4	6	13	20	1.28	0.27	5	0.26	298	<1	23	360	50	1.34	7	15	<10	199	1406	5	35	<10	4	188
200676	1078544	0.048	3	<0.01	36	499	<2	9	0.49	<4	6	12	20	1.45	0.11	3	0.23	235	<1	19	360	75	1.50	9	<5	<10	178	1593	<2	35	<10	4	213
200677	1078545	0.017	2	<0.01	37	454	<2	4	1.01	<4	6	15	23	1.30	0.18	<1	0.26	280	<1	22	334	88	1.29	7	11	<10	212	1371	<2	32	<10	4	190
200678	1078546	0.034	2	<0.01	39	467	<2	<1	1.06	<4	6	16	19	1.43	<0.01	3	0.28	368	<1	27	357	82	1.28	5	11	<10	225	1462	<2	35	<10	4	165
200679	1078547	0.031	1	0.26	29	520	<2	5	1.29	<4	8	23	16	1.62	0.14	8	0.42	384	<1	24	381	45	1.25	9	10	<10	220	1678	<2	40	<10	5	93
200680	1078548	0.011	2	0.90	19	557	<2	3	1.26	<4	6	14	21	1.62	0.16	15	0.46	398	2	22	371	62	1.30	6	13	<10	235	1704	2	35	<10	5	265
200681	1078549	0.021	2	1.00	4	496	<2	4	1.74	<4	8	13	78	1.67	0.10	7	0.69	470	2	21	424	198	0.98	7	16	<10	267	1894	4	37	<10	5	424
200682	1078550	1.432	3	0.43	32	1149	2	10	1.97	<4	18	58	7551	4.64	<0.01	4	0.79	525	722	20	824	41	2.10	20	16	<10	257	916	3	104	<10	8	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200683	1078551	0.015	2	0.28	7	483	<2	10	1.40	<4	6	14	66	1.48	0.08	5	0.69	476	<1	24	408	217	0.78	8	8	<10	285	1643	<2	33	<10	5	142
200684D	1078551	0.012	2	0.33	9	525	<2	4	1.55	<4	7	16	70	1.59	0.07	7	0.69	509	<1	24	426	240	0.91	10	8	<10	309	1771	<2	35	<10	4	148
200685	1078552	0.015	2	0.05	11	518	<2	4	1.60	<4	8	16	19	1.72	0.09	8	0.62	555	4	27	466	53	1.10	5	10	<10	162	2008	<2	39	<10	4	115
200686	1078553	0.162	7	0.11	22	549	<2	5	0.55	<4	7	14	108	1.36	0.08	13	0.50	476	3	23	420	2331	1.25	12	18	<10	116	1990	<2	35	14	4	851
200687	1078554	0.031	2	0.63	24	404	<2	5	1.25	<4	8	12	24	1.65	0.19	2	0.83	663	<1	25	448	135	0.99	7	<5	<10	134	1652	7	28	<10	5	413
200688	1078555	0.033	2	<0.01	12	477	<2	5	0.91	<4	10	23	57	1.99	<0.01	13	0.58	482	8	28	564	76	1.40	7	6	<10	174	2410	<2	48	<10	4	167
200689	1078556	0.042	2	1.29	2	228	<2	13	1.20	4	22	110	86	3.41	0.36	1	1.28	627	<1	67	472	75	1.10	8	11	<10	160	1728	3	71	10	12	703
200690	1078557	0.034	<1	1.01	4	287	2	10	0.77	<4	24	134	56	3.60	0.33	15	1.31	452	<1	83	497	34	0.79	8	8	<10	163	2481	6	100	<10	6	72
200691	1078558	0.332	2	1.95	6	240	<2	9	1.57	<4	22	133	51	4.30	0.48	22	1.49	770	3	74	476	25	0.92	10	10	<10	154	2560	3	94	<10	8	92
200692	1078559	0.042	<1	0.81	7	302	2	9	1.14	<4	20	139	45	3.36	0.38	13	0.96	578	5	66	481	47	1.32	6	5	<10	177	2510	7	94	<10	6	114
200693	1078560	0.006	2	0.53	4	418	<2	4	1.11	<4	11	35	47	3.08	0.37	<1	0.83	550	<1	29	514	9	0.52	6	14	<10	259	2153	<2	86	<10	11	63
200694	1078561	0.028	1	0.86	39	253	2	9	0.93	<4	20	114	53	3.53	0.21	9	1.11	513	<1	73	498	64	1.42	7	14	<10	140	1722	5	76	<10	8	141
200695D	1078561	0.068	2	0.86	42	275	2	7	0.98	<4	21	120	56	3.68	0.32	11	1.14	539	<1	76	516	72	1.48	7	<5	<10	143	1819	6	81	<10	8	149
200696	1078562	0.037	1	1.15	3	324	2	2	1.64	<4	22	129	44	3.61	0.32	11	1.31	838	<1	71	496	33	1.10	8	<5	<10	156	2437	2	91	<10	8	99
200697	1078563	0.041	2	0.60	8	374	2	12	0.90	<4	15	79	39	2.59	0.13	13	1.16	529	<1	50	415	40	1.05	8	<5	<10	148	1733	2	54	<10	9	91
200698	1078564	0.073	2	0.55	29	575	<2	10	0.22	<4	9	17	37	1.13	0.08	10	0.53	288	<1	38	250	51	1.32	11	5	<10	117	1720	3	32	11	3	642
200699	1078565	0.069	2	2.45	26	449	<2	5	0.63	<4	7	12	11	0.91	0.24	10	0.76	369	1	28	219	42	1.13	19	14	<10	135	1517	5	29	12	4	747
200700	1078566	0.057	2	1.82	25	435	<2	10	0.58	<4	5	13	8	0.90	0.07	7	0.66	350	3	31	222	38	1.26	19	15	<10	132	1538	8	30	<10	4	383
200701	1078567	0.063	3	0.69	63	446	<2	6	0.34	<4	11	11	10	3.40	0.02	7	0.54	210	3	34	105	38	3.62	16	13	<10	131	1641	<2	30	32	3	2299
200702	1078568	0.165	7	<0.01	26	376	<2	7	0.46	<4	7	10	21	0.69	<0.01	5	0.54	222	<1	21	190	153	1.04	51	10	<10	143	1610	5	29	<10	3	427

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200703	1078569	0.019	1	0.35	28	395	<2	7	0.42	<4	6	10	13	0.79	0.04	4	0.54	164	<1	22	196	46	0.95	14	8	<10	151	1517	<2	28	<10	3	248
200704	1078570	0.241	100	1.78	199	404	<2	14	0.96	23	14	44	6440	5.35	<0.01	3	1.01	1661	23	29	497	10560	2.22	358	10	<10	230	2022	<2	85	57	10	5364
200705	1078571	0.011	1	1.29	42	437	<2	7	0.58	<4	8	15	20	1.65	0.30	12	0.59	186	<1	25	151	42	1.79	10	14	<10	163	1735	2	32	<10	4	128
200706D	1078571	0.011	1	1.36	41	427	<2	8	0.62	<4	7	15	12	1.63	0.18	13	0.58	187	3	25	147	30	1.81	9	8	<10	168	1763	4	32	<10	4	124
200707	1078572	0.014	2	6.75	46	897	<2	5	2.09	<4	5	42	30	0.79	2.21	40	0.40	131	27	22	170	24	1.33	<5	<5	<10	162	1196	8	23	<10	4	45
200708	1078573	0.014	1	7.45	32	987	<2	6	1.88	<4	7	33	6	1.15	2.28	52	0.40	138	21	20	201	22	1.52	<5	<5	<10	157	1457	7	28	<10	3	66
200709	1078574	0.012	1	7.87	30	898	<2	7	2.35	<4	6	30	6	1.02	2.15	48	0.32	123	22	19	243	24	1.37	<5	<5	<10	177	1383	6	27	<10	3	41
200710	1078575	0.011	1	9.92	29	1084	<2	2	2.04	<4	7	36	6	1.09	2.33	58	0.45	153	22	25	249	24	1.46	<5	<5	<10	196	1566	11	31	<10	4	72
200711	1078576	0.014	1	9.75	36	920	<2	10	2.37	<4	10	51	12	1.33	2.15	54	0.54	216	26	22	313	40	1.66	<5	<5	<10	209	1630	8	36	<10	4	100
200712	1078577	0.027	2	0.22	32	379	<2	7	0.44	<4	6	15	32	0.83	<0.01	4	0.30	<100	<1	21	265	92	1.17	<5	<5	<10	207	1401	<2	28	<10	4	195
200713	1078578	0.008	<1	1.57	23	392	<2	7	1.02	<4	6	14	7	0.67	0.25	11	0.39	122	<1	20	479	35	0.99	<5	<5	<10	306	1655	<2	33	10	4	221
200714	1078579	0.011	<1	1.38	19	401	<2	11	0.72	<4	6	12	5	1.15	0.26	14	0.45	138	<1	13	323	35	1.53	<5	<5	<10	244	1589	<2	31	<10	4	143
200715	1078580	0.005	<1	0.77	3	444	<2	4	1.32	<4	11	40	48	3.02	0.47	3	0.81	543	<1	25	569	11	0.73	<5	<5	<10	279	2220	3	92	<10	10	57
200716	1078581	0.006	<1	1.12	17	451	<2	8	0.64	<4	6	12	6	0.44	0.38	12	0.42	118	<1	16	342	25	0.87	<5	<5	<10	234	1549	4	30	<10	4	124
200717D	1078581	<0.005	<1	1.49	16	451	<2	6	0.65	<4	6	12	6	0.44	0.31	10	0.43	113	<1	18	346	27	0.76	<5	<5	<10	241	1509	4	29	<10	4	127
200718	1078582	0.010	<1	1.16	24	407	<2	<1	0.93	<4	8	17	5	0.75	0.24	8	0.58	210	<1	21	328	24	1.17	<5	<5	<10	275	1507	2	29	<10	4	32
200719	1078583	0.016	1	0.79	27	579	<2	7	0.81	<4	7	20	6	0.93	0.26	11	0.67	324	<1	23	336	64	1.21	<5	<5	<10	225	1627	<2	34	<10	4	119
200720	1078584	0.012	<1	1.22	28	561	<2	3	0.79	<4	8	23	9	1.32	0.20	11	0.63	258	<1	35	347	72	1.52	<5	<5	<10	236	1492	6	41	<10	4	64
200721	1078585	0.064	2	1.10	36	539	<2	5	0.92	<4	7	17	106	1.81	0.22	9	0.71	335	<1	32	371	159	2.07	<5	<5	<10	232	1343	2	37	13	4	796
200722	1078586	0.062	3	2.00	34	507	<2	6	0.96	<4	7	26	103	1.72	0.18	10	0.91	392	<1	49	371	304	1.76	<5	<5	<10	229	1259	7	42	17	4	806

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200723	1078587	0.342	1	1.16	28	461	<2	3	0.54	<4	7	15	119	1.09	0.21	<1	0.64	262	<1	29	388	276	1.18	<5	<5	<10	191	1263	<2	34	15	5	871
200724	1078588	<0.005	<1	1.84	7	534	<2	3	0.90	<4	6	14	6	0.66	0.32	5	0.66	216	<1	23	415	26	0.68	<5	<5	<10	220	1431	5	35	<10	4	49
200725	1078589	0.044	<1	1.48	4	390	<2	2	1.69	<4	10	11	24	1.66	0.12	1	0.61	419	<1	20	491	24	0.85	<5	<5	<10	279	1685	<2	42	<10	6	103
200726	1078590	5.047	1	1.13	392	1025	<2	7	2.15	<4	14	103	78	3.00	0.34	5	1.07	432	7	42	796	24	1.18	36	<5	<10	219	1683	3	126	12	13	223
200727	1078591	0.035	<1	0.77	<2	383	<2	<1	1.50	<4	9	14	14	1.82	0.22	2	0.50	354	<1	22	502	21	0.81	<5	<5	<10	292	1800	<2	45	<10	5	67
200728R	1078591	0.054	<1	1.03	3	391	<2	2	1.52	<4	10	13	13	1.79	0.11	2	0.51	347	<1	22	510	16	0.77	<5	<5	<10	291	1803	3	45	<10	5	57
200729	1078592	0.370	<1	1.01	<2	439	<2	6	1.20	<4	8	13	9	1.74	0.19	2	0.53	312	<1	23	497	17	0.87	<5	<5	<10	247	1739	5	44	<10	5	55
200730	1078593	0.098	<1	0.79	19	460	<2	4	0.71	<4	8	12	55	1.70	0.08	2	0.49	253	<1	22	500	103	1.23	<5	<5	<10	183	1584	<2	41	<10	5	314
200731	1078594	0.019	<1	1.54	5	499	<2	4	2.15	<4	8	13	68	1.82	0.08	5	0.82	561	<1	18	508	54	0.96	<5	<5	<10	238	2019	<2	45	<10	5	180
200732	1078595	0.030	<1	1.23	16	459	<2	1	1.78	<4	8	16	10	1.12	0.01	6	0.69	342	<1	24	625	30	1.04	<5	<5	<10	160	1800	<2	43	<10	5	38
200733	1078596	0.023	<1	2.03	10	391	<2	3	1.26	<4	7	11	13	0.84	0.09	10	0.86	481	<1	21	653	32	0.89	<5	<5	<10	124	1852	2	39	<10	6	38
200734	1078597	0.342	7	1.80	54	385	<2	5	0.21	8	8	16	74	1.58	0.23	9	0.51	242	<1	30	611	1037	1.77	<5	<5	<10	81	1738	<2	41	31	6	1864
200735	1078598	0.043	<1	1.88	23	447	2	2	1.29	<4	6	13	16	1.32	0.50	11	0.82	711	3	19	656	51	1.28	<5	<5	<10	114	2065	7	44	<10	5	108
200736	1078599	0.041	<1	1.38	15	487	2	2	1.27	<4	5	14	18	1.39	0.15	11	0.80	742	2	26	680	33	1.10	<5	<5	<10	106	2206	<2	46	10	5	111
200737	1078600	<0.005	<1	1.23	5	466	<2	10	1.44	<4	13	44	51	3.22	0.56	6	0.78	576	4	28	600	9	0.77	<5	<5	<10	291	2328	<2	98	<10	10	60
200738	1078601	0.069	2	1.78	21	509	2	7	1.50	<4	8	15	14	1.49	0.18	13	0.76	717	8	25	747	52	1.40	<5	<5	<10	129	2477	<2	51	<10	5	117
200739D	1078601	0.059	1	1.52	19	496	2	8	1.41	<4	7	14	13	1.41	0.37	13	0.73	678	5	20	731	42	1.16	<5	<5	<10	120	2283	4	47	<10	5	99
200740	1078602	0.017	1	2.07	18	583	2	10	1.87	<4	8	13	16	1.47	0.23	15	0.88	688	4	20	671	32	1.18	<5	<5	<10	141	2271	<2	46	<10	5	147
200741	1078603	0.007	<1	1.07	7	460	2	12	1.43	<4	6	13	7	0.93	0.31	11	0.76	481	2	21	502	19	0.99	<5	<5	<10	153	2024	<2	41	<10	4	44
200742	1078604	0.012	<1	1.89	11	504	2	5	1.49	<4	6	11	11	1.11	0.30	12	0.82	589	1	19	567	31	0.90	<5	<5	<10	173	2135	<2	42	<10	4	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200743	1078605	0.252	3	1.56	12	468	2	7	1.08	6	6	12	27	1.34	0.45	10	0.71	450	2	19	477	579	1.24	<5	<5	<10	174	1924	4	41	28	4	1508
200744	1078606	0.147	3	1.73	17	547	<2	5	1.06	7	5	13	53	1.38	0.50	9	0.68	417	<1	26	439	671	1.15	<5	<5	<10	172	1781	7	40	32	5	1915
200745	1078607	0.016	<1	2.77	6	493	2	6	1.53	<4	5	17	13	1.23	0.61	14	0.93	647	2	27	539	58	0.98	<5	<5	<10	198	1847	<2	43	<10	5	87
200746	1078608	0.008	<1	3.41	7	399	<2	14	1.04	<4	4	10	16	1.00	0.52	8	0.81	491	<1	19	421	73	0.98	<5	<5	<10	168	1583	4	38	<10	6	85
200747	1078609	0.009	2	2.16	10	289	<2	4	0.66	<4	5	13	23	1.10	0.33	8	0.83	487	1	17	462	315	1.13	<5	<5	<10	151	1347	2	37	<10	4	119
200748	1078610	1.423	4	1.59	32	1083	2	12	2.35	<4	22	62	7139	4.70	0.37	7	0.89	534	769	17	936	42	2.66	15	8	<10	285	980	<2	116	13	9	111
200749	1078611	0.043	3	2.22	7	229	<2	6	0.82	<4	4	12	55	1.34	0.59	8	0.98	620	3	21	602	561	1.12	<5	<5	<10	165	1169	<2	36	21	5	1233
200750D	1078611	0.057	3	1.83	9	241	<2	9	0.82	<4	4	13	46	1.36	0.42	9	0.94	644	2	20	621	578	1.25	<5	<5	<10	167	1241	4	38	22	4	1278
200751	1078612	0.013	1	0.63	5	344	<2	11	0.53	<4	5	13	24	1.03	0.42	8	0.63	455	2	17	460	63	1.04	<5	<5	<10	147	1617	<2	39	<10	4	92
200752	1078613	0.228	1	1.45	6	371	2	7	1.27	<4	8	14	37	1.65	0.21	9	0.73	674	2	22	603	35	1.32	<5	<5	<10	198	1684	<2	40	<10	5	77
200753	1078614	0.013	1	1.72	<2	380	2	16	1.29	<4	7	13	47	1.62	0.41	10	0.73	698	3	20	536	58	1.28	<5	<5	<10	208	1913	<2	43	13	5	166
200754	1078615	0.018	1	0.87	12	381	2	8	0.73	<4	6	14	55	1.41	0.46	5	0.34	364	3	23	380	66	1.51	<5	<5	<10	184	1393	<2	30	<10	4	34
200755	1078616	0.032	1	2.10	23	357	2	8	0.39	<4	5	17	13	1.00	0.41	12	0.46	183	4	21	511	39	1.40	<5	<5	<10	182	1741	5	31	<10	5	32
200756	1078617	0.095	3	1.22	23	350	2	7	0.69	<4	6	13	48	1.33	0.30	8	0.61	510	4	20	473	121	1.63	<5	<5	<10	171	1600	5	32	<10	4	367
200757	1078618	0.018	2	1.35	11	371	<2	6	0.24	<4	7	13	39	0.95	0.59	7	0.36	158	3	20	483	107	1.31	<5	<5	<10	159	1566	<2	30	10	4	161
200758	1078619	0.012	2	2.80	7	378	<2	9	0.59	<4	7	10	49	1.06	0.22	7	0.49	319	4	17	612	55	1.31	<5	<5	<10	190	1546	2	35	<10	5	54
200759	1078620	<0.005	<1	1.67	4	472	<2	8	1.49	<4	14	42	50	3.14	0.78	9	0.81	560	6	26	587	11	0.86	<5	<5	<10	299	2270	<2	95	<10	10	58
200760	1078621	0.025	1	1.47	18	328	<2	9	0.49	<4	8	10	17	1.04	0.40	7	0.46	348	2	18	510	47	1.39	<5	<5	<10	176	1599	<2	34	<10	4	194
200761D	1078621	0.011	1	0.86	18	304	<2	5	0.41	<4	9	10	18	1.00	<0.01	<1	0.45	362	2	18	516	49	1.34	<5	<5	<10	167	1638	3	35	<10	4	195
200762	1078622	0.011	1	0.92	7	250	<2	7	0.65	<4	7	12	18	0.97	0.27	5	0.57	555	<1	23	497	47	1.23	<5	<5	<10	150	1519	6	30	<10	4	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200763	1078623	0.042	5	0.85	26	291	<2	7	1.15	<4	13	15	45	1.72	0.40	4	0.95	895	<1	31	383	523	1.55	<5	<5	<10	138	1162	3	26	31	6	1110
200764	1078624	0.013	1	0.21	12	366	<2	<1	0.47	<4	6	15	22	0.95	0.35	9	0.46	407	<1	18	418	66	1.15	<5	<5	<10	138	1754	<2	33	<10	4	156
200765	1078625	0.142	3	2.23	23	327	<2	6	0.89	<4	7	13	67	1.30	0.14	10	0.70	576	1	17	512	222	1.57	<5	<5	<10	168	1736	<2	33	14	5	719
200766	1078626	0.217	4	1.82	27	331	<2	9	0.82	<4	8	14	87	1.42	<0.01	9	0.71	646	<1	15	505	304	1.63	<5	<5	<10	163	1780	<2	33	16	5	869
200767	1078627	0.188	5	1.92	43	345	<2	<1	0.99	6	9	22	61	2.53	0.12	10	0.73	834	<1	20	470	922	2.76	<5	<5	<10	178	1765	4	37	37	5	2420
200768	1078628	0.134	1	1.36	21	332	<2	6	0.79	<4	6	20	33	1.37	0.27	10	0.63	692	<1	17	473	51	1.41	<5	<5	<10	176	1960	<2	40	<10	5	101
200769	1078629	0.071	4	1.66	19	357	<2	11	1.07	<4	7	20	109	1.72	0.20	9	0.75	927	1	18	477	490	1.59	<5	<5	<10	185	1782	2	38	<10	5	414
200770	1078630	0.254	99	2.16	221	461	<2	14	1.12	24	15	51	6359	5.18	0.20	6	1.04	1567	20	23	540	10314	2.49	325	<5	<10	241	1919	<2	87	65	11	5261
200771	1078631	0.109	2	2.38	22	383	<2	7	1.78	<4	6	17	49	1.56	0.10	9	1.00	1092	<1	19	478	139	1.33	<5	<5	<10	212	1712	2	37	<10	6	348
200772D	1078631	0.093	1	2.50	18	392	<2	10	1.84	<4	6	17	41	1.59	0.21	10	1.02	1112	<1	16	488	128	1.35	<5	<5	<10	217	1753	3	38	<10	6	355
200773	1078632	0.608	1	1.90	44	497	2	10	0.68	<4	7	15	20	1.33	0.20	12	0.57	435	2	16	594	56	1.55	<5	<5	<10	184	2112	2	40	<10	5	73
200774	1078633	1.296	1	2.80	28	465	2	7	0.93	<4	8	18	23	1.66	0.02	11	0.62	476	4	17	541	60	1.76	<5	<5	<10	197	1932	3	41	<10	6	87
200775	1078634	3.762	2	1.91	17	397	<2	4	1.01	<4	8	23	41	1.82	0.15	8	0.62	694	1	20	471	32	1.50	<5	<5	<10	204	1835	8	43	<10	5	101
200776	1078635	4.774	2	2.89	14	438	<2	7	0.94	<4	9	24	18	1.65	0.05	12	0.61	596	3	21	480	16	1.38	<5	<5	<10	214	1930	<2	42	<10	6	71
200777	1078636	2.763	1	2.92	20	377	2	7	1.00	<4	8	17	19	1.57	<0.01	8	0.61	659	4	17	523	19	1.60	<5	<5	<10	210	1782	<2	38	<10	6	76
200778	1078637	0.178	1	2.18	13	386	<2	12	0.83	<4	6	17	23	1.34	<0.01	8	0.62	587	2	20	517	26	1.10	<5	<5	<10	196	1908	6	38	<10	5	66
200779	1078638	0.568	2	1.99	9	427	<2	10	1.06	<4	8	16	27	1.85	<0.01	10	0.72	755	3	17	551	21	1.27	<5	<5	<10	181	2136	7	41	<10	5	139
200780	1078639	0.077	2	2.81	17	408	2	13	1.14	<4	9	17	24	1.82	<0.01	14	0.74	755	7	17	555	24	1.35	<5	<5	<10	203	2278	<2	44	<10	6	79
200781	1078640	<0.005	<1	3.09	7	512	<2	7	1.73	<4	14	46	54	3.44	0.17	12	0.95	606	7	27	641	13	0.98	<5	<5	<10	323	2505	<2	103	<10	13	64
200782	1078641	0.556	8	1.50	26	317	<2	9	0.50	<4	13	21	33	1.58	0.38	9	0.54	650	4	25	511	86	1.55	<5	<5	<10	161	2032	4	41	<10	5	195

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200783D	1078641	0.567	2	0.97	28	306	<2	6	0.40	<4	13	18	32	1.44	0.11	7	0.49	621	4	21	482	83	1.51	<5	<5	<10	151	1984	2	39	<10	4	191
200784	1078642	0.573	2	1.99	22	392	2	3	0.73	<4	11	17	20	1.65	0.06	12	0.59	704	5	21	578	52	1.79	<5	<5	<10	178	2202	<2	43	<10	5	113
200785	1078643	0.818	4	1.89	22	368	2	11	1.13	<4	9	18	22	1.38	<0.01	11	0.80	931	7	18	456	134	1.64	<5	<5	<10	183	1861	2	38	<10	5	312
200786	1078644	0.045	3	1.82	33	319	2	8	0.32	<4	9	29	25	1.49	<0.01	6	0.49	243	11	29	358	102	2.23	<5	<5	<10	131	1558	<2	32	<10	5	266
200787	1078645	0.570	3	2.42	33	350	2	9	0.46	<4	7	27	49	1.59	0.18	9	0.57	252	9	23	405	76	2.09	<5	<5	<10	144	1694	<2	35	11	5	306
200788	1078646	0.653	3	3.52	22	434	2	3	1.06	<4	9	29	85	1.88	0.02	16	0.84	813	9	22	479	55	2.01	<5	<5	<10	190	1997	6	43	11	6	231
200789	1078647	1.148	3	3.05	30	339	2	8	0.45	<4	7	24	66	1.56	0.16	11	0.60	235	6	21	407	75	1.98	<5	<5	<10	142	1637	3	34	<10	6	244
200790	1078648	0.028	2	4.15	21	358	2	15	1.81	<4	9	20	25	2.24	0.20	16	1.09	440	2	25	497	29	2.20	<5	<5	<10	230	1794	3	42	<10	7	72
200791	1078649	0.021	2	3.26	16	450	2	11	1.38	<4	12	30	20	2.04	0.21	18	1.00	435	3	20	541	21	1.47	<5	<5	<10	209	2329	<2	62	<10	7	72
200792	1078650	5.190	2	3.51	449	1464	<2	10	2.67	<4	17	128	91	3.53	0.19	17	1.24	496	17	47	907	29	1.65	40	<5	<10	262	2003	<2	146	16	17	243
200793	1078651	0.038	2	3.66	21	515	2	13	1.37	<4	17	29	23	3.09	0.24	20	1.13	544	6	23	573	20	1.85	<5	<5	<10	225	2646	6	62	10	6	109
200794R	1078651	0.038	2	3.29	9	535	2	6	1.36	<4	13	29	22	2.84	0.15	20	1.06	533	6	20	570	22	1.63	<5	<5	<10	228	2652	<2	62	<10	6	107
200795	1078652	0.027	2	3.70	7	663	2	11	2.82	<4	9	31	14	2.68	0.13	17	1.42	862	9	24	518	31	1.69	<5	<5	<10	290	2389	5	59	152	7	75
200796	1078653	0.029	3	5.65	17	606	2	13	3.45	<4	9	28	21	3.09	0.26	19	1.80	1002	8	22	570	27	1.97	<5	<5	<10	299	2460	<2	60	<10	9	68
200797	1078654	0.023	2	4.30	13	479	2	6	3.10	<4	11	27	21	2.44	0.28	18	1.33	818	7	17	558	28	1.64	<5	<5	<10	270	2476	3	57	<10	7	62
200798	1078655	0.022	2	5.11	23	439	2	12	2.20	<4	10	21	15	2.27	0.20	22	1.28	670	9	22	607	27	1.84	<5	6	<10	228	2539	<2	54	10	8	66
200799	1078656	0.020	2	5.62	23	468	2	7	2.09	<4	10	15	20	1.28	0.30	24	1.19	605	7	20	581	26	1.21	<5	<5	<10	220	2631	<2	51	<10	7	66
200800	1078657	0.697	5	3.75	49	377	2	6	0.64	<4	9	17	17	1.30	0.03	16	0.69	292	7	23	480	82	1.79	<5	<5	<10	138	1820	<2	36	10	6	220
200801	1078658	0.181	4	3.05	22	310	2	5	0.48	<4	6	15	10	0.78	0.22	9	0.68	279	4	19	419	46	1.18	<5	<5	<10	121	1515	4	29	<10	6	102
200802	1078659	0.183	4	2.31	27	331	2	9	0.12	<4	5	15	13	1.04	0.19	10	0.53	203	1	22	428	123	1.32	<5	<5	<10	90	1694	4	30	<10	4	141

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200803	1078660	<0.005	<1	1.93	4	458	<2	9	1.43	<4	12	40	49	3.19	0.26	4	0.93	554	<1	27	582	8	0.70	<5	<5	<10	293	2201	<2	94	<10	14	52
200804	1078661	0.021	1	3.07	10	282	2	8	1.50	<4	5	12	10	1.24	0.09	13	1.21	814	1	15	410	36	1.04	<5	<5	<10	153	1658	3	30	<10	6	82
200805D	1078661	0.016	2	3.79	8	298	2	9	1.70	<4	6	14	11	1.35	0.37	19	1.28	870	3	18	444	41	1.13	<5	<5	<10	165	1715	6	31	<10	6	92
200806	1078662	0.018	2	2.50	5	256	2	9	1.28	<4	7	16	12	1.32	0.06	16	0.90	638	5	20	525	24	1.15	<5	<5	<10	137	1775	<2	36	11	6	97
200807	1078663	0.017	2	3.34	4	272	2	3	1.63	<4	6	17	18	1.52	0.36	19	1.08	716	3	25	418	35	1.18	<5	<5	<10	147	1678	<2	31	10	6	153
200808	1078664	0.016	2	3.58	12	307	2	15	1.87	<4	7	15	14	1.30	0.29	19	1.05	781	5	17	435	75	1.13	<5	<5	<10	156	1746	2	32	<10	6	70
200809	1078665	0.583	4	2.49	36	305	<2	5	0.37	<4	5	12	54	1.26	0.32	9	0.59	293	<1	19	396	109	1.48	<5	<5	<10	104	1533	3	28	<10	5	132
200810	1078666	0.486	10	2.73	34	334	<2	8	0.47	<4	7	13	336	1.67	0.29	12	0.57	301	2	20	415	197	1.76	<5	<5	<10	104	1641	3	30	<10	5	213
200811	1078667	0.012	<1	1.98	21	303	<2	8	1.51	<4	6	11	9	1.34	0.13	9	0.91	501	<1	17	382	21	0.91	<5	<5	<10	132	1603	<2	29	<10	5	41
200812	1078668	0.066	1	3.60	14	404	2	6	1.26	<4	6	15	8	1.26	0.10	15	0.84	458	2	18	417	32	1.13	<5	<5	<10	142	1697	<2	31	<10	6	71
200813	1078669	0.009	<1	2.78	10	339	2	11	1.74	<4	5	12	4	1.38	<0.01	10	0.93	558	<1	15	402	9	0.93	<5	<5	<10	156	1645	<2	30	<10	6	41
200814	1078670	<0.005	<1	1.57	<2	415	<2	6	1.29	<4	11	37	46	2.91	<0.01	2	0.84	510	<1	24	541	11	0.77	<5	<5	<10	271	2082	3	86	<10	12	50
200815	1078671	0.007	<1	1.93	11	284	<2	6	1.78	<4	5	13	6	1.27	<0.01	7	0.77	452	<1	17	364	12	0.90	<5	<5	<10	156	1441	3	26	<10	6	47
200816D	1078671	<0.005	2	2.41	8	324	2	6	2.03	<4	5	14	6	1.42	<0.01	13	0.80	506	<1	18	414	13	0.98	<5	<5	<10	173	1586	5	29	<10	6	56
200817	1078672	<0.005	1	2.21	11	231	2	3	1.65	<4	5	12	6	1.33	0.12	12	0.88	700	1	15	391	9	1.03	<5	<5	<10	143	1527	4	29	<10	5	39
200818	1078673	<0.005	<1	2.78	<2	280	2	<1	1.89	<4	5	14	4	1.33	0.10	13	0.81	761	2	12	425	11	0.96	<5	<5	<10	176	1678	3	30	<10	6	37
200819	1078674	<0.005	1	2.64	8	320	<2	4	1.81	<4	5	12	5	1.32	0.04	12	0.76	602	1	14	391	14	0.97	<5	<5	<10	184	1555	<2	28	<10	6	39
200820	1078675	<0.005	1	1.74	3	292	<2	4	1.67	<4	5	12	6	1.41	<0.01	7	0.65	570	<1	15	419	14	1.01	<5	<5	<10	175	1618	2	29	<10	5	41
200821	1078676	<0.005	1	1.58	<2	316	<2	10	1.75	<4	5	13	4	1.55	0.09	10	0.75	583	<1	15	386	18	1.01	<5	<5	<10	158	1699	3	30	<10	5	40
200822	1078677	0.015	3	2.13	7	283	<2	5	1.75	<4	5	11	10	1.47	<0.01	8	0.70	636	<1	12	409	32	0.98	<5	<5	<10	148	1703	<2	32	<10	5	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200823	1078678	0.021	6	1.98	8	241	<2	4	1.66	<4	6	10	6	1.46	<0.01	6	0.78	595	<1	15	380	33	0.98	<5	<5	<10	132	1527	<2	29	<10	5	58
200824	1078679	0.053	16	2.95	22	309	2	6	1.56	<4	11	44	19	2.20	0.02	16	0.83	564	4	29	491	52	1.54	<5	8	<10	145	2132	<2	51	<10	7	98
200825	1078680	0.008	<1	2.92	4	491	<2	7	1.62	<4	13	43	52	3.38	0.21	7	1.00	585	<1	26	614	8	0.72	<5	<5	<10	315	2323	4	100	<10	15	56
200826	1078681	0.064	4	2.79	44	324	2	7	1.57	<4	24	126	55	3.12	0.11	17	0.82	496	5	61	575	40	2.27	<5	<5	<10	159	2659	<2	91	<10	11	103
200827D	1078681	0.054	4	3.20	41	295	2	11	1.61	<4	23	118	55	3.06	0.25	17	0.86	483	2	60	561	38	2.10	<5	<5	<10	156	2489	<2	85	<10	12	100
200828	1078682	0.013	1	2.47	16	365	<2	5	1.48	<4	8	25	12	1.42	0.21	12	0.63	314	5	32	652	20	1.32	<5	<5	<10	188	1671	<2	34	<10	7	36
200829	1078683	0.006	1	3.52	58	452	2	2	1.31	<4	9	12	10	1.85	0.35	15	0.79	447	3	18	646	19	2.02	<5	<5	<10	162	2185	5	45	<10	7	44
200830	1078684	0.011	2	3.09	43	455	2	12	2.05	<4	10	12	15	1.54	0.29	11	0.74	557	<1	19	613	19	1.58	<5	<5	<10	167	1916	6	41	<10	6	43
200831	1078685	0.008	1	3.30	83	404	<2	10	1.25	<4	10	10	13	1.52	0.38	7	0.68	381	<1	18	649	17	1.65	<5	<5	<10	153	1788	<2	37	<10	8	67
200832	1078686	0.010	1	3.20	77	485	<2	9	1.14	<4	10	15	12	1.58	0.26	12	0.63	369	<1	21	639	14	1.82	<5	<5	<10	153	2136	<2	44	<10	6	62
200833	1078687	0.010	1	3.19	39	413	<2	9	1.61	<4	8	35	12	1.66	0.47	13	0.86	490	1	34	599	16	1.60	<5	<5	<10	161	2017	5	43	<10	6	55
200834	1078688	0.017	<1	2.21	19	346	<2	6	1.99	<4	7	16	9	1.62	0.31	8	1.10	566	<1	22	612	18	1.35	<5	<5	<10	154	1951	2	40	<10	6	69
200835	1078689	0.041	2	1.98	41	333	2	4	1.66	<4	17	112	37	2.54	0.35	11	0.95	546	2	51	550	27	1.87	<5	<5	<10	155	2344	4	74	<10	10	63
200836	1078690	0.265	99	2.25	231	429	<2	15	1.12	24	16	50	6325	5.15	0.05	6	1.04	1556	18	24	541	10769	2.63	336	<5	<10	240	1915	<2	86	66	12	5157
200837	1078691	0.616	2	3.62	33	439	2	10	2.06	<4	27	165	74	3.59	0.48	17	1.23	599	4	69	604	84	2.14	<5	<5	<10	191	3091	<2	112	<10	13	143
200838D	1078691	0.663	2	3.51	34	436	2	7	2.01	<4	26	163	65	3.49	0.46	18	1.18	586	6	69	597	63	2.11	<5	<5	<10	191	3074	4	111	<10	12	134
200839	1078692	0.055	1	3.33	39	434	2	15	1.95	<4	30	166	65	3.61	0.37	16	1.08	601	6	83	577	58	2.50	<5	<5	<10	178	3018	<2	120	<10	12	150
200840	1078693	0.068	2	3.53	34	350	2	7	1.85	<4	26	156	82	4.06	0.14	15	1.18	575	7	75	572	48	2.71	<5	<5	<10	182	2683	<2	103	10	12	105
200841	1078694	0.042	1	3.54	26	347	2	11	1.98	<4	23	142	51	3.29	0.61	17	1.32	618	5	63	551	30	2.00	<5	7	<10	192	2545	<2	85	<10	13	93
200842	1078695	0.396	3	3.10	80	314	2	5	1.01	10	20	106	70	3.24	0.28	12	0.89	499	2	58	476	487	3.24	<5	<5	<10	136	2121	<2	75	43	12	2727

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200843	1078696	0.073	1	3.64	33	295	2	5	1.57	<4	25	145	49	3.47	0.54	13	1.43	857	2	67	537	47	1.96	<5	<5	<10	171	2761	4	96	<10	13	125
200844	1078697	0.060	1	4.48	22	468	2	9	2.54	<4	29	161	48	3.81	0.42	17	1.54	927	3	73	596	38	1.86	<5	<5	<10	215	2966	2	104	<10	16	138
200845	1078698	0.077	<1	3.03	23	439	<2	5	2.01	<4	8	27	9	1.82	0.67	8	0.91	664	<1	22	591	25	1.45	<5	<5	<10	197	1815	<2	46	<10	7	67
200846	1078699	0.042	<1	3.00	32	469	2	9	2.14	<4	9	14	4	1.93	0.53	11	1.19	734	<1	16	745	42	1.77	<5	<5	<10	194	1822	<2	43	<10	7	266
200847	1078700	<0.005	<1	2.23	7	467	<2	9	1.52	<4	13	43	50	3.18	0.32	8	0.89	561	4	25	583	11	0.99	<5	<5	<10	301	2370	<2	96	<10	12	56
200848	1078701	0.055	1	2.54	31	474	2	6	2.02	<4	13	36	18	2.15	0.27	16	1.08	702	2	23	605	44	2.05	<5	<5	<10	199	2215	5	56	11	7	334
200849D	1078701	0.065	<1	2.23	27	436	2	11	1.92	<4	12	34	17	2.04	0.33	13	1.05	660	<1	26	568	41	1.81	<5	<5	<10	188	1992	<2	51	12	7	325
200850	1078702	0.122	2	2.48	27	438	2	10	0.89	<4	25	145	81	3.81	0.20	19	1.33	744	1	71	552	53	2.06	<5	<5	<10	145	3008	4	109	<10	10	276
200851	1078703	0.088	2	3.13	19	570	2	8	2.49	6	16	63	88	2.83	0.41	18	1.30	649	2	43	588	41	1.98	<5	<5	<10	196	2348	<2	66	30	9	1515
200852	1078704	0.036	<1	2.89	22	700	2	3	1.40	<4	11	12	13	1.72	0.33	14	0.83	437	<1	18	586	18	1.58	<5	<5	<10	186	1987	2	42	<10	6	88
200853	1078705	0.012	<1	4.03	13	665	<2	15	2.45	<4	8	14	7	1.87	0.57	18	1.28	644	<1	17	597	15	1.27	<5	<5	<10	218	1793	6	41	<10	7	59
200854	1078706	0.018	<1	4.05	14	648	<2	10	2.35	<4	8	12	7	1.77	0.51	18	1.23	608	<1	16	615	11	1.29	<5	<5	<10	211	1699	2	40	<10	8	57
200855	1078707	0.015	<1	2.73	19	545	2	2	1.65	<4	10	17	6	1.85	0.38	14	0.88	409	<1	22	531	15	1.46	<5	6	<10	219	1836	<2	40	<10	6	46
200856	1078708	0.009	<1	3.33	17	530	2	6	2.10	<4	9	16	6	1.81	0.30	17	1.09	432	5	17	586	16	1.48	<5	<5	<10	232	2000	3	44	<10	6	50
200857	1078709	0.076	1	2.98	37	600	2	9	1.93	<4	14	16	22	2.95	0.34	19	0.99	606	6	23	628	19	2.96	<5	<5	<10	211	2185	2	45	16	6	861
200858	1078710	4.743	2	2.44	411	1300	<2	8	2.42	<4	14	118	82	3.24	0.47	14	1.07	462	17	45	828	29	1.63	37	5	<10	247	1933	4	135	13	13	230
200859	1078711	0.015	<1	2.46	18	608	<2	10	1.92	<4	9	15	5	1.83	0.51	17	1.03	414	<1	15	590	15	1.26	<5	<5	<10	210	2141	<2	45	<10	6	144
200860R	1078711	0.021	<1	2.27	21	604	<2	5	1.85	<4	10	13	4	1.79	0.37	15	0.98	402	<1	18	575	15	1.24	<5	<5	<10	209	2083	<2	43	<10	6	218
200861	1078712	0.028	<1	1.81	20	574	2	5	1.78	<4	11	12	8	1.89	0.44	18	1.07	519	1	14	560	29	1.55	<5	<5	<10	189	2068	2	43	<10	5	173
200862	1078713	0.047	<1	2.61	15	580	2	6	2.05	<4	12	17	18	2.00	0.33	19	1.14	513	<1	22	609	19	1.37	<5	<5	<10	199	2153	3	44	<10	6	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200863	1078714	0.017	<1	3.23	15	553	<2	6	1.91	<4	9	14	20	1.86	0.43	18	1.03	447	<1	22	599	18	1.23	<5	<5	<10	193	2028	<2	46	<10	6	60
200864	1078715	0.028	1	4.08	6	612	2	12	1.77	<4	23	109	65	3.35	0.37	34	1.54	729	8	55	605	54	1.62	<5	<5	<10	181	2848	<2	95	10	8	244
200865	1078716	0.177	1	3.22	72	566	2	13	1.31	4	25	141	73	3.95	0.38	24	1.16	478	6	76	556	41	3.38	<5	<5	<10	124	1951	<2	108	23	9	1070
200866	1078717	0.118	2	5.76	44	455	2	12	1.29	<4	24	157	23	3.62	0.33	34	2.13	598	10	78	554	29	2.41	<5	<5	<10	125	2094	7	113	<10	9	97
200867	1078718	0.257	1	4.72	36	271	2	15	1.46	<4	21	154	38	3.52	0.36	27	2.19	636	8	71	531	35	2.11	<5	<5	<10	118	1835	<2	95	<10	9	114
200868	1078719	0.133	2	5.55	39	350	2	18	1.37	5	28	170	37	4.27	0.19	29	2.32	749	11	80	612	36	2.75	<5	<5	<10	136	2147	4	119	22	11	1046
200869	1078720	<0.005	<1	2.86	7	503	<2	13	1.67	<4	14	46	54	3.45	0.24	8	0.96	600	3	28	629	9	0.92	<5	<5	<10	322	2430	5	103	<10	14	61
200870	1078721	0.497	4	5.54	95	345	2	12	3.15	4	22	129	121	4.40	0.41	19	2.20	1077	15	70	545	251	4.05	<5	<5	<10	168	1866	<2	94	15	16	716
200871D	1078721	0.504	3	3.24	80	269	<2	8	2.43	<4	16	105	99	3.56	0.31	9	1.79	880	8	56	439	209	3.54	<5	<5	<10	138	1533	<2	77	15	13	597
200872	1078722	0.435	1	4.73	17	277	2	9	1.10	<4	24	142	40	3.84	0.38	26	2.50	644	2	71	582	41	2.17	<5	<5	<10	118	2243	8	102	11	18	162
200873	1078723	0.080	1	3.39	11	269	<2	12	0.43	<4	24	120	52	3.61	0.34	20	2.11	497	3	73	518	25	2.17	<5	<5	<10	98	2332	<2	83	<10	16	77
200874	1078724	0.747	4	5.48	24	396	2	13	1.55	11	23	111	265	4.21	0.62	25	2.86	939	6	58	537	428	3.06	<5	<5	<10	168	2251	7	77	47	15	2762
200875	1078725	0.217	1	5.73	39	324	2	14	1.29	<4	18	106	32	3.21	0.60	29	2.48	863	7	57	605	57	2.14	<5	<5	<10	119	1703	6	78	10	16	401
200876	1078726	0.199	1	4.95	39	313	2	8	1.08	<4	17	102	29	2.93	0.46	24	2.30	779	5	55	605	53	1.96	<5	<5	<10	108	1609	3	74	<10	15	170
200877	1078727	0.318	2	4.02	51	296	2	10	1.29	<4	21	132	64	3.12	0.41	18	1.67	724	6	62	543	98	2.38	<5	<5	<10	115	1759	4	87	11	13	565
200878	1078728	0.130	1	5.21	6	234	2	6	2.04	<4	23	144	47	3.57	0.30	27	2.21	874	5	66	592	35	1.58	<5	<5	<10	147	2297	<2	92	<10	17	120
200879	1078729	0.072	<1	3.32	6	316	<2	8	0.89	<4	24	152	53	3.61	0.18	23	1.85	690	<1	69	601	20	1.20	<5	<5	<10	131	2621	7	98	15	14	605
200880	1078730	1.470	4	1.87	33	827	<2	8	2.45	<4	21	66	7446	4.96	<0.01	4	1.00	544	779	17	977	39	2.71	15	<5	<10	290	845	<2	117	<10	12	106
200881	1078731	0.075	1	4.36	8	425	2	12	0.59	<4	22	142	56	3.60	0.27	34	2.05	727	5	61	572	14	1.26	<5	<5	<10	170	2947	6	110	<10	14	50
200882D	1078731	0.064	<1	4.37	8	418	2	14	0.59	<4	23	143	40	3.65	0.27	34	2.13	732	2	65	559	15	1.15	<5	<5	<10	168	2924	3	111	<10	16	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200883	1078732	0.066	1	4.01	16	324	2	10	1.14	<4	19	130	28	2.94	0.40	34	1.89	659	3	61	549	20	1.21	<5	<5	<10	176	2364	8	91	<10	13	49
200884	1078733	0.124	1	4.01	15	254	2	6	1.57	<4	21	129	33	3.44	0.29	30	2.10	815	6	68	569	21	1.82	<5	<5	<10	162	2145	<2	90	<10	13	86
200885	1078734	0.105	1	3.14	<2	389	2	11	1.25	<4	22	139	46	3.49	0.37	32	1.76	685	4	61	591	18	1.59	<5	<5	<10	172	2823	10	105	<10	11	45
200886	1078735	0.096	1	4.98	6	392	2	11	1.15	<4	23	134	34	3.44	0.39	37	2.14	693	10	61	591	18	1.73	<5	<5	<10	139	2717	4	105	<10	13	83
200887	1078736	0.018	<1	6.10	21	385	2	10	3.44	<4	10	26	14	2.07	0.55	28	2.89	1247	6	20	555	50	1.22	<5	<5	<10	166	1842	18	49	<10	13	102
200888	1078737	0.007	<1	4.90	9	499	2	11	2.01	<4	11	19	3	1.85	0.32	32	1.84	556	5	22	570	15	1.11	<5	<5	<10	157	2253	2	50	<10	8	67
200889	1078738	0.011	<1	5.01	16	363	<2	8	1.67	<4	9	33	6	1.96	0.52	28	2.56	713	<1	22	540	25	1.10	<5	<5	<10	138	1988	3	46	<10	10	103
200890	1078739	0.015	1	4.89	14	519	2	8	1.83	<4	10	19	11	1.85	0.33	33	1.90	656	3	22	556	31	1.26	<5	<5	<10	157	2119	11	50	<10	8	117
200891	1078740	<0.005	<1	2.17	10	456	<2	3	1.47	<4	13	41	49	3.12	0.29	7	0.89	548	2	26	583	9	0.87	<5	<5	<10	294	2261	2	94	<10	12	55
200892	1078741	0.080	<1	4.01	12	371	2	11	1.08	<4	21	110	44	3.16	0.15	28	1.99	647	<1	59	581	20	1.63	<5	<5	<10	121	2157	3	85	<10	15	73
200893D	1078741	0.084	<1	4.47	16	390	2	5	1.16	<4	21	110	45	3.27	0.51	30	2.06	668	<1	61	597	21	1.76	<5	<5	<10	127	2229	3	88	<10	15	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200663	1078532	25	<0.001	0.025
200664	1078533	18	<0.001	0.018
200665	1078534	5	<0.001	0.005
200666	1078535	8	<0.001	0.008
200667	1078536	9	<0.001	0.009
200668	1078537	6	<0.001	0.006
200669	1078538	<5	<0.001	<0.005
200670	1078539	<5	<0.001	<0.005
200671	1078540	10	<0.001	0.010
200672	1078541	12	<0.001	0.012
200673 Dup	1078541	6	<0.001	0.006
200674	1078542	7	<0.001	0.007
200675	1078543	33	<0.001	0.033
200676	1078544	48	0.001	0.048
200677	1078545	17	<0.001	0.017
200678	1078546	34	0.001	0.034
200679	1078547	31	<0.001	0.031
200680	1078548	11	<0.001	0.011
200681	1078549	21	<0.001	0.021
200682	1078550	1432	0.042	1.432
200683	1078551	15	<0.001	0.015
200684 Dup	1078551	12	<0.001	0.012
200685	1078552	15	<0.001	0.015
200686	1078553	162	0.005	0.162
200687	1078554	31	<0.001	0.031
200688	1078555	33	<0.001	0.033
200689	1078556	42	0.001	0.042
200690	1078557	34	0.001	0.034
200691	1078558	332	0.010	0.332
200692	1078559	42	0.001	0.042

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200693	1078560	6	<0.001	0.006
200694	1078561	28	<0.001	0.028
200695 Dup	1078561	68	0.002	0.068
200696	1078562	37	0.001	0.037
200697	1078563	41	0.001	0.041
200698	1078564	73	0.002	0.073
200699	1078565	69	0.002	0.069
200700	1078566	57	0.002	0.057
200701	1078567	63	0.002	0.063
200702	1078568	165	0.005	0.165
200703	1078569	19	<0.001	0.019
200704	1078570	241	0.007	0.241
200705	1078571	11	<0.001	0.011
200706 Dup	1078571	11	<0.001	0.011
200707	1078572	14	<0.001	0.014
200708	1078573	14	<0.001	0.014
200709	1078574	12	<0.001	0.012
200710	1078575	11	<0.001	0.011
200711	1078576	14	<0.001	0.014
200712	1078577	27	<0.001	0.027
200713	1078578	8	<0.001	0.008
200714	1078579	11	<0.001	0.011
200715	1078580	5	<0.001	0.005
200716	1078581	6	<0.001	0.006
200717 Dup	1078581	<5	<0.001	<0.005
200718	1078582	10	<0.001	0.010
200719	1078583	16	<0.001	0.016
200720	1078584	12	<0.001	0.012
200721	1078585	64	0.002	0.064
200722	1078586	62	0.002	0.062

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200723	1078587	342	0.010	0.342
200724	1078588	<5	<0.001	<0.005
200725	1078589	44	0.001	0.044
200726	1078590	5047	0.147	5.047
200727	1078591	35	0.001	0.035
200728 Rep	1078591	54	0.002	0.054
200729	1078592	370	0.011	0.370
200730	1078593	98	0.003	0.098
200731	1078594	19	<0.001	0.019
200732	1078595	30	<0.001	0.030
200733	1078596	23	<0.001	0.023
200734	1078597	342	0.010	0.342
200735	1078598	43	0.001	0.043
200736	1078599	41	0.001	0.041
200737	1078600	<5	<0.001	<0.005
200738	1078601	69	0.002	0.069
200739 Dup	1078601	59	0.002	0.059
200740	1078602	17	<0.001	0.017
200741	1078603	7	<0.001	0.007
200742	1078604	12	<0.001	0.012
200743	1078605	252	0.007	0.252
200744	1078606	147	0.004	0.147
200745	1078607	16	<0.001	0.016
200746	1078608	8	<0.001	0.008
200747	1078609	9	<0.001	0.009
200748	1078610	1423	0.042	1.423
200749	1078611	43	0.001	0.043
200750 Dup	1078611	57	0.002	0.057
200751	1078612	13	<0.001	0.013
200752	1078613	228	0.007	0.228

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200753	1078614	13	<0.001	0.013
200754	1078615	18	<0.001	0.018
200755	1078616	32	<0.001	0.032
200756	1078617	95	0.003	0.095
200757	1078618	18	<0.001	0.018
200758	1078619	12	<0.001	0.012
200759	1078620	<5	<0.001	<0.005
200760	1078621	25	<0.001	0.025
200761 Dup	1078621	11	<0.001	0.011
200762	1078622	11	<0.001	0.011
200763	1078623	42	0.001	0.042
200764	1078624	13	<0.001	0.013
200765	1078625	142	0.004	0.142
200766	1078626	217	0.006	0.217
200767	1078627	188	0.005	0.188
200768	1078628	134	0.004	0.134
200769	1078629	71	0.002	0.071
200770	1078630	254	0.007	0.254
200771	1078631	109	0.003	0.109
200772 Dup	1078631	93	0.003	0.093
200773	1078632	608	0.018	0.608
200774	1078633	1296	0.038	1.296
200775	1078634	3762	0.110	3.762
200776	1078635	4774	0.139	4.774
200777	1078636	2763	0.081	2.763
200778	1078637	178	0.005	0.178
200779	1078638	568	0.017	0.568
200780	1078639	77	0.002	0.077
200781	1078640	<5	<0.001	<0.005
200782	1078641	556	0.016	0.556

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200783 Dup	1078641	567	0.017	0.567
200784	1078642	573	0.017	0.573
200785	1078643	818	0.024	0.818
200786	1078644	45	0.001	0.045
200787	1078645	570	0.017	0.570
200788	1078646	653	0.019	0.653
200789	1078647	1148	0.034	1.148
200790	1078648	28	<0.001	0.028
200791	1078649	21	<0.001	0.021
200792	1078650	5190	0.151	5.190
200793	1078651	38	0.001	0.038
200794 Rep	1078651	38	0.001	0.038
200795	1078652	27	<0.001	0.027
200796	1078653	29	<0.001	0.029
200797	1078654	23	<0.001	0.023
200798	1078655	22	<0.001	0.022
200799	1078656	20	<0.001	0.020
200800	1078657	697	0.020	0.697
200801	1078658	181	0.005	0.181
200802	1078659	183	0.005	0.183
200803	1078660	<5	<0.001	<0.005
200804	1078661	21	<0.001	0.021
200805 Dup	1078661	16	<0.001	0.016
200806	1078662	18	<0.001	0.018
200807	1078663	17	<0.001	0.017
200808	1078664	16	<0.001	0.016
200809	1078665	583	0.017	0.583
200810	1078666	486	0.014	0.486
200811	1078667	12	<0.001	0.012
200812	1078668	66	0.002	0.066

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
Date Completed: 09/07/2011  
Job #: 201143023  
Reference: TL11205  
Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200813	1078669	9	<0.001	0.009
200814	1078670	<5	<0.001	<0.005
200815	1078671	7	<0.001	0.007
200816 Dup	1078671	<5	<0.001	<0.005
200817	1078672	<5	<0.001	<0.005
200818	1078673	<5	<0.001	<0.005
200819	1078674	<5	<0.001	<0.005
200820	1078675	<5	<0.001	<0.005
200821	1078676	<5	<0.001	<0.005
200822	1078677	15	<0.001	0.015
200823	1078678	21	<0.001	0.021
200824	1078679	53	0.002	0.053
200825	1078680	8	<0.001	0.008
200826	1078681	64	0.002	0.064
200827 Dup	1078681	54	0.002	0.054
200828	1078682	13	<0.001	0.013
200829	1078683	6	<0.001	0.006
200830	1078684	11	<0.001	0.011
200831	1078685	8	<0.001	0.008
200832	1078686	10	<0.001	0.010
200833	1078687	10	<0.001	0.010
200834	1078688	17	<0.001	0.017
200835	1078689	41	0.001	0.041
200836	1078690	265	0.008	0.265
200837	1078691	616	0.018	0.616
200838 Dup	1078691	663	0.019	0.663
200839	1078692	55	0.002	0.055
200840	1078693	68	0.002	0.068
200841	1078694	42	0.001	0.042
200842	1078695	396	0.012	0.396

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200843	1078696	73	0.002	0.073
200844	1078697	60	0.002	0.060
200845	1078698	77	0.002	0.077
200846	1078699	42	0.001	0.042
200847	1078700	<5	<0.001	<0.005
200848	1078701	55	0.002	0.055
200849 Dup	1078701	65	0.002	0.065
200850	1078702	122	0.004	0.122
200851	1078703	88	0.003	0.088
200852	1078704	36	0.001	0.036
200853	1078705	12	<0.001	0.012
200854	1078706	18	<0.001	0.018
200855	1078707	15	<0.001	0.015
200856	1078708	9	<0.001	0.009
200857	1078709	76	0.002	0.076
200858	1078710	4743	0.138	4.743
200859	1078711	15	<0.001	0.015
200860 Rep	1078711	21	<0.001	0.021
200861	1078712	28	<0.001	0.028
200862	1078713	47	0.001	0.047
200863	1078714	17	<0.001	0.017
200864	1078715	28	<0.001	0.028
200865	1078716	177	0.005	0.177
200866	1078717	118	0.003	0.118
200867	1078718	257	0.007	0.257
200868	1078719	133	0.004	0.133
200869	1078720	<5	<0.001	<0.005
200870	1078721	497	0.015	0.497
200871 Dup	1078721	504	0.015	0.504
200872	1078722	435	0.013	0.435

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143023  
 Reference: TL11205  
 Sample #: 210

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200873	1078723	80	0.002	0.080
200874	1078724	747	0.022	0.747
200875	1078725	217	0.006	0.217
200876	1078726	199	0.006	0.199
200877	1078727	318	0.009	0.318
200878	1078728	130	0.004	0.130
200879	1078729	72	0.002	0.072
200880	1078730	1470	0.043	1.470
200881	1078731	75	0.002	0.075
200882 Dup	1078731	64	0.002	0.064
200883	1078732	66	0.002	0.066
200884	1078733	124	0.004	0.124
200885	1078734	105	0.003	0.105
200886	1078735	96	0.003	0.096
200887	1078736	18	<0.001	0.018
200888	1078737	7	<0.001	0.007
200889	1078738	11	<0.001	0.011
200890	1078739	15	<0.001	0.015
200891	1078740	<5	<0.001	<0.005
200892	1078741	80	0.002	0.080
200893 Dup	1078741	84	0.002	0.084

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 12, 2011

**Certificate of Analysis**Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.caDate Received: 09/07/2011  
Date Completed: 09/12/2011  
Job #: 201143303  
Reference: TL11205  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
220703	1078634	0.096	3.282
220704	1078635	0.125	4.297

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianliuk H.Bsc., Laboratory ManagerThe results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200501	1076959	0.054	1	>10.00	28	921	<2	5	2.13	<4	7	31	122	1.12	2.05	48	0.68	268	22	28	397	277	1.29	<5	<5	<10	200	1296	15	35	17	5	880
200502	1076960	0.291	106	0.43	222	440	<2	14	0.88	24	15	48	6270	5.15	<0.01	<1	0.89	1654	21	30	524	10500	2.59	353	14	<10	222	2067	5	84	62	7	5226
200503	1076961	0.015	3	1.09	13	444	<2	4	0.56	<4	6	17	111	0.69	0.10	10	0.61	484	1	23	342	264	0.98	11	6	<10	190	1688	3	37	<10	3	159
200504	1076962	0.018	2	1.90	12	415	<2	7	1.33	<4	9	21	9	0.87	0.06	9	0.97	935	5	29	323	217	1.11	7	9	<10	226	1569	5	38	<10	4	307
200505	1076963	0.021	1	0.93	7	407	<2	7	0.66	<4	4	17	7	0.38	0.20	1	0.34	234	1	22	241	104	0.89	9	9	<10	195	1377	4	35	<10	3	216
200506	1076964	0.028	2	<0.01	9	512	2	4	0.88	<4	4	18	7	0.42	0.20	<1	0.32	385	2	28	262	137	0.99	8	12	<10	183	1347	<2	36	<10	3	222
200507	1076965	0.065	2	<0.01	13	487	<2	2	0.24	<4	6	17	60	0.45	0.14	<1	0.28	199	3	23	215	231	1.10	6	12	<10	141	1463	6	31	14	3	1110
200508	1076966	0.180	2	<0.01	13	522	<2	7	0.18	4	7	15	157	0.52	<0.01	<1	0.27	223	4	23	222	514	1.14	8	11	<10	143	1590	<2	33	23	3	1521
200509	1076967	0.019	1	<0.01	6	476	<2	5	0.36	<4	7	16	5	0.44	<0.01	3	0.38	383	3	20	189	89	1.06	5	14	<10	158	1690	<2	47	<10	3	112
200510	1076968	0.009	1	0.64	7	519	<2	9	0.73	<4	7	17	4	0.40	<0.01	3	0.46	455	2	25	250	46	0.94	7	7	<10	186	1448	6	36	<10	3	58
200511D	1076968	0.009	1	1.21	7	493	<2	5	0.77	<4	7	15	3	0.39	0.16	4	0.50	432	1	22	241	43	0.89	5	14	<10	187	1330	6	34	<10	3	55
200512	1076969	0.007	1	1.85	3	577	<2	6	0.67	<4	5	16	4	0.38	0.09	7	0.53	386	4	21	302	58	0.92	8	8	<10	200	1559	<2	39	<10	4	126
200513	1076970	0.007	2	0.63	9	412	<2	5	1.15	<4	11	38	47	3.01	0.25	1	0.75	550	2	28	529	11	0.85	9	<5	<10	264	2225	<2	86	<10	8	74
200514	1076971	0.193	5	2.30	15	484	<2	6	1.45	<4	9	18	35	1.54	0.07	12	1.24	975	3	24	442	238	1.34	10	10	<10	270	1945	4	42	<10	5	443
200515	1076972	0.020	1	1.32	10	495	<2	6	1.83	<4	9	17	10	1.66	0.22	4	0.55	459	<1	24	432	54	1.29	7	8	<10	300	1897	4	41	<10	5	129
200516	1076973	0.054	2	0.20	25	604	<2	4	1.14	<4	9	17	14	1.65	0.11	7	0.45	483	<1	24	433	87	1.56	6	10	<10	228	1956	2	41	<10	4	244
200517	1076974	0.072	2	0.22	32	592	<2	8	0.15	<4	8	17	73	1.70	0.15	6	0.29	179	<1	25	427	298	1.91	6	7	<10	177	2024	<2	37	<10	4	597
200518	1076975	0.034	1	0.54	22	759	2	5	0.34	<4	10	22	18	1.80	0.03	7	0.33	265	<1	35	420	114	1.77	6	6	<10	233	1919	2	41	<10	4	435
200519	1076976	0.023	2	<0.01	11	617	<2	2	1.74	<4	7	33	13	1.81	0.18	3	0.59	745	3	54	437	52	1.24	7	5	<10	265	2074	2	43	<10	4	104
200520	1076977	0.019	1	0.57	16	528	<2	6	1.60	<4	9	25	16	1.71	<0.01	4	0.63	684	1	36	461	62	1.26	9	9	<10	230	2055	<2	45	<10	4	133

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200521	1076978	0.060	2	1.22	8	555	<2	5	1.64	<4	3	13	42	1.18	0.07	1	0.57	1099	<1	22	259	226	1.15	6	13	<10	266	1077	3	20	13	4	1002
200522D	1076978	0.056	2	2.40	15	600	<2	10	1.78	<4	3	14	41	1.18	0.18	5	0.63	1045	<1	25	268	224	1.17	7	10	<10	277	1074	<2	20	15	4	971
200523	1076979	0.054	2	1.91	8	444	<2	8	0.96	<4	3	14	48	1.08	0.21	12	0.56	932	<1	26	244	52	1.01	7	11	<10	262	1100	5	20	14	4	908
200524	1076980	5.186	2	1.83	364	1086	<2	7	2.04	<4	14	95	79	3.00	0.15	9	1.09	446	11	50	733	29	1.26	42	12	<10	219	1753	3	119	13	12	241
200525	1076981	0.025	2	1.33	9	563	<2	11	1.42	<4	7	16	21	1.60	0.34	6	0.88	820	<1	29	474	448	0.84	6	6	<10	196	1689	11	31	<10	5	282
200526	1076982	0.046	1	1.15	13	569	2	10	1.53	<4	6	22	17	1.70	0.16	8	0.85	812	<1	38	442	58	0.91	5	13	<10	205	1882	3	37	<10	5	183
200527	1076983	0.032	2	0.88	15	457	2	8	1.09	<4	7	19	13	1.59	0.20	6	0.64	538	<1	33	487	35	1.08	5	8	<10	239	1703	<2	32	<10	4	155
200528	1076984	0.030	<1	0.94	14	368	2	10	1.20	<4	8	17	6	1.47	0.17	5	0.59	433	<1	25	448	22	0.92	7	9	<10	209	1694	<2	35	<10	5	114
200529	1076985	0.016	1	1.25	9	401	<2	4	1.54	<4	8	19	13	1.83	0.09	9	0.75	477	<1	30	440	23	1.01	<5	8	<10	194	2062	3	40	<10	5	106
200530	1076986	0.016	1	1.01	12	458	<2	4	1.62	<4	9	19	13	1.88	<0.01	10	0.78	505	<1	28	459	24	0.95	7	9	<10	206	2222	3	42	<10	5	97
200531	1076987	0.020	<1	1.47	15	361	<2	5	1.75	<4	6	17	16	1.62	0.20	7	0.94	621	<1	25	431	41	0.84	6	13	<10	195	1784	4	35	<10	5	106
200532	1076988	0.039	2	1.98	15	442	<2	4	1.89	<4	14	95	29	2.23	0.22	13	1.48	743	<1	61	569	22	1.09	7	5	<10	259	2340	<2	69	<10	6	155
200533D	1076988	0.042	1	1.52	14	404	2	7	1.71	<4	12	87	26	2.03	0.16	9	1.39	679	<1	56	524	18	1.07	5	11	<10	248	2156	8	64	<10	5	141
200534	1076989	0.122	2	1.41	17	501	<2	<1	0.41	<4	6	21	11	1.02	0.23	9	0.67	326	<1	26	341	24	0.99	10	6	<10	142	1529	<2	30	<10	4	88
200535	1076990	<0.005	<1	1.05	8	403	<2	11	1.13	<4	11	36	46	2.92	0.24	2	0.81	528	<1	29	497	13	0.72	10	5	<10	257	2088	2	82	<10	10	70
200536	1076991	0.072	4	2.34	19	519	2	5	0.25	<4	4	8	11	0.77	0.10	12	0.63	264	<1	17	272	184	0.99	10	16	<10	121	1248	<2	20	10	3	341
200537	1076992	0.277	2	1.51	19	406	<2	11	0.70	<4	4	9	9	0.80	0.14	7	0.73	429	4	16	261	51	1.11	7	14	<10	138	1227	<2	19	<10	3	262
200538	1076993	0.043	2	0.82	15	422	<2	5	0.43	<4	5	17	14	0.97	0.01	9	0.58	291	5	20	286	36	1.21	8	12	<10	141	1375	<2	26	<10	3	73
200539	1076994	0.045	2	1.34	16	311	2	10	1.21	<4	16	79	31	2.50	<0.01	13	1.06	684	8	52	427	32	1.51	7	8	<10	168	1905	<2	61	<10	6	128
200540	1076995	3.058	2	0.58	14	352	2	9	0.97	<4	20	131	54	3.19	<0.01	8	0.82	718	6	65	473	62	1.63	8	14	<10	178	2484	2	82	<10	6	120

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200541	1076996	0.133	3	0.23	35	482	<2	14	1.32	<4	13	67	36	2.12	<0.01	4	0.71	531	2	41	388	252	1.47	6	10	<10	184	1934	<2	57	<10	5	401
200542	1076997	0.038	2	0.33	31	414	<2	4	0.87	<4	9	38	30	1.54	<0.01	3	0.59	364	1	35	354	36	1.39	7	9	<10	174	1686	<2	44	<10	4	92
200543	1076998	0.008	<1	0.93	20	607	<2	9	0.77	<4	5	21	20	1.05	0.19	3	0.48	220	2	26	335	18	1.24	8	8	<10	156	1413	4	34	<10	4	56
200544D	1076998	0.014	1	0.40	22	617	<2	3	0.73	<4	7	23	20	1.10	0.14	3	0.47	228	3	28	344	23	1.24	8	13	<10	155	1485	<2	36	<10	4	58
200545	1076999	0.027	2	1.13	29	585	<2	7	0.90	<4	6	19	21	1.10	0.08	3	0.55	275	<1	24	397	108	1.21	8	12	<10	173	1613	4	36	<10	4	159
200546	1077000	1.493	3	0.71	31	936	2	11	1.90	<4	18	54	7436	4.51	<0.01	<1	0.80	514	733	19	810	45	2.34	21	15	<10	248	884	<2	100	<10	7	118
200547	1079251	0.013	2	1.47	22	414	<2	10	1.36	<4	7	16	27	1.07	0.06	7	0.75	489	3	29	373	44	1.09	6	19	<10	187	1583	<2	33	<10	4	222
200548	1079252	0.067	2	1.39	33	389	<2	10	0.18	<4	6	9	16	1.12	<0.01	7	0.45	249	2	21	613	43	1.32	6	13	<10	100	2050	<2	38	<10	4	108
200549	1079253	0.164	1	1.31	31	316	2	3	0.46	<4	6	10	26	1.19	<0.01	7	0.55	372	5	19	582	61	1.50	7	15	<10	110	1931	2	35	<10	4	104
200550	1079254	0.283	5	0.49	32	348	<2	10	<0.01	<4	9	9	24	1.20	<0.01	5	0.35	132	3	20	539	355	1.57	10	6	<10	88	1949	3	32	18	3	1130
200551	1079255	0.045	2	1.33	18	386	<2	3	1.11	<4	8	21	20	1.51	0.11	11	0.79	572	3	26	550	35	1.24	9	7	<10	129	2085	3	41	<10	4	80
200552	1079256	0.037	1	1.31	25	390	2	4	1.27	<4	8	9	15	1.47	0.08	11	0.87	604	2	22	577	23	1.20	9	11	<10	128	2072	<2	37	<10	4	66
200553	1079257	0.014	1	1.18	9	452	<2	4	1.27	<4	8	9	16	1.24	0.28	13	0.85	457	3	21	637	20	1.03	9	9	<10	136	2446	<2	41	<10	4	58
200554	1079258	0.010	2	1.24	5	543	2	7	0.98	<4	7	12	14	1.11	0.10	8	0.74	416	3	19	527	49	1.01	6	14	<10	151	1928	<2	34	<10	4	69
200555D	1079258	0.007	1	1.11	6	560	2	8	0.99	<4	7	11	13	1.11	0.08	9	0.76	430	3	20	527	50	1.00	8	13	<10	150	2011	3	36	<10	4	70
200556	1079259	0.037	1	1.85	4	374	<2	7	1.78	<4	9	30	24	1.42	<0.01	4	1.07	708	2	28	360	42	1.06	8	8	<10	189	2014	4	39	<10	5	86
200557	1079260	0.008	1	0.12	4	377	<2	14	0.99	<4	10	35	44	2.75	0.15	<1	0.69	511	3	26	484	11	0.83	<5	7	<10	241	2116	4	79	<10	7	64
200558	1079261	0.222	1	1.85	17	211	<2	5	0.47	<4	17	106	65	3.01	<0.01	16	1.54	1078	9	61	467	99	1.45	8	6	<10	125	1673	13	72	<10	6	147
200559	1079262	1.551	6	<0.01	49	213	<2	7	<0.01	36	12	57	120	2.03	<0.01	1	0.46	309	4	35	346	3713	2.39	12	9	<10	87	1002	4	43	150	3	15803
200560	1079263	0.338	3	<0.01	17	241	<2	3	<0.01	10	4	9	20	0.69	<0.01	2	0.27	<100	1	19	419	2431	1.34	12	19	<10	87	1050	<2	26	48	3	3911

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200561	1079264	0.551	3	0.92	36	267	<2	5	0.11	11	5	10	29	1.22	0.10	12	0.60	415	3	19	435	1782	1.60	11	14	<10	101	1089	<2	29	55	3	4132
200562	1079265	0.378	<1	2.84	31	193	<2	6	0.73	<4	4	12	16	1.83	0.19	40	1.94	1332	3	21	441	172	1.28	8	8	<10	124	1073	<2	30	14	5	949
200563	1079266	0.091	2	1.58	24	246	<2	14	0.08	<4	3	11	5	1.27	0.18	35	1.39	704	5	22	455	268	1.18	6	13	<10	112	1137	<2	30	<10	3	128
200564	1079267	0.067	<1	3.25	30	175	<2	10	0.25	<4	5	15	3	1.64	0.26	57	2.20	1078	5	23	403	70	1.21	7	<5	<10	136	1005	7	28	<10	6	122
200565	1079268	0.132	<1	2.75	26	238	<2	12	0.71	<4	5	15	6	1.61	0.28	27	2.12	1261	6	25	434	127	1.18	8	12	<10	148	1055	6	30	<10	5	597
200566R	1079268	0.148	<1	4.35	27	237	<2	6	0.78	<4	5	14	6	1.65	0.15	28	2.36	1321	7	22	427	115	1.29	8	12	<10	155	1052	5	29	11	7	663
200567	1079269	0.657	3	0.70	47	370	<2	4	0.55	5	9	27	21	1.95	0.27	13	0.90	739	8	24	451	1075	2.18	9	9	<10	132	1365	3	36	27	4	2003
200568	1079270	0.299	101	0.90	206	411	2	13	0.94	23	15	47	6148	5.16	<0.01	6	0.90	1626	23	28	502	10734	2.50	345	5	<10	224	2073	<2	83	55	8	5225
200569	1079271	0.235	3	0.77	32	378	2	1	1.13	<4	8	24	16	1.76	0.32	13	1.09	952	4	22	506	983	1.81	8	16	<10	157	1697	3	39	17	4	1255
200570	1079272	0.237	2	0.14	23	493	<2	8	0.61	7	7	17	19	1.56	0.14	14	0.67	558	7	26	405	617	1.84	7	13	<10	127	1751	4	32	34	3	2775
200571	1079273	0.150	2	<0.01	41	516	2	2	0.66	<4	9	25	25	1.69	0.25	10	0.62	703	2	25	406	108	1.82	8	<5	<10	126	1835	<2	39	<10	4	112
200572	1079274	0.561	1	<0.01	41	467	2	9	0.41	5	6	15	13	1.71	0.14	11	0.54	535	4	20	387	484	2.08	9	8	<10	122	1891	<2	33	26	3	1960
200573	1079275	0.198	1	0.15	26	435	2	4	0.92	<4	7	17	21	1.51	0.14	9	0.74	765	3	21	397	64	1.48	8	10	<10	150	1907	<2	35	<10	4	128
200574	1079276	0.218	1	0.04	24	405	2	<1	0.95	<4	7	17	22	1.51	0.09	7	0.72	711	3	23	379	53	1.43	7	<5	<10	150	1869	6	34	<10	4	199
200575	1079277	0.061	1	<0.01	18	387	2	5	0.87	<4	7	12	21	1.29	0.07	5	0.62	558	<1	22	366	43	1.40	5	8	<10	147	1655	<2	30	<10	4	87
200576	1079278	0.041	2	0.55	4	486	2	2	1.11	<4	6	14	40	1.41	0.04	10	0.68	695	2	22	381	53	1.28	7	17	<10	183	1835	<2	32	<10	4	109
200577D	1079278	0.032	1	0.34	9	439	<2	13	1.00	<4	6	12	34	1.31	0.19	7	0.69	649	1	19	362	54	1.28	8	6	<10	172	1726	3	30	<10	4	100
200578	1079279	0.037	1	0.32	7	380	<2	5	1.01	<4	8	25	28	1.54	<0.01	8	0.64	583	3	25	384	54	1.40	7	14	<10	168	1780	2	35	<10	4	122
200579	1079280	<0.005	1	0.83	7	419	2	8	1.18	<4	11	39	47	3.02	0.07	6	0.71	556	8	31	530	11	1.16	8	5	<10	262	2371	<2	87	<10	8	72
200580	1079281	0.132	2	<0.01	6	383	2	4	0.94	<4	10	28	52	1.98	<0.01	9	0.58	633	5	32	484	34	1.52	6	14	<10	172	2243	<2	44	<10	4	92

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200581	1079282	0.022	<1	<0.01	6	363	<2	4	0.85	<4	4	12	11	1.34	0.08	7	0.48	414	3	19	337	36	1.28	8	12	<10	162	1628	2	29	<10	4	75
200582	1079283	0.010	2	0.21	6	457	<2	<1	1.06	<4	5	15	13	1.46	0.03	6	0.41	355	5	19	400	29	1.34	9	5	<10	184	1845	<2	32	10	4	73
200583	1079284	0.017	1	0.12	9	447	<2	6	1.05	<4	7	12	13	1.49	0.27	5	0.42	399	4	19	393	24	1.30	7	13	<10	189	1749	<2	31	<10	4	82
200584	1079285	0.025	1	0.11	8	492	2	7	1.22	<4	9	15	25	1.76	0.07	6	0.44	519	5	26	441	15	1.36	8	9	<10	186	2024	<2	34	<10	4	78
200585	1079286	0.108	1	0.42	7	439	<2	4	0.82	<4	12	54	39	2.10	0.25	10	0.66	749	5	38	448	49	1.62	8	6	<10	161	2164	9	54	<10	5	97
200586	1079287	0.265	1	0.37	20	321	<2	8	0.73	<4	21	113	64	3.15	0.25	14	0.91	754	7	63	440	54	1.99	7	<5	<10	142	2327	3	75	<10	7	167
200587	1079288	0.071	<1	0.60	4	233	2	5	0.96	<4	18	121	40	2.90	0.21	13	0.95	799	7	60	424	31	1.40	6	<5	<10	156	2437	4	71	<10	6	89
200588D	1079288	0.063	2	1.12	<2	263	2	6	1.12	<4	19	135	43	3.20	0.07	15	1.00	883	10	68	457	34	1.50	7	13	<10	168	2726	7	79	<10	6	96
200589	1079289	0.092	1	0.77	2	245	2	6	1.00	<4	20	124	50	3.23	0.25	17	0.99	723	4	64	470	28	1.29	10	8	<10	146	2594	<2	83	<10	6	106
200590	1079290	5.065	1	1.23	361	1135	2	5	2.01	<4	14	102	77	3.04	0.17	11	0.95	459	17	50	739	26	1.59	43	11	<10	224	1928	5	122	<10	10	226
200591	1079291	0.397	<1	0.86	17	332	2	7	1.13	<4	22	141	64	3.14	0.18	14	0.89	868	5	67	492	59	1.71	8	21	<10	154	2611	<2	85	<10	7	179
200592	1079292	0.032	1	0.27	3	233	2	10	1.14	<4	20	135	43	3.28	0.30	13	0.97	675	4	63	483	31	1.29	7	<5	<10	149	2919	3	85	<10	6	89
200593	1079293	0.093	2	0.10	13	194	<2	12	1.10	<4	19	138	42	3.07	0.12	10	1.00	774	3	67	459	29	1.05	<5	12	<10	147	2647	4	87	<10	6	68
200594	1079294	0.393	2	<0.01	52	300	2	4	1.02	6	19	122	59	3.37	<0.01	10	0.82	807	6	66	429	220	2.66	8	11	<10	151	1929	<2	76	25	6	1719
200595	1079295	0.322	1	0.34	20	249	<2	7	1.15	<4	19	118	47	2.99	0.06	12	1.10	905	5	66	440	41	1.70	5	<5	<10	134	2071	4	81	<10	7	118
200596	1079296	0.322	2	0.39	20	241	2	5	1.13	<4	19	119	50	3.03	0.03	11	1.20	904	5	61	442	37	1.62	9	<5	<10	132	2096	<2	82	<10	6	95
200597	1079297	0.317	2	0.09	10	220	<2	10	0.74	<4	20	130	52	2.96	0.12	9	1.09	723	5	67	453	33	1.43	8	<5	<10	124	2067	<2	78	<10	6	99
200598	1079298	0.149	1	<0.01	23	333	<2	9	0.80	<4	10	55	41	1.88	0.01	8	0.76	651	3	38	425	35	1.51	6	<5	<10	121	1875	2	49	48	5	420
200599D	1079298	0.126	2	<0.01	19	320	2	5	0.70	<4	9	52	38	1.75	0.07	5	0.78	614	<1	33	407	37	1.36	7	14	<10	110	1741	6	46	47	4	395
200600	1079299	0.016	2	0.37	11	443	<2	3	1.16	<4	5	17	19	1.27	<0.01	12	0.72	592	5	25	501	62	1.11	7	6	<10	131	1973	<2	35	<10	4	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
Date Completed: 09/07/2011  
Job #: 201143022  
Reference: TL11206A  
Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200601	1079300	<0.005	<1	0.09	9	391	<2	8	1.04	<4	10	35	44	2.84	0.13	1	0.66	522	4	30	495	10	0.98	12	13	<10	248	2161	3	81	<10	8	68
200602	1079301	0.155	2	0.06	45	443	<2	8	0.22	<4	7	12	301	1.40	<0.01	6	0.45	261	6	21	464	270	1.69	8	12	<10	100	1828	<2	33	14	3	850
200603	1079302	0.028	1	0.04	16	407	<2	3	1.19	<4	6	14	22	1.24	<0.01	9	0.76	634	3	20	439	46	1.20	7	11	<10	129	1828	<2	33	<10	4	206
200604	1079303	0.041	2	<0.01	28	427	<2	7	0.40	<4	6	14	10	1.26	<0.01	7	0.46	418	5	20	442	102	1.47	7	8	<10	95	1776	4	33	<10	3	296
200605	1079304	0.059	1	<0.01	40	369	<2	2	<0.01	<4	6	11	5	1.21	0.03	4	0.35	174	2	22	389	96	1.47	8	6	<10	77	1556	3	29	11	3	455
200606	1079305	0.051	1	<0.01	15	370	<2	2	0.85	<4	6	16	8	1.35	0.08	10	0.81	725	3	29	425	51	1.08	7	9	<10	104	1702	5	32	<10	3	147
200607	1079306	0.045	1	0.19	13	378	<2	6	1.19	<4	4	19	8	1.43	0.12	10	0.91	880	4	34	419	47	1.01	<5	5	<10	119	1778	2	32	<10	4	77
200608	1079307	0.157	2	<0.01	24	396	<2	7	0.19	<4	4	19	8	1.12	0.04	6	0.41	310	5	35	397	255	1.25	9	10	<10	91	1728	<2	32	10	3	517
200609	1079308	0.027	2	<0.01	18	399	<2	11	0.77	<4	4	16	18	1.19	0.03	7	0.67	634	5	27	424	45	1.30	<5	11	<10	115	1778	4	32	<10	4	84
200610D	1079308	0.037	1	<0.01	19	417	<2	8	0.80	<4	5	16	22	1.23	<0.01	8	0.70	668	5	29	432	53	1.16	6	6	<10	117	1859	<2	34	<10	3	99
200611	1079309	0.046	<1	<0.01	18	429	<2	3	0.62	<4	5	19	17	1.16	<0.01	10	0.57	467	5	27	418	48	1.27	9	9	<10	109	1746	<2	31	<10	3	75
200612	1079310	1.541	3	<0.01	27	964	2	4	1.74	<4	18	54	7408	4.28	<0.01	2	0.72	496	700	21	784	38	2.04	19	17	<10	242	901	<2	98	<10	7	114
200613	1079311	0.061	1	0.73	22	385	2	8	1.50	<4	11	45	32	1.91	0.17	9	1.07	861	4	34	396	71	1.42	10	12	<10	123	1964	3	44	<10	5	162
200614	1079312	0.110	3	1.94	56	753	2	6	1.44	5	12	40	59	2.60	<0.01	26	0.93	868	6	59	678	287	2.06	8	12	<10	130	2640	3	51	19	5	1420
200615	1079313	0.188	2	0.49	15	449	<2	7	0.96	<4	5	12	17	1.17	0.14	8	0.69	616	<1	22	324	58	1.09	7	12	<10	129	1563	3	26	<10	4	89
200616	1079314	0.724	1	<0.01	18	545	<2	6	0.43	<4	5	14	12	0.88	0.13	7	0.56	371	3	25	320	26	1.09	6	12	<10	119	1599	<2	25	<10	3	58
200617	1079315	0.173	1	0.06	18	527	<2	5	0.61	<4	5	13	13	0.93	0.30	8	0.63	480	5	19	317	26	1.19	6	15	<10	122	1602	<2	26	<10	3	56
200618	1079316	0.206	1	0.08	20	556	<2	<1	0.56	<4	6	14	14	0.94	0.03	7	0.64	466	3	21	331	27	1.15	7	5	<10	118	1629	<2	27	<10	3	54
200619	1079317	0.161	1	0.07	19	602	<2	9	0.77	<4	5	12	34	0.97	0.34	10	0.65	562	1	25	314	93	1.13	8	7	<10	124	1628	<2	26	<10	3	155
200620	1079318	0.061	1	0.45	21	640	<2	3	1.03	<4	5	12	14	1.02	0.19	12	0.81	656	<1	25	339	38	1.00	7	<5	<10	134	1692	7	27	<10	4	162

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200621D	1079318	0.119	1	<0.01	18	598	2	5	0.87	<4	5	12	13	0.94	0.18	10	0.76	612	3	24	312	36	1.07	<5	14	<10	126	1654	4	26	<10	3	149
200622	1079319	0.139	1	0.06	24	539	<2	9	0.77	<4	11	65	48	1.75	0.10	10	0.77	593	5	46	351	76	1.48	9	6	<10	119	1911	4	53	<10	5	310
200623	1079320	0.006	2	<0.01	6	397	<2	3	1.02	<4	10	36	45	2.86	0.27	2	0.67	524	2	29	489	8	0.74	7	<5	<10	249	2157	3	82	<10	8	67
200624	1079321	0.067	1	1.14	10	517	<2	2	1.37	<4	15	80	57	2.45	0.11	16	1.31	980	4	48	414	71	1.36	6	5	<10	133	2092	3	61	<10	6	174
200625	1079322	0.034	3	0.28	3	445	<2	7	1.16	4	5	11	102	1.30	0.09	10	0.86	508	2	16	295	494	1.25	9	7	<10	132	1480	6	24	19	3	1244
200626	1079323	0.009	1	1.46	2	504	<2	13	1.36	<4	5	10	14	1.12	0.21	14	1.01	388	<1	17	319	35	0.86	7	13	<10	137	1517	<2	24	<10	4	90
200627	1079324	0.010	2	0.99	7	406	<2	9	1.35	<4	5	9	12	1.15	0.22	15	1.15	491	<1	16	302	59	0.91	9	10	<10	113	1519	3	24	<10	4	115
200628	1079325	0.015	1	3.21	16	498	<2	15	2.34	<4	6	10	33	1.35	0.14	16	1.65	1031	5	19	350	57	1.14	9	8	<10	132	1613	2	28	<10	6	101
200629	1079326	0.245	3	2.08	20	337	<2	13	1.68	4	3	12	123	1.14	<0.01	18	1.10	594	6	19	335	515	1.31	8	11	<10	127	1125	4	20	14	6	1063
200630	1079327	0.152	3	2.19	34	349	2	9	1.59	6	5	16	63	1.68	<0.01	21	1.22	647	7	29	351	327	1.72	9	8	<10	126	1137	2	20	24	6	1801
200631	1079328	0.096	1	<0.01	21	441	<2	3	0.77	<4	5	9	34	1.06	0.15	15	0.77	460	<1	20	317	145	1.09	9	6	<10	95	1419	<2	24	<10	3	529
200632R	1079328	0.067	1	<0.01	24	480	<2	3	0.70	<4	4	9	35	1.03	0.03	15	0.70	423	<1	19	299	151	1.13	6	19	<10	95	1520	6	25	<10	3	398
200633	1079329	0.074	1	0.91	16	511	<2	11	1.07	<4	5	10	15	1.18	0.19	16	0.86	359	<1	21	312	37	1.05	5	9	<10	109	1686	2	26	11	4	658
200634	1079330	1.400	4	0.64	34	1214	2	17	2.13	<4	19	62	7498	4.92	<0.01	6	0.86	562	785	20	899	45	2.45	23	13	<10	272	965	<2	110	<10	8	140
200635	1079331	0.021	<1	0.52	12	478	<2	6	1.64	<4	5	10	13	1.11	0.24	13	1.03	472	<1	18	313	39	0.92	6	18	<10	129	1550	2	25	<10	4	77
200636	1079332	0.015	2	0.26	13	476	<2	10	1.22	<4	5	10	8	1.08	0.09	15	0.86	360	4	23	318	35	1.09	9	7	<10	126	1735	3	26	<10	3	82
200637	1079333	1.045	19	<0.01	27	405	<2	10	0.70	<4	5	13	41	1.44	0.16	16	0.74	334	5	23	329	1171	1.49	24	5	<10	104	1615	4	25	12	3	706
200638	1079334	0.034	<1	<0.01	34	404	2	2	0.80	<4	5	12	12	1.05	<0.01	12	0.70	376	6	23	317	38	1.24	7	12	<10	105	1688	2	26	<10	3	92
200639	1079335	0.255	3	0.12	31	438	<2	8	0.14	12	5	16	25	1.24	0.13	12	0.44	176	1	27	431	209	1.44	8	8	<10	87	1613	4	32	41	4	3018
200640	1079336	0.145	3	<0.01	36	401	<2	3	0.10	12	6	15	24	1.22	0.09	8	0.41	171	<1	31	384	213	1.41	11	15	<10	82	1511	<2	30	47	3	3341

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 19, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200641	1079337	0.071	1	0.66	23	309	2	1	1.29	<4	5	19	18	1.38	0.13	13	1.12	458	6	37	332	54	1.27	8	5	<10	114	1515	2	29	<10	4	393
200642	1079338	0.422	1	0.19	15	434	<2	12	0.86	<4	5	13	8	1.11	0.06	11	0.84	321	6	27	341	48	1.11	8	16	<10	105	1652	<2	27	<10	3	93
200643D	1079338	0.426	<1	0.60	17	454	<2	12	0.87	<4	5	14	8	1.12	0.23	10	0.91	323	2	30	342	52	0.92	7	11	<10	99	1603	5	26	<10	3	91
200644	1079339	0.041	2	1.27	12	459	<2	4	0.96	<4	5	16	14	1.14	0.03	12	0.95	299	8	34	343	60	1.11	9	10	<10	118	1678	<2	28	<10	4	191
200645	1079340	0.010	1	0.13	7	407	<2	3	1.09	<4	11	37	45	2.95	0.15	3	0.69	539	6	29	510	13	0.92	8	<5	<10	254	2271	<2	85	<10	8	69
200646	1079341	0.039	1	0.76	16	448	<2	13	0.97	<4	5	12	6	1.17	0.23	9	1.04	248	<1	24	323	45	0.78	12	8	<10	111	1553	<2	27	<10	3	93
200647	1079342	0.020	1	0.59	14	467	<2	5	0.57	<4	5	14	14	1.13	0.31	11	0.94	220	<1	29	327	39	0.82	9	16	<10	102	1487	2	26	<10	3	79
200648	1079343	0.049	2	0.67	10	428	<2	3	0.79	<4	5	18	12	1.22	0.22	15	1.04	267	3	36	324	24	0.79	7	<5	<10	112	1639	<2	29	<10	3	68
200649	1079344	0.010	2	1.17	31	728	<2	10	1.17	<4	7	14	23	1.52	0.35	21	1.00	310	2	27	412	28	0.84	10	13	<10	123	1937	7	34	<10	4	90
200650	1079345	0.013	2	2.14	40	669	<2	13	2.77	<4	9	13	22	1.67	0.40	24	1.28	491	4	24	438	41	0.86	9	6	<10	178	1999	2	38	<10	4	109
200651	1079346	0.010	2	0.83	8	475	<2	<1	1.40	<4	6	11	26	1.27	0.48	17	1.09	291	<1	23	343	18	0.74	5	12	<10	154	1651	3	28	<10	4	77
200652	1079347	0.016	1	<0.01	13	441	<2	7	1.12	<4	4	10	17	1.12	0.07	10	0.95	278	<1	23	300	24	0.75	7	10	<10	153	1471	3	26	<10	3	69
200653	1079348	0.015	<1	<0.01	17	447	<2	7	0.10	<4	5	15	13	0.97	0.07	12	0.54	206	3	30	301	32	0.93	7	13	<10	113	1576	<2	26	<10	3	97
200654D	1079348	0.019	1	0.21	17	491	<2	<1	0.15	<4	6	16	15	1.04	0.07	16	0.64	221	<1	32	318	33	0.90	9	9	<10	119	1635	2	27	<10	3	100
200655	1079349	0.520	14	0.28	24	422	<2	7	0.65	<4	5	15	29	1.19	0.05	12	0.76	272	5	30	297	1306	1.16	18	6	<10	126	1447	4	28	14	3	811
200656	1079350	5.084	1	0.44	338	1082	<2	5	1.82	<4	13	95	73	2.90	0.10	5	0.95	425	10	46	692	31	1.06	42	5	<10	203	1700	2	114	11	10	216
200657	1079351	0.057	1	0.46	26	319	<2	7	1.10	<4	7	16	16	1.49	0.08	14	0.93	327	2	28	431	79	1.15	<5	10	<10	158	1487	3	38	<10	4	117
200658	1079352	0.065	1	<0.01	25	315	2	5	<0.01	<4	8	14	9	1.04	<0.01	6	0.31	<100	<1	23	575	26	1.24	6	18	<10	97	1470	9	38	<10	3	42
200659	1079353	0.098	2	<0.01	22	326	<2	8	<0.01	<4	7	15	33	0.97	0.14	11	0.34	<100	1	24	495	44	1.26	7	9	<10	101	1458	3	39	<10	3	153
200660	1079354	0.696	2	0.26	40	398	<2	6	0.48	<4	12	15	110	2.94	0.22	27	0.62	216	1	28	1673	65	2.49	7	<5	<10	127	1857	<2	45	<10	4	207

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
200661	1079355	<0.005	2	3.57	23	686	<2	9	3.12	<4	14	25	30	2.63	0.17	39	1.69	566	2	39	688	28	0.97	8	16	<10	268	2789	7	53	<10	6	114
200662	1079356	0.009	<1	0.69	18	358	<2	3	1.86	<4	8	16	7	1.67	0.28	21	1.01	357	<1	23	468	19	0.89	6	7	<10	206	1947	3	41	<10	4	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200501	1076959	54	0.002	0.054
200502	1076960	291	0.008	0.291
200503	1076961	15	<0.001	0.015
200504	1076962	18	<0.001	0.018
200505	1076963	21	<0.001	0.021
200506	1076964	28	<0.001	0.028
200507	1076965	65	0.002	0.065
200508	1076966	180	0.005	0.180
200509	1076967	19	<0.001	0.019
200510	1076968	9	<0.001	0.009
200511 Dup	1076968	9	<0.001	0.009
200512	1076969	7	<0.001	0.007
200513	1076970	7	<0.001	0.007
200514	1076971	193	0.006	0.193
200515	1076972	20	<0.001	0.020
200516	1076973	54	0.002	0.054
200517	1076974	72	0.002	0.072
200518	1076975	34	0.001	0.034
200519	1076976	23	<0.001	0.023
200520	1076977	19	<0.001	0.019
200521	1076978	60	0.002	0.060
200522 Dup	1076978	56	0.002	0.056
200523	1076979	54	0.002	0.054
200524	1076980	5186	0.151	5.186
200525	1076981	25	<0.001	0.025
200526	1076982	46	0.001	0.046
200527	1076983	32	<0.001	0.032
200528	1076984	30	<0.001	0.030
200529	1076985	16	<0.001	0.016
200530	1076986	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200531	1076987	20	<0.001	0.020
200532	1076988	39	0.001	0.039
200533 Dup	1076988	42	0.001	0.042
200534	1076989	122	0.004	0.122
200535	1076990	<5	<0.001	<0.005
200536	1076991	72	0.002	0.072
200537	1076992	277	0.008	0.277
200538	1076993	43	0.001	0.043
200539	1076994	45	0.001	0.045
200540	1076995	3058	0.089	3.058
200541	1076996	133	0.004	0.133
200542	1076997	38	0.001	0.038
200543	1076998	8	<0.001	0.008
200544 Dup	1076998	14	<0.001	0.014
200545	1076999	27	<0.001	0.027
200546	1077000	1493	0.044	1.493
200547	1079251	13	<0.001	0.013
200548	1079252	67	0.002	0.067
200549	1079253	164	0.005	0.164
200550	1079254	283	0.008	0.283
200551	1079255	45	0.001	0.045
200552	1079256	37	0.001	0.037
200553	1079257	14	<0.001	0.014
200554	1079258	10	<0.001	0.010
200555 Dup	1079258	7	<0.001	0.007
200556	1079259	37	0.001	0.037
200557	1079260	8	<0.001	0.008
200558	1079261	222	0.006	0.222
200559	1079262	1551	0.045	1.551
200560	1079263	338	0.010	0.338

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200561	1079264	551	0.016	0.551
200562	1079265	378	0.011	0.378
200563	1079266	91	0.003	0.091
200564	1079267	67	0.002	0.067
200565	1079268	132	0.004	0.132
200566 Rep	1079268	148	0.004	0.148
200567	1079269	657	0.019	0.657
200568	1079270	299	0.009	0.299
200569	1079271	235	0.007	0.235
200570	1079272	237	0.007	0.237
200571	1079273	150	0.004	0.150
200572	1079274	561	0.016	0.561
200573	1079275	198	0.006	0.198
200574	1079276	218	0.006	0.218
200575	1079277	61	0.002	0.061
200576	1079278	41	0.001	0.041
200577 Dup	1079278	32	<0.001	0.032
200578	1079279	37	0.001	0.037
200579	1079280	<5	<0.001	<0.005
200580	1079281	132	0.004	0.132
200581	1079282	22	<0.001	0.022
200582	1079283	10	<0.001	0.010
200583	1079284	17	<0.001	0.017
200584	1079285	25	<0.001	0.025
200585	1079286	108	0.003	0.108
200586	1079287	265	0.008	0.265
200587	1079288	71	0.002	0.071
200588 Dup	1079288	63	0.002	0.063
200589	1079289	92	0.003	0.092
200590	1079290	5065	0.148	5.065

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200591	1079291	397	0.012	0.397
200592	1079292	32	<0.001	0.032
200593	1079293	93	0.003	0.093
200594	1079294	393	0.011	0.393
200595	1079295	322	0.009	0.322
200596	1079296	322	0.009	0.322
200597	1079297	317	0.009	0.317
200598	1079298	149	0.004	0.149
200599 Dup	1079298	126	0.004	0.126
200600	1079299	16	<0.001	0.016
200601	1079300	<5	<0.001	<0.005
200602	1079301	155	0.005	0.155
200603	1079302	28	<0.001	0.028
200604	1079303	41	0.001	0.041
200605	1079304	59	0.002	0.059
200606	1079305	51	0.001	0.051
200607	1079306	45	0.001	0.045
200608	1079307	157	0.005	0.157
200609	1079308	27	<0.001	0.027
200610 Dup	1079308	37	0.001	0.037
200611	1079309	46	0.001	0.046
200612	1079310	1541	0.045	1.541
200613	1079311	61	0.002	0.061
200614	1079312	110	0.003	0.110
200615	1079313	188	0.005	0.188
200616	1079314	724	0.021	0.724
200617	1079315	173	0.005	0.173
200618	1079316	206	0.006	0.206
200619	1079317	161	0.005	0.161
200620	1079318	61	0.002	0.061

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200621 Dup	1079318	119	0.003	0.119
200622	1079319	139	0.004	0.139
200623	1079320	6	<0.001	0.006
200624	1079321	67	0.002	0.067
200625	1079322	34	0.001	0.034
200626	1079323	9	<0.001	0.009
200627	1079324	10	<0.001	0.010
200628	1079325	15	<0.001	0.015
200629	1079326	245	0.007	0.245
200630	1079327	152	0.004	0.152
200631	1079328	96	0.003	0.096
200632 Rep	1079328	67	0.002	0.067
200633	1079329	74	0.002	0.074
200634	1079330	1400	0.041	1.400
200635	1079331	21	<0.001	0.021
200636	1079332	15	<0.001	0.015
200637	1079333	1045	0.030	1.045
200638	1079334	34	<0.001	0.034
200639	1079335	255	0.007	0.255
200640	1079336	145	0.004	0.145
200641	1079337	71	0.002	0.071
200642	1079338	422	0.012	0.422
200643 Dup	1079338	426	0.012	0.426
200644	1079339	41	0.001	0.041
200645	1079340	10	<0.001	0.010
200646	1079341	39	0.001	0.039
200647	1079342	20	<0.001	0.020
200648	1079343	49	0.001	0.049
200649	1079344	10	<0.001	0.010
200650	1079345	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 7, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/17/2011  
 Date Completed: 09/07/2011  
 Job #: 201143022  
 Reference: TL11206A  
 Sample #: 148

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
200651	1079346	10	<0.001	0.010
200652	1079347	16	<0.001	0.016
200653	1079348	15	<0.001	0.015
200654 Dup	1079348	19	<0.001	0.019
200655	1079349	520	0.015	0.520
200656	1079350	5084	0.148	5.084
200657	1079351	57	0.002	0.057
200658	1079352	65	0.002	0.065
200659	1079353	98	0.003	0.098
200660	1079354	696	0.020	0.696
200661	1079355	<5	<0.001	<0.005
200662	1079356	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, September 9, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/07/2011  
Date Completed: 09/09/2011  
Job #: 201143302  
Reference: TL 11206A  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
220702	1076995	0.098	3.359

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204499	1078742	0.051	<1	2.85	3	308	<2	7	1.32	<4	21	102	39	3.28	<0.01	15	1.04	681	3	59	526	35	0.62	<5	10	<10	216	2449	<2	81	<10	7	70
204500	1078743	1.180	3	2.54	<2	313	2	9	0.94	<4	23	142	46	3.57	<0.01	17	1.07	886	4	75	464	41	0.58	<5	10	<10	199	3080	9	103	<10	7	54
204501	1078744	0.028	<1	2.39	<2	344	2	8	1.34	<4	20	145	45	3.31	<0.01	19	0.98	757	5	66	444	50	0.73	<5	9	<10	219	2594	<2	94	<10	7	159
204502	1078745	0.018	<1	2.32	5	476	<2	2	0.93	<4	8	39	19	1.89	<0.01	10	0.35	331	3	31	363	27	1.21	<5	11	<10	137	1863	7	49	<10	5	125
204503	1078746	0.014	<1	2.10	9	481	<2	5	0.87	<4	8	33	14	1.67	<0.01	10	0.30	312	1	29	341	23	1.07	<5	13	<10	122	1849	<2	47	<10	4	91
204504	1078747	<0.005	<1	1.72	12	415	2	6	0.91	<4	8	30	30	1.47	<0.01	7	0.31	387	3	37	304	27	0.93	<5	13	<10	152	1619	<2	44	<10	4	28
204505	1078748	0.005	2	0.94	19	447	<2	3	0.26	<4	10	17	29	1.88	<0.01	8	0.22	240	4	25	261	53	1.38	<5	<5	<10	155	1645	<2	39	<10	3	105
204506	1078749	0.005	<1	1.19	8	487	<2	<1	0.28	<4	8	18	7	0.76	<0.01	3	0.19	142	1	22	292	39	0.37	<5	6	<10	132	1700	<2	41	<10	3	48
204507	1078750	0.244	103	1.76	206	323	<2	12	0.97	25	14	48	5887	5.05	<0.01	5	0.81	1551	19	24	441	10124	1.83	338	7	<10	206	1974	<2	81	52	8	4974
204508	1078751	<0.005	2	3.04	11	565	<2	6	1.55	<4	7	21	113	0.74	<0.01	6	0.28	292	2	27	333	161	0.40	6	16	<10	240	1487	<2	41	<10	4	76
204509D	1078751	<0.005	1	2.65	9	537	<2	3	1.47	<4	6	20	13	0.65	<0.01	6	0.26	256	1	24	314	58	0.36	<5	8	<10	233	1393	<2	38	<10	4	19
204510	1078752	<0.005	<1	2.85	7	517	<2	7	1.31	<4	6	22	7	0.47	<0.01	3	0.24	224	2	30	311	52	0.21	<5	10	<10	260	1383	<2	40	<10	4	33
204511	1078753	<0.005	<1	2.98	11	618	<2	6	0.92	<4	7	17	5	0.47	<0.01	4	0.24	157	1	20	342	45	0.23	<5	18	<10	244	1612	<2	41	<10	4	55
204512	1078754	<0.005	<1	2.83	11	480	<2	3	1.07	<4	7	20	6	0.47	<0.01	7	0.26	157	4	27	310	28	0.20	<5	16	<10	253	1399	<2	39	<10	4	4
204513	1078755	<0.005	<1	1.82	13	452	<2	4	0.82	<4	5	19	6	0.68	<0.01	6	0.22	163	2	23	301	27	0.44	<5	13	<10	255	1370	4	39	<10	3	8
204514	1078756	<0.005	1	2.37	9	500	<2	4	0.76	<4	7	18	11	0.78	<0.01	2	0.26	186	<1	18	442	38	0.47	<5	6	<10	220	1360	<2	33	<10	4	1
204515	1078757	0.030	<1	1.79	25	534	<2	5	0.88	<4	10	18	8	1.45	<0.01	8	0.26	273	2	24	323	28	1.04	<5	11	<10	146	1734	<2	35	<10	3	2
204516	1078758	0.057	<1	2.08	13	600	<2	8	0.76	<4	8	18	14	1.43	<0.01	10	0.35	374	<1	20	319	111	0.53	<5	13	<10	222	1708	2	35	<10	3	250
204517	1078759	0.040	1	1.70	3	601	<2	4	1.52	<4	7	18	10	1.58	<0.01	12	0.38	407	1	20	347	55	0.45	<5	15	<10	268	1743	<2	36	<10	4	51
204518	1078760	<0.005	<1	2.34	3	450	<2	9	1.34	<4	12	39	47	3.07	<0.01	10	0.66	539	4	25	484	14	0.06	<5	7	<10	258	2363	<2	87	<10	8	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204519	1078761	<0.005	<1	1.03	<2	485	<2	4	1.29	<4	8	19	12	1.57	<0.01	12	0.42	318	5	20	407	42	0.39	<5	6	<10	295	1964	6	38	<10	3	43
204520D	1078761	<0.005	<1	1.69	<2	459	<2	8	1.28	<4	8	22	11	1.50	<0.01	13	0.48	305	5	21	393	42	0.39	<5	10	<10	285	1926	<2	37	<10	4	40
204521	1078762	<0.005	<1	2.57	3	601	<2	3	1.59	<4	8	23	11	1.56	<0.01	11	0.63	422	2	17	406	48	0.30	<5	11	<10	304	1971	4	39	<10	4	70
204522	1078763	0.007	1	2.84	2	494	<2	3	1.74	<4	8	18	14	1.60	0.03	17	0.78	539	2	18	407	47	0.35	<5	9	<10	194	2154	3	38	<10	5	78
204523	1078764	0.028	1	2.42	19	517	<2	5	1.37	<4	10	18	13	1.60	<0.01	16	0.62	473	1	20	396	71	0.62	<5	17	<10	157	2076	3	38	<10	4	149
204524	1078765	0.016	<1	3.07	2	549	<2	5	2.31	<4	8	19	11	1.62	<0.01	18	0.82	688	3	20	399	83	0.38	<5	15	<10	183	2049	4	37	<10	5	149
204525	1078766	0.011	1	2.32	3	509	<2	8	2.04	<4	8	16	10	1.49	<0.01	16	0.73	639	<1	15	375	70	0.34	<5	5	<10	174	1943	5	36	<10	4	104
204526	1078767	0.014	<1	3.34	8	518	<2	9	1.96	<4	5	19	13	1.10	<0.01	8	0.45	568	<1	18	237	46	0.34	<5	12	<10	192	1161	6	24	<10	4	53
204527	1078768	0.014	<1	2.04	10	402	<2	7	1.98	<4	6	12	15	1.05	<0.01	9	0.33	527	<1	14	236	51	0.47	<5	16	<10	223	1129	4	23	<10	3	115
204528	1078769	0.018	<1	1.45	14	453	<2	4	1.22	<4	4	10	8	0.83	<0.01	7	0.32	345	<1	13	184	40	0.39	<5	10	<10	179	1037	<2	19	<10	3	34
204529	1078770	5.447	1	1.16	334	1205	<2	9	1.77	<4	12	100	71	2.80	<0.01	10	0.73	405	12	39	631	30	0.67	33	14	<10	191	1851	4	113	<10	8	175
204530	1078771	0.028	<1	1.42	16	579	2	5	1.00	<4	4	12	11	0.87	<0.01	14	0.41	452	<1	15	201	57	0.34	<5	14	<10	145	1117	2	19	<10	3	74
204531D	1078771	0.036	<1	2.09	14	589	<2	12	1.08	<4	4	11	10	0.89	<0.01	13	0.45	463	<1	15	203	57	0.35	<5	10	<10	149	1107	<2	18	<10	3	73
204532	1078772	0.008	<1	1.71	6	541	<2	9	1.28	<4	4	13	12	0.84	<0.01	11	0.34	296	<1	16	218	42	0.24	<5	11	<10	158	1172	7	20	<10	3	40
204533	1078773	0.018	<1	1.85	10	471	<2	9	1.81	<4	4	13	18	0.92	<0.01	7	0.38	333	<1	17	268	53	0.26	<5	15	<10	176	1132	2	20	<10	4	48
204534	1078774	0.033	<1	1.75	13	560	<2	6	1.41	<4	5	13	16	0.91	<0.01	8	0.41	334	<1	15	203	52	0.31	<5	18	<10	152	1102	6	19	<10	3	53
204535	1078775	0.021	<1	1.52	15	592	2	6	1.07	<4	7	22	11	1.30	<0.01	17	0.48	361	2	21	265	41	0.63	<5	10	<10	168	1488	3	31	<10	3	53
204536	1078776	0.007	<1	2.01	3	645	2	6	1.72	<4	6	20	4	1.40	<0.01	14	0.86	344	2	19	324	21	0.18	<5	9	<10	218	1604	6	32	<10	4	35
204537	1078777	0.029	<1	2.10	2	462	<2	6	1.38	<4	15	84	35	2.33	<0.01	18	0.98	497	4	49	357	41	0.54	<5	13	<10	205	1930	3	59	<10	6	57
204538	1078778	0.045	2	2.05	3	340	2	12	0.92	<4	22	142	46	3.35	<0.01	18	1.07	628	4	68	449	46	0.57	<5	14	<10	161	2927	4	103	<10	7	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204539	1078779	0.051	<1	1.35	<2	366	2	6	1.17	<4	21	120	36	3.07	<0.01	17	0.85	497	3	65	427	65	0.93	<5	7	<10	185	1850	6	89	<10	6	70
204540	1078780	<0.005	<1	1.03	3	415	<2	13	1.11	<4	12	37	45	2.83	<0.01	7	0.58	505	2	23	455	14	0.05	<5	8	<10	235	2274	2	84	<10	7	32
204541	1078781	0.044	2	1.42	4	353	2	6	0.74	<4	25	141	55	3.52	0.05	19	0.98	678	4	67	401	39	0.53	<5	9	<10	144	3158	5	112	<10	6	68
204542D	1078781	0.038	4	1.49	4	341	2	9	0.75	<4	26	142	56	3.62	0.16	16	1.05	686	3	72	407	39	0.53	<5	13	<10	142	3138	<2	113	<10	6	63
204543	1078782	0.040	<1	1.49	<2	377	2	10	0.93	<4	22	132	54	3.31	0.13	15	0.94	551	5	70	477	41	0.78	<5	<5	<10	151	2376	7	92	<10	6	82
204544	1078783	0.032	<1	1.20	<2	430	2	13	0.93	<4	14	83	24	2.16	0.09	14	0.83	462	4	45	400	55	0.43	<5	7	<10	145	1882	<2	62	<10	5	59
204545	1078784	0.127	<1	1.44	2	543	2	<1	0.48	<4	12	53	25	2.08	0.06	19	0.96	345	4	35	357	38	0.42	<5	<5	<10	103	1837	<2	46	<10	5	108
204546	1078785	0.059	2	1.00	35	593	<2	5	0.51	<4	15	11	7	1.14	<0.01	15	0.50	247	<1	33	174	65	0.95	<5	8	<10	91	1597	<2	30	<10	3	475
204547	1078786	0.053	2	0.48	36	571	<2	1	0.45	<4	17	12	8	1.06	<0.01	15	0.47	244	1	38	167	68	0.88	5	12	<10	92	1556	2	30	<10	3	653
204548	1078787	0.296	15	0.57	21	477	<2	7	0.44	<4	8	13	14	0.79	<0.01	16	0.45	216	1	20	182	246	0.66	22	<5	<10	94	1607	<2	28	10	2	730
204549	1078788	0.084	2	0.54	37	433	<2	5	0.58	10	13	12	34	1.48	<0.01	12	0.50	282	<1	31	103	44	2.06	13	6	<10	102	1471	<2	28	156	2	15974
204550	1078789	0.068	2	3.26	38	388	<2	2	0.67	<4	15	13	6	1.62	<0.01	5	0.72	235	<1	37	160	59	1.59	6	11	<10	108	1457	4	28	<10	3	498
204551	1078790	1.246	2	3.64	28	391	2	13	2.22	5	18	58	6862	4.67	<0.01	<1	0.95	505	738	17	801	42	2.36	11	7	<10	235	787	<2	101	<10	11	81
204552	1078791	0.047	1	2.95	28	437	<2	9	0.49	<4	11	15	27	1.41	<0.01	6	0.58	199	<1	28	198	38	1.44	<5	13	<10	101	1596	2	29	<10	3	623
204553D	1078791	0.048	1	3.05	31	444	<2	10	0.52	<4	10	14	10	1.44	<0.01	8	0.59	198	<1	26	187	31	1.48	5	12	<10	105	1576	<2	29	<10	3	619
204554	1078792	0.196	2	3.02	30	401	<2	9	0.22	<4	9	15	12	1.08	0.15	3	0.48	146	<1	24	259	75	1.05	17	13	<10	86	1508	<2	28	<10	4	227
204555	1078793	0.027	1	3.65	25	382	<2	4	0.17	<4	6	11	15	0.62	0.14	<1	0.57	144	<1	18	279	82	0.46	7	15	<10	84	1393	<2	26	<10	4	194
204556	1078794	0.145	1	3.13	16	384	<2	5	0.48	<4	6	15	9	0.60	0.14	2	0.62	197	<1	20	133	85	0.41	8	7	<10	108	1399	2	27	<10	4	227
204557	1078795	0.103	3	3.22	21	357	<2	12	0.23	<4	6	20	13	0.82	<0.01	<1	0.59	175	<1	29	103	168	0.67	11	<5	<10	98	1296	5	24	<10	4	427
204558	1078796	0.009	<1	2.73	29	447	<2	7	0.76	<4	8	24	15	1.07	0.17	3	0.60	246	<1	27	207	44	0.90	<5	13	<10	105	1511	<2	31	<10	4	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204559	1078797	0.012	<1	2.80	27	411	<2	7	0.55	<4	7	17	5	1.31	0.16	6	0.49	154	<1	23	142	33	1.31	<5	8	<10	172	1442	4	25	<10	3	26
204560	1078798	0.007	<1	1.37	22	470	<2	7	0.28	<4	7	15	5	1.28	0.05	7	0.27	105	<1	21	135	19	1.37	<5	10	<10	157	1580	3	27	<10	2	12
204561	1078799	0.011	<1	2.48	17	435	<2	6	0.68	<4	7	18	6	0.85	<0.01	9	0.28	<100	<1	23	216	22	0.77	<5	10	<10	201	1511	9	28	<10	3	10
204562	1078800	0.007	<1	3.62	6	411	<2	7	1.37	<4	11	37	48	3.10	0.14	2	0.82	526	<1	27	493	14	0.08	<5	<5	<10	261	2107	6	85	<10	11	43
204563	1078801	0.012	<1	2.54	14	446	<2	2	0.65	<4	6	18	12	0.99	<0.01	7	0.30	113	<1	24	215	40	0.85	<5	18	<10	206	1417	7	27	<10	3	109
204564R	1078801	0.017	<1	2.82	13	470	<2	7	0.72	<4	6	22	13	1.05	<0.01	10	0.31	118	2	28	225	43	0.88	<5	11	<10	215	1472	<2	28	<10	3	146
204565	1078802	0.009	<1	2.68	14	542	<2	6	0.76	<4	7	17	2	0.62	<0.01	13	0.29	131	3	14	322	37	0.45	<5	14	<10	227	1746	<2	32	<10	3	99
204566	1078803	0.007	<1	2.64	18	494	<2	3	0.67	<4	6	14	5	0.64	0.07	11	0.29	115	<1	17	304	23	0.54	<5	8	<10	227	1593	6	29	<10	3	14
204567	1078804	0.006	<1	2.31	13	591	<2	4	0.64	<4	7	15	5	0.66	0.08	14	0.28	126	<1	18	304	26	0.53	<5	16	<10	228	1720	<2	31	<10	3	15
204568	1078805	0.006	<1	2.10	13	620	2	<1	0.74	<4	7	17	5	0.80	0.07	16	0.40	224	2	21	293	24	0.60	<5	12	<10	225	1607	2	30	<10	3	9
204569	1078806	0.006	<1	1.20	11	566	<2	6	0.70	<4	6	16	5	0.77	<0.01	15	0.35	236	3	17	297	27	0.57	<5	10	<10	221	1641	<2	30	<10	2	11
204570	1078807	0.006	<1	1.49	12	636	<2	3	0.84	<4	8	16	10	1.01	0.08	13	0.41	251	3	19	328	40	0.85	<5	11	<10	233	1640	4	31	<10	3	90
204571	1078808	0.011	<1	1.51	17	478	2	10	0.90	<4	7	16	7	1.00	<0.01	8	0.23	<100	5	23	292	24	1.00	<5	9	<10	246	1464	<2	28	<10	3	56
204572	1078809	0.011	1	2.12	17	533	<2	8	0.95	<4	7	16	6	0.84	<0.01	9	0.30	<100	3	19	337	21	0.75	<5	11	<10	276	1607	4	30	<10	3	24
204573	1078810	0.282	98	1.31	191	399	2	11	0.88	24	13	45	5596	4.68	<0.01	7	0.58	1418	24	26	444	9759	2.06	309	17	<10	196	1983	2	78	48	5	4664
204574	1078811	0.012	<1	1.17	17	357	<2	6	0.81	<4	7	14	13	0.83	<0.01	5	0.26	108	1	16	297	32	0.79	<5	8	<10	235	1362	<2	27	<10	3	54
204575D	1078811	0.009	<1	1.96	19	435	<2	6	0.99	<4	6	15	7	0.92	<0.01	11	0.30	115	2	18	330	23	0.90	<5	12	<10	266	1476	<2	30	<10	3	60
204576	1078812	0.010	<1	2.49	32	422	<2	5	0.75	<4	7	17	8	2.66	<0.01	9	0.29	125	2	25	281	25	3.32	<5	10	<10	241	1383	6	27	<10	3	226
204577	1078813	0.012	<1	2.34	14	661	<2	5	0.50	<4	7	17	6	1.20	<0.01	13	0.41	223	<1	23	248	45	1.15	<5	11	<10	183	1547	4	29	<10	3	200
204578	1078814	0.021	1	2.79	11	493	<2	5	1.67	<4	8	24	13	1.76	<0.01	12	0.48	418	<1	23	426	33	0.72	<5	14	<10	257	1981	<2	38	<10	4	53

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204579	1078815	0.014	<1	2.48	<2	422	<2	6	1.87	<4	7	15	4	1.67	<0.01	7	0.42	398	<1	13	418	19	0.35	<5	9	<10	266	2046	10	40	<10	4	36
204580	1078816	0.016	<1	2.37	2	415	<2	8	1.78	<4	9	21	4	1.81	0.08	8	0.50	475	<1	25	406	20	0.39	<5	15	<10	268	2019	9	38	<10	4	36
204581	1078817	0.063	<1	1.56	4	297	<2	5	0.90	<4	7	14	9	1.44	<0.01	8	0.50	787	<1	14	406	28	0.42	<5	11	<10	153	1797	9	32	<10	3	39
204582	1078818	0.216	<1	1.46	17	293	<2	<1	0.85	<4	6	13	7	1.62	<0.01	7	0.53	850	<1	15	416	24	0.72	<5	8	<10	159	1720	2	33	<10	3	41
204583	1078819	0.301	<1	1.39	12	246	2	3	0.80	<4	7	18	17	1.51	<0.01	7	0.55	785	<1	20	425	28	0.74	<5	12	<10	157	1483	<2	32	<10	3	50
204584	1078820	0.007	<1	2.09	4	388	<2	6	1.19	<4	10	36	45	2.91	<0.01	3	0.64	504	<1	25	476	15	0.07	<5	12	<10	243	2070	3	81	<10	8	39
204585	1078821	0.026	1	1.50	9	377	2	5	0.62	<4	5	12	28	1.21	<0.01	9	0.34	489	3	16	429	70	0.80	<5	13	<10	168	1603	5	32	<10	3	104
204586D	1078821	0.030	1	2.00	9	358	2	9	0.61	<4	5	11	29	1.17	0.08	8	0.39	490	<1	13	427	72	0.85	<5	13	<10	165	1582	3	32	<10	3	108
204587	1078822	0.092	3	1.95	6	359	<2	3	0.48	<4	6	15	106	0.89	<0.01	7	0.34	307	<1	18	364	170	0.59	<5	17	<10	143	1473	<2	30	<10	3	125
204588	1078823	0.030	<1	2.42	15	433	<2	5	0.56	<4	7	9	11	0.90	0.11	5	0.49	364	<1	17	393	80	0.71	<5	6	<10	136	1548	4	30	<10	3	63
204589	1078824	0.124	1	2.84	25	522	<2	5	0.28	<4	8	9	16	1.06	0.11	<1	0.48	232	<1	18	379	341	1.15	<5	6	<10	109	1394	8	25	<10	4	429
204590	1078825	2.327	8	2.22	71	277	<2	4	0.27	14	14	11	453	1.74	<0.01	<1	0.46	174	<1	33	254	3727	2.48	108	10	<10	99	1020	<2	20	58	4	4752
204591	1078826	2.532	8	1.69	71	260	<2	2	0.27	13	18	9	615	1.86	<0.01	3	0.40	176	<1	35	255	3470	2.68	65	13	<10	100	1135	2	22	54	3	4424
204592	1078827	0.695	2	2.34	43	428	<2	2	0.08	6	17	10	81	0.97	<0.01	<1	0.38	187	<1	38	310	1226	1.16	14	16	<10	82	1303	<2	25	20	3	1763
204593	1078828	0.525	2	1.47	44	339	<2	3	0.17	4	11	11	57	1.43	<0.01	3	0.37	213	<1	24	321	732	1.73	7	12	<10	92	1415	4	25	<10	3	822
204594	1078829	0.462	1	2.30	25	442	2	2	0.68	<4	8	13	112	1.39	<0.01	5	0.58	384	<1	18	421	501	1.32	<5	6	<10	132	1800	<2	33	<10	4	582
204595	1078830	4.927	1	2.74	357	1102	<2	4	2.04	4	12	103	82	3.06	0.20	5	0.98	431	9	44	709	37	0.98	35	11	<10	201	1764	2	118	<10	11	206
204596	1078831	26.742	60	0.84	186	<1	<2	8	0.03	80	15	17	1390	4.55	<0.01	3	0.27	226	3	22	235	21605	8.16	305	17	<10	74	947	<2	22	351	3	33473
204597D	1078831	28.459	59	0.86	178	<1	2	10	0.04	80	15	17	1387	4.50	<0.01	5	0.27	224	4	24	245	22146	8.16	296	5	<10	77	969	5	21	347	3	34617
204598	1078832	5.208	3	2.50	29	443	2	4	0.30	4	9	9	50	1.08	0.27	5	0.48	308	<1	18	334	398	1.21	8	12	<10	135	1487	2	27	11	3	966

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204599	1078833	0.202	2	2.01	21	407	<2	7	0.56	<4	8	10	50	0.97	0.26	8	0.51	565	<1	16	404	100	0.76	<5	8	<10	155	1588	<2	31	<10	3	284
204600	1078834	0.142	1	1.59	12	332	<2	12	0.24	<4	5	18	11	1.21	0.02	5	0.37	467	<1	19	407	50	1.24	<5	10	<10	133	1515	5	33	<10	3	145
204601	1078835	0.023	2	2.05	14	293	2	4	0.47	<4	16	10	33	1.42	<0.01	5	0.53	848	<1	19	380	43	1.12	<5	<5	<10	147	1398	5	31	<10	3	50
204602	1078836	0.035	5	2.27	8	478	2	6	0.55	<4	11	14	56	1.58	0.13	14	0.42	597	<1	19	421	45	1.09	<5	16	<10	161	2075	2	41	<10	3	68
204603	1078837	0.029	1	2.59	2	342	<2	6	0.92	<4	8	18	14	1.82	<0.01	5	0.58	713	<1	15	422	24	0.56	<5	11	<10	170	1980	<2	38	<10	4	46
204604	1078838	0.051	<1	2.40	7	434	<2	7	0.88	<4	9	23	13	1.68	0.22	8	0.50	533	<1	19	416	40	0.69	<5	16	<10	166	1961	<2	39	<10	4	125
204605	1078839	0.055	1	2.25	<2	344	<2	<1	1.19	<4	10	28	20	1.77	0.20	3	0.60	911	<1	25	383	38	0.48	<5	11	<10	190	1982	8	40	<10	4	78
204606	1078840	<0.005	<1	2.79	8	417	<2	8	1.31	<4	11	38	47	3.06	0.13	3	0.76	538	<1	26	500	16	0.09	<5	7	<10	256	2184	<2	86	<10	10	37
204607	1078841	0.331	2	1.70	3	314	<2	7	0.71	<4	11	21	23	1.76	<0.01	6	0.48	793	<1	20	364	25	0.68	<5	7	<10	165	1946	<2	38	<10	3	50
204608D	1078841	0.336	<1	2.37	5	316	<2	3	0.80	<4	10	22	25	1.89	0.13	5	0.56	802	<1	22	396	28	0.71	<5	10	<10	172	1998	<2	39	<10	4	56
204609	1078842	0.162	<1	1.83	2	309	<2	4	0.79	<4	9	21	30	1.72	0.27	7	0.56	1075	<1	20	392	24	0.42	<5	8	<10	167	2049	<2	40	<10	3	63
204610	1078843	0.706	3	2.61	4	302	<2	6	0.70	<4	7	23	80	1.66	0.24	6	0.63	817	<1	20	394	163	0.82	<5	14	<10	166	1694	6	35	<10	4	547
204611	1078844	0.612	2	1.78	20	322	2	6	0.86	<4	8	23	28	1.55	0.10	5	0.63	811	<1	24	348	47	1.37	<5	10	<10	157	1329	4	29	<10	4	141
204612	1078845	0.127	1	1.94	12	260	<2	3	0.73	<4	7	14	21	1.07	0.09	8	0.60	747	<1	22	319	43	0.80	<5	10	<10	150	1501	3	28	<10	3	58
204613	1078846	0.182	1	1.28	12	235	<2	3	0.57	<4	7	13	17	0.92	0.03	7	0.51	669	<1	22	294	47	0.70	<5	19	<10	136	1371	<2	25	<10	3	44
204614	1078847	0.367	2	1.94	12	303	2	<1	0.21	<4	7	13	14	0.64	0.20	3	0.45	264	<1	17	273	58	0.50	<5	18	<10	110	1302	<2	25	<10	3	82
204615	1078848	0.082	2	1.49	10	291	<2	8	0.48	<4	8	16	15	1.09	0.29	10	0.45	440	<1	18	313	33	1.22	<5	14	<10	117	1617	<2	30	<10	3	26
204616	1078849	0.316	6	0.97	24	315	<2	5	1.46	6	8	20	29	1.91	0.09	5	0.94	468	1	22	356	43	2.00	<5	11	<10	140	1659	2	35	11	3	850
204617	1078850	1.686	3	0.43	29	499	2	3	1.84	6	18	58	6872	4.33	<0.01	<1	0.59	489	706	18	776	43	2.95	13	16	<10	222	851	<2	100	<10	6	184
204618	1078851	0.066	2	0.58	17	315	2	8	0.91	<4	9	16	53	1.78	<0.01	5	0.77	276	2	19	357	28	1.66	<5	6	<10	129	1979	3	37	<10	3	99

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204619D	1078851	0.067	2	0.73	17	325	2	6	0.91	<4	8	16	16	1.78	<0.01	6	0.80	277	<1	19	364	26	1.69	<5	11	<10	131	1977	3	38	<10	3	67
204620	1078852	0.035	2	2.09	12	256	2	10	1.72	<4	8	17	12	1.77	0.09	5	1.59	441	<1	16	367	27	1.38	<5	9	<10	147	1830	6	37	<10	3	57
204621	1078853	0.081	2	3.05	11	228	2	6	1.85	<4	8	18	10	2.60	0.05	8	1.88	722	<1	20	405	30	2.51	<5	6	<10	154	1839	8	38	<10	4	72
204622	1078854	0.024	1	0.11	13	303	2	6	0.89	<4	10	17	10	1.09	<0.01	5	0.66	388	<1	19	292	27	0.77	<5	13	<10	137	2030	<2	40	<10	2	98
204623	1078855	0.041	<1	1.06	38	426	<2	4	1.46	<4	10	17	23	1.18	0.08	3	0.91	510	<1	18	434	29	0.52	<5	8	<10	170	2028	<2	35	<10	3	171
204624	1078856	0.324	2	0.05	35	261	<2	<1	<0.01	<4	9	18	15	0.91	0.02	<1	0.27	154	<1	21	317	37	1.09	<5	12	<10	64	1667	<2	35	<10	2	73
204625	1078857	0.939	7	<0.01	46	251	2	<1	0.01	<4	7	18	93	0.85	<0.01	3	0.29	203	<1	19	315	237	0.98	24	12	<10	67	1683	<2	33	<10	2	156
204626	1078858	0.798	7	0.44	32	218	<2	2	0.21	9	5	16	112	1.24	<0.01	<1	0.37	269	<1	16	273	810	1.63	11	10	<10	68	1493	<2	29	27	2	2000
204627	1078859	0.030	1	1.95	17	270	<2	6	1.59	<4	9	23	17	1.31	0.05	5	0.99	777	<1	22	385	50	0.57	<5	13	<10	101	1892	<2	37	<10	3	66
204628	1078860	<0.005	<1	2.38	9	396	2	6	1.27	<4	12	39	50	3.19	0.26	<1	0.81	548	<1	28	507	15	0.09	<5	11	<10	246	2093	2	86	<10	11	39
204629	1078861	0.491	3	0.34	41	249	<2	9	0.07	<4	9	19	150	1.02	<0.01	3	0.28	196	<1	19	322	204	1.22	<5	14	<10	65	1627	<2	32	<10	2	252
204630R	1078861	0.452	4	0.97	36	222	<2	4	<0.01	<4	8	20	125	0.95	<0.01	<1	0.31	185	<1	23	312	180	1.08	5	14	<10	56	1572	<2	31	<10	2	224
204631	1078862	0.463	5	0.84	35	261	<2	5	0.04	<4	11	16	55	0.90	0.09	<1	0.29	195	<1	24	330	317	1.01	<5	10	<10	61	1665	3	31	<10	2	324
204632	1078863	0.091	1	1.68	23	282	<2	2	1.27	<4	8	15	20	1.38	0.16	3	0.73	566	<1	16	390	59	0.77	<5	7	<10	92	1918	6	36	<10	3	53
204633	1078864	3.591	23	0.82	36	294	<2	11	0.81	<4	8	16	27	1.32	<0.01	6	0.48	452	<1	16	368	1006	1.14	14	16	<10	85	1935	7	35	<10	2	189
204634	1078865	0.108	<1	1.58	22	258	<2	8	1.26	<4	7	12	6	1.08	0.24	2	0.72	740	<1	17	340	63	0.67	<5	17	<10	92	1608	<2	30	<10	3	60
204635	1078866	0.098	<1	1.31	20	270	<2	12	1.30	<4	7	13	7	1.05	0.07	3	0.67	750	<1	17	333	60	0.63	<5	15	<10	96	1623	7	30	<10	2	79
204636	1078867	0.062	1	1.46	20	183	<2	6	1.41	<4	5	14	29	1.22	<0.01	2	0.79	663	<1	18	308	56	0.66	<5	7	<10	94	1559	<2	29	<10	3	94
204637	1078868	0.052	<1	1.36	21	190	2	4	1.31	<4	7	15	14	1.32	<0.01	5	0.78	675	<1	20	334	52	0.94	<5	15	<10	95	1698	3	29	<10	2	91
204638	1078869	0.224	<1	0.20	29	225	2	5	0.65	<4	8	13	45	1.27	0.12	3	0.54	498	<1	16	300	110	1.32	<5	12	<10	79	1540	3	28	<10	2	196

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 28, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204639	1078870	0.280	103	2.67	204	379	<2	11	0.95	26	13	46	5804	5.23	<0.01	<1	0.99	1564	15	25	456	9984	2.83	342	17	<10	204	1779	2	80	53	10	4728
204640	1078871	2.642	30	0.65	54	183	<2	6	<0.01	5	6	11	128	2.07	0.06	<1	0.29	171	<1	17	266	1919	3.06	32	6	<10	59	1347	10	24	18	2	1136
204641D	1078871	1.992	31	1.10	49	193	<2	7	<0.01	5	7	12	94	2.06	<0.01	<1	0.31	163	<1	19	267	1873	3.03	30	7	<10	61	1363	6	24	14	2	1055
204642	1078872	0.234	2	0.59	46	198	<2	5	<0.01	<4	7	13	23	1.37	0.13	<1	0.21	<100	<1	18	241	62	1.78	<5	10	<10	55	1297	<2	24	<10	2	74
204643	1078873	0.640	6	0.60	36	210	<2	5	<0.01	<4	7	11	29	1.15	<0.01	<1	0.27	122	<1	16	268	99	1.37	<5	17	<10	57	1382	3	25	<10	2	211
204644	1078874	0.095	<1	0.94	22	269	2	<1	0.57	<4	6	11	11	1.14	<0.01	2	0.48	499	<1	16	299	47	0.88	<5	13	<10	84	1507	7	27	<10	2	45
204645	1078875	0.012	<1	1.24	5	301	2	5	1.44	<4	5	12	5	1.18	<0.01	4	0.62	546	<1	11	312	34	0.23	<5	9	<10	121	1685	3	29	<10	3	31
204646	1078876	0.010	<1	0.54	6	306	<2	7	1.22	<4	5	11	5	1.08	<0.01	6	0.54	472	<1	15	299	24	0.19	<5	7	<10	126	1700	<2	29	<10	2	31
204647	1078877	0.008	<1	1.06	9	344	<2	3	1.18	<4	6	12	6	1.23	<0.01	3	0.47	472	<1	14	325	21	0.43	<5	14	<10	123	1777	<2	31	<10	2	20
204648	1078878	0.014	<1	0.09	7	306	<2	7	1.10	<4	6	12	6	1.41	<0.01	4	0.45	457	<1	16	301	18	0.57	<5	13	<10	127	1597	5	29	<10	2	113
204649	1078879	0.010	<1	0.78	6	302	<2	9	1.37	<4	6	10	2	1.28	0.17	<1	0.32	284	<1	12	300	16	0.52	<5	18	<10	123	1418	<2	27	<10	3	33
204650	1078880	0.005	<1	0.86	<2	416	<2	11	1.16	<4	11	38	48	2.98	0.21	3	0.57	534	<1	28	490	17	0.09	<5	7	<10	241	2221	<2	85	<10	6	41
204651	1078881	<0.005	1	0.51	7	378	<2	5	1.07	<4	7	14	5	1.39	<0.01	10	0.41	330	3	17	327	20	0.34	<5	14	<10	137	1771	2	31	<10	3	30
204652D	1078881	0.006	<1	0.12	3	315	2	5	0.90	<4	6	13	4	1.30	0.16	8	0.39	319	3	19	327	18	0.31	<5	8	<10	123	1814	7	30	<10	2	29
204653	1078882	<0.005	1	0.88	3	312	<2	4	1.30	<4	6	17	6	1.45	0.12	11	0.57	537	<1	21	343	25	0.36	<5	7	<10	125	1795	5	32	<10	3	36
204654	1078883	0.006	3	1.03	2	256	<2	4	1.29	<4	5	13	12	1.43	0.11	5	0.54	704	<1	16	303	36	0.41	<5	9	<10	102	1627	5	31	<10	3	52
204655	1078884	0.006	2	1.18	<2	274	<2	3	1.58	<4	6	13	5	1.55	0.18	5	0.56	690	<1	15	330	29	0.45	<5	12	<10	106	1762	<2	33	<10	3	30
204656	1078885	0.027	4	1.26	8	240	2	8	2.05	<4	9	35	29	2.58	<0.01	4	0.75	973	<1	21	351	38	1.35	<5	8	<10	107	1843	8	45	<10	4	138
204657	1078886	0.043	7	0.93	9	239	2	10	2.08	<4	8	35	30	2.66	<0.01	4	0.68	955	<1	21	342	31	1.45	<5	10	<10	107	1790	7	44	<10	4	146
204658	1078887	0.041	4	0.88	12	342	2	8	1.74	<4	26	159	61	3.59	<0.01	10	0.84	690	<1	76	694	36	2.03	<5	7	<10	131	2947	6	102	<10	6	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204659	1078888	0.026	1	0.54	11	408	2	10	1.16	<4	16	65	75	2.30	0.19	8	0.50	463	<1	39	480	27	0.99	<5	11	<10	155	2580	<2	69	<10	4	51
204660	1078889	0.010	<1	0.15	14	456	<2	4	1.39	<4	11	12	30	1.68	0.07	6	0.45	493	<1	21	470	19	0.72	<5	14	<10	135	2093	<2	44	<10	3	22
204661	1078890	5.336	1	1.41	364	1186	<2	7	1.94	4	13	107	78	3.03	0.08	2	0.89	435	7	45	688	29	1.00	38	14	<10	190	1753	8	119	11	9	198
204662	1078891	0.019	1	1.29	27	417	<2	4	1.13	<4	8	17	26	1.60	0.02	3	0.51	516	<1	27	492	18	1.11	<5	12	<10	112	2068	2	46	<10	3	25
204663D	1078891	0.020	<1	1.48	27	422	2	6	1.12	<4	8	15	26	1.57	0.09	5	0.55	519	<1	26	498	17	1.13	<5	13	<10	112	2135	6	46	<10	3	22
204664	1078892	0.009	<1	0.93	20	388	<2	7	1.49	<4	8	15	14	1.19	0.04	<1	0.37	458	<1	17	473	23	0.76	<5	12	<10	124	1848	2	41	<10	3	17
204665	1078893	0.009	<1	0.98	20	389	<2	5	1.52	<4	8	12	13	1.28	<0.01	<1	0.41	445	<1	18	466	28	0.76	<5	11	<10	124	1887	<2	42	<10	3	17
204666	1078894	0.012	<1	0.89	26	415	<2	6	1.63	<4	7	11	11	1.56	<0.01	7	0.72	545	<1	17	486	31	1.10	<5	7	<10	114	2040	<2	43	<10	3	27
204667	1078895	0.178	3	0.53	57	403	<2	3	0.10	<4	8	11	30	1.84	<0.01	<1	0.28	186	<1	19	423	88	2.48	6	7	<10	74	1874	<2	41	<10	2	135
204668	1078896	0.081	<1	0.53	63	399	2	6	0.66	<4	9	11	16	1.94	<0.01	2	0.52	486	<1	21	419	33	2.37	<5	16	<10	85	1872	<2	41	<10	3	60
204669	1078897	0.062	<1	0.48	64	454	2	2	0.56	<4	9	11	10	2.14	<0.01	8	0.43	422	<1	18	471	54	2.78	<5	12	<10	89	1979	<2	42	<10	3	184
204670	1078898	0.029	<1	0.65	68	392	2	6	0.39	<4	8	11	27	2.25	<0.01	<1	0.41	403	<1	19	454	28	2.85	<5	10	<10	80	1870	<2	41	<10	3	63
204671	1078899	0.024	<1	0.29	39	430	2	5	0.78	<4	10	12	33	1.66	0.03	8	0.49	512	<1	19	474	30	1.71	<5	<5	<10	94	2185	3	45	<10	2	43
204672	1078900	<0.005	<1	0.79	4	406	<2	5	1.13	<4	12	38	47	2.99	0.07	<1	0.63	535	<1	27	479	17	0.09	<5	8	<10	240	2190	<2	86	<10	7	38
204673	1078901	0.054	<1	0.10	39	455	2	7	0.59	<4	10	13	33	1.67	0.11	9	0.42	436	<1	20	465	28	1.64	<5	<5	<10	89	2153	<2	44	<10	2	31
204674D	1078901	0.068	<1	0.43	35	443	2	8	0.59	<4	10	12	31	1.71	0.13	10	0.40	417	4	18	475	28	1.58	<5	12	<10	92	2062	<2	41	<10	2	36
204675	1078902	0.024	<1	1.53	31	535	2	5	1.47	<4	8	12	15	1.78	0.04	7	0.81	625	<1	19	484	33	1.55	<5	16	<10	112	2009	<2	44	<10	3	42
204676	1078903	0.162	3	3.12	26	551	3	2	3.28	4	10	19	338	2.95	<0.01	7	1.48	1018	3	24	513	151	2.32	<5	14	<10	183	1824	3	40	<10	5	446
204677	1078904	0.508	4	0.14	76	231	2	8	0.70	8	13	73	255	3.30	<0.01	7	0.47	356	5	53	319	1007	4.15	<5	<5	<10	72	1630	2	59	21	3	1395
204678	1078905	0.126	2	0.02	90	249	2	3	0.82	8	21	117	22	3.57	<0.01	10	0.55	500	2	63	372	467	4.44	<5	8	<10	96	2236	<2	80	21	4	1639

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204679	1078906	0.229	2	0.03	88	254	2	9	0.76	6	19	121	24	3.46	<0.01	8	0.55	495	1	68	383	570	4.16	<5	8	<10	92	2272	<2	84	18	4	1169
204680	1078907	0.065	1	0.40	79	367	2	7	0.87	4	22	137	43	3.23	<0.01	10	0.69	634	<1	75	411	79	3.18	<5	<5	<10	105	2700	<2	102	<10	6	302
204681	1078908	0.086	1	1.62	19	289	2	7	2.97	<4	20	140	40	3.67	<0.01	7	1.27	1164	2	61	459	41	2.43	<5	7	<10	185	2777	6	87	73	7	112
204682	1078909	0.078	<1	0.74	42	476	2	<1	0.97	4	16	82	41	2.58	<0.01	11	0.59	538	2	46	419	95	2.52	<5	9	<10	118	2269	3	69	12	4	290
204683	1078910	1.285	2	1.82	30	384	2	17	2.09	6	19	65	7051	4.65	<0.01	6	0.70	521	767	16	816	44	2.71	13	14	<10	242	1003	<2	108	<10	7	98
204684	1078911	0.023	<1	1.24	17	546	<2	11	1.08	<4	8	12	23	1.70	0.19	7	0.70	534	<1	20	454	46	1.55	<5	13	<10	129	1917	<2	42	<10	3	70
204685D	1078911	0.020	<1	1.02	14	564	2	5	1.03	<4	9	13	10	1.66	0.08	11	0.61	528	<1	20	458	47	1.51	<5	13	<10	131	1993	<2	43	<10	3	74
204686	1078912	0.072	<1	1.73	19	501	<2	7	1.72	<4	8	16	5	1.80	<0.01	8	0.77	722	<1	22	418	45	1.63	<5	20	<10	155	1731	2	40	<10	4	60
204687	1078913	0.041	<1	1.50	16	581	2	5	1.07	<4	9	16	3	1.82	<0.01	10	0.57	523	<1	25	428	42	1.91	<5	11	<10	144	1819	2	41	<10	3	292
204688	1078914	0.428	2	1.06	28	572	2	6	1.04	8	9	15	28	2.07	<0.01	13	0.61	578	<1	21	438	383	2.23	<5	10	<10	126	1909	6	41	27	3	1991
204689	1078915	2.394	<1	0.64	28	508	3	9	1.11	<4	9	19	28	1.94	<0.01	16	0.58	608	<1	26	442	88	1.79	<5	12	<10	131	1998	3	45	<10	3	355
204690	1078916	0.046	<1	0.60	6	293	2	7	0.96	<4	23	137	57	3.23	<0.01	17	0.93	677	2	70	431	42	1.04	<5	10	<10	127	2725	<2	95	<10	4	109
204691	1078917	0.040	<1	0.77	8	407	2	9	0.61	<4	22	131	41	3.10	<0.01	13	0.93	570	3	68	415	41	1.18	<5	7	<10	111	2412	<2	102	<10	3	96
204692	1078918	0.086	<1	0.68	26	459	2	8	1.02	<4	16	80	36	2.46	<0.01	11	0.72	499	<1	46	444	41	1.66	<5	5	<10	115	2218	2	73	<10	4	98
204693	1078919	0.017	<1	1.23	18	517	2	6	1.11	<4	9	11	2	1.49	0.04	13	0.65	401	<1	16	470	21	0.99	<5	11	<10	133	2061	7	42	<10	3	22
204694	1078920	0.006	<1	1.63	<2	414	<2	8	1.20	<4	10	38	47	3.01	0.20	1	0.66	528	<1	26	480	15	0.09	<5	6	<10	242	2163	<2	84	<10	8	37
204695	1078921	0.011	<1	1.27	11	547	<2	7	1.49	<4	9	10	3	1.69	0.03	12	0.67	376	<1	14	472	22	0.73	<5	9	<10	158	1923	<2	39	<10	3	32
204696R	1078921	0.013	<1	1.39	14	514	<2	9	1.49	<4	7	15	3	1.59	0.13	8	0.62	352	<1	21	451	21	0.63	<5	10	<10	152	1818	4	36	<10	3	25
204697	1078922	0.008	<1	1.57	11	519	<2	3	1.46	<4	8	10	2	1.74	0.17	8	0.67	307	<1	14	467	16	0.71	<5	20	<10	153	1822	<2	37	<10	3	36
204698	1078923	0.010	<1	1.70	6	503	2	8	1.59	<4	9	17	3	1.78	0.15	7	0.67	334	<1	20	461	17	0.64	<5	6	<10	157	1702	2	39	<10	4	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204699	1078924	0.010	1	1.35	5	410	<2	4	1.52	<4	8	12	5	1.70	<0.01	8	0.63	346	<1	15	457	23	0.64	<5	20	<10	140	1848	<2	39	<10	3	31
204700	1078925	0.054	<1	1.70	29	398	2	5	1.84	<4	8	12	9	1.67	<0.01	11	0.81	594	<1	16	430	38	1.12	<5	12	<10	136	1854	4	37	<10	3	83
204701	1078926	0.035	<1	1.75	34	378	<2	7	1.76	<4	8	9	8	1.62	<0.01	7	0.83	556	<1	15	433	38	1.04	<5	6	<10	133	1795	<2	36	<10	3	90
204702	1078927	0.155	<1	2.94	35	303	<2	4	2.15	<4	9	26	16	1.99	0.03	11	1.09	707	<1	23	436	98	1.65	<5	14	<10	107	1764	5	41	10	5	453
204703	1078928	0.106	<1	1.30	34	340	2	5	1.27	<4	19	114	47	2.89	<0.01	13	0.99	615	<1	55	417	37	1.80	<5	<5	<10	86	2373	2	87	<10	5	230
204704	1078929	0.145	<1	1.73	46	316	<2	4	0.90	<4	20	131	21	3.09	0.02	10	1.37	530	<1	63	383	31	2.07	<5	<5	<10	73	1967	2	81	<10	5	96
204705	1078930	0.247	89	2.18	196	379	<2	14	0.86	24	14	45	5866	4.86	<0.01	<1	0.90	1463	14	24	407	10194	2.22	325	15	<10	191	1752	2	76	47	9	4119
204706	1078931	1.836	2	3.36	92	356	2	5	2.52	6	19	109	128	3.91	<0.01	6	1.56	1030	1	58	374	252	3.71	<5	11	<10	99	1774	10	81	15	8	684
204707D	1078931	1.806	<1	3.23	87	322	2	2	2.53	6	19	109	72	3.89	<0.01	8	1.49	1020	2	57	365	186	3.69	<5	<5	<10	99	1770	2	81	13	8	662
204708	1078932	0.070	1	5.67	24	246	2	19	2.28	<4	8	49	38	2.24	0.29	12	2.38	911	2	35	413	46	1.07	<5	17	<10	106	1291	3	36	<10	10	72
204709	1078933	0.023	<1	2.40	2	334	<2	18	1.86	<4	11	31	10	1.93	<0.01	13	1.36	731	<1	23	449	28	0.64	<5	16	<10	95	2010	5	47	<10	4	242
204710	1078934	0.077	<1	1.95	7	267	<2	6	1.20	<4	11	42	32	2.33	<0.01	10	1.37	622	<1	34	413	55	1.15	<5	7	<10	90	1938	6	50	<10	4	121
204711	1078935	0.127	<1	1.84	3	450	2	10	0.01	<4	23	130	27	3.03	<0.01	17	1.42	429	2	63	426	31	1.53	<5	9	<10	64	2618	7	96	<10	5	53
204712	1078936	0.017	3	0.77	3	152	<2	6	>10.00	8	8	33	241	2.06	0.13	<1	4.23	4034	15	22	283	308	0.88	<5	14	<10	186	911	23	35	18	8	1532
204713	1078937	0.041	3	1.23	43	<1	<2	13	>10.00	156	8	19	244	3.67	0.21	<1	5.05	4353	<1	17	103	110	4.42	<5	25	<10	141	586	<2	30	848	9	43708
204714	1078938	0.165	<1	3.62	3	313	2	5	1.59	5	17	103	97	3.39	<0.01	16	1.97	799	5	53	403	54	1.46	<5	8	<10	127	2535	11	73	16	7	529
204715	1078939	0.129	2	1.46	<2	377	<2	14	0.96	6	16	103	56	2.48	0.18	9	1.09	570	3	48	426	240	1.42	<5	5	<10	82	1779	<2	77	18	4	1106
204716	1078940	0.009	<1	1.18	5	439	<2	6	1.16	<4	11	40	47	2.95	0.19	9	0.55	529	4	25	476	19	0.09	<5	10	<10	237	2290	<2	86	<10	6	50
204717	1078941	0.039	<1	1.99	2	377	2	9	0.78	<4	10	58	22	1.69	<0.01	14	0.88	400	11	31	440	43	0.24	<5	11	<10	102	1745	5	45	<10	4	48
204718D	1078941	0.023	<1	1.20	5	365	2	3	0.62	<4	10	56	20	1.53	<0.01	10	0.90	364	7	28	410	42	0.21	<5	14	<10	88	1623	<2	42	<10	3	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
204719	1078942	0.111	<1	2.04	14	267	2	7	1.22	<4	12	79	27	2.19	0.02	14	1.09	589	9	41	413	55	0.89	<5	15	<10	107	1640	3	55	<10	4	91
204720	1078943	0.028	<1	2.41	3	216	2	7	1.28	<4	19	128	36	2.87	<0.01	19	1.43	666	2	57	453	31	0.58	<5	8	<10	109	2314	<2	80	<10	4	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204499	1078742	51	0.001	0.051
204500	1078743	1180	0.034	1.180
204501	1078744	28	<0.001	0.028
204502	1078745	18	<0.001	0.018
204503	1078746	14	<0.001	0.014
204504	1078747	<5	<0.001	<0.005
204505	1078748	5	<0.001	0.005
204506	1078749	5	<0.001	0.005
204507	1078750	244	0.007	0.244
204508	1078751	<5	<0.001	<0.005
204509 Dup	1078751	<5	<0.001	<0.005
204510	1078752	<5	<0.001	<0.005
204511	1078753	<5	<0.001	<0.005
204512	1078754	<5	<0.001	<0.005
204513	1078755	<5	<0.001	<0.005
204514	1078756	<5	<0.001	<0.005
204515	1078757	30	<0.001	0.030
204516	1078758	57	0.002	0.057
204517	1078759	40	0.001	0.040
204518	1078760	<5	<0.001	<0.005
204519	1078761	<5	<0.001	<0.005
204520 Dup	1078761	<5	<0.001	<0.005
204521	1078762	<5	<0.001	<0.005
204522	1078763	7	<0.001	0.007
204523	1078764	28	<0.001	0.028
204524	1078765	16	<0.001	0.016
204525	1078766	11	<0.001	0.011
204526	1078767	14	<0.001	0.014
204527	1078768	14	<0.001	0.014
204528	1078769	18	<0.001	0.018

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204529	1078770	5447	0.159	5.447
204530	1078771	28	<0.001	0.028
204531 Dup	1078771	36	0.001	0.036
204532	1078772	8	<0.001	0.008
204533	1078773	18	<0.001	0.018
204534	1078774	33	<0.001	0.033
204535	1078775	21	<0.001	0.021
204536	1078776	7	<0.001	0.007
204537	1078777	29	<0.001	0.029
204538	1078778	45	0.001	0.045
204539	1078779	51	0.001	0.051
204540	1078780	<5	<0.001	<0.005
204541	1078781	44	0.001	0.044
204542 Dup	1078781	38	0.001	0.038
204543	1078782	40	0.001	0.040
204544	1078783	32	<0.001	0.032
204545	1078784	127	0.004	0.127
204546	1078785	59	0.002	0.059
204547	1078786	53	0.002	0.053
204548	1078787	296	0.009	0.296
204549	1078788	84	0.002	0.084
204550	1078789	68	0.002	0.068
204551	1078790	1246	0.036	1.246
204552	1078791	47	0.001	0.047
204553 Dup	1078791	48	0.001	0.048
204554	1078792	196	0.006	0.196
204555	1078793	27	<0.001	0.027
204556	1078794	145	0.004	0.145
204557	1078795	103	0.003	0.103
204558	1078796	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204559	1078797	12	<0.001	0.012
204560	1078798	7	<0.001	0.007
204561	1078799	11	<0.001	0.011
204562	1078800	7	<0.001	0.007
204563	1078801	12	<0.001	0.012
204564 Rep	1078801	17	<0.001	0.017
204565	1078802	9	<0.001	0.009
204566	1078803	7	<0.001	0.007
204567	1078804	6	<0.001	0.006
204568	1078805	6	<0.001	0.006
204569	1078806	6	<0.001	0.006
204570	1078807	6	<0.001	0.006
204571	1078808	11	<0.001	0.011
204572	1078809	11	<0.001	0.011
204573	1078810	282	0.008	0.282
204574	1078811	12	<0.001	0.012
204575 Dup	1078811	9	<0.001	0.009
204576	1078812	10	<0.001	0.010
204577	1078813	12	<0.001	0.012
204578	1078814	21	<0.001	0.021
204579	1078815	14	<0.001	0.014
204580	1078816	16	<0.001	0.016
204581	1078817	63	0.002	0.063
204582	1078818	216	0.006	0.216
204583	1078819	301	0.009	0.301
204584	1078820	7	<0.001	0.007
204585	1078821	26	<0.001	0.026
204586 Dup	1078821	30	<0.001	0.030
204587	1078822	92	0.003	0.092
204588	1078823	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204589	1078824	124	0.004	0.124
204590	1078825	2327	0.068	2.327
204591	1078826	2532	0.074	2.532
204592	1078827	695	0.020	0.695
204593	1078828	525	0.015	0.525
204594	1078829	462	0.013	0.462
204595	1078830	4927	0.144	4.927
204596	1078831	26742	0.780	26.742
204597 Dup	1078831	28459	0.830	28.459
204598	1078832	5208	0.152	5.208
204599	1078833	202	0.006	0.202
204600	1078834	142	0.004	0.142
204601	1078835	23	<0.001	0.023
204602	1078836	35	0.001	0.035
204603	1078837	29	<0.001	0.029
204604	1078838	51	0.001	0.051
204605	1078839	55	0.002	0.055
204606	1078840	<5	<0.001	<0.005
204607	1078841	331	0.010	0.331
204608 Dup	1078841	336	0.010	0.336
204609	1078842	162	0.005	0.162
204610	1078843	706	0.021	0.706
204611	1078844	612	0.018	0.612
204612	1078845	127	0.004	0.127
204613	1078846	182	0.005	0.182
204614	1078847	367	0.011	0.367
204615	1078848	82	0.002	0.082
204616	1078849	316	0.009	0.316
204617	1078850	1686	0.049	1.686
204618	1078851	66	0.002	0.066

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204619 Dup	1078851	67	0.002	0.067
204620	1078852	35	0.001	0.035
204621	1078853	81	0.002	0.081
204622	1078854	24	<0.001	0.024
204623	1078855	41	0.001	0.041
204624	1078856	324	0.009	0.324
204625	1078857	939	0.027	0.939
204626	1078858	798	0.023	0.798
204627	1078859	30	<0.001	0.030
204628	1078860	<5	<0.001	<0.005
204629	1078861	491	0.014	0.491
204630 Rep	1078861	452	0.013	0.452
204631	1078862	463	0.014	0.463
204632	1078863	91	0.003	0.091
204633	1078864	3591	0.105	3.591
204634	1078865	108	0.003	0.108
204635	1078866	98	0.003	0.098
204636	1078867	62	0.002	0.062
204637	1078868	52	0.002	0.052
204638	1078869	224	0.007	0.224
204639	1078870	280	0.008	0.280
204640	1078871	2642	0.077	2.642
204641 Dup	1078871	1992	0.058	1.992
204642	1078872	234	0.007	0.234
204643	1078873	640	0.019	0.640
204644	1078874	95	0.003	0.095
204645	1078875	12	<0.001	0.012
204646	1078876	10	<0.001	0.010
204647	1078877	8	<0.001	0.008
204648	1078878	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204649	1078879	10	<0.001	0.010
204650	1078880	5	<0.001	0.005
204651	1078881	<5	<0.001	<0.005
204652 Dup	1078881	6	<0.001	0.006
204653	1078882	<5	<0.001	<0.005
204654	1078883	6	<0.001	0.006
204655	1078884	6	<0.001	0.006
204656	1078885	27	<0.001	0.027
204657	1078886	43	0.001	0.043
204658	1078887	41	0.001	0.041
204659	1078888	26	<0.001	0.026
204660	1078889	10	<0.001	0.010
204661	1078890	5336	0.156	5.336
204662	1078891	19	<0.001	0.019
204663 Dup	1078891	20	<0.001	0.020
204664	1078892	9	<0.001	0.009
204665	1078893	9	<0.001	0.009
204666	1078894	12	<0.001	0.012
204667	1078895	178	0.005	0.178
204668	1078896	81	0.002	0.081
204669	1078897	62	0.002	0.062
204670	1078898	29	<0.001	0.029
204671	1078899	24	<0.001	0.024
204672	1078900	<5	<0.001	<0.005
204673	1078901	54	0.002	0.054
204674 Dup	1078901	68	0.002	0.068
204675	1078902	24	<0.001	0.024
204676	1078903	162	0.005	0.162
204677	1078904	508	0.015	0.508
204678	1078905	126	0.004	0.126

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204679	1078906	229	0.007	0.229
204680	1078907	65	0.002	0.065
204681	1078908	86	0.003	0.086
204682	1078909	78	0.002	0.078
204683	1078910	1285	0.038	1.285
204684	1078911	23	<0.001	0.023
204685 Dup	1078911	20	<0.001	0.020
204686	1078912	72	0.002	0.072
204687	1078913	41	0.001	0.041
204688	1078914	428	0.012	0.428
204689	1078915	2394	0.070	2.394
204690	1078916	46	0.001	0.046
204691	1078917	40	0.001	0.040
204692	1078918	86	0.003	0.086
204693	1078919	17	<0.001	0.017
204694	1078920	6	<0.001	0.006
204695	1078921	11	<0.001	0.011
204696 Rep	1078921	13	<0.001	0.013
204697	1078922	8	<0.001	0.008
204698	1078923	10	<0.001	0.010
204699	1078924	10	<0.001	0.010
204700	1078925	54	0.002	0.054
204701	1078926	35	0.001	0.035
204702	1078927	155	0.005	0.155
204703	1078928	106	0.003	0.106
204704	1078929	145	0.004	0.145
204705	1078930	247	0.007	0.247
204706	1078931	1836	0.054	1.836
204707 Dup	1078931	1806	0.053	1.806
204708	1078932	70	0.002	0.070

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 12, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/22/2011  
 Date Completed: 09/12/2011  
 Job #: 201143082  
 Reference: TL11207  
 Sample #: 202

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
204709	1078933	23	<0.001	0.023
204710	1078934	77	0.002	0.077
204711	1078935	127	0.004	0.127
204712	1078936	17	<0.001	0.017
204713	1078937	41	0.001	0.041
204714	1078938	165	0.005	0.165
204715	1078939	129	0.004	0.129
204716	1078940	9	<0.001	0.009
204717	1078941	39	0.001	0.039
204718 Dup	1078941	23	<0.001	0.023
204719	1078942	111	0.003	0.111
204720	1078943	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/13/2011  
 Date Completed: 10/05/2011  
 Job #: 201143357  
 Reference: TL11207  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppb	#2 Pulp Assay ppb	Metallics Assay ppb	Total ppb	% Met. in Pulp	Pulp Met. Weight(g) ppb
224761	1078831	18359	18521	190355	25144	3.90%	39.19
224762	1078832	4409	4670	33170	5966	4.98%	49.91

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/15/2011  
Date Completed: 09/19/2011  
Job #: 201143376  
Reference: TL11207  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
226682	1078864	0.095	3.272

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207640	1079357	0.103	<1	3.38	8	285	<2	12	1.44	10	8	16	205	2.11	<0.01	10	1.72	921	<1	33	453	2081	0.94	<5	<5	<10	186	1318	<2	29	16	6	2181
207641	1079358	0.616	<1	3.36	26	333	<2	11	0.97	<4	8	10	101	1.88	<0.01	8	1.22	724	<1	22	421	546	1.08	<5	5	<10	166	1426	<2	28	<10	6	784
207642	1079359	0.106	<1	1.08	21	239	<2	11	0.78	<4	9	11	43	1.80	<0.01	4	1.15	819	<1	29	416	269	0.86	<5	<5	<10	121	1375	<2	24	<10	5	385
207643	1079360	<0.005	<1	1.90	9	391	<2	10	1.35	<4	11	37	48	3.31	<0.01	4	1.00	566	<1	31	564	9	0.08	<5	<5	<10	205	1926	<2	80	<10	14	47
207644	1079361	0.088	<1	1.23	17	272	<2	1	0.92	<4	9	12	49	2.03	<0.01	7	1.33	1026	<1	27	469	77	0.78	<5	5	<10	124	1603	<2	30	<10	5	351
207645	1079362	0.046	<1	2.66	22	306	<2	<1	1.41	<4	9	14	26	1.91	<0.01	7	1.43	997	<1	27	409	93	0.87	<5	<5	<10	170	1563	<2	27	<10	6	185
207646	1079363	0.030	<1	2.12	14	346	<2	<1	0.64	<4	8	15	72	1.13	<0.01	5	0.83	562	<1	22	352	209	0.78	<5	<5	<10	110	1312	<2	25	<10	5	537
207647	1079364	0.010	<1	2.52	10	420	<2	4	0.72	<4	8	16	2	0.51	<0.01	5	0.55	338	<1	26	290	57	0.20	<5	<5	<10	132	1333	<2	28	<10	4	108
207648	1079365	0.011	<1	<0.01	7	189	<2	<1	0.24	<4	7	10	3	0.37	<0.01	<1	0.52	364	<1	19	277	37	0.12	<5	<5	<10	68	808	<2	18	<10	4	41
207649	1079366	0.014	<1	3.53	11	490	<2	8	0.72	<4	11	19	4	0.59	<0.01	3	0.49	261	<1	25	258	33	0.35	6	<5	<10	154	1223	<2	29	<10	5	84
207650D	1079366	0.014	<1	<0.01	7	283	<2	4	0.24	<4	11	15	4	0.54	<0.01	<1	0.40	238	<1	27	254	31	0.34	<5	<5	<10	92	884	<2	19	<10	4	82
207651	1079367	<0.005	<1	1.01	3	358	<2	11	0.42	<4	6	14	3	0.47	<0.01	<1	0.79	506	<1	21	323	154	0.07	<5	<5	<10	124	954	<2	21	<10	4	65
207652	1079368	0.007	<1	3.29	<2	430	<2	10	1.80	<4	9	20	16	1.82	<0.01	13	1.78	1103	<1	30	560	36	0.37	<5	<5	<10	226	1568	9	31	<10	7	101
207653	1079369	0.014	1	2.80	7	309	<2	14	2.05	7	9	16	18	1.98	<0.01	22	1.51	951	<1	25	522	1373	0.60	<5	<5	<10	139	1643	<2	31	22	7	2051
207654	1079370	1.354	2	2.38	34	306	<2	11	2.34	<4	19	64	7647	5.04	<0.01	10	0.96	558	804	23	846	43	2.50	9	<5	<10	226	878	<2	104	<10	10	96
207655	1079371	0.026	<1	3.36	9	365	<2	11	1.72	<4	18	110	47	2.97	<0.01	19	1.28	894	<1	69	473	39	0.64	<5	<5	<10	176	2357	3	65	<10	11	172
207656	1079372	0.180	<1	2.67	26	283	<2	4	1.69	<4	10	24	31	1.88	<0.01	8	0.99	792	<1	33	480	132	1.08	<5	6	<10	143	1427	<2	28	<10	7	245
207657	1079373	0.040	<1	3.09	11	421	<2	12	2.20	<4	9	23	95	1.83	<0.01	5	0.81	747	<1	35	469	51	0.84	<5	<5	<10	265	1758	<2	34	19	5	228
207658	1079374	0.063	<1	2.37	12	380	<2	2	1.67	<4	9	20	61	1.76	<0.01	<1	0.60	537	<1	25	436	103	0.87	<5	<5	<10	190	1654	<2	31	<10	5	138
207659	1079375	0.048	<1	2.80	9	308	<2	5	1.72	<4	8	22	12	1.73	<0.01	8	0.74	593	<1	35	462	76	0.77	<5	<5	<10	155	1472	<2	29	<10	6	198

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207660	1079376	0.051	2	1.44	9	214	<2	5	1.53	<4	9	21	11	1.81	<0.01	5	0.73	591	<1	32	497	84	0.86	<5	<5	<10	138	1409	<2	25	<10	5	203
207661D	1079376	0.081	<1	2.27	7	280	<2	6	1.68	<4	9	25	11	1.90	<0.01	7	0.76	607	<1	37	502	90	0.91	<5	<5	<10	155	1467	<2	28	<10	6	217
207662	1079377	0.043	<1	1.17	23	299	<2	<1	0.72	<4	9	23	15	1.43	<0.01	2	0.40	266	<1	41	520	55	0.86	<5	<5	<10	108	1274	<2	23	<10	7	131
207663	1079378	0.033	<1	1.43	24	309	<2	<1	1.00	<4	10	16	18	1.61	<0.01	4	0.56	361	<1	26	520	24	1.08	<5	<5	<10	118	1356	<2	21	<10	7	52
207664	1079379	0.026	<1	1.68	15	320	<2	14	1.02	<4	8	14	7	1.47	<0.01	5	0.77	369	<1	19	456	17	0.40	<5	<5	<10	110	1578	<2	24	<10	6	62
207665	1079380	<0.005	<1	2.84	8	433	<2	7	1.47	<4	12	39	49	3.40	<0.01	6	1.05	587	<1	33	580	8	0.08	<5	<5	<10	227	2064	<2	84	<10	15	42
207666	1079381	0.078	<1	0.95	16	220	<2	<1	1.00	<4	11	29	130	1.75	<0.01	4	0.94	451	<1	40	491	32	0.55	<5	<5	<10	111	1533	<2	27	<10	7	63
207667	1079382	0.092	2	3.41	15	277	<2	15	1.43	<4	24	111	176	3.78	<0.01	21	1.39	641	<1	85	527	110	1.53	<5	<5	<10	149	2255	<2	67	<10	16	144
207668	1079383	0.203	<1	2.91	3	214	<2	2	1.22	<4	21	118	55	4.09	<0.01	19	1.70	557	<1	79	517	31	0.49	5	5	<10	149	2210	<2	76	<10	13	107
207669	1079384	0.054	<1	4.15	25	383	<2	17	2.54	<4	16	103	18	2.71	<0.01	27	1.99	803	<1	73	627	23	0.84	<5	<5	<10	248	2411	<2	64	<10	8	99
207670	1079385	0.366	4	3.95	15	311	<2	<1	2.20	17	19	141	406	3.14	<0.01	14	2.02	890	<1	106	955	199	1.76	<5	<5	<10	197	1807	<2	58	69	11	4751
207671	1079386	0.449	<1	3.03	16	356	<2	13	0.65	<4	4	23	40	0.99	<0.01	10	0.87	367	<1	30	260	87	0.45	<5	<5	<10	120	917	<2	16	<10	4	166
207672D	1079386	0.450	<1	3.22	15	341	<2	<1	0.65	<4	4	22	38	0.98	<0.01	9	0.91	370	<1	25	251	86	0.44	<5	5	<10	122	900	5	16	<10	5	149
207673	1079387	0.053	<1	2.92	12	266	<2	2	0.98	<4	13	66	28	2.39	<0.01	9	1.22	448	<1	64	410	38	0.99	5	<5	<10	119	1022	<2	40	<10	10	66
207674	1079388	0.048	<1	1.34	10	273	<2	<1	0.80	<4	17	92	40	3.44	<0.01	11	1.54	633	<1	87	527	42	1.20	<5	<5	<10	105	1337	<2	51	<10	12	118
207675	1079389	0.137	<1	3.55	8	310	<2	11	1.87	<4	22	136	60	3.80	<0.01	17	1.60	886	<1	76	533	24	1.10	<5	<5	<10	159	2329	3	72	<10	13	76
207676	1079390	0.162	105	2.01	214	336	<2	9	1.01	24	15	49	6077	5.64	<0.01	3	1.21	1718	13	30	470	10262	2.25	198	<5	<10	177	1785	<2	77	40	14	5065
207677	1079391	0.104	<1	0.86	57	200	<2	4	1.17	<4	22	97	59	3.60	<0.01	2	1.07	666	<1	83	525	76	2.46	<5	<5	<10	121	1659	<2	53	<10	14	160
207678	1079392	0.031	<1	1.51	25	291	<2	3	0.92	<4	21	100	46	2.66	<0.01	2	0.97	486	<1	82	537	33	1.41	5	<5	<10	104	1728	<2	58	<10	14	112
207679	1079393	0.013	<1	2.01	38	366	<2	10	0.70	<4	11	34	22	1.72	<0.01	2	0.71	310	<1	36	456	31	1.23	6	<5	<10	110	1385	<2	34	<10	8	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207680	1079394	0.013	<1	0.49	6	149	<2	9	0.90	<4	8	37	18	1.51	<0.01	<1	0.74	419	<1	39	385	33	0.66	<5	<5	<10	88	1040	<2	21	<10	6	91
207681	1079395	0.010	<1	0.81	14	120	<2	6	0.83	<4	9	11	25	1.54	<0.01	<1	0.66	462	<1	26	702	32	0.75	<5	<5	<10	71	1075	<2	18	<10	6	140
207682	1079396	0.013	<1	4.28	16	274	<2	2	1.09	<4	11	12	25	1.61	<0.01	6	0.81	540	<1	27	732	35	0.76	<5	9	<10	89	1726	<2	29	<10	7	120
207683D	1079396	0.012	<1	4.35	11	273	<2	15	1.08	<4	10	11	24	1.61	<0.01	6	0.81	532	<1	26	718	37	0.75	5	7	<10	88	1694	<2	29	<10	7	118
207684	1079397	0.017	<1	4.70	27	276	<2	6	1.25	<4	7	16	15	1.32	<0.01	8	0.90	585	<1	25	690	26	0.61	<5	11	<10	83	1779	<2	30	<10	7	51
207685	1079398	0.104	<1	3.97	67	298	<2	8	0.82	<4	8	14	17	1.49	<0.01	7	0.87	482	<1	25	694	43	1.12	<5	8	<10	78	1673	<2	31	<10	8	93
207686	1079399	0.540	5	3.13	22	326	<2	15	0.03	<4	9	14	72	1.48	<0.01	2	0.37	<100	<1	25	716	553	1.10	5	6	<10	57	1434	<2	28	16	7	1262
207687	1079400	<0.005	<1	0.88	6	347	<2	1	1.23	<4	11	36	49	3.30	<0.01	<1	0.96	556	<1	32	569	9	0.08	6	<5	<10	188	1841	<2	78	<10	13	45
207688	1079401	0.055	<1	1.94	6	352	<2	10	<0.01	<4	8	24	29	0.79	<0.01	<1	0.35	104	<1	29	538	53	0.36	5	<5	<10	54	1290	<2	27	<10	6	85
207689	1079402	<0.005	<1	2.58	9	429	<2	6	0.24	<4	5	43	7	0.48	<0.01	4	0.50	234	<1	23	416	29	0.07	<5	7	<10	73	1466	<2	34	<10	8	18
207690	1079403	0.007	<1	3.47	8	411	<2	10	1.18	<4	9	28	19	1.53	<0.01	7	0.97	678	<1	37	425	55	0.47	<5	<5	<10	127	1511	<2	30	<10	6	292
207691	1079404	0.014	<1	3.70	4	383	<2	<1	1.89	<4	10	22	14	1.76	<0.01	9	1.36	904	<1	26	470	33	0.48	<5	<5	<10	159	1901	4	34	<10	6	83
207692	1079405	1.030	<1	3.67	15	366	<2	5	1.42	5	12	37	14	2.24	<0.01	12	1.44	928	<1	37	454	294	1.00	<5	<5	<10	141	1871	<2	38	17	7	1586
207693	1079406	0.406	<1	4.07	33	466	<2	12	0.78	<4	10	39	34	1.80	<0.01	9	0.79	511	<1	34	389	222	1.18	5	9	<10	122	1574	<2	34	<10	7	434
207694D	1079406	0.358	<1	2.96	28	392	<2	5	0.61	<4	9	35	34	1.70	<0.01	6	0.74	471	<1	35	378	212	1.16	<5	5	<10	104	1370	<2	30	<10	7	404
207695	1079407	0.052	<1	3.74	11	404	<2	2	1.37	<4	11	36	23	1.78	<0.01	10	1.11	894	<1	33	403	50	0.54	<5	6	<10	131	1640	4	35	<10	7	95
207696	1079408	0.120	<1	3.15	19	353	<2	7	1.14	<4	12	49	29	2.14	<0.01	7	1.09	893	<1	42	430	56	0.98	<5	<5	<10	116	1572	3	39	<10	9	101
207697	1079409	0.613	2	3.72	17	358	<2	3	1.03	<4	11	46	202	2.02	<0.01	8	0.98	567	<1	34	395	643	0.95	<5	<5	<10	116	1467	<2	38	<10	7	506
207698	1079410	3.670	2	2.02	400	1391	<2	5	2.20	<4	14	108	83	3.40	<0.01	7	1.23	464	5	55	832	26	0.95	21	<5	<10	176	1629	<2	121	10	14	226
207699	1079411	0.389	<1	3.77	32	267	<2	10	0.84	<4	17	86	91	2.91	<0.01	13	1.61	696	<1	60	490	190	1.18	<5	<5	<10	101	1452	<2	57	<10	9	302

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207700	1079412	0.279	<1	3.08	34	252	<2	<1	0.44	<4	17	94	96	2.82	<0.01	11	1.60	643	<1	66	514	70	1.08	<5	<5	<10	62	1103	<2	55	<10	9	95
207701	1079413	0.584	<1	2.45	35	174	<2	<1	0.39	<4	12	44	41	2.64	<0.01	19	2.34	977	<1	41	521	127	0.83	<5	<5	<10	59	1119	<2	36	<10	7	111
207702	1079414	1.207	<1	1.68	43	306	<2	5	0.09	7	9	33	179	1.78	<0.01	2	0.64	270	<1	32	506	1173	1.66	6	<5	<10	50	846	<2	29	27	6	2762
207703	1079415	0.453	<1	1.51	36	295	<2	4	<0.01	<4	7	30	203	1.73	<0.01	1	0.60	212	<1	29	464	833	1.61	<5	5	<10	48	836	<2	25	10	6	1108
207704	1079416	0.257	1	0.16	40	235	<2	7	<0.01	<4	8	28	130	1.54	<0.01	<1	0.41	113	<1	26	482	559	1.51	5	<5	<10	36	653	<2	21	<10	6	310
207705R	1079416	0.213	<1	1.20	27	378	<2	7	<0.01	<4	6	20	78	1.18	<0.01	<1	0.45	119	<1	25	483	526	1.04	<5	<5	<10	42	836	<2	22	<10	5	433
207706	1079417	0.176	<1	3.24	28	1155	<2	9	0.27	<4	7	43	41	1.57	<0.01	6	0.52	194	5	76	467	416	1.28	<5	<5	<10	66	1365	<2	46	<10	5	539
207707	1079418	0.199	6	2.66	21	1043	<2	6	0.26	19	6	37	35	1.55	<0.01	12	0.48	199	8	72	402	3083	1.73	10	<5	<10	78	1623	<2	44	58	4	6717
207708	1079419	0.070	<1	2.34	27	1051	<2	3	0.55	<4	6	42	18	1.38	<0.01	13	0.56	401	9	86	456	93	0.81	<5	<5	<10	86	1860	<2	51	<10	3	103
207709	1079420	<0.005	<1	2.63	14	485	<2	16	1.58	<4	12	42	50	3.42	<0.01	11	0.93	605	2	33	582	11	0.09	<5	<5	<10	251	2255	<2	88	<10	11	52
207710	1079421	0.273	<1	3.35	25	477	<2	1	1.06	<4	6	36	19	1.75	<0.01	13	0.85	692	3	71	486	374	0.87	<5	8	<10	92	1745	<2	44	<10	5	181
207711	1079422	0.276	<1	2.65	30	383	<2	<1	0.81	4	6	43	76	1.81	<0.01	6	0.92	704	3	83	469	566	1.04	<5	<5	<10	77	1444	<2	42	12	6	1356
207712	1079423	0.299	1	3.01	26	400	<2	2	1.50	<4	9	37	46	1.83	<0.01	6	1.14	725	<1	65	417	348	1.02	<5	<5	<10	104	1396	<2	35	<10	6	476
207713	1079424	0.557	<1	2.82	15	474	<2	10	0.90	<4	9	39	37	1.89	<0.01	8	0.79	639	<1	70	480	20	0.57	<5	<5	<10	102	1710	<2	46	<10	7	44
207714	1079425	0.049	<1	2.01	10	399	<2	8	0.74	<4	7	32	44	1.90	<0.01	9	0.86	616	<1	64	482	16	0.28	<5	<5	<10	91	1612	<2	39	<10	6	50
207715	1079426	0.041	<1	2.50	10	447	<2	14	1.32	<4	8	31	15	1.83	<0.01	12	0.75	541	3	58	439	10	0.18	<5	5	<10	145	1852	3	43	<10	5	51
207716D	1079426	0.019	<1	2.45	10	432	<2	<1	1.35	<4	7	32	15	1.83	<0.01	10	0.75	536	2	62	431	11	0.17	<5	<5	<10	149	1845	<2	44	<10	5	50
207717	1079427	0.514	<1	2.58	17	508	<2	10	1.26	<4	14	86	92	2.54	<0.01	16	0.88	780	7	113	495	42	0.84	<5	<5	<10	132	2156	<2	68	<10	7	77
207718	1079428	0.070	<1	0.68	15	281	<2	5	0.48	<4	6	37	43	1.74	<0.01	3	0.81	682	<1	77	451	265	0.67	<5	<5	<10	65	1397	<2	40	<10	5	319
207719	1079429	0.077	<1	<0.01	18	125	<2	<1	0.11	<4	7	41	27	1.86	<0.01	<1	0.74	702	<1	91	505	48	0.82	<5	<5	<10	41	1219	<2	40	<10	4	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207720	1079430	1.418	2	1.60	38	1044	2	<1	2.25	4	20	68	7229	5.08	<0.01	15	0.77	570	832	26	851	43	2.82	12	<5	<10	232	1068	<2	108	<10	8	97
207721	1079431	0.352	3	2.50	29	289	<2	15	0.93	4	8	58	89	2.00	<0.01	16	0.70	720	13	95	380	458	1.44	<5	<5	<10	130	1699	<2	53	11	4	1266
207722	1079432	0.242	<1	3.15	42	280	<2	12	1.03	<4	9	29	83	1.99	<0.01	7	1.13	911	<1	63	486	76	1.45	<5	<5	<10	93	1543	<2	41	<10	6	144
207723	1079433	0.524	<1	2.42	23	258	<2	6	1.08	<4	17	102	95	3.15	<0.01	9	1.32	833	<1	107	512	170	1.42	<5	<5	<10	96	1772	<2	66	<10	11	275
207724	1079434	0.282	<1	2.84	14	263	<2	6	1.25	<4	18	115	52	3.65	<0.01	11	1.53	903	<1	126	548	33	1.18	<5	<5	<10	102	1889	<2	79	<10	12	90
207725	1079435	0.110	<1	3.06	14	291	<2	22	1.54	<4	23	166	50	3.77	<0.01	14	1.25	850	2	121	521	33	1.34	5	<5	<10	109	2037	<2	90	<10	13	74
207726	1079436	0.075	<1	1.19	9	226	<2	10	1.16	<4	23	163	52	3.91	<0.01	6	1.29	779	<1	138	548	27	1.44	<5	<5	<10	84	1680	<2	86	<10	13	75
207727D	1079436	0.055	<1	2.90	12	252	<2	<1	1.45	<4	21	162	49	3.77	<0.01	10	1.28	772	3	134	537	28	1.37	<5	<5	<10	103	1851	<2	88	<10	14	71
207728	1079437	0.149	<1	2.51	8	179	<2	3	1.19	<4	21	159	52	3.82	<0.01	11	1.43	566	<1	122	505	22	0.72	<5	<5	<10	90	1829	<2	86	<10	12	74
207729	1079438	0.280	<1	1.68	7	129	<2	12	0.33	<4	23	143	59	3.64	<0.01	9	1.32	330	<1	119	523	18	0.58	<5	<5	<10	60	1404	<2	81	<10	9	72
207730	1079439	0.264	2	2.29	43	185	<2	26	1.39	7	21	143	87	4.03	<0.01	6	1.30	649	<1	124	492	331	2.29	<5	<5	<10	99	1686	<2	81	20	12	2107
207731	1079440	<0.005	<1	2.81	5	466	<2	8	1.55	<4	13	41	51	3.60	<0.01	4	1.07	623	<1	34	617	8	0.09	<5	<5	<10	252	2234	<2	91	<10	15	48
207732	1079441	0.140	<1	2.67	35	345	<2	12	1.54	<4	22	174	50	3.44	<0.01	17	1.16	827	6	127	518	26	1.38	5	<5	<10	110	2763	<2	103	<10	9	72
207733	1079442	0.132	<1	4.80	10	255	<2	11	1.57	<4	23	158	59	4.52	<0.01	18	1.87	883	4	141	586	41	1.60	7	<5	<10	111	1949	<2	98	<10	13	97
207734	1079443	0.340	<1	2.47	17	181	<2	11	1.32	<4	19	135	85	3.51	<0.01	9	1.63	913	<1	129	497	60	1.45	5	<5	<10	93	1609	<2	73	<10	10	268
207735	1079444	0.022	<1	1.11	19	332	<2	4	0.88	<4	8	34	13	1.64	<0.01	5	1.07	647	<1	68	498	28	0.69	<5	<5	<10	72	1442	<2	41	<10	6	90
207736	1079445	0.019	<1	3.02	19	433	<2	11	1.40	<4	8	34	8	1.67	<0.01	12	1.11	694	3	68	490	41	0.59	<5	5	<10	99	1644	<2	42	<10	5	84
207737	1079446	0.043	<1	2.15	27	480	<2	3	0.90	<4	8	39	11	1.65	<0.01	17	0.86	598	4	76	520	361	0.86	<5	5	<10	87	1793	<2	50	<10	5	454
207738D	1079446	0.046	<1	1.82	25	442	<2	4	0.85	<4	8	37	10	1.59	<0.01	15	0.84	574	2	72	497	355	0.83	<5	<5	<10	82	1669	<2	47	<10	4	447
207739	1079447	0.065	<1	1.64	33	313	<2	6	0.51	<4	8	37	7	1.79	<0.01	3	0.69	405	1	78	499	164	1.41	<5	<5	<10	52	1247	<2	41	<10	5	231

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207740	1079448	0.165	<1	1.65	23	376	<2	9	1.03	<4	7	28	24	1.56	<0.01	7	0.84	614	<1	59	483	109	0.95	<5	<5	<10	75	1506	<2	41	<10	4	382
207741	1079449	0.031	<1	1.92	15	463	<2	2	1.06	<4	8	33	25	1.53	<0.01	13	0.78	577	4	69	516	29	0.76	<5	<5	<10	85	1856	<2	46	<10	4	45
207742	1079450	0.270	105	2.92	243	318	<2	1	1.22	26	15	54	6110	5.98	<0.01	8	1.24	1833	18	32	475	10284	2.65	263	<5	<10	205	2006	<2	85	44	12	5180
207743	1079451	0.049	<1	<0.01	<2	<1	<2	<1	<0.01	<4	<1	<1	<1	<0.01	<0.01	<1	<0.01	<100	<1	<1	<100	<1	<0.01	<5	<5	<10	<3	<100	<2	<2	<10	<2	<1
207744	1079452	0.067	<1	3.73	20	501	<2	13	1.85	<4	8	17	14	1.70	<0.01	12	1.17	965	<1	27	535	75	0.74	<5	<5	<10	94	1867	8	32	<10	5	199
207745	1079453	0.084	<1	2.07	15	421	<2	3	1.43	<4	7	13	20	1.57	<0.01	15	1.23	825	<1	20	473	277	0.73	<5	<5	<10	95	1801	3	31	<10	4	317
207746	1079454	0.102	<1	3.08	20	432	<2	5	1.31	<4	7	16	62	1.39	<0.01	10	1.32	767	<1	23	463	185	0.83	<5	<5	<10	99	1578	<2	30	<10	5	787
207747	1079455	0.219	<1	1.82	20	533	<2	11	0.55	<4	6	10	21	0.93	<0.01	4	0.65	293	<1	19	353	39	0.56	<5	8	<10	77	1343	<2	22	<10	4	113
207748	1079456	0.165	<1	2.13	20	543	2	10	0.66	<4	6	13	20	0.96	<0.01	6	0.67	305	<1	19	349	35	0.57	<5	<5	<10	85	1358	<2	23	<10	4	111
207749D	1079456	0.170	<1	1.69	15	488	<2	<1	0.55	<4	6	14	21	0.95	<0.01	2	0.67	302	<1	21	354	34	0.57	<5	5	<10	77	1260	<2	22	<10	3	111
207750	1079457	0.693	<1	1.62	11	541	2	6	0.94	<4	6	16	16	1.12	<0.01	9	0.79	522	<1	19	330	21	0.51	<5	<5	<10	83	1413	<2	25	<10	3	17
207751	1079458	0.089	<1	2.50	14	473	<2	5	1.18	<4	6	13	10	1.03	<0.01	5	1.05	622	<1	22	333	27	0.51	<5	6	<10	83	1384	<2	20	<10	4	25
207752	1079459	0.623	<1	3.11	22	328	<2	<1	1.66	<4	7	14	22	1.34	<0.01	6	1.28	737	<1	27	401	127	0.80	<5	<5	<10	93	1269	<2	20	<10	6	301
207753	1079460	0.007	<1	<0.01	5	291	<2	14	1.09	<4	11	35	47	3.24	<0.01	<1	0.93	550	<1	30	548	5	0.08	<5	<5	<10	150	1746	<2	76	<10	13	41
207754	1079461	0.119	<1	4.39	29	461	<2	13	1.92	<4	11	36	32	1.92	<0.01	12	1.41	818	<1	33	456	122	1.05	<5	5	<10	114	1727	<2	34	<10	8	226
207755	1079462	0.101	<1	4.08	25	398	<2	8	2.07	<4	11	45	44	2.15	<0.01	10	1.58	952	<1	39	449	186	1.19	<5	6	<10	109	1621	13	36	<10	9	399
207756	1079463	0.081	<1	3.21	16	463	2	17	1.08	<4	14	72	33	2.69	<0.01	13	2.03	755	<1	55	576	54	0.86	<5	<5	<10	88	1568	<2	47	<10	9	136
207757	1079464	0.022	<1	4.56	3	460	<2	<1	1.88	<4	6	19	6	1.39	<0.01	15	1.27	396	<1	27	357	16	0.36	5	<5	<10	126	1445	<2	21	<10	5	41
207758	1079465	0.059	<1	2.30	5	290	<2	6	1.40	<4	5	13	98	1.55	<0.01	10	1.12	409	<1	21	340	383	0.73	<5	<5	<10	87	1185	<2	16	10	5	1055
207759	1079466	0.005	<1	4.50	6	413	<2	10	2.28	<4	6	17	24	1.61	<0.01	19	2.00	752	<1	23	333	75	0.47	<5	7	<10	114	1448	4	21	<10	5	438

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207760D	1079466	0.007	<1	4.06	4	476	<2	11	2.30	<4	7	16	24	1.61	<0.01	22	1.90	770	<1	25	327	78	0.48	<5	<5	<10	117	1631	19	24	<10	5	450
207761	1079467	0.066	2	4.71	7	413	<2	4	2.66	11	7	17	197	1.82	<0.01	14	2.12	995	<1	21	389	480	0.88	5	5	<10	108	1424	5	23	30	6	2970
207762	1079468	<0.005	<1	4.33	9	404	<2	11	1.79	<4	6	16	17	1.33	<0.01	18	1.58	565	<1	20	335	54	0.32	5	7	<10	96	1415	5	19	<10	6	139
207763	1079469	0.078	<1	3.29	18	339	<2	4	1.88	<4	6	13	20	1.39	<0.01	14	1.42	651	<1	21	331	136	0.78	<5	6	<10	89	1277	4	20	<10	5	158
207764	1079470	5.026	<1	2.42	408	1390	<2	3	2.34	<4	14	114	81	3.36	<0.01	13	1.11	487	12	56	835	29	1.05	28	<5	<10	194	1866	<2	125	<10	12	219
207765	1079471	0.051	<1	3.20	17	371	<2	14	1.71	<4	6	14	5	1.29	<0.01	12	1.20	409	<1	23	355	29	0.56	<5	5	<10	101	1295	<2	18	<10	5	40
207766	1079472	0.077	<1	3.73	17	372	<2	12	1.59	<4	5	14	9	1.20	<0.01	14	1.23	314	<1	23	356	150	0.43	<5	6	<10	111	1237	<2	17	<10	6	382
207767	1079473	0.407	4	3.33	32	416	<2	1	0.95	4	6	18	42	1.26	<0.01	15	0.96	279	<1	28	356	312	0.88	12	<5	<10	76	1442	<2	23	<10	5	1091
207768	1079474	0.242	2	2.72	32	438	<2	<1	0.92	4	6	19	66	1.27	<0.01	15	0.79	304	<1	27	360	233	1.02	6	<5	<10	75	1516	<2	29	10	5	1116
207769	1079475	0.105	<1	2.70	15	452	<2	4	0.91	<4	7	17	15	1.14	<0.01	17	0.95	282	1	23	385	54	0.45	<5	<5	<10	78	1613	<2	28	<10	4	171
207770	1079476	0.025	1	3.58	16	435	<2	16	1.00	<4	7	19	13	1.22	<0.01	17	1.15	303	<1	25	416	57	0.47	<5	5	<10	80	1555	6	27	<10	5	168
207771R	1079476	0.031	<1	2.82	14	262	<2	11	0.97	<4	7	12	14	1.16	<0.01	9	1.27	298	<1	21	436	55	0.47	<5	<5	<10	70	1105	<2	18	<10	6	164
207772	1079477	0.062	<1	3.06	10	217	<2	3	1.34	<4	6	8	11	1.15	<0.01	9	1.42	287	<1	16	361	47	0.32	<5	<5	<10	79	1056	<2	14	<10	6	111
207773	1079478	0.037	<1	2.01	17	205	<2	1	1.11	<4	7	11	15	1.20	<0.01	5	1.38	276	<1	20	407	16	0.38	<5	<5	<10	70	1016	<2	17	<10	4	52
207774	1079479	0.022	<1	3.12	15	296	<2	<1	0.95	<4	7	13	10	1.18	<0.01	9	1.28	195	<1	22	383	11	0.33	<5	5	<10	69	1147	<2	18	<10	5	30
207775	1079480	0.007	<1	1.81	8	399	<2	<1	1.34	<4	11	37	47	3.31	<0.01	3	1.00	568	<1	31	575	7	0.08	<5	<5	<10	204	1925	<2	81	<10	14	41
207776	1079481	0.021	<1	3.68	12	372	<2	5	1.59	<4	6	11	11	1.30	<0.01	13	1.41	350	<1	17	351	20	0.30	<5	<5	<10	104	1379	5	21	<10	5	51
207777	1079482	0.124	3	2.95	36	416	<2	6	1.05	<4	6	12	31	1.05	<0.01	11	0.85	209	<1	21	308	264	0.60	<5	<5	<10	90	1185	<2	18	<10	5	481
207778	1079483	0.096	2	2.95	28	517	<2	15	0.89	<4	6	18	8	0.98	<0.01	14	0.75	163	<1	32	320	471	0.51	5	<5	<10	88	1384	<2	23	10	4	993
207779	1079484	0.049	<1	2.96	28	506	<2	10	1.15	<4	10	19	11	1.58	<0.01	17	1.07	309	<1	31	516	28	0.87	<5	<5	<10	96	1852	<2	38	<10	5	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207780	1079485	0.019	<1	4.59	23	272	<2	10	2.16	<4	10	19	6	1.90	<0.01	21	1.66	409	<1	30	502	26	0.70	<5	<5	<10	149	1532	4	31	<10	6	38
207781	1079486	1.050	<1	2.52	31	319	<2	12	0.85	<4	9	18	26	1.50	<0.01	20	1.09	331	<1	28	519	286	0.91	5	<5	<10	91	1672	<2	36	<10	4	347
207782D	1079486	0.970	1	3.32	30	316	<2	9	0.92	<4	9	18	27	1.53	<0.01	20	1.15	334	<1	29	534	288	0.94	<5	<5	<10	95	1629	<2	35	<10	5	344
207783	1079487	0.076	<1	2.68	57	375	<2	12	1.54	<4	9	24	25	1.64	<0.01	20	1.15	448	3	31	501	56	1.16	<5	<5	<10	145	1628	<2	37	<10	4	80
207784	1079488	0.019	<1	3.63	18	518	<2	7	2.28	<4	9	29	4	1.88	<0.01	17	1.16	362	<1	33	532	17	0.46	<5	<5	<10	199	1952	2	38	<10	5	50
207785	1079489	0.013	<1	2.99	29	391	<2	<1	2.38	<4	9	28	3	1.85	<0.01	13	1.10	376	<1	38	510	14	0.38	5	6	<10	154	1770	6	35	<10	6	53
207786	1079490	1.530	<1	4.12	32	182	<2	11	2.53	<4	18	63	7361	5.13	<0.01	7	1.20	563	810	22	875	40	2.95	9	<5	<10	226	836	<2	102	<10	14	89
207787	1079491	0.019	<1	4.12	28	325	<2	2	1.77	<4	10	15	18	1.57	<0.01	18	1.06	358	<1	23	547	13	0.67	6	<5	<10	131	1688	<2	31	<10	7	34
207788	1079492	1.239	9	2.96	49	314	<2	7	0.80	<4	9	19	31	1.75	<0.01	14	0.74	362	<1	32	500	112	1.48	8	<5	<10	89	1684	<2	34	<10	6	290
207789	1079493	0.072	<1	3.97	12	361	<2	2	2.17	<4	9	16	10	1.59	<0.01	20	1.29	592	<1	22	513	44	0.62	<5	9	<10	123	1880	3	37	<10	6	67
207790	1079494	0.848	8	3.06	31	345	<2	<1	1.25	<4	11	20	43	1.77	<0.01	26	0.82	352	<1	27	526	201	1.02	6	6	<10	100	1940	<2	36	<10	5	433
207791	1079495	0.025	2	3.37	28	205	<2	5	2.11	<4	9	15	12	1.66	<0.01	14	1.21	474	<1	24	539	18	0.63	6	<5	<10	109	1519	<2	26	<10	7	79
207792	1079496	0.020	<1	4.30	27	325	<2	20	2.29	<4	10	18	13	1.75	<0.01	22	1.23	501	<1	25	550	16	0.62	<5	<5	<10	127	1914	<2	34	<10	6	63
207793D	1079496	0.016	<1	4.07	21	341	<2	10	2.14	<4	10	16	12	1.68	<0.01	21	1.19	482	<1	26	536	17	0.58	<5	<5	<10	121	1978	<2	36	<10	6	62
207794	1079497	0.023	1	4.44	25	301	<2	3	2.48	<4	9	19	9	1.79	<0.01	20	1.39	513	<1	27	543	20	0.60	5	6	<10	107	1716	9	32	<10	6	59
207795	1079498	0.330	<1	4.42	29	374	<2	<1	1.94	<4	9	18	11	1.59	<0.01	25	1.13	432	<1	25	535	34	0.65	<5	5	<10	108	2071	<2	37	<10	6	95
207796	1079499	0.084	1	4.53	19	298	<2	18	1.34	<4	9	17	9	1.33	<0.01	23	1.00	462	<1	23	505	39	0.70	5	5	<10	98	2043	<2	37	<10	6	70
207797	1079500	<0.005	<1	1.51	2	395	<2	14	1.39	<4	12	40	51	3.53	<0.01	3	1.05	598	<1	34	607	7	0.09	<5	<5	<10	197	1992	<2	84	<10	15	45
207798	1079501	<0.005	<1	4.79	18	342	<2	18	2.18	<4	9	20	15	1.63	<0.01	23	1.35	674	<1	28	528	93	0.72	<5	7	<10	129	1888	2	38	<10	6	451

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207640	1079357	103	0.003	0.103
207641	1079358	616	0.018	0.616
207642	1079359	106	0.003	0.106
207643	1079360	<5	<0.001	<0.005
207644	1079361	88	0.003	0.088
207645	1079362	46	0.001	0.046
207646	1079363	30	<0.001	0.030
207647	1079364	10	<0.001	0.010
207648	1079365	11	<0.001	0.011
207649	1079366	14	<0.001	0.014
207650 Dup	1079366	14	<0.001	0.014
207651	1079367	<5	<0.001	<0.005
207652	1079368	7	<0.001	0.007
207653	1079369	14	<0.001	0.014
207654	1079370	1354	0.039	1.354
207655	1079371	26	<0.001	0.026
207656	1079372	180	0.005	0.180
207657	1079373	40	0.001	0.040
207658	1079374	63	0.002	0.063
207659	1079375	48	0.001	0.048
207660	1079376	51	0.001	0.051
207661 Dup	1079376	81	0.002	0.081
207662	1079377	43	0.001	0.043
207663	1079378	33	<0.001	0.033
207664	1079379	26	<0.001	0.026
207665	1079380	<5	<0.001	<0.005
207666	1079381	78	0.002	0.078
207667	1079382	92	0.003	0.092
207668	1079383	203	0.006	0.203
207669	1079384	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207670	1079385	366	0.011	0.366
207671	1079386	449	0.013	0.449
207672 Dup	1079386	450	0.013	0.450
207673	1079387	53	0.002	0.053
207674	1079388	48	0.001	0.048
207675	1079389	137	0.004	0.137
207676	1079390	162	0.005	0.162
207677	1079391	104	0.003	0.104
207678	1079392	31	<0.001	0.031
207679	1079393	13	<0.001	0.013
207680	1079394	13	<0.001	0.013
207681	1079395	10	<0.001	0.010
207682	1079396	13	<0.001	0.013
207683 Dup	1079396	12	<0.001	0.012
207684	1079397	17	<0.001	0.017
207685	1079398	104	0.003	0.104
207686	1079399	540	0.016	0.540
207687	1079400	<5	<0.001	<0.005
207688	1079401	55	0.002	0.055
207689	1079402	<5	<0.001	<0.005
207690	1079403	7	<0.001	0.007
207691	1079404	14	<0.001	0.014
207692	1079405	1030	0.030	1.030
207693	1079406	406	0.012	0.406
207694 Dup	1079406	358	0.010	0.358
207695	1079407	52	0.002	0.052
207696	1079408	120	0.003	0.120
207697	1079409	613	0.018	0.613
207698	1079410	3670	0.107	3.670
207699	1079411	389	0.011	0.389

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207700	1079412	279	0.008	0.279
207701	1079413	584	0.017	0.584
207702	1079414	1207	0.035	1.207
207703	1079415	453	0.013	0.453
207704	1079416	257	0.008	0.257
207705 Rep	1079416	213	0.006	0.213
207706	1079417	176	0.005	0.176
207707	1079418	199	0.006	0.199
207708	1079419	70	0.002	0.070
207709	1079420	<5	<0.001	<0.005
207710	1079421	273	0.008	0.273
207711	1079422	276	0.008	0.276
207712	1079423	299	0.009	0.299
207713	1079424	557	0.016	0.557
207714	1079425	49	0.001	0.049
207715	1079426	41	0.001	0.041
207716 Dup	1079426	19	<0.001	0.019
207717	1079427	514	0.015	0.514
207718	1079428	70	0.002	0.070
207719	1079429	77	0.002	0.077
207720	1079430	1418	0.041	1.418
207721	1079431	352	0.010	0.352
207722	1079432	242	0.007	0.242
207723	1079433	524	0.015	0.524
207724	1079434	282	0.008	0.282
207725	1079435	110	0.003	0.110
207726	1079436	75	0.002	0.075
207727 Dup	1079436	55	0.002	0.055
207728	1079437	149	0.004	0.149
207729	1079438	280	0.008	0.280

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207730	1079439	264	0.008	0.264
207731	1079440	<5	<0.001	<0.005
207732	1079441	140	0.004	0.140
207733	1079442	132	0.004	0.132
207734	1079443	340	0.010	0.340
207735	1079444	22	<0.001	0.022
207736	1079445	19	<0.001	0.019
207737	1079446	43	0.001	0.043
207738 Dup	1079446	46	0.001	0.046
207739	1079447	65	0.002	0.065
207740	1079448	165	0.005	0.165
207741	1079449	31	<0.001	0.031
207742	1079450	270	0.008	0.270
207743	1079451	49	0.001	0.049
207744	1079452	67	0.002	0.067
207745	1079453	84	0.002	0.084
207746	1079454	102	0.003	0.102
207747	1079455	219	0.006	0.219
207748	1079456	165	0.005	0.165
207749 Dup	1079456	170	0.005	0.170
207750	1079457	693	0.020	0.693
207751	1079458	89	0.003	0.089
207752	1079459	623	0.018	0.623
207753	1079460	7	<0.001	0.007
207754	1079461	119	0.003	0.119
207755	1079462	101	0.003	0.101
207756	1079463	81	0.002	0.081
207757	1079464	22	<0.001	0.022
207758	1079465	59	0.002	0.059
207759	1079466	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207760 Dup	1079466	7	<0.001	0.007
207761	1079467	66	0.002	0.066
207762	1079468	<5	<0.001	<0.005
207763	1079469	78	0.002	0.078
207764	1079470	5026	0.147	5.026
207765	1079471	51	0.001	0.051
207766	1079472	77	0.002	0.077
207767	1079473	407	0.012	0.407
207768	1079474	242	0.007	0.242
207769	1079475	105	0.003	0.105
207770	1079476	25	<0.001	0.025
207771 Rep	1079476	31	<0.001	0.031
207772	1079477	62	0.002	0.062
207773	1079478	37	0.001	0.037
207774	1079479	22	<0.001	0.022
207775	1079480	7	<0.001	0.007
207776	1079481	21	<0.001	0.021
207777	1079482	124	0.004	0.124
207778	1079483	96	0.003	0.096
207779	1079484	49	0.001	0.049
207780	1079485	19	<0.001	0.019
207781	1079486	1050	0.031	1.050
207782 Dup	1079486	970	0.028	0.970
207783	1079487	76	0.002	0.076
207784	1079488	19	<0.001	0.019
207785	1079489	13	<0.001	0.013
207786	1079490	1530	0.045	1.530
207787	1079491	19	<0.001	0.019
207788	1079492	1239	0.036	1.239
207789	1079493	72	0.002	0.072

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207790	1079494	848	0.025	0.848
207791	1079495	25	<0.001	0.025
207792	1079496	20	<0.001	0.020
207793 Dup	1079496	16	<0.001	0.016
207794	1079497	23	<0.001	0.023
207795	1079498	330	0.010	0.330
207796	1079499	84	0.002	0.084
207797	1079500	<5	<0.001	<0.005
207798	1079501	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207640	1079357	103	0.003	0.103
207641	1079358	616	0.018	0.616
207642	1079359	106	0.003	0.106
207643	1079360	<5	<0.001	<0.005
207644	1079361	88	0.003	0.088
207645	1079362	46	0.001	0.046
207646	1079363	30	<0.001	0.030
207647	1079364	10	<0.001	0.010
207648	1079365	11	<0.001	0.011
207649	1079366	14	<0.001	0.014
207650 Dup	1079366	14	<0.001	0.014
207651	1079367	<5	<0.001	<0.005
207652	1079368	7	<0.001	0.007
207653	1079369	14	<0.001	0.014
207654	1079370	1354	0.039	1.354
207655	1079371	26	<0.001	0.026
207656	1079372	180	0.005	0.180
207657	1079373	40	0.001	0.040
207658	1079374	63	0.002	0.063
207659	1079375	48	0.001	0.048
207660	1079376	51	0.001	0.051
207661 Dup	1079376	81	0.002	0.081
207662	1079377	43	0.001	0.043
207663	1079378	33	<0.001	0.033
207664	1079379	26	<0.001	0.026
207665	1079380	<5	<0.001	<0.005
207666	1079381	78	0.002	0.078
207667	1079382	92	0.003	0.092
207668	1079383	203	0.006	0.203
207669	1079384	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207670	1079385	366	0.011	0.366
207671	1079386	449	0.013	0.449
207672 Dup	1079386	450	0.013	0.450
207673	1079387	53	0.002	0.053
207674	1079388	48	0.001	0.048
207675	1079389	137	0.004	0.137
207676	1079390	162	0.005	0.162
207677	1079391	104	0.003	0.104
207678	1079392	31	<0.001	0.031
207679	1079393	13	<0.001	0.013
207680	1079394	13	<0.001	0.013
207681	1079395	10	<0.001	0.010
207682	1079396	13	<0.001	0.013
207683 Dup	1079396	12	<0.001	0.012
207684	1079397	17	<0.001	0.017
207685	1079398	104	0.003	0.104
207686	1079399	540	0.016	0.540
207687	1079400	<5	<0.001	<0.005
207688	1079401	55	0.002	0.055
207689	1079402	<5	<0.001	<0.005
207690	1079403	7	<0.001	0.007
207691	1079404	14	<0.001	0.014
207692	1079405	2306	0.067	2.306
207693	1079406	281	0.008	0.281
207694 Dup	1079406	493	0.014	0.493
207695	1079407	53	0.002	0.053
207696	1079408	84	0.002	0.084
207697	1079409	871	0.025	0.871
207698	1079410	1218	0.036	1.218
207699	1079411	314	0.009	0.314

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207700	1079412	296	0.009	0.296
207701	1079413	900	0.026	0.900
207702	1079414	1626	0.047	1.626
207703	1079415	607	0.018	0.607
207704	1079416	257	0.008	0.257
207705 Rep	1079416	213	0.006	0.213
207706	1079417	176	0.005	0.176
207707	1079418	199	0.006	0.199
207708	1079419	70	0.002	0.070
207709	1079420	<5	<0.001	<0.005
207710	1079421	273	0.008	0.273
207711	1079422	276	0.008	0.276
207712	1079423	299	0.009	0.299
207713	1079424	557	0.016	0.557
207714	1079425	49	0.001	0.049
207715	1079426	41	0.001	0.041
207716 Dup	1079426	19	<0.001	0.019
207717	1079427	514	0.015	0.514
207718	1079428	70	0.002	0.070
207719	1079429	77	0.002	0.077
207720	1079430	1418	0.041	1.418
207721	1079431	352	0.010	0.352
207722	1079432	242	0.007	0.242
207723	1079433	524	0.015	0.524
207724	1079434	282	0.008	0.282
207725	1079435	110	0.003	0.110
207726	1079436	75	0.002	0.075
207727 Dup	1079436	55	0.002	0.055
207728	1079437	149	0.004	0.149
207729	1079438	280	0.008	0.280

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 6, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207730	1079439	264	0.008	0.264
207731	1079440	<5	<0.001	<0.005
207732	1079441	140	0.004	0.140
207733	1079442	132	0.004	0.132
207734	1079443	340	0.010	0.340
207735	1079444	22	<0.001	0.022
207736	1079445	19	<0.001	0.019
207737	1079446	43	0.001	0.043
207738 Dup	1079446	46	0.001	0.046
207739	1079447	65	0.002	0.065
207740	1079448	165	0.005	0.165
207741	1079449	31	<0.001	0.031
207742	1079450	270	0.008	0.270
207743	1079451	49	0.001	0.049
207744	1079452	67	0.002	0.067
207745	1079453	84	0.002	0.084
207746	1079454	102	0.003	0.102
207747	1079455	219	0.006	0.219
207748	1079456	165	0.005	0.165
207749 Dup	1079456	170	0.005	0.170
207750	1079457	693	0.020	0.693
207751	1079458	89	0.003	0.089
207752	1079459	623	0.018	0.623
207753	1079460	7	<0.001	0.007
207754	1079461	119	0.003	0.119
207755	1079462	101	0.003	0.101
207756	1079463	81	0.002	0.081
207757	1079464	22	<0.001	0.022
207758	1079465	59	0.002	0.059
207759	1079466	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207760 Dup	1079466	7	<0.001	0.007
207761	1079467	66	0.002	0.066
207762	1079468	<5	<0.001	<0.005
207763	1079469	78	0.002	0.078
207764	1079470	5026	0.147	5.026
207765	1079471	51	0.001	0.051
207766	1079472	77	0.002	0.077
207767	1079473	407	0.012	0.407
207768	1079474	242	0.007	0.242
207769	1079475	105	0.003	0.105
207770	1079476	25	<0.001	0.025
207771 Rep	1079476	31	<0.001	0.031
207772	1079477	62	0.002	0.062
207773	1079478	37	0.001	0.037
207774	1079479	22	<0.001	0.022
207775	1079480	7	<0.001	0.007
207776	1079481	21	<0.001	0.021
207777	1079482	124	0.004	0.124
207778	1079483	96	0.003	0.096
207779	1079484	49	0.001	0.049
207780	1079485	19	<0.001	0.019
207781	1079486	1050	0.031	1.050
207782 Dup	1079486	970	0.028	0.970
207783	1079487	76	0.002	0.076
207784	1079488	19	<0.001	0.019
207785	1079489	13	<0.001	0.013
207786	1079490	1530	0.045	1.530
207787	1079491	19	<0.001	0.019
207788	1079492	1239	0.036	1.239
207789	1079493	72	0.002	0.072

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Revised Date: 10/06/2011  
 Job #: 201143138  
 Reference: TL11208  
 Sample #: 145

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207790	1079494	848	0.025	0.848
207791	1079495	25	<0.001	0.025
207792	1079496	20	<0.001	0.020
207793 Dup	1079496	16	<0.001	0.016
207794	1079497	23	<0.001	0.023
207795	1079498	330	0.010	0.330
207796	1079499	84	0.002	0.084
207797	1079500	<5	<0.001	<0.005
207798	1079501	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207369	1079502	0.012	1	>10.00	13	663	2	47	3.19	<4	10	29	17	1.83	1.91	38	1.27	765	15	23	421	62	0.72	<5	25	<10	263	2033	<2	40	<10	7	223
207370	1079503	0.014	1	>10.00	10	572	2	17	2.51	<4	7	21	12	1.59	1.94	38	1.15	730	16	20	453	47	0.77	<5	24	<10	192	1882	<2	36	<10	6	92
207371	1079504	0.016	3	>10.00	7	680	2	31	2.18	7	10	19	55	1.98	1.91	35	0.85	632	17	25	413	706	0.95	<5	28	<10	213	1913	<2	35	29	6	1611
207372	1079505	0.070	24	8.78	11	542	2	26	2.01	32	8	31	31	1.89	1.98	34	0.68	537	24	34	386	2961	1.47	<5	21	<10	213	1648	<2	27	74	6	8051
207373	1079506	0.013	1	>10.00	12	538	2	43	2.74	<4	9	32	22	1.79	2.15	38	1.22	708	18	32	442	60	0.79	<5	34	<10	238	1814	<2	36	<10	6	177
207374	1079507	0.014	1	9.40	11	596	<2	29	2.90	<4	9	33	11	2.04	2.00	37	1.02	620	17	31	510	24	0.97	<5	22	<10	255	1969	<2	44	<10	7	106
207375	1079508	0.029	<1	9.27	17	715	2	35	2.86	<4	11	45	10	2.15	2.08	36	0.79	505	19	39	586	25	1.11	<5	21	<10	283	2066	3	50	<10	8	88
207376	1079509	0.018	<1	9.53	15	741	<2	10	3.12	<4	10	47	11	1.58	1.96	35	0.62	411	20	41	480	20	0.65	<5	18	<10	373	1994	<2	49	<10	8	85
207377	1079510	0.273	100	8.17	241	428	<2	49	1.86	25	15	53	5668	5.27	1.91	29	1.12	1638	34	29	490	9667	2.57	259	6	<10	224	1896	<2	83	45	12	4772
207378	1079511	0.013	2	8.67	9	591	2	33	1.86	<4	12	64	63	1.69	1.74	37	0.48	411	22	42	395	82	0.46	<5	25	<10	276	2012	<2	53	<10	6	89
207379D	1079511	0.013	<1	8.30	6	563	2	22	1.74	<4	10	61	18	1.57	2.16	35	0.47	383	20	45	375	21	0.42	<5	26	<10	255	1949	<2	50	<10	7	57
207380	1079512	0.023	1	9.96	16	659	2	20	2.15	<4	12	59	22	1.67	1.65	41	0.53	393	23	42	460	76	1.10	<5	18	<10	302	2111	<2	56	<10	8	170
207381	1079513	0.114	2	8.96	14	719	2	43	2.13	<4	4	24	48	1.18	2.15	38	0.53	1096	17	22	254	231	0.85	5	27	<10	264	1131	<2	21	<10	5	771
207382	1079514	0.021	<1	9.84	18	670	2	50	2.88	<4	7	31	10	1.74	2.12	33	0.79	814	17	29	449	28	1.00	<5	29	<10	340	1772	<2	41	<10	7	87
207383	1079515	3.288	<1	>10.00	51	698	2	34	3.10	<4	9	30	20	2.01	2.31	42	1.05	739	17	31	488	36	0.93	<5	24	<10	212	2123	<2	49	<10	8	180
207384	1079516	3.556	1	>10.00	53	688	2	38	3.21	<4	9	28	20	2.06	1.88	41	1.11	754	16	26	498	33	0.97	<5	24	<10	213	2082	<2	46	<10	9	113
207385	1079517	1.377	2	9.11	240	732	<2	42	1.43	<4	8	30	38	1.77	2.08	44	0.61	376	18	26	466	43	1.59	<5	19	<10	117	2030	<2	46	12	7	469
207386	1079518	0.240	<1	9.97	664	572	<2	34	2.38	<4	11	50	21	2.03	1.81	38	1.02	628	14	37	505	32	1.14	<5	19	<10	133	1801	4	44	<10	10	169
207387	1079519	0.087	<1	9.64	86	631	2	44	2.19	<4	11	54	23	2.15	2.14	41	0.93	564	19	35	442	31	1.26	<5	23	<10	140	1995	<2	56	<10	9	104
207388	1079520	0.044	<1	8.03	6	520	<2	24	2.14	<4	11	44	46	3.05	2.08	28	0.92	551	16	30	550	7	0.08	<5	12	<10	272	2181	<2	87	<10	13	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207389	1079521	0.257	<1	9.64	77	362	2	45	2.33	<4	22	150	40	3.55	2.13	43	1.37	745	18	65	519	26	1.51	<5	19	<10	142	2237	<2	82	<10	13	102
207390D	1079521	0.257	<1	9.90	76	379	2	30	2.34	<4	22	154	40	3.58	2.20	44	1.39	762	16	65	515	29	1.46	<5	16	<10	143	2284	<2	84	<10	14	100
207391	1079522	0.091	<1	9.94	9	339	2	33	2.33	<4	22	144	47	3.65	2.12	45	1.51	625	14	70	546	34	0.82	<5	15	<10	194	2691	<2	94	<10	12	89
207392	1079523	0.806	1	9.22	45	331	2	15	1.71	<4	15	119	75	2.34	2.08	34	0.88	411	15	75	597	186	1.64	<5	16	<10	136	1504	<2	76	11	9	468
207393	1079524	0.337	<1	9.21	12	307	2	2	2.35	<4	23	149	60	3.60	2.16	42	1.40	592	15	80	501	43	1.06	<5	21	<10	216	2351	<2	83	<10	15	86
207394	1079525	0.010	<1	9.41	7	509	2	30	2.02	<4	20	126	36	3.83	2.22	42	1.73	441	11	65	558	25	0.91	<5	15	<10	228	2261	<2	80	<10	12	82
207395	1079526	0.022	<1	9.19	22	761	2	68	1.73	<4	11	70	21	2.20	2.11	34	0.66	239	16	45	371	18	1.32	<5	22	<10	209	1645	<2	50	<10	9	61
207396	1079527	0.028	<1	9.65	18	620	<2	25	1.93	<4	10	64	17	1.80	2.05	37	0.60	277	16	35	460	15	0.78	<5	21	<10	202	1834	3	46	<10	9	48
207397	1079528	0.022	<1	9.14	24	478	<2	48	1.89	<4	7	29	9	1.31	2.25	32	0.58	264	15	25	380	11	0.62	<5	25	<10	182	1422	<2	31	<10	6	56
207398	1079529	0.013	<1	9.51	10	474	<2	49	1.83	<4	7	30	8	1.29	2.08	33	0.51	225	22	26	426	9	0.59	<5	25	<10	201	1496	<2	32	<10	6	41
207399	1079530	4.858	1	8.33	410	1367	<2	41	3.03	<4	12	114	77	3.13	2.29	33	1.16	454	27	50	801	28	0.99	24	18	<10	218	1799	2	124	12	14	221
207400	1079531	0.796	<1	9.62	23	505	<2	37	1.90	<4	6	29	12	1.14	2.06	35	0.55	250	20	24	393	9	0.51	<5	23	<10	195	1524	<2	34	<10	6	42
207401D	1079531	0.791	<1	9.22	15	501	<2	58	1.81	<4	6	30	12	1.14	2.25	35	0.53	253	18	23	379	9	0.47	<5	21	<10	189	1564	<2	35	<10	5	38
207402	1079532	0.045	<1	8.89	22	437	<2	15	1.91	<4	7	29	9	1.10	1.07	32	0.46	255	15	26	385	5	0.41	<5	19	<10	190	1489	<2	34	<10	5	30
207403	1079533	0.037	<1	9.48	15	444	2	<1	1.82	<4	6	27	9	1.20	2.14	31	0.49	255	17	25	384	12	0.63	<5	22	<10	185	1426	<2	30	<10	6	26
207404	1079534	0.017	<1	9.81	14	502	2	39	2.55	<4	6	36	13	1.02	1.91	34	0.52	309	19	26	376	21	0.47	<5	26	<10	214	1366	<2	32	<10	6	53
207405	1079535	0.012	<1	9.71	16	449	2	40	2.40	<4	5	28	9	0.64	2.19	34	0.53	252	18	22	365	35	0.30	<5	25	<10	194	1338	<2	26	<10	6	78
207406	1079536	0.012	<1	8.39	10	415	2	2	2.13	<4	5	21	10	0.58	1.79	31	0.47	228	16	19	333	30	0.21	<5	22	<10	178	1272	<2	24	<10	5	63
207407	1079537	0.014	<1	8.35	15	383	<2	<1	1.68	<4	4	35	8	0.67	1.96	34	0.46	208	20	28	297	48	0.34	<5	19	<10	149	1162	<2	25	<10	5	73
207408	1079538	0.228	2	9.76	34	546	2	24	2.53	<4	14	67	28	1.88	2.16	41	0.93	725	23	39	486	51	1.48	<5	19	<10	161	2314	<2	62	<10	7	160

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207409	1079539	0.007	<1	9.05	11	378	<2	60	2.17	<4	8	21	7	0.68	1.93	33	1.04	653	15	25	590	26	0.13	<5	18	<10	129	1729	<2	31	<10	6	45
207410	1079540	<0.005	<1	8.15	9	483	<2	17	2.08	<4	10	41	42	2.82	1.79	28	0.89	513	17	28	523	9	0.07	<5	15	<10	260	2027	<2	81	<10	12	52
207411	1079541	0.037	<1	9.83	23	484	2	27	2.36	<4	4	25	9	1.59	2.18	36	1.05	830	17	25	464	103	0.67	<5	19	<10	162	1758	<2	31	<10	6	291
207412D	1079541	0.029	<1	9.46	19	462	<2	48	2.27	<4	5	22	8	1.50	1.85	37	0.98	780	18	19	443	96	0.63	<5	21	<10	159	1658	<2	29	<10	6	275
207413	1079542	0.061	<1	9.69	25	502	<2	46	2.01	<4	4	22	6	1.45	2.19	35	0.93	618	17	23	447	103	0.76	<5	26	<10	145	1746	<2	30	<10	6	232
207414	1079543	0.048	<1	9.84	29	529	2	10	2.31	<4	5	21	9	1.54	1.88	36	1.09	713	16	26	448	73	0.71	<5	23	<10	158	1816	<2	31	<10	6	101
207415	1079544	0.186	2	8.42	40	466	<2	42	1.01	<4	4	18	30	1.30	2.03	28	0.54	246	18	20	376	852	1.37	<5	22	<10	94	1428	2	26	<10	5	805
207416	1079545	0.216	1	8.54	41	441	2	<1	1.09	<4	4	20	45	1.28	1.93	30	0.59	348	19	23	400	298	1.32	<5	24	<10	94	1310	<2	27	<10	5	921
207417	1079546	0.956	6	8.05	46	488	2	28	0.66	<4	4	18	86	1.06	2.17	28	0.41	118	19	20	413	1424	1.14	7	26	<10	78	1287	<2	29	<10	4	698
207418	1079547	0.557	3	8.63	28	481	2	40	0.63	<4	4	19	29	1.06	1.95	30	0.39	<100	19	20	413	784	1.16	<5	20	<10	77	1333	<2	29	15	4	1246
207419	1079548	0.029	<1	8.07	27	409	2	6	1.39	<4	3	35	12	1.05	2.37	31	0.64	437	21	31	358	62	0.88	<5	22	<10	103	1267	<2	25	<10	5	142
207420	1079549	0.067	1	8.92	27	455	2	<1	1.50	<4	5	22	3	1.44	2.30	34	0.80	567	20	23	442	127	1.43	<5	26	<10	106	1661	<2	29	<10	5	86
207421	1079550	1.501	3	9.54	38	853	2	<1	3.32	4	20	68	7050	4.82	1.65	32	1.12	541	763	22	912	42	2.95	<5	16	<10	284	873	<2	108	11	13	106
207422	1079551	0.228	1	8.62	51	476	<2	17	0.86	<4	4	36	60	1.71	1.96	39	0.54	231	27	27	383	405	2.00	<5	16	<10	88	1630	<2	27	11	5	921
207423D	1079551	0.224	2	8.46	46	485	2	20	0.83	<4	5	27	13	1.70	2.22	40	0.53	233	21	26	383	425	1.98	<5	21	<10	86	1685	<2	26	10	5	935
207424	1079552	0.077	<1	8.95	34	1040	<2	39	2.02	<4	4	20	8	1.58	2.10	41	0.93	859	19	22	408	136	1.58	<5	17	<10	139	1625	<2	28	<10	5	782
207425	1079553	0.713	8	8.29	85	749	2	24	1.77	18	5	22	141	3.34	1.96	40	0.86	540	20	21	366	1572	4.27	<5	14	<10	89	1433	<2	24	59	6	6724
207426	1079554	0.221	5	8.95	44	542	2	35	1.79	<4	5	21	16	1.56	1.83	45	0.87	588	19	23	414	215	1.44	<5	23	<10	140	1738	<2	29	<10	5	407
207427	1079555	2.284	4	>10.00	44	381	<2	13	0.96	14	5	9	157	2.02	<0.01	8	0.49	378	<1	23	367	1693	2.43	<5	16	<10	112	1542	5	27	53	4	6318
207428	1079556	0.694	3	>10.00	39	477	2	41	1.38	9	4	11	75	1.84	<0.01	14	0.51	404	<1	22	393	1747	2.12	5	14	<10	120	1634	2	27	31	4	3251

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207429	1079557	1.228	3	>10.00	63	440	2	26	1.89	6	10	64	105	2.49	0.15	20	0.74	728	<1	39	407	1958	2.50	10	23	<10	102	1976	11	47	21	6	2000
207430	1079558	0.236	2	>10.00	39	448	2	14	3.00	4	20	111	121	3.12	0.20	27	1.46	1369	<1	61	471	481	1.77	5	18	<10	125	2548	21	78	10	9	739
207431	1079559	0.169	1	>10.00	26	467	2	19	2.58	<4	22	149	48	3.28	0.39	22	1.50	1215	<1	63	477	177	1.73	<5	11	<10	150	2153	5	87	<10	9	347
207432	1079560	0.008	8	9.53	<2	476	24	1339	1.97	9	6	38	67	0.15	0.65	5	0.07	<100	<1	127	219	299	0.19	229	390	135	441	<100	2	<2	258	<2	1185
207433	1079561	0.069	2	1.13	9	379	2	22	0.87	<4	22	148	55	3.67	0.85	17	1.59	778	<1	77	555	41	1.04	<5	11	<10	158	2404	7	105	<10	11	636
207434R	1079561	0.073	1	2.75	10	424	2	33	1.25	4	23	167	60	3.80	0.55	23	1.69	847	<1	78	566	41	1.01	<5	19	<10	168	2529	5	108	<10	12	700
207435	1079562	0.019	<1	2.32	8	355	2	37	0.96	<4	15	82	28	2.41	0.05	18	1.32	534	<1	50	439	28	0.52	<5	24	<10	172	1852	7	64	<10	10	60
207436	1079563	0.120	2	1.67	25	320	2	26	0.88	<4	18	102	56	2.66	0.09	11	1.15	548	<1	53	481	88	1.32	<5	17	<10	145	1485	4	72	<10	9	204
207437	1079564	0.141	2	2.08	17	294	2	21	0.72	<4	21	134	50	3.17	<0.01	16	1.96	901	<1	64	513	85	1.16	<5	13	<10	142	1652	6	83	<10	11	118
207438	1079565	0.480	8	1.34	41	200	<2	33	0.54	4	17	88	54	2.94	0.13	14	2.38	979	<1	57	467	529	1.29	<5	15	<10	123	1159	10	70	<10	10	440
207439	1079566	1.177	9	0.52	63	141	2	22	0.35	6	17	92	79	3.36	0.21	24	2.13	995	<1	55	401	2005	2.45	<5	12	<10	115	1108	<2	56	13	9	1309
207440	1079567	0.261	1	0.95	43	220	<2	8	0.06	<4	14	78	14	2.67	0.30	21	2.31	986	<1	55	418	194	1.08	<5	15	<10	108	1392	17	70	<10	9	152
207441	1079568	0.030	<1	0.08	17	415	2	29	0.61	<4	5	9	10	1.13	0.10	4	1.18	598	<1	21	350	41	0.45	<5	22	<10	147	1384	8	27	<10	6	110
207442	1079569	0.024	<1	0.55	15	510	2	24	0.78	<4	6	12	10	1.11	0.32	10	1.01	572	<1	25	365	22	0.43	<5	24	<10	154	1678	13	27	<10	6	59
207443	1079570	0.268	<1	0.34	2	404	<2	13	0.76	<4	<1	42	<1	<0.01	0.11	1	<0.01	<100	8	<1	<100	<1	0.09	<5	12	<10	9	<100	<2	<2	<10	<2	<1
207444	1079571	0.051	1	1.21	17	508	2	3	1.05	<4	5	26	2	0.03	0.59	13	0.04	<100	<1	4	361	<1	0.43	<5	19	<10	3	<100	11	4	<10	6	4
207445D	1079571	0.055	<1	1.50	2	472	<2	<1	1.00	<4	<1	28	<1	<0.01	0.25	12	<0.01	<100	<1	<1	<100	<1	<0.01	<5	8	<10	7	<100	5	<2	<10	<2	<1
207446	1079572	0.035	<1	2.83	2	489	<2	<1	1.37	<4	<1	25	<1	<0.01	0.12	13	<0.01	<100	<1	<1	<100	<1	0.02	<5	6	<10	5	<100	<2	<2	<10	<2	<1
207447	1079573	0.078	<1	3.53	2	429	<2	<1	1.48	<4	<1	17	<1	<0.01	0.28	14	<0.01	<100	<1	<1	<100	<1	0.02	<5	8	<10	7	<100	7	<2	<10	<2	<1
207448	1079574	0.078	1	2.47	22	520	<2	<1	1.04	<4	7	30	21	1.37	0.94	8	0.95	560	<1	59	390	210	0.63	<5	21	<10	155	1607	2	38	<10	6	222

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207449	1079575	0.176	1	3.26	16	541	2	6	1.03	<4	7	32	48	1.29	0.52	12	0.97	450	<1	67	391	113	0.43	<5	23	<10	156	1708	7	44	<10	6	175
207450	1079576	0.074	1	2.85	13	487	2	28	1.01	<4	7	29	43	1.22	0.30	11	0.96	446	<1	58	366	151	0.41	6	15	<10	153	1619	6	40	12	6	196
207451	1079577	0.059	1	2.39	22	468	2	8	1.03	<4	8	29	30	1.41	0.04	9	1.05	540	<1	37	378	90	0.58	<5	22	<10	145	1463	7	39	<10	6	159
207452	1079578	0.173	1	2.17	34	355	<2	11	0.58	4	19	142	49	3.27	0.27	13	1.63	813	<1	88	514	252	1.65	6	14	<10	114	1645	2	87	11	9	654
207453	1079579	0.173	2	1.72	54	419	<2	22	0.41	4	16	106	22	3.04	0.27	12	1.13	625	<1	85	446	342	2.27	<5	18	<10	107	1702	2	75	15	7	923
207454	1079580	0.007	<1	2.34	7	437	<2	35	1.35	<4	13	37	48	3.18	0.31	3	1.00	566	<1	32	574	9	0.10	<5	16	<10	286	2250	3	88	<10	14	55
207455	1079581	0.076	2	3.91	21	559	2	3	1.42	4	11	57	63	2.31	0.29	16	1.20	800	<1	60	551	502	1.40	<5	21	<10	144	1946	4	61	12	8	887
207456D	1079581	0.070	2	3.10	17	513	2	18	1.29	4	11	55	63	2.27	0.04	9	1.18	739	<1	60	534	508	1.40	<5	13	<10	129	1788	7	57	16	8	889
207457	1079582	0.037	<1	2.68	17	506	<2	15	1.46	<4	8	36	13	1.87	0.34	7	1.27	857	<1	78	525	115	0.91	5	20	<10	129	1771	11	52	<10	7	260
207458	1079583	0.134	4	2.94	17	512	2	30	1.18	9	8	28	21	2.02	0.39	12	1.04	776	<1	54	504	1820	1.45	5	18	<10	143	1822	3	49	32	7	2852
207459	1079584	0.044	1	3.21	17	536	2	7	1.98	4	7	41	22	2.06	0.11	5	1.33	1086	<1	87	458	362	1.07	<5	17	<10	171	1486	5	52	14	9	1021
207460	1079585	0.006	2	2.31	11	392	<2	27	1.16	15	7	24	58	1.88	0.04	5	0.99	876	<1	51	507	1118	1.25	<5	22	<10	146	1664	12	44	60	6	6248
207461	1079586	0.031	<1	2.19	12	428	<2	33	1.00	<4	7	22	107	1.51	0.17	6	0.86	659	<1	48	486	172	0.84	<5	18	<10	149	1589	6	43	<10	6	477
207462	1079587	0.029	<1	2.09	15	557	<2	<1	1.12	<4	8	28	26	1.68	0.02	7	0.94	710	<1	57	499	115	1.00	<5	12	<10	147	1727	6	49	<10	6	132
207463	1079588	0.051	1	0.92	19	464	<2	<1	1.04	4	7	40	77	2.17	<0.01	3	0.88	646	<1	82	450	325	1.53	<5	11	<10	130	1398	5	48	15	6	1142
207464	1079589	0.028	1	1.89	24	515	2	<1	1.44	<4	8	26	18	1.48	0.22	3	0.89	704	<1	52	400	583	0.73	<5	23	<10	164	1530	<2	42	11	6	267
207465	1079590	4.993	1	0.76	395	1240	<2	<1	1.90	<4	14	101	76	3.03	0.27	5	1.05	447	<1	48	766	30	0.87	31	14	<10	211	1844	<2	118	13	12	210
207466	1079591	0.025	1	3.28	9	713	2	<1	2.16	<4	8	21	20	1.68	0.39	10	1.40	967	<1	34	527	159	0.51	5	19	<10	162	1853	6	44	<10	7	218
207467D	1079591	0.032	3	3.18	4	695	2	<1	2.11	<4	8	21	20	1.63	0.72	10	1.41	962	<1	38	520	170	0.52	<5	25	<10	160	1842	13	43	10	7	217
207468	1079592	0.054	<1	1.49	9	481	<2	<1	1.47	<4	7	26	9	1.40	0.06	3	1.10	758	<1	55	445	96	0.51	<5	16	<10	141	1483	22	42	10	6	175

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207469	1079593	0.026	<1	3.25	14	470	<2	16	2.11	<4	7	23	13	1.69	0.40	9	1.52	1077	<1	45	511	116	0.67	<5	20	<10	180	1751	8	44	20	7	242
207470	1079594	0.025	<1	3.75	12	569	<2	<1	2.47	<4	8	25	16	1.71	0.42	9	1.54	1056	<1	48	527	180	0.69	6	20	<10	171	1790	19	45	10	7	641
207471	1079595	0.106	2	3.39	13	401	<2	24	2.10	6	8	23	27	1.77	0.16	11	1.47	1092	<1	44	506	757	0.85	<5	24	<10	149	1861	<2	43	17	7	1445
207472	1079596	0.054	3	3.62	14	383	<2	18	2.22	16	9	33	27	1.91	1.32	11	1.53	1172	<1	65	545	1189	1.02	5	14	<10	148	1914	11	50	50	8	4350
207473	1079597	0.084	1	3.60	21	435	2	15	1.49	<4	9	30	15	1.72	0.14	12	1.18	756	<1	57	548	191	0.93	<5	14	<10	143	2067	17	52	<10	6	281
207474	1079598	0.043	<1	2.21	18	411	<2	40	1.31	<4	7	42	24	1.40	0.10	7	1.01	712	1	79	486	75	0.59	<5	22	<10	138	1680	13	51	<10	6	139
207475	1079599	0.061	1	3.29	14	455	2	25	1.60	<4	8	19	17	1.57	<0.01	9	1.25	792	<1	34	367	175	0.86	<5	24	<10	153	1702	11	36	12	6	322
207476	1079600	0.005	<1	1.67	3	425	<2	1	1.23	<4	12	36	46	3.11	<0.01	<1	0.95	556	<1	30	558	5	0.07	<5	15	10	273	2223	2	86	<10	13	54
207477	1079601	0.019	<1	3.68	3	593	<2	46	1.56	<4	7	26	7	1.36	0.13	9	1.16	372	<1	44	399	15	0.24	<5	28	<10	158	1837	8	39	<10	6	50
207478D	1079601	0.025	<1	3.92	<2	604	<2	53	1.60	<4	7	24	6	1.35	0.10	10	1.18	374	<1	45	394	17	0.23	<5	26	<10	160	1838	13	39	10	6	52
207479	1079602	0.010	<1	2.57	<2	500	<2	11	1.21	<4	7	38	8	1.28	0.27	6	0.98	311	<1	70	313	17	0.23	6	17	<10	145	1562	4	42	<10	6	46
207480	1079603	0.074	<1	3.50	9	588	<2	<1	1.67	<4	9	26	7	1.45	0.33	16	1.36	569	<1	44	355	16	0.41	<5	22	<10	165	1744	13	37	<10	6	49
207481	1079604	0.108	<1	3.37	5	534	<2	11	1.74	<4	7	21	22	1.43	0.08	10	1.26	526	<1	36	369	14	0.37	<5	24	<10	147	1795	8	28	<10	6	340
207482	1079605	0.069	<1	3.75	10	526	<2	75	1.75	<4	7	15	34	1.21	0.70	8	1.30	558	<1	22	359	8	0.32	<5	20	<10	124	1685	11	26	<10	7	58
207483	1079606	0.114	<1	4.82	5	583	2	10	1.85	<4	7	17	11	1.30	0.13	12	1.40	616	<1	25	384	11	0.39	<5	17	<10	132	1798	6	28	<10	7	58
207484	1079607	0.043	<1	4.49	12	480	2	<1	2.52	<4	7	13	10	1.43	0.52	10	1.70	780	<1	18	346	8	0.43	7	28	<10	138	1635	16	26	<10	8	233
207485	1079608	0.013	<1	4.47	8	567	<2	3	1.93	<4	8	13	13	1.31	0.29	12	1.33	510	<1	16	364	20	0.33	<5	22	<10	146	1704	5	26	<10	7	62
207486	1079609	0.025	1	4.57	15	524	2	17	2.02	<4	7	18	9	1.39	0.37	13	1.47	657	<1	25	366	87	0.71	<5	25	<10	144	1644	5	26	11	7	674
207487	1079610	1.437	4	4.59	36	1052	2	12	2.45	4	19	62	7313	4.94	0.22	8	1.23	551	781	22	907	36	2.65	12	19	<10	300	1122	7	110	12	14	105
207488	1079611	0.020	1	5.37	3	615	2	28	2.20	<4	8	18	105	1.40	0.23	16	1.43	385	7	21	400	13	0.25	<5	25	<10	189	1919	8	30	<10	8	47

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207489D	1079611	0.016	1	5.52	2	627	2	29	2.24	<4	8	26	19	1.42	0.39	19	1.44	390	<1	32	398	13	0.20	<5	25	<10	192	1970	7	30	<10	7	52
207490	1079612	0.029	3	5.07	14	560	<2	35	4.13	<4	6	18	79	1.82	1.06	14	2.33	1371	<1	24	392	356	0.50	11	30	<10	207	1597	29	27	15	9	630
207491	1079613	0.027	1	5.47	14	593	2	43	2.15	<4	8	20	9	1.39	0.38	18	1.48	474	<1	27	376	36	0.20	8	25	<10	161	1858	8	29	10	8	81
207492	1079614	0.305	2	3.45	17	521	2	15	0.89	<4	7	16	25	1.12	<0.01	17	0.93	328	<1	21	402	50	0.50	5	20	<10	125	1838	<2	29	<10	6	145
207493	1079615	0.117	2	3.57	18	464	2	<1	0.70	<4	7	15	11	1.06	0.16	18	0.86	282	<1	24	384	48	0.61	<5	10	<10	118	1699	6	26	14	6	617
207494	1079616	0.128	2	3.72	27	483	2	32	0.73	<4	8	16	12	1.14	0.41	21	0.90	292	<1	22	387	48	0.71	6	25	<10	120	1728	6	26	<10	6	514
207495	1079617	0.346	5	4.23	33	493	2	26	0.76	<4	8	13	144	1.32	0.34	21	0.92	307	<1	21	417	125	0.90	7	18	<10	122	1722	7	26	<10	7	266
207496	1079618	0.088	2	3.47	38	500	<2	13	0.61	<4	7	15	32	1.05	0.62	13	0.82	250	<1	20	383	26	0.56	<5	22	10	106	1676	6	26	12	7	580
207497	1079619	0.036	<1	3.77	22	508	<2	40	0.81	<4	7	16	13	0.96	0.16	16	0.87	276	<1	24	369	19	0.42	6	16	<10	112	1718	5	26	<10	6	50
207498	1079620	<0.005	1	3.67	9	457	<2	40	1.49	<4	12	38	48	3.19	0.38	7	1.05	562	<1	31	592	12	0.10	<5	20	<10	298	2431	7	89	<10	14	51
207499	1079621	0.031	1	3.52	19	499	2	12	0.85	<4	8	17	12	1.18	0.31	15	0.94	293	<1	23	382	23	0.60	<5	16	<10	117	1741	3	28	<10	6	53
207500R	1079621	0.033	1	3.14	14	512	<2	28	0.77	<4	8	16	10	1.10	0.32	15	0.89	274	<1	19	378	25	0.55	<5	17	<10	111	1788	16	28	<10	6	54
207501	1079622	0.029	1	5.05	19	560	2	<1	1.34	<4	8	15	22	1.26	<0.01	17	1.15	353	<1	20	401	31	0.51	<5	20	<10	134	1793	5	29	<10	7	115
207502	1079623	0.039	2	3.69	13	526	<2	16	0.78	<4	8	13	47	1.12	<0.01	11	0.90	258	<1	22	385	67	0.50	<5	21	<10	113	1693	7	28	<10	6	135
207503	1079624	0.034	1	4.84	10	405	2	<1	1.63	<4	7	22	14	1.40	0.15	18	1.82	399	<1	27	377	30	0.19	<5	18	<10	126	1547	3	26	<10	8	79

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207369	1079502	12	<0.001	0.012
207370	1079503	14	<0.001	0.014
207371	1079504	16	<0.001	0.016
207372	1079505	70	0.002	0.070
207373	1079506	13	<0.001	0.013
207374	1079507	14	<0.001	0.014
207375	1079508	29	<0.001	0.029
207376	1079509	18	<0.001	0.018
207377	1079510	273	0.008	0.273
207378	1079511	13	<0.001	0.013
207379 Dup	1079511	13	<0.001	0.013
207380	1079512	23	<0.001	0.023
207381	1079513	114	0.003	0.114
207382	1079514	21	<0.001	0.021
207383	1079515	3288	0.096	3.288
207384	1079516	3556	0.104	3.556
207385	1079517	1377	0.040	1.377
207386	1079518	240	0.007	0.240
207387	1079519	87	0.003	0.087
207388	1079520	44	0.001	0.044
207389	1079521	257	0.007	0.257
207390 Dup	1079521	257	0.008	0.257
207391	1079522	91	0.003	0.091
207392	1079523	806	0.024	0.806
207393	1079524	337	0.010	0.337
207394	1079525	10	<0.001	0.010
207395	1079526	22	<0.001	0.022
207396	1079527	28	<0.001	0.028
207397	1079528	22	<0.001	0.022
207398	1079529	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207399	1079530	4858	0.142	4.858
207400	1079531	796	0.023	0.796
207401 Dup	1079531	791	0.023	0.791
207402	1079532	45	0.001	0.045
207403	1079533	37	0.001	0.037
207404	1079534	17	<0.001	0.017
207405	1079535	12	<0.001	0.012
207406	1079536	12	<0.001	0.012
207407	1079537	14	<0.001	0.014
207408	1079538	228	0.007	0.228
207409	1079539	7	<0.001	0.007
207410	1079540	<5	<0.001	<0.005
207411	1079541	37	0.001	0.037
207412 Dup	1079541	29	<0.001	0.029
207413	1079542	61	0.002	0.061
207414	1079543	48	0.001	0.048
207415	1079544	186	0.005	0.186
207416	1079545	216	0.006	0.216
207417	1079546	956	0.028	0.956
207418	1079547	557	0.016	0.557
207419	1079548	29	<0.001	0.029
207420	1079549	67	0.002	0.067
207421	1079550	1501	0.044	1.501
207422	1079551	228	0.007	0.228
207423 Dup	1079551	224	0.007	0.224
207424	1079552	77	0.002	0.077
207425	1079553	713	0.021	0.713
207426	1079554	221	0.006	0.221
207427	1079555	2284	0.067	2.284
207428	1079556	694	0.020	0.694

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207429	1079557	1228	0.036	1.228
207430	1079558	236	0.007	0.236
207431	1079559	169	0.005	0.169
207432	1079560	8	<0.001	0.008
207433	1079561	69	0.002	0.069
207434 Rep	1079561	73	0.002	0.073
207435	1079562	19	<0.001	0.019
207436	1079563	120	0.004	0.120
207437	1079564	141	0.004	0.141
207438	1079565	480	0.014	0.480
207439	1079566	1177	0.034	1.177
207440	1079567	261	0.008	0.261
207441	1079568	30	<0.001	0.030
207442	1079569	24	<0.001	0.024
207443	1079570	268	0.008	0.268
207444	1079571	51	0.001	0.051
207445 Dup	1079571	55	0.002	0.055
207446	1079572	35	0.001	0.035
207447	1079573	78	0.002	0.078
207448	1079574	78	0.002	0.078
207449	1079575	176	0.005	0.176
207450	1079576	74	0.002	0.074
207451	1079577	59	0.002	0.059
207452	1079578	173	0.005	0.173
207453	1079579	173	0.005	0.173
207454	1079580	7	<0.001	0.007
207455	1079581	76	0.002	0.076
207456 Dup	1079581	70	0.002	0.070
207457	1079582	37	0.001	0.037
207458	1079583	134	0.004	0.134

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207459	1079584	44	0.001	0.044
207460	1079585	6	<0.001	0.006
207461	1079586	31	<0.001	0.031
207462	1079587	29	<0.001	0.029
207463	1079588	51	0.001	0.051
207464	1079589	28	<0.001	0.028
207465	1079590	4993	0.146	4.993
207466	1079591	25	<0.001	0.025
207467 Dup	1079591	32	<0.001	0.032
207468	1079592	54	0.002	0.054
207469	1079593	26	<0.001	0.026
207470	1079594	25	<0.001	0.025
207471	1079595	106	0.003	0.106
207472	1079596	54	0.002	0.054
207473	1079597	84	0.002	0.084
207474	1079598	43	0.001	0.043
207475	1079599	61	0.002	0.061
207476	1079600	5	<0.001	0.005
207477	1079601	19	<0.001	0.019
207478 Dup	1079601	25	<0.001	0.025
207479	1079602	10	<0.001	0.010
207480	1079603	74	0.002	0.074
207481	1079604	108	0.003	0.108
207482	1079605	69	0.002	0.069
207483	1079606	114	0.003	0.114
207484	1079607	43	0.001	0.043
207485	1079608	13	<0.001	0.013
207486	1079609	25	<0.001	0.025
207487	1079610	1437	0.042	1.437
207488	1079611	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143136  
 Reference: TL11209A  
 Sample #: 123

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207489 Dup	1079611	16	<0.001	0.016
207490	1079612	29	<0.001	0.029
207491	1079613	27	<0.001	0.027
207492	1079614	305	0.009	0.305
207493	1079615	117	0.003	0.117
207494	1079616	128	0.004	0.128
207495	1079617	346	0.010	0.346
207496	1079618	88	0.003	0.088
207497	1079619	36	0.001	0.036
207498	1079620	<5	<0.001	<0.005
207499	1079621	31	<0.001	0.031
207500 Rep	1079621	33	<0.001	0.033
207501	1079622	29	<0.001	0.029
207502	1079623	39	0.001	0.039
207503	1079624	34	<0.001	0.034

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.B.Sc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

**Certificate of Analysis**Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.caDate Received: 09/15/2011  
Date Completed: 09/19/2011  
Job #: 201143384  
Reference: TL11209A  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
226949	1079515	0.069	2.372
226950	1079516	0.143	4.915

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianliuk H.Bsc., Laboratory ManagerThe results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory



Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207799	1079004	0.033	2	5.23	22	279	2	25	1.83	5	22	128	54	3.86	0.01	16	1.19	789	2	76	528	83	2.63	<5	10	<10	204	2431	<2	77	<10	14	304
207800	1079005	0.021	2	4.46	22	434	2	28	0.97	<4	9	22	30	0.88	<0.01	3	0.38	195	<1	25	417	63	0.76	8	14	<10	176	1553	<2	35	<10	6	162
207801	1079006	0.019	2	3.75	18	392	2	23	0.91	<4	8	19	30	0.76	<0.01	1	0.32	182	<1	22	388	62	0.66	7	12	<10	167	1424	<2	32	<10	5	160
207802	1079007	0.013	1	4.55	18	455	2	24	0.94	<4	8	11	13	0.59	0.03	3	0.31	127	<1	16	402	45	0.59	8	17	<10	174	1515	<2	29	<10	5	112
207803	1079008	0.016	2	3.92	19	369	2	31	1.25	<4	7	12	19	1.35	0.05	5	0.39	247	<1	17	386	23	1.24	6	16	<10	169	1384	<2	27	<10	5	105
207804	1079009	0.047	2	3.68	19	291	2	36	1.30	<4	7	14	11	0.64	0.16	<1	0.27	198	<1	22	397	56	0.61	9	10	<10	166	1204	<2	23	<10	5	137
207805	1079010	5.188	2	3.60	399	1259	2	40	2.36	4	13	115	82	3.42	0.17	12	1.36	486	10	57	860	25	1.14	32	19	<10	176	1692	<2	120	<10	15	243
207806	1079011	0.022	1	3.97	19	378	<2	23	1.37	<4	7	12	6	0.37	0.21	<1	0.27	125	<1	16	353	31	0.23	<5	11	<10	201	1351	<2	29	<10	4	66
207807	1079012	0.021	2	4.27	19	394	2	39	1.64	<4	7	17	9	0.66	<0.01	9	0.37	217	<1	22	335	27	0.45	<5	14	<10	210	1509	<2	34	<10	4	39
207808	1079013	0.038	2	5.15	20	511	2	22	1.20	<4	6	13	5	0.54	<0.01	5	0.32	145	<1	18	393	21	0.33	5	11	<10	183	1650	<2	33	<10	5	32
207809D	1079013	0.041	2	4.52	18	418	2	22	1.24	<4	7	12	6	0.53	0.03	<1	0.28	124	<1	19	423	23	0.42	6	13	<10	186	1424	<2	28	<10	5	33
207810	1079014	0.057	3	4.84	34	461	2	31	1.01	<4	8	21	11	1.74	<0.01	3	0.32	244	<1	29	421	26	1.87	6	14	<10	168	1445	<2	31	<10	5	109
207811	1079015	0.017	2	5.80	28	478	2	45	0.68	<4	9	14	26	1.60	<0.01	5	0.32	157	4	27	418	19	1.54	8	12	<10	190	1492	<2	37	<10	6	243
207812	1079016	0.016	2	3.65	4	420	2	34	0.36	<4	7	19	15	1.37	0.11	<1	0.31	115	<1	25	347	20	0.86	5	14	<10	225	1160	<2	26	<10	6	37
207813	1079017	0.006	1	4.37	10	378	2	27	2.09	<4	8	15	8	1.87	0.07	10	1.00	529	<1	19	531	10	0.40	6	12	<10	231	1890	<2	32	<10	7	61
207814	1079018	0.074	4	4.62	4	312	2	27	1.66	10	21	158	286	3.99	0.42	18	1.96	1330	<1	107	480	665	1.32	5	15	<10	144	2212	10	89	27	10	2314
207815	1079019	0.034	1	4.25	12	310	2	21	0.93	4	27	166	84	4.29	0.29	17	1.92	729	3	166	697	98	0.68	<5	7	<10	149	2081	<2	111	<10	11	79
207816	1079020	<0.005	<1	2.28	8	379	<2	28	1.36	<4	11	40	49	3.33	0.23	5	1.07	581	<1	35	568	3	0.06	<5	6	10	191	1875	<2	79	<10	14	59
207817	1079021	0.026	<1	3.75	7	255	2	27	1.05	<4	18	130	61	3.36	0.20	14	1.60	653	2	115	538	39	0.42	7	9	<10	129	1744	5	74	<10	10	56
207818	1079022	0.154	<1	4.06	6	327	2	28	1.41	4	20	142	73	3.78	0.19	16	1.88	1013	4	155	580	74	0.61	10	10	<10	151	2044	2	89	<10	12	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207819	1079023	0.030	1	4.57	9	433	2	28	1.57	<4	9	36	30	2.29	<0.01	11	1.39	694	<1	54	548	290	0.77	7	8	<10	116	1552	3	45	<10	6	214
207820D	1079023	0.037	1	3.98	13	265	2	25	1.57	<4	8	33	30	2.20	0.08	7	1.35	634	<1	56	542	282	0.83	6	7	<10	111	1233	<2	36	<10	7	216
207821	1079024	0.030	<1	4.42	11	342	2	24	1.69	<4	7	30	9	1.86	<0.01	7	1.19	675	<1	63	514	26	0.38	7	12	<10	105	1658	<2	40	<10	6	62
207822	1079025	0.148	<1	4.94	12	446	2	29	1.38	<4	8	36	11	2.10	<0.01	11	1.05	617	3	73	502	20	0.64	5	14	<10	100	1891	4	52	<10	6	61
207823	1079026	0.378	1	5.52	13	384	2	34	1.57	<4	8	31	11	2.05	<0.01	12	1.10	584	5	60	530	23	0.64	6	14	<10	107	1726	<2	43	<10	7	64
207824	1079027	0.170	1	2.29	21	222	2	31	0.75	<4	7	21	30	1.90	0.01	1	0.67	345	<1	46	464	125	1.16	7	11	<10	72	1103	2	28	<10	6	437
207825	1079028	0.282	<1	3.18	29	274	2	22	1.04	<4	8	21	17	1.44	0.01	4	0.72	436	<1	41	432	22	0.87	<5	23	<10	72	1315	<2	31	<10	6	130
207826	1079029	0.188	<1	4.73	27	447	2	48	1.68	<4	9	37	17	1.94	0.01	9	0.98	607	2	67	488	27	0.86	<5	13	<10	92	1783	6	46	11	6	432
207827	1079030	1.371	3	4.13	40	227	3	27	2.45	6	18	64	>5000	5.02	0.09	10	1.20	579	810	23	901	34	2.93	20	10	<10	231	932	<2	104	12	11	112
207828	1079031	0.063	<1	5.33	13	363	2	22	1.89	<4	10	28	75	1.98	0.04	10	1.00	555	9	54	529	20	1.14	7	19	<10	121	1711	<2	40	<10	7	89
207829	1079032	0.023	<1	5.86	12	429	2	34	2.26	<4	9	33	14	2.01	0.05	10	1.13	543	3	66	557	22	1.10	5	19	<10	150	1911	2	47	<10	7	96
207830	1079033	0.010	<1	4.39	10	311	2	29	2.13	<4	8	36	12	1.70	0.30	5	1.01	477	1	73	549	13	0.80	6	11	<10	147	1357	<2	37	<10	7	53
207831D	1079033	0.009	<1	5.34	6	440	2	32	2.21	<4	8	37	11	1.70	0.19	10	1.03	480	6	79	537	10	0.76	6	12	<10	158	1675	<2	45	<10	7	56
207832	1079034	<0.005	<1	4.43	6	466	3	15	1.71	<4	5	20	9	0.99	0.06	9	1.05	486	<1	37	565	26	0.29	6	14	<10	126	1441	7	29	22	7	51
207833	1079035	0.012	<1	4.38	9	486	4	23	1.94	<4	8	25	24	1.79	0.11	8	1.00	536	<1	52	720	23	0.65	6	14	<10	128	1694	<2	37	<10	7	64
207834	1079036	0.014	<1	1.67	5	336	2	31	1.31	<4	7	23	9	1.70	0.02	<1	0.87	512	<1	51	635	5	0.57	6	11	<10	82	1458	3	33	<10	6	51
207835	1079037	0.033	<1	4.22	18	423	2	30	1.33	<4	7	35	9	1.72	0.04	13	0.97	564	2	66	604	30	0.87	5	17	<10	110	1613	<2	41	<10	6	94
207836	1079038	0.114	2	2.00	26	235	2	19	0.66	<4	6	41	11	1.49	0.05	5	0.63	389	1	79	435	537	1.13	8	11	<10	69	1215	<2	37	12	5	542
207837	1079039	0.024	1	4.87	11	376	2	30	1.29	<4	5	36	11	1.50	<0.01	11	1.03	724	4	73	530	55	0.55	6	17	<10	114	1794	<2	46	<10	6	81
207838	1079040	<0.005	<1	<0.01	10	247	2	29	0.99	<4	10	33	45	2.97	<0.01	<1	0.91	519	<1	30	524	3	0.09	5	<5	<10	129	1570	<2	67	<10	11	58

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207839	1079041	0.037	<1	2.77	5	237	2	26	1.01	<4	5	45	22	1.35	<0.01	5	0.84	585	5	93	445	44	0.49	6	11	<10	90	1288	3	41	<10	6	197
207840	1079042	0.022	<1	1.88	10	209	2	30	1.29	<4	5	27	48	1.68	<0.01	<1	1.06	772	<1	64	488	175	0.74	7	8	<10	85	1107	3	29	<10	5	354
207841	1079043	0.050	2	5.16	7	407	3	32	1.39	4	6	48	104	2.11	0.05	13	1.00	668	9	97	508	426	1.42	6	13	<10	98	1639	<2	47	14	6	810
207842D	1079043	0.043	2	2.85	6	225	3	27	1.20	4	6	44	97	1.95	0.18	3	0.86	577	4	94	467	404	1.31	5	14	<10	84	1086	<2	36	13	6	754
207843	1079044	0.092	1	6.11	23	600	2	21	2.09	<4	6	49	17	1.88	0.12	12	1.30	998	9	99	555	246	1.03	8	15	<10	135	1769	10	47	<10	7	240
207844	1079045	0.081	2	1.68	26	186	<2	20	0.91	<4	4	16	17	1.34	0.06	<1	0.83	543	<1	37	475	311	1.15	5	13	<10	82	1031	4	23	<10	5	84
207845	1079046	0.070	2	3.96	30	394	2	31	1.27	<4	6	42	23	1.71	<0.01	8	1.03	758	4	90	486	315	1.18	8	18	<10	108	1668	6	47	<10	5	103
207846	1079047	0.053	<1	0.90	19	167	2	17	0.94	<4	4	29	10	1.31	0.06	<1	0.83	589	<1	68	524	23	0.90	7	15	<10	79	1049	<2	29	<10	5	50
207847	1079048	0.482	3	1.92	42	314	2	27	0.54	6	5	28	65	1.87	0.10	2	0.66	360	<1	54	418	585	2.54	8	11	<10	73	1130	<2	31	21	5	1651
207848	1079049	0.055	<1	3.23	25	524	2	35	1.24	<4	6	34	18	1.46	0.22	6	1.06	727	1	75	534	26	1.00	5	11	<10	109	1397	3	38	<10	6	68
207849	1079050	0.298	105	2.44	195	235	2	38	0.95	26	12	41	6031	5.11	<0.01	3	1.18	1586	9	28	444	10431	2.98	300	12	<10	166	1559	2	67	44	12	5118
207850	1079051	0.065	2	3.43	23	389	2	31	0.91	<4	7	39	88	1.36	0.15	8	0.91	726	4	89	541	143	0.65	7	13	<10	119	1575	10	48	<10	5	169
207851	1079052	0.044	<1	<0.01	37	97	<2	18	0.04	<4	17	10	16	1.38	<0.01	<1	0.65	439	<1	34	536	67	1.67	5	<5	<10	47	896	<2	16	<10	4	119
207852	1079053	0.081	1	3.57	23	308	2	21	0.59	<4	9	9	26	1.10	<0.01	5	0.65	442	<1	22	429	80	1.18	5	11	<10	114	1384	<2	24	<10	4	130
207853D	1079053	0.057	<1	3.48	24	110	<2	31	<0.01	<4	9	7	26	1.04	<0.01	<1	0.52	387	<1	22	418	69	1.16	<5	9	<10	40	827	<2	14	<10	4	126
207854	1079054	0.061	1	3.87	27	264	<2	37	0.77	<4	8	9	32	1.41	0.16	7	0.84	662	<1	23	516	63	1.26	<5	16	<10	130	1357	2	25	<10	5	131
207855	1079055	0.042	<1	3.37	23	275	2	20	0.63	<4	9	14	14	1.17	0.07	6	0.71	525	<1	26	432	31	1.24	7	12	<10	135	1263	<2	24	<10	4	74
207856	1079056	0.077	<1	2.64	23	231	<2	26	0.59	<4	7	7	10	1.21	<0.01	2	0.68	484	<1	17	377	17	1.41	7	14	<10	133	1159	2	22	<10	4	45
207857	1079057	0.196	1	0.40	22	179	2	23	0.19	<4	8	6	29	1.00	<0.01	<1	0.54	414	<1	17	405	52	1.08	6	9	<10	76	1011	<2	18	<10	4	100
207858	1079058	0.111	1	4.14	21	321	2	27	0.85	<4	5	10	17	1.25	0.03	8	0.75	542	<1	14	479	15	1.07	6	16	<10	153	1477	4	27	<10	5	51

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207859	1079059	0.041	<1	<0.01	21	129	2	24	0.11	<4	6	7	14	0.97	<0.01	<1	0.56	407	<1	19	434	17	1.12	5	12	<10	62	927	3	15	<10	4	59
207860	1079060	0.007	<1	3.17	10	414	2	26	1.36	<4	10	35	45	3.04	<0.01	6	0.96	544	<1	30	524	5	0.15	6	6	<10	224	2020	<2	77	<10	12	52
207861	1079061	0.458	2	4.68	26	320	2	21	0.88	<4	10	11	16	1.06	<0.01	9	0.80	503	<1	27	442	163	1.02	7	18	<10	163	1489	7	26	<10	5	299
207862	1079062	2.639	<1	1.94	35	266	2	22	0.65	<4	19	11	19	1.42	0.04	4	0.84	568	<1	27	351	27	1.64	6	12	<10	112	1246	<2	24	<10	4	51
207863	1079063	2.265	8	1.61	100	179	2	23	0.23	13	9	19	81	2.37	0.04	4	0.51	314	<1	25	385	1731	3.51	10	13	<10	77	1307	<2	23	46	5	4549
207864R	1079063	2.467	12	2.41	98	226	2	25	0.26	15	9	18	82	2.36	<0.01	8	0.52	287	<1	25	366	2091	3.54	9	10	<10	81	1378	<2	24	59	5	5965
207865	1079064	0.058	2	4.04	13	273	2	16	1.22	<4	9	27	40	2.01	<0.01	8	0.82	576	<1	24	405	54	1.11	5	9	<10	158	1773	<2	33	<10	6	138
207866	1079065	0.090	1	3.42	26	335	2	23	0.84	<4	8	26	22	1.77	0.02	10	0.73	507	<1	25	468	17	1.34	5	11	<10	120	1677	<2	31	<10	7	64
207867	1079066	0.071	1	3.31	23	352	2	35	0.84	<4	9	28	16	1.69	<0.01	10	0.70	496	<1	27	480	9	1.18	7	10	<10	123	1731	<2	32	<10	7	52
207868	1079067	0.097	<1	3.09	30	275	2	28	1.12	<4	10	22	18	2.25	0.02	8	0.83	663	<1	33	430	11	2.21	7	18	<10	128	1602	<2	29	<10	6	50
207869	1079068	0.089	<1	3.29	17	327	<2	25	0.92	<4	8	17	6	1.54	0.11	8	0.92	654	<1	23	464	13	0.81	8	10	<10	98	1600	<2	27	<10	7	55
207870	1079069	0.607	<1	3.74	17	380	2	22	1.48	<4	6	18	9	1.52	0.06	7	1.06	840	<1	25	476	25	0.90	7	18	<10	127	1562	5	28	<10	5	76
207871	1079070	4.812	1	3.40	371	1258	2	32	2.24	4	13	100	76	3.16	0.19	13	1.23	459	5	55	804	21	1.77	43	11	<10	190	1643	5	114	12	13	213
207872	1079071	0.048	<1	3.09	23	309	2	33	1.05	<4	8	22	14	1.68	0.02	8	0.95	788	<1	27	434	13	0.97	5	20	<10	107	1494	3	27	<10	6	58
207873	1079072	0.671	1	3.95	15	485	2	26	1.01	<4	8	23	41	1.55	0.10	10	0.89	719	<1	24	463	32	0.98	6	18	<10	120	1709	6	33	<10	6	210
207874	1079073	0.482	2	3.56	24	321	2	26	0.75	<4	7	21	34	2.06	<0.01	9	0.92	839	<1	23	422	28	1.67	7	11	<10	106	1732	4	32	<10	5	100
207875D	1079073	0.479	2	2.96	21	274	2	34	0.59	<4	7	20	34	2.04	<0.01	8	0.92	807	<1	22	430	25	1.65	7	13	<10	90	1606	<2	30	<10	6	97
207876	1079074	5.441	1	2.17	22	232	2	29	0.36	<4	8	12	15	0.96	<0.01	2	0.61	383	<1	17	378	32	0.82	<5	15	<10	85	1224	<2	22	<10	5	101
207877	1079075	0.188	1	4.01	19	384	2	23	0.52	<4	9	14	16	0.72	<0.01	9	0.60	318	<1	27	398	35	0.55	6	17	<10	106	1671	<2	28	<10	4	48
207878	1079076	0.194	1	3.43	24	269	2	34	0.74	<4	6	11	32	1.13	<0.01	7	0.82	515	<1	15	437	34	1.20	6	14	<10	110	1407	3	25	<10	5	87

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207879	1079077	0.357	<1	2.77	26	249	<2	27	0.62	<4	8	14	28	1.36	<0.01	5	0.82	560	<1	21	438	32	1.31	6	13	<10	90	1423	7	27	<10	5	94
207880	1079078	0.127	1	2.67	26	221	2	24	0.63	<4	8	21	25	1.52	0.05	3	0.79	567	<1	24	399	21	1.55	<5	10	<10	93	1386	4	26	<10	6	64
207881	1079079	0.232	1	2.61	17	227	2	24	0.51	<4	9	38	31	1.68	<0.01	7	0.98	622	<1	29	456	26	1.44	<5	13	<10	78	1574	3	33	<10	8	87
207882	1079080	0.007	<1	3.14	7	419	2	26	1.39	<4	11	37	47	3.16	<0.01	5	1.01	564	<1	30	547	2	0.18	7	11	<10	224	1990	<2	79	<10	13	55
207883	1079081	0.235	<1	2.24	21	195	<2	21	0.57	<4	7	17	15	1.16	<0.01	4	0.91	524	<1	21	420	24	0.84	5	13	<10	92	1224	<2	25	<10	5	60
207884	1079082	0.104	<1	2.83	35	92	2	24	0.88	<4	5	13	8	1.38	0.12	8	1.97	867	<1	20	315	51	0.68	<5	18	<10	114	937	7	18	<10	5	109
207885	1079083	1.113	2	4.45	16	161	2	34	1.05	<4	6	13	8	1.60	0.06	12	2.26	1096	<1	17	376	150	0.86	7	15	<10	122	1146	12	23	<10	5	157
207886D	1079083	1.147	2	4.65	15	193	2	26	1.12	<4	6	15	8	1.67	0.08	14	2.33	1234	<1	18	383	161	0.97	6	14	<10	128	1269	12	26	<10	5	165
207887	1079084	0.017	<1	3.90	15	239	2	31	0.86	<4	4	13	8	0.86	<0.01	8	1.01	553	<1	22	323	28	0.53	6	16	<10	110	1334	<2	24	<10	4	56
207888	1079085	0.041	<1	3.43	12	235	2	25	1.04	<4	3	10	6	0.66	<0.01	5	1.04	598	<1	19	353	20	0.31	<5	18	<10	96	1346	<2	23	<10	4	33
207889	1079086	0.022	<1	4.87	17	303	2	28	1.26	<4	4	10	7	0.69	0.03	10	1.12	634	<1	15	408	21	0.29	6	17	<10	111	1526	10	26	<10	5	45
207890	1079087	0.051	2	4.89	18	297	2	19	1.26	<4	5	12	23	0.94	0.15	10	1.11	672	<1	23	385	114	0.89	5	22	<10	106	1635	13	27	<10	5	175
207891	1079088	0.083	1	4.69	23	326	2	24	0.82	<4	5	13	13	0.69	<0.01	12	0.87	487	<1	18	494	25	0.71	5	14	<10	93	1691	3	27	<10	4	130
207892	1079089	0.630	3	3.89	34	293	2	28	0.35	<4	6	12	47	0.84	0.05	8	0.58	219	<1	24	334	156	1.30	9	13	<10	70	1529	<2	25	<10	4	128
207893	1079090	0.834	3	4.61	38	221	3	22	2.38	6	17	59	7307	4.79	<0.01	10	1.20	539	764	23	855	31	4.80	15	17	<10	220	807	4	97	<10	12	100
207894	1079091	0.564	1	4.55	54	283	2	41	0.75	<4	7	11	115	1.40	0.11	13	0.90	543	10	20	395	64	2.18	7	19	<10	76	1681	2	28	12	5	758
207895	1079092	0.121	<1	4.16	25	239	2	24	1.19	<4	5	9	9	0.98	<0.01	10	1.00	603	<1	18	366	19	0.85	8	17	<10	77	1440	7	23	<10	5	48
207896	1079093	0.040	<1	4.34	32	239	2	26	1.16	<4	4	11	8	1.36	0.02	9	0.97	568	<1	15	346	22	1.70	7	21	<10	78	1416	7	23	<10	5	49
207897D	1079093	0.103	<1	4.31	43	248	2	30	1.07	<4	4	10	8	1.27	<0.01	9	0.95	540	<1	18	321	23	1.53	7	15	<10	75	1416	4	23	<10	5	42
207898	1079094	0.045	<1	3.11	15	200	2	23	0.62	<4	4	7	7	0.62	<0.01	3	0.72	365	<1	15	364	20	0.53	5	13	<10	61	1162	<2	18	<10	4	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207899	1079095	0.503	12	4.06	50	245	2	26	0.47	14	6	10	116	1.83	<0.01	9	0.69	327	<1	21	352	1223	3.29	40	13	<10	65	1379	<2	24	37	5	3464
207900	1079096	0.034	1	4.74	21	220	2	28	1.35	<4	6	11	11	0.87	<0.01	8	1.07	614	<1	21	375	45	0.67	7	18	<10	100	1285	9	20	<10	6	81
207901	1079097	0.162	1	4.13	27	196	2	17	1.27	<4	5	15	15	1.36	<0.01	9	0.98	582	<1	26	350	58	1.66	7	13	<10	94	1285	<2	20	<10	5	180
207902	1079098	0.515	5	3.01	28	212	2	23	0.51	<4	5	8	27	1.00	<0.01	7	0.71	361	<1	18	344	197	1.41	11	14	<10	66	1397	<2	23	10	4	561
207903	1079099	1.905	4	2.95	37	204	2	30	<0.01	<4	6	14	40	0.85	<0.01	3	0.43	106	<1	25	331	112	1.23	11	13	<10	41	1246	<2	22	<10	4	257
207904	1079100	<0.005	<1	1.69	9	340	2	14	1.09	<4	9	30	40	2.74	<0.01	<1	0.86	484	<1	26	469	<1	0.12	5	11	<10	191	1703	<2	68	<10	12	102
207905	1079101	0.115	2	3.83	36	189	2	13	1.26	<4	8	17	23	1.53	<0.01	11	1.12	631	<1	29	398	372	1.61	8	16	<10	78	1503	5	26	<10	6	200
207906	1079102	0.033	<1	4.42	30	206	2	25	1.91	<4	7	14	12	1.50	0.06	8	1.34	843	<1	23	395	37	1.14	8	11	<10	98	1427	6	24	<10	7	59
207907	1079103	0.030	1	3.84	10	208	2	20	1.23	<4	6	14	21	1.02	<0.01	9	1.02	613	<1	27	351	90	0.65	<5	14	<10	82	1253	<2	18	<10	5	72
207908D	1079103	0.020	1	4.28	8	235	2	22	1.27	<4	6	11	23	1.01	<0.01	11	1.04	628	<1	19	353	99	0.51	<5	18	<10	86	1335	5	20	<10	5	76
207909	1079104	0.089	1	4.66	40	283	2	24	1.18	<4	6	11	14	1.33	<0.01	12	1.02	579	<1	21	361	57	1.56	6	19	<10	102	1421	6	23	<10	5	97
207910	1079105	0.053	<1	3.80	35	343	2	40	1.17	<4	5	9	14	1.20	<0.01	4	0.99	644	<1	20	333	31	1.49	7	14	<10	94	1331	7	21	<10	5	46
207911	1079106	0.048	1	4.06	35	320	2	22	1.14	<4	6	8	9	1.24	<0.01	6	0.96	561	<1	19	365	28	1.61	6	19	<10	94	1226	<2	19	<10	5	45
207912	1079107	0.049	<1	4.59	28	387	2	24	0.96	<4	6	13	15	1.27	<0.01	12	1.28	603	<1	26	365	32	1.12	6	18	<10	102	1598	2	25	<10	5	117
207913	1079108	0.900	9	3.42	56	308	2	23	0.46	5	10	26	55	1.88	<0.01	8	0.67	306	<1	31	297	800	3.08	10	13	<10	76	1382	<2	27	18	5	1484
207914	1079109	0.034	1	2.67	14	264	2	25	1.04	<4	6	16	8	1.20	<0.01	9	0.88	403	<1	28	339	24	0.80	<5	13	<10	122	1492	4	24	<10	4	256
207915	1079110	0.803	3	3.61	32	230	2	30	2.19	6	15	51	7311	4.48	<0.01	6	1.14	507	722	19	796	31	4.26	12	13	<10	198	698	4	89	<10	12	99
207916	1079111	0.014	<1	2.87	9	199	2	29	1.40	<4	5	11	83	1.39	<0.01	5	1.05	423	<1	19	390	7	0.32	6	14	<10	108	1268	<2	20	<10	6	45
207917	1079112	0.008	<1	2.03	8	166	2	21	1.31	<4	5	15	11	0.99	<0.01	<1	0.87	376	<1	30	372	3	0.43	5	13	<10	94	889	<2	13	<10	5	35
207918	1079113	0.019	<1	3.19	14	245	2	27	1.25	<4	8	16	8	1.00	<0.01	3	0.93	485	<1	26	366	8	0.63	7	16	<10	89	1156	2	19	<10	5	118

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207919D	1079113	0.041	<1	4.30	20	301	2	48	1.35	<4	8	18	8	1.03	<0.01	7	0.96	493	<1	28	374	7	0.67	7	15	<10	95	1282	<2	21	<10	6	114
207920	1079114	0.007	1	2.95	10	344	2	29	0.61	<4	4	21	8	0.65	<0.01	4	0.55	232	<1	30	269	14	0.29	<5	13	<10	83	1000	4	17	<10	5	30
207921	1079115	0.091	1	4.23	9	150	2	26	2.03	<4	5	12	5	1.29	<0.01	6	1.45	635	<1	19	861	11	0.39	<5	16	<10	124	1241	7	17	<10	7	50
207922	1079116	0.133	5	5.07	42	175	2	23	3.31	15	20	22	292	4.43	0.06	8	2.29	1478	<1	33	571	1654	6.28	10	10	<10	121	1664	<2	35	40	10	3786
207923	1079117	0.053	2	5.39	43	328	2	22	1.04	4	21	149	76	3.94	0.07	16	1.72	804	5	122	560	77	4.02	<5	8	<10	86	2391	5	95	<10	13	186
207924	1079118	0.132	1	4.84	11	361	2	20	0.82	<4	18	119	56	3.45	0.05	17	1.88	638	4	107	521	32	2.06	<5	11	<10	76	2270	3	77	<10	13	97
207925	1079119	0.008	4	5.16	30	296	2	47	2.26	9	21	128	90	4.34	0.07	16	2.18	880	1	110	604	913	4.60	6	9	<10	116	1990	15	79	19	15	1551
207926	1079120	<0.005	<1	2.71	9	393	2	21	1.36	<4	10	37	48	3.19	0.19	5	1.03	558	<1	32	554	10	0.18	7	7	<10	203	1872	<2	77	<10	14	64
207927	1079121	0.048	<1	3.48	13	202	2	33	1.48	4	33	131	48	4.41	0.11	13	2.05	753	<1	113	469	32	3.42	5	9	<10	94	2089	<2	75	<10	12	96
207928	1079122	0.059	1	3.21	35	311	2	18	1.61	<4	5	22	23	1.44	0.07	5	1.24	605	<1	50	319	262	1.81	5	14	<10	74	1104	4	26	<10	5	433
207929	1079123	0.041	<1	3.64	25	384	2	32	1.86	<4	6	35	18	1.56	0.09	6	1.35	718	<1	80	331	24	1.61	5	20	<10	77	1236	<2	36	<10	5	102
207930R	1079123	0.043	<1	4.06	30	348	2	17	1.96	<4	6	28	19	1.52	<0.01	8	1.40	725	<1	60	354	22	1.62	5	12	<10	81	1177	5	29	<10	6	158
207931	1079124	0.034	<1	3.08	32	280	2	29	1.22	<4	7	38	8	1.42	<0.01	6	1.03	510	1	77	422	26	1.95	6	15	<10	67	1150	<2	34	<10	6	89
207932	1079125	0.020	<1	2.73	15	243	2	13	1.33	<4	6	30	28	1.28	<0.01	4	1.08	493	<1	72	343	33	0.93	6	16	<10	77	1017	<2	30	<10	5	183
207933	1079126	0.033	1	3.87	14	317	2	23	1.53	<4	6	22	28	1.34	0.05	8	1.15	514	<1	50	383	116	1.13	8	16	<10	87	1184	<2	28	10	6	366
207934	1079127	0.013	1	4.47	11	387	2	43	1.71	<4	6	26	17	1.45	0.13	9	1.28	515	<1	58	379	67	1.10	7	9	<10	95	1226	2	28	<10	6	231
207935	1079128	0.019	<1	4.93	20	544	2	30	1.87	<4	7	21	10	1.50	0.07	12	1.45	627	<1	45	340	33	1.71	8	16	<10	105	1535	15	32	<10	5	143
207936	1079129	0.025	<1	4.29	15	303	2	26	2.83	<4	10	40	52	2.62	0.03	11	2.65	1315	<1	64	467	58	1.96	7	12	<10	115	1397	3	43	10	9	343
207937	1079130	3.280	1	2.20	387	1192	2	14	2.13	4	13	107	83	3.26	0.08	8	1.28	463	6	57	825	25	1.83	30	16	<10	152	1505	<2	112	12	13	233
207938	1079131	0.465	19	4.28	14	215	2	37	2.47	43	18	103	265	4.81	0.08	15	3.27	1740	2	124	411	1063	5.26	11	5	<10	76	1591	11	74	111	14	12646

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207939	1079132	0.060	1	6.42	20	384	2	37	1.19	5	8	30	13	2.16	0.08	19	2.59	572	3	57	543	42	1.25	6	13	<10	88	1472	15	45	14	7	876
207940	1079133	0.037	1	5.09	16	312	2	27	1.54	<4	9	33	12	2.03	0.08	20	2.24	681	2	77	587	274	1.02	9	22	<10	89	1555	9	44	<10	7	113
207941D	1079133	0.034	<1	4.93	18	262	2	36	1.64	<4	9	34	13	2.16	0.03	20	2.36	718	2	76	634	290	1.16	9	10	<10	90	1470	20	42	<10	7	110
207942	1079134	0.077	2	4.14	22	280	2	22	1.47	9	7	14	18	1.71	<0.01	12	1.73	566	<1	35	544	274	1.64	6	14	<10	83	1227	8	28	20	7	1958
207943	1079135	0.200	6	5.22	19	292	2	44	2.20	4	11	51	32	2.40	0.25	21	2.70	858	<1	78	597	762	1.34	7	17	<10	91	1400	9	49	<10	7	276
207944	1079136	0.160	2	1.62	30	141	<2	21	0.70	4	18	92	93	3.49	<0.01	10	1.49	443	<1	126	415	147	4.05	7	6	<10	51	878	3	55	<10	8	232
207945	1079137	0.742	3	2.50	59	183	2	27	0.36	13	17	140	56	2.69	<0.01	7	0.74	221	8	147	421	386	4.55	6	8	<10	53	881	<2	76	32	6	2940
207946	1079138	0.369	1	2.69	59	149	2	26	0.27	4	21	127	42	3.86	0.16	24	2.27	608	<1	135	520	131	4.30	8	8	<10	47	1176	<2	80	<10	8	148
207947	1079139	1.101	2	2.64	45	131	3	23	0.24	4	20	130	30	3.95	<0.01	28	2.90	728	<1	130	542	60	3.13	6	10	<10	40	1247	13	81	<10	7	136
207948	1079140	0.010	<1	1.68	9	346	2	30	1.24	<4	11	37	47	3.17	0.01	3	1.02	554	<1	33	548	3	0.19	6	9	<10	182	1748	<2	75	<10	13	54
207949	1079141	0.331	2	2.10	49	105	2	16	0.14	5	20	110	85	4.00	<0.01	28	2.53	671	<1	118	479	151	4.22	7	<5	<10	41	1077	<2	70	10	6	346
207950	1079142	0.337	3	3.23	49	285	2	31	0.29	5	10	92	71	2.40	<0.01	13	1.26	306	6	110	423	623	3.32	8	12	<10	53	930	<2	60	15	6	1115
207951	1079143	0.051	1	5.57	17	419	3	28	0.58	<4	11	115	23	2.34	0.10	20	1.79	474	16	141	569	81	1.52	5	21	<10	64	1494	12	78	<10	7	118
207952D	1079143	0.049	1	3.51	15	301	2	24	0.40	<4	10	97	20	2.12	<0.01	14	1.65	436	8	129	515	66	1.42	6	12	<10	50	1214	6	65	<10	6	100
207953	1079144	0.179	2	5.01	69	194	2	25	1.87	6	20	155	55	4.05	0.15	16	2.07	733	4	134	593	92	5.19	6	13	<10	76	1418	<2	81	<10	10	590
207954	1079145	0.566	3	3.51	100	160	2	22	0.43	15	18	128	52	4.01	<0.01	12	1.17	334	5	111	495	243	7.60	7	7	<10	53	1220	<2	79	41	8	3556
207955	1079146	0.483	3	3.49	99	147	2	36	0.45	17	18	150	63	4.16	<0.01	11	1.17	353	11	151	508	199	7.67	6	9	<10	54	1231	<2	91	45	8	4197
207956	1079147	0.133	2	4.12	52	182	3	32	0.63	4	18	114	29	3.56	0.02	25	2.51	633	<1	74	587	43	2.40	6	10	<10	54	1736	4	72	<10	9	138
207957	1079148	0.147	2	3.61	64	192	2	19	0.58	4	22	129	28	4.02	<0.01	21	2.08	534	<1	92	522	54	4.59	5	8	<10	50	1338	2	79	<10	8	113
207958	1079149	0.178	4	4.72	63	199	2	26	0.82	6	20	115	67	4.14	0.11	24	2.34	589	<1	84	521	89	5.07	8	11	<10	58	1515	<2	75	10	9	399

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207959	1079150	1.441	3	3.85	38	191	3	34	2.31	6	17	59	7282	4.73	<0.01	7	1.19	545	754	22	870	38	5.25	13	24	<10	206	785	<2	96	<10	12	103
207960	1079151	3.699	30	3.73	85	263	2	32	0.29	18	16	122	158	3.15	<0.01	10	0.88	224	10	72	444	998	6.05	20	10	<10	55	1175	<2	66	36	7	3080
207961	1079152	0.075	2	4.87	40	177	<2	24	1.06	4	19	117	21	3.69	0.14	26	3.18	644	<1	75	478	60	2.25	7	10	<10	64	1246	7	62	<10	10	165
207962	1079153	4.323	46	5.74	81	177	3	43	1.83	21	17	115	312	4.37	0.02	19	2.02	474	7	76	463	3165	8.03	37	10	<10	106	1322	3	65	60	9	6250
207963D	1079153	4.134	43	4.35	82	155	2	31	1.72	22	17	108	322	4.37	<0.01	16	2.02	475	<1	77	458	3272	8.28	36	13	<10	96	1252	6	60	62	8	6385
207964	1079154	0.089	2	3.83	30	260	2	23	0.47	5	20	129	40	4.30	<0.01	46	3.98	673	<1	78	559	120	2.22	10	6	<10	48	2131	5	86	<10	9	412
207965	1079155	0.067	2	3.78	45	269	3	27	0.42	4	23	125	30	3.85	0.04	34	3.05	484	<1	89	550	83	2.53	8	15	<10	58	1815	6	79	<10	9	191
207966	1079156	0.079	2	3.91	24	254	2	32	0.46	4	27	131	40	4.21	0.07	29	3.02	559	<1	96	595	62	2.20	9	9	<10	58	2267	4	96	10	11	158
207967	1079157	0.625	2	3.75	19	230	2	21	0.52	<4	20	115	38	3.59	0.06	23	2.44	526	<1	86	561	48	1.69	8	8	<10	60	1989	<2	74	<10	10	109
207968	1079158	0.339	10	4.01	27	273	2	26	0.49	8	13	65	18	2.09	0.12	14	1.49	327	<1	53	463	1244	2.18	18	19	<10	62	1350	4	41	22	6	2003
207969	1079159	2.306	21	3.92	75	310	2	25	0.38	<4	7	29	43	1.58	<0.01	9	0.87	191	1	35	330	969	2.14	20	21	<10	64	1158	<2	23	<10	5	427
207970	1079160	<0.005	<1	2.69	10	380	2	27	1.40	<4	11	38	45	3.19	0.03	5	1.05	570	<1	32	564	8	0.21	7	11	<10	202	1893	<2	79	<10	13	73
207971	1079161	0.026	1	5.07	23	432	2	25	1.41	<4	6	19	4	1.37	0.13	14	1.52	350	<1	25	357	48	1.38	7	15	<10	121	1255	<2	22	<10	6	81
207972	1079162	0.085	2	4.95	35	280	3	26	1.68	<4	16	105	32	3.13	0.13	14	2.26	527	<1	59	523	45	2.88	7	15	<10	125	1730	10	53	10	10	158
207973	1079163	0.485	2	3.59	45	202	2	23	1.09	<4	19	99	75	3.14	0.07	10	1.58	504	<1	81	517	152	2.81	8	11	<10	82	1587	10	57	<10	10	196
207974D	1079163	0.428	1	2.53	35	203	2	22	0.72	<4	14	80	58	2.41	<0.01	8	1.17	384	<1	59	373	110	3.18	7	11	<10	68	1406	2	51	<10	7	134
207975	1079164	0.022	1	4.38	17	130	3	32	1.62	4	24	128	61	4.31	0.09	16	1.96	506	<1	93	565	36	2.19	8	9	<10	90	2110	4	72	<10	11	115
207976	1079165	0.141	1	3.97	15	130	2	28	1.16	4	26	129	59	4.66	0.08	19	2.22	563	<1	105	595	35	2.33	5	5	<10	70	2296	<2	79	<10	11	103
207977	1079166	0.264	2	4.95	14	160	2	28	1.36	5	28	143	63	5.19	0.14	23	2.45	646	<1	109	618	38	2.57	9	5	<10	78	2672	<2	91	<10	11	113
207978	1079167	0.123	1	3.34	15	117	3	28	1.10	<4	18	94	50	3.22	0.09	14	1.72	466	<1	73	472	32	2.31	8	<5	<10	73	1618	10	53	<10	9	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207979	1079168	0.104	2	3.91	16	164	2	37	1.13	<4	19	99	45	3.29	<0.01	13	1.72	468	<1	78	531	64	1.96	8	7	<10	78	1918	5	60	<10	11	113
207980	1079169	0.079	5	3.90	14	144	3	26	1.53	7	24	121	70	4.20	0.01	12	1.54	584	<1	103	572	313	3.63	7	7	<10	95	1951	4	72	13	13	855
207981	1079170	0.228	>100	2.57	249	237	2	36	1.11	32	15	48	>5000	6.09	0.04	4	1.39	1932	16	33	551	>5000	5.91	320	16	<10	167	1794	<2	77	56	14	>5000
207982	1079171	0.448	6	2.66	51	223	2	18	0.97	4	21	117	174	3.68	0.05	10	1.13	589	<1	87	479	278	4.86	9	<5	<10	82	1846	<2	72	11	10	325
207983	1079172	0.563	5	3.60	62	357	2	25	1.43	<4	11	29	26	1.84	<0.01	11	1.08	581	<1	36	506	118	3.05	8	17	<10	104	1403	<2	34	<10	7	215
207984	1079173	0.063	1	5.45	47	617	2	26	2.19	<4	9	16	14	1.80	0.06	15	1.54	777	<1	29	565	95	2.25	7	20	<10	137	1623	6	30	<10	7	168
207985D	1079173	0.059	1	4.60	47	559	2	22	2.05	<4	9	15	14	1.72	0.15	11	1.48	739	<1	27	534	95	2.12	7	9	<10	126	1439	12	27	<10	7	166
207986	1079174	0.048	<1	5.22	31	866	2	33	2.21	<4	8	19	11	1.55	0.16	18	1.43	820	<1	25	586	63	1.55	6	15	<10	137	1844	<2	35	<10	7	122
207987	1079175	0.142	2	4.45	29	940	3	33	1.71	<4	8	24	19	1.64	<0.01	17	1.31	635	<1	37	532	148	1.75	<5	17	<10	122	1581	14	31	13	7	384
207988	1079176	0.680	2	5.11	19	838	2	24	1.54	4	7	24	51	1.59	0.11	15	1.15	593	2	31	509	220	1.77	9	18	<10	104	1699	9	34	15	6	730
207989	1079177	0.128	2	4.80	42	454	2	33	1.74	<4	7	24	52	1.44	0.05	11	1.25	744	<1	32	512	161	2.43	10	13	<10	103	1579	10	29	<10	7	456
207990	1079178	0.237	1	3.07	46	321	3	21	0.47	7	7	23	25	1.21	0.02	11	0.63	158	2	29	371	130	2.79	6	14	<10	66	1401	<2	28	24	5	1633
207991	1079179	0.278	2	2.72	28	330	3	32	0.44	7	9	15	113	4.43	<0.01	7	0.60	218	<1	29	456	66	7.19	6	<5	<10	64	1506	<2	29	16	5	630
207992	1079180	0.007	<1	2.92	9	407	2	28	1.45	<4	11	39	49	3.37	0.16	4	1.09	597	<1	34	597	2	0.31	6	6	<10	217	1984	<2	82	<10	14	66
207993	1079181	0.064	1	4.20	12	353	2	21	0.73	<4	7	28	41	1.99	<0.01	14	1.04	345	4	34	490	22	2.33	5	16	<10	75	1547	<2	31	12	6	193
207994	1079182	0.027	<1	5.34	20	285	2	30	2.29	<4	9	18	23	2.01	0.10	12	1.95	806	<1	27	561	25	1.41	5	16	<10	95	1680	8	28	<10	7	182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207799	1079004	33	<0.001	0.033
207800	1079005	21	<0.001	0.021
207801	1079006	19	<0.001	0.019
207802	1079007	13	<0.001	0.013
207803	1079008	16	<0.001	0.016
207804	1079009	47	0.001	0.047
207805	1079010	5188	0.151	5.188
207806	1079011	22	<0.001	0.022
207807	1079012	21	<0.001	0.021
207808	1079013	38	0.001	0.038
207809 Dup	1079013	41	0.001	0.041
207810	1079014	57	0.002	0.057
207811	1079015	17	<0.001	0.017
207812	1079016	16	<0.001	0.016
207813	1079017	6	<0.001	0.006
207814	1079018	74	0.002	0.074
207815	1079019	34	0.001	0.034
207816	1079020	<5	<0.001	<0.005
207817	1079021	26	<0.001	0.026
207818	1079022	154	0.004	0.154
207819	1079023	30	<0.001	0.030
207820 Dup	1079023	37	0.001	0.037
207821	1079024	30	<0.001	0.030
207822	1079025	148	0.004	0.148
207823	1079026	378	0.011	0.378
207824	1079027	170	0.005	0.170
207825	1079028	282	0.008	0.282
207826	1079029	188	0.005	0.188
207827	1079030	1371	0.040	1.371
207828	1079031	63	0.002	0.063

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207829	1079032	23	<0.001	0.023
207830	1079033	10	<0.001	0.010
207831 Dup	1079033	9	<0.001	0.009
207832	1079034	<5	<0.001	<0.005
207833	1079035	12	<0.001	0.012
207834	1079036	14	<0.001	0.014
207835	1079037	33	<0.001	0.033
207836	1079038	114	0.003	0.114
207837	1079039	24	<0.001	0.024
207838	1079040	<5	<0.001	<0.005
207839	1079041	37	0.001	0.037
207840	1079042	22	<0.001	0.022
207841	1079043	50	0.001	0.050
207842 Dup	1079043	43	0.001	0.043
207843	1079044	92	0.003	0.092
207844	1079045	81	0.002	0.081
207845	1079046	70	0.002	0.070
207846	1079047	53	0.002	0.053
207847	1079048	482	0.014	0.482
207848	1079049	55	0.002	0.055
207849	1079050	298	0.009	0.298
207850	1079051	65	0.002	0.065
207851	1079052	44	0.001	0.044
207852	1079053	81	0.002	0.081
207853 Dup	1079053	57	0.002	0.057
207854	1079054	61	0.002	0.061
207855	1079055	42	0.001	0.042
207856	1079056	77	0.002	0.077
207857	1079057	196	0.006	0.196
207858	1079058	111	0.003	0.111

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207859	1079059	41	0.001	0.041
207860	1079060	7	<0.001	0.007
207861	1079061	458	0.013	0.458
207862	1079062	2639	0.077	2.639
207863	1079063	2265	0.066	2.265
207864 Rep	1079063	2467	0.072	2.467
207865	1079064	58	0.002	0.058
207866	1079065	90	0.003	0.090
207867	1079066	71	0.002	0.071
207868	1079067	97	0.003	0.097
207869	1079068	89	0.003	0.089
207870	1079069	607	0.018	0.607
207871	1079070	4812	0.140	4.812
207872	1079071	48	0.001	0.048
207873	1079072	671	0.020	0.671
207874	1079073	482	0.014	0.482
207875 Dup	1079073	479	0.014	0.479
207876	1079074	5441	0.159	5.441
207877	1079075	188	0.005	0.188
207878	1079076	194	0.006	0.194
207879	1079077	357	0.010	0.357
207880	1079078	127	0.004	0.127
207881	1079079	232	0.007	0.232
207882	1079080	7	<0.001	0.007
207883	1079081	235	0.007	0.235
207884	1079082	104	0.003	0.104
207885	1079083	1113	0.032	1.113
207886 Dup	1079083	1147	0.033	1.147
207887	1079084	17	<0.001	0.017
207888	1079085	41	0.001	0.041

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207889	1079086	22	<0.001	0.022
207890	1079087	51	0.001	0.051
207891	1079088	83	0.002	0.083
207892	1079089	630	0.018	0.630
207893	1079090	834	0.024	0.834
207894	1079091	564	0.016	0.564
207895	1079092	121	0.004	0.121
207896	1079093	40	0.001	0.040
207897 Dup	1079093	103	0.003	0.103
207898	1079094	45	0.001	0.045
207899	1079095	503	0.015	0.503
207900	1079096	34	<0.001	0.034
207901	1079097	162	0.005	0.162
207902	1079098	515	0.015	0.515
207903	1079099	1905	0.056	1.905
207904	1079100	<5	<0.001	<0.005
207905	1079101	115	0.003	0.115
207906	1079102	33	<0.001	0.033
207907	1079103	30	<0.001	0.030
207908 Dup	1079103	20	<0.001	0.020
207909	1079104	89	0.003	0.089
207910	1079105	53	0.002	0.053
207911	1079106	48	0.001	0.048
207912	1079107	49	0.001	0.049
207913	1079108	900	0.026	0.900
207914	1079109	34	<0.001	0.034
207915	1079110	803	0.023	0.803
207916	1079111	14	<0.001	0.014
207917	1079112	8	<0.001	0.008
207918	1079113	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207919 Dup	1079113	41	0.001	0.041
207920	1079114	7	<0.001	0.007
207921	1079115	91	0.003	0.091
207922	1079116	133	0.004	0.133
207923	1079117	53	0.002	0.053
207924	1079118	132	0.004	0.132
207925	1079119	8	<0.001	0.008
207926	1079120	<5	<0.001	<0.005
207927	1079121	48	0.001	0.048
207928	1079122	59	0.002	0.059
207929	1079123	41	0.001	0.041
207930 Rep	1079123	43	0.001	0.043
207931	1079124	34	<0.001	0.034
207932	1079125	20	<0.001	0.020
207933	1079126	33	<0.001	0.033
207934	1079127	13	<0.001	0.013
207935	1079128	19	<0.001	0.019
207936	1079129	25	<0.001	0.025
207937	1079130	3280	0.096	3.280
207938	1079131	465	0.014	0.465
207939	1079132	60	0.002	0.060
207940	1079133	37	0.001	0.037
207941 Dup	1079133	34	<0.001	0.034
207942	1079134	77	0.002	0.077
207943	1079135	200	0.006	0.200
207944	1079136	160	0.005	0.160
207945	1079137	742	0.022	0.742
207946	1079138	369	0.011	0.369
207947	1079139	1101	0.032	1.101
207948	1079140	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207949	1079141	331	0.010	0.331
207950	1079142	337	0.010	0.337
207951	1079143	51	0.001	0.051
207952 Dup	1079143	49	0.001	0.049
207953	1079144	179	0.005	0.179
207954	1079145	566	0.017	0.566
207955	1079146	483	0.014	0.483
207956	1079147	133	0.004	0.133
207957	1079148	147	0.004	0.147
207958	1079149	178	0.005	0.178
207959	1079150	1441	0.042	1.441
207960	1079151	3699	0.108	3.699
207961	1079152	75	0.002	0.075
207962	1079153	4323	0.126	4.323
207963 Dup	1079153	4134	0.121	4.134
207964	1079154	89	0.003	0.089
207965	1079155	67	0.002	0.067
207966	1079156	79	0.002	0.079
207967	1079157	625	0.018	0.625
207968	1079158	339	0.010	0.339
207969	1079159	2306	0.067	2.306
207970	1079160	<5	<0.001	<0.005
207971	1079161	26	<0.001	0.026
207972	1079162	85	0.002	0.085
207973	1079163	485	0.014	0.485
207974 Dup	1079163	428	0.012	0.428
207975	1079164	22	<0.001	0.022
207976	1079165	141	0.004	0.141
207977	1079166	264	0.008	0.264
207978	1079167	123	0.004	0.123

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143139  
 Reference: TL11210  
 Sample #: 179

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207979	1079168	104	0.003	0.104
207980	1079169	79	0.002	0.079
207981	1079170	228	0.007	0.228
207982	1079171	448	0.013	0.448
207983	1079172	563	0.016	0.563
207984	1079173	63	0.002	0.063
207985 Dup	1079173	59	0.002	0.059
207986	1079174	48	0.001	0.048
207987	1079175	142	0.004	0.142
207988	1079176	680	0.020	0.680
207989	1079177	128	0.004	0.128
207990	1079178	237	0.007	0.237
207991	1079179	278	0.008	0.278
207992	1079180	7	<0.001	0.007
207993	1079181	64	0.002	0.064
207994	1079182	27	<0.001	0.027

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/15/2011  
 Date Completed: 09/19/2011  
 Job #: 201143382  
 Reference: TL11210  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
226946	1079151	0.120	4.112
226947	1079153	0.114	3.895

PROCEDURE CODES: ALFA7

 Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, October 17, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/17/2011  
 Job #: 201143388  
 Reference: TL11210  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
226975	1079074	4.289	4.663	56.188	6.855	4.60%	46.14

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207504	1078944	0.013	2	3.70	7	561	2	18	0.67	<4	35	65	123	4.18	0.11	10	1.00	397	1	78	513	46	2.82	<5	16	<10	145	1539	4	80	14	11	476
207505	1078945	0.010	2	4.32	65	471	2	5	0.72	<4	26	75	132	3.15	<0.01	13	1.15	450	2	65	493	33	1.92	5	22	<10	204	1294	11	76	<10	11	242
207506	1078946	0.012	2	4.09	43	463	2	10	0.68	<4	27	81	135	3.11	<0.01	13	1.08	444	<1	66	493	36	1.92	6	16	<10	205	1224	4	79	<10	10	189
207507	1078947	0.007	<1	3.92	7	621	2	15	2.02	<4	7	20	8	1.43	1.17	8	0.84	324	<1	27	425	12	0.44	<5	24	<10	305	1633	2	31	11	8	69
207508	1078948	0.053	1	4.19	4	683	2	<1	2.35	<4	7	20	6	1.65	0.14	12	1.18	488	<1	28	390	14	0.44	6	17	<10	310	1588	<2	29	<10	7	61
207509	1078949	0.031	1	3.22	7	357	2	16	1.21	<4	12	55	20	1.76	<0.01	10	0.78	329	<1	41	384	29	0.61	<5	19	<10	240	1801	5	44	<10	8	58
207510	1078950	5.236	3	4.06	450	642	2	<1	2.51	<4	16	120	86	3.54	<0.01	13	1.25	514	20	56	913	28	0.98	31	21	<10	260	2336	7	139	18	13	249
207511	1078951	0.105	3	4.86	61	451	2	24	1.65	<4	16	76	31	2.41	<0.01	13	1.06	404	2	51	451	327	2.25	7	26	<10	284	2127	15	57	11	10	255
207512	1078952	0.007	1	3.93	7	413	2	16	1.71	<4	17	107	34	2.72	<0.01	9	1.14	408	2	57	493	23	0.79	<5	14	<10	295	2377	10	73	<10	11	110
207513	1078953	0.008	<1	2.07	17	465	2	6	0.93	<4	12	49	17	1.23	<0.01	2	0.53	157	<1	37	386	13	0.61	<5	17	<10	209	1683	<2	48	10	7	55
207514D	1078953	0.007	1	1.92	22	525	2	7	1.05	<4	14	60	20	1.44	<0.01	7	0.49	184	4	41	459	16	0.92	<5	23	<10	229	1890	9	57	<10	6	57
207515	1078954	0.018	1	2.19	9	413	2	12	0.95	<4	10	50	18	1.25	<0.01	5	0.53	214	<1	34	358	12	0.37	<5	30	<10	203	1638	<2	44	<10	8	40
207516	1078955	0.056	1	1.87	3	347	2	1	1.01	<4	9	37	18	1.71	<0.01	5	0.62	305	<1	34	368	11	0.58	5	13	<10	200	1718	6	38	<10	6	54
207517	1078956	0.018	1	2.65	8	323	2	3	1.18	<4	8	33	14	1.43	<0.01	5	0.68	326	<1	27	365	14	0.36	<5	14	<10	190	1611	2	35	<10	7	48
207518	1078957	0.509	1	3.92	18	342	<2	6	1.21	<4	10	21	12	1.20	<0.01	8	0.71	367	39	33	361	20	0.71	<5	18	<10	196	1570	<2	31	12	8	567
207519	1078958	0.018	<1	1.27	21	241	<2	2	1.03	<4	6	12	7	0.70	<0.01	<1	0.47	231	<1	24	335	9	0.47	<5	16	<10	167	1111	7	23	<10	5	82
207520	1078959	0.019	1	2.67	19	275	<2	13	1.32	<4	5	15	9	0.50	<0.01	<1	0.43	154	<1	21	328	4	0.45	<5	21	<10	180	1019	2	22	<10	7	36
207521	1078960	<0.005	<1	1.89	3	402	<2	31	1.21	<4	11	34	44	2.90	0.11	2	0.92	521	<1	28	536	7	0.05	<5	17	<10	266	2185	<2	81	<10	12	49
207522	1078961	0.014	1	4.45	21	378	<2	11	1.55	<4	7	18	10	0.91	<0.01	9	0.80	325	<1	25	412	6	0.58	<5	26	<10	206	1504	7	29	<10	7	58
207523	1078962	0.045	3	3.67	17	574	2	21	1.10	<4	15	65	215	1.78	<0.01	11	0.85	396	<1	40	442	33	0.85	6	18	<10	171	2174	7	61	<10	9	138

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207524	1078963	0.048	5	2.10	14	653	<2	15	0.98	<4	13	47	180	1.74	<0.01	5	0.81	492	<1	50	359	204	0.91	<5	10	<10	152	1804	7	46	11	7	574
207525D	1078963	0.057	4	3.68	21	739	2	11	1.29	<4	14	52	198	1.94	<0.01	10	0.94	557	3	45	404	225	1.03	<5	21	<10	175	2023	<2	50	14	8	629
207526	1078964	0.010	1	2.96	6	582	2	13	1.04	<4	7	19	16	1.16	<0.01	6	0.60	445	<1	25	391	30	0.21	<5	20	<10	159	1666	7	30	<10	6	65
207527	1078965	0.018	<1	3.45	9	920	<2	<1	1.23	<4	6	15	10	1.09	0.02	7	0.66	522	<1	21	405	50	0.36	<5	26	<10	178	1497	4	28	<10	6	107
207528	1078966	0.016	<1	2.37	8	688	<2	<1	0.88	<4	5	13	8	0.94	<0.01	4	0.55	413	<1	19	360	50	0.34	<5	25	<10	163	1332	4	25	<10	5	126
207529	1078967	0.014	<1	3.46	2	580	<2	20	1.70	<4	6	17	11	1.35	0.14	6	0.67	483	<1	25	391	15	0.29	<5	16	<10	199	1510	2	29	<10	7	69
207530	1078968	0.020	<1	2.60	6	643	<2	1	1.19	<4	6	17	13	0.86	0.14	6	0.55	389	<1	19	379	14	0.22	<5	20	<10	179	1386	5	29	<10	6	56
207531	1078969	0.019	<1	2.42	9	661	<2	<1	0.72	<4	6	12	8	0.74	0.15	8	0.57	333	<1	17	360	30	0.24	<5	24	<10	159	1473	2	27	<10	5	77
207532	1078970	1.418	4	2.51	32	1127	<2	28	2.09	4	17	55	7189	4.50	0.17	3	1.06	505	722	20	845	32	2.64	13	10	<10	267	986	6	100	<10	12	92
207533	1078971	0.020	<1	3.10	3	576	<2	22	1.14	<4	6	13	59	0.90	0.56	8	0.63	416	<1	18	377	18	0.16	<5	26	10	173	1458	4	28	<10	6	50
207534	1078972	0.025	1	4.57	6	506	<2	18	1.40	<4	11	54	20	1.75	<0.01	6	0.98	620	<1	32	399	19	0.56	<5	18	<10	185	1866	<2	45	<10	10	92
207535	1078973	0.038	2	3.82	3	359	2	33	1.33	<4	20	120	39	2.77	<0.01	9	1.27	852	<1	54	460	25	0.67	7	12	<10	166	2476	<2	74	<10	12	141
207536D	1078973	0.041	2	4.67	3	382	2	<1	1.44	<4	20	126	40	2.89	0.12	14	1.36	894	2	57	482	23	0.74	<5	12	<10	175	2540	12	77	10	13	143
207537	1078974	0.067	<1	2.78	16	407	<2	29	0.85	<4	6	9	12	1.19	<0.01	4	0.78	541	<1	15	416	32	0.44	<5	23	<10	147	1741	8	28	<10	6	66
207538	1078975	0.065	2	4.38	12	436	2	23	1.46	<4	6	14	11	1.59	<0.01	12	1.04	651	1	19	483	36	0.42	5	27	<10	182	1949	3	31	<10	7	83
207539	1078976	0.037	<1	3.07	6	450	<2	<1	1.17	<4	6	11	5	1.35	<0.01	7	0.82	472	<1	20	428	9	0.30	<5	17	<10	165	1792	6	29	<10	6	34
207540	1078977	0.034	2	4.12	10	502	2	7	1.31	<4	6	14	7	1.43	<0.01	15	0.94	543	2	20	477	61	0.34	<5	17	<10	190	2028	5	32	<10	6	39
207541	1078978	0.082	2	3.04	31	495	2	14	0.24	<4	6	10	7	1.21	<0.01	8	0.61	236	1	17	432	174	1.07	<5	20	<10	124	1638	<2	29	<10	5	265
207542	1078979	0.297	3	2.69	29	399	2	6	0.10	<4	5	11	110	1.11	<0.01	8	0.56	158	<1	17	428	262	1.07	6	14	<10	115	1483	<2	29	10	5	811
207543	1078980	0.010	1	2.58	4	403	<2	27	1.26	<4	11	34	45	2.89	0.04	4	0.93	510	<1	28	545	8	0.05	5	13	<10	271	2195	2	81	<10	12	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207544	1078981	0.320	2	1.82	26	405	2	21	<0.01	<4	6	9	36	1.05	<0.01	4	0.48	<100	1	14	438	347	1.02	5	16	<10	103	1425	5	29	<10	4	489
207545	1078982	0.425	6	2.25	21	350	<2	25	<0.01	<4	5	12	41	0.84	<0.01	4	0.46	<100	<1	17	406	901	0.84	10	15	<10	97	1306	<2	26	16	5	1136
207546	1078983	0.169	3	3.50	39	328	<2	<1	0.08	4	5	17	75	1.18	0.02	6	0.57	119	3	17	346	301	1.21	6	20	<10	110	1404	4	26	20	6	1394
207547D	1078983	0.173	4	3.51	42	314	<2	9	0.06	4	5	17	75	1.12	<0.01	3	0.57	118	3	23	343	303	1.15	<5	20	<10	109	1380	7	26	16	6	1433
207548	1078984	0.125	2	4.87	25	384	<2	11	0.53	<4	6	12	29	1.25	<0.01	8	0.74	308	2	18	467	116	1.01	<5	25	<10	127	1822	5	32	10	7	415
207549	1078985	0.060	1	5.24	38	447	2	23	1.60	<4	7	10	27	1.68	<0.01	13	1.08	815	<1	17	542	48	1.13	5	17	<10	177	2141	4	35	<10	7	83
207550	1078986	0.038	1	7.41	33	400	2	30	1.64	<4	7	11	25	1.62	<0.01	13	1.23	837	<1	15	497	38	1.40	5	24	<10	182	2008	5	33	<10	10	69
207551	1078987	0.274	2	5.73	26	473	2	2	0.67	<4	5	9	26	1.06	<0.01	9	0.87	392	<1	14	397	136	1.06	<5	24	<10	137	1732	5	27	10	8	388
207552	1078988	0.063	1	5.66	16	465	2	14	1.13	<4	6	10	4	1.01	<0.01	15	1.13	686	<1	15	426	56	0.87	<5	20	<10	155	1901	6	28	<10	8	103
207553	1078989	0.058	16	1.65	50	141	<2	19	0.43	33	5	15	1949	3.26	<0.01	6	0.70	522	<1	22	305	8068	4.58	31	16	<10	110	1226	<2	22	124	5	15043
207554	1078990	0.280	105	3.62	211	354	<2	20	1.03	21	13	41	6145	4.80	<0.01	4	1.16	1440	11	26	457	10390	2.90	240	8	<10	233	1845	4	74	42	14	5248
207555	1078991	0.278	1	5.27	23	461	<2	<1	1.16	<4	6	15	17	1.04	<0.01	14	0.75	617	3	17	397	141	0.90	5	18	<10	121	1702	8	26	12	5	409
207556	1078992	0.201	2	6.24	35	418	2	<1	1.16	<4	15	66	72	2.15	0.10	19	0.87	575	7	40	441	170	1.82	<5	16	<10	136	1779	6	47	<10	6	506
207557	1078993	0.251	2	7.51	5	410	2	19	1.61	<4	21	146	79	3.27	0.17	25	1.42	932	5	68	542	75	1.31	<5	13	<10	171	2213	3	95	<10	11	147
207558D	1078993	0.247	2	7.27	5	390	2	13	1.57	<4	21	144	76	3.30	<0.01	22	1.44	957	7	71	551	79	1.28	<5	16	<10	172	2224	4	96	<10	11	154
207559	1078994	0.172	2	5.13	14	326	3	2	1.27	<4	21	117	62	3.15	<0.01	19	1.76	945	10	75	676	99	1.35	5	7	<10	189	1936	9	87	<10	14	148
207560	1078995	0.026	2	3.34	17	160	2	<1	0.85	<4	7	50	17	1.27	0.50	11	1.33	454	10	44	448	22	0.32	<5	18	<10	133	895	3	29	<10	14	71
207561	1078996	0.070	<1	5.50	<2	300	<2	<1	1.46	<4	<1	136	1	<0.01	<0.01	21	<0.01	<100	10	2	<100	<1	<0.01	<5	9	<10	9	<100	<2	<2	<10	<2	<1
207562	1078997	0.134	62	6.15	<2	439	26	>5000	0.86	45	183	138	610	0.29	<0.01	31	0.07	<100	9	507	1028	3837	<0.01	1836	>5000	946	3861	146	9	<2	1210	<2	439
207563	1078998	0.339	<1	8.16	<2	415	<2	327	2.41	<4	<1	106	12	<0.01	<0.01	28	<0.01	<100	6	21	<100	51	<0.01	15	63	30	69	<100	11	<2	56	<2	160

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207564	1078999	0.093	<1	7.78	<2	500	2	827	1.64	6	<1	43	54	0.01	<0.01	29	<0.01	<100	6	76	<100	183	<0.01	9	275	174	319	<100	8	<2	222	<2	963
207565	1079000	0.008	1	4.40	<2	447	<2	13	1.53	<4	<1	37	6	<0.01	1.37	9	0.01	<100	<1	10	<100	24	<0.01	11	43	13	39	<100	2	<2	18	<2	72
207566	1184001	0.063	<1	4.73	<2	431	<2	291	1.60	7	1	15	16	0.03	1.60	19	<0.01	<100	<1	18	<100	38	<0.01	19	41	27	67	<100	10	<2	39	<2	1100
207567	1184002	0.032	<1	6.35	<2	543	<2	<1	1.64	<4	<1	12	2	<0.01	1.26	19	<0.01	<100	<1	2	<100	<1	<0.01	<5	<5	<10	7	<100	6	<2	<10	<2	64
207568	1184003	0.019	2	6.15	<2	522	<2	414	1.63	<4	5	15	20	<0.01	1.88	18	<0.01	<100	<1	45	<100	94	0.11	10	113	48	127	<100	<2	<2	75	<2	488
207569R	1184003	0.016	2	1.15	<2	167	<2	513	0.46	5	6	5	28	0.01	0.64	6	<0.01	<100	<1	23	<100	135	<0.01	94	167	62	169	<100	<2	<2	60	<2	553
207570	1184004	0.014	98	3.96	<2	584	18	>5000	1.50	130	<1	17	528	0.22	1.96	19	<0.01	<100	<1	608	1243	1604	<0.01	1320	3107	1865	3072	166	<2	<2	723	<2	46
207571	1184005	0.025	73	3.31	<2	522	21	>5000	1.38	61	2	11	446	0.14	2.29	16	0.04	<100	<1	550	891	2874	<0.01	1157	4060	656	3397	118	4	<2	1471	<2	47
207572	1184006	0.028	<1	4.53	8	511	<2	29	1.54	<4	7	11	20	1.16	2.23	14	0.90	523	<1	19	347	14	0.32	<5	15	<10	153	1612	<2	26	<10	6	41
207573	1184007	0.112	<1	6.33	15	584	<2	11	1.78	<4	6	16	23	1.10	1.97	23	1.07	584	<1	20	341	35	0.41	<5	20	<10	140	1559	4	25	<10	6	59
207574	1184008	<0.005	8	4.84	35	449	<2	6	2.00	<4	12	59	436	2.39	2.31	20	1.54	1050	<1	40	438	830	1.71	<5	15	<10	135	1920	9	49	14	10	945
207575	1184009	0.183	<1	5.51	<2	369	<2	<1	1.77	<4	<1	110	8	0.04	1.64	24	0.03	<100	<1	2	<100	14	0.03	<5	10	<10	12	<100	10	<2	<10	<2	11
207576	1184010	5.146	2	2.35	416	1282	<2	<1	2.12	<4	15	104	80	3.13	1.97	14	1.15	457	10	51	815	24	1.11	32	12	<10	224	1883	4	124	14	14	222
207577	1184011	0.041	3	0.18	<2	304	3	1097	1.23	8	<1	10	94	0.13	1.22	<1	0.05	<100	<1	95	181	116	<0.01	67	589	122	504	<100	<2	<2	272	<2	1563
207578	1184012	0.057	32	2.56	<2	516	5	3950	1.70	9	33	14	112	0.02	1.90	6	0.02	<100	<1	146	262	492	<0.01	131	591	125	915	<100	4	<2	405	<2	2473
207579	1184013	0.055	1	2.14	24	489	<2	3	1.69	<4	6	11	28	1.91	2.16	5	1.21	827	<1	23	460	243	1.37	<5	14	<10	124	1430	2	27	<10	7	578
207580D	1184013	0.050	1	4.93	26	612	<2	11	1.96	<4	6	14	28	2.03	2.40	10	1.48	886	<1	25	483	249	1.44	<5	19	<10	141	1641	6	32	<10	9	599
207581	1184014	0.089	1	2.38	31	536	<2	5	1.23	4	6	13	7	1.86	2.31	9	0.99	759	<1	23	501	255	1.37	<5	12	<10	116	1735	<2	32	11	6	1151
207582	1184015	0.019	1	4.53	5	558	2	25	1.97	<4	6	13	10	1.91	1.74	11	1.29	1068	<1	20	517	139	0.96	<5	11	<10	153	1824	<2	36	<10	8	721
207583	1184016	0.070	1	6.34	18	561	<2	20	1.99	<4	7	16	30	1.82	2.60	17	1.55	1026	<1	22	521	156	0.95	<5	19	<10	164	1874	19	36	<10	10	229

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207584	1184017	0.605	1	6.22	20	575	<2	32	2.22	<4	6	11	19	1.88	2.57	16	1.65	914	<1	19	497	103	1.21	<5	27	<10	177	1797	2	34	<10	10	140
207585	1184018	0.068	1	6.70	9	475	<2	15	1.55	<4	6	13	26	1.79	2.39	22	1.38	786	<1	22	535	342	0.97	5	18	<10	206	1809	<2	34	10	10	784
207586	1184019	0.016	1	6.56	3	404	<2	15	1.56	<4	7	11	27	1.66	1.73	14	1.29	766	<1	17	513	201	0.72	<5	16	<10	180	1726	8	34	<10	9	449
207587	1184020	0.009	<1	3.41	5	458	<2	10	1.48	<4	11	38	47	3.33	1.70	8	1.03	591	<1	33	589	7	0.11	<5	10	<10	291	2350	6	89	<10	15	51
207588	1184021	0.089	1	6.67	8	441	<2	14	1.89	<4	5	16	18	1.54	1.51	15	1.42	777	1	20	423	103	0.64	<5	15	<10	172	1598	12	28	<10	10	366
207589	1184022	0.088	1	8.97	6	725	<2	9	1.71	<4	6	12	40	1.37	1.56	25	1.37	582	2	19	350	36	0.48	5	19	<10	189	1893	12	28	<10	11	58
207590	1184023	0.072	2	8.73	11	529	<2	13	1.56	<4	5	16	27	1.22	1.14	22	1.26	442	5	22	360	99	0.59	<5	16	<10	160	1754	6	26	<10	11	297
207591D	1184023	0.055	2	8.29	12	497	<2	1	1.47	<4	5	15	25	1.15	1.33	20	1.23	415	4	20	336	88	0.57	<5	19	<10	155	1633	13	24	<10	11	278
207592	1184024	0.013	1	8.88	<2	627	<2	18	2.00	<4	5	13	38	1.34	1.35	20	1.60	492	3	18	368	35	0.24	<5	17	<10	175	1778	9	27	<10	11	66
207593	1184025	0.015	1	9.91	6	586	<2	21	2.18	<4	6	16	10	1.41	1.31	24	1.63	431	6	20	388	29	0.29	<5	19	<10	193	1864	11	28	<10	12	85
207594	1184026	0.013	1	8.61	<2	506	<2	15	2.14	<4	6	14	7	1.41	1.76	23	1.67	466	2	17	381	27	0.24	<5	20	<10	181	1797	17	27	<10	11	59
207595	1184027	0.010	2	>10.00	2	533	2	12	2.14	<4	6	18	8	1.37	1.37	29	1.63	491	12	19	385	54	0.32	5	16	<10	183	1888	11	28	<10	13	98
207596	1184028	0.028	1	8.55	4	565	<2	10	1.98	<4	6	17	7	1.35	1.87	30	1.55	564	2	20	394	55	0.39	<5	18	<10	162	1905	10	29	<10	10	78
207597	1184029	0.264	1	8.12	7	589	<2	18	1.91	<4	5	16	4	1.26	1.79	22	1.43	466	2	22	377	13	0.25	<5	17	<10	163	1788	6	27	<10	10	41
207598	1184030	1.257	4	7.95	36	1218	<2	16	2.71	4	19	58	7393	5.09	1.06	14	1.43	562	762	20	938	39	2.74	16	11	<10	316	1032	7	107	<10	19	99
207599	1184031	0.058	1	9.06	6	587	<2	26	2.21	<4	5	17	7	1.39	1.18	24	1.54	448	4	20	390	9	0.30	<5	19	<10	174	1885	17	28	<10	11	49
207600	1184032	0.031	2	>10.00	10	596	2	32	2.01	<4	6	17	48	1.45	1.40	24	1.57	537	10	22	377	155	0.61	<5	19	<10	194	1797	13	27	<10	12	751
207601	1184033	0.023	<1	4.29	7	491	<2	9	1.77	<4	5	12	10	1.25	<0.01	9	1.39	499	<1	21	336	31	0.41	<5	19	<10	130	1495	7	23	<10	7	166
207602D	1184033	0.026	<1	5.19	9	545	<2	<1	1.83	<4	5	12	11	1.29	0.70	12	1.45	509	<1	19	340	34	0.42	<5	15	<10	136	1641	5	25	<10	8	166
207603	1184034	0.012	<1	5.19	3	481	<2	16	2.04	<4	6	11	7	1.40	0.14	12	1.52	357	<1	20	359	9	0.25	<5	17	<10	153	1687	6	26	<10	8	40

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, September 23, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207604	1184035	0.018	<1	4.06	6	527	<2	13	1.80	<4	6	12	16	1.41	0.02	9	1.41	557	<1	24	352	25	0.48	<5	15	<10	135	1579	5	23	<10	7	50
207605	1184036	0.197	<1	4.79	15	547	<2	9	1.06	<4	5	10	10	1.05	0.50	15	1.12	363	<1	20	362	38	0.46	<5	15	<10	112	1656	5	26	<10	7	108
207606	1184037	0.042	1	5.08	11	498	<2	9	1.18	<4	5	13	13	1.07	0.09	15	1.14	369	<1	24	350	37	0.48	<5	15	<10	115	1602	<2	24	<10	8	104
207607	1184038	0.130	1	4.60	16	517	<2	9	1.65	<4	5	11	9	1.25	0.11	19	1.29	500	<1	17	363	55	0.72	<5	20	<10	103	1589	3	23	<10	7	569
207608	1184039	0.097	<1	4.37	12	488	<2	3	1.60	<4	6	12	21	1.40	0.26	14	1.54	554	<1	23	345	29	0.57	<5	16	<10	116	1605	<2	24	<10	8	70
207609	1184040	<0.005	<1	2.96	3	453	<2	22	1.39	<4	11	38	49	3.40	0.48	2	1.07	595	<1	32	588	8	0.12	<5	9	<10	287	2256	<2	90	<10	17	48
207610	1184041	0.148	1	5.71	17	562	<2	8	1.44	<4	5	14	9	1.27	<0.01	20	1.32	419	<1	23	386	25	0.53	<5	17	<10	124	1785	7	27	<10	8	102
207611	1184042	0.743	5	5.20	18	516	<2	8	1.37	<4	5	14	13	1.28	0.24	19	1.23	399	<1	25	385	22	0.52	<5	16	<10	117	1775	<2	27	<10	8	54
207612	1184043	0.059	<1	5.86	25	485	<2	11	1.65	<4	6	17	17	1.44	0.31	18	1.56	480	<1	24	423	36	0.46	<5	20	<10	133	1812	<2	29	<10	8	182
207613D	1184043	0.037	<1	4.34	17	396	<2	7	1.44	<4	5	14	16	1.33	0.38	12	1.44	439	<1	25	391	33	0.44	<5	14	<10	118	1567	3	25	<10	7	172
207614	1184044	0.682	3	3.54	19	382	<2	16	0.39	<4	5	13	12	1.13	0.31	9	1.29	293	<1	21	346	71	0.39	<5	11	<10	66	1540	<2	25	<10	6	184
207615	1184045	0.481	1	4.31	20	364	<2	13	0.64	<4	5	17	12	1.47	0.44	13	1.96	329	<1	29	360	26	0.45	<5	13	<10	83	1227	10	25	<10	7	50
207616	1184046	1.277	1	4.17	20	371	<2	5	0.60	<4	6	17	13	1.45	0.42	13	1.94	322	<1	24	342	23	0.47	<5	17	<10	85	1251	2	26	<10	6	50
207617	1184047	0.044	<1	3.84	8	406	<2	14	0.49	<4	5	14	5	1.34	0.80	12	1.83	283	<1	22	437	16	0.18	<5	12	<10	79	1329	6	26	<10	6	42
207618	1184048	0.006	<1	4.03	12	422	<2	16	0.91	<4	5	29	14	1.31	0.15	12	1.40	337	<1	48	684	39	0.14	5	18	<10	84	1328	4	26	<10	8	54
207619	1184049	0.033	1	4.91	10	432	<2	11	0.53	<4	6	14	11	1.41	0.17	12	1.15	284	<1	24	377	248	0.61	<5	16	<10	85	1171	<2	26	<10	8	61
207620	1184050	0.242	105	2.60	230	319	<2	17	0.99	25	14	44	6160	5.66	<0.01	2	1.27	1726	11	29	512	10673	2.53	364	5	<10	226	1923	<2	83	46	16	5265
207621	1184051	0.031	1	4.78	27	448	<2	7	<0.01	<4	5	17	16	1.90	0.13	8	0.67	<100	<1	26	404	41	1.62	<5	14	<10	82	1244	<2	28	<10	8	41
207622	1184052	0.024	<1	4.68	12	421	<2	11	0.14	<4	5	14	12	1.48	0.36	13	1.11	196	<1	22	374	30	0.77	<5	14	<10	88	1226	<2	26	<10	8	186
207623	1184053	0.021	1	5.30	102	429	<2	7	<0.01	<4	6	18	22	2.40	0.40	7	0.57	<100	<1	27	346	77	2.28	5	13	<10	87	1336	<2	28	<10	8	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
207624D	1184053	0.020	1	4.92	96	433	<2	29	<0.01	<4	7	18	23	2.44	0.13	5	0.54	<100	<1	29	347	80	2.32	<5	12	<10	83	1356	<2	28	<10	7	102
207625	1184054	0.287	3	5.08	108	375	<2	19	<0.01	<4	5	15	30	1.23	0.64	6	0.52	<100	<1	22	239	60	1.03	8	19	<10	90	1194	<2	26	13	7	1239
207626	1184055	0.503	3	5.68	44	366	<2	9	0.26	<4	5	17	28	1.50	<0.01	10	0.73	126	<1	22	301	57	1.16	5	11	<10	100	1323	<2	28	<10	7	328
207627	1184056	0.154	2	5.48	324	284	<2	9	1.93	<4	16	97	30	2.72	0.10	28	1.93	647	<1	58	486	25	0.67	<5	19	<10	120	2201	2	67	<10	15	94
207628	1184057	0.006	1	5.92	96	233	2	15	1.98	<4	15	90	28	2.88	<0.01	25	1.86	494	<1	59	497	17	0.39	<5	15	<10	141	2353	12	64	<10	14	44
207629	1184058	0.085	2	5.97	38	284	2	9	1.46	<4	22	124	45	3.67	0.26	24	1.50	573	<1	73	605	34	1.14	<5	8	<10	133	2631	<2	93	<10	17	103
207630	1184059	0.543	1	4.78	5	307	2	19	1.35	<4	20	136	44	3.47	0.65	16	1.47	655	<1	77	512	47	1.47	<5	7	<10	131	2088	<2	92	<10	16	86
207631	1184060	<0.005	<1	2.90	6	443	<2	20	1.37	<4	11	37	48	3.31	0.03	3	1.06	580	<1	33	572	9	0.12	<5	7	<10	279	2118	<2	87	<10	16	82
207632	1184061	0.771	80	2.80	282	221	<2	14	<0.01	14	13	108	433	3.36	<0.01	6	0.49	<100	16	71	363	3251	2.81	137	11	<10	85	1287	<2	72	43	12	4140
207633	1184062	0.767	3	4.76	390	281	2	11	0.67	<4	24	147	67	3.71	0.52	18	1.60	583	<1	83	600	456	1.34	<5	19	<10	114	2163	<2	96	<10	14	569
207634	1184063	0.016	<1	4.32	221	235	2	13	1.45	<4	12	55	25	2.02	<0.01	10	1.17	458	<1	61	594	59	0.61	<5	14	<10	129	1482	5	44	<10	11	99
207635R	1184063	0.009	1	4.65	176	249	2	<1	1.48	<4	12	54	22	1.98	0.05	11	1.17	450	<1	63	580	55	0.57	<5	16	<10	131	1500	<2	45	<10	11	86
207636	1184064	0.077	2	4.85	153	250	2	22	0.54	<4	19	115	45	3.35	0.17	15	0.99	378	<1	75	570	29	1.65	<5	12	<10	109	2380	4	85	<10	14	120
207637	1184065	0.074	3	6.01	30	259	2	10	1.27	<4	22	147	60	3.63	0.61	23	1.26	504	2	86	550	201	1.95	<5	8	<10	142	2577	<2	92	<10	17	279
207638	1184066	0.045	3	5.87	30	259	2	12	1.23	<4	21	139	51	3.31	0.40	23	1.28	501	1	73	509	185	1.67	<5	11	<10	142	2541	<2	90	<10	15	229
207639	1184067	0.141	2	6.36	671	245	2	12	1.69	<4	25	145	46	4.40	0.74	42	2.08	882	<1	80	549	37	0.70	<5	13	<10	182	2961	<2	106	<10	19	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207504	1078944	13	<0.001	0.013
207505	1078945	10	<0.001	0.010
207506	1078946	12	<0.001	0.012
207507	1078947	7	<0.001	0.007
207508	1078948	53	0.002	0.053
207509	1078949	31	<0.001	0.031
207510	1078950	5236	0.153	5.236
207511	1078951	105	0.003	0.105
207512	1078952	7	<0.001	0.007
207513	1078953	8	<0.001	0.008
207514 Dup	1078953	7	<0.001	0.007
207515	1078954	18	<0.001	0.018
207516	1078955	56	0.002	0.056
207517	1078956	18	<0.001	0.018
207518	1078957	509	0.015	0.509
207519	1078958	18	<0.001	0.018
207520	1078959	19	<0.001	0.019
207521	1078960	<5	<0.001	<0.005
207522	1078961	14	<0.001	0.014
207523	1078962	45	0.001	0.045
207524	1078963	48	0.001	0.048
207525 Dup	1078963	57	0.002	0.057
207526	1078964	10	<0.001	0.010
207527	1078965	18	<0.001	0.018
207528	1078966	16	<0.001	0.016
207529	1078967	14	<0.001	0.014
207530	1078968	20	<0.001	0.020
207531	1078969	19	<0.001	0.019
207532	1078970	1418	0.041	1.418
207533	1078971	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207534	1078972	25	<0.001	0.025
207535	1078973	38	0.001	0.038
207536 Dup	1078973	41	0.001	0.041
207537	1078974	67	0.002	0.067
207538	1078975	65	0.002	0.065
207539	1078976	37	0.001	0.037
207540	1078977	34	0.001	0.034
207541	1078978	82	0.002	0.082
207542	1078979	297	0.009	0.297
207543	1078980	10	<0.001	0.010
207544	1078981	320	0.009	0.320
207545	1078982	425	0.012	0.425
207546	1078983	169	0.005	0.169
207547 Dup	1078983	173	0.005	0.173
207548	1078984	125	0.004	0.125
207549	1078985	60	0.002	0.060
207550	1078986	38	0.001	0.038
207551	1078987	274	0.008	0.274
207552	1078988	63	0.002	0.063
207553	1078989	58	0.002	0.058
207554	1078990	280	0.008	0.280
207555	1078991	278	0.008	0.278
207556	1078992	201	0.006	0.201
207557	1078993	251	0.007	0.251
207558 Dup	1078993	247	0.007	0.247
207559	1078994	172	0.005	0.172
207560	1078995	26	<0.001	0.026
207561	1078996	70	0.002	0.070
207562	1078997	134	0.004	0.134
207563	1078998	339	0.010	0.339

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207564	1078999	93	0.003	0.093
207565	1079000	8	<0.001	0.008
207566	1184001	63	0.002	0.063
207567	1184002	32	<0.001	0.032
207568	1184003	19	<0.001	0.019
207569 Rep	1184003	16	<0.001	0.016
207570	1184004	14	<0.001	0.014
207571	1184005	25	<0.001	0.025
207572	1184006	28	<0.001	0.028
207573	1184007	112	0.003	0.112
207574	1184008	<5	<0.001	<0.005
207575	1184009	183	0.005	0.183
207576	1184010	5146	0.150	5.146
207577	1184011	41	0.001	0.041
207578	1184012	57	0.002	0.057
207579	1184013	55	0.002	0.055
207580 Dup	1184013	50	0.001	0.050
207581	1184014	89	0.003	0.089
207582	1184015	19	<0.001	0.019
207583	1184016	70	0.002	0.070
207584	1184017	605	0.018	0.605
207585	1184018	68	0.002	0.068
207586	1184019	16	<0.001	0.016
207587	1184020	9	<0.001	0.009
207588	1184021	89	0.003	0.089
207589	1184022	88	0.003	0.088
207590	1184023	72	0.002	0.072
207591 Dup	1184023	55	0.002	0.055
207592	1184024	13	<0.001	0.013
207593	1184025	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207594	1184026	13	<0.001	0.013
207595	1184027	10	<0.001	0.010
207596	1184028	28	<0.001	0.028
207597	1184029	264	0.008	0.264
207598	1184030	1257	0.037	1.257
207599	1184031	58	0.002	0.058
207600	1184032	31	<0.001	0.031
207601	1184033	23	<0.001	0.023
207602 Dup	1184033	26	<0.001	0.026
207603	1184034	12	<0.001	0.012
207604	1184035	18	<0.001	0.018
207605	1184036	197	0.006	0.197
207606	1184037	42	0.001	0.042
207607	1184038	130	0.004	0.130
207608	1184039	97	0.003	0.097
207609	1184040	<5	<0.001	<0.005
207610	1184041	148	0.004	0.148
207611	1184042	743	0.022	0.743
207612	1184043	59	0.002	0.059
207613 Dup	1184043	37	0.001	0.037
207614	1184044	682	0.020	0.682
207615	1184045	481	0.014	0.481
207616	1184046	1277	0.037	1.277
207617	1184047	44	0.001	0.044
207618	1184048	6	<0.001	0.006
207619	1184049	33	<0.001	0.033
207620	1184050	242	0.007	0.242
207621	1184051	31	<0.001	0.031
207622	1184052	24	<0.001	0.024
207623	1184053	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 14, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/25/2011  
 Date Completed: 09/14/2011  
 Job #: 201143137  
 Reference: TL11211  
 Sample #: 124

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
207624 Dup	1184053	20	<0.001	0.020
207625	1184054	287	0.008	0.287
207626	1184055	503	0.015	0.503
207627	1184056	154	0.005	0.154
207628	1184057	6	<0.001	0.006
207629	1184058	85	0.002	0.085
207630	1184059	543	0.016	0.543
207631	1184060	<5	<0.001	<0.005
207632	1184061	771	0.022	0.771
207633	1184062	767	0.022	0.767
207634	1184063	16	<0.001	0.016
207635 Rep	1184063	9	<0.001	0.009
207636	1184064	77	0.002	0.077
207637	1184065	74	0.002	0.074
207638	1184066	45	0.001	0.045
207639	1184067	141	0.004	0.141

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211455	1184068	0.022	<1	2.72	11	323	<2	<1	1.22	<4	10	97	36	1.77	<0.01	12	0.75	487	5	52	394	33	>10.00	<5	14	<10	175	1775	<2	61	<10	9	109
211456	1184069	0.020	<1	4.63	19	414	<2	20	0.88	<4	5	26	7	0.68	<0.01	5	0.39	173	<1	30	377	40	>10.00	<5	24	<10	208	1659	<2	36	<10	6	66
211457	1184070	4.857	<1	4.01	384	1347	<2	36	2.30	4	13	111	83	3.28	<0.01	15	1.15	459	17	55	747	27	>10.00	34	25	<10	223	2006	<2	124	14	15	215
211458	1184071	0.016	<1	2.99	21	366	<2	15	1.23	<4	5	15	23	1.07	0.11	6	0.35	287	<1	21	346	48	>10.00	<5	23	<10	198	1436	<2	34	<10	6	86
211459	1184072	0.022	<1	3.83	20	444	<2	27	0.79	<4	7	17	29	1.15	<0.01	8	0.42	233	<1	23	369	68	>10.00	<5	25	<10	195	1832	<2	39	<10	6	131
211460	1184073	0.009	<1	4.08	29	437	<2	13	1.48	<4	7	24	17	1.66	<0.01	15	0.59	419	3	29	420	30	>10.00	<5	23	<10	239	1831	<2	41	<10	7	72
211461	1184074	0.006	<1	4.37	16	453	2	24	1.56	<4	11	103	21	1.17	<0.01	11	0.75	358	8	63	672	36	>10.00	<5	13	<10	206	2170	<2	44	<10	7	193
211462	1184075	0.013	<1	3.93	10	515	2	10	0.80	<4	10	68	14	0.89	<0.01	12	0.61	218	10	50	578	47	>10.00	<5	21	<10	177	2169	<2	44	<10	6	131
211463	1184076	0.009	<1	4.59	17	480	2	20	0.84	<4	8	22	10	0.58	<0.01	14	0.41	136	9	30	322	52	>10.00	<5	22	<10	226	1937	<2	39	<10	6	90
211464	1184077	0.106	3	4.72	21	358	<2	8	0.85	<4	6	20	8	0.57	<0.01	13	0.42	196	8	26	304	22	>10.00	<5	23	<10	175	1856	<2	37	<10	6	35
211465D	1184077	0.099	2	3.64	23	354	<2	17	0.73	<4	6	21	8	0.56	<0.01	12	0.38	196	9	26	321	17	>10.00	<5	26	<10	162	1884	<2	38	<10	6	38
211466	1184078	0.040	1	4.44	29	416	2	37	1.27	<4	6	33	12	0.92	<0.01	10	0.39	225	9	39	348	28	>10.00	<5	33	<10	212	1707	<2	37	<10	7	35
211467	1184079	0.053	2	2.92	30	433	<2	27	1.10	<4	6	24	8	0.97	0.09	5	0.33	231	<1	32	294	29	>10.00	<5	23	<10	205	1501	<2	34	<10	6	46
211468	1184080	<0.005	<1	3.04	11	391	<2	35	1.35	<4	10	37	46	3.01	<0.01	8	0.89	534	3	32	497	10	>10.00	<5	10	<10	255	2300	<2	83	<10	12	46
211469	1184081	0.056	6	3.53	32	523	2	21	0.15	<4	9	19	22	1.95	0.04	6	0.37	417	2	27	353	27	>10.00	<5	13	<10	140	1857	<2	39	<10	6	125
211470	1184082	0.121	4	2.95	39	488	<2	15	0.08	<4	9	21	7	1.78	<0.01	5	0.34	155	2	31	353	42	>10.00	<5	14	<10	118	1871	<2	38	<10	5	183
211471	1184083	0.018	<1	1.96	44	459	2	22	0.43	<4	9	26	17	1.79	<0.01	5	0.31	272	3	42	345	35	>10.00	<5	19	<10	176	1692	<2	37	<10	5	82
211472	1184084	<0.005	<1	2.88	23	393	<2	19	0.85	<4	4	30	4	1.32	<0.01	6	0.35	140	5	36	278	20	>10.00	<5	18	<10	180	1320	<2	28	<10	7	40
211473	1184085	<0.005	<1	2.36	18	554	<2	29	1.88	<4	7	23	7	1.67	0.18	16	0.90	561	3	31	486	26	>10.00	<5	20	<10	271	1998	<2	38	12	6	43
211474	1184086	0.008	<1	3.15	12	520	<2	22	2.08	<4	8	26	8	1.70	<0.01	16	0.93	563	3	38	443	16	>10.00	<5	19	<10	284	1961	<2	38	<10	6	40

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211475	1184087	<0.005	<1	2.07	8	578	<2	2	0.76	<4	4	21	9	0.95	0.23	16	0.90	359	2	29	224	36	>10.00	<5	5	<10	194	1319	<2	21	<10	4	88
211476D	1184087	<0.005	<1	2.79	8	581	<2	12	0.83	<4	3	17	9	0.97	0.11	16	0.98	361	1	28	227	38	>10.00	<5	25	<10	202	1287	<2	21	<10	4	86
211477	1184088	0.007	<1	4.15	12	607	<2	20	1.01	<4	3	7	11	1.04	0.04	10	1.13	387	<1	19	238	47	9.01	<5	16	<10	212	1187	<2	19	<10	5	112
211478	1184089	3.593	<1	3.27	11	611	<2	21	0.85	<4	5	21	17	1.78	0.12	15	0.98	545	<1	28	249	45	>10.00	<5	9	<10	152	1250	<2	23	<10	5	101
211479	1184090	1.309	1	0.45	43	889	<2	19	2.11	6	19	63	6899	4.72	0.44	11	0.78	532	753	24	818	40	>10.00	14	<5	<10	250	1030	<2	107	<10	8	96
211480	1184091	0.058	<1	1.02	8	703	<2	15	0.74	<4	4	15	20	1.08	0.48	15	0.68	474	<1	26	240	53	>10.00	<5	15	<10	118	1357	<2	23	<10	3	65
211481	1184092	0.029	<1	1.21	10	554	2	4	0.73	<4	3	14	9	0.98	0.37	16	0.73	471	<1	27	216	45	>10.00	<5	<5	<10	105	1247	<2	19	<10	3	69
211482	1184093	0.018	<1	1.79	9	586	<2	7	0.89	<4	3	10	6	1.00	0.31	19	0.85	619	<1	19	226	55	>10.00	<5	19	<10	108	1265	<2	20	<10	4	142
211483	1184094	0.054	<1	2.86	9	491	<2	19	0.88	<4	3	16	7	0.91	0.20	17	0.89	640	4	27	233	37	>10.00	<5	20	<10	107	1223	<2	19	<10	5	236
211484	1184095	0.801	<1	3.43	22	543	<2	11	0.30	9	4	17	20	1.70	0.02	16	0.62	327	4	30	220	73	>10.00	<5	21	<10	91	1160	<2	18	31	5	2336
211485	1184096	0.205	<1	4.32	22	571	<2	18	0.41	<4	4	15	10	0.94	<0.01	14	0.73	296	2	28	199	182	>10.00	<5	5	<10	100	1191	<2	18	<10	5	475
211486	1184097	0.042	<1	1.09	10	632	<2	21	1.01	<4	2	16	15	1.02	0.62	24	0.98	682	2	29	222	101	>10.00	<5	18	<10	171	1299	<2	22	<10	4	259
211487D	1184097	0.053	<1	4.61	15	639	<2	18	1.30	<4	3	17	12	1.03	0.04	27	1.23	670	4	28	231	92	>10.00	<5	8	<10	192	1286	<2	21	<10	6	259
211488	1184098	0.062	<1	3.46	13	647	<2	6	1.25	<4	4	23	9	1.13	0.25	21	1.02	726	<1	28	223	103	>10.00	<5	18	<10	209	1251	<2	21	<10	5	116
211489	1184099	0.012	<1	3.09	13	526	<2	25	1.08	<4	4	13	5	0.99	0.12	21	0.87	614	3	23	243	72	>10.00	<5	15	<10	197	1342	<2	20	<10	5	72
211490	1184100	<0.005	<1	2.91	15	419	<2	29	1.43	<4	10	39	49	3.22	0.24	8	0.92	571	2	34	537	10	>10.00	<5	7	<10	268	2445	<2	89	<10	13	48
211491	1184101	0.045	<1	2.63	10	455	<2	16	0.95	<4	4	13	3	1.02	0.40	24	0.93	658	3	23	247	44	>10.00	<5	12	<10	213	1353	<2	20	<10	4	74
211492	1184102	0.014	<1	2.60	13	457	<2	14	0.22	<4	2	15	4	1.05	0.81	30	1.09	566	<1	32	226	22	>10.00	<5	11	<10	149	1228	<2	20	<10	4	93
211493	1184103	0.011	<1	2.18	7	367	<2	25	0.28	<4	2	14	4	0.88	0.57	26	1.05	544	<1	28	232	17	>10.00	<5	13	<10	152	1238	<2	19	<10	4	108
211494	1184104	0.006	<1	2.42	12	420	<2	12	0.41	<4	3	19	8	0.93	0.41	18	0.73	523	3	32	234	29	>10.00	<5	11	<10	176	1328	<2	25	<10	4	106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211495	1184105	0.005	<1	2.33	9	406	<2	5	0.71	<4	2	18	7	0.94	0.57	21	0.81	639	3	33	261	49	>10.00	<5	16	<10	167	1312	<2	20	<10	4	100
211496	1184106	0.008	<1	3.89	7	464	2	17	0.97	<4	3	16	8	1.09	0.64	25	1.00	715	4	28	268	57	>10.00	<5	19	<10	198	1397	<2	22	<10	5	101
211497	1184107	0.006	<1	3.01	11	422	<2	19	1.10	<4	4	10	9	1.02	0.03	23	1.10	813	1	20	238	51	>10.00	<5	23	<10	227	1317	<2	20	<10	5	109
211498D	1184107	<0.005	<1	3.55	11	436	<2	18	1.20	<4	2	12	9	1.03	<0.01	25	1.13	807	4	20	244	51	>10.00	<5	12	<10	235	1340	<2	20	<10	5	111
211499	1184108	0.009	<1	1.49	8	432	<2	14	0.99	<4	3	11	4	0.96	<0.01	15	0.89	689	<1	24	242	63	>10.00	<5	17	<10	170	1307	<2	20	<10	4	76
211500	1184109	0.008	<1	3.50	8	531	<2	21	0.83	<4	2	17	5	0.92	<0.01	20	0.85	582	3	31	264	162	>10.00	<5	24	<10	170	1378	<2	22	<10	5	381
211501	1184110	0.239	88	1.33	226	338	<2	30	0.95	26	14	49	6069	5.17	<0.01	4	1.01	1602	14	32	441	10175	>10.00	353	<5	<10	206	1956	<2	81	47	10	4979
211502	1184111	0.033	<1	4.44	15	416	<2	9	1.92	<4	2	16	134	1.33	<0.01	11	1.39	1318	<1	30	238	249	>10.00	7	19	<10	183	1089	4	21	<10	6	257
211503	1184112	0.043	<1	3.45	9	470	2	15	1.29	<4	16	101	48	2.83	0.18	16	1.35	1159	4	84	427	62	>10.00	<5	16	<10	178	2306	<2	79	<10	8	83
211504	1184113	0.132	<1	5.15	27	491	<2	20	1.56	<4	8	22	19	1.92	0.54	11	0.98	499	<1	48	473	57	>10.00	<5	17	<10	138	2077	<2	47	<10	8	162
211505	1184114	0.034	<1	5.36	20	461	<2	16	1.34	<4	10	22	16	1.70	<0.01	15	0.87	473	1	44	477	32	>10.00	<5	23	<10	128	2243	<2	49	<10	8	52
211506	1184115	0.114	<1	6.48	41	480	<2	25	1.03	<4	10	27	13	1.89	<0.01	15	0.80	472	7	49	487	32	>10.00	<5	29	<10	118	2277	<2	51	<10	9	76
211507	1184116	0.929	<1	4.07	15	368	<2	30	2.25	<4	8	26	11	1.86	0.03	14	0.87	587	<1	50	461	17	>10.00	<5	19	<10	129	2240	<2	52	<10	7	65
211508	1184117	0.028	<1	5.07	16	363	<2	26	2.02	<4	8	22	11	1.88	0.11	10	0.82	478	<1	42	473	18	>10.00	<5	21	<10	159	2109	<2	48	<10	8	47
211509D	1184117	0.019	<1	3.30	14	376	<2	15	1.85	<4	7	22	11	1.91	0.33	10	0.70	498	<1	44	477	20	>10.00	<5	12	<10	152	2230	<2	51	<10	6	53
211510	1184118	0.044	<1	3.58	17	468	<2	14	1.60	<4	9	27	45	2.08	0.32	16	0.79	595	5	60	471	32	>10.00	<5	19	<10	160	2198	<2	53	<10	6	298
211511	1184119	0.013	<1	3.42	14	490	2	30	1.29	<4	8	20	12	1.94	0.09	16	0.67	403	4	43	473	37	>10.00	<5	13	<10	179	2191	<2	51	<10	6	80
211512	1184120	<0.005	<1	1.79	9	364	<2	14	1.31	<4	12	31	22	2.25	0.44	6	0.76	442	<1	25	468	10	>10.00	<5	10	<10	251	2230	<2	80	29	11	45
211513	1184121	<0.005	<1	2.41	8	511	<2	11	1.46	<4	6	21	9	0.77	0.34	12	0.57	319	2	47	544	28	>10.00	6	12	<10	156	1902	<2	42	75	6	99
211514	1184122	0.009	<1	2.65	11	823	2	15	1.30	<4	5	23	10	0.91	0.17	17	0.71	337	5	50	547	62	>10.00	<5	22	<10	191	2053	<2	46	<10	5	39

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211515	1184123	0.014	<1	3.96	9	647	2	27	1.38	<4	3	19	26	1.02	0.29	16	0.89	339	9	38	551	37	>10.00	<5	17	<10	152	1960	<2	43	<10	6	48
211516	1184124	0.014	<1	5.19	13	715	2	22	2.02	<4	6	22	12	1.64	0.11	22	1.03	616	10	47	616	23	>10.00	<5	18	<10	183	2214	<2	49	<10	7	42
211517	1184125	0.035	<1	4.74	13	690	2	23	2.12	<4	8	33	10	1.84	0.15	24	1.05	730	14	70	624	23	>10.00	<5	20	<10	165	2437	<2	55	<10	7	45
211518	1184126	0.012	<1	3.58	12	638	2	24	1.93	<4	6	29	9	1.75	0.42	21	0.94	701	13	62	586	21	>10.00	<5	14	<10	151	2387	<2	52	<10	6	36
211519	1184127	0.035	<1	3.67	15	564	2	17	1.59	<4	6	29	14	1.54	0.49	21	0.99	731	12	63	576	24	>10.00	<5	10	<10	130	2318	<2	52	<10	6	47
211520R	1184127	0.032	<1	3.97	18	612	2	28	1.76	<4	6	24	14	1.61	0.16	25	0.98	766	12	52	603	33	>10.00	<5	21	<10	144	2394	<2	51	<10	6	53
211521	1184128	0.130	<1	2.50	28	403	<2	13	0.45	<4	6	23	17	1.35	<0.01	<1	0.58	331	<1	58	489	87	8.25	<5	17	<10	82	1708	<2	42	<10	5	137
211522	1184129	0.036	<1	3.25	20	344	<2	19	0.98	<4	3	22	16	1.10	<0.01	5	0.79	526	<1	52	464	102	9.50	<5	17	<10	134	1957	<2	45	<10	5	182
211523	1184130	5.181	<1	1.10	399	1389	<2	14	2.15	4	14	117	81	3.45	0.14	9	1.03	475	9	57	743	27	>10.00	39	15	<10	207	1951	<2	130	13	12	222
211524	1184131	0.416	5	1.66	25	244	<2	<1	0.32	6	3	27	122	1.24	0.09	2	0.49	272	<1	61	373	1573	>10.00	11	13	<10	98	1633	<2	41	26	4	2016
211525	1184132	0.172	3	2.17	26	214	<2	36	0.97	8	6	28	414	1.76	0.13	4	0.75	578	<1	65	386	1056	>10.00	10	15	<10	114	1568	3	42	29	5	2685
211526	1184133	1.697	<1	2.89	23	383	<2	23	1.32	<4	11	22	57	1.00	0.37	9	0.93	851	<1	60	442	95	>10.00	<5	23	<10	134	1925	<2	45	<10	5	147
211527	1184134	2.196	15	1.49	69	<1	<2	19	0.75	46	7	26	330	4.00	0.34	4	0.74	762	<1	57	308	14905	>10.00	93	11	<10	93	1355	<2	36	175	6	18228
211528	1184135	0.490	13	2.06	51	630	<2	18	0.52	12	5	31	61	2.12	0.15	4	0.62	378	2	69	384	3329	>10.00	52	7	<10	97	1535	<2	42	44	5	3708
211529	1184136	0.059	<1	2.69	45	545	<2	10	0.94	12	5	28	14	1.93	0.16	8	0.75	868	<1	64	381	1778	>10.00	8	7	<10	123	1744	<2	44	47	5	4095
211530	1184137	0.055	<1	3.65	24	380	<2	10	1.30	<4	4	24	18	1.26	0.23	4	1.00	687	<1	60	496	127	8.98	<5	17	<10	145	1900	<2	47	<10	6	128
211531D	1184137	0.058	<1	1.81	20	379	<2	19	1.18	<4	4	22	16	1.16	0.41	9	0.84	659	<1	51	459	117	>10.00	<5	17	<10	142	1898	<2	45	<10	5	116
211532	1184138	0.191	<1	1.75	35	396	2	18	1.10	5	4	20	126	1.50	0.39	9	0.82	724	1	46	464	301	>10.00	<5	16	<10	131	1875	<2	43	19	5	1346
211533	1184139	1.393	9	<0.01	77	20	<2	6	0.10	21	4	25	396	2.54	0.38	2	0.50	321	<1	59	333	3253	>10.00	50	13	<10	71	1386	<2	38	51	4	4925
211534	1184140	<0.005	<1	<0.01	10	335	<2	7	1.20	<4	11	29	24	2.38	0.09	<1	0.73	463	<1	27	478	16	7.51	<5	7	<10	248	2102	<2	83	28	10	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211535	1184141	0.311	3	1.95	49	365	<2	11	0.77	15	4	23	26	2.19	<0.01	1	0.77	564	<1	54	346	1238	>10.00	5	12	<10	106	1350	<2	34	57	5	5811
211536	1184142	0.099	<1	0.78	29	302	<2	1	0.41	<4	4	37	8	1.18	0.02	<1	0.58	386	<1	87	402	87	7.36	<5	20	<10	105	1572	<2	46	<10	4	113
211537	1184143	0.098	<1	0.92	18	337	<2	8	0.72	<4	6	17	13	1.04	0.13	5	0.69	586	<1	48	374	61	8.93	<5	15	<10	148	1763	<2	42	<10	3	88
211538	1184144	0.138	<1	1.85	21	286	<2	7	0.70	<4	4	7	21	0.95	0.24	1	0.75	587	<1	24	366	38	7.56	<5	8	<10	129	1564	<2	29	<10	4	42
211539	1184145	0.701	<1	2.76	16	269	<2	6	0.58	<4	2	10	24	0.79	0.14	<1	0.72	549	<1	27	421	47	6.49	<5	6	<10	122	1431	<2	28	<10	5	54
211540	1184146	0.279	<1	3.29	16	295	<2	5	0.72	<4	4	10	25	0.86	0.59	1	0.77	585	<1	29	427	43	8.45	<5	19	<10	136	1527	<2	30	<10	6	61
211541	1184147	0.773	<1	3.00	20	265	<2	10	0.47	<4	4	10	34	1.07	0.63	<1	0.70	689	<1	28	442	62	6.94	<5	<5	<10	129	1479	<2	30	<10	6	97
211542D	1184147	0.797	<1	3.00	18	252	<2	18	0.45	<4	4	8	33	1.05	0.15	<1	0.69	653	<1	23	427	61	6.83	<5	25	<10	127	1433	<2	28	<10	6	96
211543	1184148	1.586	<1	3.41	9	325	<2	12	0.43	<4	5	14	46	1.44	0.58	3	0.83	996	<1	31	433	55	6.50	<5	18	<10	134	1844	<2	35	<10	5	163
211544	1184149	0.284	<1	2.45	40	309	<2	26	0.70	<4	6	19	29	1.48	0.61	5	0.82	789	<1	31	364	64	9.07	<5	6	<10	154	1658	<2	34	<10	5	144
211545	1184150	1.553	<1	2.32	40	169	<2	26	2.31	6	19	61	7159	5.03	0.16	<1	1.17	544	758	24	860	47	6.76	10	13	<10	215	717	<2	103	<10	15	95
211546	1184151	0.555	<1	0.58	37	281	<2	11	0.50	<4	6	19	25	1.46	0.27	<1	0.66	728	<1	29	370	117	7.50	<5	14	<10	125	1706	<2	37	<10	4	154
211547	1184152	2.408	<1	0.93	28	281	<2	<1	0.29	<4	6	20	26	1.22	0.34	<1	0.54	661	<1	30	320	107	6.78	<5	8	<10	114	1613	<2	36	<10	4	115
211548	1184153	2.994	8	0.55	31	281	<2	<1	0.48	<4	8	14	297	1.24	0.23	3	0.57	646	<1	30	360	3012	9.30	11	13	<10	136	1569	<2	32	11	4	700
211549	1184154	0.846	<1	2.74	27	316	<2	9	0.81	<4	7	15	59	1.64	0.14	8	0.81	763	<1	26	406	73	9.78	<5	12	<10	153	1847	<2	37	<10	6	91
211550	1184155	0.290	<1	1.92	20	275	<2	19	0.71	<4	7	12	22	1.62	0.70	3	0.83	912	<1	27	386	32	8.18	<5	12	<10	141	1754	<2	34	<10	5	62
211551	1184156	1.654	<1	2.78	30	279	<2	15	0.80	6	10	30	40	1.96	0.13	5	0.82	811	<1	39	388	197	8.90	<5	9	<10	142	1971	<2	53	17	6	1318
211552	1184157	3.486	<1	3.43	32	314	<2	5	0.72	<4	8	20	40	1.43	0.37	9	0.87	828	<1	32	393	59	>10.00	<5	15	<10	145	1655	<2	37	<10	6	86
211553D	1184157	3.596	<1	3.07	33	288	<2	2	0.63	<4	7	18	41	1.39	0.47	5	0.84	777	<1	30	375	50	9.72	<5	18	<10	138	1564	<2	36	<10	6	77
211554	1184158	0.201	<1	3.21	33	317	<2	16	0.35	<4	9	25	67	1.34	0.41	6	0.75	585	<1	32	371	66	9.86	<5	19	<10	137	1539	<2	40	<10	6	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211555	1184159	0.202	<1	2.44	37	280	<2	13	0.58	<4	10	15	26	2.05	0.39	6	0.80	640	<1	36	419	69	9.84	<5	21	<10	158	1394	<2	35	<10	5	84
211556	1184160	<0.005	<1	1.06	11	363	<2	12	1.31	<4	12	30	23	2.37	0.52	1	0.77	464	<1	27	473	9	>10.00	<5	<5	<10	258	2267	<2	83	31	11	40
211557	1184161	0.067	<1	1.36	29	337	<2	7	0.38	<4	8	19	16	1.09	<0.01	6	0.49	361	<1	29	373	63	>10.00	<5	12	<10	140	1545	<2	37	<10	4	108
211558	1184162	0.101	<1	2.10	30	372	<2	21	0.41	<4	7	18	17	1.54	<0.01	9	0.55	398	<1	30	378	41	>10.00	<5	7	<10	139	1819	<2	39	<10	4	63
211559	1184163	2.790	<1	1.23	23	312	<2	22	0.56	<4	6	21	25	1.81	0.12	11	0.75	848	<1	26	398	35	>10.00	<5	<5	<10	136	1738	<2	41	<10	4	85
211560	1184164	0.931	<1	1.68	23	265	<2	12	0.62	<4	5	22	34	1.83	0.22	10	0.90	987	<1	28	424	53	>10.00	<5	8	<10	134	1559	<2	39	<10	5	109
211561	1184165	0.128	<1	2.71	19	283	<2	8	0.57	<4	7	17	19	1.71	0.15	10	0.90	782	<1	27	407	37	>10.00	<5	12	<10	137	1481	<2	38	<10	5	78
211562	1184166	0.193	<1	3.31	20	275	<2	12	0.58	<4	7	21	19	1.76	<0.01	8	0.96	842	<1	32	414	48	9.53	<5	12	<10	138	1461	<2	38	<10	5	139
211563	1184167	0.963	6	1.72	18	152	<2	13	0.71	7	3	9	52	1.40	0.44	6	1.09	982	<1	21	291	1728	9.87	<5	13	<10	142	951	<2	25	31	4	2748
211564D	1184167	0.830	6	3.34	26	189	<2	16	0.92	8	3	12	57	1.54	0.11	11	1.22	1073	<1	22	325	1877	>10.00	7	22	<10	163	1033	<2	27	34	5	3012
211565	1184168	0.115	<1	3.28	15	141	2	11	0.88	<4	3	11	31	1.42	0.25	12	1.39	1247	<1	19	394	65	>10.00	<5	16	<10	165	1027	<2	27	<10	5	81
211566	1184169	0.276	<1	3.59	18	190	<2	16	0.63	<4	2	10	22	1.08	0.23	7	1.08	770	<1	15	342	70	>10.00	<5	18	<10	161	1014	<2	28	<10	5	54
211567	1184170	0.244	84	2.12	216	278	<2	27	0.95	26	14	48	5822	5.17	0.49	2	1.08	1577	11	32	424	9978	>10.00	335	9	<10	208	1856	<2	78	46	12	4376
211568	1184171	0.174	<1	2.33	15	170	<2	10	0.79	<4	<1	12	10	0.94	0.28	5	1.03	774	<1	16	328	42	>10.00	<5	15	<10	162	961	<2	27	<10	4	68
211569	1184172	0.346	<1	1.66	30	164	<2	<1	0.48	<4	5	12	23	1.41	<0.01	4	0.83	563	<1	18	300	32	9.55	<5	16	<10	119	1313	<2	26	<10	4	85
211570	1184173	0.066	<1	2.12	26	215	<2	15	1.07	<4	2	9	11	1.14	<0.01	6	0.66	562	<1	15	329	22	>10.00	<5	11	<10	120	1563	<2	29	<10	4	29
211571	1184174	0.361	<1	1.99	38	250	<2	14	<0.01	<4	3	13	20	1.27	<0.01	5	0.41	130	<1	24	299	33	>10.00	<5	10	<10	78	1529	<2	27	<10	4	54
211572	1184175	0.332	<1	3.80	16	201	<2	11	0.47	<4	4	10	24	1.42	<0.01	<1	0.79	383	<1	20	360	41	8.84	<5	12	<10	77	1442	<2	26	<10	6	121
211573	1184176	2.159	5	2.09	110	134	<2	13	<0.01	33	3	11	288	2.94	<0.01	<1	0.35	<100	<1	21	244	1809	>10.00	38	11	<10	60	1121	<2	22	89	5	10387
211574	1184177	1.415	4	3.46	67	233	<2	15	<0.01	<4	8	12	101	1.19	<0.01	2	0.42	<100	<1	24	304	191	>10.00	24	11	<10	74	1393	<2	25	30	5	665

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211575D	1184177	1.515	5	3.08	62	210	<2	16	<0.01	<4	8	11	97	1.17	0.06	<1	0.40	<100	<1	23	296	182	9.47	22	21	<10	66	1335	<2	24	30	5	594
211576	1184178	4.780	26	2.53	62	213	<2	13	<0.01	6	10	11	292	1.49	<0.01	2	0.41	<100	<1	29	260	1221	>10.00	40	<5	<10	74	1257	<2	22	29	5	2269
211577	1184179	0.441	<1	4.16	51	360	2	14	1.40	<4	13	24	61	1.75	0.22	11	0.92	679	<1	37	333	61	>10.00	<5	21	<10	168	2162	<2	39	14	6	566
211578	1184180	<0.005	<1	3.12	9	372	<2	13	1.50	<4	13	32	23	2.41	0.31	3	0.91	463	<1	26	486	11	>10.00	<5	18	<10	276	2223	<2	84	27	14	43
211579	1184181	0.277	<1	3.39	24	259	<2	8	1.38	<4	8	22	25	1.99	0.12	11	1.07	723	<1	26	378	29	>10.00	<5	21	<10	164	2072	<2	39	<10	6	97
211580	1184182	0.062	<1	2.80	43	543	2	23	1.11	<4	12	65	33	2.20	0.28	17	1.03	541	<1	49	384	40	>10.00	<5	8	<10	109	2221	<2	58	<10	7	149
211581	1184183	0.050	<1	1.14	29	443	2	11	1.19	4	6	14	40	1.47	<0.01	10	0.84	534	<1	22	343	405	>10.00	<5	7	<10	98	1811	<2	32	16	4	1134
211582	1184184	0.044	<1	1.19	36	405	2	15	0.90	<4	6	20	29	1.27	<0.01	13	0.71	433	<1	25	308	84	>10.00	<5	15	<10	90	1721	<2	29	<10	4	312
211583	1184185	0.021	<1	2.35	33	506	2	19	1.36	<4	7	18	11	1.48	<0.01	12	0.94	535	<1	25	323	66	>10.00	<5	21	<10	107	1702	<2	32	<10	5	202
211584	1184186	0.016	<1	2.65	29	443	2	11	1.34	<4	5	19	11	1.48	0.10	11	0.96	521	<1	24	322	53	>10.00	<5	6	<10	102	1654	<2	31	<10	5	175
211585	1184187	0.035	<1	2.65	29	498	2	19	1.26	<4	5	15	18	1.36	0.11	11	1.04	522	<1	24	345	40	>10.00	<5	15	<10	104	1751	<2	31	<10	5	99
211586R	1184187	0.033	<1	3.22	29	526	2	21	1.22	<4	7	17	18	1.33	0.13	13	1.01	491	<1	23	340	46	>10.00	<5	14	<10	109	1840	<2	33	<10	5	94
211587	1184188	0.026	<1	1.45	26	519	2	21	1.61	<4	5	16	18	1.22	<0.01	16	0.91	576	2	24	281	26	>10.00	<5	13	<10	130	1729	<2	28	<10	4	94
211588	1184189	0.261	2	4.21	30	348	2	18	4.11	8	9	25	161	2.50	<0.01	15	2.38	1373	5	31	418	695	>10.00	<5	12	<10	180	1639	<2	39	19	8	1590
211589	1184190	4.830	<1	2.25	406	1433	<2	16	2.23	4	14	115	82	3.43	<0.01	9	1.13	470	9	55	751	33	>10.00	38	7	<10	213	1947	<2	128	12	14	220
211590	1184191	0.170	<1	1.21	29	418	2	15	0.43	4	22	139	69	3.63	0.10	30	1.86	678	4	80	484	79	>10.00	<5	11	<10	90	2418	<2	102	<10	6	381
211591	1184192	0.086	<1	1.23	36	266	2	19	0.74	4	20	124	54	3.79	0.08	35	2.06	679	10	78	426	61	>10.00	<5	<5	<10	96	2223	<2	87	<10	6	323
211592	1184193	0.111	<1	1.89	22	365	2	16	0.85	<4	22	150	49	3.59	<0.01	42	1.73	632	13	89	480	60	>10.00	<5	12	<10	119	2230	10	105	<10	6	106
211593	1184194	0.801	1	1.84	45	268	2	18	0.77	6	20	129	96	3.82	0.44	36	1.55	617	12	75	430	459	>10.00	<5	12	<10	115	2027	<2	84	<10	6	731
211594	1184195	0.174	<1	1.33	60	223	2	24	0.64	<4	19	125	44	3.64	0.39	50	1.77	608	11	75	415	102	>10.00	<5	<5	<10	98	1894	<2	86	<10	5	152

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211595	1184196	<0.005	<1	2.23	78	356	2	23	0.17	<4	17	120	39	3.00	0.31	29	1.23	313	13	71	386	99	>10.00	<5	13	<10	89	1555	<2	84	<10	5	282
211596	1184197	0.029	<1	2.53	12	433	<2	15	1.25	<4	5	48	21	1.33	0.63	23	1.29	391	10	31	431	108	>10.00	<5	19	<10	110	1299	<2	31	<10	6	38
211597D	1184197	0.027	<1	3.52	16	432	<2	18	1.37	<4	6	50	22	1.39	0.18	21	1.30	407	9	33	447	109	>10.00	<5	13	<10	112	1281	<2	31	<10	6	37
211598	1184198	0.180	<1	1.57	36	379	2	26	0.55	<4	9	57	36	1.65	0.44	24	0.86	292	11	40	407	89	>10.00	<5	7	<10	92	1434	<2	41	<10	5	281
211599	1184199	0.111	<1	0.03	41	292	2	16	0.70	<4	11	81	33	1.87	0.31	17	0.97	430	6	44	418	124	>10.00	<5	<5	<10	82	1537	<2	54	<10	5	485
211600	1184200	<0.005	<1	1.02	9	372	<2	7	1.32	<4	12	32	22	2.24	<0.01	9	0.72	448	<1	26	460	9	>10.00	<5	6	<10	254	2317	<2	81	27	10	40
211601	1184201	0.094	<1	1.11	58	235	2	17	1.74	<4	19	140	43	3.43	<0.01	24	1.56	738	8	77	516	73	>10.00	<5	7	<10	115	1926	<2	78	<10	7	184
211602	1184202	1.324	<1	1.35	23	298	2	23	0.66	<4	21	142	43	3.65	<0.01	32	1.86	671	9	80	479	69	>10.00	<5	<5	<10	95	2333	<2	95	<10	6	137
211603	1184203	1.017	4	1.37	76	269	<2	15	0.48	8	18	132	41	3.55	0.06	25	1.54	466	8	72	450	356	>10.00	<5	5	<10	91	1789	<2	87	18	6	1363
211604	1184204	0.301	<1	3.06	32	376	2	16	0.58	4	25	154	55	4.17	<0.01	35	1.79	663	10	88	515	141	>10.00	<5	8	<10	94	2269	<2	112	<10	7	173
211605	1184205	0.171	2	2.23	52	244	<2	24	0.43	7	20	126	19	3.81	0.12	33	2.48	501	6	74	462	428	>10.00	<5	7	<10	77	1400	2	89	10	7	799
211606	1184206	0.197	2	2.40	53	240	<2	11	0.44	6	20	126	20	3.85	0.31	35	2.52	509	8	73	449	374	>10.00	<5	11	<10	78	1407	<2	88	10	7	767
211607	1184207	0.089	<1	4.26	33	312	<2	13	1.15	<4	15	96	20	2.91	0.11	34	2.22	497	7	61	476	67	>10.00	<5	8	<10	129	1442	<2	71	<10	8	156
211608D	1184207	0.046	<1	3.88	30	304	<2	19	1.11	<4	15	93	20	2.86	0.29	33	2.22	490	7	60	467	64	>10.00	<5	16	<10	126	1446	<2	70	<10	7	155
211609	1184208	0.007	<1	4.11	20	296	<2	18	1.76	<4	7	27	3	1.68	0.14	27	2.07	455	5	38	444	39	>10.00	<5	19	<10	174	1438	<2	34	<10	6	71
211610	1184209	0.058	<1	1.71	21	278	<2	22	0.73	<4	18	112	33	3.09	0.63	25	1.49	486	3	62	446	41	>10.00	<5	8	<10	124	1822	<2	76	<10	7	76
211611	1184210	1.425	1	1.03	42	664	<2	33	2.21	6	19	64	6763	4.73	0.19	10	0.84	525	736	23	797	43	>10.00	14	11	<10	251	996	<2	105	<10	9	91
211612	1184211	0.031	<1	0.80	15	266	2	20	0.91	<4	21	132	57	3.56	0.06	22	1.28	466	3	71	499	30	>10.00	<5	7	<10	134	2693	<2	91	<10	6	43
211613	1184212	0.040	<1	1.76	26	375	2	15	1.75	<4	15	91	27	2.58	0.34	17	1.14	605	2	48	454	38	>10.00	<5	13	<10	145	2084	<2	66	<10	7	59
211614	1184213	0.049	<1	2.51	46	308	2	23	1.99	<4	14	62	22	2.64	0.07	24	1.28	782	5	43	461	75	>10.00	<5	13	<10	138	1873	<2	62	<10	7	88

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
211615	1184214	0.710	7	2.15	75	313	2	13	0.98	27	20	102	97	3.34	0.34	23	0.96	635	9	62	434	1213	>10.00	11	<5	<10	102	1941	<2	81	81	7	8057
211616	1184215	1.849	6	1.92	82	359	2	16	0.11	11	9	33	118	2.02	0.22	20	0.42	112	5	33	330	622	>10.00	5	14	<10	84	1401	<2	40	43	5	3385
211617	1184216	0.856	2	2.23	121	369	2	18	0.34	<4	16	110	47	2.56	0.51	20	0.54	184	5	62	380	212	>10.00	<5	11	<10	156	1561	<2	72	<10	7	404
211618	1184217	0.203	<1	3.06	48	298	2	18	0.71	<4	21	146	62	3.27	0.68	18	1.05	467	5	80	402	120	>10.00	<5	<5	<10	129	1800	<2	103	<10	8	202
211619D	1184217	0.193	<1	3.91	50	327	2	21	0.80	4	23	154	65	3.49	0.50	21	1.12	504	6	83	427	127	>10.00	<5	9	<10	139	1923	<2	108	<10	8	205
211620	1184218	0.020	<1	4.75	19	299	2	16	1.69	<4	24	150	52	3.68	0.66	28	1.46	634	7	77	478	63	>10.00	<5	22	<10	216	3098	<2	104	<10	9	98
211621	1184219	0.226	2	3.05	84	595	2	26	0.54	<4	19	111	94	2.69	0.60	20	0.75	408	5	62	446	297	>10.00	<5	19	<10	94	2367	<2	85	10	9	432
211622	1184220	<0.005	<1	2.06	10	386	<2	9	1.45	<4	12	32	26	2.29	0.38	10	0.78	454	2	26	465	9	>10.00	<5	9	<10	269	2315	<2	82	28	11	42
211623	1184221	0.344	<1	0.94	51	396	2	7	0.58	4	22	123	89	3.35	0.54	21	0.96	433	5	73	412	82	>10.00	<5	5	<10	105	2491	<2	87	<10	6	331
211624	1184222	0.809	1	1.14	54	591	2	7	1.32	<4	6	19	63	1.77	0.24	21	0.80	667	4	26	409	181	>10.00	<5	12	<10	108	2027	<2	40	<10	5	175
211625	1184223	0.034	<1	1.25	29	436	2	16	2.14	<4	9	18	10	1.63	0.20	19	1.09	706	2	25	431	34	>10.00	<5	10	<10	121	2137	<2	41	<10	5	63
211626	1184224	0.130	<1	2.47	39	385	2	19	2.16	<4	8	18	21	1.97	0.13	24	1.01	518	3	23	466	96	>10.00	<5	20	<10	145	2158	2	43	11	6	440
211627	1184225	0.016	<1	2.42	15	448	2	12	2.22	<4	7	16	14	1.69	0.29	17	1.16	800	1	22	428	41	>10.00	<5	18	<10	155	1786	<2	39	<10	6	291
211628	1184226	0.019	<1	2.73	17	459	2	11	2.42	<4	7	17	16	1.82	0.20	20	1.17	843	3	23	423	46	>10.00	<5	18	<10	165	1879	<2	41	<10	6	264

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211455	1184068	22	<0.001	0.022
211456	1184069	20	<0.001	0.020
211457	1184070	4857	0.142	4.857
211458	1184071	16	<0.001	0.016
211459	1184072	22	<0.001	0.022
211460	1184073	9	<0.001	0.009
211461	1184074	6	<0.001	0.006
211462	1184075	13	<0.001	0.013
211463	1184076	9	<0.001	0.009
211464	1184077	106	0.003	0.106
211465 Dup	1184077	99	0.003	0.099
211466	1184078	40	0.001	0.040
211467	1184079	53	0.002	0.053
211468	1184080	<5	<0.001	<0.005
211469	1184081	56	0.002	0.056
211470	1184082	121	0.004	0.121
211471	1184083	18	<0.001	0.018
211472	1184084	<5	<0.001	<0.005
211473	1184085	<5	<0.001	<0.005
211474	1184086	8	<0.001	0.008
211475	1184087	<5	<0.001	<0.005
211476 Dup	1184087	<5	<0.001	<0.005
211477	1184088	7	<0.001	0.007
211478	1184089	3593	0.105	3.593
211479	1184090	1309	0.038	1.309
211480	1184091	58	0.002	0.058
211481	1184092	29	<0.001	0.029
211482	1184093	18	<0.001	0.018
211483	1184094	54	0.002	0.054
211484	1184095	801	0.023	0.801

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211485	1184096	205	0.006	0.205
211486	1184097	42	0.001	0.042
211487 Dup	1184097	53	0.002	0.053
211488	1184098	62	0.002	0.062
211489	1184099	12	<0.001	0.012
211490	1184100	<5	<0.001	<0.005
211491	1184101	45	0.001	0.045
211492	1184102	14	<0.001	0.014
211493	1184103	11	<0.001	0.011
211494	1184104	6	<0.001	0.006
211495	1184105	5	<0.001	0.005
211496	1184106	8	<0.001	0.008
211497	1184107	6	<0.001	0.006
211498 Dup	1184107	<5	<0.001	<0.005
211499	1184108	9	<0.001	0.009
211500	1184109	8	<0.001	0.008
211501	1184110	239	0.007	0.239
211502	1184111	33	<0.001	0.033
211503	1184112	43	0.001	0.043
211504	1184113	132	0.004	0.132
211505	1184114	34	<0.001	0.034
211506	1184115	114	0.003	0.114
211507	1184116	929	0.027	0.929
211508	1184117	28	<0.001	0.028
211509 Dup	1184117	19	<0.001	0.019
211510	1184118	44	0.001	0.044
211511	1184119	13	<0.001	0.013
211512	1184120	<5	<0.001	<0.005
211513	1184121	<5	<0.001	<0.005
211514	1184122	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211515	1184123	14	<0.001	0.014
211516	1184124	14	<0.001	0.014
211517	1184125	35	0.001	0.035
211518	1184126	12	<0.001	0.012
211519	1184127	35	0.001	0.035
211520 Rep	1184127	32	<0.001	0.032
211521	1184128	130	0.004	0.130
211522	1184129	36	0.001	0.036
211523	1184130	5181	0.151	5.181
211524	1184131	416	0.012	0.416
211525	1184132	172	0.005	0.172
211526	1184133	1697	0.050	1.697
211527	1184134	2196	0.064	2.196
211528	1184135	490	0.014	0.490
211529	1184136	59	0.002	0.059
211530	1184137	55	0.002	0.055
211531 Dup	1184137	58	0.002	0.058
211532	1184138	191	0.006	0.191
211533	1184139	1393	0.041	1.393
211534	1184140	<5	<0.001	<0.005
211535	1184141	311	0.009	0.311
211536	1184142	99	0.003	0.099
211537	1184143	98	0.003	0.098
211538	1184144	138	0.004	0.138
211539	1184145	701	0.020	0.701
211540	1184146	279	0.008	0.279
211541	1184147	773	0.023	0.773
211542 Dup	1184147	797	0.023	0.797
211543	1184148	1586	0.046	1.586
211544	1184149	284	0.008	0.284

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211545	1184150	1553	0.045	1.553
211546	1184151	555	0.016	0.555
211547	1184152	2408	0.070	2.408
211548	1184153	2994	0.087	2.994
211549	1184154	846	0.025	0.846
211550	1184155	290	0.008	0.290
211551	1184156	1654	0.048	1.654
211552	1184157	3486	0.102	3.486
211553 Dup	1184157	3596	0.105	3.596
211554	1184158	201	0.006	0.201
211555	1184159	202	0.006	0.202
211556	1184160	<5	<0.001	<0.005
211557	1184161	67	0.002	0.067
211558	1184162	101	0.003	0.101
211559	1184163	2790	0.081	2.790
211560	1184164	931	0.027	0.931
211561	1184165	128	0.004	0.128
211562	1184166	193	0.006	0.193
211563	1184167	963	0.028	0.963
211564 Dup	1184167	830	0.024	0.830
211565	1184168	115	0.003	0.115
211566	1184169	276	0.008	0.276
211567	1184170	244	0.007	0.244
211568	1184171	174	0.005	0.174
211569	1184172	346	0.010	0.346
211570	1184173	66	0.002	0.066
211571	1184174	361	0.011	0.361
211572	1184175	332	0.010	0.332
211573	1184176	2159	0.063	2.159
211574	1184177	1415	0.041	1.415

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211575 Dup	1184177	1515	0.044	1.515
211576	1184178	4780	0.139	4.780
211577	1184179	441	0.013	0.441
211578	1184180	<5	<0.001	<0.005
211579	1184181	277	0.008	0.277
211580	1184182	62	0.002	0.062
211581	1184183	50	0.001	0.050
211582	1184184	44	0.001	0.044
211583	1184185	21	<0.001	0.021
211584	1184186	16	<0.001	0.016
211585	1184187	35	0.001	0.035
211586 Rep	1184187	33	<0.001	0.033
211587	1184188	26	<0.001	0.026
211588	1184189	261	0.008	0.261
211589	1184190	4830	0.141	4.830
211590	1184191	170	0.005	0.170
211591	1184192	86	0.002	0.086
211592	1184193	111	0.003	0.111
211593	1184194	801	0.023	0.801
211594	1184195	174	0.005	0.174
211595	1184196	<5	<0.001	<0.005
211596	1184197	29	<0.001	0.029
211597 Dup	1184197	27	<0.001	0.027
211598	1184198	180	0.005	0.180
211599	1184199	111	0.003	0.111
211600	1184200	<5	<0.001	<0.005
211601	1184201	94	0.003	0.094
211602	1184202	1324	0.039	1.324
211603	1184203	1017	0.030	1.017
211604	1184204	301	0.009	0.301

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, September 19, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/29/2011  
 Date Completed: 09/19/2011  
 Job #: 201143187  
 Reference: TL11212  
 Sample #: 159

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
211605	1184205	171	0.005	0.171
211606	1184206	197	0.006	0.197
211607	1184207	89	0.003	0.089
211608 Dup	1184207	46	0.001	0.046
211609	1184208	7	<0.001	0.007
211610	1184209	58	0.002	0.058
211611	1184210	1425	0.042	1.425
211612	1184211	31	<0.001	0.031
211613	1184212	40	0.001	0.040
211614	1184213	49	0.001	0.049
211615	1184214	710	0.021	0.710
211616	1184215	1849	0.054	1.849
211617	1184216	856	0.025	0.856
211618	1184217	203	0.006	0.203
211619 Dup	1184217	193	0.006	0.193
211620	1184218	20	<0.001	0.020
211621	1184219	226	0.007	0.226
211622	1184220	<5	<0.001	<0.005
211623	1184221	344	0.010	0.344
211624	1184222	809	0.024	0.809
211625	1184223	34	<0.001	0.034
211626	1184224	130	0.004	0.130
211627	1184225	16	<0.001	0.016
211628	1184226	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 23, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
Date Completed: 09/23/2011  
Job #: 201143440  
Reference: TL11212  
Sample #: 3

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
231833	1184089	0.140	4.790
231834	1184157	0.080	2.727
231835	1184178	0.112	3.854

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214392	1079625	0.059	<1	5.83	33	377	2	2	1.51	<4	5	15	9	1.57	0.20	17	1.73	900	<1	18	351	71	0.39	<5	20	<10	176	1204	18	21	<10	6	130
214393	1079626	0.102	2	6.26	29	348	2	1	1.40	7	6	16	41	1.84	0.12	19	1.61	1024	<1	22	344	422	1.28	<5	16	<10	143	1116	6	19	18	6	1482
214394	1079627	0.052	<1	5.71	26	353	2	2	1.54	6	5	17	44	1.75	0.23	17	1.70	1042	<1	22	340	224	1.02	<5	21	<10	163	1053	15	19	14	6	939
214395	1079628	0.073	<1	5.08	29	308	2	2	1.04	<4	7	18	20	1.62	0.13	11	1.12	681	<1	19	314	145	1.35	<5	18	<10	137	1115	3	22	<10	5	290
214396	1079629	0.034	1	4.01	19	205	2	2	1.11	<4	6	15	10	1.27	0.02	10	1.28	729	<1	19	349	172	0.87	<5	22	<10	129	1060	6	20	10	5	285
214397	1079630	0.266	105	2.88	252	344	2	1	1.06	28	14	49	6301	5.81	<0.01	6	1.27	1742	17	31	511	10788	2.59	156	8	<10	171	1671	3	76	55	14	5257
214398	1079631	0.038	<1	5.00	29	357	2	1	0.79	<4	5	19	13	1.15	<0.01	8	0.97	453	<1	25	362	67	0.81	7	18	<10	124	1234	7	22	10	5	539
214399	1079632	0.024	<1	2.30	17	276	2	<1	0.14	<4	4	13	10	0.73	<0.01	2	0.52	224	<1	19	356	195	0.52	<5	14	<10	81	939	<2	16	<10	4	327
214400	1079633	0.042	4	4.53	26	391	2	1	0.29	7	5	18	71	1.20	<0.01	5	0.45	174	<1	26	361	693	1.09	6	23	<10	137	1253	<2	23	13	5	928
214401	1079634	0.020	<1	5.06	25	319	2	1	1.35	4	13	75	36	2.58	<0.01	13	1.33	696	<1	52	456	60	1.76	<5	13	<10	208	1744	<2	51	<10	10	248
214402D	1079634	0.019	<1	5.42	28	330	2	2	1.45	4	14	80	39	2.73	<0.01	14	1.40	745	<1	53	475	62	1.89	5	19	<10	222	1861	<2	54	10	11	254
214403	1079635	0.013	<1	4.46	25	359	2	1	1.47	<4	10	43	17	2.22	<0.01	10	1.21	563	<1	35	409	24	1.22	<5	12	<10	205	1671	<2	44	<10	8	75
214404	1079636	0.045	<1	4.86	24	446	2	<1	1.50	<4	10	48	16	2.25	0.15	11	1.18	546	<1	46	381	30	1.30	<5	20	<10	211	1661	3	42	<10	8	72
214405	1079637	0.011	<1	4.92	14	298	2	2	1.47	<4	10	62	21	2.51	0.17	14	1.46	665	<1	53	508	35	0.85	<5	14	<10	213	1569	8	41	<10	11	71
214406	1079638	0.084	3	4.28	15	299	2	2	1.02	<4	13	76	205	2.75	0.08	13	1.11	570	<1	58	475	27	1.22	<5	13	<10	171	1751	5	49	<10	12	81
214407	1079639	0.021	1	4.93	31	393	2	2	1.21	<4	7	14	51	1.19	0.14	3	0.38	212	<1	21	428	26	1.09	<5	21	<10	189	1324	2	29	<10	6	260
214408	1079640	<0.005	<1	2.93	14	343	2	1	1.43	<4	12	31	23	2.48	0.08	4	0.96	469	<1	23	548	7	0.04	<5	13	<10	225	1943	2	79	31	14	48
214409	1079641	0.006	<1	3.90	24	313	<2	2	1.66	<4	6	16	14	1.43	0.12	4	0.54	422	<1	22	407	23	1.19	7	20	<10	175	1200	2	26	<10	6	55
214410	1079642	<0.005	1	3.76	19	355	2	2	0.80	<4	7	15	10	1.43	0.01	5	0.39	214	<1	21	424	30	1.01	6	19	<10	168	1256	<2	25	<10	5	57
214411	1079643	0.013	<1	3.57	21	342	2	<1	0.16	<4	7	15	9	0.85	<0.01	<1	0.29	<100	<1	21	401	36	0.77	5	16	<10	110	1362	<2	25	<10	5	48

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214412	1079644	0.008	<1	4.31	16	331	2	2	0.69	<4	6	16	4	0.42	<0.01	<1	0.30	102	<1	22	367	29	0.26	<5	24	<10	195	1308	<2	24	<10	5	40
214413D	1079644	0.022	<1	3.50	15	315	2	3	0.60	<4	6	16	3	0.39	<0.01	<1	0.27	<100	<1	20	362	29	0.22	<5	22	<10	186	1261	<2	23	<10	4	44
214414	1079645	0.006	<1	4.93	25	427	2	2	1.19	<4	7	21	6	0.62	0.16	1	0.28	126	<1	32	386	24	0.46	<5	23	<10	238	1343	<2	32	<10	5	64
214415	1079646	0.010	<1	5.64	27	234	2	2	1.42	<4	8	29	2	0.51	0.13	3	0.29	<100	4	37	252	35	0.39	6	26	<10	267	1206	<2	29	<10	5	50
214416	1079647	0.027	1	4.29	29	318	<2	2	0.93	<4	7	12	6	0.59	0.11	3	0.31	126	<1	18	426	19	0.50	<5	18	<10	182	1328	<2	26	<10	5	27
214417	1079648	0.015	2	4.00	35	353	<2	2	0.89	<4	7	10	7	0.90	0.26	<1	0.27	115	<1	17	408	17	0.86	6	21	<10	172	1296	<2	25	<10	6	21
214418	1079649	0.029	1	4.27	32	451	2	<1	1.06	<4	5	18	8	0.83	0.31	2	0.32	223	<1	23	320	30	0.77	<5	24	<10	183	1207	<2	24	<10	6	233
214419	1079650	4.915	1	3.72	434	1276	2	2	2.26	5	13	114	84	3.50	0.27	11	1.31	479	10	57	850	31	1.06	37	19	10	186	1671	8	123	15	15	226
214420	1079651	0.179	6	6.42	65	566	2	1	1.86	<4	8	20	17	1.55	0.19	12	0.57	356	3	27	508	52	1.27	<5	18	<10	237	1458	<2	29	<10	7	182
214421	1079652	0.022	<1	6.32	31	589	2	<1	1.60	<4	7	28	7	1.76	0.14	12	0.57	322	6	45	417	27	1.47	<5	24	<10	204	1441	<2	32	<10	7	64
214422	1079653	0.031	<1	4.58	46	445	2	1	1.09	<4	7	15	10	1.75	<0.01	6	0.53	261	<1	23	434	31	1.72	5	19	<10	188	1266	4	25	<10	6	121
214423	1079654	0.009	<1	4.91	13	523	3	<1	1.96	<4	8	16	14	1.82	<0.01	20	0.84	572	5	25	435	27	0.64	<5	19	<10	270	1735	<2	35	<10	6	69
214424D	1079654	0.005	<1	6.03	17	482	2	4	1.90	<4	9	17	16	1.96	0.08	14	1.01	605	<1	24	484	22	0.66	<5	22	<10	254	1694	6	34	<10	7	70
214425	1079655	0.033	<1	5.23	29	326	2	1	0.79	<4	8	17	7	1.19	<0.01	15	1.41	357	<1	40	270	41	0.80	<5	21	<10	105	1144	<2	20	<10	6	261
214426	1079656	0.034	<1	4.71	31	300	2	3	0.76	<4	9	17	6	1.29	<0.01	14	1.45	378	<1	39	258	42	0.92	<5	21	<10	101	1094	6	18	<10	5	301
214427	1079657	0.042	<1	3.95	35	311	2	3	0.75	<4	11	14	8	0.96	0.12	10	1.02	234	<1	40	262	33	0.83	<5	19	<10	110	1191	<2	21	13	5	742
214428	1079658	0.043	<1	6.22	34	396	2	2	1.18	<4	10	15	7	1.06	0.29	17	1.17	289	<1	36	303	25	0.92	<5	17	<10	110	1466	5	27	12	6	632
214429	1079659	0.023	<1	5.22	39	374	2	1	0.77	<4	11	21	8	1.90	<0.01	16	1.27	306	<1	47	319	50	1.95	<5	15	<10	122	1350	<2	25	10	6	380
214430	1079660	<0.005	<1	2.98	13	337	2	2	1.44	<4	12	30	22	2.49	<0.01	5	0.97	469	<1	24	544	8	0.09	<5	12	<10	220	1924	7	78	27	14	45
214431	1079661	0.020	1	4.74	31	377	2	<1	0.55	<4	8	18	7	1.04	0.06	11	0.89	218	<1	37	343	71	0.95	<5	20	<10	104	1294	<2	24	10	6	320

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214432	1079662	0.015	<1	4.73	28	376	2	<1	0.47	<4	7	19	21	0.71	<0.01	11	0.90	223	<1	29	341	45	0.47	<5	25	<10	108	1316	2	24	<10	5	154
214433	1079663	0.017	<1	5.79	26	425	2	<1	0.58	<4	7	13	6	0.70	0.16	13	1.03	251	2	21	214	74	0.47	<5	19	<10	116	1365	<2	25	<10	6	302
214434	1079664	0.026	1	4.35	29	385	2	1	0.74	<4	7	12	4	0.90	0.10	10	1.08	296	2	23	235	118	0.72	<5	21	<10	131	1140	5	21	12	5	291
214435D	1079664	0.025	1	5.26	31	444	2	1	0.81	<4	7	15	4	0.92	<0.01	12	1.13	305	4	26	244	121	0.71	8	24	<10	142	1253	10	23	<10	6	296
214436	1079665	0.011	<1	4.91	29	490	2	2	0.76	<4	7	12	7	0.93	<0.01	9	1.00	253	<1	20	226	46	0.77	<5	23	<10	150	1274	<2	23	<10	5	200
214437	1079666	0.010	<1	4.99	36	495	2	2	1.02	<4	7	19	12	1.49	<0.01	9	1.16	312	<1	29	315	42	1.42	6	17	<10	166	1399	<2	27	<10	6	102
214438	1079667	0.010	<1	6.37	22	522	2	1	1.29	<4	6	21	7	1.01	<0.01	16	1.15	361	2	29	280	40	0.79	<5	19	<10	201	1423	5	28	<10	6	34
214439	1079668	0.050	1	5.27	32	418	2	3	1.16	<4	10	14	177	1.33	<0.01	16	1.40	439	<1	25	323	31	0.99	<5	22	<10	190	1350	<2	23	<10	5	69
214440	1079669	0.010	1	6.99	26	644	2	3	1.29	<4	6	20	20	1.03	<0.01	17	1.09	341	7	21	423	67	0.67	<5	22	<10	235	1657	<2	31	<10	6	126
214441	1079670	1.611	3	4.04	43	361	3	3	2.45	7	18	65	6835	5.36	<0.01	6	1.27	572	831	21	905	41	3.01	15	23	<10	199	730	<2	103	<10	14	95
214442	1079671	0.009	1	6.56	25	607	2	2	0.76	<4	7	17	32	0.92	<0.01	15	0.92	280	8	19	471	46	0.53	9	21	<10	205	1621	6	29	<10	6	57
214443	1079672	0.010	1	5.99	17	656	2	1	0.91	<4	13	21	17	0.92	<0.01	14	0.94	319	8	29	761	47	0.36	<5	19	<10	239	1930	3	46	<10	8	86
214444	1079673	0.012	1	5.73	15	473	2	<1	0.92	<4	6	26	15	0.88	<0.01	8	0.52	175	10	38	517	28	0.44	<5	17	<10	212	1433	<2	30	<10	6	29
214445	1079674	0.008	<1	5.56	17	466	2	1	0.64	<4	5	25	10	0.77	<0.01	11	0.64	208	10	34	434	24	0.42	<5	25	<10	186	1495	2	27	<10	5	46
214446D	1079674	0.011	1	5.04	19	505	2	<1	0.76	<4	6	28	10	0.75	<0.01	17	0.57	203	15	37	386	28	0.34	<5	21	<10	212	1613	<2	29	<10	4	43
214447	1079675	0.013	<1	3.65	10	412	2	<1	1.26	<4	7	17	15	1.56	<0.01	6	0.86	369	4	25	457	21	0.54	<5	18	<10	189	1407	<2	27	<10	7	58
214448	1079676	0.010	<1	5.53	11	657	2	<1	1.63	<4	7	29	16	1.76	<0.01	15	0.92	411	9	37	486	32	0.54	<5	12	<10	241	1906	5	38	<10	6	66
214449	1079677	0.008	<1	5.89	20	342	2	<1	1.71	<4	8	23	9	0.91	<0.01	9	1.09	484	9	32	674	19	0.24	<5	24	<10	133	1566	11	26	<10	7	19
214450	1079678	0.049	<1	5.51	26	454	2	<1	1.08	<4	6	16	8	0.92	<0.01	10	0.92	356	5	26	604	47	0.45	<5	21	<10	95	1856	4	31	<10	6	102
214451	1079679	0.029	<1	5.62	22	458	2	3	1.23	<4	7	14	4	0.88	<0.01	9	0.99	362	7	21	522	62	0.36	<5	22	<10	95	1624	6	25	<10	6	75

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214452	1079680	<0.005	<1	2.99	12	302	<2	1	1.34	<4	11	31	20	2.33	<0.01	3	0.91	437	5	22	503	7	0.07	<5	18	<10	216	1863	<2	74	28	14	40
214453	1079681	0.009	<1	6.12	18	525	2	1	1.61	<4	6	15	4	0.98	<0.01	10	1.20	434	7	21	514	35	0.24	11	23	<10	122	1762	2	28	<10	6	42
214454	1079682	0.027	<1	6.75	18	509	2	2	1.82	<4	6	16	25	1.12	<0.01	11	1.25	468	9	21	559	56	0.33	<5	18	<10	133	1829	5	29	<10	7	61
214455	1079683	0.108	1	5.97	23	612	2	2	1.31	<4	5	18	12	1.03	<0.01	12	1.03	388	10	21	553	41	0.45	5	21	<10	112	1838	9	30	<10	6	51
214456	1079684	0.226	3	4.95	35	440	2	1	1.09	<4	6	17	29	1.37	<0.01	8	0.83	512	5	22	505	368	0.79	6	18	<10	114	1643	<2	28	<10	6	210
214457R	1079684	0.139	2	4.93	34	456	<2	3	1.10	<4	6	18	31	1.39	<0.01	6	0.82	506	4	27	486	397	0.84	7	21	<10	114	1684	4	29	<10	6	216
214458	1079685	0.253	3	4.87	34	316	<2	2	1.04	<4	7	15	16	1.48	<0.01	7	0.72	502	5	20	525	43	0.79	<5	18	<10	112	1583	5	27	<10	6	161
214459	1079686	0.058	2	4.45	24	265	2	1	1.07	<4	5	17	89	1.50	<0.01	8	0.85	548	7	21	456	117	0.92	<5	20	<10	112	1363	<2	22	<10	6	372
214460	1079687	0.034	<1	1.47	21	213	<2	1	0.56	<4	5	8	21	1.20	<0.01	1	0.83	560	<1	12	481	44	0.58	<5	16	<10	75	1217	7	20	<10	5	71
214461	1079688	0.045	<1	2.49	24	246	<2	<1	0.94	<4	6	14	9	1.74	<0.01	5	1.00	787	<1	21	536	26	0.61	<5	18	<10	96	1511	4	27	<10	6	62
214462	1079689	0.076	<1	<0.01	19	119	<2	<1	0.18	<4	5	10	12	1.51	<0.01	<1	0.78	586	<1	15	474	31	0.74	6	12	<10	47	1138	<2	21	<10	5	77
214463	1079690	0.266	104	3.48	255	376	2	4	1.10	29	14	52	6261	5.90	<0.01	6	1.31	1773	24	29	512	10831	2.58	278	8	<10	181	1771	<2	79	51	15	5201
214464	1079691	0.066	1	4.04	26	179	<2	<1	0.65	<4	5	15	24	1.27	<0.01	3	0.56	377	5	17	404	49	0.91	<5	26	<10	107	1258	2	25	<10	5	83
214465	1079692	0.046	<1	3.17	21	277	2	<1	0.57	<4	5	14	9	1.15	0.03	3	0.65	454	4	20	546	9	0.53	<5	16	10	81	1381	<2	24	<10	6	38
214466	1079693	0.025	<1	3.70	18	290	<2	2	0.70	<4	5	12	7	0.98	<0.01	6	0.81	459	4	18	512	14	0.37	<5	18	<10	93	1401	5	26	<10	6	38
214467	1079694	0.049	4	3.02	19	263	2	<1	0.44	<4	4	14	51	1.01	<0.01	3	0.63	311	2	17	497	773	0.66	5	18	<10	77	1325	<2	24	<10	5	65
214468D	1079694	0.063	4	3.48	17	283	2	<1	0.49	<4	4	15	50	1.02	<0.01	5	0.65	314	3	26	512	787	0.66	<5	19	<10	81	1412	3	25	<10	6	65
214469	1079695	0.176	4	4.98	38	304	2	1	0.75	4	5	15	16	1.17	<0.01	6	0.85	425	6	18	463	53	0.93	6	18	<10	99	1470	<2	26	15	6	648
214470	1079696	0.118	<1	4.12	37	278	<2	2	0.69	4	5	15	18	1.20	0.13	4	0.82	424	4	19	469	43	1.05	<5	21	<10	94	1395	<2	25	11	6	884
214471	1079697	0.616	3	4.96	58	315	2	<1	1.33	5	5	23	20	2.45	<0.01	12	1.15	775	8	25	518	118	2.24	10	17	<10	129	1518	<2	28	14	7	769

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214472	1079698	0.082	1	2.83	21	255	2	2	0.99	<4	6	18	19	1.64	<0.01	6	0.79	483	3	21	584	68	1.14	<5	16	<10	72	1491	<2	25	<10	7	26
214473	1079699	0.020	1	3.75	10	368	2	2	0.52	<4	6	20	91	1.10	0.03	5	0.56	274	6	19	499	141	0.57	5	14	<10	54	1463	<2	24	10	6	138
214474	1079700	<0.005	1	2.82	13	304	2	1	1.36	<4	12	32	21	2.41	<0.01	3	0.94	455	4	23	519	8	0.11	<5	16	<10	213	1878	<2	77	27	14	45
214475	1079701	2.122	18	3.95	37	389	2	2	0.12	13	7	29	303	1.74	0.17	6	0.51	147	11	61	417	2183	1.91	26	19	<10	69	1346	<2	34	49	6	4293
214476	1079702	53.944	1186	3.67	126	226	2	3	0.73	57	8	29	1753	2.01	<0.01	6	0.82	676	13	55	315	26248	3.50	1166	21	<10	115	1086	3	33	227	6	24774
214477	1079703	0.378	23	1.61	62	121	2	2	0.22	7	15	43	57	3.33	<0.01	10	0.97	857	6	74	336	502	0.92	23	7	<10	71	1164	<2	91	25	5	1299
214478	1079704	1.689	2	1.93	30	170	<2	<1	0.16	<4	6	28	29	1.54	<0.01	3	0.96	806	4	45	377	91	0.72	<5	17	<10	65	1335	<2	35	<10	5	109
214479D	1079704	2.107	2	4.05	28	229	2	2	0.40	<4	6	30	27	1.52	<0.01	7	0.99	888	7	44	371	94	0.63	<5	11	<10	93	1503	2	40	<10	6	97
214480	1079705	1.000	2	3.78	20	239	2	<1	0.53	<4	7	37	55	1.83	<0.01	6	0.89	924	8	60	481	67	0.82	<5	17	<10	106	1550	4	44	<10	6	182
214481	1079706	0.881	3	4.68	20	348	2	2	0.77	<4	8	34	26	1.77	<0.01	9	0.80	740	9	53	398	80	0.83	7	17	<10	138	1610	<2	41	<10	7	328
214482	1079707	0.021	1	1.68	14	234	<2	<1	0.54	<4	8	26	13	1.70	<0.01	3	0.76	703	5	49	436	18	0.44	<5	11	<10	87	1478	<2	36	<10	6	62
214483	1079708	0.018	2	4.79	15	284	2	<1	0.79	<4	9	33	20	1.86	<0.01	9	0.78	556	8	43	492	16	0.54	8	20	<10	136	1758	<2	43	<10	8	84
214484	1079709	0.015	2	2.74	13	303	<2	<1	0.81	<4	9	43	21	2.02	<0.01	4	0.82	559	5	53	478	16	0.70	<5	15	<10	112	1542	<2	44	<10	8	70
214485	1079710	5.095	1	2.36	423	1273	2	<1	2.10	5	13	115	86	3.46	<0.01	8	1.25	463	16	54	831	31	1.02	24	14	<10	159	1556	<2	120	13	14	221
214486	1079711	0.030	1	2.67	12	271	<2	<1	0.70	<4	8	29	12	1.80	<0.01	5	0.65	468	5	49	466	14	0.64	<5	12	<10	120	1453	<2	38	<10	6	58
214487	1079712	0.026	1	5.40	24	396	2	1	0.96	<4	11	36	12	1.32	0.06	12	0.68	398	11	63	442	13	0.63	<5	19	<10	131	1714	6	46	<10	6	30
214488	1079713	0.042	1	4.54	28	256	2	2	0.81	<4	7	26	16	1.45	<0.01	8	0.82	542	6	40	453	16	0.96	<5	18	<10	129	1567	6	37	<10	7	37
214489	1079714	0.020	3	4.53	16	228	2	1	0.82	<4	7	44	19	1.68	<0.01	16	0.66	624	18	60	431	23	0.69	<5	20	<10	137	1719	<2	48	<10	6	54
214490D	1079714	0.026	2	5.06	20	208	2	1	0.78	<4	7	41	19	1.74	0.19	8	0.69	605	8	61	438	22	0.73	<5	15	<10	134	1646	<2	47	<10	6	49
214491	1079715	0.020	2	5.51	30	232	2	2	0.94	<4	9	38	19	2.04	0.03	9	0.83	687	10	54	462	22	1.16	<5	24	<10	138	1744	<2	48	<10	8	102

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214492	1079716	0.013	2	5.82	29	234	2	2	1.00	<4	9	37	19	2.01	<0.01	9	0.85	694	9	51	478	24	1.15	6	20	<10	142	1795	<2	47	<10	8	85
214493	1079717	0.053	2	5.92	40	265	2	2	0.97	<4	9	35	13	1.73	0.09	10	0.85	566	9	53	440	28	1.18	5	17	<10	131	1808	<2	46	<10	7	68
214494	1079718	0.248	2	5.63	37	195	2	3	1.02	<4	12	35	39	2.00	0.15	10	0.97	783	9	53	504	44	1.05	<5	20	<10	127	1834	<2	46	<10	8	124
214495	1079719	0.246	2	3.46	26	180	2	1	0.66	<4	9	34	37	1.91	<0.01	6	0.89	733	5	43	460	17	0.80	<5	14	<10	88	1861	4	42	<10	7	77
214496	1079720	<0.005	2	2.38	9	276	<2	2	1.34	<4	12	33	22	2.47	<0.01	3	0.96	467	5	23	527	9	0.09	<5	16	<10	194	1844	6	77	25	14	44
214497	1079721	0.060	1	3.48	19	204	2	1	0.68	<4	9	42	16	2.02	<0.01	9	0.98	814	9	56	482	15	0.68	5	15	<10	82	1732	<2	44	<10	8	52
214498	1079722	0.072	2	4.84	29	201	2	1	0.89	<4	8	41	19	2.02	0.05	10	1.07	830	10	63	476	18	0.71	6	20	10	95	1952	<2	48	<10	8	70
214499	1079723	0.033	1	4.65	17	180	2	<1	0.66	<4	9	32	14	1.68	0.13	10	1.17	801	10	57	484	18	0.45	7	23	<10	87	1800	<2	43	<10	8	77
214500	1079724	0.128	2	3.20	22	158	<2	<1	0.59	<4	8	33	19	1.64	<0.01	4	0.96	660	8	56	476	17	0.77	<5	16	<10	79	1534	<2	40	<10	7	62
214501D	1079724	0.055	2	6.05	23	248	2	2	1.12	<4	8	40	19	1.68	0.22	11	0.99	675	14	65	468	21	0.67	<5	15	<10	120	1896	<2	50	<10	7	62
214502	1079725	0.032	2	6.91	27	209	2	1	1.15	<4	8	32	10	1.39	<0.01	16	1.61	653	16	51	461	99	0.55	<5	24	<10	128	1760	13	40	<10	8	82
214503	1079726	0.585	3	6.61	63	268	2	1	0.46	<4	17	27	35	1.35	<0.01	12	0.82	314	13	55	432	132	1.17	11	24	<10	82	1643	4	41	<10	7	201
214504	1079727	1.335	15	6.56	77	291	2	<1	0.27	10	6	29	78	1.63	<0.01	11	0.70	236	14	52	409	703	1.67	43	28	<10	73	1611	2	41	28	7	2208
214505	1079728	5.193	18	6.12	73	288	2	<1	0.17	<4	7	35	110	1.77	<0.01	9	0.59	178	15	59	421	476	1.72	55	20	<10	66	1741	<2	46	<10	6	392
214506	1079729	0.229	2	5.91	48	281	2	3	0.32	<4	7	31	31	1.59	<0.01	7	0.69	248	11	49	478	65	1.36	7	25	<10	68	1868	<2	46	<10	7	252
214507	1079730	1.551	3	5.72	44	313	3	<1	2.40	7	17	63	6650	4.96	<0.01	8	1.23	532	769	22	878	43	2.72	13	22	<10	228	832	<2	99	<10	14	91
214508	1079731	0.540	2	5.96	27	195	2	2	1.67	<4	8	29	39	1.70	<0.01	9	1.27	752	13	47	503	30	0.69	5	18	<10	121	1671	2	36	<10	8	61
214509	1079732	0.055	2	4.48	18	134	2	1	1.38	<4	6	35	19	1.53	<0.01	5	1.16	714	12	69	457	28	0.50	<5	18	<10	112	1368	6	37	<10	7	53
214510	1079733	0.142	3	4.72	26	152	2	2	1.38	<4	5	27	21	1.32	<0.01	6	1.12	720	11	50	422	93	0.48	<5	25	<10	116	1366	5	33	<10	7	109
214511	1079734	0.585	4	3.76	36	106	2	<1	0.84	<4	5	15	12	1.18	<0.01	5	0.84	468	6	24	344	91	0.88	<5	21	<10	88	1121	4	18	10	6	182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214512D	1079734	0.700	4	4.48	34	153	2	2	0.85	<4	5	15	12	1.12	<0.01	8	0.82	449	10	22	322	86	0.78	<5	17	<10	93	1282	<2	21	<10	5	174
214513	1079735	0.066	2	4.83	21	163	2	3	1.32	<4	6	12	11	1.13	<0.01	7	1.08	682	6	19	345	52	0.68	<5	23	<10	114	1403	<2	25	<10	5	83
214514	1079736	0.069	2	4.83	23	165	2	2	1.26	<4	5	13	7	1.01	<0.01	8	1.04	670	8	19	341	42	0.55	<5	22	<10	111	1438	2	25	<10	5	68
214515	1079737	0.081	2	5.59	19	188	2	<1	1.43	<4	7	26	12	1.21	<0.01	10	1.16	785	9	36	376	37	0.83	<5	27	<10	121	1537	4	28	<10	5	275
214516	1079738	0.025	1	4.72	18	165	2	1	0.85	<4	6	12	3	0.97	<0.01	9	0.85	481	9	17	323	32	0.74	<5	19	<10	106	1431	2	23	<10	5	97
214517	1079739	0.048	1	5.33	22	242	2	2	1.06	<4	6	19	11	1.16	<0.01	11	0.92	579	9	30	354	58	0.57	<5	23	<10	120	1710	<2	29	<10	5	119
214518	1079740	<0.005	1	3.94	14	321	<2	<1	1.38	<4	11	31	20	2.26	<0.01	5	0.91	426	7	23	487	7	0.03	<5	19	<10	231	1956	2	73	28	14	40
214519	1079741	0.078	1	5.94	33	253	2	2	1.24	<4	6	19	18	1.28	<0.01	11	0.96	481	8	26	384	29	0.49	6	23	<10	124	1601	8	28	<10	6	52
214520	1079742	0.504	5	3.96	25	169	2	2	0.81	<4	4	16	111	1.10	<0.01	6	0.71	329	4	24	328	136	0.51	<5	18	<10	96	1259	<2	22	10	5	399
214521	1079743	0.756	10	4.48	28	188	2	1	0.61	5	6	13	138	1.16	<0.01	7	0.51	211	6	21	322	363	0.77	6	16	<10	97	1357	<2	24	17	5	1404
214522	1079744	0.013	1	5.35	9	217	2	1	1.42	<4	5	13	8	1.33	<0.01	9	0.84	417	5	19	359	20	0.17	<5	23	<10	118	1523	<2	26	<10	6	58
214523R	1079744	0.017	<1	4.74	13	201	2	2	1.31	<4	5	10	6	1.32	<0.01	8	0.85	428	3	16	383	12	0.18	5	20	<10	109	1494	7	25	<10	6	37
214524	1079745	0.012	1	4.79	18	184	2	<1	1.80	<4	16	90	37	2.72	<0.01	8	1.32	472	5	57	444	12	0.74	<5	15	<10	89	1972	2	59	<10	12	68
214525	1079746	0.023	1	4.33	55	135	2	2	1.35	<4	9	25	36	1.61	<0.01	5	0.99	399	5	26	565	13	1.24	<5	15	<10	86	1377	<2	30	<10	8	40
214526	1079747	0.031	2	4.87	48	215	<2	2	1.05	<4	7	9	20	1.45	<0.01	4	0.94	419	3	15	557	28	1.25	5	25	<10	87	1549	<2	30	<10	7	68
214527	1079748	0.029	2	4.55	48	276	<2	2	1.00	<4	7	14	28	1.76	<0.01	5	0.89	370	6	26	482	27	1.66	6	26	<10	90	1588	<2	32	<10	6	76
214528	1079749	0.014	1	6.31	44	401	2	1	1.62	<4	6	12	25	1.88	<0.01	11	1.23	502	6	17	574	18	1.54	6	19	<10	132	1969	<2	37	<10	6	49
214529	1079750	0.257	102	3.79	213	304	2	6	1.00	25	11	48	6008	5.04	<0.01	6	1.15	1511	23	26	435	10676	2.20	369	12	<10	181	1712	<2	71	45	13	4923
214530	1079751	0.015	<1	5.33	48	333	2	3	1.48	<4	6	10	23	1.46	<0.01	8	1.10	367	6	18	537	21	1.07	6	22	<10	157	1796	3	33	<10	6	45
214531	1079752	0.007	<1	4.53	33	282	<2	1	1.03	<4	7	9	14	1.08	<0.01	4	0.85	252	4	17	552	21	0.85	<5	23	<10	143	1568	<2	29	<10	6	49

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214532	1079753	0.052	2	4.55	41	248	2	2	1.26	<4	7	11	70	1.38	<0.01	6	1.03	390	5	21	605	18	1.15	<5	22	<10	115	1433	<2	24	<10	7	58
214533	1079754	0.105	2	3.10	64	166	2	2	1.21	<4	8	9	61	2.17	<0.01	4	0.95	618	8	18	562	96	2.15	<5	16	<10	78	1269	<2	22	<10	7	220
214534D	1079754	0.109	1	1.82	56	138	<2	2	1.00	<4	7	7	55	2.02	<0.01	<1	0.84	562	4	18	510	88	2.04	<5	17	<10	67	1112	<2	20	<10	6	198
214535	1079755	0.184	5	4.27	92	128	2	3	1.90	8	9	10	81	3.55	<0.01	5	1.33	1008	4	20	464	538	3.87	8	11	<10	90	1413	2	27	22	7	1596
214536	1079756	0.194	4	3.82	90	155	2	3	1.94	9	9	11	88	3.51	<0.01	5	1.34	1056	3	20	480	417	3.86	8	14	<10	86	1380	3	26	22	7	1899
214537	1079757	0.025	<1	4.20	49	260	2	<1	2.14	<4	8	13	11	2.31	<0.01	6	1.35	945	2	21	528	24	1.71	<5	15	<10	96	1549	6	27	<10	7	207
214538	1079758	0.060	1	4.99	55	180	2	2	1.94	4	15	69	37	3.39	<0.01	10	1.67	945	4	52	483	50	2.18	<5	13	<10	92	1877	11	50	<10	11	157
214539	1079759	0.073	<1	3.68	54	139	2	<1	1.16	4	18	103	42	3.32	<0.01	7	1.33	550	4	65	465	44	1.83	<5	15	<10	93	1637	2	62	<10	11	81
214540	1079760	<0.005	<1	2.87	14	291	<2	2	1.34	<4	12	33	21	2.39	<0.01	4	0.94	448	4	23	513	11	0.10	<5	11	<10	207	1857	<2	74	28	14	44
214541	1079761	0.105	<1	3.31	67	156	2	<1	1.17	4	20	99	46	3.46	<0.01	6	1.24	498	3	72	456	45	2.19	<5	12	<10	89	1555	<2	61	<10	10	72
214542	1079762	0.028	1	3.30	17	109	2	1	1.05	4	17	100	36	3.15	<0.01	8	1.31	470	2	61	478	26	0.72	<5	15	<10	94	1723	3	61	<10	10	76
214543	1079763	0.452	2	3.97	89	125	2	<1	0.91	6	19	105	75	3.81	<0.01	7	1.07	442	6	73	473	245	3.03	<5	16	<10	83	1719	<2	63	14	12	800
214544	1079764	0.041	<1	3.82	32	205	2	2	1.59	<4	14	69	31	2.74	<0.01	7	1.48	827	<1	50	475	36	1.55	<5	20	<10	95	1748	<2	49	<10	10	68
214545D	1079764	0.035	1	5.21	35	285	2	2	1.73	<4	14	77	32	2.84	<0.01	10	1.58	866	3	53	487	38	1.61	6	16	<10	105	1996	4	57	<10	11	71
214546	1079765	0.026	<1	3.31	38	258	2	<1	1.42	<4	7	12	3	1.66	<0.01	6	1.18	619	<1	18	498	34	1.23	<5	23	<10	91	1336	7	25	<10	6	63
214547	1079766	0.043	1	3.33	31	238	2	<1	1.63	<4	6	11	3	1.65	<0.01	7	1.23	713	<1	21	521	245	1.24	6	18	<10	90	1247	6	23	<10	6	104
214548	1079767	0.030	<1	4.16	32	305	<2	1	1.56	<4	6	13	8	1.66	<0.01	8	1.20	675	3	20	537	32	1.15	<5	19	<10	89	1380	3	27	<10	6	71
214549	1079768	0.022	1	3.12	32	214	2	1	1.97	4	6	11	3	1.68	<0.01	6	1.35	804	<1	20	495	271	1.26	<5	17	<10	96	1230	<2	22	<10	6	589
214550	1079769	0.012	<1	4.81	18	330	2	<1	1.98	<4	6	15	5	1.62	<0.01	9	1.15	710	4	22	537	44	0.65	<5	27	<10	117	1397	<2	28	<10	7	118
214551	1079770	5.170	1	2.62	382	1190	<2	1	1.92	4	11	104	76	3.13	<0.01	7	1.15	421	16	49	744	23	0.93	36	19	<10	165	1507	<2	110	13	13	197

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214552	1079771	0.012	<1	3.30	19	252	2	<1	2.41	<4	13	58	41	2.52	<0.01	9	1.37	806	<1	51	501	32	1.15	5	16	<10	120	1671	10	48	<10	10	83
214553	1079772	0.017	<1	4.52	10	339	2	2	2.54	<4	7	31	22	2.05	<0.01	10	1.60	905	4	37	485	95	0.72	5	17	<10	131	1482	10	33	<10	8	97
214554	1079773	0.008	1	5.10	11	337	2	<1	2.50	<4	11	43	25	2.17	<0.01	9	1.69	757	2	33	491	37	0.77	<5	16	<10	134	1694	4	42	<10	8	86
214555	1079774	0.027	2	4.78	11	382	2	2	1.20	10	19	138	85	3.65	<0.01	16	1.19	443	14	100	477	32	1.82	<5	20	<10	111	2140	<2	83	23	11	1203
214556D	1079774	0.050	2	4.27	10	290	2	1	1.15	10	19	122	84	3.63	<0.01	9	1.25	433	7	98	474	35	1.83	<5	16	<10	103	1874	<2	71	18	13	1206
214557	1079775	0.022	1	4.26	20	200	2	1	1.09	5	21	121	57	3.98	<0.01	13	1.88	610	4	92	519	29	1.60	<5	14	<10	108	1999	<2	76	12	14	403
214558	1079776	0.052	1	3.36	16	159	2	2	1.26	5	21	110	68	4.05	<0.01	9	1.92	651	<1	82	492	42	1.68	5	18	<10	110	1883	<2	69	<10	13	307
214559	1079777	0.044	8	3.41	16	30	2	3	3.85	19	22	65	256	5.62	<0.01	4	3.83	1871	1	74	448	1937	3.43	5	14	<10	113	1517	10	41	45	15	3910
214560	1079778	0.129	1	3.07	23	96	2	2	0.76	4	16	114	50	3.33	<0.01	9	2.21	588	<1	73	420	121	1.32	5	13	<10	75	1387	5	56	<10	10	134
214561	1079779	0.173	2	4.42	46	164	2	2	1.03	5	19	116	58	3.44	<0.01	9	1.44	586	6	79	487	304	2.23	<5	14	<10	81	1612	4	69	12	12	628
214562	1079780	<0.005	<1	1.21	12	222	<2	2	1.08	<4	11	27	19	2.15	<0.01	<1	0.82	396	1	21	459	6	0.08	<5	13	<10	169	1575	<2	66	23	12	38
214563	1079781	0.078	1	4.86	46	198	3	2	0.74	5	20	119	35	3.87	0.01	14	1.89	579	5	80	479	35	2.17	5	9	<10	76	1905	3	73	13	10	391
214564	1079782	0.108	2	0.99	13	148	<2	1	0.17	<4	8	43	38	1.59	<0.01	<1	1.04	322	<1	37	416	216	0.78	<5	18	<10	45	776	<2	24	<10	6	283
214565	1079783	0.039	<1	4.52	12	305	2	1	0.77	<4	9	53	23	2.09	0.02	11	1.69	468	8	43	494	47	0.57	<5	22	<10	73	1353	6	35	<10	9	72
214566	1079784	0.059	<1	4.36	39	276	2	2	1.20	<4	14	81	29	2.76	0.09	11	1.76	623	4	51	504	43	1.28	<5	13	<10	92	1721	5	48	10	10	77
214567D	1079784	0.064	<1	4.11	34	224	2	<1	1.13	<4	13	74	26	2.57	<0.01	10	1.65	575	5	48	468	37	1.21	6	16	<10	88	1532	7	42	<10	9	69
214568	1079785	0.052	1	3.91	43	256	2	1	1.31	<4	8	16	7	1.70	<0.01	8	1.15	493	3	24	475	69	1.13	<5	23	<10	97	1303	3	24	<10	6	89
214569	1079786	0.070	2	5.52	30	340	2	2	1.30	<4	7	22	31	1.53	<0.01	18	1.00	521	14	24	447	43	0.91	<5	24	<10	91	1759	<2	32	10	6	145
214570	1079787	0.038	<1	4.29	33	274	2	2	2.08	<4	7	21	3	1.56	<0.01	11	1.44	681	<1	23	491	49	0.89	<5	20	<10	97	1440	<2	26	<10	6	50
214571	1079788	0.029	<1	5.75	25	376	2	3	2.22	<4	8	19	9	1.68	<0.01	13	1.45	454	3	24	503	34	0.76	6	21	<10	103	1674	6	30	<10	7	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214572	1079789	0.020	<1	5.50	32	359	2	2	2.06	<4	8	17	9	1.68	<0.01	14	1.51	486	2	21	482	26	0.77	5	19	<10	102	1635	5	28	<10	6	52
214573	1079790	1.177	3	3.86	44	231	3	4	2.19	7	17	60	7442	4.80	<0.01	5	1.17	513	728	20	811	42	2.59	9	10	10	187	668	<2	92	<10	13	90
214574	1079791	0.686	4	4.12	48	256	2	<1	0.77	7	7	16	119	1.89	<0.01	10	0.75	268	5	23	414	416	1.81	<5	22	<10	65	1399	2	26	18	6	1513
214575	1079792	0.073	<1	4.25	38	260	2	<1	1.81	<4	7	21	12	1.64	<0.01	12	1.44	608	2	27	497	33	0.81	<5	18	<10	91	1473	13	26	<10	6	66
214576	1079793	0.040	<1	5.42	42	339	2	<1	2.00	<4	8	16	10	1.85	<0.01	13	1.44	542	4	21	477	29	1.08	<5	20	<10	98	1741	4	31	<10	6	54
214577	1079794	3.003	<1	4.00	33	241	2	2	1.67	<4	7	20	11	1.66	<0.01	10	1.43	481	2	30	477	28	0.89	<5	20	<10	84	1430	7	24	<10	6	284
214578D	1079794	2.473	1	5.24	33	367	2	1	1.71	<4	8	24	10	1.67	<0.01	20	1.34	480	13	31	470	29	0.77	5	24	<10	98	1877	2	34	<10	6	282
214579	1079795	0.062	<1	4.68	31	348	2	<1	1.78	<4	7	20	8	1.63	<0.01	11	1.49	541	2	29	478	26	0.73	<5	22	<10	111	1666	4	30	<10	6	61
214580	1079796	0.069	<1	5.54	30	431	2	2	2.03	<4	8	21	11	1.68	<0.01	14	1.54	567	4	30	493	29	0.76	<5	23	<10	122	1788	15	32	<10	6	65
214581	1079797	0.032	<1	5.23	27	383	2	2	2.08	<4	8	20	6	1.68	<0.01	16	1.59	498	3	25	467	23	0.69	<5	19	<10	137	1784	7	32	<10	6	126
214582	1079798	0.068	<1	4.63	34	191	2	1	2.12	<4	9	53	16	1.94	<0.01	10	1.60	603	3	35	395	32	0.96	<5	18	<10	119	1710	8	40	<10	8	130
214583	1079799	0.043	2	5.36	48	252	2	3	1.33	<4	16	106	24	2.77	0.06	18	1.78	559	9	68	484	23	1.13	<5	17	10	85	2105	8	63	<10	12	93
214584	1079800	<0.005	2	3.35	9	338	<2	<1	1.41	<4	13	32	24	2.42	<0.01	4	0.94	458	4	23	522	6	0.06	<5	18	<10	238	2019	3	78	27	14	42
214585	1079801	0.054	1	3.87	20	157	2	<1	0.89	4	18	110	38	3.26	0.07	15	1.99	639	3	68	492	21	0.95	5	14	<10	55	2064	11	59	<10	12	98
214586	1079802	0.103	2	3.55	43	209	2	2	0.82	<4	14	87	18	2.51	0.11	7	1.35	457	2	68	446	76	1.42	6	16	<10	58	1483	<2	62	<10	7	71
214587	1079803	0.047	1	4.73	22	134	2	3	0.62	4	16	98	12	3.79	0.03	21	3.13	660	2	74	460	31	1.09	<5	18	<10	62	1830	4	69	<10	8	98
214588	1079804	0.023	<1	3.73	32	202	2	<1	1.01	<4	5	27	1	1.87	<0.01	13	1.85	418	4	36	327	70	1.17	<5	16	<10	75	988	12	20	<10	5	100
214589R	1079804	0.018	<1	4.88	33	270	2	<1	1.13	<4	6	30	3	1.92	<0.01	16	1.90	437	5	39	346	69	1.20	<5	19	<10	83	1126	<2	23	<10	6	101
214590	1079805	0.891	2	2.73	43	168	2	2	0.61	4	5	22	64	2.40	<0.01	11	1.47	258	2	34	295	247	2.11	6	18	<10	54	717	<2	17	<10	5	528
214591	1079806	0.045	1	4.99	23	268	2	1	1.41	<4	6	34	3	1.70	<0.01	21	2.25	540	10	45	384	46	0.76	8	19	<10	96	1111	13	24	<10	6	69

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214592	1079807	0.323	2	3.89	44	153	2	2	1.12	4	12	70	37	2.37	<0.01	9	1.35	313	8	52	386	113	1.34	<5	16	10	96	1090	5	42	<10	7	267
214593	1079808	0.084	1	5.46	24	161	2	1	1.39	5	21	133	46	4.11	0.07	24	2.05	539	7	82	906	49	1.06	6	16	<10	108	2046	<2	83	<10	11	145

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214392	1079625	59	0.002	0.059
214393	1079626	102	0.003	0.102
214394	1079627	52	0.002	0.052
214395	1079628	73	0.002	0.073
214396	1079629	34	<0.001	0.034
214397	1079630	266	0.008	0.266
214398	1079631	38	0.001	0.038
214399	1079632	24	<0.001	0.024
214400	1079633	42	0.001	0.042
214401	1079634	20	<0.001	0.020
214402 Dup	1079634	19	<0.001	0.019
214403	1079635	13	<0.001	0.013
214404	1079636	45	0.001	0.045
214405	1079637	11	<0.001	0.011
214406	1079638	84	0.002	0.084
214407	1079639	21	<0.001	0.021
214408	1079640	<5	<0.001	<0.005
214409	1079641	6	<0.001	0.006
214410	1079642	<5	<0.001	<0.005
214411	1079643	13	<0.001	0.013
214412	1079644	8	<0.001	0.008
214413 Dup	1079644	22	<0.001	0.022
214414	1079645	6	<0.001	0.006
214415	1079646	10	<0.001	0.010
214416	1079647	27	<0.001	0.027
214417	1079648	15	<0.001	0.015
214418	1079649	29	<0.001	0.029
214419	1079650	4915	0.143	4.915
214420	1079651	179	0.005	0.179
214421	1079652	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214422	1079653	31	<0.001	0.031
214423	1079654	9	<0.001	0.009
214424 Dup	1079654	5	<0.001	0.005
214425	1079655	33	<0.001	0.033
214426	1079656	34	0.001	0.034
214427	1079657	42	0.001	0.042
214428	1079658	43	0.001	0.043
214429	1079659	23	<0.001	0.023
214430	1079660	<5	<0.001	<0.005
214431	1079661	20	<0.001	0.020
214432	1079662	15	<0.001	0.015
214433	1079663	17	<0.001	0.017
214434	1079664	26	<0.001	0.026
214435 Dup	1079664	25	<0.001	0.025
214436	1079665	11	<0.001	0.011
214437	1079666	10	<0.001	0.010
214438	1079667	10	<0.001	0.010
214439	1079668	50	0.001	0.050
214440	1079669	10	<0.001	0.010
214441	1079670	1611	0.047	1.611
214442	1079671	9	<0.001	0.009
214443	1079672	10	<0.001	0.010
214444	1079673	12	<0.001	0.012
214445	1079674	8	<0.001	0.008
214446 Dup	1079674	11	<0.001	0.011
214447	1079675	13	<0.001	0.013
214448	1079676	10	<0.001	0.010
214449	1079677	8	<0.001	0.008
214450	1079678	49	0.001	0.049
214451	1079679	29	<0.001	0.029

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214452	1079680	<5	<0.001	<0.005
214453	1079681	9	<0.001	0.009
214454	1079682	27	<0.001	0.027
214455	1079683	108	0.003	0.108
214456	1079684	226	0.007	0.226
214457 Rep	1079684	139	0.004	0.139
214458	1079685	253	0.007	0.253
214459	1079686	58	0.002	0.058
214460	1079687	34	<0.001	0.034
214461	1079688	45	0.001	0.045
214462	1079689	76	0.002	0.076
214463	1079690	266	0.008	0.266
214464	1079691	66	0.002	0.066
214465	1079692	46	0.001	0.046
214466	1079693	25	<0.001	0.025
214467	1079694	49	0.001	0.049
214468 Dup	1079694	63	0.002	0.063
214469	1079695	176	0.005	0.176
214470	1079696	118	0.003	0.118
214471	1079697	616	0.018	0.616
214472	1079698	82	0.002	0.082
214473	1079699	20	<0.001	0.020
214474	1079700	<5	<0.001	<0.005
214475	1079701	2122	0.062	2.122
214476	1079702	53944	1.574	53.944
214477	1079703	378	0.011	0.378
214478	1079704	1689	0.049	1.689
214479 Dup	1079704	2107	0.061	2.107
214480	1079705	1000	0.029	1.000
214481	1079706	881	0.026	0.881

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214482	1079707	21	<0.001	0.021
214483	1079708	18	<0.001	0.018
214484	1079709	15	<0.001	0.015
214485	1079710	5095	0.149	5.095
214486	1079711	30	<0.001	0.030
214487	1079712	26	<0.001	0.026
214488	1079713	42	0.001	0.042
214489	1079714	20	<0.001	0.020
214490 Dup	1079714	26	<0.001	0.026
214491	1079715	20	<0.001	0.020
214492	1079716	13	<0.001	0.013
214493	1079717	53	0.002	0.053
214494	1079718	248	0.007	0.248
214495	1079719	246	0.007	0.246
214496	1079720	<5	<0.001	<0.005
214497	1079721	60	0.002	0.060
214498	1079722	72	0.002	0.072
214499	1079723	33	<0.001	0.033
214500	1079724	128	0.004	0.128
214501 Dup	1079724	55	0.002	0.055
214502	1079725	32	<0.001	0.032
214503	1079726	585	0.017	0.585
214504	1079727	1335	0.039	1.335
214505	1079728	5193	0.151	5.193
214506	1079729	229	0.007	0.229
214507	1079730	1551	0.045	1.551
214508	1079731	540	0.016	0.540
214509	1079732	55	0.002	0.055
214510	1079733	142	0.004	0.142
214511	1079734	585	0.017	0.585

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214512 Dup	1079734	700	0.020	0.700
214513	1079735	66	0.002	0.066
214514	1079736	69	0.002	0.069
214515	1079737	81	0.002	0.081
214516	1079738	25	<0.001	0.025
214517	1079739	48	0.001	0.048
214518	1079740	<5	<0.001	<0.005
214519	1079741	78	0.002	0.078
214520	1079742	504	0.015	0.504
214521	1079743	756	0.022	0.756
214522	1079744	13	<0.001	0.013
214523 Rep	1079744	17	<0.001	0.017
214524	1079745	12	<0.001	0.012
214525	1079746	23	<0.001	0.023
214526	1079747	31	<0.001	0.031
214527	1079748	29	<0.001	0.029
214528	1079749	14	<0.001	0.014
214529	1079750	257	0.007	0.257
214530	1079751	15	<0.001	0.015
214531	1079752	7	<0.001	0.007
214532	1079753	52	0.002	0.052
214533	1079754	105	0.003	0.105
214534 Dup	1079754	109	0.003	0.109
214535	1079755	184	0.005	0.184
214536	1079756	194	0.006	0.194
214537	1079757	25	<0.001	0.025
214538	1079758	60	0.002	0.060
214539	1079759	73	0.002	0.073
214540	1079760	<5	<0.001	<0.005
214541	1079761	105	0.003	0.105

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214542	1079762	28	<0.001	0.028
214543	1079763	452	0.013	0.452
214544	1079764	41	0.001	0.041
214545 Dup	1079764	35	0.001	0.035
214546	1079765	26	<0.001	0.026
214547	1079766	43	0.001	0.043
214548	1079767	30	<0.001	0.030
214549	1079768	22	<0.001	0.022
214550	1079769	12	<0.001	0.012
214551	1079770	5170	0.151	5.170
214552	1079771	12	<0.001	0.012
214553	1079772	17	<0.001	0.017
214554	1079773	8	<0.001	0.008
214555	1079774	27	<0.001	0.027
214556 Dup	1079774	50	0.001	0.050
214557	1079775	22	<0.001	0.022
214558	1079776	52	0.002	0.052
214559	1079777	44	0.001	0.044
214560	1079778	129	0.004	0.129
214561	1079779	173	0.005	0.173
214562	1079780	<5	<0.001	<0.005
214563	1079781	78	0.002	0.078
214564	1079782	108	0.003	0.108
214565	1079783	39	0.001	0.039
214566	1079784	59	0.002	0.059
214567 Dup	1079784	64	0.002	0.064
214568	1079785	52	0.002	0.052
214569	1079786	70	0.002	0.070
214570	1079787	38	0.001	0.038
214571	1079788	29	<0.001	0.029

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143216  
 Reference: TL11213  
 Sample #: 184

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214572	1079789	20	<0.001	0.020
214573	1079790	1177	0.034	1.177
214574	1079791	686	0.020	0.686
214575	1079792	73	0.002	0.073
214576	1079793	40	0.001	0.040
214577	1079794	3003	0.088	3.003
214578 Dup	1079794	2473	0.072	2.473
214579	1079795	62	0.002	0.062
214580	1079796	69	0.002	0.069
214581	1079797	32	<0.001	0.032
214582	1079798	68	0.002	0.068
214583	1079799	43	0.001	0.043
214584	1079800	<5	<0.001	<0.005
214585	1079801	54	0.002	0.054
214586	1079802	103	0.003	0.103
214587	1079803	47	0.001	0.047
214588	1079804	23	<0.001	0.023
214589 Rep	1079804	18	<0.001	0.018
214590	1079805	891	0.026	0.891
214591	1079806	45	0.001	0.045
214592	1079807	323	0.009	0.323
214593	1079808	84	0.002	0.084

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, September 30, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/27/2011  
Date Completed: 09/30/2011  
Job #: 201143522  
Reference: TL11213  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
236888	1079794	0.098	3.347

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, September 30, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 09/30/2011  
 Job #: 201143544  
 Reference: TL11213  
 Sample #: 2

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
237372	1079702	2.449	83.957
237373	1079728	0.129	4.433

PROCEDURE CODES: ALFA7

 Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235113	1226204	0.008	<1	5.73	120	319	<2	60	6.68	4	52	220	136	5.49	<0.01	43	2.57	1132	<1	189	178	50	0.56	5	<5	<10	341	2104	<2	163	10	12	242
235114	1226205	0.090	<1	6.06	7	380	<2	51	2.19	<4	6	32	27	1.87	<0.01	18	1.29	456	14	70	394	45	1.20	<5	30	<10	464	861	<2	39	17	8	282
235115	1226206	0.065	<1	4.86	7	389	<2	47	2.05	<4	6	24	12	1.74	<0.01	15	1.17	440	7	67	387	48	1.36	<5	18	<10	495	631	<2	32	<10	7	148
235116	1226207	0.088	<1	6.85	7	375	2	59	2.33	<4	5	23	41	1.63	<0.01	20	1.23	431	20	64	433	45	1.24	<5	36	<10	468	803	<2	31	10	8	326
235117	1226208	0.026	<1	6.42	<2	447	<2	57	2.10	<4	5	24	37	1.82	<0.01	18	1.19	464	14	66	428	42	1.58	<5	31	<10	469	705	<2	34	<10	8	112
235118	1226209	0.038	<1	5.23	12	402	<2	36	2.12	<4	6	22	26	1.89	<0.01	20	1.08	463	8	72	409	39	1.64	<5	36	<10	492	685	<2	32	10	7	131
235119	1226210	1.404	2	4.82	34	216	<2	51	2.86	4	20	65	7518	5.44	<0.01	14	1.33	609	817	56	960	71	3.08	5	45	<10	302	929	<2	114	14	15	136
235120	1226211	0.014	<1	5.27	4	446	<2	55	2.38	<4	6	25	337	1.98	<0.01	15	1.27	492	43	71	442	44	1.44	<5	12	<10	526	701	<2	38	10	7	100
235121	1226212	0.011	<1	6.91	7	389	2	52	1.99	<4	6	26	18	1.80	<0.01	22	1.24	475	26	67	434	51	1.50	<5	13	<10	459	890	<2	36	<10	7	90
235122	1226213	0.012	<1	6.09	15	465	2	51	1.98	<4	8	26	13	1.86	<0.01	21	1.18	495	22	72	427	50	1.74	<5	33	<10	470	1086	<2	36	<10	7	99
235123D	1226213	0.011	<1	6.98	16	555	2	54	2.18	<4	6	28	13	2.01	<0.01	23	1.25	528	23	75	445	60	1.84	<5	21	<10	509	1124	<2	37	<10	8	93
235124	1226214	0.021	<1	6.81	5	585	2	53	1.87	<4	7	25	29	2.00	<0.01	23	1.16	511	19	81	449	52	1.85	<5	23	<10	478	1342	<2	37	19	8	780
235125	1226215	0.050	<1	7.00	7	444	2	57	1.99	<4	6	16	33	1.84	<0.01	17	1.25	719	16	61	434	44	1.36	<5	28	<10	473	1366	<2	37	11	9	288
235126	1226216	0.051	<1	6.81	9	473	2	56	1.95	<4	5	14	28	1.79	<0.01	17	1.23	706	14	56	429	41	1.34	<5	31	<10	461	1351	<2	35	<10	9	226
235127	1226217	0.059	<1	7.26	9	559	2	57	2.01	<4	6	26	25	1.86	<0.01	16	1.11	723	16	75	463	42	1.39	<5	27	<10	489	1306	<2	36	<10	9	204
235128	1226218	0.063	<1	6.89	11	642	<2	50	1.96	<4	7	21	18	1.88	<0.01	16	1.19	813	15	70	446	41	1.48	<5	33	<10	515	1256	<2	37	12	9	254
235129	1226219	0.123	<1	6.00	7	625	<2	58	1.90	<4	6	19	41	1.90	<0.01	16	1.25	702	15	60	424	47	1.55	<5	38	<10	493	1229	<2	33	<10	8	170
235130	1226220	0.007	<1	5.47	7	454	<2	52	1.95	<4	13	34	29	2.57	<0.01	14	1.11	514	16	60	568	47	0.17	<5	13	<10	319	2437	<2	87	33	15	89
235131	1226221	0.100	1	6.64	16	654	<2	38	1.91	<4	6	26	25	1.90	<0.01	20	1.41	784	18	80	468	47	1.35	<5	22	<10	552	1471	<2	38	11	8	233
235132	1226222	0.030	<1	5.70	6	612	<2	44	2.68	<4	5	41	18	1.54	<0.01	17	1.05	519	19	93	386	44	0.65	<5	28	<10	567	1428	<2	29	<10	9	123

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235133	1226223	0.019	<1	6.09	12	449	6	47	1.38	5	9	31	18	1.21	<0.01	11	0.63	152	17	78	265	47	0.19	<5	31	<10	462	1240	<2	26	<10	12	83
235134D	1226223	0.018	<1	5.71	7	428	2	55	1.31	<4	5	33	17	1.18	<0.01	12	0.63	151	20	83	274	46	0.18	<5	22	<10	437	1266	<2	21	11	7	60
235135	1226224	0.013	<1	5.11	4	417	<2	48	0.99	<4	4	72	12	1.05	<0.01	10	0.62	125	24	119	228	47	0.15	<5	27	<10	237	1057	<2	19	<10	7	49
235136	1226225	0.014	<1	6.64	9	573	<2	52	1.23	<4	5	33	13	1.26	<0.01	11	0.83	159	15	85	237	39	0.18	<5	20	<10	368	1279	<2	21	<10	7	55
235137	1226226	0.006	<1	5.47	10	378	<2	46	1.26	<4	3	23	7	1.02	<0.01	6	0.65	131	12	61	235	40	0.07	<5	19	<10	403	1105	<2	19	<10	7	67
235138	1226227	0.014	<1	6.70	6	328	2	60	1.52	<4	6	30	15	1.26	<0.01	13	0.77	159	23	76	285	43	0.09	<5	17	<10	485	1342	<2	22	<10	7	94
235139	1226228	0.053	<1	7.40	5	456	<2	56	2.02	<4	5	46	9	1.32	<0.01	13	0.76	194	22	99	270	43	0.11	<5	29	<10	615	1234	<2	21	<10	8	89
235140	1226229	0.016	<1	5.89	5	518	<2	51	1.46	<4	5	30	8	1.23	0.06	7	0.68	152	12	74	258	38	0.14	<5	27	<10	621	1150	<2	20	<10	8	79
235141	1226230	0.274	105	5.45	229	222	<2	54	1.49	25	13	52	6063	5.68	<0.01	15	1.38	1723	31	72	507	10238	2.63	295	<5	<10	257	2120	<2	85	65	16	4802
235142	1226231	0.013	3	6.46	10	575	2	53	1.39	<4	4	26	232	1.39	<0.01	10	0.67	204	16	71	298	365	0.18	<5	25	<10	502	1349	<2	25	<10	7	222
235143	1226232	0.024	<1	6.71	5	551	2	56	2.51	<4	9	34	33	1.96	<0.01	17	1.25	324	15	78	782	57	0.93	<5	5	<10	351	2713	<2	45	<10	9	92
235144	1226233	0.012	<1	6.69	10	536	<2	54	2.74	<4	10	36	13	1.94	<0.01	14	1.12	331	15	87	806	63	1.02	<5	26	<10	464	2705	<2	44	<10	9	91
235145D	1226233	0.011	<1	6.78	2	536	2	45	2.73	<4	9	36	12	1.94	<0.01	15	1.12	330	17	84	791	55	1.01	<5	17	<10	465	2721	<2	44	<10	9	90
235146	1226234	0.021	<1	6.76	7	765	2	56	2.64	<4	11	37	17	1.98	<0.01	13	1.11	341	14	87	779	56	0.87	<5	31	<10	699	2639	<2	43	<10	9	84
235147	1226235	0.037	<1	6.73	5	656	2	53	2.44	<4	11	43	17	2.08	<0.01	14	1.19	352	13	91	741	66	0.96	<5	22	<10	549	2589	<2	44	<10	9	95
235148	1226236	0.019	<1	6.65	3	676	2	62	2.36	<4	10	32	18	1.89	<0.01	17	1.14	328	17	80	732	51	0.88	<5	21	<10	538	2539	<2	41	<10	9	95
235149	1226237	0.104	<1	5.82	10	659	<2	38	2.23	<4	11	32	25	1.99	<0.01	9	1.06	336	10	81	750	87	1.42	<5	23	<10	625	2407	<2	41	11	9	251
235150	1226238	0.020	<1	6.45	5	536	<2	38	2.69	<4	10	36	24	1.98	<0.01	11	1.16	381	13	85	828	64	1.06	<5	24	<10	430	2727	<2	42	<10	10	99
235151	1226239	0.028	<1	6.63	10	572	2	45	2.74	<4	12	36	19	2.18	<0.01	14	1.41	444	12	86	841	90	1.42	<5	11	<10	464	2465	<2	45	<10	9	107
235152	1226240	0.010	<1	4.72	5	436	<2	45	1.83	<4	14	33	28	2.55	<0.01	11	1.10	493	10	62	559	38	0.16	<5	10	<10	308	2393	<2	85	31	16	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235153	1226241	0.035	<1	6.73	9	817	2	41	2.45	<4	16	79	34	2.87	<0.01	19	1.60	590	13	96	755	58	1.24	<5	29	<10	386	2874	<2	74	13	12	102
235154	1226242	0.071	<1	6.94	<2	411	2	55	1.62	<4	24	155	53	4.08	<0.01	25	1.89	657	17	121	573	67	0.79	<5	26	<10	262	3145	<2	101	<10	16	111
235155	1226243	0.154	<1	7.24	4	448	2	54	1.26	<4	32	184	62	5.03	<0.01	31	1.91	602	19	140	599	72	1.12	<5	26	<10	239	3789	<2	132	<10	16	195
235156D	1226243	0.134	<1	5.79	4	330	2	57	0.99	<4	30	162	60	4.81	<0.01	25	1.86	563	14	136	557	60	1.07	<5	14	<10	196	3266	<2	112	12	18	185
235157	1226244	0.013	<1	4.91	5	461	<2	46	1.28	<4	7	35	36	1.43	<0.01	11	0.83	299	8	85	295	46	0.53	<5	15	<10	244	1302	<2	26	<10	8	75
235158	1226245	0.007	<1	4.13	4	488	<2	44	1.13	<4	5	22	12	1.29	<0.01	9	0.67	241	6	64	300	39	0.57	<5	25	<10	295	1316	<2	23	10	7	71
235159	1226246	0.012	<1	4.87	7	511	<2	55	1.31	<4	5	22	9	1.33	<0.01	12	0.70	270	6	61	304	39	0.48	<5	21	<10	362	1421	<2	25	<10	7	77
235160	1226247	0.015	<1	4.14	4	447	<2	47	1.53	<4	6	21	20	1.56	<0.01	9	0.78	325	4	61	407	42	0.51	<5	9	<10	312	1565	<2	28	10	8	84
235161	1226248	0.043	<1	5.85	5	581	<2	49	2.24	<4	7	31	25	1.73	<0.01	14	0.89	313	11	93	595	44	0.88	<5	12	<10	469	2007	<2	38	<10	9	81
235162	1226249	0.013	<1	6.12	6	433	<2	45	1.72	<4	5	24	14	1.46	<0.01	12	0.84	350	11	83	352	39	0.59	<5	23	<10	310	1489	<2	26	<10	9	78
235163	1226250	5.073	<1	5.97	413	911	<2	55	2.76	<4	14	115	99	3.51	<0.01	20	1.45	508	28	100	833	60	1.11	28	38	<10	252	2139	<2	130	17	18	253
235164	1226251	0.033	<1	6.83	28	568	2	54	1.94	<4	6	24	15	1.44	<0.01	16	0.78	298	15	64	369	54	0.59	<5	29	<10	368	1492	<2	31	<10	9	84
235165	1226252	0.016	<1	6.76	<2	538	<2	47	1.81	<4	5	15	15	1.36	<0.01	17	0.77	325	13	66	339	38	0.35	<5	26	<10	370	1500	<2	26	<10	9	70
235166	1226253	0.017	<1	6.48	7	470	<2	55	1.71	<4	6	12	13	1.33	<0.01	16	0.80	276	10	61	333	42	0.35	<5	23	<10	335	1534	<2	26	<10	9	71
235167D	1226253	0.014	<1	6.84	10	482	<2	49	1.78	<4	6	14	14	1.39	<0.01	17	0.82	283	12	64	347	43	0.38	<5	17	<10	343	1565	<2	27	<10	9	77
235168	1226254	0.076	<1	5.98	7	529	<2	49	1.41	<4	6	17	13	1.12	<0.01	13	0.60	178	12	67	316	59	0.87	<5	30	<10	377	1401	<2	24	<10	8	253
235169	1226255	0.037	<1	6.95	13	544	<2	55	2.22	<4	5	16	6	1.35	<0.01	15	0.80	281	12	40	319	44	0.65	<5	23	<10	361	1430	<2	25	<10	9	61
235170	1226256	0.021	<1	5.99	9	510	<2	67	2.03	<4	5	15	10	1.38	<0.01	15	0.80	294	9	61	286	39	0.67	<5	22	<10	336	1416	<2	24	<10	8	58
235171	1226257	0.029	<1	7.28	11	556	2	52	1.91	<4	5	12	11	1.50	<0.01	20	0.99	360	14	59	321	49	0.78	<5	29	<10	336	1625	<2	26	<10	9	71
235172	1226258	0.021	<1	6.71	4	492	<2	46	1.66	<4	4	17	12	1.26	<0.01	17	0.78	289	11	67	317	45	0.76	<5	10	<10	328	1412	<2	24	<10	9	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235173	1226259	0.011	<1	6.76	<2	475	<2	51	1.66	<4	5	16	14	1.28	<0.01	16	0.82	295	13	55	329	39	0.84	<5	15	<10	378	1455	<2	25	<10	9	66
235174	1226260	0.006	<1	6.10	<2	395	<2	43	1.93	<4	13	34	31	2.53	<0.01	14	1.12	492	19	66	558	40	0.13	<5	24	<10	313	2452	<2	85	32	16	74
235175	1226261	0.014	<1	4.25	7	462	<2	45	1.58	<4	5	15	13	1.44	<0.01	15	0.78	357	7	60	336	43	0.46	<5	17	<10	277	1500	<2	29	<10	7	69
235176	1226262	0.022	<1	4.87	3	539	<2	51	1.65	<4	4	14	18	1.32	<0.01	18	0.75	347	10	56	332	46	0.62	<5	23	<10	299	1486	<2	26	<10	7	73
235177	1226263	0.018	<1	4.28	8	614	2	54	1.35	<4	4	20	36	1.37	<0.01	17	0.64	278	14	66	299	56	0.97	<5	<5	<10	387	1511	<2	26	<10	6	96
235178R	1226263	0.027	<1	4.27	5	482	<2	37	0.69	<4	4	11	28	1.00	<0.01	5	0.44	191	4	48	205	44	0.77	<5	19	<10	296	1043	<2	19	<10	4	78
235179	1226264	0.025	<1	4.37	7	387	<2	48	2.05	<4	5	20	37	1.18	<0.01	10	0.63	328	10	66	285	45	1.24	<5	<5	<10	403	1193	<2	22	10	8	394
235180	1226265	0.017	<1	5.36	10	467	<2	45	1.65	<4	4	24	23	1.38	<0.01	12	0.69	311	15	73	313	45	1.61	<5	34	<10	468	1296	<2	23	<10	7	111
235181	1226266	0.008	<1	4.63	6	492	2	38	1.42	<4	5	30	21	1.36	<0.01	13	0.64	285	18	84	312	43	1.31	<5	29	<10	823	1307	<2	25	<10	7	93
235182	1226267	0.038	<1	4.71	2	416	2	43	1.35	<4	5	19	14	1.32	<0.01	14	0.61	291	15	64	307	47	0.79	<5	19	<10	361	1319	<2	23	<10	7	102
235183	1226268	0.016	<1	4.85	10	371	2	54	1.97	<4	4	22	12	1.30	<0.01	15	0.67	325	18	59	310	47	1.13	<5	14	<10	430	1346	<2	23	<10	7	102
235184	1226269	0.013	<1	4.24	10	362	2	51	2.11	<4	4	25	9	1.25	<0.01	13	0.64	289	15	65	350	44	1.79	<5	27	<10	455	1270	<2	22	<10	7	83
235185	1226270	1.429	1	3.89	33	695	<2	46	2.33	<4	15	56	7298	4.37	<0.01	13	1.08	502	655	49	791	62	2.74	5	13	10	279	1068	<2	95	<10	12	113
235186	1226271	0.020	<1	4.59	14	485	2	50	1.59	<4	7	27	687	1.66	<0.01	14	0.67	305	85	72	350	80	1.38	<5	10	<10	350	1379	<2	32	11	7	99
235187	1226272	0.017	<1	3.03	11	518	<2	42	1.22	<4	6	17	14	1.39	<0.01	15	0.72	342	9	59	278	88	1.25	<5	20	<10	297	1393	<2	23	<10	6	164
235188	1226273	0.020	<1	3.03	12	495	<2	38	1.85	<4	5	18	17	1.34	<0.01	11	0.63	330	6	60	294	55	0.99	<5	25	<10	289	1343	<2	23	<10	6	102
235189D	1226273	0.032	<1	2.80	9	449	<2	39	1.81	<4	4	16	18	1.27	<0.01	8	0.59	308	4	63	282	56	0.92	<5	13	<10	273	1235	<2	21	<10	6	79
235190	1226274	0.020	<1	2.27	10	405	<2	43	1.81	<4	5	23	493	1.42	<0.01	2	0.63	329	3	87	315	57	1.69	<5	27	<10	277	1198	<2	20	<10	6	170
235191	1226275	0.051	<1	3.30	13	468	<2	43	1.35	<4	5	20	47	1.31	<0.01	12	0.70	359	8	70	380	65	1.40	<5	19	<10	297	1351	<2	24	<10	6	97
235192	1226276	0.010	<1	3.91	12	474	<2	40	1.34	<4	5	24	19	1.34	<0.01	13	0.71	360	9	78	333	69	1.30	<5	22	<10	332	1415	<2	24	<10	7	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235193	1226277	0.008	<1	5.21	9	515	2	47	1.59	<4	5	18	15	1.37	<0.01	16	0.79	358	12	62	334	62	1.12	<5	29	<10	288	1500	<2	25	<10	7	166
235194	1226278	0.012	<1	6.05	9	558	<2	49	1.74	<4	6	15	15	1.35	<0.01	13	0.69	299	10	59	329	54	1.18	<5	27	<10	269	1426	<2	25	<10	7	92
235195	1226279	0.010	<1	5.31	10	552	<2	43	1.69	<4	5	14	14	1.34	<0.01	13	0.82	369	10	60	318	59	1.20	<5	31	<10	252	1406	<2	23	<10	7	132
235196	1226280	<0.005	<1	5.38	7	452	<2	57	1.87	<4	12	32	28	2.50	<0.01	11	1.13	491	9	56	562	36	0.20	<5	32	<10	300	2312	<2	83	27	18	82
235197	1226281	0.009	<1	5.40	8	478	<2	53	1.50	<4	5	18	16	1.47	<0.01	15	0.97	440	11	70	329	74	1.22	<5	26	<10	276	1480	<2	29	<10	8	105
235198	1226282	0.033	<1	5.12	16	530	2	41	0.75	<4	4	19	27	1.21	<0.01	13	0.65	217	13	62	328	127	1.50	<5	31	<10	226	1443	<2	23	<10	7	201
235199	1226283	0.014	<1	5.65	14	499	<2	48	1.00	<4	4	16	15	1.27	<0.01	16	0.79	310	14	63	303	91	1.34	<5	32	<10	217	1418	<2	24	<10	7	280
235200D	1226283	0.014	<1	5.30	13	484	<2	40	0.93	<4	5	15	14	1.19	<0.01	14	0.76	309	12	59	300	86	1.24	<5	17	<10	207	1351	<2	23	<10	7	276
235201	1226284	0.019	<1	6.00	22	430	8	54	1.70	7	11	15	15	1.25	<0.01	11	0.72	296	12	57	265	52	0.60	<5	27	<10	232	1250	<2	28	<10	15	106
235202	1226285	0.013	<1	5.71	6	491	2	43	1.62	<4	5	15	13	1.25	<0.01	12	0.74	290	12	58	295	46	0.75	<5	25	<10	225	1326	<2	22	<10	8	84
235203	1226286	0.037	<1	4.03	31	545	<2	45	1.65	<4	8	31	20	1.73	<0.01	15	0.95	596	12	62	356	69	1.28	<5	14	<10	182	1702	<2	35	<10	7	131
235204	1226287	0.109	<1	4.12	34	581	2	34	0.86	<4	7	18	18	1.73	<0.01	17	0.79	394	12	60	379	96	1.78	<5	15	<10	150	1822	<2	32	<10	6	155
235205	1226288	0.131	<1	3.54	36	576	<2	46	0.44	<4	8	22	18	1.61	<0.01	14	0.64	304	10	63	388	122	1.70	<5	11	<10	120	1824	<2	33	<10	6	417
235206	1226289	0.059	<1	4.14	58	544	2	58	1.13	<4	7	15	32	1.51	<0.01	17	0.83	496	11	56	380	113	1.30	<5	17	<10	160	1747	<2	30	<10	6	246
235207	1226290	0.266	108	2.71	215	220	<2	46	1.21	22	13	45	6261	5.18	<0.01	12	1.16	1580	24	58	471	10617	2.64	267	<5	<10	212	1967	<2	77	55	12	4886
235208	1226291	0.038	2	3.58	47	565	12	45	1.30	12	20	19	46	1.69	<0.01	17	0.86	596	12	60	423	142	1.47	<5	42	<10	172	1839	<2	45	<10	18	327
235209	1226292	0.072	<1	4.12	26	509	2	46	1.59	<4	7	14	39	1.57	<0.01	17	1.00	699	10	62	415	108	1.18	<5	25	<10	173	1801	<2	31	<10	7	99
235210	1226293	0.833	9	4.17	38	409	<2	55	1.55	19	8	14	401	2.23	<0.01	21	1.01	826	9	61	408	1518	2.83	<5	15	<10	167	1612	<2	28	89	7	6309
235211D	1226293	0.828	10	5.20	35	489	2	45	1.65	19	7	16	404	2.20	<0.01	20	1.05	852	11	62	385	1527	2.78	5	13	<10	176	1694	<2	30	87	8	6463
235212	1226294	0.027	<1	4.76	67	635	2	49	1.37	<4	7	18	38	1.72	0.07	18	0.91	591	11	62	433	166	1.64	<5	30	<10	168	1856	<2	33	12	7	413

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235213	1226295	0.028	<1	4.29	24	458	<2	43	1.16	<4	7	18	24	1.14	0.05	12	0.95	535	12	86	365	104	0.80	<5	12	<10	165	1703	<2	28	<10	7	270
235214	1226296	0.029	<1	6.10	24	497	2	53	1.33	<4	7	19	18	1.12	0.01	17	0.98	517	17	56	367	109	0.79	<5	25	<10	186	1678	<2	29	<10	8	235
235215	1226297	0.016	<1	4.19	32	624	2	51	1.02	<4	6	16	32	1.86	<0.01	18	0.82	468	11	60	428	83	2.13	<5	17	<10	163	1871	<2	33	10	6	90
235216	1226298	0.015	<1	4.36	102	582	<2	43	1.35	<4	9	30	9	2.03	<0.01	19	1.08	561	10	70	430	86	1.90	<5	5	<10	164	1912	<2	38	<10	8	124
235217	1226299	0.084	<1	6.03	41	575	<2	58	2.04	<4	12	41	41	2.14	<0.01	22	1.14	612	12	71	442	87	1.11	<5	19	<10	234	2173	<2	49	<10	9	128
235218	1226300	0.005	<1	3.96	8	467	<2	49	1.90	<4	14	37	32	2.67	<0.01	15	1.06	530	12	67	607	46	0.15	<5	12	<10	313	2504	<2	92	36	14	83
235219	1226301	0.049	<1	5.39	32	532	<2	44	1.37	<4	15	37	36	1.81	<0.01	21	0.85	500	11	83	432	66	1.08	<5	36	<10	218	2147	<2	47	<10	8	95
235220	1226302	0.101	<1	7.08	24	681	2	42	1.55	<4	9	29	25	1.83	<0.01	23	0.81	483	13	69	485	94	1.18	<5	37	<10	250	2445	<2	47	<10	9	97
235221	1226303	0.035	<1	7.49	11	599	2	51	1.37	<4	6	25	31	1.86	<0.01	23	0.88	480	16	66	503	71	0.91	<5	22	<10	243	2156	<2	40	<10	9	82
235222D	1226303	0.030	<1	5.28	8	623	<2	50	1.15	<4	7	22	33	1.82	<0.01	22	0.77	477	12	64	497	68	0.92	<5	14	<10	229	2162	<2	41	<10	8	80
235223	1226304	0.037	<1	4.66	27	442	<2	48	1.25	<4	7	15	30	1.53	<0.01	15	0.67	359	11	55	425	76	1.39	<5	27	<10	241	1818	<2	33	<10	7	251
235224	1226305	0.019	<1	9.33	19	757	2	50	1.11	<4	8	26	34	1.13	0.22	28	0.71	211	23	87	587	70	0.72	<5	36	<10	300	2631	<2	46	<10	9	220
235225	1226306	0.033	<1	4.43	20	449	<2	52	1.45	<4	5	11	17	0.99	<0.01	10	0.53	293	9	51	417	52	0.71	<5	29	<10	245	1565	<2	32	<10	7	57
235226	1226307	0.024	<1	4.60	14	443	<2	47	1.33	<4	6	12	16	0.94	<0.01	11	0.49	270	8	54	449	60	0.75	<5	15	<10	270	1802	<2	33	<10	6	63
235227	1226308	0.092	<1	4.42	22	520	<2	44	0.93	<4	9	24	18	1.10	<0.01	10	0.49	178	9	73	433	69	1.19	<5	26	<10	289	1850	<2	35	<10	7	53
235228	1226309	0.026	<1	4.48	18	502	<2	41	1.43	<4	8	19	21	0.77	<0.01	10	0.46	166	8	61	434	93	0.67	<5	32	<10	368	1815	<2	34	<10	7	67
235229	1226310	5.192	<1	4.12	441	1373	<2	43	2.68	<4	16	121	89	3.52	<0.01	18	1.39	506	22	93	901	58	1.36	21	22	<10	255	1978	<2	132	16	16	265
235230	1226311	0.142	<1	4.98	34	539	<2	50	1.42	<4	5	22	17	0.77	<0.01	12	0.56	213	7	64	439	81	0.58	<5	33	<10	276	1656	<2	37	<10	7	188
235231	1226312	0.012	<1	4.65	8	434	<2	46	1.44	<4	6	19	15	1.23	<0.01	12	0.46	129	6	65	353	56	1.72	<5	20	<10	331	1582	<2	31	<10	6	62
235232	1226313	0.020	<1	5.49	11	477	<2	40	2.40	<4	17	208	27	2.56	<0.01	19	1.80	434	11	153	787	74	2.11	<5	31	<10	305	2722	<2	60	12	11	197

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235233D	1226313	0.021	<1	6.65	16	523	2	59	2.56	<4	19	212	27	2.62	<0.01	23	1.82	444	15	148	807	71	2.11	<5	26	<10	322	2844	<2	64	10	11	192
235234	1226314	0.010	<1	5.79	21	502	2	60	1.32	<4	8	35	23	1.49	0.06	18	0.79	301	11	76	544	80	1.70	<5	16	<10	325	1876	<2	37	13	8	117
235235	1226315	0.008	<1	5.60	16	489	<2	54	0.91	<4	6	16	14	1.52	0.05	16	0.60	200	9	73	457	65	1.92	<5	26	<10	298	1888	<2	34	<10	7	90
235236	1226316	0.010	<1	5.56	15	445	<2	39	0.91	<4	6	17	15	1.52	0.11	16	0.59	188	11	66	410	74	1.96	<5	18	<10	300	1762	<2	31	<10	7	83
235237	1226317	0.008	<1	4.75	23	493	<2	45	1.02	<4	7	14	13	1.32	<0.01	14	0.60	201	9	57	403	64	1.62	<5	20	<10	318	1670	<2	31	<10	6	89
235238	1226318	0.005	<1	2.64	19	441	<2	47	0.94	<4	6	13	9	1.25	<0.01	12	0.65	227	6	52	412	49	1.28	<5	20	<10	278	1585	<2	29	<10	5	74
235239	1226319	0.007	<1	4.71	20	456	<2	52	1.44	<4	6	22	14	1.52	<0.01	18	0.87	294	10	82	460	54	1.26	<5	26	<10	348	1712	<2	31	<10	7	94
235240	1226320	<0.005	<1	3.94	3	483	<2	50	1.97	<4	15	37	34	2.86	<0.01	11	1.14	560	8	71	642	49	0.15	<5	20	<10	325	2528	<2	97	38	16	86
235241	1226321	<0.005	<1	5.22	18	550	<2	52	1.26	<4	8	16	11	1.44	<0.01	20	0.88	246	8	62	453	53	1.01	<5	33	<10	315	1897	<2	35	12	7	82
235242	1226322	0.007	<1	5.62	14	702	2	44	1.66	<4	5	18	27	1.43	<0.01	19	0.79	269	7	70	473	56	1.22	<5	28	<10	379	1912	<2	34	14	8	82
235243	1226323	0.009	<1	4.62	17	645	<2	43	1.68	<4	7	33	23	1.63	<0.01	23	1.10	341	13	99	467	50	0.69	<5	24	<10	306	1825	<2	33	14	8	84
235244R	1226323	0.007	<1	4.63	15	662	<2	56	1.77	<4	5	23	24	1.55	<0.01	18	1.09	339	7	78	463	55	0.71	<5	24	<10	326	1831	<2	33	13	7	81
235245	1226324	0.007	<1	5.72	17	606	2	57	2.01	<4	7	24	30	1.80	<0.01	21	1.13	347	19	84	444	54	0.82	<5	30	<10	333	1804	<2	35	<10	9	102
235246	1226325	0.015	<1	5.72	<2	535	2	52	2.01	<4	19	121	43	3.25	<0.01	32	1.51	621	14	116	581	66	0.75	<5	20	<10	296	2446	<2	73	<10	16	105
235247	1226326	0.020	<1	7.19	4	382	2	62	2.31	<4	22	159	55	3.99	<0.01	35	1.58	724	18	124	635	63	1.12	<5	24	<10	290	3020	<2	92	<10	17	113
235248	1226327	1.004	<1	6.66	3	432	2	58	2.13	<4	24	138	57	4.40	<0.01	37	1.89	845	19	123	604	74	1.61	<5	24	<10	291	2637	<2	87	13	16	159
235249	1226328	0.098	2	6.24	7	360	2	54	1.87	<4	48	137	76	5.18	<0.01	33	1.84	751	18	132	636	88	3.64	<5	24	<10	317	2396	<2	79	<10	14	217
235250	1226329	0.143	3	7.26	14	367	2	53	2.96	<4	37	217	70	5.08	<0.01	34	2.39	1161	19	163	747	95	3.76	<5	25	<10	324	2966	<2	103	12	17	268
235251	1226330	1.505	2	5.85	32	219	2	53	3.12	5	22	76	7511	5.78	<0.01	17	1.46	655	875	63	1034	79	4.07	8	23	<10	310	1008	<2	121	11	17	150
235252	1226331	0.022	<1	7.38	30	739	2	58	1.90	<4	12	18	151	2.70	<0.01	37	1.26	942	29	66	878	97	2.77	<5	34	<10	263	2713	<2	57	14	10	188

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235253	1226332	0.026	1	7.28	32	687	2	49	2.53	<4	14	61	37	2.79	<0.01	32	1.51	1336	14	87	635	122	2.29	<5	40	<10	312	2212	<2	62	<10	12	200
235254	1226333	0.051	6	6.36	33	582	2	55	1.50	7	8	20	33	1.88	<0.01	29	1.05	1082	12	68	470	789	2.06	<5	41	<10	246	1795	<2	35	25	8	1475
235255D	1226333	0.050	6	6.11	32	521	2	45	1.35	8	6	18	33	1.74	0.08	25	1.01	962	11	66	432	743	1.99	<5	35	<10	230	1616	<2	32	29	9	1551
235256	1226334	0.257	16	5.39	32	530	2	59	1.55	9	9	30	134	2.33	<0.01	28	1.38	1197	11	76	580	885	2.29	<5	17	<10	244	1906	<2	43	33	9	2161
235257	1226335	0.062	5	6.16	17	474	<2	54	1.72	<4	8	21	31	1.61	0.01	24	1.09	1130	12	70	420	694	1.29	<5	29	<10	234	1590	<2	30	17	8	702
235258	1226336	0.059	10	4.91	18	469	<2	53	1.44	5	5	20	32	1.69	<0.01	24	1.14	1119	10	68	413	1067	1.38	<5	20	<10	205	1595	<2	30	24	7	1182
235259	1226337	0.015	<1	4.85	14	411	<2	46	1.04	<4	7	17	19	1.50	<0.01	24	0.93	772	6	67	421	153	1.28	<5	21	<10	200	1741	<2	32	11	7	137
235260	1226338	0.073	2	5.41	16	382	<2	46	1.82	<4	6	23	43	1.65	0.04	25	1.28	1085	10	70	363	334	1.46	<5	34	<10	233	1521	<2	30	12	7	388
235261	1226339	0.026	<1	6.54	6	484	<2	55	2.58	<4	8	25	31	1.87	<0.01	30	1.69	844	20	67	457	89	1.49	<5	36	<10	267	1628	<2	35	10	9	253
235262	1226340	0.010	<1	4.34	<2	494	<2	51	1.89	<4	15	40	31	2.77	<0.01	10	1.13	546	13	68	602	39	0.14	<5	11	<10	312	2522	<2	95	36	16	78
235263	1226341	0.018	<1	5.66	9	436	2	49	2.16	<4	13	28	35	1.90	<0.01	23	1.37	525	17	80	509	74	1.69	<5	32	<10	259	1550	<2	33	12	9	249
235264	1226342	0.046	<1	5.34	20	572	<2	54	2.33	<4	10	35	20	2.02	<0.01	26	1.56	1129	13	78	551	73	1.24	<5	22	<10	218	1752	<2	39	<10	8	185
235265	1226343	0.169	<1	6.57	23	553	<2	56	2.34	<4	10	40	38	1.95	0.08	32	1.39	1033	17	86	510	92	1.29	<5	20	<10	265	1851	<2	41	11	9	180
235266D	1226343	0.167	<1	4.45	20	550	<2	45	2.24	<4	10	38	39	1.95	<0.01	27	1.28	1060	11	85	497	79	1.32	<5	21	<10	263	1872	<2	42	<10	7	177
235267	1226344	0.019	<1	4.57	9	410	<2	44	2.08	<4	8	32	20	2.03	0.05	25	1.42	1041	9	75	492	85	1.14	<5	26	<10	234	1798	<2	37	<10	8	234
235268	1226345	0.012	<1	5.32	2	395	<2	45	2.19	<4	6	31	25	1.61	0.01	24	1.32	668	15	70	363	63	0.63	<5	23	<10	234	1468	<2	30	12	8	256
235269	1226346	0.014	<1	6.64	5	384	<2	41	3.70	<4	6	33	39	1.90	<0.01	27	2.11	1174	18	72	425	62	0.78	<5	28	<10	244	1410	<2	32	12	10	179
235270	1226347	0.010	<1	6.57	4	401	2	65	2.23	<4	6	31	17	1.32	<0.01	30	1.48	554	21	73	335	56	0.53	<5	35	<10	213	1373	<2	26	<10	9	161
235271	1226348	0.011	<1	5.54	10	223	2	56	2.14	<4	6	22	21	1.39	<0.01	25	1.50	425	16	66	319	55	0.53	<5	30	<10	201	1215	<2	23	11	8	105
235272	1226349	0.011	<1	5.53	<2	251	<2	42	1.63	<4	4	26	14	1.21	<0.01	23	1.24	246	16	59	278	66	0.45	<5	26	<10	185	1203	<2	20	<10	8	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235273	1226350	0.307	106	3.97	236	207	<2	58	1.28	27	14	55	6227	5.84	<0.01	10	1.38	1791	33	66	535	10413	3.37	270	<5	<10	224	1996	<2	85	67	15	4911
235274	1226351	0.052	1	5.61	12	285	<2	53	1.66	<4	3	27	107	1.38	<0.01	25	1.18	261	14	71	289	201	0.85	<5	13	<10	186	1219	<2	21	11	8	229
235275	1226352	0.015	<1	5.62	6	323	<2	45	1.64	<4	4	26	13	1.03	<0.01	25	1.15	196	13	66	273	54	0.16	<5	19	<10	183	1290	<2	22	10	7	65
235276	1226353	0.012	<1	5.84	<2	367	<2	39	1.61	<4	4	33	12	1.04	<0.01	27	1.06	177	17	79	259	44	0.36	<5	27	<10	177	1255	<2	21	<10	8	55
235277D	1226353	0.023	<1	4.87	<2	353	<2	51	1.56	<4	2	36	11	1.04	<0.01	27	1.04	181	13	77	272	50	0.38	<5	40	<10	175	1241	<2	22	12	7	55
235278	1226354	0.023	<1	4.46	4	301	<2	49	1.86	<4	4	30	10	1.22	0.01	22	1.13	178	10	75	261	65	0.63	<5	18	<10	197	1356	<2	23	<10	6	70
235279	1226355	0.017	<1	6.11	3	458	2	53	1.71	<4	4	28	14	1.17	0.04	26	1.15	227	15	77	262	81	0.81	<5	28	<10	209	1323	<2	23	12	7	83
235280	1226356	0.021	<1	5.81	8	425	<2	45	1.64	<4	4	25	16	1.25	<0.01	27	1.23	263	14	76	278	89	0.87	<5	21	<10	202	1258	<2	22	11	7	89
235281	1226357	0.066	<1	5.46	11	455	<2	48	1.25	<4	8	29	19	1.37	<0.01	27	1.03	335	16	75	377	83	1.09	<5	33	<10	179	1533	<2	25	14	8	222
235282	1226358	0.030	<1	4.74	<2	316	<2	45	2.01	<4	9	30	37	1.85	<0.01	26	1.30	742	13	73	570	68	1.04	<5	33	<10	184	1704	<2	33	<10	9	172
235283	1226359	0.014	<1	3.81	8	210	<2	56	2.33	<4	7	25	15	1.97	<0.01	22	1.27	641	8	70	445	62	1.16	<5	28	<10	190	1685	<2	32	10	8	111
235284	1226360	0.008	<1	3.96	5	470	<2	43	1.81	<4	13	38	30	2.69	<0.01	9	1.11	528	13	65	572	38	0.14	<5	22	<10	302	2441	<2	92	35	15	75
235285	1226361	0.015	<1	4.97	5	285	<2	42	2.16	<4	7	24	22	1.58	<0.01	27	1.09	359	13	60	460	84	0.42	<5	27	<10	198	1849	<2	37	11	8	177
235286	1226362	0.014	<1	5.38	9	229	<2	53	2.38	<4	7	25	12	1.78	0.05	26	1.13	294	15	68	470	61	0.79	<5	28	<10	207	1461	<2	32	<10	9	80
235287	1226363	0.059	<1	4.32	24	282	<2	41	1.44	<4	8	16	18	1.74	<0.01	18	1.14	370	11	61	462	51	1.57	<5	34	<10	136	1445	<2	27	<10	9	96
235288D	1226363	0.052	<1	4.97	30	356	<2	54	1.58	<4	8	19	18	1.87	<0.01	23	1.18	392	12	61	489	61	1.66	<5	20	<10	147	1669	<2	31	<10	9	104
235289	1226364	0.043	<1	6.50	17	312	<2	47	2.82	<4	8	28	19	1.83	<0.01	26	1.51	497	18	75	574	57	0.93	<5	32	<10	178	1678	<2	33	<10	10	86
235290	1226365	0.035	<1	6.70	17	269	<2	38	2.95	<4	6	23	17	1.95	<0.01	25	1.59	552	14	70	494	62	0.84	<5	12	<10	189	1726	<2	31	<10	9	76
235291	1226366	0.061	<1	6.11	14	368	<2	51	1.92	<4	7	24	43	1.64	<0.01	25	1.18	407	18	75	517	65	0.93	<5	24	<10	164	1785	<2	33	10	9	165
235292	1226367	0.022	<1	6.33	13	456	<2	42	2.38	<4	8	21	21	1.88	<0.01	27	1.28	407	14	61	485	66	0.68	<5	15	<10	174	2060	<2	37	14	9	98

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235293	1226368	0.024	<1	5.16	9	546	<2	56	1.93	<4	9	21	21	1.85	<0.01	26	1.11	359	12	66	504	58	1.07	<5	41	<10	183	1929	<2	35	14	8	126
235294	1226369	0.020	<1	4.08	6	395	<2	51	1.60	<4	7	22	13	1.83	<0.01	21	1.26	439	10	62	461	61	1.58	<5	17	<10	184	1736	<2	32	13	8	93
235295	1226370	5.138	<1	4.46	476	1307	2	59	2.74	4	17	131	95	3.80	<0.01	14	1.54	534	26	101	927	67	1.55	19	29	<10	240	1965	<2	141	17	19	285
235296	1226371	0.064	<1	4.49	44	456	<2	35	1.40	<4	9	30	40	2.08	<0.01	18	1.00	428	12	94	522	84	2.56	<5	20	<10	179	1943	<2	39	10	8	274
235297	1226372	0.023	<1	5.21	10	426	<2	38	1.67	<4	8	29	53	1.97	<0.01	23	1.27	495	17	111	475	64	1.99	<5	35	<10	184	1812	<2	33	14	8	110
235298	1226373	0.090	<1	3.87	17	354	2	47	1.95	<4	9	27	31	1.87	<0.01	13	0.77	287	10	80	472	106	3.31	<5	23	<10	255	1803	<2	33	12	7	204
235299D	1226373	0.102	<1	4.80	15	351	2	38	1.99	<4	8	28	32	1.81	<0.01	17	0.80	277	16	80	461	102	3.20	<5	23	<10	257	1798	<2	34	10	8	252
235300	1226374	0.086	<1	4.68	14	366	2	51	1.30	<4	7	32	28	1.79	<0.01	17	0.90	306	18	67	494	127	1.85	<5	32	<10	153	1704	<2	31	11	8	120
235301	1226375	0.106	<1	5.81	17	389	2	37	1.67	<4	7	30	26	1.67	<0.01	21	1.08	362	22	69	495	93	1.34	<5	28	<10	170	1867	<2	32	<10	8	135
235302	1226376	0.058	<1	4.71	16	344	2	36	1.49	<4	6	27	34	1.65	<0.01	18	1.01	347	16	86	504	89	1.41	<5	30	<10	153	1726	<2	29	10	8	129
235303	1226377	0.038	<1	5.04	14	364	2	49	1.85	<4	7	26	36	1.76	<0.01	20	1.12	404	16	67	501	77	1.50	<5	28	<10	158	1873	<2	33	13	8	115
235304	1226378	0.065	<1	5.13	13	324	2	48	1.71	<4	8	26	32	1.74	<0.01	21	1.16	463	16	67	454	98	1.43	<5	45	<10	160	1860	<2	31	<10	8	170
235305	1226379	0.118	<1	4.61	19	327	<2	43	2.02	<4	9	23	35	1.84	<0.01	18	1.20	507	13	63	477	68	1.44	<5	17	<10	163	1857	<2	32	<10	8	146
235306	1226380	<0.005	<1	2.76	3	433	<2	43	1.69	<4	14	38	31	2.60	0.06	8	1.06	510	12	61	570	46	0.14	<5	30	<10	274	2249	<2	87	32	14	77
235307	1226381	0.059	<1	6.27	10	392	2	50	2.78	<4	8	28	30	1.91	0.07	19	1.32	550	16	67	491	88	1.19	<5	40	<10	180	1976	<2	37	11	9	131
235308	1226382	0.362	2	5.18	29	442	2	50	0.85	<4	8	26	67	1.65	0.07	14	0.81	253	18	72	458	345	1.81	<5	23	<10	131	1799	<2	33	16	8	646
235309	1226383	0.064	<1	6.99	22	572	2	60	0.50	<4	8	21	18	1.10	<0.01	13	0.70	139	23	58	428	70	0.99	<5	33	<10	122	2275	<2	40	10	8	139
235310R	1226383	0.094	<1	6.11	23	571	<2	51	0.43	<4	6	18	16	1.00	<0.01	13	0.63	128	17	60	432	62	0.88	<5	20	<10	118	2064	<2	37	11	8	142
235311	1226384	0.042	<1	4.59	17	335	<2	45	1.96	<4	6	15	17	1.57	<0.01	18	1.23	437	15	56	466	67	1.22	<5	28	<10	150	1601	<2	26	<10	8	118
235312	1226385	0.095	<1	4.23	36	439	<2	43	1.88	<4	8	22	29	1.78	<0.01	16	1.14	404	13	57	485	54	1.48	<5	26	<10	141	1669	<2	28	10	8	130

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235313	1226386	0.048	<1	5.71	21	506	<2	56	2.33	<4	9	23	21	1.91	<0.01	23	1.44	557	15	64	501	59	1.08	<5	24	<10	164	2128	<2	38	15	9	128
235314	1226387	0.066	<1	5.14	15	533	<2	44	2.25	<4	7	18	27	1.80	<0.01	22	1.39	593	16	66	483	72	0.94	<5	27	<10	173	1976	<2	33	12	8	153
235315	1226388	0.064	<1	4.91	12	566	<2	57	2.14	<4	8	22	23	1.70	<0.01	18	1.27	592	14	69	489	85	1.00	7	26	<10	172	1907	<2	32	10	8	103
235316	1226389	0.621	2	4.45	64	365	<2	47	1.18	<4	8	40	93	2.76	<0.01	19	0.91	423	17	83	499	177	3.41	<5	22	<10	126	1987	<2	38	15	8	715
235317	1226390	0.290	107	4.55	254	263	<2	58	1.37	26	15	55	6125	5.89	<0.01	12	1.39	1809	36	68	523	10246	3.53	310	22	<10	235	2060	<2	86	68	15	4873
235318	1226391	0.068	1	7.02	16	514	2	66	2.74	<4	10	27	139	2.11	0.04	22	1.48	1018	20	64	545	185	0.94	<5	28	<10	180	2182	<2	42	<10	9	416
235319	1226392	0.283	<1	5.44	30	472	<2	50	2.07	4	8	29	50	2.12	<0.01	22	1.25	741	16	71	539	57	1.82	<5	31	<10	166	2017	<2	39	25	8	1212
235320	1226393	0.043	<1	5.69	11	694	2	60	2.17	<4	8	26	39	1.95	0.18	22	1.33	769	17	70	571	64	1.16	<5	30	<10	185	2160	<2	40	<10	9	226
235321D	1226393	0.044	<1	7.24	17	743	2	52	2.40	<4	10	31	37	2.01	0.12	23	1.41	791	21	71	601	57	1.18	<5	30	<10	201	2303	<2	44	<10	10	219
235322	1226394	0.132	<1	5.61	5	763	<2	42	2.27	<4	8	23	23	1.92	0.09	21	1.12	689	13	63	451	55	0.84	<5	20	<10	228	2197	<2	41	11	8	121
235323	1226395	0.067	<1	4.54	8	481	<2	50	1.99	<4	8	22	25	1.95	<0.01	19	0.97	738	12	75	493	53	0.70	<5	26	<10	234	2269	<2	35	<10	8	105
235324	1226396	0.060	<1	3.99	3	454	<2	30	1.77	<4	7	21	21	1.85	<0.01	16	0.94	704	8	68	452	56	0.69	<5	23	<10	216	2076	<2	33	<10	8	105
235325	1226397	0.075	<1	4.48	6	483	<2	46	2.15	<4	11	25	28	1.93	<0.01	17	0.89	696	12	74	463	51	0.76	<5	31	<10	275	2466	<2	38	<10	9	117
235326	1226398	0.157	<1	4.28	5	538	<2	40	1.89	<4	10	24	25	2.00	<0.01	21	0.94	735	12	68	487	46	0.74	<5	21	<10	288	2395	<2	42	<10	8	112
235327	1226399	0.491	<1	4.85	6	518	<2	45	2.17	<4	12	32	17	2.20	<0.01	20	1.00	833	13	69	522	46	1.03	<5	13	<10	291	2437	<2	43	<10	9	119
235328	1226400	<0.005	<1	3.75	5	490	<2	42	1.82	<4	14	40	29	2.71	<0.01	9	1.10	543	14	64	589	39	0.13	<5	36	<10	307	2544	<2	94	38	14	79
235329	1226401	0.042	<1	4.74	4	514	<2	40	2.10	<4	10	27	16	2.08	<0.01	22	1.01	771	15	60	480	49	0.75	<5	27	<10	263	2408	<2	41	<10	8	116
235330	1226402	0.021	<1	5.57	5	971	<2	42	2.64	<4	8	31	37	1.94	<0.01	25	1.19	834	17	79	491	50	0.85	<5	23	<10	270	2195	<2	40	<10	8	142
235331	1226403	0.062	<1	4.95	16	920	<2	53	2.13	<4	7	26	82	1.80	<0.01	27	1.25	693	16	68	446	51	1.07	<5	32	<10	273	1814	<2	35	<10	8	190
235332D	1226403	0.058	<1	5.30	3	1020	2	51	2.40	<4	9	29	88	1.93	<0.01	27	1.31	746	17	74	463	54	1.12	<5	37	<10	306	1968	<2	39	12	8	200

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235333	1226404	0.011	<1	5.05	7	596	<2	43	1.50	<4	9	22	15	1.54	<0.01	20	0.84	359	14	74	484	46	0.42	<5	11	<10	237	1927	<2	34	10	8	92
235334	1226405	0.005	<1	5.18	5	386	<2	52	2.19	<4	8	33	14	1.80	<0.01	24	1.23	673	15	82	507	52	0.35	<5	24	<10	233	1920	<2	36	10	8	127
235335	1226406	0.016	<1	4.49	3	537	<2	53	2.73	<4	8	34	24	1.91	0.04	22	2.03	1016	11	80	487	55	0.48	<5	28	<10	224	1691	<2	35	14	8	157
235336	1226407	<0.005	<1	5.23	9	506	<2	42	2.17	<4	10	43	11	1.95	<0.01	23	1.70	612	9	93	588	53	0.29	<5	35	<10	191	1790	<2	37	<10	9	121
235337	1226408	0.016	<1	4.33	6	673	<2	41	1.65	<4	7	24	22	1.78	<0.01	19	1.15	596	11	73	469	65	1.08	<5	20	<10	188	1721	<2	30	11	8	831
235338	1226409	0.018	<1	4.57	5	675	<2	48	1.91	<4	9	18	16	1.90	<0.01	18	0.97	640	11	68	443	57	1.06	<5	26	<10	192	1931	<2	35	<10	7	226
235339	1226410	0.279	109	3.84	257	183	<2	46	1.29	27	15	54	6283	6.03	<0.01	8	1.44	1844	31	128	535	10631	3.64	244	27	<10	223	1962	<2	85	71	16	5029
235340	1226411	0.011	2	4.89	11	809	<2	54	1.87	<4	8	21	162	1.84	<0.01	22	0.98	592	12	64	472	262	0.84	<5	22	<10	195	2051	<2	39	10	7	212
235341	1226412	0.008	<1	5.61	2	651	<2	50	2.06	<4	12	54	20	2.20	<0.01	32	1.81	556	15	94	590	58	0.57	<5	37	<10	198	2204	<2	51	13	9	127
235342	1226413	0.158	<1	4.36	55	404	<2	53	1.67	<4	9	28	33	2.43	<0.01	20	1.26	538	14	83	452	55	2.48	<5	27	<10	147	1824	<2	37	11	9	188
235343D	1226413	0.162	<1	4.86	53	448	<2	38	1.77	<4	9	29	23	2.47	<0.01	22	1.28	544	17	71	460	58	2.48	<5	43	<10	159	1919	<2	39	<10	9	187
235344	1226414	0.057	<1	5.47	12	584	<2	54	2.13	<4	7	23	20	1.77	<0.01	21	1.37	642	17	72	456	55	1.24	<5	36	<10	163	1703	<2	31	13	8	247
235345	1226415	0.059	<1	5.69	13	589	<2	57	2.15	<4	9	19	18	1.99	<0.01	20	1.29	639	15	63	600	54	1.47	<5	25	<10	185	2227	<2	40	<10	9	274
235346	1226416	0.060	<1	6.35	21	621	<2	47	2.17	<4	10	17	21	2.10	<0.01	21	1.33	643	17	63	567	55	1.59	<5	10	<10	190	2423	<2	45	<10	8	251
235347	1226417	0.034	<1	6.08	11	613	<2	50	2.26	<4	9	18	11	1.98	<0.01	22	1.37	630	17	56	573	59	1.26	<5	34	<10	195	2217	<2	41	<10	9	140
235348	1226418	0.022	<1	5.74	14	543	<2	48	2.70	<4	9	19	13	1.98	<0.01	30	1.53	644	15	64	547	43	0.91	<5	28	<10	213	2206	<2	42	<10	9	122
235349	1226419	0.050	<1	5.27	14	593	<2	51	2.11	<4	9	23	24	2.09	<0.01	33	1.51	618	13	71	561	51	1.21	<5	15	<10	216	2204	<2	43	16	8	297
235350	1226420	0.007	<1	4.24	3	477	<2	51	1.80	<4	13	38	29	2.59	<0.01	9	1.10	516	17	60	569	48	0.15	<5	40	<10	293	2438	<2	89	32	14	79
235351	1226421	0.062	<1	5.14	18	553	<2	55	2.55	4	10	21	32	2.58	<0.01	22	1.67	829	15	71	545	52	1.79	<5	35	<10	214	2093	<2	42	23	9	1155
235352	1226422	0.054	<1	5.53	26	492	2	45	4.05	<4	7	19	55	2.64	<0.01	16	2.56	1253	15	68	546	71	1.59	<5	29	<10	222	2042	<2	39	10	9	325

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235353	1226423	0.154	<1	4.92	29	494	<2	42	2.28	<4	8	17	41	2.39	<0.01	21	1.44	694	2	65	615	68	1.92	<5	36	<10	186	1962	<2	39	16	8	614
235354D	1226423	0.170	<1	5.50	20	531	<2	57	2.33	<4	8	14	38	2.35	0.03	23	1.44	683	3	62	564	63	1.89	<5	15	<10	195	2079	<2	42	14	8	536
235355	1226424	0.062	<1	4.77	16	553	<2	51	1.69	<4	11	11	22	2.16	<0.01	23	1.28	653	<1	63	589	51	1.33	<5	31	<10	172	2213	<2	44	12	8	263
235356	1226425	0.096	<1	4.00	33	476	<2	53	1.43	<4	10	9	19	2.38	<0.01	19	1.27	612	<1	59	575	49	1.92	<5	22	<10	149	2113	<2	41	11	8	337
235357	1226426	0.569	3	3.04	85	13	<2	50	2.89	34	10	14	268	5.55	<0.01	14	1.81	884	6	58	413	83	7.93	5	15	<10	165	1431	<2	32	146	7	11801
235358	1226427	0.074	<1	5.34	10	519	<2	40	2.67	4	8	16	125	2.59	0.05	23	1.70	896	2	73	559	61	1.38	<5	40	<10	197	2051	<2	38	16	9	867
235359	1226428	0.051	<1	4.56	<2	544	<2	52	2.15	<4	11	13	36	2.21	<0.01	26	1.50	828	<1	63	569	49	0.51	<5	25	<10	176	2105	<2	39	<10	8	194
235360	1226429	0.056	<1	4.80	2	549	<2	48	1.80	<4	10	16	19	2.41	<0.01	26	1.33	816	2	64	660	81	0.95	<5	31	<10	188	2178	<2	43	10	8	392
235361	1226430	5.137	<1	3.50	461	1460	<2	60	2.75	<4	17	123	91	3.72	<0.01	17	1.44	547	15	100	932	68	1.52	30	26	<10	251	1968	<2	140	15	15	283
235362	1226431	0.020	<1	4.25	15	483	<2	39	1.60	<4	11	14	33	2.24	<0.01	19	1.24	901	<1	63	608	150	1.32	<5	18	<10	184	2061	<2	44	<10	8	257
235363	1226432	0.085	2	5.32	14	520	<2	53	2.79	5	10	11	108	2.43	<0.01	20	1.77	1147	2	61	584	899	1.78	<5	20	<10	256	2079	<2	42	18	8	1157
235364	1226433	0.015	<1	5.31	9	453	<2	47	1.92	<4	11	12	23	2.28	<0.01	23	1.42	1030	<1	45	628	63	1.00	<5	22	<10	225	2375	<2	44	<10	8	124
235365D	1226433	0.015	<1	4.65	6	433	<2	39	1.81	<4	11	11	24	2.04	<0.01	21	1.27	926	<1	59	572	59	0.85	<5	19	<10	215	2163	<2	41	10	8	116
235366	1226434	0.014	<1	5.37	3	521	<2	57	1.72	<4	9	14	36	1.87	0.04	24	1.37	856	1	63	601	50	0.89	<5	19	<10	239	2261	<2	43	11	8	269
235367	1226435	0.025	<1	4.70	<2	496	<2	42	1.89	<4	9	11	18	2.03	<0.01	19	1.13	612	<1	58	574	48	0.92	<5	24	<10	238	2111	<2	41	<10	8	218
235368	1226436	0.014	<1	4.36	12	448	<2	55	1.79	<4	9	14	19	2.05	<0.01	17	1.13	600	<1	65	593	37	0.89	<5	25	<10	227	2065	<2	39	12	8	270
235369	1226437	0.012	<1	4.44	7	453	<2	39	1.72	<4	10	15	22	1.96	<0.01	18	1.01	504	<1	66	579	45	0.92	<5	25	<10	243	2188	<2	40	<10	8	87
235370	1226438	0.020	<1	5.42	2	416	<2	48	1.92	<4	11	12	12	2.07	<0.01	23	1.23	640	2	54	563	38	0.95	<5	20	<10	269	2267	<2	41	<10	9	90
235371	1226439	0.022	<1	5.04	9	376	<2	48	1.91	<4	11	12	15	2.07	<0.01	22	1.14	859	<1	61	590	43	0.92	<5	32	<10	253	2219	<2	42	<10	8	102
235372	1226440	<0.005	<1	3.24	3	468	<2	52	1.73	<4	14	30	27	2.55	<0.01	11	0.99	503	<1	56	568	43	0.14	<5	21	<10	295	2163	<2	87	32	14	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
235373	1226441	0.017	<1	4.22	7	427	<2	45	2.13	<4	9	14	19	1.97	0.13	22	1.32	972	1	61	548	45	0.94	<5	24	<10	263	2212	<2	42	<10	7	87
235374	1226442	0.045	<1	5.86	16	566	<2	48	3.16	14	10	10	157	2.56	<0.01	23	1.90	1064	3	60	574	63	2.22	<5	24	<10	336	2139	<2	42	56	9	4036
235375	1226443	0.018	<1	5.50	12	456	<2	51	3.25	<4	8	13	41	2.25	0.04	20	1.82	1132	2	61	555	58	1.54	<5	28	<10	297	2015	<2	41	119	9	664
235376R	1226443	0.015	<1	5.04	10	428	<2	46	2.88	<4	9	12	34	2.13	<0.01	16	1.72	1015	<1	56	564	49	1.47	<5	11	<10	287	1986	<2	40	91	9	451
235377	1226444	0.019	<1	8.24	8	360	<2	20	2.62	<4	6	14	18	1.93	0.10	27	1.49	745	<1	29	489	27	0.29	14	55	<10	243	1732	<2	36	18	7	152
235378	1226445	0.015	<1	8.96	11	464	<2	23	2.18	<4	8	15	12	2.13	<0.01	33	1.40	682	<1	27	506	30	0.32	15	55	<10	279	2131	<2	44	15	7	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235113	1226204	8	<0.001	0.008
235114	1226205	90	0.003	0.090
235115	1226206	65	0.002	0.065
235116	1226207	88	0.003	0.088
235117	1226208	26	<0.001	0.026
235118	1226209	38	0.001	0.038
235119	1226210	1404	0.041	1.404
235120	1226211	14	<0.001	0.014
235121	1226212	11	<0.001	0.011
235122	1226213	12	<0.001	0.012
235123 Dup	1226213	11	<0.001	0.011
235124	1226214	21	<0.001	0.021
235125	1226215	50	0.001	0.050
235126	1226216	51	0.001	0.051
235127	1226217	59	0.002	0.059
235128	1226218	63	0.002	0.063
235129	1226219	123	0.004	0.123
235130	1226220	7	<0.001	0.007
235131	1226221	100	0.003	0.100
235132	1226222	30	<0.001	0.030
235133	1226223	19	<0.001	0.019
235134 Dup	1226223	18	<0.001	0.018
235135	1226224	13	<0.001	0.013
235136	1226225	14	<0.001	0.014
235137	1226226	6	<0.001	0.006
235138	1226227	14	<0.001	0.014
235139	1226228	53	0.002	0.053
235140	1226229	16	<0.001	0.016
235141	1226230	274	0.008	0.274
235142	1226231	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235143	1226232	24	<0.001	0.024
235144	1226233	12	<0.001	0.012
235145 Dup	1226233	11	<0.001	0.011
235146	1226234	21	<0.001	0.021
235147	1226235	37	0.001	0.037
235148	1226236	19	<0.001	0.019
235149	1226237	104	0.003	0.104
235150	1226238	20	<0.001	0.020
235151	1226239	28	<0.001	0.028
235152	1226240	10	<0.001	0.010
235153	1226241	35	0.001	0.035
235154	1226242	71	0.002	0.071
235155	1226243	154	0.004	0.154
235156 Dup	1226243	134	0.004	0.134
235157	1226244	13	<0.001	0.013
235158	1226245	7	<0.001	0.007
235159	1226246	12	<0.001	0.012
235160	1226247	15	<0.001	0.015
235161	1226248	43	0.001	0.043
235162	1226249	13	<0.001	0.013
235163	1226250	5073	0.148	5.073
235164	1226251	33	<0.001	0.033
235165	1226252	16	<0.001	0.016
235166	1226253	17	<0.001	0.017
235167 Dup	1226253	14	<0.001	0.014
235168	1226254	76	0.002	0.076
235169	1226255	37	0.001	0.037
235170	1226256	21	<0.001	0.021
235171	1226257	29	<0.001	0.029
235172	1226258	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235173	1226259	11	<0.001	0.011
235174	1226260	6	<0.001	0.006
235175	1226261	14	<0.001	0.014
235176	1226262	22	<0.001	0.022
235177	1226263	18	<0.001	0.018
235178 Rep	1226263	27	<0.001	0.027
235179	1226264	25	<0.001	0.025
235180	1226265	17	<0.001	0.017
235181	1226266	8	<0.001	0.008
235182	1226267	38	0.001	0.038
235183	1226268	16	<0.001	0.016
235184	1226269	13	<0.001	0.013
235185	1226270	1429	0.042	1.429
235186	1226271	20	<0.001	0.020
235187	1226272	17	<0.001	0.017
235188	1226273	20	<0.001	0.020
235189 Dup	1226273	32	<0.001	0.032
235190	1226274	20	<0.001	0.020
235191	1226275	51	0.001	0.051
235192	1226276	10	<0.001	0.010
235193	1226277	8	<0.001	0.008
235194	1226278	12	<0.001	0.012
235195	1226279	10	<0.001	0.010
235196	1226280	<5	<0.001	<0.005
235197	1226281	9	<0.001	0.009
235198	1226282	33	<0.001	0.033
235199	1226283	14	<0.001	0.014
235200 Dup	1226283	14	<0.001	0.014
235201	1226284	19	<0.001	0.019
235202	1226285	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235203	1226286	37	0.001	0.037
235204	1226287	109	0.003	0.109
235205	1226288	131	0.004	0.131
235206	1226289	59	0.002	0.059
235207	1226290	266	0.008	0.266
235208	1226291	38	0.001	0.038
235209	1226292	72	0.002	0.072
235210	1226293	833	0.024	0.833
235211 Dup	1226293	828	0.024	0.828
235212	1226294	27	<0.001	0.027
235213	1226295	28	<0.001	0.028
235214	1226296	29	<0.001	0.029
235215	1226297	16	<0.001	0.016
235216	1226298	15	<0.001	0.015
235217	1226299	84	0.002	0.084
235218	1226300	5	<0.001	0.005
235219	1226301	49	0.001	0.049
235220	1226302	101	0.003	0.101
235221	1226303	35	0.001	0.035
235222 Dup	1226303	30	<0.001	0.030
235223	1226304	37	0.001	0.037
235224	1226305	19	<0.001	0.019
235225	1226306	33	<0.001	0.033
235226	1226307	24	<0.001	0.024
235227	1226308	92	0.003	0.092
235228	1226309	26	<0.001	0.026
235229	1226310	5192	0.151	5.192
235230	1226311	142	0.004	0.142
235231	1226312	12	<0.001	0.012
235232	1226313	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235233 Dup	1226313	21	<0.001	0.021
235234	1226314	10	<0.001	0.010
235235	1226315	8	<0.001	0.008
235236	1226316	10	<0.001	0.010
235237	1226317	8	<0.001	0.008
235238	1226318	5	<0.001	0.005
235239	1226319	7	<0.001	0.007
235240	1226320	<5	<0.001	<0.005
235241	1226321	<5	<0.001	<0.005
235242	1226322	7	<0.001	0.007
235243	1226323	9	<0.001	0.009
235244 Rep	1226323	7	<0.001	0.007
235245	1226324	7	<0.001	0.007
235246	1226325	15	<0.001	0.015
235247	1226326	20	<0.001	0.020
235248	1226327	1004	0.029	1.004
235249	1226328	98	0.003	0.098
235250	1226329	143	0.004	0.143
235251	1226330	1505	0.044	1.505
235252	1226331	22	<0.001	0.022
235253	1226332	26	<0.001	0.026
235254	1226333	51	0.001	0.051
235255 Dup	1226333	50	0.001	0.050
235256	1226334	257	0.008	0.257
235257	1226335	62	0.002	0.062
235258	1226336	59	0.002	0.059
235259	1226337	15	<0.001	0.015
235260	1226338	73	0.002	0.073
235261	1226339	26	<0.001	0.026
235262	1226340	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235263	1226341	18	<0.001	0.018
235264	1226342	46	0.001	0.046
235265	1226343	169	0.005	0.169
235266 Dup	1226343	167	0.005	0.167
235267	1226344	19	<0.001	0.019
235268	1226345	12	<0.001	0.012
235269	1226346	14	<0.001	0.014
235270	1226347	10	<0.001	0.010
235271	1226348	11	<0.001	0.011
235272	1226349	11	<0.001	0.011
235273	1226350	307	0.009	0.307
235274	1226351	52	0.002	0.052
235275	1226352	15	<0.001	0.015
235276	1226353	12	<0.001	0.012
235277 Dup	1226353	23	<0.001	0.023
235278	1226354	23	<0.001	0.023
235279	1226355	17	<0.001	0.017
235280	1226356	21	<0.001	0.021
235281	1226357	66	0.002	0.066
235282	1226358	30	<0.001	0.030
235283	1226359	14	<0.001	0.014
235284	1226360	8	<0.001	0.008
235285	1226361	15	<0.001	0.015
235286	1226362	14	<0.001	0.014
235287	1226363	59	0.002	0.059
235288 Dup	1226363	52	0.002	0.052
235289	1226364	43	0.001	0.043
235290	1226365	35	0.001	0.035
235291	1226366	61	0.002	0.061
235292	1226367	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235293	1226368	24	<0.001	0.024
235294	1226369	20	<0.001	0.020
235295	1226370	5138	0.150	5.138
235296	1226371	64	0.002	0.064
235297	1226372	23	<0.001	0.023
235298	1226373	90	0.003	0.090
235299 Dup	1226373	102	0.003	0.102
235300	1226374	86	0.003	0.086
235301	1226375	106	0.003	0.106
235302	1226376	58	0.002	0.058
235303	1226377	38	0.001	0.038
235304	1226378	65	0.002	0.065
235305	1226379	118	0.003	0.118
235306	1226380	<5	<0.001	<0.005
235307	1226381	59	0.002	0.059
235308	1226382	362	0.011	0.362
235309	1226383	64	0.002	0.064
235310 Rep	1226383	94	0.003	0.094
235311	1226384	42	0.001	0.042
235312	1226385	95	0.003	0.095
235313	1226386	48	0.001	0.048
235314	1226387	66	0.002	0.066
235315	1226388	64	0.002	0.064
235316	1226389	621	0.018	0.621
235317	1226390	290	0.008	0.290
235318	1226391	68	0.002	0.068
235319	1226392	283	0.008	0.283
235320	1226393	43	0.001	0.043
235321 Dup	1226393	44	0.001	0.044
235322	1226394	132	0.004	0.132

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235323	1226395	67	0.002	0.067
235324	1226396	60	0.002	0.060
235325	1226397	75	0.002	0.075
235326	1226398	157	0.005	0.157
235327	1226399	491	0.014	0.491
235328	1226400	<5	<0.001	<0.005
235329	1226401	42	0.001	0.042
235330	1226402	21	<0.001	0.021
235331	1226403	62	0.002	0.062
235332 Dup	1226403	58	0.002	0.058
235333	1226404	11	<0.001	0.011
235334	1226405	5	<0.001	0.005
235335	1226406	16	<0.001	0.016
235336	1226407	<5	<0.001	<0.005
235337	1226408	16	<0.001	0.016
235338	1226409	18	<0.001	0.018
235339	1226410	279	0.008	0.279
235340	1226411	11	<0.001	0.011
235341	1226412	8	<0.001	0.008
235342	1226413	158	0.005	0.158
235343 Dup	1226413	162	0.005	0.162
235344	1226414	57	0.002	0.057
235345	1226415	59	0.002	0.059
235346	1226416	60	0.002	0.060
235347	1226417	34	<0.001	0.034
235348	1226418	22	<0.001	0.022
235349	1226419	50	0.001	0.050
235350	1226420	7	<0.001	0.007
235351	1226421	62	0.002	0.062
235352	1226422	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/23/2011  
 Date Completed: 10/11/2011  
 Job #: 201143495  
 Reference: TL11214  
 Sample #: 242

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
235353	1226423	154	0.005	0.154
235354 Dup	1226423	170	0.005	0.170
235355	1226424	62	0.002	0.062
235356	1226425	96	0.003	0.096
235357	1226426	569	0.017	0.569
235358	1226427	74	0.002	0.074
235359	1226428	51	0.001	0.051
235360	1226429	56	0.002	0.056
235361	1226430	5137	0.150	5.137
235362	1226431	20	<0.001	0.020
235363	1226432	85	0.002	0.085
235364	1226433	15	<0.001	0.015
235365 Dup	1226433	15	<0.001	0.015
235366	1226434	14	<0.001	0.014
235367	1226435	25	<0.001	0.025
235368	1226436	14	<0.001	0.014
235369	1226437	12	<0.001	0.012
235370	1226438	20	<0.001	0.020
235371	1226439	22	<0.001	0.022
235372	1226440	<5	<0.001	<0.005
235373	1226441	17	<0.001	0.017
235374	1226442	45	0.001	0.045
235375	1226443	18	<0.001	0.018
235376 Rep	1226443	15	<0.001	0.015
235377	1226444	19	<0.001	0.019
235378	1226445	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220706	1184227	0.691	<1	2.88	11	294	2	6	1.29	<4	5	10	20	1.20	0.36	5	1.12	678	<1	30	313	96	1.22	<5	7	<10	173	1006	9	18	<10	5	267
220707	1184228	0.065	<1	2.38	19	312	2	9	0.46	<4	5	10	7	1.32	0.18	7	0.92	451	<1	30	324	134	1.44	<5	13	<10	101	934	7	18	<10	5	336
220708	1184229	0.031	<1	2.30	8	223	2	17	0.40	<4	4	23	11	1.00	0.16	7	0.98	466	<1	51	328	106	1.05	<5	13	<10	85	880	11	17	<10	5	213
220709	1184230	0.280	99	1.45	224	275	2	14	0.95	23	14	38	6314	5.06	0.41	3	1.15	1537	3	38	501	9686	2.56	193	9	<10	164	1512	<2	68	44	14	5232
220710	1184231	0.027	<1	2.40	5	203	2	9	0.57	<4	4	14	29	1.05	0.52	12	1.25	632	<1	41	358	95	0.91	<5	17	<10	84	822	7	15	<10	5	219
220711	1184232	0.047	<1	3.03	17	355	2	14	0.28	<4	6	15	43	1.34	0.40	7	0.74	329	<1	48	366	79	1.60	<5	13	<10	75	1053	11	20	<10	5	131
220712	1184233	0.049	<1	2.61	14	300	2	3	0.83	<4	14	75	43	2.50	0.17	8	1.01	532	<1	69	500	97	1.78	<5	9	<10	153	1528	6	53	<10	10	373
220713	1184234	0.040	<1	3.51	2	257	2	6	1.92	<4	19	151	52	3.77	0.37	10	1.37	806	<1	155	557	46	2.03	<5	15	<10	220	1780	6	79	<10	14	150
220714	1184235	0.018	<1	2.31	10	368	2	4	0.65	<4	7	18	15	0.75	0.21	<1	0.29	160	<1	43	374	32	1.21	<5	19	<10	154	1207	4	27	<10	5	143
220715	1184236	0.012	<1	2.45	15	329	2	8	0.81	<4	6	26	13	0.77	0.39	<1	0.31	136	<1	61	375	23	1.19	<5	15	<10	170	1085	<2	24	<10	5	86
220716D	1184236	0.012	<1	1.97	16	280	2	9	0.73	<4	6	25	13	0.75	0.43	<1	0.30	125	<1	57	389	23	1.15	<5	20	<10	157	964	7	21	<10	5	83
220717	1184237	0.021	<1	3.33	23	408	2	11	0.96	<4	7	18	23	1.01	0.28	2	0.27	122	<1	47	414	20	1.58	<5	21	<10	203	1380	10	31	<10	5	92
220718	1184238	0.009	<1	1.51	16	250	2	11	0.60	<4	7	9	14	0.78	0.36	<1	0.26	103	<1	40	442	16	1.19	<5	18	<10	140	996	9	20	<10	5	92
220719	1184239	0.031	<1	2.16	19	267	2	3	0.69	<4	6	12	20	0.75	0.20	<1	0.28	125	<1	39	386	58	1.87	<5	11	<10	148	1018	6	20	<10	5	136
220720	1184240	<0.005	<1	1.75	7	344	2	4	1.37	<4	12	26	22	2.23	0.28	3	0.90	414	<1	31	521	8	1.09	<5	12	<10	211	1778	11	76	24	14	79
220721	1184241	0.020	<1	2.93	8	403	2	6	1.02	<4	6	15	9	0.43	0.38	<1	0.29	140	<1	38	308	68	1.00	<5	9	<10	200	1129	9	26	<10	4	264
220722	1184242	0.016	<1	2.64	15	353	2	7	1.19	<4	7	25	15	0.66	0.53	<1	0.28	137	<1	53	396	24	1.21	<5	17	<10	201	1203	3	26	<10	4	55
220723	1184243	0.008	<1	2.50	10	356	2	<1	0.88	<4	6	32	13	1.10	0.61	2	0.35	191	<1	72	428	17	1.53	<5	15	<10	168	1202	6	25	<10	5	83
220724	1184244	0.019	<1	2.62	18	382	2	9	0.56	<4	6	27	9	1.22	0.20	<1	0.35	176	<1	58	412	23	1.64	<5	17	<10	174	1323	5	29	<10	5	66
220725	1184245	<0.005	<1	2.13	6	289	2	5	0.51	<4	7	7	21	1.26	0.10	<1	0.24	<100	<1	35	444	31	1.64	<5	12	<10	286	941	4	20	<10	6	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220726	1184246	<0.005	<1	1.91	6	298	3	2	0.51	<4	6	26	20	1.31	0.21	<1	0.23	<100	<1	59	420	30	1.55	<5	14	<10	284	983	8	22	<10	5	47
220727D	1184246	<0.005	<1	2.83	<2	373	3	19	0.73	<4	7	19	23	1.28	0.26	<1	0.24	<100	<1	54	415	33	1.65	<5	19	<10	358	1106	4	25	<10	5	54
220728	1184247	<0.005	<1	2.34	3	384	2	11	0.05	<4	6	22	10	1.14	0.36	<1	0.25	<100	<1	53	385	14	1.44	<5	14	<10	201	1153	2	27	<10	5	75
220729	1184248	0.008	<1	3.49	5	492	2	9	2.00	<4	7	13	9	1.60	0.13	9	0.95	504	<1	37	482	16	1.29	<5	11	<10	324	1624	6	33	<10	6	85
220730	1184249	3.829	<1	2.75	41	332	2	19	0.51	<4	9	30	15	1.58	0.19	3	0.50	234	<1	70	497	82	1.96	<5	17	<10	85	1297	5	27	<10	7	341
220731	1184250	5.302	<1	1.53	418	1182	<2	12	2.17	<4	13	103	80	3.06	0.29	8	1.15	422	<1	68	801	27	1.71	30	12	<10	177	1495	10	119	<10	13	249
220732	1184251	0.016	<1	3.42	5	359	2	6	1.92	<4	7	16	26	1.67	0.54	4	1.14	805	<1	36	588	42	1.51	<5	12	<10	112	1263	7	20	<10	7	149
220733	1184252	0.047	<1	2.63	3	290	3	18	0.86	4	3	23	19	1.53	0.31	11	1.05	538	<1	52	578	276	1.29	<5	12	<10	103	1116	8	21	20	6	1417
220734	1184253	0.348	42	0.76	<2	167	2	13	<0.01	32	3	10	375	2.23	0.43	<1	0.46	222	<1	34	356	14009	2.87	70	15	<10	51	990	8	17	119	4	12406
220735	1184254	0.065	<1	2.56	13	318	2	10	0.77	<4	4	17	59	1.84	0.54	4	0.78	494	<1	47	401	566	2.21	<5	14	<10	95	1163	14	21	13	5	944
220736	1184255	0.101	<1	2.89	21	354	2	4	0.76	<4	3	11	32	1.61	0.21	14	1.12	621	<1	35	409	365	1.75	<5	9	<10	110	1074	15	23	13	6	1326
220737	1184256	0.062	<1	2.73	24	327	2	5	0.47	<4	4	15	20	1.54	0.72	23	1.09	498	<1	51	421	141	1.69	5	12	<10	113	1211	16	24	<10	5	146
220738D	1184256	0.067	<1	2.04	18	247	2	9	0.40	<4	4	16	13	1.47	0.43	20	1.06	465	<1	45	406	135	1.63	<5	14	<10	97	1003	5	20	<10	5	138
220739	1184257	0.082	<1	3.65	20	435	2	17	1.15	<4	4	13	14	1.20	0.70	7	0.92	551	<1	40	469	172	1.58	<5	16	<10	116	1511	11	26	<10	5	230
220740	1184258	0.442	<1	0.79	62	289	2	7	<0.01	4	4	14	82	2.16	0.07	<1	0.35	114	<1	43	361	771	2.89	6	14	<10	58	913	6	17	13	5	1238
220741	1184259	0.059	<1	2.50	22	592	2	10	1.07	<4	5	21	47	1.39	0.13	8	0.95	613	<1	59	390	322	1.51	<5	23	<10	123	1342	16	34	12	5	1113
220742	1184260	<0.005	<1	1.76	7	392	<2	11	1.49	<4	14	28	25	2.33	0.18	3	0.92	447	<1	38	545	7	1.01	<5	13	<10	233	1898	3	82	28	13	86
220743	1184261	0.028	<1	1.51	11	227	2	7	1.15	<4	4	13	36	1.45	0.18	6	1.16	753	<1	44	493	60	1.13	<5	12	<10	113	1167	15	26	<10	5	200
220744	1184262	0.112	<1	1.76	28	274	2	2	1.13	<4	4	17	14	1.50	0.25	5	1.00	670	<1	52	507	152	1.56	<5	16	<10	117	1125	14	28	<10	6	164
220745	1184263	0.039	<1	2.50	23	379	2	7	1.05	<4	10	29	20	1.49	0.26	4	0.87	567	<1	84	497	73	1.48	<5	14	<10	115	1408	7	41	<10	6	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220746	1184264	0.136	<1	2.39	48	388	2	7	0.38	4	6	21	12	1.60	0.60	5	0.52	223	<1	61	471	382	2.22	6	11	<10	117	1491	3	36	13	4	1402
220747	1184265	0.303	<1	2.61	41	383	2	4	0.61	4	5	28	9	1.46	0.30	5	0.65	385	<1	73	488	180	1.87	<5	13	<10	129	1523	<2	44	14	4	1489
220748	1184266	0.306	<1	2.06	26	300	2	9	0.48	<4	5	20	11	1.18	0.14	3	0.65	350	<1	62	507	136	1.61	<5	18	<10	113	1301	6	35	11	5	954
220749D	1184266	0.266	<1	1.63	30	283	2	9	0.41	<4	4	23	13	1.20	0.18	2	0.65	358	<1	71	522	140	1.64	<5	19	<10	104	1243	8	36	<10	5	973
220750	1184267	0.098	<1	1.41	15	177	<2	6	0.62	<4	4	29	8	0.98	0.75	2	0.79	541	<1	78	370	51	1.16	<5	14	<10	109	1016	9	33	<10	5	114
220751	1184268	0.158	<1	2.63	24	270	<2	11	0.62	<4	9	17	9	1.22	0.20	4	0.78	496	<1	64	421	39	1.52	<5	19	<10	120	1252	8	34	<10	5	119
220752	1184269	0.048	<1	1.85	35	266	2	5	0.47	<4	19	25	11	1.45	0.26	5	0.75	440	<1	92	479	44	1.67	<5	16	<10	110	1194	9	39	<10	5	132
220753	1184270	1.418	<1	2.99	36	284	3	22	2.58	<4	21	53	7205	4.91	<0.01	4	1.19	538	755	37	917	41	3.12	16	14	<10	234	651	<2	99	<10	15	139
220754	1184271	0.102	<1	2.71	23	339	2	2	0.47	<4	9	20	112	1.41	0.35	9	0.80	460	<1	68	451	88	1.61	5	17	<10	139	1362	7	38	<10	5	118
220755	1184272	0.052	<1	2.41	20	335	<2	6	0.48	<4	7	21	8	0.80	0.19	7	0.71	459	<1	65	489	74	1.08	<5	17	<10	122	1388	10	41	<10	5	80
220756	1184273	0.089	<1	<0.01	24	179	2	7	0.15	<4	5	20	7	0.80	<0.01	1	0.64	379	<1	63	472	93	0.89	<5	13	<10	82	938	<2	32	<10	5	100
220757	1184274	0.079	<1	2.01	14	273	2	8	0.59	<4	5	26	19	1.28	0.05	6	0.87	610	<1	71	510	36	1.21	<5	17	<10	133	1246	7	42	<10	5	100
220758	1184275	0.494	<1	2.65	19	390	2	3	0.75	<4	7	22	35	1.47	0.64	9	0.81	588	<1	55	463	22	1.53	<5	15	<10	133	1519	6	38	<10	6	113
220759	1184276	0.073	<1	2.77	10	304	2	13	0.93	<4	8	34	32	1.92	0.41	11	1.07	811	<1	68	481	28	1.41	<5	21	<10	132	1664	6	45	<10	7	104
220760D	1184276	0.056	<1	1.97	7	275	2	13	0.79	<4	8	30	31	1.83	0.20	8	1.02	780	<1	64	445	26	1.24	<5	12	<10	119	1541	13	41	<10	7	103
220761	1184277	0.016	<1	1.44	10	236	2	12	0.49	<4	8	20	21	1.50	0.15	6	0.72	447	<1	55	463	21	1.20	5	13	<10	103	1340	11	34	<10	6	101
220762	1184278	0.027	<1	1.96	4	327	2	11	0.53	<4	7	20	13	1.51	0.20	12	0.87	485	<1	52	463	17	1.01	<5	12	<10	129	1288	17	36	<10	6	96
220763	1184279	0.019	<1	2.42	4	237	2	7	0.70	<4	7	21	21	1.66	0.22	9	0.89	543	<1	60	467	21	1.25	<5	12	<10	122	1394	9	36	<10	7	95
220764	1184280	<0.005	<1	0.54	4	304	<2	9	1.19	<4	11	24	22	2.12	0.30	<1	0.84	394	<1	33	506	3	0.75	<5	8	<10	187	1639	10	71	24	13	69
220765	1184281	0.245	<1	1.92	15	255	2	11	0.67	<4	7	23	30	1.51	0.37	5	0.77	533	<1	68	445	32	1.41	<5	12	<10	123	1231	14	36	<10	6	228

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220766	1184282	4.748	11	1.83	41	295	3	16	0.38	11	7	21	86	1.89	<0.01	6	0.55	369	<1	56	401	2016	2.37	10	11	<10	113	1352	5	38	37	6	3775
220767	1184283	0.133	<1	2.12	33	301	2	7	0.57	<4	10	18	39	1.52	0.08	8	0.80	584	<1	43	420	47	1.42	<5	14	<10	146	1398	6	37	<10	5	133
220768	1184284	0.401	<1	1.60	15	233	2	11	0.25	<4	6	26	35	1.26	0.17	2	0.63	408	<1	73	421	48	1.36	<5	16	<10	111	1133	<2	39	<10	5	163
220769	1184285	0.082	<1	3.03	23	289	2	7	0.31	<4	4	29	9	1.10	0.30	11	1.14	364	<1	72	359	15	1.33	<5	12	<10	86	1182	4	39	<10	5	60
220770	1184286	0.051	<1	1.88	16	215	2	11	0.56	<4	2	20	9	0.91	0.44	9	1.02	441	<1	54	388	23	1.21	<5	13	<10	88	1002	8	29	<10	4	64
220771R	1184286	0.056	<1	1.46	15	178	2	18	0.55	<4	3	11	9	0.85	0.52	7	1.04	404	<1	36	391	20	1.13	<5	18	<10	83	905	<2	22	<10	4	59
220772	1184287	0.597	2	3.19	57	223	2	13	<0.01	<4	4	12	43	1.29	0.30	5	0.40	<100	<1	27	325	226	2.33	11	18	<10	67	1085	<2	25	<10	5	675
220773	1184288	0.270	<1	<0.01	22	105	2	8	<0.01	<4	3	8	14	0.79	0.36	<1	0.27	<100	<1	34	351	32	1.21	<5	17	<10	39	616	3	17	<10	4	112
220774	1184289	0.175	<1	2.41	43	262	2	10	0.42	<4	4	19	39	0.74	1.20	6	0.56	308	<1	45	327	314	1.52	8	16	<10	90	1197	5	30	<10	3	513
220775	1184290	0.274	98	2.15	235	248	2	18	1.06	25	16	46	5914	5.39	0.57	3	1.20	1621	5	41	497	9688	2.85	257	6	<10	193	1669	6	78	48	15	5301
220776	1184291	0.536	<1	<0.01	29	83	2	21	0.22	<4	5	12	44	1.06	0.20	<1	0.67	307	<1	40	396	229	1.37	<5	12	<10	54	610	12	19	<10	4	651
220777	1184292	1.030	3	2.72	44	262	2	13	0.30	<4	5	18	65	1.23	0.27	6	0.60	285	<1	36	358	335	1.97	13	13	<10	90	1278	3	24	<10	4	600
220778	1184293	1.037	<1	3.23	24	287	2	12	0.87	<4	6	14	15	1.23	0.57	7	0.88	488	<1	41	436	37	1.67	<5	13	<10	116	1417	3	26	<10	6	108
220779	1184294	0.041	<1	3.55	29	272	2	5	1.18	<4	9	19	13	1.56	0.42	8	1.03	622	<1	38	419	20	1.41	<5	13	<10	143	1636	5	32	<10	6	136
220780	1184295	0.019	<1	2.06	12	152	<2	7	0.47	<4	8	12	16	1.62	0.49	6	1.07	603	<1	31	427	11	1.25	<5	16	<10	90	1401	10	26	<10	7	85
220781	1184296	0.017	<1	2.48	12	200	2	10	0.62	<4	9	12	11	1.48	0.39	7	1.01	507	<1	26	448	9	1.34	<5	14	<10	96	1462	8	28	<10	7	76
220782D	1184296	0.020	<1	2.82	7	204	2	8	0.80	<4	9	13	13	1.54	0.39	6	1.03	526	<1	31	489	9	1.16	<5	15	<10	110	1547	4	30	<10	7	80
220783	1184297	0.015	<1	3.12	13	269	2	3	0.98	<4	5	7	16	1.12	0.55	6	0.91	449	<1	32	416	16	1.31	<5	16	<10	107	1335	7	24	<10	7	71
220784	1184298	0.046	<1	3.90	20	301	2	11	1.44	<4	5	11	27	1.38	0.67	7	1.07	617	<1	29	393	25	1.43	<5	14	<10	121	1358	7	24	<10	7	90
220785	1184299	0.125	<1	3.70	10	260	2	8	1.31	<4	6	12	14	1.24	0.80	7	0.92	559	<1	32	407	18	1.18	<5	19	<10	132	1439	9	26	<10	6	77

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220786	1184300	<0.005	<1	2.19	3	394	2	8	1.51	<4	13	29	25	2.39	0.21	4	0.94	447	<1	38	545	5	0.99	<5	19	<10	235	1878	7	82	27	15	72
220787	1184301	0.036	<1	4.15	8	222	2	5	1.41	<4	6	10	16	1.34	0.41	8	1.05	533	<1	32	404	19	1.27	<5	18	<10	132	1373	7	23	<10	7	80
220788	1184302	0.173	<1	2.69	24	164	2	3	1.06	<4	4	13	27	1.19	0.30	3	0.82	435	<1	38	409	90	1.51	<5	14	<10	111	1050	<2	18	<10	6	376
220789	1184303	0.231	<1	3.39	15	159	2	12	1.71	<4	4	10	14	1.12	0.29	5	1.13	603	<1	30	383	28	1.35	5	15	<10	131	1077	10	17	<10	7	79
220790	1184304	0.156	<1	3.28	13	147	3	9	1.64	<4	5	11	50	1.55	0.27	4	1.15	528	<1	30	383	169	1.66	<5	13	<10	146	1103	8	17	<10	6	375
220791	1184305	0.371	<1	0.49	15	115	2	4	1.49	<4	4	17	10	1.32	0.03	<1	1.01	594	<1	39	385	12	1.10	<5	10	<10	94	949	17	15	<10	5	58
220792	1184306	0.380	<1	2.66	19	188	2	7	1.71	<4	5	13	9	1.44	0.66	5	1.15	648	<1	31	395	10	1.66	<5	10	<10	117	1150	6	18	<10	6	53
220793D	1184306	0.382	<1	3.99	22	241	2	9	1.82	<4	4	13	11	1.48	0.35	8	1.22	666	<1	34	397	10	1.82	<5	22	<10	130	1260	4	21	<10	7	56
220794	1184307	0.016	<1	3.93	19	362	2	24	2.15	<4	6	19	11	2.00	0.49	5	1.25	538	<1	37	593	14	1.66	<5	16	<10	157	1687	9	28	<10	8	78
220795	1184308	0.021	<1	4.06	30	358	2	5	1.95	<4	6	11	8	2.03	0.41	8	1.22	531	<1	36	624	11	1.82	<5	16	<10	170	1665	6	27	<10	8	55
220796	1184309	0.080	<1	4.46	33	282	2	13	2.28	<4	6	9	11	1.91	0.39	8	1.31	660	<1	31	612	24	1.94	<5	15	<10	168	1568	20	26	<10	8	122
220797	1184310	4.893	<1	1.46	427	1318	2	5	2.19	<4	13	107	85	3.20	0.09	6	1.19	431	<1	65	813	25	1.69	23	10	<10	170	1458	11	121	<10	15	262
220798	1184311	10.341	<1	3.48	37	301	2	6	1.65	<4	6	12	24	1.73	0.72	8	1.17	581	<1	32	636	14	1.84	<5	16	<10	134	1588	<2	27	<10	8	114
220799	1184312	0.045	<1	4.33	30	328	2	18	2.06	<4	5	10	11	1.65	0.38	8	1.39	651	<1	31	596	24	1.60	<5	21	<10	131	1560	14	25	<10	8	89
220800	1184313	0.129	<1	2.33	28	267	2	10	1.49	<4	4	7	49	1.48	0.44	3	1.16	500	<1	27	550	59	1.51	<5	11	<10	106	1406	11	22	<10	6	107
220801	1184314	0.029	<1	2.36	33	240	2	9	1.36	<4	5	11	17	1.53	0.14	5	1.03	469	<1	25	510	19	1.85	<5	16	<10	104	1331	8	23	<10	7	81
220802	1184315	0.051	<1	1.75	31	244	2	5	1.34	<4	7	14	23	1.73	<0.01	4	1.03	519	<1	30	493	22	2.03	<5	9	<10	92	1213	6	23	<10	7	162
220803	1184316	0.029	<1	3.43	27	617	2	8	2.76	<4	7	11	21	1.77	<0.01	9	1.75	984	<1	22	540	21	1.64	<5	16	<10	117	1666	5	29	<10	7	217
220804D	1184316	0.027	<1	1.10	26	496	2	12	2.57	<4	7	11	23	1.78	0.31	3	1.68	961	<1	27	537	23	1.19	<5	8	<10	91	1538	12	27	<10	5	220
220805	1184317	0.095	<1	2.01	33	265	2	8	2.54	<4	7	6	122	2.14	0.45	16	2.00	863	<1	28	532	257	2.04	<5	17	<10	78	1584	27	30	<10	7	877

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220806	1184318	0.029	<1	1.96	22	352	2	12	0.52	<4	5	7	8	1.10	0.58	5	0.61	193	<1	26	326	26	1.60	<5	14	<10	78	1049	9	17	<10	5	86
220807	1184319	0.075	<1	2.17	6	300	2	8	1.35	<4	5	7	10	1.01	0.76	5	1.01	368	<1	27	337	37	1.34	<5	11	<10	100	975	14	14	<10	6	116
220808	1184320	<0.005	<1	1.48	4	337	2	14	1.34	<4	12	26	22	2.21	0.05	3	0.89	411	<1	34	509	8	1.01	<5	12	<10	202	1722	<2	75	24	14	72
220809	1184321	2.065	<1	3.14	64	217	2	10	0.08	<4	21	111	79	3.61	0.13	15	2.05	391	<1	79	491	253	3.00	<5	7	<10	65	1025	9	69	<10	11	248
220810	1184322	0.820	<1	1.01	17	99	3	20	0.48	<4	23	97	82	3.97	0.17	10	2.46	618	<1	89	547	336	1.89	5	17	<10	65	981	12	61	<10	10	810
220811	1184323	0.206	<1	2.20	60	139	2	8	0.07	<4	24	102	69	3.86	<0.01	14	2.39	580	<1	82	536	114	2.85	<5	5	<10	55	718	7	61	<10	10	515
220812	1184324	0.159	<1	3.32	52	155	2	9	0.71	<4	23	113	53	3.70	0.46	15	2.46	675	<1	82	508	73	2.55	<5	11	<10	77	997	10	65	<10	11	132
220813	1184325	0.077	<1	1.46	76	194	2	13	<0.01	<4	18	103	76	2.44	0.26	4	0.53	130	<1	77	405	172	3.04	<5	6	<10	55	808	4	58	<10	8	651
220814	1184326	0.402	<1	1.46	78	182	2	12	<0.01	<4	18	99	87	2.49	0.44	4	0.52	129	<1	72	387	232	3.22	<5	9	<10	56	776	2	54	10	7	909
220815D	1184326	0.393	<1	<0.01	76	69	2	10	<0.01	<4	17	63	89	2.47	0.19	<1	0.43	124	<1	74	397	230	2.75	<5	8	<10	33	421	<2	31	<10	8	952
220816	1184327	0.571	24	1.31	46	206	2	10	0.23	8	12	83	62	1.77	0.20	6	0.55	161	<1	63	321	759	2.49	8	16	<10	54	875	3	51	28	7	2629
220817	1184328	0.043	<1	0.03	41	73	2	<1	1.63	<4	14	68	28	2.05	0.07	1	1.31	511	<1	61	1138	97	2.02	<5	11	<10	65	655	<2	31	441	13	226
220818	1184329	1.798	1	2.66	77	140	3	9	1.53	8	16	65	115	3.23	0.27	11	1.40	557	<1	66	468	167	3.81	5	9	<10	85	965	<2	44	32	10	2569
220819	1184330	1.525	<1	2.34	35	160	3	8	2.47	<4	20	54	7331	4.73	<0.01	4	1.15	522	725	32	909	52	3.14	10	20	<10	208	616	10	93	<10	15	160
220820	1184331	0.119	<1	<0.01	66	84	3	15	0.41	<4	21	77	143	3.33	<0.01	6	1.88	495	<1	81	460	68	2.19	<5	10	<10	47	1000	11	41	<10	10	181
220821	1184332	0.152	<1	1.86	23	166	3	10	0.80	<4	23	107	42	3.82	0.79	17	2.28	619	<1	92	544	51	1.81	<5	9	<10	57	1330	7	66	<10	12	188
220822	1184333	0.061	<1	2.80	8	140	3	13	0.47	<4	22	109	41	3.86	0.24	16	2.70	606	<1	86	531	29	1.59	<5	<5	<10	64	1038	12	69	<10	11	123
220823	1184334	0.113	<1	2.60	13	127	3	16	0.42	<4	22	115	23	4.07	0.38	19	3.09	644	<1	81	558	41	2.05	<5	8	<10	57	908	11	70	<10	11	120
220824	1184335	0.259	<1	2.09	42	119	2	7	0.54	<4	19	90	22	3.60	0.36	13	2.45	575	<1	70	492	93	2.67	<5	7	<10	58	904	16	52	<10	10	414
220825	1184336	0.224	<1	2.35	48	131	2	11	0.28	<4	22	101	38	3.68	0.42	15	2.47	528	<1	87	541	74	2.48	<5	10	<10	55	793	7	63	<10	11	344

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, October 11, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220826D	1184336	0.234	<1	4.33	50	206	2	9	0.38	<4	23	115	38	3.67	0.23	20	2.48	520	<1	89	526	78	2.73	<5	12	<10	66	944	<2	76	<10	12	347
220827	1184337	0.172	<1	2.47	33	129	2	12	0.65	7	9	18	27	2.37	0.51	16	2.58	386	<1	38	474	307	2.01	<5	10	<10	65	588	13	30	19	7	1849
220828	1184338	0.069	<1	3.19	41	126	2	9	1.14	<4	14	50	16	2.86	0.31	22	3.32	473	<1	53	501	90	1.84	<5	13	<10	69	888	16	44	<10	8	209
220829	1184339	0.117	<1	0.96	31	145	<2	4	0.73	<4	6	15	8	1.41	0.13	4	1.04	202	<1	33	482	39	1.66	<5	16	<10	57	709	3	20	<10	7	92
220830	1184340	0.008	<1	1.59	2	332	2	7	1.10	<4	9	20	18	1.76	0.24	<1	0.73	336	<1	30	399	8	0.98	<5	12	<10	210	1547	<2	63	24	12	59
220831	1184341	0.099	<1	<0.01	30	59	2	6	1.38	<4	6	8	8	1.57	<0.01	<1	1.24	326	<1	27	490	35	1.38	<5	11	<10	70	554	<2	15	<10	6	104
220832	1184342	0.077	<1	4.07	29	265	2	11	1.43	<4	7	13	5	1.54	0.17	19	1.71	406	<1	32	394	34	1.88	<5	13	<10	80	1191	8	21	<10	7	330
220833	1184343	0.890	<1	2.88	23	316	2	5	0.57	<4	5	13	23	1.11	0.39	10	0.84	191	<1	31	373	21	1.59	<5	18	<10	61	1049	11	21	<10	7	71
220834	1184344	0.028	<1	1.28	14	109	2	2	2.46	<4	12	52	25	1.88	0.40	11	1.44	483	<1	54	505	24	1.17	<5	13	<10	68	1321	10	29	<10	10	119
220835	1184345	0.066	<1	3.46	25	208	2	14	1.16	<4	28	113	51	4.25	0.70	19	2.46	549	<1	96	591	20	1.56	<5	13	<10	118	2183	4	76	<10	12	130
220836	1184346	0.192	<1	2.34	31	174	3	12	0.96	<4	26	103	44	3.92	0.64	15	2.17	473	<1	88	543	20	1.42	<5	<5	<10	103	1934	16	69	<10	11	118
220837R	1184346	0.239	<1	3.67	21	212	2	13	1.32	<4	22	105	42	3.73	0.75	17	2.23	503	<1	82	505	17	1.39	<5	9	<10	132	2014	4	71	<10	11	112
220838	1184347	0.055	<1	4.94	22	298	2	9	1.12	<4	25	128	38	3.94	0.12	25	2.11	497	<1	89	528	19	1.85	<5	12	<10	115	2296	14	88	<10	12	172
220839	1184348	0.393	<1	3.96	39	181	2	14	1.11	<4	24	73	41	3.71	0.23	16	2.15	510	<1	77	566	33	1.96	<5	<5	<10	98	1748	6	58	<10	10	177
220840	1184349	0.334	<1	3.89	94	209	3	23	1.30	<4	18	68	55	2.93	0.26	9	1.27	473	<1	68	535	98	3.09	<5	8	<10	111	1323	10	51	<10	10	323
220841	1184350	0.277	99	2.31	243	279	2	16	1.10	26	15	48	5936	5.50	<0.01	4	1.23	1675	7	41	534	9927	3.14	234	9	<10	190	1695	7	79	47	15	5279
220842	1184351	0.180	<1	3.33	74	163	2	12	1.30	<4	28	104	135	4.03	0.34	12	1.44	496	<1	98	596	125	3.03	<5	11	<10	122	1601	2	70	<10	12	209
220843	1184352	0.242	<1	2.89	35	134	2	13	1.18	<4	26	100	58	3.87	0.16	9	1.52	443	<1	88	526	61	2.08	<5	8	<10	127	1796	12	65	<10	12	147
220844	1184353	1.496	9	0.74	127	165	<2	4	<0.01	4	17	83	119	2.22	0.42	<1	0.29	<100	<1	64	426	622	2.66	8	6	<10	54	927	<2	53	17	9	1731
220845	1184354	0.160	<1	2.72	52	210	3	6	0.57	<4	18	72	62	2.62	0.47	5	0.87	324	<1	69	445	71	2.64	<5	12	<10	90	1259	4	49	<10	11	123

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220846	1184355	0.412	<1	3.26	57	174	3	4	1.67	<4	23	96	71	3.29	0.45	7	1.43	704	<1	87	536	111	2.55	<5	11	<10	111	1635	4	61	<10	16	205
220847	1184356	0.719	<1	3.95	59	335	3	12	1.48	<4	19	106	72	3.09	0.11	18	1.22	708	<1	79	550	114	2.89	<5	11	<10	112	2291	2	71	<10	11	458
220848D	1184356	0.662	<1	1.97	55	160	3	7	1.34	<4	19	78	74	3.07	0.47	4	1.26	663	<1	74	561	109	2.21	<5	11	<10	92	1625	5	47	<10	15	471
220849	1184357	0.549	<1	2.95	73	274	2	13	1.38	<4	8	13	63	1.56	0.36	8	0.95	561	<1	38	528	168	2.16	<5	17	<10	91	1231	15	22	<10	8	308
220850	1184358	0.399	<1	3.51	58	297	3	10	1.29	<4	7	14	80	1.33	0.38	11	0.94	506	<1	33	457	144	2.10	5	20	<10	94	1298	<2	25	<10	7	289
220851	1184359	0.096	<1	3.49	58	282	2	7	2.03	<4	7	16	14	1.65	0.16	11	1.33	749	<1	36	455	48	2.30	<5	14	<10	103	1346	21	26	<10	7	126
220852	1184360	<0.005	<1	1.82	6	369	2	7	1.39	<4	12	26	22	2.23	0.32	2	0.89	421	<1	36	514	7	0.97	<5	11	<10	221	1796	5	77	25	14	72
220853	1184361	0.683	2	1.68	47	237	2	8	0.98	<4	5	19	67	1.51	0.15	3	0.81	346	<1	41	386	272	2.09	10	15	<10	76	1019	5	22	<10	6	930
220854	1184362	0.206	<1	4.10	34	260	2	2	2.38	<4	9	14	11	1.61	0.73	10	1.71	680	<1	31	505	28	1.37	<5	12	<10	108	1492	8	27	<10	7	82
220855	1184363	0.078	<1	4.20	26	271	2	8	2.56	<4	7	16	8	1.66	0.76	10	1.89	929	<1	33	524	20	1.23	<5	16	<10	106	1534	12	28	<10	7	75
220856	1184364	0.041	<1	4.38	28	338	2	10	2.18	<4	7	12	5	1.54	0.25	15	1.59	784	<1	29	497	20	1.63	<5	15	<10	103	1584	4	29	<10	8	95
220857	1184365	0.132	<1	4.42	34	308	2	12	2.19	<4	8	11	9	1.79	0.35	15	1.62	675	<1	30	494	20	1.87	<5	9	<10	100	1577	18	28	<10	8	97
220858	1184366	0.330	<1	4.35	40	287	2	7	2.27	<4	9	13	16	1.91	0.57	14	1.62	672	<1	31	486	20	2.04	<5	16	<10	98	1554	16	28	<10	8	90
220859D	1184366	0.284	<1	4.19	34	289	2	16	2.28	<4	9	12	16	1.90	0.45	14	1.63	678	<1	30	491	19	1.96	<5	13	<10	98	1571	16	28	<10	8	92
220860	1184367	0.054	<1	4.24	19	307	2	11	2.62	<4	10	12	19	1.79	0.97	12	1.78	713	<1	31	478	12	1.64	<5	13	<10	109	1595	29	30	<10	7	62
220861	1184368	0.113	<1	3.04	33	257	2	8	1.95	<4	7	9	6	1.46	0.05	9	1.28	549	<1	31	477	15	1.73	<5	18	<10	87	1284	13	24	<10	7	113
220862	1184369	0.066	<1	4.08	23	264	2	14	1.95	<4	9	13	5	1.72	0.28	12	1.52	522	<1	31	506	14	1.80	<5	17	<10	107	1407	22	23	<10	8	405
220863	1184370	5.255	<1	2.94	435	1393	2	5	2.40	<4	15	110	83	3.23	0.51	11	1.24	449	1	58	833	26	1.98	32	15	<10	203	1641	7	127	10	16	255
220864	1184371	0.028	<1	3.41	16	279	2	14	1.86	<4	7	13	11	1.46	0.14	8	1.21	444	<1	32	513	34	1.45	<5	14	<10	109	1295	2	23	<10	7	75
220865	1184372	0.603	<1	2.26	37	241	2	16	1.00	<4	7	14	60	1.49	0.40	5	0.83	429	<1	37	438	216	2.07	<5	9	<10	95	1069	8	21	<10	7	369

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
220866	1184373	0.589	<1	1.98	61	274	2	9	0.67	<4	8	18	22	1.53	0.60	6	0.69	345	<1	39	413	50	2.21	<5	16	<10	97	1161	6	23	<10	6	110
220867	1184374	0.848	<1	2.13	48	286	2	1	1.17	<4	6	13	15	1.33	0.97	6	0.93	487	<1	32	441	47	2.00	<5	10	<10	124	1050	5	20	<10	7	103
220868	1184375	0.233	<1	4.25	35	284	2	16	1.88	<4	8	15	14	1.44	0.20	13	1.24	668	<1	34	522	24	2.09	<5	19	<10	142	1407	10	25	<10	8	78
220869	1184376	0.157	<1	2.85	24	269	2	10	1.01	<4	6	15	7	1.03	0.43	10	0.86	433	<1	34	483	35	1.63	<5	16	<10	105	1327	4	26	<10	7	143
220870D	1184376	0.116	<1	2.99	21	315	2	6	1.03	<4	6	15	6	1.02	0.44	13	0.84	435	<1	31	469	31	1.79	<5	17	<10	110	1456	6	29	<10	6	146
220871	1184377	0.175	<1	2.77	40	244	2	4	0.86	<4	8	14	12	1.29	0.60	16	0.83	310	<1	35	474	93	1.82	<5	13	<10	114	1497	11	30	<10	6	94
220872	1184378	0.243	<1	2.80	30	243	2	11	0.70	<4	8	11	11	1.28	0.33	12	0.72	254	<1	33	471	23	1.92	<5	13	<10	106	1361	4	27	<10	6	94
220873	1184379	0.043	<1	4.01	6	253	2	18	2.03	<4	8	15	34	1.65	0.77	19	1.75	382	<1	24	516	9	1.63	<5	15	<10	122	1553	6	31	<10	8	79
220874	1184380	<0.005	<1	0.36	3	263	2	12	1.18	<4	12	24	22	2.15	0.08	1	0.85	394	<1	34	501	4	0.94	<5	10	<10	158	1593	<2	71	22	13	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220706	1184227	691	0.020	0.691
220707	1184228	65	0.002	0.065
220708	1184229	31	<0.001	0.031
220709	1184230	280	0.008	0.280
220710	1184231	27	<0.001	0.027
220711	1184232	47	0.001	0.047
220712	1184233	49	0.001	0.049
220713	1184234	40	0.001	0.040
220714	1184235	18	<0.001	0.018
220715	1184236	12	<0.001	0.012
220716 Dup	1184236	12	<0.001	0.012
220717	1184237	21	<0.001	0.021
220718	1184238	9	<0.001	0.009
220719	1184239	31	<0.001	0.031
220720	1184240	<5	<0.001	<0.005
220721	1184241	20	<0.001	0.020
220722	1184242	16	<0.001	0.016
220723	1184243	8	<0.001	0.008
220724	1184244	19	<0.001	0.019
220725	1184245	<5	<0.001	<0.005
220726	1184246	<5	<0.001	<0.005
220727 Dup	1184246	<5	<0.001	<0.005
220728	1184247	<5	<0.001	<0.005
220729	1184248	8	<0.001	0.008
220730	1184249	3829	0.112	3.829
220731	1184250	5302	0.155	5.302
220732	1184251	16	<0.001	0.016
220733	1184252	47	0.001	0.047
220734	1184253	348	0.010	0.348
220735	1184254	65	0.002	0.065

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220736	1184255	101	0.003	0.101
220737	1184256	62	0.002	0.062
220738 Dup	1184256	67	0.002	0.067
220739	1184257	82	0.002	0.082
220740	1184258	442	0.013	0.442
220741	1184259	59	0.002	0.059
220742	1184260	<5	<0.001	<0.005
220743	1184261	28	<0.001	0.028
220744	1184262	112	0.003	0.112
220745	1184263	39	0.001	0.039
220746	1184264	136	0.004	0.136
220747	1184265	303	0.009	0.303
220748	1184266	306	0.009	0.306
220749 Dup	1184266	266	0.008	0.266
220750	1184267	98	0.003	0.098
220751	1184268	158	0.005	0.158
220752	1184269	48	0.001	0.048
220753	1184270	1418	0.041	1.418
220754	1184271	102	0.003	0.102
220755	1184272	52	0.002	0.052
220756	1184273	89	0.003	0.089
220757	1184274	79	0.002	0.079
220758	1184275	494	0.014	0.494
220759	1184276	73	0.002	0.073
220760 Dup	1184276	56	0.002	0.056
220761	1184277	16	<0.001	0.016
220762	1184278	27	<0.001	0.027
220763	1184279	19	<0.001	0.019
220764	1184280	<5	<0.001	<0.005
220765	1184281	245	0.007	0.245

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220766	1184282	4748	0.139	4.748
220767	1184283	133	0.004	0.133
220768	1184284	401	0.012	0.401
220769	1184285	82	0.002	0.082
220770	1184286	51	0.001	0.051
220771 Rep	1184286	56	0.002	0.056
220772	1184287	597	0.017	0.597
220773	1184288	270	0.008	0.270
220774	1184289	175	0.005	0.175
220775	1184290	274	0.008	0.274
220776	1184291	536	0.016	0.536
220777	1184292	1030	0.030	1.030
220778	1184293	1037	0.030	1.037
220779	1184294	41	0.001	0.041
220780	1184295	19	<0.001	0.019
220781	1184296	17	<0.001	0.017
220782 Dup	1184296	20	<0.001	0.020
220783	1184297	15	<0.001	0.015
220784	1184298	46	0.001	0.046
220785	1184299	125	0.004	0.125
220786	1184300	<5	<0.001	<0.005
220787	1184301	36	0.001	0.036
220788	1184302	173	0.005	0.173
220789	1184303	231	0.007	0.231
220790	1184304	156	0.005	0.156
220791	1184305	371	0.011	0.371
220792	1184306	380	0.011	0.380
220793 Dup	1184306	382	0.011	0.382
220794	1184307	16	<0.001	0.016
220795	1184308	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 28, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/07/2011  
Date Completed: 09/28/2011  
Job #: 201143305  
Reference: TL11215  
Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220796	1184309	80	0.002	0.080
220797	1184310	4893	0.143	4.893
220798	1184311	10341	0.302	10.341
220799	1184312	45	0.001	0.045
220800	1184313	129	0.004	0.129
220801	1184314	29	<0.001	0.029
220802	1184315	51	0.002	0.051
220803	1184316	29	<0.001	0.029
220804 Dup	1184316	27	<0.001	0.027
220805	1184317	95	0.003	0.095
220806	1184318	29	<0.001	0.029
220807	1184319	75	0.002	0.075
220808	1184320	<5	<0.001	<0.005
220809	1184321	2065	0.060	2.065
220810	1184322	820	0.024	0.820
220811	1184323	206	0.006	0.206
220812	1184324	159	0.005	0.159
220813	1184325	77	0.002	0.077
220814	1184326	402	0.012	0.402
220815 Dup	1184326	393	0.011	0.393
220816	1184327	571	0.017	0.571
220817	1184328	43	0.001	0.043
220818	1184329	1798	0.052	1.798
220819	1184330	1525	0.044	1.525
220820	1184331	119	0.003	0.119
220821	1184332	152	0.004	0.152
220822	1184333	61	0.002	0.061
220823	1184334	113	0.003	0.113
220824	1184335	259	0.008	0.259
220825	1184336	224	0.007	0.224

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Wednesday, September 28, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220826 Dup	1184336	234	0.007	0.234
220827	1184337	172	0.005	0.172
220828	1184338	69	0.002	0.069
220829	1184339	117	0.003	0.117
220830	1184340	8	<0.001	0.008
220831	1184341	99	0.003	0.099
220832	1184342	77	0.002	0.077
220833	1184343	890	0.026	0.890
220834	1184344	28	<0.001	0.028
220835	1184345	66	0.002	0.066
220836	1184346	192	0.006	0.192
220837 Rep	1184346	239	0.007	0.239
220838	1184347	55	0.002	0.055
220839	1184348	393	0.011	0.393
220840	1184349	334	0.010	0.334
220841	1184350	277	0.008	0.277
220842	1184351	180	0.005	0.180
220843	1184352	242	0.007	0.242
220844	1184353	1496	0.044	1.496
220845	1184354	160	0.005	0.160
220846	1184355	412	0.012	0.412
220847	1184356	719	0.021	0.719
220848 Dup	1184356	662	0.019	0.662
220849	1184357	549	0.016	0.549
220850	1184358	399	0.012	0.399
220851	1184359	96	0.003	0.096
220852	1184360	<5	<0.001	<0.005
220853	1184361	683	0.020	0.683
220854	1184362	206	0.006	0.206
220855	1184363	78	0.002	0.078

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 28, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/07/2011  
 Date Completed: 09/28/2011  
 Job #: 201143305  
 Reference: TL11215  
 Sample #: 154

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
220856	1184364	41	0.001	0.041
220857	1184365	132	0.004	0.132
220858	1184366	330	0.010	0.330
220859 Dup	1184366	284	0.008	0.284
220860	1184367	54	0.002	0.054
220861	1184368	113	0.003	0.113
220862	1184369	66	0.002	0.066
220863	1184370	5255	0.153	5.255
220864	1184371	28	<0.001	0.028
220865	1184372	603	0.018	0.603
220866	1184373	589	0.017	0.589
220867	1184374	848	0.025	0.848
220868	1184375	233	0.007	0.233
220869	1184376	157	0.005	0.157
220870 Dup	1184376	116	0.003	0.116
220871	1184377	175	0.005	0.175
220872	1184378	243	0.007	0.243
220873	1184379	43	0.001	0.043
220874	1184380	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, October 17, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/04/2011  
Date Completed: 10/17/2011  
Job #: 201143597  
Reference: TL11215  
Sample #: 2

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
241255	1184249	0.095	3.256
241256	1184282	0.275	9.425

PROCEDURE CODES: ALFA7

Certified By:  Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/30/2011  
 Date Completed: 11/07/2011  
 Job #: 201143610  
 Reference: TL11215  
 Sample #: 1

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
241291	1184311	7.363	7.516	338.376	14.280	2.07%	20.69

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214173	1079809	0.043	<1	3.27	12	413	2	2	2.04	<4	10	23	28	2.22	0.35	12	0.94	710	<1	31	580	12	0.71	<5	15	<10	239	2030	2	45	<10	6	134
214174	1079810	0.270	100	2.20	270	425	2	13	1.15	29	16	49	6194	5.52	0.28	6	1.14	1713	18	34	501	10343	2.79	300	6	<10	176	1707	<2	79	50	11	4972
214175	1079811	0.095	4	2.77	28	374	<2	6	2.10	<4	8	16	214	1.90	0.90	11	1.26	1090	<1	29	518	322	0.94	8	11	<10	220	1528	9	32	<10	6	400
214176	1079812	0.057	1	3.63	9	306	<2	11	1.92	<4	8	18	36	1.98	0.36	10	1.12	832	<1	29	500	34	0.86	6	10	<10	208	1616	8	35	<10	6	186
214177	1079813	0.100	1	3.95	12	412	<2	11	2.00	<4	11	19	29	2.25	0.28	11	1.22	933	<1	30	532	76	0.99	<5	13	<10	183	1788	9	46	<10	6	411
214178	1079814	0.022	<1	3.96	10	392	2	6	1.69	<4	4	20	22	1.34	0.51	10	1.15	752	<1	33	361	59	0.49	<5	9	<10	170	1110	11	21	<10	5	169
214179	1079815	0.088	<1	3.95	29	261	2	<1	1.44	<4	5	13	28	1.61	0.35	8	1.10	643	<1	24	348	84	1.03	<5	10	<10	143	1000	5	17	<10	5	342
214180	1079816	0.046	<1	4.19	22	315	2	8	1.64	4	6	14	35	1.57	0.03	9	1.12	699	<1	26	344	86	0.94	5	19	<10	158	1084	3	18	<10	5	634
214181	1079817	0.076	1	2.40	17	350	2	6	0.99	4	4	18	24	1.23	0.68	9	0.90	553	<1	35	437	362	0.63	<5	13	<10	121	1148	3	19	<10	4	599
214182	1079818	0.476	1	2.56	16	330	2	9	0.86	<4	4	14	21	1.26	0.59	8	0.93	597	<1	25	325	452	0.65	7	14	<10	112	1131	7	20	<10	4	382
214183D	1079818	0.479	1	2.78	18	298	<2	11	0.80	<4	4	12	20	1.27	0.75	8	0.97	591	<1	22	323	438	0.71	5	17	<10	103	1061	3	19	<10	4	363
214184	1079819	0.317	2	2.53	24	301	<2	<1	1.09	9	5	20	89	1.25	0.39	8	0.94	865	<1	35	296	839	0.94	<5	7	<10	130	1121	9	20	17	3	1572
214185	1079820	<0.005	<1	1.90	7	306	2	6	1.44	<4	11	30	28	2.22	<0.01	7	0.79	457	<1	27	501	54	0.07	5	9	<10	189	1488	2	73	17	11	198
214186	1079821	0.140	1	2.58	22	263	2	10	0.68	7	5	12	145	1.40	0.58	9	0.86	606	<1	25	318	515	1.43	7	9	<10	96	1085	<2	20	14	4	1219
214187	1079822	0.037	<1	3.42	16	211	<2	1	1.08	<4	4	15	19	1.03	0.44	5	0.86	514	<1	29	341	83	0.72	5	17	<10	129	903	6	15	<10	5	261
214188	1079823	0.033	<1	2.29	14	331	2	<1	1.12	<4	6	12	6	1.31	0.49	9	0.82	494	<1	22	303	50	1.11	6	15	<10	144	1179	6	21	<10	3	165
214189	1079824	0.015	<1	2.96	11	220	2	<1	0.83	<4	5	12	7	1.29	0.23	9	1.04	500	<1	23	356	29	1.07	<5	7	<10	100	1132	5	21	<10	5	212
214190	1079825	0.015	1	2.19	9	318	2	4	0.68	<4	4	12	7	0.78	0.65	4	0.64	424	<1	21	300	123	0.51	<5	13	<10	112	1055	2	20	<10	4	265
214191	1079826	0.020	<1	2.02	16	221	2	12	1.22	<4	13	54	45	2.70	0.51	7	1.14	754	<1	52	409	38	2.10	<5	7	<10	142	1506	<2	44	<10	7	209
214192	1079827	0.034	1	3.60	10	222	2	11	1.17	4	20	114	49	3.56	0.20	14	1.33	717	<1	77	539	41	1.59	<5	7	<10	154	1970	<2	73	<10	13	167

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214193	1079828	0.026	1	4.28	4	249	2	7	1.58	4	20	126	57	3.56	0.01	13	1.26	737	<1	76	566	50	1.85	<5	5	<10	199	2187	9	75	<10	14	172
214194D	1079828	0.022	1	3.81	7	218	3	12	1.46	4	18	113	52	3.15	0.55	13	1.11	666	2	71	504	50	1.62	<5	8	<10	184	1935	7	67	<10	12	296
214195	1079829	0.005	<1	2.51	21	325	2	<1	1.30	<4	6	15	15	0.84	0.30	1	0.30	215	<1	22	387	40	0.79	<5	13	<10	161	1272	6	29	<10	4	146
214196	1079830	4.971	1	1.51	418	1283	2	10	2.01	4	11	102	77	2.95	0.34	8	1.04	413	12	53	743	26	1.07	28	10	<10	141	1349	4	111	<10	11	300
214197	1079831	0.022	2	1.84	28	484	2	<1	0.98	<4	7	13	19	0.65	0.40	2	0.21	152	<1	18	351	127	0.60	<5	8	<10	147	1342	<2	32	<10	4	462
214198	1079832	0.006	<1	1.06	9	274	2	<1	1.05	<4	3	16	8	0.36	0.35	<1	0.16	142	<1	23	223	37	0.26	7	18	<10	161	1025	<2	23	<10	3	103
214199	1079833	0.010	<1	2.01	19	372	<2	2	1.34	<4	4	13	6	0.33	0.34	2	0.17	186	<1	20	298	37	0.22	7	21	<10	171	1159	<2	27	<10	3	103
214200	1079834	0.069	6	1.59	13	313	2	2	0.77	5	7	9	132	0.34	0.33	<1	0.18	116	<1	18	267	598	0.34	<5	16	<10	137	1114	<2	24	12	3	1092
214201	1079835	0.017	1	2.17	27	473	2	9	1.81	<4	7	16	7	0.60	0.74	6	0.25	235	<1	28	314	30	0.48	<5	12	<10	222	1430	<2	34	<10	3	198
214202	1079836	0.016	1	1.64	16	301	<2	<1	1.41	<4	5	11	5	0.40	0.28	1	0.19	173	<1	20	274	24	0.29	<5	17	<10	174	1042	<2	25	<10	3	138
214203	1079837	0.033	5	2.14	16	370	<2	2	1.75	<4	6	11	46	0.46	0.46	3	0.21	175	<1	22	402	59	0.40	<5	9	<10	173	1004	5	23	<10	4	399
214204	1079838	0.106	6	1.93	23	462	2	<1	1.36	<4	6	13	21	1.09	0.46	3	0.21	204	<1	24	387	100	1.22	8	12	<10	160	1212	<2	27	<10	4	483
214205D	1079838	0.105	6	2.26	25	529	2	10	1.42	<4	6	12	20	1.17	0.50	5	0.22	213	<1	24	384	98	1.29	6	10	<10	173	1286	<2	29	<10	4	479
214206	1079839	0.035	4	3.27	27	342	2	<1	1.35	<4	6	13	13	1.58	0.21	5	0.34	269	<1	23	377	41	1.65	<5	10	<10	148	1092	<2	23	<10	5	171
214207	1079840	0.006	<1	2.78	4	348	<2	5	1.50	<4	11	30	22	2.36	0.23	5	0.90	447	<1	27	532	9	0.11	5	13	<10	207	1780	6	77	22	13	107
214208	1079841	0.016	2	1.63	27	359	<2	3	0.88	<4	7	11	16	1.44	0.20	3	0.30	220	<1	21	350	18	1.40	5	17	<10	137	1176	<2	25	<10	4	125
214209	1079842	0.009	<1	2.53	2	332	<2	<1	1.51	<4	7	15	12	1.44	0.18	4	0.53	330	<1	22	415	11	0.55	<5	12	<10	182	1739	<2	30	<10	5	101
214210	1079843	0.013	<1	2.25	4	311	<2	<1	1.13	<4	7	15	15	1.56	<0.01	4	0.74	423	<1	22	463	12	0.60	<5	12	<10	138	1755	<2	29	<10	6	114
214211	1079844	0.014	<1	4.32	11	359	2	3	1.85	<4	7	17	8	1.65	<0.01	13	1.14	676	<1	27	479	61	0.62	<5	9	<10	234	1464	2	30	<10	6	192
214212	1079845	0.029	<1	3.33	21	361	2	<1	1.54	<4	7	15	11	1.67	0.69	14	1.12	753	<1	23	469	99	1.26	5	8	<10	184	1393	9	27	<10	5	185

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214213	1079846	0.033	<1	2.64	30	377	<2	11	1.12	<4	8	15	9	1.64	0.53	14	0.83	572	<1	25	445	114	1.57	8	10	<10	190	1356	2	26	<10	5	302
214214	1079847	0.032	<1	3.13	21	383	2	17	1.39	<4	8	15	14	1.97	0.33	11	0.92	660	<1	25	448	72	1.80	<5	11	<10	175	1453	4	27	<10	5	245
214215	1079848	0.020	<1	3.28	13	257	2	3	1.49	<4	7	16	18	1.66	0.36	8	0.86	644	<1	28	537	31	0.73	<5	11	<10	134	1452	2	27	<10	7	131
214216D	1079848	0.019	<1	2.91	9	302	2	4	1.72	<4	7	17	18	1.61	0.72	10	0.79	653	<1	26	521	31	0.68	<5	18	<10	156	1475	2	28	<10	5	133
214217	1079849	0.021	<1	3.11	18	298	2	8	1.45	<4	7	12	15	1.62	0.86	10	0.89	665	<1	23	466	35	0.91	<5	9	<10	145	1389	<2	27	<10	5	116
214218	1079850	1.334	3	4.97	36	214	2	2	2.66	7	20	62	7498	4.98	0.06	9	1.22	557	787	24	894	45	3.25	17	19	<10	208	678	<2	101	<10	14	158
214219	1079851	0.030	<1	3.64	26	357	2	9	2.01	<4	10	20	299	2.04	0.52	12	1.06	881	28	28	483	43	1.00	9	13	<10	190	1704	8	35	<10	5	142
214220	1079852	0.006	<1	3.82	5	367	2	9	1.10	<4	4	11	8	1.19	0.16	15	1.30	379	<1	18	270	20	0.46	<5	14	<10	170	982	10	17	<10	4	110
214221	1079853	<0.005	<1	2.92	3	578	2	<1	1.32	<4	3	13	15	1.05	0.32	14	0.97	361	<1	23	269	55	0.42	<5	14	<10	211	1138	6	20	<10	3	163
214222	1079854	0.016	<1	2.18	4	430	2	<1	1.20	<4	4	15	7	1.12	0.40	13	0.89	345	<1	22	251	25	0.54	8	8	<10	184	1026	3	18	<10	3	126
214223	1079855	0.010	<1	4.81	<2	411	2	11	1.53	<4	4	12	4	1.18	0.27	18	1.45	429	<1	20	270	22	0.29	<5	19	<10	181	1003	8	15	<10	4	128
214224	1079856	0.010	<1	3.96	<2	364	2	10	1.37	<4	3	13	4	1.05	0.64	14	1.25	376	<1	25	249	20	0.23	8	16	<10	168	877	7	15	<10	4	116
214225	1079857	0.010	<1	4.60	<2	354	2	6	1.83	<4	3	9	4	1.03	0.62	12	1.28	403	<1	20	251	29	0.33	<5	21	<10	176	901	5	13	<10	4	124
214226	1079858	0.059	<1	3.35	20	320	2	13	1.18	<4	3	10	9	1.12	0.75	10	1.12	497	<1	21	240	37	0.89	5	20	<10	94	743	7	11	<10	4	165
214227D	1079858	0.056	<1	3.57	18	323	2	18	1.28	<4	4	10	9	1.17	0.96	9	1.15	517	<1	22	250	40	0.94	7	21	<10	93	748	13	12	<10	4	173
214228	1079859	7.082	30	1.44	98	276	2	16	0.41	71	6	13	490	3.80	0.40	9	0.52	319	<1	21	186	785	6.24	266	9	<10	63	718	<2	14	213	2	22433
214229	1079860	<0.005	2	2.41	10	353	<2	<1	1.50	7	12	31	51	2.55	0.59	6	0.91	467	<1	25	534	47	0.42	22	13	<10	204	1797	2	79	38	12	1201
214230	1079861	0.271	1	1.83	24	420	2	10	0.26	12	4	17	11	1.42	0.53	10	0.45	227	<1	25	211	50	1.79	8	14	<10	58	837	<2	18	35	3	3258
214231	1079862	0.207	5	3.80	17	301	2	4	1.19	8	5	23	23	1.29	0.29	10	1.29	600	<1	31	268	985	0.89	7	18	<10	116	856	6	17	22	5	2182
214232	1079863	0.022	<1	3.55	12	398	<2	3	1.16	<4	4	14	9	1.07	0.65	10	1.04	547	<1	21	257	71	0.50	<5	14	<10	139	920	3	16	<10	4	218

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214233	1079864	0.106	<1	3.57	20	303	2	<1	1.30	<4	9	33	42	1.85	0.33	9	1.17	676	<1	34	355	28	1.06	7	13	<10	120	1071	8	26	<10	7	150
214234	1079865	0.016	<1	4.23	10	388	2	<1	1.51	<4	4	24	13	1.19	0.73	10	1.30	739	<1	28	299	34	0.41	<5	19	<10	153	947	12	21	<10	5	173
214235	1079866	0.033	<1	3.58	10	429	<2	9	0.83	<4	4	14	6	1.01	0.86	10	1.04	562	<1	24	259	111	0.52	<5	16	<10	118	836	<2	14	<10	4	220
214236	1079867	0.759	5	3.51	6	284	2	<1	1.59	<4	3	15	10	1.13	0.87	23	1.67	1007	<1	25	275	998	0.30	<5	19	<10	131	772	13	14	<10	4	544
214237	1079868	0.019	<1	2.58	6	303	2	2	0.69	<4	2	10	4	0.84	0.68	8	1.15	628	<1	22	230	81	0.24	<5	14	<10	100	759	9	13	<10	3	216
214238R	1079868	0.013	<1	2.62	7	308	2	5	0.68	<4	2	9	4	0.84	0.58	9	1.15	568	<1	20	237	36	0.26	<5	19	<10	100	781	4	13	<10	3	191
214239	1079869	0.009	<1	3.70	4	310	2	8	0.70	<4	3	12	7	1.00	0.59	14	1.54	754	<1	24	246	88	0.20	<5	15	<10	106	739	3	14	<10	4	188
214240	1079870	0.260	96	2.29	244	328	2	<1	0.99	26	13	44	6483	5.15	0.40	5	1.19	1601	15	33	459	10593	2.66	234	8	<10	150	1462	<2	68	46	13	4900
214241	1079871	0.010	2	2.17	9	256	<2	<1	0.39	<4	4	13	148	1.07	0.42	13	1.46	710	<1	18	262	217	0.30	11	14	<10	71	716	7	12	<10	4	237
214242	1079872	0.019	<1	2.11	8	485	2	10	0.86	<4	3	12	7	0.97	0.49	11	0.89	595	<1	21	234	73	0.50	<5	10	<10	131	935	<2	15	<10	3	241
214243	1079873	0.017	<1	3.80	12	336	2	<1	1.51	<4	4	16	11	1.39	0.25	18	1.54	1065	<1	25	324	194	0.71	<5	13	<10	129	792	16	13	13	5	385
214244	1079874	0.061	<1	2.94	10	322	2	<1	0.70	<4	4	12	12	1.03	0.24	9	0.90	587	<1	22	253	64	0.45	<5	15	<10	119	852	13	14	<10	4	511
214245	1079875	0.007	<1	2.47	<2	431	<2	7	0.86	<4	2	17	13	0.84	0.52	11	0.66	520	<1	25	238	161	0.28	8	13	<10	158	913	<2	15	<10	3	417
214246	1079876	0.118	<1	2.17	3	356	2	5	0.52	<4	3	17	13	0.79	0.40	7	0.67	476	<1	25	264	204	0.27	<5	16	<10	111	781	6	13	<10	4	454
214247	1079877	<0.005	<1	2.92	2	367	2	<1	0.63	<4	3	13	11	0.84	<0.01	9	0.69	484	<1	25	239	56	0.26	<5	10	<10	136	773	<2	13	<10	4	183
214248	1079878	0.017	<1	1.51	7	257	2	6	0.96	<4	2	19	7	0.73	0.38	5	0.54	419	<1	29	172	37	0.23	<5	13	<10	184	582	4	11	<10	3	114
214249D	1079878	0.008	<1	1.36	2	258	2	13	1.00	<4	2	19	7	0.75	0.41	5	0.57	438	<1	30	167	38	0.23	<5	13	<10	189	597	2	12	<10	2	114
214250	1079879	0.006	<1	1.21	7	338	2	<1	0.68	<4	4	14	16	0.94	0.31	8	0.61	467	<1	23	229	74	0.45	<5	13	<10	158	809	8	15	<10	3	158
214251	1079880	<0.005	<1	2.31	3	295	<2	<1	1.42	<4	12	30	30	2.34	0.51	5	0.93	437	<1	26	525	10	<0.01	<5	9	<10	181	1681	<2	76	22	14	114
214252	1079881	0.125	1	1.25	9	292	2	<1	0.73	4	3	14	149	0.97	0.48	9	0.68	474	<1	26	233	501	0.48	5	16	<10	137	786	5	15	12	3	1168

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214253	1079882	0.212	1	2.38	34	282	<2	<1	0.59	<4	8	27	120	1.44	0.53	7	0.65	365	<1	30	320	585	1.26	<5	9	<10	123	847	2	22	<10	5	715
214254	1079883	0.074	<1	2.03	6	496	2	10	1.06	<4	10	47	28	1.34	0.63	13	0.67	393	<1	40	409	43	0.48	<5	10	<10	163	1486	4	43	<10	4	118
214255	1079884	0.043	<1	2.86	7	594	2	<1	0.97	<4	5	18	14	0.83	0.34	11	0.59	292	<1	24	733	22	0.27	<5	16	<10	179	1689	<2	47	<10	5	85
214256	1079885	0.018	2	4.59	12	599	8	6	2.15	9	13	14	13	1.72	0.24	11	0.92	507	<1	27	469	32	0.48	<5	18	<10	252	1769	7	41	<10	11	509
214257	1079886	0.058	<1	5.11	2	433	2	13	1.73	<4	8	12	15	1.69	0.43	15	0.87	482	<1	21	465	17	0.52	7	16	<10	166	1621	4	28	<10	6	170
214258	1079887	0.021	<1	4.83	9	410	2	11	1.79	<4	7	14	11	1.60	0.25	16	0.88	475	<1	24	456	49	0.47	<5	20	<10	139	1578	7	28	<10	5	600
214259	1079888	0.053	<1	4.97	5	554	2	11	1.23	<4	8	18	8	1.71	0.38	12	0.98	522	<1	35	501	37	0.41	<5	20	<10	139	1799	3	32	<10	6	230
214260D	1079888	0.051	<1	3.94	<2	427	2	7	1.06	<4	7	16	9	1.57	<0.01	7	0.94	479	<1	32	448	38	0.39	<5	13	<10	117	1509	4	27	<10	6	268
214261	1079889	0.324	<1	1.99	23	437	2	<1	1.08	<4	6	12	19	1.52	<0.01	4	0.55	347	<1	22	390	195	0.97	<5	10	<10	102	1635	<2	31	<10	3	228
214262	1079890	5.050	<1	1.60	413	1387	2	2	2.03	4	11	101	75	3.01	<0.01	7	1.03	432	11	50	747	32	0.98	42	7	<10	166	1508	<2	115	11	11	283
214263	1079891	0.033	<1	3.34	20	316	2	10	1.60	<4	7	14	8	1.49	0.20	2	0.76	348	<1	26	459	24	0.37	<5	10	<10	127	1368	<2	26	<10	6	118
214264	1079892	0.093	<1	2.51	15	235	<2	4	1.41	<4	6	12	81	1.60	0.17	<1	0.77	539	<1	25	437	23	0.63	<5	5	<10	95	1207	<2	22	<10	5	128
214265	1079893	0.058	<1	3.08	6	203	2	9	0.94	<4	8	11	15	1.44	0.25	2	0.58	350	<1	27	520	13	0.55	<5	12	<10	87	1097	4	21	<10	7	377
214266	1079894	0.199	<1	1.63	2	170	<2	5	0.33	<4	6	8	11	1.51	<0.01	<1	0.45	267	<1	23	434	9	0.76	5	10	<10	62	1033	<2	19	<10	5	139
214267	1079895	0.030	<1	3.49	3	223	<2	6	1.59	<4	5	9	10	1.41	0.14	5	0.75	528	<1	25	450	17	0.38	5	9	<10	111	1343	2	24	<10	6	118
214268	1079896	0.021	<1	4.81	4	260	2	4	1.70	<4	6	13	10	1.44	0.33	11	0.79	579	<1	24	440	20	0.39	<5	13	<10	123	1470	<2	27	<10	6	110
214269	1079897	0.008	<1	5.29	7	274	2	<1	2.04	<4	8	16	11	1.67	0.26	9	0.85	538	<1	31	500	26	0.55	<5	15	<10	129	1421	<2	26	12	7	514
214270	1079898	0.021	<1	3.35	3	239	2	2	1.15	<4	6	12	26	1.43	<0.01	4	0.55	356	<1	24	453	31	0.76	9	13	<10	92	1070	3	23	<10	6	161
214271D	1079898	0.016	<1	2.36	3	349	3	<1	0.92	<4	6	11	24	1.30	<0.01	9	0.41	344	<1	23	414	27	0.72	<5	13	<10	94	1443	<2	30	<10	4	146
214272	1079899	0.011	<1	5.08	<2	287	3	5	2.27	<4	8	22	21	1.73	<0.01	8	1.21	759	1	38	599	37	0.64	11	13	<10	152	1448	2	27	18	7	172

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214273	1079900	<0.005	<1	2.01	5	300	2	<1	1.45	<4	12	31	23	2.40	<0.01	3	0.93	457	<1	29	544	7	0.09	<5	12	<10	182	1640	3	77	22	14	109
214274	1079901	0.048	<1	2.29	8	163	<2	<1	0.95	<4	4	10	14	1.08	<0.01	2	0.96	698	<1	22	446	23	0.36	<5	11	<10	83	1127	7	23	<10	5	122
214275	1079902	0.085	<1	2.39	19	160	<2	<1	0.45	<4	3	12	23	0.92	<0.01	3	0.59	315	<1	24	426	132	0.76	6	14	<10	74	1013	<2	19	<10	5	495
214276	1079903	0.242	5	1.56	17	132	<2	5	0.55	5	3	9	28	0.96	<0.01	<1	0.72	452	<1	19	438	1381	0.83	7	14	<10	66	910	2	18	12	4	1347
214277	1079904	0.108	<1	2.56	22	267	<2	14	0.75	<4	2	15	15	0.87	<0.01	1	0.72	422	<1	27	470	170	0.59	<5	13	<10	84	1086	5	19	<10	4	266
214278	1079905	0.407	<1	1.82	28	283	<2	<1	0.68	<4	8	13	104	1.00	<0.01	<1	0.72	440	<1	28	461	68	0.76	<5	12	<10	69	949	<2	16	<10	5	172
214279	1079906	2.078	9	2.81	149	98	2	<1	0.06	33	6	11	293	3.66	<0.01	3	0.34	124	<1	23	331	7332	5.45	77	9	<10	60	998	<2	19	117	4	11640
214280	1079907	0.246	2	4.11	36	264	2	11	1.27	<4	5	12	25	1.68	<0.01	7	0.95	596	<1	16	418	565	1.58	11	16	<10	103	1134	2	21	<10	5	497
214281	1079908	0.226	1	4.63	37	257	2	5	1.33	4	6	20	20	1.89	<0.01	8	0.96	688	2	29	401	741	1.74	<5	14	<10	112	1218	2	22	<10	5	739
214282D	1079908	0.222	2	4.68	32	280	3	18	1.40	<4	5	21	20	1.66	0.22	20	0.75	705	5	27	409	614	1.44	6	11	<10	135	1424	4	26	<10	4	660
214283	1079909	0.150	<1	3.34	19	308	2	2	1.60	<4	4	14	8	1.23	<0.01	13	0.87	930	1	21	360	148	0.70	7	12	<10	121	1306	12	26	<10	4	187
214284	1079910	1.530	3	3.84	37	228	2	10	2.45	7	19	58	7020	4.73	<0.01	6	1.18	564	740	22	867	45	2.95	11	19	<10	191	647	<2	95	<10	13	158
214285	1079911	0.441	2	3.38	37	295	2	<1	1.11	5	5	15	228	1.59	<0.01	4	0.90	589	13	24	445	637	1.53	<5	14	<10	102	1107	4	23	13	5	1230
214286	1079912	0.340	2	0.93	23	193	<2	<1	0.03	<4	6	10	16	0.74	<0.01	<1	0.49	267	<1	27	382	410	0.66	<5	9	<10	54	874	2	17	11	4	939
214287	1079913	0.318	1	2.39	19	197	<2	8	0.38	<4	7	7	40	0.79	<0.01	3	0.69	448	<1	23	402	162	0.65	<5	11	<10	84	1047	<2	19	<10	4	420
214288	1079914	1.294	4	2.00	37	215	<2	7	0.29	<4	5	11	15	1.06	0.54	1	0.52	289	<1	24	365	451	1.14	7	13	<10	80	918	<2	17	<10	4	704
214289	1079915	0.112	<1	3.25	14	210	2	3	0.61	<4	5	13	45	1.24	0.07	3	0.93	679	<1	25	384	105	0.74	<5	13	<10	110	1135	3	23	<10	4	167
214290	1079916	0.074	<1	1.70	15	143	<2	1	0.36	<4	5	10	38	1.10	<0.01	1	0.84	603	<1	21	326	101	0.65	5	7	<10	82	931	4	19	<10	4	181
214291	1079917	0.367	2	1.89	15	148	<2	3	0.29	<4	4	10	59	1.23	<0.01	2	0.83	594	<1	18	446	290	0.81	7	12	<10	80	959	3	19	<10	5	332
214292	1079918	1.483	1	2.90	26	198	2	4	0.64	<4	5	13	61	1.58	<0.01	3	0.87	710	<1	23	400	143	1.20	<5	11	<10	111	1059	<2	24	<10	4	276

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214293D	1079918	1.514	2	3.74	27	237	<2	<1	0.79	<4	6	16	66	1.71	<0.01	5	0.93	786	<1	25	430	151	1.31	<5	17	<10	129	1185	<2	27	<10	4	290
214294	1079919	5.264	2	2.72	31	286	2	<1	0.76	<4	8	22	27	1.50	<0.01	4	0.68	627	<1	31	416	144	1.24	6	15	<10	122	1372	8	32	<10	4	416
214295	1079920	<0.005	<1	2.80	6	327	2	7	1.43	<4	12	30	22	2.28	0.11	4	0.91	447	<1	25	517	7	0.10	5	<5	<10	198	1681	<2	73	21	14	119
214296	1079921	1.001	2	1.55	30	206	<2	<1	0.25	<4	7	12	30	1.41	<0.01	<1	0.62	418	<1	26	421	154	1.12	<5	12	<10	73	971	<2	21	<10	5	253
214297	1079922	0.077	1	3.53	10	215	<2	11	0.54	<4	7	15	39	1.80	<0.01	7	1.12	811	<1	25	476	42	0.83	<5	17	<10	101	1250	<2	26	<10	5	143
214298	1079923	1.421	1	2.60	15	253	2	5	0.46	<4	6	13	68	1.23	<0.01	3	0.66	614	<1	20	372	81	0.75	<5	15	<10	111	1169	<2	26	<10	3	629
214299	1079924	1.295	1	3.06	25	200	<2	7	0.47	<4	6	9	22	1.29	<0.01	5	0.82	494	<1	24	410	60	0.84	<5	9	<10	105	1024	4	23	<10	5	160
214300	1079925	1.338	2	3.21	28	227	2	<1	0.33	<4	6	9	22	1.40	0.55	5	0.79	470	<1	21	426	52	1.07	<5	12	<10	97	912	<2	23	<10	5	132
214301	1079926	0.692	3	1.23	22	153	<2	<1	0.11	<4	7	9	51	1.79	<0.01	3	1.02	641	<1	20	425	83	1.09	<5	8	<10	64	887	6	21	<10	5	201
214302	1079927	0.232	2	1.96	14	188	<2	<1	0.22	<4	5	7	19	0.97	<0.01	<1	0.71	430	<1	16	427	44	0.40	<5	13	<10	85	727	3	20	<10	4	172
214303	1079928	0.124	1	2.62	18	210	<2	<1	0.41	<4	4	9	31	1.12	0.03	3	0.80	486	<1	19	431	35	0.71	<5	11	<10	103	911	<2	20	<10	4	143
214304R	1079928	0.121	2	4.50	19	362	2	11	0.69	<4	5	12	31	1.17	0.49	7	0.79	515	<1	22	446	37	0.62	5	15	<10	149	1369	<2	32	<10	3	144
214305	1079929	0.181	1	3.71	20	239	2	3	0.51	<4	6	11	25	1.32	<0.01	5	0.91	590	<1	21	483	33	0.94	8	13	<10	111	1219	3	28	<10	5	163
214306	1079930	0.243	97	2.15	228	258	2	7	1.01	28	14	49	5848	5.29	<0.01	3	1.10	1649	16	32	473	9804	2.57	397	<5	<10	181	1666	3	78	50	11	5236
214307	1079931	0.317	3	3.22	18	238	2	<1	0.51	<4	5	11	137	1.12	<0.01	6	0.82	571	<1	20	454	205	0.56	13	16	<10	86	1223	2	26	<10	5	230
214308	1079932	0.341	2	2.63	24	161	<2	6	0.54	<4	8	20	64	1.56	<0.01	5	0.89	666	<1	26	335	50	1.04	<5	14	<10	81	1226	2	26	<10	5	170
214309	1079933	7.520	3	3.56	31	189	<2	2	0.61	<4	8	23	122	1.54	<0.01	8	0.92	643	<1	26	443	141	1.11	8	17	<10	82	1374	13	30	<10	5	338
214310	1079934	0.846	2	2.95	11	117	2	5	0.98	<4	5	21	31	1.52	<0.01	5	1.19	806	<1	24	376	80	0.76	<5	12	<10	97	1131	4	24	<10	5	170
214311	1079935	0.211	2	3.39	4	232	2	4	0.20	<4	4	17	74	1.46	0.19	3	0.44	233	<1	19	366	42	0.94	<5	13	<10	64	1300	2	24	<10	4	253
214312	1079936	2.199	1	2.35	6	151	<2	6	0.14	<4	3	11	62	1.28	0.01	<1	0.40	188	<1	21	348	32	0.81	<5	17	<10	55	920	2	18	<10	4	138

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214313	1079937	0.058	<1	2.00	12	104	2	8	0.83	<4	2	6	12	0.83	<0.01	<1	0.66	389	<1	15	278	26	0.44	5	11	<10	72	782	3	13	<10	4	114
214314	1079938	1.487	<1	1.94	36	143	<2	<1	0.14	<4	2	9	24	1.25	0.10	<1	0.38	138	<1	19	376	20	1.25	6	13	<10	47	772	<2	14	<10	5	119
214315D	1079938	1.792	<1	2.63	34	185	<2	<1	0.12	<4	3	9	24	1.27	0.02	<1	0.39	134	<1	18	375	18	1.31	5	13	<10	49	914	<2	17	<10	5	120
214316	1079939	1.145	14	2.43	51	183	<2	18	<0.01	12	3	10	86	1.91	<0.01	<1	0.33	101	<1	20	336	1464	2.34	23	12	<10	39	928	3	17	25	4	2626
214317	1079940	0.006	1	2.52	7	336	2	24	1.40	<4	11	30	26	2.37	<0.01	3	0.91	436	<1	27	529	83	0.20	<5	8	<10	199	1730	5	76	23	14	241
214318	1079941	0.214	<1	1.68	20	228	2	6	0.25	<4	3	12	52	0.92	0.24	1	0.39	178	<1	20	313	72	0.64	6	13	<10	57	1047	<2	21	<10	3	145
214319	1079942	0.048	<1	2.37	17	177	2	<1	1.19	<4	5	8	9	1.05	<0.01	<1	0.86	538	<1	18	445	28	0.53	<5	15	<10	84	1093	<2	18	<10	5	112
214320	1079943	0.011	<1	4.39	9	259	<2	4	2.67	<4	3	11	7	1.60	0.23	<1	1.69	814	<1	20	321	24	0.48	<5	19	<10	92	1307	6	26	<10	4	92
214321	1079944	0.074	<1	3.48	50	242	2	6	1.60	<4	17	72	33	2.59	0.21	5	1.03	466	<1	52	474	25	1.71	6	15	<10	72	1917	<2	56	<10	9	123
214322	1079945	0.059	1	5.18	90	337	3	<1	2.37	4	19	94	42	2.75	0.05	9	1.35	627	<1	59	512	28	2.48	8	9	<10	95	1969	<2	63	<10	11	254
214323	1079946	0.068	1	4.44	57	388	2	<1	2.09	<4	5	17	90	1.36	0.06	4	1.17	535	<1	25	574	33	1.20	<5	14	<10	84	1451	6	30	<10	6	155
214324	1079947	0.174	4	3.17	85	339	2	2	0.80	4	9	11	146	1.83	<0.01	2	0.70	331	<1	25	519	125	2.04	24	12	<10	66	1069	<2	22	<10	6	597
214325	1079948	0.034	<1	4.35	46	314	2	10	1.71	<4	6	10	49	2.01	<0.01	4	1.08	750	<1	20	573	36	1.58	7	16	<10	102	1383	3	26	<10	6	146
214326D	1079948	0.040	<1	3.68	50	287	2	9	1.69	<4	5	8	42	1.95	<0.01	2	1.04	739	<1	20	548	28	1.57	<5	7	<10	99	1309	<2	24	<10	6	124
214327	1079949	0.110	<1	4.87	24	373	2	9	2.21	<4	6	8	20	2.14	0.20	5	1.17	919	<1	19	542	21	0.99	5	16	<10	139	1607	8	29	<10	6	111
214328	1079950	4.907	1	3.19	419	1396	2	<1	2.17	4	12	99	77	3.05	0.20	8	1.18	446	12	54	762	27	1.03	35	12	<10	167	1385	3	111	<10	13	266
214329	1079951	0.060	<1	4.16	36	318	2	6	1.86	<4	5	9	31	2.06	0.27	4	1.14	830	<1	18	525	33	1.04	<5	12	<10	112	1447	<2	27	<10	7	130
214330	1079952	0.099	<1	3.85	35	284	2	<1	1.70	<4	10	36	39	2.60	0.62	5	1.16	865	<1	39	501	25	1.39	<5	10	<10	112	1642	2	36	<10	9	138
214331	1079953	0.014	<1	3.30	23	252	2	11	1.16	<4	8	21	37	1.73	0.40	3	0.83	473	<1	29	521	33	1.37	6	20	<10	96	1290	3	29	<10	7	217
214332	1079954	0.007	<1	4.00	30	305	2	<1	1.63	<4	7	7	6	1.90	0.58	6	1.16	652	<1	21	549	24	1.79	<5	11	<10	89	1309	4	23	<10	6	114

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214333	1079955	0.019	<1	3.93	32	322	2	11	1.76	<4	6	7	27	1.63	0.72	6	1.20	764	<1	20	544	131	1.46	<5	12	<10	78	1289	7	23	<10	6	498
214334	1079956	0.029	<1	4.34	33	322	<2	12	1.87	<4	6	7	34	1.66	0.79	7	1.29	829	<1	20	551	117	1.43	<5	18	<10	78	1369	2	24	<10	6	572
214335	1079957	0.086	10	4.18	41	255	2	2	1.86	21	8	13	81	3.50	0.03	9	1.18	912	<1	30	513	3438	3.27	12	16	<10	78	1531	5	31	65	5	7032
214336	1079958	0.054	<1	4.92	10	224	2	14	1.95	4	20	113	79	3.60	0.35	13	2.08	938	<1	78	526	129	1.22	<5	13	<10	102	1873	2	70	<10	13	273
214337D	1079958	0.026	<1	5.18	7	263	2	<1	1.92	4	20	118	77	3.52	0.77	13	2.03	933	<1	77	522	83	1.19	6	11	<10	105	2011	10	76	<10	13	194
214338	1079959	0.023	<1	4.30	14	261	2	6	1.67	<4	15	108	42	3.06	0.37	12	1.52	717	1	67	480	37	0.89	<5	6	<10	90	2028	12	72	<10	12	163
214339	1079960	<0.005	<1	3.10	5	349	2	<1	1.44	<4	10	31	22	2.26	<0.01	4	0.90	437	<1	27	499	10	<0.01	<5	11	<10	217	1771	6	75	23	13	109
214340	1079961	0.038	<1	3.79	25	347	2	2	1.49	<4	9	26	18	1.73	<0.01	5	0.91	504	<1	33	542	86	1.47	<5	11	<10	82	1337	<2	31	<10	7	253
214341	1079962	0.069	1	4.28	36	308	2	4	1.12	<4	7	18	10	1.93	0.20	9	0.86	374	<1	28	565	81	2.07	<5	14	<10	73	1390	<2	28	<10	7	295
214342	1079963	0.131	2	3.42	43	365	2	4	0.34	4	6	16	108	1.55	0.51	5	0.55	172	<1	27	553	209	1.71	<5	7	<10	53	1419	2	29	<10	6	838
214343	1079964	0.075	2	3.80	44	391	2	1	1.11	<4	8	31	19	1.75	0.45	8	0.85	372	2	39	469	89	1.64	<5	15	<10	83	1389	3	30	<10	7	266
214344	1079965	<0.005	<1	3.75	7	373	2	6	1.65	<4	4	22	19	1.09	0.38	6	1.04	414	1	29	291	55	0.38	<5	15	<10	112	1062	2	16	<10	5	112
214345	1079966	0.039	6	6.49	15	345	2	7	3.83	13	8	26	155	2.31	0.40	11	1.98	924	2	37	470	1165	1.33	<5	16	<10	185	1686	14	29	29	9	2710
214346	1079967	0.174	<1	4.81	15	329	2	6	2.10	<4	7	21	38	1.78	0.09	10	1.82	550	<1	31	562	65	0.82	<5	14	<10	106	1232	10	28	<10	7	167
214347	1079968	0.095	1	4.12	26	244	2	2	1.07	4	21	114	43	3.58	0.35	16	2.69	804	1	72	484	45	1.69	<5	11	<10	70	1783	18	68	<10	9	202
214348D	1079968	0.146	1	4.93	26	295	2	3	1.09	4	21	131	44	3.68	0.53	18	2.72	822	3	74	501	48	1.84	6	7	<10	74	1902	16	79	<10	10	205
214349	1079969	0.438	3	5.03	48	294	2	7	1.22	9	20	131	362	3.88	0.42	22	2.29	867	<1	85	524	211	2.29	<5	9	<10	72	1600	<2	77	18	10	1596
214350	1079970	1.317	3	2.95	35	147	3	3	2.09	6	18	53	7052	4.69	0.28	7	0.93	510	691	22	758	35	2.39	19	7	<10	196	809	<2	101	<10	9	152
214351	1079971	1.436	2	4.63	35	264	2	<1	1.31	4	18	116	346	3.36	1.09	18	1.81	697	23	67	534	44	1.39	6	<5	<10	71	2053	11	71	<10	10	147
214352	1079972	0.394	2	4.02	42	284	2	4	1.13	<4	7	19	17	1.48	0.86	8	0.89	415	5	35	484	123	1.07	<5	12	<10	59	1380	<2	29	<10	6	206

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214353	1079973	1.100	8	4.14	48	396	2	7	1.56	5	8	26	65	1.59	0.38	13	1.08	603	<1	32	515	330	1.01	9	15	<10	77	1657	7	39	17	5	1162
214354	1079974	2.480	5	3.72	58	315	2	4	1.09	<4	12	60	55	2.18	0.29	12	1.09	512	1	44	493	382	1.60	6	12	<10	64	1503	4	50	<10	6	281
214355	1079975	0.207	2	4.64	73	274	2	8	0.68	4	18	125	50	3.51	0.15	16	1.76	596	3	93	607	122	1.98	<5	8	<10	58	1694	6	81	<10	9	198
214356	1079976	0.180	2	3.65	68	195	2	<1	0.59	4	16	101	47	3.24	0.51	12	1.66	535	3	82	564	101	1.91	<5	10	<10	49	1394	8	63	<10	9	180
214357	1079977	0.494	1	3.38	85	163	2	18	0.61	4	16	95	25	3.15	0.46	11	1.41	408	2	77	466	83	2.32	5	6	<10	54	1110	<2	57	<10	8	222
214358	1079978	1.270	17	3.76	90	200	2	16	0.57	14	15	106	123	4.04	0.21	16	1.92	464	3	79	477	2154	3.35	17	9	<10	52	1167	3	56	37	7	3222
214359D	1079978	1.301	17	2.67	90	166	2	3	0.45	14	15	97	120	3.94	<0.01	13	1.89	453	3	74	448	2144	3.28	11	8	<10	45	1108	<2	52	34	7	3217
214360	1079979	0.287	2	4.70	55	225	2	5	2.24	4	16	107	34	3.43	0.53	16	2.27	682	2	72	437	175	1.98	<5	7	<10	103	1326	6	59	<10	10	383
214361	1079980	<0.005	<1	1.88	8	312	2	<1	1.36	<4	11	35	22	2.33	<0.01	2	0.95	441	<1	29	505	12	0.13	<5	5	<10	178	1643	4	74	17	14	114
214362	1079981	0.170	1	4.08	40	237	2	7	1.12	4	18	131	39	3.38	0.49	17	2.28	630	2	87	635	65	1.05	<5	12	<10	77	1536	16	67	<10	11	191
214363	1079982	0.107	1	3.38	41	209	2	11	0.59	6	16	116	41	3.30	0.18	20	2.30	521	2	88	620	76	1.44	<5	9	<10	55	1278	10	66	<10	9	617
214364	1079983	0.266	<1	2.80	38	157	2	<1	1.58	4	9	46	10	2.12	<0.01	7	1.76	530	<1	48	452	96	1.16	5	10	<10	84	950	11	27	<10	5	573
214365	1079984	0.031	<1	4.44	30	303	2	<1	1.31	<4	6	35	3	1.63	0.97	10	1.43	400	<1	45	419	22	0.86	<5	16	<10	96	1101	3	26	<10	5	126
214366	1079985	0.551	1	5.01	17	300	3	11	0.74	4	23	122	46	4.14	1.26	23	2.52	637	2	86	589	35	1.02	7	8	<10	83	2073	7	86	<10	11	184
214367	1079986	0.198	<1	4.43	11	305	2	<1	0.81	4	22	111	56	3.98	0.36	15	1.89	323	2	108	662	25	0.67	5	9	<10	94	2039	8	91	<10	10	87
214368	1079987	0.083	2	4.44	40	201	3	<1	2.32	<4	17	89	43	3.11	0.29	11	1.57	578	3	74	550	25	1.17	10	14	<10	106	1520	6	55	<10	11	196
214369	1079988	0.056	2	4.27	13	218	2	9	1.54	4	21	117	52	3.68	0.39	14	1.78	637	2	83	636	35	0.94	<5	8	<10	89	1834	10	62	<10	12	151
214370R	1079988	0.060	2	4.36	15	237	2	6	1.35	<4	19	110	44	3.19	0.71	12	1.63	600	<1	71	535	32	0.82	<5	7	<10	82	1866	6	62	<10	11	135
214371	1079989	0.624	2	3.33	11	208	2	<1	0.52	4	23	111	52	3.88	<0.01	9	1.47	455	2	91	518	48	1.80	<5	<5	<10	61	1275	14	72	<10	9	162
214372	1079990	0.217	97	3.21	246	317	2	15	1.06	27	15	53	6061	5.45	<0.01	5	1.22	1617	16	36	501	10277	2.31	276	9	<10	176	1590	3	75	49	14	5132

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
214373	1079991	0.106	7	4.09	34	181	2	<1	1.62	7	21	119	329	4.01	0.14	9	1.65	696	<1	79	487	791	1.80	17	8	<10	126	1507	<2	68	<10	10	791
214374	1079992	0.183	2	4.06	35	175	2	5	1.32	5	21	111	104	3.64	0.30	10	1.53	532	1	88	489	170	1.49	7	<5	<10	107	1488	4	65	<10	12	518
214375	1079993	0.039	1	4.69	8	188	3	<1	1.55	4	26	140	65	4.15	0.06	17	1.76	662	1	91	537	60	0.66	8	7	<10	98	2223	7	85	<10	13	193
214376	1079994	0.165	2	2.94	60	178	2	4	1.11	<4	13	65	39	2.16	<0.01	6	0.95	527	<1	52	474	74	1.34	<5	11	<10	68	1265	<2	43	<10	11	311
214377	1079995	1.067	2	3.72	75	205	2	2	0.97	<4	15	64	42	2.43	0.13	8	0.86	451	<1	53	473	72	1.83	8	10	<10	67	1314	<2	46	<10	11	327
214378	1079996	0.365	3	3.77	48	246	2	3	1.02	<4	6	18	24	1.37	0.17	8	0.81	410	<1	25	459	76	1.01	6	12	<10	68	1114	2	24	<10	7	491
214379	1079997	0.548	<1	3.51	28	384	2	8	1.87	<4	5	19	10	1.33	0.25	11	1.24	616	<1	27	469	49	0.56	<5	17	<10	87	1248	7	25	<10	5	187
214380	1079998	0.021	<1	5.00	13	422	2	8	2.34	<4	7	19	9	1.45	0.59	13	1.44	692	<1	29	473	35	0.43	5	21	<10	103	1436	7	28	<10	6	133
214381D	1079998	0.036	<1	4.92	16	406	2	6	2.47	<4	7	20	9	1.53	0.35	12	1.51	728	<1	30	503	39	0.49	7	16	<10	105	1473	10	28	<10	6	135
214382	1079999	0.121	<1	5.76	32	325	2	11	2.48	<4	7	20	22	1.93	0.69	14	1.39	596	<1	29	539	86	1.25	<5	11	<10	112	1683	11	33	<10	6	187
214383	1080000	0.007	<1	2.60	7	374	2	2	1.53	<4	12	32	23	2.43	<0.01	3	0.96	472	<1	28	536	10	0.13	<5	9	<10	207	1818	<2	79	20	14	105
214384	1226001	0.117	<1	5.00	49	411	2	11	2.41	5	9	17	41	2.26	0.18	9	1.38	581	<1	25	492	182	1.64	7	15	<10	105	1693	7	37	12	6	864
214385	1226002	0.016	<1	5.83	18	410	2	<1	2.83	<4	9	19	8	1.81	<0.01	11	1.46	418	<1	24	518	24	0.61	8	14	<10	128	1502	<2	31	<10	6	130
214386	1226003	0.028	<1	5.34	18	292	2	7	3.34	<4	9	22	31	2.03	0.06	10	1.77	651	<1	28	499	11	0.74	<5	11	<10	144	1669	<2	34	<10	6	97
214387	1226004	0.069	<1	5.17	15	307	2	4	2.99	<4	16	70	91	2.81	<0.01	12	1.73	704	<1	51	527	27	0.95	<5	16	<10	135	1941	5	55	<10	11	107
214388	1226005	0.141	1	4.37	34	366	2	7	1.59	<4	6	20	29	1.39	0.15	12	0.99	503	<1	29	443	71	0.99	<5	18	<10	105	1351	<2	25	10	7	698
214389	1226006	0.041	<1	4.65	19	331	2	14	2.32	<4	8	17	29	1.61	0.11	11	1.27	457	<1	24	510	25	0.57	<5	15	<10	145	1428	7	28	<10	7	164
214390	1226007	0.090	<1	4.47	18	307	2	12	2.00	<4	7	17	20	1.40	0.16	11	1.25	566	<1	23	464	130	0.59	7	16	<10	119	1300	<2	27	<10	6	316
214391	1226008	0.013	<1	5.92	12	388	3	20	2.80	<4	7	19	4	1.90	0.52	16	1.65	526	<1	33	541	17	0.67	<5	19	<10	147	1626	6	34	<10	7	118

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214173	1079809	43	0.001	0.043
214174	1079810	270	0.008	0.270
214175	1079811	95	0.003	0.095
214176	1079812	57	0.002	0.057
214177	1079813	100	0.003	0.100
214178	1079814	22	<0.001	0.022
214179	1079815	88	0.003	0.088
214180	1079816	46	0.001	0.046
214181	1079817	76	0.002	0.076
214182	1079818	476	0.014	0.476
214183 Dup	1079818	479	0.014	0.479
214184	1079819	317	0.009	0.317
214185	1079820	<5	<0.001	<0.005
214186	1079821	140	0.004	0.140
214187	1079822	37	0.001	0.037
214188	1079823	33	<0.001	0.033
214189	1079824	15	<0.001	0.015
214190	1079825	15	<0.001	0.015
214191	1079826	20	<0.001	0.020
214192	1079827	34	<0.001	0.034
214193	1079828	26	<0.001	0.026
214194 Dup	1079828	22	<0.001	0.022
214195	1079829	5	<0.001	0.005
214196	1079830	4971	0.145	4.971
214197	1079831	22	<0.001	0.022
214198	1079832	6	<0.001	0.006
214199	1079833	10	<0.001	0.010
214200	1079834	69	0.002	0.069
214201	1079835	17	<0.001	0.017
214202	1079836	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214203	1079837	33	<0.001	0.033
214204	1079838	106	0.003	0.106
214205 Dup	1079838	105	0.003	0.105
214206	1079839	35	0.001	0.035
214207	1079840	6	<0.001	0.006
214208	1079841	16	<0.001	0.016
214209	1079842	9	<0.001	0.009
214210	1079843	13	<0.001	0.013
214211	1079844	14	<0.001	0.014
214212	1079845	29	<0.001	0.029
214213	1079846	33	<0.001	0.033
214214	1079847	32	<0.001	0.032
214215	1079848	20	<0.001	0.020
214216 Dup	1079848	19	<0.001	0.019
214217	1079849	21	<0.001	0.021
214218	1079850	1334	0.039	1.334
214219	1079851	30	<0.001	0.030
214220	1079852	6	<0.001	0.006
214221	1079853	<5	<0.001	<0.005
214222	1079854	16	<0.001	0.016
214223	1079855	10	<0.001	0.010
214224	1079856	10	<0.001	0.010
214225	1079857	10	<0.001	0.010
214226	1079858	59	0.002	0.059
214227 Dup	1079858	56	0.002	0.056
214228	1079859	7082	0.207	7.082
214229	1079860	<5	<0.001	<0.005
214230	1079861	271	0.008	0.271
214231	1079862	207	0.006	0.207
214232	1079863	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214233	1079864	106	0.003	0.106
214234	1079865	16	<0.001	0.016
214235	1079866	33	<0.001	0.033
214236	1079867	759	0.022	0.759
214237	1079868	19	<0.001	0.019
214238 Rep	1079868	13	<0.001	0.013
214239	1079869	9	<0.001	0.009
214240	1079870	260	0.008	0.260
214241	1079871	10	<0.001	0.010
214242	1079872	19	<0.001	0.019
214243	1079873	17	<0.001	0.017
214244	1079874	61	0.002	0.061
214245	1079875	7	<0.001	0.007
214246	1079876	118	0.003	0.118
214247	1079877	<5	<0.001	<0.005
214248	1079878	17	<0.001	0.017
214249 Dup	1079878	8	<0.001	0.008
214250	1079879	6	<0.001	0.006
214251	1079880	<5	<0.001	<0.005
214252	1079881	125	0.004	0.125
214253	1079882	212	0.006	0.212
214254	1079883	74	0.002	0.074
214255	1079884	43	0.001	0.043
214256	1079885	18	<0.001	0.018
214257	1079886	58	0.002	0.058
214258	1079887	21	<0.001	0.021
214259	1079888	53	0.002	0.053
214260 Dup	1079888	51	0.001	0.051
214261	1079889	324	0.009	0.324
214262	1079890	5050	0.147	5.050

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214263	1079891	33	<0.001	0.033
214264	1079892	93	0.003	0.093
214265	1079893	58	0.002	0.058
214266	1079894	199	0.006	0.199
214267	1079895	30	<0.001	0.030
214268	1079896	21	<0.001	0.021
214269	1079897	8	<0.001	0.008
214270	1079898	21	<0.001	0.021
214271 Dup	1079898	16	<0.001	0.016
214272	1079899	11	<0.001	0.011
214273	1079900	<5	<0.001	<0.005
214274	1079901	48	0.001	0.048
214275	1079902	85	0.002	0.085
214276	1079903	242	0.007	0.242
214277	1079904	108	0.003	0.108
214278	1079905	407	0.012	0.407
214279	1079906	2078	0.061	2.078
214280	1079907	246	0.007	0.246
214281	1079908	226	0.007	0.226
214282 Dup	1079908	222	0.006	0.222
214283	1079909	150	0.004	0.150
214284	1079910	1530	0.045	1.530
214285	1079911	441	0.013	0.441
214286	1079912	340	0.010	0.340
214287	1079913	318	0.009	0.318
214288	1079914	1294	0.038	1.294
214289	1079915	112	0.003	0.112
214290	1079916	74	0.002	0.074
214291	1079917	367	0.011	0.367
214292	1079918	1483	0.043	1.483

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214293 Dup	1079918	1514	0.044	1.514
214294	1079919	5264	0.154	5.264
214295	1079920	<5	<0.001	<0.005
214296	1079921	1001	0.029	1.001
214297	1079922	77	0.002	0.077
214298	1079923	1421	0.041	1.421
214299	1079924	1295	0.038	1.295
214300	1079925	1338	0.039	1.338
214301	1079926	692	0.020	0.692
214302	1079927	232	0.007	0.232
214303	1079928	124	0.004	0.124
214304 Rep	1079928	121	0.004	0.121
214305	1079929	181	0.005	0.181
214306	1079930	243	0.007	0.243
214307	1079931	317	0.009	0.317
214308	1079932	341	0.010	0.341
214309	1079933	7520	0.219	7.520
214310	1079934	846	0.025	0.846
214311	1079935	211	0.006	0.211
214312	1079936	2199	0.064	2.199
214313	1079937	58	0.002	0.058
214314	1079938	1487	0.043	1.487
214315 Dup	1079938	1792	0.052	1.792
214316	1079939	1145	0.033	1.145
214317	1079940	6	<0.001	0.006
214318	1079941	214	0.006	0.214
214319	1079942	48	0.001	0.048
214320	1079943	11	<0.001	0.011
214321	1079944	74	0.002	0.074
214322	1079945	59	0.002	0.059

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214323	1079946	68	0.002	0.068
214324	1079947	174	0.005	0.174
214325	1079948	34	0.001	0.034
214326 Dup	1079948	40	0.001	0.040
214327	1079949	110	0.003	0.110
214328	1079950	4907	0.143	4.907
214329	1079951	60	0.002	0.060
214330	1079952	99	0.003	0.099
214331	1079953	14	<0.001	0.014
214332	1079954	7	<0.001	0.007
214333	1079955	19	<0.001	0.019
214334	1079956	29	<0.001	0.029
214335	1079957	86	0.002	0.086
214336	1079958	54	0.002	0.054
214337 Dup	1079958	26	<0.001	0.026
214338	1079959	23	<0.001	0.023
214339	1079960	<5	<0.001	<0.005
214340	1079961	38	0.001	0.038
214341	1079962	69	0.002	0.069
214342	1079963	131	0.004	0.131
214343	1079964	75	0.002	0.075
214344	1079965	<5	<0.001	<0.005
214345	1079966	39	0.001	0.039
214346	1079967	174	0.005	0.174
214347	1079968	95	0.003	0.095
214348 Dup	1079968	146	0.004	0.146
214349	1079969	438	0.013	0.438
214350	1079970	1317	0.038	1.317
214351	1079971	1436	0.042	1.436
214352	1079972	394	0.011	0.394

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214353	1079973	1100	0.032	1.100
214354	1079974	2480	0.072	2.480
214355	1079975	207	0.006	0.207
214356	1079976	180	0.005	0.180
214357	1079977	494	0.014	0.494
214358	1079978	1270	0.037	1.270
214359 Dup	1079978	1301	0.038	1.301
214360	1079979	287	0.008	0.287
214361	1079980	<5	<0.001	<0.005
214362	1079981	170	0.005	0.170
214363	1079982	107	0.003	0.107
214364	1079983	266	0.008	0.266
214365	1079984	31	<0.001	0.031
214366	1079985	551	0.016	0.551
214367	1079986	198	0.006	0.198
214368	1079987	83	0.002	0.083
214369	1079988	56	0.002	0.056
214370 Rep	1079988	60	0.002	0.060
214371	1079989	624	0.018	0.624
214372	1079990	217	0.006	0.217
214373	1079991	106	0.003	0.106
214374	1079992	183	0.005	0.183
214375	1079993	39	0.001	0.039
214376	1079994	165	0.005	0.165
214377	1079995	1067	0.031	1.067
214378	1079996	365	0.011	0.365
214379	1079997	548	0.016	0.548
214380	1079998	21	<0.001	0.021
214381 Dup	1079998	36	0.001	0.036
214382	1079999	121	0.004	0.121

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, September 21, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 08/31/2011  
 Date Completed: 09/21/2011  
 Job #: 201143215  
 Reference: TL11216  
 Sample #: 200

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
214383	1080000	7	<0.001	0.007
214384	1226001	117	0.003	0.117
214385	1226002	16	<0.001	0.016
214386	1226003	28	<0.001	0.028
214387	1226004	69	0.002	0.069
214388	1226005	141	0.004	0.141
214389	1226006	41	0.001	0.041
214390	1226007	90	0.003	0.090
214391	1226008	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/30/2011  
 Date Completed: 11/07/2011  
 Job #: 201143607  
 Reference: TL11216  
 Sample #: 2

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
241278	1079859	7.325	7.607	4.923	7.366	3.95%	39.58
241279	1079933	3.732	3.511	82.472	5.254	2.07%	20.71

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianluk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227095	1079183	0.082	<1	0.48	4	270	<2	11	1.13	<4	18	106	40	3.22	0.85	<1	1.59	694	<1	64	464	28	0.69	<5	34	<10	146	2005	651	68	26	11	172
227096	1079184	0.040	<1	1.38	13	313	<2	15	1.75	<4	9	40	28	1.84	0.44	<1	1.33	765	<1	35	331	32	0.95	<5	55	<10	194	1139	232	28	33	8	170
227097	1079185	0.146	2	3.00	8	310	2	15	1.90	<4	21	90	49	3.36	0.31	5	1.66	840	<1	74	581	19	1.23	<5	40	<10	172	2080	874	60	22	14	127
227098	1079186	0.125	2	2.82	<2	324	2	10	1.91	<4	19	91	48	3.34	0.63	6	1.67	849	<1	71	552	27	1.14	<5	48	<10	169	2060	<2	60	25	14	113
227099	1079187	0.021	1	2.89	4	365	<2	14	2.49	<4	8	26	17	1.89	0.20	<1	1.67	534	<1	43	649	26	1.17	<5	49	<10	212	1428	950	29	25	8	58
227100	1079188	0.012	<1	2.48	4	291	<2	16	2.31	<4	10	21	9	1.83	0.18	<1	1.53	359	<1	33	810	13	0.91	<5	42	<10	198	1825	1405	31	24	8	51
227101	1079189	0.013	1	0.41	5	305	<2	13	1.58	<4	11	29	20	1.78	0.22	<1	1.22	315	<1	46	797	13	0.94	<5	47	<10	192	1922	1150	30	23	7	52
227102	1079190	4.982	2	2.10	437	1202	<2	14	2.35	<4	13	110	77	3.28	0.15	8	1.26	462	<1	54	779	30	0.97	20	35	<10	212	1724	1314	127	32	15	229
227103	1079191	0.218	3	5.67	37	634	2	22	2.76	<4	9	36	168	2.22	0.12	15	1.60	444	<1	45	705	19	1.57	<5	52	<10	313	1981	718	41	26	10	93
227104	1079192	0.014	<1	2.22	5	457	<2	7	1.98	<4	9	23	13	1.85	0.57	<1	1.44	418	<1	42	780	21	1.25	<5	60	<10	298	1984	472	31	21	8	71
227105D	1079192	0.012	<1	1.61	2	465	<2	14	1.71	<4	9	19	8	1.62	0.29	<1	1.18	356	<1	31	690	16	1.10	<5	32	<10	282	1692	890	28	25	8	65
227106	1079193	0.009	<1	0.50	<2	622	<2	11	1.47	<4	9	21	8	1.49	0.40	<1	0.91	283	<1	34	715	16	0.45	<5	36	<10	356	2121	<2	28	26	7	59
227107	1079194	0.017	<1	<0.01	<2	391	<2	11	1.27	<4	9	23	22	1.64	0.35	<1	0.99	297	<1	42	768	17	0.85	<5	25	<10	338	2229	732	31	25	6	60
227108	1079195	0.010	<1	<0.01	<2	218	<2	10	1.23	<4	10	19	9	1.50	0.16	<1	0.95	270	<1	37	742	8	1.29	<5	39	<10	302	2129	640	27	23	5	51
227109	1079196	0.011	<1	<0.01	3	349	<2	10	0.65	<4	10	19	10	1.63	0.09	<1	1.01	259	<1	37	778	13	0.65	<5	35	<10	140	2218	476	33	22	6	51
227110	1079197	0.048	<1	<0.01	2	264	<2	6	0.66	<4	10	20	179	1.70	0.15	<1	0.94	267	<1	38	795	216	0.71	<5	34	<10	148	2277	<2	34	28	6	391
227111	1079198	0.018	<1	0.39	3	297	<2	16	1.28	<4	10	22	14	1.66	0.20	<1	0.84	257	<1	35	750	20	0.98	<5	49	<10	296	2388	281	35	25	7	54
227112	1079199	0.019	<1	<0.01	3	183	<2	10	0.99	<4	10	23	12	1.61	0.16	<1	0.80	238	<1	38	773	10	1.02	<5	28	<10	237	2312	457	34	27	6	54
227113	1079200	<0.005	<1	<0.01	<2	224	<2	12	1.04	<4	13	27	21	2.40	0.08	<1	0.86	436	<1	26	519	12	0.08	<5	36	<10	157	1693	166	78	42	13	43
227114	1079201	0.013	<1	<0.01	<2	257	<2	9	0.91	<4	11	23	14	1.69	0.23	<1	0.79	260	<1	38	734	15	0.94	<5	30	<10	213	2257	<2	35	25	6	111

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227115	1079202	0.027	<1	<0.01	<2	253	<2	12	1.31	<4	9	20	11	1.74	0.32	<1	1.37	334	<1	34	719	14	0.94	<5	36	<10	179	2107	257	32	91	7	46
227116D	1079202	0.020	<1	<0.01	2	284	<2	17	1.58	<4	11	21	12	1.83	0.30	<1	1.42	352	<1	36	759	13	1.00	<5	50	<10	222	2348	1045	34	114	7	47
227117	1079203	0.020	<1	<0.01	<2	209	<2	10	0.91	<4	12	18	136	1.76	0.13	<1	0.90	272	<1	35	804	12	1.14	<5	33	<10	139	2232	316	31	24	6	48
227118	1079204	0.014	<1	0.72	<2	304	<2	17	1.33	<4	10	21	14	1.79	0.18	<1	1.14	315	<1	36	811	11	1.06	<5	47	<10	238	2452	579	35	24	8	56
227119	1079205	0.018	<1	<0.01	<2	295	<2	14	1.05	<4	10	21	16	1.79	0.23	<1	1.06	294	<1	38	797	20	1.01	<5	41	<10	230	2435	501	34	26	7	78
227120	1079206	0.016	<1	<0.01	4	229	<2	14	0.71	<4	11	18	15	1.67	0.13	<1	0.98	271	<1	34	761	18	0.94	<5	35	<10	168	2238	720	31	22	6	66
227121	1079207	0.021	<1	<0.01	3	270	<2	14	1.03	<4	11	23	16	1.70	0.10	<1	1.01	275	<1	36	740	10	0.85	<5	38	<10	166	2182	610	32	25	7	51
227122	1079208	0.031	<1	0.39	<2	283	<2	11	1.14	<4	19	78	35	2.60	0.06	<1	1.15	411	<1	56	616	18	1.12	<5	36	<10	160	2053	315	51	26	12	57
227123	1079209	0.084	<1	<0.01	2	204	<2	16	1.17	<4	28	122	52	4.21	0.10	<1	1.63	668	<1	108	566	24	1.08	5	38	<10	132	2315	<2	78	25	16	88
227124	1079210	1.458	3	<0.01	32	59	<2	14	2.26	5	19	58	7362	5.00	<0.01	<1	1.14	544	730	22	858	50	2.69	<5	23	<10	186	616	869	96	29	14	100
227125	1079211	0.063	1	0.26	<2	195	<2	19	0.98	<4	24	120	143	3.49	0.11	<1	1.38	595	<1	81	536	25	1.00	<5	32	<10	158	2013	665	67	25	16	94
227126	1079212	0.023	<1	<0.01	<2	153	<2	15	0.55	<4	22	84	40	3.17	0.08	<1	1.24	501	<1	63	452	16	0.52	<5	27	<10	124	2014	32	59	22	13	57
227127D	1079212	0.025	<1	0.35	2	165	<2	16	0.71	<4	19	86	41	3.29	0.11	<1	1.30	519	<1	65	465	18	0.50	<5	24	<10	138	2133	<2	61	21	14	57
227128	1079213	0.014	<1	<0.01	5	326	<2	15	0.46	<4	5	8	8	1.21	0.21	<1	0.54	244	<1	14	262	13	0.56	<5	27	<10	138	1013	340	18	26	6	56
227129	1079214	0.009	<1	<0.01	<2	350	<2	14	0.28	<4	4	12	9	1.04	0.16	<1	0.41	203	<1	21	261	18	0.49	<5	33	<10	163	986	427	16	23	5	34
227130	1079215	0.010	<1	<0.01	<2	323	<2	10	0.02	<4	4	8	2	0.83	0.13	<1	0.34	159	<1	18	293	11	0.51	<5	43	<10	141	831	310	14	21	5	26
227131	1079216	0.012	<1	<0.01	4	297	<2	13	0.49	<4	4	10	3	1.09	<0.01	<1	0.45	242	<1	16	301	11	0.67	<5	37	<10	185	930	309	16	22	5	34
227132	1079217	0.020	<1	<0.01	9	265	<2	9	1.23	<4	7	14	7	1.48	<0.01	<1	0.75	336	<1	27	503	17	1.31	<5	33	<10	284	1323	18	22	23	6	68
227133	1079218	0.040	<1	<0.01	16	302	<2	13	0.47	<4	4	9	8	1.06	0.10	<1	0.53	262	<1	17	325	17	0.48	<5	27	<10	148	1130	11	18	21	5	35
227134	1079219	0.042	<1	<0.01	12	249	<2	10	0.76	<4	4	9	3	0.91	0.29	<1	0.35	191	<1	19	278	11	1.15	<5	26	<10	213	879	838	14	18	5	20

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227135	1079220	0.006	<1	<0.01	4	250	<2	16	1.09	<4	11	26	20	2.29	0.14	<1	0.85	420	<1	22	487	4	0.08	<5	28	<10	165	1612	1246	74	42	13	41
227136	1079221	0.023	1	<0.01	8	414	<2	11	0.89	<4	4	8	5	1.15	0.08	<1	0.59	368	<1	17	288	11	0.61	<5	31	<10	195	1083	744	19	27	6	23
227137	1079222	0.039	<1	<0.01	9	257	<2	8	0.38	<4	5	5	3	1.09	<0.01	<1	0.57	316	<1	14	303	7	0.46	<5	22	<10	109	1031	101	16	22	5	31
227138D	1079222	0.031	<1	<0.01	9	303	<2	11	0.53	<4	5	7	3	1.15	0.27	<1	0.61	327	<1	16	303	14	0.49	<5	37	<10	131	1096	598	18	22	6	43
227139	1079223	0.020	<1	0.42	10	354	<2	16	0.66	<4	5	8	3	1.28	0.18	<1	0.64	327	<1	18	322	15	0.64	<5	38	<10	170	1203	149	19	23	6	47
227140	1079224	0.032	<1	6.19	7	327	4	17	1.63	<4	3	14	11	1.24	0.03	14	0.72	296	3	61	279	28	0.21	18	53	<10	238	1201	<2	23	15	9	51
227141	1079225	<0.005	<1	0.58	4	295	<2	17	0.75	<4	5	12	4	1.31	0.33	<1	0.76	308	<1	22	353	12	0.49	<5	35	<10	172	1312	<2	21	25	7	43
227142	1079226	<0.005	<1	<0.01	2	277	<2	14	0.55	<4	4	9	4	1.30	0.32	<1	0.72	297	<1	18	319	10	0.53	<5	34	<10	145	1271	491	20	24	6	39
227143	1079227	0.010	<1	<0.01	<2	219	<2	12	0.85	<4	4	7	8	1.22	0.07	<1	0.48	236	<1	17	320	10	0.54	<5	37	<10	151	1139	1132	16	25	5	38
227144	1079228	0.010	<1	<0.01	5	249	<2	12	0.48	<4	4	7	9	1.15	0.12	<1	0.46	223	<1	15	295	10	0.51	<5	37	<10	130	992	<2	16	20	5	37
227145	1079229	0.015	<1	<0.01	<2	281	<2	11	0.70	<4	3	12	12	0.95	0.20	<1	0.46	239	<1	17	231	14	0.48	<5	40	<10	185	933	34	16	24	5	36
227146	1079230	0.237	106	<0.01	229	135	<2	13	0.76	27	14	43	6205	5.46	0.04	<1	1.14	1674	2	28	455	10451	2.27	67	18	<10	151	1513	<2	71	84	13	4889
227147	1079231	0.016	3	0.57	5	320	<2	20	0.78	<4	4	12	138	1.15	0.18	<1	0.51	244	<1	17	250	200	0.42	<5	37	<10	168	1056	346	18	25	6	144
227148	1079232	<0.005	<1	<0.01	<2	259	<2	12	0.39	<4	4	7	8	1.11	0.12	<1	0.53	254	<1	16	302	19	0.52	<5	37	<10	140	993	350	17	23	5	70
227149D	1079232	<0.005	<1	<0.01	2	259	<2	14	0.43	<4	3	10	7	1.16	0.12	<1	0.55	259	<1	16	313	13	0.56	<5	38	<10	144	1022	365	17	20	5	73
227150	1079233	<0.005	<1	0.48	4	404	<2	15	0.98	<4	3	10	22	1.30	0.22	<1	0.81	397	<1	17	270	16	0.64	<5	40	<10	178	1153	611	19	25	6	152
227151	1079234	<0.005	<1	<0.01	<2	364	<2	16	0.63	<4	4	9	8	1.20	0.28	<1	0.57	298	<1	18	273	18	0.68	<5	27	<10	169	1044	329	18	22	6	128
227152	1079235	0.005	<1	0.94	11	346	<2	16	1.00	<4	6	10	7	1.45	0.15	<1	0.85	443	<1	15	279	21	1.17	<5	43	<10	220	1118	1197	19	25	6	43
227153	1079236	<0.005	<1	0.37	10	298	<2	13	0.94	<4	3	13	6	1.41	0.09	<1	0.83	435	<1	23	278	23	1.08	<5	45	<10	223	1084	738	19	24	6	48
227154	1079237	0.032	<1	<0.01	10	299	<2	13	0.55	<4	4	9	4	1.37	0.17	<1	0.79	370	<1	25	295	18	1.05	<5	37	<10	143	1083	<2	23	25	6	52

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227155	1079238	<0.005	<1	<0.01	12	255	<2	10	0.60	<4	4	11	4	1.29	0.09	<1	0.74	317	<1	27	282	14	1.14	<5	32	<10	133	1067	9	23	23	6	66
227156	1079239	<0.005	<1	<0.01	9	241	<2	13	0.42	<4	3	11	7	1.19	0.14	<1	0.72	333	<1	30	270	15	1.00	<5	34	<10	117	970	736	23	25	6	59
227157	1079240	<0.005	<1	<0.01	<2	260	<2	15	1.10	<4	12	28	20	2.33	0.18	<1	0.87	428	<1	23	501	10	0.07	<5	35	<10	172	1663	167	76	39	13	35
227158	1079241	0.012	<1	0.14	28	232	<2	12	0.18	<4	7	13	4	1.78	0.19	<1	0.28	147	<1	31	370	30	1.82	<5	33	<10	159	1056	21	25	28	6	49
227159	1079242	0.011	<1	<0.01	27	249	<2	15	0.07	<4	5	7	3	1.31	0.15	<1	0.29	161	<1	22	371	29	1.29	<5	34	<10	123	946	<2	20	26	5	39
227160R	1079242	0.012	<1	1.41	39	331	<2	11	0.33	<4	5	12	3	1.40	0.17	<1	0.37	201	<1	27	349	27	1.29	<5	45	<10	166	1189	736	28	23	6	42
227161	1079243	0.021	1	3.18	35	407	<2	21	0.52	<4	5	14	6	1.26	0.07	<1	0.48	232	<1	24	390	43	1.07	<5	40	10	169	1364	449	29	21	7	46
227162	1079244	0.036	<1	1.31	54	305	<2	11	0.43	<4	4	12	8	1.43	0.04	<1	0.41	253	<1	22	363	47	1.33	<5	49	<10	128	1216	510	27	22	5	67
227163	1079245	0.291	3	2.37	35	283	<2	15	0.31	<4	6	15	17	1.77	<0.01	<1	0.54	254	<1	25	367	261	1.78	<5	46	<10	125	1332	463	30	28	7	523
227164	1079246	0.193	2	3.29	43	415	<2	13	0.39	<4	7	19	15	1.96	0.02	<1	0.58	264	<1	29	369	245	1.96	<5	43	<10	135	1533	557	35	32	7	698
227165	1079247	0.067	<1	2.54	11	544	<2	20	0.76	<4	5	11	10	1.27	0.16	<1	0.74	399	<1	21	337	60	0.97	<5	37	<10	133	1398	252	29	26	6	86
227166	1079248	0.106	1	3.60	27	545	<2	22	0.84	<4	6	12	17	1.54	0.06	4	0.82	401	<1	20	373	63	1.21	<5	31	<10	129	1529	555	32	23	6	292
227167	1079249	0.096	<1	2.40	37	437	<2	11	0.28	<4	6	10	7	1.59	0.07	<1	0.58	228	<1	21	394	78	1.46	<5	45	<10	93	1311	<2	27	24	6	116
227168	1226010	5.561	2	1.39	433	897	<2	21	2.27	<4	13	112	80	3.39	0.10	4	1.25	470	<1	56	776	27	0.95	16	41	<10	199	1698	596	131	29	16	228
227169	1226011	0.044	<1	2.71	73	379	<2	13	0.22	<4	7	17	15	1.92	0.20	<1	0.54	214	<1	25	347	75	1.85	<5	42	<10	98	1374	589	32	25	7	103
227170	1226012	0.059	1	0.66	111	319	<2	17	<0.01	<4	5	15	11	1.50	0.28	<1	0.36	<100	<1	21	311	96	1.51	<5	39	<10	72	1116	132	26	26	6	209
227171D	1226012	0.054	<1	1.52	72	376	<2	15	<0.01	<4	6	17	12	1.61	0.15	<1	0.39	100	<1	27	319	93	1.62	<5	41	<10	79	1261	<2	29	24	6	214
227172	1226013	0.146	2	1.98	59	396	<2	14	<0.01	<4	6	17	23	1.55	0.16	<1	0.46	117	<1	29	354	196	1.54	<5	32	<10	88	1213	1072	29	28	6	278
227173	1226014	0.117	2	2.59	66	438	<2	13	<0.01	<4	5	16	16	1.54	0.02	<1	0.45	107	<1	32	376	166	1.52	<5	47	<10	81	1342	207	31	29	6	203
227174	1226015	0.051	1	3.46	73	204	2	13	0.32	<4	7	15	40	3.09	0.01	2	0.69	300	<1	28	361	176	3.28	<5	40	<10	132	1430	431	33	27	7	220

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227175	1226016	0.030	1	1.66	66	133	<2	14	0.22	<4	6	13	29	2.63	<0.01	<1	0.60	281	<1	28	314	132	2.74	<5	30	<10	112	1117	<2	26	26	6	187
227176	1226017	0.062	<1	2.80	38	434	<2	15	0.49	<4	4	12	9	1.35	0.03	<1	0.62	238	<1	21	299	93	1.19	<5	36	<10	151	1177	816	25	27	6	333
227177	1226018	0.074	<1	3.18	17	421	<2	19	1.14	<4	4	11	6	1.24	0.08	<1	0.78	294	<1	18	246	33	1.06	<5	50	<10	209	950	1142	22	24	6	47
227178	1226019	0.034	<1	2.06	10	447	<2	14	0.81	<4	3	10	5	1.02	0.12	<1	0.78	258	<1	19	233	43	0.85	<5	35	<10	189	953	498	21	25	5	43
227179	1226020	<0.005	<1	0.52	<2	351	<2	15	1.35	<4	11	29	21	2.40	0.20	<1	0.93	449	<1	22	500	8	0.08	<5	35	<10	222	1818	<2	80	45	15	42
227180	1226021	0.031	<1	2.87	19	406	<2	14	0.59	<4	4	11	9	0.96	0.23	<1	0.71	225	<1	20	249	103	0.68	<5	32	<10	206	1014	<2	23	26	6	290
227181	1226022	0.032	<1	2.64	20	432	<2	17	0.55	<4	3	10	9	1.14	0.08	2	0.68	238	<1	19	242	43	0.86	<5	45	<10	201	1010	626	21	24	6	116
227182D	1226022	0.030	1	3.58	18	499	<2	14	0.65	<4	3	11	11	1.12	<0.01	6	0.68	232	<1	18	228	38	0.85	<5	38	<10	217	1098	616	23	22	6	112
227183	1226023	0.013	<1	2.62	18	301	<2	12	0.71	<4	5	10	8	1.20	0.34	<1	0.73	257	<1	19	247	37	0.82	<5	38	<10	177	1010	<2	22	24	6	71
227184	1226024	0.011	<1	1.31	9	236	<2	18	0.78	<4	5	11	3	1.24	0.33	<1	0.88	324	<1	20	231	31	0.65	<5	31	<10	156	965	<2	21	20	5	44
227185	1226025	0.012	1	3.58	4	382	<2	15	1.34	<4	4	9	18	1.18	0.05	4	0.73	352	<1	16	254	40	0.47	<5	34	<10	249	1149	218	24	24	6	46
227186	1226026	0.031	<1	1.55	<2	355	<2	13	1.05	<4	3	13	10	1.13	0.12	<1	0.49	352	<1	24	239	32	0.29	<5	40	<10	204	993	411	22	18	5	32
227187	1226027	0.184	<1	2.10	4	373	<2	15	1.07	<4	5	13	15	1.29	0.17	<1	0.61	417	<1	23	323	36	0.49	<5	35	<10	246	1255	<2	28	20	6	73
227188	1226028	0.029	<1	3.39	13	480	<2	16	0.87	<4	5	13	4	0.79	0.09	<1	0.54	300	<1	21	402	39	0.40	<5	43	<10	262	1663	477	37	22	6	38
227189	1226029	0.036	2	2.29	12	359	3	15	1.16	<4	7	14	19	0.96	0.02	<1	0.41	231	<1	18	330	138	0.95	<5	45	<10	243	1306	77	30	25	8	204
227190	1226030	1.436	4	2.31	43	48	<2	14	2.58	5	20	61	7440	5.16	<0.01	<1	1.22	560	807	20	883	42	2.79	<5	46	10	230	697	721	105	22	16	104
227191	1226031	0.031	1	1.21	11	309	3	12	0.53	<4	8	12	35	1.18	0.21	<1	0.30	166	<1	19	277	163	1.15	<5	51	<10	188	1185	122	26	28	7	264
227192	1226032	0.033	<1	3.74	5	452	<2	13	1.35	<4	5	12	13	0.99	0.13	<1	0.32	157	<1	20	362	31	0.89	<5	40	<10	267	1320	510	28	22	6	18
227193D	1226032	0.011	1	3.03	10	404	<2	16	1.17	<4	5	11	8	0.98	0.11	<1	0.31	150	<1	20	373	23	0.90	<5	56	<10	239	1246	472	26	22	6	16
227194	1226033	0.009	1	2.51	10	387	<2	16	0.55	<4	7	12	5	1.18	0.31	<1	0.35	138	<1	22	386	36	1.05	<5	46	<10	239	1341	659	25	29	6	378

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227195	1226034	0.009	1	3.77	10	388	<2	18	1.09	<4	6	14	12	1.24	0.20	5	0.52	206	<1	19	341	20	0.90	<5	36	<10	276	1436	231	28	26	6	40
227196	1226035	0.013	2	3.82	8	377	<2	15	2.29	<4	14	147	17	2.12	0.42	4	1.57	447	<1	73	614	29	0.86	<5	42	<10	256	2178	979	50	21	10	54
227197	1226036	0.015	2	2.69	10	345	<2	16	2.18	<4	14	142	16	2.16	0.34	2	1.55	449	<1	73	650	21	0.89	<5	36	<10	227	2226	895	51	21	10	52
227198	1226037	0.008	<1	2.28	11	329	<2	14	0.59	<4	7	14	4	1.06	0.22	<1	0.42	143	<1	21	377	26	0.89	<5	32	<10	233	1354	369	26	26	6	37
227199	1226038	0.007	<1	2.99	19	416	<2	15	0.64	<4	7	12	7	1.33	0.14	<1	0.52	164	<1	20	391	24	1.11	<5	42	<10	278	1431	253	28	24	6	54
227200	1226039	0.007	1	4.73	19	515	<2	21	0.85	<4	7	13	10	1.43	0.12	7	0.67	177	<1	18	402	23	1.05	<5	46	<10	323	1502	811	30	29	7	111
227201	1226040	0.005	1	1.36	<2	437	<2	10	1.53	<4	13	33	24	2.61	0.29	<1	0.97	487	<1	24	542	11	0.09	<5	43	<10	269	2089	616	90	47	16	44
227202	1226041	0.010	2	1.51	10	373	<2	13	0.19	<4	6	10	9	1.37	0.21	<1	0.44	117	<1	16	372	12	1.02	5	41	<10	223	1285	<2	25	24	6	148
227203	1226042	0.025	1	2.69	15	454	<2	15	0.63	<4	6	9	10	1.33	0.15	<1	0.51	150	<1	17	344	17	0.91	<5	44	<10	256	1299	855	27	20	6	48
227204D	1226042	0.008	2	3.56	17	475	<2	13	0.75	<4	8	11	11	1.52	0.08	2	0.58	169	<1	20	390	17	1.04	<5	42	<10	269	1436	203	28	23	7	57
227205	1226043	0.005	<1	1.90	14	354	<2	12	0.49	<4	6	10	4	1.38	0.31	<1	0.63	187	<1	17	351	10	1.09	<5	40	<10	225	1234	491	26	23	6	39
227206	1226044	<0.005	1	0.53	18	307	<2	11	0.50	<4	6	10	6	1.38	0.41	<1	0.76	229	<1	18	359	16	0.91	<5	32	<10	174	1221	30	25	23	6	42
227207	1226045	0.006	1	2.46	13	326	<2	23	1.14	<4	7	10	6	1.46	0.50	5	0.92	250	<1	18	367	14	0.78	<5	37	<10	246	1414	223	27	21	7	43
227208	1226046	0.008	1	1.29	28	352	<2	11	0.69	<4	7	9	5	1.42	0.46	3	0.75	231	<1	20	365	9	0.92	<5	53	<10	212	1339	459	24	24	6	52
227209	1226047	0.005	1	2.79	12	574	<2	16	0.88	<4	9	12	8	1.41	0.04	9	0.70	235	<1	24	380	19	0.81	<5	42	<10	246	1517	229	29	22	6	33
227210	1226048	0.006	1	3.27	4	490	<2	21	1.33	<4	6	11	5	1.51	0.03	9	0.98	255	<1	17	359	18	0.43	<5	48	<10	244	1453	<2	28	21	7	46
227211	1226049	0.009	1	2.93	2	346	<2	14	1.13	<4	17	81	31	2.62	0.12	18	1.27	471	<1	49	478	18	0.54	<5	54	<10	252	2009	<2	58	28	14	66
227212	1226050	0.242	105	1.71	252	67	<2	20	1.06	27	16	52	6128	5.80	0.10	<1	1.26	1722	5	29	486	9645	2.32	234	34	11	218	1870	389	88	80	16	4902
227213	1226051	0.012	3	3.03	7	373	2	16	1.10	<4	14	68	138	2.33	0.09	16	1.27	434	<1	43	431	215	0.40	<5	42	<10	233	1614	55	51	25	14	139
227214	1226052	0.015	2	3.55	<2	299	<2	14	1.05	<4	26	135	52	4.12	0.15	25	1.60	499	<1	78	502	28	1.07	<5	45	<10	219	2107	612	87	23	11	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227215D	1226052	0.016	2	3.04	<2	301	<2	17	1.02	<4	27	138	51	4.21	0.05	24	1.60	506	<1	81	513	26	1.10	<5	38	<10	218	2146	178	87	23	11	87
227216	1226053	0.015	2	4.53	3	280	2	16	1.64	<4	26	139	49	4.14	0.07	28	1.76	661	<1	75	528	27	1.16	<5	37	<10	276	2201	298	85	24	13	85
227217	1226054	0.013	2	4.19	7	258	2	17	1.80	<4	14	47	22	2.97	0.24	17	1.42	755	<1	43	576	34	1.37	<5	25	<10	331	1631	<2	46	28	11	119
227218	1226055	0.013	2	2.32	20	324	<2	15	1.10	<4	12	44	16	2.28	0.15	14	1.20	858	<1	35	442	85	0.95	<5	32	<10	187	1618	264	41	24	10	165
227219	1226056	0.022	2	2.54	18	380	<2	15	1.17	<4	12	48	15	2.21	0.07	13	1.14	851	<1	35	443	90	0.92	<5	37	<10	200	1665	769	43	26	9	162
227220	1226057	0.007	1	3.86	15	518	2	15	1.54	<4	5	15	17	1.69	0.12	17	1.13	986	<1	18	341	57	0.64	<5	48	<10	231	1462	<2	32	25	6	156
227221	1226058	0.018	2	2.09	5	271	<2	15	3.16	<4	33	378	48	4.09	0.05	18	3.40	1373	<1	186	1122	75	0.82	<5	38	<10	210	3609	811	101	28	17	312
227222	1226059	0.027	4	2.53	3	387	<2	13	1.26	<4	21	108	103	3.24	0.11	17	1.59	1213	<1	64	532	610	1.04	<5	41	<10	176	2236	801	69	29	12	594
227223	1226060	<0.005	1	1.65	4	422	<2	13	1.50	<4	14	34	24	2.55	0.10	<1	0.98	498	<1	22	524	33	0.10	<5	49	<10	259	2029	593	87	44	16	57
227224	1226061	0.037	4	3.45	26	275	<2	20	1.63	<4	17	78	36	2.99	<0.01	19	1.35	1129	<1	44	588	295	1.84	<5	24	<10	225	2155	<2	69	33	12	357
227225	1226062	0.054	3	3.10	36	154	<2	12	0.93	<4	25	125	37	3.89	<0.01	21	1.46	968	<1	73	559	87	2.38	<5	42	<10	175	2085	<2	80	29	14	340
227226R	1226062	0.056	3	3.08	33	209	<2	15	0.88	<4	26	139	38	4.04	<0.01	22	1.49	994	<1	91	556	84	2.41	<5	45	<10	172	2158	421	86	33	13	332
227227	1226063	0.087	3	3.30	10	367	<2	17	2.61	<4	18	105	38	2.75	0.03	15	1.86	895	<1	65	510	227	1.21	<5	41	<10	266	1793	247	56	28	12	514
227228	1226064	0.009	1	2.42	<2	362	<2	13	1.81	<4	13	21	21	1.89	0.07	14	1.16	454	<1	30	408	30	0.45	<5	38	<10	220	1570	<2	32	24	8	233
227229	1226065	<0.005	1	2.87	<2	453	<2	16	1.62	<4	6	14	14	1.43	<0.01	14	0.76	263	<1	19	397	21	0.24	<5	49	<10	241	1583	860	33	44	7	109
227230	1226066	0.005	1	6.07	<2	594	<2	23	2.78	<4	5	22	14	1.93	0.28	28	1.30	385	<1	24	482	25	0.35	<5	47	<10	318	1917	62	38	27	10	97
227231	1226067	0.015	1	3.52	<2	445	2	17	2.04	<4	6	15	8	1.74	<0.01	23	1.09	319	<1	21	425	18	0.26	<5	41	<10	265	1787	486	38	23	8	71
227232	1226068	<0.005	<1	3.18	<2	450	<2	16	1.82	<4	6	14	7	1.53	0.02	20	0.98	262	<1	15	388	16	0.27	<5	48	<10	233	1719	432	36	23	7	54
227233	1226069	<0.005	<1	2.38	<2	240	<2	13	1.37	<4	6	15	10	1.56	0.02	17	0.80	241	<1	22	382	14	0.51	<5	38	10	184	1379	198	32	24	8	58
227234	1226070	5.002	2	0.94	381	837	<2	17	2.02	<4	13	96	68	3.04	0.04	3	1.14	416	<1	46	712	30	0.86	10	27	<10	184	1521	<2	115	25	14	208

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227235	1226071	0.016	1	1.96	44	333	<2	12	1.48	<4	6	23	17	1.72	0.07	12	0.93	272	<1	23	483	14	0.43	<5	43	<10	160	1470	530	40	24	9	77
227236	1226072	0.006	1	2.27	<2	275	<2	13	1.28	<4	6	17	18	1.78	0.12	11	0.85	262	<1	21	361	17	1.20	<5	32	<10	160	1267	<2	27	22	8	76
227237D	1226072	0.006	1	2.95	<2	340	<2	12	1.57	<4	7	17	18	1.75	0.13	14	0.81	256	<1	20	322	17	1.23	<5	46	<10	199	1339	<2	29	25	7	69
227238	1226073	0.008	1	3.27	5	313	<2	17	1.71	<4	7	19	7	1.57	0.09	20	1.14	316	<1	23	365	17	0.78	<5	38	<10	179	1264	1368	28	24	8	56
227239	1226074	0.009	<1	3.57	5	179	<2	14	1.87	<4	4	18	5	1.56	0.06	19	1.21	310	<1	24	333	18	0.81	<5	55	10	200	1175	418	24	23	8	71
227240	1226075	0.008	1	4.90	<2	219	<2	18	2.64	<4	9	21	16	1.81	0.05	20	1.37	420	<1	29	418	32	0.61	<5	50	<10	207	1433	819	31	25	9	75
227241	1226076	0.009	1	3.32	<2	192	<2	22	2.12	<4	6	20	15	1.47	0.05	14	1.15	351	<1	25	382	22	0.45	<5	43	<10	170	1237	674	26	25	8	62
227242	1226077	<0.005	1	4.15	<2	229	<2	19	1.96	<4	6	18	11	1.68	0.19	25	1.42	417	<1	20	411	24	0.50	<5	48	<10	170	1384	<2	29	28	9	97
227243	1226078	0.006	1	2.35	3	216	<2	18	1.34	<4	7	19	11	1.69	0.18	13	0.94	315	<1	24	395	24	0.84	<5	34	<10	139	1235	797	25	23	8	54
227244	1226079	0.008	1	2.69	<2	226	<2	13	1.60	<4	6	14	15	1.83	0.14	16	0.89	314	<1	18	416	25	0.87	<5	45	<10	177	1520	<2	31	26	8	60
227245	1226080	<0.005	1	2.58	3	418	<2	10	1.53	<4	12	30	21	2.38	0.03	2	0.95	445	<1	21	499	8	0.08	<5	42	<10	262	1962	48	83	46	16	40
227246	1226081	0.011	<1	2.75	<2	195	<2	13	1.68	<4	8	14	11	1.63	0.05	18	1.08	310	<1	19	379	17	0.28	<5	48	<10	170	1336	625	29	24	8	92
227247	1226082	0.007	1	5.10	<2	346	<2	15	2.87	<4	7	21	40	1.77	0.05	30	1.22	356	<1	22	429	15	0.22	<5	46	11	205	1484	555	32	24	9	68
227248D	1226082	0.011	2	3.92	2	282	<2	19	2.66	<4	7	19	40	1.70	0.11	23	1.16	337	<1	24	408	22	0.23	<5	40	<10	187	1335	390	29	24	9	59
227249	1226083	<0.005	1	4.38	<2	253	<2	18	2.59	<4	6	16	8	1.81	0.11	26	1.31	358	<1	20	402	26	0.18	<5	42	<10	151	1489	881	31	21	8	48
227250	1226084	0.706	1	2.79	18	184	<2	20	0.53	<4	6	16	71	1.56	0.14	17	0.58	213	<1	22	358	33	1.10	<5	46	<10	110	837	651	31	21	6	86
227251	1226085	0.016	<1	1.09	11	89	<2	11	0.34	<4	5	14	11	1.29	0.07	21	0.65	216	<1	24	404	20	0.74	<5	43	<10	82	490	95	21	24	7	67
227252	1226086	0.016	1	3.34	<2	145	<2	14	2.07	<4	8	17	11	1.71	0.05	13	1.23	401	<1	23	420	37	0.37	<5	29	<10	122	1130	811	28	24	7	72
227253	1226087	0.009	<1	3.19	6	164	<2	17	2.09	<4	7	10	7	1.62	0.10	15	1.20	376	<1	16	444	25	0.41	<5	43	<10	120	1192	1002	25	22	8	56
227254	1226088	0.009	<1	4.70	5	159	<2	18	2.63	<4	7	17	15	1.68	<0.01	20	1.35	422	<1	23	384	19	0.27	<5	42	<10	151	1276	35	26	24	9	54

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227255	1226089	0.005	<1	4.16	4	223	<2	17	2.62	<4	8	13	3	1.70	<0.01	24	1.31	336	<1	16	394	14	0.20	<5	45	<10	150	1296	961	27	19	8	45
227256	1226090	1.489	4	2.93	36	26	<2	18	2.59	4	18	60	7105	5.04	<0.01	2	1.23	545	785	18	852	36	2.55	5	53	<10	235	714	<2	103	27	16	96
227257	1226091	0.007	<1	4.07	<2	233	<2	12	2.45	<4	7	14	80	1.62	<0.01	21	1.20	288	<1	17	438	12	0.17	<5	40	<10	173	1268	744	28	21	9	41
227258	1226092	<0.005	<1	3.91	3	225	<2	18	2.69	<4	7	18	7	1.69	0.05	15	1.22	293	<1	18	431	15	0.20	<5	35	<10	209	1243	754	26	24	8	53
227259D	1226092	0.006	<1	4.31	3	227	<2	19	2.65	<4	7	14	4	1.64	0.08	16	1.21	283	<1	18	415	13	0.22	<5	40	<10	208	1211	347	26	20	9	50
227260	1226093	0.007	<1	3.70	2	224	<2	11	2.39	<4	7	13	3	1.57	0.10	16	1.20	309	<1	19	407	16	0.18	<5	46	<10	189	1292	549	26	23	8	54
227261	1226094	0.006	<1	4.32	5	261	<2	16	2.54	<4	6	12	3	1.57	0.13	18	1.18	321	<1	15	413	18	0.16	<5	39	<10	190	1270	439	27	23	8	46
227262	1226095	0.040	1	5.32	3	398	<2	21	3.08	<4	6	20	4	1.86	0.04	28	1.45	348	<1	27	436	29	0.13	<5	54	<10	196	1436	905	31	22	9	60
227263	1226096	0.013	<1	3.84	<2	299	<2	13	2.89	<4	5	18	5	1.85	0.09	20	1.40	342	<1	29	427	25	0.15	<5	32	<10	187	1324	420	28	26	8	58
227264	1226097	0.033	<1	2.97	2	240	<2	10	1.95	<4	6	15	15	1.42	0.03	12	1.04	300	<1	22	411	31	0.34	<5	35	<10	157	1240	1098	23	28	8	201
227265	1226098	<0.005	<1	3.73	7	234	<2	15	2.05	<4	7	17	9	1.56	0.02	16	1.10	326	<1	18	425	23	0.42	<5	45	<10	178	1341	438	26	23	8	74
227266	1226099	<0.005	<1	3.39	<2	285	<2	15	1.84	<4	6	13	4	1.69	<0.01	22	1.17	298	<1	19	432	18	0.21	<5	45	10	149	1663	<2	31	20	8	42
227267	1226100	<0.005	1	2.42	<2	457	<2	15	1.57	<4	13	31	20	2.46	0.06	2	0.97	467	<1	18	519	16	0.08	<5	53	<10	280	2153	143	87	46	16	39
227268	1226101	0.017	1	3.27	<2	346	<2	11	1.61	<4	8	16	10	1.62	<0.01	25	1.12	314	<1	19	437	31	0.18	<5	46	<10	145	1677	884	33	24	9	107
227269	1226102	0.007	1	3.54	<2	320	<2	15	1.77	<4	6	17	11	1.53	0.01	22	1.16	343	<1	21	421	33	0.20	<5	42	<10	154	1414	1350	31	24	8	273
227270D	1226102	0.030	1	3.85	<2	334	<2	13	1.85	<4	6	17	12	1.58	<0.01	24	1.20	354	<1	21	433	31	0.21	<5	36	<10	161	1466	1296	32	31	9	285
227271	1226103	0.044	1	2.84	7	465	<2	15	1.19	<4	6	17	50	1.57	0.04	14	0.93	287	<1	27	422	40	0.64	<5	59	<10	123	1427	71	30	31	8	472
227272	1226104	0.015	1	4.20	10	303	<2	16	2.20	<4	6	13	12	1.69	0.06	21	1.27	402	<1	17	427	36	0.70	<5	51	<10	148	1386	1034	27	22	9	78
227273	1226105	0.032	<1	2.39	24	226	<2	18	1.46	<4	5	13	8	1.36	0.12	9	0.85	322	<1	21	378	24	0.73	<5	40	<10	116	1143	<2	21	25	8	50
227274	1226106	0.026	<1	3.46	13	317	<2	16	1.94	<4	6	13	7	1.54	0.15	16	1.07	359	<1	17	407	22	0.48	<5	35	<10	146	1538	633	30	24	8	59

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227275	1226107	<0.005	<1	3.28	<2	210	<2	17	2.17	<4	5	13	5	1.60	0.10	12	1.14	327	<1	18	415	17	0.34	<5	40	<10	167	1302	457	25	22	8	46
227276	1226108	0.051	<1	2.79	7	328	2	17	1.34	<4	8	17	17	1.65	<0.01	13	0.95	319	<1	29	404	20	0.50	<5	47	<10	154	1479	846	30	24	8	71
227277	1226109	<0.005	1	2.75	<2	519	<2	17	1.43	<4	7	21	6	1.65	<0.01	16	0.90	289	<1	33	426	16	0.18	<5	46	<10	147	1700	461	30	22	8	56
227278	1226110	0.311	101	1.87	209	83	<2	15	1.06	25	14	44	6220	5.21	<0.01	2	1.20	1539	5	27	445	10005	2.10	131	34	<10	192	1687	214	75	79	15	5002
227279	1226111	0.179	13	2.30	27	346	<2	9	1.41	<4	7	15	710	1.94	<0.01	13	0.90	434	<1	18	404	1108	0.48	12	42	<10	162	1563	434	35	31	9	623
227280	1226112	0.019	<1	<0.01	<2	202	<2	14	0.62	<4	4	3	19	1.00	<0.01	<1	0.58	200	<1	9	261	27	0.18	<5	25	<10	98	973	404	19	21	5	44
227281D	1226112	0.009	<1	<0.01	2	184	<2	13	0.60	<4	4	2	6	0.96	<0.01	<1	0.57	196	<1	7	240	4	0.17	<5	27	<10	98	929	276	19	17	5	33
227282	1226113	<0.005	<1	<0.01	<2	78	<2	5	<0.01	<4	3	<1	2	0.59	<0.01	<1	0.33	111	<1	2	135	<1	0.10	<5	30	<10	54	529	<2	12	17	3	9
227283	1226114	0.011	<1	<0.01	<2	<1	<2	4	<0.01	<4	6	<1	24	0.47	<0.01	<1	0.12	1132	208	1119	<100	<1	0.01	226	26	<10	<3	4582	330	2	20	<2	2
227284	1226115	<0.005	<1	2.45	3	348	<2	15	1.17	<4	7	9	6	1.41	<0.01	13	0.86	350	6	107	377	<1	0.27	15	35	<10	147	1907	<2	29	23	8	41
227285	1226116	<0.005	1	3.80	<2	462	3	15	1.63	<4	9	14	5	1.55	<0.01	18	0.91	277	<1	21	423	1	0.26	<5	37	<10	194	1840	133	37	25	10	50
227286	1226117	<0.005	<1	2.89	2	313	<2	13	1.66	<4	9	13	12	1.63	0.17	14	0.97	271	<1	22	400	9	0.26	5	54	<10	157	1598	202	31	19	9	43
227287	1226118	0.010	1	3.20	2	293	<2	18	2.11	<4	7	10	11	1.76	0.06	17	1.31	366	<1	14	409	20	0.42	<5	44	<10	155	1574	1183	28	25	9	62
227288	1226119	0.140	2	2.91	28	313	2	16	1.23	<4	6	13	61	1.69	0.03	7	0.86	315	<1	17	394	88	1.26	<5	38	<10	154	1342	715	26	26	8	483
227289	1226120	<0.005	1	1.58	<2	378	<2	12	1.38	<4	13	28	20	2.28	0.21	<1	0.91	423	<1	22	476	11	0.09	<5	34	<10	236	1779	320	78	41	15	40
227290	1226121	0.249	4	2.24	24	382	<2	16	0.38	<4	8	12	16	1.63	0.09	<1	0.54	171	<1	22	325	409	1.47	<5	34	<10	116	1295	535	28	24	7	266
227291	1226122	1.366	4	2.15	35	277	<2	16	<0.01	4	7	12	60	1.94	0.09	<1	0.35	<100	<1	20	297	152	1.98	<5	36	<10	80	1333	743	27	40	7	1285
227292R	1226122	1.170	4	2.84	38	331	<2	13	<0.01	<4	8	13	91	1.95	0.05	2	0.38	<100	<1	21	299	162	1.96	<5	40	<10	88	1502	524	30	37	7	1145
227293	1226123	0.104	<1	3.41	31	321	<2	18	1.02	<4	8	12	23	1.60	0.09	6	0.83	317	<1	19	374	68	1.23	<5	40	<10	121	1478	164	31	24	8	302
227294	1226124	0.094	1	3.78	18	299	<2	17	1.36	<4	7	11	12	1.46	0.14	7	0.92	353	<1	15	412	51	0.91	<5	34	<10	127	1484	162	30	28	8	290

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227295	1226125	0.141	1	3.86	16	340	2	20	1.51	<4	8	13	12	1.45	0.24	11	0.92	363	<1	19	436	46	0.81	<5	45	<10	137	1558	280	30	28	8	330
227296	1226126	0.040	2	5.04	21	355	2	22	2.38	<4	8	11	11	1.68	0.07	14	1.19	457	<1	14	422	47	0.75	<5	47	<10	160	1823	<2	33	20	9	115
227297	1226127	0.038	1	3.84	17	440	<2	20	1.27	<4	8	12	11	1.45	0.10	9	0.87	345	<1	19	408	36	0.70	<5	42	<10	116	1978	<2	37	24	7	133
227298	1226128	0.136	1	3.64	23	456	2	16	0.87	<4	7	13	20	1.40	0.13	6	0.71	257	<1	20	396	32	0.89	<5	41	10	107	1783	690	34	27	7	176
227299	1226129	0.113	1	4.56	14	411	2	15	2.03	<4	8	16	14	1.61	0.19	10	1.09	415	<1	23	427	42	0.76	<5	46	<10	129	1540	643	30	26	9	90
227300	1226130	5.530	2	2.24	419	553	<2	17	2.28	<4	14	105	77	3.21	0.23	7	1.24	444	<1	51	776	27	0.93	8	47	<10	199	1580	1150	123	26	16	218
227301	1226131	0.210	2	2.66	49	192	<2	16	1.10	<4	9	14	32	2.02	0.20	6	0.80	332	<1	23	467	111	1.79	<5	42	<10	102	1377	414	28	25	8	168
227302	1226132	0.033	1	5.14	18	506	<2	22	2.31	<4	8	17	15	1.75	0.18	12	1.23	519	<1	26	521	40	0.77	<5	41	<10	137	1828	470	36	27	9	77
227303D	1226132	0.033	1	4.25	18	461	<2	18	2.29	<4	8	16	16	1.73	0.28	8	1.21	519	<1	24	524	36	0.78	<5	54	<10	133	1664	668	32	25	8	110
227304	1226133	0.211	<1	2.04	48	162	<2	14	1.11	<4	8	14	13	2.03	0.26	5	0.85	398	<1	28	448	44	1.69	<5	47	<10	89	1411	611	29	26	7	130
227305	1226134	0.061	1	4.82	19	400	<2	17	2.42	<4	7	17	29	1.93	0.13	11	1.33	579	<1	24	466	26	0.80	<5	52	<10	143	1719	205	32	24	9	98
227306	1226135	0.079	1	4.23	23	357	<2	16	1.74	<4	10	16	19	1.80	0.14	10	1.08	437	<1	27	426	30	0.96	<5	37	<10	126	1680	<2	31	27	9	113
227307	1226136	0.113	1	3.20	20	424	<2	12	1.51	<4	9	16	16	1.74	0.05	10	0.97	412	<1	24	385	26	0.92	<5	43	<10	120	1840	392	36	24	7	87
227308	1226137	0.054	1	4.10	18	328	<2	20	1.94	<4	9	15	22	1.76	0.20	11	1.17	501	<1	23	516	23	0.97	<5	31	<10	136	1556	171	29	24	9	88
227309	1226138	0.130	2	4.87	13	433	<2	20	1.99	<4	9	17	26	1.87	0.06	14	1.21	525	<1	25	519	36	0.82	<5	52	<10	141	1749	354	34	21	9	113
227310	1226139	0.130	2	4.28	3	389	<2	18	2.06	<4	7	17	20	1.69	0.07	16	1.20	557	<1	23	483	21	0.56	<5	35	<10	146	1620	586	32	26	9	123
227311	1226140	<0.005	1	2.72	<2	437	<2	17	1.57	<4	12	30	20	2.35	0.21	4	0.95	453	<1	19	486	15	0.07	<5	40	<10	272	2044	735	83	44	16	43
227312	1226141	0.029	1	5.02	5	408	<2	20	2.14	<4	9	19	19	1.68	0.28	15	1.25	604	<1	26	470	24	0.60	<5	38	<10	182	1821	441	35	27	9	280
227313	1226142	0.057	1	4.05	8	477	<2	17	1.66	<4	8	14	17	1.53	0.37	12	0.92	431	<1	21	434	20	0.61	<5	46	<10	173	1740	320	35	29	8	100
227314D	1226142	0.047	1	4.49	4	559	<2	17	1.83	<4	6	16	17	1.59	0.20	18	0.94	449	<1	22	453	20	0.59	<5	57	<10	192	1949	1024	39	27	7	97

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227315	1226143	0.138	<1	3.53	3	401	<2	23	1.71	<4	7	16	17	1.58	0.20	11	0.82	442	<1	24	397	22	0.47	<5	40	<10	198	1800	303	33	23	8	81
227316	1226144	0.218	1	5.83	7	406	<2	20	2.04	<4	9	19	14	1.91	0.67	19	0.99	518	<1	28	534	22	0.48	<5	50	<10	276	2222	1354	39	28	10	85
227317	1226145	0.069	<1	3.23	<2	440	<2	18	1.64	<4	9	15	6	1.82	0.10	14	0.88	481	<1	24	378	21	0.36	<5	56	<10	263	2129	348	40	24	8	66
227318	1226146	0.031	1	3.33	8	460	<2	16	1.61	<4	9	13	6	1.62	0.09	12	0.78	386	<1	21	413	18	0.52	<5	45	<10	272	1807	1105	38	24	7	66
227319	1226147	0.028	1	3.72	3	501	<2	19	1.81	<4	9	13	12	1.80	0.05	12	0.89	505	<1	20	404	27	0.85	<5	59	<10	298	1815	942	38	27	7	103
227320	1226148	0.033	1	3.60	<2	645	<2	12	1.75	<4	10	26	16	1.61	0.01	15	1.16	625	<1	32	511	34	0.48	<5	41	<10	220	1714	365	34	32	9	584
227321	1226149	0.046	2	9.25	2	868	2	20	2.82	<4	9	27	16	2.23	0.35	34	1.46	888	<1	29	526	44	0.89	<5	56	<10	320	2150	508	46	34	12	340
227322	1226150	1.497	4	3.15	30	101	<2	13	2.44	4	18	57	6982	4.78	<0.01	3	1.15	525	720	18	806	45	2.58	<5	47	<10	244	781	452	105	28	15	97
227323	1226151	0.056	1	4.01	2	556	<2	19	2.03	<4	10	29	174	1.71	0.06	16	1.36	723	2	34	530	41	0.50	<5	41	<10	212	1627	336	36	30	9	331
227324	1226152	0.159	<1	3.55	9	646	<2	18	1.56	4	7	11	23	1.76	0.15	15	0.90	546	<1	17	387	28	0.87	<5	47	<10	187	1862	424	35	37	7	1316
227325D	1226152	0.158	1	2.73	4	518	<2	16	1.18	4	8	10	22	1.80	<0.01	13	0.91	543	<1	20	407	24	0.94	<5	46	<10	151	1723	280	32	39	8	1370
227326	1226153	0.228	<1	2.71	2	565	<2	13	1.53	<4	7	9	14	1.80	0.27	11	0.92	628	<1	16	412	28	0.77	<5	50	<10	161	1750	<2	31	28	8	565
227327	1226154	0.040	1	5.60	3	619	<2	20	2.25	<4	8	12	10	1.72	0.14	19	0.83	564	<1	17	399	22	0.71	<5	49	<10	216	1855	<2	34	29	9	210
227328	1226155	0.030	1	4.58	7	614	<2	19	2.14	<4	9	10	20	1.66	0.18	16	0.80	525	<1	18	384	22	0.68	<5	46	<10	214	1790	710	33	28	9	168
227329	1226156	0.033	1	2.51	4	528	<2	16	1.70	<4	6	9	20	1.65	0.07	8	0.76	531	<1	20	382	20	0.65	<5	43	14	176	1738	74	29	26	7	160
227330	1226157	0.014	<1	3.09	<2	729	<2	16	1.37	<4	7	12	29	1.37	0.05	16	0.89	452	<1	21	387	18	0.36	<5	40	<10	182	1643	37	32	26	7	139
227331	1226158	0.013	<1	2.59	<2	663	<2	12	1.34	<4	6	14	12	1.17	0.05	13	0.90	380	<1	21	333	25	0.37	<5	40	<10	173	1363	547	28	24	6	97
227332	1226159	0.315	2	3.29	3	531	<2	16	1.85	<4	8	19	22	2.01	0.02	21	1.20	528	<1	23	394	14	0.73	<5	40	<10	207	1855	33	37	22	11	68
227333	1226160	0.007	2	3.18	<2	501	<2	16	1.66	<4	13	32	21	2.42	0.16	7	0.96	465	<1	20	503	16	0.10	<5	48	<10	291	2194	<2	87	48	16	45
227334	1226161	0.028	2	3.56	<2	359	<2	17	1.82	<4	13	33	38	3.10	0.11	19	1.33	580	<1	28	528	17	0.99	<5	35	<10	203	2554	164	64	24	17	81

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227335	1226162	0.029	1	3.87	<2	357	<2	13	2.10	<4	12	30	29	2.61	0.09	21	1.31	552	<1	31	482	22	0.98	<5	46	<10	240	2408	453	53	27	16	72
227336D	1226162	0.024	1	3.74	2	357	<2	18	2.10	<4	13	32	28	2.53	0.10	20	1.27	538	<1	32	459	16	0.93	<5	44	<10	240	2362	1058	52	20	16	70
227337	1226163	0.010	1	3.10	13	332	<2	17	1.38	<4	6	14	11	1.24	0.03	11	0.87	242	<1	18	307	13	0.48	<5	44	<10	243	1319	439	29	24	6	29
227338	1226164	0.011	2	4.24	37	452	<2	13	1.22	<4	5	12	8	1.16	0.01	18	0.84	195	<1	16	308	16	0.67	<5	62	<10	235	1355	<2	30	25	7	20
227339	1226165	0.009	1	4.28	15	506	<2	19	1.32	<4	4	12	10	1.13	0.03	19	0.97	245	<1	16	318	10	0.68	<5	52	<10	216	1365	<2	28	25	7	18
227340	1226166	0.012	1	3.28	21	549	<2	15	1.18	<4	7	9	9	1.26	0.17	9	0.88	202	<1	16	327	19	0.88	<5	51	<10	207	1306	648	27	23	6	30
227341	1226167	0.024	2	2.51	12	656	<2	20	1.08	<4	7	13	15	1.43	0.13	7	0.93	282	<1	24	356	39	0.74	<5	38	<10	178	1155	525	26	22	6	49
227342	1226168	0.008	1	3.90	<2	673	<2	15	1.08	<4	3	8	7	1.01	<0.01	13	0.79	220	<1	16	269	21	0.17	<5	46	<10	202	1203	184	23	23	6	34
227343	1226169	0.023	2	4.60	<2	692	<2	18	2.36	<4	14	31	52	2.42	<0.01	18	1.41	558	<1	41	511	36	0.75	<5	63	<10	219	1704	1126	46	20	10	106
227344	1226170	0.298	105	2.43	237	85	<2	18	1.11	25	14	45	6079	5.40	<0.01	3	1.24	1613	4	26	479	9882	2.39	219	34	<10	211	1772	955	81	80	16	4922
227345	1226171	0.037	4	4.93	4	410	<2	15	3.12	<4	15	38	201	3.39	<0.01	18	1.88	907	<1	37	600	228	1.22	<5	41	<10	237	2189	<2	61	25	14	215
227346	1226172	0.036	3	5.01	2	411	<2	15	2.59	<4	14	38	122	2.99	<0.01	17	1.63	724	<1	44	632	37	1.23	<5	35	<10	207	1879	464	50	30	11	518
227347D	1226172	0.035	3	4.37	6	331	<2	20	2.46	<4	15	36	118	2.93	<0.01	14	1.57	700	<1	45	608	39	1.24	<5	52	<10	195	1766	385	48	32	10	518
227348	1226173	0.044	3	4.50	21	415	2	18	2.23	<4	10	20	80	2.05	<0.01	15	1.26	517	<1	31	420	52	1.10	<5	46	<10	226	1347	78	29	28	8	112
227349	1226174	0.055	2	2.36	23	291	<2	13	1.46	<4	10	22	44	1.92	0.06	6	1.04	414	<1	40	439	59	1.49	<5	37	<10	163	1176	332	29	27	8	191
227350	1226175	0.016	1	3.18	17	521	<2	18	1.44	<4	7	14	16	1.47	0.09	11	0.99	400	<1	22	371	47	0.83	<5	49	<10	186	1547	860	31	27	6	158
227351	1226176	0.013	1	2.11	9	467	<2	15	1.12	<4	8	14	16	1.35	0.14	7	0.91	363	<1	20	341	41	0.79	<5	42	<10	157	1392	67	28	25	5	132
227352	1226177	0.071	2	3.69	23	489	2	16	1.70	<4	9	13	52	1.57	0.12	15	1.14	477	<1	23	349	41	1.01	<5	50	<10	187	1478	453	28	27	7	151
227353	1226178	0.136	2	2.76	39	273	<2	18	1.51	<4	8	9	34	1.82	0.11	9	1.03	390	<1	18	340	27	1.60	<5	53	<10	156	1092	1060	21	26	7	106
227354	1226179	0.310	2	3.12	57	221	<2	17	1.79	5	7	15	37	2.22	0.06	11	1.31	456	<1	23	306	27	2.01	<5	30	<10	122	1023	520	22	42	8	1632

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227355	1226180	<0.005	1	2.05	4	475	<2	18	1.56	<4	14	31	21	2.50	0.13	<1	0.96	474	<1	21	516	10	0.10	<5	30	<10	282	2146	578	89	52	15	65
227356	1226181	0.106	1	2.86	28	325	<2	16	1.70	<4	5	10	19	1.55	0.11	10	1.13	399	<1	20	329	41	1.10	<5	39	<10	123	974	<2	19	26	8	623
227357	1226182	0.024	1	3.70	8	485	<2	11	2.06	<4	5	9	12	1.32	0.17	10	1.26	490	<1	16	336	45	0.55	<5	43	<10	148	1131	414	20	23	8	104
227358R	1226182	0.027	<1	3.75	9	513	<2	15	1.90	<4	7	9	9	1.31	0.03	13	1.21	470	<1	14	339	45	0.60	<5	37	<10	145	1168	846	21	26	8	116
227359	1226183	0.046	1	4.16	24	535	<2	15	2.34	<4	8	10	19	1.94	<0.01	17	1.34	674	<1	16	487	23	0.99	<5	33	<10	155	1757	248	34	28	9	415
227360	1226184	0.074	2	5.43	19	480	<2	16	2.85	<4	11	14	35	2.43	<0.01	18	1.53	908	<1	20	518	16	1.32	<5	49	<10	166	2112	<2	41	30	10	421
227361	1226185	0.067	1	4.48	13	623	<2	13	2.11	<4	11	10	29	1.85	0.02	18	1.19	549	<1	18	477	21	0.92	<5	43	<10	146	1983	204	39	27	9	173
227362	1226186	0.047	1	5.27	13	694	2	19	2.74	<4	8	11	37	1.95	<0.01	18	1.52	775	<1	15	504	35	0.80	<5	54	10	167	2028	46	44	33	9	709
227363	1226187	0.041	2	4.77	7	506	<2	17	2.21	11	9	11	50	2.15	<0.01	17	1.40	788	<1	17	495	22	1.14	<5	41	<10	150	1864	459	39	65	9	2896
227364	1226188	0.060	1	4.45	<2	517	<2	18	1.51	<4	9	15	43	2.07	0.10	23	1.14	632	<1	20	502	17	0.48	<5	52	<10	137	2316	647	47	26	8	201
227365	1226189	0.032	2	5.49	6	515	<2	23	1.75	<4	9	14	23	1.87	0.16	26	1.15	636	<1	15	488	14	0.33	<5	41	<10	150	2164	<2	43	24	9	151
227366	1226190	5.406	2	3.00	423	1028	<2	20	2.46	<4	14	111	77	3.37	<0.01	10	1.32	478	<1	50	803	30	1.02	16	36	10	215	1729	<2	132	31	17	234
227367	1226191	0.058	2	3.45	21	485	<2	17	1.62	<4	9	16	36	2.00	0.12	14	1.09	698	<1	18	498	23	0.70	<5	46	<10	133	2002	854	45	35	8	573
227368	1226192	0.253	2	4.37	29	287	<2	15	3.94	4	8	16	89	2.99	<0.01	16	2.06	1378	<1	22	452	37	2.12	<5	34	<10	168	1855	1951	38	39	11	624
227369D	1226192	0.284	2	4.44	31	264	<2	17	4.12	4	8	16	88	3.05	<0.01	15	2.10	1426	<1	20	444	47	2.23	<5	49	<10	170	1880	<2	38	39	10	617
227370	1226193	0.203	2	6.28	20	572	<2	14	2.75	<4	8	19	21	2.13	0.04	18	1.56	798	<1	29	550	53	1.45	<5	49	<10	166	1823	94	47	39	10	544
227371	1226194	0.057	1	3.03	15	412	3	14	1.50	<4	10	17	22	1.78	0.07	11	1.17	652	<1	28	491	26	0.69	<5	51	<10	127	1666	1217	42	28	11	223
227372	1226195	0.045	2	5.11	8	544	<2	21	2.77	<4	8	20	20	2.27	0.13	18	1.85	1059	<1	34	514	127	0.98	<5	60	<10	171	1825	716	47	76	10	598
227373	1226196	0.017	1	4.00	11	491	<2	18	1.77	<4	9	17	11	2.09	0.20	16	1.49	797	<1	29	538	30	0.92	<5	28	<10	145	1802	90	41	28	9	110
227374	1226197	<0.005	1	5.62	12	595	<2	16	1.98	<4	10	20	4	2.09	0.11	24	1.61	771	<1	29	518	22	0.62	<5	56	<10	173	2150	546	49	30	10	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 27, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227375	1226198	0.038	2	6.10	10	620	<2	21	2.85	4	8	20	21	2.36	0.10	22	1.88	1075	<1	31	537	137	1.00	<5	46	<10	186	1929	1226	48	46	11	1372
227376	1226199	0.007	<1	4.13	4	527	<2	25	1.36	<4	9	16	16	2.14	0.27	17	1.68	697	<1	29	526	27	0.55	<5	50	<10	154	2005	937	44	32	9	133
227377	1226200	<0.005	1	2.42	<2	435	<2	19	1.58	<4	12	31	22	2.47	0.27	3	1.02	473	<1	23	517	16	0.09	<5	47	<10	260	2022	284	86	51	16	44
227378	1226201	<0.005	1	4.38	6	525	<2	19	1.68	<4	10	18	10	2.00	0.17	21	1.66	731	<1	28	518	23	0.49	<5	46	<10	176	2027	<2	47	28	9	56
227379	1226202	<0.005	1	4.53	2	551	<2	12	1.88	<4	8	17	6	2.06	0.22	23	1.93	1076	<1	27	474	22	0.38	<5	49	<10	177	2058	1079	46	28	9	83
227380D	1226202	<0.005	1	4.53	<2	600	2	14	2.01	<4	9	20	6	2.16	0.16	19	2.00	1136	<1	35	499	22	0.39	<5	48	<10	187	2218	<2	52	29	8	87
227381	1226203	<0.005	1	4.65	<2	537	<2	19	1.87	<4	9	23	5	2.13	0.26	18	1.76	938	<1	43	542	21	0.43	<5	57	<10	191	1918	597	50	29	9	73

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227095	1079183	82	0.002	0.082
227096	1079184	40	0.001	0.040
227097	1079185	146	0.004	0.146
227098	1079186	125	0.004	0.125
227099	1079187	21	<0.001	0.021
227100	1079188	12	<0.001	0.012
227101	1079189	13	<0.001	0.013
227102	1079190	4982	0.145	4.982
227103	1079191	218	0.006	0.218
227104	1079192	14	<0.001	0.014
227105 Dup	1079192	12	<0.001	0.012
227106	1079193	9	<0.001	0.009
227107	1079194	17	<0.001	0.017
227108	1079195	10	<0.001	0.010
227109	1079196	11	<0.001	0.011
227110	1079197	48	0.001	0.048
227111	1079198	18	<0.001	0.018
227112	1079199	19	<0.001	0.019
227113	1079200	<5	<0.001	<0.005
227114	1079201	13	<0.001	0.013
227115	1079202	27	<0.001	0.027
227116 Dup	1079202	20	<0.001	0.020
227117	1079203	20	<0.001	0.020
227118	1079204	14	<0.001	0.014
227119	1079205	18	<0.001	0.018
227120	1079206	16	<0.001	0.016
227121	1079207	21	<0.001	0.021
227122	1079208	31	<0.001	0.031
227123	1079209	84	0.002	0.084
227124	1079210	1458	0.043	1.458

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227125	1079211	63	0.002	0.063
227126	1079212	23	<0.001	0.023
227127 Dup	1079212	25	<0.001	0.025
227128	1079213	14	<0.001	0.014
227129	1079214	9	<0.001	0.009
227130	1079215	10	<0.001	0.010
227131	1079216	12	<0.001	0.012
227132	1079217	20	<0.001	0.020
227133	1079218	40	0.001	0.040
227134	1079219	42	0.001	0.042
227135	1079220	6	<0.001	0.006
227136	1079221	23	<0.001	0.023
227137	1079222	39	0.001	0.039
227138 Dup	1079222	31	<0.001	0.031
227139	1079223	20	<0.001	0.020
227140	1079224	32	<0.001	0.032
227141	1079225	<5	<0.001	<0.005
227142	1079226	<5	<0.001	<0.005
227143	1079227	10	<0.001	0.010
227144	1079228	10	<0.001	0.010
227145	1079229	15	<0.001	0.015
227146	1079230	237	0.007	0.237
227147	1079231	16	<0.001	0.016
227148	1079232	<5	<0.001	<0.005
227149 Dup	1079232	<5	<0.001	<0.005
227150	1079233	<5	<0.001	<0.005
227151	1079234	<5	<0.001	<0.005
227152	1079235	5	<0.001	0.005
227153	1079236	<5	<0.001	<0.005
227154	1079237	32	<0.001	0.032

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227155	1079238	<5	<0.001	<0.005
227156	1079239	<5	<0.001	<0.005
227157	1079240	<5	<0.001	<0.005
227158	1079241	12	<0.001	0.012
227159	1079242	11	<0.001	0.011
227160 Rep	1079242	12	<0.001	0.012
227161	1079243	21	<0.001	0.021
227162	1079244	36	0.001	0.036
227163	1079245	291	0.008	0.291
227164	1079246	193	0.006	0.193
227165	1079247	67	0.002	0.067
227166	1079248	106	0.003	0.106
227167	1079249	96	0.003	0.096
227168	1226010	5561	0.162	5.561
227169	1226011	44	0.001	0.044
227170	1226012	59	0.002	0.059
227171 Dup	1226012	54	0.002	0.054
227172	1226013	146	0.004	0.146
227173	1226014	117	0.003	0.117
227174	1226015	51	0.001	0.051
227175	1226016	30	<0.001	0.030
227176	1226017	62	0.002	0.062
227177	1226018	74	0.002	0.074
227178	1226019	34	0.001	0.034
227179	1226020	<5	<0.001	<0.005
227180	1226021	31	<0.001	0.031
227181	1226022	32	<0.001	0.032
227182 Dup	1226022	30	<0.001	0.030
227183	1226023	13	<0.001	0.013
227184	1226024	11	<0.001	0.011

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227185	1226025	12	<0.001	0.012
227186	1226026	31	<0.001	0.031
227187	1226027	184	0.005	0.184
227188	1226028	29	<0.001	0.029
227189	1226029	36	0.001	0.036
227190	1226030	1436	0.042	1.436
227191	1226031	31	<0.001	0.031
227192	1226032	33	<0.001	0.033
227193 Dup	1226032	11	<0.001	0.011
227194	1226033	9	<0.001	0.009
227195	1226034	9	<0.001	0.009
227196	1226035	13	<0.001	0.013
227197	1226036	15	<0.001	0.015
227198	1226037	8	<0.001	0.008
227199	1226038	7	<0.001	0.007
227200	1226039	7	<0.001	0.007
227201	1226040	5	<0.001	0.005
227202	1226041	10	<0.001	0.010
227203	1226042	25	<0.001	0.025
227204 Dup	1226042	8	<0.001	0.008
227205	1226043	5	<0.001	0.005
227206	1226044	<5	<0.001	<0.005
227207	1226045	6	<0.001	0.006
227208	1226046	8	<0.001	0.008
227209	1226047	5	<0.001	0.005
227210	1226048	6	<0.001	0.006
227211	1226049	9	<0.001	0.009
227212	1226050	242	0.007	0.242
227213	1226051	12	<0.001	0.012
227214	1226052	15	<0.001	0.015

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227215 Dup	1226052	16	<0.001	0.016
227216	1226053	15	<0.001	0.015
227217	1226054	13	<0.001	0.013
227218	1226055	13	<0.001	0.013
227219	1226056	22	<0.001	0.022
227220	1226057	7	<0.001	0.007
227221	1226058	18	<0.001	0.018
227222	1226059	27	<0.001	0.027
227223	1226060	<5	<0.001	<0.005
227224	1226061	37	0.001	0.037
227225	1226062	54	0.002	0.054
227226 Rep	1226062	56	0.002	0.056
227227	1226063	87	0.003	0.087
227228	1226064	9	<0.001	0.009
227229	1226065	<5	<0.001	<0.005
227230	1226066	5	<0.001	0.005
227231	1226067	15	<0.001	0.015
227232	1226068	<5	<0.001	<0.005
227233	1226069	<5	<0.001	<0.005
227234	1226070	5002	0.146	5.002
227235	1226071	16	<0.001	0.016
227236	1226072	6	<0.001	0.006
227237 Dup	1226072	6	<0.001	0.006
227238	1226073	8	<0.001	0.008
227239	1226074	9	<0.001	0.009
227240	1226075	8	<0.001	0.008
227241	1226076	9	<0.001	0.009
227242	1226077	<5	<0.001	<0.005
227243	1226078	6	<0.001	0.006
227244	1226079	8	<0.001	0.008

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227245	1226080	<5	<0.001	<0.005
227246	1226081	11	<0.001	0.011
227247	1226082	7	<0.001	0.007
227248 Dup	1226082	11	<0.001	0.011
227249	1226083	<5	<0.001	<0.005
227250	1226084	706	0.021	0.706
227251	1226085	16	<0.001	0.016
227252	1226086	16	<0.001	0.016
227253	1226087	9	<0.001	0.009
227254	1226088	9	<0.001	0.009
227255	1226089	5	<0.001	0.005
227256	1226090	1489	0.043	1.489
227257	1226091	7	<0.001	0.007
227258	1226092	<5	<0.001	<0.005
227259 Dup	1226092	6	<0.001	0.006
227260	1226093	7	<0.001	0.007
227261	1226094	6	<0.001	0.006
227262	1226095	40	0.001	0.040
227263	1226096	13	<0.001	0.013
227264	1226097	33	<0.001	0.033
227265	1226098	<5	<0.001	<0.005
227266	1226099	<5	<0.001	<0.005
227267	1226100	<5	<0.001	<0.005
227268	1226101	17	<0.001	0.017
227269	1226102	7	<0.001	0.007
227270 Dup	1226102	30	<0.001	0.030
227271	1226103	44	0.001	0.044
227272	1226104	15	<0.001	0.015
227273	1226105	32	<0.001	0.032
227274	1226106	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227275	1226107	<5	<0.001	<0.005
227276	1226108	51	0.001	0.051
227277	1226109	<5	<0.001	<0.005
227278	1226110	311	0.009	0.311
227279	1226111	179	0.005	0.179
227280	1226112	19	<0.001	0.019
227281 Dup	1226112	9	<0.001	0.009
227282	1226113	<5	<0.001	<0.005
227283	1226114	11	<0.001	0.011
227284	1226115	<5	<0.001	<0.005
227285	1226116	<5	<0.001	<0.005
227286	1226117	<5	<0.001	<0.005
227287	1226118	10	<0.001	0.010
227288	1226119	140	0.004	0.140
227289	1226120	<5	<0.001	<0.005
227290	1226121	249	0.007	0.249
227291	1226122	1366	0.040	1.366
227292 Rep	1226122	1170	0.034	1.170
227293	1226123	104	0.003	0.104
227294	1226124	94	0.003	0.094
227295	1226125	141	0.004	0.141
227296	1226126	40	0.001	0.040
227297	1226127	38	0.001	0.038
227298	1226128	136	0.004	0.136
227299	1226129	113	0.003	0.113
227300	1226130	5530	0.161	5.530
227301	1226131	210	0.006	0.210
227302	1226132	33	<0.001	0.033
227303 Dup	1226132	33	<0.001	0.033
227304	1226133	211	0.006	0.211

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227305	1226134	61	0.002	0.061
227306	1226135	79	0.002	0.079
227307	1226136	113	0.003	0.113
227308	1226137	54	0.002	0.054
227309	1226138	130	0.004	0.130
227310	1226139	130	0.004	0.130
227311	1226140	<5	<0.001	<0.005
227312	1226141	29	<0.001	0.029
227313	1226142	57	0.002	0.057
227314 Dup	1226142	47	0.001	0.047
227315	1226143	138	0.004	0.138
227316	1226144	218	0.006	0.218
227317	1226145	69	0.002	0.069
227318	1226146	31	<0.001	0.031
227319	1226147	28	<0.001	0.028
227320	1226148	33	<0.001	0.033
227321	1226149	46	0.001	0.046
227322	1226150	1497	0.044	1.497
227323	1226151	56	0.002	0.056
227324	1226152	159	0.005	0.159
227325 Dup	1226152	158	0.005	0.158
227326	1226153	228	0.007	0.228
227327	1226154	40	0.001	0.040
227328	1226155	30	<0.001	0.030
227329	1226156	33	<0.001	0.033
227330	1226157	14	<0.001	0.014
227331	1226158	13	<0.001	0.013
227332	1226159	315	0.009	0.315
227333	1226160	7	<0.001	0.007
227334	1226161	28	<0.001	0.028

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227335	1226162	29	<0.001	0.029
227336 Dup	1226162	24	<0.001	0.024
227337	1226163	10	<0.001	0.010
227338	1226164	11	<0.001	0.011
227339	1226165	9	<0.001	0.009
227340	1226166	12	<0.001	0.012
227341	1226167	24	<0.001	0.024
227342	1226168	8	<0.001	0.008
227343	1226169	23	<0.001	0.023
227344	1226170	298	0.009	0.298
227345	1226171	37	0.001	0.037
227346	1226172	36	0.001	0.036
227347 Dup	1226172	35	0.001	0.035
227348	1226173	44	0.001	0.044
227349	1226174	55	0.002	0.055
227350	1226175	16	<0.001	0.016
227351	1226176	13	<0.001	0.013
227352	1226177	71	0.002	0.071
227353	1226178	136	0.004	0.136
227354	1226179	310	0.009	0.310
227355	1226180	<5	<0.001	<0.005
227356	1226181	106	0.003	0.106
227357	1226182	24	<0.001	0.024
227358 Rep	1226182	27	<0.001	0.027
227359	1226183	46	0.001	0.046
227360	1226184	74	0.002	0.074
227361	1226185	67	0.002	0.067
227362	1226186	47	0.001	0.047
227363	1226187	41	0.001	0.041
227364	1226188	60	0.002	0.060

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 5, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/05/2011  
 Job #: 201143393  
 Reference: TL11217  
 Sample #: 261

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227365	1226189	32	<0.001	0.032
227366	1226190	5406	0.158	5.406
227367	1226191	58	0.002	0.058
227368	1226192	253	0.007	0.253
227369 Dup	1226192	284	0.008	0.284
227370	1226193	203	0.006	0.203
227371	1226194	57	0.002	0.057
227372	1226195	45	0.001	0.045
227373	1226196	17	<0.001	0.017
227374	1226197	<5	<0.001	<0.005
227375	1226198	38	0.001	0.038
227376	1226199	7	<0.001	0.007
227377	1226200	<5	<0.001	<0.005
227378	1226201	<5	<0.001	<0.005
227379	1226202	<5	<0.001	<0.005
227380 Dup	1226202	<5	<0.001	<0.005
227381	1226203	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/04/2011  
 Date Completed: 11/07/2011  
 Job #: 201143609  
 Reference: TL11217  
 Sample #: 6

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
241285	1226093	<0.001	<0.001	0.002		2.96%	29.67
241286	1226094	10.970	11.123	104.059	15.671	4.97%	49.77
241287	1226095	0.061	0.042	0.033	0.049	10.90%	32.92
241288	1226096	0.012	0.013	0.017	0.013	7.64%	24.3
241289	1226097	0.018	0.018	0.035	0.018	2.81%	28.13
241290	1226098	0.044	0.034	0.072	0.040	2.79%	28

PROCEDURE CODES: ALPM1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227642	1184381	0.066	4	3.10	39	259	<2	4	1.14	<4	12	57	36	2.24	<0.01	12	0.86	519	23	52	381	374	9.86	<5	13	<10	154	1643	<2	47	25	11	315
227643	1184382	0.007	2	4.52	23	475	<2	6	0.47	16	9	20	36	0.85	<0.01	5	0.40	146	15	32	344	54	4.44	<5	32	<10	185	1675	<2	39	58	8	3453
227644	1184383	0.013	2	4.05	20	376	<2	<1	1.30	<4	7	16	13	0.46	<0.01	<1	0.32	168	16	32	289	46	1.80	<5	25	<10	234	1304	<2	32	23	6	58
227645	1184384	0.011	1	3.92	17	383	<2	<1	0.74	<4	6	13	11	0.40	<0.01	<1	0.30	103	14	27	388	54	1.46	<5	26	<10	193	1458	<2	31	24	6	124
227646	1184385	0.024	1	1.12	12	263	<2	<1	<0.01	<4	5	10	5	0.33	<0.01	<1	0.23	<100	13	22	354	38	1.23	<5	22	<10	94	1305	<2	24	22	5	66
227647	1184386	0.032	2	4.72	16	486	<2	7	0.05	<4	6	16	7	0.39	<0.01	2	0.36	<100	18	22	355	36	1.17	<5	31	<10	129	1836	<2	35	22	6	69
227648	1184387	0.016	2	2.94	15	383	<2	3	0.83	<4	7	14	12	0.31	<0.01	<1	0.28	<100	13	28	343	43	0.91	<5	23	<10	202	1385	<2	28	20	6	32
227649	1184388	0.013	2	1.23	25	241	<2	4	1.10	<4	6	13	10	0.79	<0.01	<1	0.27	165	11	30	377	54	3.89	<5	24	<10	186	1136	<2	26	18	5	46
227650	1184389	0.023	2	0.29	22	161	<2	3	1.21	<4	5	16	15	0.43	<0.01	<1	0.19	144	11	36	362	55	1.68	<5	16	<10	176	1107	<2	23	20	5	32
227651	1184390	1.429	<1	<0.01	10	279	<2	<1	1.17	<4	13	30	24	2.49	<0.01	<1	0.91	473	10	31	549	29	0.48	<5	16	<10	209	1861	<2	80	45	14	35
227652D	1184390																IS																
227653	1184391	0.019	3	0.21	18	137	<2	<1	0.98	<4	6	11	7	0.40	<0.01	<1	0.19	135	10	28	317	43	1.76	<5	15	<10	162	1165	<2	21	19	4	12
227654	1184392	0.023	3	4.79	18	467	<2	<1	0.91	<4	11	13	5	0.72	<0.01	4	0.39	153	15	28	339	48	3.20	<5	34	<10	279	1694	<2	33	20	7	31
227655	1184393	<0.005	2	3.63	7	431	<2	8	1.95	<4	8	21	11	1.72	<0.01	12	0.92	473	15	40	464	57	2.91	<5	20	<10	257	1877	<2	35	21	8	42
227656	1184394	0.145	2	3.85	34	476	<2	4	1.76	<4	8	23	92	1.83	<0.01	7	0.95	683	15	36	513	246	5.68	<5	26	<10	166	1738	<2	34	20	9	330
227657	1184395	0.228	4	3.25	24	386	<2	5	1.17	7	7	26	31	1.63	<0.01	7	0.98	503	16	43	308	754	7.48	<5	18	<10	155	1227	<2	25	41	7	1706
227658	1184396	0.019	2	4.15	16	447	2	<1	1.24	<4	3	19	15	1.36	<0.01	12	1.09	526	17	38	233	300	4.91	<5	34	<10	173	1124	<2	19	26	7	337
227659	1184397	0.016	1	4.92	10	597	2	<1	1.31	<4	5	13	12	1.24	<0.01	15	1.03	596	17	27	327	72	2.71	<5	30	<10	161	1202	<2	19	27	7	120
227660	1184398	0.016	1	4.81	8	553	<2	<1	0.90	<4	4	11	8	1.02	<0.01	13	0.83	381	17	22	271	49	3.00	<5	36	<10	149	1145	<2	19	25	6	488
227661	1184399	0.023	<1	2.85	13	326	<2	1	1.08	<4	3	11	6	1.09	<0.01	1	0.95	470	13	28	264	45	2.50	<5	25	<10	141	853	<2	17	18	5	34

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227662	1184400	0.007	2	3.43	461	1134	<2	<1	2.36	4	15	111	84	3.34	<0.01	15	1.28	488	31	58	806	54	5.62	32	26	<10	225	1864	<2	128	30	16	211
227663D	1184400	IS																															
227664	1184401	0.023	<1	2.83	20	420	<2	10	0.44	<4	3	11	8	0.94	<0.01	<1	0.74	293	14	25	239	45	2.94	<5	31	<10	101	907	<2	17	20	5	38
227665	1184402	0.065	<1	3.68	20	450	<2	<1	1.08	<4	4	12	16	1.16	<0.01	7	1.07	529	16	25	256	55	3.43	<5	16	<10	116	1039	<2	17	22	5	67
227666	1184403	0.021	<1	4.79	19	486	<2	<1	1.05	<4	4	15	6	1.07	<0.01	13	1.13	722	16	23	275	53	3.58	<5	31	<10	113	994	<2	19	23	6	61
227667	1184404	0.032	1	4.89	13	535	<2	1	0.22	<4	2	14	13	1.09	<0.01	17	0.92	704	16	30	258	57	2.70	<5	25	<10	115	1078	<2	19	22	6	58
227668	1184405	0.147	2	4.39	32	414	<2	8	0.22	12	4	13	109	1.74	<0.01	24	1.10	1309	18	30	234	71	8.65	<5	25	<10	120	899	<2	17	59	6	3156
227669	1184406	0.121	2	3.91	26	440	<2	5	0.23	9	4	14	51	1.41	<0.01	21	1.05	1116	17	28	243	70	6.07	<5	26	<10	118	931	<2	18	48	5	2419
227670	1184407	0.050	<1	5.08	18	500	2	4	1.27	<4	3	15	10	1.13	<0.01	17	1.34	1484	18	27	255	45	2.37	<5	29	<10	175	1041	<2	18	20	6	80
227671	1184408	0.013	1	4.66	9	464	<2	<1	1.45	<4	3	14	8	1.05	<0.01	10	1.06	1023	17	29	256	59	1.94	<5	31	<10	218	998	<2	18	23	6	59
227672	1184409	0.009	<1	3.78	6	385	<2	6	1.23	<4	3	14	9	1.01	<0.01	12	1.01	1159	14	27	246	63	1.43	<5	10	<10	207	1018	<2	18	21	5	36
227673	1184410	0.285	>100	3.16	267	144	<2	9	1.12	27	16	47	>5000	5.63	<0.01	5	1.28	1724	36	34	497	>5000	>10.00	380	9	<10	226	1865	<2	84	76	16	4813
227674D	1184410	IS																															
227675	1184411	0.009	<1	2.18	9	310	<2	<1	0.87	<4	3	16	12	0.93	<0.01	4	0.94	868	13	27	196	101	1.35	<5	14	<10	173	941	<2	15	23	4	95
227676	1184412	0.021	1	3.98	26	517	2	8	1.02	<4	4	11	13	1.11	<0.01	11	1.05	769	15	26	251	214	3.47	<5	34	<10	182	1080	<2	18	25	5	241
227677	1184413	0.010	<1	5.20	7	793	2	16	1.44	<4	3	14	12	0.87	<0.01	20	0.85	651	22	21	260	75	1.57	<5	41	<10	177	1206	<2	21	25	6	103
227678	1184414	0.016	<1	3.29	12	486	<2	9	1.05	<4	3	16	10	0.93	<0.01	6	0.82	502	16	25	224	47	1.51	<5	16	<10	202	929	<2	17	21	5	36
227679	1184415	0.080	2	2.55	3	273	2	2	1.18	4	21	117	130	3.26	<0.01	9	1.54	761	16	79	507	247	5.09	<5	27	<10	147	1702	6	68	25	11	273
227680	1184416	0.159	3	4.51	70	415	2	<1	0.83	<4	14	62	44	2.28	<0.01	9	0.76	368	20	52	437	525	>10.00	<5	22	<10	135	1615	<2	52	30	9	605
227681	1184417	0.049	1	4.63	16	556	<2	<1	2.06	<4	7	24	28	1.64	<0.01	12	1.09	573	20	33	456	95	2.62	<5	16	<10	210	1745	<2	33	25	8	104

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227682	1184418	0.032	1	5.02	6	521	2	<1	2.63	<4	7	16	33	1.96	<0.01	10	1.18	613	16	27	504	73	2.63	<5	34	<10	230	1673	<2	34	26	9	145
227683	1184419	0.340	1	4.55	9	398	<2	16	2.42	<4	7	13	86	1.82	<0.01	7	1.15	625	14	24	476	69	2.66	<5	38	<10	205	1534	<2	30	28	8	611
227684	1184420	<0.005	<1	1.69	4	374	<2	8	1.36	<4	13	30	26	2.41	<0.01	<1	0.95	474	13	31	536	41	0.47	<5	15	<10	253	1954	<2	81	46	15	46
227685D	1184420	IS																															
227686	1184421	0.030	<1	4.81	13	448	2	2	2.65	<4	7	12	18	1.94	<0.01	6	1.27	711	15	27	484	58	4.50	<5	21	<10	162	1518	2	32	24	8	181
227687	1184422	0.008	<1	5.41	10	369	2	3	2.91	<4	7	15	11	2.08	<0.01	5	1.04	477	17	33	502	49	9.28	<5	27	<10	182	1348	<2	33	26	9	52
227688	1184423	0.051	<1	3.38	17	335	2	4	0.80	<4	6	9	15	1.08	<0.01	3	0.68	311	15	25	568	68	3.59	<5	12	<10	105	1418	<2	25	26	7	47
227689	1184424	0.035	<1	4.15	16	468	2	13	1.79	<4	7	9	10	1.56	<0.01	7	1.07	527	17	25	631	77	3.49	<5	15	<10	148	1621	<2	27	23	8	101
227690	1184425	0.030	<1	4.79	23	555	2	<1	2.13	<4	7	13	17	1.96	<0.01	12	1.32	698	18	27	624	69	5.54	<5	27	<10	153	1728	<2	29	24	8	148
227691	1184426	0.050	<1	4.23	27	479	2	2	2.03	<4	8	14	18	2.00	<0.01	10	1.33	714	17	30	606	78	5.72	<5	37	<10	148	1616	<2	28	26	8	151
227692	1184427	0.139	3	4.16	31	377	2	3	1.95	<4	7	11	30	2.09	<0.01	9	1.31	713	15	28	661	774	7.34	<5	25	<10	146	1591	<2	28	24	8	276
227693	1184428	0.016	1	4.40	4	413	4	2	1.75	<4	6	17	34	1.75	<0.01	10	1.07	643	18	32	612	77	3.84	<5	30	11	150	1649	<2	29	24	8	84
227694	1184429	0.015	2	4.77	7	460	2	7	1.52	<4	7	13	15	1.96	<0.01	8	1.01	618	17	28	619	113	5.36	<5	13	<10	144	1747	<2	32	28	8	169
227695	1184430	5.094	2	3.20	483	919	2	3	2.39	4	13	115	86	3.45	<0.01	11	1.34	495	30	61	860	54	5.71	38	21	13	220	1746	<2	131	33	16	231
227696D	1184430	IS																															
227697	1184431	0.033	2	3.40	7	484	2	3	0.95	<4	6	14	17	2.15	<0.01	6	0.77	427	16	24	565	77	6.99	<5	25	<10	120	1544	<2	29	25	8	210
227698	1184432	0.083	1	3.58	22	488	2	2	1.23	<4	5	10	9	1.65	<0.01	6	0.98	608	16	30	541	102	5.70	<5	30	<10	113	1534	<2	27	22	8	24
227699	1184433	0.097	3	3.92	33	462	<2	9	1.16	4	5	10	36	1.67	<0.01	8	0.94	600	17	27	569	516	7.31	<5	20	<10	109	1608	<2	27	31	8	773
227700	1184434	0.080	2	3.91	22	536	2	10	1.60	<4	5	13	34	1.62	<0.01	8	1.09	738	17	31	582	229	5.50	<5	28	<10	121	1581	<2	28	26	8	290
227701	1184435	0.033	<1	3.88	12	449	2	10	1.73	<4	5	12	17	1.70	<0.01	5	1.19	788	16	30	596	88	4.88	<5	25	<10	119	1509	<2	27	23	8	46

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227702	1184436	0.032	1	3.88	3	357	3	<1	1.91	<4	6	10	23	1.51	<0.01	5	1.26	883	17	27	558	103	3.52	<5	35	<10	125	1418	<2	24	23	8	123
227703	1184437	0.048	1	3.15	2	408	2	2	1.17	<4	5	16	49	1.40	<0.01	6	0.98	610	15	32	529	74	3.52	<5	26	<10	113	1450	<2	27	25	7	115
227704	1184438	0.055	2	2.80	16	430	2	4	1.12	<4	4	9	25	1.45	<0.01	4	0.95	604	14	25	498	238	5.34	<5	17	<10	110	1330	<2	23	23	7	315
227705	1184439	0.058	<1	3.68	19	512	<2	<1	0.95	<4	3	16	10	1.19	<0.01	8	0.94	540	17	29	441	84	4.49	<5	12	<10	126	1436	<2	26	22	7	61
227706	1184440	0.007	<1	1.71	9	379	<2	<1	1.37	<4	13	31	24	2.46	<0.01	<1	0.96	479	15	30	533	29	0.44	<5	<5	<10	253	1988	<2	82	44	15	32
227707R	1184440	IS																															
227708	1184441	0.127	1	4.29	35	473	<2	3	0.73	<4	11	11	20	1.45	<0.01	13	0.75	454	18	28	466	92	6.93	<5	27	<10	158	1708	<2	32	24	6	162
227709	1184442	0.046	1	5.03	25	340	<2	8	0.62	<4	11	11	13	1.33	<0.01	13	1.02	590	16	30	496	63	4.95	<5	29	<10	153	1694	<2	32	24	7	43
227710	1184443	0.177	3	4.00	27	290	<2	8	0.53	<4	7	16	66	1.26	<0.01	6	0.78	426	16	31	420	419	5.53	<5	30	<10	177	1239	<2	26	27	6	440
227711	1184444	0.051	2	3.84	37	263	<2	4	0.30	<4	10	10	45	1.81	<0.01	6	1.00	494	15	32	451	114	8.66	<5	24	<10	170	1285	<2	27	26	6	84
227712	1184445	0.054	4	3.72	21	288	<2	4	0.34	<4	6	11	16	1.20	<0.01	8	0.95	569	17	29	424	531	4.58	<5	27	<10	152	1301	<2	27	22	6	43
227713	1184446	0.130	6	3.84	17	313	<2	<1	0.41	<4	7	14	17	1.21	<0.01	10	0.92	570	16	31	449	596	4.65	<5	35	<10	162	1394	<2	28	23	6	60
227714	1184447	0.042	1	3.95	19	320	2	3	0.46	<4	8	11	25	1.43	<0.01	12	1.17	596	17	32	411	85	4.90	<5	34	<10	182	1499	<2	30	24	6	242
227715	1184448	0.196	1	3.62	30	272	<2	4	0.53	<4	10	9	11	1.20	<0.01	10	1.25	708	16	28	474	67	3.96	<5	21	<10	170	1485	<2	30	24	6	90
227716	1184449	0.045	1	3.97	25	399	<2	10	1.05	<4	6	16	10	1.29	<0.01	8	1.01	624	18	32	408	95	5.45	<5	27	<10	207	1293	<2	29	22	6	92
227717	1184450	1.363	4	3.66	45	232	3	<1	2.45	5	20	61	7316	5.05	<0.01	5	1.22	571	806	25	909	71	>10.00	6	28	<10	266	773	<2	110	26	15	88
227718D	1184450	IS																															
227719	1184451	0.061	2	3.23	20	332	2	6	0.49	<4	5	14	38	1.83	<0.01	1	0.94	546	15	25	517	101	8.84	<5	21	<10	171	1192	<2	32	22	7	184
227720	1184452	0.033	2	3.78	21	320	2	3	0.31	<4	5	15	19	1.48	<0.01	5	1.00	582	16	25	504	56	5.36	<5	33	<10	157	1038	3	33	22	7	59
227721	1184453	0.317	2	3.88	23	259	<2	8	0.28	<4	5	13	30	1.75	<0.01	7	1.16	850	15	24	487	62	5.11	<5	15	<10	156	1015	<2	33	22	7	66

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227722	1184454	0.155	2	3.88	13	340	2	4	0.84	<4	7	16	28	1.41	<0.01	8	0.89	663	15	27	496	46	3.04	<5	27	<10	180	1499	<2	36	22	7	36
227723	1184455	0.050	1	3.55	14	413	<2	<1	1.05	<4	9	25	16	1.88	<0.01	9	0.95	583	14	28	442	41	2.84	<5	22	<10	168	1936	2	38	22	8	42
227724	1184456	0.094	1	3.28	14	343	2	3	0.97	<4	7	24	23	1.99	<0.01	10	1.12	719	15	30	444	47	2.43	<5	24	<10	139	1876	<2	35	21	8	51
227725	1184457	0.108	4	3.19	33	306	<2	<1	0.77	<4	10	21	106	2.06	<0.01	9	1.15	818	14	30	433	72	5.49	<5	29	<10	126	1784	<2	34	23	8	81
227726	1184458	0.060	1	3.63	22	252	2	12	1.37	<4	7	20	9	1.50	<0.01	8	1.11	808	16	29	499	60	4.54	<5	34	<10	148	1551	2	32	26	7	92
227727	1184459	0.212	2	3.50	27	341	<2	12	1.02	<4	8	21	12	1.44	<0.01	11	0.99	724	16	28	378	116	4.30	<5	33	<10	143	1731	<2	34	26	7	155
227728	1184460	0.007	<1	2.19	7	386	2	7	1.38	<4	11	30	23	2.40	<0.01	<1	0.95	469	14	29	534	36	0.47	<5	24	<10	259	1989	<2	81	47	15	35
227729D	1184460	IS																															
227730	1184461	0.376	1	4.36	22	346	2	7	0.92	<4	8	23	32	1.48	<0.01	11	0.95	623	18	31	341	65	4.78	<5	19	<10	160	1721	<2	38	23	8	83
227731	1184462	0.272	1	4.37	24	412	2	<1	0.60	<4	8	15	49	1.29	<0.01	8	0.70	384	14	25	435	83	5.91	<5	27	<10	149	1677	<2	34	22	7	112
227732	1184463	0.750	1	3.68	20	379	<2	2	0.94	<4	7	14	20	1.26	<0.01	8	0.80	605	17	28	455	46	3.34	<5	28	<10	170	1600	<2	33	23	6	78
227733	1184464	0.061	1	3.40	19	291	<2	7	0.79	<4	6	13	13	1.27	<0.01	4	0.77	502	15	29	449	42	2.75	<5	33	10	152	1451	<2	30	24	6	31
227734	1184465	0.354	1	4.15	16	262	2	6	0.42	<4	16	56	26	1.88	<0.01	12	1.67	800	17	47	474	48	3.01	<5	29	<10	118	1528	<2	48	27	9	80
227735	1184466	0.064	<1	3.21	16	315	<2	10	0.57	<4	9	14	13	1.04	<0.01	3	0.77	447	14	29	378	42	2.70	<5	22	<10	132	1397	<2	30	23	6	31
227736	1184467	0.081	1	2.88	21	270	4	<1	0.64	4	12	13	19	1.21	<0.01	3	0.87	529	14	30	410	41	3.27	<5	33	<10	136	1356	<2	33	23	9	54
227737	1184468	0.354	2	3.44	6	208	2	4	0.58	<4	10	14	21	1.39	<0.01	8	1.61	752	16	29	416	202	2.57	<5	24	<10	118	1376	<2	29	22	6	145
227738	1184469	0.107	<1	3.12	13	227	<2	10	0.96	<4	3	11	10	0.88	<0.01	3	1.03	535	14	21	365	54	1.64	<5	22	<10	120	1349	<2	25	23	6	21
227739	1184470	0.284	104	1.28	249	41	<2	<1	0.87	25	14	44	6199	5.21	<0.01	<1	1.16	1599	32	35	452	10251	>10.00	213	11	<10	192	1616	<2	74	68	14	5013
227740D	1184470	IS																															
227741	1184471	0.059	2	2.74	20	226	<2	6	1.13	<4	4	12	83	0.91	<0.01	<1	1.11	612	14	29	357	161	1.48	<5	34	<10	111	1300	<2	24	22	6	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227742	1184472	0.278	1	2.28	28	153	2	12	0.95	<4	3	12	15	1.08	<0.01	<1	0.88	523	13	27	363	70	4.08	<5	28	<10	103	1176	<2	21	28	6	88
227743	1184473	0.234	1	3.75	23	202	2	<1	1.50	<4	5	15	21	1.22	<0.01	5	1.15	756	15	28	375	82	3.86	<5	14	<10	121	1381	<2	24	27	6	76
227744	1184474	13.493	3	3.53	36	209	<2	10	0.10	<4	3	12	8	1.16	<0.01	<1	0.53	197	16	27	353	36	5.78	<5	22	<10	72	1317	<2	24	25	7	23
227745	1184475	0.396	1	4.12	34	212	<2	3	1.20	<4	5	15	11	1.36	<0.01	7	1.00	657	18	29	352	46	4.90	5	17	<10	100	1306	<2	23	26	7	44
227746	1184476	0.512	<1	4.31	28	211	2	8	1.23	<4	5	12	12	1.34	<0.01	6	0.99	628	16	25	374	48	4.41	<5	20	<10	101	1328	<2	22	24	8	35
227747	1184477	0.104	4	2.96	19	196	2	4	0.32	8	3	15	70	2.15	<0.01	3	0.71	333	16	29	328	595	9.75	<5	17	<10	73	1245	<2	23	45	6	1732
227748	1184478	0.028	1	3.84	4	207	2	2	0.93	<4	5	13	34	1.14	<0.01	6	1.01	541	17	26	342	94	2.86	<5	33	<10	94	1330	<2	24	28	7	138
227749	1184479	0.163	3	3.21	26	198	<2	4	0.68	<4	6	14	31	1.17	<0.01	4	0.91	509	15	28	352	353	4.93	<5	21	<10	83	1306	<2	23	30	6	411
227750	1184480	1.488	<1	<0.01	2	<1	<2	4	<0.01	<4	<1	<1	3	0.06	<0.01	<1	0.26	<100	13	9	<100	32	0.11	<5	15	<10	51	151	<2	2	21	5	<1
227751D	1184480																IS																
227752	1184481	0.106	2	3.41	33	195	2	6	0.63	<4	5	14	17	0.98	<0.01	2	0.88	416	15	28	376	145	4.50	<5	15	<10	88	1310	<2	24	27	6	257
227753	1184482	0.228	1	3.30	45	197	<2	5	0.36	<4	4	16	16	1.21	<0.01	<1	0.72	308	18	30	316	88	6.46	<5	37	<10	77	1270	<2	24	24	6	128
227754	1184483	0.138	<1	3.48	25	270	2	11	0.77	<4	6	16	8	0.96	<0.01	12	0.90	461	18	33	359	53	3.08	<5	26	<10	82	1458	<2	26	24	6	97
227755	1184484	0.027	<1	4.47	19	288	2	2	1.71	<4	7	12	9	1.25	<0.01	5	1.18	585	16	25	379	52	2.99	<5	31	<10	128	1364	<2	25	21	7	27
227756	1184485	0.112	3	3.38	20	178	2	5	1.42	<4	7	22	34	1.73	<0.01	3	1.04	533	14	32	401	166	4.86	<5	10	10	144	1349	<2	26	27	8	387
227757	1184486	0.141	4	4.52	20	240	2	9	1.41	<4	6	27	35	1.77	<0.01	8	1.03	500	17	32	391	211	5.25	<5	26	<10	153	1516	<2	29	26	8	290
227758	1184487	0.011	<1	3.16	11	165	2	4	1.52	<4	5	14	9	1.56	<0.01	2	1.54	602	14	27	387	41	1.87	<5	35	<10	113	1215	<2	22	20	7	45
227759	1184488	0.007	<1	2.56	6	168	<2	9	1.42	<4	6	22	8	1.57	<0.01	<1	1.15	526	14	34	406	41	4.04	<5	19	<10	99	1236	<2	25	25	7	23
227760	1184489	0.019	1	3.23	22	186	2	3	2.88	<4	5	16	12	2.00	<0.01	5	1.71	939	13	30	394	81	5.60	<5	21	<10	113	1278	<2	25	21	7	61
227761	1184490	5.206	2	1.48	464	710	<2	5	2.13	4	13	116	82	3.31	<0.01	5	1.24	472	26	60	819	53	5.69	23	14	<10	192	1563	<2	124	29	15	217

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227762D	1184490	IS																															
227763	1184491	0.081	1	2.38	84	121	2	7	1.14	<4	8	29	22	2.29	<0.01	<1	0.90	367	14	37	407	148	>10.00	<5	20	<10	104	1317	<2	31	23	8	150
227764	1184492	0.043	<1	3.16	28	230	2	4	1.83	<4	16	83	41	2.91	<0.01	4	1.48	600	15	59	427	68	9.13	5	16	<10	149	1708	<2	49	23	13	78
227765	1184493	0.180	2	3.30	35	280	2	7	1.90	<4	20	126	76	3.53	<0.01	7	1.55	1204	18	76	485	115	8.68	<5	22	<10	149	2185	<2	70	24	15	95
227766	1184494	0.129	2	3.25	62	368	<2	10	0.71	<4	10	54	37	1.74	<0.01	6	0.75	407	16	44	528	58	8.68	<5	30	<10	101	1802	<2	45	24	9	42
227767	1184495	0.098	1	2.65	69	304	<2	4	1.03	<4	9	13	92	1.77	<0.01	3	0.90	520	16	33	564	125	8.35	<5	22	<10	107	1548	<2	29	23	7	95
227768	1184496	0.167	<1	4.69	40	439	2	<1	1.29	<4	7	11	15	1.89	<0.01	8	0.87	500	17	28	575	59	7.14	<5	27	<10	129	1807	<2	32	22	8	26
227769	1184497	0.138	2	4.97	63	357	2	6	1.41	<4	6	10	27	2.12	<0.01	10	1.05	578	18	24	578	321	9.62	<5	30	10	135	1821	<2	33	25	9	347
227770	1184498	0.082	3	5.31	41	380	2	12	2.95	4	7	15	27	2.28	<0.01	8	1.76	1290	17	30	589	432	8.23	<5	28	<10	181	1745	<2	35	27	9	664
227771	1184499	0.047	1	4.50	43	314	2	4	3.29	<4	7	11	18	2.52	<0.01	5	2.02	1442	16	27	539	126	8.01	<5	28	<10	169	1662	<2	34	28	8	184
227772	1184500	<0.005																															
227773R	1184500	IS																															
227774	1184501	0.216	3	2.41	50	249	<2	8	2.09	4	7	8	216	2.12	<0.01	4	1.59	961	16	25	503	1209	8.11	<5	30	<10	124	1657	2	26	26	7	622
227775	1184502	0.046	<1	2.91	23	261	2	<1	1.57	<4	13	54	30	2.56	<0.01	10	1.63	783	15	48	508	79	7.48	<5	18	<10	106	1806	<2	49	24	10	61
227776	1184503	0.055	1	3.79	24	336	2	11	1.49	<4	17	109	40	3.18	<0.01	8	1.87	732	17	72	492	74	7.64	<5	22	<10	118	1846	<2	70	26	13	103
227777	1184504	0.056	2	4.46	11	301	2	8	1.55	4	22	136	53	4.01	<0.01	17	2.10	850	19	85	552	65	7.98	7	27	<10	129	2428	<2	82	23	15	80
227778	1184505	0.021	<1	3.91	15	436	2	4	1.83	<4	7	12	21	1.64	<0.01	10	1.37	675	15	26	459	103	4.07	<5	21	<10	136	1615	<2	30	24	7	110
227779	1184506	0.018	1	3.63	19	444	<2	<1	1.78	<4	6	23	15	1.67	<0.01	9	1.34	684	17	45	466	67	4.18	<5	32	<10	134	1621	<2	30	24	7	71
227780	1184507	0.022	<1	2.17	9	476	<2	<1	1.25	<4	5	14	12	1.39	<0.01	1	1.08	437	12	29	357	81	3.10	<5	20	<10	114	1370	<2	24	21	5	79
227781	1184508	0.021	<1	2.83	<2	485	<2	8	1.45	<4	4	12	16	1.29	<0.01	6	1.06	404	13	30	344	59	2.33	<5	21	<10	117	1386	<2	23	26	5	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227782	1184509	0.009	1	2.63	14	517	<2	4	1.24	<4	4	13	11	1.34	<0.01	9	1.25	524	13	24	347	60	2.89	<5	24	<10	117	1402	<2	22	23	5	42
227783	1184510	1.409	4	2.69	40	118	2	<1	2.41	6	19	61	7328	5.12	<0.01	<1	1.24	574	815	27	915	65	>10.00	7	14	<10	242	702	<2	106	28	15	90
227784D	1184510	IS																															
227785	1184511	0.049	<1	1.52	31	365	2	<1	1.29	<4	5	13	99	1.35	<0.01	2	1.23	565	23	27	348	53	4.87	<5	24	<10	101	1183	<2	20	23	5	26
227786	1184512	0.053	<1	2.35	29	381	2	3	1.23	<4	5	11	25	1.21	<0.01	5	1.10	510	12	27	353	63	5.37	<5	24	<10	92	1254	<2	20	27	5	175
227787	1184513	0.037	<1	2.75	35	329	2	<1	1.34	<4	6	13	9	1.43	<0.01	11	1.27	666	14	27	379	94	6.15	<5	27	<10	97	1395	<2	24	22	6	169
227788	1184514	0.066	1	3.80	41	304	2	9	1.78	<4	6	12	17	1.77	<0.01	5	1.35	893	14	29	562	102	7.18	<5	19	<10	101	1560	<2	30	25	7	220
227789	1184515	0.059	<1	3.56	24	393	<2	1	2.21	<4	7	12	13	1.76	<0.01	4	1.46	1011	12	26	563	77	5.78	<5	32	<10	111	1571	<2	31	24	7	245
227790	1184516	0.037	1	4.79	22	471	2	12	2.70	<4	9	15	8	2.01	<0.01	7	1.53	864	15	29	626	67	5.28	<5	37	<10	153	1734	<2	34	24	8	159
227791	1184517	0.035	<1	5.00	18	535	2	12	2.47	<4	7	14	6	1.90	<0.01	8	1.56	837	16	28	606	62	5.58	<5	32	<10	145	1689	<2	34	26	8	213
227792	1184518	0.206	1	4.41	37	399	2	7	1.97	<4	8	14	21	1.96	<0.01	10	1.51	759	17	29	584	204	7.93	<5	29	<10	130	1692	<2	34	28	8	344
227793	1184519	0.044	2	2.15	17	282	2	5	1.32	<4	8	33	209	2.55	<0.01	4	1.61	683	23	58	383	130	7.08	<5	26	<10	102	1096	<2	33	26	14	114
227794	1184520	<0.005	1	2.21	9	397	<2	<1	1.42	<4	13	31	25	2.43	<0.01	2	0.97	474	15	31	541	32	0.53	<5	12	<10	262	2009	<2	83	48	15	40
227795D	1184520	IS																															
227796	1184521	0.095	2	2.28	10	259	2	16	0.73	7	15	72	67	3.15	<0.01	11	2.72	746	14	54	469	415	8.15	<5	17	<10	86	1456	<2	60	41	7	1181
227797	1184522	0.055	<1	3.20	26	271	2	3	1.70	<4	8	16	15	2.10	<0.01	13	2.70	731	13	30	538	69	4.17	<5	14	<10	98	1377	4	33	24	6	105
227798	1184523	0.025	<1	2.72	22	237	2	8	2.12	<4	8	17	30	2.03	<0.01	10	2.36	732	12	32	466	66	4.02	<5	16	<10	96	1221	4	32	24	6	76
227799	1184524	0.466	2	2.21	16	155	2	<1	2.54	7	19	89	216	4.11	<0.01	12	3.32	1212	17	69	542	94	>10.00	<5	12	<10	87	1340	<2	51	37	11	1066
227800	1184525	0.123	2	4.83	10	268	2	4	0.61	7	24	145	62	4.38	<0.01	58	2.98	827	22	95	574	132	>10.00	<5	15	<10	84	1570	<2	89	29	10	497
227801	1184526	0.075	2	4.99	15	286	3	9	0.77	4	22	148	78	4.50	<0.01	56	3.16	828	23	94	550	152	9.89	<5	17	<10	90	1674	<2	90	27	10	215

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227802	1184527	0.120	2	3.88	39	261	2	<1	0.21	6	24	135	55	4.12	<0.01	40	2.62	636	20	90	535	248	9.82	<5	19	<10	82	1930	<2	100	31	10	508
227803	1184528	0.182	1	3.61	69	257	2	18	0.54	<4	24	133	38	3.85	<0.01	39	2.54	617	21	87	511	142	>10.00	<5	22	<10	86	1779	<2	84	26	9	132
227804	1184529	1.413	2	3.48	51	201	3	11	0.56	4	22	141	56	4.33	<0.01	32	2.55	683	18	98	486	180	>10.00	<5	32	<10	86	1524	<2	87	22	9	210
227805	1184530	0.265	105	<0.01	267	149	2	<1	0.81	28	14	48	6079	5.66	<0.01	<1	1.21	1748	32	38	501	10283	>10.00	140	12	<10	169	1636	<2	76	79	13	5026
227806D	1184530	IS																															
227807	1184531	0.492	5	2.84	93	191	2	5	<0.01	8	18	120	99	4.11	<0.01	26	1.90	469	21	91	478	813	>10.00	<5	18	<10	70	1200	<2	74	43	8	1629
227808	1184532	0.175	3	3.42	24	379	2	4	0.46	<4	6	52	25	1.58	<0.01	11	1.17	297	21	44	456	320	5.16	<5	16	<10	81	1151	<2	34	29	7	467
227809	1184533	0.134	2	3.32	41	339	<2	<1	0.61	<4	8	51	16	1.71	<0.01	11	1.14	315	21	47	436	127	5.95	<5	37	<10	80	1119	<2	35	28	7	100
227810	1184534	0.154	2	1.43	71	143	2	7	0.80	<4	15	91	30	2.66	<0.01	3	1.30	511	16	71	527	206	>10.00	<5	19	<10	66	1068	<2	48	24	9	144
227811	1184535	0.155	2	2.04	56	93	2	<1	0.34	11	22	130	59	4.03	<0.01	12	1.89	570	17	101	621	130	>10.00	<5	23	<10	64	1424	2	77	48	10	2334
227812	1184536	0.479	3	1.15	37	134	3	<1	0.17	7	24	131	44	4.29	<0.01	15	2.40	695	14	118	693	105	>10.00	<5	6	<10	53	1544	<2	86	34	10	998
227813	1184537	1.427	9	0.17	77	75	<2	<1	0.20	4	19	103	55	3.66	<0.01	4	1.68	558	13	83	519	476	>10.00	<5	7	<10	50	1136	<2	57	26	9	230
227814	1184538	0.375	3	1.51	28	162	<2	<1	0.71	<4	17	120	32	3.35	<0.01	15	2.48	548	15	86	464	131	6.51	<5	6	<10	61	1216	<2	62	22	8	119
227815	1184539	2.225	18	<0.01	96	50	<2	<1	0.12	8	14	91	102	3.40	<0.01	<1	1.33	339	13	71	391	728	>10.00	<5	6	<10	48	902	<2	43	35	7	1342
227816	1184540	<0.005	1	<0.01	6	220	<2	<1	1.10	<4	12	31	24	2.46	<0.01	<1	0.90	463	9	32	548	41	0.52	<5	13	<10	175	1717	<2	78	46	13	43
227817D	1184540	IS																															
227818	1184541	0.116	3	<0.01	55	122	2	<1	<0.01	4	16	95	39	3.44	<0.01	9	1.74	465	12	81	481	285	>10.00	5	<5	<10	50	1149	<2	56	22	11	208
227819	1184542	0.173	4	<0.01	69	104	<2	<1	0.08	<4	27	103	38	3.90	<0.01	2	1.47	465	16	97	550	131	>10.00	<5	10	<10	55	1224	<2	57	22	9	95
227820	1184543	0.229	3	1.50	88	108	2	3	1.02	4	28	124	66	4.64	<0.01	5	1.96	552	15	122	561	132	>10.00	<5	11	<10	87	1520	<2	77	20	10	169
227821	1184544	0.183	2	3.21	24	279	2	<1	0.86	<4	22	127	37	3.63	<0.01	18	2.28	536	19	87	573	91	7.44	<5	15	<10	87	1777	<2	82	27	12	178

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227822	1184545	0.096	1	2.74	50	195	<2	<1	0.45	<4	20	100	27	3.48	<0.01	23	3.02	549	15	76	538	54	7.38	<5	16	<10	73	1534	2	72	22	8	89
227823	1184546	0.072	1	1.50	37	156	3	<1	0.31	<4	18	97	22	3.44	<0.01	21	3.03	560	13	81	528	58	6.36	<5	5	<10	62	1472	<2	71	21	7	82
227824	1184547	0.044	<1	2.63	24	186	2	1	1.27	<4	7	18	3	1.66	<0.01	13	2.03	503	13	36	419	44	3.96	<5	20	<10	112	1067	<2	21	25	6	68
227825	1184548	0.044	1	2.24	21	200	2	8	1.64	<4	16	83	49	2.92	<0.01	9	1.71	549	12	73	530	53	5.44	<5	11	<10	167	1659	<2	52	24	10	108
227826	1184549	0.150	1	3.82	14	250	3	7	1.84	<4	23	135	51	3.85	<0.01	14	1.76	696	17	88	581	65	4.54	<5	20	<10	137	2393	<2	76	22	15	85
227827	1184550	5.201	2	2.66	511	964	2	6	2.41	4	13	124	90	3.60	<0.01	9	1.37	513	30	64	900	60	5.99	27	29	<10	214	1734	<2	135	31	17	250
227828D	1184550	IS																															
227829	1184551	0.030	1	2.62	15	193	2	12	1.83	<4	20	123	48	3.69	<0.01	10	1.87	688	15	80	543	58	3.69	<5	17	<10	115	2128	<2	68	27	12	73
227830	1184552	0.106	2	2.71	22	193	3	5	1.13	5	25	128	46	4.18	<0.01	15	2.05	588	16	88	554	69	3.59	<5	26	<10	90	2282	<2	85	25	12	103
227831	1184553	1.006	5	1.20	27	148	2	8	0.42	5	26	101	156	4.29	<0.01	1	1.42	513	15	110	629	133	>10.00	<5	10	<10	67	1470	<2	73	36	12	955
227832	1184554	0.400	4	0.79	16	57	2	<1	0.60	<4	24	108	73	3.90	<0.01	<1	1.60	693	14	96	547	97	>10.00	<5	10	<10	68	1644	<2	68	23	11	133
227833	1184555	0.284	5	0.90	92	79	2	<1	0.68	4	21	105	93	3.94	<0.01	<1	1.15	636	17	100	545	254	>10.00	<5	10	<10	71	1425	<2	64	31	13	395
227834	1184556	0.282	4	2.08	44	164	2	<1	0.64	<4	9	20	43	1.74	<0.01	<1	0.72	373	14	40	494	161	6.65	<5	19	<10	78	1295	<2	31	30	8	416
227835	1184557	0.076	1	1.45	61	199	2	<1	1.81	<4	9	12	12	1.83	<0.01	<1	1.27	806	8	32	529	82	5.83	<5	26	<10	96	1344	<2	26	26	6	62
227836	1184558	0.044	1	2.79	37	338	2	13	1.93	<4	7	18	13	1.57	<0.01	4	1.32	646	11	28	513	82	3.64	<5	26	<10	101	1429	<2	29	28	7	93
227837	1184559	0.046	2	2.02	17	426	2	<1	1.56	<4	8	21	22	1.45	<0.01	3	1.17	595	13	34	515	88	3.11	6	21	<10	95	1408	<2	31	31	7	100
227838	1184560	0.007	1	1.63	8	369	<2	<1	1.38	<4	12	31	23	2.46	<0.01	<1	0.97	478	14	30	557	41	0.48	<5	25	<10	247	1916	<2	81	46	15	41
227839R	1184560	IS																															
227840	1184561	0.017	1	3.43	12	538	2	1	2.23	<4	6	18	15	1.46	<0.01	6	1.44	756	17	32	530	81	2.36	<5	37	<10	120	1493	<2	30	25	7	145
227841	1184562	0.023	1	1.35	12	396	2	<1	1.44	<4	6	18	14	1.44	<0.01	<1	1.14	633	11	33	507	78	3.16	<5	21	<10	91	1220	<2	26	28	6	174

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
227842	1184563	0.114	1	0.11	35	245	2	1	0.91	<4	6	11	21	1.29	<0.01	<1	0.80	400	12	30	478	145	5.11	<5	13	<10	74	1085	<2	22	31	5	644
227843	1184564	0.111	1	1.85	40	255	2	<1	1.27	<4	5	12	24	1.31	<0.01	<1	1.05	524	13	26	490	98	4.78	<5	20	10	100	1272	<2	26	26	7	123
227844	1184565	0.091	1	1.61	36	261	<2	<1	1.99	<4	7	14	22	1.97	<0.01	<1	1.80	742	10	32	464	132	5.95	<5	25	<10	109	1313	<2	28	28	6	164
227845	1184566	0.093	1	2.61	40	302	2	9	2.05	<4	7	13	24	2.13	<0.01	5	1.88	730	14	31	474	167	6.42	<5	11	<10	122	1436	<2	31	28	7	156
227846	1184567	0.046	1	2.23	22	188	2	<1	1.49	<4	6	11	41	1.79	<0.01	3	1.80	563	11	29	540	56	3.35	<5	31	<10	101	1531	3	28	22	7	52
227847	1184568	0.008	<1	2.67	8	269	2	6	2.35	<4	6	12	5	1.78	<0.01	2	1.67	435	11	28	529	49	1.35	<5	29	<10	120	1480	3	29	22	6	42
227848	1184569	0.008	<1	2.63	8	348	2	3	2.62	<4	7	48	6	1.84	<0.01	<1	1.54	471	10	28	532	45	1.05	<5	23	<10	147	1620	<2	33	20	6	39
227849	1184570	1.437	4	1.36	40	123	3	2	2.30	6	19	55	7369	4.94	<0.01	<1	1.18	557	818	27	893	67	>10.00	10	13	11	222	624	<2	97	25	14	88
227850D	1184570																IS																
227851	1184571	0.026	1	3.29	8	315	<2	3	2.89	<4	8	14	115	2.11	<0.01	12	1.75	584	25	31	561	51	2.09	<5	22	<10	150	1785	<2	37	23	7	28
227852	1184572	0.021	3	2.34	20	237	2	<1	2.37	<4	8	16	10	1.65	<0.01	5	1.50	495	12	34	649	53	1.88	<5	20	<10	128	1590	<2	30	22	7	46
227853	1184573	0.026	<1	2.97	13	349	2	4	2.53	<4	9	13	15	1.94	<0.01	<1	1.37	386	10	31	559	42	1.95	<5	41	<10	156	1571	<2	30	23	6	31
227854	1184574	0.015	<1	3.02	12	285	2	9	2.52	<4	7	16	6	1.89	<0.01	3	1.55	437	10	31	533	32	1.86	<5	<5	<10	138	1465	<2	30	24	7	43
227855	1184575	0.075	<1	3.27	22	238	2	2	2.23	<4	8	12	7	1.80	<0.01	6	1.63	554	12	29	562	45	2.85	<5	24	<10	126	1560	<2	29	24	7	122
227856	1184576	0.056	<1	3.09	25	259	2	6	2.30	<4	9	13	14	1.78	<0.01	4	1.50	592	12	29	539	51	3.70	<5	10	10	128	1505	<2	30	24	7	113
227857	1184577	0.061	<1	3.12	27	244	2	11	2.24	<4	7	17	19	1.67	<0.01	2	1.32	541	13	30	540	68	4.50	<5	16	<10	128	1424	<2	29	24	7	255
227858	1184578	0.155	2	3.04	26	258	<2	5	1.99	4	10	11	20	2.00	<0.01	7	1.48	642	13	29	551	199	6.44	<5	35	<10	119	1508	<2	32	34	7	639
227859	1184579	0.025	1	2.44	17	241	2	<1	2.11	<4	8	12	14	1.94	<0.01	6	1.42	621	12	28	526	122	6.31	<5	26	<10	126	1515	<2	30	37	7	125
227860	1184580	<0.005	<1	1.31	9	378	<2	6	1.37	<4	13	31	24	2.48	<0.01	<1	0.97	486	12	30	561	34	0.60	<5	9	<10	251	2008	<2	83	47	14	38
227861D	1184580																IS																

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm		
227862	1184581	0.013	<1	2.91	11	275	2	<1	2.43	<4	6	14	8	1.74	<0.01	2	1.56	652	11	25	487	62	3.15	<5	27	<10	122	1390	<2	30	27	7	46		
227863	1184582	0.025	<1	2.53	11	263	3	<1	2.54	<4	7	15	20	1.85	<0.01	2	1.57	688	12	33	538	65	3.39	<5	14	<10	120	1482	<2	30	40	7	109		
227864	1184583	0.025	<1	3.62	14	284	3	13	3.25	<4	11	27	38	2.25	<0.01	11	1.75	842	13	38	535	93	5.47	<5	16	<10	123	1692	<2	41	25	8	38		
227865	1184584	0.040	1	2.31	6	194	3	<1	2.16	<4	26	122	50	3.64	<0.01	13	1.71	833	16	91	619	49	8.90	<5	10	<10	109	2432	<2	69	25	16	44		
227866	1184585	0.087	1	3.45	12	246	2	4	2.35	<4	24	130	51	3.96	<0.01	10	1.84	746	16	86	592	47	5.91	<5	31	<10	167	2512	<2	78	23	18	49		
227867	1184586	1.130	1	2.92	6	252	3	<1	2.19	<4	23	126	48	3.90	<0.01	9	1.79	722	14	86	572	51	5.92	<5	39	<10	161	2498	<2	76	24	17	48		
227868	1184587	0.181	1	2.88	27	203	2	10	2.58	<4	16	71	63	2.99	<0.01	6	1.80	919	13	56	564	105	>10.00	<5	15	<10	145	2022	<2	55	26	11	46		
227869	1184588	0.042	<1	4.52	29	409	2	<1	3.00	<4	8	16	9	1.97	<0.01	7	1.79	821	12	26	554	46	5.25	<5	23	<10	188	1562	<2	35	25	8	36		
227870	1184589	0.103	<1	3.92	23	311	2	14	2.74	<4	10	14	16	1.91	<0.01	7	1.78	939	12	29	542	54	5.72	<5	33	<10	176	1456	<2	34	23	8	42		
227871	1184590	0.274	107	0.78	276	128	2	11	0.93	28	15	45	6028	5.70	<0.01	<1	1.26	1768	35	36	511	10607	>10.00	215	8	<10	193	1688	<2	75	85	14	5066		
227872D	1184590																																		
227873	1184591	0.535	3	1.78	58	227	2	<1	1.40	12	8	17	152	2.07	<0.01	1	1.04	520	12	33	486	343	>10.00	<5	15	<10	115	1247	<2	28	58	7	2958		
227874	1184592	0.302	2	2.94	46	237	2	4	1.80	5	7	14	38	2.16	<0.01	9	1.35	732	14	32	458	345	>10.00	<5	22	10	120	1378	<2	32	31	7	904		
227875	1184593	0.016	<1	4.55	21	426	3	10	3.31	<4	9	15	24	1.96	<0.01	10	2.01	760	13	30	543	84	3.45	<5	22	<10	177	1778	<2	38	25	8	98		

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227642	1184381	66	0.002	0.066
227643	1184382	7	<0.001	0.007
227644	1184383	13	<0.001	0.013
227645	1184384	11	<0.001	0.011
227646	1184385	24	<0.001	0.024
227647	1184386	32	<0.001	0.032
227648	1184387	16	<0.001	0.016
227649	1184388	13	<0.001	0.013
227650	1184389	23	<0.001	0.023
227651	1184390	1429	0.042	1.429
227652 Dup	1184390	Insufficient Sample		
227653	1184391	19	<0.001	0.019
227654	1184392	23	<0.001	0.023
227655	1184393	<5	<0.001	<0.005
227656	1184394	145	0.004	0.145
227657	1184395	228	0.007	0.228
227658	1184396	19	<0.001	0.019
227659	1184397	16	<0.001	0.016
227660	1184398	16	<0.001	0.016
227661	1184399	23	<0.001	0.023
227662	1184400	7	<0.001	0.007
227663 Dup	1184400	Insufficient Sample		
227664	1184401	23	<0.001	0.023
227665	1184402	65	0.002	0.065
227666	1184403	21	<0.001	0.021
227667	1184404	32	<0.001	0.032
227668	1184405	147	0.004	0.147
227669	1184406	121	0.004	0.121
227670	1184407	50	0.001	0.050
227671	1184408	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227672	1184409	9	<0.001	0.009
227673	1184410	285	0.008	0.285
227674 Dup	1184410	Insufficient Sample		
227675	1184411	9	<0.001	0.009
227676	1184412	21	<0.001	0.021
227677	1184413	10	<0.001	0.010
227678	1184414	16	<0.001	0.016
227679	1184415	80	0.002	0.080
227680	1184416	159	0.005	0.159
227681	1184417	49	0.001	0.049
227682	1184418	32	<0.001	0.032
227683	1184419	340	0.010	0.340
227684	1184420	<5	<0.001	<0.005
227685 Dup	1184420	Insufficient Sample		
227686	1184421	30	<0.001	0.030
227687	1184422	8	<0.001	0.008
227688	1184423	51	0.001	0.051
227689	1184424	35	0.001	0.035
227690	1184425	30	<0.001	0.030
227691	1184426	50	0.001	0.050
227692	1184427	139	0.004	0.139
227693	1184428	16	<0.001	0.016
227694	1184429	15	<0.001	0.015
227695	1184430	5094	0.149	5.094
227696 Dup	1184430	Insufficient Sample		
227697	1184431	33	<0.001	0.033
227698	1184432	83	0.002	0.083
227699	1184433	97	0.003	0.097
227700	1184434	80	0.002	0.080
227701	1184435	33	<0.001	0.033

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227702	1184436	32	<0.001	0.032
227703	1184437	48	0.001	0.048
227704	1184438	55	0.002	0.055
227705	1184439	58	0.002	0.058
227706	1184440	7	<0.001	0.007
227707 Rep	1184440	Insufficient Sample		
227708	1184441	127	0.004	0.127
227709	1184442	46	0.001	0.046
227710	1184443	177	0.005	0.177
227711	1184444	51	0.001	0.051
227712	1184445	54	0.002	0.054
227713	1184446	130	0.004	0.130
227714	1184447	42	0.001	0.042
227715	1184448	196	0.006	0.196
227716	1184449	45	0.001	0.045
227717	1184450	1363	0.040	1.363
227718 Dup	1184450	Insufficient Sample		
227719	1184451	61	0.002	0.061
227720	1184452	33	<0.001	0.033
227721	1184453	317	0.009	0.317
227722	1184454	155	0.005	0.155
227723	1184455	50	0.001	0.050
227724	1184456	94	0.003	0.094
227725	1184457	108	0.003	0.108
227726	1184458	60	0.002	0.060
227727	1184459	212	0.006	0.212
227728	1184460	7	<0.001	0.007
227729 Dup	1184460	Insufficient Sample		
227730	1184461	376	0.011	0.376
227731	1184462	272	0.008	0.272

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, October 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227732	1184463	750	0.022	0.750
227733	1184464	61	0.002	0.061
227734	1184465	354	0.010	0.354
227735	1184466	64	0.002	0.064
227736	1184467	81	0.002	0.081
227737	1184468	354	0.010	0.354
227738	1184469	107	0.003	0.107
227739	1184470	284	0.008	0.284
227740 Dup	1184470	Insufficient Sample		
227741	1184471	59	0.002	0.059
227742	1184472	278	0.008	0.278
227743	1184473	234	0.007	0.234
227744	1184474	13493	0.394	13.493
227745	1184475	396	0.012	0.396
227746	1184476	512	0.015	0.512
227747	1184477	104	0.003	0.104
227748	1184478	28	<0.001	0.028
227749	1184479	163	0.005	0.163
227750	1184480	1488	0.043	1.488
227751 Dup	1184480	Insufficient Sample		
227752	1184481	106	0.003	0.106
227753	1184482	228	0.007	0.228
227754	1184483	138	0.004	0.138
227755	1184484	27	<0.001	0.027
227756	1184485	112	0.003	0.112
227757	1184486	141	0.004	0.141
227758	1184487	11	<0.001	0.011
227759	1184488	7	<0.001	0.007
227760	1184489	19	<0.001	0.019
227761	1184490	5206	0.152	5.206

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227762 Dup	1184490	Insufficient Sample		
227763	1184491	81	0.002	0.081
227764	1184492	43	0.001	0.043
227765	1184493	180	0.005	0.180
227766	1184494	129	0.004	0.129
227767	1184495	98	0.003	0.098
227768	1184496	167	0.005	0.167
227769	1184497	138	0.004	0.138
227770	1184498	82	0.002	0.082
227771	1184499	47	0.001	0.047
227772	1184500	<5	<0.001	<0.005
227773 Rep	1184500	Insufficient Sample		
227774	1184501	216	0.006	0.216
227775	1184502	46	0.001	0.046
227776	1184503	55	0.002	0.055
227777	1184504	56	0.002	0.056
227778	1184505	21	<0.001	0.021
227779	1184506	18	<0.001	0.018
227780	1184507	22	<0.001	0.022
227781	1184508	21	<0.001	0.021
227782	1184509	9	<0.001	0.009
227783	1184510	1409	0.041	1.409
227784 Dup	1184510	Insufficient Sample		
227785	1184511	49	0.001	0.049
227786	1184512	53	0.002	0.053
227787	1184513	37	0.001	0.037
227788	1184514	66	0.002	0.066
227789	1184515	59	0.002	0.059
227790	1184516	37	0.001	0.037
227791	1184517	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/16/2011  
Date Completed: 10/07/2011  
Job #: 201143395  
Reference: TL11218  
Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227792	1184518	206	0.006	0.206
227793	1184519	44	0.001	0.044
227794	1184520	<5	<0.001	<0.005
227795 Dup	1184520	Insufficient Sample		
227796	1184521	95	0.003	0.095
227797	1184522	55	0.002	0.055
227798	1184523	25	<0.001	0.025
227799	1184524	466	0.014	0.466
227800	1184525	123	0.004	0.123
227801	1184526	75	0.002	0.075
227802	1184527	120	0.004	0.120
227803	1184528	182	0.005	0.182
227804	1184529	1413	0.041	1.413
227805	1184530	265	0.008	0.265
227806 Dup	1184530	Insufficient Sample		
227807	1184531	492	0.014	0.492
227808	1184532	175	0.005	0.175
227809	1184533	134	0.004	0.134
227810	1184534	154	0.004	0.154
227811	1184535	155	0.005	0.155
227812	1184536	479	0.014	0.479
227813	1184537	1427	0.042	1.427
227814	1184538	375	0.011	0.375
227815	1184539	2225	0.065	2.225
227816	1184540	<5	<0.001	<0.005
227817 Dup	1184540	Insufficient Sample		
227818	1184541	116	0.003	0.116
227819	1184542	173	0.005	0.173
227820	1184543	229	0.007	0.229
227821	1184544	183	0.005	0.183

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227822	1184545	96	0.003	0.096
227823	1184546	72	0.002	0.072
227824	1184547	44	0.001	0.044
227825	1184548	44	0.001	0.044
227826	1184549	150	0.004	0.150
227827	1184550	5201	0.152	5.201
227828 Dup	1184550	Insufficient Sample		
227829	1184551	30	<0.001	0.030
227830	1184552	106	0.003	0.106
227831	1184553	1006	0.029	1.006
227832	1184554	400	0.012	0.400
227833	1184555	284	0.008	0.284
227834	1184556	282	0.008	0.282
227835	1184557	76	0.002	0.076
227836	1184558	44	0.001	0.044
227837	1184559	46	0.001	0.046
227838	1184560	7	<0.001	0.007
227839 Rep	1184560	Insufficient Sample		
227840	1184561	17	<0.001	0.017
227841	1184562	23	<0.001	0.023
227842	1184563	114	0.003	0.114
227843	1184564	111	0.003	0.111
227844	1184565	91	0.003	0.091
227845	1184566	93	0.003	0.093
227846	1184567	46	0.001	0.046
227847	1184568	8	<0.001	0.008
227848	1184569	8	<0.001	0.008
227849	1184570	1437	0.042	1.437
227850 Dup	1184570	Insufficient Sample		
227851	1184571	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/07/2011  
 Job #: 201143395  
 Reference: TL11218  
 Sample #: 213

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227852	1184572	21	<0.001	0.021
227853	1184573	26	<0.001	0.026
227854	1184574	15	<0.001	0.015
227855	1184575	75	0.002	0.075
227856	1184576	56	0.002	0.056
227857	1184577	61	0.002	0.061
227858	1184578	155	0.005	0.155
227859	1184579	25	<0.001	0.025
227860	1184580	<5	<0.001	<0.005
227861 Dup	1184580	Insufficient Sample		
227862	1184581	13	<0.001	0.013
227863	1184582	25	<0.001	0.025
227864	1184583	25	<0.001	0.025
227865	1184584	40	0.001	0.040
227866	1184585	87	0.003	0.087
227867	1184586	1130	0.033	1.130
227868	1184587	181	0.005	0.181
227869	1184588	42	0.001	0.042
227870	1184589	103	0.003	0.103
227871	1184590	274	0.008	0.274
227872 Dup	1184590	Insufficient Sample		
227873	1184591	535	0.016	0.535
227874	1184592	302	0.009	0.302
227875	1184593	16	<0.001	0.016

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianliuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/04/2011  
 Date Completed: 11/07/2011  
 Job #: 201143608  
 Reference: TL11218  
 Sample #: 5

Acc #	Client ID	#1 Pulp Assay ppm	#2 Pulp Assay ppm	Metallics Assay ppm	Total ppm	% Met. in Pulp	Pulp Met. Weight(g) ppm
241280	1184536	0.597	0.600	39.043	2.440	4.79%	47.96
241281	1184537	1.980	2.043	5.730	2.196	4.97%	49.73
241282	1184538	2.172	2.095	1.972	2.124	6.16%	47.13
241283	1184539	0.366	0.360	1.746	0.416	3.80%	38.06
241284	1184540	Insufficient Sample					

PROCEDURE CODES: ALPM1

 Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239192	1184594	0.054	<1	3.68	13	178	3	14	1.52	5	23	147	50	3.31	<0.01	7	1.18	456	1	92	445	529	0.54	<5	7	<10	185	1909	<2	75	17	12	806
239193	1184595	0.047	<1	2.44	7	700	3	16	1.59	<4	18	109	33	3.05	<0.01	13	1.26	624	<1	68	463	47	0.98	5	17	<10	930	2032	<2	62	<10	11	142
239194	1184596	0.068	<1	1.37	19	361	2	9	0.23	<4	4	19	6	1.08	0.04	5	0.50	201	<1	30	258	30	0.53	<5	11	<10	213	908	<2	17	<10	5	58
239195	1184597	0.020	<1	1.27	10	282	2	11	0.14	<4	5	15	10	0.95	0.03	3	0.44	183	<1	24	243	28	0.47	<5	11	<10	163	853	<2	14	<10	4	50
239196	1184598	0.066	<1	1.03	19	193	2	9	0.30	<4	5	12	7	0.96	0.02	3	0.53	242	<1	20	228	26	0.41	6	14	<10	94	908	<2	14	<10	4	64
239197	1184599	0.026	<1	0.24	22	157	2	8	0.03	<4	4	12	3	0.85	<0.01	1	0.44	197	<1	21	225	32	0.42	<5	<5	<10	62	792	<2	12	<10	3	47
239198	1184600	0.007	<1	0.75	6	249	2	17	1.17	<4	12	27	19	2.05	<0.01	2	0.76	390	<1	23	448	22	0.07	<5	11	<10	154	1546	<2	67	21	12	39
239199	1184601	0.091	<1	2.33	23	243	2	12	0.38	<4	5	14	8	1.02	0.03	5	0.47	190	5	25	233	63	0.52	<5	6	<10	116	926	<2	17	<10	5	165
239200	1184602	0.044	<1	1.66	10	353	2	16	0.91	<4	6	16	16	1.14	<0.01	2	0.43	253	<1	36	253	45	0.76	<5	12	<10	142	976	<2	18	<10	5	161
239201	1184603	0.048	<1	2.03	11	359	4	4	1.32	<4	7	13	7	1.17	0.07	4	0.58	297	<1	20	351	19	0.44	<5	15	<10	135	1184	<2	20	<10	8	59
239202D	1184603	0.030	<1	2.64	7	388	2	20	1.40	<4	6	13	7	1.17	0.17	5	0.59	297	<1	20	347	24	0.43	<5	13	<10	144	1205	<2	18	<10	6	48
239203	1184604	0.020	<1	2.52	3	446	2	13	1.09	<4	6	15	6	1.18	0.07	6	0.56	260	<1	21	336	21	0.31	<5	22	<10	153	1322	<2	19	<10	6	59
239204	1184605	0.040	<1	2.10	8	615	2	7	1.18	<4	6	19	10	1.40	0.08	5	0.52	328	<1	29	338	20	0.83	<5	13	<10	387	1176	<2	21	<10	5	42
239205	1184606	0.026	<1	1.10	10	530	2	3	1.33	<4	5	14	10	1.38	<0.01	4	0.51	374	<1	24	364	15	0.87	<5	15	<10	305	1143	<2	20	<10	5	42
239206	1184607	0.017	<1	1.98	10	618	2	14	1.38	<4	6	17	9	1.18	0.12	3	0.44	349	<1	26	300	22	0.67	<5	12	<10	245	1198	<2	19	<10	5	49
239207	1184608	0.007	<1	2.00	2	496	2	4	1.41	<4	5	15	15	1.04	0.08	3	0.41	292	<1	21	284	22	0.52	<5	5	<10	229	1286	<2	17	<10	5	98
239208	1184609	0.013	<1	2.30	12	461	2	15	1.43	<4	6	18	17	1.06	0.06	3	0.43	292	<1	21	303	23	0.36	6	18	<10	249	1300	<2	18	<10	6	44
239209	1184610	1.277	<1	1.43	19	357	2	16	1.26	<4	15	47	495	3.14	<0.01	4	0.92	517	20	34	581	76	0.51	<5	21	<10	158	1462	<2	92	22	13	93
239210	1184611	0.006	<1	1.96	3	486	2	<1	1.39	<4	6	17	32	1.17	<0.01	2	0.41	288	<1	24	324	25	0.42	<5	11	<10	227	1253	<2	21	<10	6	55
239211	1184612	<0.005	<1	1.87	13	643	4	10	1.81	<4	8	20	21	1.43	0.26	2	0.55	423	<1	27	330	19	0.82	<5	27	<10	301	1246	<2	23	<10	9	107

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239212	1184613	<0.005	<1	3.05	6	668	3	13	1.20	<4	6	15	17	1.21	0.07	8	0.67	339	<1	26	321	38	0.60	<5	20	<10	306	1207	<2	21	<10	6	130
239213D	1184613	0.022	<1	1.48	7	526	2	10	0.91	<4	5	14	15	1.13	0.05	4	0.61	318	<1	22	305	39	0.55	<5	13	<10	242	1108	<2	18	<10	5	122
239214	1184614	<0.005	<1	1.94	9	712	2	15	1.60	<4	6	19	12	1.26	0.07	8	0.92	402	<1	29	311	23	0.51	<5	29	<10	289	1186	<2	20	<10	6	76
239215	1184615	<0.005	<1	0.69	8	421	2	9	1.31	<4	5	18	10	1.26	0.07	4	0.79	315	<1	28	300	23	0.33	<5	8	<10	176	1141	<2	18	<10	5	59
239216	1184616	<0.005	<1	2.57	11	417	<2	11	1.31	<4	6	15	11	1.49	0.16	5	1.04	362	<1	19	378	11	0.59	<5	22	<10	263	1430	<2	24	<10	6	113
239217	1184617	<0.005	<1	1.47	10	344	<2	12	1.07	<4	7	23	5	1.55	0.07	4	1.16	358	<1	30	404	13	0.63	<5	16	<10	195	1391	<2	26	<10	5	61
239218	1184618	<0.005	<1	2.29	9	262	2	17	0.87	<4	8	15	4	1.52	0.11	9	1.33	308	<1	22	383	20	0.28	<5	14	<10	160	1472	<2	26	<10	5	68
239219	1184619	0.017	<1	2.08	7	333	<2	16	0.94	<4	8	16	27	1.63	<0.01	6	1.05	308	<1	19	407	121	0.95	6	21	<10	174	1550	<2	29	<10	6	392
239220	1184620	0.005	<1	2.13	9	361	<2	15	1.49	<4	12	31	22	2.43	0.17	3	0.93	458	<1	20	500	10	0.11	<5	15	<10	221	1910	<2	80	24	14	51
239221	1184621	<0.005	<1	2.56	9	369	2	17	1.02	<4	7	16	4	1.47	0.05	5	0.75	277	<1	23	419	22	0.90	<5	<5	<10	161	1384	<2	26	<10	6	52
239222	1184622	0.008	<1	2.66	16	385	2	15	1.22	<4	7	19	6	1.55	0.13	5	0.81	303	<1	26	419	24	0.84	<5	10	<10	165	1412	<2	28	<10	6	54
239223	1184623	0.015	<1	3.13	3	272	3	14	2.17	<4	22	133	47	3.51	0.12	8	1.49	598	<1	71	799	30	1.22	<5	13	<10	220	2255	<2	70	<10	15	68
239224D	1184623	0.019	<1	3.14	2	273	3	19	2.16	<4	20	131	47	3.51	0.13	8	1.51	601	<1	66	793	32	1.23	<5	9	<10	221	2254	3	71	<10	15	68
239225	1184624	0.017	<1	2.66	6	199	2	11	0.86	<4	23	121	44	3.54	0.06	12	1.51	388	<1	75	457	31	0.59	<5	12	<10	97	1856	<2	74	<10	7	58
239226	1184625	1.487	<1	2.37	51	141	3	16	0.75	<4	13	73	52	2.80	0.08	4	0.93	317	2	58	328	235	2.14	<5	12	<10	101	1105	<2	39	<10	9	455
239227	1184626	0.856	<1	2.28	51	154	2	12	0.70	<4	13	67	50	2.63	<0.01	4	0.93	294	<1	53	318	150	2.02	<5	18	<10	94	1081	<2	36	<10	8	164
239228	1184627	4.205	2	1.55	66	155	2	9	0.30	<4	4	26	49	2.00	0.02	<1	0.44	130	<1	37	159	88	1.91	<5	11	<10	56	714	<2	16	11	4	445
239229	1184628	0.525	<1	2.95	37	205	2	13	0.56	<4	4	14	13	1.21	0.03	4	0.57	265	<1	20	256	151	1.03	<5	15	<10	75	821	<2	14	<10	5	358
239230	1184629	0.059	<1	4.11	8	245	3	16	1.66	<4	20	109	39	3.11	0.04	12	1.37	612	2	67	451	41	0.79	<5	18	<10	122	2122	<2	65	<10	13	73
239231	1184630	1.458	<1	3.74	35	141	3	33	2.45	<4	17	61	7601	4.56	<0.01	9	1.11	516	723	22	841	46	2.30	10	20	<10	186	703	<2	94	<10	14	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239232	1184631	0.112	<1	4.59	6	270	3	22	1.09	<4	24	124	220	3.58	0.02	18	1.36	512	28	79	489	41	1.02	<5	22	<10	118	2070	<2	78	<10	13	104
239233	1184632	0.084	<1	2.47	3	179	3	13	1.34	<4	22	114	70	3.24	0.04	9	1.42	666	<1	66	420	49	0.82	<5	5	<10	99	1757	<2	65	<10	9	80
239234	1184633	0.065	<1	4.18	5	225	3	10	1.32	<4	23	126	50	3.30	0.10	15	1.33	642	6	67	428	61	0.82	<5	12	<10	127	2087	<2	70	<10	12	119
239235D	1184633	0.066	<1	3.87	6	217	2	10	1.33	<4	23	127	51	3.38	0.07	13	1.32	651	2	82	430	63	0.86	<5	9	<10	128	2122	<2	71	<10	12	121
239236	1184634	1.066	<1	4.48	4	284	3	17	1.28	<4	21	108	42	3.07	0.15	12	1.22	596	6	73	443	92	0.99	<5	14	<10	125	2066	<2	71	<10	14	102
239237	1184635	0.045	<1	2.21	23	182	2	7	0.80	<4	7	17	6	1.21	0.06	5	0.86	504	<1	22	297	78	0.66	<5	15	<10	85	972	<2	18	<10	6	125
239238	1184636	0.180	2	2.91	27	269	3	17	0.40	14	6	14	58	1.19	0.07	3	0.51	259	<1	25	254	737	1.15	<5	14	<10	79	879	<2	15	37	5	2748
239239	1184637	0.065	<1	3.20	18	169	3	14	1.17	<4	5	11	20	1.13	<0.01	5	0.85	550	<1	18	291	74	0.86	<5	16	<10	103	846	<2	13	<10	5	282
239240	1184638	2.424	16	3.05	25	212	2	14	0.54	6	5	11	89	1.03	<0.01	4	0.52	281	<1	20	258	1183	0.88	7	17	<10	83	835	<2	14	20	5	1381
239241	1184639	0.026	<1	3.13	20	134	2	13	1.58	<4	6	11	10	1.00	<0.01	3	0.70	539	<1	20	290	62	0.55	<5	20	<10	111	847	<2	14	<10	5	77
239242	1184640	<0.005	<1	2.13	<2	310	2	12	1.35	<4	12	28	20	2.10	0.02	5	0.81	410	<1	21	471	19	0.07	<5	9	<10	190	1669	<2	70	22	13	37
239243	1184641	0.223	<1	1.87	9	129	3	12	0.71	<4	4	19	27	0.99	0.05	2	0.65	359	<1	31	249	40	0.70	<5	12	<10	92	709	<2	13	<10	5	66
239244	1184642	0.050	<1	2.03	18	159	3	11	0.48	<4	6	17	12	1.14	0.02	5	0.71	343	<1	22	252	41	0.84	<5	22	<10	82	846	<2	16	<10	6	97
239245	1184643	0.126	<1	3.80	7	239	3	24	1.69	<4	20	114	49	2.90	0.10	7	1.11	618	<1	67	475	45	0.92	<5	6	<10	174	2021	<2	61	<10	13	95
239246D	1184643	0.116	<1	4.24	9	254	3	20	1.77	<4	20	118	50	2.99	0.15	9	1.17	641	2	65	468	40	0.95	<5	26	10	182	2113	<2	65	<10	14	96
239247	1184644	0.051	<1	4.89	3	296	4	20	1.70	<4	22	119	52	3.51	0.12	12	1.37	589	3	70	493	39	0.84	<5	21	<10	196	2404	<2	74	<10	14	76
239248	1184645	0.072	<1	4.38	7	332	3	20	1.99	<4	23	119	40	3.34	0.04	10	1.23	760	3	74	488	39	1.45	6	18	<10	212	2063	<2	70	<10	14	96
239249	1184646	0.142	<1	3.46	13	258	3	14	1.97	<4	24	120	42	3.46	<0.01	7	1.27	822	<1	77	501	40	1.57	5	21	<10	196	2066	<2	70	<10	14	99
239250	1184647	0.043	<1	3.41	14	254	3	18	1.18	<4	22	118	38	3.51	<0.01	10	1.24	623	<1	80	497	46	1.66	<5	17	<10	139	2081	<2	73	<10	12	81
239251	1184648	0.048	<1	4.05	15	192	4	21	1.50	<4	25	127	39	3.85	<0.01	11	1.34	658	4	75	484	47	1.79	5	14	<10	161	2221	<2	77	<10	12	91

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239252	1184649	0.064	<1	3.45	25	176	3	21	1.40	<4	21	103	42	3.44	<0.01	6	1.11	654	<1	68	511	57	2.21	<5	9	<10	157	1963	<2	65	<10	13	101
239253	1184650	0.257	105	2.00	223	194	2	15	1.02	24	13	45	6558	4.90	<0.01	5	1.06	1517	15	29	440	10969	2.06	112	9	<10	156	1524	<2	69	61	13	5308
239254	1184651	0.021	<1	2.38	36	214	2	17	0.85	<4	9	33	84	1.83	0.10	6	0.84	502	<1	33	355	156	1.35	<5	21	<10	113	1239	<2	31	<10	7	165
239255	1184652	0.022	<1	3.43	23	384	2	11	1.06	<4	6	16	6	1.13	<0.01	5	0.55	319	<1	20	291	34	0.68	<5	21	<10	146	1040	<2	20	<10	5	128
239256	1184653	0.268	<1	3.23	9	382	2	13	1.56	<4	6	17	22	1.19	0.04	5	0.62	461	<1	23	322	235	0.71	<5	24	<10	169	1094	<2	20	<10	5	333
239257R	1184653	0.271	<1	4.02	17	462	3	25	1.74	<4	5	18	19	1.26	<0.01	6	0.65	473	<1	24	322	243	0.73	<5	17	<10	192	1171	<2	23	10	5	436
239258	1184654	0.030	<1	3.09	18	385	2	17	1.31	<4	6	24	7	1.13	0.12	6	0.59	464	<1	30	271	35	0.65	<5	16	<10	200	1147	<2	20	<10	5	140
239259	1184655	0.167	<1	4.18	19	618	2	14	1.40	4	8	21	92	1.52	<0.01	10	0.75	612	2	25	344	35	0.79	5	18	<10	197	1335	<2	24	17	7	1065
239260	1184656	0.040	<1	3.09	12	513	2	16	1.59	<4	8	32	13	1.55	<0.01	12	0.83	679	6	41	382	36	1.05	6	21	<10	306	1384	<2	30	12	7	355
239261	1184657	0.019	<1	2.76	9	453	2	14	1.24	<4	8	22	10	1.19	<0.01	7	0.65	538	<1	29	343	35	0.45	<5	26	<10	155	1233	2	23	<10	6	172
239262	1184658	0.019	<1	2.88	5	481	2	13	1.44	<4	7	22	11	1.24	0.08	4	0.65	579	<1	31	350	41	0.28	<5	31	<10	147	1288	<2	22	<10	6	98
239263	1184659	0.031	<1	3.33	9	574	2	11	1.39	<4	7	20	11	1.37	0.13	8	0.75	671	2	32	339	118	0.46	<5	25	<10	154	1219	<2	21	<10	6	261
239264	1184660	<0.005	<1	3.02	7	361	2	20	1.47	<4	13	29	20	2.13	0.07	7	0.84	419	2	26	477	19	0.07	<5	17	<10	215	1760	<2	72	25	14	44
239265	1184661	0.022	<1	4.10	8	545	2	24	1.68	<4	7	21	8	1.24	0.05	8	0.73	647	2	30	342	59	0.33	<5	15	<10	159	1244	<2	24	<10	7	91
239266	1184662	0.023	<1	3.55	7	563	2	19	1.47	<4	6	27	7	1.28	0.11	9	0.79	658	2	35	332	45	0.34	<5	21	<10	149	1232	<2	22	<10	6	70
239267	1184663	0.024	<1	3.25	9	522	2	11	1.50	<4	6	20	7	1.30	0.14	4	0.78	670	<1	28	333	49	0.33	5	21	<10	139	1261	<2	22	<10	6	81
239268D	1184663	0.023	<1	4.54	9	605	<2	12	1.93	<4	7	24	6	1.48	0.21	5	0.88	735	<1	28	338	41	0.42	<5	15	<10	174	1425	<2	26	<10	7	82
239269	1184664	0.016	<1	4.07	2	604	<2	17	1.84	<4	7	24	8	1.54	0.16	5	0.83	710	<1	28	339	120	0.66	<5	22	<10	181	1377	<2	24	<10	6	136
239270	1184665	0.021	<1	4.50	8	614	<2	17	1.81	<4	7	22	22	1.58	0.24	6	0.78	641	<1	25	325	59	0.58	<5	18	<10	173	1399	<2	25	10	6	377
239271	1184666	0.020	<1	4.47	8	625	<2	20	1.77	<4	8	19	20	1.52	0.18	7	0.79	663	<1	24	334	56	0.49	<5	22	<10	168	1414	<2	26	<10	6	282

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239272	1184667	0.020	<1	3.65	7	530	<2	16	1.54	<4	7	22	8	1.45	0.20	5	0.81	621	<1	25	345	43	0.38	<5	26	<10	156	1424	<2	26	<10	7	73
239273	1184668	0.024	<1	4.05	3	474	<2	18	1.56	<4	7	24	10	1.44	0.14	7	0.71	507	<1	25	336	27	0.30	<5	25	<10	162	1422	<2	28	<10	7	81
239274	1184669	0.053	<1	3.35	4	459	<2	27	1.56	<4	8	30	32	1.92	0.07	6	0.96	770	<1	25	369	154	0.61	<5	9	<10	155	1580	<2	33	<10	7	317
239275	1184670	1.175	<1	3.80	19	478	<2	18	1.53	<4	15	54	562	3.58	0.16	9	1.12	578	25	33	624	75	0.69	6	19	<10	223	1769	<2	105	26	15	102
239276	1184671	0.037	<1	2.85	10	477	<2	12	1.46	<4	9	32	14	1.63	0.15	5	1.03	834	<1	32	391	269	0.48	<5	15	<10	140	1447	<2	32	11	6	703
239277	1184672	0.023	<1	3.64	8	456	<2	19	1.78	<4	7	31	7	1.62	0.11	10	1.09	815	<1	50	385	48	0.32	<5	26	<10	152	1520	<2	32	<10	7	153
239278	1184673	0.478	<1	3.73	55	467	<2	16	1.81	4	10	35	18	1.98	0.30	8	1.05	823	<1	51	315	51	1.01	<5	15	<10	191	1415	<2	30	13	6	762
239279D	1184673	0.486	<1	4.79	49	594	<2	18	2.20	4	10	39	17	2.00	0.10	18	1.01	856	9	32	303	56	0.98	<5	22	<10	234	1676	<2	38	15	6	744
239280	1184674	1.333	<1	5.16	13	503	<2	20	1.86	<4	6	26	13	1.68	0.12	12	1.12	869	<1	24	347	35	0.46	<5	28	<10	166	1468	<2	30	<10	7	102
239281	1184675	0.038	<1	4.20	6	508	<2	20	1.96	<4	6	22	6	1.61	0.14	9	1.12	943	<1	23	346	47	0.34	<5	20	<10	151	1516	<2	26	<10	7	187
239282	1184676	0.518	<1	5.93	9	457	<2	20	1.55	<4	6	27	8	1.31	0.12	16	0.88	486	3	23	336	31	0.44	<5	25	<10	177	1394	<2	27	<10	7	231
239283	1184677	0.101	<1	2.96	11	421	<2	15	1.00	<4	5	27	11	1.58	0.07	8	0.97	605	<1	27	301	49	0.91	<5	23	<10	133	1311	<2	25	10	5	537
239284	1184678	0.104	<1	2.67	26	342	<2	17	1.03	<4	7	21	4	1.46	0.03	6	1.03	659	<1	24	356	110	1.08	<5	12	<10	122	1263	<2	22	<10	6	203
239285	1184679	0.022	<1	3.36	13	370	<2	16	0.45	<4	5	20	4	1.10	0.12	6	0.64	272	<1	16	200	49	1.03	<5	29	<10	116	931	<2	15	<10	5	72
239286	1184680	<0.005	<1	1.61	<2	335	<2	10	1.43	<4	12	32	21	2.39	0.22	2	0.90	450	<1	20	482	9	0.09	5	<5	<10	208	1818	<2	79	26	14	44
239287	1184681	0.028	<1	4.31	27	422	<2	15	1.19	<4	5	14	4	1.26	0.08	8	0.76	435	<1	15	257	59	1.01	6	22	<10	142	1098	<2	20	<10	6	73
239288	1184682	0.325	<1	3.29	29	358	<2	9	1.26	4	6	17	237	1.68	0.08	4	0.66	501	<1	22	270	214	1.48	<5	20	<10	137	1142	<2	23	10	6	759
239289	1184683	0.729	<1	3.98	64	341	2	24	1.80	<4	17	110	158	2.74	0.06	14	1.09	802	8	76	395	111	2.21	<5	18	<10	165	1862	<2	62	<10	13	224
239290D	1184683	0.722	<1	2.59	62	263	<2	15	1.63	<4	16	99	156	2.67	0.30	3	1.07	763	<1	63	394	109	2.22	<5	17	<10	152	1607	<2	53	<10	13	212
239291	1184684	1.064	5	3.77	73	176	<2	20	0.14	6	15	92	117	2.71	0.14	4	0.40	122	2	61	356	729	3.40	7	16	<10	105	1642	<2	58	23	11	1591

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239292	1184685	0.121	<1	4.82	28	288	<2	28	1.94	<4	22	133	55	3.48	0.12	11	1.31	1008	2	61	537	45	1.56	5	19	<10	173	2425	<2	72	<10	16	98
239293	1184686	0.118	<1	6.07	33	314	<2	16	2.10	<4	22	135	53	3.55	<0.01	16	1.37	1030	7	61	543	42	1.62	<5	28	<10	181	2501	<2	74	<10	17	92
239294	1184687	0.878	<1	6.30	30	299	<2	14	2.12	<4	17	114	38	3.07	<0.01	17	1.35	995	8	52	463	39	1.42	<5	7	<10	174	2191	<2	62	<10	15	76
239295	1184688	0.075	<1	4.10	38	272	2	13	0.39	<4	7	24	24	1.83	<0.01	9	0.63	249	<1	32	363	83	1.78	<5	19	<10	113	1052	<2	24	13	8	579
239296	1184689	0.120	<1	5.28	100	238	2	22	1.24	<4	20	103	30	3.23	<0.01	18	0.98	505	8	72	428	50	3.26	<5	19	<10	131	1649	<2	67	<10	13	107
239297	1184690	1.531	<1	4.89	37	156	2	12	2.69	5	18	65	7474	5.11	<0.01	11	1.24	556	781	34	852	38	3.01	10	24	<10	224	767	<2	104	<10	15	94
239298	1184691	0.295	<1	5.82	49	287	2	23	1.83	<4	21	113	107	3.45	0.04	17	1.34	689	14	72	451	59	2.31	<5	25	<10	143	1787	<2	70	<10	14	103
239299	1184692	0.122	<1	4.41	60	363	<2	17	0.37	<4	11	51	15	2.12	0.08	8	0.47	143	3	43	300	58	2.35	6	25	<10	116	1204	<2	36	<10	7	239
239300	1184693	1.201	<1	3.57	120	322	<2	19	0.04	7	17	112	62	3.16	0.01	6	0.36	<100	5	56	372	504	4.03	<5	19	<10	83	1549	<2	62	25	8	1796
239301D	1184693	1.225	<1	3.40	122	328	<2	17	<0.01	7	19	114	64	3.24	<0.01	5	0.35	<100	4	58	380	512	4.14	7	12	<10	81	1573	<2	64	27	8	1849
239302	1184694	0.072	<1	4.70	22	416	<2	26	1.68	<4	14	86	40	2.64	<0.01	16	1.14	578	4	53	447	113	1.48	<5	23	<10	174	1782	<2	52	<10	12	224
239303	1184695	0.027	<1	4.09	16	589	<2	23	1.50	<4	9	30	30	1.79	<0.01	13	1.00	511	<1	65	437	28	1.00	<5	23	<10	199	1510	<2	35	<10	8	80
239304	1184696	0.017	<1	5.76	8	974	<2	21	1.48	<4	6	21	10	1.10	<0.01	16	0.56	285	3	24	371	28	0.94	<5	37	<10	262	1611	<2	33	<10	6	113
239305	1184697	0.017	<1	2.87	8	493	<2	17	1.10	<4	7	21	11	1.32	0.02	8	0.79	529	<1	22	379	19	0.72	<5	17	<10	116	1272	<2	26	<10	7	85
239306	1184698	0.030	<1	4.23	22	543	<2	22	0.94	<4	11	29	14	1.84	<0.01	8	0.62	453	<1	40	438	32	1.52	<5	7	<10	160	1531	<2	36	<10	8	59
239307	1184699	0.025	<1	3.19	13	519	<2	20	1.52	<4	10	45	38	2.08	<0.01	12	1.10	811	<1	48	431	55	1.16	<5	18	<10	172	1434	<2	36	<10	7	260
239308	1184700	0.005	<1	0.90	4	267	<2	15	1.38	<4	12	32	22	2.45	0.11	3	0.91	450	<1	23	498	8	0.08	5	16	<10	167	1731	<2	78	20	14	41
239309	1184701	0.020	<1	3.72	6	409	<2	9	1.03	<4	8	28	9	1.50	0.07	15	0.99	646	<1	29	372	18	0.39	<5	23	<10	149	1454	<2	30	<10	7	70
239310	1184702	0.273	<1	2.78	10	314	<2	5	1.03	<4	7	17	8	1.60	0.17	13	0.99	780	<1	19	406	9	0.33	<5	15	<10	132	1472	<2	28	<10	7	62
239311	1184703	0.013	<1	2.91	12	294	<2	18	1.01	<4	7	21	6	1.63	0.05	14	1.05	894	<1	23	403	13	0.36	<5	18	<10	122	1471	<2	28	<10	7	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239312D	1184703	0.015	<1	2.68	11	290	<2	17	0.98	<4	7	20	6	1.60	0.09	13	1.04	877	<1	22	401	23	0.35	<5	21	<10	120	1437	<2	28	<10	7	53
239313	1184704	0.033	<1	5.16	16	378	<2	27	1.97	<4	8	32	10	1.76	0.09	25	1.18	990	<1	27	443	43	0.60	<5	32	<10	212	1502	<2	31	<10	8	73
239314	1184705	0.039	<1	4.54	18	360	<2	14	1.94	<4	8	24	51	1.77	0.05	13	1.16	928	<1	23	423	44	0.73	6	26	<10	189	1519	<2	31	<10	8	94
239315	1184706	0.041	<1	6.08	22	426	<2	27	2.10	<4	9	29	39	1.86	0.06	21	1.23	1048	7	25	435	45	0.76	<5	18	<10	203	1736	<2	34	<10	9	80
239316	1184707	0.047	<1	3.84	24	269	<2	19	0.83	<4	8	22	19	1.71	0.07	14	0.90	792	<1	25	412	54	1.19	<5	17	<10	110	1599	<2	31	<10	7	140
239317	1184708	0.025	<1	4.69	12	250	<2	12	1.78	<4	7	21	12	1.76	<0.01	15	1.20	1796	<1	23	417	84	0.51	<5	15	<10	152	1572	<2	31	<10	7	156
239318	1184709	0.074	<1	4.94	14	228	<2	9	1.66	4	8	29	24	1.78	<0.01	17	1.11	1425	6	25	395	483	0.90	<5	14	<10	169	1487	<2	28	15	7	824
239319	1184710	0.300	100	0.57	220	226	<2	17	0.92	26	15	48	6100	5.53	<0.01	2	1.15	1694	13	28	449	9771	2.74	93	<5	<10	133	1546	<2	71	61	13	5090
239320	1184711	0.031	<1	4.45	8	209	<2	12	1.60	<4	8	19	48	1.80	0.13	13	1.31	1380	<1	27	394	225	0.84	<5	25	<10	189	1506	<2	28	<10	6	381
239321	1184712	0.090	1	5.25	13	347	<2	16	2.45	7	8	24	35	1.93	<0.01	15	1.45	1354	3	25	411	833	1.49	<5	34	<10	324	1474	<2	32	31	7	1658
239322	1184713	0.202	<1	3.29	4	603	<2	14	1.90	<4	11	25	15	1.99	0.05	17	1.02	376	<1	27	643	41	0.64	<5	8	<10	325	2459	<2	44	<10	8	90
239323R	1184713	0.202	<1	3.82	2	649	<2	12	2.03	<4	13	27	16	2.12	<0.01	19	1.06	383	<1	33	671	26	0.65	<5	27	<10	345	2596	<2	46	<10	9	77
239324	1184714	0.022	<1	2.71	6	573	<2	24	2.06	<4	11	25	16	2.10	0.02	18	0.95	372	<1	29	641	12	0.29	<5	13	<10	412	2300	2	43	<10	9	60
239325	1184715	0.042	<1	4.92	7	690	<2	10	1.97	<4	12	23	14	2.29	<0.01	21	1.26	563	5	26	616	50	0.37	<5	17	<10	354	2187	<2	47	<10	9	156
239326	1184716	0.052	<1	4.39	15	380	<2	26	1.01	4	10	18	20	1.92	<0.01	16	1.19	1079	3	24	393	314	1.21	<5	27	<10	195	1663	<2	31	14	8	861
239327	1184717	0.017	<1	5.81	9	495	<2	21	3.00	<4	6	23	13	1.97	<0.01	21	1.78	535	6	27	443	38	1.08	<5	34	<10	213	1443	<2	32	<10	8	71
239328	1184718	0.138	<1	4.84	34	376	<2	19	1.07	<4	6	19	11	1.68	<0.01	16	0.84	238	5	23	373	27	1.48	5	17	<10	119	1423	2	28	<10	7	155
239329	1184719	0.129	<1	4.61	34	230	<2	23	2.02	<4	8	20	44	1.92	0.01	18	1.42	592	5	28	342	32	1.74	<5	18	<10	113	1315	<2	24	<10	7	82
239330	1184720	<0.005	<1	2.31	6	323	<2	9	1.46	<4	12	31	22	2.31	0.12	6	0.92	433	<1	19	476	7	0.09	7	27	<10	197	1754	<2	75	23	14	40
239331	1184721	0.059	<1	4.91	23	267	<2	18	1.72	<4	7	19	14	1.56	0.05	19	1.11	363	2	24	361	33	1.00	<5	16	<10	106	1415	<2	25	<10	7	78

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239332	1184722	0.044	<1	5.63	18	270	<2	24	1.87	<4	7	17	22	1.37	0.14	24	1.14	428	8	21	374	28	0.66	<5	27	<10	115	1487	<2	28	<10	8	67
239333	1184723	0.447	<1	5.00	52	205	<2	17	1.04	5	8	19	118	2.14	<0.01	13	0.76	279	3	24	375	247	2.21	<5	12	<10	98	1331	<2	28	20	8	1318
239334D	1184723	0.453	<1	5.05	49	246	<2	11	0.97	5	8	21	112	2.05	<0.01	14	0.75	270	5	24	351	243	2.08	<5	30	<10	97	1403	<2	28	15	8	1260
239335	1184724	0.042	<1	5.23	19	261	<2	22	1.66	<4	9	31	16	1.55	<0.01	19	1.11	364	3	35	446	60	0.77	<5	20	<10	115	1513	<2	32	<10	8	75
239336	1184725	0.020	<1	6.63	15	371	2	13	2.96	<4	11	37	10	1.94	<0.01	24	1.51	423	3	45	480	35	0.53	<5	13	<10	184	1638	<2	38	<10	9	52
239337	1184726	0.032	<1	5.98	14	345	2	24	2.91	<4	10	38	10	1.90	<0.01	20	1.43	404	<1	46	478	33	0.54	<5	22	<10	182	1503	<2	36	<10	8	47
239338	1184727	0.028	<1	5.19	6	294	2	23	2.25	<4	13	38	13	1.85	<0.01	17	1.30	356	1	52	487	22	0.63	5	20	<10	185	1545	<2	35	<10	8	83
239339	1184728	0.009	<1	4.27	11	393	<2	15	1.76	<4	12	34	4	1.68	<0.01	18	1.24	352	<1	43	468	19	0.59	<5	17	<10	162	1504	<2	35	<10	8	59
239340	1184729	0.012	<1	4.18	5	419	2	12	1.78	<4	10	40	19	1.87	0.05	22	1.29	372	<1	44	448	17	0.57	<5	18	<10	142	1576	<2	38	<10	7	79
239341	1184730	1.142	<1	4.00	20	485	<2	15	1.56	<4	15	55	548	3.52	0.03	11	1.13	570	24	31	610	79	0.68	6	20	<10	217	1769	<2	104	26	15	101
239342	1184731	0.036	<1	4.53	17	477	<2	8	1.59	<4	9	36	26	1.69	0.09	23	1.15	363	3	37	479	31	0.49	5	15	<10	139	1636	<2	36	<10	8	99
239343	1184732	0.134	<1	4.06	16	389	<2	19	1.24	<4	9	33	42	1.90	<0.01	20	0.94	298	3	43	409	38	1.42	<5	20	<10	145	1576	<2	35	12	7	584
239344	1184733	0.041	<1	3.08	12	501	<2	15	1.42	4	13	42	79	1.98	<0.01	10	1.06	412	<1	48	396	20	1.07	<5	15	<10	157	1299	<2	37	13	7	959
239345D	1184733	0.046	<1	5.32	9	681	<2	18	1.97	4	11	46	77	1.98	<0.01	20	1.07	424	11	47	397	26	1.07	<5	23	<10	218	1481	<2	45	17	8	933

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239192	1184594	54	0.002	0.054
239193	1184595	47	0.001	0.047
239194	1184596	68	0.002	0.068
239195	1184597	20	<0.001	0.020
239196	1184598	66	0.002	0.066
239197	1184599	26	<0.001	0.026
239198	1184600	7	<0.001	0.007
239199	1184601	91	0.003	0.091
239200	1184602	44	0.001	0.044
239201	1184603	48	0.001	0.048
239202 Dup	1184603	30	<0.001	0.030
239203	1184604	20	<0.001	0.020
239204	1184605	40	0.001	0.040
239205	1184606	26	<0.001	0.026
239206	1184607	17	<0.001	0.017
239207	1184608	7	<0.001	0.007
239208	1184609	13	<0.001	0.013
239209	1184610	1277	0.037	1.277
239210	1184611	6	<0.001	0.006
239211	1184612	<5	<0.001	<0.005
239212	1184613	<5	<0.001	<0.005
239213 Dup	1184613	22	<0.001	0.022
239214	1184614	<5	<0.001	<0.005
239215	1184615	<5	<0.001	<0.005
239216	1184616	<5	<0.001	<0.005
239217	1184617	<5	<0.001	<0.005
239218	1184618	<5	<0.001	<0.005
239219	1184619	17	<0.001	0.017
239220	1184620	5	<0.001	0.005
239221	1184621	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239222	1184622	8	<0.001	0.008
239223	1184623	15	<0.001	0.015
239224 Dup	1184623	19	<0.001	0.019
239225	1184624	17	<0.001	0.017
239226	1184625	1487	0.043	1.487
239227	1184626	856	0.025	0.856
239228	1184627	4205	0.123	4.205
239229	1184628	525	0.015	0.525
239230	1184629	59	0.002	0.059
239231	1184630	1458	0.043	1.458
239232	1184631	112	0.003	0.112
239233	1184632	84	0.002	0.084
239234	1184633	65	0.002	0.065
239235 Dup	1184633	66	0.002	0.066
239236	1184634	1066	0.031	1.066
239237	1184635	45	0.001	0.045
239238	1184636	180	0.005	0.180
239239	1184637	65	0.002	0.065
239240	1184638	2424	0.071	2.424
239241	1184639	26	<0.001	0.026
239242	1184640	<5	<0.001	<0.005
239243	1184641	223	0.007	0.223
239244	1184642	50	0.001	0.050
239245	1184643	126	0.004	0.126
239246 Dup	1184643	116	0.003	0.116
239247	1184644	51	0.001	0.051
239248	1184645	72	0.002	0.072
239249	1184646	142	0.004	0.142
239250	1184647	43	0.001	0.043
239251	1184648	48	0.001	0.048

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, October 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239252	1184649	64	0.002	0.064
239253	1184650	257	0.007	0.257
239254	1184651	21	<0.001	0.021
239255	1184652	22	<0.001	0.022
239256	1184653	268	0.008	0.268
239257 Rep	1184653	271	0.008	0.271
239258	1184654	30	<0.001	0.030
239259	1184655	167	0.005	0.167
239260	1184656	40	0.001	0.040
239261	1184657	19	<0.001	0.019
239262	1184658	19	<0.001	0.019
239263	1184659	31	<0.001	0.031
239264	1184660	<5	<0.001	<0.005
239265	1184661	22	<0.001	0.022
239266	1184662	23	<0.001	0.023
239267	1184663	24	<0.001	0.024
239268 Dup	1184663	23	<0.001	0.023
239269	1184664	16	<0.001	0.016
239270	1184665	21	<0.001	0.021
239271	1184666	20	<0.001	0.020
239272	1184667	20	<0.001	0.020
239273	1184668	24	<0.001	0.024
239274	1184669	53	0.002	0.053
239275	1184670	1175	0.034	1.175
239276	1184671	37	0.001	0.037
239277	1184672	23	<0.001	0.023
239278	1184673	478	0.014	0.478
239279 Dup	1184673	486	0.014	0.486
239280	1184674	1333	0.039	1.333
239281	1184675	38	0.001	0.038

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239282	1184676	518	0.015	0.518
239283	1184677	101	0.003	0.101
239284	1184678	104	0.003	0.104
239285	1184679	22	<0.001	0.022
239286	1184680	<5	<0.001	<0.005
239287	1184681	28	<0.001	0.028
239288	1184682	325	0.009	0.325
239289	1184683	729	0.021	0.729
239290 Dup	1184683	722	0.021	0.722
239291	1184684	1064	0.031	1.064
239292	1184685	121	0.004	0.121
239293	1184686	118	0.003	0.118
239294	1184687	878	0.026	0.878
239295	1184688	75	0.002	0.075
239296	1184689	120	0.003	0.120
239297	1184690	1531	0.045	1.531
239298	1184691	295	0.009	0.295
239299	1184692	122	0.004	0.122
239300	1184693	1201	0.035	1.201
239301 Dup	1184693	1225	0.036	1.225
239302	1184694	72	0.002	0.072
239303	1184695	27	<0.001	0.027
239304	1184696	17	<0.001	0.017
239305	1184697	17	<0.001	0.017
239306	1184698	30	<0.001	0.030
239307	1184699	25	<0.001	0.025
239308	1184700	5	<0.001	0.005
239309	1184701	20	<0.001	0.020
239310	1184702	273	0.008	0.273
239311	1184703	13	<0.001	0.013

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 18, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239312 Dup	1184703	15	<0.001	0.015
239313	1184704	33	<0.001	0.033
239314	1184705	39	0.001	0.039
239315	1184706	41	0.001	0.041
239316	1184707	47	0.001	0.047
239317	1184708	25	<0.001	0.025
239318	1184709	74	0.002	0.074
239319	1184710	300	0.009	0.300
239320	1184711	31	<0.001	0.031
239321	1184712	90	0.003	0.090
239322	1184713	202	0.006	0.202
239323 Rep	1184713	202	0.006	0.202
239324	1184714	22	<0.001	0.022
239325	1184715	42	0.001	0.042
239326	1184716	52	0.002	0.052
239327	1184717	17	<0.001	0.017
239328	1184718	138	0.004	0.138
239329	1184719	129	0.004	0.129
239330	1184720	<5	<0.001	<0.005
239331	1184721	59	0.002	0.059
239332	1184722	44	0.001	0.044
239333	1184723	447	0.013	0.447
239334 Dup	1184723	453	0.013	0.453
239335	1184724	42	0.001	0.042
239336	1184725	20	<0.001	0.020
239337	1184726	32	<0.001	0.032
239338	1184727	28	<0.001	0.028
239339	1184728	9	<0.001	0.009
239340	1184729	12	<0.001	0.012
239341	1184730	1142	0.033	1.142

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 18, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/18/2011  
 Job #: 201143562  
 Reference: TL11219  
 Sample #: 140

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239342	1184731	36	0.001	0.036
239343	1184732	134	0.004	0.134
239344	1184733	41	0.001	0.041
239345 Dup	1184733	46	0.001	0.046

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianiuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 26, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/19/2011  
Date Completed: 10/26/2011  
Job #: 201143840  
Reference: TL11219  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
259154	1184627	0.102	3.506

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227382	1226446	48	0.001	0.048
227383	1226447	35	0.001	0.035
227384	1226448	23	<0.001	0.023
227385	1226449	21	<0.001	0.021
227386	1226450	1534	0.045	1.534
227387	1226451	77	0.002	0.077
227388	1226452	181	0.005	0.181
227389	1226453	162	0.005	0.162
227390	1226454	1071	0.031	1.071
227391	1226455	160	0.005	0.160
227392 Dup	1226455	178	0.005	0.178
227393	1226456	477	0.014	0.477
227394	1226457	41	0.001	0.041
227395	1226458	43	0.001	0.043
227396	1226459	40	0.001	0.040
227397	1226460	<5	<0.001	<0.005
227398	1226461	395	0.012	0.395
227399	1226462	138	0.004	0.138
227400	1226463	32	<0.001	0.032
227401	1226464	674	0.020	0.674
227402	1226465	42	0.001	0.042
227403 Dup	1226465	41	0.001	0.041
227404	1226466	82	0.002	0.082
227405	1226467	40	0.001	0.040
227406	1226468	55	0.002	0.055
227407	1226469	23	<0.001	0.023
227408	1226470	238	0.007	0.238
227409	1226471	18	<0.001	0.018
227410	1226472	157	0.005	0.157
227411	1226473	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227412	1226474	22	<0.001	0.022
227413	1226475	<5	<0.001	<0.005
227414 Dup	1226475	5	<0.001	0.005
227415	1226476	<5	<0.001	<0.005
227416	1226477	<5	<0.001	<0.005
227417	1226478	6	<0.001	0.006
227418	1226479	9	<0.001	0.009
227419	1226480	<5	<0.001	<0.005
227420	1226481	8	<0.001	0.008
227421	1226482	8	<0.001	0.008
227422	1226483	8	<0.001	0.008
227423	1226484	9	<0.001	0.009
227424	1226485	24	<0.001	0.024
227425 Dup	1226485	24	<0.001	0.024
227426	1226486	29	<0.001	0.029
227427	1226487	20	<0.001	0.020
227428	1226488	16	<0.001	0.016
227429	1226489	30	<0.001	0.030
227430	1226490	5435	0.159	5.435
227431	1226491	37	0.001	0.037
227432	1226492	2132	0.062	2.132
227433	1226493	204	0.006	0.204
227434	1226494	73	0.002	0.073
227435	1226495	67	0.002	0.067
227436 Dup	1226495	49	0.001	0.049
227437	1226496	45	0.001	0.045
227438	1226497	114	0.003	0.114
227439	1226498	61	0.002	0.061
227440	1226499	44	0.001	0.044
227441	1226500	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227442	1226501	64	0.002	0.064
227443	1226502	21	<0.001	0.021
227444	1226503	112	0.003	0.112
227445	1226504	38	0.001	0.038
227446	1226505	436	0.013	0.436
227447 Rep	1226505	358	0.010	0.358
227448	1226506	54	0.002	0.054
227449	1226507	45	0.001	0.045
227450	1226508	30	<0.001	0.030
227451	1226509	27	<0.001	0.027
227452	1226510	1530	0.045	1.530
227453	1226511	20	<0.001	0.020
227454	1226512	9	<0.001	0.009
227455	1226513	<5	<0.001	<0.005
227456	1226514	10	<0.001	0.010
227457	1226515	7	<0.001	0.007
227458 Dup	1226515	6	<0.001	0.006
227459	1226516	11	<0.001	0.011
227460	1226517	74	0.002	0.074
227461	1226518	258	0.008	0.258
227462	1226519	102	0.003	0.102
227463	1226520	<5	<0.001	<0.005
227464	1226521	24	<0.001	0.024
227465	1226522	11	<0.001	0.011
227466	1226523	41	0.001	0.041
227467	1226524	8	<0.001	0.008
227468	1226525	14	<0.001	0.014
227469 Dup	1226525	6	<0.001	0.006
227470	1226526	10	<0.001	0.010
227471	1226527	182	0.005	0.182

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227472	1226528	2475	0.072	2.475
227473	1226529	13	<0.001	0.013
227474	1226530	237	0.007	0.237
227475	1226531	24	<0.001	0.024
227476	1226532	57	0.002	0.057
227477	1226533	32	<0.001	0.032
227478	1226534	34	<0.001	0.034
227479	1226535	20	<0.001	0.020
227480 Dup	1226535	19	<0.001	0.019
227481	1226536	48	0.001	0.048
227482	1226537	29	<0.001	0.029
227483	1226538	35	0.001	0.035
227484	1226539	102	0.003	0.102
227485	1226540	<5	<0.001	<0.005
227486	1226541	33	<0.001	0.033
227487	1226542	28	<0.001	0.028
227488	1226543	144	0.004	0.144
227489	1226544	1112	0.032	1.112
227490	1226545	99	0.003	0.099
227491 Dup	1226545	63	0.002	0.063
227492	1226546	72	0.002	0.072
227493	1226547	200	0.006	0.200
227494	1226548	1174	0.034	1.174
227495	1226549	173	0.005	0.173
227496	1226550	5461	0.159	5.461
227497	1226551	182	0.005	0.182
227498	1226552	3102	0.091	3.102
227499	1226553	55	0.002	0.055
227500	1226554	41	0.001	0.041
227501	1226555	22	<0.001	0.022

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227502 Dup	1226555	56	0.002	0.056
227503	1226556	19	<0.001	0.019
227504	1226557	94	0.003	0.094
227505	1226558	45	0.001	0.045
227506	1226559	134	0.004	0.134
227507	1226560	<5	<0.001	<0.005
227508	1226561	41	0.001	0.041
227509	1226562	876	0.026	0.876
227510	1226563	240	0.007	0.240
227511	1226564	155	0.005	0.155
227512	1226565	53	0.002	0.053
227513 Rep	1226565	76	0.002	0.076
227514	1226566	51	0.001	0.051
227515	1226567	109	0.003	0.109
227516	1226568	375	0.011	0.375
227517	1226569	252	0.007	0.252
227518	1226570	1493	0.044	1.493
227519	1226571	79	0.002	0.079
227520	1226572	40	0.001	0.040
227521	1226573	25	<0.001	0.025
227522	1226574	377	0.011	0.377
227523	1226575	58	0.002	0.058
227524 Dup	1226575	59	0.002	0.059
227525	1226576	55	0.002	0.055
227526	1226577	73	0.002	0.073
227527	1226578	920	0.027	0.920
227528	1226579	135	0.004	0.135
227529	1226580	<5	<0.001	<0.005
227530	1226581	337	0.010	0.337
227531	1226582	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227532	1226583	155	0.005	0.155
227533	1226584	103	0.003	0.103
227534	1226585	130	0.004	0.130
227535 Dup	1226585	104	0.003	0.104
227536	1226586	44	0.001	0.044
227537	1226587	82	0.002	0.082
227538	1226588	29	<0.001	0.029
227539	1226589	14	<0.001	0.014
227540	1226590	246	0.007	0.246
227541	1226591	71	0.002	0.071
227542	1226592	26	<0.001	0.026
227543	1226593	31	<0.001	0.031
227544	1226594	141	0.004	0.141
227545	1226595	269	0.008	0.269
227546 Dup	1226595	291	0.008	0.291
227547	1226596	359	0.010	0.359
227548	1226597	297	0.009	0.297
227549	1226598	28	<0.001	0.028
227550	1226599	62	0.002	0.062
227551	1226600	<5	<0.001	<0.005
227552	1226601	223	0.006	0.223
227553	1226602	74	0.002	0.074
227554	1226603	46	0.001	0.046
227555	1226604	16	<0.001	0.016
227556	1226605	20	<0.001	0.020
227557 Dup	1226605	18	<0.001	0.018
227558	1226606	<5	<0.001	<0.005
227559	1226607	9	<0.001	0.009
227560	1226608	12	<0.001	0.012
227561	1226609	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227562	1226610	5105	0.149	5.105
227563	1226611	10	<0.001	0.010
227564	1226612	10	<0.001	0.010
227565	1226613	<5	<0.001	<0.005
227566	1226614	<5	<0.001	<0.005
227567	1226615	<5	<0.001	<0.005
227568 Dup	1226615	<5	<0.001	<0.005
227569	1226616	<5	<0.001	<0.005
227570	1226617	<5	<0.001	<0.005
227571	1226618	<5	<0.001	<0.005
227572	1226619	19	<0.001	0.019
227573	1226620	<5	<0.001	<0.005
227574	1226621	30	<0.001	0.030
227575	1226622	7	<0.001	0.007
227576	1226623	24	<0.001	0.024
227577	1226624	14	<0.001	0.014
227578	1226625	5961	0.174	5.961
227579 Rep	1226625	6027	0.176	6.027
227580	1226626	17894	0.522	17.894
227581	1226627	1539	0.045	1.539
227582	1226628	170	0.005	0.170
227583	1226629	63	0.002	0.063
227584	1226630	1516	0.044	1.516
227585	1226631	39	0.001	0.039
227586	1226632	19	<0.001	0.019
227587	1226633	50	0.001	0.050
227588	1226634	499	0.015	0.499
227589	1226635	39	0.001	0.039
227590 Dup	1226635	35	0.001	0.035
227591	1226636	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227592	1226637	70	0.002	0.070
227593	1226638	45	0.001	0.045
227594	1226639	77	0.002	0.077
227595	1226640	<5	<0.001	<0.005
227596	1226641	900	0.026	0.900
227597	1226642	61	0.002	0.061
227598	1226643	192	0.006	0.192
227599	1226644	1407	0.041	1.407
227600	1226645	1894	0.055	1.894
227601 Dup	1226645	1980	0.058	1.980
227602	1226646	517	0.015	0.517
227603	1226647	163	0.005	0.163
227604	1226648	317	0.009	0.317
227605	1226649	50322	1.468	50.322
227606	1226650	273	0.008	0.273
227607	1226651	67	0.002	0.067
227608	1226652	72	0.002	0.072
227609	1226653	119	0.003	0.119
227610	1226654	152	0.004	0.152
227611	1226655	65	0.002	0.065
227612 Dup	1226655	62	0.002	0.062
227613	1226656	47	0.001	0.047
227614	1226657	180	0.005	0.180
227615	1226658	439	0.013	0.439
227616	1226659	40	0.001	0.040
227617	1226660	<5	<0.001	<0.005
227618	1226661	1528	0.045	1.528
227619	1226662	54	0.002	0.054
227620	1226663	68	0.002	0.068
227621	1226664	98	0.003	0.098

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 6, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/16/2011  
 Date Completed: 10/06/2011  
 Job #: 201143394  
 Reference: TL11  
 Sample #: 237

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
227622	1226665	57	0.002	0.057
227623 Dup	1226665	45	0.001	0.045
227624	1226666	19	<0.001	0.019
227625	1226667	213	0.006	0.213
227626	1226668	236	0.007	0.236
227627	1226669	32	<0.001	0.032
227628	1226670	5351	0.156	5.351
227629	1226671	65	0.002	0.065
227630	1226672	90296	2.634	90.296
227631	1226673	4779	0.139	4.779
227632	1226674	150	0.004	0.150
227633	1226675	3222	0.094	3.222
227634 Dup	1226675	3485	0.102	3.485
227635	1226676	1897	0.055	1.897
227636	1226677	592	0.017	0.592
227637	1226678	364	0.011	0.364
227638	1226679	974	0.028	0.974
227639	1226680	<5	<0.001	<0.005
227640	1226681	155	0.005	0.155
227641	1226682	153	0.004	0.153

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H. B.Sc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239346	1226683	0.042	<1	4.86	14	225	3	20	1.44	<4	21	118	51	3.47	0.11	11	1.27	572	8	87	482	52	1.66	5	17	<10	156	1963	<2	67	<10	14	106
239347	1226684	0.028	<1	4.83	16	406	3	18	1.62	<4	7	44	14	1.31	<0.01	10	0.96	413	5	36	440	48	0.53	<5	25	<10	134	1004	<2	24	<10	10	67
239348	1226685	0.047	<1	5.19	6	387	3	25	1.91	<4	9	35	20	1.54	0.10	11	1.01	548	8	35	407	77	0.71	<5	26	<10	143	1128	<2	26	<10	9	157
239349	1226686	0.097	<1	4.42	30	329	2	12	1.11	4	6	18	16	1.12	<0.01	9	0.70	407	3	25	306	429	0.90	<5	25	<10	115	966	<2	17	12	6	811
239350	1226687	0.035	<1	3.70	13	295	2	15	1.28	<4	5	10	6	1.00	0.16	7	0.87	500	<1	19	261	45	0.78	<5	22	<10	119	949	<2	15	<10	5	85
239351	1226688	0.033	<1	4.12	13	388	2	25	1.17	<4	4	12	7	0.89	0.02	8	0.81	304	<1	18	214	37	0.60	<5	18	<10	138	917	<2	14	<10	5	77
239352	1226689	0.057	<1	4.62	16	402	3	24	1.40	<4	4	13	11	1.05	0.13	12	1.11	491	6	23	213	37	0.66	<5	28	<10	159	903	<2	15	<10	6	77
239353	1226690	1.535	<1	4.00	33	235	3	21	2.31	<4	16	50	8297	4.22	<0.01	9	1.01	480	694	18	785	49	2.30	12	27	<10	209	673	<2	89	<10	13	84
239354	1226691	0.031	<1	3.54	15	301	2	23	0.99	<4	4	9	62	0.95	0.13	8	0.83	342	8	17	196	36	0.60	<5	22	<10	127	889	<2	15	<10	5	47
239355	1226692	0.174	<1	4.61	21	374	3	16	1.04	<4	5	13	7	1.00	0.04	13	0.73	301	4	19	230	34	0.70	<5	27	<10	155	1032	<2	17	<10	5	72
239356D	1226692	0.196	<1	4.45	22	358	2	16	0.96	<4	5	14	7	0.97	0.02	12	0.71	287	4	22	220	31	0.67	8	28	<10	146	991	<2	17	<10	5	68
239357	1226693	1.028	<1	4.69	22	382	2	20	0.88	<4	4	13	9	1.01	<0.01	12	0.64	233	5	19	217	49	0.65	<5	35	<10	156	1023	<2	17	<10	5	239
239358	1226694	2.396	<1	4.79	14	215	3	18	1.44	<4	20	109	60	3.42	0.04	16	1.24	639	9	72	471	35	1.67	<5	20	<10	178	2116	<2	66	<10	14	266
239359	1226695	0.212	<1	4.42	8	575	2	30	2.01	<4	6	23	11	1.33	0.08	14	0.84	769	6	35	360	65	0.38	<5	26	<10	205	1299	<2	23	<10	6	237
239360	1226696	0.244	<1	4.51	8	476	3	14	1.89	<4	6	30	11	1.39	0.09	14	0.92	786	9	43	383	60	0.41	<5	25	<10	177	1250	<2	23	<10	7	153
239361	1226697	0.067	<1	3.77	22	499	2	22	1.26	<4	6	20	18	1.54	<0.01	8	0.58	496	2	36	323	439	1.08	<5	24	<10	157	1140	<2	22	13	6	733
239362	1226698	0.203	<1	4.51	31	634	3	19	1.12	<4	7	26	19	1.29	<0.01	14	0.79	483	8	41	352	284	0.93	<5	30	<10	209	1316	<2	24	10	6	361
239363	1226699	0.930	<1	3.76	47	686	3	13	0.23	<4	8	56	43	1.50	<0.01	9	0.36	<100	14	46	255	134	1.55	5	16	<10	273	1229	<2	35	14	7	689
239364	1226700	0.011	<1	3.45	6	414	3	21	1.56	<4	12	30	21	2.17	0.03	9	0.83	426	4	21	484	22	0.07	<5	22	<10	245	1961	<2	76	28	13	45
239365	1226701	0.116	<1	4.46	46	296	3	16	1.58	<4	12	74	28	1.99	<0.01	13	1.01	575	8	53	389	46	1.58	<5	17	<10	202	1364	<2	41	<10	11	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239366	1226702	0.014	<1	3.88	18	318	2	6	0.85	<4	4	17	5	0.86	0.02	8	0.71	234	2	27	210	25	0.47	<5	19	<10	151	883	<2	15	<10	5	38
239367D	1226702	0.020	<1	5.85	25	404	4	20	1.20	<4	5	19	6	0.85	<0.01	15	0.75	231	11	29	213	29	0.40	<5	15	<10	191	1034	<2	19	<10	8	44
239368	1226703	0.014	<1	5.45	16	316	3	16	1.12	<4	4	12	4	0.96	0.01	14	0.78	251	6	17	201	39	0.61	<5	25	<10	177	943	<2	17	<10	6	38
239369	1226704	0.016	<1	5.19	15	359	3	28	0.82	<4	5	12	6	0.95	0.03	12	0.62	189	5	19	211	27	0.64	<5	29	<10	160	989	<2	17	<10	5	38
239370	1226705	0.021	<1	5.84	14	348	3	24	1.13	<4	5	12	4	1.05	0.09	15	0.79	233	7	21	228	30	0.68	<5	33	<10	181	1022	<2	18	<10	6	41
239371	1226706	0.050	<1	5.36	37	317	2	14	1.30	<4	8	38	12	1.70	0.01	13	0.87	358	6	35	257	55	1.32	<5	23	<10	165	1006	<2	30	<10	7	217
239372	1226707	0.082	<1	5.28	28	343	3	17	0.72	<4	4	24	15	1.10	0.06	10	0.49	149	8	41	215	161	0.81	<5	34	<10	166	968	<2	17	<10	6	249
239373	1226708	0.049	<1	5.22	25	349	3	12	0.30	<4	5	27	9	1.09	0.03	9	0.35	<100	8	39	230	217	0.82	<5	24	<10	148	1045	<2	18	<10	6	142
239374	1226709	0.073	<1	4.39	23	307	2	13	0.07	<4	5	19	6	1.02	0.04	6	0.30	<100	5	32	207	124	0.79	<5	20	<10	96	949	<2	17	<10	5	220
239375	1226710	0.271	100	3.84	237	173	3	24	1.20	24	13	43	6157	4.94	<0.01	10	1.09	1530	21	27	441	9962	1.97	285	15	<10	194	1691	<2	74	54	14	4901
239376	1226711	0.146	<1	4.06	55	300	3	16	1.11	<4	15	92	183	2.40	<0.01	8	0.77	431	7	71	427	306	1.63	8	15	<10	136	1362	<2	52	<10	13	186
239377	1226712	0.015	<1	4.59	17	307	3	28	1.75	<4	9	48	24	1.59	0.05	12	0.93	453	5	46	395	46	0.69	<5	24	<10	189	1225	<2	30	<10	10	42
239378D	1226712	0.020	<1	4.97	20	311	2	19	1.82	<4	9	46	22	1.53	0.13	13	0.92	442	7	41	382	45	0.66	<5	29	<10	196	1196	<2	29	<10	10	40
239379	1226713	0.026	<1	5.08	14	411	2	17	1.62	<4	7	23	8	1.45	0.06	19	0.91	538	9	30	406	29	0.39	<5	29	<10	196	1464	<2	29	<10	8	61
239380	1226714	0.023	<1	4.90	13	358	2	20	1.65	<4	7	23	10	1.58	0.14	19	0.98	577	6	28	407	37	0.49	<5	31	<10	193	1408	<2	29	<10	7	78
239381	1226715	0.032	<1	5.59	17	452	2	22	1.81	<4	10	35	25	1.79	0.17	19	1.00	708	8	37	445	52	0.59	<5	25	<10	205	1677	<2	37	<10	9	90
239382	1226716	0.034	<1	5.44	16	455	2	23	1.93	<4	11	32	27	1.79	0.09	18	0.97	731	6	26	429	61	0.60	<5	24	<10	220	1808	<2	42	<10	8	93
239383	1226717	0.083	<1	5.06	17	391	3	14	1.67	<4	10	31	26	1.76	0.12	17	1.00	703	5	30	441	51	0.58	<5	22	<10	190	1568	<2	36	<10	9	94
239384	1226718	0.083	<1	4.88	14	276	2	23	1.54	<4	7	22	24	1.46	0.06	16	0.90	912	9	33	424	116	0.67	<5	24	<10	177	1508	<2	28	<10	7	254
239385	1226719	0.106	<1	5.27	13	314	2	18	1.38	5	10	24	43	1.61	0.05	17	0.96	753	8	35	415	192	0.61	7	38	<10	210	1791	<2	33	16	7	919

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239386	1226720	0.009	<1	3.46	5	408	2	14	1.57	<4	13	30	22	2.20	<0.01	9	0.85	441	3	25	484	22	0.07	<5	23	<10	243	1973	<2	76	28	13	60
239387	1226721	1.845	<1	5.46	11	411	2	20	2.02	4	8	26	35	1.69	0.07	17	1.14	1172	10	38	440	496	0.70	<5	20	<10	289	1557	<2	33	15	8	921
239388	1226722	0.023	<1	4.62	12	294	2	20	1.78	<4	6	22	7	1.13	<0.01	20	0.90	310	10	26	269	40	0.34	<5	24	<10	166	1277	<2	23	<10	7	64
239389D	1226722	0.026	<1	4.53	10	277	2	17	1.73	<4	5	20	6	1.07	<0.01	19	0.87	267	11	28	254	19	0.30	<5	19	<10	158	1233	<2	21	<10	7	29
239390	1226723	0.017	<1	5.58	4	631	2	24	2.11	<4	12	17	15	1.98	<0.01	21	1.12	612	7	23	602	49	0.36	<5	22	<10	348	2235	<2	46	<10	8	98
239391	1226724	0.012	<1	5.01	9	612	2	16	1.08	<4	4	21	7	0.92	0.02	18	0.74	218	9	33	312	33	0.20	<5	27	<10	161	1174	<2	24	<10	6	35
239392	1226725	0.018	<1	5.93	13	409	2	19	2.09	<4	6	18	8	1.32	0.05	23	1.14	331	10	31	395	21	0.39	<5	31	<10	181	1474	<2	26	<10	8	37
239393	1226726	0.020	<1	4.48	11	270	3	18	2.24	<4	7	13	5	1.41	<0.01	15	1.28	395	<1	26	372	27	0.60	<5	17	<10	176	1292	<2	23	<10	6	49
239394	1226727	0.130	<1	6.44	15	419	2	18	2.70	<4	8	16	7	1.43	<0.01	24	1.39	479	11	25	383	32	0.59	<5	23	<10	190	1535	<2	28	<10	8	57
239395	1226728	0.068	<1	5.29	28	335	2	19	1.86	<4	8	13	13	1.36	<0.01	18	1.04	397	8	22	363	32	0.72	<5	27	<10	133	1347	<2	24	<10	7	59
239396	1226729	0.309	<1	4.48	44	338	2	11	1.01	<4	8	13	17	1.22	<0.01	13	0.69	254	4	26	364	41	0.74	<5	20	<10	100	1371	<2	26	<10	6	143
239397	1226730	4.961	<1	4.18	406	989	2	34	2.35	<4	13	100	74	2.99	<0.01	16	1.13	431	18	48	742	38	0.79	30	<5	<10	193	1665	<2	115	12	15	207
239398	1226731	0.059	<1	4.83	43	412	3	17	0.69	<4	9	15	7	1.06	<0.01	15	0.54	162	5	22	373	30	0.56	<5	18	<10	88	1636	<2	31	<10	6	44
239399	1226732	0.042	<1	5.35	21	287	3	17	2.09	<4	5	14	13	1.23	<0.01	19	1.08	410	6	22	364	40	0.46	<5	20	<10	115	1251	<2	21	<10	7	71
239400D	1226732	0.038	<1	5.34	20	285	3	14	2.15	<4	6	15	13	1.26	<0.01	19	1.10	426	7	26	377	40	0.45	<5	18	<10	115	1252	<2	22	<10	7	74
239401	1226733	0.241	<1	4.53	39	353	2	16	0.46	<4	8	15	13	1.14	<0.01	13	0.46	130	5	27	357	27	0.82	<5	25	<10	76	1579	<2	28	<10	6	58
239402	1226734	0.091	<1	5.11	33	204	2	21	1.79	<4	7	17	15	1.46	<0.01	18	1.06	409	9	29	413	37	0.90	<5	18	<10	114	1232	<2	21	<10	8	57
239403	1226735	0.226	<1	4.67	32	327	3	23	0.51	<4	7	16	27	1.19	<0.01	13	0.52	148	7	29	378	31	0.83	<5	26	<10	78	1457	<2	26	<10	6	53
239404	1226736	0.210	<1	4.90	38	372	2	20	0.42	<4	7	18	29	1.21	<0.01	14	0.50	139	7	25	375	30	0.84	<5	22	<10	76	1606	<2	28	<10	6	55
239405	1226737	0.059	<1	5.29	21	233	3	16	1.83	<4	7	12	24	1.25	<0.01	19	1.04	396	7	22	390	44	0.51	<5	23	<10	127	1307	<2	22	<10	8	65

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
239406	1226738	0.017	<1	5.71	11	245	2	18	2.12	<4	7	22	8	1.38	<0.01	21	1.12	307	9	31	398	37	0.33	<5	28	<10	161	1427	<2	25	<10	8	45
239407	1226739	0.013	<1	5.63	8	265	3	24	2.34	<4	11	28	14	1.57	0.03	17	1.22	359	8	44	482	44	0.50	<5	22	<10	167	1327	<2	32	<10	8	87
239408	1226740	<0.005	<1	3.63	<2	381	2	18	1.54	<4	12	28	20	2.09	0.04	9	0.85	408	4	23	469	18	0.08	<5	26	<10	228	1822	<2	71	24	14	38
239409	1226741	0.170	<1	0.92	20	102	2	12	0.95	<4	9	19	47	1.36	<0.01	1	0.65	254	<1	42	392	68	0.84	<5	9	<10	98	934	<2	22	10	5	707
239410	1226742	0.020	<1	3.83	8	261	2	14	2.54	<4	11	25	9	1.72	<0.01	13	1.29	383	<1	40	512	37	0.36	6	22	<10	158	1439	<2	32	<10	6	81
239411R	1226742	0.025	<1	4.48	11	299	2	16	2.58	<4	10	26	8	1.66	<0.01	15	1.28	369	<1	43	488	38	0.30	<5	8	<10	163	1428	<2	32	<10	7	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, October 17, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239346	1226683	42	0.001	0.042
239347	1226684	28	<0.001	0.028
239348	1226685	47	0.001	0.047
239349	1226686	97	0.003	0.097
239350	1226687	35	0.001	0.035
239351	1226688	33	<0.001	0.033
239352	1226689	57	0.002	0.057
239353	1226690	1535	0.045	1.535
239354	1226691	31	<0.001	0.031
239355	1226692	174	0.005	0.174
239356 Dup	1226692	196	0.006	0.196
239357	1226693	1028	0.030	1.028
239358	1226694	2396	0.070	2.396
239359	1226695	212	0.006	0.212
239360	1226696	244	0.007	0.244
239361	1226697	67	0.002	0.067
239362	1226698	203	0.006	0.203
239363	1226699	930	0.027	0.930
239364	1226700	11	<0.001	0.011
239365	1226701	116	0.003	0.116
239366	1226702	14	<0.001	0.014
239367 Dup	1226702	20	<0.001	0.020
239368	1226703	14	<0.001	0.014
239369	1226704	16	<0.001	0.016
239370	1226705	21	<0.001	0.021
239371	1226706	50	0.001	0.050
239372	1226707	82	0.002	0.082
239373	1226708	49	0.001	0.049
239374	1226709	73	0.002	0.073
239375	1226710	271	0.008	0.271

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, October 17, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239376	1226711	146	0.004	0.146
239377	1226712	15	<0.001	0.015
239378 Dup	1226712	20	<0.001	0.020
239379	1226713	26	<0.001	0.026
239380	1226714	23	<0.001	0.023
239381	1226715	32	<0.001	0.032
239382	1226716	34	<0.001	0.034
239383	1226717	83	0.002	0.083
239384	1226718	83	0.002	0.083
239385	1226719	106	0.003	0.106
239386	1226720	9	<0.001	0.009
239387	1226721	1845	0.054	1.845
239388	1226722	23	<0.001	0.023
239389 Dup	1226722	26	<0.001	0.026
239390	1226723	17	<0.001	0.017
239391	1226724	12	<0.001	0.012
239392	1226725	18	<0.001	0.018
239393	1226726	20	<0.001	0.020
239394	1226727	130	0.004	0.130
239395	1226728	68	0.002	0.068
239396	1226729	309	0.009	0.309
239397	1226730	4961	0.145	4.961
239398	1226731	59	0.002	0.059
239399	1226732	42	0.001	0.042
239400 Dup	1226732	38	0.001	0.038
239401	1226733	241	0.007	0.241
239402	1226734	91	0.003	0.091
239403	1226735	226	0.007	0.226
239404	1226736	210	0.006	0.210
239405	1226737	59	0.002	0.059

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, October 17, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/28/2011  
 Date Completed: 10/17/2011  
 Job #: 201143563  
 Reference: TL11221  
 Sample #: 60

---

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
239406	1226738	17	<0.001	0.017
239407	1226739	13	<0.001	0.013
239408	1226740	<5	<0.001	<0.005
239409	1226741	170	0.005	0.170
239410	1226742	20	<0.001	0.020
239411 Rep	1226742	25	<0.001	0.025

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242128	1226743	0.073	<1	5.79	23	412	3	15	2.01	<4	19	109	36	3.40	0.48	11	1.25	719	7	72	454	25	1.54	5	32	<10	195	2279	<2	74	<10	13	179
242129	1226744	0.017	<1	3.08	17	868	<2	<1	1.68	<4	4	39	3	1.44	0.52	19	0.52	426	13	50	313	10	0.89	<5	16	<10	312	1647	<2	33	<10	4	58
242130	1226745	0.071	<1	4.05	20	904	2	8	1.66	<4	5	24	6	1.58	0.49	21	0.53	358	14	24	310	25	1.02	<5	8	<10	366	1622	<2	32	<10	4	76
242131	1226746	0.076	<1	3.74	16	1207	2	10	0.77	<4	2	24	4	1.02	0.41	22	0.46	210	12	24	221	24	0.47	<5	17	<10	435	1444	<2	24	<10	3	57
242132	1226747	0.036	<1	3.76	19	514	2	5	0.97	<4	3	19	7	1.05	0.60	19	0.51	247	10	19	202	43	0.54	<5	22	<10	252	1304	<2	22	<10	3	157
242133	1226748	0.013	<1	2.69	15	419	2	3	1.24	<4	2	19	2	1.08	0.53	22	0.61	316	11	16	223	23	0.37	<5	28	<10	185	1449	<2	23	<10	3	56
242134	1226749	0.021	<1	2.87	18	336	2	1	0.95	<4	3	18	11	0.99	0.46	23	0.52	267	11	18	209	37	0.36	<5	16	<10	160	1399	<2	22	<10	3	123
242135	1226750	1.489	2	4.94	36	200	<2	10	2.61	<4	18	68	7466	4.99	0.35	19	0.97	553	771	20	791	55	2.87	7	29	<10	252	1007	3	109	<10	10	104
242136	1226751	0.025	<1	2.79	14	542	2	4	1.37	<4	6	36	84	1.47	0.56	20	0.66	387	19	31	269	17	0.68	<5	13	<10	188	1632	<2	34	<10	4	52
242137	1226752	0.022	<1	3.71	15	862	<2	<1	1.68	<4	5	24	15	1.47	0.54	13	0.48	414	5	24	306	12	0.68	<5	22	<10	523	1515	<2	29	<10	4	58
242138D	1226752	0.023	<1	3.95	15	827	<2	15	1.63	<4	4	33	14	1.49	0.57	13	0.49	402	8	42	306	13	0.65	<5	8	<10	501	1457	<2	28	<10	4	57
242139	1226753	0.062	<1	3.47	8	836	<2	9	2.13	<4	5	22	12	1.33	0.56	14	0.42	456	8	23	297	13	0.87	<5	20	<10	340	1296	<2	27	<10	4	126
242140	1226754	0.043	<1	4.78	10	972	<2	6	1.64	<4	4	16	12	1.52	0.62	14	0.46	471	6	20	291	12	1.36	<5	32	<10	360	1503	<2	28	<10	4	188
242141	1226755	0.043	<1	5.39	10	1062	<2	13	1.93	<4	2	16	43	1.34	0.49	17	0.49	379	9	18	340	11	1.03	<5	11	<10	350	1473	<2	29	<10	5	229
242142	1226756	0.035	<1	4.40	12	1029	<2	6	1.70	<4	3	17	40	1.23	0.55	19	0.43	323	8	16	307	8	0.94	<5	24	<10	323	1455	<2	28	<10	4	191
242143	1226757	0.017	<1	4.79	7	1123	<2	11	1.77	<4	4	17	11	1.39	0.65	24	0.71	411	11	18	318	15	0.77	<5	23	<10	314	1575	<2	29	<10	5	157
242144	1226758	0.019	<1	5.36	10	1114	<2	7	2.13	<4	3	20	21	1.12	0.58	20	0.39	339	10	17	309	10	0.61	<5	21	<10	342	1386	<2	29	<10	5	59
242145	1226759	0.196	<1	3.71	7	1019	<2	2	1.83	11	5	18	331	1.82	0.49	19	0.41	379	9	18	281	11	1.51	<5	23	<10	343	1392	<2	27	39	4	3478
242146	1226760	<0.005	<1	3.68	11	476	<2	4	1.66	<4	10	36	25	2.31	0.48	19	0.71	459	12	22	455	5	0.09	<5	6	<10	254	2353	<2	83	27	9	90
242147	1226761	0.033	<1	4.38	8	991	2	2	1.69	<4	4	18	69	1.35	0.37	18	0.57	386	8	19	300	9	0.69	<5	13	<10	361	1495	<2	29	<10	4	465

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242148	1226762	0.023	<1	4.38	7	807	<2	11	1.54	<4	3	21	51	1.27	0.51	17	0.49	363	9	22	349	9	0.68	<5	16	<10	379	1406	<2	26	<10	4	485
242149D	1226762	0.021	<1	4.53	6	895	2	7	1.71	<4	3	29	56	1.41	0.47	18	0.51	402	9	23	397	12	0.76	<5	22	<10	420	1549	<2	29	<10	4	538
242150	1226763	0.014	<1	4.18	3	1074	<2	2	1.58	<4	4	23	10	1.42	0.66	14	0.59	334	5	24	308	10	0.47	<5	15	<10	431	1540	2	27	<10	4	130
242151	1226764	0.017	<1	3.90	8	1114	<2	4	1.53	<4	4	18	6	1.23	0.55	16	0.62	260	7	22	289	13	0.28	<5	17	<10	345	1529	<2	26	<10	4	66
242152	1226765	0.024	<1	4.87	15	896	<2	20	1.70	<4	4	18	3	1.29	0.56	20	0.81	290	9	18	300	15	0.52	<5	20	<10	451	1611	<2	27	<10	5	57
242153	1226766	0.018	<1	5.91	10	778	<2	12	2.15	<4	4	23	2	1.38	0.40	24	0.79	309	11	24	281	13	0.40	<5	33	<10	400	1612	<2	28	<10	6	54
242154	1226767	0.011	<1	5.42	6	605	<2	3	1.96	<4	3	21	5	1.44	0.57	22	0.66	291	11	20	315	10	0.31	<5	5	<10	375	1723	<2	30	<10	5	59
242155	1226768	0.012	<1	6.88	3	657	<2	17	2.03	<4	4	20	4	1.43	0.44	24	0.67	291	12	21	340	12	0.27	<5	27	<10	369	1810	<2	31	<10	6	56
242156	1226769	0.016	<1	4.58	7	646	<2	2	2.03	<4	2	20	8	1.34	0.45	22	0.60	323	11	19	298	8	0.36	<5	25	<10	330	1644	<2	27	<10	5	57
242157	1226770	0.254	108	6.45	259	192	<2	21	1.58	26	16	58	6237	5.80	0.23	23	1.25	1766	32	32	484	10421	2.64	298	11	<10	230	2251	3	90	52	13	5031
242158	1226771	0.015	<1	5.36	7	783	2	3	1.77	<4	4	19	11	1.43	0.46	24	0.64	334	12	15	310	16	0.39	<5	20	<10	333	1687	<2	31	<10	7	61
242159	1226772	0.016	<1	4.52	11	907	<2	2	1.67	<4	3	22	7	1.36	0.43	23	0.53	288	11	20	316	11	0.43	<5	10	<10	347	1782	<2	31	10	4	69
242160D	1226772	0.019	<1	4.69	6	816	<2	14	1.55	<4	4	19	5	1.26	0.64	18	0.52	262	7	21	298	11	0.42	<5	25	<10	324	1617	<2	28	<10	4	65
242161	1226773	0.014	<1	4.31	2	852	<2	4	1.76	<4	3	17	4	1.53	0.61	18	0.70	329	6	17	323	10	0.39	<5	17	<10	320	1720	<2	30	<10	4	66
242162	1226774	0.010	<1	4.00	5	798	<2	15	2.20	<4	7	29	11	1.95	0.73	21	1.02	496	7	28	381	14	0.44	<5	12	<10	328	2007	5	42	<10	5	76
242163	1226775	0.010	<1	3.69	9	508	<2	8	1.30	<4	6	23	4	1.67	0.59	20	0.82	333	8	21	396	16	1.27	<5	15	<10	280	1892	<2	37	<10	4	81
242164	1226776	0.010	<1	5.54	9	633	<2	14	1.50	<4	6	27	4	1.77	0.61	22	0.81	318	10	23	416	18	1.43	<5	18	<10	330	2073	<2	42	<10	5	96
242165	1226777	0.017	<1	6.43	7	523	<2	14	2.05	<4	5	30	11	1.73	0.40	26	1.05	403	14	30	416	16	1.11	<5	21	<10	393	1966	<2	38	<10	6	71
242166	1226778	0.013	<1	6.00	8	714	<2	12	2.16	<4	7	24	24	1.74	0.52	25	1.19	366	13	21	392	23	1.09	<5	22	<10	382	1928	4	39	<10	5	79
242167	1226779	0.015	<1	5.36	10	677	2	5	1.69	<4	13	63	22	2.41	0.32	28	0.91	394	13	39	427	40	1.98	5	17	<10	298	2386	2	59	<10	6	150

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242168	1226780	<0.005	<1	6.01	5	503	<2	9	1.89	<4	12	39	23	2.52	0.44	22	0.95	495	13	24	498	13	0.08	<5	20	<10	282	2611	<2	89	28	13	49
242169	1226781	0.017	<1	6.01	6	450	2	9	1.89	<4	26	177	56	4.06	0.34	30	1.43	623	18	85	526	36	1.50	<5	<5	<10	315	3042	<2	98	<10	10	98
242170	1226782	0.063	<1	4.85	4	488	2	5	1.10	<4	27	164	60	4.25	0.58	32	1.43	548	16	98	483	33	1.11	<5	13	<10	149	3293	<2	117	<10	7	107
242171D	1226782	0.029	<1	5.59	4	456	2	28	1.15	<4	28	162	64	4.50	0.53	33	1.52	525	17	105	496	28	1.17	<5	11	<10	145	2833	3	109	<10	8	112
242172	1226783	0.006	<1	4.16	5	510	<2	<1	1.08	<4	3	22	7	1.29	0.76	19	0.97	236	8	25	277	17	0.42	<5	13	<10	171	1358	<2	28	<10	3	39
242173	1226784	0.010	<1	3.15	7	357	<2	<1	1.12	<4	6	32	12	1.53	0.64	19	0.96	304	8	25	294	16	0.39	<5	20	<10	178	1414	<2	35	<10	3	46
242174	1226785	<0.005	<1	4.29	5	318	<2	9	1.21	<4	3	19	8	1.13	0.77	16	0.94	272	8	19	289	19	0.25	<5	24	<10	173	1191	2	25	<10	3	50
242175	1226786	0.007	<1	4.82	7	338	2	10	1.05	<4	23	146	38	3.66	0.71	32	1.89	471	15	76	445	25	0.54	<5	16	<10	133	2353	<2	93	<10	5	74
242176	1226787	0.016	<1	6.32	12	389	2	5	0.87	<4	27	174	39	4.63	0.65	38	2.49	417	18	93	520	16	0.53	<5	13	<10	117	2173	6	123	<10	6	81
242177	1226788	0.357	<1	7.42	8	461	2	3	1.64	<4	26	177	54	3.91	0.49	34	1.80	669	22	89	504	47	0.94	<5	17	<10	156	2911	<2	102	<10	8	97
242178	1226789	0.254	2	5.50	74	425	2	1	0.56	<4	18	129	52	2.15	0.49	21	0.60	207	18	79	399	258	2.17	<5	22	<10	97	1870	<2	87	10	7	242
242179	1226790	5.215	<1	6.24	465	1730	<2	9	2.90	<4	14	134	86	3.83	0.26	31	1.24	536	29	60	820	36	1.16	31	41	<10	238	2449	<2	145	<10	14	246
242180	1226791	0.036	<1	6.44	4	419	2	8	1.84	<4	25	164	56	3.88	0.54	29	1.55	647	14	80	500	33	0.70	<5	25	<10	138	3329	<2	103	<10	9	85
242181	1226792	0.019	<1	5.92	4	390	2	8	1.65	<4	28	169	49	4.55	0.46	34	1.70	609	15	92	503	28	0.65	<5	26	<10	147	3631	<2	119	<10	7	79
242182D	1226792	0.028	<1	5.10	8	362	2	12	1.54	<4	27	160	48	4.27	0.63	35	1.54	549	16	86	464	22	0.61	<5	5	<10	137	3160	<2	108	<10	6	70
242183	1226793	0.142	<1	5.03	11	374	2	7	1.90	<4	26	152	45	4.16	0.60	30	1.55	762	16	81	488	29	1.01	<5	22	<10	139	2950	2	106	<10	8	89
242184	1226794	0.435	<1	5.13	12	401	2	10	2.24	<4	24	145	51	3.91	0.75	26	1.46	769	14	85	454	27	1.26	6	20	<10	148	2538	<2	97	<10	9	71
242185	1226795	0.096	<1	4.22	17	501	<2	<1	1.32	<4	13	80	23	2.50	0.69	23	0.95	606	13	55	364	23	0.99	<5	14	<10	139	2302	<2	67	<10	6	127
242186	1226796	0.017	<1	4.06	18	484	<2	5	1.27	<4	12	79	22	2.45	0.66	22	0.94	606	12	50	355	21	0.94	<5	11	<10	136	2300	<2	67	<10	6	124
242187	1226797	0.257	<1	4.01	14	470	<2	6	1.51	<4	8	65	12	1.56	0.60	17	0.63	498	9	40	301	26	0.45	<5	15	<10	168	1855	<2	53	<10	5	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242188	1226798	0.035	<1	4.78	18	459	<2	4	1.62	<4	4	19	6	1.20	0.57	25	0.87	514	11	19	284	41	0.63	<5	22	<10	166	1569	<2	26	<10	4	62
242189	1226799	0.120	<1	6.17	27	439	<2	19	2.35	<4	4	18	14	1.28	0.53	21	0.88	657	11	17	316	56	0.74	<5	18	<10	172	1477	<2	26	<10	5	280
242190	1226800	<0.005	<1	5.39	11	492	<2	9	1.83	<4	13	38	22	2.48	0.68	20	0.91	495	12	24	494	11	0.08	<5	24	<10	279	2595	<2	90	32	12	44
242191	1226801	0.068	<1	5.16	28	437	<2	<1	1.75	<4	4	18	5	1.21	0.56	20	0.79	588	11	16	287	35	1.00	<5	16	<10	156	1468	<2	25	<10	4	66
242192	1226802	0.322	2	5.19	33	431	2	9	1.16	<4	4	19	42	1.37	0.65	25	0.75	566	14	19	265	240	1.28	<5	18	<10	126	1473	<2	24	<10	4	563
242193R	1226802	0.338	2	6.09	33	432	<2	9	1.21	<4	2	19	39	1.37	0.65	20	0.81	560	11	21	279	257	1.24	<5	20	<10	127	1454	<2	24	<10	4	641
242194	1226803	0.657	1	5.65	33	454	2	<1	1.21	<4	3	24	69	1.32	0.56	31	0.73	502	16	18	257	98	1.06	<5	23	<10	133	1422	<2	27	<10	5	509
242195	1226804	0.111	<1	7.55	23	504	2	9	2.04	<4	4	23	25	1.37	0.33	22	1.16	816	11	22	312	78	0.78	<5	25	<10	156	1537	<2	27	<10	5	195
242196	1226805	0.260	3	5.97	28	530	2	<1	0.72	7	4	27	46	1.31	0.42	27	0.55	279	17	21	252	357	1.31	<5	14	<10	111	1567	<2	29	26	5	1993
242197	1226806	0.145	<1	5.84	24	538	2	6	1.24	<4	2	29	26	1.08	0.50	38	0.71	434	23	19	267	72	0.70	<5	24	<10	155	1596	<2	27	<10	5	173
242198	1226807	0.228	<1	5.69	22	495	2	6	1.90	<4	9	66	27	1.77	0.63	35	0.88	513	23	34	299	41	0.65	<5	22	<10	175	1845	7	41	<10	6	145
242199	1226808	0.057	<1	5.69	17	585	2	<1	2.22	<4	11	58	22	2.07	0.57	35	1.02	434	24	36	484	28	0.94	<5	27	<10	210	2215	5	54	<10	6	90
242200	1226809	0.118	<1	3.85	29	548	2	4	1.77	<4	8	31	10	1.71	0.43	30	0.93	409	18	31	468	26	1.04	<5	13	<10	177	2124	<2	42	<10	5	79
242201	1226810	1.423	3	4.74	38	387	2	7	2.68	<4	18	70	7481	5.01	0.33	24	0.91	563	776	20	816	43	2.85	7	22	<10	259	1154	<2	111	<10	9	101
242202	1226811	4.618	<1	4.56	72	491	2	14	1.85	<4	18	100	60	2.96	0.58	29	0.91	565	20	55	401	71	2.52	<5	8	<10	201	2322	<2	74	<10	6	473
242203	1226812	0.121	<1	3.83	20	480	2	2	0.88	<4	3	25	13	1.14	0.54	25	0.57	284	16	23	192	117	0.84	<5	22	<10	145	1277	3	21	24	4	384
242204D	1226812	0.106	<1	3.42	25	478	2	10	0.85	<4	2	27	13	1.13	0.59	25	0.54	279	17	25	193	113	0.82	<5	6	<10	142	1273	2	20	29	3	378
242205	1226813	0.761	<1	<0.01	24	26	<2	<1	<0.01	<4	3	20	21	1.65	<0.01	<1	0.57	336	<1	31	231	29	1.39	<5	7	<10	13	347	<2	11	<10	2	61
242206	1226814	0.146	<1	5.59	10	368	2	13	2.11	<4	22	159	44	3.53	0.68	33	1.13	756	22	87	643	26	0.99	<5	13	<10	193	3073	<2	89	<10	10	94
242207	1226815	0.232	<1	6.23	19	519	2	2	1.41	<4	26	170	57	4.17	0.50	36	1.20	717	21	85	472	221	1.54	<5	15	<10	159	3528	<2	119	<10	8	374

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242208	1226816	0.317	<1	7.36	25	526	2	12	1.47	<4	26	169	58	4.13	0.47	37	1.33	728	21	85	489	203	1.55	<5	14	<10	163	3527	<2	119	<10	10	353
242209	1226817	0.062	1	6.61	20	552	2	3	1.89	<4	31	183	56	4.74	0.42	50	1.30	927	30	97	529	56	2.30	<5	13	<10	197	3768	<2	127	<10	10	141
242210	1226818	0.061	<1	5.82	18	553	2	4	1.78	<4	23	151	42	3.62	0.58	43	1.17	727	26	78	471	51	1.68	<5	20	<10	200	3107	<2	101	<10	10	118
242211	1226819	0.031	<1	5.17	18	676	2	5	1.47	<4	7	33	3	1.53	0.44	33	0.73	443	17	25	365	88	1.04	<5	18	<10	212	1870	3	38	<10	5	269
242212	1226820	0.005	<1	4.99	10	501	<2	9	1.81	<4	11	39	21	2.33	0.44	28	0.77	465	19	23	450	13	0.08	<5	12	<10	268	2474	3	85	28	10	48
242213	1226821	0.020	<1	3.77	13	519	2	<1	1.37	<4	1	28	6	1.01	0.33	26	0.43	282	17	21	202	24	0.79	<5	19	<10	297	1257	<2	22	<10	4	79
242214	1226822	0.008	<1	4.20	13	489	2	7	1.67	<4	3	30	4	0.89	0.55	27	0.38	221	22	28	184	11	1.09	<5	9	<10	476	1196	<2	21	<10	4	39
242215D	1226822	0.008	<1	5.11	13	521	2	12	1.87	<4	3	30	5	0.96	0.49	25	0.40	239	20	29	211	15	1.22	<5	9	<10	544	1236	<2	22	<10	4	37
242216	1226823	0.009	<1	4.13	7	516	<2	2	1.44	<4	3	39	6	0.99	0.67	22	0.37	235	19	48	202	14	0.73	<5	18	<10	418	1173	<2	21	<10	4	50
242217	1226824	0.100	<1	<0.01	8	4	<2	<1	0.55	<4	1	28	37	0.63	<0.01	<1	0.25	248	<1	37	219	16	0.46	<5	<5	<10	52	408	<2	7	<10	2	107
242218	1226825	0.018	<1	5.87	9	657	2	<1	1.81	<4	4	35	9	1.21	0.64	21	0.53	377	10	32	203	14	0.55	<5	27	<10	424	1224	5	22	<10	5	118
242219	1226826	0.029	<1	5.89	21	540	2	6	2.62	<4	2	39	16	1.26	0.50	27	0.45	406	16	36	210	19	0.82	<5	24	<10	488	1293	6	23	<10	5	118
242220	1226827	0.015	<1	5.93	13	557	2	1	1.88	<4	3	34	9	1.20	0.44	42	0.58	376	23	25	201	14	0.27	<5	26	<10	304	1421	<2	23	<10	5	133
242221	1226828	0.018	<1	6.72	14	521	2	7	1.88	<4	3	33	7	1.17	0.41	42	0.57	353	24	23	216	14	0.28	<5	23	<10	304	1434	<2	24	<10	6	144
242222	1226829	0.018	<1	5.14	11	468	2	13	1.65	<4	4	29	6	1.08	0.38	35	0.46	283	21	21	189	16	0.44	<5	11	<10	274	1425	<2	24	<10	5	115
242223	1226830	0.301	96	4.93	248	260	<2	4	1.56	24	15	61	6888	5.42	0.10	36	1.01	1662	41	29	423	11178	2.47	276	7	<10	222	2338	<2	86	52	9	5090
242224	1226831	0.022	<1	4.85	11	437	2	5	1.64	<4	2	47	56	1.35	0.55	28	0.55	359	18	30	182	67	0.47	<5	25	<10	286	1313	<2	28	<10	5	112
242225	1226832	0.039	<1	4.14	7	556	2	9	1.40	<4	16	127	67	3.01	0.61	38	1.00	711	24	70	343	19	0.54	<5	15	<10	209	2854	<2	96	<10	7	296
242226D	1226832	0.049	<1	4.33	9	531	2	23	1.33	<4	17	121	66	2.96	0.62	34	1.06	693	21	69	330	21	0.55	<5	18	<10	201	2772	5	93	<10	7	284
242227	1226833	0.111	<1	4.74	8	392	2	8	2.31	<4	21	134	139	3.56	0.55	29	1.19	1152	24	72	436	28	1.31	<5	6	<10	206	2274	<2	82	<10	9	351

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242228	1226834	0.195	1	4.40	6	511	3	11	1.32	5	27	151	142	3.84	0.71	31	1.18	960	21	77	460	40	1.36	<5	15	<10	167	2948	<2	105	<10	8	911
242229	1226835	0.470	<1	<0.01	20	157	<2	<1	0.19	8	21	93	166	3.50	0.17	<1	1.25	819	<1	74	428	12	1.90	<5	<5	<10	27	1421	<2	50	17	7	2067
242230	1226836	0.019	<1	6.36	14	481	2	9	2.14	6	18	115	146	3.32	0.63	25	1.25	1109	16	61	412	27	1.61	<5	10	<10	205	2279	<2	75	19	9	1738
242231	1226837	0.013	<1	6.55	19	366	<2	4	1.71	<4	2	24	10	1.16	0.40	11	0.54	301	4	20	205	18	0.59	<5	21	<10	222	1163	<2	21	<10	5	225
242232	1226838	0.014	<1	6.71	14	472	2	4	2.19	<4	2	25	4	0.99	0.48	27	0.46	258	14	18	211	13	0.39	<5	21	<10	267	1187	<2	22	<10	6	46
242233	1226839	0.008	<1	6.31	13	536	2	5	1.95	<4	3	26	6	1.05	0.35	29	0.45	245	16	17	203	18	0.57	<5	25	<10	278	1252	<2	22	<10	5	49
242234	1226840	<0.005	2	4.62	5	535	2	11	1.85	<4	12	42	29	2.39	0.49	41	0.74	476	25	20	445	21	0.08	<5	21	<10	271	2654	<2	87	29	9	52
242235	1226841	0.018	<1	4.76	14	477	2	5	1.77	<4	2	27	13	1.08	0.37	39	0.47	305	24	16	205	21	0.61	<5	20	<10	276	1269	<2	22	<10	5	56
242236	1226842	0.019	<1	4.19	29	549	2	<1	1.67	<4	2	19	11	1.22	0.43	33	0.50	349	17	15	193	25	0.54	<5	24	<10	301	1469	<2	24	<10	4	70
242237D	1226842	0.011	<1	5.75	31	565	2	8	1.82	<4	4	21	11	1.28	0.29	30	0.57	362	16	15	208	24	0.56	<5	37	<10	324	1501	<2	25	<10	4	70
242238	1226843	0.012	<1	3.12	13	515	2	7	1.34	<4	3	22	7	0.93	0.52	27	0.39	265	16	15	173	15	0.41	<5	13	<10	217	1129	<2	20	<10	3	59
242239	1226844	0.033	<1	3.89	16	583	2	<1	1.19	<4	3	23	4	0.97	0.45	27	0.38	243	15	14	186	17	0.47	<5	22	<10	225	1191	<2	21	<10	4	76
242240	1226845	0.028	<1	3.18	13	472	<2	1	1.51	<4	6	58	18	1.59	0.62	22	0.55	447	15	32	239	32	0.57	<5	13	<10	239	1540	<2	37	<10	4	150
242241	1226846	0.010	<1	<0.01	7	113	<2	<1	0.70	<4	14	109	42	2.54	0.13	<1	0.89	531	<1	96	376	26	1.26	<5	<5	<10	105	1441	<2	43	<10	6	149
242242	1226847	0.038	<1	5.16	11	488	<2	2	1.64	<4	2	27	3	0.92	0.49	19	0.46	213	8	22	195	14	0.59	<5	23	<10	381	1174	2	20	<10	4	45
242243	1226848	0.036	<1	5.56	29	781	2	<1	1.39	<4	2	26	2	1.18	0.41	33	0.63	296	16	17	214	21	0.64	<5	9	<10	285	1382	<2	22	<10	4	44
242244	1226849	0.011	<1	6.17	32	506	2	7	2.02	<4	3	26	4	1.04	0.51	36	0.58	237	19	18	199	15	0.38	<5	18	<10	276	1269	<2	22	<10	6	46
242245	1226850	5.223	<1	6.43	455	1711	<2	<1	2.91	<4	15	129	85	3.79	0.13	32	1.20	520	29	53	792	25	1.08	31	16	<10	238	2322	<2	142	<10	14	235
242246	1226851	0.005	<1	4.92	25	495	<2	5	1.64	<4	2	28	4	1.09	0.57	31	0.50	224	15	21	199	16	0.23	<5	17	<10	240	1339	5	24	<10	4	50
242247	1226852	0.010	<1	5.36	28	496	2	4	1.80	<4	4	37	5	1.23	0.34	26	0.49	262	17	42	226	25	0.35	<5	31	<10	295	1352	<2	25	<10	4	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242248D	1226852	0.013	<1	4.68	18	485	2	<1	1.61	<4	4	33	5	1.12	0.33	32	0.48	244	21	33	211	28	0.31	<5	25	<10	262	1365	<2	24	<10	4	43
242249	1226853	0.070	<1	5.20	31	431	2	9	1.40	<4	2	31	3	1.07	0.46	28	0.60	264	18	26	199	24	0.43	<5	28	<10	182	1339	<2	22	<10	4	46
242250	1226854	0.152	<1	4.22	59	557	2	7	1.42	<4	15	120	40	2.26	0.48	34	0.68	614	21	53	362	55	1.54	<5	9	<10	167	2644	<2	89	<10	6	410
242251	1226855	0.559	2	4.82	86	545	2	14	0.99	<4	24	162	73	3.40	0.36	33	0.61	474	21	75	422	246	2.87	<5	<5	<10	142	3325	<2	123	12	7	807
242252	1226856	0.973	1	4.19	78	541	2	8	0.89	<4	22	164	83	3.29	0.38	29	0.56	450	21	83	432	242	2.73	<5	15	<10	131	3207	<2	121	12	7	918
242253	1226857	0.464	<1	0.12	57	50	<2	<1	1.09	<4	31	88	96	4.80	0.07	<1	1.11	951	<1	103	509	441	4.05	<5	<5	<10	75	1432	<2	49	<10	13	623
242254	1226858	0.101	<1	7.17	32	504	<2	14	2.38	<4	19	118	31	3.33	0.06	15	1.33	1321	10	61	472	106	1.41	<5	12	<10	171	2586	14	71	<10	12	199
242255	1226859	0.076	<1	7.25	23	670	2	14	2.69	7	12	55	33	2.07	0.26	25	1.22	1197	14	37	415	165	0.92	<5	20	<10	179	2033	<2	50	26	7	2060
242256	1226860	<0.005	<1	6.07	6	524	<2	11	2.02	<4	13	40	22	2.49	0.68	32	0.86	496	20	25	477	8	0.08	<5	23	<10	288	2579	<2	89	26	12	61
242257	1226861	0.087	<1	6.64	24	778	2	2	1.90	<4	7	44	16	1.64	0.35	33	0.85	769	19	37	360	197	0.99	<5	24	<10	187	1910	8	37	<10	6	413
242258	1226862	0.206	1	5.79	30	698	2	7	1.69	4	5	36	39	1.48	0.54	38	0.78	751	25	26	293	308	1.10	<5	15	<10	188	1797	<2	32	16	5	1382
242259R	1226862	0.247	<1	5.85	31	708	2	8	1.77	4	5	38	41	1.49	0.46	33	0.81	809	22	24	304	349	1.12	<5	28	<10	193	1811	<2	33	16	6	1330
242260	1226863	1.822	<1	4.18	32	683	2	4	1.39	7	5	34	93	1.37	0.54	27	0.62	596	15	30	302	173	1.05	<5	19	<10	162	1707	<2	32	24	4	2173
242261	1226864	0.030	<1	5.68	28	647	2	6	1.75	<4	5	31	8	1.34	0.38	35	0.91	778	18	22	332	74	0.90	<5	25	<10	163	1857	<2	32	<10	5	220
242262	1226865	0.035	<1	4.59	31	547	<2	<1	1.41	<4	2	51	12	1.13	0.40	32	0.74	529	20	26	271	106	0.70	<5	24	<10	135	1565	<2	27	<10	5	282
242263	1226866	0.036	<1	4.43	23	604	2	<1	1.82	<4	5	28	11	1.38	0.33	32	0.81	686	17	18	290	142	0.70	<5	26	<10	153	1734	<2	30	<10	5	262
242264	1226867	0.063	<1	3.89	33	552	2	<1	1.50	<4	6	31	13	1.55	0.29	30	0.83	757	14	23	302	100	1.10	<5	14	<10	131	1731	<2	32	<10	4	317
242265	1226868	0.863	2	4.48	80	580	2	<1	1.20	4	9	61	95	2.20	0.16	31	0.70	581	18	32	313	562	2.29	<5	17	<10	141	2050	<2	47	14	5	1245
242266	1226869	0.089	<1	<0.01	50	<1	<2	486	<0.01	10	4	13	29	<0.01	<0.01	9	<0.01	<100	70	140	491	428	0.23	<5	370	<10	128	<100	124	<2	318	<2	386
242267	1226870	1.386	12	<0.01	<2	<1	2	660	<0.01	18	<1	25	59	<0.01	<0.01	35	<0.01	<100	66	231	610	729	0.58	6	1648	115	282	<100	316	<2	797	<2	610

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
Date Completed: 10/20/2011  
Job #: 201143618  
Reference: TL11222  
Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242268	1226871	0.015	<1	3.61	6	699	<2	9	1.62	<4	5	45	12	1.49	0.33	20	0.71	674	14	34	316	26	0.60	<5	25	<10	204	1564	4	38	<10	4	76
242269	1226872	0.017	<1	4.57	21	908	2	10	1.74	<4	10	43	21	1.85	0.20	22	0.79	723	11	37	409	26	1.25	<5	21	<10	239	1885	<2	41	<10	5	95
242270D	1226872	0.025	<1	5.04	19	870	<2	12	1.72	<4	9	44	21	1.87	0.30	23	0.81	701	12	38	414	33	1.24	<5	27	<10	226	1822	<2	40	<10	5	92
242271	1226873	0.097	2	5.22	30	492	<2	3	1.36	<4	6	32	11	1.99	0.11	12	1.21	837	2	28	427	111	1.59	<5	18	<10	167	1493	<2	30	<10	7	206
242272	1226874	0.029	<1	<0.01	<2	<1	<2	59	<0.01	<4	<1	<1	7	<0.01	<0.01	<1	<0.01	<100	7	41	<100	168	0.15	<5	147	23	48	<100	17	<2	96	<2	88
242273	1226875	0.072	3	5.10	19	714	2	5	1.96	<4	7	33	12	1.61	0.31	34	0.97	784	18	23	353	54	0.97	<5	29	<10	237	1880	2	37	<10	5	145
242274	1226876	0.109	4	5.81	22	813	2	7	2.24	<4	7	40	17	1.79	0.47	42	1.06	856	23	32	401	59	1.03	<5	18	<10	264	2065	2	41	<10	6	168
242275	1226877	0.052	5	5.08	17	790	2	<1	1.71	<4	8	38	22	1.67	0.26	41	0.88	655	20	33	350	29	0.81	<5	11	<10	238	2144	<2	40	<10	5	108
242276	1226878	0.031	1	4.72	12	546	2	<1	2.01	<4	6	33	10	1.61	0.45	33	0.99	784	16	34	354	37	0.61	<5	21	<10	267	1839	<2	36	<10	5	64
242277	1226879	0.017	<1	5.51	11	624	<2	<1	1.36	<4	4	53	8	1.32	0.47	36	0.73	470	23	50	231	24	0.44	<5	24	<10	192	1800	<2	34	<10	5	42
242278	1226880	<0.005	<1	4.35	5	492	<2	17	1.76	<4	10	40	20	2.34	0.28	25	0.70	464	18	22	437	7	0.07	<5	8	<10	265	2434	<2	84	25	9	44
242279	1226881	0.014	2	4.28	12	561	2	<1	1.72	<4	5	35	11	1.57	0.31	30	0.83	693	16	32	382	29	0.39	<5	19	<10	226	1931	<2	40	<10	5	95
242280	1226882	0.041	8	3.83	19	508	2	10	2.12	<4	4	25	17	1.85	0.50	28	0.95	1406	15	23	339	75	1.19	<5	19	<10	227	1732	2	34	<10	4	260
242281D	1226882	0.037	8	5.21	22	528	<2	9	2.38	<4	6	26	19	2.02	0.35	27	1.12	1438	14	25	373	75	1.29	<5	21	<10	237	1755	<2	35	<10	5	288
242282	1226883	0.253	60	4.22	32	463	<2	<1	0.81	<4	6	22	29	1.42	0.64	20	0.51	465	9	22	341	177	1.20	<5	15	<10	165	1818	<2	33	<10	4	578
242283	1226884	0.027	2	4.55	22	315	<2	4	1.45	<4	5	19	10	1.45	0.53	21	0.90	870	8	20	351	55	0.71	<5	15	<10	148	1699	<2	30	<10	5	84
242284	1226885	0.028	2	4.46	17	391	2	8	1.85	<4	6	26	10	1.60	0.43	33	0.85	1805	19	24	356	54	0.70	<5	21	<10	177	1983	<2	37	<10	5	178
242285	1226886	0.018	1	6.31	13	417	2	11	2.46	<4	10	25	10	2.16	0.41	41	1.18	3444	19	24	406	88	0.53	<5	24	<10	232	2563	7	45	<10	6	354
242286	1226887	0.028	1	6.07	14	404	<2	5	2.38	<4	7	23	47	1.89	0.44	38	1.19	2421	20	24	413	178	0.57	<5	22	<10	180	2332	5	43	<10	6	284
242287	1226888	0.026	1	4.72	14	284	<2	9	2.85	<4	4	38	21	1.75	0.36	46	1.11	2713	23	34	404	98	0.64	<5	17	<10	164	1863	16	37	<10	6	357

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
Jason Moore, General Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242288	1226889	0.045	1	4.86	15	456	2	<1	2.24	4	7	21	27	2.17	0.40	29	1.08	3463	14	24	418	251	1.14	<5	23	<10	188	2408	11	45	11	5	1123
242289	1226890	0.251	114	4.63	241	316	<2	12	1.54	25	15	59	6595	5.55	<0.01	29	1.03	1724	37	29	443	10922	2.52	288	9	<10	220	2263	<2	86	53	9	5166
242290	1226891	0.023	2	4.39	17	400	<2	<1	1.64	<4	7	22	76	1.77	0.36	29	0.90	1942	17	18	353	156	0.93	<5	8	<10	166	2166	<2	42	<10	5	711
242291	1226892	0.015	<1	4.57	13	378	<2	3	1.74	<4	5	22	12	1.74	0.49	25	0.93	1855	14	23	358	72	0.93	<5	14	<10	157	2088	9	40	<10	4	294
242292D	1226892	0.014	<1	4.27	8	360	<2	5	1.68	<4	5	20	10	1.66	0.62	24	0.89	1719	12	20	340	68	0.87	<5	18	<10	150	1975	5	38	<10	4	278
242293	1226893	0.015	<1	5.99	14	260	<2	<1	1.95	<4	7	19	29	1.81	<0.01	30	1.17	1646	7	21	390	48	1.00	<5	35	<10	144	1725	<2	33	<10	6	341
242294	1226894	0.038	2	4.50	13	155	<2	<1	1.32	<4	6	14	48	1.80	<0.01	11	1.29	1343	2	19	395	209	1.01	7	24	<10	88	1482	<2	29	11	6	896
242295	1226895	0.039	<1	5.51	10	326	<2	6	1.77	<4	7	21	12	1.69	0.34	21	1.33	994	9	28	383	57	0.66	<5	6	<10	154	1616	<2	31	<10	6	104
242296	1226896	0.038	1	4.50	16	444	<2	<1	1.85	<4	7	25	12	1.54	0.23	33	0.95	924	20	22	357	53	0.60	<5	21	<10	185	2014	<2	38	<10	5	89
242297	1226897	0.097	2	5.91	30	408	2	16	1.98	5	8	26	11	2.06	0.34	39	1.04	868	19	30	357	64	1.12	5	31	<10	207	2187	<2	40	11	6	913
242298	1226898	0.128	2	5.10	32	400	2	5	1.84	5	8	26	10	2.01	0.49	43	1.04	847	21	25	343	61	1.12	<5	16	<10	197	2168	3	38	11	5	889
242299	1226899	0.016	2	4.33	11	410	2	3	1.73	<4	7	23	12	1.67	0.29	45	1.02	674	18	23	385	159	0.40	<5	21	<10	204	2276	2	42	<10	5	121
242300	1226900	0.007	<1	4.38	8	496	<2	6	1.83	<4	12	41	22	2.44	0.43	27	0.77	484	16	23	463	8	0.07	<5	20	<10	271	2560	<2	87	28	10	45
242301	1226901	0.707	14	5.10	43	531	2	15	1.46	<4	12	34	126	2.45	0.23	36	0.69	630	19	34	580	364	2.04	<5	17	<10	157	2890	2	58	11	5	721
242302	1226902	0.267	5	4.88	25	537	2	12	2.35	<4	10	31	17	2.01	0.36	38	0.93	944	19	26	553	78	1.11	<5	12	<10	193	2545	<2	55	<10	5	137
242303D	1226902	0.263	4	5.36	25	548	2	18	2.49	<4	9	32	17	2.09	0.28	37	1.01	993	17	28	588	78	1.15	<5	18	<10	200	2521	<2	56	<10	6	141
242304	1226903	0.070	<1	4.84	28	584	2	4	2.63	<4	11	36	17	2.31	0.13	33	1.00	989	18	40	569	53	1.57	<5	27	<10	209	2428	<2	55	<10	5	110
242305	1226904	0.360	<1	4.85	37	602	<2	2	0.29	<4	10	25	14	1.83	0.26	11	0.37	124	5	29	615	60	1.91	<5	23	<10	105	2253	<2	49	<10	5	258
242306	1226905	0.034	<1	6.23	16	764	<2	<1	2.33	<4	10	24	36	2.00	0.09	21	1.35	674	7	38	515	37	1.02	<5	10	<10	211	1736	<2	37	<10	7	110
242307	1226906	0.071	<1	6.12	21	423	<2	<1	2.33	<4	5	23	16	1.81	<0.01	24	1.30	613	11	29	451	33	1.44	7	34	<10	184	1509	<2	31	<10	7	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242308	1226907	0.136	<1	5.03	30	469	2	15	0.88	<4	7	30	13	1.38	0.34	32	0.56	226	18	30	356	29	1.03	<5	33	<10	108	2068	<2	40	<10	5	71
242309	1226908	0.021	<1	7.54	19	532	2	18	2.35	<4	6	23	9	1.60	0.35	49	1.08	471	22	21	403	31	0.62	<5	35	<10	148	2427	<2	43	<10	6	62
242310	1226909	0.036	<1	6.71	23	485	2	12	2.95	<4	10	45	15	1.98	0.32	47	1.21	680	21	45	474	34	0.98	<5	31	<10	146	2295	4	54	<10	6	56
242311	1226910	5.373	1	5.88	438	1634	<2	14	2.81	<4	15	129	82	3.68	<0.01	38	1.07	510	35	54	748	30	1.08	31	21	<10	233	2364	<2	138	10	12	228
242312	1226911	0.107	<1	4.95	31	466	2	<1	1.40	<4	8	41	15	1.48	0.28	34	0.85	406	14	37	434	47	1.01	<5	23	<10	112	2021	<2	49	<10	5	68
242313	1226912	0.632	2	4.14	74	430	2	<1	0.47	<4	7	43	20	1.70	0.02	32	0.39	<100	20	41	325	171	1.85	<5	19	<10	96	1845	<2	41	<10	4	887
242314D	1226912	0.622	1	3.51	61	394	<2	<1	0.39	<4	7	41	19	1.55	0.22	28	0.36	<100	17	42	300	166	1.72	<5	14	<10	89	1700	<2	39	15	4	847
242315	1226913	0.396	<1	4.18	34	478	2	12	0.94	<4	9	39	15	1.72	0.34	33	0.60	252	17	39	386	119	1.56	<5	<5	<10	114	1901	<2	43	<10	4	421
242316	1226914	0.452	<1	4.90	36	461	3	20	1.92	<4	11	36	12	1.98	0.47	30	0.98	568	15	45	416	48	1.32	<5	19	<10	126	1882	<2	45	<10	7	89
242317	1226915	0.102	<1	3.76	34	523	<2	1	0.83	<4	8	40	32	1.62	0.45	25	0.49	252	9	47	393	54	1.36	<5	17	<10	102	1958	<2	44	<10	4	71
242318	1226916	0.031	<1	5.16	32	455	<2	16	0.79	<4	8	34	19	1.69	0.52	15	0.58	237	4	46	437	46	1.50	<5	16	<10	92	1751	<2	40	<10	5	74
242319	1226917	0.728	<1	5.59	22	440	<2	<1	2.31	<4	11	35	6	1.90	0.21	26	1.12	504	7	46	459	43	1.07	<5	15	<10	138	1786	2	39	<10	6	48
242320	1226918	0.697	<1	5.52	14	594	2	11	2.94	<4	8	44	18	1.85	0.56	40	1.08	518	19	42	444	47	0.54	<5	30	<10	179	2229	<2	50	<10	5	203
242321	1226919	0.008	<1	4.07	5	633	2	2	2.19	<4	9	43	16	1.84	0.51	43	0.94	397	17	41	440	23	0.47	<5	20	<10	215	2297	<2	51	<10	5	97
242322	1226920	<0.005	<1	6.48	3	526	<2	12	2.03	<4	13	41	22	2.48	0.50	32	0.88	488	20	24	483	8	0.08	<5	26	<10	289	2605	<2	89	27	12	45
242323	1226921	0.331	1	3.30	38	496	2	12	0.98	14	18	41	174	2.81	0.11	48	0.57	257	18	43	384	50	3.04	<5	10	<10	215	2164	<2	45	47	5	4234
242324	1226922	0.047	<1	4.36	7	726	2	2	1.91	<4	8	47	54	1.84	0.44	42	0.92	273	19	50	437	20	0.46	<5	38	<10	219	2099	<2	46	<10	5	235
242325R	1226922	0.037	<1	4.18	11	785	2	5	1.95	<4	9	52	55	1.90	0.06	47	0.83	286	24	53	433	26	0.46	<5	15	<10	228	2244	<2	50	<10	5	182
242326	1226923	0.019	<1	4.91	11	605	<2	8	2.61	<4	7	37	18	1.81	0.64	33	0.93	275	9	42	543	14	0.22	<5	8	<10	217	2035	<2	42	<10	6	76
242327	1226924	0.023	<1	5.79	8	689	<2	<1	2.47	<4	9	40	14	1.85	0.41	32	1.04	337	10	40	444	17	0.33	<5	28	<10	216	2163	<2	47	<10	6	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
242328	1226925	0.137	<1	5.66	25	717	<2	<1	1.54	<4	8	38	24	1.97	0.25	36	0.76	330	12	42	426	26	1.47	<5	26	<10	222	2001	<2	45	<10	5	193
242329	1226926	0.023	<1	5.46	21	707	<2	<1	2.19	<4	9	38	13	1.85	0.32	37	1.01	389	12	41	444	20	0.90	<5	23	<10	203	2177	<2	49	<10	5	72
242330	1226927	0.048	<1	3.67	14	684	2	7	1.66	<4	8	37	13	1.63	0.41	34	0.74	361	11	39	381	14	0.89	<5	15	<10	181	1927	<2	43	<10	4	74
242331	1226928	0.016	<1	5.05	5	649	<2	2	2.25	<4	7	35	7	1.71	0.51	32	1.03	320	10	37	406	13	0.53	<5	12	<10	169	1878	<2	43	<10	5	56
242332	1226929	0.043	<1	3.69	14	740	<2	<1	1.88	<4	8	44	17	1.67	0.53	31	0.79	423	13	46	449	17	0.69	<5	12	<10	181	2101	<2	47	<10	5	44
242333	1226930	1.405	2	4.39	39	246	<2	17	2.64	<4	19	69	7446	5.06	<0.01	18	0.93	563	775	24	801	45	2.87	6	11	<10	255	990	<2	110	<10	10	103
242334	1226931	0.053	<1	4.73	9	655	<2	7	2.53	<4	9	54	64	2.32	0.59	32	1.19	503	17	58	500	16	0.66	<5	27	<10	185	2099	<2	58	<10	6	59
242335	1226932	0.074	<1	4.42	3	618	<2	6	2.61	<4	12	57	19	2.27	0.45	42	1.34	453	12	56	457	16	0.42	<5	16	<10	196	2304	<2	58	<10	5	67
242336D	1226932	0.069	<1	6.16	4	554	<2	4	2.53	<4	12	54	18	2.29	0.55	39	1.57	446	8	59	486	15	0.44	<5	27	<10	182	2101	<2	52	<10	7	67
242337	1226933	0.045	<1	6.25	5	574	<2	6	2.94	<4	11	49	20	2.26	0.46	41	1.51	513	10	55	527	11	0.39	<5	14	<10	199	2237	2	55	<10	7	87
242338	1226934	0.025	<1	4.99	16	726	2	3	1.82	<4	11	46	25	1.63	0.57	30	0.81	417	11	47	486	19	0.72	<5	24	<10	210	2087	<2	58	<10	5	58
242339	1226935	0.037	<1	8.14	12	673	<2	14	3.02	<4	10	47	49	2.10	0.32	35	1.43	596	14	48	458	23	0.71	<5	16	<10	235	1990	<2	46	<10	8	654
242340	1226936	0.028	<1	7.46	11	695	2	10	2.91	<4	8	44	47	2.08	0.45	40	1.33	583	16	43	457	26	0.71	<5	24	<10	237	2098	<2	49	<10	7	533
242341	1226937	0.078	<1	5.54	15	957	2	8	2.31	<4	7	22	15	1.93	0.38	40	0.85	404	13	20	481	22	0.53	<5	7	<10	251	2557	2	47	<10	6	89
242342	1226938	0.333	<1	5.02	48	729	<2	2	0.95	<4	7	26	18	1.69	0.45	30	0.56	264	13	28	388	32	1.37	<5	18	<10	164	2126	5	40	<10	5	212
242343	1226939	<0.005	<1	5.97	32	594	<2	15	2.27	<4	8	26	13	1.95	0.34	37	1.02	542	14	25	458	35	0.80	<5	17	<10	205	2231	4	41	<10	6	113
242344	1226940	<0.005	<1	4.16	5	471	<2	<1	1.72	<4	12	38	21	2.37	0.56	19	0.75	468	11	23	452	4	0.08	<5	20	<10	265	2379	<2	84	25	9	42

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242128	1226743	73	0.002	0.073
242129	1226744	17	<0.001	0.017
242130	1226745	71	0.002	0.071
242131	1226746	76	0.002	0.076
242132	1226747	36	0.001	0.036
242133	1226748	13	<0.001	0.013
242134	1226749	21	<0.001	0.021
242135	1226750	1489	0.043	1.489
242136	1226751	25	<0.001	0.025
242137	1226752	22	<0.001	0.022
242138 Dup	1226752	23	<0.001	0.023
242139	1226753	62	0.002	0.062
242140	1226754	43	0.001	0.043
242141	1226755	43	0.001	0.043
242142	1226756	35	0.001	0.035
242143	1226757	17	<0.001	0.017
242144	1226758	19	<0.001	0.019
242145	1226759	196	0.006	0.196
242146	1226760	<5	<0.001	<0.005
242147	1226761	33	<0.001	0.033
242148	1226762	23	<0.001	0.023
242149 Dup	1226762	21	<0.001	0.021
242150	1226763	14	<0.001	0.014
242151	1226764	17	<0.001	0.017
242152	1226765	24	<0.001	0.024
242153	1226766	18	<0.001	0.018
242154	1226767	11	<0.001	0.011
242155	1226768	12	<0.001	0.012
242156	1226769	16	<0.001	0.016
242157	1226770	254	0.007	0.254

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242158	1226771	15	<0.001	0.015
242159	1226772	16	<0.001	0.016
242160 Dup	1226772	19	<0.001	0.019
242161	1226773	14	<0.001	0.014
242162	1226774	10	<0.001	0.010
242163	1226775	10	<0.001	0.010
242164	1226776	10	<0.001	0.010
242165	1226777	17	<0.001	0.017
242166	1226778	13	<0.001	0.013
242167	1226779	15	<0.001	0.015
242168	1226780	<5	<0.001	<0.005
242169	1226781	17	<0.001	0.017
242170	1226782	63	0.002	0.063
242171 Dup	1226782	29	<0.001	0.029
242172	1226783	6	<0.001	0.006
242173	1226784	10	<0.001	0.010
242174	1226785	<5	<0.001	<0.005
242175	1226786	7	<0.001	0.007
242176	1226787	16	<0.001	0.016
242177	1226788	357	0.010	0.357
242178	1226789	254	0.007	0.254
242179	1226790	5215	0.152	5.215
242180	1226791	36	0.001	0.036
242181	1226792	19	<0.001	0.019
242182 Dup	1226792	28	<0.001	0.028
242183	1226793	142	0.004	0.142
242184	1226794	435	0.013	0.435
242185	1226795	96	0.003	0.096
242186	1226796	17	<0.001	0.017
242187	1226797	257	0.008	0.257

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242188	1226798	35	0.001	0.035
242189	1226799	120	0.004	0.120
242190	1226800	<5	<0.001	<0.005
242191	1226801	68	0.002	0.068
242192	1226802	322	0.009	0.322
242193 Rep	1226802	338	0.010	0.338
242194	1226803	657	0.019	0.657
242195	1226804	111	0.003	0.111
242196	1226805	260	0.008	0.260
242197	1226806	145	0.004	0.145
242198	1226807	228	0.007	0.228
242199	1226808	57	0.002	0.057
242200	1226809	118	0.003	0.118
242201	1226810	1423	0.042	1.423
242202	1226811	4618	0.135	4.618
242203	1226812	121	0.004	0.121
242204 Dup	1226812	106	0.003	0.106
242205	1226813	761	0.022	0.761
242206	1226814	146	0.004	0.146
242207	1226815	232	0.007	0.232
242208	1226816	317	0.009	0.317
242209	1226817	62	0.002	0.062
242210	1226818	61	0.002	0.061
242211	1226819	31	<0.001	0.031
242212	1226820	5	<0.001	0.005
242213	1226821	20	<0.001	0.020
242214	1226822	8	<0.001	0.008
242215 Dup	1226822	8	<0.001	0.008
242216	1226823	9	<0.001	0.009
242217	1226824	100	0.003	0.100

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242218	1226825	18	<0.001	0.018
242219	1226826	29	<0.001	0.029
242220	1226827	15	<0.001	0.015
242221	1226828	18	<0.001	0.018
242222	1226829	18	<0.001	0.018
242223	1226830	301	0.009	0.301
242224	1226831	22	<0.001	0.022
242225	1226832	39	0.001	0.039
242226 Dup	1226832	49	0.001	0.049
242227	1226833	111	0.003	0.111
242228	1226834	195	0.006	0.195
242229	1226835	470	0.014	0.470
242230	1226836	19	<0.001	0.019
242231	1226837	13	<0.001	0.013
242232	1226838	14	<0.001	0.014
242233	1226839	8	<0.001	0.008
242234	1226840	<5	<0.001	<0.005
242235	1226841	18	<0.001	0.018
242236	1226842	19	<0.001	0.019
242237 Dup	1226842	11	<0.001	0.011
242238	1226843	12	<0.001	0.012
242239	1226844	33	<0.001	0.033
242240	1226845	28	<0.001	0.028
242241	1226846	10	<0.001	0.010
242242	1226847	38	0.001	0.038
242243	1226848	36	0.001	0.036
242244	1226849	11	<0.001	0.011
242245	1226850	5223	0.152	5.223
242246	1226851	5	<0.001	0.005
242247	1226852	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242248 Dup	1226852	13	<0.001	0.013
242249	1226853	70	0.002	0.070
242250	1226854	152	0.004	0.152
242251	1226855	559	0.016	0.559
242252	1226856	973	0.028	0.973
242253	1226857	464	0.014	0.464
242254	1226858	101	0.003	0.101
242255	1226859	76	0.002	0.076
242256	1226860	<5	<0.001	<0.005
242257	1226861	87	0.003	0.087
242258	1226862	206	0.006	0.206
242259 Rep	1226862	247	0.007	0.247
242260	1226863	1822	0.053	1.822
242261	1226864	30	<0.001	0.030
242262	1226865	35	0.001	0.035
242263	1226866	36	0.001	0.036
242264	1226867	63	0.002	0.063
242265	1226868	863	0.025	0.863
242266	1226869	89	0.003	0.089
242267	1226870	1386	0.040	1.386
242268	1226871	15	<0.001	0.015
242269	1226872	17	<0.001	0.017
242270 Dup	1226872	25	<0.001	0.025
242271	1226873	97	0.003	0.097
242272	1226874	29	<0.001	0.029
242273	1226875	72	0.002	0.072
242274	1226876	109	0.003	0.109
242275	1226877	52	0.002	0.052
242276	1226878	31	<0.001	0.031
242277	1226879	17	<0.001	0.017

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242278	1226880	<5	<0.001	<0.005
242279	1226881	14	<0.001	0.014
242280	1226882	41	0.001	0.041
242281 Dup	1226882	37	0.001	0.037
242282	1226883	253	0.007	0.253
242283	1226884	27	<0.001	0.027
242284	1226885	28	<0.001	0.028
242285	1226886	18	<0.001	0.018
242286	1226887	28	<0.001	0.028
242287	1226888	26	<0.001	0.026
242288	1226889	45	0.001	0.045
242289	1226890	251	0.007	0.251
242290	1226891	23	<0.001	0.023
242291	1226892	15	<0.001	0.015
242292 Dup	1226892	14	<0.001	0.014
242293	1226893	15	<0.001	0.015
242294	1226894	38	0.001	0.038
242295	1226895	39	0.001	0.039
242296	1226896	38	0.001	0.038
242297	1226897	97	0.003	0.097
242298	1226898	128	0.004	0.128
242299	1226899	16	<0.001	0.016
242300	1226900	7	<0.001	0.007
242301	1226901	707	0.021	0.707
242302	1226902	267	0.008	0.267
242303 Dup	1226902	263	0.008	0.263
242304	1226903	70	0.002	0.070
242305	1226904	360	0.010	0.360
242306	1226905	34	<0.001	0.034
242307	1226906	71	0.002	0.071

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242308	1226907	136	0.004	0.136
242309	1226908	21	<0.001	0.021
242310	1226909	36	0.001	0.036
242311	1226910	5373	0.157	5.373
242312	1226911	107	0.003	0.107
242313	1226912	632	0.018	0.632
242314 Dup	1226912	622	0.018	0.622
242315	1226913	396	0.012	0.396
242316	1226914	452	0.013	0.452
242317	1226915	102	0.003	0.102
242318	1226916	31	<0.001	0.031
242319	1226917	728	0.021	0.728
242320	1226918	697	0.020	0.697
242321	1226919	8	<0.001	0.008
242322	1226920	<5	<0.001	<0.005
242323	1226921	331	0.010	0.331
242324	1226922	47	0.001	0.047
242325 Rep	1226922	37	0.001	0.037
242326	1226923	19	<0.001	0.019
242327	1226924	23	<0.001	0.023
242328	1226925	137	0.004	0.137
242329	1226926	23	<0.001	0.023
242330	1226927	48	0.001	0.048
242331	1226928	16	<0.001	0.016
242332	1226929	43	0.001	0.043
242333	1226930	1405	0.041	1.405
242334	1226931	53	0.002	0.053
242335	1226932	74	0.002	0.074
242336 Dup	1226932	69	0.002	0.069
242337	1226933	45	0.001	0.045

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/03/2011  
 Date Completed: 10/20/2011  
 Job #: 201143618  
 Reference: TL11222  
 Sample #: 198

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
242338	1226934	25	<0.001	0.025
242339	1226935	37	0.001	0.037
242340	1226936	28	<0.001	0.028
242341	1226937	78	0.002	0.078
242342	1226938	333	0.010	0.333
242343	1226939	<5	<0.001	<0.005
242344	1226940	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Wednesday, November 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/25/2011  
Date Completed: 11/02/2011  
Job #: 201143928  
Reference: TL11222  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
265259	1226811	0.099	3.381

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm	
232853	1184734	0.132	2	2.31	21	345	<2	6	1.01	6	6	15	31	1.42	0.59	11	0.90	503	<1	49	286	455	0.15	<5	25	<10	185	1332	<2	27	16	6	983	
232854	1184735	0.073	2	3.86	25	402	2	18	1.23	6	6	19	55	1.56	0.33	15	0.98	547	<1	51	298	482	0.17	<5	31	<10	179	1419	<2	29	21	6	1049	
232855	1184736	0.077	<1	3.46	19	469	2	18	0.73	4	7	29	32	1.67	0.85	14	0.83	414	<1	52	309	321	0.16	5	23	<10	180	1592	<2	33	15	7	724	
232856	1184737	0.046	<1	3.35	<2	384	2	23	1.88	<4	23	153	51	4.02	0.69	22	1.46	996	5	104	500	51	0.13	5	29	<10	246	2927	50	99	10	13	147	
232857	1184738	0.022	2	3.30	18	535	<2	20	1.21	<4	9	31	17	2.12	0.58	10	0.49	394	<1	57	363	40	0.23	<5	22	<10	210	1757	<2	39	<10	7	49	
232858	1184739	0.017	2	3.86	9	659	<2	18	0.77	<4	6	22	10	1.22	0.96	5	0.41	165	<1	52	353	67	0.13	<5	27	<10	206	1843	90	39	11	7	108	
232859	1184740	0.010																																
232860	1184741	0.018	<1	4.07	7	604	<2	17	1.05	<4	8	20	9	0.74	0.49	5	0.41	172	<1	46	368	29	0.06	<5	25	<10	226	1820	<2	38	<10	7	38	
232861	1184742	0.015	2	3.52	13	585	<2	17	1.46	<4	6	14	11	0.53	0.39	6	0.37	165	<1	42	373	35	0.05	<5	30	<10	274	1557	<2	37	10	6	26	
232862	1184743	0.009	<1	3.01	12	558	<2	16	0.95	<4	8	12	9	0.45	0.27	7	0.35	110	<1	36	307	25	0.03	<5	19	<10	235	1423	23	35	<10	6	17	
232863D	1184743	0.014	<1	2.86	14	591	<2	15	1.01	<4	7	12	8	0.48	0.08	3	0.33	115	<1	37	324	28	0.04	<5	30	<10	249	1475	<2	37	<10	5	19	
232864	1184744	0.015	3	0.74	5	402	<2	6	0.76	<4	4	19	7	0.51	0.45	<1	0.31	109	<1	40	232	30	0.04	<5	26	<10	182	1003	160	24	<10	5	16	
232865	1184745	0.044	2	5.11	28	831	4	23	1.72	<4	8	16	14	1.83	0.53	7	0.39	267	<1	44	514	79	0.20	<5	22	<10	283	1872	196	40	14	8	67	
232866	1184746	0.024	2	4.46	20	800	4	13	1.53	<4	9	12	22	1.67	0.55	5	0.38	250	<1	41	390	75	0.18	<5	28	<10	283	1832	236	37	11	7	120	
232867	1184747	0.038	2	2.56	20	587	<2	22	1.16	<4	6	12	20	1.71	0.78	6	0.49	384	<1	41	359	106	0.17	<5	28	<10	199	1556	<2	33	<10	6	145	
232868	1184748	0.073	<1	2.81	11	593	<2	13	1.73	<4	6	14	20	1.81	0.68	3	0.59	530	<1	41	349	84	0.10	<5	33	<10	213	1651	<2	36	10	6	160	
232869	1184749	0.060	<1	4.04	11	711	2	22	1.03	<4	7	16	11	1.57	0.30	19	0.54	283	<1	38	350	44	0.10	<5	39	<10	209	1791	81	36	<10	7	108	
232870	1184750	1.435	4	0.88	39	1226	<2	26	2.61	<4	15	70	7338	4.49	1.41	39	0.76	507	756	24	1565	30	4.05	10	24	<10	232	1076	146	101	<10	8	120	
232871	1184751	0.024	1	2.01	<2	648	<2	15	1.75	<4	7	12	10	1.60	0.30	7	0.68	414	<1	35	347	24	0.06	<5	18	<10	252	1486	2	34	<10	7	45	
232872	1184752	0.043	2	3.79	4	524	2	28	1.94	<4	9	35	19	2.02	0.44	14	1.12	526	<1	46	441	30	0.06	<5	26	<10	263	1861	150	45	<10	9	86	

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232873	1184753	0.025	<1	3.20	3	523	<2	22	0.97	<4	10	14	9	0.59	0.36	10	0.84	234	<1	48	356	37	0.02	<5	23	<10	170	1625	29	34	<10	5	42
232874D	1184753	0.022	<1	3.28	3	516	<2	21	0.95	<4	10	14	9	0.56	0.18	11	0.81	223	<1	42	354	35	0.02	<5	18	<10	167	1601	129	33	<10	5	42
232875	1184754	0.108	2	3.14	12	487	<2	10	1.20	<4	10	13	50	0.65	0.26	7	1.01	309	<1	45	370	193	0.04	5	31	<10	170	1563	2	34	<10	5	273
232876	1184755	1.003	13	1.83	51	329	<2	17	0.78	21	10	32	157	3.16	0.27	15	0.75	355	6	65	178	1536	0.51	50	20	<10	103	1318	175	24	64	6	4396
232877	1184756	0.338	5	3.00	69	394	2	18	0.84	5	19	24	25	2.93	0.38	15	0.99	512	1	78	251	90	0.44	15	7	<10	82	1461	198	28	20	6	808
232878	1184757	0.134	1	1.36	49	381	<2	10	0.38	<4	14	18	16	2.10	0.14	4	0.77	270	<1	66	223	24	0.31	<5	27	<10	63	1297	15	27	14	5	482
232879	1184758	0.056	2	2.79	13	474	<2	12	0.06	<4	7	20	13	0.66	0.41	8	0.68	148	<1	55	290	86	0.06	<5	25	<10	84	1587	60	30	11	6	278
232880	1184759	0.051	3	3.68	79	437	<2	17	0.21	5	6	25	106	0.77	0.04	17	0.69	146	8	54	258	283	0.06	<5	37	10	97	1492	<2	27	21	7	1064
232881	1184760	<0.005	2	1.04	8	547	<2	13	2.01	<4	11	40	73	2.24	1.84	36	0.74	441	39	28	1161	2	0.15	<5	11	<10	243	2209	135	79	22	9	68
232882	1184761	0.009	<1	2.97	<2	463	<2	12	0.08	<4	6	23	12	0.59	0.45	13	0.59	134	3	52	286	105	0.02	5	40	<10	93	1491	124	27	15	6	285
232883	1184762	0.017	1	2.79	8	467	<2	11	0.39	<4	6	16	8	0.53	0.45	11	0.74	199	3	40	206	195	0.02	5	28	<10	102	1468	<2	27	15	6	422
232884	1184763	0.028	<1	2.64	11	473	<2	13	0.21	<4	6	20	17	0.59	0.31	7	0.70	160	5	50	106	164	0.04	6	9	<10	109	1485	29	27	16	6	617
232885D	1184763	0.031	<1	2.48	7	472	<2	8	0.24	<4	6	22	15	0.60	0.45	10	0.66	159	9	43	106	160	0.04	5	30	<10	111	1461	<2	27	13	5	584
232886	1184764	0.014	<1	3.26	25	557	<2	15	0.59	<4	10	28	10	1.07	0.33	10	0.80	186	<1	64	151	42	0.10	6	31	<10	158	1591	<2	33	10	6	118
232887	1184765	0.008	2	1.03	37	567	<2	25	1.34	<4	6	34	4	1.68	1.48	44	0.52	171	38	37	718	12	2.93	<5	<5	<10	164	1595	100	29	<10	4	77
232888	1184766	0.008	2	5.13	63	194	<2	13	1.32	<4	13	36	10	3.52	0.19	16	0.99	295	<1	73	219	40	0.49	8	21	<10	265	2103	<2	42	<10	6	79
232889	1184767	0.009	1	2.88	37	440	<2	9	0.78	<4	7	20	18	1.94	0.49	13	0.63	144	<1	46	203	32	0.26	6	39	<10	224	1434	169	28	12	6	48
232890	1184768	0.010	<1	2.71	14	409	<2	11	0.83	<4	6	16	11	0.89	0.42	6	0.54	134	<1	43	237	34	0.10	<5	35	<10	230	1354	60	27	<10	5	82
232891	1184769	0.007	<1	2.17	15	364	<2	6	0.72	<4	6	14	9	0.86	0.26	2	0.57	153	<1	38	270	28	0.09	5	21	<10	244	1169	6	24	12	5	146
232892	1184770	0.270	109	2.21	227	161	<2	16	1.11	29	14	47	6252	5.97	0.14	7	1.29	1758	16	50	468	10675	0.32	388	17	<10	219	1942	<2	84	64	14	5059

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232893	1184771	0.013	1	2.17	15	409	<2	12	0.45	<4	6	13	31	0.82	0.38	<1	0.70	194	<1	41	343	47	0.07	<5	33	<10	147	1356	277	25	<10	6	29
232894	1184772	0.015	2	4.15	20	380	<2	26	1.45	<4	8	17	7	0.97	0.49	2	0.54	161	<1	49	388	9	0.12	<5	39	<10	101	1742	146	32	10	6	9
232895	1184773	0.009	<1	4.25	20	532	<2	11	0.82	<4	6	32	6	0.97	0.46	7	0.62	191	<1	70	341	12	0.10	<5	41	<10	108	1699	157	32	<10	6	9
232896D	1184773	0.006	2	2.85	13	470	<2	14	0.66	<4	7	19	6	0.87	0.63	2	0.54	172	<1	47	313	8	0.10	<5	28	<10	96	1491	194	28	<10	5	7
232897	1184774	0.077	<1	1.83	19	407	<2	9	0.42	<4	7	16	152	2.27	0.15	3	0.54	182	<1	43	248	8	0.33	<5	27	<10	100	1342	<2	25	<10	5	8
232898	1184775	0.010	<1	2.38	20	531	<2	10	0.36	<4	8	16	8	1.32	0.52	<1	0.61	186	<1	49	329	6	0.16	6	28	<10	112	1473	126	29	<10	5	8
232899	1184776	0.016	2	2.90	12	511	<2	23	0.44	<4	8	19	13	1.11	0.63	4	0.75	267	<1	50	379	14	0.07	<5	23	<10	100	1734	111	33	<10	6	14
232900	1184777	0.028	<1	2.38	<2	357	2	20	1.53	<4	7	14	21	1.73	0.26	8	0.91	518	<1	40	411	13	0.06	<5	24	<10	77	1888	<2	36	<10	7	21
232901	1184778	0.051	1	1.95	6	358	<2	10	1.03	<4	7	14	12	1.70	0.36	10	0.92	478	<1	40	393	20	0.06	<5	22	<10	74	2004	130	36	<10	7	87
232902	1184779	0.138	1	1.53	2	352	<2	20	0.90	<4	9	10	11	1.58	0.22	5	0.87	475	<1	42	369	10	0.06	<5	28	<10	74	1835	49	32	<10	6	105
232903	1184780	<0.005	2	1.45	8	570	<2	24	2.07	<4	12	43	20	2.31	1.43	40	0.74	462	36	28	1611	<1	0.16	<5	26	<10	252	2386	214	84	25	9	63
232904	1184781	0.040	2	4.07	10	488	2	20	1.47	<4	8	24	16	1.40	0.31	13	0.94	480	<1	54	547	25	0.07	6	30	<10	85	2133	26	39	11	8	90
232905	1184782	0.028	2	1.45	9	446	<2	8	0.68	<4	6	11	15	0.88	0.13	6	0.96	426	<1	39	460	36	0.04	<5	23	<10	84	1729	<2	29	11	6	342
232906	1184783	0.008	1	4.20	5	607	2	6	1.27	<4	6	17	18	0.96	0.66	16	0.99	451	<1	41	608	37	0.03	<5	35	<10	96	2052	<2	37	14	7	187
232907D	1184783	0.006	<1	2.63	3	557	2	14	1.13	<4	7	15	19	0.89	0.33	13	0.91	424	<1	47	554	38	0.02	5	16	<10	89	1931	<2	34	10	6	165
232908	1184784	0.008	3	3.92	2	648	2	16	1.49	<4	5	17	17	0.92	0.85	13	0.88	421	<1	39	556	154	0.03	<5	41	<10	169	1859	38	36	15	7	280
232909	1184785	0.021	5	2.45	3	656	<2	16	0.85	<4	5	13	16	0.89	0.41	8	0.84	399	<1	44	523	100	0.02	<5	20	<10	158	1841	77	32	12	6	89
232910	1184786	0.011	2	3.33	3	719	2	7	1.20	<4	6	19	18	1.00	0.70	10	0.93	450	<1	48	581	111	0.03	<5	27	<10	175	1966	<2	34	11	6	111
232911	1184787	0.014	<1	1.78	4	548	<2	3	0.80	<4	5	16	24	0.91	0.19	10	0.97	416	<1	41	437	109	0.02	<5	30	<10	96	1661	<2	29	12	6	321
232912	1184788	0.065	3	1.67	7	621	<2	5	0.62	4	6	14	118	1.09	0.34	8	0.81	352	<1	38	395	314	0.08	<5	31	<10	103	1652	<2	28	19	6	953

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232913	1184789	0.104	<1	0.85	9	493	<2	10	0.75	5	7	12	59	1.21	0.11	4	0.81	391	<1	43	374	501	0.10	<5	18	<10	102	1539	<2	26	24	5	1303
232914	1184790	1.408	2	1.26	20	651	<2	29	1.91	<4	13	59	467	3.14	1.41	40	0.79	528	61	38	1080	56	0.90	<5	11	<10	225	2185	324	104	24	8	114
232915	1184791	0.041	<1	2.72	9	483	<2	13	1.37	<4	7	14	9	1.04	0.26	8	1.16	623	<1	44	441	47	0.04	<5	30	<10	134	1610	<2	27	11	6	91
232916	1184792	0.021	<1	1.91	6	483	<2	13	1.22	<4	8	22	14	1.21	0.44	3	1.15	698	<1	51	415	143	0.04	<5	18	<10	156	1612	224	30	<10	6	149
232917	1184793	0.016	2	2.56	4	472	<2	12	1.46	<4	6	15	15	1.20	0.71	10	1.06	674	<1	37	400	68	0.04	<5	24	<10	150	1788	<2	31	10	6	123
232918R	1184793	0.021	<1	3.36	<2	502	<2	13	1.54	<4	5	17	15	1.24	0.37	14	1.08	681	<1	42	407	67	0.04	<5	27	<10	158	1834	540	32	11	6	125
232919	1184794	0.044	<1	2.83	15	365	<2	17	1.08	<4	5	19	17	1.41	0.51	9	0.82	520	<1	43	451	214	0.11	6	14	<10	165	1627	21	31	<10	7	112
232920	1184795	0.053	1	2.76	21	341	<2	12	0.75	<4	6	18	14	1.56	0.53	8	0.75	387	<1	46	386	113	0.14	<5	27	<10	147	1469	<2	29	10	6	259
232921	1184796	0.159	<1	2.33	28	336	<2	18	1.18	<4	7	17	32	1.70	0.49	8	0.96	655	<1	37	388	170	0.14	<5	39	<10	149	1600	2	34	13	7	265
232922	1184797	0.243	<1	1.62	34	317	<2	17	0.70	<4	7	19	16	1.74	0.22	4	0.73	491	<1	48	368	28	0.16	<5	37	<10	120	1625	127	32	<10	6	80
232923	1184798	0.086	<1	1.28	11	291	<2	9	0.89	<4	7	13	15	1.60	0.11	4	0.79	659	<1	32	390	12	0.07	<5	14	<10	126	1708	32	33	<10	6	47
232924	1184799	0.060	<1	3.38	11	355	<2	8	1.09	<4	6	19	21	2.09	0.35	11	0.86	677	<1	40	442	69	0.16	<5	16	<10	169	1588	148	35	<10	7	64
232925	1184800	<0.005	3	0.65	<2	332	<2	21	1.08	<4	11	22	20	2.09	0.02	<1	0.84	395	<1	33	400	5	<0.01	<5	18	<10	223	1733	<2	67	25	13	33
232926	1184801	0.076	<1	2.41	<2	294	<2	12	0.57	<4	5	21	86	1.53	0.23	4	0.60	412	<1	48	467	151	0.12	<5	15	<10	172	1084	<2	29	<10	7	169
232927	1184802	0.044	2	2.45	6	329	<2	16	0.30	7	5	14	68	0.99	0.37	4	0.51	195	<1	40	395	905	0.10	<5	19	<10	157	1162	<2	26	30	6	2007
232928	1184803	0.035	3	2.55	4	341	<2	14	0.55	4	4	19	114	0.94	0.32	6	0.52	268	<1	46	421	994	0.07	<5	25	<10	147	1114	<2	25	16	6	811
232929D	1184803	0.017	<1	1.53	4	284	<2	9	0.39	<4	4	16	102	0.80	0.29	<1	0.47	237	<1	40	371	856	0.06	<5	22	<10	127	966	<2	22	17	6	687
232930	1184804	0.022	1	1.48	5	259	<2	9	0.41	<4	3	15	30	0.78	<0.01	<1	0.54	315	<1	41	304	639	0.07	<5	18	<10	112	1003	<2	23	10	6	491
232931	1184805	0.094	<1	1.98	30	405	<2	15	0.53	4	6	19	16	1.44	0.27	4	0.73	459	<1	47	353	247	0.16	<5	17	<10	118	1465	109	30	15	6	827
232932	1184806	0.371	3	2.21	29	415	<2	5	0.56	4	7	18	26	1.45	0.61	3	0.77	434	<1	50	383	213	0.16	<5	35	<10	122	1512	<2	31	17	6	795

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232933	1184807	0.726	3	2.57	35	452	<2	17	0.02	<4	5	22	188	1.36	0.25	5	0.53	153	<1	48	390	544	0.18	20	23	<10	97	1621	301	33	17	6	416
232934	1184808	1.844	7	2.23	246	404	<2	12	0.22	10	5	22	319	1.72	0.20	1	0.62	293	<1	49	408	3797	0.26	477	17	<10	104	1473	<2	31	51	7	3223
232935	1184809	0.204	1	2.81	44	415	<2	10	0.52	<4	7	27	42	1.97	0.07	7	0.77	380	<1	45	370	309	0.26	12	23	<10	117	1657	<2	34	11	7	331
232936	1184810	1.517	2	3.00	34	646	<2	13	2.55	6	20	63	7160	5.60	0.05	7	1.26	595	884	42	904	47	0.40	17	30	<10	273	887	150	111	11	14	102
232937	1184811	3.108	16	0.86	186	18	<2	10	<0.01	36	11	31	1042	3.27	<0.01	4	0.46	127	<1	60	267	6367	0.60	90	13	<10	77	1189	53	24	154	6	13127
232938	1184812	1.937	2	2.59	23	464	<2	19	0.60	<4	9	15	70	1.53	0.34	7	0.73	446	<1	41	391	287	0.17	<5	29	<10	147	1587	<2	30	13	6	609
232939	1184813	0.091	3	3.16	8	423	<2	19	0.90	<4	8	24	37	1.86	0.33	8	0.80	768	<1	49	407	75	0.11	<5	22	<10	155	1766	93	36	11	7	196
232940D	1184813	0.053	2	4.15	10	466	2	10	1.00	<4	8	28	34	1.84	0.05	16	0.85	924	4	43	398	73	0.11	<5	34	<10	163	1920	115	38	12	8	191
232941	1184814	0.544	2	3.34	17	463	2	16	0.93	<4	8	25	42	1.98	0.18	13	0.82	730	<1	43	408	79	0.15	<5	22	<10	174	1798	282	40	<10	7	134
232942	1184815	0.029	1	1.83	8	460	<2	15	1.07	<4	8	28	20	1.91	0.18	5	0.74	768	<1	51	383	26	0.12	<5	23	<10	175	1707	318	39	<10	6	60
232943	1184816	0.014	3	3.95	<2	494	2	19	1.04	<4	9	36	17	1.96	0.27	14	0.73	542	<1	53	449	22	0.08	<5	30	<10	192	2069	<2	45	<10	8	52
232944	1184817	0.343	4	4.46	<2	413	2	10	0.64	<4	8	27	37	1.46	<0.01	19	0.75	646	6	44	416	155	0.07	<5	32	<10	173	1950	42	38	<10	8	205
232945	1184818	2.248	40	2.87	<2	324	<2	16	0.73	<4	8	21	46	1.82	<0.01	16	0.84	1053	2	40	365	136	0.10	<5	22	<10	154	1772	<2	34	12	7	257
232946	1184819	0.256	2	7.46	<2	380	<2	20	1.09	<4	5	18	25	1.48	0.33	14	0.83	642	<1	35	365	125	0.07	<5	28	<10	168	1798	282	33	<10	9	143
232947	1184820	<0.005	1	0.42	2	368	<2	14	1.19	<4	11	27	28	2.26	0.19	<1	0.83	429	<1	36	424	10	<0.01	<5	15	<10	238	1947	<2	74	31	12	48
232948	1184821	0.184	2	3.88	<2	303	<2	8	1.09	<4	5	32	25	1.46	0.09	3	0.80	651	<1	73	485	52	0.07	<5	31	<10	144	1443	<2	43	<10	7	86
232949	1184822	1.911	3	2.68	3	286	<2	16	0.62	<4	6	34	57	1.30	0.25	6	0.69	566	2	81	360	143	0.07	5	31	<10	121	1621	<2	46	<10	6	175
232950	1184823	0.145	<1	2.52	10	306	<2	11	1.24	<4	9	34	20	1.60	0.35	9	0.94	872	1	76	364	38	0.10	<5	26	<10	125	1645	<2	45	10	7	95
232951D	1184823	0.146	<1	1.96	11	285	<2	4	1.11	<4	7	33	19	1.47	0.24	8	0.89	813	2	73	335	33	0.09	<5	20	<10	119	1529	169	43	<10	7	89
232952	1184824	0.039	<1	3.59	4	363	<2	18	0.97	<4	8	28	24	1.83	0.46	9	0.77	357	<1	61	394	35	0.12	<5	32	<10	119	1637	<2	42	11	7	37

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232953	1184825	0.203	3	3.42	20	346	2	23	0.71	<4	8	51	25	1.30	0.34	13	0.80	366	10	96	376	272	0.10	<5	31	<10	123	1906	<2	56	<10	7	119
232954	1184826	0.089	3	3.82	17	323	2	20	0.99	<4	6	44	15	1.14	0.30	12	0.93	439	6	82	380	95	0.08	8	31	<10	143	1859	<2	52	12	7	52
232955	1184827	0.030	<1	4.14	8	307	2	17	2.00	<4	10	40	21	2.07	0.40	14	1.64	701	8	89	370	45	0.14	<5	27	<10	181	1724	<2	51	11	8	105
232956	1184828	0.050	2	3.91	3	293	2	7	0.83	<4	7	26	9	1.18	0.13	14	1.47	508	2	57	419	30	0.04	<5	31	<10	143	1976	38	47	10	7	55
232957	1184829	0.050	1	3.96	4	271	2	16	0.74	<4	7	32	20	1.11	<0.01	14	1.39	477	7	70	393	42	0.03	<5	33	<10	138	1787	135	47	11	7	67
232958	1184830	0.292	88	1.49	203	237	<2	24	0.98	24	12	40	4846	5.24	<0.01	6	1.10	1555	16	41	391	10373	0.30	349	29	<10	195	1759	<2	75	58	12	4150
232959	1184831	0.479	4	2.78	25	314	2	19	0.84	4	8	33	145	1.44	0.19	9	0.95	441	4	74	363	602	0.14	10	27	<10	124	1653	136	44	19	7	984
232960	1184832	2.216	7	3.28	47	269	2	18	0.09	24	8	36	175	1.73	0.16	12	0.53	<100	13	70	290	1214	0.28	34	34	<10	88	1446	<2	39	81	7	6533
232961	1184833	0.120	<1	5.78	13	340	2	33	1.50	<4	8	39	20	1.19	0.24	16	1.18	557	18	79	397	69	0.06	<5	36	<10	139	1958	120	48	<10	8	80
232962D	1184833	0.117	<1	2.99	12	272	<2	14	1.14	<4	8	31	16	1.04	0.16	9	1.01	489	6	67	333	61	0.05	<5	26	<10	112	1680	<2	42	<10	7	59
232963	1184834	0.315	4	3.83	24	300	2	11	1.20	<4	9	38	40	1.71	0.59	14	1.19	633	6	79	420	198	0.11	7	31	<10	113	1843	<2	47	10	8	149
232964	1184835	104.671	19	3.31	77	299	<2	12	<0.01	9	10	49	206	2.01	0.60	10	0.54	128	10	117	345	927	0.27	61	17	<10	76	1702	98	55	45	7	2903
232965	1184836	0.439	3	1.99	24	334	<2	12	1.07	<4	7	24	34	1.45	0.19	10	0.87	416	1	54	382	123	0.11	<5	24	<10	113	1814	<2	42	<10	6	207
232966	1184837	0.311	3	3.99	17	428	2	17	1.70	4	7	26	38	1.37	0.12	14	1.18	512	6	58	414	96	0.06	<5	21	<10	148	1931	308	44	15	7	569
232967	1184838	0.077	2	<0.01	10	160	<2	12	0.52	<4	4	41	16	0.67	0.25	3	0.76	342	5	76	218	48	0.03	<5	14	<10	82	1039	<2	33	12	5	231
232968	1184839	0.373	6	2.63	30	182	<2	15	1.31	<4	7	18	42	1.68	<0.01	9	1.20	768	<1	55	407	348	0.16	5	26	<10	109	1565	78	34	12	6	381
232969	1184840	<0.005	<1	1.16	4	374	<2	4	1.26	<4	11	27	26	2.27	0.05	2	0.87	438	<1	36	421	15	<0.01	6	34	<10	244	1913	102	73	31	12	44
232970	1184841	0.213	1	3.15	17	219	<2	18	1.68	<4	6	22	57	1.59	0.20	4	1.33	838	<1	61	356	126	0.10	<5	10	<10	109	1479	14	33	<10	7	110
232971	1184842	0.216	<1	1.29	40	200	<2	11	0.47	<4	7	34	18	1.59	0.55	<1	0.72	423	<1	89	340	33	0.14	<5	19	<10	74	1378	<2	41	<10	6	50
232972	1184843	0.516	7	1.61	31	230	<2	10	<0.01	<4	6	28	16	1.21	0.30	<1	0.47	164	<1	79	329	136	0.12	7	24	<10	65	1392	<2	38	<10	5	170

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232973D	1184843	0.493	6	2.06	28	250	<2	21	<0.01	<4	6	30	17	1.21	0.36	<1	0.49	168	<1	77	327	147	0.12	8	27	<10	70	1485	<2	39	11	6	164
232974	1184844	0.017	2	3.16	21	286	2	15	1.65	<4	7	29	19	1.54	0.30	7	1.13	646	<1	76	346	34	0.07	6	29	<10	127	1571	99	39	<10	6	45
232975	1184845	0.021	2	3.50	8	400	2	23	1.14	<4	6	28	11	1.18	0.24	12	0.83	452	5	61	331	21	0.03	<5	23	<10	137	1658	<2	40	<10	6	32
232976	1184846	0.028	2	4.14	14	398	2	25	1.23	<4	6	19	12	1.17	0.42	13	0.87	462	3	45	353	13	0.04	<5	38	<10	141	1676	142	35	<10	7	38
232977	1184847	<0.005	<1	3.68	<2	353	<2	20	1.51	<4	4	27	10	1.36	0.08	11	0.87	424	4	60	341	8	0.02	5	23	<10	140	1690	195	40	<10	7	29
232978	1184848	0.005	1	2.03	2	303	<2	15	1.30	<4	4	34	9	1.20	0.10	7	0.64	264	3	66	274	8	0.03	<5	25	<10	125	1388	<2	36	<10	6	37
232979	1184849	0.006	<1	2.56	<2	321	<2	3	1.66	<4	3	21	7	1.31	0.20	5	0.80	313	<1	58	335	9	0.02	<5	25	<10	139	1550	117	37	<10	6	28
232980	1184850	1.550	1	1.90	14	519	<2	22	1.31	<4	15	49	503	3.53	0.20	5	1.04	570	27	51	567	76	0.08	7	26	<10	247	1946	<2	104	32	13	89
232981	1184851	0.006	<1	2.13	2	268	<2	14	1.34	<4	5	17	8	1.33	<0.01	6	0.85	409	<1	44	285	15	0.04	<5	28	<10	114	1399	61	32	<10	6	29
232982	1184852	0.005	1	2.84	2	254	<2	14	1.98	<4	4	30	12	1.51	0.19	<1	1.04	585	<1	79	386	27	0.04	<5	33	<10	131	1448	<2	36	10	6	36
232983	1184853	0.005	2	1.79	8	245	<2	11	1.76	<4	6	23	11	1.73	0.10	2	1.14	445	<1	72	353	92	0.07	<5	22	<10	120	1364	<2	34	<10	6	61
232984R	1184853	0.005	2	1.79	7	240	<2	4	1.76	<4	5	12	10	1.64	0.11	2	1.15	437	<1	42	367	84	0.07	<5	22	<10	118	1375	164	24	<10	6	59
232985	1184854	0.128	1	0.54	53	258	<2	9	0.39	8	10	53	72	2.33	<0.01	<1	0.60	266	<1	72	315	276	0.30	<5	16	<10	77	1537	<2	40	32	7	2249
232986	1184855	0.020	2	2.61	8	294	2	11	1.32	<4	12	88	55	2.92	0.18	6	1.08	508	<1	84	439	59	0.18	<5	29	<10	129	2009	<2	62	10	11	136
232987	1184856	0.016	<1	1.96	<2	235	<2	9	1.36	<4	19	130	48	3.19	0.28	3	1.13	479	<1	98	470	25	0.15	<5	27	<10	128	2190	<2	69	<10	14	94
232988	1184857	0.006	<1	2.88	23	383	<2	10	1.52	<4	13	17	17	1.58	0.25	1	0.99	298	<1	50	545	29	0.08	<5	28	<10	143	1885	56	37	<10	7	30
232989	1184858	<0.005	<1	3.19	17	405	<2	15	1.51	<4	6	13	12	1.51	0.23	6	0.95	356	<1	39	514	26	0.07	5	33	<10	134	1798	35	35	<10	7	35
232990	1184859	0.008	2	2.80	18	334	<2	16	1.42	<4	7	31	22	1.32	0.64	3	1.01	380	<1	68	472	19	0.05	<5	24	<10	112	1727	<2	35	13	7	35
232991	1184860	0.007	<1	0.19	3	385	<2	13	1.25	<4	12	27	23	2.43	0.08	<1	0.88	455	<1	38	455	14	0.01	<5	16	<10	249	1921	85	78	30	13	39
232992	1184861	<0.005	2	1.35	42	348	<2	15	1.55	<4	5	29	23	1.17	0.36	<1	0.89	430	<1	59	407	21	0.05	<5	30	<10	113	1468	<2	28	<10	6	26

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232993	1184862	0.007	3	1.90	37	324	<2	12	1.36	<4	6	16	19	1.70	0.63	2	0.99	427	<1	49	478	15	0.16	<5	29	<10	108	1702	<2	34	<10	6	35
232994	1184863	0.015	2	2.09	35	339	<2	2	1.20	<4	6	15	15	1.96	0.26	<1	0.97	459	<1	51	496	23	0.25	<5	27	<10	118	1769	34	35	<10	7	34
232995D	1184863	0.011	<1	2.31	37	329	<2	14	1.21	<4	7	15	15	1.96	0.31	<1	0.98	456	<1	49	502	20	0.25	<5	16	<10	119	1715	<2	34	11	7	33
232996	1184864	0.013	<1	3.25	41	442	<2	19	1.00	<4	7	21	23	1.64	0.16	2	0.77	364	<1	60	581	19	0.19	<5	27	<10	133	2083	<2	40	<10	7	34
232997	1184865	0.028	2	2.96	43	386	<2	27	1.36	<4	7	26	68	2.05	0.15	7	1.01	584	<1	61	496	24	0.23	<5	31	<10	121	1936	<2	39	<10	7	59
232998	1184866	0.026	3	2.84	46	367	<2	11	1.29	<4	7	13	72	1.95	<0.01	3	0.96	538	<1	44	521	23	0.23	<5	15	<10	117	1825	<2	37	<10	7	49
232999	1184867	0.010	<1	3.13	90	340	<2	14	1.93	<4	7	16	17	2.40	0.19	4	1.29	903	<1	43	441	29	0.26	5	18	<10	127	1635	9	34	10	8	53
233000	1184868	0.079	2	0.60	72	296	2	11	1.04	<4	14	60	64	2.43	<0.01	<1	0.91	506	<1	59	415	43	0.28	<5	10	<10	91	1763	25	53	10	8	70
233001	1184869	0.142	2	1.96	99	313	2	10	0.37	7	19	114	101	3.53	0.20	5	0.80	388	<1	94	396	717	0.46	8	23	<10	75	2219	67	89	26	11	1559
233002	1184870	1.445	2	1.45	28	636	<2	17	2.09	5	17	52	7463	4.83	<0.01	3	1.08	518	768	36	749	40	0.35	14	32	<10	237	803	164	97	11	12	95
233003	1184871	0.070	<1	2.59	41	255	2	13	1.47	<4	21	135	94	3.52	0.30	7	1.45	705	2	86	469	57	0.26	9	21	<10	102	2437	92	80	<10	14	99
233004	1184872	0.087	2	2.58	36	670	<2	21	1.25	<4	8	13	7	2.05	0.13	8	1.08	592	<1	41	523	50	0.21	<5	17	<10	120	1887	108	39	11	7	123
233005	1184873	0.139	4	3.00	36	416	2	20	1.74	10	9	9	147	2.51	<0.01	8	1.37	863	<1	39	527	120	0.26	6	39	<10	142	1897	303	36	27	7	1518
233006D	1184873	0.135	<1	3.46	34	518	2	6	1.83	10	10	11	149	2.58	<0.01	14	1.38	900	<1	37	538	126	0.26	<5	25	<10	152	2111	<2	40	23	7	1552
233007	1184874	0.197	2	3.95	64	275	2	23	0.86	8	21	126	59	4.04	0.37	21	2.08	475	4	93	424	72	0.36	<5	38	<10	97	1495	245	85	23	9	1100
233008	1184875	0.097	2	3.22	45	278	<2	20	0.77	<4	21	137	32	3.81	0.08	18	2.20	562	<1	97	418	57	0.30	<5	25	<10	91	1839	<2	81	<10	12	113
233009	1184876	0.086	<1	3.10	25	347	<2	12	1.17	<4	11	39	30	2.47	0.10	11	1.81	444	<1	58	474	27	0.20	8	29	<10	103	1604	<2	43	13	9	113
233010	1184877	0.067	2	2.75	36	428	2	13	0.97	<4	11	31	16	2.08	0.19	14	1.08	384	<1	47	434	26	0.23	<5	<5	<10	102	1874	<2	43	11	7	210
233011	1184878	0.017	2	4.80	18	469	2	18	2.24	<4	14	59	33	2.53	0.62	17	1.80	735	2	62	470	31	0.18	<5	25	<10	129	2293	191	59	16	11	85
233012	1184879	0.030	4	4.63	16	163	<2	13	4.00	6	12	28	196	3.90	0.23	15	3.45	1677	<1	53	450	290	0.26	<5	17	<10	177	1861	<2	35	15	12	671

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
233013	1184880	<0.005	<1	3.00	4	372	<2	3	1.42	<4	12	25	31	2.61	0.54	3	1.02	479	<1	41	441	13	0.01	<5	21	<10	283	2098	<2	80	27	16	41
233014	1184881	0.127	2	3.28	15	303	2	11	2.29	4	7	34	207	2.30	0.53	13	2.31	831	<1	48	418	864	0.15	<5	29	<10	112	1341	<2	32	18	10	753
233015	1184882	0.278	1	4.11	28	258	<2	2	2.57	4	6	14	84	2.23	0.60	11	2.09	938	<1	45	363	355	0.15	<5	19	<10	103	1724	118	33	15	8	505
233016	1184883	0.406	2	4.12	35	280	<2	22	1.82	7	9	11	74	2.36	0.43	12	1.69	774	<1	37	390	749	0.18	<5	17	<10	96	1762	<2	32	22	8	1170
233017D	1184883	0.396	1	3.79	35	318	<2	25	1.74	7	8	11	72	2.31	0.45	13	1.61	756	<1	33	383	739	0.18	<5	13	<10	95	1863	193	34	23	8	1160
233018	1184884	0.758	4	5.58	25	329	2	11	2.01	4	9	25	84	2.40	0.63	25	2.00	920	<1	43	388	841	0.15	5	27	<10	104	2042	<2	41	18	9	805
233019	1184885	0.273	2	4.44	33	375	<2	15	2.71	<4	7	13	38	2.04	0.44	18	1.92	824	<1	38	369	158	0.12	<5	18	<10	125	1744	84	36	<10	8	79
233020	1184886	0.402	<1	3.89	31	386	<2	16	2.44	<4	6	43	25	2.12	0.54	14	1.75	768	3	85	337	135	0.12	<5	22	<10	120	1603	<2	36	<10	7	64
233021	1184887	0.020	3	3.75	15	438	2	10	2.21	<4	8	22	31	1.92	0.45	14	1.19	634	<1	51	410	30	0.08	<5	25	<10	137	1831	38	38	<10	7	53
233022	1184888	0.051	<1	4.50	15	407	2	10	2.16	<4	8	19	9	1.77	0.61	14	1.30	607	<1	44	417	26	0.09	<5	21	<10	113	1797	<2	35	<10	8	57
233023	1184889	0.231	<1	5.69	15	442	2	14	1.67	<4	8	19	25	1.90	0.16	23	1.19	640	<1	47	398	52	0.16	<5	15	<10	113	1887	<2	35	12	9	439
233024	1184890	0.232	108	2.09	195	121	2	15	0.88	25	13	35	6157	5.58	0.79	<1	1.20	1576	5	41	374	10586	0.28	353	14	<10	212	1739	33	76	53	16	5016
233025	1184891	0.139	2	4.21	25	330	2	10	1.59	<4	8	17	66	2.18	0.51	9	1.23	566	<1	46	399	96	0.20	<5	36	<10	99	1691	<2	32	15	8	343
233026	1184892	0.107	2	3.84	34	380	<2	15	1.89	<4	8	28	46	2.05	1.72	33	0.92	396	27	54	440	81	3.40	<5	23	<10	98	1659	5	30	<10	8	610
233027	1184893	0.039	1	4.08	29	488	3	20	3.05	<4	9	30	16	1.94	2.18	34	1.45	699	26	59	532	24	1.84	<5	35	<10	119	1691	184	32	<10	10	252
233028D	1184893	0.026	1	4.59	28	531	2	23	2.97	<4	8	30	18	1.86	2.04	38	1.42	669	29	56	1134	17	1.73	<5	24	10	119	1749	348	33	<10	8	226

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232853	1184734	132	0.004	0.132
232854	1184735	73	0.002	0.073
232855	1184736	77	0.002	0.077
232856	1184737	46	0.001	0.046
232857	1184738	22	<0.001	0.022
232858	1184739	17	<0.001	0.017
232859	1184740	10	<0.001	0.010
232860	1184741	18	<0.001	0.018
232861	1184742	15	<0.001	0.015
232862	1184743	9	<0.001	0.009
232863 Dup	1184743	14	<0.001	0.014
232864	1184744	15	<0.001	0.015
232865	1184745	44	0.001	0.044
232866	1184746	24	<0.001	0.024
232867	1184747	38	0.001	0.038
232868	1184748	73	0.002	0.073
232869	1184749	60	0.002	0.060
232870	1184750	1435	0.042	1.435
232871	1184751	24	<0.001	0.024
232872	1184752	43	0.001	0.043
232873	1184753	25	<0.001	0.025
232874 Dup	1184753	22	<0.001	0.022
232875	1184754	108	0.003	0.108
232876	1184755	1003	0.029	1.003
232877	1184756	338	0.010	0.338
232878	1184757	134	0.004	0.134
232879	1184758	56	0.002	0.056
232880	1184759	51	0.001	0.051
232881	1184760	<5	<0.001	<0.005
232882	1184761	9	<0.001	0.009

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232883	1184762	17	<0.001	0.017
232884	1184763	28	<0.001	0.028
232885 Dup	1184763	31	<0.001	0.031
232886	1184764	14	<0.001	0.014
232887	1184765	8	<0.001	0.008
232888	1184766	8	<0.001	0.008
232889	1184767	9	<0.001	0.009
232890	1184768	10	<0.001	0.010
232891	1184769	7	<0.001	0.007
232892	1184770	270	0.008	0.270
232893	1184771	13	<0.001	0.013
232894	1184772	15	<0.001	0.015
232895	1184773	9	<0.001	0.009
232896 Dup	1184773	6	<0.001	0.006
232897	1184774	77	0.002	0.077
232898	1184775	10	<0.001	0.010
232899	1184776	16	<0.001	0.016
232900	1184777	28	<0.001	0.028
232901	1184778	51	0.001	0.051
232902	1184779	138	0.004	0.138
232903	1184780	<5	<0.001	<0.005
232904	1184781	40	0.001	0.040
232905	1184782	28	<0.001	0.028
232906	1184783	8	<0.001	0.008
232907 Dup	1184783	6	<0.001	0.006
232908	1184784	8	<0.001	0.008
232909	1184785	21	<0.001	0.021
232910	1184786	11	<0.001	0.011
232911	1184787	14	<0.001	0.014
232912	1184788	65	0.002	0.065

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232913	1184789	104	0.003	0.104
232914	1184790	1408	0.041	1.408
232915	1184791	41	0.001	0.041
232916	1184792	21	<0.001	0.021
232917	1184793	16	<0.001	0.016
232918 Rep	1184793	21	<0.001	0.021
232919	1184794	44	0.001	0.044
232920	1184795	53	0.002	0.053
232921	1184796	159	0.005	0.159
232922	1184797	243	0.007	0.243
232923	1184798	86	0.003	0.086
232924	1184799	60	0.002	0.060
232925	1184800	<5	<0.001	<0.005
232926	1184801	76	0.002	0.076
232927	1184802	44	0.001	0.044
232928	1184803	35	0.001	0.035
232929 Dup	1184803	17	<0.001	0.017
232930	1184804	22	<0.001	0.022
232931	1184805	94	0.003	0.094
232932	1184806	371	0.011	0.371
232933	1184807	726	0.021	0.726
232934	1184808	1844	0.054	1.844
232935	1184809	204	0.006	0.204
232936	1184810	1517	0.044	1.517
232937	1184811	3108	0.091	3.108
232938	1184812	1937	0.057	1.937
232939	1184813	91	0.003	0.091
232940 Dup	1184813	53	0.002	0.053
232941	1184814	544	0.016	0.544
232942	1184815	29	<0.001	0.029

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232943	1184816	14	<0.001	0.014
232944	1184817	343	0.010	0.343
232945	1184818	2248	0.066	2.248
232946	1184819	256	0.007	0.256
232947	1184820	<5	<0.001	<0.005
232948	1184821	184	0.005	0.184
232949	1184822	1911	0.056	1.911
232950	1184823	145	0.004	0.145
232951 Dup	1184823	146	0.004	0.146
232952	1184824	39	0.001	0.039
232953	1184825	203	0.006	0.203
232954	1184826	89	0.003	0.089
232955	1184827	30	<0.001	0.030
232956	1184828	50	0.001	0.050
232957	1184829	50	0.001	0.050
232958	1184830	292	0.009	0.292
232959	1184831	479	0.014	0.479
232960	1184832	2216	0.065	2.216
232961	1184833	120	0.003	0.120
232962 Dup	1184833	117	0.003	0.117
232963	1184834	315	0.009	0.315
232964	1184835	104671	3.054	104.671
232965	1184836	439	0.013	0.439
232966	1184837	311	0.009	0.311
232967	1184838	77	0.002	0.077
232968	1184839	373	0.011	0.373
232969	1184840	<5	<0.001	<0.005
232970	1184841	213	0.006	0.213
232971	1184842	216	0.006	0.216
232972	1184843	516	0.015	0.516

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232973 Dup	1184843	493	0.014	0.493
232974	1184844	17	<0.001	0.017
232975	1184845	21	<0.001	0.021
232976	1184846	28	<0.001	0.028
232977	1184847	<5	<0.001	<0.005
232978	1184848	5	<0.001	0.005
232979	1184849	6	<0.001	0.006
232980	1184850	1550	0.045	1.550
232981	1184851	6	<0.001	0.006
232982	1184852	5	<0.001	0.005
232983	1184853	5	<0.001	0.005
232984 Rep	1184853	5	<0.001	0.005
232985	1184854	128	0.004	0.128
232986	1184855	20	<0.001	0.020
232987	1184856	16	<0.001	0.016
232988	1184857	6	<0.001	0.006
232989	1184858	<5	<0.001	<0.005
232990	1184859	8	<0.001	0.008
232991	1184860	7	<0.001	0.007
232992	1184861	<5	<0.001	<0.005
232993	1184862	7	<0.001	0.007
232994	1184863	15	<0.001	0.015
232995 Dup	1184863	11	<0.001	0.011
232996	1184864	13	<0.001	0.013
232997	1184865	28	<0.001	0.028
232998	1184866	26	<0.001	0.026
232999	1184867	10	<0.001	0.010
233000	1184868	79	0.002	0.079
233001	1184869	142	0.004	0.142
233002	1184870	1445	0.042	1.445

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Sunday, October 9, 2011

## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/09/2011  
 Job #: 201143462  
 Reference: TL11223  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
233003	1184871	70	0.002	0.070
233004	1184872	87	0.003	0.087
233005	1184873	139	0.004	0.139
233006 Dup	1184873	135	0.004	0.135
233007	1184874	197	0.006	0.197
233008	1184875	97	0.003	0.097
233009	1184876	86	0.003	0.086
233010	1184877	67	0.002	0.067
233011	1184878	17	<0.001	0.017
233012	1184879	30	<0.001	0.030
233013	1184880	<5	<0.001	<0.005
233014	1184881	127	0.004	0.127
233015	1184882	278	0.008	0.278
233016	1184883	406	0.012	0.406
233017 Dup	1184883	396	0.012	0.396
233018	1184884	758	0.022	0.758
233019	1184885	273	0.008	0.273
233020	1184886	402	0.012	0.402
233021	1184887	20	<0.001	0.020
233022	1184888	51	0.001	0.051
233023	1184889	231	0.007	0.231
233024	1184890	232	0.007	0.232
233025	1184891	139	0.004	0.139
233026	1184892	107	0.003	0.107
233027	1184893	39	0.001	0.039
233028 Dup	1184893	26	<0.001	0.026

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249076	1227048	0.020	2	4.59	34	427	2	15	1.24	<4	8	56	22	1.57	<0.01	7	0.96	459	5	61	457	84	0.75	5	<5	<10	133	1282	4	32	<10	7	131
249077	1227049	0.272	2	3.94	28	417	2	13	0.24	<4	4	15	23	1.23	<0.01	3	0.48	129	<1	26	233	52	0.93	5	<5	<10	87	1045	3	18	<10	4	187
249078	1227050	1.451	4	4.93	41	276	2	21	2.59	4	20	67	7088	5.29	<0.01	7	1.24	578	824	24	980	44	2.58	12	8	<10	230	846	3	111	<10	12	126
249079	1227051	0.158	1	3.71	26	462	2	18	0.52	<4	5	27	19	1.29	<0.01	5	0.66	239	<1	44	258	45	0.78	5	<5	<10	121	1118	4	21	<10	4	149
249080	1227052	0.028	1	4.32	12	391	2	14	1.78	<4	11	91	41	2.18	0.01	5	1.26	512	5	87	617	26	0.79	6	<5	<10	177	1697	4	48	<10	8	91
249081	1227053	0.022	1	4.46	14	475	2	10	1.69	<4	9	52	14	1.91	<0.01	5	1.14	415	2	88	725	26	0.72	6	<5	<10	175	1754	<2	41	<10	6	99
249082	1227054	0.220	<1	4.24	17	501	2	11	0.88	<4	5	44	6	1.36	<0.01	6	0.79	308	5	76	275	35	0.64	<5	<5	<10	150	1191	<2	28	<10	5	146
249083	1227055	0.053	2	3.91	21	358	2	17	0.88	<4	4	29	9	1.24	<0.01	4	0.85	345	<1	52	259	136	0.71	6	<5	<10	166	1058	5	20	<10	4	453
249084	1227056	0.064	2	4.06	23	338	2	8	0.88	6	5	27	8	1.24	<0.01	4	0.87	354	<1	48	250	189	0.75	<5	5	<10	163	1020	4	19	11	4	920
249085	1227057	0.035	1	3.69	23	353	2	6	0.48	<4	4	27	15	1.40	<0.01	3	0.61	197	3	46	246	72	0.94	6	<5	<10	122	1054	5	22	<10	4	84
249086D	1227057	0.043	1	3.68	24	307	2	10	0.45	<4	4	22	15	1.33	0.16	2	0.62	183	<1	41	241	65	0.92	<5	<5	<10	118	941	<2	20	<10	4	79
249087	1227058	0.151	2	3.83	56	324	2	14	<0.01	<4	6	26	19	1.62	<0.01	1	0.40	<100	3	45	267	82	1.31	<5	<5	<10	78	1026	3	25	<10	5	191
249088	1227059	0.358	2	4.25	160	356	2	10	0.23	<4	22	107	46	3.62	<0.01	5	0.56	186	2	81	481	45	3.46	<5	<5	<10	92	2111	<2	73	<10	9	162
249089	1227060	<0.005	1	1.93	5	290	<2	9	1.27	<4	13	30	22	2.29	<0.01	<1	0.90	435	<1	23	536	9	0.05	<5	<5	<10	195	1819	<2	76	27	13	51
249090	1227061	0.096	2	4.81	29	307	2	14	1.27	<4	24	132	51	3.94	<0.01	9	1.35	720	<1	75	564	85	1.56	<5	<5	<10	157	2685	<2	90	<10	12	197
249091	1227062	0.041	2	4.57	18	302	2	9	1.45	<4	22	119	50	3.82	<0.01	10	1.45	795	<1	73	570	47	1.77	<5	<5	<10	177	2511	2	85	<10	12	130
249092	1227063	0.048	1	4.72	13	482	<2	15	1.07	<4	5	18	10	1.22	<0.01	4	0.58	258	<1	27	290	38	0.87	<5	6	<10	229	1128	3	22	<10	5	89
249093	1227064	0.011	1	4.69	6	335	<2	9	1.41	<4	4	19	5	1.03	<0.01	1	0.42	188	<1	25	270	11	0.33	5	<5	<10	247	903	<2	17	<10	5	49
249094	1227065	0.007	1	5.02	11	410	2	14	1.12	<4	5	18	8	1.06	<0.01	3	0.49	227	<1	24	288	12	0.60	<5	8	<10	292	1059	3	20	<10	5	60
249095	1227066	0.007	1	4.11	4	339	<2	13	1.24	<4	4	28	12	0.93	<0.01	2	0.38	213	<1	47	241	15	0.42	<5	<5	<10	296	847	<2	17	<10	4	55

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249096	1227067	0.011	1	4.52	4	434	<2	16	1.47	<4	4	19	9	0.95	0.11	2	0.43	240	<1	33	273	15	0.66	<5	7	<10	400	949	4	18	<10	4	58
249097D	1227067	0.013	<1	4.62	6	460	<2	14	1.53	<4	4	20	11	0.99	<0.01	2	0.42	253	<1	34	285	16	0.68	<5	<5	<10	425	987	2	18	<10	4	66
249098	1227068	0.023	1	4.41	10	366	2	15	1.49	<4	5	16	28	1.00	0.09	3	0.49	280	<1	31	346	17	0.56	<5	5	<10	383	895	2	15	<10	5	98
249099	1227069	0.006	1	5.10	10	356	<2	10	2.10	<4	5	18	10	1.06	<0.01	5	0.52	435	<1	30	266	15	0.57	<5	<5	<10	415	1003	5	17	<10	5	114
249100	1227070	0.288	102	3.97	257	235	<2	16	1.19	26	14	47	5926	5.58	<0.01	6	1.23	1672	12	31	525	9499	2.12	292	<5	<10	186	1860	3	82	54	12	4902
249101	1227071	0.006	1	4.93	8	505	2	10	2.04	<4	4	14	13	1.11	<0.01	7	0.61	357	<1	28	258	17	0.52	<5	<5	<10	442	1070	3	18	<10	4	105
249102	1227072	0.009	1	5.11	11	435	2	16	1.55	<4	4	13	10	1.11	0.02	5	0.53	274	<1	25	282	29	0.80	<5	<5	<10	433	1076	<2	18	<10	5	123
249103	1227073	0.013	1	5.44	13	511	2	17	1.83	<4	5	32	14	1.39	<0.01	8	0.68	442	2	60	273	34	0.61	<5	6	<10	416	1111	6	23	<10	5	168
249104	1227074	0.018	1	4.51	12	464	2	20	1.12	<4	4	19	12	1.04	<0.01	5	0.43	232	<1	34	282	18	0.49	<5	5	<10	331	975	3	19	<10	4	89
249105	1227075	<0.005	2	4.87	10	397	<2	8	1.48	<4	4	14	6	1.03	<0.01	5	0.49	295	<1	25	276	13	0.44	<5	<5	<10	291	1017	4	19	<10	4	63
249106	1227076	0.007	1	5.32	10	373	2	17	1.36	<4	4	11	6	0.96	0.19	4	0.48	219	<1	22	289	10	0.39	<5	<5	<10	282	970	5	18	<10	5	61
249107	1227077	0.007	1	5.11	9	434	<2	2	1.54	<4	5	11	5	1.07	0.07	6	0.52	270	<1	22	265	13	0.40	<5	5	<10	301	1024	<2	18	<10	4	78
249108D	1227077	0.006	1	5.44	11	441	<2	13	1.60	<4	4	12	5	1.12	0.09	6	0.54	276	<1	26	275	12	0.44	<5	<5	<10	311	1037	2	18	<10	5	80
249109	1227078	0.032	1	5.67	17	455	<2	13	1.86	<4	8	15	56	1.55	0.13	9	0.82	532	<1	27	375	23	0.58	<5	<5	<10	294	1406	3	28	<10	5	682
249110	1227079	0.013	<1	4.74	22	352	<2	19	1.52	<4	4	9	8	1.09	0.09	5	0.55	321	<1	21	258	15	0.45	5	<5	<10	250	997	5	17	<10	5	121
249111	1227080	0.006	1	3.61	6	436	<2	16	1.58	<4	14	32	26	2.58	0.12	3	1.02	489	<1	27	607	8	0.07	7	<5	<10	244	2133	<2	87	28	15	55
249112	1227081	0.058	<1	5.02	17	472	2	9	1.74	<4	7	43	16	1.52	<0.01	6	0.81	514	<1	34	313	18	0.54	<5	5	<10	265	1379	<2	39	<10	6	128
249113	1227082	0.043	2	5.83	3	568	2	18	2.28	<4	21	111	81	3.37	<0.01	12	1.52	1065	<1	72	571	30	0.73	<5	7	<10	216	2589	3	87	<10	11	257
249114	1227083	0.104	2	5.35	21	475	2	21	1.43	5	24	135	71	3.76	<0.01	10	1.42	993	<1	72	598	37	1.32	<5	<5	<10	156	2840	6	86	<10	10	882
249115	1227084	0.307	2	5.29	7	374	2	15	1.87	13	21	124	268	3.78	<0.01	11	1.57	1085	<1	68	584	35	1.21	5	<5	<10	173	2445	<2	77	38	11	3593

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249116	1227085	0.018	1	4.89	9	495	<2	4	1.47	<4	5	16	21	1.19	0.16	5	0.57	306	<1	23	284	16	0.57	5	8	<10	182	1081	7	20	<10	5	700
249117	1227086	0.012	2	5.61	10	535	<2	15	1.62	<4	5	21	20	1.32	0.04	7	0.66	383	<1	25	286	13	0.59	<5	10	<10	220	1128	2	20	<10	5	79
249118	1227087	0.009	1	4.25	10	293	<2	3	1.01	<4	4	16	4	1.05	0.05	3	0.55	304	<1	21	265	16	0.41	<5	8	<10	176	1021	3	17	<10	4	68
249119D	1227087	0.008	<1	4.39	11	305	2	12	1.06	<4	4	18	4	1.07	0.01	4	0.56	310	<1	23	283	13	0.40	<5	6	<10	180	1043	<2	18	<10	4	69
249120	1227088	0.038	1	3.99	15	281	<2	6	0.91	<4	5	9	6	1.07	<0.01	3	0.53	291	<1	17	247	12	0.41	<5	<5	<10	179	977	4	16	<10	4	67
249121	1227089	0.017	1	5.12	19	437	<2	17	1.19	<4	5	15	12	1.11	<0.01	5	0.54	298	<1	26	273	18	0.61	<5	<5	<10	253	1039	2	19	<10	5	84
249122	1227090	4.996	2	4.09	459	1310	<2	11	2.35	<4	14	111	92	3.46	<0.01	9	1.31	475	7	57	914	29	0.94	32	<5	<10	184	1732	10	128	<10	14	253
249123	1227091	0.012	<1	4.29	15	237	<2	18	0.91	<4	5	14	10	1.11	<0.01	3	0.63	320	<1	27	243	15	0.35	<5	<5	<10	165	926	<2	17	<10	5	92
249124	1227092	0.033	1	5.14	8	411	<2	24	1.35	<4	16	97	52	2.81	0.01	14	1.23	652	<1	50	452	24	0.61	<5	<5	<10	166	2081	<2	52	<10	10	245
249125	1227093	0.078	1	3.97	5	340	<2	10	1.46	6	10	70	69	2.40	<0.01	14	1.26	718	<1	51	563	14	0.81	<5	<5	<10	169	1505	3	46	12	10	1176
249126	1227094	0.015	<1	5.26	21	524	2	24	1.57	<4	5	14	7	1.30	0.16	10	0.85	332	<1	25	297	15	0.95	<5	<5	<10	320	1084	6	20	<10	6	70
249127	1227095	0.016	<1	4.73	19	474	2	11	1.60	<4	4	22	5	1.17	<0.01	7	0.75	306	<1	42	277	13	0.96	<5	7	<10	318	1036	2	18	<10	5	66
249128	1227096	0.018	<1	4.33	16	472	2	20	1.67	<4	4	19	3	1.08	0.03	7	0.67	278	<1	37	245	16	0.93	<5	<5	<10	347	1002	6	17	<10	4	64
249129	1227097	0.015	<1	3.61	15	304	<2	11	1.29	<4	4	28	4	1.09	<0.01	3	0.56	231	<1	49	248	17	0.85	<5	<5	<10	254	899	3	16	<10	5	58
249130D	1227097	0.009	<1	3.46	15	298	<2	7	1.24	<4	4	25	8	1.04	<0.01	<1	0.53	222	<1	50	232	17	0.80	<5	8	<10	253	892	<2	16	<10	4	55
249131	1227098	0.040	<1	3.68	32	329	<2	13	1.08	<4	5	23	6	1.21	<0.01	1	0.58	267	<1	40	262	25	0.99	<5	<5	<10	197	933	<2	17	<10	4	61
249132	1227099	1.312	2	3.55	30	503	<2	12	0.80	<4	7	23	66	1.29	0.03	2	0.75	426	<1	31	347	275	0.87	<5	<5	<10	141	1246	5	26	10	5	735
249133	1227100	<0.005	<1	1.51	5	322	<2	14	1.28	<4	13	28	23	2.36	<0.01	<1	0.91	440	<1	25	555	9	0.03	<5	<5	<10	183	1793	<2	76	23	13	54
249134	1227101	0.101	<1	4.04	39	568	<2	10	0.95	<4	11	23	19	1.68	0.04	1	0.83	542	<1	35	401	70	1.13	<5	<5	<10	123	1519	3	35	<10	6	168
249135	1227102	0.794	2	4.02	67	359	<2	15	1.04	5	18	78	83	2.96	<0.01	3	0.82	519	<1	58	504	79	2.73	<5	<5	<10	128	1813	<2	58	12	10	1035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249136	1227103	3.606	24	4.05	50	551	<2	7	0.58	7	10	30	325	1.82	<0.01	4	0.61	310	<1	36	383	367	1.68	15	<5	<10	133	1442	<2	34	24	6	2218
249137	1227104	0.309	3	2.55	37	346	<2	15	0.99	<4	8	20	37	1.52	<0.01	<1	0.82	566	<1	34	436	400	1.09	<5	<5	<10	110	1082	<2	20	<10	5	521
249138	1227105	0.192	2	4.18	28	490	<2	16	1.39	<4	7	18	21	1.41	<0.01	3	0.95	680	<1	26	397	215	0.85	<5	<5	<10	127	1257	6	22	<10	6	393
249139	1227106	0.479	1	3.43	22	479	<2	20	1.01	<4	6	22	35	1.30	<0.01	2	0.77	533	<1	28	409	158	0.74	<5	<5	<10	106	1229	<2	21	<10	5	874
249140	1227107	0.249	3	4.14	33	611	<2	16	1.10	5	7	16	44	1.33	0.14	5	0.79	520	<1	26	370	309	1.00	<5	<5	<10	129	1322	<2	24	15	5	1427
249141R	1227107	0.223	1	4.00	27	621	<2	15	1.16	6	7	16	39	1.36	<0.01	5	0.82	560	<1	29	371	214	0.99	5	8	<10	138	1336	2	24	17	5	1404
249142	1227108	0.069	<1	4.68	16	608	<2	6	1.42	<4	6	20	10	1.41	0.12	6	0.95	702	<1	32	407	119	0.76	<5	<5	<10	147	1434	5	26	<10	5	296
249143	1227109	0.032	<1	4.72	18	492	<2	13	1.40	<4	6	16	7	1.40	<0.01	6	0.98	727	<1	28	401	53	0.72	<5	6	<10	128	1521	6	27	<10	5	156
249144	1227110	1.616	4	4.12	35	238	<2	10	2.41	5	19	60	7064	5.12	<0.01	3	1.22	548	771	24	962	42	2.49	12	8	<10	211	781	2	105	<10	13	114
249145	1227111	0.049	<1	4.93	26	530	<2	15	1.43	<4	6	21	17	1.42	<0.01	6	1.00	686	<1	26	418	75	0.70	<5	6	<10	122	1513	5	27	<10	5	223
249146	1227112	0.040	<1	4.78	26	534	<2	13	1.67	<4	8	14	13	1.60	<0.01	6	0.93	707	<1	22	372	138	0.80	<5	<5	<10	137	1519	5	26	<10	5	277
249147	1227113	0.243	2	4.97	55	441	<2	5	1.57	4	10	40	59	2.06	<0.01	9	1.09	814	<1	39	445	672	1.39	<5	<5	<10	129	1503	4	33	<10	7	1048
249148	1227114	0.347	2	4.32	20	372	2	16	1.65	4	24	140	197	3.69	<0.01	9	1.57	1308	<1	77	600	471	1.25	<5	<5	<10	128	2699	<2	81	<10	12	693
249149	1227115	0.412	2	4.80	68	321	2	4	1.17	<4	22	127	90	3.75	<0.01	7	1.15	757	<1	81	629	193	2.39	<5	<5	<10	110	2219	<2	78	<10	11	561
249150	1227116	0.202	2	3.94	75	291	<2	21	1.00	<4	23	123	81	3.71	<0.01	3	1.05	717	<1	83	607	186	2.49	<5	<5	<10	105	2113	2	77	<10	11	382
249151	1227117	0.098	1	3.24	14	210	<2	11	1.36	<4	21	115	77	3.75	0.02	4	1.57	894	<1	83	595	117	1.26	<5	<5	<10	110	2080	3	71	<10	10	281
249152D	1227117	0.129	2	4.45	10	284	2	9	1.43	<4	22	127	78	3.87	0.05	7	1.64	962	<1	81	596	123	1.25	<5	<5	<10	116	2369	11	84	<10	11	287
249153	1227118	0.255	1	4.24	8	271	2	14	1.09	<4	26	133	52	4.30	<0.01	9	1.63	716	<1	88	587	78	1.32	<5	<5	<10	112	2241	<2	95	<10	7	155
249154	1227119	0.082	1	2.10	3	222	2	11	0.62	<4	23	120	54	4.06	0.02	11	1.73	595	<1	94	593	108	0.62	<5	<5	<10	85	2285	2	87	<10	7	161
249155	1227120	<0.005	<1	1.25	4	351	<2	<1	1.30	<4	13	30	24	2.47	<0.01	<1	0.91	469	<1	27	572	8	0.05	<5	<5	<10	205	1929	<2	83	28	13	57

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249176	1227139	0.018	2	3.48	19	339	<2	19	1.43	<4	8	15	14	1.51	<0.01	2	1.01	749	<1	26	564	24	0.46	<5	<5	<10	181	1617	3	28	<10	5	64
249177	1227140	IS																															
249178	1227141	0.025	2	3.14	19	345	<2	4	1.27	<4	8	16	17	1.65	<0.01	3	1.00	751	<1	27	469	25	0.81	<5	<5	<10	167	1451	7	27	<10	5	75
249179	1227142	0.047	7	4.05	23	312	<2	23	1.27	<4	8	17	16	1.63	<0.01	5	1.03	764	<1	28	497	86	0.97	<5	<5	<10	176	1552	5	29	<10	5	225
249180	1227143	0.043	3	4.70	17	270	<2	21	1.94	<4	9	14	21	1.88	0.04	8	1.24	1717	<1	27	484	232	0.78	<5	<5	<10	159	1663	8	32	<10	5	762
249181	1227144	0.022	3	4.43	19	221	<2	17	1.75	9	10	13	36	2.05	0.11	7	1.36	1480	<1	25	536	154	0.82	<5	<5	<10	136	1639	11	28	26	6	2235
249182	1227145	0.028	1	4.48	12	255	<2	16	2.23	<4	9	16	8	1.95	0.17	6	1.37	1687	<1	28	508	108	0.57	<5	<5	<10	136	1670	7	30	<10	5	230
249183	1227146	0.109	7	3.65	13	198	<2	20	1.83	6	8	13	11	2.00	0.11	6	1.33	1508	<1	27	496	857	0.84	6	7	<10	114	1439	3	25	15	5	1388
249184	1227147	0.020	2	4.47	16	266	<2	20	2.03	<4	8	14	28	1.94	0.17	8	1.45	1640	<1	27	480	230	0.61	<5	<5	<10	135	1735	16	32	<10	5	314
249185D	1227147	0.023	3	4.07	13	221	<2	10	1.97	<4	8	13	27	1.94	0.05	7	1.48	1525	<1	26	492	239	0.60	<5	<5	<10	128	1589	11	28	<10	5	318
249186	1227148	0.039	3	3.94	22	201	<2	5	1.91	5	11	10	20	2.19	0.09	6	1.40	1349	<1	23	497	628	1.18	<5	<5	<10	129	1730	4	31	<10	5	1139
249187	1227149	0.043	3	4.77	18	251	<2	12	1.83	5	8	13	27	1.86	0.08	7	1.34	1418	<1	24	483	578	0.79	<5	7	<10	135	1683	11	30	14	6	1325
249188	1227150	2.128	2	1.73	430	1265	<2	9	1.98	<4	14	115	84	3.19	<0.01	4	1.18	433	<1	62	849	27	0.82	24	<5	<10	151	1473	6	116	<10	12	238
249189	1227151	0.047	4	4.04	17	219	<2	19	1.67	6	8	13	25	1.92	<0.01	4	1.14	1241	<1	27	513	542	1.03	<5	<5	<10	132	1569	5	29	14	5	1436
249190	1227152	0.022	2	4.00	17	240	<2	17	1.64	<4	8	12	16	1.79	0.19	8	1.28	1288	<1	22	497	144	0.78	<5	<5	<10	118	1520	6	28	<10	5	389
249191	1227153	0.018	2	4.82	17	320	<2	10	1.84	<4	10	15	21	1.94	0.03	10	1.30	1406	<1	26	523	121	0.80	<5	<5	<10	139	1894	14	35	<10	6	272
249192	1227154	0.019	2	3.21	12	248	<2	11	1.61	<4	7	8	17	1.66	0.07	6	1.19	1011	<1	24	430	129	0.62	<5	<5	<10	123	1399	<2	25	<10	5	324
249193	1227155	0.015	2	4.53	10	323	<2	21	1.92	<4	8	17	14	1.96	0.03	9	1.32	1087	<1	26	477	89	0.57	<5	<5	<10	152	1619	2	30	<10	6	306
249194	1227156	0.017	2	4.79	9	334	<2	15	2.28	<4	10	13	13	2.12	0.07	8	1.39	1227	<1	24	503	98	0.65	<5	<5	<10	163	1744	4	35	<10	5	337
249195	1227157	0.020	2	4.78	16	320	<2	17	2.19	<4	9	16	13	2.10	<0.01	11	1.37	1345	<1	25	476	94	0.69	<5	<5	<10	156	1591	<2	32	<10	6	218

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249196D	1227157	0.021	2	5.26	16	321	<2	16	2.33	<4	9	18	14	2.21	0.24	13	1.43	1293	<1	25	509	101	0.72	<5	<5	<10	165	1622	10	32	<10	6	246
249197	1227158	0.153	4	5.20	29	318	<2	11	1.45	<4	9	15	19	1.61	0.13	13	1.11	751	<1	27	500	55	0.62	<5	<5	<10	166	1785	7	32	<10	6	242
249198	1227159	0.024	2	4.45	13	238	<2	17	1.80	<4	9	16	16	1.98	0.23	12	1.42	751	<1	29	516	38	0.60	<5	<5	<10	162	1721	4	32	<10	6	272
249199	1227160	<0.005	<1	3.29	2	412	<2	5	1.52	<4	13	31	27	2.60	0.04	3	0.97	473	<1	27	610	11	0.06	<5	<5	<10	242	2045	<2	84	25	14	56
249200	1227161	0.011	2	4.54	9	260	<2	19	1.67	<4	8	12	17	1.92	0.13	12	1.17	466	<1	25	525	24	0.50	<5	<5	<10	144	1756	<2	33	<10	6	75
249201	1227162	0.018	2	4.74	6	241	<2	14	1.94	<4	9	19	25	2.11	0.04	12	1.11	496	<1	34	556	23	0.57	<5	<5	<10	153	1685	3	34	<10	8	78
249202	1227163	0.072	2	4.48	11	273	<2	14	1.43	<4	9	25	17	1.84	<0.01	12	1.05	575	<1	36	522	28	0.52	<5	<5	<10	143	1755	<2	36	<10	8	96
249203	1227164	0.023	2	4.72	20	243	<2	3	1.78	<4	8	12	11	1.55	0.09	10	1.06	646	<1	28	504	30	0.45	<5	<5	<10	157	1721	3	31	<10	6	63
249204	1227165	0.016	2	3.95	23	176	<2	13	1.48	<4	7	16	11	1.52	<0.01	6	0.93	481	<1	28	485	26	0.56	<5	<5	<10	142	1585	4	28	<10	6	53
249205	1227166	0.021	2	5.65	26	219	<2	12	2.61	<4	10	11	25	1.77	0.17	11	1.43	887	<1	43	527	45	0.71	<5	<5	<10	182	1680	7	31	<10	6	128
249206	1227167	0.049	3	0.41	26	689	<2	<1	0.78	<4	16	55	54	2.33	0.68	<1	0.74	697	<1	54	415	118	1.35	<5	5	<10	160	2270	<2	55	<10	4	441
249207R	1227167	0.044	3	2.11	32	332	<2	<1	2.40	<4	11	11	15	1.60	0.88	<1	1.37	1039	<1	32	439	67	0.95	<5	8	<10	151	1914	13	34	<10	5	138
249208	1227168	1.326	48	3.94	50	178	<2	10	0.63	9	9	30	265	1.94	0.19	5	0.63	260	<1	52	350	2028	1.79	18	<5	<10	109	1300	<2	25	28	5	2559
249209	1227169	0.778	15	3.34	40	167	<2	4	0.24	11	11	13	25	1.40	0.06	2	0.45	160	<1	32	403	903	1.33	7	<5	<10	79	1323	<2	24	39	5	3452
249210	1227170	1.505	4	3.84	34	324	<2	21	2.24	4	17	54	7239	4.78	<0.01	4	1.13	499	705	22	908	38	2.40	7	<5	<10	197	733	<2	95	<10	12	100
249211	1227171	0.048	1	4.45	36	188	<2	22	1.81	<4	8	18	14	1.55	0.15	9	1.29	656	<1	30	525	52	0.80	<5	<5	<10	137	1532	4	28	<10	6	69
249212	1227172	0.100	6	3.70	50	242	<2	11	0.42	<4	9	15	39	1.41	0.06	6	0.58	255	<1	32	415	185	1.26	<5	5	<10	104	1359	<2	26	<10	6	332
249213	1227173	0.019	4	4.36	16	478	<2	8	2.58	<4	11	30	12	2.14	<0.01	13	1.31	902	<1	44	795	72	1.07	<5	5	<10	203	1847	3	41	<10	8	94
249214	1227174	0.291	185	4.65	45	702	<2	19	1.15	5	10	25	104	2.13	<0.01	7	0.78	559	<1	40	762	229	1.37	9	<5	<10	183	2055	<2	47	15	6	1381
249215	1227175	0.016	5	5.01	14	482	<2	16	3.02	<4	12	35	20	2.54	<0.01	9	1.20	1081	<1	57	772	46	1.39	<5	<5	<10	204	2088	4	45	<10	7	108

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249216	1227176	0.019	4	4.29	13	398	<2	10	2.65	<4	12	24	19	2.38	<0.01	8	1.12	900	<1	37	724	41	1.34	<5	<5	<10	185	1906	6	41	<10	6	96
249217	1227177	0.008	2	5.17	8	523	<2	13	3.06	<4	10	23	12	1.79	<0.01	10	1.12	929	<1	33	810	39	0.49	<5	<5	<10	185	2298	<2	43	<10	8	79
249218D	1227177	0.007	1	3.35	7	415	<2	4	2.69	<4	10	25	12	1.67	0.05	4	1.00	856	<1	37	754	37	0.46	<5	<5	<10	166	1987	4	38	<10	6	77
249219	1227178	0.016	6	4.49	20	319	<2	10	3.26	<4	12	23	10	2.17	<0.01	2	0.72	600	<1	33	766	40	1.57	<5	<5	<10	201	2574	<2	45	<10	7	115
249220	1227179	0.017	2	4.29	19	259	<2	14	2.98	<4	11	28	7	2.39	<0.01	5	1.17	919	<1	44	778	39	1.35	<5	<5	<10	174	1953	<2	38	<10	7	110
249221	1227180	<0.005	1	3.15	4	372	<2	10	1.49	<4	13	31	26	2.56	<0.01	1	0.95	473	<1	27	599	6	0.05	<5	<5	<10	244	2048	<2	84	27	14	50
249222	1227181	0.493	2	3.02	58	278	<2	6	0.28	<4	10	23	18	1.91	<0.01	1	0.40	170	<1	38	698	55	1.62	<5	<5	<10	110	1815	<2	40	<10	6	389
249223	1227182	0.279	1	4.69	32	223	<2	7	2.28	<4	13	29	15	2.40	<0.01	14	1.27	719	<1	49	877	49	1.26	<5	<5	<10	179	1911	8	39	<10	8	93
249224	1227183	0.437	3	3.11	56	287	<2	16	0.15	<4	10	19	32	1.95	0.03	2	0.41	126	<1	37	736	135	1.75	<5	<5	<10	127	1462	2	37	<10	7	290
249225	1227184	0.091	2	3.63	23	578	<2	14	1.30	<4	12	22	25	2.04	<0.01	12	0.84	417	<1	46	743	51	1.57	<5	<5	<10	192	1640	<2	39	<10	7	105
249226	1227185	0.009	1	3.00	6	493	<2	12	1.74	<4	11	22	15	2.08	0.02	10	0.94	376	<1	39	744	16	0.68	<5	<5	<10	202	2508	<2	42	<10	7	72
249227	1227186	0.019	1	3.11	19	249	<2	11	1.64	<4	10	17	14	2.21	0.02	12	1.13	475	<1	31	735	18	0.88	<5	<5	<10	145	1722	8	39	<10	7	80
249228	1227187	0.120	1	2.99	29	293	<2	17	1.34	<4	10	17	32	1.88	<0.01	6	0.72	262	<1	32	723	29	1.14	<5	<5	<10	157	1648	<2	36	<10	7	147
249229D	1227187	0.090	1	2.70	29	248	<2	1	1.31	<4	11	20	36	1.91	0.06	6	0.74	273	<1	41	789	30	1.14	<5	<5	<10	148	1545	<2	33	<10	7	157
249230	1227188	0.041	<1	4.12	27	389	<2	14	2.68	<4	11	17	10	2.28	<0.01	11	1.22	505	<1	31	799	23	1.18	<5	<5	<10	186	1739	3	40	<10	7	59
249231	1227189	0.026	<1	3.04	10	334	<2	5	0.76	<4	9	10	6	1.17	<0.01	4	0.62	198	<1	23	595	16	0.59	<5	5	<10	113	1604	<2	32	<10	6	41
249232	1227190	0.257	109	2.69	248	268	<2	21	0.98	26	14	46	6005	5.54	<0.01	3	1.18	1595	10	31	502	10054	2.18	232	<5	<10	170	1618	<2	74	52	12	4868
249233	1227191	0.023	1	5.24	25	367	2	12	2.70	<4	13	24	23	2.67	<0.01	17	1.68	664	<1	41	949	48	1.77	<5	<5	<10	154	1983	2	47	<10	8	74
249234	1227192	0.087	1	4.52	34	474	2	11	0.98	<4	11	23	16	2.20	0.20	9	0.84	300	<1	38	664	29	1.77	<5	<5	<10	132	1884	<2	44	<10	6	84
249235	1227193	0.292	2	4.24	50	318	2	6	0.47	<4	10	29	32	1.69	0.14	8	0.61	179	<1	42	526	48	1.37	<5	<5	<10	94	1450	<2	38	<10	5	187

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249236	1227194	0.814	2	3.32	55	258	<2	15	<0.01	<4	8	27	28	1.65	0.23	3	0.32	<100	<1	38	445	106	1.50	<5	<5	<10	69	1185	<2	31	<10	5	715
249237	1227195	1.655	3	3.63	51	303	<2	20	0.11	5	9	27	113	2.07	0.11	6	0.39	<100	<1	41	557	303	1.89	<5	<5	<10	82	1316	<2	33	<10	6	889
249238	1227196	1.325	5	4.06	60	341	<2	18	0.11	4	10	27	141	2.16	0.16	6	0.39	<100	<1	42	518	361	1.99	6	5	<10	88	1417	<2	36	<10	5	788
249239	1227197	0.026	1	4.96	16	444	<2	13	2.80	<4	11	41	25	2.02	0.16	16	1.36	456	<1	57	560	38	0.45	<5	<5	<10	172	1766	<2	41	<10	6	87
249240D	1227197	0.028	1	4.62	16	384	<2	18	2.66	<4	11	39	24	1.92	0.10	13	1.33	432	<1	55	543	33	0.46	<5	<5	<10	161	1573	<2	36	<10	6	83
249241	1227198	0.044	<1	4.74	8	370	<2	12	2.50	<4	10	34	14	1.87	0.12	14	1.31	416	<1	47	576	16	0.34	<5	<5	<10	167	1760	3	38	<10	6	65
249242	1227199	0.017	<1	4.01	9	256	<2	14	1.91	<4	9	26	18	1.73	0.03	13	1.17	336	<1	37	523	6	0.39	<5	<5	<10	146	1720	5	34	<10	6	51
249243	1227200	<0.005	<1	3.38	3	370	<2	14	1.48	<4	14	32	27	2.52	0.05	2	0.97	468	<1	26	597	8	0.06	<5	<5	<10	240	1991	<2	84	26	14	56
249244	1227201	0.015	<1	2.72	9	199	<2	6	1.56	<4	10	26	9	1.75	0.06	15	1.19	314	<1	39	532	5	0.34	<5	<5	<10	122	1612	<2	32	<10	6	61
249245	1227202	0.021	<1	4.97	8	461	<2	18	1.96	<4	10	31	13	1.86	0.04	14	1.26	421	<1	44	570	11	0.39	<5	<5	<10	180	1665	5	39	<10	7	62
249246	1227203	0.132	1	4.26	18	448	<2	19	1.22	<4	10	30	36	1.83	0.12	11	0.91	292	<1	46	501	20	0.93	<5	<5	<10	186	1567	4	38	<10	6	148
249247	1227204	0.022	1	4.30	6	379	<2	16	2.16	<4	11	33	13	2.00	0.03	15	1.44	459	<1	47	565	13	0.54	<5	<5	<10	163	1811	9	41	<10	6	76
249248	1227205	0.101	1	4.63	5	438	<2	18	1.92	<4	12	30	13	1.89	0.21	16	1.23	380	<1	40	586	14	0.39	<5	<5	<10	171	1911	2	39	<10	7	80
249249	1227206	0.024	1	4.91	8	517	2	16	1.43	6	11	31	53	2.13	0.05	14	1.02	370	<1	46	561	19	0.84	<5	<5	<10	189	1562	<2	38	17	6	1525
249250	1227207	0.024	1	4.48	6	488	<2	9	1.88	<4	11	35	15	1.90	0.09	18	1.13	304	<1	48	560	12	0.23	6	<5	<10	163	1918	3	39	<10	6	124
249251D	1227207	0.021	1	4.65	7	501	<2	13	1.94	<4	11	34	15	1.90	0.01	19	1.13	303	<1	47	556	10	0.22	<5	6	<10	168	1938	<2	40	<10	6	76

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249076	1227048	20	<0.001	0.020
249077	1227049	272	0.008	0.272
249078	1227050	1451	0.042	1.451
249079	1227051	158	0.005	0.158
249080	1227052	28	<0.001	0.028
249081	1227053	22	<0.001	0.022
249082	1227054	220	0.006	0.220
249083	1227055	53	0.002	0.053
249084	1227056	64	0.002	0.064
249085	1227057	35	0.001	0.035
249086 Dup	1227057	43	0.001	0.043
249087	1227058	151	0.004	0.151
249088	1227059	358	0.010	0.358
249089	1227060	<5	<0.001	<0.005
249090	1227061	96	0.003	0.096
249091	1227062	41	0.001	0.041
249092	1227063	48	0.001	0.048
249093	1227064	11	<0.001	0.011
249094	1227065	7	<0.001	0.007
249095	1227066	7	<0.001	0.007
249096	1227067	11	<0.001	0.011
249097 Dup	1227067	13	<0.001	0.013
249098	1227068	23	<0.001	0.023
249099	1227069	6	<0.001	0.006
249100	1227070	288	0.008	0.288
249101	1227071	6	<0.001	0.006
249102	1227072	9	<0.001	0.009
249103	1227073	13	<0.001	0.013
249104	1227074	18	<0.001	0.018
249105	1227075	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249106	1227076	7	<0.001	0.007
249107	1227077	7	<0.001	0.007
249108 Dup	1227077	6	<0.001	0.006
249109	1227078	32	<0.001	0.032
249110	1227079	13	<0.001	0.013
249111	1227080	6	<0.001	0.006
249112	1227081	58	0.002	0.058
249113	1227082	43	0.001	0.043
249114	1227083	104	0.003	0.104
249115	1227084	307	0.009	0.307
249116	1227085	18	<0.001	0.018
249117	1227086	12	<0.001	0.012
249118	1227087	9	<0.001	0.009
249119 Dup	1227087	8	<0.001	0.008
249120	1227088	38	0.001	0.038
249121	1227089	17	<0.001	0.017
249122	1227090	4996	0.146	4.996
249123	1227091	12	<0.001	0.012
249124	1227092	33	<0.001	0.033
249125	1227093	78	0.002	0.078
249126	1227094	15	<0.001	0.015
249127	1227095	16	<0.001	0.016
249128	1227096	18	<0.001	0.018
249129	1227097	15	<0.001	0.015
249130 Dup	1227097	9	<0.001	0.009
249131	1227098	40	0.001	0.040
249132	1227099	1312	0.038	1.312
249133	1227100	<5	<0.001	<0.005
249134	1227101	101	0.003	0.101
249135	1227102	794	0.023	0.794

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249136	1227103	3606	0.105	3.606
249137	1227104	309	0.009	0.309
249138	1227105	192	0.006	0.192
249139	1227106	479	0.014	0.479
249140	1227107	249	0.007	0.249
249141 Rep	1227107	223	0.006	0.223
249142	1227108	69	0.002	0.069
249143	1227109	32	<0.001	0.032
249144	1227110	1616	0.047	1.616
249145	1227111	49	0.001	0.049
249146	1227112	40	0.001	0.040
249147	1227113	243	0.007	0.243
249148	1227114	347	0.010	0.347
249149	1227115	412	0.012	0.412
249150	1227116	202	0.006	0.202
249151	1227117	98	0.003	0.098
249152 Dup	1227117	129	0.004	0.129
249153	1227118	255	0.007	0.255
249154	1227119	82	0.002	0.082
249155	1227120	<5	<0.001	<0.005
249156	1227121	217	0.006	0.217
249157	1227122	109	0.003	0.109
249158	1227123	33	<0.001	0.033
249159	1227124	61	0.002	0.061
249160	1227125	122	0.004	0.122
249161	1227126	189	0.006	0.189
249162	1227127	91	0.003	0.091
249163 Dup	1227127	101	0.003	0.101
249164	1227128	172	0.005	0.172
249165	1227129	463	0.014	0.463

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249166	1227130	Insufficient Sample		
249167	1227131	221	0.006	0.221
249168	1227132	39	0.001	0.039
249169	1227133	63	0.002	0.063
249170	1227134	23	<0.001	0.023
249171	1227135	20	<0.001	0.020
249172	1227136	15	<0.001	0.015
249173	1227137	11	<0.001	0.011
249174 Dup	1227137	9	<0.001	0.009
249175	1227138	15	<0.001	0.015
249176	1227139	18	<0.001	0.018
249177	1227140	Insufficient Sample		
249178	1227141	25	<0.001	0.025
249179	1227142	47	0.001	0.047
249180	1227143	43	0.001	0.043
249181	1227144	22	<0.001	0.022
249182	1227145	28	<0.001	0.028
249183	1227146	109	0.003	0.109
249184	1227147	20	<0.001	0.020
249185 Dup	1227147	23	<0.001	0.023
249186	1227148	39	0.001	0.039
249187	1227149	43	0.001	0.043
249188	1227150	2128	0.062	2.128
249189	1227151	47	0.001	0.047
249190	1227152	22	<0.001	0.022
249191	1227153	18	<0.001	0.018
249192	1227154	19	<0.001	0.019
249193	1227155	15	<0.001	0.015
249194	1227156	17	<0.001	0.017
249195	1227157	20	<0.001	0.020

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249196 Dup	1227157	21	<0.001	0.021
249197	1227158	153	0.004	0.153
249198	1227159	24	<0.001	0.024
249199	1227160	<5	<0.001	<0.005
249200	1227161	11	<0.001	0.011
249201	1227162	18	<0.001	0.018
249202	1227163	72	0.002	0.072
249203	1227164	23	<0.001	0.023
249204	1227165	16	<0.001	0.016
249205	1227166	21	<0.001	0.021
249206	1227167	49	0.001	0.049
249207 Rep	1227167	44	0.001	0.044
249208	1227168	1326	0.039	1.326
249209	1227169	778	0.023	0.778
249210	1227170	1505	0.044	1.505
249211	1227171	48	0.001	0.048
249212	1227172	100	0.003	0.100
249213	1227173	19	<0.001	0.019
249214	1227174	291	0.008	0.291
249215	1227175	16	<0.001	0.016
249216	1227176	19	<0.001	0.019
249217	1227177	8	<0.001	0.008
249218 Dup	1227177	7	<0.001	0.007
249219	1227178	16	<0.001	0.016
249220	1227179	17	<0.001	0.017
249221	1227180	<5	<0.001	<0.005
249222	1227181	493	0.014	0.493
249223	1227182	279	0.008	0.279
249224	1227183	437	0.013	0.437
249225	1227184	91	0.003	0.091

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/20/2011  
 Job #: 201143704  
 Reference: TL11224  
 Sample #: 160

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249226	1227185	9	<0.001	0.009
249227	1227186	19	<0.001	0.019
249228	1227187	120	0.003	0.120
249229 Dup	1227187	90	0.003	0.090
249230	1227188	41	0.001	0.041
249231	1227189	26	<0.001	0.026
249232	1227190	257	0.008	0.257
249233	1227191	23	<0.001	0.023
249234	1227192	87	0.003	0.087
249235	1227193	292	0.009	0.292
249236	1227194	814	0.024	0.814
249237	1227195	1655	0.048	1.655
249238	1227196	1325	0.039	1.325
249239	1227197	26	<0.001	0.026
249240 Dup	1227197	28	<0.001	0.028
249241	1227198	44	0.001	0.044
249242	1227199	17	<0.001	0.017
249243	1227200	<5	<0.001	<0.005
249244	1227201	15	<0.001	0.015
249245	1227202	21	<0.001	0.021
249246	1227203	132	0.004	0.132
249247	1227204	22	<0.001	0.022
249248	1227205	101	0.003	0.101
249249	1227206	24	<0.001	0.024
249250	1227207	24	<0.001	0.024
249251 Dup	1227207	21	<0.001	0.021

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, November 2, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/25/2011  
Date Completed: 11/02/2011  
Job #: 201143927  
Reference: TL11224  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
265258	1227103	0.108	3.686

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory





Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
248981	1227227	0.083	<1	2.26	12	174	3	31	<0.01	<4	3	<1	5	1.24	0.13	13	0.99	421	<1	31	503	51	0.73	<5	19	<10	114	968	77	16	<10	4	66
248982D	1227227	0.080	<1	2.33	8	152	3	28	<0.01	<4	2	<1	6	1.26	0.17	15	1.01	429	<1	31	454	53	0.78	<5	21	<10	114	962	<2	16	<10	5	69
248983	1227228	0.144	<1	2.19	27	248	3	35	<0.01	<4	7	<1	8	1.91	0.13	20	0.94	495	<1	59	850	46	1.00	<5	15	<10	125	1379	7	32	<10	6	71
248984	1227229	1.318	<1	2.77	4	25	4	34	<0.01	<4	18	<1	94	3.35	0.25	11	1.63	866	<1	76	729	60	0.94	<5	30	<10	152	1953	<2	63	<10	14	359
248985	1227230	1.453	1	1.71	41	23	3	32	<0.01	<4	20	<1	7279	5.18	<0.01	6	1.04	574	829	26	1050	46	2.15	10	19	10	235	828	18	107	<10	11	127
248986	1227231	0.353	<1	<0.01	5	<1	2	21	<0.01	5	4	<1	62	1.16	<0.01	<1	0.72	634	<1	34	668	220	0.27	<5	<5	<10	31	658	<2	12	23	2	1662
248987	1227232	0.126	<1	2.46	5	438	3	30	<0.01	4	5	<1	13	1.58	0.43	7	1.16	948	<1	28	655	103	0.68	6	28	<10	210	1480	146	26	24	5	1375
248988	1227233	1.555	<1	1.30	45	503	3	13	<0.01	9	4	<1	239	1.34	0.17	4	0.55	358	<1	28	523	278	0.91	<5	7	<10	131	1342	<2	25	40	4	2694
248989	1227234	1.057	<1	1.20	35	454	3	39	<0.01	29	7	<1	81	1.12	0.12	3	0.49	400	<1	30	745	253	0.88	<5	17	<10	139	1366	5	26	96	3	6904
248990	1227235	0.030	<1	2.17	12	306	3	35	<0.01	<4	5	<1	10	1.33	0.21	3	0.89	803	<1	22	839	50	0.61	<5	21	<10	181	1466	<2	25	<10	5	183
248991	1227236	0.043	<1	1.77	13	226	3	35	<0.01	<4	4	<1	7	1.31	0.21	<1	0.94	859	<1	26	624	41	0.55	<5	<5	<10	134	1303	<2	22	<10	6	120
248992	1227237	0.059	<1	1.76	12	337	3	36	<0.01	<4	4	<1	7	1.30	0.20	3	0.84	679	<1	30	574	41	0.62	<5	28	<10	167	1409	<2	25	<10	5	193
248993D	1227237	0.116	<1	2.18	9	383	3	43	<0.01	<4	4	<1	7	1.28	0.17	6	0.81	675	<1	28	678	46	0.71	6	33	<10	185	1475	11	26	<10	5	183
248994	1227238	0.089	<1	1.56	26	288	3	26	<0.01	<4	3	<1	20	1.01	0.05	<1	0.50	232	<1	25	281	255	0.91	<5	23	<10	208	994	<2	17	11	4	495
248995	1227239	0.157	<1	0.94	35	454	3	28	<0.01	<4	2	<1	26	1.17	0.20	<1	0.29	<100	<1	28	644	280	1.11	<5	12	<10	185	971	<2	19	<10	3	258
248996	1227240	<0.005	<1	1.89	2	180	3	36	<0.01	<4	13	<1	22	2.49	0.05	4	0.97	489	<1	29	1038	9	0.57	5	21	<10	235	2020	15	84	30	14	64
248997	1227241	0.303	<1	0.93	107	<1	3	27	<0.01	<4	16	<1	49	2.99	<0.01	<1	0.73	468	<1	71	866	98	1.77	<5	<5	<10	158	1441	96	50	<10	12	142
248998	1227242	0.256	<1	3.28	12	80	3	32	<0.01	<4	19	<1	64	3.58	0.17	8	1.42	940	<1	73	529	84	1.20	<5	<5	<10	169	2264	120	72	<10	13	161
248999	1227243	0.157	<1	3.15	24	25	4	33	<0.01	<4	25	<1	56	4.00	0.08	9	1.54	933	<1	79	716	59	1.49	<5	29	<10	169	1968	<2	74	<10	12	136
249000	1227244	0.056	<1	2.81	39	32	3	33	<0.01	<4	20	<1	50	3.36	0.13	6	1.22	719	<1	77	1007	46	1.41	<5	12	<10	168	1711	<2	68	<10	12	106

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249001	1227245	0.019	<1	0.64	20	<1	2	19	<0.01	<4	3	<1	2	1.23	<0.01	<1	0.67	261	<1	22	481	52	0.79	<5	20	<10	97	878	<2	15	<10	4	276
249002	1227246	0.170	<1	1.77	59	103	3	20	<0.01	<4	12	<1	28	2.28	0.03	<1	0.73	378	<1	59	818	162	1.50	<5	18	<10	128	1217	21	46	<10	10	207
249003	1227247	0.036	<1	2.67	32	136	3	26	<0.01	<4	12	<1	29	2.17	0.11	<1	0.90	494	<1	57	817	61	1.21	<5	14	<10	135	1458	<2	43	14	11	462
249004D	1227247	0.042	<1	2.78	26	230	3	29	<0.01	<4	11	<1	28	2.15	0.29	4	0.88	494	<1	57	355	67	1.34	<5	18	<10	150	1618	47	47	13	9	451
249005	1227248	0.014	<1	2.29	22	181	3	19	<0.01	<4	3	<1	3	1.18	0.22	3	0.72	303	<1	26	759	42	1.01	<5	19	<10	136	1045	<2	18	<10	4	61
249006	1227249	0.245	<1	2.62	112	75	3	33	<0.01	<4	19	<1	44	2.95	0.09	4	0.61	243	<1	74	623	103	1.97	<5	9	<10	128	1533	<2	63	<10	9	254
249007	1227250	0.277	109	1.69	258	67	3	40	<0.01	26	14	<1	6338	5.51	0.04	2	1.19	1702	13	33	912	10499	1.66	321	<5	<10	196	1809	<2	80	67	13	4993
249008	1227251	0.025	<1	0.12	22	267	3	28	<0.01	<4	8	<1	37	1.76	0.26	<1	0.48	321	<1	46	752	87	1.14	<5	22	<10	152	1471	<2	43	10	5	216
249009	1227252	0.030	<1	1.32	16	153	3	35	<0.01	<4	7	<1	43	1.89	<0.01	<1	0.81	333	<1	35	647	30	0.99	<5	26	<10	126	1155	<2	32	<10	6	100
249010	1227253	0.021	<1	2.35	20	340	3	39	<0.01	<4	8	<1	30	2.15	0.06	2	1.08	956	<1	44	885	28	1.25	<5	27	<10	184	1531	85	39	<10	7	120
249011	1227254	0.026	<1	3.08	11	385	3	27	<0.01	<4	12	<1	17	2.18	<0.01	8	1.10	757	<1	76	717	32	1.15	<5	28	<10	217	1519	<2	40	<10	8	123
249012	1227255	0.026	<1	2.65	2	729	3	40	<0.01	<4	13	<1	23	2.42	0.25	15	1.32	672	<1	35	853	115	0.65	<5	23	<10	292	2337	50	50	11	7	468
249013	1227256	0.028	<1	2.93	3	671	3	31	<0.01	<4	11	<1	24	2.32	0.30	12	1.28	634	<1	36	765	143	0.58	<5	<5	<10	300	2235	<2	47	<10	8	487
249014	1227257	0.208	11	1.89	15	331	3	21	<0.01	10	8	<1	28	1.59	0.19	7	0.73	616	<1	28	864	1568	0.95	6	30	<10	262	1740	<2	32	35	5	2569
249015D	1227257	0.211	11	1.75	11	379	3	35	<0.01	10	7	<1	27	1.57	0.18	10	0.69	632	<1	28	624	1546	0.98	6	22	<10	268	1837	67	34	35	4	2552
249016	1227258	0.302	13	2.28	30	298	3	30	<0.01	5	7	<1	120	2.30	<0.01	11	0.92	960	<1	36	725	814	1.42	<5	20	<10	273	1880	<2	36	24	5	1441
249017	1227259	0.552	47	2.91	15	153	3	37	<0.01	4	7	<1	49	1.94	0.21	13	1.29	1238	<1	33	853	435	0.98	<5	13	<10	232	1558	<2	33	16	6	960
249018	1227260	<0.005	<1	1.31	3	140	3	22	<0.01	<4	12	<1	22	2.45	<0.01	<1	0.97	477	<1	27	631	11	0.46	<5	19	<10	218	1892	<2	81	30	14	65
249019	1227261	0.029	<1	2.68	7	55	3	30	<0.01	<4	7	<1	35	1.75	0.16	14	1.11	1166	<1	33	541	148	0.75	<5	21	<10	191	1758	65	34	10	6	277
249020	1227262	0.078	2	1.92	22	105	3	34	<0.01	<4	9	<1	24	1.58	0.05	17	0.76	682	<1	42	515	150	1.05	<5	21	<10	162	1819	<2	34	16	5	760

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249021	1227263	0.066	<1	2.21	18	122	3	27	<0.01	<4	9	<1	15	1.23	0.21	8	0.63	484	<1	29	753	125	0.83	<5	<5	<10	192	1840	<2	35	<10	5	304
249022	1227264	0.070	<1	1.38	23	67	3	28	<0.01	<4	7	<1	17	1.57	0.17	6	0.91	593	<1	24	686	62	0.93	<5	27	<10	163	1601	49	32	<10	5	194
249023	1227265	0.011	<1	1.76	24	63	3	23	<0.01	<4	5	<1	11	1.57	0.15	9	0.86	448	<1	23	253	26	0.88	<5	19	<10	153	1620	<2	31	<10	5	77
249024	1227266	0.012	<1	1.74	22	20	3	28	<0.01	<4	6	<1	9	1.53	0.02	10	0.98	422	<1	23	507	16	0.83	7	19	<10	121	1643	6	31	<10	6	74
249025	1227267	0.024	<1	2.67	24	109	3	33	<0.01	<4	5	<1	23	1.76	0.03	11	1.40	514	<1	30	977	18	1.01	<5	22	<10	158	1502	10	29	<10	6	72
249026R	1227267	0.021	<1	3.01	21	51	3	33	<0.01	<4	5	<1	21	1.78	0.24	7	1.45	497	<1	29	852	20	0.92	<5	30	<10	155	1378	71	26	<10	6	70
249027	1227268	0.129	<1	0.87	32	120	3	30	<0.01	<4	5	<1	5	1.14	0.12	<1	0.41	116	<1	28	872	40	1.03	<5	34	<10	78	1318	<2	25	10	4	294
249028	1227269	0.515	<1	0.40	81	168	3	25	<0.01	4	7	<1	19	1.61	<0.01	4	0.35	103	<1	33	528	35	1.44	<5	13	<10	72	1521	<2	29	19	3	990
249029	1227270	4.965	<1	1.13	466	933	3	33	<0.01	<4	12	<1	83	3.33	<0.01	5	1.23	487	7	57	781	27	0.88	36	24	<10	187	1695	<2	127	12	13	257
249030	1227271	0.027	<1	0.80	42	249	3	29	<0.01	<4	7	<1	8	1.27	0.09	16	0.59	235	4	44	519	77	1.05	<5	27	<10	106	1592	<2	32	10	4	82
249031	1227272	0.070	<1	1.71	14	191	3	36	<0.01	<4	7	<1	13	1.49	0.02	24	0.93	391	7	34	752	27	1.19	<5	17	<10	125	1961	13	35	<10	4	69
249032	1227273	0.104	<1	1.23	29	122	3	28	<0.01	<4	4	<1	3	1.12	0.02	3	0.44	118	<1	29	563	23	0.98	5	35	<10	68	1498	<2	28	<10	4	69
249033	1227274	0.026	<1	3.58	37	61	4	32	<0.01	<4	9	<1	17	1.77	0.13	14	1.40	496	<1	40	708	50	0.84	<5	35	<10	125	1536	34	28	10	6	112
249034	1227275	0.102	<1	1.53	41	31	3	31	<0.01	<4	5	<1	41	1.13	0.28	4	0.67	257	<1	29	805	53	0.81	<5	23	<10	78	1319	66	24	<10	5	239
249035	1227276	0.126	<1	1.04	27	15	3	30	<0.01	<4	4	<1	47	1.08	0.53	3	0.64	244	<1	25	589	55	0.78	<5	20	<10	74	1260	<2	23	<10	4	218
249036	1227277	1.195	1	0.82	123	15	3	27	<0.01	7	7	<1	115	3.10	0.04	<1	0.34	119	<1	30	582	54	2.38	5	18	<10	61	1364	36	27	20	5	1359
249037D	1227277	1.191	<1	1.04	106	56	3	34	<0.01	6	7	<1	115	2.96	0.02	3	0.36	121	<1	30	735	53	2.37	<5	17	<10	65	1437	<2	27	21	4	1353
249038	1227278	0.037	<1	2.96	16	<1	3	33	<0.01	<4	8	<1	21	1.59	0.23	8	1.31	555	<1	28	455	45	0.73	<5	25	<10	124	1308	<2	28	<10	7	99
249039	1227279	0.018	<1	2.20	23	29	3	28	<0.01	<4	7	<1	10	1.02	0.12	5	0.61	207	<1	48	481	23	0.62	<5	16	<10	99	1482	126	31	<10	5	143
249040	1227280	<0.005	<1	0.19	<2	207	3	24	<0.01	<4	13	<1	20	2.27	0.07	6	0.67	461	<1	25	647	10	0.69	<5	14	<10	237	2187	<2	81	33	7	62

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249041	1227281	0.029	<1	1.84	14	84	3	36	<0.01	<4	9	<1	10	1.45	<0.01	16	1.02	441	<1	51	458	29	0.76	<5	19	<10	131	1740	<2	34	<10	5	80
249042	1227282	0.038	<1	0.83	28	88	3	25	<0.01	<4	8	<1	6	1.15	0.05	6	0.56	209	<1	37	698	25	0.84	<5	24	<10	107	1712	<2	32	<10	4	114
249043	1227283	0.107	<1	2.19	7	181	3	28	<0.01	<4	8	<1	8	1.79	0.06	14	1.26	447	<1	51	790	26	0.77	<5	30	<10	169	1806	<2	44	<10	5	68
249044	1227284	0.034	<1	2.30	11	239	3	32	<0.01	<4	10	<1	18	1.79	0.07	12	1.10	392	<1	72	618	21	0.76	<5	29	<10	191	1782	42	43	<10	5	75
249045	1227285	0.015	<1	2.70	4	207	3	24	<0.01	<4	7	<1	10	1.84	0.14	15	1.23	346	<1	49	911	14	0.64	<5	22	<10	160	1688	<2	38	11	6	76
249046	1227286	0.014	<1	2.58	5	239	3	26	<0.01	<4	9	<1	11	1.84	0.42	16	1.27	338	<1	48	724	13	0.54	<5	21	<10	153	1682	<2	38	10	7	75
249047	1227287	0.024	<1	3.34	11	289	3	22	<0.01	<4	7	<1	12	1.83	0.26	14	1.44	507	<1	44	630	18	0.66	<5	29	<10	194	1576	<2	39	<10	7	94
249048D	1227287	0.023	<1	3.03	11	348	3	37	<0.01	<4	8	<1	12	1.85	0.32	16	1.39	518	<1	45	486	21	0.73	<5	24	<10	209	1694	86	41	<10	6	98
249049	1227288	0.628	<1	0.45	41	<1	3	25	<0.01	12	8	<1	168	3.34	<0.01	<1	0.44	130	<1	83	707	26	2.40	<5	12	<10	101	1196	69	26	49	5	3672
249050	1227289	0.035	<1	2.88	10	214	3	31	<0.01	<4	6	<1	34	1.75	0.30	9	1.43	485	<1	43	949	24	0.75	<5	14	<10	183	1299	<2	32	<10	7	127
249051	1227290	1.535	<1	1.73	39	10	4	33	<0.01	<4	19	<1	7673	4.99	0.10	3	1.11	569	801	26	1026	41	1.88	14	28	<10	224	772	<2	105	13	12	120
249052	1227291	0.014	<1	2.68	4	176	3	32	<0.01	<4	8	<1	52	1.82	0.08	17	1.36	337	1	44	850	17	0.62	<5	31	<10	155	1703	96	38	<10	6	83
249053	1227292	0.195	<1	1.86	21	303	3	29	<0.01	<4	8	<1	20	1.63	0.21	11	0.93	317	<1	45	791	25	0.92	<5	27	<10	166	1726	<2	37	<10	5	72
249054	1227293	0.017	<1	1.79	4	229	3	28	<0.01	<4	7	<1	18	1.52	0.14	14	1.08	307	<1	33	871	13	0.60	<5	20	<10	170	1681	<2	33	<10	5	65
249055	1227294	0.031	<1	1.54	10	620	3	33	<0.01	<4	9	<1	18	1.88	0.28	11	0.91	409	<1	38	870	18	0.78	<5	26	<10	190	2053	<2	44	<10	5	100
249056	1227295	0.052	<1	2.53	23	349	4	38	<0.01	<4	9	<1	14	1.74	<0.01	12	1.04	451	<1	34	979	18	0.81	<5	25	<10	169	1680	<2	32	<10	6	82
249057	1227296	0.059	<1	2.84	24	358	3	39	<0.01	<4	9	<1	14	1.83	0.94	16	1.11	484	<1	32	744	17	0.91	<5	27	<10	174	1790	101	34	10	6	87
249058	1227297	0.081	<1	2.10	23	333	3	24	<0.01	<4	5	<1	12	1.42	1.00	9	0.82	387	<1	31	913	23	0.85	<5	21	<10	129	1650	<2	32	<10	6	88
249059D	1227297	0.097	<1	2.30	24	294	3	35	<0.01	<4	5	<1	13	1.48	1.04	7	0.88	405	<1	32	573	25	0.92	<5	21	<10	131	1576	<2	30	<10	6	93
249060	1227298	0.123	<1	2.83	37	360	4	38	<0.01	<4	7	<1	23	1.89	1.13	13	1.11	612	<1	30	1033	70	1.09	<5	26	<10	144	1764	3	33	13	6	636

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
249061	1227299	0.871	<1	0.98	82	353	3	27	<0.01	4	4	<1	86	2.74	0.80	4	0.42	148	<1	29	625	161	2.11	<5	14	<10	97	1634	<2	32	20	4	1190
249062	1227300	IS																															
249063	1227301	0.034	<1	0.50	5	145	3	22	<0.01	<4	4	<1	12	1.27	0.68	<1	0.68	251	<1	24	681	37	0.71	<5	21	<10	137	1221	<2	23	<10	5	76
249064	1227302	0.026	<1	1.92	9	202	3	24	<0.01	<4	4	<1	8	1.48	0.68	10	0.99	386	<1	22	652	27	0.66	<5	35	<10	183	1550	<2	29	<10	5	72
249065	1227303	0.024	<1	2.38	12	129	4	28	<0.01	<4	6	<1	12	1.81	0.64	10	1.18	481	<1	37	793	23	0.82	<5	32	<10	216	1365	<2	28	10	7	128
249066	1227304	0.030	<1	0.88	4	220	3	30	<0.01	<4	11	<1	13	1.91	0.87	6	1.38	411	<1	53	468	15	0.62	<5	22	<10	129	1694	<2	37	<10	8	98
249067	1227305	0.029	<1	1.46	7	77	3	25	<0.01	<4	3	<1	6	1.44	0.83	7	1.01	372	<1	25	986	11	0.60	<5	17	<10	158	1389	<2	26	<10	6	98
249068	1227306	0.033	<1	2.29	10	185	3	33	<0.01	<4	6	<1	9	1.46	0.71	10	0.97	393	<1	27	716	16	0.63	<5	34	<10	211	1628	<2	30	<10	5	90
249069	1227307	0.275	<1	1.47	41	320	3	30	<0.01	<4	5	<1	48	2.04	<0.01	12	0.61	308	<1	29	813	18	1.64	<5	24	<10	210	1817	<2	31	<10	4	180
249070D	1227307	0.306	<1	1.30	38	208	3	27	<0.01	<4	6	<1	45	2.00	<0.01	7	0.62	291	<1	29	894	22	1.45	<5	21	<10	182	1587	<2	29	12	4	176
249071	1227308	0.264	<1	1.82	35	220	3	31	<0.01	<4	5	<1	58	1.98	<0.01	8	0.79	399	<1	25	904	22	1.38	<5	<5	<10	158	1501	58	29	10	5	633
249072	1227309	0.383	<1	0.68	74	249	3	30	<0.01	<4	6	<1	55	1.84	0.14	1	0.44	198	<1	32	746	33	1.40	<5	22	<10	157	1361	53	30	17	5	992
249073	1227310	IS																															
249074	1227311	0.191	<1	1.73	26	247	3	32	<0.01	<4	7	<1	87	1.83	<0.01	8	0.95	550	<1	34	684	110	0.87	<5	37	<10	172	1560	<2	36	11	8	231
249075	1227312	0.617	<1	1.76	102	35	4	41	<0.01	<4	21	<1	49	3.21	<0.01	9	0.90	589	<1	72	744	113	1.82	<5	24	<10	118	2273	<2	74	13	12	359

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

  
 Certified By: Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
248961	1227208	229	0.007	0.229
248962	1227209	31	<0.001	0.031
248963	1227210	4673	0.136	4.673
248964	1227211	15	<0.001	0.015
248965	1227212	16	<0.001	0.016
248966	1227213	15	<0.001	0.015
248967	1227214	51	0.001	0.051
248968	1227215	143	0.004	0.143
248969	1227216	150	0.004	0.150
248970	1227217	690	0.020	0.690
248971 Dup	1227217	593	0.017	0.593
248972	1227218	No Sample Received		
248973	1227219	No Sample Received		
248974	1227220	No Sample Received		
248975	1227221	No Sample Received		
248976	1227222	No Sample Received		
248977	1227223	50	0.001	0.050
248978	1227224	30	<0.001	0.030
248979	1227225	52	0.002	0.052
248980	1227226	31	<0.001	0.031
248981	1227227	83	0.002	0.083
248982 Dup	1227227	80	0.002	0.080
248983	1227228	144	0.004	0.144
248984	1227229	1318	0.038	1.318
248985	1227230	1453	0.042	1.453
248986	1227231	353	0.010	0.353
248987	1227232	126	0.004	0.126
248988	1227233	1555	0.045	1.555
248989	1227234	1057	0.031	1.057
248990	1227235	30	<0.001	0.030

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
248991	1227236	43	0.001	0.043
248992	1227237	59	0.002	0.059
248993 Dup	1227237	116	0.003	0.116
248994	1227238	89	0.003	0.089
248995	1227239	157	0.005	0.157
248996	1227240	<5	<0.001	<0.005
248997	1227241	303	0.009	0.303
248998	1227242	256	0.007	0.256
248999	1227243	157	0.005	0.157
249000	1227244	56	0.002	0.056
249001	1227245	19	<0.001	0.019
249002	1227246	170	0.005	0.170
249003	1227247	36	0.001	0.036
249004 Dup	1227247	42	0.001	0.042
249005	1227248	14	<0.001	0.014
249006	1227249	245	0.007	0.245
249007	1227250	277	0.008	0.277
249008	1227251	25	<0.001	0.025
249009	1227252	30	<0.001	0.030
249010	1227253	21	<0.001	0.021
249011	1227254	26	<0.001	0.026
249012	1227255	26	<0.001	0.026
249013	1227256	28	<0.001	0.028
249014	1227257	208	0.006	0.208
249015 Dup	1227257	211	0.006	0.211
249016	1227258	302	0.009	0.302
249017	1227259	552	0.016	0.552
249018	1227260	<5	<0.001	<0.005
249019	1227261	29	<0.001	0.029
249020	1227262	78	0.002	0.078

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249021	1227263	66	0.002	0.066
249022	1227264	70	0.002	0.070
249023	1227265	11	<0.001	0.011
249024	1227266	12	<0.001	0.012
249025	1227267	24	<0.001	0.024
249026 Rep	1227267	21	<0.001	0.021
249027	1227268	129	0.004	0.129
249028	1227269	515	0.015	0.515
249029	1227270	4965	0.145	4.965
249030	1227271	27	<0.001	0.027
249031	1227272	70	0.002	0.070
249032	1227273	104	0.003	0.104
249033	1227274	26	<0.001	0.026
249034	1227275	102	0.003	0.102
249035	1227276	126	0.004	0.126
249036	1227277	1195	0.035	1.195
249037 Dup	1227277	1191	0.035	1.191
249038	1227278	37	0.001	0.037
249039	1227279	18	<0.001	0.018
249040	1227280	<5	<0.001	<0.005
249041	1227281	29	<0.001	0.029
249042	1227282	38	0.001	0.038
249043	1227283	107	0.003	0.107
249044	1227284	34	<0.001	0.034
249045	1227285	15	<0.001	0.015
249046	1227286	14	<0.001	0.014
249047	1227287	24	<0.001	0.024
249048 Dup	1227287	23	<0.001	0.023
249049	1227288	628	0.018	0.628
249050	1227289	35	0.001	0.035

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Friday, October 21, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/07/2011  
 Date Completed: 10/21/2011  
 Job #: 201143703  
 Reference: TL11225  
 Sample #: 105

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
249051	1227290	1535	0.045	1.535
249052	1227291	14	<0.001	0.014
249053	1227292	195	0.006	0.195
249054	1227293	17	<0.001	0.017
249055	1227294	31	<0.001	0.031
249056	1227295	52	0.002	0.052
249057	1227296	59	0.002	0.059
249058	1227297	81	0.002	0.081
249059 Dup	1227297	97	0.003	0.097
249060	1227298	123	0.004	0.123
249061	1227299	871	0.025	0.871
249062	1227300	Insufficient Sample		
249063	1227301	34	<0.001	0.034
249064	1227302	26	<0.001	0.026
249065	1227303	24	<0.001	0.024
249066	1227304	30	<0.001	0.030
249067	1227305	29	<0.001	0.029
249068	1227306	33	<0.001	0.033
249069	1227307	275	0.008	0.275
249070 Dup	1227307	306	0.009	0.306
249071	1227308	264	0.008	0.264
249072	1227309	383	0.011	0.383
249073	1227310	Insufficient Sample		
249074	1227311	191	0.006	0.191
249075	1227312	617	0.018	0.617

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, January 17, 2012


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 12/02/2011  
 Date Completed: 12/21/2011  
 Job #: 201144431  
 Reference: TL11225  
 Sample #: 5

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
302847	1227218	0.736	1	1.96	60	450	<2	14	0.21	6	16	85	49	1.95	0.02	19	0.33	156	3	39	290	455	1.84	<5	13	<10	77	1949	<2	67	17	4	1243
302848	1227219	1.497	<1	3.33	2	320	2	13	1.44	<4	22	128	60	3.32	0.16	11	1.24	536	<1	66	457	41	1.16	<5	<5	<10	128	2283	3	90	<10	11	109
302849	1227220	<0.005	<1	<0.01	2	417	<2	11	1.28	<4	13	32	21	2.23	0.06	6	0.48	446	1	23	430	2	0.07	<5	9	<10	234	2126	<2	81	25	5	41
302850	1227221	0.063	<1	0.66	17	417	3	14	1.39	<4	22	124	43	3.22	0.11	20	0.97	709	4	59	401	72	1.38	<5	19	<10	148	2581	4	88	<10	5	199
302851	1227222	0.040	<1	1.69	22	631	2	14	0.92	<4	8	49	12	1.61	0.32	18	0.76	439	2	20	410	61	0.93	<5	9	<10	132	1466	<2	35	<10	4	65
302852D	1227222	0.040	<1	<0.01	27	605	<2	6	0.80	<4	7	45	11	1.48	0.18	16	0.63	421	1	17	391	62	0.89	<5	14	<10	124	1429	<2	33	<10	3	61

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232716	1184894	0.102	<1	2.20	43	230	<2	7	1.12	<4	5	7	28	1.32	<0.01	<1	1.00	536	12	22	339	114	5.09	<5	13	<10	172	1071	<2	21	28	5	451
232717	1184895	0.999	70	2.16	37	317	<2	4	<0.01	7	5	11	206	1.19	<0.01	<1	0.39	<100	15	27	327	1093	7.46	14	22	<10	89	1087	<2	20	45	6	1870
232718	1184896	0.052	<1	3.55	46	357	<2	4	1.05	<4	7	21	26	1.53	<0.01	<1	0.81	350	16	35	361	80	5.98	<5	30	<10	157	1284	<2	28	22	8	122
232719	1184897	0.021	<1	3.15	20	262	<2	15	2.17	<4	9	34	16	3.36	<0.01	3	1.32	879	14	43	379	53	6.55	<5	27	<10	151	1464	<2	33	22	8	52
232720	1184898	0.038	<1	3.61	32	220	3	<1	2.84	<4	9	39	23	4.19	<0.01	5	1.63	1213	14	45	450	61	>10.00	<5	15	<10	164	1702	<2	40	27	9	86
232721	1184899	0.026	<1	4.18	33	314	2	<1	1.69	<4	11	51	21	2.19	<0.01	9	1.21	645	17	44	449	45	6.02	<5	11	<10	193	1673	<2	42	23	11	43
232722	1184900	<0.005	<1	1.78	8	389	<2	<1	1.40	<4	12	32	24	2.46	<0.01	<1	0.97	481	13	30	553	39	0.53	<5	20	<10	258	1975	<2	83	51	15	38
232723	1184901	0.036	<1	3.32	37	209	2	8	1.43	<4	20	116	55	3.59	<0.01	6	1.43	749	17	75	565	91	>10.00	<5	21	<10	231	2040	<2	72	24	15	138
232724	1184902	0.009	<1	1.60	25	239	<2	<1	1.14	<4	5	14	5	1.37	<0.01	<1	1.09	604	11	28	309	70	5.50	<5	26	<10	161	1083	<2	22	25	5	252
232725	1184903	0.050	2	1.59	28	189	<2	5	1.15	6	7	34	24	1.72	<0.01	<1	1.07	601	12	43	389	1279	7.45	<5	21	<10	186	1200	<2	29	38	8	1358
232726D	1184903	0.048	2	3.07	30	272	2	9	1.31	6	8	35	22	1.72	<0.01	4	1.10	595	14	39	389	1219	7.25	<5	31	<10	209	1355	<2	34	38	8	1320
232727	1184904	0.016	<1	2.85	47	271	2	2	1.11	<4	21	107	52	3.64	<0.01	<1	1.28	600	16	84	636	86	>10.00	<5	16	<10	241	1723	<2	74	22	15	129
232728	1184905	0.022	<1	2.10	91	283	2	<1	1.15	<4	13	39	30	2.40	<0.01	<1	1.00	572	14	49	374	76	7.05	<5	25	<10	208	1168	<2	37	20	9	120
232729	1184906	0.014	<1	2.48	139	315	<2	2	1.12	<4	10	39	24	2.30	<0.01	<1	1.00	549	16	52	398	76	6.46	<5	30	<10	205	1200	<2	38	23	9	99
232730	1184907	0.015	<1	1.81	145	297	2	<1	1.52	<4	16	52	45	2.63	<0.01	<1	1.00	702	15	67	538	123	8.20	<5	10	<10	269	1344	<2	41	27	11	334
232731	1184908	0.011	<1	4.31	12	411	<2	6	1.28	<4	8	17	21	1.80	<0.01	<1	0.46	267	16	29	445	72	8.84	<5	41	<10	279	1398	<2	31	24	7	58
232732	1184909	<0.005	<1	1.88	6	258	<2	8	1.31	<4	7	14	12	0.41	<0.01	<1	0.28	183	13	30	396	55	1.48	<5	39	<10	215	1132	<2	24	23	6	11
232733	1184910	1.204	<1	1.94	24	512	<2	5	1.34	4	16	55	586	3.71	<0.01	<1	1.13	614	45	45	711	109	4.04	<5	20	<10	247	1838	<2	110	49	15	105
232734	1184911	0.006	<1	3.00	19	393	<2	3	1.48	<4	7	11	18	0.59	<0.01	<1	0.41	286	14	26	417	53	2.56	<5	19	<10	226	1191	<2	29	23	6	70
232735	1184912	<0.005	<1	2.04	10	300	<2	5	1.10	<4	6	10	7	0.28	<0.01	<1	0.26	140	12	25	423	55	1.04	<5	31	<10	231	1230	<2	25	21	5	33

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232736	1184913	<0.005	<1	0.91	5	273	<2	<1	0.50	<4	6	9	7	0.21	<0.01	<1	0.28	100	12	24	387	54	0.44	<5	30	<10	177	1091	<2	22	24	5	6
232737D	1184913	<0.005	<1	3.38	12	440	<2	7	0.86	<4	7	10	7	0.24	<0.01	<1	0.35	118	14	22	403	48	0.50	<5	41	<10	239	1352	<2	29	25	6	5
232738	1184914	0.009	<1	1.18	16	325	<2	<1	0.74	<4	4	9	9	0.63	<0.01	<1	0.31	118	11	22	367	42	3.22	<5	20	<10	179	1003	<2	22	22	5	10
232739	1184915	0.007	<1	2.48	20	414	<2	5	1.48	<4	4	11	15	1.31	<0.01	<1	0.41	278	13	25	390	44	5.19	<5	31	<10	220	1128	<2	26	21	6	22
232740	1184916	0.031	<1	2.33	12	356	2	<1	1.35	<4	8	31	15	1.62	<0.01	1	1.19	379	15	42	419	62	3.43	<5	25	<10	144	1099	<2	27	22	9	36
232741	1184917	0.054	<1	2.62	24	403	2	2	<0.01	<4	8	9	9	0.57	<0.01	<1	0.53	116	14	27	111	65	2.42	<5	29	<10	85	1169	<2	23	26	6	44
232742	1184918	0.124	<1	2.06	38	345	2	9	0.61	<4	8	11	41	1.08	<0.01	<1	0.86	400	15	31	148	79	6.27	<5	16	<10	106	1129	<2	26	32	6	649
232743	1184919	0.025	<1	1.81	40	294	<2	2	0.98	<4	12	26	19	1.75	<0.01	<1	0.82	265	13	41	430	56	9.66	<5	21	<10	182	1381	<2	32	24	6	186
232744	1184920	<0.005	<1	2.31	11	393	<2	<1	1.42	<4	12	31	23	2.41	<0.01	1	0.97	467	14	30	537	39	0.60	<5	22	10	260	1963	<2	81	47	15	37
232745	1184921	0.122	<1	3.58	38	194	<2	<1	1.88	5	21	95	84	3.26	<0.01	11	1.85	1028	18	71	530	137	>10.00	<5	28	11	174	2106	<2	62	33	15	792
232746	1184922	0.018	<1	3.19	61	178	2	<1	0.84	<4	9	25	11	2.88	<0.01	6	0.63	170	16	45	153	58	>10.00	<5	16	<10	174	1372	<2	31	25	6	122
232747	1184923	0.043	<1	2.54	47	97	<2	2	0.27	<4	7	15	7	2.24	<0.01	5	0.51	120	17	32	<100	76	>10.00	<5	27	<10	157	1276	<2	25	23	5	107
232748D	1184923	0.050	<1	3.11	45	254	<2	8	0.34	<4	7	15	6	2.15	<0.01	6	0.53	119	17	29	<100	79	>10.00	<5	25	<10	171	1336	<2	26	25	5	100
232749	1184924	0.019	<1	3.30	44	211	<2	3	0.65	<4	8	18	5	2.29	<0.01	7	0.64	169	16	32	120	71	>10.00	<5	15	<10	196	1432	<2	28	27	6	129
232750	1184925	0.017	<1	3.26	51	<1	2	14	1.60	<4	25	23	23	3.90	<0.01	4	0.77	273	15	55	213	59	>10.00	<5	25	<10	324	1601	<2	41	28	6	254
232751	1184926	0.010	<1	4.05	47	<1	2	11	1.64	<4	25	25	23	3.47	<0.01	6	0.81	270	17	53	219	55	>10.00	<5	21	<10	324	1625	<2	41	25	7	276
232752	1184927	0.006	<1	4.17	19	585	<2	4	2.19	<4	11	32	20	1.88	<0.01	8	0.80	322	16	42	449	46	6.32	<5	26	<10	360	1855	<2	45	23	8	94
232753	1184928	0.006	<1	2.79	31	378	<2	5	0.80	<4	15	28	14	1.56	<0.01	6	0.63	161	15	47	364	43	8.93	<5	19	<10	253	1647	<2	36	23	7	122
232754	1184929	0.019	<1	3.44	25	488	<2	6	0.60	<4	10	21	10	1.03	<0.01	9	0.53	119	16	38	167	32	5.20	<5	26	<10	294	1764	<2	42	21	7	13
232755	1184930	1.387	2	3.63	45	130	3	6	2.38	6	18	62	7526	4.92	<0.01	4	1.23	549	782	27	917	69	>10.00	9	8	<10	251	726	<2	105	25	15	89

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232756	1184931	0.007	<1	3.94	31	464	2	3	1.21	<4	11	20	55	1.30	<0.01	8	0.58	185	20	41	147	44	6.34	<5	22	<10	389	1703	<2	44	18	6	31
232757	1184932	0.019	<1	3.19	38	439	<2	1	0.80	<4	14	15	11	1.61	<0.01	7	0.43	129	15	40	123	43	>10.00	<5	22	<10	294	1913	<2	40	20	6	61
232758	1184933	0.013	<1	3.88	20	534	2	6	0.89	<4	8	16	14	0.85	<0.01	10	0.61	209	15	27	622	67	3.46	<5	29	<10	259	2089	<2	46	23	9	66
232759D	1184933	0.070	<1	4.32	20	592	2	3	0.99	<4	8	16	13	0.84	<0.01	15	0.63	212	18	29	592	69	3.26	<5	27	<10	272	2141	<2	48	23	8	60
232760	1184934	0.032	<1	4.41	17	519	<2	<1	1.49	<4	7	14	17	1.90	<0.01	13	0.82	406	18	28	550	39	4.96	<5	36	<10	256	1809	<2	38	24	9	45
232761	1184935	0.015	<1	4.49	12	522	2	<1	1.46	<4	6	14	17	1.80	<0.01	15	0.95	386	17	30	545	43	3.18	<5	16	10	253	1792	<2	36	28	9	42
232762	1184936	<0.005	<1	4.69	17	633	<2	11	1.55	<4	7	17	14	1.79	<0.01	18	0.93	406	16	27	520	43	3.14	<5	26	<10	255	2098	<2	39	25	8	47
232763	1184937	0.025	<1	4.59	17	488	2	5	1.39	<4	9	17	12	1.57	<0.01	13	0.84	430	17	31	488	52	4.02	<5	13	<10	218	1884	<2	37	23	8	89
232764	1184938	0.057	<1	4.29	20	389	2	8	1.43	<4	8	13	14	1.88	<0.01	7	0.78	429	15	28	517	52	6.46	5	28	<10	243	1700	<2	33	23	8	65
232765	1184939	0.053	<1	4.65	32	476	3	11	2.46	<4	9	17	18	2.01	<0.01	9	0.99	548	17	31	540	74	5.84	<5	27	<10	240	1768	<2	36	26	8	103
232766	1184940	<0.005	<1	2.05	8	363	<2	7	1.42	<4	13	32	23	2.43	<0.01	2	0.98	472	15	30	546	39	0.56	<5	18	<10	242	1908	<2	79	47	15	40
232767	1184941	0.447	<1	3.54	52	318	<2	10	1.14	<4	7	17	72	2.02	<0.01	5	0.72	417	17	32	488	134	9.43	<5	24	<10	168	1559	<2	29	26	8	402
232768	1184942	0.022	<1	5.56	16	337	2	20	2.62	<4	10	14	9	2.02	<0.01	5	0.78	505	17	32	527	55	4.21	<5	41	<10	263	1797	<2	32	26	9	57
232769	1184943	0.009	<1	3.76	24	389	<2	9	1.41	<4	6	16	20	1.43	<0.01	11	0.66	419	18	30	490	74	4.19	<5	34	<10	167	1821	<2	34	30	7	88
232770D	1184943	<0.005	<1	5.21	16	347	<2	4	1.54	<4	6	19	21	1.48	<0.01	11	0.73	433	18	30	550	79	4.51	<5	32	<10	173	1674	<2	31	31	9	94
232771	1184944	0.089	<1	5.10	20	399	2	4	1.37	<4	6	15	29	1.14	<0.01	7	0.93	414	18	29	637	117	5.23	<5	21	<10	162	1711	<2	31	21	8	64
232772	1184945	0.329	2	5.55	51	375	3	13	0.57	9	8	15	85	1.66	<0.01	12	0.75	304	20	34	717	960	>10.00	5	31	<10	112	1869	<2	34	57	9	2690
232773	1184946	0.104	2	4.55	46	352	2	8	0.55	7	7	15	68	1.72	<0.01	8	0.67	281	18	32	678	937	>10.00	5	31	10	109	1823	<2	33	48	8	1707
232774	1184947	0.373	<1	4.56	58	436	2	8	0.54	4	6	14	32	1.26	<0.01	11	0.72	311	19	29	578	134	7.62	<5	29	<10	97	1715	<2	32	31	7	722
232775	1184948	0.297	<1	4.51	39	496	<2	5	0.33	<4	8	15	12	0.90	<0.01	10	0.64	224	19	30	536	85	4.50	5	34	<10	84	1794	<2	32	28	7	86

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232776	1184949	0.357	<1	4.50	53	461	2	4	0.38	<4	7	13	14	1.00	<0.01	11	0.69	251	19	28	489	70	5.33	<5	31	<10	89	1679	<2	29	23	7	50
232777	1184950	0.234	110	2.35	276	139	2	6	1.08	27	14	51	6088	5.57	<0.01	5	1.24	1720	38	35	504	10701	>10.00	299	24	<10	212	1805	<2	82	78	14	5086
232778	1184951	2.065	<1	3.42	42	436	2	8	0.03	<4	9	16	62	1.07	<0.01	9	0.52	122	18	29	444	237	6.18	<5	20	<10	73	1629	<2	28	24	6	117
232779	1184952	0.367	<1	3.40	36	380	2	11	0.48	<4	9	13	19	0.86	<0.01	3	0.68	316	16	26	483	293	4.26	<5	26	<10	87	1415	<2	24	28	7	266
232780	1184953	0.018	<1	4.89	14	539	2	6	1.83	<4	10	13	11	1.07	<0.01	17	1.18	639	20	29	506	68	2.12	<5	50	10	173	1993	4	34	23	6	32
232781R	1184953	0.016	<1	4.75	18	422	2	6	1.70	<4	10	11	12	1.02	<0.01	12	1.19	611	19	30	501	58	2.04	<5	33	<10	159	1643	<2	28	26	7	26
232782	1184954	0.056	<1	4.49	19	404	4	9	1.45	<4	13	12	17	1.09	<0.01	13	1.19	629	18	32	534	76	2.21	<5	23	<10	159	1882	<2	34	23	9	73
232783	1184955	0.039	5	5.43	11	420	2	5	1.32	<4	6	13	17	1.12	<0.01	15	1.11	672	18	25	497	708	3.19	<5	33	<10	147	1868	<2	32	35	7	758
232784	1184956	0.033	7	4.62	4	448	<2	3	0.91	<4	6	13	60	0.94	<0.01	17	0.84	488	18	27	468	316	2.07	<5	23	<10	133	1863	<2	28	37	7	609
232785	1184957	0.011	<1	3.81	3	360	<2	9	1.00	<4	6	12	15	1.09	<0.01	11	1.05	717	16	25	467	88	1.63	<5	31	<10	142	1685	<2	30	25	7	70
232786	1184958	0.007	<1	4.95	14	555	3	5	1.19	<4	5	10	34	1.00	<0.01	10	0.84	600	17	25	406	161	2.16	<5	48	<10	190	1648	<2	25	27	7	49
232787	1184959	0.006	<1	3.61	5	417	2	9	0.85	<4	8	11	25	1.01	<0.01	9	0.98	627	17	28	500	103	1.62	<5	25	<10	155	1670	<2	28	27	7	92
232788	1184960	<0.005	<1	2.56	8	393	2	7	1.47	<4	12	32	24	2.49	<0.01	4	1.01	486	16	31	565	40	0.50	<5	23	<10	256	1997	<2	83	45	16	42
232789	1184961	0.040	<1	3.55	10	541	3	8	0.95	<4	7	17	45	1.05	<0.01	4	0.75	537	18	36	387	113	2.47	<5	34	<10	166	1543	<2	22	26	7	40
232790	1184962	0.007	<1	3.11	10	302	2	11	0.87	<4	7	20	52	0.90	<0.01	6	0.78	465	19	40	372	136	1.96	<5	29	<10	149	1264	<2	24	30	6	355
232791	1184963	0.036	6	3.42	19	371	2	17	1.21	8	9	15	118	1.41	<0.01	10	0.72	498	91	37	1999	1503	6.47	<5	33	<10	164	1513	<2	27	59	10	2713
232792D	1184963	0.038	6	2.84	13	347	2	13	1.16	8	9	14	122	1.43	<0.01	7	0.69	502	96	35	2063	1568	6.66	<5	16	<10	157	1429	<2	27	59	10	2804
232793	1184964	0.012	<1	3.21	9	514	2	9	0.79	<4	9	17	81	1.37	<0.01	8	0.69	497	18	39	372	160	4.37	<5	39	<10	152	1567	<2	30	26	5	108
232794	1184965	0.023	<1	3.66	10	417	<2	2	0.93	<4	7	14	14	1.38	<0.01	9	0.93	583	16	34	523	53	3.69	<5	31	<10	153	1674	<2	31	26	7	47
232795	1184966	0.057	<1	3.98	8	424	<2	<1	0.88	<4	9	17	13	1.38	<0.01	9	0.96	587	16	38	514	54	3.59	<5	26	<10	148	1677	<2	31	28	7	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232796	1184967	0.063	<1	4.28	13	439	<2	9	0.89	<4	8	12	18	1.58	<0.01	9	0.96	640	16	28	526	50	3.77	<5	34	<10	150	1789	<2	32	23	7	52
232797	1184968	0.221	1	3.93	25	358	2	10	0.61	8	6	19	207	1.90	<0.01	6	0.59	359	18	42	351	237	8.89	<5	31	11	160	1382	<2	26	51	6	2198
232798	1184969	0.067	<1	4.05	31	282	2	7	0.61	<4	9	16	100	1.25	<0.01	7	0.80	516	16	36	429	121	6.05	<5	27	<10	141	1483	<2	28	27	7	136
232799	1184970	5.099	<1	2.78	503	749	<2	13	2.32	4	14	124	87	3.49	<0.01	10	1.33	491	31	63	876	60	6.72	19	26	<10	211	1665	<2	129	31	16	242
232800	1184971	0.044	<1	3.29	14	409	2	8	0.32	<4	8	22	36	1.26	<0.01	5	0.55	294	16	35	337	184	4.54	<5	21	11	127	1410	<2	25	33	6	478
232801	1184972	0.066	<1	3.89	22	413	2	6	0.76	<4	8	11	19	1.15	<0.01	7	0.94	729	15	27	436	97	3.88	<5	29	<10	150	1772	<2	31	23	6	95
232802	1184973	0.125	<1	1.04	48	268	2	11	<0.01	<4	8	18	29	1.34	<0.01	<1	0.48	212	13	28	413	144	8.63	<5	20	<10	86	1240	<2	23	29	5	223
232803D	1184973	0.117	<1	1.42	43	288	<2	2	0.01	<4	9	19	28	1.36	<0.01	<1	0.50	212	14	28	417	145	8.78	<5	27	<10	90	1276	<2	24	27	5	227
232804	1184974	0.691	<1	2.40	59	358	2	<1	0.13	<4	7	23	27	1.74	<0.01	3	0.49	199	18	30	410	80	>10.00	<5	30	<10	111	1556	<2	31	26	6	78
232805	1184975	0.816	2	2.79	57	394	2	16	<0.01	<4	7	20	47	1.81	<0.01	<1	0.43	138	16	32	441	128	>10.00	<5	20	<10	88	1585	<2	31	26	7	226
232806	1184976	1.376	4	4.46	41	504	2	10	0.78	<4	6	21	239	1.80	<0.01	13	0.74	633	20	25	474	207	>10.00	<5	44	11	149	1889	<2	39	27	7	372
232807	1184977	0.770	3	3.21	27	453	2	<1	0.54	<4	5	18	55	1.51	<0.01	5	0.66	561	14	23	473	127	8.46	<5	26	<10	125	1770	<2	35	25	6	305
232808	1184978	0.141	<1	3.51	17	444	<2	6	0.66	<4	4	17	27	1.72	<0.01	6	0.82	844	13	26	551	63	5.77	<5	22	<10	125	1869	<2	36	23	7	65
232809	1184979	0.297	<1	2.61	44	346	2	5	0.21	<4	7	22	18	1.51	<0.01	1	0.56	379	13	28	464	169	8.44	<5	19	<10	101	1601	<2	32	26	7	204
232810	1184980	0.005	<1	0.84	9	323	<2	<1	1.30	<4	12	30	23	2.42	<0.01	<1	0.94	468	13	29	542	35	0.60	<5	34	<10	223	1828	<2	80	43	14	39
232811	1184981	0.255	<1	1.37	42	314	<2	<1	0.17	<4	6	21	16	1.40	<0.01	<1	0.60	404	13	30	408	130	8.58	<5	22	<10	86	1340	<2	26	26	6	207
232812	1184982	1.891	12	3.84	47	387	<2	8	0.89	7	6	20	315	2.26	<0.01	9	0.86	768	17	29	405	2655	>10.00	17	20	10	130	1737	<2	33	46	7	2336
232813	1184983	4.138	<1	2.39	31	340	<2	10	0.80	<4	7	28	38	1.66	<0.01	<1	0.86	986	13	32	459	149	6.78	<5	29	<10	120	1671	<2	33	24	6	154
232814D	1184983	1.823	<1	3.47	34	372	2	2	0.96	<4	7	29	34	1.66	<0.01	5	0.90	1001	15	30	468	124	6.81	<5	34	<10	134	1746	<2	34	24	7	130
232815	1184984	49.966	13	3.78	60	250	2	2	0.22	5	7	27	42	2.08	<0.01	5	0.50	288	19	30	437	864	>10.00	<5	21	<10	114	1743	<2	34	42	7	1572

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, November 10, 2011

### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232816	1184985	0.403	<1	3.27	38	362	<2	3	0.85	<4	9	34	34	2.00	<0.01	7	0.83	806	15	32	478	64	7.00	<5	29	<10	131	1961	<2	41	26	8	84
232817	1184986	0.806	<1	3.50	36	344	<2	7	0.72	<4	8	27	36	1.89	<0.01	6	0.75	778	15	31	451	108	8.47	<5	35	<10	125	1798	<2	37	24	8	93
232818	1184987	0.692	<1	3.26	41	329	<2	10	0.76	<4	9	27	37	2.04	<0.01	4	0.75	873	14	30	453	112	9.39	<5	16	11	126	1775	<2	37	22	7	105
232819	1184988	0.021	7	3.38	19	182	<2	7	1.05	<4	5	14	14	1.87	<0.01	7	1.24	813	14	26	415	57	4.44	<5	19	<10	168	1681	8	32	24	7	105
232820	1184989	0.034	9	4.72	20	219	2	9	2.23	<4	11	20	21	1.52	<0.01	11	1.57	764	14	31	447	80	2.96	<5	29	<10	233	1689	<2	33	26	7	133
232821	1184990	4.906	2	3.43	43	69	2	3	2.34	5	17	61	7202	4.87	<0.01	2	1.21	545	773	26	903	68	>10.00	9	41	<10	246	707	<2	105	29	15	93
232822	1184991	0.010	<1	5.48	13	284	<2	8	2.76	<4	6	16	79	1.32	<0.01	13	1.77	667	26	27	505	51	2.58	<5	32	<10	191	1754	<2	36	23	8	32
232823	1184992	0.049	<1	2.59	27	189	<2	6	1.33	<4	5	13	9	1.18	<0.01	3	1.18	494	14	22	426	63	4.50	7	33	<10	114	1312	<2	24	26	6	105
232824	1184993	0.236	<1	2.53	27	223	2	<1	<0.01	<4	4	15	11	1.14	<0.01	<1	0.56	172	13	24	367	66	6.80	<5	25	<10	68	1308	<2	24	23	6	63
232825D	1184993	0.237	<1	3.60	25	262	2	6	0.07	<4	4	16	11	1.20	<0.01	4	0.61	180	15	23	393	71	7.21	<5	31	<10	76	1411	<2	25	26	7	66
232826	1184994	0.188	1	2.29	39	264	2	3	0.06	<4	3	18	14	1.18	<0.01	<1	0.64	293	13	27	378	69	7.32	<5	14	<10	69	1204	<2	22	20	6	104
232827	1184995	0.082	<1	3.95	20	301	2	4	1.00	<4	4	18	11	0.97	<0.01	5	0.95	554	15	26	414	65	4.08	<5	27	<10	101	1288	<2	25	20	6	59
232828	1184996	0.124	16	1.82	52	215	2	10	<0.01	4	3	19	79	1.36	<0.01	<1	0.36	<100	14	26	277	608	>10.00	13	21	<10	61	1033	<2	21	42	5	1478
232829	1184997	0.122	13	2.46	34	244	<2	7	<0.01	<4	4	16	36	1.19	<0.01	<1	0.38	112	13	26	354	172	8.03	<5	22	<10	65	1161	<2	21	26	5	332
232830	1184998	0.092	4	3.45	31	212	2	<1	1.06	<4	4	15	15	1.41	<0.01	4	0.95	737	15	25	393	76	6.46	<5	27	<10	100	1269	<2	23	31	6	133
232831	1184999	0.011	<1	3.76	27	386	<2	<1	1.56	<4	8	13	18	1.69	<0.01	11	0.90	454	15	25	681	46	5.77	<5	24	<10	182	1761	<2	36	26	8	38
232832	1185000	0.005	<1	2.39	10	403	<2	6	1.45	<4	13	32	24	2.48	<0.01	2	0.98	484	14	27	559	33	0.61	<5	15	<10	266	2053	2	84	46	15	41
232833	1185001	0.006	<1	3.61	57	472	<2	9	0.90	<4	11	13	12	1.25	<0.01	3	0.62	275	15	28	644	45	8.26	<5	26	<10	168	1581	<2	34	24	7	14
232834	1185002	0.008	<1	3.36	42	456	2	6	1.05	<4	7	13	8	1.01	<0.01	2	0.68	271	14	27	645	46	6.86	<5	33	<10	158	1460	<2	31	26	7	11
232835	1185003	0.014	<1	3.76	35	477	<2	15	1.10	<4	8	21	9	1.17	<0.01	3	0.66	231	15	28	628	44	7.59	<5	25	<10	156	1697	<2	39	24	8	41

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, November 10, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232836D	1185003	0.014	<1	3.92	38	471	2	7	1.06	<4	9	22	12	1.20	<0.01	4	0.67	234	14	29	646	52	7.80	<5	42	10	151	1732	<2	40	27	8	46
232837	1185004	0.021	<1	4.74	17	278	2	14	1.69	<4	25	150	57	4.06	<0.01	16	1.57	573	19	89	595	58	>10.00	<5	24	<10	177	2392	<2	91	25	15	80
232838	1185005	0.078	<1	3.14	35	443	2	1	1.14	<4	9	16	8	1.93	<0.01	6	1.01	633	15	29	594	49	6.86	<5	30	<10	152	1740	<2	35	25	7	62
232839	1185006	0.050	<1	3.61	57	34	2	3	0.51	<4	7	15	9	2.26	<0.01	5	0.67	263	17	29	518	80	>10.00	<5	25	<10	149	1649	<2	32	29	8	325
232840	1185007	0.067	<1	2.79	58	5	2	4	0.46	<4	7	15	11	2.27	<0.01	3	0.67	266	15	30	525	75	>10.00	<5	18	<10	139	1538	<2	30	30	7	411
232841	1185008	0.036	<1	4.21	32	463	<2	8	1.43	<4	9	15	12	2.27	<0.01	13	1.21	752	17	30	684	55	6.65	<5	30	<10	155	2015	<2	43	27	8	101
232842	1185009	0.233	<1	4.18	91	42	3	7	0.40	9	16	68	119	4.14	<0.01	6	0.61	209	20	55	522	91	>10.00	<5	23	<10	118	2087	<2	54	51	11	1807
232843	1185010	0.251	106	2.01	290	58	2	9	1.03	28	16	53	6160	5.83	<0.01	2	1.30	1786	36	37	526	10671	>10.00	193	12	10	206	1784	<2	82	80	15	5252
232844	1185011	0.258	1	4.79	41	421	2	3	1.75	4	6	17	128	1.84	<0.01	12	1.26	501	17	30	550	258	8.17	6	17	<10	149	1761	<2	35	35	8	738
232845	1185012	0.603	<1	5.34	34	456	2	14	2.16	4	9	18	40	2.07	<0.01	13	1.34	530	17	31	596	112	7.37	<5	30	<10	171	1735	<2	32	35	8	775
232846	1185013	0.041	<1	3.77	37	390	<2	8	1.43	<4	9	15	12	2.12	<0.01	10	1.12	465	15	31	574	68	7.32	<5	22	<10	138	1809	<2	36	27	8	72
232847R	1185013	0.020	<1	4.68	43	443	2	3	1.61	<4	10	16	11	2.15	<0.01	14	1.11	454	18	31	577	69	7.59	<5	23	<10	155	1923	<2	38	28	8	64
232848	1185014	0.080	<1	4.13	44	303	2	2	1.45	<4	12	16	14	2.14	<0.01	13	1.14	478	15	27	596	58	8.77	<5	37	<10	139	1885	<2	36	27	8	95
232849	1185015	0.127	<1	4.07	46	439	<2	7	1.58	<4	8	17	8	2.09	<0.01	11	1.16	397	16	27	593	46	5.52	<5	32	<10	137	1858	<2	36	28	8	130
232850	1185016	0.066	<1	3.89	46	353	<2	6	1.07	<4	9	14	22	1.96	<0.01	10	0.82	307	16	25	586	50	7.81	<5	31	<10	123	1855	<2	36	28	7	300
232851	1185017	0.075	<1	3.60	48	311	2	6	1.10	<4	7	17	24	1.87	<0.01	11	0.88	349	16	28	583	50	6.95	<5	24	<10	121	1787	<2	35	23	8	86
232852	1185018	0.213	<1	4.27	69	114	4	7	1.18	5	11	19	41	2.18	<0.01	11	0.97	391	17	26	559	68	>10.00	<5	35	<10	122	1727	<2	34	26	11	387

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:  Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232716	1184894	102	0.003	0.102
232717	1184895	999	0.029	0.999
232718	1184896	52	0.002	0.052
232719	1184897	21	<0.001	0.021
232720	1184898	38	0.001	0.038
232721	1184899	26	<0.001	0.026
232722	1184900	<5	<0.001	<0.005
232723	1184901	36	0.001	0.036
232724	1184902	9	<0.001	0.009
232725	1184903	50	0.001	0.050
232726 Dup	1184903	48	0.001	0.048
232727	1184904	16	<0.001	0.016
232728	1184905	22	<0.001	0.022
232729	1184906	14	<0.001	0.014
232730	1184907	15	<0.001	0.015
232731	1184908	11	<0.001	0.011
232732	1184909	<5	<0.001	<0.005
232733	1184910	1204	0.035	1.204
232734	1184911	6	<0.001	0.006
232735	1184912	<5	<0.001	<0.005
232736	1184913	<5	<0.001	<0.005
232737 Dup	1184913	<5	<0.001	<0.005
232738	1184914	9	<0.001	0.009
232739	1184915	7	<0.001	0.007
232740	1184916	31	<0.001	0.031
232741	1184917	54	0.002	0.054
232742	1184918	124	0.004	0.124
232743	1184919	25	<0.001	0.025
232744	1184920	<5	<0.001	<0.005
232745	1184921	122	0.004	0.122

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232746	1184922	18	<0.001	0.018
232747	1184923	43	0.001	0.043
232748 Dup	1184923	50	0.001	0.050
232749	1184924	19	<0.001	0.019
232750	1184925	17	<0.001	0.017
232751	1184926	10	<0.001	0.010
232752	1184927	6	<0.001	0.006
232753	1184928	6	<0.001	0.006
232754	1184929	19	<0.001	0.019
232755	1184930	1387	0.040	1.387
232756	1184931	7	<0.001	0.007
232757	1184932	19	<0.001	0.019
232758	1184933	13	<0.001	0.013
232759 Dup	1184933	70	0.002	0.070
232760	1184934	32	<0.001	0.032
232761	1184935	15	<0.001	0.015
232762	1184936	<5	<0.001	<0.005
232763	1184937	25	<0.001	0.025
232764	1184938	57	0.002	0.057
232765	1184939	53	0.002	0.053
232766	1184940	<5	<0.001	<0.005
232767	1184941	447	0.013	0.447
232768	1184942	22	<0.001	0.022
232769	1184943	9	<0.001	0.009
232770 Dup	1184943	<5	<0.001	<0.005
232771	1184944	89	0.003	0.089
232772	1184945	329	0.010	0.329
232773	1184946	104	0.003	0.104
232774	1184947	373	0.011	0.373
232775	1184948	297	0.009	0.297

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232776	1184949	357	0.010	0.357
232777	1184950	234	0.007	0.234
232778	1184951	2065	0.060	2.065
232779	1184952	367	0.011	0.367
232780	1184953	18	<0.001	0.018
232781 Rep	1184953	16	<0.001	0.016
232782	1184954	56	0.002	0.056
232783	1184955	39	0.001	0.039
232784	1184956	33	<0.001	0.033
232785	1184957	11	<0.001	0.011
232786	1184958	7	<0.001	0.007
232787	1184959	6	<0.001	0.006
232788	1184960	<5	<0.001	<0.005
232789	1184961	40	0.001	0.040
232790	1184962	7	<0.001	0.007
232791	1184963	36	0.001	0.036
232792 Dup	1184963	38	0.001	0.038
232793	1184964	12	<0.001	0.012
232794	1184965	23	<0.001	0.023
232795	1184966	57	0.002	0.057
232796	1184967	63	0.002	0.063
232797	1184968	221	0.006	0.221
232798	1184969	67	0.002	0.067
232799	1184970	5099	0.149	5.099
232800	1184971	44	0.001	0.044
232801	1184972	66	0.002	0.066
232802	1184973	125	0.004	0.125
232803 Dup	1184973	117	0.003	0.117
232804	1184974	691	0.020	0.691
232805	1184975	816	0.024	0.816

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232806	1184976	1376	0.040	1.376
232807	1184977	770	0.022	0.770
232808	1184978	141	0.004	0.141
232809	1184979	297	0.009	0.297
232810	1184980	5	<0.001	0.005
232811	1184981	255	0.007	0.255
232812	1184982	1891	0.055	1.891
232813	1184983	4138	0.121	4.138
232814 Dup	1184983	1823	0.053	1.823
232815	1184984	49966	1.458	49.966
232816	1184985	291	0.008	0.291
232817	1184986	674	0.020	0.674
232818	1184987	413	0.012	0.413
232819	1184988	21	<0.001	0.021
232820	1184989	30	<0.001	0.030
232821	1184990	1163	0.034	1.163
232822	1184991	15	<0.001	0.015
232823	1184992	54	0.002	0.054
232824	1184993	171	0.005	0.171
232825 Dup	1184993	167	0.005	0.167
232826	1184994	192	0.006	0.192
232827	1184995	82	0.002	0.082
232828	1184996	124	0.004	0.124
232829	1184997	122	0.004	0.122
232830	1184998	92	0.003	0.092
232831	1184999	11	<0.001	0.011
232832	1185000	5	<0.001	0.005
232833	1185001	6	<0.001	0.006
232834	1185002	8	<0.001	0.008
232835	1185003	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232836 Dup	1185003	14	<0.001	0.014
232837	1185004	21	<0.001	0.021
232838	1185005	78	0.002	0.078
232839	1185006	50	0.001	0.050
232840	1185007	67	0.002	0.067
232841	1185008	36	0.001	0.036
232842	1185009	233	0.007	0.233
232843	1185010	251	0.007	0.251
232844	1185011	258	0.008	0.258
232845	1185012	603	0.018	0.603
232846	1185013	41	0.001	0.041
232847 Rep	1185013	20	<0.001	0.020
232848	1185014	80	0.002	0.080
232849	1185015	127	0.004	0.127
232850	1185016	66	0.002	0.066
232851	1185017	75	0.002	0.075
232852	1185018	213	0.006	0.213

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232716	1184894	102	0.003	0.102
232717	1184895	999	0.029	0.999
232718	1184896	52	0.002	0.052
232719	1184897	21	<0.001	0.021
232720	1184898	38	0.001	0.038
232721	1184899	26	<0.001	0.026
232722	1184900	<5	<0.001	<0.005
232723	1184901	36	0.001	0.036
232724	1184902	9	<0.001	0.009
232725	1184903	50	0.001	0.050
232726 Dup	1184903	48	0.001	0.048
232727	1184904	16	<0.001	0.016
232728	1184905	22	<0.001	0.022
232729	1184906	14	<0.001	0.014
232730	1184907	15	<0.001	0.015
232731	1184908	11	<0.001	0.011
232732	1184909	<5	<0.001	<0.005
232733	1184910	1204	0.035	1.204
232734	1184911	6	<0.001	0.006
232735	1184912	<5	<0.001	<0.005
232736	1184913	<5	<0.001	<0.005
232737 Dup	1184913	<5	<0.001	<0.005
232738	1184914	9	<0.001	0.009
232739	1184915	7	<0.001	0.007
232740	1184916	31	<0.001	0.031
232741	1184917	54	0.002	0.054
232742	1184918	124	0.004	0.124
232743	1184919	25	<0.001	0.025
232744	1184920	<5	<0.001	<0.005
232745	1184921	122	0.004	0.122

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232746	1184922	18	<0.001	0.018
232747	1184923	43	0.001	0.043
232748 Dup	1184923	50	0.001	0.050
232749	1184924	19	<0.001	0.019
232750	1184925	17	<0.001	0.017
232751	1184926	10	<0.001	0.010
232752	1184927	6	<0.001	0.006
232753	1184928	6	<0.001	0.006
232754	1184929	19	<0.001	0.019
232755	1184930	1387	0.040	1.387
232756	1184931	7	<0.001	0.007
232757	1184932	19	<0.001	0.019
232758	1184933	13	<0.001	0.013
232759 Dup	1184933	70	0.002	0.070
232760	1184934	32	<0.001	0.032
232761	1184935	15	<0.001	0.015
232762	1184936	<5	<0.001	<0.005
232763	1184937	25	<0.001	0.025
232764	1184938	57	0.002	0.057
232765	1184939	53	0.002	0.053
232766	1184940	<5	<0.001	<0.005
232767	1184941	447	0.013	0.447
232768	1184942	22	<0.001	0.022
232769	1184943	9	<0.001	0.009
232770 Dup	1184943	<5	<0.001	<0.005
232771	1184944	89	0.003	0.089
232772	1184945	329	0.010	0.329
232773	1184946	104	0.003	0.104
232774	1184947	373	0.011	0.373
232775	1184948	297	0.009	0.297

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232776	1184949	357	0.010	0.357
232777	1184950	234	0.007	0.234
232778	1184951	2065	0.060	2.065
232779	1184952	367	0.011	0.367
232780	1184953	18	<0.001	0.018
232781 Rep	1184953	16	<0.001	0.016
232782	1184954	56	0.002	0.056
232783	1184955	39	0.001	0.039
232784	1184956	33	<0.001	0.033
232785	1184957	11	<0.001	0.011
232786	1184958	7	<0.001	0.007
232787	1184959	6	<0.001	0.006
232788	1184960	<5	<0.001	<0.005
232789	1184961	40	0.001	0.040
232790	1184962	7	<0.001	0.007
232791	1184963	36	0.001	0.036
232792 Dup	1184963	38	0.001	0.038
232793	1184964	12	<0.001	0.012
232794	1184965	23	<0.001	0.023
232795	1184966	57	0.002	0.057
232796	1184967	63	0.002	0.063
232797	1184968	221	0.006	0.221
232798	1184969	67	0.002	0.067
232799	1184970	5099	0.149	5.099
232800	1184971	44	0.001	0.044
232801	1184972	66	0.002	0.066
232802	1184973	125	0.004	0.125
232803 Dup	1184973	117	0.003	0.117
232804	1184974	691	0.020	0.691
232805	1184975	816	0.024	0.816

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232806	1184976	1376	0.040	1.376
232807	1184977	770	0.022	0.770
232808	1184978	141	0.004	0.141
232809	1184979	297	0.009	0.297
232810	1184980	5	<0.001	0.005
232811	1184981	255	0.007	0.255
232812	1184982	1891	0.055	1.891
232813	1184983	4138	0.121	4.138
232814 Dup	1184983	1823	0.053	1.823
232815	1184984	49966	1.458	49.966
232816	1184985	403	0.012	0.403
232817	1184986	806	0.024	0.806
232818	1184987	692	0.020	0.692
232819	1184988	21	<0.001	0.021
232820	1184989	34	<0.001	0.034
232821	1184990	4906	0.143	4.906
232822	1184991	10	<0.001	0.010
232823	1184992	49	0.001	0.049
232824	1184993	236	0.007	0.236
232825 Dup	1184993	237	0.007	0.237
232826	1184994	188	0.005	0.188
232827	1184995	82	0.002	0.082
232828	1184996	124	0.004	0.124
232829	1184997	122	0.004	0.122
232830	1184998	92	0.003	0.092
232831	1184999	11	<0.001	0.011
232832	1185000	5	<0.001	0.005
232833	1185001	6	<0.001	0.006
232834	1185002	8	<0.001	0.008
232835	1185003	14	<0.001	0.014

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143461  
 Reference: TL11226  
 Sample #: 125

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232836 Dup	1185003	14	<0.001	0.014
232837	1185004	21	<0.001	0.021
232838	1185005	78	0.002	0.078
232839	1185006	50	0.001	0.050
232840	1185007	67	0.002	0.067
232841	1185008	36	0.001	0.036
232842	1185009	233	0.007	0.233
232843	1185010	251	0.007	0.251
232844	1185011	258	0.008	0.258
232845	1185012	603	0.018	0.603
232846	1185013	41	0.001	0.041
232847 Rep	1185013	20	<0.001	0.020
232848	1185014	80	0.002	0.080
232849	1185015	127	0.004	0.127
232850	1185016	66	0.002	0.066
232851	1185017	75	0.002	0.075
232852	1185018	213	0.006	0.213

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AlSu1

 Certified By:   
 Dr. David Brown, VP Quality

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143748  
 Reference: TL11227  
 Sample #: 38

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
250985	1227313	0.028	2	5.99	9	87	2	15	3.98	7	38	33	103	10.45	0.06	39	2.44	2828	<1	55	971	72	2.94	<5	<5	<10	180	3970	<2	293	<10	28	345
250986	1227314	0.266	8	3.29	23	<1	3	33	4.66	17	55	34	545	21.30	<0.01	20	1.82	3186	15	94	406	202	>10.00	<5	<5	<10	545	2114	6	150	<10	20	942
250987	1227315	0.038	2	6.08	11	394	2	14	1.82	<4	24	141	57	4.46	<0.01	34	1.54	718	<1	92	618	59	3.04	<5	<5	<10	248	2473	4	92	<10	14	127
250988	1227316	0.038	2	5.03	8	374	2	13	1.63	<4	22	137	51	4.13	<0.01	30	1.37	641	<1	89	574	57	2.87	<5	<5	<10	248	2290	<2	88	<10	12	122
250989	1227317	0.021	1	6.45	7	379	2	21	1.97	<4	23	137	56	4.40	0.14	42	1.62	689	<1	82	828	29	0.66	<5	<5	<10	229	2706	<2	87	<10	14	86
250990	1227318	0.012	1	5.53	5	389	2	16	1.86	<4	19	116	48	3.39	0.09	27	1.27	605	<1	65	621	21	1.12	<5	<5	<10	242	2484	3	76	<10	10	82
250991	1227319	0.042	2	6.82	10	426	2	28	2.93	<4	24	152	60	4.73	<0.01	23	1.74	1065	<1	96	684	35	2.95	6	<5	<10	311	2493	5	94	<10	14	117
250992	1227320	<0.005	<1	3.21	5	339	<2	14	1.45	<4	12	28	25	2.39	0.32	5	0.92	425	<1	24	564	6	0.09	5	<5	<10	222	1862	<2	75	24	13	41
250993	1227321	0.106	3	5.16	55	65	2	19	1.21	6	35	100	163	7.20	<0.01	19	1.29	665	2	88	522	61	8.49	<5	<5	<10	213	1918	<2	76	<10	9	654
250994	1227322	0.041	1	5.28	4	507	2	14	1.58	<4	20	117	106	3.93	<0.01	26	1.37	845	<1	74	603	24	1.65	<5	<5	<10	175	2636	3	82	<10	10	355
250995D	1227322	0.045	1	5.03	3	437	<2	13	1.56	<4	20	109	102	3.91	<0.01	22	1.42	823	<1	75	607	24	1.68	<5	<5	<10	171	2479	3	76	<10	12	355
250996	1227323	0.065	2	4.76	3	286	2	19	1.65	10	21	101	101	4.24	<0.01	24	1.56	755	<1	68	539	283	2.09	<5	<5	<10	174	2031	<2	68	19	10	1804
250997	1227324	0.039	2	6.67	6	384	2	21	3.01	5	22	142	102	4.77	<0.01	29	1.95	1140	<1	84	657	53	2.22	<5	<5	<10	256	2455	5	89	<10	14	670
250998	1227325	0.085	2	4.92	75	235	2	18	1.40	7	21	65	108	5.18	<0.01	19	1.32	713	<1	85	561	30	5.60	<5	<5	<10	172	1855	<2	58	13	8	1148
250999	1227326	0.030	1	5.24	6	356	<2	13	1.37	<4	18	90	45	3.39	0.05	26	1.46	700	<1	64	591	14	1.18	<5	<5	<10	156	2263	<2	67	<10	11	197
251000	1227327	0.017	<1	3.86	9	408	<2	24	1.25	<4	5	12	6	1.24	<0.01	7	0.85	379	<1	23	331	6	0.41	<5	5	<10	176	1245	<2	22	<10	5	65
251001	1227328	0.043	1	4.44	8	565	<2	12	1.54	<4	6	13	46	1.38	0.05	11	0.78	432	<1	25	346	6	0.83	<5	<5	<10	254	1342	5	24	<10	5	489
251002	1227329	0.029	<1	5.09	9	568	<2	10	1.52	<4	6	13	9	1.37	0.59	11	0.78	412	<1	24	368	4	0.70	<5	<5	<10	283	1327	<2	25	<10	5	123
251003	1227330	5.286	2	4.50	453	1344	<2	15	2.43	<4	14	105	96	3.48	<0.01	15	1.26	454	6	54	896	22	1.49	31	<5	<10	196	1758	7	123	<10	13	242
251004	1227331	0.084	1	3.80	9	625	<2	5	1.01	<4	5	10	27	1.18	0.10	7	0.56	331	<1	25	344	7	0.95	<5	<5	<10	312	1016	2	26	<10	4	334

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143748  
 Reference: TL11227  
 Sample #: 38

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
251005	1227332	0.203	<1	5.44	8	547	<2	15	1.94	<4	6	13	10	1.49	0.24	11	0.58	357	<1	24	399	8	0.44	<5	<5	<10	394	1368	<2	28	<10	5	71
251006D	1227332	0.224	1	4.22	9	419	<2	9	1.58	<4	5	10	8	1.26	0.09	6	0.54	315	<1	19	351	7	0.37	<5	<5	<10	312	1132	<2	23	<10	5	63
251007	1227333	0.013	1	5.04	7	449	<2	23	1.89	<4	6	8	9	1.40	0.13	9	0.71	285	<1	18	384	10	0.32	<5	<5	<10	307	1322	<2	23	<10	6	65
251008	1227334	0.077	1	4.75	8	486	<2	16	1.53	<4	6	12	10	1.39	0.15	11	0.76	308	<1	24	366	24	0.44	<5	<5	<10	212	1409	2	24	<10	5	83
251009	1227335	0.017	<1	4.05	19	430	<2	13	0.97	<4	5	14	9	1.30	<0.01	7	0.61	276	<1	24	322	23	0.93	<5	<5	<10	213	1255	2	21	<10	5	109
251010	1227336	0.013	1	4.03	4	425	<2	17	1.44	<4	5	12	9	1.30	0.03	7	0.70	291	<1	20	338	16	0.41	<5	<5	<10	203	1313	<2	22	<10	5	83
251011	1227337	0.029	1	5.02	13	463	<2	20	1.73	<4	7	21	28	1.78	<0.01	12	1.08	559	<1	34	383	101	0.90	<5	6	<10	259	1411	5	24	<10	7	277
251012	1227338	0.021	1	5.80	4	532	<2	22	1.63	<4	9	15	23	2.04	<0.01	12	0.95	553	<1	31	547	30	1.16	<5	<5	<10	231	1747	8	32	<10	7	141
251013	1227339	0.028	2	4.02	3	547	<2	13	1.04	5	8	15	30	1.70	<0.01	7	0.67	413	<1	24	371	325	0.95	<5	<5	<10	192	1713	<2	34	14	5	1182
251014	1227340	<0.005	1	4.19	7	422	<2	17	1.54	<4	13	28	27	2.45	0.08	6	0.96	442	<1	25	576	7	0.10	<5	<5	<10	245	1975	<2	79	25	14	57
251015	1227341	0.028	1	3.97	4	340	<2	15	1.53	<4	17	102	46	3.18	<0.01	11	1.13	671	<1	60	546	29	1.44	<5	<5	<10	177	2201	<2	62	<10	10	397
251016	1227342	0.050	1	5.26	21	469	<2	12	1.41	<4	15	65	44	2.63	<0.01	12	0.97	567	<1	50	549	45	1.78	5	<5	<10	194	2312	3	60	<10	9	650
251017D	1227342	0.060	1	4.58	22	459	<2	13	1.31	<4	15	63	43	2.53	<0.01	10	0.92	548	<1	46	527	44	1.73	5	<5	<10	186	2265	3	59	<10	8	641
251018	1227343	0.025	1	4.71	6	442	<2	14	1.86	<4	10	24	23	2.31	0.12	10	1.02	612	<1	27	480	25	1.01	<5	<5	<10	201	1837	<2	42	<10	7	420
251019	1227344	0.028	1	4.93	4	448	<2	12	1.99	<4	11	27	25	2.72	<0.01	13	1.12	658	<1	29	527	22	0.96	<5	<5	<10	234	2144	<2	53	<10	7	273
251020	1227345	0.028	1	6.51	6	499	2	17	2.38	<4	16	57	36	3.28	0.28	18	1.20	598	<1	41	612	27	1.30	<5	<5	<10	265	2531	<2	71	<10	11	125
251021	1227346	0.047	2	4.72	10	418	2	9	0.90	<4	24	129	55	4.26	<0.01	17	1.42	475	<1	79	570	41	2.62	<5	<5	<10	157	2076	2	92	<10	6	124
251022	1227347	0.064	1	4.84	12	369	2	11	1.67	<4	25	140	62	4.23	<0.01	15	1.48	567	<1	87	589	43	2.25	5	<5	<10	193	2336	5	95	<10	10	212
251023	1227348	0.097	3	4.80	6	490	2	15	1.32	16	23	137	92	3.80	<0.01	16	1.30	529	<1	81	595	784	2.00	<5	<5	<10	196	2440	<2	89	34	10	3150
251024	1227349	0.063	1	5.37	7	449	2	14	2.71	<4	23	154	42	3.94	<0.01	20	1.49	734	<1	86	583	33	2.15	<5	<5	<10	296	2405	4	91	<10	14	132

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143748  
 Reference: TL11227  
 Sample #: 38

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
251025	1227350	1.484	4	4.79	35	232	2	18	2.43	4	18	53	7149	5.01	<0.01	8	1.20	512	734	22	941	40	4.28	10	6	<10	219	751	<2	97	<10	13	101

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143748  
 Reference: TL11227  
 Sample #: 38

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250985	1227313	28	<0.001	0.028
250986	1227314	266	0.008	0.266
250987	1227315	38	0.001	0.038
250988	1227316	38	0.001	0.038
250989	1227317	21	<0.001	0.021
250990	1227318	12	<0.001	0.012
250991	1227319	42	0.001	0.042
250992	1227320	<5	<0.001	<0.005
250993	1227321	106	0.003	0.106
250994	1227322	41	0.001	0.041
250995 Dup	1227322	45	0.001	0.045
250996	1227323	65	0.002	0.065
250997	1227324	39	0.001	0.039
250998	1227325	85	0.002	0.085
250999	1227326	30	<0.001	0.030
251000	1227327	17	<0.001	0.017
251001	1227328	43	0.001	0.043
251002	1227329	29	<0.001	0.029
251003	1227330	5286	0.154	5.286
251004	1227331	84	0.002	0.084
251005	1227332	203	0.006	0.203
251006 Dup	1227332	224	0.007	0.224
251007	1227333	13	<0.001	0.013
251008	1227334	77	0.002	0.077
251009	1227335	17	<0.001	0.017
251010	1227336	13	<0.001	0.013
251011	1227337	29	<0.001	0.029
251012	1227338	21	<0.001	0.021
251013	1227339	28	<0.001	0.028
251014	1227340	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 20, 2011


## Certificate of Analysis

Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143748  
 Reference: TL11227  
 Sample #: 38

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
251015	1227341	28	<0.001	0.028
251016	1227342	50	0.001	0.050
251017 Dup	1227342	60	0.002	0.060
251018	1227343	25	<0.001	0.025
251019	1227344	28	<0.001	0.028
251020	1227345	28	<0.001	0.028
251021	1227346	47	0.001	0.047
251022	1227347	64	0.002	0.064
251023	1227348	97	0.003	0.097
251024	1227349	63	0.002	0.063
251025	1227350	1484	0.043	1.484

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

Certified By:   
 Jason Moore, General Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232614	1185019	0.048	3	3.97	11	384	<2	25	2.48	<4	21	137	84	3.88	2.00	39	1.56	950	31	105	1370	40	3.04	<5	22	<10	237	2301	<2	78	<10	15	307
232615	1185020	<0.005	2	2.91	13	534	<2	24	2.25	<4	12	42	32	2.52	2.07	28	1.00	488	26	55	780	<1	0.18	<5	17	<10	293	2186	25	87	22	16	62
232616	1185021	0.008	<1	3.85	18	555	<2	22	1.50	<4	7	30	18	1.50	2.11	29	0.41	194	26	57	928	52	2.17	<5	13	<10	215	1632	239	34	<10	7	135
232617	1185022	0.018	<1	3.27	12	408	<2	21	2.23	<4	5	28	18	1.60	2.14	26	0.55	341	24	57	814	8	2.01	<5	21	<10	207	1330	226	27	<10	7	75
232618	1185023	0.011	<1	2.21	14	443	<2	13	1.58	<4	5	18	18	1.19	2.06	21	0.38	203	23	51	852	11	1.41	<5	27	<10	148	1187	305	23	<10	7	72
232619	1185024	0.008	<1	4.44	21	588	<2	13	2.44	<4	6	23	14	0.42	1.88	23	0.30	144	23	47	1000	23	0.47	<5	26	<10	250	1291	257	29	<10	6	51
232620	1185025	0.010	<1	3.19	18	476	<2	18	2.31	<4	5	19	9	0.34	1.99	19	0.24	147	19	44	211	16	0.44	<5	28	<10	243	1086	145	24	<10	5	37
232621	1185026	0.009	<1	3.14	16	432	<2	20	2.39	<4	6	20	9	0.34	1.85	19	0.24	183	20	42	546	15	0.44	<5	30	<10	243	1107	109	25	<10	5	34
232622	1185027	0.011	<1	0.44	13	317	<2	8	1.34	<4	2	36	27	0.49	1.80	21	0.27	<100	24	68	515	9	0.68	<5	24	<10	119	610	173	14	<10	5	34
232623	1185028	0.026	<1	3.29	28	601	<2	24	2.00	<4	7	25	15	1.08	2.03	23	0.30	161	23	54	915	32	1.68	<5	25	<10	205	1341	77	29	<10	7	76
232624D	1185028	0.024	<1	2.25	29	567	<2	15	1.89	<4	7	25	15	1.05	2.29	21	0.28	151	22	53	767	34	1.64	<5	23	<10	192	1261	132	27	<10	6	76
232625	1185029	0.057	<1	4.14	22	627	<2	19	1.98	<4	7	26	14	1.77	1.89	32	0.51	314	26	50	506	22	2.23	<5	22	<10	230	1453	148	29	<10	8	130
232626	1185030	5.209	<1	1.82	428	1039	<2	23	2.92	<4	12	121	85	3.30	2.23	31	1.26	468	38	80	1691	17	1.74	31	14	<10	209	1674	344	126	<10	16	242
232627	1185031	0.018	<1	4.25	20	521	<2	24	2.60	<4	8	27	17	1.83	1.96	37	1.30	657	26	56	915	23	0.98	<5	20	<10	288	1800	183	35	<10	8	197
232628	1185032	0.010	<1	1.94	6	401	<2	17	1.69	<4	2	26	9	1.05	1.90	31	2.09	810	27	45	645	9	0.24	<5	5	<10	103	826	363	13	<10	6	74
232629	1185033	0.144	1	1.94	22	514	2	16	1.03	4	3	31	28	0.84	1.81	25	0.51	149	26	51	909	222	1.07	<5	14	<10	100	847	126	17	11	5	1167
232630	1185034	0.154	<1	3.80	47	595	<2	25	1.10	5	9	32	16	1.79	1.86	37	0.68	237	33	66	492	69	3.35	<5	17	<10	100	1378	76	28	15	6	1500
232631	1185035	0.100	<1	3.86	38	581	<2	23	1.31	<4	9	29	31	1.26	1.66	35	0.91	289	30	67	322	79	2.01	<5	22	<10	112	1430	204	30	<10	7	568
232632	1185036	0.072	<1	3.31	18	541	<2	13	1.01	<4	7	25	22	0.45	1.88	29	0.66	134	27	55	468	61	0.45	<5	17	<10	97	1375	115	27	<10	7	293
232633	1185037	0.060	<1	3.26	18	486	<2	22	1.00	<4	7	30	31	0.53	1.78	28	0.72	148	27	61	901	77	0.58	<5	26	<10	96	1311	191	27	<10	8	354

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232634	1185038	0.124	1	4.59	26	587	<2	27	0.74	<4	7	28	37	0.77	1.71	31	0.58	<100	30	67	470	98	1.08	<5	18	<10	98	1615	152	32	<10	8	324
232635D	1185038	0.106	1	4.06	29	578	<2	19	0.70	<4	9	28	29	0.76	1.89	30	0.56	<100	30	59	1095	96	1.11	<5	12	<10	94	1574	79	31	<10	7	309
232636	1185039	0.094	1	4.53	35	610	<2	22	0.86	<4	8	37	15	0.83	1.80	31	0.63	133	30	68	255	108	1.15	<5	25	<10	113	1602	205	34	<10	8	527
232637	1185040	<0.005	<1	1.99	9	500	<2	16	2.06	<4	11	39	24	2.31	1.89	25	0.90	446	25	49	674	<1	0.15	<5	11	<10	269	2087	128	81	25	15	58
232638	1185041	0.116	<1	2.30	67	483	<2	20	1.15	<4	12	65	29	1.81	1.70	26	0.72	231	26	75	547	36	3.03	<5	17	<10	136	1283	151	44	<10	9	314
232639	1185042	0.025	<1	3.59	21	708	<2	18	1.67	<4	8	35	18	0.97	2.16	34	0.85	386	26	66	495	109	1.15	<5	24	<10	211	1544	377	30	<10	6	415
232640	1185043	0.011	<1	3.86	21	757	<2	10	1.68	<4	10	25	12	0.67	1.96	34	0.63	221	26	50	1335	19	0.67	<5	24	<10	245	1469	173	28	<10	6	40
232641	1185044	0.017	<1	3.29	12	686	<2	26	1.72	<4	3	27	17	0.71	1.99	33	0.57	186	24	51	656	30	0.71	<5	13	<10	239	1375	180	26	<10	5	162
232642	1185045	<0.005	<1	3.29	14	639	<2	17	1.75	<4	2	28	11	0.56	1.80	31	0.56	114	24	54	278	4	0.44	<5	21	<10	285	1282	294	25	<10	6	33
232643	1185046	0.005	<1	4.08	13	640	<2	17	1.86	<4	2	22	12	0.50	1.88	32	0.55	103	24	45	792	1	0.42	<5	28	<10	302	1245	110	23	<10	6	29
232644	1185047	0.007	<1	3.85	19	522	<2	21	1.71	<4	5	20	9	0.49	1.70	30	0.43	<100	23	44	528	<1	0.61	<5	24	<10	305	1279	128	22	<10	6	26
232645	1185048	0.007	<1	5.10	27	838	<2	25	1.84	<4	9	31	19	0.91	1.78	49	0.83	267	31	66	674	2	0.92	<5	20	<10	272	1770	220	37	<10	7	88
232646D	1185048	<0.005	<1	4.00	21	811	<2	23	1.78	<4	10	31	16	0.92	1.94	44	0.80	271	26	66	1003	4	0.92	<5	23	<10	267	1706	310	36	<10	6	92
232647	1185049	0.011	<1	4.03	18	752	<2	24	1.67	<4	5	36	17	0.78	1.74	34	0.54	177	25	70	1108	16	0.97	<5	25	<10	251	1567	135	32	<10	5	70
232648	1185050	1.445	2	3.36	34	226	<2	21	3.07	4	17	68	7488	4.84	1.52	29	1.18	533	766	47	1757	27	4.48	8	14	<10	260	771	178	103	<10	15	301
232649	1185051	0.010	<1	3.73	12	751	<2	22	1.75	<4	7	27	57	0.81	1.89	36	0.58	178	31	51	832	11	0.81	<5	23	<10	226	1535	179	29	<10	6	51
232650	1185052	0.007	<1	3.45	13	658	<2	22	2.91	<4	9	23	21	1.83	1.94	30	0.95	438	23	51	668	16	1.22	5	16	<10	284	1709	113	32	<10	8	121
232651	1185053	0.039	<1	3.42	19	445	<2	14	1.97	<4	2	27	20	1.80	2.13	28	0.93	772	25	54	858	110	1.75	<5	35	<10	189	1507	246	31	<10	7	201
232652	1185054	0.035	<1	3.43	20	454	<2	21	1.49	<4	3	28	37	1.21	1.94	33	0.71	501	27	54	1349	67	1.15	<5	21	<10	150	1703	85	32	<10	6	628
232653	1185055	0.052	<1	3.45	22	373	<2	14	1.51	<4	5	23	16	1.10	1.84	31	0.78	520	25	51	622	23	1.05	<5	25	<10	148	1533	217	31	<10	6	64

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011

### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232654	1185056	0.020	<1	3.33	17	377	<2	18	1.75	<4	3	29	14	1.08	1.80	26	0.89	601	26	64	751	38	0.93	<5	29	<10	152	1259	234	30	<10	6	84
232655	1185057	0.129	<1	3.67	39	484	<2	23	1.04	4	6	26	38	1.31	1.76	30	0.51	215	27	58	707	453	2.16	<5	9	<10	148	1469	197	29	17	7	1515
232656	1185058	0.023	<1	2.58	41	476	<2	15	1.30	<4	4	37	19	1.40	1.69	24	0.72	382	26	70	849	158	1.96	<5	29	<10	125	1239	182	28	<10	6	180
232657D	1185058	0.023	<1	3.53	40	533	<2	27	1.31	<4	4	37	18	1.35	1.83	28	0.74	411	27	72	525	141	1.78	<5	17	<10	127	1402	266	30	<10	6	156
232658	1185059	0.192	<1	4.94	35	547	<2	16	1.69	<4	4	32	32	1.55	1.93	33	0.87	493	31	52	1043	158	2.10	<5	15	<10	139	1479	82	35	<10	8	341
232659	1185060	<0.005	<1	2.78	6	534	<2	19	2.25	<4	13	43	26	2.49	2.06	29	0.98	489	30	46	249	<1	0.15	<5	24	<10	291	2281	77	87	25	15	61
232660	1185061	1.944	5	3.64	66	479	<2	9	0.91	11	6	39	116	2.45	1.87	35	0.56	203	33	56	864	1604	4.58	21	<5	<10	115	1532	14	30	45	7	3947
232661	1185062	0.336	<1	2.94	20	481	<2	24	0.80	<4	3	34	26	0.97	1.92	32	0.55	180	28	64	1062	97	1.41	<5	22	<10	105	1463	269	29	<10	6	128
232662	1185063	0.352	1	4.41	41	539	<2	14	1.28	<4	9	29	27	1.13	2.22	36	0.74	380	32	64	307	257	1.48	<5	5	<10	150	1747	204	31	<10	6	486
232663	1185064	2.386	<1	3.96	22	468	<2	20	1.47	<4	9	29	26	1.16	1.81	32	0.90	697	24	69	207	46	0.81	<5	38	<10	175	1563	226	28	<10	6	189
232664	1185065	0.453	<1	3.34	22	528	<2	17	1.31	<4	3	38	22	1.18	2.22	31	0.76	578	26	80	722	66	0.98	<5	21	<10	152	1699	111	32	<10	6	88
232665	1185066	4.817	<1	2.88	20	482	<2	20	1.27	<4	3	21	24	1.05	2.15	29	0.77	528	21	51	288	45	0.96	<5	19	<10	147	1567	143	29	<10	5	105
232666	1185067	0.278	<1	3.20	22	431	<2	25	1.23	<4	5	24	26	1.36	2.00	29	0.71	598	22	55	1223	25	1.38	<5	11	<10	156	1561	19	30	<10	6	121
232667	1185068	0.632	1	2.97	20	480	<2	11	1.40	<4	8	25	68	1.97	2.69	32	0.76	637	22	48	1140	89	2.15	<5	18	<10	165	1805	259	35	<10	7	259
232668D	1185068	0.630	<1	3.11	17	509	<2	28	1.47	<4	8	27	69	1.97	2.15	34	0.76	658	24	51	806	101	2.12	<5	24	<10	175	1898	229	36	<10	6	259
232669	1185069	0.050	<1	2.92	12	540	<2	21	1.65	<4	6	37	19	2.15	2.09	31	0.79	812	22	65	918	4	1.20	<5	20	<10	163	1928	38	38	<10	8	73
232670	1185070	0.259	108	1.62	246	227	<2	19	1.75	26	14	56	6145	5.66	2.11	27	1.23	1731	41	59	1179	10424	4.17	372	15	<10	212	1853	33	83	62	14	5000
232671	1185071	0.010	<1	2.89	9	512	<2	15	1.59	<4	8	36	54	1.99	1.98	29	0.64	528	22	54	493	61	0.65	<5	18	<10	174	1934	79	38	<10	8	98
232672	1185072	0.026	<1	1.88	5	448	<2	14	1.52	<4	6	35	15	1.88	2.18	29	0.70	657	21	54	589	3	0.67	<5	16	<10	165	1907	165	36	<10	7	69
232673	1185073	0.065	<1	3.36	16	519	<2	20	1.49	<4	9	30	27	1.90	2.04	36	0.73	648	25	55	1290	29	1.56	<5	13	<10	177	1879	176	38	<10	7	94

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232674	1185074	0.589	<1	3.69	24	502	<2	18	1.45	<4	6	28	20	1.62	1.95	33	0.75	584	24	52	665	54	1.75	<5	17	<10	173	1757	265	34	<10	7	121
232675	1185075	0.069	<1	3.50	14	476	<2	26	1.87	<4	8	25	22	1.69	2.00	30	0.82	656	23	48	551	128	1.42	<5	27	<10	165	1622	20	34	<10	7	390
232676	1185076	0.025	<1	3.54	14	510	<2	20	1.41	<4	7	22	15	1.43	1.91	33	0.69	412	22	47	320	68	1.71	<5	25	<10	140	1634	217	32	<10	6	122
232677	1185077	0.121	<1	2.14	21	356	<2	20	1.48	<4	7	26	19	1.61	2.08	27	1.02	522	21	51	814	26	2.36	<5	23	<10	116	1461	173	30	<10	7	147
232678	1185078	0.330	3	2.93	23	341	<2	20	1.68	<4	7	22	23	2.13	2.10	30	1.52	618	24	52	607	33	3.14	<5	19	<10	121	1461	280	30	<10	7	177
232679R	1185078	0.331	3	4.22	31	390	<2	15	1.78	<4	6	26	17	2.20	1.91	33	1.64	647	27	51	862	28	3.14	5	11	<10	130	1640	108	34	<10	8	187
232680	1185079	0.173	<1	3.54	23	386	<2	20	1.74	<4	6	26	16	1.79	1.91	29	1.30	562	24	52	1091	37	2.24	5	22	<10	130	1520	16	33	<10	7	73
232681	1185080	<0.005	<1	0.29	5	491	<2	17	1.88	<4	12	35	25	2.23	2.12	20	0.85	434	17	47	690	2	0.14	<5	9	<10	240	1881	152	77	20	13	56
232682	1185081	0.635	4	2.42	25	432	<2	17	1.20	<4	5	25	21	1.35	1.96	27	0.79	312	23	50	1415	247	2.08	<5	20	<10	100	1546	166	31	<10	6	175
232683	1185082	0.045	<1	3.52	15	447	<2	24	1.76	<4	7	26	16	0.90	2.52	32	0.99	526	24	47	1077	27	1.00	<5	34	<10	147	1813	249	37	<10	7	79
232684	1185083	0.079	<1	2.92	23	347	<2	24	1.63	<4	8	22	12	1.37	2.15	32	1.20	508	24	50	845	29	1.80	<5	25	<10	131	1551	130	30	<10	6	80
232685	1185084	0.053	<1	3.42	29	416	<2	24	2.03	<4	6	22	20	1.36	2.00	32	1.15	512	26	57	994	12	1.86	<5	13	<10	140	1614	126	32	<10	6	47
232686	1185085	0.568	4	1.79	77	320	<2	17	0.63	14	6	21	29	1.74	1.80	23	0.48	103	22	54	1221	573	3.48	17	11	<10	64	1213	37	23	31	6	2578
232687	1185086	0.571	4	<0.01	53	246	<2	14	0.49	19	6	19	30	1.57	1.95	17	0.39	101	18	32	1094	338	3.28	12	<5	<10	52	985	95	19	41	5	3689
232688	1185087	1.060	1	<0.01	91	207	<2	9	0.52	<4	9	19	26	1.37	1.98	14	0.39	130	16	37	582	160	2.59	5	9	<10	46	858	204	18	<10	5	314
232689	1185088	0.416	2	0.01	53	214	<2	11	1.23	<4	6	20	74	1.21	1.92	18	0.78	378	16	29	1158	386	2.16	<5	16	<10	74	949	190	18	<10	5	398
232690D	1185088	0.511	2	1.42	43	263	<2	18	1.32	<4	7	21	79	1.22	2.03	21	0.86	399	19	46	1242	338	1.97	<5	23	<10	82	1132	229	22	<10	6	404
232691	1185089	0.340	3	0.64	49	275	<2	16	0.99	<4	6	23	28	1.25	1.86	21	0.63	278	18	46	734	415	1.99	7	15	<10	70	1216	296	22	<10	6	292
232692	1185090	5.063	<1	<0.01	428	824	<2	20	2.76	<4	13	120	90	3.39	2.09	25	1.23	465	31	82	1019	28	1.83	17	12	<10	174	1512	310	123	<10	14	255
232693	1185091	0.035	<1	3.06	24	385	<2	19	2.31	<4	7	26	17	1.60	1.96	31	1.14	561	22	46	978	22	1.39	<5	16	<10	144	1630	266	28	<10	8	67

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232694	1185092	0.043	2	3.97	9	413	<2	26	2.41	<4	4	26	94	1.46	2.09	36	1.32	621	26	56	906	331	0.84	<5	20	<10	184	1791	397	33	<10	7	205
232695	1185093	0.079	<1	4.05	30	435	<2	22	2.10	<4	6	25	35	1.47	1.94	38	1.20	603	28	48	795	156	1.20	<5	23	<10	134	1942	163	34	<10	7	447
232696	1185094	0.155	<1	2.99	37	400	<2	13	1.80	<4	6	23	27	1.32	2.15	33	0.97	584	26	46	<100	48	1.64	<5	15	<10	101	1763	104	32	<10	7	144
232697	1185095	0.109	<1	3.80	28	368	<2	14	1.43	<4	5	20	12	1.37	2.03	30	0.82	406	23	42	656	76	2.07	<5	18	<10	88	1545	75	26	<10	7	677
232698	1185096	0.079	<1	2.69	11	406	2	22	1.32	<4	4	29	53	1.32	2.23	32	0.75	408	29	58	827	60	1.14	<5	11	<10	88	1550	279	27	<10	6	183
232699	1185097	0.026	<1	4.67	12	456	2	25	2.41	<4	2	26	29	1.38	2.11	38	1.24	783	31	29	802	31	0.78	<5	24	<10	110	1676	254	28	<10	7	73
232700	1185098	0.104	1	3.61	69	388	<2	24	1.77	<4	7	26	25	2.49	1.91	31	0.94	524	25	32	1077	116	4.53	<5	23	<10	106	1775	199	34	<10	8	181
232701D	1185098	0.119	<1	3.64	69	311	<2	18	1.77	<4	8	26	26	2.65	2.07	31	0.94	521	24	31	1141	123	5.02	<5	17	<10	106	1777	160	35	<10	8	174
232702	1185099	0.047	<1	2.63	55	178	2	26	3.03	<4	6	20	23	2.61	2.06	27	1.52	836	21	29	906	67	4.41	<5	15	<10	128	1607	262	28	<10	7	172
232703	1185100	0.007	<1	0.43	10	484	2	17	1.92	<4	12	35	24	2.29	2.23	22	0.88	439	20	28	744	<1	0.15	<5	20	<10	237	1866	239	79	20	15	84
232704	1185101	0.157	<1	2.59	40	393	2	16	4.34	<4	6	19	12	2.25	2.12	24	2.22	1135	23	28	1200	31	2.85	<5	19	<10	134	1566	246	30	<10	7	132
232705	1185102	0.233	3	1.68	109	160	<2	10	1.80	<4	17	68	94	3.10	1.97	24	1.03	545	22	59	1471	169	5.09	<5	12	<10	88	1609	181	47	<10	12	335
232706	1185103	0.102	2	3.36	56	404	<2	14	2.13	<4	10	37	79	2.33	2.06	32	1.18	588	25	36	818	261	3.09	<5	19	<10	123	1663	113	37	11	9	716
232707	1185104	0.128	<1	3.11	36	420	<2	8	1.90	<4	20	98	41	3.40	1.78	37	1.37	524	26	73	619	36	3.30	<5	13	10	96	2240	162	69	<10	15	674
232708	1185105	0.321	<1	2.54	55	366	<2	17	1.67	8	17	113	79	3.71	1.83	35	1.77	610	26	74	882	206	4.50	7	8	<10	85	1719	200	68	25	13	2100
232709	1185106	0.272	2	2.03	55	205	<2	17	1.71	5	19	107	62	3.74	1.97	33	1.79	609	25	74	1029	408	4.54	<5	<5	<10	86	1610	237	62	12	12	1103
232710	1185107	0.082	<1	0.57	11	282	<2	21	1.49	<4	17	92	29	2.96	1.85	33	2.29	616	21	71	1209	59	2.04	<5	5	<10	69	1517	327	53	<10	11	136
232711	1185108	0.046	10	<0.01	16	101	<2	11	>10.00	69	3	17	224	3.19	1.58	11	5.32	4946	12	24	816	6354	5.04	5	17	<10	164	452	411	19	254	10	23342
232712D	1185108	0.029	10	<0.01	13	109	<2	16	>10.00	71	2	18	235	3.33	1.75	12	5.62	5150	13	23	1192	6349	5.24	<5	21	<10	170	465	216	19	261	11	22875
232713	1185109	0.125	10	<0.01	16	92	<2	13	>10.00	39	2	18	436	4.74	1.47	10	5.94	5929	12	21	156	5779	5.68	7	19	<10	157	401	219	18	132	12	11626

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Monday, November 7, 2011


### Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
232714	1185110	0.862	<1	<0.01	23	563	<2	8	1.98	<4	15	59	583	3.70	2.31	20	1.13	647	44	43	1351	115	1.20	<5	18	<10	212	1670	257	107	21	14	218
232715	1185111	0.261	<1	0.58	53	254	<2	12	3.05	<4	20	111	115	3.65	1.94	23	1.98	1041	18	73	1200	258	4.60	5	17	10	106	1884	312	57	<10	13	414

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232614	1185019	48	0.001	0.048
232615	1185020	<5	<0.001	<0.005
232616	1185021	8	<0.001	0.008
232617	1185022	18	<0.001	0.018
232618	1185023	11	<0.001	0.011
232619	1185024	8	<0.001	0.008
232620	1185025	10	<0.001	0.010
232621	1185026	9	<0.001	0.009
232622	1185027	11	<0.001	0.011
232623	1185028	26	<0.001	0.026
232624 Dup	1185028	24	<0.001	0.024
232625	1185029	57	0.002	0.057
232626	1185030	5209	0.152	5.209
232627	1185031	18	<0.001	0.018
232628	1185032	10	<0.001	0.010
232629	1185033	144	0.004	0.144
232630	1185034	154	0.004	0.154
232631	1185035	100	0.003	0.100
232632	1185036	72	0.002	0.072
232633	1185037	60	0.002	0.060
232634	1185038	124	0.004	0.124
232635 Dup	1185038	106	0.003	0.106
232636	1185039	94	0.003	0.094
232637	1185040	<5	<0.001	<0.005
232638	1185041	116	0.003	0.116
232639	1185042	25	<0.001	0.025
232640	1185043	11	<0.001	0.011
232641	1185044	17	<0.001	0.017
232642	1185045	<5	<0.001	<0.005
232643	1185046	5	<0.001	0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232644	1185047	7	<0.001	0.007
232645	1185048	7	<0.001	0.007
232646 Dup	1185048	<5	<0.001	<0.005
232647	1185049	11	<0.001	0.011
232648	1185050	1445	0.042	1.445
232649	1185051	10	<0.001	0.010
232650	1185052	7	<0.001	0.007
232651	1185053	39	0.001	0.039
232652	1185054	35	0.001	0.035
232653	1185055	52	0.002	0.052
232654	1185056	20	<0.001	0.020
232655	1185057	129	0.004	0.129
232656	1185058	23	<0.001	0.023
232657 Dup	1185058	23	<0.001	0.023
232658	1185059	192	0.006	0.192
232659	1185060	<5	<0.001	<0.005
232660	1185061	1944	0.057	1.944
232661	1185062	336	0.010	0.336
232662	1185063	352	0.010	0.352
232663	1185064	2386	0.070	2.386
232664	1185065	453	0.013	0.453
232665	1185066	4817	0.141	4.817
232666	1185067	278	0.008	0.278
232667	1185068	632	0.018	0.632
232668 Dup	1185068	630	0.018	0.630
232669	1185069	50	0.001	0.050
232670	1185070	259	0.008	0.259
232671	1185071	10	<0.001	0.010
232672	1185072	26	<0.001	0.026
232673	1185073	65	0.002	0.065

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232674	1185074	589	0.017	0.589
232675	1185075	69	0.002	0.069
232676	1185076	25	<0.001	0.025
232677	1185077	121	0.004	0.121
232678	1185078	330	0.010	0.330
232679 Rep	1185078	331	0.010	0.331
232680	1185079	173	0.005	0.173
232681	1185080	<5	<0.001	<0.005
232682	1185081	635	0.019	0.635
232683	1185082	45	0.001	0.045
232684	1185083	79	0.002	0.079
232685	1185084	53	0.002	0.053
232686	1185085	568	0.017	0.568
232687	1185086	571	0.017	0.571
232688	1185087	1060	0.031	1.060
232689	1185088	416	0.012	0.416
232690 Dup	1185088	511	0.015	0.511
232691	1185089	340	0.010	0.340
232692	1185090	5063	0.148	5.063
232693	1185091	35	0.001	0.035
232694	1185092	43	0.001	0.043
232695	1185093	79	0.002	0.079
232696	1185094	155	0.005	0.155
232697	1185095	109	0.003	0.109
232698	1185096	79	0.002	0.079
232699	1185097	26	<0.001	0.026
232700	1185098	104	0.003	0.104
232701 Dup	1185098	119	0.003	0.119
232702	1185099	47	0.001	0.047
232703	1185100	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Tuesday, October 11, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 09/21/2011  
 Date Completed: 10/10/2011  
 Job #: 201143460  
 Reference: TL11228  
 Sample #: 93

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
232704	1185101	157	0.005	0.157
232705	1185102	233	0.007	0.233
232706	1185103	102	0.003	0.102
232707	1185104	128	0.004	0.128
232708	1185105	321	0.009	0.321
232709	1185106	272	0.008	0.272
232710	1185107	82	0.002	0.082
232711	1185108	46	0.001	0.046
232712 Dup	1185108	29	<0.001	0.029
232713	1185109	125	0.004	0.125
232714	1185110	862	0.025	0.862
232715	1185111	261	0.008	0.261

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Wednesday, October 19, 2011

**Certificate of Analysis**

Treasury Metals Inc  
Exchange Tower 130 King St Suite 3680  
Toronto, On, CAN  
M5X 1B1  
Ph#: (416) 599-4133  
Fax#: (416) 599-4959  
Email: rory@treasurymetals.com, jselway@cciconline.ca

Date Received: 10/12/2011  
Date Completed: 10/19/2011  
Job #: 201143728  
Reference: TL11228  
Sample #: 1

---

Acc #	Client ID	Au Grav oz/t	Au Grav g/t(ppm)
250223	1185066	0.054	1.863

PROCEDURE CODES: ALFA7

Certified By:   
Derek Demianuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full,  
without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250750	1227351	59	0.002	0.059
250751	1227352	28	<0.001	0.028
250752	1227353	8	<0.001	0.008
250753	1227354	9	<0.001	0.009
250754	1227355	12	<0.001	0.012
250755	1227356	64	0.002	0.064
250756	1227357	57	0.002	0.057
250757	1227358	23	<0.001	0.023
250758	1227359	83	0.002	0.083
250759	1227360	<5	<0.001	<0.005
250760 Dup	1227360	Insufficient Sample		
250761	1227361	70	0.002	0.070
250762	1227362	30	<0.001	0.030
250763	1227363	8	<0.001	0.008
250764	1227364	44	0.001	0.044
250765	1227365	21	<0.001	0.021
250766	1227366	146	0.004	0.146
250767	1227367	13	<0.001	0.013
250768	1227368	13	<0.001	0.013
250769	1227369	16	<0.001	0.016
250770	1227370	250	0.007	0.250
250771 Dup	1227370	Insufficient Sample		
250772	1227371	22	<0.001	0.022
250773	1227372	50	0.001	0.050
250774	1227373	25	<0.001	0.025
250775	1227374	84	0.002	0.084
250776	1227375	21	<0.001	0.021
250777	1227376	24	<0.001	0.024
250778	1227377	20	<0.001	0.020
250779	1227378	41	0.001	0.041

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250780	1227379	27	<0.001	0.027
250781	1227380	<5	<0.001	<0.005
250782 Dup	1227380	Insufficient Sample		
250783	1227381	487	0.014	0.487
250784	1227382	114	0.003	0.114
250785	1227383	956	0.028	0.956
250786	1227384	269	0.008	0.269
250787	1227385	54	0.002	0.054
250788	1227386	37	0.001	0.037
250789	1227387	36	0.001	0.036
250790	1227388	38	0.001	0.038
250791	1227389	71	0.002	0.071
250792	1227390	5139	0.150	5.139
250793 Dup	1227390	Insufficient Sample		
250794	1227391	42	0.001	0.042
250795	1227392	35	0.001	0.035
250796	1227393	13	<0.001	0.013
250797	1227394	16	<0.001	0.016
250798	1227395	13	<0.001	0.013
250799	1227396	11	<0.001	0.011
250800	1227397	14	<0.001	0.014
250801	1227398	46	0.001	0.046
250802	1227399	767	0.022	0.767
250803	1227400	<5	<0.001	<0.005
250804 Dup	1227400	Insufficient Sample		
250805	1227401	25	<0.001	0.025
250806	1227402	38	0.001	0.038
250807	1227403	39	0.001	0.039
250808	1227404	26	<0.001	0.026
250809	1227405	19	<0.001	0.019

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250810	1227406	61	0.002	0.061
250811	1227407	116	0.003	0.116
250812	1227408	42	0.001	0.042
250813	1227409	19	<0.001	0.019
250814	1227410	1509	0.044	1.509
250815 Rep	1227410	Insufficient Sample		
250816	1227411	61	0.002	0.061
250817	1227412	62	0.002	0.062
250818	1227413	17	<0.001	0.017
250819	1227414	18	<0.001	0.018
250820	1227415	108	0.003	0.108
250821	1227416	98	0.003	0.098
250822	1227417	11	<0.001	0.011
250823	1227418	55	0.002	0.055
250824	1227419	21	<0.001	0.021
250825	1227420	<5	<0.001	<0.005
250826 Dup	1227420	Insufficient Sample		
250827	1227421	17	<0.001	0.017
250828	1227422	19	<0.001	0.019
250829	1227423	18	<0.001	0.018
250830	1227424	12	<0.001	0.012
250831	1227425	25	<0.001	0.025
250832	1227426	130	0.004	0.130
250833	1227427	46	0.001	0.046
250834	1227428	61	0.002	0.061
250835	1227429	54	0.002	0.054
250836	1227430	250	0.007	0.250
250837 Dup	1227430	Insufficient Sample		
250838	1227431	20	<0.001	0.020
250839	1227432	10	<0.001	0.010

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250840	1227433	25	<0.001	0.025
250841	1227434	38	0.001	0.038
250842	1227435	30	<0.001	0.030
250843	1227436	28	<0.001	0.028
250844	1227437	724	0.021	0.724
250845	1227438	424	0.012	0.424
250846	1227439	56	0.002	0.056
250847	1227440	<5	<0.001	<0.005
250848 Dup	1227440	Insufficient Sample		
250849	1227441	130	0.004	0.130
250850	1227442	65	0.002	0.065
250851	1227443	21	<0.001	0.021
250852	1227444	14	<0.001	0.014
250853	1227445	38	0.001	0.038
250854	1227446	16	<0.001	0.016
250855	1227447	41	0.001	0.041
250856	1227448	34	<0.001	0.034
250857	1227449	7	<0.001	0.007
250858	1227450	5251	0.153	5.251
250859 Dup	1227450	Insufficient Sample		
250860	1227451	12	<0.001	0.012
250861	1227452	19	<0.001	0.019
250862	1227453	22	<0.001	0.022
250863	1227454	17	<0.001	0.017
250864	1227455	13	<0.001	0.013
250865	1227456	15	<0.001	0.015
250866	1227457	28	<0.001	0.028
250867	1227458	<5	<0.001	<0.005
250868	1227459	9	<0.001	0.009
250869	1227460	<5	<0.001	<0.005

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory



Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250870 Dup	1227460	Insufficient Sample		
250871	1227461	7	<0.001	0.007
250872	1227462	<5	<0.001	<0.005
250873	1227463	9	<0.001	0.009
250874	1227464	12	<0.001	0.012
250875	1227465	7	<0.001	0.007
250876	1227466	17	<0.001	0.017
250877	1227467	18	<0.001	0.018
250878	1227468	13	<0.001	0.013
250879	1227469	16	<0.001	0.016
250880	1227470	1488	0.043	1.488
250881 Rep	1227470	Insufficient Sample		
250882	1227471	27	<0.001	0.027
250883	1227472	54	0.002	0.054
250884	1227473	35	0.001	0.035
250885	1227474	34	<0.001	0.034
250886	1227475	16	<0.001	0.016
250887	1227476	26	<0.001	0.026
250888	1227477	29	<0.001	0.029
250889	1227478	76	0.002	0.076
250890	1227479	103	0.003	0.103
250891	1227480	<5	<0.001	<0.005
250892 Dup	1227480	Insufficient Sample		
250893	1227481	20	<0.001	0.020
250894	1227482	48	0.001	0.048
250895	1227483	60	0.002	0.060
250896	1227484	23	<0.001	0.023
250897	1227485	33	<0.001	0.033
250898	1227486	41	0.001	0.041
250899	1227487	23	<0.001	0.023

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250900	1227488	32	<0.001	0.032
250901	1227489	104	0.003	0.104
250902	1227490	267	0.008	0.267
250903 Dup	1227490	Insufficient Sample		
250904	1227491	96	0.003	0.096
250905	1227492	56	0.002	0.056
250906	1227493	22	<0.001	0.022
250907	1227494	18	<0.001	0.018
250908	1227495	42	0.001	0.042
250909	1227496	1363	0.040	1.363
250910	1227497	715	0.021	0.715
250911	1227498	319	0.009	0.319
250912	1227499	352	0.010	0.352
250913	1227500	5	<0.001	0.005
250914 Dup	1227500	Insufficient Sample		
250915	1227501	452	0.013	0.452
250916	1227502	586	0.017	0.586
250917	1227503	160	0.005	0.160
250918	1227504	29	<0.001	0.029
250919	1227505	6	<0.001	0.006
250920	1227506	31	<0.001	0.031
250921	1227507	162	0.005	0.162
250922	1227508	36	0.001	0.036
250923	1227509	52	0.002	0.052
250924	1227510	5159	0.151	5.159
250925 Dup	1227510	Insufficient Sample		
250926	1227511	16	<0.001	0.016
250927	1227512	23	<0.001	0.023
250928	1227513	21	<0.001	0.021
250929	1227514	54	0.002	0.054

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250930	1227515	32	<0.001	0.032
250931	1227516	28	<0.001	0.028
250932	1227517	55	0.002	0.055
250933	1227518	376	0.011	0.376
250934	1227519	122	0.004	0.122
250935	1227520	<5	<0.001	<0.005
250936 Dup	1227520	Insufficient Sample		
250937	1227521	132	0.004	0.132
250938	1227522	254	0.007	0.254
250939	1227523	90	0.003	0.090
250940	1227524	31	<0.001	0.031
250941	1227525	26	<0.001	0.026
250942	1227526	8	<0.001	0.008
250943	1227527	6	<0.001	0.006
250944	1227528	6	<0.001	0.006
250945	1227529	10	<0.001	0.010
250946	1227530	1458	0.043	1.458
250947 Rep	1227530	Insufficient Sample		
250948	1227531	9	<0.001	0.009
250949	1227532	21	<0.001	0.021
250950	1227533	19	<0.001	0.019
250951	1227534	16	<0.001	0.016
250952	1227535	8	<0.001	0.008
250953	1227536	8	<0.001	0.008
250954	1227537	7	<0.001	0.007
250955	1227538	9	<0.001	0.009
250956	1227539	6	<0.001	0.006
250957	1227540	<5	<0.001	<0.005
250958 Dup	1227540	Insufficient Sample		
250959	1227541	12	<0.001	0.012

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory

Thursday, October 20, 2011


## Certificate of Analysis

 Treasury Metals Inc  
 Exchange Tower 130 King St Suite 3680  
 Toronto, On, CAN  
 M5X 1B1  
 Ph#: (416) 599-4133  
 Fax#: (416) 599-4959  
 Email: rory@treasurymetals.com, jselway@cciconline.ca

 Date Received: 10/12/2011  
 Date Completed: 10/20/2011  
 Job #: 201143747  
 Reference: TL11229  
 Sample #: 214

Acc #	Client ID	Au ppb	Au oz/t	Au g/t (ppm)
250960	1227542	8	<0.001	0.008
250961	1227543	<5	<0.001	<0.005
250962	1227544	9	<0.001	0.009
250963	1227545	8	<0.001	0.008
250964	1227546	9	<0.001	0.009
250965	1227547	14	<0.001	0.014
250966	1227548	7	<0.001	0.007
250967	1227549	7	<0.001	0.007
250968	1227550	253	0.007	0.253
250969 Dup	1227550	Insufficient Sample		
250970	1227551	9	<0.001	0.009
250971	1227552	10	<0.001	0.010
250972	1227553	7	<0.001	0.007
250973	1227554	6	<0.001	0.006
250974	1227555	17	<0.001	0.017
250975	1227556	8	<0.001	0.008
250976	1227557	6	<0.001	0.006
250977	1227558	8	<0.001	0.008
250978	1227559	9	<0.001	0.009
250979	1227560	<5	<0.001	<0.005
250980 Dup	1227560	Insufficient Sample		
250981	1227561	6	<0.001	0.006
250982	1227562	12	<0.001	0.012
250983	1227563	11	<0.001	0.011
250984	1227564	7	<0.001	0.007

PROCEDURE CODES: ALP1, ALFA1, ALMA1, AISu1

 Certified By:   
 Jason Moore, General Manager

 The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full,  
 without the written approval of the laboratory