ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

CERTIFICATE TB11017255

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 3-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594000		1.03	<0.005	0.08	7.65	19.5	630	1.23	0.13	2.14	0.07	60.3	10.0	39	3.72	10.7
J594001		0.39	0.196	0.29	7.45	75.9	700	1.66	0.91	1.73	0.08	71.6	8.2	25	3.14	40.3
J594002		0.47	<0.005	0.07	7.21	58.2	700	1.26	0.17	1.68	0.07	70.7	6.4	21	2.98	16.6
J594003		0.61	<0.005	0.05	7.45	51.8	730	1.43	0.12	1.81	0.06	76.0	7.6	22	3.50	6.6
J594004		1.17	<0.005	0.08	7.60	44.0	710	1.42	0.12	1.79	0.06	75.5	6.5	23	3.55	8.7
J594005		1.86	0.015	0.05	7.58	44.3	720	1.42	0.11	1.73	0.05	77.2	6.4	25	3.30	6.2
J594006		1.96	<0.005	0.08	7.44	49.6	680	1.32	0.10	1.69	0.06	72.1	7.8	22	3.10	9.1
J594007		1.27	<0.005	0.06	7.31	28.8	650	1.38	0.10	1.72	0.06	70.5	6.6	21	2.89	5.9
J594008		0.63	<0.005	0.07	7.18	31.1	410	2.43	0.14	1.15	0.05	60.0	4.3	16	3.33	5.6
J594009		2.10	<0.005	0.07	7.37	78.3	680	1.23	0.13	1.71	0.09	68.0	6.0	23	2.80	8.8
J594010		1.22	0.012	0.08	6.70	79.4	640	1.11	0.31	1.61	0.12	63.5	5.4	20	2.82	6.9
J594011		0.61	0.362	0.20	6.86	572	800	1.17	0.32	1.62	0.14	67.2	6.4	23	2.64	20.4
J594012		1.88	0.045	0.05	7.44	68.2	690	1.21	0.15	1.91	0.10	74.5	6.9	25	3.14	5.0
J594013		0.90	0.174	0.07	7.11	383	700	1.31	0.15	1.83	0.10	76.7	8.9	24	2.82	16.2
J594014		1.51	<0.005	0.07	7.08	40.4	680	1.24	0.12	1.76	0.08	74.7	7.0	22	3.03	5.6
J594015		1.99	<0.005	0.07	7.35	24.9	700	1.37	0.09	1.79	0.05	72.3	7.1	22	3.22	8.2
J594016		1.28	<0.005	0.09	7.10	51.3	610	1.17	0.11	1.87	0.30	72.8	7.2	31	3.23	9.0
J594017		1.37	0.011	0.32	6.79	269	570	1.17	1.02	1.95	0.41	62.0	9.0	25	2.60	27.8
J594018		1.31	0.007	0.46	7.37	49.4	670	1.22	1.01	2.02	0.05	75.4	8.6	28	3.33	4.6
J594019		0.82	<0.005	0.16	7.20	117.5	680	1.37	0.18	1.85	1.36	75.3	5.8	25	2.72	18.1
J594020		0.61	0.019	0.14	5.95	111.5	380	0.97	0.14	2.21	0.27	68.7	2.9	19	2.37	7.6
J594021		0.32	0.008	0.11	4.69	78.8	330	0.72	0.13	2.15	0.34	52.2	3.1	17	2.01	4.2
J594022		0.53	0.014	0.15	6.71	125.0	710	1.23	0.26	1.63	0.25	76.5	4.9	23	2.11	15.5
J594023		1.48	<0.005	0.06	6.83	32.2	770	1.18	0.07	1.89	0.05	75.6	7.5	23	2.73	6.0
J594024		1.26	<0.005	0.08	6.67	29.7	710	1.18	0.08	1.80	0.05	82.7	7.0	25	2.91	6.6
J594025		0.04	0.583	0.73	7.49	3.4	100	2.24	1.64	0.84	0.15	15.05	8.1	30	32.9	10.9
J594026		0.88	0.013	0.08	6.56	48.1	690	1.22	0.10	1.77	0.04	69.9	7.2	24	2.73	5.8
J594027		0.98	0.064	0.17	6.23	381	580	1.21	0.34	1.86	3.13	70.2	3.7	20	2.05	8.6
J594028		0.68	0.029	0.14	6.56	75.8	620	1.30	0.19	1.75	0.13	76.8	5.5	23	2.14	14.0
J594029		1.32	0.040	0.10	6.84	1835	720	1.45	0.22	1.70	0.07	74.9	6.5	21	2.23	9.2
J594030		1.20	0.009	0.09	6.35	115.0	600	1.23	0.14	1.78	1.14	71.2	3.5	21	1.87	13.8
J594031		0.59	0.007	0.07	6.37	94.8	580	1.27	0.10	1.77	0.13	70.9	4.1	18	1.69	6.0
J594032		1.32	<0.005	0.03	6.63	5.4	720	1.24	0.05	1.74	0.05	84.4	7.7	23	2.97	8.0
J594033		1.87	0.017	0.04	6.75	7.4	690	1.27	0.05	1.79	0.03	83.4	7.5	24	2.93	8.1
J594034		1.29	<0.005	0.04	7.01	7.8	700	1.41	0.06	1.88	0.06	81.2	7.9	24	3.07	8.8
J594035		0.65	<0.005	0.04	6.36	93.5	610	0.98	0.05	1.83	0.04	65.6	4.1	20	2.32	6.3
J594036		1.24	<0.005	0.05	6.81	9.2	720	1.38	0.06	1.80	0.04	83.4	8.0	23	3.01	7.7
J594037		1.92	<0.005	0.06	6.81	6.2	750	1.25	0.06	1.82	0.04	81.1	7.8	23	2.92	9.0
J594038		0.62	<0.005	0.03	6.31	5.1	530	2.14	0.10	1.12	0.03	54.8	4.0	15	6.71	5.2
J594039		1.24	<0.005	0.04	6.68	5.3	700	1.20	0.06	1.79	0.05	78.7	7.4	24	2.88	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594000		2.79	18.10	0.18	4.8	0.035	2.46	28.7	37.1	1.00	499	0.66	2.89	10.3	28.1	640
J594001		2.29	17.50	0.18	5.1	0.025	2.61	35.3	23.9	0.69	411	3.25	2.88	10.7	18.6	520
J594002		2.20	16.70	0.19	5.1	0.025	2.88	35.7	25.8	0.63	388	0.80	2.79	9.3	15.5	510
J594003		2.42	17.95	0.20	5.2	0.033	2.84	37.8	36.4	0.66	422	0.90	2.90	10.6	15.5	540
J594004		2.40	17.50	0.24	5.1	0.030	2.70	38.7	36.6	0.68	412	1.68	3.03	10.3	15.6	550
J594005		2.37	17.35	0.22	4.9	0.032	2.85	37.7	34.4	0.65	415	0.78	2.93	10.4	14.4	530
J594006		2.24	17.25	0.20	4.7	0.031	2.76	36.5	34.2	0.65	399	0.78	2.99	10.1	14.4	540
J594007		2.30	16.75	0.22	5.9	0.026	2.51	36.3	31.3	0.62	411	0.62	2.83	10.0	14.1	510
J594008		1.61	18.80	0.21	6.0	0.022	3.27	26.8	20.8	0.37	277	12.80	3.07	19.5	9.8	300
J594009		2.14	16.05	0.21	4.1	0.029	2.77	35.5	28.0	0.61	382	2.36	2.96	9.6	15.5	500
J594010		2.03	15.15	0.19	4.8	0.025	2.56	29.4	27.0	0.57	357	3.53	2.69	7.9	12.7	460
J594011		2.46	15.45	0.20	4.3	0.028	2.59	34.0	24.9	0.61	369	4.31	2.67	8.3	15.6	510
J594012		2.55	17.50	0.20	5.3	0.038	2.61	36.7	32.2	0.70	442	0.78	2.95	9.7	15.6	590
J594013		2.35	16.70	0.23	4.5	0.032	2.58	37.0	20.6	0.68	416	0.67	2.91	9.4	16.1	530
J594014		2.33	16.25	0.22	5.1	0.032	2.42	38.4	29.5	0.65	410	1.40	2.69	10.1	15.6	540
J594015		2.38	17.55	0.21	5.0	0.031	2.65	36.1	29.2	0.66	433	0.57	2.76	11.4	15.8	540
J594016		2.53	16.25	0.23	5.0	0.034	2.28	36.3	30.4	0.77	439	0.52	2.71	9.0	19.6	580
J594017		2.21	15.25	0.25	4.1	0.032	2.04	32.4	25.0	0.74	400	0.37	2.89	8.2	19.6	540
J594018		2.50	16.70	0.19	4.6	0.036	2.18	38.7	31.9	0.78	437	0.36	2.76	9.3	19.7	580
J594019		2.35	17.15	0.20	5.0	0.038	2.32	37.7	24.7	0.73	429	0.52	3.09	9.2	18.4	590
J594020		2.00	13.60	0.22	4.1	0.034	1.77	37.7	26.5	0.88	476	0.43	2.75	7.5	9.3	470
J594021		1.71	10.40	0.19	2.8	0.027	1.46	29.1	21.4	0.72	421	0.53	2.03	5.2	7.7	350
J594022		1.88	16.45	0.27	4.4	0.031	2.33	38.0	14.9	0.60	323	0.60	3.15	10.2	13.9	540
J594023		2.51	16.65	0.27	4.2	0.028	2.52	37.8	29.3	0.67	440	0.52	2.77	10.3	16.1	560
J594024		2.49	16.20	0.24	4.6	0.031	2.46	40.3	30.5	0.68	418	0.52	2.63	10.6	16.3	550
J594025		3.38	18.00	0.21	1.4	0.011	2.06	7.3	6.9	0.68	247	0.90	5.30	7.6	28.4	680
J594026		2.30	16.10	0.24	4.1	0.028	2.45	35.9	29.3	0.64	380	0.64	2.73	9.8	15.3	520
J594027		1.68	15.75	0.26	4.1	0.050	2.31	32.1	18.8	0.69	392	0.73	2.80	8.1	12.4	510
J594028		2.02	16.15	0.28	4.7	0.024	2.53	37.0	16.1	0.63	379	0.66	2.82	10.0	15.0	530
J594029		2.26	16.75	0.28	4.7	0.024	2.73	37.4	22.1	0.59	356	5.82	2.75	9.9	15.1	530
J594030		1.76	15.25	0.28	4.3	0.028	2.37	37.0	16.8	0.57	358	1.35	2.77	9.4	12.8	500
J594031		1.49	15.25	0.26	3.9	0.027	2.37	34.3	17.7	0.54	334	7.65	2.94	8.5	9.2	480
J594032		2.44	16.85	0.26	4.3	0.030	2.47	40.8	25.3	0.64	420	38.3	2.53	10.5	16.0	540
J594033		2.42	16.50	0.26	4.0	0.028	2.43	42.3	22.5	0.64	411	13.55	2.63	10.4	15.1	540
J594034		2.48	17.70	0.26	4.6	0.030	2.57	40.1	26.6	0.68	423	24.1	2.69	11.1	16.7	560
J594035		2.13	14.45	0.25	4.1	0.022	2.20	32.3	28.8	0.58	362	1.79	3.18	8.1	8.4	490
J594036		2.49	17.60	0.29	4.3	0.032	2.57	39.0	28.0	0.65	413	6.24	2.59	11.0	15.8	550
J594037		2.54	17.00	0.28	4.3	0.030	2.55	39.8	23.6	0.64	423	18.40	2.67	10.2	15.9	550
J594038		1.50	16.05	0.30	4.3	0.021	2.75	26.9	12.9	0.33	263	1.96	2.75	12.7	7.8	260
J594039		2.35	16.55	0.26	4.2	0.033	2.49	38.6	22.4	0.65	396	3.93	2.66	10.3	16.8	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594000		16.2	117.5	0.003	0.03	0.42	8.9	1	2.0	236	1.03	<0.05	10.9	0.322	0.69	2.7
J594001		30.4	120.0	0.004	0.33	0.50	7.4	<1	2.2	199.5	1.26	0.13	14.7	0.271	0.63	4.0
J594002		20.3	116.5	0.003	0.12	0.52	6.7	<1	1.8	198.5	0.97	<0.05	13.1	0.268	0.67	3.1
J594003		19.4	128.5	0.003	0.03	0.63	7.3	<1	2.0	220	1.07	<0.05	14.3	0.283	0.66	3.3
J594004		17.4	122.5	0.004	0.03	0.55	7.3	<1	2.0	216	1.08	<0.05	15.7	0.288	0.66	3.7
J594005		18.0	118.0	0.004	0.02	0.49	7.0	<1	1.9	208	1.10	<0.05	15.6	0.280	0.65	4.0
J594006		16.8	114.0	0.003	0.02	0.44	7.0	<1	1.9	206	1.02	<0.05	15.1	0.277	0.62	3.7
J594007		18.2	111.0	0.002	0.01	0.30	6.6	<1	1.8	199.0	1.13	<0.05	15.2	0.266	0.61	4.1
J594008		26.6	172.0	0.004	0.03	0.24	4.5	<1	2.1	129.5	3.27	<0.05	29.0	0.175	0.70	10.3
J594009		18.9	116.0	0.002	0.07	0.28	6.3	<1	1.7	194.5	1.00	<0.05	12.7	0.263	0.60	3.3
J594010		20.2	96.9	0.003	0.06	0.26	6.0	<1	1.7	189.0	0.75	<0.05	11.3	0.240	0.57	2.4
J594011		20.2	97.0	0.003	0.31	0.28	6.3	<1	1.7	190.0	0.80	<0.05	10.9	0.266	0.50	2.4
J594012		18.1	102.5	0.004	0.05	0.26	7.4	2	1.9	222	0.89	<0.05	13.0	0.300	0.61	2.8
J594013		16.8	100.5	0.004	0.21	0.26	7.2	1	1.9	202	0.90	<0.05	13.4	0.277	0.55	3.5
J594014		16.0	102.0	0.004	0.02	0.23	7.1	1	1.8	208	1.07	<0.05	14.1	0.277	0.55	3.7
J594015		15.7	106.0	0.003	0.01	0.15	7.2	1	1.9	213	1.35	<0.05	13.8	0.278	0.59	4.1
J594016		18.9	102.5	0.005	0.05	0.26	7.7	<1	1.9	220	0.86	<0.05	13.2	0.292	0.59	3.0
J594017		18.4	82.8	0.004	0.23	0.31	6.7	<1	1.8	203	0.87	<0.05	10.9	0.267	0.49	3.0
J594018		27.8	99.3	0.003	0.03	0.31	7.4	1	1.8	239	0.92	<0.05	12.2	0.289	0.53	3.0
J594019		16.2	86.8	0.002	0.23	0.38	7.5	1	1.9	226	0.93	<0.05	12.2	0.291	0.50	3.2
J594020		14.8	81.4	0.004	0.05	0.41	6.7	<1	1.8	156.0	0.75	<0.05	10.5	0.234	0.44	3.3
J594021		13.6	67.6	0.004	0.05	0.30	5.2	<1	1.3	118.5	0.43	<0.05	7.7	0.173	0.36	2.6
J594022		21.5	84.5	0.002	0.18	0.41	7.3	2	2.0	194.0	1.00	<0.05	11.1	0.280	0.46	3.3
J594023		15.2	97.4	0.002	0.01	0.30	7.3	1	1.9	214	0.87	<0.05	10.8	0.287	0.59	2.9
J594024		14.9	103.0	<0.002	0.01	0.33	7.5	1	1.9	203	0.96	<0.05	11.5	0.286	0.61	2.8
J594025		76.3	780	0.002	2.54	1.15	3.1	1	1.2	155.5	0.76	<0.05	2.5	0.215	9.38	1.2
J594026		16.7	96.7	0.002	0.04	0.35	7.1	1	1.7	212	0.79	<0.05	10.1	0.272	0.53	2.4
J594027		20.3	87.5	0.002	0.12	0.48	7.2	1	1.8	196.0	0.70	<0.05	10.0	0.243	0.43	2.4
J594028		23.1	94.3	<0.002	0.17	0.45	7.3	3	1.9	218	1.13	<0.05	11.1	0.270	0.46	3.9
J594029		17.6	97.9	0.004	0.24	0.85	7.5	1	1.9	221	1.03	<0.05	11.3	0.261	0.52	3.4
J594030		20.5	86.6	<0.002	0.13	0.46	6.8	2	1.8	209	0.90	<0.05	11.6	0.250	0.45	3.2
J594031		16.2	85.5	0.002	0.05	0.41	6.6	1	1.8	208	0.85	<0.05	11.0	0.221	0.41	2.4
J594032		12.3	115.0	0.005	0.01	0.13	7.6	1	1.9	200	0.90	<0.05	10.8	0.276	0.65	2.8
J594033		12.7	113.0	<0.002	0.01	0.11	7.4	1	2.0	204	0.89	<0.05	11.8	0.279	0.66	2.9
J594034		13.9	116.5	0.003	0.01	0.17	7.9	2	2.0	211	1.01	<0.05	12.0	0.285	0.67	3.1
J594035		12.1	92.7	<0.002	0.02	0.41	6.6	1	1.7	136.0	0.70	<0.05	10.1	0.230	0.54	2.1
J594036		14.1	112.5	0.002	0.01	0.17	8.0	<1	2.1	206	0.93	<0.05	11.6	0.283	0.65	3.0
J594037		13.5	111.5	0.004	0.01	0.14	7.5	2	2.1	209	0.84	<0.05	10.9	0.281	0.62	2.6
J594038		22.7	164.0	0.002	<0.01	0.19	3.8	1	3.0	132.5	1.73	<0.05	17.6	0.159	0.89	4.8
J594039		12.9	107.0	0.002	0.01	0.10	7.4	1	2.0	202	0.88	<0.05	10.7	0.274	0.60	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594000		55	0.8	19.8	68	156.0
J594001		44	33.9	20.9	74	159.0
J594002		41	3.2	17.8	57	163.0
J594003		44	1.1	19.2	53	168.5
J594004		44	1.0	20.0	53	164.5
J594005		43	0.8	20.1	54	149.5
J594006		43	0.7	19.5	51	154.0
J594007		41	0.6	19.9	49	183.0
J594008		25	1.1	28.5	34	132.5
J594009		39	1.2	18.1	45	128.0
J594010		37	0.8	15.2	53	154.5
J594011		42	6.8	15.3	68	133.5
J594012		48	0.6	19.2	60	172.0
J594013		44	10.1	19.2	53	145.5
J594014		43	0.7	19.6	54	167.0
J594015		44	0.5	20.6	53	159.0
J594016		48	1.4	18.3	68	160.0
J594017		44	11.6	18.1	68	131.0
J594018		47	0.9	19.4	56	152.0
J594019		46	12.9	19.0	131	169.5
J594020		39	19.6	19.5	82	134.0
J594021		31	12.9	14.1	74	96.8
J594022		44	12.2	18.6	80	155.5
J594023		45	0.4	17.7	50	151.0
J594024		45	0.4	19.6	51	160.0
J594025		26	0.3	4.0	38	41.9
J594026		41	0.6	17.2	48	144.0
J594027		42	16.2	16.5	288	148.5
J594028		43	23.9	20.2	46	152.0
J594029		41	7.1	19.2	40	163.0
J594030		39	15.6	18.5	77	151.0
J594031		36	18.5	16.1	41	134.0
J594032		43	0.4	18.9	45	153.5
J594033		44	0.4	18.1	46	143.5
J594034		45	0.6	20.6	48	161.0
J594035		38	0.6	13.8	44	144.0
J594036		44	0.5	20.5	47	149.5
J594037		44	0.6	18.9	47	157.5
J594038		21	1.7	13.7	30	107.0
J594039		43	0.4	18.8	46	146.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594040		1.89	<0.005	0.04	6.81	7.2	680	1.25	0.06	1.84	0.04	81.3	7.5	23	3.04	9.3
J594041		1.93	<0.005	0.03	6.74	2.1	690	1.13	0.05	1.83	0.04	80.4	7.3	23	2.91	8.4
J594042		1.92	<0.005	0.04	6.71	2.3	730	1.25	0.05	1.82	0.04	81.2	7.8	24	3.09	8.9
J594043		1.90	<0.005	0.04	6.64	4.5	690	1.28	0.05	1.82	0.04	79.7	7.6	23	3.00	8.6
J594044		1.94	0.005	0.05	6.69	7.8	710	1.21	0.11	1.84	0.06	85.4	8.0	25	3.42	10.7
J594045		1.71	<0.005	0.05	7.15	14.5	780	1.31	0.18	1.95	0.07	89.3	7.6	24	3.53	11.5
J594046		0.57	0.028	0.09	6.71	33.4	650	1.72	0.16	1.82	0.05	73.5	11.1	19	2.56	40.7
J594047		0.64	0.183	0.07	6.41	52.1	610	1.72	0.18	1.58	0.04	67.7	6.3	19	2.22	13.6
J594048		0.56	<0.005	0.05	6.68	17.9	680	1.43	0.09	1.77	0.07	80.3	7.5	22	3.41	9.0
J594049		0.51	<0.005	0.05	6.83	11.6	660	1.40	0.17	1.83	0.05	76.0	7.0	20	3.35	12.6
J594050		0.07	<0.005	0.05	6.60	1.9	940	1.19	0.12	1.40	0.09	29.4	2.8	12	1.80	4.3
J594051		1.34	<0.005	0.05	7.29	9.2	690	1.66	0.09	1.98	0.07	77.7	8.6	24	3.33	10.1
J594052		1.21	<0.005	0.06	7.23	16.9	770	1.50	0.09	1.88	0.06	78.3	8.4	21	3.40	7.8
J594053		1.35	<0.005	0.03	7.34	16.7	720	1.64	0.06	2.01	0.06	78.3	8.7	23	3.31	7.0
J594054		1.33	<0.005	0.02	7.16	2.5	720	1.57	0.05	1.93	0.05	81.2	8.5	23	3.01	9.2
J594055		1.35	<0.005	0.02	7.12	3.7	720	1.47	0.04	1.84	0.05	75.3	8.3	22	2.93	7.8
J594056		1.60	<0.005	0.02	7.06	11.6	710	1.45	0.07	1.83	0.05	76.4	8.1	21	3.12	8.7
J594057		0.48	0.020	0.02	6.51	41.8	630	1.38	0.08	1.68	0.03	59.3	6.2	18	1.67	11.2
J594058		0.45	0.050	0.04	6.50	50.6	690	1.34	0.13	1.68	0.07	71.6	6.6	23	2.65	17.5
J594059		1.20	<0.005	0.06	6.76	14.5	720	1.37	0.07	1.87	0.06	74.0	8.3	21	3.27	12.1
J594060		1.34	<0.005	0.03	6.86	9.4	730	1.35	0.05	1.83	0.04	73.9	8.1	19	3.10	8.7
J594061		1.32	0.005	0.02	6.91	14.4	660	1.38	0.06	1.96	0.03	79.1	8.4	19	2.61	23.5
J594062		1.41	<0.005	0.02	6.67	12.1	710	1.40	0.05	1.78	0.03	77.1	8.6	21	3.08	9.5
J594063		1.32	<0.005	0.03	6.78	11.9	680	1.32	0.05	1.83	0.05	73.0	8.2	22	3.05	7.3
J594064		1.50	<0.005	0.02	6.72	19.2	680	1.33	0.05	1.76	0.04	71.6	9.5	23	2.79	5.7
J594065		1.20	<0.005	0.04	6.96	4.9	700	1.39	0.05	1.86	0.06	76.2	8.1	24	2.94	7.7
J594066		1.26	<0.005	0.02	7.02	0.6	730	1.36	0.05	1.90	0.06	78.0	8.3	22	2.90	7.8
J594067		1.95	<0.005	0.01	7.25	4.6	740	1.20	0.04	1.96	0.09	86.5	8.8	22	3.09	7.8
J594068		0.72	0.005	0.05	6.93	61.9	820	1.24	0.05	1.68	0.11	68.2	8.4	24	3.24	10.1
J594069		1.32	<0.005	0.01	7.24	12.6	720	1.25	0.06	1.92	0.08	87.4	8.3	22	3.09	11.8
J594070		1.95	<0.005	0.02	6.60	7.6	620	1.15	0.04	1.73	0.08	76.2	7.3	19	2.72	8.9
J594071		2.00	<0.005	0.01	7.14	2.9	730	1.27	0.05	1.89	0.09	81.9	8.3	24	3.24	8.7
J594072		2.05	<0.005	0.02	7.33	5.1	730	1.34	0.05	1.96	0.09	84.1	8.7	22	3.18	8.9
J594073		1.97	<0.005	0.03	6.97	5.5	690	1.26	0.04	2.03	0.11	83.7	7.8	19	2.52	9.5
J594074		0.88	0.005	0.01	7.15	4.2	710	1.23	0.04	1.89	0.11	81.1	8.3	20	2.84	5.4
J594075		0.89	<0.005	0.01	7.14	5.1	720	1.25	0.05	1.90	0.10	81.9	8.5	23	2.84	5.0
J594076		2.04	<0.005	0.01	7.09	6.2	720	1.24	0.04	1.94	0.11	76.9	8.5	24	2.68	9.1
J594077		1.95	<0.005	0.02	7.26	2.5	730	1.35	0.04	1.93	0.09	84.4	8.8	23	3.02	8.1
J594078		1.92	<0.005	0.04	7.38	1.1	730	1.32	0.04	1.94	0.09	86.2	8.5	22	3.08	8.5
J594079		2.02	<0.005	0.03	7.37	0.4	730	1.28	0.05	2.02	0.09	87.7	8.4	22	3.04	8.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594040		2.48	16.75	0.28	4.4	0.031	2.39	42.9	22.4	0.65	412	1.52	2.78	10.3	15.7	540
J594041		2.42	16.55	0.27	4.0	0.031	2.39	39.1	20.2	0.65	404	2.29	2.72	9.8	15.4	540
J594042		2.42	16.60	0.27	4.2	0.028	2.45	38.4	20.6	0.67	417	1.97	2.73	10.5	15.9	550
J594043		2.37	17.30	0.31	4.4	0.032	2.42	38.9	22.0	0.65	409	1.72	2.73	10.3	15.7	540
J594044		2.53	17.60	0.28	4.5	0.029	2.47	41.5	30.5	0.68	445	6.40	2.68	11.1	17.1	560
J594045		2.55	17.65	0.33	5.2	0.034	2.70	44.4	34.2	0.68	448	1.51	2.86	10.9	16.3	560
J594046		2.31	16.75	0.29	5.2	0.025	2.32	35.3	24.4	0.60	402	2.21	2.82	12.3	14.8	490
J594047		2.05	15.85	0.29	4.6	0.025	2.27	32.5	18.1	0.58	352	0.74	2.77	12.3	13.5	480
J594048		2.49	16.70	0.32	4.3	0.032	2.54	40.0	36.0	0.65	405	0.47	2.74	10.9	15.8	530
J594049		2.41	16.35	0.26	4.3	0.031	2.46	38.1	30.6	0.63	404	0.64	2.73	10.8	14.1	520
J594050		1.50	15.35	0.05	1.2	0.017	2.31	15.0	12.0	0.21	583	0.98	2.84	4.9	3.3	190
J594051		2.57	19.85	0.12	5.2	0.036	2.63	37.4	36.0	0.74	446	0.75	2.97	12.5	18.9	580
J594052		2.48	20.3	0.13	5.1	0.033	2.63	37.6	38.9	0.71	414	1.63	2.97	11.8	18.4	570
J594053		2.68	19.95	0.13	5.2	0.034	2.58	37.6	39.0	0.73	453	0.58	3.02	12.8	18.7	590
J594054		2.50	19.35	0.13	5.1	0.035	2.57	40.0	33.5	0.70	427	0.64	2.79	12.7	18.9	570
J594055		2.50	19.00	0.12	5.1	0.035	2.61	36.0	30.9	0.70	422	0.55	2.75	11.7	17.5	560
J594056		2.53	18.35	0.13	5.0	0.031	2.58	37.7	35.1	0.69	418	0.58	2.85	11.3	16.5	540
J594057		2.44	18.10	0.12	4.6	0.027	2.32	28.2	25.3	0.64	400	1.68	2.59	9.8	14.3	500
J594058		2.20	17.40	0.13	5.2	0.024	2.42	35.5	28.7	0.64	350	1.12	2.56	10.6	15.8	520
J594059		2.42	18.35	0.14	4.6	0.032	2.47	36.5	32.9	0.67	420	1.02	2.56	10.3	17.5	530
J594060		2.45	18.45	0.14	4.9	0.032	2.48	36.2	34.1	0.65	414	0.77	2.88	11.0	16.2	540
J594061		2.49	18.85	0.15	5.2	0.030	2.38	39.6	31.9	0.69	443	1.02	2.92	11.3	17.6	530
J594062		2.39	18.50	0.15	4.9	0.031	2.50	37.9	37.8	0.68	405	0.75	2.83	11.1	16.7	560
J594063		2.43	19.00	0.14	4.9	0.032	2.39	35.7	35.9	0.68	417	0.62	2.86	11.3	17.6	550
J594064		2.47	18.20	0.13	4.6	0.031	2.47	34.6	36.5	0.67	406	0.51	2.91	10.8	17.2	550
J594065		2.54	18.30	0.15	4.8	0.033	2.52	37.0	29.7	0.68	427	0.49	2.75	10.9	17.6	530
J594066		2.50	18.60	0.16	5.2	0.033	2.46	38.0	25.9	0.69	424	0.57	2.73	11.2	17.4	560
J594067		2.62	19.45	0.13	4.5	0.037	2.57	42.2	31.7	0.71	444	0.63	2.85	11.6	18.5	590
J594068		2.88	18.45	0.13	4.2	0.033	2.91	34.5	45.4	0.82	449	0.52	3.02	10.4	17.1	550
J594069		2.59	18.85	0.13	4.6	0.037	2.52	43.6	36.0	0.69	437	0.58	2.94	11.8	17.5	580
J594070		2.23	16.50	0.12	3.8	0.032	2.20	39.1	31.0	0.62	384	0.47	2.64	10.0	15.5	510
J594071		2.52	18.85	0.14	4.8	0.034	2.55	40.4	33.5	0.69	430	0.74	2.81	11.7	17.2	560
J594072		2.59	18.80	0.13	4.6	0.035	2.58	41.6	38.0	0.69	443	0.60	2.89	11.6	17.6	560
J594073		2.48	17.90	0.14	4.2	0.033	2.48	42.7	34.3	0.66	415	0.46	2.82	11.0	16.4	530
J594074		2.46	18.15	0.14	4.0	0.032	2.58	40.5	39.0	0.68	401	0.53	2.74	11.0	18.4	540
J594075		2.49	18.70	0.14	4.5	0.034	2.66	40.5	38.8	0.68	402	0.67	2.83	11.6	18.0	560
J594076		2.62	19.15	0.14	4.6	0.034	2.68	36.8	39.8	0.68	429	1.45	3.04	11.6	17.9	570
J594077		2.61	19.10	0.15	4.3	0.034	2.64	41.4	38.3	0.68	440	1.71	2.92	12.1	17.8	560
J594078		2.54	19.40	0.14	4.5	0.033	2.67	42.0	33.6	0.68	435	2.14	2.97	12.2	18.1	580
J594079		2.61	19.10	0.14	4.2	0.036	2.60	43.6	29.7	0.69	451	1.95	2.89	11.8	17.8	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594040		12.7	107.5	<0.002	0.01	0.12	7.3	2	1.9	209	0.88	<0.05	11.4	0.283	0.61	2.7
J594041		13.6	104.5	0.002	<0.01	0.09	7.5	1	2.0	208	0.78	<0.05	10.4	0.278	0.59	2.4
J594042		13.4	103.0	<0.002	0.01	0.09	7.7	1	2.1	205	0.88	<0.05	11.3	0.288	0.65	2.6
J594043		13.3	106.5	0.002	0.01	0.09	7.3	1	2.1	206	0.91	<0.05	11.1	0.282	0.65	3.1
J594044		14.4	115.0	<0.002	0.03	0.20	8.0	2	2.3	204	0.95	<0.05	11.7	0.287	0.66	2.9
J594045		17.6	125.0	<0.002	0.04	0.29	8.1	2	2.4	215	0.93	<0.05	12.1	0.290	0.65	3.0
J594046		16.8	105.5	0.002	0.28	0.28	6.8	2	2.2	187.0	1.48	<0.05	14.3	0.256	0.54	5.0
J594047		16.6	97.5	0.002	0.23	0.29	6.6	1	2.2	173.0	1.65	<0.05	12.9	0.246	0.49	4.8
J594048		19.3	129.0	0.002	0.05	0.31	7.6	2	2.1	196.0	0.99	<0.05	11.8	0.277	0.66	3.3
J594049		15.7	109.0	0.002	0.06	0.25	7.4	<1	2.0	206	1.09	<0.05	11.5	0.272	0.64	3.4
J594050		13.7	64.7	<0.002	<0.01	0.21	6.0	1	1.8	187.0	0.52	<0.05	6.5	0.119	0.45	2.2
J594051		17.6	110.0	<0.002	0.07	0.23	8.7	2	2.2	221	1.24	<0.05	14.4	0.299	0.66	3.5
J594052		15.1	109.0	<0.002	0.06	0.27	8.6	2	2.2	216	1.20	<0.05	13.4	0.289	0.64	3.4
J594053		15.3	110.0	<0.002	0.01	0.30	8.8	2	2.0	225	1.41	<0.05	14.1	0.300	0.68	4.0
J594054		16.1	112.0	<0.002	0.01	0.11	8.6	2	1.9	215	1.40	<0.05	14.9	0.290	0.64	4.2
J594055		14.6	105.5	<0.002	0.01	0.12	8.3	2	1.8	206	1.20	<0.05	12.8	0.284	0.62	3.3
J594056		15.0	110.0	<0.002	0.03	0.22	8.4	2	1.9	202	1.14	<0.05	13.6	0.279	0.67	3.6
J594057		11.6	88.0	<0.002	0.16	0.27	7.6	1	2.0	167.5	0.93	<0.05	12.0	0.250	0.47	3.1
J594058		15.8	101.5	<0.002	0.12	0.35	7.8	2	2.2	202	0.97	<0.05	12.6	0.266	0.60	3.4
J594059		13.3	103.0	<0.002	0.03	0.24	8.4	2	1.8	203	0.97	<0.05	12.5	0.272	0.62	2.8
J594060		13.3	103.0	<0.002	0.03	0.25	8.1	2	1.8	204	1.06	<0.05	13.7	0.277	0.66	3.2
J594061		11.8	108.0	<0.002	0.12	0.26	8.7	2	1.8	193.5	1.02	<0.05	13.1	0.277	0.63	3.3
J594062		12.9	104.5	<0.002	0.03	0.26	8.4	2	1.9	211	1.02	<0.05	13.4	0.286	0.65	3.0
J594063		13.3	102.5	<0.002	0.01	0.26	8.6	2	1.9	202	1.02	<0.05	11.8	0.281	0.62	2.7
J594064		15.5	99.1	<0.002	0.01	0.28	8.4	1	1.9	196.5	0.98	<0.05	12.8	0.281	0.62	3.0
J594065		16.4	100.5	<0.002	0.01	0.19	8.3	2	1.9	207	1.02	<0.05	12.9	0.279	0.62	3.0
J594066		17.7	99.8	<0.002	0.01	0.07	8.6	2	2.0	213	1.05	<0.05	13.0	0.285	0.64	3.0
J594067		16.2	104.5	<0.002	0.01	0.17	8.9	2	2.0	223	1.00	<0.05	13.4	0.300	0.68	2.7
J594068		17.7	125.0	<0.002	0.07	0.45	9.6	2	2.1	179.5	0.85	<0.05	12.1	0.297	0.74	2.4
J594069		16.3	105.5	<0.002	0.05	0.23	8.8	2	1.9	215	1.04	<0.05	14.8	0.294	0.65	3.4
J594070		13.3	95.2	<0.002	0.02	0.19	7.8	2	1.8	190.0	0.86	<0.05	12.8	0.259	0.59	2.7
J594071		15.3	106.5	<0.002	0.01	0.13	8.4	2	2.0	215	1.01	<0.05	14.4	0.288	0.65	3.3
J594072		16.1	108.5	<0.002	0.02	0.20	8.9	2	2.0	217	1.03	<0.05	14.7	0.288	0.68	3.2
J594073		18.7	106.0	<0.002	0.07	0.30	8.2	2	1.9	189.5	0.96	<0.05	14.3	0.272	0.61	3.5
J594074		17.7	109.5	<0.002	0.04	0.25	8.4	2	1.9	216	0.96	<0.05	14.3	0.278	0.61	3.0
J594075		16.8	110.5	<0.002	0.05	0.26	8.5	2	2.0	220	1.02	<0.05	14.2	0.289	0.67	2.9
J594076		19.2	104.5	<0.002	0.05	0.25	8.7	2	2.0	221	0.99	<0.05	14.0	0.293	0.68	2.8
J594077		18.4	112.0	<0.002	0.01	0.20	9.1	2	2.0	215	1.06	<0.05	14.6	0.291	0.71	3.1
J594078		18.3	107.5	<0.002	0.01	0.13	8.8	2	2.0	220	1.05	<0.05	15.4	0.296	0.71	3.1
J594079		17.6	110.5	<0.002	0.01	0.07	9.2	2	2.0	220	0.99	<0.05	14.8	0.292	0.69	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594040		44	0.5	18.2	46	150.5
J594041		44	0.4	17.8	47	140.5
J594042		45	0.6	19.0	47	149.5
J594043		44	0.6	18.7	47	150.5
J594044		45	1.2	20.6	46	162.0
J594045		45	2.2	20.0	45	185.0
J594046		38	3.2	20.2	40	166.5
J594047		39	3.8	19.7	26	139.0
J594048		44	0.8	19.9	48	146.5
J594049		42	0.9	18.8	45	142.5
J594050		15	1.0	18.1	43	29.1
J594051		47	1.4	20.9	51	182.5
J594052		46	1.3	19.8	47	173.5
J594053		47	1.0	21.2	52	175.0
J594054		45	0.5	21.7	51	170.5
J594055		44	0.5	19.6	50	177.0
J594056		44	0.8	19.0	47	170.5
J594057		41	5.9	16.8	31	160.5
J594058		42	3.1	18.0	39	181.5
J594059		45	1.1	18.2	47	162.0
J594060		43	0.6	18.5	45	169.5
J594061		44	2.8	19.8	43	185.5
J594062		44	1.7	18.8	46	174.0
J594063		45	0.7	19.0	48	176.5
J594064		45	0.6	17.7	49	164.0
J594065		44	0.6	18.7	49	170.0
J594066		45	0.6	18.8	50	183.0
J594067		48	0.5	17.7	52	170.5
J594068		52	1.7	14.2	58	158.5
J594069		46	0.9	18.1	48	180.5
J594070		41	0.4	16.0	43	151.0
J594071		45	0.4	17.6	50	188.0
J594072		44	0.5	17.8	49	177.5
J594073		43	0.6	16.9	42	167.0
J594074		44	0.5	17.0	49	160.0
J594075		46	0.5	17.4	49	177.5
J594076		46	0.5	17.2	51	178.5
J594077		46	0.5	18.4	51	162.0
J594078		46	0.7	18.1	52	170.0
J594079		47	0.4	18.5	52	171.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594080		1.76	<0.005	0.03	7.32	8.1	730	1.28	0.05	1.94	0.11	85.1	8.1	23	3.21	8.0
J594081		2.02	<0.005	0.02	7.70	1.1	770	1.34	0.04	2.04	0.10	86.1	8.6	23	3.39	7.6
J594082		1.23	<0.005	0.02	7.32	7.9	720	1.50	0.05	1.91	0.11	84.8	8.7	21	3.18	10.1
J594083		0.80	0.006	0.06	6.82	26.3	660	1.26	0.07	1.83	0.15	84.3	9.1	22	3.04	24.0
J594084		1.94	<0.005	0.02	7.17	5.3	720	1.42	0.05	1.89	0.10	84.0	8.2	20	3.17	8.5
J594085		2.00	<0.005	0.01	7.08	4.2	700	1.44	0.04	1.92	0.11	83.6	8.2	21	3.04	8.5
J594086		1.26	<0.005	0.03	7.12	9.8	720	1.52	0.07	1.92	0.12	78.1	8.4	21	3.15	8.2
J594087		0.66	<0.005	0.03	7.03	27.0	580	1.97	0.12	1.55	0.09	75.6	6.9	17	4.39	11.0
J594088		1.90	<0.005	0.07	7.39	8.5	740	1.38	0.07	1.96	0.10	86.4	8.3	21	3.36	7.6
J594089		0.66	0.013	0.07	7.09	54.9	740	1.74	0.19	1.34	0.19	77.4	5.1	16	2.83	24.8
J594090		0.95	<0.005	0.05	7.19	15.4	750	1.33	0.06	1.83	0.10	85.8	8.0	20	3.28	8.4
J594091		0.59	0.028	0.08	6.60	75.9	800	1.25	0.28	1.30	0.10	74.1	21.9	23	2.74	30.2
J594092		1.73	0.034	0.10	7.05	42.4	640	1.38	0.17	1.92	0.16	81.6	10.3	21	3.06	14.0
J594093		2.00	<0.005	0.06	6.93	8.5	690	1.38	0.06	1.77	0.10	80.3	7.7	22	3.11	8.9
J594094		0.62	<0.005	0.03	6.90	20.8	700	1.45	0.07	1.86	0.11	79.2	7.5	20	3.32	4.1
J594095		0.61	<0.005	0.02	6.59	15.0	520	1.75	0.07	1.56	0.11	69.9	6.7	15	2.46	4.8
J594096		0.65	<0.005	0.01	7.12	3.7	700	1.39	0.05	1.90	0.09	77.7	8.6	21	2.94	7.7
J594097		1.39	<0.005	0.01	7.03	12.8	680	1.43	0.05	1.85	0.09	79.4	7.8	22	2.74	6.9
J594098		0.66	<0.005	0.02	6.54	55.4	600	1.43	0.07	1.54	0.10	79.3	8.2	19	2.45	17.8
J594099		1.87	<0.005	0.01	7.08	16.5	710	1.43	0.06	1.85	0.09	82.8	8.4	22	3.25	6.4
J594100		0.03	1.320	0.85	8.08	4.1	100	2.26	0.67	0.86	0.18	19.25	9.8	28	19.45	11.4
J594101		1.86	<0.005	0.03	7.00	16.5	640	1.71	0.07	1.84	0.11	81.2	7.7	19	3.41	7.9
J594102		1.79	<0.005	0.04	7.06	15.7	660	2.00	0.09	1.78	0.10	83.1	7.6	20	3.73	7.5
J594103		1.81	<0.005	0.05	6.49	3.3	640	1.81	0.10	1.69	0.06	74.6	7.0	24	3.42	8.9
J594104		1.88	<0.005	0.04	6.62	12.3	670	1.71	0.11	1.72	0.07	73.9	6.9	24	3.54	10.4
J594105		1.84	<0.005	0.04	6.64	1.8	660	1.95	0.11	1.76	0.05	78.1	6.8	24	4.19	9.5
J594106		1.90	<0.005	0.04	6.68	2.4	680	1.62	0.08	1.80	0.05	84.2	7.6	27	3.63	10.4
J594107		1.74	<0.005	0.04	6.71	3.3	690	1.35	0.08	1.85	0.05	82.5	7.7	25	3.63	9.7
J594108		1.80	<0.005	0.05	6.77	4.5	710	1.41	0.06	1.82	0.05	83.4	7.8	26	3.64	10.0
J594109		1.78	<0.005	0.06	6.76	3.2	700	1.46	0.08	1.81	0.05	91.8	8.1	25	3.98	10.3
J594110		1.74	<0.005	0.07	6.77	2.8	700	1.33	0.07	1.84	0.05	83.2	7.6	26	3.72	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J594080		2.72	18.60	0.14	4.6	0.034	2.63	42.6	30.7	0.68	456	1.47	2.89	11.6	17.4	570
J594081		2.75	19.65	0.13	4.2	0.037	2.73	43.8	30.2	0.71	465	3.28	3.05	12.1	17.9	590
J594082		2.53	19.30	0.14	4.7	0.034	2.63	41.6	32.6	0.68	433	4.43	2.98	12.6	17.5	580
J594083		2.49	18.15	0.14	4.6	0.034	2.34	43.0	36.9	0.66	382	3.78	3.25	11.8	17.6	550
J594084		2.59	18.40	0.14	4.2	0.032	2.58	40.9	33.9	0.65	430	4.00	2.80	11.8	16.6	570
J594085		2.51	18.45	0.15	4.4	0.035	2.56	42.1	31.8	0.65	428	1.12	2.79	11.6	16.7	550
J594086		2.51	18.75	0.13	4.9	0.035	2.63	38.3	36.7	0.67	436	0.76	2.82	11.7	17.1	550
J594087		2.12	18.30	0.13	5.1	0.027	2.74	36.4	31.9	0.50	356	1.02	2.82	13.8	13.3	440
J594088		2.70	18.80	0.15	4.6	0.036	2.62	43.3	38.8	0.69	461	1.45	2.82	12.0	17.1	580
J594089		2.17	17.95	0.13	4.5	0.028	2.65	38.2	33.8	0.52	313	1.86	3.13	14.9	15.3	460
J594090		2.46	18.55	0.13	4.7	0.031	2.64	43.2	38.4	0.64	427	1.44	2.77	11.7	15.7	550
J594091		2.40	16.65	0.13	3.8	0.028	2.73	37.3	26.3	0.59	293	1.84	2.63	11.8	20.4	530
J594092		2.50	17.95	0.13	4.4	0.035	2.44	40.7	33.5	0.63	423	1.14	3.00	11.8	17.3	550
J594093		2.51	18.20	0.13	4.0	0.033	2.59	39.2	35.7	0.62	428	1.33	2.76	11.7	15.6	530
J594094		2.35	18.60	0.15	4.1	0.033	2.66	38.4	39.5	0.63	410	0.49	2.79	11.7	16.3	530
J594095		2.02	17.75	0.13	4.2	0.028	2.03	34.2	30.4	0.52	351	0.73	3.10	12.1	13.4	440
J594096		2.61	18.95	0.15	4.7	0.035	2.59	37.7	32.9	0.66	445	0.53	2.83	11.9	17.6	570
J594097		2.53	18.55	0.14	4.3	0.034	2.57	39.4	32.7	0.66	425	0.49	2.72	11.7	17.2	550
J594098		2.28	17.20	0.14	4.5	0.027	2.19	39.6	35.4	0.60	355	1.11	2.81	12.0	19.3	520
J594099		2.43	18.75	0.14	4.8	0.034	2.60	40.5	39.0	0.65	421	2.26	2.87	12.4	17.2	550
J594100		4.23	20.9	0.11	1.1	0.012	2.62	9.4	5.5	0.83	248	2.08	5.30	10.3	38.0	670
J594101		2.41	18.65	0.15	4.4	0.034	2.52	41.0	32.5	0.61	410	0.70	2.76	13.2	16.4	510
J594102		2.40	18.65	0.15	4.8	0.031	2.56	41.7	29.5	0.61	403	1.00	2.79	16.8	15.8	510
J594103		2.21	16.55	0.30	5.1	0.033	2.44	36.5	26.3	0.59	382	0.67	2.65	14.1	14.7	500
J594104		2.27	16.75	0.29	4.4	0.026	2.46	36.6	29.2	0.60	382	4.63	2.74	13.4	13.7	510
J594105		2.41	16.30	0.29	4.9	0.028	2.42	37.9	26.6	0.59	400	0.70	2.64	12.5	13.6	500
J594106		2.46	17.00	0.28	4.7	0.029	2.42	41.1	27.7	0.63	412	0.67	2.68	10.9	15.6	530
J594107		2.40	16.80	0.28	4.4	0.039	2.44	42.2	29.6	0.67	411	1.33	2.73	11.0	16.2	540
J594108		2.36	17.50	0.28	4.6	0.031	2.49	42.4	29.4	0.63	398	0.68	2.80	11.2	16.0	540
J594109		2.52	18.65	0.37	4.8	0.036	2.48	44.1	30.7	0.64	415	0.68	2.73	11.8	16.9	530
J594110		2.50	16.85	0.30	4.3	0.031	2.47	41.2	28.0	0.65	418	0.74	2.73	11.0	16.2	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594080		17.8	107.5	<0.002	0.01	0.13	8.6	2	2.0	216	1.04	<0.05	14.8	0.292	0.72	3.1
J594081		18.0	114.5	<0.002	0.01	0.09	9.0	2	2.1	232	1.01	<0.05	15.4	0.308	0.74	3.3
J594082		19.6	111.5	<0.002	0.03	0.16	9.2	2	2.0	216	1.16	<0.05	15.6	0.298	0.70	3.5
J594083		20.0	110.5	<0.002	0.13	0.26	8.6	2	2.1	182.0	0.97	<0.05	14.6	0.285	0.65	3.0
J594084		19.0	114.5	<0.002	0.01	0.15	8.8	2	1.9	210	1.02	<0.05	15.3	0.287	0.70	3.3
J594085		17.9	114.0	<0.002	0.01	0.13	8.4	2	2.0	209	1.02	<0.05	14.8	0.280	0.68	3.3
J594086		21.0	110.5	<0.002	0.02	0.16	8.9	2	2.0	213	1.12	<0.05	14.4	0.284	0.71	3.1
J594087		23.1	137.5	<0.002	0.05	0.35	7.0	2	2.3	167.0	1.79	<0.05	21.7	0.233	0.76	6.2
J594088		19.1	115.0	<0.002	0.02	0.16	8.8	2	2.1	216	1.05	<0.05	16.0	0.295	0.71	3.4
J594089		24.7	109.5	<0.002	0.10	0.46	7.4	2	1.9	180.0	1.97	<0.05	21.9	0.237	0.64	7.4
J594090		18.8	115.5	<0.002	0.03	0.22	8.6	2	1.9	205	1.04	<0.05	16.4	0.285	0.70	3.6
J594091		29.7	116.5	<0.002	0.37	0.44	7.9	2	2.7	186.0	1.14	0.13	14.5	0.258	0.69	2.7
J594092		27.7	113.0	<0.002	0.15	0.40	8.5	2	2.2	186.5	1.06	<0.05	16.6	0.283	0.73	3.2
J594093		17.5	112.5	<0.002	0.02	0.16	8.3	2	2.0	202	1.04	<0.05	16.2	0.277	0.72	3.3
J594094		19.9	119.0	<0.002	0.01	0.23	8.5	2	2.1	202	1.04	<0.05	16.2	0.275	0.72	3.4
J594095		19.3	95.5	<0.002	0.02	0.23	7.2	2	2.0	167.0	1.45	<0.05	19.6	0.230	0.56	6.1
J594096		17.7	118.0	<0.002	0.01	0.13	8.7	2	2.1	214	1.07	<0.05	15.9	0.287	0.73	3.5
J594097		16.7	118.0	<0.002	0.01	0.27	9.1	2	2.0	212	1.05	<0.05	16.5	0.279	0.68	3.6
J594098		17.0	101.0	<0.002	0.09	0.36	8.0	2	2.0	183.0	1.17	<0.05	16.0	0.264	0.60	3.6
J594099		17.7	119.5	<0.002	0.01	0.22	8.8	2	2.0	204	1.12	<0.05	16.9	0.285	0.73	3.7
J594100		81.8	600	<0.002	3.32	1.53	3.6	1	1.1	170.0	1.16	<0.05	2.9	0.229	6.89	1.3
J594101		19.0	125.5	<0.002	0.01	0.18	8.5	2	2.1	199.0	1.38	<0.05	16.7	0.263	0.73	4.6
J594102		20.0	135.5	<0.002	0.01	0.20	8.3	2	2.3	195.0	2.06	<0.05	17.6	0.267	0.74	6.2
J594103		18.2	131.5	0.002	0.01	0.15	7.1	3	2.4	190.0	1.60	<0.05	13.1	0.266	0.75	5.0
J594104		19.2	128.5	0.002	0.03	0.21	7.1	2	2.3	192.5	1.65	<0.05	12.7	0.269	0.73	4.5
J594105		17.5	136.0	0.002	0.01	0.14	6.7	1	2.4	194.5	1.82	<0.05	12.3	0.265	0.72	4.8
J594106		16.3	123.5	<0.002	0.01	0.13	7.5	2	2.2	201	1.11	<0.05	12.3	0.274	0.68	3.5
J594107		16.6	127.0	0.002	0.02	0.13	7.8	1	2.3	204	1.02	<0.05	11.7	0.285	0.74	3.1
J594108		17.1	121.0	<0.002	0.01	0.12	7.6	1	2.3	207	1.02	<0.05	12.7	0.282	0.73	3.5
J594109		18.2	138.5	0.002	0.01	0.13	8.2	2	2.5	204	1.08	<0.05	13.6	0.278	0.80	3.6
J594110		16.7	122.0	0.002	0.01	0.11	7.5	1	2.4	206	0.97	<0.05	12.5	0.281	0.68	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594080		47	0.5	17.8	52	183.0
J594081		48	0.4	18.5	54	164.0
J594082		46	0.6	18.8	52	179.0
J594083		45	2.7	18.0	57	175.5
J594084		46	0.5	17.8	51	166.5
J594085		45	0.5	17.5	50	170.0
J594086		45	0.4	17.8	55	183.5
J594087		35	0.8	19.4	51	169.0
J594088		46	0.6	18.6	55	179.0
J594089		36	1.1	20.0	54	151.0
J594090		44	0.6	17.3	53	184.5
J594091		42	2.9	17.1	67	150.0
J594092		44	3.4	18.2	70	167.5
J594093		44	0.7	17.2	51	155.5
J594094		43	0.6	17.5	53	159.5
J594095		36	0.8	17.5	45	146.5
J594096		45	0.6	17.9	49	179.5
J594097		44	0.5	18.1	49	161.0
J594098		40	1.3	17.6	43	167.5
J594099		44	0.5	18.5	49	188.0
J594100		28	0.3	5.2	36	44.1
J594101		41	0.5	19.3	46	161.0
J594102		41	0.8	22.6	48	161.5
J594103		41	0.7	23.2	47	164.5
J594104		42	1.5	22.9	49	134.5
J594105		41	0.6	22.7	47	155.5
J594106		42	0.5	20.3	47	165.5
J594107		44	0.7	19.6	50	146.5
J594108		43	0.7	20.7	50	160.5
J594109		44	0.8	21.3	49	166.5
J594110		44	0.6	19.6	49	148.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017255

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.