ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

CERTIFICATE TB11051234

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 145 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596790		1.80	<0.005	0.03	7.21	4.5	720	1.05	0.05	1.87	0.07	78.5	8.2	25	2.68	9.4
J596791		1.84	<0.005	0.02	7.31	1.1	730	1.14	0.05	1.90	0.07	77.4	7.9	24	2.71	9.4
J596792		1.30	0.013	0.05	7.01	40.2	700	1.23	0.26	1.72	0.24	74.9	8.3	24	2.58	18.5
J596793		1.55	0.007	0.06	7.23	4.3	690	1.23	0.06	1.95	0.08	78.0	8.4	27	2.95	9.3
J596794		1.96	<0.005	0.04	7.42	2.2	730	1.23	0.04	1.96	0.08	79.9	7.7	26	2.83	8.7
J596795		0.70	0.005	0.03	6.97	27.8	570	1.37	0.13	1.73	0.10	66.9	7.8	19	3.00	10.5
J596796		1.33	<0.005	0.04	7.21	25.6	690	1.28	0.14	1.84	0.10	67.6	8.0	25	3.16	7.6
J596797		1.78	<0.005	0.02	7.26	4.1	680	1.23	0.05	1.93	0.07	78.2	8.0	28	3.03	9.0
J596798		0.69	0.569	0.53	6.74	22.8	640	1.13	1.13	1.77	0.08	65.0	7.0	27	3.04	13.3
J596799		0.49	0.005	0.06	7.06	14.2	670	1.29	0.08	1.82	0.09	71.6	6.7	21	3.27	7.8
J596800		0.44	<0.005	0.04	7.37	16.1	670	1.42	0.08	1.92	0.09	77.1	7.7	21	3.28	7.9
J596801		2.06	<0.005	0.01	7.21	15.8	730	1.54	0.09	1.88	0.08	72.6	7.4	25	3.18	7.6
J596802		1.82	<0.005	0.03	7.30	13.8	680	1.46	0.17	1.82	0.08	72.5	7.4	24	3.16	10.4
J596803		2.02	<0.005	0.09	6.78	14.7	680	1.28	0.10	1.84	0.11	76.0	7.8	26	3.08	14.5
J596804		2.00	<0.005	0.10	6.87	1.7	690	1.25	0.06	1.87	0.09	70.4	7.8	26	2.72	10.1
J596805		1.97	<0.005	0.09	7.18	2.0	680	1.28	0.05	2.02	0.09	76.2	8.4	30	2.77	11.4
J596806		1.93	<0.005	0.09	7.12	2.0	720	1.33	0.05	1.92	0.10	83.6	8.3	26	2.87	9.5
J596807		2.02	<0.005	0.08	7.13	1.0	730	1.30	0.05	1.94	0.09	81.6	8.3	25	2.76	9.7
J596808		1.34	<0.005	0.21	7.01	0.5	740	1.24	0.05	1.90	0.08	72.7	7.9	25	2.69	9.7
J596809		0.90	<0.005	0.09	6.83	0.7	750	1.20	0.04	1.83	0.09	74.0	7.5	23	2.61	9.3
J596810		0.93	0.032	0.11	6.88	49.0	690	1.33	0.10	1.78	0.12	76.8	8.4	22	3.28	11.6
J596811		0.76	0.081	0.11	5.59	241	330	1.68	0.10	0.49	0.83	37.9	1.2	11	0.88	9.0
J596812		0.70	0.006	0.10	6.81	27.8	620	1.30	0.06	1.93	0.16	74.8	8.0	31	4.09	7.3
J596813		1.27	0.013	0.04	5.86	3.7	150	1.93	0.09	0.47	0.04	32.9	0.8	6	4.52	2.4
J596814		1.17	<0.005	0.08	6.92	1.1	650	1.61	0.06	1.80	0.08	71.5	7.7	21	3.37	7.8
J596815		1.38	<0.005	0.10	6.88	0.8	670	1.41	0.05	1.86	0.08	75.3	8.1	22	2.74	9.9
J596816		0.86	<0.005	0.12	6.69	0.7	600	1.54	0.04	1.70	0.07	76.0	7.5	23	2.91	9.0
J596817		1.19	<0.005	0.11	6.90	1.3	700	1.50	0.04	1.83	0.08	75.6	8.1	21	2.85	9.3
J596818		2.01	<0.005	0.12	7.06	1.2	740	1.36	0.04	1.93	0.10	79.3	8.8	27	2.77	10.2
J596819		1.95	<0.005	0.10	7.04	0.7	720	1.46	0.05	1.91	0.08	81.8	8.4	24	2.99	9.9
J596820		2.09	<0.005	0.07	6.96	8.9	710	1.38	0.04	1.92	0.08	77.7	7.8	28	2.79	9.7
J596821		1.25	<0.005	0.10	7.04	13.9	710	1.38	0.07	1.92	0.10	78.7	8.6	23	3.11	16.1
J596822		0.70	0.005	0.19	6.38	43.9	690	1.70	0.10	1.27	0.06	80.7	42.4	20	2.36	73.9
J596823		0.89	<0.005	0.08	6.92	38.1	740	1.39	0.07	1.81	0.09	81.3	7.2	24	3.27	11.1
J596824		1.36	<0.005	0.08	7.11	3.0	670	1.49	0.07	1.96	0.09	82.7	8.6	23	3.48	10.1
J596825		0.03	0.579	0.76	7.95	3.7	90	2.00	1.13	0.90	0.19	17.05	9.0	29	30.9	12.0
J596826		2.04	<0.005	0.08	7.22	3.5	800	1.40	0.05	1.88	0.09	80.2	8.5	27	3.31	10.9
J596827		2.04	<0.005	0.09	7.11	2.8	760	1.46	0.06	1.91	0.10	77.4	8.5	25	3.45	10.7
J596828		2.04	<0.005	0.09	7.32	3.8	710	1.59	0.06	1.98	0.09	85.7	8.8	27	3.63	8.9
J596829		1.45	<0.005	0.07	6.87	11.5	720	1.60	0.06	1.98	0.09	76.1	7.9	22	3.64	8.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596790		2.39	17.85	0.17	4.6	0.031	2.56	37.2	23.4	0.65	422	0.92	2.72	10.5	16.6	550
J596791		2.42	18.20	0.17	4.3	0.032	2.65	35.8	22.9	0.65	429	0.86	2.80	11.5	16.3	560
J596792		2.30	17.95	0.18	4.4	0.031	2.49	34.3	26.5	0.61	391	0.51	2.80	11.3	16.9	540
J596793		2.51	18.45	0.18	4.1	0.035	2.49	35.6	29.6	0.69	443	0.77	2.81	12.5	17.1	590
J596794		2.47	17.45	0.17	4.5	0.032	2.56	37.0	28.8	0.68	440	3.82	2.87	11.4	16.3	580
J596795		2.17	17.60	0.16	4.9	0.028	2.36	29.8	30.6	0.58	373	10.80	2.91	12.8	14.5	500
J596796		2.35	17.80	0.17	4.4	0.034	2.59	29.9	33.2	0.65	417	1.43	3.03	12.1	15.5	570
J596797		2.45	18.30	0.18	4.3	0.032	2.57	35.9	30.9	0.68	441	0.80	2.74	11.8	17.7	560
J596798		2.27	16.40	0.15	3.7	0.029	2.56	30.3	28.5	0.65	394	1.51	2.71	10.1	17.1	520
J596799		2.33	16.90	0.15	4.3	0.031	2.42	32.4	34.4	0.63	398	0.47	2.76	11.5	15.5	550
J596800		2.40	17.85	0.18	4.2	0.034	2.49	36.4	34.5	0.65	415	0.57	2.82	12.0	16.2	580
J596801		2.37	18.00	0.17	4.6	0.033	2.64	33.2	37.4	0.63	426	0.95	2.77	12.9	15.9	550
J596802		2.31	17.65	0.17	4.9	0.032	2.73	33.2	27.6	0.62	395	1.08	2.81	12.2	15.0	540
J596803		2.38	17.60	0.10	4.8	0.032	2.55	38.9	33.5	0.65	421	1.14	2.76	11.2	19.7	550
J596804		2.38	17.90	0.11	4.2	0.033	2.52	35.5	26.2	0.66	418	0.86	2.77	11.0	18.6	550
J596805		2.53	18.50	0.12	4.5	0.034	2.48	39.3	26.8	0.74	436	0.68	2.89	11.2	21.8	580
J596806		2.50	18.65	0.13	4.2	0.033	2.58	44.3	27.1	0.68	432	0.77	2.83	11.1	18.7	570
J596807		2.48	18.70	0.13	4.4	0.035	2.55	42.4	26.6	0.67	428	3.06	2.87	11.5	18.3	570
J596808		2.42	18.40	0.11	4.5	0.034	2.57	37.7	25.0	0.65	421	0.98	2.83	10.9	17.9	560
J596809		2.35	17.80	0.11	3.8	0.032	2.59	38.0	29.7	0.63	416	0.74	2.73	10.7	16.8	550
J596810		2.40	18.35	0.13	4.3	0.031	2.64	39.7	37.1	0.65	419	1.50	2.75	10.9	18.4	540
J596811		0.65	15.10	0.06	3.1	0.009	3.21	17.6	6.5	0.08	93	0.58	2.63	9.6	1.9	60
J596812		2.59	18.95	0.14	4.4	0.038	2.65	39.1	50.0	0.77	474	1.06	2.71	11.3	22.6	560
J596813		0.66	15.25	0.06	3.1	0.007	3.80	15.5	4.6	0.05	141	0.85	2.63	10.8	1.2	40
J596814		2.27	18.80	0.12	4.9	0.034	2.62	36.6	31.2	0.61	412	0.94	2.79	12.3	17.3	520
J596815		2.37	18.50	0.13	4.6	0.038	2.50	39.1	25.7	0.65	414	0.98	2.80	11.2	18.3	540
J596816		2.22	18.55	0.12	4.2	0.033	2.57	38.5	26.1	0.59	397	0.61	2.79	13.1	16.9	500
J596817		2.35	18.60	0.13	5.0	0.034	2.52	39.2	26.3	0.63	416	0.59	2.80	11.9	17.3	550
J596818		2.50	19.05	0.13	4.9	0.035	2.55	40.6	26.3	0.68	433	1.37	2.89	11.8	19.2	580
J596819		2.43	18.45	0.13	4.3	0.036	2.49	43.1	24.4	0.67	422	9.70	2.82	12.1	18.6	560
J596820		2.42	18.05	0.12	4.7	0.034	2.50	41.0	28.2	0.67	417	3.54	2.82	10.8	18.0	550
J596821		2.50	19.35	0.14	4.6	0.036	2.52	40.6	35.7	0.69	444	1.97	2.77	11.6	19.7	570
J596822		2.71	15.90	0.14	3.9	0.026	2.43	43.6	24.6	0.60	285	2.20	2.46	9.3	16.4	500
J596823		2.39	18.35	0.13	4.5	0.031	2.72	42.8	32.2	0.68	408	0.88	2.68	11.7	15.4	550
J596824		2.50	18.60	0.13	4.4	0.036	2.41	43.8	29.2	0.68	434	0.51	2.83	11.3	18.9	580
J596825		3.46	20.2	0.12	1.4	0.011	2.10	8.9	6.3	0.69	252	1.07	5.46	8.6	29.2	680
J596826		2.42	18.35	0.13	4.2	0.033	2.73	42.5	22.4	0.66	416	0.42	2.80	10.7	18.9	560
J596827		2.42	18.50	0.14	4.8	0.036	2.67	39.5	20.4	0.65	423	0.65	2.88	11.5	18.5	560
J596828		2.55	19.15	0.14	4.7	0.034	2.48	45.3	24.8	0.70	437	0.66	2.93	12.4	20.0	600
J596829		2.29	18.15	0.13	4.2	0.034	2.64	39.5	26.5	0.62	416	0.58	2.76	12.0	17.8	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596790		15.7	96.8	<0.002	0.02	0.09	7.6	1	1.8	214	0.67	<0.05	15.2	0.271	0.59	2.6
J596791		15.0	101.5	<0.002	0.01	0.08	7.6	1	1.9	215	0.82	<0.05	16.5	0.269	0.64	3.3
J596792		18.2	97.6	<0.002	0.14	0.22	7.5	1	2.1	197.5	0.86	<0.05	14.7	0.262	0.56	3.0
J596793		15.3	104.0	<0.002	0.02	0.13	8.1	1	2.2	219	0.93	<0.05	14.6	0.285	0.62	3.1
J596794		15.7	103.0	<0.002	0.01	0.11	7.8	1	1.9	228	0.83	<0.05	14.1	0.278	0.61	3.0
J596795		16.9	98.9	0.002	0.05	0.21	7.0	1	1.7	205	1.14	<0.05	15.8	0.251	0.58	4.0
J596796		17.2	102.0	<0.002	0.02	0.22	7.5	1	2.0	223	0.94	<0.05	14.3	0.274	0.65	3.0
J596797		14.9	106.0	<0.002	0.01	0.09	7.9	1	1.9	218	0.90	<0.05	15.4	0.270	0.65	3.2
J596798		16.4	102.5	<0.002	0.11	0.20	7.1	1	1.8	192.5	0.72	0.17	11.9	0.244	0.61	2.5
J596799		16.3	103.5	<0.002	0.03	0.22	7.2	1	2.0	219	0.89	<0.05	13.6	0.267	0.62	3.2
J596800		17.4	106.0	<0.002	0.03	0.22	7.7	1	2.0	229	0.96	<0.05	15.1	0.279	0.64	3.3
J596801		19.0	109.5	<0.002	0.02	0.20	7.8	1	2.0	215	1.03	<0.05	13.4	0.270	0.66	3.9
J596802		17.7	113.0	<0.002	0.11	0.33	7.4	1	2.0	208	1.07	<0.05	14.9	0.267	0.65	3.9
J596803		20.3	113.5	<0.002	0.05	0.30	8.5	1	2.1	206	1.07	<0.05	14.6	0.267	0.72	3.7
J596804		16.5	112.5	<0.002	0.01	0.10	8.4	1	2.0	210	0.98	<0.05	15.2	0.267	0.70	3.8
J596805		17.6	113.5	<0.002	0.01	0.10	9.1	1	2.0	229	0.99	<0.05	14.0	0.280	0.69	4.3
J596806		17.0	120.5	<0.002	0.01	0.09	9.2	1	2.0	219	1.00	<0.05	15.6	0.281	0.71	3.9
J596807		17.9	118.5	<0.002	0.01	0.09	9.1	1	2.0	217	1.04	<0.05	14.9	0.278	0.70	3.6
J596808		17.2	114.0	<0.002	<0.01	0.06	8.5	1	1.9	215	0.95	<0.05	14.6	0.270	0.69	3.6
J596809		15.3	111.0	<0.002	<0.01	0.07	8.2	1	1.9	210	0.93	<0.05	13.1	0.270	0.67	3.2
J596810		26.1	132.0	<0.002	0.15	0.38	8.9	1	2.0	202	0.92	<0.05	15.9	0.272	0.79	4.0
J596811		37.7	110.0	<0.002	0.21	1.00	1.6	1	1.2	66.6	1.48	<0.05	25.1	0.053	0.52	8.4
J596812		40.7	135.0	<0.002	0.04	0.44	9.7	1	2.1	202	0.90	<0.05	14.7	0.274	0.91	3.6
J596813		22.1	194.0	<0.002	0.01	0.27	1.4	1	1.7	35.8	1.92	<0.05	23.9	0.055	0.98	8.0
J596814		16.6	121.0	<0.002	<0.01	0.15	8.4	1	2.5	203	1.34	<0.05	14.5	0.254	0.73	4.4
J596815		16.4	116.0	<0.002	0.01	0.08	8.6	1	2.2	212	1.02	<0.05	15.5	0.267	0.68	4.0
J596816		18.4	136.5	<0.002	<0.01	0.08	8.0	1	2.2	188.5	1.37	<0.05	17.4	0.246	0.76	4.7
J596817		17.5	124.5	<0.002	0.01	0.08	8.8	1	2.1	210	1.18	<0.05	15.7	0.265	0.73	4.4
J596818		17.3	119.0	<0.002	0.01	0.07	9.2	1	2.1	220	1.08	<0.05	15.1	0.283	0.69	3.6
J596819		17.1	124.0	<0.002	0.01	0.08	9.0	1	2.1	216	1.13	<0.05	15.0	0.274	0.71	3.8
J596820		14.2	119.0	<0.002	0.01	0.14	8.7	1	2.0	214	0.97	<0.05	14.3	0.274	0.68	3.4
J596821		16.4	123.0	<0.002	0.04	0.22	9.3	1	2.1	217	1.08	<0.05	14.7	0.281	0.70	3.4
J596822		22.4	121.0	<0.002	0.71	0.35	7.9	1	1.9	197.0	1.14	0.05	17.6	0.228	0.61	6.0
J596823		15.8	126.0	<0.002	0.04	0.38	9.1	1	2.2	205	1.19	<0.05	13.5	0.275	0.67	2.8
J596824		13.8	115.5	<0.002	0.01	0.12	9.0	1	2.0	222	1.04	<0.05	14.0	0.284	0.66	3.6
J596825		72.8	810	<0.002	2.48	1.29	3.8	1	1.0	164.0	0.88	<0.05	3.3	0.212	9.56	1.4
J596826		16.3	123.5	<0.002	0.01	0.10	8.9	1	1.9	220	0.99	<0.05	13.0	0.268	0.70	3.3
J596827		18.3	120.5	<0.002	0.01	0.14	8.7	1	2.5	220	1.14	<0.05	12.8	0.268	0.69	3.6
J596828		17.0	124.5	<0.002	0.01	0.17	9.0	1	2.1	227	1.27	<0.05	14.7	0.290	0.67	3.9
J596829		17.5	133.0	<0.002	0.01	0.25	8.7	1	1.9	203	1.28	<0.05	14.1	0.262	0.70	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596790		44	1.4	19.1	52	178.5
J596791		44	0.5	19.9	52	161.5
J596792		43	7.0	19.6	63	166.0
J596793		47	1.1	21.0	55	152.5
J596794		46	0.4	20.1	54	172.0
J596795		40	1.4	20.8	62	192.0
J596796		45	2.7	19.9	60	167.0
J596797		45	0.6	20.7	54	167.0
J596798		42	70.6	17.7	51	142.5
J596799		44	1.1	19.2	54	167.0
J596800		44	0.7	20.1	56	149.5
J596801		43	0.7	22.1	54	169.5
J596802		42	3.5	20.9	47	172.5
J596803		44	2.5	20.5	54	187.5
J596804		43	0.6	20.0	52	162.5
J596805		46	0.5	21.5	55	173.0
J596806		45	0.5	21.1	52	160.0
J596807		45	0.5	21.3	53	175.0
J596808		44	1.1	20.0	52	183.5
J596809		43	0.5	19.0	51	150.5
J596810		43	4.9	20.5	53	166.5
J596811		5	4.8	13.8	102	66.4
J596812		46	1.3	21.1	78	170.5
J596813		4	1.5	15.0	12	62.9
J596814		41	0.8	21.9	50	184.5
J596815		43	0.4	20.5	51	179.0
J596816		40	0.8	22.0	49	153.5
J596817		43	0.5	21.8	51	181.5
J596818		46	0.5	21.8	54	194.0
J596819		44	2.1	22.3	52	170.5
J596820		44	0.9	20.7	52	185.5
J596821		45	0.8	21.4	55	183.5
J596822		39	1.7	18.5	47	146.5
J596823		44	1.7	22.6	53	180.5
J596824		45	0.7	21.5	53	175.5
J596825		27	0.3	4.8	41	50.6
J596826		43	0.5	20.8	52	170.5
J596827		44	0.7	21.4	52	186.0
J596828		46	0.5	22.9	55	188.0
J596829		43	0.6	22.7	50	161.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596830		0.72	<0.005	0.07	6.69	4.5	640	1.52	0.06	1.54	0.08	67.8	6.3	16	3.19	6.7
J596831		2.01	<0.005	0.08	6.68	4.7	690	1.46	0.07	1.79	0.10	69.0	7.7	22	3.33	8.6
J596832		2.14	<0.005	0.07	6.67	9.3	690	1.51	0.06	1.82	0.10	73.2	8.1	22	3.29	8.7
J596833		1.42	0.011	0.08	6.81	14.4	660	1.50	0.06	1.86	0.09	75.6	8.7	23	2.89	10.5
J596834		1.37	<0.005	0.07	6.69	19.4	750	1.50	0.06	1.81	0.08	73.4	8.2	23	2.89	8.8
J596835		1.39	<0.005	0.06	6.45	19.8	740	1.37	0.07	1.81	0.09	72.5	7.9	25	2.87	9.2
J596836		2.03	<0.005	0.08	6.89	3.7	730	1.35	0.05	1.91	0.09	75.6	8.0	26	3.33	9.3
J596837		2.10	<0.005	0.08	7.03	9.7	740	1.37	0.06	1.95	0.09	80.3	8.3	25	3.22	11.5
J596838		2.00	<0.005	0.08	6.95	12.1	710	1.36	0.06	2.01	0.14	74.5	8.0	24	3.14	9.6
J596839		1.93	<0.005	0.04	7.53	4.5	740	1.19	0.05	2.00	0.04	83.5	9.1	27	3.53	8.8
J596840		1.96	<0.005	0.01	6.94	2.2	660	1.52	0.05	1.86	0.04	67.7	7.9	27	3.71	10.3
J596841		1.92	<0.005	0.01	7.34	6.9	710	1.57	0.04	1.91	0.05	72.6	8.0	25	3.58	9.0
J596842		1.90	<0.005	0.03	7.54	3.1	730	1.42	0.05	2.00	0.04	87.8	8.5	32	3.84	9.7
J596843		1.94	<0.005	0.06	7.19	1.4	710	1.19	0.04	1.92	0.05	79.4	7.6	25	3.44	8.5
J596844		1.34	<0.005	0.04	7.41	4.3	670	1.44	0.05	1.85	0.06	71.3	7.3	22	3.71	8.4
J596845		1.07	<0.005	0.03	7.46	9.7	720	1.33	0.06	1.90	0.04	80.2	8.1	26	3.56	9.8
J596846		0.52	0.134	0.04	7.26	11.5	890	1.47	0.07	1.85	0.04	75.3	6.9	21	3.54	8.9
J596847		1.01	0.024	0.05	7.42	11.8	760	1.36	0.08	1.86	0.09	81.5	8.3	24	3.04	8.2
J596848		0.98	0.008	0.04	7.41	10.4	620	1.27	0.08	2.13	0.14	75.3	7.6	28	2.60	14.5
J596849		1.15	<0.005	0.04	7.56	2.8	770	1.15	0.04	2.00	0.05	75.8	7.7	24	3.53	8.5
J596850		0.07	<0.005	0.04	6.76	1.5	930	1.00	0.09	1.38	0.07	28.4	2.2	14	1.77	4.0
J596851		1.99	<0.005	0.02	7.70	0.5	740	1.19	0.05	2.04	0.05	79.9	7.9	26	3.47	9.0
J596852		1.97	<0.005	0.01	7.66	0.9	740	1.31	0.05	2.07	0.06	84.2	8.3	26	3.72	9.7
J596853		0.58	<0.005	<0.01	7.16	0.5	540	1.38	0.08	1.54	0.06	60.7	5.9	18	3.15	9.7
J596854		1.46	<0.005	0.10	7.60	0.5	750	1.31	0.05	2.06	0.07	81.9	8.4	25	3.70	10.4
J596855		1.96	<0.005	0.01	7.61	0.5	740	1.26	0.04	2.04	0.05	82.5	8.2	27	3.48	9.3
J596856		1.93	<0.005	0.07	7.35	1.0	720	1.14	0.06	1.99	0.05	76.0	7.7	24	3.24	9.9
J596857		1.86	<0.005	0.03	7.52	5.4	760	1.25	0.05	2.06	0.05	78.7	7.9	26	3.33	8.0
J596858		1.98	<0.005	0.05	7.79	5.4	780	1.43	0.05	2.01	0.05	80.6	8.2	25	3.66	9.7
J596859		1.99	<0.005	0.05	7.34	2.8	720	1.21	0.08	2.06	0.05	75.6	8.2	27	3.56	9.3
J596860		1.24	<0.005	0.03	7.47	0.9	740	1.39	0.04	1.98	0.07	78.9	7.9	24	3.47	9.0
J596861		1.46	<0.005	0.03	7.90	1.1	710	1.54	0.06	2.27	0.07	84.8	9.4	26	3.35	23.0
J596862		1.64	<0.005	0.04	7.86	<0.2	670	1.60	0.08	2.19	0.07	82.6	8.7	24	3.15	24.5
J596863		0.55	<0.005	0.01	7.08	1.9	590	1.70	0.07	1.45	0.04	58.9	5.5	21	4.05	7.3
J596864		1.14	<0.005	0.01	7.01	9.5	710	1.39	0.05	2.04	0.05	74.2	6.7	22	3.91	10.0
J596865		1.98	<0.005	0.03	7.11	7.0	710	1.24	0.05	1.94	0.05	72.2	7.6	23	3.39	16.4
J596866		1.86	<0.005	0.09	7.33	1.7	730	1.42	0.04	1.96	0.05	80.1	7.8	24	3.60	8.6
J596867		1.97	<0.005	0.03	7.41	2.9	720	1.31	0.05	1.97	0.05	75.9	7.8	29	3.62	10.1
J596868		2.08	<0.005	<0.01	7.19	4.1	700	1.48	0.05	1.89	0.05	71.8	7.6	25	4.03	12.2
J596869		1.92	<0.005	<0.01	7.22	1.3	710	1.33	0.04	1.94	0.04	75.8	8.0	26	3.88	11.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596830		1.99	17.35	0.12	4.7	0.028	2.77	34.9	21.9	0.50	354	0.78	2.72	11.3	13.7	440
J596831		2.29	17.70	0.12	4.4	0.030	2.56	35.0	26.9	0.61	403	0.60	2.80	11.3	17.1	530
J596832		2.33	17.95	0.13	4.5	0.031	2.60	37.2	32.0	0.62	394	0.81	2.85	11.7	17.7	530
J596833		2.38	18.20	0.13	4.5	0.031	2.51	38.9	30.1	0.64	400	0.95	2.83	11.6	19.0	550
J596834		2.37	17.80	0.13	4.0	0.033	2.62	37.4	29.4	0.65	390	0.44	2.76	10.7	18.2	560
J596835		2.32	17.70	0.12	4.1	0.032	2.45	36.9	32.4	0.64	393	1.91	2.81	10.7	19.5	550
J596836		2.43	17.90	0.14	4.0	0.031	2.43	39.3	32.2	0.66	422	0.43	2.72	10.6	18.4	560
J596837		2.46	18.60	0.14	4.3	0.036	2.49	42.0	35.2	0.67	425	0.67	2.90	11.3	19.1	580
J596838		2.47	17.65	0.12	4.5	0.035	2.44	38.4	30.5	0.68	433	0.57	2.81	10.8	18.3	590
J596839		2.52	18.30	0.17	5.0	0.036	2.51	39.3	31.1	0.69	435	0.49	2.82	12.0	16.1	600
J596840		2.36	17.60	0.16	4.4	0.032	2.40	30.6	29.5	0.65	415	1.19	2.71	12.6	16.7	560
J596841		2.40	17.70	0.16	4.4	0.031	2.56	33.9	31.2	0.67	414	0.52	2.83	12.8	15.5	560
J596842		2.50	18.70	0.20	4.9	0.033	2.53	41.1	32.3	0.71	437	27.1	2.87	12.6	16.7	590
J596843		2.44	17.50	0.18	4.2	0.032	2.39	36.8	29.3	0.68	418	0.51	2.70	11.5	15.4	570
J596844		2.31	17.40	0.18	4.8	0.032	2.54	33.0	30.7	0.65	405	0.59	2.89	12.8	14.0	550
J596845		2.53	17.90	0.17	4.2	0.030	2.58	37.8	36.3	0.71	400	0.90	2.95	12.2	16.1	590
J596846		2.42	17.40	0.19	4.4	0.031	2.78	35.6	39.7	0.70	409	1.35	2.72	12.0	14.5	560
J596847		2.42	17.75	0.18	4.6	0.029	2.74	38.1	28.2	0.69	397	1.07	2.79	11.8	16.3	570
J596848		2.42	16.35	0.16	4.5	0.029	2.27	35.4	22.5	0.71	441	1.10	3.22	11.2	15.4	590
J596849		2.52	17.15	0.17	4.2	0.030	2.60	35.9	35.3	0.72	435	2.93	2.77	11.6	15.4	590
J596850		1.47	12.95	0.12	1.2	0.017	2.23	14.8	10.3	0.19	593	0.94	2.75	4.5	2.1	190
J596851		2.56	17.65	0.17	4.5	0.033	2.57	37.8	27.9	0.72	443	1.84	2.86	11.4	15.8	600
J596852		2.58	18.55	0.19	5.7	0.037	2.50	40.0	29.7	0.72	451	1.21	2.91	12.2	16.9	600
J596853		1.99	16.65	0.16	4.0	0.027	3.05	27.6	23.0	0.51	347	9.15	2.78	11.7	10.8	440
J596854		2.59	18.30	0.18	5.0	0.032	2.51	37.9	29.0	0.72	442	1.38	2.93	12.2	16.3	610
J596855		2.57	17.95	0.18	4.5	0.031	2.54	37.7	27.8	0.70	437	1.73	2.91	11.8	15.7	590
J596856		2.47	16.80	0.17	4.3	0.029	2.45	35.9	27.1	0.68	432	4.40	2.81	10.9	14.9	580
J596857		2.59	17.95	0.17	4.1	0.033	2.55	36.4	32.6	0.71	440	0.64	2.90	11.6	15.8	600
J596858		2.55	18.30	0.18	4.4	0.032	2.68	38.3	33.8	0.70	435	0.60	2.99	12.8	15.5	600
J596859		2.58	16.40	0.17	4.1	0.032	2.44	35.7	29.9	0.74	442	2.05	2.78	10.4	16.0	590
J596860		2.44	17.95	0.19	4.6	0.031	2.54	37.1	28.6	0.67	413	0.80	2.87	11.2	15.1	590
J596861		2.84	19.25	0.20	5.6	0.042	2.51	39.4	31.4	0.83	487	2.38	3.11	13.8	20.4	750
J596862		2.77	19.00	0.17	5.9	0.046	2.69	37.7	26.2	0.80	492	13.55	3.08	14.6	19.6	740
J596863		1.88	16.65	0.16	4.1	0.025	3.06	26.3	22.4	0.50	328	10.55	2.75	12.8	11.5	420
J596864		2.29	16.25	0.18	4.2	0.029	2.45	34.1	33.6	0.64	436	2.73	2.75	11.0	13.9	540
J596865		2.36	16.00	0.17	4.2	0.029	2.42	33.7	30.8	0.65	415	1.43	2.66	10.4	14.3	570
J596866		2.46	17.30	0.18	4.5	0.032	2.43	37.7	30.5	0.68	430	1.62	2.78	11.2	15.0	580
J596867		2.46	17.60	0.16	4.8	0.033	2.42	35.2	26.6	0.69	424	1.03	2.87	11.1	15.5	580
J596868		2.40	16.45	0.16	4.4	0.031	2.48	33.4	28.4	0.68	418	1.44	2.75	11.9	14.5	560
J596869		2.42	17.10	0.18	4.2	0.032	2.44	35.8	27.8	0.69	423	0.77	2.75	11.7	15.2	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596830		19.2	136.0	<0.002	<0.01	0.17	6.9	1	1.8	176.5	1.26	<0.05	18.4	0.228	0.73	5.5
J596831		17.3	117.0	<0.002	0.01	0.18	8.0	1	1.8	204	1.18	<0.05	12.9	0.259	0.65	3.5
J596832		18.0	120.0	<0.002	0.04	0.26	8.2	1	2.0	205	1.29	<0.05	13.1	0.266	0.66	3.5
J596833		15.2	115.5	<0.002	0.09	0.29	8.6	1	1.8	205	1.13	<0.05	12.6	0.272	0.61	3.7
J596834		15.4	116.0	<0.002	0.11	0.31	8.5	1	1.8	221	1.01	<0.05	11.9	0.273	0.62	3.1
J596835		17.2	107.5	<0.002	0.08	0.31	8.4	1	1.9	208	1.00	<0.05	11.5	0.269	0.62	2.7
J596836		14.1	111.5	<0.002	0.01	0.14	8.4	1	1.8	219	0.95	<0.05	12.6	0.274	0.65	3.2
J596837		15.0	116.5	<0.002	0.03	0.22	8.9	1	2.0	223	1.01	<0.05	12.6	0.282	0.67	2.9
J596838		19.6	112.0	<0.002	0.04	0.20	8.6	1	2.0	219	0.96	<0.05	11.5	0.283	0.65	2.8
J596839		14.4	105.5	<0.002	0.02	0.12	8.0	1	2.1	231	0.99	<0.05	14.0	0.286	0.64	3.1
J596840		14.7	107.0	<0.002	0.01	0.11	7.7	1	1.9	210	1.22	<0.05	13.3	0.263	0.62	3.7
J596841		14.8	114.0	<0.002	0.03	0.15	7.8	1	1.8	217	1.21	<0.05	14.1	0.267	0.61	3.9
J596842		15.3	115.0	0.002	0.01	0.13	8.5	1	2.0	231	1.07	<0.05	14.3	0.285	0.67	3.2
J596843		15.3	99.9	<0.002	<0.01	0.10	7.7	1	1.9	218	0.96	<0.05	13.8	0.273	0.63	2.9
J596844		16.7	107.5	<0.002	0.02	0.22	7.3	1	2.0	213	1.37	<0.05	15.2	0.270	0.61	4.2
J596845		15.8	110.5	<0.002	0.06	0.28	8.3	1	1.9	230	1.03	<0.05	14.4	0.283	0.63	3.3
J596846		11.3	118.5	<0.002	0.18	0.25	8.0	1	1.9	215	0.96	<0.05	13.6	0.268	0.68	2.7
J596847		15.5	109.0	<0.002	0.17	0.27	7.9	1	1.8	247	0.93	<0.05	13.5	0.275	0.65	3.0
J596848		19.0	94.1	<0.002	0.24	0.24	7.8	1	1.8	190.0	0.94	<0.05	13.3	0.283	0.59	3.5
J596849		14.2	103.0	<0.002	0.01	0.11	7.9	1	1.7	231	0.91	<0.05	12.6	0.284	0.59	2.8
J596850		11.7	57.1	<0.002	<0.01	0.18	5.2	1	1.7	184.0	0.46	<0.05	6.4	0.115	0.38	2.0
J596851		16.2	103.5	<0.002	0.01	0.07	8.0	1	1.9	235	0.97	<0.05	14.0	0.284	0.62	3.2
J596852		16.8	105.0	<0.002	0.01	0.08	8.4	1	2.0	236	1.05	<0.05	14.5	0.291	0.65	3.3
J596853		18.7	128.0	<0.002	0.04	0.08	6.1	1	1.7	160.5	1.33	<0.05	15.4	0.224	0.68	4.0
J596854		16.4	102.5	<0.002	0.01	0.06	8.2	1	1.9	234	0.97	<0.05	13.8	0.286	0.65	3.3
J596855		16.5	100.0	<0.002	0.01	0.05	7.8	1	1.9	234	0.93	<0.05	13.1	0.281	0.59	2.9
J596856		16.1	94.2	<0.002	0.02	0.07	7.5	1	1.9	222	0.92	<0.05	13.4	0.280	0.60	2.7
J596857		16.1	100.0	<0.002	0.01	0.14	7.9	1	2.0	235	0.95	<0.05	13.2	0.287	0.64	2.9
J596858		16.3	111.0	<0.002	0.01	0.09	8.3	1	2.1	229	1.08	<0.05	14.5	0.284	0.64	3.1
J596859		15.2	98.0	<0.002	0.01	0.10	7.8	1	2.0	227	0.89	<0.05	12.9	0.286	0.60	2.8
J596860		15.7	104.5	<0.002	<0.01	0.06	7.7	1	2.0	231	0.93	<0.05	12.7	0.278	0.62	2.9
J596861		17.9	109.5	<0.002	0.01	0.08	9.0	1	2.2	281	1.02	<0.05	13.0	0.381	0.64	2.8
J596862		18.4	122.0	<0.002	0.02	0.09	8.7	1	2.3	271	1.24	<0.05	13.7	0.381	0.66	3.4
J596863		21.0	145.0	<0.002	0.01	0.11	5.6	1	2.0	158.0	1.62	<0.05	17.1	0.211	0.84	5.5
J596864		13.2	105.0	<0.002	0.01	0.16	7.3	1	2.0	202	1.05	<0.05	12.2	0.260	0.58	2.8
J596865		13.7	93.6	<0.002	0.03	0.13	7.2	1	1.9	217	0.93	<0.05	12.8	0.267	0.56	2.9
J596866		15.1	102.5	<0.002	<0.01	0.07	8.0	1	2.0	227	0.91	<0.05	12.8	0.277	0.60	2.9
J596867		15.6	97.9	<0.002	0.01	0.10	7.7	1	2.0	230	0.90	<0.05	12.9	0.278	0.65	2.9
J596868		13.3	108.0	<0.002	0.01	0.11	7.5	1	2.0	211	1.09	<0.05	13.1	0.268	0.60	3.3
J596869		14.7	102.5	<0.002	0.01	0.07	7.8	1	2.3	223	0.95	<0.05	12.7	0.279	0.65	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596830		35	0.7	20.4	43	171.5
J596831		42	0.6	20.6	51	166.5
J596832		43	0.9	21.6	50	176.0
J596833		43	1.8	20.7	47	180.0
J596834		44	1.0	19.6	44	157.5
J596835		44	3.4	19.5	48	163.5
J596836		43	0.6	20.0	51	165.0
J596837		45	1.1	21.1	51	177.5
J596838		46	1.5	20.7	56	183.5
J596839		47	0.5	20.5	54	188.5
J596840		44	0.4	20.0	50	163.0
J596841		44	0.7	20.8	51	167.0
J596842		48	0.6	22.1	54	186.5
J596843		45	0.5	19.8	53	161.5
J596844		43	0.7	21.6	50	168.0
J596845		47	1.0	20.6	49	154.0
J596846		45	14.1	21.2	35	169.0
J596847		46	4.2	20.4	47	176.0
J596848		46	11.3	19.4	57	175.5
J596849		47	0.8	19.5	53	155.5
J596850		15	1.0	18.2	45	30.7
J596851		47	0.6	20.3	56	163.0
J596852		47	0.6	21.7	56	216
J596853		34	0.7	18.7	43	131.5
J596854		47	0.5	21.0	55	196.5
J596855		47	0.5	20.4	55	178.0
J596856		46	0.7	19.0	53	161.5
J596857		47	0.5	20.2	55	158.0
J596858		46	0.9	21.7	54	166.5
J596859		48	0.6	18.9	56	151.0
J596860		45	0.5	19.6	52	170.0
J596861		59	0.5	22.6	59	229
J596862		59	0.7	23.2	56	233
J596863		34	0.6	19.4	38	121.5
J596864		42	0.6	19.2	48	154.5
J596865		44	0.6	18.1	50	153.0
J596866		46	0.6	20.1	53	176.0
J596867		45	0.5	19.5	54	179.0
J596868		44	1.0	20.4	49	167.5
J596869		46	0.5	20.1	53	163.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596870		1.25	<0.005	0.12	7.35	0.9	710	1.29	0.04	1.97	0.05	76.7	7.6	23	3.87	8.6
J596871		1.34	<0.005	0.03	7.29	5.5	730	1.37	0.09	2.01	0.06	79.6	8.9	22	4.06	20.5
J596872		0.86	0.010	0.05	7.29	10.3	700	1.50	0.14	1.83	0.07	78.9	8.1	26	3.69	35.4
J596873		1.85	<0.005	0.02	7.39	5.3	720	1.39	0.10	1.94	0.06	76.5	7.7	24	4.14	14.7
J596874		0.65	<0.005	0.04	7.64	5.9	750	1.38	0.12	1.99	0.06	76.4	8.9	22	4.50	13.3
J596875		0.61	<0.005	0.28	7.09	5.8	680	1.17	0.13	1.89	0.10	84.3	8.1	23	4.79	20.4
J596876		0.65	1.420	0.23	7.43	73.0	590	1.42	1.14	1.60	0.07	78.7	7.1	25	3.36	20.8
J596877		1.35	<0.005	0.04	7.09	6.0	680	1.12	0.06	1.84	0.06	77.6	7.6	22	3.34	16.8
J596878		1.34	<0.005	0.06	7.08	37.2	670	1.15	0.10	2.01	0.08	71.6	8.1	22	3.26	42.5
J596879		1.89	<0.005	0.04	7.13	4.0	690	1.16	0.11	1.89	0.07	74.5	7.8	22	3.41	20.0
J596880		2.03	0.005	0.07	6.94	60.4	630	1.18	0.21	1.91	0.09	74.0	7.1	25	3.34	20.5
J596881		1.94	<0.005	0.05	6.91	7.9	690	1.13	0.13	1.86	0.08	75.0	7.8	24	3.02	12.7
J596882		2.12	<0.005	0.03	6.60	3.1	640	1.13	0.05	1.77	0.08	77.7	7.9	23	3.10	10.3
J596883		2.00	<0.005	0.06	7.48	1.3	710	1.21	0.05	1.96	0.08	79.8	8.1	24	3.20	13.0
J596884		1.79	<0.005	0.03	6.97	1.5	670	1.11	0.05	1.85	0.07	69.5	7.2	25	2.99	14.3
J596885		2.01	<0.005	0.04	7.22	4.3	680	1.25	0.06	2.04	0.10	82.5	8.7	25	3.58	17.1
J596886		2.14	<0.005	0.07	7.39	1.3	710	1.23	0.05	1.94	0.08	81.9	7.9	24	3.18	14.6
J596887		1.95	<0.005	0.03	7.50	1.1	700	1.22	0.05	1.99	0.09	86.4	8.0	25	3.32	15.3
J596888		1.13	<0.005	0.03	7.06	7.7	730	1.20	0.06	1.92	0.09	76.2	7.2	23	3.19	14.4
J596889		0.70	<0.005	0.04	7.16	29.5	590	1.22	0.13	1.91	0.07	72.1	7.4	20	3.03	19.9
J596890		1.49	<0.005	0.07	7.00	5.1	680	1.15	0.05	1.84	0.09	73.8	8.3	21	3.05	14.7
J596891		1.28	<0.005	0.05	7.05	12.0	660	1.15	0.08	1.90	0.08	73.9	7.7	21	3.27	20.8
J596892		1.32	<0.005	0.05	6.99	14.2	690	1.18	0.08	1.79	0.10	76.8	7.5	24	3.43	13.3
J596893		0.62	0.023	0.02	7.19	24.0	590	1.40	0.12	1.64	0.07	75.6	5.7	23	3.32	18.5
J596894		0.71	0.005	0.04	7.06	24.6	690	1.32	0.06	1.97	0.08	76.2	6.8	20	3.14	17.0
J596895		0.57	0.005	0.03	6.82	40.6	960	1.05	0.08	1.82	0.10	53.4	4.2	17	2.76	10.9
J596896		0.81	<0.005	0.05	7.52	20.7	690	1.38	0.06	1.94	0.10	92.2	8.2	22	3.37	17.7
J596897		1.53	<0.005	0.05	7.42	13.8	710	1.35	0.06	2.00	0.09	79.2	8.7	24	3.09	15.2
J596898		0.62	0.023	0.06	7.24	62.5	670	1.42	0.18	2.04	0.11	89.3	5.1	19	3.10	20.5
J596899		1.37	<0.005	0.05	7.33	14.9	710	1.27	0.81	1.92	0.08	73.5	6.8	20	3.25	13.5
J596900		0.03	1.330	0.76	8.01	3.3	100	2.16	0.70	0.89	0.16	18.60	8.7	29	19.60	12.9
J596901		1.20	<0.005	0.05	6.98	7.6	660	1.35	0.10	1.81	0.10	78.6	7.1	22	3.47	15.9
J596902		1.79	<0.005	0.05	6.95	2.2	660	1.23	0.05	1.84	0.10	72.3	7.3	23	2.97	12.8
J596903		1.77	<0.005	0.04	7.07	8.5	680	1.36	0.06	1.84	0.07	75.8	7.3	23	3.01	13.8
J596904		1.98	<0.005	0.04	7.07	4.1	680	1.30	0.05	1.83	0.07	67.8	7.0	22	2.72	11.5
J596905		1.81	<0.005	0.02	6.14	15.5	690	1.37	0.08	1.79	0.08	71.0	7.7	24	2.69	15.0
J596906		1.88	<0.005	0.04	6.98	2.7	670	1.37	0.05	1.86	0.07	75.3	7.2	23	2.94	10.8
J596907		1.88	<0.005	0.05	6.96	0.3	680	1.28	0.05	1.84	0.07	71.4	7.0	22	2.98	12.4
J596908		1.79	0.011	0.06	6.14	64.4	660	1.29	0.07	1.75	0.07	68.4	7.3	20	2.67	11.8
J596909		1.87	<0.005	0.03	7.04	0.7	670	1.21	0.04	1.87	0.07	69.1	7.2	22	2.73	11.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596870		2.47	16.15	0.18	4.4	0.034	2.44	35.8	26.7	0.69	438	0.79	2.79	10.9	14.6	570
J596871		2.57	16.85	0.18	4.2	0.032	2.43	37.3	32.7	0.68	453	1.03	2.71	11.1	15.2	580
J596872		2.43	17.10	0.19	4.7	0.029	2.29	36.4	30.3	0.66	433	1.14	3.01	11.6	15.5	570
J596873		2.44	17.15	0.18	4.3	0.029	2.51	35.2	35.7	0.70	431	1.12	2.72	11.2	15.6	560
J596874		2.56	18.20	0.20	4.3	0.031	2.60	36.2	36.6	0.72	447	2.04	2.79	12.2	15.3	610
J596875		2.51	19.75	0.18	4.2	0.035	2.50	42.4	31.6	0.72	440	1.45	2.73	11.4	19.7	570
J596876		2.48	19.50	0.17	4.7	0.023	2.39	40.8	33.1	0.72	386	27.9	3.38	12.1	13.3	580
J596877		2.36	18.80	0.16	3.9	0.029	2.51	40.9	31.4	0.66	417	1.01	2.70	11.0	15.7	540
J596878		2.47	18.60	0.16	4.7	0.026	2.61	35.8	32.1	0.68	441	0.84	2.81	11.3	18.4	560
J596879		2.43	19.50	0.18	4.5	0.032	2.51	37.7	26.7	0.68	418	1.91	2.72	11.6	16.7	570
J596880		2.42	19.40	0.16	4.3	0.029	2.39	36.9	31.2	0.68	408	1.21	2.91	11.9	16.5	570
J596881		2.41	19.40	0.16	4.3	0.034	2.51	37.4	26.3	0.68	420	1.32	2.77	11.2	17.1	560
J596882		2.30	18.35	0.17	4.1	0.030	2.34	40.4	23.4	0.65	401	1.05	2.59	10.9	17.4	510
J596883		2.47	20.6	0.19	4.7	0.037	2.62	40.9	22.2	0.68	429	1.81	2.95	12.2	18.0	570
J596884		2.32	17.90	0.15	4.6	0.034	2.49	35.8	20.8	0.66	408	1.69	2.76	11.0	16.5	560
J596885		2.56	19.30	0.17	4.2	0.035	2.56	42.1	28.8	0.71	446	1.73	2.81	12.1	18.2	560
J596886		2.43	19.55	0.17	4.1	0.033	2.65	41.4	23.3	0.66	420	2.19	2.91	11.9	17.1	580
J596887		2.49	20.3	0.18	4.4	0.036	2.61	45.1	23.8	0.69	441	5.04	2.88	12.2	18.0	580
J596888		2.28	18.85	0.16	4.6	0.034	2.62	39.2	25.7	0.62	407	1.09	2.85	11.8	15.4	560
J596889		2.34	19.15	0.15	4.6	0.027	2.29	36.2	27.0	0.64	388	1.16	3.14	11.7	15.7	560
J596890		2.36	19.15	0.17	4.1	0.035	2.52	37.2	23.5	0.63	404	1.14	2.78	11.7	15.9	550
J596891		2.42	19.05	0.16	4.4	0.033	2.50	37.4	28.2	0.63	410	1.84	2.80	12.0	14.8	580
J596892		2.33	18.95	0.17	4.6	0.031	2.48	40.4	29.3	0.65	408	1.29	2.70	11.5	17.2	540
J596893		2.32	19.95	0.17	4.7	0.027	2.21	38.8	32.2	0.66	373	1.62	3.21	12.2	14.5	560
J596894		2.35	19.35	0.17	4.2	0.032	2.55	39.3	30.3	0.63	434	0.72	2.78	12.5	15.6	560
J596895		1.98	18.45	0.15	3.3	0.029	3.31	26.5	29.4	0.56	368	0.95	2.47	10.3	9.4	490
J596896		2.50	21.5	0.19	4.3	0.034	2.75	47.9	31.5	0.68	431	0.64	2.95	12.9	17.9	570
J596897		2.47	20.0	0.19	4.5	0.036	2.65	40.6	31.9	0.69	446	2.32	2.86	11.9	17.4	590
J596898		2.36	19.10	0.17	3.8	0.031	2.57	46.7	32.7	0.67	452	2.55	3.16	11.5	13.1	560
J596899		2.39	18.55	0.17	4.3	0.032	2.65	37.8	30.6	0.64	419	1.53	2.89	11.8	14.4	560
J596900		4.01	20.9	0.14	1.3	0.013	2.56	9.7	5.2	0.83	251	2.02	5.15	9.3	35.0	670
J596901		2.34	18.85	0.16	3.8	0.032	2.56	40.1	30.9	0.63	422	1.40	2.72	11.7	15.4	530
J596902		2.34	17.80	0.16	3.9	0.032	2.50	37.9	24.8	0.63	419	0.58	2.73	11.1	14.8	540
J596903		2.43	19.35	0.17	4.3	0.035	2.61	37.7	28.1	0.65	425	2.68	2.82	12.1	16.0	570
J596904		2.33	18.40	0.15	3.6	0.030	2.60	33.6	26.5	0.62	407	1.20	2.81	11.3	15.0	550
J596905		2.31	18.35	0.16	4.2	0.030	2.53	34.4	30.3	0.62	419	0.71	2.79	11.8	16.9	560
J596906		2.31	18.25	0.14	4.6	0.031	2.54	38.0	26.1	0.63	407	1.28	2.83	11.3	15.3	550
J596907		2.34	18.15	0.15	4.0	0.032	2.54	36.9	21.6	0.64	404	0.98	2.80	11.1	15.4	550
J596908		2.27	18.30	0.15	4.2	0.032	2.44	34.0	20.4	0.61	397	0.88	2.80	11.4	15.0	550
J596909		2.36	18.35	0.15	4.3	0.032	2.54	35.6	20.1	0.64	411	1.08	2.86	11.5	15.5	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596870		13.7	102.5	<0.002	<0.01	0.05	7.9	1	2.0	224	0.93	<0.05	13.3	0.275	0.64	3.0
J596871		12.9	103.5	<0.002	0.05	0.11	7.7	1	1.9	222	0.92	<0.05	12.5	0.277	0.64	2.8
J596872		23.2	101.0	<0.002	0.10	0.25	7.9	1	2.2	215	0.94	<0.05	14.1	0.276	0.61	3.2
J596873		12.5	107.0	<0.002	0.02	0.13	7.8	1	2.0	224	0.88	<0.05	12.3	0.273	0.63	2.9
J596874		13.1	113.0	<0.002	0.01	0.13	8.3	1	2.1	228	0.99	<0.05	13.4	0.287	0.70	3.2
J596875		16.7	116.5	<0.002	0.01	0.18	8.4	1	2.0	215	0.90	<0.05	13.7	0.281	0.78	3.1
J596876		14.7	115.0	<0.002	0.07	0.50	8.7	1	2.1	206	0.90	0.21	14.5	0.292	0.68	2.9
J596877		14.6	104.0	<0.002	0.03	0.19	7.3	1	1.8	207	0.86	<0.05	13.4	0.270	0.71	3.2
J596878		15.5	109.0	<0.002	0.11	0.43	7.9	1	1.8	207	0.97	<0.05	13.4	0.278	0.67	3.1
J596879		15.7	105.0	<0.002	0.05	0.14	7.9	1	1.8	217	0.86	<0.05	13.0	0.275	0.71	2.9
J596880		15.4	108.5	<0.002	0.06	0.47	8.3	1	1.9	204	0.95	0.05	13.3	0.280	0.68	2.9
J596881		15.5	104.0	<0.002	0.02	0.19	7.8	1	1.9	210	0.85	<0.05	12.4	0.271	0.70	2.7
J596882		15.6	110.0	<0.002	0.01	0.14	8.0	1	1.8	202	0.90	<0.05	14.0	0.261	0.71	3.2
J596883		17.0	115.0	<0.002	0.01	0.08	8.2	1	2.0	227	0.93	<0.05	13.9	0.288	0.76	3.5
J596884		17.3	101.5	<0.002	0.01	0.09	7.5	1	1.8	212	0.87	<0.05	13.2	0.268	0.73	3.1
J596885		21.3	123.0	<0.002	0.02	0.13	8.8	1	1.9	216	1.06	<0.05	15.4	0.274	0.80	3.7
J596886		17.8	113.5	<0.002	0.01	0.09	8.2	1	1.9	224	0.95	<0.05	14.6	0.281	0.72	3.3
J596887		19.9	116.0	<0.002	0.01	0.10	8.4	1	2.0	226	1.00	<0.05	15.0	0.288	0.78	3.7
J596888		19.9	112.0	<0.002	0.01	0.14	8.0	1	1.9	211	1.00	<0.05	14.1	0.265	0.72	3.8
J596889		17.1	102.0	<0.002	0.07	0.36	7.8	1	2.0	235	0.92	<0.05	13.6	0.274	0.65	2.9
J596890		16.6	106.0	<0.002	0.02	0.12	7.8	1	1.8	213	0.91	<0.05	12.3	0.269	0.71	2.9
J596891		18.5	108.5	<0.002	0.06	0.21	7.9	1	1.9	213	0.99	<0.05	12.8	0.277	0.73	3.2
J596892		17.2	110.5	<0.002	0.01	0.27	8.3	1	1.8	209	0.93	<0.05	14.1	0.271	0.69	3.4
J596893		17.0	111.0	<0.002	0.04	0.34	8.5	1	2.1	211	1.02	<0.05	14.1	0.280	0.70	3.2
J596894		17.5	113.5	<0.002	0.01	0.32	8.2	1	1.8	209	1.06	<0.05	14.1	0.274	0.72	3.5
J596895		17.4	115.5	<0.002	0.02	0.38	7.7	1	2.0	171.0	0.86	<0.05	11.9	0.228	0.71	4.0
J596896		20.7	127.0	<0.002	0.04	0.23	8.7	1	2.0	218	1.02	<0.05	16.6	0.286	0.80	4.0
J596897		20.2	115.0	<0.002	0.02	0.20	8.5	1	2.0	223	0.95	<0.05	14.1	0.287	0.76	3.4
J596898		22.0	117.0	<0.002	0.05	0.59	8.3	1	1.9	200	0.90	<0.05	15.1	0.285	0.75	3.5
J596899		21.0	114.5	<0.002	0.02	0.23	8.1	1	1.7	220	1.03	<0.05	15.4	0.280	0.76	4.2
J596900		82.0	600	<0.002	3.10	1.32	3.5	1	1.0	172.5	0.69	<0.05	3.2	0.222	7.83	1.4
J596901		22.0	115.5	<0.002	0.01	0.20	8.1	1	1.8	204	1.04	<0.05	14.9	0.268	0.76	4.2
J596902		19.8	108.0	<0.002	0.01	0.11	7.8	1	1.8	205	0.90	<0.05	13.8	0.270	0.70	3.6
J596903		19.5	113.0	<0.002	0.01	0.17	8.1	1	1.9	206	0.99	<0.05	13.8	0.279	0.75	3.8
J596904		17.4	107.5	<0.002	0.01	0.12	7.6	1	1.7	205	0.93	<0.05	13.6	0.280	0.67	3.4
J596905		18.1	93.7	<0.002	0.02	0.17	7.4	1	1.8	192.5	0.99	<0.05	13.0	0.273	0.70	3.3
J596906		19.0	108.0	<0.002	0.01	0.10	8.1	1	1.8	211	0.98	<0.05	13.6	0.266	0.70	3.6
J596907		19.6	108.0	<0.002	0.01	0.07	7.8	1	1.8	209	0.92	<0.05	13.7	0.267	0.73	3.6
J596908		18.3	90.1	<0.002	0.02	0.09	7.1	1	1.8	194.0	0.93	<0.05	12.4	0.269	0.73	3.1
J596909		18.9	104.0	<0.002	0.01	0.06	7.9	1	1.8	211	0.88	<0.05	12.2	0.276	0.68	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596870		46	0.8	19.8	53	159.5
J596871		45	0.9	19.6	53	163.0
J596872		45	3.6	19.7	49	177.5
J596873		45	1.3	19.5	50	167.0
J596874		47	1.7	20.9	53	164.0
J596875		45	1.6	18.2	53	167.5
J596876		47	3.2	18.3	56	182.0
J596877		42	0.7	16.7	50	158.0
J596878		43	0.7	17.4	52	178.5
J596879		43	1.4	17.7	48	189.5
J596880		45	3.1	17.6	50	166.0
J596881		43	0.4	17.2	52	177.5
J596882		42	0.5	17.7	49	156.5
J596883		46	0.5	18.8	54	194.0
J596884		43	0.4	16.8	54	184.5
J596885		45	0.7	19.3	65	153.5
J596886		45	0.5	18.4	56	168.0
J596887		45	0.4	19.4	56	180.0
J596888		42	0.4	18.0	52	174.0
J596889		44	5.7	17.2	51	185.0
J596890		43	0.4	17.3	51	165.5
J596891		44	1.0	17.9	52	169.0
J596892		43	0.7	18.0	52	178.0
J596893		44	8.5	18.1	53	188.5
J596894		43	0.4	18.3	54	165.0
J596895		42	32.7	13.8	46	131.0
J596896		45	0.6	19.5	56	165.0
J596897		45	0.8	18.4	56	180.5
J596898		45	9.8	17.8	58	143.5
J596899		43	4.0	18.5	52	166.5
J596900		27	0.2	5.3	42	45.4
J596901		42	0.8	18.1	55	139.5
J596902		43	0.4	17.4	54	158.0
J596903		44	0.5	18.1	55	179.5
J596904		43	0.5	17.0	53	147.0
J596905		44	3.7	16.1	53	167.5
J596906		43	0.4	17.6	56	173.0
J596907		43	0.4	16.7	54	153.5
J596908		43	0.7	15.5	52	169.0
J596909		43	0.4	16.9	54	184.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596910		1.79	<0.005	0.04	7.09	0.5	680	1.31	0.04	1.90	0.07	71.7	7.6	23	2.88	11.3
J596911		1.80	<0.005	0.02	7.58	0.4	740	1.29	0.04	1.94	0.09	80.9	7.7	23	3.01	11.4
J596912		1.23	<0.005	<0.01	7.27	0.3	710	1.27	0.04	1.85	0.07	73.6	7.1	22	2.92	10.6
J596913		0.79	<0.005	0.02	7.45	2.2	730	1.32	0.05	1.87	0.07	73.8	6.9	21	3.13	12.1
J596914		1.55	0.007	0.02	8.00	27.4	780	1.57	0.13	1.71	0.03	76.6	3.0	24	2.57	6.3
J596915		1.29	0.005	0.10	7.43	19.6	690	1.40	0.18	1.73	0.09	74.7	6.6	22	3.97	11.0
J596916		1.17	<0.005	0.04	7.36	14.3	720	1.41	0.09	1.84	0.09	72.8	7.1	21	3.83	12.6
J596917		0.73	0.125	0.03	7.40	28.4	720	1.38	0.28	1.84	0.09	81.0	7.7	19	3.49	16.6
J596918		0.61	<0.005	<0.01	8.02	28.3	740	1.66	0.12	1.79	0.07	83.7	5.9	21	3.12	14.5
J596919		1.65	<0.005	0.03	7.45	16.3	720	1.42	0.06	1.90	0.08	77.4	6.8	23	2.98	16.4
J596920		1.77	<0.005	<0.01	7.58	8.6	720	1.55	0.05	1.84	0.09	75.7	7.6	25	3.31	7.8
J596921		1.70	<0.005	0.02	7.89	26.4	770	1.68	0.04	1.93	0.09	75.8	7.5	23	2.90	8.2
J596922		1.86	<0.005	0.03	7.93	5.6	760	1.67	0.04	2.04	0.09	80.2	7.6	24	3.30	10.0
J596923		1.71	<0.005	0.01	7.65	10.5	730	1.53	0.05	1.93	0.10	84.8	7.2	24	3.22	10.8
J596924		1.98	<0.005	0.04	7.61	4.4	750	1.60	0.04	1.92	0.09	76.0	7.2	23	3.04	11.3
J596925		0.06	<0.005	0.04	6.87	2.1	960	1.08	0.10	1.36	0.12	28.0	2.3	11	1.78	3.8
J596926		2.05	<0.005	0.02	7.34	4.2	720	1.55	0.04	1.83	0.07	75.0	7.4	29	3.06	7.8
J596927		1.27	<0.005	0.05	7.69	14.5	720	1.54	0.08	1.82	0.08	75.6	7.1	20	2.85	14.5
J596928		1.21	<0.005	0.04	7.38	11.5	700	1.47	0.08	1.81	0.09	69.5	6.6	20	2.69	13.2
J596929		0.69	0.262	0.06	7.60	14.0	750	1.48	0.09	1.84	0.14	72.1	8.7	26	2.94	13.9
J596930		1.41	<0.005	0.03	7.57	7.3	680	1.44	0.05	1.96	0.08	73.2	7.8	28	3.77	8.5
J596931		1.29	<0.005	0.04	7.92	4.6	720	1.50	0.06	2.10	0.09	80.2	8.4	30	3.87	12.0
J596932		1.90	<0.005	0.04	7.73	9.7	720	1.57	0.04	2.02	0.09	75.6	8.3	32	4.06	10.7
J596933		1.91	<0.005	0.05	7.59	15.6	710	1.48	0.07	2.02	0.09	74.9	8.4	26	3.28	11.0
J596934		1.74	0.021	0.03	7.64	25.7	840	1.42	0.06	1.84	0.11	93.2	6.8	11	2.68	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596910		2.39	18.90	0.15	3.8	0.032	2.55	35.6	20.5	0.67	418	0.59	2.87	11.6	16.4	560
J596911		2.54	17.10	0.17	5.6	0.032	2.60	38.8	23.1	0.71	448	1.14	2.86	11.4	15.5	580
J596912		2.39	16.55	0.18	4.8	0.029	2.51	35.8	22.2	0.67	422	0.70	2.73	10.8	14.6	550
J596913		2.39	16.25	0.18	4.4	0.027	2.57	35.1	29.4	0.68	424	0.73	2.68	10.5	13.8	550
J596914		2.16	18.75	0.18	6.2	0.034	2.67	36.5	30.7	0.67	405	81.9	3.18	11.3	7.6	610
J596915		2.38	17.00	0.20	4.8	0.025	2.45	36.3	34.5	0.67	382	1.87	2.81	10.7	15.3	550
J596916		2.36	17.20	0.20	4.8	0.024	2.56	34.4	32.4	0.68	406	0.62	2.66	10.8	14.5	560
J596917		2.31	17.05	0.20	4.8	0.023	2.67	39.6	29.0	0.66	392	0.76	2.75	10.7	13.9	550
J596918		2.43	19.50	0.22	4.8	0.027	2.64	40.5	28.1	0.70	377	3.82	3.12	12.3	14.7	650
J596919		2.43	17.90	0.16	4.7	0.030	2.50	37.1	29.2	0.66	447	1.62	2.95	11.5	16.6	580
J596920		2.49	17.80	0.22	5.1	0.032	2.70	35.3	30.5	0.70	434	0.44	2.90	12.4	15.7	580
J596921		2.49	18.90	0.23	5.5	0.034	2.64	36.2	29.5	0.69	426	0.55	3.21	12.8	15.2	600
J596922		2.58	18.50	0.22	5.5	0.032	2.67	38.4	29.1	0.71	473	0.64	2.99	12.3	15.8	590
J596923		2.49	18.35	0.22	5.8	0.031	2.63	40.0	28.1	0.68	450	1.15	2.88	12.4	15.6	590
J596924		2.39	18.40	0.23	5.4	0.033	2.60	36.4	27.8	0.66	445	0.72	2.98	12.1	14.1	580
J596925		1.47	13.80	0.17	1.3	0.016	2.25	13.4	10.0	0.19	596	1.04	2.74	4.5	1.8	180
J596926		2.39	18.00	0.23	5.6	0.029	2.49	35.2	27.7	0.64	419	1.35	2.85	11.8	15.1	560
J596927		2.40	17.85	0.22	5.3	0.031	2.59	36.5	23.4	0.64	401	0.59	3.01	12.0	15.8	560
J596928		2.26	17.45	0.22	5.5	0.028	2.51	34.7	22.3	0.62	402	0.51	2.76	11.0	13.8	540
J596929		2.29	18.20	0.23	4.8	0.032	2.74	34.1	20.8	0.66	403	1.64	2.70	10.4	16.8	530
J596930		2.42	18.10	0.23	5.6	0.028	2.51	34.8	30.5	0.73	419	0.47	2.83	10.8	18.7	560
J596931		2.52	19.15	0.24	5.4	0.031	2.47	38.9	31.0	0.77	448	0.40	2.87	11.7	20.1	580
J596932		2.53	18.60	0.24	4.9	0.031	2.55	37.3	32.8	0.77	461	0.95	2.73	11.7	20.4	560
J596933		2.49	18.20	0.22	5.4	0.029	2.49	36.0	32.0	0.70	461	2.33	3.03	11.5	15.9	590
J596934		2.48	18.80	0.26	6.8	0.031	2.73	44.8	29.0	0.52	441	1.04	2.92	12.9	6.3	620

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J596910		17.6	107.0	<0.002	0.01	0.06	8.3	1	1.8	215	0.90	<0.05	12.8	0.272	0.70	3.4
J596911		16.1	120.5	<0.002	0.01	0.07	8.2	1	2.0	225	0.98	<0.05	15.5	0.298	0.66	3.7
J596912		15.0	113.0	<0.002	0.01	0.05	7.8	1	1.9	214	0.95	<0.05	13.6	0.283	0.63	3.2
J596913		13.3	112.0	<0.002	0.01	0.08	7.9	1	1.8	219	0.91	<0.05	14.3	0.282	0.64	3.2
J596914		14.2	107.5	0.005	0.06	0.27	8.7	1	2.2	192.5	1.19	<0.05	15.9	0.323	0.56	4.0
J596915		15.0	117.0	<0.002	0.02	0.32	8.2	1	1.8	231	0.92	<0.05	13.6	0.281	0.64	3.3
J596916		13.3	116.0	<0.002	0.03	0.30	8.2	1	1.8	228	1.00	<0.05	14.1	0.281	0.66	3.5
J596917		14.4	114.5	<0.002	0.05	0.35	8.2	1	1.8	227	0.98	<0.05	14.8	0.281	0.63	3.4
J596918		12.4	112.5	<0.002	0.07	0.30	8.9	1	2.1	257	1.12	<0.05	14.7	0.318	0.62	3.2
J596919		14.0	109.0	<0.002	0.09	0.25	8.2	1	2.0	214	1.06	<0.05	14.3	0.290	0.62	3.5
J596920		16.0	120.5	<0.002	0.04	0.31	8.7	1	2.0	220	1.32	<0.05	16.4	0.296	0.67	4.1
J596921		14.9	119.5	<0.002	0.04	0.32	8.8	1	2.1	224	1.35	<0.05	15.5	0.299	0.63	4.5
J596922		18.3	123.0	<0.002	0.01	0.20	8.8	1	2.1	237	1.25	<0.05	15.9	0.303	0.69	4.1
J596923		18.9	118.5	<0.002	0.03	0.18	8.9	1	2.0	226	1.25	<0.05	16.0	0.296	0.69	4.1
J596924		18.1	112.0	<0.002	0.01	0.22	8.5	1	2.1	219	1.24	<0.05	15.4	0.285	0.66	4.2
J596925		11.6	64.3	<0.002	<0.01	0.17	6.0	1	1.6	190.5	0.46	<0.05	6.3	0.118	0.40	2.0
J596926		17.3	107.0	<0.002	0.01	0.19	8.4	1	1.9	218	1.17	<0.05	15.7	0.285	0.63	4.3
J596927		16.7	109.5	<0.002	0.18	0.31	8.7	1	2.0	224	1.23	<0.05	16.6	0.292	0.61	5.3
J596928		16.8	107.5	<0.002	0.14	0.30	8.2	1	1.8	218	1.12	<0.05	14.0	0.270	0.57	3.8
J596929		21.0	118.0	<0.002	0.18	0.31	7.8	1	1.9	198.5	1.05	<0.05	16.3	0.266	0.67	3.9
J596930		16.4	117.0	<0.002	0.02	0.27	8.7	1	1.9	240	1.05	<0.05	16.0	0.279	0.71	3.9
J596931		16.7	124.0	<0.002	0.02	0.21	9.3	1	2.1	249	1.09	<0.05	15.6	0.291	0.71	4.2
J596932		16.3	127.0	<0.002	0.02	0.16	9.2	1	2.1	235	1.19	<0.05	15.4	0.284	0.74	4.2
J596933		16.9	107.0	<0.002	0.05	0.34	9.3	1	2.1	223	1.06	<0.05	13.7	0.291	0.68	3.4
J596934		18.5	106.5	<0.002	0.05	0.40	9.5	1	1.9	234	1.15	<0.05	14.4	0.323	0.63	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596910		45	0.5	17.6	54	153.5
J596911		47	0.4	20.1	58	193.5
J596912		45	0.5	18.5	59	164.5
J596913		45	0.7	18.5	54	151.5
J596914		54	11.5	18.4	47	200
J596915		44	1.0	18.3	51	164.0
J596916		44	1.1	18.7	49	160.5
J596917		44	1.3	18.0	48	154.0
J596918		50	11.9	21.0	49	163.0
J596919		46	1.1	18.4	49	154.5
J596920		46	0.9	20.1	54	157.5
J596921		48	1.1	20.8	50	177.0
J596922		49	0.5	20.6	57	174.0
J596923		48	2.8	20.6	59	177.0
J596924		46	0.5	19.5	54	173.5
J596925		15	1.0	16.6	46	26.5
J596926		45	0.5	19.1	54	184.0
J596927		46	3.4	20.0	46	163.0
J596928		43	3.8	18.7	46	180.5
J596929		44	4.0	17.6	57	152.5
J596930		46	0.8	18.5	54	181.5
J596931		48	0.6	20.0	57	183.5
J596932		47	0.4	19.9	57	151.5
J596933		46	1.8	18.8	57	174.5
J596934		46	1.0	22.7	54	230

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 14-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051234

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.