ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

CERTIFICATE TB11055644

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 141 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 5-APR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES NAAZNIN PASTAKIA	TORONTO HEAD OFFICE KERRY SPARKES	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597080		0.87	0.005	0.08	7.52	9.6	810	1.50	0.08	1.73	0.06	91.8	6.9	8	2.85	15.2
J597081		0.58	0.023	0.13	6.90	24.7	420	1.09	0.15	1.46	0.04	80.8	8.0	9	3.33	23.1
J597082		0.93	<0.005	0.16	7.54	2.3	780	1.49	0.05	1.86	0.07	89.6	7.5	8	2.85	10.3
J597083		1.06	<0.005	0.08	7.43	0.7	820	1.39	0.05	1.84	0.06	88.0	7.5	10	2.92	9.9
J597084		1.57	<0.005	0.12	7.51	2.5	860	1.44	0.05	1.85	0.07	95.3	9.3	11	2.94	12.5
J597085		1.78	<0.005	0.40	7.47	2.5	850	1.44	0.05	1.84	0.16	87.9	7.4	11	2.91	12.6
J597086		1.58	<0.005	0.11	7.23	3.0	770	1.34	0.04	1.79	0.05	83.5	7.1	10	2.59	9.1
J597087		1.81	<0.005	0.05	7.26	4.0	800	1.39	0.04	1.76	0.05	85.8	7.1	11	2.62	7.0
J597088		1.17	<0.005	0.05	7.04	10.1	810	1.29	0.04	1.69	0.05	83.2	6.3	8	2.36	6.3
J597089		0.59	0.094	0.07	7.20	324	730	1.76	0.14	1.65	0.09	84.6	6.4	8	2.28	31.0
J597090		0.78	<0.005	0.05	7.44	7.7	860	1.44	0.04	1.86	0.06	87.8	7.2	10	2.72	5.9
J597091		1.23	<0.005	0.06	7.38	3.8	870	1.43	0.04	1.75	0.05	93.1	6.8	11	2.57	8.7
J597092		1.85	<0.005	0.06	7.51	3.9	840	1.48	0.04	1.84	0.05	95.4	7.5	11	2.82	7.6
J597093		1.90	<0.005	0.07	7.08	5.5	810	1.54	0.04	1.75	0.06	85.1	7.0	9	2.66	7.0
J597094		1.86	<0.005	0.05	6.96	1.4	790	1.52	0.05	1.74	0.04	83.3	6.9	10	2.81	7.9
J597095		1.86	<0.005	0.06	7.50	1.9	800	1.50	0.05	1.79	0.06	92.6	7.1	9	2.66	8.3
J597096		1.82	<0.005	0.07	7.37	2.3	810	1.48	0.05	1.74	0.06	94.2	7.1	9	3.00	8.8
J597097		1.97	<0.005	0.06	7.14	1.2	780	1.53	0.05	1.68	0.05	82.6	6.3	10	2.94	8.9
J597098		1.75	<0.005	0.09	6.79	5.4	790	1.38	0.04	1.57	0.03	78.3	5.8	8	2.22	7.7
J597099		0.33	<0.005	0.04	6.73	12.5	690	1.45	0.04	1.66	0.06	79.8	5.9	6	2.00	8.3
J597100		0.13	<0.005	0.03	6.99	6.8	710	1.43	0.03	1.81	0.04	79.6	5.9	6	2.16	5.7
J597101		0.77	<0.005	0.06	6.02	13.0	290	2.13	0.04	0.56	0.03	49.7	2.8	4	1.21	10.8
J597102		1.40	<0.005	0.06	7.08	12.0	760	1.31	0.03	1.52	0.04	79.2	6.2	9	1.85	8.2
J597103		1.12	<0.005	0.07	6.97	9.6	790	1.51	0.04	1.84	0.06	83.5	6.4	8	2.06	7.0
J597104		1.04	<0.005	0.07	7.04	1.7	800	1.53	0.04	1.81	0.06	89.2	7.2	8	2.71	8.4
J597105		1.56	<0.005	0.12	7.41	1.6	850	1.44	0.04	1.80	0.06	89.8	7.5	9	2.79	8.5
J597106		1.55	<0.005	0.09	7.17	1.2	790	1.36	0.03	1.78	0.07	88.4	7.5	10	2.81	8.7
J597107		1.56	<0.005	0.13	6.73	0.7	750	1.22	0.05	1.65	0.06	85.0	6.9	26	2.57	13.1
J597108		1.54	<0.005	0.10	6.61	3.0	750	1.27	0.04	1.66	0.05	85.9	6.8	11	2.63	9.6
J597109		1.13	<0.005	0.08	6.38	1.0	770	1.30	0.04	1.70	0.05	84.8	7.4	11	2.61	8.8
J597110		0.54	<0.005	0.06	6.44	0.3	660	1.29	0.04	1.50	0.04	89.6	5.9	8	2.48	6.8
J597111		1.22	<0.005	0.08	6.72	1.2	770	1.29	0.04	1.70	0.05	83.9	6.5	10	2.60	7.2
J597112		0.42	<0.005	0.05	5.99	5.4	320	1.42	0.06	0.68	0.03	69.3	2.1	5	2.13	4.1
J597113		1.31	<0.005	0.07	6.71	<0.2	790	1.28	0.04	1.66	0.04	86.2	6.5	9	2.65	7.4
J597114		1.55	<0.005	0.06	6.56	3.6	770	1.35	0.04	1.61	0.05	80.1	6.1	10	2.61	10.0
J597115		1.54	<0.005	0.09	6.57	0.4	790	1.39	0.05	1.60	0.06	91.6	6.7	10	3.09	8.8
J597116		1.64	<0.005	0.10	6.83	10.3	720	1.56	0.07	1.74	0.05	88.6	7.7	10	3.54	23.0
J597117		1.61	0.054	0.09	6.69	12.8	840	1.29	0.06	1.63	0.05	91.0	6.1	10	2.90	14.9
J597118		1.61	<0.005	0.07	6.81	6.7	760	1.39	0.05	1.64	0.05	91.7	6.5	9	2.90	13.6
J597119		1.75	<0.005	0.07	6.57	3.3	780	1.16	0.05	1.57	0.05	73.2	6.0	11	2.37	10.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597080		2.35	19.15	0.20	5.5	0.034	2.60	48.0	26.6	0.51	420	1.39	3.09	12.0	5.7	590
J597081		2.31	17.20	0.20	5.1	0.031	1.25	42.2	9.8	0.60	544	1.82	4.16	10.8	6.4	570
J597082		2.48	20.0	0.21	5.5	0.035	2.57	46.0	26.5	0.53	429	1.86	2.99	12.2	5.9	620
J597083		2.54	19.40	0.22	5.8	0.038	2.70	45.4	24.2	0.53	441	1.49	2.96	12.3	6.2	600
J597084		2.64	19.25	0.22	5.6	0.036	2.69	49.4	26.5	0.53	449	1.49	2.98	12.1	6.3	630
J597085		2.49	19.25	0.22	5.9	0.034	2.65	44.6	27.6	0.52	438	1.37	3.04	12.2	6.1	610
J597086		2.46	18.65	0.23	5.5	0.032	2.53	42.6	27.7	0.51	430	1.33	2.95	11.4	5.9	590
J597087		2.44	19.15	0.24	5.5	0.033	2.54	43.5	27.5	0.51	423	1.09	3.00	11.9	6.0	570
J597088		2.27	18.05	0.21	5.0	0.033	2.47	42.1	29.7	0.47	401	1.06	2.93	11.1	5.5	550
J597089		2.28	18.40	0.23	5.9	0.028	2.49	43.2	23.3	0.47	393	1.43	3.24	12.9	5.4	530
J597090		2.56	18.85	0.22	5.6	0.038	2.59	44.5	30.5	0.54	436	1.00	2.92	12.4	6.3	630
J597091		2.44	19.15	0.24	6.0	0.034	2.68	48.5	28.2	0.50	412	1.00	2.97	12.0	5.9	580
J597092		2.64	19.95	0.23	6.1	0.038	2.57	48.9	28.0	0.54	458	1.17	3.07	13.2	6.9	620
J597093		2.44	18.30	0.21	5.9	0.031	2.53	42.3	30.0	0.50	423	1.76	3.00	12.2	6.0	580
J597094		2.41	17.95	0.21	5.6	0.034	2.48	41.4	28.8	0.50	425	1.63	2.83	11.9	5.7	570
J597095		2.60	18.65	0.23	5.6	0.038	2.55	47.9	26.5	0.56	459	2.56	3.02	12.2	6.0	610
J597096		2.51	19.20	0.23	5.5	0.037	2.64	48.4	25.5	0.51	434	3.40	2.97	12.9	5.9	600
J597097		2.31	18.45	0.23	5.3	0.031	2.70	42.4	23.7	0.47	403	3.21	2.87	11.8	5.7	530
J597098		2.10	17.05	0.20	5.3	0.028	2.39	40.0	21.0	0.45	377	1.08	2.99	10.8	5.5	500
J597099		2.08	17.00	0.21	5.1	0.030	2.30	40.4	22.7	0.44	388	1.16	3.23	10.5	5.0	490
J597100		2.17	18.25	0.23	5.2	0.027	2.28	41.6	22.6	0.47	414	1.56	3.22	11.3	5.4	500
J597101		0.88	14.95	0.14	3.9	0.011	3.27	24.2	5.7	0.09	171	0.97	2.72	11.9	1.9	100
J597102		2.06	17.90	0.21	5.0	0.027	2.41	40.5	16.3	0.49	433	1.10	3.47	10.9	4.8	470
J597103		2.16	17.30	0.21	5.1	0.030	2.27	42.2	11.9	0.46	454	1.24	3.09	11.8	5.3	530
J597104		2.40	18.20	0.25	5.1	0.036	2.53	45.6	23.5	0.51	419	1.03	2.78	11.7	6.0	580
J597105		2.48	19.35	0.23	5.6	0.035	2.71	45.8	25.4	0.52	425	0.97	2.95	12.6	6.2	590
J597106		2.53	18.20	0.22	5.3	0.036	2.53	45.1	24.5	0.53	433	1.38	2.89	12.0	6.4	600
J597107		2.28	18.20	0.19	4.7	0.031	2.64	41.4	23.8	0.44	391	0.96	2.90	11.5	7.8	560
J597108		2.37	18.15	0.21	4.9	0.034	2.48	41.3	27.8	0.45	396	1.27	2.87	11.9	6.9	570
J597109		2.39	18.50	0.21	4.9	0.032	2.47	40.8	27.9	0.46	402	1.42	2.87	11.9	7.4	580
J597110		2.10	17.15	0.20	4.8	0.029	2.65	44.0	25.3	0.40	353	1.13	2.75	10.7	5.6	490
J597111		2.36	17.80	0.22	4.6	0.032	2.53	41.1	26.4	0.47	394	1.58	2.85	11.2	6.7	560
J597112		1.12	15.70	0.17	3.5	0.011	3.66	34.3	10.3	0.13	198	1.49	2.56	9.7	1.9	170
J597113		2.36	17.75	0.20	5.2	0.034	2.64	41.6	29.6	0.45	394	0.90	2.83	11.2	6.5	560
J597114		2.24	17.00	0.19	5.2	0.030	2.68	37.5	26.0	0.44	387	1.02	2.83	11.2	6.1	550
J597115		2.23	18.50	0.20	4.9	0.033	2.66	44.4	29.9	0.43	378	2.31	2.80	11.6	7.0	540
J597116		2.44	19.80	0.23	5.4	0.031	2.64	42.0	37.0	0.47	431	1.41	2.80	12.9	7.5	580
J597117		2.31	18.15	0.22	4.7	0.030	2.63	43.6	31.8	0.44	404	1.61	2.80	11.3	6.2	560
J597118		2.35	18.55	0.23	4.9	0.031	2.61	45.1	24.1	0.46	403	1.28	2.85	11.6	6.6	560
J597119		2.25	17.00	0.20	4.0	0.030	2.78	34.7	20.3	0.45	392	1.73	2.79	10.5	6.3	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597080		16.0	104.5	<0.002	0.08	0.21	8.4	2	2.2	202	1.05	<0.05	14.4	0.305	0.53	3.4
J597081		23.9	50.6	<0.002	0.33	0.20	7.9	2	2.4	112.5	0.96	<0.05	14.0	0.275	0.17	3.3
J597082		15.4	110.5	<0.002	0.01	0.12	8.4	2	2.6	213	1.04	<0.05	13.0	0.313	0.59	3.2
J597083		15.2	113.0	<0.002	0.01	0.10	8.5	2	2.5	210	1.00	<0.05	12.7	0.322	0.61	3.0
J597084		15.6	114.5	<0.002	0.01	0.10	8.7	3	2.9	213	1.02	<0.05	13.4	0.321	0.62	3.4
J597085		15.4	112.0	<0.002	0.02	0.12	8.3	2	2.5	212	1.05	<0.05	13.5	0.317	0.58	3.1
J597086		14.6	102.5	<0.002	0.01	0.17	7.9	2	2.3	201	0.94	<0.05	12.0	0.306	0.57	3.0
J597087		14.6	105.5	<0.002	0.01	0.20	8.0	2	2.0	204	1.01	<0.05	12.6	0.305	0.52	2.8
J597088		13.5	101.0	<0.002	0.02	0.26	7.6	2	1.8	192.0	0.90	<0.05	12.2	0.290	0.51	2.9
J597089		17.9	100.5	<0.002	0.30	0.31	7.6	3	1.9	171.5	1.42	<0.05	16.4	0.278	0.55	4.8
J597090		14.7	112.5	<0.002	0.01	0.20	8.5	2	2.0	219	1.09	<0.05	13.6	0.320	0.54	3.4
J597091		15.3	111.5	<0.002	0.01	0.15	7.8	2	2.0	210	1.02	<0.05	13.4	0.309	0.55	3.3
J597092		14.5	114.0	<0.002	0.01	0.20	8.8	2	2.1	216	1.09	<0.05	13.8	0.322	0.55	3.3
J597093		13.4	108.5	<0.002	0.01	0.23	8.4	2	2.0	203	1.10	<0.05	12.9	0.302	0.51	3.5
J597094		13.9	107.0	<0.002	0.01	0.18	8.1	2	2.0	204	1.07	<0.05	13.0	0.298	0.53	3.2
J597095		14.7	105.0	<0.002	0.01	0.22	8.4	3	2.1	217	1.09	<0.05	14.3	0.320	0.52	3.6
J597096		15.4	111.0	<0.002	0.01	0.15	8.1	2	2.1	205	1.09	<0.05	14.1	0.325	0.57	3.3
J597097		14.9	117.0	<0.002	0.01	0.12	7.6	2	2.0	190.5	1.07	<0.05	13.5	0.279	0.59	3.3
J597098		11.6	93.0	<0.002	0.02	0.19	7.0	2	1.9	172.5	0.99	<0.05	12.4	0.265	0.42	2.9
J597099		13.6	93.2	<0.002	0.04	0.21	6.8	2	1.9	155.5	0.95	<0.05	12.2	0.258	0.43	2.9
J597100		11.3	96.1	<0.002	0.01	0.19	7.4	2	1.9	166.0	0.99	<0.05	12.2	0.269	0.43	3.1
J597101		14.0	122.0	<0.002	0.09	0.16	2.2	2	1.1	53.2	2.05	<0.05	24.1	0.073	0.51	7.6
J597102		11.9	78.7	<0.002	0.04	0.21	6.6	2	1.8	150.5	1.03	<0.05	13.5	0.253	0.35	3.3
J597103		12.9	76.7	<0.002	0.03	0.20	7.3	2	1.9	193.0	1.06	<0.05	13.6	0.280	0.32	3.4
J597104		14.6	107.5	<0.002	0.01	0.11	8.3	3	2.3	202	1.06	<0.05	13.7	0.301	0.55	3.2
J597105		15.1	118.5	<0.002	0.01	0.10	8.3	2	2.3	208	1.08	<0.05	13.9	0.312	0.58	3.3
J597106		14.5	110.0	<0.002	0.01	0.10	8.2	2	2.5	202	1.04	<0.05	13.6	0.307	0.58	3.1
J597107		18.9	105.0	<0.002	0.01	0.09	7.9	1	2.4	189.0	0.95	<0.05	11.9	0.285	0.57	2.9
J597108		16.6	105.0	<0.002	0.01	0.10	8.3	1	2.1	190.0	0.92	<0.05	12.3	0.292	0.56	2.9
J597109		16.2	99.7	<0.002	0.01	0.09	9.0	1	2.0	192.0	0.94	<0.05	11.5	0.300	0.53	2.9
J597110		17.7	118.5	<0.002	<0.01	0.08	7.6	1	1.9	169.5	0.93	<0.05	13.1	0.261	0.60	3.1
J597111		16.7	106.0	<0.002	0.01	0.09	8.3	1	1.9	193.5	0.90	<0.05	11.8	0.296	0.59	2.8
J597112		22.7	142.0	<0.002	0.01	0.15	2.7	1	1.4	67.4	1.21	<0.05	21.4	0.116	0.73	5.7
J597113		17.8	112.5	<0.002	0.01	0.08	8.8	1	1.9	194.0	1.00	<0.05	12.0	0.287	0.60	3.3
J597114		17.3	109.5	<0.002	0.01	0.11	8.0	1	1.8	186.5	0.99	<0.05	12.6	0.282	0.56	3.1
J597115		18.8	99.4	<0.002	0.01	0.09	8.5	1	1.9	188.5	0.99	<0.05	13.7	0.280	0.59	3.5
J597116		18.3	104.0	<0.002	0.07	0.19	9.8	1	2.1	197.5	1.17	<0.05	14.7	0.295	0.63	4.3
J597117		19.7	106.0	<0.002	0.04	0.16	8.2	1	1.9	195.5	0.96	<0.05	12.7	0.293	0.60	3.0
J597118		16.9	113.0	<0.002	0.04	0.14	8.5	1	1.9	197.0	0.95	<0.05	12.2	0.294	0.60	3.0
J597119		16.2	104.5	<0.002	0.02	0.12	7.9	1	1.7	182.0	0.89	<0.05	10.9	0.281	0.58	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597080		43	1.6	22.2	54	212
J597081		43	5.7	18.1	34	202
J597082		45	1.5	22.2	57	211
J597083		46	0.9	21.9	60	233
J597084		46	1.6	22.5	57	214
J597085		44	0.7	22.0	58	231
J597086		44	0.9	20.3	55	216
J597087		43	0.5	21.1	53	219
J597088		40	0.9	19.7	48	196.5
J597089		40	6.4	23.1	50	213
J597090		47	0.5	22.5	52	215
J597091		42	0.4	21.4	50	227
J597092		46	0.6	23.7	55	238
J597093		43	0.6	22.0	52	221
J597094		42	1.5	21.7	53	211
J597095		45	4.7	22.7	54	215
J597096		45	3.9	22.0	55	216
J597097		39	9.4	21.3	48	207
J597098		36	1.0	19.7	39	206
J597099		34	1.0	18.7	41	193.5
J597100		37	0.9	19.9	42	199.0
J597101		7	1.2	18.7	12	102.0
J597102		33	1.7	19.1	37	191.5
J597103		38	1.7	20.7	44	197.5
J597104		44	0.6	22.0	52	195.0
J597105		44	1.0	22.8	53	217
J597106		45	0.6	21.9	55	206
J597107		40	0.5	20.4	51	181.5
J597108		42	0.6	20.9	51	195.0
J597109		43	0.8	20.9	53	189.0
J597110		37	0.9	19.6	46	170.5
J597111		42	1.0	20.1	52	184.5
J597112		11	1.0	14.9	22	97.9
J597113		42	0.8	21.0	50	189.0
J597114		41	0.9	20.1	49	193.5
J597115		40	1.4	21.4	52	190.0
J597116		42	1.2	24.5	52	204
J597117		41	0.8	20.3	51	180.5
J597118		41	0.5	20.9	54	187.0
J597119		41	0.5	18.6	52	157.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597120		1.95	0.012	0.07	6.89	1.3	810	1.23	0.05	1.70	0.05	92.3	6.7	10	2.40	8.3
J597121		1.83	<0.005	0.08	6.92	1.2	840	1.34	0.06	1.76	0.05	85.7	7.1	13	2.19	8.3
J597122		1.64	<0.005	0.06	6.77	2.3	800	1.26	0.06	1.69	0.05	82.7	6.5	9	2.22	7.6
J597123		0.62	<0.005	0.07	6.75	7.4	760	1.45	0.06	1.57	0.05	78.4	6.2	7	2.12	9.2
J597124		1.68	<0.005	0.05	6.54	0.9	750	1.31	0.05	1.63	0.04	87.4	6.5	11	1.70	7.1
J597125		0.03	0.574	0.75	7.71	3.0	90	2.15	1.77	0.86	0.15	15.75	8.7	31	32.0	12.0
J597126		1.75	<0.005	0.05	7.16	1.5	820	1.28	0.06	1.73	0.05	92.5	6.3	11	1.87	7.5
J597127		1.58	<0.005	0.07	6.96	5.0	780	1.29	0.06	1.73	0.04	83.2	6.8	9	2.45	12.4
J597128		1.52	<0.005	0.06	6.79	35.9	640	1.34	0.07	1.54	0.04	89.5	6.7	11	1.88	26.0
J597129		1.41	<0.005	0.06	6.88	2.7	790	1.29	0.06	1.63	0.04	86.2	5.9	9	2.14	7.9
J597130		1.52	<0.005	0.06	7.15	6.1	760	1.33	0.06	1.72	0.04	90.2	6.7	9	1.58	10.5
J597131		1.50	<0.005	0.08	6.87	3.8	740	1.25	0.06	1.44	0.04	91.3	6.8	9	1.12	8.0
J597132		1.47	<0.005	0.06	6.63	3.5	710	1.25	0.07	1.25	0.04	84.1	6.1	10	1.76	7.3
J597133		1.29	<0.005	0.06	7.02	15.9	830	1.37	0.05	1.64	0.06	81.2	6.6	11	1.02	8.7
J597134		1.09	<0.005	0.07	6.57	20.2	790	1.31	0.04	1.70	0.05	84.5	6.4	10	1.70	6.4
J597135		1.49	0.013	0.07	6.79	58.4	800	1.39	0.07	1.57	0.04	77.6	6.8	10	1.42	6.3
J597136		1.64	<0.005	0.07	6.80	8.4	820	1.38	0.04	1.59	0.05	81.8	6.4	9	1.87	6.4
J597137		1.48	<0.005	0.07	6.70	34.8	790	1.54	0.07	1.49	0.04	80.9	5.8	11	1.76	5.1
J597138		1.43	0.011	0.06	6.67	48.5	710	1.24	0.09	1.65	0.04	86.1	6.1	10	0.86	8.4
J597139		1.52	<0.005	0.07	6.76	11.9	750	1.33	0.04	1.72	0.04	74.7	6.3	10	1.76	10.0
J597140		1.55	<0.005	0.05	6.32	7.1	780	1.26	0.04	1.58	0.05	74.5	6.1	14	1.69	6.2
J597141		1.64	<0.005	0.08	7.01	4.8	840	1.43	0.04	1.71	0.05	91.2	6.7	12	2.48	7.6
J597142		0.92	0.007	0.07	6.99	17.5	800	1.61	0.07	1.65	0.04	95.7	8.7	10	1.51	9.6
J597143		0.50	<0.005	0.07	6.12	17.2	600	0.95	0.07	3.14	0.07	78.5	4.2	11	0.52	7.9
J597144		1.44	<0.005	0.03	7.09	9.7	860	1.35	0.04	1.68	0.04	82.8	5.5	11	0.87	6.5
J597145		1.72	<0.005	0.03	6.82	6.6	820	1.34	0.04	1.68	0.04	89.9	5.4	11	0.95	8.5
J597146		1.81	<0.005	0.04	6.58	7.1	790	1.26	0.04	1.44	0.04	87.5	5.4	13	1.18	9.3
J597147		1.68	<0.005	0.06	7.23	9.4	760	1.56	0.07	1.74	0.05	88.4	5.7	13	2.47	7.6
J597148		1.81	<0.005	0.04	7.26	3.9	840	1.44	0.06	1.76	0.06	88.3	5.6	13	2.54	6.0
J597149		1.64	<0.005	0.05	7.01	96.2	790	1.41	0.07	1.71	0.06	84.5	5.6	13	2.51	8.9
J597150		0.14	0.005	0.04	6.17	2.0	860	1.00	0.09	1.31	0.08	26.6	1.9	12	1.59	3.7
J597151		1.79	0.011	0.06	6.58	992	730	1.24	0.08	1.57	0.13	82.1	5.2	11	2.00	7.7
J597152		1.89	<0.005	0.05	6.55	12.6	740	1.25	0.05	1.62	0.05	83.1	5.5	12	1.95	6.1
J597153		1.82	<0.005	0.02	6.85	14.3	740	1.31	0.05	1.43	0.04	89.8	5.1	12	1.02	5.9
J597154		1.85	0.032	0.04	6.60	20.8	730	1.58	0.07	1.50	0.05	80.9	5.3	10	2.03	5.7
J597155		0.91	<0.005	0.04	6.99	6.1	720	1.50	0.07	1.65	0.04	90.5	5.7	16	2.09	4.9
J597156		0.65	0.008	0.06	7.14	56.4	710	1.50	0.09	1.67	0.06	89.1	4.5	13	2.23	7.4
J597157		0.74	0.250	0.10	7.15	3340	810	1.48	0.36	1.69	0.13	85.2	6.0	10	2.20	9.5
J597158		1.47	0.009	0.07	7.29	86.0	800	1.47	0.07	1.77	0.06	90.3	5.2	11	3.18	4.5
J597159		0.60	0.051	0.07	7.09	823	720	1.35	0.11	1.50	0.04	100.5	5.9	13	1.57	16.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597120		2.39	18.40	0.22	5.2	0.032	2.69	44.3	17.6	0.46	412	1.17	2.88	11.3	6.8	570
J597121		2.57	18.65	0.23	5.2	0.037	2.70	40.0	13.8	0.50	457	1.22	2.92	11.9	7.5	600
J597122		2.34	17.50	0.22	4.6	0.030	2.61	39.1	14.3	0.45	405	0.94	2.85	10.9	6.3	550
J597123		2.24	17.65	0.23	4.9	0.032	2.77	35.7	15.4	0.42	404	1.10	2.91	12.0	5.9	540
J597124		2.26	17.55	0.22	5.0	0.029	2.55	41.9	9.7	0.45	399	1.24	2.81	11.1	6.5	540
J597125		3.48	20.0	0.18	1.5	0.012	2.17	7.9	8.2	0.69	238	0.98	5.63	8.7	31.5	700
J597126		2.47	18.00	0.22	5.0	0.034	2.71	45.6	10.9	0.47	427	1.04	2.93	11.1	6.5	560
J597127		2.47	18.85	0.24	4.4	0.034	2.60	39.7	17.1	0.49	440	1.11	2.90	11.5	7.4	580
J597128		2.31	17.95	0.23	4.9	0.027	2.15	42.4	18.6	0.47	456	1.25	3.39	11.5	7.3	570
J597129		2.25	17.45	0.21	4.6	0.029	2.66	41.7	14.3	0.45	395	1.01	2.84	11.1	6.4	540
J597130		2.38	18.75	0.24	4.5	0.031	2.48	43.6	13.2	0.53	418	1.12	2.97	11.5	6.9	590
J597131		2.32	18.60	0.23	4.6	0.031	2.58	44.2	9.0	0.54	396	1.22	3.00	11.2	6.5	560
J597132		2.16	17.55	0.22	5.1	0.030	2.72	41.1	7.6	0.48	423	1.06	2.99	11.1	5.8	510
J597133		2.48	17.95	0.23	4.4	0.033	2.60	39.0	10.0	0.54	420	0.87	2.93	11.9	7.3	590
J597134		2.35	17.85	0.23	4.9	0.031	2.46	39.9	14.4	0.48	389	1.02	2.87	11.5	6.5	590
J597135		2.30	17.25	0.21	4.8	0.030	2.66	36.8	12.4	0.46	391	0.76	2.97	11.1	5.8	560
J597136		2.33	18.10	0.23	4.4	0.033	2.66	38.6	13.1	0.49	394	1.51	2.89	11.6	6.4	580
J597137		2.23	17.45	0.21	5.6	0.030	2.61	38.3	13.0	0.46	394	1.47	2.87	11.3	6.5	540
J597138		2.24	17.20	0.22	5.0	0.031	2.21	41.4	10.7	0.48	419	1.20	3.02	11.2	6.6	560
J597139		2.43	17.60	0.21	4.7	0.033	2.55	34.4	14.1	0.49	420	0.99	2.96	10.8	6.4	570
J597140		2.28	17.15	0.21	4.7	0.030	2.39	35.4	14.2	0.46	385	0.96	2.85	10.8	6.1	570
J597141		2.46	18.45	0.24	5.4	0.032	2.62	44.0	17.5	0.49	407	0.91	2.86	12.0	6.9	590
J597142		2.51	19.80	0.21	5.8	0.036	2.34	45.1	21.3	0.53	463	1.15	3.12	12.3	7.6	610
J597143		2.44	14.10	0.09	4.8	0.031	1.97	39.5	9.5	0.44	491	0.61	2.78	9.8	4.9	480
J597144		2.51	16.50	0.11	5.1	0.034	2.61	41.5	10.4	0.52	420	0.99	3.02	11.3	5.6	580
J597145		2.47	16.45	0.11	5.8	0.032	2.57	45.7	9.7	0.50	407	1.16	2.95	12.2	5.7	570
J597146		2.38	15.80	0.12	5.3	0.030	2.48	44.5	12.0	0.50	380	0.78	2.96	11.6	5.9	560
J597147		2.50	17.10	0.12	5.5	0.038	2.50	44.3	17.4	0.51	421	1.07	3.18	12.7	5.9	600
J597148		2.50	17.35	0.12	5.8	0.033	2.78	44.6	17.8	0.52	409	1.02	3.06	12.2	6.4	570
J597149		2.46	16.85	0.12	5.6	0.032	2.62	42.8	18.7	0.51	409	1.22	3.04	12.1	6.8	570
J597150		1.42	11.75	0.05	1.0	0.014	2.13	13.4	9.7	0.18	545	0.83	2.62	4.2	2.4	170
J597151		2.27	15.55	0.10	4.8	0.031	2.52	41.2	16.7	0.46	379	0.73	2.83	10.8	5.3	530
J597152		2.34	15.95	0.11	5.5	0.032	2.48	41.6	15.0	0.48	391	2.80	2.71	11.1	5.3	540
J597153		2.34	16.05	0.12	5.1	0.028	2.47	46.4	11.0	0.50	382	0.99	2.92	11.3	5.1	540
J597154		2.25	15.90	0.11	5.1	0.030	2.49	40.3	16.0	0.47	373	0.94	2.89	11.6	5.1	530
J597155		2.51	16.45	0.13	5.4	0.035	2.52	46.4	15.8	0.52	407	1.10	2.89	12.6	6.5	550
J597156		2.34	17.10	0.12	5.3	0.031	2.69	44.3	18.6	0.49	406	1.26	3.14	12.5	5.4	580
J597157		2.43	17.75	0.13	5.4	0.046	2.76	42.7	17.0	0.52	409	1.42	2.94	11.2	5.8	570
J597158		2.52	16.85	0.12	5.1	0.033	2.84	46.0	26.7	0.51	421	1.53	3.14	11.9	6.9	570
J597159		2.03	16.30	0.13	5.6	0.038	2.47	51.2	14.9	0.38	397	1.25	3.54	11.5	5.6	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597120		16.2	99.4	<0.002	0.01	0.09	8.7	1	1.8	197.5	0.96	<0.05	11.8	0.292	0.52	2.9
J597121		16.7	95.4	<0.002	0.01	0.12	9.5	1	1.9	200	1.07	<0.05	12.0	0.302	0.46	3.3
J597122		16.7	94.2	<0.002	0.01	0.12	8.5	1	1.7	199.0	0.95	<0.05	12.1	0.283	0.51	3.2
J597123		17.6	99.4	<0.002	0.01	0.17	8.4	1	1.7	172.5	1.16	<0.05	14.0	0.282	0.51	3.9
J597124		15.3	86.6	<0.002	0.01	0.12	8.7	1	1.7	199.0	0.96	<0.05	12.1	0.284	0.44	2.9
J597125		78.6	790	<0.002	2.64	1.26	3.8	1	1.1	159.5	0.75	<0.05	3.2	0.219	9.26	1.4
J597126		16.2	91.5	<0.002	0.01	0.12	8.6	1	1.8	208	0.93	<0.05	12.7	0.292	0.46	3.1
J597127		15.5	96.3	<0.002	0.04	0.14	8.9	1	1.8	204	0.92	<0.05	11.0	0.296	0.53	2.8
J597128		11.3	78.0	<0.002	0.12	0.27	9.0	1	1.7	174.5	0.95	<0.05	11.3	0.292	0.38	2.9
J597129		18.3	94.8	<0.002	0.01	0.16	8.3	1	1.7	199.5	1.00	<0.05	13.2	0.283	0.50	3.4
J597130		14.5	81.6	<0.002	0.05	0.17	9.1	1	1.8	205	0.94	<0.05	12.2	0.297	0.44	3.1
J597131		12.6	83.8	<0.002	0.05	0.12	8.7	1	1.8	177.0	0.99	<0.05	12.8	0.284	0.38	3.3
J597132		12.8	98.3	<0.002	0.06	0.16	8.8	1	1.7	160.0	1.14	<0.05	14.4	0.266	0.46	4.1
J597133		15.0	87.7	<0.002	0.03	0.17	9.4	1	1.9	188.0	1.05	<0.05	12.8	0.302	0.44	3.3
J597134		14.3	92.2	<0.002	0.01	0.19	9.0	1	2.0	184.0	0.91	<0.05	11.0	0.297	0.49	2.7
J597135		15.8	90.2	<0.002	0.04	0.23	8.3	1	2.0	178.0	1.08	<0.05	12.9	0.281	0.44	3.2
J597136		15.0	99.9	<0.002	0.01	0.12	8.8	1	1.9	190.5	1.00	<0.05	11.6	0.297	0.52	3.0
J597137		18.0	98.6	<0.002	0.03	0.22	8.2	1	2.0	176.5	1.18	<0.05	13.9	0.276	0.50	4.0
J597138		16.4	70.0	<0.002	0.11	0.25	8.9	1	2.0	163.0	1.00	<0.05	14.0	0.287	0.35	3.5
J597139		14.5	85.0	<0.002	0.02	0.23	8.7	1	1.9	186.0	1.05	<0.05	13.1	0.291	0.46	3.4
J597140		14.8	78.4	<0.002	0.02	0.16	8.0	1	1.8	185.0	0.94	<0.05	11.5	0.291	0.47	3.1
J597141		16.4	109.0	<0.002	0.01	0.12	9.5	1	1.9	204	1.02	<0.05	13.1	0.300	0.57	3.3
J597142		16.1	85.2	0.002	0.11	0.23	10.0	1	2.1	192.0	1.09	<0.05	13.3	0.310	0.42	3.5
J597143		9.3	55.6	<0.002	0.03	0.47	6.3	1	1.7	193.0	0.84	<0.05	10.9	0.255	0.30	2.6
J597144		11.8	78.5	<0.002	0.02	0.23	7.3	1	2.0	202	0.97	<0.05	11.7	0.301	0.42	2.7
J597145		11.9	84.7	<0.002	0.02	0.17	7.3	1	2.1	184.0	1.08	<0.05	13.4	0.297	0.46	3.1
J597146		10.7	86.0	<0.002	0.03	0.21	7.4	1	1.9	165.0	1.01	<0.05	12.5	0.292	0.44	3.0
J597147		16.3	102.5	<0.002	0.05	0.19	7.6	1	2.1	205	1.24	<0.05	13.7	0.311	0.55	3.7
J597148		17.5	108.0	<0.002	0.01	0.19	7.5	1	2.0	209	1.11	<0.05	14.6	0.297	0.59	3.7
J597149		15.0	98.8	<0.002	0.03	0.23	7.3	1	2.3	204	1.08	<0.05	13.3	0.305	0.53	3.1
J597150		11.1	56.8	<0.002	<0.01	0.18	4.8	1	1.4	173.5	0.44	<0.05	5.8	0.109	0.37	1.8
J597151		13.5	89.2	<0.002	0.15	0.52	6.9	1	1.9	182.0	0.94	<0.05	12.1	0.277	0.49	2.8
J597152		13.8	88.9	<0.002	0.02	0.14	7.1	1	1.8	195.5	0.93	<0.05	11.9	0.283	0.49	2.7
J597153		12.0	76.0	<0.002	0.04	0.20	6.4	1	1.8	187.5	1.01	<0.05	13.4	0.283	0.38	3.2
J597154		13.4	90.9	<0.002	0.07	0.24	6.6	1	2.0	183.0	1.18	<0.05	12.1	0.271	0.48	3.0
J597155		14.7	99.0	<0.002	0.01	0.17	7.0	1	2.1	197.0	1.25	<0.05	13.8	0.292	0.52	3.6
J597156		14.5	94.5	<0.002	0.08	0.36	7.1	1	2.0	211	1.19	<0.05	14.5	0.298	0.48	3.7
J597157		21.4	96.5	<0.002	0.35	1.27	7.7	1	2.1	180.0	1.03	<0.05	14.9	0.287	0.47	3.6
J597158		14.6	113.5	<0.002	0.06	0.42	7.6	1	1.9	214	1.09	<0.05	13.5	0.300	0.59	3.2
J597159		10.1	95.4	<0.002	0.21	0.46	7.2	1	2.0	181.5	0.99	<0.05	12.5	0.302	0.51	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597120		42	0.5	20.7	55	200
J597121		45	0.6	23.5	56	197.0
J597122		40	0.7	20.2	54	175.5
J597123		42	0.5	22.4	51	178.5
J597124		40	0.5	19.9	51	186.5
J597125		28	0.2	4.8	42	46.1
J597126		41	0.5	20.2	51	187.0
J597127		43	0.8	20.4	52	173.5
J597128		41	1.4	19.6	42	189.5
J597129		40	1.0	20.2	51	165.5
J597130		42	0.8	21.1	47	174.0
J597131		40	0.8	21.6	40	176.0
J597132		37	0.7	21.9	37	176.5
J597133		44	0.9	21.9	48	167.0
J597134		42	0.6	20.4	47	192.5
J597135		40	1.1	19.8	47	166.5
J597136		42	0.5	20.6	49	166.0
J597137		38	0.9	21.3	46	198.0
J597138		41	1.2	21.5	41	187.0
J597139		43	0.8	20.8	50	173.0
J597140		41	0.5	18.3	48	179.5
J597141		43	0.8	21.9	52	207
J597142		45	0.9	23.3	50	224
J597143		39	1.6	18.1	39	179.5
J597144		42	0.8	19.0	44	184.5
J597145		41	1.7	20.6	41	210
J597146		41	1.5	19.7	40	201
J597147		42	1.5	21.6	49	198.5
J597148		42	1.0	21.3	50	212
J597149		43	1.1	19.9	47	209
J597150		14	1.0	15.6	40	23.9
J597151		39	2.9	17.8	41	181.0
J597152		39	1.6	18.7	43	206
J597153		38	2.1	19.1	35	192.0
J597154		37	2.5	19.3	39	179.5
J597155		41	1.0	21.2	45	187.5
J597156		40	3.9	20.3	41	187.0
J597157		44	6.7	18.8	39	196.0
J597158		42	2.7	20.3	52	184.5
J597159		38	5.7	19.7	25	213

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597160		1.23	<0.005	0.05	6.99	13.0	750	1.32	0.05	1.56	0.05	87.2	4.8	10	2.42	5.5
J597161		1.93	0.007	0.07	7.12	18.1	830	1.29	0.05	1.76	0.05	88.4	5.8	16	2.21	5.9
J597162		1.88	0.005	0.05	7.20	12.3	800	1.42	0.06	1.82	0.06	90.6	5.8	12	2.61	7.6
J597163		1.85	0.007	0.04	7.27	9.6	820	1.45	0.06	1.82	0.05	96.8	6.1	12	2.68	5.5
J597164		1.89	0.008	0.04	7.06	8.2	790	1.46	0.07	1.69	0.04	82.8	5.1	12	3.05	5.7
J597165		1.95	<0.005	0.05	6.97	1.8	750	1.40	0.07	1.71	0.06	85.1	5.4	12	3.13	5.6
J597166		1.81	0.010	0.04	6.94	3.6	730	1.46	0.06	1.71	0.04	82.8	5.4	13	3.09	5.8
J597167		1.84	<0.005	0.04	6.90	5.7	780	1.49	0.05	1.66	0.04	83.5	5.3	11	3.07	3.9
J597168		1.47	<0.005	0.04	6.38	10.1	820	1.20	0.03	0.82	0.03	46.8	2.1	11	1.37	3.8
J597169		1.79	<0.005	0.02	6.04	4.7	600	1.33	0.03	0.69	<0.02	62.7	1.4	9	1.65	2.3
J597170		0.79	<0.005	0.05	6.68	5.2	720	1.35	0.04	1.73	0.05	70.0	6.4	23	3.19	6.8
J597171		1.85	<0.005	0.05	6.67	3.0	720	1.27	0.05	1.73	0.05	75.2	6.0	23	3.43	7.1
J597172		2.03	<0.005	0.05	6.87	1.1	700	1.37	0.05	1.88	0.05	75.3	6.6	26	3.56	6.7
J597173		1.71	0.005	0.06	7.03	1.4	800	1.41	0.04	1.85	0.05	75.7	6.7	23	3.21	14.6
J597174		0.79	<0.005	0.03	6.83	2.5	730	1.47	0.03	1.82	0.05	71.0	7.6	24	3.50	8.3
J597175		0.65	<0.005	0.01	7.10	3.4	770	1.52	0.06	1.81	0.05	78.1	7.8	22	3.48	6.1
J597176		1.56	<0.005	<0.01	7.38	0.9	780	1.38	0.04	1.89	0.06	76.5	7.7	26	3.54	7.5
J597177		0.63	0.005	<0.01	5.86	2.1	260	1.54	0.05	0.69	0.02	44.7	2.1	9	1.95	2.1
J597178		1.03	<0.005	0.06	6.53	3.4	700	1.30	0.05	1.77	0.04	77.1	7.3	29	3.15	8.0
J597179		1.41	0.013	0.11	7.10	27.2	780	1.29	0.08	1.90	0.05	69.7	7.7	28	3.41	13.6
J597180		0.54	0.007	0.11	7.46	18.9	850	1.42	0.05	1.88	0.05	70.6	8.1	32	3.63	9.3
J597181		1.16	<0.005	0.12	6.98	6.3	630	1.39	0.04	1.96	0.06	76.2	9.1	35	3.58	10.8
J597182		1.61	<0.005	0.08	7.11	9.3	670	1.37	0.04	1.91	0.05	64.4	7.8	33	3.31	10.8
J597183		1.47	0.009	0.09	6.98	1.2	680	1.48	0.37	1.90	0.05	65.3	7.7	25	3.73	11.3
J597184		1.57	<0.005	0.09	7.07	1.2	680	1.44	0.05	1.99	0.06	67.5	7.9	27	3.29	10.7
J597185		1.19	<0.005	0.09	6.97	1.6	720	1.29	0.05	1.91	0.05	69.7	7.9	27	3.26	10.4
J597186		0.50	<0.005	0.08	6.72	2.8	570	1.62	0.04	1.53	0.05	58.7	6.4	23	3.00	7.6
J597187		1.42	<0.005	0.08	7.10	4.0	710	1.54	0.05	1.87	0.06	70.5	7.5	27	3.29	11.0
J597188		0.50	<0.005	0.09	6.93	22.4	530	2.01	0.06	1.50	0.12	61.0	6.2	21	2.66	12.3
J597189		1.07	<0.005	0.07	7.00	10.7	710	1.29	0.04	1.78	0.05	69.8	7.5	26	2.93	9.5
J597190		1.63	0.010	0.08	6.90	99.6	660	1.30	0.06	1.71	0.05	66.0	6.8	25	3.59	8.7
J597191		1.37	<0.005	0.06	6.85	23.8	700	1.26	0.06	1.70	0.05	67.6	7.5	27	3.06	7.2
J597192		0.69	<0.005	0.08	6.81	6.5	570	1.89	0.16	1.51	0.04	65.7	5.9	18	4.90	7.7
J597193		1.96	<0.005	0.07	7.12	2.6	710	1.32	0.04	1.82	0.05	74.6	7.1	27	3.44	9.1
J597194		1.33	<0.005	0.06	6.92	0.9	720	1.37	0.04	1.78	0.05	74.7	7.2	24	3.26	8.5
J597195		0.63	<0.005	0.07	6.65	3.7	530	1.70	0.10	1.46	0.05	59.6	5.7	19	3.82	6.9
J597196		1.89	<0.005	0.11	7.16	<0.2	710	1.41	0.05	1.91	0.06	74.0	7.9	29	4.05	9.5
J597197		1.96	<0.005	0.09	7.50	2.4	730	1.77	0.07	2.02	0.07	79.2	8.2	28	4.35	11.2
J597198		1.14	<0.005	0.08	6.98	2.4	730	1.29	0.05	1.80	0.06	72.3	7.4	25	3.48	10.4
J597199		0.79	<0.005	0.10	7.02	10.2	700	1.45	0.05	1.88	0.06	66.8	7.5	25	3.67	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597160		2.23	16.35	0.12	5.3	0.028	2.88	44.5	22.1	0.44	381	0.77	2.90	11.4	5.6	490
J597161		2.48	16.65	0.14	5.3	0.032	2.68	44.2	22.7	0.51	419	1.06	3.00	11.5	5.7	580
J597162		2.54	16.60	0.14	5.1	0.034	2.65	45.1	21.2	0.53	433	0.83	2.96	11.9	6.0	590
J597163		2.58	16.90	0.14	4.9	0.035	2.80	48.9	24.1	0.54	441	0.83	2.95	12.2	5.8	620
J597164		2.42	15.95	0.13	5.3	0.032	2.85	41.7	25.1	0.50	404	1.05	2.92	11.7	5.4	560
J597165		2.46	16.35	0.13	5.2	0.033	2.73	42.4	26.4	0.50	417	1.01	2.89	12.0	5.5	560
J597166		2.43	16.30	0.14	5.5	0.033	2.63	41.2	28.5	0.50	416	1.12	2.93	11.8	5.5	560
J597167		2.38	16.25	0.12	5.3	0.033	2.75	41.3	29.1	0.48	393	1.30	2.98	12.0	5.4	550
J597168		1.22	13.75	0.08	3.1	0.013	3.93	24.0	11.4	0.21	206	11.50	2.52	7.3	3.1	180
J597169		0.94	13.05	0.08	2.6	0.010	3.83	32.6	7.9	0.13	169	0.66	2.47	8.0	1.9	110
J597170		2.34	15.45	0.13	4.2	0.029	2.72	35.8	30.5	0.63	407	0.29	2.71	11.9	13.1	530
J597171		2.18	15.50	0.12	4.5	0.028	2.55	38.2	27.1	0.62	373	0.19	2.76	10.0	14.3	470
J597172		2.37	15.60	0.12	4.5	0.031	2.49	38.7	24.5	0.69	402	0.21	2.79	10.2	15.5	500
J597173		2.37	16.10	0.13	4.6	0.029	2.63	39.2	24.6	0.64	391	0.32	2.85	11.1	14.1	520
J597174		2.20	16.70	0.15	4.5	0.029	2.52	33.0	26.5	0.68	403	0.27	2.98	10.9	17.6	510
J597175		2.26	18.75	0.10	4.5	0.030	2.69	39.4	29.8	0.68	374	0.26	2.98	11.9	17.9	510
J597176		2.46	18.55	0.10	4.8	0.034	2.81	38.0	27.7	0.70	407	0.36	2.94	12.1	18.1	520
J597177		0.96	14.90	0.06	3.7	0.010	3.46	20.9	8.4	0.17	150	0.36	2.60	11.5	4.5	130
J597178		2.23	17.85	0.09	4.4	0.027	2.58	35.6	30.5	0.65	373	8.08	2.66	11.1	16.2	500
J597179		2.38	16.55	0.16	4.9	0.032	2.60	36.7	34.7	0.73	423	1.17	2.79	11.5	20.3	530
J597180		2.46	18.20	0.17	4.8	0.040	2.71	36.4	40.1	0.76	433	0.28	2.85	12.0	19.5	570
J597181		2.46	16.70	0.18	4.4	0.033	2.34	40.0	33.9	0.79	441	0.68	2.73	12.0	21.1	560
J597182		2.45	16.20	0.19	4.6	0.029	2.52	32.7	29.5	0.74	434	0.84	2.76	11.6	19.2	520
J597183		2.35	17.25	0.20	4.6	0.030	2.43	33.6	27.1	0.68	423	2.48	2.81	12.4	18.3	530
J597184		2.50	16.90	0.19	5.1	0.033	2.34	34.4	28.9	0.72	451	1.49	2.80	12.5	18.2	580
J597185		2.34	16.35	0.18	4.9	0.030	2.40	37.0	29.1	0.70	420	0.94	2.71	10.7	18.0	510
J597186		2.01	16.60	0.19	4.2	0.025	2.67	30.3	25.9	0.55	355	8.15	2.70	12.5	14.6	400
J597187		2.36	17.05	0.19	4.4	0.029	2.50	36.6	32.7	0.69	423	1.91	2.75	11.5	17.5	510
J597188		1.90	16.75	0.19	4.7	0.023	2.64	30.9	26.8	0.53	323	0.45	2.89	14.1	13.6	370
J597189		2.21	16.85	0.20	4.5	0.028	2.52	36.3	33.5	0.66	396	0.74	2.64	11.1	22.2	480
J597190		2.15	16.50	0.20	4.9	0.026	2.53	34.3	33.1	0.63	378	0.74	2.68	10.7	16.1	470
J597191		2.27	16.15	0.19	4.1	0.029	2.50	35.0	30.8	0.66	389	0.45	2.69	10.9	15.7	500
J597192		1.97	16.75	0.20	4.8	0.025	2.71	33.0	27.3	0.52	362	0.56	2.70	13.2	12.1	420
J597193		2.35	16.80	0.22	4.8	0.028	2.54	39.0	29.3	0.64	407	0.94	2.75	11.1	15.0	530
J597194		2.24	16.30	0.22	4.7	0.028	2.47	39.7	26.6	0.61	396	1.17	2.66	10.7	14.6	520
J597195		1.94	16.25	0.20	4.8	0.027	2.73	31.2	22.5	0.51	348	0.41	2.70	12.2	12.4	410
J597196		2.42	17.50	0.21	5.3	0.031	2.49	38.7	28.0	0.69	429	0.85	2.79	11.4	17.6	550
J597197		2.62	18.80	0.21	5.4	0.033	2.57	40.8	29.7	0.70	462	0.79	2.96	14.1	16.8	600
J597198		2.33	17.60	0.22	4.4	0.031	2.56	37.2	29.7	0.64	413	0.74	2.65	11.7	15.6	520
J597199		2.39	16.95	0.21	5.0	0.032	2.46	34.6	37.2	0.67	419	0.77	2.85	11.6	17.2	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597160		15.3	113.0	<0.002	0.01	0.15	6.3	1	1.7	184.5	1.03	<0.05	14.7	0.270	0.62	3.4
J597161		13.6	100.5	<0.002	0.03	0.19	7.3	1	1.9	208	1.01	<0.05	12.1	0.305	0.54	2.8
J597162		13.4	102.0	<0.002	0.03	0.19	7.4	1	1.9	210	1.10	<0.05	12.7	0.307	0.53	3.1
J597163		13.5	117.5	<0.002	0.01	0.18	7.9	1	2.0	214	1.04	<0.05	12.8	0.311	0.56	2.9
J597164		14.3	126.5	<0.002	0.03	0.22	6.9	1	2.0	196.0	1.18	<0.05	13.6	0.287	0.64	3.6
J597165		17.4	121.0	<0.002	0.01	0.13	7.1	1	2.1	196.0	1.14	<0.05	15.0	0.292	0.65	3.8
J597166		14.3	109.0	<0.002	0.02	0.20	7.1	1	2.0	188.5	1.13	<0.05	15.3	0.291	0.62	3.6
J597167		15.9	110.5	<0.002	0.01	0.29	7.2	1	2.0	194.5	1.13	<0.05	14.8	0.288	0.60	3.6
J597168		14.8	117.0	0.002	0.01	0.16	2.8	1	1.3	120.0	1.00	<0.05	13.1	0.118	0.62	3.3
J597169		15.5	133.5	<0.002	0.01	0.12	1.9	1	1.3	79.3	1.15	<0.05	17.8	0.085	0.72	4.1
J597170		16.9	120.0	<0.002	0.01	0.12	6.7	1	2.0	185.0	1.17	<0.05	15.1	0.266	0.73	3.6
J597171		16.6	114.5	<0.002	0.01	0.11	6.3	1	2.0	198.5	1.00	<0.05	13.4	0.244	0.72	3.0
J597172		16.6	114.0	<0.002	0.01	0.08	6.7	1	2.1	211	1.01	<0.05	13.7	0.258	0.73	3.1
J597173		16.6	112.5	<0.002	0.02	0.08	6.8	1	2.0	213	1.06	<0.05	13.4	0.271	0.70	3.2
J597174		17.3	113.0	<0.002	0.02	0.15	7.4	1	2.2	201	1.04	<0.05	10.9	0.259	0.70	2.6
J597175		19.6	114.0	<0.002	0.02	0.16	7.8	1	2.2	213	1.15	<0.05	13.9	0.260	0.78	3.5
J597176		20.3	120.5	<0.002	0.01	0.10	8.2	1	2.2	214	1.16	<0.05	14.1	0.265	0.80	3.6
J597177		24.4	131.5	<0.002	<0.01	0.10	2.7	1	1.2	64.0	1.80	<0.05	19.2	0.093	0.73	6.0
J597178		15.7	111.5	<0.002	0.01	0.11	6.4	1	2.1	198.0	1.01	0.05	12.6	0.259	0.68	2.9
J597179		19.0	129.5	<0.002	0.08	0.17	7.6	1	2.2	211	1.04	<0.05	14.5	0.278	0.70	3.8
J597180		16.9	136.0	<0.002	0.02	0.20	8.4	1	2.6	225	1.02	<0.05	14.7	0.292	0.69	3.6
J597181		16.0	119.0	<0.002	0.01	0.12	8.2	1	2.3	217	1.12	<0.05	13.9	0.284	0.64	3.7
J597182		17.7	127.0	<0.002	0.01	0.16	7.7	1	2.1	209	1.11	<0.05	14.6	0.273	0.66	4.0
J597183		18.5	134.5	<0.002	0.01	0.16	7.4	1	2.5	207	1.25	<0.05	14.7	0.274	0.68	4.3
J597184		17.2	118.5	<0.002	0.01	0.09	7.8	1	2.3	219	1.18	<0.05	15.5	0.295	0.64	4.5
J597185		15.9	121.0	<0.002	0.01	0.07	7.3	1	2.2	213	0.93	<0.05	13.6	0.265	0.67	3.2
J597186		19.1	136.0	<0.002	0.01	0.10	6.2	1	2.0	169.0	1.31	<0.05	18.3	0.222	0.66	5.0
J597187		17.3	131.0	<0.002	0.02	0.10	7.3	1	2.1	212	1.03	<0.05	14.3	0.269	0.69	3.7
J597188		23.7	133.0	<0.002	0.05	0.18	5.9	1	1.9	168.5	1.69	<0.05	22.1	0.205	0.61	6.5
J597189		16.8	128.5	<0.002	0.01	0.11	7.0	1	2.1	208	1.00	<0.05	14.6	0.251	0.64	3.7
J597190		16.1	123.0	<0.002	0.02	0.21	6.7	1	2.0	199.5	0.96	<0.05	14.8	0.249	0.61	3.8
J597191		15.8	120.0	<0.002	0.01	0.17	7.1	1	2.1	198.0	0.94	<0.05	13.4	0.262	0.61	3.4
J597192		20.5	162.5	<0.002	<0.01	0.22	6.2	1	2.5	165.5	1.48	<0.05	18.6	0.229	0.77	5.5
J597193		17.0	128.5	<0.002	<0.01	0.09	7.4	1	2.1	208	0.98	<0.05	14.6	0.278	0.65	3.7
J597194		17.0	123.5	<0.002	<0.01	0.07	7.2	1	2.0	202	0.94	<0.05	13.8	0.270	0.61	3.4
J597195		19.9	142.5	<0.002	<0.01	0.21	6.3	1	2.1	161.0	1.35	<0.05	20.5	0.225	0.67	5.3
J597196		16.7	126.0	<0.002	0.01	0.08	8.1	1	2.1	216	1.00	<0.05	14.0	0.285	0.65	3.6
J597197		19.2	137.0	<0.002	0.01	0.13	8.3	1	2.4	225	1.38	<0.05	15.6	0.306	0.70	5.0
J597198		17.2	124.5	<0.002	0.01	0.13	7.6	1	2.1	206	0.93	<0.05	14.3	0.272	0.64	3.7
J597199		16.5	119.0	<0.002	0.01	0.34	7.6	1	2.1	212	0.97	<0.05	13.7	0.273	0.63	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597160		37	0.8	18.5	48	188.0
J597161		42	1.0	19.4	51	194.0
J597162		43	0.9	20.3	51	184.0
J597163		43	0.7	20.7	51	181.0
J597164		40	1.0	20.4	48	184.0
J597165		41	1.2	20.7	53	182.5
J597166		41	0.9	20.2	47	198.0
J597167		40	0.8	20.2	49	194.0
J597168		15	0.9	11.5	21	91.0
J597169		8	0.7	12.0	15	65.6
J597170		41	0.5	16.8	47	149.0
J597171		37	0.5	15.8	44	163.0
J597172		41	0.4	16.8	48	159.0
J597173		41	0.5	17.7	47	165.0
J597174		44	0.7	17.1	52	172.5
J597175		42	1.1	18.5	49	165.5
J597176		42	0.4	19.2	50	174.0
J597177		12	1.2	13.4	17	100.5
J597178		42	0.8	17.6	46	161.0
J597179		47	3.6	18.7	51	177.0
J597180		52	1.1	19.7	52	180.0
J597181		48	0.5	20.6	53	155.0
J597182		46	0.3	19.9	52	164.0
J597183		44	0.7	20.8	52	163.0
J597184		49	0.4	20.9	55	179.0
J597185		43	0.5	18.5	52	176.5
J597186		35	0.8	19.4	44	141.5
J597187		44	0.9	19.2	53	160.0
J597188		32	0.8	20.7	50	140.0
J597189		40	0.3	19.0	48	159.5
J597190		40	0.6	18.2	47	176.0
J597191		42	1.6	18.1	48	146.0
J597192		36	0.9	20.9	42	160.0
J597193		44	0.4	19.2	49	169.0
J597194		43	0.5	18.3	48	173.0
J597195		36	0.7	19.8	42	161.0
J597196		45	0.9	20.5	52	195.0
J597197		49	0.8	23.3	56	189.5
J597198		44	0.8	19.9	50	162.0
J597199		44	0.7	19.7	48	185.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597200		0.07	0.926	0.87	8.21	4.5	100	2.09	0.85	0.89	0.12	15.70	8.8	30	20.1	12.5
J597201		0.87	0.050	0.13	6.96	30.5	660	1.59	0.15	1.80	0.09	63.1	6.8	20	3.36	12.1
J597202		1.47	0.008	0.11	7.15	16.4	670	1.88	0.09	1.83	0.12	75.4	7.0	24	4.80	8.1
J597203		0.68	0.032	0.15	7.06	27.5	700	1.52	0.12	1.88	0.09	73.4	8.6	27	5.28	11.7
J597204		0.63	0.016	0.08	6.82	31.5	620	1.46	0.12	1.50	0.08	64.0	7.0	19	5.09	7.7
J597205		1.86	<0.005	0.09	7.11	10.4	640	1.52	0.16	1.84	0.06	76.8	7.3	27	6.82	8.0
J597206		1.36	<0.005	0.07	6.97	3.2	700	1.46	0.07	1.69	0.06	73.7	7.0	22	13.30	8.3
J597207		0.60	<0.005	0.08	6.19	3.1	220	2.18	0.29	0.79	0.05	43.1	2.4	10	5.07	3.8
J597208		1.43	<0.005	0.08	7.19	4.3	740	1.35	0.05	1.87	0.05	73.3	7.8	23	4.07	9.3
J597209		1.04	<0.005	0.09	7.21	8.5	780	1.27	0.06	1.89	0.06	73.6	8.2	23	3.54	9.1
J597210		1.01	<0.005	0.09	7.34	6.7	780	1.34	0.05	1.96	0.06	74.3	7.5	23	3.62	10.5
J597211		0.52	<0.005	0.10	7.29	22.2	760	1.43	0.08	1.77	0.08	67.7	7.1	23	3.24	11.0
J597212		0.42	0.005	0.10	7.49	10.4	760	1.42	0.05	2.10	0.07	70.9	8.6	28	4.04	10.8
J597213		1.53	<0.005	0.09	7.14	4.0	700	1.49	0.05	2.03	0.06	68.3	8.6	32	3.89	10.8
J597214		1.64	<0.005	0.08	7.40	4.1	810	1.39	0.05	2.01	0.06	69.9	7.8	30	4.08	8.0
J597215		0.79	<0.005	0.08	6.36	5.4	390	2.32	0.11	1.24	0.06	43.2	5.4	17	3.52	13.7
J597216		1.37	<0.005	0.07	6.78	2.0	660	1.78	0.08	1.96	0.06	66.7	9.2	29	4.34	9.7
J597217		0.95	<0.005	0.05	7.08	5.2	650	1.54	0.06	1.98	0.04	64.1	8.2	29	5.15	13.0
J597218		1.54	<0.005	0.04	6.79	1.9	660	1.46	0.09	1.87	0.05	57.7	8.3	26	4.35	9.6
J597219		1.59	<0.005	0.05	6.74	3.8	670	1.73	0.09	1.83	0.04	67.1	7.9	23	4.04	18.5
J597220		1.56	<0.005	0.08	6.91	1.7	660	1.62	0.09	1.86	0.05	66.4	7.7	22	4.28	9.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J597200		4.07	19.05	0.20	1.4	0.013	2.58	8.4	5.3	0.83	253	1.90	5.14	9.3	34.2	670
J597201		2.21	16.70	0.21	5.1	0.029	2.51	32.5	23.2	0.62	397	0.52	2.82	10.9	13.9	500
J597202		2.35	17.20	0.28	4.4	0.040	2.41	39.9	35.1	0.65	412	0.60	2.75	11.5	15.8	530
J597203		2.45	17.25	0.22	4.9	0.036	2.53	38.0	35.5	0.68	431	0.76	2.84	11.9	16.3	550
J597204		1.94	16.00	0.23	4.2	0.024	2.64	33.4	27.7	0.51	337	0.60	2.75	11.1	12.5	430
J597205		2.30	17.15	0.23	4.8	0.031	2.44	40.9	31.8	0.64	405	0.71	2.75	11.5	16.2	500
J597206		2.19	16.35	0.23	4.3	0.027	2.55	39.4	31.2	0.59	394	2.48	2.64	11.4	14.6	490
J597207		1.07	16.10	0.17	4.5	0.014	3.22	20.1	11.1	0.19	214	0.77	2.72	13.0	4.7	160
J597208		2.39	17.45	0.20	4.9	0.029	2.57	37.8	31.4	0.65	425	1.05	2.80	11.2	15.5	540
J597209		2.44	17.30	0.23	4.8	0.030	2.60	38.8	31.6	0.66	424	0.99	2.75	11.3	15.9	560
J597210		2.48	17.10	0.24	4.2	0.031	2.44	39.9	36.0	0.68	432	0.57	2.79	11.5	15.9	570
J597211		2.20	17.70	0.22	4.6	0.032	2.45	35.3	32.2	0.65	395	0.64	2.99	11.0	15.7	550
J597212		2.58	17.85	0.22	5.4	0.033	2.47	36.4	36.3	0.79	458	1.38	2.87	10.9	20.1	570
J597213		2.50	17.45	0.23	4.3	0.033	2.40	35.3	37.1	0.79	448	1.25	2.72	11.1	21.4	580
J597214		2.46	17.35	0.24	4.1	0.031	2.62	37.2	37.8	0.76	437	7.12	2.85	10.7	19.5	560
J597215		1.48	18.20	0.09	5.1	0.016	2.77	19.1	17.8	0.40	251	0.63	2.90	15.7	11.2	270
J597216		2.42	19.45	0.15	4.1	0.031	2.34	32.8	27.5	0.74	417	0.68	2.82	12.4	19.6	530
J597217		2.34	18.25	0.14	4.5	0.027	2.58	31.5	30.1	0.71	414	0.68	2.87	11.6	18.2	500
J597218		2.32	17.70	0.14	4.7	0.028	2.50	27.2	24.6	0.68	393	1.00	2.70	11.7	17.1	520
J597219		2.28	18.30	0.14	5.1	0.025	2.61	32.7	25.1	0.61	395	0.74	2.77	13.1	14.6	500
J597220		2.38	18.65	0.14	4.4	0.028	2.50	32.8	21.7	0.62	405	1.02	2.86	12.8	14.1	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J597200		76.6	650	0.002	3.26	1.36	3.3	1	1.1	175.0	0.72	<0.05	2.8	0.227	6.05	1.4
J597201		16.1	124.5	0.003	0.34	0.45	7.3	2	2.1	182.5	1.05	0.05	15.4	0.251	0.65	4.1
J597202		17.2	130.0	0.013	0.07	0.47	7.8	2	2.2	208	0.97	0.14	15.2	0.276	0.71	3.6
J597203		17.8	130.5	0.003	0.24	0.48	7.9	2	2.4	202	1.08	<0.05	15.6	0.289	0.73	4.1
J597204		19.6	143.0	0.003	0.07	0.50	6.2	1	2.0	170.0	1.12	<0.05	15.5	0.227	0.69	4.4
J597205		17.7	135.5	0.003	0.01	0.49	7.4	1	2.2	202	1.05	<0.05	16.3	0.266	0.67	4.2
J597206		18.3	143.5	0.002	<0.01	0.97	7.2	1	2.1	189.5	1.14	<0.05	14.9	0.255	0.69	4.1
J597207		29.2	179.0	0.002	<0.01	0.48	3.0	1	2.2	67.3	1.74	<0.05	35.3	0.108	0.78	10.7
J597208		17.0	121.0	0.002	0.01	0.21	7.8	1	2.0	211	0.93	<0.05	12.3	0.278	0.64	3.2
J597209		15.8	118.5	<0.002	0.02	0.17	8.1	1	1.9	214	0.90	<0.05	11.5	0.289	0.58	3.0
J597210		15.6	113.0	<0.002	0.01	0.18	8.1	1	2.0	224	0.90	<0.05	11.5	0.298	0.59	2.9
J597211		13.8	106.0	<0.002	0.16	0.30	7.6	1	2.2	209	0.93	<0.05	12.9	0.285	0.51	3.3
J597212		15.7	122.5	<0.002	0.03	0.21	8.2	1	2.1	240	0.88	<0.05	12.5	0.293	0.64	3.4
J597213		14.9	123.0	<0.002	0.02	0.15	8.3	1	2.3	221	0.91	<0.05	11.6	0.292	0.65	2.6
J597214		15.4	131.5	0.002	0.01	0.22	8.0	1	2.1	226	0.90	<0.05	12.1	0.288	0.68	2.9
J597215		24.9	130.0	<0.002	0.03	0.25	5.1	1	1.5	133.5	2.42	<0.05	22.4	0.152	0.62	8.5
J597216		16.6	116.0	<0.002	0.01	0.16	8.9	1	2.1	219	1.21	<0.05	12.4	0.267	0.72	3.6
J597217		14.4	118.5	<0.002	0.02	0.20	8.4	1	1.9	210	1.07	<0.05	12.9	0.254	0.70	3.7
J597218		15.8	119.5	<0.002	0.01	0.16	8.2	1	2.0	205	1.09	<0.05	11.6	0.255	0.72	3.6
J597219		18.1	126.5	<0.002	0.02	0.16	8.1	1	2.0	192.0	1.29	<0.05	14.6	0.257	0.73	4.4
J597220		17.5	121.5	<0.002	0.01	0.15	8.4	1	2.0	201	1.23	<0.05	14.5	0.258	0.71	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597200		28	0.3	5.4	38	47.7
J597201		41	6.3	19.3	34	174.0
J597202		44	2.2	19.6	50	161.5
J597203		45	8.5	20.5	52	174.5
J597204		35	2.3	18.0	42	143.0
J597205		43	1.1	19.9	50	174.0
J597206		40	0.9	19.6	47	152.5
J597207		14	1.3	18.5	24	101.0
J597208		45	0.9	19.1	52	185.5
J597209		46	0.8	19.6	52	178.0
J597210		47	0.7	18.8	53	155.5
J597211		45	5.4	18.4	46	165.5
J597212		49	0.7	19.4	56	204
J597213		48	1.0	19.1	54	163.0
J597214		47	0.8	17.9	52	157.0
J597215		23	1.2	20.2	32	132.5
J597216		45	1.0	19.0	52	144.5
J597217		43	0.7	18.1	49	164.0
J597218		44	1.1	18.0	49	172.5
J597219		40	0.9	19.4	48	175.0
J597220		42	1.2	19.7	50	157.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055644

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.