ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

CERTIFICATE TB11020386

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594691		1.35	<0.005	0.04	7.17	14.0	800	1.45	0.06	1.66	0.05	94.1	7.0	6	1.81	7.7
J594692		1.32	<0.005	0.04	7.16	22.9	840	1.46	0.07	1.71	0.07	83.8	5.8	8	1.97	7.9
J594693		1.27	0.077	0.05	7.12	24.1	840	1.32	0.17	1.23	0.04	94.0	7.5	6	0.91	5.6
J594694		1.17	0.032	0.05	7.01	26.4	800	1.52	0.12	1.61	0.04	84.1	8.0	7	2.98	9.6
J594695		1.10	0.007	0.04	7.15	18.9	730	1.45	0.07	1.57	0.05	85.6	7.4	5	1.62	5.8
J594696		0.67	0.031	0.08	5.10	40.4	300	1.60	0.14	2.68	0.06	114.5	12.4	193	7.01	5.9
J594697		0.54	3.09	0.87	3.65	34.7	300	1.12	2.12	0.48	0.20	50.7	4.8	30	0.89	8.9
J594698		0.69	4.36	0.90	6.62	1420	600	1.59	0.70	1.08	0.28	72.6	5.5	6	1.90	15.7
J594699		0.60	3.14	1.45	5.49	1300	540	1.41	2.38	0.94	0.13	65.8	5.3	6	1.04	7.3
J594700		0.03	1.315	1.11	7.47	4.3	90	2.28	0.82	0.83	0.14	17.15	9.1	27	21.9	13.1
J594701		0.33	0.526	0.43	7.19	1125	790	1.66	1.01	1.07	0.09	93.4	5.8	6	1.23	12.7
J594702		1.23	0.251	0.13	6.33	43.5	680	1.34	0.27	1.01	0.06	66.1	6.5	5	1.28	12.8
J594703		1.69	0.073	0.05	7.09	27.0	700	1.37	0.14	1.08	0.03	77.3	6.2	8	1.42	7.8
J594704		1.22	0.007	0.07	6.97	9.7	680	1.81	0.05	0.67	<0.02	87.2	5.5	4	3.03	3.3
J594705		1.38	<0.005	0.03	6.53	5.8	660	1.43	0.02	0.33	<0.02	88.5	6.7	7	2.91	2.8
J594706		1.18	<0.005	<0.01	6.76	6.1	730	1.43	0.02	0.90	0.02	78.6	5.2	7	3.32	2.7
J594707		1.19	<0.005	0.03	6.86	8.9	740	1.34	0.02	0.97	<0.02	75.1	5.6	8	2.88	4.5
J594708		1.40	0.018	0.04	6.90	6.9	740	1.28	0.03	1.00	<0.02	90.0	6.2	8	3.52	4.4
J594709		1.29	<0.005	0.02	7.15	6.4	760	1.41	0.02	1.09	<0.02	96.5	6.5	9	3.33	5.2
J594710		1.25	<0.005	0.03	7.00	4.1	760	1.31	0.04	1.38	0.02	100.0	6.4	10	2.33	7.2
J594711		1.24	<0.005	0.01	7.08	4.6	730	1.69	0.03	0.95	<0.02	71.1	5.5	8	5.88	3.1
J594712		1.38	<0.005	0.05	6.99	4.0	770	1.49	0.05	1.27	0.04	81.4	6.2	9	2.62	6.5
J594713		1.28	<0.005	<0.01	6.80	3.7	740	1.50	0.04	1.09	0.03	86.0	5.8	8	2.28	6.0
J594714		1.23	<0.005	0.04	6.60	3.8	720	1.44	0.04	1.04	0.02	81.3	5.7	8	2.58	6.7
J594715		1.66	<0.005	0.03	6.87	4.9	700	1.43	0.03	0.46	<0.02	81.7	6.3	9	4.68	3.6
J594716		1.07	0.189	0.13	6.54	10.2	610	1.62	0.07	0.92	<0.02	116.0	7.1	7	6.07	2.8
J594717		1.17	<0.005	0.02	7.08	3.6	730	1.32	0.02	0.62	0.02	74.4	5.5	7	3.19	3.2
J594718		1.52	<0.005	0.03	6.48	3.1	650	1.43	0.01	1.13	<0.02	140.0	6.2	8	4.26	3.1
J594719		1.27	<0.005	<0.01	6.76	2.0	690	1.24	0.01	0.44	<0.02	82.2	5.6	8	3.51	2.8
J594720		1.30	<0.005	0.02	6.72	2.1	680	1.56	0.03	0.87	0.02	83.8	6.9	7	3.46	5.2
J594721		1.39	<0.005	0.01	6.54	1.5	680	1.44	0.03	0.97	0.02	91.0	6.0	8	2.15	3.5
J594722		0.76	<0.005	0.04	6.54	5.0	610	1.73	0.01	0.25	<0.02	67.0	5.5	7	5.97	3.2
J594723		1.20	<0.005	0.02	6.52	5.9	560	1.66	0.01	0.25	<0.02	73.3	4.8	7	6.09	3.9
J594724		1.60	<0.005	0.03	6.75	3.5	710	1.33	0.01	0.39	0.02	85.6	5.2	7	2.56	3.4
J594725		0.07	<0.005	0.04	6.40	1.0	930	1.06	0.08	1.39	0.08	28.5	2.6	13	1.85	4.5
J594726		1.27	<0.005	0.03	6.69	5.8	580	1.71	0.02	0.48	<0.02	86.0	5.6	7	5.59	4.2
J594727		1.86	<0.005	0.01	7.06	5.3	820	1.55	0.04	1.44	0.03	89.3	5.9	8	1.99	6.3
J594728		1.88	0.017	0.04	7.07	9.8	770	1.39	0.05	1.44	0.05	100.0	6.2	8	2.28	5.6
J594729		1.98	<0.005	0.06	6.71	11.5	770	1.28	0.04	1.57	0.04	83.2	4.8	9	2.23	7.0
J594730		2.08	<0.005	0.06	6.73	8.7	740	1.33	0.04	1.53	0.04	85.6	5.4	12	2.28	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594691		2.42	16.65	0.19	5.4	0.036	2.45	49.0	15.4	0.57	484	1.55	2.87	12.1	6.9	570
J594692		2.40	16.85	0.19	5.4	0.035	2.88	42.5	17.1	0.58	501	2.57	2.81	12.3	6.4	600
J594693		2.35	16.15	0.18	5.3	0.038	2.71	49.9	12.2	0.62	376	1.05	3.02	11.5	6.2	580
J594694		2.37	17.00	0.21	5.5	0.035	2.35	42.8	16.6	0.60	399	1.32	3.09	12.2	6.8	590
J594695		2.20	16.80	0.19	5.9	0.032	1.99	44.8	16.3	0.65	377	54.1	3.19	12.0	6.5	580
J594696		3.98	12.45	0.27	3.9	0.047	1.74	60.3	53.3	2.54	675	40.7	1.29	7.2	82.2	1850
J594697		1.94	9.54	0.12	2.5	0.037	1.10	27.9	11.8	0.52	158	7.84	1.10	3.6	16.0	490
J594698		2.10	16.00	0.15	5.3	0.038	2.40	38.4	11.9	0.44	231	1.31	2.12	5.0	5.7	490
J594699		2.10	13.35	0.14	3.9	0.032	2.29	35.3	8.2	0.37	172	15.25	1.84	3.9	5.0	440
J594700		3.97	18.40	0.17	1.4	0.014	2.60	8.4	5.1	0.81	246	2.07	5.27	9.7	35.5	690
J594701		2.35	17.95	0.18	5.6	0.044	3.14	48.9	8.4	0.51	258	1.52	2.59	6.8	6.0	600
J594702		2.18	16.00	0.19	4.8	0.033	2.65	33.6	11.2	0.72	285	4.10	2.75	10.5	6.2	550
J594703		2.21	16.35	0.18	5.5	0.030	2.80	40.6	11.2	0.74	279	2.22	2.80	11.7	6.2	560
J594704		2.34	16.00	0.20	5.1	0.025	3.07	45.5	28.9	1.40	319	6.67	2.29	11.3	5.7	540
J594705		2.65	17.30	0.16	4.8	0.032	2.88	43.0	38.5	1.68	370	1.62	1.88	10.2	5.7	550
J594706		2.07	16.90	0.15	4.8	0.025	2.67	38.1	13.9	0.88	349	0.83	2.62	11.5	5.4	580
J594707		2.16	16.75	0.15	4.8	0.023	2.65	36.5	13.6	0.83	372	3.37	2.70	11.0	5.7	580
J594708		2.38	17.15	0.16	4.7	0.025	2.82	43.0	26.1	1.31	398	22.4	2.29	10.6	5.8	580
J594709		2.42	17.80	0.18	4.7	0.030	3.06	48.8	26.7	1.33	453	22.4	2.22	12.0	5.8	590
J594710		2.23	17.30	0.17	4.9	0.031	2.58	50.8	16.7	0.79	376	14.65	2.73	11.9	6.2	600
J594711		2.23	17.50	0.17	4.6	0.023	2.82	33.1	25.6	1.30	354	1.03	2.10	11.7	6.0	590
J594712		2.29	17.55	0.16	4.9	0.032	2.55	39.4	13.9	0.75	382	5.58	2.68	12.5	6.1	600
J594713		2.12	17.55	0.17	5.1	0.029	2.46	42.8	18.7	0.91	324	1.09	2.58	11.8	5.9	570
J594714		2.05	16.90	0.22	5.0	0.028	2.46	39.3	15.0	0.86	349	1.03	2.56	11.6	5.7	560
J594715		2.49	17.50	0.16	4.8	0.023	2.90	38.4	24.2	1.44	351	0.84	2.07	11.8	6.4	580
J594716		2.91	17.60	0.21	5.1	0.029	2.86	56.6	37.6	2.06	396	14.65	1.32	11.3	5.9	580
J594717		2.13	17.25	0.16	4.8	0.021	2.89	36.2	18.3	1.21	331	1.92	2.32	11.5	5.5	590
J594718		2.43	16.75	0.19	5.1	0.025	2.97	66.3	32.9	1.83	401	0.56	1.56	11.0	5.5	520
J594719		2.11	16.70	0.17	4.7	0.021	2.87	38.2	19.1	1.20	343	0.65	2.21	10.9	5.4	550
J594720		2.73	17.35	0.16	5.3	0.034	2.65	43.9	27.6	1.52	412	1.26	2.05	10.6	6.3	540
J594721		2.06	16.80	0.14	4.4	0.028	2.58	44.4	17.3	1.04	365	1.33	2.51	10.8	5.7	530
J594722		2.35	17.35	0.16	4.8	0.030	2.97	30.0	37.7	1.93	307	0.43	1.15	11.3	6.3	540
J594723		2.21	16.95	0.15	4.8	0.029	2.69	36.9	36.5	1.87	262	0.68	1.10	11.8	5.4	540
J594724		2.09	17.25	0.18	5.0	0.026	2.83	41.3	17.5	1.20	303	1.68	2.38	11.6	5.6	560
J594725		1.46	13.35	0.12	1.0	0.019	2.23	13.6	10.9	0.19	589	1.04	2.73	4.7	2.2	190
J594726		2.34	17.80	0.16	5.2	0.037	2.91	42.2	28.1	1.61	326	0.94	1.63	11.9	5.9	580
J594727		2.27	17.65	0.16	4.9	0.037	2.53	44.4	13.8	0.70	394	1.72	2.81	12.1	5.8	570
J594728		2.26	17.40	0.19	4.9	0.035	2.64	49.6	13.3	0.68	395	1.18	2.86	11.7	5.6	550
J594729		2.23	16.70	0.16	4.8	0.035	2.56	39.9	11.9	0.58	385	1.04	2.87	11.4	5.0	550
J594730		2.12	16.80	0.15	4.7	0.031	2.44	41.8	13.4	0.64	367	1.26	2.81	11.3	5.9	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594691		14.2	86.4	<0.002	0.05	0.41	7.6	2	1.9	188.5	0.97	<0.05	14.1	0.294	0.41	3.4
J594692		16.3	97.4	<0.002	0.06	0.53	8.3	2	1.9	183.5	0.97	<0.05	13.9	0.295	0.48	3.5
J594693		10.5	109.0	<0.002	0.40	0.50	7.9	2	1.8	154.5	0.96	<0.05	13.9	0.277	0.46	3.6
J594694		15.0	83.9	<0.002	0.33	0.54	8.1	2	1.9	189.5	0.97	<0.05	12.7	0.291	0.38	3.1
J594695		14.0	68.1	0.005	0.14	0.41	8.1	2	1.8	229	1.01	<0.05	14.8	0.281	0.28	3.6
J594696		6.5	116.5	0.004	0.10	0.24	12.2	2	1.9	145.0	0.48	<0.05	12.1	0.271	0.74	3.0
J594697		66.3	50.9	<0.002	0.81	0.24	5.0	2	1.6	97.7	0.27	0.15	7.1	0.124	0.22	2.4
J594698		45.1	100.5	0.003	1.27	0.69	6.9	2	1.7	133.5	0.45	0.23	15.6	0.158	0.45	3.7
J594699		57.5	96.8	0.002	1.42	0.63	5.9	2	1.5	84.1	0.32	0.35	10.2	0.136	0.42	2.7
J594700		84.0	560	<0.002	3.15	1.38	3.5	2	1.0	170.0	0.80	<0.05	2.8	0.227	6.56	1.6
J594701		47.5	128.0	<0.002	1.07	0.70	8.3	2	1.7	128.5	0.59	0.29	15.6	0.204	0.59	3.9
J594702		17.4	94.9	<0.002	0.39	0.30	7.4	2	1.7	108.0	0.89	<0.05	13.3	0.245	0.44	3.5
J594703		17.9	106.0	<0.002	0.27	0.32	7.6	2	1.8	110.0	1.01	<0.05	17.0	0.257	0.46	3.9
J594704		8.0	127.0	<0.002	0.07	0.24	7.0	2	1.9	59.2	1.06	<0.05	16.4	0.247	0.48	3.9
J594705		4.3	115.5	<0.002	0.04	0.27	6.9	1	2.3	41.4	1.01	<0.05	13.5	0.237	0.48	3.2
J594706		6.0	102.5	<0.002	0.01	0.27	7.3	2	1.9	95.9	1.02	<0.05	13.1	0.272	0.40	3.6
J594707		6.1	92.6	<0.002	0.01	0.26	7.3	1	1.8	113.0	0.96	<0.05	13.0	0.275	0.41	2.9
J594708		4.6	108.0	0.002	0.05	0.25	7.3	1	1.9	74.1	0.92	<0.05	12.0	0.269	0.43	2.6
J594709		4.7	114.5	0.002	0.01	0.24	7.6	2	2.0	93.1	1.05	<0.05	13.4	0.281	0.47	3.1
J594710		6.4	94.2	0.002	0.01	0.20	8.0	2	2.0	140.0	1.04	<0.05	13.6	0.290	0.46	3.2
J594711		4.3	138.0	<0.002	<0.01	0.26	7.9	2	2.1	80.2	1.00	<0.05	14.3	0.288	0.58	3.2
J594712		8.6	92.4	<0.002	<0.01	0.21	7.8	2	2.0	165.5	1.13	<0.05	13.7	0.289	0.42	3.4
J594713		8.1	92.5	<0.002	0.01	0.24	7.7	2	2.0	146.5	1.07	<0.05	14.0	0.281	0.39	3.3
J594714		7.8	91.2	<0.002	0.01	0.22	7.7	1	1.9	127.5	1.08	<0.05	14.5	0.273	0.42	3.4
J594715		6.3	121.0	<0.002	0.05	0.22	7.5	2	2.0	63.9	1.08	<0.05	16.2	0.276	0.41	3.7
J594716		8.7	120.5	<0.002	0.12	0.27	7.4	2	2.3	43.2	0.99	<0.05	15.6	0.274	0.44	3.5
J594717		5.3	120.5	<0.002	0.01	0.26	7.3	2	2.0	79.6	0.94	<0.05	17.2	0.278	0.39	4.0
J594718		4.3	116.5	<0.002	0.01	0.24	6.5	2	2.0	47.8	0.98	<0.05	14.7	0.256	0.40	3.5
J594719		4.1	124.0	<0.002	<0.01	0.25	6.8	2	1.9	55.8	0.92	<0.05	15.2	0.257	0.38	3.8
J594720		6.4	98.4	<0.002	0.01	0.18	7.6	2	2.0	102.0	0.90	<0.05	15.3	0.251	0.39	3.5
J594721		5.2	99.1	<0.002	0.01	0.19	7.0	1	2.1	94.4	0.96	<0.05	15.1	0.252	0.38	3.8
J594722		3.0	136.0	<0.002	0.01	0.31	7.1	2	2.1	36.5	1.01	<0.05	14.4	0.253	0.48	3.6
J594723		2.9	126.0	<0.002	0.01	0.30	7.1	2	2.4	34.7	1.15	<0.05	13.7	0.253	0.47	3.1
J594724		4.9	121.5	<0.002	<0.01	0.25	7.1	2	2.1	65.5	1.13	<0.05	13.6	0.261	0.40	3.3
J594725		10.0	67.6	<0.002	<0.01	0.21	5.4	1	1.9	184.5	0.47	<0.05	5.6	0.114	0.42	1.7
J594726		4.0	141.0	<0.002	0.01	0.28	7.0	2	2.3	45.6	1.19	<0.05	13.7	0.257	0.46	3.9
J594727		11.0	87.5	<0.002	0.02	0.23	7.3	2	2.0	167.0	1.04	<0.05	13.1	0.283	0.42	3.2
J594728		10.6	91.2	<0.002	0.02	0.25	7.4	2	1.9	159.0	0.99	<0.05	13.4	0.273	0.44	3.0
J594729		10.7	82.5	<0.002	0.04	0.30	7.1	2	1.9	174.0	0.91	<0.05	10.7	0.270	0.47	2.2
J594730		9.8	91.1	<0.002	0.03	0.26	7.0	2	1.9	163.0	0.95	<0.05	12.1	0.261	0.43	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594691		41	1.4	22.0	51	212
J594692		43	1.2	23.1	55	197.5
J594693		39	3.7	22.1	35	201
J594694		42	5.1	22.4	36	207
J594695		41	3.6	23.3	32	226
J594696		75	6.2	20.2	157	157.0
J594697		29	9.7	10.0	47	94.0
J594698		34	162.0	16.5	47	192.0
J594699		32	13.8	15.2	30	146.0
J594700		27	0.3	5.4	38	50.3
J594701		43	9.8	21.1	35	207
J594702		39	6.5	19.6	30	173.0
J594703		40	5.7	22.6	29	200
J594704		38	3.6	22.6	29	183.5
J594705		40	2.9	14.4	32	180.5
J594706		39	2.3	15.9	30	194.5
J594707		39	2.3	16.3	33	192.0
J594708		38	2.4	17.8	33	189.5
J594709		41	2.3	19.3	38	186.5
J594710		41	6.1	23.0	41	200
J594711		42	2.4	18.6	33	187.5
J594712		42	1.3	20.3	44	195.5
J594713		40	1.5	20.3	34	206
J594714		39	2.1	18.1	34	188.0
J594715		41	3.5	16.2	34	195.0
J594716		43	5.9	17.2	35	207
J594717		39	5.7	16.7	31	196.0
J594718		37	3.5	18.1	29	199.5
J594719		36	3.4	14.9	29	189.0
J594720		42	2.4	20.3	39	206
J594721		37	2.1	18.2	29	175.0
J594722		38	3.2	15.4	24	186.0
J594723		37	3.1	16.3	21	185.0
J594724		39	2.9	16.5	25	201
J594725		15	1.0	16.7	44	29.5
J594726		41	5.3	17.4	27	201
J594727		38	2.1	20.4	42	202
J594728		38	1.9	19.4	42	203
J594729		39	4.5	17.4	43	202
J594730		37	2.4	18.8	39	200

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594731		1.87	<0.005	0.04	6.82	10.1	720	1.51	0.04	1.32	0.04	92.1	5.3	8	2.32	5.4
J594732		1.82	<0.005	0.02	6.47	6.8	720	1.51	0.04	1.13	0.02	87.9	5.4	7	2.14	3.7
J594733		1.91	<0.005	0.04	6.57	3.8	750	1.62	0.04	1.21	0.04	92.2	6.1	8	2.10	5.4
J594734		1.72	<0.005	0.04	6.63	5.8	820	1.55	0.04	1.30	0.03	98.8	7.5	9	2.23	6.3
J594735		1.94	<0.005	0.04	6.82	1.7	810	1.48	0.03	1.30	0.04	89.6	6.2	9	2.21	6.4
J594736		1.97	<0.005	0.08	6.76	1.8	860	1.47	0.04	1.59	0.06	86.4	6.5	12	2.78	7.8
J594737		2.02	<0.005	0.04	6.73	5.0	880	1.36	0.04	1.66	0.04	90.3	6.3	9	2.50	7.3
J594738		1.97	<0.005	0.02	6.65	4.0	800	1.52	0.03	1.47	0.05	90.4	6.5	10	1.90	6.2
J594739		1.91	<0.005	0.02	6.76	2.1	770	1.52	0.03	1.57	0.06	95.8	6.4	10	1.60	6.5
J594740		1.92	<0.005	0.02	6.76	8.0	850	1.47	0.04	1.51	0.04	85.1	6.7	7	2.10	6.3
J594741		0.66	0.379	0.10	7.08	30.7	770	1.60	0.13	1.58	0.05	91.7	6.0	9	1.31	11.0
J594742		1.28	0.015	0.02	7.07	16.2	790	1.72	0.05	1.71	0.04	90.7	6.0	9	1.97	4.7
J594743		1.91	0.007	0.04	6.93	8.8	790	1.58	0.05	1.42	0.03	97.2	6.0	10	1.99	4.6
J594744		1.98	<0.005	0.06	7.07	5.9	850	1.63	0.06	1.55	0.06	94.4	5.8	10	2.29	6.2
J594745		1.77	0.017	0.06	6.79	5.9	780	1.77	0.06	1.55	0.05	87.9	5.6	10	2.76	4.4
J594746		0.71	0.811	0.04	6.69	13.8	730	1.91	0.07	1.48	0.04	80.2	4.8	8	2.73	7.8
J594747		1.10	<0.005	0.02	6.63	16.2	770	1.50	0.05	1.53	0.04	79.8	5.6	10	1.54	4.8
J594748		0.63	0.006	0.02	6.51	53.7	730	1.56	0.06	1.28	0.02	79.0	4.4	7	0.75	6.0
J594749		0.79	<0.005	0.04	7.00	3.3	800	1.63	0.05	1.33	0.03	97.1	5.3	8	2.90	6.7
J594750		0.93	<0.005	0.07	7.12	3.3	810	1.59	0.05	1.32	0.04	102.0	5.5	8	2.77	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594731		2.09	16.50	0.16	4.7	0.028	2.45	45.6	14.6	0.61	336	0.97	2.84	11.8	5.3	510
J594732		2.12	16.30	0.16	4.6	0.029	2.37	43.9	20.1	0.85	322	0.76	2.54	11.5	5.2	530
J594733		2.18	17.40	0.15	5.0	0.033	2.33	45.6	18.4	0.77	352	1.70	2.71	12.9	5.8	550
J594734		2.21	16.60	0.17	4.7	0.030	2.42	50.4	19.3	0.72	357	0.84	2.72	12.0	5.7	560
J594735		2.26	17.35	0.19	5.0	0.032	2.64	45.2	27.8	0.91	379	1.00	2.62	12.3	6.2	580
J594736		2.31	17.15	0.16	4.9	0.038	2.68	42.3	17.2	0.50	419	1.17	2.82	12.8	6.1	570
J594737		2.28	16.70	0.17	5.1	0.037	2.61	44.7	20.5	0.59	414	1.75	2.75	12.2	5.8	570
J594738		2.29	16.65	0.16	5.1	0.034	2.54	44.3	15.9	0.60	415	1.04	2.77	12.4	6.0	550
J594739		2.30	16.65	0.17	5.1	0.033	2.37	47.1	11.9	0.50	420	0.99	2.89	12.9	6.2	560
J594740		2.23	17.35	0.18	5.2	0.033	2.53	41.6	13.5	0.47	409	1.23	2.95	12.5	5.6	530
J594741		2.45	17.65	0.14	5.8	0.036	2.42	53.1	13.0	0.55	366	1.05	3.01	11.0	6.3	550
J594742		2.28	18.05	0.18	5.9	0.033	2.58	51.0	13.6	0.49	398	0.92	2.93	12.3	5.4	540
J594743		2.31	17.60	0.15	5.4	0.035	2.76	55.7	20.3	0.71	375	1.29	2.73	11.9	5.2	530
J594744		2.35	17.70	0.18	5.5	0.039	2.80	53.9	15.2	0.54	412	1.18	2.82	12.9	5.2	550
J594745		2.22	17.10	0.17	5.8	0.034	2.74	48.5	15.5	0.45	396	1.22	2.78	13.2	5.0	520
J594746		2.03	17.15	0.18	5.7	0.029	2.42	45.1	18.3	0.53	355	1.18	2.97	11.9	4.9	490
J594747		2.16	17.20	0.16	5.6	0.029	2.28	43.7	11.8	0.51	385	1.35	3.01	11.7	5.2	530
J594748		1.85	15.75	0.17	5.1	0.025	2.28	44.3	13.8	0.60	294	1.08	3.21	10.1	4.6	490
J594749		2.17	17.50	0.16	5.5	0.034	2.70	57.3	23.5	0.74	364	1.20	2.66	11.4	5.4	540
J594750		2.29	17.90	0.19	5.7	0.032	2.75	59.2	26.0	0.81	379	1.38	2.70	12.0	5.3	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594731		10.5	89.3	<0.002	0.02	0.26	6.9	1	1.9	162.5	1.06	<0.05	15.3	0.262	0.43	3.4
J594732		7.8	94.0	<0.002	0.02	0.29	6.6	2	1.8	128.5	1.00	<0.05	13.0	0.260	0.41	3.0
J594733		10.5	92.0	<0.002	0.01	0.18	7.1	2	2.1	154.0	1.14	<0.05	14.9	0.279	0.45	3.4
J594734		10.9	92.2	<0.002	0.02	0.23	7.0	2	2.1	164.5	1.01	<0.05	13.0	0.288	0.45	2.7
J594735		10.0	98.5	<0.002	<0.01	0.13	7.5	2	2.0	156.0	1.01	<0.05	12.9	0.287	0.45	3.6
J594736		13.4	104.5	<0.002	0.01	0.19	7.6	2	2.0	196.5	1.08	<0.05	12.4	0.285	0.60	2.8
J594737		10.4	95.2	<0.002	0.01	0.18	7.5	2	2.0	188.5	1.00	<0.05	12.1	0.291	0.55	2.6
J594738		10.7	88.9	<0.002	0.01	0.17	7.4	2	2.0	187.5	1.05	<0.05	12.9	0.280	0.46	2.9
J594739		12.9	85.8	<0.002	<0.01	0.20	7.4	2	2.0	205	1.12	<0.05	13.7	0.286	0.44	3.1
J594740		12.3	92.7	<0.002	0.01	0.28	7.4	2	1.9	192.5	1.03	<0.05	12.6	0.280	0.51	2.7
J594741		14.6	81.4	<0.002	0.51	0.22	7.5	2	1.9	162.0	0.93	<0.05	13.6	0.276	0.38	3.7
J594742		14.0	91.9	<0.002	0.09	0.21	7.6	2	2.0	198.0	1.07	<0.05	14.0	0.291	0.49	3.7
J594743		13.1	104.0	<0.002	0.05	0.19	7.2	2	2.0	176.0	1.04	<0.05	14.9	0.284	0.50	3.9
J594744		17.4	113.0	<0.002	0.01	0.19	7.4	2	2.2	197.5	1.16	<0.05	15.2	0.294	0.59	4.2
J594745		17.5	116.5	<0.002	0.01	0.21	7.1	2	2.3	192.0	1.27	<0.05	15.0	0.284	0.61	4.7
J594746		13.6	95.4	<0.002	0.05	0.24	7.1	2	2.0	180.5	1.16	<0.05	12.3	0.266	0.49	3.6
J594747		12.3	71.1	<0.002	0.02	0.27	7.2	2	2.1	179.0	1.04	<0.05	11.7	0.281	0.37	3.5
J594748		9.3	66.9	<0.002	0.05	0.24	6.6	2	1.9	144.5	0.85	<0.05	11.6	0.238	0.27	2.5
J594749		12.9	105.5	<0.002	0.01	0.16	7.3	2	2.1	163.5	0.92	<0.05	13.7	0.281	0.48	3.8
J594750		13.4	107.0	<0.002	0.01	0.18	7.5	2	2.2	166.0	0.98	<0.05	14.2	0.296	0.51	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594731		35	1.5	19.8	40	193.5
J594732		36	1.3	19.5	34	190.5
J594733		39	1.1	20.9	40	206
J594734		40	1.1	19.5	41	198.5
J594735		39	1.1	19.8	43	205
J594736		38	1.1	21.0	52	199.0
J594737		39	0.8	20.9	48	216
J594738		40	0.6	20.7	50	206
J594739		39	0.4	21.5	52	213
J594740		38	0.6	20.1	45	213
J594741		39	8.6	22.5	38	230
J594742		38	2.1	23.0	41	228
J594743		38	1.1	22.9	41	215
J594744		38	1.0	23.9	52	218
J594745		37	1.1	24.1	50	219
J594746		35	1.0	21.6	39	221
J594747		37	0.9	20.7	39	219
J594748		32	1.5	18.5	28	202
J594749		37	1.2	21.8	43	221
J594750		39	1.2	22.4	44	224

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 21-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11020386

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.