ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

CERTIFICATE TB11017973

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 59 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 4-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594111		1.84	<0.005	0.07	7.03	1.7	700	1.59	0.08	1.93	0.07	80.7	8.6	47	3.68	11.7
J594112		1.85	<0.005	0.05	6.82	6.1	690	1.39	0.10	1.88	0.06	79.1	8.0	31	3.48	11.7
J594113		1.79	<0.005	0.04	6.93	3.7	670	1.47	0.09	1.87	0.06	88.2	8.0	27	3.62	12.5
J594114		2.02	<0.005	0.03	6.73	2.5	670	1.42	0.06	1.85	0.06	78.1	7.6	28	3.31	10.4
J594115		1.86	<0.005	0.04	7.09	0.8	690	1.55	0.08	1.93	0.06	91.2	8.1	29	3.31	10.9
J594116		1.93	<0.005	0.05	6.78	2.4	610	1.57	0.10	1.87	0.06	66.5	8.0	30	4.11	11.9
J594117		1.96	0.021	0.08	6.86	3.9	590	1.51	0.11	1.87	0.05	86.8	8.5	31	4.28	12.9
J594118		1.26	0.007	0.06	6.58	9.9	640	1.60	0.25	1.82	0.06	75.2	8.1	28	4.25	13.1
J594119		1.21	0.006	0.08	6.73	8.2	690	1.45	0.18	1.95	0.06	74.8	8.6	28	4.43	16.9
J594120		1.33	<0.005	0.04	7.51	8.6	680	1.59	0.10	1.89	0.05	76.6	8.3	30	3.88	9.3
J594121		1.31	<0.005	0.05	7.57	8.4	680	1.47	0.08	1.73	0.04	73.6	8.5	34	3.91	11.0
J594122		1.41	<0.005	0.05	7.57	6.5	670	1.39	0.10	1.98	0.05	72.9	8.9	32	4.03	8.1
J594123		1.33	<0.005	0.06	7.49	8.3	730	1.51	0.11	1.93	0.05	70.2	9.4	35	4.29	15.7
J594124		1.34	<0.005	0.05	7.66	7.7	680	1.58	0.12	1.97	0.05	76.9	9.2	35	4.40	13.0
J594125		0.07	<0.005	0.05	7.13	2.1	960	1.13	0.13	1.34	0.09	30.9	2.4	14	1.86	4.7
J594126		1.22	<0.005	0.07	7.31	9.2	690	1.56	0.10	1.86	0.07	78.4	8.3	31	3.87	12.9
J594127		1.31	<0.005	0.06	7.57	6.7	730	1.68	0.09	1.94	0.06	83.6	8.8	29	4.12	13.5
J594128		1.34	<0.005	0.05	7.26	2.5	690	1.37	0.08	1.78	0.05	74.7	8.1	31	3.91	10.0
J594129		1.34	0.006	0.06	7.30	6.5	870	1.37	0.19	1.69	0.03	94.4	8.7	22	3.80	14.9
J594130		1.29	0.017	0.04	7.28	8.9	760	1.61	0.30	1.68	0.06	97.5	6.8	15	3.22	13.8
J594131		1.29	0.006	0.05	7.51	4.8	770	1.71	0.16	1.69	0.06	91.5	6.5	14	3.35	14.9
J594132		0.78	<0.005	0.07	7.42	7.4	830	1.48	0.09	1.67	0.06	85.3	6.3	12	2.79	8.3
J594133		1.92	<0.005	0.04	7.30	1.5	810	1.50	0.09	1.66	0.05	93.9	6.8	13	2.90	7.5
J594134		1.95	<0.005	0.07	7.06	3.6	780	1.58	0.08	1.67	0.05	94.7	6.5	12	2.76	7.0
J594135		1.94	<0.005	0.04	7.34	1.8	810	1.53	0.08	1.66	0.05	94.9	6.9	11	2.60	6.5
J594136		0.75	<0.005	0.04	6.41	2.1	490	1.47	0.07	0.78	<0.02	64.5	3.0	8	2.32	3.3
J594137		1.21	<0.005	0.06	7.48	1.9	830	1.48	0.08	1.71	0.07	94.8	6.8	11	2.49	6.7
J594138		1.99	<0.005	0.06	7.41	1.2	800	1.54	0.07	1.77	0.05	104.0	6.9	12	2.47	7.2
J594139		2.01	<0.005	0.05	7.29	3.8	830	1.48	0.08	1.68	0.05	99.9	6.7	13	2.47	6.4
J594140		0.68	0.085	0.13	8.06	55.4	850	1.69	0.20	1.88	0.09	98.8	16.8	11	2.58	34.4
J594141		1.32	<0.005	0.05	7.45	4.0	840	1.60	0.09	1.77	0.05	97.2	7.0	10	2.59	7.3
J594142		1.76	<0.005	0.05	7.48	5.7	870	1.56	0.09	1.70	0.06	94.4	6.9	13	2.37	8.7
J594143		1.80	<0.005	0.06	7.39	8.5	880	1.55	0.09	1.65	0.05	96.8	7.7	21	2.58	10.7
J594144		2.03	<0.005	0.05	7.31	2.2	820	1.33	0.07	1.55	0.05	91.3	5.9	11	2.45	5.9
J594145		1.85	<0.005	0.04	7.09	1.6	760	1.58	0.07	1.57	0.05	91.3	6.1	11	2.56	6.2
J594146		0.72	<0.005	0.06	7.34	8.5	830	1.57	0.11	1.67	0.05	93.8	6.4	9	2.68	10.2
J594147		0.81	<0.005	0.04	6.76	10.8	800	1.43	0.15	1.64	0.04	83.5	6.0	8	2.64	6.9
J594148		0.57	0.032	0.07	6.75	14.9	700	1.51	0.39	1.45	0.03	86.5	6.2	7	1.60	14.4
J594149		0.20	<0.005	0.05	6.10	9.7	460	1.60	0.17	0.67	0.02	40.0	1.9	4	1.10	4.2
J594150		0.19	0.005	0.06	5.63	13.6	410	1.60	0.18	0.72	0.03	42.2	2.2	6	1.19	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594111		2.39	18.05	0.17	4.8	0.035	2.57	39.9	34.3	0.76	420	0.49	2.82	11.5	26.7	560
J594112		2.41	17.10	0.18	5.0	0.031	2.49	40.1	34.5	0.72	420	0.79	2.74	10.8	21.3	560
J594113		2.37	17.85	0.18	4.8	0.030	2.52	43.1	31.7	0.65	406	0.54	2.70	11.8	16.6	570
J594114		2.35	16.80	0.15	4.9	0.034	2.54	37.5	26.8	0.66	415	0.66	2.69	11.2	16.7	550
J594115		2.41	17.95	0.17	5.0	0.029	2.56	43.0	24.6	0.66	417	0.66	2.79	11.2	17.1	560
J594116		2.25	17.15	0.17	4.2	0.031	2.55	31.9	28.3	0.69	402	0.41	2.64	10.1	19.7	520
J594117		2.35	17.75	0.19	4.6	0.031	2.47	42.5	35.0	0.72	417	0.47	2.66	10.6	21.0	530
J594118		2.27	17.25	0.18	4.4	0.028	2.42	36.6	38.7	0.68	389	0.49	2.68	11.2	19.6	530
J594119		2.38	17.60	0.16	4.3	0.033	2.44	34.7	41.8	0.75	424	0.47	2.74	10.5	21.0	560
J594120		2.43	17.25	0.17	5.0	0.029	2.61	36.3	38.7	0.75	418	0.36	3.08	11.0	21.0	570
J594121		2.60	17.20	0.18	5.0	0.033	2.48	37.1	41.2	0.79	405	0.59	3.13	10.9	21.2	620
J594122		2.63	16.80	0.17	5.3	0.030	2.61	34.6	44.0	0.80	445	0.40	3.09	10.9	20.9	610
J594123		2.63	17.50	0.21	4.5	0.038	2.63	33.2	44.5	0.81	444	0.43	3.05	11.1	22.9	600
J594124		2.62	18.05	0.17	5.0	0.037	2.63	37.0	43.9	0.81	452	0.50	3.05	11.8	24.5	620
J594125		1.48	13.40	0.15	1.2	0.016	2.34	14.5	11.4	0.19	598	0.94	2.93	4.6	2.4	190
J594126		2.46	16.95	0.18	4.8	0.031	2.60	36.5	35.9	0.74	429	0.88	2.89	11.4	20.2	570
J594127		2.52	18.55	0.19	4.6	0.035	2.55	41.0	34.6	0.76	444	1.70	2.95	11.5	21.2	570
J594128		2.45	16.20	0.18	4.4	0.035	2.63	36.6	30.7	0.79	439	0.87	2.76	9.9	20.3	530
J594129		2.85	16.90	0.18	6.4	0.026	2.37	49.2	35.5	0.68	423	1.76	2.88	11.6	14.6	680
J594130		2.45	17.25	0.18	5.6	0.040	2.66	46.7	28.1	0.53	419	1.20	2.89	12.6	7.5	610
J594131		2.47	17.40	0.20	5.4	0.038	2.76	42.8	29.2	0.52	424	0.91	2.99	12.3	7.1	600
J594132		2.50	16.25	0.17	6.4	0.035	2.75	40.4	27.5	0.53	430	0.86	2.96	11.6	6.6	630
J594133		2.45	17.35	0.19	5.3	0.039	2.68	45.4	25.1	0.52	431	1.36	2.85	12.0	7.0	600
J594134		2.38	17.20	0.19	5.3	0.040	2.48	46.6	24.4	0.51	409	0.96	2.82	11.7	6.9	590
J594135		2.35	17.55	0.20	5.5	0.037	2.58	45.8	25.9	0.50	416	1.42	2.95	12.4	6.9	590
J594136		1.26	14.35	0.19	3.9	0.013	3.46	30.9	14.9	0.22	230	0.70	2.52	10.0	4.0	230
J594137		2.43	17.45	0.21	5.5	0.039	2.64	47.8	25.8	0.52	433	1.12	2.95	12.1	6.8	610
J594138		2.47	18.00	0.21	5.5	0.037	2.80	49.9	25.5	0.52	434	0.88	2.96	12.1	7.2	620
J594139		2.49	17.10	0.21	5.8	0.034	2.58	48.5	27.5	0.52	431	0.71	2.90	11.9	6.6	620
J594140		2.87	19.60	0.21	6.9	0.044	2.80	47.7	30.4	0.57	457	13.85	3.69	14.3	19.9	700
J594141		2.57	17.70	0.21	5.3	0.040	2.56	47.1	30.4	0.53	452	0.94	2.89	13.0	7.0	630
J594142		2.43	17.60	0.22	5.9	0.043	2.80	47.0	27.7	0.51	431	1.27	2.92	12.1	6.9	600
J594143		2.43	17.20	0.19	5.9	0.035	2.84	47.1	28.2	0.51	425	26.3	2.80	11.9	7.3	600
J594144		2.22	16.90	0.20	5.3	0.033	2.82	46.1	25.2	0.46	393	0.81	2.82	11.1	5.8	530
J594145		2.27	16.80	0.18	6.0	0.033	2.64	44.0	26.0	0.47	403	2.58	2.76	11.9	6.2	560
J594146		2.33	18.05	0.21	5.4	0.039	2.65	45.7	24.8	0.51	414	2.29	3.08	12.1	6.5	570
J594147		2.24	16.75	0.15	5.0	0.035	2.83	38.0	22.3	0.47	397	1.16	2.90	11.3	6.1	570
J594148		2.12	16.55	0.19	4.8	0.028	2.35	42.5	16.1	0.48	383	3.19	3.17	10.6	5.5	560
J594149		0.99	13.85	0.14	2.9	0.011	3.58	17.8	4.1	0.16	207	8.13	2.68	8.1	2.4	180
J594150		1.05	12.95	0.14	2.8	0.014	2.92	19.3	4.2	0.17	232	3.19	2.58	8.7	2.6	160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594111		18.0	127.5	0.003	0.01	0.22	7.9	1	2.3	216	1.00	<0.05	13.5	0.269	0.65	3.5
J594112		17.1	114.5	0.003	0.02	0.23	7.5	1	2.3	212	0.99	<0.05	12.9	0.269	0.65	3.0
J594113		16.9	123.5	0.002	0.02	0.13	7.9	3	2.3	209	1.11	<0.05	15.1	0.269	0.66	3.7
J594114		16.0	115.0	0.003	0.01	0.11	7.3	<1	2.1	207	1.03	<0.05	13.6	0.267	0.63	3.2
J594115		17.4	120.0	0.003	0.01	0.08	7.8	2	2.2	215	0.98	<0.05	15.1	0.267	0.64	3.3
J594116		17.1	120.5	0.004	0.01	0.12	7.2	1	2.1	205	1.00	<0.05	14.0	0.244	0.67	3.3
J594117		16.1	123.5	0.003	0.01	0.16	7.6	1	2.3	211	0.97	<0.05	14.6	0.254	0.71	3.2
J594118		15.7	125.0	0.004	0.05	0.26	7.3	<1	2.3	211	1.02	<0.05	14.3	0.256	0.73	3.3
J594119		15.4	118.0	0.003	0.03	0.26	7.7	<1	2.2	220	0.98	<0.05	13.5	0.264	0.73	2.9
J594120		15.6	116.5	0.003	0.02	0.23	7.6	<1	2.2	249	1.07	<0.05	13.6	0.289	0.69	3.2
J594121		14.7	116.5	0.004	0.04	0.25	8.0	<1	2.2	218	1.01	<0.05	13.2	0.310	0.69	3.0
J594122		15.9	110.5	0.003	0.02	0.24	7.8	1	2.2	235	1.02	<0.05	14.4	0.308	0.72	3.0
J594123		15.4	117.5	0.005	0.06	0.25	7.9	1	2.3	228	0.97	<0.05	12.4	0.312	0.72	2.7
J594124		15.4	123.0	0.003	0.04	0.24	8.5	<1	2.4	241	1.02	<0.05	13.4	0.304	0.70	3.0
J594125		12.7	65.5	0.002	<0.01	0.22	5.3	1	2.0	194.5	0.47	<0.05	6.1	0.123	0.40	1.9
J594126		17.1	111.5	0.004	0.02	0.22	7.4	<1	2.3	223	1.12	<0.05	13.8	0.292	0.66	3.3
J594127		16.4	123.0	0.003	0.01	0.15	7.9	<1	2.4	231	0.98	<0.05	13.4	0.292	0.67	3.2
J594128		15.6	122.5	0.002	0.01	0.08	7.6	<1	2.2	206	0.85	<0.05	12.4	0.273	0.73	2.6
J594129		14.1	113.5	0.003	0.04	0.11	7.3	<1	2.4	213	0.95	<0.05	13.1	0.358	0.67	2.8
J594130		14.8	103.0	0.004	0.05	0.16	7.9	<1	2.3	198.0	1.04	<0.05	14.2	0.307	0.54	3.1
J594131		16.6	119.5	0.004	0.04	0.13	8.0	1	2.3	202	1.12	<0.05	13.6	0.316	0.57	3.2
J594132		16.3	109.0	0.004	0.01	0.12	7.7	1	2.1	204	1.09	<0.05	12.8	0.315	0.53	3.3
J594133		15.3	118.0	0.003	0.01	0.11	8.1	<1	2.2	202	1.05	<0.05	13.4	0.307	0.60	3.1
J594134		15.7	107.5	0.005	0.01	0.13	7.3	<1	2.1	202	0.94	<0.05	13.1	0.317	0.51	3.0
J594135		16.1	111.5	0.003	0.01	0.10	7.6	1	2.2	212	0.99	<0.05	12.4	0.308	0.52	2.8
J594136		21.1	145.0	0.003	<0.01	0.09	2.7	<1	1.6	91.7	1.18	<0.05	19.8	0.155	0.67	4.8
J594137		17.7	107.0	0.004	0.01	0.11	7.9	1	2.1	216	1.00	<0.05	12.9	0.323	0.53	3.0
J594138		15.4	124.5	0.004	0.01	0.11	8.0	1	2.2	214	0.91	<0.05	11.7	0.317	0.51	2.5
J594139		16.4	111.0	0.004	0.01	0.13	7.8	<1	2.1	210	0.97	<0.05	13.4	0.312	0.51	2.9
J594140		17.9	114.0	0.004	0.33	0.37	8.8	<1	2.5	218	1.16	<0.05	13.1	0.345	0.60	3.0
J594141		17.5	111.0	0.003	0.01	0.13	8.3	<1	2.4	216	1.06	<0.05	13.7	0.321	0.54	3.4
J594142		17.1	113.5	0.005	0.02	0.16	8.1	1	2.1	212	1.06	<0.05	13.9	0.318	0.52	3.1
J594143		15.7	113.5	0.005	0.06	0.13	7.8	<1	2.3	201	1.04	<0.05	14.0	0.308	0.55	3.2
J594144		16.6	115.5	0.003	0.01	0.10	6.8	<1	2.0	192.5	0.95	<0.05	13.2	0.290	0.56	2.9
J594145		17.2	111.5	0.003	0.01	0.09	7.1	<1	2.1	191.0	1.10	<0.05	14.7	0.300	0.57	3.3
J594146		15.7	110.0	0.004	0.05	0.24	7.4	1	2.2	196.0	1.08	<0.05	13.9	0.298	0.55	3.2
J594147		18.0	99.8	0.003	0.03	0.30	7.0	2	2.0	192.5	1.04	<0.05	13.4	0.294	0.61	3.1
J594148		13.1	81.9	0.002	0.20	0.32	6.8	2	2.0	170.5	0.99	<0.05	13.4	0.274	0.39	3.2
J594149		11.9	118.5	0.003	0.02	0.23	2.6	1	1.5	85.4	1.20	<0.05	14.2	0.098	0.47	4.4
J594150		11.1	98.8	0.002	0.05	0.25	2.8	2	1.4	87.2	1.17	<0.05	13.1	0.111	0.41	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594111		45	0.4	20.6	54	167.0
J594112		45	0.9	19.7	49	164.0
J594113		44	1.2	22.6	46	159.5
J594114		45	0.4	21.0	48	170.5
J594115		44	0.4	21.2	48	174.0
J594116		42	0.5	19.3	47	138.0
J594117		44	0.7	20.2	49	154.0
J594118		43	1.7	20.0	43	159.5
J594119		47	1.2	19.6	50	143.5
J594120		47	1.2	19.4	55	174.0
J594121		50	1.1	19.2	57	165.0
J594122		52	0.7	20.1	57	179.5
J594123		51	1.3	20.4	54	159.5
J594124		49	1.0	21.3	56	177.5
J594125		15	0.9	19.3	47	27.0
J594126		47	1.0	19.5	55	164.5
J594127		46	0.5	21.1	56	166.5
J594128		45	0.4	19.3	56	158.0
J594129		57	1.1	18.7	60	238
J594130		44	7.5	23.3	45	197.5
J594131		45	5.3	22.7	52	186.0
J594132		45	0.6	22.2	56	224
J594133		45	0.7	23.3	54	193.5
J594134		43	0.5	21.7	54	194.5
J594135		43	0.5	23.3	54	194.5
J594136		16	0.4	15.7	30	106.0
J594137		45	0.6	23.4	55	206
J594138		45	0.6	22.0	57	202
J594139		44	0.5	23.4	57	214
J594140		50	1.9	24.5	61	239
J594141		46	0.5	23.7	57	187.5
J594142		44	0.6	23.6	53	206
J594143		43	0.7	23.3	52	200
J594144		39	0.6	20.4	50	186.0
J594145		41	0.5	22.3	53	199.0
J594146		42	1.4	23.1	50	181.5
J594147		43	0.7	19.0	53	196.5
J594148		39	4.2	18.4	37	191.0
J594149		12	2.3	12.6	12	90.8
J594150		13	2.3	12.5	13	90.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594151		0.83	<0.005	0.03	6.34	5.8	370	1.77	0.14	0.69	0.02	46.4	1.7	5	1.39	3.7
J594152		0.88	<0.005	0.03	6.59	3.1	320	1.66	0.11	0.35	<0.02	50.9	1.5	5	1.17	2.5
J594153		0.51	<0.005	0.02	6.22	2.8	110	2.04	0.09	0.19	<0.02	22.0	1.4	2	2.02	1.8
J594154		0.97	<0.005	0.02	6.10	2.8	350	1.29	0.10	0.25	<0.02	19.35	1.0	2	1.09	1.6
J594155		2.58	<0.005	0.02	7.04	4.3	780	1.51	0.13	1.12	<0.02	94.5	5.9	10	1.58	4.8
J594156		Listed, NR														
J594157		1.31	<0.005	0.04	7.00	3.6	820	1.52	0.11	1.75	0.05	87.9	6.4	9	2.24	6.1
J594158		1.14	<0.005	0.04	7.15	3.9	820	1.58	0.12	1.82	0.05	84.4	6.4	11	2.15	5.6
J594159		1.29	<0.005	0.04	6.58	3.9	490	1.57	0.14	0.87	0.02	62.8	2.5	6	1.52	3.3
J594160		1.27	<0.005	0.04	6.31	2.9	420	1.34	0.12	0.67	<0.02	43.7	1.8	5	1.20	3.9
J594161		1.23	<0.005	0.03	6.56	2.6	660	1.48	0.13	1.06	0.02	63.9	4.0	6	1.61	3.9
J594162		0.64	<0.005	0.03	6.42	2.7	780	1.18	0.13	0.89	<0.02	59.9	3.2	5	1.70	3.3
J594163		0.76	<0.005	0.04	6.31	2.4	780	1.00	0.12	0.56	0.02	40.3	2.1	4	1.48	2.8
J594164		1.16	<0.005	0.05	7.09	7.8	770	1.59	0.14	1.67	0.04	84.0	6.2	7	2.32	5.8
J594165		1.18	<0.005	0.03	6.93	6.5	770	1.56	0.13	1.51	0.04	86.3	6.0	6	2.52	6.5
J594166		1.27	<0.005	0.03	6.95	3.3	820	1.56	0.12	1.42	0.03	87.3	5.9	7	2.54	5.2
J594167		1.29	<0.005	0.04	6.93	5.6	810	1.66	0.13	1.47	0.03	83.9	6.5	7	2.78	5.0
J594168		1.50	<0.005	0.07	7.02	12.9	830	1.50	0.13	1.30	0.03	84.4	5.9	6	2.30	5.5
J594169		0.42	<0.005	0.05	7.14	10.7	800	1.59	0.14	1.51	0.03	91.5	6.2	8	2.18	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J594151		1.00	14.80	0.15	3.2	0.009	3.92	22.0	4.9	0.15	200	5.82	2.63	9.8	2.3	140
J594152		0.93	15.30	0.15	3.7	0.006	3.99	23.9	8.2	0.29	132	6.61	2.64	10.6	1.8	120
J594153		0.82	14.20	0.12	3.3	0.006	4.31	9.6	12.5	0.37	94	1.55	2.17	10.0	1.3	30
J594154		0.71	12.60	0.14	2.2	0.006	4.14	8.8	8.1	0.25	78	2.49	2.31	7.0	0.9	40
J594155		2.32	17.65	0.17	4.9	0.025	2.81	45.2	20.2	0.90	389	1.04	2.97	11.3	6.4	610
J594156																
J594157		2.43	18.05	0.19	5.5	0.044	2.76	40.6	15.9	0.53	461	1.13	2.95	12.2	6.7	620
J594158		2.51	17.80	0.21	5.6	0.042	2.81	37.9	17.1	0.55	503	1.17	3.07	12.1	6.5	640
J594159		1.23	15.30	0.19	3.7	0.020	3.87	29.5	7.9	0.22	233	1.17	2.77	9.6	2.7	230
J594160		1.02	14.15	0.17	2.6	0.014	4.03	21.6	6.2	0.18	199	0.92	2.56	7.3	2.2	140
J594161		1.56	15.40	0.17	3.9	0.025	3.63	28.9	11.0	0.32	285	1.62	2.62	9.9	3.9	360
J594162		1.44	15.10	0.20	4.0	0.017	4.03	29.1	9.2	0.28	257	1.75	2.41	9.1	3.2	290
J594163		0.96	15.00	0.19	2.8	0.010	4.78	20.6	5.9	0.16	160	1.83	2.25	7.2	1.9	160
J594164		2.27	18.00	0.21	4.9	0.039	2.73	39.8	16.4	0.54	436	9.16	3.04	11.6	6.2	600
J594165		2.21	16.90	0.19	5.0	0.029	2.70	42.2	16.3	0.58	406	1.57	3.01	11.4	5.9	600
J594166		2.25	17.25	0.23	4.9	0.033	2.89	41.2	17.2	0.63	390	1.18	2.88	11.5	6.1	570
J594167		2.24	17.20	0.20	4.7	0.038	2.76	38.4	15.7	0.57	399	1.57	2.92	11.3	6.7	580
J594168		2.19	17.80	0.24	4.8	0.034	2.70	42.4	15.3	0.71	345	1.30	3.00	11.4	6.1	600
J594169		2.20	17.50	0.23	5.6	0.036	2.74	45.1	13.6	0.69	340	1.47	3.05	11.2	6.9	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594151		17.3	153.0	0.002	<0.01	0.18	2.5	<1	1.6	76.4	1.27	<0.05	16.7	0.096	0.65	5.3
J594152		9.4	170.5	<0.002	0.01	0.17	2.5	2	1.7	51.8	1.46	<0.05	19.9	0.087	0.72	5.7
J594153		5.3	199.5	0.002	0.01	0.18	1.2	1	1.3	16.6	1.57	<0.05	25.1	0.049	0.87	2.6
J594154		7.1	158.5	0.002	0.02	0.16	0.9	1	1.0	32.3	1.02	<0.05	16.9	0.056	0.73	5.0
J594155		9.6	106.0	<0.002	0.02	0.22	7.3	<1	2.1	130.5	0.97	<0.05	12.8	0.296	0.44	3.3
J594156																
J594157		17.8	98.6	<0.002	0.01	0.24	7.6	4	2.2	209	1.10	<0.05	13.2	0.313	0.54	3.4
J594158		19.3	92.3	0.002	0.01	0.25	7.5	4	2.2	218	1.08	0.06	13.4	0.322	0.51	3.3
J594159		19.0	128.0	0.002	0.01	0.28	3.1	3	1.6	99.0	1.13	<0.05	19.2	0.140	0.63	4.9
J594160		16.9	126.0	<0.002	0.02	0.22	2.3	1	1.6	76.7	0.93	<0.05	15.0	0.099	0.64	3.9
J594161		15.5	105.5	0.003	0.01	0.29	4.5	1	1.7	132.5	1.13	<0.05	14.2	0.199	0.52	3.8
J594162		17.8	107.5	<0.002	<0.01	0.19	3.6	2	1.4	128.5	1.09	<0.05	14.8	0.174	0.58	3.8
J594163		16.5	130.0	0.002	<0.01	0.18	2.2	4	1.1	106.5	0.95	<0.05	13.1	0.108	0.67	3.6
J594164		19.2	99.2	0.003	0.02	0.30	7.4	1	2.2	188.5	1.12	<0.05	13.1	0.289	0.51	3.4
J594165		15.0	103.0	0.002	0.02	0.30	7.2	<1	2.3	178.0	1.07	<0.05	13.3	0.291	0.55	3.3
J594166		13.8	116.0	0.002	0.01	0.24	7.6	<1	2.1	168.5	1.08	<0.05	14.4	0.281	0.57	3.6
J594167		16.0	107.0	<0.002	0.04	0.31	7.0	2	2.1	189.5	1.05	<0.05	12.9	0.287	0.56	3.4
J594168		15.0	94.4	0.003	0.05	0.36	7.4	2	2.1	185.0	0.99	<0.05	12.9	0.295	0.45	3.2
J594169		13.4	95.9	0.002	0.05	0.34	7.6	2	2.3	174.0	1.07	<0.05	14.1	0.290	0.42	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594151		10	1.8	14.1	18	95.3
J594152		9	2.1	13.3	9	98.3
J594153		3	1.3	11.1	6	78.4
J594154		4	1.4	7.4	5	55.1
J594155		44	1.8	18.3	36	195.5
J594156						
J594157		45	0.7	20.1	57	214
J594158		47	0.6	20.0	60	220
J594159		17	0.8	14.1	26	124.0
J594160		11	1.4	11.2	19	75.9
J594161		26	1.1	14.9	32	148.0
J594162		21	1.2	13.4	30	132.0
J594163		11	1.1	10.1	17	93.2
J594164		42	0.9	19.9	52	196.0
J594165		42	1.4	19.5	49	199.0
J594166		41	1.3	20.6	43	196.0
J594167		42	1.4	19.5	49	188.0
J594168		42	2.2	19.1	41	197.5
J594169		43	1.8	20.7	37	218

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 15-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017973

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.