ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

CERTIFICATE TB11055646

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 143 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 5-APR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES NAAZNIN PASTAKIA ANDREW TIMS	CORY HERCUN AMY SHUTE	FIELD EXPLORATION OFFICE KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597361		1.38	0.005	0.05	6.90	9.3	650	1.48	0.05	1.92	0.05	66.9	8.8	25	2.91	9.8
J597362		1.42	0.017	0.14	7.30	17.9	670	1.26	0.13	2.02	0.07	72.7	7.6	25	2.82	28.5
J597363		0.57	0.073	0.18	6.76	29.5	650	1.32	0.29	2.01	0.08	63.8	8.5	23	2.85	45.4
J597364		1.42	<0.005	0.08	7.25	16.8	660	1.46	0.07	2.02	0.07	69.8	7.9	22	3.00	10.9
J597365		1.71	0.008	0.08	6.99	23.8	690	1.57	0.07	1.88	0.06	68.9	8.1	20	2.94	11.0
J597366		1.37	0.851	0.14	7.20	34.7	690	1.84	0.12	1.87	0.06	70.2	7.6	20	2.99	21.0
J597367		0.56	0.006	0.08	7.12	16.2	720	1.61	0.08	1.89	0.06	82.4	7.5	21	3.08	9.7
J597368		1.38	<0.005	0.12	6.95	18.2	720	1.56	0.08	1.87	0.05	62.8	7.4	20	2.86	9.8
J597369		0.52	0.024	0.23	6.78	31.7	680	1.56	0.20	1.88	0.08	72.7	8.0	19	2.99	38.7
J597370		1.06	<0.005	0.08	6.94	21.5	720	1.65	0.07	1.91	0.06	70.5	8.5	22	3.23	9.6
J597371		1.59	<0.005	0.08	7.12	19.1	720	1.47	0.09	2.16	0.07	74.5	10.9	26	3.71	12.8
J597372		1.66	<0.005	0.06	7.35	4.0	690	1.48	0.05	2.19	0.06	74.6	9.2	28	4.05	11.3
J597373		1.62	0.010	0.09	7.45	11.8	700	1.90	0.09	2.05	0.06	80.4	7.9	25	4.40	13.6
J597374		1.22	<0.005	0.08	7.06	10.6	670	1.66	0.09	1.89	0.05	68.9	8.2	22	4.28	16.3
J597375		0.13	<0.005	0.05	6.57	2.2	940	1.26	0.10	1.41	0.09	27.4	2.6	13	1.78	4.4
J597376		1.18	2.32	0.76	6.89	20.7	640	1.64	37.1	1.82	0.18	68.3	8.1	23	3.58	43.6
J597377		0.90	3.39	0.13	7.14	23.7	540	1.74	46.4	1.79	0.09	71.3	8.8	25	3.45	48.9
J597378		1.53	0.011	0.04	7.06	9.8	710	1.44	0.26	2.06	0.06	74.2	8.6	22	3.98	11.9
J597379		1.61	<0.005	0.06	7.26	7.5	700	1.65	0.25	2.15	0.06	74.3	9.1	27	5.76	12.0
J597380		1.65	<0.005	0.05	6.84	3.5	640	1.66	0.08	1.95	0.05	64.3	8.6	27	5.78	10.6
J597381		1.64	<0.005	0.05	6.89	3.3	680	1.33	0.12	1.98	0.05	65.3	8.7	27	4.07	11.4
J597382		1.56	<0.005	0.04	7.02	13.7	680	1.39	0.05	1.93	0.05	64.0	7.9	24	4.09	6.9
J597383		1.07	<0.005	0.05	6.85	9.3	620	1.34	0.05	2.00	0.04	64.4	8.4	25	4.48	10.0
J597384		1.09	<0.005	0.03	7.00	15.4	620	1.45	0.10	2.06	0.04	65.5	8.0	24	5.74	10.2
J597385		0.52	0.010	0.06	6.04	39.5	390	1.80	2.16	0.74	0.04	37.7	2.0	8	15.25	8.6
J597386		0.84	<0.005	0.05	6.72	17.8	590	1.57	0.12	2.04	0.05	63.1	7.5	25	4.67	8.5
J597387		1.95	<0.005	0.04	7.14	4.1	620	1.36	0.05	2.06	0.05	65.5	8.0	28	4.19	10.4
J597388		1.80	<0.005	0.04	7.09	6.1	770	1.31	0.05	1.96	0.04	61.5	7.7	25	3.69	14.4
J597389		1.80	<0.005	<0.01	6.90	9.0	620	1.40	0.06	1.92	0.05	72.2	7.7	28	4.16	14.2
J597390		1.19	<0.005	<0.01	5.77	9.7	560	1.43	0.06	1.77	0.05	56.5	6.4	22	3.49	12.0
J597391		0.69	<0.005	<0.01	5.62	1.2	300	2.25	0.24	0.94	0.04	45.3	3.6	11	5.65	6.0
J597392		1.84	<0.005	<0.01	6.25	5.0	670	1.30	0.05	1.76	0.06	66.3	7.3	22	3.17	9.8
J597393		1.83	<0.005	<0.01	6.50	0.2	670	1.34	0.03	1.81	0.06	70.8	7.1	22	2.89	9.0
J597394		1.88	<0.005	<0.01	6.92	1.4	720	1.14	0.04	1.86	0.06	69.2	6.9	24	2.82	7.7
J597395		2.13	<0.005	<0.01	7.29	0.5	710	1.27	0.04	2.06	0.05	70.6	7.7	26	3.24	8.8
J597396		1.94	<0.005	<0.01	7.02	0.9	710	1.21	0.12	1.97	0.06	71.0	7.2	23	2.78	8.9
J597397		1.90	<0.005	<0.01	6.80	10.4	650	1.18	0.05	1.94	0.05	70.5	6.5	22	2.62	10.6
J597398		1.94	<0.005	<0.01	7.12	2.8	730	1.19	0.04	2.06	0.06	72.0	7.7	24	3.05	9.3
J597399		1.61	<0.005	0.02	7.13	3.4	720	1.21	0.06	1.96	0.05	65.6	6.3	22	2.94	8.1
J597400		0.74	<0.005	<0.01	7.00	3.2	700	1.32	0.06	1.92	0.07	74.5	7.8	23	3.51	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597361		2.37	18.90	0.16	4.6	0.028	2.38	33.0	32.8	0.71	404	1.47	2.64	11.7	20.1	520
J597362		2.38	17.20	0.13	4.6	0.033	2.43	35.9	22.7	0.72	403	0.66	2.86	10.6	17.1	540
J597363		2.21	18.15	0.14	4.0	0.032	2.31	31.5	27.6	0.66	407	0.61	2.84	10.7	17.4	500
J597364		2.35	18.85	0.15	4.8	0.029	2.46	33.5	32.5	0.69	409	0.51	2.92	11.9	17.6	530
J597365		2.28	18.40	0.14	5.0	0.030	2.53	32.8	28.0	0.63	406	0.61	2.81	12.7	15.3	530
J597366		2.27	18.80	0.15	5.7	0.031	2.61	34.1	29.8	0.63	393	19.80	3.00	13.7	14.8	550
J597367		2.39	18.35	0.15	5.2	0.031	2.61	41.9	31.6	0.67	408	0.74	2.96	12.9	15.7	540
J597368		2.22	17.80	0.14	4.4	0.029	2.51	29.2	28.0	0.62	389	0.69	2.88	12.2	14.2	530
J597369		2.25	17.65	0.15	4.6	0.029	2.41	35.6	30.0	0.62	385	0.74	2.78	12.1	17.1	510
J597370		2.35	18.65	0.16	4.7	0.033	2.50	33.8	32.4	0.67	411	0.49	2.88	13.8	16.0	560
J597371		2.56	19.35	0.16	5.0	0.034	2.42	34.6	33.9	0.79	452	0.64	2.96	13.0	20.1	600
J597372		2.64	19.25	0.16	5.1	0.033	2.31	37.4	30.2	0.81	441	0.82	2.85	12.5	20.7	600
J597373		2.53	19.10	0.09	5.0	0.035	2.58	37.7	32.4	0.75	427	0.88	3.15	13.1	19.7	570
J597374		2.27	18.70	0.14	5.7	0.029	2.44	33.5	29.4	0.67	391	0.91	2.88	13.4	17.2	520
J597375		1.52	14.55	0.10	1.2	0.016	2.28	13.1	10.8	0.19	589	0.97	2.82	5.2	2.2	180
J597376		2.23	18.30	0.15	4.9	0.036	2.32	33.8	24.9	0.66	360	4.78	2.90	12.0	17.7	500
J597377		2.40	18.40	0.15	4.8	0.038	2.11	34.9	18.0	0.71	367	15.15	3.09	12.5	17.6	540
J597378		2.55	18.35	0.16	4.8	0.030	2.30	36.9	27.6	0.70	443	1.87	2.80	12.6	16.4	600
J597379		2.55	18.60	0.17	5.0	0.033	2.33	36.7	28.9	0.78	438	0.64	2.88	12.2	19.8	560
J597380		2.45	17.75	0.15	4.9	0.030	2.41	30.8	24.6	0.73	417	0.63	2.77	13.0	18.4	530
J597381		2.38	17.50	0.14	4.7	0.029	2.41	30.6	23.0	0.73	407	0.40	2.82	11.3	18.0	530
J597382		2.39	17.85	0.13	4.5	0.027	2.53	30.9	25.9	0.71	427	0.50	2.93	11.2	17.1	520
J597383		2.40	17.30	0.15	4.6	0.027	2.33	31.5	28.5	0.72	411	0.54	2.89	11.0	18.2	540
J597384		2.40	17.40	0.14	4.9	0.029	2.35	31.9	26.2	0.73	425	0.65	2.86	11.4	17.5	550
J597385		0.79	14.35	0.08	2.9	0.010	3.12	15.9	6.6	0.16	156	0.96	2.89	10.2	3.8	120
J597386		2.40	17.80	0.14	4.5	0.028	2.24	29.7	26.4	0.71	465	0.31	2.87	11.7	17.8	540
J597387		2.48	17.00	0.13	4.4	0.030	2.35	32.0	21.7	0.76	424	0.41	2.87	10.6	17.3	570
J597388		2.36	16.55	0.13	4.6	0.027	2.69	29.7	22.3	0.70	411	0.36	2.79	10.1	17.3	520
J597389		2.29	16.50	0.14	5.2	0.029	2.45	36.8	31.9	0.70	406	2.58	2.82	10.0	21.0	500
J597390		2.20	15.65	0.13	4.3	0.028	2.40	26.8	27.9	0.57	397	1.33	2.74	10.9	16.4	490
J597391		1.27	15.35	0.13	4.9	0.018	3.01	20.9	14.6	0.28	240	0.72	2.64	13.0	7.3	250
J597392		2.29	16.10	0.16	5.1	0.029	2.51	33.6	29.2	0.59	404	1.40	2.79	11.0	15.7	520
J597393		2.23	16.85	0.16	4.8	0.033	2.53	35.4	22.8	0.59	381	1.68	2.81	11.4	15.7	520
J597394		2.35	15.60	0.15	5.1	0.029	2.57	35.3	22.7	0.64	400	1.01	2.87	10.3	15.0	540
J597395		2.46	16.90	0.16	5.0	0.031	2.46	36.6	23.9	0.71	419	2.70	3.00	10.7	17.6	550
J597396		2.45	15.60	0.18	4.0	0.036	2.40	36.7	21.6	0.68	410	2.37	2.82	10.0	16.1	560
J597397		2.28	15.45	0.17	5.0	0.026	2.28	36.7	23.5	0.63	415	0.66	2.83	9.8	15.2	520
J597398		2.47	15.30	0.17	4.5	0.029	2.45	39.6	28.0	0.69	439	0.88	2.68	10.1	15.6	550
J597399		2.44	14.90	0.12	4.3	0.027	2.55	33.5	23.9	0.68	423	0.82	2.88	9.3	13.7	580
J597400		2.47	17.15	0.17	4.8	0.031	2.45	38.6	26.6	0.67	424	1.05	2.80	11.1	16.3	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597361		14.6	112.0	<0.002	0.01	0.25	9.1	2	1.8	213	0.98	<0.05	12.4	0.261	0.66	3.4
J597362		15.8	105.5	<0.002	0.05	0.40	7.7	1	1.8	228	0.88	<0.05	13.0	0.265	0.65	2.7
J597363		16.6	110.0	<0.002	0.14	0.50	8.4	1	1.7	193.0	0.83	<0.05	12.6	0.246	0.67	2.5
J597364		15.6	114.0	<0.002	0.01	0.50	8.4	1	1.9	222	0.96	<0.05	12.8	0.267	0.67	2.8
J597365		15.9	118.5	<0.002	0.01	0.42	8.6	1	1.7	204	1.09	<0.05	13.0	0.261	0.63	3.5
J597366		19.7	125.0	<0.002	0.09	0.57	8.7	2	1.8	201	1.43	<0.05	13.1	0.268	0.69	3.9
J597367		16.3	125.5	<0.002	0.05	0.44	8.8	2	1.8	211	1.19	<0.05	14.5	0.274	0.70	3.8
J597368		16.1	111.0	<0.002	0.01	0.47	8.0	1	1.7	208	1.18	<0.05	13.4	0.262	0.62	3.5
J597369		17.3	116.5	<0.002	0.14	0.63	8.5	2	1.8	200	1.17	<0.05	14.7	0.259	0.66	3.6
J597370		15.9	122.0	<0.002	0.01	0.58	9.2	2	1.8	212	1.30	<0.05	13.3	0.277	0.68	3.5
J597371		15.7	115.0	<0.002	0.02	0.48	9.7	2	2.0	232	1.09	<0.05	12.4	0.290	0.71	2.8
J597372		15.3	115.5	<0.002	<0.01	0.13	9.7	2	2.0	240	1.05	<0.05	13.6	0.298	0.69	3.2
J597373		18.0	120.5	<0.002	0.01	0.40	8.3	2	2.2	240	1.26	<0.05	13.8	0.280	0.75	4.5
J597374		15.8	125.0	<0.002	0.03	0.38	8.3	1	1.9	214	1.33	<0.05	14.3	0.260	0.73	4.2
J597375		11.8	65.8	<0.002	<0.01	0.19	6.2	1	1.9	184.5	0.49	<0.05	6.0	0.116	0.42	1.9
J597376		20.7	118.5	<0.002	0.12	0.65	8.3	2	1.7	225	1.24	1.41	15.1	0.254	0.71	4.0
J597377		18.9	112.5	0.002	0.25	0.66	8.6	2	1.8	202	1.21	1.68	14.6	0.267	0.69	3.8
J597378		13.6	110.0	<0.002	0.02	0.23	9.0	2	1.8	224	1.07	<0.05	12.4	0.294	0.63	3.0
J597379		14.8	125.0	<0.002	0.02	0.25	9.3	2	2.1	235	1.08	<0.05	12.0	0.279	0.70	2.8
J597380		16.0	123.0	<0.002	0.01	0.16	8.5	1	1.9	212	1.16	<0.05	12.2	0.267	0.68	3.5
J597381		15.1	105.5	<0.002	0.02	0.13	8.4	1	1.9	215	1.00	<0.05	12.5	0.272	0.64	2.8
J597382		14.8	115.5	<0.002	0.01	0.18	8.4	1	1.9	208	0.94	<0.05	12.8	0.260	0.68	3.0
J597383		13.5	105.0	<0.002	0.02	0.20	8.1	1	1.8	218	0.95	<0.05	12.8	0.264	0.66	2.9
J597384		12.3	120.0	<0.002	0.06	0.25	8.2	1	1.9	215	1.03	<0.05	13.8	0.275	0.71	3.4
J597385		22.2	173.5	<0.002	0.05	0.59	3.4	1	2.9	75.7	1.51	<0.05	18.7	0.080	0.73	5.5
J597386		12.7	103.5	<0.002	0.02	0.39	8.4	1	2.0	210	1.00	<0.05	12.2	0.259	0.62	3.0
J597387		13.6	105.0	<0.002	0.01	0.13	8.0	1	1.9	215	0.90	<0.05	12.1	0.268	0.62	2.7
J597388		14.9	116.5	<0.002	0.02	0.13	7.9	1	1.9	213	0.83	<0.05	11.1	0.260	0.67	2.8
J597389		16.2	114.0	<0.002	0.04	0.27	7.7	1	2.2	209	0.97	<0.05	13.2	0.264	0.65	3.2
J597390		14.6	88.4	<0.002	0.03	0.19	7.0	1	2.2	171.5	1.10	<0.05	9.7	0.255	0.62	2.9
J597391		25.9	161.0	<0.002	0.01	0.33	4.1	1	2.8	91.2	1.94	<0.05	21.6	0.146	0.86	7.7
J597392		15.2	96.7	<0.002	0.03	0.22	7.7	1	2.0	190.0	1.09	<0.05	11.6	0.268	0.63	3.1
J597393		17.7	102.0	<0.002	<0.01	0.09	7.7	1	2.1	196.0	1.09	<0.05	11.9	0.271	0.65	3.2
J597394		16.3	102.0	<0.002	0.01	0.13	7.5	1	2.0	206	0.96	<0.05	11.3	0.279	0.61	2.7
J597395		16.1	107.0	<0.002	0.01	0.10	8.1	1	2.1	227	0.98	<0.05	12.0	0.294	0.64	3.1
J597396		15.2	98.8	<0.002	0.01	0.11	7.7	1	1.9	215	0.85	<0.05	11.1	0.284	0.56	2.6
J597397		13.2	95.2	<0.002	0.02	0.24	7.3	1	1.8	202	0.89	<0.05	12.0	0.267	0.51	2.8
J597398		14.8	109.0	<0.002	0.03	0.17	7.8	1	2.0	210	0.87	<0.05	11.2	0.278	0.61	2.7
J597399		14.1	97.4	<0.002	0.01	0.17	7.1	1	1.8	213	0.92	<0.05	11.2	0.284	0.58	2.7
J597400		16.3	111.5	<0.002	0.02	0.16	8.3	1	2.2	211	1.07	<0.05	13.3	0.272	0.64	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597361		44	0.5	19.4	52	172.0
J597362		44	7.1	17.4	54	162.5
J597363		40	40.7	17.3	52	146.0
J597364		43	1.4	17.9	54	180.0
J597365		42	0.8	19.7	50	186.0
J597366		43	11.5	21.2	54	197.0
J597367		45	1.4	20.0	53	190.5
J597368		43	0.7	18.5	50	153.5
J597369		42	5.9	19.4	53	162.0
J597370		43	1.0	21.1	51	161.5
J597371		49	1.3	19.9	57	181.0
J597372		49	0.5	20.3	57	193.0
J597373		48	1.0	21.0	54	176.0
J597374		42	1.5	20.6	49	196.5
J597375		15	1.0	17.7	44	29.1
J597376		41	25.1	18.2	45	170.5
J597377		42	6.1	19.4	51	166.0
J597378		47	1.0	19.5	51	181.5
J597379		48	2.5	19.7	56	191.0
J597380		45	0.8	18.9	52	172.0
J597381		45	0.4	17.6	52	166.5
J597382		43	0.3	17.2	51	164.5
J597383		44	0.3	16.8	52	173.0
J597384		44	6.7	18.2	55	181.0
J597385		10	5.1	15.6	16	71.1
J597386		44	1.5	17.2	52	165.5
J597387		45	0.3	16.9	54	166.5
J597388		44	0.4	16.5	50	173.0
J597389		43	1.3	17.7	50	166.0
J597390		42	3.5	16.2	47	136.5
J597391		21	1.6	17.9	30	110.0
J597392		42	0.7	17.2	49	159.5
J597393		42	0.5	17.5	49	153.5
J597394		44	0.5	17.4	50	170.0
J597395		47	0.6	17.9	55	162.0
J597396		45	0.4	17.5	53	134.5
J597397		42	0.4	17.1	47	163.5
J597398		44	0.6	17.8	51	144.5
J597399		45	0.7	16.4	53	137.5
J597400		44	0.6	19.2	52	149.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597401		1.14	<0.005	<0.01	7.21	1.8	690	1.36	0.06	2.00	0.08	73.1	7.3	24	3.97	8.0
J597402		0.53	<0.005	<0.01	6.71	0.4	390	1.74	0.12	1.27	0.05	49.5	4.1	13	4.34	5.0
J597403		1.55	<0.005	<0.01	7.09	0.4	700	1.32	0.07	1.93	0.07	69.9	7.3	22	3.81	7.8
J597404		1.14	<0.005	<0.01	7.20	1.0	720	1.25	0.06	1.95	0.06	71.0	6.9	20	3.50	7.3
J597405		0.55	<0.005	<0.01	6.79	4.9	550	1.48	0.06	1.45	0.06	60.3	5.6	16	3.21	6.2
J597406		1.49	<0.005	<0.01	7.08	7.4	730	1.34	0.06	1.98	0.06	78.2	7.9	23	3.88	9.5
J597407		0.63	<0.005	<0.01	6.62	17.1	600	1.36	0.07	1.59	0.05	69.2	6.1	18	3.16	10.0
J597408		0.64	<0.005	<0.01	6.78	33.1	700	1.33	0.05	1.80	0.05	66.9	6.3	19	3.43	7.4
J597409		0.84	0.006	<0.01	6.84	47.6	660	1.34	0.18	1.57	0.02	61.9	4.8	23	2.08	15.7
J597410		1.13	<0.005	<0.01	7.01	5.8	690	1.36	0.06	1.85	0.06	68.6	6.4	21	3.08	7.4
J597411		1.66	<0.005	<0.01	6.78	2.8	660	1.44	0.05	1.74	0.05	68.9	7.0	20	2.94	8.8
J597412		1.64	<0.005	<0.01	6.82	1.8	690	1.38	0.05	1.81	0.05	69.0	6.8	22	3.09	9.0
J597413		0.65	<0.005	<0.01	6.81	1.8	650	1.33	0.04	1.79	0.05	65.6	6.5	20	3.27	8.0
J597414		0.57	0.014	<0.01	6.69	37.2	530	1.89	0.12	1.41	0.03	55.8	4.4	18	4.67	8.9
J597415		0.92	<0.005	<0.01	6.91	12.7	680	1.38	0.07	1.77	0.05	72.3	6.8	21	3.12	9.4
J597416		1.07	<0.005	<0.01	6.73	2.7	710	1.11	0.06	2.30	0.02	70.4	7.0	18	1.05	8.4
J597417		1.53	<0.005	<0.01	6.50	1.6	690	1.12	0.04	1.61	0.04	64.5	5.9	20	1.09	7.3
J597418		1.05	<0.005	<0.01	6.75	0.7	670	1.00	0.04	1.93	0.05	59.3	6.0	27	2.43	8.0
J597419		0.51	<0.005	<0.01	6.92	0.6	550	1.46	0.06	1.64	0.05	62.9	5.9	17	2.86	8.6
J597420		1.54	<0.005	<0.01	6.88	1.7	660	1.19	0.04	1.91	0.05	64.0	6.2	20	2.81	8.7
J597421		1.59	<0.005	<0.01	6.92	2.2	770	1.19	0.05	1.87	0.05	72.2	7.4	23	3.33	8.1
J597422		1.61	<0.005	<0.01	6.74	0.3	650	1.13	0.04	1.84	0.05	65.7	6.7	35	2.27	8.7
J597423		1.49	<0.005	<0.01	6.81	<0.2	690	1.06	0.05	1.83	0.05	70.3	6.4	22	2.24	8.3
J597424		1.68	<0.005	<0.01	7.14	<0.2	750	1.13	0.05	1.99	0.06	76.7	7.6	22	2.41	10.1
J597425		0.07	0.556	0.72	8.00	3.4	100	2.11	0.97	0.92	0.14	16.50	8.6	30	35.0	10.6
J597426		1.56	<0.005	0.08	7.70	<0.2	690	1.38	0.05	2.21	0.06	94.4	9.7	30	3.16	11.1
J597427		0.66	<0.005	0.14	7.33	<0.2	480	1.19	0.04	1.81	0.05	76.5	7.0	21	2.82	8.6
J597428		1.02	<0.005	0.07	7.35	0.6	630	1.57	0.04	2.20	0.06	93.2	9.9	31	3.48	9.1
J597429		1.58	<0.005	0.07	7.01	1.5	700	1.42	0.04	1.82	0.06	79.3	7.8	23	3.05	8.3
J597430		1.69	0.013	0.07	7.24	0.6	700	1.37	0.04	1.90	0.05	93.2	8.1	22	2.94	8.7
J597431		1.65	<0.005	0.07	7.42	<0.2	700	1.48	0.05	1.97	0.05	83.2	8.1	24	3.15	7.9
J597432		1.56	<0.005	0.07	6.96	<0.2	660	1.45	0.04	1.88	0.06	82.4	8.1	24	3.06	8.2
J597433		1.66	<0.005	0.15	7.23	<0.2	780	1.43	0.05	1.90	0.06	83.2	8.2	24	3.13	9.2
J597434		1.62	<0.005	0.08	7.14	2.5	720	1.44	0.06	1.87	0.05	84.3	8.2	25	3.29	8.7
J597435		0.82	<0.005	0.06	6.61	20.3	810	1.33	0.05	1.75	0.05	80.3	7.4	20	3.27	7.8
J597436		0.57	<0.005	0.07	7.21	25.0	710	1.30	0.06	1.78	0.04	79.6	7.4	24	3.13	13.7
J597437		1.24	0.018	0.08	6.75	4.8	730	1.14	0.05	1.77	0.05	73.4	7.6	19	2.82	9.4
J597438		1.07	<0.005	0.08	7.55	0.4	770	1.45	0.05	1.99	0.06	84.3	8.4	21	3.07	10.6
J597439		1.06	<0.005	0.07	7.41	0.2	710	1.35	0.06	1.94	0.06	86.0	8.4	24	3.38	9.2
J597440		0.86	<0.005	0.07	7.33	0.6	630	1.28	0.05	1.88	0.05	77.4	7.5	22	2.86	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597401		2.53	16.20	0.17	5.5	0.033	2.48	38.5	25.0	0.70	430	1.77	2.82	11.7	16.0	560
J597402		1.56	15.95	0.14	4.5	0.018	3.02	23.9	13.9	0.36	276	1.27	2.83	11.5	8.5	300
J597403		2.40	16.95	0.18	5.2	0.034	2.56	36.2	21.1	0.66	412	1.35	2.85	11.6	15.6	550
J597404		2.49	15.80	0.15	4.6	0.029	2.51	36.5	20.5	0.67	412	1.55	2.87	10.3	15.0	550
J597405		1.85	16.25	0.17	4.7	0.024	2.88	30.7	19.3	0.48	311	2.67	2.70	12.5	12.4	390
J597406		2.50	17.20	0.19	5.5	0.032	2.51	39.5	26.5	0.69	424	3.28	2.85	11.7	16.9	570
J597407		2.07	15.70	0.17	5.3	0.026	2.63	35.1	25.1	0.56	340	3.58	2.88	12.0	13.0	460
J597408		2.31	16.25	0.18	5.0	0.031	2.69	34.5	28.2	0.62	379	18.55	2.71	11.2	14.3	520
J597409		2.09	13.70	0.14	4.1	0.021	2.48	31.7	16.1	0.59	318	68.3	2.87	9.7	12.1	510
J597410		2.34	15.75	0.17	4.7	0.027	2.52	34.8	27.4	0.64	399	1.47	2.80	11.1	14.2	520
J597411		2.20	15.95	0.17	5.0	0.027	2.48	35.9	23.9	0.59	370	2.31	2.72	11.9	13.8	490
J597412		2.33	16.05	0.17	5.5	0.031	2.55	35.7	22.4	0.63	398	2.04	2.75	11.8	14.9	520
J597413		2.23	15.70	0.17	4.7	0.028	2.48	34.3	21.9	0.61	382	0.84	2.70	11.0	13.8	500
J597414		2.01	14.70	0.14	5.3	0.025	2.71	28.0	20.2	0.54	345	0.73	3.00	13.8	10.8	430
J597415		2.27	16.75	0.18	4.8	0.030	2.46	37.8	21.9	0.64	389	0.86	2.73	11.8	15.5	510
J597416		2.30	16.25	0.19	5.4	0.029	2.37	35.9	6.9	0.60	398	0.85	2.89	11.1	14.9	520
J597417		2.13	14.10	0.15	4.6	0.025	2.28	34.2	8.1	0.58	344	0.66	2.64	9.8	12.8	470
J597418		2.56	12.80	0.13	4.1	0.027	2.41	29.8	15.8	0.72	446	1.04	2.71	8.8	13.8	570
J597419		2.06	15.70	0.15	4.2	0.025	2.72	31.7	15.3	0.54	352	1.39	2.81	11.1	12.3	440
J597420		2.44	14.10	0.16	4.5	0.027	2.34	33.3	20.6	0.65	411	1.36	2.77	9.8	13.1	540
J597421		2.41	15.80	0.19	5.8	0.029	2.49	37.2	26.4	0.68	408	1.14	2.78	10.9	15.4	550
J597422		2.37	14.45	0.16	4.6	0.027	2.41	34.1	20.3	0.66	407	0.85	2.68	11.0	14.2	540
J597423		2.30	14.70	0.18	4.9	0.025	2.44	36.7	18.2	0.64	393	1.47	2.66	9.9	14.2	510
J597424		2.50	17.15	0.18	5.3	0.033	2.49	39.8	20.0	0.69	422	1.05	2.82	11.1	16.2	580
J597425		3.53	18.90	<0.05	1.3	0.011	2.11	8.2	7.5	0.70	250	0.92	5.43	8.3	28.3	720
J597426		2.69	20.9	0.11	4.4	0.039	2.46	47.1	23.8	0.79	472	0.84	2.99	13.0	20.1	620
J597427		2.21	18.70	0.07	3.8	0.029	2.67	38.4	18.7	0.58	373	0.90	2.87	10.8	14.4	510
J597428		2.64	19.75	0.10	4.4	0.035	2.09	45.6	25.4	0.80	451	0.93	2.95	13.0	22.2	610
J597429		2.38	18.90	0.09	4.1	0.033	2.71	38.8	19.7	0.65	411	0.89	2.74	12.3	15.3	550
J597430		2.39	18.85	0.09	4.8	0.035	2.54	46.7	21.9	0.67	408	0.58	2.80	12.0	15.6	560
J597431		2.46	19.05	0.08	4.5	0.034	2.64	40.8	21.0	0.66	420	0.84	2.92	12.4	16.2	570
J597432		2.31	19.00	0.09	4.6	0.034	2.49	39.6	19.9	0.63	396	0.84	2.80	12.8	16.0	550
J597433		2.43	19.85	0.10	4.3	0.034	2.66	41.0	19.0	0.66	417	0.92	2.78	12.7	16.8	560
J597434		2.39	18.75	0.10	4.3	0.034	2.63	40.9	24.9	0.66	416	0.89	2.82	12.8	16.5	560
J597435		2.26	18.00	0.09	4.1	0.032	2.52	38.0	29.4	0.61	384	0.47	2.89	12.7	15.0	540
J597436		2.34	19.25	0.08	4.4	0.033	2.53	38.8	26.1	0.65	382	0.63	2.99	12.3	16.6	580
J597437		2.25	18.20	0.08	3.7	0.032	2.52	35.7	22.5	0.62	394	0.40	2.62	10.9	15.1	530
J597438		2.52	19.35	0.11	4.1	0.036	2.74	41.6	20.0	0.67	430	0.52	2.87	12.6	16.5	580
J597439		2.46	19.50	0.10	3.8	0.035	2.74	42.9	19.1	0.67	435	0.54	2.85	12.0	17.0	570
J597440		2.27	19.05	0.09	3.8	0.029	2.62	38.2	19.1	0.63	395	0.52	2.89	11.3	15.6	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597401		15.8	114.5	<0.002	0.01	0.18	8.1	1	2.3	216	1.20	<0.05	11.7	0.290	0.64	3.0
J597402		25.0	162.0	<0.002	<0.01	0.19	4.7	1	1.9	123.5	1.53	<0.05	21.7	0.164	0.79	7.2
J597403		17.4	121.0	<0.002	0.01	0.15	8.1	1	2.1	208	1.19	<0.05	11.6	0.276	0.68	3.1
J597404		17.1	110.5	<0.002	0.01	0.12	7.4	1	2.1	213	1.02	<0.05	11.9	0.277	0.64	3.3
J597405		21.0	139.0	<0.002	0.01	0.16	6.4	1	1.8	162.0	1.46	<0.05	17.3	0.206	0.71	4.8
J597406		16.7	118.5	<0.002	0.04	0.18	8.4	1	2.3	215	1.16	<0.05	12.1	0.284	0.69	3.1
J597407		17.4	113.0	<0.002	0.05	0.20	6.5	1	2.0	184.5	1.37	<0.05	16.2	0.246	0.63	4.3
J597408		15.8	123.0	0.003	0.04	0.24	7.8	1	2.1	210	1.11	<0.05	12.6	0.261	0.68	3.2
J597409		15.1	89.6	0.004	0.27	0.21	6.4	1	1.8	189.5	1.13	<0.05	13.0	0.258	0.47	3.9
J597410		17.3	117.5	<0.002	0.02	0.17	7.2	1	2.1	203	1.21	<0.05	13.4	0.271	0.64	4.0
J597411		18.1	117.0	<0.002	0.01	0.16	7.3	1	2.1	189.0	1.33	<0.05	14.8	0.254	0.63	4.4
J597412		17.8	117.0	<0.002	0.01	0.14	7.7	1	2.2	202	1.24	<0.05	13.8	0.261	0.64	3.6
J597413		17.9	118.0	<0.002	0.01	0.16	7.4	1	2.1	194.0	1.18	<0.05	14.5	0.256	0.63	3.8
J597414		15.2	128.0	<0.002	0.06	0.25	6.1	1	2.6	147.5	1.98	<0.05	16.0	0.232	0.63	5.0
J597415		17.3	121.5	<0.002	0.02	0.15	7.5	1	2.2	200	1.21	<0.05	14.5	0.262	0.65	3.8
J597416		12.3	89.0	<0.002	0.02	0.18	7.6	1	2.0	204	1.06	<0.05	14.5	0.263	0.45	3.3
J597417		13.1	77.0	<0.002	0.01	0.14	6.6	1	1.8	193.5	0.99	<0.05	13.2	0.247	0.41	3.2
J597418		14.4	86.6	<0.002	0.01	0.14	7.1	1	1.6	197.0	0.82	<0.05	10.7	0.271	0.50	2.5
J597419		18.8	120.5	<0.002	<0.01	0.13	6.4	1	1.6	174.0	1.27	<0.05	16.1	0.234	0.66	4.4
J597420		14.3	96.3	<0.002	0.01	0.14	6.9	1	1.7	202	0.89	<0.05	11.1	0.278	0.54	2.9
J597421		16.3	110.5	<0.002	0.01	0.17	8.0	1	1.9	208	1.06	<0.05	11.9	0.280	0.63	3.0
J597422		14.1	101.0	<0.002	0.01	0.11	7.1	1	1.9	194.0	0.96	<0.05	11.3	0.272	0.56	3.2
J597423		14.7	101.0	<0.002	0.01	0.10	7.0	1	1.8	195.0	0.89	<0.05	12.2	0.265	0.56	3.2
J597424		16.6	107.0	<0.002	0.01	0.10	8.5	1	2.0	216	0.87	<0.05	13.0	0.284	0.64	3.2
J597425		66.4	810	<0.002	2.57	1.24	3.6	1	1.0	158.5	0.71	<0.05	3.0	0.215	8.77	1.3
J597426		14.9	124.0	<0.002	0.01	0.08	9.9	2	2.3	238	1.01	<0.05	14.4	0.306	0.65	3.3
J597427		17.4	126.5	<0.002	0.01	0.09	7.2	1	1.9	195.0	0.91	<0.05	20.7	0.244	0.71	4.0
J597428		15.0	108.5	<0.002	0.01	0.08	9.7	2	2.2	237	1.18	<0.05	16.3	0.297	0.63	3.8
J597429		15.5	121.5	<0.002	0.01	0.08	8.1	1	2.1	200	1.21	<0.05	14.7	0.269	0.67	3.8
J597430		15.4	122.5	<0.002	0.01	0.08	8.6	1	2.1	212	1.12	<0.05	16.2	0.274	0.66	3.8
J597431		16.1	127.0	<0.002	0.01	0.07	8.6	1	2.0	218	1.22	<0.05	14.7	0.278	0.68	4.1
J597432		16.0	123.5	<0.002	0.01	0.08	8.7	1	2.1	209	1.33	<0.05	14.6	0.268	0.65	4.1
J597433		17.3	127.5	<0.002	0.01	0.08	8.7	1	2.2	210	1.24	<0.05	14.8	0.274	0.70	3.9
J597434		17.0	123.5	<0.002	0.01	0.21	8.4	1	2.2	209	1.31	<0.05	14.4	0.272	0.66	4.3
J597435		13.7	116.5	<0.002	0.01	0.32	8.0	1	2.1	194.0	1.24	<0.05	13.4	0.263	0.59	3.5
J597436		14.8	112.0	<0.002	0.08	0.26	8.4	1	2.0	205	1.18	<0.05	14.5	0.279	0.57	3.6
J597437		13.5	108.0	<0.002	0.01	0.12	7.5	1	2.0	201	0.93	<0.05	11.6	0.259	0.62	2.6
J597438		16.0	127.5	<0.002	0.01	0.08	9.0	1	2.1	223	1.13	<0.05	14.0	0.277	0.63	3.6
J597439		16.3	129.0	<0.002	0.01	0.08	9.2	1	2.0	213	0.96	<0.05	13.9	0.268	0.68	3.0
J597440		14.8	111.5	<0.002	0.01	0.07	7.6	1	1.9	205	0.96	<0.05	13.3	0.257	0.64	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597401		46	0.8	19.9	54	175.0
J597402		24	1.1	17.5	31	106.5
J597403		44	0.7	19.5	51	164.0
J597404		44	0.8	17.7	51	142.0
J597405		31	0.9	19.3	38	131.5
J597406		46	0.9	19.9	52	169.0
J597407		38	1.4	17.9	46	156.5
J597408		43	0.9	18.4	47	151.0
J597409		39	7.3	16.4	39	122.5
J597410		42	1.2	18.7	48	140.0
J597411		40	1.2	19.2	46	147.5
J597412		42	1.0	19.3	49	164.5
J597413		40	0.8	18.4	48	142.5
J597414		36	3.2	20.3	38	151.5
J597415		42	1.5	19.6	47	145.5
J597416		41	1.1	18.6	40	169.5
J597417		38	0.7	16.7	42	145.0
J597418		45	0.5	16.6	55	137.0
J597419		37	0.8	18.8	45	113.5
J597420		43	0.4	16.6	52	145.5
J597421		44	1.0	19.1	52	185.5
J597422		43	0.5	17.9	50	142.5
J597423		41	0.9	17.6	49	164.5
J597424		47	0.6	19.9	53	176.5
J597425		28	0.3	4.2	39	42.6
J597426		50	0.5	21.5	59	169.0
J597427		39	0.5	16.5	46	136.0
J597428		49	0.4	21.2	58	162.5
J597429		43	0.4	18.9	51	151.0
J597430		43	0.4	19.5	50	178.5
J597431		45	0.4	19.6	51	159.0
J597432		43	0.5	20.5	50	161.5
J597433		44	0.5	19.9	51	159.0
J597434		44	0.5	19.6	52	149.5
J597435		42	0.5	19.0	48	150.5
J597436		44	1.3	18.7	45	160.0
J597437		41	0.4	16.5	48	142.5
J597438		46	0.5	20.7	53	145.0
J597439		44	1.1	19.0	52	142.5
J597440		40	0.4	16.8	49	139.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597441		0.53	<0.005	0.08	6.97	10.3	700	1.18	0.06	1.67	0.04	74.7	7.7	20	2.61	8.3
J597442		0.74	<0.005	0.08	7.34	37.3	740	1.27	0.08	1.73	0.05	76.5	8.5	22	3.20	14.4
J597443		1.07	<0.005	0.06	7.07	2.6	660	1.31	0.06	1.71	0.05	73.2	6.9	19	3.18	7.9
J597444		1.22	<0.005	0.07	7.46	2.5	690	1.35	0.08	1.84	0.05	78.2	7.7	21	2.76	10.3
J597445		1.12	0.010	0.08	7.43	6.6	1180	1.15	0.06	1.83	0.04	81.1	8.3	22	3.06	11.5
J597446		0.61	<0.005	0.45	7.10	129.5	910	1.35	0.06	1.76	0.25	78.6	7.0	27	3.16	8.4
J597447		0.90	<0.005	0.08	7.13	54.7	660	1.37	0.06	1.75	0.05	77.3	6.8	23	3.48	10.7
J597448		1.07	0.008	0.07	7.03	13.8	730	1.43	0.05	1.80	0.05	80.0	7.5	21	3.37	9.2
J597449		0.61	0.190	0.46	6.52	29.1	1200	1.56	1.55	1.41	13.85	75.5	8.7	22	2.70	45.7
J597450		0.07	<0.005	0.06	6.70	1.8	940	1.04	0.09	1.38	0.10	31.2	2.4	14	1.99	4.3
J597451		1.25	0.044	0.11	6.87	21.5	650	1.12	0.48	1.77	0.15	83.8	6.8	22	3.56	17.6
J597452		1.26	<0.005	0.08	6.91	15.2	760	1.41	0.10	1.75	0.15	80.0	7.5	23	4.29	8.6
J597453		1.10	0.008	0.11	6.80	28.8	660	1.20	0.15	1.71	0.06	76.2	10.0	19	2.94	20.5
J597454		1.03	<0.005	0.09	7.15	11.4	690	1.47	0.11	1.85	0.06	82.8	8.4	21	4.49	11.4
J597455		1.31	<0.005	0.12	7.22	9.6	660	1.41	0.07	1.92	0.06	78.8	7.8	23	3.77	8.8
J597456		1.91	0.005	0.08	6.05	8.5	690	1.30	0.06	1.71	0.06	65.5	7.6	23	3.11	9.6
J597457		1.30	0.005	0.08	6.91	17.5	680	1.33	0.05	1.79	0.05	70.2	7.0	20	3.34	7.1
J597458		0.60	0.025	0.11	6.87	47.6	710	1.57	0.16	1.58	0.37	84.6	6.5	21	3.16	10.4
J597459		1.22	0.017	0.09	7.16	54.3	730	1.41	0.17	1.87	0.07	86.6	9.8	23	3.80	17.8
J597460		1.31	0.081	0.11	6.76	71.4	700	1.30	0.17	1.80	0.10	76.0	8.8	22	3.39	13.4
J597461		1.29	0.026	0.09	6.81	33.1	650	1.47	0.26	1.84	0.07	70.6	6.4	22	2.84	20.9
J597462		1.34	0.023	0.15	6.60	12.8	570	1.39	0.22	1.72	0.18	72.0	6.8	24	3.03	11.6
J597463		1.35	0.136	0.45	6.20	17.2	600	1.26	2.14	1.81	3.18	70.4	5.8	19	2.61	12.4
J597464		1.29	0.056	0.16	6.74	26.6	660	1.61	0.40	1.77	0.06	70.6	6.2	20	2.85	17.7
J597465		1.01	0.017	0.05	7.03	36.8	680	1.55	0.22	1.85	0.07	75.6	7.2	21	3.07	17.1
J597466		0.92	0.031	0.07	6.67	42.9	760	1.52	0.26	1.73	0.06	66.7	6.8	21	2.92	16.4
J597467		1.96	0.011	0.07	6.79	26.9	680	1.60	0.22	1.79	0.05	77.4	6.9	19	2.99	21.3
J597468		1.26	0.032	0.06	6.62	42.0	660	1.31	0.29	1.76	0.04	75.2	7.8	23	2.92	21.6
J597469		0.94	0.032	0.12	5.66	46.4	590	1.23	0.21	1.35	0.06	76.5	5.4	19	1.99	34.0
J597470		0.68	0.033	0.06	7.26	67.3	680	2.11	0.14	1.94	0.07	86.4	6.4	24	2.64	13.7
J597471		1.02	0.009	0.08	6.72	48.8	830	1.52	0.11	1.95	0.07	76.5	6.3	18	2.58	20.8
J597472		1.29	<0.005	0.08	6.80	17.0	670	1.64	0.11	1.67	0.06	77.0	6.6	20	3.33	10.5
J597473		1.32	<0.005	0.06	6.82	17.3	660	1.45	0.07	1.77	0.05	74.2	7.1	21	2.65	8.7
J597474		0.62	0.008	0.06	7.12	24.8	710	1.39	0.07	1.80	0.04	79.3	6.7	20	2.88	17.1
J597475		0.57	0.005	0.06	6.76	27.8	660	1.35	0.07	1.78	0.05	75.9	6.6	19	2.83	15.3
J597476		2.00	<0.005	0.05	7.22	8.0	670	1.39	0.06	1.90	0.06	83.0	7.3	22	2.82	10.2
J597477		2.09	<0.005	0.06	6.91	6.6	620	1.52	0.05	1.82	0.05	74.7	6.8	22	2.96	12.8
J597478		2.07	<0.005	0.06	6.95	2.9	640	1.43	0.05	1.88	0.05	74.4	7.1	22	2.57	8.9
J597479		1.98	<0.005	0.05	6.86	6.1	610	1.34	0.04	1.68	0.05	75.1	6.2	19	2.56	12.5
J597480		1.96	<0.005	0.06	6.86	2.4	680	1.34	0.04	1.78	0.05	75.7	6.7	20	2.41	9.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597441		2.14	18.80	0.09	4.2	0.028	2.66	35.6	21.8	0.58	384	1.70	2.85	11.5	14.6	490
J597442		2.32	19.55	0.09	4.2	0.027	2.96	36.8	22.8	0.60	402	1.79	3.07	12.0	14.6	530
J597443		2.22	18.55	0.09	4.0	0.028	2.82	35.7	19.8	0.58	393	0.76	2.71	11.4	13.4	490
J597444		2.33	19.20	0.08	4.0	0.032	2.82	37.9	23.1	0.64	410	1.47	2.90	12.5	14.8	550
J597445		2.40	18.75	0.09	4.1	0.032	2.85	41.0	26.0	0.66	431	1.42	2.82	10.9	15.3	540
J597446		2.40	18.45	0.08	4.4	0.025	2.60	39.1	26.9	0.69	429	0.60	2.82	12.4	14.2	550
J597447		2.38	19.25	0.09	4.2	0.027	2.57	36.4	28.2	0.66	418	0.61	2.86	12.3	16.8	540
J597448		2.35	19.10	0.09	4.9	0.031	2.75	37.7	28.5	0.66	413	1.03	2.63	13.4	15.6	560
J597449		2.46	18.30	0.10	4.0	0.044	2.78	37.1	15.4	0.62	316	3.41	2.38	9.2	16.8	480
J597450		1.47	15.15	<0.05	1.1	0.017	2.27	15.1	9.6	0.19	580	1.02	2.71	5.1	2.5	190
J597451		2.16	17.85	0.09	4.1	0.026	2.59	42.1	20.0	0.61	391	2.51	2.70	10.2	14.2	500
J597452		2.28	18.90	0.10	4.0	0.029	2.44	40.3	28.3	0.63	403	3.09	2.68	11.4	15.4	510
J597453		2.12	17.30	0.06	3.6	0.027	2.40	38.7	16.1	0.60	362	1.23	2.63	10.3	15.3	490
J597454		2.38	19.20	0.10	4.1	0.032	2.56	41.1	24.8	0.64	405	0.96	2.63	13.5	16.8	560
J597455		2.40	19.20	0.10	4.2	0.036	2.57	38.9	24.9	0.66	412	0.88	2.78	12.2	15.8	560
J597456		2.29	18.15	0.08	4.2	0.034	2.52	31.0	25.3	0.60	406	1.28	2.66	11.4	15.1	520
J597457		2.24	17.80	0.08	4.1	0.032	2.67	32.8	26.1	0.62	401	1.03	2.76	11.3	14.3	530
J597458		2.04	19.50	0.09	4.6	0.031	2.79	40.6	21.1	0.60	343	3.16	2.61	12.7	14.9	500
J597459		2.43	19.20	0.11	4.6	0.033	2.70	42.9	24.1	0.70	392	1.75	2.69	12.8	16.2	580
J597460		2.22	18.25	0.11	4.4	0.030	2.66	36.4	25.3	0.62	397	1.07	2.63	10.4	15.1	500
J597461		2.09	17.70	0.13	4.8	0.026	2.70	34.0	23.3	0.60	354	1.92	2.89	10.8	15.4	490
J597462		2.25	17.15	0.15	4.6	0.028	2.58	34.3	30.0	0.64	403	5.86	2.77	11.8	15.8	500
J597463		1.97	16.05	0.16	4.0	0.030	2.56	34.4	24.4	0.57	388	31.0	2.67	9.8	13.8	440
J597464		2.08	17.00	0.16	4.6	0.028	2.56	35.2	22.9	0.60	351	2.37	2.88	11.4	14.7	480
J597465		2.25	18.25	0.18	4.9	0.027	2.58	36.4	25.3	0.64	371	2.10	3.06	11.2	17.6	530
J597466		2.19	17.15	0.17	4.7	0.029	2.79	32.3	24.1	0.60	359	3.40	2.72	11.2	15.0	490
J597467		2.23	17.40	0.17	4.7	0.027	2.63	37.4	25.7	0.61	369	1.25	2.85	11.9	14.8	510
J597468		2.34	16.80	0.16	4.4	0.029	2.66	36.4	24.9	0.65	362	1.55	2.75	10.9	16.3	530
J597469		1.95	13.75	0.16	3.8	0.023	2.13	39.6	19.1	0.53	283	22.8	2.26	8.5	16.8	440
J597470		2.43	17.85	0.15	4.9	0.029	2.81	42.8	35.4	0.68	425	1.48	3.07	10.9	15.1	550
J597471		2.18	16.85	0.19	4.1	0.029	2.81	38.6	27.2	0.60	396	1.11	2.69	10.4	16.2	500
J597472		2.17	17.50	0.18	4.3	0.028	2.83	37.3	31.4	0.57	379	0.90	2.82	11.1	14.5	460
J597473		2.17	16.85	0.17	4.2	0.028	2.60	36.1	34.0	0.61	374	1.17	2.88	10.3	15.7	480
J597474		2.45	17.80	0.20	4.7	0.028	2.53	40.0	35.4	0.68	429	1.37	3.07	11.3	16.0	540
J597475		2.35	16.35	0.18	4.5	0.026	2.37	38.0	34.3	0.66	417	1.58	3.00	10.7	16.5	530
J597476		2.46	17.85	0.20	4.8	0.031	2.61	41.4	26.1	0.66	417	1.24	2.91	11.2	16.2	540
J597477		2.30	17.50	0.18	4.4	0.030	2.59	36.2	24.9	0.64	401	0.74	2.90	11.3	15.2	510
J597478		2.41	17.20	0.19	4.3	0.033	2.59	36.7	23.6	0.64	415	0.86	2.89	11.0	16.0	530
J597479		2.10	16.65	0.18	4.1	0.028	2.74	37.1	23.8	0.56	364	0.55	2.82	10.2	13.7	470
J597480		2.21	17.55	0.18	4.7	0.029	2.74	36.9	22.0	0.58	379	0.77	2.86	10.2	15.2	480

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597441		12.5	103.5	<0.002	0.03	0.14	7.2	1	1.9	191.5	1.05	<0.05	13.1	0.249	0.59	3.1
J597442		14.2	113.5	<0.002	0.10	0.27	7.5	1	2.1	204	1.04	<0.05	13.8	0.260	0.62	2.7
J597443		16.6	113.5	<0.002	0.03	0.11	7.2	1	2.0	189.0	1.09	<0.05	15.2	0.246	0.66	3.6
J597444		16.1	107.5	<0.002	0.06	0.11	7.8	1	2.1	208	1.16	<0.05	13.6	0.265	0.63	3.6
J597445		13.7	118.5	<0.002	0.05	0.12	8.0	1	2.1	211	0.87	<0.05	12.4	0.270	0.67	2.5
J597446		9.5	110.5	<0.002	0.07	0.43	9.1	1	2.2	179.5	1.13	<0.05	16.8	0.276	0.51	3.5
J597447		13.1	112.5	<0.002	0.05	0.30	8.3	1	2.0	207	1.09	<0.05	13.8	0.268	0.54	3.2
J597448		13.6	115.5	<0.002	0.03	0.22	8.2	1	2.0	209	1.39	<0.05	13.6	0.274	0.62	4.2
J597449		56.9	106.0	<0.002	0.80	3.37	7.7	2	2.2	162.0	0.95	0.12	12.0	0.219	0.51	3.8
J597450		11.3	70.4	<0.002	<0.01	0.21	5.9	1	1.8	186.0	0.50	<0.05	6.4	0.115	0.43	2.1
J597451		17.8	112.5	<0.002	0.21	0.36	7.4	1	1.9	185.5	0.86	0.05	12.6	0.253	0.63	2.8
J597452		17.0	120.5	<0.002	0.04	0.34	8.1	1	1.9	213	0.97	<0.05	12.8	0.256	0.67	2.9
J597453		17.4	103.0	<0.002	0.27	0.28	7.4	1	1.7	192.0	0.97	<0.05	13.0	0.241	0.57	3.1
J597454		16.0	118.5	<0.002	0.05	0.22	8.2	1	2.3	209	1.49	<0.05	12.4	0.268	0.65	4.0
J597455		17.3	116.5	<0.002	0.01	0.22	8.2	1	2.4	213	1.07	<0.05	15.6	0.268	0.65	4.5
J597456		14.9	98.1	<0.002	0.01	0.16	7.0	1	2.3	186.0	1.04	<0.05	10.8	0.262	0.65	3.0
J597457		15.6	116.5	<0.002	0.01	0.33	7.2	1	2.0	195.0	1.01	<0.05	12.4	0.261	0.65	3.0
J597458		26.1	119.0	<0.002	0.13	0.52	8.0	1	2.3	180.0	1.50	<0.05	15.9	0.250	0.65	5.1
J597459		18.2	127.5	<0.002	0.12	0.61	8.6	1	2.2	209	1.24	<0.05	13.4	0.288	0.73	3.7
J597460		536	114.5	<0.002	0.32	0.76	7.7	1	2.1	177.5	1.00	<0.05	13.4	0.242	0.65	3.4
J597461		24.8	115.5	<0.002	0.12	1.17	7.2	1	2.1	190.5	1.12	<0.05	13.3	0.255	0.66	3.7
J597462		39.0	117.0	<0.002	0.07	1.50	7.9	1	2.1	180.0	1.33	<0.05	15.7	0.252	0.68	4.2
J597463		50.4	106.0	<0.002	0.17	1.57	6.6	1	2.3	156.0	1.07	0.15	13.0	0.227	0.62	3.4
J597464		25.1	114.5	<0.002	0.13	1.18	7.2	2	2.1	187.0	1.40	0.05	13.9	0.250	0.67	4.5
J597465		20.2	114.0	<0.002	0.12	1.03	7.5	1	2.1	215	1.14	<0.05	14.6	0.263	0.70	4.0
J597466		18.2	110.5	<0.002	0.13	0.94	7.5	1	2.1	197.0	1.29	<0.05	10.9	0.248	0.68	4.5
J597467		15.6	108.0	<0.002	0.15	0.65	7.4	2	2.6	200	1.36	<0.05	13.7	0.260	0.65	4.3
J597468		14.2	112.5	<0.002	0.18	0.45	7.7	2	2.0	201	0.95	<0.05	14.2	0.270	0.65	3.3
J597469		13.0	89.5	<0.002	0.26	0.43	6.3	2	2.4	151.0	0.83	0.05	13.4	0.217	0.51	3.5
J597470		14.7	119.5	<0.002	0.23	0.47	8.2	2	2.1	192.5	1.08	<0.05	16.1	0.277	0.65	3.6
J597471		15.4	116.5	<0.002	0.17	0.41	7.2	2	2.1	207	1.00	<0.05	13.0	0.254	0.62	3.4
J597472		17.5	126.0	<0.002	0.03	0.23	6.8	1	2.2	182.0	1.25	<0.05	14.3	0.238	0.69	3.7
J597473		16.7	111.5	<0.002	0.04	0.22	7.3	1	1.8	188.5	1.11	<0.05	13.8	0.249	0.61	3.8
J597474		12.1	114.0	<0.002	0.06	0.28	7.6	2	2.4	195.0	1.10	<0.05	14.7	0.278	0.61	3.9
J597475		17.7	108.0	<0.002	0.07	0.26	7.6	1	2.3	181.5	1.02	<0.05	12.5	0.263	0.57	3.7
J597476		16.4	115.0	<0.002	0.01	0.14	7.8	1	2.2	209	1.03	<0.05	15.8	0.272	0.65	3.5
J597477		16.0	116.5	<0.002	0.02	0.13	7.6	1	2.1	196.5	1.11	<0.05	14.9	0.257	0.66	4.0
J597478		16.5	112.5	<0.002	0.01	0.11	7.9	2	2.1	195.5	0.98	<0.05	15.2	0.272	0.64	3.2
J597479		16.5	117.5	<0.002	0.02	0.17	6.7	1	2.0	179.5	0.97	<0.05	16.3	0.240	0.64	3.9
J597480		16.7	112.5	<0.002	0.01	0.10	6.9	1	2.3	189.5	1.00	<0.05	13.8	0.251	0.67	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597441		38	1.6	16.5	45	154.0
J597442		41	0.5	17.3	47	155.5
J597443		39	1.2	17.4	46	140.5
J597444		42	1.5	18.4	49	143.5
J597445		42	1.4	17.0	49	152.0
J597446		44	1.0	19.0	44	153.5
J597447		43	1.3	18.3	49	151.5
J597448		45	0.6	20.2	52	182.0
J597449		41	15.3	16.8	1030	144.5
J597450		15	1.1	17.4	45	26.9
J597451		40	14.5	16.8	58	151.0
J597452		41	2.0	17.5	53	151.5
J597453		39	8.8	16.0	47	135.0
J597454		42	1.3	20.5	49	152.5
J597455		44	1.0	19.0	51	154.0
J597456		43	0.6	15.8	51	154.5
J597457		41	0.5	16.7	50	159.5
J597458		41	13.3	19.4	81	148.0
J597459		46	4.5	19.8	42	163.5
J597460		40	8.9	17.4	47	158.0
J597461		40	9.9	18.5	38	162.5
J597462		41	7.2	21.0	67	158.5
J597463		36	28.8	17.6	301	138.5
J597464		39	9.4	19.5	37	159.0
J597465		42	2.9	19.0	41	175.5
J597466		40	3.6	19.4	38	164.5
J597467		41	6.3	20.1	41	162.5
J597468		43	2.5	18.7	37	164.5
J597469		35	11.1	15.9	35	130.5
J597470		45	5.5	20.3	48	169.0
J597471		39	3.2	19.6	46	146.0
J597472		38	1.9	18.7	46	149.5
J597473		39	2.1	18.5	46	147.0
J597474		43	2.4	20.3	45	173.5
J597475		43	2.2	18.3	43	161.0
J597476		44	0.9	19.9	52	171.5
J597477		42	0.8	19.5	50	153.0
J597478		43	0.8	19.3	51	149.5
J597479		37	1.0	17.4	44	139.0
J597480		39	0.9	17.2	47	171.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597481		1.62	<0.005	0.06	6.84	6.3	650	1.36	0.06	1.74	0.05	71.7	6.7	23	2.41	11.0
J597482		1.57	<0.005	0.05	7.07	4.0	660	1.40	0.06	1.82	0.05	70.9	7.1	20	2.63	9.7
J597483		1.61	<0.005	0.05	6.78	9.8	600	1.37	0.04	1.78	0.05	78.3	6.6	21	2.53	13.1
J597484		1.57	<0.005	0.06	6.76	1.6	620	1.42	0.05	1.80	0.04	77.0	7.0	22	2.36	9.0
J597485		1.64	<0.005	0.06	6.90	8.1	650	1.33	0.06	1.81	0.05	78.8	7.1	22	2.63	9.3
J597486		1.63	<0.005	0.06	6.68	10.7	690	1.28	0.13	1.81	0.06	71.8	6.4	23	2.49	15.1
J597487		1.59	0.006	0.08	6.65	10.0	660	1.26	0.07	1.81	0.05	70.9	6.8	20	2.52	13.5
J597488		1.65	<0.005	0.06	6.75	1.0	670	1.21	0.05	1.84	0.05	78.9	7.0	23	2.32	10.4
J597489		1.57	<0.005	0.06	6.97	2.1	690	1.35	0.04	1.97	0.05	81.1	7.6	23	2.35	11.0
J597490		1.69	0.005	0.04	6.78	2.4	710	1.19	0.04	1.96	0.05	81.6	7.3	23	2.26	10.7
J597491		1.69	<0.005	0.07	6.90	1.3	720	1.22	0.05	1.96	0.06	80.2	8.0	23	2.26	12.6
J597492		1.63	<0.005	0.09	6.78	3.1	720	1.20	0.07	2.01	0.07	79.5	7.5	24	2.28	8.7
J597493		1.64	<0.005	0.07	7.17	0.6	780	1.28	0.05	2.09	0.06	79.7	7.9	24	2.46	12.5
J597494		1.06	<0.005	0.07	6.79	16.8	710	1.28	0.05	1.91	0.06	72.7	8.6	24	2.63	9.6
J597495		1.11	<0.005	0.06	7.06	10.2	720	1.37	0.05	2.06	0.05	77.4	7.8	26	2.94	10.8
J597496		1.12	<0.005	0.05	6.83	7.2	740	1.36	0.06	1.94	0.06	76.9	8.0	24	2.87	12.5
J597497		1.72	<0.005	0.08	7.64	1.7	770	1.22	0.06	2.08	0.06	81.0	8.2	28	3.13	12.1
J597498		1.98	<0.005	0.09	7.20	5.7	740	1.17	0.06	1.88	0.05	77.3	8.1	26	3.15	12.1
J597499		1.90	<0.005	0.08	7.18	0.9	760	1.11	0.06	1.78	0.05	78.7	7.9	28	3.10	12.0
J597500		0.07	1.235	0.70	8.34	3.5	100	2.09	0.64	0.87	0.17	16.25	8.7	31	21.9	11.7
J597501		1.89	0.010	0.33	7.26	13.9	840	1.15	0.06	1.74	0.13	60.2	7.6	25	2.79	11.4
J597502		1.85	<0.005	0.08	7.04	2.6	760	1.33	0.05	1.86	0.05	73.3	8.4	26	2.88	10.8
J597503		1.81	<0.005	0.12	7.11	16.6	730	1.27	0.06	1.97	0.06	80.9	8.5	27	2.90	10.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J597481		2.21	17.70	0.18	4.6	0.030	2.67	34.5	27.3	0.60	383	0.70	2.94	10.7	15.2	500
J597482		2.42	17.55	0.17	4.4	0.031	2.74	34.0	29.3	0.64	417	0.76	2.96	11.5	15.9	530
J597483		2.21	16.95	0.19	4.1	0.030	2.56	38.7	28.1	0.61	386	1.57	2.81	10.5	15.5	490
J597484		2.30	17.65	0.19	4.5	0.032	2.63	36.8	26.8	0.62	402	0.94	2.83	10.5	16.2	500
J597485		2.34	17.70	0.18	4.7	0.030	2.67	38.7	30.0	0.66	409	0.76	2.90	10.3	16.4	520
J597486		2.30	16.45	0.18	4.3	0.027	2.68	34.8	29.2	0.63	401	1.23	2.93	10.0	14.7	530
J597487		2.25	16.50	0.19	4.2	0.027	2.58	34.4	27.3	0.61	390	0.97	2.82	9.3	15.2	510
J597488		2.36	16.90	0.19	4.4	0.031	2.62	39.2	24.6	0.63	393	1.11	2.78	9.7	15.8	540
J597489		2.46	17.55	0.20	4.2	0.034	2.48	40.2	25.1	0.69	410	0.65	2.90	10.2	18.6	560
J597490		2.42	16.15	0.19	4.0	0.034	2.50	41.3	26.1	0.69	412	0.81	2.75	9.3	17.3	540
J597491		2.35	17.15	0.20	4.2	0.033	2.59	40.2	24.1	0.68	401	0.58	2.80	9.5	18.3	550
J597492		2.40	16.65	0.22	4.2	0.033	2.52	39.4	28.9	0.69	417	0.83	2.76	9.4	17.8	550
J597493		2.56	17.15	0.18	4.4	0.037	2.53	40.0	27.7	0.74	438	1.00	2.90	10.3	18.2	610
J597494		2.42	16.80	0.19	4.1	0.032	2.37	35.8	36.4	0.71	412	0.78	2.87	9.3	19.2	530
J597495		2.45	17.65	0.18	4.0	0.032	2.45	38.2	37.6	0.75	420	0.93	2.91	9.7	20.0	560
J597496		2.52	17.00	0.18	4.3	0.032	2.38	38.1	37.8	0.75	427	0.92	2.92	9.9	18.9	560
J597497		2.52	17.70	0.11	4.8	0.034	2.43	41.0	27.6	0.76	437	0.73	2.90	10.5	20.8	580
J597498		2.35	17.05	0.12	4.2	0.032	2.58	38.6	29.0	0.70	413	0.83	2.80	10.2	19.5	550
J597499		2.19	16.70	0.11	4.3	0.031	2.72	40.5	22.9	0.68	394	0.85	2.68	9.6	20.5	510
J597500		3.91	18.75	0.14	1.2	0.014	2.50	8.2	6.3	0.80	239	1.89	5.12	8.3	35.5	680
J597501		2.21	16.45	0.12	3.5	0.028	2.68	29.2	26.0	0.66	394	0.57	2.79	9.8	18.8	510
J597502		2.27	17.00	0.13	4.5	0.027	2.38	35.3	26.0	0.68	395	0.81	2.72	9.8	19.4	540
J597503		2.42	17.00	0.13	4.2	0.036	2.46	39.7	30.2	0.72	428	1.11	2.83	10.3	19.9	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J597481		15.8	110.0	<0.002	0.02	0.12	7.2	1	2.1	194.0	0.91	<0.05	14.0	0.253	0.64	3.1
J597482		16.2	112.5	<0.002	0.02	0.11	7.7	1	2.1	201	1.04	<0.05	14.2	0.271	0.65	3.6
J597483		14.6	108.0	<0.002	0.03	0.14	7.3	2	2.1	187.5	1.06	<0.05	15.0	0.246	0.63	3.5
J597484		15.8	109.0	<0.002	0.01	0.07	7.6	2	2.0	190.5	0.95	<0.05	16.2	0.252	0.62	3.4
J597485		14.7	106.5	<0.002	0.02	0.15	7.5	1	1.9	200	0.87	<0.05	16.1	0.266	0.65	3.0
J597486		15.1	104.5	<0.002	0.05	0.18	7.5	1	1.9	203	0.85	<0.05	16.5	0.264	0.60	3.0
J597487		13.8	100.5	<0.002	0.03	0.17	7.1	1	1.8	196.0	0.73	<0.05	14.5	0.255	0.57	2.6
J597488		14.5	102.5	<0.002	<0.01	0.07	7.5	1	2.0	195.5	0.75	<0.05	14.2	0.267	0.63	2.5
J597489		14.9	102.0	<0.002	0.01	0.08	8.2	2	2.0	211	0.80	<0.05	17.8	0.276	0.60	2.8
J597490		14.6	100.5	<0.002	<0.01	0.10	7.9	2	1.9	205	0.68	<0.05	16.8	0.273	0.60	2.6
J597491		15.3	103.5	<0.002	0.03	0.08	7.8	2	2.2	208	0.70	<0.05	15.7	0.277	0.64	2.5
J597492		14.5	101.0	<0.002	0.01	0.10	7.9	2	2.0	212	0.68	<0.05	12.8	0.280	0.60	2.3
J597493		14.8	102.5	<0.002	0.01	0.07	8.6	2	2.2	228	0.79	<0.05	11.2	0.296	0.64	2.3
J597494		13.4	102.5	<0.002	0.01	0.19	8.0	2	2.0	209	0.71	<0.05	10.5	0.266	0.63	2.3
J597495		14.7	103.0	<0.002	0.01	0.18	8.0	1	2.1	230	0.77	<0.05	11.1	0.278	0.68	2.6
J597496		13.5	104.0	<0.002	0.05	0.15	8.4	2	2.1	211	0.82	<0.05	11.1	0.280	0.64	2.7
J597497		15.4	108.0	<0.002	0.01	0.09	8.0	1	2.0	241	0.98	<0.05	12.5	0.289	0.64	2.9
J597498		16.3	110.0	<0.002	0.01	0.12	7.7	1	2.0	215	0.92	<0.05	12.3	0.276	0.68	2.7
J597499		16.8	115.0	<0.002	0.01	0.07	7.3	1	2.0	204	0.84	<0.05	12.0	0.261	0.70	2.6
J597500		72.3	630	0.002	3.12	1.25	3.1	1	1.0	172.5	0.70	0.06	3.1	0.221	6.09	1.2
J597501		14.8	108.0	<0.002	0.02	0.12	7.2	1	1.9	211	0.96	0.05	11.0	0.262	0.63	2.7
J597502		15.0	97.1	<0.002	0.01	0.08	7.3	1	1.9	224	0.96	<0.05	12.7	0.271	0.62	3.0
J597503		15.7	98.3	0.002	0.02	0.12	7.5	1	2.0	229	0.98	<0.05	13.8	0.284	0.64	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597481		40	1.9	17.7	49	169.5
J597482		44	1.1	19.6	52	157.5
J597483		40	1.3	18.4	45	140.5
J597484		40	1.1	18.7	49	156.0
J597485		43	1.0	17.4	48	170.5
J597486		42	1.9	17.4	45	159.0
J597487		41	1.0	15.9	47	155.0
J597488		43	0.7	16.7	49	163.0
J597489		45	0.7	18.3	52	154.5
J597490		44	0.7	16.9	50	144.0
J597491		44	1.9	16.6	51	159.5
J597492		44	1.0	16.6	51	154.0
J597493		48	0.7	18.1	56	166.0
J597494		43	1.8	16.8	50	151.5
J597495		46	0.7	17.4	54	145.5
J597496		47	3.2	17.8	54	156.5
J597497		47	0.7	20.0	57	185.5
J597498		46	1.0	18.1	54	157.0
J597499		43	0.7	17.5	51	159.5
J597500		26	0.2	5.3	46	42.9
J597501		42	1.6	17.4	47	129.0
J597502		44	0.6	17.3	53	171.0
J597503		46	1.1	17.5	56	157.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055646

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.