ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

CERTIFICATE TB11037958

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596350		0.85	<0.005	0.08	6.70	1.3	640	1.48	0.09	1.86	0.06	73.2	7.7	25	3.43	13.7
J596351		1.68	<0.005	0.06	6.67	4.0	720	1.47	0.09	1.80	0.06	71.5	7.6	27	3.18	13.8
J596352		1.75	<0.005	0.15	7.08	2.3	660	1.48	0.09	1.96	0.08	67.7	7.9	24	3.34	19.0
J596353		1.86	<0.005	0.06	6.96	1.3	640	1.64	0.10	1.89	0.06	72.2	7.4	24	4.02	16.7
J596354		1.61	<0.005	0.07	6.87	<0.2	660	1.37	0.07	1.88	0.07	65.3	7.3	26	2.73	11.7
J596355		1.74	<0.005	0.08	6.81	<0.2	690	1.49	0.08	1.86	0.08	73.1	7.4	22	2.71	11.7
J596356		2.07	<0.005	0.18	7.08	<0.2	770	1.34	0.08	1.97	0.06	75.8	8.4	27	2.94	17.9
J596357		2.10	<0.005	0.11	7.10	3.2	750	1.42	0.09	2.06	0.06	81.3	8.9	28	2.94	47.6
J596358		2.10	<0.005	0.12	6.99	<0.2	840	1.27	0.06	1.88	0.05	75.1	8.1	28	2.52	14.1
J596359		1.96	<0.005	0.05	6.89	2.3	810	1.29	0.07	1.84	0.06	75.1	7.7	26	2.48	11.7
J596360		2.09	<0.005	0.04	7.09	5.8	820	1.39	0.07	1.83	0.05	77.5	7.2	22	2.36	12.4
J596361		2.24	<0.005	0.04	7.01	7.8	930	1.31	0.07	1.78	0.05	81.3	6.8	27	2.09	12.1
J596362		2.04	<0.005	0.09	6.78	8.6	810	1.28	0.08	1.79	0.05	72.9	7.0	23	2.44	13.9
J596363		2.09	<0.005	0.03	7.33	9.2	770	1.52	0.06	1.80	0.04	75.3	7.5	26	2.73	25.5
J596364		2.17	<0.005	0.06	7.13	11.5	910	1.46	0.07	1.90	0.07	98.9	7.6	25	2.73	14.3
J596365		2.10	<0.005	0.03	7.10	1.1	920	1.36	0.09	1.88	0.06	78.3	7.4	23	2.44	13.2
J596366		2.11	<0.005	0.05	6.94	0.6	880	1.28	0.07	1.83	0.05	75.0	7.3	22	2.33	10.8
J596367		0.65	<0.005	0.02	7.12	9.3	1500	1.21	0.05	2.14	0.03	67.9	7.5	21	2.33	16.1
J596368		1.36	<0.005	0.02	6.79	5.3	860	1.18	0.05	1.82	0.04	70.4	7.3	24	2.42	13.4
J596369		1.26	0.008	0.04	7.03	9.1	840	1.30	0.06	1.93	0.04	83.9	7.5	25	2.45	20.1
J596370		0.66	0.007	0.07	6.87	19.0	960	1.41	0.06	1.87	0.02	76.4	7.9	29	2.46	9.9
J596371		0.79	<0.005	0.02	6.39	28.9	710	1.81	0.03	1.60	0.02	139.5	22.8	394	7.87	2.7
J596372		1.23	<0.005	0.05	6.93	3.1	700	1.68	0.06	0.54	0.03	115.0	6.9	29	1.64	3.7
J596373		1.06	<0.005	0.01	6.85	2.2	730	1.51	0.02	0.45	0.02	70.9	6.3	21	1.83	3.1
J596374		0.94	<0.005	<0.01	6.83	1.7	710	1.82	0.02	0.38	<0.02	74.9	6.5	21	1.88	3.4
J596375		0.07	3.33	0.16	1.48	0.3	120	0.35	0.15	0.01	0.14	18.60	1.1	11	0.64	7.2
J596376		0.96	<0.005	<0.01	6.88	1.3	700	1.51	0.02	0.38	<0.02	63.7	5.8	18	1.89	3.0
J596377		0.54	<0.005	0.01	6.83	1.2	710	1.38	0.02	0.37	<0.02	59.8	6.3	20	1.51	2.8
J596378		1.85	<0.005	0.02	6.73	2.2	700	1.47	0.05	0.92	<0.02	68.0	7.3	22	1.10	8.2
J596379		1.40	<0.005	<0.01	6.79	1.7	710	1.50	0.05	1.58	0.04	76.0	7.2	23	1.62	13.0
J596380		2.07	<0.005	<0.01	6.83	2.6	700	1.45	0.05	1.67	0.03	74.6	7.1	22	1.45	14.3
J596381		1.81	<0.005	0.01	7.06	4.1	830	1.56	0.09	1.70	0.07	77.5	7.0	23	1.90	8.6
J596382		2.22	<0.005	0.02	7.07	2.7	790	1.35	0.11	1.66	0.07	75.7	7.2	22	2.29	10.2
J596383		1.14	<0.005	0.08	6.95	0.4	730	1.55	0.11	1.38	0.05	76.9	7.5	22	2.82	14.2
J596384		1.02	<0.005	0.03	7.01	0.6	660	1.26	0.14	1.52	0.06	80.4	6.9	21	2.66	16.3
J596385		0.83	<0.005	0.06	5.97	0.8	350	1.73	0.12	1.09	0.06	52.2	3.6	13	1.07	9.9
J596386		0.60	<0.005	0.02	6.63	<0.2	670	1.25	0.08	1.50	0.04	71.3	6.8	20	2.38	8.5
J596387		0.90	<0.005	0.03	7.10	0.7	590	1.72	0.12	1.93	0.02	39.2	4.3	16	5.38	18.0
J596388		1.80	<0.005	0.02	6.95	1.0	700	1.25	0.07	1.72	0.05	66.9	7.0	25	2.94	12.4
J596389		1.81	<0.005	0.04	6.97	<0.2	720	1.26	0.05	1.75	0.05	75.2	6.9	24	2.67	12.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596350		2.38	17.20	0.20	4.5	0.027	2.23	34.3	32.2	0.70	408	0.58	2.62	10.5	17.7	510
J596351		2.30	16.75	0.19	3.6	0.029	2.31	35.0	36.2	0.69	391	0.39	2.62	10.1	17.0	500
J596352		2.52	17.50	0.19	4.4	0.032	2.47	31.2	35.1	0.73	443	0.66	2.77	11.7	17.8	580
J596353		2.36	17.00	0.20	4.3	0.033	2.38	35.1	35.1	0.70	412	0.60	2.68	11.0	17.0	520
J596354		2.32	16.65	0.18	4.1	0.029	2.47	30.8	29.8	0.67	408	0.59	2.70	9.9	16.7	500
J596355		2.34	16.95	0.21	3.8	0.028	2.31	35.5	29.9	0.66	406	0.43	2.69	10.6	16.4	520
J596356		2.50	16.90	0.21	4.0	0.036	2.35	37.1	30.5	0.73	433	1.50	2.71	11.1	20.7	550
J596357		2.65	17.65	0.24	4.4	0.032	2.41	39.4	33.2	0.76	450	2.56	2.80	11.2	21.8	570
J596358		2.39	16.70	0.22	4.4	0.029	2.51	36.6	29.8	0.69	415	0.42	2.75	10.4	18.8	530
J596359		2.34	16.50	0.18	4.4	0.030	2.48	36.2	32.0	0.67	405	0.66	2.67	10.7	16.5	510
J596360		2.33	16.35	0.21	4.3	0.029	2.48	38.4	32.7	0.64	404	0.64	2.71	10.3	15.1	520
J596361		2.25	15.85	0.20	4.7	0.030	2.65	40.2	30.9	0.62	402	0.48	2.70	10.5	14.5	500
J596362		2.29	15.85	0.20	4.5	0.027	2.38	34.8	33.4	0.64	411	0.45	2.75	10.6	15.5	530
J596363		2.42	16.95	0.20	4.6	0.029	2.36	37.0	33.7	0.70	462	0.48	3.07	11.1	17.1	530
J596364		2.41	16.80	0.20	4.5	0.028	2.50	48.8	34.1	0.70	432	0.69	2.78	11.0	16.8	530
J596365		2.34	16.80	0.19	4.4	0.025	2.50	39.1	26.3	0.65	405	0.92	2.69	10.8	15.4	530
J596366		2.27	15.85	0.19	4.6	0.027	2.50	36.5	24.8	0.64	400	0.52	2.62	10.4	15.0	520
J596367		2.08	14.80	0.18	3.8	0.025	3.57	31.9	28.5	0.60	480	0.31	2.69	11.3	25.9	490
J596368		2.22	15.35	0.20	4.1	0.028	2.59	33.8	27.6	0.63	402	0.46	2.67	10.1	15.7	500
J596369		2.31	15.95	0.19	4.3	0.025	2.46	40.0	25.6	0.69	431	0.51	2.77	11.0	15.6	540
J596370		2.14	15.15	0.20	4.8	0.018	2.46	36.2	22.3	0.76	413	0.69	2.79	11.2	20.6	550
J596371		5.86	18.40	0.34	4.7	0.049	3.09	61.3	81.2	3.54	876	1.11	1.17	14.3	104.5	2810
J596372		2.35	17.30	0.19	4.5	0.025	2.71	55.8	28.1	1.27	352	1.49	2.62	11.9	17.8	550
J596373		2.14	16.50	0.17	4.2	0.015	2.85	34.6	32.4	1.37	311	0.89	2.54	11.4	15.5	510
J596374		2.24	16.60	0.17	4.9	0.018	2.87	34.8	35.7	1.44	306	0.76	2.52	12.0	15.3	530
J596375		1.30	3.67	0.06	0.6	0.012	0.15	9.5	17.4	0.02	101	0.77	0.03	3.6	5.7	50
J596376		2.09	15.75	0.19	4.3	0.019	2.83	29.6	27.5	1.23	283	0.60	2.59	10.7	13.7	510
J596377		2.21	16.45	0.18	4.1	0.016	2.87	27.3	26.2	1.25	294	0.47	2.63	10.5	15.4	520
J596378		2.41	16.05	0.19	4.3	0.020	2.64	33.5	25.5	1.23	382	0.90	2.67	10.5	16.0	530
J596379		2.37	16.15	0.21	4.2	0.030	2.25	38.3	18.2	0.81	479	0.39	2.61	11.2	15.1	560
J596380		2.33	15.55	0.19	4.4	0.031	2.20	36.6	15.2	0.75	512	1.06	2.60	10.8	14.4	530
J596381		2.42	16.40	0.23	4.9	0.029	2.38	37.8	14.6	0.73	516	0.83	2.67	12.0	15.4	530
J596382		2.31	16.55	0.18	4.2	0.027	2.54	36.4	15.7	0.73	486	1.29	2.83	11.7	14.9	520
J596383		2.44	17.00	0.25	4.3	0.028	2.45	37.8	23.3	0.85	440	19.90	2.70	11.2	15.6	540
J596384		2.35	16.05	0.16	4.0	0.030	2.40	39.9	19.4	0.78	445	1.51	2.79	11.5	15.5	510
J596385		1.43	14.30	0.12	4.1	0.014	2.84	23.2	10.1	0.42	286	95.1	2.60	13.3	7.7	250
J596386		2.17	15.10	0.17	4.0	0.030	2.37	34.9	18.1	0.69	399	0.71	2.52	10.5	14.1	470
J596387		1.51	14.50	0.16	4.5	0.022	3.44	15.2	15.3	0.54	343	0.84	3.15	11.9	8.6	320
J596388		2.33	15.50	0.16	4.4	0.030	2.42	32.2	17.2	0.75	447	0.95	2.70	10.4	15.8	520
J596389		2.33	16.00	0.18	4.7	0.033	2.45	36.1	14.8	0.66	416	0.75	2.66	11.4	15.2	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596350		17.0	106.0	<0.002	0.01	0.13	7.8	2	1.9	218	1.10	<0.05	11.6	0.260	0.58	4.2
J596351		15.1	106.0	0.002	0.02	0.14	7.8	2	1.8	214	0.95	<0.05	11.5	0.255	0.57	2.9
J596352		17.3	105.5	0.002	0.01	0.12	8.2	2	2.0	222	1.15	<0.05	11.8	0.282	0.60	3.2
J596353		17.4	110.0	<0.002	0.01	0.15	7.9	2	2.0	219	1.18	<0.05	13.0	0.262	0.64	3.3
J596354		17.2	100.5	<0.002	0.01	0.09	7.7	2	1.8	219	0.91	<0.05	10.2	0.254	0.57	2.6
J596355		16.8	99.8	<0.002	0.01	0.10	7.7	2	1.9	217	1.08	<0.05	11.4	0.261	0.54	3.1
J596356		18.1	108.5	<0.002	0.02	0.10	8.3	2	2.1	232	0.95	<0.05	12.5	0.272	0.60	3.0
J596357		19.1	108.5	<0.002	0.11	0.10	8.8	2	2.1	237	0.99	<0.05	13.3	0.278	0.60	3.0
J596358		17.9	105.5	<0.002	0.01	0.09	8.2	2	2.0	226	0.90	<0.05	11.3	0.265	0.59	2.8
J596359		17.0	103.0	<0.002	0.02	0.11	7.9	2	2.0	220	1.02	<0.05	11.4	0.261	0.57	3.0
J596360		16.0	102.5	0.002	0.01	0.15	7.6	2	1.8	218	0.95	<0.05	12.9	0.269	0.57	3.4
J596361		15.7	102.5	<0.002	0.01	0.20	7.6	2	1.8	212	0.99	<0.05	11.2	0.263	0.52	2.9
J596362		14.8	96.1	<0.002	0.02	0.20	7.7	2	1.8	216	0.92	<0.05	10.4	0.266	0.53	2.6
J596363		15.8	101.0	0.002	0.08	0.21	8.0	2	2.2	211	1.04	<0.05	12.2	0.275	0.52	3.3
J596364		17.9	104.5	<0.002	0.01	0.24	8.1	2	2.0	233	1.09	<0.05	13.6	0.277	0.59	3.2
J596365		16.8	100.5	<0.002	0.01	0.13	7.7	2	1.9	230	0.99	<0.05	11.7	0.274	0.56	3.0
J596366		16.5	95.7	<0.002	0.01	0.11	7.6	2	1.8	220	1.00	<0.05	10.5	0.261	0.55	2.7
J596367		15.4	107.0	<0.002	0.04	0.24	7.1	2	1.9	256	1.06	<0.05	10.8	0.250	0.55	2.6
J596368		13.2	92.8	<0.002	0.02	0.21	7.6	2	1.7	217	1.02	<0.05	11.3	0.254	0.49	3.1
J596369		13.1	88.7	<0.002	0.06	0.24	7.8	2	1.8	247	1.06	<0.05	14.6	0.271	0.45	3.5
J596370		11.2	81.5	<0.002	0.02	0.30	7.8	2	1.9	287	1.10	<0.05	12.1	0.270	0.39	3.3
J596371		5.3	185.0	0.002	0.01	0.23	17.5	2	3.5	127.0	1.00	<0.05	13.6	0.400	0.95	3.7
J596372		12.3	124.0	<0.002	0.02	0.21	7.5	1	2.1	93.0	1.30	<0.05	16.1	0.252	0.41	4.5
J596373		8.4	129.5	<0.002	0.01	0.17	7.1	2	2.1	60.7	1.18	<0.05	15.4	0.245	0.44	4.0
J596374		5.2	132.0	<0.002	0.01	0.17	7.6	2	2.0	57.8	1.28	<0.05	15.2	0.256	0.42	4.4
J596375		31.0	12.2	<0.002	1.07	0.51	1.4	1	1.4	13.9	0.30	<0.05	3.4	0.086	0.42	0.4
J596376		4.8	133.5	<0.002	0.01	0.16	7.1	1	2.1	55.0	1.07	<0.05	14.6	0.244	0.47	3.7
J596377		4.5	133.5	<0.002	0.01	0.19	7.5	2	2.0	64.2	0.99	<0.05	13.4	0.236	0.50	3.0
J596378		5.2	106.0	<0.002	0.05	0.15	7.3	1	1.9	94.2	0.99	<0.05	12.2	0.257	0.43	3.3
J596379		10.3	80.2	<0.002	0.01	0.22	7.6	2	1.9	204	0.96	<0.05	12.8	0.275	0.34	2.9
J596380		10.9	71.7	0.002	0.01	0.21	7.7	2	1.9	219	0.97	<0.05	13.4	0.268	0.34	3.2
J596381		15.8	90.7	<0.002	0.01	0.30	7.9	2	2.1	234	1.24	<0.05	13.4	0.271	0.44	3.8
J596382		20.4	98.8	<0.002	0.05	0.21	7.8	2	1.9	216	1.12	<0.05	13.3	0.265	0.53	3.6
J596383		14.7	100.5	0.005	0.01	0.15	7.9	2	2.3	199.5	0.97	<0.05	13.0	0.270	0.52	3.0
J596384		16.4	89.8	0.002	0.01	0.16	7.4	2	1.9	196.5	1.07	<0.05	12.4	0.270	0.50	2.6
J596385		15.3	110.5	0.012	0.01	0.12	4.0	1	1.4	97.1	2.01	<0.05	17.9	0.139	0.46	6.7
J596386		17.3	84.0	0.002	0.01	0.15	6.7	2	1.8	193.0	1.03	<0.05	11.5	0.251	0.51	2.8
J596387		15.8	128.0	0.002	0.05	0.13	5.0	1	1.8	82.2	1.67	<0.05	20.7	0.176	0.68	6.5
J596388		17.0	88.8	0.002	0.04	0.15	7.2	2	1.7	204	0.90	<0.05	13.1	0.267	0.51	2.8
J596389		18.6	99.3	0.002	0.01	0.10	7.2	2	1.9	225	1.15	<0.05	14.1	0.269	0.58	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596350		45	0.6	18.1	52	155.0
J596351		43	0.7	17.4	49	123.5
J596352		49	0.8	19.3	57	151.0
J596353		44	0.9	18.3	52	144.5
J596354		42	0.7	16.8	49	146.5
J596355		43	0.8	18.0	49	128.5
J596356		47	0.7	18.9	54	146.5
J596357		48	1.0	19.4	55	153.5
J596358		45	0.6	17.6	52	158.0
J596359		43	0.5	18.0	49	154.0
J596360		42	0.8	17.2	47	154.0
J596361		41	0.5	17.2	45	171.0
J596362		43	0.9	17.4	47	162.0
J596363		46	2.4	17.4	43	161.0
J596364		46	0.8	18.5	51	160.5
J596365		45	0.9	17.9	50	160.0
J596366		42	0.6	17.3	48	160.0
J596367		39	0.5	19.3	41	132.0
J596368		41	0.7	17.3	46	146.0
J596369		45	2.8	19.3	45	149.5
J596370		44	0.7	18.8	40	167.5
J596371		108	2.4	23.4	124	186.0
J596372		43	2.5	16.3	33	153.0
J596373		40	2.5	17.3	26	138.5
J596374		44	2.2	18.4	27	163.5
J596375		8	0.9	2.7	15	18.5
J596376		40	2.2	15.5	24	146.0
J596377		40	1.8	14.9	26	140.0
J596378		43	1.3	18.0	34	155.5
J596379		44	0.6	18.3	44	148.5
J596380		43	0.5	18.6	50	159.5
J596381		43	0.7	20.0	65	164.5
J596382		42	1.8	19.5	62	142.5
J596383		43	1.6	20.0	53	154.0
J596384		43	1.6	18.8	54	139.0
J596385		21	1.7	18.5	30	112.0
J596386		40	0.7	17.1	48	136.0
J596387		26	2.3	17.4	28	127.0
J596388		42	1.6	17.4	52	154.0
J596389		42	0.5	18.4	51	159.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596390		1.79	<0.005	0.03	6.95	0.8	620	1.42	0.06	1.78	0.05	73.1	7.4	25	2.55	14.2
J596391		1.83	<0.005	0.06	7.15	1.1	730	1.29	0.09	1.81	0.06	69.8	8.1	22	3.72	16.5
J596392		1.71	<0.005	0.04	6.69	<0.2	690	1.28	0.05	1.68	0.04	69.6	6.9	23	2.58	12.5
J596393		1.19	<0.005	0.03	6.97	<0.2	700	1.27	0.05	1.80	0.05	72.2	7.4	24	2.67	11.9
J596394		1.10	<0.005	0.03	7.16	2.0	770	1.17	0.09	1.56	0.05	75.9	8.1	23	1.81	8.3
J596395		1.27	0.009	0.20	6.86	5.5	760	1.11	0.68	1.50	0.07	73.1	7.9	20	1.06	31.1
J596396		0.87	<0.005	0.06	6.99	4.7	750	1.25	0.06	1.62	0.05	71.1	6.8	20	1.71	11.8
J596397		0.81	<0.005	0.06	3.17	9.9	470	0.73	0.03	1.58	0.02	75.2	8.8	94	0.71	10.4
J596398		0.62	<0.005	0.01	7.02	6.9	750	1.55	0.07	1.69	0.04	76.4	8.0	23	1.67	11.5
J596399		1.46	<0.005	0.01	7.02	6.5	760	1.30	0.09	1.72	0.03	74.8	8.0	22	1.99	17.9
J596400		0.11	<0.005	0.06	6.43	<0.2	910	1.05	0.09	1.31	0.09	28.6	2.3	12	1.75	4.9
J596401		2.05	0.005	0.10	6.73	3.1	680	1.38	0.24	1.57	0.06	66.6	6.7	21	2.49	16.0
J596402		2.03	<0.005	0.06	6.77	2.7	720	1.38	0.11	1.71	0.06	71.7	7.3	20	2.90	15.8
J596403		2.05	<0.005	0.06	7.13	4.9	700	1.36	0.10	1.86	0.07	71.8	7.4	22	1.81	18.7
J596404		2.02	<0.005	0.05	6.79	<0.2	640	1.37	0.07	1.76	0.04	72.7	7.2	20	2.52	15.2
J596405		2.05	0.062	0.08	7.18	10.2	710	1.41	0.10	1.68	0.05	68.7	7.9	22	2.54	17.0
J596406		2.20	<0.005	0.06	6.77	1.6	690	1.40	0.05	1.75	0.07	71.3	7.2	26	2.31	14.0
J596407		2.18	<0.005	0.06	6.98	0.3	710	1.50	0.06	1.59	0.23	79.0	7.8	25	2.25	17.8
J596408		0.73	<0.005	0.04	5.66	3.6	570	1.01	0.06	1.24	0.02	63.8	5.3	20	0.74	15.7
J596409		1.15	0.017	0.03	6.55	8.6	680	1.60	0.11	1.20	0.06	71.8	6.9	24	1.22	19.8
J596410		0.93	0.341	0.18	4.83	129.5	390	0.90	0.80	0.36	0.45	46.4	94.6	20	1.52	17.4
J596411		0.74	0.016	0.04	6.21	9.7	650	1.48	0.07	0.77	<0.02	68.2	7.7	23	1.67	78.4
J596412		0.61	0.026	0.07	6.59	11.9	630	1.57	0.15	1.49	0.04	86.2	9.2	21	3.84	39.9
J596413		0.64	0.127	0.13	6.93	24.8	680	2.15	0.75	1.58	0.16	68.1	10.8	23	5.28	16.5
J596414		0.59	0.102	0.16	6.58	25.3	640	1.35	0.09	1.72	0.17	71.4	7.1	19	2.22	24.1
J596415		0.63	0.491	0.17	6.76	92.7	520	1.40	0.62	1.80	0.34	80.0	7.9	22	1.73	13.3
J596416		0.60	2.19	0.22	8.49	95.8	810	1.95	0.66	1.77	0.25	88.3	8.1	22	2.17	9.3
J596417		1.06	0.005	0.06	7.02	28.4	710	1.41	0.05	1.86	0.07	75.0	7.9	27	2.82	10.3
J596418		1.70	0.034	0.12	7.00	51.0	690	1.39	0.06	1.82	0.06	73.6	7.0	22	2.86	12.5
J596419		1.70	0.010	0.09	7.03	42.1	700	1.43	0.07	1.85	0.05	74.9	7.7	23	3.02	10.6
J596420		1.09	0.023	0.05	6.61	27.0	690	1.25	0.07	1.73	0.06	85.5	6.2	19	2.80	11.0
J596421		0.48	0.062	0.05	6.67	123.0	670	1.31	0.13	1.87	0.06	79.3	6.6	20	2.51	13.9
J596422		0.60	0.010	0.09	6.78	48.7	690	1.31	0.21	1.83	0.05	82.9	7.8	20	2.95	19.9
J596423		0.53	0.210	0.20	6.67	53.7	670	1.40	0.33	1.81	0.06	80.0	7.5	23	2.43	15.8
J596424		0.26	0.012	0.05	6.80	39.5	610	1.34	0.15	1.61	0.05	93.1	6.7	12	2.52	13.0
J596425		0.32	0.012	0.07	6.58	45.5	670	1.37	0.13	1.71	0.04	92.8	8.0	10	2.74	10.1
J596426		0.54	0.014	0.06	6.75	28.3	780	1.40	0.11	1.62	0.04	88.4	6.2	10	2.48	24.2
J596427		0.60	0.145	0.15	6.72	46.4	760	1.47	0.25	1.60	0.03	86.5	6.6	9	2.03	29.2
J596428		0.62	0.231	0.17	6.53	45.6	700	1.33	0.83	1.59	0.04	85.5	6.1	9	2.24	31.5
J596429		0.44	0.046	0.06	6.72	21.5	710	1.48	0.41	1.63	0.05	78.4	6.1	12	2.36	22.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596390		2.32	16.35	0.18	4.7	0.029	2.20	35.5	20.1	0.73	440	0.85	2.86	11.2	15.6	520
J596391		2.53	16.40	0.19	4.7	0.032	2.47	33.3	23.5	0.91	489	0.66	2.80	11.1	15.8	540
J596392		2.35	15.30	0.19	4.6	0.032	2.31	33.3	17.4	0.71	445	0.61	2.62	10.5	15.2	520
J596393		2.41	16.00	0.19	4.1	0.031	2.44	35.2	16.4	0.69	437	0.95	2.65	10.9	16.3	540
J596394		2.35	15.80	0.19	4.8	0.033	2.65	38.0	18.5	0.92	446	1.35	2.94	10.4	15.5	530
J596395		2.21	15.10	0.18	4.7	0.026	2.45	35.6	10.1	0.74	568	2.78	3.12	10.6	15.5	530
J596396		2.37	15.80	0.18	4.5	0.034	2.31	34.5	13.9	0.72	476	1.18	2.65	10.7	15.1	530
J596397		2.30	8.52	0.20	2.1	0.014	0.97	36.9	19.6	1.15	437	1.68	0.82	4.8	39.8	720
J596398		2.31	15.90	0.20	4.3	0.028	2.14	37.8	21.5	0.76	460	0.59	2.64	10.8	18.5	510
J596399		2.40	15.85	0.20	4.8	0.028	2.39	35.9	18.4	0.69	450	0.77	2.74	11.5	15.7	530
J596400		1.43	12.40	0.11	1.2	0.016	2.19	12.4	10.5	0.18	583	1.18	2.68	4.6	2.0	170
J596401		2.14	15.45	0.18	4.3	0.030	2.40	31.0	17.7	0.61	375	0.58	2.61	11.1	14.6	470
J596402		2.23	15.60	0.19	4.4	0.030	2.49	34.1	18.3	0.62	391	0.83	2.58	10.9	15.5	500
J596403		2.31	16.50	0.20	4.6	0.032	2.40	34.3	14.3	0.63	407	1.64	2.88	11.2	15.3	520
J596404		2.34	15.55	0.19	5.5	0.035	2.26	34.3	19.8	0.67	409	1.99	2.74	11.6	14.4	540
J596405		2.36	16.60	0.20	4.7	0.030	2.46	32.9	21.3	0.76	405	1.87	2.92	11.2	16.0	540
J596406		2.23	15.95	0.19	4.5	0.032	2.35	34.7	14.3	0.61	397	1.45	2.60	11.3	16.5	520
J596407		2.25	16.65	0.21	4.7	0.038	2.41	38.9	14.5	0.73	417	513	2.72	11.6	16.7	510
J596408		1.80	12.60	0.16	3.6	0.029	2.01	30.8	9.2	0.61	335	2.59	2.43	9.1	13.1	410
J596409		2.19	15.45	0.19	4.4	0.024	2.20	34.8	11.7	0.73	408	141.5	2.70	11.1	17.2	490
J596410		3.37	10.20	0.17	2.9	0.020	1.24	22.5	14.0	0.62	241	1420	2.24	6.0	20.2	350
J596411		2.28	14.95	0.18	3.9	0.028	2.10	32.6	15.1	0.94	424	12.40	2.50	10.0	15.5	490
J596412		2.57	15.95	0.24	4.9	0.024	2.31	40.7	22.2	1.26	571	41.1	2.55	10.4	16.2	520
J596413		2.73	16.95	0.19	4.9	0.036	2.62	30.2	33.3	1.18	507	363	2.42	12.6	18.0	610
J596414		2.21	15.70	0.19	4.2	0.029	2.16	34.2	18.9	0.62	437	382	2.55	10.4	15.4	500
J596415		2.31	13.95	0.22	4.9	0.023	1.91	38.8	17.4	0.65	397	496	2.94	7.8	16.3	560
J596416		2.83	19.85	0.20	5.5	0.029	2.82	43.5	25.5	0.72	321	419	3.25	8.0	19.2	620
J596417		2.40	16.45	0.19	5.0	0.032	2.46	35.3	30.1	0.67	445	49.6	2.78	11.8	17.5	540
J596418		2.36	16.45	0.22	5.2	0.033	2.50	35.4	32.4	0.67	435	5.42	2.78	11.3	15.8	540
J596419		2.40	16.85	0.20	5.1	0.036	2.56	35.7	36.7	0.66	427	3.21	2.87	11.7	16.5	540
J596420		2.25	16.00	0.10	4.4	0.029	2.32	42.5	30.9	0.61	382	4.49	2.62	10.5	14.4	520
J596421		2.27	16.45	0.10	4.3	0.030	2.36	37.7	24.8	0.64	414	4.07	2.64	10.3	14.9	530
J596422		2.31	16.20	0.11	4.6	0.028	2.41	42.1	26.8	0.64	381	3.71	2.61	10.9	14.0	540
J596423		2.32	16.75	0.11	4.6	0.031	2.39	39.8	24.2	0.63	396	2.86	2.68	10.6	15.4	530
J596424		2.19	16.75	0.10	4.9	0.025	2.15	48.5	26.4	0.46	343	0.76	2.99	11.9	7.6	510
J596425		2.41	17.30	0.13	5.7	0.025	2.20	47.5	29.2	0.49	380	0.79	3.10	12.2	7.4	580
J596426		2.29	17.30	0.13	5.8	0.026	2.26	41.8	22.5	0.47	346	24.6	2.89	13.0	6.0	560
J596427		2.33	16.40	0.12	5.2	0.024	2.49	42.1	19.2	0.46	349	1.92	2.74	11.5	6.3	570
J596428		2.27	16.00	0.11	5.0	0.030	2.41	41.7	20.1	0.47	377	21.0	2.72	11.5	6.2	570
J596429		2.08	16.10	0.11	5.2	0.030	2.40	37.7	19.9	0.45	363	2.55	2.90	11.7	6.6	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596390		16.4	84.1	0.003	0.05	0.15	7.3	2	1.9	202	1.12	<0.05	12.9	0.266	0.46	3.4
J596391		17.9	92.0	0.002	0.04	0.14	7.3	2	1.9	187.0	1.03	<0.05	12.3	0.270	0.52	3.0
J596392		16.6	87.6	0.002	0.01	0.10	7.2	2	1.8	220	0.98	<0.05	11.7	0.267	0.51	2.8
J596393		15.8	95.7	0.002	0.01	0.07	7.5	2	1.8	226	1.01	<0.05	11.9	0.278	0.55	2.9
J596394		10.0	105.0	0.002	0.05	0.18	7.3	2	1.7	179.0	0.95	<0.05	12.9	0.262	0.52	3.0
J596395		10.9	100.5	0.002	0.18	0.33	7.2	2	2.0	175.0	0.98	0.05	13.4	0.259	0.46	2.9
J596396		11.2	85.4	0.002	0.01	0.39	7.4	2	1.7	256	0.94	<0.05	11.9	0.268	0.42	2.8
J596397		3.0	36.9	<0.002	0.02	0.19	5.7	1	1.9	77.7	0.39	<0.05	5.1	0.142	0.18	1.4
J596398		15.5	73.4	0.003	0.04	0.28	7.5	2	2.1	257	1.09	<0.05	12.7	0.261	0.34	3.3
J596399		12.1	81.4	0.002	0.09	0.29	7.6	2	2.1	241	1.20	<0.05	12.1	0.268	0.42	3.2
J596400		13.0	56.2	0.002	<0.01	0.18	5.1	1	1.6	180.0	0.48	<0.05	5.8	0.114	0.39	1.9
J596401		20.3	90.4	0.002	0.03	0.21	6.8	2	1.9	205	1.17	<0.05	13.0	0.244	0.49	3.6
J596402		16.6	93.6	0.003	0.04	0.27	7.2	2	2.1	208	1.13	<0.05	12.2	0.257	0.55	3.2
J596403		15.8	79.8	0.002	0.06	0.24	7.3	2	2.1	228	1.08	<0.05	12.8	0.266	0.43	3.0
J596404		16.5	87.3	0.002	0.01	0.11	7.6	2	2.1	206	1.13	<0.05	12.6	0.277	0.49	3.4
J596405		16.7	86.4	0.003	0.07	0.19	7.5	2	2.1	196.5	1.11	<0.05	13.6	0.266	0.49	3.3
J596406		18.2	92.9	0.002	0.01	0.13	7.3	2	2.2	218	1.13	<0.05	13.9	0.260	0.54	3.4
J596407		15.7	93.1	0.053	0.05	0.14	7.6	2	2.6	196.5	1.13	<0.05	14.6	0.252	0.50	3.8
J596408		6.3	73.1	0.002	0.02	0.20	5.8	2	2.3	87.7	0.90	<0.05	11.6	0.206	0.33	3.2
J596409		11.4	79.7	0.018	0.16	0.23	7.2	2	2.7	154.0	1.13	<0.05	13.2	0.241	0.34	3.6
J596410		9.3	53.9	0.187	2.57	0.29	5.1	3	3.0	55.9	0.60	0.19	9.0	0.159	0.23	2.6
J596411		10.1	88.8	0.003	0.16	0.15	6.6	2	2.3	101.5	0.95	<0.05	11.9	0.239	0.36	3.1
J596412		19.1	108.0	0.006	0.25	0.15	7.2	2	2.1	76.5	0.96	0.05	11.4	0.261	0.49	2.6
J596413		18.9	123.0	0.046	0.58	0.27	8.9	2	2.5	138.0	1.12	0.06	12.9	0.291	0.63	3.2
J596414		20.7	86.8	0.046	0.30	0.31	7.3	3	1.9	216	0.91	0.06	10.8	0.259	0.43	2.7
J596415		36.8	80.1	0.047	1.36	0.44	7.9	3	1.6	153.0	0.76	0.13	12.7	0.237	0.39	3.0
J596416		41.5	106.0	0.049	1.61	0.44	9.6	3	2.5	188.5	0.79	0.10	13.4	0.259	0.51	3.0
J596417		17.2	101.5	0.008	0.03	0.34	7.8	2	1.9	217	1.10	<0.05	12.6	0.273	0.58	3.1
J596418		15.6	102.0	0.002	0.08	0.33	7.7	2	1.9	212	1.05	<0.05	13.2	0.276	0.59	3.5
J596419		18.0	105.5	0.002	0.03	0.37	8.0	2	1.9	222	1.10	<0.05	13.8	0.272	0.65	3.2
J596420		14.1	106.5	<0.002	0.08	0.39	7.2	1	1.9	203	0.88	<0.05	12.3	0.254	0.57	3.0
J596421		15.9	99.5	<0.002	0.24	0.36	7.4	1	2.1	209	0.89	<0.05	12.5	0.259	0.57	2.9
J596422		17.3	107.0	<0.002	0.17	0.40	7.2	1	2.0	214	1.01	<0.05	12.9	0.258	0.61	3.3
J596423		16.5	105.5	<0.002	0.61	0.41	7.7	1	2.3	168.0	1.01	<0.05	13.3	0.255	0.57	3.6
J596424		16.7	97.6	<0.002	0.17	0.40	6.3	1	2.3	201	1.12	<0.05	14.6	0.256	0.51	4.0
J596425		16.7	98.8	<0.002	0.17	0.39	6.9	1	2.4	208	1.08	<0.05	14.0	0.286	0.55	3.7
J596426		16.3	98.7	0.004	0.18	0.37	7.7	1	2.1	199.5	1.04	<0.05	12.8	0.281	0.55	3.0
J596427		18.0	101.0	<0.002	0.60	0.48	7.7	1	2.3	183.0	1.02	0.06	12.2	0.283	0.50	3.3
J596428		16.4	97.3	0.002	0.44	0.48	7.5	1	2.2	177.0	0.97	0.08	12.1	0.282	0.50	3.0
J596429		14.6	99.6	<0.002	0.16	0.43	7.9	1	2.6	186.0	0.94	<0.05	12.1	0.275	0.51	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596390		42	1.1	18.1	49	155.0
J596391		45	1.2	18.7	54	160.0
J596392		43	0.5	17.3	51	166.5
J596393		44	0.6	17.8	52	144.5
J596394		43	2.6	17.4	51	165.0
J596395		42	5.6	17.7	60	161.5
J596396		44	1.5	18.1	54	157.5
J596397		35	4.6	11.1	45	82.0
J596398		43	1.8	18.3	49	146.0
J596399		44	2.9	19.3	48	165.0
J596400		14	1.0	15.8	43	26.8
J596401		38	1.7	17.7	46	139.5
J596402		41	2.2	17.7	47	146.5
J596403		42	1.2	18.1	45	159.5
J596404		44	1.6	18.5	47	192.5
J596405		44	2.1	18.2	45	156.0
J596406		42	0.8	18.2	49	150.0
J596407		41	1.2	18.9	48	164.0
J596408		34	1.8	15.3	30	124.5
J596409		40	3.9	18.9	42	145.0
J596410		29	3.4	11.1	21	104.5
J596411		41	2.8	16.4	35	130.0
J596412		43	3.0	22.5	41	167.0
J596413		50	5.6	20.2	54	166.5
J596414		41	3.1	16.7	62	150.5
J596415		32	38.0	18.9	56	167.0
J596416		54	43.3	20.4	49	199.5
J596417		44	1.1	18.7	52	170.5
J596418		44	2.2	18.5	51	186.0
J596419		44	0.9	18.7	53	174.5
J596420		41	3.1	18.0	47	159.5
J596421		42	6.4	17.3	48	162.0
J596422		42	1.4	18.3	43	159.0
J596423		42	19.6	19.4	40	164.0
J596424		38	2.6	15.9	46	175.0
J596425		42	2.0	16.4	51	203
J596426		42	2.8	21.0	47	206
J596427		39	13.8	21.3	51	193.5
J596428		41	34.5	19.9	47	180.5
J596429		40	35.8	19.9	33	191.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596430		0.85	0.019	0.05	6.96	18.9	760	1.40	0.11	1.74	0.05	87.6	6.5	13	2.79	12.7
J596431		0.83	0.016	0.03	6.95	18.9	780	1.33	0.08	1.74	0.05	91.0	6.9	10	2.83	8.2
J596432		0.62	0.010	0.07	6.82	175.0	780	1.37	0.12	1.55	0.06	85.0	12.7	9	2.27	28.3
J596433		1.06	<0.005	0.04	7.03	23.7	760	1.27	0.07	1.68	0.04	85.6	5.6	10	2.68	6.8
J596434		1.74	<0.005	0.05	6.88	13.0	750	1.44	0.13	1.84	0.06	80.9	7.0	10	2.94	12.0
J596435		1.81	0.023	0.09	7.12	3.3	770	1.39	0.63	1.81	0.05	91.5	6.6	12	3.05	15.1
J596436		1.73	<0.005	0.06	6.93	4.4	760	1.42	0.20	1.63	0.06	83.3	5.9	11	2.69	19.3
J596437		1.72	<0.005	0.03	6.96	5.5	740	1.29	0.05	1.88	0.05	82.7	6.6	10	2.46	6.7
J596438		1.71	<0.005	0.07	7.12	2.0	770	1.34	0.06	1.78	0.05	88.4	6.6	12	2.69	9.2
J596439		1.81	<0.005	0.05	6.99	6.5	760	1.27	0.12	1.73	0.07	83.3	7.0	12	2.92	11.7
J596440		1.67	<0.005	0.07	6.99	2.9	750	1.33	0.06	1.84	0.04	82.6	6.8	11	3.25	8.4
J596441		1.68	<0.005	0.04	6.98	3.8	770	1.16	0.07	1.70	0.05	83.1	6.2	12	2.70	8.4
J596442		0.55	0.011	0.04	6.97	7.5	800	1.28	0.14	1.84	0.06	81.5	6.9	11	2.83	20.7
J596443		0.59	<0.005	0.05	6.74	7.7	770	1.22	0.20	1.34	0.06	70.8	5.0	9	2.12	14.0
J596444		1.21	<0.005	0.07	6.96	5.1	720	1.30	0.12	1.69	0.07	73.1	6.3	11	2.83	13.2
J596445		1.22	0.034	0.04	7.38	5.0	790	1.32	0.20	1.91	0.05	91.4	6.8	10	2.83	18.2
J596446		0.96	0.005	0.10	6.90	6.5	730	1.42	0.42	1.67	0.05	77.3	6.5	11	2.55	32.2
J596447		0.85	<0.005	0.04	6.77	1.0	730	1.34	0.04	1.71	0.04	84.4	6.5	11	2.60	8.6
J596448		1.82	<0.005	0.04	7.01	1.1	790	1.19	0.05	1.68	0.04	81.8	6.1	11	2.34	10.0
J596449		1.71	<0.005	0.03	7.10	1.8	760	1.36	0.03	1.67	0.05	78.2	5.8	10	2.14	7.1
J596450		0.08	8.39	0.43	7.11	2.7	180	1.85	0.09	0.96	0.42	17.00	9.9	38	1.40	16.2
J596451		1.81	0.005	0.05	6.87	2.7	720	1.31	0.06	1.76	0.05	73.3	6.6	8	2.55	9.0
J596452		1.77	<0.005	0.02	6.89	2.2	750	1.28	0.05	1.66	0.04	79.1	6.2	10	2.60	7.3
J596453		1.83	<0.005	0.04	6.86	14.1	760	1.31	0.06	1.52	0.04	79.1	5.4	11	2.70	7.0
J596454		1.20	<0.005	0.03	6.96	9.2	850	1.41	0.05	1.59	0.04	88.0	5.9	8	2.85	7.0
J596455		0.92	<0.005	0.04	6.92	0.7	770	1.25	0.04	1.64	0.05	79.4	5.7	9	2.64	7.5
J596456		0.42	<0.005	0.11	6.17	3.7	390	2.42	7.76	0.65	<0.02	47.2	1.2	4	11.90	5.0
J596457		0.93	<0.005	0.04	7.23	0.9	860	1.17	0.05	1.62	0.05	85.1	5.3	8	2.84	6.4
J596458		1.72	<0.005	0.03	7.64	1.4	800	1.45	0.06	1.73	0.05	92.2	5.6	10	2.84	6.3
J596459		1.80	<0.005	0.02	7.28	4.1	790	1.35	0.06	1.78	0.05	86.0	6.0	8	2.96	6.4
J596460		1.74	<0.005	0.07	7.34	2.0	840	1.31	0.07	1.73	0.04	97.5	5.9	8	2.38	6.6
J596461		1.73	<0.005	0.03	7.46	1.5	810	1.47	0.07	1.78	0.05	94.6	5.9	8	2.81	6.4
J596462		1.77	<0.005	0.05	7.08	2.0	750	1.55	0.09	1.75	0.07	97.2	5.8	8	3.07	9.4
J596463		1.70	<0.005	0.02	7.70	0.9	820	1.54	0.08	1.85	0.05	96.1	6.3	7	3.31	9.0
J596464		1.69	<0.005	0.04	7.62	2.3	800	1.41	0.06	1.86	0.05	89.0	5.8	8	3.33	6.6
J596465		1.74	<0.005	0.04	7.42	2.0	850	1.30	0.06	1.77	0.05	92.6	5.8	8	3.17	7.7
J596466		1.74	<0.005	0.03	7.95	1.6	720	1.65	0.09	2.01	0.05	107.5	6.9	13	4.18	8.0
J596467		1.79	<0.005	0.04	7.54	1.9	850	1.50	0.07	1.76	0.05	94.2	5.9	8	2.90	7.3
J596468		0.81	<0.005	0.02	7.52	17.7	730	1.34	0.07	1.86	0.04	100.5	6.1	8	3.17	7.1
J596469		0.94	0.032	0.25	7.41	1955	840	1.60	0.36	1.69	0.62	85.4	5.1	10	1.71	22.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596430		2.37	17.05	0.13	5.3	0.036	2.67	41.7	27.3	0.47	421	1.06	2.92	12.4	6.2	560
J596431		2.43	16.90	0.13	5.2	0.032	2.55	44.3	26.3	0.47	411	0.75	2.79	12.2	6.3	580
J596432		2.55	16.20	0.13	5.4	0.029	2.61	42.1	25.2	0.44	371	173.0	2.79	12.3	16.5	550
J596433		2.36	16.85	0.14	5.0	0.028	2.51	41.4	26.9	0.46	396	1.77	2.95	12.1	5.8	580
J596434		2.42	17.20	0.13	5.4	0.034	2.47	37.7	24.9	0.48	426	2.45	2.87	12.9	6.7	600
J596435		2.51	16.95	0.14	5.3	0.033	2.56	44.0	22.2	0.48	428	8.10	2.93	12.5	6.5	610
J596436		2.26	16.50	0.13	4.9	0.028	2.59	40.5	20.8	0.44	376	5.37	2.82	12.1	5.9	540
J596437		2.36	17.85	0.13	5.0	0.036	2.37	39.3	24.3	0.44	414	1.03	3.09	12.9	6.0	580
J596438		2.42	17.05	0.13	5.2	0.035	2.68	43.2	22.8	0.47	428	3.71	2.96	12.6	6.2	580
J596439		2.49	17.60	0.14	4.9	0.035	2.65	40.3	22.6	0.47	422	1.25	2.93	12.4	6.5	580
J596440		2.56	17.65	0.12	5.1	0.037	2.48	38.9	23.0	0.50	443	1.54	2.91	12.9	6.5	620
J596441		2.41	16.70	0.13	5.4	0.034	2.61	39.9	22.1	0.47	405	1.12	2.87	12.0	6.0	590
J596442		2.44	16.55	0.14	5.0	0.032	2.74	39.7	20.5	0.52	425	1.92	3.00	12.2	6.5	610
J596443		1.85	15.70	0.12	4.6	0.026	2.98	34.9	15.9	0.36	308	1.34	2.91	10.2	4.5	450
J596444		2.43	17.05	0.13	4.7	0.034	2.61	34.1	21.9	0.48	430	1.08	2.89	12.7	6.1	580
J596445		2.52	17.65	0.13	5.9	0.036	2.78	44.0	21.6	0.50	441	4.20	3.15	13.0	6.3	620
J596446		2.63	16.30	0.14	4.8	0.032	2.67	37.7	15.9	0.46	404	1.20	2.93	11.9	5.6	570
J596447		2.49	16.55	0.14	5.3	0.035	2.54	40.4	22.3	0.48	433	1.10	2.74	12.4	6.3	570
J596448		2.30	16.50	0.13	5.4	0.032	2.69	39.4	19.2	0.44	409	1.05	2.95	12.0	5.5	560
J596449		2.34	16.35	0.13	4.6	0.030	2.69	38.5	18.2	0.44	400	1.16	2.84	11.6	5.5	540
J596450		4.34	18.40	0.13	1.3	0.014	2.26	8.4	1.7	0.95	274	1.96	4.95	9.6	36.8	680
J596451		2.34	16.75	0.13	4.7	0.036	2.53	34.6	21.5	0.48	424	2.01	2.83	12.4	6.0	590
J596452		2.26	15.85	0.14	4.6	0.032	2.59	38.8	21.5	0.46	396	1.17	2.77	11.7	5.6	570
J596453		2.25	16.25	0.13	4.8	0.031	2.80	38.0	21.9	0.44	367	1.35	2.96	12.0	5.5	530
J596454		2.19	16.40	0.14	5.6	0.032	2.90	42.2	21.6	0.44	388	1.07	2.94	12.7	5.4	530
J596455		2.31	16.05	0.14	4.4	0.031	2.54	40.0	20.2	0.44	403	0.76	2.76	11.9	5.7	540
J596456		0.84	16.00	0.06	4.1	0.019	3.25	22.8	4.4	0.07	244	0.86	2.83	15.5	1.4	90
J596457		2.18	17.40	0.09	4.5	0.030	2.83	42.2	22.6	0.42	374	1.08	2.87	11.2	4.8	520
J596458		2.41	18.00	0.09	5.1	0.037	3.05	45.9	23.9	0.46	417	0.92	3.03	12.0	5.4	550
J596459		2.44	17.55	0.10	5.4	0.035	2.71	41.4	26.3	0.48	423	0.95	3.03	12.1	5.6	580
J596460		2.35	17.65	0.12	5.3	0.033	2.74	48.3	24.4	0.47	411	2.15	2.94	12.1	5.3	580
J596461		2.41	18.40	0.12	5.1	0.032	2.75	46.3	22.4	0.47	422	1.14	3.02	12.9	5.5	580
J596462		2.39	17.90	0.11	5.1	0.033	2.71	48.4	20.3	0.48	420	1.31	2.98	12.2	5.6	590
J596463		2.49	18.85	0.10	5.1	0.037	2.85	47.7	18.3	0.49	426	1.23	3.12	12.4	5.8	600
J596464		2.48	17.85	0.10	4.9	0.035	2.76	43.5	18.5	0.48	427	1.14	3.12	12.1	5.5	600
J596465		2.37	17.25	0.10	5.0	0.038	2.76	46.3	17.2	0.47	404	2.25	2.96	11.5	5.7	570
J596466		2.67	19.80	0.13	6.1	0.040	2.63	52.4	23.9	0.54	459	1.19	3.24	14.8	7.0	660
J596467		2.43	18.35	0.10	5.1	0.036	3.00	45.4	26.1	0.48	424	1.13	3.07	12.5	5.5	590
J596468		2.52	18.05	0.10	5.1	0.034	2.51	50.2	28.9	0.50	425	1.46	3.06	12.5	5.8	610
J596469		2.53	17.65	0.11	5.4	0.029	2.87	40.3	19.1	0.50	399	1.97	3.01	12.3	6.4	570

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596430		14.9	114.5	<0.002	0.12	0.33	8.0	1	1.9	196.0	1.03	<0.05	13.1	0.283	0.58	3.3
J596431		17.0	108.5	<0.002	0.05	0.31	7.7	1	1.9	200	0.98	<0.05	12.5	0.288	0.55	3.3
J596432		19.7	104.0	0.016	0.49	0.61	7.3	1	1.8	194.5	0.95	0.05	13.0	0.282	0.52	3.9
J596433		16.7	106.5	<0.002	0.03	0.35	7.7	1	1.8	197.0	0.92	<0.05	12.3	0.285	0.54	2.9
J596434		15.7	105.5	<0.002	0.07	0.23	8.0	1	2.0	200	1.04	<0.05	11.9	0.299	0.55	3.0
J596435		15.3	106.0	<0.002	0.08	0.14	8.0	1	2.1	205	1.03	<0.05	12.5	0.302	0.61	3.3
J596436		15.7	105.0	<0.002	0.08	0.17	7.1	1	2.0	191.0	1.04	<0.05	13.3	0.277	0.55	3.7
J596437		16.1	96.9	<0.002	0.01	0.19	7.8	1	2.0	209	0.99	<0.05	12.5	0.288	0.53	3.2
J596438		17.3	106.5	<0.002	0.01	0.12	7.9	1	2.4	199.5	1.03	<0.05	13.3	0.301	0.59	3.3
J596439		16.7	107.5	<0.002	0.07	0.17	7.7	1	2.2	196.5	0.95	<0.05	12.7	0.292	0.60	3.1
J596440		15.7	106.0	<0.002	0.01	0.15	8.0	1	2.3	207	1.02	<0.05	11.6	0.308	0.57	3.0
J596441		15.5	106.5	<0.002	0.03	0.14	7.5	1	2.0	203	0.89	<0.05	11.6	0.298	0.56	2.7
J596442		14.8	111.0	<0.002	0.22	0.18	8.3	1	2.1	189.0	0.94	<0.05	11.6	0.298	0.60	2.9
J596443		16.6	107.5	<0.002	0.14	0.19	6.1	1	1.7	165.5	0.90	<0.05	15.1	0.228	0.55	4.1
J596444		15.9	105.0	<0.002	0.14	0.18	8.0	1	2.2	188.5	1.12	<0.05	12.4	0.267	0.59	3.6
J596445		15.7	111.0	<0.002	0.21	0.18	8.4	1	2.0	205	1.01	<0.05	13.2	0.305	0.59	3.1
J596446		14.5	108.0	<0.002	0.32	0.19	7.3	1	2.3	190.5	1.01	<0.05	13.2	0.283	0.62	3.5
J596447		15.9	110.5	<0.002	0.01	0.07	7.8	1	2.3	191.5	1.04	<0.05	12.4	0.287	0.58	3.4
J596448		16.2	105.0	<0.002	0.01	0.09	7.0	1	2.1	191.5	0.93	<0.05	13.3	0.283	0.57	2.8
J596449		15.6	104.0	<0.002	<0.01	0.08	6.8	1	2.0	190.5	0.91	<0.05	13.1	0.276	0.55	2.9
J596450		81.3	197.0	<0.002	3.37	0.97	3.4	1	0.9	170.5	0.72	<0.05	2.4	0.261	1.80	0.9
J596451		15.9	105.5	<0.002	0.02	0.12	7.6	1	2.3	193.5	0.98	<0.05	13.1	0.288	0.59	3.2
J596452		15.6	109.5	<0.002	0.01	0.12	7.3	1	2.2	190.0	0.97	<0.05	13.4	0.279	0.58	3.3
J596453		14.7	111.5	<0.002	0.03	0.27	7.2	1	2.2	177.5	1.03	<0.05	13.7	0.268	0.58	3.7
J596454		17.7	113.5	<0.002	0.01	0.23	7.1	1	2.4	188.5	1.11	<0.05	15.3	0.269	0.60	3.9
J596455		16.2	95.9	<0.002	0.01	0.09	6.9	1	2.5	190.0	0.87	<0.05	13.2	0.272	0.56	2.6
J596456		34.0	294	<0.002	<0.01	0.87	2.2	1	3.9	76.9	2.23	<0.05	22.7	0.069	1.66	7.3
J596457		17.6	106.0	<0.002	0.01	0.16	6.3	1	2.0	192.5	0.92	<0.05	12.1	0.269	0.57	2.6
J596458		19.7	118.5	<0.002	0.01	0.12	7.1	1	2.1	195.5	1.12	<0.05	14.3	0.284	0.63	3.7
J596459		17.9	109.5	<0.002	0.01	0.19	7.4	1	2.0	200	1.08	<0.05	13.9	0.294	0.59	3.4
J596460		18.1	113.5	<0.002	0.01	0.15	7.2	1	2.0	199.0	1.06	<0.05	14.2	0.289	0.58	3.8
J596461		18.0	118.5	<0.002	0.01	0.13	7.2	1	2.1	203	1.21	<0.05	14.4	0.291	0.60	3.7
J596462		16.6	119.0	<0.002	0.01	0.12	7.0	1	2.1	197.5	1.18	<0.05	14.3	0.291	0.60	3.5
J596463		17.7	123.5	<0.002	0.01	0.12	7.2	1	2.2	213	1.12	<0.05	13.2	0.299	0.66	2.9
J596464		16.9	115.0	<0.002	<0.01	0.13	7.2	1	2.1	212	1.06	<0.05	13.9	0.305	0.63	3.2
J596465		18.8	119.0	<0.002	0.01	0.12	7.1	1	2.2	204	1.01	<0.05	14.4	0.287	0.67	3.4
J596466		19.1	127.0	<0.002	0.01	0.13	8.2	2	2.7	226	1.39	<0.05	17.4	0.332	0.65	4.4
J596467		19.4	125.5	<0.002	0.01	0.13	6.9	2	2.1	203	1.19	<0.05	15.7	0.294	0.66	3.5
J596468		23.5	114.5	<0.002	0.02	0.24	7.3	1	2.2	220	1.09	<0.05	18.5	0.308	0.59	4.0
J596469		62.3	105.0	<0.002	0.62	1.07	7.1	2	2.3	199.5	1.33	<0.05	15.0	0.279	0.50	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596430		41	1.8	20.8	50	191.0
J596431		41	0.8	20.2	51	189.5
J596432		38	7.7	18.0	46	200
J596433		41	0.9	19.5	51	185.5
J596434		43	6.3	20.7	51	199.5
J596435		44	5.4	20.7	47	202
J596436		39	3.4	20.3	45	180.0
J596437		44	0.5	20.1	51	186.5
J596438		43	0.5	20.3	54	195.0
J596439		43	2.4	19.9	52	188.0
J596440		45	0.7	20.3	56	201
J596441		43	0.7	19.1	55	206
J596442		44	9.0	20.0	47	186.0
J596443		32	4.4	16.4	38	160.5
J596444		41	4.7	21.0	46	170.0
J596445		46	4.7	21.5	49	220
J596446		41	4.3	19.9	39	179.5
J596447		43	0.6	20.6	54	194.0
J596448		40	0.5	18.8	52	207
J596449		39	0.5	18.4	50	175.5
J596450		33	0.2	4.8	45	49.1
J596451		42	0.6	20.0	53	178.5
J596452		40	0.5	19.4	52	166.5
J596453		39	42.1	19.4	47	173.0
J596454		37	0.6	20.6	48	199.5
J596455		39	0.5	19.3	51	172.0
J596456		5	4.9	20.6	28	108.5
J596457		37	0.8	17.8	49	175.5
J596458		40	0.7	20.5	53	184.0
J596459		43	1.0	20.2	55	198.0
J596460		41	1.2	21.0	53	201
J596461		41	0.9	21.4	54	179.0
J596462		42	1.1	21.0	54	183.5
J596463		43	0.8	20.6	57	198.5
J596464		43	0.6	20.0	55	189.5
J596465		41	0.6	19.6	53	181.5
J596466		48	1.1	24.8	62	227
J596467		43	1.0	20.9	54	182.5
J596468		44	0.9	20.9	57	188.0
J596469		40	7.2	21.6	109	183.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596470		0.62	0.898	1.27	7.32	4200	710	1.58	2.77	1.54	18.70	89.0	5.8	8	1.32	16.7
J596471		1.16	<0.005	0.03	7.83	9.0	830	1.41	0.05	1.88	0.07	91.9	5.8	8	2.51	5.4
J596472		1.80	<0.005	0.05	7.38	5.4	810	1.40	0.05	1.79	0.07	94.6	5.8	8	2.59	5.8
J596473		1.69	<0.005	0.03	7.71	7.5	830	1.34	0.05	1.88	0.05	96.5	6.1	9	2.49	5.6
J596474		1.80	<0.005	0.03	7.66	4.7	840	1.42	0.05	1.84	0.04	97.2	5.9	7	2.35	5.2
J596475		0.11	<0.005	0.04	6.67	2.0	930	0.94	0.09	1.39	0.09	29.2	2.0	13	1.59	3.5
J596476		1.82	<0.005	0.04	7.33	29.7	830	1.31	0.05	1.80	0.06	97.9	5.8	9	2.03	8.9
J596477		1.37	0.005	0.05	7.43	61.0	810	1.36	0.04	1.78	0.06	84.3	6.1	8	1.62	3.6
J596478		0.84	<0.005	0.02	7.55	41.1	770	1.48	0.06	1.94	0.07	95.9	6.6	8	1.79	3.2
J596479		1.21	0.037	0.02	7.73	28.2	790	1.54	0.06	1.97	0.07	98.7	5.9	8	1.88	2.3
J596480		0.93	0.021	0.13	7.59	71.6	790	1.31	0.17	1.83	0.10	102.5	6.6	9	1.37	15.5
J596481		0.93	0.089	0.09	7.28	112.5	820	1.29	0.14	1.82	0.19	93.6	5.9	8	1.92	13.8
J596482		1.23	0.005	0.03	7.37	11.3	900	1.28	0.05	1.75	0.05	87.6	5.5	11	2.51	3.7
J596483		1.33	<0.005	0.04	7.40	15.2	830	1.44	0.07	1.76	0.05	83.4	5.1	7	2.96	4.2
J596484		0.71	<0.005	0.01	6.45	4.8	330	1.89	0.09	0.83	0.02	49.4	2.1	5	2.66	3.1
J596485		0.93	<0.005	0.04	7.69	1.7	740	1.78	0.10	1.91	0.05	100.0	6.0	9	3.71	5.1
J596486		1.47	<0.005	0.03	7.88	5.5	840	1.46	0.07	1.91	0.06	92.6	6.1	10	2.87	6.9
J596487		2.05	<0.005	0.02	7.54	8.5	820	1.35	0.06	1.90	0.06	87.4	6.8	9	1.86	5.6
J596488		2.11	0.005	0.03	7.61	26.3	870	1.42	0.08	1.88	0.07	91.3	5.8	12	1.97	8.1
J596489		2.05	<0.005	0.06	7.18	33.2	600	1.55	0.06	1.90	0.07	78.7	5.1	12	2.76	5.0
J596490		2.06	<0.005	0.03	7.26	41.3	760	1.43	0.11	1.79	0.07	89.3	5.3	9	2.61	6.1
J596491		1.83	<0.005	0.02	7.27	28.5	800	1.37	0.07	1.82	0.05	87.9	5.5	9	2.55	4.9
J596492		1.77	<0.005	0.05	7.00	25.5	750	1.35	0.07	1.82	0.05	77.8	6.2	8	2.62	6.3
J596493		0.57	0.019	0.12	7.15	50.8	690	1.46	0.13	1.69	0.07	84.0	5.8	7	2.15	14.2
J596494		0.55	0.018	0.08	5.91	31.0	550	1.38	0.11	1.40	0.06	71.4	3.6	9	1.92	13.1
J596495		0.92	<0.005	0.05	7.10	22.7	780	1.43	0.07	1.76	0.06	82.3	5.9	9	2.54	12.0
J596496		1.54	<0.005	0.02	7.69	8.7	850	1.41	0.06	2.01	0.05	93.0	6.9	9	2.63	6.4
J596497		1.44	<0.005	0.02	7.38	15.8	830	1.31	0.07	1.89	0.07	88.1	6.2	10	2.72	6.1
J596498		0.97	<0.005	0.05	7.02	4.2	790	1.45	0.07	1.78	0.07	82.2	6.4	8	3.07	5.3
J596499		0.37	0.007	0.03	6.49	12.5	270	1.81	0.05	0.94	0.04	53.8	2.4	6	1.78	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596470		2.57	18.05	0.09	5.9	0.089	2.56	44.4	17.3	0.51	407	81.9	2.77	8.2	5.7	580
J596471		2.52	18.15	0.09	5.0	0.036	2.74	46.2	22.6	0.50	431	8.75	3.10	12.1	5.6	610
J596472		2.46	17.55	0.11	5.2	0.036	2.66	45.9	28.8	0.49	423	1.48	3.01	12.5	5.8	600
J596473		2.62	18.15	0.10	5.2	0.037	2.79	49.0	29.2	0.52	447	1.00	3.12	12.5	5.9	620
J596474		2.59	18.15	0.10	5.5	0.037	2.75	47.6	22.6	0.51	437	0.75	3.03	12.6	5.5	620
J596475		1.49	12.70	<0.05	1.0	0.016	2.24	14.0	9.4	0.19	592	0.91	2.75	4.3	1.7	180
J596476		2.48	17.10	0.11	6.1	0.034	2.57	48.1	24.6	0.50	425	0.83	3.19	12.0	5.5	620
J596477		2.48	17.65	0.09	4.9	0.036	2.56	41.0	18.3	0.51	409	1.11	3.10	11.6	5.6	600
J596478		2.61	18.10	0.10	5.4	0.035	2.24	46.7	11.1	0.55	477	0.87	3.07	12.7	5.8	620
J596479		2.52	18.15	0.10	5.3	0.031	2.48	48.0	16.7	0.54	476	0.83	3.10	12.5	5.7	630
J596480		2.63	18.30	0.10	5.5	0.033	2.41	50.8	15.7	0.54	431	0.85	3.31	11.9	5.9	630
J596481		2.29	17.30	0.10	4.9	0.036	2.48	46.0	11.5	0.47	476	1.43	3.36	10.6	5.3	590
J596482		2.41	17.35	0.11	4.9	0.039	2.79	44.2	20.2	0.49	416	1.09	2.79	11.8	5.6	590
J596483		2.41	16.95	0.08	4.2	0.036	2.79	40.6	22.0	0.49	424	1.14	2.88	12.3	5.1	580
J596484		1.16	15.25	0.06	4.9	0.015	3.52	21.7	6.8	0.17	250	0.67	2.59	12.0	1.8	210
J596485		2.62	18.45	0.11	5.1	0.038	2.54	50.2	21.6	0.53	456	0.96	3.05	14.2	6.2	620
J596486		2.62	17.90	0.10	5.7	0.038	2.82	46.5	20.4	0.53	453	0.92	3.07	12.6	6.2	630
J596487		2.52	17.85	0.09	5.7	0.037	2.62	41.9	13.5	0.52	440	0.99	3.00	12.9	5.9	610
J596488		2.58	17.50	0.09	5.1	0.035	2.75	44.7	18.4	0.54	448	1.73	3.04	12.8	6.0	620
J596489		2.31	17.40	0.09	5.4	0.034	2.57	36.6	26.5	0.51	431	0.86	3.01	11.2	7.3	550
J596490		2.41	17.20	0.10	5.6	0.034	2.64	43.6	27.5	0.52	434	1.71	2.93	11.8	5.3	600
J596491		2.51	17.20	0.11	5.2	0.033	2.65	42.6	27.5	0.49	436	1.95	2.90	12.4	5.5	590
J596492		2.48	16.40	0.14	5.5	0.035	2.58	38.7	26.5	0.51	436	1.47	2.88	12.3	6.5	600
J596493		2.40	16.80	0.12	5.6	0.032	2.76	43.3	15.6	0.51	425	1.02	2.93	12.3	5.9	590
J596494		2.24	13.85	0.12	4.3	0.029	2.09	37.2	15.1	0.46	335	1.49	2.30	11.6	4.9	520
J596495		2.41	16.35	0.13	4.6	0.033	2.70	42.2	22.8	0.49	412	1.69	2.90	11.8	6.3	560
J596496		2.69	17.50	0.15	5.1	0.036	2.79	48.1	22.7	0.56	473	1.62	3.08	12.7	6.9	660
J596497		2.58	17.40	0.15	5.4	0.036	2.68	45.8	23.7	0.53	440	1.59	2.97	12.3	6.9	630
J596498		2.44	17.05	0.14	4.8	0.036	2.61	40.8	22.1	0.49	425	2.06	2.87	12.9	6.2	590
J596499		1.32	14.90	0.11	3.9	0.015	3.38	26.0	8.3	0.19	239	0.89	2.78	12.4	2.4	230

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596470		199.5	108.0	0.007	0.85	1.77	7.1	2	2.2	151.5	0.94	0.15	13.9	0.244	0.59	3.9
J596471		20.4	120.0	0.002	0.02	0.22	7.3	2	1.9	222	1.06	<0.05	13.7	0.307	0.57	3.4
J596472		17.0	119.5	<0.002	0.03	0.14	7.2	1	2.0	203	1.11	<0.05	14.2	0.306	0.57	3.7
J596473		18.7	122.5	<0.002	0.02	0.15	7.7	2	2.0	215	1.08	<0.05	14.7	0.312	0.61	3.7
J596474		16.8	113.0	<0.002	0.01	0.14	7.4	1	2.0	221	1.08	<0.05	14.0	0.313	0.55	3.4
J596475		11.4	59.3	<0.002	<0.01	0.17	4.7	1	1.5	181.5	0.43	<0.05	5.6	0.117	0.36	1.8
J596476		16.7	104.5	<0.002	0.08	0.19	7.3	1	1.9	194.0	1.03	<0.05	13.6	0.307	0.51	3.4
J596477		16.0	91.5	<0.002	0.07	0.25	7.2	1	1.8	217	0.99	<0.05	12.5	0.300	0.44	3.5
J596478		17.0	75.5	<0.002	0.07	0.24	7.4	2	1.9	215	1.13	<0.05	14.0	0.315	0.32	3.5
J596479		16.2	90.1	<0.002	0.06	0.25	7.5	1	1.9	224	1.09	<0.05	14.0	0.318	0.43	3.3
J596480		14.9	85.7	<0.002	0.72	0.39	7.6	2	2.0	180.5	1.03	<0.05	13.4	0.309	0.40	3.1
J596481		17.2	84.7	<0.002	0.59	0.34	7.1	2	1.8	165.5	0.96	<0.05	13.3	0.283	0.35	3.2
J596482		17.3	113.5	<0.002	0.03	0.19	7.1	2	1.9	203	1.05	<0.05	13.0	0.294	0.57	3.3
J596483		17.5	125.0	<0.002	0.03	0.23	7.0	1	1.9	198.5	1.11	<0.05	12.6	0.294	0.62	3.2
J596484		27.2	151.0	<0.002	0.02	0.23	2.8	1	2.4	73.2	1.65	<0.05	30.3	0.126	0.70	8.6
J596485		17.5	128.5	<0.002	0.01	0.22	7.5	2	2.3	215	1.50	<0.05	14.1	0.317	0.63	3.8
J596486		18.6	123.0	<0.002	0.01	0.15	7.7	2	2.1	217	1.15	<0.05	14.6	0.311	0.62	3.9
J596487		16.2	93.2	<0.002	0.04	0.17	7.3	1	2.0	218	1.16	<0.05	12.3	0.313	0.42	3.2
J596488		17.5	96.5	<0.002	0.09	0.25	7.6	1	2.1	214	1.17	<0.05	13.2	0.312	0.48	3.4
J596489		16.9	106.5	<0.002	0.05	0.26	7.0	1	1.7	203	1.07	<0.05	13.7	0.263	0.57	4.2
J596490		16.3	110.0	<0.002	0.04	0.31	7.2	1	1.9	202	1.07	<0.05	14.0	0.296	0.60	3.7
J596491		17.6	113.5	<0.002	0.05	0.32	7.3	2	2.0	204	1.18	<0.05	14.6	0.296	0.59	3.9
J596492		15.1	104.5	<0.002	0.04	0.34	8.5	1	1.9	204	1.03	<0.05	11.8	0.301	0.60	3.2
J596493		16.8	108.0	<0.002	0.32	0.40	8.2	1	2.0	182.5	1.14	<0.05	13.9	0.297	0.62	3.8
J596494		14.7	86.1	<0.002	0.21	0.34	7.4	1	2.1	153.5	1.00	<0.05	11.1	0.263	0.51	2.6
J596495		16.5	111.0	<0.002	0.06	0.29	7.6	1	3.1	201	1.04	<0.05	12.3	0.286	0.61	3.1
J596496		15.8	112.0	<0.002	0.01	0.17	9.0	1	2.1	225	1.02	<0.05	12.5	0.335	0.64	2.9
J596497		15.8	111.0	<0.002	0.04	0.22	8.6	1	2.1	216	1.01	<0.05	11.9	0.308	0.62	2.9
J596498		16.3	104.5	<0.002	0.01	0.18	7.8	1	2.1	205	1.17	<0.05	11.9	0.302	0.62	3.1
J596499		17.6	125.5	<0.002	<0.01	0.19	3.2	1	1.9	79.3	1.52	<0.05	20.1	0.131	0.63	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596470		43	13.2	20.2	2170	203
J596471		45	1.7	20.7	58	182.5
J596472		44	1.0	21.3	57	200
J596473		46	0.8	21.7	56	202
J596474		45	0.7	20.7	56	212
J596475		15	0.9	15.3	45	24.2
J596476		44	1.3	20.5	54	237
J596477		44	1.4	19.0	51	182.0
J596478		46	1.2	21.3	53	194.5
J596479		46	1.2	20.7	58	205
J596480		45	13.9	22.1	49	208
J596481		42	8.1	20.3	85	179.5
J596482		43	0.6	20.4	53	188.5
J596483		42	0.6	20.6	53	157.0
J596484		15	1.0	20.6	25	123.0
J596485		45	1.1	23.8	57	190.5
J596486		45	0.7	21.9	58	216
J596487		44	0.8	21.1	54	216
J596488		45	2.8	21.3	53	190.0
J596489		41	2.8	18.8	54	192.5
J596490		43	0.8	20.0	53	205
J596491		45	0.8	20.9	53	183.0
J596492		45	0.8	21.2	51	209
J596493		43	2.9	21.5	50	209
J596494		39	11.7	18.4	47	164.0
J596495		42	1.7	19.9	53	179.0
J596496		50	0.8	21.9	60	201
J596497		46	1.2	21.1	55	206
J596498		45	4.0	20.9	55	190.5
J596499		17	1.4	18.1	26	115.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 26-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037958

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.