ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

CERTIFICATE TB10172915

Project: TPK ROWLANDSON CAMP

P.O. No.:

This report is for 72 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756006		1.78	<0.005	0.10	7.92	26.8	850	1.96	0.08	1.88	0.03	83.7	8.2	29	3.14	12.7
H756007		0.35	<0.005	0.09	7.93	33.4	940	1.83	0.06	2.05	0.03	80.4	8.9	26	2.72	11.3
H756008		0.34	<0.005	0.07	7.47	21.5	720	1.55	0.09	1.93	0.02	77.0	9.7	24	2.19	17.4
H756009		0.45	<0.005	0.07	7.66	7.5	810	1.48	0.05	1.87	0.03	72.7	8.2	25	3.35	9.7
H756010		1.70	<0.005	0.07	7.75	18.3	790	1.61	0.05	2.01	0.02	70.4	8.4	28	2.82	10.3
H756020		1.01	<0.005	0.07	7.67	3.5	910	1.47	0.05	1.90	0.03	75.5	8.5	30	2.91	12.3
H756021		1.04	<0.005	0.06	7.95	4.4	890	1.43	0.04	1.97	0.03	79.1	8.8	29	3.44	11.5
H756022		0.42	0.006	0.08	7.93	83.1	870	1.37	0.08	1.81	0.04	71.6	8.1	31	2.12	10.8
H756023		1.69	<0.005	0.11	7.57	13.7	780	1.46	0.04	1.95	0.02	73.8	8.0	29	3.39	12.0
H756024		0.53	<0.005	0.07	8.04	8.8	850	1.47	0.04	2.09	0.03	78.8	8.9	27	3.82	12.0
H756025		0.38	<0.005	0.06	8.09	21.9	800	1.51	0.03	1.86	0.02	71.5	7.8	26	3.17	10.6
H756026		1.42	<0.005	0.07	7.99	17.0	730	1.46	0.03	2.07	0.02	75.7	8.9	31	3.71	12.6
H756027		1.77	<0.005	0.07	7.61	13.9	750	1.31	0.05	2.03	0.02	76.0	8.5	26	3.41	10.7
H756028		1.73	<0.005	0.07	7.25	26.9	740	1.37	0.05	1.67	0.03	73.5	7.3	24	2.04	15.3
H756076		1.70	<0.005	0.06	7.62	0.8	740	1.33	0.04	1.91	0.02	77.3	7.8	24	3.01	9.9
H756077		1.13	<0.005	0.06	7.27	2.6	730	1.33	0.04	1.88	0.03	74.3	7.3	22	2.94	9.0
H756078		1.29	<0.005	0.06	7.63	2.7	800	1.45	0.04	1.95	0.02	77.6	8.2	23	3.12	9.4
H756079		0.37	0.015	0.07	7.50	47.5	800	1.40	0.08	1.95	0.04	79.9	7.3	22	2.77	10.9
H756080		1.89	<0.005	0.08	7.77	22.3	790	1.39	0.07	1.89	0.03	81.5	8.1	23	3.11	9.4
H756081		1.63	<0.005	0.07	7.28	19.8	790	1.34	0.07	1.79	0.06	74.1	8.2	21	2.83	6.8
H756082		0.82	0.016	0.09	7.25	38.9	710	1.35	0.16	2.47	0.06	81.4	6.5	19	2.27	67.2
H756083		1.74	<0.005	0.05	7.67	32.7	760	1.39	0.08	1.88	0.03	85.2	9.6	22	3.13	6.4
H756084		1.70	<0.005	0.09	7.77	217	790	1.42	0.07	1.99	0.02	79.7	8.0	27	3.42	10.0
H756085		1.73	<0.005	0.06	7.60	3.5	710	1.40	0.05	1.97	0.03	75.8	8.1	27	3.51	9.4
H756086		1.67	<0.005	0.07	6.90	5.2	650	1.47	0.06	1.51	0.02	67.5	6.5	19	2.95	10.1
H756087		1.22	<0.005	0.06	6.91	5.1	660	1.28	0.05	1.58	<0.02	53.1	5.6	20	2.37	8.0
H756088		0.58	0.006	0.07	6.76	3.2	540	1.35	0.08	1.25	0.03	53.4	4.6	15	2.17	10.0
H756089		0.34	0.035	0.22	6.70	6650	640	1.43	0.15	1.56	0.03	55.0	16.1	20	2.05	8.3
H756090		0.07	1.220	0.84	8.22	6.6	110	2.24	0.69	0.89	0.12	15.25	8.8	31	20.3	12.8
H756091		0.60	0.035	0.08	7.25	15.6	650	1.68	0.06	1.92	0.03	74.1	7.9	25	3.84	9.5
H756092		1.40	<0.005	0.08	7.02	28.9	690	1.54	0.07	1.70	0.03	72.3	7.2	21	3.26	11.9
H756093		1.83	<0.005	0.06	6.95	2.1	690	1.50	0.07	1.77	0.02	70.9	7.8	24	3.41	9.7
H756094		1.73	<0.005	0.06	6.96	14.4	730	1.51	0.06	1.80	0.03	70.8	7.5	23	3.37	9.3
H756095		1.82	<0.005	0.06	7.07	1.5	750	1.47	0.06	1.85	0.04	74.7	7.1	25	3.42	9.1
H756096		1.64	<0.005	0.07	7.22	7.7	740	1.62	0.07	1.91	0.03	76.4	8.4	25	3.65	9.1
H756097		0.40	0.013	0.07	7.15	25.1	890	1.58	0.08	1.79	0.05	72.1	8.8	20	3.02	9.9
H756098		1.52	<0.005	0.07	7.06	3.4	710	1.77	0.06	1.83	0.03	72.3	7.4	29	2.83	10.2
H756099		1.70	<0.005	0.08	7.09	2.7	680	1.55	0.06	1.83	0.03	70.8	7.1	22	2.91	10.0
H756114		1.17	<0.005	0.06	7.09	4.9	720	1.42	0.06	1.77	0.02	73.6	6.8	21	2.78	9.8
H756115		0.52	<0.005	0.08	7.11	33.4	730	1.48	0.07	1.79	0.04	74.2	8.5	23	2.80	14.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756006		2.48	19.05	0.09	5.2	0.032	2.85	42.2	30.0	0.76	428	0.37	2.99	13.5	18.7	570
H756007		2.52	19.10	0.10	5.3	0.033	2.67	39.2	31.6	0.79	447	0.33	3.00	13.1	19.5	600
H756008		2.62	17.95	0.10	4.9	0.040	2.23	37.0	29.5	0.86	547	0.50	3.21	11.4	18.5	690
H756009		2.37	17.90	0.10	4.4	0.031	2.77	35.8	24.7	0.72	411	0.24	2.65	11.9	18.0	530
H756010		2.53	18.15	0.10	5.0	0.033	2.62	33.9	24.5	0.77	445	0.30	2.87	11.8	17.7	580
H756020		2.54	18.60	0.12	4.4	0.033	2.96	37.0	23.7	0.77	427	0.47	2.81	11.8	18.6	590
H756021		2.57	18.80	0.11	5.3	0.032	2.74	39.4	27.2	0.80	441	0.42	2.93	11.8	19.7	600
H756022		2.72	18.95	0.09	5.2	0.032	2.74	34.0	22.3	0.88	557	0.34	3.62	12.3	18.7	660
H756023		2.54	17.60	0.11	4.9	0.030	2.67	35.5	25.0	0.79	435	0.49	2.80	11.1	17.5	580
H756024		2.70	19.15	0.12	5.2	0.036	2.81	38.2	31.8	0.83	451	2.33	2.99	11.6	19.4	610
H756025		2.73	18.85	0.11	5.0	0.034	2.64	34.8	33.9	0.82	429	0.63	3.49	12.2	19.1	640
H756026		2.71	18.30	0.12	4.5	0.033	2.57	37.0	29.2	0.85	456	1.85	2.97	11.6	19.5	610
H756027		2.54	17.35	0.11	4.6	0.033	2.53	37.3	24.3	0.79	443	0.59	2.77	11.3	17.5	590
H756028		2.35	16.65	0.12	4.6	0.028	2.17	37.0	20.2	0.74	472	0.85	2.91	10.6	16.3	550
H756076		2.55	17.40	0.11	5.0	0.034	2.58	37.9	34.3	0.71	433	1.13	2.86	11.0	14.7	590
H756077		2.47	16.90	0.10	4.9	0.031	2.54	35.5	36.3	0.68	424	1.96	2.79	11.2	13.5	570
H756078		2.66	18.10	0.13	5.0	0.035	2.69	37.9	39.6	0.73	450	5.42	2.92	11.6	14.7	600
H756079		2.51	16.80	0.13	4.5	0.030	2.64	39.5	32.3	0.70	421	19.05	2.84	10.9	13.4	570
H756080		2.61	17.50	0.13	5.1	0.036	2.70	40.1	44.7	0.77	445	5.51	2.82	11.8	14.5	620
H756081		2.37	16.85	0.10	5.1	0.029	2.60	35.5	35.4	0.69	405	149.0	2.74	11.1	13.1	570
H756082		2.36	16.30	0.12	4.6	0.030	2.15	40.8	19.1	0.69	468	15.95	3.39	10.3	11.7	540
H756083		2.42	17.10	0.11	4.0	0.030	2.43	42.9	34.8	0.74	410	2.95	2.87	10.9	14.8	590
H756084		2.56	17.20	0.13	4.1	0.033	2.55	41.0	38.0	0.79	429	2.39	2.76	10.5	16.9	590
H756085		2.52	17.10	0.11	4.5	0.033	2.45	37.3	34.4	0.80	428	0.56	2.80	10.3	18.0	580
H756086		1.93	17.45	0.08	4.3	0.024	2.74	32.9	32.7	0.56	331	0.49	2.63	9.8	15.5	420
H756087		1.84	16.75	0.09	4.0	0.023	2.67	25.4	33.3	0.52	325	0.76	2.61	9.2	12.9	400
H756088		1.65	16.15	0.07	3.4	0.017	3.06	25.4	26.9	0.41	275	0.88	2.56	9.5	9.5	310
H756089		2.34	16.65	0.08	4.2	0.034	2.62	26.9	28.8	0.60	344	0.78	2.58	9.0	16.6	450
H756090		4.05	19.70	0.11	1.3	0.012	2.49	7.6	5.4	0.83	244	1.97	5.01	8.7	35.6	690
H756091		2.49	18.85	0.15	5.5	0.030	2.42	35.9	40.6	0.74	426	3.28	2.66	11.7	19.7	560
H756092		2.25	17.45	0.11	4.8	0.029	2.60	35.4	35.5	0.66	390	6.02	2.75	11.1	15.5	520
H756093		2.33	17.90	0.11	4.9	0.030	2.45	34.9	31.1	0.66	401	5.22	2.66	10.9	16.5	530
H756094		2.34	17.85	0.13	5.7	0.032	2.48	33.3	31.3	0.66	401	2.80	2.71	11.2	16.3	560
H756095		2.38	17.20	0.09	5.1	0.032	2.49	35.6	29.0	0.67	408	0.95	2.78	11.0	16.0	560
H756096		2.46	17.85	0.14	4.8	0.033	2.43	36.8	36.3	0.69	424	1.11	2.75	11.4	17.1	590
H756097		2.31	17.60	0.13	4.9	0.031	2.84	35.0	34.4	0.64	398	1.25	2.73	10.7	15.9	550
H756098		2.37	17.80	0.13	5.6	0.030	2.50	34.5	32.6	0.66	413	0.59	2.68	12.7	16.2	550
H756099		2.31	17.55	0.14	4.9	0.030	2.52	33.7	30.6	0.63	406	0.63	2.75	11.4	15.2	560
H756114		2.30	16.85	0.12	4.3	0.029	2.48	36.5	29.6	0.64	394	0.77	2.70	10.6	15.2	530
H756115		2.40	17.40	0.11	4.5	0.027	2.51	36.1	39.4	0.66	403	3.69	2.69	11.0	16.7	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756006		18.3	127.0	<0.002	0.09	0.26	8.5	1	2.4	223	1.48	<0.05	16.4	0.284	0.73	4.8
H756007		18.6	112.0	<0.002	0.06	0.26	9.4	1	2.4	251	1.40	<0.05	15.0	0.287	0.70	4.4
H756008		12.9	86.0	<0.002	0.19	0.26	8.5	1	2.2	242	0.87	<0.05	9.3	0.333	0.52	2.2
H756009		17.8	127.5	<0.002	0.01	0.13	8.4	1	2.2	218	1.08	<0.05	14.1	0.275	0.77	3.5
H756010		16.2	112.0	<0.002	0.03	0.18	8.6	1	2.4	231	1.09	<0.05	15.9	0.290	0.70	3.6
H756020		17.6	125.5	<0.002	0.01	0.12	8.2	1	2.1	234	1.06	<0.05	12.3	0.291	0.74	3.2
H756021		17.6	122.5	<0.002	0.01	0.09	9.0	1	2.1	245	0.92	<0.05	14.4	0.298	0.76	3.0
H756022		14.2	94.5	<0.002	0.03	0.38	9.2	1	2.3	233	0.97	<0.05	12.4	0.324	0.55	2.6
H756023		16.8	115.0	<0.002	0.01	0.11	8.5	1	2.1	234	1.01	<0.05	13.4	0.290	0.70	3.1
H756024		17.4	122.5	<0.002	0.01	0.14	8.9	1	2.2	255	1.00	<0.05	13.6	0.304	0.75	3.1
H756025		21.8	117.0	<0.002	0.01	0.19	9.5	1	2.3	232	1.07	<0.05	14.0	0.305	0.70	3.2
H756026		16.1	121.0	<0.002	0.02	0.15	8.8	1	2.1	246	1.01	<0.05	13.5	0.307	0.70	3.1
H756027		15.0	110.0	<0.002	0.01	0.13	8.4	1	2.1	242	0.94	<0.05	11.7	0.292	0.65	2.8
H756028		14.2	87.7	<0.002	0.02	0.26	7.9	1	1.9	239	0.85	<0.05	11.5	0.275	0.47	2.6
H756076		15.0	116.0	<0.002	0.01	0.07	8.5	1	1.9	222	0.85	<0.05	12.8	0.298	0.66	2.7
H756077		14.7	111.0	<0.002	0.01	0.13	7.9	1	1.9	209	0.90	<0.05	12.4	0.291	0.64	2.5
H756078		15.1	115.5	<0.002	0.01	0.09	8.8	1	2.1	229	0.91	<0.05	12.0	0.300	0.69	2.4
H756079		18.0	112.0	0.002	0.14	0.21	8.2	1	1.9	224	0.85	<0.05	12.0	0.294	0.62	2.6
H756080		13.2	117.5	<0.002	0.02	0.13	8.6	1	1.9	218	1.01	<0.05	13.4	0.311	0.66	3.1
H756081		12.8	108.0	0.015	0.03	0.12	8.0	1	1.8	214	0.88	<0.05	12.1	0.281	0.63	2.6
H756082		15.5	89.4	0.002	0.30	0.26	7.7	1	2.9	205	0.81	<0.05	11.2	0.270	0.53	2.5
H756083		12.9	115.0	<0.002	0.04	0.15	8.3	2	1.8	232	0.86	<0.05	12.3	0.294	0.63	2.7
H756084		13.1	123.0	<0.002	0.03	0.15	8.3	1	1.9	238	0.85	<0.05	11.5	0.298	0.66	2.6
H756085		13.1	119.0	<0.002	0.01	0.07	8.4	1	2.0	237	0.82	<0.05	10.7	0.278	0.67	2.6
H756086		15.4	122.5	<0.002	0.03	0.11	6.2	1	1.7	185.0	0.89	<0.05	12.4	0.221	0.67	2.8
H756087		14.0	112.0	<0.002	0.02	0.08	5.7	1	1.4	187.5	0.78	<0.05	10.4	0.212	0.60	2.4
H756088		13.9	129.5	<0.002	0.04	0.10	4.7	1	1.2	153.5	1.16	<0.05	13.5	0.187	0.64	3.3
H756089		20.4	109.0	<0.002	0.50	2.23	6.4	1	1.8	168.0	0.79	0.12	9.3	0.226	0.53	2.4
H756090		73.8	620	<0.002	3.28	1.28	3.3	1	1.0	170.5	0.68	<0.05	2.4	0.229	6.42	1.2
H756091		15.3	122.5	<0.002	0.03	0.14	8.0	1	2.0	215	1.08	<0.05	12.9	0.278	0.69	3.3
H756092		15.2	118.5	<0.002	0.04	0.16	7.3	1	1.8	203	1.02	<0.05	12.1	0.269	0.64	3.1
H756093		13.4	115.0	<0.002	0.01	0.07	7.6	1	1.9	208	0.95	<0.05	11.2	0.271	0.65	2.7
H756094		13.9	113.5	<0.002	0.02	0.07	7.8	1	1.9	210	0.95	<0.05	11.0	0.276	0.64	2.7
H756095		14.3	111.5	<0.002	0.01	0.07	7.4	2	1.9	218	0.88	<0.05	10.8	0.277	0.64	2.5
H756096		13.6	116.0	<0.002	0.01	0.08	8.0	1	1.9	217	0.93	<0.05	11.7	0.299	0.64	2.7
H756097		17.3	122.0	<0.002	0.07	0.16	7.7	1	1.8	214	0.91	<0.05	10.8	0.274	0.64	2.4
H756098		17.4	117.0	<0.002	0.01	0.10	7.6	1	1.9	208	1.33	<0.05	13.4	0.281	0.62	4.1
H756099		16.2	119.0	<0.002	0.01	0.07	7.3	1	1.9	205	1.03	<0.05	12.6	0.275	0.66	3.0
H756114		15.8	108.5	<0.002	0.01	0.10	7.2	1	1.7	207	1.06	<0.05	12.3	0.268	0.60	3.1
H756115		15.5	107.5	<0.002	0.03	0.20	7.4	1	1.8	209	0.95	<0.05	11.6	0.273	0.62	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756006		45	1.8	20.0	50	163.0
H756007		47	1.9	20.2	55	173.0
H756008		53	2.5	16.4	52	181.5
H756009		42	0.5	18.3	53	145.5
H756010		45	0.7	18.5	55	165.0
H756020		47	0.4	17.4	55	147.5
H756021		47	0.4	18.5	57	185.5
H756022		50	0.8	17.3	64	185.5
H756023		46	0.5	17.4	56	162.5
H756024		49	0.6	18.4	61	175.5
H756025		50	0.5	18.8	62	173.0
H756026		48	0.5	18.8	58	157.0
H756027		45	0.7	18.1	56	166.5
H756028		43	0.9	16.9	61	167.5
H756076		45	0.4	17.9	53	175.0
H756077		43	0.5	17.3	51	173.0
H756078		46	0.6	18.1	54	181.0
H756079		45	1.4	17.3	45	159.5
H756080		46	1.0	18.9	50	178.5
H756081		43	0.9	17.2	46	185.5
H756082		41	2.5	16.7	79	163.5
H756083		43	0.9	17.6	47	143.0
H756084		45	1.1	17.4	52	149.0
H756085		44	0.6	17.3	53	164.5
H756086		32	0.9	15.5	42	140.0
H756087		31	0.8	14.4	37	137.5
H756088		24	3.3	13.0	32	109.5
H756089		36	8.4	15.4	28	149.5
H756090		27	0.2	5.0	39	46.5
H756091		42	0.7	19.9	52	182.5
H756092		40	0.7	18.0	48	172.5
H756093		42	0.7	18.4	49	168.0
H756094		42	0.8	18.4	47	195.5
H756095		43	0.6	18.3	50	189.0
H756096		45	0.6	19.1	51	171.5
H756097		41	1.4	18.1	49	172.0
H756098		43	0.5	20.5	51	178.0
H756099		41	0.5	18.5	51	165.0
H756114		40	0.6	17.9	49	142.5
H756115		42	0.7	17.6	50	156.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756116		0.42	0.024	0.06	6.80	2270	600	1.29	0.09	1.68	0.02	62.5	7.6	20	2.07	12.0
H756117		0.88	0.008	0.06	6.98	107.5	730	1.40	0.09	1.68	0.04	71.2	7.0	21	2.65	10.7
H756118		1.79	<0.005	0.08	7.09	47.6	710	1.31	0.07	1.79	0.03	74.0	7.2	23	2.57	11.4
H756133		1.88	<0.005	0.07	7.00	4.0	640	1.48	0.07	1.99	0.04	72.6	7.9	27	2.86	9.8
H756134		0.82	<0.005	0.07	7.26	17.1	650	1.54	0.07	1.99	0.04	81.3	8.1	28	2.95	10.3
H756135		0.81	<0.005	0.07	7.01	0.5	620	1.40	0.06	1.95	0.04	79.1	7.8	31	2.84	9.6
H756136		1.28	<0.005	0.07	7.34	2.2	640	1.59	0.08	1.89	0.03	70.8	7.8	27	3.18	10.5
H756137		0.32	<0.005	0.05	6.27	10.2	770	1.15	0.04	2.76	0.04	48.6	6.3	22	2.61	4.7
H756138		1.92	<0.005	0.10	7.18	1.2	690	1.38	0.06	1.78	0.03	67.8	7.4	26	2.27	8.8
H756139		1.24	<0.005	0.23	7.04	3.6	700	1.43	0.07	1.88	0.03	70.7	7.6	25	2.47	9.7
H756140		0.39	<0.005	0.09	7.30	8.8	660	1.48	0.04	1.93	<0.02	66.8	6.2	23	2.59	6.4
H756141		1.27	<0.005	0.06	7.05	6.5	680	1.44	0.05	1.80	0.02	75.5	7.4	29	2.85	8.9
H756142		1.69	<0.005	0.05	6.79	4.2	710	1.39	0.05	1.74	0.02	66.4	7.2	30	2.60	9.1
H756148		1.86	<0.005	0.06	6.81	5.0	680	1.56	0.08	1.81	0.02	66.6	7.5	30	3.14	9.4
H756149		1.02	<0.005	0.06	6.92	6.4	540	1.46	0.06	1.81	0.03	76.1	7.0	28	3.07	6.3
H756150		0.08	NSS	0.77	8.28	3.1	100	2.25	1.02	0.88	0.13	15.85	7.5	29	31.7	10.8
H756151		0.35	<0.005	0.06	7.57	7.0	870	1.89	0.06	2.26	0.06	92.2	7.7	26	2.89	11.6
H756152		1.04	<0.005	0.05	6.87	3.4	870	1.34	0.06	1.64	0.02	53.0	6.5	24	3.09	9.4
H756153		1.66	<0.005	0.07	7.31	4.1	700	1.78	0.06	1.94	0.04	67.6	8.1	29	3.06	9.7
H756170		1.18	<0.005	0.05	7.30	1.3	690	1.54	0.07	1.99	0.03	73.5	8.0	27	3.55	9.8
H756171		0.65	<0.005	0.09	7.20	4.9	710	1.61	0.07	1.97	0.03	65.3	8.2	25	3.24	11.3
H756172		0.35	<0.005	0.15	7.22	23.2	680	1.54	0.10	2.76	0.15	69.8	10.6	26	3.41	45.6
H756173		0.85	<0.005	0.09	7.11	1.5	710	1.50	0.05	1.90	0.02	66.7	8.5	30	3.34	9.3
H756174		1.75	<0.005	0.07	7.04	<0.2	660	1.43	0.05	1.91	0.03	67.3	8.5	30	3.13	9.0
H756175		1.82	<0.005	0.07	7.00	1.2	640	1.39	0.05	1.94	0.03	66.0	8.5	30	3.24	10.2
H756182		1.80	<0.005	0.07	7.13	4.2	690	1.46	0.05	1.92	0.03	65.6	8.7	30	4.80	9.1
H756183		1.23	<0.005	0.08	7.37	2.7	720	1.41	0.06	2.05	0.03	66.9	8.9	28	4.66	9.9
H756184		0.85	<0.005	0.09	7.13	4.8	660	1.42	0.06	1.90	0.03	65.4	8.5	27	4.49	10.1
H756185		0.38	<0.005	0.06	6.87	13.2	750	1.48	0.05	1.39	0.03	53.9	4.9	25	3.46	8.1
H756186		0.51	<0.005	0.09	7.12	10.4	680	1.57	0.08	2.03	0.04	60.2	8.3	26	5.72	16.7
H756187		1.78	<0.005	0.07	7.46	3.3	700	1.71	0.12	2.03	0.03	69.0	8.5	31	7.10	10.9
H756188		1.78	<0.005	0.07	7.33	2.1	720	1.52	0.10	1.95	0.03	68.4	7.9	29	7.52	8.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
H756116		2.22	16.05	0.11	4.3	0.030	2.29	30.3	25.9	0.67	375	0.87	3.04	10.8	18.5	530
H756117		2.23	17.95	0.13	4.9	0.030	2.71	34.1	32.4	0.65	379	1.02	2.67	11.4	15.5	540
H756118		2.30	17.15	0.13	5.1	0.030	2.48	36.1	27.8	0.65	392	0.72	2.74	10.9	15.7	550
H756133		2.42	16.85	0.10	4.7	0.029	2.35	34.9	30.1	0.74	415	0.49	2.70	10.5	19.5	570
H756134		2.49	17.45	0.12	5.0	0.030	2.42	39.1	29.1	0.77	423	0.47	2.79	10.7	20.1	580
H756135		2.44	16.70	0.12	4.3	0.033	2.31	37.9	27.8	0.78	419	0.42	2.69	10.6	20.1	580
H756136		2.40	16.90	0.13	5.0	0.032	2.46	34.2	33.4	0.76	401	0.43	2.70	10.8	19.2	570
H756137		2.14	14.80	0.10	3.9	0.027	2.71	23.0	38.7	0.68	444	0.59	2.61	10.4	15.6	420
H756138		2.27	17.30	0.12	4.4	0.028	2.67	32.3	28.3	0.68	390	0.62	2.74	10.3	17.3	530
H756139		2.35	17.35	0.12	4.7	0.030	2.50	33.0	33.9	0.70	407	0.62	2.69	10.8	17.4	560
H756140		2.35	17.55	0.12	4.9	0.028	2.53	31.9	42.5	0.69	403	0.55	3.17	10.9	16.5	540
H756141		2.37	16.65	0.12	4.8	0.029	2.45	37.4	41.6	0.70	392	0.58	2.64	10.8	17.1	530
H756142		2.28	16.40	0.13	4.6	0.030	2.33	31.5	40.2	0.69	384	0.58	2.71	10.1	17.2	550
H756148		2.32	17.10	0.13	4.5	0.030	2.41	31.7	35.5	0.69	404	0.57	2.64	11.4	17.5	540
H756149		2.24	16.35	0.14	5.3	0.027	2.23	38.5	39.6	0.68	402	0.44	3.05	11.4	17.3	540
H756150		3.44	18.50	0.08	1.5	0.010	2.08	7.9	7.3	0.68	237	0.94	5.69	8.2	27.1	700
H756151		2.21	20.5	0.12	5.1	0.047	2.71	43.8	36.5	0.66	424	1.16	3.31	13.9	17.8	630
H756152		2.16	15.55	0.12	3.7	0.026	2.63	25.0	37.2	0.62	376	1.03	2.61	10.6	15.3	510
H756153		2.38	18.15	0.14	4.9	0.032	2.40	31.8	38.3	0.73	405	0.64	2.91	12.5	18.7	580
H756170		2.47	17.35	0.12	4.3	0.031	2.39	35.2	34.2	0.74	410	0.61	2.83	11.2	18.6	610
H756171		2.38	17.85	0.11	4.7	0.033	2.44	30.3	39.2	0.68	400	0.87	2.78	11.9	17.9	580
H756172		3.00	19.20	0.14	5.2	0.036	2.62	33.3	32.5	0.95	580	0.71	2.88	11.4	19.2	560
H756173		2.38	17.60	0.11	4.5	0.030	2.44	31.8	37.6	0.73	406	0.47	2.64	11.3	20.1	570
H756174		2.35	16.85	0.13	4.4	0.030	2.34	32.2	29.6	0.73	401	0.67	2.72	10.7	19.7	550
H756175		2.34	17.75	0.11	4.6	0.031	2.33	30.9	31.2	0.71	399	0.55	2.81	10.8	19.5	560
H756182		2.48	17.25	0.12	4.5	0.034	2.37	31.0	39.4	0.76	413	0.81	2.81	11.1	19.9	580
H756183		2.45	18.30	0.11	4.9	0.032	2.42	31.7	35.6	0.75	411	0.90	2.86	11.3	19.9	580
H756184		2.38	17.15	0.12	4.8	0.029	2.50	31.1	37.3	0.71	394	0.64	2.72	10.7	19.1	540
H756185		1.96	18.35	0.09	5.1	0.041	2.80	25.5	31.4	0.60	315	0.60	2.69	10.1	13.3	530
H756186		2.43	17.75	0.11	4.4	0.030	2.50	27.2	39.1	0.72	409	0.70	2.90	11.4	20.2	570
H756187		2.45	18.80	0.13	4.7	0.032	2.54	32.0	39.2	0.75	433	0.84	2.92	12.5	20.5	580
H756188		2.32	18.05	0.12	5.1	0.031	2.69	32.1	31.9	0.70	407	0.94	2.84	12.3	17.7	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756116		12.9	98.6	<0.002	0.25	0.79	7.1	2	1.9	170.0	0.89	<0.05	9.5	0.263	0.52	2.2
H756117		14.4	112.5	<0.002	0.07	0.20	7.6	1	1.9	211	0.97	<0.05	11.4	0.268	0.62	2.9
H756118		14.3	105.0	<0.002	0.03	0.12	7.7	2	1.8	213	0.90	<0.05	10.7	0.275	0.60	2.5
H756133		15.1	104.5	<0.002	0.02	0.09	7.5	1	1.8	220	0.88	<0.05	11.3	0.284	0.63	2.5
H756134		15.9	109.5	<0.002	0.01	0.08	7.8	1	1.9	226	0.92	<0.05	12.2	0.285	0.63	2.6
H756135		15.1	105.0	<0.002	0.01	0.08	7.8	1	1.9	218	0.89	<0.05	11.7	0.280	0.62	2.5
H756136		14.8	113.0	<0.002	0.01	0.10	7.5	1	1.9	224	1.03	<0.05	10.4	0.280	0.63	3.3
H756137		13.6	109.0	<0.002	0.01	0.16	6.5	1	1.7	177.5	0.96	<0.05	8.8	0.241	0.64	3.0
H756138		15.8	107.0	<0.002	0.01	0.08	7.1	1	1.7	209	0.83	<0.05	11.5	0.263	0.63	2.7
H756139		15.3	103.0	<0.002	0.01	0.10	7.5	1	1.8	211	0.94	<0.05	10.6	0.278	0.60	2.7
H756140		13.4	108.0	<0.002	0.01	0.19	7.6	1	1.8	202	0.94	<0.05	11.9	0.272	0.61	2.8
H756141		14.4	110.5	<0.002	0.01	0.17	7.3	1	1.7	205	0.92	<0.05	13.6	0.277	0.60	2.8
H756142		12.1	96.9	<0.002	0.01	0.14	7.0	1	1.7	208	0.79	<0.05	10.9	0.273	0.57	2.4
H756148		15.1	107.0	<0.002	0.01	0.25	7.1	1	1.9	209	1.14	<0.05	11.7	0.276	0.63	3.1
H756149		13.3	117.5	<0.002	0.01	0.24	7.4	1	1.9	188.0	1.04	<0.05	12.8	0.267	0.63	3.2
H756150		70.4	840	<0.002	2.76	1.23	3.2	1	1.0	166.0	0.77	<0.05	2.6	0.218	8.63	1.1
H756151		22.2	118.0	<0.002	0.08	0.21	9.1	2	2.7	257	1.30	<0.05	12.1	0.315	0.65	2.8
H756152		15.0	126.0	<0.002	0.01	0.21	6.6	2	1.7	206	1.00	<0.05	10.7	0.253	0.64	3.1
H756153		17.3	115.5	<0.002	0.04	0.22	7.9	1	2.0	229	1.26	<0.05	12.8	0.279	0.65	4.0
H756170		15.3	102.5	<0.002	0.01	0.15	7.7	1	1.8	237	1.02	<0.05	12.0	0.291	0.58	3.0
H756171		16.9	103.5	<0.002	0.01	0.25	7.8	2	1.9	231	1.16	<0.05	10.7	0.282	0.61	3.2
H756172		15.1	116.5	<0.002	0.29	0.25	8.9	2	2.1	193.0	1.01	<0.05	11.7	0.280	0.68	3.3
H756173		15.9	105.5	<0.002	0.01	0.15	8.0	1	1.8	223	1.05	<0.05	11.5	0.283	0.62	3.0
H756174		14.9	97.9	<0.002	0.01	0.11	7.8	1	1.7	223	0.98	<0.05	11.7	0.274	0.56	2.7
H756175		15.3	97.5	<0.002	0.01	0.15	7.7	1	1.7	221	0.97	<0.05	11.3	0.273	0.59	2.7
H756182		14.4	106.0	<0.002	0.01	0.20	8.1	1	1.8	227	0.94	<0.05	10.7	0.285	0.58	2.6
H756183		15.9	102.5	<0.002	0.01	0.18	8.3	1	1.8	243	1.00	<0.05	10.5	0.281	0.60	2.8
H756184		14.6	106.0	<0.002	0.03	0.22	7.8	1	1.7	225	0.97	<0.05	10.3	0.275	0.59	2.7
H756185		13.2	100.5	<0.002	0.06	0.24	7.8	1	2.2	184.5	0.88	<0.05	10.5	0.267	0.50	2.8
H756186		14.7	99.8	<0.002	0.07	0.25	7.8	1	1.8	237	1.04	<0.05	10.8	0.278	0.59	2.5
H756187		16.5	113.0	<0.002	0.06	0.25	8.8	2	2.1	234	1.28	<0.05	11.9	0.289	0.66	3.0
H756188		16.6	129.5	<0.002	0.02	0.29	7.7	1	2.0	221	1.25	<0.05	12.2	0.273	0.70	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756116		40	4.8	17.3	37	152.0
H756117		41	1.0	19.0	46	172.5
H756118		42	0.9	18.1	48	179.0
H756133		46	0.8	17.2	53	168.0
H756134		46	0.6	17.7	54	178.5
H756135		46	0.6	17.7	53	156.5
H756136		45	0.5	18.5	53	171.5
H756137		38	0.6	16.7	43	134.5
H756138		42	0.5	16.8	48	156.5
H756139		43	0.5	17.4	50	166.5
H756140		43	1.0	17.9	47	172.0
H756141		43	0.5	17.8	49	165.0
H756142		44	0.7	16.0	48	165.5
H756148		44	0.5	17.6	50	160.0
H756149		41	0.8	19.2	47	181.0
H756150		26	0.2	4.4	41	48.5
H756151		57	6.9	17.9	42	182.0
H756152		40	0.7	16.4	44	126.5
H756153		46	1.1	19.6	49	163.0
H756170		46	0.6	18.1	51	153.0
H756171		46	1.0	17.7	51	163.5
H756172		54	5.4	18.7	65	180.0
H756173		46	0.4	17.4	51	161.0
H756174		44	0.5	16.8	49	154.5
H756175		45	0.4	16.6	49	164.0
H756182		47	0.4	17.4	52	155.0
H756183		46	0.6	18.1	52	170.0
H756184		45	0.7	16.7	50	167.5
H756185		50	6.5	14.6	35	180.0
H756186		45	0.7	17.3	52	153.0
H756187		48	1.2	19.9	51	158.5
H756188		43	1.2	18.6	49	176.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10172915

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	REE's may not be totally soluble in this method.