ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

CERTIFICATE TB10170934

Project: TPK - ROWLANDSON

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-GRA21 Au g/t 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
H756453		0.90	<0.005		0.07	7.13	5.0	870	1.57	0.07	1.67	0.04	86.6	5.9	17	3.02
H756454		0.63	<0.005		0.06	6.97	14.4	760	1.51	0.06	1.66	0.04	93.7	6.3	16	2.22
H756456		0.59	<0.005		0.08	6.59	5.6	700	1.51	0.06	1.61	0.06	84.1	5.3	11	2.36
H756457		1.15	<0.005		0.08	6.62	17.6	740	1.49	0.06	1.66	0.06	83.8	5.9	11	2.43
I346501		1.85	<0.005		0.07	6.63	19.5	800	1.39	0.07	1.45	0.04	80.2	4.5	10	3.09
I346502		0.72	<0.005		0.12	6.71	24.1	790	1.42	0.07	1.59	0.07	78.0	4.8	10	2.08
I346503		0.69	0.025		0.17	6.46	66.1	750	1.40	0.12	1.50	0.09	85.3	5.4	9	2.14
I346504		0.70	0.089		0.37	6.43	129.5	670	1.43	0.19	1.53	0.15	75.7	6.4	9	1.99
I346505		0.60	0.217		0.56	6.51	466	690	1.34	0.43	1.52	0.31	83.2	5.1	11	1.42
I346506		0.59	1.820		12.65	4.06	210	430	0.96	26.4	0.63	29.7	56.6	3.3	10	2.77
I346507		0.34	0.408		0.82	4.93	228	480	1.15	1.09	0.79	0.64	56.6	3.9	14	3.39
I346508		1.06	0.401		0.57	6.56	114.5	760	1.42	0.26	1.42	0.13	79.5	5.7	11	2.34
I346509		0.38	1.735		0.73	5.70	3080	640	1.55	0.37	0.94	0.31	77.5	6.1	12	11.45
I346510		0.43	0.328		0.56	5.35	537	600	1.26	0.30	1.01	0.55	70.1	3.9	14	4.49
I346511		0.61	0.382		0.66	6.72	1250	740	1.46	0.27	1.20	0.17	90.8	4.9	9	5.34
I346512		0.38	2.87		0.80	6.02	3080	740	1.27	0.51	0.90	0.23	77.3	5.1	12	4.19
I346513		0.68	0.706		0.75	6.48	600	740	1.84	0.51	1.20	0.24	118.0	6.3	10	16.30
I346514		0.66	>10.0	46.0	11.20	3.23	57.9	340	0.75	6.19	0.13	1.63	34.1	4.3	7	0.75
I346515		0.69	1.330		1.21	5.24	59.4	440	1.36	2.13	0.40	1.45	66.2	6.4	9	0.76
I346516		0.48	0.562		0.69	7.11	94.9	730	1.72	0.39	1.35	0.37	86.9	6.8	13	1.52
I346517		0.63	0.301		0.58	7.14	71.1	820	1.65	0.32	1.51	0.13	72.1	6.9	13	1.89
I346518		0.58	0.276		0.70	7.06	81.3	790	1.61	0.53	1.35	0.35	69.2	6.8	10	1.60
I346519		0.65	0.126		0.66	6.81	78.8	720	1.46	0.39	1.48	0.22	81.6	6.3	10	1.48
I346520		0.89	0.427		0.57	6.62	408	820	1.62	0.38	1.40	0.51	79.7	7.6	15	1.59
I346521		0.50	2.33		3.16	5.01	1180	550	1.55	5.03	0.71	2.63	66.2	5.9	11	1.70
I346523		0.50	5.70		9.12	1.86	190.5	200	0.62	77.3	0.08	4.55	28.1	2.5	12	1.31
I346524		0.30	2.99		1.08	2.73	108.5	310	0.99	17.70	0.11	0.11	32.8	3.0	7	3.26
I346525		0.03	0.612		0.77	8.67	3.5	100	2.34	2.02	0.97	0.14	17.15	9.8	30	29.4
I346526		0.27	0.429		0.53	3.56	97.1	360	1.05	6.01	0.11	0.13	35.4	3.4	12	3.13
I346527		0.70	0.181		0.19	6.56	360	670	1.61	0.69	0.93	0.21	76.9	7.3	9	2.26
I346528		0.59	0.159		0.19	6.42	326	700	1.68	0.42	0.98	0.27	70.1	7.0	10	2.40
I346529		0.85	0.297		0.29	7.00	530	790	1.40	0.46	0.86	0.25	69.3	7.2	8	3.88
I346530		1.00	0.242		0.25	5.88	187.5	630	1.15	1.05	0.32	0.06	57.0	5.6	6	2.90
I346531		0.55	0.312		0.19	2.12	2840	220	0.47	0.43	0.04	0.02	29.9	1.7	6	0.65
I346532		0.88	>10.0	127.0	10.85	2.96	1875	290	0.73	1.00	0.05	0.03	53.5	2.6	7	1.20
I346533		0.76	0.158		0.20	5.30	80.5	510	0.98	0.40	0.16	0.04	60.8	4.6	8	1.54
I346534		0.41	0.079		0.28	3.68	70.6	330	0.73	0.75	0.08	<0.02	53.9	5.4	9	1.21
I346535		0.73	0.320		0.25	6.19	83.4	630	0.96	0.65	0.16	0.03	96.1	6.7	8	1.54
I346536		0.63	0.274		0.25	6.29	211	710	1.01	0.55	0.43	0.15	85.5	5.8	9	1.27
I346537		0.57	0.063		0.30	6.60	269	790	0.94	0.38	1.29	0.15	76.3	6.1	9	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
H756453		9.4	2.56	16.75	0.18	6.6	0.030	2.73	42.8	20.4	0.60	433	1.60	2.75	12.9	10.2
H756454		7.5	2.56	16.65	0.20	6.4	0.029	2.42	44.9	19.1	0.57	444	1.49	2.77	13.0	10.5
H756456		8.6	2.40	15.80	0.19	5.6	0.032	2.38	40.5	15.6	0.48	410	10.30	2.65	11.6	5.8
H756457		8.8	2.53	16.00	0.18	5.9	0.034	2.51	39.2	17.9	0.54	450	38.1	2.65	12.8	6.4
I346501		5.3	2.20	15.15	0.17	5.6	0.024	2.70	38.1	14.1	0.60	370	15.45	2.69	11.3	6.3
I346502		6.1	2.29	15.70	0.17	5.8	0.028	2.69	37.4	14.7	0.51	391	25.4	2.68	12.0	6.4
I346503		8.3	2.28	15.50	0.19	5.6	0.031	2.66	40.0	15.5	0.46	401	31.9	2.59	11.8	6.0
I346504		11.5	2.32	14.90	0.19	5.6	0.034	2.55	35.6	12.9	0.46	404	9.58	2.51	11.2	6.2
I346505		12.9	2.29	15.25	0.18	5.7	0.035	2.38	40.6	12.2	0.46	385	29.4	2.51	9.2	6.3
I346506		13.5	1.80	9.82	0.15	3.2	0.170	1.71	29.6	15.7	0.38	161	9.88	1.13	2.1	4.5
I346507		5.8	2.42	11.45	0.14	3.7	0.024	1.84	29.1	17.1	0.47	214	12.70	1.56	2.3	5.1
I346508		15.4	2.33	15.45	0.16	5.5	0.032	2.56	39.5	16.7	0.52	398	2.58	2.41	4.0	6.6
I346509		15.4	2.28	13.30	0.16	4.5	0.030	2.42	38.7	22.9	0.78	254	2.72	1.50	3.1	6.4
I346510		14.7	1.97	12.40	0.16	4.4	0.026	2.05	35.7	16.4	0.54	227	2.19	1.75	3.0	5.5
I346511		16.4	2.39	15.85	0.19	5.3	0.031	2.65	44.8	20.2	0.69	307	5.24	2.35	2.9	5.9
I346512		12.4	2.00	13.65	0.16	4.9	0.033	2.74	39.7	15.9	0.52	204	3.87	1.94	3.1	5.5
I346513		22.7	2.38	14.95	0.19	5.9	0.034	2.86	59.2	24.6	0.88	288	310	1.70	3.6	7.0
I346514		2.7	2.22	9.91	0.12	2.2	0.053	1.62	18.5	11.5	0.17	65	124.5	0.27	2.9	2.6
I346515		11.4	1.83	14.70	0.11	4.8	0.073	1.83	32.9	17.7	0.23	98	16.95	1.58	4.1	4.8
I346516		19.6	2.20	19.15	0.14	6.2	0.040	2.20	40.5	18.5	0.47	325	8.81	2.80	4.4	6.5
I346517		18.5	2.40	18.45	0.17	6.0	0.036	2.56	33.1	16.9	0.48	478	81.7	2.61	9.0	6.4
I346518		26.5	2.50	18.55	0.16	6.3	0.037	2.66	31.3	17.4	0.49	416	1.33	2.59	7.5	6.7
I346519		26.1	2.40	18.15	0.16	6.6	0.036	2.33	38.2	17.3	0.48	411	2.48	2.56	6.0	6.3
I346520		25.9	2.40	18.30	0.16	5.8	0.036	2.45	37.0	18.4	0.51	354	2.36	2.38	4.8	6.8
I346521		20.0	2.03	12.80	0.13	4.8	0.054	2.01	31.6	16.0	0.38	155	1.15	1.40	3.7	5.2
I346523		61.4	1.08	5.90	0.07	1.4	0.097	0.97	14.1	8.9	0.15	64	13.25	0.05	2.1	1.7
I346524		27.1	1.10	8.27	0.08	2.1	0.030	1.42	17.7	12.3	0.25	76	11.40	0.13	2.8	2.5
I346525		12.3	3.63	20.7	0.12	1.7	0.013	2.20	8.2	6.7	0.73	262	1.13	5.71	9.4	31.6
I346526		13.5	1.47	12.00	0.09	2.8	0.033	1.89	18.5	16.1	0.29	83	1.04	0.14	3.7	3.1
I346527		23.4	2.53	17.25	0.16	6.0	0.029	2.22	36.5	18.4	0.64	251	1.37	2.28	4.4	6.6
I346528		13.5	2.31	17.10	0.17	6.0	0.030	2.36	33.6	15.2	0.53	247	1.91	2.16	4.0	6.3
I346529		16.7	2.49	17.70	0.13	6.4	0.040	2.97	37.3	11.8	0.59	205	8.83	2.24	4.5	8.7
I346530		10.6	2.22	14.70	0.16	4.8	0.036	2.80	31.3	10.7	0.65	143	6.40	1.43	4.2	5.1
I346531		8.5	1.02	6.77	0.09	1.7	0.026	1.11	16.0	6.0	0.29	82	8.91	0.08	2.5	1.9
I346532		131.5	1.26	9.50	0.13	2.3	0.034	1.47	30.2	9.9	0.48	95	21.2	0.05	3.5	2.5
I346533		24.8	1.86	14.75	0.18	4.1	0.037	2.43	34.2	9.5	0.50	107	23.7	1.19	6.0	4.4
I346534		25.4	1.66	10.70	0.14	3.0	0.033	1.90	30.1	10.2	0.48	87	146.5	0.45	3.9	4.0
I346535		33.3	2.60	17.15	0.21	5.2	0.040	3.24	52.5	14.1	0.78	150	8.63	1.39	5.7	6.3
I346536		19.5	2.42	16.60	0.19	5.5	0.037	3.45	46.1	11.9	0.71	179	2.29	1.71	5.1	7.2
I346537		27.9	2.32	16.60	0.20	5.3	0.033	2.74	39.9	8.9	0.56	303	16.50	2.22	4.1	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
H756453		600	13.8	103.5	<0.002	0.01	0.20	6.9	1	2.2	206	1.17	<0.05	12.6	0.311	0.53
H756454		620	17.0	90.7	<0.002	0.02	0.33	7.0	1	2.3	212	1.12	<0.05	14.3	0.320	0.47
H756456		550	16.9	91.7	<0.002	0.01	0.16	6.4	1	2.1	191.5	0.97	<0.05	14.0	0.288	0.50
H756457		610	17.3	95.8	<0.002	0.02	0.24	7.0	1	2.2	202	1.06	<0.05	11.7	0.305	0.52
I346501		540	17.3	83.5	<0.002	0.14	0.30	6.0	1	1.8	148.0	1.05	<0.05	13.2	0.265	0.40
I346502		540	18.0	86.5	<0.002	0.07	0.46	6.4	1	1.9	177.0	1.01	<0.05	12.5	0.284	0.45
I346503		550	28.2	91.9	<0.002	0.35	0.44	6.2	1	1.9	174.5	1.04	<0.05	11.9	0.283	0.51
I346504		550	38.9	88.5	<0.002	0.47	0.65	6.1	1	1.9	178.0	0.99	0.14	11.9	0.267	0.50
I346505		560	54.7	81.9	<0.002	0.66	0.78	6.5	1	1.9	168.0	0.83	0.14	11.4	0.253	0.42
I346506		330	473	63.7	<0.002	1.16	1.50	3.9	2	1.3	35.3	0.17	1.11	7.3	0.094	0.45
I346507		390	90.3	74.7	<0.002	1.66	1.33	4.8	1	1.2	55.4	0.20	0.13	8.1	0.099	0.34
I346508		570	51.9	86.5	<0.002	0.76	0.74	6.5	1	1.5	163.5	0.35	0.11	10.8	0.181	0.44
I346509		490	39.7	112.0	<0.002	0.83	2.69	5.8	1	1.2	72.7	0.27	0.17	10.1	0.132	0.50
I346510		440	47.7	83.8	<0.002	0.67	1.30	5.1	1	1.2	89.7	0.29	0.11	9.5	0.122	0.40
I346511		600	42.6	98.9	<0.002	0.80	1.63	6.8	1	1.3	125.5	0.24	0.12	10.4	0.152	0.50
I346512		500	48.7	94.0	<0.002	0.80	2.78	5.6	1	1.3	86.8	0.26	0.23	10.4	0.134	0.49
I346513		560	41.1	137.5	0.020	0.85	1.69	6.9	1	1.2	73.7	0.32	0.14	12.3	0.150	0.74
I346514		170	225	62.3	0.004	1.89	0.26	2.6	2	2.0	6.2	0.26	0.48	6.0	0.094	0.24
I346515		390	117.0	69.7	0.002	1.40	0.41	4.8	2	1.9	38.7	0.37	0.19	11.4	0.129	0.28
I346516		600	69.7	75.2	<0.002	0.95	0.76	8.0	2	1.6	166.5	0.36	0.11	13.4	0.152	0.40
I346517		600	62.0	87.7	0.006	0.78	0.64	7.9	2	1.9	207	0.78	0.12	12.6	0.248	0.44
I346518		590	60.5	85.7	<0.002	0.91	0.59	8.2	2	1.8	173.0	0.63	0.13	11.4	0.217	0.42
I346519		590	48.4	73.0	<0.002	0.87	0.63	7.8	2	1.7	171.5	0.50	0.16	11.4	0.203	0.37
I346520		570	64.3	79.9	<0.002	0.88	0.77	7.6	2	1.4	152.5	0.43	0.12	11.5	0.175	0.46
I346521		440	203	73.3	<0.002	1.19	0.79	5.1	2	1.2	61.6	0.38	0.31	10.0	0.114	0.33
I346523		50	305	56.4	<0.002	0.70	0.47	1.4	4	0.9	5.4	0.26	3.18	4.9	0.040	0.20
I346524		180	20.0	72.7	<0.002	0.61	0.46	2.6	2	1.2	9.6	0.24	0.64	5.9	0.076	0.27
I346525		760	79.3	880	<0.002	2.83	1.26	3.8	2	1.0	176.5	0.80	<0.05	2.6	0.231	8.68
I346526		200	13.8	97.5	<0.002	1.06	0.31	3.3	2	2.0	9.7	0.36	0.28	8.6	0.098	0.32
I346527		580	34.8	101.5	<0.002	2.02	0.52	7.8	2	1.5	106.5	0.37	0.07	12.9	0.137	0.38
I346528		530	44.5	95.1	<0.002	1.93	0.47	7.0	2	1.4	111.5	0.36	0.05	12.4	0.127	0.39
I346529		580	33.7	135.0	0.003	1.93	0.61	7.6	2	1.6	108.0	0.36	0.09	14.6	0.148	0.53
I346530		470	16.3	156.0	0.003	1.54	0.42	6.1	2	1.5	40.7	0.34	0.12	11.8	0.135	0.48
I346531		130	4.3	59.0	0.002	0.28	1.22	2.1	1	0.9	2.9	0.21	0.23	3.8	0.068	0.16
I346532		200	11.1	76.1	0.003	0.44	0.89	2.7	1	1.9	3.2	0.33	0.21	5.6	0.092	0.22
I346533		380	15.4	124.0	0.003	1.31	0.25	5.0	2	1.8	21.8	0.67	0.05	11.6	0.126	0.37
I346534		280	14.1	95.0	0.014	1.14	0.24	3.9	2	1.7	7.5	0.29	0.09	6.7	0.115	0.29
I346535		520	18.8	154.0	0.002	1.85	0.31	6.6	2	2.0	23.5	0.42	0.08	11.4	0.175	0.49
I346536		520	31.2	148.5	0.002	1.58	0.38	6.9	2	1.5	55.5	0.45	0.07	13.0	0.153	0.51
I346537		580	37.8	93.4	0.002	1.45	0.58	7.2	2	1.5	131.0	0.30	0.06	10.8	0.150	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756453		3.6	43	2.7	21.3	44	224
H756454		3.6	45	1.8	21.1	48	210
H756456		3.1	39	22.0	18.4	49	197.5
H756457		3.0	45	6.0	20.1	54	208
I346501		3.1	38	1.8	17.8	31	180.5
I346502		3.0	40	1.3	19.2	41	199.5
I346503		2.9	39	5.0	17.3	49	183.5
I346504		3.2	38	7.8	18.0	67	187.5
I346505		2.7	40	20.6	17.6	87	191.5
I346506		1.7	25	11.3	8.4	1430	107.0
I346507		2.0	27	14.2	9.9	95	123.5
I346508		2.5	39	12.1	15.5	86	188.5
I346509		2.5	34	8.8	13.1	79	151.0
I346510		2.4	31	8.8	11.2	111	145.0
I346511		2.4	40	8.8	14.6	85	188.5
I346512		2.6	32	11.6	11.3	60	167.0
I346513		3.1	40	13.6	17.6	69	196.0
I346514		1.2	22	13.0	5.1	147	70.2
I346515		2.8	23	24.1	11.4	165	152.0
I346516		3.0	39	17.1	16.2	120	203
I346517		3.4	40	7.1	20.5	113	194.0
I346518		3.0	41	10.5	18.7	131	196.0
I346519		2.6	40	19.6	18.3	111	215
I346520		2.6	37	17.1	17.9	163	190.0
I346521		2.9	23	27.7	12.0	318	151.5
I346523		0.7	8	6.2	3.3	478	40.6
I346524		1.0	13	8.7	5.7	20	67.0
I346525		1.1	29	0.3	4.4	43	52.0
I346526		1.7	19	52.0	7.2	25	85.0
I346527		3.1	36	25.7	16.7	43	189.0
I346528		3.0	34	25.3	15.0	51	192.5
I346529		3.7	39	22.4	17.3	42	207
I346530		2.9	32	15.3	15.1	16	159.5
I346531		0.8	14	7.4	5.3	6	58.4
I346532		1.8	18	9.9	6.8	9	72.3
I346533		3.8	26	20.1	11.6	11	120.0
I346534		1.8	24	12.3	8.4	8	102.0
I346535		3.0	38	18.8	14.8	12	173.5
I346536		3.6	37	22.0	16.4	33	174.0
I346537		2.8	36	28.7	16.7	48	185.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-GRA21 Au g/t 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
I346538		0.64	0.113		0.20	6.63	1040	660	1.19	0.78	0.63	0.14	80.9	10.2	8	1.49
I346539		0.57	0.066		0.20	6.95	1775	730	1.12	1.09	0.86	0.11	82.5	13.8	9	1.72
I346540		0.56	0.125		0.23	6.77	6070	660	1.20	1.84	1.06	0.20	83.6	25.3	7	1.31
I346541		0.60	0.102		0.32	6.50	1035	670	1.30	0.63	1.07	0.26	79.0	5.9	10	1.36
I346542		0.62	0.218		0.29	6.77	453	680	1.16	0.60	1.06	0.22	85.9	7.3	7	0.95
I346543		0.42	0.789		2.00	5.77	592	600	1.16	6.54	0.58	5.76	72.4	5.0	8	0.81
I346544		0.72	0.205		0.25	6.97	383	700	1.21	0.60	1.27	0.63	84.6	6.3	7	1.32
I346545		1.23	0.105		0.15	6.77	199.0	690	1.25	0.28	1.32	0.15	81.0	7.0	6	1.44
I346546		1.17	0.099		0.05	6.92	95.3	730	1.28	0.10	1.59	0.13	73.2	7.0	8	1.87
I346547		1.18	0.216		0.09	6.81	62.4	750	1.26	0.05	1.64	0.09	70.6	5.9	8	2.02
I346548		1.18	0.047		0.10	6.82	85.6	750	1.17	0.06	1.72	0.09	70.5	5.9	8	1.52
I346549		0.52	<0.005		0.02	6.86	53.4	760	1.15	0.05	1.74	0.07	69.7	6.4	10	1.93
I346550		0.50	0.006		0.02	6.75	50.2	720	1.23	0.05	1.66	0.08	68.4	5.7	6	1.98
I346551		1.19	0.043		0.03	6.77	56.3	680	1.24	0.09	1.59	0.08	80.1	6.8	9	1.79
I346552		1.31	0.022		0.03	7.07	28.2	740	1.19	0.07	1.56	0.06	79.3	6.8	7	1.40
I346553		1.33	0.028		0.03	7.04	35.4	720	1.18	0.08	1.64	0.07	74.8	6.1	14	1.32
I346554		1.17	0.006		<0.01	5.88	16.7	720	1.22	0.05	1.47	0.05	60.4	6.5	7	1.19
I346555		1.10	0.006		0.01	6.78	12.7	860	1.19	0.05	1.50	0.03	74.8	6.0	6	0.95
I346556		1.19	<0.005		0.01	6.95	8.6	800	1.28	0.04	1.60	0.04	71.8	6.2	7	1.31
I346557		1.24	0.012		0.03	6.84	26.6	770	1.21	0.07	1.63	0.09	76.0	6.3	7	1.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
I346538		38.5	2.52	18.15	0.18	6.3	0.036	2.62	43.4	15.3	0.85	229	94.6	2.41	6.4	7.4
I346539		22.0	2.68	18.00	0.19	6.0	0.037	2.63	43.9	12.9	1.00	348	6.44	2.34	8.8	7.6
I346540		31.4	2.78	16.50	0.21	5.9	0.037	2.34	45.1	12.8	0.75	274	16.40	2.46	5.6	7.1
I346541		57.2	2.05	17.30	0.18	6.3	0.045	2.40	41.2	12.8	0.65	230	8.74	2.42	4.7	6.4
I346542		26.8	2.43	17.15	0.19	6.0	0.033	2.56	45.5	10.4	0.62	234	18.30	2.54	4.9	6.4
I346543		7.9	2.07	17.00	0.17	5.5	0.070	2.58	39.8	10.4	0.45	147	6.21	1.96	4.3	5.4
I346544		29.9	2.43	18.15	0.20	6.0	0.044	2.58	45.2	8.6	0.61	301	7.62	2.54	9.6	6.7
I346545		13.9	2.29	16.95	0.19	6.2	0.034	2.45	42.4	14.2	0.73	315	3.30	2.57	11.1	6.1
I346546		13.1	2.34	17.65	0.20	5.7	0.037	2.56	37.0	10.3	0.48	393	1.32	2.72	13.3	6.9
I346547		8.2	2.33	16.70	0.20	5.9	0.036	2.58	35.3	11.0	0.46	405	1.41	2.82	12.1	6.3
I346548		9.9	2.34	16.90	0.19	5.4	0.032	2.58	35.8	9.6	0.47	426	1.02	2.79	12.1	6.8
I346549		8.2	2.39	17.10	0.22	5.4	0.036	2.54	35.2	10.6	0.46	416	1.43	2.80	12.0	7.1
I346550		7.1	2.31	16.60	0.21	5.7	0.034	2.52	34.2	11.2	0.45	405	1.65	2.77	11.9	5.9
I346551		18.3	2.44	17.10	0.22	5.7	0.033	2.49	40.5	13.7	0.55	404	1.12	2.70	13.1	7.7
I346552		5.3	2.36	17.80	0.20	5.7	0.033	2.63	40.5	9.4	0.56	358	6.59	2.89	11.9	6.4
I346553		8.1	2.36	16.85	0.20	6.0	0.034	2.46	38.9	11.0	0.54	386	1.18	2.85	11.4	6.3
I346554		6.5	2.29	16.70	0.21	5.8	0.033	2.43	30.9	11.3	0.55	340	1.12	2.70	12.0	6.4
I346555		3.1	2.23	17.10	0.19	5.8	0.031	2.85	38.9	7.1	0.61	317	0.86	2.76	11.8	6.2
I346556		4.3	2.32	16.55	0.23	5.0	0.036	2.63	38.0	9.7	0.52	360	0.70	2.61	11.4	6.4
I346557		7.1	2.31	16.25	0.23	5.7	0.030	2.44	39.6	12.5	0.48	404	0.96	2.66	11.8	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
I346538		590	26.6	125.0	0.009	1.29	1.12	7.9	2	1.5	67.4	0.46	0.10	12.5	0.180	0.38
I346539		600	21.6	117.0	0.002	0.72	0.73	7.9	2	1.5	75.4	0.71	0.12	12.1	0.242	0.38
I346540		550	29.4	92.0	0.002	1.25	1.60	7.3	2	1.4	96.1	0.58	0.08	12.4	0.179	0.32
I346541		540	39.3	84.0	0.002	0.78	0.81	7.2	2	1.4	90.4	0.43	0.09	11.5	0.156	0.31
I346542		540	33.6	87.3	0.003	1.37	0.55	7.1	2	1.4	98.8	0.41	0.07	13.2	0.157	0.31
I346543		420	95.2	92.3	<0.002	1.46	0.50	6.4	2	1.7	51.1	0.36	0.42	12.2	0.137	0.35
I346544		550	48.9	94.8	0.003	0.84	0.60	7.4	2	1.8	137.0	0.76	0.07	14.7	0.233	0.40
I346545		540	21.1	87.6	0.002	0.44	0.44	7.4	2	1.7	132.5	0.90	<0.05	13.8	0.247	0.38
I346546		560	20.7	95.2	0.002	0.32	0.53	8.0	2	1.9	184.0	1.02	<0.05	14.3	0.283	0.50
I346547		560	17.3	92.6	<0.002	0.14	0.52	7.4	2	1.8	195.5	0.96	<0.05	11.8	0.281	0.50
I346548		550	16.2	90.1	<0.002	0.21	0.42	7.4	2	1.7	192.0	0.95	<0.05	11.5	0.275	0.45
I346549		540	17.8	90.9	0.002	0.10	0.45	7.4	2	1.7	203	0.92	<0.05	10.8	0.273	0.52
I346550		530	17.5	91.5	<0.002	0.07	0.43	7.4	2	1.7	198.5	0.96	<0.05	10.8	0.266	0.52
I346551		590	14.3	92.5	<0.002	0.45	0.39	8.6	2	1.8	170.5	0.99	<0.05	11.9	0.282	0.48
I346552		560	12.8	90.5	0.002	0.13	0.37	7.6	2	1.7	165.5	0.90	<0.05	11.0	0.272	0.44
I346553		570	12.8	83.1	0.002	0.39	0.36	7.6	2	1.6	165.0	0.85	<0.05	11.4	0.275	0.38
I346554		550	11.1	72.8	0.002	0.14	0.33	6.5	2	1.6	145.5	0.91	<0.05	8.4	0.273	0.37
I346555		560	8.6	107.5	0.002	0.18	0.33	7.4	2	1.5	139.0	0.87	<0.05	10.8	0.279	0.49
I346556		550	12.6	93.1	0.002	0.05	0.26	7.8	2	1.5	186.5	0.84	<0.05	10.9	0.275	0.44
I346557		550	14.3	84.7	<0.002	0.22	0.34	7.5	2	1.5	188.0	0.88	<0.05	11.7	0.282	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346538		3.7	39	23.7	17.1	30	204
I346539		3.1	44	15.8	17.3	24	197.5
I346540		3.7	37	17.7	19.5	36	187.0
I346541		3.4	38	16.8	17.2	72	207
I346542		3.8	37	14.5	18.3	41	193.0
I346543		3.6	35	16.2	14.1	340	170.5
I346544		3.8	40	18.3	20.2	155	195.0
I346545		3.9	38	9.5	19.9	44	194.5
I346546		3.5	40	10.4	21.1	49	184.5
I346547		2.8	41	2.3	19.1	49	188.5
I346548		3.0	40	4.5	20.0	46	178.0
I346549		3.0	40	2.6	19.6	52	176.0
I346550		2.8	40	1.5	19.2	50	180.5
I346551		3.0	44	8.7	21.5	48	183.0
I346552		2.8	41	2.0	20.8	37	192.0
I346553		3.0	41	7.2	19.3	37	197.5
I346554		2.7	40	3.3	17.0	33	189.0
I346555		2.7	41	3.1	19.3	28	194.0
I346556		2.8	40	1.3	20.4	38	162.5
I346557		2.9	40	3.1	19.9	39	185.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170934

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.