ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

CERTIFICATE TB11055645

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 5-APR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES NAAZNIN PASTAKIA	TORONTO HEAD OFFICE KERRY SPARKES	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597221		1.59	0.005	0.09	6.66	0.6	680	1.71	0.15	1.81	0.05	75.2	7.6	25	5.75	9.9
J597222		1.57	<0.005	0.01	6.59	2.1	670	1.70	0.11	1.82	0.05	71.8	7.7	25	4.80	8.9
J597223		1.57	<0.005	0.04	6.60	0.8	680	1.55	0.07	1.82	0.06	73.4	7.9	24	3.37	8.3
J597224		1.65	<0.005	0.02	6.69	1.7	670	1.55	0.06	1.84	0.05	78.2	7.6	23	3.15	7.8
J597225		0.13	<0.005	0.03	6.19	1.6	910	1.09	0.10	1.35	0.08	28.0	2.4	13	1.77	4.7
J597226		1.58	<0.005	0.03	6.72	1.9	660	1.49	0.05	1.91	0.05	76.9	7.8	26	3.02	10.5
J597227		1.59	<0.005	0.02	6.62	0.6	660	1.41	0.06	1.80	0.05	73.5	7.7	24	2.94	7.9
J597228		1.57	<0.005	0.03	6.81	0.7	690	1.40	0.05	1.86	0.06	74.5	7.6	23	2.79	10.0
J597229		1.57	<0.005	0.01	6.59	0.4	680	1.41	0.04	1.83	0.05	74.1	7.9	26	2.66	8.2
J597230		1.62	<0.005	0.03	6.52	0.6	660	1.32	0.05	1.80	0.05	72.5	7.5	26	2.42	9.0
J597231		1.51	<0.005	0.03	6.62	0.2	700	1.42	0.05	1.83	0.04	71.3	7.9	23	2.45	9.0
J597232		1.60	<0.005	0.02	6.32	1.6	620	1.32	0.04	1.76	0.05	68.5	7.5	24	2.28	8.4
J597233		1.65	<0.005	0.02	6.83	13.9	650	1.38	0.05	1.65	0.06	71.9	7.2	32	2.44	6.8
J597234		1.58	<0.005	0.03	6.51	4.1	640	1.49	0.05	1.77	0.05	77.3	7.7	23	2.38	9.1
J597235		1.57	<0.005	0.02	6.80	4.0	680	1.42	0.05	1.87	0.05	74.2	7.8	24	2.43	9.9
J597236		1.61	<0.005	0.02	6.86	1.1	690	1.42	0.04	1.89	0.05	75.0	7.9	24	2.34	8.5
J597237		1.11	0.006	0.02	6.36	22.5	620	1.37	0.06	1.83	0.04	70.7	5.1	20	2.07	30.5
J597238		1.14	<0.005	0.01	6.91	25.4	600	1.36	0.05	1.40	0.03	73.6	6.4	22	2.56	6.1
J597239		1.07	<0.005	0.02	6.76	21.4	680	1.54	0.08	1.66	0.04	79.9	7.9	23	2.66	7.0
J597240		1.70	<0.005	0.03	6.96	10.4	730	1.69	0.05	1.94	0.06	81.6	7.7	25	2.60	7.1
J597241		1.78	<0.005	0.03	6.72	2.4	730	1.60	0.06	1.88	0.06	74.4	8.3	26	2.61	13.7
J597242		1.95	<0.005	0.08	6.83	0.4	710	1.37	0.05	1.85	0.05	77.4	7.3	25	2.17	12.3
J597243		1.83	<0.005	0.07	6.75	0.3	670	1.23	0.04	1.85	0.05	78.6	7.3	24	2.28	10.2
J597244		1.86	<0.005	0.08	6.66	<0.2	690	1.14	0.04	1.82	0.04	74.0	7.4	26	2.36	8.6
J597245		1.93	0.012	0.06	6.52	68.5	670	1.30	0.14	1.82	0.04	82.9	7.0	26	2.67	9.8
J597246		1.91	<0.005	0.07	6.92	4.6	660	1.45	0.05	1.87	0.04	79.1	7.6	27	2.55	10.7
J597247		1.90	<0.005	0.09	6.69	0.5	660	1.56	0.05	1.80	0.05	71.8	7.6	25	2.54	9.6
J597248		1.84	<0.005	0.05	6.60	1.4	690	1.69	0.05	1.76	0.05	83.7	7.6	27	2.63	10.3
J597249		0.92	<0.005	0.07	6.79	0.5	680	1.70	0.05	1.80	0.05	77.1	7.4	23	2.47	11.6
J597250		0.90	<0.005	0.12	6.86	0.3	680	1.65	0.06	1.85	0.05	73.2	7.3	21	2.51	12.4
J597251		1.83	<0.005	0.09	6.60	<0.2	660	1.44	0.06	1.78	0.04	75.1	7.1	25	2.55	9.3
J597252		1.75	<0.005	0.07	6.90	0.3	670	1.74	0.05	1.88	0.05	80.0	7.7	25	2.71	10.2
J597253		1.66	<0.005	0.07	6.58	<0.2	630	1.40	0.04	1.76	0.04	70.7	7.1	30	2.59	9.6
J597254		1.71	<0.005	0.08	6.71	<0.2	640	1.67	0.05	1.66	0.04	79.8	6.7	23	2.83	9.6
J597255		1.58	<0.005	0.08	6.60	0.6	620	1.78	0.05	1.70	0.04	73.3	6.9	24	3.08	8.8
J597256		1.73	<0.005	0.06	6.50	1.4	620	1.57	0.04	1.63	0.04	68.4	6.7	25	2.89	7.3
J597257		1.62	<0.005	0.07	6.54	3.9	610	1.68	0.07	1.61	0.03	66.5	6.5	22	3.80	9.2
J597258		0.68	0.005	0.06	6.53	38.7	630	1.63	0.09	1.54	0.05	68.8	6.4	19	4.24	7.6
J597259		0.69	0.005	0.06	6.35	21.9	640	1.68	0.11	1.37	0.03	68.4	6.4	22	3.24	20.0
J597260		0.73	<0.005	0.05	6.47	22.7	630	1.56	0.08	1.56	0.03	68.1	5.8	22	3.93	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597221		2.37	17.35	0.19	4.4	0.031	2.55	38.2	23.4	0.61	405	1.47	2.65	12.1	14.6	510
J597222		2.31	17.60	0.20	4.4	0.032	2.45	36.8	28.8	0.63	392	1.11	2.68	12.7	15.2	520
J597223		2.32	17.50	0.20	4.2	0.031	2.50	37.2	27.1	0.64	404	4.90	2.67	12.0	15.9	530
J597224		2.29	17.50	0.20	4.0	0.031	2.50	40.4	29.0	0.62	392	0.52	2.69	12.3	14.6	530
J597225		1.46	13.40	0.14	1.0	0.016	2.20	14.1	11.8	0.18	566	0.94	2.60	4.8	2.1	180
J597226		2.39	17.10	0.22	4.6	0.030	2.47	39.6	30.2	0.65	411	0.63	2.65	12.0	15.7	530
J597227		2.24	17.20	0.21	3.9	0.029	2.45	37.9	26.7	0.61	384	0.63	2.64	11.5	15.0	510
J597228		2.33	17.65	0.21	4.3	0.031	2.55	38.1	27.3	0.62	394	0.52	2.72	12.0	14.5	550
J597229		2.33	17.30	0.20	4.1	0.032	2.51	37.5	27.5	0.65	403	0.53	2.65	12.1	16.0	530
J597230		2.29	16.95	0.20	4.2	0.029	2.47	36.3	25.5	0.63	389	1.11	2.65	11.4	15.2	510
J597231		2.33	17.55	0.21	4.2	0.031	2.48	36.3	25.8	0.62	392	0.49	2.71	11.5	15.0	520
J597232		2.21	16.65	0.19	4.0	0.028	2.38	36.4	28.3	0.63	378	0.49	2.58	10.7	15.3	500
J597233		2.38	17.35	0.21	4.1	0.028	2.41	37.2	37.9	0.71	436	0.66	2.87	11.1	14.8	540
J597234		2.29	17.35	0.21	4.2	0.030	2.49	39.3	30.4	0.63	397	0.59	2.61	11.5	15.0	510
J597235		2.37	17.30	0.20	4.0	0.030	2.52	38.7	27.3	0.63	406	0.70	2.70	11.6	14.9	550
J597236		2.38	17.80	0.21	4.4	0.030	2.59	38.4	28.4	0.65	410	0.69	2.77	11.7	15.5	540
J597237		2.06	17.15	0.20	4.1	0.035	2.30	35.8	25.9	0.65	432	0.45	2.88	10.8	14.5	500
J597238		2.30	16.95	0.20	4.0	0.025	2.28	37.9	41.4	0.66	381	1.62	3.40	10.5	14.7	520
J597239		2.30	17.80	0.21	4.4	0.031	2.57	39.9	39.8	0.64	401	0.55	2.88	11.5	15.0	540
J597240		2.40	18.20	0.21	4.2	0.033	2.65	41.4	33.1	0.66	433	0.72	2.80	13.4	15.7	550
J597241		2.39	18.00	0.22	4.5	0.030	2.43	37.7	26.2	0.66	418	0.49	2.75	12.7	16.4	530
J597242		2.35	17.10	0.19	4.3	0.033	2.57	35.5	24.3	0.65	405	0.98	2.71	11.7	16.7	520
J597243		2.30	16.95	0.21	4.8	0.030	2.46	37.1	25.3	0.62	389	0.48	2.77	10.8	15.2	530
J597244		2.27	16.30	0.20	4.1	0.029	2.40	35.5	25.6	0.62	382	0.40	2.71	9.7	14.9	510
J597245		2.36	16.60	0.22	4.6	0.030	2.38	38.7	33.0	0.64	399	0.49	2.74	11.0	15.4	520
J597246		2.37	17.05	0.22	4.0	0.031	2.48	36.8	27.9	0.66	399	0.46	2.82	11.7	16.6	530
J597247		2.30	17.10	0.21	4.1	0.030	2.59	33.0	25.4	0.64	390	0.63	2.73	11.7	16.0	530
J597248		2.32	16.90	0.22	4.8	0.031	2.58	37.8	30.0	0.64	397	0.88	2.74	13.0	16.9	510
J597249		2.30	17.30	0.22	5.1	0.031	2.55	35.3	25.2	0.61	391	0.61	2.76	13.1	14.7	530
J597250		2.41	17.10	0.17	4.7	0.034	2.54	33.4	26.0	0.65	424	0.53	2.82	13.2	15.0	570
J597251		2.23	16.20	0.18	4.1	0.030	2.36	34.6	25.6	0.61	377	0.45	2.74	11.6	15.4	500
J597252		2.43	17.70	0.21	4.7	0.032	2.47	37.1	26.2	0.64	406	1.00	2.78	13.0	16.6	530
J597253		2.25	16.20	0.20	4.2	0.029	2.41	32.6	24.6	0.61	387	0.62	2.71	11.7	15.3	500
J597254		2.14	16.20	0.20	3.8	0.025	2.66	37.2	23.9	0.56	368	0.73	2.75	12.5	14.5	470
J597255		2.16	16.80	0.19	4.7	0.029	2.57	33.5	27.4	0.58	379	0.73	2.77	13.2	15.1	480
J597256		2.13	15.85	0.18	4.5	0.025	2.65	30.9	30.6	0.57	370	1.10	2.73	12.0	14.7	460
J597257		2.05	16.45	0.22	4.2	0.026	2.57	30.7	30.4	0.56	352	0.72	2.65	12.0	14.3	450
J597258		2.05	15.45	0.19	4.1	0.026	2.85	31.6	31.3	0.55	345	0.59	2.71	11.8	14.1	460
J597259		1.95	16.00	0.19	4.7	0.027	2.50	31.9	24.2	0.50	312	0.73	2.76	12.1	14.2	440
J597260		2.10	15.55	0.19	4.2	0.025	2.56	31.3	34.4	0.56	357	0.67	2.68	11.7	14.6	440

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597221		19.3	120.0	<0.002	0.01	0.22	7.3	1	2.2	194.0	1.40	<0.05	15.5	0.262	0.70	4.1
J597222		19.0	117.5	<0.002	0.01	0.21	7.3	1	2.2	195.5	1.34	<0.05	14.8	0.265	0.70	4.2
J597223		18.8	114.0	<0.002	0.01	0.12	7.4	1	2.1	197.0	1.15	<0.05	14.1	0.267	0.69	3.6
J597224		18.8	115.0	<0.002	0.01	0.12	7.3	1	2.1	200	1.18	<0.05	14.4	0.264	0.66	3.7
J597225		12.4	60.1	<0.002	<0.01	0.18	5.1	1	1.7	174.5	0.46	<0.05	5.8	0.113	0.39	1.9
J597226		17.8	112.5	<0.002	0.01	0.11	7.6	1	2.0	198.0	1.14	<0.05	15.3	0.271	0.64	3.9
J597227		18.0	109.5	<0.002	0.01	0.09	7.1	1	1.9	197.0	1.07	<0.05	13.6	0.259	0.63	3.4
J597228		17.7	111.5	<0.002	0.01	0.08	7.4	1	2.0	201	1.08	<0.05	13.8	0.273	0.63	3.2
J597229		17.4	107.5	<0.002	0.01	0.08	7.5	1	1.9	195.0	1.10	<0.05	14.7	0.274	0.64	3.5
J597230		17.6	103.0	<0.002	0.01	0.08	7.0	1	1.9	193.5	1.04	<0.05	13.7	0.269	0.64	3.1
J597231		17.6	105.5	<0.002	0.01	0.08	7.3	1	2.1	200	1.03	<0.05	12.6	0.268	0.62	3.0
J597232		16.5	99.9	<0.002	<0.01	0.10	6.8	1	1.8	191.0	0.94	<0.05	12.4	0.259	0.58	2.9
J597233		15.1	104.0	<0.002	0.01	0.20	7.8	1	2.0	195.0	0.92	<0.05	14.9	0.274	0.56	3.9
J597234		17.1	102.5	<0.002	0.01	0.09	7.2	1	1.9	193.0	1.03	<0.05	14.5	0.264	0.61	3.4
J597235		17.2	107.0	<0.002	0.01	0.09	7.6	1	2.0	199.0	0.99	<0.05	13.4	0.270	0.60	3.8
J597236		17.5	105.5	<0.002	0.01	0.08	7.6	1	2.0	206	1.05	<0.05	13.0	0.276	0.63	3.1
J597237		9.0	90.3	<0.002	0.17	0.24	7.2	1	2.0	147.0	0.87	<0.05	12.5	0.255	0.47	2.7
J597238		9.4	100.0	<0.002	0.02	0.35	7.7	1	2.0	171.5	0.73	<0.05	12.9	0.271	0.52	2.4
J597239		13.4	107.5	<0.002	0.02	0.39	7.6	2	1.9	206	1.01	<0.05	14.0	0.271	0.58	2.9
J597240		16.6	108.5	0.002	0.01	0.21	7.9	2	2.1	207	1.37	<0.05	15.6	0.286	0.62	4.1
J597241		17.3	102.5	0.002	0.02	0.11	7.6	2	2.0	206	1.21	<0.05	16.5	0.275	0.61	4.0
J597242		19.4	113.0	<0.002	0.01	0.08	7.9	2	1.7	202	0.97	<0.05	14.9	0.263	0.57	3.2
J597243		16.2	103.5	<0.002	0.01	0.07	7.6	2	1.6	202	0.85	<0.05	11.6	0.261	0.52	2.3
J597244		15.6	99.9	<0.002	0.01	0.06	7.1	2	1.7	201	0.65	<0.05	9.5	0.261	0.53	1.8
J597245		15.4	109.0	<0.002	0.03	0.20	7.4	2	1.8	194.0	0.76	<0.05	11.7	0.273	0.54	2.1
J597246		18.1	116.0	<0.002	0.01	0.13	7.6	2	1.8	206	1.10	<0.05	13.7	0.272	0.57	3.5
J597247		17.2	121.0	<0.002	0.01	0.08	7.4	2	1.8	196.5	1.09	<0.05	11.9	0.263	0.56	3.0
J597248		19.3	126.5	<0.002	0.01	0.12	7.6	2	1.9	195.0	1.33	<0.05	14.6	0.259	0.57	3.8
J597249		19.1	124.5	<0.002	0.01	0.08	7.8	2	1.9	197.5	1.26	<0.05	15.4	0.266	0.56	3.8
J597250		18.4	128.0	<0.002	0.01	0.09	7.6	2	2.1	197.0	1.37	<0.05	14.4	0.281	0.56	3.6
J597251		17.4	115.5	<0.002	0.01	0.08	7.0	2	1.9	197.5	1.07	<0.05	15.3	0.252	0.52	3.4
J597252		18.0	123.5	<0.002	<0.01	0.08	7.9	2	2.0	204	1.16	<0.05	14.2	0.264	0.55	3.4
J597253		16.5	111.0	<0.002	<0.01	0.08	7.1	2	1.8	193.0	1.06	<0.05	12.2	0.251	0.53	2.8
J597254		19.3	131.0	<0.002	0.01	0.09	6.8	2	1.8	184.5	1.25	<0.05	15.5	0.241	0.59	3.8
J597255		19.3	131.0	<0.002	0.01	0.12	6.8	2	1.9	188.0	1.34	<0.05	15.3	0.243	0.57	4.0
J597256		17.8	124.0	<0.002	0.01	0.16	6.5	2	1.8	181.0	1.10	<0.05	15.1	0.240	0.56	3.2
J597257		17.7	126.5	<0.002	0.04	0.29	6.6	2	1.8	181.5	1.19	<0.05	15.0	0.234	0.56	3.6
J597258		17.2	123.0	<0.002	0.05	0.39	6.5	2	1.7	165.5	1.18	<0.05	23.3	0.232	0.54	4.0
J597259		16.3	111.5	<0.002	0.17	0.31	6.5	2	1.7	168.5	1.23	<0.05	13.6	0.235	0.51	3.3
J597260		16.5	116.5	<0.002	0.01	0.33	6.5	2	1.8	176.5	1.13	<0.05	12.2	0.236	0.55	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597221		41	1.9	18.5	50	157.5
J597222		42	0.9	19.0	50	158.0
J597223		41	0.8	18.6	51	153.5
J597224		42	0.6	18.4	49	142.0
J597225		14	1.0	15.6	43	22.9
J597226		43	0.8	18.8	52	173.0
J597227		41	0.6	17.3	48	144.0
J597228		43	0.4	17.9	50	160.0
J597229		43	0.4	18.1	51	147.0
J597230		42	0.6	16.9	49	153.5
J597231		43	0.5	17.3	50	155.0
J597232		41	0.6	16.5	48	150.0
J597233		45	1.1	17.0	49	155.0
J597234		42	0.5	17.4	49	153.5
J597235		43	0.6	17.9	50	146.0
J597236		43	0.4	17.7	50	163.0
J597237		41	5.8	16.7	29	155.0
J597238		44	2.2	15.5	44	149.5
J597239		43	0.9	17.3	47	163.0
J597240		44	0.8	20.6	51	153.5
J597241		44	0.5	19.0	51	157.5
J597242		42	0.5	19.2	50	145.5
J597243		42	0.4	17.9	49	173.5
J597244		41	0.8	15.7	48	159.0
J597245		45	0.5	16.8	50	173.5
J597246		43	0.4	18.8	51	144.5
J597247		42	0.4	18.4	49	148.5
J597248		42	0.5	20.1	50	165.5
J597249		43	0.5	20.9	50	181.0
J597250		44	0.4	21.5	53	162.5
J597251		41	0.4	18.9	49	145.0
J597252		43	0.5	20.8	50	171.0
J597253		40	0.3	18.4	48	148.0
J597254		38	0.6	19.1	45	131.5
J597255		39	0.6	19.6	47	163.0
J597256		38	0.5	18.0	46	158.5
J597257		37	0.8	18.0	42	148.5
J597258		36	1.5	16.7	40	140.5
J597259		37	2.2	17.2	30	161.5
J597260		37	1.1	17.1	43	144.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597261		1.01	0.016	0.07	6.33	23.4	660	1.20	0.08	1.85	0.05	66.7	6.9	21	2.84	9.7
J597262		0.66	0.313	0.08	6.73	348	680	1.33	0.11	1.65	0.05	69.1	7.7	23	2.18	15.7
J597263		1.34	<0.005	0.07	6.42	27.6	690	1.22	0.07	1.71	0.04	70.4	6.9	25	3.06	9.2
J597264		0.92	<0.005	0.08	6.83	11.0	600	1.60	0.09	2.08	0.06	73.8	9.2	36	3.80	11.4
J597265		0.98	<0.005	0.09	6.47	11.4	710	1.23	0.07	1.71	0.04	68.4	6.9	25	3.01	10.2
J597266		1.15	0.006	0.10	6.33	21.8	760	1.35	0.05	1.30	0.02	67.0	3.8	12	2.77	8.5
J597267		0.53	<0.005	0.08	6.53	46.6	590	1.38	0.06	1.62	0.04	70.2	7.0	24	3.20	6.3
J597268		0.58	0.012	0.05	6.29	470	670	1.41	0.06	1.59	0.05	69.2	5.5	22	2.30	6.8
J597269		1.00	<0.005	0.07	6.36	35.9	650	1.41	0.07	1.59	0.03	53.8	6.2	22	2.58	8.1
J597270		0.66	<0.005	0.06	6.04	68.6	700	1.42	0.04	1.26	0.04	59.8	5.5	23	1.91	14.2
J597271		1.14	<0.005	0.06	6.61	22.7	680	1.41	0.05	1.63	0.05	70.5	7.7	25	2.58	8.9
J597272		1.67	<0.005	0.06	6.42	6.6	680	1.52	0.05	1.66	0.04	70.0	7.4	29	2.95	10.2
J597273		1.58	<0.005	0.08	6.13	12.4	640	1.41	0.05	1.77	0.04	64.6	8.1	30	2.63	13.4
J597274		1.65	<0.005	0.07	6.42	17.7	590	1.39	0.05	1.78	0.03	68.9	7.7	28	2.66	8.8
J597275		0.07	3.44	0.16	1.39	1.5	100	0.36	0.15	0.01	0.12	18.75	1.2	11	0.58	6.8
J597276		1.66	<0.005	0.07	6.48	10.2	640	1.58	0.06	1.87	0.04	74.3	8.1	27	3.15	10.0
J597277		1.65	<0.005	0.41	6.52	6.8	720	1.28	0.05	1.80	0.05	70.1	7.6	27	2.93	9.3
J597278		1.68	<0.005	0.07	6.82	8.1	730	1.33	0.05	2.01	0.05	66.4	8.5	27	2.69	8.5
J597279		1.11	<0.005	0.06	6.82	8.1	700	1.27	0.04	1.75	0.04	55.9	7.3	23	2.72	7.9
J597280		0.54	1.830	0.44	6.67	7750	790	1.29	0.60	2.14	0.05	74.4	20.6	26	2.91	10.2
J597281		0.58	<0.005	0.07	6.87	14.7	760	1.44	0.05	1.83	0.04	64.3	7.3	20	2.78	7.9
J597282		1.08	0.008	0.06	6.75	92.8	740	1.39	0.06	1.80	0.04	68.3	7.6	24	2.72	6.9
J597283		1.01	0.021	0.05	6.71	13.6	740	1.48	0.04	1.61	0.04	80.6	6.5	10	1.28	10.0
J597284		1.10	<0.005	0.05	6.24	21.0	660	1.34	0.04	1.53	0.04	74.7	6.1	10	0.75	68.0
J597285		1.53	<0.005	0.05	6.83	14.7	760	1.43	0.06	1.27	0.04	91.2	6.2	11	0.65	10.3
J597286		0.79	0.063	0.06	6.93	213	750	1.48	0.08	1.26	0.02	83.5	6.6	12	0.86	7.1
J597287		0.53	0.045	0.13	7.34	489	790	1.84	0.17	1.56	0.08	87.3	6.0	10	0.78	10.5
J597288		0.87	<0.005	0.05	6.94	19.7	760	1.58	0.05	1.72	0.04	80.5	6.2	11	1.27	4.9
J597289		1.00	<0.005	0.07	7.21	12.0	810	1.60	0.05	1.88	0.05	84.9	6.5	10	1.13	5.7
J597290		1.65	<0.005	0.06	7.11	12.9	810	1.52	0.06	1.67	0.03	84.3	6.5	13	0.68	13.4
J597291		1.53	0.005	0.04	6.39	9.7	800	1.22	0.04	1.70	0.03	76.3	5.4	13	0.53	8.8
J597292		1.44	<0.005	0.08	6.79	15.3	780	1.52	0.05	1.72	0.04	83.4	6.0	12	1.54	8.3
J597293		1.65	<0.005	0.06	6.75	24.2	790	1.52	0.04	1.62	0.04	80.8	6.4	9	0.80	6.0
J597294		0.56	0.013	0.08	7.40	705	880	1.59	0.06	1.19	0.04	89.0	6.3	9	0.96	5.9
J597295		1.19	0.005	0.05	6.99	18.7	770	1.60	0.04	1.15	0.04	89.7	7.0	12	1.12	6.4
J597296		1.59	<0.005	0.07	7.02	7.5	770	1.83	0.06	1.51	0.04	83.8	6.3	13	2.55	5.7
J597297		1.67	<0.005	0.04	7.26	7.4	790	1.58	0.06	1.66	0.04	94.3	6.3	12	1.07	6.3
J597298		1.60	0.011	0.07	6.21	8.1	730	1.37	0.06	1.44	0.03	81.1	6.4	13	0.64	6.3
J597299		1.76	<0.005	0.08	7.19	8.5	820	1.56	0.04	1.61	0.05	86.7	6.8	13	1.47	6.7
J597300		0.14	<0.005	0.06	6.76	2.2	960	1.21	0.09	1.46	0.07	28.6	2.4	13	1.78	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597261		2.08	15.70	0.20	4.4	0.027	2.54	30.5	33.0	0.58	379	0.76	2.63	11.0	15.1	470
J597262		2.03	16.25	0.21	4.5	0.032	2.60	31.7	25.6	0.58	349	0.70	2.93	9.9	17.7	490
J597263		2.08	15.70	0.21	4.5	0.028	2.50	33.1	35.6	0.61	355	0.55	2.62	9.9	17.6	460
J597264		2.53	17.80	0.20	4.8	0.038	2.15	33.5	41.9	0.80	447	0.54	2.79	12.9	23.4	550
J597265		2.10	15.95	0.19	3.9	0.027	2.47	31.6	35.1	0.60	365	0.51	2.59	10.1	17.0	460
J597266		1.47	15.85	0.17	4.9	0.012	2.73	31.2	21.0	0.31	213	0.54	2.74	10.5	6.1	310
J597267		2.06	16.20	0.22	4.2	0.026	2.50	32.4	36.9	0.59	349	0.59	2.58	10.6	16.1	440
J597268		1.85	15.40	0.20	4.0	0.031	2.52	32.4	27.6	0.56	359	0.79	2.52	9.9	14.5	430
J597269		1.88	15.40	0.20	3.7	0.022	2.50	24.6	33.9	0.55	321	0.42	2.62	9.6	15.1	400
J597270		1.80	14.35	0.19	4.0	0.021	2.63	27.6	31.0	0.53	283	0.38	2.64	8.6	16.3	360
J597271		2.11	15.90	0.21	4.1	0.030	2.60	32.8	36.2	0.63	354	0.65	2.67	11.0	17.3	450
J597272		2.08	15.60	0.21	4.1	0.028	2.48	32.4	35.0	0.63	357	0.62	2.56	11.4	18.1	450
J597273		2.18	15.70	0.21	4.2	0.027	2.33	29.8	38.6	0.65	384	0.38	2.62	10.8	19.6	490
J597274		2.19	15.80	0.22	4.5	0.031	2.31	32.2	39.2	0.68	377	0.35	2.59	10.5	19.6	480
J597275		1.23	3.58	0.08	0.5	0.011	0.14	9.6	19.6	0.02	92	0.72	<0.01	3.6	6.2	40
J597276		2.23	15.85	0.22	4.4	0.032	2.35	34.9	38.7	0.69	384	0.38	2.62	11.3	19.3	490
J597277		2.22	15.65	0.18	3.9	0.031	2.44	32.6	28.5	0.68	378	0.50	2.55	10.5	18.9	500
J597278		2.41	17.05	0.16	4.0	0.031	2.38	30.1	28.1	0.75	409	1.50	2.83	10.3	18.1	570
J597279		2.11	16.50	0.15	3.6	0.026	2.68	25.5	29.2	0.65	357	0.43	2.75	9.7	15.9	500
J597280		3.08	16.55	0.17	4.3	0.041	2.79	36.2	35.8	0.73	466	0.57	2.59	9.7	24.5	480
J597281		2.16	17.05	0.17	3.8	0.026	2.45	29.8	35.8	0.62	355	0.47	2.84	9.8	14.5	470
J597282		2.10	17.55	0.19	4.0	0.030	2.65	32.0	37.6	0.64	354	0.53	2.97	9.9	15.0	490
J597283		2.32	17.00	0.19	4.6	0.033	2.33	38.5	13.3	0.48	401	0.98	2.98	11.2	5.7	560
J597284		2.16	15.75	0.17	4.5	0.031	2.00	35.3	12.0	0.48	401	0.80	2.97	10.7	5.4	540
J597285		2.31	17.20	0.19	4.6	0.035	2.40	44.4	9.6	0.57	386	0.96	3.20	11.5	5.8	560
J597286		2.28	17.40	0.19	4.9	0.034	2.26	40.1	11.2	0.59	451	0.96	3.22	10.8	5.6	590
J597287		2.36	18.45	0.19	5.5	0.036	2.25	41.1	12.6	0.56	586	0.93	3.23	13.4	6.2	660
J597288		2.33	17.50	0.18	4.9	0.036	2.35	37.0	14.1	0.52	454	1.11	3.11	12.0	5.6	570
J597289		2.46	18.05	0.18	5.1	0.037	2.42	39.8	13.4	0.54	450	1.19	3.10	12.3	6.0	610
J597290		2.33	17.40	0.19	4.9	0.034	2.50	40.0	10.6	0.51	424	1.39	3.08	11.9	5.7	570
J597291		2.12	15.75	0.17	4.7	0.030	2.50	36.0	8.2	0.49	381	1.03	3.01	11.2	5.3	540
J597292		2.33	16.65	0.18	4.4	0.033	2.44	39.4	15.3	0.49	414	1.83	3.02	11.8	5.2	580
J597293		2.28	17.05	0.19	5.0	0.036	2.35	38.2	12.1	0.51	424	1.30	3.01	11.8	5.7	600
J597294		2.28	19.10	0.19	5.1	0.043	2.47	43.4	13.1	0.50	418	0.91	3.35	12.6	5.6	630
J597295		2.34	17.50	0.19	4.7	0.033	2.25	44.5	12.9	0.50	378	0.87	3.13	11.9	5.6	610
J597296		2.37	17.90	0.19	5.3	0.033	2.61	39.4	20.4	0.51	391	1.24	3.06	13.4	5.6	590
J597297		2.44	18.25	0.21	5.1	0.036	2.51	45.6	10.8	0.53	412	1.14	3.12	12.3	5.9	590
J597298		2.22	16.55	0.19	4.5	0.032	2.29	38.7	9.5	0.48	361	1.20	2.95	11.2	5.4	540
J597299		2.39	17.70	0.22	5.0	0.034	2.58	41.4	13.6	0.50	397	1.48	3.01	12.2	5.8	590
J597300		1.52	13.90	0.12	1.1	0.015	2.34	13.3	11.8	0.20	596	1.07	2.93	4.7	2.1	190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597261		17.5	104.5	<0.002	0.06	0.29	7.0	2	1.7	195.0	0.82	<0.05	11.6	0.238	0.53	2.4
J597262		17.7	98.1	<0.002	0.25	0.39	7.3	2	1.5	206	0.69	<0.05	12.5	0.243	0.45	2.5
J597263		17.6	109.0	<0.002	0.01	0.22	6.8	2	1.5	190.0	0.76	<0.05	13.9	0.233	0.58	2.9
J597264		17.2	100.0	<0.002	0.01	0.16	8.5	2	1.9	222	1.07	<0.05	13.0	0.274	0.56	3.2
J597265		17.0	115.0	<0.002	0.02	0.16	7.1	2	1.6	195.5	0.77	<0.05	11.1	0.236	0.60	2.2
J597266		20.9	129.0	<0.002	0.04	0.17	2.7	2	1.4	176.5	1.00	<0.05	25.8	0.173	0.64	3.6
J597267		18.4	122.0	<0.002	0.01	0.24	6.1	2	1.7	184.0	0.85	<0.05	18.5	0.227	0.63	3.1
J597268		13.9	115.5	<0.002	0.07	0.34	6.6	2	1.7	156.5	0.84	<0.05	13.6	0.218	0.52	2.7
J597269		16.1	117.0	<0.002	0.02	0.26	6.0	2	1.5	175.5	0.98	<0.05	12.0	0.203	0.54	3.0
J597270		11.7	107.5	<0.002	0.04	0.32	5.8	2	1.4	165.5	0.77	<0.05	11.9	0.195	0.47	2.6
J597271		15.7	119.5	<0.002	0.03	0.21	7.0	2	1.8	192.5	1.00	<0.05	11.8	0.234	0.56	2.5
J597272		17.6	121.5	<0.002	0.02	0.15	6.8	2	1.7	183.5	1.06	<0.05	13.8	0.238	0.62	3.2
J597273		14.7	98.4	<0.002	0.03	0.21	6.8	2	1.8	195.0	0.86	<0.05	10.8	0.238	0.57	2.3
J597274		13.7	109.5	<0.002	0.03	0.21	7.1	2	1.7	202	0.86	<0.05	11.6	0.242	0.55	2.6
J597275		29.8	15.9	<0.002	0.92	0.51	1.4	2	1.2	13.5	0.28	<0.05	3.5	0.081	0.37	0.4
J597276		15.5	113.0	<0.002	0.03	0.20	7.5	2	1.8	198.5	0.99	<0.05	12.6	0.249	0.59	2.7
J597277		17.9	116.0	<0.002	0.01	0.13	7.1	2	1.8	196.5	0.85	<0.05	11.3	0.248	0.62	2.2
J597278		15.2	94.6	<0.002	0.02	0.13	7.7	1	2.0	219	0.93	<0.05	10.0	0.277	0.60	2.5
J597279		16.3	104.0	<0.002	0.01	0.13	6.5	1	1.7	196.5	0.88	<0.05	9.5	0.251	0.63	2.8
J597280		15.8	110.5	<0.002	0.55	1.57	6.8	1	1.8	208	0.96	0.06	11.7	0.248	0.64	3.1
J597281		16.2	99.3	<0.002	0.01	0.22	6.4	1	1.7	217	0.96	<0.05	11.2	0.242	0.61	3.1
J597282		15.2	107.0	<0.002	0.04	0.24	6.9	1	1.9	208	0.89	<0.05	12.2	0.239	0.59	2.9
J597283		13.8	76.1	<0.002	0.03	0.20	7.3	1	1.8	177.0	0.93	<0.05	11.8	0.281	0.40	3.1
J597284		11.4	60.2	<0.002	0.08	0.32	7.0	1	1.8	163.0	0.86	<0.05	10.2	0.269	0.30	2.2
J597285		11.9	72.5	<0.002	0.11	0.23	7.2	1	2.0	157.0	1.02	<0.05	12.9	0.280	0.35	3.2
J597286		10.5	66.9	<0.002	0.12	0.36	7.5	1	2.0	156.5	0.91	<0.05	11.9	0.280	0.31	2.8
J597287		13.0	61.5	<0.002	0.29	0.39	8.5	1	2.2	191.0	1.29	0.07	12.6	0.321	0.26	3.1
J597288		14.3	68.9	<0.002	0.02	0.23	7.3	1	1.9	197.5	1.04	<0.05	12.3	0.289	0.37	3.2
J597289		16.1	73.3	<0.002	0.02	0.28	7.9	1	2.1	210	1.04	<0.05	12.2	0.303	0.39	3.2
J597290		14.1	75.0	<0.002	0.05	0.22	7.6	1	2.0	180.0	1.06	<0.05	13.7	0.284	0.36	3.4
J597291		8.6	75.7	<0.002	0.03	0.20	7.1	1	1.8	124.5	0.97	<0.05	11.4	0.272	0.38	2.6
J597292		13.6	77.6	<0.002	0.04	0.20	7.2	1	1.9	180.0	1.06	<0.05	12.1	0.288	0.42	2.7
J597293		12.2	67.7	<0.002	0.02	0.29	7.5	1	1.9	181.5	1.03	<0.05	12.2	0.290	0.36	2.7
J597294		12.9	74.6	<0.002	0.08	0.58	8.2	2	2.2	184.0	1.09	<0.05	13.7	0.307	0.36	2.8
J597295		11.5	67.8	<0.002	0.04	0.28	7.6	1	1.9	183.0	1.04	<0.05	12.9	0.290	0.31	3.0
J597296		16.2	106.5	<0.002	0.02	0.21	7.6	1	2.2	194.5	1.36	<0.05	13.4	0.295	0.56	3.7
J597297		13.4	82.1	<0.002	0.02	0.16	7.7	2	2.1	199.0	1.05	<0.05	14.6	0.293	0.40	3.5
J597298		11.2	64.2	<0.002	0.05	0.16	6.6	1	1.9	168.5	0.95	<0.05	13.0	0.274	0.34	3.1
J597299		13.5	83.5	0.002	0.01	0.18	7.5	2	2.0	200	1.04	<0.05	13.5	0.297	0.42	3.2
J597300		11.9	60.8	<0.002	<0.01	0.18	5.3	1	1.7	190.0	0.48	<0.05	5.8	0.122	0.37	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597261		39	1.8	17.2	45	159.5
J597262		40	7.2	15.9	34	160.0
J597263		38	0.7	16.4	45	166.5
J597264		46	0.6	20.3	55	176.5
J597265		38	0.7	15.6	47	147.5
J597266		23	0.7	13.5	32	177.5
J597267		37	0.5	15.9	46	151.0
J597268		37	8.4	15.2	34	147.0
J597269		33	0.5	15.1	41	124.5
J597270		32	0.6	13.2	35	142.0
J597271		37	1.1	17.2	44	146.5
J597272		39	0.7	16.9	45	145.5
J597273		41	0.4	15.5	46	156.0
J597274		42	0.6	16.8	47	166.5
J597275		7	0.9	2.7	13	19.3
J597276		42	0.8	17.7	47	161.5
J597277		42	0.4	17.0	48	147.0
J597278		47	1.4	19.0	52	172.0
J597279		41	0.5	16.8	45	150.5
J597280		41	1.9	18.9	43	176.5
J597281		40	0.4	17.0	46	160.0
J597282		40	1.3	17.6	43	167.0
J597283		42	1.1	22.0	46	204
J597284		39	1.5	21.4	42	201
J597285		40	1.8	22.1	40	194.0
J597286		42	2.3	23.1	40	211
J597287		46	3.7	26.3	39	227
J597288		42	1.4	22.2	46	205
J597289		45	1.3	23.9	48	223
J597290		42	1.4	23.8	43	208
J597291		38	1.2	21.4	36	204
J597292		41	1.2	22.4	48	191.5
J597293		42	1.1	23.1	46	211
J597294		44	1.9	23.6	43	217
J597295		42	1.3	23.6	45	206
J597296		43	1.1	25.8	53	217
J597297		43	1.2	24.4	44	211
J597298		40	1.2	20.9	38	193.5
J597299		42	1.3	23.6	47	219
J597300		15	1.0	19.3	46	30.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597301		0.54	0.014	0.06	7.16	11.8	800	1.56	0.06	1.76	0.06	91.7	6.3	10	1.01	6.4
J597302		1.13	<0.005	0.06	7.26	8.4	810	1.59	0.04	1.73	0.04	87.2	6.6	12	0.90	9.3
J597303		1.49	<0.005	0.08	7.11	13.5	840	1.51	0.04	1.81	0.05	84.4	6.4	14	1.32	8.0
J597304		1.55	<0.005	0.07	7.20	4.3	870	1.60	0.04	1.66	0.04	93.5	6.2	11	2.68	6.5
J597305		1.66	0.005	0.09	6.93	12.2	780	1.63	0.04	1.71	0.05	86.6	6.6	13	2.96	6.4
J597306		1.62	<0.005	0.07	6.94	1.8	800	1.53	0.03	1.67	0.05	82.4	6.3	13	2.74	6.4
J597307		1.64	<0.005	0.05	7.11	4.1	790	1.42	0.03	1.71	0.03	90.4	6.6	15	2.71	6.6
J597308		1.63	<0.005	0.08	6.90	19.0	770	1.48	0.04	1.67	0.05	82.0	6.4	12	2.58	7.2
J597309		1.74	0.035	0.08	7.02	968	770	1.67	0.09	1.65	0.07	93.2	6.4	11	2.59	5.6
J597310		1.76	<0.005	0.08	6.94	20.6	800	1.47	0.06	1.73	0.06	83.9	7.4	15	2.76	7.5
J597311		1.60	<0.005	0.08	6.99	9.0	800	1.56	0.05	1.71	0.04	80.1	6.6	13	2.65	6.4
J597312		1.65	<0.005	0.09	7.24	4.5	830	1.44	0.04	1.76	0.04	99.1	6.6	11	2.49	6.0
J597313		1.77	0.005	0.07	6.88	15.1	770	1.57	0.05	1.60	0.05	81.5	6.4	13	2.55	5.6
J597314		0.54	0.046	0.05	6.86	1165	860	1.45	0.09	1.72	0.05	74.5	6.0	10	2.18	9.9
J597315		1.09	<0.005	0.05	6.64	85.4	810	1.38	0.05	1.62	0.05	71.6	5.5	11	2.55	6.7
J597316		1.47	0.006	0.08	6.89	53.6	830	1.20	0.04	1.62	0.06	69.3	6.3	13	2.54	6.6
J597317		0.51	0.152	0.12	6.78	1445	830	1.28	0.12	1.63	8.99	81.6	5.4	12	1.31	25.8
J597318		0.87	<0.005	0.07	7.20	29.3	880	1.22	0.06	1.71	0.06	80.3	6.7	13	2.23	6.3
J597319		1.18	<0.005	0.09	6.94	24.0	730	1.20	0.05	1.86	0.05	81.6	7.0	13	3.15	6.8
J597320		0.54	0.025	0.08	6.95	61.3	820	1.22	0.06	1.93	0.06	74.5	6.6	14	1.76	6.8
J597321		1.28	<0.005	0.07	7.13	14.0	790	1.27	0.05	1.88	0.05	71.9	6.9	13	2.51	7.5
J597322		0.57	0.018	0.16	7.25	41.6	770	1.25	0.07	1.92	0.09	84.2	6.7	10	2.43	8.9
J597323		1.87	<0.005	0.07	6.72	2.8	790	1.08	0.04	1.55	0.05	89.8	5.7	13	2.24	5.3
J597324		1.59	<0.005	0.05	6.88	6.7	800	1.39	0.05	1.75	0.06	89.3	6.9	19	3.05	7.5
J597325		0.78	<0.005	0.04	6.68	7.2	780	1.26	0.05	1.63	0.05	88.9	6.4	12	2.83	5.9
J597326		1.81	<0.005	0.04	6.66	8.3	760	1.28	0.06	1.63	0.06	87.9	6.0	12	2.58	6.9
J597327		1.77	<0.005	0.03	6.53	7.6	820	1.20	0.05	1.61	0.05	72.7	6.0	13	2.91	5.6
J597328		1.74	<0.005	0.03	6.65	2.1	770	1.26	0.04	1.62	0.05	93.1	6.2	15	3.07	5.7
J597329		1.86	<0.005	0.02	6.59	6.7	770	1.28	0.04	1.60	0.05	82.9	5.8	12	2.94	4.7
J597330		1.99	<0.005	0.03	6.92	4.7	780	1.33	0.04	1.70	0.06	91.1	6.4	14	3.32	5.4
J597331		1.90	<0.005	0.04	6.82	11.4	780	1.60	0.05	1.63	0.05	88.4	6.1	13	3.16	6.1
J597332		1.78	<0.005	0.03	6.86	4.0	740	1.56	0.06	1.66	0.05	89.5	6.1	14	3.16	5.5
J597333		1.84	<0.005	0.05	6.81	3.7	740	1.40	0.06	1.68	0.05	88.8	6.2	14	3.01	5.3
J597334		1.88	<0.005	0.04	6.80	3.3	800	1.44	0.06	1.68	0.05	87.9	6.3	16	3.27	6.3
J597335		1.83	<0.005	0.04	6.83	4.5	800	1.39	0.05	1.66	0.05	88.8	6.4	13	3.35	6.2
J597336		1.86	<0.005	0.03	6.70	2.4	870	1.33	0.05	1.65	0.05	90.6	6.2	16	3.16	5.6
J597337		1.89	<0.005	0.04	6.98	2.0	790	1.30	0.05	1.69	0.06	88.8	6.4	13	3.04	5.9
J597338		1.78	0.005	0.04	6.54	18.3	780	1.25	0.06	1.66	0.05	85.4	6.3	16	2.72	5.0
J597339		1.36	0.005	0.06	6.71	23.7	750	1.34	0.09	1.70	0.06	89.5	7.9	12	3.47	9.5
J597340		0.62	0.024	0.12	6.61	36.8	840	1.56	0.11	1.88	0.05	89.0	5.7	11	2.64	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597301		2.37	17.75	0.20	4.9	0.037	2.36	43.6	12.1	0.52	421	1.70	3.23	12.0	5.6	580
J597302		2.40	18.00	0.20	5.3	0.035	2.50	41.4	8.2	0.51	412	0.95	3.09	12.4	6.0	590
J597303		2.46	17.90	0.18	4.9	0.034	2.59	39.6	11.9	0.52	429	1.11	3.09	11.8	6.0	600
J597304		2.29	17.65	0.20	4.4	0.030	2.69	46.5	20.4	0.49	382	1.30	2.95	11.3	5.5	550
J597305		2.42	17.45	0.20	4.9	0.033	2.55	40.3	23.8	0.52	419	1.38	2.95	12.7	5.7	610
J597306		2.36	17.35	0.18	5.1	0.034	2.69	38.5	23.2	0.49	402	1.17	2.95	11.8	5.5	590
J597307		2.45	17.65	0.21	5.0	0.033	2.72	42.6	25.7	0.52	411	1.00	2.98	11.9	5.8	600
J597308		2.33	16.95	0.19	4.5	0.034	2.59	38.6	26.3	0.49	395	0.94	2.93	11.7	5.5	590
J597309		2.29	17.45	0.20	5.3	0.034	2.71	44.3	23.7	0.49	387	1.56	2.98	11.7	5.7	580
J597310		2.40	16.95	0.19	4.9	0.033	2.53	40.3	29.1	0.50	396	1.38	2.88	11.5	6.0	580
J597311		2.38	17.45	0.20	4.8	0.037	2.59	37.8	30.7	0.51	406	1.14	2.97	11.7	6.0	600
J597312		2.46	17.60	0.21	5.0	0.035	2.71	47.9	31.6	0.52	417	1.40	2.98	11.6	6.0	590
J597313		2.27	17.20	0.19	4.8	0.033	2.67	37.8	29.5	0.47	384	1.21	2.92	11.8	5.5	560
J597314		2.34	17.80	0.12	5.4	0.043	2.80	34.3	24.0	0.50	411	0.97	3.11	12.0	5.7	570
J597315		2.19	16.75	0.11	5.0	0.036	2.70	33.0	26.3	0.47	363	0.78	2.94	11.4	5.9	530
J597316		2.30	16.95	0.15	4.3	0.035	2.85	33.2	18.0	0.50	374	0.89	3.09	12.9	6.2	570
J597317		2.13	17.00	0.15	5.2	0.114	2.63	41.6	12.3	0.52	390	0.92	3.23	12.3	6.7	590
J597318		2.32	17.40	0.16	4.9	0.038	2.87	41.0	15.3	0.50	389	0.90	3.10	13.6	6.1	550
J597319		2.63	17.05	0.17	5.0	0.046	2.64	40.6	25.9	0.60	453	1.28	2.97	14.0	7.6	610
J597320		2.39	16.65	0.16	5.0	0.040	2.78	36.8	13.0	0.51	419	1.04	2.94	12.9	6.6	570
J597321		2.44	17.15	0.15	5.3	0.040	2.65	34.8	19.1	0.53	426	1.45	3.06	13.3	7.2	590
J597322		2.50	17.35	0.16	4.9	0.040	2.61	41.6	22.2	0.53	432	1.31	3.17	12.8	6.9	590
J597323		2.10	15.75	0.15	4.4	0.035	2.88	45.9	17.4	0.43	355	9.52	2.89	10.8	5.4	490
J597324		2.40	18.00	0.13	5.3	0.041	2.67	40.9	24.4	0.51	417	1.83	2.81	12.0	7.3	560
J597325		2.29	17.40	0.14	5.0	0.038	2.58	41.9	22.5	0.48	399	5.38	2.75	12.2	6.6	550
J597326		2.20	17.10	0.15	5.0	0.036	2.48	40.9	21.4	0.46	373	1.05	2.80	11.9	6.0	530
J597327		2.16	15.95	0.13	4.4	0.034	2.59	33.1	23.7	0.47	371	1.68	2.78	11.3	6.0	540
J597328		2.26	16.40	0.15	5.0	0.035	2.51	43.7	22.0	0.47	388	1.49	2.76	11.8	6.3	550
J597329		2.18	16.30	0.14	5.3	0.035	2.58	37.5	24.3	0.46	375	0.90	2.79	11.1	6.1	530
J597330		2.33	17.00	0.15	5.7	0.039	2.61	42.4	25.8	0.48	399	1.14	2.91	12.1	6.7	560
J597331		2.24	17.20	0.16	5.7	0.034	2.67	40.0	21.9	0.46	391	1.20	2.86	12.6	6.3	550
J597332		2.23	17.45	0.16	5.5	0.038	2.66	41.6	17.6	0.44	389	1.26	2.82	13.1	6.4	530
J597333		2.26	16.75	0.16	5.4	0.038	2.55	42.0	22.4	0.47	393	1.21	2.84	11.9	6.5	550
J597334		2.32	17.35	0.16	5.4	0.039	2.61	40.3	24.6	0.47	405	1.22	2.86	12.4	6.6	570
J597335		2.26	17.45	0.17	5.5	0.038	2.61	40.9	25.6	0.47	399	1.38	2.83	12.2	6.7	560
J597336		2.26	16.80	0.16	5.2	0.038	2.65	42.5	20.0	0.46	394	1.51	2.75	11.8	6.5	550
J597337		2.31	17.30	0.16	5.5	0.038	2.70	40.9	21.7	0.48	398	1.71	2.85	11.6	6.8	570
J597338		2.24	15.95	0.16	4.9	0.034	2.48	39.8	24.6	0.48	393	1.72	2.78	11.2	6.6	550
J597339		2.30	16.30	0.16	5.4	0.039	2.59	41.1	25.7	0.49	397	1.33	2.83	12.2	6.8	570
J597340		2.36	17.10	0.15	5.5	0.040	2.56	41.2	19.0	0.52	419	1.41	2.74	12.3	6.6	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597301		13.3	68.7	<0.002	0.11	0.19	7.8	1	2.0	192.0	1.06	<0.05	13.4	0.293	0.36	3.1
J597302		13.8	72.9	<0.002	0.01	0.19	7.7	2	2.0	230	1.11	<0.05	14.0	0.298	0.34	3.4
J597303		14.5	79.8	<0.002	0.01	0.19	7.6	1	1.9	219	0.99	<0.05	11.7	0.302	0.42	2.9
J597304		14.9	109.0	<0.002	0.01	0.09	7.1	1	1.9	201	0.94	<0.05	12.8	0.279	0.56	3.0
J597305		13.1	100.5	<0.002	0.02	0.13	7.8	2	2.0	192.0	1.09	<0.05	12.2	0.308	0.56	2.9
J597306		14.2	100.5	<0.002	0.01	0.05	7.4	1	2.0	194.0	0.99	<0.05	11.5	0.297	0.54	2.8
J597307		13.9	103.0	<0.002	0.01	0.11	7.6	2	2.0	197.5	1.02	<0.05	12.4	0.301	0.56	2.9
J597308		14.1	99.0	<0.002	0.02	0.17	7.3	1	2.0	194.5	0.98	<0.05	11.5	0.293	0.54	2.9
J597309		16.6	102.0	<0.002	0.11	0.69	7.3	2	2.0	193.0	1.08	<0.05	13.7	0.284	0.52	3.4
J597310		14.7	97.8	<0.002	0.03	0.18	7.3	2	2.0	201	0.94	<0.05	12.4	0.295	0.55	3.1
J597311		14.2	99.0	<0.002	0.01	0.15	7.5	2	2.0	207	0.95	<0.05	11.5	0.302	0.56	2.7
J597312		15.0	104.0	<0.002	0.01	0.09	7.7	2	1.9	208	0.93	<0.05	12.5	0.306	0.56	2.8
J597313		14.7	102.5	0.002	0.01	0.22	7.2	2	2.0	189.5	1.06	<0.05	13.0	0.282	0.55	3.4
J597314		13.8	88.8	<0.002	0.16	0.60	6.9	1	2.0	206	1.10	<0.05	10.8	0.300	0.51	2.7
J597315		14.2	89.6	<0.002	0.05	0.47	6.4	1	1.9	196.5	1.07	<0.05	10.7	0.282	0.55	2.8
J597316		13.2	89.8	<0.002	0.08	0.37	7.4	1	2.0	199.0	1.13	<0.05	10.5	0.299	0.56	2.6
J597317		13.0	81.5	<0.002	0.30	0.65	7.4	1	2.2	173.0	1.17	<0.05	11.8	0.297	0.46	3.3
J597318		15.7	94.9	<0.002	0.02	0.38	6.9	1	2.2	207	1.26	<0.05	11.9	0.294	0.58	3.4
J597319		14.1	100.5	<0.002	0.02	0.39	8.8	1	2.3	194.5	1.15	<0.05	11.7	0.318	0.65	3.1
J597320		13.4	86.1	<0.002	0.15	0.36	7.1	1	2.2	191.5	1.12	<0.05	11.4	0.298	0.52	2.9
J597321		14.7	87.7	<0.002	0.03	0.20	7.5	1	2.1	203	1.17	<0.05	10.5	0.305	0.58	2.9
J597322		14.8	85.0	<0.002	0.16	0.22	7.5	1	2.0	200	1.12	<0.05	11.5	0.313	0.55	2.9
J597323		16.8	91.2	0.002	0.02	0.12	6.1	1	1.7	182.5	0.99	<0.05	11.4	0.260	0.59	2.4
J597324		18.3	110.0	<0.002	0.02	0.16	9.0	1	2.2	190.5	1.22	<0.05	12.9	0.296	0.64	3.6
J597325		17.5	107.5	<0.002	0.01	0.15	8.4	2	2.1	186.0	1.18	<0.05	12.7	0.282	0.61	3.3
J597326		16.4	101.5	<0.002	0.02	0.19	8.0	2	2.0	186.0	1.10	<0.05	12.3	0.275	0.58	3.2
J597327		14.5	107.0	<0.002	0.03	0.20	7.9	2	1.9	180.0	1.01	<0.05	12.0	0.278	0.59	3.0
J597328		17.2	104.5	<0.002	0.01	0.13	8.0	2	2.0	187.0	1.11	<0.05	12.3	0.288	0.60	3.1
J597329		17.4	106.5	<0.002	0.01	0.19	7.8	2	1.9	183.5	1.03	<0.05	11.6	0.277	0.62	3.1
J597330		18.7	112.5	<0.002	0.01	0.21	8.3	2	2.1	195.0	1.12	<0.05	13.0	0.296	0.64	3.5
J597331		19.1	120.0	<0.002	0.02	0.18	8.1	2	2.1	189.0	1.41	<0.05	13.1	0.290	0.67	3.9
J597332		21.1	119.5	<0.002	0.01	0.16	8.0	2	2.2	185.0	1.40	<0.05	16.0	0.279	0.69	4.8
J597333		18.7	111.0	<0.002	0.01	0.21	7.9	2	2.1	189.0	1.15	<0.05	15.1	0.289	0.66	3.8
J597334		20.2	113.0	<0.002	0.01	0.18	8.3	2	2.2	194.5	1.16	<0.05	14.2	0.294	0.67	3.9
J597335		19.3	111.0	<0.002	0.01	0.19	8.3	2	2.2	193.0	1.11	<0.05	13.3	0.293	0.66	3.5
J597336		18.9	112.5	<0.002	0.01	0.12	8.1	2	2.1	188.0	1.06	<0.05	12.3	0.286	0.65	3.1
J597337		18.2	111.0	<0.002	0.01	0.12	8.4	2	2.0	198.0	1.03	<0.05	12.2	0.294	0.66	3.2
J597338		15.2	100.5	<0.002	0.03	0.35	7.9	2	1.9	187.0	1.00	<0.05	11.6	0.283	0.58	2.8
J597339		17.0	107.5	<0.002	0.10	0.35	8.4	2	2.1	188.5	1.16	<0.05	12.3	0.302	0.63	3.3
J597340		15.4	109.5	<0.002	0.18	0.40	8.1	2	2.4	179.0	1.15	<0.05	11.9	0.300	0.63	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597301		42	1.7	23.6	46	208
J597302		43	0.9	24.5	45	225
J597303		45	0.9	22.4	50	211
J597304		40	0.6	22.5	49	191.0
J597305		44	1.0	23.9	52	213
J597306		43	0.9	22.3	50	227
J597307		44	0.7	22.7	52	210
J597308		42	1.2	22.3	50	197.0
J597309		42	2.9	22.9	50	225
J597310		42	1.1	21.8	51	213
J597311		43	1.2	22.2	52	208
J597312		44	1.3	22.3	54	214
J597313		41	0.5	22.7	49	202
J597314		44	2.1	20.3	42	210
J597315		40	0.8	19.7	46	202
J597316		43	1.8	19.1	44	184.5
J597317		45	4.0	20.6	749	210
J597318		41	1.3	20.9	50	202
J597319		49	1.1	23.6	56	215
J597320		43	1.9	20.1	44	213
J597321		45	1.1	20.8	51	224
J597322		45	3.5	20.9	50	209
J597323		36	1.1	17.9	45	178.0
J597324		43	0.5	22.5	51	203
J597325		40	0.4	21.2	49	187.0
J597326		38	0.5	20.5	46	193.0
J597327		40	0.7	19.6	43	168.5
J597328		41	0.4	20.3	47	186.5
J597329		39	0.5	19.3	47	208
J597330		42	0.4	21.2	51	220
J597331		41	0.7	21.8	49	211
J597332		38	0.9	23.1	49	198.0
J597333		41	1.0	21.2	49	199.5
J597334		42	0.9	21.6	50	207
J597335		42	1.3	21.2	48	209
J597336		41	1.9	20.5	48	202
J597337		43	2.3	20.5	49	211
J597338		40	0.7	19.4	45	188.5
J597339		43	2.5	21.3	46	197.5
J597340		43	3.0	20.5	35	203

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597341		1.71	<0.005	0.03	6.79	2.4	820	1.53	0.07	1.60	0.05	94.8	6.3	14	2.89	5.3
J597342		1.23	<0.005	0.03	7.04	3.1	810	1.36	0.07	1.72	0.06	93.1	6.7	12	2.96	5.7
J597343		0.87	<0.005	0.16	7.17	7.4	780	1.35	0.10	1.72	0.07	85.0	6.4	14	3.14	9.8
J597344		1.07	0.048	0.24	6.73	67.5	760	1.38	0.85	1.56	0.26	89.0	6.6	12	1.83	66.3
J597345		0.61	0.043	0.13	6.76	23.1	770	1.33	0.30	1.62	0.09	89.4	6.5	12	2.90	27.3
J597346		1.91	<0.005	0.03	6.81	4.0	810	1.40	0.06	1.62	0.05	88.5	6.1	16	3.05	5.4
J597347		1.98	<0.005	0.04	6.82	3.0	740	1.49	0.05	1.68	0.05	89.0	6.1	12	3.00	5.5
J597348		1.91	<0.005	0.07	6.67	3.5	740	1.36	0.05	1.65	0.05	83.5	6.3	16	2.93	6.2
J597349		1.93	0.012	0.25	6.89	18.8	750	1.31	0.20	1.66	0.08	83.9	6.3	13	2.72	26.1
J597350		0.07	8.23	0.41	7.34	3.5	190	2.22	0.12	1.01	0.44	16.05	10.1	38	1.34	16.2
J597351		1.92	0.008	0.03	6.80	5.6	820	1.42	0.08	1.64	0.05	84.5	6.3	13	2.51	5.9
J597352		1.78	0.026	0.40	6.91	27.4	820	1.63	1.62	1.61	0.09	86.2	9.6	26	3.41	70.3
J597353		0.62	0.113	0.21	6.79	20.6	730	1.58	0.43	1.78	0.10	79.1	8.6	29	3.26	65.9
J597354		0.59	0.005	0.06	6.68	18.8	680	1.50	0.17	1.57	0.05	69.9	6.5	25	2.88	13.0
J597355		1.15	<0.005	0.05	6.62	11.1	690	1.25	0.09	1.83	0.05	73.0	6.9	27	2.54	9.4
J597356		1.17	<0.005	0.02	7.23	9.3	710	1.61	0.09	1.94	0.05	81.1	7.6	30	2.85	10.2
J597357		1.56	<0.005	0.04	6.56	11.7	660	1.40	0.08	1.78	0.04	69.0	7.0	27	2.89	9.4
J597358		1.76	0.011	0.03	6.68	21.8	660	1.49	0.14	1.83	0.07	64.8	7.0	28	2.61	11.6
J597359		0.91	0.047	0.05	6.93	250	740	1.39	0.22	1.60	0.08	80.2	8.5	32	2.46	20.0
J597360		0.89	<0.005	0.04	6.42	17.7	480	1.47	0.10	1.34	0.05	64.9	4.5	29	3.81	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J597341		2.20	17.25	0.16	5.6	0.036	2.74	45.0	20.5	0.46	374	1.46	2.79	12.9	6.1	540
J597342		2.44	17.65	0.16	5.3	0.041	2.64	43.9	22.8	0.50	411	1.25	2.84	12.4	6.8	580
J597343		2.29	17.50	0.16	5.7	0.040	2.79	39.3	24.2	0.49	392	1.73	2.98	11.9	6.7	570
J597344		2.12	16.55	0.15	5.2	0.046	2.63	41.4	19.5	0.45	345	4.61	3.01	11.7	6.4	540
J597345		2.25	16.90	0.16	5.2	0.037	2.60	41.2	22.7	0.47	378	1.19	3.08	12.2	6.1	540
J597346		2.21	17.15	0.16	5.1	0.038	2.65	40.2	24.2	0.45	386	1.30	2.89	11.9	6.3	540
J597347		2.22	17.10	0.17	5.7	0.037	2.56	41.2	19.7	0.46	391	1.30	2.87	12.1	6.3	550
J597348		2.27	16.45	0.15	5.1	0.037	2.58	37.9	22.2	0.48	392	1.35	2.78	11.4	7.1	550
J597349		2.22	16.75	0.16	5.3	0.038	2.60	38.9	17.2	0.48	406	2.59	2.92	11.4	6.4	560
J597350		4.49	18.80	0.12	1.3	0.015	2.31	7.5	2.2	0.96	279	1.99	5.08	8.7	38.5	670
J597351		2.27	17.05	0.18	5.3	0.032	2.60	40.1	25.4	0.48	388	0.95	2.78	10.9	6.3	560
J597352		2.24	17.25	0.22	4.9	0.029	2.88	44.7	32.6	0.61	369	4.83	2.73	10.4	15.1	490
J597353		2.44	16.85	0.20	4.2	0.039	2.47	37.3	35.4	0.70	409	0.93	2.84	11.6	18.7	570
J597354		1.98	16.50	0.22	5.0	0.025	2.85	33.8	31.2	0.58	351	0.98	2.68	11.5	15.5	440
J597355		2.23	15.75	0.22	4.8	0.025	2.49	36.4	32.6	0.66	402	0.35	2.69	10.2	16.7	490
J597356		2.34	18.05	0.27	4.7	0.030	2.58	38.4	32.5	0.70	422	0.38	2.98	11.2	19.4	530
J597357		2.19	16.10	0.19	3.8	0.025	2.38	32.6	30.8	0.65	399	0.39	2.68	9.7	16.7	490
J597358		2.22	16.45	0.22	4.2	0.029	2.49	31.1	27.3	0.67	399	2.91	2.69	9.5	16.6	500
J597359		2.30	17.50	0.20	4.9	0.032	2.80	40.4	26.8	0.69	387	6.75	2.63	9.4	17.9	540
J597360		1.80	15.35	0.20	3.6	0.024	2.86	30.5	23.5	0.53	331	0.68	2.71	9.8	13.4	350

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J597341		19.7	125.5	<0.002	0.01	0.19	7.5	2	2.3	188.5	1.33	<0.05	13.8	0.292	0.74	3.9
J597342		18.1	113.0	<0.002	0.02	0.14	8.7	2	2.2	200	1.14	<0.05	12.7	0.299	0.68	3.5
J597343		17.3	119.0	<0.002	0.04	0.27	8.5	2	2.1	213	1.09	<0.05	14.2	0.298	0.70	3.8
J597344		27.7	102.5	<0.002	0.42	0.46	8.0	2	2.5	150.5	1.12	0.07	14.1	0.277	0.58	3.7
J597345		30.1	113.0	<0.002	0.25	0.47	8.0	2	2.2	180.5	1.13	<0.05	14.8	0.286	0.69	4.1
J597346		20.1	111.5	<0.002	0.01	0.26	7.8	2	2.1	191.5	1.15	<0.05	15.1	0.282	0.68	3.9
J597347		18.8	110.5	<0.002	0.01	0.29	7.9	2	2.1	192.0	1.20	<0.05	14.1	0.287	0.64	3.8
J597348		18.9	105.5	<0.002	0.01	0.49	7.9	2	2.0	187.0	1.11	<0.05	12.5	0.288	0.64	3.3
J597349		16.1	102.5	<0.002	0.06	1.87	7.8	2	2.0	190.0	1.01	<0.05	12.0	0.286	0.60	3.0
J597350		86.1	192.0	0.004	3.36	1.00	3.2	1	1.1	172.5	0.76	<0.05	2.3	0.263	1.97	0.9
J597351		14.3	95.0	0.002	0.01	0.57	6.9	<1	2.0	201	0.93	<0.05	10.6	0.290	0.55	2.5
J597352		17.3	119.0	0.004	0.16	0.83	6.9	1	2.1	195.0	1.06	<0.05	13.3	0.254	0.71	3.2
J597353		19.8	121.0	0.003	0.29	0.78	7.3	1	2.1	190.5	1.20	<0.05	13.1	0.272	0.73	3.3
J597354		21.1	123.5	0.002	0.03	0.71	6.3	1	2.0	182.0	1.21	<0.05	16.8	0.223	0.71	4.4
J597355		17.4	103.0	0.003	0.02	0.54	6.6	1	2.2	202	1.07	<0.05	12.5	0.249	0.67	3.7
J597356		18.1	112.0	0.004	0.01	0.48	7.3	1	2.3	217	1.20	<0.05	13.9	0.263	0.69	3.4
J597357		15.5	105.5	0.003	0.01	0.40	6.6	<1	2.0	196.5	1.03	<0.05	11.6	0.238	0.64	2.9
J597358		16.4	102.0	0.003	0.14	0.45	6.8	<1	2.0	206	1.04	<0.05	12.0	0.247	0.66	3.1
J597359		15.0	111.0	0.005	0.21	0.50	7.6	1	2.1	188.0	1.00	<0.05	12.6	0.266	0.67	3.4
J597360		17.4	131.0	0.004	0.03	0.48	5.3	<1	2.0	149.0	1.16	<0.05	14.7	0.188	0.75	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597341		40	1.3	21.6	48	208
J597342		42	0.9	22.0	50	199.0
J597343		43	1.7	21.0	50	216
J597344		39	40.9	21.7	76	193.5
J597345		39	5.5	21.1	55	186.5
J597346		40	1.1	20.5	47	191.0
J597347		41	0.9	21.1	48	216
J597348		40	1.0	19.8	49	188.0
J597349		40	1.7	19.5	46	203
J597350		34	0.2	4.6	44	44.9
J597351		40	0.6	19.3	49	201
J597352		41	17.5	17.6	46	163.5
J597353		45	6.2	18.3	49	148.0
J597354		37	1.0	18.1	44	164.0
J597355		42	0.9	17.0	50	176.0
J597356		44	0.5	19.7	53	160.0
J597357		40	0.6	16.4	49	126.0
J597358		42	4.5	15.9	48	144.0
J597359		47	4.1	17.1	46	172.5
J597360		29	1.2	14.9	43	116.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 29-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11055645

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.