ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

CERTIFICATE TB10169633

Project: TPK ROWLANDSON

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346907		1.65	<0.005	0.08	7.51	30.6	740	1.62	0.06	2.03	0.05	73.3	9.4	29	3.84	8.5
I346908		0.37	0.165	0.08	7.40	2310	730	1.59	0.13	2.03	0.05	70.9	10.5	27	3.06	13.2
I346909		0.43	<0.005	0.08	7.45	39.9	760	1.53	0.05	2.01	0.04	66.5	8.9	29	3.60	7.0
I346910		1.86	<0.005	0.08	7.14	32.5	700	1.52	0.04	1.93	0.04	69.2	9.3	28	3.62	8.3
I346911		1.88	<0.005	0.08	7.42	64.8	780	1.60	0.05	1.99	0.05	73.8	8.9	29	3.46	8.6
I346912		0.82	0.005	0.06	7.14	125.0	850	1.56	0.05	1.69	0.04	69.5	5.4	17	2.74	5.8
I346913		0.37	1.525	0.75	7.31	3710	900	1.40	0.16	1.55	0.04	74.5	13.5	18	2.08	8.2
I346914		1.03	<0.005	0.05	7.09	28.3	970	1.45	0.03	1.61	0.03	83.4	8.6	23	2.90	5.8
I346915		1.54	<0.005	0.05	7.27	19.5	960	1.39	0.04	1.68	0.03	75.6	7.5	24	3.10	6.5
I346916		1.78	<0.005	0.05	7.12	17.6	920	1.59	0.04	1.63	0.03	75.9	7.0	22	3.25	5.2
I346917		0.39	<0.005	0.08	6.87	66.0	800	1.73	0.07	1.43	0.64	71.1	5.8	22	3.63	8.0
I346918		1.81	<0.005	0.11	7.18	73.9	780	1.86	0.07	1.65	0.06	79.5	7.6	22	3.71	7.7
I346919		1.76	<0.005	0.07	7.26	4.3	700	1.41	0.05	1.91	0.03	69.1	8.4	30	2.85	7.8
I346920		0.39	0.014	0.05	7.19	12.5	750	1.60	0.08	1.99	0.06	70.6	9.4	28	3.05	9.1
I346921		0.82	0.006	0.08	6.86	14.8	860	1.33	0.06	1.65	0.04	70.5	6.7	22	2.82	7.3
I346922		0.35	<0.005	0.06	6.56	26.8	690	1.45	0.06	1.40	0.04	59.1	4.9	16	2.33	9.4
I346923		1.91	<0.005	0.09	6.39	20.7	680	1.42	0.05	1.38	0.03	61.7	5.3	16	3.06	6.4
I346924		0.59	<0.005	0.08	6.49	9.7	680	1.32	0.04	1.51	0.03	62.1	5.9	18	3.54	7.7
I346925		0.60	<0.005	0.09	6.62	9.3	690	1.40	0.05	1.57	0.04	64.8	6.2	20	3.71	7.9
I346926		0.39	<0.005	0.07	6.49	38.3	690	1.31	0.04	1.50	0.03	60.3	6.7	18	3.27	6.6
I346927		1.65	<0.005	0.09	6.52	13.4	660	1.29	0.04	1.48	0.03	60.1	5.8	20	3.47	6.4
I346928		0.34	0.021	0.09	6.49	221	680	1.27	0.07	1.47	0.03	59.3	6.2	18	3.05	6.5
I346929		1.74	<0.005	0.09	6.49	34.8	670	1.38	0.05	1.52	0.03	59.2	5.6	19	3.14	5.6
I346930		1.74	0.005	0.11	6.61	121.0	660	1.61	0.06	1.60	0.04	62.8	6.7	23	2.76	6.8
I346931		0.53	0.081	0.09	6.74	192.0	680	1.58	0.06	1.70	0.04	58.5	6.5	22	2.64	10.6
I346932		1.91	<0.005	0.09	7.03	17.1	680	1.32	0.05	1.80	0.03	67.1	7.4	27	2.64	8.6
I346933		1.60	<0.005	0.10	7.03	33.9	630	1.66	0.09	2.01	0.04	59.0	10.1	29	4.09	8.9
I346934		0.37	<0.005	0.10	6.91	29.8	640	1.64	0.10	1.93	0.04	63.7	7.8	26	3.29	10.6
I346935		0.42	<0.005	0.10	6.81	31.3	640	1.46	0.08	1.94	0.04	69.6	8.9	27	3.19	8.6
I346936		0.37	0.005	0.10	6.69	42.6	650	1.43	0.08	1.93	0.03	59.8	10.1	26	3.04	10.8
I346937		1.37	<0.005	0.11	6.83	29.7	640	1.31	0.09	1.95	0.04	62.4	8.9	29	2.99	7.9
I346938		0.37	0.007	0.19	6.95	71.3	640	1.39	0.11	2.10	0.15	65.9	12.6	26	3.13	60.2
I346939		0.43	<0.005	0.09	6.88	6.9	600	1.25	0.08	2.01	0.05	63.4	8.9	35	3.10	8.9
I346940		0.44	<0.005	0.09	6.96	18.6	600	1.32	0.09	1.89	0.05	67.6	8.4	27	2.93	10.6
I346941		1.36	<0.005	0.09	7.11	6.0	640	1.35	0.07	2.02	0.05	69.9	8.4	29	3.12	10.7
I346942		0.56	0.009	0.10	6.86	24.1	650	1.30	0.06	1.94	0.05	67.2	8.7	28	3.13	11.0
I346943		0.56	0.021	0.12	7.01	114.5	700	1.47	0.11	1.91	0.06	66.4	7.1	30	2.27	12.7
I346944		1.40	0.007	0.10	7.13	30.3	640	1.37	0.07	2.00	0.04	67.1	8.1	31	3.58	8.6
I346945		1.91	<0.005	0.10	7.16	3.6	650	1.37	0.07	2.01	0.05	66.5	8.5	30	3.32	10.1
I346946		0.43	0.009	0.12	6.40	21.8	540	1.31	0.05	1.97	0.04	61.4	8.4	28	3.31	41.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346907		2.65	18.70	0.14	4.8	0.031	2.37	34.6	36.1	0.82	474	6.86	2.87	11.5	21.1	600
I346908		2.85	17.95	0.14	4.7	0.031	2.40	33.3	33.3	0.86	513	2.92	3.02	10.6	20.0	600
I346909		2.58	18.30	0.12	4.3	0.030	2.41	31.8	33.6	0.79	456	1.79	2.86	10.5	19.6	550
I346910		2.47	18.55	0.14	4.6	0.033	2.31	32.6	30.5	0.77	436	1.29	2.77	10.8	19.8	550
I346911		2.57	18.95	0.14	5.1	0.028	2.55	34.9	33.0	0.75	451	2.96	2.88	11.2	19.2	550
I346912		1.90	16.70	0.12	4.3	0.022	2.67	34.4	25.9	0.53	338	0.80	2.84	10.1	12.2	430
I346913		2.01	18.35	0.10	4.5	0.027	2.59	37.4	20.6	0.50	307	3.94	3.04	10.0	14.2	440
I346914		2.17	16.85	0.14	4.8	0.022	2.65	42.2	30.1	0.61	373	0.93	2.74	10.7	15.4	470
I346915		2.15	17.95	0.13	4.5	0.026	2.79	37.7	28.3	0.62	374	0.47	2.86	11.1	15.8	470
I346916		2.17	16.85	0.12	4.5	0.024	2.73	37.8	29.3	0.60	376	0.65	2.77	10.9	14.7	470
I346917		1.93	16.55	0.13	4.3	0.026	2.68	35.0	25.8	0.54	326	0.78	2.94	10.8	13.6	440
I346918		2.15	18.45	0.13	5.0	0.026	2.69	38.8	27.8	0.60	386	0.62	2.81	13.9	15.9	460
I346919		2.42	17.15	0.13	4.3	0.030	2.39	33.4	31.8	0.72	432	0.73	2.79	10.1	18.0	540
I346920		2.35	17.90	0.15	4.6	0.031	2.47	33.3	39.2	0.73	433	0.53	2.86	10.1	18.6	540
I346921		2.08	17.15	0.16	4.1	0.025	2.76	35.6	31.3	0.59	341	1.66	2.78	10.2	15.2	460
I346922		1.66	16.45	0.16	4.3	0.017	2.81	30.4	21.0	0.41	254	12.00	2.69	10.2	9.5	350
I346923		1.74	16.55	0.16	4.1	0.015	2.72	31.3	24.5	0.43	273	7.39	2.62	10.9	10.0	350
I346924		1.90	16.60	0.18	4.4	0.020	2.64	31.7	27.9	0.50	304	1.03	2.57	9.9	12.1	400
I346925		1.88	17.05	0.18	4.3	0.022	2.68	32.8	28.7	0.52	309	14.10	2.63	10.1	12.4	410
I346926		1.89	16.65	0.18	4.3	0.019	2.66	30.8	28.0	0.50	293	6.09	2.71	10.8	12.0	390
I346927		1.84	16.10	0.17	4.1	0.019	2.71	30.5	25.6	0.49	296	13.90	2.61	9.9	11.7	380
I346928		1.88	16.60	0.19	4.6	0.019	2.78	30.2	26.6	0.49	292	0.65	2.62	10.3	11.9	390
I346929		1.88	16.20	0.18	4.4	0.019	2.67	30.2	25.3	0.48	305	0.73	2.63	10.3	10.8	390
I346930		2.13	16.90	0.19	4.3	0.025	2.58	31.7	27.8	0.57	357	0.91	2.67	10.7	13.9	430
I346931		2.06	17.35	0.18	4.4	0.026	2.77	29.0	29.5	0.58	350	0.48	2.92	11.0	13.7	450
I346932		2.35	17.75	0.19	4.5	0.028	2.65	33.8	28.5	0.66	402	0.47	2.79	10.3	16.4	490
I346933		2.53	18.15	0.20	4.5	0.030	2.37	28.5	33.4	0.72	429	1.65	2.91	11.9	18.4	580
I346934		2.50	17.60	0.18	4.4	0.028	2.36	31.5	31.1	0.67	416	0.86	2.94	11.5	16.8	520
I346935		2.46	17.90	0.18	4.7	0.026	2.32	33.9	34.9	0.72	410	7.11	2.83	11.9	18.7	530
I346936		2.41	17.65	0.20	4.9	0.027	2.34	29.4	32.5	0.70	417	2.73	2.82	11.4	18.1	530
I346937		2.42	17.40	0.20	4.3	0.029	2.46	30.8	32.7	0.72	418	1.00	2.69	10.6	18.3	530
I346938		2.65	17.50	0.20	4.6	0.027	2.28	33.3	35.5	0.75	439	0.78	2.97	9.9	33.9	530
I346939		2.71	17.25	0.18	4.0	0.035	2.36	31.6	33.8	0.81	466	0.77	2.58	10.0	20.0	560
I346940		2.52	17.60	0.20	4.3	0.030	2.21	34.3	33.6	0.73	416	1.28	3.06	10.1	18.0	530
I346941		2.50	17.95	0.20	4.2	0.030	2.36	34.9	29.2	0.74	427	0.84	2.79	10.2	18.6	560
I346942		2.52	17.15	0.19	4.0	0.029	2.48	33.0	31.5	0.74	421	0.73	2.76	9.8	18.8	560
I346943		2.36	17.90	0.19	4.2	0.032	2.54	33.4	23.9	0.74	401	1.06	2.88	10.7	17.7	540
I346944		2.54	17.40	0.19	4.6	0.030	2.43	33.5	31.1	0.77	436	0.61	2.79	10.5	18.3	560
I346945		2.53	17.60	0.19	4.1	0.027	2.48	33.8	24.4	0.74	432	0.73	2.76	10.5	18.2	560
I346946		2.58	16.00	0.18	3.7	0.019	2.08	30.5	26.7	0.69	477	1.77	2.99	10.0	21.0	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346907		13.0	122.0	<0.002	0.02	0.25	9.4	1	2.2	246	0.90	<0.05	12.1	0.292	0.63	3.0
I346908		11.4	109.5	<0.002	0.25	0.83	9.6	1	2.1	230	0.87	<0.05	10.9	0.284	0.53	2.6
I346909		13.4	116.0	<0.002	0.01	0.24	8.5	1	2.2	242	0.80	<0.05	11.4	0.280	0.63	2.6
I346910		13.4	119.0	<0.002	0.01	0.17	8.9	1	2.3	231	0.84	<0.05	11.4	0.282	0.63	2.7
I346911		14.8	130.0	0.002	0.02	0.27	8.7	1	2.1	235	0.87	<0.05	12.6	0.275	0.65	2.9
I346912		15.2	130.0	<0.002	0.04	0.31	6.5	1	1.9	211	0.88	<0.05	14.0	0.230	0.57	3.1
I346913		15.1	120.5	0.003	0.32	1.63	6.7	1	1.8	197.0	0.84	<0.05	14.0	0.232	0.49	3.2
I346914		15.4	145.5	<0.002	0.01	0.22	7.5	1	1.7	207	0.87	<0.05	14.2	0.257	0.61	3.2
I346915		16.7	150.0	<0.002	0.02	0.19	7.5	1	1.8	208	0.88	<0.05	14.1	0.260	0.68	3.3
I346916		15.6	155.0	<0.002	0.01	0.20	7.4	1	1.6	202	0.88	<0.05	14.4	0.249	0.64	3.3
I346917		15.4	145.5	<0.002	0.10	0.31	6.9	1	1.8	176.0	1.10	<0.05	12.7	0.234	0.63	3.1
I346918		19.3	154.5	<0.002	0.05	0.27	7.9	1	2.3	195.5	1.31	<0.05	15.5	0.246	0.69	5.2
I346919		13.5	119.0	<0.002	0.01	0.15	8.5	1	1.9	224	0.81	<0.05	11.5	0.273	0.63	2.8
I346920		15.5	125.5	<0.002	0.06	0.26	8.5	1	2.2	224	0.81	<0.05	11.7	0.275	0.66	3.0
I346921		15.6	125.5	<0.002	0.02	0.27	6.5	1	1.7	191.0	0.87	<0.05	12.4	0.235	0.71	2.4
I346922		15.7	131.5	<0.002	0.09	0.24	5.1	1	1.4	170.5	0.92	<0.05	13.9	0.185	0.66	2.9
I346923		16.7	139.0	0.002	0.02	0.14	5.1	1	1.5	167.5	1.01	<0.05	13.8	0.188	0.74	3.1
I346924		15.6	139.0	<0.002	0.01	0.10	5.7	1	1.6	173.0	0.91	<0.05	12.9	0.208	0.72	2.9
I346925		16.1	141.0	0.002	0.01	0.09	5.9	1	1.6	178.5	0.93	<0.05	13.2	0.215	0.76	2.9
I346926		16.2	137.5	<0.002	0.04	0.14	5.8	1	1.5	174.0	0.96	<0.05	13.6	0.206	0.76	3.4
I346927		16.1	139.5	0.002	0.01	0.11	5.5	1	1.5	169.5	0.86	<0.05	13.7	0.199	0.75	2.9
I346928		15.7	138.5	<0.002	0.07	0.22	5.7	1	1.6	170.5	0.85	<0.05	13.6	0.206	0.74	2.7
I346929		15.4	134.0	<0.002	0.02	0.13	5.5	1	1.5	170.5	0.88	<0.05	13.0	0.202	0.73	2.8
I346930		29.6	122.0	<0.002	0.02	0.20	6.3	1	1.7	187.0	1.04	<0.05	13.8	0.219	0.67	3.3
I346931		18.9	118.0	<0.002	0.08	0.26	6.5	1	1.7	192.0	1.08	<0.05	13.9	0.227	0.64	3.5
I346932		15.8	116.5	<0.002	0.01	0.17	7.2	1	1.7	212	0.90	<0.05	14.3	0.246	0.64	3.1
I346933		14.8	112.5	<0.002	0.01	0.28	8.0	1	1.8	223	1.21	<0.05	11.1	0.275	0.64	3.1
I346934		15.2	108.0	<0.002	0.05	0.25	7.2	1	1.8	213	1.20	<0.05	11.4	0.258	0.59	3.1
I346935		15.4	109.0	<0.002	0.03	0.23	7.8	1	1.7	228	1.05	<0.05	12.9	0.264	0.61	3.2
I346936		15.3	107.5	<0.002	0.08	0.23	7.5	1	1.7	207	0.98	<0.05	12.3	0.258	0.61	3.4
I346937		15.9	107.0	<0.002	0.01	0.30	8.0	1	1.6	211	0.82	<0.05	12.3	0.261	0.61	3.3
I346938		29.1	108.5	<0.002	0.20	0.36	7.9	1	1.6	217	0.74	<0.05	13.9	0.235	0.66	3.2
I346939		15.2	101.0	<0.002	0.01	0.20	8.7	1	1.7	208	0.75	<0.05	13.6	0.274	0.59	3.2
I346940		14.7	100.5	<0.002	0.07	0.27	7.6	1	1.6	217	0.81	<0.05	14.5	0.263	0.55	3.5
I346941		15.4	99.2	<0.002	0.01	0.19	7.9	1	1.6	225	0.78	<0.05	14.2	0.270	0.56	3.2
I346942		15.3	103.5	<0.002	0.03	0.28	7.9	1	1.6	215	0.77	<0.05	15.2	0.266	0.59	3.0
I346943		16.6	97.9	<0.002	0.30	0.25	7.9	1	1.7	210	0.92	<0.05	14.8	0.266	0.50	3.3
I346944		14.4	107.0	<0.002	0.02	0.23	8.0	1	1.7	219	0.87	<0.05	13.5	0.272	0.60	3.0
I346945		15.3	105.5	<0.002	0.01	0.12	7.6	1	1.7	224	0.87	<0.05	13.2	0.273	0.62	2.9
I346946		11.0	97.4	<0.002	0.12	0.22	7.8	1	1.7	187.0	0.82	<0.05	11.6	0.253	0.56	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346907		48	1.0	18.5	57	186.5
I346908		48	1.9	17.3	48	175.5
I346909		45	0.4	16.3	54	169.0
I346910		46	0.4	17.2	54	183.0
I346911		44	0.9	17.0	54	199.0
I346912		34	1.9	14.2	37	162.0
I346913		33	2.9	15.0	31	178.0
I346914		37	0.4	15.3	45	181.0
I346915		38	0.4	15.5	47	171.5
I346916		37	0.3	15.4	44	172.0
I346917		34	1.6	15.0	85	157.0
I346918		37	2.0	19.9	45	173.0
I346919		43	0.5	16.2	53	166.0
I346920		43	5.1	16.4	50	173.5
I346921		38	0.8	17.2	45	154.5
I346922		29	5.3	17.0	31	154.0
I346923		30	2.4	17.8	35	147.0
I346924		32	0.6	17.1	39	164.0
I346925		33	0.6	17.7	41	161.0
I346926		32	1.2	17.5	38	156.5
I346927		32	2.2	16.5	38	152.0
I346928		32	3.0	17.1	36	169.5
I346929		32	1.9	16.5	38	165.0
I346930		36	0.6	17.6	42	163.0
I346931		38	2.1	17.0	41	154.5
I346932		42	0.5	17.0	48	168.0
I346933		47	0.9	18.2	51	168.0
I346934		45	1.2	17.7	44	165.5
I346935		46	1.3	19.0	49	178.5
I346936		45	1.0	18.2	45	181.0
I346937		46	0.9	17.9	50	164.5
I346938		42	0.7	17.3	51	167.5
I346939		51	0.8	19.0	56	153.0
I346940		45	2.8	17.2	50	163.5
I346941		47	0.7	17.5	52	162.5
I346942		47	1.1	16.7	52	149.5
I346943		47	4.1	18.1	39	160.5
I346944		47	0.9	17.6	52	181.5
I346945		47	0.7	17.1	52	161.0
I346946		44	2.0	18.3	46	145.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346947		1.84	<0.005	0.10	6.97	5.0	660	1.33	0.07	2.10	0.04	65.7	8.8	33	3.43	13.5
I346948		1.83	<0.005	0.12	6.84	3.1	670	1.33	0.08	2.03	0.06	66.3	8.7	29	2.79	12.7
I346949		1.50	0.005	0.11	6.73	25.0	850	1.29	0.07	1.61	0.04	64.7	5.1	14	2.62	9.0
I346950		0.03	3.52	0.15	1.49	1.8	100	0.38	0.13	0.02	0.12	16.95	1.2	12	0.60	5.6
I346951		0.60	0.400	0.20	6.18	1110	560	1.49	0.12	0.69	<0.02	63.9	2.1	8	1.25	7.5
I346952		1.25	<0.005	0.07	5.51	83.0	480	1.35	0.06	0.82	0.02	56.7	2.6	12	1.84	7.2
I346953		1.83	<0.005	0.08	5.97	4.3	610	1.68	0.06	1.22	0.03	55.6	4.2	14	2.65	6.3
I346954		1.78	<0.005	0.09	6.54	1.9	670	1.50	0.06	1.40	0.04	60.9	4.7	16	2.68	7.3
I346955		0.84	<0.005	0.10	6.57	3.4	690	1.52	0.07	1.41	0.04	59.5	4.8	16	2.84	7.0
I346956		0.41	0.008	0.07	6.60	20.1	690	1.51	0.09	1.37	0.04	65.0	4.2	12	2.20	12.4
I346957		0.50	0.006	0.02	6.86	13.0	700	1.21	0.06	1.38	0.04	59.8	4.1	14	2.43	7.4
I346958		0.75	<0.005	<0.01	6.45	4.0	670	1.22	0.06	1.32	0.04	60.3	4.5	14	2.60	6.7
I346959		1.72	<0.005	0.01	6.90	4.2	680	1.13	0.06	1.38	0.03	60.1	4.0	13	2.34	10.5
I346960		1.67	<0.005	<0.01	7.01	29.2	710	1.08	0.04	1.52	0.03	61.0	4.7	16	1.93	9.0
I346961		0.40	0.090	0.03	6.78	385	690	1.24	0.08	1.29	0.04	63.4	4.1	11	1.64	9.3
I346962		0.97	<0.005	0.02	6.73	14.3	680	1.05	0.04	1.32	0.02	59.6	3.8	13	1.64	5.5
I346963		0.46	0.088	0.03	7.12	55.8	710	1.14	0.10	1.57	0.03	58.4	3.8	14	0.90	10.1
I346964		1.65	<0.005	0.01	6.86	8.9	720	1.25	0.05	1.39	0.02	60.8	4.4	15	1.77	5.7
I346965		1.76	<0.005	0.01	6.72	5.1	710	1.10	0.07	1.43	0.02	54.8	4.7	16	2.58	6.5
I346966		0.37	0.015	0.01	6.89	49.4	710	1.18	0.06	1.46	0.03	59.8	4.6	14	2.19	7.4
I346967		1.34	<0.005	0.01	7.01	25.9	730	1.17	0.08	1.48	0.03	66.9	5.2	16	2.95	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346947		2.62	17.55	0.20	4.3	0.031	2.40	32.3	25.8	0.79	458	9.24	2.72	10.7	19.9	590
I346948		2.59	17.75	0.20	4.1	0.035	2.13	32.7	19.8	0.76	476	0.89	2.83	10.3	19.1	580
I346949		1.89	17.15	0.18	5.0	0.016	2.53	32.8	16.1	0.45	320	0.65	2.79	9.6	7.8	430
I346950		1.32	3.63	0.09	0.6	0.010	0.15	9.4	18.3	0.02	98	0.71	0.03	3.6	4.9	40
I346951		1.02	14.55	0.16	3.5	0.015	3.49	33.7	7.1	0.18	149	0.87	2.46	7.5	2.9	170
I346952		1.10	13.90	0.17	3.1	0.008	3.01	29.5	10.2	0.19	184	0.42	2.52	8.1	4.2	180
I346953		1.53	16.00	0.18	4.4	0.015	2.81	28.1	16.0	0.33	268	0.50	2.56	11.6	6.9	290
I346954		1.67	16.60	0.19	4.4	0.017	2.79	31.1	19.0	0.39	298	0.58	2.65	10.6	8.2	340
I346955		1.82	17.05	0.18	4.4	0.015	2.82	30.1	18.1	0.39	316	0.48	2.68	10.5	8.2	340
I346956		1.64	16.95	0.20	4.6	0.015	2.80	34.1	17.7	0.39	288	0.43	2.69	11.5	7.8	330
I346957		1.71	16.85	0.12	4.0	0.017	2.96	31.1	17.9	0.41	295	0.52	2.76	11.2	8.5	340
I346958		1.66	16.75	0.13	4.6	0.018	2.94	30.9	20.9	0.39	295	0.57	2.67	11.8	8.7	340
I346959		1.69	16.20	0.12	4.5	0.016	2.91	31.5	20.5	0.40	293	0.67	2.70	10.7	8.1	330
I346960		1.84	17.00	0.14	4.2	0.022	2.86	31.5	20.6	0.46	317	0.35	2.81	10.8	10.0	380
I346961		1.64	15.95	0.13	4.4	0.020	2.70	34.0	17.8	0.37	272	0.49	2.86	9.0	8.1	330
I346962		1.62	16.15	0.15	4.1	0.018	2.94	30.4	15.4	0.39	279	0.42	2.64	10.2	7.9	340
I346963		1.62	16.45	0.15	5.0	0.023	2.75	30.3	13.2	0.40	292	0.55	2.95	9.9	8.8	360
I346964		1.73	16.50	0.13	4.3	0.024	2.98	32.0	18.0	0.41	295	0.66	2.79	10.4	8.8	360
I346965		1.77	15.95	0.13	4.3	0.022	2.84	28.2	24.9	0.45	302	0.47	2.68	11.2	9.6	370
I346966		1.91	15.90	0.14	4.5	0.024	2.66	30.9	23.2	0.51	333	0.65	2.80	10.8	9.9	400
I346967		1.81	17.70	0.15	4.8	0.024	2.92	34.5	24.9	0.47	303	0.52	2.81	11.3	10.6	390

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346947		13.1	104.0	<0.002	0.02	0.17	8.3	1	1.9	229	0.87	<0.05	11.7	0.287	0.66	2.6
I346948		13.4	91.9	<0.002	0.02	0.12	8.9	1	2.0	234	0.76	<0.05	9.9	0.275	0.58	2.0
I346949		15.5	111.0	<0.002	0.04	0.17	5.3	1	1.8	222	0.67	<0.05	12.1	0.218	0.65	2.3
I346950		26.2	12.5	<0.002	0.99	0.50	1.4	1	1.2	13.0	0.29	<0.05	3.2	0.088	0.39	0.4
I346951		16.2	129.0	<0.002	0.14	0.40	2.4	1	1.1	96.7	1.02	<0.05	17.7	0.098	0.59	4.4
I346952		14.3	131.0	<0.002	0.03	0.35	2.2	1	1.1	98.8	0.90	<0.05	14.6	0.116	0.63	3.2
I346953		17.8	137.0	<0.002	0.01	0.12	4.3	1	1.5	143.5	1.17	<0.05	15.6	0.164	0.76	3.7
I346954		17.3	137.0	<0.002	0.01	0.09	5.0	1	1.7	165.5	1.08	<0.05	16.0	0.185	0.76	3.3
I346955		18.2	136.5	<0.002	0.02	0.10	4.8	1	1.7	169.5	1.06	<0.05	15.3	0.187	0.76	3.4
I346956		16.9	129.5	<0.002	0.13	0.22	5.0	1	1.6	170.0	1.21	<0.05	16.4	0.179	0.67	4.2
I346957		18.7	133.0	<0.002	0.05	0.23	5.0	1	1.6	177.0	1.15	<0.05	14.9	0.190	0.75	3.5
I346958		19.6	141.5	<0.002	0.01	0.14	5.2	1	1.7	166.5	1.17	<0.05	15.0	0.192	0.79	3.4
I346959		17.0	134.0	<0.002	0.04	0.13	4.9	1	1.6	174.0	1.09	<0.05	14.4	0.189	0.74	3.2
I346960		17.5	126.0	<0.002	0.04	0.19	5.6	1	1.7	183.5	1.04	<0.05	14.4	0.206	0.69	3.0
I346961		16.9	105.5	<0.002	0.10	0.29	4.8	1	1.5	176.0	0.83	<0.05	14.5	0.181	0.54	3.0
I346962		17.3	116.5	<0.002	0.02	0.15	4.9	1	1.6	163.0	0.98	<0.05	13.6	0.184	0.63	2.9
I346963		16.5	91.6	<0.002	0.15	0.24	5.5	1	1.7	167.0	0.94	<0.05	13.7	0.191	0.43	3.6
I346964		17.3	128.5	<0.002	0.02	0.14	5.0	1	1.8	173.5	1.11	<0.05	14.6	0.196	0.67	3.8
I346965		16.9	131.0	<0.002	0.01	0.13	5.1	1	1.6	178.0	1.22	<0.05	13.2	0.208	0.75	3.7
I346966		14.8	123.0	<0.002	0.04	0.20	5.9	1	1.7	183.5	1.08	<0.05	13.7	0.212	0.62	3.4
I346967		18.9	148.0	<0.002	0.01	0.17	6.0	1	1.8	187.0	1.12	<0.05	15.0	0.209	0.80	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346947		51	1.2	17.9	53	171.5
I346948		49	1.2	20.2	58	164.0
I346949		33	1.5	14.3	43	200
I346950		8	0.9	2.7	13	19.5
I346951		13	5.9	10.9	11	109.5
I346952		15	0.8	10.7	19	108.0
I346953		24	0.7	16.3	32	151.5
I346954		28	1.0	18.6	38	160.5
I346955		28	1.0	17.7	40	160.5
I346956		27	4.1	20.2	35	167.0
I346957		27	1.8	19.8	38	134.0
I346958		28	0.7	19.8	39	150.5
I346959		27	1.0	18.9	35	152.5
I346960		30	0.5	18.9	38	140.5
I346961		26	1.5	15.6	29	148.5
I346962		26	0.8	16.8	33	134.5
I346963		28	2.4	16.7	27	167.5
I346964		27	0.6	15.8	38	145.0
I346965		30	0.5	18.5	36	141.5
I346966		31	1.0	18.8	31	146.5
I346967		31	0.7	18.7	37	156.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 5-DEC-2010
Account: RRR

Project: TPK ROWLANDSON

CERTIFICATE OF ANALYSIS TB10169633

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.