ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

CERTIFICATE TB11037959

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 130 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596500		0.30	<0.005	0.03	6.53	16.6	290	1.93	0.04	0.91	0.03	55.4	2.3	5	1.75	2.0
J596501		1.09	<0.005	<0.01	6.65	4.0	810	2.05	0.07	1.28	0.03	78.1	4.5	9	3.42	5.5
J596502		1.38	<0.005	<0.01	7.04	3.2	790	2.21	0.09	1.67	0.05	78.9	5.5	10	4.23	6.5
J596503		1.05	<0.005	<0.01	7.07	21.2	660	2.20	0.08	1.63	0.04	79.3	5.7	10	2.09	13.5
J596504		0.78	<0.005	<0.01	6.77	13.5	520	2.24	0.19	1.26	0.02	73.5	4.5	9	3.16	5.2
J596505		1.00	<0.005	<0.01	6.95	12.9	790	1.73	0.06	1.78	0.04	80.9	6.1	11	2.21	5.4
J596506		1.42	<0.005	<0.01	6.78	5.5	790	1.52	0.05	1.74	0.05	78.7	5.9	11	2.47	6.6
J596507		1.19	<0.005	0.02	7.08	2.5	800	1.40	0.08	1.93	0.07	72.1	7.5	26	3.77	10.2
J596508		1.66	<0.005	<0.01	6.93	9.1	720	1.49	0.08	1.84	0.06	70.5	7.2	26	3.93	9.1
J596509		1.53	<0.005	0.03	7.42	11.6	720	1.48	0.09	2.08	0.07	68.4	7.9	29	4.41	8.9
J596510		0.71	0.188	0.41	7.13	823	690	1.82	1.34	1.61	1.64	58.8	6.2	20	2.02	17.4
J596511		0.57	0.065	0.07	7.10	41.1	700	1.27	0.14	1.81	0.10	73.0	6.8	24	2.98	9.7
J596512		1.09	0.018	0.10	7.28	42.2	730	1.40	0.09	1.96	0.06	74.7	8.5	27	3.25	9.5
J596513		1.13	<0.005	0.07	7.15	28.5	720	1.22	0.11	1.95	0.08	69.7	6.6	26	2.93	12.7
J596514		1.66	0.012	0.06	7.12	24.7	710	1.26	0.07	1.96	0.07	72.0	6.8	24	2.62	11.1
J596515		1.69	0.006	0.16	6.93	32.9	700	1.36	0.64	1.85	0.34	70.4	7.1	27	2.68	9.3
J596516		1.75	<0.005	0.04	7.06	49.6	700	1.26	0.08	1.96	0.20	69.8	6.6	26	2.74	7.6
J596517		1.82	0.100	0.07	6.82	1600	700	1.36	0.24	1.88	0.09	65.5	7.7	22	2.70	11.1
J596518		1.73	0.011	0.05	7.01	173.0	720	1.42	0.09	1.92	0.07	72.6	6.7	24	3.03	6.6
J596519		0.56	0.045	0.05	6.15	346	250	1.42	0.20	1.00	0.08	34.4	2.0	10	1.36	9.7
J596520		1.18	<0.005	0.02	7.37	13.2	770	1.38	0.09	2.15	0.06	78.5	8.4	32	2.83	11.1
J596521		1.42	<0.005	<0.01	7.07	2.6	750	1.62	0.07	2.16	0.04	72.7	8.7	32	3.22	16.4
J596522		0.76	<0.005	<0.01	7.06	26.1	750	1.55	0.07	2.02	0.06	72.8	8.2	33	4.01	9.3
J596523		2.12	<0.005	0.02	7.19	40.2	730	1.49	0.08	2.24	0.07	69.2	8.3	32	4.41	10.5
J596524		1.43	<0.005	0.01	7.17	19.4	750	1.43	0.08	2.21	0.05	69.5	8.7	31	3.94	11.3
J596525		0.08	0.573	0.72	8.21	3.5	90	2.21	1.05	0.95	0.14	17.45	7.7	27	28.1	11.0
J596526		0.84	<0.005	0.05	7.15	2.7	700	1.33	0.07	1.94	0.05	71.8	7.5	28	3.04	10.4
J596527		1.41	<0.005	0.04	7.50	13.9	700	1.37	0.08	2.20	0.05	75.2	8.2	32	3.37	12.1
J596528		0.63	0.017	0.03	6.90	23.4	450	1.91	0.10	1.39	0.10	53.8	5.4	20	2.36	13.2
J596529		2.05	<0.005	0.05	7.34	17.2	730	1.47	0.08	2.02	0.06	73.0	7.1	28	3.00	10.1
J596530		1.82	<0.005	0.05	7.09	29.2	700	1.46	0.07	1.98	0.06	74.8	6.6	26	3.27	6.7
J596531		0.64	<0.005	0.02	6.07	17.8	100	2.60	0.05	0.51	0.04	25.3	1.0	10	1.79	4.7
J596532		1.89	0.006	0.08	7.11	95.3	700	1.49	0.17	2.01	0.07	70.1	7.8	25	3.14	12.1
J596533		1.58	<0.005	0.04	7.24	20.8	720	1.45	0.07	1.97	0.05	72.6	7.5	26	3.29	7.4
J596534		0.56	<0.005	0.01	6.64	15.7	470	2.28	0.07	1.37	0.03	50.5	4.7	17	2.61	7.5
J596535		1.27	<0.005	0.06	6.40	21.1	680	1.57	0.08	1.75	0.06	76.9	7.9	25	3.70	11.1
J596536		1.39	0.009	0.07	6.62	30.9	690	1.69	0.14	1.82	0.08	83.4	8.1	29	4.11	11.7
J596537		0.54	0.065	0.13	6.66	287	850	1.56	0.24	1.84	0.35	78.5	7.0	23	2.33	26.9
J596538		0.89	<0.005	0.08	6.83	12.8	720	1.58	0.08	1.90	0.05	88.1	7.9	26	3.71	13.8
J596539		1.92	<0.005	0.07	6.80	8.6	730	1.53	0.06	1.91	0.04	78.1	7.5	29	3.33	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596500		1.30	15.25	0.11	3.9	0.015	3.46	26.4	8.8	0.20	237	0.76	2.86	11.4	2.6	220
J596501		1.85	17.05	0.08	5.2	0.024	3.24	38.7	18.8	0.33	307	1.85	2.79	12.6	4.8	400
J596502		2.39	17.30	0.08	5.0	0.034	2.80	38.6	21.9	0.47	407	1.64	2.88	14.1	6.0	540
J596503		2.32	17.55	0.10	5.9	0.037	2.35	38.7	16.4	0.61	434	1.00	3.46	14.1	6.7	560
J596504		1.98	17.00	0.10	5.7	0.028	2.75	35.7	15.3	0.45	355	1.02	3.18	15.1	5.1	420
J596505		2.44	17.50	0.11	5.1	0.035	2.61	38.7	22.6	0.52	412	1.17	3.06	12.2	6.5	580
J596506		2.42	16.95	0.11	5.1	0.037	2.60	37.8	23.7	0.50	407	1.12	2.84	11.8	6.5	560
J596507		2.54	17.45	0.09	4.3	0.034	2.79	35.6	22.4	0.73	435	0.57	2.95	10.9	18.1	560
J596508		2.55	17.20	0.09	4.7	0.030	2.67	33.7	26.5	0.72	420	1.14	3.01	12.4	17.3	540
J596509		2.67	18.10	0.11	4.4	0.033	2.75	32.5	33.2	0.80	437	0.75	2.96	11.1	19.9	600
J596510		2.20	17.70	0.08	5.1	0.046	2.65	28.8	20.6	0.62	345	1.38	3.09	10.9	15.6	490
J596511		2.74	16.85	0.10	5.2	0.034	2.66	36.8	28.4	0.73	437	1.05	2.84	11.1	16.2	560
J596512		2.56	17.30	0.10	5.3	0.035	2.78	36.0	32.3	0.70	438	4.27	3.08	12.5	17.9	600
J596513		2.49	17.00	0.10	4.5	0.032	2.67	33.9	30.9	0.72	412	1.00	3.13	10.6	16.6	560
J596514		2.53	16.75	0.10	4.5	0.032	2.64	35.9	25.5	0.70	434	0.85	3.01	10.2	16.0	550
J596515		2.37	16.80	0.10	5.0	0.035	2.66	34.3	28.3	0.68	415	0.56	2.91	10.5	17.3	530
J596516		2.68	16.75	0.09	4.7	0.036	2.66	34.1	29.6	0.71	441	0.65	3.00	10.6	15.8	570
J596517		2.57	17.15	0.10	4.6	0.037	2.71	30.8	27.3	0.69	423	14.75	2.95	12.1	15.3	610
J596518		2.48	17.20	0.09	5.2	0.033	2.75	34.5	30.3	0.66	404	0.88	3.04	11.5	15.6	550
J596519		0.99	14.05	<0.05	2.3	0.013	3.22	17.0	9.0	0.21	165	1.13	3.04	7.4	4.3	110
J596520		2.74	18.35	0.10	4.9	0.037	2.62	38.4	30.1	0.84	469	0.77	2.97	11.4	22.7	600
J596521		2.71	18.40	0.11	4.9	0.035	2.47	35.1	24.0	0.84	464	1.15	2.95	12.5	23.2	600
J596522		2.69	16.95	0.08	5.0	0.032	2.40	35.9	28.9	0.83	437	1.98	2.98	11.0	22.2	590
J596523		2.73	17.40	0.09	4.2	0.036	2.46	33.2	30.3	0.86	449	1.66	3.21	11.2	21.8	620
J596524		2.80	17.45	0.09	5.0	0.037	2.45	33.6	27.6	0.85	464	1.17	3.08	11.2	20.6	620
J596525		3.66	18.45	<0.05	1.4	0.012	2.23	8.7	7.4	0.74	250	0.96	5.80	8.3	29.6	710
J596526		2.44	17.60	0.18	4.4	0.029	2.61	32.9	23.1	0.72	423	2.14	2.82	9.8	17.8	540
J596527		2.65	17.75	0.21	4.2	0.032	2.58	34.4	27.3	0.78	452	2.69	2.98	10.4	19.1	600
J596528		1.85	16.65	0.17	3.8	0.022	3.04	24.4	17.1	0.50	308	2.68	2.88	10.9	12.2	390
J596529		2.54	17.60	0.23	4.1	0.027	2.50	34.8	28.9	0.74	425	1.55	2.87	10.2	17.6	560
J596530		2.50	17.35	0.21	5.0	0.030	2.54	35.7	32.0	0.70	425	1.42	2.82	10.5	16.7	560
J596531		0.75	15.90	0.11	3.1	0.005	3.76	9.5	3.7	0.09	127	0.57	2.63	11.4	2.2	60
J596532		2.53	18.10	0.22	4.5	0.032	2.57	32.6	29.0	0.72	438	0.70	2.88	10.7	16.7	580
J596533		2.58	17.65	0.24	4.5	0.031	2.61	34.9	31.7	0.70	449	1.06	2.89	11.3	15.7	570
J596534		1.77	17.30	0.21	4.3	0.019	3.09	22.7	20.8	0.44	323	1.10	2.78	12.8	9.8	340
J596535		2.30	18.55	0.14	5.5	0.039	2.50	38.1	28.2	0.62	391	0.83	2.83	13.0	16.0	530
J596536		2.39	19.50	0.17	5.8	0.033	2.51	40.1	30.9	0.67	418	1.00	2.79	13.1	16.7	550
J596537		2.35	17.15	0.11	5.4	0.042	2.60	41.2	14.4	0.62	362	1.11	2.72	10.1	15.2	530
J596538		2.49	18.60	0.10	5.9	0.034	2.53	43.7	31.3	0.70	441	1.15	2.76	12.5	16.6	580
J596539		2.46	17.15	0.12	5.2	0.035	2.54	39.3	26.4	0.66	427	0.98	2.89	11.1	14.9	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596500		18.3	126.5	<0.002	<0.01	0.20	3.2	1	1.8	86.2	1.43	<0.05	20.4	0.133	0.63	5.6
J596501		20.2	149.5	<0.002	0.01	0.17	5.0	1	2.1	160.0	1.56	<0.05	15.8	0.231	0.78	4.8
J596502		19.6	133.5	<0.002	0.01	0.15	7.6	2	2.4	191.0	1.78	<0.05	14.6	0.283	0.69	4.4
J596503		14.5	80.7	<0.002	0.04	0.25	8.2	1	2.4	175.5	1.83	<0.05	14.4	0.290	0.43	4.6
J596504		16.1	134.5	<0.002	0.03	0.28	6.1	1	2.9	136.5	2.02	<0.05	21.3	0.229	0.69	6.7
J596505		16.3	93.1	<0.002	0.01	0.24	8.1	1	2.1	204	1.16	<0.05	12.1	0.301	0.52	3.0
J596506		16.1	99.2	<0.002	0.01	0.16	8.0	1	1.9	198.5	1.04	<0.05	11.9	0.294	0.56	2.8
J596507		16.7	108.5	<0.002	0.01	0.12	8.2	1	2.0	216	0.96	<0.05	12.6	0.281	0.70	3.0
J596508		14.6	103.5	<0.002	0.01	0.24	8.0	1	2.0	204	1.38	<0.05	12.8	0.280	0.66	3.4
J596509		17.0	111.0	<0.002	0.02	0.23	8.4	1	2.0	226	1.03	<0.05	13.2	0.295	0.72	3.4
J596510		34.8	96.4	<0.002	0.37	0.49	7.3	1	2.0	181.0	1.38	0.13	16.2	0.237	0.51	4.6
J596511		15.0	108.5	<0.002	0.05	0.45	8.2	2	1.8	213	0.98	<0.05	15.4	0.282	0.61	3.7
J596512		16.0	108.0	<0.002	0.02	0.39	8.7	2	1.9	208	1.10	<0.05	14.9	0.302	0.64	3.3
J596513		17.4	103.5	<0.002	0.05	0.38	8.2	1	1.8	209	0.93	<0.05	13.8	0.282	0.62	2.9
J596514		17.2	99.4	<0.002	0.10	0.27	8.0	1	1.9	206	0.89	<0.05	15.0	0.275	0.60	3.2
J596515		23.6	101.5	<0.002	0.05	0.30	7.9	1	1.9	207	0.91	<0.05	14.5	0.270	0.60	3.2
J596516		17.7	99.2	<0.002	0.04	0.30	8.0	1	1.9	222	0.89	<0.05	14.5	0.284	0.61	3.2
J596517		20.1	101.5	0.002	0.16	0.72	8.2	1	2.1	199.5	1.15	<0.05	13.1	0.288	0.62	3.2
J596518		19.6	109.5	<0.002	0.05	0.33	8.0	1	1.9	218	1.05	<0.05	15.1	0.278	0.65	3.2
J596519		22.7	103.5	<0.002	0.11	0.40	2.3	1	1.3	84.8	1.14	<0.05	14.7	0.084	0.53	4.2
J596520		18.6	108.0	<0.002	0.01	0.24	9.1	2	2.1	236	0.95	<0.05	14.0	0.299	0.68	3.5
J596521		16.3	105.0	<0.002	0.01	0.13	8.9	1	2.2	238	1.21	<0.05	12.1	0.299	0.64	3.5
J596522		16.8	106.0	<0.002	0.01	0.25	8.6	1	2.0	235	1.22	<0.05	12.7	0.298	0.62	3.6
J596523		18.2	99.0	<0.002	0.01	0.29	8.8	1	2.0	244	1.22	<0.05	12.1	0.307	0.66	3.2
J596524		15.7	93.4	<0.002	0.01	0.23	8.7	1	1.9	244	1.13	<0.05	11.5	0.315	0.60	3.0
J596525		73.5	840	<0.002	2.68	1.79	3.5	1	1.0	164.5	0.73	<0.05	2.7	0.221	8.95	1.2
J596526		14.4	101.0	<0.002	0.01	0.12	7.9	1	1.6	213	0.90	<0.05	13.3	0.269	0.50	3.5
J596527		14.2	105.0	<0.002	0.02	0.21	8.7	1	1.8	233	0.96	<0.05	12.8	0.294	0.51	3.5
J596528		17.6	122.5	<0.002	0.07	0.18	5.9	1	1.6	146.5	1.27	<0.05	20.2	0.200	0.54	6.5
J596529		16.0	100.5	<0.002	0.02	0.18	8.4	1	1.7	229	0.93	<0.05	13.1	0.280	0.49	3.5
J596530		16.3	105.5	<0.002	0.02	0.23	8.4	2	1.8	220	1.02	<0.05	12.9	0.280	0.49	3.4
J596531		24.5	163.0	<0.002	0.04	0.14	1.6	1	1.0	35.9	2.04	<0.05	34.4	0.058	0.64	12.3
J596532		17.9	104.5	<0.002	0.12	0.24	8.6	2	1.9	214	0.93	<0.05	12.5	0.283	0.51	3.3
J596533		16.3	109.5	<0.002	0.02	0.19	8.6	2	1.8	214	1.07	<0.05	14.7	0.283	0.52	3.9
J596534		14.1	122.5	<0.002	0.02	0.22	5.8	1	1.7	135.5	1.76	<0.05	22.5	0.184	0.54	7.5
J596535		18.7	112.5	0.005	0.04	0.41	7.6	1	2.1	201	1.21	<0.05	13.6	0.267	0.63	3.2
J596536		18.0	120.5	0.004	0.05	0.41	8.3	1	2.4	198.0	1.26	<0.05	14.5	0.276	0.65	3.9
J596537		18.8	104.5	0.004	0.47	0.41	7.0	1	3.1	157.5	1.10	<0.05	13.7	0.260	0.57	3.9
J596538		18.3	122.0	0.006	0.01	0.24	8.0	1	2.3	209	1.28	<0.05	15.1	0.284	0.68	4.0
J596539		17.3	110.5	0.003	0.01	0.19	7.1	1	2.1	212	1.08	<0.05	13.9	0.278	0.62	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596500		17	2.0	17.3	28	113.0
J596501		29	1.4	21.0	40	159.5
J596502		41	1.0	24.3	51	166.5
J596503		42	1.3	25.1	44	195.5
J596504		31	1.5	24.1	33	167.0
J596505		44	0.8	22.2	49	177.5
J596506		42	0.8	21.2	50	182.0
J596507		46	0.6	19.4	52	154.0
J596508		46	1.0	20.4	51	160.0
J596509		50	1.3	20.1	55	150.0
J596510		42	6.1	19.2	185	161.0
J596511		46	2.1	20.7	60	189.5
J596512		47	1.3	22.1	54	190.0
J596513		46	1.1	19.4	56	155.5
J596514		46	2.3	19.2	50	160.0
J596515		45	2.9	19.1	60	178.5
J596516		46	2.4	19.1	66	167.0
J596517		48	2.5	21.8	57	154.5
J596518		44	0.9	19.8	52	173.0
J596519		11	2.0	9.8	21	52.9
J596520		50	0.6	21.8	57	171.0
J596521		50	0.6	21.8	58	166.5
J596522		50	0.7	20.2	54	171.5
J596523		53	0.6	19.9	57	143.5
J596524		52	1.1	19.7	58	179.5
J596525		28	0.2	4.5	42	48.0
J596526		44	0.5	18.2	51	156.5
J596527		49	0.6	19.1	54	154.0
J596528		31	1.0	18.2	49	123.5
J596529		46	0.5	17.7	55	145.5
J596530		45	0.6	19.2	53	177.0
J596531		6	0.9	12.8	12	54.5
J596532		47	6.3	18.8	66	170.5
J596533		45	0.6	19.8	52	162.0
J596534		28	1.0	18.7	36	116.0
J596535		43	0.7	20.6	47	182.0
J596536		45	4.3	21.4	48	195.0
J596537		44	17.8	17.3	42	177.0
J596538		47	1.1	21.4	53	189.0
J596539		45	0.9	18.4	51	181.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596540		1.77	<0.005	0.07	6.74	11.1	730	1.48	0.08	1.88	0.07	75.9	7.6	26	3.21	15.9
J596541		1.77	<0.005	0.06	6.84	18.8	740	1.45	0.08	1.92	0.05	76.9	7.5	29	3.04	11.7
J596542		1.94	0.011	0.08	6.65	44.3	700	1.64	0.10	1.85	0.05	79.9	8.6	28	3.21	15.3
J596543		1.20	0.018	0.05	6.68	52.3	710	1.58	0.10	1.83	0.06	74.3	6.7	26	3.09	13.5
J596544		1.24	<0.005	0.05	6.29	36.8	700	1.47	0.08	1.73	0.06	70.8	10.6	24	3.00	9.1
J596545		1.22	<0.005	0.07	6.72	40.6	770	1.69	0.10	1.90	0.08	80.2	7.9	26	3.48	13.9
J596546		1.81	<0.005	0.06	6.95	36.9	710	1.53	0.09	1.91	0.05	73.4	6.0	27	3.23	11.4
J596547		1.82	0.006	0.06	6.45	37.8	700	1.51	0.08	1.79	0.04	72.3	7.9	29	3.28	10.6
J596548		1.82	<0.005	0.05	6.71	24.6	690	1.52	0.06	1.87	0.05	75.9	6.9	27	3.43	9.6
J596549		1.84	<0.005	0.05	6.76	8.8	710	1.69	0.07	1.88	0.07	81.6	7.8	27	3.76	10.4
J596550		0.12	<0.005	0.07	6.04	2.5	870	1.21	0.12	1.32	0.08	29.7	2.3	13	1.81	6.4
J596551		1.77	0.005	0.07	6.50	44.6	710	1.32	0.08	1.77	0.06	76.1	8.2	32	3.18	14.8
J596552		1.82	<0.005	0.05	6.60	26.3	710	1.54	0.09	1.87	0.05	80.4	8.8	33	3.37	15.2
J596553		1.84	<0.005	0.04	6.14	9.3	670	1.43	0.08	1.68	0.03	69.9	7.0	26	3.12	9.0
J596554		1.77	<0.005	0.05	6.17	1.8	680	1.37	0.07	1.72	0.04	72.4	7.3	27	3.31	9.4
J596555		0.63	<0.005	0.05	6.35	5.6	680	1.42	0.07	1.69	0.04	77.6	7.0	23	3.75	9.4
J596556		0.59	1.785	0.08	6.10	8.1	510	1.62	0.23	1.48	0.06	69.2	5.9	22	3.42	14.6
J596557		0.63	<0.005	0.06	6.75	8.5	720	1.63	0.08	1.85	0.05	76.4	7.6	28	3.96	9.5
J596558		0.62	<0.005	0.05	6.32	2.8	590	1.60	0.08	1.59	0.05	70.9	6.5	21	3.48	8.4
J596559		1.23	<0.005	0.05	6.49	9.5	700	1.67	0.08	1.74	0.05	82.8	7.3	26	3.91	11.8
J596560		0.62	<0.005	0.06	6.54	6.3	610	1.60	0.08	1.78	0.05	73.6	7.2	22	3.55	9.2
J596561		0.48	<0.005	0.02	6.06	8.3	260	2.29	0.08	0.84	0.03	47.7	3.0	13	2.82	6.6
J596562		0.50	0.366	0.08	6.46	513	660	1.62	0.41	1.90	0.05	71.0	8.5	24	2.67	13.2
J596563		0.74	<0.005	0.07	6.71	17.6	670	1.49	0.08	1.84	0.06	83.8	7.4	26	3.98	10.9
J596564		0.70	0.011	0.06	6.58	16.6	700	1.37	0.09	1.85	0.06	68.8	7.3	24	3.23	11.2
J596565		0.62	0.018	0.05	5.56	11.4	660	1.51	0.12	1.54	0.06	59.2	6.8	23	2.91	15.1
J596566		1.19	<0.005	0.06	6.71	3.9	700	1.54	0.08	1.84	0.06	83.6	8.0	27	3.57	11.6
J596567		1.20	<0.005	0.05	6.63	1.8	700	1.30	0.07	1.83	0.05	71.2	7.0	24	3.00	11.0
J596568		1.19	<0.005	0.06	6.58	6.6	670	1.41	0.24	1.75	0.06	75.6	7.5	25	3.30	9.9
J596569		1.74	<0.005	0.05	6.69	6.6	690	1.34	0.07	1.83	0.04	76.6	7.3	26	3.05	10.6
J596570		1.79	<0.005	0.04	6.89	2.9	700	1.48	0.06	1.86	0.05	77.4	7.9	28	3.35	11.5
J596571		1.79	<0.005	0.05	6.57	5.2	670	1.57	0.08	1.77	0.06	80.6	7.8	27	3.39	10.1
J596572		1.80	<0.005	0.05	6.75	12.6	660	1.60	0.07	1.73	0.06	73.0	7.7	27	3.35	9.1
J596573		1.86	<0.005	0.05	6.69	11.3	670	1.63	0.06	1.83	0.07	75.0	7.8	26	3.72	11.6
J596574		1.01	<0.005	0.03	6.76	13.3	710	1.33	0.05	1.92	0.06	68.5	7.2	23	3.37	9.2
J596575		0.84	<0.005	0.04	6.89	14.6	660	1.57	0.05	1.92	0.08	74.7	7.9	24	3.61	10.7
J596576		2.11	<0.005	0.04	6.74	0.8	690	1.43	0.05	1.87	0.07	71.8	7.8	27	3.67	10.1
J596577		2.10	0.005	0.04	6.98	16.0	710	1.41	0.06	1.91	0.09	75.1	7.1	26	3.33	9.8
J596578		2.08	<0.005	0.03	6.69	0.4	840	1.47	0.05	1.80	0.03	67.4	7.1	26	3.17	9.5
J596579		2.03	<0.005	0.08	6.77	0.5	700	1.43	0.05	1.82	0.03	68.8	7.1	27	3.27	9.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596540		2.42	17.00	0.12	5.2	0.034	2.50	37.6	26.4	0.65	421	0.79	2.86	11.1	15.9	560
J596541		2.48	17.20	0.11	4.8	0.030	2.58	41.0	27.8	0.67	436	0.72	2.88	11.5	14.9	560
J596542		2.35	18.20	0.12	5.2	0.036	2.42	41.3	30.7	0.63	405	0.88	2.80	11.9	16.0	530
J596543		2.43	16.80	0.12	4.6	0.028	2.50	37.5	30.5	0.67	411	0.69	2.97	11.1	15.5	550
J596544		2.24	15.95	0.13	5.2	0.031	2.40	37.0	31.1	0.61	380	0.61	2.69	10.5	14.4	510
J596545		2.38	18.95	0.13	5.8	0.032	2.64	41.6	36.5	0.62	416	0.94	2.98	12.7	16.2	520
J596546		2.39	16.10	0.12	4.8	0.029	2.53	38.6	29.6	0.66	416	0.67	3.03	10.5	13.8	560
J596547		2.41	16.75	0.11	4.4	0.032	2.43	37.2	30.3	0.63	417	0.45	2.78	10.9	14.4	530
J596548		2.39	16.90	0.13	5.2	0.033	2.46	41.9	29.2	0.66	417	1.17	2.77	10.9	15.0	540
J596549		2.45	18.70	0.15	5.7	0.036	2.50	43.1	27.6	0.65	426	0.60	2.80	12.1	16.1	550
J596550		1.39	13.65	0.09	1.4	0.017	2.15	13.9	11.4	0.18	551	1.05	2.66	4.6	2.8	170
J596551		2.40	16.25	0.13	4.9	0.031	2.47	37.8	30.3	0.69	414	0.67	2.73	10.1	21.3	530
J596552		2.43	18.10	0.14	5.5	0.036	2.41	42.6	31.1	0.70	422	0.64	2.80	11.6	21.9	550
J596553		2.27	15.85	0.12	4.7	0.030	2.41	36.7	24.8	0.59	389	0.58	2.64	10.3	14.0	500
J596554		2.22	16.15	0.12	4.6	0.029	2.45	36.5	24.5	0.61	396	0.50	2.65	10.3	14.9	500
J596555		2.18	16.65	0.13	5.7	0.032	2.50	41.2	27.7	0.59	383	0.45	2.60	11.1	14.2	490
J596556		1.98	14.90	0.14	4.1	0.031	2.44	35.5	19.0	0.50	333	0.48	2.63	10.5	11.6	400
J596557		2.46	17.05	0.12	5.2	0.030	2.59	40.3	32.2	0.67	435	0.54	2.76	11.6	15.5	540
J596558		2.07	16.80	0.12	4.8	0.028	2.49	35.5	26.6	0.53	377	0.67	2.69	11.5	12.8	460
J596559		2.19	18.30	0.15	5.9	0.027	2.53	41.4	31.0	0.58	380	1.04	2.68	12.2	14.9	490
J596560		2.32	16.85	0.12	5.2	0.031	2.34	37.7	30.1	0.62	416	0.80	2.77	12.0	14.1	530
J596561		1.14	17.40	0.11	5.1	0.008	3.30	20.3	11.4	0.23	215	0.80	2.69	15.8	6.4	190
J596562		2.35	16.75	0.12	5.1	0.027	2.37	36.7	21.9	0.70	437	1.77	2.69	9.4	13.1	540
J596563		2.42	18.45	0.15	5.1	0.033	2.49	45.9	40.2	0.69	422	1.24	2.85	11.7	16.0	560
J596564		2.29	16.65	0.12	4.3	0.025	2.44	36.3	33.7	0.62	418	0.73	2.91	9.9	12.7	530
J596565		2.11	16.50	0.12	4.8	0.028	2.36	31.3	29.3	0.55	340	0.88	2.80	10.9	12.7	510
J596566		2.37	19.20	0.15	5.0	0.033	2.46	43.4	31.9	0.65	421	0.75	2.79	12.0	14.8	550
J596567		2.35	15.95	0.13	4.6	0.030	2.42	37.1	23.9	0.63	415	0.69	2.71	10.1	12.5	550
J596568		2.29	16.90	0.13	4.2	0.031	2.44	40.2	23.8	0.63	409	2.62	2.72	10.5	13.0	520
J596569		2.37	17.05	0.13	4.6	0.029	2.46	40.7	23.4	0.64	410	1.12	2.78	10.6	13.5	540
J596570		2.40	18.40	0.16	5.0	0.031	2.51	36.2	19.2	0.64	424	0.88	2.77	11.9	16.1	560
J596571		2.30	18.90	0.16	5.1	0.030	2.47	39.7	23.9	0.61	398	1.56	2.76	11.7	13.8	530
J596572		2.33	17.95	0.15	5.5	0.034	2.51	36.5	33.6	0.63	388	12.50	2.94	11.9	14.0	540
J596573		2.29	18.85	0.13	4.9	0.032	2.46	35.8	36.4	0.63	399	0.68	2.91	12.1	15.0	550
J596574		2.36	16.50	0.13	5.1	0.028	2.43	34.6	32.1	0.66	414	0.49	3.04	10.5	13.1	550
J596575		2.41	17.85	0.15	4.9	0.031	2.41	38.7	33.9	0.67	422	0.53	3.00	11.0	14.6	560
J596576		2.42	17.45	0.13	4.6	0.033	2.45	37.7	23.8	0.67	418	0.47	2.76	11.1	14.5	550
J596577		2.41	16.55	0.14	4.6	0.029	2.53	39.1	25.3	0.68	423	1.62	2.86	10.4	13.6	550
J596578		2.32	16.50	0.14	5.0	0.026	2.45	36.1	23.3	0.64	400	0.46	2.71	10.1	12.7	530
J596579		2.33	16.55	0.13	4.7	0.027	2.46	36.6	23.9	0.65	403	0.39	2.75	10.4	13.3	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596540		20.4	108.0	0.004	0.01	0.19	6.9	2	2.0	210	1.06	<0.05	13.7	0.281	0.63	3.6
J596541		18.5	112.5	0.004	0.01	0.22	7.2	1	2.0	213	1.14	<0.05	15.0	0.279	0.69	4.0
J596542		17.8	115.0	0.005	0.06	0.26	7.7	1	2.2	209	1.14	<0.05	15.2	0.269	0.61	3.9
J596543		14.9	103.0	0.005	0.09	0.25	7.2	1	1.9	217	1.06	<0.05	13.0	0.280	0.59	3.3
J596544		15.0	104.0	0.004	0.02	0.24	6.7	1	1.9	202	0.97	<0.05	12.2	0.263	0.57	3.3
J596545		20.9	121.5	0.004	0.03	0.32	7.5	1	2.3	201	1.25	<0.05	15.1	0.276	0.70	4.1
J596546		15.6	106.0	0.005	0.04	0.23	6.8	1	2.0	214	1.09	<0.05	13.0	0.275	0.65	3.5
J596547		15.8	102.5	0.004	0.04	0.24	6.7	2	2.1	202	1.03	<0.05	11.4	0.265	0.59	3.1
J596548		16.4	109.0	0.006	0.01	0.18	7.2	1	2.0	207	1.10	<0.05	13.2	0.271	0.63	3.8
J596549		17.6	116.5	0.006	0.01	0.18	7.8	1	2.2	207	1.23	<0.05	14.6	0.276	0.69	4.3
J596550		14.5	64.5	0.003	<0.01	0.31	5.1	1	1.8	176.5	0.46	<0.05	6.4	0.109	0.42	2.2
J596551		16.9	106.0	0.005	0.03	0.28	7.1	1	1.9	202	0.94	<0.05	11.7	0.266	0.62	2.8
J596552		18.7	112.0	0.004	0.01	0.27	7.6	2	2.1	209	1.12	<0.05	13.7	0.274	0.65	3.7
J596553		16.0	102.0	0.004	0.01	0.19	6.4	1	1.8	188.0	0.98	<0.05	12.7	0.254	0.57	3.3
J596554		15.7	105.5	0.003	0.01	0.18	6.6	1	1.9	195.0	1.01	<0.05	11.1	0.256	0.53	2.9
J596555		17.2	110.5	0.005	0.01	0.19	6.8	1	1.9	187.5	1.20	<0.05	13.6	0.252	0.59	3.7
J596556		19.2	123.0	0.004	0.13	0.22	5.6	1	2.1	146.5	1.17	<0.05	15.0	0.212	0.66	4.3
J596557		16.3	120.0	0.004	0.01	0.20	7.0	1	1.9	201	1.14	<0.05	13.0	0.276	0.66	3.3
J596558		18.4	126.0	0.006	<0.01	0.19	6.3	1	2.0	177.0	1.23	<0.05	17.0	0.234	0.70	4.6
J596559		20.6	126.0	0.004	0.01	0.29	7.4	2	2.1	194.0	1.63	<0.05	14.7	0.249	0.72	4.2
J596560		18.0	111.5	0.005	0.01	0.18	6.7	1	2.0	196.5	1.12	<0.05	12.9	0.270	0.65	3.5
J596561		28.2	177.5	<0.002	0.01	0.24	3.3	1	1.5	81.4	2.29	<0.05	35.9	0.120	0.81	12.2
J596562		15.0	101.0	0.005	0.28	0.52	7.0	1	2.3	167.5	0.99	0.07	11.8	0.264	0.62	3.1
J596563		17.5	120.0	0.005	0.01	0.56	8.0	2	2.2	206	1.07	<0.05	15.3	0.281	0.69	5.8
J596564		15.1	97.5	0.005	0.01	0.52	6.8	1	1.8	204	0.95	<0.05	11.8	0.262	0.59	3.0
J596565		15.0	85.6	0.008	0.08	0.46	6.3	1	2.1	174.5	1.13	<0.05	11.6	0.256	0.61	3.6
J596566		16.5	107.5	0.007	0.01	0.22	8.1	1	2.2	206	1.17	<0.05	14.8	0.278	0.68	3.9
J596567		16.1	94.6	0.004	0.01	0.12	7.0	1	1.9	200	0.92	<0.05	12.0	0.274	0.60	2.9
J596568		19.0	102.0	0.007	0.01	0.18	7.1	1	1.9	193.0	0.96	<0.05	13.9	0.266	0.59	3.4
J596569		17.4	103.5	0.005	0.02	0.20	7.3	1	2.0	199.0	0.96	<0.05	13.6	0.269	0.58	3.3
J596570		18.6	108.5	<0.002	0.01	0.09	8.6	1	2.1	211	1.20	<0.05	14.0	0.273	0.63	3.5
J596571		17.8	114.5	0.006	0.01	0.28	7.7	2	2.2	198.5	1.09	<0.05	13.7	0.263	0.67	3.6
J596572		19.4	109.5	0.008	0.02	0.36	7.7	1	2.1	185.0	1.25	<0.05	14.1	0.270	0.66	3.9
J596573		19.1	110.5	0.004	0.01	0.31	7.7	1	2.2	204	1.15	<0.05	13.6	0.272	0.69	3.6
J596574		16.8	98.4	0.003	0.02	0.23	6.9	1	2.1	180.0	0.98	<0.05	12.2	0.274	0.61	3.1
J596575		17.7	108.5	0.006	0.02	0.24	7.8	1	2.3	186.5	1.02	<0.05	13.3	0.277	0.62	3.2
J596576		16.5	105.5	0.004	0.01	0.12	7.6	1	2.1	207	1.10	<0.05	13.2	0.276	0.62	3.5
J596577		16.3	103.0	0.005	0.03	0.15	7.2	1	2.0	207	0.97	<0.05	12.5	0.278	0.59	3.2
J596578		15.0	98.6	0.005	0.01	0.11	7.1	1	2.0	201	0.99	<0.05	12.6	0.266	0.59	3.3
J596579		15.3	101.0	0.005	0.01	0.10	7.1	1	2.0	201	1.05	<0.05	13.4	0.265	0.60	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596540		46	0.7	17.5	53	176.0
J596541		45	0.6	18.9	52	160.5
J596542		43	1.3	20.8	45	172.5
J596543		46	2.4	19.3	49	161.5
J596544		42	0.8	17.1	47	178.0
J596545		44	1.0	19.9	51	187.5
J596546		44	1.4	17.9	51	157.0
J596547		42	1.3	17.2	48	150.5
J596548		45	0.6	18.1	49	173.0
J596549		45	0.7	20.6	50	182.5
J596550		14	1.0	16.9	41	29.9
J596551		43	0.7	16.2	49	173.0
J596552		44	0.5	18.9	50	182.5
J596553		41	0.4	16.5	45	163.0
J596554		42	0.4	16.8	47	156.0
J596555		41	0.6	17.7	45	186.5
J596556		33	21.3	16.4	37	133.5
J596557		44	0.6	19.2	52	169.0
J596558		36	0.7	18.1	43	150.5
J596559		40	0.7	20.9	45	183.5
J596560		43	0.6	18.9	49	166.5
J596561		16	1.5	20.0	25	111.5
J596562		42	8.9	16.9	40	175.5
J596563		46	0.6	21.0	53	175.0
J596564		42	0.9	16.8	49	142.0
J596565		41	4.0	16.8	38	162.0
J596566		44	0.7	21.5	50	174.0
J596567		43	0.5	17.2	52	155.5
J596568		42	0.8	18.7	50	148.5
J596569		43	0.4	18.8	51	158.5
J596570		44	0.6	21.1	55	177.0
J596571		42	0.4	20.9	48	166.5
J596572		44	0.9	20.4	48	179.5
J596573		44	1.0	19.5	49	161.0
J596574		44	0.9	17.9	45	178.5
J596575		44	1.0	19.7	47	176.0
J596576		45	0.5	19.6	50	152.0
J596577		45	0.8	18.9	54	165.5
J596578		43	0.4	18.3	48	178.5
J596579		43	0.7	18.5	48	158.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596580		2.01	<0.005	0.06	6.66	4.7	670	1.49	0.06	1.80	0.04	75.3	7.7	27	3.47	10.5
J596581		2.12	<0.005	0.03	6.60	10.0	690	1.34	0.05	1.81	0.03	62.1	7.7	27	3.09	9.3
J596582		2.11	0.005	0.13	6.80	29.6	680	1.55	0.10	1.86	0.05	68.8	7.9	27	2.98	10.0
J596583		2.01	<0.005	0.05	6.69	10.5	670	1.57	0.08	1.74	0.06	79.7	7.9	25	3.50	9.1
J596584		2.02	<0.005	0.10	6.77	12.1	710	1.43	0.08	1.77	0.06	70.6	7.4	29	3.07	12.0
J596585		2.08	<0.005	0.05	6.58	10.8	720	1.54	0.07	1.81	0.05	74.9	7.9	26	3.30	10.4
J596586		1.92	<0.005	0.05	6.54	3.3	700	1.42	0.06	1.75	0.04	66.4	6.9	25	3.04	8.9
J596587		1.68	<0.005	0.02	6.83	0.7	700	1.52	0.07	1.83	0.05	70.6	7.3	26	3.41	9.2
J596588		1.75	<0.005	0.04	6.62	1.6	680	1.43	0.05	1.75	0.04	71.1	7.2	24	3.15	9.6
J596589		1.29	<0.005	0.04	6.22	1.7	640	1.59	0.06	1.68	0.04	73.0	7.7	25	3.51	10.3
J596590		0.62	0.005	0.04	6.41	5.8	650	1.26	0.07	1.78	0.05	62.7	7.1	24	2.83	9.4
J596591		1.75	<0.005	0.03	6.92	6.3	700	1.40	0.06	1.89	0.04	76.0	8.2	29	3.09	12.0
J596592		1.81	<0.005	0.13	6.77	6.0	690	1.43	0.05	1.83	0.04	80.7	7.7	25	3.16	10.0
J596593		1.76	<0.005	0.06	6.77	6.2	710	1.35	0.05	1.87	0.06	70.5	7.7	27	3.21	9.9
J596594		1.85	<0.005	0.04	6.87	2.7	720	1.28	0.04	1.87	0.05	72.8	7.1	27	3.20	8.8
J596595		1.79	<0.005	0.06	6.69	2.1	1110	1.39	0.08	1.80	0.06	75.8	7.7	26	3.31	12.1
J596596		1.82	0.005	0.06	6.75	7.5	710	1.48	0.19	1.86	0.06	74.9	8.0	26	3.48	13.1
J596597		1.79	0.052	0.21	6.68	9.2	950	1.37	6.96	1.83	0.04	73.8	7.4	27	3.50	22.7
J596598		1.76	0.006	<0.01	7.11	11.8	750	1.36	0.13	1.95	0.05	81.3	8.0	26	3.13	18.4
J596599		1.78	<0.005	0.01	7.03	11.8	680	1.52	0.10	1.98	0.05	77.5	8.0	34	3.02	16.0
J596600		0.08	1.335	0.72	7.79	4.0	110	2.24	0.97	0.85	0.12	17.00	8.8	29	18.85	13.1
J596601		1.84	<0.005	<0.01	6.95	15.3	720	1.54	0.04	1.90	0.05	71.3	7.8	26	2.82	10.4
J596602		0.64	<0.005	0.01	7.02	14.9	750	1.42	0.04	1.92	0.06	78.6	7.8	24	2.87	10.8
J596603		0.56	0.025	0.02	6.97	16.0	650	1.48	0.07	1.93	0.20	72.5	7.5	25	2.86	13.0
J596604		1.12	0.005	<0.01	7.51	13.1	650	1.40	0.05	2.14	0.05	81.1	9.1	34	3.20	13.3
J596605		1.25	<0.005	0.02	6.35	16.2	610	1.12	0.04	1.84	0.05	80.6	7.8	31	2.53	11.6
J596606		1.61	0.005	0.02	6.82	24.9	700	1.35	0.05	1.88	0.05	66.4	9.3	33	2.78	13.7
J596607		1.35	<0.005	0.05	7.10	21.0	700	1.49	0.06	2.06	0.06	72.9	9.2	33	3.08	17.2
J596608		1.70	<0.005	0.03	7.10	4.5	690	1.46	0.07	2.08	0.05	71.2	9.3	35	3.18	15.2
J596609		1.70	<0.005	0.03	7.20	9.4	650	1.38	0.06	2.03	0.04	79.4	8.9	34	3.37	12.7
J596610		1.15	<0.005	0.02	7.07	27.2	700	1.51	0.05	1.89	0.10	74.4	8.8	31	3.35	17.3
J596611		1.14	<0.005	0.02	7.19	15.2	700	1.40	0.06	2.10	0.06	61.1	8.5	31	3.02	13.3
J596612		1.22	<0.005	<0.01	7.20	14.2	660	1.62	0.08	2.10	0.07	60.7	9.1	33	3.63	14.5
J596613		1.15	0.009	<0.01	7.06	12.4	650	1.84	0.18	2.12	0.07	74.8	9.1	35	3.98	13.5
J596614		1.24	0.008	0.02	7.09	12.4	650	1.70	0.11	2.01	0.05	69.8	9.2	30	3.64	14.9
J596615		1.17	0.013	0.02	7.06	17.5	740	1.49	0.24	1.98	0.02	73.5	7.8	27	3.55	17.4
J596616		1.13	0.005	0.03	6.99	21.3	760	1.44	0.06	2.00	0.06	72.7	8.3	29	3.72	11.7
J596617		1.36	0.007	<0.01	7.07	19.4	770	1.42	0.09	2.05	0.07	79.4	9.1	34	3.90	11.9
J596618		0.98	0.006	<0.01	7.08	22.4	730	1.43	0.34	2.20	0.07	55.4	9.2	33	4.07	13.1
J596619		0.56	0.090	0.02	7.10	12.4	730	1.68	1.48	1.67	0.03	90.1	7.6	21	2.99	23.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596580		2.29	18.35	0.18	4.9	0.034	2.40	36.0	31.3	0.64	396	0.89	2.79	11.4	14.2	530
J596581		2.35	17.00	0.12	4.7	0.027	2.52	31.4	28.9	0.67	407	0.58	2.79	10.3	13.9	530
J596582		2.41	17.45	0.12	5.5	0.027	2.52	34.7	32.5	0.68	423	0.88	2.93	11.4	13.6	540
J596583		2.29	18.80	0.16	5.3	0.028	2.48	43.2	32.4	0.65	395	0.83	2.70	12.2	13.8	530
J596584		2.34	16.80	0.12	4.9	0.029	2.60	35.1	29.1	0.66	401	0.78	2.85	10.8	13.8	530
J596585		2.37	18.10	0.14	4.6	0.031	2.43	37.6	32.3	0.67	412	0.73	2.89	12.6	14.3	560
J596586		2.28	15.95	0.14	4.8	0.027	2.42	35.4	25.7	0.64	393	0.89	2.73	10.2	12.6	520
J596587		2.38	17.15	0.13	5.1	0.031	2.52	36.3	26.5	0.67	414	1.17	2.76	11.1	13.3	540
J596588		2.32	17.25	0.15	4.8	0.030	2.47	35.7	25.6	0.66	400	0.53	2.71	11.2	13.3	530
J596589		2.17	18.05	0.15	4.9	0.033	2.38	37.8	28.9	0.62	382	0.61	2.58	11.6	14.9	500
J596590		2.26	15.45	0.12	5.0	0.023	2.36	33.1	27.7	0.65	397	1.15	2.67	9.6	12.1	510
J596591		2.47	17.70	0.12	4.5	0.028	2.59	39.2	32.9	0.71	432	0.84	2.91	11.1	14.7	580
J596592		2.33	18.20	0.15	5.1	0.037	2.42	40.8	31.7	0.65	402	1.90	2.76	11.1	13.9	540
J596593		2.38	17.50	0.14	4.8	0.030	2.46	38.5	30.1	0.67	419	2.40	2.78	10.6	14.5	540
J596594		2.46	16.90	0.15	4.9	0.031	2.47	37.9	27.0	0.68	421	1.82	2.73	10.4	13.5	560
J596595		2.40	17.20	0.16	4.5	0.030	2.44	39.4	28.8	0.67	413	1.79	2.73	10.5	14.1	540
J596596		2.39	18.05	0.15	5.1	0.031	2.44	38.6	34.3	0.67	414	1.39	2.67	11.5	14.7	550
J596597		2.32	17.90	0.14	4.8	0.028	2.34	40.5	31.7	0.67	395	5.40	2.77	10.9	13.9	530
J596598		2.49	17.20	0.18	4.4	0.029	2.54	37.7	31.3	0.68	426	0.69	2.89	11.2	16.1	580
J596599		2.54	17.20	0.17	4.5	0.032	2.47	35.2	31.0	0.72	447	0.48	2.86	11.6	18.1	580
J596600		4.02	18.80	0.15	1.2	0.010	2.55	7.9	4.9	0.82	249	2.03	5.13	8.7	34.6	680
J596601		2.44	17.40	0.17	4.4	0.032	2.50	32.7	28.7	0.64	426	0.78	2.82	12.0	15.4	570
J596602		2.53	16.55	0.17	4.2	0.032	2.57	36.1	30.2	0.69	457	0.47	2.76	11.0	16.0	560
J596603		2.38	16.90	0.17	4.1	0.028	2.45	33.0	27.4	0.67	429	0.60	2.93	10.0	16.5	530
J596604		2.68	18.40	0.18	4.7	0.034	2.64	36.9	33.6	0.81	475	0.40	3.03	11.0	22.3	590
J596605		2.31	15.30	0.17	3.5	0.026	2.13	37.7	28.0	0.71	400	0.32	2.64	8.2	19.3	510
J596606		2.51	17.50	0.17	4.8	0.032	2.44	29.5	31.3	0.76	425	0.34	3.00	10.3	21.6	570
J596607		2.56	18.35	0.19	4.5	0.033	2.50	32.4	30.2	0.78	445	0.52	2.91	11.2	21.7	580
J596608		2.65	17.80	0.18	4.3	0.033	2.47	31.8	26.6	0.83	465	0.44	2.83	11.0	22.9	590
J596609		2.57	17.60	0.19	3.3	0.030	2.44	36.9	27.5	0.79	443	0.33	2.77	10.4	22.3	550
J596610		2.53	18.10	0.18	4.4	0.031	2.54	33.5	28.9	0.76	413	0.39	3.19	11.7	21.6	570
J596611		2.55	16.80	0.17	3.8	0.030	2.40	27.0	26.3	0.76	439	0.33	2.88	10.0	20.4	570
J596612		2.74	18.30	0.19	4.4	0.036	2.46	26.3	29.0	0.80	469	0.51	2.92	12.7	22.1	610
J596613		2.60	18.35	0.19	4.6	0.034	2.43	32.2	30.8	0.82	473	0.48	2.92	12.8	23.4	570
J596614		2.54	17.55	0.18	4.6	0.029	2.42	31.8	31.5	0.76	434	1.01	2.94	12.4	21.3	570
J596615		2.40	17.50	0.18	5.0	0.027	2.40	34.0	28.1	0.71	418	86.0	2.95	10.9	19.8	550
J596616		2.43	17.20	0.18	3.9	0.027	2.48	33.2	31.4	0.72	427	0.72	2.91	10.1	19.6	550
J596617		2.56	18.25	0.20	4.5	0.030	2.45	36.4	33.8	0.77	459	9.54	2.92	10.9	21.7	580
J596618		2.61	18.20	0.18	4.0	0.033	2.48	23.4	37.2	0.80	476	0.44	2.91	10.8	22.8	590
J596619		2.39	18.35	0.19	5.2	0.027	2.10	43.7	26.6	0.63	395	9.16	3.21	12.3	14.8	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596580		15.8	111.5	0.006	0.01	0.26	7.8	1	2.1	201	1.08	<0.05	13.4	0.263	0.60	3.5
J596581		13.4	95.0	0.005	0.01	0.12	7.0	1	2.0	198.5	0.96	<0.05	11.6	0.269	0.60	2.9
J596582		15.5	106.5	0.005	0.07	0.25	7.3	1	2.1	199.0	1.22	<0.05	13.2	0.272	0.64	3.9
J596583		16.2	116.0	0.004	0.02	0.21	7.9	2	2.2	198.5	1.26	<0.05	15.0	0.265	0.67	4.2
J596584		16.5	107.0	0.005	0.08	0.17	7.1	1	2.0	190.0	1.09	<0.05	13.3	0.271	0.63	3.6
J596585		16.9	112.5	0.007	0.02	0.17	8.1	2	2.3	199.5	1.23	<0.05	14.0	0.275	0.66	4.0
J596586		16.0	101.5	0.004	0.01	0.13	6.6	1	1.9	191.5	1.02	<0.05	12.6	0.261	0.60	3.5
J596587		16.9	103.5	0.005	0.01	0.11	7.1	1	2.0	202	1.12	<0.05	13.4	0.273	0.61	5.2
J596588		14.3	110.0	0.004	0.01	0.12	7.0	1	2.1	191.0	1.19	<0.05	12.9	0.267	0.61	3.6
J596589		15.5	113.0	0.005	0.01	0.16	7.5	1	2.2	185.5	1.25	<0.05	14.8	0.254	0.68	4.1
J596590		13.0	97.5	0.004	0.08	0.20	6.5	1	1.7	186.0	0.96	<0.05	11.7	0.255	0.59	3.0
J596591		14.1	107.0	0.004	0.09	0.20	7.7	1	2.0	200	1.08	<0.05	13.2	0.281	0.62	3.4
J596592		14.9	102.5	0.007	0.02	0.21	7.7	1	2.1	202	1.06	<0.05	13.0	0.270	0.64	3.4
J596593		15.1	100.0	0.005	0.01	0.16	7.5	1	2.0	203	0.96	<0.05	12.1	0.273	0.60	3.1
J596594		14.7	98.3	0.005	<0.01	0.10	7.2	1	1.9	203	0.96	<0.05	12.4	0.275	0.60	3.3
J596595		15.8	100.0	0.006	0.03	0.12	7.6	1	1.9	199.5	1.00	<0.05	12.5	0.273	0.61	3.0
J596596		15.5	108.5	0.005	0.02	0.26	8.0	1	2.2	205	1.12	<0.05	13.0	0.273	0.65	3.5
J596597		18.5	106.5	0.005	0.07	0.35	7.6	1	2.2	198.5	1.07	0.67	12.8	0.264	0.69	3.6
J596598		18.4	106.5	<0.002	0.05	0.24	7.9	1	2.0	213	1.09	<0.05	15.3	0.285	0.71	3.6
J596599		16.6	107.0	<0.002	0.03	0.26	8.0	1	2.0	221	1.14	<0.05	16.0	0.286	0.70	4.0
J596600		81.0	590	<0.002	3.25	1.25	3.3	1	1.0	165.5	0.76	<0.05	2.7	0.226	6.88	1.4
J596601		18.2	106.5	<0.002	0.01	0.18	7.8	1	2.0	214	1.20	<0.05	15.0	0.278	0.70	3.8
J596602		17.2	111.0	<0.002	0.01	0.20	8.1	1	2.0	209	1.01	<0.05	15.7	0.282	0.70	3.7
J596603		27.0	106.0	<0.002	0.09	0.22	7.9	1	1.8	206	0.88	<0.05	12.9	0.264	0.68	3.0
J596604		18.7	116.0	<0.002	0.01	0.19	8.7	1	2.1	231	0.90	<0.05	14.0	0.289	0.81	3.0
J596605		14.5	95.5	<0.002	0.01	0.19	7.3	1	1.9	204	0.63	<0.05	13.4	0.254	0.66	2.1
J596606		17.8	108.0	<0.002	0.01	0.26	8.0	1	2.3	214	0.83	<0.05	13.5	0.279	0.73	2.7
J596607		17.4	111.0	<0.002	0.01	0.22	8.1	1	2.2	225	1.00	<0.05	14.6	0.280	0.76	3.2
J596608		16.1	112.5	<0.002	0.01	0.09	8.4	1	2.2	224	0.96	<0.05	14.3	0.286	0.75	3.2
J596609		17.1	118.5	<0.002	0.01	0.16	8.2	1	2.1	217	0.98	<0.05	15.0	0.280	0.73	3.3
J596610		20.5	116.5	<0.002	0.04	0.26	8.3	1	2.2	217	1.12	<0.05	15.3	0.273	0.77	3.9
J596611		17.4	105.0	<0.002	0.01	0.21	7.7	1	2.0	229	0.88	<0.05	12.1	0.280	0.68	2.8
J596612		18.3	122.5	<0.002	0.01	0.24	8.6	1	2.3	225	1.22	<0.05	14.0	0.292	0.73	4.1
J596613		19.7	122.0	<0.002	0.01	0.23	8.6	1	2.3	226	1.38	<0.05	14.8	0.278	0.77	5.2
J596614		21.7	119.5	<0.002	0.03	0.21	7.9	1	2.1	223	1.50	<0.05	15.6	0.282	0.79	4.6
J596615		25.4	115.0	0.007	0.11	0.25	7.8	1	2.1	219	1.13	<0.05	15.1	0.278	0.76	3.9
J596616		19.7	114.0	<0.002	0.01	0.30	7.7	1	2.0	228	1.02	<0.05	13.4	0.279	0.76	3.0
J596617		17.9	122.5	<0.002	0.01	0.38	8.4	1	2.1	227	0.96	<0.05	13.5	0.284	0.77	2.9
J596618		17.1	116.5	<0.002	0.01	0.33	8.3	1	2.1	238	0.98	<0.05	10.7	0.292	0.80	3.4
J596619		17.7	109.0	<0.002	0.10	0.35	7.6	1	2.2	193.0	1.11	0.11	15.3	0.293	0.70	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596580		42	0.5	19.6	48	168.0
J596581		43	0.7	17.5	49	171.0
J596582		45	2.8	19.4	48	182.5
J596583		43	1.1	22.3	48	167.5
J596584		44	4.5	18.8	50	172.0
J596585		45	0.7	21.2	50	160.5
J596586		42	0.5	17.6	47	166.0
J596587		44	0.4	19.3	49	168.5
J596588		42	0.5	19.2	47	158.0
J596589		41	0.6	19.6	46	160.0
J596590		42	1.3	17.4	45	177.0
J596591		46	2.7	20.3	51	166.0
J596592		43	1.0	19.8	47	173.5
J596593		44	0.6	18.8	50	177.0
J596594		44	0.5	19.3	49	173.5
J596595		43	1.0	19.2	50	155.0
J596596		44	3.9	20.6	48	169.0
J596597		42	26.3	19.7	45	161.5
J596598		46	3.0	19.6	51	158.5
J596599		47	2.4	20.2	53	163.0
J596600		28	0.2	5.3	39	42.0
J596601		45	0.7	20.1	51	155.0
J596602		46	0.5	20.4	52	155.5
J596603		44	2.3	18.3	73	152.0
J596604		50	0.5	19.7	57	175.5
J596605		44	0.3	16.1	51	132.0
J596606		49	0.5	18.1	55	182.0
J596607		49	1.2	19.3	55	162.5
J596608		50	0.8	19.7	57	158.0
J596609		47	0.5	19.4	54	118.0
J596610		47	0.8	20.1	54	156.0
J596611		49	0.7	17.6	55	140.0
J596612		51	0.6	22.1	57	158.0
J596613		49	0.5	22.0	58	158.5
J596614		48	1.3	21.4	54	158.0
J596615		46	7.8	19.5	54	178.0
J596616		47	0.7	18.1	53	143.5
J596617		48	3.8	19.2	53	165.0
J596618		51	1.1	19.1	54	148.5
J596619		47	42.1	19.3	45	189.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596620		1.48	0.005	<0.01	7.12	34.8	850	1.74	0.14	1.99	0.08	84.2	7.1	13	3.05	16.6
J596621		1.18	0.180	0.08	7.03	41.0	690	1.65	0.19	2.13	0.12	88.2	6.9	12	2.00	17.3
J596622		1.37	0.007	<0.01	7.58	16.8	860	1.83	0.05	1.89	0.07	102.5	7.1	14	3.17	7.3
J596623		2.00	0.008	<0.01	7.50	12.1	860	1.72	0.05	1.89	0.06	100.0	7.3	14	2.92	7.7
J596624		1.89	0.009	<0.01	7.08	17.9	800	1.62	0.04	1.78	0.08	88.9	7.2	15	2.79	10.5
J596625		0.11	0.005	0.02	6.68	1.5	970	1.31	0.11	1.42	0.08	30.9	2.4	11	1.68	4.7
J596626		0.57	0.219	0.02	6.89	22.2	750	1.64	0.10	1.75	0.10	89.3	7.3	11	2.24	16.3
J596627		1.54	0.006	<0.01	6.80	15.1	780	1.68	0.06	1.66	0.05	89.7	7.3	13	2.73	7.6
J596628		2.07	<0.005	<0.01	7.11	10.2	820	1.78	0.06	1.73	0.06	92.5	7.1	15	2.82	8.6
J596629		2.02	<0.005	<0.01	6.41	8.6	770	1.60	0.08	1.62	0.04	81.2	6.9	13	2.47	6.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J596620		2.55	19.30	0.20	5.6	0.036	2.73	37.7	26.7	0.53	485	1.34	3.29	13.7	7.4	630
J596621		2.39	17.80	0.22	4.5	0.034	2.37	42.0	14.6	0.50	473	1.28	2.91	10.4	6.9	580
J596622		2.65	20.2	0.22	5.5	0.038	2.78	47.7	27.0	0.54	468	1.09	3.14	13.4	7.0	620
J596623		2.57	19.55	0.21	5.1	0.036	2.71	45.2	26.2	0.54	452	0.94	3.07	13.3	7.1	630
J596624		2.46	18.85	0.19	5.4	0.037	2.70	40.6	23.7	0.51	434	1.10	3.10	13.2	6.6	600
J596625		1.54	14.15	0.15	1.1	0.018	2.27	14.2	10.1	0.19	621	0.99	2.82	4.7	2.2	190
J596626		2.46	18.45	0.21	5.3	0.032	2.38	41.0	19.2	0.49	411	1.65	3.15	12.2	6.9	600
J596627		2.42	18.05	0.21	4.6	0.034	2.56	41.6	24.9	0.50	419	2.89	2.95	12.5	6.6	610
J596628		2.44	18.80	0.21	5.1	0.036	2.72	43.1	24.9	0.53	426	6.29	2.97	13.5	7.6	610
J596629		2.32	17.95	0.19	4.7	0.031	2.58	37.2	24.9	0.48	401	1.16	2.91	12.2	6.4	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J596620		23.5	116.5	<0.002	0.10	0.37	8.2	1	2.2	212	1.23	<0.05	14.3	0.324	0.74	4.1
J596621		31.5	104.5	<0.002	0.78	0.32	8.0	1	2.0	167.5	1.01	<0.05	14.6	0.287	0.56	3.7
J596622		26.4	138.5	<0.002	0.04	0.29	8.6	1	2.2	221	1.16	<0.05	15.4	0.322	0.71	3.6
J596623		18.4	133.5	<0.002	0.02	0.26	8.6	1	2.3	217	1.17	<0.05	15.3	0.320	0.66	3.6
J596624		18.7	130.5	<0.002	0.06	0.29	8.1	1	2.1	205	1.22	<0.05	14.2	0.308	0.69	3.6
J596625		12.6	67.9	<0.002	<0.01	0.18	5.7	1	1.5	186.5	0.48	<0.05	6.7	0.121	0.41	2.2
J596626		25.0	108.0	<0.002	0.44	0.27	8.0	1	2.0	187.5	1.04	<0.05	14.5	0.298	0.55	3.3
J596627		17.2	118.0	<0.002	0.02	0.31	8.0	1	2.1	194.0	1.11	<0.05	14.0	0.300	0.65	3.4
J596628		15.8	128.0	<0.002	0.01	0.28	8.4	1	2.2	203	1.24	<0.05	14.7	0.313	0.67	3.7
J596629		14.8	112.5	<0.002	0.01	0.22	7.2	1	2.0	189.5	1.07	<0.05	12.8	0.291	0.62	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596620		49	2.7	23.3	56	218
J596621		42	19.4	24.0	66	168.0
J596622		48	1.9	25.3	60	208
J596623		47	1.6	25.3	57	188.5
J596624		46	1.7	24.0	56	196.5
J596625		15	1.0	18.6	45	26.9
J596626		44	5.9	23.0	54	208
J596627		45	0.9	23.0	53	172.0
J596628		45	1.3	24.3	52	186.0
J596629		43	0.6	21.1	50	177.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037959

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.