ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

CERTIFICATE TB10192534

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345696		0.50	0.154	0.07	5.94	430	690	1.83	0.12	0.51	0.03	93.4	2.4	9	0.84	8.9
I345697		0.93	0.020	0.06	5.92	114.0	620	1.85	0.09	0.59	0.06	98.4	2.9	6	0.92	12.8
I345698		1.14	0.041	0.06	5.95	60.9	610	2.14	0.06	0.50	0.02	93.3	2.1	6	0.96	10.1
I345699		1.10	0.036	0.05	5.93	64.8	590	2.00	0.05	0.49	0.03	99.0	2.0	6	1.01	3.6
I345700		0.07	<0.005	0.06	6.27	1.9	930	1.32	0.08	1.37	0.08	27.8	2.5	13	1.67	4.2
I345701		1.22	0.023	0.09	5.91	66.0	640	1.71	0.10	0.52	0.03	96.0	1.8	7	0.87	8.6
I345702		0.48	0.057	0.40	5.78	65.5	680	1.67	0.09	0.46	0.03	101.0	2.2	7	0.86	6.4
I345703		0.60	0.501	0.06	5.75	92.6	690	1.42	0.15	0.49	0.04	90.9	1.7	6	0.90	8.8
I345704		0.56	0.157	0.07	5.74	109.5	690	1.77	0.13	0.36	0.05	100.5	1.6	6	1.01	9.2
I345705		0.42	0.229	0.08	6.15	1615	650	2.59	0.09	0.52	0.03	91.1	2.1	5	2.05	6.6
I345706		0.76	0.163	0.17	2.61	6360	160	1.04	0.49	1.28	0.03	35.2	1.1	11	0.82	3.0
I345707		0.60	0.086	0.05	5.17	2860	350	2.48	0.09	0.02	<0.02	82.6	1.9	5	1.17	2.1
I345708		0.58	0.039	0.05	5.94	1080	530	2.10	0.09	0.09	0.03	104.5	1.7	7	1.10	4.3
I345709		0.85	0.122	0.13	5.80	79.7	760	1.54	0.18	0.49	0.03	104.0	2.1	10	1.02	13.5
I345710		1.00	0.055	0.09	5.69	97.5	680	1.34	0.05	0.51	0.02	112.0	1.8	9	1.07	5.3
I345711		1.61	0.006	0.08	5.86	74.8	650	1.96	0.05	0.46	0.02	89.0	2.5	8	1.32	4.1
I345712		0.58	0.024	0.07	5.94	60.5	710	2.23	0.05	0.50	0.03	69.3	1.7	11	1.80	4.3
I345713		0.58	0.006	0.07	5.91	101.5	640	1.86	0.06	0.49	0.02	162.5	1.0	7	1.19	2.4
I345714		0.57	<0.005	0.08	6.28	50.0	640	2.02	0.09	0.39	0.02	104.5	1.6	10	1.57	1.3
I345715		0.65	0.009	0.08	6.24	49.8	690	2.17	0.07	0.61	0.02	90.6	1.7	10	1.45	2.0
I345716		1.11	<0.005	0.07	6.23	50.1	640	1.97	0.08	0.38	0.02	94.7	1.6	11	1.42	1.7
I345717		0.54	<0.005	0.05	6.14	37.3	680	1.81	0.06	0.63	<0.02	102.0	1.2	10	1.44	1.4
I345718		0.59	0.020	1.49	6.47	3130	760	2.14	1.54	0.78	0.09	100.0	51.5	9	1.62	120.0
I345719		0.58	<0.005	0.08	6.18	28.4	680	2.25	0.06	0.59	<0.02	104.0	2.6	11	1.74	1.9
I345720		1.82	<0.005	0.07	6.10	23.1	670	2.06	0.05	0.57	0.02	100.0	7.0	9	1.76	4.8
I345721		1.69	<0.005	0.07	6.22	12.4	710	2.15	0.06	0.56	0.07	102.0	2.6	13	1.82	5.9
I345722		1.63	<0.005	0.06	6.12	15.7	670	2.38	0.06	0.56	0.02	99.1	2.4	16	1.70	3.7
I345723		1.59	0.008	0.14	6.02	21.0	690	2.25	0.07	0.44	0.07	97.6	2.7	13	1.57	4.1
I345724		0.78	<0.005	0.14	6.04	9.1	700	2.15	0.05	0.56	0.03	94.8	3.0	12	1.62	4.6
I345725		0.60	0.005	0.08	6.15	9.1	700	2.29	0.05	0.57	0.04	102.5	3.2	13	1.69	4.4
I345726		1.53	<0.005	0.08	6.17	5.0	690	2.31	0.05	0.56	0.02	100.5	3.3	11	1.67	6.1
I345727		1.52	0.005	0.10	6.33	8.9	710	2.32	0.09	0.53	0.02	101.0	2.4	11	2.13	2.8
I345728		1.60	0.005	0.08	6.34	5.4	710	2.37	0.08	0.56	0.03	101.0	2.8	12	1.83	7.1
I345729		1.54	<0.005	0.08	6.25	5.6	720	2.27	0.09	0.53	0.05	100.5	2.7	10	2.23	8.3
I345730		1.59	<0.005	0.10	6.15	7.4	710	2.31	0.06	0.53	<0.02	97.1	2.5	12	2.45	2.0
I345731		1.54	<0.005	0.08	6.18	6.8	700	2.29	0.05	0.54	<0.02	103.5	2.7	13	2.17	2.3
I345732		1.08	<0.005	0.07	6.09	15.7	680	2.42	0.07	0.55	0.02	97.2	2.6	12	2.07	2.8
I345733		1.00	<0.005	0.08	6.03	6.9	640	2.52	0.08	0.52	<0.02	98.1	2.5	9	2.73	2.4
I345734		0.77	<0.005	0.06	6.11	11.2	670	2.47	0.08	0.52	<0.02	94.8	2.4	7	2.60	1.9
I345735		0.36	0.005	0.18	6.56	9.0	810	2.25	0.04	0.37	<0.02	108.0	5.3	7	4.40	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345696		1.12	16.25	0.18	5.6	0.013	3.63	41.1	12.9	0.07	150	2.19	2.26	14.3	1.4	70
I345697		0.95	16.00	0.18	5.2	0.011	3.56	43.7	9.9	0.07	173	1.18	2.32	14.1	1.6	70
I345698		1.11	16.55	0.16	5.8	0.015	3.55	41.1	7.5	0.07	166	1.87	2.42	15.4	1.1	70
I345699		1.02	17.15	0.18	4.7	0.011	3.47	43.7	9.1	0.08	172	3.39	2.38	15.5	1.7	70
I345700		1.44	13.60	0.12	1.1	0.017	2.21	11.8	10.8	0.18	569	0.96	2.66	4.5	2.1	190
I345701		1.04	16.75	0.17	5.4	0.013	3.60	42.4	11.9	0.06	181	4.08	2.35	15.9	0.8	70
I345702		1.13	17.00	0.18	4.9	0.015	3.65	44.5	13.6	0.06	141	2.37	2.25	14.1	0.9	70
I345703		0.98	16.30	0.19	4.7	0.012	3.56	39.9	12.7	0.06	148	2.26	2.19	11.5	0.9	70
I345704		0.92	15.90	0.18	4.7	0.011	3.63	44.8	9.8	0.07	103	3.01	2.01	11.1	0.9	70
I345705		1.27	18.65	0.18	5.1	0.023	3.56	38.4	17.4	0.13	230	2.96	0.69	14.4	1.0	70
I345706		1.24	7.33	0.06	1.6	0.020	1.26	16.6	7.6	0.06	439	1.21	0.03	5.4	1.2	30
I345707		1.07	15.10	0.09	4.7	0.028	2.65	36.5	15.2	0.10	63	1.99	0.06	13.7	1.0	60
I345708		1.08	16.45	0.12	4.9	0.027	3.07	48.2	16.2	0.10	57	1.87	0.34	13.0	0.8	70
I345709		1.18	15.85	0.14	5.8	0.013	3.44	46.4	15.9	0.08	115	1.95	2.09	12.2	1.2	80
I345710		1.02	14.80	0.14	4.2	0.013	3.40	51.4	10.1	0.06	168	1.78	2.25	10.6	0.9	80
I345711		1.12	16.25	0.12	5.2	0.015	3.39	40.1	9.1	0.08	151	1.89	2.37	15.6	1.1	100
I345712		1.16	17.25	0.10	5.7	0.023	3.49	31.5	12.4	0.10	206	1.88	2.31	16.7	0.9	90
I345713		1.21	15.55	0.19	5.5	0.011	3.30	72.0	7.8	0.07	344	1.85	2.52	13.4	0.9	110
I345714		1.28	16.45	0.14	6.1	0.012	3.58	46.5	8.8	0.08	165	1.94	2.68	15.0	1.0	100
I345715		1.16	15.65	0.13	4.9	0.016	3.62	41.0	10.2	0.08	224	2.14	2.53	15.4	1.0	120
I345716		1.27	15.95	0.14	5.4	0.014	3.41	42.7	9.6	0.08	145	1.74	2.59	13.8	1.0	110
I345717		1.28	15.45	0.13	4.7	0.011	3.52	45.7	11.6	0.09	225	2.48	2.54	13.2	0.9	110
I345718		2.01	16.50	0.16	5.3	0.026	3.89	45.7	13.2	0.09	318	14.30	2.52	12.8	13.3	100
I345719		1.31	16.15	0.14	5.0	0.017	3.46	47.4	12.5	0.09	181	1.72	2.54	14.3	1.2	100
I345720		1.23	15.65	0.14	5.1	0.014	3.43	45.6	11.2	0.09	164	2.72	2.58	13.8	1.3	100
I345721		1.27	16.00	0.15	5.1	0.016	3.53	46.6	12.1	0.09	166	2.12	2.55	14.3	1.2	100
I345722		1.23	16.30	0.14	5.1	0.015	3.40	44.9	12.6	0.09	163	1.49	2.52	13.9	1.2	100
I345723		1.25	15.30	0.13	4.8	0.014	3.40	45.2	13.1	0.09	133	2.35	2.48	12.9	1.2	100
I345724		1.28	15.80	0.14	5.0	0.013	3.46	42.9	13.1	0.08	150	1.80	2.48	13.4	1.4	100
I345725		1.39	16.15	0.14	5.0	0.013	3.48	46.6	13.5	0.09	159	1.78	2.52	14.0	1.2	110
I345726		1.28	15.65	0.14	4.8	0.016	3.43	46.2	11.9	0.09	163	2.11	2.57	13.7	1.5	100
I345727		1.28	16.55	0.15	5.4	0.016	3.57	45.8	10.6	0.09	163	2.68	2.66	15.3	1.1	110
I345728		1.30	16.80	0.14	5.9	0.015	3.57	45.2	10.3	0.09	177	2.93	2.68	15.1	1.2	110
I345729		1.26	16.20	0.15	5.1	0.014	3.54	45.3	11.6	0.09	172	2.67	2.60	14.6	1.1	100
I345730		1.28	15.55	0.16	4.6	0.013	3.44	44.6	12.7	0.09	175	2.20	2.55	13.6	1.1	100
I345731		1.29	15.80	0.14	5.2	0.014	3.43	47.7	13.3	0.09	179	2.95	2.61	13.8	1.2	110
I345732		1.27	16.05	0.14	5.6	0.016	3.45	44.0	12.8	0.09	176	2.32	2.52	14.3	1.1	100
I345733		1.29	15.95	0.15	5.5	0.015	3.31	43.6	12.9	0.09	173	2.78	2.51	14.6	1.1	110
I345734		1.24	15.80	0.15	5.4	0.016	3.44	42.5	13.8	0.09	181	3.73	2.53	14.7	1.1	100
I345735		2.25	17.05	0.18	5.7	0.065	3.90	49.4	35.3	0.13	185	4.04	2.51	15.5	1.4	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345696		10.4	126.5	<0.002	0.34	0.97	4.2	2	1.4	40.8	1.60	<0.05	21.9	0.065	0.54	5.7
I345697		10.8	127.0	<0.002	0.16	1.37	3.9	2	1.3	44.9	1.41	<0.05	19.4	0.070	0.55	5.1
I345698		5.8	132.0	<0.002	0.10	0.71	4.0	2	1.7	47.3	1.55	<0.05	18.9	0.074	0.54	5.1
I345699		8.7	133.0	<0.002	0.11	0.69	4.1	2	1.5	43.2	1.52	<0.05	19.6	0.073	0.58	5.1
I345700		11.0	58.3	<0.002	<0.01	0.19	5.3	2	1.7	175.0	0.47	<0.05	5.3	0.116	0.39	1.9
I345701		13.3	129.0	<0.002	0.26	0.77	4.0	2	1.6	42.2	1.62	<0.05	19.7	0.073	0.56	5.5
I345702		10.1	128.5	<0.002	0.38	1.03	4.1	2	1.9	42.5	1.42	<0.05	18.9	0.076	0.60	4.7
I345703		12.3	122.5	<0.002	0.46	0.78	3.8	2	1.7	37.9	1.13	<0.05	16.9	0.063	0.58	4.9
I345704		13.1	131.0	<0.002	0.39	0.91	4.0	2	1.6	37.1	1.14	<0.05	17.5	0.060	0.58	4.5
I345705		7.4	147.0	<0.002	0.63	1.55	4.2	2	2.1	18.0	1.28	<0.05	18.6	0.075	0.56	4.9
I345706		31.6	57.6	<0.002	0.58	4.89	1.4	1	0.9	5.9	0.40	<0.05	5.4	0.026	0.23	3.3
I345707		2.2	122.5	<0.002	0.41	2.36	3.8	2	1.7	4.1	1.21	<0.05	16.7	0.073	0.42	4.3
I345708		6.1	136.5	<0.002	0.48	0.94	4.4	2	1.8	12.7	1.18	<0.05	17.7	0.083	0.47	4.7
I345709		13.4	127.5	<0.002	0.64	0.61	4.6	2	1.6	44.5	1.25	<0.05	20.4	0.066	0.55	5.8
I345710		10.1	128.5	<0.002	0.14	0.74	3.7	2	1.5	46.7	0.94	<0.05	15.4	0.077	0.61	3.8
I345711		8.7	139.5	<0.002	0.07	0.65	4.5	2	1.6	50.5	1.53	<0.05	19.0	0.084	0.63	5.4
I345712		11.2	153.5	<0.002	0.04	0.62	5.6	2	2.2	42.5	1.62	<0.05	20.3	0.089	0.63	5.9
I345713		6.2	131.0	<0.002	0.07	0.93	3.4	2	1.2	52.8	1.06	<0.05	20.2	0.062	0.59	4.2
I345714		6.7	146.5	<0.002	0.01	0.85	4.0	2	1.3	55.3	1.43	<0.05	20.0	0.084	0.62	5.2
I345715		8.0	145.0	<0.002	0.01	0.78	4.8	2	1.6	53.9	1.61	<0.05	19.3	0.087	0.59	5.3
I345716		6.3	139.0	<0.002	0.01	0.81	4.4	2	1.4	52.9	1.27	<0.05	18.1	0.084	0.62	4.7
I345717		5.7	143.0	<0.002	<0.01	0.78	4.1	1	1.4	61.4	1.03	<0.05	15.8	0.075	0.61	4.4
I345718		226	157.5	<0.002	0.72	4.44	4.4	2	1.5	61.7	1.30	<0.05	18.0	0.077	0.72	6.6
I345719		7.6	146.5	<0.002	<0.01	0.76	5.0	2	1.7	56.1	1.32	<0.05	18.8	0.092	0.60	4.5
I345720		11.9	142.0	<0.002	0.01	0.63	4.7	2	1.5	50.2	1.30	<0.05	17.8	0.095	0.54	6.6
I345721		29.5	146.0	0.002	0.03	0.44	4.7	2	1.5	52.8	1.33	<0.05	18.6	0.096	0.58	4.8
I345722		7.1	142.5	<0.002	0.01	0.58	4.8	2	1.5	50.9	1.28	<0.05	16.9	0.094	0.52	4.9
I345723		27.2	139.5	<0.002	0.03	0.69	4.7	2	1.6	53.7	1.26	<0.05	16.5	0.095	0.54	4.7
I345724		8.7	140.5	<0.002	0.03	0.42	4.7	2	1.8	53.1	1.24	<0.05	16.8	0.092	0.56	4.2
I345725		8.3	144.0	<0.002	0.03	0.43	4.9	2	1.7	55.1	1.31	<0.05	16.6	0.098	0.56	4.4
I345726		7.7	144.5	<0.002	0.01	0.35	4.8	2	1.7	51.9	1.31	<0.05	16.8	0.097	0.52	4.9
I345727		7.8	153.5	<0.002	<0.01	0.43	4.9	2	1.7	52.5	1.44	<0.05	19.2	0.098	0.57	5.5
I345728		16.7	150.0	<0.002	0.01	0.34	5.0	2	1.7	51.1	1.44	<0.05	18.5	0.100	0.54	5.2
I345729		21.8	148.5	<0.002	0.01	0.34	4.8	2	1.7	52.1	1.37	<0.05	17.6	0.097	0.55	5.1
I345730		7.2	145.0	<0.002	<0.01	0.36	4.6	2	1.5	53.7	1.24	<0.05	16.6	0.095	0.53	4.6
I345731		8.5	140.0	<0.002	<0.01	0.37	4.7	2	1.5	50.0	1.33	<0.05	17.5	0.099	0.54	5.0
I345732		6.7	150.5	<0.002	<0.01	0.53	4.8	2	1.6	46.9	1.37	<0.05	18.2	0.087	0.57	5.2
I345733		6.8	144.5	0.002	<0.01	0.45	4.8	2	1.7	52.2	1.42	<0.05	18.1	0.094	0.54	4.9
I345734		6.9	146.5	<0.002	<0.01	0.56	4.6	2	1.6	50.4	1.35	<0.05	18.6	0.094	0.56	4.9
I345735		14.5	202	<0.002	<0.01	0.39	5.2	2	6.7	33.8	1.47	<0.05	19.2	0.100	0.74	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345696		3	2.8	18.0	12	159.0
I345697		4	1.5	18.0	26	136.0
I345698		3	2.0	20.5	13	169.5
I345699		4	2.5	21.7	15	128.0
I345700		15	1.1	16.0	43	23.9
I345701		3	3.1	19.1	15	150.5
I345702		3	3.8	18.1	16	132.0
I345703		3	3.5	15.3	15	137.0
I345704		3	3.7	12.8	18	138.5
I345705		3	6.7	18.1	16	147.0
I345706		2	3.4	7.9	10	52.4
I345707		3	7.1	13.5	10	145.0
I345708		3	6.3	13.4	15	158.0
I345709		4	4.5	20.4	12	173.0
I345710		3	2.5	15.8	18	133.0
I345711		4	2.1	20.3	13	163.0
I345712		5	2.3	19.9	21	173.5
I345713		4	1.0	22.3	16	177.0
I345714		4	1.3	22.5	22	190.5
I345715		5	1.6	21.3	20	159.5
I345716		5	1.6	20.7	21	165.5
I345717		4	1.0	16.9	19	157.5
I345718		5	1.5	20.5	27	170.0
I345719		4	1.3	21.2	20	162.5
I345720		5	1.4	22.5	15	159.0
I345721		5	1.4	24.5	29	164.5
I345722		5	1.2	20.2	12	164.5
I345723		5	1.7	19.6	31	153.0
I345724		5	2.4	18.0	17	159.0
I345725		5	1.8	20.2	19	166.0
I345726		5	2.0	22.9	13	156.0
I345727		5	2.1	30.8	17	168.5
I345728		5	2.4	31.3	18	188.0
I345729		5	1.9	29.9	22	163.5
I345730		5	1.4	28.5	16	153.5
I345731		5	1.3	27.7	16	166.5
I345732		5	1.5	28.1	14	176.5
I345733		5	1.5	31.1	18	172.0
I345734		4	1.3	29.7	18	176.0
I345735		5	3.2	26.4	20	182.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345736		1.11	<0.005	0.13	5.90	9.8	670	2.26	0.06	0.49	0.12	98.5	2.8	9	2.87	4.6
I345737		1.19	<0.005	0.10	5.91	5.2	650	2.39	0.08	0.49	0.02	88.9	2.2	7	2.67	3.0
I345738		1.07	<0.005	0.58	6.02	3.5	670	2.27	0.10	0.49	0.03	105.5	2.4	7	2.67	7.4
I345739		1.65	<0.005	0.12	6.08	4.9	680	2.49	0.13	0.51	0.03	99.0	2.3	11	2.15	5.0
I345740		1.69	0.005	0.11	6.18	10.2	700	2.22	0.13	0.50	0.03	99.9	2.3	11	2.26	3.6
I345741		1.64	<0.005	0.15	6.11	9.1	710	2.27	0.08	0.49	0.06	104.0	2.5	9	2.37	6.2
I345742		1.66	0.007	0.03	6.30	22.8	700	1.97	0.10	0.73	0.05	94.7	2.1	9	1.83	5.4
I345743		1.70	<0.005	0.08	6.22	27.5	710	1.99	0.11	0.55	0.10	94.9	2.0	8	1.84	6.6
I345744		1.77	0.014	0.36	6.38	34.3	710	2.01	0.10	0.57	0.15	95.6	2.3	9	1.76	5.8
I345745		1.73	<0.005	0.12	6.42	22.7	770	1.98	0.08	0.54	0.02	100.5	2.5	7	1.91	2.9
I345746		1.68	0.015	0.01	6.33	20.9	750	2.00	0.10	0.57	0.05	96.1	3.0	8	1.43	12.4
I345747		1.64	0.005	0.05	6.41	25.5	750	1.89	0.09	0.59	0.06	98.1	4.2	8	1.51	6.7
I345748		1.76	0.007	0.05	6.28	22.8	730	1.87	0.08	0.54	0.04	97.1	5.7	7	1.72	7.1
I345749		1.53	0.036	0.08	6.26	46.9	740	1.81	0.11	0.54	0.05	97.4	3.1	6	1.55	4.2
I345750		0.03	1.320	0.92	9.11	3.9	100	2.27	0.67	1.01	0.17	18.10	9.0	27	23.1	12.5
I345751		1.64	0.011	0.12	6.35	72.6	750	1.83	0.20	0.60	0.05	101.5	2.5	9	1.66	40.6
I345752		0.46	0.005	0.06	6.57	74.4	830	1.67	0.12	0.64	0.04	93.3	1.2	7	1.71	5.4
I345753		0.66	<0.005	0.03	5.41	47.2	910	2.03	0.08	0.85	0.04	81.3	1.5	6	2.33	4.6
I345754		1.58	0.005	0.06	6.50	40.1	530	1.82	0.10	0.52	<0.02	60.4	1.5	7	0.95	6.2
I345755		0.67	0.011	0.10	6.26	23.6	750	1.72	0.07	0.59	0.04	98.1	2.8	7	1.76	9.9
I345756		1.61	0.006	0.08	6.29	15.9	730	1.59	0.07	0.57	0.03	95.8	2.8	7	1.54	6.0
I345757		1.62	0.008	0.26	6.33	14.9	710	1.75	0.08	0.56	0.05	96.4	2.1	7	1.70	8.6
I345758		0.98	0.006	0.06	6.14	13.0	690	1.76	0.09	0.50	0.02	99.7	2.6	5	1.99	3.2
I345759		0.51	0.113	0.05	6.48	20.4	650	2.06	0.16	0.53	<0.02	94.0	10.6	3	2.05	134.5
I345760		0.84	0.027	0.20	6.43	24.7	710	1.68	0.11	0.58	0.04	104.0	3.2	6	2.12	18.9
I345761		1.06	0.062	0.08	6.00	51.4	660	1.82	0.13	0.61	0.08	78.3	3.9	7	1.47	39.4
I345762		1.57	0.006	0.05	6.46	28.2	750	1.71	0.08	0.58	0.03	93.7	2.6	7	1.68	3.9
I345763		1.58	<0.005	0.08	6.65	28.3	720	1.90	0.10	0.57	0.02	98.2	2.3	7	1.65	1.9
I345764		1.67	0.005	0.02	6.64	16.0	760	1.84	0.08	0.60	0.02	98.4	2.5	8	1.84	2.7
I345765		1.71	0.023	0.05	6.42	18.2	710	1.95	0.08	0.59	0.05	97.4	2.4	6	1.57	7.2
I345766		1.62	0.006	<0.01	6.29	13.8	710	1.99	0.07	0.57	0.02	88.9	2.6	6	1.61	6.2
I345767		1.72	0.006	0.03	6.30	14.5	700	1.74	0.08	0.55	0.02	95.9	2.4	8	1.88	3.1
I345768		1.74	0.010	<0.01	6.27	9.2	700	1.66	0.07	0.57	0.06	93.7	2.5	6	1.72	5.3
I345769		1.71	0.006	<0.01	6.19	6.7	690	1.87	0.07	0.56	0.02	89.9	2.3	7	1.76	2.3
I345770		1.62	0.006	<0.01	6.26	7.7	720	1.84	0.07	0.56	0.05	95.3	2.4	7	2.08	4.9
I345771		1.64	<0.005	0.02	6.19	8.3	720	1.73	0.07	0.55	0.08	95.1	2.6	12	2.13	5.5
I345772		1.76	<0.005	0.07	6.24	9.6	720	2.17	0.08	0.56	0.04	101.5	1.9	10	2.19	4.8
I345773		1.68	<0.005	0.06	5.96	9.8	660	2.26	0.10	0.50	0.03	91.4	1.4	8	2.01	4.2
I345774		1.61	<0.005	0.50	6.17	26.3	710	1.73	0.12	0.52	0.02	96.2	2.4	9	1.87	4.0
I345775		0.07	<0.005	0.09	6.74	1.6	960	1.05	0.10	1.47	0.09	31.4	2.2	14	1.82	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345736		1.25	15.80	0.16	5.1	0.015	3.33	44.4	14.0	0.09	169	3.34	2.46	13.9	1.4	100
I345737		1.20	15.30	0.13	5.0	0.013	3.33	40.2	12.1	0.09	172	4.19	2.51	13.8	1.1	100
I345738		1.27	15.90	0.16	5.3	0.018	3.37	48.8	11.5	0.10	182	3.49	2.51	14.5	1.2	100
I345739		1.24	15.95	0.15	5.1	0.017	3.41	45.1	11.3	0.10	176	3.58	2.55	14.2	1.1	100
I345740		1.28	15.85	0.15	5.0	0.018	3.46	45.2	11.9	0.10	180	4.08	2.59	14.4	1.2	110
I345741		1.27	15.60	0.16	5.2	0.018	3.48	48.0	12.1	0.10	173	3.68	2.56	13.7	1.1	110
I345742		1.29	15.80	0.12	5.3	0.019	3.38	46.5	11.4	0.09	206	6.00	2.54	13.9	0.9	100
I345743		1.29	16.30	0.14	5.2	0.020	3.37	47.0	11.2	0.09	174	3.74	2.51	14.6	0.9	100
I345744		1.35	16.35	0.14	5.4	0.021	3.49	46.8	11.2	0.09	190	3.30	2.55	15.5	0.9	100
I345745		1.41	16.15	0.15	5.5	0.013	3.54	50.1	11.0	0.09	179	2.03	2.50	15.0	0.9	100
I345746		1.30	15.80	0.15	5.7	0.014	3.46	47.1	11.7	0.09	172	1.95	2.44	15.5	8.3	90
I345747		1.45	16.05	0.16	5.3	0.013	3.49	48.4	9.6	0.09	191	2.74	2.51	13.8	19.9	100
I345748		1.36	15.60	0.16	5.5	0.013	3.48	48.1	9.3	0.09	171	2.21	2.42	14.7	1.7	100
I345749		1.33	15.90	0.16	5.1	0.017	3.52	48.8	10.4	0.08	199	1.89	2.39	14.0	2.6	100
I345750		4.41	19.25	0.14	1.4	0.013	2.66	9.2	4.5	0.88	261	2.14	5.28	9.3	34.6	730
I345751		1.51	15.85	0.18	5.4	0.021	3.58	51.0	11.7	0.08	218	2.37	2.30	13.2	1.1	100
I345752		1.17	16.10	0.16	5.6	0.022	3.85	44.6	12.8	0.09	219	2.34	2.36	16.0	1.5	100
I345753		1.32	15.70	0.16	5.2	0.032	2.82	38.2	17.1	0.12	224	2.75	1.65	18.8	0.6	50
I345754		0.93	16.85	0.13	5.0	0.017	3.84	25.8	5.8	0.04	147	2.82	2.45	17.1	1.0	20
I345755		1.43	15.95	0.17	5.7	0.016	3.50	47.9	11.9	0.08	224	3.15	2.38	15.9	1.1	100
I345756		1.31	15.60	0.15	5.3	0.014	3.58	46.9	8.6	0.07	197	4.40	2.40	13.2	1.2	80
I345757		1.36	15.65	0.17	5.4	0.018	3.45	47.6	8.7	0.09	188	3.60	2.47	14.8	1.0	100
I345758		1.42	15.15	0.17	5.0	0.016	3.48	49.4	7.4	0.08	191	4.24	2.34	14.5	1.0	100
I345759		2.27	17.45	0.18	6.5	0.059	2.89	45.6	21.5	0.09	176	8.71	2.50	19.3	1.2	90
I345760		1.38	16.35	0.18	6.5	0.018	3.55	50.6	12.0	0.08	209	5.06	2.42	16.2	1.1	100
I345761		1.33	14.35	0.15	5.3	0.016	3.25	38.0	11.3	0.07	172	3.09	2.30	12.1	1.1	80
I345762		1.42	16.35	0.17	5.0	0.013	3.56	45.6	8.9	0.09	214	5.11	2.54	14.1	1.1	100
I345763		1.41	16.65	0.17	5.4	0.015	3.58	48.2	8.7	0.09	208	3.40	2.61	13.8	1.0	100
I345764		1.47	16.70	0.17	5.7	0.013	3.65	48.2	8.5	0.09	223	6.03	2.58	14.2	1.2	110
I345765		1.36	15.75	0.17	5.6	0.015	3.45	48.1	8.7	0.08	207	4.60	2.52	15.0	1.0	100
I345766		1.23	15.65	0.16	5.9	0.015	3.35	43.6	8.3	0.08	195	4.32	2.51	14.8	0.8	100
I345767		1.27	15.45	0.17	4.8	0.015	3.40	47.2	7.2	0.09	192	5.29	2.49	14.1	0.8	100
I345768		1.27	15.30	0.16	5.4	0.014	3.33	46.8	7.7	0.09	196	4.86	2.47	14.4	0.8	100
I345769		1.26	15.25	0.17	5.3	0.015	3.31	43.7	7.2	0.08	189	4.58	2.47	13.7	0.8	90
I345770		1.26	15.70	0.17	5.4	0.015	3.42	47.6	8.2	0.08	189	4.59	2.50	14.5	0.8	90
I345771		1.31	15.05	0.17	5.2	0.013	3.33	46.8	8.5	0.09	184	6.98	2.47	13.3	1.5	100
I345772		1.31	15.40	0.19	5.7	0.017	3.33	50.0	7.4	0.09	194	7.53	2.53	15.1	1.0	100
I345773		1.23	16.05	0.18	6.1	0.025	3.24	44.8	7.2	0.09	204	2.64	2.48	17.9	0.9	100
I345774		1.27	15.20	0.17	4.8	0.018	3.33	47.9	7.6	0.09	193	2.39	2.46	14.3	0.9	100
I345775		1.51	12.95	0.10	1.2	0.016	2.21	15.0	9.1	0.19	588	0.96	2.67	4.9	2.1	190

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345736		46.4	143.0	<0.002	<0.01	0.40	4.7	2	1.6	48.2	1.32	<0.05	17.9	0.094	0.55	4.5
I345737		5.4	141.0	<0.002	0.01	0.31	4.4	2	1.7	46.1	1.30	<0.05	17.6	0.092	0.54	4.9
I345738		5.7	148.5	<0.002	<0.01	0.30	4.8	2	2.0	48.3	1.34	<0.05	18.3	0.097	0.55	4.9
I345739		5.2	148.0	<0.002	<0.01	0.38	4.9	2	1.8	47.7	1.30	<0.05	17.2	0.096	0.53	4.7
I345740		7.3	148.5	<0.002	<0.01	0.51	4.7	2	1.8	48.0	1.32	<0.05	17.7	0.097	0.55	4.7
I345741		15.7	148.5	<0.002	0.01	0.55	4.7	2	1.8	48.9	1.27	<0.05	17.2	0.096	0.53	4.8
I345742		10.7	152.0	<0.002	0.01	0.78	4.9	2	1.9	55.3	1.27	<0.05	19.4	0.097	0.53	4.6
I345743		15.3	149.5	<0.002	0.01	0.93	4.8	2	2.0	54.4	1.21	<0.05	18.2	0.096	0.53	4.2
I345744		19.7	158.5	<0.002	0.02	1.06	4.7	2	2.0	55.3	1.40	<0.05	19.2	0.097	0.54	4.6
I345745		7.3	155.0	<0.002	<0.01	0.82	4.9	2	1.7	58.9	1.35	<0.05	19.0	0.099	0.50	4.7
I345746		15.3	146.0	<0.002	0.09	0.91	4.7	2	1.5	53.3	1.40	<0.05	19.6	0.093	0.48	5.1
I345747		13.9	149.0	<0.002	0.04	0.97	4.7	2	1.5	54.8	1.22	<0.05	17.8	0.098	0.49	4.2
I345748		15.1	149.0	<0.002	0.03	0.89	4.6	2	1.4	48.7	1.34	<0.05	19.8	0.096	0.46	4.9
I345749		12.9	149.0	<0.002	0.02	1.37	4.6	1	1.5	53.0	1.20	<0.05	18.7	0.091	0.52	4.4
I345750		74.5	660	<0.002	3.37	1.55	3.5	2	1.1	183.0	0.73	<0.05	2.7	0.239	6.02	1.2
I345751		8.7	147.5	<0.002	0.12	1.26	4.2	2	1.8	58.5	1.22	<0.05	18.8	0.085	0.53	5.2
I345752		11.5	155.5	<0.002	0.03	1.05	4.4	2	2.0	58.3	1.60	<0.05	18.3	0.090	0.56	5.3
I345753		32.9	137.0	<0.002	0.03	0.86	6.4	2	2.5	66.8	1.22	<0.05	14.4	0.078	0.53	3.3
I345754		5.8	145.5	<0.002	0.04	0.79	3.1	2	1.6	51.4	1.84	<0.05	23.4	0.041	0.50	6.6
I345755		12.1	147.5	<0.002	0.14	0.67	4.9	2	1.6	55.2	1.48	<0.05	19.1	0.102	0.52	4.7
I345756		12.7	148.5	<0.002	0.05	0.66	4.2	1	1.4	50.4	1.18	<0.05	17.2	0.090	0.52	4.2
I345757		16.6	149.5	<0.002	0.05	0.70	4.6	2	1.6	49.9	1.29	<0.05	18.1	0.098	0.51	4.5
I345758		5.5	159.5	<0.002	<0.01	0.49	4.4	2	1.5	46.1	1.35	<0.05	20.5	0.094	0.51	4.8
I345759		12.6	153.5	<0.002	0.49	0.52	4.5	2	5.7	32.2	1.82	<0.05	24.1	0.092	0.46	6.3
I345760		13.0	161.5	<0.002	0.06	0.46	4.7	2	1.6	47.0	1.45	<0.05	19.9	0.097	0.55	5.0
I345761		15.1	140.5	<0.002	0.13	0.81	4.3	2	1.6	44.2	1.01	<0.05	16.4	0.078	0.48	4.2
I345762		7.6	158.0	<0.002	0.01	0.73	4.5	1	1.6	53.2	1.22	<0.05	16.2	0.095	0.48	4.0
I345763		6.8	160.5	<0.002	<0.01	0.72	4.5	2	1.7	52.5	1.21	<0.05	18.2	0.097	0.53	4.3
I345764		7.4	159.0	<0.002	<0.01	0.52	4.7	2	1.6	54.1	1.27	<0.05	18.5	0.101	0.51	4.4
I345765		15.9	147.0	<0.002	0.02	0.51	4.4	2	1.6	51.0	1.40	<0.05	19.1	0.097	0.48	4.7
I345766		10.1	142.0	<0.002	0.02	0.40	4.5	2	1.6	51.1	1.34	<0.05	18.7	0.095	0.47	4.7
I345767		8.4	142.0	<0.002	<0.01	0.46	4.4	2	1.5	52.5	1.26	<0.05	20.2	0.099	0.47	4.3
I345768		12.0	139.5	<0.002	0.02	0.35	4.4	2	1.5	53.0	1.33	<0.05	17.1	0.099	0.44	4.3
I345769		7.2	136.5	<0.002	0.01	0.31	4.2	2	1.6	51.3	1.26	<0.05	17.7	0.095	0.47	4.3
I345770		11.7	148.5	<0.002	0.02	0.32	4.3	2	1.5	53.0	1.30	<0.05	18.3	0.094	0.47	4.5
I345771		18.7	142.0	<0.002	0.03	0.27	4.4	2	1.7	52.0	1.17	<0.05	17.1	0.099	0.47	4.1
I345772		11.2	150.0	<0.002	0.01	0.32	4.4	2	2.1	47.0	1.45	<0.05	18.7	0.100	0.50	4.6
I345773		13.6	166.0	<0.002	0.01	0.38	4.4	2	2.5	43.6	1.69	<0.05	20.2	0.095	0.60	5.4
I345774		11.8	146.0	<0.002	0.01	0.59	4.2	2	2.0	46.2	1.27	<0.05	20.7	0.096	0.51	4.9
I345775		11.5	64.2	<0.002	<0.01	0.49	5.4	1	1.8	183.5	0.46	<0.05	6.0	0.119	0.37	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345736		4	2.4	29.1	22	166.0
I345737		4	1.5	28.5	19	160.0
I345738		5	7.2	30.1	24	171.0
I345739		5	2.9	29.9	20	166.0
I345740		5	1.9	29.7	20	164.5
I345741		5	1.8	28.6	22	169.0
I345742		5	1.9	25.7	19	159.0
I345743		5	1.9	26.7	25	171.5
I345744		5	2.1	26.0	37	163.5
I345745		5	1.2	26.6	14	166.5
I345746		5	1.8	22.8	31	171.5
I345747		5	1.4	20.7	25	169.5
I345748		5	1.4	23.5	22	168.0
I345749		5	1.3	18.6	23	168.0
I345750		30	0.2	5.4	43	46.9
I345751		4	1.4	27.9	19	161.5
I345752		5	1.3	25.2	18	168.0
I345753		7	1.6	28.0	32	155.0
I345754		2	2.5	25.2	7	117.0
I345755		5	2.6	20.4	20	171.0
I345756		4	1.6	17.6	19	158.5
I345757		5	3.0	20.5	25	164.0
I345758		5	1.4	23.8	16	148.5
I345759		5	4.7	28.6	15	186.5
I345760		5	2.7	23.1	20	198.0
I345761		4	1.6	18.6	26	154.0
I345762		5	1.3	22.1	17	160.5
I345763		5	1.3	21.8	24	171.0
I345764		5	1.3	24.9	18	169.5
I345765		5	1.5	23.6	24	162.0
I345766		5	1.4	24.5	18	179.5
I345767		5	1.1	27.3	19	143.5
I345768		5	1.2	27.6	23	161.5
I345769		5	1.1	26.5	17	165.0
I345770		5	1.3	27.7	25	167.0
I345771		5	1.1	26.4	29	169.0
I345772		5	1.4	29.4	21	171.0
I345773		5	1.8	31.7	23	179.5
I345774		5	1.3	27.9	20	141.5
I345775		15	1.1	17.3	45	28.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345776		1.69	<0.005	0.18	6.25	10.3	720	1.62	0.07	0.53	0.02	93.3	2.5	10	1.98	3.6
I345777		1.65	<0.005	0.16	6.33	13.3	720	1.82	0.07	0.55	<0.02	95.9	2.6	10	1.85	2.6
I345778		1.53	<0.005	<0.01	5.99	16.4	720	1.50	0.11	0.52	0.08	94.5	2.0	8	1.58	6.5
I345779		1.59	<0.005	<0.01	6.07	17.2	740	1.54	0.07	0.51	<0.02	91.1	2.6	15	1.41	3.4
I345780		1.56	<0.005	<0.01	6.38	17.3	770	1.84	0.07	0.56	0.02	109.0	3.3	11	1.74	5.7
I345781		1.62	<0.005	<0.01	6.30	18.2	780	1.54	0.06	0.55	0.03	88.2	2.8	11	1.51	6.9
I345782		1.71	0.009	<0.01	6.14	46.7	780	1.74	0.08	0.57	0.04	98.3	2.9	9	1.35	6.5
I345783		1.67	0.006	<0.01	6.25	26.3	760	1.77	0.08	0.51	0.03	107.5	2.9	9	1.70	4.6
I345784		1.66	<0.005	<0.01	6.12	30.5	750	1.39	0.11	0.52	0.02	90.5	2.5	9	1.11	3.2
I345785		0.63	<0.005	<0.01	6.09	13.5	770	1.50	0.05	0.51	<0.02	92.6	2.7	6	1.40	1.1
I345786		0.51	<0.005	<0.01	6.58	30.4	920	1.73	0.05	0.55	<0.02	100.5	7.9	8	1.69	1.8
I345787		1.22	<0.005	<0.01	6.41	20.2	830	1.60	0.05	0.56	0.02	100.5	2.9	9	1.54	1.4
I345788		1.15	0.006	<0.01	6.07	21.3	830	1.58	0.04	0.58	0.04	100.5	3.0	9	1.48	3.3
I345789		1.44	0.348	<0.01	6.24	120.5	860	1.58	0.07	0.67	0.02	106.5	4.2	9	1.48	7.8
I345790		0.96	0.070	<0.01	6.31	85.6	380	1.61	0.07	0.46	0.06	56.9	2.8	12	0.50	10.7
I345791		0.96	0.011	0.66	6.16	35.8	790	1.50	0.06	0.64	<0.02	113.0	3.3	10	1.04	5.5
I345792		0.98	0.014	<0.01	5.94	43.2	830	1.58	0.07	0.67	0.02	97.6	4.3	8	1.09	4.0
I345793		0.62	0.005	0.06	6.81	54.0	470	1.86	0.10	1.32	<0.02	68.2	11.9	39	3.98	38.7
I345794		0.60	0.006	0.38	7.07	73.3	400	2.18	0.11	1.79	0.04	60.0	14.6	33	3.54	68.8
I345795		1.28	<0.005	0.01	6.25	65.3	170	1.78	0.10	1.38	0.04	85.7	2.9	9	1.17	12.1
I345796		0.68	0.017	<0.01	6.18	67.1	160	2.10	0.15	1.50	0.02	95.9	3.4	11	1.07	9.0
I345797		0.40	<0.005	<0.01	5.84	68.2	160	1.63	0.07	1.31	0.02	69.4	4.0	9	1.08	7.8
I345798		0.95	0.015	<0.01	5.94	54.1	110	1.50	0.08	1.32	0.03	91.7	3.8	10	0.79	18.5
I345799		0.42	0.013	<0.01	6.16	40.8	120	1.67	0.08	1.38	0.03	98.3	1.9	7	0.97	16.6
I345800		0.38	0.007	<0.01	6.01	83.6	110	1.58	0.09	1.28	0.03	87.4	4.7	10	0.83	30.8
I345801		0.33	0.007	<0.01	5.97	27.8	320	1.28	0.06	1.54	0.02	59.2	2.3	15	0.91	8.9
I345802		1.20	<0.005	0.04	7.63	81.6	730	0.57	0.06	5.04	0.04	23.7	52.2	140	15.70	3.0
I345803		1.38	<0.005	0.04	7.45	52.6	590	0.41	0.12	5.03	0.02	28.8	40.3	137	17.85	29.0
I345804		1.61	0.047	0.09	7.58	117.0	400	0.46	0.16	5.27	0.04	22.2	48.3	130	4.97	26.3
I345805		1.89	0.007	0.12	7.89	91.3	390	0.52	0.29	5.55	0.08	19.40	44.5	128	2.11	42.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345776		1.29	15.35	0.16	5.0	0.016	3.39	46.3	8.0	0.09	181	1.87	2.47	13.0	1.1	100
I345777		1.40	15.50	0.19	5.4	0.015	3.27	47.8	8.3	0.09	201	2.23	2.55	13.6	1.0	100
I345778		1.22	14.55	0.21	5.0	0.015	3.26	49.0	11.6	0.09	187	2.33	2.38	12.8	1.2	90
I345779		1.24	14.55	0.25	5.1	0.014	3.44	47.3	9.9	0.09	187	1.95	2.39	12.4	1.1	100
I345780		1.32	16.65	0.33	6.3	0.016	3.52	55.1	12.6	0.09	198	3.02	2.50	15.0	1.3	100
I345781		1.28	14.10	0.28	4.9	0.013	3.51	44.9	10.5	0.09	187	2.52	2.44	13.0	1.1	100
I345782		1.28	15.90	0.32	5.7	0.014	3.36	48.7	13.0	0.08	178	2.24	2.36	14.2	1.1	90
I345783		1.25	16.95	0.38	5.9	0.015	3.52	55.7	11.7	0.08	174	2.36	2.42	14.7	1.2	90
I345784		1.24	14.40	0.30	4.7	0.017	3.51	47.8	11.6	0.08	177	1.78	2.36	12.6	1.0	80
I345785		1.29	14.65	0.31	4.9	0.013	3.43	50.4	10.9	0.09	194	1.42	2.34	13.1	1.1	100
I345786		2.04	16.05	0.31	5.9	0.043	3.43	52.3	17.0	0.10	222	4.73	2.42	13.7	1.7	90
I345787		1.31	15.65	0.30	6.1	0.013	3.56	51.9	11.7	0.09	202	1.73	2.43	15.0	1.4	90
I345788		1.29	15.35	0.30	5.1	0.010	3.42	50.0	12.3	0.08	181	1.60	2.28	13.4	1.3	90
I345789		1.37	15.70	0.34	4.8	0.014	3.53	56.3	13.2	0.09	207	5.39	2.23	12.9	1.8	100
I345790		0.90	15.70	0.28	5.3	0.009	3.39	28.0	3.1	0.02	112	2.91	2.64	18.7	0.8	10
I345791		1.27	15.25	0.37	5.6	0.013	3.47	57.2	8.7	0.09	179	1.50	2.29	14.5	1.4	90
I345792		1.22	14.90	0.31	5.0	0.013	2.42	49.4	7.7	0.10	178	1.79	2.53	13.5	1.9	100
I345793		3.69	18.35	0.23	4.0	0.024	0.93	35.6	26.0	0.71	465	1.43	3.01	14.2	18.4	180
I345794		3.31	17.15	0.20	5.1	0.022	0.74	28.2	19.7	0.59	452	1.60	3.02	16.7	24.9	160
I345795		1.20	14.15	0.22	5.9	0.014	0.35	44.7	6.0	0.14	159	2.41	3.40	14.0	2.6	100
I345796		1.19	13.75	0.24	5.4	0.017	0.49	48.6	6.1	0.16	183	2.17	3.11	12.7	6.0	110
I345797		1.01	12.80	0.20	5.0	0.015	0.48	34.4	7.3	0.19	163	1.82	2.81	9.0	4.5	100
I345798		0.96	13.65	0.23	4.9	0.012	0.38	47.2	6.9	0.14	145	1.70	3.39	12.2	2.5	100
I345799		1.20	14.00	0.25	5.4	0.018	0.46	51.1	7.4	0.17	173	2.49	3.25	10.6	2.4	100
I345800		1.03	13.40	0.21	5.1	0.015	0.44	46.1	6.8	0.16	157	1.75	3.28	10.5	2.2	100
I345801		1.32	12.50	0.20	4.8	0.021	1.09	28.4	8.0	0.24	181	1.68	2.61	7.1	4.3	90
I345802		8.55	18.75	0.25	1.0	0.066	3.60	10.5	84.0	3.39	1770	0.50	1.23	5.2	103.5	420
I345803		7.99	16.95	0.17	0.9	0.061	3.72	13.8	76.0	3.36	1520	0.27	1.14	2.3	104.5	400
I345804		8.22	16.85	0.19	1.0	0.091	1.54	9.9	41.3	3.34	1560	0.29	1.39	2.2	101.5	390
I345805		8.29	16.45	0.18	1.3	0.086	1.67	8.2	14.1	3.46	1720	0.26	1.93	2.2	99.2	400

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345776		12.2	141.0	<0.002	<0.01	0.42	4.5	2	1.8	50.1	1.12	<0.05	18.3	0.094	0.49	4.6
I345777		8.6	138.0	<0.002	<0.01	0.42	4.4	2	1.7	54.2	1.21	<0.05	18.5	0.096	0.44	4.6
I345778		21.4	134.5	<0.002	0.02	0.34	4.0	1	1.5	55.8	1.19	<0.05	16.0	0.093	0.45	4.0
I345779		6.0	133.5	<0.002	0.01	0.28	4.1	1	1.3	56.5	1.21	<0.05	16.7	0.095	0.42	4.1
I345780		10.2	149.0	<0.002	0.01	0.38	4.8	1	1.4	67.7	1.32	<0.05	18.8	0.099	0.44	4.9
I345781		15.6	125.5	<0.002	0.03	0.40	4.1	1	1.1	58.4	1.17	<0.05	15.6	0.094	0.37	4.1
I345782		17.3	129.0	<0.002	0.03	0.65	4.6	1	1.3	60.7	1.33	<0.05	19.8	0.090	0.40	5.0
I345783		11.5	155.5	<0.002	0.02	0.47	4.9	2	1.5	60.9	1.34	<0.05	18.6	0.092	0.47	4.8
I345784		10.7	135.5	<0.002	0.01	0.47	3.9	1	1.3	52.7	1.18	<0.05	16.2	0.089	0.45	4.1
I345785		6.1	132.0	<0.002	<0.01	0.35	4.1	1	1.3	57.4	1.25	<0.05	18.0	0.095	0.43	4.3
I345786		8.2	147.0	0.002	<0.01	0.39	4.5	1	5.8	58.2	1.28	<0.05	19.4	0.095	0.47	5.0
I345787		7.5	143.5	<0.002	<0.01	0.43	4.5	1	1.3	63.4	1.37	<0.05	18.2	0.097	0.45	4.6
I345788		15.1	138.0	<0.002	0.02	0.46	4.6	1	1.3	62.7	1.23	<0.05	16.9	0.092	0.43	4.1
I345789		13.2	138.5	0.002	0.04	0.69	5.2	1	1.5	70.0	1.13	<0.05	16.9	0.102	0.47	3.8
I345790		19.0	104.5	0.002	0.06	0.50	2.3	1	0.9	43.4	2.04	<0.05	24.5	0.033	0.34	7.2
I345791		6.8	120.5	<0.002	0.03	0.54	4.3	1	1.3	61.9	1.34	<0.05	19.3	0.092	0.42	4.6
I345792		7.1	84.4	0.002	0.02	0.71	4.6	1	1.3	76.7	1.26	<0.05	17.3	0.095	0.30	4.1
I345793		7.9	56.1	<0.002	0.18	0.76	10.2	1	2.3	162.5	1.06	<0.05	13.9	0.212	0.33	3.4
I345794		10.3	48.3	<0.002	0.35	0.80	9.6	1	1.9	223	1.21	<0.05	16.1	0.189	0.30	3.4
I345795		9.6	24.2	<0.002	0.06	0.95	4.4	1	0.7	183.0	1.48	<0.05	20.1	0.085	0.12	4.7
I345796		10.9	34.5	<0.002	0.08	0.64	5.1	2	0.8	208	1.52	<0.05	23.8	0.100	0.15	5.3
I345797		6.3	40.2	<0.002	0.05	0.57	4.6	1	0.8	183.5	1.15	<0.05	17.6	0.088	0.19	3.3
I345798		8.3	28.2	<0.002	0.09	0.71	4.3	1	0.6	186.0	1.27	<0.05	17.5	0.091	0.13	4.5
I345799		6.4	33.0	0.002	0.04	0.73	4.7	2	0.8	201	1.15	<0.05	18.5	0.098	0.16	3.9
I345800		5.9	31.6	<0.002	0.04	0.64	4.3	1	0.7	181.5	1.17	<0.05	17.1	0.089	0.15	3.7
I345801		4.3	58.5	0.002	0.03	0.73	4.9	1	1.0	244	0.82	<0.05	15.5	0.094	0.33	3.2
I345802		2.4	168.5	0.002	0.02	0.47	25.9	1	3.1	179.0	0.33	<0.05	1.0	0.600	1.60	0.4
I345803		2.3	188.5	<0.002	0.11	0.34	26.0	1	1.2	159.5	0.23	<0.05	0.9	0.571	1.95	0.2
I345804		1.8	80.0	0.002	0.17	0.75	25.0	2	1.0	167.0	0.16	<0.05	0.9	0.542	0.60	0.2
I345805		3.0	82.2	0.002	0.16	1.43	25.2	2	0.8	216	0.15	<0.05	1.0	0.555	0.56	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345776		5	2.2	27.2	20	150.5
I345777		5	1.0	27.4	19	164.5
I345778		5	1.0	27.6	29	148.0
I345779		4	0.8	27.1	18	143.5
I345780		5	0.9	30.3	19	180.5
I345781		5	0.6	26.0	21	154.0
I345782		4	0.9	27.1	18	160.0
I345783		5	1.0	31.4	18	173.5
I345784		4	0.7	20.9	14	132.0
I345785		5	0.7	26.6	15	143.5
I345786		5	2.2	26.3	17	167.5
I345787		5	0.9	27.3	15	173.5
I345788		5	1.1	25.3	16	147.5
I345789		5	2.1	23.3	18	147.0
I345790		<1	1.4	22.4	11	109.5
I345791		4	0.9	25.5	12	160.5
I345792		5	0.8	23.2	14	143.0
I345793		49	1.2	20.7	49	120.5
I345794		31	3.4	17.9	47	149.0
I345795		8	0.9	26.5	13	167.0
I345796		10	0.5	35.8	12	160.0
I345797		8	0.5	24.6	12	141.5
I345798		8	0.6	28.8	10	143.0
I345799		15	0.5	31.3	12	157.5
I345800		13	0.6	29.7	10	145.5
I345801		20	0.9	22.6	13	143.5
I345802		209	0.9	19.5	177	33.9
I345803		202	1.0	20.5	158	31.3
I345804		195	1.4	20.1	135	31.9
I345805		209	0.8	20.7	119	39.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 2-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192534

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.