ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

CERTIFICATE TB10183927

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 89 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 15-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345386		1.71	<0.005	<0.01	5.90	47.2	550	1.83	0.06	0.40	0.02	93.6	1.6	10	1.64	1.7
I345387		0.54	<0.005	0.02	5.84	23.2	550	1.80	0.05	0.28	0.02	81.6	1.4	8	1.84	1.8
I345388		0.59	<0.005	0.02	5.66	26.5	510	1.76	0.05	0.16	0.06	59.1	1.6	6	1.91	4.0
I345389		1.05	<0.005	0.04	5.86	42.2	540	1.70	0.07	0.40	0.05	86.8	1.4	9	1.59	4.7
I345390		0.38	<0.005	0.07	5.85	48.2	690	1.69	0.05	0.50	0.05	66.1	1.4	6	1.48	8.6
I345391		1.16	<0.005	0.08	5.83	37.2	550	1.69	0.05	0.45	0.04	92.1	1.8	6	1.73	9.1
I345392		1.22	0.010	0.10	5.97	19.5	570	1.42	0.04	0.46	0.03	93.4	2.2	8	1.73	6.5
I345393		1.71	0.005	<0.01	5.91	23.8	580	1.59	0.04	0.46	0.03	90.9	2.1	9	1.54	3.3
I345394		1.45	<0.005	0.01	6.05	40.5	620	1.58	0.05	0.46	0.03	88.8	1.7	8	1.32	2.7
I345395		1.95	<0.005	<0.01	5.94	14.1	560	1.97	0.04	0.46	<0.02	92.4	1.7	8	1.26	1.0
I345396		1.20	0.006	<0.01	5.84	18.8	570	1.78	0.04	0.46	0.02	86.1	1.8	10	1.24	1.8
I345397		0.76	0.039	0.49	5.71	36.5	620	1.64	0.06	0.46	0.61	89.9	3.0	8	1.39	10.6
I345398		2.12	<0.005	<0.01	5.53	28.6	600	1.76	0.05	0.41	0.03	87.2	1.8	10	1.46	1.6
I345399		1.97	<0.005	0.02	5.83	26.8	640	1.65	0.05	0.47	0.03	90.5	2.1	8	1.29	1.4
I345400		0.06	<0.005	0.04	6.30	1.3	890	1.01	0.09	1.29	0.07	30.7	2.4	14	1.81	4.6
I345401		1.86	<0.005	<0.01	5.80	29.6	730	1.72	0.05	0.47	0.02	96.7	3.9	9	1.34	0.6
I345402		1.85	<0.005	<0.01	6.01	22.1	710	1.66	0.04	0.50	<0.02	96.8	2.6	9	1.33	0.7
I345403		1.78	0.006	<0.01	5.93	110.5	800	1.52	0.03	0.50	0.02	85.1	2.5	9	1.35	2.3
I345404		0.61	0.022	0.01	5.84	86.5	840	1.44	0.06	0.31	0.18	100.5	2.3	6	1.18	4.0
I345405		0.68	0.093	0.17	6.44	95.0	1160	1.97	0.33	0.31	0.36	111.0	7.5	6	1.49	133.0
I345406		0.71	0.066	0.06	5.68	47.6	880	1.71	0.07	0.30	0.06	93.9	1.4	7	1.64	3.9
I345407		0.57	0.074	0.03	5.68	75.0	860	1.23	0.08	0.47	0.12	96.1	2.1	6	0.92	13.3
I345408		0.72	0.022	0.05	5.80	95.8	870	1.19	0.09	0.39	0.13	107.0	2.4	6	0.98	21.6
I345409		0.44	0.006	0.07	5.56	71.0	860	1.78	0.08	0.20	0.09	61.0	2.2	6	1.11	17.5
I345410		0.84	0.052	0.06	5.86	87.3	790	1.55	0.12	0.35	0.03	88.6	3.0	7	1.03	22.6
I345411		0.70	0.009	0.03	6.05	774	970	2.59	0.08	0.42	0.02	110.0	8.6	5	1.20	19.9
I345412		1.09	0.008	0.02	5.96	53.5	680	1.78	0.06	0.25	0.06	98.6	2.4	8	1.50	4.9
I345413		1.24	0.049	0.01	6.10	45.3	690	2.04	0.05	0.29	0.04	101.0	5.3	7	1.39	1.8
I345414		1.63	0.019	0.01	6.82	100.5	840	1.98	0.07	0.43	0.08	102.5	4.7	9	1.56	5.2
I345415		1.67	<0.005	<0.01	6.05	37.2	770	1.66	0.07	0.50	0.03	88.9	1.9	7	1.25	1.6
I345416		0.89	0.006	1.02	5.91	59.1	900	2.35	0.06	0.56	0.23	87.5	3.2	7	1.62	4.9
I345417		0.34	0.012	0.11	6.03	146.5	930	2.32	0.06	0.59	0.22	89.0	5.0	5	1.60	3.2
I345418		1.47	<0.005	0.05	5.89	29.4	750	2.10	0.05	0.44	0.05	88.2	2.6	6	1.27	0.9
I345419		1.72	<0.005	0.03	6.06	57.2	730	2.28	0.10	0.31	0.04	102.5	1.6	8	1.34	1.4
I345420		1.82	0.005	0.02	5.89	33.0	690	1.66	0.06	0.39	0.03	96.8	2.3	8	1.19	4.6
I345421		1.81	0.006	<0.01	5.77	28.7	670	2.13	0.04	0.46	0.03	86.8	1.8	9	1.28	1.1
I345422		1.43	0.105	0.03	6.18	32.4	760	2.20	0.05	0.48	0.15	73.6	2.6	7	1.39	4.1
I345423		1.15	0.015	0.05	6.22	33.1	790	2.20	0.06	0.42	0.12	107.0	3.1	8	1.50	4.7
I345424		0.63	0.005	0.01	5.93	15.2	720	2.02	0.04	0.35	0.04	95.5	2.0	6	1.30	2.3
I345425		0.57	<0.005	<0.01	5.86	17.0	720	1.81	0.04	0.38	0.04	94.5	2.3	9	1.29	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345386		1.07	16.10	0.19	5.0	0.020	3.35	42.2	11.1	0.08	207	2.05	2.39	14.3	2.9	70
I345387		1.11	18.45	0.18	5.0	0.019	3.33	38.1	9.9	0.08	155	2.50	2.55	14.6	2.2	80
I345388		1.05	15.60	0.15	5.1	0.017	3.17	30.8	11.0	0.06	113	2.27	2.19	14.0	1.3	100
I345389		1.04	15.50	0.16	5.0	0.017	3.35	39.5	10.3	0.06	206	3.08	2.32	14.3	1.6	70
I345390		1.07	15.40	0.17	5.1	0.016	3.56	29.7	18.6	0.08	223	6.91	2.09	12.1	1.1	80
I345391		1.01	15.85	0.19	5.2	0.018	3.40	42.0	12.9	0.06	218	1.94	2.35	15.1	1.3	70
I345392		1.02	16.60	0.18	5.5	0.017	3.44	42.2	14.8	0.06	185	1.91	2.36	15.2	1.1	70
I345393		1.08	16.15	0.18	5.3	0.013	3.41	40.5	14.4	0.06	183	1.87	2.37	15.1	1.1	70
I345394		0.96	16.00	0.15	5.5	0.014	3.65	39.9	10.5	0.06	189	1.73	2.40	14.6	0.9	70
I345395		1.09	16.25	0.18	5.5	0.012	3.35	41.7	9.2	0.06	168	1.50	2.44	14.7	1.1	70
I345396		1.06	15.55	0.17	5.0	0.011	3.36	38.9	9.6	0.06	175	2.16	2.37	14.3	0.9	70
I345397		1.11	18.60	0.19	5.0	0.034	3.37	40.3	15.4	0.07	168	4.49	2.33	15.6	0.9	70
I345398		1.00	15.55	0.18	4.9	0.013	3.29	39.8	10.4	0.06	172	1.55	2.23	14.1	0.9	70
I345399		1.12	16.00	0.18	5.2	0.012	3.52	41.3	8.6	0.06	194	1.44	2.28	14.1	1.0	70
I345400		1.40	13.65	0.16	1.3	0.014	2.15	14.4	11.5	0.18	554	0.97	2.58	4.6	2.5	180
I345401		1.11	16.20	0.19	5.5	0.010	3.56	43.8	9.5	0.06	226	1.20	2.19	14.1	1.0	70
I345402		1.12	15.95	0.18	4.9	0.007	3.68	43.5	8.3	0.06	255	1.32	2.20	12.9	0.9	80
I345403		1.13	15.20	0.19	4.3	0.008	3.71	38.7	8.5	0.06	326	1.29	2.09	12.3	1.0	80
I345404		1.43	15.15	0.17	4.8	0.029	3.64	46.2	11.3	0.06	465	1.36	1.95	12.4	0.9	70
I345405		3.41	20.4	0.22	5.6	0.186	4.06	50.0	29.2	0.10	623	1.22	1.50	14.7	2.2	100
I345406		1.27	15.95	0.17	5.6	0.014	3.73	42.7	10.2	0.06	333	3.70	1.65	15.0	1.3	70
I345407		1.09	15.25	0.19	5.2	0.049	3.86	44.5	12.1	0.05	391	1.58	1.81	13.7	0.8	70
I345408		1.14	14.90	0.18	5.0	0.056	3.75	49.6	12.8	0.05	234	1.44	1.81	14.4	0.8	80
I345409		0.85	13.80	0.15	5.0	0.040	3.61	32.5	13.9	0.05	116	1.96	1.46	11.8	0.7	70
I345410		1.15	15.35	0.17	5.2	0.027	3.56	40.3	12.8	0.05	149	1.85	1.90	14.2	0.9	70
I345411		1.19	18.00	0.19	5.7	0.046	3.76	49.7	22.5	0.08	141	1.35	1.60	20.4	1.0	60
I345412		1.16	16.40	0.18	5.6	0.009	3.55	45.4	7.6	0.06	162	1.59	2.30	15.3	1.0	90
I345413		1.17	17.05	0.20	5.3	0.008	3.59	46.1	8.9	0.06	205	1.84	2.37	14.9	1.1	90
I345414		1.41	18.75	0.19	5.4	0.010	4.29	45.8	11.2	0.07	290	1.97	2.54	16.8	1.1	90
I345415		1.19	15.80	0.18	5.4	0.010	3.85	39.8	8.2	0.06	337	2.29	2.17	15.0	0.8	70
I345416		1.85	16.85	0.15	5.4	0.073	3.19	39.4	14.4	0.07	469	1.58	2.03	13.1	0.9	70
I345417		1.96	16.70	0.19	5.3	0.105	2.98	39.4	13.2	0.07	526	1.70	2.22	13.9	0.8	70
I345418		1.16	15.90	0.21	4.8	0.021	3.48	40.1	10.3	0.06	309	1.35	2.10	12.8	0.7	60
I345419		1.14	16.80	0.24	5.4	0.016	3.58	46.7	10.3	0.06	219	1.59	2.19	14.3	0.7	80
I345420		1.32	15.50	0.22	4.6	0.014	3.49	44.0	9.5	0.06	259	2.04	2.18	12.6	0.9	70
I345421		1.03	15.75	0.16	4.7	0.024	3.41	39.3	8.9	0.06	289	3.14	2.19	13.5	0.7	60
I345422		1.21	16.55	0.15	5.1	0.046	3.53	33.9	15.8	0.07	310	2.10	2.30	14.2	0.9	70
I345423		1.30	17.10	0.23	5.1	0.033	3.64	49.0	13.6	0.08	295	3.67	2.26	13.4	1.2	80
I345424		1.13	16.25	0.24	4.6	0.031	3.43	42.8	10.7	0.06	205	4.66	2.21	11.8	0.8	70
I345425		1.13	15.20	0.17	4.4	0.032	3.45	43.6	9.3	0.07	213	4.31	2.17	11.5	1.5	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345386		7.0	163.5	<0.002	0.02	0.74	4.8	1	2.1	42.8	1.39	<0.05	17.4	0.063	0.71	3.3
I345387		7.1	158.0	<0.002	0.01	0.55	5.3	1	2.0	36.0	1.35	<0.05	18.3	0.069	0.79	4.2
I345388		9.7	147.0	<0.002	0.02	0.58	4.1	1	2.1	38.0	1.58	<0.05	17.6	0.070	0.71	3.9
I345389		10.0	148.5	<0.002	0.03	0.73	3.8	1	1.9	40.9	1.60	<0.05	17.2	0.071	0.66	3.8
I345390		15.1	161.0	<0.002	0.07	0.73	4.2	1	1.8	45.7	0.97	<0.05	13.3	0.058	0.74	3.2
I345391		12.3	159.0	<0.002	0.07	0.64	4.2	1	1.8	41.7	1.59	<0.05	17.0	0.072	0.72	4.2
I345392		15.0	159.0	<0.002	0.08	0.49	4.5	1	1.9	41.1	1.70	<0.05	18.6	0.076	0.74	4.2
I345393		11.4	154.5	<0.002	0.07	0.47	4.4	1	1.8	45.1	1.59	<0.05	15.9	0.077	0.66	3.6
I345394		8.3	160.0	<0.002	0.03	0.51	4.0	1	1.8	46.3	1.64	<0.05	17.5	0.069	0.68	3.8
I345395		6.7	154.0	<0.002	0.01	0.51	4.5	1	1.7	44.8	1.58	<0.05	16.9	0.068	0.60	3.1
I345396		7.7	143.5	<0.002	0.03	0.50	4.2	1	1.6	40.0	1.53	<0.05	16.5	0.072	0.61	3.8
I345397		246	145.0	<0.002	0.19	1.43	5.5	1	1.7	37.5	1.52	<0.05	20.5	0.074	0.68	6.6
I345398		8.6	146.5	<0.002	0.02	0.56	3.9	1	1.6	52.3	1.51	<0.05	16.5	0.068	0.62	2.9
I345399		8.1	145.0	<0.002	0.01	0.58	4.0	1	1.6	52.8	1.52	<0.05	17.5	0.071	0.63	3.6
I345400		11.8	60.9	<0.002	<0.01	0.19	6.0	1	1.7	184.0	0.53	<0.05	4.8	0.112	0.37	1.4
I345401		7.6	147.5	<0.002	<0.01	0.59	4.3	1	1.5	57.7	1.49	<0.05	16.4	0.065	0.63	2.7
I345402		7.6	146.0	<0.002	<0.01	0.58	4.1	1	1.5	54.6	1.38	<0.05	16.7	0.067	0.61	2.8
I345403		8.2	141.5	<0.002	0.04	0.66	4.0	1	1.6	60.8	1.30	<0.05	13.4	0.073	0.65	2.7
I345404		10.3	143.0	<0.002	0.07	0.71	4.2	1	2.4	58.4	1.27	<0.05	13.6	0.080	0.60	2.9
I345405		12.7	174.5	<0.002	1.81	0.99	7.0	2	11.7	51.2	1.61	<0.05	17.3	0.093	0.76	5.4
I345406		10.3	153.0	<0.002	0.30	0.74	4.0	1	2.0	42.8	1.72	<0.05	18.5	0.071	0.72	4.1
I345407		15.1	145.0	<0.002	0.27	0.85	3.9	1	2.7	46.2	1.55	<0.05	17.5	0.072	0.61	3.8
I345408		16.8	141.0	<0.002	0.39	0.84	3.8	1	3.6	44.5	1.57	<0.05	18.7	0.066	0.61	4.0
I345409		13.1	140.5	<0.002	0.24	0.85	3.3	1	3.1	45.8	1.50	<0.05	14.7	0.056	0.62	4.4
I345410		15.4	139.0	<0.002	0.43	1.00	3.9	1	2.4	43.6	1.58	<0.05	16.9	0.067	0.61	5.1
I345411		23.0	160.0	<0.002	0.52	1.31	6.2	1	4.1	58.5	2.20	<0.05	22.1	0.067	0.65	5.9
I345412		12.5	139.5	<0.002	0.09	0.85	4.4	1	1.5	52.9	1.67	<0.05	18.2	0.075	0.60	3.4
I345413		9.2	152.0	<0.002	0.03	0.76	4.7	1	1.6	55.8	1.69	<0.05	16.6	0.078	0.61	3.6
I345414		12.6	170.0	<0.002	0.07	0.93	5.1	1	1.9	61.7	1.80	<0.05	17.6	0.085	0.68	3.9
I345415		7.9	152.0	<0.002	0.01	0.75	4.0	1	1.5	58.5	1.65	<0.05	16.6	0.069	0.64	3.0
I345416		12.5	135.5	<0.002	0.07	0.85	4.0	1	4.3	43.3	1.37	<0.05	17.0	0.072	0.62	6.5
I345417		11.4	131.5	<0.002	0.08	0.70	4.0	1	4.9	38.2	1.47	<0.05	17.2	0.072	0.57	5.7
I345418		7.7	132.0	<0.002	0.02	0.70	3.7	1	1.7	46.5	1.37	<0.05	18.3	0.067	0.57	4.4
I345419		7.9	141.5	<0.002	0.02	0.91	3.9	1	1.9	48.5	1.47	<0.05	19.9	0.065	0.61	4.5
I345420		8.1	126.5	<0.002	0.08	0.85	3.7	1	1.6	45.8	1.21	<0.05	17.1	0.065	0.56	3.5
I345421		7.5	132.5	<0.002	0.02	0.66	4.1	1	1.8	49.0	1.38	<0.05	19.4	0.070	0.58	4.9
I345422		20.4	134.0	<0.002	0.12	0.72	4.1	1	2.5	45.8	1.44	<0.05	19.1	0.077	0.58	4.8
I345423		17.0	138.5	<0.002	0.08	0.79	4.6	1	2.4	46.4	1.35	<0.05	17.4	0.084	0.61	5.0
I345424		6.9	130.5	<0.002	0.02	0.54	3.9	1	1.8	46.2	1.20	<0.05	16.5	0.075	0.53	4.1
I345425		6.9	131.0	<0.002	0.02	0.53	3.8	1	1.9	45.6	1.12	<0.05	17.8	0.076	0.56	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345386		4	2.1	25.1	20	144.0
I345387		4	1.6	18.7	19	140.5
I345388		3	1.9	21.7	21	136.0
I345389		3	2.1	24.8	32	133.0
I345390		2	1.8	18.9	35	132.0
I345391		3	2.1	24.3	28	140.0
I345392		3	2.6	24.7	26	143.5
I345393		3	1.8	24.7	26	146.5
I345394		3	1.9	22.2	23	149.0
I345395		3	2.0	24.8	15	151.0
I345396		3	1.7	21.4	24	137.5
I345397		3	1.6	19.5	212	134.0
I345398		3	1.6	23.5	27	135.5
I345399		3	1.4	24.7	30	144.5
I345400		14	1.0	18.8	42	30.5
I345401		3	1.5	24.7	20	150.5
I345402		3	1.5	21.8	16	133.5
I345403		3	2.0	20.2	28	118.5
I345404		3	2.2	26.5	62	139.0
I345405		4	8.5	44.8	97	155.0
I345406		3	2.3	25.5	123	143.5
I345407		3	2.8	20.5	44	140.0
I345408		3	2.9	18.6	48	132.5
I345409		2	4.1	14.7	31	126.5
I345410		3	4.6	18.1	17	142.5
I345411		4	5.1	22.1	20	156.5
I345412		3	1.5	22.8	34	152.5
I345413		4	1.2	22.6	27	144.5
I345414		3	1.6	23.4	47	147.5
I345415		3	1.6	22.4	35	142.5
I345416		3	6.4	23.4	85	151.5
I345417		3	3.2	23.2	95	145.0
I345418		3	1.4	22.0	36	127.5
I345419		3	1.6	22.9	29	138.5
I345420		3	1.4	19.2	32	128.5
I345421		3	1.3	22.2	26	132.5
I345422		3	1.7	20.4	53	144.0
I345423		3	1.3	23.1	49	147.0
I345424		3	1.2	19.0	20	129.5
I345425		3	1.2	19.4	20	129.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345426		1.33	<0.005	0.03	6.13	20.0	770	1.92	0.04	0.32	0.04	94.8	4.1	12	1.61	3.0
I345427		1.27	<0.005	<0.01	6.28	17.6	810	2.01	0.06	0.49	<0.02	100.0	2.2	7	1.56	1.1
I345428		1.27	0.061	0.01	6.59	68.8	900	2.09	0.07	0.51	0.10	106.5	3.9	7	1.61	3.1
I345429		1.28	0.015	0.03	6.41	27.1	940	2.25	0.07	0.49	0.03	101.0	5.1	9	1.88	2.5
I345430		1.42	0.011	0.06	6.27	30.7	960	1.89	0.09	0.39	0.02	97.0	8.5	7	1.56	16.6
I345432		1.39	0.005	0.12	6.48	43.8	910	2.09	0.12	0.57	0.04	100.0	4.4	7	1.75	4.3
I345433		1.11	0.005	0.08	6.54	40.9	820	2.41	0.11	0.39	0.06	107.0	2.5	8	1.56	3.5
I345434		0.62	0.012	0.01	5.94	54.5	720	2.05	0.08	0.46	0.05	86.4	1.9	8	1.25	2.9
I345435		0.60	<0.005	0.03	6.69	285	970	1.99	0.05	0.18	<0.02	100.0	2.2	7	1.38	2.0
I345436		0.76	<0.005	0.04	5.95	49.7	740	1.74	0.13	0.46	0.03	91.4	1.6	5	1.21	2.7
I345437		0.93	<0.005	0.05	6.45	203	730	2.24	0.10	0.26	0.04	105.5	5.4	6	1.73	22.4
I345438		0.86	<0.005	0.02	6.35	61.0	800	1.91	0.11	0.17	0.05	92.3	2.9	7	1.66	1.5
I345439		1.32	0.005	0.08	6.43	66.0	850	1.75	0.12	0.38	0.14	99.1	3.5	9	1.70	18.0
I345440		1.19	0.499	0.07	6.03	81.1	820	1.48	0.11	0.31	0.08	94.0	4.3	7	1.55	25.9
I345441		1.23	0.204	0.06	6.23	56.2	840	1.95	0.11	0.56	0.10	99.3	2.8	7	1.64	9.9
I345442		1.27	0.005	0.07	6.23	97.5	910	1.92	0.13	0.58	0.10	154.0	2.7	7	1.46	29.9
I345443		1.28	0.009	0.08	6.37	52.0	850	2.11	0.14	0.58	0.10	108.5	3.1	7	1.79	14.8
I345444		1.02	0.008	0.08	6.17	82.8	810	1.97	0.22	0.52	0.10	96.6	5.0	9	1.84	23.2
I345445		0.62	0.006	0.05	6.11	95.0	850	1.53	0.18	0.46	0.13	94.6	3.1	9	1.62	32.0
I345446		0.64	0.394	0.08	6.08	132.0	830	1.97	0.23	0.29	0.31	95.3	3.1	6	1.43	94.4
I345447		0.62	5.08	0.25	5.66	190.0	560	2.19	0.61	0.33	0.90	89.7	10.6	6	1.84	701
I345448		0.66	1.345	0.15	5.76	2740	450	1.98	0.87	0.29	0.67	124.0	21.7	4	2.75	419
I345449		0.52	0.628	0.27	6.26	1970	730	1.77	0.33	0.17	0.78	88.4	3.1	6	2.55	66.0
I345450		0.03	1.150	0.81	7.87	7.6	100	2.63	0.72	0.82	0.14	18.75	9.7	31	22.5	12.8
I345451		0.47	1.495	0.58	5.93	824	790	1.53	0.46	0.20	0.86	86.4	3.4	5	1.62	45.0
I345452		0.58	0.304	0.14	6.15	145.5	810	1.82	0.28	0.37	0.11	91.0	2.9	7	1.09	11.2
I345453		0.47	0.085	0.06	5.99	79.1	780	1.72	0.16	0.55	0.08	102.5	2.9	8	1.16	17.2
I345454		1.02	0.021	0.42	6.31	54.0	800	1.93	0.11	0.58	0.08	103.5	3.5	11	1.58	24.3
I345455		0.70	0.012	0.09	6.26	40.1	780	1.90	0.09	0.56	0.02	106.0	3.0	17	1.64	5.4
I345456		0.63	0.329	1.14	5.95	44.5	890	2.45	0.20	0.85	0.11	104.5	11.4	13	1.88	347
I345457		0.57	0.066	0.13	6.11	54.4	830	1.72	0.12	0.58	0.05	109.5	4.4	14	1.15	31.4
I345458		0.48	0.141	0.10	6.07	37.2	830	1.87	0.20	0.39	0.04	103.5	4.3	6	0.92	35.0
I345459		0.54	0.190	0.17	5.97	29.8	720	1.91	0.30	0.25	0.06	61.4	2.8	10	0.88	108.5
I345460		1.05	0.018	0.07	5.85	36.4	700	1.98	0.10	0.52	0.09	99.5	2.6	7	1.49	8.6
I345461		0.93	0.063	0.11	6.15	15.3	370	2.90	0.31	0.41	0.03	50.1	4.2	9	1.33	63.8
I345462		1.05	0.055	0.23	5.69	20.7	340	2.78	0.32	0.37	0.05	45.6	3.0	13	0.88	210
I345463		1.30	<0.005	0.02	5.93	10.4	750	2.24	0.07	0.47	0.02	95.9	2.6	8	1.66	5.1
I345464		1.28	<0.005	0.05	5.86	2.0	730	2.32	0.08	0.46	0.02	102.0	3.1	7	2.56	4.2
I345465		0.96	<0.005	0.03	6.08	7.5	880	2.04	0.09	0.55	0.04	96.6	3.9	9	1.73	6.0
I345466		0.48	<0.005	0.09	6.29	6.8	1730	2.30	0.06	0.74	0.04	111.5	7.8	11	2.58	10.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345426		1.23	16.10	0.23	5.0	0.011	3.57	43.6	10.9	0.07	154	2.07	2.24	12.7	1.4	100
I345427		1.29	16.60	0.24	5.2	0.014	3.72	46.5	11.9	0.08	194	2.20	2.29	13.2	0.8	100
I345428		1.40	17.95	0.25	5.5	0.013	4.04	49.8	13.7	0.09	229	2.10	2.26	14.3	1.1	100
I345429		1.42	17.30	0.24	5.4	0.013	4.02	46.0	13.1	0.09	190	1.91	2.18	14.2	1.2	100
I345430		1.41	16.45	0.24	5.6	0.012	3.95	44.4	9.6	0.08	186	2.30	2.10	13.3	2.6	100
I345432		1.42	17.10	0.23	5.1	0.015	3.88	46.0	11.9	0.09	283	3.63	2.31	13.0	1.1	100
I345433		1.39	17.90	0.24	6.3	0.015	3.79	48.7	10.4	0.09	213	1.76	2.44	16.0	1.0	100
I345434		1.18	15.45	0.24	6.4	0.013	3.36	39.0	12.7	0.09	276	1.84	2.17	13.9	1.1	100
I345435		1.08	16.30	0.25	5.6	0.017	4.17	46.1	12.6	0.07	223	1.94	2.24	14.0	0.7	90
I345436		1.10	15.70	0.26	5.3	0.016	3.44	41.2	9.2	0.07	315	1.84	2.21	11.9	0.8	80
I345437		1.55	18.80	0.24	5.7	0.027	3.31	47.4	19.0	0.10	244	1.37	2.22	14.6	1.4	100
I345438		1.32	17.20	0.24	5.3	0.012	3.72	42.6	11.1	0.08	150	1.92	2.22	13.6	0.9	120
I345439		1.48	17.55	0.25	5.3	0.021	3.85	45.9	11.7	0.08	265	2.10	2.27	13.2	1.1	100
I345440		1.50	15.75	0.23	4.9	0.023	3.45	43.3	11.9	0.09	225	2.45	2.08	12.7	1.4	100
I345441		1.32	16.45	0.24	5.4	0.022	3.70	44.5	11.8	0.08	362	3.28	2.22	13.3	0.8	90
I345442		1.43	16.30	0.28	5.2	0.020	3.85	70.8	15.3	0.09	327	3.47	2.05	12.6	0.8	100
I345443		1.36	16.50	0.23	5.9	0.023	3.76	49.5	12.7	0.08	369	2.93	2.19	13.0	1.0	100
I345444		1.52	16.35	0.21	5.3	0.019	3.68	44.2	10.5	0.09	294	2.86	2.10	13.5	2.2	100
I345445		1.37	15.65	0.25	5.2	0.027	3.86	44.0	10.2	0.08	245	3.09	1.94	12.5	1.2	90
I345446		1.62	15.10	0.22	5.6	0.044	3.74	43.4	12.8	0.09	242	4.11	1.76	13.2	1.5	80
I345447		3.80	15.80	0.21	4.3	0.092	2.91	40.6	21.0	0.14	195	9.50	1.39	12.2	5.9	100
I345448		4.90	20.5	0.24	4.7	0.119	2.79	54.5	31.3	0.19	229	8.73	0.62	13.9	8.4	100
I345449		1.47	16.45	0.18	5.2	0.097	3.52	40.5	22.8	0.10	79	8.47	1.61	12.7	1.1	100
I345450		3.88	20.5	0.19	1.3	0.015	2.51	8.9	6.2	0.83	246	1.97	5.00	8.7	36.1	650
I345451		1.39	14.80	0.17	5.0	0.041	3.36	38.0	14.3	0.07	59	5.76	1.96	6.9	1.2	110
I345452		1.20	15.55	0.13	5.0	0.021	3.47	41.9	16.2	0.10	151	3.47	1.98	10.6	1.1	90
I345453		1.27	15.70	0.15	4.5	0.017	3.50	44.8	11.2	0.08	276	2.92	2.11	13.1	2.2	90
I345454		1.35	16.55	0.21	5.7	0.022	3.64	43.5	9.3	0.08	311	3.48	2.27	13.9	1.9	90
I345455		1.35	16.15	0.20	5.3	0.018	3.58	45.5	8.3	0.10	240	3.83	2.29	13.6	2.2	90
I345456		1.74	16.05	0.23	4.7	0.115	2.90	42.6	8.6	0.09	231	13.65	2.32	13.7	3.2	80
I345457		1.38	15.85	0.23	5.2	0.024	3.51	46.6	16.8	0.07	227	4.32	2.21	14.7	3.8	100
I345458		1.43	16.05	0.19	5.2	0.029	3.64	44.8	30.1	0.08	155	4.31	1.72	13.9	1.6	90
I345459		1.20	16.10	0.16	4.2	0.042	3.61	24.6	24.2	0.07	86	4.00	1.73	12.5	1.7	40
I345460		1.33	15.25	0.19	5.0	0.017	3.35	42.6	10.4	0.08	207	3.68	2.19	14.1	1.2	90
I345461		1.54	19.30	0.19	5.7	0.081	3.87	20.6	8.5	0.04	167	12.25	2.21	21.8	1.2	10
I345462		0.97	16.30	0.16	5.1	0.045	3.57	17.9	4.1	0.02	165	6.86	2.24	18.6	0.8	10
I345463		1.20	14.95	0.18	5.4	0.017	3.33	40.6	9.9	0.08	192	2.73	2.29	13.1	1.0	90
I345464		1.31	15.55	0.20	5.1	0.014	3.26	43.5	11.2	0.08	175	2.69	2.29	13.6	1.1	90
I345465		1.29	15.00	0.18	5.4	0.016	3.59	41.0	11.0	0.08	242	2.00	2.21	13.4	1.5	90
I345466		2.54	16.60	0.22	5.3	0.042	3.87	46.8	15.1	0.10	340	0.97	1.90	13.2	3.2	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345426		8.0	135.0	<0.002	0.03	0.69	4.2	1	1.6	52.4	1.28	<0.05	16.3	0.084	0.56	4.6
I345427		8.0	147.0	<0.002	<0.01	0.74	4.2	1	1.7	54.6	1.31	<0.05	16.4	0.087	0.62	4.0
I345428		15.4	161.0	<0.002	0.06	1.05	4.7	1	1.6	54.4	1.42	<0.05	18.4	0.092	0.68	5.0
I345429		8.3	170.5	<0.002	0.01	0.80	4.6	1	1.5	52.7	1.41	<0.05	17.0	0.093	0.68	5.3
I345430		9.5	157.5	<0.002	0.01	0.91	4.2	1	3.6	49.9	1.28	<0.05	16.3	0.084	0.64	4.2
I345432		9.7	153.0	<0.002	0.02	1.11	4.7	1	1.7	53.0	1.31	<0.05	17.5	0.090	0.64	4.2
I345433		8.0	152.0	<0.002	0.01	1.10	4.6	1	1.8	54.3	1.77	<0.05	17.6	0.082	0.62	6.0
I345434		7.7	133.5	<0.002	0.01	0.94	4.1	1	1.8	54.0	1.39	<0.05	18.9	0.058	0.59	6.6
I345435		7.5	162.5	<0.002	0.03	1.28	4.0	1	1.8	50.8	1.25	<0.05	25.8	0.043	0.71	4.5
I345436		8.6	133.0	<0.002	0.02	0.92	3.5	1	1.6	49.6	1.09	<0.05	16.7	0.056	0.59	4.4
I345437		9.1	144.5	<0.002	0.07	0.92	6.3	1	3.0	43.1	1.48	<0.05	18.8	0.080	0.61	5.7
I345438		8.4	148.0	<0.002	0.04	1.18	4.1	1	1.7	51.4	1.37	<0.05	17.4	0.080	0.66	3.9
I345439		15.3	147.5	<0.002	0.08	1.08	4.6	1	1.6	52.2	1.38	<0.05	18.5	0.090	0.64	4.5
I345440		14.7	128.0	<0.002	0.18	1.06	4.2	1	1.8	43.9	1.28	<0.05	17.7	0.090	0.58	4.7
I345441		13.0	145.0	<0.002	0.07	1.03	4.5	1	1.8	54.2	1.34	<0.05	18.5	0.092	0.67	4.6
I345442		16.8	143.5	<0.002	0.20	1.18	4.5	1	1.8	54.3	1.30	<0.05	23.4	0.082	0.67	4.7
I345443		14.1	145.5	<0.002	0.13	1.02	4.7	1	2.0	57.1	1.39	<0.05	19.6	0.093	0.69	5.2
I345444		14.0	137.0	<0.002	0.20	1.10	4.2	1	2.1	58.3	1.37	<0.05	17.8	0.091	0.68	4.9
I345445		13.5	141.5	<0.002	0.23	1.07	4.1	1	2.6	54.4	1.29	<0.05	18.2	0.086	0.70	5.0
I345446		13.9	135.5	<0.002	0.44	0.82	3.9	1	3.4	49.4	1.45	<0.05	17.3	0.081	0.66	5.8
I345447		45.7	116.5	<0.002	2.72	0.85	4.1	1	10.0	51.1	1.09	<0.05	17.4	0.084	0.60	5.7
I345448		57.4	133.5	<0.002	3.66	2.34	6.2	2	8.8	26.5	1.26	<0.05	17.8	0.084	0.54	7.8
I345449		16.8	129.5	<0.002	0.58	1.76	4.4	1	3.1	38.1	1.30	<0.05	19.3	0.087	0.64	5.7
I345450		74.7	580	<0.002	3.01	1.42	3.4	1	1.1	162.5	0.83	<0.05	2.7	0.217	6.08	1.4
I345451		16.5	113.0	<0.002	0.88	1.48	4.0	1	1.4	40.9	0.77	<0.05	17.6	0.054	0.68	4.0
I345452		14.8	123.0	<0.002	0.46	0.79	4.2	1	1.7	47.0	1.05	<0.05	18.8	0.081	0.58	4.1
I345453		17.8	129.0	<0.002	0.28	0.97	4.3	1	1.6	61.2	1.37	<0.05	18.4	0.093	0.60	4.4
I345454		17.7	150.0	<0.002	0.11	0.90	4.2	1	1.9	62.8	1.57	<0.05	17.3	0.085	0.71	5.3
I345455		15.0	152.5	<0.002	0.01	1.08	4.4	1	1.8	60.4	1.45	<0.05	19.3	0.084	0.72	5.0
I345456		17.4	134.5	<0.002	0.11	0.87	4.4	2	2.2	64.0	1.51	0.05	18.7	0.086	0.64	4.8
I345457		15.9	139.5	<0.002	0.27	0.90	4.3	2	1.6	57.2	1.63	<0.05	20.3	0.090	0.66	5.1
I345458		13.5	149.5	<0.002	0.47	0.76	4.3	1	2.0	46.7	1.50	<0.05	19.2	0.089	0.63	4.8
I345459		11.6	138.5	<0.002	0.42	0.61	3.6	1	2.0	41.4	1.53	<0.05	17.4	0.052	0.60	4.8
I345460		21.2	143.5	<0.002	0.06	1.04	4.1	2	1.9	51.7	1.55	<0.05	19.2	0.085	0.64	4.9
I345461		14.4	173.5	<0.002	0.03	0.81	5.3	2	2.8	30.4	2.91	<0.05	22.7	0.031	0.68	8.2
I345462		18.1	145.5	<0.002	0.05	0.71	3.2	2	1.4	27.6	2.38	0.05	20.8	0.027	0.58	7.4
I345463		9.8	135.0	<0.002	<0.01	0.62	4.0	1	1.5	52.8	1.47	<0.05	17.5	0.083	0.55	4.6
I345464		9.9	144.0	<0.002	<0.01	0.33	4.4	2	1.6	51.9	1.52	<0.05	18.2	0.089	0.56	4.4
I345465		9.4	142.0	<0.002	<0.01	0.54	4.0	1	1.3	56.0	1.58	<0.05	18.2	0.089	0.56	4.5
I345466		28.5	175.0	<0.002	0.02	0.49	5.3	2	2.5	79.7	1.44	<0.05	19.2	0.097	0.74	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345426		4	1.4	20.5	28	144.0
I345427		4	1.4	20.4	23	148.5
I345428		5	1.7	20.2	33	162.0
I345429		5	1.6	22.0	19	156.0
I345430		4	1.2	21.0	20	165.5
I345432		5	1.4	21.1	40	143.0
I345433		4	1.5	23.2	37	172.0
I345434		3	1.3	20.8	35	168.0
I345435		3	2.0	23.0	13	154.5
I345436		3	1.3	18.1	26	148.5
I345437		5	1.8	21.8	35	158.0
I345438		4	1.3	21.2	34	156.0
I345439		4	1.6	21.5	71	152.5
I345440		4	1.6	20.3	48	143.0
I345441		4	1.7	21.7	57	154.5
I345442		4	1.9	22.6	52	148.5
I345443		5	2.0	23.6	60	165.5
I345444		4	1.7	22.0	57	157.0
I345445		4	2.2	17.7	62	152.0
I345446		4	2.6	21.7	115	154.0
I345447		4	4.8	22.5	286	133.0
I345448		7	10.3	28.0	206	133.5
I345449		4	7.6	17.5	184	150.5
I345450		27	0.3	5.7	40	48.5
I345451		4	4.4	18.0	188	143.0
I345452		5	4.6	18.8	43	146.0
I345453		4	3.5	20.5	42	137.0
I345454		4	5.2	22.9	44	172.5
I345455		5	2.3	22.7	20	158.0
I345456		5	3.0	29.7	41	136.0
I345457		4	7.2	21.4	23	150.0
I345458		4	8.7	21.7	17	158.0
I345459		2	5.6	18.4	14	107.0
I345460		4	2.5	22.9	32	146.5
I345461		1	3.0	34.6	21	114.5
I345462		<1	2.6	26.6	20	106.5
I345463		4	1.9	23.8	18	159.0
I345464		4	1.8	27.7	18	148.5
I345465		4	1.6	24.4	21	151.5
I345466		6	1.8	30.7	28	157.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345467		0.93	0.005	0.02	6.03	6.6	920	2.08	0.07	0.54	0.05	103.5	3.8	8	1.70	3.9
I345468		1.33	0.008	<0.01	6.05	8.2	900	2.08	0.08	0.55	0.05	106.5	3.9	10	1.52	6.5
I345469		1.40	0.009	0.06	6.19	21.9	980	2.19	0.12	0.54	0.04	103.5	5.2	9	1.76	24.7
I345470		0.84	0.108	1.23	6.10	17.1	1990	1.99	0.38	0.86	0.50	93.8	18.4	5	2.62	815
I345471		0.95	0.053	0.37	6.09	14.3	1740	2.34	0.15	0.77	0.20	94.1	26.6	8	3.35	304
I345472		0.66	0.011	0.07	6.28	16.1	1650	1.83	0.12	0.76	0.05	99.5	22.0	6	2.52	74.0
I345473		0.79	0.014	0.28	6.15	22.4	960	2.01	0.22	0.52	0.05	98.1	6.3	6	2.18	53.7
I345474		1.20	<0.005	0.04	6.07	16.9	950	1.88	0.16	0.49	0.02	101.0	4.7	8	1.96	10.6
I345475		0.07	<0.005	0.04	6.47	1.0	910	1.18	0.10	1.30	0.07	28.3	2.2	15	1.70	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345467		1.39	15.55	0.21	5.1	0.015	3.67	44.5	14.4	0.08	271	1.80	2.11	13.8	1.7	90
I345468		1.40	15.40	0.17	5.5	0.014	3.57	46.2	12.0	0.08	263	2.36	2.14	15.5	3.1	90
I345469		1.42	15.60	0.17	5.6	0.025	3.84	44.0	13.0	0.08	270	2.02	2.08	13.6	1.9	90
I345470		2.44	15.75	0.24	4.9	0.301	4.13	38.4	15.9	0.09	411	2.97	1.62	14.4	1.5	90
I345471		3.05	16.55	0.22	5.3	0.188	3.72	39.9	19.1	0.13	464	2.12	1.63	13.6	1.7	100
I345472		2.43	15.30	0.20	5.1	0.136	3.99	42.2	15.5	0.10	387	3.01	1.80	12.9	1.1	100
I345473		1.31	15.65	0.20	4.9	0.069	3.81	42.4	12.2	0.08	247	2.07	2.14	14.3	1.3	90
I345474		1.29	15.70	0.22	5.2	0.028	3.79	43.6	11.3	0.08	251	1.72	2.07	14.0	1.5	90
I345475		1.44	12.60	0.14	1.0	0.018	2.15	14.3	12.3	0.18	568	0.92	2.59	4.3	2.6	180

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
I345467		13.9	145.5	<0.002	0.01	0.57	4.4	1	1.3	60.7	1.51	<0.05	18.9	0.091	0.61	4.9
I345468		14.2	145.0	<0.002	0.01	0.56	4.4	2	1.3	57.6	1.75	<0.05	21.8	0.090	0.59	5.6
I345469		10.2	149.5	<0.002	0.01	0.66	4.3	2	1.8	66.4	1.44	<0.05	18.7	0.093	0.64	4.4
I345470		21.8	182.5	<0.002	0.13	0.56	4.4	2	3.3	73.1	1.60	0.05	18.8	0.089	0.80	4.8
I345471		18.7	188.5	<0.002	0.07	0.40	4.8	1	6.0	66.2	1.46	<0.05	18.6	0.095	0.85	4.9
I345472		14.8	169.5	<0.002	0.03	0.48	4.3	1	2.9	64.8	1.34	<0.05	17.3	0.097	0.74	4.2
I345473		19.4	154.5	<0.002	0.02	0.54	4.2	1	1.5	58.0	1.54	<0.05	19.2	0.093	0.65	4.9
I345474		10.6	151.0	<0.002	0.02	0.51	4.2	1	1.7	55.1	1.51	<0.05	16.4	0.087	0.60	5.0
I345475		12.9	58.1	<0.002	<0.01	0.18	5.0	1	1.6	175.5	0.51	<0.05	5.6	0.112	0.39	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345467		4	1.4	23.0	23	150.5
I345468		4	1.6	25.3	18	162.5
I345469		4	1.3	23.1	30	167.0
I345470		4	2.2	26.9	92	144.5
I345471		5	4.6	27.0	64	161.5
I345472		5	2.5	20.6	29	151.5
I345473		4	1.1	23.2	21	139.0
I345474		4	1.2	23.7	29	156.5
I345475		14	1.0	17.8	43	25.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 31-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10183927

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.