ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

CERTIFICATE TB10184962

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 117 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345051		1.28	<0.005	0.02	6.68	21.9	820	0.92	0.05	1.71	0.04	58.8	6.9	26	2.28	14.8
I345052		0.39	0.053	0.01	6.83	1515	810	1.05	0.12	1.59	0.04	58.3	6.7	27	1.99	15.7
I345053		0.75	<0.005	<0.01	6.83	18.3	720	1.25	0.05	1.76	0.05	64.6	6.6	24	2.73	23.0
I345054		1.84	<0.005	<0.01	6.68	4.2	730	0.94	0.05	1.74	0.05	57.3	6.4	24	2.36	11.7
I345055		0.60	<0.005	<0.01	6.76	4.9	790	0.82	0.06	1.67	0.04	59.0	5.8	17	1.86	12.7
I345056		0.57	0.052	0.04	7.00	18.2	740	1.06	0.09	1.92	0.06	68.7	7.2	23	2.19	13.9
I345057		0.65	<0.005	0.06	6.42	32.8	970	0.84	0.06	1.35	0.05	56.6	5.4	18	1.99	14.8
I345058		0.64	0.022	0.02	6.38	45.5	830	0.95	0.07	1.31	0.06	59.2	5.3	14	2.03	13.0
I345059		0.63	<0.005	0.01	6.95	22.1	780	1.07	0.06	1.89	0.07	69.9	7.1	27	2.60	17.1
I345060		1.78	<0.005	<0.01	7.16	7.2	790	1.10	0.05	2.02	0.06	64.3	7.9	26	2.48	16.9
I345061		1.42	<0.005	0.01	7.13	3.4	790	1.02	0.05	1.97	0.06	65.8	7.6	27	2.39	17.8
I345062		0.40	<0.005	<0.01	6.79	12.0	760	1.10	0.05	1.50	0.04	66.4	6.1	20	2.29	13.0
I345063		1.77	<0.005	<0.01	6.88	<0.2	770	1.03	0.05	1.51	0.04	63.9	5.6	21	2.44	17.0
I345064		1.86	<0.005	<0.01	6.97	2.1	840	1.12	0.05	1.81	0.04	60.4	6.3	22	2.33	11.0
I345065		1.80	<0.005	<0.01	7.25	0.2	740	1.09	0.05	1.95	0.05	71.0	7.2	25	2.57	18.9
I345066		1.94	<0.005	<0.01	7.05	11.6	660	1.13	0.06	1.88	0.05	63.6	6.8	22	2.51	13.7
I345067		1.86	<0.005	<0.01	7.19	7.5	680	1.07	0.05	1.93	0.05	61.1	7.2	23	2.47	17.4
I345068		0.88	<0.005	<0.01	7.23	13.7	660	1.03	0.05	1.83	0.05	58.8	6.1	22	2.48	14.0
I345069		0.58	0.428	0.22	6.79	514	710	1.07	0.41	1.73	0.14	55.5	6.5	23	1.84	19.2
I345070		0.78	0.021	0.05	6.89	35.7	800	1.03	0.08	1.75	0.07	57.9	6.8	23	2.27	14.3
I345071		0.91	<0.005	0.04	7.14	17.5	610	1.10	0.05	1.88	0.05	62.0	7.1	23	2.81	15.5
I345072		0.40	<0.005	0.02	6.80	14.8	710	1.11	0.05	1.74	0.05	54.5	6.4	21	2.32	12.8
I345073		0.96	<0.005	<0.01	6.91	7.7	710	1.09	0.05	1.78	0.04	61.9	6.7	22	2.57	16.6
I345074		1.27	0.010	0.23	6.89	19.2	750	1.09	0.08	1.75	0.05	59.2	6.5	23	2.50	16.5
I345075		0.03	0.601	0.71	8.07	2.3	100	1.91	1.25	0.91	0.14	13.55	7.6	27	27.7	10.9
I345076		0.74	0.229	0.21	6.77	547	720	1.31	0.29	1.80	0.16	58.2	7.2	24	1.73	16.4
I345077		0.72	0.382	0.21	6.21	678	680	1.17	0.37	1.69	0.22	53.6	6.2	21	2.26	14.4
I345078		0.60	0.018	0.04	6.81	34.1	650	1.09	0.07	1.92	0.05	47.5	7.3	25	2.98	16.7
I345079		1.76	<0.005	0.03	7.12	8.2	690	1.10	0.05	1.92	0.04	59.2	7.1	25	3.01	16.6
I345080		1.83	<0.005	0.02	7.07	3.6	750	1.17	0.05	1.82	0.04	66.9	6.8	25	3.13	13.3
I345081		1.78	<0.005	0.04	7.02	8.9	770	1.05	0.05	1.81	0.04	63.2	7.0	25	3.25	18.1
I345082		1.85	<0.005	0.04	7.03	4.4	670	0.88	0.05	1.86	0.03	52.1	5.6	26	2.35	12.9
I345083		0.77	<0.005	0.09	6.96	17.7	690	1.08	0.21	1.66	0.65	56.8	6.2	24	2.60	16.7
I345084		0.50	0.006	0.08	6.66	59.3	680	1.09	0.15	1.78	0.24	52.4	5.7	22	2.17	18.5
I345085		1.42	<0.005	0.12	6.94	4.2	700	1.35	0.07	1.84	0.06	78.0	6.8	26	3.42	15.4
I345086		0.37	<0.005	0.06	6.96	22.7	710	1.30	0.06	1.80	0.05	73.3	6.2	24	2.99	17.2
I345087		1.14	<0.005	0.07	6.96	13.2	690	1.29	0.05	1.82	0.05	79.9	6.6	25	2.98	15.8
I345088		1.18	<0.005	0.07	6.99	23.1	730	1.30	0.05	1.91	0.05	74.5	6.9	24	2.85	18.2
I345089		0.38	<0.005	0.10	6.81	26.0	680	1.25	0.05	1.90	0.05	73.6	5.5	23	2.80	14.1
I345090		0.93	<0.005	0.05	6.78	6.6	710	1.25	0.05	1.74	0.04	67.2	6.4	24	2.94	14.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345051		2.22	13.85	0.17	3.6	0.027	2.49	29.2	19.3	0.66	375	0.57	2.54	8.1	15.0	510
I345052		1.96	14.55	0.17	3.9	0.031	2.59	27.9	18.2	0.60	341	1.13	3.07	9.6	13.3	590
I345053		2.22	15.20	0.17	4.0	0.027	2.59	31.5	19.7	0.64	376	0.50	2.64	9.3	15.3	480
I345054		2.14	14.10	0.17	3.6	0.024	2.57	28.2	16.6	0.61	357	0.43	2.64	8.2	14.1	470
I345055		2.02	13.40	0.16	3.2	0.022	2.58	29.4	16.9	0.53	324	0.63	2.67	7.0	11.6	460
I345056		2.41	14.30	0.18	3.5	0.027	2.25	34.2	19.4	0.70	404	0.61	2.77	7.8	15.5	520
I345057		1.76	12.60	0.16	2.7	0.019	3.07	28.8	13.4	0.48	307	16.70	2.44	7.7	11.5	370
I345058		1.73	14.80	0.17	3.5	0.019	2.69	29.5	12.1	0.44	273	7.17	2.64	9.6	10.5	370
I345059		2.38	14.65	0.17	3.8	0.029	2.45	34.6	19.7	0.67	406	0.51	2.71	8.6	14.9	530
I345060		2.48	14.70	0.18	3.2	0.031	2.49	32.1	17.6	0.72	423	0.63	2.76	8.8	16.6	550
I345061		2.45	14.75	0.17	3.8	0.033	2.46	32.7	15.9	0.70	406	0.45	2.69	9.1	15.4	550
I345062		1.95	14.25	0.16	3.9	0.023	2.83	31.8	14.1	0.55	310	0.36	2.80	9.4	12.9	460
I345063		1.94	13.50	0.17	3.4	0.021	2.91	31.9	13.8	0.54	318	0.28	2.54	8.6	12.6	430
I345064		2.20	13.90	0.15	3.5	0.026	2.55	30.0	14.8	0.61	370	0.34	2.73	8.1	12.8	490
I345065		2.36	14.80	0.18	3.6	0.030	2.47	35.2	17.8	0.66	393	0.44	2.73	9.0	14.9	550
I345066		2.24	14.60	0.18	3.7	0.025	2.38	30.9	16.7	0.63	366	0.37	2.71	9.0	13.5	510
I345067		2.34	14.60	0.18	3.9	0.027	2.55	29.6	16.7	0.68	393	0.42	2.71	8.8	14.2	530
I345068		2.27	14.25	0.17	3.4	0.026	2.58	29.0	18.3	0.63	371	0.56	2.69	9.1	13.0	500
I345069		2.28	13.25	0.17	3.7	0.024	2.60	27.4	14.3	0.61	369	0.66	2.31	7.2	13.1	470
I345070		2.26	14.00	0.16	3.5	0.024	2.57	28.0	20.5	0.64	371	0.42	2.81	8.3	13.7	490
I345071		2.28	15.25	0.20	4.2	0.027	2.37	29.8	21.2	0.67	385	0.43	2.77	9.3	14.3	500
I345072		2.13	13.65	0.17	3.6	0.026	2.56	26.7	20.6	0.61	364	0.45	2.75	8.5	12.5	470
I345073		2.24	14.00	0.17	3.4	0.027	2.54	29.1	18.4	0.65	381	0.51	2.61	9.2	13.5	500
I345074		2.19	14.10	0.17	3.6	0.026	2.59	28.3	19.7	0.63	366	1.07	2.72	8.7	14.6	490
I345075		3.50	16.25	0.14	1.2	0.011	2.01	6.6	5.6	0.69	244	0.93	5.34	6.7	25.4	690
I345076		2.27	14.20	0.17	4.2	0.027	2.61	28.3	16.9	0.63	387	0.53	2.32	7.0	14.5	520
I345077		2.11	13.35	0.17	3.5	0.028	2.30	26.5	17.8	0.64	410	1.02	1.93	4.8	12.3	450
I345078		2.33	14.45	0.17	4.1	0.026	2.46	21.6	20.5	0.69	400	0.45	2.71	8.5	15.3	530
I345079		2.35	14.80	0.19	3.6	0.028	2.46	28.4	21.8	0.69	396	0.43	2.75	8.7	15.0	530
I345080		2.29	14.30	0.18	3.4	0.026	2.52	32.8	21.3	0.67	390	0.46	2.61	8.6	15.3	500
I345081		2.31	14.30	0.17	3.6	0.026	2.54	31.0	18.5	0.68	387	0.36	2.65	8.5	14.5	500
I345082		2.30	11.40	0.15	3.0	0.022	2.37	25.6	16.9	0.68	384	0.27	2.66	6.8	11.8	520
I345083		2.12	14.20	0.18	3.6	0.031	2.48	27.2	19.5	0.65	357	0.42	2.76	8.8	13.7	500
I345084		2.08	14.05	0.19	3.6	0.033	2.56	24.3	14.3	0.69	413	0.46	2.73	8.1	16.0	510
I345085		2.29	16.80	0.10	4.9	0.035	2.64	36.3	28.8	0.65	392	0.36	2.77	10.1	16.2	510
I345086		2.25	16.25	0.13	5.0	0.026	2.48	35.1	28.4	0.65	383	0.40	2.92	9.6	15.2	520
I345087		2.31	16.10	0.13	4.3	0.026	2.51	39.4	27.2	0.67	394	0.33	2.65	9.1	15.9	520
I345088		2.33	16.10	0.14	4.2	0.029	2.60	35.9	28.1	0.68	421	0.88	2.71	9.5	16.4	510
I345089		2.23	15.15	0.12	4.2	0.026	2.39	36.3	27.2	0.71	412	0.37	3.05	8.6	13.8	490
I345090		2.17	15.40	0.12	4.3	0.026	2.43	32.1	26.6	0.63	371	0.33	2.57	8.2	14.8	480

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345051		13.7	88.0	0.002	0.01	0.18	6.2	1	1.5	193.5	0.63	<0.05	10.4	0.259	0.53	2.0
I345052		14.8	82.9	0.002	0.13	0.43	6.6	2	1.9	189.0	0.85	<0.05	10.4	0.283	0.49	2.6
I345053		16.1	100.0	0.003	<0.01	0.18	6.6	1	1.7	199.0	0.92	<0.05	10.9	0.252	0.58	3.1
I345054		14.1	88.6	0.002	<0.01	0.13	5.9	1	1.4	196.5	0.72	<0.05	9.1	0.247	0.51	2.2
I345055		13.9	82.4	0.003	0.02	0.12	5.3	1	1.3	193.5	0.50	<0.05	8.1	0.243	0.50	1.6
I345056		14.1	83.0	0.003	0.11	0.14	6.6	1	1.5	197.5	0.88	<0.05	9.5	0.264	0.51	2.1
I345057		16.1	110.5	0.004	0.02	0.19	4.5	1	1.3	161.0	0.75	<0.05	10.3	0.207	0.63	2.3
I345058		17.3	101.5	0.005	0.05	0.21	4.2	2	1.5	170.5	0.92	<0.05	12.3	0.212	0.52	3.2
I345059		14.2	91.0	0.002	0.03	0.17	6.7	1	1.6	213	0.71	<0.05	10.0	0.266	0.55	2.2
I345060		14.0	97.2	<0.002	0.01	0.11	7.3	1	1.7	218	0.70	<0.05	9.6	0.279	0.54	2.1
I345061		16.3	93.3	0.002	0.01	0.10	7.1	1	1.7	216	0.78	<0.05	10.9	0.279	0.59	3.0
I345062		16.8	109.5	0.003	0.04	0.16	5.9	1	1.5	175.0	0.94	<0.05	12.1	0.245	0.65	3.2
I345063		17.0	125.0	0.002	<0.01	0.09	5.4	1	1.4	165.0	0.79	<0.05	12.1	0.236	0.67	3.0
I345064		14.7	91.7	0.002	0.01	0.09	5.9	1	1.5	203	0.77	<0.05	11.0	0.256	0.56	2.8
I345065		15.7	98.2	0.002	0.01	0.08	6.8	1	1.6	221	0.80	<0.05	12.0	0.270	0.56	3.3
I345066		15.9	98.2	0.002	0.02	0.15	6.7	1	1.6	216	0.88	<0.05	12.1	0.255	0.58	3.2
I345067		15.5	101.0	0.002	0.01	0.12	6.5	2	1.6	215	0.78	<0.05	11.0	0.266	0.56	3.0
I345068		16.4	106.5	0.003	0.01	0.15	6.2	1	1.6	208	0.81	<0.05	11.4	0.257	0.58	3.0
I345069		27.4	83.7	0.002	0.71	0.35	6.0	2	1.5	153.0	0.68	0.11	10.3	0.237	0.41	2.6
I345070		17.3	86.7	0.002	0.21	0.28	6.2	1	1.5	195.0	0.77	<0.05	10.3	0.252	0.54	2.6
I345071		13.8	97.4	0.003	0.01	0.28	6.6	1	1.7	205	0.96	<0.05	11.5	0.259	0.58	3.0
I345072		14.6	93.6	0.003	0.05	0.23	6.2	1	1.6	185.5	0.86	<0.05	12.3	0.242	0.62	2.9
I345073		14.1	98.4	0.002	0.01	0.18	6.3	1	1.6	199.0	0.89	<0.05	11.2	0.255	0.60	3.6
I345074		15.2	97.6	0.003	0.10	0.30	6.2	1	1.6	190.5	0.84	<0.05	11.1	0.249	0.57	2.8
I345075		69.4	800	0.002	2.59	1.20	3.0	1	0.9	154.0	0.63	<0.05	2.4	0.215	7.83	1.1
I345076		28.9	87.5	0.002	0.76	0.43	6.4	2	1.6	150.5	0.76	0.24	12.0	0.232	0.50	3.2
I345077		23.2	78.0	0.002	0.94	0.44	6.0	2	1.4	123.0	0.44	0.16	9.7	0.181	0.34	2.5
I345078		11.9	83.0	0.002	0.10	0.28	6.6	1	1.6	208	0.74	<0.05	8.7	0.266	0.53	2.4
I345079		12.9	91.0	0.002	0.04	0.17	6.8	1	1.6	216	0.77	<0.05	10.4	0.269	0.53	3.2
I345080		14.0	105.5	0.002	0.01	0.09	6.9	1	1.6	204	0.82	<0.05	10.8	0.257	0.60	2.6
I345081		13.7	99.6	0.002	0.02	0.13	6.7	1	1.6	207	0.70	<0.05	10.3	0.257	0.59	2.5
I345082		12.9	79.3	<0.002	0.01	0.08	5.3	1	1.3	204	0.65	<0.05	10.2	0.258	0.48	2.5
I345083		19.6	93.9	0.002	0.13	0.13	6.6	1	1.6	195.0	0.86	<0.05	12.2	0.251	0.55	3.2
I345084		26.3	92.0	0.003	0.23	0.16	6.5	1	1.8	187.0	0.77	<0.05	11.4	0.251	0.50	2.6
I345085		17.9	116.5	0.002	0.02	0.10	6.7	1	1.8	213	1.11	<0.05	14.0	0.262	0.67	3.8
I345086		15.6	111.5	0.002	0.04	0.14	6.8	1	1.7	212	0.98	<0.05	12.1	0.256	0.58	4.6
I345087		14.9	114.5	0.002	0.01	0.10	6.8	1	1.6	212	0.87	<0.05	13.6	0.259	0.60	3.2
I345088		15.7	115.0	0.002	0.02	0.12	7.1	1	1.7	207	0.85	<0.05	12.8	0.255	0.63	2.8
I345089		12.0	102.5	0.002	0.06	0.13	6.8	1	1.5	187.5	0.79	<0.05	14.4	0.248	0.51	2.9
I345090		14.9	103.0	0.002	0.02	0.10	6.6	1	1.5	202	0.76	<0.05	12.9	0.241	0.56	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345051		42	0.4	13.0	50	129.5
I345052		45	3.8	13.7	38	138.0
I345053		41	0.4	15.2	55	139.0
I345054		41	0.4	13.3	51	134.5
I345055		38	2.2	10.8	46	117.0
I345056		44	3.7	14.1	61	128.0
I345057		31	0.8	11.4	41	93.8
I345058		30	2.6	13.1	40	119.0
I345059		43	0.7	14.5	53	140.5
I345060		47	0.3	15.1	55	120.0
I345061		47	0.4	14.9	55	132.5
I345062		40	2.3	13.9	44	127.5
I345063		36	0.3	13.4	47	117.5
I345064		42	0.3	13.3	47	126.5
I345065		46	0.4	15.0	54	137.5
I345066		43	0.5	14.6	48	134.0
I345067		45	0.4	14.7	58	148.0
I345068		43	0.5	14.7	50	125.5
I345069		39	4.3	13.0	46	141.5
I345070		43	3.8	12.9	49	122.0
I345071		43	0.9	14.9	50	144.5
I345072		39	1.4	13.2	45	122.0
I345073		42	0.6	14.4	52	118.0
I345074		41	1.8	14.1	49	129.0
I345075		27	0.2	3.7	39	35.2
I345076		41	11.1	14.7	51	146.5
I345077		36	10.8	12.4	43	127.0
I345078		45	1.5	13.2	51	157.0
I345079		45	0.5	14.2	51	133.5
I345080		42	0.4	14.5	48	127.0
I345081		43	0.4	13.6	48	137.0
I345082		43	0.3	11.6	49	134.5
I345083		42	1.7	14.6	61	127.0
I345084		44	5.9	13.6	64	128.5
I345085		44	0.7	17.9	55	162.0
I345086		43	1.0	17.4	52	169.0
I345087		43	0.3	16.1	55	153.5
I345088		43	0.3	17.5	54	150.5
I345089		42	1.0	14.5	44	148.5
I345090		40	0.3	14.6	49	145.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345091		0.93	<0.005	0.09	7.02	16.8	700	1.27	0.05	1.91	0.05	76.8	6.6	30	3.31	25.1
I345092		0.36	0.012	0.06	5.10	288	480	0.88	0.05	1.47	0.03	61.7	6.4	20	2.33	45.4
I345093		1.62	<0.005	0.07	7.08	23.2	780	1.37	0.04	1.92	0.05	77.4	7.3	28	3.20	13.1
I345094		1.57	<0.005	0.08	6.94	19.8	730	1.34	0.04	1.90	0.05	69.7	7.4	26	3.11	15.8
I345095		0.33	<0.005	0.08	7.38	46.0	780	1.47	0.06	1.65	0.04	68.3	7.0	27	3.15	29.5
I345096		0.42	<0.005	0.07	7.10	65.3	550	1.53	0.05	1.81	0.05	76.0	7.1	25	3.59	13.7
I345097		1.31	<0.005	0.07	7.17	36.0	750	1.42	0.05	1.98	0.05	73.3	7.2	25	3.38	13.3
I345098		1.40	<0.005	0.09	7.00	39.4	690	1.27	0.05	1.87	0.05	68.9	7.0	25	3.24	20.3
I345099		0.42	<0.005	0.09	7.29	45.5	600	1.36	0.05	1.98	0.04	74.9	7.2	24	3.67	14.2
I345100		0.03	<0.005	0.06	6.49	2.5	910	1.24	0.10	1.34	0.08	29.0	2.1	13	1.64	4.4
I345101		1.76	<0.005	0.09	6.98	33.6	740	1.28	0.04	1.88	0.04	72.1	6.5	25	3.52	13.6
I345102		0.50	0.006	0.08	6.91	44.3	660	1.49	0.06	1.94	0.04	75.6	7.3	24	3.45	12.7
I345103		0.58	<0.005	0.08	7.11	46.3	690	1.49	0.06	2.04	0.06	78.8	7.6	26	3.95	14.0
I345104		0.69	<0.005	0.07	6.94	110.5	700	1.62	0.07	1.67	0.04	68.1	8.2	22	2.90	20.6
I345105		1.84	<0.005	0.07	6.95	12.9	680	1.49	0.07	1.82	0.04	68.1	7.0	28	3.33	13.7
I345106		0.39	<0.005	0.07	6.98	15.4	840	1.63	0.06	1.75	0.05	66.8	6.8	25	2.97	11.3
I345107		0.82	<0.005	0.08	7.10	21.5	730	1.64	0.06	1.85	0.04	75.9	7.4	25	3.37	14.7
I345108		1.81	<0.005	0.09	7.21	13.4	700	1.78	0.07	1.88	0.04	73.3	7.3	27	2.56	12.5
I345109		2.01	<0.005	0.07	7.23	5.4	770	1.45	0.05	1.90	0.05	75.6	7.0	26	3.04	13.3
I345110		1.01	<0.005	0.08	7.08	15.2	720	1.57	0.05	1.87	0.04	72.3	6.9	26	3.06	10.2
I345111		0.50	<0.005	0.06	6.01	24.5	670	1.36	0.04	1.90	0.07	61.1	2.9	21	1.84	8.7
I345112		1.86	<0.005	0.08	6.98	7.0	770	1.52	0.04	1.88	0.04	75.6	7.6	27	3.12	14.3
I345113		1.99	<0.005	0.08	6.99	15.5	790	1.39	0.06	1.87	0.06	75.2	6.7	27	2.62	14.7
I345114		0.45	<0.005	0.10	7.05	47.3	830	1.22	0.06	1.96	0.10	75.3	7.9	27	1.94	16.8
I345115		0.40	<0.005	0.11	6.74	26.0	810	1.12	0.06	1.74	0.07	81.0	6.9	22	3.05	12.7
I345116		0.81	<0.005	0.10	7.20	38.9	750	1.16	0.09	1.91	0.06	82.1	7.0	26	3.40	12.5
I345117		0.37	0.169	7.05	7.14	>10000	1040	1.69	50.7	1.51	0.34	87.3	13.8	27	1.93	10.7
I345118		0.43	0.011	0.37	6.66	317	780	1.05	2.72	1.63	0.10	85.2	6.1	20	2.66	13.8
I345119		0.77	<0.005	0.07	6.88	55.1	1000	1.16	0.16	1.59	0.04	81.9	5.9	24	2.00	14.4
I345120		1.11	<0.005	0.08	6.88	15.4	900	1.29	0.11	1.67	0.07	87.0	6.4	24	2.81	12.3
I345121		0.45	0.005	0.05	6.33	72.7	740	1.02	0.29	1.65	0.10	62.4	5.6	19	1.77	16.8
I345122		1.07	<0.005	0.04	6.68	33.7	720	1.30	0.07	1.83	0.06	63.7	6.6	24	3.62	9.6
I345123		1.95	<0.005	0.01	6.92	12.2	730	1.29	0.08	1.84	0.05	63.2	7.2	25	3.88	21.2
I345124		0.89	<0.005	0.04	6.76	5.3	720	1.39	0.12	1.81	0.19	61.3	7.0	22	4.79	12.5
I345125		0.82	<0.005	0.03	6.95	5.0	720	1.37	0.13	1.85	0.03	64.5	7.2	23	5.01	12.5
I345126		1.96	<0.005	0.01	6.62	19.4	650	0.99	0.11	1.66	0.04	60.6	6.4	22	3.73	9.6
I345127		0.84	<0.005	0.03	6.74	88.5	640	1.09	0.13	1.69	0.07	58.0	6.1	19	2.51	13.7
I345128		0.59	0.026	0.27	6.57	837	690	1.24	0.36	1.49	2.12	53.4	6.2	21	1.81	17.8
I345129		0.51	0.005	0.02	6.68	38.3	660	1.39	0.14	1.66	0.06	62.0	7.5	21	2.50	12.9
I345130		1.36	<0.005	0.05	6.82	29.7	740	1.15	0.11	1.74	0.05	64.0	7.3	23	2.88	14.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345091		2.33	16.10	0.14	4.2	0.024	2.43	37.2	27.9	0.67	402	0.41	2.70	8.7	15.9	520
I345092		1.97	11.65	0.11	3.5	0.018	1.83	32.3	21.5	0.55	347	1.07	2.12	6.8	19.4	390
I345093		2.42	16.70	0.14	5.2	0.029	2.40	38.4	28.5	0.74	415	0.35	2.70	9.7	18.4	550
I345094		2.39	16.25	0.12	4.2	0.027	2.50	33.8	27.0	0.71	409	0.41	2.74	9.3	16.1	550
I345095		2.43	17.40	0.11	5.0	0.030	2.56	32.4	31.4	0.76	404	1.32	3.15	9.8	18.3	570
I345096		2.44	16.45	0.13	5.1	0.026	2.08	36.6	32.5	0.75	404	0.74	3.12	9.8	17.3	580
I345097		2.45	16.60	0.13	4.6	0.029	2.56	34.4	31.9	0.73	417	0.43	2.85	9.5	16.9	570
I345098		2.28	15.95	0.12	4.7	0.026	2.51	33.1	29.2	0.67	389	0.40	2.78	8.9	16.0	520
I345099		2.45	16.75	0.15	4.8	0.028	2.39	36.5	33.9	0.72	402	0.41	2.91	9.3	17.0	580
I345100		1.45	12.65	0.08	1.1	0.014	2.25	13.1	11.9	0.18	593	0.87	2.73	4.0	2.2	180
I345101		2.32	15.60	0.13	3.9	0.027	2.54	35.2	30.7	0.68	392	0.36	2.83	8.6	15.9	530
I345102		2.34	15.80	0.14	4.4	0.027	2.14	36.9	33.3	0.73	402	0.41	2.88	8.8	17.0	560
I345103		2.55	16.35	0.15	5.1	0.030	2.46	38.0	36.6	0.76	430	0.36	2.93	9.8	17.9	620
I345104		2.07	15.85	0.13	4.5	0.025	2.59	32.5	27.4	0.62	355	0.36	2.85	9.3	15.3	500
I345105		2.32	15.75	0.12	4.8	0.027	2.57	32.4	29.9	0.69	400	0.40	2.70	9.8	15.9	510
I345106		2.27	16.25	0.12	4.6	0.025	2.42	32.2	31.4	0.69	385	0.36	2.99	9.8	15.8	530
I345107		2.41	16.80	0.14	5.7	0.032	2.61	36.1	33.9	0.73	418	0.41	2.80	10.6	17.0	550
I345108		2.40	16.25	0.13	5.1	0.029	2.55	35.3	25.1	0.73	414	0.42	2.87	11.3	16.5	550
I345109		2.37	16.30	0.14	4.4	0.029	2.56	37.1	26.4	0.69	407	0.40	2.82	9.8	15.9	540
I345110		2.35	16.15	0.14	4.6	0.027	2.52	34.9	30.3	0.69	398	0.44	2.76	9.7	16.1	520
I345111		1.66	14.30	0.11	4.2	0.026	2.21	29.6	27.4	0.74	480	0.41	2.62	8.0	8.6	430
I345112		2.38	15.90	0.14	4.6	0.028	2.41	37.0	31.5	0.71	416	0.45	2.69	9.9	16.5	530
I345113		2.40	15.50	0.14	4.5	0.028	2.45	37.1	30.2	0.73	424	0.72	2.76	9.0	16.3	540
I345114		2.42	16.00	0.15	5.1	0.028	2.42	36.3	29.5	0.78	493	0.39	3.21	9.5	17.9	610
I345115		2.28	15.05	0.14	4.4	0.027	2.53	40.9	34.8	0.66	381	0.41	2.72	8.0	15.8	500
I345116		2.32	16.05	0.14	4.6	0.028	2.58	41.1	32.6	0.68	403	0.39	2.79	8.2	16.2	520
I345117		3.45	16.25	0.13	5.0	0.072	2.73	45.1	24.1	0.63	338	0.60	2.81	8.6	22.7	500
I345118		1.85	18.30	0.12	5.0	0.036	2.72	44.1	23.4	0.62	362	0.52	2.71	9.7	15.8	430
I345119		2.18	15.75	0.12	3.8	0.039	2.74	42.3	22.6	0.68	407	0.48	2.67	8.1	14.3	490
I345120		2.21	15.80	0.14	4.2	0.029	2.69	45.1	26.4	0.64	381	0.44	2.67	9.0	15.4	490
I345121		2.00	16.05	0.15	3.6	0.026	2.36	32.7	25.7	0.72	357	0.52	2.76	8.9	12.8	450
I345122		2.25	16.70	0.18	4.1	0.026	2.52	33.8	32.3	0.70	380	0.43	2.75	9.9	15.9	500
I345123		2.27	17.35	0.19	4.2	0.030	2.71	32.4	29.0	0.70	383	0.66	2.83	10.6	16.4	510
I345124		2.17	17.80	0.19	4.0	0.028	2.63	32.4	27.6	0.67	376	0.91	2.82	10.6	15.5	490
I345125		2.23	17.30	0.19	4.0	0.027	2.70	32.9	28.9	0.68	382	1.09	2.85	10.5	15.5	500
I345126		2.01	16.10	0.17	3.8	0.026	2.83	31.7	25.8	0.61	344	0.45	2.71	9.6	14.0	440
I345127		2.02	16.55	0.19	4.0	0.027	2.84	29.9	26.5	0.60	348	1.85	2.80	8.4	13.4	450
I345128		1.83	16.45	0.18	3.8	0.043	2.40	28.6	20.3	0.65	350	1.38	2.94	8.6	13.5	460
I345129		2.10	16.80	0.20	4.6	0.028	2.31	33.9	30.6	0.72	374	1.01	2.87	10.3	15.8	500
I345130		2.20	18.45	0.19	3.9	0.025	2.70	32.0	28.9	0.66	371	0.99	2.84	10.3	16.6	490

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345091		13.3	107.5	0.002	0.02	0.13	6.9	1	1.6	220	0.76	<0.05	12.0	0.257	0.55	2.3
I345092		9.2	82.7	0.002	0.09	0.20	5.6	1	1.1	149.0	0.65	<0.05	10.7	0.203	0.37	2.2
I345093		15.2	115.0	0.002	0.01	0.12	7.6	1	1.8	226	0.95	<0.05	13.5	0.276	0.61	3.6
I345094		15.1	110.5	0.002	0.01	0.09	7.0	1	1.7	222	0.87	<0.05	11.6	0.275	0.62	2.6
I345095		13.1	106.5	0.002	0.17	0.14	7.7	1	1.9	214	0.99	<0.05	12.9	0.287	0.53	3.2
I345096		12.7	102.5	0.002	0.02	0.15	7.6	1	1.6	238	1.08	<0.05	14.0	0.284	0.54	4.1
I345097		14.6	110.0	0.002	0.01	0.12	7.4	1	1.7	235	0.90	<0.05	11.5	0.280	0.59	3.0
I345098		14.4	107.5	0.002	0.03	0.14	7.0	1	1.7	223	0.84	<0.05	11.6	0.262	0.58	2.8
I345099		13.9	113.5	0.002	0.01	0.20	7.6	1	1.8	240	0.81	<0.05	11.1	0.283	0.61	2.5
I345100		10.8	60.7	0.002	<0.01	0.17	5.2	1	1.5	180.5	0.40	<0.05	5.7	0.117	0.36	1.9
I345101		14.6	111.5	0.002	0.01	0.18	7.0	1	1.6	222	0.75	<0.05	10.9	0.266	0.61	2.3
I345102		13.0	98.5	0.002	0.03	0.18	7.2	1	1.7	231	0.81	<0.05	10.9	0.278	0.51	2.4
I345103		15.5	113.5	0.002	0.01	0.18	8.2	1	1.8	238	0.95	<0.05	11.6	0.301	0.58	5.9
I345104		15.1	103.0	0.002	0.18	0.15	6.7	1	1.7	209	1.18	<0.05	11.3	0.250	0.50	3.6
I345105		15.7	116.5	0.002	0.01	0.14	7.0	1	1.7	216	1.12	<0.05	11.6	0.258	0.63	3.7
I345106		14.9	108.5	0.002	0.02	0.16	7.1	1	1.7	223	1.07	<0.05	11.2	0.266	0.56	4.3
I345107		15.8	123.0	0.002	0.01	0.20	7.9	1	1.9	224	1.18	<0.05	12.6	0.273	0.63	4.0
I345108		15.7	115.0	0.002	0.01	0.13	7.5	1	1.8	226	1.42	<0.05	13.7	0.281	0.57	4.5
I345109		15.9	116.5	0.002	0.01	0.10	7.2	1	1.7	227	0.95	<0.05	13.9	0.270	0.60	3.7
I345110		14.8	114.5	0.002	0.01	0.15	7.5	1	1.6	225	1.01	<0.05	12.5	0.261	0.60	3.8
I345111		9.4	81.1	0.002	0.02	0.19	6.9	1	1.6	182.0	0.82	<0.05	11.4	0.218	0.37	3.0
I345112		14.9	107.0	0.002	0.01	0.13	7.3	1	1.6	224	1.05	<0.05	13.4	0.265	0.57	3.8
I345113		13.7	98.2	0.002	0.03	0.19	7.1	1	1.5	227	0.84	<0.05	13.1	0.267	0.52	3.3
I345114		10.9	86.0	0.002	0.06	0.34	7.7	1	1.6	204	0.70	<0.05	11.9	0.295	0.43	2.1
I345115		13.4	95.9	0.002	0.04	0.28	7.2	1	1.3	207	0.61	<0.05	10.2	0.265	0.55	2.0
I345116		15.7	101.5	0.002	0.06	0.28	7.4	1	1.4	223	0.65	<0.05	10.6	0.268	0.56	2.2
I345117		134.0	94.9	0.002	1.35	3.44	6.6	2	2.4	216	0.88	1.47	12.7	0.265	0.46	2.8
I345118		36.3	102.0	<0.002	0.22	0.41	6.7	1	1.7	204	0.80	<0.05	13.2	0.232	0.49	3.1
I345119		14.0	108.0	<0.002	0.04	0.20	6.9	1	1.5	204	0.69	<0.05	13.8	0.250	0.52	2.7
I345120		15.8	100.0	0.002	0.05	0.14	6.8	1	1.4	201	0.75	<0.05	12.5	0.259	0.53	2.7
I345121		16.5	70.7	<0.002	0.18	0.17	6.5	1	1.6	177.0	0.70	<0.05	11.0	0.238	0.36	2.4
I345122		16.9	103.0	<0.002	0.02	0.18	8.1	1	1.5	211	0.86	<0.05	11.8	0.260	0.58	2.9
I345123		17.6	108.0	<0.002	0.01	0.12	7.8	1	1.6	211	0.95	<0.05	12.4	0.267	0.58	2.9
I345124		18.0	110.5	<0.002	0.02	0.17	7.4	1	1.8	206	1.01	<0.05	12.6	0.261	0.62	3.0
I345125		18.8	118.5	<0.002	0.02	0.19	7.9	1	1.8	212	0.93	<0.05	13.2	0.261	0.63	3.2
I345126		17.8	116.0	<0.002	0.01	0.21	7.2	1	1.6	185.0	0.84	<0.05	14.4	0.235	0.64	2.9
I345127		17.7	104.0	<0.002	0.07	0.19	7.1	1	1.4	190.0	0.63	<0.05	11.5	0.238	0.53	2.5
I345128		75.5	86.0	<0.002	0.40	0.37	7.0	1	1.9	166.0	0.73	<0.05	14.5	0.241	0.37	2.9
I345129		16.7	88.8	<0.002	0.06	0.16	8.0	1	1.6	196.0	0.94	<0.05	13.8	0.254	0.40	3.8
I345130		18.2	108.5	<0.002	0.01	0.18	7.9	1	1.7	208	0.78	<0.05	14.3	0.254	0.58	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345091		43	0.3	14.7	52	151.0
I345092		34	0.3	12.5	43	122.5
I345093		46	0.4	17.8	54	182.5
I345094		46	0.3	15.2	55	147.5
I345095		49	1.2	18.0	46	170.5
I345096		47	0.5	19.3	52	177.5
I345097		48	0.5	15.7	55	163.0
I345098		43	1.9	14.6	56	166.0
I345099		48	0.7	16.2	54	178.0
I345100		15	0.8	15.6	45	22.4
I345101		45	0.4	14.4	52	141.0
I345102		46	0.5	15.1	48	159.5
I345103		51	0.5	17.6	59	187.0
I345104		41	4.3	16.2	38	146.5
I345105		43	0.5	17.5	53	168.0
I345106		45	0.4	16.5	50	159.5
I345107		46	0.4	19.0	56	194.5
I345108		46	0.6	19.8	51	165.0
I345109		45	0.4	16.6	54	148.5
I345110		45	0.6	17.4	51	150.0
I345111		44	15.2	14.2	29	142.0
I345112		45	0.4	16.6	54	157.5
I345113		45	0.7	15.4	54	160.0
I345114		48	1.2	16.0	60	192.0
I345115		41	0.8	14.3	65	160.0
I345116		44	1.5	15.1	50	167.0
I345117		41	6.2	18.9	81	174.5
I345118		37	10.9	15.8	42	180.5
I345119		41	1.3	14.4	48	133.5
I345120		40	1.1	15.0	50	151.5
I345121		37	3.7	13.6	42	140.5
I345122		42	0.8	16.0	49	151.0
I345123		43	0.7	16.7	55	151.5
I345124		41	1.0	15.9	86	143.5
I345125		40	0.9	16.8	49	152.0
I345126		36	0.8	15.3	49	144.0
I345127		37	1.7	13.4	45	149.5
I345128		38	4.6	14.6	144	141.0
I345129		40	3.1	17.4	47	170.5
I345130		40	0.8	16.3	47	159.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345131		0.55	0.025	0.89	7.07	33.1	730	1.18	8.73	1.76	0.05	65.0	7.1	22	2.93	16.8
I345132		1.52	<0.005	0.04	6.81	5.4	690	1.11	0.07	1.77	0.05	59.7	7.0	25	2.97	13.1
I345133		0.41	<0.005	0.07	7.00	8.2	690	1.09	0.75	1.84	0.24	58.7	6.6	20	2.81	11.6
I345134		0.68	<0.005	0.04	7.33	<0.2	740	1.15	0.06	1.97	0.05	71.0	7.5	25	3.03	19.9
I345135		0.41	<0.005	0.04	6.61	3.6	710	0.96	0.12	1.77	0.07	62.2	6.6	20	2.39	12.7
I345136		1.88	<0.005	0.02	6.41	2.1	670	1.13	0.06	1.85	0.05	61.5	7.5	22	2.76	14.0
I345137		0.42	<0.005	0.03	6.90	12.6	780	1.11	0.10	1.86	0.06	61.8	7.0	21	2.29	14.1
I345138		1.90	<0.005	0.05	7.13	0.7	760	1.15	0.06	1.97	0.05	67.0	7.5	25	2.66	12.9
I345139		1.90	<0.005	0.03	7.22	0.6	790	1.27	0.06	1.99	0.04	72.4	7.7	26	2.76	14.0
I345140		1.94	<0.005	0.02	6.41	0.7	830	1.21	0.05	1.41	0.05	70.9	5.2	20	1.75	10.6
I345141		1.40	<0.005	0.01	6.68	1.0	840	1.57	0.07	1.45	0.04	72.3	5.7	18	2.26	9.9
I345142		0.42	<0.005	<0.01	6.47	2.1	690	1.53	0.12	1.00	0.06	62.9	5.1	12	2.59	13.0
I345143		1.10	<0.005	<0.01	6.34	1.3	250	2.03	0.13	0.47	0.02	45.6	1.3	6	1.81	8.5
I345144		1.49	<0.005	<0.01	6.30	4.2	520	1.64	0.07	0.75	0.02	55.5	2.2	9	1.75	6.4
I345145		1.18	<0.005	0.01	6.22	2.0	600	2.01	0.06	0.94	0.02	53.5	3.1	11	3.11	8.8
I345146		1.82	<0.005	<0.01	6.46	3.3	670	1.42	0.05	1.08	0.02	62.0	3.6	11	2.22	10.1
I345147		1.93	<0.005	0.02	6.68	0.3	700	1.56	0.04	1.17	<0.02	58.9	3.7	12	2.62	10.5
I345148		2.07	<0.005	0.02	6.47	0.5	710	1.57	0.04	1.22	0.02	60.0	3.9	12	2.61	9.3
I345149		1.03	0.007	0.02	6.38	73.4	720	1.67	0.07	1.19	0.04	60.7	4.0	11	2.32	13.0
I345150		0.03	1.340	0.80	8.16	3.6	100	2.34	0.70	0.90	0.14	14.90	9.4	33	19.65	12.8
I345151		0.48	0.022	0.05	6.46	120.0	660	1.41	0.26	1.18	0.06	55.2	3.3	11	1.92	11.0
I345152		0.47	0.019	0.13	6.43	59.9	690	1.53	0.88	1.43	0.14	59.7	4.6	11	2.15	16.0
I345153		1.79	<0.005	0.01	6.54	5.7	730	1.57	0.04	1.25	0.02	60.7	4.0	13	2.75	8.5
I345154		1.87	<0.005	0.01	6.14	1.4	660	1.29	0.04	1.19	0.02	56.2	3.8	11	2.26	9.3
I345155		1.96	<0.005	0.02	6.67	3.7	740	1.39	0.06	1.63	0.04	60.2	6.2	21	2.78	9.6
I345156		1.57	<0.005	0.02	6.66	5.0	750	1.32	0.06	1.64	0.05	65.1	6.3	22	2.88	10.6
I345157		0.49	0.121	0.09	6.37	140.0	670	1.23	0.26	1.52	0.10	60.9	5.2	22	1.45	13.6
I345158		0.47	0.548	0.12	5.49	96.5	780	1.33	0.33	1.55	0.11	52.0	3.9	17	0.88	11.5
I345159		1.29	0.032	0.03	6.54	44.7	740	1.03	0.07	1.63	0.08	58.8	6.3	23	2.21	10.2
I345160		0.69	0.135	0.02	6.32	29.4	700	1.14	0.12	1.49	0.08	58.3	5.2	19	1.31	14.0
I345161		0.78	<0.005	<0.01	6.93	4.0	740	1.11	0.04	1.60	0.04	64.1	5.4	21	2.89	12.2
I345162		1.54	0.010	<0.01	6.58	13.7	730	1.10	0.07	1.49	0.04	62.4	5.3	22	2.36	14.1
I345163		1.42	<0.005	<0.01	6.57	7.6	750	1.10	0.04	1.56	0.04	69.1	5.2	20	2.77	11.1
I345164		0.67	0.074	0.10	6.38	56.1	660	1.07	0.15	1.37	0.10	62.3	5.4	21	1.50	16.8
I345165		1.43	0.006	0.02	6.65	28.1	690	1.16	0.06	1.52	0.06	62.4	5.8	21	2.75	12.0
I345166		0.42	0.025	0.05	6.37	155.0	700	1.13	0.13	1.32	0.10	63.1	5.5	22	2.16	19.9
I345167		0.72	0.172	0.10	6.61	644	750	1.29	0.13	1.68	1.84	62.4	5.7	20	1.88	16.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345131		2.19	17.75	0.21	4.1	0.030	2.69	35.2	28.5	0.72	376	0.77	2.89	9.5	14.9	480
I345132		2.25	16.90	0.19	4.1	0.028	2.67	32.0	28.4	0.68	385	0.73	2.78	9.5	15.2	480
I345133		2.18	17.60	0.18	4.1	0.029	2.73	31.6	28.4	0.64	373	0.65	2.90	9.1	13.9	470
I345134		2.39	18.00	0.21	4.3	0.029	2.70	36.2	31.6	0.71	404	0.79	2.89	9.5	16.7	520
I345135		2.10	16.30	0.18	3.8	0.027	2.60	34.0	28.1	0.61	346	0.65	2.71	8.7	14.0	470
I345136		2.28	17.00	0.17	3.8	0.035	2.40	31.7	31.2	0.71	401	0.72	2.66	9.3	15.5	520
I345137		2.20	17.35	0.20	4.3	0.028	2.67	33.0	27.6	0.68	383	0.88	2.87	9.0	14.8	500
I345138		2.37	17.45	0.20	3.9	0.027	2.68	35.2	29.4	0.70	391	0.66	2.86	9.6	15.9	520
I345139		2.34	18.70	0.22	3.9	0.030	2.58	36.1	28.7	0.70	384	1.00	2.91	10.2	16.7	530
I345140		1.76	16.30	0.19	4.1	0.023	2.93	34.8	30.3	0.51	292	0.51	2.65	9.9	11.9	370
I345141		1.76	18.40	0.21	4.8	0.024	3.20	36.8	29.2	0.51	302	0.59	2.75	11.8	12.2	380
I345142		1.78	17.20	0.21	4.2	0.020	3.82	32.4	31.3	0.44	289	0.98	2.44	13.4	9.8	300
I345143		0.78	15.75	0.11	3.4	0.010	3.82	23.3	6.1	0.09	149	0.52	2.40	12.3	2.6	60
I345144		1.03	16.00	0.18	3.6	0.013	3.56	31.1	17.8	0.20	213	0.34	2.58	9.7	3.9	170
I345145		1.22	17.50	0.21	4.3	0.019	3.24	29.8	27.1	0.27	233	0.62	2.63	14.1	6.4	230
I345146		1.34	16.65	0.20	4.0	0.016	3.17	31.9	28.6	0.31	244	0.59	2.65	11.0	6.3	270
I345147		1.40	16.75	0.22	4.0	0.015	3.22	33.0	30.2	0.33	234	0.52	2.70	10.4	6.7	280
I345148		1.53	17.15	0.21	4.1	0.016	3.09	31.8	33.3	0.33	238	56.3	2.72	10.5	6.9	300
I345149		1.38	17.80	0.19	4.3	0.018	3.10	30.9	32.9	0.33	223	149.0	2.64	10.8	7.5	300
I345150		4.18	20.9	0.18	1.2	0.012	2.80	7.5	5.4	0.90	253	2.23	5.47	9.2	35.8	710
I345151		1.36	16.40	0.17	3.8	0.017	2.93	30.2	30.0	0.35	235	64.8	2.72	9.6	6.9	290
I345152		1.72	16.25	0.19	3.9	0.027	3.04	31.9	31.3	0.37	293	0.62	2.60	9.5	7.9	310
I345153		1.49	16.00	0.19	4.1	0.016	3.06	33.2	33.8	0.36	243	3.43	2.65	9.3	7.0	310
I345154		1.39	15.85	0.19	3.6	0.015	2.70	31.5	31.3	0.33	226	0.62	2.48	9.1	6.9	280
I345155		1.93	17.50	0.20	4.2	0.028	2.82	31.9	32.3	0.56	328	0.53	2.72	10.7	14.3	410
I345156		1.93	17.25	0.20	4.2	0.026	2.88	31.5	32.0	0.59	326	0.39	2.67	10.9	14.5	430
I345157		1.87	13.25	0.14	3.7	0.025	2.36	30.8	21.3	0.53	329	0.27	2.46	7.6	12.4	410
I345158		1.63	11.15	0.13	2.9	0.019	2.33	27.5	15.5	0.45	331	0.28	1.81	4.7	9.3	360
I345159		1.98	13.00	0.16	4.3	0.025	2.70	29.1	21.5	0.60	360	0.24	2.48	8.0	13.4	440
I345160		1.88	13.10	0.16	4.1	0.024	2.31	29.3	18.3	0.55	382	1.93	2.55	7.7	12.5	400
I345161		1.98	14.05	0.16	4.1	0.026	2.78	32.5	22.6	0.57	348	0.28	2.61	9.4	12.5	430
I345162		1.96	13.40	0.15	4.1	0.025	2.73	31.1	23.7	0.54	331	0.30	2.64	9.2	12.0	430
I345163		1.90	14.00	0.17	3.9	0.027	2.70	34.6	22.1	0.55	335	0.31	2.54	9.5	12.8	430
I345164		1.82	12.75	0.16	3.6	0.019	2.37	31.2	18.9	0.56	296	0.36	2.60	6.3	12.9	410
I345165		1.85	14.65	0.18	4.3	0.025	2.77	30.3	24.8	0.56	332	0.33	2.60	10.0	13.8	420
I345166		1.78	14.40	0.16	3.9	0.024	2.72	31.9	18.0	0.54	294	0.72	2.37	7.8	12.8	390
I345167		1.98	13.85	0.16	3.9	0.034	2.61	31.6	20.2	0.54	367	0.31	2.52	7.6	12.5	440

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345131		28.8	106.0	<0.002	0.04	0.14	7.8	1	1.7	203	0.78	0.30	14.4	0.256	0.54	2.8
I345132		17.0	105.5	<0.002	0.01	0.11	7.6	1	1.6	206	0.76	<0.05	12.4	0.255	0.59	2.6
I345133		20.9	107.0	<0.002	0.04	0.11	7.2	1	1.6	210	0.76	<0.05	11.0	0.250	0.59	2.5
I345134		17.7	112.0	<0.002	0.01	0.09	8.4	1	1.6	224	0.73	<0.05	12.5	0.272	0.63	3.0
I345135		16.7	98.0	<0.002	0.05	0.09	7.2	1	1.4	202	0.68	<0.05	10.9	0.245	0.54	2.5
I345136		15.8	97.2	<0.002	0.01	0.10	8.4	1	1.6	206	0.70	<0.05	9.8	0.259	0.59	2.1
I345137		16.1	95.4	<0.002	0.05	0.12	7.7	1	1.5	212	0.69	<0.05	11.0	0.259	0.52	2.3
I345138		18.1	109.0	<0.002	0.01	0.09	8.1	1	1.5	223	0.84	<0.05	12.2	0.271	0.65	2.8
I345139		17.2	114.5	<0.002	0.01	0.09	8.3	1	1.6	228	0.87	<0.05	13.0	0.270	0.63	3.1
I345140		18.7	127.5	<0.002	0.01	0.07	6.2	1	1.4	163.5	0.90	<0.05	15.6	0.213	0.63	3.6
I345141		22.5	137.0	<0.002	0.01	0.07	6.6	1	1.7	167.0	1.20	<0.05	18.1	0.216	0.69	4.4
I345142		24.8	142.0	<0.002	0.05	0.08	4.9	1	1.8	111.5	1.50	<0.05	22.2	0.214	0.72	5.6
I345143		23.3	148.0	<0.002	0.01	0.09	1.7	1	1.3	43.5	1.67	<0.05	23.5	0.074	0.82	7.1
I345144		22.9	170.5	<0.002	0.02	0.10	2.7	1	1.8	87.9	1.12	<0.05	21.5	0.110	0.86	4.9
I345145		25.2	186.0	<0.002	0.01	0.06	4.2	1	2.5	116.5	1.92	<0.05	20.0	0.137	0.93	5.8
I345146		21.7	161.5	<0.002	0.01	0.06	4.4	1	2.2	132.0	1.33	<0.05	18.8	0.153	0.88	4.2
I345147		21.8	167.5	<0.002	<0.01	0.05	4.5	1	2.1	144.0	1.14	<0.05	18.1	0.161	0.91	4.0
I345148		20.8	163.0	0.006	0.01	0.06	4.4	1	2.3	152.0	1.24	<0.05	16.4	0.170	0.92	3.4
I345149		24.3	154.5	0.016	0.06	0.15	4.7	1	2.3	151.0	1.14	<0.05	16.4	0.167	0.87	3.4
I345150		81.6	610	<0.002	3.30	1.34	3.6	1	1.0	175.5	0.71	<0.05	2.8	0.238	6.46	1.2
I345151		30.6	134.5	0.007	0.04	0.18	4.5	1	1.9	147.0	0.92	<0.05	15.1	0.164	0.68	3.2
I345152		25.4	142.5	<0.002	0.43	0.16	4.7	1	2.3	145.0	0.97	<0.05	15.2	0.171	0.72	3.0
I345153		20.3	163.0	<0.002	0.01	0.07	4.6	1	1.9	153.0	0.85	<0.05	15.6	0.171	0.87	3.5
I345154		18.5	141.5	<0.002	<0.01	0.05	4.3	1	1.9	141.5	0.98	<0.05	14.8	0.154	0.77	2.9
I345155		19.8	138.5	<0.002	<0.01	0.09	6.8	1	2.0	179.0	1.04	<0.05	14.3	0.226	0.77	3.4
I345156		19.9	141.5	<0.002	0.01	0.10	7.2	1	1.9	177.0	1.01	<0.05	14.7	0.238	0.77	3.5
I345157		27.7	85.2	<0.002	0.69	0.38	5.1	2	2.3	149.5	0.78	0.11	12.3	0.207	0.52	3.3
I345158		24.4	69.7	0.002	0.83	0.28	3.9	2	1.6	85.9	0.49	0.18	10.0	0.150	0.42	2.3
I345159		19.2	92.7	0.002	0.18	0.26	5.3	1	1.7	159.5	0.79	<0.05	11.2	0.227	0.68	3.1
I345160		16.5	76.7	<0.002	0.36	0.28	5.1	1	1.8	150.5	0.78	<0.05	11.9	0.208	0.48	3.2
I345161		18.5	108.0	<0.002	0.01	0.12	5.3	2	1.8	174.0	0.95	<0.05	13.1	0.233	0.74	3.5
I345162		18.9	104.5	<0.002	0.10	0.20	5.1	1	1.8	165.0	0.92	<0.05	12.0	0.225	0.73	3.4
I345163		19.1	109.0	<0.002	0.01	0.19	5.5	1	1.8	169.0	0.88	<0.05	12.2	0.232	0.78	3.1
I345164		16.1	84.9	<0.002	0.61	0.35	5.3	1	1.7	126.0	0.64	<0.05	11.9	0.195	0.53	3.1
I345165		19.1	113.0	<0.002	0.06	0.29	5.6	1	1.7	161.0	0.98	<0.05	12.0	0.232	0.72	3.4
I345166		26.3	106.0	0.003	0.18	0.42	5.3	1	1.7	144.0	0.75	<0.05	12.6	0.208	0.64	3.1
I345167		25.4	92.9	<0.002	0.29	0.53	5.4	2	1.7	159.5	0.74	0.10	11.6	0.223	0.58	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345131		40	1.6	15.8	46	159.0
I345132		41	0.9	15.0	49	163.5
I345133		39	1.5	14.3	50	155.5
I345134		43	0.6	15.5	55	171.0
I345135		38	1.5	13.7	46	148.0
I345136		43	0.5	15.3	55	153.5
I345137		41	0.9	14.3	46	168.5
I345138		43	0.6	15.5	52	149.0
I345139		43	0.4	16.4	51	151.0
I345140		30	0.4	14.0	41	142.0
I345141		31	0.5	16.2	39	161.0
I345142		27	1.1	16.1	42	130.0
I345143		5	0.7	15.2	31	83.5
I345144		12	0.5	12.1	23	110.0
I345145		17	0.5	22.1	31	126.0
I345146		19	0.4	19.0	34	132.5
I345147		21	0.4	17.8	35	133.5
I345148		22	0.3	18.1	38	136.0
I345149		21	0.4	18.5	40	153.0
I345150		29	0.2	4.8	41	45.2
I345151		21	1.0	16.2	39	136.5
I345152		24	5.1	15.9	98	130.5
I345153		23	0.3	15.3	36	145.0
I345154		21	0.3	15.5	32	123.5
I345155		35	0.6	15.9	44	146.5
I345156		36	0.6	15.9	44	151.5
I345157		34	22.6	13.1	41	137.0
I345158		26	143.5	10.6	46	104.5
I345159		38	3.1	12.9	48	156.5
I345160		34	10.7	12.9	48	147.0
I345161		37	0.5	14.2	49	140.0
I345162		35	2.1	13.6	44	137.5
I345163		37	0.7	14.5	45	141.5
I345164		36	17.4	13.7	40	128.0
I345165		37	1.8	15.3	45	151.0
I345166		34	5.5	13.8	45	134.5
I345167		36	6.6	13.6	115	144.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184962

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.