ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

CERTIFICATE TB10184963

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345168		0.57	0.060	0.19	6.57	168.5	730	1.51	0.14	1.48	0.14	65.5	5.8	18	1.77	15.6
I345169		0.48	0.400	0.34	4.94	472	500	1.37	0.31	0.91	0.34	50.1	4.3	16	0.81	6.2
I345170		0.71	0.568	0.32	6.37	470	710	1.86	0.39	1.12	0.11	67.6	5.3	14	1.02	12.8
I345171		1.20	0.005	0.05	6.85	24.2	790	1.43	0.10	1.31	0.07	70.4	5.0	14	2.67	9.3
I345172		0.72	0.007	0.02	6.94	12.9	780	1.55	0.07	1.31	0.09	68.1	4.9	14	3.19	4.9
I345173		0.37	0.016	0.04	6.79	21.9	720	1.50	0.09	1.26	0.28	65.5	4.6	12	2.26	6.3
I345174		0.92	<0.005	0.02	6.65	20.1	680	1.46	0.06	1.08	0.04	68.0	3.8	8	2.37	4.8
I345175		0.07	<0.005	0.04	6.59	1.8	940	1.16	0.10	1.30	0.08	29.6	2.4	11	1.77	4.3
I345176		0.35	<0.005	0.04	6.66	39.3	650	1.53	0.09	1.06	0.07	57.2	3.3	10	1.82	14.7
I345177		1.74	<0.005	0.01	6.40	5.2	620	1.28	0.04	1.01	0.03	58.1	3.4	8	2.58	3.8
I345178		1.98	<0.005	<0.01	6.59	2.1	630	1.50	0.04	1.05	0.02	58.7	3.6	8	2.45	4.1
I345179		1.92	<0.005	<0.01	6.64	3.5	680	1.58	0.04	1.17	0.02	62.0	4.1	10	2.41	4.4
I345180		0.86	<0.005	<0.01	6.73	41.4	690	1.55	0.05	1.14	0.03	62.6	3.8	9	2.25	4.8
I345181		0.44	0.312	0.45	7.07	4220	830	1.52	0.80	1.16	1.28	65.5	4.0	9	1.00	16.7
I345182		1.50	<0.005	0.03	6.91	14.2	730	1.44	0.08	1.20	0.04	62.4	4.2	9	2.29	7.4
I345183		1.97	<0.005	<0.01	6.64	23.7	690	1.34	0.05	1.11	0.03	64.9	4.2	11	2.20	5.2
I345184		1.32	<0.005	0.05	6.82	52.7	700	1.94	0.24	1.78	0.05	66.1	8.4	23	10.20	10.7
I345185		0.49	0.060	0.10	7.02	689	720	1.79	0.31	1.80	0.09	67.4	8.7	25	6.13	16.1
I345186		1.01	0.023	0.08	7.11	64.0	750	1.89	0.22	1.66	0.05	65.4	8.3	17	8.54	5.8
I345187		0.92	0.027	0.08	6.77	73.7	650	1.79	0.15	1.60	0.04	70.6	7.3	21	6.91	8.1
I345188		0.88	<0.005	0.05	6.91	124.0	680	1.73	0.11	1.61	0.07	65.2	7.3	18	5.13	4.1
I345189		0.46	1.365	1.26	6.68	4060	620	1.31	3.12	1.71	0.17	61.5	9.2	25	3.88	10.2
I345190		0.83	0.034	0.24	6.74	246	670	1.29	0.71	1.64	0.09	61.0	5.7	16	3.62	13.3
I345191		0.43	0.006	0.06	6.87	115.0	620	1.30	0.12	1.73	0.07	62.8	7.6	23	4.73	4.9
I345192		0.50	<0.005	0.05	6.73	82.2	580	1.46	0.12	1.61	0.08	61.7	9.0	24	4.15	7.6
I345193		0.63	<0.005	0.05	6.90	34.1	630	1.27	0.07	1.73	0.06	62.8	7.8	24	3.93	8.0
I345194		0.43	0.031	0.24	6.74	485	760	1.34	0.17	1.42	0.18	63.3	44.6	24	3.70	95.5
I345195		1.15	<0.005	0.03	7.08	12.6	660	1.37	0.06	1.85	0.05	68.6	8.7	29	3.56	8.0
I345196		1.17	0.153	0.09	7.25	29.0	670	1.43	0.18	1.85	0.06	69.4	8.9	26	3.45	10.9
I345197		0.34	<0.005	0.03	6.89	33.1	610	1.53	0.05	1.70	0.05	69.0	8.1	23	3.39	6.7
I345198		1.06	<0.005	0.06	7.04	4.7	650	1.50	0.07	1.95	0.05	69.7	7.8	26	3.08	10.8
I345199		0.17	<0.005	0.04	6.82	18.6	680	1.22	0.05	1.75	0.04	72.7	7.3	24	2.61	11.6
I345200		0.18	0.006	0.05	6.81	19.5	690	1.23	0.07	1.73	0.07	69.6	7.7	35	2.61	16.3
I345201		0.94	<0.005	0.05	6.82	6.4	650	1.22	0.01	1.90	0.04	70.4	7.6	26	2.73	8.6
I345202		1.87	<0.005	0.04	7.04	17.3	660	1.32	0.01	1.94	0.05	75.3	7.8	27	2.77	10.1
I345203		1.87	<0.005	0.08	7.15	4.0	680	1.43	0.09	2.11	0.05	69.4	7.9	30	2.80	10.4
I345204		1.66	<0.005	0.03	7.03	5.9	710	1.28	0.01	2.01	0.04	76.1	8.0	27	2.69	8.1
I345205		0.83	<0.005	0.05	6.93	17.9	730	1.34	<0.01	2.04	0.04	71.0	8.1	26	2.92	8.3
I345206		1.14	<0.005	0.03	6.91	28.8	740	1.33	0.01	2.04	0.04	70.1	7.9	28	2.88	9.8
I345207		0.57	<0.005	0.03	6.73	18.9	710	1.22	0.03	1.87	0.05	71.3	7.4	24	2.61	10.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345168		1.76	16.85	0.13	4.6	0.028	2.56	32.2	27.0	0.54	338	0.42	2.45	7.2	15.3	430
I345169		1.42	12.75	0.12	3.4	0.025	1.78	28.3	21.2	0.35	206	0.36	1.80	3.2	11.0	280
I345170		1.69	16.95	0.13	4.4	0.020	2.38	34.7	23.6	0.44	263	0.31	2.54	3.7	11.2	370
I345171		1.66	17.75	0.13	4.4	0.021	2.86	35.2	23.5	0.44	277	0.27	2.75	10.4	11.5	360
I345172		1.68	18.25	0.15	4.7	0.022	2.91	33.2	25.5	0.45	282	0.33	2.88	13.5	11.3	380
I345173		1.52	17.20	0.14	4.5	0.020	2.84	32.4	23.2	0.40	252	0.35	2.88	10.9	9.7	340
I345174		1.30	16.85	0.15	4.4	0.014	3.08	33.6	18.7	0.30	196	0.25	2.69	10.1	6.9	270
I345175		1.42	14.35	0.12	1.2	0.018	2.18	14.6	11.1	0.19	583	0.92	2.78	4.7	2.9	190
I345176		1.20	17.00	0.13	4.3	0.015	3.07	29.9	18.5	0.27	203	0.32	2.80	11.4	6.9	260
I345177		1.25	16.45	0.15	4.0	0.011	3.04	30.4	18.2	0.28	189	0.24	2.60	11.0	6.6	250
I345178		1.34	16.85	0.15	4.3	0.013	3.03	31.4	18.9	0.30	205	0.40	2.68	12.7	6.7	270
I345179		1.44	18.15	0.14	4.2	0.019	2.93	32.8	23.1	0.33	261	0.34	2.66	11.8	8.3	290
I345180		1.41	17.50	0.13	4.2	0.016	3.04	33.5	25.2	0.33	256	0.28	2.61	11.1	7.4	300
I345181		1.53	18.30	0.16	4.4	0.042	2.95	32.4	20.9	0.33	222	0.44	2.96	7.1	7.5	310
I345182		1.44	17.70	0.15	4.3	0.019	3.01	32.9	21.2	0.35	267	0.37	2.74	10.0	7.9	320
I345183		1.45	17.30	0.16	4.4	0.018	3.07	32.4	20.9	0.35	268	0.33	2.73	10.4	8.3	310
I345184		2.26	18.25	0.17	4.7	0.029	2.44	31.6	31.6	0.67	414	0.77	2.78	11.4	18.7	520
I345185		2.36	18.45	0.18	4.7	0.038	2.47	32.4	23.5	0.72	427	0.58	2.84	10.9	19.7	550
I345186		2.17	18.10	0.17	4.0	0.027	2.79	31.2	29.9	0.61	375	0.83	2.82	11.5	15.7	500
I345187		2.22	17.30	0.16	5.1	0.030	2.56	33.9	31.4	0.65	379	0.54	2.72	11.4	16.9	510
I345188		2.03	17.50	0.16	5.1	0.026	2.71	31.5	27.8	0.59	359	0.67	2.70	10.7	15.5	470
I345189		2.34	16.75	0.15	4.7	0.039	2.48	32.7	21.6	0.62	379	0.60	2.60	9.6	19.4	460
I345190		1.95	17.40	0.16	4.5	0.028	2.63	31.0	21.1	0.59	369	0.62	2.81	9.8	16.9	480
I345191		2.29	18.60	0.15	4.5	0.032	2.77	30.0	33.4	0.69	403	0.72	2.86	10.8	18.1	510
I345192		2.01	18.30	0.16	4.2	0.032	2.54	30.3	27.3	0.62	360	0.61	2.93	11.3	17.8	480
I345193		2.28	18.35	0.17	4.3	0.030	2.57	31.0	33.7	0.69	415	0.58	2.81	10.7	19.1	530
I345194		3.09	16.75	0.17	4.6	0.030	2.55	30.8	30.0	0.70	362	0.68	2.56	9.8	61.8	530
I345195		2.42	18.10	0.17	4.4	0.034	2.56	31.5	34.2	0.78	449	0.75	2.68	10.9	20.9	550
I345196		2.44	18.70	0.17	4.4	0.034	2.54	32.1	35.5	0.76	433	0.68	2.95	11.2	20.7	570
I345197		2.22	17.80	0.17	4.2	0.034	2.65	32.4	33.7	0.67	395	0.64	2.93	10.7	18.1	520
I345198		2.43	16.55	0.19	4.1	0.022	2.80	31.9	29.1	0.72	434	0.60	2.85	9.9	19.9	520
I345199		2.33	15.95	0.24	4.3	0.019	2.54	36.9	23.6	0.64	384	0.40	3.02	9.5	17.4	520
I345200		2.29	15.65	0.24	4.0	0.022	2.55	33.4	24.2	0.65	381	0.37	2.92	9.3	25.4	500
I345201		2.34	15.80	0.22	4.5	0.019	2.65	35.0	26.9	0.70	410	0.46	2.74	9.8	18.2	520
I345202		2.51	16.20	0.24	3.9	0.020	2.58	38.2	32.7	0.77	417	1.93	2.90	9.9	18.9	550
I345203		2.56	16.95	0.17	4.0	0.032	2.52	33.5	34.9	0.77	447	1.64	2.90	10.3	18.5	570
I345204		2.51	16.30	0.24	5.0	0.018	2.56	36.1	30.7	0.75	434	4.83	2.86	9.6	19.0	550
I345205		2.48	16.70	0.24	4.4	0.021	2.54	32.6	35.6	0.74	426	4.26	3.03	10.2	19.9	570
I345206		2.48	16.70	0.23	4.2	0.020	2.59	32.2	33.4	0.76	428	6.67	3.02	10.1	19.1	560
I345207		2.32	15.65	0.24	4.8	0.019	2.39	33.5	30.4	0.69	400	2.49	2.99	9.3	17.7	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345168		30.6	109.0	<0.002	0.32	0.54	6.2	2	1.9	163.0	0.72	0.09	14.5	0.196	0.59	3.8
I345169		34.0	79.4	<0.002	0.75	0.64	3.9	2	1.5	75.3	0.30	0.65	11.8	0.101	0.37	2.6
I345170		30.6	103.0	<0.002	0.98	0.68	5.2	2	1.9	112.0	0.33	0.56	15.4	0.123	0.52	3.4
I345171		21.2	143.5	<0.002	0.15	0.44	5.2	1	2.0	170.5	0.90	<0.05	16.9	0.200	0.78	3.7
I345172		22.5	148.5	<0.002	0.08	0.37	5.3	1	2.1	179.0	1.19	<0.05	18.3	0.220	0.83	5.2
I345173		24.5	141.5	<0.002	0.15	0.36	4.7	1	2.0	150.0	0.99	<0.05	16.5	0.181	0.73	4.3
I345174		19.7	154.5	<0.002	0.09	0.27	3.7	1	1.8	137.0	1.11	<0.05	16.6	0.160	0.75	3.6
I345175		12.4	62.4	<0.002	<0.01	0.20	5.5	1	1.8	188.5	0.44	<0.05	6.3	0.118	0.40	2.0
I345176		26.3	145.5	<0.002	0.14	0.29	3.5	1	1.9	136.0	1.28	<0.05	18.1	0.151	0.74	4.6
I345177		20.4	156.5	<0.002	0.01	0.10	3.6	1	1.8	129.0	1.17	<0.05	18.4	0.150	0.81	4.9
I345178		20.5	155.0	<0.002	0.01	0.07	3.8	1	1.9	138.5	1.32	<0.05	19.0	0.152	0.81	4.7
I345179		19.5	150.0	<0.002	0.01	0.08	4.3	1	1.9	154.5	1.13	<0.05	18.6	0.169	0.78	4.4
I345180		22.9	139.0	<0.002	0.03	0.20	4.1	1	1.9	152.0	1.08	<0.05	18.1	0.168	0.72	3.8
I345181		96.5	130.0	<0.002	0.53	1.22	4.6	2	2.3	110.0	0.67	0.09	21.2	0.151	0.58	4.0
I345182		19.1	142.0	<0.002	0.06	0.21	4.2	1	1.9	163.0	0.95	<0.05	16.6	0.176	0.76	3.3
I345183		18.4	147.5	<0.002	0.02	0.20	4.4	1	1.9	145.5	0.96	<0.05	18.3	0.181	0.77	3.1
I345184		16.7	109.0	<0.002	0.06	0.57	7.4	1	2.1	211	1.21	<0.05	12.4	0.265	0.63	3.2
I345185		19.6	111.5	<0.002	0.34	0.69	7.9	2	2.2	192.5	1.12	<0.05	12.0	0.273	0.58	3.4
I345186		18.7	124.0	<0.002	0.06	0.62	6.6	1	2.0	210	1.26	<0.05	13.9	0.255	0.64	4.0
I345187		18.0	120.0	<0.002	0.07	0.51	6.8	1	2.1	195.0	1.16	<0.05	13.7	0.258	0.64	3.7
I345188		28.0	118.0	<0.002	0.05	0.46	6.4	1	1.9	215	1.07	<0.05	14.0	0.240	0.59	3.6
I345189		71.3	107.5	<0.002	0.50	2.52	6.4	2	2.0	190.5	0.78	<0.05	14.3	0.232	0.56	3.9
I345190		46.0	105.0	<0.002	0.19	0.55	6.0	1	1.9	207	0.74	<0.05	13.5	0.243	0.56	3.2
I345191		29.0	122.0	<0.002	0.06	0.44	7.8	1	2.0	222	0.81	<0.05	13.1	0.260	0.65	3.1
I345192		25.9	112.5	<0.002	0.07	0.40	7.1	1	2.0	210	0.93	<0.05	15.5	0.240	0.59	3.8
I345193		19.5	115.5	<0.002	0.02	0.31	7.3	1	2.0	209	0.82	<0.05	13.3	0.264	0.69	3.1
I345194		23.1	118.5	<0.002	0.80	0.68	7.4	1	1.9	196.0	0.81	<0.05	13.5	0.253	0.72	3.5
I345195		16.9	119.5	<0.002	0.01	0.14	8.6	1	2.1	209	0.90	<0.05	13.8	0.259	0.68	3.5
I345196		24.1	113.0	<0.002	0.06	0.29	8.2	1	2.1	219	0.85	<0.05	13.2	0.285	0.68	2.9
I345197		15.6	113.0	<0.002	0.03	0.31	7.7	1	2.1	199.5	0.93	<0.05	13.5	0.261	0.63	3.1
I345198		18.3	110.5	<0.002	0.01	0.15	7.9	1	1.8	213	0.91	<0.05	13.9	0.256	0.65	5.0
I345199		14.7	94.8	<0.002	0.10	0.20	7.5	1	1.6	202	0.85	<0.05	13.4	0.256	0.53	3.2
I345200		18.1	97.0	<0.002	0.11	0.26	7.3	1	1.7	195.0	0.79	<0.05	13.6	0.252	0.53	3.3
I345201		15.7	102.5	<0.002	0.01	0.09	7.4	1	1.7	210	0.85	<0.05	13.3	0.261	0.59	3.2
I345202		15.2	106.5	<0.002	0.01	0.21	8.2	1	1.8	219	0.86	<0.05	14.3	0.276	0.59	3.2
I345203		15.7	97.9	<0.002	0.01	0.10	7.9	1	1.8	236	0.88	<0.05	13.2	0.282	0.59	3.1
I345204		15.4	106.0	<0.002	0.01	0.08	8.0	1	1.8	227	1.00	<0.05	14.7	0.270	0.60	3.2
I345205		14.5	100.5	<0.002	0.01	0.15	8.0	1	1.9	237	0.88	<0.05	12.9	0.277	0.60	3.0
I345206		13.8	99.0	<0.002	0.03	0.17	7.9	1	1.8	231	0.88	<0.05	11.8	0.277	0.59	2.9
I345207		13.7	96.7	<0.002	0.01	0.13	7.4	1	1.7	203	0.75	<0.05	13.9	0.260	0.56	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345168		33	16.5	16.0	44	166.0
I345169		21	13.1	9.8	58	123.5
I345170		26	21.3	12.9	29	160.5
I345171		28	4.2	15.7	36	158.5
I345172		27	1.5	17.6	42	165.5
I345173		23	5.1	16.1	59	158.0
I345174		19	1.8	16.5	27	157.5
I345175		14	1.0	18.2	43	30.3
I345176		19	3.7	18.0	28	140.0
I345177		18	0.5	19.1	26	137.5
I345178		19	0.8	21.5	27	144.0
I345179		22	0.6	20.3	30	147.0
I345180		22	0.8	19.9	30	150.5
I345181		26	15.4	20.2	146	154.5
I345182		23	1.9	18.0	31	153.5
I345183		24	0.6	19.0	31	161.5
I345184		42	3.7	18.0	48	175.5
I345185		43	13.7	18.8	41	177.0
I345186		40	2.8	17.5	44	143.0
I345187		41	2.0	17.9	45	191.5
I345188		37	2.0	16.8	43	188.0
I345189		37	9.5	17.4	48	169.5
I345190		37	5.7	15.9	35	169.5
I345191		42	0.7	17.0	48	168.0
I345192		39	2.4	17.4	43	153.0
I345193		43	0.6	17.9	47	159.0
I345194		42	1.4	16.7	53	169.0
I345195		46	0.8	20.5	50	166.0
I345196		46	1.9	18.9	49	167.5
I345197		42	0.5	18.4	45	158.0
I345198		44	0.6	17.0	53	141.0
I345199		43	1.3	15.7	41	153.5
I345200		42	1.5	15.4	55	140.5
I345201		43	0.5	16.3	52	158.0
I345202		46	0.5	17.3	52	140.5
I345203		47	0.4	18.1	54	148.5
I345204		45	0.4	17.3	53	183.0
I345205		47	0.5	17.1	53	162.5
I345206		47	0.8	16.8	51	146.0
I345207		43	0.4	15.7	48	175.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345208		1.79	<0.005	0.03	6.97	7.0	810	1.26	0.02	1.96	0.05	81.7	7.8	29	2.97	8.9
I345209		1.71	<0.005	0.03	6.91	1.4	800	1.24	0.01	1.87	0.04	79.0	7.3	25	2.76	8.6
I345210		1.75	<0.005	0.05	7.15	8.6	780	1.31	0.01	1.95	0.04	80.9	8.0	26	3.01	9.4
I345211		1.77	<0.005	0.02	7.36	7.7	730	1.47	0.01	2.15	0.06	85.8	8.5	30	3.20	9.6
I345212		0.49	<0.005	0.05	6.87	22.6	780	1.21	0.01	1.82	0.04	75.0	7.4	25	2.77	8.3
I345213		0.75	<0.005	0.04	7.07	57.1	730	1.36	0.02	2.03	0.07	76.1	7.6	24	3.11	11.9
I345214		0.58	<0.005	0.03	6.79	23.3	770	1.22	0.01	1.92	0.04	76.3	7.5	25	3.23	8.5
I345215		0.62	<0.005	0.04	7.03	21.2	790	1.28	0.01	2.00	0.05	74.7	8.5	27	3.25	11.1
I345216		0.59	<0.005	0.02	7.30	25.2	810	1.27	<0.01	2.07	0.05	80.8	7.2	22	3.17	7.0
I345217		0.65	<0.005	0.02	7.32	31.1	790	1.25	<0.01	1.94	0.04	83.4	7.6	26	3.22	9.2
I345218		0.65	<0.005	0.03	7.27	54.7	760	1.30	<0.01	1.86	0.04	77.0	7.5	24	2.90	8.5
I345219		0.65	<0.005	0.03	7.03	59.4	720	1.36	0.02	1.96	0.05	77.0	10.0	29	3.06	10.9
I345220		0.37	0.638	0.03	6.79	2150	730	1.30	0.12	1.85	0.06	73.0	8.9	27	2.73	11.6
I345221		0.82	<0.005	0.04	7.04	27.0	730	1.26	0.01	1.93	0.05	79.4	8.1	24	3.21	9.7
I345222		0.35	<0.005	0.03	7.27	43.7	770	1.35	0.01	1.98	0.04	90.3	8.7	24	3.03	8.9
I345223		0.89	<0.005	0.04	6.84	5.6	770	1.23	0.01	1.88	0.04	87.7	7.6	24	2.78	9.1
I345224		0.85	<0.005	0.03	6.81	31.8	760	1.20	0.02	1.92	0.04	82.7	7.2	23	2.56	8.7
I345225		0.03	3.40	0.14	1.53	1.4	110	0.30	0.11	0.01	0.13	19.45	1.1	10	0.62	5.9
I345226		0.42	0.006	0.03	7.20	83.3	670	1.33	0.03	1.98	0.04	81.9	7.4	27	2.54	5.8
I345227		1.19	<0.005	0.03	7.06	17.4	740	1.34	0.02	2.14	0.05	82.1	8.7	31	2.60	9.5
I345228		1.31	<0.005	0.05	7.38	2.3	770	1.61	0.02	2.20	0.05	84.6	9.7	30	3.01	10.7
I345229		0.38	<0.005	0.17	7.09	7.7	780	1.32	0.08	2.02	0.06	68.6	8.1	28	2.70	10.3
I345230		1.78	<0.005	0.04	7.00	4.7	820	1.52	0.02	2.02	0.05	75.7	8.4	27	2.60	9.1
I345231		1.00	<0.005	0.03	6.68	3.6	800	1.27	0.01	1.99	0.04	81.1	8.8	25	2.85	8.5
I345232		0.73	<0.005	0.04	7.06	25.0	890	1.41	0.04	1.89	0.03	79.2	10.6	24	2.54	12.6
I345233		0.76	<0.005	0.02	6.91	20.6	800	1.33	0.01	2.08	0.05	84.6	8.0	24	2.83	7.7
I345234		1.53	<0.005	<0.01	7.22	13.7	800	1.27	0.07	1.97	0.06	75.4	7.8	30	2.97	13.8
I345235		0.43	<0.005	<0.01	7.05	18.7	790	1.03	0.06	1.82	0.06	74.7	6.9	27	2.56	8.0
I345236		0.80	<0.005	<0.01	6.97	21.6	720	1.02	0.05	2.06	0.05	55.3	5.6	27	2.15	14.7
I345237		0.81	<0.005	<0.01	7.36	10.0	1000	0.86	0.06	2.00	0.05	64.6	6.9	28	2.52	8.4
I345238		1.18	<0.005	0.03	6.62	2.8	880	1.12	0.05	1.38	0.03	57.8	4.8	18	2.77	7.2
I345239		0.98	<0.005	<0.01	6.96	6.4	1100	1.09	0.05	1.51	0.05	62.2	4.9	19	2.47	11.4
I345240		0.38	<0.005	<0.01	7.02	13.7	600	1.55	0.06	1.64	0.03	58.8	5.8	25	3.11	9.8
I345241		0.59	<0.005	<0.01	7.05	12.1	710	1.23	0.07	1.87	0.04	61.2	6.6	24	3.11	10.5
I345242		0.92	0.005	<0.01	6.53	10.7	240	2.96	0.12	0.76	0.05	52.9	2.8	15	2.36	8.6
I345243		1.18	<0.005	0.02	7.36	15.8	720	1.43	0.06	1.95	0.05	82.0	6.7	27	3.63	12.2
I345244		0.34	0.117	<0.01	6.98	26.8	420	2.71	0.17	1.21	0.05	57.0	4.6	16	3.47	13.4
I345245		0.49	0.007	<0.01	7.01	29.2	630	2.16	0.11	1.54	0.06	73.2	6.6	17	2.62	9.9
I345246		0.35	0.013	<0.01	7.24	39.8	670	2.13	0.18	1.91	0.06	79.7	9.7	27	4.43	12.8
I345247		0.73	0.135	0.02	7.21	86.9	750	1.68	0.12	1.91	0.14	79.2	8.2	26	2.44	14.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345208		2.46	16.15	0.22	4.6	0.021	2.70	42.4	30.5	0.71	428	0.83	2.84	9.8	18.6	540
I345209		2.34	15.90	0.23	4.3	0.018	2.82	40.9	24.1	0.64	402	0.76	2.82	9.7	16.5	510
I345210		2.47	16.85	0.22	4.7	0.023	2.77	41.2	29.3	0.72	431	0.38	2.94	10.1	18.6	550
I345211		2.61	17.35	0.26	5.4	0.024	2.58	44.2	26.0	0.77	457	0.56	2.97	11.2	20.4	580
I345212		2.31	16.30	0.22	4.6	0.019	2.82	37.5	26.7	0.67	396	0.47	2.80	9.8	17.0	510
I345213		2.50	16.25	0.26	4.5	0.023	2.62	39.1	29.9	0.76	435	0.46	2.93	10.0	18.5	600
I345214		2.49	16.30	0.23	4.5	0.024	2.62	38.8	34.5	0.73	422	0.40	2.86	11.2	19.2	580
I345215		2.49	16.85	0.24	4.9	0.022	2.66	37.7	33.6	0.73	426	0.46	2.93	10.8	21.0	550
I345216		2.41	17.10	0.26	4.7	0.019	2.83	41.3	31.9	0.70	412	0.44	3.13	10.2	17.9	550
I345217		2.49	17.10	0.26	4.9	0.022	2.91	42.7	33.4	0.73	425	0.48	2.98	10.4	19.7	550
I345218		2.23	17.00	0.24	4.7	0.021	3.01	38.9	30.8	0.68	380	0.44	3.10	10.2	16.9	520
I345219		2.50	17.00	0.23	5.0	0.023	2.67	38.3	34.2	0.74	410	0.50	3.08	10.8	21.1	570
I345220		2.52	16.15	0.21	4.7	0.022	2.58	36.9	27.2	0.71	398	0.69	2.94	10.1	18.5	530
I345221		2.50	16.45	0.24	4.6	0.020	2.68	40.5	31.2	0.71	424	0.75	2.76	10.5	18.8	550
I345222		2.57	16.90	0.25	5.0	0.022	2.64	46.6	29.0	0.72	428	0.83	3.08	10.4	19.0	570
I345223		2.35	15.90	0.23	4.2	0.021	2.63	45.3	26.9	0.67	402	0.67	2.68	9.7	17.7	530
I345224		2.34	15.75	0.25	4.0	0.021	2.59	42.6	27.9	0.66	403	1.59	2.84	9.6	16.8	530
I345225		1.35	3.45	0.11	0.6	<0.005	0.16	11.1	17.1	0.02	104	0.80	0.03	3.4	5.6	50
I345226		2.59	16.95	0.26	5.0	0.024	2.44	40.8	28.8	0.75	438	0.88	3.46	11.1	18.7	590
I345227		2.65	17.15	0.27	5.1	0.023	2.55	41.1	28.9	0.79	451	0.88	2.88	10.7	20.9	610
I345228		2.83	17.75	0.27	5.1	0.026	2.56	42.3	29.0	0.84	482	1.10	2.98	12.5	21.8	640
I345229		2.72	16.75	0.17	4.3	0.034	2.46	33.4	27.1	0.78	446	0.69	3.07	11.3	18.8	630
I345230		2.58	17.05	0.24	4.8	0.025	2.57	37.7	27.9	0.74	434	0.66	2.90	11.7	19.0	600
I345231		2.54	16.30	0.24	4.5	0.025	2.46	40.9	28.2	0.74	432	0.67	2.66	10.2	19.4	590
I345232		2.60	17.65	0.26	4.6	0.029	2.47	40.6	27.5	0.72	389	0.78	3.05	10.3	22.0	570
I345233		2.42	16.45	0.28	4.8	0.022	2.48	44.1	32.0	0.70	414	0.53	2.94	10.3	18.4	570
I345234		2.43	17.25	0.13	4.6	0.033	2.60	36.4	29.2	0.70	402	0.54	2.92	10.5	21.9	570
I345235		2.35	15.15	0.13	4.0	0.030	2.74	37.8	27.1	0.67	371	0.49	2.81	9.4	17.1	520
I345236		2.17	14.85	0.11	4.4	0.028	2.64	26.2	24.4	0.68	428	0.52	2.97	8.9	15.1	520
I345237		2.52	14.10	0.12	3.8	0.027	2.70	31.5	27.0	0.72	414	0.56	2.82	8.1	17.1	590
I345238		1.80	13.55	0.09	4.0	0.016	2.86	29.1	19.5	0.45	278	1.54	2.64	9.1	10.9	390
I345239		1.89	14.05	0.10	3.4	0.018	3.06	30.6	21.3	0.49	316	1.22	2.73	8.5	11.3	390
I345240		2.17	15.60	0.11	4.1	0.025	2.72	27.5	26.4	0.62	364	6.95	3.02	11.3	14.6	490
I345241		2.39	15.05	0.11	4.2	0.026	2.58	29.5	31.9	0.67	395	1.04	2.85	9.9	15.7	540
I345242		1.14	17.95	0.12	5.5	0.014	3.04	23.2	11.5	0.23	205	1.02	3.02	19.6	6.4	170
I345243		2.48	17.50	0.14	4.7	0.031	2.59	38.7	27.5	0.71	419	0.97	2.98	12.0	17.2	580
I345244		1.55	18.10	0.11	4.8	0.021	2.92	26.4	18.7	0.37	275	1.37	3.10	16.4	10.3	290
I345245		2.21	19.05	0.15	6.2	0.038	2.74	33.1	22.5	0.50	393	1.21	3.02	16.7	10.4	480
I345246		2.43	19.80	0.16	5.1	0.034	2.55	37.0	35.3	0.71	425	1.72	2.82	14.2	20.5	560
I345247		2.38	19.10	0.15	5.6	0.031	2.76	37.3	28.0	0.69	405	1.46	2.81	9.9	19.0	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345208		16.8	113.0	<0.002	0.01	0.14	8.1	1	1.8	216	0.82	<0.05	15.6	0.268	0.66	3.2
I345209		17.3	114.5	<0.002	0.01	0.06	7.4	1	1.7	209	0.85	<0.05	14.3	0.259	0.67	3.2
I345210		16.3	108.0	<0.002	0.01	0.08	8.2	1	1.9	225	0.84	<0.05	14.4	0.278	0.67	3.1
I345211		17.4	104.0	<0.002	0.01	0.07	9.1	1	1.9	238	1.14	<0.05	15.1	0.283	0.63	4.0
I345212		16.2	104.0	<0.002	0.02	0.12	7.4	1	1.7	216	0.83	<0.05	13.4	0.260	0.64	2.7
I345213		15.2	104.0	<0.002	0.09	0.20	8.4	1	1.8	241	0.79	<0.05	13.3	0.283	0.58	2.8
I345214		14.5	99.7	<0.002	0.01	0.18	8.4	1	1.9	231	0.87	<0.05	11.7	0.292	0.62	2.4
I345215		18.5	101.5	<0.002	0.01	0.19	8.0	1	1.9	236	0.95	<0.05	12.4	0.279	0.62	3.2
I345216		16.0	108.0	<0.002	0.01	0.19	8.3	1	1.8	245	0.82	<0.05	12.5	0.274	0.65	2.8
I345217		15.3	112.0	<0.002	0.03	0.19	8.4	1	1.9	240	0.78	<0.05	14.2	0.281	0.63	2.8
I345218		14.2	105.5	<0.002	0.04	0.19	7.7	1	1.8	231	0.88	<0.05	14.1	0.261	0.59	2.7
I345219		17.1	98.6	<0.002	0.05	0.19	8.1	1	1.8	230	0.94	<0.05	15.3	0.288	0.61	4.1
I345220		17.8	94.0	<0.002	0.23	0.76	7.9	1	1.7	206	0.90	0.06	13.7	0.270	0.56	3.5
I345221		16.1	101.0	<0.002	0.01	0.12	7.8	1	1.8	223	1.03	<0.05	13.8	0.284	0.62	3.3
I345222		16.3	100.5	<0.002	0.02	0.18	8.3	1	1.8	232	0.94	<0.05	15.8	0.289	0.60	3.7
I345223		15.2	95.4	<0.002	<0.01	0.06	7.9	1	1.6	214	0.87	<0.05	14.3	0.266	0.56	3.3
I345224		15.6	93.6	<0.002	0.02	0.15	8.0	1	1.6	211	0.83	<0.05	12.4	0.265	0.57	3.0
I345225		28.7	15.0	<0.002	1.04	0.51	1.4	1	1.3	13.8	0.28	<0.05	3.6	0.091	0.43	0.5
I345226		14.3	93.4	<0.002	0.04	0.24	8.6	1	1.9	230	0.81	<0.05	13.1	0.298	0.56	1.5
I345227		16.6	94.6	<0.002	0.01	0.11	8.9	1	1.8	239	0.82	<0.05	15.1	0.305	0.59	3.2
I345228		17.1	99.8	<0.002	0.01	0.08	9.6	1	2.0	251	1.19	<0.05	14.6	0.325	0.63	4.5
I345229		16.9	86.8	<0.002	0.01	0.20	8.2	1	1.8	240	0.88	<0.05	12.8	0.309	0.56	3.2
I345230		16.5	94.2	<0.002	0.01	0.16	8.8	1	1.8	240	1.12	<0.05	12.4	0.300	0.58	3.9
I345231		14.8	95.2	<0.002	0.01	0.10	8.8	1	1.8	240	0.83	<0.05	10.8	0.294	0.62	2.4
I345232		13.8	97.4	<0.002	0.27	0.18	9.4	1	2.0	227	0.85	<0.05	12.8	0.286	0.59	3.4
I345233		15.5	100.0	<0.002	0.01	0.21	8.8	1	1.7	231	0.92	<0.05	13.7	0.282	0.60	3.1
I345234		18.1	95.6	<0.002	0.02	0.23	7.1	1	1.7	224	0.98	<0.05	11.7	0.279	0.65	2.8
I345235		16.0	95.6	<0.002	0.07	0.18	6.4	1	1.5	220	0.76	<0.05	13.0	0.270	0.55	2.5
I345236		12.3	86.0	<0.002	0.10	0.17	6.0	1	1.5	200	0.78	<0.05	10.2	0.271	0.51	2.5
I345237		12.4	84.1	<0.002	0.01	0.14	6.3	1	1.3	239	0.54	<0.05	7.4	0.296	0.53	1.4
I345238		15.8	109.0	<0.002	<0.01	0.08	3.9	1	1.2	168.0	1.01	<0.05	12.8	0.223	0.64	3.6
I345239		16.9	111.0	<0.002	0.05	0.09	4.6	1	1.4	182.5	1.09	<0.05	11.8	0.212	0.63	2.8
I345240		16.2	125.5	0.002	0.01	0.15	5.2	1	1.8	183.5	1.33	<0.05	15.0	0.258	0.69	4.2
I345241		15.4	115.0	<0.002	0.04	0.16	5.8	1	1.6	214	1.04	<0.05	11.7	0.275	0.72	3.1
I345242		28.8	189.0	<0.002	0.06	0.17	3.0	1	2.5	79.5	3.43	<0.05	30.4	0.109	0.74	12.6
I345243		17.8	117.5	<0.002	0.02	0.20	5.8	1	2.0	220	1.25	<0.05	14.8	0.283	0.74	4.0
I345244		22.0	164.0	<0.002	0.06	0.28	4.1	1	2.6	138.5	2.67	<0.05	21.6	0.164	0.71	8.5
I345245		21.3	128.0	<0.002	0.10	0.28	6.5	1	2.5	165.0	2.05	<0.05	16.5	0.278	0.65	5.9
I345246		17.6	133.0	<0.002	0.08	0.31	7.5	1	2.5	210	1.86	<0.05	15.7	0.283	0.78	5.1
I345247		24.8	104.5	<0.002	0.51	0.53	7.4	1	1.9	210	1.08	<0.05	15.8	0.264	0.57	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345208		44	0.5	16.9	51	162.5
I345209		42	0.4	16.0	49	151.5
I345210		45	0.4	16.9	53	168.5
I345211		48	0.4	20.1	55	182.5
I345212		43	0.5	15.3	49	164.5
I345213		48	1.6	16.9	50	159.5
I345214		47	0.3	16.7	53	167.5
I345215		47	0.4	16.9	55	175.0
I345216		45	0.4	16.5	51	167.0
I345217		46	0.5	17.1	50	172.5
I345218		44	0.8	15.7	44	162.0
I345219		47	0.8	17.4	50	171.0
I345220		46	7.3	16.9	41	165.5
I345221		47	0.5	17.5	53	160.0
I345222		47	0.5	18.2	54	178.0
I345223		44	0.4	17.1	50	148.0
I345224		44	0.5	16.9	48	141.0
I345225		9	0.9	2.5	15	18.6
I345226		48	0.6	18.5	51	187.5
I345227		50	0.7	18.3	56	183.5
I345228		54	0.9	21.3	60	178.5
I345229		50	0.8	19.2	56	165.5
I345230		49	1.1	19.5	54	173.5
I345231		49	0.6	17.4	53	169.0
I345232		53	3.4	18.2	43	163.5
I345233		46	1.1	18.2	49	169.0
I345234		47	0.6	17.2	56	178.0
I345235		44	2.0	15.6	47	155.0
I345236		43	3.5	14.5	37	177.0
I345237		46	0.8	13.7	50	166.0
I345238		31	0.9	12.8	34	148.0
I345239		33	1.4	13.6	36	123.5
I345240		40	1.9	17.1	42	149.0
I345241		44	1.9	15.4	46	160.5
I345242		14	2.1	23.3	22	127.5
I345243		47	2.8	18.8	48	167.5
I345244		23	4.9	20.4	29	131.0
I345245		33	10.4	23.7	42	226
I345246		46	10.6	23.1	48	176.0
I345247		45	10.6	19.3	49	207

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345248		0.70	0.135	0.13	7.25	1555	770	1.67	0.14	1.96	0.12	83.9	9.5	28	2.30	15.7
I345249		0.49	0.628	2.11	6.43	1850	720	1.48	3.60	3.01	0.79	61.6	7.9	24	2.63	16.0
I345250		0.06	0.005	0.02	6.53	1.9	920	1.21	0.11	1.32	0.08	30.4	2.5	14	1.91	4.9
I345251		0.59	0.075	0.07	7.08	76.5	790	1.56	0.08	1.78	0.12	74.9	7.9	25	3.38	11.5
I345252		0.61	0.005	<0.01	7.19	66.1	790	1.43	0.05	1.76	0.06	75.5	6.6	26	3.09	5.7
I345253		0.75	0.109	0.05	7.23	117.0	840	1.58	0.08	1.77	0.10	83.2	7.0	28	2.94	6.4
I345254		0.95	6.85	0.67	7.79	5500	940	2.14	0.42	1.88	0.33	83.2	8.9	29	2.85	17.1
I345255		1.41	0.009	<0.01	6.98	30.7	740	1.49	0.06	1.75	0.06	80.0	7.9	25	2.92	9.6
I345256		0.35	0.035	<0.01	6.99	53.1	760	1.34	0.08	1.70	0.06	79.4	6.4	29	2.71	9.8
I345257		1.69	0.006	<0.01	6.91	18.6	720	1.39	0.05	1.74	0.04	70.7	7.1	28	2.89	9.3
I345258		1.74	0.011	<0.01	7.54	9.6	780	1.55	0.06	2.02	0.05	77.1	8.2	30	3.31	10.1
I345259		0.35	0.018	<0.01	7.14	28.8	560	1.57	0.07	1.96	0.05	66.0	8.0	28	2.56	9.4
I345260		1.03	<0.005	<0.01	7.24	7.6	760	1.59	0.05	1.91	0.05	73.2	7.9	27	3.37	10.1
I345261		1.85	<0.005	<0.01	7.36	14.0	740	1.32	0.06	1.94	0.03	69.8	7.1	30	2.93	9.2
I345262		1.36	<0.005	<0.01	7.22	36.7	760	1.45	0.08	1.84	0.04	76.3	7.2	27	3.30	10.1
I345263		0.37	<0.005	<0.01	6.94	69.8	900	1.21	0.08	1.59	0.03	68.9	5.8	27	2.29	7.6
I345264		1.31	<0.005	<0.01	6.94	17.8	720	1.18	0.05	1.87	0.04	60.4	6.2	25	2.83	8.2
I345265		1.19	<0.005	<0.01	6.93	12.5	640	1.41	0.05	1.91	0.04	65.3	7.5	27	3.03	10.5
I345266		1.78	<0.005	<0.01	6.82	3.4	680	1.27	0.04	1.83	0.04	67.9	6.7	27	2.76	8.8
I345267		0.83	<0.005	<0.01	7.21	7.5	700	1.19	0.04	1.87	0.03	59.0	6.2	27	2.69	7.6
I345268		0.38	0.064	<0.01	7.10	29.3	700	1.39	0.06	1.91	0.04	85.8	7.7	26	3.23	14.6
I345269		0.50	<0.005	<0.01	6.80	29.9	690	1.46	0.06	1.86	0.04	82.5	8.0	25	3.12	14.7
I345270		1.71	<0.005	0.04	7.76	6.3	740	1.50	0.05	2.13	0.05	69.9	7.6	25	3.26	13.4
I345271		1.73	<0.005	0.03	7.57	7.7	730	1.57	0.04	2.07	0.04	74.8	7.5	25	3.36	9.9
I345272		1.21	<0.005	0.05	7.79	178.5	730	1.45	0.05	2.02	0.03	69.9	6.6	22	3.40	10.8
I345273		0.74	0.005	0.03	7.42	106.5	620	1.39	0.05	1.97	0.03	60.7	4.3	20	2.78	5.9
I345274		0.17	<0.005	0.04	7.32	85.0	580	1.37	0.05	2.01	0.06	67.3	6.0	23	2.81	12.6
I345275		0.15	<0.005	0.05	6.95	81.3	560	1.31	0.05	1.88	0.05	68.5	6.6	29	3.11	12.5
I345276		1.22	<0.005	0.04	7.44	15.2	700	1.22	0.04	1.86	0.04	72.0	6.8	23	3.20	8.7
I345277		0.38	0.036	0.07	6.91	242	680	1.38	0.06	1.63	0.04	66.8	5.6	20	2.62	15.6
I345278		1.77	<0.005	0.03	7.54	19.0	730	1.37	0.04	1.96	0.05	72.9	6.9	22	3.49	7.7
I345279		0.36	<0.005	0.05	7.61	25.0	810	1.32	0.06	1.92	0.06	73.6	7.4	27	3.40	12.3
I345280		0.93	<0.005	0.06	7.77	6.3	800	1.44	0.05	2.01	0.04	75.9	7.1	26	3.61	8.6
I345281		1.81	<0.005	0.03	7.51	25.4	590	1.49	0.05	1.95	0.03	68.8	6.7	23	3.13	9.8
I345282		1.76	<0.005	0.04	8.06	5.6	810	1.47	0.05	2.16	0.05	84.0	7.8	26	3.35	9.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345248		2.41	18.80	0.15	4.9	0.040	2.90	41.2	28.1	0.74	433	0.79	2.56	8.5	20.8	560
I345249		2.09	16.15	0.14	4.6	0.033	2.65	29.3	25.0	0.60	369	0.88	2.20	7.2	16.8	500
I345250		1.43	14.35	0.10	1.2	0.015	2.26	14.9	12.1	0.19	569	1.06	2.76	4.9	2.9	180
I345251		2.16	17.95	0.14	5.0	0.031	2.84	35.1	27.7	0.65	371	0.60	2.64	9.9	18.3	500
I345252		2.22	18.30	0.15	4.7	0.030	2.82	35.6	29.5	0.65	365	0.38	2.78	11.2	18.4	500
I345253		2.29	17.85	0.15	5.0	0.031	2.86	40.4	31.1	0.68	382	0.54	2.60	10.1	18.9	500
I345254		2.83	24.3	0.16	5.6	0.055	3.33	40.6	43.5	0.86	506	0.64	2.19	8.7	17.9	570
I345255		2.18	18.00	0.13	5.0	0.031	2.64	37.4	31.4	0.64	381	0.44	2.88	11.1	18.4	490
I345256		2.14	16.60	0.14	4.6	0.031	2.61	38.9	31.1	0.63	383	0.43	3.00	9.9	16.4	470
I345257		2.18	17.65	0.13	4.9	0.030	2.65	33.4	31.4	0.65	378	0.45	2.94	11.4	18.1	500
I345258		2.53	19.20	0.15	4.7	0.032	2.87	36.3	32.2	0.72	430	0.54	3.04	11.5	20.0	570
I345259		2.46	18.25	0.13	5.1	0.033	2.27	30.2	28.4	0.76	408	0.38	3.12	11.5	19.8	580
I345260		2.39	17.70	0.14	4.9	0.029	2.63	35.2	29.5	0.68	393	0.39	2.88	11.0	18.6	550
I345261		2.40	16.10	0.13	4.2	0.027	2.62	34.0	26.1	0.71	404	0.45	2.87	10.0	17.8	540
I345262		2.33	17.40	0.14	4.4	0.031	2.63	37.4	30.4	0.67	385	0.37	2.80	10.4	18.2	510
I345263		2.16	14.90	0.12	4.3	0.025	2.75	33.1	23.2	0.62	363	1.34	3.01	8.6	14.8	530
I345264		2.24	14.25	0.12	3.7	0.020	2.40	28.5	25.3	0.63	370	0.31	2.79	8.6	14.4	510
I345265		2.32	16.65	0.13	4.4	0.029	2.47	30.2	29.2	0.66	389	0.47	2.77	10.2	17.8	550
I345266		2.22	14.90	0.13	4.1	0.026	2.39	33.1	27.0	0.63	368	0.32	2.58	8.9	16.2	500
I345267		2.29	14.05	0.11	3.6	0.023	2.60	28.4	25.8	0.65	383	0.39	2.73	8.7	15.0	520
I345268		2.33	17.05	0.15	4.3	0.031	2.54	41.3	33.2	0.68	390	4.76	2.84	10.6	17.9	540
I345269		2.27	17.60	0.14	5.1	0.030	2.51	38.9	33.2	0.66	384	4.65	2.84	10.9	18.4	520
I345270		2.52	16.90	0.15	4.6	0.028	2.64	34.7	34.4	0.73	417	8.99	3.04	11.2	17.9	580
I345271		2.50	17.00	0.15	4.8	0.033	2.56	39.4	34.5	0.72	404	0.51	2.99	11.4	18.0	580
I345272		2.42	16.95	0.15	4.9	0.031	2.67	35.9	35.6	0.71	391	0.41	2.99	10.6	17.2	560
I345273		2.19	15.30	0.15	4.8	0.028	2.48	29.8	33.2	0.67	392	0.34	3.02	9.7	14.0	540
I345274		2.20	15.95	0.16	4.3	0.028	2.39	33.9	33.7	0.62	383	0.50	3.39	10.7	15.9	530
I345275		2.36	15.95	0.14	4.5	0.030	2.33	35.2	35.9	0.66	390	0.49	3.25	11.0	18.3	550
I345276		2.28	15.60	0.17	4.6	0.027	2.74	38.5	31.8	0.65	377	0.41	2.75	9.9	15.8	500
I345277		2.08	14.60	0.14	3.9	0.029	2.41	35.2	27.0	0.63	342	0.76	2.77	8.5	16.5	470
I345278		2.33	15.65	0.15	4.1	0.031	2.58	39.2	34.4	0.68	384	0.43	2.87	10.5	16.4	520
I345279		2.45	15.75	0.16	4.0	0.032	2.91	39.5	37.4	0.73	412	1.01	3.06	10.4	19.8	530
I345280		2.44	16.45	0.16	4.5	0.030	2.73	40.2	35.2	0.69	407	0.82	2.99	10.7	18.4	550
I345281		2.39	16.30	0.17	4.4	0.030	2.47	36.4	31.0	0.67	385	0.40	2.98	10.5	16.7	530
I345282		2.60	17.00	0.16	4.9	0.031	2.70	45.8	34.7	0.74	425	0.41	3.08	10.8	18.7	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345248		26.9	105.0	<0.002	0.49	0.88	7.5	1	1.9	197.0	0.84	0.06	16.3	0.255	0.58	3.6
I345249		87.0	92.7	0.002	0.59	1.06	6.1	1	1.6	159.5	0.75	0.22	12.5	0.205	0.54	3.5
I345250		12.8	66.5	<0.002	<0.01	0.20	5.2	1	1.8	182.0	0.50	<0.05	6.2	0.116	0.43	2.0
I345251		24.7	111.5	<0.002	0.22	0.54	6.9	1	1.9	195.0	1.01	<0.05	14.7	0.251	0.67	3.7
I345252		18.6	118.5	<0.002	0.05	0.43	7.0	1	1.8	213	1.18	<0.05	14.6	0.263	0.73	3.7
I345253		27.7	129.0	<0.002	0.27	0.52	7.9	1	2.0	197.0	1.05	<0.05	16.5	0.247	0.72	4.2
I345254		65.5	128.0	<0.002	0.76	1.83	8.1	2	2.5	150.0	0.90	0.20	16.6	0.247	0.63	4.6
I345255		17.0	114.5	<0.002	0.05	0.26	6.9	1	1.8	198.0	1.24	<0.05	15.0	0.255	0.71	3.9
I345256		15.3	112.5	<0.002	0.17	0.31	6.9	1	1.8	174.0	0.99	<0.05	13.9	0.240	0.68	3.4
I345257		17.3	111.5	<0.002	0.02	0.25	6.6	1	1.8	196.5	1.30	<0.05	14.4	0.259	0.70	4.0
I345258		19.0	122.0	<0.002	0.02	0.14	7.3	1	2.0	225	1.18	<0.05	15.1	0.290	0.79	3.5
I345259		14.8	93.4	<0.002	0.05	0.26	7.0	1	2.0	224	1.19	<0.05	14.5	0.283	0.58	4.0
I345260		16.9	115.0	<0.002	0.01	0.10	7.0	1	1.9	222	1.09	<0.05	13.9	0.279	0.75	3.5
I345261		15.0	112.0	<0.002	0.01	0.11	6.6	1	1.7	221	1.04	<0.05	13.6	0.274	0.65	3.3
I345262		17.5	120.5	<0.002	0.05	0.17	6.9	1	1.9	218	1.06	<0.05	14.7	0.265	0.74	3.8
I345263		13.1	97.5	<0.002	0.04	0.23	6.2	1	1.7	194.5	0.79	<0.05	11.1	0.259	0.56	2.9
I345264		13.3	90.0	<0.002	0.02	0.13	5.4	1	1.4	214	0.94	<0.05	11.5	0.262	0.55	2.7
I345265		15.8	102.5	<0.002	0.01	0.09	6.6	1	1.7	215	1.11	<0.05	12.2	0.264	0.66	3.3
I345266		14.4	102.0	<0.002	0.01	0.08	6.3	1	1.5	206	0.85	<0.05	11.7	0.252	0.61	2.9
I345267		13.5	96.7	<0.002	0.02	0.12	5.6	1	1.4	212	0.96	<0.05	10.8	0.264	0.59	3.0
I345268		14.2	113.0	0.002	0.03	0.20	6.8	1	1.8	218	1.12	<0.05	14.9	0.268	0.69	3.9
I345269		14.5	107.5	0.002	0.03	0.20	6.6	1	1.8	215	1.22	<0.05	14.6	0.267	0.69	3.7
I345270		17.2	114.0	0.002	0.01	0.15	7.8	1	1.7	238	1.23	<0.05	13.8	0.290	0.70	4.2
I345271		16.9	109.0	<0.002	0.01	0.14	7.8	1	1.7	235	1.26	<0.05	15.4	0.288	0.71	4.4
I345272		16.0	112.0	<0.002	0.06	0.24	7.8	1	1.7	232	0.98	<0.05	14.8	0.280	0.70	3.9
I345273		14.0	97.6	<0.002	0.03	0.23	7.1	1	1.6	225	0.88	<0.05	12.2	0.269	0.58	3.2
I345274		17.1	95.5	<0.002	0.05	0.21	6.7	1	1.6	211	0.95	<0.05	14.6	0.273	0.59	3.3
I345275		17.0	94.9	<0.002	0.05	0.22	6.4	1	1.7	208	0.97	<0.05	14.7	0.267	0.65	3.2
I345276		16.8	116.0	<0.002	0.02	0.09	7.0	1	1.6	207	0.94	<0.05	13.9	0.259	0.72	4.2
I345277		15.9	98.2	<0.002	0.18	0.24	7.0	1	1.4	197.0	0.94	<0.05	14.1	0.223	0.56	4.4
I345278		16.5	114.0	<0.002	0.02	0.12	7.3	1	1.6	217	1.15	<0.05	14.9	0.268	0.72	3.8
I345279		16.0	120.5	<0.002	0.06	0.13	8.2	1	1.7	215	0.89	<0.05	12.0	0.269	0.74	2.7
I345280		17.1	118.0	<0.002	0.01	0.07	7.5	1	1.8	220	1.01	<0.05	14.5	0.278	0.77	3.5
I345281		17.0	113.5	<0.002	0.01	0.11	7.0	1	1.7	214	1.04	<0.05	16.6	0.272	0.68	3.9
I345282		18.5	117.0	<0.002	0.01	0.08	8.1	1	1.8	245	0.99	<0.05	16.7	0.285	0.71	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345248		47	7.1	18.0	46	187.0
I345249		37	144.0	16.7	107	171.0
I345250		15	1.0	18.2	43	31.1
I345251		41	2.9	17.9	53	180.0
I345252		41	2.0	17.6	44	170.5
I345253		43	4.6	19.2	51	182.5
I345254		50	15.5	18.4	59	206
I345255		40	1.4	18.1	44	177.0
I345256		39	2.6	17.3	39	166.0
I345257		41	0.8	18.3	43	181.5
I345258		47	0.6	18.7	50	172.0
I345259		47	1.0	18.4	47	186.5
I345260		45	0.5	18.1	48	183.0
I345261		45	0.4	16.9	50	157.5
I345262		42	0.6	17.9	44	162.0
I345263		41	0.5	14.8	38	169.0
I345264		42	0.4	13.9	44	143.5
I345265		45	0.4	17.1	46	164.0
I345266		41	0.3	15.5	42	157.0
I345267		43	0.4	14.5	44	139.0
I345268		44	1.0	17.6	44	150.5
I345269		44	1.1	17.7	43	188.0
I345270		48	0.8	18.5	50	152.0
I345271		47	0.7	18.8	50	160.0
I345272		46	0.8	17.5	45	161.5
I345273		43	5.5	15.3	38	163.0
I345274		43	1.9	15.6	40	142.0
I345275		43	1.4	15.2	43	148.5
I345276		42	0.5	16.3	44	155.5
I345277		38	3.6	16.5	29	122.5
I345278		43	0.5	17.6	46	129.5
I345279		46	1.2	17.3	48	133.5
I345280		45	0.7	17.5	49	153.0
I345281		43	0.4	17.2	47	144.5
I345282		48	0.4	18.3	53	170.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10184963

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.