ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

CERTIFICATE TB10169631

Project: TPK ROWLANDSON CAMP

P.O. No.:

This report is for 192 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	g/t	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I346566		1.93	0.006	<0.01	6.97	16.7	850	1.49	0.05	1.40	0.03	84.6	6.1	11	1.03	9.8
I346567		2.05	0.007	<0.01	7.16	13.9	850	1.63	0.06	1.33	0.02	96.1	4.8	12	0.72	4.5
I346568		2.05	<0.005	<0.01	6.80	18.0	760	1.50	0.07	1.52	0.03	85.3	6.6	12	1.64	4.7
I346569		2.02	0.022	<0.01	7.00	12.5	810	1.54	0.05	1.60	0.05	80.3	6.1	12	2.37	6.1
I346570		1.93	0.005	<0.01	6.98	10.1	790	1.43	0.05	1.66	0.05	80.4	6.4	10	2.08	6.4
I346571		1.89	<0.005	<0.01	6.80	5.9	780	1.66	0.06	1.55	0.04	86.7	6.3	12	2.26	6.8
I346572		1.86	<0.005	<0.01	6.76	6.9	800	1.55	0.06	1.65	0.06	84.0	6.7	10	2.59	7.9
I346573		0.96	0.005	<0.01	6.76	12.1	750	1.65	0.07	1.64	0.05	89.5	6.4	10	2.98	5.4
I346574		0.73	0.129	0.35	6.38	96.8	570	1.37	0.44	1.32	0.40	84.7	6.1	13	0.98	7.9
I346575		0.03	1.465	0.72	7.73	4.6	100	2.51	0.84	0.82	0.13	15.95	9.3	30	20.6	11.5
I346576		0.73	0.030	<0.01	7.01	15.0	820	1.61	0.07	1.75	0.05	85.3	6.9	14	2.26	5.9
I346577		1.81	0.005	<0.01	6.76	5.5	780	1.66	0.10	1.64	0.06	87.7	7.1	13	2.63	9.1
I346578		1.17	<0.005	0.03	6.83	5.6	800	1.60	0.06	1.63	0.04	87.5	6.4	11	3.15	5.0
I346579		1.04	<0.005	<0.01	6.86	6.4	780	1.88	0.08	1.75	0.03	77.2	6.1	11	3.18	2.9
I346580		0.37	0.007	<0.01	5.87	16.5	540	1.70	0.05	1.07	0.02	55.7	3.9	9	0.69	4.9
I346581		0.56	0.046	0.01	6.39	24.4	710	1.65	0.09	1.46	<0.02	78.4	6.2	10	1.50	9.9
I346582		0.57	2.05	0.85	4.52	79.0	480	1.21	0.74	1.59	<0.02	57.7	5.3	10	1.08	15.1
I346583		0.95	0.066	0.10	6.61	59.2	750	1.46	0.06	1.60	0.22	85.7	6.3	11	2.11	7.1
I346584		1.25	0.019	0.12	7.06	59.5	820	1.71	0.04	1.74	0.09	88.8	6.8	11	2.20	9.8
I346585		1.18	0.178	0.50	6.99	274	730	1.55	0.08	1.85	0.12	94.2	6.7	10	1.42	18.6
I346586		0.61	5.47	0.98	6.49	645	690	1.85	0.25	1.52	0.83	84.8	5.9	13	1.59	13.3
I346587		0.57	0.025	0.07	7.18	28.0	770	1.73	0.05	1.76	0.05	93.8	6.8	12	2.90	4.2
I346588		1.80	0.009	0.12	6.67	4.9	760	1.47	0.05	1.62	0.04	84.3	6.2	11	2.67	8.6
I346589		1.83	0.007	0.02	6.57	84.3	670	1.84	0.28	1.53	0.06	72.8	6.2	28	4.86	18.1
I346590		0.41	0.005	<0.01	6.78	59.0	660	2.03	0.12	1.28	0.03	68.3	6.3	25	6.08	10.5
I346591		0.39	0.603	0.23	6.84	114.5	690	1.52	0.29	1.33	0.05	73.1	15.2	25	5.28	94.6
I346592		0.60	0.006	0.09	7.08	68.7	610	1.81	0.10	1.41	0.04	76.7	4.2	23	4.90	7.7
I346593		1.66	<0.005	0.08	6.97	6.7	710	2.04	0.22	1.62	0.05	66.1	6.6	24	10.00	7.9
I346594		1.90	<0.005	0.08	7.08	30.0	700	1.46	0.11	1.63	0.04	65.3	6.9	25	4.20	6.8
I346595		0.60	0.006	0.08	6.85	87.3	690	1.27	0.12	1.26	0.05	72.9	5.8	19	2.87	10.1
I346596		0.62	0.012	0.11	7.23	66.8	710	1.45	0.18	1.88	0.89	76.5	5.6	28	2.58	24.6
I346597		0.55	<0.005	0.06	6.98	4.8	740	1.26	0.05	1.57	0.03	66.1	6.1	20	2.99	6.3
I346598		1.82	<0.005	0.05	6.37	1.7	670	1.17	0.05	1.45	0.02	61.1	5.8	21	2.72	6.9
I346599		0.65	0.005	0.07	7.21	17.2	770	1.42	0.05	1.65	0.03	64.8	6.2	23	3.02	11.1
I346600		0.65	<0.005	0.09	7.36	18.0	760	1.40	0.06	1.64	0.03	69.3	6.8	25	3.23	9.4
I346601		0.36	0.005	0.08	8.05	93.1	900	1.53	0.05	1.14	0.04	56.4	2.8	25	2.98	7.2
I346602		1.12	<0.005	0.07	7.31	17.2	760	1.26	0.06	1.68	0.04	68.0	7.4	24	3.26	11.4
I346603		0.31	0.006	0.09	7.27	29.7	700	1.36	0.08	1.94	0.05	67.5	6.6	26	2.78	26.6
I346604		0.92	0.009	0.06	6.99	28.1	690	1.28	0.07	1.66	0.05	67.4	8.5	23	3.15	12.6
I346605		1.18	0.008	0.06	6.99	15.1	680	1.26	0.06	1.66	0.03	68.3	6.0	23	2.76	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346566		2.37	17.35	0.18	5.3	0.034	2.56	42.7	14.6	0.57	412	0.86	2.91	11.7	6.9	560
I346567		2.58	18.25	0.19	6.1	0.042	2.65	49.0	14.4	0.64	404	1.22	2.89	13.0	6.4	580
I346568		2.38	17.50	0.17	6.1	0.036	2.53	41.1	17.6	0.51	427	1.08	2.79	12.7	6.0	540
I346569		2.43	17.50	0.17	5.5	0.033	2.77	39.0	21.3	0.47	407	1.15	2.76	12.0	6.1	550
I346570		2.48	17.70	0.18	5.5	0.035	2.63	38.9	22.3	0.49	425	1.19	2.91	12.3	6.0	580
I346571		2.39	18.00	0.20	5.9	0.034	2.66	42.0	19.1	0.47	425	1.49	2.73	13.1	6.1	550
I346572		2.41	17.15	0.18	5.9	0.032	2.45	41.3	29.5	0.49	406	1.58	2.75	12.1	6.3	580
I346573		2.39	17.25	0.21	5.6	0.035	2.41	44.0	31.0	0.48	403	1.26	2.74	12.4	6.0	590
I346574		2.31	16.60	0.16	5.2	0.035	2.04	43.6	20.5	0.45	312	3.32	2.77	7.7	6.1	560
I346575		3.82	19.50	0.16	1.5	0.013	2.51	8.1	5.2	0.79	229	1.75	5.04	9.1	33.1	650
I346576		2.54	17.70	0.17	5.9	0.034	2.41	41.3	25.4	0.53	435	1.43	2.92	12.5	7.0	600
I346577		2.46	17.70	0.19	6.0	0.038	2.47	42.6	21.1	0.52	421	1.73	2.73	12.4	6.8	590
I346578		2.39	17.30	0.17	6.3	0.034	2.57	42.6	32.3	0.47	381	1.08	2.81	12.2	5.9	570
I346579		2.36	17.40	0.15	6.2	0.032	2.56	37.4	29.1	0.47	404	0.95	2.79	12.5	5.9	550
I346580		1.53	14.50	0.10	5.1	0.020	2.61	25.9	10.4	0.29	289	0.81	2.53	10.2	3.9	350
I346581		2.26	15.95	0.14	5.9	0.028	2.37	38.4	23.1	0.47	417	76.0	2.47	11.2	6.0	530
I346582		2.49	11.40	0.10	3.4	0.027	1.44	30.4	19.9	0.48	283	348	1.51	4.8	4.7	320
I346583		2.40	16.95	0.13	6.2	0.039	2.62	41.8	23.2	0.46	436	7.85	2.62	11.6	6.1	550
I346584		2.49	17.70	0.17	6.2	0.037	2.87	43.6	26.7	0.51	435	1.72	2.74	12.3	6.5	600
I346585		2.37	17.00	0.18	6.2	0.034	2.47	47.5	22.8	0.50	492	1.43	2.74	11.3	6.5	590
I346586		2.28	16.40	0.10	5.4	0.037	2.35	41.8	17.7	0.47	414	621	2.63	10.6	5.5	550
I346587		2.56	17.70	0.13	6.1	0.037	2.45	47.2	31.3	0.54	435	2.63	2.79	12.6	6.7	620
I346588		2.39	16.55	0.14	5.9	0.035	2.46	41.5	29.5	0.47	398	12.70	2.63	11.5	5.9	560
I346589		2.13	15.75	0.12	5.2	0.027	2.69	36.9	19.3	0.59	349	0.78	2.62	10.6	15.7	470
I346590		2.24	16.25	0.13	4.9	0.026	2.63	34.9	23.7	0.69	348	0.72	2.80	11.2	12.0	470
I346591		3.26	17.40	0.15	5.0	0.025	2.56	36.9	22.2	0.74	430	0.63	2.83	12.2	17.8	470
I346592		2.20	18.15	0.16	5.5	0.026	2.30	39.0	27.7	0.64	383	0.56	3.16	12.0	9.5	530
I346593		2.22	17.70	0.14	5.4	0.026	2.58	33.3	28.6	0.62	379	0.60	2.60	12.8	15.8	480
I346594		2.26	17.60	0.13	5.6	0.024	2.65	31.9	28.8	0.62	372	0.57	2.73	12.5	15.9	470
I346595		1.95	16.85	0.15	6.1	0.021	2.88	37.3	21.3	0.49	298	3.78	2.57	11.8	12.3	420
I346596		2.17	18.40	0.16	5.4	0.034	2.72	38.4	19.5	0.62	416	1.31	2.69	10.7	14.7	470
I346597		2.05	16.95	0.13	5.1	0.019	2.61	33.9	24.6	0.55	352	0.47	2.59	9.9	13.3	440
I346598		1.89	15.60	0.12	4.5	0.021	2.32	31.3	21.5	0.52	316	0.39	2.36	9.1	13.0	400
I346599		2.13	18.10	0.15	5.5	0.020	2.75	32.4	29.2	0.60	358	0.45	2.81	10.5	14.6	470
I346600		2.15	18.45	0.17	5.3	0.020	2.73	35.5	30.8	0.62	354	0.50	2.81	10.7	15.2	480
I346601		2.31	19.55	0.17	6.7	0.023	2.94	29.1	32.4	0.72	293	0.45	3.20	10.8	14.3	540
I346602		2.24	18.25	0.18	5.7	0.022	2.64	34.8	28.7	0.63	365	0.48	2.59	10.5	17.3	500
I346603		2.25	17.60	0.15	5.6	0.025	2.52	34.4	19.1	0.64	447	0.57	2.99	10.3	14.3	480
I346604		2.12	17.80	0.16	5.0	0.026	2.65	32.8	27.0	0.60	371	0.47	2.63	11.1	15.8	490
I346605		2.08	16.90	0.14	5.4	0.024	2.56	33.9	25.6	0.60	358	0.60	2.64	11.8	14.5	470

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346566		8.8	92.3	<0.002	0.03	0.31	7.5	2	1.7	167.5	0.93	<0.05	11.7	0.288	0.42	2.9
I346567		8.1	100.5	<0.002	0.02	0.37	8.0	2	2.0	174.0	1.16	<0.05	12.8	0.294	0.43	3.9
I346568		12.2	91.9	<0.002	0.04	0.25	7.3	2	2.0	162.0	1.14	<0.05	13.8	0.280	0.45	3.7
I346569		13.8	107.0	<0.002	0.01	0.23	7.4	2	1.8	190.5	0.99	<0.05	11.5	0.280	0.54	3.1
I346570		13.0	97.7	<0.002	0.01	0.21	7.6	2	1.8	197.5	1.00	<0.05	10.9	0.299	0.50	2.7
I346571		13.6	109.0	<0.002	0.01	0.18	7.7	2	1.8	190.0	1.18	<0.05	12.4	0.285	0.53	3.5
I346572		14.3	103.0	<0.002	0.02	0.23	7.8	2	2.0	196.5	0.97	<0.05	11.5	0.296	0.54	3.3
I346573		14.9	105.5	<0.002	0.01	0.28	7.8	2	2.1	196.5	1.05	<0.05	12.5	0.295	0.58	3.2
I346574		77.6	79.3	<0.002	1.12	0.48	7.3	2	1.9	103.0	0.73	0.05	12.2	0.218	0.39	3.2
I346575		71.4	570	<0.002	3.02	1.34	3.3	1	1.0	163.5	0.71	<0.05	2.3	0.216	6.43	1.2
I346576		16.3	94.1	<0.002	0.04	0.34	8.0	2	2.2	215	1.00	<0.05	11.3	0.309	0.54	3.2
I346577		11.9	99.8	<0.002	0.02	0.22	8.2	2	2.2	206	1.06	<0.05	12.2	0.296	0.54	3.2
I346578		15.6	109.0	<0.002	0.01	0.28	7.6	1	2.0	197.5	1.04	<0.05	12.8	0.287	0.62	3.2
I346579		16.7	107.0	<0.002	0.02	0.29	7.4	2	2.2	193.5	1.22	<0.05	11.6	0.282	0.58	3.7
I346580		14.6	89.5	<0.002	0.06	0.29	4.7	1	1.9	114.5	1.21	<0.05	17.5	0.188	0.40	5.0
I346581		17.5	89.3	0.006	0.26	0.35	7.1	2	2.1	171.5	1.01	<0.05	11.5	0.271	0.44	3.1
I346582		35.6	58.7	0.027	1.17	0.51	4.9	2	1.4	88.8	0.40	0.12	7.5	0.147	0.35	2.2
I346583		38.2	108.5	<0.002	0.20	0.46	7.5	2	2.0	201	0.97	<0.05	11.9	0.279	0.67	2.9
I346584		29.2	117.5	<0.002	0.16	0.49	8.3	2	1.9	218	0.98	<0.05	11.9	0.307	0.75	3.0
I346585		36.6	99.3	<0.002	0.61	0.89	8.2	2	1.9	181.0	0.93	0.05	12.9	0.293	0.59	3.1
I346586		64.5	96.5	0.053	0.68	1.03	7.7	2	1.9	166.5	0.84	0.17	11.7	0.271	0.56	2.7
I346587		27.4	111.0	<0.002	0.05	0.47	8.3	2	2.1	208	1.01	<0.05	13.3	0.308	0.61	3.2
I346588		15.6	100.5	0.002	0.01	0.20	7.5	2	1.9	188.0	0.93	<0.05	11.5	0.286	0.54	3.0
I346589		12.9	112.5	<0.002	0.15	0.28	6.7	2	1.8	174.0	1.25	<0.05	13.4	0.235	0.53	4.3
I346590		12.6	115.5	<0.002	0.05	0.30	6.7	2	2.0	178.0	1.47	<0.05	13.6	0.249	0.56	3.8
I346591		11.9	115.0	<0.002	0.78	0.39	7.4	2	2.0	171.0	1.45	0.08	13.6	0.258	0.55	5.0
I346592		11.6	95.6	<0.002	0.03	0.37	6.7	2	1.9	202	1.43	<0.05	13.9	0.246	0.47	3.2
I346593		17.8	114.0	<0.002	0.01	0.28	6.9	2	1.7	201	1.70	<0.05	14.1	0.249	0.57	4.2
I346594		17.4	110.5	<0.002	0.03	0.25	6.7	2	1.7	206	1.19	<0.05	13.6	0.249	0.57	3.7
I346595		14.3	103.0	<0.002	0.12	0.30	5.7	2	1.5	189.0	1.24	<0.05	17.1	0.219	0.45	4.6
I346596		12.1	101.5	<0.002	0.23	0.27	6.7	2	1.8	195.5	1.02	<0.05	14.6	0.249	0.47	3.7
I346597		13.9	105.0	<0.002	0.01	0.21	6.0	2	1.5	206	0.81	<0.05	11.6	0.237	0.55	2.9
I346598		12.4	97.0	<0.002	0.01	0.11	5.7	2	1.4	181.5	0.76	<0.05	11.3	0.216	0.50	2.7
I346599		11.7	105.5	<0.002	0.04	0.25	6.5	2	1.7	213	0.94	<0.05	12.2	0.251	0.54	3.1
I346600		29.1	113.5	<0.002	0.03	0.26	6.9	2	1.6	216	0.91	<0.05	12.9	0.253	0.55	3.2
I346601		9.7	115.0	<0.002	0.04	0.35	7.4	2	1.9	212	1.01	<0.05	14.7	0.279	0.53	4.0
I346602		13.4	113.0	<0.002	0.04	0.21	6.9	2	1.8	218	0.73	<0.05	13.6	0.258	0.60	2.9
I346603		13.1	104.5	<0.002	0.18	0.26	6.9	2	1.8	205	0.80	<0.05	14.0	0.250	0.54	3.3
I346604		12.6	108.5	<0.002	0.10	0.24	6.8	2	1.9	205	0.89	<0.05	13.2	0.253	0.57	2.9
I346605		12.2	98.9	<0.002	0.06	0.23	6.6	2	1.7	213	0.98	<0.05	13.1	0.246	0.51	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346566		40	1.4	19.7	35	185.5
I346567		41	1.9	22.6	34	208
I346568		39	1.4	21.1	37	204
I346569		38	0.6	19.7	47	196.5
I346570		42	0.8	19.7	49	196.5
I346571		40	0.8	21.6	48	199.5
I346572		42	1.5	19.8	49	210
I346573		41	1.4	20.5	50	196.5
I346574		38	28.3	19.0	78	178.5
I346575		26	0.3	5.0	35	49.1
I346576		43	1.7	20.4	48	209
I346577		43	1.3	21.0	46	207
I346578		41	0.9	19.8	46	218
I346579		39	1.7	20.6	42	212
I346580		25	1.8	16.5	12	156.5
I346581		38	4.7	19.3	32	203
I346582		27	14.9	12.6	70	128.5
I346583		39	3.6	19.7	100	218
I346584		44	5.8	20.4	55	221
I346585		42	17.1	20.7	56	212
I346586		40	18.4	19.1	234	195.5
I346587		43	0.7	22.0	60	215
I346588		40	0.7	19.4	47	214
I346589		38	3.8	17.8	40	165.5
I346590		39	1.6	16.1	40	158.5
I346591		45	1.7	18.5	47	155.0
I346592		38	1.4	18.9	41	173.0
I346593		40	0.8	19.6	43	165.5
I346594		39	0.8	18.6	44	182.5
I346595		33	2.8	17.7	36	188.5
I346596		39	4.5	17.6	83	180.5
I346597		37	0.6	15.3	39	180.5
I346598		33	0.5	14.3	37	157.0
I346599		39	0.7	16.6	41	185.0
I346600		39	0.8	17.2	41	179.0
I346601		44	3.3	19.4	46	220
I346602		41	0.8	17.9	44	190.0
I346603		40	0.9	17.5	57	184.5
I346604		39	0.8	18.5	46	170.5
I346605		38	2.2	17.8	39	180.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346606		0.51	0.015	0.10	7.14	33.9	850	1.24	0.14	1.91	0.04	69.6	7.6	26	2.46	26.6
I346607		1.53	0.006	0.08	7.09	14.0	710	1.13	0.08	1.75	0.04	63.8	7.8	24	2.54	12.0
I346608		1.28	<0.005	0.09	7.29	31.8	710	1.50	0.10	1.78	0.04	71.5	7.8	28	3.40	10.0
I346609		0.33	0.007	0.07	6.71	37.6	840	1.16	0.09	1.67	0.03	59.8	7.9	27	1.37	11.8
I346610		0.98	0.009	0.07	7.31	18.8	730	1.36	0.07	1.72	0.04	70.8	7.9	23	2.83	9.1
I346611		1.64	0.009	0.10	7.11	31.8	740	1.18	0.12	1.75	0.06	67.1	7.5	23	2.60	18.5
I346612		1.80	<0.005	0.07	6.94	21.7	690	1.41	0.06	1.72	0.04	63.7	6.9	26	2.30	9.6
I346613		1.19	<0.005	0.08	7.21	4.9	680	1.38	0.05	1.78	0.04	69.6	7.6	27	2.40	9.5
I346614		1.45	<0.005	0.10	7.17	11.1	700	1.36	0.06	1.78	0.04	67.8	7.2	25	2.39	10.2
I346615		0.60	0.005	0.07	7.35	23.7	700	1.30	0.07	1.79	0.04	72.5	7.7	27	2.84	10.8
I346616		0.32	0.007	0.10	6.76	121.0	660	1.30	0.06	1.54	0.04	56.9	6.5	25	2.62	6.6
I346617		1.23	<0.005	0.08	7.22	47.6	700	1.32	0.05	1.80	0.03	65.1	7.5	25	2.50	9.1
I346618		1.17	0.019	0.09	7.56	10.1	720	1.50	0.05	1.81	0.04	68.9	7.1	27	3.14	10.1
I346619		0.57	<0.005	0.06	7.50	31.5	700	1.46	0.06	1.80	0.04	65.2	7.5	26	2.86	6.8
I346620		0.60	0.013	0.13	7.21	120.0	640	1.39	0.10	1.94	0.06	61.1	5.5	22	2.39	28.9
I346621		0.81	0.005	0.09	7.08	87.2	710	1.24	0.06	1.86	0.04	66.9	7.0	25	2.64	6.9
I346622		0.71	<0.005	0.14	7.14	155.5	750	1.42	0.08	1.86	0.03	71.1	7.3	23	2.57	15.9
I346623		0.69	0.014	0.10	6.99	218	720	1.42	0.10	1.73	0.05	70.2	6.6	24	2.35	12.7
I346624		0.40	4.08	0.11	6.81	3830	700	1.39	0.43	1.55	0.04	65.8	7.2	20	2.25	9.1
I346625		0.03	3.60	0.17	1.52	3.1	100	0.35	0.13	0.01	0.13	17.60	1.2	10	0.58	6.4
I346626		0.95	0.005	0.17	7.28	58.8	800	1.60	0.10	1.96	0.06	65.8	8.5	25	3.93	17.2
I346627		1.06	0.006	0.14	7.43	68.6	750	1.48	0.10	1.94	0.04	72.4	8.2	23	3.44	11.4
I346628		0.36	0.006	0.09	6.84	130.5	680	1.39	0.10	1.93	0.04	63.2	4.7	23	3.00	8.6
I346629		1.00	0.009	0.12	6.88	274	680	1.92	0.11	1.73	0.05	64.2	5.5	21	3.64	10.0
I346630		1.54	0.023	0.15	7.33	197.0	770	1.47	0.13	1.87	1.25	71.6	7.8	24	3.50	13.5
I346631		0.37	0.005	0.10	7.02	119.5	850	1.27	0.07	1.93	0.05	68.8	6.8	24	3.39	5.6
I346632		0.40	3.36	0.22	6.91	781	820	1.24	0.22	1.67	0.06	72.4	15.8	22	2.81	35.1
I346633		0.43	2.16	0.11	6.26	8650	630	1.39	0.58	1.69	0.18	70.4	7.6	26	1.74	8.9
I346634		0.59	5.59	0.12	6.65	5660	760	1.31	0.37	1.84	0.08	67.6	7.1	25	2.42	11.0
I346635		0.86	<0.005	0.14	6.85	98.6	740	1.35	0.06	1.74	0.04	71.4	6.7	22	3.05	8.7
I346636		1.24	<0.005	0.14	7.01	85.0	710	1.60	0.07	1.63	0.05	68.0	6.9	22	3.03	9.9
I346637		0.33	0.087	0.17	6.68	2040	670	1.55	0.25	1.91	0.07	61.3	9.8	23	2.28	12.4
I346638		1.37	<0.005	0.26	7.23	66.1	780	1.66	0.06	1.93	0.04	71.6	6.6	23	3.53	8.3
I346639		0.39	0.347	0.13	7.21	127.0	810	1.49	0.07	1.87	0.04	76.7	8.9	24	2.85	10.9
I346640		0.85	0.083	0.13	6.90	79.2	740	1.49	0.06	2.05	0.04	68.2	9.7	28	2.94	11.4
I346641		1.19	<0.005	0.13	7.36	47.7	700	1.50	0.05	2.09	0.04	73.5	9.8	27	3.10	6.4
I346642		0.70	<0.005	0.10	7.37	57.7	700	1.43	0.05	2.08	0.04	71.6	7.8	25	2.76	8.5
I346643		0.42	<0.005	0.10	6.98	88.8	650	1.53	0.05	1.81	0.03	66.7	7.7	22	2.74	6.8
I346644		1.01	<0.005	0.10	6.68	43.6	760	1.36	0.05	1.93	0.05	71.2	8.3	27	2.92	9.2
I346645		1.19	<0.005	0.12	7.07	53.9	790	1.56	0.05	1.89	0.05	75.0	7.7	25	2.79	8.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346606		2.33	17.65	0.16	5.7	0.026	2.70	34.4	22.2	0.69	393	0.79	2.71	10.1	17.2	570
I346607		2.20	17.55	0.12	5.5	0.026	2.60	30.9	25.3	0.65	376	0.58	2.61	10.5	16.6	500
I346608		2.35	18.95	0.18	5.2	0.029	2.62	35.4	32.3	0.70	385	0.63	2.81	12.7	18.4	540
I346609		2.19	16.60	0.15	4.8	0.026	2.53	30.5	18.4	0.66	384	0.60	2.32	10.0	16.1	470
I346610		2.21	17.20	0.13	5.9	0.027	2.80	34.7	28.6	0.65	371	0.68	2.71	11.9	16.4	510
I346611		2.23	17.40	0.15	5.3	0.027	2.60	33.8	25.5	0.65	371	0.56	2.79	11.1	16.1	500
I346612		2.21	17.50	0.15	5.3	0.025	2.50	31.3	24.8	0.66	380	0.61	2.57	11.9	17.2	500
I346613		2.27	18.10	0.17	5.7	0.025	2.52	35.1	25.9	0.67	393	0.73	2.66	11.5	17.3	510
I346614		2.22	18.05	0.15	5.1	0.025	2.54	33.2	25.1	0.65	387	0.70	2.64	11.5	17.1	500
I346615		2.28	17.50	0.18	4.4	0.027	2.55	36.5	26.3	0.66	397	0.61	2.66	11.0	17.1	510
I346616		2.08	16.55	0.17	4.7	0.024	2.40	28.4	25.7	0.62	335	0.42	2.59	10.0	16.0	450
I346617		2.26	17.65	0.16	5.2	0.030	2.50	32.4	26.2	0.66	401	0.38	2.70	10.9	16.7	510
I346618		2.31	18.20	0.18	5.9	0.023	2.72	35.4	25.5	0.67	414	0.59	2.74	12.8	17.4	520
I346619		2.23	18.20	0.16	5.0	0.028	2.62	32.3	26.7	0.65	393	0.61	2.84	11.7	16.9	490
I346620		2.15	16.80	0.15	5.3	0.023	2.58	30.9	23.3	0.62	375	5.50	3.07	10.6	15.5	480
I346621		2.12	17.50	0.12	4.0	0.024	2.73	30.2	23.3	0.66	390	0.50	2.81	11.1	18.4	510
I346622		2.12	17.90	0.13	4.9	0.025	2.86	31.6	23.1	0.66	376	0.53	2.85	12.1	18.9	520
I346623		1.94	17.50	0.12	4.6	0.026	2.84	31.1	18.6	0.60	366	0.66	2.81	11.8	17.7	470
I346624		2.11	16.60	0.13	4.4	0.025	2.70	30.4	20.4	0.54	297	0.68	2.66	10.7	15.3	450
I346625		1.26	3.50	0.07	0.6	0.010	0.16	8.9	18.1	0.02	101	0.75	0.03	3.6	5.8	50
I346626		2.35	18.00	0.11	5.0	0.028	2.75	29.1	26.7	0.73	435	5.83	2.86	12.6	20.8	550
I346627		2.14	18.20	0.14	4.8	0.026	2.73	32.7	24.6	0.65	419	0.93	2.87	13.4	18.1	480
I346628		1.88	17.00	0.13	4.6	0.023	2.86	27.5	24.2	0.66	417	0.64	2.80	11.2	13.5	450
I346629		1.79	17.45	0.12	4.8	0.024	2.73	28.2	19.3	0.58	351	0.86	2.90	12.7	15.3	450
I346630		2.08	18.60	0.12	4.9	0.033	2.84	31.6	22.1	0.65	403	0.84	3.03	12.2	18.6	530
I346631		2.25	17.30	0.14	4.3	0.028	2.92	30.4	28.3	0.70	405	0.62	2.75	10.4	19.6	520
I346632		2.43	16.45	0.14	4.0	0.028	2.82	33.4	21.8	0.61	368	0.86	2.60	11.4	21.3	480
I346633		2.07	15.00	0.13	4.2	0.031	2.23	32.1	15.2	0.55	322	0.60	2.86	7.9	18.7	480
I346634		2.25	16.60	0.14	3.9	0.036	2.79	30.7	20.2	0.64	388	0.56	2.71	9.3	16.3	500
I346635		2.06	17.10	0.12	4.0	0.024	2.70	32.1	25.8	0.62	374	0.81	2.83	11.6	16.8	490
I346636		2.02	17.50	0.13	5.0	0.026	2.73	30.4	22.8	0.60	368	0.59	2.89	12.4	17.0	490
I346637		1.81	16.45	0.12	4.2	0.028	2.56	27.2	15.8	0.67	432	0.55	3.08	9.6	18.8	470
I346638		2.17	17.40	0.13	4.5	0.024	2.54	32.0	28.0	0.67	401	0.56	2.81	11.4	17.2	540
I346639		2.23	17.45	0.15	4.3	0.029	2.48	35.9	25.0	0.68	386	0.49	2.85	11.4	18.8	550
I346640		2.44	17.15	0.14	4.9	0.031	2.46	30.0	30.3	0.80	443	1.25	2.97	11.7	21.3	610
I346641		2.43	17.90	0.14	4.3	0.031	2.44	32.9	32.3	0.77	447	0.62	2.78	11.5	20.9	590
I346642		2.35	17.65	0.13	4.0	0.031	2.44	32.2	30.8	0.75	435	0.50	2.82	10.8	19.9	570
I346643		2.17	17.60	0.15	4.1	0.026	2.50	29.9	28.2	0.69	386	0.44	2.81	11.5	19.0	530
I346644		2.46	17.80	0.14	5.6	0.031	2.02	32.3	27.4	0.70	421	0.47	2.75	11.8	19.1	580
I346645		2.44	18.30	0.23	5.6	0.028	2.33	36.1	26.1	0.69	422	0.49	2.74	12.9	17.8	570

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346606		13.2	92.6	<0.002	0.20	0.27	7.2	2	1.6	234	0.81	<0.05	11.2	0.280	0.52	2.7
I346607		14.7	93.5	<0.002	0.03	0.18	6.8	2	1.6	215	0.85	<0.05	12.0	0.254	0.55	2.8
I346608		14.2	109.0	<0.002	0.05	0.29	7.5	2	2.0	220	1.18	<0.05	14.5	0.270	0.61	3.7
I346609		12.6	93.7	<0.002	0.17	0.25	6.6	2	1.6	183.5	0.79	<0.05	12.0	0.233	0.43	2.8
I346610		15.8	110.5	<0.002	0.04	0.24	7.0	2	1.8	213	1.08	<0.05	14.1	0.255	0.58	3.7
I346611		17.5	108.5	<0.002	0.11	0.30	7.0	2	1.8	211	0.85	<0.05	13.1	0.258	0.62	2.9
I346612		16.2	99.8	<0.002	0.01	0.13	6.9	2	1.7	211	1.07	<0.05	12.9	0.258	0.56	3.4
I346613		15.6	107.0	<0.002	0.01	0.12	7.1	2	1.9	217	1.04	<0.05	14.4	0.257	0.60	3.8
I346614		15.3	107.5	<0.002	0.01	0.13	7.0	2	1.8	217	0.97	<0.05	14.2	0.254	0.58	3.3
I346615		17.1	109.5	<0.002	0.02	0.16	6.9	2	1.9	219	0.99	<0.05	14.9	0.255	0.63	3.2
I346616		14.2	102.5	<0.002	0.01	0.36	6.4	2	1.6	196.5	0.81	<0.05	11.4	0.236	0.58	2.6
I346617		15.3	105.0	<0.002	0.01	0.25	6.9	2	1.8	217	0.92	<0.05	13.0	0.258	0.61	3.3
I346618		16.9	121.5	<0.002	0.01	0.24	6.9	2	2.0	218	1.27	<0.05	15.3	0.265	0.64	4.2
I346619		17.7	112.0	<0.002	0.02	0.29	6.9	2	1.9	230	1.02	<0.05	13.4	0.254	0.63	3.5
I346620		15.8	101.0	0.002	0.14	0.43	6.6	2	1.7	220	0.89	<0.05	12.6	0.251	0.55	3.3
I346621		14.0	108.5	<0.002	0.06	0.37	7.5	1	1.8	223	0.85	<0.05	11.6	0.260	0.62	2.7
I346622		13.8	111.0	<0.002	0.13	0.45	7.8	1	2.0	237	0.98	<0.05	12.4	0.271	0.59	3.2
I346623		14.6	109.0	<0.002	0.16	0.49	7.3	1	1.9	200	0.98	<0.05	14.1	0.251	0.57	3.5
I346624		15.7	106.0	<0.002	0.33	1.24	7.1	1	1.6	190.0	0.87	<0.05	13.7	0.234	0.55	3.6
I346625		26.8	13.1	<0.002	1.07	0.53	1.4	1	1.3	13.2	0.28	<0.05	3.0	0.090	0.41	0.4
I346626		17.0	104.5	0.002	0.05	0.41	8.1	1	1.9	222	1.33	<0.05	11.5	0.290	0.66	3.7
I346627		16.5	126.5	<0.002	0.02	0.43	7.7	1	2.1	203	1.15	<0.05	14.2	0.266	0.71	4.5
I346628		15.2	118.0	<0.002	0.06	0.50	7.3	1	1.8	199.0	0.83	<0.05	12.9	0.243	0.65	4.2
I346629		16.2	116.5	<0.002	0.09	0.52	7.2	1	2.0	199.0	1.46	<0.05	13.3	0.238	0.61	4.4
I346630		17.1	118.0	<0.002	0.11	0.46	7.9	1	2.0	213	1.12	<0.05	13.3	0.277	0.66	3.4
I346631		15.5	118.0	<0.002	0.04	0.58	7.9	1	1.9	194.5	0.78	<0.05	12.5	0.269	0.70	2.7
I346632		16.2	109.5	<0.002	0.45	0.49	7.5	1	1.7	199.5	0.85	<0.05	14.0	0.255	0.61	3.3
I346633		12.3	77.3	<0.002	0.64	2.14	7.1	1	1.5	204	0.79	<0.05	11.7	0.219	0.40	3.2
I346634		13.5	96.4	<0.002	0.48	1.99	7.7	1	1.8	199.0	0.79	<0.05	12.0	0.246	0.52	3.0
I346635		15.3	107.5	<0.002	0.04	0.40	7.3	1	1.9	194.0	0.88	<0.05	12.8	0.267	0.61	2.7
I346636		14.9	113.0	<0.002	0.07	0.40	7.6	1	1.9	200	1.21	<0.05	12.8	0.259	0.62	3.8
I346637		12.8	97.8	<0.002	0.26	0.84	7.0	1	1.8	157.5	1.04	<0.05	11.8	0.207	0.52	3.7
I346638		15.4	121.5	<0.002	0.06	0.32	7.9	1	2.0	218	1.23	<0.05	11.8	0.275	0.67	3.1
I346639		14.8	108.5	<0.002	0.15	0.31	8.2	1	1.9	227	0.90	<0.05	11.9	0.285	0.56	2.8
I346640		12.7	98.8	<0.002	0.12	0.34	9.1	1	2.1	217	0.91	<0.05	10.4	0.305	0.58	2.4
I346641		13.7	103.5	<0.002	0.03	0.28	8.5	1	2.1	230	0.90	<0.05	11.2	0.295	0.60	2.7
I346642		13.7	101.0	<0.002	0.02	0.29	7.9	1	1.9	232	0.91	<0.05	11.1	0.287	0.59	2.8
I346643		13.6	108.5	<0.002	0.01	0.28	7.8	1	1.9	209	1.00	<0.05	11.5	0.268	0.60	3.0
I346644		14.4	93.0	<0.002	0.01	0.31	7.6	1	1.7	218	1.08	<0.05	10.6	0.283	0.59	2.8
I346645		15.6	103.0	<0.002	0.01	0.26	7.5	2	1.7	219	1.44	<0.05	12.0	0.288	0.60	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346606		45	7.0	16.6	40	191.5
I346607		41	0.8	17.7	43	181.0
I346608		44	1.0	20.5	48	168.0
I346609		39	2.4	15.5	38	155.5
I346610		41	0.8	19.7	46	192.5
I346611		41	1.2	18.2	43	174.5
I346612		42	0.5	18.8	46	175.0
I346613		41	0.4	19.4	46	184.0
I346614		41	0.7	18.9	45	168.0
I346615		41	0.5	18.6	46	140.0
I346616		38	0.4	16.1	42	153.0
I346617		41	0.5	18.2	46	171.5
I346618		43	0.6	20.8	47	192.0
I346619		41	0.6	19.1	46	166.5
I346620		39	4.4	17.9	38	173.5
I346621		43	0.8	15.8	46	145.0
I346622		45	2.4	17.7	41	180.5
I346623		39	4.1	16.5	36	160.0
I346624		38	4.0	16.8	34	153.5
I346625		8	0.9	2.3	14	17.4
I346626		48	0.8	17.3	53	180.5
I346627		43	0.9	18.3	47	166.0
I346628		40	6.1	16.0	34	159.5
I346629		39	6.7	17.9	37	160.5
I346630		45	5.0	17.5	106	177.0
I346631		45	1.1	15.9	50	163.0
I346632		40	61.0	15.7	43	140.0
I346633		36	30.2	15.0	37	146.5
I346634		44	10.7	14.8	36	138.5
I346635		41	0.9	14.8	45	138.5
I346636		41	1.4	17.6	41	174.5
I346637		40	12.6	16.1	23	140.0
I346638		44	4.2	16.3	46	158.0
I346639		45	2.8	16.2	45	161.0
I346640		52	4.1	17.0	49	184.0
I346641		49	0.5	16.9	54	161.5
I346642		48	0.9	15.6	52	147.0
I346643		44	0.6	15.9	49	148.0
I346644		47	0.9	17.8	52	195.5
I346645		46	0.8	19.9	51	194.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346646		1.00	<0.005	0.11	7.26	10.9	750	1.62	0.06	1.94	0.05	84.9	7.5	28	2.84	10.0
I346647		0.39	0.005	0.09	7.15	126.5	740	1.63	0.08	1.63	0.04	72.6	7.0	26	2.90	13.3
I346648		1.36	<0.005	0.11	6.93	22.1	710	1.43	0.06	1.83	0.05	74.6	6.7	23	2.79	9.3
I346649		1.21	<0.005	0.10	7.00	18.5	660	1.62	0.06	1.73	0.05	76.6	7.1	26	2.88	9.2
I346650		0.03	8.52	0.55	8.07	3.0	200	2.40	0.12	1.04	0.44	18.85	10.4	40	1.52	20.3
I346651		1.23	<0.005	0.08	6.97	20.5	710	1.61	0.06	1.79	0.04	78.1	7.3	25	3.15	9.1
I346652		0.61	<0.005	0.10	6.90	14.1	640	1.93	0.09	1.87	0.05	77.2	7.7	25	4.47	6.9
I346653		0.42	<0.005	0.09	7.54	52.8	640	1.94	0.08	1.78	0.06	80.2	7.8	30	3.79	10.4
I346654		1.53	<0.005	0.09	7.29	6.0	700	1.74	0.07	1.97	0.06	74.5	8.1	29	3.54	8.9
I346655		0.85	<0.005	0.11	7.06	<0.2	770	1.67	0.06	1.93	0.05	68.6	7.6	25	3.07	9.4
I346656		0.95	<0.005	0.37	7.24	1.1	740	1.81	0.06	2.00	0.05	76.9	8.3	33	3.41	10.5
I346657		0.36	<0.005	0.08	7.10	15.6	800	1.30	0.05	1.91	0.05	77.7	7.7	27	2.31	9.8
I346658		0.86	<0.005	0.09	7.08	35.9	700	1.57	0.05	1.91	0.05	71.1	7.6	28	3.08	8.9
I346659		0.84	<0.005	0.12	7.35	17.7	720	1.55	0.07	2.02	0.05	79.0	7.5	31	3.51	6.2
I346660		0.94	0.005	0.09	6.87	53.4	710	1.39	0.12	1.78	0.06	61.4	7.6	27	2.87	16.6
I346661		0.50	0.011	0.11	7.05	40.0	790	1.54	0.37	1.97	0.05	67.3	8.3	30	2.97	16.4
I346662		0.42	0.014	0.16	6.65	69.0	730	2.25	0.46	1.37	0.47	72.7	4.3	16	1.59	17.7
I346663		0.63	0.109	0.17	6.79	97.9	690	1.87	0.22	1.83	0.07	62.1	5.9	26	2.29	18.0
I346664		0.69	<0.005	0.08	6.78	8.4	700	2.25	0.11	1.74	0.07	63.4	6.4	25	5.60	8.9
I346665		0.80	<0.005	0.07	6.64	9.9	710	2.00	0.10	1.70	0.05	69.3	6.8	22	4.55	9.2
I346666		0.50	<0.005	0.05	6.73	9.4	790	1.70	0.06	1.64	0.04	69.8	6.6	24	3.77	6.0
I346667		0.53	<0.005	0.04	6.90	13.4	870	1.87	0.05	1.62	0.04	71.2	6.7	21	3.67	3.2
I346668		1.33	<0.005	0.13	6.88	11.3	680	1.56	0.06	1.90	0.07	68.4	7.1	32	4.41	8.8
I346669		1.21	<0.005	0.09	7.53	5.4	840	1.73	0.06	1.97	0.05	85.1	7.7	32	4.29	10.5
I346670		1.29	<0.005	0.11	7.03	7.0	750	1.57	0.06	1.83	0.06	81.2	7.0	26	4.06	9.0
I346671		1.96	<0.005	0.09	7.23	10.8	780	1.53	0.05	1.89	0.06	76.9	7.4	26	3.81	9.6
I346672		1.93	<0.005	0.09	7.08	6.1	770	1.62	0.06	1.86	0.05	83.0	6.9	27	3.86	8.6
I346673		1.99	<0.005	0.10	7.08	0.9	750	1.50	0.06	1.87	0.06	75.7	7.4	28	3.62	9.2
I346674		0.80	<0.005	0.13	7.24	1.1	790	1.51	0.09	1.92	0.06	80.0	8.1	25	3.83	10.3
I346675		0.89	<0.005	0.11	7.18	0.5	800	1.42	0.09	1.87	0.06	75.9	8.0	23	3.52	9.2
I346676		0.62	<0.005	0.12	7.09	15.0	760	1.50	0.10	1.89	0.06	83.2	7.8	26	3.94	9.7
I346677		0.38	0.010	0.13	6.88	213	750	1.40	0.14	2.24	0.12	70.9	5.7	23	3.37	6.6
I346678		0.61	<0.005	0.13	7.05	16.4	730	1.52	0.13	1.88	0.07	75.8	7.9	25	4.23	9.8
I346679		1.81	<0.005	0.12	7.08	3.9	770	1.42	0.09	1.90	0.06	72.6	8.1	26	3.96	10.4
I346680		1.86	<0.005	0.11	7.12	23.7	750	1.44	0.07	1.86	0.05	76.8	7.7	25	3.42	7.8
I346681		0.38	0.255	0.10	6.87	2990	770	1.42	0.14	1.40	0.09	66.7	16.5	21	1.99	2.9
I346682		1.79	0.007	0.10	7.09	48.6	750	1.48	0.08	1.72	0.05	76.4	6.7	23	3.10	8.6
I346683		1.56	<0.005	0.10	7.27	4.1	720	1.49	0.06	1.90	0.05	75.7	7.8	24	3.24	9.6
I346684		1.27	<0.005	0.11	7.56	0.7	780	1.53	0.06	1.98	0.05	81.6	8.3	27	3.34	10.4
I346685		0.38	<0.005	0.12	7.34	28.9	690	1.48	0.08	2.02	0.06	79.5	9.4	22	3.14	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346646		2.49	18.60	0.23	5.1	0.035	1.82	42.1	23.9	0.71	441	0.36	2.72	12.2	18.3	590
I346647		2.33	18.20	0.23	4.9	0.032	2.14	35.3	25.7	0.66	351	0.66	3.10	12.7	16.6	570
I346648		2.30	17.70	0.24	5.1	0.032	1.84	36.0	20.8	0.63	401	0.51	2.62	12.4	15.6	540
I346649		2.28	17.50	0.25	5.1	0.030	2.46	38.8	17.7	0.64	395	0.48	2.63	12.4	17.3	520
I346650		4.61	20.4	0.18	1.5	0.015	2.37	9.5	2.0	0.97	282	2.08	5.09	10.8	40.7	720
I346651		2.37	17.45	0.21	5.0	0.030	2.28	37.6	20.5	0.66	416	0.98	2.66	12.3	17.2	550
I346652		2.43	18.60	0.21	5.7	0.031	1.85	36.8	23.1	0.68	416	1.64	2.80	13.3	18.0	590
I346653		2.35	19.10	0.26	5.9	0.030	2.03	38.0	24.0	0.73	388	0.52	3.40	12.8	19.4	620
I346654		2.53	18.70	0.26	4.7	0.033	2.26	35.4	23.2	0.73	442	0.60	2.74	13.0	19.5	570
I346655		2.45	17.75	0.23	4.5	0.031	2.38	33.1	20.2	0.71	422	0.68	2.69	11.6	18.1	550
I346656		2.56	18.35	0.24	5.6	0.036	1.92	37.7	22.6	0.79	441	0.64	2.79	12.7	20.9	600
I346657		2.46	17.80	0.26	4.8	0.031	2.32	38.3	23.1	0.73	420	1.61	2.67	10.4	19.8	550
I346658		2.49	17.95	0.25	5.0	0.031	2.51	33.2	25.8	0.74	423	0.66	2.76	12.0	19.2	580
I346659		2.57	17.65	0.24	5.0	0.032	2.06	39.1	29.8	0.78	443	1.11	2.81	11.8	20.3	590
I346660		2.25	17.10	0.24	4.6	0.032	2.38	28.6	21.4	0.67	383	1.55	2.87	10.4	19.0	530
I346661		2.50	17.50	0.25	4.9	0.036	2.71	31.7	21.6	0.75	428	0.66	2.77	10.7	20.3	580
I346662		1.59	16.65	0.21	5.3	0.036	2.65	36.2	17.9	0.43	281	1.45	2.75	11.5	10.0	360
I346663		2.27	17.15	0.21	4.9	0.029	2.25	28.5	22.6	0.71	466	1.82	2.70	10.8	18.4	570
I346664		2.19	17.35	0.22	4.8	0.025	2.31	30.0	26.9	0.65	398	0.59	2.65	12.7	16.2	520
I346665		2.13	16.50	0.25	5.1	0.028	2.30	32.5	27.5	0.62	384	0.69	2.68	13.4	15.7	490
I346666		2.12	17.05	0.23	4.6	0.026	2.46	33.4	25.9	0.61	369	0.57	2.76	12.8	15.8	500
I346667		2.00	16.10	0.24	4.9	0.022	2.73	35.4	26.5	0.57	341	0.26	2.73	12.4	14.5	460
I346668		2.44	17.00	0.26	4.6	0.033	1.97	31.9	31.7	0.73	428	0.32	2.72	12.3	18.8	560
I346669		2.64	17.65	0.25	5.0	0.032	2.68	41.1	30.3	0.76	468	0.46	2.77	12.3	18.8	590
I346670		2.43	17.05	0.25	5.1	0.032	2.24	41.2	25.8	0.67	423	0.59	2.69	12.2	16.5	560
I346671		2.44	17.80	0.25	5.1	0.028	2.21	37.0	26.1	0.66	427	0.66	2.84	12.2	16.9	580
I346672		2.37	16.80	0.24	5.7	0.030	2.12	40.6	24.5	0.66	415	0.54	2.79	11.0	16.4	560
I346673		2.48	17.35	0.25	6.0	0.032	2.19	36.1	21.5	0.66	432	0.42	2.74	11.9	16.6	580
I346674		2.47	17.65	0.07	5.2	0.035	2.57	36.6	26.8	0.68	437	0.42	2.86	11.8	16.1	580
I346675		2.37	17.35	0.09	4.2	0.031	2.56	34.6	25.6	0.64	419	0.54	2.81	10.8	14.9	560
I346676		2.46	17.55	0.09	4.5	0.036	2.53	38.5	32.3	0.68	433	0.81	2.78	11.4	16.0	580
I346677		2.27	16.60	0.10	4.5	0.032	2.59	32.7	29.7	0.63	466	1.17	2.97	10.2	12.6	540
I346678		2.49	17.25	0.10	4.7	0.036	2.50	35.1	32.2	0.68	443	0.86	2.71	11.8	16.0	590
I346679		2.53	17.65	0.10	4.5	0.035	2.54	33.7	29.3	0.69	449	0.52	2.82	11.3	16.9	570
I346680		2.45	17.65	0.09	4.4	0.033	2.64	35.5	34.7	0.66	428	0.76	2.82	11.5	15.3	570
I346681		2.34	16.95	0.09	4.6	0.031	2.79	31.4	29.8	0.61	357	0.38	3.23	10.1	11.0	510
I346682		2.25	17.20	0.09	4.3	0.032	2.64	35.5	30.6	0.61	396	1.17	2.91	11.1	14.1	540
I346683		2.43	18.05	0.11	4.9	0.033	2.57	34.6	29.3	0.66	431	0.58	2.92	12.0	15.5	580
I346684		2.60	18.75	0.11	4.9	0.035	2.74	37.2	30.9	0.70	449	0.48	3.00	12.5	16.0	640
I346685		2.56	18.30	0.12	5.0	0.034	2.48	37.4	30.8	0.69	448	0.62	2.99	11.9	16.0	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346646		16.1	85.7	<0.002	0.01	0.13	7.6	2	1.7	220	1.33	<0.05	14.3	0.292	0.60	4.5
I346647		15.3	96.3	<0.002	0.05	0.36	6.9	2	1.7	224	1.34	<0.05	12.1	0.277	0.57	3.8
I346648		16.0	85.8	<0.002	0.01	0.15	6.7	2	1.6	205	1.32	<0.05	12.7	0.271	0.62	3.8
I346649		16.4	115.0	<0.002	0.01	0.14	6.7	2	1.7	200	1.34	<0.05	13.3	0.262	0.66	4.3
I346650		83.7	219	<0.002	3.44	1.06	3.4	1	0.9	182.5	0.83	<0.05	3.2	0.282	1.90	1.4
I346651		16.0	106.0	<0.002	0.01	0.18	7.0	2	1.6	205	1.20	<0.05	12.5	0.274	0.66	3.5
I346652		16.5	93.2	<0.002	0.01	0.19	7.0	2	1.9	216	1.36	<0.05	12.9	0.288	0.65	3.9
I346653		16.7	109.0	<0.002	0.05	0.26	7.5	2	1.9	241	1.21	<0.05	14.9	0.289	0.60	3.9
I346654		19.1	121.5	<0.002	0.01	0.16	7.5	2	1.8	226	1.25	<0.05	14.3	0.282	0.69	4.1
I346655		16.8	109.0	<0.002	0.01	0.10	7.0	2	1.6	226	1.16	<0.05	12.6	0.265	0.63	4.1
I346656		14.6	90.2	<0.002	0.01	0.13	7.5	2	1.7	231	1.29	<0.05	13.6	0.292	0.64	3.9
I346657		15.5	92.4	<0.002	0.02	0.15	7.1	2	1.2	222	0.79	<0.05	15.1	0.283	0.59	3.1
I346658		15.2	108.5	<0.002	0.02	0.22	6.9	2	1.7	221	1.15	<0.05	12.4	0.281	0.66	3.1
I346659		14.6	98.5	<0.002	0.01	0.29	7.4	2	1.7	235	1.09	<0.05	12.2	0.289	0.64	3.1
I346660		13.7	95.4	<0.002	0.17	0.48	6.7	2	1.7	197.0	0.74	<0.05	9.3	0.267	0.59	2.1
I346661		15.4	123.0	<0.002	0.25	0.40	7.5	2	1.8	205	0.87	<0.05	10.6	0.285	0.68	2.6
I346662		13.2	112.5	<0.002	0.26	0.51	4.8	2	1.6	149.0	1.46	<0.05	17.7	0.185	0.49	6.0
I346663		10.4	101.0	<0.002	0.41	0.68	7.1	2	2.0	180.5	0.94	<0.05	11.0	0.269	0.61	2.9
I346664		17.1	116.0	<0.002	0.03	0.37	6.1	2	1.9	199.5	1.69	<0.05	12.4	0.258	0.69	3.7
I346665		16.8	120.0	<0.002	0.03	0.38	6.4	1	1.8	195.0	1.58	<0.05	12.5	0.249	0.66	3.7
I346666		16.0	118.0	<0.002	0.05	0.27	6.0	2	1.7	201	1.26	<0.05	13.3	0.253	0.67	3.6
I346667		17.0	124.0	<0.002	0.04	0.23	6.1	2	1.4	224	1.54	<0.05	14.5	0.235	0.61	4.8
I346668		15.4	91.2	<0.002	0.02	0.21	6.8	1	1.7	214	1.25	<0.05	11.9	0.275	0.68	3.4
I346669		18.2	130.5	<0.002	0.01	0.11	7.7	2	1.7	221	1.10	<0.05	13.6	0.295	0.68	3.6
I346670		16.1	104.5	<0.002	0.01	0.10	6.8	2	1.7	206	1.21	<0.05	14.2	0.281	0.62	4.0
I346671		15.9	99.3	<0.002	0.01	0.12	7.1	2	1.6	218	1.06	<0.05	11.7	0.290	0.62	3.0
I346672		15.8	90.0	<0.002	0.01	0.11	6.5	1	1.6	213	1.01	<0.05	13.4	0.280	0.62	3.6
I346673		15.0	99.0	<0.002	0.01	0.08	6.8	2	1.7	212	1.02	<0.05	12.2	0.287	0.60	3.2
I346674		15.9	113.5	<0.002	0.01	0.11	7.8	1	1.9	219	1.03	<0.05	13.1	0.293	0.58	4.2
I346675		15.8	112.0	<0.002	0.01	0.08	7.2	1	1.8	215	0.95	<0.05	12.1	0.278	0.56	2.8
I346676		15.9	112.5	<0.002	0.01	0.10	7.8	1	2.0	215	1.03	<0.05	12.3	0.291	0.57	3.0
I346677		15.8	111.5	<0.002	0.02	0.49	7.1	1	1.8	202	0.93	<0.05	11.2	0.258	0.54	2.4
I346678		15.9	116.5	<0.002	0.01	0.12	7.8	1	2.1	211	1.10	<0.05	13.2	0.291	0.58	3.3
I346679		15.9	112.0	<0.002	0.01	0.10	7.7	1	2.0	215	0.99	<0.05	11.6	0.285	0.56	2.8
I346680		16.4	116.5	<0.002	0.01	0.13	7.4	1	1.9	211	1.03	<0.05	13.4	0.283	0.58	3.3
I346681		14.4	110.5	<0.002	0.23	0.55	6.9	1	1.8	177.5	0.86	0.08	10.9	0.255	0.47	2.6
I346682		16.2	120.5	<0.002	0.03	0.17	7.2	1	1.8	206	1.10	<0.05	13.5	0.266	0.56	3.4
I346683		16.4	120.0	<0.002	0.01	0.07	7.6	1	1.9	217	1.14	<0.05	12.8	0.292	0.55	3.4
I346684		16.9	123.5	<0.002	0.01	0.07	8.3	1	2.0	227	1.12	<0.05	13.1	0.303	0.61	3.2
I346685		15.6	118.5	<0.002	0.06	0.12	8.0	1	2.0	217	1.08	<0.05	14.0	0.299	0.55	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346646		48	0.5	20.8	54	178.0
I346647		44	0.5	20.0	47	172.5
I346648		43	0.5	18.8	48	174.5
I346649		42	0.5	19.3	48	172.5
I346650		35	0.3	5.5	45	52.9
I346651		44	0.9	18.5	49	171.0
I346652		46	0.8	19.2	53	192.5
I346653		47	4.0	19.0	51	202
I346654		46	1.0	19.7	54	159.5
I346655		43	2.6	17.7	50	150.0
I346656		48	0.7	19.1	55	189.0
I346657		45	0.6	16.3	51	171.5
I346658		47	0.6	17.3	52	167.5
I346659		47	0.8	18.2	55	176.0
I346660		45	7.0	14.9	41	167.5
I346661		47	3.0	17.1	41	174.5
I346662		30	8.9	18.1	87	157.5
I346663		45	10.9	18.1	21	165.5
I346664		42	1.6	17.7	51	160.0
I346665		39	1.2	18.3	45	157.0
I346666		39	1.0	17.9	45	161.0
I346667		37	0.7	18.7	42	151.5
I346668		45	0.6	17.9	54	154.5
I346669		48	0.6	19.9	58	175.5
I346670		45	0.5	18.8	53	177.5
I346671		45	0.6	18.5	53	181.0
I346672		45	0.5	17.1	53	194.5
I346673		45	0.5	17.8	53	211
I346674		46	0.4	19.3	54	190.5
I346675		45	0.4	17.5	51	149.5
I346676		48	0.4	18.7	54	155.5
I346677		41	0.6	17.2	51	166.5
I346678		46	0.5	19.3	54	167.0
I346679		45	0.4	18.7	54	169.0
I346680		45	0.5	18.7	53	159.5
I346681		42	0.8	15.8	47	172.5
I346682		42	1.6	18.5	48	157.0
I346683		45	0.5	19.7	53	176.0
I346684		49	0.6	20.1	57	172.5
I346685		47	0.7	20.4	54	180.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346686		1.86	<0.005	0.11	7.75	2.9	800	1.54	0.07	2.01	0.06	80.1	8.2	27	3.35	9.8
I346687		1.85	<0.005	0.11	7.33	15.2	710	1.70	0.06	1.78	0.04	79.7	7.9	23	2.64	11.2
I346688		0.47	<0.005	0.11	6.85	15.2	1560	1.44	0.04	2.17	0.02	65.1	5.5	21	2.42	2.6
I346689		0.56	<0.005	0.10	6.93	23.3	690	1.71	0.05	1.82	0.02	67.5	6.1	21	2.42	4.1
I346690		0.46	0.009	0.10	6.81	30.6	820	1.60	0.04	1.97	0.02	66.5	7.1	23	0.79	5.4
I346691		0.62	<0.005	0.08	7.20	22.8	730	1.92	0.05	1.64	0.02	66.3	6.2	24	1.72	7.2
I346692		0.45	<0.005	0.07	6.32	19.7	640	1.67	0.05	1.75	<0.02	69.3	6.3	20	2.85	7.4
I346693		1.76	<0.005	0.10	7.19	10.5	780	1.69	0.06	1.72	0.02	72.6	7.0	23	2.19	12.5
I346694		0.50	<0.005	0.08	7.17	13.4	770	1.60	0.05	1.66	0.02	72.8	7.9	23	2.16	9.0
I346695		0.46	<0.005	0.04	3.07	15.8	550	0.75	0.02	0.83	<0.02	35.0	7.2	105	0.43	2.7
I346696		0.39	<0.005	0.15	6.38	72.4	180	1.49	0.07	7.22	<0.02	178.0	40.7	428	0.67	10.5
I346697		0.62	0.006	0.13	9.52	23.3	1190	2.66	0.09	1.31	<0.02	87.6	15.3	136	1.71	5.8
I346698		0.61	<0.005	0.11	9.07	14.9	630	2.18	0.03	2.16	<0.02	141.0	7.6	40	1.04	4.6
I346699		0.70	<0.005	0.07	8.21	12.2	600	1.69	0.04	3.51	0.02	63.5	6.6	25	0.80	4.1
I346700		0.03	0.587	0.85	7.76	2.9	100	2.24	1.12	0.86	0.13	16.75	8.3	29	31.9	11.2
I346701		1.23	0.009	0.06	7.05	9.0	790	1.37	0.04	1.32	<0.02	70.2	7.0	22	1.47	11.9
I346702		1.72	<0.005	0.15	7.28	7.5	810	1.50	0.05	1.50	0.02	71.5	7.4	23	1.60	19.4
I346703		1.79	<0.005	0.09	7.35	11.1	760	1.57	0.06	1.66	0.04	70.1	7.0	21	2.42	10.4
I346704		1.14	<0.005	0.08	7.04	10.3	810	1.46	0.08	1.47	0.08	73.1	7.1	21	1.53	9.2
I346705		0.63	0.005	0.27	7.05	39.5	380	0.79	0.08	4.80	0.06	168.5	31.7	506	13.00	9.4
I346706		1.07	<0.005	0.12	6.28	7.0	830	1.29	0.09	1.63	0.07	62.2	7.6	23	1.66	12.9
I346707		1.87	<0.005	0.11	7.34	10.7	740	1.42	0.08	1.90	0.04	76.3	8.0	28	2.82	12.8
I346708		1.02	<0.005	0.11	7.20	7.0	770	1.35	0.05	1.86	0.05	81.1	7.4	21	2.93	9.2
I346709		0.51	<0.005	0.11	6.78	19.6	670	1.61	0.11	1.56	0.04	72.1	6.7	20	2.89	10.7
I346710		1.65	<0.005	0.09	7.08	11.1	790	1.55	0.07	1.54	0.05	71.8	8.1	23	1.48	9.8
I346711		1.77	0.007	0.08	6.94	4.3	740	1.49	0.05	1.75	0.04	65.3	7.5	21	1.56	9.1
I346712		1.20	<0.005	0.07	6.82	3.6	750	1.45	0.05	1.62	0.04	71.2	7.4	20	1.11	8.7
I346713		0.69	<0.005	0.06	5.57	4.1	670	1.15	0.04	1.62	<0.02	71.2	6.2	18	0.90	19.4
I346714		0.64	<0.005	0.10	7.03	6.8	760	1.41	0.06	1.70	0.03	72.5	8.6	22	1.27	11.1
I346715		0.36	0.038	0.11	6.57	15.4	670	1.37	0.32	1.60	0.02	67.4	7.8	23	0.71	22.1
I346716		1.47	<0.005	0.41	6.69	11.1	690	1.41	0.09	1.62	0.03	67.8	7.5	20	1.40	10.5
I346717		0.53	0.681	0.26	7.17	>10000	880	1.66	0.80	1.32	0.05	69.5	20.4	27	1.32	6.3
I346718		0.65	0.006	0.05	7.18	74.3	720	1.73	0.09	1.80	0.03	68.6	7.3	23	2.22	13.1
I346719		0.61	0.044	0.09	5.94	37.2	240	2.75	0.18	0.42	<0.02	36.0	1.9	10	0.63	6.6
I346720		1.12	0.046	0.15	7.07	51.1	710	1.99	0.17	1.40	0.25	77.1	6.2	15	1.84	13.8
I346721		1.02	0.055	0.15	6.98	36.3	780	1.32	0.09	1.13	0.06	85.6	4.8	10	1.46	14.3
I346722		0.83	0.013	0.08	6.61	15.0	780	1.33	0.13	0.99	0.03	81.2	5.2	10	1.19	9.4
I346723		0.93	0.020	0.06	7.08	8.8	740	1.50	0.06	1.34	0.03	81.5	5.5	9	1.84	5.6
I346724		0.33	0.015	0.11	6.91	12.9	760	1.71	0.08	1.30	0.05	81.9	6.5	14	0.78	6.5
I346725		0.03	1.390	0.87	7.80	3.6	100	2.34	0.70	0.83	0.12	15.40	9.4	32	19.90	13.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346686		2.57	18.90	0.12	4.4	0.034	2.73	37.8	29.9	0.70	453	0.47	2.99	12.3	16.1	610
I346687		2.34	18.15	0.11	5.3	0.030	2.55	37.1	29.1	0.68	419	0.44	2.89	12.6	14.6	560
I346688		1.86	14.60	0.10	3.8	0.016	3.21	29.8	28.3	0.62	454	0.34	2.65	10.6	13.0	490
I346689		1.96	16.70	0.09	4.3	0.018	2.08	31.5	29.3	0.65	405	0.69	2.99	10.4	13.9	530
I346690		2.05	16.45	0.10	5.2	0.016	2.08	29.0	17.9	0.72	443	0.57	3.10	10.0	17.1	580
I346691		2.27	17.35	0.11	4.7	0.019	2.11	30.9	27.7	0.83	551	0.45	3.04	11.2	16.8	560
I346692		1.87	15.15	0.09	4.1	0.017	1.96	32.8	24.1	0.68	443	0.47	2.48	10.5	14.5	490
I346693		2.29	17.20	0.11	4.5	0.027	2.43	34.1	24.4	0.76	471	0.55	2.75	11.5	14.8	570
I346694		2.38	16.90	0.12	4.7	0.026	2.34	33.4	23.5	0.81	499	0.84	2.91	11.6	16.6	620
I346695		1.86	6.96	0.05	2.0	0.010	0.93	16.3	16.5	1.07	368	2.09	0.81	3.7	36.1	910
I346696		7.04	18.40	0.24	4.8	0.031	1.41	85.5	74.5	6.09	1910	1.23	0.27	8.3	224	4110
I346697		3.54	24.0	0.13	6.7	0.044	2.09	40.5	48.8	2.13	650	4.06	4.58	10.6	104.5	1800
I346698		2.50	20.2	0.16	6.6	0.029	1.32	68.2	31.0	1.25	451	2.87	5.85	10.9	69.8	970
I346699		2.35	17.55	0.12	5.6	0.030	1.32	27.5	24.8	1.03	490	1.35	5.47	10.8	45.2	790
I346700		3.38	19.05	0.09	1.4	0.011	2.08	8.0	7.0	0.69	249	0.97	5.64	8.4	27.5	720
I346701		2.36	16.80	0.11	4.6	0.030	2.54	32.1	21.3	0.90	436	0.91	3.04	11.5	15.4	590
I346702		2.47	17.85	0.10	4.4	0.033	2.47	32.7	25.9	0.91	541	11.25	2.95	11.4	15.3	600
I346703		2.42	18.25	0.11	4.5	0.031	2.52	32.2	26.9	0.77	462	0.73	2.91	11.9	14.2	590
I346704		2.23	17.20	0.11	4.2	0.031	2.57	33.8	18.5	0.75	428	0.69	2.75	11.3	14.8	560
I346705		8.32	27.3	0.28	5.5	0.079	4.39	78.9	118.5	6.12	1460	0.74	0.68	19.4	212	4410
I346706		2.44	17.45	0.09	4.3	0.032	2.39	27.8	22.1	0.76	469	0.91	2.82	11.1	15.1	610
I346707		2.61	18.30	0.13	4.4	0.034	2.39	35.8	25.2	0.76	463	0.73	2.93	11.7	16.7	620
I346708		2.46	17.90	0.12	4.5	0.033	2.58	37.4	22.5	0.68	432	0.59	2.77	11.3	14.3	590
I346709		2.25	16.75	0.10	4.7	0.030	2.43	33.0	21.6	0.64	408	0.56	2.79	12.0	13.2	540
I346710		2.35	17.75	0.08	4.4	0.030	2.47	36.9	15.2	0.74	430	0.91	2.77	11.1	16.8	550
I346711		2.31	17.70	0.10	4.3	0.031	2.32	32.7	13.1	0.69	422	0.88	2.75	11.0	14.7	550
I346712		2.29	17.30	0.11	4.7	0.031	2.21	36.4	9.4	0.68	415	0.63	2.68	11.4	14.9	570
I346713		1.93	13.50	0.11	3.7	0.030	1.98	39.0	12.1	0.59	348	0.93	2.10	8.5	11.3	430
I346714		2.34	17.60	0.12	4.5	0.032	2.26	37.6	14.0	0.75	457	0.95	2.76	10.7	14.8	570
I346715		2.33	16.60	0.10	4.6	0.026	1.96	35.2	14.5	0.67	444	2.02	2.81	10.4	14.4	530
I346716		2.19	16.80	0.11	4.4	0.029	2.14	35.4	13.5	0.67	462	42.2	2.81	10.9	14.2	550
I346717		3.33	18.05	0.10	4.4	0.044	2.51	36.9	17.3	0.59	351	1480	2.81	9.3	16.4	530
I346718		2.56	18.35	0.16	5.4	0.024	2.58	36.7	20.8	0.81	494	4.85	2.82	10.8	16.7	570
I346719		0.64	15.60	<0.05	4.8	0.011	2.76	15.7	3.5	0.11	86	1265	2.93	18.5	2.5	50
I346720		2.22	17.95	0.08	4.8	0.034	2.08	40.6	16.5	0.58	395	313	2.94	11.2	6.4	550
I346721		1.95	16.60	0.10	5.1	0.023	2.76	47.1	13.9	0.43	292	12.10	2.79	9.9	5.6	520
I346722		2.06	16.20	0.09	5.8	0.027	2.27	44.2	12.8	0.62	347	60.6	2.76	11.1	5.9	590
I346723		2.13	17.30	0.11	5.4	0.026	2.34	43.1	19.7	0.72	376	14.30	2.98	11.3	5.8	580
I346724		2.31	18.20	0.11	5.5	0.033	2.00	42.3	14.3	0.63	450	129.0	3.03	12.6	7.5	610
I346725		3.94	19.80	0.09	1.4	0.012	2.57	8.2	5.4	0.83	248	2.37	5.24	9.1	34.4	700

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346686		17.1	127.5	<0.002	0.01	0.09	8.3	1	2.1	230	1.09	<0.05	14.0	0.305	0.61	3.2
I346687		13.6	108.5	<0.002	0.05	0.23	7.7	1	2.0	231	1.41	<0.05	14.2	0.282	0.50	4.4
I346688		10.0	101.5	<0.002	0.01	0.21	6.7	1	1.7	264	1.06	<0.05	11.2	0.247	0.41	2.7
I346689		8.4	80.7	<0.002	0.01	0.29	6.9	1	1.9	264	0.90	<0.05	11.8	0.262	0.34	2.5
I346690		5.9	67.9	<0.002	0.01	0.40	7.1	1	1.8	270	0.84	<0.05	13.3	0.264	0.30	2.9
I346691		7.3	88.6	<0.002	0.01	0.38	7.6	1	1.8	255	1.07	<0.05	14.1	0.273	0.31	3.8
I346692		6.6	76.5	<0.002	0.02	0.33	6.2	1	1.6	236	1.12	<0.05	12.6	0.241	0.27	4.7
I346693		9.2	90.6	<0.002	0.02	0.23	7.2	1	1.9	239	1.16	<0.05	12.6	0.280	0.38	4.0
I346694		9.1	77.2	<0.002	0.02	0.25	7.3	1	1.9	235	1.16	<0.05	13.9	0.286	0.34	3.5
I346695		2.5	31.7	<0.002	0.01	0.15	5.9	1	1.2	64.8	0.31	<0.05	5.6	0.138	0.13	1.6
I346696		1.6	81.7	0.002	0.05	0.24	21.4	1	4.0	76.0	0.42	<0.05	12.5	0.423	0.35	3.3
I346697		6.0	76.1	0.002	0.08	0.29	12.0	1	2.6	488	0.86	<0.05	17.1	0.401	0.30	3.8
I346698		5.2	45.2	<0.002	0.03	0.36	8.9	1	2.2	547	0.86	<0.05	16.8	0.355	0.17	2.0
I346699		6.3	38.9	<0.002	0.02	0.32	8.2	1	1.7	515	1.04	<0.05	11.2	0.346	0.25	2.1
I346700		70.1	880	<0.002	2.61	1.19	3.1	1	1.0	162.5	0.73	<0.05	2.8	0.219	7.72	1.2
I346701		6.9	102.5	<0.002	0.01	0.30	7.6	1	1.8	175.0	1.06	<0.05	12.5	0.293	0.47	3.2
I346702		8.7	94.4	0.002	0.01	0.33	7.7	1	1.9	192.0	1.03	<0.05	13.4	0.292	0.41	3.2
I346703		13.0	97.2	<0.002	0.03	0.30	7.5	1	2.0	228	1.08	<0.05	13.0	0.282	0.46	3.3
I346704		10.9	104.0	<0.002	0.02	0.34	7.2	1	1.9	257	1.07	<0.05	13.7	0.278	0.45	3.1
I346705		4.4	328	0.002	0.06	0.28	21.9	1	5.3	107.5	1.03	<0.05	14.9	0.515	1.59	4.5
I346706		12.0	72.9	<0.002	0.03	0.19	7.1	1	2.0	233	0.95	<0.05	9.6	0.288	0.45	2.9
I346707		13.1	96.9	<0.002	0.05	0.21	8.1	1	1.9	231	1.02	<0.05	11.9	0.305	0.48	3.4
I346708		15.8	103.0	<0.002	0.01	0.14	7.3	1	1.9	229	1.01	<0.05	13.2	0.296	0.55	3.8
I346709		15.4	102.5	<0.002	0.02	0.27	6.9	1	2.2	189.0	1.16	<0.05	13.5	0.267	0.48	3.7
I346710		14.8	86.3	<0.002	0.02	0.26	7.4	1	1.8	198.0	1.01	<0.05	13.6	0.272	0.46	3.7
I346711		14.4	78.4	<0.002	0.01	0.18	7.4	1	2.0	222	1.02	<0.05	11.4	0.272	0.41	3.0
I346712		13.4	70.2	<0.002	0.01	0.20	7.6	1	1.8	209	1.08	<0.05	12.3	0.274	0.33	3.4
I346713		7.3	75.7	<0.002	0.02	0.29	6.4	1	1.4	141.5	0.80	<0.05	11.3	0.211	0.33	3.1
I346714		12.6	76.0	<0.002	0.03	0.24	7.5	1	1.9	196.5	1.00	<0.05	13.4	0.270	0.38	3.5
I346715		11.9	64.6	<0.002	0.26	0.49	7.6	1	1.8	161.0	0.99	<0.05	12.7	0.258	0.29	3.6
I346716		10.6	77.5	0.003	0.04	0.28	7.4	1	2.0	163.5	1.04	<0.05	12.8	0.265	0.38	3.3
I346717		13.1	100.5	0.118	1.28	5.26	6.9	2	2.2	150.5	0.94	0.75	15.3	0.236	0.47	4.3
I346718		13.2	96.8	<0.002	0.22	0.30	7.2	1	2.3	207	1.16	<0.05	14.4	0.281	0.42	3.9
I346719		21.1	102.0	0.105	0.28	0.24	1.8	1	1.2	59.8	3.17	0.12	33.3	0.051	0.36	15.3
I346720		15.9	81.0	0.036	0.40	0.31	6.9	1	2.0	174.0	1.16	<0.05	13.4	0.264	0.32	4.1
I346721		11.6	87.6	0.002	0.29	0.32	6.2	1	1.5	164.0	0.80	<0.05	13.5	0.260	0.34	3.1
I346722		9.4	71.8	0.006	0.18	0.26	6.5	1	1.7	131.0	0.84	<0.05	12.5	0.287	0.28	2.9
I346723		11.9	78.5	0.002	0.11	0.29	7.7	1	1.8	155.0	0.98	<0.05	15.8	0.274	0.34	3.9
I346724		11.9	56.8	0.014	0.34	0.24	7.8	1	2.1	177.5	1.12	<0.05	15.5	0.285	0.25	4.1
I346725		73.3	650	<0.002	3.25	1.27	3.1	1	1.0	173.5	0.74	<0.05	3.1	0.228	6.40	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346686		47	0.5	20.4	55	162.0
I346687		43	1.0	21.2	47	179.5
I346688		40	4.0	16.2	33	137.0
I346689		40	1.4	16.9	36	161.5
I346690		41	2.3	21.8	44	185.5
I346691		42	1.8	19.8	50	158.5
I346692		36	1.3	18.6	35	144.0
I346693		43	1.1	19.6	46	164.0
I346694		45	1.2	18.9	49	171.5
I346695		37	2.3	7.4	45	72.4
I346696		146	3.2	28.0	246	201
I346697		96	5.5	17.0	97	255
I346698		64	5.7	16.4	63	252
I346699		53	3.3	18.7	61	210
I346700		28	0.3	4.3	40	44.2
I346701		46	1.4	19.1	49	168.5
I346702		47	1.7	20.3	51	164.0
I346703		45	2.1	19.3	50	164.0
I346704		43	2.4	19.2	56	150.5
I346705		162	6.8	35.8	222	233
I346706		48	2.2	16.4	53	162.0
I346707		48	2.1	19.9	54	162.5
I346708		47	0.5	18.5	54	168.5
I346709		41	0.8	18.7	49	163.5
I346710		43	0.8	17.5	49	170.0
I346711		43	0.4	17.5	48	164.0
I346712		43	0.6	18.3	44	176.0
I346713		34	0.8	15.1	29	134.0
I346714		42	1.0	17.9	43	173.5
I346715		41	5.6	17.9	38	170.5
I346716		42	2.5	17.9	39	167.0
I346717		47	14.6	17.7	36	161.5
I346718		45	4.4	20.0	37	176.0
I346719		6	1.7	19.5	9	91.9
I346720		40	5.1	18.9	78	170.0
I346721		35	2.6	15.3	33	197.5
I346722		39	2.9	17.8	32	229
I346723		40	1.9	19.5	36	202
I346724		43	1.9	20.8	27	209
I346725		28	0.2	5.0	39	48.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346726		1.02	<0.005	0.10	7.05	8.7	790	1.56	0.05	1.63	0.04	80.0	6.5	10	2.51	7.3
I346727		1.86	<0.005	0.09	6.88	9.2	790	1.50	0.06	1.70	0.04	79.4	6.3	10	2.98	5.9
I346728		1.81	<0.005	0.10	6.93	4.2	810	1.79	0.06	1.62	0.05	80.3	6.5	10	3.15	6.7
I346729		1.40	<0.005	0.09	7.15	4.3	770	1.98	0.08	1.68	0.04	83.3	6.6	9	4.13	6.9
I346730		1.65	<0.005	0.09	7.04	4.7	760	1.76	0.08	1.58	0.04	81.4	6.3	10	3.37	6.6
I346731		1.93	<0.005	0.12	7.05	2.1	810	1.85	0.06	1.65	0.03	85.3	6.3	11	3.58	6.5
I346732		1.29	<0.005	0.10	7.09	7.8	880	1.58	0.05	1.64	0.04	88.2	5.7	10	3.14	3.8
I346733		0.41	2.27	1.42	6.46	23.9	750	1.61	1.74	1.28	0.08	82.4	6.3	10	1.96	17.1
I346734		0.80	0.099	0.21	7.04	14.1	820	1.58	0.10	1.83	0.06	81.0	6.0	11	2.60	19.5
I346735		1.89	<0.005	0.13	7.31	4.3	970	1.47	0.08	1.58	0.05	85.7	6.2	11	2.99	7.1
I346736		1.61	<0.005	0.10	7.28	2.5	810	1.85	0.09	1.74	0.04	86.6	6.7	12	4.07	5.5
I346737		0.54	<0.005	0.06	6.26	4.9	180	1.75	0.06	0.50	<0.02	36.1	1.2	7	1.73	3.0
I346738		0.79	<0.005	0.09	7.06	2.9	800	1.59	0.06	1.63	0.04	83.5	6.2	9	3.05	4.4
I346739		0.65	0.006	0.09	7.02	6.0	770	1.55	0.07	1.73	0.04	80.9	6.7	11	3.47	7.4
I346740		0.99	<0.005	0.08	7.23	5.8	820	1.62	0.06	1.61	0.04	86.4	6.4	9	3.57	5.7
I346741		0.39	0.020	0.08	6.93	13.0	710	1.93	0.07	1.41	0.03	74.7	5.2	9	3.48	5.6
I346742		0.94	<0.005	0.10	6.97	6.5	760	1.68	0.06	1.54	0.05	78.5	5.8	9	3.19	7.4
I346743		1.82	0.019	0.09	7.15	2.0	800	1.51	0.06	1.70	0.04	85.6	6.9	10	3.02	6.9
I346744		0.34	0.007	0.21	6.94	11.5	830	1.51	0.57	1.49	0.04	81.9	5.8	9	2.57	45.7
I346745		1.18	<0.005	0.16	7.20	9.0	800	1.50	0.16	1.64	0.04	84.0	6.7	10	2.78	23.5
I346746		0.33	0.009	0.24	6.39	8.6	730	1.22	0.61	1.69	0.03	75.6	6.5	10	2.45	50.3
I346747		1.26	0.005	0.19	6.66	7.2	800	1.51	0.22	1.63	0.04	85.4	6.5	11	3.13	30.4
I346748		1.74	0.006	0.18	6.63	4.4	720	1.56	1.35	1.59	0.04	82.4	6.4	9	3.17	25.5
I346749		0.79	<0.005	0.11	6.53	1.1	730	1.47	0.12	1.54	0.03	76.7	6.2	9	3.29	12.9
I346750		0.82	0.005	0.12	6.57	1.0	720	1.55	0.15	1.56	0.04	77.1	6.1	10	3.27	12.8
I346751		1.84	<0.005	0.14	6.80	3.8	740	1.55	0.09	1.62	0.05	84.3	6.1	10	3.27	14.0
I346752		1.81	<0.005	0.14	6.58	5.8	730	1.54	0.08	1.51	0.04	73.9	5.5	9	3.10	12.0
I346753		0.75	<0.005	0.13	6.85	3.7	770	1.58	0.07	1.55	0.05	83.2	6.1	9	3.18	11.0
I346754		0.33	0.038	0.14	6.90	14.7	880	1.44	0.71	1.56	0.03	90.6	5.8	8	2.83	35.8
I346755		0.84	0.008	0.13	6.76	18.7	760	1.45	0.52	1.58	0.03	89.3	6.4	8	2.97	33.3
I346756		0.49	0.016	0.15	6.95	8.9	710	1.53	0.81	1.58	0.03	89.0	6.6	9	2.87	37.4
I346757		1.92	<0.005	0.12	7.00	3.9	780	1.49	0.14	1.71	0.05	88.0	6.5	11	3.32	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I346726		2.30	18.00	0.12	5.2	0.034	2.61	41.2	18.4	0.48	416	4.43	2.81	12.2	6.0	570
I346727		2.26	17.95	0.13	5.5	0.033	2.64	40.1	22.1	0.46	424	40.3	2.76	12.5	5.9	570
I346728		2.27	18.20	0.12	5.2	0.036	2.70	41.5	26.2	0.48	421	19.60	2.72	13.3	5.8	570
I346729		2.34	19.15	0.13	6.1	0.035	2.61	41.6	31.7	0.49	420	1.94	2.93	14.0	6.1	590
I346730		2.26	18.55	0.13	6.5	0.033	2.71	41.5	28.3	0.46	403	15.20	2.89	13.9	5.9	560
I346731		2.37	18.20	0.14	5.0	0.035	2.69	44.1	27.3	0.48	422	29.9	2.79	13.3	5.9	590
I346732		2.25	17.50	0.12	5.6	0.031	2.65	47.5	26.6	0.45	394	6.47	2.85	11.9	5.3	560
I346733		2.23	17.00	0.12	5.2	0.029	2.42	44.8	20.5	0.43	318	158.0	2.47	8.7	5.9	510
I346734		2.27	18.05	0.12	5.6	0.033	2.66	41.3	27.1	0.47	448	1.78	2.91	12.1	5.9	570
I346735		2.23	18.40	0.13	4.9	0.029	2.95	45.2	27.4	0.45	392	6.33	2.88	12.0	5.8	550
I346736		2.48	18.90	0.13	5.3	0.039	2.64	44.5	32.6	0.50	446	1.18	2.92	14.3	6.5	610
I346737		0.81	16.40	0.07	3.9	0.007	3.94	16.5	5.3	0.08	117	0.73	2.42	9.9	1.0	70
I346738		2.30	18.20	0.13	5.5	0.033	2.66	42.8	30.6	0.46	414	0.97	2.83	12.9	5.7	580
I346739		2.34	18.40	0.13	5.5	0.036	2.70	40.8	32.6	0.48	426	1.36	2.99	12.8	6.2	600
I346740		2.26	18.65	0.14	5.0	0.032	2.77	44.6	30.8	0.46	394	1.40	2.96	12.5	5.7	570
I346741		2.02	17.75	0.12	5.2	0.033	2.91	38.3	29.5	0.43	367	1.09	2.80	14.0	5.1	510
I346742		2.18	17.70	0.14	5.7	0.032	2.71	40.1	30.1	0.44	392	1.19	2.86	12.6	5.3	530
I346743		2.36	18.85	0.13	5.3	0.034	2.54	43.1	32.2	0.48	423	1.67	2.93	12.7	6.2	610
I346744		2.32	17.85	0.12	4.9	0.023	2.76	43.6	21.8	0.46	341	1.53	2.95	12.3	6.3	550
I346745		2.36	18.35	0.13	5.7	0.034	2.58	44.1	28.0	0.47	394	1.83	2.94	12.7	5.8	600
I346746		2.22	16.20	0.15	4.9	0.028	2.53	37.6	19.8	0.45	362	1.14	2.68	12.0	5.4	550
I346747		2.28	17.75	0.18	5.1	0.030	2.61	43.7	29.5	0.47	375	1.42	2.65	12.7	5.7	550
I346748		2.23	17.15	0.18	5.2	0.028	2.54	41.3	28.4	0.45	365	1.08	2.80	12.6	5.3	520
I346749		2.18	16.95	0.18	4.8	0.029	2.60	39.1	32.1	0.42	373	1.33	2.64	12.7	5.4	500
I346750		2.15	17.00	0.18	5.1	0.030	2.61	38.3	32.2	0.43	369	1.39	2.66	12.8	5.3	490
I346751		2.24	17.85	0.19	5.0	0.029	2.74	42.3	31.3	0.43	392	2.73	2.81	12.7	5.2	520
I346752		2.12	17.05	0.19	4.9	0.029	2.66	36.7	33.1	0.40	377	2.38	2.71	12.0	5.1	490
I346753		2.06	18.05	0.20	4.6	0.028	2.77	41.5	32.7	0.39	373	1.38	2.78	11.7	4.8	480
I346754		2.11	17.30	0.19	5.5	0.025	2.83	46.4	23.9	0.41	322	1.12	2.88	12.0	4.7	520
I346755		2.25	17.90	0.18	5.4	0.028	2.73	43.7	24.9	0.45	347	1.14	2.86	12.7	5.4	550
I346756		2.34	18.65	0.20	6.0	0.027	2.65	44.5	25.6	0.46	349	1.35	3.05	13.1	5.5	560
I346757		2.49	18.00	0.20	5.2	0.032	2.68	43.5	34.9	0.48	424	2.77	2.85	12.9	5.6	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346726		16.8	102.5	<0.002	0.03	0.29	7.6	1	2.1	201	1.05	<0.05	14.9	0.282	0.55	3.9
I346727		15.8	114.5	0.003	0.02	0.22	7.4	1	2.1	193.5	1.12	<0.05	14.3	0.288	0.61	3.8
I346728		15.9	116.0	0.003	0.02	0.21	7.8	1	2.2	187.5	1.29	<0.05	14.5	0.287	0.61	4.1
I346729		16.9	131.0	<0.002	0.01	0.27	8.2	1	2.5	203	1.43	<0.05	15.4	0.292	0.67	4.7
I346730		17.0	137.5	0.002	0.02	0.27	7.4	1	2.3	190.5	1.45	<0.05	15.3	0.286	0.67	4.6
I346731		15.9	135.0	0.003	0.01	0.14	7.5	1	2.1	194.0	1.33	<0.05	15.0	0.298	0.66	3.6
I346732		18.9	127.5	<0.002	0.01	0.29	7.0	1	1.8	202	1.10	<0.05	12.7	0.295	0.62	3.0
I346733		112.0	109.5	0.014	0.73	0.43	6.9	1	1.8	163.5	0.71	0.10	11.7	0.243	0.53	2.8
I346734		27.4	112.5	<0.002	0.16	0.35	7.8	1	1.9	196.0	1.07	<0.05	14.1	0.293	0.59	3.2
I346735		16.8	113.0	<0.002	0.03	0.20	6.9	1	1.7	200	1.09	<0.05	14.8	0.287	0.61	3.4
I346736		17.7	130.0	<0.002	0.01	0.22	8.4	1	2.5	204	1.38	<0.05	13.5	0.300	0.69	3.7
I346737		22.3	153.0	<0.002	0.01	0.17	1.6	1	1.0	43.5	1.23	<0.05	33.4	0.068	0.71	9.8
I346738		16.3	114.5	<0.002	0.01	0.20	7.6	1	2.0	197.0	1.17	<0.05	13.2	0.293	0.59	3.7
I346739		14.8	130.0	<0.002	0.04	0.26	8.0	1	2.1	177.5	1.14	<0.05	13.4	0.297	0.68	3.4
I346740		16.4	132.5	<0.002	0.01	0.26	7.1	1	2.2	200	1.14	<0.05	14.0	0.295	0.66	3.5
I346741		17.0	142.0	<0.002	0.03	0.28	7.3	1	2.4	168.0	1.49	<0.05	15.0	0.254	0.70	4.7
I346742		16.8	128.0	<0.002	0.01	0.21	7.5	1	2.0	187.0	1.29	<0.05	14.9	0.276	0.62	4.2
I346743		15.6	117.5	<0.002	0.01	0.13	7.8	1	2.1	208	1.04	<0.05	13.7	0.301	0.61	3.2
I346744		15.7	121.0	<0.002	0.40	0.23	7.3	1	2.3	163.5	1.11	0.05	14.4	0.286	0.61	4.2
I346745		15.6	116.5	<0.002	0.17	0.21	7.7	1	2.1	202	1.06	<0.05	13.6	0.302	0.58	3.6
I346746		13.9	107.5	<0.002	0.32	0.19	7.3	1	1.9	153.0	0.99	<0.05	11.7	0.275	0.58	3.3
I346747		16.2	121.5	<0.002	0.14	0.19	8.3	1	2.0	192.5	1.06	<0.05	12.5	0.281	0.64	3.7
I346748		16.1	118.0	<0.002	0.19	0.14	7.7	1	2.0	168.0	1.07	0.06	13.8	0.275	0.64	4.3
I346749		16.8	122.5	<0.002	0.04	0.10	7.4	1	1.9	174.5	1.16	<0.05	13.4	0.260	0.65	4.1
I346750		16.5	123.5	<0.002	0.05	0.10	7.5	1	1.9	175.0	1.10	<0.05	13.2	0.268	0.65	4.0
I346751		17.2	124.5	<0.002	0.05	0.13	7.3	1	1.9	180.0	1.18	<0.05	13.6	0.274	0.67	4.2
I346752		17.3	124.5	<0.002	0.01	0.15	7.2	1	1.9	169.5	1.11	<0.05	13.8	0.254	0.67	4.4
I346753		18.0	125.5	<0.002	0.01	0.12	6.9	1	1.8	176.5	1.06	<0.05	14.7	0.246	0.66	4.7
I346754		16.8	120.5	<0.002	0.30	0.26	7.0	1	2.2	187.0	1.05	<0.05	15.4	0.263	0.65	4.4
I346755		15.2	120.5	<0.002	0.28	0.23	7.8	1	2.0	184.5	1.09	<0.05	13.4	0.282	0.66	3.7
I346756		14.9	116.5	<0.002	0.37	0.19	8.3	1	2.2	166.5	1.04	0.06	13.6	0.294	0.68	3.7
I346757		16.6	122.0	<0.002	0.06	0.12	8.4	1	2.0	191.5	1.04	<0.05	14.5	0.301	0.70	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346726		41	1.2	20.2	49	194.0
I346727		41	0.9	20.5	50	201
I346728		40	2.0	22.3	50	192.0
I346729		43	1.0	22.9	54	221
I346730		40	1.3	22.5	51	228
I346731		42	0.8	21.3	51	184.0
I346732		40	1.1	19.3	49	217
I346733		41	12.1	16.0	67	197.5
I346734		41	4.0	20.8	56	212
I346735		39	1.8	19.3	51	188.0
I346736		45	1.1	24.3	55	197.0
I346737		6	0.8	14.5	13	89.2
I346738		42	1.0	21.5	52	213
I346739		43	1.6	21.1	54	208
I346740		39	0.9	20.1	51	192.5
I346741		36	1.0	23.3	48	178.5
I346742		38	0.7	21.8	49	214
I346743		43	0.8	20.5	55	207
I346744		39	17.0	20.5	37	188.5
I346745		40	1.2	20.9	45	230
I346746		38	4.5	19.7	33	178.0
I346747		41	1.9	21.9	43	178.0
I346748		38	3.2	21.1	39	189.0
I346749		38	1.6	20.5	44	166.5
I346750		38	1.3	20.9	44	179.5
I346751		38	1.4	21.0	45	173.5
I346752		36	1.7	20.2	44	164.5
I346753		34	1.3	19.8	45	150.0
I346754		36	20.1	20.5	34	191.0
I346755		40	20.3	21.5	36	189.5
I346756		42	12.4	21.6	34	216
I346757		43	2.8	21.8	50	188.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169631

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.