ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

CERTIFICATE TB11021205

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 11-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594591		0.64	0.005	0.06	6.88	5.6	740	1.37	0.06	1.81	0.09	84.7	7.7	23	3.10	7.6
J594592		0.71	0.007	0.17	6.98	28.9	700	1.73	0.07	1.99	0.21	85.5	8.3	23	3.42	36.6
J594593		0.70	0.116	0.12	7.34	411	660	2.00	0.27	1.67	0.46	75.7	6.7	19	2.39	30.0
J594594		0.58	0.015	0.10	6.61	39.0	570	1.90	0.11	1.93	0.05	75.7	5.4	19	2.50	31.5
J594595		0.70	0.015	0.06	7.84	40.5	690	2.28	0.09	1.77	0.03	97.3	8.1	23	3.30	20.6
J594596		0.62	0.006	<0.01	6.87	18.8	680	1.48	0.06	1.84	0.05	73.4	9.6	22	3.12	6.8
J594597		1.87	0.020	0.03	6.80	21.6	710	1.70	0.09	1.81	0.05	71.2	8.5	21	3.13	15.9
J594598		1.92	0.010	0.02	7.13	9.7	750	1.52	0.06	1.97	0.06	74.2	8.5	22	3.46	7.5
J594599		1.21	0.015	0.03	7.24	60.4	750	1.64	0.08	1.95	0.07	86.1	10.3	21	3.37	9.6
J594600		1.28	0.024	0.05	7.11	22.9	720	1.63	0.11	2.00	0.06	75.9	8.8	23	3.35	14.1
J594601		1.27	0.041	0.07	6.76	30.0	680	1.35	0.21	1.90	0.06	72.1	9.0	29	3.05	14.3
J594602		1.06	0.011	0.06	6.98	21.3	720	1.40	0.11	1.88	0.06	73.4	7.9	21	3.21	13.0
J594603		1.38	0.006	0.06	6.85	34.2	800	1.43	0.10	1.80	0.07	67.6	8.5	21	2.50	20.9
J594604		1.33	<0.005	0.04	6.86	3.0	710	1.41	0.06	1.84	0.05	73.7	8.3	24	3.05	9.5
J594605		1.79	0.005	0.01	6.93	1.6	710	1.41	0.05	1.84	0.05	72.3	8.1	24	2.93	8.6
J594606		1.90	<0.005	0.02	6.96	3.9	710	1.49	0.05	1.82	0.05	80.0	8.2	25	3.11	8.2
J594607		1.89	0.008	0.03	7.11	1.8	680	1.35	0.05	1.88	0.05	74.2	8.2	25	2.97	9.3
J594608		1.83	0.006	0.03	7.09	3.2	710	1.53	0.05	1.94	0.05	73.8	8.6	26	3.07	8.9
J594609		1.87	0.005	0.02	7.13	0.8	740	1.55	0.05	1.90	0.06	78.6	8.6	24	3.29	8.7
J594610		1.89	<0.005	0.02	7.08	6.1	710	1.56	0.06	1.86	0.06	78.0	8.3	22	3.44	9.4
J594611		1.91	0.008	0.02	7.08	20.1	710	1.55	0.06	1.87	0.05	78.0	8.5	22	3.30	11.1
J594612		1.91	<0.005	0.02	7.02	1.6	700	1.50	0.05	1.86	0.06	76.2	8.0	23	3.36	8.7
J594613		1.89	0.007	0.03	6.84	13.9	710	1.44	0.06	1.89	0.05	75.0	8.5	22	3.55	9.2
J594614		0.83	0.006	0.04	6.56	24.6	560	1.33	0.06	1.48	0.06	69.7	7.2	21	3.10	4.3
J594615		1.28	0.005	0.02	6.99	6.2	710	1.65	0.06	1.86	0.06	73.6	7.8	21	3.51	8.7
J594616		1.90	0.015	0.04	7.08	13.4	700	1.45	0.07	1.88	0.06	72.8	8.3	22	3.63	10.6
J594617		1.85	0.005	0.03	7.12	16.5	720	1.68	0.07	1.87	0.07	78.3	8.4	23	3.77	9.9
J594618		1.91	0.005	0.01	7.09	1.4	710	1.60	0.06	1.79	0.05	77.5	8.0	21	3.54	9.0
J594619		1.93	0.007	0.03	7.22	11.4	700	1.76	0.08	1.88	0.05	76.0	8.0	24	3.58	10.0
J594620		1.91	<0.005	0.01	7.10	0.7	690	1.95	0.07	1.88	0.05	78.2	8.4	21	3.68	8.8
J594621		2.01	<0.005	0.02	7.05	3.1	690	1.94	0.07	1.86	0.06	79.6	8.4	24	3.85	8.0
J594622		1.92	0.005	0.05	7.30	10.5	740	1.65	0.08	2.02	0.07	77.3	8.9	24	3.98	13.6
J594623		1.94	<0.005	0.06	7.07	0.7	720	1.78	0.06	1.95	0.07	76.1	8.6	22	3.60	9.7
J594624		1.92	0.005	0.03	6.82	1.5	720	1.80	0.08	1.78	0.06	76.3	8.2	22	4.58	8.7
J594625		0.03	0.605	0.81	7.84	3.2	90	2.55	1.14	0.89	0.16	14.70	9.5	28	32.2	10.9
J594626		1.84	0.006	0.05	7.00	0.5	710	1.60	0.05	1.87	0.06	75.8	8.4	22	3.54	8.9
J594627		1.98	0.006	0.03	6.81	2.4	690	1.54	0.06	1.83	0.06	73.2	8.3	26	3.69	9.0
J594628		1.25	0.005	0.06	6.97	28.4	710	1.74	0.11	1.86	0.08	79.6	8.7	22	4.12	8.3
J594629		0.83	0.058	0.08	6.98	280	710	1.55	0.11	1.84	0.37	74.2	8.6	19	3.35	11.7
J594630		1.90	0.021	0.06	6.70	16.8	660	1.57	0.18	1.80	0.08	76.7	8.2	21	3.73	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594591		2.40	17.65	0.10	4.8	0.033	2.51	39.4	29.2	0.68	420	9.75	2.72	11.5	15.8	530
J594592		2.68	18.25	0.12	4.8	0.035	2.78	40.0	30.9	0.71	448	27.2	2.98	12.3	17.3	550
J594593		2.31	18.20	0.11	5.0	0.035	2.41	35.0	24.9	0.62	345	16.85	2.97	14.0	12.8	440
J594594		2.21	17.40	0.13	4.7	0.027	2.43	35.1	23.2	0.63	432	0.77	2.81	14.3	13.3	510
J594595		2.57	21.1	0.16	5.4	0.036	2.72	44.7	38.0	0.75	378	1.20	3.34	16.6	10.9	640
J594596		2.49	18.35	0.11	4.6	0.032	2.41	35.2	42.1	0.67	417	0.65	2.71	10.7	16.3	550
J594597		2.41	17.90	0.12	4.7	0.031	2.58	34.2	38.1	0.66	409	0.73	2.78	11.0	15.3	560
J594598		2.60	17.95	0.13	4.8	0.035	2.54	35.7	41.3	0.72	452	0.57	2.81	10.6	15.3	580
J594599		2.58	18.40	0.14	4.9	0.031	2.52	42.9	45.0	0.71	443	0.74	3.03	10.3	16.2	600
J594600		2.57	18.15	0.14	5.0	0.031	2.59	37.3	39.8	0.72	456	0.97	2.83	10.7	15.6	590
J594601		2.48	17.50	0.13	4.8	0.027	2.58	35.1	29.4	0.69	419	1.39	2.70	10.5	15.8	560
J594602		2.50	17.95	0.14	4.3	0.030	2.54	35.6	43.2	0.68	418	1.61	2.83	10.8	15.1	560
J594603		2.40	17.50	0.14	4.9	0.029	2.69	32.5	36.6	0.67	424	0.96	3.00	11.1	15.5	580
J594604		2.44	17.55	0.15	4.7	0.032	2.49	36.0	35.6	0.67	419	0.86	2.76	10.8	15.5	540
J594605		2.42	17.50	0.13	4.8	0.033	2.53	35.4	28.6	0.66	414	0.40	2.79	10.6	15.2	540
J594606		2.41	17.30	0.15	4.6	0.032	2.60	39.7	29.8	0.67	417	0.48	2.79	11.1	15.9	540
J594607		2.50	17.35	0.15	4.1	0.032	2.62	37.0	27.8	0.69	434	1.04	2.85	10.4	15.6	550
J594608		2.55	17.45	0.15	4.9	0.033	2.50	36.0	28.8	0.70	439	0.52	2.88	10.8	16.3	560
J594609		2.49	18.35	0.15	4.9	0.034	2.58	39.0	28.7	0.67	430	0.49	2.90	11.3	15.1	570
J594610		2.48	17.65	0.16	4.8	0.032	2.55	39.0	31.1	0.66	430	0.63	2.80	10.8	14.9	550
J594611		2.48	17.75	0.16	4.9	0.031	2.58	38.7	36.1	0.66	419	0.74	2.86	10.9	15.2	560
J594612		2.44	18.00	0.15	4.6	0.034	2.50	37.5	30.7	0.67	427	0.76	2.82	11.0	15.0	550
J594613		2.42	17.90	0.16	5.4	0.033	2.51	36.5	42.8	0.65	418	0.57	2.66	10.6	15.0	540
J594614		2.30	16.75	0.15	4.5	0.030	2.12	35.5	40.1	0.63	381	0.49	2.97	10.4	13.9	520
J594615		2.39	17.35	0.14	4.9	0.035	2.56	35.4	34.3	0.64	427	0.72	2.82	11.2	13.8	550
J594616		2.50	17.75	0.16	5.0	0.034	2.54	35.4	34.1	0.66	431	0.72	2.87	11.5	15.3	560
J594617		2.46	18.05	0.16	4.8	0.035	2.60	38.4	35.7	0.67	430	0.80	2.89	11.5	15.5	550
J594618		2.32	17.80	0.15	4.9	0.030	2.66	38.5	29.9	0.62	403	0.73	2.84	11.6	14.4	530
J594619		2.50	17.95	0.15	5.2	0.034	2.65	37.4	41.0	0.66	417	1.19	2.98	12.0	15.6	550
J594620		2.44	18.10	0.17	5.6	0.036	2.58	38.2	32.4	0.66	425	0.93	2.83	12.8	15.4	550
J594621		2.45	18.35	0.17	5.1	0.035	2.56	38.9	36.5	0.66	421	1.43	2.89	13.0	15.7	560
J594622		2.71	19.15	0.18	5.0	0.035	2.60	37.3	37.3	0.71	471	4.49	2.95	11.8	16.1	600
J594623		2.51	17.90	0.16	4.8	0.034	2.51	36.5	31.6	0.67	441	1.20	2.92	11.4	15.7	580
J594624		2.34	18.05	0.16	5.0	0.033	2.55	36.6	29.8	0.60	413	0.58	2.82	12.5	14.3	540
J594625		3.52	19.80	0.14	1.6	0.012	2.08	7.2	8.9	0.69	248	1.02	5.50	8.3	29.6	680
J594626		2.42	18.00	0.16	4.7	0.034	2.51	37.3	31.1	0.63	416	1.45	2.81	10.9	15.1	550
J594627		2.41	17.65	0.17	4.6	0.034	2.53	34.7	34.4	0.64	424	1.02	2.75	10.9	15.6	540
J594628		2.45	17.85	0.18	4.8	0.036	2.55	38.8	45.5	0.67	435	0.62	2.82	11.3	15.4	550
J594629		2.40	17.75	0.16	5.0	0.032	2.54	35.8	40.3	0.63	421	4.73	2.91	10.8	14.5	570
J594630		2.38	17.40	0.17	4.7	0.031	2.37	37.5	40.6	0.63	404	1.89	2.75	10.6	15.1	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594591		13.3	114.0	<0.002	0.01	0.24	8.0	<1	2.0	209	0.91	<0.05	13.2	0.275	0.63	2.8
J594592		51.4	115.0	0.003	0.16	0.40	8.8	<1	2.2	209	0.98	<0.05	13.3	0.284	0.64	2.7
J594593		39.5	105.0	0.002	0.30	0.48	7.6	<1	2.3	192.5	1.58	0.07	16.4	0.234	0.50	5.2
J594594		13.0	105.0	<0.002	0.21	0.31	7.9	<1	2.2	165.0	1.41	<0.05	13.7	0.254	0.53	3.9
J594595		18.3	113.0	<0.002	0.11	0.40	9.5	<1	2.8	237	1.72	<0.05	15.5	0.321	0.63	3.2
J594596		14.5	113.0	<0.002	0.03	0.29	8.4	1	1.8	210	0.95	<0.05	12.3	0.273	0.59	2.8
J594597		14.2	114.5	<0.002	0.11	0.34	8.0	1	1.9	206	1.05	<0.05	12.1	0.270	0.63	3.0
J594598		13.6	114.5	<0.002	0.06	0.20	8.6	1	2.0	215	0.97	<0.05	11.6	0.289	0.67	2.6
J594599		11.4	111.5	<0.002	0.10	0.49	8.1	2	1.9	210	0.98	<0.05	11.9	0.291	0.63	2.6
J594600		12.8	117.5	<0.002	0.10	0.30	8.4	2	1.9	206	0.90	<0.05	11.4	0.293	0.67	2.5
J594601		13.9	115.0	<0.002	0.20	0.32	8.3	2	2.0	193.5	0.89	<0.05	11.6	0.282	0.65	2.6
J594602		14.5	111.5	<0.002	0.10	0.33	7.8	1	1.8	210	0.97	<0.05	12.8	0.275	0.67	2.7
J594603		14.4	114.0	<0.002	0.12	0.29	8.2	1	2.0	193.5	1.00	<0.05	12.1	0.284	0.64	2.6
J594604		14.2	113.0	<0.002	0.02	0.09	7.7	1	2.0	208	1.03	<0.05	13.5	0.275	0.67	3.2
J594605		16.2	114.0	<0.002	0.01	0.07	7.7	1	1.9	208	0.93	<0.05	12.7	0.271	0.65	3.1
J594606		17.2	120.0	<0.002	0.01	0.10	8.0	1	2.0	207	1.04	<0.05	14.6	0.272	0.69	3.4
J594607		18.3	119.5	<0.002	0.01	0.09	7.9	2	1.9	206	0.93	<0.05	15.2	0.272	0.67	3.4
J594608		17.3	115.0	<0.002	0.01	0.10	8.3	1	1.9	215	1.01	<0.05	13.4	0.276	0.65	3.1
J594609		18.8	120.0	<0.002	0.01	0.09	8.3	2	2.1	214	1.06	<0.05	14.1	0.285	0.70	3.3
J594610		16.9	122.0	<0.002	0.01	0.14	8.0	2	2.0	211	1.00	<0.05	14.2	0.272	0.67	3.3
J594611		16.5	123.5	<0.002	0.03	0.21	8.0	1	2.0	207	1.00	<0.05	14.2	0.274	0.66	3.4
J594612		17.0	121.5	<0.002	0.01	0.09	7.8	2	2.1	211	1.01	<0.05	14.6	0.271	0.71	3.4
J594613		15.8	123.5	<0.002	0.02	0.20	8.2	2	2.0	206	0.99	<0.05	14.3	0.270	0.66	3.3
J594614		14.8	110.0	<0.002	0.01	0.26	7.7	1	1.9	181.5	0.90	<0.05	13.1	0.257	0.59	3.1
J594615		17.0	117.0	<0.002	0.01	0.13	7.8	1	2.0	209	1.08	<0.05	13.6	0.273	0.69	3.4
J594616		18.3	123.5	<0.002	0.02	0.18	8.0	1	2.1	210	1.10	<0.05	14.3	0.273	0.68	3.7
J594617		18.2	127.5	<0.002	0.02	0.19	8.0	2	2.1	211	1.11	<0.05	14.7	0.275	0.72	3.6
J594618		16.8	129.5	<0.002	0.01	0.09	7.7	1	2.0	205	1.20	<0.05	15.1	0.270	0.73	4.1
J594619		17.4	124.5	<0.002	0.03	0.21	8.0	2	2.2	215	1.28	<0.05	14.4	0.278	0.71	3.9
J594620		18.4	129.0	<0.002	0.01	0.10	8.2	2	2.2	209	1.38	<0.05	14.8	0.271	0.74	4.3
J594621		19.0	138.0	<0.002	0.01	0.17	8.0	2	2.3	208	1.40	<0.05	14.8	0.275	0.75	4.3
J594622		18.4	128.0	<0.002	0.01	0.16	8.8	1	2.1	219	1.10	<0.05	13.5	0.296	0.70	3.3
J594623		17.4	121.0	<0.002	0.01	0.08	8.0	2	2.1	218	1.10	<0.05	12.9	0.284	0.69	3.1
J594624		17.9	133.0	<0.002	0.01	0.10	7.7	2	2.4	201	1.31	<0.05	13.3	0.264	0.73	3.8
J594625		78.4	790	<0.002	2.61	1.31	3.5	1	1.1	160.5	0.67	<0.05	2.9	0.218	9.38	1.3
J594626		17.3	122.5	<0.002	0.01	0.06	8.2	2	2.0	210	1.00	<0.05	13.4	0.272	0.70	3.4
J594627		16.1	119.5	<0.002	0.01	0.09	7.7	1	2.0	205	0.98	<0.05	12.5	0.268	0.69	2.9
J594628		24.3	132.0	<0.002	0.04	0.29	8.7	2	2.2	215	1.11	<0.05	14.0	0.276	0.75	3.5
J594629		22.8	113.0	<0.002	0.09	0.31	8.0	2	1.9	209	0.98	<0.05	13.5	0.274	0.69	3.0
J594630		18.5	117.0	<0.002	0.05	0.18	8.1	2	1.9	202	1.00	<0.05	14.1	0.264	0.67	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594591		44	0.6	19.3	49	179.5
J594592		47	1.2	19.3	59	181.0
J594593		37	4.6	21.2	78	174.0
J594594		40	6.4	21.8	45	169.5
J594595		51	2.5	25.6	52	205
J594596		44	0.8	19.2	48	169.5
J594597		44	1.2	18.9	46	170.0
J594598		47	1.1	19.1	52	172.0
J594599		46	2.2	19.1	52	179.5
J594600		47	3.8	19.1	49	188.0
J594601		45	10.0	18.5	42	180.5
J594602		45	5.4	18.5	46	155.5
J594603		46	5.0	18.8	45	176.5
J594604		44	0.9	19.0	51	164.0
J594605		44	0.5	18.6	52	180.5
J594606		44	0.5	19.7	51	165.0
J594607		44	0.4	18.9	52	146.0
J594608		46	0.4	19.3	52	176.5
J594609		45	0.5	19.6	53	172.5
J594610		44	0.5	19.1	52	173.5
J594611		45	0.5	19.3	52	182.5
J594612		44	0.4	19.4	51	168.5
J594613		43	0.4	19.3	51	198.0
J594614		41	0.5	16.9	50	160.0
J594615		43	0.5	18.6	52	171.5
J594616		44	0.5	19.8	53	172.5
J594617		45	0.5	20.0	54	171.0
J594618		41	0.6	20.0	50	169.5
J594619		45	0.8	20.3	52	175.0
J594620		43	0.6	21.6	52	196.0
J594621		44	0.5	21.4	53	177.0
J594622		48	0.7	20.3	56	181.5
J594623		45	0.6	19.0	54	175.5
J594624		42	0.8	20.4	50	174.0
J594625		27	0.3	4.2	40	49.1
J594626		43	0.5	19.3	51	171.0
J594627		43	0.5	18.4	51	163.5
J594628		44	0.8	19.4	65	162.5
J594629		44	3.5	18.5	86	183.5
J594630		42	5.4	18.3	53	161.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594631		1.75	0.006	0.03	6.89	14.4	680	1.80	0.15	1.76	0.06	67.7	7.7	22	3.11	12.4
J594632		1.89	0.005	0.04	7.02	4.7	710	1.48	0.06	1.88	0.05	79.9	8.1	24	3.52	10.8
J594633		1.95	0.005	0.03	6.93	1.0	710	1.46	0.05	1.84	0.06	78.9	7.9	23	3.28	10.4
J594634		1.91	0.006	0.03	6.97	1.0	680	1.55	0.05	1.86	0.04	78.7	8.0	23	3.42	11.4
J594635		1.80	0.005	0.06	6.90	1.3	650	1.48	0.08	1.94	0.06	60.4	8.8	28	4.19	12.6
J594636		1.45	0.005	0.04	7.11	2.7	660	1.51	0.06	1.98	0.04	80.5	8.9	30	4.35	13.0
J594637		0.64	0.010	0.05	6.64	8.5	650	1.55	0.18	1.73	0.04	67.5	7.8	27	3.62	11.9
J594638		1.54	0.005	0.03	6.98	0.7	680	1.37	0.04	1.98	0.04	66.8	8.9	30	3.83	12.8
J594639		1.88	<0.005	0.04	6.97	1.0	670	1.33	0.04	1.97	0.04	77.4	8.8	30	3.72	12.4
J594640		2.07	0.005	0.02	7.07	5.4	690	1.43	0.05	2.04	0.05	72.4	9.1	32	4.11	13.6
J594641		1.92	0.006	0.04	7.12	2.4	690	1.33	0.04	1.97	0.05	78.0	8.8	29	4.00	11.9
J594642		1.90	0.006	0.03	7.02	2.0	660	1.34	0.04	1.90	0.04	71.6	8.6	32	3.82	11.7
J594643		1.95	0.006	0.03	7.04	0.9	700	1.43	0.04	1.97	0.05	74.2	8.6	28	3.72	11.8
J594644		1.94	0.005	0.05	6.98	1.3	700	1.43	0.04	1.95	0.05	72.1	8.8	28	3.75	14.9
J594645		1.96	0.005	0.05	7.07	3.6	730	1.29	0.07	1.97	0.05	73.5	8.8	30	3.71	18.5
J594646		1.96	0.010	0.02	7.15	1.6	720	1.31	0.08	1.99	0.04	76.2	8.4	28	3.72	14.0
J594647		1.89	0.010	0.01	6.97	0.8	690	1.26	0.05	1.93	0.04	72.3	8.4	28	3.48	13.6
J594648		2.03	0.007	0.15	6.95	0.8	670	1.31	0.06	1.93	0.05	71.4	8.5	30	3.49	13.7
J594649		0.69	0.010	0.04	7.05	2.8	700	1.32	0.35	1.80	0.05	75.5	8.2	28	3.86	23.4
J594650		0.07	0.007	0.05	6.47	1.1	940	0.98	0.10	1.40	0.09	28.0	2.4	13	1.81	4.3
J594651		1.28	0.006	0.04	7.05	2.8	730	1.41	0.10	1.88	0.05	73.6	8.1	26	2.44	14.5
J594652		1.93	0.007	0.07	6.66	4.2	660	1.13	0.09	1.85	0.07	66.3	8.5	30	3.60	13.5
J594653		1.94	0.005	0.02	7.04	2.0	740	1.24	0.09	1.93	0.06	75.7	9.0	30	4.81	13.7
J594654		2.00	0.005	0.04	7.04	1.4	750	1.44	0.05	1.99	0.06	87.3	9.5	29	4.47	13.0
J594655		2.00	0.006	0.05	7.01	3.4	680	1.50	0.07	1.91	0.05	76.3	9.1	28	3.94	13.5
J594656		1.99	0.006	0.03	7.18	7.6	670	1.52	0.07	1.91	0.08	78.0	8.6	30	4.34	12.3
J594657		0.64	0.006	0.03	6.64	11.1	650	1.19	0.08	1.77	0.05	67.9	7.8	26	4.04	10.8
J594658		0.65	0.008	<0.01	6.53	7.6	650	1.43	0.12	1.62	0.03	66.4	7.2	27	3.28	13.5
J594659		0.62	0.012	<0.01	6.75	7.4	760	1.51	0.13	1.58	0.03	73.8	6.5	18	2.46	13.4
J594660		1.78	0.006	0.03	7.11	4.2	800	1.61	0.09	1.73	0.04	86.7	7.4	12	3.38	9.1
J594661		1.92	0.006	0.04	7.23	3.2	770	1.55	0.07	1.72	0.04	91.8	6.6	13	2.61	9.5
J594662		1.86	0.009	0.03	6.69	6.2	730	1.34	0.15	1.61	0.04	87.4	6.7	10	2.57	11.8
J594663		1.94	0.008	0.03	6.83	5.5	970	1.16	0.09	1.61	0.05	79.3	6.4	13	2.96	11.7
J594664		2.03	0.007	0.01	7.07	6.3	730	1.27	0.05	2.07	0.05	81.2	9.2	23	3.57	14.1
J594665		2.04	0.005	0.06	7.07	3.0	760	1.40	0.04	1.88	0.05	82.9	8.0	19	3.06	9.8
J594666		2.02	0.006	0.03	6.93	1.1	770	1.48	0.05	1.75	0.04	95.7	6.7	13	3.08	7.6
J594667		1.55	0.005	0.01	7.11	11.3	790	1.58	0.07	1.77	0.07	94.0	7.2	10	3.44	9.8
J594668		0.66	0.127	0.06	6.80	37.7	770	1.49	0.28	1.65	0.06	84.7	6.0	8	2.76	24.2
J594669		1.15	0.007	0.06	6.00	1.6	310	1.63	0.04	0.45	0.02	43.6	1.1	2	1.51	2.1
J594670		0.67	0.006	0.10	6.97	1.4	730	1.78	0.08	1.66	0.06	92.6	7.5	10	3.05	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594631		2.28	17.95	0.17	4.8	0.029	2.62	32.1	36.1	0.62	398	2.67	2.83	12.2	13.9	520
J594632		2.53	17.90	0.15	5.3	0.037	2.57	38.3	33.3	0.70	437	8.42	2.75	12.2	17.6	560
J594633		2.46	17.85	0.19	4.7	0.031	2.59	38.4	28.6	0.67	422	1.35	2.71	11.7	16.3	560
J594634		2.45	18.30	0.21	5.3	0.033	2.59	38.8	24.3	0.68	418	0.59	2.74	11.9	16.9	540
J594635		2.48	17.70	0.20	4.5	0.038	2.42	28.2	26.3	0.76	429	0.52	2.72	10.7	21.0	550
J594636		2.56	18.10	0.22	4.9	0.035	2.56	38.9	27.0	0.80	438	0.59	2.70	10.7	22.9	570
J594637		2.28	16.95	0.21	4.7	0.030	2.51	32.8	24.2	0.68	390	92.4	2.65	10.4	18.6	480
J594638		2.49	18.40	0.21	5.0	0.032	2.49	31.8	25.1	0.78	430	0.67	2.76	10.6	22.2	560
J594639		2.58	18.00	0.23	4.6	0.031	2.42	38.2	23.6	0.78	443	0.56	2.68	11.2	21.2	580
J594640		2.59	18.60	0.21	5.1	0.036	2.52	34.5	31.0	0.81	440	0.44	2.84	11.5	23.2	580
J594641		2.50	18.20	0.23	5.1	0.035	2.50	38.5	28.1	0.79	423	1.68	2.73	10.6	21.6	560
J594642		2.39	18.00	0.23	5.1	0.033	2.58	34.6	25.1	0.77	405	1.86	2.73	10.5	22.8	540
J594643		2.46	17.95	0.25	4.8	0.029	2.48	36.6	27.9	0.75	416	0.87	2.75	10.6	20.3	560
J594644		2.44	17.95	0.23	4.6	0.032	2.50	35.1	33.5	0.74	422	0.83	2.67	10.8	20.5	550
J594645		2.56	17.60	0.24	4.6	0.032	2.55	37.1	32.8	0.77	440	0.37	2.68	10.5	20.8	570
J594646		2.45	18.40	0.24	5.0	0.032	2.58	36.8	29.9	0.75	411	0.37	2.84	10.9	21.6	560
J594647		2.55	17.40	0.24	5.2	0.031	2.52	35.3	25.2	0.76	427	0.39	2.69	10.6	20.6	560
J594648		2.46	17.65	0.21	4.8	0.030	2.63	34.2	27.1	0.76	418	0.33	2.75	10.8	21.0	550
J594649		2.40	16.90	0.24	4.6	0.031	2.60	36.9	30.1	0.72	391	3.65	2.74	10.6	20.6	540
J594650		1.47	13.50	0.17	1.2	0.015	2.28	13.4	9.8	0.19	577	0.89	2.67	4.5	2.5	190
J594651		2.40	18.05	0.24	4.7	0.029	2.63	36.8	18.1	0.75	418	1.88	2.69	10.8	20.2	540
J594652		2.40	17.25	0.24	4.5	0.030	2.45	32.0	26.9	0.73	419	0.76	2.61	10.5	20.7	520
J594653		2.54	17.60	0.24	5.7	0.035	2.70	38.0	27.6	0.81	454	0.38	2.60	11.4	22.4	590
J594654		2.62	18.65	0.26	5.1	0.041	2.68	42.9	23.7	0.83	454	0.48	2.67	11.7	24.2	600
J594655		2.49	18.90	0.25	5.1	0.032	2.51	37.2	27.9	0.78	438	0.34	2.71	11.4	22.2	550
J594656		2.48	18.75	0.25	4.8	0.032	2.63	37.6	34.8	0.75	429	5.08	2.83	11.8	21.7	540
J594657		2.33	17.05	0.20	4.6	0.032	2.65	32.8	34.3	0.71	401	0.60	2.61	10.1	19.4	520
J594658		2.19	16.80	0.23	4.6	0.027	2.55	31.9	29.2	0.63	378	1.98	2.73	11.7	17.9	460
J594659		2.07	17.10	0.22	4.8	0.026	2.46	37.3	20.7	0.51	346	0.80	2.85	11.9	10.8	470
J594660		2.41	19.45	0.28	5.2	0.039	2.80	42.4	31.6	0.52	426	1.78	2.91	12.7	7.4	590
J594661		2.46	18.55	0.25	5.3	0.037	2.77	44.7	23.1	0.52	419	1.01	2.84	12.4	6.9	580
J594662		2.18	17.60	0.28	6.0	0.032	2.63	42.9	20.7	0.45	366	1.28	2.74	11.1	6.3	520
J594663		2.15	16.75	0.28	5.0	0.025	2.93	40.3	22.7	0.47	360	2.49	2.66	10.1	8.9	500
J594664		2.63	18.25	0.29	5.0	0.035	2.20	40.4	28.4	0.73	440	3.29	2.78	10.5	18.9	620
J594665		2.49	18.95	0.26	4.9	0.037	2.68	40.5	22.0	0.61	431	0.98	2.81	11.6	13.1	590
J594666		2.45	18.15	0.29	5.4	0.037	2.67	48.8	21.9	0.51	424	1.06	2.75	11.8	6.9	590
J594667		2.48	19.45	0.30	5.9	0.042	2.68	45.5	28.4	0.53	430	1.32	2.89	13.4	7.2	610
J594668		2.44	17.85	0.18	5.1	0.030	2.67	41.6	25.0	0.48	407	2.32	2.80	12.9	6.5	550
J594669		0.73	16.05	0.15	3.2	0.007	3.96	18.6	5.3	0.08	141	1.21	2.43	8.8	1.0	70
J594670		2.57	19.80	0.21	6.2	0.035	2.56	43.3	34.8	0.54	445	1.57	2.77	13.3	7.3	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594631		16.6	120.0	<0.002	0.04	0.22	7.7	2	2.1	195.0	1.27	<0.05	14.4	0.260	0.64	4.0
J594632		17.6	108.5	<0.002	0.01	0.17	7.5	2	2.2	211	1.16	<0.05	15.7	0.281	0.73	4.2
J594633		17.0	107.5	<0.002	0.01	0.08	7.3	2	2.2	207	1.01	<0.05	14.7	0.282	0.71	3.6
J594634		16.9	108.0	<0.002	0.01	0.09	7.2	2	2.2	207	1.10	<0.05	15.0	0.279	0.68	3.9
J594635		16.4	106.0	<0.002	0.01	0.09	7.2	2	2.3	217	0.94	<0.05	11.6	0.268	0.75	3.3
J594636		15.6	111.5	<0.002	0.01	0.09	7.8	2	2.2	221	0.95	<0.05	13.9	0.280	0.76	3.4
J594637		14.8	102.0	0.008	0.05	0.16	6.6	2	1.9	195.5	1.02	<0.05	14.1	0.246	0.67	3.6
J594638		15.6	100.5	<0.002	<0.01	0.05	7.7	2	2.1	224	0.94	<0.05	12.6	0.279	0.74	3.4
J594639		16.4	99.1	<0.002	0.01	0.05	7.9	2	2.1	218	0.99	<0.05	14.6	0.282	0.74	3.5
J594640		16.0	102.5	<0.002	0.01	0.11	8.0	2	2.2	227	0.95	<0.05	12.7	0.293	0.76	3.2
J594641		15.0	101.5	<0.002	0.01	0.08	7.7	2	2.2	224	0.91	<0.05	13.0	0.282	0.73	3.2
J594642		17.9	104.5	<0.002	0.01	0.08	7.1	2	2.1	216	0.96	<0.05	13.4	0.274	0.73	3.5
J594643		15.4	95.6	<0.002	0.01	0.06	7.2	2	2.1	227	0.92	<0.05	13.2	0.281	0.70	3.5
J594644		14.9	100.0	<0.002	0.02	0.11	7.7	2	2.1	226	0.93	<0.05	13.3	0.281	0.74	3.5
J594645		14.2	101.5	<0.002	0.05	0.13	8.0	2	2.1	219	0.88	<0.05	12.7	0.287	0.69	2.9
J594646		15.6	109.0	<0.002	0.02	0.10	7.5	2	2.1	223	0.87	<0.05	13.8	0.280	0.73	3.1
J594647		14.5	102.0	<0.002	0.01	0.07	7.6	2	2.1	216	0.85	<0.05	13.1	0.279	0.68	3.0
J594648		15.7	110.0	<0.002	0.02	0.09	7.4	2	2.2	214	0.98	<0.05	14.1	0.274	0.75	3.6
J594649		17.2	108.0	<0.002	0.09	0.13	7.3	2	2.1	205	0.94	<0.05	14.0	0.266	0.73	3.3
J594650		12.4	64.6	<0.002	<0.01	0.19	5.0	2	1.8	182.0	0.42	<0.05	6.0	0.117	0.41	2.0
J594651		15.4	100.0	<0.002	0.01	0.21	7.6	2	2.1	221	0.90	<0.05	14.4	0.276	0.64	3.3
J594652		16.2	98.3	<0.002	0.02	0.14	7.1	2	2.1	195.5	0.87	<0.05	13.0	0.260	0.67	3.0
J594653		17.9	122.0	<0.002	0.02	0.10	8.0	2	2.3	212	0.88	<0.05	14.5	0.294	0.84	3.3
J594654		17.2	123.0	<0.002	0.01	0.10	8.6	2	2.4	216	0.94	<0.05	15.2	0.298	0.85	3.4
J594655		16.8	108.0	<0.002	0.01	0.15	8.0	2	2.3	211	0.98	<0.05	14.7	0.276	0.75	3.6
J594656		17.9	114.0	0.002	0.01	0.33	7.5	2	2.4	220	1.09	<0.05	15.1	0.266	0.78	3.9
J594657		13.4	107.5	<0.002	0.02	0.25	7.2	2	2.0	190.5	0.83	<0.05	13.2	0.258	0.76	3.1
J594658		11.1	103.0	<0.002	0.05	0.20	6.6	2	2.2	156.5	1.09	<0.05	14.8	0.237	0.69	3.9
J594659		11.6	90.1	<0.002	0.08	0.21	6.1	2	2.1	166.5	1.18	<0.05	15.2	0.239	0.58	4.0
J594660		15.1	105.5	<0.002	0.04	0.17	8.0	2	2.4	199.0	0.95	<0.05	13.5	0.300	0.69	3.2
J594661		14.4	97.8	<0.002	0.04	0.17	7.7	2	2.0	200	1.00	<0.05	14.6	0.299	0.64	3.5
J594662		14.0	92.3	<0.002	0.05	0.17	6.8	2	1.9	181.0	0.89	<0.05	13.1	0.273	0.58	3.1
J594663		15.9	90.9	<0.002	0.03	0.12	6.2	2	1.8	185.0	0.84	<0.05	13.2	0.262	0.67	3.0
J594664		13.6	92.2	<0.002	0.01	0.10	8.0	2	2.1	244	0.70	<0.05	10.4	0.310	0.68	2.3
J594665		16.7	93.3	<0.002	0.01	0.07	8.0	2	2.1	219	0.81	<0.05	12.2	0.309	0.63	2.5
J594666		17.7	101.0	<0.002	<0.01	0.07	7.7	2	2.1	194.5	0.97	<0.05	16.0	0.300	0.65	3.5
J594667		18.3	105.5	<0.002	0.03	0.18	8.2	3	2.2	209	1.00	<0.05	15.0	0.311	0.66	3.5
J594668		20.6	122.0	<0.002	0.23	0.23	8.1	1	2.0	175.5	1.17	0.06	14.0	0.301	0.66	3.3
J594669		13.0	167.0	<0.002	0.01	0.09	1.6	1	1.3	47.0	1.17	<0.05	18.9	0.068	0.75	4.8
J594670		16.7	113.0	<0.002	0.01	0.15	7.8	2	2.2	191.5	1.30	<0.05	16.2	0.330	0.59	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594631		41	2.4	19.6	46	166.0
J594632		44	0.6	22.1	52	177.5
J594633		44	0.5	21.3	52	162.5
J594634		43	0.5	20.7	52	179.0
J594635		44	0.6	18.6	53	156.5
J594636		46	0.6	20.1	55	174.0
J594637		41	5.8	19.0	47	159.0
J594638		46	0.5	19.0	54	174.5
J594639		46	0.8	20.2	54	159.0
J594640		48	0.6	19.5	56	184.5
J594641		46	0.5	18.8	54	179.5
J594642		44	0.4	18.8	53	175.5
J594643		46	0.5	18.7	52	171.5
J594644		45	0.6	19.4	52	160.0
J594645		46	3.3	19.5	53	164.5
J594646		45	7.2	19.2	48	173.5
J594647		46	0.5	19.7	50	190.0
J594648		45	0.5	18.8	52	165.0
J594649		43	80.0	19.2	47	156.5
J594650		15	1.0	17.4	44	28.0
J594651		45	2.2	19.0	50	167.0
J594652		42	1.3	18.5	51	161.0
J594653		48	0.9	19.8	55	200
J594654		49	0.6	20.7	56	175.0
J594655		45	0.7	20.7	55	176.0
J594656		44	0.7	20.0	53	158.0
J594657		42	1.0	18.2	49	162.0
J594658		38	1.7	18.6	41	152.0
J594659		36	8.9	18.5	38	159.5
J594660		43	1.5	22.2	50	191.0
J594661		42	1.0	22.4	49	195.5
J594662		38	1.3	20.4	40	222
J594663		37	1.5	17.8	43	180.5
J594664		48	0.6	18.5	55	188.5
J594665		44	0.8	20.6	55	184.5
J594666		42	0.6	22.6	53	191.0
J594667		44	0.7	23.7	54	214
J594668		42	6.2	21.3	46	177.5
J594669		5	2.9	12.9	10	82.3
J594670		48	1.5	22.5	56	225

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594671		1.99	0.005	0.09	6.74	3.1	690	1.78	0.07	1.48	0.06	82.3	5.6	7	2.79	5.1
J594672		1.95	0.005	0.05	6.80	5.4	690	1.63	0.07	1.61	0.07	84.6	6.4	8	3.11	6.3
J594673		1.88	0.005	0.07	6.70	3.8	780	1.51	0.06	1.54	0.06	81.4	6.0	7	2.62	6.5
J594674		1.11	0.007	0.07	6.82	2.3	730	1.47	0.06	1.68	0.06	81.9	6.6	7	3.10	7.5
J594675		0.92	0.006	0.07	6.73	2.6	730	1.45	0.06	1.65	0.05	86.0	6.6	7	3.06	7.8
J594676		2.03	0.005	0.06	7.09	3.3	780	1.54	0.06	1.76	0.05	91.0	6.9	8	3.08	7.1
J594677		1.92	0.007	0.04	7.00	5.3	790	1.66	0.14	1.65	0.03	82.9	7.2	7	1.29	15.3
J594678		1.82	0.017	0.08	6.73	4.0	740	1.55	0.07	1.11	0.02	86.5	6.5	8	1.02	4.1
J594679		0.66	0.011	0.06	6.81	4.2	680	2.29	0.04	0.42	<0.02	70.6	6.6	6	2.63	4.2
J594680		0.91	0.009	0.05	6.23	5.4	330	1.58	0.04	0.35	0.03	33.9	2.3	4	1.79	3.1
J594681		0.48	0.007	0.04	6.80	5.9	700	1.66	0.06	0.84	0.02	106.5	6.4	5	1.04	3.6
J594682		1.36	0.006	0.04	7.15	2.4	720	1.81	0.06	1.42	0.03	98.0	7.1	6	1.39	7.6
J594683		1.55	0.006	0.04	6.60	3.7	740	1.43	0.05	1.16	0.02	81.4	6.1	7	1.03	5.5
J594684		1.36	<0.005	0.05	7.00	5.1	780	1.45	0.05	1.29	<0.02	91.0	6.9	6	0.67	5.8
J594685		1.41	0.005	0.07	6.91	3.3	780	1.59	0.06	1.45	0.04	86.1	6.8	6	1.91	5.5
J594686		1.47	0.007	0.05	6.97	6.0	780	1.70	0.07	1.56	0.04	90.7	6.4	8	1.97	6.9
J594687		0.62	<0.005	0.04	6.97	10.8	750	1.64	0.06	1.22	0.02	78.6	6.9	8	1.28	6.3
J594688		0.70	0.063	0.06	6.99	15.6	710	1.63	0.09	2.18	0.06	107.0	6.1	6	1.38	12.5
J594689		1.30	0.076	0.10	7.27	23.5	800	1.55	0.12	1.62	0.08	93.2	7.0	6	1.45	11.8
J594690		1.30	0.023	0.10	7.09	14.8	800	1.54	0.07	1.63	0.05	90.9	6.3	7	1.59	9.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594671		2.08	18.90	0.22	6.0	0.031	2.66	38.4	29.6	0.44	399	1.00	2.74	13.2	5.1	500
J594672		2.23	19.60	0.21	6.0	0.032	2.63	38.6	33.9	0.47	391	1.21	2.93	13.0	5.8	550
J594673		2.11	18.50	0.21	5.7	0.028	2.67	37.8	29.8	0.45	377	1.11	2.78	12.1	5.2	520
J594674		2.28	18.90	0.21	5.8	0.033	2.49	37.9	33.5	0.50	407	1.94	2.89	11.9	6.0	570
J594675		2.28	18.60	0.22	5.2	0.032	2.47	39.7	33.8	0.51	403	1.42	2.84	11.9	5.7	570
J594676		2.47	19.35	0.23	6.1	0.036	2.57	42.0	33.8	0.54	431	1.16	2.80	12.8	6.3	610
J594677		2.37	18.90	0.21	5.6	0.033	2.51	38.0	19.0	0.58	491	1.57	2.89	13.3	6.2	620
J594678		2.26	18.15	0.22	5.2	0.022	2.53	40.8	21.7	0.77	407	1.19	2.67	11.3	6.2	560
J594679		2.65	19.40	0.22	5.4	0.028	3.15	31.6	56.9	1.66	401	1.06	1.75	11.2	7.1	530
J594680		0.98	16.00	0.18	4.3	0.008	3.89	15.4	14.9	0.37	135	4.66	2.31	11.3	2.1	120
J594681		2.16	19.40	0.25	6.0	0.024	2.98	51.3	24.2	0.88	344	1.04	2.60	13.3	5.5	570
J594682		2.45	19.35	0.25	6.1	0.038	2.57	46.2	20.6	0.70	456	1.01	2.81	13.3	6.7	600
J594683		2.13	17.80	0.23	5.4	0.029	2.61	38.4	17.0	0.63	387	1.10	2.69	11.6	5.7	520
J594684		2.41	18.00	0.26	6.4	0.041	2.84	43.2	14.6	0.67	440	1.03	2.88	14.1	5.8	630
J594685		2.31	18.60	0.23	5.5	0.035	2.66	40.6	19.0	0.58	425	1.34	2.74	13.0	5.9	580
J594686		2.35	18.90	0.24	5.8	0.032	2.66	42.2	21.3	0.58	418	1.02	2.74	12.9	6.6	570
J594687		2.11	18.65	0.24	6.6	0.026	2.92	36.5	13.6	0.59	338	1.83	2.93	14.0	6.3	560
J594688		2.24	18.75	0.26	6.7	0.035	2.42	50.3	18.2	0.57	512	1.59	2.95	13.0	5.9	580
J594689		2.43	19.30	0.24	5.6	0.036	2.60	44.4	22.8	0.59	476	1.79	2.93	12.1	6.6	600
J594690		2.39	18.70	0.25	5.5	0.034	2.57	43.3	21.9	0.60	499	1.13	2.88	12.3	6.4	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594671		18.4	117.0	<0.002	0.01	0.16	7.1	2	2.0	169.0	1.27	<0.05	15.6	0.267	0.60	4.4
J594672		17.0	120.5	<0.002	0.01	0.15	7.2	2	2.0	187.5	1.15	<0.05	13.4	0.290	0.63	3.3
J594673		16.3	106.0	<0.002	0.01	0.12	6.8	1	1.8	184.5	1.12	<0.05	13.1	0.274	0.57	3.3
J594674		14.6	102.5	<0.002	0.01	0.11	7.5	1	1.9	197.5	1.00	<0.05	11.4	0.292	0.58	2.8
J594675		14.2	102.0	<0.002	0.01	0.10	7.3	1	1.9	195.5	1.00	<0.05	11.6	0.293	0.56	2.9
J594676		15.1	102.0	<0.002	0.01	0.14	8.2	2	2.0	210	1.03	<0.05	11.8	0.311	0.57	2.8
J594677		11.2	87.8	<0.002	0.07	0.29	8.3	2	1.9	192.5	1.08	<0.05	12.3	0.308	0.41	3.1
J594678		7.4	103.5	<0.002	0.04	0.20	7.4	1	1.8	134.5	0.93	<0.05	11.9	0.274	0.40	2.8
J594679		6.2	167.0	<0.002	0.02	0.29	7.0	2	2.1	70.2	0.97	<0.05	13.0	0.262	0.52	2.9
J594680		8.4	183.0	<0.002	0.02	0.14	2.6	1	1.5	48.3	1.69	<0.05	22.0	0.092	0.78	3.8
J594681		9.6	127.0	<0.002	0.05	0.19	7.5	2	2.1	116.5	1.13	<0.05	13.9	0.279	0.48	4.3
J594682		10.6	100.0	<0.002	0.01	0.21	8.6	2	2.1	168.5	1.14	<0.05	14.2	0.301	0.40	3.6
J594683		8.8	99.8	<0.002	0.01	0.19	7.1	2	1.7	139.0	0.98	<0.05	12.3	0.271	0.40	3.0
J594684		6.6	110.0	<0.002	0.01	0.22	8.4	2	2.0	134.5	1.19	<0.05	13.6	0.317	0.45	3.5
J594685		11.8	108.5	<0.002	0.01	0.16	7.6	2	1.9	175.0	1.10	<0.05	14.0	0.294	0.51	3.4
J594686		12.0	106.5	<0.002	0.02	0.25	7.7	2	2.0	182.5	1.15	<0.05	14.2	0.290	0.51	3.7
J594687		8.7	128.5	<0.002	0.02	0.33	7.2	2	2.3	134.0	1.38	<0.05	17.6	0.274	0.57	4.9
J594688		12.7	89.2	<0.002	0.13	0.33	7.7	2	2.0	162.5	1.20	<0.05	14.7	0.283	0.42	3.9
J594689		13.5	93.4	<0.002	0.36	0.39	7.7	2	2.0	177.0	0.93	<0.05	12.0	0.302	0.44	2.9
J594690		13.1	91.5	<0.002	0.15	0.43	7.9	2	2.1	187.5	1.00	<0.05	12.6	0.301	0.42	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594671		35	1.6	22.0	46	212
J594672		40	1.2	20.3	50	221
J594673		37	1.2	19.4	47	205
J594674		42	0.9	19.4	49	222
J594675		42	0.9	19.3	49	196.5
J594676		44	1.0	20.8	53	232
J594677		43	1.6	21.6	47	214
J594678		41	2.4	17.7	36	198.0
J594679		40	3.9	16.6	35	203
J594680		10	3.1	11.1	12	119.5
J594681		39	3.5	22.4	35	226
J594682		44	1.2	23.4	44	229
J594683		38	1.2	19.6	35	212
J594684		47	1.3	24.4	33	247
J594685		41	1.1	21.4	45	212
J594686		42	1.4	21.6	46	217
J594687		38	3.1	23.7	37	229
J594688		41	3.5	22.6	46	247
J594689		43	5.4	20.4	49	219
J594690		44	3.7	21.0	50	212

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021205

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.