ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

CERTIFICATE TB11040803

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 159 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-AA23 Au Check g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J596630		1.91	0.011		0.03	6.95	8.6	780	1.55	0.04	1.70	0.04	86.4	6.3	11	2.70
J596631		2.04	0.005		0.02	6.75	5.5	760	1.49	0.04	1.58	0.06	83.7	5.6	13	2.53
J596632		2.04	0.005		0.06	6.87	5.5	780	1.55	0.06	1.68	0.05	81.3	5.7	13	2.13
J596633		1.82	0.008		0.02	7.07	7.8	750	1.59	0.05	1.73	0.04	85.4	5.8	12	2.61
J596634		1.63	<0.005		0.03	6.98	5.2	750	1.69	0.05	1.64	0.04	86.4	5.8	10	2.83
J596635		1.35	0.005		0.02	7.08	3.0	810	1.66	0.06	1.69	0.05	90.9	6.1	11	2.63
J596636		1.16	0.007		0.02	6.07	12.9	70	1.73	0.14	0.39	<0.02	33.4	1.0	10	0.88
J596637		1.27	0.005		0.02	6.04	4.5	40	1.48	0.11	0.37	0.03	28.6	0.8	10	1.10
J596638		1.19	0.012		0.03	5.78	83.3	90	1.49	0.19	0.40	0.17	27.1	0.9	5	0.83
J596639		1.27	0.166		0.32	8.06	641	340	1.88	0.46	0.72	0.55	40.5	2.7	4	0.87
J596640		0.89	0.123		0.28	7.65	61.8	540	1.93	0.39	1.86	0.17	91.1	12.1	33	6.53
J596641		1.25	0.006		0.08	6.93	21.2	1280	1.36	0.15	1.55	0.08	78.5	8.8	23	4.64
J596642		1.21	0.006		0.03	6.99	12.1	800	1.44	0.07	1.74	0.07	89.9	7.4	11	3.50
J596643		1.15	<0.005		0.04	6.96	10.4	830	1.23	0.09	1.70	0.06	91.3	7.3	10	3.25
J596644		0.63	<0.005		0.06	6.90	6.3	790	1.33	0.05	1.76	0.05	79.1	7.2	11	3.08
J596645		1.22	0.046		0.13	7.05	35.8	820	1.50	0.18	1.73	0.76	84.6	7.6	9	2.94
J596646		1.23	0.006		0.09	7.02	27.4	810	1.43	0.06	1.74	0.10	83.0	6.9	10	2.76
J596647		1.13	0.016		0.06	6.96	23.2	840	1.36	0.06	1.71	0.08	86.7	7.0	9	3.03
J596648		1.27	0.160		0.23	7.31	21.9	870	1.34	0.09	1.82	0.07	90.9	7.5	10	2.68
J596649		0.60	0.006		0.02	7.00	13.1	800	1.34	0.04	1.70	0.06	87.9	6.9	10	2.20
J596650		0.52	0.005		0.02	7.07	12.7	860	1.25	0.04	1.75	0.06	83.7	7.1	10	2.05
J596651		1.25	<0.005		0.04	7.03	13.2	800	1.41	0.05	1.79	0.07	86.3	7.6	10	3.00
J596652		1.14	0.015		0.04	7.18	14.5	830	1.31	0.05	1.65	0.07	76.2	6.3	9	2.20
J596653		1.80	0.008		0.03	6.93	8.0	800	1.34	0.05	1.66	0.06	80.2	6.8	11	2.75
J596654		1.82	0.007		0.08	7.02	7.7	800	1.35	0.05	1.74	0.06	90.6	7.4	12	2.96
J596655		1.23	<0.005		0.05	6.80	18.9	830	1.24	0.05	1.66	0.08	88.1	7.5	10	2.71
J596656		0.58	0.013		0.12	7.07	62.7	1120	1.28	0.10	1.49	0.10	83.4	7.5	10	2.48
J596657		1.22	0.019		0.11	7.21	34.5	790	1.31	0.15	1.78	0.07	93.1	7.4	14	2.16
J596658		1.34	0.011		0.03	7.20	17.3	790	1.31	0.09	1.83	0.07	89.4	7.5	11	2.44
J596659		1.14	<0.005		0.03	7.20	19.6	840	1.32	0.06	1.86	0.09	94.1	8.1	12	2.90
J596660		1.18	<0.005		0.02	7.24	18.5	810	1.42	0.06	1.82	0.06	81.7	7.4	11	1.88
J596661		1.20	0.021		0.02	7.10	20.6	810	1.33	0.11	1.72	0.06	91.1	7.5	12	1.02
J596662		1.11	0.082		0.24	6.60	522	710	1.28	0.61	1.06	0.10	87.1	7.5	7	0.98
J596663		1.18	0.014		0.08	6.59	70.5	690	1.62	0.20	1.51	0.35	77.4	6.8	14	1.47
J596664		1.25	0.074		0.20	6.80	37.6	800	1.48	0.07	1.72	0.07	88.1	8.0	9	1.65
J596665		1.20	0.065		0.04	6.86	35.5	760	1.39	0.07	1.75	0.08	86.2	6.5	9	2.19
J596666		1.21	0.005		0.04	6.61	73.4	810	1.24	0.07	1.94	0.10	78.3	5.5	10	1.81
J596667		1.50	0.181		0.16	6.91	530	800	1.40	0.11	1.67	0.17	81.8	6.8	9	1.67
J596668		0.49	0.087		0.18	6.26	512	500	1.29	0.19	0.75	0.22	60.4	3.2	5	0.89
J596669		1.62	0.115		0.11	6.72	596	720	1.38	0.15	1.28	0.04	79.5	7.0	9	0.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J596630		6.2	2.58	17.70	0.12	5.7	0.034	2.71	42.7	30.0	0.52	428	1.10	2.92	12.5	6.8
J596631		7.7	2.34	16.70	0.12	5.2	0.033	2.71	41.4	29.1	0.47	382	0.95	2.70	11.4	7.0
J596632		9.0	2.40	16.65	0.12	5.5	0.031	2.65	39.9	23.6	0.47	401	1.12	2.78	11.9	6.6
J596633		10.8	2.43	17.60	0.12	5.7	0.031	2.59	42.3	29.0	0.49	417	0.91	3.03	12.1	6.8
J596634		6.2	2.33	17.25	0.13	5.3	0.034	2.68	42.5	29.4	0.47	391	0.95	2.82	12.3	6.0
J596635		7.9	2.41	17.60	0.13	5.5	0.032	2.67	45.1	27.3	0.49	407	12.10	2.81	12.6	6.8
J596636		15.0	0.59	15.10	0.09	4.5	<0.005	3.76	13.3	2.4	0.04	80	391	2.51	16.5	1.0
J596637		12.4	0.56	14.65	0.10	4.5	<0.005	3.82	11.1	2.2	0.03	78	4.85	2.36	15.3	1.5
J596638		24.6	0.62	14.65	0.07	4.0	0.005	3.77	11.6	3.7	0.03	72	1.40	2.28	15.3	1.0
J596639		48.5	1.12	22.1	0.10	5.3	0.015	3.86	16.7	8.1	0.09	71	1.25	3.30	4.7	3.0
J596640		72.2	3.64	22.7	0.19	5.5	0.023	2.43	46.3	49.0	0.84	468	1.97	2.95	18.4	17.3
J596641		23.3	2.63	18.40	0.15	5.2	0.021	2.69	39.5	37.3	0.64	400	1.24	2.78	14.0	12.9
J596642		8.7	2.49	18.55	0.17	5.2	0.037	2.67	43.7	31.5	0.52	425	1.15	2.80	14.8	6.7
J596643		14.8	2.36	17.95	0.16	5.6	0.034	2.64	45.8	27.9	0.49	402	5.96	2.84	14.1	5.9
J596644		8.5	2.45	18.00	0.16	5.4	0.037	2.60	37.9	28.9	0.50	428	1.13	2.78	13.7	6.6
J596645		29.0	2.37	19.50	0.14	5.3	0.044	2.75	42.0	34.1	0.50	410	15.55	2.94	14.7	6.7
J596646		6.5	2.44	18.65	0.18	5.1	0.038	2.67	39.9	26.9	0.50	425	1.11	2.88	13.7	6.6
J596647		10.7	2.39	18.50	0.18	5.4	0.037	2.67	42.3	30.2	0.49	420	1.47	2.92	14.6	6.4
J596648		11.7	2.55	18.90	0.18	5.4	0.044	2.74	44.7	28.2	0.54	448	1.25	3.02	15.1	6.9
J596649		7.5	2.41	17.80	0.17	5.7	0.039	2.53	43.8	21.0	0.51	414	0.99	2.91	13.5	7.0
J596650		7.1	2.48	16.75	0.16	4.8	0.037	2.65	41.3	19.9	0.52	427	0.92	2.88	12.5	6.4
J596651		5.2	2.54	18.10	0.18	5.8	0.038	2.58	41.3	31.0	0.52	447	1.42	2.94	14.5	6.3
J596652		7.8	2.33	17.10	0.16	4.5	0.034	2.92	37.5	22.1	0.46	388	1.09	2.94	12.5	5.6
J596653		5.1	2.23	17.65	0.18	5.2	0.036	2.77	39.3	26.6	0.46	401	1.05	2.83	13.0	5.9
J596654		5.2	2.54	18.50	0.20	5.5	0.038	2.68	45.8	26.8	0.51	435	1.25	2.88	14.1	6.7
J596655		5.0	2.40	17.40	0.17	5.4	0.036	2.62	44.5	25.7	0.50	404	1.44	2.69	13.1	6.2
J596656		4.8	2.43	17.10	0.17	5.1	0.029	3.27	43.4	24.3	0.49	360	1.05	2.64	12.7	6.3
J596657		8.6	2.55	18.45	0.19	5.4	0.037	2.62	46.8	23.2	0.56	431	1.69	2.96	13.9	6.7
J596658		12.5	2.53	18.05	0.19	6.0	0.038	2.59	44.5	26.4	0.56	440	0.94	2.98	14.2	6.5
J596659		2.9	2.54	18.55	0.20	5.6	0.040	2.66	46.7	31.0	0.55	442	1.19	2.94	14.5	7.1
J596660		3.0	2.48	18.45	0.18	5.4	0.039	2.63	40.2	22.2	0.53	418	0.97	3.05	14.1	6.6
J596661		12.2	2.38	17.90	0.18	4.9	0.035	2.57	45.7	12.6	0.53	435	1.39	2.94	13.9	6.3
J596662		14.6	2.19	16.65	0.16	5.0	0.031	2.60	43.9	13.0	0.48	336	180.5	2.71	10.7	6.2
J596663		12.8	2.12	17.15	0.15	5.4	0.032	2.44	38.5	15.7	0.44	390	2.26	2.81	13.9	6.0
J596664		10.3	2.35	17.95	0.17	5.5	0.035	2.44	43.1	17.4	0.51	469	79.4	2.93	14.3	6.4
J596665		4.7	2.44	17.70	0.18	4.8	0.036	2.43	43.2	21.5	0.52	429	1.30	2.80	13.5	6.4
J596666		3.6	2.25	17.40	0.18	5.2	0.036	2.58	37.2	20.6	0.48	508	8.66	2.74	13.8	5.6
J596667		18.6	2.36	17.60	0.18	5.1	0.039	2.60	39.6	16.0	0.53	441	10.85	2.80	13.9	6.2
J596668		12.1	1.44	15.70	0.13	3.4	0.021	3.11	29.9	10.5	0.25	224	1.63	2.68	11.8	3.0
J596669		21.9	2.19	16.55	0.17	4.4	0.031	2.55	39.7	19.5	0.54	407	5.13	2.77	12.5	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J596630		570	13.8	113.5	<0.002	0.02	0.23	8.0	1	2.1	192.5	1.07	<0.05	12.5	0.301	0.59
J596631		510	15.2	110.0	<0.002	0.01	0.16	7.3	1	1.9	183.5	1.01	<0.05	12.4	0.275	0.58
J596632		530	15.4	104.5	<0.002	0.02	0.23	7.2	1	1.9	190.0	1.04	<0.05	12.5	0.283	0.53
J596633		540	14.6	105.5	<0.002	0.02	0.27	7.7	1	2.0	190.5	1.16	<0.05	14.1	0.290	0.57
J596634		520	14.9	116.0	<0.002	0.02	0.20	7.7	1	2.0	184.5	1.25	<0.05	14.2	0.275	0.60
J596635		550	15.3	110.5	0.002	0.02	0.16	7.6	1	2.0	196.0	1.21	<0.05	14.2	0.290	0.60
J596636		10	12.8	156.5	0.038	0.08	0.29	1.4	1	0.7	24.4	2.45	<0.05	29.4	0.043	0.75
J596637		10	12.1	160.5	<0.002	0.02	0.22	1.3	1	0.7	16.1	2.18	<0.05	29.5	0.036	0.82
J596638		20	23.9	140.5	<0.002	0.11	0.49	1.4	1	0.6	27.6	2.54	<0.05	30.5	0.032	0.84
J596639		20	38.7	135.0	<0.002	0.80	1.08	2.0	1	0.5	55.7	1.07	0.05	39.7	0.042	1.09
J596640		560	19.7	157.0	0.002	0.79	0.85	12.7	2	2.2	173.5	2.30	<0.05	15.6	0.318	1.11
J596641		550	18.9	125.5	<0.002	0.07	0.82	8.5	1	1.8	201	1.21	<0.05	15.4	0.295	0.91
J596642		580	17.9	103.0	<0.002	0.01	0.50	9.0	1	2.2	208	1.27	<0.05	14.4	0.308	0.67
J596643		560	17.0	99.6	<0.002	0.03	0.35	8.2	1	2.0	203	1.23	<0.05	14.3	0.297	0.66
J596644		560	17.1	95.5	<0.002	0.01	0.26	8.5	1	2.0	206	1.16	<0.05	13.0	0.296	0.63
J596645		580	33.5	112.5	0.002	0.28	0.68	9.5	1	2.2	199.5	1.24	<0.05	13.8	0.301	0.69
J596646		580	21.1	101.0	<0.002	0.03	0.72	8.9	1	2.2	208	1.10	<0.05	12.6	0.298	0.62
J596647		590	18.0	102.5	<0.002	0.10	0.66	8.7	1	2.1	208	1.17	<0.05	13.3	0.304	0.65
J596648		620	16.3	106.0	<0.002	0.33	0.58	9.4	2	2.1	192.5	1.20	<0.05	14.2	0.323	0.63
J596649		580	15.1	98.8	<0.002	0.02	0.59	8.5	1	2.0	217	1.08	<0.05	12.7	0.302	0.57
J596650		580	14.9	94.3	<0.002	0.03	0.55	7.9	1	1.8	215	0.97	<0.05	12.4	0.304	0.56
J596651		600	16.4	98.4	<0.002	0.01	0.51	8.6	1	2.0	209	1.17	<0.05	13.1	0.316	0.58
J596652		520	17.0	96.1	<0.002	0.09	0.52	7.6	1	1.8	197.5	1.12	<0.05	13.4	0.275	0.56
J596653		530	16.2	101.0	<0.002	0.01	0.31	7.9	1	1.8	196.5	1.06	<0.05	12.7	0.274	0.57
J596654		570	16.7	104.5	<0.002	0.01	0.25	8.7	1	1.9	203	1.11	<0.05	14.0	0.299	0.61
J596655		560	17.6	98.3	<0.002	0.04	0.39	8.3	1	2.1	195.5	1.02	<0.05	13.0	0.289	0.56
J596656		550	27.6	108.0	<0.002	0.39	0.58	7.8	1	1.7	207	0.96	<0.05	11.8	0.284	0.62
J596657		620	16.7	92.5	<0.002	0.28	0.45	9.2	1	2.1	202	1.08	<0.05	13.4	0.318	0.53
J596658		630	15.9	92.7	<0.002	0.17	0.38	8.9	1	2.0	211	1.14	<0.05	13.0	0.318	0.54
J596659		600	17.0	102.5	<0.002	0.01	0.43	9.4	1	2.0	211	1.17	<0.05	13.8	0.314	0.58
J596660		600	15.8	90.3	<0.002	0.03	0.42	8.8	1	2.0	211	1.13	<0.05	13.3	0.304	0.50
J596661		570	15.6	85.6	<0.002	0.12	0.50	8.5	1	2.1	198.0	1.10	<0.05	13.5	0.301	0.47
J596662		550	26.5	96.2	0.016	0.39	0.65	7.8	1	1.9	164.5	0.90	0.10	14.3	0.252	0.51
J596663		500	21.4	85.8	<0.002	0.17	0.44	7.4	1	2.1	192.0	1.39	<0.05	14.5	0.260	0.45
J596664		580	16.6	83.8	0.005	0.15	0.48	8.6	1	2.2	198.5	1.14	<0.05	13.4	0.303	0.48
J596665		560	17.6	88.9	<0.002	0.13	0.52	8.5	1	2.2	203	1.08	<0.05	13.3	0.295	0.52
J596666		550	16.9	82.5	<0.002	0.01	0.57	8.2	1	2.0	195.5	1.10	<0.05	12.0	0.290	0.47
J596667		600	25.7	94.3	<0.002	0.30	0.62	8.6	1	2.2	196.5	1.08	<0.05	12.1	0.305	0.55
J596668		250	37.5	98.6	<0.002	0.40	0.44	4.3	1	1.4	102.5	1.49	0.05	17.8	0.141	0.49
J596669		540	20.2	95.5	<0.002	0.35	0.51	8.0	2	2.2	148.5	1.05	<0.05	13.0	0.271	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596630		3.0	43	1.6	21.9	50	192.0
J596631		3.0	41	0.7	19.9	48	171.0
J596632		3.2	40	1.0	20.6	48	186.0
J596633		3.6	42	1.0	21.3	50	187.5
J596634		4.0	39	1.0	22.1	47	166.0
J596635		4.0	41	1.6	22.8	48	177.5
J596636		7.6	4	2.7	15.4	7	91.0
J596637		8.4	3	71.8	14.8	9	89.0
J596638		10.7	5	3.4	15.6	17	87.0
J596639		11.5	22	9.6	14.6	42	120.0
J596640		4.2	58	103.0	27.5	66	216
J596641		4.4	45	10.9	21.1	55	199.0
J596642		3.6	45	2.2	23.3	56	205
J596643		3.4	43	10.6	21.8	51	217
J596644		3.3	44	1.1	21.8	55	216
J596645		3.5	44	9.2	23.3	104	215
J596646		3.0	44	1.2	21.6	61	202
J596647		3.1	44	2.6	22.1	56	217
J596648		3.4	47	9.4	24.1	57	218
J596649		3.1	43	1.7	21.6	55	227
J596650		2.9	44	1.4	20.0	55	202
J596651		3.3	46	0.6	22.2	58	234
J596652		3.4	40	2.5	20.3	50	180.5
J596653		3.1	40	0.5	20.9	50	205
J596654		3.3	43	0.6	23.0	53	221
J596655		2.9	42	0.8	20.7	54	219
J596656		2.5	40	1.7	16.9	55	212
J596657		3.1	47	5.9	22.9	51	222
J596658		3.2	47	5.5	22.9	48	236
J596659		3.3	47	0.8	23.9	55	227
J596660		3.2	45	1.9	22.6	47	221
J596661		3.1	43	2.7	22.6	39	199.5
J596662		3.8	40	6.4	21.4	48	202
J596663		4.0	38	4.1	20.6	82	215
J596664		3.2	44	4.8	22.1	43	222
J596665		3.0	44	3.4	21.8	52	195.5
J596666		3.0	41	2.5	20.7	49	213
J596667		3.0	45	4.2	22.5	80	212
J596668		5.4	18	9.2	17.1	51	120.0
J596669		3.5	40	8.2	21.6	33	179.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-AA23 Au Check g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J596670		1.21	0.129		0.05	7.07	34.0	740	1.48	0.12	1.59	0.05	81.3	6.7	9	2.01
J596671		1.22	<0.005		0.03	6.83	20.7	750	1.33	0.08	1.59	0.03	92.7	7.1	9	1.25
J596672		1.22	0.049		0.06	7.66	15.8	910	1.43	0.08	1.55	<0.02	98.9	6.3	13	1.21
J596673		1.17	0.446		0.47	6.71	74.3	700	1.56	0.30	1.36	0.03	110.5	6.3	35	1.40
J596674		0.95	0.408		0.29	7.28	98.8	840	1.33	0.22	1.28	0.02	80.8	6.0	10	1.06
J596675		0.03	3.49		0.18	1.58	1.7	110	0.31	0.16	0.01	0.13	17.80	1.1	12	0.60
J596676		1.23	0.329		0.21	7.14	48.9	750	1.36	0.20	1.47	0.06	84.1	5.8	9	1.11
J596677		1.35	0.321		0.24	7.02	49.9	790	1.39	0.18	1.54	0.08	85.4	6.5	11	1.17
J596678		1.18	0.306		0.25	6.99	193.5	800	1.42	0.17	1.44	0.87	85.7	5.1	10	0.86
J596679		1.22	0.677		0.47	6.73	341	730	1.45	0.23	1.42	2.27	80.6	5.9	10	1.12
J596680		1.38	0.277		0.33	7.33	1075	800	1.68	0.21	1.64	0.64	95.8	6.5	11	1.23
J596681		1.19	0.052		0.27	7.01	673	760	1.30	0.09	1.72	0.08	82.6	6.0	13	1.60
J596682		1.19	0.438		0.44	7.23	1290	740	1.83	0.20	1.45	0.39	81.0	4.7	11	1.31
J596683		1.21	0.158		0.18	7.36	81.2	760	1.72	0.11	1.62	0.11	85.8	5.6	13	1.93
J596684		1.15	0.013		0.18	7.76	38.7	800	1.61	0.15	1.80	0.10	86.0	6.2	14	2.73
J596685		1.77	0.026		0.13	7.81	34.4	850	1.56	0.09	1.95	0.08	95.8	7.8	14	2.10
J596686		1.83	<0.005		0.12	7.53	27.0	830	1.56	0.06	1.81	0.07	91.0	6.5	12	2.81
J596687		1.87	0.044		0.13	7.71	31.7	870	1.57	0.08	1.78	0.07	91.9	6.6	13	2.50
J596688		1.84	0.006		0.09	7.83	20.9	900	1.47	0.05	1.88	0.06	90.9	6.0	12	1.71
J596689		1.89	0.575		0.08	7.47	11.9	860	1.43	0.05	1.87	0.05	87.2	6.5	11	2.44
J596690		1.92	<0.005		0.09	7.57	11.2	840	1.47	0.08	1.84	0.05	92.7	7.1	13	2.20
J596691		1.27	<0.005		0.09	7.75	5.7	850	1.49	0.05	1.85	0.06	91.0	6.6	12	2.61
J596692		2.48	<0.005		0.08	7.54	13.0	870	1.43	0.05	1.78	0.05	105.0	7.1	12	2.10
J596693		1.90	0.006		0.09	7.63	10.7	840	1.53	0.05	1.82	0.04	93.5	6.3	12	2.38
J596694		1.93	<0.005		0.09	7.57	7.7	960	1.42	0.05	1.85	0.04	64.1	6.3	31	2.39
J596695		1.93	<0.005		0.07	7.43	3.9	910	1.43	0.05	1.78	0.05	80.4	6.3	14	2.53
J596696		1.85	<0.005		0.10	7.52	7.8	840	1.55	0.06	1.78	0.05	91.9	6.1	13	2.16
J596697		1.23	<0.005		0.09	7.69	13.1	880	1.52	0.06	1.81	0.05	99.6	8.0	11	1.74
J596698		1.22	<0.005		0.09	7.41	9.0	850	1.48	0.05	1.46	0.02	91.0	6.4	10	1.42
J596699		1.38	<0.005		0.10	7.66	12.0	840	1.50	0.05	1.53	0.03	94.7	6.6	12	1.31
J596700		0.06	<0.005		0.07	6.93	1.8	990	1.24	0.10	1.44	0.08	29.4	2.3	14	1.75
J596701		1.64	0.015		0.09	7.46	10.7	820	1.61	0.06	1.04	0.02	91.6	6.4	9	1.26
J596702		1.68	<0.005		0.07	7.25	5.0	830	1.72	0.05	1.34	0.02	89.7	5.7	12	1.19
J596703		1.87	<0.005		0.07	7.42	8.6	800	1.77	0.06	1.46	0.03	89.8	6.6	18	1.58
J596704		2.09	0.005		0.13	7.68	13.3	820	1.80	0.04	1.07	<0.02	92.9	5.5	11	1.30
J596705		1.79	<0.005		0.07	7.27	18.0	840	1.54	0.04	1.66	0.03	84.3	5.8	12	1.89
J596706		1.73	<0.005		0.06	7.47	16.3	760	1.51	0.03	1.24	<0.02	85.5	6.1	9	1.73
J596707		1.72	<0.005		0.06	7.65	9.4	800	1.76	0.03	1.18	<0.02	98.4	5.6	10	2.80
J596708		1.94	0.006		<0.01	6.55	9.7	670	1.43	0.03	0.70	<0.02	79.0	5.2	9	3.48
J596709		1.61	0.129		0.04	6.43	30.0	700	1.39	0.14	0.66	0.02	95.5	6.3	8	2.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J596670		9.0	2.41	18.30	0.19	4.8	0.038	2.51	40.0	23.6	0.54	472	2.23	2.91	13.9	6.2
J596671		6.3	2.31	17.35	0.18	5.1	0.036	2.60	46.6	16.0	0.52	435	1.20	2.73	13.2	5.7
J596672		8.3	2.53	17.20	0.15	6.1	0.038	3.10	51.6	13.9	0.66	419	1.50	3.05	12.3	7.1
J596673		8.0	2.53	15.15	0.15	4.8	0.033	2.71	58.5	20.7	0.71	290	2.86	2.37	7.1	11.4
J596674		48.9	2.43	15.95	0.14	5.3	0.031	3.05	42.9	15.8	0.65	334	6.38	2.95	10.2	6.5
J596675		5.6	1.44	3.45	0.06	0.6	0.012	0.16	9.8	17.2	0.02	104	0.74	0.03	3.4	4.9
J596676		6.9	2.40	16.25	0.15	4.8	0.033	2.44	43.9	21.3	0.56	433	3.74	2.82	8.5	5.6
J596677		13.9	2.49	16.45	0.14	5.4	0.033	2.54	42.8	21.7	0.59	505	3.69	2.86	10.8	6.1
J596678		10.3	2.23	15.65	0.16	5.0	0.034	2.55	44.3	17.0	0.53	446	11.45	2.78	9.9	4.9
J596679		9.9	2.25	15.75	0.14	5.4	0.039	2.44	41.1	20.0	0.52	362	6.56	2.60	5.6	5.8
J596680		13.1	2.39	16.70	0.17	5.2	0.037	2.77	49.6	19.8	0.55	419	8.18	2.82	9.5	6.1
J596681		8.8	2.32	15.60	0.16	5.3	0.031	2.63	42.2	20.5	0.52	448	4.94	2.87	11.0	6.2
J596682		14.6	2.08	16.35	0.16	4.9	0.034	3.04	42.0	16.1	0.42	337	3.22	2.68	10.3	5.2
J596683		14.5	2.30	16.95	0.15	5.7	0.034	3.02	43.4	18.7	0.48	423	9.86	2.90	13.0	5.6
J596684		18.2	2.47	17.35	0.16	5.2	0.032	2.92	43.2	23.5	0.53	451	15.25	3.18	12.6	5.7
J596685		16.4	2.62	17.00	0.17	5.8	0.038	2.79	50.2	19.1	0.56	490	13.60	3.16	12.6	6.0
J596686		6.7	2.58	16.65	0.17	5.4	0.038	2.78	47.1	24.6	0.55	440	2.20	2.99	12.3	6.4
J596687		4.4	2.59	16.40	0.16	5.6	0.034	2.82	48.3	23.6	0.55	444	1.87	3.02	12.0	5.9
J596688		5.1	2.69	17.00	0.18	5.6	0.037	2.75	47.6	17.8	0.58	470	2.26	3.05	12.1	6.1
J596689		6.9	2.56	16.35	0.16	5.2	0.033	2.75	45.0	21.7	0.55	455	20.1	2.97	11.4	6.1
J596690		11.1	2.54	16.60	0.18	5.4	0.033	2.68	48.3	19.2	0.58	459	5.55	3.04	11.9	6.3
J596691		6.2	2.64	16.95	0.17	5.5	0.036	2.78	47.4	22.0	0.58	463	2.64	2.97	12.0	6.4
J596692		7.8	2.68	17.15	0.17	5.6	0.038	2.82	55.0	19.1	0.60	482	2.94	3.01	12.5	6.6
J596693		7.0	2.50	16.90	0.17	5.6	0.035	2.77	48.8	21.6	0.57	448	1.22	3.11	12.0	5.9
J596694		6.5	2.54	16.20	0.15	4.6	0.033	2.82	31.8	18.5	0.55	461	1.72	2.95	11.4	6.1
J596695		7.4	2.57	16.35	0.17	4.7	0.038	2.79	40.6	19.9	0.57	462	1.87	2.87	11.5	6.5
J596696		7.4	2.52	16.60	0.18	5.4	0.035	2.73	47.8	16.9	0.57	488	8.75	2.96	11.8	5.9
J596697		6.4	2.63	17.00	0.18	5.3	0.039	2.75	52.1	15.8	0.59	505	0.92	3.06	11.9	6.4
J596698		7.7	2.62	16.85	0.16	5.3	0.038	2.82	47.3	13.9	0.67	487	0.98	2.95	11.6	5.8
J596699		7.3	2.65	17.15	0.18	5.3	0.034	2.75	49.0	15.8	0.72	542	2.84	3.14	11.6	6.1
J596700		3.5	1.53	12.65	0.12	1.2	0.016	2.34	14.5	11.0	0.21	625	1.00	2.87	4.5	1.9
J596701		3.1	2.57	16.60	0.18	5.1	0.029	2.89	47.5	16.8	0.87	451	1.15	3.13	11.1	5.8
J596702		5.3	2.41	15.90	0.17	5.2	0.029	2.82	46.2	13.3	0.66	431	1.30	2.86	10.9	5.6
J596703		5.0	2.45	16.60	0.18	5.4	0.036	2.75	46.4	14.8	0.67	436	1.08	2.90	13.1	6.0
J596704		3.7	2.52	16.90	0.18	5.3	0.023	2.72	48.3	19.9	1.05	408	0.95	3.19	12.0	5.9
J596705		4.4	2.47	15.95	0.19	5.1	0.033	2.56	43.0	15.3	0.62	449	1.01	3.06	11.4	5.8
J596706		2.7	2.42	16.30	0.18	5.0	0.029	2.76	43.7	29.0	1.25	403	0.87	2.91	11.3	5.7
J596707		3.3	2.25	16.35	0.19	5.1	0.030	2.94	50.8	27.6	1.13	368	0.85	2.86	11.9	5.8
J596708		2.3	2.22	16.40	0.12	4.7	0.030	2.94	43.2	21.1	1.23	289	0.93	2.15	10.7	6.0
J596709		3.7	2.34	16.05	0.13	5.1	0.030	2.49	52.6	16.8	1.01	227	1.05	2.53	10.1	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J596670		560	17.2	92.5	<0.002	0.21	0.51	8.8	2	2.2	195.0	1.12	<0.05	14.5	0.290	0.50
J596671		540	13.7	95.3	<0.002	0.07	0.57	7.9	1	2.1	200	1.10	<0.05	13.7	0.276	0.52
J596672		620	14.0	123.0	<0.002	0.14	0.56	8.2	1	2.1	181.5	1.13	<0.05	15.6	0.314	0.63
J596673		680	14.1	118.0	<0.002	1.05	0.61	7.8	1	1.9	145.5	0.64	0.06	13.1	0.224	0.60
J596674		580	11.4	119.5	<0.002	0.51	0.54	7.7	1	1.9	136.5	0.96	0.05	13.2	0.274	0.59
J596675		50	30.6	13.0	<0.002	1.12	0.61	1.3	1	1.3	14.7	0.31	<0.05	3.4	0.095	0.42
J596676		560	18.4	75.0	<0.002	0.99	0.48	7.4	1	1.8	158.0	0.77	<0.05	14.3	0.258	0.33
J596677		570	19.1	79.3	<0.002	0.74	0.40	7.8	1	2.0	163.0	0.93	0.06	13.9	0.290	0.38
J596678		560	86.7	81.4	0.002	0.71	0.51	7.2	1	1.8	158.5	0.99	0.05	15.0	0.272	0.40
J596679		580	209	83.6	<0.002	1.25	0.91	7.1	1	1.5	155.0	0.53	0.08	13.9	0.204	0.47
J596680		610	57.1	96.3	0.002	0.72	0.86	8.0	1	1.7	176.0	0.90	0.10	15.0	0.269	0.50
J596681		580	18.7	89.1	<0.002	0.28	0.77	7.8	1	1.6	191.5	0.95	<0.05	13.0	0.294	0.47
J596682		490	37.9	108.5	0.002	0.78	1.05	6.8	1	1.6	150.5	1.27	0.10	19.9	0.227	0.55
J596683		550	25.7	113.5	<0.002	0.32	0.72	7.4	1	2.2	190.5	1.42	<0.05	16.5	0.289	0.60
J596684		580	16.5	111.0	0.002	0.10	0.76	7.7	1	2.0	204	1.21	<0.05	15.3	0.306	0.66
J596685		640	17.0	103.5	<0.002	0.21	0.60	8.2	2	2.0	207	1.18	<0.05	16.2	0.324	0.54
J596686		620	16.5	106.5	0.002	0.01	0.60	8.1	1	2.0	214	1.18	<0.05	14.8	0.318	0.56
J596687		610	19.9	104.5	<0.002	0.17	0.70	8.1	1	1.9	210	1.10	<0.05	15.1	0.319	0.57
J596688		650	15.7	94.8	<0.002	0.10	0.47	8.5	1	1.9	244	1.10	<0.05	13.8	0.335	0.50
J596689		610	15.3	98.7	0.002	0.07	0.19	7.9	1	1.8	214	1.04	<0.05	13.7	0.314	0.56
J596690		610	13.7	97.8	<0.002	0.01	0.24	8.1	1	1.9	227	1.05	<0.05	14.6	0.323	0.53
J596691		620	16.5	104.5	<0.002	0.01	0.17	8.4	1	1.9	222	1.09	<0.05	13.9	0.321	0.58
J596692		650	13.0	100.0	<0.002	0.01	0.27	8.8	1	2.0	210	1.07	<0.05	14.4	0.339	0.55
J596693		610	13.6	99.4	<0.002	0.03	0.27	8.1	1	2.0	212	1.10	<0.05	14.9	0.318	0.59
J596694		620	15.8	97.8	0.002	0.02	0.23	8.0	1	1.9	215	1.05	<0.05	11.2	0.320	0.54
J596695		610	15.3	101.0	<0.002	0.01	0.13	8.2	1	1.9	210	1.01	<0.05	12.9	0.315	0.60
J596696		610	14.8	97.2	<0.002	0.01	0.25	8.1	1	1.9	212	1.07	<0.05	15.1	0.316	0.56
J596697		630	13.2	93.8	<0.002	0.01	0.25	8.3	1	2.0	227	1.07	<0.05	15.4	0.323	0.53
J596698		610	10.9	103.5	<0.002	0.02	0.22	7.8	1	2.1	175.5	1.05	<0.05	15.4	0.309	0.53
J596699		630	12.6	96.1	<0.002	0.01	0.24	7.9	1	2.0	166.0	1.06	<0.05	15.2	0.307	0.49
J596700		190	12.8	57.8	<0.002	<0.01	0.20	5.6	1	1.6	187.5	0.49	<0.05	6.6	0.123	0.41
J596701		600	10.7	100.5	<0.002	0.05	0.19	7.7	1	1.9	132.0	1.07	<0.05	17.8	0.292	0.52
J596702		570	12.4	93.9	<0.002	0.01	0.18	7.4	1	1.9	165.5	1.04	<0.05	16.1	0.284	0.45
J596703		590	13.8	102.0	<0.002	0.01	0.23	7.9	1	2.2	192.0	1.36	<0.05	16.2	0.301	0.53
J596704		630	7.7	98.0	<0.002	0.06	0.27	8.0	1	1.9	132.0	1.30	<0.05	14.6	0.310	0.46
J596705		600	12.0	80.4	<0.002	0.01	0.34	7.8	1	2.0	193.0	1.07	<0.05	12.6	0.309	0.47
J596706		630	6.8	89.8	<0.002	0.03	0.29	7.9	1	1.7	112.0	1.06	<0.05	14.3	0.310	0.40
J596707		630	5.8	110.5	<0.002	0.01	0.31	8.5	1	1.9	117.0	1.08	<0.05	14.4	0.321	0.48
J596708		550	4.6	135.0	<0.002	0.05	0.30	7.2	1	1.7	67.7	0.95	<0.05	12.9	0.270	0.55
J596709		550	8.3	101.0	<0.002	0.58	0.22	7.2	1	1.6	72.2	0.91	<0.05	13.9	0.267	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596670		3.5	43	3.5	22.8	52	199.0
J596671		3.4	40	1.2	22.2	42	206
J596672		4.0	46	2.6	23.1	45	230
J596673		4.3	44	33.5	18.2	31	175.5
J596674		3.5	43	9.2	20.6	39	194.0
J596675		0.5	8	0.9	2.7	16	18.7
J596676		3.3	42	9.9	18.8	36	178.5
J596677		3.1	45	9.2	19.1	36	210
J596678		3.8	40	28.5	19.4	197	172.5
J596679		3.3	41	12.9	17.8	458	207
J596680		3.8	45	92.9	20.7	123	187.5
J596681		3.2	43	5.4	19.6	44	200
J596682		6.1	36	42.7	20.1	79	156.5
J596683		4.9	41	22.1	21.4	58	198.0
J596684		4.0	44	69.2	21.4	44	188.5
J596685		4.2	47	26.9	22.9	49	209
J596686		3.8	46	5.8	21.9	54	196.0
J596687		3.8	47	8.7	21.8	50	202
J596688		3.4	49	10.3	21.3	47	208
J596689		3.5	45	30.6	20.4	53	192.5
J596690		3.5	46	14.9	21.2	53	203
J596691		3.6	47	25.2	21.7	55	196.5
J596692		3.4	49	7.5	22.4	53	207
J596693		3.8	45	3.2	21.4	53	204
J596694		3.1	46	0.7	19.9	57	167.0
J596695		3.2	47	0.7	20.7	56	173.5
J596696		3.7	45	0.8	21.5	56	201
J596697		3.4	47	0.8	21.0	56	193.5
J596698		3.7	45	2.4	20.5	47	191.5
J596699		3.8	46	5.7	21.8	46	197.0
J596700		2.3	16	1.0	16.8	47	25.6
J596701		4.3	43	3.2	21.2	40	177.5
J596702		4.3	41	1.7	21.0	42	189.0
J596703		4.8	45	1.3	23.3	43	187.5
J596704		3.9	47	3.2	21.2	35	189.5
J596705		3.2	46	1.3	19.7	47	185.5
J596706		3.3	46	2.5	20.5	37	183.5
J596707		3.5	47	2.4	21.3	34	187.5
J596708		3.1	40	3.2	18.3	24	184.5
J596709		3.4	39	8.0	16.7	19	204

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-AA23 Au Check g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J596710		1.19	0.077		0.02	6.76	22.8	700	1.58	0.08	0.80	0.02	82.4	5.7	8	2.34
J596711		1.26	0.021		0.01	6.75	10.8	670	1.55	0.03	0.67	0.02	81.2	5.9	9	1.74
J596712		1.12	<0.005		0.11	7.12	13.1	640	1.94	0.02	0.45	<0.02	64.2	4.1	6	3.61
J596713		1.30	0.057		0.14	7.18	17.7	700	1.50	0.06	0.81	0.03	78.7	5.8	7	1.53
J596714		0.63	0.007		0.08	7.03	20.0	910	1.33	0.04	1.42	0.03	98.6	5.4	7	0.79
J596715		0.64	<0.005		0.08	6.75	13.0	730	1.54	0.03	1.22	0.02	103.5	4.4	7	0.78
J596716		0.64	<0.005		0.07	7.07	8.6	850	1.72	0.05	1.58	0.04	89.2	5.9	7	0.76
J596717		0.65	<0.005		0.08	7.29	19.9	920	1.80	0.06	1.56	0.04	91.4	5.2	6	0.64
J596718		1.33	0.021		0.06	6.94	13.3	800	1.65	0.04	1.23	0.03	88.4	5.2	8	0.62
J596719		1.31	<0.005		0.08	7.29	10.6	850	1.81	0.06	1.29	0.03	100.5	5.5	9	0.93
J596720		1.92	<0.005		0.12	7.37	7.3	860	1.66	0.06	1.70	0.04	93.5	6.4	9	1.98
J596721		1.88	<0.005		0.13	7.14	15.1	820	1.91	0.07	1.71	0.07	90.5	6.3	9	2.80
J596722		1.89	<0.005		0.12	7.07	6.4	870	1.57	0.06	1.67	0.06	86.5	6.9	10	3.03
J596723		1.89	0.053		0.14	7.12	159.5	850	1.69	0.09	1.66	0.11	87.6	6.2	8	1.25
J596724		0.54	0.033		0.18	6.84	69.0	800	1.45	0.10	1.62	0.14	89.7	5.3	9	2.42
J596725		0.55	0.206		0.21	7.22	90.2	820	1.64	0.12	1.68	0.14	90.1	6.2	6	2.53
J596726		1.28	0.038		0.18	7.25	57.5	810	1.66	0.06	1.73	0.09	87.8	5.7	8	2.83
J596727		0.97	0.127	0.184	0.21	7.36	143.0	760	1.82	0.09	1.77	0.14	91.3	7.1	9	1.94
J596728		1.01	1.455	1.625	0.59	7.16	750	830	1.98	0.16	1.32	0.14	87.4	5.6	8	1.07
J596729		0.91	1.100	1.120	0.48	7.09	353	880	1.95	0.26	1.10	0.14	98.6	6.4	7	0.94
J596731		1.25	0.123		0.15	7.06	67.2	780	1.63	0.08	1.64	0.10	90.1	5.7	9	1.81
J596732		1.28	0.510		0.16	7.16	79.6	880	1.67	0.07	1.55	0.09	89.3	5.7	9	1.64
J596733		1.79	0.098		0.13	7.23	64.1	810	1.64	0.08	1.61	0.09	93.8	6.0	11	2.02
J596734		0.56	<0.005		0.11	6.69	33.2	760	1.51	0.05	1.49	0.08	85.6	3.8	9	2.46
J596735		1.70	0.500		0.18	6.87	104.5	730	1.65	0.13	1.56	0.15	89.8	5.7	8	1.76
J596736		1.55	0.450		0.26	6.29	98.0	730	1.46	0.13	1.63	0.11	76.3	4.2	7	1.85
J596737		1.58	0.375		0.30	6.99	68.1	780	1.71	0.13	1.86	0.11	84.6	6.0	8	1.56
J596738		1.70	0.445		0.22	6.70	37.4	760	1.54	0.08	1.54	0.07	82.2	5.0	8	1.84
J596739		1.22	<0.005		0.14	6.81	14.8	810	1.79	0.06	1.58	0.05	86.2	6.2	8	2.39
J596740		1.44	<0.005		0.17	6.75	18.8	800	1.55	0.06	1.46	0.04	84.1	6.1	8	2.66
J596741		1.66	0.193		0.14	6.85	134.0	760	1.88	0.07	1.46	0.14	95.0	5.6	7	2.72
J596742		1.62	<0.005		0.14	6.75	13.0	770	1.89	0.07	1.49	0.05	80.9	5.6	8	3.41
J596743		1.63	<0.005		0.09	7.09	9.3	790	2.19	0.06	1.63	0.07	81.3	6.3	7	3.83
J596744		1.62	0.005		0.13	6.92	31.4	780	1.57	0.04	1.86	0.09	87.9	5.6	9	2.89
J596745		1.77	0.011		0.09	6.71	23.0	780	1.31	0.04	1.54	0.05	95.4	5.2	15	2.65
J596746		1.72	0.019		0.08	6.62	54.4	770	1.19	0.04	1.55	0.07	87.3	5.1	10	2.51
J596747		1.15	0.011		0.09	6.49	22.9	770	1.27	0.05	1.53	0.06	85.6	5.8	13	2.68
J596748		1.11	0.647		0.24	6.67	296	810	1.34	0.11	1.34	0.10	89.2	5.7	10	1.81
J596749		1.17	1.565		0.13	6.34	300	700	1.23	0.07	1.53	0.11	88.1	6.4	9	2.06
J596750		0.03	8.32		0.50	7.60	3.0	180	1.86	0.10	1.06	0.43	18.65	10.1	39	1.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J596710		3.3	2.36	16.55	0.13	5.3	0.033	2.69	44.4	18.4	1.16	272	0.68	2.45	10.5	5.7
J596711		2.6	2.21	17.20	0.13	5.3	0.036	2.80	46.0	17.3	1.18	272	0.55	2.23	11.1	6.3
J596712		2.1	2.69	18.85	0.16	5.5	0.037	3.43	32.5	36.0	1.58	319	0.69	1.61	12.5	6.2
J596713		3.6	2.40	17.55	0.17	6.0	0.034	2.82	40.2	29.2	1.28	303	1.75	2.51	12.2	6.3
J596714		44.2	2.07	16.60	0.16	5.2	0.027	3.01	51.3	15.2	0.75	323	1.00	2.80	11.6	5.9
J596715		9.7	2.09	16.55	0.18	6.0	0.025	2.57	53.1	13.7	0.72	314	1.07	2.85	12.3	5.8
J596716		6.4	2.36	16.80	0.17	5.6	0.034	2.97	44.5	9.8	0.51	390	1.02	2.80	12.6	6.1
J596717		5.5	2.38	17.60	0.17	5.8	0.031	2.98	46.4	9.0	0.51	369	1.00	2.86	13.0	5.7
J596718		7.9	2.32	16.55	0.18	5.6	0.028	2.94	45.3	9.7	0.55	319	1.01	2.86	11.6	5.8
J596719		11.5	2.43	17.45	0.20	5.8	0.034	2.98	52.4	11.7	0.59	364	1.05	2.96	12.6	6.3
J596720		7.9	2.50	17.60	0.18	5.9	0.034	2.85	47.3	12.7	0.51	454	1.10	2.90	13.0	6.2
J596721		7.7	2.39	18.00	0.17	5.6	0.037	2.70	45.5	14.1	0.49	426	1.29	2.78	13.4	6.2
J596722		8.9	2.46	17.00	0.17	5.3	0.036	2.77	43.5	17.3	0.49	426	2.40	2.75	12.3	6.2
J596723		12.8	2.28	17.30	0.18	5.9	0.033	2.78	43.6	13.4	0.49	430	1.14	2.85	11.8	5.8
J596724		10.3	2.16	16.75	0.18	4.8	0.029	2.77	45.0	15.9	0.45	395	1.34	2.58	10.4	5.6
J596725		10.6	2.31	18.30	0.19	5.4	0.037	2.89	45.0	17.2	0.49	408	1.05	2.80	11.1	6.0
J596726		7.1	2.25	17.90	0.17	5.5	0.029	3.03	42.9	20.1	0.49	444	0.99	2.77	11.9	6.0
J596727		18.9	2.22	18.55	0.19	5.7	0.033	2.65	45.1	20.3	0.50	444	1.24	2.89	10.4	6.7
J596728		4.1	2.37	18.50	0.18	5.0	0.032	3.31	45.1	18.3	0.48	303	1.35	2.39	3.7	5.5
J596729		4.0	2.39	19.05	0.20	5.0	0.037	3.46	51.3	18.3	0.46	202	1.28	2.33	3.8	6.0
J596731		8.3	2.30	18.00	0.19	5.7	0.033	2.71	44.7	18.4	0.49	396	1.20	2.72	11.0	6.2
J596732		5.8	2.10	17.10	0.16	5.4	0.032	2.81	44.3	16.8	0.47	434	1.26	2.75	11.0	5.6
J596733		7.5	2.46	17.55	0.18	5.6	0.033	3.14	48.0	21.8	0.48	381	1.23	2.76	10.7	6.1
J596734		2.9	2.09	16.70	0.18	5.1	0.031	2.79	42.9	22.3	0.44	362	1.25	2.61	10.7	5.3
J596735		9.4	2.22	17.10	0.18	5.5	0.034	2.48	45.1	21.2	0.46	368	3.16	2.87	10.2	6.1
J596736		8.3	1.96	16.20	0.16	5.0	0.035	2.56	37.8	19.4	0.42	385	1.54	2.63	10.9	5.4
J596737		12.4	2.19	17.15	0.15	5.5	0.035	2.79	41.3	23.0	0.47	440	1.26	2.91	11.2	5.1
J596738		7.6	2.08	16.45	0.18	4.6	0.030	2.62	40.9	15.6	0.43	433	2.43	2.71	11.6	5.4
J596739		6.2	2.23	16.90	0.19	5.9	0.033	2.71	41.8	21.1	0.45	402	1.29	2.77	12.2	6.0
J596740		5.3	2.12	17.35	0.17	5.8	0.033	2.89	41.3	24.0	0.44	374	1.64	2.74	12.2	5.6
J596741		7.4	2.10	17.20	0.18	5.4	0.035	2.81	47.5	25.1	0.43	364	1.37	2.76	13.1	5.3
J596742		6.2	2.12	16.90	0.16	5.6	0.030	2.81	39.4	23.4	0.43	385	3.82	2.73	13.1	5.5
J596743		6.1	2.28	17.85	0.18	5.5	0.038	2.84	40.0	25.8	0.48	407	2.58	2.81	13.7	6.3
J596744		11.4	2.37	17.20	0.18	5.2	0.036	2.71	43.3	29.2	0.48	443	2.38	2.85	11.5	6.0
J596745		7.0	2.19	15.85	0.15	5.0	0.032	2.69	46.5	23.9	0.45	394	0.96	2.83	11.9	5.7
J596746		5.7	2.11	16.10	0.16	4.6	0.030	2.63	41.4	21.6	0.43	392	2.62	2.75	11.8	5.6
J596747		5.7	2.16	15.95	0.16	5.4	0.033	2.60	40.8	23.4	0.44	412	1.26	2.64	11.9	6.0
J596748		19.6	2.24	17.20	0.16	5.6	0.038	2.85	43.5	16.5	0.41	322	1.33	2.70	9.9	5.7
J596749		12.4	2.25	16.35	0.17	4.7	0.033	2.40	42.3	18.5	0.43	358	2.33	2.55	11.1	6.1
J596750		17.2	4.44	19.05	0.15	1.3	0.014	2.31	9.1	1.8	0.98	279	2.20	5.04	10.3	41.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J596710		570	9.5	117.0	<0.002	0.29	0.28	7.1	1	1.7	70.8	0.89	<0.05	13.5	0.277	0.44
J596711		560	8.6	124.5	<0.002	0.04	0.24	8.1	1	1.8	71.2	0.97	<0.05	12.4	0.274	0.45
J596712		570	4.1	188.5	<0.002	0.01	0.55	7.8	2	2.2	44.7	1.15	<0.05	15.8	0.288	0.74
J596713		580	7.8	117.0	<0.002	0.05	0.29	7.9	2	2.1	70.7	1.04	<0.05	15.6	0.294	0.42
J596714		550	9.3	104.0	<0.002	0.04	0.28	7.8	2	2.0	133.5	0.94	<0.05	13.3	0.282	0.36
J596715		540	8.0	93.1	<0.002	0.01	0.21	7.6	1	2.2	142.0	1.04	<0.05	15.5	0.289	0.37
J596716		550	12.7	102.0	<0.002	0.01	0.23	7.6	1	2.2	204	1.19	<0.05	15.5	0.285	0.41
J596717		530	13.1	93.6	<0.002	0.01	0.28	8.0	2	2.3	189.0	1.27	<0.05	16.2	0.280	0.43
J596718		520	7.7	104.0	<0.002	0.01	0.18	7.4	1	2.1	123.5	1.04	<0.05	17.1	0.272	0.47
J596719		560	9.9	108.0	<0.002	0.01	0.22	7.9	2	2.4	160.0	1.08	<0.05	17.3	0.295	0.49
J596720		560	15.5	105.5	<0.002	0.01	0.20	7.6	2	2.5	219	1.19	<0.05	16.8	0.306	0.59
J596721		550	16.8	114.0	<0.002	0.01	0.21	7.7	2	2.4	209	1.31	<0.05	15.6	0.287	0.59
J596722		550	15.5	106.0	<0.002	0.01	0.14	7.7	2	2.2	205	1.06	<0.05	12.9	0.293	0.62
J596723		570	22.2	91.2	<0.002	0.33	0.42	7.7	2	2.2	199.5	1.01	<0.05	13.4	0.297	0.45
J596724		520	24.6	100.5	<0.002	0.22	0.65	7.5	1	2.1	188.0	0.86	<0.05	13.3	0.270	0.57
J596725		540	26.8	107.0	<0.002	0.36	0.69	7.9	2	2.3	199.0	0.96	<0.05	13.7	0.285	0.60
J596726		550	30.3	121.0	<0.002	0.11	0.59	8.1	2	2.2	212	0.99	<0.05	13.5	0.296	0.65
J596727		590	32.5	102.5	<0.002	0.55	0.63	8.2	2	2.2	192.0	0.90	<0.05	13.9	0.280	0.55
J596728		540	40.5	118.5	<0.002	1.59	0.50	7.1	1	1.9	109.5	0.35	0.06	13.9	0.150	0.56
J596729		540	43.6	131.5	<0.002	1.77	0.32	7.6	2	2.2	100.5	0.31	0.07	14.5	0.155	0.65
J596731		550	28.5	93.3	<0.002	0.34	0.49	7.6	1	2.3	189.5	0.92	<0.05	13.5	0.271	0.55
J596732		530	28.8	104.0	<0.002	0.18	0.47	7.5	1	2.1	191.5	0.94	<0.05	13.9	0.270	0.53
J596733		560	24.3	130.0	<0.002	0.53	0.58	7.8	2	2.3	191.0	0.92	<0.05	14.4	0.269	0.57
J596734		490	19.6	110.5	<0.002	0.01	0.61	6.9	1	2.1	175.0	0.87	<0.05	13.9	0.265	0.59
J596735		510	26.0	97.3	<0.002	0.62	0.60	7.8	2	2.1	156.5	0.85	<0.05	14.4	0.258	0.52
J596736		480	18.7	95.4	<0.002	0.10	0.55	6.8	1	2.0	164.5	0.90	<0.05	12.4	0.255	0.53
J596737		550	24.6	98.6	<0.002	0.29	0.53	7.5	1	2.1	165.5	0.96	<0.05	14.3	0.275	0.55
J596738		490	16.7	96.2	<0.002	0.06	0.37	7.2	1	2.1	177.5	0.96	<0.05	14.5	0.267	0.52
J596739		500	16.2	109.5	<0.002	0.02	0.29	7.7	2	2.3	188.5	1.04	<0.05	16.3	0.275	0.57
J596740		490	16.0	113.0	<0.002	0.02	0.29	7.1	1	2.1	183.5	1.06	<0.05	16.8	0.269	0.67
J596741		500	20.5	118.5	<0.002	0.09	0.34	7.5	1	2.4	176.0	1.23	<0.05	16.4	0.263	0.62
J596742		490	17.3	122.0	<0.002	0.02	0.22	6.8	1	2.5	177.5	1.32	<0.05	14.5	0.261	0.70
J596743		530	16.4	128.5	<0.002	0.02	0.25	8.0	2	2.4	194.0	1.32	<0.05	13.5	0.284	0.66
J596744		550	19.3	105.5	<0.002	0.08	0.28	7.5	1	2.1	189.5	0.98	<0.05	13.7	0.276	0.62
J596745		520	18.0	109.5	<0.002	0.04	0.28	7.0	1	2.1	186.5	0.97	<0.05	13.3	0.276	0.59
J596746		510	18.0	103.5	<0.002	0.07	0.33	6.6	1	2.0	184.5	0.96	<0.05	12.3	0.263	0.58
J596747		510	16.7	106.5	<0.002	0.04	0.23	6.7	1	2.1	183.5	0.99	<0.05	12.8	0.269	0.58
J596748		540	23.9	103.5	<0.002	0.54	0.60	7.2	1	2.1	138.0	0.84	<0.05	14.9	0.253	0.52
J596749		490	17.5	96.6	<0.002	0.35	0.56	6.7	1	2.0	159.0	0.94	<0.05	13.7	0.250	0.50
J596750		680	85.2	210	<0.002	3.27	1.02	3.5	1	1.0	175.5	0.74	<0.05	2.7	0.264	1.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596710		3.1	40	5.3	16.4	24	214
J596711		3.4	40	3.3	20.9	27	219
J596712		2.9	43	4.8	22.7	31	195.5
J596713		4.2	45	3.4	26.3	28	222
J596714		3.1	41	2.2	21.7	25	201
J596715		3.1	39	2.0	22.8	30	216
J596716		3.8	40	0.9	21.9	45	204
J596717		4.4	41	1.1	24.6	35	204
J596718		4.0	39	1.0	21.4	28	202
J596719		4.1	42	0.9	23.1	36	213
J596720		3.9	42	0.8	22.9	53	209
J596721		4.5	40	0.8	24.1	53	203
J596722		3.1	41	0.7	21.5	54	198.0
J596723		3.3	43	6.1	21.0	49	225
J596724		2.8	39	4.5	18.6	51	183.5
J596725		2.9	41	6.0	19.6	55	198.0
J596726		3.0	41	3.4	20.3	57	204
J596727		3.2	42	11.8	22.0	62	214
J596728		3.2	37	18.9	17.9	50	187.0
J596729		3.2	38	13.6	18.7	49	192.0
J596731		2.9	39	6.7	20.5	54	214
J596732		3.3	38	5.3	21.1	53	201
J596733		3.3	41	9.9	20.6	51	208
J596734		2.8	36	1.9	18.4	54	192.0
J596735		3.0	38	20.5	20.4	58	207
J596736		2.8	35	7.6	17.4	47	186.5
J596737		3.0	39	7.7	18.8	53	203
J596738		3.1	36	2.3	19.9	43	170.0
J596739		3.9	38	1.4	21.9	48	217
J596740		3.8	36	1.6	21.0	46	206
J596741		4.4	36	3.3	22.6	50	188.5
J596742		3.8	36	4.9	22.3	47	196.0
J596743		3.5	40	1.2	24.4	48	201
J596744		2.8	42	0.9	19.9	52	193.0
J596745		2.9	38	1.5	18.7	47	197.0
J596746		2.8	36	2.0	18.1	47	182.0
J596747		3.0	37	1.6	19.1	48	225
J596748		3.4	39	13.3	16.9	39	218
J596749		3.1	37	11.0	16.7	42	188.0
J596750		0.9	34	0.3	5.1	41	53.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-AA23 Au Check g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J596751		1.20	0.282		0.73	6.54	877	750	1.38	0.10	1.57	1.07	87.1	5.9	9	1.90
J596752		1.22	0.031		0.08	6.34	91.8	710	1.41	0.06	1.48	0.10	88.7	5.3	10	2.06
J596753		1.10	0.111		0.09	6.44	81.3	730	1.45	0.05	1.52	0.10	93.8	5.6	9	2.30
J596754		0.95	0.025		0.14	6.55	96.0	730	1.70	0.05	1.51	0.10	95.9	5.9	9	2.36
J596755		1.34	0.186		0.22	6.65	419	750	1.44	0.08	1.41	0.13	92.7	4.8	10	1.42
J596756		1.04	0.016		0.83	6.44	92.8	710	1.48	0.04	1.50	0.09	91.3	5.6	9	2.12
J596757		1.68	0.039		0.08	6.56	125.5	710	1.36	0.05	1.52	0.07	90.1	4.6	10	2.23
J596758		1.71	0.135		0.08	6.40	243	730	1.31	0.06	1.41	0.09	79.7	4.7	9	1.76
J596759		1.65	0.085		0.07	6.68	287	690	1.33	0.08	1.46	0.08	91.5	4.6	8	1.53
J596760		1.64	0.021		0.12	6.51	246	690	1.28	0.09	1.46	0.09	78.7	3.9	8	1.19
J596761		1.53	0.153		0.15	6.42	888	700	1.39	0.12	1.53	0.12	88.7	5.4	9	1.06
J596762		1.57	0.010		0.06	6.77	95.5	780	1.34	0.04	1.60	0.10	89.9	5.5	9	1.45
J596763		1.76	<0.005		0.03	6.46	86.3	720	1.35	0.03	1.63	0.06	87.1	6.0	9	0.80
J596764		1.80	<0.005		0.02	6.68	40.3	730	1.36	0.03	1.53	0.06	97.0	5.0	10	1.35
J596765		1.55	<0.005		0.07	6.77	49.5	750	1.44	0.05	1.59	0.04	100.0	5.1	13	1.38
J596766		1.66	<0.005		0.05	6.92	28.3	760	1.39	0.05	1.55	0.04	89.2	5.7	10	2.30
J596767		1.72	0.056		0.07	6.72	89.5	690	1.43	0.16	1.84	0.17	77.9	8.1	28	3.10
J596768		1.56	0.006		0.03	6.71	3.4	710	1.22	0.09	1.77	0.04	82.1	7.6	28	2.75
J596769		1.08	<0.005		0.04	6.79	4.2	670	1.27	0.09	1.79	0.05	75.5	7.8	22	2.86
J596770		1.54	<0.005		0.33	6.46	22.1	650	1.13	0.10	1.73	0.05	71.7	6.9	26	2.57
J596771		1.07	<0.005		0.06	6.64	16.5	720	1.12	0.08	1.68	0.05	75.0	6.1	23	2.45
J596772		0.56	0.384		0.91	6.61	1175	690	1.62	5.51	1.40	1.39	73.1	7.1	22	1.85
J596773		0.51	0.008		0.15	6.33	25.6	640	1.17	0.16	1.69	0.08	75.7	7.7	24	2.88
J596774		1.12	<0.005		0.12	6.69	103.0	740	1.19	0.24	1.77	0.11	83.8	6.5	22	2.79
J596775		0.07	<0.005		0.05	6.24	1.5	900	1.02	0.10	1.33	0.08	30.5	2.4	13	1.60
J596776		1.76	<0.005		0.05	6.66	10.5	680	1.21	0.05	1.80	0.05	83.8	7.8	23	2.85
J596777		2.03	<0.005		0.04	6.55	11.9	670	1.34	0.06	1.76	0.05	78.3	7.6	24	2.88
J596778		1.77	<0.005		0.04	6.62	7.7	680	1.29	0.05	1.81	0.04	83.5	7.9	24	2.90
J596779		1.76	<0.005		0.05	6.90	9.2	740	1.23	0.07	1.84	0.05	82.4	7.8	24	2.80
J596780		1.79	<0.005		0.06	6.55	11.8	690	1.24	0.06	1.79	0.05	80.6	7.6	22	2.68
J596781		1.77	<0.005		0.09	7.05	38.8	730	1.49	0.09	1.82	0.09	70.9	7.5	23	2.82
J596782		1.68	<0.005		0.06	7.20	50.3	730	1.41	0.08	1.91	0.08	73.3	9.4	25	2.99
J596783		1.70	<0.005		0.08	7.10	5.6	680	1.34	0.08	2.03	0.08	73.9	9.4	29	3.05
J596784		1.88	<0.005		0.06	7.29	<0.2	830	1.38	0.04	2.02	0.04	74.0	9.0	31	2.84
J596785		1.95	<0.005		0.09	7.06	7.0	720	1.26	0.06	1.87	0.05	73.0	7.8	25	2.67
J596786		1.87	2.88		0.16	7.06	1530	700	1.26	0.17	1.91	0.09	74.0	8.5	27	2.72
J596787		1.66	<0.005		0.08	7.12	51.0	720	1.35	0.10	2.04	0.11	75.7	9.2	27	2.73
J596788		1.94	0.007		0.06	7.01	48.3	700	1.18	0.08	1.90	0.04	72.9	8.7	22	2.71
J596789		1.63	0.017		0.09	7.07	55.5	750	1.17	0.11	1.80	0.08	69.0	7.4	23	2.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J596751		12.3	2.22	16.95	0.16	5.7	0.039	2.65	41.1	18.3	0.48	396	1.24	2.80	10.7	6.1
J596752		6.8	2.07	16.65	0.17	5.5	0.033	2.57	41.8	18.1	0.44	380	1.06	2.68	11.9	6.0
J596753		6.3	2.19	17.40	0.19	5.1	0.031	2.65	43.7	18.5	0.45	390	1.22	2.74	12.6	6.2
J596754		12.0	2.17	17.30	0.19	6.3	0.031	2.63	45.3	23.8	0.45	385	0.93	2.59	13.0	6.6
J596755		15.8	2.06	17.10	0.18	5.4	0.034	2.59	45.2	15.0	0.44	360	0.75	2.72	9.3	5.9
J596756		10.5	2.12	16.85	0.20	5.4	0.029	2.71	42.7	17.1	0.45	381	1.77	2.71	12.9	6.4
J596757		7.9	2.03	17.15	0.19	5.3	0.029	2.68	43.2	16.8	0.43	378	1.40	2.83	12.2	5.9
J596758		7.7	1.88	16.45	0.19	4.5	0.028	2.67	36.9	15.6	0.40	343	1.23	2.79	10.8	5.3
J596759		8.9	1.97	16.25	0.18	5.2	0.025	2.64	44.8	14.2	0.42	381	0.87	2.80	11.7	5.4
J596760		13.0	1.90	16.25	0.18	4.9	0.029	2.47	37.8	13.3	0.42	362	1.87	2.79	9.9	5.0
J596761		19.3	2.01	16.25	0.20	4.8	0.029	2.22	42.2	12.1	0.43	341	2.45	2.82	10.6	5.7
J596762		10.0	2.20	17.20	0.19	5.8	0.030	2.54	43.1	13.5	0.47	419	2.08	2.90	12.6	6.0
J596763		5.3	2.05	17.15	0.18	5.8	0.031	2.30	40.0	7.9	0.44	477	0.85	3.01	12.3	5.7
J596764		5.7	2.07	16.95	0.18	5.3	0.028	2.48	46.6	10.7	0.46	470	0.99	3.09	12.6	5.8
J596765		7.5	2.09	17.50	0.20	5.4	0.029	2.53	48.3	11.0	0.43	377	0.87	2.93	13.1	6.1
J596766		6.8	2.09	17.60	0.20	4.9	0.030	2.81	42.8	16.2	0.43	380	1.03	2.97	12.7	6.0
J596767		9.1	2.43	17.30	0.19	4.7	0.031	2.45	36.8	24.2	0.74	418	0.75	2.72	12.6	20.5
J596768		8.5	2.32	17.10	0.19	4.5	0.031	2.54	38.2	21.8	0.69	406	0.73	2.79	11.9	17.7
J596769		9.6	2.40	17.00	0.19	4.9	0.028	2.50	34.9	22.7	0.69	432	1.45	2.81	13.9	16.9
J596770		10.1	2.24	16.75	0.19	4.2	0.028	2.47	33.3	27.7	0.67	394	0.91	2.82	10.6	16.5
J596771		7.5	2.31	16.90	0.19	4.5	0.026	2.67	35.0	28.1	0.68	409	1.03	2.76	10.8	15.5
J596772		27.5	2.17	17.25	0.18	5.0	0.033	2.44	34.9	20.0	0.67	353	4.69	2.79	11.1	15.4
J596773		9.9	2.28	16.70	0.19	4.7	0.030	2.53	36.0	30.2	0.69	406	0.59	2.59	10.8	18.2
J596774		10.8	2.29	16.90	0.20	4.7	0.030	2.57	40.2	29.3	0.66	405	1.16	2.69	11.4	16.5
J596775		4.2	1.39	13.70	0.14	1.1	0.015	2.17	13.9	11.1	0.20	569	1.01	2.67	4.8	2.4
J596776		9.6	2.38	17.30	0.23	4.1	0.030	2.41	39.9	30.2	0.68	425	0.57	2.69	11.0	18.0
J596777		9.3	2.33	17.00	0.22	4.6	0.031	2.40	37.1	29.0	0.67	408	1.31	2.73	11.1	17.9
J596778		10.9	2.40	16.95	0.22	4.3	0.030	2.38	40.3	25.5	0.69	425	0.56	2.67	10.5	18.1
J596779		9.5	2.39	17.65	0.20	4.3	0.030	2.60	40.1	21.3	0.68	425	0.67	2.78	11.0	17.3
J596780		10.0	2.32	16.90	0.21	4.6	0.029	2.49	38.1	22.0	0.66	423	21.9	2.75	11.3	17.2
J596781		10.2	2.39	18.65	0.20	4.6	0.036	2.59	36.2	29.7	0.66	423	0.59	2.80	11.1	16.1
J596782		9.3	2.52	18.80	0.20	4.9	0.030	2.51	37.0	31.2	0.70	438	0.80	2.85	11.1	18.1
J596783		12.3	2.52	19.90	0.23	4.1	0.037	2.31	37.9	25.4	0.78	440	1.40	2.75	11.1	21.7
J596784		10.9	2.55	19.20	0.20	3.8	0.034	2.53	37.5	22.8	0.77	441	1.77	2.75	10.8	21.3
J596785		10.3	2.44	18.85	0.21	4.4	0.035	2.47	37.3	25.7	0.68	428	140.0	2.66	11.0	16.9
J596786		29.1	2.57	18.40	0.19	4.0	0.037	2.40	38.2	32.0	0.68	414	311	2.86	11.0	20.0
J596787		10.7	2.50	18.80	0.21	5.5	0.036	2.42	39.0	32.2	0.71	436	10.35	2.81	11.1	18.1
J596788		11.0	2.41	18.55	0.20	4.7	0.032	2.46	36.6	32.1	0.67	429	3.63	2.75	10.3	16.7
J596789		14.8	2.33	18.35	0.20	4.3	0.029	2.68	34.7	28.6	0.64	405	1.51	2.84	9.2	15.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J596751		550	21.5	102.0	<0.002	0.35	0.59	7.1	1	2.1	165.5	0.96	0.05	14.3	0.269	0.51
J596752		520	21.4	100.5	<0.002	0.23	0.47	6.8	1	2.0	184.0	1.04	<0.05	13.9	0.262	0.51
J596753		510	19.2	108.5	<0.002	0.20	0.52	7.1	1	2.1	192.0	1.08	<0.05	14.1	0.265	0.53
J596754		500	18.9	110.0	<0.002	0.17	0.66	7.7	1	2.2	193.5	1.17	<0.05	15.3	0.263	0.56
J596755		520	16.3	97.2	<0.002	0.44	0.62	7.3	1	2.0	150.5	0.88	<0.05	15.5	0.240	0.45
J596756		510	17.4	108.0	<0.002	0.13	0.55	7.1	1	2.1	189.0	1.10	<0.05	14.5	0.264	0.56
J596757		490	16.4	107.5	<0.002	0.13	0.50	6.8	1	2.0	184.0	1.03	<0.05	14.0	0.259	0.55
J596758		460	19.4	98.6	<0.002	0.16	0.49	6.1	1	1.9	170.0	0.92	<0.05	11.9	0.243	0.48
J596759		500	16.6	94.9	<0.002	0.20	0.51	6.3	1	1.8	185.0	1.04	<0.05	14.6	0.257	0.46
J596760		460	14.7	79.7	<0.002	0.33	0.44	6.1	1	1.8	165.5	0.87	<0.05	12.7	0.234	0.38
J596761		500	17.5	74.0	<0.002	0.41	0.63	6.7	1	1.9	152.0	0.87	<0.05	13.0	0.246	0.34
J596762		530	15.5	83.7	<0.002	0.15	0.31	7.0	1	1.9	191.0	1.08	<0.05	14.0	0.272	0.42
J596763		500	12.2	65.4	<0.002	0.05	0.24	6.7	1	2.0	164.5	1.07	<0.05	13.5	0.265	0.32
J596764		510	13.1	77.6	<0.002	0.03	0.26	6.7	1	2.0	173.5	1.06	<0.05	14.5	0.270	0.39
J596765		500	15.1	81.7	<0.002	0.09	0.32	7.1	1	2.0	190.5	1.14	<0.05	15.6	0.261	0.39
J596766		500	18.0	112.5	<0.002	0.04	0.28	6.7	1	2.0	189.5	1.15	<0.05	14.3	0.259	0.56
J596767		540	15.4	112.0	<0.002	0.03	0.19	7.8	1	2.1	206	1.26	<0.05	12.1	0.272	0.61
J596768		530	15.5	112.0	<0.002	0.01	0.17	7.4	1	2.1	203	1.01	<0.05	13.7	0.267	0.63
J596769		570	16.5	110.5	<0.002	0.02	0.19	7.6	1	2.1	194.0	1.23	<0.05	13.4	0.282	0.64
J596770		510	13.0	98.2	<0.002	0.03	0.29	6.9	1	1.8	192.0	0.82	<0.05	12.8	0.257	0.56
J596771		530	13.9	105.0	<0.002	0.02	0.26	7.1	1	1.9	186.0	0.84	<0.05	13.6	0.266	0.59
J596772		570	19.3	98.3	<0.002	0.35	0.56	7.5	1	2.4	170.0	1.00	0.27	14.2	0.258	0.49
J596773		520	15.3	106.0	<0.002	0.02	0.32	7.6	1	1.8	192.0	0.84	<0.05	13.2	0.260	0.62
J596774		520	19.8	106.5	<0.002	0.04	0.25	7.5	1	1.9	203	0.87	<0.05	12.9	0.261	0.59
J596775		180	11.4	62.1	<0.002	<0.01	0.21	5.4	1	1.7	176.5	0.45	<0.05	5.6	0.110	0.38
J596776		540	13.9	105.0	<0.002	0.01	0.18	7.9	2	2.0	201	0.80	<0.05	13.0	0.270	0.61
J596777		540	15.2	103.0	<0.002	0.01	0.21	7.8	1	2.0	198.5	0.88	<0.05	12.5	0.266	0.59
J596778		520	13.7	104.5	<0.002	0.01	0.15	7.8	1	2.0	202	0.84	<0.05	13.1	0.264	0.59
J596779		540	15.5	108.0	<0.002	0.01	0.10	7.8	1	2.1	208	0.87	<0.05	14.0	0.270	0.62
J596780		530	14.7	103.5	0.002	0.01	0.12	7.3	1	1.9	199.0	0.90	<0.05	12.7	0.270	0.60
J596781		550	16.6	110.0	<0.002	0.02	0.23	8.6	1	2.1	210	0.98	<0.05	13.3	0.271	0.63
J596782		560	16.0	107.5	<0.002	0.03	0.23	8.7	1	2.1	217	0.95	<0.05	14.0	0.277	0.62
J596783		550	19.2	114.0	<0.002	0.05	0.11	9.1	2	2.2	223	0.89	<0.05	12.9	0.279	0.63
J596784		570	13.2	111.5	<0.002	0.01	0.07	9.0	1	2.0	230	0.83	<0.05	11.9	0.277	0.63
J596785		560	13.6	107.5	0.015	0.02	0.11	8.6	1	2.2	211	0.89	<0.05	12.4	0.277	0.60
J596786		560	23.0	104.0	0.035	0.16	0.48	8.7	1	2.0	223	0.87	<0.05	12.5	0.281	0.59
J596787		580	24.9	104.0	0.002	0.05	0.26	8.9	1	2.1	216	0.88	<0.05	14.5	0.282	0.61
J596788		550	14.7	99.2	<0.002	0.03	0.23	8.5	1	1.9	213	0.79	<0.05	12.2	0.274	0.58
J596789		520	17.5	99.8	<0.002	0.13	0.25	8.0	1	1.8	211	0.69	<0.05	12.8	0.264	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596751		3.3	39	13.3	18.5	108	224
J596752		3.3	37	5.1	19.1	51	217
J596753		3.2	38	3.6	19.7	48	202
J596754		3.6	36	3.2	20.7	46	230
J596755		3.6	36	14.2	19.2	33	201
J596756		3.4	37	10.2	20.2	44	214
J596757		3.1	36	1.9	19.6	41	211
J596758		2.6	34	4.1	16.0	41	172.5
J596759		3.3	34	4.2	18.0	34	203
J596760		2.8	34	8.8	16.3	27	193.0
J596761		2.8	35	7.4	19.6	32	196.0
J596762		3.1	38	2.0	19.2	47	219
J596763		2.9	37	1.7	19.0	36	227
J596764		3.2	37	1.4	19.8	42	207
J596765		3.4	36	2.1	21.4	39	203
J596766		3.3	36	1.0	20.3	44	191.5
J596767		3.0	46	1.2	18.9	57	176.5
J596768		3.3	43	1.0	18.4	49	168.5
J596769		3.8	45	1.0	20.7	49	179.0
J596770		2.9	42	5.2	16.0	47	162.5
J596771		3.0	44	2.4	16.2	45	172.5
J596772		3.2	43	49.1	18.5	119	187.0
J596773		2.8	43	2.2	17.1	52	191.0
J596774		2.4	42	1.0	17.6	67	183.5
J596775		1.7	15	1.0	16.8	42	28.4
J596776		2.7	44	0.5	17.8	50	164.0
J596777		2.8	43	0.5	17.7	50	181.5
J596778		2.1	44	0.4	17.4	50	171.5
J596779		2.6	44	0.6	18.0	51	176.5
J596780		2.4	43	0.9	17.2	49	181.5
J596781		2.6	44	1.6	17.7	53	168.0
J596782		2.8	46	1.1	18.4	54	174.5
J596783		2.9	47	0.7	19.3	55	155.5
J596784		2.5	47	0.5	18.1	52	146.0
J596785		2.7	45	0.6	17.7	50	162.5
J596786		2.5	44	14.2	17.4	57	149.5
J596787		3.3	46	1.9	18.6	55	202
J596788		2.3	45	1.0	16.8	51	177.5
J596789		2.3	43	5.4	15.9	49	167.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11040803

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.