ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

CERTIFICATE TB11051235

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 145 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 30-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596935		0.64	0.006	0.01	7.07	20.2	690	1.55	0.10	1.50	0.12	78.0	4.2	7	1.89	11.7
J596936		1.68	<0.005	0.01	7.23	9.5	800	1.42	0.09	1.70	0.08	76.4	5.9	11	2.69	6.9
J596937		1.68	<0.005	0.01	7.54	10.5	800	1.56	0.06	1.84	0.09	92.3	6.9	24	2.98	4.7
J596938		0.72	0.047	0.08	7.66	28.9	940	1.73	0.17	1.70	0.12	77.2	6.3	9	2.86	13.4
J596939		1.52	0.007	0.02	7.73	9.9	820	1.59	0.07	1.77	0.09	91.0	6.9	11	2.95	7.3
J596940		1.91	<0.005	0.15	7.52	3.1	850	1.58	0.07	1.81	0.15	87.6	6.7	11	2.87	6.3
J596941		1.56	0.041	0.53	7.76	158.5	850	1.53	0.12	1.81	0.27	92.5	7.1	11	2.85	9.2
J596942		1.73	0.006	0.69	7.11	13.7	790	1.48	0.06	1.75	0.31	71.1	6.7	9	2.26	10.8
J596943		1.64	0.029	0.06	7.25	24.8	780	1.45	0.08	1.94	0.12	73.8	6.5	9	2.14	9.0
J596944		1.39	<0.005	0.02	7.54	4.0	840	1.57	0.06	1.76	0.09	84.5	6.2	9	2.21	5.2
J596945		0.62	0.032	0.08	7.14	13.0	790	1.47	0.19	1.69	0.23	75.9	6.1	7	1.84	19.1
J596946		1.59	0.024	0.03	7.38	9.9	830	1.69	0.09	1.75	0.07	77.8	6.8	9	2.19	7.5
J596947		1.69	0.005	0.05	7.35	5.7	790	1.53	0.15	1.75	0.06	79.7	6.5	9	2.15	13.5
J596948		1.89	<0.005	0.04	7.52	5.2	810	1.51	0.09	1.78	0.07	73.2	6.8	10	2.02	7.9
J596949		1.74	<0.005	0.02	6.92	7.4	760	1.17	0.06	1.70	0.06	81.5	6.1	19	1.84	7.9
J596950		0.89	<0.005	0.05	9.02	9.1	1040	1.47	0.08	2.27	0.09	104.0	7.6	14	2.35	11.3
J596951		1.49	<0.005	0.02	7.02	5.1	780	1.14	0.09	1.59	0.06	87.3	5.8	11	1.81	10.9
J596952		0.67	<0.005	<0.01	7.13	9.3	780	1.32	0.07	1.65	0.05	83.6	6.8	13	1.39	11.2
J596953		1.37	0.092	0.02	7.42	13.3	800	1.66	0.06	1.75	0.06	83.2	7.2	21	1.53	14.5
J596954		1.43	<0.005	0.17	7.68	10.1	1000	2.13	0.10	1.45	0.11	79.5	7.0	10	1.25	11.6
J596955		1.72	<0.005	<0.01	7.87	5.7	870	2.17	0.09	1.83	0.04	84.8	7.0	11	3.80	6.4
J596956		1.19	<0.005	<0.01	7.83	1.8	840	1.85	0.08	1.83	0.06	84.3	7.0	13	4.33	6.6
J596957		1.49	<0.005	<0.01	7.75	2.4	790	2.68	0.08	1.78	0.06	79.6	6.7	13	4.16	7.2
J596958		1.34	<0.005	<0.01	7.87	4.4	820	2.13	0.07	1.76	0.04	85.8	6.7	10	3.09	7.8
J596959		1.27	0.009	0.04	7.52	18.6	610	1.97	0.11	1.07	<0.02	72.4	4.4	9	1.05	5.2
J596960		1.11	<0.005	<0.01	7.47	7.6	660	2.30	0.09	1.06	<0.02	81.6	5.1	9	1.50	3.9
J596961		1.91	<0.005	<0.01	7.61	4.2	800	1.69	0.05	1.86	0.04	80.8	6.6	10	2.45	5.8
J596962		1.94	<0.005	0.02	7.63	3.9	790	1.86	0.04	1.79	0.05	78.6	6.5	11	2.30	5.2
J596963		2.03	<0.005	0.01	7.61	5.9	830	1.56	0.04	1.79	0.05	78.7	6.6	11	2.23	6.2
J596964		1.93	<0.005	<0.01	7.71	3.3	910	1.66	0.04	1.77	0.06	84.0	6.5	11	1.21	5.7
J596965		1.96	<0.005	0.01	7.82	5.4	880	1.61	0.05	1.76	0.05	83.5	6.6	14	1.24	5.7
J596966		2.04	<0.005	<0.01	8.04	4.7	890	1.66	0.05	1.75	0.04	87.7	6.6	11	1.38	11.2
J596967		2.00	<0.005	0.01	7.78	6.7	890	1.52	0.05	1.63	0.03	83.7	7.1	11	1.24	6.0
J596968		1.96	<0.005	0.03	7.91	5.8	870	1.61	0.04	1.87	0.08	85.0	6.6	11	1.82	6.9
J596969		1.60	<0.005	0.02	7.68	6.6	870	1.60	0.05	1.87	0.05	80.4	6.6	11	2.06	6.6
J596970		1.71	<0.005	0.02	8.04	4.3	840	1.80	0.05	1.84	0.05	83.4	6.8	13	2.22	8.6
J596971		1.47	<0.005	0.02	7.81	8.3	830	1.63	0.05	1.44	0.04	87.8	6.2	10	1.18	4.9
J596972		1.08	<0.005	<0.01	7.43	6.7	750	1.84	0.02	0.37	<0.02	17.90	7.4	7	2.17	1.7
J596973		0.56	<0.005	0.03	7.57	6.6	790	1.23	0.02	0.57	<0.02	44.8	6.0	8	0.82	2.9
J596974		1.59	0.005	0.02	7.70	8.3	800	1.65	0.06	1.66	0.04	76.8	6.8	11	1.91	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596935		1.63	17.10	0.20	4.4	0.014	2.07	41.5	15.3	0.35	273	1.15	2.98	9.3	6.1	400
J596936		2.25	17.25	0.23	6.0	0.030	2.50	36.3	25.4	0.46	396	0.98	2.79	11.0	5.7	550
J596937		2.57	18.65	0.26	6.4	0.039	2.68	43.2	28.9	0.53	469	1.46	2.84	13.1	6.7	650
J596938		2.43	19.10	0.23	6.0	0.032	2.87	35.0	24.3	0.50	424	1.43	3.03	13.0	5.8	600
J596939		2.53	18.40	0.26	5.4	0.035	2.98	43.6	28.5	0.52	448	2.42	2.89	12.7	6.1	600
J596940		2.45	18.25	0.25	6.2	0.035	2.54	42.6	25.0	0.51	432	1.08	2.80	12.2	6.1	610
J596941		2.50	18.85	0.26	6.1	0.033	2.68	45.9	24.2	0.51	425	1.52	2.91	12.2	6.3	630
J596942		2.36	17.90	0.24	6.1	0.032	2.55	33.5	22.0	0.47	415	1.36	2.91	11.7	5.6	590
J596943		2.41	18.10	0.23	5.9	0.033	2.61	34.4	20.5	0.51	466	1.44	2.95	11.7	5.7	580
J596944		2.36	18.45	0.23	5.8	0.033	2.69	40.3	24.6	0.48	415	1.74	2.92	11.9	5.8	590
J596945		2.30	18.40	0.24	5.5	0.030	2.52	36.3	22.3	0.51	403	8.53	3.06	11.5	8.3	600
J596946		2.38	19.00	0.25	6.0	0.032	2.65	36.7	31.9	0.49	413	1.11	2.96	13.0	7.1	610
J596947		2.34	18.60	0.25	5.1	0.030	2.59	37.3	28.0	0.49	404	3.35	2.87	12.3	6.8	600
J596948		2.40	19.05	0.26	5.1	0.031	2.64	34.2	31.8	0.50	422	2.10	2.93	12.8	7.1	600
J596949		2.26	15.60	0.19	5.6	0.035	2.45	39.1	22.5	0.48	398	1.32	2.82	11.1	6.0	580
J596950		3.03	20.1	0.22	7.0	0.048	3.34	48.4	28.6	0.62	523	1.46	3.89	14.3	7.3	770
J596951		2.16	15.60	0.20	5.1	0.032	2.57	42.5	18.1	0.46	375	15.50	2.84	10.7	5.7	540
J596952		2.27	16.10	0.20	5.4	0.032	2.45	40.5	15.3	0.50	391	0.91	2.91	11.8	6.7	580
J596953		2.43	17.70	0.24	5.5	0.031	2.22	39.4	25.4	0.76	475	12.40	3.08	11.2	16.7	670
J596954		2.10	18.25	0.25	5.4	0.027	3.53	39.3	15.1	0.62	368	2.93	2.58	12.5	7.0	580
J596955		2.52	19.95	0.27	5.6	0.036	2.82	40.0	25.8	0.55	454	42.2	2.91	13.9	7.3	630
J596956		2.54	19.60	0.28	5.9	0.036	2.76	41.0	30.8	0.54	449	1.03	2.94	12.9	7.3	620
J596957		2.52	19.85	0.25	6.1	0.037	2.71	37.3	30.3	0.58	461	1.24	2.97	15.1	7.4	620
J596958		2.48	20.0	0.29	6.3	0.033	2.68	41.1	24.3	0.56	458	18.40	2.93	15.7	6.8	610
J596959		1.93	18.65	0.23	5.5	0.019	3.11	34.3	18.4	0.62	291	23.3	3.05	14.1	5.2	490
J596960		2.31	19.30	0.25	6.1	0.026	2.67	38.3	30.6	0.88	348	1.44	3.00	14.4	6.3	550
J596961		2.52	18.95	0.27	5.9	0.035	2.56	38.5	28.0	0.57	464	2.72	2.86	12.5	7.5	630
J596962		2.49	19.20	0.27	5.2	0.033	2.62	37.5	25.8	0.53	449	1.61	2.85	12.7	7.0	620
J596963		2.45	19.15	0.28	5.4	0.033	2.66	37.3	27.5	0.51	437	1.40	2.96	12.1	6.8	620
J596964		2.54	19.90	0.28	5.9	0.040	2.65	40.7	17.6	0.53	475	1.33	2.89	12.9	7.2	630
J596965		2.57	19.25	0.26	5.5	0.038	2.64	40.5	17.6	0.57	487	2.42	2.98	12.3	6.9	630
J596966		2.56	19.60	0.27	5.8	0.036	2.65	42.3	18.4	0.59	503	1.34	3.06	13.0	6.8	650
J596967		2.42	19.15	0.27	5.9	0.039	2.75	40.4	19.1	0.59	453	1.59	2.98	12.9	6.8	620
J596968		2.52	18.90	0.26	5.0	0.031	2.57	41.5	26.8	0.56	487	11.15	3.03	12.5	6.9	630
J596969		2.52	18.90	0.27	5.5	0.033	2.57	38.6	28.4	0.56	481	4.21	2.91	12.8	7.0	630
J596970		2.57	20.1	0.27	5.8	0.036	2.64	40.5	29.6	0.59	472	6.04	3.08	13.4	7.2	650
J596971		2.38	19.15	0.27	5.4	0.032	2.61	44.2	25.0	0.69	438	7.52	3.07	12.7	6.6	620
J596972		2.87	19.30	0.21	6.0	0.029	3.16	7.5	62.8	1.71	432	22.1	2.14	11.7	7.0	620
J596973		2.29	17.45	0.22	4.9	0.020	2.79	21.2	25.0	1.00	343	6.51	2.99	10.3	6.2	590
J596974		2.42	19.35	0.27	5.8	0.032	2.67	36.1	24.1	0.60	426	13.75	3.06	13.1	7.0	630

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596935		15.6	80.3	<0.002	0.09	0.29	4.8	1	1.4	207	0.82	<0.05	12.7	0.208	0.45	2.7
J596936		15.6	92.8	<0.002	0.03	0.23	8.2	1	1.8	209	1.00	<0.05	12.5	0.280	0.51	3.4
J596937		17.1	113.0	<0.002	0.02	0.25	10.3	1	2.1	211	1.17	<0.05	14.9	0.324	0.58	3.8
J596938		23.0	106.5	<0.002	0.12	0.36	9.0	1	2.1	212	1.24	<0.05	13.6	0.310	0.64	3.4
J596939		19.0	118.0	<0.002	0.04	0.21	9.9	1	2.0	203	1.16	<0.05	16.1	0.303	0.61	4.2
J596940		17.2	117.5	<0.002	0.01	0.12	9.3	1	2.1	214	1.15	<0.05	15.1	0.308	0.59	3.9
J596941		17.4	120.0	<0.002	0.03	0.15	8.8	1	2.6	220	1.00	<0.05	15.6	0.318	0.63	3.7
J596942		16.2	106.0	<0.002	0.10	0.21	8.4	1	2.4	203	1.07	<0.05	13.2	0.304	0.60	3.6
J596943		18.2	106.0	<0.002	0.18	0.25	8.6	1	1.9	202	1.09	<0.05	14.0	0.294	0.61	3.6
J596944		17.4	109.5	<0.002	0.01	0.20	8.6	1	1.9	217	1.13	<0.05	14.1	0.301	0.56	3.7
J596945		20.8	105.0	<0.002	0.30	0.25	8.2	1	1.8	193.5	0.91	<0.05	12.6	0.303	0.57	2.4
J596946		19.0	109.0	<0.002	0.09	0.24	8.7	1	1.8	220	1.08	<0.05	13.0	0.314	0.57	3.3
J596947		14.7	102.5	<0.002	0.09	0.17	8.5	1	1.7	214	1.02	<0.05	12.2	0.303	0.55	3.0
J596948		15.5	105.5	<0.002	0.04	0.18	8.9	1	1.7	214	1.03	<0.05	12.6	0.310	0.53	3.1
J596949		15.0	101.0	<0.002	0.02	0.17	6.8	2	1.6	207	0.95	<0.05	12.2	0.296	0.48	3.3
J596950		20.8	119.0	<0.002	0.02	0.21	7.8	2	2.5	276	1.28	<0.05	15.8	0.382	0.63	3.9
J596951		14.7	110.0	0.002	0.06	0.14	6.6	2	1.5	201	0.96	<0.05	12.5	0.280	0.50	3.1
J596952		16.1	92.4	<0.002	0.05	0.25	6.9	2	1.7	219	1.04	<0.05	13.6	0.295	0.38	3.3
J596953		11.1	71.8	<0.002	0.06	0.24	9.0	1	1.9	277	0.92	<0.05	12.8	0.305	0.33	3.3
J596954		30.9	136.5	<0.002	0.09	0.29	8.2	1	2.8	224	1.41	<0.05	14.0	0.290	0.58	3.7
J596955		16.8	131.0	0.003	0.03	0.21	9.4	1	2.3	232	1.50	<0.05	12.7	0.327	0.65	3.5
J596956		16.7	128.5	<0.002	0.01	0.12	9.1	1	2.2	226	1.22	<0.05	13.0	0.319	0.67	3.4
J596957		15.1	133.5	<0.002	0.01	0.12	9.2	1	2.5	218	1.88	<0.05	13.2	0.318	0.69	4.3
J596958		16.8	134.0	<0.002	0.01	0.16	9.2	2	2.5	224	1.55	<0.05	14.2	0.315	0.61	4.5
J596959		11.0	142.5	0.002	0.09	0.20	7.2	1	2.6	107.5	1.71	<0.05	19.6	0.247	0.62	6.0
J596960		8.7	134.0	<0.002	0.03	0.23	8.3	1	2.9	115.5	1.64	<0.05	18.8	0.274	0.52	6.1
J596961		16.3	111.0	<0.002	0.01	0.15	9.1	2	2.1	219	1.04	<0.05	13.4	0.328	0.57	3.4
J596962		16.1	114.0	<0.002	0.01	0.14	9.1	1	2.1	230	1.13	<0.05	13.4	0.313	0.57	3.4
J596963		16.2	108.5	<0.002	0.03	0.15	8.8	1	1.9	229	0.97	<0.05	12.1	0.315	0.57	3.0
J596964		14.1	102.5	<0.002	0.01	0.17	9.1	1	2.0	250	1.00	<0.05	12.2	0.322	0.45	3.2
J596965		13.6	104.0	<0.002	0.03	0.18	9.1	1	1.9	234	0.99	<0.05	12.8	0.321	0.46	3.2
J596966		14.7	101.0	<0.002	0.02	0.17	9.0	1	2.0	226	1.04	<0.05	14.0	0.327	0.47	3.5
J596967		11.7	111.0	<0.002	0.02	0.19	9.2	1	1.9	203	1.05	<0.05	14.1	0.313	0.51	3.5
J596968		14.8	99.0	0.002	0.02	0.17	9.1	1	2.0	241	0.96	<0.05	13.0	0.321	0.51	3.2
J596969		16.1	98.5	<0.002	0.02	0.20	9.0	1	2.1	234	1.00	<0.05	12.2	0.321	0.53	3.2
J596970		14.2	107.0	<0.002	0.02	0.18	9.7	1	2.3	233	1.11	<0.05	15.1	0.327	0.55	3.9
J596971		9.1	105.0	<0.002	0.04	0.25	9.2	1	2.2	169.5	1.01	<0.05	13.9	0.311	0.47	3.6
J596972		5.5	168.0	0.002	0.04	0.24	9.2	1	2.3	47.1	0.96	<0.05	13.3	0.292	0.54	2.8
J596973		6.4	111.0	<0.002	0.12	0.16	7.8	1	1.9	71.5	0.85	<0.05	12.7	0.271	0.42	2.9
J596974		12.5	105.0	<0.002	0.11	0.26	9.2	1	2.1	205	1.05	<0.05	13.2	0.317	0.49	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596935		28	3.3	12.5	37	144.5
J596936		42	1.4	18.9	51	190.0
J596937		48	0.8	24.1	60	222
J596938		45	2.8	21.1	67	204
J596939		47	2.1	23.0	56	177.0
J596940		46	0.8	21.8	57	204
J596941		45	8.6	20.8	58	212
J596942		44	3.0	18.9	50	201
J596943		44	6.0	19.7	54	199.0
J596944		43	0.6	20.1	55	191.0
J596945		44	24.7	19.5	66	210
J596946		45	3.4	21.4	56	223
J596947		44	4.9	20.6	48	195.5
J596948		46	2.4	21.2	53	193.0
J596949		43	0.6	19.7	50	198.5
J596950		57	0.8	24.0	69	239
J596951		40	1.4	19.1	47	172.0
J596952		41	0.6	20.9	48	192.5
J596953		49	3.3	20.6	48	211
J596954		44	3.6	23.3	37	198.0
J596955		48	0.9	23.8	58	208
J596956		47	0.6	22.2	58	218
J596957		47	1.3	26.0	56	213
J596958		45	1.3	27.5	56	224
J596959		35	3.8	23.5	27	174.5
J596960		41	2.9	26.5	32	204
J596961		47	0.7	21.8	55	217
J596962		46	0.4	21.9	56	191.5
J596963		46	0.5	20.2	56	203
J596964		47	0.5	21.3	55	229
J596965		47	0.7	21.8	56	215
J596966		48	0.9	22.1	53	219
J596967		46	1.5	22.3	46	212
J596968		46	0.7	21.2	53	189.5
J596969		47	1.7	21.5	52	205
J596970		48	17.2	22.7	50	219
J596971		45	9.6	22.1	40	197.5
J596972		48	7.7	13.7	36	217
J596973		42	6.9	18.5	28	181.5
J596974		46	5.6	21.4	47	218

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596975		0.03	NSS	0.15	1.58	1.7	110	0.37	0.15	0.01	0.15	17.55	1.2	11	0.59	5.9
J596976		1.22	0.012	<0.01	7.50	15.6	770	1.59	0.07	1.73	0.05	83.1	6.9	8	1.69	8.6
J596977		1.08	<0.005	<0.01	7.20	12.5	770	1.59	0.04	1.70	0.04	73.8	6.8	16	1.27	9.2
J596978		1.85	<0.005	<0.01	7.74	14.5	740	1.47	0.08	1.09	0.02	86.4	6.4	12	0.85	3.0
J596979		1.82	<0.005	<0.01	7.57	14.1	840	1.56	0.06	1.54	0.04	83.0	6.3	11	1.18	5.9
J596980		0.83	<0.005	0.04	8.09	14.2	890	1.81	0.05	1.91	0.06	84.0	7.3	12	2.05	6.9
J596981		0.73	0.134	0.16	6.92	144.0	810	1.44	0.28	0.98	0.09	95.5	9.9	8	1.30	39.2
J596982		1.60	<0.005	0.08	6.87	31.1	720	1.52	0.05	1.50	0.04	89.4	6.1	8	1.65	10.4
J596983		0.64	0.235	0.13	7.02	48.9	730	1.70	0.09	1.26	0.04	96.8	8.5	11	2.62	16.0
J596984		1.66	<0.005	0.09	6.94	25.5	800	1.40	0.04	1.60	0.05	86.3	6.4	10	1.98	8.1
J596985		1.87	0.006	0.10	6.70	16.8	730	1.47	0.05	1.32	0.04	77.7	6.0	11	1.32	5.6
J596986		2.11	0.068	0.22	6.79	24.5	740	1.73	0.26	0.30	0.04	49.9	13.7	7	4.28	14.3
J596987		1.64	0.116	0.18	6.71	25.1	720	1.41	0.16	0.82	0.06	83.1	8.7	9	2.43	10.9
J596988		1.43	0.012	0.06	6.86	12.3	790	1.43	0.08	1.25	0.05	92.5	6.5	8	1.59	17.9
J596989		0.78	<0.005	0.07	7.09	17.6	640	1.80	0.05	0.76	0.03	98.3	6.7	7	2.54	9.5
J596990		1.55	<0.005	0.11	6.93	9.8	780	1.50	0.05	1.33	0.05	89.7	6.7	9	1.68	11.1
J596991		1.20	<0.005	0.06	7.03	8.2	840	1.38	0.04	1.27	0.04	88.4	6.9	8	1.54	9.1
J596992		0.62	0.017	0.08	6.95	19.1	780	1.37	0.06	1.61	0.06	88.6	8.1	8	1.55	9.2
J596993		0.66	0.068	0.12	7.11	40.1	810	1.86	0.16	1.52	0.05	84.2	8.0	9	1.02	20.4
J596994		1.09	<0.005	0.30	7.03	2.1	840	1.31	0.04	1.69	0.15	96.4	7.0	9	1.56	10.6
J596995		1.75	<0.005	0.10	7.05	2.8	810	1.37	0.04	1.69	0.08	102.5	7.0	10	1.20	10.5
J596996		1.80	<0.005	0.07	7.06	4.8	800	1.33	0.06	1.44	0.04	100.0	7.0	9	1.29	13.6
J596997		1.77	<0.005	0.21	7.07	1.5	860	1.41	0.04	1.68	0.10	89.9	7.3	17	1.92	10.4
J596998		1.26	<0.005	0.05	6.96	1.7	830	1.35	0.04	1.75	0.06	79.8	7.4	9	2.02	16.9
J596999		0.94	<0.005	0.12	7.13	2.8	860	1.40	0.04	1.73	0.07	93.4	7.1	7	2.75	11.4
J597000		0.06	<0.005	0.04	6.58	2.1	970	1.14	0.08	1.34	0.08	31.5	2.4	12	1.73	4.3
J597001		0.60	0.096	0.12	6.63	60.7	640	1.69	0.08	1.59	0.08	76.8	6.1	6	2.20	13.6
J597002		1.25	0.007	0.11	6.92	23.5	800	1.47	0.07	1.70	0.08	102.5	6.9	7	2.96	9.8
J597003		1.15	0.025	0.23	6.97	20.1	870	1.48	0.06	1.73	0.14	95.6	7.8	9	2.79	11.6
J597004		1.62	0.028	0.14	6.79	7.7	880	1.56	0.06	1.51	0.07	79.0	5.7	8	2.93	7.8
J597005		0.71	<0.005	0.13	6.96	13.4	850	1.67	0.08	1.51	0.06	89.0	6.3	6	3.04	11.5
J597006		0.54	<0.005	0.13	6.83	60.0	790	1.60	0.08	1.39	0.07	94.8	5.3	6	1.47	10.1
J597007		1.47	<0.005	0.12	6.88	8.7	730	1.75	0.07	1.69	0.07	92.1	6.7	9	2.60	9.7
J597008		1.11	<0.005	0.12	6.82	1.7	810	1.78	0.08	1.61	0.06	84.2	6.8	10	2.86	9.4
J597009		0.62	0.063	0.27	7.12	136.5	770	1.70	0.09	1.47	0.12	90.0	5.9	8	2.62	13.3
J597010		1.59	<0.005	0.21	6.90	7.3	780	1.54	0.06	1.61	0.11	85.3	6.8	8	2.74	9.1
J597011		1.00	<0.005	0.07	6.88	1.7	780	1.52	0.07	1.62	0.04	84.0	6.8	8	3.02	9.3
J597012		1.08	<0.005	0.08	6.89	12.8	760	1.63	0.06	1.60	0.05	87.5	6.4	9	2.98	7.7
J597013		2.02	<0.005	0.09	6.96	4.1	810	1.42	0.07	1.63	0.06	88.9	6.3	10	3.06	8.5
J597014		2.13	<0.005	0.11	7.00	4.0	800	1.34	0.07	1.64	0.06	90.5	6.3	9	3.12	8.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596975		1.32	3.96	0.13	0.7	0.010	0.16	9.4	20.9	0.02	103	0.77	0.01	3.7	6.2	40
J596976		2.42	18.50	0.29	5.7	0.032	2.41	40.1	20.9	0.53	446	1.97	2.98	11.9	6.6	600
J596977		2.40	18.45	0.26	5.6	0.032	2.24	35.0	15.4	0.55	524	1.92	3.07	11.5	6.8	590
J596978		2.46	19.10	0.28	4.9	0.026	2.59	42.8	19.9	0.88	403	3.17	2.96	11.9	6.9	610
J596979		2.39	18.15	0.26	4.9	0.029	2.65	40.6	20.3	0.72	393	1.31	2.82	11.4	6.5	590
J596980		2.69	19.90	0.28	5.6	0.039	2.74	40.0	19.0	0.59	484	2.72	3.04	13.2	7.1	670
J596981		2.45	17.10	0.09	5.6	0.030	2.54	47.1	25.7	0.88	275	10.90	2.84	11.4	6.3	630
J596982		2.13	17.05	0.10	5.1	0.032	2.31	41.8	20.1	0.64	328	2.55	2.94	12.3	5.8	580
J596983		2.59	18.10	0.12	6.0	0.037	2.55	46.2	28.6	0.95	365	5.04	2.66	12.7	7.0	660
J596984		2.27	17.55	0.11	5.3	0.036	2.49	39.6	17.7	0.51	437	1.50	2.91	12.9	6.2	600
J596985		2.02	16.85	0.10	5.0	0.026	2.38	36.5	14.9	0.66	330	20.2	2.82	11.7	5.8	570
J596986		2.65	18.00	0.08	5.4	0.031	3.33	23.9	32.9	1.43	290	49.8	1.75	11.2	5.6	580
J596987		2.47	17.05	0.11	5.4	0.030	2.62	41.1	24.8	1.10	317	12.75	2.55	10.4	6.3	610
J596988		2.27	17.05	0.11	4.7	0.032	2.45	44.6	12.5	0.67	367	77.3	2.75	11.3	6.4	600
J596989		2.48	18.20	0.10	5.5	0.029	2.28	49.6	26.0	1.18	349	18.90	2.84	11.0	4.7	650
J596990		2.28	17.35	0.11	5.5	0.030	2.48	43.4	16.4	0.72	391	1.59	2.81	11.5	6.1	600
J596991		2.32	17.25	0.11	4.8	0.030	2.69	42.2	14.8	0.76	409	17.65	2.81	11.5	6.0	610
J596992		2.28	17.75	0.12	5.4	0.034	2.40	41.8	13.0	0.52	424	2.74	2.86	12.2	6.2	590
J596993		2.35	18.20	0.11	5.2	0.036	2.39	39.6	10.9	0.53	405	3.10	3.09	13.0	6.1	570
J596994		2.39	17.05	0.12	5.4	0.033	2.47	46.9	10.9	0.49	436	1.23	2.75	11.6	6.2	590
J596995		2.38	17.65	0.12	5.7	0.035	2.46	49.4	8.7	0.51	478	2.43	2.83	12.2	6.4	610
J596996		2.43	17.65	0.11	4.7	0.043	2.39	49.5	11.0	0.57	436	9.86	2.91	12.2	6.3	600
J596997		2.37	18.10	0.11	4.9	0.038	2.57	43.2	12.4	0.51	441	4.73	2.93	12.4	6.6	610
J596998		2.45	17.60	0.11	4.8	0.039	2.47	36.9	13.0	0.50	448	4.30	2.83	12.3	6.5	610
J596999		2.40	17.95	0.11	4.8	0.033	2.58	44.7	19.7	0.49	413	7.03	2.86	12.3	6.2	600
J597000		1.45	13.60	0.06	1.2	0.015	2.20	14.7	11.0	0.18	589	1.04	2.73	4.9	2.5	190
J597001		2.13	17.20	0.10	5.2	0.029	2.30	36.0	17.6	0.44	395	28.1	3.09	12.8	5.3	520
J597002		2.28	17.95	0.11	4.9	0.036	2.47	50.2	23.1	0.46	405	2.29	2.90	13.4	5.9	580
J597003		2.43	17.85	0.12	5.0	0.035	2.48	44.9	30.0	0.49	429	1.33	2.87	12.7	6.3	610
J597004		2.06	17.35	0.10	4.7	0.030	2.70	37.2	27.3	0.39	368	1.36	2.84	12.1	5.1	500
J597005		2.13	18.00	0.09	4.9	0.031	2.80	41.8	25.4	0.41	385	1.85	2.79	14.4	5.7	520
J597006		2.03	17.50	0.11	5.0	0.029	2.62	45.0	15.2	0.42	401	0.98	2.94	13.8	4.7	520
J597007		2.24	18.05	0.12	5.1	0.034	2.44	43.4	19.8	0.46	433	1.09	2.97	14.0	5.9	570
J597008		2.27	18.20	0.12	5.8	0.039	2.67	38.1	23.1	0.47	448	1.15	2.80	15.9	6.0	610
J597009		2.30	18.20	0.11	5.2	0.031	2.45	43.1	24.7	0.47	390	1.06	3.16	13.2	5.6	570
J597010		2.22	17.80	0.11	5.1	0.032	2.52	39.3	22.8	0.45	407	0.96	2.80	12.9	5.6	560
J597011		2.27	18.30	0.12	5.6	0.033	2.59	40.0	25.5	0.45	405	1.27	2.83	13.5	6.0	570
J597012		2.20	18.00	0.13	5.3	0.034	2.57	41.0	26.6	0.44	397	1.19	2.79	13.2	5.7	550
J597013		2.27	17.90	0.12	5.0	0.032	2.64	41.5	23.9	0.45	415	1.15	2.83	12.8	6.0	550
J597014		2.29	17.75	0.12	5.4	0.032	2.66	43.7	21.1	0.46	410	1.73	2.84	12.4	5.9	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596975		26.5	15.3	<0.002	1.09	0.54	1.6	1	1.3	14.1	0.31	<0.05	3.4	0.091	0.44	0.5
J596976		14.3	97.1	<0.002	0.22	0.35	8.9	2	2.0	207	0.96	<0.05	13.5	0.306	0.49	3.3
J596977		11.8	77.5	<0.002	0.10	0.30	8.4	1	1.9	184.5	0.94	<0.05	12.1	0.301	0.41	3.2
J596978		10.3	96.4	<0.002	0.11	0.23	8.9	1	2.0	118.5	1.03	<0.05	14.9	0.281	0.34	3.7
J596979		11.3	98.7	<0.002	0.14	0.26	8.7	1	2.1	163.5	0.94	<0.05	13.6	0.288	0.39	3.3
J596980		18.4	106.0	<0.002	0.01	0.25	9.6	2	2.2	243	1.12	<0.05	13.8	0.336	0.55	3.6
J596981		27.2	98.5	<0.002	0.74	0.30	8.2	1	2.4	113.5	0.95	0.06	14.2	0.284	0.35	3.0
J596982		15.6	86.5	<0.002	0.05	0.35	8.1	1	2.2	179.0	1.04	<0.05	12.9	0.285	0.40	2.7
J596983		15.7	111.0	<0.002	0.35	0.33	10.1	2	2.5	136.5	1.05	<0.05	14.9	0.320	0.45	2.9
J596984		17.2	99.6	<0.002	0.04	0.42	8.1	1	2.1	206	1.03	<0.05	12.4	0.301	0.51	2.5
J596985		11.6	93.8	<0.002	0.05	0.34	7.5	1	2.0	138.5	1.01	<0.05	12.9	0.274	0.36	2.9
J596986		8.3	189.0	0.003	0.24	0.27	7.8	1	3.9	36.8	0.98	<0.05	13.7	0.242	0.70	3.3
J596987		10.6	116.0	<0.002	0.37	0.23	7.3	1	2.0	93.5	0.79	<0.05	12.3	0.273	0.42	2.7
J596988		9.8	94.4	0.006	0.07	0.23	7.8	1	2.3	145.0	0.90	<0.05	11.7	0.295	0.40	2.5
J596989		8.6	102.0	0.003	0.13	0.22	8.6	2	2.9	94.0	0.84	<0.05	11.6	0.291	0.36	2.8
J596990		11.8	94.4	<0.002	0.02	0.26	7.7	1	2.5	169.0	0.93	<0.05	12.2	0.295	0.40	2.6
J596991		10.3	103.0	<0.002	0.04	0.21	7.8	1	2.3	159.5	0.94	<0.05	12.2	0.295	0.45	2.5
J596992		13.6	86.7	<0.002	0.05	0.30	8.0	1	2.3	195.5	0.99	<0.05	11.9	0.306	0.42	2.4
J596993		14.3	81.9	<0.002	0.41	0.27	8.2	1	2.2	165.5	1.41	<0.05	15.4	0.274	0.38	4.1
J596994		14.8	95.3	<0.002	0.01	0.13	8.0	2	2.4	217	0.92	<0.05	12.0	0.300	0.45	2.5
J596995		16.5	89.8	<0.002	0.01	0.15	8.3	1	2.4	222	0.99	<0.05	12.7	0.310	0.42	2.7
J596996		11.8	92.1	<0.002	0.03	0.15	8.1	2	2.3	187.5	0.99	<0.05	12.8	0.307	0.43	2.6
J596997		14.7	100.5	<0.002	0.01	0.12	8.1	2	2.3	216	1.00	<0.05	12.3	0.312	0.50	2.7
J596998		13.8	96.7	<0.002	0.01	0.10	8.3	1	2.2	212	0.99	<0.05	11.1	0.311	0.49	2.4
J596999		15.0	111.0	<0.002	0.01	0.14	7.8	1	2.3	217	1.04	<0.05	11.9	0.309	0.57	2.6
J597000		11.4	64.9	<0.002	<0.01	0.19	5.5	1	1.6	188.0	0.49	<0.05	5.9	0.118	0.40	1.8
J597001		16.4	95.9	0.002	0.19	0.22	7.2	1	2.1	164.0	1.21	<0.05	14.7	0.271	0.47	3.7
J597002		16.5	103.5	<0.002	0.02	0.21	7.7	1	2.1	213	1.15	<0.05	13.5	0.302	0.53	3.0
J597003		15.9	106.5	<0.002	0.09	0.19	8.1	2	2.4	211	1.04	<0.05	12.8	0.323	0.56	2.7
J597004		17.3	126.5	<0.002	0.02	0.18	6.5	1	2.0	195.5	1.15	<0.05	12.8	0.270	0.64	3.0
J597005		18.9	142.0	<0.002	0.05	0.21	6.6	2	2.8	194.5	1.45	<0.05	16.1	0.283	0.68	4.0
J597006		17.6	103.0	<0.002	0.08	0.33	6.9	1	2.4	179.5	1.32	<0.05	16.9	0.284	0.48	3.4
J597007		17.5	120.5	<0.002	0.02	0.19	7.5	1	2.3	201	1.34	<0.05	14.4	0.297	0.61	3.4
J597008		19.0	132.5	<0.002	0.01	0.14	8.0	1	2.5	190.0	1.53	<0.05	14.2	0.305	0.69	3.9
J597009		17.6	117.5	<0.002	0.23	0.26	7.6	2	2.4	184.5	1.32	<0.05	13.5	0.290	0.59	3.7
J597010		17.2	120.0	<0.002	0.01	0.19	7.4	1	2.7	199.5	1.21	<0.05	14.0	0.291	0.62	3.4
J597011		18.1	127.0	<0.002	0.01	0.16	7.6	2	2.2	199.0	1.24	<0.05	14.9	0.294	0.66	3.7
J597012		17.5	126.5	<0.002	0.01	0.20	8.0	1	2.3	191.5	1.25	<0.05	15.2	0.285	0.63	3.9
J597013		17.7	121.5	<0.002	0.01	0.16	7.7	2	2.0	201	1.16	<0.05	14.5	0.290	0.63	3.5
J597014		18.1	117.5	<0.002	0.01	0.13	7.7	1	1.9	201	1.05	<0.05	17.2	0.297	0.63	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596975		8	0.9	2.7	14	20.7
J596976		46	5.3	20.1	50	212
J596977		44	3.3	19.1	45	214
J596978		45	4.4	21.1	33	173.0
J596979		44	3.5	20.2	37	182.5
J596980		51	1.0	22.6	62	208
J596981		45	14.0	18.8	31	207
J596982		43	2.9	19.6	35	191.0
J596983		50	8.5	22.2	42	217
J596984		43	1.2	20.1	53	197.5
J596985		41	2.0	19.1	30	184.0
J596986		42	8.1	16.8	20	191.0
J596987		44	5.4	17.7	31	207
J596988		45	5.2	19.4	38	171.0
J596989		51	3.9	20.2	38	195.0
J596990		44	1.2	19.1	42	203
J596991		45	1.6	19.0	42	174.5
J596992		44	1.4	20.1	47	205
J596993		42	4.3	22.5	57	175.5
J596994		45	0.5	19.6	55	201
J596995		45	2.8	20.4	60	215
J596996		45	0.6	19.5	51	168.5
J596997		45	0.4	20.1	53	181.5
J596998		47	0.5	19.9	50	178.5
J596999		46	0.6	19.6	51	177.5
J597000		16	1.0	17.2	45	25.7
J597001		39	6.1	19.4	47	177.0
J597002		43	2.3	20.3	50	178.0
J597003		46	2.0	20.5	54	187.5
J597004		37	2.0	18.5	48	166.0
J597005		38	1.2	21.5	50	164.0
J597006		39	1.4	21.1	46	175.0
J597007		42	1.4	21.5	54	177.0
J597008		43	1.6	24.6	54	199.0
J597009		43	6.1	21.8	54	182.0
J597010		42	1.1	20.7	52	168.0
J597011		43	0.7	21.9	53	185.5
J597012		42	0.9	21.7	52	177.5
J597013		41	1.3	21.0	53	170.5
J597014		42	2.1	20.2	55	193.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597015		1.95	<0.005	0.09	6.90	3.9	770	1.43	0.07	1.61	0.05	96.7	6.5	10	3.21	8.5
J597016		1.89	0.005	0.10	7.14	1.3	800	1.52	0.06	1.72	0.05	88.5	6.6	9	3.17	8.7
J597017		2.00	<0.005	0.05	7.05	6.4	770	1.42	0.08	1.62	0.05	92.7	6.8	10	2.99	12.7
J597018		1.68	<0.005	0.03	7.06	0.6	790	1.43	0.07	1.60	0.06	96.0	6.2	12	3.18	9.0
J597019		1.17	<0.005	<0.01	6.16	2.4	300	1.51	0.06	0.61	0.02	56.3	1.8	6	1.96	5.8
J597020		0.81	<0.005	<0.01	6.51	1.6	610	1.58	0.05	1.05	0.03	95.4	3.6	5	2.68	5.7
J597021		1.04	<0.005	<0.01	6.90	1.0	770	1.37	0.06	1.59	0.05	89.4	5.7	8	2.69	8.3
J597022		1.30	0.038	<0.01	7.05	10.9	830	1.37	0.06	1.64	0.05	87.3	6.1	9	2.41	11.1
J597023		1.87	<0.005	<0.01	6.76	24.2	770	1.41	0.07	1.61	0.05	78.2	5.8	9	2.26	7.1
J597024		1.82	0.005	<0.01	6.88	29.9	750	1.32	0.08	1.63	0.05	89.2	5.0	11	2.25	8.3
J597025		0.06	<0.005	0.03	6.58	1.6	960	1.05	0.11	1.30	0.08	29.5	2.2	11	1.66	4.8
J597026		1.89	0.007	<0.01	6.52	36.9	730	1.23	0.08	1.68	0.05	71.9	6.3	9	2.08	14.6
J597027		1.64	<0.005	<0.01	7.26	19.1	740	1.90	0.09	1.75	0.06	69.3	6.0	13	3.54	7.6
J597028		1.58	0.011	0.09	6.86	240	790	1.34	0.10	1.60	0.06	88.9	5.9	8	2.54	14.0
J597029		1.74	0.012	0.17	6.98	54.4	800	1.67	0.10	1.54	0.11	84.3	5.6	8	1.70	13.1
J597030		1.62	<0.005	0.03	6.98	8.9	830	1.42	0.10	1.56	0.06	84.7	5.5	9	1.70	8.8
J597031		2.13	0.050	0.01	6.89	44.6	840	1.55	0.11	1.64	0.06	87.1	6.1	13	2.22	21.7
J597032		1.42	<0.005	<0.01	6.88	1.7	770	1.44	0.05	1.64	0.05	83.7	5.9	9	2.60	8.7
J597033		1.24	<0.005	0.01	6.61	1.1	760	1.39	0.05	1.51	0.05	79.6	5.2	8	2.29	8.5
J597034		1.24	<0.005	<0.01	6.68	2.5	720	1.47	0.06	1.56	0.04	76.3	5.2	8	2.50	7.5
J597035		1.39	<0.005	<0.01	7.13	0.7	740	1.53	0.06	1.63	0.06	81.0	5.5	9	2.36	8.7
J597036		0.92	<0.005	0.01	6.97	1.1	640	1.40	0.06	1.50	0.05	73.0	5.2	10	2.61	9.9
J597037		0.69	<0.005	<0.01	6.79	1.5	690	1.47	0.04	1.58	0.04	74.3	5.8	5	1.99	10.6
J597038		1.90	<0.005	<0.01	6.85	0.3	730	1.38	0.07	1.35	0.05	69.9	4.5	9	2.42	7.3
J597039		1.90	<0.005	<0.01	6.93	1.3	720	1.44	0.08	1.53	0.05	80.2	5.2	9	2.44	10.5
J597040		1.94	<0.005	0.01	7.01	5.0	770	1.63	0.10	1.67	0.05	83.7	5.6	10	3.16	8.6
J597041		1.37	<0.005	<0.01	7.28	3.0	810	1.93	0.08	1.71	0.05	90.7	6.2	9	3.62	7.5
J597042		0.68	<0.005	0.02	6.59	11.4	720	1.32	0.08	1.93	0.06	78.8	5.1	6	2.50	11.3
J597043		0.74	<0.005	<0.01	6.83	6.6	670	1.65	0.08	1.41	0.04	73.1	4.7	8	2.59	7.3
J597044		1.30	<0.005	<0.01	7.14	1.4	780	1.53	0.07	1.65	0.05	83.1	5.7	8	2.38	7.2
J597045		1.88	<0.005	<0.01	7.07	0.9	840	1.25	0.05	1.64	0.04	89.8	5.8	9	2.52	9.4
J597046		1.98	0.009	<0.01	7.07	0.8	820	1.40	0.05	1.70	0.05	84.1	6.0	10	2.55	8.4
J597047		2.04	0.005	0.02	7.07	2.2	800	1.30	0.05	1.66	0.04	86.0	5.8	10	2.59	9.1
J597048		1.62	<0.005	<0.01	7.12	2.0	770	1.51	0.05	1.53	0.05	79.5	5.2	7	2.34	9.1
J597049		1.53	<0.005	<0.01	7.16	1.4	790	1.37	0.05	1.74	0.05	88.0	6.3	12	2.58	9.0
J597050		0.03	NSS	0.47	8.21	3.5	190	2.04	0.11	1.05	0.43	19.75	10.1	38	1.41	18.0
J597051		1.57	0.006	0.09	6.99	1.1	810	1.28	0.05	1.65	0.06	92.9	6.2	9	2.53	10.1
J597052		1.59	0.006	0.10	7.06	3.6	790	1.30	0.06	1.62	0.09	78.5	6.2	10	2.66	10.2
J597053		1.66	<0.005	0.06	7.23	3.1	770	1.66	0.08	1.73	0.07	83.1	7.4	11	2.87	10.8
J597054		1.65	<0.005	0.11	7.36	5.3	800	1.56	0.07	1.86	0.07	80.5	7.8	10	2.96	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597015		2.20	17.80	0.12	5.2	0.031	2.55	44.6	21.5	0.44	407	1.98	2.88	12.3	5.8	550
J597016		2.33	18.55	0.10	5.2	0.036	2.60	41.5	19.4	0.47	424	1.17	2.98	13.1	6.1	590
J597017		2.18	17.10	0.17	5.9	0.040	2.52	43.2	23.7	0.47	416	1.29	2.94	12.3	8.0	560
J597018		2.21	16.80	0.17	4.9	0.040	2.61	45.8	25.1	0.46	408	1.16	2.82	12.7	7.0	560
J597019		0.95	13.55	0.13	3.5	0.012	3.73	27.0	9.0	0.12	171	1.09	2.45	9.7	1.8	140
J597020		1.49	14.55	0.17	4.1	0.024	3.11	47.2	20.6	0.26	309	0.89	2.56	11.9	3.9	320
J597021		2.16	15.95	0.19	4.7	0.037	2.50	42.2	29.4	0.45	396	1.04	2.74	12.1	6.5	550
J597022		2.22	16.00	0.18	5.0	0.037	2.56	41.6	28.6	0.47	400	1.42	2.91	12.0	6.8	560
J597023		2.17	15.90	0.15	4.6	0.040	2.44	37.4	27.3	0.46	399	1.17	2.89	12.2	6.9	550
J597024		2.20	15.45	0.14	5.3	0.035	2.40	41.5	24.7	0.48	413	1.20	3.06	11.8	6.2	570
J597025		1.40	12.30	0.12	1.1	0.018	2.16	15.9	11.3	0.19	587	0.97	2.73	4.7	2.6	180
J597026		2.11	15.05	0.15	5.3	0.036	2.34	32.9	24.9	0.45	411	1.15	3.04	11.5	6.9	530
J597027		2.42	17.45	0.18	5.8	0.043	2.56	31.4	28.8	0.48	441	3.35	2.86	16.6	6.9	630
J597028		2.15	16.20	0.17	4.5	0.038	2.46	42.0	26.0	0.44	394	1.23	2.88	12.6	6.4	540
J597029		2.16	16.30	0.17	5.1	0.036	2.32	40.6	18.9	0.47	419	1.40	2.90	13.7	6.6	550
J597030		2.14	15.70	0.17	4.5	0.035	2.46	40.6	18.6	0.47	409	1.45	2.70	11.8	6.2	540
J597031		2.18	15.55	0.17	4.8	0.034	2.38	41.7	26.3	0.49	398	3.38	2.91	11.9	6.3	540
J597032		2.20	16.00	0.15	5.0	0.037	2.49	39.3	24.4	0.46	406	0.96	2.87	12.5	6.4	550
J597033		2.08	14.80	0.16	4.5	0.035	2.41	35.8	21.6	0.43	385	0.79	2.69	11.6	6.1	510
J597034		2.08	14.65	0.15	4.9	0.037	2.41	34.9	24.8	0.42	385	1.14	2.76	11.6	5.8	510
J597035		2.15	15.30	0.16	5.0	0.039	2.55	36.9	22.1	0.45	414	0.83	2.90	12.5	6.1	530
J597036		2.08	15.15	0.15	4.2	0.036	2.73	33.8	23.2	0.43	401	1.28	2.88	12.0	5.9	500
J597037		2.17	15.15	0.17	5.0	0.041	2.33	33.6	23.3	0.45	407	1.64	2.89	13.0	5.3	560
J597038		1.81	14.50	0.15	4.1	0.031	2.90	32.5	25.4	0.35	332	1.22	2.74	11.4	4.9	420
J597039		2.09	15.05	0.16	4.6	0.036	2.55	37.0	30.6	0.42	387	2.96	2.84	12.3	5.6	510
J597040		2.24	16.10	0.18	5.0	0.035	2.43	38.8	33.3	0.47	412	1.87	2.90	12.8	6.3	580
J597041		2.29	16.45	0.19	5.7	0.041	2.57	43.2	42.7	0.48	422	4.54	2.92	13.6	6.7	580
J597042		2.01	14.55	0.16	5.0	0.036	2.35	36.2	31.7	0.43	441	1.58	2.96	11.2	5.4	530
J597043		1.90	15.00	0.16	4.9	0.032	2.31	33.6	27.3	0.38	351	1.26	2.96	12.3	5.1	470
J597044		2.20	15.60	0.18	5.1	0.038	2.44	38.7	22.9	0.47	422	1.55	2.93	12.8	6.3	560
J597045		2.20	15.40	0.17	5.3	0.039	2.53	43.7	23.5	0.46	411	3.00	2.88	11.8	6.1	560
J597046		2.26	15.70	0.18	4.9	0.040	2.45	38.8	23.3	0.48	418	1.67	2.88	12.4	6.5	570
J597047		2.27	15.00	0.17	4.5	0.042	2.45	39.8	26.6	0.47	411	1.44	2.93	11.6	6.3	570
J597048		2.02	15.10	0.19	4.1	0.030	2.62	37.3	23.9	0.41	360	2.16	2.90	11.4	5.4	500
J597049		2.39	15.55	0.17	5.0	0.041	2.51	40.8	24.7	0.51	436	1.68	2.91	12.6	7.1	590
J597050		4.43	18.15	0.18	1.3	0.016	2.31	9.6	2.3	0.99	282	2.12	5.20	10.2	43.2	690
J597051		2.35	15.00	0.17	5.7	0.041	2.53	43.7	24.2	0.50	426	2.02	2.87	12.0	6.5	600
J597052		2.29	15.55	0.16	5.2	0.039	2.66	37.2	25.3	0.48	425	2.43	2.92	12.1	6.5	570
J597053		2.37	17.85	0.15	5.1	0.036	2.87	40.4	24.3	0.52	446	1.75	2.96	12.0	6.3	570
J597054		2.43	18.00	0.16	5.8	0.037	2.63	38.7	31.9	0.53	448	1.56	3.10	12.4	6.3	620

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J597015		17.4	116.5	<0.002	0.01	0.12	7.5	2	2.1	201	1.08	<0.05	15.5	0.294	0.62	3.0
J597016		17.9	120.5	<0.002	0.01	0.12	8.0	1	2.1	211	1.11	<0.05	14.6	0.309	0.64	3.4
J597017		22.0	107.5	<0.002	0.01	0.16	8.2	1	2.2	193.0	1.23	<0.05	20.1	0.287	0.66	4.2
J597018		20.4	111.5	<0.002	0.01	0.13	7.9	1	2.2	193.0	1.21	<0.05	18.9	0.293	0.65	4.2
J597019		19.9	133.0	<0.002	<0.01	0.14	2.4	1	1.4	63.2	1.45	<0.05	22.9	0.096	0.74	6.1
J597020		22.7	122.5	<0.002	0.01	0.11	4.9	1	1.8	117.0	1.34	<0.05	22.1	0.183	0.68	4.9
J597021		18.8	102.0	<0.002	0.01	0.13	7.6	1	2.0	192.5	1.11	<0.05	17.1	0.287	0.61	3.8
J597022		18.7	102.0	<0.002	0.03	0.17	8.1	1	2.0	195.0	1.14	<0.05	16.5	0.290	0.60	3.7
J597023		17.7	95.3	<0.002	0.04	0.22	7.8	1	1.9	195.5	1.16	<0.05	16.8	0.287	0.56	4.3
J597024		18.1	93.5	<0.002	0.06	0.27	7.4	1	1.9	195.5	1.13	<0.05	17.2	0.295	0.58	3.5
J597025		13.6	58.7	<0.002	<0.01	0.19	5.6	1	1.7	179.5	0.51	<0.05	7.0	0.116	0.45	2.3
J597026		18.7	85.3	<0.002	0.12	0.23	7.3	1	1.9	179.0	1.08	<0.05	15.1	0.279	0.52	3.8
J597027		19.9	112.0	<0.002	0.02	0.23	8.9	1	2.4	200	1.81	<0.05	17.2	0.324	0.66	5.1
J597028		18.8	119.5	<0.002	0.12	0.32	7.5	1	2.3	188.5	1.24	<0.05	15.5	0.281	0.63	3.5
J597029		17.1	90.4	<0.002	0.10	0.27	8.0	1	2.3	199.0	1.49	<0.05	14.0	0.280	0.51	4.3
J597030		17.7	87.9	<0.002	0.01	0.23	7.5	1	2.2	213	1.21	<0.05	13.7	0.284	0.52	3.4
J597031		15.5	91.1	<0.002	0.20	0.28	7.1	1	2.0	166.5	1.22	<0.05	14.0	0.281	0.53	3.4
J597032		18.6	106.0	<0.002	0.01	0.10	7.5	1	2.1	194.0	1.20	<0.05	15.4	0.292	0.66	3.6
J597033		18.6	99.5	<0.002	0.01	0.09	7.1	1	1.8	177.5	1.14	<0.05	15.1	0.270	0.62	3.9
J597034		18.5	101.5	<0.002	0.01	0.13	7.1	1	1.9	179.5	1.22	<0.05	16.1	0.269	0.64	4.1
J597035		20.1	119.5	<0.002	0.01	0.09	7.6	1	2.1	181.0	1.35	<0.05	17.2	0.277	0.67	4.8
J597036		19.2	112.0	<0.002	0.01	0.10	7.0	1	2.0	171.0	1.23	<0.05	15.9	0.263	0.67	3.8
J597037		18.1	93.4	<0.002	0.01	0.09	8.0	1	2.0	172.0	1.29	<0.05	13.8	0.310	0.58	3.7
J597038		20.6	118.0	<0.002	0.01	0.09	6.1	1	1.8	156.0	1.24	<0.05	14.8	0.228	0.70	3.7
J597039		19.1	104.0	<0.002	0.03	0.12	6.7	1	2.0	174.5	1.28	<0.05	16.6	0.278	0.67	4.1
J597040		19.7	120.5	<0.002	0.03	0.20	7.3	1	2.1	200	1.38	<0.05	15.6	0.297	0.69	4.2
J597041		18.4	116.5	<0.002	0.01	0.19	8.4	1	2.3	209	1.51	<0.05	15.4	0.297	0.64	4.2
J597042		15.5	89.9	<0.002	0.04	0.20	7.1	1	1.9	176.0	1.08	<0.05	13.3	0.275	0.56	2.9
J597043		17.7	102.5	<0.002	0.01	0.19	6.3	1	1.9	176.5	1.31	<0.05	17.7	0.246	0.58	5.7
J597044		18.1	95.5	<0.002	0.01	0.11	7.6	1	2.1	201	1.33	<0.05	16.1	0.298	0.57	4.0
J597045		16.4	98.5	<0.002	0.01	0.08	7.3	1	2.1	199.5	1.06	<0.05	14.0	0.295	0.62	3.0
J597046		16.8	96.2	<0.002	0.01	0.10	8.0	1	2.0	204	1.15	<0.05	14.1	0.302	0.59	3.4
J597047		17.6	92.3	<0.002	0.02	0.14	7.4	1	1.9	201	1.07	<0.05	14.5	0.298	0.59	3.5
J597048		17.8	98.2	<0.002	0.01	0.12	6.6	1	1.8	185.5	1.20	<0.05	15.9	0.263	0.59	4.0
J597049		17.0	92.6	<0.002	0.01	0.10	8.2	1	2.2	206	1.17	<0.05	15.9	0.311	0.62	3.7
J597050		85.1	208	<0.002	3.43	0.98	3.6	1	0.9	182.0	0.85	<0.05	2.9	0.278	2.14	1.1
J597051		15.9	93.9	<0.002	0.01	0.09	7.9	1	2.3	197.0	1.08	<0.05	15.0	0.311	0.60	3.3
J597052		16.7	96.1	<0.002	0.01	0.14	7.5	1	2.2	190.0	1.19	<0.05	14.2	0.301	0.62	3.3
J597053		15.4	106.0	<0.002	0.01	0.17	9.1	2	2.3	197.0	1.07	<0.05	13.7	0.296	0.58	3.4
J597054		13.8	98.4	<0.002	0.01	0.22	8.7	2	2.4	216	1.10	<0.05	12.6	0.308	0.59	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597015		42	1.6	19.7	54	184.5
J597016		44	2.1	21.1	56	187.5
J597017		42	2.3	26.3	53	211
J597018		41	1.7	25.8	52	184.5
J597019		11	1.6	17.8	19	99.3
J597020		24	0.9	22.9	36	133.5
J597021		41	0.8	25.0	51	184.5
J597022		42	1.4	24.1	52	187.5
J597023		43	1.5	24.9	49	167.0
J597024		43	0.9	23.6	50	204
J597025		15	1.0	20.2	44	30.6
J597026		41	1.2	22.2	49	197.5
J597027		46	1.0	28.9	56	209
J597028		41	1.4	24.5	48	166.0
J597029		40	1.2	23.4	45	196.0
J597030		40	1.6	23.5	55	172.5
J597031		40	3.3	23.3	44	184.5
J597032		41	0.7	24.8	53	193.0
J597033		39	0.8	23.5	49	172.0
J597034		38	0.8	23.0	51	180.5
J597035		40	1.0	26.3	51	179.0
J597036		38	0.8	23.6	51	152.0
J597037		45	0.7	25.6	51	191.0
J597038		32	0.9	22.3	43	147.0
J597039		39	1.0	24.3	47	174.0
J597040		42	1.2	24.7	52	188.5
J597041		44	0.9	27.7	52	213
J597042		39	2.7	21.8	44	186.5
J597043		35	0.9	24.2	41	162.5
J597044		42	1.6	24.8	54	189.5
J597045		41	0.7	23.1	52	202
J597046		43	0.8	24.4	50	191.0
J597047		43	0.4	23.3	48	168.5
J597048		37	0.5	23.0	44	151.5
J597049		46	0.6	25.4	51	192.0
J597050		35	0.2	6.2	43	50.4
J597051		46	0.6	23.8	51	220
J597052		44	0.8	23.9	52	201
J597053		45	0.9	21.6	60	190.0
J597054		46	0.8	20.7	60	220

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J597055		0.81	0.006	0.07	7.21	14.5	720	1.61	0.07	1.72	0.06	75.4	7.7	9	3.12	14.0
J597056		0.92	0.012	0.14	7.48	18.3	910	1.53	0.14	1.71	0.11	92.5	8.2	8	2.55	37.2
J597057		0.56	0.024	0.06	7.11	22.8	810	1.59	0.11	1.88	0.04	78.3	7.1	9	2.66	19.4
J597058		1.37	0.006	0.07	7.29	15.6	800	1.70	0.07	1.81	0.06	77.0	8.5	10	2.78	8.5
J597059		1.65	0.010	0.08	6.73	17.9	720	1.58	0.11	1.93	0.06	74.3	6.8	9	2.51	16.3
J597060		1.87	0.008	0.09	6.99	19.2	720	1.72	0.14	1.64	0.10	73.7	6.3	10	2.68	18.3
J597061		1.58	0.006	0.10	7.28	3.6	790	1.70	0.11	1.74	0.09	85.4	7.8	9	3.88	17.5
J597062		1.72	0.005	0.16	7.34	6.8	780	1.33	0.11	1.74	0.07	80.2	6.4	9	3.43	12.0
J597063		1.92	0.005	0.03	7.55	5.9	850	1.84	0.12	1.87	0.06	94.0	9.1	13	3.05	12.7
J597064		2.02	0.006	0.05	7.01	3.8	870	1.69	0.09	1.71	0.05	79.7	6.9	11	3.38	13.1
J597065		1.89	0.006	0.04	7.30	4.1	840	2.15	0.09	1.77	0.04	89.6	7.9	13	3.55	18.5
J597066		2.05	0.006	0.03	7.41	2.8	800	1.58	0.07	1.80	0.05	85.2	7.4	12	2.89	9.0
J597067		1.95	0.007	0.08	7.03	4.5	820	1.49	0.06	1.67	0.06	76.1	6.9	10	2.61	15.8
J597068		1.89	0.006	0.04	7.39	2.8	810	1.64	0.08	1.76	0.06	80.6	7.2	15	2.42	8.2
J597069		1.32	0.007	0.03	7.24	4.9	820	1.78	0.08	1.64	0.06	87.2	7.2	13	3.04	11.3
J597070		1.26	0.005	0.03	6.85	2.3	650	2.52	0.10	1.39	0.05	67.1	5.9	14	3.62	5.3
J597071		1.20	0.007	0.12	7.38	2.1	840	1.70	0.07	1.69	0.08	78.8	7.0	11	2.80	8.3
J597072		1.08	0.008	0.15	7.27	0.7	870	1.50	0.06	1.79	0.08	83.8	7.6	9	2.52	9.8
J597073		1.11	<0.005	0.07	7.27	0.8	890	1.51	0.06	1.78	0.05	85.5	7.3	9	2.56	10.4
J597074		1.10	<0.005	0.45	7.43	2.3	800	1.56	0.06	1.81	0.19	87.2	8.7	9	2.78	15.2
J597075		0.06	<0.005	0.04	6.49	2.0	960	1.17	0.11	1.38	0.08	25.5	2.6	13	1.69	4.1
J597076		1.61	<0.005	0.16	7.44	1.7	770	1.50	0.06	1.83	0.11	84.3	7.7	11	2.27	10.7
J597077		1.69	<0.005	0.05	7.35	0.9	750	1.53	0.06	1.81	0.05	75.4	7.7	11	2.64	10.1
J597078		1.89	<0.005	0.04	7.37	1.7	830	1.42	0.06	1.72	0.05	80.2	7.0	11	2.71	8.1
J597079		1.93	<0.005	0.04	7.59	1.3	880	1.48	0.06	1.83	0.05	88.6	7.6	13	2.73	9.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J597055		2.31	17.90	0.17	5.6	0.033	2.55	36.6	39.0	0.53	415	2.68	3.40	12.0	6.5	600
J597056		2.44	17.85	0.19	5.1	0.028	2.86	47.3	28.5	0.54	437	1.40	3.18	11.4	6.1	600
J597057		2.29	17.55	0.17	5.1	0.030	2.73	37.7	30.3	0.50	431	1.78	3.04	12.3	6.2	570
J597058		2.26	17.75	0.18	4.6	0.032	2.85	37.0	28.0	0.48	424	1.10	3.01	12.5	6.1	540
J597059		2.18	16.70	0.17	5.0	0.037	2.77	36.5	33.6	0.51	445	2.54	3.19	11.7	5.7	510
J597060		2.05	17.05	0.18	4.4	0.031	2.62	36.0	29.2	0.44	377	1.61	3.16	12.3	5.2	520
J597061		2.35	17.90	0.18	4.7	0.037	2.80	42.2	34.5	0.49	426	1.35	2.96	13.3	6.0	570
J597062		2.30	15.95	0.20	4.9	0.035	2.70	41.0	22.7	0.48	410	1.30	3.04	12.8	5.8	560
J597063		2.46	18.90	0.20	5.6	0.036	2.80	46.4	32.8	0.51	443	1.17	3.12	14.0	6.6	600
J597064		2.23	17.75	0.18	5.5	0.033	2.81	38.2	27.1	0.46	410	1.06	2.97	12.5	6.0	550
J597065		2.32	18.10	0.20	5.7	0.035	2.89	44.0	23.3	0.48	422	4.81	3.04	13.6	6.4	570
J597066		2.37	17.95	0.18	5.1	0.036	2.85	42.1	26.6	0.49	432	2.21	3.09	12.6	6.3	590
J597067		2.12	17.25	0.19	4.5	0.029	2.79	36.6	20.2	0.44	392	1.44	3.02	11.6	5.6	510
J597068		2.29	18.50	0.18	4.7	0.037	2.81	39.0	16.1	0.47	412	1.33	3.21	12.9	6.2	560
J597069		2.19	18.10	0.21	5.1	0.028	2.81	43.9	22.0	0.45	400	2.02	3.07	13.4	5.8	550
J597070		1.88	17.70	0.19	5.3	0.030	2.95	31.5	19.3	0.37	359	2.92	3.03	15.0	5.0	450
J597071		2.23	17.60	0.20	5.0	0.036	2.86	39.2	20.3	0.47	418	12.20	3.10	12.9	6.5	530
J597072		2.35	17.95	0.18	5.2	0.035	2.71	41.6	20.8	0.49	427	1.62	3.14	12.5	6.6	570
J597073		2.32	17.60	0.20	4.9	0.036	2.75	42.7	21.5	0.48	416	1.51	3.17	12.1	6.2	580
J597074		2.26	17.85	0.18	4.8	0.031	2.70	43.1	20.3	0.47	422	2.06	3.25	12.2	6.0	560
J597075		1.42	13.55	0.12	1.1	0.017	2.37	11.9	11.1	0.19	590	0.94	2.93	4.6	2.7	180
J597076		2.31	17.95	0.19	5.7	0.032	2.60	41.6	15.5	0.48	418	1.34	3.25	12.5	6.6	580
J597077		2.40	18.05	0.18	4.7	0.037	2.76	36.5	23.8	0.51	442	1.17	3.20	12.6	6.5	590
J597078		2.25	17.45	0.19	4.7	0.033	2.82	39.5	26.9	0.48	411	1.13	3.07	11.8	6.2	560
J597079		2.46	18.05	0.21	5.6	0.036	2.83	44.4	27.9	0.52	441	1.35	3.12	12.3	6.8	610

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J597055		12.2	99.6	<0.002	0.04	0.28	8.7	2	2.3	217	1.00	<0.05	11.9	0.299	0.59	3.2
J597056		29.6	102.5	<0.002	0.23	0.29	9.1	2	2.4	197.0	0.88	0.05	11.7	0.302	0.56	2.7
J597057		18.2	101.5	<0.002	0.13	0.24	8.7	2	2.2	203	1.05	<0.05	12.8	0.292	0.57	3.2
J597058		14.1	100.5	<0.002	0.04	0.23	8.3	1	2.6	199.0	1.09	<0.05	13.4	0.281	0.55	3.4
J597059		17.1	107.5	<0.002	0.19	0.27	8.2	1	2.5	165.5	1.03	<0.05	12.8	0.265	0.57	3.0
J597060		23.7	105.0	<0.002	0.15	0.27	8.1	2	2.2	169.5	1.13	<0.05	14.4	0.271	0.56	3.7
J597061		16.6	122.5	<0.002	0.04	0.19	8.8	2	2.6	195.0	1.21	<0.05	14.4	0.295	0.68	3.7
J597062		14.8	107.0	<0.002	0.03	0.25	7.8	2	2.4	197.5	1.10	<0.05	15.6	0.292	0.64	3.9
J597063		15.0	113.0	<0.002	0.09	0.17	9.3	2	2.2	210	1.26	<0.05	13.9	0.307	0.65	3.7
J597064		14.5	111.0	<0.002	0.03	0.15	8.2	2	2.2	198.5	1.14	<0.05	12.2	0.288	0.63	3.2
J597065		15.8	117.0	<0.002	0.04	0.16	8.7	2	2.5	202	1.37	<0.05	12.5	0.296	0.66	3.3
J597066		14.6	110.0	<0.002	0.01	0.13	8.9	2	1.9	206	1.00	<0.05	12.2	0.301	0.64	2.9
J597067		13.6	98.5	<0.002	0.04	0.12	7.5	2	1.7	193.0	0.97	<0.05	11.6	0.273	0.53	2.9
J597068		15.6	100.5	<0.002	0.01	0.14	8.6	2	1.9	200	1.14	<0.05	13.0	0.287	0.53	3.4
J597069		16.2	121.0	<0.002	0.03	0.13	7.7	2	2.0	191.0	1.28	<0.05	15.9	0.280	0.63	4.0
J597070		19.3	150.5	<0.002	0.01	0.19	6.8	1	2.3	160.0	1.90	<0.05	18.8	0.239	0.70	6.1
J597071		15.9	123.5	<0.002	0.01	0.09	8.3	2	2.3	193.5	1.23	<0.05	14.8	0.282	0.64	4.1
J597072		15.0	104.0	<0.002	0.01	0.09	8.4	2	2.3	205	1.03	<0.05	12.6	0.296	0.62	3.1
J597073		14.4	103.0	<0.002	0.01	0.07	8.0	2	2.2	206	1.00	<0.05	12.5	0.298	0.59	3.1
J597074		14.1	98.7	<0.002	0.01	0.09	7.9	2	3.6	209	1.00	<0.05	13.2	0.296	0.55	3.3
J597075		10.0	57.7	<0.002	<0.01	0.18	5.8	1	1.7	184.5	0.44	<0.05	5.3	0.119	0.38	1.8
J597076		14.3	90.5	<0.002	0.01	0.10	8.2	2	2.5	207	1.06	<0.05	13.6	0.296	0.46	3.5
J597077		14.6	100.5	<0.002	0.01	0.09	8.9	2	2.3	205	1.03	<0.05	12.3	0.307	0.60	3.2
J597078		14.7	106.0	<0.002	0.01	0.09	8.5	2	1.8	203	0.96	<0.05	11.9	0.284	0.63	2.8
J597079		14.2	106.0	<0.002	0.01	0.08	8.9	2	2.0	214	0.93	<0.05	12.2	0.312	0.61	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J597055		44	1.1	20.4	56	211
J597056		44	4.4	19.5	64	194.0
J597057		43	2.3	20.6	55	193.0
J597058		41	1.3	20.1	50	166.5
J597059		39	2.6	18.5	42	187.0
J597060		38	6.9	19.7	55	159.0
J597061		43	1.6	21.9	56	168.5
J597062		42	1.5	20.9	52	184.0
J597063		45	2.4	23.1	56	210
J597064		42	1.1	20.2	54	204
J597065		42	1.7	22.0	57	216
J597066		43	1.4	20.4	55	194.0
J597067		38	3.3	18.2	65	171.0
J597068		41	1.1	20.4	53	169.0
J597069		39	2.6	21.2	51	192.0
J597070		33	2.5	23.8	45	168.0
J597071		41	6.0	21.8	54	181.0
J597072		43	1.9	20.3	57	198.0
J597073		44	1.1	19.7	57	186.0
J597074		41	0.9	19.2	53	179.5
J597075		16	0.9	16.1	47	27.0
J597076		42	0.7	20.2	54	219
J597077		45	0.7	20.5	58	176.0
J597078		41	0.9	19.4	54	174.0
J597079		44	0.9	20.5	59	218

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-APR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11051235

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	REE's may not be totally soluble in this method.