ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

CERTIFICATE TB10192533

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345586		1.63	<0.005	0.08	6.02	27.1	660	2.08	0.13	0.55	0.03	83.4	2.4	9	1.37	18.3
I345587		1.73	<0.005	0.10	5.98	36.3	690	1.69	0.15	0.55	0.05	85.3	2.8	11	1.36	20.3
I345588		1.71	0.022	0.10	6.35	37.5	750	2.16	0.11	0.59	0.04	94.2	2.4	9	1.54	13.3
I345589		1.74	0.010	0.11	6.28	46.3	750	1.96	0.21	0.51	0.03	96.9	2.4	10	1.42	26.2
I345590		0.56	0.011	0.12	6.16	54.4	760	1.98	0.32	0.55	0.04	87.9	3.8	4	1.16	64.2
I345591		0.45	0.043	0.23	7.40	34.1	760	2.57	8.62	0.46	<0.02	109.0	11.6	8	1.81	211
I345592		0.69	0.010	0.13	6.28	45.3	720	1.91	0.68	0.60	0.05	112.0	3.6	7	1.24	99.9
I345593		0.60	0.010	0.11	6.09	54.7	810	2.03	0.26	0.71	0.02	59.1	2.1	6	1.14	47.7
I345594		0.50	0.007	0.13	6.19	31.6	730	2.03	0.59	0.55	0.03	90.5	3.5	4	1.49	87.7
I345595		0.70	0.022	0.08	6.11	33.4	680	2.21	0.34	0.54	0.02	87.7	2.0	7	1.40	38.8
I345596		1.12	<0.005	0.08	6.23	40.4	650	2.07	0.60	0.53	0.03	113.0	1.4	8	1.74	19.8
I345597		1.15	0.009	0.08	6.22	53.5	690	1.93	0.18	0.60	0.02	100.0	1.7	8	1.46	37.8
I345598		1.11	<0.005	0.06	6.22	42.8	600	2.08	0.15	0.49	0.02	91.3	1.4	8	1.59	13.9
I345599		1.23	<0.005	0.05	6.38	54.2	640	2.36	0.15	0.59	<0.02	96.6	1.2	6	1.58	7.8
I345600		0.03	8.82	0.53	8.30	2.8	200	2.35	0.09	1.17	0.45	18.95	11.0	36	1.59	17.2
I345601		1.14	0.006	0.07	6.64	50.2	680	2.45	0.18	0.60	<0.02	98.9	1.4	6	1.62	2.3
I345602		1.20	<0.005	0.10	6.33	22.2	620	2.49	0.14	0.53	0.03	98.2	1.6	8	2.07	7.4
I345603		1.76	0.008	0.11	6.18	16.9	620	2.34	0.08	0.56	0.09	93.0	1.3	8	1.58	7.6
I345604		1.73	<0.005	0.05	6.27	8.5	620	2.63	0.06	0.54	<0.02	93.3	1.2	6	1.73	2.3
I345605		1.92	0.007	0.04	6.14	12.1	640	2.34	0.06	0.52	0.03	98.6	1.4	12	2.02	3.0
I345606		1.39	0.012	0.02	5.87	6.4	620	2.69	0.04	0.60	0.05	89.5	3.7	7	1.40	4.2
I345607		0.66	0.021	0.01	6.05	5.9	660	2.39	0.03	0.28	<0.02	92.7	2.7	5	1.34	1.9
I345608		1.84	0.006	0.01	6.14	4.4	640	2.34	0.03	0.37	0.05	96.6	2.6	6	1.36	2.7
I345609		1.80	<0.005	0.02	6.07	3.5	630	2.37	0.05	0.52	<0.02	97.6	2.0	7	1.48	0.9
I345610		1.72	<0.005	0.02	6.29	4.9	620	2.44	0.06	0.51	0.02	91.7	2.1	7	1.30	2.1
I345611		1.73	0.005	<0.01	6.26	6.6	600	2.64	0.05	0.48	<0.02	107.5	2.4	7	1.41	1.8
I345612		1.68	<0.005	0.02	6.15	3.7	580	2.58	0.05	0.48	<0.02	98.4	1.9	9	1.23	2.0
I345613		1.68	0.006	0.02	6.06	5.9	580	2.42	0.07	0.33	<0.02	89.0	1.6	6	1.28	2.3
I345614		1.75	<0.005	0.05	6.12	4.2	550	2.18	0.07	0.44	0.02	93.9	1.8	10	1.14	4.4
I345615		1.76	<0.005	0.04	6.17	7.6	560	2.13	0.06	0.45	0.02	89.9	2.0	9	1.24	2.2
I345616		1.77	<0.005	0.04	6.24	4.9	540	2.38	0.05	0.47	0.03	90.6	1.8	10	1.06	3.9
I345617		1.69	<0.005	0.06	6.27	4.4	580	2.17	0.05	0.44	0.02	98.1	1.7	13	1.27	3.0
I345618		1.63	<0.005	0.06	6.23	7.4	560	1.84	0.05	0.28	0.09	87.9	1.6	8	1.21	4.2
I345619		1.70	<0.005	0.04	6.32	5.2	550	2.34	0.06	0.39	<0.02	89.0	1.6	12	1.24	3.9
I345620		1.76	<0.005	0.05	6.32	6.2	550	2.28	0.05	0.32	0.02	90.8	1.6	8	1.32	3.8
I345621		1.71	<0.005	0.04	6.02	8.6	540	2.20	0.04	0.20	0.03	84.0	2.1	10	1.42	2.5
I345622		1.75	<0.005	0.03	6.24	7.3	620	2.27	0.03	0.52	0.02	90.1	1.9	10	1.36	3.4
I345623		1.77	<0.005	0.04	6.14	9.5	600	2.11	0.03	0.49	0.02	81.0	2.4	9	1.23	2.4
I345624		1.75	0.005	0.04	6.19	15.2	650	2.29	0.05	0.51	0.03	88.4	2.7	9	1.36	2.1
I345625		0.07	<0.005	0.05	6.81	1.6	920	1.29	0.09	1.35	0.09	29.2	2.4	14	1.75	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345586		1.19	15.80	0.10	5.2	0.016	3.36	43.3	9.4	0.08	222	1.51	2.37	14.9	1.5	80
I345587		1.20	16.20	0.11	4.6	0.018	3.49	45.4	11.6	0.08	248	1.65	2.38	14.6	1.4	80
I345588		1.23	18.20	0.15	6.0	0.014	3.59	44.8	10.5	0.09	238	1.43	2.64	15.4	1.3	90
I345589		1.17	17.55	0.14	5.4	0.017	3.71	47.0	11.6	0.09	226	1.68	2.63	15.4	2.0	80
I345590		1.25	15.35	0.14	5.8	0.016	3.64	41.6	11.9	0.08	224	1.33	2.49	14.3	1.7	80
I345591		2.94	30.5	0.18	6.1	0.111	4.00	53.0	52.1	0.16	164	0.99	2.10	17.7	1.8	80
I345592		1.45	17.40	0.17	6.0	0.019	3.68	53.0	12.2	0.07	246	2.99	2.46	14.5	1.5	90
I345593		1.15	16.75	0.13	5.6	0.017	3.73	28.0	12.6	0.07	271	1.54	2.39	15.8	0.9	80
I345594		1.59	18.55	0.16	5.2	0.046	3.47	43.4	15.4	0.09	230	1.26	2.44	15.0	1.4	80
I345595		1.16	17.70	0.15	5.6	0.025	3.55	42.0	12.9	0.07	228	1.98	2.52	14.9	1.6	80
I345596		1.26	17.55	0.18	5.8	0.017	3.58	53.6	11.1	0.08	244	1.91	2.52	15.7	0.7	90
I345597		1.27	17.15	0.18	5.5	0.014	3.60	48.0	10.6	0.07	221	1.68	2.52	13.9	1.0	80
I345598		1.19	18.10	0.18	5.8	0.020	3.50	43.4	9.9	0.07	219	1.98	2.64	15.7	0.6	80
I345599		1.20	18.60	0.19	5.5	0.016	3.59	45.2	11.8	0.08	234	4.14	2.63	16.2	0.6	80
I345600		4.77	22.7	0.18	1.5	0.013	2.47	9.6	2.1	1.02	293	2.20	5.25	10.7	41.2	720
I345601		1.35	18.95	0.19	5.3	0.015	3.75	47.6	8.9	0.08	220	1.73	2.76	16.5	0.8	90
I345602		1.23	18.70	0.19	5.7	0.020	3.57	46.5	9.2	0.08	217	1.92	2.77	16.0	1.1	80
I345603		1.13	18.05	0.18	5.2	0.021	3.51	44.5	8.8	0.08	221	2.00	2.73	15.1	0.7	80
I345604		1.15	18.75	0.18	6.1	0.021	3.48	44.8	8.6	0.08	213	2.15	2.77	15.8	0.9	80
I345605		1.14	18.30	0.18	5.5	0.019	3.43	47.6	10.0	0.08	206	2.03	2.70	15.3	0.7	90
I345606		1.20	18.20	0.20	5.3	0.007	3.01	41.9	18.7	0.07	192	1.66	2.51	15.6	0.7	70
I345607		1.19	17.65	0.18	5.5	0.007	3.48	44.5	13.8	0.06	347	1.31	2.45	15.2	0.7	90
I345608		1.09	18.25	0.19	5.6	0.008	3.56	46.2	13.2	0.06	155	1.45	2.56	16.2	0.6	80
I345609		1.12	18.25	0.20	5.4	0.009	3.57	47.0	11.3	0.07	142	2.88	2.58	15.9	0.6	70
I345610		1.08	18.25	0.19	5.3	0.011	3.62	43.7	10.6	0.07	157	3.22	2.68	16.5	0.5	70
I345611		1.08	19.65	0.22	5.5	0.011	3.61	50.9	11.5	0.07	151	2.91	2.71	16.4	0.9	70
I345612		1.12	18.75	0.19	5.4	0.012	3.58	46.4	10.7	0.07	177	13.95	2.65	16.2	0.5	70
I345613		1.08	18.65	0.18	5.6	0.010	3.61	42.4	10.3	0.07	156	3.00	2.62	16.1	0.5	70
I345614		1.06	16.10	<0.05	5.7	0.016	3.47	45.7	9.8	0.07	153	3.13	2.51	15.3	2.1	70
I345615		1.01	16.20	0.05	5.3	0.013	3.55	44.4	10.4	0.07	158	3.67	2.51	14.2	1.0	70
I345616		1.03	16.70	0.05	5.6	0.014	3.54	44.2	10.4	0.07	180	1.31	2.53	15.4	0.9	70
I345617		1.08	16.75	0.06	5.4	0.014	3.54	49.2	10.7	0.07	160	0.89	2.53	14.8	0.9	70
I345618		1.04	16.35	0.05	5.8	0.015	3.51	44.2	10.8	0.07	126	1.62	2.53	15.2	0.8	80
I345619		1.05	17.20	0.06	5.9	0.016	3.53	43.8	11.8	0.07	171	1.49	2.60	16.0	0.8	70
I345620		1.09	17.05	0.06	6.0	0.014	3.51	45.4	11.6	0.07	184	1.40	2.61	15.3	1.0	70
I345621		1.09	16.30	0.06	5.3	0.011	3.41	41.8	11.5	0.06	174	1.16	2.40	14.1	1.0	90
I345622		1.19	16.80	0.07	5.5	0.012	3.61	44.3	12.3	0.06	197	1.36	2.43	15.0	1.7	60
I345623		1.04	16.85	0.06	5.3	0.011	3.61	39.5	12.0	0.07	181	1.13	2.42	14.6	0.9	60
I345624		1.13	16.55	0.07	5.5	0.014	3.67	43.4	11.6	0.06	201	1.30	2.33	14.4	0.9	70
I345625		1.44	13.75	<0.05	1.3	0.016	2.25	14.3	11.6	0.19	569	0.94	2.74	4.7	2.2	180

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345586		9.4	125.5	<0.002	0.06	0.69	4.2	1	1.5	56.9	1.55	<0.05	20.2	0.081	0.56	4.9
I345587		12.8	127.0	<0.002	0.08	0.75	4.2	1	1.7	53.2	1.45	<0.05	18.6	0.086	0.59	4.7
I345588		11.9	126.0	<0.002	0.07	0.74	4.8	1	1.8	54.0	1.46	<0.05	21.0	0.091	0.68	5.3
I345589		15.1	126.5	<0.002	0.13	0.79	4.7	1	1.7	50.3	1.44	<0.05	21.6	0.093	0.67	5.4
I345590		22.2	127.0	<0.002	0.28	0.96	4.1	1	1.9	49.2	1.49	<0.05	19.8	0.083	0.65	5.8
I345591		11.5	180.5	<0.002	0.90	0.91	5.1	1	12.7	32.3	1.61	<0.05	24.4	0.102	0.75	5.9
I345592		13.9	131.0	<0.002	0.34	0.82	4.4	1	1.9	48.1	1.35	<0.05	23.1	0.087	0.69	5.1
I345593		8.0	131.5	<0.002	0.21	0.87	4.3	1	1.8	53.6	1.56	<0.05	17.7	0.079	0.68	5.5
I345594		11.9	128.0	<0.002	0.35	0.65	5.2	1	3.6	48.2	1.38	<0.05	19.7	0.091	0.63	4.9
I345595		9.0	131.5	<0.002	0.18	0.68	4.5	1	1.9	51.3	1.39	<0.05	21.1	0.089	0.66	5.2
I345596		8.6	135.0	<0.002	0.08	0.75	4.9	1	2.0	53.8	1.45	<0.05	23.2	0.091	0.67	5.4
I345597		7.8	132.5	<0.002	0.13	0.77	4.2	1	1.7	55.5	1.31	<0.05	19.7	0.085	0.67	4.9
I345598		8.0	133.5	<0.002	0.07	0.70	4.4	1	2.0	51.4	1.46	<0.05	22.0	0.085	0.64	5.5
I345599		6.9	141.5	<0.002	0.04	0.69	4.8	1	1.7	53.5	1.46	<0.05	23.1	0.077	0.67	6.1
I345600		83.5	221	<0.002	3.71	1.05	4.0	1	1.0	190.0	0.83	<0.05	2.9	0.296	2.00	1.0
I345601		7.6	149.5	<0.002	0.04	0.72	4.8	1	1.6	55.1	1.63	<0.05	22.6	0.079	0.67	5.7
I345602		11.1	156.5	<0.002	0.05	0.66	4.9	2	1.9	45.2	1.46	<0.05	21.2	0.092	0.68	5.1
I345603		26.9	150.5	<0.002	0.07	0.61	4.8	1	1.7	42.0	1.39	<0.05	20.8	0.088	0.70	5.0
I345604		6.4	157.5	<0.002	<0.01	0.45	5.0	1	1.8	43.5	1.45	<0.05	21.2	0.088	0.72	5.4
I345605		12.0	154.0	<0.002	0.03	0.40	4.9	1	1.8	44.6	1.36	<0.05	20.8	0.096	0.72	5.0
I345606		32.4	131.0	<0.002	0.12	0.31	4.6	1	1.4	50.3	1.46	<0.05	20.5	0.077	0.54	5.3
I345607		5.6	147.5	<0.002	0.03	0.25	4.6	1	1.4	50.6	1.41	<0.05	19.9	0.082	0.62	3.9
I345608		9.2	151.0	<0.002	0.03	0.33	4.5	1	1.4	45.7	1.53	<0.05	22.2	0.084	0.62	5.3
I345609		5.4	156.0	<0.002	<0.01	0.37	4.5	1	1.4	43.6	1.42	<0.05	21.0	0.085	0.62	4.9
I345610		14.5	156.5	<0.002	0.01	0.39	4.3	1	1.3	41.3	1.48	<0.05	22.4	0.082	0.66	5.3
I345611		6.6	165.5	<0.002	<0.01	0.38	4.8	2	1.5	41.7	1.45	<0.05	22.0	0.082	0.70	4.9
I345612		6.4	168.0	<0.002	<0.01	0.37	4.7	2	1.5	36.8	1.48	<0.05	21.7	0.081	0.70	5.1
I345613		5.8	167.0	<0.002	<0.01	0.40	4.5	1	1.5	35.0	1.50	<0.05	21.0	0.079	0.69	4.7
I345614		7.3	155.0	<0.002	<0.01	0.36	3.9	1	1.6	35.3	1.45	<0.05	19.4	0.078	0.62	4.9
I345615		6.2	158.5	<0.002	<0.01	0.37	3.8	1	1.5	38.3	1.32	<0.05	17.9	0.076	0.62	4.1
I345616		14.1	155.5	<0.002	0.01	0.34	4.0	1	1.5	39.4	1.45	<0.05	18.8	0.078	0.62	4.9
I345617		6.5	160.0	<0.002	<0.01	0.32	4.0	1	1.6	41.4	1.31	<0.05	17.5	0.083	0.63	3.8
I345618		32.8	158.0	<0.002	0.03	0.42	3.9	1	1.5	37.1	1.44	<0.05	18.1	0.077	0.62	5.1
I345619		8.3	161.0	<0.002	0.01	0.44	4.3	2	1.8	38.2	1.47	<0.05	19.3	0.080	0.68	4.9
I345620		6.5	157.0	<0.002	0.02	0.43	4.1	1	1.8	39.7	1.38	<0.05	18.8	0.078	0.69	4.7
I345621		6.0	151.5	<0.002	0.01	0.42	4.0	1	1.7	39.4	1.31	<0.05	17.6	0.070	0.65	3.5
I345622		8.5	156.5	<0.002	0.01	0.39	4.1	1	1.8	50.4	1.35	<0.05	17.8	0.072	0.66	4.4
I345623		8.4	151.0	<0.002	0.02	0.40	4.1	1	1.7	47.0	1.31	<0.05	16.9	0.073	0.63	4.4
I345624		6.7	154.0	<0.002	0.01	0.46	4.0	1	1.6	50.6	1.24	<0.05	17.3	0.068	0.65	4.2
I345625		11.3	62.6	<0.002	<0.01	0.19	5.6	1	1.8	185.0	0.48	<0.05	5.7	0.117	0.39	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345586		4	1.4	21.8	16	143.5
I345587		4	1.3	19.2	21	134.0
I345588		5	1.4	18.3	15	179.0
I345589		5	1.6	17.7	14	158.0
I345590		4	1.4	15.0	20	159.5
I345591		5	6.1	21.5	5	177.5
I345592		4	2.1	18.4	17	171.5
I345593		4	2.3	13.5	5	157.0
I345594		5	2.5	18.1	13	154.5
I345595		4	1.8	19.2	9	156.0
I345596		5	1.3	22.7	12	175.5
I345597		4	1.1	17.2	9	160.0
I345598		4	1.7	18.8	10	168.0
I345599		4	1.4	21.2	6	160.0
I345600		37	0.2	5.5	40	53.3
I345601		4	1.4	22.9	8	155.5
I345602		4	1.5	24.5	16	176.0
I345603		4	1.6	20.8	50	153.5
I345604		4	1.8	23.7	11	185.0
I345605		4	1.7	23.1	17	172.5
I345606		3	1.5	21.1	19	152.5
I345607		3	1.3	19.8	4	159.5
I345608		3	1.3	21.4	17	160.0
I345609		4	1.3	21.3	4	165.0
I345610		3	1.4	21.2	9	158.0
I345611		4	1.5	22.8	7	168.0
I345612		3	1.6	21.9	6	160.0
I345613		3	1.6	22.1	9	163.5
I345614		3	1.7	24.7	17	155.0
I345615		3	1.4	25.0	14	145.5
I345616		3	1.2	22.3	15	152.5
I345617		3	1.2	22.7	12	158.0
I345618		3	1.3	21.2	37	161.5
I345619		3	1.5	23.2	11	164.0
I345620		3	1.4	23.2	14	171.0
I345621		3	1.3	21.9	17	150.5
I345622		3	1.3	21.7	16	153.0
I345623		3	1.4	19.9	15	152.0
I345624		3	1.3	19.7	20	157.5
I345625		14	1.0	18.3	42	29.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345626		1.71	0.005	0.04	6.17	15.9	740	2.29	0.05	0.53	0.04	86.1	2.4	10	1.40	3.0
I345627		1.15	<0.005	0.06	6.26	21.5	1080	2.92	0.07	0.62	0.05	87.4	2.9	9	1.64	1.9
I345628		1.01	<0.005	0.06	6.07	24.5	990	2.32	0.12	0.72	0.16	76.8	3.8	8	1.82	8.6
I345629		1.10	0.007	0.08	5.99	6.1	670	3.29	0.19	0.76	0.28	82.2	7.4	7	2.14	31.4
I345630		1.44	<0.005	0.04	6.10	15.8	900	2.08	0.09	0.53	0.08	82.9	2.3	10	1.55	5.0
I345631		1.02	<0.005	0.07	6.24	19.8	850	2.76	0.10	0.48	0.09	90.5	2.8	8	1.67	7.0
I345632		0.89	<0.005	0.05	6.29	20.8	880	2.38	0.06	0.35	0.04	89.3	4.0	9	1.69	2.8
I345633		0.70	<0.005	0.08	6.06	19.4	1120	3.42	0.07	0.84	0.03	87.8	8.6	7	2.18	9.9
I345634		0.74	<0.005	0.04	6.21	19.7	820	2.23	0.05	0.54	0.03	92.1	2.0	10	1.48	2.3
I345635		0.91	<0.005	0.04	6.26	32.1	690	2.05	0.07	0.46	0.05	88.8	1.9	7	1.37	2.7
I345636		0.38	0.213	0.20	5.80	538	790	1.49	0.30	0.37	0.54	79.8	2.5	7	0.87	10.8
I345637		0.97	0.006	0.05	6.18	33.7	630	2.11	0.07	0.44	0.06	87.9	4.3	10	1.18	17.7
I345638		0.68	<0.005	0.03	6.11	30.1	740	2.23	0.06	0.44	0.03	88.7	2.5	9	1.41	2.5
I345639		0.40	0.005	0.25	7.41	33.3	1010	3.75	0.20	0.42	0.17	73.8	6.8	6	3.49	67.0
I345640		1.17	<0.005	0.07	5.95	46.9	770	2.02	0.08	0.47	0.07	84.5	2.8	7	1.67	3.7
I345641		0.42	<0.005	0.12	6.33	25.2	890	3.16	0.10	0.55	0.21	103.5	4.4	6	1.99	4.8
I345642		1.39	<0.005	0.08	6.12	25.4	690	2.03	0.08	0.46	0.04	90.2	1.9	8	1.42	1.2
I345643		1.03	<0.005	0.10	6.45	28.9	740	2.04	0.09	0.42	0.07	97.1	2.7	10	1.37	3.7
I345644		0.40	<0.005	0.10	5.65	21.8	1680	2.47	0.06	0.59	0.06	81.8	4.4	7	2.04	6.5
I345645		1.12	<0.005	0.06	5.92	19.9	770	2.02	0.08	0.30	0.03	85.0	1.9	9	1.36	2.2
I345646		0.66	<0.005	0.10	6.03	39.9	740	1.67	0.13	0.48	0.18	83.7	2.2	8	1.48	8.2
I345647		0.59	0.006	0.17	5.67	33.8	750	2.81	0.31	0.55	0.27	83.6	5.0	8	1.56	47.3
I345648		1.00	<0.005	0.07	6.43	31.5	860	2.09	0.22	0.53	0.10	88.7	2.1	8	1.66	14.1
I345649		0.46	<0.005	0.06	6.13	82.9	920	2.16	0.10	0.68	0.04	86.3	1.9	8	1.40	11.6
I345650		0.39	<0.005	0.05	5.99	107.5	900	1.84	0.09	0.63	0.04	87.8	2.1	5	1.42	11.4
I345651		0.83	<0.005	0.05	5.97	43.7	1130	2.07	0.09	0.60	0.99	89.9	2.2	4	1.18	17.7
I345652		0.59	0.032	0.15	5.87	18.9	930	2.30	0.20	0.53	7.42	271	9.1	3	1.41	62.4
I345653		0.99	0.006	0.05	6.18	45.7	1110	2.52	0.05	0.82	0.24	81.3	3.1	5	1.29	5.6
I345654		0.81	<0.005	0.08	5.97	36.6	860	1.90	0.06	0.55	0.03	80.7	1.9	5	1.38	3.8
I345655		1.20	0.011	0.05	5.98	59.3	760	1.66	0.05	0.49	0.05	82.4	2.0	7	1.35	2.6
I345656		1.25	<0.005	0.02	6.17	241	780	1.68	0.05	0.52	0.04	90.0	3.6	8	1.12	2.6
I345657		0.69	0.056	0.06	5.91	47.4	910	1.37	0.07	0.39	0.05	79.6	1.8	5	0.85	4.4
I345658		0.65	0.068	0.05	5.97	63.8	770	1.44	0.07	0.51	0.05	84.7	2.1	5	0.85	3.0
I345659		0.68	0.211	0.06	5.92	160.0	930	1.75	0.15	0.36	0.07	86.6	2.6	5	0.74	6.6
I345660		0.58	1.650	0.07	5.20	2230	510	1.75	0.32	0.11	0.03	65.8	5.8	2	0.78	27.5
I345661		0.64	0.734	0.16	6.05	510	640	2.40	0.27	0.23	0.21	78.7	10.3	5	0.97	83.8
I345662		0.46	0.061	0.11	5.90	217	1040	1.53	0.12	0.27	0.05	69.2	3.3	5	0.68	21.6
I345663		0.47	0.856	0.10	6.08	96.7	970	1.56	0.13	0.29	0.06	72.5	3.3	4	0.83	34.4
I345664		0.54	1.450	0.12	6.11	24.6	880	2.23	0.14	0.27	0.12	103.5	4.7	3	1.03	47.8
I345665		0.61	0.195	0.06	5.72	184.5	610	2.15	0.07	0.25	0.14	92.1	3.5	3	0.95	12.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345626		1.15	16.10	0.07	5.3	0.010	3.70	43.2	11.9	0.06	212	1.21	2.27	14.9	0.9	70
I345627		1.61	16.70	0.07	5.8	0.010	3.40	43.0	11.5	0.07	244	0.90	2.27	14.3	1.2	70
I345628		1.39	15.85	0.07	5.8	0.019	3.40	36.1	12.4	0.06	453	1.76	2.16	15.0	0.9	60
I345629		2.41	18.30	0.08	5.3	0.152	2.39	40.2	21.9	0.10	424	1.18	1.87	14.0	1.4	60
I345630		1.09	15.55	0.07	5.5	0.029	3.65	40.8	12.3	0.06	338	1.32	2.24	14.9	0.8	70
I345631		1.26	16.75	0.07	5.5	0.040	3.84	45.4	13.5	0.07	363	1.37	2.21	15.1	1.1	70
I345632		1.15	16.15	0.07	5.7	0.015	3.97	45.9	10.9	0.06	358	1.18	2.20	14.7	1.1	90
I345633		2.65	15.55	0.09	5.3	0.020	2.56	42.1	13.1	0.08	400	1.01	2.32	14.8	1.3	80
I345634		1.12	16.70	0.07	6.0	0.017	3.78	45.9	10.0	0.06	257	1.41	2.29	15.8	0.8	70
I345635		1.05	17.30	0.07	5.6	0.013	3.52	44.3	12.0	0.06	234	1.76	2.49	15.4	0.8	60
I345636		1.01	15.90	0.06	5.5	0.015	3.32	39.5	20.2	0.05	150	2.92	2.30	14.6	1.0	70
I345637		0.99	17.15	0.07	5.5	0.011	3.49	43.4	8.5	0.06	216	1.82	2.51	16.2	1.9	60
I345638		1.09	16.75	0.07	5.8	0.012	3.68	44.5	9.0	0.06	360	1.63	2.27	17.1	0.9	60
I345639		6.87	25.4	0.17	7.6	0.348	3.53	36.5	60.9	0.19	961	2.00	1.16	23.8	7.5	60
I345640		1.27	15.45	0.08	5.4	0.019	3.55	42.1	11.3	0.06	362	1.42	2.16	14.8	0.9	60
I345641		4.71	20.9	0.15	4.8	0.162	2.85	51.4	31.8	0.11	373	1.09	1.74	15.6	2.4	80
I345642		1.20	16.75	0.08	5.8	0.018	3.68	44.8	9.6	0.06	303	1.50	2.33	15.2	0.8	70
I345643		1.27	17.45	0.09	5.7	0.020	3.84	49.3	9.4	0.06	238	1.66	2.47	15.8	0.9	70
I345644		2.66	15.30	0.12	5.1	0.023	3.39	39.8	13.9	0.09	329	1.39	2.00	14.3	2.0	80
I345645		1.09	16.35	0.09	5.3	0.020	3.62	42.0	8.8	0.06	196	1.52	2.34	14.9	0.8	80
I345646		1.05	16.20	0.08	5.3	0.042	3.73	41.0	10.6	0.06	356	1.92	2.19	14.2	0.8	70
I345647		2.04	16.65	0.10	5.7	0.251	2.72	41.3	19.9	0.08	499	0.98	2.12	16.5	0.8	70
I345648		1.19	16.95	0.09	5.4	0.058	3.81	44.5	13.2	0.06	460	1.76	2.33	15.4	0.8	80
I345649		1.40	15.65	0.08	5.6	0.085	3.21	42.3	14.4	0.07	865	1.23	1.96	15.6	0.7	70
I345650		1.37	14.75	0.15	5.1	0.092	3.15	41.8	15.2	0.05	732	1.12	1.86	15.1	<0.2	60
I345651		1.43	13.50	0.16	4.5	0.282	3.27	43.5	13.6	0.04	528	1.24	1.79	14.5	<0.2	70
I345652		3.87	17.45	0.41	5.3	1.495	2.87	130.5	33.2	0.09	678	0.72	1.00	14.9	1.4	70
I345653		1.39	14.35	0.18	4.8	0.101	3.18	39.0	9.2	0.05	586	1.64	2.10	12.8	<0.2	80
I345654		1.09	14.80	0.19	5.4	0.012	3.38	39.0	8.2	0.04	453	1.60	2.20	16.0	0.2	60
I345655		1.03	14.85	0.19	5.0	0.008	3.68	39.2	7.5	0.04	357	1.94	2.16	14.8	<0.2	60
I345656		1.15	15.05	0.19	5.1	0.008	3.79	43.6	7.1	0.04	375	1.77	2.21	14.5	<0.2	70
I345657		0.95	14.35	0.16	4.6	0.008	3.00	38.5	14.6	0.04	258	1.78	1.87	14.2	<0.2	60
I345658		0.92	15.15	0.19	5.3	0.009	3.29	40.8	11.1	0.04	303	1.94	2.01	14.8	<0.2	60
I345659		1.25	13.15	0.18	5.3	0.012	3.66	42.0	10.3	0.03	78	1.79	1.42	9.9	<0.2	60
I345660		1.77	14.35	0.15	3.9	0.081	2.74	32.2	18.4	0.08	79	1.57	0.26	11.9	0.2	50
I345661		2.70	16.60	0.19	5.3	0.130	3.03	37.7	20.3	0.09	112	1.96	0.73	14.9	1.7	60
I345662		1.74	11.85	0.19	5.0	0.024	3.56	33.1	7.0	0.02	193	1.98	1.75	11.8	0.2	70
I345663		2.08	14.30	0.18	5.7	0.037	2.89	34.5	12.3	0.04	163	1.61	1.59	14.1	0.4	70
I345664		1.97	17.35	0.22	5.6	0.116	3.26	49.5	23.5	0.10	119	7.28	0.76	17.3	1.2	70
I345665		1.67	17.10	0.20	4.5	0.165	2.96	43.9	28.5	0.12	111	0.83	0.55	12.8	1.4	70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345626		8.2	149.0	<0.002	0.02	0.46	4.0	1	1.8	54.8	1.35	<0.05	17.0	0.076	0.63	4.5
I345627		9.2	146.5	<0.002	0.01	0.52	4.1	1	2.0	90.3	1.30	<0.05	17.1	0.075	0.68	3.7
I345628		24.1	146.5	<0.002	0.08	0.60	3.4	2	2.5	76.0	1.34	<0.05	16.3	0.077	0.71	4.2
I345629		15.4	134.0	<0.002	0.27	0.32	4.3	2	6.6	54.1	1.29	<0.05	17.0	0.074	0.58	4.4
I345630		8.0	140.0	<0.002	0.04	0.45	4.0	1	1.8	58.5	1.39	<0.05	16.9	0.076	0.67	4.6
I345631		8.7	150.0	<0.002	0.07	0.50	4.2	1	2.5	61.3	1.37	<0.05	18.2	0.080	0.72	4.9
I345632		7.3	155.0	<0.002	0.02	0.52	4.0	1	1.8	66.3	1.34	<0.05	17.8	0.081	0.76	4.1
I345633		12.2	138.5	<0.002	0.10	0.39	4.1	2	4.5	69.5	1.36	<0.05	17.3	0.083	0.67	4.7
I345634		6.8	150.0	<0.002	0.01	0.52	3.9	1	1.7	72.5	1.37	<0.05	18.3	0.074	0.73	4.4
I345635		7.8	141.0	<0.002	0.04	0.54	4.4	2	1.7	59.7	1.38	<0.05	18.0	0.078	0.66	4.7
I345636		115.0	129.0	<0.002	0.37	1.10	4.0	1	1.7	46.1	1.39	<0.05	17.7	0.071	0.60	6.4
I345637		9.7	140.0	<0.002	0.03	0.66	4.0	2	4.0	55.1	1.44	<0.05	18.3	0.071	0.65	5.2
I345638		6.8	155.0	<0.002	0.01	0.55	4.0	2	2.1	58.8	1.55	<0.05	19.4	0.071	0.71	5.1
I345639		17.5	227	0.002	0.72	0.78	9.5	2	25.1	33.5	1.75	<0.05	23.6	0.107	0.99	8.2
I345640		8.5	151.5	<0.002	0.03	0.61	3.8	2	3.0	60.8	1.37	<0.05	17.5	0.073	0.74	4.6
I345641		16.5	158.5	<0.002	0.04	0.54	6.7	2	10.8	48.6	1.22	<0.05	18.4	0.077	0.65	4.6
I345642		7.7	150.0	<0.002	<0.01	0.71	4.0	2	2.2	59.7	1.37	<0.05	17.8	0.071	0.70	4.5
I345643		8.6	149.0	<0.002	0.02	0.82	4.4	2	2.6	56.7	1.36	<0.05	18.9	0.075	0.70	4.4
I345644		9.3	150.5	<0.002	0.03	0.55	4.1	1	3.5	66.3	1.28	<0.05	16.2	0.073	0.72	4.4
I345645		7.2	141.5	<0.002	0.01	0.66	4.0	2	2.7	59.9	1.31	<0.05	17.2	0.072	0.68	3.4
I345646		14.0	145.5	<0.002	0.05	0.83	4.0	2	3.2	61.7	1.27	<0.05	16.3	0.076	0.71	4.6
I345647		34.0	135.5	<0.002	0.28	0.67	4.1	2	12.7	51.7	1.52	<0.05	17.8	0.079	0.61	5.0
I345648		10.2	156.5	<0.002	0.08	0.57	4.3	2	3.3	66.1	1.37	<0.05	17.7	0.083	0.78	4.5
I345649		12.7	146.5	<0.002	0.07	0.48	4.0	2	9.4	53.0	1.37	<0.05	17.3	0.077	0.70	4.1
I345650		12.5	154.0	<0.002	0.08	0.51	3.9	2	10.3	48.3	1.37	<0.05	18.2	0.075	0.65	4.8
I345651		12.4	131.0	<0.002	0.13	0.47	3.8	2	8.2	55.0	1.38	<0.05	17.5	0.078	0.68	4.5
I345652		11.9	159.0	<0.002	0.50	0.57	6.1	4	28.2	38.7	1.43	<0.05	23.7	0.077	0.60	4.7
I345653		18.5	141.0	<0.002	0.05	0.55	3.8	2	4.1	70.2	1.13	<0.05	16.2	0.077	0.64	3.9
I345654		7.9	125.0	<0.002	0.03	0.60	3.8	2	2.1	65.8	1.53	<0.05	18.8	0.073	0.70	5.3
I345655		8.8	141.0	<0.002	0.03	0.55	3.7	2	1.9	56.8	1.45	<0.05	19.0	0.073	0.70	4.7
I345656		7.2	142.0	<0.002	0.05	0.52	3.6	2	1.8	54.8	1.32	<0.05	19.2	0.076	0.70	4.8
I345657		15.6	94.5	<0.002	0.23	0.62	3.8	2	1.8	45.8	1.27	<0.05	16.9	0.075	0.61	4.3
I345658		14.0	103.0	<0.002	0.18	0.61	3.9	2	1.7	47.4	1.40	<0.05	18.5	0.074	0.61	5.0
I345659		14.5	108.0	<0.002	0.69	0.56	3.7	2	1.5	45.1	0.93	<0.05	18.5	0.061	0.56	4.7
I345660		8.3	125.5	<0.002	0.89	1.59	3.2	2	5.6	12.9	1.06	<0.05	14.2	0.065	0.42	3.7
I345661		10.4	137.5	<0.002	1.62	0.61	3.6	2	9.3	31.2	1.44	<0.05	17.9	0.075	0.46	4.9
I345662		16.2	107.5	<0.002	0.62	0.68	2.9	2	1.8	54.0	1.13	<0.05	16.1	0.049	0.53	5.3
I345663		15.2	84.5	<0.002	1.06	0.69	3.8	2	4.5	50.4	1.40	<0.05	19.0	0.070	0.58	4.8
I345664		10.8	126.5	<0.002	0.88	0.30	4.6	2	25.1	37.7	1.53	<0.05	19.9	0.091	0.53	5.0
I345665		7.0	143.5	<0.002	0.46	0.40	4.2	2	12.2	25.9	1.13	<0.05	16.7	0.072	0.47	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345626		3	1.3	21.2	25	152.5
I345627		3	1.5	23.1	33	163.5
I345628		3	1.6	20.9	83	164.5
I345629		3	3.5	25.0	149	151.0
I345630		3	1.6	21.3	45	157.0
I345631		3	1.4	22.5	38	157.0
I345632		3	1.4	22.4	22	166.0
I345633		3	2.5	23.8	51	154.5
I345634		3	1.8	23.3	23	179.5
I345635		3	1.7	23.3	29	163.0
I345636		3	3.3	19.6	174	158.0
I345637		2	1.9	22.9	22	155.5
I345638		3	1.8	29.1	32	163.0
I345639		5	10.2	55.6	165	217
I345640		2	1.6	25.8	46	156.5
I345641		5	7.0	29.8	122	138.0
I345642		3	1.7	23.4	33	167.5
I345643		3	1.7	21.9	31	166.0
I345644		3	1.6	21.6	44	150.0
I345645		3	1.8	21.1	27	150.5
I345646		3	1.8	22.4	62	159.5
I345647		3	4.3	28.4	113	165.5
I345648		3	2.1	25.1	51	157.5
I345649		3	3.1	29.8	58	162.5
I345650		3	3.1	28.5	55	136.5
I345651		2	3.2	25.6	180	124.0
I345652		3	6.1	68.1	1200	136.5
I345653		3	2.5	24.3	87	138.5
I345654		3	2.3	24.2	35	144.0
I345655		2	2.5	22.9	37	130.5
I345656		3	2.5	23.5	28	138.0
I345657		3	4.0	19.9	37	133.0
I345658		3	3.0	19.2	27	139.0
I345659		3	5.6	17.4	18	137.0
I345660		3	7.0	11.6	20	106.0
I345661		3	9.1	16.8	51	138.0
I345662		2	3.5	16.9	12	140.5
I345663		3	4.7	17.7	15	154.5
I345664		3	9.3	21.8	40	154.0
I345665		3	9.0	18.5	42	127.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345666		0.54	0.032	0.13	5.98	21.9	850	2.37	0.09	0.57	0.12	89.6	2.9	3	0.90	13.2
I345667		0.47	0.017	0.09	5.91	62.4	920	1.44	0.08	0.51	0.08	79.9	2.4	6	0.83	11.2
I345668		0.57	0.073	0.10	5.82	135.0	970	1.49	0.05	0.53	0.09	77.5	2.6	5	0.89	7.5
I345669		0.65	0.013	0.02	5.85	169.5	1070	2.43	0.04	0.61	0.08	78.8	4.2	4	0.90	3.9
I345670		0.59	0.015	0.04	6.32	103.5	1130	2.29	0.03	0.26	0.03	84.0	7.9	3	1.24	3.9
I345671		0.70	0.175	0.06	5.86	507	1020	2.23	0.05	0.28	0.05	77.4	17.9	2	1.20	7.7
I345672		0.50	0.012	0.03	6.06	141.0	860	2.03	0.03	0.48	0.05	82.0	2.2	5	1.25	1.1
I345673		1.12	<0.005	0.01	5.94	52.0	660	1.71	0.03	0.42	0.03	87.3	1.6	6	1.10	0.8
I345674		1.10	0.009	0.04	5.85	50.3	640	1.77	0.03	0.24	0.04	78.7	1.7	6	1.18	2.5
I345675		0.03	0.561	0.71	7.72	4.2	90	2.34	0.90	0.80	0.14	13.65	7.9	25	30.4	10.1
I345676		1.75	<0.005	0.05	5.92	22.1	590	1.75	0.03	0.44	0.02	79.6	1.7	8	1.08	1.9
I345677		1.66	<0.005	0.02	5.86	18.3	600	1.81	0.03	0.40	<0.02	82.9	1.3	8	1.05	1.8
I345678		1.58	<0.005	0.02	5.69	18.1	580	1.67	0.02	0.42	<0.02	77.3	1.4	6	0.92	1.2
I345679		1.55	0.048	0.16	5.99	48.9	610	1.94	0.04	0.45	0.05	84.5	1.7	6	0.95	4.7
I345680		1.70	0.005	0.04	5.74	46.0	580	1.89	0.03	0.41	<0.02	75.9	1.7	8	0.99	2.2
I345681		1.41	1.475	0.08	5.80	40.6	560	1.83	0.03	0.45	0.05	82.6	1.6	6	1.02	4.3
I345682		1.24	<0.005	0.04	5.61	21.8	560	2.20	0.03	0.39	<0.02	81.7	1.5	5	1.06	1.0
I345683		0.43	<0.005	0.04	5.98	41.9	570	2.73	0.05	0.55	<0.02	82.8	1.7	4	1.45	3.4
I345684		1.45	1.600	0.06	6.07	22.4	580	2.32	0.05	0.45	<0.02	87.1	1.7	6	1.21	1.3
I345685		1.42	<0.005	0.07	5.66	18.5	530	2.00	0.03	0.42	<0.02	84.7	1.4	8	0.94	1.5
I345686		1.42	0.010	0.07	6.02	55.6	630	1.63	0.09	0.45	0.08	112.5	2.5	11	1.35	11.1
I345687		1.44	0.017	0.01	6.11	30.6	640	1.81	0.06	0.37	0.04	104.0	3.2	8	1.27	3.3
I345688		1.47	<0.005	<0.01	6.01	27.7	640	1.58	0.05	0.46	0.02	109.0	1.8	9	1.20	4.1
I345689		0.99	0.011	0.02	6.14	37.9	630	1.80	0.06	0.51	0.02	106.5	2.9	9	1.23	5.0
I345690		0.76	<0.005	<0.01	6.16	48.6	630	1.96	0.08	0.50	0.04	100.5	2.5	10	1.28	11.1
I345691		0.56	0.048	<0.01	6.00	77.7	630	1.97	0.08	0.50	0.03	107.5	1.3	6	0.99	4.6
I345692		0.45	0.042	0.03	6.38	48.6	740	1.91	0.11	0.16	0.04	103.5	4.4	4	1.03	19.8
I345693		0.44	0.272	0.02	6.15	53.9	560	2.45	0.07	0.04	<0.02	85.9	4.8	4	1.32	13.1
I345694		0.54	0.103	0.02	6.22	51.3	840	1.98	0.11	0.24	<0.02	109.5	2.2	5	1.07	17.5
I345695		0.64	1.075	0.36	5.41	1080	710	1.63	0.51	0.11	0.27	76.4	2.1	8	1.02	17.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345666		1.49	13.95	0.21	5.1	0.089	3.26	42.7	16.6	0.06	292	1.23	1.42	13.4	0.6	60
I345667		1.13	13.40	0.18	4.8	0.027	2.99	38.2	9.3	0.03	240	1.75	1.76	12.9	0.2	70
I345668		1.12	12.65	0.17	4.2	0.045	3.64	38.0	8.4	0.04	423	2.90	1.80	12.3	<0.2	70
I345669		1.42	13.30	0.19	4.8	0.041	2.98	38.3	9.0	0.02	355	2.91	1.82	14.1	0.2	60
I345670		4.42	17.05	0.24	4.8	0.165	3.41	40.7	29.0	0.08	569	1.00	0.35	14.4	1.5	60
I345671		4.36	16.00	0.24	4.5	0.147	3.08	37.4	26.6	0.07	386	1.44	0.42	13.3	1.4	60
I345672		1.24	14.55	0.20	5.3	0.016	3.02	40.3	8.2	0.04	379	1.49	2.04	14.3	<0.2	60
I345673		1.07	14.00	0.18	4.7	0.006	3.08	41.5	7.6	0.04	265	1.49	2.21	12.4	<0.2	70
I345674		1.10	14.05	0.17	4.4	0.010	2.86	38.6	8.4	0.04	156	1.25	2.25	12.9	<0.2	80
I345675		3.29	17.20	0.19	1.3	0.008	2.05	6.6	7.3	0.68	221	0.92	5.36	7.8	25.0	650
I345676		1.05	14.20	0.20	4.8	0.005	3.42	39.0	6.7	0.04	199	1.35	2.32	12.5	<0.2	70
I345677		1.04	13.50	0.17	4.8	0.008	3.17	40.8	6.8	0.04	168	0.99	2.33	13.1	<0.2	80
I345678		1.03	12.60	0.16	4.5	0.008	2.78	36.9	6.8	0.04	183	1.24	2.34	11.6	<0.2	60
I345679		1.02	15.15	0.22	5.0	0.007	3.54	40.6	13.3	0.04	206	1.71	2.36	14.6	<0.2	60
I345680		0.98	14.25	0.20	4.9	0.010	3.05	37.1	8.5	0.04	181	1.25	2.33	13.2	<0.2	70
I345681		0.99	14.00	0.20	4.4	0.009	3.22	40.4	10.4	0.04	200	1.49	2.36	13.5	<0.2	70
I345682		0.98	14.05	0.22	5.0	0.008	3.28	38.8	7.5	0.04	171	1.38	2.30	13.9	<0.2	60
I345683		1.22	16.45	0.23	5.0	0.021	2.88	40.6	10.5	0.06	208	2.26	2.61	14.4	<0.2	60
I345684		1.07	15.50	0.25	5.3	0.009	3.46	43.1	7.9	0.04	164	2.51	2.51	15.1	<0.2	70
I345685		0.94	14.00	0.24	5.3	0.008	3.28	41.0	6.7	0.04	137	2.28	2.36	14.2	<0.2	50
I345686		1.13	17.40	0.16	5.2	0.015	3.64	53.4	11.1	0.07	180	1.56	2.53	16.0	4.6	80
I345687		1.14	17.75	0.20	5.5	0.012	3.64	48.8	9.2	0.06	172	1.49	2.43	15.8	2.3	70
I345688		1.09	17.00	0.20	5.3	0.011	3.60	51.6	8.7	0.06	176	1.47	2.49	14.1	1.2	80
I345689		1.08	17.35	0.22	5.1	0.011	3.60	49.4	7.9	0.06	190	1.48	2.57	16.1	1.6	80
I345690		1.16	18.20	0.21	5.2	0.017	3.62	46.8	10.3	0.07	182	1.41	2.54	16.7	1.8	80
I345691		0.88	16.60	0.23	5.2	0.011	3.69	50.1	6.8	0.06	168	1.34	2.33	16.1	1.2	60
I345692		1.03	17.10	0.21	5.4	0.024	3.59	49.8	20.6	0.07	72	2.06	2.14	16.5	1.7	90
I345693		1.31	20.1	0.20	5.3	0.049	3.47	40.4	48.5	0.13	78	1.87	0.21	15.7	1.1	50
I345694		0.89	16.95	0.23	4.9	0.036	3.97	51.9	21.6	0.07	86	2.78	1.44	14.8	0.9	70
I345695		1.22	15.25	0.18	4.7	0.034	3.53	36.5	20.2	0.07	68	2.26	0.92	11.9	1.2	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345666		12.3	129.0	<0.002	0.53	0.45	4.0	2	4.5	50.8	1.24	<0.05	17.1	0.072	0.50	4.1
I345667		16.0	86.3	<0.002	0.39	0.60	3.5	2	1.9	45.7	1.28	<0.05	16.8	0.073	0.59	4.9
I345668		13.3	115.0	<0.002	0.24	0.57	3.3	2	2.6	46.2	1.20	<0.05	15.5	0.074	0.54	4.1
I345669		13.7	98.1	<0.002	0.13	0.56	3.2	2	3.2	55.8	1.28	<0.05	16.6	0.073	0.57	4.6
I345670		6.5	167.0	<0.002	0.10	0.37	3.9	2	14.1	19.3	1.24	<0.05	18.6	0.078	0.59	5.0
I345671		7.3	152.0	<0.002	0.21	0.42	4.1	2	12.9	20.6	1.18	<0.05	17.1	0.072	0.52	4.3
I345672		10.6	98.9	<0.002	0.02	0.61	3.8	2	2.3	56.1	1.37	<0.05	17.7	0.074	0.69	4.5
I345673		7.7	94.9	<0.002	0.02	0.59	3.6	2	1.4	46.5	1.16	<0.05	18.5	0.068	0.61	4.0
I345674		7.5	91.9	<0.002	0.04	0.71	3.8	2	1.5	44.4	1.17	<0.05	15.9	0.073	0.60	3.5
I345675		66.5	760	<0.002	2.45	1.21	3.2	1	1.0	145.0	0.65	<0.05	2.4	0.207	7.64	1.1
I345676		7.6	129.0	<0.002	0.02	0.57	3.7	2	1.4	41.3	1.21	<0.05	16.8	0.067	0.56	3.7
I345677		6.4	106.0	<0.002	0.01	0.54	3.6	2	1.4	40.5	1.22	<0.05	16.5	0.068	0.51	3.7
I345678		5.7	89.0	<0.002	0.01	0.46	3.4	1	1.4	35.1	1.11	<0.05	15.5	0.072	0.45	3.4
I345679		29.7	139.5	<0.002	0.11	0.67	3.9	2	1.6	39.0	1.37	<0.05	18.4	0.073	0.55	4.8
I345680		6.3	107.0	<0.002	0.02	0.60	3.7	2	1.5	42.7	1.14	<0.05	16.9	0.066	0.54	4.0
I345681		24.6	115.0	<0.002	0.05	0.65	3.6	2	1.5	41.6	1.20	<0.05	16.6	0.071	0.48	4.1
I345682		6.0	137.5	<0.002	<0.01	0.59	3.6	2	1.5	39.0	1.28	<0.05	17.2	0.067	0.51	4.0
I345683		10.2	137.5	<0.002	0.02	0.62	5.4	2	2.4	45.6	1.24	<0.05	18.7	0.075	0.50	5.2
I345684		7.2	155.0	<0.002	0.01	0.63	4.1	2	1.5	42.2	1.45	<0.05	19.5	0.075	0.57	4.9
I345685		6.2	143.0	<0.002	<0.01	0.54	3.5	2	1.4	36.5	1.35	<0.05	18.1	0.068	0.51	4.6
I345686		31.6	152.5	<0.002	0.09	1.07	4.4	2	1.6	48.0	1.30	<0.05	19.5	0.079	0.63	4.7
I345687		14.1	154.0	<0.002	0.02	0.77	4.6	2	1.6	47.1	1.39	<0.05	20.3	0.074	0.63	4.6
I345688		11.2	149.0	<0.002	0.04	0.69	4.3	2	1.5	46.2	1.19	<0.05	18.3	0.078	0.60	4.0
I345689		11.2	144.0	<0.002	0.05	0.74	4.4	2	1.4	52.6	1.28	<0.05	19.2	0.078	0.63	4.6
I345690		15.3	140.5	<0.002	0.10	0.83	4.8	2	1.6	52.8	1.49	<0.05	20.8	0.084	0.62	5.1
I345691		7.8	131.0	<0.002	0.04	0.70	3.9	2	1.2	56.7	1.54	<0.05	24.8	0.069	0.58	5.0
I345692		15.1	134.0	<0.002	0.36	0.96	4.7	2	1.7	42.3	1.45	<0.05	20.9	0.082	0.57	7.4
I345693		8.0	169.0	<0.002	0.24	0.62	4.3	1	2.8	8.5	1.36	<0.05	19.7	0.078	0.56	5.1
I345694		11.1	154.0	<0.002	0.27	0.64	4.3	2	2.0	38.7	1.29	<0.05	22.2	0.067	0.61	6.2
I345695		92.9	134.0	<0.002	0.64	1.41	3.7	1	1.6	25.0	1.07	<0.05	17.5	0.057	0.54	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345666		3	6.2	23.4	34	140.5
I345667		3	4.0	19.0	27	127.5
I345668		3	6.6	19.6	41	110.5
I345669		3	5.2	20.6	33	136.0
I345670		3	9.2	27.2	42	134.0
I345671		3	8.1	23.1	44	122.0
I345672		3	1.9	21.4	39	147.0
I345673		3	1.4	19.2	26	129.0
I345674		3	1.6	18.3	24	127.0
I345675		26	0.3	4.0	37	44.0
I345676		3	2.1	17.2	13	123.0
I345677		3	1.5	20.0	12	136.5
I345678		3	1.3	17.4	13	120.5
I345679		3	3.7	19.6	26	137.0
I345680		3	2.0	20.8	13	131.5
I345681		3	1.6	18.6	21	122.0
I345682		3	1.5	20.7	13	139.5
I345683		4	1.7	24.0	15	140.5
I345684		3	1.8	24.4	14	143.5
I345685		3	1.8	20.3	12	135.5
I345686		3	2.1	22.8	31	176.5
I345687		4	1.6	24.4	18	170.0
I345688		4	1.5	21.3	14	166.0
I345689		3	1.4	22.5	14	166.0
I345690		4	1.6	22.1	16	165.5
I345691		3	1.2	22.2	10	159.5
I345692		4	3.5	17.4	14	166.5
I345693		3	7.5	11.9	12	169.5
I345694		3	4.8	16.3	5	163.5
I345695		3	5.3	14.4	76	136.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192533

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.