ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

CERTIFICATE TB11017975

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 95 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 4-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594296		1.80	<0.005	0.07	6.83	114.5	610	1.39	0.17	1.50	0.15	68.0	4.2	18	2.45	10.3
J594297		1.91	<0.005	0.08	6.97	97.4	670	1.51	0.17	1.56	0.08	80.4	5.7	21	2.97	8.7
J594298		1.88	<0.005	0.06	7.09	13.8	660	1.62	0.13	1.60	0.05	70.1	6.1	18	3.26	6.9
J594299		0.81	<0.005	0.06	6.70	20.6	640	1.47	0.14	1.53	0.05	77.7	6.2	19	3.00	8.2
J594300		0.93	<0.005	0.07	6.90	23.3	640	1.46	0.12	1.54	0.06	71.4	6.5	18	3.00	7.9
J594301		1.90	<0.005	0.05	6.86	14.1	680	1.44	0.11	1.55	0.05	69.1	5.9	21	2.97	7.4
J594302		1.99	<0.005	0.06	6.98	2.9	640	1.43	0.12	1.58	0.04	80.9	6.0	22	3.19	7.4
J594303		1.76	0.006	0.07	7.12	67.2	620	1.50	0.16	1.65	0.05	68.6	6.0	19	3.38	7.5
J594304		1.87	0.005	0.07	6.83	45.9	700	1.30	0.15	1.69	0.07	60.6	5.5	18	2.72	7.2
J594305		1.92	<0.005	0.06	7.34	10.3	660	1.46	0.13	2.03	0.06	71.8	8.1	22	3.00	10.9
J594306		2.01	<0.005	0.06	7.42	18.6	710	1.44	0.14	2.00	0.06	78.5	8.3	23	3.22	10.1
J594307		1.88	<0.005	0.04	7.56	1.8	770	1.46	0.13	2.00	0.05	73.8	7.3	22	2.78	9.3
J594308		2.03	<0.005	0.04	7.35	3.6	720	1.31	0.12	1.89	0.05	74.8	7.3	27	2.87	9.7
J594309		1.97	<0.005	0.06	7.00	22.5	690	1.39	0.14	1.77	0.08	71.4	6.7	21	2.87	8.9
J594310		1.93	<0.005	0.05	7.10	4.3	730	1.45	0.12	1.86	0.08	71.8	7.2	22	2.94	9.1
J594311		1.22	<0.005	0.05	7.38	1.3	730	1.37	0.12	1.97	0.06	78.9	7.8	22	3.29	9.8
J594312		0.82	<0.005	0.05	6.91	2.8	630	1.58	0.14	1.63	0.04	68.2	6.2	19	4.04	8.8
J594313		1.84	<0.005	0.05	7.32	30.9	710	1.31	0.14	1.93	0.04	76.8	7.2	23	3.26	8.5
J594314		1.98	<0.005	0.06	7.14	29.2	690	1.34	0.13	1.84	0.06	71.9	7.3	22	3.02	8.5
J594315		1.83	<0.005	0.05	7.21	15.4	670	1.55	0.15	1.85	0.03	77.2	7.6	24	3.08	12.6
J594316		1.86	<0.005	0.03	7.53	14.7	740	1.74	0.16	1.91	0.05	75.6	7.5	22	3.24	11.1
J594317		1.34	<0.005	0.05	7.10	5.2	660	1.58	0.12	1.85	0.04	72.4	7.1	21	2.99	8.3
J594318		0.74	<0.005	0.06	7.20	15.7	650	1.56	0.14	1.80	0.04	79.9	7.2	22	3.01	12.7
J594319		0.92	0.010	0.17	7.03	22.1	570	2.38	0.15	1.47	0.05	66.7	6.1	19	2.45	58.4
J594320		0.83	<0.005	0.10	7.26	14.5	690	1.37	0.17	1.95	0.06	76.4	8.3	21	3.23	24.9
J594321		1.98	<0.005	0.05	7.37	5.0	690	1.48	0.12	1.98	0.05	82.4	8.0	24	2.99	11.8
J594322		2.01	<0.005	0.05	6.61	4.6	720	1.39	0.11	1.80	0.05	67.7	7.8	22	2.60	18.4
J594323		2.01	<0.005	0.03	7.15	4.3	690	1.42	0.11	1.85	0.04	78.6	7.7	23	2.98	10.9
J594324		1.94	<0.005	0.07	7.25	14.9	680	1.36	0.14	2.02	0.07	81.1	10.5	23	3.10	17.2
J594325		0.03	0.598	0.79	8.33	3.8	100	2.28	1.32	0.92	0.15	16.00	8.4	28	32.6	10.9
J594326		1.98	<0.005	0.05	7.27	7.3	680	1.39	0.14	1.92	0.04	78.9	7.8	22	3.21	14.3
J594327		1.92	<0.005	0.06	7.28	1.6	720	1.45	0.11	1.94	0.07	89.9	8.0	22	2.95	10.2
J594328		1.92	<0.005	0.10	7.28	2.0	700	1.34	0.11	1.95	0.05	84.7	7.9	25	3.01	9.1
J594329		1.94	<0.005	0.05	7.29	4.7	720	1.45	0.14	2.00	0.06	83.2	8.2	24	3.34	10.3
J594330		1.87	<0.005	0.04	7.37	5.2	730	1.45	0.14	1.91	0.06	87.3	7.9	22	3.31	9.8
J594331		1.92	<0.005	0.10	7.30	3.3	680	1.53	0.12	1.99	0.05	84.6	8.0	23	3.14	10.3
J594332		1.96	<0.005	0.03	7.38	5.3	710	1.40	0.11	1.94	0.05	77.6	7.6	22	2.95	11.3
J594333		1.24	<0.005	0.04	7.10	13.6	620	1.79	0.15	1.71	0.04	69.7	7.5	22	3.00	14.8
J594334		1.56	<0.005	0.06	6.57	25.6	430	2.00	0.11	0.85	0.06	41.2	2.3	11	1.63	9.1
J594335		0.55	0.019	0.12	6.11	1590	420	1.41	0.23	0.77	0.06	36.1	12.2	14	0.79	26.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594296		1.80	16.05	0.18	4.4	0.031	2.71	33.7	19.9	0.49	335	0.37	3.03	9.7	12.9	460
J594297		2.01	16.35	0.18	4.7	0.027	2.89	42.4	22.4	0.52	373	0.39	2.80	10.0	12.6	420
J594298		2.11	16.65	0.19	4.7	0.034	2.93	37.9	22.1	0.54	390	0.62	2.79	12.0	13.4	450
J594299		2.00	16.45	0.19	4.2	0.027	2.89	40.0	18.7	0.51	369	1.57	2.64	10.3	13.7	400
J594300		1.98	16.10	0.15	3.9	0.030	2.93	38.1	18.5	0.51	369	0.46	2.72	10.4	13.0	410
J594301		2.03	15.65	0.15	4.3	0.027	2.94	36.7	18.9	0.54	366	0.54	2.75	9.8	13.0	420
J594302		2.05	15.50	0.17	4.5	0.025	2.82	45.9	19.1	0.54	375	0.49	2.68	9.6	13.0	430
J594303		2.18	16.15	0.17	5.6	0.029	2.71	36.0	25.6	0.55	382	0.40	2.83	10.7	12.4	470
J594304		2.02	15.75	0.17	4.7	0.027	2.84	31.8	24.5	0.53	369	2.51	2.71	9.7	12.8	430
J594305		2.38	17.55	0.19	4.5	0.039	2.45	38.2	28.5	0.66	409	0.60	2.92	10.4	16.2	540
J594306		2.55	17.10	0.19	5.1	0.031	2.51	40.8	27.5	0.71	436	0.47	2.93	11.4	16.3	580
J594307		2.46	16.80	0.19	4.9	0.035	2.55	39.5	24.1	0.67	423	1.24	2.92	10.7	14.9	560
J594308		2.37	16.65	0.21	5.1	0.030	2.66	39.6	25.2	0.64	409	0.85	2.86	10.3	16.3	530
J594309		2.23	15.95	0.20	4.0	0.030	2.52	36.7	24.1	0.58	383	2.70	2.81	10.3	13.7	490
J594310		2.31	16.40	0.19	5.3	0.033	2.56	39.8	22.5	0.63	407	0.55	2.78	10.4	14.4	530
J594311		2.45	17.45	0.18	4.5	0.034	2.58	41.2	22.9	0.67	432	1.05	2.93	10.6	16.2	560
J594312		2.13	15.90	0.17	4.4	0.027	2.61	34.8	22.9	0.53	379	2.97	2.73	11.7	12.2	460
J594313		2.45	16.45	0.19	5.0	0.035	2.55	41.3	31.5	0.67	419	12.95	2.86	10.6	14.8	560
J594314		2.39	16.40	0.19	4.9	0.032	2.56	37.6	34.0	0.65	405	10.50	2.88	10.6	14.4	530
J594315		2.33	17.00	0.20	5.0	0.030	2.57	38.5	30.4	0.63	398	1.15	2.84	11.1	14.7	530
J594316		2.42	17.75	0.19	5.4	0.038	2.68	40.0	32.7	0.67	399	0.96	2.92	11.8	15.8	550
J594317		2.34	16.65	0.19	4.9	0.031	2.54	36.0	33.1	0.63	407	0.77	2.77	12.5	14.2	530
J594318		2.35	16.80	0.20	4.6	0.032	2.55	40.8	29.6	0.64	406	2.61	2.86	12.0	15.5	570
J594319		2.24	16.35	0.15	6.2	0.022	2.44	31.5	19.8	0.53	309	5.02	2.93	20.7	14.4	460
J594320		2.51	17.05	0.19	4.8	0.033	2.55	41.3	31.1	0.67	435	3.30	2.71	11.1	16.6	560
J594321		2.51	18.20	0.18	5.4	0.035	2.57	39.3	30.8	0.69	433	3.19	2.96	10.8	16.7	560
J594322		2.37	16.85	0.15	4.5	0.032	2.69	33.1	24.4	0.60	406	7.65	2.78	10.1	15.4	520
J594323		2.44	17.40	0.16	4.8	0.031	2.53	36.2	25.6	0.65	418	5.37	2.87	10.6	15.3	540
J594324		2.53	17.25	0.18	4.5	0.030	2.58	39.3	30.8	0.69	439	1.37	2.96	10.6	17.2	590
J594325		3.50	19.10	0.13	1.4	0.014	2.08	7.5	7.1	0.68	249	0.90	5.54	7.6	30.0	680
J594326		2.47	17.70	0.18	4.4	0.035	2.54	37.9	29.7	0.69	432	40.3	2.92	10.3	16.5	570
J594327		2.47	17.90	0.20	4.9	0.030	2.59	42.3	23.7	0.69	423	1.30	2.90	10.6	16.9	570
J594328		2.50	17.65	0.20	4.5	0.035	2.54	41.1	25.4	0.72	429	1.09	2.88	10.0	17.2	550
J594329		2.48	18.00	0.14	4.9	0.031	2.61	38.5	34.5	0.70	431	1.33	2.97	10.5	17.0	590
J594330		2.44	17.60	0.18	4.8	0.028	2.60	43.3	33.1	0.68	418	1.33	2.93	10.7	16.8	550
J594331		2.50	18.45	0.18	5.4	0.038	2.49	40.2	31.7	0.68	425	1.11	2.96	11.2	16.6	580
J594332		2.46	17.70	0.18	5.1	0.034	2.58	36.9	32.9	0.67	418	1.00	2.88	10.8	15.7	560
J594333		2.20	17.70	0.17	5.2	0.027	2.72	33.5	36.9	0.60	388	3.89	2.96	11.8	14.2	480
J594334		0.94	15.50	0.15	4.4	0.012	3.76	18.5	10.7	0.20	159	0.89	2.69	10.5	3.6	160
J594335		1.31	14.25	0.15	3.6	0.016	2.62	16.0	10.8	0.27	175	0.33	2.58	8.5	8.3	170

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594296		21.2	108.0	<0.002	0.07	0.30	6.0	<1	2.0	180.5	0.98	<0.05	14.1	0.212	0.55	3.6
J594297		18.3	122.5	<0.002	0.04	0.21	6.2	<1	2.0	180.0	0.99	<0.05	15.4	0.218	0.64	4.1
J594298		19.5	138.0	<0.002	0.01	0.08	6.6	1	2.2	179.0	1.18	<0.05	17.0	0.227	0.71	4.5
J594299		19.6	124.0	<0.002	0.04	0.05	6.1	2	2.0	168.0	0.98	<0.05	14.6	0.209	0.70	3.8
J594300		18.9	127.5	<0.002	0.04	0.08	6.1	1	2.0	172.0	1.03	<0.05	13.7	0.213	0.67	3.9
J594301		20.0	124.0	<0.002	0.01	0.08	5.8	1	1.9	173.0	0.96	<0.05	13.7	0.213	0.69	3.7
J594302		19.2	125.0	<0.002	0.01	<0.05	6.0	<1	2.0	173.5	1.03	<0.05	15.4	0.216	0.71	4.3
J594303		17.1	116.5	<0.002	0.01	0.19	6.5	1	2.2	189.5	1.07	<0.05	13.3	0.233	0.64	4.1
J594304		19.4	110.0	0.002	0.04	0.13	6.1	<1	2.0	185.5	0.89	<0.05	12.4	0.221	0.60	3.4
J594305		15.1	105.0	<0.002	0.01	0.13	7.4	1	2.2	230	0.86	<0.05	11.9	0.262	0.58	3.2
J594306		17.6	108.0	<0.002	0.01	0.12	7.9	<1	2.3	227	1.08	<0.05	13.6	0.285	0.62	3.8
J594307		15.6	103.5	<0.002	0.01	0.05	7.4	1	2.1	231	1.00	<0.05	12.8	0.274	0.58	3.9
J594308		16.6	103.5	<0.002	0.01	0.06	7.3	1	2.1	218	0.88	<0.05	12.2	0.264	0.59	3.4
J594309		21.1	111.5	<0.002	0.01	0.11	6.7	1	2.2	200	0.92	<0.05	12.8	0.247	0.57	3.5
J594310		21.6	109.5	<0.002	0.01	<0.05	7.1	1	2.2	213	0.94	<0.05	12.9	0.261	0.60	3.6
J594311		18.6	110.0	<0.002	0.01	<0.05	7.8	<1	2.3	229	0.89	<0.05	12.3	0.275	0.64	3.2
J594312		18.3	134.0	0.002	<0.01	0.07	6.3	1	2.5	182.5	1.21	<0.05	15.6	0.232	0.71	4.9
J594313		15.2	113.5	0.002	0.01	0.11	7.5	<1	2.3	217	0.89	<0.05	12.9	0.273	0.62	3.5
J594314		15.6	106.5	0.002	0.01	0.15	7.2	1	2.2	210	1.02	<0.05	12.9	0.268	0.61	3.6
J594315		15.6	115.0	0.002	0.05	0.24	7.3	1	2.4	199.0	1.11	<0.05	14.2	0.258	0.60	4.2
J594316		17.3	123.0	<0.002	0.05	0.28	7.9	1	2.5	217	1.16	<0.05	14.0	0.271	0.69	4.6
J594317		15.2	108.5	<0.002	0.01	0.08	7.0	1	2.3	207	1.34	<0.05	16.0	0.264	0.63	5.4
J594318		16.2	115.0	<0.002	0.06	0.19	7.6	<1	2.5	203	1.12	<0.05	14.4	0.275	0.60	4.3
J594319		32.2	95.1	0.002	0.20	0.22	6.0	<1	2.4	189.5	3.44	<0.05	21.9	0.243	0.50	8.8
J594320		15.8	111.5	<0.002	0.08	0.16	7.5	1	2.2	212	0.97	<0.05	13.3	0.275	0.61	3.6
J594321		15.6	116.5	0.002	0.02	0.20	7.9	1	2.3	219	0.88	<0.05	13.3	0.279	0.67	3.4
J594322		19.3	98.5	0.003	0.05	0.18	7.0	<1	2.1	201	0.85	<0.05	10.8	0.262	0.67	3.1
J594323		15.9	112.5	<0.002	0.02	0.17	7.3	1	2.1	214	0.95	<0.05	12.9	0.270	0.69	3.4
J594324		20.6	109.5	<0.002	0.10	0.28	7.9	<1	2.1	221	0.89	<0.05	13.3	0.280	0.70	3.3
J594325		75.6	790	<0.002	2.56	1.33	3.3	1	1.3	164.0	0.61	<0.05	2.6	0.213	9.72	1.3
J594326		15.2	112.5	0.006	0.03	0.18	7.7	1	2.2	218	0.84	<0.05	14.0	0.276	0.71	3.2
J594327		17.5	112.0	0.002	<0.01	0.14	7.9	<1	2.3	222	0.88	<0.05	13.7	0.278	0.69	3.2
J594328		16.0	111.0	<0.002	0.01	0.15	7.9	<1	2.2	222	0.82	<0.05	13.3	0.280	0.72	3.1
J594329		15.3	115.5	<0.002	0.03	0.23	7.9	1	2.4	228	0.90	<0.05	12.1	0.282	0.70	2.8
J594330		19.3	117.0	<0.002	0.03	0.27	7.9	1	2.3	217	0.89	<0.05	14.2	0.272	0.74	3.3
J594331		16.8	112.5	<0.002	<0.01	0.21	8.4	1	2.4	226	0.95	0.05	12.4	0.287	0.69	3.1
J594332		15.7	112.0	<0.002	0.02	0.22	7.9	2	2.2	220	0.92	<0.05	12.1	0.273	0.67	3.4
J594333		15.6	133.0	<0.002	0.08	0.32	7.0	1	2.5	185.5	1.18	<0.05	15.4	0.244	0.71	4.6
J594334		18.3	148.5	0.003	0.04	0.29	2.7	1	1.5	90.7	1.54	<0.05	23.9	0.104	0.68	7.4
J594335		23.9	90.4	<0.002	0.21	0.38	3.0	2	1.7	91.9	1.22	0.14	19.3	0.103	0.41	7.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594296		35	3.9	16.7	60	146.0
J594297		35	1.0	17.3	44	155.0
J594298		36	0.9	19.6	45	153.0
J594299		34	0.6	17.9	42	140.0
J594300		34	0.5	17.5	42	127.0
J594301		34	0.3	16.6	43	133.5
J594302		35	0.3	17.5	43	146.5
J594303		38	0.4	18.8	45	194.0
J594304		36	2.2	16.3	43	159.5
J594305		44	0.4	18.9	50	166.0
J594306		48	0.4	21.7	54	174.5
J594307		45	0.5	18.5	50	168.0
J594308		43	0.4	18.2	49	176.0
J594309		41	0.3	18.8	47	141.0
J594310		43	0.4	19.2	49	187.5
J594311		45	0.4	19.1	51	153.5
J594312		37	0.5	20.2	43	139.5
J594313		45	0.6	19.3	51	179.0
J594314		44	0.5	18.6	49	160.5
J594315		42	1.5	19.7	45	167.5
J594316		44	1.2	21.1	47	184.0
J594317		43	0.6	20.9	48	165.5
J594318		45	2.5	21.0	44	163.0
J594319		36	1.1	28.7	40	170.0
J594320		44	0.6	20.0	49	174.5
J594321		46	0.6	20.1	52	190.5
J594322		43	0.5	17.3	49	156.5
J594323		43	0.6	19.1	49	171.0
J594324		45	1.4	20.2	51	162.0
J594325		26	0.2	4.1	39	46.3
J594326		45	1.4	19.3	51	155.5
J594327		45	0.6	19.1	53	170.0
J594328		45	0.4	19.5	53	154.0
J594329		46	1.3	19.8	51	171.0
J594330		44	0.7	19.7	49	171.5
J594331		46	0.5	20.4	52	194.5
J594332		44	0.5	19.3	50	177.5
J594333		39	1.5	20.9	45	173.0
J594334		13	2.5	14.8	20	106.5
J594335		16	6.9	11.3	17	88.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594336		1.05	0.007	0.05	7.34	57.4	680	1.61	0.13	1.98	0.02	80.4	8.7	22	3.37	15.4
J594337		1.27	0.005	0.04	7.21	7.6	720	1.49	0.12	2.00	0.04	75.4	8.2	25	3.68	8.2
J594338		1.85	0.006	0.04	7.42	8.8	740	1.59	0.13	1.96	0.04	80.0	7.7	23	3.51	9.9
J594339		2.29	<0.005	0.05	7.44	2.0	720	1.71	0.12	1.98	0.04	84.4	7.6	22	4.29	8.4
J594340		1.94	0.005	0.05	7.37	1.5	730	1.49	0.13	2.01	0.06	79.6	7.7	23	3.69	8.9
J594341		1.33	0.006	0.12	7.47	3.1	740	1.60	0.14	1.99	0.05	77.5	7.5	21	3.71	8.7
J594342		1.00	<0.005	0.04	7.44	1.3	720	1.48	0.12	1.99	0.04	82.7	8.1	23	2.69	8.9
J594343		0.94	0.006	0.07	6.79	11.0	150	2.06	0.25	0.51	0.03	32.4	0.9	6	2.64	3.1
J594344		1.22	0.006	0.10	6.14	12.5	150	2.27	0.43	0.53	0.06	34.3	1.0	5	2.64	3.2
J594345		1.28	0.005	0.10	7.24	16.3	670	1.69	0.20	1.85	0.21	78.7	6.6	21	4.38	9.7
J594346		1.95	0.008	0.07	7.14	17.4	720	1.56	0.15	1.87	0.07	74.6	6.7	25	3.28	9.1
J594347		1.95	<0.005	0.04	7.29	1.3	740	1.61	0.11	1.97	0.04	80.4	8.1	24	3.05	9.0
J594348		1.92	<0.005	0.04	7.42	0.9	770	1.48	0.12	1.97	0.04	79.1	7.6	22	2.97	8.8
J594349		1.99	<0.005	0.06	7.15	3.4	740	1.41	0.12	1.90	0.04	85.8	7.4	21	3.19	8.4
J594350		0.07	0.006	0.06	6.72	2.3	910	1.09	0.16	1.37	0.08	31.1	2.3	13	1.76	4.3
J594351		1.97	0.005	0.08	7.03	0.8	730	1.30	0.12	1.93	0.05	72.9	7.4	24	2.95	9.2
J594352		1.93	<0.005	0.06	7.02	3.4	660	1.37	0.12	1.87	0.05	74.4	7.8	26	3.12	10.1
J594353		1.98	0.005	0.05	7.39	1.6	660	1.50	0.12	2.04	0.05	77.8	7.9	27	3.28	9.4
J594354		1.97	0.005	0.05	7.14	4.6	680	1.39	0.12	2.01	0.04	71.5	7.2	23	2.93	9.1
J594355		1.93	0.005	0.05	7.43	1.5	680	1.45	0.12	1.98	0.04	82.0	7.4	23	2.86	8.8
J594356		1.96	<0.005	0.05	7.40	10.9	730	1.41	0.12	1.96	0.04	79.0	7.8	24	3.20	8.5
J594357		1.06	0.009	0.09	7.09	16.0	600	1.98	0.09	1.59	0.05	68.3	6.1	18	2.86	9.3
J594358		0.90	0.009	0.10	7.05	62.9	560	2.13	0.25	1.36	0.14	66.8	6.0	18	3.08	9.7
J594359		1.91	0.005	0.07	7.47	2.8	740	1.35	0.05	1.97	0.06	89.9	8.4	24	3.24	9.0
J594360		1.92	<0.005	0.06	7.20	0.2	710	1.30	0.05	1.90	0.05	79.2	7.4	23	2.94	9.3
J594361		1.96	0.005	0.06	7.29	1.1	720	1.51	0.04	1.92	0.05	81.8	7.7	24	3.05	8.4
J594362		0.75	0.005	0.08	6.92	5.5	470	2.24	0.09	1.34	0.06	66.6	5.2	16	3.50	9.5
J594363		1.45	0.178	0.10	7.10	36.1	660	1.54	0.21	1.81	0.09	79.6	6.8	21	2.64	24.3
J594364		1.68	0.048	0.06	7.00	34.4	650	1.68	0.21	1.64	0.05	77.8	5.9	21	2.71	11.2
J594365		1.87	0.006	0.05	7.03	7.4	700	1.33	0.06	1.89	0.04	77.1	7.4	24	2.94	14.3
J594366		1.96	0.005	0.06	7.01	7.6	700	1.38	0.06	1.91	0.04	78.2	7.6	26	2.95	15.3
J594367		1.62	0.006	0.05	7.32	16.5	690	1.49	0.07	1.86	0.04	80.4	7.1	22	3.03	13.3
J594368		1.39	0.006	0.06	7.21	12.3	720	1.47	0.07	1.87	0.05	80.2	7.7	22	3.15	14.9
J594369		0.69	0.006	0.05	6.80	28.4	660	1.39	0.09	1.71	0.06	75.1	6.0	22	3.27	26.6
J594370		1.49	0.005	0.05	7.25	6.1	700	1.48	0.06	1.92	0.06	90.2	7.9	22	3.32	8.8
J594371		1.31	0.005	0.05	7.13	1.7	700	1.48	0.06	1.83	0.05	87.2	7.5	22	3.15	8.6
J594372		1.29	0.025	0.06	7.16	20.7	700	1.46	0.10	1.88	0.07	80.4	7.7	22	3.31	51.3
J594373		1.83	0.005	0.04	7.34	2.2	730	1.53	0.07	1.93	0.06	90.2	7.7	22	3.18	12.9
J594374		0.87	0.007	0.06	7.26	4.1	720	1.49	0.11	1.89	0.06	80.7	8.3	22	3.30	15.6
J594375		0.96	0.006	0.07	7.14	3.5	730	1.41	0.11	1.86	0.07	78.4	8.0	22	3.24	16.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594336		2.53	17.45	0.18	5.7	0.033	2.56	36.6	39.0	0.71	434	0.56	2.91	10.9	17.0	570
J594337		2.55	17.80	0.17	4.8	0.032	2.60	34.9	41.4	0.73	440	0.60	2.92	11.1	17.1	580
J594338		2.53	17.60	0.19	5.7	0.031	2.61	38.8	39.0	0.72	426	0.62	3.00	11.1	16.0	590
J594339		2.47	17.70	0.17	5.2	0.033	2.59	38.8	28.6	0.69	427	0.50	2.91	11.0	16.0	560
J594340		2.53	17.40	0.17	4.6	0.032	2.59	38.4	27.0	0.70	433	0.53	2.95	10.8	16.1	580
J594341		2.50	18.05	0.16	4.9	0.032	2.61	37.1	28.4	0.68	422	0.70	2.95	11.5	15.8	570
J594342		2.50	18.45	0.18	4.2	0.034	2.61	38.5	34.0	0.70	433	0.81	2.91	11.0	16.5	580
J594343		0.66	16.75	0.16	3.3	0.008	4.16	13.3	6.4	0.08	115	0.51	2.84	10.3	1.6	50
J594344		0.68	15.10	0.16	3.6	0.010	3.63	14.6	7.9	0.08	116	10.40	2.64	13.5	1.2	50
J594345		2.41	16.90	0.17	5.1	0.035	2.87	36.6	35.5	0.65	434	3.94	2.86	11.8	14.2	550
J594346		2.33	17.00	0.18	5.4	0.028	2.60	37.2	37.0	0.65	401	4.43	2.84	11.0	15.8	540
J594347		2.53	18.15	0.17	5.3	0.034	2.58	39.3	30.6	0.70	433	1.60	2.87	11.4	16.8	560
J594348		2.47	17.65	0.15	4.8	0.031	2.61	38.3	27.2	0.67	423	1.22	2.95	11.4	15.7	570
J594349		2.43	17.40	0.18	4.8	0.034	2.48	41.8	28.3	0.65	416	11.45	2.79	10.7	15.3	560
J594350		1.47	13.50	0.14	1.2	0.017	2.25	13.9	11.0	0.19	585	0.94	2.75	4.2	2.3	180
J594351		2.40	16.70	0.17	4.5	0.032	2.47	33.9	26.1	0.68	416	0.93	2.80	10.0	16.2	540
J594352		2.33	17.25	0.17	5.2	0.036	2.43	36.0	30.6	0.69	392	1.44	2.80	10.0	17.8	510
J594353		2.48	17.75	0.19	5.0	0.031	2.40	36.5	29.4	0.72	421	0.60	2.89	10.1	18.5	550
J594354		2.40	16.85	0.17	4.9	0.030	2.55	34.7	28.3	0.66	412	26.0	2.90	10.3	15.3	540
J594355		2.48	17.85	0.19	5.3	0.031	2.53	38.4	28.1	0.67	420	3.09	2.94	10.8	15.8	560
J594356		2.57	17.45	0.16	4.3	0.033	2.69	38.7	36.2	0.71	430	4.12	2.88	10.8	16.3	580
J594357		2.14	16.40	0.10	5.2	0.028	2.55	34.0	29.8	0.57	365	2.10	3.08	14.7	12.5	470
J594358		2.07	17.55	0.11	5.4	0.027	2.59	33.4	31.3	0.54	345	1.91	3.33	15.4	11.6	440
J594359		2.66	18.10	0.15	4.9	0.034	2.60	47.0	34.0	0.72	441	6.92	2.89	11.4	16.4	580
J594360		2.52	17.70	0.14	4.9	0.032	2.49	40.8	28.1	0.66	415	11.95	2.89	11.2	15.2	560
J594361		2.53	17.95	0.13	4.8	0.031	2.51	43.0	31.2	0.68	426	7.73	2.92	11.3	16.0	550
J594362		1.86	17.85	0.12	5.4	0.022	2.99	32.9	27.5	0.45	333	1.95	2.86	16.2	10.5	380
J594363		2.41	17.55	0.14	5.1	0.028	2.50	41.3	30.7	0.64	399	64.0	2.92	10.5	15.5	550
J594364		2.24	17.15	0.14	4.6	0.026	2.62	39.8	37.1	0.60	379	7.47	2.88	11.5	14.1	480
J594365		2.52	16.95	0.13	4.7	0.031	2.52	39.3	36.8	0.68	428	3.85	2.73	10.8	15.6	560
J594366		2.53	17.50	0.14	5.3	0.029	2.56	39.0	35.3	0.67	435	18.45	2.79	11.1	16.7	550
J594367		2.48	17.85	0.14	4.8	0.029	2.49	41.1	38.4	0.66	420	2.73	3.09	11.4	14.8	560
J594368		2.47	18.25	0.15	5.0	0.030	2.61	40.7	38.7	0.67	421	4.12	2.89	11.1	15.7	550
J594369		2.43	16.70	0.13	5.4	0.026	2.51	39.1	31.0	0.64	402	3.14	2.93	10.8	13.9	530
J594370		2.47	17.80	0.16	5.1	0.031	2.62	46.4	32.2	0.66	425	0.65	2.85	11.0	15.2	540
J594371		2.40	17.70	0.14	5.0	0.030	2.57	45.9	27.0	0.65	408	0.88	2.83	11.2	15.4	540
J594372		2.53	18.55	0.16	5.4	0.030	2.66	41.2	28.8	0.67	426	1.08	2.96	11.4	15.1	550
J594373		2.49	18.55	0.16	5.5	0.031	2.61	47.5	29.0	0.65	415	2.04	2.89	11.4	15.1	550
J594374		2.54	18.65	0.15	4.8	0.034	2.53	40.7	30.6	0.68	425	22.0	2.94	12.0	16.4	550
J594375		2.52	18.60	0.15	5.2	0.030	2.56	39.3	29.5	0.65	418	28.2	2.93	11.9	16.8	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594336		11.9	117.5	0.002	0.08	0.34	8.2	1	2.3	211	1.04	<0.05	12.4	0.276	0.66	3.6
J594337		14.3	114.5	0.002	0.02	0.38	8.0	<1	2.3	215	1.02	<0.05	11.6	0.286	0.68	3.4
J594338		14.2	111.0	<0.002	0.04	0.32	8.0	1	2.3	221	1.11	<0.05	12.4	0.282	0.65	4.0
J594339		15.2	114.0	<0.002	0.01	0.20	7.8	1	2.3	223	1.15	<0.05	11.7	0.282	0.65	3.4
J594340		17.3	107.0	0.002	0.01	0.17	7.7	1	2.1	225	1.08	<0.05	11.6	0.286	0.65	3.4
J594341		17.4	114.0	0.002	0.01	0.19	7.7	1	2.3	225	1.09	<0.05	12.6	0.283	0.70	3.9
J594342		15.3	106.0	<0.002	0.01	0.15	8.1	1	2.1	221	0.78	<0.05	13.0	0.284	0.62	3.2
J594343		24.7	171.0	<0.002	0.04	0.34	1.4	<1	2.0	47.4	1.45	0.05	25.8	0.052	0.92	8.1
J594344		25.3	158.5	0.003	0.07	0.40	1.5	1	2.3	46.8	2.07	<0.05	24.3	0.058	0.88	8.8
J594345		25.8	126.5	0.002	0.18	0.32	7.3	1	2.8	183.0	1.16	0.06	13.4	0.276	0.83	3.9
J594346		19.1	112.0	0.003	0.06	0.27	7.3	<1	2.3	208	1.06	<0.05	13.1	0.263	0.71	3.9
J594347		17.4	117.5	0.002	0.01	0.16	8.0	1	2.4	216	1.02	0.05	13.6	0.278	0.73	3.9
J594348		18.1	115.0	<0.002	<0.01	0.17	7.8	1	2.3	225	1.01	0.05	13.3	0.281	0.72	3.8
J594349		17.6	117.0	0.002	0.01	0.19	7.8	1	2.3	212	0.95	<0.05	14.5	0.265	0.69	4.0
J594350		12.4	63.9	0.002	<0.01	0.25	5.2	1	1.9	183.0	0.41	<0.05	5.7	0.115	0.44	2.1
J594351		17.3	104.5	<0.002	0.01	0.12	7.7	1	2.2	214	0.85	<0.05	12.7	0.264	0.68	3.6
J594352		16.6	116.0	<0.002	0.01	0.18	7.5	1	2.3	214	0.84	<0.05	13.7	0.256	0.70	3.3
J594353		16.7	113.5	<0.002	0.01	0.14	7.9	<1	2.2	228	0.89	<0.05	12.9	0.269	0.68	3.7
J594354		16.9	106.5	0.004	0.01	0.16	7.3	1	2.2	212	0.90	<0.05	11.5	0.269	0.69	3.1
J594355		16.8	111.0	0.002	<0.01	0.14	7.6	1	2.3	219	0.94	<0.05	14.3	0.277	0.69	3.7
J594356		17.0	118.5	<0.002	0.02	0.23	8.1	<1	2.3	225	0.91	<0.05	13.6	0.285	0.75	3.3
J594357		14.9	112.5	<0.002	0.05	0.27	7.1	2	2.1	181.0	2.07	<0.05	16.6	0.237	0.59	6.2
J594358		32.5	127.0	<0.002	0.06	0.35	7.2	2	2.3	159.5	2.16	<0.05	16.6	0.234	0.64	6.6
J594359		14.7	115.0	<0.002	0.01	0.11	9.2	2	2.1	219	1.00	<0.05	14.2	0.293	0.68	3.1
J594360		15.4	109.0	<0.002	0.01	0.07	8.4	2	2.0	215	1.02	<0.05	12.4	0.284	0.68	3.0
J594361		14.7	111.0	<0.002	0.01	0.08	8.6	2	2.1	217	1.01	<0.05	13.0	0.278	0.66	2.9
J594362		35.9	167.5	<0.002	0.04	0.20	6.4	2	2.1	146.5	2.27	<0.05	19.4	0.204	0.82	6.7
J594363		18.4	109.0	0.007	0.20	0.31	8.2	2	2.1	204	0.98	0.05	13.8	0.277	0.65	3.2
J594364		15.9	113.5	0.002	0.09	0.25	7.5	2	2.1	186.0	1.27	0.06	16.5	0.249	0.66	4.2
J594365		14.9	106.5	<0.002	0.03	0.15	8.0	2	2.0	210	0.96	<0.05	13.5	0.275	0.66	3.2
J594366		15.6	104.5	0.002	0.03	0.15	8.2	2	2.0	210	1.01	<0.05	13.5	0.281	0.65	3.0
J594367		14.5	109.0	<0.002	0.02	0.28	8.2	2	2.1	208	1.01	<0.05	13.3	0.281	0.65	3.1
J594368		15.5	111.5	<0.002	0.03	0.24	8.4	2	2.1	211	1.01	<0.05	13.4	0.275	0.67	3.4
J594369		14.5	110.5	<0.002	0.05	0.33	7.9	2	2.1	186.5	1.13	<0.05	13.4	0.263	0.60	3.5
J594370		16.6	115.0	<0.002	0.01	0.14	8.3	2	2.0	211	1.07	<0.05	15.5	0.281	0.68	4.0
J594371		17.6	114.5	<0.002	0.01	0.08	8.2	2	2.0	210	1.04	<0.05	14.9	0.271	0.69	3.5
J594372		16.3	118.0	<0.002	0.05	0.25	8.6	2	2.1	205	1.02	<0.05	15.6	0.275	0.71	3.6
J594373		17.0	118.0	<0.002	0.02	0.11	8.4	2	2.1	215	1.03	<0.05	15.6	0.284	0.70	4.2
J594374		17.8	115.5	0.002	0.04	0.13	8.8	2	2.2	216	1.11	<0.05	13.3	0.280	0.69	3.5
J594375		19.1	112.0	0.003	0.04	0.13	8.1	2	2.2	214	1.06	<0.05	13.1	0.282	0.71	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594336		45	1.5	20.7	46	202
J594337		47	0.8	20.2	53	161.0
J594338		46	0.9	21.1	50	202
J594339		45	0.8	20.7	52	182.0
J594340		46	0.5	19.1	53	150.5
J594341		46	0.5	20.6	52	164.5
J594342		45	0.7	20.7	53	149.0
J594343		4	1.4	14.1	11	66.2
J594344		4	1.7	14.6	11	70.6
J594345		44	7.3	20.2	56	170.0
J594346		43	2.2	19.5	47	192.0
J594347		45	0.8	20.9	52	182.5
J594348		45	0.4	21.0	50	161.0
J594349		43	0.5	20.2	49	167.5
J594350		14	0.9	17.6	43	27.8
J594351		44	0.5	19.0	49	151.5
J594352		43	0.7	18.7	49	186.5
J594353		45	0.4	20.6	51	174.0
J594354		45	0.6	19.2	50	165.5
J594355		45	0.4	19.3	50	183.5
J594356		47	0.4	20.1	54	141.0
J594357		35	1.2	21.5	43	159.5
J594358		34	2.0	20.2	52	164.5
J594359		45	0.4	19.8	52	173.5
J594360		44	0.4	18.7	49	180.0
J594361		44	0.4	19.1	50	175.5
J594362		30	1.5	22.9	39	146.5
J594363		44	5.8	17.6	61	176.0
J594364		39	13.8	18.2	47	150.5
J594365		45	0.6	18.2	50	170.0
J594366		45	2.8	18.2	51	189.0
J594367		44	0.7	18.6	48	175.0
J594368		44	0.5	18.7	50	175.5
J594369		42	1.1	18.4	48	187.5
J594370		43	0.5	19.0	50	171.5
J594371		42	0.4	19.3	49	172.5
J594372		43	16.5	19.3	51	183.0
J594373		44	0.5	19.7	50	186.0
J594374		46	6.9	20.1	52	164.5
J594375		44	3.0	18.9	51	184.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594376		1.88	<0.005	0.10	7.27	0.6	750	1.43	0.06	1.91	0.05	84.9	7.9	24	3.18	11.0
J594377		1.97	0.005	0.05	7.42	0.9	730	1.43	0.06	1.95	0.05	87.1	7.9	23	3.10	13.0
J594378		1.26	0.005	0.07	7.14	2.8	730	1.44	0.08	1.83	0.06	90.8	7.7	21	2.93	13.8
J594379		1.37	<0.005	0.05	7.36	3.4	730	1.46	0.08	1.91	0.07	88.2	7.7	22	3.16	11.6
J594380		1.32	0.005	0.05	7.15	<0.2	700	1.44	0.06	1.88	0.05	83.8	7.7	21	3.05	8.8
J594381		1.91	<0.005	0.07	7.11	<0.2	700	1.42	0.04	1.86	0.05	84.5	7.7	23	3.02	8.4
J594382		2.01	0.006	0.07	7.00	6.0	690	1.48	0.07	1.97	0.05	74.0	7.5	21	3.03	13.3
J594383		1.97	0.005	0.05	6.93	6.1	720	1.37	0.07	1.88	0.07	76.6	7.4	22	3.03	9.6
J594384		1.96	<0.005	0.05	7.15	0.2	700	1.48	0.05	1.86	0.05	81.5	7.2	22	3.03	8.4
J594385		1.98	0.005	0.06	7.67	5.1	770	1.48	0.09	1.97	0.04	86.1	8.1	22	3.38	11.6
J594386		1.95	0.005	0.04	7.19	2.4	700	1.42	0.05	1.84	0.05	84.2	7.3	21	3.14	8.5
J594387		1.88	<0.005	0.05	6.96	6.3	710	1.46	0.06	1.80	0.04	74.0	7.5	22	3.08	9.5
J594388		1.90	0.005	0.06	7.09	5.1	670	1.40	0.10	1.81	0.04	78.6	7.3	22	3.01	10.2
J594389		0.72	0.005	0.09	7.08	10.6	710	1.41	0.10	1.86	0.05	81.2	7.8	22	3.31	17.2
J594390		0.53	0.007	0.04	5.98	43.4	580	1.58	0.06	1.20	0.03	74.8	4.6	17	2.60	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J594376		2.57	18.10	0.16	5.6	0.035	2.59	44.0	27.5	0.68	429	0.78	2.89	11.6	16.1	570
J594377		2.53	18.45	0.16	5.5	0.032	2.59	45.8	28.0	0.67	423	2.72	2.92	12.0	16.1	560
J594378		2.48	17.95	0.16	4.9	0.033	2.66	46.9	29.7	0.66	416	1.91	2.87	11.8	15.4	540
J594379		2.53	18.35	0.15	5.1	0.033	2.59	45.2	34.0	0.67	423	0.71	2.92	11.4	15.7	550
J594380		2.49	18.15	0.15	5.8	0.031	2.54	41.8	30.0	0.66	415	1.38	2.90	11.4	15.8	540
J594381		2.52	17.95	0.17	5.5	0.035	2.54	43.9	27.2	0.66	418	0.84	2.85	11.3	15.6	550
J594382		2.43	18.15	0.14	4.5	0.030	2.51	36.9	31.9	0.64	426	2.20	2.87	11.1	14.9	530
J594383		2.39	17.20	0.13	4.5	0.032	2.64	38.7	31.6	0.64	411	1.35	2.78	11.2	15.1	530
J594384		2.44	17.45	0.15	4.8	0.032	2.57	41.4	25.5	0.67	413	0.65	2.87	10.7	14.7	540
J594385		2.63	19.45	0.15	5.9	0.033	2.78	43.7	29.8	0.71	443	38.5	3.09	12.4	16.1	580
J594386		2.45	17.40	0.14	4.7	0.029	2.58	42.5	28.6	0.67	412	0.75	2.82	11.6	15.0	550
J594387		2.47	17.00	0.14	4.9	0.028	2.56	37.4	34.1	0.68	419	1.14	2.73	10.9	14.8	540
J594388		2.43	17.45	0.15	4.5	0.027	2.59	40.0	32.0	0.66	409	7.80	2.81	11.3	14.7	530
J594389		2.55	18.05	0.15	4.9	0.029	2.64	41.8	36.2	0.70	433	1.23	2.76	11.4	16.2	550
J594390		1.92	13.20	0.13	4.5	0.018	2.08	38.9	30.9	0.54	262	1.47	2.63	10.6	8.7	450

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594376		16.0	117.0	<0.002	0.01	0.08	8.6	2	2.2	212	1.04	<0.05	13.1	0.278	0.72	3.3
J594377		17.0	120.0	<0.002	0.02	0.10	8.4	2	2.1	217	1.12	<0.05	13.9	0.289	0.66	4.1
J594378		19.0	116.0	<0.002	0.03	0.13	8.3	2	2.2	207	1.10	<0.05	14.8	0.281	0.65	3.4
J594379		19.1	119.0	<0.002	0.02	0.13	8.7	2	2.0	213	1.09	<0.05	14.7	0.279	0.67	3.8
J594380		16.2	115.0	<0.002	0.01	0.09	8.2	2	2.0	211	1.06	<0.05	14.8	0.275	0.64	3.5
J594381		16.8	113.0	<0.002	0.01	0.08	8.4	2	2.1	209	1.07	<0.05	14.0	0.276	0.66	3.5
J594382		16.1	105.5	<0.002	0.02	0.14	7.8	2	2.0	208	0.97	<0.05	12.8	0.266	0.66	3.1
J594383		14.7	109.5	<0.002	0.02	0.14	7.8	2	2.0	203	1.01	<0.05	12.0	0.269	0.67	2.8
J594384		17.1	110.5	<0.002	0.01	0.08	7.8	2	2.0	209	1.04	<0.05	13.3	0.271	0.66	3.4
J594385		17.3	122.0	0.004	0.02	0.14	8.4	2	2.2	224	1.12	<0.05	14.6	0.294	0.75	3.7
J594386		14.4	116.0	<0.002	0.01	0.11	7.9	2	2.0	208	1.08	<0.05	13.3	0.278	0.65	3.5
J594387		14.1	110.0	<0.002	0.02	0.15	7.9	2	2.0	201	1.06	<0.05	12.6	0.271	0.63	3.2
J594388		15.2	112.5	<0.002	0.03	0.15	7.4	2	2.0	200	1.06	<0.05	14.3	0.274	0.70	3.6
J594389		13.1	113.5	<0.002	0.06	0.20	8.2	2	2.1	203	0.99	<0.05	13.4	0.276	0.67	3.5
J594390		12.1	92.1	<0.002	0.01	0.36	6.6	2	1.7	173.0	1.77	<0.05	17.8	0.220	0.48	10.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594376		45	1.5	20.1	50	200
J594377		45	0.5	20.6	51	191.5
J594378		44	0.9	20.1	51	172.0
J594379		44	0.4	19.8	52	176.5
J594380		43	0.3	19.2	50	197.0
J594381		44	0.5	19.6	50	190.5
J594382		43	7.3	18.0	49	159.5
J594383		43	4.2	18.0	49	161.5
J594384		43	0.4	18.4	50	161.0
J594385		46	0.6	20.5	52	214
J594386		43	0.6	19.7	49	170.0
J594387		43	0.5	18.2	50	165.5
J594388		42	0.5	18.7	48	149.0
J594389		44	0.8	18.8	51	179.0
J594390		34	2.7	17.2	38	142.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017975

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.