ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

CERTIFICATE TB10169632

Project: TPK ROWLANDSON CAMP

P.O. No.:

This report is for 149 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346758		0.58	0.013	0.19	7.06	49.9	800	1.61	0.06	1.98	0.05	73.7	8.5	30	5.09	10.7
I346759		0.56	1.050	0.15	7.05	1100	800	1.77	0.11	1.84	0.05	79.3	7.7	27	4.17	10.1
I346760		1.80	<0.005	0.14	6.76	52.2	770	1.56	0.06	1.89	0.05	73.0	7.0	30	4.11	11.0
I346761		1.63	<0.005	0.12	6.72	16.8	710	1.40	0.05	1.59	0.04	72.8	6.4	22	3.32	8.8
I346762		0.40	<0.005	0.13	6.97	56.5	750	1.37	0.08	1.53	0.04	75.6	7.2	23	3.17	18.7
I346763		1.05	<0.005	0.14	6.87	34.3	740	1.34	0.07	1.64	0.04	74.1	6.2	24	3.50	6.5
I346764		0.36	0.456	0.35	7.02	1555	760	1.27	0.28	1.15	0.38	75.4	5.5	22	1.87	7.5
I346765		1.53	<0.005	0.10	6.64	9.5	660	1.25	0.04	1.50	0.03	79.2	6.2	25	2.32	7.1
I346766		1.15	<0.005	0.13	7.05	28.7	710	1.43	0.06	1.80	0.05	77.1	7.9	28	3.86	9.8
I346767		0.76	0.031	0.13	6.41	441	660	1.18	0.12	1.84	0.06	61.2	6.9	25	2.33	12.4
I346768		0.41	2.000	0.70	6.72	5380	610	1.25	0.42	1.74	0.04	72.8	12.4	28	2.71	14.1
I346769		1.35	<0.005	0.10	6.57	18.8	660	1.27	0.05	1.70	0.05	67.3	7.9	26	2.87	10.4
I346770		0.38	0.014	0.12	6.90	329	650	1.38	0.10	1.64	0.07	69.2	6.6	27	2.93	11.5
I346771		0.72	<0.005	0.14	6.64	44.1	630	1.33	0.06	1.77	0.06	68.7	6.7	24	3.08	9.7
I346772		1.88	<0.005	0.11	6.67	11.9	630	1.26	0.05	1.73	0.05	70.0	7.6	27	2.67	10.0
I346773		1.17	<0.005	0.09	6.76	2.5	650	1.31	0.04	1.67	0.05	74.2	7.6	26	3.00	9.7
I346774		0.99	<0.005	0.10	6.99	2.8	650	1.25	0.05	1.81	0.05	73.6	7.8	26	3.65	10.8
I346775		0.03	NSS	0.83	7.76	3.2	100	2.09	0.56	0.86	0.12	16.30	8.7	33	20.9	12.6
I346776		0.31	0.012	0.08	6.93	37.1	720	1.41	0.05	1.70	0.04	72.8	7.3	21	2.38	19.4
I346777		1.10	0.005	0.10	6.85	11.9	740	1.22	0.05	1.82	0.04	75.7	7.7	25	2.22	12.6
I346778		0.83	<0.005	0.08	6.77	21.0	640	1.37	0.05	1.49	0.03	71.1	8.1	25	2.55	11.2
I346779		0.39	0.014	0.09	7.13	32.4	600	1.36	0.11	1.77	0.06	64.7	7.8	27	1.41	15.8
I346780		0.57	0.006	0.10	6.84	120.0	700	1.36	0.08	1.80	0.07	65.4	7.2	22	2.62	9.8
I346781		1.85	<0.005	0.09	7.05	5.4	700	1.37	0.05	1.67	0.05	75.6	7.2	22	2.84	9.4
I346782		1.84	<0.005	0.09	7.00	15.0	680	1.27	0.09	1.72	0.05	71.5	7.6	27	3.41	11.4
I346783		0.90	<0.005	0.09	7.16	18.9	690	1.29	0.05	1.78	0.05	73.1	7.7	23	2.65	8.7
I346784		0.56	0.020	0.10	7.05	87.9	750	1.27	0.20	1.72	0.05	74.1	8.2	24	2.78	22.2
I346785		0.67	0.009	0.09	6.99	100.5	620	1.48	0.18	1.58	0.06	77.7	7.3	24	2.40	9.1
I346786		0.43	0.006	0.10	7.08	45.9	660	1.27	0.09	1.86	0.06	73.6	9.1	25	3.61	10.3
I346787		1.17	<0.005	0.09	7.16	5.8	730	1.19	0.04	1.76	0.05	76.7	7.7	25	2.64	9.7
I346788		1.88	<0.005	0.10	6.98	5.5	730	1.25	0.05	1.84	0.05	77.6	8.3	25	2.87	10.9
I346789		1.15	<0.005	0.10	7.22	4.1	750	1.20	0.06	1.86	0.06	79.2	8.1	25	3.20	12.4
I346790		0.60	<0.005	0.08	7.29	11.8	750	1.39	0.04	1.64	0.05	78.4	8.1	26	3.35	7.8
I346791		0.40	0.005	0.07	6.64	12.3	760	1.10	0.05	2.18	0.04	62.4	8.0	28	2.99	14.2
I346792		1.13	<0.005	0.10	6.98	14.4	750	1.16	0.04	1.83	0.05	71.9	7.9	28	3.25	9.3
I346793		0.38	<0.005	0.07	6.93	23.9	610	1.40	0.03	1.58	0.03	94.4	3.3	24	1.84	6.1
I346794		1.25	<0.005	0.07	7.05	21.3	700	1.34	0.04	1.68	0.03	64.8	4.6	31	2.43	5.4
I346795		0.60	0.005	0.12	7.27	15.2	780	1.33	0.07	1.77	0.14	78.1	8.4	28	2.50	23.8
I346796		0.49	<0.005	0.07	6.89	8.3	750	1.18	0.04	1.67	0.05	71.2	7.2	26	3.22	9.6
I346797		0.68	<0.005	0.06	6.22	9.0	600	1.14	0.03	2.49	0.04	47.7	3.1	27	2.07	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346758		2.65	17.55	0.18	4.1	0.030	2.50	37.7	29.3	0.75	464	13.30	2.70	12.5	20.6	540
I346759		2.51	17.75	0.20	4.8	0.034	2.52	41.1	27.5	0.75	467	3.30	2.71	12.6	18.7	550
I346760		2.50	17.60	0.18	4.3	0.033	2.48	36.9	27.6	0.74	483	2.11	2.73	12.8	19.3	520
I346761		2.24	16.85	0.20	4.6	0.026	2.59	37.6	21.8	0.57	379	0.56	2.66	11.3	13.6	430
I346762		2.17	17.50	0.19	4.5	0.030	2.60	39.7	24.8	0.59	359	0.59	3.00	11.2	14.7	460
I346763		2.16	17.20	0.21	4.8	0.024	2.68	38.4	24.1	0.60	371	0.55	2.75	11.1	14.4	440
I346764		1.96	16.80	0.17	4.5	0.027	2.58	39.4	17.4	0.54	292	0.48	3.30	10.4	12.1	490
I346765		2.17	15.80	0.18	4.4	0.024	2.75	42.5	14.5	0.60	362	0.41	2.51	10.3	14.3	440
I346766		2.45	17.70	0.20	4.7	0.030	2.49	39.7	29.1	0.71	401	0.36	2.72	11.2	17.5	510
I346767		2.30	15.80	0.19	4.2	0.026	2.44	30.6	24.4	0.65	401	2.17	2.71	10.4	18.8	490
I346768		2.89	16.35	0.18	4.2	0.027	2.22	37.6	26.5	0.71	405	0.65	2.90	10.1	18.2	490
I346769		2.35	16.80	0.19	4.0	0.026	2.42	34.3	21.9	0.66	385	1.25	2.54	10.7	16.7	480
I346770		2.32	17.15	0.18	4.5	0.028	2.48	35.4	24.6	0.69	424	1.18	2.91	11.3	15.7	510
I346771		2.28	16.95	0.19	4.7	0.028	2.40	34.0	24.0	0.67	385	0.39	2.76	11.2	16.1	490
I346772		2.31	17.00	0.19	4.2	0.027	2.41	35.3	20.3	0.70	396	0.45	2.63	11.2	17.0	500
I346773		2.24	17.25	0.20	4.3	0.027	2.59	37.8	19.6	0.67	381	0.45	2.65	10.9	16.7	470
I346774		2.42	17.40	0.19	4.2	0.030	2.56	37.1	24.2	0.70	411	0.40	2.73	10.6	16.7	510
I346775		4.04	18.80	0.17	1.2	0.012	2.53	8.4	5.4	0.81	233	1.90	5.07	9.0	34.5	650
I346776		2.38	17.55	0.20	4.8	0.026	2.42	37.2	28.9	0.67	549	0.49	3.11	11.7	14.5	540
I346777		2.38	17.45	0.19	4.2	0.029	2.39	37.5	19.6	0.73	456	0.87	2.69	10.7	16.4	550
I346778		2.33	16.95	0.17	4.2	0.026	2.19	36.0	20.2	0.76	413	1.24	2.75	10.5	16.0	500
I346779		2.32	17.55	0.08	4.1	0.030	2.13	31.5	19.1	0.70	481	0.43	3.04	10.1	18.6	500
I346780		2.25	17.55	0.11	4.5	0.028	2.77	31.2	24.6	0.60	429	0.43	2.73	11.1	13.9	500
I346781		2.26	17.45	0.11	4.5	0.028	2.57	37.8	22.8	0.59	396	0.42	2.68	11.0	14.3	510
I346782		2.32	17.60	0.11	4.3	0.031	2.63	35.1	27.9	0.65	411	0.52	2.67	10.7	16.5	530
I346783		2.38	17.65	0.12	4.6	0.031	2.50	36.4	29.8	0.64	419	0.50	2.73	10.4	15.0	540
I346784		2.39	17.30	0.11	4.7	0.032	2.30	37.8	28.8	0.66	436	139.5	2.86	10.5	15.4	550
I346785		2.44	18.85	0.12	5.0	0.032	2.27	38.1	32.6	0.73	412	12.60	3.22	12.9	16.1	610
I346786		2.63	18.20	0.12	4.7	0.031	2.17	36.2	34.3	0.77	493	3.12	3.13	10.6	18.8	610
I346787		2.38	17.65	0.13	4.3	0.031	2.50	39.3	23.6	0.68	410	1.18	2.65	9.9	16.4	530
I346788		2.54	18.15	0.14	4.8	0.033	2.42	38.1	24.1	0.68	434	1.65	2.75	11.3	16.7	580
I346789		2.53	17.65	0.13	4.2	0.034	2.39	40.1	31.3	0.72	443	0.58	2.64	10.4	17.7	580
I346790		2.51	18.25	0.14	5.0	0.034	2.37	39.4	35.6	0.74	419	0.55	2.92	11.0	17.7	590
I346791		2.45	16.80	0.11	4.2	0.032	2.63	30.4	30.5	0.72	510	0.31	2.79	10.0	18.6	520
I346792		2.40	17.15	0.12	3.9	0.030	2.57	36.6	29.8	0.71	445	0.38	2.61	9.4	18.2	520
I346793		1.84	17.15	0.13	4.9	0.033	2.25	46.1	20.5	0.59	405	2.66	2.94	8.1	8.8	560
I346794		2.03	16.85	0.10	4.7	0.030	2.47	32.7	24.4	0.68	432	0.66	2.74	8.9	13.1	570
I346795		2.52	18.30	0.13	4.4	0.030	2.42	40.5	24.4	0.77	431	1.40	2.65	9.0	18.1	560
I346796		2.31	16.30	0.11	4.4	0.027	2.56	36.5	27.0	0.70	418	0.60	2.57	9.8	17.7	530
I346797		1.99	16.40	0.10	4.2	0.033	2.24	22.4	32.4	0.78	610	0.86	2.52	8.1	10.4	470

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346758		16.1	134.0	<0.002	0.05	0.30	8.3	1	2.1	214	0.95	<0.05	13.0	0.273	0.84	3.6
I346759		16.7	139.0	<0.002	0.11	0.66	8.6	1	2.2	206	1.08	<0.05	14.7	0.269	0.78	3.6
I346760		16.5	130.0	<0.002	0.05	0.31	8.1	1	2.2	203	1.00	<0.05	13.3	0.265	0.78	3.1
I346761		17.7	126.0	<0.002	0.01	0.23	6.7	1	1.9	186.0	1.06	<0.05	14.2	0.223	0.75	4.0
I346762		15.8	125.0	<0.002	0.08	0.37	7.1	1	2.1	166.0	1.06	<0.05	13.9	0.236	0.72	3.9
I346763		17.5	129.0	<0.002	0.01	0.30	6.9	1	1.9	187.5	1.05	<0.05	14.1	0.231	0.74	4.5
I346764		18.7	104.5	<0.002	0.15	0.78	6.4	1	1.9	165.0	1.02	<0.05	14.6	0.227	0.53	3.3
I346765		15.5	116.5	<0.002	0.01	0.14	6.6	1	1.8	169.0	0.93	<0.05	15.4	0.224	0.63	3.8
I346766		15.9	125.5	<0.002	0.03	0.25	8.1	1	2.0	213	1.01	<0.05	13.4	0.259	0.74	3.8
I346767		12.8	101.0	<0.002	0.10	0.77	7.0	1	1.8	178.0	1.01	<0.05	12.1	0.234	0.53	3.3
I346768		13.6	102.0	0.002	0.51	1.97	7.5	1	1.8	191.0	0.88	0.10	13.3	0.242	0.56	3.4
I346769		15.0	110.5	<0.002	0.01	0.13	7.2	1	1.8	199.5	1.01	<0.05	12.2	0.244	0.62	3.6
I346770		15.0	106.5	<0.002	0.07	0.27	7.7	1	1.9	192.5	1.07	<0.05	13.7	0.249	0.57	3.9
I346771		15.6	107.0	<0.002	0.01	0.25	7.6	1	1.8	203	1.02	<0.05	12.9	0.248	0.60	3.8
I346772		14.8	106.0	<0.002	0.01	0.16	7.7	1	1.9	199.5	0.93	<0.05	13.0	0.250	0.58	3.4
I346773		16.4	119.5	<0.002	0.01	0.07	7.2	1	1.9	192.0	0.91	<0.05	14.2	0.243	0.64	3.5
I346774		15.1	119.5	<0.002	0.02	0.09	7.9	1	1.9	203	0.81	<0.05	12.9	0.258	0.69	3.0
I346775		73.1	580	<0.002	3.17	1.31	3.3	1	1.0	163.5	0.69	<0.05	2.3	0.217	6.59	1.3
I346776		12.1	102.0	<0.002	0.11	0.26	8.0	1	2.1	195.0	0.91	<0.05	12.0	0.274	0.50	3.1
I346777		12.4	97.2	<0.002	0.01	0.32	8.1	1	2.2	227	0.83	<0.05	10.5	0.269	0.53	2.8
I346778		10.7	86.3	<0.002	0.01	0.27	7.4	1	2.1	188.0	0.94	<0.05	12.7	0.251	0.41	3.1
I346779		13.7	74.8	<0.002	0.12	0.27	7.2	1	2.0	198.5	0.96	<0.05	12.1	0.253	0.37	3.2
I346780		16.4	115.5	<0.002	0.04	0.30	7.0	1	2.0	193.0	1.12	<0.05	12.7	0.249	0.60	3.4
I346781		16.3	120.5	<0.002	0.01	0.13	7.2	1	1.9	196.5	1.08	<0.05	13.8	0.254	0.62	3.7
I346782		15.9	124.0	<0.002	0.01	0.20	7.7	1	1.8	199.0	1.01	<0.05	12.1	0.259	0.67	3.1
I346783		14.1	109.0	<0.002	0.03	0.20	7.7	1	1.8	212	0.91	<0.05	11.9	0.267	0.58	2.8
I346784		11.5	89.6	0.013	0.29	0.24	7.9	2	1.8	176.0	0.92	<0.05	12.1	0.270	0.42	3.0
I346785		11.0	93.2	0.002	0.04	0.39	8.5	1	2.1	218	1.02	<0.05	12.1	0.294	0.50	2.4
I346786		10.6	90.0	<0.002	0.04	0.28	8.3	1	1.9	211	0.85	<0.05	11.0	0.283	0.49	2.5
I346787		13.8	112.0	<0.002	0.01	0.09	7.7	2	1.8	216	0.84	<0.05	11.2	0.267	0.59	2.6
I346788		14.9	105.5	<0.002	0.01	0.10	7.9	1	1.9	217	1.00	<0.05	11.6	0.286	0.61	2.7
I346789		14.0	115.0	<0.002	0.02	0.24	8.4	1	1.9	223	0.86	<0.05	10.9	0.284	0.63	2.6
I346790		12.0	120.5	<0.002	0.03	0.28	8.5	1	2.0	215	0.98	<0.05	12.8	0.289	0.59	3.0
I346791		9.8	104.0	<0.002	0.11	0.25	7.4	1	1.8	199.5	0.80	<0.05	9.1	0.261	0.56	2.0
I346792		11.7	118.0	<0.002	0.09	0.25	7.5	1	1.7	212	0.78	<0.05	11.0	0.257	0.61	3.0
I346793		8.3	96.1	<0.002	0.06	0.29	7.0	1	2.0	185.5	0.85	<0.05	12.7	0.252	0.41	3.0
I346794		7.8	102.5	<0.002	0.07	0.25	7.6	1	1.9	210	0.83	<0.05	11.8	0.267	0.48	2.6
I346795		9.8	108.5	<0.002	0.33	0.23	8.1	1	1.9	208	0.80	<0.05	12.8	0.259	0.50	3.0
I346796		10.6	111.0	<0.002	0.11	0.23	7.5	1	1.6	208	0.86	<0.05	11.1	0.259	0.54	2.7
I346797		7.1	90.7	<0.002	0.02	0.21	7.2	1	2.0	160.0	0.74	<0.05	13.2	0.219	0.47	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346758		45	1.3	17.1	51	144.5
I346759		41	4.3	18.7	48	159.0
I346760		40	1.6	18.0	52	149.0
I346761		35	0.5	17.3	45	156.0
I346762		37	2.5	17.3	41	155.0
I346763		37	1.0	17.2	47	161.5
I346764		35	5.3	17.5	68	148.5
I346765		36	0.5	15.6	43	149.5
I346766		43	0.8	18.5	49	163.0
I346767		39	1.0	17.6	40	147.0
I346768		41	2.3	17.2	38	145.5
I346769		40	0.7	17.3	46	139.5
I346770		41	1.9	18.2	46	149.0
I346771		41	0.7	17.8	48	165.5
I346772		42	0.5	18.0	48	152.0
I346773		40	0.3	17.3	47	148.0
I346774		42	0.4	17.5	49	150.0
I346775		27	0.2	4.9	37	39.6
I346776		43	1.3	18.1	40	171.0
I346777		45	0.6	17.7	46	154.5
I346778		41	1.4	17.5	40	145.5
I346779		40	2.5	17.4	45	144.5
I346780		38	1.1	18.2	47	154.0
I346781		39	0.7	18.0	47	158.0
I346782		41	0.5	18.2	53	154.0
I346783		41	0.8	17.5	54	166.5
I346784		43	3.6	17.2	41	173.0
I346785		47	1.9	19.5	51	179.5
I346786		47	1.5	17.6	58	177.5
I346787		42	0.5	16.7	50	161.0
I346788		45	0.4	18.2	53	178.0
I346789		45	0.6	18.0	53	160.5
I346790		46	0.8	18.8	53	186.0
I346791		43	1.8	15.4	54	160.0
I346792		41	1.4	15.9	50	147.0
I346793		38	7.8	16.1	33	173.0
I346794		42	7.2	16.4	40	175.5
I346795		45	6.0	17.5	55	165.0
I346796		41	1.2	16.5	48	166.5
I346797		43	8.9	14.1	40	154.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346798		0.87	<0.005	0.07	7.26	6.2	800	1.18	0.04	1.74	0.04	75.8	7.2	26	3.42	10.3
I346799		1.84	<0.005	0.07	7.43	3.6	760	1.34	0.04	1.95	0.04	75.4	8.0	30	3.72	8.6
I346800		0.03	8.44	0.55	8.17	3.4	190	1.98	0.10	1.01	0.42	17.55	11.0	39	1.47	17.1
I346801		1.82	0.005	0.09	7.48	18.2	750	1.30	0.07	1.88	0.04	76.8	8.1	30	3.87	11.0
I346802		0.63	0.031	0.07	7.39	416	700	1.52	0.08	1.88	0.03	76.7	8.1	27	3.07	7.2
I346803		1.26	<0.005	0.10	7.30	16.6	760	1.53	0.05	1.74	0.04	71.3	7.4	27	3.08	9.6
I346804		1.78	<0.005	0.08	7.16	3.8	680	1.41	0.07	1.88	0.05	66.9	8.1	29	3.79	10.4
I346805		1.04	<0.005	0.11	7.14	9.5	650	1.44	0.11	1.87	0.04	72.4	9.5	30	3.94	14.2
I346806		0.42	<0.005	0.07	7.45	27.6	710	1.57	0.06	1.53	0.04	69.5	7.6	32	2.85	9.7
I346807		0.42	<0.005	0.08	7.04	11.3	630	1.56	0.09	1.82	0.04	82.0	7.4	27	3.64	8.2
I346808		0.36	<0.005	0.06	6.66	4.4	480	1.33	0.06	1.21	0.03	58.0	4.8	17	2.60	5.1
I346809		0.89	<0.005	0.11	7.14	3.5	700	1.36	0.08	1.81	0.05	72.8	7.5	21	2.79	13.6
I346810		1.22	<0.005	0.08	7.24	11.7	720	1.31	0.07	1.76	0.06	81.1	7.6	24	2.83	9.9
I346811		1.82	0.005	0.07	6.96	4.1	700	1.25	0.04	1.77	0.05	72.7	7.4	23	2.06	11.0
I346812		0.50	<0.005	0.07	7.12	5.7	730	1.24	0.05	1.78	0.04	68.9	7.3	22	1.14	10.1
I346813		0.41	<0.005	0.07	7.31	7.1	810	1.37	0.06	1.69	0.04	74.5	7.1	22	1.56	8.5
I346814		1.01	<0.005	0.07	6.89	3.2	660	1.32	0.06	1.66	0.05	73.8	7.4	24	2.46	9.2
I346815		1.65	<0.005	0.13	6.94	1.7	680	1.52	0.06	1.72	0.05	71.5	7.4	24	2.10	11.2
I346816		1.23	<0.005	0.05	6.85	2.5	670	1.29	0.03	1.68	0.05	72.5	7.2	25	1.97	11.4
I346817		1.85	<0.005	0.07	6.84	1.4	660	1.35	0.02	1.70	0.04	76.0	7.1	23	2.10	9.4
I346818		1.18	<0.005	0.04	6.95	4.0	680	1.28	0.02	1.81	0.04	73.3	7.2	24	1.80	10.2
I346819		1.36	<0.005	0.06	7.07	2.7	700	1.38	0.01	1.75	0.04	77.2	7.6	25	2.02	10.2
I346820		0.35	<0.005	0.05	6.97	4.9	620	1.47	0.02	1.76	0.06	80.9	7.5	23	2.51	8.6
I346821		1.30	<0.005	0.05	7.12	2.8	680	1.43	0.01	1.85	0.05	81.5	7.7	24	2.41	9.9
I346822		1.77	<0.005	0.06	7.04	1.2	670	1.29	0.01	1.81	0.04	71.2	6.9	24	2.32	9.3
I346823		0.36	<0.005	0.06	6.63	3.8	650	1.47	0.04	1.86	0.04	72.7	7.5	22	1.66	13.8
I346824		0.82	<0.005	0.09	7.56	1.2	760	1.45	0.05	2.01	0.05	86.7	8.3	21	2.71	9.4
I346825		0.78	<0.005	0.09	7.44	1.4	750	1.39	0.05	1.98	0.05	85.0	8.5	22	2.68	9.1
I346826		0.51	<0.005	0.12	7.41	1.6	590	1.77	0.08	1.64	0.05	74.4	6.9	18	2.21	8.9
I346827		0.76	<0.005	0.09	7.39	3.9	730	1.64	0.06	1.98	0.06	85.6	8.1	24	1.78	11.3
I346828		0.41	<0.005	0.07	6.66	2.6	900	1.12	0.04	1.03	0.02	71.5	4.3	9	1.69	4.7
I346829		1.27	<0.005	0.09	7.49	1.8	730	1.38	0.05	1.95	0.05	80.1	8.4	22	2.59	9.8
I346830		1.23	<0.005	0.10	7.25	1.0	710	1.39	0.05	2.02	0.04	83.6	8.6	24	2.75	9.5
I346831		0.36	<0.005	0.06	7.20	8.0	690	1.52	0.05	2.02	0.05	75.6	8.9	25	1.57	9.8
I346832		1.08	<0.005	0.07	7.47	2.4	750	1.54	0.04	2.04	0.05	84.0	8.6	22	1.95	10.1
I346833		0.53	0.024	0.08	7.16	10.0	730	1.26	0.09	1.95	0.05	78.2	8.0	24	1.68	11.9
I346834		0.42	0.008	0.11	6.54	26.8	470	1.18	0.20	0.98	0.12	53.2	3.8	8	0.62	16.9
I346835		0.64	0.017	0.09	7.27	22.2	730	1.58	0.16	2.08	0.03	77.5	9.3	24	1.90	20.9
I346836		0.44	0.029	0.13	6.79	24.9	640	1.37	0.21	2.19	0.04	73.7	8.6	22	2.06	37.3
I346837		0.50	0.040	0.13	7.17	24.4	620	1.51	0.16	2.12	0.04	76.4	7.7	23	1.93	36.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346798		2.38	17.35	0.12	4.3	0.030	2.64	38.4	30.0	0.71	429	3.10	2.76	10.2	17.9	530
I346799		2.48	18.10	0.13	4.6	0.032	2.56	37.8	32.2	0.76	442	0.76	2.85	10.9	19.6	560
I346800		4.63	20.9	0.10	1.4	0.016	2.39	8.9	2.3	0.99	287	2.05	5.22	9.9	40.7	720
I346801		2.48	18.70	0.12	4.8	0.029	2.49	38.5	30.1	0.75	417	0.48	2.88	11.0	19.4	580
I346802		2.44	17.85	0.12	5.0	0.033	2.36	39.2	28.8	0.73	426	0.46	2.83	11.9	18.6	560
I346803		2.35	18.05	0.12	4.2	0.029	2.59	36.3	27.2	0.69	392	0.66	2.81	11.8	17.8	530
I346804		2.50	17.70	0.12	4.5	0.030	2.35	33.4	22.2	0.74	429	0.44	2.73	10.9	18.9	550
I346805		2.56	17.60	0.12	4.4	0.031	2.38	36.5	24.1	0.75	439	0.73	2.63	11.5	20.2	560
I346806		2.00	18.90	0.13	4.8	0.031	2.54	34.6	30.5	0.71	356	141.0	3.22	10.2	16.4	630
I346807		2.46	17.80	0.12	5.2	0.032	2.33	39.7	30.0	0.70	430	0.83	2.73	11.9	17.2	550
I346808		1.77	16.00	0.10	3.2	0.020	3.04	28.1	17.1	0.41	288	0.60	2.54	9.1	10.2	340
I346809		2.54	17.60	0.14	4.4	0.033	2.43	35.9	23.0	0.63	437	1.87	2.71	11.9	13.8	610
I346810		2.57	17.65	0.14	4.4	0.031	2.49	41.6	25.6	0.66	440	3.55	2.77	11.2	15.1	560
I346811		2.41	17.00	0.12	4.5	0.033	2.36	35.5	20.3	0.65	405	0.85	2.66	11.1	14.7	540
I346812		2.44	17.15	0.12	4.4	0.032	2.19	34.3	13.0	0.68	417	2.00	2.69	10.6	14.6	550
I346813		2.46	17.45	0.13	4.5	0.029	2.52	37.2	19.5	0.69	437	3.42	2.85	11.2	15.1	580
I346814		2.40	16.90	0.13	4.1	0.032	2.41	37.3	21.9	0.66	418	1.16	2.52	10.5	15.2	530
I346815		2.38	18.25	0.14	4.8	0.030	2.66	37.1	19.1	0.64	403	1.92	2.66	11.2	15.5	520
I346816		2.39	17.05	0.09	4.5	0.090	2.52	34.0	17.3	0.66	410	1.99	2.62	10.6	13.8	520
I346817		2.38	17.20	0.10	4.4	0.065	2.46	36.3	17.8	0.65	408	1.17	2.58	10.9	13.9	510
I346818		2.49	17.00	0.11	4.4	0.065	2.41	34.3	15.5	0.69	433	0.81	2.57	10.8	13.7	530
I346819		2.57	17.95	0.10	4.8	0.050	2.53	36.5	15.7	0.72	430	1.55	2.68	11.6	14.9	530
I346820		2.51	17.95	0.12	5.2	0.065	2.41	38.8	20.2	0.68	420	0.87	2.71	11.8	14.4	530
I346821		2.51	18.30	0.12	5.2	0.060	2.45	38.8	19.7	0.68	429	1.41	2.72	11.9	14.6	560
I346822		2.53	16.35	0.11	4.5	0.059	2.52	32.9	16.3	0.65	429	0.56	2.77	10.8	13.0	560
I346823		2.37	17.90	0.12	4.7	0.070	2.15	33.2	13.9	0.63	456	1.27	2.88	11.6	14.8	540
I346824		2.65	18.35	0.18	5.2	0.033	2.68	43.1	17.2	0.70	460	1.39	2.94	12.6	16.0	580
I346825		2.68	19.00	0.15	4.4	0.034	2.64	42.4	18.4	0.71	466	1.88	2.90	12.1	16.1	580
I346826		2.20	19.25	0.14	5.5	0.025	2.98	35.4	14.1	0.56	378	1.05	2.97	15.2	12.8	470
I346827		2.61	19.25	0.15	5.1	0.034	2.47	42.3	14.7	0.73	466	0.75	2.95	13.4	15.8	580
I346828		1.56	16.00	0.13	4.1	0.012	3.44	38.2	8.4	0.33	304	0.54	2.64	10.8	7.1	290
I346829		2.61	18.40	0.15	4.7	0.031	2.73	39.5	19.7	0.69	450	0.81	2.96	12.2	15.7	570
I346830		2.71	18.75	0.17	4.9	0.032	2.51	41.3	19.7	0.72	470	0.76	2.85	12.3	16.8	570
I346831		2.65	18.60	0.16	4.7	0.033	2.19	36.4	14.3	0.72	476	1.24	3.18	12.5	18.0	570
I346832		2.68	19.10	0.17	4.7	0.033	2.50	41.1	16.7	0.72	468	0.70	2.86	12.7	16.7	580
I346833		2.66	17.90	0.16	4.9	0.031	2.38	37.5	17.9	0.73	481	0.88	2.96	11.0	16.6	550
I346834		1.40	15.70	0.10	4.0	0.009	3.10	26.3	6.3	0.25	270	0.64	2.97	10.2	4.6	200
I346835		2.60	19.35	0.19	5.0	0.034	2.46	36.8	22.2	0.70	473	0.90	3.06	13.2	17.0	590
I346836		2.61	18.55	0.15	4.9	0.033	2.28	35.3	26.6	0.72	462	1.04	3.17	12.5	16.4	580
I346837		2.51	19.60	0.18	4.8	0.030	2.34	36.1	24.8	0.68	467	1.06	3.46	12.2	16.5	570

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346798		12.2	119.5	<0.002	0.07	0.24	7.8	1	1.7	221	0.87	<0.05	11.6	0.265	0.57	2.7
I346799		14.0	122.5	<0.002	0.02	0.22	8.2	1	1.9	230	1.01	<0.05	12.7	0.279	0.64	3.2
I346800		84.4	233	<0.002	3.59	1.05	3.6	1	1.0	183.0	0.77	<0.05	2.6	0.279	1.89	1.0
I346801		14.4	118.0	<0.002	0.04	0.26	8.2	1	1.8	238	1.02	<0.05	12.8	0.286	0.62	3.2
I346802		13.1	113.5	<0.002	0.07	0.28	7.9	1	1.9	227	1.38	<0.05	12.0	0.276	0.52	3.7
I346803		14.3	119.5	<0.002	0.02	0.20	7.6	1	1.9	224	1.27	<0.05	12.5	0.267	0.58	3.7
I346804		15.1	116.0	<0.002	0.01	0.14	7.8	1	1.9	228	1.11	<0.05	12.8	0.272	0.60	3.6
I346805		14.9	117.5	<0.002	0.03	0.22	8.0	1	2.0	223	1.19	<0.05	13.5	0.274	0.58	3.8
I346806		11.3	109.5	0.013	0.06	0.27	9.2	1	2.2	227	0.88	<0.05	11.7	0.293	0.54	2.5
I346807		13.9	112.5	<0.002	0.01	0.25	8.1	2	2.0	220	1.40	<0.05	11.4	0.277	0.60	3.4
I346808		18.9	147.0	<0.002	0.01	0.21	4.7	1	1.5	141.5	1.08	<0.05	16.3	0.184	0.70	4.0
I346809		16.0	116.0	<0.002	0.02	0.15	7.7	1	2.0	212	1.09	<0.05	13.6	0.286	0.61	3.5
I346810		15.9	122.0	<0.002	0.02	0.21	7.9	1	2.0	209	1.02	<0.05	15.0	0.274	0.61	3.5
I346811		13.3	97.0	<0.002	0.01	0.23	7.4	1	2.2	221	1.05	<0.05	12.5	0.271	0.50	3.3
I346812		11.1	72.1	<0.002	0.01	0.21	7.5	1	2.3	222	0.90	<0.05	12.9	0.273	0.35	3.0
I346813		10.5	100.5	<0.002	0.03	0.20	8.0	1	2.2	210	1.00	<0.05	12.0	0.283	0.44	3.1
I346814		13.0	114.0	<0.002	0.01	0.13	7.6	1	2.1	212	1.00	<0.05	10.3	0.267	0.58	3.0
I346815		14.7	114.5	<0.002	0.01	0.15	7.4	1	2.3	207	1.20	<0.05	12.3	0.262	0.56	4.1
I346816		15.1	92.3	<0.002	0.01	0.11	6.5	1	2.3	204	1.02	<0.05	13.8	0.261	0.51	3.2
I346817		14.5	90.9	<0.002	0.01	0.09	6.5	1	2.1	211	1.12	<0.05	13.7	0.259	0.52	3.5
I346818		13.9	79.6	<0.002	0.01	0.15	6.7	1	2.2	222	1.08	<0.05	13.1	0.269	0.44	3.5
I346819		13.3	83.6	<0.002	0.01	0.12	7.1	1	2.2	221	1.21	<0.05	13.5	0.271	0.46	3.7
I346820		15.6	94.7	<0.002	0.01	0.17	7.0	1	2.2	207	1.29	<0.05	14.7	0.273	0.54	4.1
I346821		14.5	91.5	<0.002	0.01	0.12	7.2	1	2.3	223	1.27	<0.05	14.7	0.277	0.52	3.9
I346822		15.2	83.4	<0.002	0.01	0.08	6.4	1	1.9	217	1.11	<0.05	11.8	0.281	0.49	3.1
I346823		14.7	70.2	<0.002	0.05	0.15	6.8	1	2.4	206	1.13	<0.05	11.7	0.270	0.41	2.9
I346824		16.4	107.0	<0.002	0.01	0.13	8.8	1	2.1	229	1.03	<0.05	13.4	0.297	0.60	3.2
I346825		16.0	103.0	<0.002	0.01	0.14	8.6	1	2.2	227	1.01	<0.05	12.7	0.292	0.57	3.1
I346826		19.4	116.5	<0.002	0.01	0.12	7.4	1	1.8	180.0	1.67	<0.05	18.3	0.242	0.55	6.0
I346827		16.5	84.7	<0.002	0.02	0.18	9.0	1	2.1	226	1.12	<0.05	12.7	0.290	0.45	3.2
I346828		17.5	135.0	<0.002	0.01	0.11	3.4	1	1.4	137.0	1.19	<0.05	16.2	0.174	0.60	4.3
I346829		16.3	105.5	<0.002	0.01	0.11	8.5	1	2.0	213	0.93	<0.05	11.9	0.291	0.58	2.9
I346830		15.4	103.5	<0.002	0.01	0.09	9.1	1	2.1	218	0.94	<0.05	13.1	0.290	0.57	2.9
I346831		15.3	72.1	<0.002	0.01	0.24	9.3	1	2.0	243	0.95	<0.05	11.8	0.290	0.40	2.7
I346832		15.1	89.9	<0.002	0.01	0.13	9.4	1	2.0	234	0.97	<0.05	12.7	0.291	0.48	3.0
I346833		15.7	76.6	<0.002	0.14	0.21	8.4	1	2.0	211	0.81	<0.05	11.1	0.280	0.43	2.4
I346834		23.3	86.8	<0.002	0.15	0.21	2.8	1	1.1	102.0	1.15	<0.05	17.7	0.133	0.36	4.7
I346835		14.3	85.5	<0.002	0.24	0.25	9.4	1	2.3	211	0.99	<0.05	11.1	0.298	0.47	2.5
I346836		14.2	77.8	<0.002	0.32	0.25	8.6	1	2.3	190.0	0.97	<0.05	10.2	0.285	0.50	2.3
I346837		14.3	86.1	<0.002	0.28	0.26	8.9	1	2.1	183.5	0.94	<0.05	11.3	0.279	0.51	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346798		42	1.0	17.0	47	160.0
I346799		46	1.0	18.1	53	165.5
I346800		35	0.2	5.3	45	52.5
I346801		45	0.7	18.9	53	174.0
I346802		44	2.0	20.3	47	175.0
I346803		43	0.9	19.0	49	153.5
I346804		45	0.8	17.9	53	163.0
I346805		45	0.8	19.6	52	154.0
I346806		54	3.4	18.0	38	181.0
I346807		44	0.7	20.6	52	182.0
I346808		28	0.6	13.4	34	106.0
I346809		44	0.6	19.4	51	158.5
I346810		42	0.7	19.3	50	160.5
I346811		43	0.5	18.3	48	166.0
I346812		43	0.8	17.9	45	168.0
I346813		43	1.5	19.0	46	168.0
I346814		42	0.6	17.9	48	152.5
I346815		40	0.6	19.0	46	161.5
I346816		40	0.6	17.8	47	152.5
I346817		39	0.5	18.1	47	146.5
I346818		42	0.6	18.3	47	154.5
I346819		42	0.5	19.2	46	163.5
I346820		42	0.5	20.0	49	170.0
I346821		44	0.6	20.2	48	169.0
I346822		44	0.5	17.7	52	154.0
I346823		42	0.9	18.7	48	162.0
I346824		47	0.9	20.4	52	190.5
I346825		47	0.8	19.8	52	162.5
I346826		37	1.7	21.5	43	174.5
I346827		45	1.1	21.2	53	185.0
I346828		22	0.6	14.6	25	134.0
I346829		45	0.5	19.3	53	180.0
I346830		47	0.6	20.0	53	184.5
I346831		47	0.8	19.4	53	172.5
I346832		46	0.6	20.7	52	178.0
I346833		44	1.8	17.5	55	184.5
I346834		17	2.3	13.3	31	124.0
I346835		47	3.8	20.1	48	182.0
I346836		46	15.9	18.1	49	179.5
I346837		44	16.7	18.5	47	173.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346838		1.25	0.018	0.10	6.77	22.6	680	1.44	0.09	1.97	0.03	68.0	8.4	21	2.02	20.6
I346839		1.24	0.005	0.09	7.03	36.9	820	1.33	0.10	2.04	0.05	70.5	9.3	24	2.56	19.3
I346840		1.10	0.006	0.07	7.33	22.7	650	1.54	0.07	2.05	0.05	77.3	9.1	27	2.69	8.1
I346841		0.40	0.008	0.10	6.71	31.4	720	1.45	0.17	1.82	0.09	66.9	8.4	20	2.26	18.3
I346842		1.55	<0.005	0.09	7.36	51.4	720	1.49	0.08	1.89	0.08	77.5	8.0	22	2.78	9.0
I346843		1.75	<0.005	0.09	7.25	101.0	680	1.48	0.07	1.81	0.05	72.2	8.3	20	2.16	7.2
I346844		0.72	0.005	0.11	6.77	118.0	680	1.49	0.08	2.29	0.07	66.8	10.6	21	2.96	13.9
I346845		0.56	0.043	0.16	6.93	177.0	730	1.35	0.13	1.84	0.15	65.3	7.9	29	2.50	21.1
I346846		0.49	0.357	0.24	6.70	2970	680	1.46	0.32	1.82	0.16	73.8	7.8	22	2.38	14.0
I346847		0.59	0.150	0.19	6.86	724	800	1.55	0.22	1.82	0.30	83.4	8.1	22	2.36	23.5
I346848		0.65	0.103	0.18	7.03	942	760	1.60	0.22	2.05	0.22	75.9	9.1	26	2.78	30.0
I346849		0.65	0.050	0.13	7.00	360	760	1.71	0.13	2.13	0.12	79.9	8.9	24	3.51	16.9
I346850		0.03	0.603	0.77	8.12	3.3	90	2.35	1.16	0.92	0.14	17.60	9.1	27	37.6	10.8
I346851		0.57	0.248	0.23	6.70	1505	840	1.32	0.23	1.64	0.19	90.6	6.7	18	1.74	15.7
I346852		0.60	0.317	0.15	6.57	2260	720	1.21	0.22	1.51	0.27	83.1	5.5	16	1.33	9.2
I346853		0.59	0.100	0.12	6.44	583	660	1.43	0.13	1.39	0.14	60.0	5.4	18	1.93	10.4
I346854		0.62	0.091	0.11	6.46	392	660	1.36	0.15	1.62	0.09	65.4	5.9	23	2.13	8.8
I346855		1.00	0.093	0.13	6.71	274	670	1.71	0.17	1.53	0.08	74.0	6.4	20	1.33	13.1
I346856		0.76	0.048	0.11	6.62	60.1	690	1.34	0.19	1.48	0.06	63.5	6.0	20	0.80	24.2
I346857		0.84	0.027	0.06	6.85	35.3	650	1.66	0.14	1.65	0.06	74.2	6.6	21	1.56	16.1
I346858		0.38	0.005	0.07	6.77	23.4	690	1.57	0.10	1.42	0.02	68.6	5.6	18	0.51	11.0
I346859		1.77	<0.005	0.06	6.83	3.0	640	1.63	0.11	1.71	0.04	71.6	6.7	23	2.58	7.8
I346860		1.89	<0.005	0.06	6.82	2.4	640	1.33	0.08	1.72	0.05	71.8	6.7	23	2.43	8.0
I346861		1.74	<0.005	0.08	6.81	3.0	670	1.40	0.07	1.72	0.03	67.5	6.6	20	2.44	7.9
I346862		1.74	<0.005	0.04	6.78	7.9	680	1.59	0.07	1.57	0.03	71.1	6.9	22	4.81	9.6
I346863		1.96	<0.005	0.09	6.92	5.7	660	1.34	0.07	1.78	0.04	70.4	7.2	23	2.16	7.7
I346864		0.59	<0.005	0.05	6.68	11.5	620	1.85	0.07	1.20	0.03	65.3	7.4	23	5.37	16.1
I346865		1.95	<0.005	0.14	11.60	23.1	1160	2.96	0.15	2.74	0.04	74.6	14.2	46	5.70	22.8
I346866		0.51	0.005	0.06	6.89	8.6	650	1.48	0.07	1.58	<0.02	78.1	7.4	23	1.56	15.3
I346867		0.43	0.011	0.10	7.59	9.8	580	0.94	0.16	5.14	<0.02	80.6	9.9	20	1.09	49.7
I346868		0.92	<0.005	0.06	7.04	7.7	620	1.57	0.07	1.83	0.02	70.8	8.0	20	2.30	12.0
I346869		0.68	<0.005	0.02	6.80	9.1	710	1.38	0.05	1.24	0.03	60.7	8.3	25	2.56	11.9
I346870		0.91	0.015	0.10	7.28	34.2	650	1.08	0.20	4.24	0.02	72.7	22.7	21	1.51	9.6
I346871		1.02	<0.005	0.04	6.67	8.8	680	1.44	0.06	1.17	<0.02	75.5	7.1	23	1.21	50.2
I346872		0.33	0.017	0.08	6.90	18.7	670	1.31	0.12	2.65	0.02	57.8	7.7	22	1.93	21.0
I346873		0.51	0.011	0.05	7.29	24.0	690	1.50	0.09	1.14	<0.02	74.8	7.4	27	2.09	14.0
I346874		0.64	<0.005	0.06	6.93	17.5	640	1.29	0.07	1.72	0.02	75.7	7.6	24	1.17	7.5
I346875		0.03	3.37	0.17	1.50	1.7	100	0.33	0.14	0.01	0.12	17.70	1.1	8	0.53	6.1
I346876		0.35	<0.005	0.05	7.05	12.0	630	1.44	0.06	1.53	<0.02	92.4	8.6	26	2.60	14.4
I346877		0.77	<0.005	0.04	6.83	13.5	620	1.35	0.05	1.57	0.02	79.4	7.1	25	1.31	10.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346838		2.43	18.55	0.16	4.7	0.030	2.48	31.3	22.0	0.62	443	0.69	3.15	12.6	14.7	550
I346839		2.50	18.70	0.15	5.2	0.029	2.84	32.1	25.7	0.66	468	0.83	3.12	12.5	18.1	580
I346840		2.63	19.40	0.18	4.8	0.034	2.50	37.2	26.4	0.73	465	0.83	3.20	12.6	18.4	580
I346841		2.56	18.65	0.16	4.9	0.034	2.72	30.5	25.8	0.69	440	1.03	2.95	12.6	15.9	590
I346842		2.55	19.20	0.16	5.1	0.032	2.90	37.2	24.4	0.70	443	0.71	2.94	12.7	14.7	570
I346843		2.38	18.80	0.16	4.9	0.032	2.68	34.3	20.5	0.64	409	0.58	2.90	12.4	14.8	510
I346844		2.98	18.15	0.18	5.2	0.036	2.38	31.1	27.5	0.83	551	0.86	2.74	13.5	16.1	540
I346845		2.50	17.50	0.17	4.8	0.025	2.56	31.9	24.0	0.65	394	3.37	2.92	12.3	14.0	510
I346846		2.63	17.75	0.17	4.7	0.034	2.36	35.2	23.1	0.71	454	0.71	2.77	12.1	15.0	550
I346847		2.62	17.85	0.17	5.7	0.033	2.48	41.7	22.9	0.69	470	0.59	2.75	13.4	15.3	570
I346848		2.80	19.45	0.17	5.1	0.036	2.44	36.0	27.2	0.79	525	0.93	2.87	13.5	17.6	630
I346849		2.81	19.55	0.18	5.9	0.034	2.44	37.3	27.9	0.77	518	0.81	2.93	15.0	17.6	660
I346850		3.54	20.6	0.12	1.5	0.010	2.14	8.5	8.5	0.71	262	1.02	5.63	9.3	29.2	720
I346851		2.42	16.00	0.16	5.0	0.031	2.48	46.5	17.6	0.64	394	0.68	2.64	10.2	14.8	530
I346852		2.10	14.55	0.14	4.4	0.025	2.32	42.6	14.4	0.54	353	0.54	2.76	8.3	12.0	440
I346853		1.92	15.20	0.15	4.4	0.022	2.93	29.4	16.1	0.51	339	0.42	2.57	10.1	13.1	410
I346854		2.15	15.25	0.13	4.0	0.026	2.77	31.2	19.9	0.63	400	0.45	2.58	10.3	15.5	450
I346855		2.12	15.90	0.18	4.7	0.022	2.37	35.5	16.8	0.67	385	0.63	2.85	11.5	14.6	460
I346856		2.12	15.15	0.14	4.3	0.023	2.41	30.3	11.9	0.66	393	1.11	3.07	10.6	13.5	440
I346857		2.37	16.20	0.15	4.6	0.028	2.40	35.5	15.3	0.71	457	0.82	3.07	12.1	15.2	510
I346858		1.96	15.85	0.16	4.8	0.026	2.39	32.8	8.2	0.61	409	1.02	3.45	12.1	11.8	450
I346859		2.30	16.00	0.17	4.8	0.030	2.64	34.8	12.2	0.66	389	1.12	2.74	12.0	14.9	500
I346860		2.34	16.00	0.17	4.4	0.027	2.59	34.5	11.7	0.67	402	0.73	2.75	11.0	15.4	490
I346861		2.27	16.00	0.20	4.4	0.030	2.58	32.2	13.1	0.66	380	0.58	2.76	10.6	15.1	490
I346862		2.38	16.15	0.16	4.8	0.030	2.63	33.9	19.3	0.86	402	0.54	2.61	11.1	15.8	530
I346863		2.41	16.45	0.18	4.6	0.028	2.45	33.6	15.3	0.71	404	0.54	2.77	10.6	16.2	520
I346864		2.39	16.60	0.12	4.8	0.034	2.35	33.1	28.8	1.03	397	0.60	2.48	9.8	16.5	510
I346865		4.63	31.9	0.22	8.5	0.058	4.83	31.9	51.3	1.59	799	1.10	5.47	22.0	31.7	1030
I346866		2.57	17.55	0.17	4.9	0.026	2.64	38.0	17.9	1.09	512	0.54	2.77	11.2	17.5	520
I346867		2.99	18.40	0.19	5.4	0.033	2.53	40.9	24.1	1.42	997	0.57	3.25	12.4	19.6	590
I346868		2.56	18.10	0.20	5.2	0.028	2.39	35.1	18.1	1.06	524	0.76	2.93	11.8	17.6	560
I346869		2.59	17.65	0.20	5.2	0.024	2.63	30.9	19.9	1.18	483	0.79	2.67	11.4	17.9	550
I346870		2.89	17.40	0.22	5.3	0.027	2.58	37.0	21.2	1.34	857	1.32	3.10	10.4	17.4	540
I346871		2.43	15.70	0.20	4.7	0.031	2.41	37.9	14.1	1.00	425	0.48	2.49	10.8	17.0	510
I346872		2.63	16.40	0.18	4.9	0.029	2.63	25.9	24.1	1.23	664	0.48	3.07	11.6	15.4	540
I346873		2.67	17.30	0.18	5.2	0.029	2.56	36.4	21.2	1.12	449	0.84	2.79	11.8	20.5	590
I346874		2.42	16.30	0.19	4.5	0.032	2.25	36.7	14.6	0.79	428	1.06	2.78	10.1	17.4	530
I346875		1.30	3.42	0.09	0.6	0.011	0.15	9.8	16.9	0.02	99	0.77	0.02	3.5	5.5	50
I346876		3.47	17.70	0.20	4.8	0.038	2.44	43.4	42.8	1.79	603	0.71	2.54	10.8	21.4	580
I346877		2.46	16.05	0.19	4.4	0.027	2.21	39.0	19.6	1.00	435	0.36	2.78	10.0	18.5	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346838		14.5	78.3	<0.002	0.17	0.28	8.0	1	1.9	210	1.00	<0.05	10.4	0.280	0.46	2.3
I346839		16.3	95.2	<0.002	0.17	0.31	8.6	1	2.1	216	1.04	<0.05	11.2	0.278	0.57	2.7
I346840		17.5	97.4	<0.002	0.05	0.28	9.3	1	2.3	231	0.97	<0.05	13.4	0.294	0.57	2.9
I346841		19.7	92.8	<0.002	0.27	0.27	8.7	2	2.1	191.5	0.99	<0.05	12.0	0.291	0.55	2.3
I346842		17.0	110.5	<0.002	0.07	0.29	9.0	2	2.1	209	1.08	<0.05	13.1	0.287	0.59	3.1
I346843		15.9	92.9	<0.002	0.06	0.34	8.2	2	2.0	204	1.14	<0.05	14.0	0.260	0.50	3.5
I346844		16.8	91.3	<0.002	0.20	0.34	9.1	1	2.2	208	1.22	<0.05	13.5	0.288	0.55	3.7
I346845		22.4	90.8	<0.002	0.36	0.37	8.0	1	2.2	158.0	1.22	<0.05	12.7	0.259	0.49	3.9
I346846		20.5	92.9	<0.002	0.66	1.15	8.9	2	2.1	160.5	1.10	0.14	13.3	0.277	0.53	3.2
I346847		33.1	98.1	<0.002	0.38	0.57	8.6	2	2.6	209	1.12	0.09	13.9	0.298	0.51	3.2
I346848		24.6	95.4	<0.002	0.46	0.79	10.1	2	2.4	212	1.13	0.05	13.1	0.303	0.58	4.5
I346849		22.7	101.0	<0.002	0.24	0.51	10.1	2	2.3	252	1.28	<0.05	12.8	0.323	0.66	3.4
I346850		75.3	850	<0.002	2.74	1.43	3.9	1	1.1	161.0	0.70	<0.05	2.8	0.225	8.55	1.2
I346851		22.9	98.1	<0.002	0.40	0.83	6.6	1	1.8	193.0	0.97	0.35	12.5	0.273	0.49	3.2
I346852		18.8	91.2	<0.002	0.51	1.14	5.0	1	1.5	127.5	0.82	0.14	12.4	0.230	0.43	3.0
I346853		19.2	116.0	<0.002	0.27	0.66	5.2	1	1.6	148.5	1.13	<0.05	12.7	0.213	0.56	3.7
I346854		17.9	113.0	<0.002	0.42	0.46	6.4	1	1.8	135.0	0.98	<0.05	12.3	0.238	0.56	3.3
I346855		14.9	87.1	<0.002	0.33	0.37	6.2	1	1.9	155.0	1.41	<0.05	14.7	0.237	0.39	4.5
I346856		15.3	78.4	<0.002	0.28	0.29	5.6	1	1.9	144.0	1.11	<0.05	13.7	0.230	0.33	3.5
I346857		15.5	86.0	<0.002	0.16	0.31	6.7	1	2.0	192.5	1.24	<0.05	14.0	0.253	0.39	3.7
I346858		11.8	69.2	<0.002	0.11	0.31	5.9	1	2.0	181.5	1.33	<0.05	15.0	0.234	0.28	4.2
I346859		17.5	114.0	<0.002	0.01	0.20	6.6	1	2.1	205	1.25	<0.05	15.5	0.251	0.59	4.5
I346860		16.9	111.0	<0.002	0.01	0.17	6.6	1	1.9	201	1.03	<0.05	16.0	0.245	0.57	3.9
I346861		16.6	110.0	<0.002	0.01	0.15	6.5	1	1.9	205	0.99	<0.05	14.7	0.248	0.57	3.6
I346862		12.4	105.5	<0.002	0.02	0.19	6.6	1	2.0	189.5	1.02	<0.05	14.7	0.266	0.53	3.2
I346863		15.4	97.3	<0.002	0.01	0.14	6.8	1	1.9	214	1.03	<0.05	13.7	0.261	0.53	3.4
I346864		10.7	95.8	<0.002	0.03	0.20	6.9	1	1.9	149.0	1.01	<0.05	14.4	0.240	0.45	3.8
I346865		24.3	93.4	<0.002	0.07	0.43	9.6	1	4.0	327	2.13	<0.05	13.8	0.492	0.90	5.8
I346866		7.4	109.5	<0.002	0.06	0.17	7.0	1	1.9	115.0	1.07	<0.05	12.9	0.261	0.43	3.3
I346867		5.3	89.4	<0.002	0.24	0.17	7.9	1	2.5	71.9	1.13	<0.05	15.8	0.282	0.40	3.9
I346868		7.8	98.1	<0.002	0.05	0.25	7.3	1	2.3	134.5	1.16	<0.05	15.4	0.280	0.40	4.1
I346869		12.1	107.0	<0.002	0.04	0.19	7.5	1	2.1	111.5	1.11	<0.05	13.6	0.272	0.41	3.8
I346870		17.6	94.3	<0.002	0.36	0.15	6.9	1	2.1	74.5	1.02	<0.05	14.2	0.255	0.39	4.0
I346871		9.1	104.0	<0.002	0.03	0.15	6.5	1	1.9	138.5	1.10	<0.05	13.5	0.254	0.39	3.9
I346872		14.2	91.2	<0.002	0.20	0.15	6.7	1	2.0	65.1	1.48	<0.05	12.7	0.256	0.38	3.6
I346873		9.5	112.5	<0.002	0.17	0.17	7.5	1	1.9	134.0	1.28	<0.05	13.8	0.287	0.39	4.1
I346874		12.5	88.9	<0.002	0.04	0.25	7.4	1	1.8	194.5	0.83	<0.05	11.4	0.261	0.35	2.6
I346875		26.6	12.5	<0.002	0.98	0.51	1.2	1	1.3	12.9	0.29	<0.05	3.1	0.091	0.37	0.4
I346876		5.9	112.5	<0.002	0.07	0.20	7.7	1	2.0	88.0	0.89	<0.05	12.1	0.287	0.46	2.6
I346877		9.7	85.7	<0.002	0.01	0.25	7.1	1	1.9	168.0	0.84	<0.05	10.5	0.267	0.35	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346838		43	1.6	17.7	48	173.0
I346839		44	1.9	20.3	51	187.5
I346840		47	1.1	19.4	55	182.0
I346841		46	6.7	18.1	64	184.5
I346842		46	1.5	20.7	54	188.0
I346843		40	1.2	19.3	47	177.5
I346844		46	17.7	20.3	54	187.5
I346845		41	2.9	19.4	48	161.5
I346846		44	10.3	20.3	56	169.5
I346847		44	6.3	20.3	88	209
I346848		51	4.4	21.2	65	187.5
I346849		52	2.1	22.0	62	219
I346850		28	0.2	4.6	42	52.5
I346851		41	5.7	17.6	61	193.0
I346852		34	8.3	14.3	79	169.0
I346853		31	3.1	16.0	51	146.0
I346854		37	4.6	16.5	45	141.0
I346855		37	3.1	18.7	39	162.0
I346856		36	2.2	17.2	39	151.0
I346857		40	1.8	19.1	49	155.5
I346858		35	1.5	19.9	34	167.0
I346859		41	1.3	19.1	45	169.0
I346860		41	0.8	17.9	46	152.5
I346861		40	0.5	17.3	45	156.0
I346862		43	0.7	17.6	48	181.0
I346863		43	0.5	17.3	50	169.0
I346864		40	1.4	16.2	44	166.0
I346865		86	2.2	22.1	95	306
I346866		43	1.8	20.1	46	184.5
I346867		48	2.9	32.9	47	176.0
I346868		45	2.3	19.5	47	173.5
I346869		45	1.9	17.4	51	170.5
I346870		44	2.7	23.6	49	173.5
I346871		41	1.5	17.6	42	172.5
I346872		44	2.5	22.1	44	167.5
I346873		48	2.1	18.7	44	187.5
I346874		46	0.9	17.2	46	172.0
I346875		8	0.9	2.5	14	20.4
I346876		54	1.7	21.6	61	180.5
I346877		44	0.8	16.9	46	165.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I346878		1.14	<0.005	0.04	6.71	20.1	610	1.27	0.06	1.64	0.02	69.1	7.4	23	1.07	14.7
I346879		0.34	0.033	0.02	6.84	14.9	600	1.26	0.08	1.55	0.03	70.2	7.8	21	1.23	8.9
I346880		0.84	<0.005	0.07	7.20	11.7	650	1.46	0.06	1.41	0.02	82.4	8.3	24	2.03	36.0
I346881		1.19	<0.005	0.04	6.71	25.2	550	1.30	0.06	2.11	0.03	63.8	8.2	25	1.98	8.5
I346882		1.56	0.005	0.04	6.75	11.1	650	1.41	0.07	1.17	<0.02	66.9	7.0	24	3.10	12.3
I346883		0.38	0.018	0.06	7.00	22.5	820	1.23	0.12	1.47	0.03	68.1	7.5	24	0.78	8.3
I346884		0.34	0.009	0.06	6.57	21.8	680	1.20	0.17	1.17	<0.02	53.1	8.6	24	0.80	15.2
I346885		0.62	<0.005	0.07	6.96	43.0	730	1.36	0.07	1.86	0.05	68.5	8.1	25	1.86	8.0
I346886		0.39	<0.005	0.05	6.77	39.2	730	1.33	0.06	1.78	0.05	73.3	7.2	24	1.72	11.4
I346887		1.66	<0.005	0.08	7.15	14.3	700	1.43	0.06	1.94	0.05	71.1	8.9	32	2.62	8.5
I346888		0.46	<0.005	0.08	7.30	22.5	680	1.40	0.09	1.84	0.06	69.5	8.8	31	2.69	9.8
I346889		1.48	<0.005	0.07	7.33	9.2	690	1.47	0.05	1.99	0.05	74.0	9.5	29	2.74	9.9
I346890		0.37	<0.005	0.09	7.09	4.9	710	1.36	0.05	1.84	0.04	73.5	9.3	30	2.32	8.5
I346891		1.72	<0.005	0.09	7.45	6.5	730	1.47	0.06	2.06	0.05	72.2	10.2	32	2.48	10.6
I346892		1.73	<0.005	0.08	7.36	17.1	660	1.59	0.07	1.95	0.04	70.4	9.1	32	3.42	11.3
I346893		1.65	<0.005	0.09	7.32	7.8	680	1.59	0.08	2.01	0.05	72.4	9.5	30	2.51	11.6
I346894		1.93	<0.005	0.07	7.27	6.3	670	1.47	0.07	1.97	0.06	70.9	9.6	34	2.46	12.4
I346895		0.93	<0.005	0.09	7.54	5.7	730	1.53	0.08	2.15	0.06	77.7	10.5	36	2.66	11.0
I346896		0.34	<0.005	0.09	7.73	13.6	760	1.61	0.11	2.00	0.06	68.9	9.0	33	2.08	22.5
I346897		0.45	0.005	0.06	7.31	15.6	730	1.45	0.08	1.86	0.07	71.4	8.7	25	2.07	11.2
I346898		0.37	<0.005	0.12	7.43	14.9	800	1.45	0.08	2.21	0.49	82.4	10.2	30	1.85	27.0
I346899		0.74	<0.005	0.06	7.42	7.7	790	1.48	0.06	1.89	0.04	75.9	9.3	26	1.87	24.9
I346900		0.79	<0.005	0.05	7.27	7.4	770	1.42	0.07	1.82	0.05	79.1	9.0	25	1.88	20.9
I346901		1.79	<0.005	0.06	7.48	3.4	790	1.48	0.07	1.90	0.06	78.5	8.9	28	2.33	10.1
I346902		1.22	<0.005	0.07	7.38	10.3	750	1.45	0.06	1.79	0.02	81.0	9.0	30	1.15	44.5
I346903		1.08	<0.005	0.07	7.53	11.8	790	1.63	0.07	2.03	0.04	82.6	10.7	31	2.64	9.4
I346904		0.42	0.007	0.07	7.29	23.7	800	1.58	0.10	1.82	0.03	68.9	9.2	25	2.14	18.4
I346905		0.98	<0.005	0.06	7.75	10.0	830	1.63	0.07	2.14	0.04	78.5	9.7	31	1.94	14.4
I346906		1.81	<0.005	0.12	7.88	11.4	800	1.51	0.07	2.12	0.06	77.7	8.4	29	1.95	17.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I346878		2.27	15.75	0.15	4.3	0.026	2.38	33.6	14.4	0.80	407	0.49	2.81	9.6	17.3	500
I346879		2.38	16.00	0.16	4.5	0.025	2.19	33.3	13.8	0.84	429	0.55	2.83	10.5	17.8	560
I346880		2.76	16.35	0.20	4.4	0.032	2.62	38.7	22.8	1.22	472	0.44	2.61	10.4	18.5	570
I346881		2.45	15.85	0.18	4.2	0.032	2.17	29.3	21.5	1.01	507	0.99	2.80	9.3	17.9	550
I346882		2.55	15.85	0.20	4.4	0.027	2.64	32.5	18.7	1.20	502	0.47	2.57	10.1	18.2	540
I346883		2.49	15.00	0.21	4.0	0.027	2.38	33.2	12.2	0.86	458	0.47	2.92	10.2	17.8	550
I346884		2.42	14.10	0.16	4.3	0.023	2.04	26.6	14.0	0.87	442	0.59	2.84	9.7	17.3	520
I346885		2.49	16.60	0.17	4.2	0.029	2.55	31.6	19.3	0.77	457	0.49	3.00	10.9	18.5	550
I346886		2.40	15.50	0.20	4.1	0.030	2.45	34.8	18.2	0.74	425	0.45	2.87	10.0	18.0	510
I346887		2.56	18.00	0.14	4.9	0.033	2.34	33.4	19.0	0.79	463	0.70	2.68	10.9	19.5	570
I346888		2.61	17.70	0.14	4.5	0.032	2.40	33.1	23.9	0.83	460	0.47	2.79	10.6	20.0	580
I346889		2.67	18.20	0.15	4.4	0.030	2.33	34.9	20.4	0.83	467	0.77	2.75	11.2	20.1	610
I346890		2.58	17.75	0.14	4.4	0.031	2.39	34.2	17.1	0.75	438	2.60	2.69	10.8	19.6	580
I346891		2.74	18.75	0.16	4.6	0.030	2.46	34.5	18.3	0.84	487	0.89	2.75	11.5	21.1	610
I346892		2.80	18.35	0.14	4.5	0.029	2.36	32.5	26.4	0.93	479	4.24	2.91	11.4	20.2	600
I346893		2.72	17.85	0.15	4.4	0.031	2.29	34.2	22.0	0.86	489	0.91	2.77	11.4	20.2	600
I346894		2.76	18.00	0.16	4.7	0.034	2.37	32.9	20.5	0.89	493	0.45	2.73	11.1	21.8	600
I346895		2.91	18.70	0.15	4.7	0.032	2.45	35.8	21.5	0.88	522	0.44	2.82	11.6	22.1	650
I346896		2.78	18.65	0.13	4.8	0.032	2.39	31.9	24.9	0.85	500	0.52	3.22	11.2	20.8	650
I346897		2.60	17.45	0.14	4.5	0.029	2.60	33.9	22.9	0.72	470	0.62	2.82	10.6	17.5	550
I346898		2.77	18.50	0.16	5.0	0.040	2.55	38.3	21.1	0.80	547	0.81	3.11	11.5	19.2	610
I346899		2.55	17.20	0.13	4.4	0.030	2.49	35.8	18.4	0.75	465	0.47	2.94	11.0	16.8	570
I346900		2.57	17.30	0.15	4.3	0.027	2.42	38.4	18.3	0.75	461	0.64	2.87	10.8	17.0	570
I346901		2.70	18.00	0.14	4.5	0.031	2.46	37.5	21.2	0.83	479	0.48	2.76	11.4	18.4	600
I346902		2.81	18.00	0.16	4.9	0.035	1.98	38.0	34.0	1.18	459	2.41	3.14	10.9	19.7	620
I346903		2.76	18.75	0.17	4.8	0.036	2.45	39.2	26.1	0.82	496	0.61	2.89	12.0	19.9	620
I346904		2.56	18.00	0.14	4.8	0.027	2.23	32.7	25.1	0.82	438	0.76	3.01	10.9	18.4	600
I346905		2.85	19.25	0.15	5.2	0.030	2.17	37.7	18.9	0.94	548	0.57	2.99	12.1	19.8	660
I346906		2.85	19.65	0.15	4.6	0.029	2.51	36.3	17.9	0.83	520	0.47	3.05	13.0	19.6	640

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346878		10.1	86.8	<0.002	0.05	0.23	6.5	1	1.9	163.0	0.82	<0.05	12.0	0.250	0.37	2.5
I346879		11.6	79.8	<0.002	0.09	0.21	6.7	1	1.8	184.5	0.97	<0.05	12.5	0.270	0.34	3.0
I346880		9.3	108.0	<0.002	0.03	0.18	7.2	1	1.9	150.0	0.90	<0.05	13.4	0.280	0.44	3.2
I346881		10.1	74.8	<0.002	0.05	0.22	6.7	1	1.8	166.0	0.72	<0.05	10.1	0.271	0.34	2.1
I346882		8.0	99.9	<0.002	0.05	0.19	6.8	1	2.0	116.5	0.87	<0.05	10.6	0.270	0.41	2.7
I346883		9.4	76.9	<0.002	0.31	0.16	7.0	1	1.9	143.0	0.83	<0.05	10.6	0.272	0.30	2.6
I346884		9.4	85.5	0.002	0.12	0.26	6.6	1	1.8	124.5	0.78	<0.05	11.4	0.256	0.37	2.6
I346885		14.3	88.9	<0.002	0.08	0.26	7.4	1	2.0	210	0.96	<0.05	9.9	0.272	0.44	2.5
I346886		14.6	82.6	<0.002	0.06	0.26	7.1	1	1.8	209	0.85	<0.05	11.4	0.255	0.42	2.4
I346887		14.5	100.0	<0.002	0.02	0.19	9.0	1	2.1	233	0.83	<0.05	12.6	0.290	0.56	3.9
I346888		13.3	107.0	<0.002	0.10	0.26	9.0	1	2.1	235	0.75	<0.05	12.8	0.284	0.55	2.5
I346889		12.9	102.5	<0.002	0.01	0.18	9.4	1	2.0	247	0.82	<0.05	12.1	0.289	0.53	2.5
I346890		12.6	102.0	<0.002	0.05	0.13	9.0	1	2.0	237	0.77	<0.05	10.5	0.273	0.54	2.1
I346891		14.4	112.5	<0.002	0.03	0.18	9.6	1	2.1	251	0.80	<0.05	10.7	0.301	0.59	2.7
I346892		13.1	101.5	<0.002	0.09	0.27	9.1	1	2.1	233	1.02	<0.05	11.8	0.287	0.54	2.9
I346893		14.4	102.0	<0.002	0.02	0.20	9.5	1	2.1	242	0.96	<0.05	12.9	0.285	0.52	3.2
I346894		14.1	102.5	<0.002	0.01	0.14	9.6	1	2.1	234	0.89	<0.05	12.4	0.282	0.54	2.9
I346895		14.3	110.0	<0.002	0.01	0.16	10.0	1	2.4	258	0.81	<0.05	12.1	0.309	0.57	2.4
I346896		15.4	94.0	<0.002	0.21	0.25	9.9	1	2.3	249	0.83	<0.05	11.6	0.299	0.48	2.3
I346897		16.1	101.5	<0.002	0.11	0.26	8.8	1	2.1	241	0.79	<0.05	11.6	0.280	0.46	2.8
I346898		14.6	96.2	<0.002	0.19	0.30	9.7	1	2.3	215	0.89	<0.05	12.3	0.295	0.47	2.9
I346899		13.4	90.9	<0.002	0.04	0.22	8.3	1	2.6	226	0.86	<0.05	11.9	0.281	0.43	2.5
I346900		13.6	92.1	<0.002	0.04	0.21	8.5	1	2.4	218	0.85	<0.05	11.7	0.289	0.47	2.6
I346901		13.8	98.9	<0.002	0.01	0.12	9.1	1	2.0	237	0.93	<0.05	12.6	0.298	0.50	3.0
I346902		9.1	61.4	<0.002	0.05	0.17	9.2	1	2.0	155.0	0.85	<0.05	12.0	0.282	0.28	2.6
I346903		14.6	106.0	<0.002	0.06	0.25	10.0	1	2.1	245	0.97	<0.05	13.7	0.303	0.53	3.2
I346904		12.0	90.7	<0.002	0.20	0.27	9.2	1	2.0	226	0.83	<0.05	11.5	0.285	0.41	2.8
I346905		10.6	84.6	<0.002	0.04	0.31	9.6	1	2.2	264	0.89	<0.05	13.1	0.311	0.41	2.9
I346906		12.5	97.1	<0.002	0.05	0.27	9.8	1	2.1	291	0.98	<0.05	11.7	0.313	0.46	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346878		41	1.7	15.6	40	160.0
I346879		44	1.1	17.4	45	168.5
I346880		47	1.7	18.0	51	163.0
I346881		44	1.2	17.0	45	161.5
I346882		45	1.6	15.8	45	162.0
I346883		43	2.1	16.5	36	150.0
I346884		42	2.2	16.4	35	161.0
I346885		46	1.4	17.2	47	154.0
I346886		43	1.4	16.6	44	152.0
I346887		48	0.4	16.5	57	183.0
I346888		45	3.4	16.4	54	174.5
I346889		48	0.5	17.3	56	171.5
I346890		45	1.7	16.1	51	170.0
I346891		49	1.9	17.4	58	182.0
I346892		49	2.2	17.3	55	165.5
I346893		48	0.6	18.3	59	165.0
I346894		48	0.5	18.3	60	174.0
I346895		52	0.4	18.5	65	181.0
I346896		49	3.1	18.1	51	177.0
I346897		44	0.9	16.7	51	172.5
I346898		48	1.5	17.9	86	189.5
I346899		45	0.4	16.7	55	169.0
I346900		45	0.4	16.5	54	162.5
I346901		48	0.4	18.0	60	172.5
I346902		47	1.9	18.3	55	188.0
I346903		50	1.3	19.2	60	182.5
I346904		47	3.7	17.5	49	188.5
I346905		50	2.1	18.4	60	200
I346906		50	1.0	18.7	58	183.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 9-DEC-2010
Account: RRR

Project: TPK ROWLANDSON CAMP

CERTIFICATE OF ANALYSIS TB10169632

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	REE's may not be totally soluble in this method.