ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

CERTIFICATE TB11021158

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 11-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594751		0.79	<0.005	0.09	7.08	2.0	730	1.46	0.04	1.92	0.07	82.7	7.9	23	3.97	10.2
J594752		0.74	<0.005	0.05	6.49	8.1	700	1.41	0.07	1.65	0.07	76.0	7.4	20	3.27	16.5
J594753		1.18	<0.005	0.11	7.10	1.1	760	1.65	0.05	1.97	0.09	84.7	8.0	22	3.65	11.4
J594754		1.74	<0.005	0.08	7.10	0.4	700	1.66	0.05	1.95	0.07	81.4	8.0	23	3.64	11.3
J594755		0.53	0.005	0.09	7.02	6.5	620	1.93	0.08	1.77	0.07	70.3	7.5	19	3.85	8.7
J594756		1.20	<0.005	0.10	7.15	4.6	700	1.50	0.07	1.95	0.09	79.6	8.0	24	3.59	12.2
J594757		1.29	0.020	0.08	7.36	2.6	710	1.46	0.06	2.06	0.09	85.4	7.9	21	3.47	11.5
J594758		1.79	<0.005	0.08	7.21	1.8	720	1.49	0.06	1.92	0.08	80.6	7.8	23	3.73	11.7
J594759		1.91	<0.005	0.10	7.33	2.8	710	1.55	0.05	1.94	0.11	81.5	8.5	22	3.74	12.6
J594760		1.77	<0.005	0.10	7.40	1.7	720	1.55	0.06	1.99	0.07	81.8	7.9	22	3.65	12.2
J594761		1.94	<0.005	0.10	7.00	2.4	690	1.49	0.05	1.92	0.08	79.6	7.9	23	3.49	11.9
J594762		1.92	<0.005	0.08	5.93	0.6	670	1.40	0.04	1.82	0.07	62.2	7.5	22	3.11	9.7
J594763		1.75	<0.005	0.10	7.07	1.7	710	1.48	0.08	1.93	0.10	83.3	7.9	22	3.63	13.5
J594764		1.94	<0.005	0.09	7.15	0.4	700	1.58	0.05	1.94	0.08	81.9	8.3	22	3.84	11.4
J594765		1.89	<0.005	0.04	7.14	2.6	720	1.43	0.07	1.93	0.06	78.0	8.8	19	3.82	13.8
J594766		1.99	0.005	0.06	7.02	10.5	720	1.34	0.15	1.88	0.08	76.6	8.0	18	3.71	13.9
J594767		2.11	<0.005	0.02	7.21	1.7	720	1.52	0.06	1.95	0.06	79.4	8.7	19	3.76	11.6
J594768		1.99	0.005	0.01	7.11	2.3	710	1.46	0.05	1.85	0.06	79.7	8.4	18	3.65	13.8
J594769		1.16	<0.005	0.03	6.99	7.3	710	1.48	0.05	1.84	0.06	80.2	8.5	20	3.64	10.4
J594770		0.61	0.007	0.03	6.48	16.9	710	1.47	0.06	1.98	0.05	67.0	7.8	16	3.53	18.6
J594771		1.95	0.005	0.02	7.14	0.7	720	1.51	0.05	1.87	0.05	77.5	8.5	19	3.61	10.7
J594772		1.82	<0.005	0.04	7.16	2.2	710	1.51	0.06	1.88	0.05	79.6	8.7	19	3.59	11.8
J594773		1.96	<0.005	0.04	6.92	2.4	700	1.44	0.05	1.83	0.06	77.9	8.6	19	3.53	10.6
J594774		1.84	0.005	0.02	6.93	4.2	690	1.47	0.05	1.87	0.05	70.3	7.8	19	3.33	11.0
J594775		0.04	3.44	0.14	1.52	1.5	110	0.32	0.14	0.01	0.13	17.55	1.4	8	0.59	6.7
J594776		1.85	0.005	0.01	6.92	6.0	690	1.44	0.06	1.86	0.06	69.3	8.0	20	3.47	11.5
J594777		1.90	0.005	0.02	6.97	3.1	670	1.45	0.05	1.84	0.05	74.2	7.9	19	3.46	10.0
J594778		1.86	0.005	0.02	6.95	7.8	710	1.47	0.05	1.81	0.04	72.4	8.0	17	3.43	9.4
J594779		1.82	<0.005	0.01	6.97	1.6	700	1.50	0.05	1.81	0.05	79.0	8.0	18	3.43	9.7
J594780		1.95	<0.005	0.04	6.99	6.5	710	1.41	0.05	1.81	0.05	73.8	7.9	17	3.38	11.7
J594781		1.88	0.006	0.01	6.81	2.7	690	1.40	0.05	1.75	0.05	73.5	7.6	17	3.40	9.0
J594782		1.72	0.006	0.01	7.12	6.0	700	1.54	0.06	1.84	0.05	80.1	7.9	19	3.74	11.2
J594783		1.85	0.006	<0.01	6.15	5.9	590	1.44	0.07	1.60	0.04	64.6	7.1	23	3.45	12.2
J594784		1.81	<0.005	<0.01	6.76	1.3	640	1.42	0.05	1.84	0.05	66.3	7.9	24	3.67	10.6
J594785		1.86	0.007	0.01	6.80	2.1	660	1.35	0.05	1.88	0.06	64.6	8.1	25	3.50	11.2
J594786		1.94	0.006	<0.01	6.80	5.4	620	1.48	0.05	1.90	0.07	67.8	8.4	26	3.63	11.3
J594787		1.68	0.005	0.02	7.12	2.1	650	1.33	0.04	1.96	0.07	73.9	8.4	26	3.70	11.6
J594788		1.89	0.006	<0.01	7.15	2.5	690	1.52	0.04	1.96	0.06	74.6	8.5	22	3.45	11.9
J594789		2.08	0.006	<0.01	7.11	1.9	710	1.42	0.04	1.92	0.05	70.0	8.1	22	3.48	10.9
J594790		1.89	0.016	<0.01	6.86	7.9	650	1.50	0.04	1.91	0.04	68.3	7.7	25	2.98	11.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594751		2.43	18.20	0.11	5.3	0.031	2.49	40.1	32.2	0.66	421	3.60	2.69	10.9	15.5	550
J594752		2.24	16.80	0.10	4.9	0.032	2.26	36.3	31.8	0.60	374	29.6	2.70	10.2	14.5	540
J594753		2.50	18.30	0.13	5.4	0.035	2.58	41.5	29.4	0.66	441	1.53	2.81	11.2	14.5	590
J594754		2.51	18.25	0.09	5.3	0.036	2.50	40.0	30.0	0.66	451	0.66	2.78	11.1	14.7	570
J594755		2.36	18.40	0.12	5.5	0.031	2.63	32.2	30.9	0.60	413	0.57	2.94	13.8	13.5	520
J594756		2.49	17.80	0.12	4.5	0.030	2.60	37.8	31.3	0.66	434	0.67	2.90	11.1	14.5	580
J594757		2.47	18.55	0.13	4.9	0.029	2.57	41.5	28.2	0.65	427	5.19	2.94	10.6	14.2	560
J594758		2.43	18.30	0.11	5.0	0.032	2.64	38.7	29.4	0.65	420	0.61	2.90	10.9	14.7	550
J594759		2.52	18.40	0.15	5.6	0.034	2.56	39.3	29.6	0.66	433	0.58	2.90	11.2	14.6	570
J594760		2.52	18.60	0.13	5.0	0.029	2.62	38.9	27.9	0.65	432	0.94	2.95	11.1	14.3	570
J594761		2.46	17.90	0.11	4.6	0.028	2.48	37.4	26.6	0.65	428	0.79	2.83	11.1	14.5	560
J594762		2.41	17.40	0.09	5.0	0.031	2.43	29.3	28.3	0.57	418	1.18	2.74	10.7	13.5	550
J594763		2.51	18.25	0.14	5.3	0.032	2.50	39.5	29.6	0.65	436	1.03	2.85	11.3	14.2	590
J594764		2.49	18.45	0.12	5.0	0.033	2.55	39.7	29.8	0.65	427	0.59	2.82	11.5	15.2	560
J594765		2.48	17.80	0.20	5.3	0.033	2.64	38.7	29.5	0.68	431	1.61	2.86	11.3	16.5	570
J594766		2.46	17.50	0.20	4.9	0.034	2.59	38.1	27.8	0.68	424	2.00	2.85	11.0	16.4	550
J594767		2.57	18.10	0.21	5.3	0.033	2.57	38.8	28.9	0.68	437	0.80	2.92	10.8	16.6	570
J594768		2.42	18.55	0.22	4.8	0.032	2.57	39.7	27.1	0.66	415	0.72	2.86	11.1	16.6	540
J594769		2.40	17.95	0.23	4.8	0.033	2.45	40.0	32.3	0.67	405	0.64	2.80	11.0	16.2	540
J594770		2.35	17.80	0.21	4.7	0.029	2.68	32.1	29.7	0.66	445	0.93	2.85	10.2	13.8	490
J594771		2.46	18.65	0.21	5.1	0.033	2.66	37.9	27.3	0.69	422	0.85	2.90	11.4	17.3	550
J594772		2.49	18.55	0.21	5.1	0.037	2.60	39.6	26.9	0.69	423	0.51	2.91	11.5	17.5	550
J594773		2.46	18.15	0.21	4.9	0.034	2.59	37.6	29.1	0.70	418	0.58	2.84	11.0	17.2	560
J594774		2.41	17.60	0.21	4.1	0.034	2.53	34.3	29.4	0.67	412	0.61	2.78	10.7	15.4	530
J594775		1.35	3.99	0.12	0.6	0.011	0.16	9.5	16.3	0.02	102	0.75	0.03	3.5	6.1	50
J594776		2.39	16.95	0.20	4.7	0.034	2.53	33.7	28.6	0.69	417	2.21	2.81	10.3	16.9	530
J594777		2.46	17.75	0.22	4.6	0.034	2.49	37.0	26.4	0.69	420	6.14	2.79	10.9	16.5	540
J594778		2.37	17.10	0.21	4.9	0.031	2.58	35.4	27.2	0.67	407	24.1	2.86	10.9	15.9	540
J594779		2.40	17.40	0.22	4.5	0.033	2.60	38.9	26.5	0.68	408	3.19	2.83	10.9	16.0	540
J594780		2.42	17.70	0.22	4.8	0.032	2.53	36.6	29.0	0.67	410	3.53	2.88	11.2	15.7	540
J594781		2.33	17.45	0.22	4.4	0.031	2.57	35.9	27.3	0.66	398	1.67	2.74	10.9	15.2	530
J594782		2.43	18.65	0.18	5.1	0.034	2.57	41.4	35.1	0.67	420	0.55	2.85	11.7	16.6	540
J594783		2.16	16.75	0.15	4.2	0.029	2.54	32.5	32.6	0.62	377	0.46	2.69	10.5	16.4	470
J594784		2.36	17.30	0.17	4.8	0.031	2.41	33.8	27.9	0.71	407	0.43	2.72	11.1	18.8	510
J594785		2.36	17.35	0.17	4.3	0.032	2.44	31.9	29.5	0.72	411	0.49	2.66	10.2	19.2	510
J594786		2.53	18.30	0.18	5.0	0.033	2.42	34.3	35.6	0.76	438	0.51	2.84	11.4	20.4	540
J594787		2.53	18.15	0.17	5.3	0.035	2.49	38.1	29.4	0.77	439	1.57	2.80	11.2	20.5	540
J594788		2.51	18.20	0.18	4.3	0.037	2.49	38.9	27.4	0.75	424	1.33	2.83	12.1	19.7	540
J594789		2.43	17.70	0.17	4.6	0.034	2.55	36.5	28.2	0.74	417	0.78	2.77	11.3	19.1	530
J594790		2.38	17.30	0.18	4.6	0.035	2.35	34.7	32.0	0.75	419	0.43	2.74	10.9	18.9	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594751		14.3	111.0	<0.002	0.01	0.13	7.4	2	2.2	219	0.98	<0.05	12.9	0.276	0.68	3.0
J594752		13.9	102.5	0.002	0.03	0.29	7.1	2	2.1	197.5	0.90	<0.05	11.7	0.261	0.60	2.7
J594753		16.1	109.0	<0.002	0.01	0.10	7.6	2	2.3	221	0.96	<0.05	12.4	0.285	0.69	2.9
J594754		16.4	113.5	<0.002	0.01	0.10	7.7	2	2.3	218	0.96	<0.05	11.8	0.289	0.67	2.9
J594755		18.1	121.5	<0.002	0.02	0.27	7.2	2	2.5	198.5	1.52	<0.05	15.7	0.272	0.70	4.2
J594756		15.9	111.0	<0.002	0.03	0.23	7.3	2	2.2	214	1.00	<0.05	12.3	0.289	0.70	3.0
J594757		15.6	110.0	<0.002	0.04	0.13	7.5	2	2.1	224	0.95	<0.05	12.6	0.282	0.68	2.9
J594758		15.5	112.5	<0.002	0.03	0.11	7.6	2	2.2	215	1.00	<0.05	12.6	0.280	0.70	3.1
J594759		16.4	115.5	<0.002	0.01	0.13	7.9	2	2.2	222	0.99	<0.05	12.6	0.291	0.69	3.1
J594760		16.0	110.0	<0.002	0.01	0.10	7.4	2	2.1	227	1.02	<0.05	12.3	0.293	0.68	3.0
J594761		16.2	107.0	<0.002	0.01	0.10	7.1	2	2.2	217	1.01	<0.05	12.4	0.283	0.67	2.9
J594762		15.5	87.9	<0.002	0.01	0.09	6.5	2	2.1	199.0	0.98	<0.05	9.5	0.277	0.65	2.7
J594763		15.8	106.0	<0.002	0.03	0.11	7.6	2	2.2	221	1.03	<0.05	12.8	0.288	0.69	3.0
J594764		16.0	116.5	<0.002	0.01	0.10	8.2	2	2.4	219	1.08	<0.05	13.0	0.286	0.73	3.3
J594765		14.3	115.0	<0.002	0.02	0.09	8.0	2	2.0	216	1.02	<0.05	13.4	0.292	0.63	3.4
J594766		17.7	113.0	<0.002	0.04	0.13	7.9	2	2.0	208	0.95	<0.05	13.4	0.286	0.66	3.1
J594767		14.7	113.0	<0.002	0.01	0.09	8.0	2	2.0	219	0.99	<0.05	13.4	0.290	0.66	3.2
J594768		14.9	118.0	<0.002	0.01	0.08	7.9	2	1.9	209	0.99	<0.05	13.9	0.280	0.66	3.4
J594769		14.1	114.0	<0.002	0.01	0.17	7.9	2	2.2	208	0.98	<0.05	13.6	0.274	0.66	3.2
J594770		11.6	106.0	<0.002	0.04	0.20	7.4	1	1.9	207	0.88	<0.05	11.7	0.273	0.64	2.6
J594771		14.8	116.0	<0.002	0.01	0.06	8.0	1	2.0	212	1.00	<0.05	13.0	0.290	0.67	3.0
J594772		16.7	120.0	<0.002	0.01	0.07	8.1	1	2.1	213	1.02	<0.05	13.4	0.289	0.68	3.2
J594773		15.8	115.5	<0.002	0.01	0.10	7.9	1	2.1	208	0.98	<0.05	13.0	0.285	0.67	2.9
J594774		14.4	104.0	<0.002	0.01	0.11	7.3	1	1.9	204	1.00	<0.05	12.5	0.274	0.61	2.9
J594775		26.9	14.3	<0.002	1.04	0.50	1.4	1	1.3	14.4	0.29	<0.05	3.3	0.092	0.41	0.4
J594776		14.3	110.0	<0.002	0.01	0.10	7.6	2	1.9	206	0.94	<0.05	12.7	0.274	0.65	3.2
J594777		14.0	109.5	<0.002	0.01	0.08	7.7	2	1.9	204	0.98	<0.05	13.3	0.280	0.63	3.3
J594778		14.2	111.5	0.003	0.01	0.10	7.5	1	1.9	202	1.02	<0.05	13.5	0.279	0.63	3.3
J594779		13.6	114.5	<0.002	<0.01	0.07	7.6	1	2.0	205	1.01	<0.05	14.1	0.279	0.64	3.3
J594780		13.3	111.0	<0.002	0.01	0.13	7.3	1	2.0	204	0.99	<0.05	13.4	0.281	0.64	3.1
J594781		13.2	110.0	<0.002	0.01	0.08	7.2	1	1.9	197.0	1.02	<0.05	13.5	0.275	0.65	3.3
J594782		13.9	104.0	<0.002	0.01	0.14	7.5	1	2.0	210	1.08	<0.05	13.5	0.270	0.68	3.5
J594783		14.7	97.7	<0.002	0.02	0.13	6.5	1	1.9	179.5	1.11	<0.05	13.3	0.242	0.66	3.7
J594784		15.6	99.9	<0.002	0.01	0.07	7.1	1	2.0	206	1.07	<0.05	13.7	0.259	0.69	3.6
J594785		16.3	99.3	<0.002	0.01	0.08	7.6	1	1.9	212	0.89	<0.05	12.3	0.261	0.67	3.0
J594786		14.4	94.0	<0.002	0.01	0.16	7.8	1	2.1	210	1.05	<0.05	13.2	0.278	0.69	3.4
J594787		15.7	96.0	<0.002	0.01	0.08	7.6	1	1.9	219	1.11	<0.05	14.1	0.272	0.69	3.6
J594788		16.3	100.5	<0.002	0.01	0.07	7.9	1	2.1	226	1.12	<0.05	13.5	0.273	0.67	3.4
J594789		15.2	98.1	<0.002	0.01	0.08	7.9	1	2.0	221	1.09	<0.05	13.3	0.270	0.67	3.5
J594790		13.7	90.0	<0.002	0.01	0.16	7.4	1	1.9	211	1.11	<0.05	13.4	0.264	0.62	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594751		44	0.6	18.7	52	195.0
J594752		40	0.7	17.0	46	182.0
J594753		45	1.5	19.0	54	208
J594754		45	0.5	19.2	53	198.5
J594755		41	0.8	21.1	51	186.5
J594756		45	0.7	18.5	53	166.0
J594757		44	1.0	18.2	50	182.0
J594758		44	1.7	18.9	50	187.5
J594759		46	0.9	19.7	54	207
J594760		45	0.8	18.7	53	182.5
J594761		44	0.8	18.9	52	167.0
J594762		45	0.6	16.0	49	185.5
J594763		45	1.0	19.2	52	190.0
J594764		44	0.6	20.3	51	181.0
J594765		45	6.1	20.0	54	197.0
J594766		45	8.3	19.4	54	185.0
J594767		45	0.8	19.2	53	193.0
J594768		43	0.7	19.7	51	178.0
J594769		42	0.6	19.5	48	179.5
J594770		43	19.2	16.9	46	170.5
J594771		45	0.6	19.5	52	194.0
J594772		45	0.5	20.0	54	192.5
J594773		45	0.5	19.3	54	181.0
J594774		44	0.5	18.0	51	150.5
J594775		8	0.9	2.7	15	20.9
J594776		43	0.5	18.5	52	176.5
J594777		44	0.5	19.2	52	169.5
J594778		43	0.5	19.0	51	178.5
J594779		44	0.5	19.1	52	163.5
J594780		43	0.6	19.1	51	181.5
J594781		42	0.7	18.6	51	158.5
J594782		42	1.6	20.2	49	188.0
J594783		38	2.1	17.1	43	142.0
J594784		42	1.2	19.3	49	178.5
J594785		43	1.2	18.1	50	162.5
J594786		45	1.3	18.6	54	182.0
J594787		44	1.0	19.8	53	191.0
J594788		45	1.0	21.0	52	165.0
J594789		43	0.9	19.4	49	167.0
J594790		43	0.9	18.5	49	167.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594791		1.83	0.006	0.07	7.21	6.8	680	1.57	0.04	2.00	0.10	75.3	8.5	25	3.40	13.4
J594792		1.64	0.006	0.01	7.04	4.8	670	1.53	0.05	1.89	0.05	67.3	8.4	24	3.45	11.6
J594793		0.72	0.029	<0.01	7.03	31.4	660	1.44	0.07	1.95	0.06	75.9	7.6	21	2.26	13.7
J594794		0.57	0.007	<0.01	6.94	31.7	670	1.54	0.08	1.94	<0.02	67.6	10.0	23	2.07	8.5
J594795		0.97	0.006	<0.01	7.19	12.0	710	1.41	0.04	1.99	0.04	77.3	8.6	25	3.13	12.5
J594796		1.83	0.005	0.15	7.24	4.2	680	1.50	0.04	2.00	0.06	71.7	9.0	27	2.84	11.8
J594797		1.90	0.006	<0.01	7.39	2.3	710	1.45	0.04	1.90	0.05	85.8	8.6	24	3.45	11.3
J594798		1.92	0.006	<0.01	7.06	7.2	650	1.32	0.04	1.74	0.03	72.4	7.0	20	2.24	9.3
J594799		1.95	0.006	0.03	7.26	2.4	680	1.65	0.04	1.98	0.05	84.8	9.3	25	3.19	11.2
J594800		0.06	0.008	0.06	6.39	1.5	910	1.17	0.11	1.37	0.09	28.6	2.4	10	1.72	3.6
J594801		1.86	0.005	0.02	6.71	1.9	720	1.46	0.04	1.98	0.05	65.7	9.8	27	3.31	10.9
J594802		1.82	0.007	0.04	7.05	2.8	720	1.50	0.05	2.04	0.05	57.5	10.1	26	3.10	12.4
J594803		2.00	0.006	<0.01	7.28	4.6	830	1.66	0.05	1.80	0.03	78.4	9.1	25	2.97	13.1
J594804		1.88	0.007	0.01	7.32	1.8	760	1.80	0.05	2.00	0.05	85.6	9.5	24	3.80	9.3
J594805		1.80	0.007	<0.01	7.03	4.9	870	1.54	0.05	1.63	0.05	85.2	6.6	9	1.53	5.1
J594806		1.95	0.007	<0.01	7.74	4.8	860	1.82	0.06	1.77	0.05	95.8	8.8	21	1.85	13.0
J594807		1.06	0.008	<0.01	7.83	5.6	950	1.64	0.06	1.65	<0.02	100.0	9.6	20	1.21	13.1
J594808		1.55	0.006	<0.01	8.04	6.1	1020	1.93	0.04	1.28	0.03	108.0	8.2	8	1.11	5.8
J594809		1.41	0.009	0.02	7.50	8.0	950	1.63	0.40	1.34	<0.02	94.0	9.2	6	1.11	7.9
J594810		1.94	0.006	<0.01	7.02	7.8	810	1.86	0.05	1.69	<0.02	85.6	7.5	11	1.08	3.9
J594811		1.24	0.005	<0.01	7.40	5.5	780	1.79	0.04	1.07	<0.02	104.0	6.7	7	1.04	3.9
J594812		1.30	0.007	<0.01	8.14	6.2	930	1.76	0.06	1.67	0.03	98.9	8.3	6	1.34	5.7
J594813		1.32	0.007	0.01	8.08	3.6	880	1.88	0.05	1.83	0.05	102.0	7.8	6	1.83	7.2
J594814		1.31	0.009	<0.01	8.07	4.1	910	1.92	0.06	1.86	0.04	99.7	7.9	7	2.15	8.3
J594815		1.23	0.005	<0.01	8.51	8.2	950	2.24	0.13	1.69	0.04	109.5	8.1	8	1.53	6.9
J594816		1.77	0.007	<0.01	8.12	5.0	890	1.72	0.07	1.73	0.05	101.5	7.7	7	1.75	8.0
J594817		1.83	0.005	0.01	8.54	4.8	950	1.96	0.09	1.82	0.05	106.0	8.0	8	2.27	7.6
J594818		0.95	0.008	<0.01	7.71	8.3	870	1.82	0.07	1.63	0.04	96.1	7.6	6	1.48	5.7
J594819		0.77	0.007	<0.01	8.05	7.8	790	1.90	0.08	1.56	0.03	88.8	6.4	6	1.30	7.0
J594820		1.04	0.007	<0.01	8.09	10.3	910	1.95	0.16	1.89	0.03	98.8	8.0	6	1.24	54.6
J594821		1.08	0.007	<0.01	8.25	14.4	910	1.96	0.11	1.82	0.05	105.0	9.3	7	1.81	12.5
J594822		1.85	0.007	<0.01	8.52	5.4	960	1.92	0.08	1.90	0.04	103.0	7.9	8	1.93	7.7
J594823		1.19	0.007	<0.01	8.18	4.4	880	2.04	0.08	1.91	0.05	98.0	8.0	7	2.56	6.9
J594824		0.33	0.007	0.01	6.87	10.8	740	1.85	0.09	1.43	0.03	78.7	6.6	8	1.26	9.3
J594825		0.28	0.007	<0.01	6.57	10.0	690	1.83	0.08	1.30	0.03	79.9	5.9	8	1.41	8.0
J594826		1.85	0.006	<0.01	6.68	10.2	820	1.54	0.07	1.47	0.04	81.6	6.9	6	1.12	6.2
J594827		2.16	0.009	<0.01	6.80	12.7	810	1.35	0.08	1.21	0.04	72.3	6.3	8	0.92	9.8
J594828		1.36	0.009	<0.01	6.81	5.6	870	1.61	0.07	1.62	0.04	84.4	6.6	8	2.21	9.8
J594829		0.55	0.018	0.02	6.78	10.7	930	1.62	0.08	1.59	0.06	87.1	8.1	6	2.73	9.9
J594830		0.82	0.487	0.58	5.28	66.5	570	1.19	1.12	3.09	0.36	70.8	6.4	26	1.01	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594791		2.56	18.10	0.20	5.0	0.033	2.46	39.4	31.7	0.79	436	0.33	2.76	11.5	20.5	560
J594792		2.49	18.05	0.18	4.9	0.034	2.52	34.3	34.6	0.76	426	0.38	2.80	11.5	19.9	530
J594793		2.41	17.80	0.18	4.5	0.029	2.39	39.8	26.7	0.73	426	1.59	2.82	11.3	18.4	550
J594794		2.44	17.85	0.18	4.8	0.029	2.26	34.2	23.1	0.75	457	215	2.77	11.0	20.0	530
J594795		2.54	17.75	0.18	4.5	0.033	2.40	40.7	28.7	0.80	433	4.80	2.78	10.5	19.4	560
J594796		2.61	17.80	0.21	4.2	0.032	2.47	37.1	24.6	0.81	442	6.04	2.79	10.7	20.5	560
J594797		2.52	17.70	0.20	5.2	0.032	2.66	46.4	25.8	0.75	427	8.93	2.85	11.5	19.0	540
J594798		2.29	17.25	0.19	4.1	0.030	2.65	38.2	16.9	0.66	415	2.50	2.71	10.3	16.1	480
J594799		2.53	15.85	0.23	4.4	0.037	2.41	42.4	25.3	0.80	427	0.71	2.78	11.2	21.6	540
J594800		1.43	11.80	0.16	1.3	0.018	2.23	13.3	10.9	0.19	560	1.01	2.74	4.8	2.3	170
J594801		2.61	16.35	0.27	5.1	0.036	2.46	31.9	26.3	0.81	444	0.33	2.87	12.1	22.7	570
J594802		2.64	15.95	0.25	4.9	0.035	2.25	26.7	24.7	0.87	463	1.29	2.80	11.6	22.5	600
J594803		2.50	16.70	0.29	5.0	0.033	2.64	38.5	22.1	0.82	460	6.47	2.86	12.4	21.9	530
J594804		2.60	16.30	0.28	5.4	0.036	2.65	41.8	18.7	0.81	441	0.55	2.91	13.5	22.0	570
J594805		2.32	15.90	0.30	5.5	0.033	2.71	40.3	13.7	0.53	465	1.59	2.82	12.7	7.6	540
J594806		2.71	18.10	0.33	6.2	0.045	3.00	46.1	15.8	0.79	560	1.12	3.17	14.0	16.2	590
J594807		2.86	17.65	0.37	5.6	0.062	2.94	49.0	13.1	0.94	543	2.18	3.16	13.6	16.7	620
J594808		2.77	18.30	0.41	7.4	0.047	3.38	52.9	13.4	0.81	484	1.27	3.56	16.9	7.5	660
J594809		2.48	17.30	0.37	6.3	0.033	3.29	46.3	14.0	0.73	408	1.48	3.34	14.4	7.1	590
J594810		2.21	15.80	0.31	5.9	0.025	2.40	39.1	19.2	0.89	395	1.68	3.47	13.2	12.5	620
J594811		2.24	16.80	0.36	6.0	0.030	3.10	53.8	14.9	0.74	364	1.67	3.18	13.8	6.8	550
J594812		2.62	18.35	0.39	6.1	0.034	3.29	48.4	15.3	0.74	458	1.10	3.46	14.8	7.4	640
J594813		2.75	18.35	0.36	6.7	0.039	2.92	49.4	16.5	0.63	517	1.27	3.30	14.5	7.2	650
J594814		2.72	19.00	0.36	6.3	0.042	3.09	47.1	19.0	0.64	524	1.08	3.42	15.6	7.5	650
J594815		2.77	19.60	0.39	7.1	0.041	3.39	52.7	16.8	0.68	546	1.02	3.58	16.6	7.4	640
J594816		2.78	18.50	0.38	6.7	0.042	3.04	49.0	17.1	0.65	538	1.31	3.36	14.8	7.6	640
J594817		2.82	19.15	0.38	7.3	0.044	3.28	51.4	18.0	0.65	518	1.32	3.49	15.7	7.4	650
J594818		2.68	18.15	0.33	6.5	0.036	3.01	45.6	16.9	0.67	538	1.20	3.33	14.6	7.1	630
J594819		2.52	17.60	0.35	6.6	0.035	3.44	41.4	13.9	0.64	475	1.01	3.37	14.9	6.2	550
J594820		2.79	18.70	0.40	6.4	0.037	3.08	47.7	18.3	0.74	560	1.04	3.36	15.0	7.6	630
J594821		2.86	18.95	0.38	6.3	0.039	3.03	50.4	20.7	0.67	531	1.30	3.50	15.4	8.0	680
J594822		2.87	19.05	0.39	6.7	0.038	3.15	49.6	16.8	0.70	492	1.25	3.50	14.8	7.7	670
J594823		2.86	18.50	0.38	6.5	0.041	2.96	46.9	19.7	0.63	514	1.25	3.38	15.8	7.5	680
J594824		2.34	18.05	0.17	5.5	0.036	2.71	38.2	11.0	0.51	443	1.43	2.64	13.4	6.0	520
J594825		2.19	17.55	0.17	5.2	0.034	2.61	39.2	11.0	0.47	417	0.98	2.59	13.5	5.2	500
J594826		2.36	16.60	0.20	5.4	0.034	2.58	39.7	10.9	0.55	417	1.29	2.48	11.2	5.9	550
J594827		2.20	17.55	0.19	5.2	0.031	2.82	35.4	10.3	0.58	365	0.86	2.72	11.6	5.7	540
J594828		2.36	17.35	0.19	5.3	0.035	2.73	40.3	14.3	0.51	411	5.87	2.55	12.2	6.1	550
J594829		2.25	17.50	0.19	5.2	0.033	2.52	42.1	17.8	0.55	385	2.09	2.61	10.6	8.7	560
J594830		2.35	13.95	0.19	4.4	0.031	1.82	35.8	11.7	0.68	428	1.66	2.10	4.4	17.0	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594791		13.7	100.0	<0.002	0.01	0.14	8.4	1	2.1	230	1.09	<0.05	13.9	0.285	0.65	3.7
J594792		13.9	98.8	<0.002	0.01	0.12	7.7	1	2.0	217	1.17	<0.05	13.5	0.273	0.69	3.7
J594793		15.2	90.2	<0.002	0.08	0.32	7.3	1	2.0	219	1.05	<0.05	13.2	0.273	0.61	3.3
J594794		11.2	91.2	0.021	0.03	0.41	7.8	1	1.9	237	0.97	<0.05	11.4	0.270	0.60	3.3
J594795		11.7	93.3	<0.002	0.01	0.18	7.9	1	2.0	232	0.94	<0.05	12.0	0.274	0.60	3.0
J594796		13.5	93.5	<0.002	0.01	0.11	7.8	1	2.0	229	0.95	<0.05	11.7	0.283	0.63	3.0
J594797		14.1	104.5	<0.002	0.01	0.08	7.8	1	2.0	220	1.07	<0.05	14.6	0.277	0.71	3.5
J594798		12.6	95.7	<0.002	<0.01	0.23	7.0	1	1.9	207	1.02	<0.05	13.5	0.240	0.58	3.3
J594799		12.7	84.8	<0.002	0.01	0.12	8.3	2	2.2	222	0.94	<0.05	13.9	0.275	0.64	3.1
J594800		11.9	55.4	<0.002	<0.01	0.20	5.2	1	1.7	175.5	0.49	<0.05	6.2	0.115	0.40	2.0
J594801		12.7	71.9	<0.002	0.01	0.13	8.1	2	2.4	225	1.07	<0.05	11.3	0.298	0.65	3.1
J594802		12.4	73.3	<0.002	0.01	0.12	8.6	2	2.4	237	1.01	<0.05	11.2	0.305	0.57	3.2
J594803		14.7	89.2	0.002	0.01	0.14	8.3	2	2.3	216	1.05	<0.05	18.0	0.278	0.62	3.6
J594804		17.2	94.2	<0.002	0.01	0.09	8.6	2	2.3	231	1.42	<0.05	16.4	0.298	0.69	4.5
J594805		13.5	64.7	<0.002	0.01	0.14	7.5	2	2.0	210	1.00	<0.05	13.7	0.285	0.43	2.8
J594806		15.2	73.3	<0.002	0.01	0.21	9.0	2	2.7	218	1.16	<0.05	16.6	0.310	0.45	3.9
J594807		10.8	82.5	<0.002	0.01	0.25	9.7	2	2.5	192.0	1.10	<0.05	17.0	0.321	0.44	3.9
J594808		10.0	99.4	<0.002	0.01	0.29	8.9	2	2.7	167.5	1.50	<0.05	17.5	0.341	0.53	4.8
J594809		8.4	96.6	<0.002	0.10	0.33	8.4	2	2.9	143.5	1.32	<0.05	15.8	0.317	0.53	4.0
J594810		7.6	65.8	<0.002	0.03	0.28	7.5	2	2.3	178.0	1.14	<0.05	13.6	0.303	0.39	3.2
J594811		8.0	90.2	<0.002	0.02	0.27	7.2	2	2.2	124.5	1.33	<0.05	17.6	0.285	0.49	4.3
J594812		10.6	89.9	<0.002	0.02	0.25	8.5	2	2.3	171.0	1.24	<0.05	16.3	0.336	0.54	3.9
J594813		13.8	72.0	<0.002	0.01	0.20	9.1	2	2.4	233	1.16	<0.05	15.9	0.330	0.44	3.5
J594814		14.8	79.3	<0.002	0.01	0.19	8.5	2	2.5	235	1.32	<0.05	15.5	0.336	0.53	3.9
J594815		13.9	94.6	<0.002	0.01	0.30	8.8	2	2.9	231	1.55	<0.05	21.4	0.339	0.57	5.2
J594816		15.1	77.7	<0.002	0.01	0.18	8.9	2	2.4	220	1.21	<0.05	16.6	0.332	0.50	3.6
J594817		16.7	86.7	0.002	0.01	0.19	9.2	2	2.6	236	1.35	<0.05	16.9	0.345	0.59	4.1
J594818		12.4	73.1	<0.002	0.01	0.22	8.4	2	2.4	212	1.26	<0.05	16.0	0.325	0.50	4.0
J594819		12.5	85.8	<0.002	0.01	0.20	7.8	2	2.4	176.0	1.50	<0.05	18.7	0.291	0.59	4.9
J594820		10.4	78.5	<0.002	0.02	0.27	9.0	2	2.5	210	1.28	<0.05	16.3	0.334	0.50	4.0
J594821		13.9	78.1	<0.002	0.01	0.25	9.0	2	2.4	232	1.25	<0.05	16.6	0.346	0.50	4.0
J594822		14.6	81.4	<0.002	0.01	0.15	9.3	2	2.4	235	1.27	<0.05	16.8	0.340	0.54	4.1
J594823		15.5	82.8	<0.002	0.01	0.21	9.0	2	2.5	245	1.28	<0.05	15.8	0.348	0.52	3.9
J594824		9.5	93.3	<0.002	0.01	0.30	7.1	1	2.1	199.0	1.51	<0.05	16.0	0.274	0.43	5.4
J594825		10.0	94.5	<0.002	0.01	0.25	6.6	1	2.2	182.5	1.56	<0.05	16.7	0.259	0.42	5.3
J594826		7.7	96.8	<0.002	0.01	0.25	7.3	1	2.3	203	0.99	<0.05	12.7	0.289	0.47	3.4
J594827		7.2	98.3	<0.002	0.03	0.27	6.9	1	2.2	179.0	1.08	<0.05	14.2	0.277	0.50	3.5
J594828		12.0	97.7	<0.002	0.02	0.16	7.5	1	2.0	206	1.04	<0.05	13.5	0.298	0.50	3.2
J594829		13.0	86.8	<0.002	0.08	0.28	7.5	1	1.9	245	0.86	<0.05	11.9	0.288	0.43	2.8
J594830		46.5	71.4	<0.002	1.17	0.38	6.6	1	1.4	108.5	0.37	0.11	10.2	0.146	0.35	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594791		47	0.9	20.9	51	184.5
J594792		45	1.0	19.8	50	174.5
J594793		43	1.6	18.9	53	170.0
J594794		42	1.4	19.1	44	178.0
J594795		45	0.9	19.3	49	171.5
J594796		46	0.8	19.3	52	160.5
J594797		44	1.1	20.0	51	190.5
J594798		38	0.8	18.3	42	148.0
J594799		45	0.6	17.5	54	158.5
J594800		14	1.0	16.2	44	29.2
J594801		49	0.6	16.4	54	181.5
J594802		50	0.7	17.6	55	176.0
J594803		46	1.4	18.1	53	178.0
J594804		48	1.4	19.6	56	180.5
J594805		40	0.5	18.6	50	201
J594806		49	0.8	21.4	52	224
J594807		50	1.0	22.3	44	200
J594808		49	1.0	25.7	38	261
J594809		45	1.0	22.5	33	218
J594810		42	1.3	21.5	32	214
J594811		38	1.2	23.5	29	207
J594812		45	1.0	23.1	39	218
J594813		48	0.9	22.3	56	243
J594814		48	0.9	22.6	52	222
J594815		47	1.9	25.5	53	247
J594816		48	1.0	22.8	57	236
J594817		48	0.9	24.4	59	263
J594818		47	0.9	22.5	55	230
J594819		41	1.5	23.6	50	220
J594820		46	1.5	23.5	53	229
J594821		50	1.4	23.0	54	231
J594822		51	1.0	23.4	54	236
J594823		49	1.5	24.3	55	238
J594824		38	1.6	23.2	43	191.5
J594825		36	1.6	23.0	40	172.5
J594826		40	1.9	22.0	40	203
J594827		38	3.8	21.7	40	191.5
J594828		42	1.8	22.4	44	198.5
J594829		40	3.2	20.7	43	197.0
J594830		34	7.6	15.4	65	166.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594831		0.57	1.085	0.40	6.30	384	810	1.46	0.41	0.93	0.67	60.4	6.2	7	1.41	17.0
J594832		0.54	0.017	<0.01	6.59	25.4	820	1.75	0.07	1.21	0.03	73.0	6.3	10	2.13	7.2
J594833		0.55	0.026	<0.01	6.82	34.9	840	1.48	0.04	1.49	0.04	82.6	6.1	8	1.72	8.3
J594834		0.47	0.095	0.01	6.88	47.8	850	1.50	0.08	1.57	0.06	75.6	6.5	9	1.97	9.4
J594835		1.12	0.018	<0.01	6.97	38.8	820	1.49	0.06	1.64	0.06	83.3	6.6	9	1.96	7.2
J594836		0.52	0.021	0.01	7.00	74.8	820	1.67	0.10	1.73	0.08	92.6	8.8	8	1.76	13.5
J594837		0.68	0.326	0.18	6.24	1710	790	1.35	0.41	1.09	0.05	76.3	8.5	7	1.04	16.4
J594838		0.57	0.155	0.06	6.70	181.0	830	1.48	0.18	1.39	0.07	86.8	6.4	9	1.10	11.3
J594839		0.58	0.009	0.03	6.85	32.9	770	1.46	0.07	1.71	0.06	86.4	6.0	8	2.31	4.5
J594840		1.09	0.007	0.05	6.90	19.2	830	1.44	0.06	1.58	0.05	87.7	6.0	7	2.39	4.7
J594841		1.18	0.006	<0.01	6.90	23.6	820	1.53	0.07	1.69	0.05	83.5	6.4	8	2.45	5.9
J594842		1.22	0.006	<0.01	6.66	5.7	770	1.54	0.06	1.28	0.03	80.2	5.7	10	1.82	6.0
J594843		1.13	0.008	<0.01	6.76	5.5	700	1.58	0.03	0.64	<0.02	89.2	4.1	7	1.71	5.3
J594844		1.17	0.097	0.07	6.76	95.2	740	1.49	0.10	1.21	0.07	89.6	6.2	10	1.71	11.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J594831		2.26	16.55	0.18	5.4	0.035	2.50	29.8	13.1	0.51	287	1.19	2.41	6.7	5.7	510
J594832		2.27	17.35	0.17	5.6	0.034	2.43	34.6	17.0	0.66	449	3.42	2.60	11.8	6.2	560
J594833		2.40	18.25	0.19	5.9	0.033	2.46	39.3	18.9	0.63	476	0.86	2.71	12.1	6.5	570
J594834		2.40	18.05	0.16	5.3	0.035	2.47	36.8	20.3	0.59	468	1.24	2.61	11.1	6.4	560
J594835		2.35	18.25	0.17	5.5	0.034	2.49	40.9	15.8	0.52	418	17.85	2.70	11.4	5.8	560
J594836		2.56	19.25	0.20	5.5	0.037	2.23	45.8	16.3	0.59	485	3.26	2.75	12.3	7.1	590
J594837		1.93	15.05	0.17	5.0	0.032	1.98	38.1	9.8	0.39	295	27.8	2.70	7.9	5.7	530
J594838		2.31	17.30	0.19	6.0	0.029	2.40	43.2	13.8	0.57	372	1.73	2.53	10.0	6.6	570
J594839		2.38	17.85	0.18	5.5	0.034	2.43	41.8	15.3	0.50	431	1.02	2.66	11.7	6.4	560
J594840		2.38	17.70	0.16	6.0	0.035	2.78	43.1	14.2	0.47	426	1.87	2.60	11.5	5.5	540
J594841		2.47	17.90	0.17	5.5	0.036	2.59	39.8	17.1	0.52	449	1.59	2.70	12.2	6.2	580
J594842		2.23	17.15	0.17	4.8	0.028	2.82	38.4	14.4	0.58	390	22.8	2.51	11.6	5.7	490
J594843		1.97	16.90	0.17	4.5	0.019	2.84	44.7	23.4	1.06	249	45.2	2.39	9.9	5.4	480
J594844		2.19	17.60	0.18	5.4	0.029	2.56	44.0	15.4	0.69	329	18.95	2.58	11.0	5.9	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594831		31.8	106.5	<0.002	0.96	0.47	7.3	1	1.7	134.5	0.57	0.07	12.5	0.203	0.53	3.1
J594832		11.0	88.2	<0.002	0.04	0.31	7.5	1	2.1	154.5	1.24	<0.05	12.0	0.295	0.49	3.1
J594833		11.4	82.3	<0.002	0.04	0.34	7.5	1	2.2	161.0	1.06	<0.05	13.1	0.296	0.45	3.3
J594834		11.2	81.7	<0.002	0.20	0.33	7.6	1	2.0	171.5	0.88	<0.05	11.8	0.293	0.42	2.9
J594835		13.7	78.1	0.002	0.10	0.36	7.2	1	2.0	184.0	0.97	<0.05	13.3	0.294	0.41	3.2
J594836		13.6	78.2	<0.002	0.21	0.33	8.4	1	2.3	188.5	0.98	<0.05	12.6	0.310	0.39	3.0
J594837		17.9	71.6	0.006	0.55	1.06	7.4	1	1.6	134.0	0.67	0.11	12.0	0.242	0.32	2.7
J594838		14.5	80.5	<0.002	0.33	0.38	7.7	1	1.8	156.0	0.86	<0.05	13.2	0.270	0.35	3.1
J594839		15.6	88.5	<0.002	0.01	0.43	7.4	1	1.9	189.5	0.95	<0.05	12.8	0.295	0.48	3.0
J594840		15.6	102.0	<0.002	0.01	0.25	7.1	1	1.9	181.5	0.95	<0.05	13.8	0.289	0.56	3.3
J594841		16.3	101.0	<0.002	0.02	0.33	7.8	1	2.0	189.0	1.05	<0.05	14.2	0.303	0.57	3.3
J594842		9.1	108.0	<0.002	0.01	0.21	7.2	1	2.0	149.5	1.05	<0.05	13.1	0.261	0.50	4.0
J594843		6.9	114.0	0.002	0.01	0.22	6.8	1	1.8	90.4	0.83	<0.05	13.1	0.244	0.38	3.1
J594844		15.3	94.8	<0.002	0.24	0.29	7.3	1	1.9	141.0	0.95	<0.05	14.8	0.277	0.39	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594831		38	10.0	18.3	99	198.5
J594832		41	6.1	22.1	44	201
J594833		41	4.0	22.2	44	221
J594834		42	4.5	18.6	41	211
J594835		41	3.0	19.1	41	205
J594836		45	3.9	21.0	45	211
J594837		37	5.7	18.8	25	190.5
J594838		41	4.7	20.8	32	222
J594839		40	1.1	21.2	47	211
J594840		40	0.8	20.3	54	231
J594841		42	0.7	21.6	63	205
J594842		37	2.1	21.3	40	180.5
J594843		36	2.8	19.1	19	166.0
J594844		40	5.8	21.8	37	203

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 22-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021158

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.