ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

CERTIFICATE TB11017974

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 95 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 4-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594201		0.52	0.010	0.05	7.03	26.5	720	1.47	0.14	1.24	0.08	94.8	1.1	8	0.86	2.6
J594202		0.49	1.950	0.21	6.87	31.4	570	1.33	0.54	2.53	0.05	134.5	17.9	8	0.86	2.3
J594203		0.61	0.009	0.04	6.92	18.1	780	1.57	0.17	1.41	0.07	89.4	5.3	7	0.96	2.1
J594204		0.66	0.012	0.06	6.98	17.9	830	1.18	0.27	1.63	0.05	80.8	5.0	7	1.03	4.8
J594205		0.67	<0.005	0.05	6.86	16.1	840	1.40	0.16	1.50	0.04	89.7	5.4	8	0.90	4.9
J594206		1.86	0.028	0.07	6.97	18.6	820	1.44	0.18	1.70	0.05	85.6	8.9	8	1.88	7.2
J594207		1.94	<0.005	0.07	6.95	7.9	810	1.48	0.12	1.67	0.05	82.4	5.7	9	1.42	7.5
J594208		1.80	<0.005	0.09	7.05	18.5	900	1.48	0.13	1.71	0.05	82.1	5.9	7	1.77	7.0
J594209		1.87	0.032	0.12	6.53	24.5	710	1.34	0.18	2.06	0.04	90.4	6.9	7	1.60	13.1
J594210		1.88	0.021	0.08	7.10	15.4	800	1.60	0.15	1.49	0.03	84.6	5.4	7	1.83	8.5
J594211		1.92	<0.005	0.04	7.02	7.1	810	1.88	0.16	1.60	0.05	84.4	6.3	7	2.45	5.6
J594212		1.93	0.005	0.05	7.00	6.7	790	1.84	0.16	1.74	0.05	82.7	6.8	7	2.28	10.6
J594213		1.93	<0.005	0.04	7.14	3.2	830	2.13	0.15	1.63	0.04	81.1	6.0	9	2.30	5.9
J594214		1.78	<0.005	1.05	6.95	10.5	760	1.71	0.17	1.43	0.04	79.4	5.8	13	2.16	18.9
J594215		1.91	<0.005	0.08	6.90	12.6	820	1.41	0.18	1.77	0.06	89.4	5.8	10	2.64	6.3
J594216		1.89	<0.005	0.07	6.86	10.6	790	1.36	0.15	1.75	0.07	85.0	6.0	7	2.61	6.0
J594217		1.84	<0.005	0.12	6.85	28.4	790	1.46	0.14	1.86	0.10	87.5	6.1	9	2.67	7.5
J594218		1.82	<0.005	0.09	7.01	19.3	810	1.35	0.15	1.81	0.07	87.5	6.1	8	2.47	5.5
J594219		1.82	<0.005	0.11	6.91	19.8	800	1.39	0.15	1.79	0.06	84.2	6.1	8	2.00	8.0
J594220		1.80	<0.005	0.09	6.90	19.7	790	1.43	0.16	1.53	0.06	89.6	5.6	8	1.89	6.6
J594221		1.86	<0.005	0.15	6.96	6.9	790	1.38	0.14	1.66	0.07	93.4	6.0	7	2.24	9.5
J594222		1.79	<0.005	0.05	6.92	9.1	780	1.48	0.14	1.60	0.05	104.0	6.2	9	2.29	6.5
J594223		1.82	<0.005	0.05	7.06	16.7	760	1.50	0.13	1.68	0.06	97.5	6.1	8	2.83	5.7
J594224		0.81	<0.005	0.09	7.18	32.0	820	1.58	0.14	1.81	0.09	87.4	6.3	8	2.68	8.4
J594225		0.79	<0.005	0.07	7.22	36.5	810	1.44	0.14	1.80	0.08	89.4	5.7	7	2.50	7.7
J594226		1.14	<0.005	0.07	6.88	4.0	800	1.49	0.13	1.76	0.05	89.7	5.9	10	2.99	8.7
J594227		1.21	<0.005	0.07	6.74	27.2	640	2.09	0.16	1.30	0.06	78.1	4.3	6	2.78	7.0
J594228		1.60	<0.005	0.07	6.90	19.3	790	1.54	0.15	1.75	0.05	85.5	6.0	8	3.18	5.0
J594229		0.70	<0.005	0.08	6.85	10.0	680	1.70	0.14	1.55	0.06	81.4	5.8	7	3.43	7.2
J594230		1.13	0.005	0.09	7.11	12.3	780	1.55	0.14	1.81	0.06	97.8	5.7	6	3.26	8.3
J594231		1.87	<0.005	0.12	7.13	3.5	780	1.45	0.13	1.67	0.05	83.5	5.5	6	2.82	7.8
J594232		1.87	<0.005	0.07	7.16	4.6	780	1.57	0.14	1.70	0.05	98.4	5.8	9	2.86	7.7
J594233		1.90	<0.005	0.05	7.43	3.6	840	1.40	0.16	1.90	0.06	98.1	6.2	8	2.72	7.2
J594234		1.90	<0.005	0.08	7.21	2.8	820	1.49	0.15	1.76	0.06	84.1	5.8	8	2.69	8.1
J594235		2.05	<0.005	0.05	7.10	4.6	810	1.61	0.14	1.77	0.08	92.5	6.0	8	2.67	6.1
J594236		1.97	0.048	0.10	6.98	8.9	780	1.92	0.18	1.65	0.21	90.9	5.9	8	1.64	55.6
J594237		1.88	0.005	0.05	7.42	4.3	870	1.61	0.15	1.90	0.06	93.6	6.2	7	2.34	12.6
J594238		1.39	<0.005	0.06	7.29	19.8	870	1.46	0.14	1.78	0.05	92.9	5.5	7	3.07	5.6
J594239		0.88	<0.005	0.07	7.21	20.2	860	1.52	0.14	1.77	0.05	86.4	5.7	6	2.55	5.9
J594240		0.81	0.010	0.07	7.07	41.1	880	1.48	0.15	1.56	0.03	72.4	7.0	7	1.54	10.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594201		2.05	17.65	0.23	4.7	0.026	2.75	47.4	16.0	0.85	332	0.47	3.10	11.2	4.4	590
J594202		2.75	18.35	0.26	5.1	0.037	2.51	64.5	20.9	0.97	512	0.93	3.17	10.2	5.7	600
J594203		2.20	17.50	0.23	4.8	0.025	2.71	44.5	9.6	0.57	405	1.02	2.85	11.1	5.3	590
J594204		2.22	16.85	0.21	4.7	0.031	3.23	38.0	7.3	0.48	460	0.75	2.84	10.1	5.3	570
J594205		2.19	16.90	0.23	4.5	0.031	2.89	42.1	7.5	0.51	419	1.96	2.68	10.8	5.9	580
J594206		2.43	17.35	0.25	5.1	0.042	2.78	39.8	12.5	0.54	448	0.89	2.81	11.9	6.5	620
J594207		2.28	17.20	0.22	4.6	0.034	2.77	40.3	10.2	0.50	452	1.28	2.89	11.1	6.1	590
J594208		2.19	17.50	0.23	5.0	0.032	2.93	38.1	14.2	0.49	465	0.99	3.12	11.0	6.5	620
J594209		2.49	16.50	0.22	4.2	0.036	2.46	42.5	13.5	0.62	534	1.04	2.85	10.7	6.3	570
J594210		2.21	17.25	0.19	5.4	0.039	2.73	39.2	13.0	0.61	428	1.08	3.05	11.4	5.7	610
J594211		2.31	18.05	0.22	5.0	0.032	2.76	40.2	14.0	0.58	415	1.03	3.03	12.8	6.1	610
J594212		2.36	18.30	0.24	5.2	0.037	2.72	38.7	12.1	0.52	428	0.93	3.03	12.8	6.3	610
J594213		2.32	17.90	0.22	4.8	0.036	2.86	38.1	13.3	0.61	424	1.13	2.97	13.0	6.7	620
J594214		2.76	17.35	0.19	4.4	0.032	2.81	39.1	16.9	0.67	438	1.33	2.91	10.4	10.5	600
J594215		2.33	16.95	0.23	5.1	0.036	2.80	46.0	17.8	0.51	426	0.81	2.96	10.5	6.9	600
J594216		2.34	17.05	0.24	4.8	0.036	2.77	43.6	17.2	0.50	427	0.76	2.92	10.1	6.4	620
J594217		2.42	17.55	0.20	4.8	0.038	2.74	43.4	22.8	0.51	465	1.06	3.05	10.9	6.6	630
J594218		2.38	17.20	0.23	4.8	0.032	2.78	44.2	20.1	0.50	445	0.84	3.10	10.6	7.0	620
J594219		2.28	17.00	0.23	5.0	0.037	2.61	40.5	17.4	0.49	469	1.47	3.29	10.4	6.2	620
J594220		2.29	18.05	0.22	4.8	0.033	2.67	43.9	14.9	0.54	408	1.93	2.99	10.4	6.6	600
J594221		2.36	17.85	0.23	4.5	0.039	2.71	48.6	15.1	0.54	433	1.61	2.88	10.8	6.5	610
J594222		2.39	18.00	0.26	5.4	0.042	2.63	56.0	19.7	0.61	419	1.16	3.07	10.9	6.7	630
J594223		2.44	18.25	0.24	4.9	0.032	2.68	49.1	22.4	0.60	434	2.14	3.10	11.5	6.4	630
J594224		2.44	18.65	0.24	5.5	0.037	2.81	42.5	19.9	0.52	484	1.71	3.20	11.6	6.4	630
J594225		2.40	17.95	0.22	5.0	0.034	2.72	44.1	18.6	0.51	483	1.39	3.16	11.3	6.3	620
J594226		2.41	17.70	0.24	5.2	0.039	2.71	44.6	20.6	0.49	452	2.41	2.97	11.4	6.5	620
J594227		1.84	17.00	0.22	4.7	0.024	2.87	38.6	16.7	0.39	371	1.82	3.26	13.5	4.7	480
J594228		2.32	17.80	0.24	5.2	0.038	2.71	43.7	23.8	0.49	446	1.63	3.03	11.4	6.3	610
J594229		2.17	17.25	0.21	5.0	0.031	2.93	42.6	18.8	0.45	434	1.59	2.98	11.4	5.8	530
J594230		2.39	18.20	0.25	5.8	0.035	2.76	46.0	21.9	0.51	447	1.27	3.08	11.5	7.1	620
J594231		2.25	17.10	0.22	5.1	0.035	2.89	41.6	16.4	0.47	429	1.53	3.07	10.9	5.8	580
J594232		2.28	17.70	0.24	4.9	0.036	2.91	49.8	12.8	0.49	439	0.99	3.07	11.0	6.6	560
J594233		2.50	17.70	0.27	5.3	0.043	2.96	51.9	12.4	0.52	484	3.93	3.16	11.5	6.7	640
J594234		2.38	17.65	0.22	5.5	0.037	2.85	42.4	12.2	0.49	434	1.97	3.12	11.5	6.2	600
J594235		2.35	17.45	0.22	5.0	0.040	2.74	45.6	13.5	0.49	440	0.92	3.03	12.2	6.4	620
J594236		2.30	17.75	0.21	5.7	0.038	2.53	47.9	11.8	0.50	427	2.02	3.00	12.7	6.3	590
J594237		2.46	17.95	0.27	5.4	0.041	2.59	47.6	14.8	0.53	456	1.61	3.07	11.4	6.4	650
J594238		2.29	17.90	0.22	4.8	0.030	2.76	47.3	18.7	0.49	414	2.59	3.09	10.7	6.0	600
J594239		2.49	18.10	0.23	5.0	0.043	2.69	41.7	19.8	0.53	444	1.45	3.06	11.5	6.6	660
J594240		1.98	17.15	0.25	5.1	0.036	2.45	38.9	15.0	0.43	391	1.45	3.60	10.1	5.8	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594201		15.9	84.8	0.002	0.04	0.30	7.6	1	2.0	111.0	1.02	<0.05	13.5	0.268	0.36	3.6
J594202		11.9	80.2	0.003	0.66	0.27	7.6	1	2.2	82.1	0.86	0.09	12.2	0.275	0.37	2.4
J594203		18.3	106.5	0.003	0.08	0.58	7.1	2	2.0	155.0	1.00	<0.05	12.1	0.284	0.47	3.0
J594204		15.5	122.0	0.002	0.10	0.87	6.7	1	2.0	169.5	0.93	<0.05	12.3	0.275	0.65	3.2
J594205		13.6	108.0	0.003	0.04	1.15	7.2	1	2.0	192.0	0.93	<0.05	12.4	0.289	0.54	3.0
J594206		15.3	105.5	0.002	0.12	0.50	7.8	1	2.2	194.5	1.09	<0.05	12.3	0.305	0.56	3.2
J594207		14.5	97.6	0.003	0.01	0.45	7.0	2	2.0	212	0.99	<0.05	12.0	0.291	0.52	2.9
J594208		17.0	93.8	0.002	0.04	0.40	7.5	1	2.0	203	0.96	<0.05	12.4	0.300	0.53	2.9
J594209		18.5	86.3	0.003	0.23	0.36	7.3	1	2.1	166.0	0.95	<0.05	13.4	0.284	0.44	3.1
J594210		13.8	97.9	0.003	0.12	0.29	7.1	2	2.2	158.0	1.10	<0.05	14.3	0.286	0.45	3.9
J594211		16.7	114.0	0.003	0.01	0.29	7.3	2	2.3	191.0	1.33	<0.05	13.7	0.297	0.56	3.8
J594212		17.6	116.5	0.002	0.05	0.30	7.3	1	2.4	198.0	1.36	<0.05	12.0	0.299	0.58	3.6
J594213		16.6	125.5	<0.002	0.01	0.23	7.4	2	2.5	190.5	1.55	<0.05	11.5	0.299	0.56	3.6
J594214		15.4	109.5	0.004	0.02	0.40	6.9	3	2.7	169.5	1.02	<0.05	13.8	0.288	0.48	3.8
J594215		17.6	107.5	0.004	0.01	0.34	7.1	3	2.1	203	0.98	<0.05	12.9	0.304	0.61	3.4
J594216		17.9	110.0	0.004	0.01	0.25	7.2	2	1.9	202	0.93	<0.05	12.9	0.298	0.59	3.2
J594217		20.2	103.5	0.003	0.02	0.45	7.5	2	2.0	203	0.92	<0.05	12.1	0.321	0.62	2.8
J594218		17.5	103.0	0.003	0.02	0.49	7.2	2	2.0	206	0.94	<0.05	12.2	0.308	0.55	2.7
J594219		17.8	92.6	0.003	0.03	0.35	7.1	3	2.0	192.5	0.92	<0.05	11.5	0.309	0.50	2.7
J594220		18.1	105.5	0.004	0.01	0.37	7.4	4	2.1	190.0	0.90	<0.05	12.7	0.291	0.56	3.0
J594221		17.6	105.5	0.004	0.02	0.23	7.5	3	2.1	196.5	0.89	<0.05	13.2	0.298	0.56	3.2
J594222		15.2	104.0	0.002	0.02	0.27	7.6	2	2.1	182.0	0.90	<0.05	13.8	0.307	0.51	3.1
J594223		15.9	111.5	0.002	0.01	0.25	7.7	3	2.3	190.0	0.96	<0.05	13.9	0.315	0.53	3.2
J594224		18.3	119.0	0.003	0.01	0.22	7.8	3	2.3	208	1.05	<0.05	13.8	0.316	0.64	3.9
J594225		17.2	116.0	0.002	0.01	0.25	7.2	3	2.2	206	0.98	<0.05	13.8	0.313	0.61	3.6
J594226		16.9	117.0	0.003	0.01	0.12	7.4	3	2.2	198.5	1.00	<0.05	13.3	0.307	0.65	3.3
J594227		17.9	141.0	0.002	0.05	0.30	6.1	4	2.9	140.5	1.61	<0.05	16.3	0.243	0.67	4.5
J594228		18.4	124.0	0.003	0.01	0.28	7.5	4	2.5	195.5	1.00	<0.05	15.7	0.303	0.68	3.9
J594229		20.1	137.5	0.003	0.03	0.16	6.8	3	2.4	169.0	1.20	<0.05	16.9	0.270	0.74	4.4
J594230		18.7	115.5	0.002	0.03	0.21	7.5	1	2.4	202	0.98	<0.05	16.6	0.309	0.69	3.9
J594231		19.9	119.5	0.002	0.01	0.14	7.0	3	2.3	191.0	1.00	<0.05	16.4	0.293	0.67	4.1
J594232		20.6	126.0	0.003	0.01	0.15	7.1	3	2.4	192.5	1.06	<0.05	17.1	0.285	0.65	4.3
J594233		20.3	120.5	0.004	0.01	0.13	7.7	4	2.2	203	1.07	<0.05	16.9	0.319	0.70	4.1
J594234		20.0	121.5	0.002	0.01	0.15	7.0	3	2.3	202	1.12	<0.05	15.0	0.308	0.71	4.5
J594235		19.9	122.0	0.003	0.01	0.18	7.2	3	2.4	203	1.19	<0.05	14.1	0.310	0.67	5.1
J594236		15.3	105.0	0.003	0.05	0.30	7.6	3	2.6	196.5	1.43	<0.05	14.2	0.295	0.48	4.5
J594237		17.6	100.5	0.004	0.01	0.21	7.7	2	2.2	226	1.00	<0.05	14.5	0.321	0.56	3.7
J594238		17.4	110.5	0.004	0.01	0.37	7.4	2	2.2	210	0.94	<0.05	13.3	0.298	0.59	3.4
J594239		16.7	102.5	0.003	0.02	0.37	7.9	4	2.3	212	1.03	<0.05	12.9	0.325	0.57	3.7
J594240		13.9	79.3	0.003	0.13	0.33	7.4	4	2.0	170.0	0.94	<0.05	12.3	0.292	0.43	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594201		42	5.8	16.3	41	183.0
J594202		42	6.6	21.2	32	206
J594203		41	1.9	20.2	45	192.5
J594204		44	1.7	17.9	43	187.0
J594205		41	4.9	19.1	39	186.0
J594206		43	2.4	21.6	53	201
J594207		43	1.0	19.3	56	180.0
J594208		44	1.6	17.7	48	197.5
J594209		43	1.9	19.2	53	167.0
J594210		43	2.7	20.0	42	211
J594211		43	1.1	22.2	50	187.5
J594212		43	0.9	21.9	52	204
J594213		44	1.0	23.1	50	185.0
J594214		45	26.9	19.5	48	175.5
J594215		45	0.7	19.9	50	195.0
J594216		43	0.5	19.1	51	185.5
J594217		46	0.5	19.6	60	193.5
J594218		45	0.5	19.8	56	184.0
J594219		44	0.9	18.9	54	199.5
J594220		44	1.3	20.4	58	190.0
J594221		44	0.8	21.0	56	185.0
J594222		45	1.0	21.5	48	220
J594223		46	0.7	22.0	54	208
J594224		47	0.7	22.1	59	214
J594225		45	0.7	20.3	58	201
J594226		45	7.5	21.1	55	213
J594227		34	8.7	22.9	49	172.5
J594228		44	1.2	20.5	57	204
J594229		39	1.2	20.7	54	182.5
J594230		44	1.5	22.2	60	224
J594231		41	2.0	20.4	56	216
J594232		41	0.9	21.6	57	185.5
J594233		47	0.9	22.4	59	209
J594234		44	2.1	21.4	57	202
J594235		44	1.0	24.0	54	193.0
J594236		42	1.9	25.0	81	214
J594237		46	0.9	21.4	57	216
J594238		42	0.8	20.5	52	191.0
J594239		48	1.1	22.0	56	201
J594240		44	6.8	17.3	39	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594241		0.89	<0.005	0.07	5.14	46.0	680	0.86	0.11	2.71	0.09	46.9	4.5	5	0.68	1.5
J594242		0.55	<0.005	0.02	2.85	25.4	290	0.53	0.10	3.30	0.11	16.45	2.0	4	0.81	1.2
J594243		0.81	<0.005	0.05	7.09	37.6	910	1.68	0.10	2.42	0.06	71.2	3.9	6	2.27	1.9
J594244		0.76	0.012	0.04	6.84	22.9	710	1.27	0.13	1.64	0.05	80.4	5.1	7	1.03	5.0
J594245		1.90	<0.005	0.05	7.02	17.0	850	1.47	0.16	1.74	0.05	90.0	5.9	7	1.59	6.3
J594246		1.87	<0.005	0.04	6.82	14.3	810	1.31	0.13	1.69	0.05	83.6	5.3	8	2.46	6.9
J594247		1.86	<0.005	0.06	7.02	32.7	760	1.39	0.14	1.60	0.05	85.7	4.8	8	2.29	10.4
J594248		1.93	<0.005	0.05	6.93	28.9	760	1.46	0.14	1.96	0.04	88.2	5.5	7	2.73	7.7
J594249		1.98	<0.005	0.06	6.98	4.9	790	1.45	0.12	1.75	0.07	82.8	5.9	7	2.69	6.7
J594250		0.03	8.62	0.55	7.88	5.3	190	2.40	0.17	1.08	0.45	17.75	10.6	37	1.49	18.9
J594251		1.92	<0.005	0.05	6.94	7.5	710	1.67	0.14	1.67	0.05	89.2	6.1	8	3.08	7.1
J594252		1.85	<0.005	0.04	7.08	6.9	680	1.83	0.15	1.74	0.06	90.3	6.2	8	2.96	5.8
J594253		1.85	<0.005	0.08	7.16	2.9	750	1.49	0.15	1.78	0.07	91.0	6.0	7	3.07	6.9
J594254		1.93	<0.005	0.06	6.98	2.4	800	1.58	0.14	1.69	0.04	82.1	6.1	8	2.69	7.6
J594255		2.02	<0.005	0.07	7.30	4.4	820	1.53	0.15	1.80	0.05	80.5	6.1	8	2.86	6.9
J594256		2.06	<0.005	0.09	7.10	4.2	810	1.45	0.13	1.73	0.06	86.9	6.3	8	2.85	6.5
J594257		1.98	<0.005	0.01	6.24	3.6	810	1.39	0.04	1.61	0.05	80.1	6.7	9	2.56	5.3
J594258		1.23	<0.005	0.05	7.20	14.4	770	1.50	0.13	1.78	0.06	85.2	5.9	7	2.63	11.3
J594259		0.78	0.006	0.05	5.67	7.4	630	1.00	0.15	0.76	<0.02	69.9	4.4	7	0.40	48.0
J594260		0.69	0.009	0.11	7.38	14.6	780	1.75	0.15	1.66	0.04	95.3	6.7	8	0.94	8.3
J594261		0.52	<0.005	0.13	7.24	14.6	860	1.49	0.14	1.49	0.05	84.7	5.8	8	1.42	17.5
J594262		0.75	<0.005	0.09	6.52	5.6	760	1.38	0.13	0.84	0.02	86.1	5.0	7	0.59	29.2
J594263		0.72	<0.005	0.07	5.62	6.4	590	0.97	0.11	0.55	<0.02	78.1	4.7	12	0.54	69.9
J594264		1.23	0.013	0.02	7.33	14.4	810	1.38	0.07	1.64	0.05	89.0	6.9	11	1.84	10.4
J594265		1.90	<0.005	0.04	7.07	5.0	810	1.44	0.13	1.57	0.05	84.7	5.7	8	1.92	6.3
J594266		1.89	<0.005	0.06	7.21	9.6	830	1.61	0.12	1.86	0.05	88.8	6.4	9	2.30	9.6
J594267		1.90	<0.005	0.03	7.27	4.2	800	1.61	0.14	1.72	0.05	94.4	6.0	9	2.12	7.2
J594268		1.82	<0.005	0.03	7.03	9.2	740	1.42	0.14	1.52	0.03	97.6	6.1	9	1.08	7.4
J594269		1.86	<0.005	0.05	7.18	9.8	850	1.58	0.12	1.73	0.05	107.5	6.2	14	1.53	8.5
J594270		1.99	<0.005	0.04	7.26	7.5	780	1.64	0.13	1.54	0.03	95.5	6.3	8	0.73	9.8
J594271		1.94	<0.005	<0.01	7.15	2.7	910	1.29	0.05	1.61	0.05	100.5	6.1	10	2.10	6.8
J594272		2.03	<0.005	0.06	6.95	7.2	820	1.58	0.12	1.62	0.04	94.7	5.8	9	2.52	7.1
J594273		1.92	<0.005	0.08	6.87	17.3	700	1.61	0.11	1.69	0.06	84.1	6.3	10	2.73	8.2
J594274		0.71	<0.005	0.08	6.89	50.9	720	1.62	0.13	1.83	0.05	84.2	4.5	7	2.35	8.0
J594275		0.07	<0.005	0.04	6.63	2.3	920	1.20	0.18	1.37	0.10	29.9	2.3	11	1.80	4.3
J594276		1.27	<0.005	0.05	6.99	10.6	850	1.56	0.12	1.61	0.05	88.1	5.6	8	2.71	6.6
J594277		1.46	<0.005	0.10	7.09	8.2	630	1.39	0.16	1.88	0.04	74.1	7.9	23	3.32	11.2
J594278		1.26	<0.005	0.06	6.95	10.8	660	1.31	0.16	1.74	0.05	69.4	7.4	24	3.39	11.7
J594279		2.00	<0.005	0.06	6.99	3.0	650	1.41	0.14	1.80	0.07	90.8	8.2	28	3.56	12.1
J594280		2.00	0.007	0.06	7.10	1.4	650	1.49	0.14	1.94	0.06	81.4	9.0	27	2.94	13.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594241		1.30	10.85	0.23	4.1	0.024	1.74	23.5	10.5	0.27	523	17.10	2.54	4.9	2.6	500
J594242		1.35	7.27	0.19	1.9	0.018	1.04	9.1	11.8	0.31	665	1.42	1.05	4.9	2.9	210
J594243		2.26	19.60	0.26	5.5	0.051	2.75	33.6	24.2	0.49	597	7.12	3.66	11.0	4.6	630
J594244		2.14	16.25	0.23	4.7	0.036	2.20	40.0	11.7	0.46	544	2.20	3.53	10.5	5.6	570
J594245		2.24	16.55	0.26	5.0	0.033	2.62	47.8	14.5	0.50	427	2.72	3.02	10.4	6.1	580
J594246		2.23	16.05	0.26	4.7	0.031	2.76	42.0	18.6	0.48	409	1.25	2.95	10.3	5.9	580
J594247		2.19	16.65	0.24	4.9	0.036	2.51	44.6	18.9	0.48	435	1.79	3.25	10.4	5.9	610
J594248		2.30	17.70	0.27	4.7	0.035	2.61	43.6	21.0	0.49	459	1.58	3.08	10.8	6.0	580
J594249		2.32	17.30	0.25	5.5	0.037	2.62	44.0	18.5	0.49	435	1.45	2.97	10.7	5.9	590
J594250		4.59	20.7	0.20	1.4	0.014	2.35	8.9	2.2	0.98	282	2.11	5.06	9.8	41.9	680
J594251		2.29	18.30	0.24	6.2	0.031	2.53	44.5	23.3	0.47	394	1.15	2.81	12.5	6.4	540
J594252		2.37	18.30	0.23	6.4	0.037	2.35	46.3	20.5	0.50	414	1.22	2.88	13.5	6.5	570
J594253		2.42	17.05	0.23	5.5	0.036	2.45	45.1	19.0	0.48	410	1.13	2.84	11.4	5.8	580
J594254		2.30	17.25	0.22	5.6	0.035	2.58	38.8	18.3	0.48	398	1.08	2.82	11.6	5.8	550
J594255		2.43	17.40	0.25	5.5	0.036	2.64	42.0	19.7	0.50	421	0.95	2.89	11.8	6.2	580
J594256		2.38	17.35	0.24	5.0	0.033	2.65	45.0	20.4	0.48	406	0.93	2.85	11.5	6.2	570
J594257		2.30	16.85	0.16	5.6	0.033	2.53	36.5	20.0	0.45	404	0.79	2.70	11.8	5.8	540
J594258		2.29	17.20	0.26	5.6	0.033	2.62	42.6	20.8	0.49	405	0.78	3.09	11.2	6.1	570
J594259		1.84	12.90	0.21	4.1	0.032	1.98	36.6	9.0	0.45	263	0.72	2.70	8.6	4.9	470
J594260		2.32	18.65	0.30	5.8	0.034	2.20	50.0	10.6	0.52	429	0.87	3.30	12.4	7.0	580
J594261		2.28	17.40	0.27	5.8	0.040	2.39	44.9	12.5	0.50	378	1.29	3.28	11.6	6.4	550
J594262		2.24	16.40	0.21	4.8	0.036	2.34	47.8	9.5	0.55	315	0.73	2.74	11.2	6.0	530
J594263		1.80	13.65	0.19	4.4	0.033	1.87	42.7	12.2	0.57	259	0.73	2.62	8.1	6.5	440
J594264		2.36	18.00	0.17	5.6	0.035	2.58	43.7	13.4	0.50	406	0.83	3.07	12.4	6.0	580
J594265		2.29	17.00	0.23	5.4	0.036	2.67	44.9	11.4	0.49	393	1.13	2.72	11.5	5.6	560
J594266		2.41	18.65	0.25	6.3	0.039	2.62	42.7	14.2	0.48	436	0.94	3.05	12.7	6.5	580
J594267		2.28	17.90	0.22	5.2	0.037	2.59	48.5	12.6	0.48	423	0.98	2.97	11.8	6.1	560
J594268		2.33	18.25	0.25	5.5	0.043	2.29	51.8	8.0	0.51	441	1.27	3.10	12.2	6.5	550
J594269		2.48	18.05	0.23	5.2	0.035	2.62	57.3	10.3	0.51	455	1.04	2.87	12.0	6.9	570
J594270		2.39	18.30	0.23	5.7	0.041	2.48	48.9	6.4	0.51	406	0.86	2.92	12.3	6.1	560
J594271		2.29	17.10	0.16	5.6	0.034	2.79	50.8	9.1	0.47	407	0.90	2.76	12.1	5.6	550
J594272		2.22	18.10	0.24	5.4	0.035	2.81	47.1	14.2	0.45	386	1.19	2.86	12.4	6.0	520
J594273		2.29	18.30	0.22	5.8	0.035	2.60	41.0	18.6	0.47	401	0.88	2.88	12.6	6.6	550
J594274		2.22	17.25	0.21	5.6	0.035	2.45	40.8	17.4	0.46	415	1.03	2.85	11.7	6.0	540
J594275		1.46	14.00	0.22	1.3	0.015	2.27	14.3	10.9	0.19	576	0.97	2.73	4.5	2.5	180
J594276		2.21	17.50	0.22	5.6	0.032	2.75	44.8	20.3	0.46	385	1.28	2.72	11.6	5.9	530
J594277		2.37	17.40	0.23	4.6	0.033	2.39	38.6	31.5	0.77	402	1.36	2.67	10.4	20.3	550
J594278		2.17	16.90	0.23	3.9	0.026	2.70	33.4	24.8	0.71	370	0.49	2.74	10.2	18.8	500
J594279		2.28	18.20	0.24	4.6	0.035	2.69	45.3	23.0	0.74	392	10.95	2.72	11.5	20.3	520
J594280		2.50	18.40	0.26	4.5	0.030	2.44	41.5	22.5	0.78	419	4.58	2.77	11.1	21.8	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594241		10.0	53.2	0.006	0.07	0.27	4.1	3	1.3	120.0	0.33	<0.05	8.3	0.144	0.28	2.0
J594242		4.5	45.2	0.003	0.01	0.23	4.9	6	1.5	55.2	0.28	0.06	3.0	0.139	0.25	0.7
J594243		16.2	97.8	0.004	0.02	0.31	8.9	5	2.3	197.5	0.86	<0.05	11.0	0.315	0.58	2.8
J594244		12.7	67.5	0.002	0.13	0.31	6.7	4	1.9	148.0	0.92	<0.05	11.9	0.294	0.39	3.2
J594245		15.3	92.1	0.006	0.04	0.43	6.9	2	2.0	201	0.96	<0.05	13.3	0.291	0.49	3.3
J594246		15.2	102.5	0.003	0.06	0.27	6.9	4	1.7	197.0	0.88	<0.05	11.8	0.295	0.58	3.2
J594247		16.3	102.5	0.003	0.11	0.30	7.2	5	2.0	186.5	0.93	0.05	13.0	0.302	0.55	3.2
J594248		15.3	103.0	0.004	0.05	0.34	7.2	5	2.2	187.0	0.95	0.11	12.3	0.296	0.55	3.2
J594249		17.1	113.0	0.003	0.01	0.20	7.1	2	2.1	200	0.93	<0.05	13.2	0.298	0.59	3.8
J594250		88.7	209	0.002	3.38	1.13	3.4	3	1.3	179.0	0.77	<0.05	2.2	0.274	1.82	0.9
J594251		18.1	110.5	0.002	0.01	0.26	7.2	2	2.4	192.5	1.10	<0.05	15.1	0.288	0.63	3.7
J594252		17.1	101.0	0.003	0.01	0.21	7.1	4	2.3	200	1.29	0.06	12.8	0.303	0.61	3.5
J594253		15.6	100.0	0.004	0.01	0.12	6.9	4	2.2	203	0.98	0.06	12.0	0.302	0.62	2.8
J594254		15.9	102.5	0.002	0.01	0.13	7.0	1	2.2	198.5	1.04	<0.05	11.6	0.293	0.59	2.9
J594255		16.3	103.0	0.006	0.01	0.13	7.2	<1	2.3	205	1.00	<0.05	11.7	0.304	0.60	3.0
J594256		15.8	102.0	0.005	0.01	0.13	7.0	3	2.3	198.5	0.99	<0.05	11.9	0.302	0.59	2.8
J594257		15.3	89.5	<0.002	0.01	0.15	6.8	1	1.8	190.5	1.06	<0.05	10.6	0.283	0.57	2.8
J594258		15.3	102.5	0.003	0.03	0.21	7.3	1	2.2	201	0.96	<0.05	11.5	0.297	0.59	3.0
J594259		5.6	65.0	<0.002	0.11	0.26	5.8	<1	1.7	66.6	0.75	<0.05	9.7	0.225	0.32	2.5
J594260		14.2	70.5	0.004	0.09	0.26	7.3	1	2.4	197.0	1.02	<0.05	12.8	0.306	0.36	3.1
J594261		14.0	79.3	0.004	0.14	0.28	7.2	1	2.2	173.0	0.94	<0.05	11.1	0.292	0.47	3.0
J594262		5.4	90.9	0.004	0.02	0.22	6.9	1	2.0	112.0	0.91	<0.05	11.7	0.272	0.42	2.9
J594263		3.5	62.7	0.002	0.04	0.24	5.7	1	1.7	54.7	0.67	<0.05	10.4	0.207	0.31	2.6
J594264		16.7	89.0	<0.002	0.08	0.26	7.6	1	1.9	197.5	1.14	<0.05	13.9	0.295	0.48	3.3
J594265		15.6	95.8	<0.002	0.01	0.15	7.0	6	2.2	188.5	0.99	<0.05	12.2	0.288	0.54	3.0
J594266		17.5	98.0	<0.002	0.02	0.20	7.5	1	2.5	198.0	1.07	<0.05	12.0	0.305	0.52	3.0
J594267		15.6	92.9	<0.002	0.01	0.18	7.2	<1	2.3	201	1.03	<0.05	12.7	0.296	0.48	3.2
J594268		10.4	77.8	0.003	0.03	0.29	7.4	1	2.5	167.5	0.98	<0.05	12.3	0.289	0.37	3.0
J594269		16.1	89.2	0.003	0.05	0.17	7.3	3	2.3	207	0.97	<0.05	13.2	0.298	0.47	2.9
J594270		10.9	84.7	0.002	0.04	0.15	7.3	3	2.3	181.5	1.09	<0.05	12.9	0.294	0.38	3.3
J594271		17.7	102.0	<0.002	0.01	0.10	7.3	1	1.9	200	1.14	<0.05	15.2	0.283	0.56	3.4
J594272		17.8	111.5	0.003	0.01	0.12	7.0	3	2.3	192.5	1.11	<0.05	12.9	0.286	0.62	3.1
J594273		16.3	107.5	0.003	0.04	0.16	7.2	1	2.2	196.5	1.04	<0.05	12.2	0.298	0.57	3.0
J594274		16.7	92.4	0.005	0.06	0.33	6.6	2	2.3	188.5	1.01	<0.05	11.8	0.281	0.54	2.8
J594275		12.1	62.1	0.006	<0.01	0.22	5.1	3	2.1	179.0	0.45	0.05	5.4	0.117	0.43	1.9
J594276		16.9	112.5	0.003	0.03	0.18	6.9	3	2.2	186.5	1.01	<0.05	14.5	0.279	0.65	3.5
J594277		12.9	109.5	0.003	0.01	0.14	7.6	2	2.3	208	0.97	<0.05	10.7	0.275	0.72	2.6
J594278		14.3	109.0	0.005	0.03	0.16	7.0	3	2.1	187.0	0.93	<0.05	11.9	0.262	0.73	2.6
J594279		16.3	125.5	0.004	0.01	0.07	7.6	<1	2.3	198.0	1.02	<0.05	13.7	0.273	0.75	3.4
J594280		16.8	113.0	0.004	0.01	0.07	8.0	2	2.4	220	0.99	<0.05	13.0	0.285	0.68	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594241		24	2.1	12.1	26	170.5
J594242		28	1.4	10.8	28	73.5
J594243		59	7.4	15.2	60	215
J594244		41	2.2	18.0	44	199.0
J594245		41	2.3	19.3	44	198.0
J594246		42	1.0	19.3	44	191.5
J594247		44	1.6	20.1	49	196.0
J594248		43	0.9	20.0	51	185.5
J594249		43	0.9	20.6	58	219
J594250		34	0.2	5.1	40	46.3
J594251		39	1.1	21.6	48	198.0
J594252		40	1.1	22.8	50	212
J594253		40	1.5	20.0	50	183.0
J594254		41	0.8	20.1	49	181.5
J594255		41	0.4	21.1	51	189.0
J594256		42	0.3	20.8	49	167.0
J594257		41	0.4	18.9	48	200
J594258		41	4.0	21.0	50	189.0
J594259		30	1.6	15.4	22	130.0
J594260		40	2.1	22.2	41	199.0
J594261		39	1.8	21.0	37	202
J594262		38	1.9	19.9	29	168.5
J594263		30	1.0	16.0	19	142.5
J594264		42	0.8	21.7	44	202
J594265		40	0.7	20.1	44	179.5
J594266		42	0.6	22.2	52	218
J594267		40	0.6	20.2	48	172.0
J594268		40	0.9	22.0	35	185.0
J594269		41	0.7	20.6	49	173.0
J594270		40	1.0	22.8	34	181.5
J594271		40	0.9	21.4	50	204
J594272		39	0.8	21.4	48	170.5
J594273		40	0.9	22.0	47	195.0
J594274		39	0.7	20.7	46	184.5
J594275		14	1.0	17.0	41	24.7
J594276		37	0.8	21.3	45	182.5
J594277		44	1.2	18.0	46	146.0
J594278		42	0.9	15.9	42	126.0
J594279		43	0.9	18.5	45	147.5
J594280		46	1.3	19.1	48	142.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594281		1.92	<0.005	0.04	6.99	5.9	650	1.31	0.13	1.92	0.04	72.4	8.0	23	2.87	12.7
J594282		1.14	<0.005	0.09	7.24	22.7	620	1.51	0.19	2.00	0.08	74.2	8.7	27	3.54	12.7
J594283		0.72	0.177	0.27	6.80	194.5	630	1.86	0.74	1.69	0.18	69.7	7.1	20	3.07	32.9
J594284		1.33	<0.005	0.09	6.94	22.2	680	1.46	0.16	1.86	0.07	77.5	7.9	19	3.60	11.5
J594285		1.24	0.005	0.08	6.79	28.2	680	1.47	0.24	1.74	0.16	71.7	7.3	20	3.23	15.4
J594286		1.35	<0.005	0.05	7.25	12.8	730	1.45	0.12	1.89	0.06	72.6	7.3	23	3.00	11.0
J594287		1.91	<0.005	0.06	7.05	10.3	670	1.32	0.15	1.80	0.06	73.2	6.8	21	2.90	10.6
J594288		1.74	<0.005	0.06	7.12	14.3	680	1.40	0.14	1.83	0.07	68.1	6.6	21	3.13	16.7
J594289		1.89	<0.005	0.06	7.15	21.2	670	1.57	0.14	1.81	0.04	71.6	7.1	20	3.40	7.3
J594290		0.84	<0.005	0.08	7.05	3.1	660	1.58	0.12	1.64	0.04	65.7	6.0	18	2.76	7.4
J594291		0.59	<0.005	0.06	6.90	10.7	370	2.50	0.14	1.13	0.03	55.4	3.5	13	2.66	4.4
J594292		0.67	<0.005	0.06	7.07	21.1	670	1.26	0.14	1.77	0.08	71.5	6.8	23	3.10	13.4
J594293		2.13	0.012	0.05	6.91	34.7	720	1.34	0.14	1.86	0.08	56.0	6.8	23	3.28	6.2
J594294		1.75	1.060	20.1	6.82	188.5	750	1.42	0.30	1.47	3.45	69.3	23.9	28	2.51	18.9
J594295		1.86	0.005	0.10	6.88	75.9	690	1.37	0.15	1.57	0.10	70.2	5.6	23	2.97	8.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594281		2.36	17.60	0.24	4.9	0.032	2.45	35.6	22.7	0.74	398	1.18	2.74	10.3	18.9	540
J594282		2.47	18.80	0.25	4.7	0.035	2.52	36.6	32.4	0.79	420	0.51	2.71	11.0	22.0	560
J594283		2.18	17.55	0.23	4.9	0.027	2.45	32.9	21.9	0.65	353	16.25	2.75	12.2	16.5	490
J594284		2.28	17.20	0.25	5.2	0.037	2.58	39.0	33.6	0.66	406	0.65	2.76	10.6	15.6	520
J594285		2.28	17.10	0.21	5.2	0.035	2.66	36.0	29.0	0.64	392	4.03	2.73	10.8	15.5	530
J594286		2.43	17.15	0.15	4.4	0.034	2.67	37.1	29.2	0.67	426	0.64	2.79	10.4	15.9	540
J594287		2.34	15.95	0.19	5.3	0.030	2.62	37.2	27.7	0.64	407	0.49	2.79	10.3	14.1	540
J594288		2.32	16.35	0.16	4.4	0.030	2.63	34.8	29.0	0.64	406	0.55	2.81	10.5	14.3	520
J594289		2.25	16.95	0.20	4.2	0.028	2.64	36.8	28.5	0.61	399	0.52	2.81	11.3	14.7	510
J594290		1.99	16.75	0.17	4.5	0.025	2.82	33.9	23.7	0.50	354	0.67	2.72	10.4	12.1	430
J594291		1.51	16.65	0.17	5.4	0.017	3.34	25.2	16.0	0.33	252	0.63	2.87	18.7	7.4	280
J594292		2.25	15.85	0.19	4.6	0.032	2.68	36.3	25.0	0.60	394	0.53	3.00	9.8	13.6	490
J594293		2.30	16.40	0.16	4.7	0.032	2.67	27.6	26.9	0.64	393	0.68	2.85	10.1	15.8	520
J594294		2.05	15.85	0.20	4.0	0.053	2.93	34.6	15.1	0.54	341	0.41	2.51	9.5	15.1	420
J594295		2.03	16.25	0.16	4.5	0.030	3.02	36.2	23.2	0.54	373	0.50	2.61	10.1	12.7	440

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594281		15.1	107.0	0.002	0.01	0.12	7.4	3	2.2	216	0.93	<0.05	11.5	0.275	0.69	2.7
J594282		18.9	117.5	0.002	0.06	0.47	8.0	4	2.3	217	1.02	<0.05	11.7	0.278	0.71	3.0
J594283		34.4	114.5	0.005	0.25	0.50	6.8	1	2.8	191.0	1.41	0.09	12.8	0.252	0.67	3.7
J594284		16.9	117.0	0.003	0.02	0.61	7.3	2	2.2	195.5	0.90	<0.05	11.3	0.271	0.73	2.7
J594285		22.5	109.0	0.003	0.11	0.52	6.9	4	2.3	190.0	0.93	<0.05	11.6	0.266	0.70	2.8
J594286		15.0	104.0	<0.002	0.01	0.20	7.2	1	2.2	212	0.87	<0.05	12.5	0.270	0.57	3.3
J594287		16.9	103.5	<0.002	0.07	0.10	6.9	<1	2.2	201	0.91	<0.05	11.8	0.261	0.57	3.2
J594288		17.0	105.0	<0.002	0.02	0.14	6.7	1	2.1	205	0.95	<0.05	13.0	0.260	0.58	3.4
J594289		17.9	113.5	<0.002	0.01	0.20	6.9	2	2.3	199.0	1.08	<0.05	13.9	0.249	0.61	4.0
J594290		17.4	124.5	<0.002	0.01	0.05	5.8	1	2.0	187.5	1.04	<0.05	13.3	0.226	0.63	4.2
J594291		19.2	155.0	0.002	<0.01	0.12	4.2	1	1.6	103.5	2.92	<0.05	24.1	0.160	0.74	9.4
J594292		17.3	111.0	<0.002	0.07	0.19	6.6	1	2.1	187.5	0.92	<0.05	14.3	0.246	0.61	3.4
J594293		16.8	108.5	<0.002	0.04	0.22	6.9	<1	2.2	216	0.90	<0.05	11.1	0.255	0.62	3.1
J594294		16.9	112.0	<0.002	0.33	0.25	6.2	<1	2.3	160.0	0.97	<0.05	14.1	0.219	0.53	4.3
J594295		18.5	123.0	<0.002	0.05	0.17	6.2	1	2.0	179.0	0.97	<0.05	13.6	0.215	0.62	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594281		45	1.2	17.7	46	158.5
J594282		46	3.2	18.8	51	150.0
J594283		41	113.0	20.3	64	149.5
J594284		41	1.8	17.8	46	172.0
J594285		41	4.7	17.5	56	171.0
J594286		44	0.6	17.5	54	156.0
J594287		42	2.2	17.7	49	181.5
J594288		42	0.9	17.8	49	150.0
J594289		40	0.5	19.6	47	141.5
J594290		34	0.8	16.7	40	152.0
J594291		24	0.9	24.1	28	122.0
J594292		40	1.2	17.4	46	153.0
J594293		42	1.3	16.6	49	162.0
J594294		36	8.7	17.5	307	134.0
J594295		35	1.4	17.5	59	149.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 16-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11017974

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.