ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

CERTIFICATE TB10194589

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 86 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345806		1.89	0.006	0.11	7.90	156.5	380	0.55	0.26	5.24	0.11	17.70	52.7	142	2.18	39.1
I345807		2.02	0.008	0.37	7.73	132.5	590	0.60	0.27	4.62	0.11	17.25	43.3	136	1.96	52.1
I345808		1.90	0.008	0.18	7.83	91.7	500	0.60	0.30	4.79	0.08	18.60	47.7	123	1.53	64.9
I345809		1.99	0.005	0.10	8.10	86.3	220	0.53	0.32	5.39	0.09	19.05	41.7	132	1.55	44.5
I345810		1.43	<0.005	0.10	7.55	82.9	270	0.42	0.44	5.40	0.07	16.05	45.8	133	1.79	57.4
I345811		1.04	0.008	0.06	7.55	45.3	590	0.64	0.19	5.10	0.04	24.1	36.7	118	10.30	30.4
I345812		0.57	0.021	0.10	5.93	85.9	600	1.82	0.23	0.81	0.09	100.0	4.3	7	1.02	22.8
I345813		1.02	<0.005	0.08	5.46	64.4	270	1.81	0.08	0.81	0.04	95.0	2.9	7	0.90	9.0
I345814		1.16	0.005	0.08	6.15	63.8	480	1.93	0.10	0.82	0.03	93.1	4.0	6	1.08	14.1
I345815		1.74	<0.005	0.08	6.12	53.3	560	2.00	0.09	0.87	0.03	90.2	4.4	6	1.14	19.1
I345816		1.70	<0.005	0.07	6.16	25.6	730	2.12	0.06	0.62	0.02	88.6	2.6	6	1.12	3.2
I345817		1.66	0.014	0.07	6.16	54.5	770	1.95	0.06	0.61	0.04	97.5	4.0	6	1.21	5.2
I345818		1.73	0.041	0.05	6.23	45.0	770	2.07	0.06	0.60	0.02	96.1	3.3	7	1.24	5.0
I345819		1.66	<0.005	0.06	6.05	38.8	790	1.95	0.05	0.61	0.02	97.0	2.6	6	1.24	5.3
I345820		1.66	0.009	0.05	6.01	36.4	830	1.91	0.04	0.57	0.02	93.2	3.2	7	1.25	4.5
I345821		1.66	<0.005	0.09	6.11	50.3	880	1.93	0.06	0.57	0.02	94.7	4.2	12	1.27	5.0
I345822		1.69	<0.005	0.10	6.04	72.0	840	1.99	0.06	0.56	<0.02	96.1	3.5	6	1.26	4.3
I345823		1.05	<0.005	0.05	6.14	4.7	1360	2.12	0.04	0.53	<0.02	121.5	2.1	4	0.41	0.8
I345824		0.82	<0.005	0.06	6.37	5.2	1350	2.31	0.04	0.77	<0.02	117.5	2.4	4	0.46	1.2
I345825		0.03	3.41	0.16	1.46	1.5	100	0.33	0.14	0.01	0.11	17.80	1.1	11	0.56	6.9
I345826		1.70	<0.005	0.06	6.14	5.1	1310	2.14	0.04	0.75	0.03	105.5	2.4	5	0.58	0.9
I345827		1.87	<0.005	0.07	6.02	4.6	1410	2.32	0.07	0.88	<0.02	107.5	2.9	4	0.65	0.9
I345828		1.67	<0.005	0.06	5.93	3.2	1440	2.20	0.05	0.99	0.02	103.0	3.1	4	0.62	0.5
I345829		1.53	<0.005	0.06	5.77	5.7	1370	2.14	0.04	0.91	0.03	125.5	3.2	4	0.57	0.8
I345830		1.64	<0.005	0.05	5.75	5.6	1540	2.21	0.03	0.96	0.03	98.5	2.8	7	0.42	0.6
I345831		1.87	<0.005	0.06	6.04	5.6	1460	2.58	0.07	1.06	0.04	95.7	4.7	4	0.67	0.8
I345832		1.67	<0.005	0.15	6.08	6.7	1560	2.70	0.06	1.08	0.05	109.0	3.8	5	0.67	0.9
I345833		1.70	<0.005	0.05	5.85	15.1	1570	2.56	0.04	1.13	0.05	98.6	3.3	5	0.49	1.3
I345834		1.80	0.005	0.09	6.17	10.9	1160	2.89	0.11	0.88	0.15	105.0	4.1	5	0.81	7.4
I345835		1.24	<0.005	0.07	6.33	10.1	1580	2.13	0.05	0.24	0.03	117.0	3.8	4	1.48	1.4
I345836		1.12	<0.005	0.07	6.33	7.7	1440	1.73	0.03	0.49	0.03	123.0	2.4	4	0.56	1.2
I345837		1.13	<0.005	0.05	6.24	8.0	1360	1.88	0.03	0.68	0.02	120.5	2.7	5	0.56	1.4
I345838		1.10	<0.005	0.09	6.14	25.9	1390	1.88	0.03	0.87	0.05	92.8	2.9	5	0.53	1.4
I345839		1.72	<0.005	0.07	5.90	7.9	1390	1.55	0.04	0.75	0.03	108.0	2.4	4	0.53	2.5
I345840		1.69	<0.005	0.06	5.81	6.1	1410	1.73	0.04	0.77	0.03	154.5	3.2	5	0.49	0.8
I345841		1.92	<0.005	0.06	6.04	5.2	1400	2.09	0.06	0.90	0.04	81.4	4.2	4	0.72	0.8
I345842		1.67	<0.005	0.07	5.76	4.7	1130	2.24	0.06	1.19	0.03	88.8	5.3	5	0.85	1.1
I345843		1.80	<0.005	0.08	6.15	10.6	1300	2.06	0.03	1.00	0.04	90.8	5.0	11	0.97	1.0
I345844		1.65	<0.005	0.08	5.99	89.9	1400	2.18	0.05	0.79	0.02	93.7	5.8	4	1.17	2.5
I345845		1.75	<0.005	0.09	6.08	21.4	1540	2.01	0.03	0.73	0.03	150.5	3.5	4	0.98	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345806		8.51	19.05	0.19	1.3	0.071	1.56	7.1	18.9	3.73	1680	0.49	1.78	2.1	117.5	400
I345807		8.19	18.30	0.20	1.3	0.069	2.31	6.9	18.2	3.54	1570	0.27	2.09	2.1	105.0	380
I345808		8.18	18.95	0.18	1.3	0.070	2.12	7.5	16.9	3.49	1540	0.47	2.50	2.2	107.0	400
I345809		8.60	19.80	0.16	1.4	0.071	1.31	7.8	18.2	3.69	1600	0.43	1.93	2.3	109.5	420
I345810		8.41	19.00	0.14	1.2	0.073	1.41	6.3	19.6	3.49	1400	0.25	1.72	2.3	111.5	440
I345811		7.74	18.45	0.17	1.3	0.058	2.36	10.6	45.9	2.96	1240	1.03	1.56	3.4	90.4	390
I345812		1.19	15.75	0.11	5.4	0.014	0.95	54.3	7.3	0.12	168	1.73	3.63	14.7	6.4	110
I345813		1.26	16.15	0.14	5.4	0.014	0.44	51.2	7.0	0.10	143	1.44	3.69	14.6	1.4	100
I345814		1.37	16.75	0.14	5.5	0.014	1.01	50.8	7.9	0.10	154	1.76	3.50	14.5	1.2	100
I345815		1.34	16.65	0.16	5.3	0.012	1.64	48.6	8.7	0.10	147	1.94	3.10	14.6	1.7	100
I345816		1.23	16.45	0.16	5.7	0.011	3.01	48.2	9.4	0.09	149	1.99	2.59	15.4	1.1	90
I345817		1.20	16.50	0.14	5.0	0.009	3.44	53.8	13.0	0.09	151	2.40	2.51	15.0	1.1	90
I345818		1.21	16.50	0.17	5.9	0.009	3.35	52.6	12.1	0.09	147	2.48	2.51	14.3	1.0	100
I345819		1.22	16.20	0.17	5.6	0.009	3.31	53.4	11.1	0.09	140	1.55	2.45	13.9	1.2	110
I345820		1.11	16.05	0.17	5.2	0.010	3.26	51.2	10.6	0.09	127	1.83	2.46	12.4	1.4	90
I345821		1.17	16.30	0.16	4.8	0.010	3.46	52.7	9.2	0.09	133	3.01	2.46	12.9	2.1	100
I345822		1.13	16.15	0.16	5.6	0.009	3.36	53.8	7.7	0.09	135	2.81	2.38	12.9	2.2	100
I345823		1.34	16.90	0.19	7.7	0.039	2.89	67.7	4.9	0.03	202	0.31	2.42	17.0	0.5	60
I345824		1.50	18.05	0.21	8.0	0.035	2.99	64.9	6.0	0.03	262	0.40	2.36	17.1	0.7	40
I345825		1.25	3.51	0.09	0.6	0.008	0.15	10.7	17.3	0.02	94	0.69	0.01	3.4	6.0	40
I345826		1.54	16.55	0.18	7.4	0.035	2.75	57.3	6.8	0.03	255	0.79	2.41	16.2	0.6	60
I345827		1.69	17.15	0.19	7.4	0.037	2.76	58.8	7.2	0.04	350	0.39	2.29	16.6	0.4	60
I345828		1.74	16.60	0.21	7.7	0.035	2.73	54.2	7.6	0.04	363	0.48	2.13	15.7	0.3	40
I345829		1.70	16.50	0.21	7.5	0.036	2.77	67.8	6.7	0.04	273	0.72	2.10	15.7	0.4	50
I345830		1.48	16.30	0.18	7.8	0.033	3.03	52.3	4.9	0.03	219	0.34	2.08	15.9	0.3	50
I345831		2.12	16.40	0.19	7.6	0.040	2.60	51.0	7.5	0.05	285	1.18	2.14	15.3	0.4	50
I345832		2.06	17.00	0.20	7.4	0.039	2.50	57.6	7.1	0.04	324	0.78	2.22	15.9	0.4	60
I345833		1.62	17.00	0.20	7.6	0.037	2.43	52.2	5.6	0.03	236	0.42	2.32	16.9	0.4	60
I345834		1.63	16.65	0.21	7.2	0.043	2.02	56.2	6.4	0.05	264	1.27	2.52	15.6	0.5	60
I345835		1.94	17.55	0.22	8.0	0.022	2.58	66.0	8.0	0.05	367	0.80	2.42	17.5	0.4	70
I345836		1.69	16.60	0.20	7.2	0.021	2.63	69.8	7.5	0.04	150	0.39	2.43	15.9	0.4	60
I345837		1.69	16.30	0.21	7.2	0.018	2.62	66.3	6.8	0.04	169	0.47	2.38	15.8	0.5	50
I345838		1.67	16.25	0.19	7.0	0.024	2.37	51.6	5.7	0.03	260	0.76	2.42	14.9	0.4	50
I345839		1.91	15.70	0.18	6.1	0.021	2.64	60.0	6.7	0.04	349	1.51	2.33	14.1	0.4	70
I345840		1.87	16.00	0.21	7.0	0.017	2.45	86.5	6.2	0.03	262	3.93	2.43	15.2	0.4	40
I345841		2.43	16.05	0.17	7.6	0.020	2.34	44.5	8.2	0.05	280	4.89	2.12	15.2	0.4	50
I345842		2.84	16.70	0.21	7.4	0.019	1.80	47.7	9.1	0.06	348	2.42	2.13	14.9	0.4	50
I345843		3.00	17.15	0.18	7.4	0.025	2.30	49.2	10.2	0.06	465	0.52	2.19	16.2	0.4	40
I345844		3.51	16.60	0.19	6.7	0.071	2.50	52.0	12.6	0.07	757	2.30	1.73	15.6	0.4	40
I345845		2.88	17.05	0.21	7.5	0.059	2.79	83.9	10.1	0.05	468	2.58	2.15	16.3	0.5	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345806		4.3	83.3	<0.002	0.14	1.46	27.3	1	0.9	187.0	0.13	<0.05	1.2	0.547	0.54	0.2
I345807		4.8	126.0	<0.002	0.15	1.30	26.8	1	0.8	137.0	0.14	<0.05	1.0	0.538	0.87	0.2
I345808		6.5	117.5	<0.002	0.18	1.43	27.7	1	0.8	134.0	0.14	<0.05	1.0	0.544	0.74	0.2
I345809		3.5	64.3	<0.002	0.12	1.44	28.3	2	1.0	189.0	0.15	<0.05	1.0	0.590	0.45	0.2
I345810		2.7	42.2	<0.002	0.17	1.69	24.9	1	0.9	196.5	0.16	<0.05	0.8	0.587	0.45	0.2
I345811		3.2	114.5	<0.002	0.09	0.73	25.6	1	1.3	198.0	0.22	<0.05	2.1	0.550	0.73	0.6
I345812		18.2	37.7	<0.002	0.07	1.32	4.6	1	1.1	98.8	1.35	<0.05	19.3	0.106	0.13	4.7
I345813		13.5	26.9	<0.002	0.03	1.07	4.3	1	1.1	111.0	1.33	<0.05	18.9	0.093	0.11	4.9
I345814		15.5	43.9	<0.002	0.05	1.16	4.6	1	1.3	109.0	1.38	<0.05	19.8	0.098	0.14	4.9
I345815		13.1	64.9	<0.002	0.07	0.94	4.6	1	1.2	112.0	1.32	<0.05	19.0	0.096	0.22	4.7
I345816		12.5	100.0	<0.002	0.01	0.79	4.5	1	1.4	70.1	1.44	<0.05	21.3	0.096	0.37	5.3
I345817		12.5	115.5	<0.002	0.04	0.83	4.5	1	1.3	63.3	1.40	<0.05	20.3	0.094	0.44	5.2
I345818		10.4	116.5	<0.002	0.03	0.75	4.7	1	1.2	67.2	1.33	<0.05	20.1	0.097	0.44	4.9
I345819		11.5	111.5	<0.002	0.02	0.83	4.6	1	1.3	68.9	1.27	<0.05	19.0	0.094	0.43	4.9
I345820		12.3	106.5	<0.002	0.03	0.88	4.5	1	1.3	68.6	1.12	<0.05	18.7	0.089	0.45	4.2
I345821		15.2	110.5	<0.002	0.04	0.96	4.5	1	1.5	72.3	1.19	<0.05	18.6	0.093	0.50	4.3
I345822		10.3	109.0	<0.002	0.02	1.09	4.6	1	1.4	75.3	1.18	<0.05	20.0	0.088	0.51	4.9
I345823		6.3	63.5	<0.002	<0.01	0.80	7.3	1	1.3	109.5	1.32	<0.05	18.2	0.094	0.30	3.4
I345824		7.7	72.6	<0.002	<0.01	0.93	7.5	1	1.4	113.5	1.33	<0.05	17.5	0.095	0.31	2.9
I345825		28.6	12.9	<0.002	0.96	0.52	1.3	1	1.3	13.8	0.28	<0.05	3.4	0.086	0.40	0.4
I345826		7.1	66.9	<0.002	<0.01	1.07	6.9	1	1.1	105.0	1.27	<0.05	16.8	0.095	0.31	3.2
I345827		7.2	66.9	<0.002	<0.01	1.12	7.4	1	1.3	113.0	1.24	<0.05	16.5	0.097	0.34	3.3
I345828		7.0	75.4	<0.002	<0.01	1.46	6.8	1	1.3	106.5	1.22	<0.05	15.1	0.089	0.34	3.1
I345829		7.7	65.8	<0.002	<0.01	1.57	6.8	1	1.2	115.5	1.24	<0.05	16.3	0.090	0.33	3.3
I345830		8.5	65.3	<0.002	<0.01	1.41	6.5	1	1.1	133.0	1.25	<0.05	14.6	0.091	0.34	3.1
I345831		7.7	74.8	<0.002	<0.01	1.88	6.7	1	1.4	142.5	1.21	<0.05	14.1	0.091	0.33	3.1
I345832		7.7	73.8	<0.002	<0.01	2.07	7.1	1	1.4	146.0	1.26	<0.05	15.3	0.097	0.35	2.9
I345833		8.4	65.9	<0.002	0.01	2.18	7.0	1	1.3	149.5	1.28	<0.05	14.3	0.096	0.29	3.3
I345834		6.8	64.1	<0.002	0.05	1.89	7.7	1	1.4	119.5	1.13	<0.05	14.6	0.100	0.27	3.2
I345835		5.3	72.3	<0.002	<0.01	1.60	7.5	1	1.0	103.5	1.33	<0.05	20.2	0.095	0.29	4.1
I345836		4.7	66.3	<0.002	<0.01	1.51	7.2	1	0.9	109.0	1.20	<0.05	18.8	0.090	0.27	3.7
I345837		4.7	65.8	<0.002	0.01	1.59	7.0	1	1.0	107.0	1.21	<0.05	17.4	0.090	0.27	3.1
I345838		5.9	64.5	<0.002	0.01	1.45	6.7	1	1.0	106.0	1.15	<0.05	15.3	0.088	0.27	2.6
I345839		6.8	68.8	<0.002	0.02	1.50	6.9	1	1.1	108.5	1.07	<0.05	14.2	0.100	0.30	2.9
I345840		7.2	60.9	<0.002	<0.01	1.83	6.5	1	0.9	110.5	1.17	<0.05	16.6	0.087	0.29	3.5
I345841		6.9	67.7	<0.002	<0.01	1.33	6.5	1	1.1	100.5	1.20	<0.05	15.2	0.091	0.35	3.2
I345842		6.8	73.4	<0.002	<0.01	1.24	6.8	1	1.1	104.5	1.23	<0.05	15.4	0.088	0.40	3.6
I345843		7.4	75.6	<0.002	<0.01	1.33	7.8	1	1.3	104.5	1.18	<0.05	14.8	0.099	0.41	3.2
I345844		8.0	87.9	<0.002	0.01	1.17	6.9	1	1.8	73.7	1.17	<0.05	16.0	0.089	0.49	3.8
I345845		9.5	82.5	<0.002	0.01	1.32	7.8	1	1.7	96.3	1.22	<0.05	19.1	0.098	0.46	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345806		202	0.7	19.5	130	39.9
I345807		196	1.7	19.3	119	40.6
I345808		200	0.9	20.7	110	41.0
I345809		212	0.5	21.3	121	40.9
I345810		207	0.6	18.8	111	33.6
I345811		187	0.9	21.3	132	41.2
I345812		6	0.9	26.2	32	174.5
I345813		5	0.8	23.7	17	173.0
I345814		5	0.8	26.7	18	168.5
I345815		7	0.8	29.1	14	165.5
I345816		5	0.9	27.0	11	173.0
I345817		5	1.3	21.6	17	149.5
I345818		5	1.1	21.1	14	182.0
I345819		5	1.0	20.0	13	181.0
I345820		5	0.9	17.5	13	167.0
I345821		5	0.8	18.4	11	154.5
I345822		5	0.8	19.7	10	176.0
I345823		<1	1.0	31.8	10	271
I345824		<1	0.9	30.8	13	281
I345825		8	0.8	2.8	13	19.5
I345826		<1	1.3	30.4	15	263
I345827		1	1.6	30.4	18	263
I345828		<1	1.7	25.4	18	273
I345829		<1	1.2	26.7	18	264
I345830		<1	1.1	25.4	14	276
I345831		<1	1.7	26.3	18	270
I345832		<1	2.1	26.3	21	258
I345833		1	1.0	25.8	21	275
I345834		1	1.2	27.1	31	269
I345835		1	1.2	28.7	17	285
I345836		<1	1.3	24.5	16	250
I345837		<1	1.3	23.6	18	253
I345838		<1	1.2	18.6	32	251
I345839		1	1.2	18.0	34	220
I345840		1	1.0	22.5	24	249
I345841		<1	1.1	21.7	27	261
I345842		<1	2.0	29.1	31	253
I345843		<1	1.2	21.0	45	267
I345844		<1	2.2	26.5	55	237
I345845		<1	2.0	24.5	49	264

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345846		1.68	<0.005	0.07	5.76	9.1	1590	1.63	0.05	0.62	0.03	178.5	2.4	5	0.51	1.3
I345847		1.84	0.019	0.09	6.23	8.3	1440	1.73	0.28	0.87	0.02	100.0	2.5	6	0.60	1.4
I345848		1.53	<0.005	0.02	6.50	9.6	1540	2.07	0.03	0.91	0.05	110.0	3.0	4	0.87	2.5
I345849		1.71	<0.005	0.05	6.08	51.8	1690	1.57	0.04	0.73	0.05	192.0	4.3	4	0.80	21.9
I345850		0.06	<0.005	0.04	6.70	1.8	950	1.13	0.10	1.42	0.08	30.6	2.2	11	1.79	5.9
I345851		1.68	<0.005	0.02	6.37	17.5	1700	1.53	0.04	0.85	0.05	99.1	3.1	8	0.61	3.4
I345852		1.67	<0.005	0.03	6.62	9.8	1730	1.66	0.03	0.91	0.06	122.0	3.2	4	0.70	2.9
I345853		1.66	<0.005	0.01	6.61	7.8	1730	1.82	0.04	0.87	0.05	126.0	3.4	8	0.76	3.6
I345854		1.82	<0.005	<0.01	6.18	20.1	1490	1.94	0.04	0.90	0.05	118.5	2.4	3	0.67	2.0
I345855		1.75	<0.005	0.01	6.47	9.3	1830	1.83	0.03	0.87	0.05	129.5	3.3	4	0.68	2.0
I345856		1.71	<0.005	0.02	6.18	17.4	1810	1.62	0.04	0.84	0.05	137.0	4.0	2	1.09	3.5
I345857		1.70	0.011	0.03	6.28	12.3	2050	1.41	0.04	0.72	0.04	121.0	2.6	4	0.70	2.2
I345858		1.70	<0.005	0.01	6.42	14.5	1790	1.61	0.04	0.80	0.08	122.0	2.6	5	0.73	3.3
I345859		1.73	<0.005	0.01	6.50	30.0	1760	1.64	0.06	0.84	0.07	149.0	3.2	5	0.80	1.7
I345860		1.70	0.017	0.01	6.48	19.9	1820	1.75	0.08	0.97	0.04	114.5	3.8	4	1.02	1.8
I345861		1.73	0.008	0.05	6.20	17.6	1350	1.64	0.07	0.90	0.06	129.5	3.6	5	0.68	28.8
I345862		1.60	<0.005	0.02	6.60	98.9	1520	1.66	0.04	0.90	0.07	121.5	3.8	4	0.59	2.8
I345863		1.86	<0.005	<0.01	6.60	8.1	1340	2.07	0.06	1.00	0.05	119.5	3.7	5	0.74	14.6
I345864		1.80	<0.005	0.02	6.56	7.7	1410	1.59	0.04	0.79	0.05	127.5	2.3	6	0.53	1.9
I345865		1.79	<0.005	0.02	6.70	9.5	1470	1.89	0.04	0.88	0.03	116.0	2.7	6	0.62	2.7
I345866		1.70	<0.005	0.03	6.62	12.3	1370	1.61	0.04	0.83	0.04	109.5	2.6	4	0.52	4.1
I345867		1.78	<0.005	0.01	6.44	8.5	1340	1.48	0.05	0.85	0.03	130.5	2.4	4	0.49	6.5
I345868		1.83	<0.005	0.05	6.25	16.3	1290	1.65	0.06	0.82	0.05	146.0	2.4	5	0.58	2.2
I345869		2.07	<0.005	0.03	6.27	15.4	1350	1.64	0.04	0.95	0.04	139.0	2.9	5	0.52	3.3
I345870		1.82	0.133	0.12	6.90	20.8	1590	1.85	0.86	1.13	0.06	112.5	3.6	5	0.71	17.4
I345871		1.81	0.005	0.02	6.62	10.2	1590	1.81	0.05	1.06	0.06	122.5	4.1	5	0.78	4.2
I345872		1.79	0.005	0.03	6.81	11.0	1490	1.89	0.08	1.06	0.04	145.0	4.5	7	0.83	4.6
I345873		1.75	<0.005	0.07	6.38	18.0	1450	1.63	0.06	0.83	0.04	124.5	3.9	5	0.58	6.1
I345874		0.76	<0.005	0.13	6.33	11.1	1320	1.51	0.07	0.82	0.07	126.5	3.4	5	0.53	23.5
I345875		0.76	<0.005	0.06	6.59	8.2	1380	1.56	0.05	0.82	0.06	135.0	2.3	4	0.50	19.7
I345876		1.76	<0.005	0.02	6.34	10.3	1420	1.74	0.06	0.81	0.05	131.0	3.3	4	0.53	44.3
I345877		1.66	<0.005	0.04	6.74	13.1	1390	1.78	0.05	1.15	0.06	98.0	4.1	5	0.78	10.7
I345878		1.66	<0.005	<0.01	6.42	20.1	1390	2.04	0.04	1.05	0.05	131.0	3.1	3	0.78	5.3
I345879		1.59	<0.005	0.07	6.37	14.5	1480	1.84	0.04	0.94	0.05	103.0	2.6	8	0.56	4.0
I345880		1.88	<0.005	0.05	6.62	15.5	1450	1.74	0.03	0.75	0.05	127.5	2.7	4	0.59	4.9
I345881		1.75	0.005	0.01	6.42	25.5	1170	1.61	0.05	0.84	0.05	147.0	3.1	5	0.47	8.5
I345882		1.77	0.008	0.02	6.38	125.5	1110	1.93	0.06	0.63	0.05	109.0	3.8	3	0.60	5.9
I345883		1.65	0.017	0.04	6.60	13.4	1360	1.85	0.05	0.87	0.04	159.0	2.7	6	0.56	3.5
I345884		1.80	<0.005	0.08	6.03	12.3	1240	1.85	0.05	0.82	0.04	139.5	3.8	5	0.53	2.8
I345885		1.88	<0.005	0.05	6.01	10.6	1420	1.97	0.04	0.82	0.04	143.5	3.1	7	0.39	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345846		1.73	15.75	0.22	6.8	0.023	2.77	101.0	5.4	0.03	277	1.47	2.23	16.7	0.4	60
I345847		1.76	17.50	0.18	7.6	0.038	2.61	53.4	6.6	0.03	291	0.74	2.42	17.0	0.4	50
I345848		2.46	16.40	0.19	7.9	0.048	2.59	50.1	8.3	0.05	402	1.50	2.28	14.6	0.3	60
I345849		2.42	16.55	0.26	7.3	0.036	2.86	85.9	7.8	0.04	325	0.86	2.18	14.3	0.3	60
I345850		1.47	14.00	0.13	1.2	0.017	2.23	12.8	11.1	0.20	592	0.98	2.79	4.4	2.0	190
I345851		1.87	15.85	0.20	7.9	0.029	2.92	43.9	6.1	0.03	316	2.09	2.37	15.2	0.4	60
I345852		2.13	16.70	0.20	7.3	0.033	2.97	54.6	6.5	0.04	405	1.76	2.41	15.5	0.4	60
I345853		2.12	17.55	0.21	7.7	0.041	2.95	56.5	7.0	0.04	451	2.04	2.41	16.4	1.3	60
I345854		2.01	15.35	0.20	8.1	0.037	2.50	53.3	6.0	0.04	428	1.48	2.34	15.0	0.3	50
I345855		2.09	16.55	0.22	7.9	0.028	2.85	57.8	6.8	0.04	381	2.15	2.35	15.5	0.4	50
I345856		2.80	15.60	0.19	7.6	0.058	2.85	63.2	9.3	0.06	478	1.41	1.85	14.7	0.4	60
I345857		2.04	14.50	0.19	8.0	0.038	3.17	55.8	6.0	0.04	286	0.45	2.07	13.9	0.4	60
I345858		2.17	16.10	0.22	8.3	0.049	2.92	54.4	6.8	0.04	326	0.57	2.31	14.7	0.5	60
I345859		2.23	17.10	0.25	7.1	0.044	2.77	67.4	6.4	0.05	332	0.70	2.44	16.0	0.5	60
I345860		2.33	15.95	0.20	8.0	0.035	2.61	51.3	7.1	0.05	363	5.68	2.32	15.4	0.4	50
I345861		2.31	16.60	0.24	8.1	0.031	2.49	57.4	7.2	0.04	358	2.85	2.54	14.6	0.4	60
I345862		1.92	17.30	0.21	8.0	0.032	2.80	55.2	6.4	0.04	319	1.04	2.61	16.3	0.3	50
I345863		2.32	17.30	0.22	8.2	0.032	2.52	53.6	8.0	0.05	360	1.36	2.49	15.6	0.7	60
I345864		1.90	16.55	0.20	8.0	0.032	3.07	57.0	7.4	0.03	403	1.31	2.50	15.4	0.4	60
I345865		1.99	16.75	0.20	8.5	0.034	2.85	51.2	7.9	0.04	334	1.09	2.70	15.7	0.4	50
I345866		1.88	16.05	0.17	8.5	0.029	2.92	49.1	6.8	0.04	313	1.69	2.67	14.8	0.4	60
I345867		1.86	16.20	0.20	7.8	0.032	2.84	58.0	6.9	0.03	368	1.75	2.53	15.4	0.3	50
I345868		1.72	16.45	0.21	7.8	0.036	3.04	64.9	7.0	0.03	263	2.24	2.50	15.5	0.4	50
I345869		1.85	16.40	0.24	6.7	0.036	2.92	63.1	6.4	0.04	256	2.07	2.39	13.8	0.5	60
I345870		2.23	15.90	0.20	8.4	0.031	2.43	50.1	7.1	0.04	276	1.04	2.93	14.0	0.5	70
I345871		2.19	16.75	0.20	7.9	0.022	2.67	53.9	8.4	0.04	269	0.54	2.64	14.7	0.6	70
I345872		2.42	17.35	0.21	8.3	0.033	2.64	63.7	9.1	0.05	319	1.73	2.73	16.4	0.3	70
I345873		1.90	16.00	0.23	9.1	0.032	2.83	56.4	6.7	0.04	249	1.19	2.52	14.6	0.5	50
I345874		1.92	15.95	0.18	7.8	0.043	2.94	56.7	6.5	0.04	291	1.50	2.55	14.4	0.5	60
I345875		1.85	16.75	0.20	7.5	0.046	3.12	60.9	6.4	0.04	289	1.32	2.56	14.4	0.7	60
I345876		1.84	16.25	0.20	8.2	0.029	2.87	58.6	6.6	0.04	242	0.41	2.57	15.2	1.2	60
I345877		2.20	17.20	0.20	8.1	0.034	2.51	42.3	6.9	0.05	287	0.43	2.75	15.6	0.8	60
I345878		2.19	16.55	0.19	8.1	0.050	2.42	57.7	6.7	0.05	310	0.48	2.53	15.4	0.4	60
I345879		1.86	15.85	0.20	7.4	0.029	2.87	46.2	5.6	0.04	249	0.95	2.39	14.5	0.8	60
I345880		1.79	16.35	0.20	7.1	0.033	3.02	56.9	5.8	0.04	237	1.33	2.59	14.9	0.5	50
I345881		1.72	16.45	0.20	7.6	0.037	2.36	67.1	5.2	0.05	221	1.16	2.79	15.1	0.5	60
I345882		1.76	16.30	0.18	7.8	0.031	2.13	48.7	6.4	0.05	176	0.62	2.68	15.3	0.4	60
I345883		1.73	16.25	0.21	8.3	0.032	2.67	70.8	6.2	0.04	208	1.20	2.74	15.7	0.4	70
I345884		1.75	16.15	0.18	7.7	0.016	2.51	65.5	6.6	0.04	210	0.31	2.46	15.9	0.5	60
I345885		1.63	16.70	0.18	8.5	0.030	2.95	68.1	5.4	0.03	204	0.46	2.35	16.0	1.2	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345846		9.3	64.9	<0.002	<0.01	1.50	7.6	1	0.9	106.0	1.21	<0.05	18.5	0.093	0.32	3.4
I345847		9.6	69.1	<0.002	<0.01	1.31	8.2	1	1.1	99.7	1.24	0.08	15.8	0.099	0.29	3.1
I345848		8.9	70.5	<0.002	<0.01	1.27	7.3	2	1.3	100.5	1.30	<0.05	15.3	0.106	0.35	3.7
I345849		9.7	71.3	<0.002	0.06	1.59	6.7	2	1.3	102.5	1.28	<0.05	17.5	0.095	0.37	3.4
I345850		12.0	64.9	<0.002	<0.01	0.20	5.1	2	1.9	182.5	0.49	<0.05	5.9	0.120	0.40	2.1
I345851		12.5	77.6	<0.002	0.01	1.98	6.2	2	2.1	115.5	1.30	<0.05	16.0	0.094	0.34	4.3
I345852		11.0	69.4	<0.002	0.01	1.79	7.2	2	2.0	113.0	1.31	<0.05	16.0	0.102	0.39	3.7
I345853		9.2	72.1	<0.002	<0.01	1.84	7.9	2	2.3	109.0	1.40	<0.05	16.8	0.102	0.34	3.8
I345854		8.9	69.6	<0.002	<0.01	1.49	6.8	2	1.3	96.9	1.36	<0.05	15.8	0.098	0.32	3.5
I345855		10.8	69.5	<0.002	<0.01	1.61	7.3	2	1.0	104.5	1.38	<0.05	17.4	0.099	0.36	4.0
I345856		9.0	82.8	<0.002	0.01	1.44	6.5	2	1.5	80.2	1.27	<0.05	15.2	0.098	0.43	3.4
I345857		9.5	84.3	<0.002	<0.01	1.77	5.6	2	1.0	86.7	1.24	<0.05	16.6	0.096	0.39	3.7
I345858		9.3	71.9	<0.002	0.01	1.90	6.5	2	1.1	104.5	1.32	<0.05	15.9	0.099	0.37	3.8
I345859		11.7	81.7	<0.002	<0.01	1.65	7.1	2	1.1	119.5	1.32	<0.05	16.4	0.103	0.35	3.4
I345860		10.4	74.4	<0.002	<0.01	1.90	6.9	2	1.9	120.0	1.35	<0.05	15.7	0.099	0.39	3.7
I345861		11.2	68.6	<0.002	0.05	1.70	7.0	2	3.7	104.5	1.34	<0.05	16.7	0.095	0.35	4.5
I345862		12.4	75.6	<0.002	0.01	1.69	7.3	2	2.9	114.0	1.43	<0.05	17.2	0.101	0.35	4.0
I345863		9.9	79.4	<0.002	<0.01	1.72	7.5	2	1.6	100.5	1.36	<0.05	15.4	0.103	0.41	3.8
I345864		10.9	79.0	<0.002	<0.01	1.83	7.1	2	1.2	95.5	1.37	<0.05	16.9	0.097	0.41	3.7
I345865		12.3	79.6	<0.002	0.01	1.42	7.6	2	1.2	97.5	1.50	<0.05	16.3	0.102	0.42	3.9
I345866		11.7	74.6	<0.002	0.01	1.49	6.6	2	1.0	92.0	1.36	<0.05	17.1	0.097	0.42	3.9
I345867		10.0	76.8	<0.002	0.01	1.27	7.3	2	1.1	84.9	1.33	<0.05	16.4	0.094	0.40	3.8
I345868		11.5	79.9	<0.002	0.01	1.53	6.8	2	1.2	103.5	1.33	<0.05	17.3	0.095	0.41	3.9
I345869		9.0	85.1	<0.002	0.02	1.84	6.8	2	1.3	89.7	1.12	<0.05	16.1	0.102	0.37	3.2
I345870		11.7	77.0	<0.002	0.05	1.43	6.9	3	7.9	111.0	1.28	0.38	15.6	0.107	0.35	3.9
I345871		10.5	74.2	<0.002	0.01	1.57	7.5	3	3.9	114.0	1.27	<0.05	16.2	0.108	0.37	3.6
I345872		11.4	82.2	<0.002	0.01	1.73	7.9	3	2.0	119.5	1.41	<0.05	17.0	0.108	0.40	3.7
I345873		13.5	83.1	<0.002	0.02	1.83	6.7	2	0.9	98.9	1.42	<0.05	17.7	0.096	0.39	4.3
I345874		15.4	73.8	<0.002	0.10	2.18	7.2	3	1.2	95.2	1.24	<0.05	15.2	0.098	0.36	3.7
I345875		14.0	77.5	<0.002	0.05	1.96	7.3	2	1.3	97.1	1.25	<0.05	16.6	0.099	0.40	3.5
I345876		14.9	73.8	<0.002	0.02	1.76	7.2	2	1.0	102.5	1.38	<0.05	16.9	0.095	0.37	3.9
I345877		15.9	76.3	<0.002	0.01	1.54	6.8	2	1.0	110.5	1.41	<0.05	15.5	0.106	0.37	3.5
I345878		14.7	69.7	<0.002	0.01	1.42	7.6	3	1.1	112.0	1.36	<0.05	15.9	0.106	0.36	3.5
I345879		14.7	74.8	<0.002	0.01	1.43	6.5	2	2.1	119.0	1.31	<0.05	15.9	0.099	0.36	3.6
I345880		16.2	72.4	<0.002	0.02	1.69	6.9	2	2.7	129.5	1.29	<0.05	15.2	0.101	0.37	3.7
I345881		13.5	68.1	<0.002	0.04	1.25	6.7	2	1.9	101.5	1.32	<0.05	16.8	0.101	0.32	3.9
I345882		10.2	73.1	<0.002	0.03	1.58	6.6	2	2.2	90.6	1.32	<0.05	15.7	0.101	0.33	3.7
I345883		12.6	82.2	<0.002	0.01	1.70	6.6	2	1.1	112.0	1.44	<0.05	17.8	0.102	0.36	4.0
I345884		14.8	75.3	<0.002	0.01	1.68	6.9	2	0.8	110.5	1.14	<0.05	16.6	0.098	0.30	3.8
I345885		14.6	82.0	<0.002	0.01	1.90	7.6	2	1.0	123.5	1.16	<0.05	17.7	0.094	0.33	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345846		<1	1.3	24.7	29	250
I345847		<1	1.5	24.1	28	278
I345848		1	1.6	24.7	44	268
I345849		1	1.4	24.5	38	236
I345850		15	1.0	16.7	45	26.9
I345851		<1	0.9	19.8	43	262
I345852		<1	1.4	23.9	40	253
I345853		<1	1.5	28.4	35	259
I345854		<1	1.5	23.9	34	258
I345855		1	1.4	21.7	34	271
I345856		<1	1.9	25.4	55	252
I345857		<1	1.4	19.7	39	267
I345858		<1	1.3	17.8	65	266
I345859		1	1.4	27.7	40	252
I345860		1	1.8	31.5	38	265
I345861		<1	1.1	19.6	41	260
I345862		<1	1.2	22.9	41	276
I345863		<1	1.4	25.5	43	288
I345864		<1	1.1	21.2	25	262
I345865		<1	1.3	22.6	35	273
I345866		<1	1.2	22.5	32	280
I345867		1	1.1	23.8	27	267
I345868		<1	0.9	24.6	46	263
I345869		<1	1.2	19.9	33	233
I345870		<1	2.1	26.3	43	284
I345871		1	1.3	30.9	39	276
I345872		<1	1.0	33.8	43	285
I345873		1	1.3	26.5	35	302
I345874		1	1.5	20.0	41	275
I345875		<1	1.4	20.2	38	249
I345876		1	1.4	23.1	56	266
I345877		1	1.5	28.6	56	285
I345878		<1	1.5	29.2	59	279
I345879		<1	1.3	19.6	41	246
I345880		1	1.0	18.6	48	246
I345881		1	1.3	17.9	42	270
I345882		1	1.9	17.4	38	273
I345883		1	1.4	18.4	36	286
I345884		1	1.1	19.5	40	254
I345885		1	1.1	18.0	32	279

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345886		1.75	<0.005	0.07	5.88	10.3	1320	2.21	0.04	0.82	0.03	109.0	3.1	6	0.45	3.9
I345887		1.78	0.007	0.06	6.27	12.2	1420	2.04	0.08	0.85	0.04	111.0	3.5	5	0.57	1.3
I345888		1.94	0.008	0.07	6.50	10.0	1290	2.09	0.10	1.07	0.05	129.0	4.1	5	0.67	1.8
I345889		1.80	<0.005	0.04	6.33	19.7	1450	2.36	0.08	0.79	0.04	145.0	3.7	5	0.53	2.2
I345890		1.80	0.006	0.07	6.47	13.0	1520	2.25	0.09	0.98	0.06	102.5	3.7	5	0.53	4.5
I345891		0.62	<0.005	0.05	6.04	21.2	1570	1.94	0.06	0.97	0.05	114.5	3.6	6	0.50	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345886		1.66	16.15	0.17	7.8	0.031	2.42	52.4	6.3	0.03	227	0.24	2.44	15.0	0.4	60
I345887		2.05	17.20	0.19	8.4	0.039	2.55	52.3	7.7	0.04	254	0.73	2.56	16.0	0.4	60
I345888		2.46	18.70	0.22	8.4	0.027	2.36	61.3	9.1	0.04	268	0.79	2.67	17.8	0.5	70
I345889		1.97	18.05	0.19	9.3	0.027	2.67	66.3	8.4	0.04	220	0.98	2.57	18.5	0.4	60
I345890		2.04	17.45	0.17	8.5	0.034	2.82	45.5	8.0	0.04	274	0.59	2.40	16.6	0.5	60
I345891		1.75	15.90	0.18	7.7	0.021	2.81	51.2	6.9	0.04	226	0.42	2.18	15.9	1.0	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
I345886		16.9	71.3	<0.002	0.02	1.72	7.2	2	1.1	137.0	1.13	<0.05	15.7	0.093	0.28	3.6
I345887		16.8	79.2	<0.002	<0.01	1.74	7.5	2	1.1	131.5	1.24	<0.05	17.1	0.100	0.34	4.0
I345888		13.2	80.8	<0.002	<0.01	1.91	7.8	2	1.2	138.0	1.30	<0.05	17.1	0.106	0.36	3.9
I345889		14.6	83.1	<0.002	0.01	1.92	8.2	2	1.1	142.5	1.32	<0.05	18.7	0.104	0.35	4.3
I345890		15.7	83.9	<0.002	0.02	2.17	7.8	2	1.2	168.0	1.22	<0.05	17.3	0.104	0.39	3.9
I345891		15.0	79.5	<0.002	0.01	1.68	7.2	2	0.8	146.0	1.14	<0.05	14.9	0.105	0.34	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345886		<1	1.0	16.9	47	260
I345887		<1	1.7	18.6	49	267
I345888		<1	1.1	22.0	48	274
I345889		1	1.3	19.5	47	302
I345890		1	1.5	18.6	51	282
I345891		1	1.1	17.9	41	260

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 10-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10194589

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.