ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

CERTIFICATE TB11034449

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 60 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 3-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596140		0.52	0.041	0.12	7.22	64.0	840	1.47	0.31	1.23	0.06	102.0	4.5	10	0.79	20.7
J596141		1.34	0.021	0.07	7.59	13.2	780	1.54	0.11	1.94	0.08	97.4	7.2	9	2.41	11.6
J596142		1.15	<0.005	0.06	7.78	2.9	890	1.41	0.05	2.01	0.07	116.0	7.4	10	2.10	8.4
J596143		1.66	<0.005	0.06	6.87	3.7	850	1.49	0.05	1.82	0.07	94.0	6.6	9	1.88	7.1
J596144		1.73	<0.005	0.06	7.60	2.4	890	1.63	0.05	1.90	0.08	105.5	6.7	9	3.20	9.2
J596145		1.72	<0.005	0.06	7.14	1.1	1070	2.12	0.05	1.58	0.06	91.8	6.5	9	4.40	6.1
J596146		1.72	0.026	0.07	6.93	381	640	1.60	0.06	1.48	0.08	84.6	4.5	12	2.11	12.4
J596147		1.23	<0.005	0.08	7.27	77.9	760	1.55	0.07	1.63	0.07	114.0	5.1	8	2.43	13.2
J596148		1.20	<0.005	0.11	7.22	85.7	820	1.71	0.13	1.62	0.09	95.5	3.8	8	1.86	19.2
J596149		1.23	0.006	0.07	6.75	95.3	760	1.64	0.07	1.34	0.07	73.4	5.0	8	1.74	11.9
J596150		0.03	NSS	0.54	8.69	3.2	200	2.18	0.15	1.24	0.46	20.3	12.3	38	1.69	20.0
J596151		1.81	0.022	0.04	6.89	59.0	820	1.71	0.06	1.64	0.07	88.3	6.0	8	2.61	8.2
J596152		1.80	<0.005	0.03	6.72	5.1	910	1.70	0.05	1.62	0.05	86.0	5.9	8	2.64	6.2
J596153		1.99	<0.005	0.05	7.43	1.5	870	1.53	0.04	1.72	0.06	81.3	5.6	9	2.39	6.4
J596154		1.86	<0.005	0.05	6.68	0.7	740	1.53	0.04	1.67	0.06	84.7	5.9	10	2.73	6.5
J596155		1.88	<0.005	0.06	6.97	<0.2	730	1.78	0.04	1.80	0.06	87.8	6.7	9	2.81	8.0
J596156		1.87	<0.005	0.07	7.45	1.4	770	1.81	0.03	1.86	0.07	92.8	6.6	10	2.50	7.1
J596157		1.88	<0.005	0.07	7.38	8.0	810	2.37	0.06	1.87	0.07	98.3	7.0	9	3.12	10.1
J596158		1.95	<0.005	0.09	7.21	3.0	850	1.50	0.06	1.88	0.06	93.7	7.4	10	3.12	10.2
J596159		1.96	<0.005	0.08	7.27	0.6	840	1.28	0.05	1.83	0.07	96.9	7.0	9	2.48	9.9
J596160		1.91	<0.005	0.07	7.20	1.1	810	1.51	0.05	1.81	0.08	87.7	6.6	10	2.81	8.3
J596161		1.98	<0.005	0.06	7.58	5.8	890	1.42	0.04	1.97	0.08	88.6	7.4	11	3.16	9.5
J596162		2.04	<0.005	0.05	6.99	5.7	800	1.33	0.03	1.82	0.06	96.7	6.8	10	3.26	9.4
J596163		1.85	<0.005	0.10	7.27	3.6	820	1.46	0.05	1.77	0.07	107.0	6.7	14	3.49	7.7
J596164		1.78	<0.005	0.09	7.11	4.7	810	1.39	0.05	1.73	0.06	85.9	6.7	10	3.03	7.4
J596165		1.20	0.016	0.11	6.98	8.1	810	1.47	0.05	1.70	0.05	87.4	6.2	15	2.92	7.4
J596166		1.36	<0.005	0.08	6.76	34.4	750	1.41	0.06	1.67	0.08	79.4	6.6	10	2.72	9.5
J596167		0.65	0.066	0.31	6.81	272	840	1.60	0.18	1.60	0.07	80.9	5.8	10	2.08	12.9
J596168		0.66	0.835	0.23	6.63	240	700	1.77	0.12	1.35	0.08	74.8	5.4	11	1.13	19.9
J596169		1.36	1.960	0.36	6.47	2030	770	1.66	0.19	1.53	16.50	77.9	6.1	9	1.47	15.8
J596170		1.33	0.009	0.10	7.25	34.6	760	1.70	0.08	1.78	0.09	92.9	7.5	13	2.64	7.2
J596171		1.37	0.015	0.10	7.15	32.9	780	1.63	0.06	1.78	0.08	83.7	6.2	14	2.33	7.1
J596172		1.92	<0.005	0.08	7.28	15.0	840	1.78	0.05	1.78	0.06	85.0	7.0	14	2.47	10.5
J596173		2.01	0.023	0.04	6.97	21.1	800	1.51	0.06	1.67	0.07	90.1	7.0	24	2.25	8.4
J596174		1.94	<0.005	0.09	6.85	47.9	770	1.44	0.09	1.74	0.07	76.5	6.4	14	2.50	9.3
J596175		0.06	<0.005	0.06	6.36	2.1	880	1.23	0.09	1.30	0.09	33.0	3.1	23	1.76	5.5
J596176		2.06	0.023	0.07	7.08	53.8	770	1.49	0.10	1.67	0.08	80.0	7.2	16	1.69	14.6
J596177		1.92	<0.005	0.07	7.02	27.1	760	1.50	0.06	1.68	0.07	88.5	6.6	21	1.25	10.1
J596178		1.92	0.087	0.09	6.94	57.2	770	1.45	0.07	1.68	0.08	81.7	6.2	14	2.15	8.7
J596179		1.91	0.057	0.13	7.01	62.3	740	1.63	0.05	1.71	0.06	84.4	7.1	14	2.28	7.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596140		2.23	18.70	0.17	5.3	0.029	2.67	49.6	14.6	0.47	368	3.67	3.33	10.4	7.1	500
J596141		2.63	19.65	0.19	6.1	0.037	2.62	46.4	23.2	0.57	442	3.70	3.15	12.9	7.5	600
J596142		2.72	20.0	0.23	6.6	0.037	2.61	56.6	16.6	0.56	452	1.32	3.11	12.6	7.3	620
J596143		2.37	18.70	0.21	5.5	0.033	2.60	43.4	14.8	0.48	403	1.37	3.00	11.6	6.1	540
J596144		2.52	19.45	0.21	5.1	0.031	2.82	50.9	20.4	0.51	419	1.18	3.06	12.2	7.0	580
J596145		2.35	18.90	0.19	5.1	0.030	3.34	44.7	23.5	0.46	383	2.21	2.83	12.9	6.3	530
J596146		2.10	17.30	0.21	5.4	0.023	2.79	39.6	18.7	0.39	336	0.94	3.10	10.8	5.9	450
J596147		2.33	18.80	0.19	6.3	0.027	3.04	56.8	16.9	0.45	393	1.37	3.14	12.1	5.4	530
J596148		2.18	19.30	0.19	5.7	0.032	2.74	45.8	13.5	0.43	347	7.06	3.23	13.1	5.8	490
J596149		1.97	18.10	0.16	4.9	0.023	2.96	34.5	13.5	0.33	309	5.22	2.90	12.0	4.8	410
J596150		5.20	22.2	0.23	1.6	0.016	2.63	10.0	2.9	1.12	298	2.13	5.87	10.7	48.9	720
J596151		2.19	19.15	0.21	5.1	0.027	2.74	42.0	18.8	0.42	361	1.03	3.10	12.9	5.8	500
J596152		2.22	18.15	0.21	5.2	0.028	2.84	40.6	18.5	0.41	371	4.17	2.84	11.9	5.7	500
J596153		2.23	18.20	0.18	5.0	0.026	3.03	39.0	14.4	0.42	367	1.02	2.99	11.1	5.6	490
J596154		2.30	17.75	0.18	5.2	0.029	2.59	39.9	17.5	0.44	379	0.98	2.86	12.1	5.7	500
J596155		2.42	19.00	0.22	5.9	0.035	2.61	39.6	21.0	0.49	403	1.09	3.01	13.1	6.6	560
J596156		2.45	19.40	0.21	5.5	0.035	2.69	43.5	17.6	0.49	404	1.14	3.09	14.0	6.4	560
J596157		2.50	19.60	0.19	5.7	0.035	2.80	46.3	17.7	0.50	416	0.99	3.13	15.4	6.9	570
J596158		2.57	19.20	0.22	5.6	0.036	2.78	44.3	17.3	0.51	428	1.17	3.11	11.9	7.0	580
J596159		2.45	18.45	0.22	5.4	0.033	2.73	48.0	13.7	0.50	417	1.38	2.93	11.4	6.8	550
J596160		2.44	18.45	0.20	5.0	0.037	2.85	41.8	16.0	0.49	406	1.00	3.00	11.4	6.6	540
J596161		2.70	20.2	0.22	6.6	0.038	2.86	41.4	19.9	0.56	458	7.36	3.21	12.5	7.4	630
J596162		2.64	18.30	0.24	4.8	0.032	2.63	46.1	24.2	0.50	428	10.85	2.91	11.5	6.7	580
J596163		2.43	17.85	0.14	5.5	0.039	2.65	52.4	22.2	0.49	450	2.11	2.92	12.1	7.7	610
J596164		2.44	17.35	0.15	4.8	0.038	2.57	41.7	19.1	0.49	445	10.70	2.81	11.9	6.5	620
J596165		2.28	16.65	0.12	5.4	0.031	2.49	43.4	21.1	0.45	427	1.21	2.83	11.3	8.0	570
J596166		2.31	16.20	0.15	5.5	0.033	2.46	38.0	20.1	0.45	391	1.68	2.90	11.1	6.3	580
J596167		2.19	17.20	0.14	5.4	0.037	2.54	38.4	15.6	0.47	416	1.94	2.80	11.4	6.0	620
J596168		2.01	16.45	0.12	5.2	0.030	2.35	35.4	12.4	0.38	378	5.29	2.83	11.7	4.9	480
J596169		2.08	18.40	0.15	5.0	0.088	2.60	36.0	16.4	0.43	389	5.10	2.39	10.2	5.5	560
J596170		2.41	19.85	0.15	5.6	0.037	2.55	43.7	22.4	0.49	437	1.32	2.88	14.4	7.4	600
J596171		2.33	18.65	0.15	5.9	0.038	2.50	40.4	27.3	0.47	426	1.01	2.99	13.4	6.8	600
J596172		2.47	18.50	0.15	5.6	0.038	2.58	39.9	24.0	0.48	447	1.23	2.95	13.9	7.3	620
J596173		2.34	19.10	0.15	5.7	0.032	2.46	42.1	19.8	0.46	421	1.27	2.86	13.9	13.4	610
J596174		2.20	18.55	0.16	5.6	0.033	2.48	34.6	27.4	0.46	432	1.92	2.90	12.8	6.9	560
J596175		1.46	14.90	0.09	1.6	0.018	2.18	15.4	12.3	0.20	553	1.07	2.64	5.9	7.7	220
J596176		2.28	18.90	0.17	5.7	0.035	2.43	37.5	22.2	0.48	415	0.87	2.92	13.1	9.4	590
J596177		2.23	19.40	0.17	5.4	0.035	2.34	41.8	15.5	0.48	425	1.23	2.86	13.0	11.0	580
J596178		2.33	19.25	0.17	5.7	0.035	2.46	37.3	24.3	0.49	423	0.96	2.82	13.3	8.3	600
J596179		2.35	19.10	0.17	5.6	0.035	2.47	40.2	24.2	0.48	431	1.42	2.79	13.7	6.7	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596140		12.9	71.1	<0.002	0.61	0.20	7.3	2	1.9	148.5	1.00	<0.05	15.3	0.273	0.35	3.6
J596141		15.7	94.7	<0.002	0.12	0.13	9.4	2	2.1	216	1.27	<0.05	12.9	0.330	0.55	3.5
J596142		16.9	89.5	<0.002	0.02	<0.05	9.2	2	2.2	232	1.10	<0.05	14.2	0.333	0.52	3.4
J596143		17.1	82.8	<0.002	0.04	<0.05	7.8	2	1.9	207	1.12	<0.05	13.3	0.305	0.51	3.2
J596144		19.2	114.0	<0.002	0.04	<0.05	8.5	2	2.1	212	1.23	<0.05	14.7	0.309	0.69	3.7
J596145		20.0	139.0	<0.002	0.01	0.06	7.0	2	2.2	193.0	1.65	<0.05	13.6	0.302	0.80	4.0
J596146		15.6	94.3	<0.002	0.20	0.24	6.3	2	1.5	172.5	1.28	<0.05	14.9	0.258	0.53	4.4
J596147		15.6	104.0	<0.002	0.18	0.21	6.7	2	1.9	199.5	1.27	<0.05	15.4	0.309	0.56	3.8
J596148		18.3	92.5	<0.002	0.35	0.14	7.0	2	2.2	181.0	1.55	<0.05	16.6	0.290	0.50	5.0
J596149		18.5	91.2	<0.002	0.16	0.19	5.1	2	1.8	162.5	1.49	<0.05	19.3	0.234	0.48	5.9
J596150		99.1	238	<0.002	3.78	1.05	4.4	2	1.0	202	0.89	<0.05	2.8	0.306	2.12	1.1
J596151		19.1	104.0	<0.002	0.14	0.12	6.4	2	2.2	181.0	1.36	<0.05	16.7	0.283	0.62	4.5
J596152		17.9	107.5	<0.002	0.02	<0.05	6.0	2	2.1	174.0	1.24	<0.05	14.5	0.288	0.63	3.5
J596153		19.7	118.0	<0.002	0.01	<0.05	6.7	2	2.1	188.0	1.18	<0.05	15.2	0.269	0.60	5.8
J596154		17.1	103.5	<0.002	0.01	<0.05	7.0	2	2.0	183.5	1.26	<0.05	13.8	0.279	0.57	3.8
J596155		18.1	104.0	<0.002	0.01	<0.05	8.2	2	2.2	199.0	1.41	<0.05	14.1	0.307	0.60	4.1
J596156		17.9	107.0	<0.002	0.01	<0.05	8.2	2	2.0	205	1.54	<0.05	13.9	0.306	0.56	4.2
J596157		19.0	111.0	<0.002	0.01	<0.05	8.4	2	2.6	206	1.93	<0.05	14.0	0.310	0.60	4.3
J596158		16.8	96.9	<0.002	0.01	<0.05	8.4	2	2.4	215	1.17	<0.05	12.9	0.319	0.60	3.5
J596159		16.5	93.1	<0.002	0.01	<0.05	8.2	2	2.3	206	1.06	<0.05	12.9	0.309	0.54	3.2
J596160		18.5	102.0	<0.002	0.01	<0.05	8.1	2	2.0	202	1.13	<0.05	13.8	0.301	0.63	3.7
J596161		16.8	99.5	<0.002	0.01	0.05	9.3	2	2.2	227	1.10	<0.05	12.7	0.328	0.60	3.4
J596162		14.8	96.0	<0.002	0.02	<0.05	8.2	2	2.0	202	1.03	<0.05	12.3	0.316	0.61	2.8
J596163		15.5	104.5	<0.002	0.01	0.14	7.6	2	2.2	215	1.00	<0.05	13.4	0.301	0.60	2.9
J596164		14.6	91.7	<0.002	0.02	0.24	7.5	2	2.1	220	0.97	<0.05	12.1	0.303	0.53	2.7
J596165		14.5	94.5	<0.002	0.04	0.30	7.0	2	1.9	213	0.94	<0.05	12.1	0.285	0.53	2.8
J596166		23.7	91.3	<0.002	0.14	0.44	6.9	1	1.9	215	0.94	<0.05	11.6	0.281	0.53	2.8
J596167		34.8	91.3	<0.002	0.34	0.57	7.6	2	1.9	213	0.96	<0.05	11.7	0.297	0.53	2.7
J596168		34.5	70.1	<0.002	0.33	0.69	6.0	1	1.8	202	1.30	<0.05	17.2	0.238	0.36	4.9
J596169		58.6	95.3	<0.002	0.56	1.25	8.0	2	1.7	179.0	0.81	0.07	11.9	0.244	0.51	2.8
J596170		20.9	110.5	<0.002	0.14	0.63	9.3	2	1.9	208	1.18	<0.05	14.3	0.295	0.57	3.7
J596171		14.1	96.9	<0.002	0.08	0.33	8.3	2	2.0	214	1.01	<0.05	12.6	0.292	0.54	2.9
J596172		14.8	101.5	<0.002	0.05	0.20	8.6	2	2.2	218	1.10	<0.05	12.9	0.300	0.53	3.1
J596173		15.2	95.9	<0.002	0.04	0.25	8.0	2	2.1	217	1.10	<0.05	13.4	0.293	0.51	3.2
J596174		15.1	99.2	<0.002	0.10	0.32	8.1	2	1.8	197.0	1.08	<0.05	13.2	0.275	0.53	3.2
J596175		11.9	63.9	<0.002	<0.01	0.19	5.9	2	1.7	186.5	0.53	<0.05	6.6	0.129	0.39	2.2
J596176		14.5	85.8	<0.002	0.38	0.31	8.6	2	1.8	195.0	1.07	<0.05	12.6	0.283	0.43	3.2
J596177		15.1	76.6	<0.002	0.11	0.31	8.2	2	1.8	205	1.04	<0.05	14.1	0.277	0.38	3.6
J596178		16.7	92.3	<0.002	0.20	0.37	8.7	2	1.9	210	1.09	<0.05	12.8	0.287	0.52	3.4
J596179		16.1	96.5	<0.002	0.10	0.37	8.3	2	1.9	211	1.11	<0.05	13.1	0.285	0.52	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596140		37	7.9	19.5	28	197.0
J596141		45	4.3	23.3	51	234
J596142		45	1.6	22.4	54	249
J596143		41	1.5	19.4	51	206
J596144		42	1.5	22.4	55	197.0
J596145		38	7.9	21.0	52	187.5
J596146		32	2.3	17.8	42	195.0
J596147		37	3.6	20.3	40	242
J596148		36	7.6	21.2	37	199.0
J596149		29	4.5	18.5	32	167.0
J596150		37	0.3	5.8	46	55.1
J596151		35	5.5	20.0	45	182.5
J596152		35	1.6	18.6	47	196.5
J596153		35	1.3	20.1	48	185.0
J596154		37	1.1	20.2	48	190.0
J596155		42	1.2	22.8	53	211
J596156		41	1.1	24.0	52	202
J596157		41	1.0	25.0	55	205
J596158		43	1.2	21.1	57	211
J596159		42	1.1	20.5	58	204
J596160		41	1.0	20.8	55	187.0
J596161		46	0.9	22.4	61	252
J596162		42	0.8	19.8	53	184.5
J596163		44	0.8	21.4	59	211
J596164		45	0.8	19.8	57	188.5
J596165		40	0.9	19.4	48	207
J596166		41	0.6	18.8	59	209
J596167		44	4.2	19.6	67	209
J596168		35	3.2	20.2	48	172.5
J596169		41	18.8	19.4	1260	181.5
J596170		44	3.7	24.8	53	201
J596171		43	1.4	22.5	52	220
J596172		44	1.4	23.7	54	207
J596173		42	1.0	22.5	56	210
J596174		40	1.9	21.2	50	203
J596175		17	1.1	18.3	45	47.5
J596176		42	10.9	22.1	49	203
J596177		42	2.5	22.3	46	193.5
J596178		43	3.9	22.5	53	206
J596179		43	1.8	23.1	50	207

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596180		1.95	0.116	0.07	6.89	55.3	710	1.56	0.07	1.61	0.10	82.2	6.7	12	2.19	10.1
J596181		1.99	<0.005	0.08	6.99	7.3	780	1.56	0.06	1.68	0.07	87.4	7.3	14	2.61	8.6
J596182		2.08	<0.005	0.07	6.85	0.9	810	1.52	0.06	1.64	0.06	83.3	7.0	16	2.69	8.6
J596183		2.06	<0.005	0.06	7.08	4.1	780	1.46	0.06	1.70	0.06	84.9	7.2	13	2.53	11.5
J596184		1.99	<0.005	0.07	6.84	0.7	770	1.53	0.06	1.66	0.06	87.7	7.3	15	2.57	9.5
J596185		2.05	<0.005	0.08	6.98	1.0	790	1.49	0.05	1.66	0.06	84.8	7.2	19	2.24	9.8
J596186		2.02	<0.005	0.06	6.73	4.8	720	1.35	0.05	1.56	0.06	84.5	6.7	25	1.26	61.6
J596187		1.97	<0.005	0.04	6.67	3.4	700	1.44	0.05	1.68	0.06	81.2	6.5	18	0.92	12.4
J596188		2.21	<0.005	0.07	6.96	4.7	760	1.53	0.07	1.58	0.06	84.0	7.1	13	2.17	13.6
J596189		2.08	<0.005	0.07	6.77	0.9	760	1.47	0.06	1.59	0.06	84.4	6.9	9	1.61	9.2
J596190		2.09	<0.005	0.06	6.82	<0.2	740	2.16	0.09	1.61	0.07	87.8	7.2	16	2.55	9.2
J596191		2.01	<0.005	0.05	6.94	1.1	760	2.53	0.10	1.61	0.07	85.8	7.3	12	3.16	12.5
J596192		2.04	<0.005	0.06	6.99	0.7	750	2.09	0.08	1.61	0.06	74.8	6.9	10	2.94	8.7
J596193		2.05	<0.005	0.05	6.84	3.2	720	1.68	0.06	1.61	0.07	82.2	6.9	12	2.63	9.3
J596194		2.04	<0.005	0.06	6.84	1.8	740	1.76	0.07	1.59	0.06	84.0	7.1	14	2.52	8.6
J596195		1.93	<0.005	0.07	7.13	3.8	610	1.82	0.06	1.72	0.07	79.1	7.1	11	2.90	10.0
J596196		2.03	<0.005	0.06	6.73	8.7	690	1.76	0.07	1.64	0.07	85.1	6.9	11	2.24	10.2
J596197		2.03	<0.005	0.06	6.79	4.4	750	1.73	0.07	1.56	0.06	79.7	6.7	14	2.33	10.1
J596198		2.01	<0.005	0.05	6.73	2.2	730	1.76	0.07	1.49	0.07	84.6	6.6	10	1.83	11.6
J596199		0.83	<0.005	<0.01	7.27	2.6	770	1.28	0.08	1.58	0.04	85.3	6.3	12	1.48	10.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596180		2.24	19.15	0.15	5.8	0.035	2.43	38.1	20.8	0.49	415	1.19	2.89	13.7	6.2	610
J596181		2.37	19.35	0.15	5.9	0.038	2.60	39.9	19.3	0.48	432	1.27	2.85	14.1	8.1	620
J596182		2.26	18.40	0.15	5.7	0.036	2.57	39.0	19.3	0.46	413	1.42	2.77	13.1	7.9	580
J596183		2.34	18.65	0.16	5.6	0.038	2.53	39.2	17.8	0.47	428	1.34	2.92	13.4	7.6	610
J596184		2.29	18.40	0.16	5.9	0.036	2.48	40.4	15.6	0.46	418	1.48	2.82	13.3	8.3	600
J596185		2.34	19.25	0.17	5.3	0.039	2.59	39.9	14.7	0.47	420	1.07	2.89	13.3	10.5	610
J596186		2.27	17.70	0.15	5.2	0.035	2.25	40.1	9.7	0.51	408	0.94	2.81	12.6	13.5	550
J596187		2.15	17.15	0.15	5.5	0.032	2.19	38.8	9.3	0.48	383	1.02	2.74	12.4	8.4	530
J596188		2.31	18.60	0.17	5.7	0.033	2.48	39.2	15.2	0.49	415	1.20	2.81	12.9	7.0	590
J596189		2.25	17.55	0.16	5.2	0.032	2.43	40.4	11.9	0.45	402	1.08	2.71	12.4	5.5	560
J596190		2.27	18.80	0.15	5.5	0.036	2.51	41.6	12.8	0.46	414	1.55	2.78	15.3	7.3	580
J596191		2.30	19.10	0.16	6.1	0.037	2.60	39.8	14.5	0.45	417	1.71	2.81	15.3	6.5	570
J596192		2.20	19.00	0.14	6.0	0.034	2.61	34.3	17.2	0.44	404	1.53	2.89	15.1	6.4	560
J596193		2.28	18.55	0.16	6.0	0.034	2.39	37.8	17.7	0.45	426	1.57	2.87	14.5	6.3	570
J596194		2.23	18.70	0.13	5.7	0.033	2.50	38.8	16.4	0.44	403	7.10	2.84	14.9	8.2	570
J596195		2.45	19.75	0.16	6.5	0.036	2.44	36.1	21.5	0.48	439	2.05	2.95	14.8	6.1	610
J596196		2.29	18.85	0.15	5.9	0.037	2.33	39.5	20.4	0.47	449	1.34	2.89	14.3	6.3	570
J596197		2.23	18.10	0.16	5.3	0.036	2.55	37.1	18.4	0.44	408	3.90	2.78	13.6	7.4	550
J596198		2.27	17.45	0.14	5.4	0.034	2.47	39.8	16.8	0.50	411	3.97	2.75	13.5	5.4	570
J596199		2.58	18.80	0.23	5.6	0.041	2.59	43.4	12.0	0.59	451	1.39	3.01	13.0	6.4	610

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596180		16.7	93.7	<0.002	0.10	0.23	8.2	2	2.0	196.0	1.11	<0.05	13.1	0.286	0.50	3.2
J596181		16.2	106.0	<0.002	0.02	0.13	8.7	2	2.0	210	1.13	<0.05	12.7	0.297	0.55	3.2
J596182		15.5	105.5	<0.002	0.01	0.11	7.9	2	2.1	203	1.05	<0.05	12.7	0.280	0.57	3.0
J596183		14.8	101.0	<0.002	0.02	0.12	8.4	2	2.1	210	1.07	<0.05	12.4	0.294	0.55	3.0
J596184		15.7	98.3	<0.002	0.01	0.12	8.3	2	2.2	206	1.02	<0.05	12.2	0.288	0.55	3.0
J596185		15.8	95.1	<0.002	0.01	0.10	8.1	2	2.0	210	1.04	<0.05	12.9	0.290	0.52	3.1
J596186		15.4	71.9	<0.002	0.09	0.15	7.7	2	1.9	189.0	1.00	<0.05	13.2	0.271	0.35	3.3
J596187		11.9	72.7	<0.002	0.03	0.14	7.7	2	2.0	182.5	1.00	<0.05	12.5	0.267	0.32	3.1
J596188		16.0	91.5	<0.002	0.02	0.15	8.2	2	2.1	209	1.01	<0.05	12.8	0.285	0.47	3.1
J596189		15.2	92.3	<0.002	0.01	0.09	7.6	2	2.0	202	0.95	<0.05	12.6	0.275	0.47	3.5
J596190		18.2	119.0	<0.002	0.01	0.16	8.1	2	2.5	201	1.59	<0.05	13.4	0.282	0.60	4.0
J596191		18.2	127.5	<0.002	0.01	0.18	8.2	2	2.6	202	1.69	<0.05	14.1	0.280	0.63	4.3
J596192		18.4	124.5	<0.002	0.01	0.17	7.8	2	2.5	205	1.51	<0.05	13.8	0.274	0.63	4.3
J596193		16.6	100.0	<0.002	0.01	0.19	7.8	2	2.5	200	1.31	<0.05	13.4	0.277	0.51	3.9
J596194		17.2	115.5	<0.002	0.01	0.14	8.0	2	2.5	203	1.31	<0.05	13.5	0.281	0.61	4.0
J596195		16.7	113.5	<0.002	0.01	0.16	8.1	2	2.3	208	1.30	<0.05	14.8	0.298	0.63	4.2
J596196		15.8	96.7	<0.002	0.02	0.20	8.1	2	2.1	196.0	1.23	<0.05	15.7	0.283	0.51	4.0
J596197		16.7	107.0	<0.002	0.02	0.20	7.7	2	2.0	196.5	1.18	<0.05	14.7	0.270	0.56	4.0
J596198		15.0	100.5	<0.002	0.01	0.12	7.7	2	2.0	180.5	1.15	<0.05	14.6	0.274	0.48	3.9
J596199		13.9	109.0	<0.002	0.02	0.15	7.8	2	2.4	198.5	1.09	<0.05	15.6	0.300	0.48	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596180		42	8.3	22.5	60	206
J596181		44	0.6	23.5	58	215
J596182		41	0.6	22.0	54	208
J596183		43	0.6	22.5	56	210
J596184		42	1.1	22.2	56	212
J596185		44	1.8	22.4	56	194.5
J596186		40	1.0	21.5	43	190.0
J596187		38	0.9	21.8	36	207
J596188		42	1.4	22.4	53	212
J596189		40	1.3	20.9	54	199.0
J596190		41	1.4	25.4	56	193.5
J596191		41	2.2	26.1	55	204
J596192		40	1.4	25.0	52	211
J596193		41	0.9	24.0	53	211
J596194		41	0.9	24.3	54	203
J596195		43	1.1	24.7	57	225
J596196		41	0.9	23.8	49	208
J596197		39	1.8	22.8	63	190.0
J596198		41	1.3	23.2	47	196.0
J596199		44	1.3	23.2	50	200

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 24-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034449

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	REE's may not be totally soluble in this method.