ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

CERTIFICATE TB11021203

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 11-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594391		0.47	<0.005	0.04	4.24	28.3	330	0.89	0.05	1.13	0.05	42.8	2.1	17	1.65	1.9
J594392		0.69	<0.005	0.07	6.80	32.9	630	1.38	0.14	1.44	0.06	82.4	6.2	19	3.28	9.1
J594393		1.55	<0.005	0.06	6.99	2.5	690	1.40	0.08	1.87	0.06	79.1	7.5	19	3.12	12.8
J594394		1.93	<0.005	0.06	7.12	3.6	730	1.38	0.08	1.92	0.05	78.8	7.5	20	3.17	9.3
J594395		1.90	<0.005	0.07	6.69	2.5	770	1.24	0.07	1.73	0.05	70.7	6.9	18	3.00	8.7
J594396		1.83	<0.005	0.06	7.03	1.6	720	1.31	0.07	1.79	0.05	72.0	6.8	19	3.27	8.0
J594397		1.98	<0.005	0.07	7.07	0.7	700	1.39	0.07	1.90	0.07	76.3	7.3	21	3.61	8.3
J594398		2.02	<0.005	0.11	7.09	1.5	740	1.51	0.07	1.94	0.07	78.6	7.5	20	3.93	9.3
J594399		1.86	<0.005	0.09	6.94	7.5	680	1.43	0.07	1.91	0.06	71.0	7.0	21	3.64	9.6
J594400		0.03	1.340	0.78	8.05	5.2	90	2.14	1.55	0.88	0.18	14.70	8.2	27	20.5	11.2
J594401		1.88	<0.005	0.07	6.87	12.4	670	1.36	0.07	1.76	0.05	69.4	6.5	20	3.20	7.4
J594402		1.97	<0.005	0.06	6.95	3.7	690	1.38	0.05	1.83	0.06	73.6	6.8	19	3.53	7.8
J594403		1.98	<0.005	0.08	6.89	19.7	690	1.37	0.14	1.87	0.06	66.8	7.1	20	3.77	10.4
J594404		1.77	0.021	0.09	7.29	14.1	730	1.45	0.19	1.93	0.06	75.9	7.3	19	4.11	16.4
J594405		1.30	<0.005	0.06	6.75	3.3	670	1.37	0.07	1.79	0.05	74.5	7.1	21	3.83	8.5
J594406		0.71	<0.005	0.09	6.99	1.1	630	1.84	0.09	1.89	0.07	77.7	7.4	17	4.21	14.0
J594407		1.98	<0.005	0.06	6.93	1.9	670	1.47	0.07	1.84	0.05	70.0	6.8	20	3.79	7.2
J594408		1.86	<0.005	0.08	7.14	3.8	680	1.53	0.12	2.00	0.06	75.4	7.5	20	4.00	11.6
J594409		1.75	<0.005	0.13	7.17	5.4	730	1.50	0.07	1.89	0.06	74.5	7.2	18	3.74	9.3
J594410		1.86	<0.005	0.07	6.85	3.1	790	1.38	0.07	1.78	0.06	73.6	6.9	18	3.61	8.5
J594411		1.86	<0.005	0.08	7.26	2.1	680	1.51	0.08	1.92	0.06	78.8	7.3	21	4.00	8.4
J594412		1.83	0.015	0.08	7.13	9.6	690	1.55	0.32	1.79	0.07	74.6	7.0	19	3.48	19.1
J594413		1.92	<0.005	0.06	6.94	4.3	630	1.65	0.13	1.86	0.06	77.5	7.2	20	4.53	8.1
J594414		1.88	<0.005	0.06	6.63	0.7	670	1.74	0.08	1.81	0.06	75.8	7.6	23	4.06	8.9
J594415		1.91	<0.005	0.06	6.84	6.7	640	1.97	0.11	1.93	0.08	72.5	8.2	28	4.24	11.2
J594416		1.88	<0.005	0.06	6.55	0.5	640	1.91	0.08	1.88	0.08	71.9	7.7	27	3.88	9.0
J594417		1.84	<0.005	0.07	6.74	2.7	790	1.57	0.07	1.75	0.08	72.3	7.2	20	3.62	9.0
J594418		1.91	<0.005	0.06	6.79	9.5	730	1.76	0.10	1.83	0.07	73.4	8.1	22	3.72	9.0
J594419		1.67	0.005	0.08	6.98	3.7	650	1.93	0.11	1.95	0.09	80.9	8.4	23	3.93	10.8
J594420		1.47	<0.005	0.05	6.74	22.7	650	1.50	0.08	1.84	0.07	71.0	7.0	21	2.76	12.2
J594421		1.27	0.040	0.09	6.45	29.0	690	1.42	0.07	1.71	0.11	64.5	7.1	20	2.46	9.3
J594422		1.05	0.197	0.13	6.54	153.0	660	1.54	0.11	1.75	0.11	68.9	11.2	21	2.22	13.9
J594423		0.63	0.239	0.17	6.62	1315	750	1.83	0.17	1.60	0.13	71.3	5.8	21	1.74	17.5
J594424		0.85	0.025	0.09	6.74	203	680	2.20	0.10	1.72	0.08	71.2	6.6	20	2.58	8.3
J594425		0.07	<0.005	0.05	6.48	2.5	910	1.36	0.10	1.38	0.10	30.5	2.3	12	1.69	4.0
J594426		1.34	0.072	0.06	6.65	346	660	2.05	0.09	1.78	0.09	67.0	6.0	21	2.04	9.1
J594427		1.29	0.035	0.11	6.51	320	720	1.87	0.13	1.86	0.20	69.7	7.3	22	2.26	18.2
J594428		1.32	<0.005	0.07	6.77	18.1	710	1.56	0.04	1.89	0.08	75.0	7.8	21	3.40	8.3
J594429		1.26	<0.005	0.06	6.92	7.7	720	1.53	0.07	1.89	0.06	75.7	7.6	21	3.27	10.0
J594430		1.32	<0.005	0.06	7.14	3.7	750	1.54	0.06	2.05	0.10	80.7	8.4	23	3.45	12.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594391		1.42	8.87	0.06	2.8	0.011	1.25	21.6	17.7	0.37	232	0.46	1.88	8.1	7.6	340
J594392		2.35	16.35	0.16	4.5	0.024	2.32	40.4	31.4	0.69	366	0.50	2.92	11.1	13.0	540
J594393		2.42	17.15	0.18	4.4	0.031	2.46	38.1	21.9	0.68	426	0.61	2.80	11.4	13.7	560
J594394		2.55	17.25	0.17	4.7	0.032	2.53	38.2	21.8	0.70	443	1.01	2.84	11.2	14.3	580
J594395		2.26	16.10	0.16	4.0	0.029	2.57	34.7	18.9	0.62	394	0.80	2.68	10.1	13.0	520
J594396		2.32	16.10	0.15	3.9	0.031	2.56	36.1	19.2	0.62	408	0.57	2.72	10.2	13.1	520
J594397		2.43	16.35	0.18	4.4	0.033	2.40	38.7	19.1	0.66	426	0.67	2.78	10.3	14.0	550
J594398		2.50	16.70	0.16	4.6	0.032	2.57	38.3	20.3	0.68	444	3.44	2.89	11.0	14.4	570
J594399		2.35	16.00	0.16	4.3	0.029	2.45	34.0	23.9	0.64	417	0.81	2.75	10.5	13.2	540
J594400		4.07	17.60	0.15	1.2	0.010	2.47	7.3	4.1	0.80	245	1.92	5.06	8.4	29.2	670
J594401		2.30	15.70	0.15	4.4	0.028	2.35	33.4	25.8	0.64	408	0.56	2.86	10.3	12.7	540
J594402		2.32	15.50	0.16	4.6	0.029	2.41	37.4	21.8	0.65	403	0.50	2.67	10.4	13.4	530
J594403		2.40	16.00	0.16	4.4	0.030	2.43	31.9	27.0	0.65	411	0.65	2.75	10.6	12.9	540
J594404		2.49	16.45	0.17	4.7	0.028	2.43	36.8	27.3	0.69	430	0.98	2.93	10.8	13.7	580
J594405		2.35	15.80	0.16	4.7	0.028	2.35	36.3	22.6	0.67	418	0.56	2.66	10.5	14.0	540
J594406		2.54	16.40	0.19	5.4	0.041	2.47	35.6	17.1	0.68	488	1.00	2.84	15.5	12.8	640
J594407		2.35	15.65	0.15	4.7	0.028	2.35	34.2	19.9	0.67	409	0.94	2.74	10.6	13.2	550
J594408		2.56	16.60	0.17	4.9	0.033	2.41	37.0	25.7	0.70	451	0.84	2.88	11.3	14.1	570
J594409		2.52	16.30	0.17	4.3	0.033	2.54	35.5	25.4	0.67	428	0.71	2.89	11.2	13.0	560
J594410		2.30	15.65	0.17	4.4	0.030	2.66	35.4	21.7	0.64	410	0.53	2.67	10.4	12.7	530
J594411		2.48	16.40	0.17	4.6	0.033	2.46	38.8	22.3	0.70	436	0.56	2.83	10.8	13.6	560
J594412		2.44	16.10	0.17	4.4	0.027	2.36	36.6	21.8	0.69	405	0.68	2.85	11.1	13.1	550
J594413		2.40	15.95	0.17	4.6	0.033	2.29	37.9	22.1	0.67	418	0.78	2.70	10.7	13.5	540
J594414		2.34	19.05	0.17	4.3	0.031	2.41	36.9	22.5	0.68	401	0.67	2.74	11.0	16.3	520
J594415		2.52	19.55	0.20	5.2	0.035	2.40	34.1	31.8	0.76	445	0.70	2.79	11.9	18.8	560
J594416		2.46	19.50	0.20	4.5	0.034	2.36	34.8	23.6	0.69	423	0.71	2.84	11.9	16.7	550
J594417		2.25	18.55	0.19	4.3	0.031	2.69	35.8	22.3	0.63	384	0.68	2.63	10.9	14.8	510
J594418		2.40	19.35	0.22	4.7	0.034	2.53	35.3	27.8	0.67	415	0.79	2.70	11.7	16.4	540
J594419		2.47	20.4	0.21	4.8	0.038	2.43	39.2	27.8	0.71	423	0.74	2.82	12.3	18.2	570
J594420		2.30	18.90	0.19	4.3	0.029	2.39	34.3	32.6	0.66	386	0.66	2.84	10.4	15.3	510
J594421		2.15	17.70	0.19	4.1	0.027	2.47	31.6	30.9	0.61	363	0.84	2.59	9.5	13.9	490
J594422		2.24	18.20	0.21	4.4	0.031	2.52	33.5	23.6	0.61	373	0.91	2.64	10.4	15.6	520
J594423		2.21	19.40	0.19	4.9	0.039	2.61	35.2	20.8	0.59	345	7.68	2.65	11.0	15.1	530
J594424		2.22	19.55	0.20	4.8	0.030	2.57	34.6	31.8	0.63	372	0.72	2.72	13.0	15.1	510
J594425		1.44	15.10	0.14	1.1	0.017	2.20	13.8	12.3	0.19	566	1.01	2.72	4.7	2.5	180
J594426		1.97	18.55	0.18	5.7	0.027	2.42	32.4	26.7	0.62	374	0.74	2.80	12.0	12.7	510
J594427		2.30	18.65	0.19	4.4	0.032	2.55	33.8	26.6	0.67	390	2.81	2.77	10.8	15.5	530
J594428		2.44	19.05	0.20	4.8	0.036	2.52	35.9	35.4	0.67	411	1.51	2.93	10.6	16.9	550
J594429		2.36	18.95	0.20	4.4	0.033	2.49	36.5	31.1	0.66	402	2.93	2.94	10.4	15.4	560
J594430		2.54	19.55	0.21	4.6	0.036	2.53	38.8	28.8	0.72	443	0.96	2.89	10.7	18.0	580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594391		4.7	55.7	<0.002	0.01	0.27	4.0	1	1.1	91.4	0.75	<0.05	7.8	0.161	0.31	1.2
J594392		10.2	98.9	<0.002	0.04	0.26	7.2	1	1.7	186.0	0.93	<0.05	10.9	0.273	0.58	3.1
J594393		13.3	98.1	<0.002	0.02	0.11	6.7	2	1.9	213	1.03	<0.05	11.9	0.295	0.57	3.1
J594394		14.4	96.6	<0.002	0.01	0.15	7.0	1	1.9	217	1.01	<0.05	12.1	0.289	0.60	3.2
J594395		15.0	94.3	<0.002	0.01	0.11	6.5	1	1.7	203	0.91	<0.05	10.4	0.266	0.57	2.8
J594396		15.2	97.2	<0.002	0.01	0.13	6.6	1	1.7	206	0.95	<0.05	10.9	0.266	0.56	3.0
J594397		15.7	94.1	<0.002	0.01	0.12	7.0	1	1.8	214	0.99	<0.05	11.1	0.283	0.55	2.9
J594398		17.5	95.7	0.002	0.01	0.13	7.1	1	1.9	218	1.16	<0.05	11.7	0.286	0.61	3.3
J594399		14.4	90.3	<0.002	0.02	0.22	6.3	1	1.7	215	1.14	<0.05	10.4	0.273	0.56	3.1
J594400		73.8	580	<0.002	3.19	1.24	2.8	1	0.9	165.0	0.70	<0.05	2.2	0.223	6.08	1.2
J594401		13.2	90.3	<0.002	0.01	0.23	6.4	1	1.8	213	1.02	<0.05	10.5	0.276	0.56	3.1
J594402		14.7	95.3	<0.002	0.01	0.10	6.6	1	1.7	210	1.00	<0.05	10.2	0.270	0.57	3.1
J594403		13.5	92.4	<0.002	0.03	0.26	6.6	1	1.8	207	1.06	<0.05	10.2	0.279	0.59	2.8
J594404		12.3	96.2	<0.002	0.05	0.28	6.9	1	1.8	219	1.11	<0.05	11.3	0.286	0.61	3.2
J594405		11.8	91.1	<0.002	0.01	0.11	6.6	1	1.8	203	1.07	<0.05	11.4	0.281	0.56	3.1
J594406		15.5	97.3	<0.002	0.01	0.11	7.8	2	2.1	189.5	1.72	<0.05	15.0	0.323	0.57	4.8
J594407		12.4	88.7	<0.002	0.01	0.10	6.3	1	1.7	206	1.12	<0.05	11.2	0.280	0.54	3.2
J594408		14.1	92.9	<0.002	0.02	0.12	6.8	1	1.8	217	1.21	<0.05	12.4	0.287	0.61	3.5
J594409		14.4	95.5	<0.002	0.01	0.17	6.7	1	1.8	216	1.15	<0.05	11.1	0.284	0.59	3.3
J594410		13.6	99.0	<0.002	0.01	0.12	6.4	1	1.7	199.5	1.10	<0.05	10.6	0.272	0.61	3.0
J594411		13.1	97.6	<0.002	0.01	0.12	6.9	2	1.8	219	1.11	<0.05	11.5	0.286	0.57	3.1
J594412		12.4	95.2	<0.002	0.11	0.21	6.7	2	1.8	210	1.18	<0.05	11.9	0.284	0.55	3.4
J594413		12.8	94.6	<0.002	0.01	0.14	7.0	1	1.8	206	1.21	<0.05	11.8	0.279	0.57	3.5
J594414		14.8	104.0	<0.002	0.01	0.10	7.6	1	1.8	202	1.27	<0.05	14.2	0.270	0.59	3.9
J594415		13.9	109.0	<0.002	0.02	0.14	8.2	2	2.1	207	1.40	<0.05	13.6	0.286	0.64	3.8
J594416		14.9	99.3	<0.002	0.01	0.11	7.3	2	2.1	204	1.33	<0.05	13.6	0.289	0.63	3.6
J594417		16.2	123.0	<0.002	0.01	0.12	7.6	2	2.0	196.5	1.18	<0.05	12.2	0.257	0.66	3.2
J594418		15.8	114.0	<0.002	0.01	0.16	7.8	2	2.0	206	1.26	<0.05	12.6	0.273	0.63	3.3
J594419		19.7	113.5	<0.002	0.01	0.14	8.0	2	2.2	216	1.33	<0.05	14.2	0.288	0.66	4.5
J594420		13.7	94.5	<0.002	0.05	0.29	7.4	2	1.9	205	0.95	<0.05	13.0	0.268	0.57	2.9
J594421		16.1	97.9	<0.002	0.05	0.30	6.8	2	1.7	189.5	0.87	<0.05	12.0	0.252	0.56	2.8
J594422		15.8	100.5	<0.002	0.31	0.43	7.0	1	2.0	186.5	1.03	<0.05	13.6	0.264	0.54	3.2
J594423		20.1	98.7	<0.002	0.50	0.67	7.4	2	2.2	148.5	1.15	<0.05	14.7	0.268	0.48	3.7
J594424		14.4	109.5	<0.002	0.19	0.36	7.6	2	2.1	179.0	1.76	<0.05	13.5	0.264	0.56	4.2
J594425		11.5	62.5	<0.002	<0.01	0.18	5.4	1	1.6	182.0	0.48	<0.05	6.3	0.114	0.40	2.0
J594426		14.0	98.0	<0.002	0.15	0.45	7.3	2	2.1	195.0	1.85	<0.05	12.8	0.257	0.51	4.2
J594427		14.1	100.5	<0.002	0.30	0.41	7.4	2	2.0	184.0	1.36	<0.05	12.3	0.271	0.58	2.9
J594428		15.4	101.0	<0.002	0.01	0.30	7.8	2	2.0	210	0.95	<0.05	11.8	0.285	0.64	2.8
J594429		14.2	102.0	<0.002	0.02	0.22	7.5	1	1.9	211	0.94	<0.05	12.9	0.282	0.62	2.9
J594430		17.6	104.0	<0.002	0.03	0.12	8.2	2	2.0	217	0.95	<0.05	11.9	0.295	0.65	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594391		24	2.7	10.9	27	93.8
J594392		44	2.4	17.1	51	154.5
J594393		45	0.7	17.5	52	150.0
J594394		47	0.7	17.8	53	160.5
J594395		43	0.7	16.2	50	135.5
J594396		41	0.6	16.6	50	130.0
J594397		45	1.3	17.1	54	153.0
J594398		46	0.8	17.8	57	157.5
J594399		43	0.7	16.2	51	149.5
J594400		27	0.2	4.6	45	39.0
J594401		44	0.6	16.3	50	150.5
J594402		42	0.5	17.3	50	165.0
J594403		44	2.5	16.6	49	157.0
J594404		45	1.4	17.5	47	166.0
J594405		44	0.8	17.0	49	163.0
J594406		51	0.9	24.4	52	189.5
J594407		43	0.8	17.0	50	162.0
J594408		46	1.6	17.3	52	164.0
J594409		45	0.8	17.1	53	148.0
J594410		43	0.6	16.6	50	152.5
J594411		46	0.7	17.9	52	158.5
J594412		44	2.7	17.8	38	150.5
J594413		45	0.9	18.1	50	159.0
J594414		43	0.6	19.4	50	155.5
J594415		46	1.0	22.1	52	182.5
J594416		45	0.9	19.7	53	161.0
J594417		41	0.7	19.8	46	158.5
J594418		44	0.7	20.4	50	167.5
J594419		45	0.8	21.2	56	172.5
J594420		42	2.2	18.1	44	162.0
J594421		40	1.2	16.8	50	152.0
J594422		41	4.2	18.2	37	162.0
J594423		41	6.6	19.9	31	180.0
J594424		42	3.6	21.9	40	156.0
J594425		14	1.0	17.8	43	25.5
J594426		41	5.0	22.0	27	184.5
J594427		42	3.1	19.0	49	166.5
J594428		45	0.5	18.4	52	183.5
J594429		44	1.8	18.4	47	164.5
J594430		47	0.6	19.4	55	178.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594431		1.29	<0.005	0.06	6.76	4.2	710	1.49	0.05	1.92	0.08	72.9	8.0	22	3.18	7.6
J594432		1.19	<0.005	0.06	6.97	1.1	770	1.54	0.04	1.98	0.07	77.7	8.2	24	3.21	9.0
J594433		1.38	<0.005	0.07	6.95	2.8	710	1.56	0.05	2.01	0.07	77.8	8.3	24	3.42	9.8
J594434		1.31	<0.005	0.07	7.26	1.2	750	1.63	0.05	2.05	0.07	82.6	8.5	25	3.63	9.5
J594435		1.25	<0.005	0.06	7.25	2.2	740	1.65	0.05	2.02	0.07	84.5	8.2	23	3.60	9.1
J594436		1.35	<0.005	0.05	6.80	1.7	740	1.62	0.04	2.05	0.12	73.6	8.1	23	3.47	9.2
J594437		1.33	0.007	0.05	6.89	1.8	700	1.60	0.04	1.90	0.07	81.9	7.8	23	3.42	8.3
J594438		1.37	0.005	0.07	6.96	2.2	730	1.62	0.05	1.97	0.07	85.8	8.4	23	3.59	9.0
J594439		1.51	<0.005	0.11	6.99	4.0	670	1.90	0.06	1.95	0.07	77.1	7.1	8	2.60	14.9
J594440		1.00	<0.005	0.15	7.02	7.6	710	1.67	0.04	1.99	0.07	75.4	8.5	25	3.75	8.9
J594441		1.25	<0.005	0.09	6.75	11.6	720	1.58	0.05	1.88	0.06	75.2	8.8	23	3.64	9.1
J594442		1.23	<0.005	0.05	7.05	9.4	730	1.77	0.05	1.91	0.07	82.8	8.0	22	3.64	9.0
J594443		1.12	<0.005	0.06	6.66	14.7	750	1.69	0.04	1.91	0.05	71.4	7.8	24	3.03	8.0
J594444		1.30	0.010	0.05	7.43	24.4	890	1.90	0.06	1.60	0.03	75.0	6.8	12	1.01	10.6
J594445		1.17	0.005	0.04	6.97	23.1	770	2.04	0.05	1.33	0.04	78.4	6.2	9	0.92	12.0
J594446		1.09	0.009	0.05	6.53	77.8	720	1.67	0.05	1.50	0.04	53.9	7.0	8	0.87	12.5
J594447		1.14	0.027	0.08	6.88	66.9	730	1.60	0.09	1.40	0.05	68.1	5.6	9	0.96	10.9
J594448		1.29	0.023	0.05	7.21	16.4	750	1.81	0.09	1.74	0.07	87.1	7.2	8	2.34	7.5
J594449		0.56	<0.005	0.04	7.07	12.6	750	1.87	0.09	1.78	0.07	87.9	6.5	10	2.65	5.2
J594450		0.54	<0.005	0.07	7.39	11.8	820	1.89	0.09	1.86	0.07	97.0	6.4	9	2.93	4.8
J594451		1.12	0.026	0.09	6.27	22.8	550	1.81	0.15	1.53	0.05	65.6	6.4	8	1.42	3.7
J594452		1.24	0.006	0.22	6.93	13.0	760	1.76	0.15	1.64	<0.02	87.6	5.8	9	2.53	5.0
J594453		1.26	0.015	0.06	7.02	7.0	780	1.72	0.07	1.78	0.06	91.0	6.3	9	3.40	5.8
J594454		1.36	<0.005	0.08	6.60	7.1	760	1.62	0.06	1.51	0.05	90.8	5.7	8	1.75	4.6
J594455		0.51	<0.005	0.05	6.79	11.1	760	1.73	0.06	1.49	0.03	92.4	5.7	10	1.26	4.3
J594456		0.71	0.137	0.11	7.12	15.1	790	1.82	0.12	1.61	0.06	88.3	6.0	8	2.08	8.1
J594457		1.25	0.005	0.06	7.02	7.9	830	1.53	0.05	1.65	0.06	96.6	5.5	9	1.71	4.9
J594458		1.37	<0.005	0.05	7.14	2.5	760	1.80	0.06	1.75	0.06	93.9	6.2	11	3.15	5.1
J594459		1.39	<0.005	0.13	6.63	6.7	790	1.49	0.05	1.42	0.06	90.7	5.2	9	1.30	5.4
J594460		1.43	0.006	0.07	6.86	8.6	790	1.71	0.07	1.54	0.06	91.0	5.5	9	1.61	4.8
J594461		1.31	0.005	0.09	6.86	11.3	820	1.55	0.05	1.44	0.05	89.1	6.0	11	1.12	4.3
J594462		0.95	0.010	0.15	6.19	15.4	740	1.04	0.06	1.19	0.04	86.1	4.7	8	0.56	14.6
J594463		0.78	0.006	0.08	6.86	14.3	720	1.19	0.06	1.02	0.03	81.7	6.1	8	0.63	5.0
J594464		1.60	<0.005	0.05	6.89	12.4	760	1.58	0.06	1.37	0.04	81.0	4.9	8	0.97	5.2
J594465		1.60	<0.005	0.06	6.78	11.0	760	1.61	0.07	1.35	0.05	94.9	6.1	10	1.44	3.3
J594466		1.63	<0.005	0.06	6.85	8.6	780	1.96	0.13	1.17	0.04	94.5	6.3	9	1.71	5.1
J594467		1.27	<0.005	0.05	6.72	8.0	810	1.69	0.11	1.06	0.04	93.9	6.1	10	1.29	4.2
J594468		1.77	<0.005	0.08	7.01	7.3	820	1.60	0.11	1.38	0.05	97.3	6.1	10	1.42	5.3
J594469		0.66	<0.005	0.05	6.97	7.9	650	1.90	0.11	1.81	0.05	83.9	6.7	7	1.47	9.7
J594470		1.78	0.061	0.09	7.11	23.0	760	1.69	0.14	1.62	0.11	89.6	6.0	12	2.08	10.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594431		2.41	18.90	0.22	4.2	0.034	2.38	34.9	28.0	0.68	407	0.60	2.80	10.2	16.5	540
J594432		2.47	19.55	0.23	4.4	0.034	2.45	38.1	24.1	0.70	425	0.57	2.79	10.6	17.2	570
J594433		2.52	19.35	0.21	4.2	0.036	2.44	37.1	24.0	0.70	428	0.77	2.86	11.3	17.7	590
J594434		2.63	19.60	0.20	4.8	0.034	2.52	40.8	26.3	0.75	449	0.57	2.89	11.0	18.2	590
J594435		2.52	19.95	0.20	4.4	0.038	2.49	41.7	26.3	0.70	429	0.58	2.90	10.9	17.2	580
J594436		2.44	19.20	0.21	4.9	0.033	2.48	35.1	25.2	0.68	422	0.52	2.89	10.5	16.5	550
J594437		2.42	18.95	0.22	4.6	0.033	2.42	40.4	21.3	0.68	408	0.46	2.73	10.4	16.6	540
J594438		2.54	19.45	0.22	5.1	0.037	2.47	41.7	21.4	0.73	433	0.44	2.83	11.0	17.3	590
J594439		2.67	20.4	0.23	5.0	0.038	2.27	35.6	20.1	0.53	451	0.75	3.04	12.5	6.6	740
J594440		2.61	19.55	0.22	4.4	0.037	2.50	35.9	30.8	0.75	447	0.73	2.80	11.1	18.2	580
J594441		2.43	19.15	0.21	4.5	0.035	2.43	36.2	33.0	0.70	405	0.90	2.74	10.6	17.1	550
J594442		2.45	19.50	0.22	4.5	0.035	2.49	40.3	35.4	0.72	410	0.55	2.85	11.0	16.6	570
J594443		2.40	19.35	0.22	4.8	0.032	2.40	33.0	30.8	0.71	413	0.85	2.95	11.0	17.1	570
J594444		2.18	19.20	0.22	5.5	0.023	3.03	36.5	16.0	0.80	375	1.21	3.12	11.0	17.4	630
J594445		2.26	19.05	0.20	5.3	0.028	2.79	37.7	13.4	0.61	356	1.10	2.86	12.4	6.4	570
J594446		2.30	18.45	0.19	5.4	0.031	2.49	25.5	18.6	0.62	372	1.23	2.87	11.7	7.1	560
J594447		2.25	18.90	0.20	5.3	0.028	2.48	32.9	18.1	0.57	380	1.05	2.97	11.4	6.1	560
J594448		2.40	19.45	0.22	5.0	0.038	2.45	43.8	23.9	0.54	414	1.87	2.84	11.8	6.5	580
J594449		2.46	19.60	0.23	5.7	0.035	2.44	42.1	29.3	0.53	420	1.24	2.89	12.2	6.6	600
J594450		2.59	18.85	0.12	5.8	0.043	2.66	44.8	26.9	0.57	448	1.45	3.14	13.4	5.9	640
J594451		1.80	16.50	0.09	4.8	0.028	3.07	29.6	14.8	0.33	344	0.99	2.59	12.7	3.8	360
J594452		2.37	17.65	0.14	5.1	0.042	2.52	41.6	27.0	0.54	419	968	2.94	12.2	5.7	570
J594453		2.43	18.70	0.14	5.3	0.038	2.61	41.8	30.8	0.53	423	4.53	2.99	12.8	6.0	600
J594454		2.27	17.55	0.16	5.5	0.035	2.59	42.1	19.4	0.51	392	1.46	2.72	12.2	5.4	550
J594455		2.37	17.50	0.14	5.2	0.031	2.61	43.4	16.3	0.55	411	3.47	2.84	11.9	5.8	550
J594456		2.43	18.95	0.16	5.6	0.038	2.61	41.8	20.4	0.54	414	1.40	3.09	12.2	5.5	590
J594457		2.35	18.10	0.14	5.5	0.035	2.76	45.1	17.6	0.53	404	1.08	2.87	11.7	5.5	560
J594458		2.49	18.35	0.15	5.4	0.038	2.55	44.4	25.3	0.55	431	1.75	2.95	12.7	5.9	600
J594459		2.14	17.05	0.14	5.0	0.031	2.80	43.1	14.6	0.50	376	97.8	2.82	11.7	4.7	530
J594460		2.35	17.80	0.15	5.3	0.038	2.69	42.2	14.1	0.55	410	13.75	2.87	12.8	5.7	590
J594461		2.40	16.90	0.16	5.2	0.037	2.76	42.0	12.5	0.61	420	1.77	2.85	11.4	5.7	570
J594462		1.79	14.65	0.13	4.8	0.022	2.90	40.0	9.6	0.45	288	1.23	2.68	10.5	4.6	420
J594463		2.55	16.85	0.14	5.4	0.017	2.94	42.0	18.6	0.78	426	2.00	3.08	12.4	6.0	600
J594464		2.32	17.40	0.14	5.7	0.030	2.65	39.1	14.6	0.65	400	1.08	3.15	12.7	5.3	590
J594465		2.46	17.75	0.16	5.6	0.040	2.60	45.4	17.4	0.67	463	1.55	2.91	13.2	5.9	590
J594466		2.29	17.45	0.16	5.8	0.036	2.77	44.9	18.3	0.65	455	0.96	3.01	13.3	5.4	550
J594467		2.32	17.40	0.15	5.7	0.036	2.77	47.7	12.9	0.63	477	0.94	3.01	12.8	5.5	570
J594468		2.53	17.90	0.18	5.2	0.041	2.64	46.0	14.3	0.64	546	2.43	3.06	12.5	5.9	590
J594469		2.40	17.85	0.16	6.5	0.045	2.13	37.6	17.6	0.57	531	0.74	3.30	14.5	5.4	660
J594470		2.44	18.05	0.13	5.7	0.040	2.51	41.8	21.0	0.59	508	1.10	3.16	12.7	6.7	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594431		15.8	97.4	<0.002	0.01	0.16	7.7	2	1.9	218	0.87	<0.05	10.8	0.284	0.61	2.4
J594432		15.4	99.8	<0.002	<0.01	0.07	8.1	2	2.0	227	0.91	<0.05	12.0	0.293	0.63	2.7
J594433		15.1	100.0	<0.002	0.01	0.09	7.8	2	2.1	222	1.00	<0.05	12.0	0.301	0.63	2.8
J594434		15.7	110.5	<0.002	0.01	0.09	8.6	2	2.1	228	0.98	<0.05	13.0	0.306	0.65	3.1
J594435		15.4	107.5	<0.002	0.01	0.10	8.1	2	2.1	228	0.98	<0.05	13.0	0.298	0.63	2.9
J594436		20.6	101.5	<0.002	0.03	0.11	7.6	2	2.0	213	0.96	<0.05	12.1	0.286	0.64	3.1
J594437		15.0	107.5	<0.002	0.01	0.07	7.7	2	2.0	213	0.94	<0.05	13.4	0.281	0.62	3.0
J594438		15.4	107.0	<0.002	0.01	0.07	8.2	2	2.1	221	0.95	<0.05	12.7	0.301	0.65	2.9
J594439		17.7	96.8	<0.002	0.01	0.13	8.0	2	2.4	229	1.11	<0.05	12.2	0.356	0.54	3.2
J594440		15.4	109.0	<0.002	0.01	0.12	8.4	2	2.2	222	1.00	<0.05	12.9	0.298	0.67	3.4
J594441		14.7	104.5	<0.002	0.03	0.16	7.8	2	2.2	217	0.96	<0.05	11.5	0.284	0.65	2.6
J594442		13.8	109.0	<0.002	0.01	0.21	8.1	2	2.2	219	1.03	<0.05	13.4	0.291	0.64	3.7
J594443		14.3	87.1	<0.002	0.02	0.28	7.9	2	2.2	260	0.97	<0.05	13.1	0.293	0.51	3.0
J594444		9.8	122.0	<0.002	0.09	0.28	8.3	2	2.0	212	1.06	<0.05	13.3	0.297	0.56	3.4
J594445		7.9	108.0	<0.002	0.04	0.38	7.8	2	2.8	176.0	1.39	<0.05	13.6	0.298	0.47	3.8
J594446		11.7	80.4	<0.002	0.08	0.32	7.4	2	2.3	152.5	1.15	<0.05	11.5	0.293	0.36	3.1
J594447		17.2	84.0	<0.002	0.27	0.25	7.5	2	1.9	154.5	0.98	<0.05	13.1	0.291	0.38	3.0
J594448		14.4	96.2	<0.002	0.08	0.24	7.7	2	2.1	198.5	1.08	<0.05	14.8	0.299	0.46	4.5
J594449		15.4	93.2	<0.002	0.01	0.29	7.8	2	2.3	215	1.17	<0.05	13.3	0.309	0.51	3.6
J594450		17.4	101.5	<0.002	0.01	0.37	8.5	2	2.5	227	1.23	<0.05	14.1	0.332	0.59	3.6
J594451		14.7	94.5	<0.002	0.18	0.35	5.2	2	2.0	124.5	1.53	<0.05	16.1	0.199	0.53	5.0
J594452		15.8	102.5	0.123	0.11	0.37	7.8	3	2.3	192.5	1.16	<0.05	12.9	0.297	0.71	3.7
J594453		15.1	98.0	<0.002	0.04	0.25	8.1	2	2.2	203	1.05	<0.05	13.3	0.311	0.63	2.9
J594454		13.2	88.2	<0.002	0.01	0.24	7.6	2	2.2	203	1.11	<0.05	13.2	0.287	0.53	3.3
J594455		11.5	91.9	0.002	0.01	0.33	7.2	2	2.1	201	1.08	<0.05	13.3	0.285	0.50	3.4
J594456		15.7	92.7	<0.002	0.42	0.31	7.8	2	2.4	175.5	1.11	<0.05	14.3	0.308	0.52	3.6
J594457		12.5	98.8	<0.002	0.01	0.28	7.0	2	2.0	215	1.07	<0.05	13.1	0.294	0.54	3.3
J594458		15.4	97.6	<0.002	0.01	0.17	7.9	2	2.2	210	1.16	<0.05	13.7	0.313	0.54	3.6
J594459		11.9	91.0	0.009	0.01	0.24	6.8	2	1.8	200	1.01	<0.05	14.1	0.275	0.52	3.4
J594460		11.9	91.4	0.002	0.01	0.29	7.6	2	2.3	221	1.17	<0.05	13.6	0.294	0.51	3.5
J594461		8.7	92.6	<0.002	0.01	0.32	7.4	2	1.8	199.0	0.94	<0.05	13.4	0.290	0.54	3.2
J594462		6.7	98.6	<0.002	0.06	0.26	5.6	2	1.6	95.5	0.97	<0.05	18.6	0.228	0.57	3.7
J594463		5.6	109.0	<0.002	0.07	0.27	6.5	2	2.2	77.1	1.07	<0.05	14.2	0.297	0.63	3.2
J594464		7.4	100.0	<0.002	0.02	0.32	7.2	2	2.3	143.0	1.16	<0.05	14.7	0.297	0.58	3.8
J594465		8.8	97.7	<0.002	0.01	0.39	8.2	2	2.2	185.5	1.06	<0.05	14.5	0.301	0.59	3.1
J594466		9.2	102.5	<0.002	0.01	0.34	7.5	2	2.7	169.5	1.33	<0.05	15.0	0.285	0.60	4.3
J594467		9.0	102.5	<0.002	0.02	0.37	7.1	2	2.4	169.5	1.21	<0.05	16.2	0.289	0.58	4.2
J594468		9.9	92.1	<0.002	0.01	0.36	7.6	2	2.4	180.0	1.06	<0.05	16.5	0.308	0.52	4.0
J594469		12.9	69.8	<0.002	0.02	0.37	7.4	2	3.5	180.0	1.31	<0.05	14.3	0.345	0.41	4.3
J594470		15.6	84.8	<0.002	0.23	0.39	7.7	2	2.5	180.0	1.17	<0.05	15.2	0.304	0.43	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594431		44	0.4	18.1	52	165.0
J594432		47	0.5	18.9	52	170.0
J594433		47	0.6	19.2	54	157.0
J594434		48	0.7	20.9	55	180.0
J594435		46	0.5	20.0	52	170.0
J594436		45	1.0	18.5	54	182.0
J594437		44	0.6	19.2	50	171.0
J594438		47	0.5	20.0	52	191.0
J594439		49	0.5	22.2	53	191.5
J594440		47	0.4	20.2	53	166.0
J594441		44	0.4	18.6	49	169.0
J594442		46	0.6	20.1	49	167.5
J594443		46	1.0	18.8	47	183.0
J594444		45	3.9	20.7	38	209
J594445		43	3.9	23.3	33	198.0
J594446		42	5.5	20.3	39	207
J594447		42	5.7	20.5	40	202
J594448		42	1.8	22.5	45	190.0
J594449		43	1.3	22.3	48	217
J594450		46	1.7	21.8	52	205
J594451		27	2.8	19.2	32	151.5
J594452		41	3.0	20.7	48	183.0
J594453		42	1.1	20.5	50	191.5
J594454		40	1.8	20.1	43	197.0
J594455		38	2.2	20.0	44	185.5
J594456		47	3.9	19.9	48	204
J594457		41	1.4	19.6	46	199.5
J594458		43	1.0	21.1	49	194.5
J594459		38	1.7	19.2	39	178.0
J594460		41	1.6	21.3	47	193.0
J594461		41	2.2	20.1	44	189.0
J594462		28	2.9	17.8	26	161.5
J594463		37	5.1	20.3	44	200
J594464		40	4.3	19.9	42	204
J594465		43	1.7	22.3	49	196.0
J594466		40	1.5	22.6	43	201
J594467		40	1.2	21.7	44	199.0
J594468		43	1.5	21.3	51	192.5
J594469		48	1.2	24.8	49	250
J594470		42	4.1	21.5	60	205

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594471		1.30	0.011	0.06	6.91	18.4	770	1.56	0.10	1.63	0.07	96.5	5.5	9	2.39	7.7
J594472		1.25	0.011	0.07	7.11	10.1	860	1.65	0.08	1.28	0.03	88.3	5.3	8	1.50	5.2
J594473		1.27	0.018	0.06	7.10	9.9	770	1.49	0.06	1.61	0.05	89.5	6.2	9	1.42	7.1
J594474		1.25	<0.005	0.17	6.87	7.6	770	1.39	0.07	1.52	0.04	103.0	6.9	11	1.03	6.2
J594475		0.03	3.38	0.16	1.54	1.0	110	0.45	0.16	0.01	0.17	18.40	1.1	12	0.65	6.3
J594476		1.42	<0.005	0.05	6.92	6.6	790	1.81	0.08	1.42	0.05	91.5	6.0	10	1.58	6.6
J594477		1.34	<0.005	0.11	6.69	3.4	770	1.67	0.08	1.43	0.05	89.4	5.2	9	1.64	6.1
J594478		1.36	<0.005	0.06	6.98	6.2	790	1.70	0.09	1.47	0.03	94.6	5.6	10	1.30	8.3
J594479		1.11	<0.005	0.06	7.07	11.2	820	1.54	0.08	1.19	0.04	103.5	4.8	10	1.03	4.4
J594480		0.57	0.796	0.75	4.61	59.2	520	0.93	0.31	2.91	0.08	70.7	5.1	7	0.81	7.1
J594481		1.00	0.871	0.31	6.14	2510	580	1.54	0.21	1.33	0.50	83.5	5.7	11	1.28	6.5
J594482		1.39	0.482	0.29	6.65	1380	600	1.79	0.18	1.48	0.46	87.2	5.7	9	1.47	10.1
J594483		1.47	0.250	1.02	6.35	825	570	1.51	0.17	1.52	0.25	84.7	5.2	9	1.54	5.9
J594484		1.68	0.259	0.31	6.79	755	750	1.92	0.12	1.74	0.19	88.4	6.2	10	1.73	10.5
J594485		0.93	3.63	0.43	6.57	362	700	1.75	0.33	1.51	0.68	94.9	6.4	11	1.30	8.9
J594486		1.64	0.025	0.06	7.10	48.7	750	1.46	0.05	1.63	0.08	81.3	6.6	8	1.99	8.8
J594487		1.42	0.065	0.15	7.03	61.1	760	1.39	0.07	1.73	0.09	76.7	6.8	8	1.96	8.2
J594488		1.34	<0.005	0.05	7.59	16.6	840	1.60	0.05	2.01	0.07	86.7	7.8	9	2.68	6.1
J594489		1.46	<0.005	0.03	7.18	23.5	810	1.46	0.05	1.81	0.06	77.8	6.6	8	1.84	8.8
J594490		1.12	0.022	0.06	7.12	17.9	840	1.44	0.08	1.70	0.02	77.9	6.4	7	1.62	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J594471		2.37	17.95	0.14	5.2	0.040	2.43	46.8	20.3	0.55	508	1.54	3.08	12.3	5.7	610
J594472		2.54	17.55	0.14	5.2	0.035	2.65	42.0	17.9	0.64	505	5.05	2.93	11.6	5.7	580
J594473		2.42	17.50	0.14	5.4	0.035	2.39	43.2	19.4	0.60	541	1.11	3.15	11.6	5.8	590
J594474		2.78	17.60	0.18	6.1	0.047	2.40	51.4	12.5	0.68	563	1.37	3.19	13.8	7.1	690
J594475		1.36	3.70	<0.05	0.6	0.011	0.16	10.1	19.4	0.02	102	0.84	0.02	3.5	5.2	50
J594476		2.38	17.75	0.14	5.4	0.035	2.62	43.5	15.1	0.59	442	1.60	3.03	12.6	5.9	600
J594477		2.40	17.60	0.15	5.3	0.034	2.48	41.9	13.3	0.55	449	1.29	2.93	12.3	5.5	570
J594478		2.65	17.80	0.19	5.6	0.039	2.56	44.5	12.8	0.64	506	2.67	2.94	12.6	6.2	610
J594479		2.66	19.50	0.17	5.6	0.040	2.63	53.4	13.8	0.75	548	6.82	3.08	12.4	6.4	610
J594480		1.62	11.00	0.10	3.2	0.020	2.06	36.4	7.6	0.31	316	231	1.96	5.2	3.9	320
J594481		2.35	15.75	0.13	5.2	0.036	2.12	40.0	16.2	0.46	312	24.5	2.59	6.5	5.8	520
J594482		2.15	17.30	0.13	6.3	0.033	2.24	41.0	18.6	0.43	335	1.24	3.00	10.1	5.6	530
J594483		2.11	16.90	0.13	5.2	0.035	2.14	40.4	22.0	0.44	349	2.53	2.97	9.2	4.8	490
J594484		2.41	17.65	0.16	6.0	0.038	2.62	40.9	21.5	0.49	417	21.2	2.78	12.9	5.8	590
J594485		2.58	17.30	0.14	5.3	0.036	2.44	45.6	23.2	0.53	410	101.5	2.63	7.6	5.9	600
J594486		2.23	17.75	0.16	5.0	0.033	2.52	39.7	27.8	0.53	460	2.45	2.83	12.3	6.1	560
J594487		2.31	17.45	0.16	5.0	0.034	2.50	36.6	28.1	0.51	417	1.25	2.84	11.8	6.2	560
J594488		2.66	19.30	0.20	6.0	0.040	2.73	41.4	39.3	0.60	482	1.87	3.11	13.6	7.3	670
J594489		2.40	18.10	0.16	5.3	0.036	2.61	36.6	22.2	0.53	443	2.91	3.12	12.4	6.3	590
J594490		2.29	17.75	0.19	5.6	0.034	2.59	37.7	19.6	0.55	444	77.0	3.06	12.4	6.1	570

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
J594471		14.5	89.4	<0.002	0.12	0.35	7.5	2	2.3	198.5	1.05	<0.05	14.9	0.306	0.52	3.3
J594472		9.9	94.8	<0.002	0.08	0.40	7.6	2	2.1	196.0	0.98	<0.05	16.9	0.300	0.50	3.9
J594473		11.1	81.5	<0.002	0.08	0.37	7.9	2	2.2	174.0	0.93	<0.05	14.2	0.296	0.42	3.1
J594474		9.3	85.8	<0.002	0.02	0.38	9.9	2	2.3	179.0	1.04	<0.05	13.4	0.353	0.47	2.7
J594475		31.1	13.1	<0.002	1.03	0.58	1.4	2	1.5	13.4	0.30	<0.05	3.3	0.091	0.63	0.4
J594476		11.1	91.2	<0.002	0.01	0.42	7.9	2	2.2	192.5	1.12	<0.05	14.5	0.308	0.47	3.5
J594477		11.5	90.1	<0.002	0.01	0.29	7.4	2	2.3	193.5	1.12	<0.05	13.3	0.295	0.44	3.1
J594478		9.9	93.5	<0.002	0.02	0.36	8.2	2	2.2	200	1.08	<0.05	13.4	0.315	0.48	3.4
J594479		8.5	93.6	<0.002	0.04	0.37	7.8	2	2.3	160.0	1.02	<0.05	13.8	0.313	0.49	3.2
J594480		13.3	91.7	0.029	0.82	0.47	5.0	2	1.5	65.6	0.46	0.06	8.3	0.145	0.66	2.3
J594481		97.9	88.8	0.003	1.46	1.62	7.3	2	1.7	122.5	0.63	0.12	14.5	0.208	0.41	3.7
J594482		38.3	88.9	<0.002	1.06	1.71	7.2	2	2.3	155.5	1.13	0.05	16.6	0.235	0.49	5.0
J594483		30.5	87.1	0.002	0.88	1.38	6.7	2	1.8	149.5	0.79	0.05	15.0	0.224	0.51	3.4
J594484		29.0	96.8	0.003	0.73	1.47	8.0	2	2.3	195.5	1.40	<0.05	13.7	0.291	0.58	4.1
J594485		44.2	96.5	0.008	1.41	0.92	7.9	2	2.0	147.5	0.71	0.06	12.7	0.237	0.53	3.0
J594486		24.8	94.9	<0.002	0.11	0.54	7.3	2	1.9	196.0	1.06	<0.05	12.2	0.291	0.48	3.1
J594487		15.7	91.4	<0.002	0.27	0.54	7.7	2	1.8	193.5	1.01	<0.05	11.1	0.287	0.48	2.9
J594488		15.4	108.0	<0.002	0.01	0.45	9.2	2	2.1	229	1.07	<0.05	12.0	0.339	0.58	3.0
J594489		13.2	91.1	<0.002	0.01	0.55	8.2	2	2.4	208	0.99	<0.05	11.6	0.305	0.47	2.9
J594490		12.6	97.7	0.006	0.14	0.81	7.9	2	2.2	189.5	1.04	<0.05	12.5	0.293	0.54	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594471		44	5.2	19.9	44	190.5
J594472		42	3.5	20.4	42	190.0
J594473		42	2.0	19.5	43	194.5
J594474		52	2.6	23.3	52	231
J594475		8	0.9	2.6	13	17.9
J594476		42	2.5	21.3	42	199.5
J594477		41	1.7	19.6	40	191.0
J594478		45	2.1	21.6	44	205
J594479		44	3.4	21.4	44	204
J594480		28	8.6	12.9	18	115.5
J594481		38	16.1	18.8	102	194.5
J594482		37	22.3	22.3	94	214
J594483		35	18.4	18.1	67	178.5
J594484		41	12.0	22.5	52	207
J594485		41	22.4	19.1	111	207
J594486		41	2.3	19.6	56	194.5
J594487		42	6.6	18.8	46	190.5
J594488		50	0.6	22.6	57	239
J594489		44	0.9	19.4	48	209
J594490		43	2.3	20.4	40	220

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-FEB-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021203

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.