ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

CERTIFICATE TB11037957

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596200		0.89	<0.005	0.03	6.82	2.1	740	1.56	0.08	1.56	0.04	87.8	6.2	10	1.47	12.0
J596201		1.97	<0.005	0.06	7.21	0.3	780	1.45	0.08	1.73	0.05	84.2	6.4	10	2.62	9.7
J596202		1.87	0.005	0.08	6.93	<0.2	800	1.46	0.08	1.67	0.07	79.6	6.4	9	2.91	9.8
J596203		1.88	<0.005	0.07	7.11	<0.2	760	1.64	0.08	1.72	0.06	82.3	6.3	11	3.06	9.7
J596204		1.99	0.005	0.06	6.95	0.6	770	1.64	0.07	1.75	0.07	82.9	7.2	11	2.85	17.3
J596205		2.03	<0.005	0.09	7.11	0.2	760	1.66	0.08	1.77	0.05	82.3	7.2	9	3.13	13.1
J596206		2.04	0.006	0.05	7.20	6.5	780	1.72	0.07	1.75	0.07	97.3	7.4	11	3.28	10.1
J596207		2.10	<0.005	0.07	7.20	1.6	820	1.80	0.07	1.77	0.06	91.0	7.5	10	3.25	9.5
J596208		2.04	<0.005	0.07	6.98	1.1	790	1.59	0.07	1.73	0.07	84.0	6.7	10	3.18	8.4
J596209		2.05	0.006	0.10	6.41	1.2	770	1.52	0.07	1.64	0.09	77.9	6.9	10	3.11	9.2
J596210		2.00	<0.005	0.07	7.18	0.7	820	1.57	0.08	1.72	0.09	92.9	7.1	10	2.90	10.2
J596211		1.91	<0.005	0.05	7.00	4.2	730	1.61	0.08	1.69	0.06	87.3	6.4	10	1.40	8.8
J596212		1.75	<0.005	0.08	7.34	2.6	710	1.51	0.12	1.87	0.07	72.1	8.0	25	4.76	14.6
J596213		1.20	0.006	0.09	7.26	17.8	750	1.42	0.15	1.86	0.07	69.0	7.9	24	4.78	37.1
J596214		1.27	0.007	0.11	7.29	60.6	750	1.58	0.15	1.70	0.08	72.1	8.7	19	4.85	33.3
J596215		1.26	0.006	0.09	7.24	30.5	730	1.47	0.18	1.96	0.10	69.8	8.5	23	5.27	24.3
J596216		1.80	0.005	0.11	7.09	5.3	710	1.47	0.17	1.83	0.09	68.7	8.0	23	5.68	17.4
J596217		1.88	0.006	0.29	7.30	2.9	690	1.48	0.16	1.81	0.09	72.3	8.3	21	5.78	15.8
J596218		1.82	0.006	0.13	7.00	30.4	640	1.24	0.18	1.65	0.10	63.2	7.7	21	5.68	21.2
J596219		0.69	<0.005	0.10	7.61	24.3	820	1.57	0.15	1.93	0.08	72.1	9.0	27	6.04	24.0
J596220		0.58	0.011	0.20	6.81	356	620	1.21	0.18	1.49	0.06	62.1	12.1	23	2.76	86.1
J596221		0.59	0.006	0.06	7.60	19.6	700	1.41	0.11	1.99	0.08	68.4	7.9	26	5.32	17.8
J596222		0.63	0.005	0.10	7.28	22.3	700	1.43	0.11	1.78	0.10	66.6	8.0	23	4.12	29.2
J596223		0.56	0.005	0.11	6.43	58.1	610	1.22	0.12	1.29	0.19	59.9	8.0	19	1.92	43.6
J596224		1.11	<0.005	0.07	7.33	8.9	710	1.50	0.08	1.92	0.07	66.1	8.6	26	3.58	16.7
J596225		0.03	0.602	0.80	7.87	3.0	100	2.33	1.14	0.88	0.17	16.20	9.3	30	31.7	10.7
J596226		1.27	<0.005	0.05	7.24	1.9	710	1.29	0.06	1.89	0.04	73.6	8.2	22	3.11	12.6
J596227		1.83	<0.005	0.09	7.44	2.6	710	1.30	0.06	1.98	0.05	73.8	8.4	23	3.09	13.3
J596228		1.87	<0.005	0.06	7.24	3.7	700	1.26	0.07	1.92	0.06	73.7	8.2	23	3.39	14.1
J596229		1.98	0.005	0.09	7.30	13.3	720	1.43	0.12	1.97	0.08	68.1	9.0	25	4.02	20.5
J596230		2.00	<0.005	0.12	7.53	12.3	720	1.49	0.09	1.93	0.10	71.2	8.7	23	3.78	17.0
J596231		1.92	<0.005	0.05	7.07	2.7	680	1.26	0.05	1.86	0.05	65.5	8.7	22	3.37	11.6
J596232		2.10	0.007	0.17	7.00	32.2	670	1.30	0.08	1.82	0.09	66.6	8.9	24	2.82	25.6
J596233		2.06	0.380	0.10	7.05	64.6	590	1.45	0.08	1.88	0.04	66.0	15.1	23	2.32	29.7
J596234		2.06	<0.005	0.07	7.01	35.3	700	1.24	0.07	1.70	0.04	67.1	9.0	23	2.86	27.0
J596235		2.02	<0.005	0.11	7.30	17.0	710	1.40	0.06	1.95	0.08	72.5	10.4	23	3.36	25.9
J596236		2.08	<0.005	0.08	6.88	3.4	700	1.24	0.05	1.88	0.06	65.5	10.5	24	2.91	20.9
J596237		2.08	<0.005	0.05	7.19	4.8	690	1.40	0.05	1.93	0.05	63.5	8.4	23	3.24	10.8
J596238		1.88	<0.005	0.05	7.35	13.6	730	1.38	0.06	1.91	0.06	65.6	7.6	21	3.14	7.9
J596239		2.02	<0.005	0.07	7.40	23.8	730	1.39	0.06	1.94	0.05	65.8	7.0	21	2.97	20.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596200		2.44	17.25	0.17	5.2	0.036	2.46	43.3	12.9	0.55	433	1.31	2.85	11.7	6.6	570
J596201		2.49	17.30	0.17	5.3	0.039	2.59	42.8	16.9	0.51	441	1.54	2.91	11.4	6.1	590
J596202		2.48	16.95	0.18	5.2	0.034	2.67	39.2	20.6	0.47	441	1.35	2.88	11.6	6.1	570
J596203		2.36	17.30	0.19	5.6	0.035	2.60	41.8	21.3	0.47	427	1.14	2.85	11.7	6.1	550
J596204		2.53	17.10	0.17	5.5	0.034	2.54	41.7	23.0	0.49	445	1.25	2.82	11.6	6.5	590
J596205		2.38	17.20	0.18	5.4	0.035	2.56	40.7	27.1	0.48	429	1.22	2.94	11.7	6.2	580
J596206		2.52	18.25	0.18	5.6	0.032	2.73	46.2	29.0	0.48	446	1.21	3.03	13.2	6.1	600
J596207		2.49	18.10	0.21	5.3	0.032	2.76	42.9	29.0	0.49	448	1.62	2.99	12.6	6.3	610
J596208		2.46	16.85	0.18	4.9	0.031	2.63	39.5	25.9	0.47	435	1.64	2.91	11.8	5.9	590
J596209		2.37	17.00	0.18	5.3	0.031	2.64	36.3	24.7	0.46	425	1.32	2.91	11.8	6.0	580
J596210		2.49	17.55	0.19	5.2	0.033	2.70	44.5	18.9	0.48	432	1.93	2.95	12.3	6.1	590
J596211		2.36	17.60	0.19	4.8	0.030	2.69	42.4	11.9	0.52	450	3.43	2.98	12.4	5.7	560
J596212		2.38	17.40	0.18	4.6	0.025	2.64	34.5	26.8	0.68	425	0.68	2.84	10.7	15.7	530
J596213		2.43	17.20	0.18	4.4	0.021	2.67	33.0	29.6	0.69	418	5.12	2.77	10.5	16.7	540
J596214		2.45	17.10	0.17	4.6	0.025	2.87	34.9	29.0	0.68	398	1.44	2.82	10.0	16.2	530
J596215		2.46	17.65	0.18	4.7	0.025	2.66	33.4	29.6	0.72	439	1.37	2.88	11.0	15.7	560
J596216		2.34	17.45	0.18	4.5	0.027	2.70	32.0	25.3	0.68	419	4.25	2.81	11.3	15.3	520
J596217		2.31	17.85	0.20	4.4	0.027	2.74	35.2	25.9	0.66	409	7.12	2.85	11.5	16.2	520
J596218		2.14	16.90	0.17	4.0	0.021	2.93	29.8	29.3	0.59	376	40.6	2.71	9.8	14.1	470
J596219		2.58	18.80	0.18	4.9	0.027	2.77	34.7	39.4	0.76	442	4.15	2.84	11.9	17.2	580
J596220		2.44	17.00	0.16	4.1	0.023	2.40	29.8	23.3	0.61	340	1.61	2.89	9.2	21.8	520
J596221		2.55	18.70	0.19	4.5	0.025	2.72	31.5	38.4	0.77	425	1.38	2.90	10.9	28.4	560
J596222		2.37	17.90	0.19	4.9	0.025	2.66	31.3	30.3	0.70	392	2.51	2.84	10.7	22.7	540
J596223		2.25	15.50	0.16	4.2	0.020	2.28	28.5	21.2	0.60	309	4.61	2.58	12.6	14.1	490
J596224		2.38	18.00	0.17	4.7	0.025	2.60	30.8	31.5	0.70	412	1.85	2.93	11.2	16.7	560
J596225		3.64	19.60	0.16	1.5	0.011	2.17	7.6	7.4	0.72	264	1.00	5.67	8.9	29.8	730
J596226		2.33	17.25	0.20	4.1	0.029	2.65	35.7	24.8	0.68	409	1.11	2.83	10.1	16.7	530
J596227		2.40	17.80	0.17	4.3	0.029	2.70	34.8	23.3	0.69	412	0.71	2.97	10.4	17.0	540
J596228		2.42	17.20	0.19	4.5	0.026	2.60	35.7	23.2	0.66	421	0.47	2.83	10.4	15.7	540
J596229		2.40	18.10	0.19	5.1	0.028	2.72	31.6	25.3	0.70	430	0.58	2.91	11.3	17.4	550
J596230		2.44	17.90	0.19	4.7	0.028	2.67	34.8	27.2	0.68	432	0.75	2.92	10.9	16.1	550
J596231		2.28	16.85	0.20	4.0	0.027	2.55	30.7	26.1	0.66	400	0.36	2.78	10.3	15.5	530
J596232		2.36	17.00	0.18	4.3	0.028	2.61	32.2	20.8	0.66	404	0.57	3.01	10.2	16.8	530
J596233		2.12	17.40	0.21	4.6	0.030	2.47	31.8	22.5	0.68	413	0.80	3.25	9.7	17.8	570
J596234		2.19	16.85	0.19	4.3	0.027	2.73	32.7	27.8	0.62	364	0.52	3.05	10.1	17.1	550
J596235		2.36	18.10	0.19	4.5	0.029	2.70	33.6	25.5	0.70	424	0.62	2.96	11.1	16.6	570
J596236		2.33	17.20	0.20	4.5	0.028	2.59	30.2	23.0	0.67	405	0.41	2.81	10.3	15.8	540
J596237		2.40	18.15	0.22	4.6	0.027	2.63	29.2	29.3	0.69	409	0.43	3.01	10.8	16.4	550
J596238		2.40	17.30	0.19	4.1	0.026	2.67	31.1	30.2	0.67	406	0.63	2.83	10.8	15.2	550
J596239		2.32	17.45	0.21	5.2	0.023	2.77	31.4	24.9	0.66	431	0.40	3.06	11.0	14.8	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596200		14.9	91.2	<0.002	0.02	0.15	8.1	2	2.2	188.0	1.27	<0.05	16.5	0.290	0.44	4.2
J596201		18.8	109.0	<0.002	0.01	0.12	8.2	2	2.0	201	1.23	<0.05	15.6	0.295	0.58	4.0
J596202		18.9	110.0	0.002	0.01	0.11	7.8	1	2.0	196.5	1.25	<0.05	15.1	0.295	0.60	3.8
J596203		21.2	111.5	<0.002	0.01	0.13	8.3	2	1.9	199.0	1.35	<0.05	15.5	0.291	0.60	4.2
J596204		18.2	107.5	<0.002	0.03	0.13	8.4	2	2.6	202	1.26	<0.05	15.1	0.299	0.57	3.9
J596205		19.3	108.5	<0.002	0.01	0.14	8.4	2	2.6	208	1.31	<0.05	15.1	0.298	0.62	4.0
J596206		17.2	115.0	<0.002	0.01	0.18	8.1	2	2.7	205	1.18	<0.05	14.7	0.302	0.62	3.4
J596207		16.7	112.5	<0.002	0.01	0.12	8.4	2	2.4	205	1.15	<0.05	12.9	0.305	0.61	3.0
J596208		15.9	104.0	<0.002	0.01	0.11	7.4	2	2.1	198.5	1.08	<0.05	12.5	0.292	0.58	2.9
J596209		16.5	99.4	<0.002	0.01	0.10	7.4	2	2.0	189.0	1.05	<0.05	12.7	0.293	0.58	3.2
J596210		17.1	109.5	<0.002	0.01	0.11	7.8	2	2.3	205	1.07	<0.05	14.1	0.294	0.55	3.0
J596211		12.9	91.0	<0.002	0.01	0.21	7.5	2	2.1	193.5	1.14	<0.05	14.6	0.285	0.42	3.3
J596212		14.0	116.5	<0.002	0.02	0.12	7.4	2	2.2	218	1.14	<0.05	12.8	0.264	0.66	3.1
J596213		12.6	115.0	<0.002	0.10	0.22	7.3	2	2.1	218	1.02	<0.05	12.8	0.266	0.62	3.0
J596214		14.0	124.0	<0.002	0.14	0.37	7.5	2	2.2	216	1.02	<0.05	13.0	0.260	0.65	3.5
J596215		15.7	117.0	<0.002	0.07	0.27	8.0	2	2.3	223	1.11	<0.05	13.0	0.272	0.68	3.7
J596216		16.4	125.0	<0.002	0.02	0.14	7.4	2	2.4	214	1.14	<0.05	13.0	0.258	0.72	3.5
J596217		18.0	129.0	<0.002	0.02	0.15	7.4	2	2.2	214	1.21	<0.05	13.7	0.266	0.71	4.1
J596218		16.9	130.0	0.004	0.05	0.22	6.7	2	2.3	199.5	0.88	<0.05	10.7	0.236	0.73	2.9
J596219		15.8	132.0	<0.002	0.08	0.29	8.4	3	2.4	229	1.31	<0.05	13.7	0.286	0.71	4.1
J596220		16.3	96.3	<0.002	0.40	0.34	7.2	2	2.5	182.5	0.81	0.07	11.3	0.246	0.51	2.7
J596221		13.4	122.5	<0.002	0.05	0.28	8.0	2	2.6	226	0.96	<0.05	12.7	0.280	0.67	2.7
J596222		16.2	114.5	<0.002	0.08	0.24	7.4	2	2.5	217	0.95	<0.05	12.3	0.271	0.58	2.9
J596223		13.6	87.3	<0.002	0.18	0.34	6.8	2	2.5	177.5	1.29	0.06	11.4	0.252	0.41	2.9
J596224		14.5	115.0	<0.002	0.02	0.17	7.6	2	2.8	230	1.05	<0.05	12.0	0.274	0.64	3.2
J596225		75.0	840	<0.002	2.78	1.34	3.7	2	1.0	164.0	0.76	<0.05	2.8	0.224	8.57	1.2
J596226		14.5	113.5	<0.002	0.01	0.07	7.4	2	2.1	222	0.88	<0.05	10.7	0.266	0.69	2.7
J596227		15.1	109.0	<0.002	0.01	0.08	7.5	2	2.2	229	0.86	<0.05	10.7	0.272	0.65	2.3
J596228		15.5	114.0	<0.002	0.01	0.07	7.4	2	2.3	224	0.93	<0.05	12.6	0.272	0.67	3.0
J596229		19.1	122.5	<0.002	0.03	0.17	8.0	2	2.9	226	1.13	<0.05	12.5	0.270	0.71	3.1
J596230		16.6	120.5	<0.002	0.03	0.14	7.9	2	2.6	225	1.01	<0.05	13.1	0.277	0.70	3.2
J596231		14.3	109.5	<0.002	0.01	0.17	7.2	2	2.7	214	0.92	<0.05	12.2	0.266	0.63	3.0
J596232		22.7	106.5	<0.002	0.18	0.24	7.6	2	2.7	199.5	0.95	<0.05	12.2	0.265	0.55	3.1
J596233		12.8	96.9	<0.002	0.16	0.28	7.9	2	3.8	193.0	0.91	<0.05	12.4	0.261	0.52	2.9
J596234		11.8	103.0	<0.002	0.07	0.26	7.4	2	4.6	225	0.94	<0.05	11.6	0.262	0.56	2.8
J596235		16.9	114.0	<0.002	0.04	0.12	7.6	2	5.0	229	1.06	<0.05	12.9	0.275	0.64	3.3
J596236		14.4	105.5	<0.002	0.01	0.08	7.4	2	4.0	218	0.90	<0.05	11.5	0.267	0.65	2.5
J596237		14.6	113.5	<0.002	0.01	0.19	8.0	2	2.1	225	0.89	<0.05	11.8	0.274	0.69	2.5
J596238		17.6	117.0	<0.002	0.01	0.19	7.7	2	2.0	230	0.98	<0.05	11.8	0.275	0.65	2.9
J596239		14.3	114.0	<0.002	0.08	0.23	7.5	2	1.9	227	1.08	<0.05	11.6	0.274	0.59	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596200		44	1.5	22.3	51	175.5
J596201		44	2.2	21.9	56	187.0
J596202		43	1.9	21.4	56	182.0
J596203		42	1.2	22.3	54	192.5
J596204		45	0.9	22.2	53	195.0
J596205		44	1.5	22.4	56	190.5
J596206		44	1.3	21.2	57	197.0
J596207		44	1.5	21.0	58	190.0
J596208		43	1.2	19.0	56	174.0
J596209		43	1.1	18.4	59	188.0
J596210		43	1.3	20.0	53	183.5
J596211		41	2.7	20.2	43	170.5
J596212		43	0.7	16.5	48	164.5
J596213		44	1.2	15.5	48	157.0
J596214		44	1.2	16.1	48	171.5
J596215		46	1.1	17.0	53	174.0
J596216		43	1.1	16.9	51	165.0
J596217		44	1.2	17.6	51	155.0
J596218		39	1.2	14.1	46	145.5
J596219		48	1.5	18.8	52	179.5
J596220		44	61.9	12.7	36	157.0
J596221		48	1.3	15.7	50	175.5
J596222		45	1.6	16.3	46	191.5
J596223		40	9.1	19.1	51	155.5
J596224		46	4.5	16.7	50	177.0
J596225		28	0.3	4.2	42	47.7
J596226		44	0.6	15.2	49	152.5
J596227		45	0.6	14.7	50	163.5
J596228		45	0.5	16.0	50	172.0
J596229		45	0.9	17.2	54	189.0
J596230		46	0.8	16.9	51	180.5
J596231		44	0.5	15.1	49	148.0
J596232		44	3.8	16.0	43	160.5
J596233		46	10.5	15.6	34	171.5
J596234		44	1.3	14.9	41	161.5
J596235		46	0.8	16.5	51	171.0
J596236		45	0.4	14.8	49	167.0
J596237		46	0.5	15.4	50	179.5
J596238		44	0.6	15.9	49	161.0
J596239		45	0.8	16.0	44	196.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596240		2.01	0.008	0.08	6.83	46.4	690	1.39	0.07	1.94	0.08	66.2	7.1	22	3.08	19.0
J596241		1.88	<0.005	0.14	7.37	20.4	750	1.52	0.10	1.92	0.05	70.0	8.0	23	3.31	33.1
J596242		1.73	0.008	0.11	7.19	73.7	690	1.40	0.13	1.93	0.08	66.7	8.0	25	3.32	33.7
J596243		0.56	0.006	0.06	7.42	209	820	1.41	0.14	1.86	0.03	70.1	6.8	22	3.31	20.6
J596244		0.68	2.42	0.12	7.09	133.5	640	1.42	0.13	1.97	0.04	69.7	7.3	21	2.95	43.6
J596245		1.34	0.007	0.03	7.04	16.1	690	1.40	0.06	1.86	0.04	63.5	7.4	20	3.21	12.3
J596246		1.29	0.008	0.08	7.08	49.6	670	1.33	0.07	1.84	0.04	66.7	6.2	21	2.87	14.7
J596247		0.96	0.006	0.10	6.83	46.4	630	1.30	0.12	1.81	0.03	63.4	6.4	20	2.64	19.2
J596248		0.69	0.018	0.09	7.00	2610	700	1.45	0.24	1.75	0.04	63.2	6.4	20	2.05	15.1
J596249		0.56	0.541	0.11	7.37	4130	780	1.54	0.44	1.60	0.02	76.2	6.5	21	2.03	24.2
J596250		0.06	<0.005	0.03	6.36	3.0	910	1.10	0.09	1.35	0.07	27.3	2.0	10	1.49	3.7
J596251		0.68	3.02	0.13	7.12	2190	780	1.47	0.39	1.67	0.06	64.2	6.5	20	1.87	43.7
J596252		0.69	0.746	0.12	6.66	735	720	1.52	0.47	1.71	0.14	68.3	5.6	18	2.03	28.9
J596253		0.63	0.706	0.76	7.12	1880	750	1.56	2.99	1.73	0.23	69.5	3.6	20	1.63	16.3
J596254		0.63	0.217	1.18	7.03	8870	730	1.56	5.15	1.51	0.12	69.7	2.3	20	1.48	13.3
J596255		0.61	0.277	0.26	6.80	6220	760	1.38	2.23	1.39	0.06	70.7	3.4	20	1.60	13.3
J596256		0.62	0.015	0.11	7.14	103.5	600	1.20	0.11	1.98	0.02	65.1	6.0	22	2.20	49.6
J596257		0.60	0.011	0.08	6.76	40.2	580	1.18	0.07	1.70	0.03	63.0	4.4	18	1.78	40.9
J596258		0.61	0.014	0.11	6.95	45.4	700	1.25	0.11	1.79	<0.02	70.6	7.0	23	2.26	69.1
J596259		0.51	0.005	0.07	7.02	36.7	600	1.36	0.07	1.66	0.02	64.9	6.7	23	2.35	35.4
J596260		0.99	<0.005	0.08	7.00	2.6	700	1.29	0.06	1.74	0.04	71.7	6.8	21	2.43	12.1
J596261		1.28	<0.005	0.05	7.72	14.7	790	1.28	0.08	2.01	0.05	70.3	7.3	26	2.84	21.2
J596262		1.22	<0.005	0.03	7.12	6.8	730	1.20	0.06	1.89	0.05	72.3	7.0	29	2.70	13.5
J596263		0.84	0.006	0.05	6.98	44.3	700	1.19	0.05	1.78	0.03	62.7	6.5	22	2.63	28.7
J596264		0.50	0.010	0.06	6.44	75.4	630	1.27	0.06	1.50	0.04	60.2	7.0	23	2.11	60.7
J596265		1.26	<0.005	0.03	7.36	28.8	730	1.29	0.05	1.83	0.03	75.4	6.6	22	2.80	19.6
J596266		1.35	<0.005	0.04	7.06	5.1	750	1.07	0.06	1.82	0.03	64.6	6.6	23	2.45	13.6
J596267		0.71	0.006	0.03	7.14	38.2	750	1.25	0.06	1.68	0.04	68.9	6.1	21	2.81	17.2
J596268		0.66	0.007	0.03	7.18	87.9	900	1.28	0.05	1.71	0.03	65.5	4.5	23	2.91	4.5
J596269		0.79	0.005	0.02	7.21	43.2	820	1.43	0.05	1.67	0.03	71.6	5.2	21	3.02	11.7
J596270		0.64	0.007	0.02	6.67	41.2	620	1.19	0.05	1.44	0.02	61.9	4.4	19	2.54	14.2
J596271		1.23	0.006	0.03	7.23	21.8	730	1.40	0.07	1.74	0.04	71.3	6.6	19	2.87	12.5
J596272		1.21	0.005	0.05	6.94	5.1	730	1.21	0.30	1.71	0.04	69.0	6.4	23	2.95	13.6
J596273		0.68	0.006	0.02	6.45	28.4	640	1.21	0.07	1.62	0.04	67.7	5.1	21	2.75	10.6
J596274		0.50	<0.005	0.04	7.15	18.6	750	1.45	0.10	1.81	0.04	72.4	6.4	19	3.23	20.0
J596275		0.54	<0.005	0.04	6.95	18.1	730	1.29	0.08	1.67	0.04	68.2	5.7	20	2.99	15.8
J596276		1.10	<0.005	0.03	7.14	1.9	760	1.37	0.20	1.73	0.04	77.8	7.0	20	3.45	16.8
J596277		2.10	0.005	0.06	7.23	2.7	750	1.28	0.10	1.79	0.05	74.0	6.7	22	3.14	14.5
J596278		2.16	<0.005	0.04	7.01	0.8	720	1.34	0.12	1.81	0.05	75.4	7.6	23	4.90	10.2
J596279		2.10	0.005	<0.01	7.03	7.1	720	1.65	0.17	1.80	0.05	78.3	7.4	25	9.24	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596240		2.30	16.60	0.19	4.4	0.023	2.62	32.1	25.7	0.67	428	0.42	2.99	10.4	13.5	520
J596241		2.44	18.10	0.20	4.6	0.026	2.71	33.7	24.1	0.70	445	0.37	3.11	11.5	16.6	570
J596242		2.45	17.40	0.15	4.4	0.027	2.55	32.2	23.6	0.69	436	0.62	2.91	10.2	19.5	550
J596243		2.29	16.50	0.16	4.7	0.021	2.77	35.0	23.8	0.69	402	0.68	2.83	9.1	15.1	550
J596244		2.28	16.35	0.17	4.5	0.023	2.30	35.1	21.3	0.67	422	1.89	2.94	9.7	15.0	520
J596245		2.22	16.30	0.17	4.7	0.023	2.50	29.6	25.4	0.66	395	0.36	2.65	10.1	15.5	530
J596246		2.20	16.50	0.16	4.6	0.025	2.52	32.9	22.8	0.64	379	0.52	2.86	9.9	15.0	520
J596247		2.14	15.60	0.17	4.3	0.028	2.47	31.0	20.0	0.64	389	0.38	2.79	9.2	15.5	520
J596248		2.03	16.25	0.16	4.3	0.041	2.58	30.5	18.4	0.67	377	0.35	2.92	8.0	14.2	540
J596249		2.25	17.10	0.17	4.8	0.042	2.80	37.5	17.1	0.61	323	0.45	2.76	8.2	16.1	540
J596250		1.40	11.50	0.11	1.1	0.013	2.13	13.4	9.0	0.18	570	0.87	2.60	3.9	1.8	180
J596251		2.23	15.85	0.14	4.3	0.031	2.71	30.8	15.8	0.62	340	0.54	2.61	7.0	14.0	530
J596252		2.05	16.05	0.17	4.1	0.034	2.58	34.1	20.3	0.66	394	0.39	2.20	6.7	12.6	510
J596253		1.68	16.45	0.15	4.8	0.053	2.82	34.3	19.2	0.65	438	0.48	2.46	5.9	12.0	530
J596254		2.00	16.50	0.13	4.4	0.060	2.67	34.4	17.2	0.61	387	0.54	2.51	4.5	15.0	520
J596255		1.83	16.75	0.14	3.9	0.045	2.88	34.8	17.1	0.51	250	1.33	2.37	4.8	12.2	470
J596256		2.25	16.15	0.16	4.2	0.026	2.71	32.0	20.2	0.67	507	0.46	2.72	8.0	16.5	490
J596257		1.81	14.70	0.15	4.0	0.026	2.63	31.0	16.6	0.55	438	0.40	2.64	7.5	10.8	440
J596258		2.26	15.40	0.17	4.3	0.027	2.65	34.4	17.6	0.66	440	0.46	2.60	9.4	16.2	510
J596259		2.24	16.40	0.15	4.2	0.020	2.38	31.5	17.0	0.64	374	0.36	2.72	9.5	12.6	510
J596260		2.16	15.60	0.18	3.9	0.025	2.46	35.5	20.7	0.65	380	0.36	2.56	9.6	16.0	480
J596261		2.38	16.30	0.16	4.5	0.026	2.78	33.8	22.4	0.74	435	0.33	3.01	9.4	17.0	540
J596262		2.22	15.35	0.17	4.0	0.026	2.45	36.4	22.8	0.71	393	0.27	2.66	9.0	16.7	510
J596263		2.17	15.45	0.16	4.1	0.018	2.46	30.2	18.9	0.66	379	0.30	2.74	8.8	15.2	480
J596264		2.23	12.80	0.15	3.4	0.012	2.15	30.4	17.4	0.61	322	0.37	2.55	8.4	19.7	450
J596265		2.26	15.90	0.18	4.3	0.021	2.49	37.0	23.4	0.67	392	0.31	2.82	9.4	15.1	520
J596266		2.16	14.85	0.14	4.2	0.025	2.57	31.4	21.2	0.65	385	0.32	2.65	8.9	14.4	500
J596267		2.15	16.15	0.18	4.8	0.026	2.59	33.2	21.6	0.65	382	0.37	2.62	9.7	14.4	500
J596268		2.16	15.65	0.15	4.0	0.020	2.95	31.5	23.9	0.70	370	0.45	2.73	9.6	8.4	520
J596269		2.14	16.00	0.17	4.6	0.017	2.64	34.6	25.2	0.68	368	0.79	2.77	10.9	10.9	520
J596270		1.90	14.05	0.15	3.7	0.015	2.24	30.5	18.1	0.59	322	1.30	2.73	8.7	9.6	470
J596271		2.11	15.55	0.16	4.7	0.024	2.55	34.6	21.3	0.62	385	0.47	2.76	10.5	13.8	500
J596272		2.10	15.10	0.16	3.9	0.025	2.59	33.5	19.6	0.63	389	0.41	2.60	9.8	14.5	470
J596273		1.96	14.50	0.19	4.4	0.021	2.29	33.5	20.4	0.59	367	0.43	2.45	9.1	11.7	440
J596274		2.16	15.85	0.18	4.2	0.022	2.61	34.7	21.2	0.61	397	1.00	2.69	10.6	13.9	490
J596275		2.10	15.50	0.17	4.0	0.023	2.59	32.1	20.0	0.61	376	0.77	2.64	10.9	12.4	490
J596276		2.10	15.85	0.17	4.8	0.028	2.67	38.7	19.1	0.61	376	3.28	2.70	10.9	14.4	480
J596277		2.15	16.15	0.19	4.4	0.026	2.60	36.0	19.0	0.63	382	0.65	2.73	11.0	15.4	490
J596278		2.21	19.10	0.13	4.6	0.030	2.59	36.2	22.5	0.64	388	0.64	2.79	11.9	16.4	500
J596279		2.26	18.35	0.15	5.0	0.032	2.61	38.8	26.1	0.67	403	0.48	2.71	11.6	16.7	500

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596240		14.3	111.0	<0.002	0.09	0.26	7.3	2	2.0	199.0	1.01	<0.05	12.0	0.262	0.61	2.8
J596241		17.5	114.0	<0.002	0.13	0.22	7.8	2	2.3	224	1.14	<0.05	11.9	0.278	0.61	2.9
J596242		20.2	106.0	<0.002	0.13	0.27	6.9	1	2.1	227	0.93	<0.05	12.8	0.263	0.65	4.0
J596243		10.3	107.5	<0.002	0.11	0.34	6.7	1	1.9	235	0.81	<0.05	13.9	0.258	0.58	3.4
J596244		27.0	102.0	<0.002	0.19	0.40	6.8	1	2.0	207	0.91	<0.05	13.6	0.253	0.53	3.3
J596245		13.5	104.5	<0.002	0.03	0.18	6.6	1	1.8	225	0.97	<0.05	12.4	0.253	0.61	3.4
J596246		13.6	100.5	<0.002	0.06	0.27	6.5	1	1.9	223	0.92	<0.05	13.1	0.252	0.57	3.3
J596247		13.6	96.5	<0.002	0.13	0.28	6.4	1	2.2	207	0.88	<0.05	12.2	0.245	0.56	3.2
J596248		19.0	88.9	<0.002	0.28	1.24	6.5	1	2.3	183.5	0.86	<0.05	12.8	0.235	0.50	3.0
J596249		21.2	95.8	<0.002	0.48	1.68	6.8	1	2.3	204	0.82	<0.05	15.6	0.237	0.45	4.0
J596250		11.3	53.4	<0.002	<0.01	0.17	4.5	1	1.4	177.5	0.41	<0.05	5.8	0.110	0.35	2.0
J596251		20.2	84.9	<0.002	0.49	0.99	6.2	1	1.9	204	0.67	<0.05	13.6	0.229	0.39	3.6
J596252		25.1	92.1	<0.002	0.31	0.43	6.4	1	2.0	195.0	0.68	<0.05	14.3	0.208	0.44	3.9
J596253		66.6	88.2	<0.002	0.30	0.81	6.5	1	2.6	181.5	0.64	<0.05	14.4	0.195	0.38	3.7
J596254		105.5	84.4	<0.002	0.61	3.31	6.2	1	2.2	148.5	0.57	<0.05	14.4	0.173	0.35	3.9
J596255		33.1	92.3	<0.002	0.40	1.80	6.0	1	2.0	140.5	0.45	0.05	12.9	0.170	0.39	2.9
J596256		11.1	96.0	<0.002	0.30	0.29	6.6	1	2.2	180.5	0.63	<0.05	13.3	0.237	0.48	2.6
J596257		9.8	83.8	<0.002	0.18	0.24	5.3	1	2.1	146.5	0.75	<0.05	12.5	0.209	0.41	2.9
J596258		8.9	89.1	<0.002	0.38	0.24	6.5	1	2.1	168.5	0.84	<0.05	12.4	0.245	0.45	2.7
J596259		9.0	86.4	<0.002	0.18	0.21	6.4	1	2.1	192.5	0.83	<0.05	12.5	0.248	0.47	2.7
J596260		14.6	98.3	<0.002	0.01	0.07	6.1	1	1.9	213	0.86	<0.05	12.3	0.243	0.58	2.9
J596261		17.6	98.9	<0.002	0.06	0.20	6.4	1	1.8	241	0.92	<0.05	12.2	0.264	0.60	3.0
J596262		13.7	90.0	<0.002	0.03	0.16	6.3	1	1.8	221	0.80	<0.05	12.7	0.252	0.55	2.8
J596263		9.4	90.5	<0.002	0.11	0.22	6.0	1	1.9	219	0.71	<0.05	10.9	0.239	0.51	2.4
J596264		9.0	83.3	<0.002	0.27	0.37	5.7	1	1.6	197.0	0.75	<0.05	10.6	0.221	0.42	3.1
J596265		11.4	95.2	<0.002	0.07	0.22	6.3	1	1.9	235	0.88	<0.05	12.9	0.254	0.53	2.6
J596266		14.6	88.0	<0.002	0.03	0.12	5.7	1	1.8	220	0.77	<0.05	11.9	0.247	0.58	2.8
J596267		13.6	99.9	<0.002	0.04	0.20	6.3	1	1.8	213	0.78	<0.05	12.2	0.248	0.60	2.6
J596268		9.2	97.2	<0.002	0.01	0.39	6.2	1	2.0	219	0.75	<0.05	11.2	0.260	0.53	1.9
J596269		9.6	100.5	<0.002	0.05	0.31	6.4	1	1.9	232	1.15	<0.05	13.9	0.259	0.52	2.5
J596270		9.4	83.5	<0.002	0.07	0.21	5.6	1	1.7	186.0	0.79	<0.05	11.9	0.224	0.46	3.5
J596271		13.2	101.5	<0.002	0.03	0.17	5.9	1	1.8	212	0.99	<0.05	13.6	0.248	0.58	3.4
J596272		16.5	104.0	<0.002	0.04	0.12	5.9	1	1.8	204	0.86	0.18	12.9	0.238	0.65	3.2
J596273		11.6	95.6	<0.002	0.03	0.22	5.9	1	1.7	187.5	0.80	<0.05	12.8	0.223	0.52	3.3
J596274		16.0	106.5	<0.002	0.07	0.21	6.2	1	1.9	221	0.97	<0.05	13.9	0.245	0.62	3.4
J596275		14.1	100.5	<0.002	0.05	0.19	5.8	1	1.8	212	0.99	<0.05	12.5	0.249	0.56	3.0
J596276		18.1	118.5	0.002	0.05	0.14	6.2	1	2.0	213	1.02	0.06	14.6	0.245	0.69	3.9
J596277		16.2	112.5	<0.002	0.02	0.13	6.1	1	2.0	217	1.00	<0.05	13.3	0.248	0.65	3.9
J596278		16.9	131.0	<0.002	0.01	0.20	7.4	2	2.4	211	1.19	<0.05	13.0	0.253	0.70	3.9
J596279		17.9	135.5	<0.002	0.01	0.34	7.6	2	2.4	209	1.33	<0.05	13.4	0.260	0.67	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596240		43	0.7	15.4	47	155.5
J596241		47	1.2	16.6	49	175.0
J596242		45	1.6	15.5	53	164.5
J596243		45	2.3	15.2	44	174.0
J596244		44	2.4	16.0	40	164.0
J596245		42	0.7	16.1	47	176.5
J596246		42	1.0	15.6	45	170.5
J596247		42	2.5	14.9	42	166.5
J596248		43	4.6	15.0	32	154.5
J596249		45	5.3	15.4	29	173.0
J596250		14	0.8	15.2	44	24.8
J596251		43	5.5	13.6	35	155.5
J596252		42	11.2	14.4	46	145.0
J596253		41	17.1	14.9	72	175.0
J596254		40	10.0	13.0	62	161.0
J596255		38	8.8	11.7	30	140.5
J596256		40	3.4	13.9	36	158.5
J596257		35	2.7	13.3	29	146.5
J596258		40	2.4	15.9	33	162.5
J596259		42	1.5	14.0	35	157.0
J596260		40	0.8	16.3	49	149.5
J596261		45	0.5	15.9	52	158.5
J596262		43	0.4	15.5	49	148.5
J596263		40	0.4	14.7	41	164.5
J596264		37	0.8	13.8	34	124.5
J596265		42	0.7	15.9	45	154.0
J596266		41	0.6	14.4	48	157.0
J596267		40	0.6	15.8	45	181.5
J596268		43	0.9	15.4	41	155.0
J596269		43	2.0	18.6	39	165.5
J596270		38	0.8	13.3	34	135.0
J596271		40	0.6	16.9	45	168.0
J596272		39	0.4	15.7	47	142.5
J596273		37	0.5	15.0	39	154.0
J596274		40	0.6	16.8	45	143.5
J596275		40	0.6	16.4	45	146.0
J596276		39	0.6	17.9	46	168.0
J596277		40	0.6	17.8	48	158.0
J596278		40	0.8	20.1	48	160.5
J596279		42	1.0	19.8	48	176.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596280		2.03	<0.005	0.02	6.99	17.1	700	1.60	0.19	1.84	0.04	77.5	6.6	25	8.87	19.2
J596281		1.32	0.010	0.03	7.05	119.5	720	1.54	0.12	1.97	0.05	74.9	6.7	25	7.45	19.0
J596282		0.66	0.091	0.11	6.72	214	560	1.55	0.14	1.68	0.06	74.0	12.5	23	5.42	36.4
J596283		1.51	0.006	0.03	7.04	19.0	690	1.53	0.11	1.88	0.04	78.4	6.3	24	6.28	13.2
J596284		1.46	0.005	0.03	7.13	11.6	700	1.43	0.20	1.94	0.05	74.8	8.1	25	5.68	16.5
J596285		1.98	<0.005	0.02	6.22	10.5	620	1.19	0.07	1.67	0.04	69.1	6.6	22	3.77	7.7
J596286		1.26	0.006	0.04	7.00	14.0	720	1.34	0.08	1.93	0.05	75.1	8.0	27	4.21	10.5
J596287		1.22	0.006	0.03	7.13	59.6	740	1.51	0.09	1.92	0.05	78.5	6.9	26	4.42	8.5
J596288		1.26	0.005	0.03	6.92	16.6	710	1.33	0.08	1.86	0.04	74.2	7.1	24	3.62	7.7
J596289		1.26	0.005	0.02	7.21	23.4	690	1.63	0.10	1.95	0.05	76.6	8.5	26	4.64	6.9
J596290		0.66	0.051	0.03	7.05	570	680	1.31	0.19	2.02	0.07	72.1	7.6	24	3.29	15.1
J596291		0.57	0.005	0.04	7.12	24.0	720	1.33	0.09	1.90	0.10	75.6	6.7	24	3.44	6.8
J596292		1.14	<0.005	0.04	7.01	14.0	730	1.12	0.08	1.85	0.05	77.4	7.1	28	3.44	8.4
J596293		1.35	0.005	0.02	7.06	13.5	770	1.11	0.07	1.99	0.06	75.8	6.8	31	3.30	8.7
J596294		1.25	0.005	0.04	7.38	20.9	710	1.19	0.07	2.07	0.06	77.4	7.3	25	3.37	8.6
J596295		1.19	0.007	0.06	6.69	59.9	690	1.16	0.12	2.00	0.04	69.7	7.7	27	2.78	28.5
J596296		1.26	0.203	0.03	7.15	73.6	770	1.28	0.11	1.80	0.03	75.8	7.0	27	2.72	21.6
J596297		1.23	0.010	0.05	6.93	68.8	700	1.14	0.14	2.00	0.06	74.5	6.6	27	2.50	22.3
J596298		1.23	0.006	0.04	7.23	143.0	760	1.24	0.10	1.76	0.04	75.7	5.5	28	2.38	16.2
J596299		1.31	0.009	0.01	7.00	73.9	700	1.19	0.05	1.77	0.03	80.0	2.8	25	2.42	7.0
J596300		0.04	1.360	0.78	7.72	3.4	100	1.95	0.65	0.83	0.12	16.95	8.4	30	20.9	12.1
J596301		1.19	0.390	0.03	6.88	71.7	620	1.23	0.08	1.86	0.05	69.9	6.8	28	2.00	23.4
J596302		1.16	0.023	0.03	6.79	44.9	590	1.26	0.05	2.14	0.08	69.5	5.3	24	2.18	14.0
J596303		1.19	0.018	0.02	6.86	46.7	690	1.32	0.07	1.91	0.03	71.8	6.5	25	2.94	14.3
J596304		1.18	0.021	0.02	6.85	44.1	550	1.28	0.06	2.18	0.03	68.1	5.8	25	2.85	12.6
J596305		1.51	0.010	0.01	7.14	20.6	680	1.32	0.06	1.92	0.04	77.1	7.1	24	3.55	12.0
J596306		1.44	0.006	0.01	6.98	24.1	670	1.24	0.06	1.87	0.04	73.6	8.5	27	3.78	9.7
J596307		0.72	<0.005	0.02	7.04	13.9	580	1.57	0.07	1.68	0.03	68.9	7.5	23	4.62	11.9
J596308		1.33	0.005	0.05	7.14	16.5	600	1.46	0.05	2.25	0.04	82.8	8.3	33	3.88	10.9
J596309		2.04	0.005	0.04	7.23	55.9	670	1.33	0.06	2.09	0.04	77.2	7.7	28	3.11	11.8
J596310		0.93	0.010	0.04	7.19	31.6	670	1.29	0.05	1.92	0.03	77.2	8.0	35	3.16	9.0
J596311		0.49	<0.005	0.01	7.15	30.0	750	1.26	0.05	1.94	0.04	77.4	6.6	26	3.04	7.7
J596312		0.72	<0.005	0.01	6.74	13.8	780	1.47	0.04	2.65	0.05	76.7	3.8	25	2.98	5.2
J596313		0.63	<0.005	0.07	7.10	20.4	750	1.31	0.05	2.01	0.06	69.4	6.7	26	2.93	9.2
J596314		0.75	0.005	0.06	6.96	21.1	640	1.12	0.05	1.91	0.05	67.4	7.4	29	2.88	11.5
J596315		0.68	0.036	0.13	7.12	27.3	790	1.31	0.34	2.00	0.23	82.3	8.0	26	2.43	24.9
J596316		0.72	0.016	0.10	6.97	11.5	780	1.25	0.23	2.07	0.10	84.6	7.9	25	2.44	20.2
J596317		0.69	0.024	0.19	6.89	28.9	770	1.45	0.35	1.91	0.21	67.1	9.2	26	2.13	46.9
J596318		0.72	0.226	0.24	7.11	24.6	720	1.49	0.67	1.68	0.10	82.2	10.8	26	2.26	64.8
J596319		0.68	0.043	0.08	6.08	9.4	670	1.40	0.14	1.75	0.02	74.1	7.4	25	2.47	24.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596280		2.28	18.50	0.15	4.6	0.028	2.50	38.6	29.8	0.66	403	0.65	2.66	11.3	16.8	520
J596281		2.26	18.75	0.14	4.9	0.021	2.68	36.0	27.6	0.66	418	0.56	2.98	11.8	12.7	520
J596282		2.26	17.10	0.14	4.6	0.021	2.03	36.9	26.9	0.63	365	0.51	3.14	10.1	17.4	520
J596283		2.31	18.00	0.14	4.1	0.028	2.39	38.0	29.4	0.69	405	0.58	2.71	10.6	16.7	540
J596284		2.40	18.55	0.15	4.4	0.029	2.42	36.3	27.1	0.70	416	0.45	2.74	10.9	17.6	530
J596285		2.05	16.15	0.14	4.1	0.027	2.22	34.5	24.1	0.61	360	0.32	2.38	9.7	15.1	460
J596286		2.37	18.25	0.15	4.4	0.030	2.44	36.9	25.8	0.72	423	0.41	2.71	10.3	18.0	530
J596287		2.33	18.55	0.14	5.2	0.029	2.61	37.8	28.2	0.69	403	0.35	2.83	11.2	17.4	530
J596288		2.26	17.90	0.14	4.3	0.029	2.57	36.0	25.8	0.66	394	0.39	2.65	9.7	16.3	520
J596289		2.44	19.00	0.15	4.4	0.030	2.57	37.6	30.7	0.70	417	0.53	2.80	11.3	18.1	540
J596290		2.40	18.25	0.16	4.5	0.033	2.52	34.9	26.1	0.64	441	0.76	3.18	10.4	16.8	500
J596291		2.38	19.10	0.15	4.8	0.029	2.53	36.3	30.5	0.67	395	0.58	3.00	10.9	16.0	520
J596292		2.43	18.15	0.15	4.8	0.030	2.58	38.3	27.8	0.68	414	0.48	2.63	10.2	17.1	520
J596293		2.53	18.35	0.16	4.5	0.036	2.50	37.3	31.3	0.75	450	0.51	2.87	10.7	18.1	570
J596294		2.59	18.65	0.16	4.5	0.036	2.62	38.0	32.6	0.76	458	0.46	2.96	10.8	18.1	580
J596295		2.38	17.35	0.14	4.5	0.032	2.56	33.6	18.3	0.75	440	0.61	2.75	9.8	17.7	550
J596296		2.41	18.40	0.15	4.4	0.035	2.71	36.0	19.6	0.71	426	0.53	2.71	10.3	19.9	590
J596297		2.39	17.70	0.16	3.9	0.036	2.58	36.3	18.4	0.73	450	0.45	2.66	9.8	18.9	560
J596298		2.21	18.25	0.15	4.7	0.035	2.74	37.0	20.7	0.67	415	0.47	2.84	9.7	15.8	580
J596299		2.05	17.00	0.14	4.7	0.032	2.70	38.5	27.5	0.67	422	0.47	2.76	9.5	9.8	530
J596300		4.07	19.65	0.14	1.2	0.013	2.53	8.6	4.6	0.81	251	1.78	5.11	8.3	31.1	680
J596301		2.03	16.90	0.15	4.2	0.029	2.22	34.1	23.4	0.69	419	0.56	3.10	9.6	24.6	550
J596302		2.14	16.55	0.16	4.5	0.025	2.03	34.4	25.7	0.73	507	0.67	3.13	9.8	14.7	550
J596303		2.26	17.45	0.15	3.9	0.025	2.57	34.9	23.9	0.71	424	0.72	2.86	10.4	16.5	540
J596304		2.36	17.35	0.16	4.5	0.026	2.34	33.2	24.9	0.80	508	0.45	2.99	10.9	15.2	540
J596305		2.45	18.25	0.16	4.5	0.028	2.59	38.0	29.2	0.73	430	0.72	2.82	10.6	17.4	540
J596306		2.49	17.85	0.16	4.0	0.029	2.41	36.1	29.2	0.74	420	0.44	2.63	10.3	18.0	540
J596307		2.17	18.40	0.15	4.9	0.028	2.69	32.7	25.5	0.63	393	0.53	2.78	11.7	16.1	460
J596308		2.69	18.70	0.17	4.6	0.033	2.31	41.0	34.7	0.83	501	0.80	2.84	10.7	20.5	590
J596309		2.42	19.40	0.16	4.3	0.034	2.58	36.6	30.6	0.80	479	0.57	2.96	10.4	18.2	580
J596310		2.49	18.65	0.16	4.7	0.031	2.54	37.6	33.8	0.77	437	0.59	2.82	10.8	18.2	580
J596311		2.30	18.20	0.16	4.6	0.031	2.84	37.3	31.5	0.72	428	0.64	2.75	10.4	16.5	560
J596312		2.31	19.50	0.17	4.5	0.042	2.59	37.7	35.7	0.99	594	0.41	2.34	9.0	8.9	530
J596313		2.32	18.55	0.15	4.5	0.029	2.71	33.7	29.0	0.75	426	0.45	2.77	11.0	16.8	580
J596314		2.32	16.85	0.10	4.1	0.028	2.56	32.2	31.9	0.70	405	0.49	2.68	10.3	20.3	510
J596315		2.63	17.55	0.13	4.6	0.046	2.65	40.0	26.8	0.79	459	0.63	2.66	8.5	18.6	600
J596316		2.48	17.10	0.13	5.3	0.039	2.60	41.4	32.2	0.77	483	0.90	2.72	9.2	18.4	590
J596317		2.57	17.55	0.14	5.4	0.037	2.73	30.3	30.7	0.73	442	1.27	2.91	9.7	18.1	570
J596318		2.62	17.95	0.16	5.2	0.032	2.91	39.0	32.9	0.74	388	1.82	2.66	9.9	18.3	560
J596319		2.37	17.10	0.14	4.8	0.032	2.75	35.3	33.3	0.75	396	1.16	2.65	10.9	17.4	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596280		15.1	123.5	<0.002	0.05	0.35	7.5	2	2.3	217	1.22	<0.05	13.0	0.253	0.61	3.7
J596281		11.9	119.0	<0.002	0.06	0.50	7.7	2	2.2	210	1.28	<0.05	12.6	0.258	0.57	3.6
J596282		10.8	104.0	<0.002	0.20	0.35	7.5	2	2.0	194.5	1.09	<0.05	11.9	0.249	0.50	3.1
J596283		14.2	111.5	<0.002	0.03	0.29	7.5	2	2.0	223	1.18	<0.05	12.6	0.261	0.55	3.1
J596284		14.7	112.5	<0.002	0.03	0.21	7.5	2	2.1	225	1.15	<0.05	12.2	0.261	0.57	3.1
J596285		13.0	105.0	<0.002	0.01	0.14	6.8	1	1.7	189.5	0.90	<0.05	11.9	0.231	0.52	2.8
J596286		13.7	111.0	<0.002	0.01	0.19	7.6	2	2.1	219	0.96	<0.05	11.6	0.268	0.56	2.7
J596287		15.5	115.5	<0.002	0.01	0.25	7.4	1	1.8	219	1.06	<0.05	12.6	0.261	0.60	3.1
J596288		15.5	111.5	<0.002	0.01	0.20	7.2	2	1.8	211	0.87	<0.05	11.4	0.253	0.58	2.5
J596289		17.1	124.0	<0.002	0.01	0.27	7.6	2	2.0	221	1.09	<0.05	11.3	0.265	0.63	3.1
J596290		16.0	109.5	<0.002	0.15	0.41	7.2	2	1.9	209	0.92	<0.05	13.0	0.252	0.55	3.0
J596291		20.6	116.0	<0.002	0.02	0.35	7.2	2	1.9	230	1.10	<0.05	13.1	0.254	0.63	3.3
J596292		15.2	120.5	<0.002	0.01	0.22	7.2	2	1.9	213	0.96	<0.05	11.9	0.262	0.64	2.9
J596293		17.3	112.5	<0.002	0.01	0.28	7.9	2	1.9	226	0.84	<0.05	10.4	0.277	0.58	2.4
J596294		16.7	109.5	<0.002	0.02	0.27	8.0	2	2.0	244	0.91	<0.05	11.2	0.283	0.55	2.5
J596295		9.7	100.0	<0.002	0.23	0.28	7.6	1	1.9	225	0.82	<0.05	10.5	0.261	0.49	2.8
J596296		10.7	102.0	<0.002	0.19	0.28	7.9	2	2.1	226	0.89	<0.05	12.6	0.273	0.50	2.8
J596297		11.5	98.1	<0.002	0.32	0.27	7.8	2	2.0	226	0.83	<0.05	12.7	0.272	0.46	2.7
J596298		12.2	96.1	<0.002	0.16	0.31	7.7	2	2.0	237	0.86	<0.05	12.1	0.276	0.45	2.7
J596299		10.9	97.1	<0.002	0.05	0.31	7.3	2	1.9	223	0.95	<0.05	12.3	0.261	0.44	2.8
J596300		73.3	600	<0.002	3.15	1.41	3.0	1	1.1	166.5	0.81	<0.05	2.2	0.219	6.19	1.0
J596301		9.6	84.9	<0.002	0.17	0.32	7.5	2	1.8	220	0.90	<0.05	12.1	0.265	0.41	2.9
J596302		13.2	87.2	<0.002	0.09	0.36	7.5	2	1.8	228	0.99	<0.05	12.0	0.258	0.42	3.2
J596303		10.4	102.5	<0.002	0.09	0.30	7.3	2	1.9	232	1.09	<0.05	12.4	0.265	0.49	3.4
J596304		10.1	97.6	<0.002	0.08	0.34	7.8	2	2.0	216	0.99	<0.05	12.0	0.260	0.49	3.1
J596305		11.9	109.5	<0.002	0.06	0.26	7.7	2	2.1	223	1.04	<0.05	12.8	0.268	0.55	3.3
J596306		11.0	107.5	<0.002	0.06	0.26	7.5	2	1.9	225	1.01	<0.05	12.1	0.268	0.53	3.1
J596307		14.8	132.5	<0.002	0.05	0.25	7.0	2	2.7	190.0	1.31	<0.05	14.4	0.232	0.64	4.4
J596308		10.9	109.5	<0.002	0.05	0.27	8.3	2	2.2	237	1.05	<0.05	13.1	0.282	0.54	3.1
J596309		10.7	104.5	<0.002	0.08	0.32	8.4	2	2.2	234	0.95	<0.05	12.1	0.273	0.52	3.1
J596310		9.8	102.5	<0.002	0.08	0.28	7.9	2	2.1	235	1.02	<0.05	12.6	0.274	0.50	3.1
J596311		10.0	105.0	<0.002	0.06	0.31	7.6	2	2.0	238	1.03	<0.05	12.1	0.265	0.48	3.2
J596312		9.8	115.0	<0.002	0.04	0.20	8.3	2	2.4	188.0	0.95	<0.05	12.4	0.252	0.55	3.1
J596313		12.6	109.5	<0.002	0.08	0.24	7.8	2	2.2	224	1.12	<0.05	12.4	0.268	0.52	3.3
J596314		13.4	106.5	<0.002	0.06	0.27	6.7	1	1.9	219	0.91	<0.05	13.2	0.252	0.50	3.3
J596315		14.0	110.0	<0.002	0.47	0.29	7.4	1	2.0	202	0.67	<0.05	12.4	0.285	0.53	2.6
J596316		12.8	120.5	<0.002	0.29	0.34	7.5	1	1.8	210	0.67	<0.05	13.0	0.290	0.57	2.6
J596317		11.8	120.0	<0.002	0.59	0.28	7.4	1	3.9	185.5	1.01	0.10	12.6	0.255	0.56	3.2
J596318		10.9	126.5	<0.002	0.48	0.27	7.9	1	3.2	186.5	1.04	0.37	14.1	0.267	0.59	3.7
J596319		8.6	114.0	<0.002	0.26	0.28	6.6	1	2.3	204	1.05	0.05	12.8	0.270	0.54	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596280		41	0.7	20.1	47	157.5
J596281		42	0.9	20.8	43	175.5
J596282		40	3.3	17.7	39	162.5
J596283		42	0.7	18.9	47	139.5
J596284		44	0.6	19.1	49	157.5
J596285		38	0.4	17.3	43	150.5
J596286		44	0.5	18.6	50	161.0
J596287		43	0.5	18.4	48	189.5
J596288		42	0.6	17.1	47	159.5
J596289		44	0.6	19.1	50	157.5
J596290		42	4.0	17.6	42	168.5
J596291		42	0.9	18.2	52	167.5
J596292		43	0.7	17.9	46	175.5
J596293		46	0.5	18.1	51	169.0
J596294		47	0.7	18.4	51	161.5
J596295		45	7.5	17.7	37	170.0
J596296		46	6.3	18.2	35	163.0
J596297		45	7.5	18.2	37	138.0
J596298		44	6.6	17.2	31	167.5
J596299		35	3.5	17.4	31	161.0
J596300		27	0.2	4.7	37	42.4
J596301		44	8.7	17.2	35	150.5
J596302		41	5.5	18.1	43	161.0
J596303		42	3.4	17.2	38	135.5
J596304		43	3.9	18.8	42	162.0
J596305		44	1.8	18.1	47	163.0
J596306		44	1.0	18.3	49	145.5
J596307		38	1.0	18.3	44	166.5
J596308		50	2.1	18.9	51	158.5
J596309		49	8.4	17.7	44	156.5
J596310		47	2.5	17.6	43	167.5
J596311		44	1.8	17.3	41	164.0
J596312		52	10.8	17.5	46	157.5
J596313		46	1.3	18.8	44	164.5
J596314		43	1.0	17.4	41	143.0
J596315		49	4.2	16.1	88	178.5
J596316		47	4.9	16.5	47	194.5
J596317		45	8.5	18.0	117	186.5
J596318		49	7.0	19.0	58	180.5
J596319		46	2.4	18.0	41	181.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596320		0.88	0.008	0.07	6.73	18.3	660	1.25	0.11	1.72	0.02	73.0	6.7	27	2.59	46.3
J596321		0.68	0.005	0.02	7.03	16.8	700	1.27	0.08	1.83	0.03	63.9	8.4	23	3.52	11.3
J596322		1.20	0.005	0.03	6.79	10.8	720	1.18	0.06	1.74	0.04	59.0	6.3	26	2.97	7.4
J596323		1.34	<0.005	0.03	6.72	9.6	660	1.28	0.06	1.69	0.04	63.5	6.5	25	2.95	8.9
J596324		1.30	0.006	0.02	6.88	13.5	620	1.38	0.06	1.84	0.10	74.4	7.3	31	3.32	11.1
J596325		0.06	0.006	0.04	6.55	1.8	930	1.10	0.11	1.38	0.08	29.6	2.1	14	1.82	4.0
J596326		1.99	<0.005	0.03	7.17	10.7	680	1.31	0.07	2.17	0.05	73.9	8.6	33	3.38	9.3
J596327		2.06	<0.005	0.04	7.04	7.5	660	1.31	0.08	2.10	0.06	82.2	8.5	33	3.38	10.5
J596328		1.92	<0.005	0.03	7.11	1.1	700	1.29	0.06	2.04	0.04	90.2	7.9	29	3.14	10.4
J596329		1.82	<0.005	0.04	7.10	0.3	700	1.32	0.06	2.04	0.06	78.3	7.7	30	3.21	9.4
J596330		1.78	<0.005	0.06	7.01	0.8	650	1.21	0.06	2.03	0.05	74.6	7.7	28	2.91	9.4
J596331		1.81	<0.005	0.06	7.00	0.3	650	1.28	0.06	2.06	0.07	70.7	8.1	29	3.09	10.9
J596332		1.79	<0.005	0.04	6.84	1.4	660	1.24	0.06	2.01	0.06	70.8	7.8	29	2.89	10.7
J596333		1.91	<0.005	0.05	6.53	2.5	650	1.12	0.06	1.85	0.04	66.8	7.3	28	2.75	9.6
J596334		1.81	<0.005	0.04	6.91	1.7	670	1.15	0.06	2.02	0.04	68.5	7.5	31	2.82	9.7
J596335		1.85	0.005	0.03	7.09	5.1	640	1.22	0.06	2.01	0.03	97.8	7.4	28	3.11	10.2
J596336		1.76	<0.005	0.05	7.04	5.2	750	1.24	0.09	1.97	0.04	107.5	7.5	27	3.31	10.6
J596337		1.77	<0.005	0.04	6.95	1.4	660	1.20	0.06	2.03	0.03	71.5	7.8	29	3.14	10.7
J596338		0.81	<0.005	0.04	6.93	7.8	650	1.29	0.07	2.01	0.04	75.2	8.2	27	3.08	14.1
J596339		0.57	<0.005	0.06	6.75	18.8	570	1.27	0.08	1.98	0.08	75.2	7.9	30	3.25	14.9
J596340		0.90	<0.005	0.16	6.95	3.3	690	1.21	0.08	2.09	0.04	76.2	7.9	27	3.18	14.0
J596341		1.21	0.005	0.03	6.80	13.8	670	1.17	0.08	1.89	0.04	74.6	7.1	24	2.79	17.5
J596342		1.72	<0.005	0.03	6.85	0.8	690	1.20	0.07	1.99	0.05	71.1	7.6	30	3.00	10.8
J596343		1.64	<0.005	0.04	7.08	2.1	720	1.23	0.09	2.03	0.04	74.9	7.7	28	3.21	12.7
J596344		1.65	0.006	0.08	7.01	9.3	680	1.27	0.12	1.94	0.08	74.2	7.7	29	3.31	13.0
J596345		1.78	<0.005	0.03	6.91	2.6	720	1.34	0.09	2.00	0.06	69.3	7.8	29	3.27	11.8
J596346		0.55	<0.005	0.06	6.27	52.4	680	1.12	0.11	1.92	0.16	59.1	7.0	25	2.72	13.8
J596347		1.68	0.005	0.06	7.05	5.3	720	1.22	0.08	1.97	0.06	75.7	7.9	28	3.22	11.6
J596348		1.18	<0.005	0.05	6.81	8.0	720	1.18	0.09	1.89	0.06	67.6	6.7	28	3.03	10.7
J596349		0.70	<0.005	0.07	7.13	3.5	690	1.29	0.09	2.06	0.07	73.4	7.6	30	3.46	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J596320		2.38	16.15	0.15	4.4	0.030	2.61	34.8	29.6	0.68	425	2.60	2.68	9.8	17.2	560
J596321		2.34	16.65	0.17	4.6	0.031	2.45	30.3	36.9	0.73	398	4.23	2.89	10.0	17.0	570
J596322		2.16	15.50	0.16	3.9	0.027	2.74	27.5	35.0	0.67	365	0.73	2.71	9.6	16.4	490
J596323		2.08	16.75	0.19	4.3	0.030	2.77	29.3	28.8	0.65	357	0.47	2.78	10.6	16.6	490
J596324		2.40	16.80	0.17	4.6	0.029	2.60	34.8	33.4	0.76	393	1.70	2.91	11.1	19.5	550
J596325		1.48	13.20	0.13	1.3	0.019	2.26	14.1	11.2	0.19	592	1.00	2.77	4.6	1.8	180
J596326		2.71	18.25	0.18	4.7	0.036	2.39	33.5	41.2	0.84	459	5.23	2.93	11.4	21.6	630
J596327		2.67	17.25	0.21	4.5	0.035	2.33	40.4	33.4	0.83	461	0.93	2.74	10.8	21.1	600
J596328		2.51	17.15	0.19	4.1	0.031	2.42	44.0	27.5	0.77	427	1.08	2.81	10.0	18.9	570
J596329		2.54	16.80	0.19	5.4	0.030	2.35	38.1	26.6	0.75	425	0.93	2.79	10.4	18.6	580
J596330		2.51	16.70	0.18	3.8	0.034	2.42	36.7	26.4	0.75	425	0.75	2.80	9.8	18.4	580
J596331		2.64	16.95	0.18	4.4	0.032	2.30	34.1	27.8	0.79	450	0.63	2.79	10.6	19.4	610
J596332		2.55	16.55	0.17	4.3	0.035	2.38	33.3	28.6	0.78	438	0.61	2.70	10.1	19.3	580
J596333		2.34	15.40	0.16	3.8	0.031	2.36	32.0	27.3	0.71	402	0.58	2.58	9.1	17.8	530
J596334		2.56	16.30	0.18	4.1	0.034	2.35	33.0	29.2	0.81	439	0.64	2.71	9.6	19.1	580
J596335		2.53	16.70	0.20	4.5	0.032	2.40	49.0	31.1	0.77	425	0.67	2.79	10.5	18.3	580
J596336		2.47	16.70	0.20	4.7	0.034	2.49	53.6	31.7	0.76	417	1.56	2.77	10.0	18.1	570
J596337		2.60	16.60	0.18	4.6	0.033	2.31	34.4	30.9	0.78	435	0.45	2.75	10.3	18.6	600
J596338		2.48	17.30	0.19	4.6	0.033	2.30	36.0	34.4	0.76	421	0.62	2.76	10.3	18.4	570
J596339		2.60	16.70	0.19	5.0	0.033	2.14	37.1	37.9	0.78	420	0.76	2.72	10.1	20.3	560
J596340		2.63	16.80	0.21	4.5	0.035	2.32	36.6	37.4	0.83	453	0.78	2.66	10.4	18.9	610
J596341		2.42	16.10	0.20	4.5	0.029	2.27	36.3	35.0	0.72	399	0.45	2.74	9.9	20.9	550
J596342		2.46	16.15	0.18	4.3	0.031	2.31	33.7	30.4	0.75	415	0.47	2.76	9.5	17.5	570
J596343		2.58	16.85	0.21	4.5	0.030	2.34	37.0	33.7	0.78	429	0.70	2.70	10.2	18.1	580
J596344		2.50	16.95	0.21	5.1	0.032	2.36	37.0	35.6	0.76	409	1.40	2.77	10.2	18.5	570
J596345		2.66	17.55	0.21	4.6	0.034	2.49	32.2	33.4	0.79	452	1.06	2.77	11.4	19.3	610
J596346		2.29	15.05	0.20	4.1	0.028	2.42	28.1	33.7	0.68	411	0.49	2.49	8.5	21.3	510
J596347		2.52	17.10	0.20	4.9	0.032	2.51	35.4	29.3	0.76	428	0.53	2.81	10.8	18.2	580
J596348		2.37	15.70	0.19	4.4	0.029	2.56	31.5	28.2	0.73	422	0.58	2.73	9.4	16.2	540
J596349		2.64	17.40	0.18	5.1	0.033	2.43	34.8	29.3	0.79	445	0.47	2.88	11.2	18.5	600

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596320		8.9	108.5	<0.002	0.25	0.25	7.1	1	2.2	182.5	0.87	<0.05	11.5	0.264	0.50	2.5
J596321		10.3	123.5	<0.002	0.08	0.27	7.3	1	2.2	207	0.93	<0.05	11.8	0.267	0.58	3.5
J596322		15.8	127.5	<0.002	0.03	0.26	6.6	1	2.0	184.5	0.91	<0.05	11.7	0.249	0.64	3.2
J596323		15.6	128.0	<0.002	0.05	0.26	7.3	1	2.0	179.5	0.92	<0.05	10.9	0.251	0.69	2.8
J596324		20.1	119.5	<0.002	0.08	0.25	8.0	1	2.0	193.5	1.08	<0.05	13.9	0.271	0.63	3.5
J596325		11.9	65.6	<0.002	<0.01	0.20	5.1	1	1.7	185.5	0.44	<0.05	6.4	0.116	0.40	2.1
J596326		15.0	110.0	<0.002	0.01	0.24	8.3	1	2.3	237	0.95	<0.05	11.7	0.297	0.64	2.7
J596327		14.5	114.5	<0.002	0.01	0.17	8.7	1	2.2	226	0.91	<0.05	12.6	0.286	0.62	3.0
J596328		16.0	119.5	<0.002	0.01	0.08	7.7	1	2.2	226	0.82	<0.05	15.4	0.274	0.68	3.0
J596329		15.5	123.5	<0.002	0.01	0.07	7.6	1	2.1	226	0.85	<0.05	13.5	0.275	0.67	3.0
J596330		14.9	109.0	<0.002	0.01	0.08	7.5	1	2.1	220	0.76	<0.05	12.8	0.276	0.64	2.5
J596331		14.8	112.0	<0.002	0.01	0.08	7.9	1	2.3	226	0.86	<0.05	11.7	0.285	0.61	2.8
J596332		16.1	111.0	<0.002	0.01	0.08	7.8	1	2.1	219	0.85	<0.05	11.4	0.276	0.62	2.8
J596333		15.0	107.0	<0.002	0.01	0.09	7.2	1	2.0	205	0.70	<0.05	11.0	0.255	0.63	2.2
J596334		12.4	110.0	<0.002	0.01	0.09	7.7	1	2.0	221	0.73	<0.05	11.2	0.279	0.62	2.3
J596335		13.5	114.5	<0.002	0.01	0.14	7.4	1	2.0	221	0.90	<0.05	15.3	0.277	0.61	3.1
J596336		13.9	120.0	<0.002	0.01	0.12	7.7	1	2.1	222	0.85	<0.05	16.0	0.271	0.65	2.7
J596337		14.3	109.0	<0.002	0.01	0.08	7.8	1	2.3	227	0.85	<0.05	12.4	0.282	0.64	2.8
J596338		13.4	103.0	<0.002	0.01	0.13	7.5	1	2.6	222	0.86	<0.05	12.1	0.273	0.60	3.0
J596339		15.0	110.5	<0.002	0.05	0.23	7.8	1	2.0	213	0.85	<0.05	13.2	0.272	0.62	2.7
J596340		13.0	108.5	<0.002	0.01	0.12	8.5	1	2.2	226	0.81	<0.05	12.1	0.287	0.64	2.6
J596341		12.6	105.5	<0.002	0.03	0.17	7.3	1	1.9	218	0.83	<0.05	11.5	0.265	0.58	2.4
J596342		13.8	101.0	<0.002	0.01	0.08	7.2	1	1.8	226	0.75	<0.05	12.4	0.274	0.60	2.5
J596343		12.9	109.5	<0.002	0.01	0.10	7.8	1	1.9	228	0.84	<0.05	12.8	0.278	0.61	2.9
J596344		16.1	115.5	<0.002	0.09	0.14	7.8	2	2.0	220	0.90	<0.05	12.9	0.271	0.65	3.0
J596345		14.1	109.0	<0.002	0.01	0.12	8.2	1	2.0	220	1.03	<0.05	11.4	0.284	0.63	2.9
J596346		15.1	98.6	<0.002	0.05	0.24	6.9	1	1.7	192.0	0.70	<0.05	10.4	0.243	0.59	2.5
J596347		14.9	111.5	<0.002	0.01	0.12	7.5	1	1.9	226	0.88	<0.05	13.2	0.277	0.62	2.8
J596348		15.7	103.0	<0.002	0.01	0.15	7.4	1	1.8	209	0.84	<0.05	11.3	0.255	0.59	2.8
J596349		15.5	109.0	<0.002	0.01	0.12	7.7	1	2.0	229	1.04	<0.05	12.0	0.287	0.62	3.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596320		43	8.5	16.7	34	162.5
J596321		45	1.6	17.9	42	162.0
J596322		41	1.0	16.0	42	139.5
J596323		42	0.9	16.3	40	155.5
J596324		47	0.6	19.1	46	151.5
J596325		15	0.9	17.2	46	29.7
J596326		52	0.7	19.9	57	167.0
J596327		51	0.4	20.1	56	164.0
J596328		47	0.4	18.0	55	149.5
J596329		47	0.5	18.3	53	199.5
J596330		48	0.6	16.7	52	141.0
J596331		50	0.5	18.4	55	162.5
J596332		49	0.8	18.0	54	155.5
J596333		44	0.8	15.7	49	143.0
J596334		48	0.5	17.3	53	154.0
J596335		47	0.4	18.0	53	165.5
J596336		46	0.6	17.6	53	169.5
J596337		49	0.5	17.8	54	171.5
J596338		47	0.5	17.3	53	173.5
J596339		48	7.8	17.4	56	186.5
J596340		51	0.6	18.8	56	169.5
J596341		45	0.5	17.3	50	165.0
J596342		47	0.5	16.0	53	159.0
J596343		48	0.6	18.2	53	169.5
J596344		46	7.6	18.4	53	188.0
J596345		50	0.7	19.2	54	166.5
J596346		42	0.7	14.8	51	151.5
J596347		47	0.5	17.9	54	185.5
J596348		45	0.5	16.8	53	156.5
J596349		48	0.6	18.6	58	191.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11037957

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.