ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

CERTIFICATE TB11021204

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 11-FEB-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-GRA21 Au g/t 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J594491		1.49	0.024		0.19	7.30	26.3	780	1.46	0.13	1.40	<0.02	84.5	7.2	7	0.92
J594492		1.28	0.006		0.02	6.89	21.0	710	1.56	0.05	1.77	0.05	81.1	6.8	8	1.66
J594493		1.27	0.011		0.04	7.32	22.7	800	1.47	0.05	1.77	0.06	86.3	6.7	9	2.01
J594494		1.34	0.005		0.06	7.09	9.9	760	1.60	0.06	1.91	<0.02	79.8	7.7	8	2.31
J594495		1.30	<0.005		0.04	7.04	25.9	780	1.54	0.05	1.71	0.06	87.6	7.5	8	2.56
J594496		1.34	0.018		0.07	7.34	39.0	740	1.46	0.06	1.70	0.09	80.6	5.9	7	1.71
J594497		0.70	0.017		0.07	6.41	39.9	360	1.27	0.03	3.82	0.17	39.4	4.3	7	2.05
J594498		0.66	0.006		0.07	7.08	36.1	720	1.57	0.07	1.69	0.06	96.8	6.9	8	1.98
J594499		1.47	<0.005		0.08	7.04	26.0	710	2.00	0.08	1.61	0.06	84.4	6.4	7	3.12
J594500		0.06	<0.005		0.05	6.54	1.4	900	1.30	0.11	1.37	0.10	26.8	2.5	10	1.81
J594501		1.18	<0.005		0.04	7.17	17.4	710	1.96	0.09	1.69	0.07	88.9	6.9	6	1.95
J594502		1.27	<0.005		0.07	7.04	10.9	740	1.68	0.07	1.75	0.07	89.3	6.7	8	2.52
J594503		1.26	0.007		0.12	7.16	31.4	770	1.73	0.15	1.68	0.07	92.3	6.9	7	2.57
J594504		1.28	0.094		0.26	7.06	62.4	750	1.60	0.36	1.70	0.10	92.6	7.0	7	1.90
J594505		1.28	<0.005		0.09	7.17	30.4	750	1.87	0.08	1.73	0.07	85.0	7.3	7	2.34
J594506		1.26	0.335		0.17	6.94	470	740	1.73	0.18	1.59	0.34	86.0	7.4	7	1.94
J594507		1.26	<0.005		0.04	7.01	10.4	730	2.34	0.06	1.63	0.07	82.4	6.5	8	1.98
J594508		1.94	<0.005		0.03	6.87	1.9	720	1.98	0.08	1.58	0.05	80.0	6.1	7	1.89
J594509		1.86	<0.005		0.03	7.23	1.8	720	2.08	0.09	1.66	0.04	92.0	7.0	7	2.00
J594510		2.01	0.006		0.03	6.85	6.0	690	1.98	0.07	1.07	0.02	88.8	7.2	7	0.88
J594511		1.96	<0.005		0.05	6.79	5.8	480	1.56	0.03	0.40	0.02	81.3	4.1	6	0.78
J594512		1.83	<0.005		0.05	7.57	5.9	610	1.26	0.03	0.69	0.03	108.5	6.6	5	0.38
J594513		1.98	0.009		0.03	6.91	7.4	720	1.64	0.04	0.66	0.02	82.8	6.3	8	0.57
J594514		1.73	0.008		0.07	7.12	10.6	720	2.10	0.04	1.06	0.03	84.6	6.3	8	0.80
J594515		2.11	0.044		0.09	7.28	22.9	810	1.80	0.09	0.78	0.03	83.4	8.1	9	0.79
J594516		1.86	0.021		0.16	6.73	17.9	710	1.73	0.07	1.51	0.11	86.5	7.0	7	1.23
J594517		1.95	<0.005		0.02	6.62	10.1	700	1.78	0.07	1.62	0.04	83.7	6.6	8	1.29
J594518		2.10	<0.005		0.01	6.19	6.3	700	1.23	0.05	1.43	0.04	74.4	5.9	7	0.77
J594519		1.77	<0.005		<0.01	6.52	6.7	770	1.51	0.06	1.93	0.04	77.3	6.8	9	0.83
J594520		1.96	<0.005		<0.01	6.74	3.0	810	1.62	0.06	1.77	0.06	87.2	6.8	11	1.95
J594521		2.01	<0.005		0.03	6.80	9.2	740	1.39	0.06	1.73	0.07	82.0	5.9	11	2.20
J594522		2.00	<0.005		0.03	7.05	2.8	760	1.61	0.07	1.81	0.07	92.6	6.5	11	2.98
J594523		2.02	<0.005		<0.01	6.31	2.8	710	1.65	0.06	1.71	0.09	74.5	6.7	10	2.26
J594524		0.84	<0.005		0.04	6.24	0.7	730	1.55	0.05	1.71	0.08	76.4	6.2	10	3.16
J594525		0.96	<0.005		0.02	6.96	0.8	730	1.60	0.06	1.79	0.08	90.4	6.4	10	3.42
J594526		1.96	<0.005		0.01	6.85	8.2	780	1.49	0.04	1.69	0.05	93.9	6.2	10	2.46
J594527		1.97	<0.005		<0.01	6.81	7.0	770	1.43	0.05	1.68	0.07	87.9	6.2	10	2.13
J594528		1.88	<0.005		<0.01	6.92	3.1	800	1.35	0.06	1.72	0.08	81.8	6.0	10	2.49
J594529		1.94	<0.005		0.01	6.59	4.8	740	1.44	0.08	1.58	0.06	79.5	5.6	9	2.61
J594530		1.93	<0.005		0.02	6.69	3.2	780	1.46	0.04	1.66	0.06	74.6	5.4	11	2.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J594491		9.8	2.21	18.35	0.17	5.4	0.030	2.50	41.9	15.2	0.56	472	565	3.20	12.7	6.4
J594492		7.3	2.22	18.10	0.18	5.4	0.033	2.48	39.1	17.7	0.49	413	2.77	2.96	12.6	6.1
J594493		7.6	2.30	18.55	0.25	5.2	0.239	2.80	41.4	28.1	0.50	428	2.69	3.03	11.7	6.7
J594494		7.8	2.41	19.20	0.24	5.3	0.037	2.57	37.4	29.6	0.53	438	72.0	3.03	12.4	7.1
J594495		5.9	2.39	18.75	0.13	6.0	0.037	2.66	42.7	32.8	0.51	410	3.10	3.01	12.9	6.5
J594496		6.8	2.29	18.60	0.13	5.6	0.039	2.45	39.6	25.2	0.52	444	1.60	3.18	13.0	5.5
J594497		4.5	2.25	16.00	0.09	3.9	0.039	1.61	20.7	34.0	0.59	726	1.19	3.27	10.0	2.7
J594498		10.6	2.35	18.25	0.15	6.3	0.032	2.65	49.0	26.8	0.52	404	1.33	3.03	12.8	6.9
J594499		7.4	2.18	18.50	0.15	5.6	0.035	2.74	40.4	29.3	0.45	392	4.53	2.97	14.8	6.1
J594500		4.4	1.44	14.25	0.08	1.1	0.018	2.24	12.9	12.9	0.19	572	0.98	2.72	4.7	2.1
J594501		8.8	2.25	18.10	0.18	5.7	0.037	2.64	44.1	20.8	0.47	402	1.05	2.94	13.8	5.9
J594502		13.6	2.33	18.65	0.19	5.7	0.035	2.57	42.7	25.8	0.49	414	1.20	2.96	13.4	6.3
J594503		23.3	2.34	19.05	0.18	5.8	0.037	2.74	45.4	21.3	0.48	398	1.35	2.84	12.9	6.5
J594504		24.5	2.35	18.00	0.17	5.9	0.037	2.53	45.3	20.9	0.49	413	9.84	2.97	12.3	6.1
J594505		12.6	2.30	18.55	0.18	5.1	0.036	2.54	41.7	19.9	0.49	419	9.37	2.99	13.0	6.3
J594506		17.5	2.33	18.10	0.17	5.5	0.037	2.65	42.0	16.6	0.48	402	112.5	2.72	11.9	6.3
J594507		7.9	2.30	18.10	0.16	5.7	0.033	2.39	40.3	12.5	0.50	437	3.04	2.87	14.1	6.3
J594508		6.7	2.24	18.05	0.15	6.0	0.033	2.50	38.7	12.4	0.48	398	52.1	2.84	14.5	6.2
J594509		7.7	2.42	18.65	0.20	5.5	0.037	2.45	43.9	15.5	0.57	423	1.62	2.85	14.7	6.6
J594510		10.4	2.20	18.55	0.16	5.7	0.033	2.31	43.6	15.5	0.81	331	3.92	2.97	13.8	6.7
J594511		29.1	1.49	16.40	0.14	5.0	0.018	3.47	42.9	18.2	0.78	231	0.87	2.79	12.4	4.1
J594512		7.2	2.98	19.40	0.22	5.9	0.017	3.08	54.8	46.6	1.93	468	0.86	3.12	12.5	7.2
J594513		9.3	2.12	17.65	0.19	5.7	0.025	2.26	42.7	18.6	1.06	335	1.59	3.05	12.3	6.7
J594514		14.2	2.00	18.25	0.20	5.7	0.032	2.41	42.1	17.0	0.89	327	1.92	3.11	13.2	6.5
J594515		14.6	2.58	20.6	0.13	6.3	0.027	2.78	42.4	23.6	1.13	378	1.53	3.08	13.2	7.2
J594516		9.6	2.29	17.85	0.14	6.1	0.033	2.32	41.3	19.1	0.56	412	3.16	2.82	12.9	6.8
J594517		8.0	2.31	18.25	0.16	5.5	0.036	2.18	39.7	19.3	0.50	432	1.15	2.79	13.2	6.6
J594518		7.3	2.18	15.80	0.15	4.4	0.031	2.17	35.9	13.3	0.51	373	0.91	2.47	10.8	6.0
J594519		11.1	2.35	16.95	0.18	5.0	0.031	2.28	37.4	13.5	0.54	416	1.20	2.62	12.2	6.6
J594520		7.6	2.54	17.90	0.18	5.6	0.034	2.46	42.7	18.8	0.55	444	1.23	2.56	13.0	6.9
J594521		7.0	2.30	17.30	0.10	5.0	0.037	2.55	39.8	12.0	0.50	421	1.31	2.89	11.9	5.9
J594522		7.2	2.47	17.75	0.14	5.3	0.039	2.55	44.7	12.6	0.52	421	1.51	2.92	12.6	6.7
J594523		7.4	2.37	18.40	0.12	4.8	0.038	2.39	35.3	10.9	0.49	411	1.15	2.85	13.3	7.1
J594524		6.8	2.35	17.65	0.13	5.3	0.038	2.49	38.2	15.2	0.45	404	1.24	2.92	12.2	6.0
J594525		6.9	2.40	17.65	0.13	6.1	0.038	2.50	44.3	16.0	0.49	408	1.01	2.91	12.6	6.4
J594526		5.4	2.35	17.75	0.13	5.0	0.032	2.58	45.7	13.3	0.49	403	1.09	2.88	12.2	6.1
J594527		6.1	2.30	17.65	0.13	4.8	0.033	2.60	41.9	11.5	0.47	392	1.09	2.85	12.4	6.0
J594528		6.3	2.36	17.45	0.13	5.2	0.032	2.61	39.7	12.9	0.47	399	1.02	2.92	11.8	6.0
J594529		5.5	2.20	17.10	0.11	4.8	0.031	2.59	37.9	12.9	0.43	382	1.50	2.83	11.4	5.4
J594530		5.4	2.23	16.65	0.13	4.8	0.030	2.67	35.4	14.5	0.44	383	1.31	2.84	11.3	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J594491		580	14.7	88.6	0.034	0.23	0.51	8.3	2	2.0	163.5	1.09	<0.05	14.3	0.294	0.51
J594492		560	14.7	86.5	<0.002	0.01	0.42	8.0	2	2.2	193.0	1.15	<0.05	12.6	0.289	0.43
J594493		570	15.4	104.0	<0.002	0.06	0.32	8.0	2	1.7	199.0	1.11	<0.05	14.1	0.292	0.56
J594494		610	14.3	101.0	0.005	0.08	0.52	8.1	2	1.9	208	1.06	<0.05	11.4	0.318	0.59
J594495		590	13.4	112.5	<0.002	0.06	0.42	8.4	2	1.9	215	1.05	<0.05	12.4	0.297	0.61
J594496		580	12.2	96.7	<0.002	0.17	0.43	8.4	2	1.9	171.0	1.04	<0.05	11.6	0.299	0.46
J594497		470	8.1	88.2	<0.002	0.12	0.31	8.0	2	1.8	147.0	0.78	<0.05	8.1	0.224	0.49
J594498		580	13.4	104.5	<0.002	0.13	0.47	8.5	2	1.7	228	1.02	<0.05	13.1	0.300	0.54
J594499		540	17.2	123.5	<0.002	0.05	0.46	7.7	2	2.3	196.0	1.49	<0.05	14.8	0.274	0.65
J594500		180	11.6	60.9	<0.002	<0.01	0.19	5.8	2	1.6	182.5	0.46	<0.05	5.6	0.113	0.40
J594501		530	15.6	102.5	<0.002	0.07	0.39	8.0	2	2.0	205	1.31	<0.05	15.1	0.276	0.51
J594502		580	15.5	107.5	<0.002	0.05	0.39	8.5	2	1.9	207	1.15	<0.05	12.9	0.290	0.58
J594503		570	17.7	113.0	<0.002	0.24	0.53	8.2	2	1.9	200	1.10	<0.05	13.7	0.289	0.62
J594504		570	16.3	99.2	0.002	0.56	0.59	8.2	2	2.2	172.0	1.04	<0.05	13.8	0.286	0.53
J594505		550	17.7	96.9	<0.002	0.07	0.68	8.5	2	1.9	206	1.13	<0.05	13.6	0.278	0.55
J594506		550	41.5	98.4	0.009	0.90	0.94	8.3	3	2.0	179.0	1.12	0.06	14.2	0.265	0.56
J594507		550	15.4	91.6	<0.002	0.03	0.29	8.0	2	2.1	200	1.54	<0.05	12.5	0.283	0.43
J594508		540	17.1	102.0	0.006	0.01	0.15	7.9	3	2.3	196.5	1.42	<0.05	14.6	0.277	0.52
J594509		590	13.8	96.2	<0.002	0.01	0.17	8.7	3	2.3	209	1.42	<0.05	13.9	0.299	0.51
J594510		560	9.7	88.9	<0.002	0.06	0.19	8.0	2	2.3	130.5	1.21	<0.05	14.5	0.284	0.40
J594511		360	16.2	142.5	<0.002	0.03	0.14	5.6	2	2.5	41.5	1.26	<0.05	17.7	0.181	0.65
J594512		560	4.2	103.5	<0.002	0.04	0.18	8.2	2	2.1	35.1	1.10	<0.05	13.4	0.268	0.55
J594513		560	6.2	81.8	<0.002	0.06	0.18	8.4	2	2.2	98.5	0.95	<0.05	12.9	0.281	0.33
J594514		580	11.1	89.0	<0.002	0.02	0.29	8.5	3	2.0	135.5	1.08	<0.05	13.0	0.293	0.38
J594515		640	11.3	104.0	<0.002	0.41	0.30	8.8	1	2.2	114.5	1.26	<0.05	15.3	0.316	0.41
J594516		560	13.0	88.8	<0.002	0.20	0.29	8.4	1	2.3	158.5	1.22	<0.05	13.7	0.289	0.37
J594517		560	12.0	79.7	<0.002	0.05	0.33	8.5	1	2.4	185.5	1.31	<0.05	14.6	0.287	0.37
J594518		510	7.9	78.2	<0.002	0.03	0.27	7.8	1	2.0	144.0	0.97	<0.05	12.2	0.263	0.36
J594519		570	10.0	78.7	<0.002	0.05	0.26	7.9	1	2.1	172.5	1.17	<0.05	12.9	0.291	0.37
J594520		590	13.1	102.5	<0.002	0.01	0.13	8.7	1	2.1	202	1.23	<0.05	14.9	0.307	0.49
J594521		560	15.3	88.4	<0.002	0.02	0.17	7.1	1	1.9	193.5	1.06	<0.05	13.5	0.289	0.52
J594522		600	17.9	107.0	<0.002	0.01	0.16	7.9	1	2.1	207	1.25	<0.05	14.7	0.307	0.60
J594523		570	16.6	89.6	<0.002	0.01	0.12	7.7	1	2.0	198.0	1.13	<0.05	11.4	0.299	0.50
J594524		570	16.9	98.6	<0.002	0.01	0.09	6.8	1	2.2	189.0	1.10	<0.05	12.4	0.302	0.64
J594525		590	17.5	114.0	<0.002	0.01	0.10	8.0	1	2.1	201	1.14	<0.05	14.6	0.301	0.63
J594526		570	16.4	104.0	<0.002	0.01	0.11	7.3	1	1.9	198.0	1.05	<0.05	15.7	0.299	0.55
J594527		550	15.7	95.4	<0.002	0.01	0.13	7.1	1	1.8	197.5	1.02	<0.05	14.3	0.288	0.53
J594528		560	16.9	96.8	<0.002	0.01	0.10	7.1	1	1.8	202	1.03	<0.05	12.6	0.298	0.57
J594529		520	17.2	101.0	<0.002	0.01	0.10	6.5	1	1.9	185.5	1.06	<0.05	12.8	0.269	0.56
J594530		520	16.7	97.5	<0.002	0.01	0.09	6.6	1	1.7	186.0	1.08	<0.05	12.4	0.274	0.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594491		3.4	41	1.7	21.0	38	209
J594492		3.4	42	1.1	20.1	47	209
J594493		3.1	42	2.8	20.7	43	191.5
J594494		2.7	44	1.3	19.8	50	203
J594495		3.1	43	1.1	21.1	51	219
J594496		3.0	42	5.1	20.8	44	210
J594497		2.2	39	2.5	16.2	42	143.5
J594498		3.2	43	1.6	21.7	43	237
J594499		4.3	38	1.6	23.7	45	195.0
J594500		2.1	14	1.0	16.6	42	27.0
J594501		4.6	39	1.5	22.8	42	202
J594502		3.2	42	1.4	21.4	48	209
J594503		3.5	41	4.0	21.5	42	210
J594504		3.6	41	36.8	21.0	37	215
J594505		4.7	41	1.5	21.5	46	184.0
J594506		3.7	40	15.0	22.1	71	196.0
J594507		3.8	40	1.2	23.4	44	206
J594508		4.6	39	1.1	23.7	44	209
J594509		4.4	43	1.5	24.2	48	193.5
J594510		4.7	40	2.5	23.3	32	201
J594511		5.0	25	2.4	18.2	23	158.5
J594512		3.9	46	2.8	21.9	52	214
J594513		3.6	39	2.6	21.0	33	218
J594514		3.4	40	2.1	23.0	31	212
J594515		4.0	45	4.2	22.1	38	213
J594516		3.6	42	2.9	22.6	42	201
J594517		3.8	42	2.1	22.5	47	181.5
J594518		3.2	39	1.5	19.5	37	151.5
J594519		3.4	41	1.8	20.9	42	166.0
J594520		3.9	45	1.2	22.8	49	194.5
J594521		3.5	42	1.3	21.6	47	172.5
J594522		3.9	44	1.0	23.7	52	187.0
J594523		3.3	44	1.0	22.6	53	173.0
J594524		3.3	41	0.8	20.2	50	197.0
J594525		3.6	42	0.9	23.6	51	219
J594526		3.3	42	0.8	22.0	49	179.0
J594527		3.2	40	0.6	21.2	49	166.0
J594528		3.0	41	0.7	20.8	51	181.0
J594529		3.0	38	0.7	20.3	47	167.5
J594530		3.0	38	0.6	20.0	47	164.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-GRA21 Au g/t 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J594531		1.87	<0.005		0.05	7.65	1.7	840	1.78	0.07	1.92	0.07	85.7	6.6	10	3.58
J594532		1.82	0.014		<0.01	6.73	2.7	730	1.49	0.05	1.72	0.07	81.7	6.1	10	2.65
J594533		1.83	0.108		0.15	6.79	364	780	1.49	0.10	1.71	0.09	97.2	6.1	11	2.29
J594534		1.98	<0.005		<0.01	6.74	10.8	740	1.59	0.07	1.64	0.07	76.4	5.7	10	3.22
J594535		1.91	0.018		0.01	6.98	32.0	720	1.52	0.07	1.80	0.07	84.7	6.2	10	2.73
J594536		0.83	0.394		0.06	6.19	3190	650	1.69	0.23	1.64	0.07	81.1	13.4	10	2.97
J594537		1.03	0.020		0.09	6.69	279	730	1.58	0.08	1.21	0.05	65.2	4.5	8	1.99
J594538		2.04	0.009		0.01	7.05	149.5	660	1.45	0.05	1.50	0.08	75.9	4.1	9	1.30
J594539		1.81	<0.005		0.02	7.08	54.5	770	1.39	0.05	1.88	0.08	82.4	6.0	11	2.38
J594540		1.81	<0.005		<0.01	7.10	15.3	790	1.48	0.06	1.86	0.07	87.3	6.0	10	2.53
J594541		1.97	<0.005		<0.01	7.31	2.2	780	1.48	0.06	1.89	0.08	84.5	6.5	12	2.57
J594542		1.91	<0.005		<0.01	6.72	13.4	730	1.43	0.06	1.76	0.06	93.4	6.1	10	2.69
J594543		1.85	<0.005		0.02	7.01	27.2	730	1.47	0.06	1.82	0.07	87.8	6.0	11	2.60
J594544		1.86	<0.005		0.03	6.89	8.0	790	1.42	0.06	1.71	0.07	80.5	6.1	11	2.89
J594545		1.91	<0.005		0.03	6.89	6.3	710	1.71	0.05	1.68	0.06	75.7	6.3	10	3.10
J594546		1.22	<0.005		<0.01	6.88	7.1	740	1.74	0.05	1.75	0.07	81.8	6.3	10	3.19
J594547		0.61	<0.005		0.02	6.14	71.2	610	1.43	0.06	1.42	0.08	76.9	3.1	10	1.27
J594548		0.73	<0.005		<0.01	7.11	39.1	740	1.54	0.06	1.88	0.05	92.0	6.2	11	3.39
J594549		0.67	0.010		0.03	6.28	74.0	800	1.46	0.07	1.97	0.07	73.6	5.8	10	2.28
J594550		0.03	6.83		0.42	7.55	3.3	190	2.24	0.10	1.04	0.44	19.05	10.4	39	1.54
J594551		0.71	0.006		<0.01	7.09	2.6	790	1.48	0.04	1.80	0.08	86.2	6.2	11	2.56
J594552		1.92	<0.005		0.03	6.21	13.3	640	1.30	0.08	1.94	0.09	48.5	8.0	33	2.98
J594553		0.70	<0.005		0.03	6.95	18.2	670	1.26	0.09	1.90	0.08	70.1	8.4	26	3.27
J594554		0.41	0.119		0.12	5.96	45.1	550	1.52	0.47	1.65	0.13	50.4	4.5	21	1.86
J594555		1.36	<0.005		0.01	7.11	23.1	680	1.56	0.08	1.86	0.08	71.7	6.5	22	3.47
J594556		1.23	<0.005		0.04	6.80	23.5	670	1.42	0.09	1.72	0.06	65.1	6.6	20	3.20
J594557		2.00	<0.005		0.08	6.68	49.0	640	1.46	0.10	1.64	0.09	71.1	8.1	23	3.20
J594558		0.96	<0.005		0.06	6.26	45.9	450	2.38	0.09	1.21	0.04	59.2	5.5	15	2.73
J594559		0.66	<0.005		0.07	6.52	30.5	730	1.43	0.10	1.60	0.07	67.0	5.9	21	3.23
J594560		0.51	0.026		0.11	6.53	158.0	570	1.58	0.09	1.54	0.12	70.5	5.5	20	3.20
J594561		1.71	0.006		0.09	6.75	102.0	660	1.37	0.13	1.72	0.17	73.7	6.6	21	3.07
J594562		2.03	0.007		0.11	6.68	122.0	670	1.33	0.12	1.75	0.08	74.1	7.1	22	3.05
J594563		1.80	0.225		0.07	6.42	95.1	660	1.41	0.13	1.65	0.08	73.1	8.3	22	2.89
J594564		1.84	0.252		0.12	6.59	1230	620	1.38	0.43	1.69	0.10	75.3	9.2	22	3.06
J594565		1.75	0.011		0.11	6.64	115.5	660	1.40	0.12	1.57	1.06	71.4	6.8	22	3.04
J594566		1.02	1.475		0.81	6.24	>10000	610	1.46	8.22	1.81	9.10	71.7	22.5	25	2.93
J594567		0.97	0.007		0.10	7.17	52.5	770	1.16	0.11	2.07	0.09	80.5	7.7	26	3.45
J594568		1.71	0.011		0.06	6.92	89.8	790	1.31	0.11	2.01	0.10	70.7	8.1	24	2.90
J594569		1.82	<0.005		0.06	6.88	44.3	740	1.53	0.06	1.83	0.06	79.5	10.1	23	3.21
J594570		1.87	<0.005		0.06	6.77	11.2	720	1.32	0.05	1.84	0.06	79.0	8.3	24	3.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J594531		6.7	2.59	19.50	0.16	5.4	0.037	2.98	41.1	21.6	0.51	450	2.65	3.18	14.2	6.7
J594532		5.8	2.32	16.90	0.12	5.2	0.032	2.43	40.1	22.1	0.47	394	0.92	2.74	11.4	6.0
J594533		17.1	2.39	18.05	0.15	5.1	0.036	2.54	46.9	20.8	0.48	394	1.32	2.86	11.8	6.0
J594534		4.5	2.21	17.00	0.13	5.2	0.033	2.59	39.9	24.8	0.45	380	1.13	2.72	12.0	6.0
J594535		6.5	2.37	17.20	0.13	4.8	0.036	2.46	42.2	20.7	0.49	391	1.00	2.87	12.2	6.2
J594536		16.7	2.27	16.80	0.13	4.7	0.034	2.74	40.3	15.0	0.42	333	0.81	2.41	12.5	6.9
J594537		59.4	2.49	17.40	0.12	4.8	0.038	2.82	34.1	14.2	0.38	335	1.71	2.76	12.3	8.5
J594538		4.6	2.07	17.65	0.13	5.0	0.036	2.42	36.5	15.4	0.45	376	1.35	3.34	12.1	4.1
J594539		5.0	2.40	18.00	0.14	5.2	0.038	2.70	39.4	23.0	0.51	435	1.86	3.04	12.6	5.6
J594540		4.7	2.46	17.45	0.15	4.6	0.037	2.62	43.3	21.1	0.51	425	1.11	2.87	12.0	6.0
J594541		5.8	2.51	17.40	0.14	4.9	0.035	2.59	41.9	19.8	0.51	419	1.40	2.90	11.9	6.5
J594542		8.2	2.41	16.85	0.15	4.6	0.037	2.43	44.6	22.9	0.49	408	1.27	2.88	11.7	6.4
J594543		7.9	2.41	17.65	0.14	5.1	0.035	2.48	43.4	22.5	0.49	416	2.13	3.04	12.0	6.5
J594544		8.8	2.42	17.00	0.14	5.0	0.037	2.59	39.6	23.4	0.49	404	2.09	2.90	11.9	6.3
J594545		7.4	2.27	17.90	0.13	5.2	0.035	2.70	35.6	22.0	0.45	384	2.29	2.96	12.4	6.1
J594546		4.8	2.37	17.80	0.14	5.7	0.033	2.57	39.5	24.1	0.48	402	1.55	2.86	12.6	6.3
J594547		5.7	1.90	15.20	0.13	5.1	0.024	2.03	36.7	11.5	0.43	381	0.92	2.87	11.5	3.4
J594548		9.0	2.58	17.55	0.16	5.3	0.036	2.46	44.0	28.0	0.54	467	1.36	2.98	12.6	6.4
J594549		23.1	2.38	15.85	0.14	4.7	0.030	2.53	35.3	22.0	0.48	447	31.8	2.68	12.1	6.6
J594550		18.3	4.55	19.90	0.13	1.3	0.015	2.37	9.6	2.0	0.99	274	2.21	5.13	10.2	40.1
J594551		6.2	2.48	17.05	0.14	4.8	0.039	2.67	41.9	20.7	0.53	426	2.35	2.77	12.3	6.6
J594552		10.7	2.48	16.65	0.13	4.3	0.030	2.38	24.4	27.6	0.75	420	4.17	2.83	10.4	20.1
J594553		10.3	2.43	16.35	0.13	4.4	0.030	2.42	35.6	29.1	0.77	405	0.79	2.65	9.5	18.4
J594554		23.2	1.71	14.25	0.10	4.3	0.024	2.25	24.8	15.9	0.52	359	2.93	2.57	9.8	10.4
J594555		6.9	2.29	17.80	0.14	4.5	0.033	2.75	35.3	30.2	0.65	412	0.61	3.00	12.1	13.4
J594556		12.6	2.26	16.40	0.14	4.5	0.027	2.61	32.2	26.1	0.61	371	0.89	2.83	10.8	13.7
J594557		8.1	2.20	18.80	0.15	5.0	0.031	2.56	34.8	30.2	0.62	378	0.86	2.66	12.5	16.4
J594558		8.3	1.66	18.90	0.14	5.5	0.024	2.80	27.4	20.9	0.42	285	21.1	2.65	19.8	10.0
J594559		8.1	2.11	18.15	0.14	4.2	0.030	2.66	32.5	28.8	0.58	369	3.03	2.59	10.8	13.4
J594560		6.0	2.03	17.45	0.15	4.2	0.029	2.74	36.1	26.8	0.58	336	2.10	2.66	10.7	13.6
J594561		11.3	2.18	18.70	0.16	5.0	0.033	2.57	36.3	25.2	0.63	380	2.77	2.80	10.9	14.5
J594562		7.0	2.31	18.45	0.16	4.6	0.032	2.49	36.2	28.5	0.65	398	4.64	2.73	11.3	15.7
J594563		6.5	2.19	18.00	0.18	5.2	0.033	2.47	36.0	25.5	0.61	377	2.69	2.64	11.2	14.9
J594564		9.7	2.37	18.60	0.18	4.9	0.034	2.38	37.3	25.7	0.63	381	0.72	2.78	12.1	16.2
J594565		10.7	2.16	18.40	0.16	4.4	0.035	2.65	35.4	24.4	0.59	360	6.23	2.70	11.2	15.7
J594566		19.8	3.36	17.75	0.16	5.2	0.099	2.34	35.8	20.4	0.74	414	0.77	2.62	10.6	31.0
J594567		6.1	2.64	18.10	0.14	4.1	0.035	2.42	38.2	28.3	0.75	444	0.94	2.83	11.4	19.1
J594568		6.5	2.44	17.65	0.16	4.7	0.033	2.19	36.1	26.6	0.68	435	2.85	2.88	10.7	17.8
J594569		9.8	2.44	19.30	0.17	4.9	0.036	2.46	39.7	26.6	0.69	421	9.07	2.75	12.2	17.4
J594570		10.0	2.43	19.15	0.18	5.2	0.036	2.44	38.9	25.2	0.69	417	5.88	2.71	11.6	16.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
J594531		610	19.1	123.5	<0.002	0.01	0.14	8.0	1	2.2	210	1.36	<0.05	13.9	0.317	0.68
J594532		540	15.4	103.5	<0.002	0.01	0.11	7.1	1	1.8	193.5	0.95	<0.05	11.8	0.287	0.57
J594533		580	16.0	91.7	<0.002	0.25	0.34	7.6	1	1.9	184.0	0.98	<0.05	12.1	0.299	0.52
J594534		530	16.7	115.5	<0.002	0.02	0.22	6.8	1	1.9	183.5	1.14	<0.05	13.2	0.277	0.62
J594535		590	15.4	89.7	<0.002	0.05	0.33	7.5	1	2.0	201	1.11	<0.05	13.3	0.303	0.51
J594536		440	16.3	126.5	<0.002	0.46	0.68	5.7	1	2.2	127.5	1.29	0.06	17.3	0.241	0.61
J594537		450	13.4	91.2	<0.002	0.68	0.44	5.7	1	2.0	127.5	1.25	<0.05	15.7	0.242	0.43
J594538		570	12.9	79.2	<0.002	0.05	0.37	7.2	1	2.1	164.5	1.15	<0.05	13.2	0.288	0.42
J594539		590	15.2	97.3	<0.002	0.03	0.36	7.8	1	1.9	197.5	1.17	<0.05	12.8	0.306	0.53
J594540		600	15.0	106.5	<0.002	0.01	0.18	7.8	1	1.8	204	1.00	<0.05	12.3	0.306	0.55
J594541		600	15.4	105.5	<0.002	0.01	0.12	7.9	1	1.9	211	1.02	<0.05	12.1	0.308	0.59
J594542		580	14.0	99.3	<0.002	0.03	0.22	7.4	1	1.9	197.0	0.96	<0.05	11.9	0.300	0.56
J594543		590	13.7	98.0	<0.002	0.03	0.27	7.6	1	1.8	206	0.98	<0.05	11.7	0.304	0.53
J594544		580	15.0	105.5	<0.002	0.02	0.18	7.4	1	1.8	201	1.06	<0.05	12.0	0.300	0.57
J594545		550	16.9	110.5	<0.002	0.02	0.14	6.9	1	1.9	190.5	1.17	<0.05	13.6	0.284	0.62
J594546		570	15.4	109.0	<0.002	0.01	0.15	7.5	1	1.9	199.5	1.24	<0.05	13.4	0.295	0.58
J594547		540	9.3	70.0	<0.002	0.03	0.31	6.8	1	1.9	162.0	0.93	<0.05	10.9	0.272	0.33
J594548		630	13.0	103.5	<0.002	0.05	0.33	8.0	1	2.0	210	1.15	<0.05	13.2	0.322	0.56
J594549		550	14.1	90.4	0.002	0.17	0.34	7.3	1	1.8	181.5	0.99	<0.05	11.4	0.282	0.49
J594550		680	83.0	211	<0.002	3.35	1.01	3.4	1	1.0	176.5	0.78	<0.05	2.9	0.278	1.95
J594551		600	16.0	105.5	<0.002	0.01	0.12	8.2	1	1.9	207	1.07	<0.05	12.8	0.304	0.59
J594552		570	13.7	75.7	<0.002	0.03	0.27	7.1	1	1.9	203	0.89	<0.05	8.3	0.287	0.66
J594553		560	16.2	100.0	<0.002	0.03	0.43	7.7	1	1.9	213	0.75	<0.05	10.0	0.273	0.68
J594554		440	22.1	83.6	<0.002	0.11	0.32	5.4	1	1.8	155.5	1.27	<0.05	14.7	0.193	0.48
J594555		540	23.5	110.0	<0.002	0.02	0.51	6.9	1	2.1	205	1.09	<0.05	13.6	0.276	0.69
J594556		490	16.1	103.0	<0.002	0.06	0.39	6.6	1	1.8	185.5	1.00	<0.05	12.6	0.257	0.62
J594557		490	18.5	118.5	<0.002	0.03	0.42	7.5	1	2.0	203	1.22	<0.05	12.5	0.247	0.66
J594558		340	21.5	139.5	0.003	0.06	0.27	5.8	1	1.7	142.5	2.86	<0.05	21.0	0.183	0.65
J594559		480	17.6	119.0	<0.002	0.04	0.30	7.1	1	1.8	190.5	0.93	<0.05	10.7	0.243	0.66
J594560		420	17.1	131.5	<0.002	0.05	0.49	6.8	1	1.9	169.5	1.10	<0.05	14.1	0.221	0.67
J594561		520	18.4	114.0	<0.002	0.09	0.31	7.7	2	2.0	203	0.83	<0.05	11.7	0.253	0.65
J594562		550	16.3	106.0	<0.002	0.02	0.35	7.7	1	2.0	211	0.87	<0.05	11.1	0.268	0.65
J594563		500	17.8	105.0	<0.002	0.03	0.30	7.4	1	1.9	201	0.95	<0.05	12.2	0.249	0.63
J594564		540	18.0	110.0	<0.002	0.17	0.58	7.8	1	2.0	204	1.09	<0.05	12.9	0.260	0.64
J594565		490	18.3	109.5	<0.002	0.06	0.33	7.3	1	1.9	209	1.04	<0.05	12.8	0.245	0.64
J594566		510	23.4	105.0	<0.002	1.10	2.22	7.9	2	2.1	175.5	0.97	<0.05	11.9	0.248	0.59
J594567		580	17.0	97.0	<0.002	0.01	0.28	7.7	2	1.9	239	1.02	<0.05	12.9	0.299	0.61
J594568		590	15.0	89.8	<0.002	0.01	0.36	8.7	1	1.8	237	0.79	<0.05	10.7	0.285	0.59
J594569		560	14.9	109.5	<0.002	0.01	0.29	8.5	2	2.0	220	1.03	<0.05	12.1	0.281	0.65
J594570		570	13.6	105.0	<0.002	0.01	0.16	8.1	1	2.1	217	0.89	<0.05	10.8	0.279	0.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594531		3.7	44	0.8	24.5	55	182.0
J594532		3.0	40	0.4	20.8	48	190.5
J594533		2.9	43	6.0	20.7	46	188.0
J594534		3.6	38	0.7	21.4	45	184.5
J594535		3.2	42	2.1	22.7	47	170.5
J594536		4.5	34	6.3	20.7	32	150.5
J594537		4.3	39	3.0	19.7	33	154.5
J594538		3.5	43	2.0	19.7	39	174.0
J594539		3.3	44	0.8	21.3	50	184.5
J594540		2.9	44	0.7	21.6	50	167.0
J594541		3.0	45	0.6	22.4	50	178.0
J594542		2.6	43	1.5	20.7	49	174.0
J594543		2.7	43	1.1	21.4	47	186.0
J594544		3.0	43	1.0	21.2	49	181.5
J594545		3.6	40	1.1	21.6	46	182.5
J594546		3.5	42	2.3	23.0	48	199.0
J594547		3.7	37	3.2	18.6	36	175.5
J594548		3.2	45	0.8	23.1	49	190.0
J594549		3.6	41	1.8	20.5	41	166.5
J594550		1.0	34	0.2	5.6	43	49.8
J594551		3.0	44	1.2	23.1	52	165.0
J594552		2.2	49	1.3	16.0	53	151.5
J594553		2.0	46	1.3	18.1	54	160.5
J594554		3.6	32	13.1	15.5	47	127.0
J594555		2.9	42	1.1	19.4	61	158.0
J594556		3.2	40	1.1	18.1	43	155.5
J594557		3.5	41	0.8	20.0	49	155.5
J594558		8.4	28	1.0	26.3	34	126.0
J594559		2.6	40	0.7	17.7	46	134.0
J594560		3.1	35	1.6	16.6	62	125.0
J594561		2.5	43	2.8	17.4	55	164.0
J594562		2.5	45	0.5	17.6	48	150.5
J594563		3.0	42	0.5	18.1	51	165.0
J594564		3.4	44	1.8	19.0	73	151.0
J594565		3.3	41	0.9	17.6	105	135.5
J594566		3.4	44	12.5	18.9	513	163.0
J594567		2.9	48	0.5	18.1	56	161.0
J594568		2.4	47	0.5	18.0	52	189.5
J594569		3.3	47	0.6	19.9	51	158.0
J594570		2.7	48	0.4	18.6	52	174.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	Au-GRA21 Au g/t 0.05	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
J594571		1.70	<0.005		0.05	6.92	8.1	720	1.47	0.05	1.82	0.05	82.0	8.3	23	3.02
J594572		1.14	<0.005		0.05	6.98	17.2	730	1.55	0.06	1.86	0.06	79.0	8.2	27	3.34
J594573		1.08	0.018		0.11	6.71	354	840	1.46	0.21	1.74	0.08	77.1	6.2	24	3.11
J594574		0.52	>10.0	16.35	0.61	6.27	>10000	690	1.29	1.90	1.48	0.12	78.8	16.6	21	2.40
J594575		0.06	<0.005		0.05	6.39	1.6	930	1.07	0.10	1.37	0.10	30.0	2.4	13	1.90
J594576		0.92	0.006		0.01	6.72	72.0	630	1.25	0.06	2.23	0.06	69.1	4.5	20	2.97
J594577		0.61	0.042		0.04	6.49	69.4	550	1.90	0.08	1.44	0.05	67.4	7.3	18	3.78
J594578		0.66	0.011		0.04	6.98	47.6	680	1.48	0.07	1.77	0.05	73.6	5.6	23	3.40
J594579		0.66	0.014		0.09	11.35	260	850	2.05	0.07	2.51	0.08	78.1	2.7	24	3.61
J594580		2.06	<0.005		0.06	7.24	67.2	700	1.53	0.18	1.82	0.06	81.8	6.1	25	3.46
J594581		1.89	<0.005		0.06	7.01	10.5	720	1.49	0.06	1.88	0.05	86.4	8.3	24	3.34
J594582		1.92	<0.005		0.05	6.85	5.7	670	1.46	0.04	1.82	0.05	81.0	8.0	24	3.26
J594583		1.95	<0.005		0.04	6.79	2.0	740	1.70	0.05	1.76	0.06	105.0	9.7	22	4.01
J594584		1.85	0.005		0.05	6.91	3.5	710	1.29	0.05	1.82	0.06	82.3	7.8	24	3.15
J594585		1.97	<0.005		0.06	6.79	7.0	710	1.38	0.04	1.77	0.05	82.8	7.7	20	3.08
J594586		1.83	<0.005		0.07	6.80	2.2	670	1.43	0.04	1.81	0.05	83.1	8.1	23	3.17
J594587		1.88	<0.005		0.29	6.71	2.2	670	1.41	0.04	1.78	0.05	79.2	7.7	24	3.11
J594588		1.89	0.007		0.06	6.82	13.6	700	1.41	0.04	1.77	0.06	78.3	7.5	23	3.01
J594589		1.99	<0.005		0.06	6.77	9.8	670	1.34	0.05	1.76	0.05	78.7	7.7	24	2.96
J594590		1.98	<0.005		0.07	6.97	8.8	730	1.41	0.08	1.81	0.06	80.6	7.8	23	3.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
J594571		13.0	2.45	19.40	0.18	4.9	0.037	2.53	40.9	24.6	0.68	417	5.64	2.69	12.4	16.9
J594572		10.5	2.45	19.60	0.18	5.2	0.036	2.51	38.8	26.1	0.69	430	2.37	2.77	12.3	16.8
J594573		9.7	2.34	19.25	0.18	4.8	0.039	2.87	38.0	28.0	0.67	366	1.41	2.43	11.3	16.1
J594574		18.2	3.87	17.10	0.18	4.7	0.054	2.49	41.1	15.9	0.61	335	6.91	2.33	10.0	17.6
J594575		4.7	1.48	13.80	0.07	1.1	0.016	2.32	13.6	10.6	0.19	578	1.06	2.81	5.1	2.6
J594576		4.8	2.13	16.85	0.15	4.3	0.030	2.39	34.6	28.4	0.71	447	5.37	2.94	10.6	13.2
J594577		7.2	1.92	18.20	0.16	4.7	0.026	2.67	32.6	21.3	0.50	344	5.07	2.69	12.6	13.0
J594578		5.7	2.31	18.65	0.17	4.8	0.033	2.52	36.5	27.2	0.66	392	20.7	2.90	10.9	14.9
J594579		6.1	2.69	21.2	0.18	6.0	0.037	3.07	37.5	32.5	0.85	380	137.0	3.84	13.0	8.9
J594580		11.4	2.48	19.80	0.18	5.0	0.034	2.60	40.5	28.2	0.71	409	23.0	2.99	11.9	14.6
J594581		9.4	2.53	19.30	0.18	5.3	0.035	2.61	42.3	21.5	0.72	433	11.90	2.86	12.2	16.8
J594582		9.1	2.41	19.45	0.18	5.9	0.035	2.50	39.5	17.5	0.69	408	20.5	2.91	11.9	16.9
J594583		12.5	2.30	22.8	0.22	6.4	0.046	2.57	52.3	20.7	0.64	386	18.40	2.81	14.8	19.5
J594584		10.2	2.41	18.35	0.17	4.9	0.035	2.52	40.9	17.4	0.68	408	17.75	2.85	11.8	16.2
J594585		9.0	2.36	17.85	0.17	5.0	0.034	2.52	41.1	17.1	0.65	392	13.25	2.81	12.1	15.5
J594586		9.1	2.39	18.20	0.19	4.6	0.034	2.43	41.9	16.9	0.68	404	1.40	2.78	11.9	16.5
J594587		9.6	2.39	17.70	0.18	4.7	0.037	2.42	38.7	19.3	0.69	408	1.10	2.79	11.5	16.2
J594588		8.0	2.38	17.25	0.17	4.9	0.036	2.54	39.1	24.0	0.67	405	1.02	2.90	11.7	15.3
J594589		9.0	2.59	17.65	0.19	4.7	0.040	2.63	38.3	26.3	0.67	438	1.04	2.75	11.2	15.8
J594590		8.7	2.45	17.75	0.20	5.6	0.036	2.62	39.4	27.0	0.68	433	2.34	2.85	11.7	15.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
J594571		560	14.4	109.0	<0.002	0.01	0.11	8.2	2	2.2	218	1.09	<0.05	12.8	0.277	0.66
J594572		580	14.4	110.5	<0.002	0.01	0.24	8.3	2	2.1	222	1.00	<0.05	12.1	0.285	0.67
J594573		560	15.1	117.0	<0.002	0.04	0.55	8.4	1	2.3	200	0.81	<0.05	11.6	0.272	0.66
J594574		490	20.3	106.5	<0.002	1.44	7.71	7.5	2	2.3	179.0	0.78	0.26	12.5	0.242	0.53
J594575		190	12.5	59.6	<0.002	<0.01	0.21	5.2	1	1.7	179.5	0.52	<0.05	6.2	0.117	0.42
J594576		540	13.1	103.5	<0.002	0.01	0.39	8.2	1	1.6	192.0	0.91	<0.05	12.0	0.270	0.62
J594577		410	17.9	140.0	<0.002	0.02	0.36	6.5	1	2.1	171.5	1.38	<0.05	15.6	0.217	0.69
J594578		530	16.1	112.0	<0.002	0.01	0.34	7.6	1	2.0	222	0.88	<0.05	11.5	0.262	0.71
J594579		700	18.5	114.0	0.015	0.03	0.55	8.5	1	2.4	324	1.23	<0.05	14.4	0.302	0.74
J594580		570	14.0	117.0	0.003	0.03	0.37	8.6	2	2.2	226	0.98	<0.05	12.8	0.287	0.69
J594581		610	14.5	116.0	0.002	0.01	0.11	8.7	2	2.2	219	1.00	<0.05	13.1	0.289	0.71
J594582		560	15.1	111.5	0.003	0.01	0.08	8.1	2	2.1	218	0.98	<0.05	13.0	0.282	0.69
J594583		540	20.2	100.0	0.003	0.01	0.12	10.0	2	2.8	216	1.27	0.05	15.4	0.264	0.87
J594584		560	15.2	113.0	0.003	0.01	0.08	7.9	2	2.0	220	0.97	<0.05	12.4	0.278	0.71
J594585		560	14.6	110.0	0.002	0.01	0.06	7.7	1	2.1	213	1.04	<0.05	12.0	0.278	0.68
J594586		560	14.9	111.5	<0.002	0.01	0.06	8.3	2	2.1	214	0.96	<0.05	13.2	0.282	0.67
J594587		550	14.8	105.0	<0.002	<0.01	0.07	7.6	2	2.2	213	0.96	<0.05	12.3	0.276	0.70
J594588		550	14.0	108.0	<0.002	0.01	0.20	7.8	2	2.2	214	1.07	<0.05	12.0	0.273	0.66
J594589		540	14.3	109.0	<0.002	0.01	0.20	7.6	1	2.6	209	0.92	<0.05	12.0	0.276	0.66
J594590		560	14.2	115.0	<0.002	0.01	0.25	7.8	2	2.2	215	0.96	<0.05	13.2	0.277	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594571		3.4	47	0.4	20.0	50	153.0
J594572		3.1	48	0.5	19.6	52	176.0
J594573		2.2	49	3.6	17.8	52	159.5
J594574		2.8	42	50.0	19.3	46	150.5
J594575		1.9	15	1.1	17.0	43	29.2
J594576		2.8	42	3.9	18.1	46	168.0
J594577		4.3	34	0.9	17.5	39	136.0
J594578		2.5	45	0.5	17.7	51	152.0
J594579		4.3	49	1.1	20.5	66	191.0
J594580		3.2	49	0.5	19.1	56	159.0
J594581		3.1	50	0.5	20.2	52	166.5
J594582		2.9	47	0.4	18.9	49	191.5
J594583		3.4	45	0.6	22.9	47	195.0
J594584		3.0	47	0.5	18.9	48	154.5
J594585		2.9	46	0.4	18.7	47	158.0
J594586		2.9	47	0.5	18.7	48	146.5
J594587		3.0	46	0.5	17.9	50	146.0
J594588		2.8	46	0.5	19.0	50	157.5
J594589		2.9	51	3.8	18.0	51	147.0
J594590		2.8	48	1.0	19.0	49	176.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 1-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11021204

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.