ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

CERTIFICATE TB10170935

Project: TPK - ROWLANDSON

P.O. No.:

This report is for 128 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756376		1.49	<0.005	0.08	7.18	4.2	750	1.54	0.04	2.04	0.08	81.3	8.5	27	3.55	9.6
H756377		0.62	0.010	0.05	6.60	3.5	730	1.47	0.04	1.91	0.08	73.0	8.5	28	3.17	9.5
H756378		0.45	0.008	0.05	6.62	4.9	710	1.51	0.11	2.01	0.10	70.4	8.2	24	3.15	9.6
H756379		1.05	<0.005	0.09	6.87	4.1	810	1.58	0.14	2.04	0.09	72.1	8.6	21	3.75	13.7
H756380		1.65	0.034	0.17	6.48	15.9	710	1.41	1.37	1.85	0.12	73.0	8.2	24	3.21	21.9
H756381		1.85	0.018	0.20	6.86	6.2	740	2.01	0.29	1.91	0.11	76.8	7.8	24	3.69	25.2
H756382		0.55	<0.005	0.11	6.82	5.1	730	1.45	0.07	1.92	0.10	83.5	8.3	20	3.33	6.7
H756383		0.37	0.027	0.06	7.11	10.5	770	1.61	0.13	1.97	0.09	80.2	8.4	19	2.99	8.6
H756384		0.97	<0.005	0.06	6.81	6.3	760	1.47	0.06	1.88	0.08	76.3	8.6	22	3.24	9.7
H756385		0.72	<0.005	0.07	6.83	4.3	740	1.47	0.05	1.90	0.08	76.3	8.5	19	3.21	8.5
H756386		0.41	0.006	0.08	6.71	1.8	710	1.53	0.05	1.77	0.07	73.4	7.4	18	2.90	8.6
H756387		1.23	<0.005	0.10	7.08	10.0	770	1.55	0.07	1.98	0.11	79.4	8.8	21	3.55	12.6
H756388		1.21	<0.005	0.06	6.90	14.4	730	1.55	0.09	1.94	0.10	78.5	8.6	22	3.33	6.4
H756389		0.39	<0.005	0.04	6.77	12.7	760	1.55	0.09	1.85	0.09	72.7	8.3	18	3.01	7.0
H756390		1.07	<0.005	0.10	6.87	5.3	730	1.49	0.04	1.89	0.09	77.0	8.3	27	3.31	8.2
H756391		1.71	<0.005	0.08	6.78	4.6	750	1.50	0.05	1.88	0.08	71.4	7.9	26	3.08	9.1
H756392		1.75	<0.005	0.80	6.82	15.5	730	1.67	0.18	1.90	0.10	70.3	7.7	20	3.06	14.9
H756393		0.76	<0.005	0.08	6.80	23.2	760	1.58	0.36	1.96	0.11	75.4	8.0	23	3.09	11.8
H756394		0.33	0.111	0.11	6.97	48.0	770	1.60	0.29	1.89	0.12	76.4	9.4	23	2.40	9.8
H756395		1.18	0.171	0.09	6.78	40.8	710	1.55	0.18	1.90	0.10	75.8	7.6	20	2.91	9.4
H756396		1.26	<0.005	0.08	6.79	43.9	690	1.43	0.13	1.97	0.11	65.8	9.1	25	2.91	11.5
H756397		0.34	<0.005	0.05	6.78	32.1	660	1.70	0.11	1.90	0.09	72.6	8.5	18	2.81	6.4
H756398		1.68	0.011	0.10	6.58	29.8	740	1.60	0.13	1.92	0.09	74.2	8.1	23	2.74	10.4
H756399		1.13	<0.005	0.09	6.65	1.6	710	1.53	0.04	1.86	0.10	73.6	7.8	21	2.82	9.0
H756400		0.03	NSS	0.84	7.59	3.4	90	2.59	1.12	0.89	0.20	15.55	8.6	28	30.9	10.6
H756401		0.57	<0.005	0.11	6.97	14.3	770	1.54	0.07	1.89	0.10	78.1	8.8	22	3.29	9.5
H756402		0.33	0.186	0.19	6.02	145.0	610	1.74	0.14	1.75	0.15	59.1	6.5	21	1.77	10.5
H756403		0.55	0.279	0.31	6.36	106.5	710	1.63	0.20	1.85	0.12	70.2	8.2	21	2.06	6.2
H756404		0.28	0.356	0.15	6.82	122.5	700	1.72	0.20	1.89	0.12	76.0	10.0	23	2.40	14.7
H756405		0.48	0.011	0.11	6.32	29.0	710	1.47	0.05	1.83	0.10	67.7	7.6	23	2.67	8.6
H756406		1.74	<0.005	0.06	6.86	11.1	720	1.49	0.03	1.88	0.09	79.2	8.1	23	3.05	7.8
H756407		1.39	<0.005	0.69	6.77	12.0	840	1.44	0.03	1.03	0.07	93.6	4.9	11	1.41	8.6
H756408		0.91	0.007	0.13	7.03	39.9	890	1.20	0.10	1.12	0.20	103.5	7.4	10	0.98	15.5
H756409		0.50	0.285	0.29	7.07	1140	980	1.49	0.53	0.98	0.46	80.5	5.7	10	1.56	56.8
H756410		1.33	1.315	0.49	6.85	2830	870	1.34	0.44	0.69	2.20	84.8	6.5	9	1.50	78.0
H756411		1.40	0.589	1.08	6.87	1150	850	1.31	0.13	0.82	0.13	83.2	6.0	8	1.38	15.1
H756412		1.06	0.027	0.10	6.84	47.6	810	1.29	0.10	1.07	0.07	82.2	5.0	9	1.84	18.3
H756413		1.00	0.009	0.08	6.68	119.0	880	1.26	0.15	1.06	0.10	78.5	6.0	9	1.69	27.9
H756414		1.37	0.008	0.06	6.84	56.5	840	1.28	0.11	0.72	0.03	81.7	5.5	10	1.47	58.7
H756415		1.49	<0.005	0.04	6.80	32.2	800	1.27	0.06	1.22	0.03	74.1	6.4	8	1.07	8.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756376		2.52	17.85	0.18	5.2	0.032	2.46	39.8	29.7	0.73	443	2.15	2.72	10.9	18.4	590
H756377		2.46	16.95	0.17	4.5	0.028	2.36	34.6	29.7	0.69	424	2.20	2.57	10.6	17.7	570
H756378		2.41	16.50	0.19	4.6	0.026	2.30	32.9	31.6	0.69	427	4.50	2.78	9.9	17.2	550
H756379		2.65	18.05	0.18	5.6	0.034	2.59	32.6	39.6	0.72	453	2.73	2.84	12.1	16.4	630
H756380		2.44	17.05	0.18	4.9	0.025	2.47	34.5	35.3	0.67	426	2.25	2.57	10.6	15.9	550
H756381		2.40	18.35	0.19	5.1	0.028	2.52	36.8	32.6	0.66	422	0.92	2.88	13.4	15.7	550
H756382		2.48	17.80	0.18	5.2	0.029	2.50	41.0	39.2	0.71	427	1.77	2.54	11.4	16.4	600
H756383		2.56	18.00	0.20	5.4	0.026	2.55	39.1	34.5	0.71	437	1.76	2.94	11.1	16.4	590
H756384		2.45	17.80	0.19	5.0	0.029	2.53	35.8	37.8	0.70	428	1.22	2.66	10.9	16.3	580
H756385		2.46	17.55	0.18	4.8	0.029	2.42	35.6	34.3	0.70	426	1.68	2.65	11.0	16.1	580
H756386		2.35	17.15	0.17	5.2	0.027	2.59	34.7	30.2	0.63	398	0.93	2.63	12.0	14.4	540
H756387		2.55	18.30	0.20	5.5	0.031	2.53	37.6	34.6	0.72	438	1.43	2.73	11.4	16.7	580
H756388		2.48	18.05	0.18	4.9	0.028	2.45	37.0	36.2	0.70	421	3.76	2.69	10.9	16.3	570
H756389		2.45	18.30	0.18	5.5	0.026	2.51	34.0	33.7	0.65	408	0.99	2.76	11.0	15.6	580
H756390		2.46	17.70	0.20	5.3	0.027	2.48	36.2	35.9	0.71	422	0.81	2.58	10.9	16.5	570
H756391		2.41	17.10	0.19	5.2	0.026	2.50	34.3	33.5	0.69	416	0.74	2.64	10.4	15.2	570
H756392		2.41	18.00	0.18	5.3	0.023	2.49	33.1	34.4	0.68	405	0.94	2.80	11.3	15.7	570
H756393		2.45	17.35	0.19	5.3	0.064	2.53	35.7	36.6	0.69	419	1.43	2.69	10.6	15.6	570
H756394		2.51	18.00	0.20	5.4	0.028	2.77	36.6	33.0	0.73	424	0.94	2.69	10.4	16.7	580
H756395		2.50	17.00	0.19	5.1	0.026	2.43	36.2	37.3	0.69	408	0.97	2.71	10.6	15.9	580
H756396		2.38	17.30	0.19	5.6	0.026	2.49	30.4	38.7	0.67	418	1.13	2.75	10.5	15.8	530
H756397		2.31	17.65	0.19	6.1	0.024	2.27	34.9	38.2	0.63	390	1.13	2.85	11.7	14.9	540
H756398		2.41	17.85	0.19	5.8	0.026	2.44	35.5	36.6	0.67	417	1.00	2.61	11.2	15.6	570
H756399		2.36	17.35	0.19	4.8	0.024	2.37	34.9	29.8	0.64	408	0.49	2.58	10.8	14.6	550
H756400		3.51	19.30	0.18	1.7	0.006	2.03	7.5	7.2	0.69	249	1.00	5.35	8.2	28.9	710
H756401		2.50	18.30	0.19	4.9	0.030	2.50	37.3	37.1	0.72	438	0.57	2.67	11.2	16.8	590
H756402		2.18	14.85	0.18	4.6	0.023	2.17	29.0	20.7	0.60	377	0.49	2.43	8.9	13.0	500
H756403		2.42	17.55	0.21	5.3	0.030	2.41	34.2	28.0	0.66	407	0.64	2.56	10.6	15.9	570
H756404		2.53	17.85	0.21	5.2	0.029	2.54	35.8	29.3	0.73	399	0.61	2.75	9.4	16.4	590
H756405		2.39	17.00	0.18	4.9	0.028	2.40	31.9	34.4	0.65	405	0.58	2.65	10.6	15.4	550
H756406		2.44	17.70	0.20	5.2	0.029	2.40	38.1	29.8	0.68	429	0.52	2.70	11.3	15.9	600
H756407		2.13	16.95	0.19	5.9	0.023	2.64	47.3	16.7	0.61	321	0.98	2.60	11.2	5.7	570
H756408		2.39	17.85	0.17	6.0	0.031	3.00	58.5	24.1	0.81	352	1.49	2.84	12.8	6.9	570
H756409		2.42	18.05	0.16	5.9	0.045	2.70	45.1	19.3	0.50	379	2.60	2.75	11.5	7.2	600
H756410		2.25	17.75	0.17	5.7	0.055	2.58	47.9	20.3	0.48	337	3.98	2.79	11.7	6.5	590
H756411		2.31	17.85	0.17	5.7	0.033	2.66	47.5	18.2	0.50	351	2.46	2.87	11.8	6.3	620
H756412		2.35	17.45	0.18	5.8	0.032	2.55	47.3	19.7	0.50	379	3.40	2.88	12.2	6.3	600
H756413		2.16	17.40	0.19	6.0	0.037	2.77	43.3	21.9	0.59	322	1.14	2.85	12.0	6.5	590
H756414		2.14	17.75	0.16	5.6	0.030	2.61	46.5	25.3	0.70	268	1.21	2.85	12.0	5.9	590
H756415		2.17	17.35	0.18	5.5	0.028	2.43	40.6	17.8	0.65	345	2.77	2.80	11.8	6.5	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756376		14.6	111.5	<0.002	0.01	0.14	8.7	1	2.0	224	0.90	<0.05	12.6	0.292	0.62	3.2
H756377		13.5	95.8	<0.002	0.01	0.12	7.7	1	1.9	208	0.90	<0.05	11.6	0.281	0.56	2.9
H756378		15.9	96.8	<0.002	0.09	0.22	7.7	1	1.8	199.5	0.89	<0.05	11.2	0.273	0.57	3.1
H756379		13.8	107.5	<0.002	0.04	0.26	8.2	1	2.0	219	1.07	<0.05	11.9	0.318	0.67	3.0
H756380		20.5	108.5	<0.002	0.12	0.44	7.7	1	1.9	198.0	0.89	0.11	12.0	0.278	0.62	2.7
H756381		17.6	120.0	<0.002	0.08	0.29	8.2	1	2.2	218	1.50	<0.05	13.4	0.281	0.63	4.4
H756382		14.4	111.5	<0.002	0.01	0.26	8.2	1	1.9	210	0.93	<0.05	12.4	0.296	0.62	2.8
H756383		16.7	109.5	<0.002	0.12	0.30	8.3	1	1.8	217	0.92	<0.05	12.3	0.291	0.61	2.9
H756384		12.7	108.5	<0.002	0.03	0.22	8.1	1	1.8	204	0.95	<0.05	12.3	0.285	0.61	2.9
H756385		13.0	104.5	<0.002	0.01	0.15	8.0	1	1.7	212	0.88	<0.05	11.8	0.287	0.59	2.6
H756386		13.3	112.5	<0.002	0.01	0.10	7.4	1	1.8	192.5	1.10	<0.05	13.9	0.267	0.65	3.3
H756387		13.3	115.0	<0.002	0.01	0.26	8.6	1	1.8	216	0.91	<0.05	12.6	0.291	0.65	2.9
H756388		12.9	107.5	<0.002	0.01	0.36	8.2	1	1.9	213	0.88	<0.05	12.5	0.289	0.61	2.9
H756389		14.3	103.5	<0.002	0.06	0.28	8.2	1	1.9	209	0.89	<0.05	12.2	0.278	0.61	2.9
H756390		12.1	109.0	<0.002	0.01	0.16	8.2	1	1.9	207	0.86	<0.05	12.9	0.286	0.62	2.8
H756391		12.2	101.0	<0.002	0.02	0.14	7.8	1	1.8	204	0.88	<0.05	11.6	0.286	0.60	2.8
H756392		14.9	101.0	<0.002	0.06	0.23	7.8	1	1.7	218	1.01	<0.05	12.2	0.283	0.62	3.1
H756393		14.7	102.5	<0.002	0.07	0.27	7.9	1	1.7	211	0.96	<0.05	11.8	0.287	0.62	2.9
H756394		16.3	115.0	<0.002	0.44	0.28	8.5	1	1.8	188.5	0.93	<0.05	12.8	0.285	0.61	3.2
H756395		14.1	99.3	<0.002	0.13	0.29	8.0	1	1.7	205	0.93	<0.05	12.7	0.283	0.62	3.1
H756396		13.3	99.7	<0.002	0.05	0.32	7.9	1	1.7	207	0.87	<0.05	11.6	0.272	0.62	2.7
H756397		13.0	100.0	<0.002	0.03	0.28	7.5	1	1.9	227	1.09	<0.05	13.5	0.281	0.57	3.5
H756398		14.2	97.7	<0.002	0.12	0.23	7.9	1	1.9	203	0.93	<0.05	12.2	0.280	0.56	3.0
H756399		13.1	97.5	<0.002	0.01	0.07	7.6	1	1.8	210	0.93	<0.05	12.1	0.276	0.56	3.1
H756400		69.2	820	<0.002	2.67	1.21	3.5	1	1.0	161.0	0.64	<0.05	2.7	0.217	8.13	1.2
H756401		15.3	111.0	<0.002	0.01	0.16	8.2	1	1.9	222	0.94	<0.05	13.3	0.291	0.71	3.1
H756402		22.5	77.8	<0.002	0.42	0.38	6.4	1	1.7	171.5	0.75	0.09	9.4	0.251	0.46	2.4
H756403		24.6	86.6	<0.002	0.64	0.36	7.8	1	1.7	194.5	0.89	<0.05	11.4	0.280	0.58	2.8
H756404		18.2	104.0	<0.002	0.52	0.39	9.5	1	1.8	198.0	0.79	0.06	12.1	0.271	0.57	2.8
H756405		15.2	93.7	<0.002	0.10	0.34	7.7	1	1.9	197.0	0.86	<0.05	11.1	0.276	0.59	2.6
H756406		13.5	104.0	<0.002	0.01	0.15	8.0	1	1.9	212	0.98	<0.05	12.9	0.289	0.57	3.1
H756407		9.2	100.0	<0.002	0.02	0.30	7.3	1	1.7	155.5	0.88	<0.05	11.5	0.277	0.38	3.1
H756408		18.4	102.5	<0.002	0.09	0.41	6.9	1	2.3	127.0	1.26	<0.05	13.7	0.283	0.41	4.5
H756409		67.8	88.9	<0.002	0.73	1.10	7.2	1	2.2	169.5	1.00	<0.05	14.0	0.284	0.32	5.5
H756410		189.0	88.5	<0.002	0.50	2.10	7.4	1	2.0	160.0	0.97	<0.05	13.3	0.283	0.29	5.2
H756411		19.1	89.9	<0.002	0.27	0.99	7.5	1	2.0	152.5	1.02	<0.05	14.0	0.290	0.34	5.7
H756412		13.8	92.4	<0.002	0.17	0.43	7.4	1	2.0	171.5	1.00	<0.05	12.3	0.297	0.41	4.0
H756413		14.3	93.4	<0.002	0.17	0.42	7.6	1	1.9	156.5	1.05	<0.05	12.9	0.293	0.39	3.8
H756414		11.2	90.6	<0.002	0.14	0.34	7.4	1	2.0	135.0	1.00	<0.05	13.1	0.286	0.32	3.9
H756415		10.9	84.8	<0.002	0.06	0.32	7.4	1	1.9	153.5	0.95	<0.05	12.1	0.290	0.33	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756376		45	0.8	19.0	58	177.0
H756377		43	0.6	16.9	53	151.0
H756378		42	2.3	16.5	51	149.5
H756379		47	1.5	18.4	53	185.5
H756380		43	1.1	17.2	69	167.0
H756381		45	6.1	20.6	46	161.5
H756382		46	0.8	18.4	53	179.0
H756383		45	1.9	18.1	50	180.5
H756384		44	1.0	17.5	50	167.5
H756385		44	0.7	17.6	51	160.0
H756386		41	0.7	17.3	46	176.5
H756387		46	1.1	18.7	52	187.0
H756388		45	0.8	17.6	50	166.0
H756389		44	1.7	17.4	46	182.5
H756390		44	1.5	17.8	50	182.5
H756391		44	1.2	16.7	50	179.5
H756392		44	6.6	17.7	47	169.0
H756393		45	1.9	17.4	47	175.5
H756394		45	4.5	18.2	44	176.0
H756395		44	2.1	17.5	47	170.0
H756396		43	2.2	16.5	49	183.0
H756397		42	1.4	18.0	46	199.0
H756398		44	2.0	18.2	47	199.5
H756399		43	0.5	17.0	50	159.5
H756400		27	0.2	4.2	41	49.4
H756401		45	0.6	17.9	55	163.5
H756402		38	4.7	14.6	61	154.0
H756403		44	10.5	16.4	52	176.0
H756404		46	9.9	17.9	60	170.5
H756405		43	2.0	16.3	49	165.5
H756406		44	0.6	18.4	50	171.0
H756407		37	10.1	20.3	27	206
H756408		40	6.1	23.1	68	215
H756409		40	5.7	22.9	89	213
H756410		38	8.1	21.7	536	215
H756411		40	6.8	22.1	38	214
H756412		39	4.4	21.8	40	223
H756413		40	4.9	20.5	39	226
H756414		39	7.9	21.3	22	209
H756415		39	5.2	20.9	28	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756416		1.47	<0.005	0.06	6.79	31.0	870	1.32	0.07	0.90	0.02	80.6	5.8	9	1.06	11.7
H756417		1.74	0.061	0.08	7.14	1770	910	1.61	0.19	1.39	0.05	87.2	10.4	9	1.33	15.1
H756418		0.68	<0.005	0.06	6.92	24.6	760	1.83	0.20	1.61	0.05	70.9	7.2	9	1.96	26.7
H756419		0.24	0.017	0.07	7.17	108.5	850	1.41	0.23	1.46	0.04	99.6	5.6	11	0.93	12.4
H756420		0.67	<0.005	0.03	7.10	18.2	850	1.51	0.06	1.60	0.05	87.4	6.2	11	1.10	8.4
H756421		1.65	<0.005	0.05	7.19	12.0	840	1.65	0.07	1.52	0.05	87.0	5.7	9	1.44	10.4
H756422		0.81	0.284	0.18	6.80	45.5	780	1.42	0.15	1.17	0.04	80.2	5.9	10	1.57	14.1
H756423		0.86	0.013	0.05	6.59	47.1	790	1.37	0.07	1.31	0.02	77.1	6.5	8	1.45	16.3
H756424		0.50	0.925	0.36	6.32	524	680	1.37	0.36	1.07	0.12	71.3	7.2	12	1.38	14.7
H756425		0.03	NSS	0.86	7.86	4.3	110	1.98	0.57	0.91	0.12	16.35	9.8	29	21.4	13.9
H756426		1.01	0.045	0.08	6.60	161.0	780	1.35	0.14	1.02	0.05	80.0	6.0	10	1.24	34.9
H756427		0.56	0.120	0.15	5.44	454	430	1.17	0.35	0.55	0.06	84.6	4.2	7	1.32	39.5
H756428		0.70	0.786	0.51	5.97	4270	690	1.53	0.46	0.57	0.15	73.1	8.6	8	1.21	23.3
H756429		1.96	<0.005	0.03	6.95	26.1	770	1.29	0.06	1.05	0.02	81.2	6.1	9	1.26	5.0
H756430		1.57	<0.005	0.03	7.02	7.5	810	1.28	0.02	0.88	<0.02	81.9	5.2	9	1.25	3.2
H756431		1.74	0.005	0.04	6.99	17.1	800	1.18	0.03	0.72	0.02	88.4	5.8	9	1.16	3.9
H756432		0.99	0.008	0.14	6.91	11.2	760	1.53	0.13	0.43	<0.02	78.4	5.4	8	2.53	2.4
H756433		1.39	0.025	0.09	7.07	15.3	770	1.62	0.11	0.50	<0.02	66.7	6.0	7	3.66	2.5
H756434		1.08	0.009	0.03	6.93	16.1	760	1.16	0.05	0.78	0.02	81.8	5.1	6	0.95	4.7
H756435		1.29	<0.005	0.02	6.96	13.4	850	1.18	0.04	1.15	<0.02	86.4	6.9	8	1.05	7.9
H756436		1.57	0.005	0.04	6.69	18.4	800	1.24	0.05	1.51	0.02	79.7	6.1	7	1.22	11.2
H756437		0.32	0.853	0.60	6.68	1570	880	1.49	0.32	0.89	0.02	56.6	6.5	13	2.05	17.3
H756438		1.16	0.089	0.05	6.67	80.5	820	1.46	0.06	1.40	0.02	87.8	5.5	9	2.01	8.6
H756439		1.74	0.019	0.05	7.21	654	830	1.37	0.08	1.55	0.04	82.2	6.9	11	1.84	8.9
H756440		1.29	0.015	0.02	7.16	15.3	870	1.27	0.05	1.41	<0.02	96.1	6.1	8	1.80	8.5
H756441		1.26	<0.005	0.02	7.03	9.7	840	1.31	0.04	1.15	0.02	87.0	6.9	8	1.42	6.4
H756442		1.82	<0.005	0.02	6.99	10.9	840	1.19	0.06	1.52	0.02	86.1	6.1	8	1.28	11.6
H756443		1.99	<0.005	0.04	6.89	16.1	850	1.26	0.06	1.38	<0.02	81.0	5.5	8	2.13	27.9
H756444		0.50	0.006	0.05	7.17	20.5	870	1.34	0.11	1.99	<0.02	101.5	7.6	9	1.16	15.5
H756445		1.06	<0.005	0.04	7.02	10.1	870	1.39	0.05	1.47	<0.02	95.8	6.4	13	2.54	9.5
H756446		1.29	<0.005	0.05	7.16	11.7	880	1.46	0.05	1.62	0.04	105.0	6.5	12	1.79	5.2
H756447		1.85	<0.005	0.04	7.24	16.9	850	1.45	0.05	1.61	0.04	115.0	6.4	13	1.51	4.9
H756448		0.58	<0.005	0.02	7.07	30.3	750	2.08	0.07	1.48	0.04	99.6	5.8	11	2.74	5.5
H756449		0.32	0.127	0.12	7.39	286	850	1.94	0.13	1.42	0.13	146.5	3.2	12	1.89	34.0
H756450		0.31	0.272	0.19	7.05	461	840	1.82	0.14	1.31	0.18	112.0	4.1	13	2.01	38.3
H756451		0.57	<0.005	0.05	7.38	36.1	780	2.14	0.10	1.46	0.03	92.2	5.8	12	3.23	10.8
H756452		0.75	<0.005	0.06	7.30	10.5	830	1.73	0.08	1.47	0.03	104.0	6.3	10	3.22	6.9
H756458		1.79	0.005	0.06	7.19	33.5	800	1.49	0.05	1.73	0.06	99.5	5.3	13	2.18	5.9
H756459		1.00	0.038	0.06	7.23	22.4	810	1.46	0.04	1.72	0.06	100.0	6.7	11	2.54	6.9
H756460		0.61	1.785	0.51	7.34	271	690	1.66	0.13	1.83	0.14	86.0	8.2	12	1.49	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756416		2.08	17.45	0.17	5.6	0.028	2.76	45.8	23.9	0.75	354	7.54	2.69	11.4	5.9	560
H756417		2.49	19.05	0.22	6.1	0.036	2.64	48.6	14.4	0.53	465	3.50	2.94	12.8	7.2	610
H756418		2.31	17.80	0.17	6.1	0.035	2.45	36.6	17.4	0.51	439	0.99	3.00	14.7	6.2	560
H756419		2.10	19.10	0.19	6.2	0.031	2.66	53.2	13.1	0.49	396	1.99	3.32	13.1	5.9	580
H756420		2.46	18.75	0.20	5.8	0.036	2.57	47.5	15.8	0.53	448	1.48	2.91	14.1	7.2	580
H756421		2.36	19.10	0.20	5.6	0.034	2.63	48.6	15.6	0.51	412	2.92	2.92	13.4	6.7	580
H756422		2.24	18.30	0.20	5.7	0.031	2.51	44.2	23.4	0.83	294	1.31	2.75	11.0	6.5	560
H756423		2.04	17.05	0.19	5.3	0.030	2.48	42.9	28.2	0.83	287	2.67	2.61	11.6	6.1	570
H756424		2.43	17.00	0.18	5.2	0.036	2.28	38.2	22.8	0.73	262	1.43	2.28	6.7	6.4	520
H756425		4.26	20.5	0.17	1.4	0.012	2.63	9.2	4.5	0.87	263	2.13	5.46	9.3	38.3	710
H756426		2.08	17.95	0.18	5.7	0.032	2.61	43.6	21.2	0.78	315	1.80	2.48	11.1	5.9	540
H756427		2.17	13.60	0.18	4.7	0.036	2.04	47.9	27.0	1.00	239	0.76	1.64	4.8	4.3	420
H756428		1.83	16.75	0.18	5.1	0.040	2.46	40.7	17.7	0.59	159	6.51	1.76	4.5	4.7	510
H756429		2.26	17.35	0.19	5.7	0.028	2.58	45.6	19.9	0.89	378	1.77	2.58	11.6	6.6	590
H756430		2.02	18.55	0.20	6.2	0.020	2.94	44.7	18.8	1.02	353	0.81	2.62	12.2	6.4	590
H756431		2.30	17.55	0.21	5.7	0.021	2.78	50.8	18.5	1.04	330	1.67	2.64	11.6	6.6	590
H756432		2.58	19.95	0.22	6.0	0.034	3.45	43.6	34.5	1.73	336	69.4	1.49	12.9	6.8	610
H756433		2.60	19.75	0.22	5.9	0.032	3.33	38.7	38.4	1.57	364	2.90	1.71	12.8	6.6	600
H756434		2.36	18.55	0.21	6.3	0.029	2.74	45.1	21.7	1.08	334	1.65	2.75	13.3	5.9	570
H756435		2.29	18.00	0.21	5.5	0.034	2.62	48.7	14.8	0.80	374	2.39	2.83	12.5	6.2	600
H756436		2.24	17.55	0.19	5.6	0.033	2.49	42.3	13.9	0.57	417	1.28	2.84	11.8	6.0	560
H756437		2.59	19.65	0.19	5.3	0.040	3.08	31.3	15.5	0.51	259	1.48	2.07	5.7	6.4	540
H756438		2.23	17.55	0.21	6.2	0.030	2.55	47.0	17.3	0.57	433	9.34	2.72	12.3	5.9	560
H756439		2.44	18.90	0.21	6.3	0.036	2.59	45.2	15.6	0.60	470	4.03	2.96	13.4	6.6	610
H756440		2.45	19.00	0.21	5.9	0.029	2.73	56.2	17.7	0.79	492	0.78	2.93	12.5	6.4	590
H756441		2.23	18.75	0.21	5.6	0.027	2.77	48.8	15.7	0.77	413	2.27	2.91	12.3	6.4	570
H756442		2.25	18.85	0.21	5.3	0.031	2.56	47.7	12.2	0.58	463	1.29	3.02	12.1	6.2	560
H756443		2.37	18.15	0.20	5.7	0.031	2.57	44.5	13.5	0.64	498	2.25	2.96	12.1	5.9	590
H756444		2.32	18.85	0.18	6.6	0.030	2.69	49.1	16.7	0.55	466	1.21	3.01	12.9	6.1	550
H756445		2.20	18.40	0.19	6.3	0.028	2.62	48.4	20.5	0.54	430	1.30	2.79	12.3	5.3	530
H756446		2.31	19.15	0.21	6.4	0.033	2.61	52.9	21.2	0.50	441	1.33	2.77	13.1	5.6	570
H756447		2.41	18.90	0.22	6.6	0.037	2.69	57.5	15.4	0.54	502	1.63	2.83	13.1	5.8	580
H756448		2.12	19.35	0.24	6.4	0.029	2.73	49.7	20.5	0.46	388	3.21	2.78	14.3	5.2	530
H756449		2.34	20.3	0.27	6.4	0.038	2.61	73.9	16.3	0.42	398	7.87	2.92	14.3	5.3	570
H756450		2.17	19.20	0.22	6.1	0.037	2.57	57.5	15.5	0.38	356	9.47	2.83	14.0	5.6	560
H756451		2.08	19.15	0.20	6.6	0.027	2.82	46.0	20.1	0.48	375	6.13	2.95	15.3	4.6	500
H756452		2.41	18.85	0.20	6.4	0.033	2.71	52.6	25.2	0.60	418	2.88	2.80	14.0	5.7	570
H756458		2.32	18.40	0.22	5.8	0.033	2.71	49.6	24.0	0.51	417	10.55	2.83	13.3	5.3	590
H756459		2.38	18.50	0.24	6.0	0.032	2.63	51.0	23.6	0.51	425	1.24	2.81	13.6	5.8	600
H756460		2.67	18.50	0.23	6.6	0.041	2.21	40.8	23.4	0.56	437	1.35	2.97	12.8	6.8	700

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756416		9.5	97.5	<0.002	0.08	0.34	7.1	1	2.0	134.0	0.98	<0.05	12.6	0.278	0.35	3.6
H756417		13.4	96.4	<0.002	0.16	1.13	7.5	1	2.2	190.5	1.24	0.05	13.8	0.308	0.40	4.0
H756418		14.4	88.6	<0.002	0.02	0.38	7.5	1	2.3	178.0	1.42	<0.05	13.9	0.296	0.37	4.5
H756419		12.3	88.4	<0.002	0.29	0.37	7.2	1	2.1	157.5	1.20	<0.05	15.4	0.294	0.35	5.0
H756420		13.6	91.4	<0.002	0.01	0.47	8.1	1	2.2	192.5	1.17	<0.05	15.1	0.301	0.37	4.0
H756421		14.8	93.6	0.002	0.01	0.37	7.7	1	2.2	187.5	1.23	<0.05	15.1	0.303	0.41	4.7
H756422		13.5	91.9	<0.002	0.49	0.35	7.6	1	2.1	120.5	1.03	<0.05	13.7	0.267	0.34	3.7
H756423		12.4	82.2	<0.002	0.11	0.32	7.1	1	1.9	139.5	0.96	<0.05	13.3	0.276	0.31	3.5
H756424		22.4	87.1	<0.002	1.17	0.56	7.4	1	1.7	87.4	0.58	0.07	13.3	0.205	0.32	3.0
H756425		73.3	630	<0.002	3.31	1.40	3.6	1	1.1	172.5	0.77	<0.05	2.5	0.238	6.16	1.2
H756426		17.3	93.0	<0.002	0.21	0.38	7.3	1	1.9	123.0	0.92	<0.05	12.3	0.259	0.32	3.2
H756427		14.9	94.7	<0.002	0.73	0.56	5.3	1	1.2	34.0	0.45	0.09	11.9	0.153	0.29	2.8
H756428		26.8	107.5	<0.002	0.64	1.28	6.7	1	1.8	41.0	0.38	0.38	11.2	0.169	0.32	3.0
H756429		11.3	99.9	<0.002	0.09	0.29	7.4	1	1.9	118.0	0.97	<0.05	13.3	0.285	0.33	3.7
H756430		7.8	120.5	<0.002	0.01	0.25	7.3	1	2.0	106.0	0.99	<0.05	13.1	0.293	0.37	3.1
H756431		7.5	123.5	<0.002	0.11	0.22	7.6	1	2.0	86.7	0.93	<0.05	13.1	0.297	0.39	3.4
H756432		6.6	209	0.002	0.03	0.46	9.0	1	2.3	51.3	1.03	<0.05	12.7	0.299	0.67	3.1
H756433		8.5	191.0	<0.002	0.10	0.44	7.7	1	2.1	54.1	1.07	<0.05	15.2	0.306	0.59	4.0
H756434		8.7	115.0	<0.002	0.12	0.23	7.9	1	2.2	86.2	1.17	<0.05	14.2	0.289	0.38	3.7
H756435		10.1	101.0	<0.002	0.04	0.25	7.7	1	2.0	132.0	1.04	<0.05	13.4	0.306	0.36	3.1
H756436		11.7	90.7	<0.002	0.06	0.34	7.6	1	2.0	160.5	0.97	<0.05	11.8	0.290	0.36	2.8
H756437		28.9	129.5	<0.002	1.37	0.80	7.7	1	2.4	69.9	0.48	0.18	11.5	0.202	0.46	2.9
H756438		11.8	91.5	<0.002	0.09	0.38	7.7	1	2.1	156.0	1.18	<0.05	13.2	0.287	0.38	3.4
H756439		11.0	95.5	<0.002	0.10	0.69	8.0	1	2.1	181.5	1.18	<0.05	13.3	0.320	0.40	3.7
H756440		9.3	97.6	<0.002	0.02	0.30	8.1	1	1.9	144.0	1.07	<0.05	14.2	0.305	0.39	3.4
H756441		9.0	101.0	<0.002	0.01	0.30	7.8	1	2.0	150.5	1.05	<0.05	12.9	0.288	0.38	3.2
H756442		11.8	79.8	<0.002	0.02	0.37	7.7	1	1.9	179.0	0.99	<0.05	12.9	0.300	0.32	2.9
H756443		9.3	87.2	<0.002	0.02	0.31	7.7	1	2.0	162.0	0.96	<0.05	12.7	0.298	0.37	2.9
H756444		10.0	76.9	<0.002	0.01	0.44	7.5	1	2.1	189.5	1.02	<0.05	14.9	0.285	0.41	3.4
H756445		10.4	77.4	<0.002	0.03	0.23	7.0	1	2.1	183.5	1.00	<0.05	14.6	0.274	0.40	3.3
H756446		14.7	79.1	<0.002	0.01	0.24	7.8	1	2.1	204	1.05	<0.05	15.1	0.287	0.44	3.3
H756447		11.1	84.1	<0.002	0.03	0.39	8.4	1	2.0	203	1.08	<0.05	15.4	0.292	0.44	3.6
H756448		15.2	105.0	<0.002	0.03	0.33	7.7	1	2.0	183.0	1.44	<0.05	17.6	0.271	0.54	4.5
H756449		19.6	87.2	<0.002	0.56	0.36	7.8	1	2.6	167.5	1.35	<0.05	17.3	0.287	0.43	4.1
H756450		21.8	83.4	<0.002	0.60	0.43	7.4	1	2.5	162.5	1.32	<0.05	16.3	0.274	0.41	4.2
H756451		15.1	110.5	<0.002	0.10	0.27	7.1	1	2.2	175.0	1.65	<0.05	18.8	0.263	0.58	5.3
H756452		14.0	101.0	<0.002	0.01	0.21	8.0	1	2.3	183.5	1.22	<0.05	16.7	0.288	0.57	4.6
H756458		16.0	91.6	<0.002	0.01	0.30	8.2	1	1.9	199.0	1.06	<0.05	15.2	0.293	0.54	3.3
H756459		15.4	94.6	<0.002	0.04	0.30	8.5	1	1.9	200	1.05	<0.05	15.4	0.303	0.57	3.4
H756460		17.0	76.0	<0.002	1.15	0.38	9.9	1	2.2	150.0	1.05	0.05	16.7	0.316	0.42	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756416		37	6.8	20.7	31	212
H756417		41	3.6	24.9	47	219
H756418		41	3.1	25.6	43	221
H756419		39	7.2	22.9	35	221
H756420		42	10.3	24.7	48	218
H756421		41	5.4	24.6	45	207
H756422		40	9.3	21.6	29	210
H756423		39	8.4	20.3	26	204
H756424		38	9.4	17.9	36	200
H756425		29	0.2	5.7	40	50.8
H756426		38	9.1	20.7	31	210
H756427		28	12.1	16.3	26	175.0
H756428		34	13.2	17.7	36	192.5
H756429		40	6.3	21.7	32	209
H756430		41	5.5	22.2	31	238
H756431		41	5.3	23.3	27	221
H756432		45	8.5	22.2	29	223
H756433		43	6.1	23.9	32	225
H756434		41	4.1	24.6	32	229
H756435		43	2.1	23.5	36	214
H756436		41	2.3	21.3	45	209
H756437		41	14.8	18.0	35	197.0
H756438		40	2.9	23.2	44	223
H756439		45	2.0	25.0	50	238
H756440		42	1.8	23.8	42	217
H756441		40	1.6	21.6	35	210
H756442		40	1.0	22.0	42	191.5
H756443		40	1.9	23.1	43	219
H756444		40	2.1	22.7	51	237
H756445		38	1.4	20.7	41	218
H756446		40	0.7	21.6	49	229
H756447		42	1.1	23.3	45	234
H756448		39	2.1	23.9	45	214
H756449		39	5.4	22.5	58	218
H756450		37	5.0	21.0	75	213
H756451		36	3.6	25.4	42	220
H756452		42	3.9	24.2	48	229
H756458		43	3.4	21.9	53	204
H756459		43	1.5	22.4	54	223
H756460		50	28.8	25.9	56	241

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756461		0.59	0.524	0.26	7.28	236	720	1.54	0.20	1.50	0.07	115.0	7.7	13	0.58	7.5
H756462		1.27	0.023	0.04	6.67	15.2	760	1.29	0.12	1.74	0.03	96.6	5.9	12	0.78	7.3
H756463		0.33	0.014	0.04	7.33	17.0	820	1.50	0.13	1.32	0.03	112.5	6.4	13	0.81	12.6
H756464		1.30	<0.005	0.06	6.39	12.1	780	1.27	0.06	1.18	0.02	90.3	5.7	14	0.72	12.0
H756465		2.08	0.006	0.03	6.46	10.3	770	1.29	0.06	1.35	0.02	89.6	6.3	11	0.50	16.6
H756466		1.16	0.006	0.04	7.10	11.5	830	1.45	0.05	1.38	0.03	96.8	7.0	11	0.58	25.3
H756467		0.50	0.008	0.02	6.81	10.0	690	1.37	0.03	1.08	0.02	74.2	4.4	10	0.53	10.4
H756468		1.45	<0.005	0.02	7.15	12.0	780	1.32	0.06	1.16	0.02	97.9	6.2	14	0.63	5.4
H756469		1.02	<0.005	0.02	7.29	11.9	850	1.31	0.05	1.20	0.03	103.5	6.8	15	0.57	8.6
H756470		1.18	<0.005	0.05	7.47	5.8	810	1.42	0.04	1.73	0.05	99.6	6.8	12	2.12	5.7
H756471		0.54	0.045	0.05	7.61	14.1	890	1.49	0.06	1.64	0.04	108.5	7.0	13	1.18	11.0
H756472		1.76	<0.005	0.17	7.52	14.8	850	1.50	0.05	1.61	0.03	104.5	7.2	17	1.62	6.5
H756473		0.75	<0.005	0.03	7.17	24.3	810	1.58	0.05	1.69	0.05	104.0	6.3	12	2.27	3.6
H756474		0.24	0.009	0.08	7.57	57.2	860	1.51	0.22	1.39	0.05	101.0	5.8	12	1.40	19.3
H756475		0.03	3.55	0.16	1.58	1.3	110	0.36	0.15	0.01	0.13	20.1	1.3	11	0.57	7.1
H756476		1.12	0.031	0.05	6.98	27.7	810	1.28	0.17	1.08	0.03	93.6	9.2	11	1.28	7.0
H756477		0.33	0.052	0.07	6.85	12.7	670	1.68	0.11	1.08	0.04	88.7	6.3	11	1.02	10.2
H756478		1.61	<0.005	0.04	7.19	7.2	860	1.42	0.06	1.43	0.03	102.5	7.0	13	0.94	14.1
H756479		1.79	0.042	0.06	7.26	7.8	860	1.71	0.08	1.48	0.03	96.1	6.3	13	1.56	8.1
H756480		1.08	0.005	0.04	7.23	9.5	850	1.63	0.08	1.50	0.04	99.9	8.0	14	3.81	10.1
H756481		0.42	0.032	0.08	7.63	24.8	780	1.76	0.15	1.68	0.06	107.5	7.3	13	1.23	15.7
H756482		0.48	0.007	0.05	7.19	14.6	760	1.49	0.08	1.57	0.07	99.9	6.6	11	1.13	8.7
H756483		0.54	0.013	0.06	7.54	13.9	670	1.69	0.10	1.37	0.04	121.5	6.7	12	0.85	12.3
H756484		0.84	<0.005	0.02	6.94	5.9	870	1.54	0.05	0.97	0.02	98.9	6.2	11	1.13	8.8
H756485		0.46	<0.005	0.05	6.53	4.4	600	2.18	0.05	0.47	0.15	68.1	4.1	12	1.35	16.1
H756486		1.78	<0.005	0.05	6.72	6.0	780	1.49	0.05	0.88	0.10	97.1	6.0	7	1.16	6.1
H756487		1.10	<0.005	0.06	7.09	7.7	730	1.66	0.06	1.48	0.07	97.6	6.4	9	1.44	7.5
H756488		0.32	0.005	0.02	6.43	13.0	600	1.60	0.06	1.49	0.05	113.5	6.5	9	0.94	11.3
H756489		0.90	<0.005	0.04	6.91	7.9	760	1.67	0.04	1.40	0.04	100.5	6.1	9	1.64	7.6
H756490		1.69	0.005	0.06	6.91	9.9	790	1.79	0.06	1.42	0.03	100.5	6.3	9	1.68	6.6
H756491		1.74	<0.005	0.02	6.89	9.7	740	1.60	0.04	1.17	0.04	100.0	6.4	10	2.32	7.1
H756492		1.58	<0.005	0.06	6.99	7.3	760	1.60	0.05	1.29	0.04	108.0	6.6	10	3.98	7.3
H756493		0.54	0.010	0.10	7.29	21.8	730	1.67	0.05	1.73	0.09	114.5	9.5	17	2.13	49.6
H756494		0.31	0.051	0.08	5.86	43.2	550	1.69	0.07	1.47	0.13	79.7	4.8	10	1.47	17.4
H756495		0.80	<0.005	0.07	6.98	21.8	700	1.74	0.05	1.59	0.42	90.7	6.1	8	2.09	3.9
H756496		0.30	0.018	0.05	6.81	15.5	660	1.69	0.07	1.39	0.27	79.6	6.1	10	1.63	9.3
H756497		0.97	0.005	0.04	6.87	14.4	690	1.60	0.07	2.18	0.07	74.7	6.5	9	4.05	3.4
H756498		0.62	0.006	0.06	6.18	13.2	560	1.34	0.06	4.19	0.06	79.5	5.4	6	1.82	5.1
H756499		1.64	0.011	0.05	7.17	16.4	700	1.64	0.06	1.43	0.08	94.3	7.1	10	1.73	10.1
H756500		0.03	8.64	0.48	8.31	4.5	180	2.22	0.10	1.07	0.38	18.05	10.9	39	1.37	16.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756461		2.67	19.00	0.23	6.5	0.032	2.17	60.3	17.7	0.53	358	1.60	3.07	9.2	6.0	610
H756462		2.18	16.80	0.21	5.1	0.032	2.34	49.8	12.3	0.51	596	1.07	2.77	11.9	5.3	550
H756463		2.48	18.85	0.22	6.3	0.035	2.34	58.2	14.4	0.55	467	7.90	3.09	13.0	6.1	610
H756464		1.99	15.95	0.24	5.1	0.038	2.42	46.8	8.7	0.42	428	1.32	2.69	10.8	5.0	510
H756465		2.12	16.30	0.23	5.4	0.031	2.34	46.2	9.6	0.46	375	1.08	2.68	11.2	5.2	530
H756466		2.36	18.50	0.24	5.7	0.034	2.54	49.2	11.4	0.54	493	1.29	2.82	12.5	5.8	570
H756467		1.63	17.30	0.24	4.8	0.030	2.78	36.4	8.1	0.38	348	0.83	2.87	11.2	4.0	350
H756468		2.16	18.00	0.22	6.2	0.033	2.59	50.2	9.0	0.50	434	1.22	3.15	12.9	5.5	560
H756469		2.32	18.70	0.24	6.2	0.033	2.59	54.1	9.3	0.56	428	0.82	3.16	12.7	6.1	590
H756470		2.40	19.30	0.26	5.9	0.034	2.61	50.8	18.8	0.52	430	0.94	2.77	13.2	5.9	600
H756471		2.39	19.75	0.26	6.7	0.034	2.73	54.6	14.5	0.52	447	1.74	3.02	14.0	6.1	610
H756472		2.51	18.80	0.28	7.0	0.035	2.73	54.2	16.1	0.58	468	1.72	2.90	13.2	6.3	600
H756473		2.36	18.65	0.26	5.7	0.035	2.49	52.9	19.8	0.59	454	1.07	2.83	12.5	5.9	610
H756474		2.42	19.60	0.29	6.2	0.036	2.55	51.9	13.0	0.63	405	1.28	2.91	13.6	6.4	650
H756475		1.30	3.92	0.11	0.7	0.011	0.17	11.0	20.4	0.02	102	0.82	<0.01	3.8	5.3	50
H756476		2.38	17.90	0.29	5.0	0.044	2.84	48.8	12.0	0.67	392	1.13	2.75	11.8	6.1	530
H756477		1.91	18.35	0.26	6.2	0.033	3.17	44.7	9.8	0.59	349	122.0	2.80	13.9	5.1	450
H756478		2.35	18.95	0.26	6.1	0.037	2.80	51.9	9.4	0.58	412	1.71	2.77	12.9	5.8	600
H756479		2.27	19.00	0.30	5.6	0.035	2.86	49.2	11.6	0.56	421	10.55	2.76	12.9	5.6	540
H756480		2.40	18.30	0.28	6.0	0.034	2.96	50.4	16.3	0.83	485	7.09	2.62	12.6	6.2	580
H756481		2.53	20.2	0.29	7.2	0.041	2.36	53.5	10.9	0.60	443	4.22	3.35	14.3	6.6	720
H756482		2.37	19.30	0.28	6.2	0.036	2.45	51.1	10.4	0.52	440	2.98	2.78	13.6	6.0	570
H756483		2.25	20.5	0.30	6.8	0.036	2.26	62.9	10.6	0.60	414	11.95	3.33	13.5	6.1	610
H756484		2.23	18.65	0.27	5.5	0.028	3.11	52.3	19.3	0.86	326	2.09	2.66	11.5	5.5	530
H756485		1.74	17.95	0.15	5.6	0.020	3.37	35.8	15.9	0.68	218	2.50	2.54	13.3	4.5	360
H756486		2.16	17.60	0.18	4.7	0.027	3.01	53.7	19.1	0.87	321	1.48	2.63	10.4	6.1	540
H756487		2.32	19.05	0.18	5.8	0.038	2.58	51.4	12.3	0.60	413	1.35	2.78	12.8	6.7	580
H756488		2.06	17.40	0.20	5.0	0.031	2.00	62.3	9.5	0.60	384	0.88	2.80	10.3	6.8	500
H756489		2.08	18.55	0.20	5.4	0.027	2.52	52.9	14.3	0.63	356	1.03	2.72	12.2	6.5	560
H756490		2.23	18.15	0.20	4.8	0.031	2.63	53.9	12.9	0.59	393	0.98	2.69	11.9	6.6	550
H756491		2.16	18.10	0.20	5.6	0.028	2.50	54.4	17.4	0.74	386	1.24	2.81	11.0	6.7	550
H756492		2.20	18.65	0.19	5.4	0.034	2.67	58.1	20.9	0.66	393	1.18	2.71	11.4	6.8	550
H756493		2.47	19.90	0.20	5.4	0.047	2.61	61.8	18.5	0.55	465	1.03	2.85	12.4	8.6	580
H756494		1.98	15.75	0.17	4.8	0.028	1.99	40.9	14.3	0.42	381	6.06	2.33	11.2	4.6	470
H756495		2.16	18.95	0.21	4.8	0.030	2.71	46.1	16.8	0.45	403	0.98	2.79	12.6	6.4	510
H756496		2.06	18.60	0.19	5.2	0.032	2.43	40.2	19.8	0.60	386	1.77	2.76	12.4	6.4	510
H756497		2.40	18.50	0.17	5.4	0.027	2.82	36.1	26.9	0.91	537	1.96	2.59	11.4	6.6	520
H756498		1.66	15.70	0.20	4.4	0.023	2.52	40.2	12.2	0.52	582	1.24	2.64	9.9	5.0	390
H756499		2.26	18.60	0.19	5.2	0.031	2.47	49.1	16.4	0.62	376	15.50	2.88	11.9	7.1	560
H756500		4.57	20.0	0.18	1.4	0.015	2.39	9.8	2.4	0.98	276	2.02	4.80	9.1	41.2	680

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756461		15.9	66.2	<0.002	1.45	0.35	8.4	1	2.2	128.5	0.76	0.06	15.1	0.262	0.31	3.7
H756462		10.9	64.4	<0.002	0.17	0.24	7.4	1	1.8	147.0	0.93	<0.05	14.4	0.267	0.35	3.2
H756463		15.5	65.3	<0.002	0.33	0.25	8.6	1	2.1	173.5	1.02	<0.05	16.0	0.307	0.38	3.4
H756464		9.3	74.2	<0.002	0.03	0.25	7.3	1	1.7	157.5	0.88	<0.05	13.4	0.252	0.41	3.9
H756465		9.7	68.8	<0.002	0.03	0.24	7.4	1	1.7	165.5	0.86	<0.05	12.4	0.263	0.39	3.1
H756466		11.7	72.3	<0.002	0.11	0.21	8.4	1	1.9	153.0	0.98	<0.05	13.9	0.281	0.37	3.4
H756467		11.1	81.1	<0.002	0.10	0.16	5.2	1	1.7	118.5	1.02	<0.05	16.1	0.193	0.33	3.9
H756468		9.8	70.2	<0.002	0.05	0.23	8.1	1	1.9	141.5	1.04	<0.05	15.2	0.287	0.36	3.6
H756469		11.3	72.8	<0.002	0.04	0.27	8.2	1	2.0	154.5	0.88	<0.05	14.2	0.299	0.38	3.0
H756470		16.0	88.2	<0.002	<0.01	0.15	8.4	1	1.9	211	1.02	<0.05	15.6	0.299	0.52	3.5
H756471		14.1	78.8	<0.002	0.27	0.21	8.6	1	1.9	204	1.05	<0.05	15.1	0.313	0.42	3.6
H756472		13.3	88.6	<0.002	0.02	0.29	8.6	1	1.9	193.0	1.07	<0.05	16.1	0.303	0.47	3.8
H756473		14.2	74.2	<0.002	0.02	0.24	8.1	1	2.0	191.5	0.94	<0.05	15.0	0.299	0.44	3.1
H756474		14.0	84.9	<0.002	0.41	0.20	8.9	1	2.2	168.0	1.04	<0.05	13.6	0.311	0.37	3.3
H756475		27.4	13.0	<0.002	1.02	0.54	1.4	1	1.4	13.6	0.30	<0.05	3.6	0.093	0.40	0.5
H756476		9.6	103.0	<0.002	0.29	0.25	7.9	1	1.9	126.0	0.97	<0.05	15.4	0.258	0.49	3.7
H756477		11.5	131.0	0.003	0.05	0.19	6.7	1	2.1	98.5	1.43	<0.05	21.8	0.224	0.59	6.5
H756478		11.0	93.3	<0.002	0.02	0.31	8.2	1	2.0	188.5	1.02	<0.05	14.6	0.291	0.48	3.4
H756479		14.7	90.7	<0.002	0.10	0.21	7.7	1	1.9	173.5	1.20	<0.05	16.9	0.265	0.48	4.3
H756480		13.1	109.5	<0.002	0.07	0.22	7.9	1	1.9	140.0	1.11	<0.05	15.5	0.277	0.58	4.1
H756481		17.2	72.9	<0.002	0.36	0.31	9.1	1	2.2	180.5	1.14	<0.05	17.8	0.351	0.41	4.0
H756482		17.3	74.2	<0.002	0.16	0.29	8.1	1	2.0	181.0	1.07	<0.05	16.9	0.290	0.41	4.0
H756483		15.0	77.7	0.002	0.21	0.21	9.1	1	2.1	152.0	1.13	<0.05	18.8	0.290	0.38	4.2
H756484		9.1	106.5	<0.002	0.03	0.21	7.0	1	1.8	108.0	0.97	<0.05	16.4	0.254	0.56	3.9
H756485		10.7	138.0	<0.002	0.02	0.16	5.2	2	1.3	62.7	1.70	<0.05	21.5	0.188	0.55	6.6
H756486		12.0	108.5	<0.002	0.03	0.21	7.3	2	1.6	109.5	0.89	<0.05	13.6	0.250	0.50	3.4
H756487		17.2	81.0	<0.002	0.02	0.24	8.4	2	1.9	185.0	1.11	<0.05	14.4	0.287	0.40	3.5
H756488		14.1	64.1	<0.002	0.11	0.21	7.7	2	1.5	150.5	0.84	<0.05	13.3	0.249	0.29	2.8
H756489		14.8	78.3	<0.002	0.01	0.20	7.8	2	1.7	164.0	0.99	<0.05	13.6	0.277	0.34	3.2
H756490		15.3	84.6	<0.002	0.02	0.19	8.4	2	1.9	172.0	0.96	<0.05	13.7	0.276	0.39	3.2
H756491		12.3	75.1	<0.002	0.01	0.19	7.9	2	1.6	143.0	0.86	<0.05	12.9	0.263	0.30	2.7
H756492		14.1	94.1	<0.002	0.01	0.20	8.0	2	1.7	166.5	0.92	<0.05	13.9	0.273	0.45	3.0
H756493		15.4	88.8	<0.002	0.10	0.30	9.1	2	2.0	173.0	1.01	<0.05	14.8	0.291	0.42	3.1
H756494		14.7	69.6	<0.002	0.17	0.29	6.8	2	1.6	151.0	0.96	<0.05	12.2	0.234	0.31	3.7
H756495		21.3	95.1	<0.002	0.03	0.37	7.7	2	1.7	184.0	1.11	<0.05	14.6	0.262	0.48	3.9
H756496		20.4	73.5	<0.002	0.13	0.22	7.9	2	1.7	144.0	1.09	<0.05	13.8	0.256	0.32	3.8
H756497		14.6	86.8	<0.002	0.07	0.20	7.2	2	1.8	105.5	0.99	<0.05	13.2	0.249	0.41	3.4
H756498		11.5	68.7	<0.002	0.11	0.19	5.4	2	1.5	94.4	0.92	<0.05	13.2	0.196	0.34	3.5
H756499		16.8	70.2	<0.002	0.17	0.26	7.8	2	1.7	158.5	1.02	<0.05	15.8	0.273	0.32	4.2
H756500		85.4	199.0	<0.002	3.42	0.96	3.7	1	0.9	183.5	0.74	<0.05	2.4	0.266	1.72	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756461		43	11.6	22.7	42	231
H756462		40	2.5	20.2	38	185.0
H756463		46	3.1	21.8	47	222
H756464		36	1.6	19.2	29	186.5
H756465		38	1.1	19.5	33	193.5
H756466		42	1.8	21.6	40	206
H756467		27	2.4	16.8	27	162.0
H756468		41	1.7	22.5	35	221
H756469		43	1.5	21.2	41	233
H756470		43	0.6	22.1	54	213
H756471		44	5.0	23.3	49	250
H756472		44	1.7	23.2	52	249
H756473		43	1.6	20.9	52	211
H756474		45	3.4	23.0	38	231
H756475		8	0.9	3.0	14	21.2
H756476		40	4.2	20.9	37	178.0
H756477		33	3.4	23.2	33	198.5
H756478		43	1.2	22.1	50	215
H756479		39	1.4	22.7	49	192.5
H756480		42	10.0	23.2	49	205
H756481		51	6.5	24.5	55	258
H756482		43	3.3	23.2	53	230
H756483		43	3.0	23.6	43	232
H756484		38	2.2	19.4	33	200
H756485		27	2.4	20.9	38	186.5
H756486		40	2.0	18.6	44	188.0
H756487		43	1.5	22.5	55	223
H756488		38	2.0	19.5	41	193.0
H756489		40	1.5	22.2	42	217
H756490		41	1.2	22.7	44	191.5
H756491		39	1.4	20.0	37	222
H756492		41	1.1	21.2	47	217
H756493		43	2.1	21.3	55	209
H756494		34	5.7	16.9	55	186.5
H756495		38	0.7	22.1	100	183.5
H756496		39	2.7	21.7	70	202
H756497		41	4.5	22.5	38	202
H756498		29	3.8	25.3	29	166.0
H756499		41	2.2	21.9	43	199.0
H756500		35	0.2	5.2	42	50.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	g/t	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
I346558		1.22	0.021	0.04	6.82	23.4	790	1.55	0.06	1.56	0.07	87.6	6.4	11	0.82	4.7
I346559		0.53	0.127	0.47	7.18	98.4	810	2.18	0.46	1.00	0.07	81.0	5.9	21	0.53	9.1
I346560		0.64	0.189	0.10	7.14	129.0	860	1.43	0.20	1.33	0.14	90.5	7.8	11	0.44	8.0
I346561		0.99	0.107	0.07	6.97	108.5	810	1.46	0.14	1.41	0.09	100.0	7.7	11	0.55	5.9
I346562		0.52	0.008	0.03	7.41	34.0	860	1.51	0.07	1.44	0.59	92.3	6.1	10	0.60	5.1
I346563		1.30	0.007	0.07	7.08	38.9	780	1.49	0.09	1.66	0.31	83.2	6.1	9	1.30	4.1
I346564		0.90	<0.005	0.06	7.05	23.1	790	1.44	0.04	1.70	0.12	81.8	6.3	10	1.60	3.2
I346565		0.44	<0.005	0.04	6.69	17.4	750	1.49	0.04	1.31	0.17	86.1	6.0	10	0.94	13.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I346558		2.33	17.40	0.17	5.1	0.031	2.63	46.5	20.2	0.53	455	1.27	2.55	10.5	6.0	530
I346559		2.46	18.15	0.15	4.4	0.030	3.23	44.3	23.1	0.63	233	251	2.63	6.9	6.1	540
I346560		2.63	17.95	0.16	5.0	0.025	3.11	47.6	14.6	0.46	253	4.00	2.81	8.0	7.7	580
I346561		2.38	17.45	0.17	5.1	0.029	2.85	54.0	22.8	0.54	412	2.19	2.60	10.1	6.9	550
I346562		2.27	18.55	0.19	4.8	0.029	2.70	50.1	26.6	0.58	452	1.68	3.01	11.5	6.3	570
I346563		2.27	17.40	0.18	4.8	0.029	2.57	42.7	23.7	0.49	429	0.87	2.70	11.2	5.9	550
I346564		2.40	17.90	0.16	4.4	0.033	2.61	42.0	22.5	0.49	402	1.03	2.76	11.3	6.2	570
I346565		2.01	17.65	0.18	5.3	0.027	2.90	44.1	12.0	0.42	393	0.80	2.61	11.3	5.8	470

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I346558		14.3	76.8	<0.002	0.11	0.32	7.7	1	1.5	175.0	0.88	<0.05	12.0	0.268	0.38	3.0
I346559		25.2	105.5	0.016	1.23	0.46	7.8	2	1.5	105.5	0.63	<0.05	12.2	0.214	0.64	2.9
I346560		19.5	98.0	<0.002	1.61	0.37	7.9	2	1.5	119.5	0.69	<0.05	12.7	0.246	0.48	3.0
I346561		17.4	86.9	<0.002	0.62	0.37	7.8	2	1.6	144.0	0.82	<0.05	12.4	0.267	0.36	2.7
I346562		16.9	85.3	<0.002	0.12	0.47	7.9	2	1.7	178.5	0.94	<0.05	13.1	0.291	0.33	3.3
I346563		22.7	77.6	<0.002	0.17	0.37	7.8	2	1.6	197.0	0.93	<0.05	11.8	0.279	0.37	2.8
I346564		15.0	76.4	<0.002	0.03	0.30	7.3	2	1.6	208	0.86	<0.05	11.3	0.286	0.41	2.6
I346565		14.4	88.8	<0.002	0.07	0.27	6.5	2	1.4	168.0	1.11	<0.05	15.0	0.254	0.40	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I346558		40	2.4	19.3	46	200
I346559		39	7.2	19.7	38	170.5
I346560		40	7.1	22.0	46	207
I346561		43	5.6	19.0	50	203
I346562		43	1.6	21.1	123	195.5
I346563		41	3.1	19.3	84	193.5
I346564		42	1.0	18.5	58	187.5
I346565		35	1.4	19.0	59	207

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 6-DEC-2010
Account: RRR

Project: TPK - ROWLANDSON

CERTIFICATE OF ANALYSIS TB10170935

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS61	REE's may not be totally soluble in this method.