ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

CERTIFICATE TB11034448

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 139 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 3-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596000		0.03	1.365	0.79	7.93	4.5	90	2.58	0.51	0.86	0.12	17.20	9.1	29	21.2	13.1
J596001		0.71	4.45	1.02	6.46	>10000	670	1.38	8.54	1.63	4.26	79.4	15.6	26	2.09	9.8
J596002		0.59	1.390	0.30	6.56	5690	690	1.32	1.23	1.87	1.15	80.1	8.9	26	2.66	20.9
J596003		0.62	0.005	0.06	6.32	120.5	660	1.42	0.10	1.57	0.07	73.4	8.3	22	3.18	7.5
J596004		1.83	0.036	0.06	6.75	145.5	640	1.54	0.10	1.68	0.08	70.3	7.5	24	3.25	3.7
J596005		1.97	0.005	0.07	6.82	94.6	660	1.48	0.09	1.75	0.07	72.8	7.7	27	3.20	5.4
J596006		0.88	0.063	0.26	6.88	1885	620	1.59	0.27	1.90	0.33	66.9	7.4	28	2.71	17.3
J596007		0.91	0.045	0.18	7.06	131.5	680	1.58	0.15	1.81	0.13	74.8	8.6	31	3.40	12.9
J596008		1.75	0.019	0.09	6.30	1195	610	1.32	0.16	1.40	0.08	64.0	6.9	20	2.36	9.0
J596009		1.88	0.009	0.03	6.57	2.8	680	1.14	0.04	1.53	0.04	55.9	6.4	19	2.50	7.6
J596010		1.75	<0.005	0.04	7.04	3.3	780	1.37	0.04	1.80	0.04	78.1	8.3	25	2.91	11.7
J596011		1.92	<0.005	0.09	7.00	6.8	780	1.36	0.05	1.89	0.06	87.5	8.1	23	3.12	11.1
J596012		1.98	<0.005	0.08	6.68	2.0	720	1.42	0.05	1.75	0.04	74.8	8.0	23	3.19	12.2
J596013		1.89	<0.005	0.05	6.88	11.5	720	1.60	0.05	1.82	0.06	81.7	8.1	21	3.32	9.5
J596014		1.90	<0.005	0.05	6.94	10.7	730	1.37	0.06	1.78	0.07	80.0	7.9	21	3.25	9.3
J596015		1.98	<0.005	0.06	6.91	12.3	730	1.29	0.05	1.81	0.05	72.7	8.3	23	2.93	11.0
J596016		1.88	<0.005	0.06	6.85	13.6	700	1.42	0.06	1.82	0.04	74.6	7.9	22	3.29	9.1
J596017		1.75	<0.005	0.07	6.50	11.4	700	1.28	0.04	1.75	0.05	70.3	7.3	24	3.32	8.1
J596018		1.01	0.019	0.07	6.81	42.9	650	1.70	0.10	1.75	0.13	69.2	7.3	20	2.08	13.5
J596019		0.95	0.005	0.04	6.76	31.0	700	1.55	0.05	1.75	0.07	71.5	7.7	24	3.56	9.2
J596020		1.90	0.013	0.11	6.56	25.5	720	1.58	0.05	1.73	0.04	69.7	9.1	27	3.84	11.0
J596021		2.12	0.298	0.25	6.63	51.3	710	1.58	1.10	1.78	0.08	70.5	8.7	28	3.71	17.9
J596022		2.00	<0.005	0.08	6.81	13.5	700	1.34	0.10	1.90	0.06	72.0	9.0	26	3.32	12.4
J596023		2.05	<0.005	0.07	6.70	3.6	740	1.34	0.04	1.70	0.04	68.4	6.9	21	2.81	12.3
J596024		2.06	<0.005	0.05	6.59	6.6	700	1.22	0.11	1.74	0.05	70.9	6.9	22	2.61	11.9
J596025		0.06	<0.005	0.04	6.26	1.3	920	1.10	0.09	1.33	0.08	30.2	2.2	12	1.65	5.1
J596026		2.01	<0.005	0.07	6.87	0.4	760	1.35	0.07	1.85	0.05	79.1	7.7	23	2.71	10.2
J596027		2.17	<0.005	0.05	6.92	0.5	880	1.28	0.06	1.71	0.05	57.9	7.1	25	2.77	10.4
J596028		1.97	0.008	0.06	6.70	0.5	740	1.31	0.06	1.78	0.05	74.6	7.0	23	2.81	10.9
J596029		2.07	<0.005	0.04	6.50	0.5	700	1.36	0.06	1.78	0.06	72.8	7.2	22	2.89	10.8
J596030		2.12	<0.005	0.08	6.81	0.7	710	1.32	0.04	1.80	0.06	75.5	7.3	22	2.86	10.8
J596031		2.03	<0.005	0.07	6.50	<0.2	700	1.30	0.04	1.69	0.04	72.6	7.6	22	2.59	9.8
J596032		1.95	<0.005	0.05	6.80	1.0	730	1.30	0.06	1.77	0.05	76.1	7.3	22	2.86	12.7
J596033		1.92	<0.005	0.03	6.92	0.5	730	1.39	0.05	1.84	0.05	75.0	7.4	27	2.82	11.3
J596034		1.95	<0.005	0.05	7.04	10.6	720	1.41	0.05	1.87	0.05	71.8	7.6	21	3.02	12.2
J596035		1.96	<0.005	0.05	6.84	4.9	700	1.47	0.05	1.94	0.06	72.5	7.6	20	2.81	14.8
J596036		1.99	<0.005	0.05	6.73	8.5	730	1.35	0.05	1.74	0.03	79.0	7.3	22	2.73	21.0
J596037		1.83	<0.005	0.08	6.72	4.1	750	1.36	0.06	1.78	0.04	76.6	7.3	23	2.81	10.3
J596038		1.93	<0.005	0.05	6.97	2.1	780	1.35	0.05	1.81	0.05	74.0	7.4	20	2.75	10.5
J596039		1.87	<0.005	0.07	6.74	4.6	740	1.34	0.07	1.82	0.06	72.6	8.1	24	2.79	37.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596000		3.96	20.3	0.15	1.4	0.013	2.51	7.7	5.3	0.81	254	1.95	5.04	8.8	34.5	690
J596001		3.49	17.10	0.18	5.1	0.092	2.48	35.4	16.4	0.62	371	9.28	2.50	8.2	21.7	550
J596002		2.77	17.30	0.19	5.0	0.052	2.70	36.6	19.3	0.72	456	2.92	2.58	8.8	19.9	570
J596003		2.32	17.20	0.18	5.1	0.028	2.68	32.8	25.3	0.63	394	1.58	2.50	11.1	15.6	550
J596004		2.42	18.05	0.17	5.1	0.033	2.66	30.8	31.7	0.66	412	2.40	2.61	11.3	15.3	550
J596005		2.38	17.85	0.18	4.8	0.032	2.57	33.0	32.1	0.72	421	4.45	2.60	10.5	18.5	540
J596006		2.35	18.65	0.17	5.1	0.049	2.46	30.1	20.2	0.82	452	85.8	2.69	9.6	18.9	560
J596007		2.57	18.65	0.21	4.9	0.035	2.63	34.0	28.7	0.83	479	4.01	2.62	11.0	21.3	620
J596008		1.94	16.05	0.14	3.8	0.024	2.73	29.5	19.2	0.51	362	171.5	2.41	9.2	12.4	410
J596009		2.06	16.55	0.15	3.7	0.029	2.72	25.2	21.4	0.55	371	1.94	2.49	9.2	12.9	450
J596010		2.43	17.80	0.19	4.9	0.033	2.47	36.3	23.2	0.70	425	5.41	2.66	10.7	17.6	580
J596011		2.46	17.50	0.19	4.3	0.035	2.41	40.4	21.1	0.71	433	1.69	2.71	10.4	16.9	610
J596012		2.34	17.10	0.17	4.9	0.032	2.37	33.8	17.7	0.68	420	0.42	2.60	10.0	15.7	570
J596013		2.40	17.45	0.19	5.1	0.035	2.45	37.5	21.7	0.70	437	3.02	2.67	10.2	16.0	580
J596014		2.42	17.45	0.21	4.8	0.027	2.37	37.0	24.7	0.68	421	1.27	2.69	10.2	15.8	590
J596015		2.44	17.00	0.18	4.2	0.031	2.38	33.5	26.9	0.69	426	2.01	2.66	9.8	16.2	580
J596016		2.37	16.85	0.19	4.7	0.036	2.34	34.1	31.3	0.69	417	3.10	2.61	10.0	15.9	580
J596017		2.39	16.45	0.19	4.2	0.033	2.40	31.4	33.2	0.67	421	3.33	2.50	10.0	15.4	560
J596018		2.25	17.25	0.19	5.0	0.023	2.33	31.7	23.5	0.63	411	20.9	2.72	11.8	15.2	540
J596019		2.28	17.30	0.19	4.3	0.034	2.70	32.3	29.9	0.69	411	0.64	2.65	11.4	18.0	530
J596020		2.32	16.75	0.19	5.0	0.032	2.50	31.7	33.5	0.70	403	0.46	2.53	11.0	18.9	530
J596021		2.43	17.15	0.19	4.6	0.036	2.46	32.5	30.9	0.74	416	179.5	2.53	10.8	19.5	560
J596022		2.45	16.75	0.20	4.9	0.030	2.25	34.0	33.0	0.72	429	1.83	2.59	9.7	18.0	570
J596023		2.23	16.50	0.16	4.2	0.030	2.49	32.8	31.2	0.61	393	0.64	2.67	9.9	15.4	520
J596024		2.30	16.00	0.18	4.5	0.029	2.41	34.6	29.7	0.61	400	0.42	2.67	10.2	14.8	540
J596025		1.40	13.00	0.11	1.1	0.017	2.12	13.7	11.2	0.18	583	0.93	2.59	4.4	2.1	180
J596026		2.41	16.75	0.19	4.5	0.033	2.45	37.8	29.7	0.66	431	0.76	2.69	10.5	16.9	560
J596027		2.19	16.05	0.15	4.5	0.032	2.83	27.7	28.7	0.64	407	0.79	2.56	10.5	17.3	510
J596028		2.32	16.30	0.17	4.1	0.029	2.37	36.2	27.1	0.63	419	2.47	2.63	10.2	15.3	560
J596029		2.31	15.90	0.17	4.7	0.029	2.37	34.5	27.5	0.63	416	2.02	2.60	10.5	15.4	550
J596030		2.40	16.60	0.19	4.2	0.033	2.46	36.7	27.3	0.66	431	0.55	2.68	10.9	16.3	570
J596031		2.27	15.75	0.19	4.4	0.029	2.39	36.1	25.7	0.61	397	2.01	2.54	10.0	14.7	520
J596032		2.35	16.30	0.18	4.8	0.030	2.49	37.0	30.8	0.64	420	0.68	2.64	10.6	15.4	540
J596033		2.36	16.70	0.19	4.0	0.033	2.45	36.0	28.1	0.65	425	1.12	2.71	10.8	15.8	560
J596034		2.38	16.80	0.18	4.8	0.036	2.44	34.4	34.6	0.65	435	0.75	2.81	11.3	15.7	580
J596035		2.42	16.70	0.19	5.0	0.033	2.42	34.4	30.6	0.66	457	0.81	2.69	11.9	15.7	580
J596036		2.33	16.35	0.19	4.3	0.030	2.43	39.1	32.5	0.63	415	0.70	2.67	10.8	16.2	560
J596037		2.31	16.30	0.20	5.4	0.034	2.38	36.6	32.7	0.63	413	0.50	2.67	10.6	15.2	560
J596038		2.37	16.50	0.19	4.5	0.031	2.52	36.1	30.0	0.65	430	0.65	2.70	10.4	15.1	560
J596039		2.39	16.05	0.19	4.3	0.030	2.45	35.1	29.2	0.65	433	0.56	2.64	10.7	16.6	560

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596000		76.5	590	<0.002	3.24	1.35	3.5	1	1.0	171.5	0.74	<0.05	2.5	0.215	6.16	1.2
J596001		32.6	91.0	0.005	1.33	4.42	8.6	1	1.8	190.0	0.77	0.05	14.6	0.245	0.48	3.0
J596002		26.2	102.0	<0.002	0.72	1.30	8.8	1	1.7	219	0.80	<0.05	13.2	0.258	0.52	3.1
J596003		19.2	105.0	<0.002	0.10	0.43	8.0	1	1.7	197.5	1.12	<0.05	13.6	0.266	0.56	3.4
J596004		16.0	107.5	<0.002	0.06	0.43	8.1	1	1.9	194.0	1.17	<0.05	13.8	0.269	0.60	3.5
J596005		16.4	108.0	<0.002	0.08	0.37	8.4	1	1.9	208	0.96	<0.05	13.6	0.265	0.59	3.0
J596006		18.7	101.0	0.009	0.41	0.72	9.0	1	2.1	191.0	0.97	<0.05	12.9	0.264	0.55	3.3
J596007		15.8	112.5	<0.002	0.16	0.38	9.3	1	2.0	232	0.98	<0.05	12.2	0.290	0.59	3.0
J596008		16.8	107.5	0.011	0.22	0.43	6.0	1	1.5	156.0	0.91	<0.05	13.2	0.211	0.56	3.1
J596009		14.6	104.5	<0.002	0.01	0.07	6.8	1	1.5	174.0	0.86	<0.05	11.5	0.218	0.60	2.6
J596010		14.8	102.0	<0.002	0.01	0.08	8.3	1	1.9	216	0.90	<0.05	12.6	0.284	0.61	2.6
J596011		14.6	98.4	<0.002	0.01	0.12	8.3	1	1.8	219	0.88	<0.05	12.2	0.288	0.61	2.3
J596012		14.8	96.0	<0.002	0.01	0.07	8.2	1	1.8	206	0.83	<0.05	11.3	0.269	0.59	2.3
J596013		14.0	102.5	<0.002	0.01	0.11	8.5	1	1.9	210	0.85	<0.05	12.3	0.276	0.59	2.5
J596014		13.8	99.7	<0.002	0.01	0.19	8.3	1	1.9	214	0.84	<0.05	11.7	0.279	0.58	2.4
J596015		13.7	97.0	<0.002	0.06	0.17	8.1	1	1.8	210	0.76	<0.05	11.3	0.277	0.58	2.3
J596016		13.0	99.1	<0.002	0.03	0.25	8.3	1	1.8	209	0.83	<0.05	11.4	0.274	0.59	2.4
J596017		13.2	97.5	<0.002	0.01	0.31	8.2	1	1.9	197.0	0.82	<0.05	10.5	0.269	0.61	2.0
J596018		16.5	100.5	0.003	0.13	0.33	8.1	1	2.0	179.5	1.34	<0.05	13.9	0.255	0.55	4.0
J596019		19.3	116.0	<0.002	0.09	0.43	8.0	1	1.9	194.5	1.12	<0.05	16.8	0.265	0.73	3.5
J596020		17.6	110.5	<0.002	0.04	0.39	7.8	1	1.9	189.5	1.14	<0.05	15.7	0.261	0.70	3.4
J596021		21.1	115.0	0.012	0.18	0.31	8.5	1	2.0	186.0	1.00	0.10	14.1	0.268	0.69	3.2
J596022		14.6	99.8	<0.002	0.05	0.31	8.1	1	1.8	214	0.80	<0.05	11.8	0.273	0.61	2.5
J596023		19.1	102.0	<0.002	0.01	0.22	6.9	1	1.8	196.5	0.99	<0.05	13.3	0.253	0.59	2.9
J596024		19.0	97.5	<0.002	0.08	0.22	7.1	1	1.7	194.0	1.05	<0.05	13.0	0.259	0.59	3.0
J596025		13.6	60.8	<0.002	<0.01	0.17	5.2	1	1.5	178.0	0.48	<0.05	5.8	0.112	0.37	1.9
J596026		17.9	101.0	<0.002	0.04	0.09	7.6	1	1.8	210	1.01	<0.05	12.7	0.274	0.62	2.7
J596027		18.9	119.5	<0.002	0.03	0.08	7.4	1	1.7	195.0	1.17	<0.05	12.2	0.247	0.66	3.5
J596028		17.2	105.0	<0.002	0.03	0.07	7.2	1	1.9	201	1.01	<0.05	13.1	0.265	0.60	3.1
J596029		17.8	101.0	<0.002	0.03	0.08	7.3	1	1.8	195.5	1.11	<0.05	13.9	0.268	0.61	3.1
J596030		17.6	107.0	<0.002	0.01	0.07	7.5	1	1.9	204	1.10	<0.05	13.7	0.273	0.61	3.0
J596031		17.0	102.0	<0.002	0.01	0.05	6.9	1	1.7	194.0	0.97	<0.05	12.5	0.261	0.57	3.1
J596032		17.1	106.0	<0.002	0.01	0.08	7.3	1	2.0	207	1.09	<0.05	13.9	0.268	0.63	3.3
J596033		17.9	103.5	<0.002	0.01	0.07	7.6	1	1.9	210	1.09	<0.05	13.7	0.272	0.60	3.1
J596034		16.4	105.5	<0.002	0.01	0.18	7.7	1	1.9	217	1.16	<0.05	13.7	0.281	0.62	3.4
J596035		18.4	102.0	<0.002	0.02	0.10	7.8	1	1.9	206	1.26	<0.05	14.1	0.282	0.57	3.2
J596036		16.7	103.0	<0.002	0.05	0.14	7.4	1	1.8	206	1.13	<0.05	13.5	0.267	0.57	3.0
J596037		16.4	100.5	<0.002	0.01	0.10	7.5	1	1.8	206	1.11	<0.05	13.2	0.267	0.58	3.1
J596038		17.2	103.0	<0.002	0.01	0.08	7.5	1	1.7	213	1.03	<0.05	12.2	0.270	0.60	2.8
J596039		17.8	102.0	<0.002	0.07	0.11	7.5	1	1.7	204	1.10	<0.05	12.6	0.272	0.57	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596000		27	0.2	5.2	36	47.5
J596001		41	235	21.1	273	178.5
J596002		45	29.5	20.4	189	176.5
J596003		43	1.4	19.2	55	170.0
J596004		45	1.3	19.8	67	172.5
J596005		45	2.3	19.8	53	160.0
J596006		47	10.1	20.0	79	170.5
J596007		50	2.0	20.6	73	170.5
J596008		33	4.2	15.2	40	125.0
J596009		37	0.5	16.4	39	122.0
J596010		46	0.5	19.3	49	174.5
J596011		48	0.5	18.9	51	153.0
J596012		45	0.5	18.7	51	174.5
J596013		46	0.6	19.5	50	178.5
J596014		46	0.6	19.1	51	172.0
J596015		45	0.8	18.0	50	147.0
J596016		45	0.7	18.8	49	168.0
J596017		44	0.7	18.2	49	148.0
J596018		42	5.2	19.8	37	156.5
J596019		45	1.3	18.9	46	141.5
J596020		46	0.8	18.8	47	158.0
J596021		46	10.5	19.1	45	161.0
J596022		46	1.8	18.2	48	174.0
J596023		43	0.4	17.4	47	154.0
J596024		42	1.2	17.8	46	161.0
J596025		15	0.9	16.5	41	27.8
J596026		45	1.0	18.6	50	163.0
J596027		43	0.7	18.7	47	156.5
J596028		44	0.6	17.9	49	142.0
J596029		46	0.9	18.7	50	169.5
J596030		45	0.5	19.0	51	152.5
J596031		44	0.4	17.5	47	160.5
J596032		45	0.5	18.5	49	167.5
J596033		45	0.5	19.1	50	141.0
J596034		47	0.7	19.4	50	175.5
J596035		47	0.4	20.9	52	169.5
J596036		44	0.5	19.0	47	145.5
J596037		45	0.5	19.0	48	193.5
J596038		46	0.6	18.8	50	166.5
J596039		46	0.7	18.7	51	156.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596040		1.84	<0.005	0.02	6.60	2.6	710	1.37	0.04	1.70	0.05	73.7	7.1	22	2.69	10.5
J596041		1.90	<0.005	0.02	6.80	<0.2	720	1.39	0.04	1.74	0.05	74.0	7.0	19	2.55	11.0
J596042		1.97	<0.005	0.03	6.86	<0.2	740	1.35	0.03	1.75	0.05	75.1	7.0	20	2.52	10.8
J596043		1.82	<0.005	0.03	6.90	<0.2	720	1.36	0.04	1.71	0.05	74.8	6.8	20	2.53	10.0
J596044		1.85	<0.005	0.06	6.75	<0.2	700	1.25	0.04	1.71	0.04	74.5	7.2	21	2.58	10.7
J596045		1.84	<0.005	0.04	6.99	0.3	720	1.41	0.04	1.74	0.05	77.7	7.9	27	2.73	11.6
J596046		1.73	<0.005	0.04	6.92	2.9	720	1.27	0.05	1.72	0.05	80.8	7.8	21	2.77	11.4
J596047		1.85	<0.005	0.04	6.87	0.5	720	1.37	0.05	1.74	0.04	78.0	7.3	20	2.64	10.8
J596048		1.93	<0.005	0.10	6.82	4.2	720	1.45	0.05	1.76	0.05	70.6	7.3	22	2.79	10.1
J596049		0.85	<0.005	0.06	6.80	3.0	720	1.35	0.05	1.68	0.06	73.0	6.9	22	2.78	10.4
J596050		0.88	<0.005	0.07	6.68	2.7	700	1.43	0.05	1.67	0.05	72.7	6.9	18	2.79	10.7
J596051		1.92	<0.005	0.04	6.79	10.4	710	1.34	0.06	1.66	0.04	74.3	8.4	20	2.79	18.3
J596052		1.79	<0.005	0.05	6.61	27.2	680	1.29	0.06	1.64	0.04	70.2	6.8	22	2.70	18.7
J596053		1.88	<0.005	0.12	6.36	55.6	680	1.36	0.06	1.58	0.04	64.4	6.7	34	2.64	18.3
J596054		1.81	<0.005	0.07	6.40	23.4	670	1.28	0.06	1.52	0.07	66.3	6.2	21	2.66	16.5
J596055		1.86	<0.005	0.04	6.90	2.5	700	1.37	0.07	1.75	0.04	70.5	7.0	22	3.11	11.4
J596056		1.92	<0.005	0.03	6.62	0.7	720	1.25	0.05	1.72	0.04	65.1	6.9	19	2.62	10.6
J596057		1.98	<0.005	0.04	6.75	0.9	720	1.31	0.05	1.70	0.04	72.2	7.1	20	2.66	9.7
J596058		1.95	<0.005	0.04	6.70	1.3	710	1.39	0.05	1.75	0.05	72.4	6.9	19	2.63	10.8
J596059		2.20	<0.005	0.10	7.11	1.0	680	1.22	0.05	1.81	0.05	80.7	7.3	23	2.83	13.3
J596060		2.09	<0.005	0.05	6.96	2.3	700	1.23	0.05	1.80	0.05	78.3	7.1	22	2.82	16.6
J596061		1.88	<0.005	0.04	7.01	3.5	700	1.16	0.05	1.78	0.03	81.1	7.0	21	2.84	11.0
J596062		2.05	<0.005	0.05	6.98	8.2	690	1.20	0.06	1.78	0.04	80.0	7.9	22	2.93	13.5
J596063		1.28	<0.005	0.15	6.79	9.3	670	1.16	0.04	1.64	0.03	74.2	7.4	24	2.77	9.2
J596064		0.88	<0.005	0.04	5.76	19.1	620	1.05	0.05	1.37	0.03	66.5	4.2	18	1.65	4.1
J596065		0.66	<0.005	0.05	6.84	4.1	680	1.23	0.05	1.68	0.04	87.8	7.1	20	2.84	10.9
J596066		0.76	0.288	0.06	6.24	28.2	810	1.05	0.07	2.97	0.05	65.4	4.7	18	1.85	5.1
J596067		1.20	<0.005	0.05	7.12	21.8	720	1.41	0.06	1.81	0.05	76.3	6.6	23	2.36	11.2
J596068		1.37	<0.005	0.04	7.02	6.3	690	1.43	0.05	1.71	0.05	79.6	7.4	23	3.05	11.8
J596069		1.98	<0.005	0.04	6.95	2.2	670	1.37	0.04	1.71	0.05	79.2	7.0	25	2.97	10.7
J596070		2.08	<0.005	0.05	7.06	2.3	680	1.31	0.05	1.75	0.04	84.3	7.1	25	3.02	10.4
J596071		1.95	<0.005	0.03	6.97	4.4	690	1.36	0.05	1.72	0.04	86.4	7.2	23	3.07	12.5
J596072		2.03	<0.005	0.03	7.03	1.6	570	1.39	0.05	1.64	0.04	75.3	6.3	27	2.98	9.7
J596073		1.97	<0.005	0.04	7.04	1.5	590	1.16	0.06	1.97	0.06	80.9	8.4	31	3.47	11.0
J596074		2.03	<0.005	0.04	7.07	6.5	730	1.39	0.06	1.89	0.03	86.3	6.9	27	2.80	10.8
J596075		0.03	3.44	0.15	1.55	1.3	110	0.35	0.17	0.01	0.12	19.10	1.2	10	0.61	6.8
J596076		1.93	<0.005	0.05	6.98	7.9	830	1.29	0.07	1.80	0.03	91.0	6.5	10	1.76	15.5
J596077		1.97	<0.005	0.03	6.90	8.5	870	1.29	0.06	1.58	0.03	91.9	6.0	8	1.15	9.2
J596078		1.95	<0.005	0.04	7.12	4.2	800	1.38	0.06	1.59	0.04	94.1	6.0	9	1.18	11.3
J596079		2.05	<0.005	0.03	6.95	3.2	770	1.23	0.06	1.57	0.04	91.7	5.5	10	1.56	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596040		2.32	16.25	0.18	4.6	0.031	2.45	36.3	29.1	0.63	416	1.11	2.64	10.5	15.5	550
J596041		2.31	16.15	0.19	4.5	0.031	2.43	36.9	27.1	0.62	410	0.46	2.66	10.7	14.8	550
J596042		2.31	16.35	0.17	4.2	0.029	2.52	36.8	26.2	0.63	412	0.69	2.68	10.4	14.9	540
J596043		2.27	16.15	0.17	4.9	0.031	2.50	36.8	25.7	0.61	398	0.47	2.70	10.4	14.3	540
J596044		2.29	16.00	0.19	5.1	0.027	2.47	36.5	26.1	0.63	404	0.62	2.66	10.2	15.3	550
J596045		2.39	16.65	0.21	4.9	0.034	2.54	38.0	28.9	0.68	427	0.63	2.79	11.2	16.2	590
J596046		2.36	16.65	0.19	4.8	0.031	2.55	39.9	29.2	0.66	416	2.23	2.71	11.1	15.7	560
J596047		2.30	16.35	0.19	4.0	0.034	2.51	39.8	27.6	0.64	404	2.53	2.71	10.6	15.0	560
J596048		2.35	16.10	0.19	5.0	0.031	2.53	34.2	30.5	0.65	417	2.90	2.71	10.7	15.5	550
J596049		2.26	16.05	0.18	4.2	0.028	2.53	36.1	27.0	0.64	406	1.47	2.63	10.4	15.8	530
J596050		2.26	16.10	0.18	5.0	0.031	2.52	35.5	27.7	0.62	405	3.04	2.63	10.6	14.8	530
J596051		2.31	16.05	0.19	4.5	0.027	2.47	36.3	34.5	0.65	404	1.22	2.60	10.6	15.3	550
J596052		2.29	15.65	0.19	4.2	0.026	2.45	34.1	36.6	0.64	396	3.52	2.61	10.0	15.9	550
J596053		2.24	15.85	0.18	4.9	0.021	2.53	31.8	39.1	0.62	378	1.33	2.72	10.0	22.0	550
J596054		2.13	14.95	0.19	4.0	0.026	2.35	32.7	36.7	0.61	371	0.62	2.45	9.4	16.7	520
J596055		2.30	15.75	0.19	4.4	0.028	2.46	35.0	29.2	0.66	413	1.68	2.72	10.4	15.1	560
J596056		2.26	15.60	0.19	4.1	0.034	2.43	31.6	24.2	0.64	406	3.83	2.60	9.9	14.7	540
J596057		2.28	16.10	0.21	4.0	0.029	2.47	35.6	24.8	0.63	403	6.24	2.63	10.5	15.1	540
J596058		2.31	15.90	0.19	4.2	0.032	2.43	35.5	26.1	0.63	413	10.05	2.64	10.1	14.4	540
J596059		2.41	17.05	0.14	4.7	0.033	2.51	39.5	23.7	0.66	429	6.93	2.83	11.3	16.1	540
J596060		2.36	16.80	0.14	4.6	0.031	2.44	37.5	26.6	0.64	412	3.85	2.82	11.1	15.4	530
J596061		2.34	16.75	0.16	4.9	0.031	2.42	40.7	28.2	0.65	409	3.03	2.78	10.8	14.8	540
J596062		2.37	16.95	0.16	4.6	0.030	2.41	39.1	32.7	0.67	423	14.25	2.82	11.0	16.1	540
J596063		2.38	16.05	0.16	4.1	0.029	2.34	36.7	33.4	0.70	413	1.87	2.59	10.4	16.0	530
J596064		1.75	13.40	0.14	4.1	0.018	2.00	34.5	24.6	0.51	332	0.44	2.44	9.1	11.5	420
J596065		2.21	17.25	0.18	4.1	0.030	2.48	44.7	30.4	0.60	396	1.13	2.63	11.1	14.6	490
J596066		1.89	13.85	0.17	4.1	0.023	2.50	33.6	25.9	0.54	506	1.53	2.49	8.3	12.4	490
J596067		2.36	17.75	0.17	5.2	0.027	2.56	35.9	33.6	0.68	467	0.87	2.89	12.1	15.9	570
J596068		2.35	17.70	0.17	4.5	0.030	2.47	38.4	30.3	0.65	413	1.09	2.78	12.4	15.9	510
J596069		2.29	17.05	0.17	4.8	0.030	2.49	38.8	22.9	0.64	406	0.67	2.79	12.4	15.8	500
J596070		2.40	17.25	0.18	4.4	0.030	2.55	41.6	22.6	0.65	422	2.12	2.79	12.6	15.4	530
J596071		2.32	17.05	0.19	4.7	0.029	2.56	43.6	24.8	0.65	411	1.13	2.74	11.6	15.6	520
J596072		2.13	16.75	0.18	4.6	0.027	2.54	36.9	19.3	0.58	374	0.41	2.75	11.3	14.9	440
J596073		2.53	17.30	0.18	5.1	0.036	2.26	40.4	22.6	0.82	464	1.37	2.80	11.1	21.9	550
J596074		2.50	17.80	0.20	5.9	0.029	2.11	44.6	25.3	0.67	492	2.81	2.93	12.7	13.5	590
J596075		1.32	3.68	0.10	0.7	0.011	0.15	10.3	17.8	0.02	105	0.68	0.02	3.6	6.0	40
J596076		2.59	17.05	0.19	5.6	0.028	2.49	44.8	21.1	0.58	568	1.05	3.29	13.1	7.0	660
J596077		2.31	16.80	0.19	5.6	0.031	2.42	45.6	21.1	0.56	421	1.06	2.84	12.0	6.1	530
J596078		2.40	18.00	0.20	5.3	0.033	2.40	46.9	20.9	0.58	414	1.78	2.86	13.2	6.6	560
J596079		2.29	16.70	0.18	5.3	0.030	2.56	45.1	15.1	0.48	412	9.93	2.85	12.6	6.2	550

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596040		16.4	106.5	<0.002	0.01	0.08	7.3	1	1.7	200	1.05	<0.05	13.2	0.267	0.59	2.9
J596041		18.0	104.0	<0.002	0.01	0.05	7.4	1	1.8	205	1.06	<0.05	13.1	0.268	0.59	3.0
J596042		18.7	104.0	<0.002	<0.01	0.05	7.2	1	1.7	203	1.05	<0.05	12.5	0.264	0.58	3.0
J596043		17.8	103.5	<0.002	0.01	0.05	7.1	1	1.7	204	1.09	<0.05	13.4	0.264	0.58	3.1
J596044		17.2	99.8	<0.002	0.01	0.05	7.3	1	1.8	201	1.03	<0.05	12.7	0.263	0.56	2.8
J596045		16.7	104.0	<0.002	0.01	0.06	7.7	1	1.9	213	1.09	<0.05	12.9	0.283	0.62	3.0
J596046		15.2	106.0	<0.002	0.01	0.09	7.8	1	1.9	205	1.07	<0.05	13.2	0.272	0.59	2.9
J596047		15.5	103.5	<0.002	0.01	0.07	7.3	1	1.7	206	1.06	<0.05	13.1	0.263	0.60	3.0
J596048		15.3	102.5	<0.002	0.01	0.11	7.3	1	1.7	202	1.05	<0.05	12.9	0.270	0.61	3.0
J596049		15.5	104.0	<0.002	0.01	0.10	7.1	1	1.7	195.0	1.05	<0.05	12.9	0.260	0.59	2.9
J596050		15.6	103.5	<0.002	0.01	0.11	7.2	1	1.8	195.5	1.08	<0.05	12.9	0.259	0.59	2.9
J596051		13.5	105.0	<0.002	0.05	0.16	7.3	1	1.7	198.0	0.99	<0.05	12.7	0.263	0.58	2.8
J596052		12.6	97.1	<0.002	0.05	0.24	7.1	1	1.7	198.5	1.00	<0.05	13.2	0.263	0.56	2.7
J596053		44.0	93.6	<0.002	0.07	0.39	6.9	1	1.7	198.5	0.96	<0.05	11.1	0.266	0.54	2.6
J596054		13.7	97.4	<0.002	0.03	0.20	6.8	1	1.6	189.5	0.88	<0.05	11.3	0.249	0.52	2.6
J596055		13.9	102.5	<0.002	0.01	0.09	7.2	1	1.7	202	0.97	<0.05	12.4	0.267	0.59	2.6
J596056		14.9	103.0	<0.002	0.01	0.06	7.0	1	1.7	194.0	0.93	<0.05	11.2	0.259	0.57	2.5
J596057		16.0	106.5	<0.002	0.01	0.07	7.3	1	1.7	200	1.01	<0.05	12.4	0.267	0.60	2.7
J596058		17.4	105.5	<0.002	0.01	0.08	7.2	1	1.7	199.0	0.92	<0.05	12.8	0.264	0.61	2.7
J596059		17.4	107.0	<0.002	0.01	0.08	7.8	1	1.9	197.0	0.92	<0.05	12.0	0.276	0.63	3.0
J596060		14.8	101.5	<0.002	0.01	0.10	7.4	1	1.8	199.0	0.91	<0.05	11.7	0.273	0.61	2.7
J596061		13.5	105.5	<0.002	0.01	0.10	7.4	1	1.8	195.5	0.89	<0.05	11.8	0.273	0.63	3.0
J596062		12.4	104.5	<0.002	0.01	0.18	7.6	1	1.8	198.5	0.89	<0.05	11.8	0.279	0.62	2.8
J596063		11.4	102.0	<0.002	0.01	0.16	7.5	1	1.7	186.5	0.85	<0.05	12.2	0.273	0.58	2.8
J596064		9.5	78.2	<0.002	0.01	0.24	6.0	1	1.6	159.5	0.82	<0.05	12.3	0.215	0.39	3.5
J596065		13.7	113.0	<0.002	0.01	0.11	7.1	1	1.7	189.0	0.95	<0.05	14.8	0.260	0.64	3.4
J596066		11.3	93.7	<0.002	0.01	0.24	6.5	1	1.5	171.0	0.69	<0.05	12.8	0.221	0.46	3.7
J596067		12.1	101.0	<0.002	0.02	0.26	8.1	1	1.9	198.5	1.08	<0.05	14.5	0.281	0.56	4.1
J596068		15.5	114.5	<0.002	0.01	0.13	7.6	1	1.8	190.5	1.13	<0.05	14.4	0.273	0.66	3.6
J596069		15.4	114.0	<0.002	0.01	0.08	7.1	1	1.8	186.5	1.19	<0.05	14.5	0.265	0.61	3.8
J596070		14.9	119.5	<0.002	0.01	0.08	7.3	1	1.8	189.5	1.19	<0.05	15.2	0.280	0.64	3.9
J596071		12.8	120.5	<0.002	0.02	0.13	7.3	1	1.8	185.0	1.01	<0.05	14.7	0.265	0.65	4.1
J596072		15.5	120.5	<0.002	0.01	0.07	6.4	1	1.7	179.0	1.10	<0.05	15.7	0.232	0.65	4.1
J596073		15.1	109.5	<0.002	0.01	0.09	8.4	1	1.9	211	0.90	<0.05	13.4	0.281	0.65	3.3
J596074		12.8	94.1	<0.002	0.01	0.19	8.3	2	1.7	226	1.18	<0.05	13.2	0.308	0.49	4.1
J596075		28.6	13.8	<0.002	1.04	0.52	1.4	1	1.3	13.7	0.30	<0.05	3.4	0.091	0.47	0.5
J596076		11.2	80.7	<0.002	0.06	0.21	7.4	1	1.7	220	1.13	<0.05	11.6	0.341	0.42	2.9
J596077		11.2	77.5	<0.002	0.01	0.19	6.8	1	1.6	200	1.04	<0.05	12.2	0.284	0.40	3.2
J596078		12.5	82.0	<0.002	0.01	0.13	7.5	2	1.9	196.5	1.17	<0.05	14.3	0.296	0.38	4.0
J596079		12.7	86.3	<0.002	0.01	0.18	6.8	1	1.7	188.5	1.07	<0.05	15.6	0.288	0.46	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596040		45	0.5	18.4	48	166.5
J596041		43	0.5	18.2	48	157.5
J596042		45	0.3	18.0	49	147.5
J596043		44	0.4	18.2	48	174.0
J596044		44	0.4	18.2	49	178.0
J596045		46	0.5	19.5	51	168.5
J596046		45	0.5	19.4	49	168.0
J596047		44	0.5	18.6	49	138.5
J596048		44	0.5	17.9	49	180.5
J596049		43	0.7	17.8	48	146.5
J596050		43	0.6	18.0	51	177.5
J596051		43	0.7	18.3	45	160.5
J596052		44	0.6	17.2	46	147.5
J596053		44	0.8	16.1	42	175.5
J596054		42	0.8	16.4	43	141.0
J596055		44	0.5	18.4	46	153.5
J596056		44	0.4	17.3	48	140.5
J596057		44	0.4	18.2	48	144.0
J596058		44	0.4	17.3	48	151.0
J596059		44	0.4	18.5	51	174.5
J596060		44	0.4	17.1	51	175.5
J596061		43	0.4	18.1	49	181.5
J596062		44	0.5	18.0	49	181.5
J596063		44	0.8	17.4	49	159.5
J596064		33	1.3	16.2	32	145.0
J596065		40	0.4	18.2	46	161.5
J596066		36	1.9	15.8	35	153.0
J596067		45	1.3	19.6	47	193.0
J596068		43	0.4	19.3	50	166.0
J596069		42	0.5	19.5	49	169.5
J596070		44	0.6	19.9	49	168.0
J596071		43	0.6	19.3	48	172.5
J596072		37	0.5	18.3	43	162.0
J596073		48	0.4	19.6	55	186.5
J596074		48	0.7	21.9	49	213
J596075		8	0.9	2.7	14	21.2
J596076		49	0.7	20.8	50	216
J596077		40	1.0	20.3	35	214
J596078		42	0.9	22.1	35	195.5
J596079		41	0.5	20.3	46	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J596080		1.40	<0.005	0.03	6.92	3.1	820	1.07	0.05	1.44	0.04	81.7	5.2	9	1.52	5.5
J596081		0.66	<0.005	0.07	6.36	21.1	280	1.81	0.04	6.28	<0.02	188.5	15.7	287	1.30	5.5
J596082		1.80	<0.005	0.03	6.69	6.8	690	1.66	0.03	0.92	<0.02	89.1	6.5	7	0.91	4.2
J596083		1.64	<0.005	0.04	6.99	8.0	750	1.56	0.05	1.19	<0.02	91.2	5.9	8	1.04	9.1
J596084		1.78	<0.005	0.01	6.84	6.8	730	1.41	0.03	0.79	<0.02	105.0	5.1	8	0.99	3.0
J596085		1.68	<0.005	0.04	6.99	7.6	830	1.20	0.03	0.98	<0.02	70.4	5.2	8	1.27	3.0
J596086		1.80	<0.005	0.01	6.75	4.4	740	1.33	0.03	1.00	<0.02	89.6	5.3	9	1.00	4.1
J596087		1.72	<0.005	0.02	6.81	4.6	730	1.27	0.04	1.29	<0.02	89.4	5.3	9	0.97	4.2
J596088		1.62	<0.005	0.02	6.66	4.6	730	1.21	0.03	1.44	<0.02	78.9	5.1	12	1.14	5.8
J596089		1.99	<0.005	0.02	7.01	5.5	700	1.29	0.07	1.21	<0.02	85.1	6.5	10	2.24	5.6
J596090		1.71	<0.005	<0.01	7.15	2.8	780	1.50	0.03	0.85	<0.02	116.5	4.4	9	2.30	2.4
J596091		1.75	0.028	0.05	7.72	4.2	730	1.89	0.04	0.63	<0.02	71.1	6.9	7	3.38	2.6
J596092		1.99	<0.005	0.01	6.87	2.7	790	1.38	0.02	0.78	<0.02	74.0	5.3	14	1.76	3.2
J596093		1.95	<0.005	0.03	7.09	2.1	800	1.42	0.04	1.04	0.02	91.7	5.6	14	1.64	4.0
J596094		1.90	0.005	0.03	6.86	6.1	690	1.69	0.05	0.91	<0.02	81.2	6.0	9	1.47	3.9
J596095		1.82	<0.005	0.03	7.02	2.3	900	1.65	0.03	1.06	0.02	106.5	5.7	10	1.82	10.6
J596096		2.00	<0.005	0.04	6.86	4.5	780	1.46	0.07	1.17	0.02	105.0	5.7	10	1.61	7.7
J596097		1.82	<0.005	0.02	7.02	2.6	780	1.64	0.04	1.25	<0.02	88.4	5.9	8	1.78	7.4
J596098		1.99	0.021	0.08	7.03	7.6	790	1.63	0.09	1.30	0.03	89.5	7.4	9	1.93	12.8
J596099		1.84	<0.005	0.03	6.96	4.4	830	1.61	0.05	1.57	<0.02	80.6	6.2	8	2.05	14.0
J596100		0.07	<0.005	0.04	6.16	1.2	890	1.21	0.09	1.30	0.07	27.1	2.3	11	1.70	4.8
J596101		1.61	0.007	0.02	7.07	6.5	810	1.82	0.06	1.76	0.03	95.8	6.9	9	2.83	17.0
J596102		0.61	0.005	0.04	5.98	12.3	590	1.76	0.05	2.08	<0.02	107.0	9.6	58	2.09	13.8
J596103		1.43	<0.005	<0.01	6.62	5.0	840	1.47	0.04	0.61	<0.02	95.1	6.1	6	1.01	12.9
J596104		1.91	0.011	0.02	6.34	2.8	810	1.39	0.04	0.35	<0.02	72.3	5.6	7	1.40	5.8
J596105		1.71	<0.005	0.01	6.52	3.3	750	1.42	0.07	0.65	<0.02	71.1	6.7	8	2.84	9.9
J596106		1.79	0.011	<0.01	7.00	3.3	800	1.66	0.15	1.27	0.02	90.5	5.8	7	1.84	16.5
J596107		1.70	0.008	0.05	7.26	2.5	790	1.75	0.36	1.57	0.02	99.8	6.3	10	1.87	15.4
J596108		1.73	<0.005	0.02	7.20	2.2	810	1.60	0.12	1.57	0.02	78.3	6.4	9	1.92	14.9
J596109		1.95	<0.005	0.05	7.15	1.3	810	1.72	0.06	1.59	<0.02	98.0	6.6	9	2.00	12.8
J596110		1.98	<0.005	0.01	6.86	2.3	780	1.56	0.04	1.15	0.02	95.3	6.6	8	2.01	6.9
J596111		1.70	<0.005	0.02	6.97	3.2	760	1.69	0.09	1.37	<0.02	86.7	6.4	7	2.58	14.6
J596112		1.85	<0.005	0.02	6.86	8.4	700	1.56	0.09	1.33	0.02	77.8	7.1	9	1.37	14.6
J596113		1.39	0.042	0.08	6.60	37.9	710	1.61	0.21	1.21	<0.02	75.9	6.9	8	1.68	10.0
J596114		1.25	<0.005	0.05	6.86	15.9	720	1.53	0.04	1.63	0.04	83.5	6.5	9	2.85	6.0
J596115		1.32	0.016	0.04	6.83	12.2	730	1.62	0.04	1.67	0.04	84.6	6.6	14	2.68	10.8
J596116		2.01	<0.005	0.04	7.12	17.0	830	1.50	0.04	1.62	0.03	85.9	6.3	17	2.68	6.4
J596117		2.13	0.173	0.07	7.15	91.8	810	1.62	0.06	1.80	0.04	89.5	7.0	14	1.87	9.4
J596118		1.99	0.048	0.06	7.06	41.8	800	1.54	0.06	1.72	0.05	85.6	6.3	9	2.48	5.6
J596119		2.08	0.147	0.07	6.98	50.3	790	1.58	0.08	1.67	0.03	79.4	6.4	7	2.19	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J596080		2.13	16.05	0.17	4.9	0.028	2.73	40.8	11.9	0.44	357	1.37	2.74	11.0	5.7	480
J596081		4.85	16.30	0.29	5.2	0.042	1.16	93.4	74.9	3.95	1080	1.09	1.41	9.2	122.0	2390
J596082		2.01	17.10	0.19	5.6	0.019	2.67	42.9	21.9	0.99	299	1.02	2.79	12.0	9.2	510
J596083		2.21	16.60	0.19	5.0	0.019	2.79	46.3	16.3	0.83	337	0.58	2.76	12.6	6.4	540
J596084		1.97	17.20	0.20	5.7	0.018	2.81	54.7	16.0	0.88	302	0.98	2.71	14.0	6.3	520
J596085		2.29	16.30	0.18	5.1	0.018	3.02	36.1	17.5	1.01	341	0.72	2.61	11.9	8.2	550
J596086		2.01	16.50	0.20	5.4	0.027	2.74	45.3	18.4	0.84	281	1.94	2.57	12.4	6.0	500
J596087		2.12	16.35	0.19	5.0	0.026	2.72	44.9	17.2	0.78	319	0.88	2.79	12.0	6.0	510
J596088		2.12	15.80	0.18	5.1	0.020	2.67	39.1	19.4	0.91	364	0.81	2.67	11.3	5.9	520
J596089		2.30	16.40	0.20	5.6	0.028	2.61	42.7	21.1	0.90	380	0.65	2.83	11.2	6.2	540
J596090		2.12	15.85	0.20	5.3	0.030	3.00	61.2	27.9	1.27	271	0.63	2.38	11.4	5.2	550
J596091		3.34	18.10	0.20	5.5	0.034	3.28	37.4	40.6	2.04	462	1.15	1.82	11.9	7.2	580
J596092		2.39	15.90	0.19	5.7	0.025	2.93	38.3	24.6	1.32	347	0.57	2.36	11.1	5.9	520
J596093		2.41	16.70	0.21	5.2	0.030	2.85	47.4	16.8	0.98	377	0.71	2.62	11.8	6.3	550
J596094		2.03	16.05	0.19	4.9	0.024	3.01	41.2	12.4	0.71	305	0.59	2.62	10.8	5.4	460
J596095		2.15	17.40	0.13	5.9	0.029	2.73	53.1	18.1	0.79	332	1.27	2.64	11.9	6.9	570
J596096		1.99	17.25	0.14	6.0	0.026	2.39	51.3	19.0	0.78	300	4.34	2.81	11.5	6.8	590
J596097		2.21	17.60	0.14	5.5	0.031	2.54	42.6	22.3	0.78	351	1.70	2.68	11.5	6.5	580
J596098		2.22	18.00	0.15	5.4	0.029	2.47	43.0	22.0	0.76	341	1.30	2.74	12.3	7.7	590
J596099		2.24	17.60	0.15	5.2	0.034	2.56	37.1	15.1	0.53	411	45.3	2.75	12.7	7.2	570
J596100		1.37	13.15	0.09	1.1	0.016	2.08	12.1	11.4	0.17	567	1.00	2.55	4.4	2.1	180
J596101		2.26	17.95	0.18	5.2	0.031	2.44	43.9	16.8	0.56	406	1.89	2.84	12.4	8.8	620
J596102		2.82	15.55	0.19	4.6	0.034	1.90	49.6	20.6	1.49	543	0.62	2.42	8.7	45.4	940
J596103		1.98	16.10	0.16	5.3	0.030	2.71	48.0	10.0	0.66	313	1.20	2.84	10.5	6.5	550
J596104		2.16	15.30	0.14	5.2	0.025	2.69	36.2	18.3	0.90	306	0.79	2.65	9.7	6.3	530
J596105		2.48	16.15	0.16	4.8	0.033	2.58	35.4	24.6	1.13	381	2.62	2.46	10.5	6.5	530
J596106		2.18	17.35	0.16	4.8	0.035	2.64	43.8	10.7	0.64	376	1.27	2.81	11.6	6.1	560
J596107		2.36	17.90	0.17	5.3	0.037	2.66	47.7	11.9	0.68	436	23.8	2.82	12.4	6.4	590
J596108		2.43	18.00	0.16	5.0	0.035	2.43	36.3	11.4	0.62	458	2.07	2.82	12.2	7.0	620
J596109		2.36	18.40	0.16	5.1	0.038	2.51	45.3	10.4	0.58	443	240	2.91	12.7	6.7	600
J596110		2.30	17.30	0.17	5.2	0.033	2.63	45.8	15.0	0.78	386	20.4	2.75	11.2	6.8	600
J596111		2.44	17.85	0.18	5.4	0.030	2.61	41.0	16.4	0.90	424	8.21	2.78	11.1	6.9	590
J596112		2.28	17.00	0.17	5.2	0.032	2.40	36.4	9.1	0.64	366	11.25	2.94	11.7	7.3	600
J596113		2.13	16.55	0.13	5.0	0.027	2.45	35.7	11.8	0.58	332	140.5	2.65	10.2	5.8	550
J596114		2.35	17.20	0.17	5.8	0.032	2.74	38.3	24.8	0.50	428	50.5	2.74	11.8	6.5	570
J596115		2.28	17.30	0.18	5.9	0.038	2.74	39.3	29.7	0.49	434	1.57	2.95	12.1	6.6	580
J596116		2.23	17.70	0.19	5.3	0.033	2.75	40.2	28.2	0.48	411	5.60	2.80	12.4	6.4	570
J596117		2.37	17.85	0.17	5.7	0.036	2.63	42.2	20.9	0.50	433	15.40	2.90	12.1	6.3	600
J596118		2.38	17.50	0.17	5.6	0.035	2.65	39.6	26.5	0.48	435	1.24	2.82	12.1	6.8	600
J596119		2.23	17.55	0.17	5.1	0.031	2.63	37.2	25.8	0.46	438	52.3	2.89	12.2	6.2	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596080		12.1	95.3	<0.002	0.01	0.15	5.9	1	1.4	172.5	0.85	<0.05	12.4	0.261	0.49	2.5
J596081		5.0	57.4	<0.002	0.02	0.21	16.3	2	2.3	103.5	0.64	<0.05	11.9	0.339	0.21	3.9
J596082		5.7	111.0	<0.002	0.05	0.20	7.1	2	2.1	91.8	1.38	<0.05	13.2	0.234	0.42	3.8
J596083		6.2	120.5	<0.002	0.06	0.19	6.8	1	2.1	101.0	1.54	<0.05	12.9	0.266	0.41	4.6
J596084		6.5	135.5	<0.002	0.01	0.15	6.9	1	2.2	83.0	1.75	<0.05	14.8	0.271	0.49	4.6
J596085		5.3	132.0	<0.002	0.01	0.17	6.8	1	1.8	82.4	1.02	<0.05	13.2	0.283	0.53	4.0
J596086		7.7	104.0	<0.002	0.01	0.14	6.4	1	1.9	104.5	1.13	<0.05	14.1	0.273	0.40	3.6
J596087		7.3	98.3	<0.002	0.01	0.15	6.4	2	1.8	116.5	1.03	<0.05	13.0	0.268	0.40	3.4
J596088		6.7	95.4	<0.002	0.02	0.14	6.4	1	1.7	97.3	0.96	<0.05	12.3	0.275	0.41	3.5
J596089		8.1	90.5	<0.002	0.07	0.16	6.5	1	1.7	131.5	0.91	<0.05	13.4	0.268	0.40	3.4
J596090		6.7	125.0	<0.002	0.01	0.17	6.5	1	1.6	89.6	0.91	<0.05	13.5	0.284	0.39	3.1
J596091		4.6	183.0	<0.002	0.02	0.21	8.0	2	1.9	60.4	0.98	<0.05	15.0	0.296	0.62	3.9
J596092		5.7	114.0	<0.002	0.02	0.15	6.5	1	1.7	67.8	0.93	<0.05	14.1	0.269	0.41	3.4
J596093		7.7	103.5	<0.002	0.01	0.15	6.8	1	1.8	116.0	1.11	<0.05	14.1	0.276	0.41	3.9
J596094		10.6	104.5	<0.002	0.10	0.14	5.4	1	1.6	110.5	0.95	<0.05	16.7	0.243	0.43	4.7
J596095		10.9	115.5	<0.002	0.01	0.16	8.0	2	2.0	141.5	1.26	<0.05	14.6	0.275	0.38	3.5
J596096		9.9	98.7	<0.002	0.07	0.22	8.1	2	1.9	141.5	1.06	<0.05	14.9	0.276	0.30	3.4
J596097		9.6	106.5	<0.002	0.02	0.16	8.1	2	2.3	154.0	1.04	<0.05	14.0	0.275	0.35	3.2
J596098		11.0	106.0	<0.002	0.08	0.20	8.9	2	2.0	166.5	1.12	<0.05	14.2	0.281	0.37	3.4
J596099		12.7	111.5	0.006	0.02	0.20	8.3	2	2.0	200	1.22	<0.05	12.8	0.279	0.47	3.3
J596100		11.3	64.7	<0.002	<0.01	0.18	5.7	2	1.6	176.5	0.46	<0.05	5.7	0.110	0.35	1.8
J596101		12.0	106.0	<0.002	0.03	0.20	8.5	2	2.1	237	1.09	<0.05	12.6	0.291	0.46	2.9
J596102		5.3	84.9	<0.002	0.04	0.19	9.9	2	2.0	210	0.79	<0.05	12.0	0.249	0.37	2.4
J596103		5.7	117.5	<0.002	0.05	0.16	7.9	2	1.6	111.5	0.97	<0.05	14.9	0.251	0.44	3.4
J596104		4.4	115.5	<0.002	0.04	0.13	7.4	2	1.5	65.4	0.87	<0.05	13.4	0.235	0.43	3.3
J596105		5.6	106.0	<0.002	0.04	0.13	8.0	2	1.8	72.7	0.93	<0.05	13.7	0.253	0.43	3.3
J596106		9.8	103.0	<0.002	0.05	0.17	8.0	2	2.2	155.0	1.12	<0.05	13.4	0.260	0.42	3.4
J596107		12.1	104.5	0.002	0.05	0.15	8.7	2	2.0	162.0	1.21	<0.05	16.7	0.274	0.42	4.0
J596108		10.9	88.5	<0.002	0.04	0.17	8.6	2	1.9	193.5	1.04	<0.05	12.0	0.295	0.38	2.9
J596109		13.7	97.5	0.023	0.03	0.14	8.6	2	1.9	192.0	1.21	<0.05	16.2	0.288	0.42	3.3
J596110		10.0	107.0	0.002	0.02	0.13	8.2	2	1.8	140.5	1.04	<0.05	14.3	0.264	0.41	3.3
J596111		8.4	107.5	<0.002	0.05	0.17	7.8	2	1.8	123.0	1.03	<0.05	14.3	0.264	0.41	3.2
J596112		10.3	93.2	0.002	0.08	0.23	7.8	2	1.8	141.5	1.08	<0.05	12.5	0.276	0.38	3.0
J596113		14.5	102.0	0.012	0.39	0.32	7.8	2	1.8	136.0	0.97	<0.05	13.9	0.250	0.41	3.4
J596114		14.3	129.0	0.003	0.03	0.41	8.8	2	2.0	187.5	1.10	<0.05	13.8	0.277	0.61	3.2
J596115		14.6	118.5	<0.002	0.08	0.39	8.4	2	2.0	190.0	1.12	<0.05	13.3	0.283	0.58	3.0
J596116		13.4	123.0	<0.002	0.03	0.34	8.2	2	1.9	196.5	1.13	<0.05	13.8	0.290	0.57	3.1
J596117		16.7	111.0	0.002	0.33	0.38	8.5	2	1.9	198.5	1.11	<0.05	13.3	0.291	0.54	3.2
J596118		16.8	116.0	<0.002	0.13	0.35	8.2	2	2.0	202	1.08	<0.05	13.3	0.292	0.58	2.9
J596119		16.3	115.5	0.004	0.23	0.37	8.3	2	1.8	205	1.06	<0.05	12.1	0.283	0.55	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596080		36	0.5	17.3	40	189.0
J596081		100	3.2	32.6	80	209
J596082		38	1.7	22.1	25	207
J596083		40	2.2	23.4	28	183.0
J596084		37	2.6	24.6	26	203
J596085		41	2.8	19.1	29	187.0
J596086		38	1.5	21.3	24	206
J596087		39	1.6	20.6	28	191.5
J596088		38	1.8	19.5	28	189.0
J596089		41	1.1	19.6	34	208
J596090		41	1.2	19.3	18	216
J596091		49	1.7	27.6	43	209
J596092		41	1.2	19.5	31	206
J596093		42	1.3	19.3	34	198.5
J596094		34	1.0	20.3	31	172.5
J596095		41	1.2	21.7	31	230
J596096		43	1.6	23.8	23	228
J596097		42	1.3	21.1	30	211
J596098		42	2.8	22.3	31	206
J596099		42	1.0	22.2	43	197.0
J596100		15	1.0	17.1	40	29.4
J596101		44	1.8	23.2	45	200
J596102		57	3.2	20.9	60	188.0
J596103		39	1.9	20.6	29	203
J596104		36	3.3	17.9	25	207
J596105		40	3.5	18.4	31	187.0
J596106		39	1.6	22.3	30	181.5
J596107		43	2.7	25.1	36	207
J596108		46	1.4	22.4	40	195.5
J596109		44	4.5	24.1	47	189.0
J596110		42	1.5	21.8	37	201
J596111		43	2.0	22.7	33	204
J596112		42	1.5	20.9	34	200
J596113		40	4.6	21.0	32	190.0
J596114		44	1.0	21.4	52	221
J596115		44	1.2	21.9	51	232
J596116		42	1.5	21.8	45	202
J596117		44	3.7	22.1	59	222
J596118		44	1.8	21.6	55	218
J596119		43	5.3	21.1	53	195.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	g/t	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
J596120		1.92	0.221	0.09	6.66	76.8	760	1.70	0.10	1.62	0.06	85.8	6.5	11	1.75	11.8
J596121		1.76	0.126	0.08	6.72	42.7	750	1.73	0.05	1.60	0.05	78.7	6.7	7	1.98	9.8
J596122		2.23	0.009	0.06	6.76	41.7	750	1.49	0.06	1.57	0.02	79.8	5.8	8	2.24	8.0
J596123		2.09	0.053	0.06	7.03	59.5	820	1.70	0.06	1.66	0.05	82.2	6.1	6	2.20	8.7
J596124		0.33	0.310	0.20	7.01	1545	740	1.92	0.13	1.68	0.11	75.9	6.8	12	1.99	11.4
J596125		0.29	3.02	0.15	6.57	1595	710	1.74	0.11	1.52	0.08	75.9	6.9	9	1.91	9.2
J596126		0.70	0.570	0.24	6.87	1785	710	1.68	0.24	1.61	0.17	83.8	6.9	12	1.35	11.9
J596127		0.74	0.362	0.22	6.98	693	860	1.54	0.16	1.52	0.11	57.4	6.4	10	1.31	11.1
J596128		0.68	0.299	0.29	5.88	1265	630	1.46	0.37	1.37	0.15	61.6	5.9	8	1.27	8.7
J596129		1.31	0.020	0.10	6.94	73.8	730	1.49	0.07	1.72	0.07	77.0	6.9	9	2.53	10.5
J596130		1.36	0.056	0.09	6.77	48.4	750	1.59	0.15	1.65	0.07	74.1	6.3	7	1.98	10.3
J596131		1.35	0.099	0.06	6.53	54.4	680	1.44	0.08	1.62	0.07	82.1	6.4	11	2.36	10.1
J596132		1.26	0.118	0.10	6.56	35.0	770	1.24	0.08	1.71	0.05	80.0	6.4	10	2.32	12.2
J596133		1.25	<0.005	0.03	6.57	26.8	790	1.47	0.07	1.65	0.06	75.5	6.0	8	2.38	10.4
J596134		1.36	0.037	0.04	6.40	23.9	700	1.85	0.12	1.56	0.09	70.6	5.5	11	1.80	11.6
J596135		1.34	<0.005	0.02	6.55	47.1	690	1.89	0.07	1.30	0.06	63.6	4.4	9	1.69	6.6
J596136		1.29	<0.005	0.03	6.72	3.4	760	1.57	0.08	1.58	0.05	66.7	5.6	11	2.95	7.2
J596137		1.46	<0.005	0.05	6.64	8.7	770	1.48	0.07	1.51	0.06	65.5	5.8	10	1.84	8.2
J596138		1.13	<0.005	0.02	6.38	6.5	760	1.63	0.10	1.24	0.06	61.8	4.8	8	1.87	10.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
J596120		2.33	17.60	0.17	5.1	0.038	2.60	39.3	20.0	0.47	421	4.67	2.82	12.3	7.0	600
J596121		2.14	16.85	0.16	5.9	0.031	2.53	36.1	25.9	0.43	397	1.19	2.87	12.0	6.2	550
J596122		2.17	16.20	0.15	5.8	0.031	2.42	36.8	25.1	0.44	401	62.6	2.89	11.6	5.7	560
J596123		2.26	17.80	0.17	5.9	0.034	2.63	38.2	23.6	0.47	402	13.60	2.79	13.1	6.0	580
J596124		2.33	17.35	0.16	5.9	0.041	2.61	35.3	17.7	0.50	400	1.53	2.52	11.0	6.5	620
J596125		2.20	16.70	0.16	5.5	0.040	2.57	35.4	16.7	0.48	375	1.33	2.33	10.0	6.2	590
J596126		2.38	17.00	0.18	5.7	0.039	2.33	39.8	16.8	0.48	385	0.92	2.61	7.7	7.2	620
J596127		2.21	16.55	0.16	5.2	0.034	2.54	26.6	14.3	0.46	409	48.6	2.61	9.4	6.1	560
J596128		2.17	15.90	0.15	3.2	0.038	2.20	28.4	17.0	0.47	361	1.65	2.07	5.6	5.7	490
J596129		2.36	17.15	0.17	4.7	0.036	2.55	34.3	22.5	0.50	422	1.24	2.72	11.5	6.8	620
J596130		2.30	17.20	0.18	4.8	0.037	2.62	33.6	20.8	0.49	431	1.36	2.81	11.5	6.5	600
J596131		2.34	15.60	0.26	4.6	0.037	2.49	40.5	22.0	0.51	425	1.72	2.75	12.0	6.6	590
J596132		2.37	15.25	0.22	4.7	0.037	2.53	38.6	19.0	0.50	424	0.89	2.86	12.0	6.9	610
J596133		2.24	16.00	0.25	5.1	0.034	2.49	36.8	21.1	0.47	402	0.87	2.98	12.1	6.4	580
J596134		2.15	15.40	0.22	5.4	0.033	2.33	34.2	14.8	0.43	415	47.3	2.93	14.0	6.6	520
J596135		1.75	15.40	0.20	4.6	0.026	2.86	30.2	11.8	0.34	338	1.49	2.94	12.7	4.4	400
J596136		2.19	15.80	0.24	4.9	0.036	2.70	31.8	16.5	0.46	418	2.05	2.83	12.6	6.0	520
J596137		2.07	15.55	0.22	4.2	0.029	2.67	31.7	11.8	0.41	379	1.29	2.88	11.9	6.2	510
J596138		1.86	15.50	0.22	4.3	0.026	2.79	30.1	11.5	0.38	349	4.97	2.78	11.2	4.8	440

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J596120		19.7	111.5	<0.002	0.45	0.43	8.4	2	2.0	182.5	1.13	0.06	13.7	0.287	0.58	3.2
J596121		17.6	110.5	<0.002	0.15	0.36	7.6	2	1.9	195.0	1.13	<0.05	13.3	0.271	0.57	3.0
J596122		16.3	110.0	0.004	0.09	0.40	7.5	2	1.9	188.5	1.05	<0.05	14.0	0.283	0.56	3.1
J596123		18.1	116.5	<0.002	0.18	0.47	8.3	2	1.9	203	1.30	<0.05	16.4	0.283	0.56	3.6
J596124		21.9	116.0	<0.002	0.59	1.03	8.3	2	1.9	205	1.05	0.08	13.7	0.275	0.56	3.3
J596125		19.0	109.5	<0.002	0.54	0.89	7.8	2	1.8	190.5	0.92	0.11	13.9	0.259	0.56	3.1
J596126		25.8	95.1	<0.002	1.28	1.09	8.8	2	1.6	175.5	0.72	0.11	12.9	0.231	0.46	2.8
J596127		20.1	101.5	0.003	0.64	0.66	7.9	2	1.7	189.5	0.85	0.05	10.4	0.252	0.50	2.8
J596128		20.4	91.8	<0.002	1.23	0.68	7.2	2	1.7	123.0	0.50	0.12	9.9	0.180	0.42	2.1
J596129		16.5	106.5	<0.002	0.15	0.39	8.4	2	1.8	200	0.98	<0.05	12.5	0.285	0.57	2.7
J596130		17.3	105.0	<0.002	0.32	0.38	8.2	2	1.9	191.0	0.99	<0.05	12.1	0.291	0.53	2.6
J596131		18.6	99.8	<0.002	0.27	0.43	7.7	2	1.8	172.5	0.97	<0.05	12.7	0.290	0.59	3.2
J596132		17.3	100.0	<0.002	0.14	0.35	7.0	2	1.9	191.5	0.94	<0.05	11.3	0.297	0.52	2.8
J596133		17.5	97.1	<0.002	0.08	0.35	7.0	2	1.8	193.5	1.03	<0.05	11.7	0.287	0.54	2.9
J596134		19.1	85.4	0.003	0.17	0.27	6.4	2	1.9	172.5	1.57	<0.05	15.4	0.258	0.43	4.7
J596135		21.0	111.0	<0.002	0.07	0.20	5.2	2	1.7	149.0	1.49	<0.05	20.4	0.209	0.53	5.8
J596136		19.8	114.5	<0.002	0.01	0.14	6.9	2	2.0	177.5	1.14	<0.05	13.8	0.265	0.64	3.8
J596137		18.7	96.2	<0.002	0.02	0.23	6.3	2	1.9	188.0	0.98	<0.05	14.4	0.257	0.51	3.5
J596138		17.7	101.5	<0.002	0.06	0.17	5.5	2	1.8	155.5	1.04	<0.05	14.5	0.232	0.52	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J596120		44	10.9	21.4	60	199.5
J596121		40	6.5	20.1	50	227
J596122		41	2.4	19.9	50	222
J596123		43	3.0	23.3	49	222
J596124		44	8.4	23.0	58	230
J596125		42	6.7	20.7	50	216
J596126		42	14.5	21.1	60	222
J596127		40	7.0	19.8	61	208
J596128		40	22.6	16.0	48	131.0
J596129		45	5.8	21.3	56	180.0
J596130		45	5.7	20.3	50	193.0
J596131		43	5.0	20.0	57	176.5
J596132		43	1.4	19.9	45	178.5
J596133		41	0.6	19.4	46	189.0
J596134		37	2.1	22.1	55	194.0
J596135		28	2.8	20.4	40	142.5
J596136		39	1.3	20.3	52	180.5
J596137		36	2.3	18.3	46	155.0
J596138		31	1.8	17.2	43	153.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 27-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034448

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.