ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

CERTIFICATE TB10192532

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 110 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345476		1.80	0.006	0.07	6.32	4.8	1030	1.72	0.21	0.49	0.02	96.9	4.2	9	2.34	33.5
I345477		1.31	<0.005	0.09	6.38	12.9	1010	1.79	0.28	0.55	0.06	98.1	4.2	8	1.63	23.0
I345478		0.55	0.015	0.10	6.53	8.0	2430	1.47	0.58	0.51	0.05	89.0	9.8	7	3.45	72.8
I345479		0.54	0.008	0.10	6.63	11.2	1570	1.71	0.97	0.76	0.06	100.5	5.1	7	2.77	43.1
I345480		0.50	0.009	0.12	6.61	9.7	2280	1.57	1.01	0.71	0.06	113.0	11.5	5	3.22	40.0
I345481		1.65	0.006	0.07	6.13	10.9	1140	1.63	0.49	0.51	0.09	98.4	5.0	7	1.81	18.1
I345482		0.49	0.008	0.12	6.95	12.2	1810	2.34	1.34	0.72	0.05	105.0	9.9	7	3.43	73.2
I345483		1.10	<0.005	0.06	6.19	17.3	1180	1.54	0.46	0.38	0.08	101.0	3.6	6	1.97	14.4
I345484		0.96	0.015	0.28	6.39	16.0	1390	1.79	1.58	0.51	0.07	111.5	13.7	7	3.54	260
I345485		0.46	0.005	0.08	6.43	17.3	1460	1.66	0.74	0.51	0.06	104.0	2.6	7	2.34	44.6
I345486		0.73	0.032	0.49	5.81	8.0	150	2.62	1.40	1.21	0.06	37.9	15.0	5	4.37	368
I345487		0.60	0.055	0.23	6.23	2.5	1200	2.63	0.46	0.59	0.07	57.0	7.8	7	2.95	172.0
I345488		1.08	0.006	0.10	6.31	12.5	920	2.77	0.18	0.64	0.12	78.5	5.4	7	2.91	6.9
I345489		0.98	0.007	0.03	6.38	12.1	1240	2.38	0.16	0.40	0.28	88.6	6.6	6	3.11	10.5
I345490		1.09	0.006	<0.01	6.27	21.3	940	1.57	0.22	0.43	0.25	96.0	5.8	9	1.80	4.1
I345491		1.17	0.005	<0.01	6.36	11.6	910	1.59	0.29	0.57	0.12	95.6	4.2	9	1.69	8.9
I345492		1.36	0.006	<0.01	6.29	14.9	870	1.46	0.19	0.51	0.08	96.1	3.3	7	1.64	11.8
I345493		0.50	0.008	<0.01	6.28	11.1	910	1.86	0.12	0.60	0.09	96.0	4.5	6	1.82	8.6
I345494		1.80	0.006	<0.01	6.19	15.5	830	1.75	0.08	0.55	0.06	102.5	3.9	10	1.62	6.0
I345495		1.79	0.010	0.01	6.31	19.3	840	1.75	0.09	0.55	0.05	95.4	3.2	11	1.65	11.2
I345496		1.37	0.007	0.03	6.16	17.6	780	2.09	0.09	0.62	0.06	88.6	3.1	8	1.71	8.7
I345497		1.19	0.006	<0.01	6.27	18.4	810	1.93	0.08	0.59	0.03	88.3	3.1	7	1.75	3.0
I345498		1.35	0.006	0.09	6.12	27.2	780	1.68	0.10	0.55	0.11	107.0	3.1	8	1.60	16.1
I345499		0.51	0.266	5.04	6.59	531	780	2.38	11.70	0.56	1.66	97.3	5.2	9	1.02	4870
I345500		0.50	1.455	2.35	5.91	595	740	1.89	5.57	0.53	0.60	86.1	4.3	9	0.86	1365
I345501		1.25	0.175	0.85	7.07	604	1080	2.05	4.54	0.59	0.32	111.0	8.1	8	1.16	566
I345502		0.59	0.061	0.30	6.08	33.9	770	1.56	0.18	0.68	0.29	86.2	3.5	9	1.29	77.7
I345503		1.19	0.008	0.02	6.31	26.0	790	1.95	0.10	0.58	0.12	93.4	3.8	8	1.68	20.2
I345504		1.22	0.009	0.01	6.20	21.6	760	1.81	0.07	0.58	0.04	86.3	2.7	7	1.67	10.6
I345505		1.20	0.013	0.06	6.06	31.0	780	1.81	0.07	0.60	0.07	96.4	4.5	9	1.53	16.6
I345506		1.19	0.007	<0.01	6.16	10.3	750	1.92	0.05	0.53	<0.02	96.3	3.4	8	1.81	6.1
I345507		1.13	0.011	0.01	6.23	13.5	760	2.06	0.06	0.61	0.04	93.4	4.0	9	1.54	10.0
I345508		0.61	0.246	<0.01	6.03	16.6	800	1.72	0.10	0.60	0.09	95.9	4.3	8	1.40	10.1
I345509		1.16	0.006	<0.01	6.17	8.4	780	1.95	0.05	0.58	0.02	92.0	4.3	7	1.60	6.0
I345510		1.76	0.008	<0.01	6.35	5.1	830	1.82	0.05	0.47	<0.02	102.5	6.1	9	1.84	8.3
I345511		1.68	0.011	<0.01	6.41	8.7	810	2.08	0.05	0.50	0.05	94.8	5.1	10	1.73	6.4
I345512		1.73	0.008	<0.01	6.32	12.5	830	1.94	0.06	0.48	<0.02	102.5	8.1	11	1.54	7.0
I345513		1.18	0.018	<0.01	6.38	17.2	860	1.87	0.07	0.52	0.07	103.5	6.3	12	1.57	14.9
I345514		1.11	0.009	<0.01	6.24	5.0	820	2.03	0.06	0.50	<0.02	99.9	4.3	6	1.38	5.2
I345515		1.12	0.016	<0.01	6.14	14.4	860	2.31	0.10	0.49	<0.02	99.2	4.7	9	1.71	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345476		1.38	15.35	0.17	5.9	0.024	4.01	48.9	8.9	0.10	265	2.29	2.15	13.8	1.7	100
I345477		1.39	15.70	0.19	5.2	0.016	3.99	49.8	11.3	0.08	275	2.07	2.06	15.0	1.1	100
I345478		2.98	15.20	0.24	5.8	0.058	4.52	44.5	18.2	0.11	591	0.80	1.27	14.9	2.4	100
I345479		2.29	15.15	0.24	4.6	0.045	4.05	51.4	16.4	0.09	507	1.54	1.66	14.5	1.2	100
I345480		2.42	15.45	0.26	6.8	0.045	4.53	56.6	14.6	0.09	599	1.24	1.56	17.0	1.1	110
I345481		1.44	14.65	0.23	6.1	0.026	3.91	49.6	11.6	0.07	401	1.80	1.86	15.6	1.2	90
I345482		2.99	14.50	0.29	5.9	0.087	3.90	53.8	20.8	0.11	637	0.77	1.58	16.3	4.0	100
I345483		1.71	14.35	0.23	5.7	0.025	3.69	51.8	12.9	0.07	445	1.57	1.88	13.8	1.8	100
I345484		5.20	15.05	0.36	5.7	0.076	3.80	57.2	15.7	0.09	1160	1.62	1.49	15.6	4.5	100
I345485		2.15	13.65	0.29	6.2	0.091	3.93	52.9	8.8	0.04	895	0.92	1.67	14.1	2.5	100
I345486		9.35	18.05	0.27	3.8	0.121	1.58	17.7	12.0	0.10	965	1.87	1.86	13.8	9.2	240
I345487		4.07	16.70	0.27	5.4	0.191	3.06	28.7	16.3	0.08	529	3.93	1.24	17.8	3.1	90
I345488		3.38	14.15	0.27	5.5	0.102	2.38	40.6	14.7	0.06	1320	1.63	1.79	16.0	3.9	100
I345489		3.64	16.20	0.22	4.9	0.127	3.44	44.4	19.5	0.07	1000	1.77	1.42	15.3	3.3	110
I345490		1.54	17.25	0.09	5.7	0.062	3.58	49.8	10.6	0.08	513	2.06	2.15	14.5	2.2	90
I345491		1.41	16.90	0.09	5.6	0.036	3.58	49.3	11.9	0.08	486	2.01	2.23	14.9	1.1	90
I345492		1.42	16.55	0.09	5.8	0.026	3.62	50.3	11.9	0.08	382	8.37	2.19	13.3	1.1	80
I345493		1.43	17.45	0.10	5.8	0.037	3.38	49.2	13.1	0.08	425	3.36	2.33	14.2	1.2	100
I345494		1.25	17.15	0.11	6.0	0.015	3.49	52.2	11.7	0.08	327	2.46	2.30	14.4	1.0	90
I345495		1.26	17.65	0.12	5.4	0.015	3.56	48.4	11.2	0.08	290	2.10	2.40	14.2	1.1	100
I345496		1.26	17.05	0.10	5.6	0.020	3.28	44.3	12.4	0.08	328	2.07	2.34	13.8	1.0	100
I345497		1.25	17.20	0.11	5.6	0.013	3.44	44.9	11.3	0.09	263	2.24	2.39	13.6	1.0	100
I345498		1.17	16.95	0.13	6.0	0.019	3.34	55.5	12.1	0.08	276	3.38	2.41	14.3	1.1	100
I345499		2.75	17.70	0.15	6.5	1.030	3.46	50.1	29.2	0.10	210	1.73	2.22	17.5	1.3	100
I345500		1.84	13.75	0.12	6.0	0.221	3.38	43.6	19.4	0.07	202	1.91	2.08	17.0	0.9	90
I345501		2.03	21.5	0.16	6.8	0.181	4.61	56.4	40.8	0.11	223	11.75	1.78	19.7	1.7	90
I345502		1.05	16.15	0.10	6.2	0.041	3.49	43.2	14.7	0.06	292	1.58	2.20	14.4	1.1	90
I345503		1.19	17.95	0.12	5.9	0.032	3.49	47.6	13.7	0.08	243	6.76	2.39	14.6	1.0	90
I345504		1.17	17.50	0.12	6.3	0.018	3.39	43.5	12.4	0.08	226	1.38	2.38	13.3	0.9	90
I345505		1.17	17.20	0.13	5.5	0.017	3.32	49.9	12.9	0.08	203	3.73	2.29	13.1	1.2	90
I345506		1.22	17.75	0.13	6.5	0.011	3.41	49.6	10.1	0.08	184	2.47	2.38	13.6	1.0	90
I345507		1.23	17.20	0.11	5.2	0.013	3.26	48.1	12.4	0.08	216	1.40	2.43	13.4	1.3	90
I345508		1.22	16.25	0.12	5.0	0.013	3.39	48.2	15.2	0.08	221	1.27	2.25	12.2	1.1	100
I345509		1.29	17.40	0.13	5.3	0.011	3.38	46.7	11.5	0.08	230	2.15	2.35	13.1	1.2	100
I345510		1.29	17.75	0.13	5.1	0.013	3.65	53.3	9.9	0.09	214	2.97	2.37	13.1	1.4	100
I345511		1.28	18.35	0.14	5.0	0.011	3.66	49.0	10.8	0.09	193	2.27	2.42	14.7	1.1	100
I345512		1.28	18.15	0.14	6.0	0.012	3.66	53.4	9.8	0.09	180	2.57	2.38	13.9	2.7	100
I345513		1.31	18.15	0.14	5.6	0.018	3.78	54.0	12.7	0.09	190	2.11	2.32	14.0	2.5	100
I345514		1.28	16.95	0.13	5.8	0.011	3.59	51.3	9.9	0.08	180	1.61	2.31	12.6	1.3	90
I345515		1.44	16.70	0.14	5.5	0.022	3.66	52.0	11.4	0.10	202	2.94	2.18	11.8	4.5	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345476		10.5	151.5	<0.002	0.06	0.44	4.3	2	1.5	60.4	1.37	<0.05	18.2	0.101	0.67	4.8
I345477		14.4	143.5	<0.002	0.12	0.75	4.5	1	1.6	67.4	1.46	<0.05	18.5	0.097	0.68	4.7
I345478		12.7	141.5	<0.002	0.32	0.46	5.2	2	4.6	72.8	1.51	<0.05	19.9	0.101	0.98	5.6
I345479		12.3	153.5	<0.002	0.22	0.45	4.5	2	3.1	77.0	1.35	<0.05	16.9	0.101	0.84	4.2
I345480		15.0	143.5	<0.002	0.24	0.58	4.6	2	3.8	100.5	1.67	<0.05	22.0	0.100	0.95	5.9
I345481		13.7	123.5	0.002	0.09	0.61	4.2	2	2.6	79.1	1.51	<0.05	19.6	0.094	0.66	5.3
I345482		12.8	157.5	<0.002	0.39	0.44	5.1	2	8.0	82.2	1.57	<0.05	20.7	0.100	0.96	5.1
I345483		12.8	122.5	<0.002	0.06	0.49	4.4	2	2.8	69.8	1.35	<0.05	19.9	0.099	0.74	5.3
I345484		12.6	154.5	<0.002	1.15	0.42	4.7	2	8.9	67.7	1.45	<0.05	19.8	0.096	1.04	5.3
I345485		13.3	141.5	0.002	0.15	0.41	4.2	2	9.8	57.9	1.55	<0.05	20.0	0.095	0.81	5.6
I345486		11.2	101.5	<0.002	5.00	0.28	3.1	2	20.3	51.0	1.37	<0.05	12.3	0.078	0.86	6.8
I345487		10.3	154.5	<0.002	0.68	0.23	3.7	2	28.1	45.0	1.66	<0.05	24.0	0.094	0.91	6.7
I345488		9.8	128.5	<0.002	0.04	0.36	3.7	2	23.9	56.6	1.52	<0.05	19.6	0.100	0.87	5.7
I345489		12.1	172.0	<0.002	0.07	0.49	4.2	2	41.5	56.2	1.62	<0.05	19.5	0.097	1.02	4.9
I345490		11.2	135.0	<0.002	0.02	0.62	4.5	2	9.9	65.5	1.36	<0.05	20.6	0.095	0.75	5.0
I345491		15.5	125.0	<0.002	0.04	0.64	4.6	2	4.5	66.2	1.45	<0.05	21.3	0.095	0.64	5.4
I345492		15.1	133.0	0.002	0.05	0.64	4.5	2	3.8	60.6	1.28	<0.05	21.4	0.091	0.62	5.2
I345493		16.5	131.0	<0.002	0.04	0.62	4.6	1	3.7	64.1	1.36	<0.05	20.2	0.095	0.60	5.0
I345494		16.6	131.0	<0.002	0.03	0.56	4.5	2	1.9	62.6	1.36	<0.05	21.5	0.093	0.59	5.1
I345495		10.6	137.0	<0.002	0.04	0.60	4.5	1	1.7	61.6	1.32	<0.05	19.8	0.096	0.56	4.6
I345496		10.5	132.5	<0.002	0.03	0.52	4.7	2	1.7	67.9	1.35	<0.05	18.8	0.095	0.55	4.4
I345497		6.0	137.0	<0.002	0.01	0.55	4.8	1	1.6	66.9	1.29	<0.05	18.7	0.094	0.56	4.5
I345498		25.0	135.5	<0.002	0.04	0.60	4.5	1	1.5	51.0	1.49	<0.05	20.4	0.096	0.58	4.7
I345499		64.9	136.5	<0.002	1.41	1.37	4.4	2	4.0	51.8	1.82	<0.05	22.3	0.095	0.56	5.4
I345500		55.2	134.0	<0.002	0.83	1.32	3.8	2	2.4	47.5	1.76	<0.05	20.6	0.087	0.52	5.2
I345501		55.7	171.0	0.002	0.72	0.97	4.9	2	5.4	48.7	1.66	<0.05	24.9	0.100	0.71	6.2
I345502		49.6	138.0	<0.002	0.11	0.67	4.4	2	2.0	43.4	1.52	<0.05	23.7	0.090	0.60	5.9
I345503		35.2	143.0	0.002	0.06	0.47	4.6	2	3.0	56.4	1.47	<0.05	22.3	0.091	0.62	5.5
I345504		9.7	137.0	<0.002	0.03	0.41	4.8	1	1.8	58.7	1.31	<0.05	18.4	0.090	0.58	4.6
I345505		25.2	135.0	<0.002	0.06	0.52	4.6	2	1.9	57.3	1.19	<0.05	18.4	0.092	0.52	4.4
I345506		6.4	131.0	<0.002	0.01	0.37	4.5	1	1.5	57.9	1.28	<0.05	20.3	0.094	0.51	4.9
I345507		15.1	128.0	<0.002	0.03	0.40	4.7	1	1.5	62.1	1.30	<0.05	18.9	0.092	0.51	4.5
I345508		26.5	129.5	<0.002	0.09	0.41	4.5	1	1.5	60.1	1.10	<0.05	17.5	0.093	0.50	3.7
I345509		7.2	133.0	<0.002	0.01	0.33	4.6	1	1.5	64.0	1.22	<0.05	17.5	0.092	0.49	4.2
I345510		4.1	148.0	<0.002	<0.01	0.25	4.8	2	1.5	53.4	1.19	<0.05	17.9	0.097	0.49	4.4
I345511		19.7	148.0	<0.002	0.03	0.32	4.6	2	1.5	53.6	1.38	<0.05	18.8	0.099	0.51	4.4
I345512		4.1	148.5	<0.002	0.01	0.32	5.0	2	1.4	54.6	1.29	<0.05	19.4	0.097	0.50	4.9
I345513		17.2	150.5	<0.002	0.07	0.37	4.9	2	1.6	54.1	1.29	<0.05	18.3	0.098	0.52	4.5
I345514		3.5	144.0	<0.002	0.01	0.29	4.7	2	1.4	54.0	1.19	<0.05	17.3	0.095	0.47	4.0
I345515		5.0	147.0	<0.002	0.01	0.47	4.6	2	1.7	54.8	1.13	<0.05	17.5	0.094	0.51	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345476		5	1.2	24.1	19	171.5
I345477		5	1.2	20.2	22	158.0
I345478		6	3.3	22.0	45	172.5
I345479		5	3.7	21.0	47	144.5
I345480		4	2.5	26.5	50	196.0
I345481		4	1.8	21.7	40	180.0
I345482		4	3.7	26.5	72	184.0
I345483		4	2.5	17.6	43	166.0
I345484		4	3.4	32.2	115	170.5
I345485		4	2.9	28.9	73	177.0
I345486		4	9.4	34.6	140	114.0
I345487		3	6.0	28.3	141	155.5
I345488		4	6.5	33.5	141	165.5
I345489		4	5.3	29.3	175	145.0
I345490		5	2.0	24.8	99	178.0
I345491		5	1.9	24.3	58	169.5
I345492		4	1.7	24.8	36	177.0
I345493		4	2.0	25.9	44	180.5
I345494		4	1.6	25.8	28	185.0
I345495		5	2.2	22.0	25	166.0
I345496		5	6.5	21.9	32	167.0
I345497		5	2.2	20.3	26	172.5
I345498		4	2.2	25.4	45	181.5
I345499		4	10.6	23.2	275	179.0
I345500		3	8.9	21.4	145	173.5
I345501		5	6.7	25.9	102	200
I345502		4	3.4	24.9	112	183.0
I345503		4	1.9	26.2	54	167.5
I345504		4	2.0	21.1	21	188.5
I345505		4	1.7	20.1	35	174.5
I345506		4	1.1	23.8	11	193.5
I345507		4	2.7	20.4	19	159.5
I345508		4	3.4	19.6	36	153.5
I345509		4	1.7	20.0	14	164.0
I345510		5	1.3	23.6	13	162.5
I345511		5	1.2	26.8	25	154.0
I345512		4	1.0	23.4	9	186.0
I345513		5	1.2	22.0	29	180.5
I345514		5	1.1	20.6	9	177.0
I345515		5	1.0	24.4	13	166.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345516		1.13	0.009	<0.01	5.94	12.6	760	2.77	0.08	0.50	<0.02	90.3	4.5	6	1.45	6.0
I345517		1.15	0.010	<0.01	6.06	15.3	760	2.60	0.08	0.55	0.02	102.5	3.8	6	1.65	10.2
I345518		1.11	0.015	<0.01	5.98	16.5	780	2.06	0.06	0.53	<0.02	97.8	5.6	7	1.75	15.0
I345519		1.03	0.018	<0.01	6.17	9.6	820	1.93	0.07	0.55	<0.02	119.5	3.9	8	1.85	12.3
I345520		0.38	0.012	<0.01	6.20	5.1	570	1.71	0.06	0.43	<0.02	68.8	1.4	6	0.86	7.3
I345521		0.93	0.009	<0.01	6.29	18.3	700	2.00	0.09	0.52	0.02	95.5	4.7	9	1.61	6.8
I345522		1.24	0.015	<0.01	6.41	20.0	840	2.15	0.10	0.58	0.09	98.4	5.2	8	1.86	9.7
I345523		1.36	0.008	<0.01	6.29	9.9	820	2.13	0.07	0.52	0.02	94.4	4.2	8	2.22	3.0
I345524		0.47	0.026	<0.01	6.17	20.1	860	2.01	0.08	0.54	0.08	99.7	8.6	5	2.14	17.1
I345525		0.03	3.43	0.14	1.56	1.9	100	0.38	0.14	0.01	0.12	17.80	1.3	12	0.61	6.7
I345526		1.57	0.010	0.07	6.09	11.8	850	1.91	0.10	0.53	<0.02	111.5	4.0	6	1.97	3.2
I345527		1.71	0.008	0.05	5.79	10.1	750	1.89	0.06	0.53	<0.02	96.3	3.2	6	1.35	2.7
I345528		1.77	0.011	0.05	6.17	8.8	840	2.02	0.06	0.55	0.03	101.5	4.2	5	1.74	6.4
I345529		1.78	0.012	0.06	5.72	7.8	800	1.94	0.04	0.51	0.03	98.7	3.6	7	1.86	3.5
I345530		1.82	0.015	0.05	6.12	20.7	860	2.11	0.06	0.59	0.03	100.5	3.2	5	1.48	6.4
I345531		1.79	0.028	0.06	6.26	13.5	890	2.15	0.05	0.63	0.02	100.0	3.4	7	1.45	3.9
I345532		1.83	0.060	0.04	5.98	19.0	880	1.81	0.06	0.54	0.03	104.0	4.2	8	1.44	4.8
I345533		1.81	0.030	0.06	6.05	14.0	860	1.92	0.06	0.55	0.04	103.5	3.6	4	1.35	4.5
I345534		1.82	0.054	0.07	5.93	13.1	870	2.04	0.05	0.52	0.06	94.3	3.8	3	1.46	5.5
I345535		1.74	0.008	0.04	5.91	8.7	870	1.64	0.04	0.63	<0.02	94.1	3.6	6	1.48	4.4
I345536		1.69	0.008	0.10	6.06	14.0	870	2.13	0.05	0.51	0.02	104.5	6.5	9	1.48	4.2
I345537		1.12	0.010	0.09	6.04	9.8	850	2.14	0.06	0.55	0.09	110.5	4.1	6	1.49	6.4
I345538		1.17	0.010	0.04	6.08	5.9	860	2.06	0.05	0.57	0.02	99.9	3.0	4	1.53	2.6
I345539		1.21	0.020	0.07	6.18	5.5	910	2.00	0.04	0.62	0.03	106.0	3.4	4	1.64	6.7
I345540		1.22	0.007	0.07	5.87	5.4	920	2.31	0.04	0.58	<0.02	116.0	4.8	5	1.86	4.0
I345541		1.16	0.010	0.05	5.81	7.5	900	2.55	0.04	0.64	0.02	100.5	6.3	5	2.05	7.3
I345542		1.17	0.005	0.07	5.86	4.2	850	2.18	0.04	0.60	0.02	97.9	3.2	4	1.54	1.7
I345543		1.19	0.010	0.04	5.95	6.9	880	2.33	0.04	0.62	0.02	94.6	4.2	4	1.66	3.5
I345544		1.40	0.013	0.05	6.03	8.0	920	2.12	0.04	0.60	0.08	105.0	3.7	4	1.57	7.1
I345545		1.24	0.006	0.03	6.09	5.9	920	2.81	0.03	0.75	<0.02	99.6	3.9	4	1.76	2.4
I345546		1.21	0.009	0.08	6.04	13.4	910	2.21	0.04	0.62	0.03	96.4	4.3	3	1.60	4.9
I345547		1.20	0.009	0.09	6.14	15.1	920	1.87	0.05	0.63	<0.02	101.5	4.4	2	1.51	6.3
I345548		0.73	0.040	0.04	5.99	18.9	920	2.00	0.06	0.74	0.03	99.5	4.9	6	1.59	11.8
I345549		0.69	0.485	0.16	5.07	24.6	650	2.35	0.11	0.75	0.21	97.4	7.5	6	1.68	106.0
I345550		0.06	0.006	0.05	6.34	2.0	930	1.34	0.09	1.37	0.07	27.3	2.3	10	1.66	4.6
I345551		0.84	0.029	0.08	5.88	28.2	870	2.31	0.05	0.71	0.05	105.5	2.9	6	1.56	11.2
I345552		1.38	0.011	0.07	5.90	30.3	760	2.39	0.05	0.81	<0.02	100.0	3.0	5	1.17	6.2
I345553		0.35	0.008	0.04	6.16	51.0	810	2.56	0.06	0.75	0.06	77.5	1.5	3	1.13	11.7
I345554		0.62	0.005	0.05	6.02	50.8	820	2.15	0.08	0.66	0.09	94.8	2.8	3	1.43	11.3
I345555		1.72	0.008	0.09	5.92	39.0	890	1.91	0.08	0.62	0.04	93.8	4.0	7	1.33	18.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345516		1.19	17.10	0.13	5.3	0.028	3.50	46.0	10.6	0.08	190	2.77	2.22	12.6	1.6	90
I345517		1.27	17.05	0.14	4.9	0.030	3.46	52.7	11.6	0.08	195	2.52	2.28	13.4	1.5	100
I345518		1.23	17.05	0.13	5.3	0.018	3.38	49.8	12.4	0.08	184	2.29	2.25	13.0	2.0	90
I345519		1.31	17.70	0.16	4.9	0.027	3.78	61.2	12.2	0.08	204	2.04	2.23	12.3	1.9	100
I345520		0.63	18.25	0.11	5.1	0.022	3.92	32.1	5.8	0.02	100	1.15	2.36	16.9	0.8	20
I345521		1.27	17.80	0.13	5.3	0.017	3.71	49.0	10.8	0.07	174	2.25	2.32	14.5	1.7	80
I345522		1.32	18.15	0.12	7.6	0.015	3.68	50.0	14.1	0.09	179	1.81	2.38	16.4	1.6	100
I345523		1.29	17.50	0.12	5.8	0.012	3.54	48.6	12.5	0.09	173	1.56	2.44	16.0	1.1	110
I345524		1.51	17.65	0.14	6.0	0.016	3.50	51.7	14.8	0.09	184	1.82	2.26	15.1	2.4	100
I345525		1.35	3.99	<0.05	0.6	0.011	0.16	10.0	20.3	0.02	103	0.72	0.02	3.5	6.0	50
I345526		1.43	15.40	0.08	5.6	0.019	3.58	55.8	13.6	0.09	205	3.32	2.39	15.2	1.1	110
I345527		1.17	14.30	0.10	5.4	0.011	3.31	48.2	10.5	0.08	170	1.53	2.33	13.3	0.8	100
I345528		1.28	15.10	0.12	5.4	0.012	3.59	51.0	11.9	0.09	176	1.80	2.53	13.9	0.8	110
I345529		1.19	14.35	0.13	5.0	0.010	3.35	49.5	11.0	0.09	153	3.08	2.41	13.5	0.8	110
I345530		1.19	15.70	0.13	5.9	0.010	3.53	49.8	15.4	0.09	170	2.75	2.51	15.2	1.1	110
I345531		1.25	15.50	0.11	5.5	0.011	3.58	49.1	12.7	0.09	187	1.50	2.55	15.3	0.9	110
I345532		1.25	15.05	0.13	5.6	0.012	3.47	52.4	11.6	0.09	174	2.51	2.39	13.2	1.5	100
I345533		1.17	15.00	0.13	5.1	0.010	3.48	52.3	11.5	0.09	162	3.42	2.44	13.8	0.9	110
I345534		1.18	14.90	0.12	5.5	0.009	3.43	47.3	11.3	0.09	151	3.04	2.39	13.8	1.0	100
I345535		1.29	14.40	0.12	5.6	0.011	3.51	47.5	11.4	0.10	198	1.97	2.31	13.2	1.4	100
I345536		1.19	15.40	0.15	5.2	0.011	3.57	52.6	9.8	0.09	161	1.73	2.44	14.1	2.6	110
I345537		1.18	15.50	0.16	5.3	0.017	3.46	56.2	11.6	0.09	169	1.62	2.43	13.9	2.3	110
I345538		1.18	15.40	0.15	5.3	0.022	3.56	51.1	10.8	0.09	199	1.72	2.40	13.5	1.6	110
I345539		1.19	15.50	0.14	5.5	0.029	3.58	53.2	14.8	0.09	238	3.72	2.34	13.7	1.5	110
I345540		1.39	15.15	0.17	5.8	0.024	3.34	58.6	13.7	0.09	239	2.02	2.27	14.5	2.6	100
I345541		1.38	14.75	0.14	5.8	0.026	3.30	48.9	13.5	0.09	260	1.60	2.25	15.8	3.0	120
I345542		1.09	15.10	0.14	5.3	0.017	3.24	47.0	10.9	0.08	237	1.50	2.36	14.4	3.3	100
I345543		1.15	15.00	0.15	5.1	0.016	3.32	47.2	11.8	0.09	251	1.06	2.30	13.6	4.3	110
I345544		1.12	15.20	0.16	5.4	0.017	3.45	53.6	13.9	0.08	257	1.92	2.36	14.1	2.8	100
I345545		1.30	15.35	0.15	5.3	0.015	3.12	48.9	11.3	0.09	281	1.19	2.45	13.5	3.4	110
I345546		1.14	15.40	0.13	5.7	0.012	3.47	47.6	10.9	0.09	216	1.52	2.41	13.9	2.9	110
I345547		1.21	15.15	0.16	5.3	0.018	3.60	52.1	10.1	0.09	208	1.24	2.37	12.9	1.9	100
I345548		1.32	14.90	0.17	5.3	0.026	3.44	50.4	13.3	0.08	238	1.25	2.24	13.6	2.2	110
I345549		1.73	14.35	0.16	5.3	0.067	1.84	47.8	15.4	0.10	228	1.78	2.20	14.7	2.6	90
I345550		1.45	12.25	0.07	1.1	0.015	2.21	12.9	12.2	0.18	577	1.01	2.67	4.4	2.1	180
I345551		1.14	14.75	0.18	5.4	0.042	2.95	52.9	11.9	0.08	224	0.61	2.49	13.4	2.0	110
I345552		1.07	14.40	0.17	4.8	0.029	2.78	50.5	10.9	0.07	249	0.62	2.51	13.2	2.5	100
I345553		1.01	14.45	0.13	6.4	0.032	2.38	38.6	13.6	0.09	237	0.66	3.07	21.4	0.9	70
I345554		1.10	15.05	0.15	6.0	0.022	3.29	47.6	12.7	0.09	232	1.14	2.42	14.0	3.4	110
I345555		1.13	14.65	0.16	5.2	0.019	3.37	47.1	13.3	0.09	214	1.14	2.34	13.6	3.0	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345516		3.8	145.5	<0.002	0.01	0.43	4.4	1	1.6	47.1	1.13	<0.05	16.7	0.089	0.50	3.9
I345517		34.9	143.0	<0.002	0.01	0.48	4.5	1	1.6	47.0	1.21	<0.05	19.3	0.095	0.50	4.3
I345518		8.9	141.5	<0.002	0.01	0.38	4.4	2	1.6	50.0	1.26	<0.05	18.8	0.093	0.49	4.9
I345519		4.3	156.0	<0.002	<0.01	0.40	4.7	1	2.0	52.4	1.06	<0.05	16.3	0.097	0.54	3.8
I345520		3.1	141.0	<0.002	0.01	0.35	2.9	1	1.7	37.1	1.89	<0.05	25.6	0.035	0.51	6.8
I345521		6.2	153.5	<0.002	0.02	0.49	4.2	1	1.9	50.1	1.42	<0.05	20.8	0.080	0.55	4.9
I345522		29.7	152.5	<0.002	0.06	0.56	5.1	2	1.7	60.5	1.69	<0.05	22.2	0.102	0.56	5.6
I345523		7.8	154.5	<0.002	0.01	0.39	4.9	1	1.6	61.1	1.52	<0.05	21.1	0.099	0.54	5.1
I345524		13.9	151.5	<0.002	0.15	0.44	4.8	2	1.9	59.1	1.41	<0.05	21.9	0.099	0.55	5.1
I345525		29.3	14.6	<0.002	1.04	0.56	1.5	1	1.4	13.7	0.30	<0.05	3.6	0.092	0.45	0.4
I345526		5.4	144.0	<0.002	<0.01	0.44	5.1	2	1.7	63.5	1.47	<0.05	20.7	0.102	0.54	5.4
I345527		5.8	127.5	<0.002	<0.01	0.40	4.4	2	1.2	58.8	1.29	<0.05	18.3	0.093	0.46	4.8
I345528		13.7	138.0	<0.002	0.02	0.36	4.8	2	1.3	61.3	1.28	<0.05	18.6	0.102	0.51	4.7
I345529		9.7	132.5	<0.002	0.03	0.29	4.5	2	1.3	61.2	1.22	<0.05	18.5	0.097	0.48	4.6
I345530		11.9	131.5	<0.002	0.06	0.47	4.9	2	1.4	67.2	1.47	<0.05	20.1	0.102	0.53	5.1
I345531		12.5	128.0	<0.002	0.03	0.46	4.9	2	1.6	74.0	1.43	<0.05	17.8	0.106	0.51	4.7
I345532		10.5	119.0	<0.002	0.07	0.41	4.9	2	1.5	67.8	1.19	<0.05	17.9	0.103	0.49	4.2
I345533		12.5	124.0	<0.002	0.04	0.47	4.9	2	1.4	67.4	1.30	<0.05	18.1	0.101	0.48	4.5
I345534		17.8	123.5	<0.002	0.06	0.46	4.9	2	1.4	67.1	1.24	<0.05	17.1	0.102	0.46	4.2
I345535		4.8	128.5	<0.002	0.02	0.45	5.1	2	1.5	62.4	1.20	<0.05	17.4	0.096	0.50	4.5
I345536		7.1	130.0	<0.002	0.02	0.48	4.9	2	1.4	65.5	1.31	<0.05	19.4	0.101	0.48	4.6
I345537		33.6	128.5	<0.002	0.06	0.57	5.1	2	1.5	70.0	1.33	<0.05	19.4	0.101	0.51	4.8
I345538		5.1	125.5	<0.002	0.02	0.38	5.1	2	1.6	71.8	1.28	<0.05	17.7	0.098	0.51	4.6
I345539		15.9	132.0	<0.002	0.08	0.33	5.0	2	2.7	65.9	1.28	<0.05	18.6	0.103	0.56	4.5
I345540		5.8	128.0	<0.002	0.03	0.28	4.9	2	3.5	75.0	1.27	<0.05	18.8	0.098	0.54	5.3
I345541		7.5	127.5	<0.002	0.06	0.34	5.4	2	4.5	79.0	1.39	<0.05	19.5	0.098	0.56	6.7
I345542		5.4	121.0	<0.002	0.01	0.31	4.9	2	2.0	73.0	1.35	<0.05	19.2	0.092	0.52	4.6
I345543		5.5	121.0	<0.002	0.02	0.29	5.0	2	1.9	81.0	1.21	<0.05	17.4	0.095	0.54	4.3
I345544		25.9	122.0	<0.002	0.08	0.39	5.0	2	3.9	73.8	1.31	<0.05	18.8	0.100	0.53	4.7
I345545		6.0	117.5	<0.002	0.02	0.29	5.1	2	4.2	85.4	1.21	<0.05	18.8	0.104	0.53	4.1
I345546		7.0	125.5	<0.002	0.04	0.39	5.0	2	1.9	80.1	1.26	<0.05	17.2	0.100	0.53	4.3
I345547		6.1	130.5	<0.002	0.05	0.38	5.2	2	2.2	70.5	1.14	<0.05	17.6	0.098	0.59	4.2
I345548		8.9	128.0	<0.002	0.16	0.36	4.8	2	3.0	63.5	1.23	<0.05	17.8	0.100	0.54	4.2
I345549		92.7	80.9	<0.002	0.40	0.45	4.9	2	6.2	52.0	1.23	<0.05	18.5	0.091	0.36	4.3
I345550		11.1	67.2	<0.002	<0.01	0.19	5.6	2	1.5	178.5	0.44	<0.05	5.4	0.115	0.37	1.9
I345551		20.6	111.0	<0.002	0.09	0.40	5.0	2	3.9	69.7	1.21	<0.05	17.4	0.100	0.48	4.0
I345552		5.0	102.0	<0.002	0.03	0.24	4.8	2	3.1	71.9	1.23	<0.05	17.4	0.101	0.43	3.9
I345553		21.4	88.5	<0.002	0.06	0.43	4.8	2	4.6	68.2	1.82	<0.05	21.7	0.128	0.37	6.2
I345554		10.7	118.0	<0.002	0.05	0.48	5.2	2	2.3	76.2	1.29	<0.05	17.9	0.103	0.50	4.6
I345555		24.4	120.0	<0.002	0.11	0.45	5.1	2	2.1	63.8	1.25	<0.05	17.6	0.098	0.51	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345516		4	1.1	20.0	9	166.0
I345517		4	1.1	20.9	16	152.0
I345518		4	1.0	20.6	10	166.0
I345519		4	1.2	22.0	11	157.0
I345520		<1	1.7	19.8	3	117.0
I345521		3	1.2	23.1	12	149.0
I345522		5	1.6	24.1	41	223
I345523		5	1.2	25.5	16	174.5
I345524		5	1.3	23.6	42	188.5
I345525		8	0.9	2.8	14	21.6
I345526		5	1.3	26.1	17	165.0
I345527		5	1.3	18.4	12	157.5
I345528		5	1.3	21.2	19	158.5
I345529		4	1.2	22.8	16	149.5
I345530		5	1.9	19.9	21	168.0
I345531		5	1.5	19.2	19	172.0
I345532		5	1.4	19.0	18	171.0
I345533		5	1.3	18.3	21	155.0
I345534		4	1.5	19.6	24	168.0
I345535		5	1.2	17.2	10	172.5
I345536		5	2.1	20.1	13	160.5
I345537		5	1.3	17.8	38	156.5
I345538		5	1.7	16.5	11	162.0
I345539		5	3.4	19.0	27	171.0
I345540		5	2.4	23.9	14	177.0
I345541		6	2.2	24.3	16	163.5
I345542		5	1.3	18.2	13	154.0
I345543		5	1.4	17.2	14	155.5
I345544		5	1.8	18.5	45	166.5
I345545		5	1.4	18.5	17	164.0
I345546		5	1.6	16.5	17	173.0
I345547		5	1.9	17.7	12	167.0
I345548		5	1.6	20.0	16	165.0
I345549		5	3.5	28.4	90	158.0
I345550		15	1.0	15.6	42	25.8
I345551		5	2.1	22.4	22	166.5
I345552		5	2.2	20.8	10	144.5
I345553		4	2.2	28.9	25	196.0
I345554		5	1.8	19.5	36	184.0
I345555		5	1.8	17.7	23	155.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345556		1.61	<0.005	0.11	5.90	26.3	790	2.19	0.07	0.63	0.03	93.7	4.4	4	1.34	7.5
I345557		1.83	<0.005	0.03	5.84	16.9	850	2.19	0.07	0.61	0.02	99.8	5.1	9	1.53	4.1
I345558		1.86	<0.005	0.05	6.09	10.0	880	2.19	0.05	0.59	0.02	99.2	3.3	9	1.44	4.3
I345559		0.90	<0.005	0.03	6.04	13.8	880	2.06	0.07	0.59	0.02	109.0	4.5	8	1.67	7.1
I345560		0.74	<0.005	0.05	6.13	9.9	860	2.56	0.05	0.61	0.03	112.0	2.7	3	1.81	2.3
I345561		0.69	0.013	0.05	6.09	13.3	850	2.55	0.07	0.71	0.02	97.1	3.2	5	1.82	7.5
I345562		1.43	0.023	0.15	6.02	14.8	910	1.73	0.11	0.68	0.10	104.0	4.4	9	1.53	13.5
I345563		1.72	<0.005	0.05	5.92	16.4	900	2.05	0.12	0.60	0.03	112.5	3.4	10	1.51	5.6
I345564		1.63	0.051	0.09	6.00	30.3	950	1.86	0.15	0.61	0.05	107.5	5.5	8	1.50	14.9
I345565		1.76	0.006	0.05	6.07	31.5	940	2.22	0.09	0.68	0.02	101.0	3.5	9	1.36	7.5
I345566		0.48	<0.005	0.07	5.92	26.5	910	2.21	0.09	0.65	0.02	110.0	3.2	7	1.41	4.8
I345567		0.88	<0.005	0.06	6.10	15.1	960	2.43	0.06	0.70	<0.02	98.7	4.4	7	1.41	5.6
I345568		0.56	<0.005	0.06	6.13	47.2	1140	3.12	0.08	0.92	<0.02	74.0	2.0	6	1.78	2.3
I345569		1.96	0.006	0.06	5.98	202	820	2.32	0.14	0.72	0.02	106.0	3.1	9	1.59	3.1
I345570		0.87	0.021	0.11	5.98	17.4	640	2.37	0.11	0.74	0.02	97.7	3.0	8	1.50	23.6
I345571		0.60	0.855	0.63	6.00	15.8	600	2.28	0.45	1.02	0.04	92.3	19.6	7	3.89	229
I345572		1.31	<0.005	0.09	6.35	16.4	900	2.42	0.10	0.61	0.03	111.0	3.6	9	1.42	6.2
I345573		1.19	0.009	0.09	6.31	18.1	960	2.29	0.15	0.60	0.05	119.5	2.9	8	1.45	14.2
I345574		0.53	0.012	0.09	6.30	37.8	950	2.11	0.17	0.62	0.10	106.0	4.9	8	1.41	25.0
I345575		0.50	0.007	0.08	6.21	35.2	940	2.20	0.18	0.65	0.11	110.5	3.8	10	1.43	23.8
I345576		1.99	<0.005	0.09	6.31	33.5	920	2.21	0.11	0.62	0.04	108.0	4.0	10	1.55	6.7
I345577		1.77	0.011	0.10	5.98	56.0	840	2.02	1.53	0.53	0.09	113.5	3.4	8	1.38	30.6
I345578		0.36	0.008	0.07	5.78	28.3	780	2.23	0.22	0.52	0.05	95.9	3.0	7	1.42	15.4
I345579		1.42	0.013	0.10	6.10	38.0	810	2.42	0.19	0.55	0.06	94.3	3.2	10	1.33	29.3
I345580		1.61	0.007	0.06	6.20	72.7	850	2.31	0.10	0.54	0.03	103.5	3.2	8	1.22	7.7
I345581		1.69	<0.005	0.07	5.98	41.6	780	2.35	0.12	0.52	0.02	97.4	2.3	8	1.35	7.7
I345582		1.75	<0.005	0.10	6.13	44.8	820	2.28	0.23	0.58	0.03	98.7	2.5	8	1.49	11.3
I345583		1.71	<0.005	0.07	6.04	33.7	770	2.34	0.12	0.57	0.03	103.5	2.8	9	1.46	7.4
I345584		1.69	<0.005	0.10	6.00	50.5	740	2.16	0.16	0.56	0.04	104.0	2.8	9	1.43	17.1
I345585		1.60	0.010	0.07	6.08	33.1	720	2.42	0.11	0.57	0.02	98.7	2.7	8	1.39	10.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345556		1.08	15.10	0.16	5.2	0.017	3.01	46.7	11.3	0.08	192	1.04	2.56	14.2	2.7	100
I345557		1.19	14.60	0.15	5.2	0.014	3.33	49.9	11.1	0.09	198	1.72	2.33	13.4	3.2	110
I345558		1.22	14.80	0.18	5.4	0.012	3.43	50.4	11.0	0.09	192	1.55	2.37	13.3	2.2	110
I345559		1.20	15.10	0.19	5.8	0.015	3.35	55.5	12.2	0.09	188	1.75	2.44	13.6	1.8	110
I345560		1.26	16.05	0.19	5.5	0.020	3.07	55.6	15.4	0.10	198	1.68	2.62	14.3	0.9	110
I345561		1.31	16.25	0.16	6.2	0.025	2.86	47.4	18.8	0.10	230	4.16	2.63	16.2	0.9	120
I345562		1.21	16.45	0.15	6.0	0.024	3.37	46.8	13.2	0.09	253	1.97	2.47	13.6	1.1	110
I345563		1.17	16.20	0.16	5.2	0.017	3.46	51.0	10.3	0.09	224	1.58	2.34	13.3	1.4	110
I345564		1.27	16.30	0.18	5.6	0.021	3.25	48.3	11.7	0.09	240	1.71	2.37	13.1	1.8	110
I345565		1.18	16.65	0.16	5.5	0.020	3.18	44.8	11.7	0.08	226	1.62	2.49	14.5	1.7	110
I345566		1.32	16.10	0.18	5.1	0.021	3.27	49.9	10.5	0.10	230	1.47	2.31	12.1	2.4	120
I345567		1.21	16.75	0.17	5.3	0.026	3.41	44.0	10.6	0.09	256	1.35	2.35	14.2	1.8	110
I345568		1.42	16.45	0.16	5.4	0.024	3.35	32.2	15.0	0.10	282	0.96	2.27	14.6	1.6	120
I345569		1.36	16.40	0.18	5.5	0.023	3.09	47.9	13.2	0.09	280	1.03	2.45	14.9	2.2	110
I345570		1.56	17.50	0.17	5.2	0.034	2.31	43.8	11.7	0.08	312	1.51	2.81	15.6	9.2	100
I345571		6.83	21.6	0.29	4.5	0.079	2.04	42.8	15.3	0.19	502	49.0	2.22	17.8	34.7	80
I345572		1.34	17.10	0.19	5.3	0.016	3.57	50.8	9.7	0.09	278	1.56	2.53	14.4	2.6	100
I345573		1.20	16.60	0.18	6.2	0.021	3.77	54.6	10.4	0.08	270	1.76	2.40	13.5	2.6	100
I345574		1.25	17.15	0.18	6.4	0.025	3.82	48.6	9.9	0.08	263	1.56	2.34	15.0	3.8	100
I345575		1.23	16.70	0.17	5.5	0.023	3.77	50.3	10.0	0.08	286	1.63	2.32	14.9	3.9	100
I345576		1.28	17.05	0.18	6.6	0.019	3.82	50.0	9.9	0.09	270	1.73	2.35	13.6	2.8	110
I345577		1.23	16.25	0.18	5.0	0.017	3.60	52.5	13.2	0.08	215	2.27	2.31	13.0	2.2	110
I345578		1.12	16.30	0.17	4.6	0.016	3.44	43.6	13.1	0.08	181	2.58	2.23	13.8	1.2	100
I345579		1.12	17.05	0.17	5.5	0.013	3.57	42.8	12.3	0.08	188	1.93	2.41	14.6	1.2	100
I345580		1.07	17.25	0.18	5.6	0.019	3.69	46.7	10.9	0.08	202	2.02	2.45	14.0	1.2	100
I345581		1.16	16.45	0.16	5.0	0.012	3.47	44.0	8.6	0.08	184	2.49	2.38	13.8	1.0	90
I345582		1.10	16.75	0.17	4.9	0.015	3.66	44.4	10.2	0.09	207	2.26	2.37	13.9	1.4	90
I345583		1.15	17.05	0.18	5.2	0.015	3.56	46.5	9.3	0.08	182	2.44	2.48	14.2	1.0	90
I345584		1.16	16.35	0.17	4.3	0.016	3.48	46.1	10.4	0.08	210	2.22	2.40	14.5	1.1	90
I345585		1.14	17.35	0.19	5.2	0.017	3.54	43.5	9.4	0.08	216	1.50	2.48	15.2	0.9	80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345556		5.5	111.5	<0.002	0.03	0.31	5.2	2	2.2	66.0	1.24	<0.05	18.0	0.096	0.48	4.3
I345557		6.0	122.0	<0.002	0.01	0.37	5.0	2	1.8	79.4	1.27	<0.05	17.4	0.094	0.51	4.2
I345558		5.7	122.0	<0.002	0.01	0.40	5.1	2	1.7	76.0	1.23	<0.05	18.6	0.100	0.53	4.4
I345559		6.5	125.0	<0.002	0.03	0.36	5.0	2	2.0	81.8	1.24	<0.05	18.6	0.102	0.55	4.5
I345560		6.9	119.5	<0.002	0.01	0.32	5.7	2	2.9	78.4	1.34	<0.05	19.3	0.106	0.52	4.8
I345561		7.1	115.0	<0.002	0.04	0.37	5.7	3	3.4	67.2	1.57	<0.05	20.9	0.115	0.51	5.1
I345562		34.1	127.0	<0.002	0.12	0.46	4.7	2	3.1	65.1	1.32	<0.05	17.2	0.100	0.54	4.4
I345563		7.3	122.0	<0.002	0.04	0.40	4.4	2	2.4	80.3	1.35	<0.05	18.1	0.097	0.56	4.3
I345564		13.6	120.0	<0.002	0.13	0.45	4.4	2	3.8	72.4	1.27	<0.05	16.8	0.096	0.56	4.0
I345565		12.2	116.0	<0.002	0.07	0.43	4.8	2	4.3	74.9	1.39	<0.05	18.2	0.103	0.51	4.3
I345566		5.7	116.5	<0.002	0.03	0.39	4.7	2	3.0	82.9	1.10	<0.05	16.0	0.098	0.54	3.9
I345567		7.1	119.0	<0.002	0.03	0.31	4.9	2	3.3	81.1	1.43	<0.05	18.2	0.100	0.52	4.4
I345568		6.9	124.0	0.002	0.01	0.44	5.3	2	4.1	102.0	1.45	<0.05	15.9	0.100	0.57	4.0
I345569		6.5	115.5	<0.002	0.02	0.54	4.7	2	3.7	81.4	1.48	<0.05	18.6	0.099	0.53	5.0
I345570		11.2	91.1	<0.002	0.08	0.54	4.6	2	6.2	66.3	1.43	<0.05	17.8	0.097	0.41	4.6
I345571		24.7	115.0	0.005	1.76	0.75	6.1	3	12.0	50.7	1.34	0.07	12.4	0.098	0.56	4.4
I345572		6.9	121.0	<0.002	0.02	0.42	4.6	2	3.5	80.8	1.44	<0.05	19.0	0.096	0.56	4.7
I345573		14.2	129.5	<0.002	0.06	0.54	4.4	2	3.0	80.1	1.33	<0.05	19.0	0.097	0.57	4.7
I345574		27.8	127.5	<0.002	0.06	0.53	4.5	2	3.4	73.5	1.51	<0.05	19.6	0.097	0.60	5.1
I345575		23.6	129.5	<0.002	0.07	0.53	4.6	2	3.3	74.0	1.50	<0.05	19.8	0.097	0.60	4.9
I345576		10.0	127.5	<0.002	0.04	0.55	4.6	2	3.4	70.9	1.33	<0.05	20.1	0.094	0.62	5.0
I345577		22.2	126.0	<0.002	0.14	1.23	4.5	2	2.7	63.1	1.21	<0.05	17.5	0.095	0.61	4.3
I345578		15.4	123.5	<0.002	0.08	0.63	4.6	2	2.3	65.2	1.36	<0.05	17.4	0.094	0.58	4.6
I345579		18.3	128.0	<0.002	0.12	0.69	4.4	2	2.0	62.6	1.41	<0.05	19.3	0.090	0.57	5.3
I345580		6.6	131.5	<0.002	0.04	0.65	4.6	2	2.2	66.8	1.38	<0.05	19.0	0.088	0.58	5.0
I345581		6.2	127.0	<0.002	0.02	0.74	4.3	2	1.6	60.8	1.30	<0.05	17.9	0.084	0.53	4.7
I345582		9.3	132.5	<0.002	0.05	0.87	4.2	2	1.8	63.7	1.34	<0.05	18.3	0.087	0.59	4.7
I345583		6.5	131.5	<0.002	0.04	0.82	4.4	2	1.9	60.3	1.38	<0.05	18.0	0.089	0.58	4.6
I345584		10.5	130.0	<0.002	0.09	0.92	4.3	2	2.0	56.4	1.42	<0.05	18.9	0.087	0.61	4.9
I345585		6.7	134.5	<0.002	0.04	0.70	4.4	2	1.9	57.3	1.50	<0.05	19.4	0.089	0.59	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345556		5	4.7	19.8	14	158.0
I345557		5	1.1	18.5	13	155.5
I345558		5	1.2	18.0	14	164.0
I345559		5	1.2	20.3	14	173.0
I345560		6	1.9	20.1	16	165.5
I345561		5	2.7	23.4	15	188.5
I345562		5	2.7	20.1	34	186.5
I345563		5	1.5	19.3	15	153.0
I345564		5	1.8	20.7	19	170.0
I345565		5	1.8	24.3	13	166.0
I345566		5	1.3	19.1	14	164.0
I345567		5	1.7	23.6	12	157.5
I345568		5	1.0	24.9	17	159.5
I345569		5	1.7	25.4	17	164.5
I345570		4	2.1	33.7	15	153.0
I345571		5	15.3	71.3	39	130.0
I345572		4	1.6	25.0	19	152.5
I345573		4	1.5	21.4	28	189.5
I345574		5	1.4	21.2	36	196.0
I345575		4	1.5	21.5	40	160.5
I345576		5	1.4	20.4	19	190.0
I345577		5	1.5	18.2	39	153.0
I345578		4	1.3	18.3	23	139.0
I345579		4	1.4	20.0	25	161.0
I345580		4	1.5	18.5	13	160.5
I345581		4	1.1	20.3	12	144.0
I345582		5	1.2	20.2	17	146.0
I345583		4	1.4	19.5	13	152.0
I345584		4	1.5	20.7	18	125.5
I345585		4	1.6	21.4	13	145.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 3-JAN-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10192532

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.