ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

CERTIFICATE TB11034447

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 153 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 3-MAR-2011.

The following have access to data associated with this certificate:

PAUL GEDDES KERRY SPARKES	TORONTO HEAD OFFICE	SARAH MILLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1 RICHMOND STREET WEST
SUITE 701
TORONTO ON M5H 3W4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594845		1.28	<0.005	<0.01	6.62	4.7	780	2.09	0.05	0.83	<0.02	103.5	5.2	18	1.21	6.9
J594846		1.26	<0.005	<0.01	6.78	8.0	780	1.55	0.05	1.30	0.02	92.7	5.4	8	1.56	4.4
J594847		0.77	<0.005	<0.01	6.69	20.1	680	1.50	0.06	1.34	0.05	87.3	5.1	9	2.33	3.0
J594848		0.90	0.036	<0.01	7.23	36.2	780	1.41	0.05	1.41	0.08	95.7	3.1	10	2.71	6.1
J594849		1.43	0.021	0.08	6.81	30.5	740	1.75	0.06	1.41	0.07	98.6	5.4	9	2.69	5.0
J594850		0.03	8.63	0.45	7.56	3.4	190	2.37	0.12	1.01	0.45	19.20	10.7	37	1.50	15.6
J594851		1.83	0.008	0.07	6.84	36.0	720	1.73	0.06	1.49	0.06	95.3	6.0	10	1.85	9.1
J594852		1.91	<0.005	0.08	6.63	26.2	770	1.54	0.06	1.54	0.08	90.4	6.0	9	2.28	5.4
J594853		1.96	<0.005	0.06	6.45	31.1	660	1.49	0.04	2.00	0.10	86.3	5.0	10	1.63	6.7
J594854		0.89	0.059	0.12	6.61	44.5	710	1.38	0.06	1.23	0.06	100.5	6.0	10	1.60	12.3
J594855		1.64	0.005	<0.01	6.95	31.9	810	1.47	0.07	1.46	0.04	83.4	5.2	9	1.05	6.9
J594856		1.33	<0.005	<0.01	6.87	20.0	810	1.37	0.04	1.32	0.03	85.3	4.7	9	0.83	2.1
J594857		1.16	<0.005	<0.01	6.50	40.4	780	1.46	0.05	1.45	0.06	75.8	4.5	9	1.45	1.7
J594858		1.27	0.051	<0.01	6.46	20.2	780	1.32	0.07	1.37	0.02	78.4	5.9	10	1.04	7.7
J594859		1.20	0.007	<0.01	6.76	16.9	790	1.43	0.05	1.68	0.02	81.1	5.8	12	1.06	4.5
J594860		1.27	0.336	0.10	6.75	27.6	730	1.78	0.13	1.54	0.04	83.9	5.5	10	1.32	7.7
J594861		1.33	0.063	<0.01	6.59	28.8	750	1.50	0.06	1.53	0.04	85.1	5.8	9	1.73	5.1
J594862		1.30	0.056	0.03	6.53	24.2	770	1.31	0.06	1.36	0.04	83.5	6.3	8	1.98	4.3
J594863		1.21	0.073	0.01	6.67	17.6	760	1.28	0.08	1.30	0.04	85.6	6.0	8	2.18	3.2
J594864		1.19	0.070	0.07	6.66	29.3	740	1.31	0.09	1.44	0.05	86.0	6.6	13	1.94	7.4
J594865		1.34	0.158	0.07	6.60	206	770	1.39	0.09	1.53	0.07	84.1	6.5	11	2.04	10.9
J594866		1.27	0.007	0.05	6.80	23.4	810	1.20	0.06	1.61	0.03	90.0	5.4	10	2.31	5.0
J594867		1.42	<0.005	<0.01	6.69	13.5	850	1.27	0.05	1.65	<0.02	89.2	6.4	10	2.18	7.0
J594868		1.31	<0.005	0.01	6.58	19.1	720	1.20	0.04	1.63	0.04	86.4	6.1	11	1.87	6.8
J594869		1.28	<0.005	0.05	6.77	31.2	870	1.17	0.06	1.68	0.04	90.6	6.2	11	2.28	7.4
J594870		1.25	0.504	0.15	6.53	290	760	1.28	0.11	1.61	0.21	83.2	5.7	10	1.83	15.6
J594871		1.22	0.144	0.25	6.82	75.1	760	1.45	0.16	1.70	0.10	85.8	6.5	11	1.58	27.9
J594872		1.24	1.665	0.22	6.84	1305	790	1.62	0.28	1.74	0.12	85.4	6.1	9	1.72	20.4
J594873		1.25	<0.005	0.06	6.63	35.8	710	1.46	0.04	1.61	0.05	78.4	6.2	12	2.38	8.0
J594874		1.24	0.005	0.02	6.84	27.4	790	1.40	0.04	1.71	0.06	79.0	6.1	8	2.61	7.7
J594875		0.07	<0.005	0.04	6.33	1.3	900	1.05	0.09	1.37	0.09	26.4	2.3	13	1.68	3.9
J594876		1.28	0.010	0.02	6.97	24.7	680	1.60	0.05	1.62	0.07	72.4	5.8	9	2.16	11.7
J594877		1.34	<0.005	0.03	6.74	18.8	720	1.51	0.07	1.54	0.07	77.3	5.5	10	2.69	5.5
J594878		1.27	<0.005	0.06	6.77	9.9	760	1.35	0.05	1.69	0.06	77.6	6.3	10	2.97	7.2
J594879		1.25	0.183	0.03	6.79	40.8	690	1.62	0.14	1.52	0.09	82.6	5.7	10	2.05	9.7
J594880		1.31	0.007	<0.01	6.96	24.5	810	1.44	0.08	1.52	0.07	88.1	6.4	9	1.09	4.7
J594881		1.07	0.044	0.16	7.13	45.7	730	1.92	0.10	1.68	0.09	84.0	7.2	10	1.93	10.0
J594882		0.93	0.057	0.17	7.31	44.3	800	1.89	0.09	1.73	0.08	92.3	6.8	13	1.52	11.8
J594883		1.27	0.102	0.16	6.50	57.9	720	1.80	0.12	1.73	0.07	79.3	6.6	11	1.33	22.9
J594884		1.99	0.026	0.05	3.59	15.8	440	1.13	0.04	1.05	0.02	36.3	3.1	5	1.00	5.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594845		2.27	19.45	0.36	5.3	0.022	2.63	51.4	24.1	1.00	324	8.87	2.90	11.4	8.8	560
J594846		2.32	19.45	0.42	5.3	0.030	2.53	43.7	17.7	0.65	361	1.29	2.93	12.6	6.5	560
J594847		2.13	19.05	0.48	5.5	0.032	2.65	40.1	15.3	0.42	380	3.74	2.91	12.4	5.5	460
J594848		2.49	19.25	0.46	5.8	0.032	2.68	45.4	18.5	0.51	457	1.65	3.38	13.3	4.7	610
J594849		2.44	17.20	0.12	6.1	0.041	2.60	49.8	18.8	0.51	439	5.29	3.03	12.8	5.3	570
J594850		4.50	19.70	0.11	1.4	0.017	2.30	10.0	2.1	0.96	277	2.22	5.07	9.5	38.8	650
J594851		2.19	17.60	0.14	5.6	0.034	2.54	49.5	13.3	0.46	478	3.87	3.21	11.3	5.6	530
J594852		2.25	16.95	0.14	5.7	0.031	2.56	46.1	14.4	0.43	416	1.03	2.91	11.8	5.7	500
J594853		2.16	16.75	0.12	5.5	0.036	2.40	42.7	12.2	0.46	575	1.12	3.02	11.6	5.3	490
J594854		2.03	16.75	0.14	5.5	0.029	2.59	52.2	12.3	0.38	354	1.54	3.05	11.6	6.1	500
J594855		2.16	18.50	0.46	5.2	0.031	2.61	38.6	10.1	0.42	375	1.02	3.03	12.5	5.2	480
J594856		1.96	18.20	0.55	4.7	0.026	2.61	41.0	8.8	0.47	322	1.58	3.02	11.2	5.2	440
J594857		2.07	17.50	0.48	4.9	0.029	2.57	34.3	11.7	0.39	346	4.38	2.92	11.7	5.2	460
J594858		2.10	17.30	0.47	5.0	0.030	2.65	35.7	8.1	0.42	422	1.14	3.02	11.7	5.2	470
J594859		2.41	17.90	0.48	5.3	0.035	2.54	37.6	7.7	0.48	516	1.06	3.03	12.7	6.0	540
J594860		2.34	18.50	0.48	5.8	0.030	2.61	38.0	12.2	0.46	405	1.03	2.95	14.4	6.3	500
J594861		2.36	18.10	0.49	5.7	0.031	2.48	39.3	15.1	0.48	401	1.02	2.92	12.7	6.1	530
J594862		2.30	17.70	0.54	4.4	0.030	2.41	39.5	17.5	0.56	370	1.32	2.69	11.1	6.0	510
J594863		2.31	17.25	0.51	5.4	0.027	2.46	39.8	21.1	0.68	361	1.62	2.79	11.5	6.0	540
J594864		2.42	17.75	0.49	4.7	0.034	2.29	40.5	20.0	0.58	362	0.97	2.83	11.4	6.1	540
J594865		2.43	17.80	0.52	5.0	0.030	2.44	38.6	17.5	0.51	420	1.60	2.80	11.3	6.7	560
J594866		2.35	17.70	0.56	5.1	0.030	2.58	43.1	20.0	0.46	405	0.85	2.85	11.3	5.8	520
J594867		2.43	17.40	0.52	4.9	0.032	2.56	41.5	22.3	0.47	421	7.35	2.88	11.5	6.3	550
J594868		2.43	17.50	0.47	4.9	0.030	2.37	40.5	19.8	0.49	434	1.05	2.96	11.5	6.5	560
J594869		2.52	17.85	0.56	5.7	0.033	2.67	42.3	24.4	0.50	441	1.46	2.96	12.0	6.5	570
J594870		2.34	17.80	0.48	5.0	0.033	2.66	38.1	18.5	0.48	419	1.31	2.74	10.8	6.4	570
J594871		2.59	17.50	0.16	5.6	0.035	2.60	43.5	14.1	0.49	436	3.10	2.83	11.9	6.4	570
J594872		2.50	17.80	0.18	5.2	0.035	2.83	42.6	15.3	0.49	418	1.46	2.61	9.8	6.3	590
J594873		2.36	17.55	0.19	5.5	0.034	2.63	38.9	22.0	0.45	415	1.31	2.97	11.8	5.9	530
J594874		2.40	18.35	0.20	5.7	0.037	2.65	38.9	20.4	0.47	427	1.32	3.00	13.2	6.2	580
J594875		1.44	13.65	0.14	1.2	0.016	2.21	12.6	10.1	0.18	574	0.94	2.73	4.8	2.2	170
J594876		2.21	17.90	0.19	5.3	0.032	2.81	36.1	15.1	0.42	403	0.96	2.98	12.4	5.4	500
J594877		2.25	17.65	0.19	5.3	0.032	2.67	39.2	18.0	0.43	394	2.72	2.90	12.3	5.7	510
J594878		2.36	17.55	0.20	4.8	0.034	2.63	38.9	19.0	0.46	426	1.25	2.81	12.4	6.2	540
J594879		2.23	18.10	0.20	5.8	0.030	2.74	41.9	13.8	0.43	390	1.19	2.91	13.0	5.6	500
J594880		2.36	19.00	0.20	5.7	0.032	2.63	44.6	10.2	0.48	456	1.48	3.02	13.6	5.9	570
J594881		2.42	20.2	0.10	6.3	0.034	2.53	40.4	19.5	0.48	426	1.48	2.93	14.2	6.4	570
J594882		2.45	20.2	0.10	6.3	0.034	2.58	43.9	16.5	0.49	476	1.31	3.02	13.8	6.4	590
J594883		2.40	18.75	0.10	5.9	0.034	2.21	36.8	17.3	0.48	469	1.62	3.30	13.3	6.0	570
J594884		1.32	10.75	0.07	4.5	0.018	1.34	18.1	11.5	0.30	245	0.64	1.83	8.7	3.2	260

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594845		9.7	134.5	<0.002	0.02	0.24	7.7	1	2.0	112.0	1.00	<0.05	15.1	0.259	0.41	4.3
J594846		13.5	115.5	<0.002	0.01	0.26	8.0	2	2.0	156.5	1.03	<0.05	15.2	0.285	0.40	3.7
J594847		19.0	124.5	<0.002	0.03	0.36	7.3	2	1.9	167.0	1.14	<0.05	16.8	0.244	0.48	5.3
J594848		17.8	136.5	<0.002	0.06	0.32	8.6	2	1.8	171.0	1.09	<0.05	14.4	0.318	0.60	3.8
J594849		18.5	111.0	<0.002	0.03	0.44	8.1	1	2.0	183.5	1.20	<0.05	14.6	0.297	0.58	3.7
J594850		85.2	210	<0.002	3.46	1.03	3.5	1	1.0	177.5	0.81	<0.05	2.8	0.262	1.86	1.1
J594851		17.1	93.5	<0.002	0.05	0.40	7.1	1	1.9	197.0	1.01	<0.05	13.5	0.282	0.47	3.0
J594852		20.2	98.2	<0.002	0.03	0.35	6.7	1	1.9	188.0	1.15	<0.05	15.6	0.270	0.51	4.3
J594853		17.1	85.7	<0.002	0.07	0.30	7.1	1	1.9	168.0	1.07	<0.05	14.7	0.261	0.44	3.7
J594854		16.4	88.6	<0.002	0.22	0.36	6.5	1	1.7	165.0	1.12	<0.05	16.8	0.267	0.45	4.2
J594855		19.3	89.2	<0.002	0.07	0.36	7.1	2	1.7	184.0	1.13	<0.05	15.3	0.260	0.38	4.0
J594856		18.6	93.5	<0.002	0.01	0.34	6.7	2	1.6	167.5	1.09	<0.05	17.8	0.233	0.37	4.7
J594857		22.8	98.1	<0.002	0.01	0.38	6.9	1	1.6	186.5	1.11	<0.05	15.4	0.239	0.42	4.1
J594858		18.9	98.2	<0.002	0.11	0.44	6.7	1	1.8	174.0	1.10	<0.05	16.5	0.248	0.44	4.2
J594859		17.2	101.5	<0.002	0.04	0.45	7.8	2	1.8	192.0	1.18	<0.05	13.0	0.279	0.43	3.6
J594860		32.3	107.5	<0.002	0.26	0.37	7.7	2	2.2	177.5	1.48	0.05	16.4	0.259	0.48	5.3
J594861		22.2	104.0	<0.002	0.10	0.46	7.6	2	1.9	182.5	1.19	<0.05	14.2	0.279	0.47	3.9
J594862		21.1	104.0	<0.002	0.13	0.47	7.4	2	1.7	176.0	0.84	<0.05	12.1	0.267	0.44	3.0
J594863		16.6	103.5	<0.002	0.16	0.42	7.6	2	1.8	162.0	0.96	<0.05	13.8	0.275	0.42	3.4
J594864		15.7	98.6	<0.002	0.28	0.37	7.8	2	1.8	165.5	0.88	<0.05	12.8	0.282	0.43	3.3
J594865		20.0	104.0	<0.002	0.36	0.50	8.2	2	1.7	183.5	0.87	0.05	12.7	0.283	0.47	3.2
J594866		15.2	112.5	<0.002	0.03	0.47	7.4	2	1.7	200	0.87	<0.05	13.4	0.283	0.52	3.4
J594867		13.5	106.0	<0.002	0.02	0.37	7.8	2	1.7	196.0	0.84	<0.05	11.8	0.290	0.49	2.7
J594868		12.8	96.1	<0.002	0.04	0.52	7.5	2	1.8	189.5	0.79	<0.05	11.0	0.301	0.48	2.5
J594869		18.0	116.5	<0.002	0.07	0.65	8.3	2	1.8	208	0.88	<0.05	12.1	0.307	0.55	3.0
J594870		42.5	105.0	<0.002	0.39	0.92	7.6	2	1.6	184.0	0.82	0.05	11.5	0.287	0.54	2.7
J594871		22.5	91.8	<0.002	0.53	0.77	8.4	1	1.7	174.5	0.96	<0.05	12.8	0.294	0.55	3.1
J594872		41.5	109.5	<0.002	0.71	1.12	8.3	1	1.7	170.5	0.77	0.12	12.9	0.273	0.62	3.2
J594873		18.7	104.0	<0.002	0.04	0.56	7.7	1	1.7	187.0	0.97	<0.05	12.8	0.278	0.61	3.3
J594874		17.1	106.0	<0.002	0.04	0.49	8.2	1	1.9	202	1.00	<0.05	12.9	0.305	0.62	3.1
J594875		11.3	60.4	<0.002	<0.01	0.17	5.5	1	1.5	180.5	0.43	<0.05	5.6	0.112	0.38	2.0
J594876		17.9	107.5	<0.002	0.10	0.41	7.3	1	1.8	183.5	1.14	<0.05	14.9	0.256	0.59	4.1
J594877		18.2	116.0	<0.002	0.02	0.42	7.0	1	2.0	186.5	1.02	<0.05	14.4	0.267	0.65	3.6
J594878		16.3	112.0	<0.002	0.03	0.26	7.5	1	1.8	187.5	0.96	<0.05	12.8	0.278	0.62	3.2
J594879		21.5	113.0	<0.002	0.41	0.41	7.2	1	1.8	170.5	1.17	<0.05	17.6	0.257	0.60	4.7
J594880		16.2	95.5	<0.002	0.20	0.41	8.0	1	1.9	181.0	1.17	<0.05	15.8	0.294	0.48	4.4
J594881		21.5	108.0	<0.002	0.35	0.56	8.7	2	2.2	183.5	1.28	<0.05	16.4	0.289	0.55	4.1
J594882		29.7	91.2	<0.002	0.28	0.44	8.8	2	2.0	208	1.23	<0.05	17.1	0.298	0.49	4.1
J594883		18.5	76.4	<0.002	0.51	0.41	8.3	2	2.1	166.5	1.13	<0.05	13.2	0.294	0.42	3.3
J594884		9.4	42.0	<0.002	0.07	0.20	4.6	2	1.4	105.0	0.92	<0.05	7.4	0.179	0.30	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594845		42	1.5	26.3	24	207
J594846		42	1.4	23.9	35	207
J594847		36	1.7	22.8	45	203
J594848		47	2.9	20.1	68	240
J594849		43	1.3	24.3	55	227
J594850		34	0.4	5.5	41	53.1
J594851		39	1.2	20.4	51	203
J594852		39	1.4	21.0	57	212
J594853		38	2.2	20.3	49	205
J594854		34	3.2	19.7	33	202
J594855		38	1.3	21.9	41	197.5
J594856		34	1.7	21.0	34	175.0
J594857		35	1.8	20.7	47	179.0
J594858		37	1.9	20.8	39	182.0
J594859		42	1.7	22.5	40	206
J594860		38	3.6	25.3	44	205
J594861		40	2.5	22.4	45	210
J594862		39	3.0	19.0	43	176.0
J594863		41	2.6	20.8	40	211
J594864		43	45.3	20.0	44	188.5
J594865		42	16.0	21.0	53	201
J594866		40	0.9	19.9	44	203
J594867		42	0.5	19.7	46	195.0
J594868		42	0.8	19.0	43	205
J594869		45	1.4	20.8	49	235
J594870		43	6.6	18.4	73	203
J594871		42	9.5	21.1	47	215
J594872		42	13.5	20.4	68	205
J594873		39	1.0	20.6	46	210
J594874		43	1.5	22.5	53	220
J594875		15	0.9	17.2	42	28.6
J594876		36	2.2	21.6	47	183.5
J594877		37	1.4	21.0	49	196.5
J594878		39	1.4	21.0	51	185.0
J594879		36	6.0	22.0	51	214
J594880		41	3.5	23.6	44	209
J594881		41	6.6	24.2	55	225
J594882		42	4.6	23.5	53	222
J594883		42	11.8	20.4	45	213
J594884		24	3.1	11.8	24	153.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594885		2.04	0.036	0.14	6.78	35.6	740	1.78	0.10	1.62	0.06	79.9	5.9	10	1.98	16.7
J594886		1.96	<0.005	0.10	7.16	12.2	760	2.58	0.08	1.54	0.04	84.3	6.0	9	1.69	9.8
J594887		1.91	<0.005	0.11	7.27	6.2	850	1.61	0.06	1.86	0.03	85.5	6.7	10	1.27	8.5
J594888		1.98	<0.005	0.08	6.98	6.4	830	1.47	0.05	1.99	0.03	79.9	6.4	10	1.25	14.2
J594889		1.80	<0.005	0.08	7.36	3.7	850	1.71	0.05	1.80	0.04	91.2	7.5	11	1.11	7.8
J594890		1.70	<0.005	0.09	7.75	6.9	870	1.82	0.05	1.78	0.03	93.8	8.1	11	0.97	7.4
J594891		1.21	<0.005	0.09	7.69	2.5	850	1.77	0.05	1.79	0.03	89.8	7.6	11	1.41	8.3
J594892		1.27	<0.005	0.10	7.63	1.8	840	1.69	0.05	1.84	0.04	89.6	7.1	10	1.09	9.8
J594893		1.20	<0.005	0.08	7.43	2.8	830	1.71	0.05	1.47	0.02	90.8	6.8	10	0.74	17.0
J594894		0.91	<0.005	0.10	7.02	5.6	730	1.14	0.03	0.73	<0.02	85.0	4.7	10	0.51	11.1
J594896		0.84	<0.005	0.16	6.70	7.3	670	0.78	0.05	0.36	<0.02	70.9	4.1	10	0.31	6.5
J594897		1.20	<0.005	0.08	7.22	2.3	810	1.73	0.06	1.17	0.03	103.5	6.3	9	0.85	21.2
J594898		1.24	<0.005	0.15	7.31	5.0	830	1.67	0.06	1.65	0.03	91.4	7.3	9	0.78	8.8
J594899		0.57	<0.005	0.13	6.96	4.5	830	1.51	0.08	1.21	0.02	88.9	6.8	23	0.64	9.8
J594900		0.52	<0.005	0.12	7.36	4.1	910	1.77	0.08	1.41	0.03	83.4	6.8	10	0.66	10.9
J594901		1.18	<0.005	0.13	7.60	2.6	910	1.78	0.05	1.81	0.04	93.4	7.4	11	0.98	8.0
J594902		1.23	<0.005	0.10	6.96	5.8	850	1.60	0.06	1.30	0.03	91.0	6.3	10	0.57	5.7
J594903		1.21	<0.005	0.10	7.20	4.7	920	1.50	0.07	1.23	0.03	88.0	6.8	10	0.72	5.9
J594904		1.19	0.011	0.10	7.08	4.4	830	1.43	0.08	1.26	0.03	85.2	6.5	10	0.66	7.5
J594905		1.17	<0.005	0.07	6.78	5.6	810	1.41	0.05	1.17	0.02	84.7	5.5	10	0.63	7.2
J594906		1.19	<0.005	0.08	6.69	7.8	730	1.51	0.05	1.35	0.02	77.9	5.6	10	0.82	6.3
J594907		1.32	<0.005	0.14	7.18	22.8	790	1.72	0.09	1.59	0.03	84.5	6.7	9	0.63	8.2
J594908		1.15	<0.005	0.10	6.99	17.9	760	1.61	0.06	1.69	0.03	84.0	6.5	10	0.97	6.9
J594909		1.14	<0.005	0.10	6.97	17.9	820	1.56	0.06	1.61	0.03	78.0	5.9	10	1.31	12.2
J594910		1.17	<0.005	0.11	7.26	16.5	860	1.55	0.06	1.77	0.03	79.3	5.4	12	0.86	7.4
J594911		1.23	<0.005	0.08	7.32	11.6	760	1.57	0.04	1.73	0.02	83.0	5.5	10	0.57	2.2
J594912		1.40	<0.005	0.10	7.19	14.2	800	1.75	0.06	1.69	0.03	84.1	6.8	10	0.88	7.7
J594913		1.20	0.006	0.11	7.34	31.0	890	1.67	0.11	1.59	0.04	86.1	9.7	10	2.27	4.4
J594914		1.24	<0.005	0.13	7.40	7.6	900	1.64	0.08	1.76	0.04	98.5	6.8	10	3.22	8.5
J594915		1.26	<0.005	0.13	7.08	5.3	910	1.61	0.08	1.70	0.05	87.5	6.6	9	2.65	9.5
J594916		1.32	<0.005	0.17	7.46	3.4	910	1.74	0.08	1.67	0.05	91.1	6.6	10	2.72	7.8
J594917		1.35	<0.005	0.15	7.39	7.7	860	1.79	0.07	1.71	0.05	94.4	6.6	10	2.86	7.9
J594918		1.32	<0.005	0.12	6.74	24.9	880	1.70	0.06	1.62	0.05	89.8	5.6	10	2.32	10.0
J594919		0.61	<0.005	0.13	6.71	13.9	740	1.84	0.06	1.55	0.05	82.2	6.1	9	2.48	4.6
J594920		2.06	<0.005	0.09	6.54	14.4	860	1.66	0.06	1.43	0.04	80.7	6.3	11	1.93	13.9
J594921		1.19	<0.005	0.11	6.93	2.5	760	1.76	0.06	1.50	0.05	93.7	5.7	10	2.34	7.9
J594922		1.22	<0.005	0.12	6.96	2.8	730	1.73	0.06	1.66	0.05	90.4	6.6	9	2.60	10.0
J594923		1.33	<0.005	0.14	6.84	3.0	710	1.85	0.07	1.57	0.05	86.1	6.2	9	2.80	6.4
J594924		0.61	<0.005	0.10	6.50	29.6	810	1.92	0.07	1.47	0.05	85.2	6.0	8	1.98	9.5
J594925		0.03	0.590	0.89	7.77	2.9	100	2.96	1.44	0.87	0.16	17.70	9.6	29	31.1	13.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594885		2.17	19.05	0.11	5.6	0.031	2.58	37.2	20.7	0.45	416	2.29	3.27	14.0	5.7	510
J594886		2.24	19.90	0.10	5.8	0.031	2.63	39.4	14.7	0.46	406	13.35	3.19	15.2	5.6	530
J594887		2.48	18.85	0.11	5.8	0.037	2.50	39.9	11.0	0.52	445	1.96	3.07	13.4	6.3	620
J594888		2.32	18.40	0.10	5.5	0.030	2.29	37.8	12.5	0.50	484	2.34	3.36	12.5	6.1	600
J594889		2.59	20.2	0.12	5.9	0.039	2.45	43.1	10.4	0.57	490	1.15	3.10	13.5	6.8	640
J594890		2.74	20.7	0.11	5.8	0.038	2.66	44.4	9.6	0.58	531	0.86	3.20	14.1	7.3	660
J594891		2.66	20.3	0.11	5.6	0.036	2.63	41.0	12.2	0.56	514	2.21	3.15	13.8	6.9	640
J594892		2.58	19.80	0.12	6.0	0.033	2.62	43.3	10.9	0.53	461	2.40	3.01	13.7	6.6	630
J594893		2.53	20.1	0.11	5.7	0.032	2.66	43.7	10.8	0.62	430	1.11	3.10	13.1	6.9	620
J594894		2.13	17.65	0.11	5.6	0.018	2.85	42.0	21.3	0.88	330	0.82	3.30	10.8	6.7	590
J594896		2.04	16.25	0.11	5.4	0.013	2.75	34.2	27.7	0.83	277	1.10	3.40	10.3	5.7	550
J594897		2.45	19.85	0.12	5.7	0.032	2.70	51.0	12.6	0.61	386	1.09	3.05	13.1	6.7	600
J594898		2.53	18.90	0.11	5.9	0.034	2.43	44.8	10.1	0.53	453	1.49	2.90	13.2	6.9	600
J594899		2.37	18.20	0.11	5.2	0.037	2.52	44.1	8.3	0.47	359	1.02	3.25	12.8	6.3	570
J594900		2.58	18.80	0.12	5.9	0.041	2.65	41.1	8.7	0.51	402	0.97	3.27	14.4	6.1	630
J594901		2.65	20.3	0.13	6.4	0.035	2.62	45.3	9.5	0.53	479	1.12	3.10	13.9	6.7	620
J594902		2.42	18.75	0.14	5.1	0.037	2.58	46.6	9.0	0.56	398	1.02	2.90	12.9	6.0	550
J594903		2.44	19.30	0.12	5.3	0.034	2.93	43.3	8.8	0.55	403	0.82	3.01	13.2	6.2	530
J594904		2.29	18.10	0.11	5.2	0.031	2.71	41.6	9.1	0.53	399	0.88	2.99	11.9	6.0	520
J594905		2.13	17.40	0.11	5.1	0.030	2.52	41.8	9.2	0.49	389	0.93	2.83	11.8	5.6	500
J594906		2.19	16.70	0.11	4.5	0.031	2.34	38.3	10.2	0.49	430	0.94	2.72	12.1	5.4	500
J594907		2.32	19.15	0.11	5.6	0.025	2.31	40.7	12.1	0.53	508	1.32	3.42	13.2	6.7	550
J594908		2.23	18.50	0.11	5.7	0.030	2.29	39.2	15.3	0.48	466	1.56	3.29	13.0	6.4	550
J594909		2.22	18.20	0.11	5.6	0.028	2.55	37.2	17.3	0.41	399	1.46	3.22	12.7	6.1	530
J594910		2.40	18.10	0.11	5.5	0.030	2.59	36.7	13.9	0.50	502	1.03	3.28	12.7	5.8	570
J594911		2.32	18.50	0.12	5.5	0.029	2.31	39.9	10.3	0.55	530	1.62	3.28	12.8	6.0	540
J594912		2.48	18.90	0.11	5.8	0.034	2.09	40.1	11.9	0.58	592	1.16	3.32	13.5	6.1	610
J594913		2.61	18.55	0.12	5.7	0.031	2.90	41.8	22.0	0.49	458	1.53	2.83	13.0	8.5	540
J594914		2.41	19.60	0.13	5.4	0.029	2.90	47.8	22.3	0.50	424	1.37	3.02	13.2	6.5	570
J594915		2.35	18.60	0.13	5.5	0.031	2.88	42.3	22.3	0.46	423	1.13	2.89	12.9	6.0	540
J594916		2.41	19.20	0.11	5.6	0.031	2.92	44.5	21.8	0.47	426	1.75	2.87	13.3	6.2	570
J594917		2.46	19.40	0.13	5.9	0.030	2.84	45.4	24.2	0.48	434	1.29	2.93	13.3	6.7	580
J594918		2.29	18.15	0.18	5.6	0.034	2.84	41.7	24.2	0.46	424	1.05	2.79	12.9	8.7	540
J594919		2.17	17.55	0.18	6.1	0.031	2.58	37.9	23.9	0.42	385	1.00	2.93	12.9	7.5	480
J594920		2.24	16.70	0.19	5.4	0.030	2.70	38.0	24.6	0.45	380	1.25	2.84	12.5	5.8	510
J594921		2.24	17.40	0.18	5.7	0.029	2.81	45.6	22.1	0.43	398	1.04	2.78	13.1	5.9	500
J594922		2.40	18.45	0.19	5.7	0.035	2.52	42.8	28.1	0.49	438	1.54	2.80	13.5	6.6	560
J594923		2.27	18.00	0.17	5.9	0.032	2.66	40.0	25.4	0.44	408	1.07	2.76	13.9	6.1	530
J594924		2.05	17.70	0.18	6.3	0.029	2.69	40.6	23.0	0.40	392	1.25	2.80	13.3	5.9	470
J594925		3.55	21.6	0.16	1.6	0.012	2.13	8.5	9.5	0.71	263	1.06	5.77	10.3	33.5	720

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594885		15.7	114.0	<0.002	0.23	0.27	7.7	2	2.3	147.0	1.35	<0.05	15.9	0.262	0.57	3.9
J594886		15.6	105.0	0.002	0.06	0.25	7.8	2	2.2	181.5	1.69	<0.05	16.7	0.273	0.47	4.8
J594887		11.9	79.2	<0.002	0.02	0.22	8.9	2	2.0	228	1.04	<0.05	14.3	0.307	0.40	3.2
J594888		10.9	67.4	<0.002	0.04	0.18	8.5	2	2.0	184.0	0.98	<0.05	13.0	0.300	0.35	2.9
J594889		11.7	79.8	<0.002	0.01	0.18	8.9	2	2.1	241	1.03	<0.05	14.5	0.316	0.39	3.1
J594890		11.6	86.6	<0.002	0.02	0.23	9.6	2	2.1	242	1.10	<0.05	15.5	0.325	0.43	3.5
J594891		12.6	89.9	<0.002	0.01	0.14	9.3	2	2.1	218	1.09	<0.05	15.0	0.316	0.46	3.4
J594892		13.5	89.4	<0.002	0.01	0.12	9.1	2	2.0	221	1.12	<0.05	15.4	0.312	0.45	3.5
J594893		8.8	90.1	<0.002	0.03	0.16	9.1	2	2.0	173.5	1.02	<0.05	15.1	0.295	0.39	3.5
J594894		3.0	94.9	<0.002	0.05	0.19	6.5	2	1.6	42.3	0.82	<0.05	14.5	0.263	0.43	3.0
J594896		2.6	84.4	<0.002	0.08	0.28	5.8	2	1.5	28.6	0.80	<0.05	13.5	0.250	0.41	2.9
J594897		7.0	101.0	<0.002	0.02	0.18	9.5	2	2.0	138.5	1.03	<0.05	16.2	0.287	0.46	3.6
J594898		10.9	78.3	<0.002	0.01	0.22	9.2	2	1.9	214	1.07	<0.05	15.1	0.296	0.36	3.4
J594899		7.7	81.2	<0.002	0.09	0.18	8.8	2	1.9	131.5	1.02	<0.05	14.3	0.285	0.37	3.2
J594900		8.6	81.4	<0.002	0.08	0.18	9.3	2	2.0	147.0	1.14	<0.05	14.9	0.310	0.39	3.6
J594901		14.9	79.7	<0.002	0.01	0.17	9.1	2	2.0	235	1.09	<0.05	15.5	0.312	0.43	3.6
J594902		9.6	84.9	<0.002	0.04	0.19	8.6	2	1.8	165.0	1.08	<0.05	15.5	0.281	0.38	3.6
J594903		10.7	93.4	<0.002	0.04	0.18	8.8	2	1.7	165.0	1.07	<0.05	14.4	0.273	0.42	3.4
J594904		7.8	84.2	<0.002	0.04	0.22	8.2	2	1.6	154.5	0.89	<0.05	13.2	0.267	0.40	2.7
J594905		9.1	79.5	<0.002	0.03	0.28	7.9	2	1.6	164.5	0.95	<0.05	14.4	0.260	0.37	3.1
J594906		9.6	72.6	<0.002	0.02	0.25	7.6	2	1.6	171.0	1.00	<0.05	13.9	0.261	0.34	3.3
J594907		12.3	60.3	<0.002	0.23	0.27	8.6	2	1.8	173.5	1.05	<0.05	14.8	0.286	0.30	3.4
J594908		14.0	59.5	<0.002	0.13	0.24	8.6	2	1.8	195.5	1.04	<0.05	13.6	0.281	0.31	3.1
J594909		13.2	73.2	<0.002	0.15	0.28	8.0	2	1.6	200	1.01	<0.05	13.3	0.278	0.38	3.0
J594910		13.2	60.2	<0.002	0.10	0.28	8.3	2	1.7	207	0.96	<0.05	12.6	0.295	0.31	2.9
J594911		10.6	55.6	<0.002	0.03	0.26	8.5	2	1.8	170.5	1.02	<0.05	13.8	0.283	0.26	3.1
J594912		10.9	54.6	<0.002	0.11	0.23	8.6	2	2.0	179.5	1.06	<0.05	13.6	0.302	0.26	3.1
J594913		14.3	99.4	<0.002	0.27	0.29	8.3	2	2.1	184.0	1.07	<0.05	15.1	0.293	0.52	3.2
J594914		14.7	107.5	<0.002	0.02	0.28	8.9	2	1.9	196.5	0.99	<0.05	14.4	0.288	0.60	3.1
J594915		17.2	109.0	<0.002	0.02	0.20	8.5	2	1.8	191.0	1.04	<0.05	15.5	0.280	0.60	3.5
J594916		18.4	114.5	<0.002	0.01	0.13	8.7	2	1.9	197.5	1.07	<0.05	16.2	0.283	0.66	3.6
J594917		18.4	113.5	<0.002	0.01	0.16	8.7	2	1.9	203	1.08	<0.05	16.4	0.298	0.64	3.7
J594918		18.8	115.0	<0.002	0.01	0.27	7.9	2	1.8	183.5	1.16	<0.05	14.5	0.272	0.64	3.4
J594919		19.0	112.0	<0.002	0.01	0.33	7.8	2	1.8	185.0	1.30	<0.05	16.7	0.258	0.62	4.1
J594920		13.7	101.5	<0.002	0.14	0.28	7.6	2	1.8	160.0	1.25	<0.05	14.2	0.264	0.54	3.6
J594921		16.7	121.5	<0.002	0.01	0.16	7.1	2	1.8	172.0	1.27	<0.05	15.8	0.270	0.63	4.2
J594922		15.8	125.5	<0.002	0.01	0.14	8.6	2	1.9	188.5	1.21	<0.05	14.2	0.285	0.64	3.9
J594923		18.2	127.5	<0.002	0.01	0.14	7.6	2	2.0	178.5	1.41	<0.05	15.1	0.274	0.67	4.6
J594924		15.7	115.5	<0.002	0.05	0.27	7.4	2	1.9	157.0	1.40	<0.05	15.1	0.247	0.56	4.0
J594925		81.2	830	<0.002	2.69	1.29	4.2	1	1.1	160.5	1.18	<0.05	3.1	0.223	10.30	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594885		37	10.2	22.3	46	192.5
J594886		38	3.4	25.2	43	206
J594887		45	1.4	22.1	46	222
J594888		42	1.1	20.4	45	207
J594889		46	1.7	22.1	53	226
J594890		47	2.1	23.4	54	213
J594891		46	1.5	22.6	54	207
J594892		44	0.8	22.2	52	220
J594893		44	1.4	22.3	41	215
J594894		41	3.9	18.8	29	217
J594896		36	4.8	17.1	25	199.5
J594897		43	1.9	23.2	39	213
J594898		42	1.0	22.2	50	216
J594899		41	1.3	21.0	30	196.5
J594900		45	1.4	23.9	34	230
J594901		44	0.7	22.7	51	244
J594902		40	1.2	21.7	36	196.5
J594903		39	0.9	22.3	38	201
J594904		37	1.1	19.4	39	201
J594905		35	1.0	19.7	35	191.0
J594906		36	1.1	19.5	37	174.5
J594907		40	2.1	20.4	38	207
J594908		39	1.2	20.4	40	216
J594909		37	1.5	19.1	38	214
J594910		41	1.3	19.1	42	212
J594911		39	2.1	20.6	37	204
J594912		44	2.2	20.6	39	220
J594913		39	1.3	21.1	47	216
J594914		40	1.3	21.9	50	211
J594915		39	1.6	20.8	51	210
J594916		40	1.4	21.3	54	215
J594917		41	1.1	21.4	56	221
J594918		38	0.9	21.4	55	196.0
J594919		35	1.0	22.3	49	203
J594920		39	2.2	21.0	42	183.5
J594921		35	0.8	22.0	46	189.5
J594922		40	1.0	24.0	50	198.5
J594923		38	1.9	23.5	50	200
J594924		34	1.5	22.5	43	203
J594925		28	0.3	5.0	42	52.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594926		0.74	<0.005	0.10	6.65	45.0	750	1.50	0.07	1.74	0.05	83.4	6.4	9	2.02	12.5
J594927		0.58	0.052	0.17	7.25	6090	740	1.66	0.50	2.19	0.06	92.6	15.2	10	1.89	19.4
J594928		0.74	<0.005	0.11	7.19	20.5	800	1.74	0.04	1.75	0.05	98.0	7.2	10	2.56	7.2
J594929		1.86	<0.005	0.12	7.21	20.6	940	1.79	0.05	1.98	0.06	92.6	6.7	11	2.37	7.5
J594930		1.85	<0.005	0.12	6.67	4.6	820	1.63	0.05	1.57	0.05	88.8	6.5	10	2.04	7.9
J594931		2.08	<0.005	0.12	6.65	5.6	780	1.62	0.07	1.51	0.04	97.4	6.9	17	2.36	9.3
J594932		1.78	<0.005	0.14	6.95	7.5	800	1.64	0.06	1.56	0.04	90.6	6.2	13	2.21	7.7
J594933		1.94	<0.005	0.10	6.41	2.8	730	1.55	0.05	1.44	0.05	88.7	6.1	15	2.28	6.5
J594934		1.91	<0.005	0.09	6.70	0.7	730	1.59	0.05	1.54	0.05	95.1	6.1	16	2.04	7.1
J594935		1.83	<0.005	0.12	6.72	3.4	780	1.57	0.06	1.59	0.05	88.7	6.5	13	1.92	7.7
J594936		1.95	<0.005	0.09	6.60	2.2	770	1.58	0.05	1.48	0.05	85.1	6.1	12	2.34	6.6
J594937		1.85	<0.005	0.11	7.03	0.4	840	1.74	0.05	1.57	0.04	100.0	6.4	15	2.69	8.4
J594938		1.82	<0.005	0.09	6.79	0.7	700	1.62	0.06	1.59	0.05	94.8	6.3	14	2.65	7.6
J594939		1.97	<0.005	0.10	7.12	4.8	830	1.78	0.06	1.59	0.05	95.3	6.1	13	2.53	6.4
J594940		2.01	<0.005	0.12	6.85	1.6	820	1.73	0.07	1.51	0.06	89.7	6.1	13	2.85	7.4
J594941		1.95	<0.005	0.09	6.93	2.8	810	1.75	0.07	1.52	0.05	92.3	6.2	17	2.84	7.4
J594942		2.12	<0.005	0.11	6.67	9.3	710	1.81	0.06	1.53	0.05	91.3	6.2	15	3.00	6.6
J594943		2.07	<0.005	0.14	7.02	21.7	830	1.79	0.05	1.55	0.05	91.2	6.3	12	2.85	5.7
J594944		1.31	0.005	0.13	6.67	85.9	720	1.58	0.05	1.69	0.05	94.8	5.2	11	1.97	6.4
J594945		0.78	<0.005	0.09	5.22	77.0	650	1.18	0.03	4.05	0.14	50.1	4.4	9	1.64	2.6
J594946		1.16	<0.005	0.11	6.72	28.0	770	1.71	0.05	1.59	0.04	98.5	6.5	9	2.77	4.9
J594947		1.28	<0.005	0.12	6.60	17.9	790	2.17	0.05	1.50	0.06	93.2	7.2	12	3.03	4.8
J594948		1.19	<0.005	0.12	6.65	13.2	810	1.50	0.05	1.63	0.05	89.0	6.3	11	2.79	6.3
J594949		1.17	<0.005	0.17	6.78	35.7	860	1.34	0.11	1.68	0.05	95.9	6.6	13	2.11	32.5
J594950		0.07	<0.005	0.07	6.49	0.5	910	1.23	0.09	1.36	0.08	27.7	2.5	13	1.57	4.7
J594951		1.30	<0.005	0.16	6.22	56.3	780	1.49	0.09	1.74	0.07	89.5	7.3	14	2.45	20.3
J594952		1.22	<0.005	0.12	6.54	33.0	780	1.43	0.04	1.50	0.04	95.5	6.0	11	2.45	7.5
J594953		0.86	<0.005	0.13	6.03	653	680	1.48	0.05	1.44	0.04	115.0	7.2	11	1.59	4.9
J594954		1.05	<0.005	0.08	6.91	27.4	700	1.33	0.05	1.58	0.05	95.1	6.1	14	3.04	6.8
J594955		1.77	<0.005	0.06	6.60	15.3	720	1.39	0.05	1.63	0.05	92.4	5.9	14	3.02	7.4
J594956		1.78	<0.005	0.06	7.14	19.4	820	1.49	0.06	1.71	0.06	98.4	6.5	12	3.13	10.1
J594957		1.67	<0.005	0.07	7.27	8.5	900	1.40	0.05	1.67	0.06	102.0	6.4	12	3.13	6.8
J594958		1.65	<0.005	0.06	6.59	1.2	770	1.41	0.04	1.57	0.05	93.7	6.4	16	3.01	7.8
J594959		1.47	0.027	0.23	6.51	254	690	1.31	0.16	1.89	0.06	92.6	4.7	12	2.11	17.6
J594960		1.15	0.211	0.23	6.63	105.0	720	1.52	0.10	1.74	0.06	90.1	4.0	12	2.18	14.1
J594961		1.25	0.197	0.19	6.89	882	790	1.52	0.40	1.56	0.15	98.1	6.4	11	2.19	18.7
J594962		1.18	<0.005	0.06	6.91	7.0	810	1.67	0.08	1.50	0.06	96.3	5.5	12	3.28	6.7
J594963		1.96	<0.005	0.06	6.73	7.2	780	1.95	0.07	1.54	0.05	94.4	5.8	14	4.95	6.6
J594964		1.18	<0.005	0.05	6.66	16.6	720	1.74	0.06	1.42	0.05	82.0	5.4	12	3.32	5.6
J594965		1.33	<0.005	0.04	7.05	6.5	820	1.40	0.04	1.59	0.05	89.5	5.9	12	2.55	7.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594926		2.30	17.20	0.17	5.2	0.033	2.42	38.6	24.8	0.45	445	1.52	3.13	12.1	6.2	540
J594927		3.20	18.95	0.20	5.8	0.051	2.31	44.5	21.9	0.56	525	3.43	3.02	12.0	7.2	570
J594928		2.59	18.80	0.18	6.2	0.038	2.60	46.3	24.9	0.50	455	1.05	2.80	13.4	7.4	600
J594929		2.44	19.50	0.18	6.2	0.037	2.98	42.6	24.6	0.47	502	1.02	3.13	13.7	6.6	580
J594930		2.29	18.45	0.16	5.7	0.034	2.71	42.0	18.0	0.46	416	1.04	2.86	13.1	6.7	540
J594931		2.30	18.35	0.16	6.1	0.031	2.67	45.6	20.7	0.46	418	1.26	2.82	13.6	7.5	540
J594932		2.28	17.60	0.18	5.4	0.030	2.72	43.3	21.3	0.45	409	1.10	2.91	12.7	6.1	530
J594933		2.18	17.15	0.17	6.2	0.032	2.56	41.7	20.9	0.44	397	0.93	2.64	12.5	6.0	500
J594934		2.33	17.40	0.18	6.3	0.031	2.56	45.1	19.2	0.46	421	0.99	2.68	12.3	6.2	530
J594935		2.33	17.35	0.18	5.8	0.030	2.57	42.5	21.1	0.47	421	1.00	2.89	12.6	6.3	530
J594936		2.19	17.15	0.17	5.4	0.030	2.58	40.0	21.6	0.43	392	1.01	2.68	12.1	6.1	500
J594937		2.33	18.15	0.20	6.0	0.030	2.76	47.8	24.4	0.46	420	1.45	2.78	13.0	6.3	530
J594938		2.38	16.95	0.18	6.0	0.029	2.47	45.7	23.4	0.46	427	1.20	2.75	12.9	6.2	530
J594939		2.29	17.35	0.19	6.2	0.029	2.77	46.5	21.1	0.47	413	1.12	2.81	13.3	6.8	540
J594940		2.30	18.00	0.18	5.8	0.033	2.81	42.0	21.9	0.44	412	1.21	2.76	13.4	6.1	520
J594941		2.25	17.25	0.19	5.9	0.031	2.76	45.2	25.1	0.45	407	1.24	2.68	13.3	6.6	520
J594942		2.26	17.15	0.17	6.0	0.030	2.62	43.1	27.2	0.45	412	0.98	2.81	13.6	5.7	530
J594943		2.31	17.75	0.19	5.6	0.029	2.80	43.5	27.4	0.45	423	1.08	2.88	13.2	6.0	540
J594944		2.11	18.25	0.17	5.9	0.037	2.60	45.7	26.2	0.42	468	1.04	3.11	14.3	4.9	540
J594945		1.65	13.45	0.15	4.0	0.031	1.84	24.5	20.1	0.34	934	0.84	2.37	7.8	2.6	440
J594946		2.25	17.45	0.17	6.2	0.031	2.66	48.7	28.2	0.45	423	2.03	2.81	14.0	5.8	530
J594947		2.25	17.70	0.17	6.2	0.032	2.62	44.7	28.3	0.43	399	0.94	2.76	15.0	6.2	510
J594948		2.32	17.80	0.16	5.5	0.035	2.59	42.0	27.4	0.45	417	3.87	2.83	13.2	6.3	560
J594949		2.45	16.90	0.18	6.5	0.033	2.76	47.2	24.2	0.47	444	1.22	3.09	12.2	6.6	560
J594950		1.45	13.05	0.14	1.2	0.016	2.19	12.8	11.4	0.19	595	1.11	2.75	4.9	2.5	180
J594951		2.44	17.55	0.18	5.9	0.040	2.47	41.1	27.4	0.47	464	1.18	3.07	13.5	7.5	560
J594952		2.25	16.45	0.17	5.7	0.031	2.52	45.2	24.3	0.44	390	3.65	2.73	12.4	6.5	550
J594953		1.82	17.60	0.18	5.9	0.047	2.16	53.2	24.5	0.35	396	2.64	3.05	12.1	4.3	510
J594954		2.40	18.30	0.17	5.5	0.034	2.54	47.5	22.8	0.48	410	1.08	3.02	12.1	6.6	580
J594955		2.34	18.70	0.22	6.2	0.038	2.56	45.7	24.6	0.46	413	1.04	2.82	11.6	5.8	550
J594956		2.44	19.45	0.25	6.2	0.036	2.78	48.4	27.3	0.49	426	1.06	3.02	12.1	6.8	570
J594957		2.47	18.95	0.23	6.2	0.037	2.79	52.6	26.7	0.47	425	0.96	2.98	12.2	6.1	580
J594958		2.28	18.45	0.25	5.5	0.034	2.56	47.6	26.1	0.45	410	0.87	2.71	11.9	6.3	540
J594959		2.23	17.75	0.24	5.6	0.033	2.47	47.8	20.4	0.53	464	1.24	3.00	10.8	5.6	530
J594960		2.11	17.65	0.22	5.9	0.032	2.49	46.0	20.1	0.49	420	1.34	3.06	11.0	7.5	540
J594961		2.29	18.25	0.24	6.3	0.035	2.90	50.1	19.2	0.45	392	7.01	2.94	11.2	6.0	540
J594962		2.19	17.55	0.14	6.1	0.031	2.93	48.6	19.8	0.41	391	1.97	2.96	13.1	5.1	490
J594963		2.29	18.00	0.17	6.2	0.029	2.63	47.8	21.4	0.42	397	1.31	2.90	12.9	5.7	520
J594964		2.04	17.70	0.23	5.6	0.029	2.84	40.4	21.0	0.39	360	5.05	2.92	12.3	5.1	480
J594965		2.34	18.00	0.20	5.6	0.030	2.89	45.5	17.3	0.43	403	2.57	3.02	11.3	5.6	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594926		14.1	100.5	<0.002	0.07	0.31	7.8	2	1.6	170.5	1.07	<0.05	12.3	0.281	0.55	2.8
J594927		15.7	91.0	<0.002	0.53	1.42	8.6	2	1.9	185.5	1.05	0.08	14.8	0.298	0.51	3.4
J594928		17.9	118.5	<0.002	0.01	0.13	9.0	2	1.9	198.0	1.16	<0.05	15.2	0.303	0.63	3.7
J594929		19.2	117.5	<0.002	0.01	0.21	8.6	2	2.0	196.5	1.15	<0.05	13.7	0.290	0.64	3.3
J594930		16.6	114.0	<0.002	0.01	0.11	8.2	2	1.9	186.5	1.10	<0.05	13.6	0.281	0.61	3.3
J594931		15.5	116.5	<0.002	0.03	0.16	8.1	2	2.0	175.0	1.22	<0.05	15.5	0.281	0.65	3.7
J594932		14.9	114.5	<0.002	0.02	0.18	7.9	2	1.9	179.5	1.13	<0.05	14.3	0.281	0.61	3.5
J594933		14.8	114.0	<0.002	0.01	0.12	7.5	2	1.8	166.0	1.14	<0.05	14.2	0.266	0.62	3.4
J594934		15.9	112.5	<0.002	0.01	0.13	8.0	2	1.9	175.0	1.17	<0.05	15.6	0.278	0.62	3.7
J594935		127.0	101.0	<0.002	0.05	0.24	7.9	2	1.7	171.0	1.09	<0.05	14.4	0.276	0.56	3.3
J594936		16.9	116.0	<0.002	0.01	0.09	7.8	2	1.8	172.5	1.08	<0.05	13.6	0.265	0.63	3.4
J594937		19.1	126.5	<0.002	<0.01	0.09	8.3	2	1.9	183.5	1.15	<0.05	16.8	0.285	0.68	3.9
J594938		18.7	116.0	<0.002	0.01	0.11	7.8	2	1.9	177.5	1.19	<0.05	16.2	0.282	0.64	3.8
J594939		18.3	130.5	<0.002	0.01	0.18	8.4	2	1.8	182.5	1.26	<0.05	16.4	0.274	0.66	4.5
J594940		20.2	132.0	<0.002	0.01	0.11	7.8	2	2.0	176.5	1.35	<0.05	15.9	0.272	0.70	4.2
J594941		19.2	131.5	<0.002	0.01	0.16	8.0	2	1.9	175.5	1.33	<0.05	15.9	0.273	0.69	4.6
J594942		17.9	120.0	<0.002	0.01	0.19	7.8	2	1.9	176.0	1.40	<0.05	15.3	0.278	0.66	4.6
J594943		16.3	120.0	<0.002	0.02	0.31	7.8	2	1.9	194.0	1.37	<0.05	13.3	0.289	0.65	3.3
J594944		16.1	105.0	<0.002	0.06	0.38	8.4	2	1.8	153.5	1.43	<0.05	14.2	0.292	0.55	3.6
J594945		14.9	80.8	<0.002	0.02	0.28	7.3	2	1.2	142.5	0.54	<0.05	10.1	0.211	0.43	2.5
J594946		18.0	121.5	<0.002	0.03	0.32	7.7	2	1.9	183.5	1.40	<0.05	15.3	0.276	0.64	4.1
J594947		17.9	123.5	<0.002	0.01	0.29	8.1	2	2.1	174.0	1.73	<0.05	14.8	0.268	0.66	4.8
J594948		18.0	107.5	<0.002	0.01	0.30	8.1	2	2.0	190.0	1.10	<0.05	13.0	0.287	0.64	4.3
J594949		15.9	108.5	<0.002	0.38	0.32	8.3	2	2.0	163.0	1.09	<0.05	14.4	0.289	0.57	3.7
J594950		12.1	62.4	<0.002	<0.01	0.18	6.0	2	1.5	176.0	0.49	<0.05	5.6	0.115	0.40	2.0
J594951		17.9	102.0	<0.002	0.18	0.33	8.2	2	2.0	172.5	1.15	<0.05	13.0	0.286	0.60	3.2
J594952		15.8	105.5	<0.002	0.08	0.29	7.9	2	1.9	181.0	1.05	<0.05	13.3	0.281	0.58	3.3
J594953		13.0	84.7	<0.002	0.07	0.41	8.0	2	2.1	130.0	1.05	<0.05	13.6	0.269	0.47	2.9
J594954		16.0	107.0	<0.002	0.03	0.26	7.3	1	1.9	191.5	1.05	<0.05	13.2	0.303	0.55	3.1
J594955		16.3	108.0	<0.002	0.03	0.28	7.2	1	2.1	188.0	1.11	<0.05	13.8	0.286	0.58	3.2
J594956		16.1	122.0	<0.002	0.05	0.33	8.1	1	2.1	198.5	1.04	<0.05	13.1	0.303	0.56	3.0
J594957		17.0	122.0	<0.002	0.01	0.30	7.6	2	2.0	199.5	1.02	<0.05	13.5	0.300	0.60	3.4
J594958		15.1	115.5	<0.002	0.01	0.14	7.4	1	2.0	183.0	1.06	<0.05	13.2	0.284	0.55	3.0
J594959		13.3	99.8	<0.002	0.32	0.63	7.0	1	1.8	181.5	0.99	<0.05	13.6	0.266	0.50	3.1
J594960		14.0	97.6	<0.002	0.21	0.67	7.2	1	1.8	197.5	1.05	<0.05	14.1	0.274	0.45	3.6
J594961		19.4	114.0	<0.002	0.47	1.23	7.6	1	1.9	172.0	1.07	0.07	16.0	0.274	0.56	3.8
J594962		18.8	137.0	<0.002	0.02	0.21	6.3	1	2.1	177.0	1.35	<0.05	15.4	0.270	0.66	4.3
J594963		17.4	139.0	<0.002	0.02	0.25	6.7	1	2.3	184.5	1.44	<0.05	14.0	0.274	0.64	3.8
J594964		18.3	132.0	<0.002	0.02	0.29	6.4	1	1.8	167.5	1.35	<0.05	15.2	0.249	0.67	4.1
J594965		17.6	114.0	<0.002	0.01	0.23	6.9	1	1.8	194.5	1.02	<0.05	12.7	0.277	0.56	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594926		39	1.1	19.9	47	182.0
J594927		44	4.1	20.9	46	204
J594928		43	1.0	23.1	51	218
J594929		42	1.2	22.3	56	214
J594930		38	1.5	21.8	52	200
J594931		38	2.7	23.2	48	215
J594932		38	1.1	21.8	46	184.5
J594933		37	0.8	21.2	47	210
J594934		38	0.7	21.7	50	217
J594935		39	0.9	21.4	43	203
J594936		37	0.5	20.9	47	185.5
J594937		39	1.3	23.3	52	211
J594938		38	1.3	22.5	52	203
J594939		38	0.7	24.3	50	212
J594940		38	1.2	23.6	52	201
J594941		38	1.3	24.5	51	197.0
J594942		39	1.0	22.8	54	198.0
J594943		39	1.3	22.4	53	198.5
J594944		42	3.2	21.4	53	208
J594945		35	1.7	16.4	44	139.0
J594946		35	1.8	24.2	50	203
J594947		37	1.1	25.5	50	202
J594948		40	1.6	21.6	54	194.5
J594949		39	16.0	22.9	46	225
J594950		15	1.0	17.4	44	29.1
J594951		41	5.4	21.9	53	212
J594952		38	1.0	21.1	49	207
J594953		40	5.1	18.9	39	204
J594954		43	0.7	21.1	54	201
J594955		40	0.8	22.1	53	227
J594956		41	0.8	22.8	52	228
J594957		40	0.7	22.8	55	229
J594958		40	0.5	21.5	53	204
J594959		37	13.6	21.3	34	203
J594960		38	11.1	21.8	34	215
J594961		38	36.8	22.4	50	225
J594962		37	1.9	22.9	47	206
J594963		37	2.3	24.5	48	217
J594964		34	9.1	21.6	44	185.0
J594965		38	3.1	19.9	50	205

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
J594966		2.04	<0.005	0.07	6.87	3.2	760	1.50	0.04	1.58	0.05	95.7	6.3	14	3.03	7.0
J594967		2.01	<0.005	0.04	6.92	3.0	840	1.67	0.04	1.58	0.05	109.0	6.5	15	3.12	6.2
J594968		1.90	0.006	0.22	7.09	977	830	1.63	0.10	1.63	0.13	100.0	7.5	13	2.87	8.2
J594969		2.07	0.034	0.09	7.24	125.5	800	1.57	0.07	1.65	0.06	96.6	6.2	13	2.80	14.7
J594970		1.40	0.014	0.04	6.93	81.5	830	1.50	0.10	1.65	0.05	96.8	6.3	12	2.82	9.1
J594971		0.69	0.049	0.22	6.92	59.5	810	1.48	0.52	1.60	0.07	102.0	7.2	11	2.55	43.3
J594972		0.72	0.116	0.43	6.52	488	770	1.30	0.34	1.47	0.11	92.3	6.1	13	2.20	69.8
J594973		1.34	<0.005	0.05	7.02	4.6	790	1.54	0.03	1.61	0.05	96.2	6.0	13	2.95	6.7
J594974		0.93	<0.005	0.08	6.89	0.4	760	1.53	0.03	1.57	0.05	87.1	5.9	12	2.89	6.6
J594975		0.85	<0.005	0.03	6.87	0.6	760	1.49	0.03	1.57	0.05	92.3	6.1	13	2.82	6.7
J594976		2.03	<0.005	0.06	7.10	0.8	810	1.60	0.04	1.61	0.05	99.6	6.5	12	3.18	6.7
J594977		0.66	<0.005	0.04	6.98	2.9	850	1.51	0.03	1.61	0.05	95.8	6.1	13	3.17	5.1
J594978		0.69	0.207	0.06	6.63	4220	920	1.39	0.12	1.54	0.06	102.5	8.3	11	2.48	8.6
J594979		0.68	<0.005	0.06	6.74	271	840	1.23	0.07	1.49	0.04	78.3	5.1	12	2.42	7.4
J594980		1.94	<0.005	0.05	6.90	7.9	770	1.52	0.04	1.61	0.04	92.9	6.1	13	2.60	6.2
J594981		2.03	<0.005	0.04	6.85	7.6	820	1.46	0.03	1.49	0.04	90.6	5.8	13	1.90	6.7
J594982		2.13	<0.005	0.05	7.14	6.8	870	1.48	0.03	1.60	0.05	94.4	5.8	14	2.69	7.4
J594983		2.03	<0.005	0.03	6.74	1.0	870	1.37	0.03	1.51	0.04	90.7	5.8	13	2.85	6.0
J594984		1.94	<0.005	0.03	6.67	318	780	1.43	0.04	1.50	0.06	86.5	5.6	11	2.62	7.5
J594985		1.82	<0.005	0.05	6.82	69.4	760	1.35	0.04	1.58	0.07	98.2	5.2	14	2.50	13.3
J594986		1.86	<0.005	0.03	7.27	5.8	780	1.58	0.05	1.68	0.04	94.7	6.0	11	3.40	8.9
J594987		1.85	<0.005	0.03	7.08	6.4	810	1.50	0.04	1.65	0.05	90.4	5.9	14	3.00	10.2
J594988		2.05	<0.005	0.05	6.79	19.6	740	1.54	0.04	1.61	0.05	92.9	6.0	13	3.01	9.0
J594989		1.99	<0.005	0.06	6.58	81.4	760	1.42	0.06	1.57	0.05	87.0	4.9	12	2.41	11.1
J594990		2.04	<0.005	0.05	7.03	211	820	1.66	0.06	1.68	0.05	96.0	6.1	10	2.44	15.3
J594991		2.03	<0.005	0.05	6.93	1105	800	1.64	0.06	1.65	0.04	90.7	9.8	8	2.41	8.6
J594992		1.95	<0.005	0.07	6.97	28.8	780	1.72	0.05	1.58	0.05	89.0	5.6	7	2.34	7.2
J594993		0.75	3.07	0.29	5.52	>10000	490	1.21	3.50	1.20	0.18	64.8	4.3	15	1.33	5.7
J594994		0.78	0.005	0.06	6.18	80.3	300	1.68	0.12	0.87	0.09	50.4	1.7	13	1.18	5.8
J594995		0.97	0.511	0.31	6.47	1265	660	1.61	1.17	1.43	0.19	71.6	6.5	18	1.93	16.0
J594996		0.62	0.403	0.21	6.73	4520	610	1.47	0.49	1.05	0.30	65.8	11.8	19	1.20	11.7
J594997		0.55	0.005	0.11	6.28	157.5	620	1.43	0.21	1.52	0.14	56.6	4.1	18	1.67	6.0
J594998		0.62	0.364	0.60	6.42	1405	730	1.53	2.33	1.40	3.12	76.0	5.6	20	1.82	14.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
J594966		2.28	18.65	0.27	5.6	0.032	2.64	48.7	18.1	0.44	401	1.76	2.83	11.7	6.1	530
J594967		2.30	18.90	0.27	6.2	0.033	2.73	55.9	16.9	0.44	404	1.38	2.94	12.6	7.0	540
J594968		2.40	18.85	0.22	6.0	0.032	2.76	50.0	17.6	0.43	412	5.34	3.02	12.0	6.0	540
J594969		2.44	19.30	0.24	6.1	0.032	2.74	48.8	19.3	0.45	419	1.33	3.14	12.6	6.2	570
J594970		2.27	18.05	0.25	6.0	0.035	2.72	49.5	19.2	0.44	428	1.31	2.95	11.6	5.8	540
J594971		2.36	18.45	0.23	5.6	0.037	2.59	53.2	15.6	0.44	401	1.42	2.90	12.3	6.2	540
J594972		2.29	17.15	0.21	5.9	0.042	2.59	46.5	15.0	0.42	384	11.55	3.04	11.2	5.7	530
J594973		2.27	18.45	0.26	6.0	0.032	2.66	48.3	21.1	0.43	400	1.00	3.01	11.7	5.7	520
J594974		2.20	17.60	0.24	4.9	0.031	2.68	43.9	18.2	0.43	384	1.41	2.90	10.8	5.7	520
J594975		2.28	17.80	0.23	5.5	0.031	2.63	46.9	18.4	0.43	398	1.31	2.88	11.6	6.9	530
J594976		2.34	19.15	0.22	6.0	0.032	2.75	50.6	18.2	0.45	402	1.40	3.05	12.4	6.2	550
J594977		2.40	18.25	0.24	5.4	0.034	2.65	50.4	17.9	0.46	418	1.11	2.83	11.9	6.1	540
J594978		2.49	17.05	0.26	5.9	0.038	2.84	52.9	17.4	0.44	429	1.34	2.83	11.7	6.4	520
J594979		2.15	16.75	0.21	5.2	0.030	2.80	39.7	14.7	0.42	378	1.55	2.81	11.4	5.0	520
J594980		2.32	18.15	0.23	6.0	0.031	2.62	47.5	15.6	0.46	414	1.08	3.03	12.0	6.0	550
J594981		2.24	18.05	0.23	5.0	0.030	2.74	46.6	11.1	0.43	387	1.12	2.94	11.3	6.3	500
J594982		2.31	17.95	0.24	5.9	0.030	2.85	48.8	14.1	0.45	396	1.59	2.87	11.3	6.3	530
J594983		2.28	17.65	0.23	5.6	0.030	2.79	46.0	15.4	0.42	390	1.18	2.82	11.1	5.8	520
J594984		2.17	17.40	0.23	5.4	0.033	2.74	43.2	15.7	0.41	381	2.21	2.82	10.9	6.1	500
J594985		2.23	17.00	0.21	6.3	0.033	2.64	49.9	16.6	0.44	393	1.48	2.98	11.1	6.0	560
J594986		2.33	18.15	0.26	6.0	0.032	2.71	48.8	17.7	0.45	411	1.06	3.00	11.8	5.7	550
J594987		2.40	17.85	0.24	5.7	0.029	2.75	45.1	16.1	0.45	414	1.56	2.96	11.5	6.0	560
J594988		2.26	18.15	0.23	5.8	0.032	2.64	46.5	16.6	0.45	407	1.10	2.88	12.0	6.4	550
J594989		2.24	17.80	0.17	5.7	0.030	2.65	41.9	15.1	0.44	386	1.00	3.04	11.6	6.0	540
J594990		2.17	18.00	0.13	5.5	0.035	2.76	46.1	14.9	0.44	407	1.34	2.93	12.1	13.7	530
J594991		2.24	17.90	0.14	5.5	0.036	2.73	43.1	21.2	0.44	395	1.21	2.87	12.1	6.4	530
J594992		2.11	17.80	0.14	5.7	0.031	2.71	42.5	19.5	0.42	384	1.01	2.85	12.1	5.4	500
J594993		2.76	12.95	0.10	3.9	0.064	2.23	32.9	14.4	0.43	268	0.48	2.19	6.5	11.7	360
J594994		1.12	16.60	0.18	5.0	0.017	3.05	24.8	7.2	0.25	204	0.75	2.78	16.6	4.2	200
J594995		2.13	16.45	0.12	4.2	0.038	2.75	34.4	17.1	0.54	369	1.35	2.48	8.7	17.1	450
J594996		1.67	17.15	0.11	4.0	0.042	3.15	31.7	13.3	0.39	230	1.50	2.89	7.1	16.5	350
J594997		1.41	15.75	0.08	4.0	0.023	2.56	25.8	15.9	0.55	337	2.75	2.71	8.2	11.9	430
J594998		1.84	16.40	0.10	4.7	0.052	2.72	35.6	13.9	0.56	318	7.87	2.64	9.6	14.8	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
J594966		17.1	115.5	<0.002	0.01	0.15	7.3	1	1.9	184.0	1.06	<0.05	14.4	0.273	0.60	3.3
J594967		18.3	119.5	<0.002	0.01	0.13	7.3	1	2.0	190.0	1.18	<0.05	15.1	0.285	0.58	3.5
J594968		18.2	108.5	<0.002	0.10	0.47	7.1	1	1.9	196.0	1.11	<0.05	14.3	0.282	0.57	3.4
J594969		17.6	105.5	<0.002	0.13	0.45	7.3	2	2.0	192.0	1.17	<0.05	14.6	0.296	0.53	3.3
J594970		17.7	111.0	<0.002	0.08	0.51	7.5	1	1.8	188.0	1.09	<0.05	13.9	0.285	0.55	3.3
J594971		16.5	99.8	<0.002	0.19	0.86	7.6	2	1.8	183.5	1.03	0.07	13.4	0.284	0.50	3.1
J594972		16.8	98.6	<0.002	0.41	1.65	6.9	1	1.8	170.5	0.97	0.08	12.2	0.272	0.51	2.9
J594973		17.2	109.5	<0.002	0.01	0.35	7.2	1	1.8	189.0	1.08	<0.05	14.4	0.277	0.56	3.3
J594974		17.1	112.0	<0.002	0.01	0.09	6.9	1	1.8	184.5	1.02	<0.05	13.2	0.269	0.57	3.2
J594975		16.9	112.0	<0.002	0.01	0.10	7.0	1	1.9	185.0	1.03	<0.05	13.3	0.278	0.57	3.2
J594976		18.5	117.5	<0.002	0.01	0.14	7.4	1	2.1	193.5	1.14	<0.05	14.6	0.288	0.60	3.5
J594977		16.7	115.0	<0.002	0.01	0.17	7.3	1	1.9	188.5	1.03	<0.05	13.9	0.285	0.57	3.2
J594978		18.3	105.0	<0.002	0.34	1.17	6.8	1	1.7	195.5	1.08	0.05	14.6	0.280	0.50	3.3
J594979		16.3	117.0	<0.002	0.09	0.35	6.6	2	1.9	197.5	0.88	<0.05	11.2	0.268	0.60	2.5
J594980		16.0	104.5	<0.002	0.02	0.26	7.2	2	2.0	186.5	1.11	<0.05	13.6	0.282	0.50	3.2
J594981		14.7	97.5	<0.002	0.01	0.18	6.6	1	1.8	180.0	1.00	<0.05	12.8	0.266	0.45	2.9
J594982		17.2	114.5	<0.002	0.02	0.11	7.2	2	1.9	190.0	1.05	<0.05	13.8	0.282	0.57	3.4
J594983		17.2	113.0	<0.002	0.01	0.17	6.8	1	1.8	181.5	1.01	<0.05	13.4	0.269	0.59	3.1
J594984		16.3	109.0	<0.002	0.06	0.30	6.9	1	1.8	181.5	0.96	<0.05	12.1	0.259	0.55	2.8
J594985		15.3	96.7	<0.002	0.15	0.33	7.1	1	1.8	186.0	1.01	<0.05	13.3	0.280	0.48	3.0
J594986		17.5	115.5	<0.002	0.02	0.18	7.1	2	1.9	196.5	1.12	<0.05	14.7	0.282	0.57	3.5
J594987		16.7	109.0	<0.002	0.04	0.14	7.0	1	1.8	191.5	1.04	<0.05	13.5	0.283	0.56	3.2
J594988		15.3	111.5	<0.002	0.05	0.20	7.4	1	1.9	185.5	1.14	<0.05	14.3	0.281	0.56	3.5
J594989		13.6	97.7	<0.002	0.14	0.31	6.7	1	1.8	191.5	1.08	<0.05	12.7	0.283	0.50	3.0
J594990		19.7	114.0	<0.002	0.02	0.19	8.1	2	1.9	190.5	1.06	<0.05	13.7	0.277	0.53	3.1
J594991		14.6	115.0	<0.002	0.10	0.47	8.3	2	1.8	187.0	1.10	<0.05	13.7	0.271	0.53	3.4
J594992		15.2	113.0	<0.002	0.05	0.24	8.0	2	1.7	187.0	1.11	<0.05	13.7	0.269	0.52	3.5
J594993		15.9	83.9	<0.002	1.07	4.46	5.6	2	1.3	139.0	0.64	0.08	11.2	0.171	0.34	2.7
J594994		21.6	122.0	<0.002	0.13	0.43	3.8	2	1.2	109.0	2.26	<0.05	26.6	0.120	0.39	8.9
J594995		18.0	102.5	<0.002	0.39	0.79	7.6	2	1.7	197.0	0.75	<0.05	12.3	0.226	0.41	3.0
J594996		26.8	96.1	<0.002	0.47	1.64	6.4	2	1.5	168.0	1.01	<0.05	15.5	0.153	0.38	4.1
J594997		23.0	93.6	<0.002	0.09	0.57	7.2	2	1.5	188.0	0.91	<0.05	11.8	0.211	0.40	2.9
J594998		32.9	97.6	<0.002	0.31	0.86	8.3	2	1.9	200	0.94	<0.05	12.6	0.248	0.42	3.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J594966		38	2.3	21.8	49	209
J594967		39	1.1	22.8	53	222
J594968		38	1.9	21.4	50	224
J594969		39	1.8	22.2	49	223
J594970		39	1.7	21.5	46	213
J594971		39	2.5	22.3	46	207
J594972		37	9.6	20.1	46	225
J594973		38	1.2	21.1	49	213
J594974		37	2.4	20.0	48	175.5
J594975		38	1.3	20.9	50	203
J594976		39	1.1	22.4	53	221
J594977		39	1.1	21.7	50	209
J594978		38	5.9	21.3	46	216
J594979		36	4.1	18.5	44	195.0
J594980		39	1.0	21.7	47	216
J594981		37	1.3	20.0	44	185.0
J594982		39	1.6	21.5	48	214
J594983		38	1.8	20.0	47	203
J594984		35	1.7	19.7	44	195.0
J594985		38	2.1	20.2	50	225
J594986		39	0.8	21.3	51	213
J594987		39	1.3	21.1	51	212
J594988		39	1.0	21.9	48	203
J594989		40	1.4	19.3	40	200
J594990		38	0.6	21.1	49	208
J594991		39	1.2	21.3	41	203
J594992		36	0.6	21.4	41	214
J594993		30	11.2	13.3	59	142.0
J594994		16	2.4	16.5	35	123.5
J594995		38	5.9	16.1	79	153.5
J594996		30	13.0	14.1	69	132.5
J594997		35	18.3	16.6	61	147.0
J594998		41	12.5	19.2	253	174.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 28-MAR-2011
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB11034447

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.