ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

CERTIFICATE TB10187722

Project: TPK-ROWLANDSON

P.O. No.:

This report is for 103 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-DEC-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345283		1.86	<0.005	0.06	7.01	0.3	720	1.44	0.04	1.97	0.05	77.6	7.5	26	2.89	11.1
I345284		1.61	<0.005	0.05	6.90	0.8	660	1.40	0.04	1.93	0.05	75.7	7.5	26	3.44	11.3
I345285		1.14	<0.005	0.03	7.05	4.9	680	1.58	0.03	2.06	0.05	84.1	7.9	24	4.87	12.0
I345286		1.21	<0.005	0.03	6.73	1.7	730	1.31	0.03	1.83	0.05	74.6	7.2	25	3.25	12.1
I345287		1.92	<0.005	0.04	6.35	1.3	720	1.30	0.03	1.72	0.05	75.9	6.7	22	3.38	9.9
I345288		2.02	0.005	0.04	6.89	1.4	690	1.32	0.03	1.92	0.05	73.2	7.0	25	3.14	12.6
I345289		0.48	0.005	0.13	6.65	5.7	720	1.33	0.05	1.82	0.05	70.4	20.7	24	4.62	87.5
I345290		0.71	<0.005	0.04	7.08	0.5	730	1.53	0.02	2.05	0.05	77.0	7.8	23	3.85	15.5
I345291		0.45	<0.005	0.05	6.90	7.6	700	1.47	0.02	1.87	0.05	82.9	7.4	23	4.01	11.3
I345292		1.10	<0.005	0.06	6.61	8.7	660	1.35	0.01	1.93	0.05	71.5	7.3	24	3.46	9.0
I345293		2.05	<0.005	0.04	6.76	1.2	710	1.24	0.02	1.98	0.05	73.3	7.3	23	3.16	12.4
I345294		1.90	0.007	0.05	6.99	23.1	740	1.34	0.03	2.01	0.06	71.2	7.4	26	3.37	15.1
I345295		0.60	<0.005	0.03	7.11	42.8	730	1.16	0.04	2.03	0.05	73.5	8.7	23	3.34	8.6
I345296		0.54	0.050	0.03	6.83	493	720	1.18	0.06	1.94	0.06	77.8	6.8	22	3.20	8.8
I345297		0.82	0.006	0.05	6.72	138.0	710	1.20	0.03	1.95	0.05	77.0	8.4	24	3.46	10.5
I345298		1.98	<0.005	0.04	6.90	42.7	700	1.24	0.02	2.01	0.06	74.6	8.0	25	3.23	12.0
I345299		2.08	<0.005	0.07	6.78	1.7	700	1.26	0.02	1.96	0.05	74.8	7.6	25	3.34	12.3
I345300		0.04	8.49	0.55	7.80	3.3	190	2.23	0.05	1.09	0.44	19.60	11.0	38	1.53	17.3
I345301		1.19	0.014	0.09	6.65	21.7	700	1.31	0.04	1.95	0.06	74.3	8.9	42	3.55	16.0
I345302		0.43	0.012	0.06	6.55	240	720	1.20	0.05	2.04	0.06	72.9	8.6	25	3.39	12.3
I345303		1.07	<0.005	0.05	6.75	35.1	700	1.21	0.03	1.90	0.05	75.1	7.5	25	3.78	14.7
I345304		1.60	<0.005	0.06	6.92	10.4	730	1.21	0.03	2.03	0.05	73.7	7.6	24	3.76	11.7
I345305		0.69	0.007	0.04	6.84	80.2	730	1.32	0.07	1.93	0.07	75.6	7.9	24	3.58	16.8
I345306		1.33	<0.005	0.05	6.99	18.5	700	1.22	0.08	1.93	0.05	60.5	7.0	31	3.70	13.1
I345307		1.28	<0.005	0.05	7.22	8.2	720	1.38	0.07	1.99	0.06	72.8	7.6	27	3.82	14.7
I345308		1.31	<0.005	0.06	7.10	83.8	720	1.32	0.06	1.81	0.05	72.7	7.8	24	3.60	12.7
I345309		1.36	0.005	0.07	7.11	40.4	740	1.26	0.07	2.00	0.05	66.3	7.4	24	3.35	11.4
I345310		0.57	<0.005	0.02	4.26	38.0	440	0.78	0.04	1.14	0.02	47.7	3.0	17	1.17	7.9
I345311		0.71	0.006	0.02	6.61	65.3	660	1.23	0.04	1.93	0.04	62.0	2.7	21	1.96	7.0
I345312		0.90	<0.005	0.03	6.78	229	680	1.19	0.06	1.93	0.05	67.7	6.3	22	2.77	10.5
I345313		0.65	0.079	0.06	6.71	2020	710	1.57	0.14	1.71	0.04	65.3	22.0	20	2.63	20.7
I345314		0.67	<0.005	0.07	6.69	32.7	670	1.49	0.06	1.84	0.05	59.4	6.2	20	3.17	8.3
I345315		0.52	0.010	0.05	6.90	96.4	740	1.63	0.10	1.57	0.05	62.2	5.4	18	2.65	12.7
I345316		0.64	0.007	0.04	6.83	36.2	660	1.64	0.11	1.73	0.04	64.5	5.7	19	3.51	12.0
I345317		1.41	<0.005	0.05	6.82	6.3	680	1.65	0.09	1.78	0.04	66.2	6.6	21	4.63	10.5
I345318		2.08	<0.005	0.06	6.78	3.1	670	1.43	0.06	1.73	0.05	65.1	6.3	23	3.60	11.0
I345319		1.97	<0.005	0.03	7.08	12.6	690	1.36	0.06	1.90	0.06	68.2	7.1	28	3.69	14.3
I345320		1.93	<0.005	0.08	6.97	4.8	680	1.31	0.05	1.90	0.03	64.7	6.9	26	3.17	13.8
I345321		1.00	<0.005	0.06	7.15	17.2	680	1.36	0.06	1.86	0.05	68.9	6.5	23	3.28	10.6
I345322		0.47	0.005	0.05	6.94	50.9	660	1.35	0.29	1.68	0.06	66.4	6.3	22	3.30	21.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345283		2.41	17.25	0.20	5.3	0.025	2.59	40.5	23.5	0.66	404	0.52	2.87	11.7	17.7	540
I345284		2.35	16.80	0.19	4.8	0.024	2.50	39.2	25.4	0.67	394	0.51	2.84	10.6	18.0	530
I345285		2.50	17.45	0.23	5.4	0.028	2.49	44.0	34.1	0.73	443	0.52	2.93	12.3	19.0	550
I345286		2.23	16.75	0.21	4.8	0.023	2.64	39.3	25.4	0.64	380	0.52	2.68	10.7	18.0	480
I345287		2.12	15.90	0.22	4.5	0.022	2.50	40.1	21.6	0.59	358	2.86	2.62	10.1	16.3	460
I345288		2.31	16.80	0.23	4.4	0.025	2.60	38.0	23.4	0.63	393	0.54	2.80	10.3	16.3	500
I345289		2.72	16.55	0.24	4.3	0.024	2.37	36.4	22.5	0.67	392	1.88	2.71	10.2	21.9	520
I345290		2.45	17.95	0.24	5.0	0.026	2.50	40.0	26.0	0.66	407	4.89	2.87	11.5	17.8	530
I345291		2.39	17.20	0.26	4.8	0.025	2.42	43.7	24.9	0.68	399	0.60	2.98	11.3	17.7	540
I345292		2.27	16.40	0.23	4.7	0.024	2.29	37.4	23.7	0.65	385	0.52	2.70	10.6	17.0	500
I345293		2.36	16.50	0.23	4.5	0.025	2.47	37.6	22.3	0.66	397	1.04	2.78	10.2	17.2	530
I345294		2.50	17.35	0.22	5.2	0.026	2.58	35.7	25.1	0.69	420	0.61	2.90	10.9	18.4	570
I345295		2.45	17.10	0.24	4.9	0.028	2.60	35.0	26.5	0.68	411	0.37	3.01	9.9	18.3	540
I345296		2.40	16.70	0.23	4.5	0.024	2.52	40.6	25.8	0.66	390	0.42	2.85	9.5	17.7	530
I345297		2.40	16.70	0.23	4.5	0.024	2.52	40.3	24.7	0.66	401	0.44	2.73	9.9	17.2	530
I345298		2.37	16.55	0.25	4.6	0.024	2.50	38.5	24.8	0.66	399	0.41	2.84	9.5	17.5	530
I345299		2.50	16.55	0.24	4.5	0.025	2.46	38.6	21.4	0.68	417	5.52	2.76	10.1	18.3	540
I345300		4.65	20.2	0.26	1.5	0.010	2.39	10.3	2.0	0.99	281	2.30	5.18	9.9	44.9	710
I345301		2.50	16.70	0.24	4.7	0.031	2.54	37.5	25.8	0.75	451	0.55	2.72	10.2	22.0	520
I345302		2.33	16.10	0.26	5.1	0.026	2.54	37.2	25.6	0.67	413	0.40	3.05	11.3	18.7	530
I345303		2.44	16.45	0.25	4.2	0.026	2.48	39.2	25.8	0.69	408	0.51	2.70	10.1	17.8	530
I345304		2.51	17.00	0.24	4.5	0.027	2.57	37.9	28.1	0.72	430	0.43	2.78	10.4	18.8	560
I345305		2.41	17.00	0.23	4.8	0.025	2.64	38.3	24.1	0.69	410	0.58	2.99	10.2	18.3	550
I345306		2.41	16.25	0.10	4.4	0.032	2.44	27.5	29.0	0.67	391	1.58	2.75	10.0	17.2	530
I345307		2.52	17.00	0.12	4.5	0.035	2.46	35.9	29.1	0.71	415	0.47	2.81	10.4	19.0	530
I345308		2.47	16.90	0.13	4.7	0.031	2.47	34.9	30.9	0.72	395	0.49	3.12	10.7	18.6	570
I345309		2.47	16.40	0.14	4.7	0.029	2.34	33.1	28.8	0.71	414	0.41	2.70	9.7	17.3	550
I345310		1.33	9.43	0.08	2.3	0.016	1.34	24.2	13.0	0.39	256	0.25	1.68	4.8	9.3	350
I345311		1.60	14.50	0.11	4.3	0.023	2.21	30.4	21.9	0.63	410	0.37	2.85	7.3	10.8	530
I345312		2.15	14.65	0.13	4.3	0.026	2.42	33.9	24.7	0.67	399	0.53	2.76	8.7	16.4	520
I345313		2.31	15.50	0.15	4.6	0.030	2.30	33.5	22.9	0.64	362	0.40	2.68	8.6	37.7	490
I345314		2.18	15.35	0.14	4.3	0.027	2.41	28.7	24.9	0.63	378	0.39	2.61	9.9	15.3	470
I345315		1.87	15.85	0.12	4.5	0.024	2.56	29.6	20.2	0.53	309	0.42	2.83	9.9	13.8	470
I345316		2.07	15.35	0.15	4.5	0.025	2.47	31.7	25.3	0.60	360	0.53	2.94	10.8	14.8	500
I345317		2.19	16.05	0.14	4.7	0.026	2.53	32.3	24.4	0.62	364	0.41	2.73	11.1	16.2	470
I345318		2.11	15.25	0.12	4.1	0.024	2.45	32.7	21.2	0.59	358	0.45	2.65	10.1	14.9	460
I345319		2.37	15.95	0.13	4.4	0.023	2.53	34.2	26.7	0.68	404	0.45	2.81	9.4	17.4	520
I345320		2.30	16.05	0.13	4.5	0.029	2.48	31.7	22.2	0.66	385	0.59	2.82	9.8	16.6	510
I345321		2.34	15.95	0.14	4.6	0.026	2.51	34.0	25.3	0.65	376	0.49	2.88	9.8	15.8	520
I345322		2.16	15.70	0.14	4.4	0.028	2.36	33.7	24.7	0.62	354	0.51	3.03	9.4	16.0	490

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345283		17.8	110.0	<0.002	0.01	0.09	7.6	1	1.8	230	1.18	<0.05	15.8	0.272	0.65	4.5
I345284		16.9	108.5	<0.002	0.01	0.10	7.4	1	1.7	226	1.09	<0.05	13.6	0.265	0.65	4.2
I345285		17.8	121.0	<0.002	0.01	0.21	8.3	1	2.0	228	1.30	<0.05	18.4	0.280	0.67	5.7
I345286		17.8	118.0	<0.002	0.01	0.12	7.3	1	1.8	210	0.98	<0.05	15.7	0.256	0.71	4.1
I345287		17.6	117.5	<0.002	0.01	0.12	7.0	1	1.7	196.5	0.90	<0.05	14.7	0.237	0.69	3.5
I345288		18.0	115.0	<0.002	0.01	0.10	7.3	1	1.7	214	1.00	<0.05	14.5	0.254	0.69	4.6
I345289		16.2	108.0	<0.002	0.28	0.13	7.5	1	1.7	218	0.93	0.08	14.3	0.260	0.69	3.5
I345290		18.4	113.0	0.002	0.01	0.08	7.7	1	1.9	235	1.10	<0.05	16.0	0.269	0.70	4.1
I345291		16.2	111.0	<0.002	0.05	0.13	7.7	1	1.8	222	1.14	<0.05	16.6	0.273	0.63	4.6
I345292		16.2	104.0	<0.002	0.01	0.13	7.3	1	1.7	221	1.02	<0.05	15.1	0.253	0.62	4.1
I345293		16.1	105.5	<0.002	0.01	0.07	7.4	1	1.7	225	0.88	<0.05	13.0	0.266	0.66	3.1
I345294		17.8	105.0	<0.002	0.02	0.13	7.8	1	1.8	236	0.94	<0.05	12.9	0.283	0.68	3.6
I345295		16.3	108.0	<0.002	0.02	0.16	7.8	1	1.8	243	0.76	<0.05	13.1	0.277	0.66	2.8
I345296		15.9	105.0	<0.002	0.05	0.24	7.5	1	1.7	228	0.75	<0.05	12.9	0.267	0.62	2.9
I345297		16.6	109.5	<0.002	0.01	0.15	7.6	1	1.8	224	0.82	<0.05	12.5	0.269	0.67	2.9
I345298		16.5	104.5	<0.002	0.01	0.24	7.4	1	1.7	229	0.81	<0.05	12.2	0.264	0.63	3.1
I345299		16.6	108.0	0.002	0.01	0.09	7.8	1	1.7	226	0.88	<0.05	13.3	0.269	0.66	3.3
I345300		90.2	230	<0.002	3.46	1.06	3.8	1	1.0	187.0	0.73	<0.05	3.1	0.276	1.92	1.1
I345301		17.4	105.0	<0.002	0.02	0.14	8.2	1	1.9	223	0.87	<0.05	12.6	0.272	0.68	3.2
I345302		15.8	106.0	<0.002	0.03	0.34	7.7	1	1.9	208	1.09	<0.05	13.7	0.267	0.64	3.2
I345303		17.0	111.5	<0.002	0.01	0.16	7.7	1	1.8	223	0.85	<0.05	12.9	0.269	0.67	3.0
I345304		16.7	111.5	<0.002	0.01	0.11	8.0	1	1.8	231	0.84	<0.05	12.1	0.280	0.71	2.8
I345305		16.3	104.5	<0.002	0.18	0.18	7.7	1	1.8	232	0.80	<0.05	12.2	0.274	0.62	2.6
I345306		17.0	99.5	<0.002	0.03	0.14	7.0	1	1.8	212	0.84	<0.05	10.4	0.268	0.67	2.7
I345307		17.7	110.0	<0.002	0.01	0.10	7.5	1	1.8	220	0.92	<0.05	13.1	0.272	0.70	3.0
I345308		15.5	103.5	<0.002	0.03	0.23	7.7	1	1.9	209	0.92	<0.05	11.7	0.280	0.68	2.6
I345309		16.1	107.0	<0.002	0.03	0.16	7.5	1	1.8	221	0.81	<0.05	10.9	0.277	0.65	2.6
I345310		7.8	53.4	<0.002	0.03	0.17	4.5	1	1.1	140.0	0.37	<0.05	6.3	0.158	0.26	1.6
I345311		10.3	79.2	<0.002	0.01	0.25	6.7	1	1.6	235	0.59	<0.05	9.3	0.234	0.40	2.4
I345312		15.8	94.2	<0.002	0.05	0.26	6.7	1	1.6	233	0.70	<0.05	10.9	0.259	0.54	2.4
I345313		12.7	98.8	<0.002	0.30	0.57	6.9	1	1.8	190.5	0.78	<0.05	10.6	0.245	0.54	2.6
I345314		15.5	98.0	<0.002	0.03	0.18	6.4	1	1.7	193.5	1.28	<0.05	10.9	0.242	0.63	3.1
I345315		15.2	97.8	<0.002	0.07	0.20	5.9	1	1.6	198.0	1.23	<0.05	12.6	0.239	0.51	3.6
I345316		15.2	104.5	<0.002	0.04	0.21	6.3	1	1.7	202	1.25	<0.05	12.5	0.252	0.60	3.6
I345317		18.9	111.0	<0.002	0.01	0.15	6.4	1	1.8	200	1.30	<0.05	12.8	0.245	0.71	4.4
I345318		17.3	106.5	<0.002	<0.01	0.15	6.4	1	1.7	190.5	0.99	<0.05	13.7	0.242	0.66	3.7
I345319		16.6	108.0	<0.002	0.01	0.18	7.1	1	1.7	206	0.82	<0.05	12.8	0.261	0.67	3.0
I345320		16.4	98.1	<0.002	0.01	0.07	6.9	1	1.6	211	0.84	<0.05	11.6	0.263	0.62	2.8
I345321		16.7	96.5	<0.002	0.02	0.12	6.6	1	1.5	213	0.87	<0.05	13.3	0.264	0.61	3.1
I345322		20.8	89.7	<0.002	0.13	0.16	6.8	1	1.4	199.0	0.85	<0.05	12.9	0.252	0.50	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345283		45	0.5	19.2	50	185.5
I345284		45	0.4	17.9	50	171.0
I345285		47	0.4	21.2	55	186.5
I345286		42	0.6	17.6	50	169.0
I345287		39	0.3	16.7	45	160.5
I345288		43	0.4	17.7	50	155.5
I345289		45	0.5	17.1	54	156.5
I345290		45	0.5	18.8	58	179.0
I345291		46	1.1	19.7	48	167.5
I345292		42	0.4	18.2	50	169.0
I345293		44	0.4	16.8	51	165.5
I345294		47	0.8	17.8	55	192.5
I345295		46	0.5	16.6	52	183.0
I345296		45	1.4	16.3	49	170.0
I345297		45	0.6	16.7	51	170.5
I345298		45	0.5	16.4	51	171.0
I345299		46	0.9	17.8	51	164.5
I345300		35	0.2	5.7	45	53.0
I345301		48	1.2	17.8	78	174.5
I345302		45	0.7	19.7	53	186.5
I345303		45	0.8	17.3	56	158.0
I345304		47	0.5	17.8	54	167.0
I345305		47	3.8	16.8	48	178.0
I345306		45	0.6	16.1	53	154.5
I345307		45	0.6	17.9	56	159.0
I345308		47	1.1	18.1	53	168.0
I345309		45	1.2	17.2	51	172.5
I345310		27	11.0	9.7	22	90.0
I345311		42	17.7	14.6	27	158.5
I345312		42	6.6	15.2	40	156.0
I345313		42	9.7	16.3	32	160.5
I345314		39	1.0	16.7	45	144.5
I345315		38	6.4	16.1	37	150.0
I345316		38	1.6	17.7	41	152.0
I345317		39	1.0	17.9	48	157.0
I345318		38	0.7	16.4	60	141.0
I345319		43	0.3	16.0	53	153.5
I345320		43	0.4	15.9	50	160.0
I345321		42	0.7	16.2	48	168.5
I345322		41	3.0	16.3	44	154.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345323		1.31	<0.005	0.06	7.03	25.3	720	1.19	0.05	1.84	0.05	65.9	7.0	22	3.17	13.8
I345324		0.94	<0.005	0.03	6.85	34.7	680	1.30	0.07	1.87	0.05	72.1	6.8	23	3.27	12.8
I345325		0.07	<0.005	0.04	6.25	1.8	880	1.14	0.09	1.31	0.08	27.4	2.1	11	1.58	4.2
I345326		0.50	0.009	0.05	7.27	158.5	900	1.50	0.08	2.92	0.09	46.2	3.5	21	2.21	20.5
I345327		0.65	<0.005	0.04	7.13	38.0	680	1.23	0.08	1.95	0.05	67.8	7.5	20	3.13	13.6
I345328		0.58	0.005	0.10	6.93	85.9	690	1.26	0.24	1.87	0.13	76.1	8.0	21	2.56	23.8
I345329		2.01	<0.005	0.07	6.94	19.1	700	1.20	0.07	1.93	0.06	72.2	7.0	23	3.34	13.4
I345330		2.02	<0.005	0.05	7.18	16.9	700	1.23	0.05	1.96	0.05	72.4	7.9	24	3.45	13.5
I345331		0.76	0.011	0.08	7.32	51.5	690	1.42	0.06	2.15	0.06	93.4	8.0	22	3.64	18.3
I345332		0.32	0.011	0.09	7.35	70.2	780	1.38	0.09	1.90	0.06	67.5	7.7	20	2.81	23.7
I345333		1.19	<0.005	0.07	6.89	18.9	660	1.32	0.05	1.93	0.04	66.7	7.4	23	3.44	14.9
I345334		0.80	0.024	0.07	6.66	35.5	690	1.30	0.09	1.94	0.08	64.1	7.0	21	2.62	17.1
I345335		1.24	<0.005	0.05	6.78	7.5	660	1.19	0.06	1.89	0.06	69.3	7.0	25	3.44	11.5
I345336		1.95	<0.005	0.08	6.88	5.2	690	1.20	0.05	2.00	0.07	66.8	7.3	25	3.70	11.3
I345337		0.74	<0.005	0.11	6.90	4.6	650	1.40	0.23	2.00	0.12	68.4	7.0	21	4.32	12.5
I345338		0.82	<0.005	0.08	6.99	1.3	670	1.46	0.12	1.89	0.04	68.3	6.8	22	5.37	12.3
I345339		0.54	<0.005	0.07	6.92	1.9	660	1.42	0.14	1.82	0.10	71.6	6.5	20	3.67	16.2
I345340		1.18	<0.005	0.06	6.99	1.4	670	1.53	0.14	1.86	0.04	67.9	7.0	21	4.20	14.5
I345341		1.21	<0.005	0.05	7.04	1.5	660	1.33	0.08	1.91	0.04	68.6	7.0	22	2.70	11.0
I345342		0.42	<0.005	0.12	6.74	3.7	740	1.42	0.12	2.05	0.10	68.0	7.8	24	2.79	19.5
I345343		1.30	<0.005	0.04	6.85	0.3	770	1.35	0.05	2.02	0.04	79.2	7.6	27	2.44	10.5
I345344		1.11	<0.005	0.05	6.76	3.3	710	1.15	0.04	1.87	0.04	73.0	7.2	27	2.08	13.5
I345345		0.45	0.012	0.04	6.68	18.7	730	1.23	0.12	2.07	0.07	67.3	7.4	23	1.99	14.1
I345346		1.19	<0.005	0.05	6.59	6.5	740	1.15	0.04	1.88	0.05	69.1	7.1	23	2.46	13.5
I345347		1.88	<0.005	0.06	6.56	4.1	730	1.10	0.03	1.88	0.04	69.6	7.6	24	2.31	11.3
I345348		1.34	<0.005	0.05	6.97	2.6	790	1.17	0.02	1.93	0.04	75.3	7.5	25	2.63	14.3
I345349		0.57	<0.005	0.05	6.50	5.4	730	1.21	0.01	1.90	0.04	63.9	7.4	23	2.67	10.9
I345350		0.56	<0.005	0.12	6.84	5.1	790	1.37	0.02	2.06	0.05	68.3	7.4	24	2.71	14.2
I345351		0.48	<0.005	0.11	6.66	7.6	790	1.25	0.20	2.06	0.09	66.2	7.9	34	2.90	13.8
I345352		2.01	<0.005	0.07	6.82	2.2	880	1.33	0.04	1.95	0.05	75.3	7.5	32	3.04	14.2
I345353		1.91	<0.005	0.06	6.43	5.6	970	1.27	0.04	1.56	0.04	76.3	5.8	24	2.49	11.5
I345354		1.86	<0.005	0.03	6.88	4.9	1010	1.26	0.02	1.63	0.03	86.1	6.4	24	2.37	8.6
I345355		1.29	<0.005	0.02	6.50	8.1	980	1.20	0.04	1.57	0.04	78.3	5.9	20	2.16	7.9
I345356		0.98	0.023	0.09	6.18	14.4	830	1.14	0.09	1.60	0.08	75.1	5.5	20	1.85	16.3
I345357		0.87	0.005	0.03	6.70	6.5	870	1.20	0.02	1.61	0.04	84.2	6.1	24	2.65	10.0
I345358		0.58	<0.005	0.03	6.58	8.5	760	1.52	0.04	1.75	0.06	69.3	6.7	20	3.10	9.7
I345359		0.78	0.007	0.04	6.40	7.6	780	1.37	0.02	1.79	0.06	68.5	7.0	24	2.95	14.4
I345360		0.62	0.005	0.03	7.10	6.4	800	1.46	0.07	1.94	0.08	78.6	7.3	24	4.06	11.6
I345361		1.10	0.009	0.04	6.73	9.4	780	1.26	0.07	1.89	0.05	70.3	7.4	25	3.50	9.7
I345362		0.57	0.028	0.07	6.85	11.9	830	1.40	0.12	1.97	0.07	70.4	8.0	26	3.29	13.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
I345323		2.26	15.70	0.13	3.9	0.025	2.54	32.8	25.5	0.64	374	0.42	2.71	9.7	15.6	500
I345324		2.32	16.10	0.16	4.6	0.025	2.40	36.0	29.8	0.68	391	0.50	2.66	9.9	16.8	530
I345325		1.40	12.20	0.09	1.0	0.013	2.10	12.5	9.5	0.18	559	0.91	2.68	4.2	2.4	170
I345326		1.94	17.25	0.12	4.0	0.042	2.84	20.6	25.7	0.63	500	0.63	3.02	7.9	13.1	500
I345327		2.30	15.50	0.14	3.9	0.026	2.37	33.6	26.6	0.66	383	0.95	2.76	9.2	16.9	520
I345328		2.32	15.80	0.16	4.5	0.028	2.48	39.4	20.2	0.68	411	0.59	2.95	9.5	17.3	530
I345329		2.31	15.65	0.14	4.2	0.027	2.38	36.0	27.4	0.66	384	0.75	2.72	9.5	16.4	520
I345330		2.45	16.30	0.12	4.5	0.027	2.49	35.9	28.6	0.70	406	0.44	2.77	10.4	17.9	550
I345331		2.71	16.75	0.16	4.3	0.035	2.33	47.0	33.5	0.81	474	0.46	2.88	11.2	18.3	620
I345332		2.44	17.20	0.16	5.1	0.030	2.47	33.2	27.0	0.72	387	0.55	3.24	10.2	17.5	590
I345333		2.34	15.70	0.15	4.4	0.030	2.21	33.5	29.0	0.68	391	0.48	2.63	9.5	17.5	520
I345334		2.18	15.25	0.15	4.6	0.033	2.36	30.1	24.8	0.63	391	0.57	2.86	8.8	16.8	520
I345335		2.35	15.65	0.14	4.1	0.030	2.33	34.3	28.3	0.67	391	0.53	2.72	9.8	17.0	540
I345336		2.42	15.75	0.14	4.2	0.028	2.35	32.7	29.8	0.70	409	0.64	2.75	10.0	17.4	550
I345337		2.33	15.40	0.15	4.5	0.027	2.48	33.7	25.1	0.64	403	0.49	2.80	10.0	16.7	520
I345338		2.31	15.35	0.14	4.4	0.028	2.38	34.0	27.0	0.65	381	0.46	2.68	10.6	15.9	500
I345339		2.20	15.05	0.16	4.1	0.027	2.38	37.0	25.4	0.62	376	0.40	2.77	9.9	15.4	500
I345340		2.38	15.85	0.15	4.4	0.024	2.42	31.9	25.1	0.66	395	1.30	2.70	10.9	16.4	520
I345341		2.36	16.20	0.16	4.5	0.026	2.35	33.3	25.3	0.66	392	1.08	2.72	10.7	16.1	530
I345342		2.49	17.75	0.22	4.6	0.031	2.43	30.6	31.7	0.69	422	0.42	2.92	10.7	16.8	540
I345343		2.45	17.95	0.22	4.8	0.030	2.50	38.5	29.9	0.69	416	0.49	2.85	10.7	17.0	560
I345344		2.34	17.10	0.23	4.1	0.027	2.52	35.1	28.5	0.65	392	0.64	2.65	9.6	16.3	500
I345345		2.36	17.25	0.24	4.1	0.030	2.26	30.4	28.2	0.70	425	0.70	2.77	8.7	15.8	500
I345346		2.26	16.90	0.23	4.0	0.027	2.43	33.2	27.8	0.64	383	1.63	2.71	9.0	16.3	500
I345347		2.25	17.25	0.23	4.0	0.027	2.51	33.2	27.3	0.64	380	0.88	2.70	9.1	15.6	510
I345348		2.33	17.55	0.24	3.9	0.026	2.58	36.7	27.0	0.68	394	0.93	2.80	9.1	17.3	500
I345349		2.33	16.80	0.23	4.3	0.028	2.34	27.7	28.0	0.66	402	0.91	2.80	9.1	15.9	520
I345350		2.42	17.70	0.20	4.2	0.025	2.43	32.1	28.2	0.68	409	1.40	2.92	9.5	16.6	540
I345351		2.49	17.20	0.23	4.2	0.032	2.54	29.4	30.6	0.74	441	0.94	2.78	9.5	20.9	540
I345352		2.35	17.60	0.23	4.5	0.028	2.50	36.5	27.8	0.69	389	1.40	2.74	10.2	19.6	530
I345353		1.91	16.30	0.21	4.4	0.023	2.79	37.5	22.9	0.54	311	1.99	2.65	10.1	14.4	430
I345354		2.09	17.10	0.23	4.2	0.024	2.82	44.3	25.0	0.61	340	0.68	2.70	10.1	15.6	450
I345355		1.94	16.30	0.22	4.0	0.022	2.84	39.5	20.7	0.53	316	0.67	2.69	9.4	13.2	420
I345356		1.90	15.15	0.21	4.5	0.022	2.68	37.7	17.9	0.52	352	0.88	2.43	8.4	12.8	410
I345357		1.98	16.30	0.23	4.5	0.023	2.72	42.1	25.3	0.64	343	0.98	2.65	9.8	14.3	450
I345358		2.17	17.50	0.24	4.6	0.027	2.57	33.0	23.3	0.63	364	1.00	2.76	11.5	14.7	500
I345359		2.17	16.65	0.23	4.4	0.026	2.54	32.9	26.6	0.64	369	0.70	2.60	9.9	16.2	490
I345360		2.34	18.30	0.25	4.7	0.029	2.59	37.8	27.3	0.68	396	3.96	2.94	10.9	16.5	530
I345361		2.31	17.90	0.24	4.2	0.026	2.46	31.1	27.5	0.67	378	0.88	2.86	10.5	17.3	510
I345362		2.40	18.30	0.24	4.1	0.028	2.63	33.4	27.9	0.68	403	1.74	2.83	10.9	18.7	530

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345323		16.5	96.6	<0.002	0.01	0.10	6.6	1	1.4	206	0.87	<0.05	12.4	0.256	0.61	3.3
I345324		14.7	97.6	<0.002	0.04	0.15	7.2	1	1.5	213	0.81	<0.05	13.5	0.266	0.57	3.1
I345325		11.4	56.1	<0.002	<0.01	0.16	4.9	1	1.5	171.5	0.42	<0.05	5.6	0.112	0.36	1.8
I345326		14.9	88.5	<0.002	0.09	0.17	7.5	1	2.2	186.5	0.64	<0.05	9.3	0.253	0.45	2.1
I345327		14.9	91.0	<0.002	0.07	0.17	6.7	1	1.4	229	0.75	<0.05	11.0	0.264	0.51	2.6
I345328		14.2	95.4	<0.002	0.31	0.21	7.4	2	1.7	175.5	0.76	<0.05	12.5	0.265	0.52	2.8
I345329		16.0	90.8	<0.002	0.04	0.13	7.0	1	1.5	213	0.83	<0.05	11.9	0.269	0.58	2.7
I345330		16.6	96.1	<0.002	0.01	0.10	7.4	1	1.5	222	0.88	<0.05	12.2	0.271	0.63	3.1
I345331		15.3	93.0	<0.002	0.02	0.16	8.8	1	1.8	229	0.94	<0.05	14.9	0.305	0.62	3.3
I345332		15.2	87.1	<0.002	0.23	0.18	7.5	1	1.7	231	0.85	<0.05	11.1	0.290	0.55	2.8
I345333		14.6	86.7	<0.002	0.03	0.11	7.3	1	1.5	219	0.81	<0.05	11.1	0.259	0.56	2.8
I345334		14.5	83.6	<0.002	0.27	0.15	7.3	1	1.5	196.5	0.84	<0.05	11.6	0.255	0.52	2.9
I345335		15.2	87.4	<0.002	0.04	0.13	7.0	1	1.5	211	0.85	<0.05	11.9	0.266	0.59	2.8
I345336		16.4	86.1	<0.002	0.03	0.11	7.3	1	1.5	217	0.84	<0.05	11.6	0.269	0.59	2.9
I345337		18.3	93.2	<0.002	0.12	0.15	6.9	1	1.5	205	1.07	<0.05	11.6	0.263	0.62	3.1
I345338		16.9	100.0	<0.002	0.02	0.18	6.8	1	1.6	209	1.06	<0.05	12.7	0.259	0.64	3.6
I345339		16.6	102.0	<0.002	0.07	0.13	6.7	1	1.6	197.5	1.00	<0.05	12.7	0.249	0.62	3.5
I345340		17.2	113.5	<0.002	0.01	0.18	7.3	1	1.8	202	1.15	<0.05	12.7	0.267	0.71	4.0
I345341		16.0	107.0	<0.002	0.01	0.14	7.1	1	1.7	210	0.91	<0.05	12.0	0.267	0.64	3.5
I345342		15.6	106.5	<0.002	0.09	0.17	8.1	1	1.9	224	0.91	<0.05	10.6	0.277	0.64	3.2
I345343		15.5	100.5	<0.002	0.01	0.11	8.0	1	1.8	236	0.85	<0.05	10.9	0.277	0.62	3.0
I345344		15.2	98.7	<0.002	0.01	0.11	7.7	1	1.6	222	0.68	<0.05	11.1	0.258	0.58	2.8
I345345		16.3	85.4	<0.002	0.08	0.20	7.8	1	1.7	205	0.60	<0.05	10.2	0.255	0.46	2.3
I345346		15.6	89.7	<0.002	0.02	0.14	7.4	1	1.5	227	0.65	<0.05	14.9	0.258	0.53	2.9
I345347		15.4	91.8	<0.002	0.01	0.13	7.4	1	1.5	223	0.63	<0.05	13.5	0.261	0.56	2.7
I345348		15.0	97.6	<0.002	0.01	0.10	7.8	1	1.5	235	0.67	<0.05	10.8	0.263	0.56	2.5
I345349		14.2	88.2	<0.002	0.01	0.13	7.6	1	1.5	228	0.73	<0.05	9.2	0.262	0.58	2.3
I345350		15.0	88.5	<0.002	0.01	0.14	7.3	1	1.6	246	0.75	<0.05	9.2	0.274	0.57	2.3
I345351		18.3	100.0	<0.002	0.09	0.16	8.4	1	1.7	223	0.71	<0.05	9.1	0.274	0.63	2.2
I345352		15.2	98.3	<0.002	0.01	0.13	7.9	1	1.7	230	0.84	<0.05	10.4	0.275	0.59	2.8
I345353		16.7	103.5	<0.002	0.01	0.21	6.4	1	1.5	188.5	0.86	<0.05	12.7	0.240	0.59	3.4
I345354		16.4	108.5	<0.002	0.02	0.19	7.1	1	1.5	198.5	0.81	<0.05	13.5	0.252	0.62	3.2
I345355		17.3	103.5	<0.002	0.06	0.19	6.4	1	1.4	193.5	0.73	<0.05	12.1	0.236	0.62	3.0
I345356		26.1	94.4	<0.002	0.31	0.17	6.0	1	1.4	161.0	0.67	<0.05	11.1	0.225	0.56	2.7
I345357		18.5	99.7	<0.002	0.04	0.15	6.8	1	1.4	190.0	0.82	<0.05	12.6	0.248	0.54	3.1
I345358		20.1	108.5	<0.002	0.04	0.16	7.2	1	1.9	226	1.10	<0.05	12.4	0.252	0.68	3.5
I345359		19.1	108.0	<0.002	0.06	0.15	7.3	1	1.7	219	0.86	<0.05	11.1	0.247	0.68	2.7
I345360		18.0	116.0	<0.002	0.02	0.18	8.2	1	2.0	246	0.91	<0.05	11.6	0.270	0.71	2.9
I345361		20.5	109.5	<0.002	0.03	0.19	8.0	1	1.8	239	0.85	<0.05	10.6	0.256	0.69	2.6
I345362		29.5	110.5	<0.002	0.13	0.19	8.1	1	1.9	241	0.87	<0.05	10.4	0.271	0.71	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345323		41	0.5	15.9	48	138.5
I345324		43	0.6	16.8	48	168.0
I345325		15	0.9	15.5	42	24.1
I345326		53	8.0	14.9	34	146.0
I345327		42	0.9	15.3	49	144.5
I345328		43	6.7	17.4	43	164.5
I345329		44	0.7	16.2	50	153.0
I345330		46	0.4	17.5	55	169.5
I345331		55	1.1	19.6	58	156.0
I345332		48	5.2	17.0	47	189.5
I345333		44	3.0	16.3	50	161.5
I345334		43	9.5	16.2	46	165.0
I345335		45	1.0	16.1	50	152.0
I345336		45	0.4	16.4	54	156.5
I345337		42	2.4	17.2	50	161.5
I345338		42	0.8	17.1	53	158.5
I345339		40	1.5	16.8	49	143.0
I345340		44	0.7	18.7	53	150.5
I345341		42	0.5	17.7	50	165.5
I345342		46	2.3	18.2	58	162.5
I345343		46	0.5	18.2	54	173.0
I345344		43	0.5	16.8	56	150.0
I345345		43	4.1	16.1	49	147.0
I345346		43	0.9	15.6	58	146.0
I345347		43	0.6	15.5	50	150.5
I345348		44	0.5	16.2	82	146.5
I345349		44	0.4	15.2	52	159.0
I345350		45	0.4	15.0	60	157.5
I345351		47	1.8	16.3	60	156.5
I345352		45	0.5	16.5	53	167.0
I345353		36	0.5	15.1	43	157.0
I345354		37	0.5	15.9	46	152.0
I345355		35	0.8	14.3	43	145.5
I345356		33	7.2	14.0	49	166.5
I345357		37	1.2	16.4	47	159.5
I345358		41	1.6	17.5	52	158.5
I345359		41	1.3	16.5	47	159.0
I345360		44	1.0	17.6	56	165.5
I345361		43	0.9	16.4	50	146.0
I345362		44	1.5	17.2	56	150.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
I345363		0.67	0.135	0.16	6.43	23.1	720	1.35	0.18	1.29	0.04	82.8	6.9	25	1.82	24.6
I345364		0.73	0.011	0.05	6.51	7.0	980	1.19	0.04	1.45	0.05	81.0	6.0	23	2.19	17.9
I345365		0.79	0.025	0.03	6.65	5.8	950	1.22	0.06	1.55	0.03	86.6	6.3	31	2.19	7.3
I345366		0.74	0.006	<0.01	6.23	2.0	870	1.38	0.02	1.09	<0.02	81.7	4.7	20	2.06	7.0
I345367		1.47	0.007	0.04	6.29	0.9	910	1.25	0.04	1.42	0.03	77.1	5.9	22	2.14	10.2
I345368		1.85	<0.005	0.03	6.37	0.8	860	1.38	0.02	1.42	0.04	76.8	5.4	20	2.08	9.6
I345369		1.96	<0.005	0.03	6.39	0.5	840	1.55	0.09	1.40	0.04	76.1	5.4	18	3.31	8.8
I345370		1.90	<0.005	0.03	6.38	0.8	790	1.30	0.07	1.40	0.04	73.5	5.5	38	2.83	12.2
I345371		0.84	<0.005	0.02	6.29	1.8	620	1.51	0.03	1.53	0.03	61.2	5.5	16	2.44	8.5
I345372		0.49	<0.005	0.04	6.45	1.6	640	1.51	0.08	1.56	0.06	65.8	6.5	19	3.42	20.0
I345373		1.90	<0.005	0.03	6.49	0.3	610	1.30	0.04	1.69	0.04	67.6	6.6	25	3.57	11.1
I345374		1.98	<0.005	0.03	6.48	0.7	700	1.27	0.07	1.52	0.04	71.3	6.1	21	3.22	9.8
I345375		0.03	0.573	0.77	7.53	2.9	90	2.49	1.23	0.89	0.14	16.40	8.4	29	31.4	10.6
I345376		1.90	<0.005	0.06	6.57	2.5	730	1.67	0.04	1.72	0.05	75.1	7.0	22	4.25	24.2
I345377		1.29	<0.005	0.04	6.46	4.5	720	1.68	0.06	1.58	0.04	64.6	6.7	21	4.74	18.4
I345378		0.45	<0.005	0.03	6.33	6.3	480	1.77	0.16	0.79	0.03	49.0	3.0	11	2.85	12.9
I345379		0.49	<0.005	<0.01	6.30	6.2	360	1.73	0.12	0.59	0.02	48.4	1.9	6	2.96	9.6
I345380		1.96	<0.005	<0.01	5.83	16.2	470	1.51	0.11	0.66	0.02	44.9	2.4	11	2.47	11.3
I345381		1.96	<0.005	<0.01	5.48	21.0	520	2.57	0.06	0.41	0.02	84.8	1.4	12	1.59	8.5
I345382		0.98	<0.005	<0.01	5.88	23.1	510	2.40	0.06	0.43	0.02	87.1	1.9	7	1.55	2.6
I345383		0.39	0.016	0.33	5.72	169.0	550	2.48	0.05	0.27	2.02	95.4	3.8	5	1.60	31.5
I345384		1.67	<0.005	<0.01	5.91	33.4	520	2.64	0.05	0.42	0.07	86.8	1.4	8	1.53	4.7
I345385		0.53	0.006	<0.01	5.77	37.4	490	2.86	0.06	0.45	0.02	68.1	1.2	9	1.48	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
I345363		2.07	16.10	0.22	4.5	0.025	2.27	42.4	32.6	0.84	285	5.35	2.85	8.3	14.4	430
I345364		1.87	16.80	0.21	4.8	0.022	2.95	41.5	22.4	0.54	308	1.18	2.61	9.7	14.5	420
I345365		2.01	17.15	0.23	4.1	0.024	2.89	43.7	23.1	0.55	318	1.11	2.75	10.0	14.5	430
I345366		1.75	16.50	0.21	4.3	0.023	2.89	41.7	34.0	0.82	188	0.64	2.49	9.5	13.6	400
I345367		1.82	16.10	0.22	4.2	0.020	2.91	39.1	24.1	0.50	292	1.53	2.59	9.3	13.3	390
I345368		1.79	16.55	0.22	4.3	0.021	3.00	38.4	25.9	0.47	297	0.53	2.68	10.3	12.0	370
I345369		1.80	16.30	0.23	4.0	0.022	2.93	38.3	26.0	0.48	305	0.52	2.61	10.7	12.5	370
I345370		1.94	16.05	0.23	4.2	0.024	2.89	36.5	26.5	0.53	327	1.21	2.68	10.1	12.5	390
I345371		1.82	16.20	0.23	4.4	0.022	2.54	27.8	27.5	0.52	319	0.49	2.72	10.0	11.8	400
I345372		2.10	17.25	0.22	3.9	0.030	2.65	28.8	31.7	0.61	352	0.64	2.79	10.1	14.3	440
I345373		2.09	16.75	0.23	3.8	0.026	2.48	31.9	30.4	0.59	367	0.49	2.74	9.8	14.5	460
I345374		2.04	16.75	0.21	4.0	0.023	2.70	34.8	31.5	0.60	341	0.55	2.70	9.8	13.7	440
I345375		3.41	19.45	0.22	1.4	0.010	2.11	8.0	7.4	0.70	259	0.98	5.79	8.5	29.7	690
I345376		2.19	17.40	0.24	4.6	0.025	2.71	36.0	32.3	0.58	384	0.65	2.70	11.3	14.9	450
I345377		2.04	17.05	0.22	4.5	0.024	2.88	28.7	31.2	0.55	362	0.74	2.68	11.0	13.9	410
I345378		1.24	15.60	<0.05	3.9	0.015	3.51	25.0	16.9	0.25	212	0.54	2.58	9.4	6.2	210
I345379		0.89	14.80	0.05	3.8	0.008	3.91	24.6	11.6	0.14	157	0.53	2.50	8.8	3.0	130
I345380		0.99	13.35	0.05	3.1	0.009	3.37	22.7	12.3	0.19	174	1.06	2.37	8.6	4.1	160
I345381		1.06	16.30	0.09	4.9	0.019	3.42	40.4	10.6	0.06	178	3.23	2.52	14.3	1.1	60
I345382		1.06	16.40	0.09	5.0	0.020	3.44	42.3	10.0	0.06	191	3.70	2.47	14.0	1.0	70
I345383		1.02	18.65	0.10	5.0	0.064	3.37	46.7	28.5	0.07	164	6.50	2.38	15.1	1.7	70
I345384		1.13	16.05	0.09	5.0	0.019	3.44	42.6	11.4	0.06	223	3.18	2.46	13.8	0.9	60
I345385		1.05	15.85	0.07	4.7	0.018	3.13	33.8	11.8	0.07	221	1.98	2.45	14.4	1.2	60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
I345363		23.1	97.2	<0.002	0.75	0.17	6.9	1	1.6	90.1	0.63	0.11	12.0	0.223	0.35	2.8
I345364		21.9	114.0	<0.002	0.09	0.16	6.3	1	1.5	181.0	0.70	<0.05	12.4	0.235	0.61	3.1
I345365		16.8	116.5	<0.002	0.07	0.16	6.8	1	1.5	183.0	0.74	<0.05	13.2	0.239	0.65	3.1
I345366		11.0	114.5	<0.002	0.01	0.17	6.2	1	1.4	117.0	0.73	<0.05	13.1	0.221	0.40	3.1
I345367		16.6	121.0	<0.002	0.02	0.11	6.0	1	1.4	169.5	0.77	<0.05	12.9	0.221	0.66	3.0
I345368		18.3	122.5	<0.002	0.02	0.10	5.9	1	1.5	168.0	1.01	<0.05	14.3	0.217	0.64	3.7
I345369		18.1	125.0	<0.002	0.01	0.14	5.9	1	1.7	165.0	1.10	<0.05	14.3	0.215	0.68	4.0
I345370		16.6	123.5	<0.002	0.02	0.14	6.2	1	1.7	160.5	0.88	<0.05	13.8	0.218	0.64	3.6
I345371		15.1	114.0	<0.002	0.01	0.12	6.0	1	1.7	176.0	0.98	<0.05	14.1	0.207	0.57	3.8
I345372		17.4	123.5	<0.002	0.12	0.11	6.8	1	2.1	188.5	0.87	<0.05	13.2	0.232	0.66	3.0
I345373		16.1	119.5	<0.002	0.01	0.09	7.1	1	1.8	196.5	0.83	<0.05	12.8	0.237	0.66	3.0
I345374		15.9	121.5	<0.002	0.01	0.10	6.6	1	1.7	175.0	0.84	<0.05	13.3	0.229	0.64	3.2
I345375		72.9	820	<0.002	2.55	1.24	3.6	1	1.0	163.0	0.75	<0.05	2.7	0.217	8.66	1.3
I345376		18.3	136.0	<0.002	0.05	0.14	7.0	1	2.0	192.5	1.22	<0.05	13.0	0.243	0.74	4.3
I345377		18.4	138.5	<0.002	0.06	0.15	6.5	1	2.0	177.5	1.20	<0.05	12.4	0.222	0.74	3.6
I345378		20.1	138.5	<0.002	0.04	0.16	3.7	2	1.5	93.8	1.51	<0.05	16.5	0.123	0.70	5.7
I345379		24.2	155.5	<0.002	0.02	0.15	2.5	1	1.3	58.9	1.30	<0.05	25.9	0.088	0.78	8.5
I345380		20.4	137.0	<0.002	0.04	0.19	2.8	1	1.3	75.2	1.22	<0.05	18.9	0.099	0.65	6.1
I345381		7.7	162.0	<0.002	0.01	0.60	4.0	2	2.0	34.3	1.35	<0.05	18.6	0.073	0.77	4.7
I345382		5.9	162.0	<0.002	<0.01	0.61	4.1	2	2.0	37.9	1.30	<0.05	19.0	0.067	0.76	4.4
I345383		310	161.5	<0.002	0.21	2.38	5.8	2	3.1	29.9	1.41	<0.05	19.9	0.076	0.78	8.0
I345384		10.4	157.5	<0.002	0.02	0.67	4.1	2	1.9	35.3	1.30	<0.05	18.7	0.066	0.77	4.6
I345385		7.9	148.5	<0.002	0.01	0.62	5.5	1	2.0	38.6	1.28	<0.05	17.5	0.067	0.71	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
I345363		36	13.7	14.5	31	163.5
I345364		35	1.9	14.4	46	178.0
I345365		35	1.5	15.3	38	146.5
I345366		34	1.3	13.9	19	155.0
I345367		33	0.6	14.1	38	147.5
I345368		32	0.4	15.7	42	145.0
I345369		33	0.6	16.3	40	135.0
I345370		34	0.7	16.0	43	146.0
I345371		33	0.4	16.2	40	149.5
I345372		38	1.5	16.2	51	136.0
I345373		39	0.4	15.8	49	137.5
I345374		36	0.4	15.7	42	147.0
I345375		27	0.3	4.6	41	43.7
I345376		39	0.3	18.8	57	156.5
I345377		36	0.5	17.8	53	153.5
I345378		16	1.2	17.8	29	118.0
I345379		9	1.2	15.6	22	105.5
I345380		12	0.6	14.3	26	89.3
I345381		3	2.3	21.0	23	147.0
I345382		3	2.1	22.2	18	146.5
I345383		4	2.3	19.3	599	148.0
I345384		3	2.0	21.6	34	146.5
I345385		3	2.0	20.7	23	146.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 23-DEC-2010
Account: RRR

Project: TPK-ROWLANDSON

CERTIFICATE OF ANALYSIS TB10187722

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.