ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

CERTIFICATE TB10172916

Project: TPK

P.O. No.:

This report is for 171 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-NOV-2010.

The following have access to data associated with this certificate:

PAUL GEDDES	ACCOUNTS PAYABLE	KERRY SPARKES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **RAINY RIVER RESOURCES LTD.**
ATTN: KERRY SPARKES
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756194		1.79	<0.005	0.06	7.11	3.6	690	1.47	0.06	1.97	0.10	74.2	7.9	32	3.33	22.1
H756195		0.09	8.37	0.45	7.68	3.7	240	2.25	0.08	1.11	0.42	20.2	10.2	41	1.76	23.1
H756196		1.62	<0.005	0.05	7.27	2.6	710	1.44	0.08	1.92	0.14	69.9	7.9	30	5.01	28.2
H756197		0.37	<0.005	0.05	7.44	8.4	710	1.56	0.09	1.81	0.04	75.8	10.8	30	2.70	25.4
H756198		1.51	<0.005	0.05	7.20	3.0	720	1.39	0.05	1.91	0.06	74.1	7.2	27	2.72	13.8
H756199		1.37	<0.005	0.06	7.12	0.5	710	1.31	0.05	1.93	0.06	63.3	7.5	29	2.74	12.3
H756208		1.57	<0.005	0.04	7.16	14.2	750	1.44	0.07	1.57	0.05	67.1	6.5	30	1.29	15.9
H756209		0.79	<0.005	0.01	7.01	16.8	700	1.39	0.05	1.45	0.03	66.1	6.9	29	1.00	11.5
H756210		0.09	0.581	0.85	7.92	4.1	100	2.33	1.24	0.91	0.16	17.90	8.3	31	32.6	15.0
H756211		0.30	0.014	0.07	6.81	15.8	760	1.48	0.13	1.20	<0.02	66.7	6.5	33	1.97	30.6
H756212		1.18	<0.005	0.02	7.70	15.3	880	1.42	0.06	1.68	0.08	69.7	7.0	36	1.63	25.4
H756213		1.68	<0.005	0.03	8.16	5.1	710	1.17	0.05	1.65	0.07	70.7	5.3	29	2.30	15.0
H756214		1.67	<0.005	<0.01	7.04	5.3	590	1.47	0.03	1.15	0.02	89.0	7.0	28	1.28	11.6
H756215		1.51	<0.005	<0.01	7.08	4.0	690	1.52	0.04	1.31	0.02	90.0	6.7	23	0.99	65.8
H756216		1.73	<0.005	0.04	7.12	6.1	750	1.21	0.03	1.66	0.02	90.9	8.2	21	0.97	7.6
H756217		0.76	<0.005	0.04	7.80	9.2	1010	1.50	0.02	1.66	0.02	76.6	10.5	26	0.66	4.7
H756218		0.55	<0.005	0.11	6.60	24.6	500	0.81	0.02	1.88	<0.02	203	27.2	505	0.95	2.7
H756219		1.27	<0.005	0.14	7.26	37.5	580	0.94	0.02	2.95	<0.02	232	32.5	475	1.06	3.2
H756221		0.67	<0.005	0.13	6.80	44.8	70	1.79	0.02	4.75	<0.02	185.5	41.2	641	0.68	5.9
H756222		0.59	<0.005	0.15	7.20	58.8	40	2.77	0.04	3.74	<0.02	311	46.2	682	0.69	15.5
H756224		0.31	<0.005	0.08	4.02	22.7	60	1.27	0.03	5.27	<0.02	132.0	24.4	337	0.42	16.4
H756225		0.08	1.355	0.83	8.45	3.6	100	2.12	0.59	0.93	0.13	16.20	9.4	30	20.6	12.7
H756226		0.63	<0.005	0.09	5.13	27.6	70	1.24	0.01	3.59	<0.02	125.0	28.8	399	0.47	8.3
H756227		0.53	<0.005	0.11	4.47	26.6	50	1.06	0.02	5.24	<0.02	297	26.3	317	0.51	13.9
H756228		0.48	0.005	0.18	5.90	35.9	90	2.01	0.05	4.08	<0.02	212	34.5	472	0.86	20.3
H756229		0.36	0.007	0.20	5.95	37.4	120	1.72	0.16	5.43	<0.02	156.5	29.4	280	0.70	11.1
H756230		0.32	0.007	0.12	6.97	24.0	220	2.38	0.07	2.79	<0.02	163.5	20.1	187	0.97	8.6
H756231		1.00	<0.005	0.05	7.24	3.6	630	1.67	0.03	0.85	<0.02	84.2	8.4	29	1.45	4.1
H756232		1.21	<0.005	0.04	7.16	7.1	570	1.52	0.05	1.59	0.02	90.9	9.0	28	1.40	7.5
H756233		0.96	<0.005	0.04	7.10	5.2	630	1.57	0.04	1.82	0.02	68.4	8.8	28	1.30	7.0
H756234		0.47	<0.005	0.03	7.17	8.1	580	1.48	0.04	1.45	<0.02	89.1	8.7	24	1.19	8.1
H756235		1.00	<0.005	0.03	6.91	3.0	600	1.55	0.03	0.97	<0.02	75.4	7.7	22	1.55	5.3
H756236		0.93	<0.005	0.03	7.33	3.3	670	1.67	0.03	0.85	0.02	74.0	8.6	24	1.55	4.8
H756237		1.08	<0.005	0.01	7.33	3.8	620	1.54	0.03	0.89	<0.02	86.2	9.0	25	1.43	3.6
H756238		1.72	<0.005	0.03	7.59	9.7	820	1.38	0.06	1.61	0.03	77.0	8.0	23	1.14	8.4
H756239		1.78	<0.005	0.05	7.40	14.3	780	1.36	0.07	1.81	0.02	92.8	9.4	21	1.05	8.9
H756240		0.08	3.46	0.19	1.72	1.4	110	0.36	0.16	0.02	0.14	19.20	1.3	9	0.63	6.8
H756241		1.80	0.005	0.03	7.50	8.9	830	1.37	0.04	1.65	0.02	79.2	8.4	23	1.60	8.9
H756242		1.79	<0.005	0.03	7.60	5.9	820	1.53	0.05	1.55	0.02	78.1	8.2	20	1.89	10.6
H756243		1.37	<0.005	0.02	7.41	8.0	750	1.51	0.06	1.55	0.02	72.8	9.0	21	1.34	12.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756194		2.49	17.90	0.14	4.1	0.030	2.46	37.9	35.7	0.74	433	2.03	2.88	11.0	18.6	560
H756195		4.41	20.6	0.14	1.5	0.017	2.34	10.3	3.9	0.95	298	2.68	4.86	10.2	38.5	700
H756196		2.50	17.95	0.15	3.3	0.029	2.62	35.5	30.2	0.75	412	1.43	2.68	10.7	17.3	570
H756197		2.63	18.20	0.16	4.5	0.027	2.48	38.9	28.5	0.70	386	1.19	3.17	10.9	19.2	570
H756198		2.32	17.55	0.17	4.3	0.028	2.57	38.9	31.4	0.67	401	0.49	2.75	10.6	17.1	530
H756199		2.35	17.25	0.15	3.9	0.029	2.53	31.5	26.3	0.68	409	0.46	2.73	10.1	17.1	510
H756208		2.35	16.95	0.13	4.3	0.031	2.23	34.6	20.7	0.78	509	0.51	2.79	9.8	17.2	550
H756209		2.42	17.30	0.15	4.2	0.029	2.23	34.5	22.0	0.80	513	0.43	2.76	10.0	18.2	560
H756210		3.48	18.90	0.13	1.6	0.013	2.01	8.8	6.8	0.68	236	1.01	5.11	8.8	29.4	690
H756211		2.25	17.60	0.16	4.2	0.031	2.37	33.7	21.1	0.77	455	691	2.77	10.1	18.2	520
H756212		2.57	17.90	0.15	4.1	0.038	2.86	35.9	18.1	0.87	561	7.33	2.88	10.5	20.1	580
H756213		2.18	13.80	0.13	3.6	0.023	2.88	37.5	10.0	0.65	393	2.97	2.95	9.9	14.2	460
H756214		2.27	16.80	0.18	4.2	0.034	2.20	46.4	27.0	1.12	410	1.14	2.91	11.1	17.6	580
H756215		2.20	17.25	0.16	4.7	0.035	2.40	48.2	24.4	1.00	420	3.95	2.71	12.0	15.5	580
H756216		2.36	17.25	0.11	4.8	0.026	2.54	46.7	28.8	1.23	422	0.49	2.91	10.7	23.4	560
H756217		2.75	18.90	0.11	4.9	0.017	2.16	35.3	36.2	1.82	530	2.09	3.53	8.6	46.1	590
H756218		7.24	24.4	0.32	5.9	0.033	1.46	93.6	65.6	5.26	1240	7.75	0.78	19.8	126.5	5080
H756219		7.36	27.2	0.36	6.0	0.046	2.24	109.0	77.4	5.52	1300	7.90	0.70	22.0	148.0	5610
H756221		8.96	27.2	0.37	5.3	0.064	0.70	90.3	129.0	7.24	1680	0.86	0.05	11.0	252	4470
H756222		9.73	27.9	0.44	6.5	0.071	0.48	150.0	145.5	7.81	1820	0.95	0.02	11.3	276	5020
H756224		5.49	15.05	0.21	3.2	0.035	0.39	63.6	83.5	4.09	1070	2.18	0.02	5.5	148.5	2490
H756225		3.89	20.0	0.09	1.2	0.012	2.59	8.0	5.4	0.84	244	2.04	5.21	8.7	32.0	680
H756226		6.77	19.95	0.26	4.1	0.045	0.71	58.0	92.5	5.07	1260	0.82	0.03	9.7	160.0	3430
H756227		5.82	17.30	0.33	3.6	0.035	0.66	147.5	83.6	4.38	1190	0.56	0.02	6.3	144.0	3070
H756228		7.78	22.6	0.35	5.6	0.066	0.82	103.0	111.5	5.81	1480	4.08	0.02	10.3	197.0	4330
H756229		6.50	18.25	0.27	4.8	0.050	0.73	76.1	89.0	4.91	1360	18.20	0.66	7.5	150.5	3730
H756230		4.41	17.60	0.22	5.2	0.038	0.86	78.0	69.1	3.04	776	7.55	2.46	9.3	91.4	2170
H756231		2.40	17.85	0.10	4.5	0.032	2.73	42.4	45.7	1.48	336	0.27	2.65	10.9	18.2	590
H756232		2.18	17.15	0.13	4.5	0.023	2.28	45.9	32.2	1.22	356	0.74	2.87	12.0	19.5	540
H756233		2.24	18.20	0.12	4.6	0.029	2.56	33.8	29.7	1.16	404	0.44	2.73	11.7	19.6	600
H756234		2.08	17.00	0.13	4.7	0.023	2.10	44.0	32.3	1.27	338	0.74	3.09	12.8	20.6	520
H756235		2.06	16.90	0.11	4.1	0.028	2.43	38.6	33.7	1.16	306	0.35	2.54	10.4	16.2	530
H756236		2.23	18.40	0.12	4.4	0.034	2.66	37.9	44.3	1.44	319	0.42	2.67	10.6	17.8	570
H756237		2.45	18.35	0.13	4.5	0.035	2.53	44.1	38.6	1.42	389	0.40	2.66	11.3	18.5	560
H756238		2.45	18.20	0.12	4.6	0.033	2.78	38.0	13.7	0.82	445	0.79	2.80	11.3	15.2	600
H756239		2.38	18.70	0.15	4.7	0.028	2.53	45.9	16.3	0.88	450	0.98	3.10	10.7	19.3	600
H756240		1.44	3.79	<0.05	0.5	0.010	0.17	10.1	20.1	0.02	111	0.86	0.03	3.8	5.3	50
H756241		2.49	19.10	0.13	4.2	0.033	2.54	39.3	22.1	0.86	553	0.89	2.79	11.1	16.3	590
H756242		2.58	19.00	0.14	5.0	0.031	2.51	39.3	25.6	0.93	554	3.33	2.90	11.2	16.8	620
H756243		2.42	18.30	0.13	4.5	0.031	2.14	36.6	26.8	0.97	455	2.93	3.35	11.0	15.4	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756194		17.6	98.7	<0.002	0.03	1.98	7.8	1	1.6	221	0.88	<0.05	14.1	0.271	0.64	3.8
H756195		85.8	185.5	<0.002	3.15	1.46	4.0	1	0.9	187.0	0.75	<0.05	4.0	0.271	1.70	1.5
H756196		17.5	117.0	<0.002	0.05	0.53	7.7	1	1.5	249	0.86	<0.05	16.3	0.274	0.65	5.2
H756197		16.7	90.9	<0.002	0.33	0.32	7.9	1	1.7	227	0.93	<0.05	12.9	0.273	0.59	3.6
H756198		16.8	92.6	<0.002	0.03	0.17	7.3	1	1.5	213	0.87	<0.05	12.7	0.256	0.60	3.4
H756199		16.2	88.9	<0.002	0.01	0.07	7.4	1	1.5	214	0.79	<0.05	10.1	0.252	0.58	2.7
H756208		11.2	73.7	<0.002	0.01	0.40	7.3	1	1.8	219	0.74	<0.05	11.6	0.259	0.33	2.6
H756209		9.7	74.5	<0.002	0.01	0.41	7.6	1	1.8	204	0.71	<0.05	9.9	0.262	0.36	2.3
H756210		72.5	790	<0.002	2.59	1.42	3.2	1	1.1	157.5	0.76	<0.05	2.6	0.214	8.16	1.3
H756211		11.5	84.6	0.058	0.14	4.32	7.5	1	1.8	176.5	0.77	<0.05	13.7	0.254	0.41	3.5
H756212		12.9	93.5	<0.002	0.05	2.58	7.8	1	1.9	226	0.73	<0.05	11.1	0.281	0.51	3.0
H756213		15.2	102.0	<0.002	0.08	0.63	4.9	1	1.5	219	0.99	<0.05	16.0	0.232	0.49	4.7
H756214		6.3	92.0	<0.002	0.02	0.32	7.7	1	1.7	128.0	0.95	<0.05	13.6	0.265	0.32	3.9
H756215		7.0	95.0	<0.002	0.01	0.19	7.6	1	1.8	130.0	1.14	<0.05	11.7	0.270	0.33	3.9
H756216		5.2	115.5	<0.002	0.01	0.27	7.4	1	2.2	98.5	1.16	<0.05	15.1	0.266	0.35	3.4
H756217		5.0	86.1	0.002	<0.01	0.26	8.6	1	2.1	145.0	0.83	<0.05	15.8	0.258	0.28	3.2
H756218		3.8	67.0	0.002	0.01	0.20	23.3	2	5.5	55.7	1.51	<0.05	14.4	0.586	0.34	5.1
H756219		3.1	100.5	0.003	0.01	0.23	25.9	2	6.2	57.6	1.59	<0.05	16.3	0.626	0.46	4.5
H756221		1.4	37.1	0.002	0.01	0.23	28.7	2	4.9	27.0	0.56	<0.05	14.1	0.484	0.15	4.3
H756222		2.1	25.2	0.003	0.01	0.35	34.0	2	7.3	27.0	0.58	<0.05	16.8	0.552	0.10	6.0
H756224		1.0	22.6	<0.002	<0.01	0.22	17.4	1	5.2	19.9	0.29	<0.05	8.9	0.284	0.09	2.6
H756225		69.8	600	<0.002	3.05	1.45	3.2	1	1.1	173.0	0.73	<0.05	2.7	0.226	5.89	1.1
H756226		1.2	35.8	<0.002	<0.01	0.25	19.8	1	5.0	19.1	0.55	<0.05	10.9	0.392	0.15	2.8
H756227		1.8	35.0	0.002	0.01	0.29	18.0	1	4.8	24.4	0.31	<0.05	9.8	0.317	0.14	3.2
H756228		3.0	38.2	0.004	0.01	0.31	26.0	2	7.5	25.7	0.56	<0.05	14.4	0.486	0.19	4.5
H756229		2.4	37.3	0.005	0.02	0.22	20.7	2	3.9	43.5	0.44	<0.05	12.6	0.400	0.18	3.6
H756230		3.4	51.2	0.003	0.03	0.24	15.5	1	2.6	124.0	1.10	<0.05	14.6	0.331	0.18	3.7
H756231		4.8	124.0	<0.002	0.01	0.24	7.7	1	2.4	76.4	1.02	<0.05	15.5	0.275	0.35	2.9
H756232		4.8	106.5	<0.002	0.02	0.22	7.7	1	2.4	107.5	1.32	<0.05	15.2	0.260	0.35	3.5
H756233		6.0	110.0	<0.002	0.01	0.20	7.6	1	2.3	121.0	1.12	<0.05	14.8	0.269	0.38	3.1
H756234		4.4	94.3	<0.002	0.02	0.24	7.6	1	2.2	122.0	1.55	<0.05	15.4	0.252	0.31	3.9
H756235		5.8	115.0	<0.002	0.01	0.20	7.5	1	2.1	110.5	0.96	<0.05	14.8	0.256	0.35	2.6
H756236		5.5	118.0	<0.002	0.01	0.24	8.0	1	2.2	94.6	0.98	<0.05	15.2	0.268	0.36	2.9
H756237		5.2	120.0	<0.002	0.01	0.22	8.5	1	2.2	97.8	1.10	<0.05	15.1	0.268	0.35	3.5
H756238		6.8	104.5	<0.002	0.02	0.33	8.8	1	2.1	247	0.95	<0.05	12.8	0.296	0.44	3.0
H756239		6.5	92.5	<0.002	0.04	0.40	8.1	1	1.9	259	0.92	<0.05	13.3	0.280	0.41	3.0
H756240		29.4	14.5	<0.002	1.12	0.64	1.5	1	1.5	14.9	0.33	<0.05	3.7	0.099	0.42	0.5
H756241		7.1	102.5	<0.002	0.01	0.48	8.6	1	2.1	284	0.90	<0.05	12.8	0.294	0.45	2.9
H756242		7.7	91.9	<0.002	0.02	0.29	8.8	1	2.1	238	0.93	<0.05	12.9	0.292	0.40	3.0
H756243		6.4	84.7	0.002	0.10	0.34	8.7	1	2.2	241	0.94	<0.05	13.1	0.287	0.36	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756194		47	0.7	18.1	56	143.0
H756195		35	0.3	6.1	48	52.0
H756196		51	0.7	17.5	58	118.5
H756197		47	4.3	18.3	48	160.0
H756198		41	0.9	17.4	51	156.5
H756199		42	0.7	16.8	51	139.0
H756208		43	1.1	16.1	51	153.5
H756209		43	1.2	16.4	51	155.0
H756210		26	0.3	4.2	45	48.6
H756211		44	2.7	15.4	44	150.0
H756212		47	1.3	16.4	61	152.0
H756213		38	0.7	16.4	49	125.0
H756214		45	1.2	18.4	37	145.5
H756215		43	0.9	19.3	38	163.5
H756216		42	1.0	19.8	38	172.0
H756217		54	1.2	17.3	49	175.5
H756218		142	2.6	41.6	137	252
H756219		152	30.2	49.9	140	259
H756221		173	3.1	39.3	166	231
H756222		183	5.1	48.1	180	293
H756224		101	2.1	23.0	99	140.0
H756225		27	0.3	5.0	36	44.6
H756226		124	3.1	30.8	124	178.0
H756227		111	2.5	31.6	108	156.5
H756228		151	4.0	40.1	143	245
H756229		124	3.9	37.3	117	204
H756230		90	3.3	32.4	72	197.0
H756231		45	1.6	19.1	30	170.5
H756232		43	1.7	21.2	32	154.0
H756233		44	1.5	20.0	34	166.5
H756234		43	1.9	23.0	30	161.5
H756235		41	1.2	18.6	27	154.5
H756236		44	1.5	17.5	28	163.0
H756237		45	1.3	20.0	33	168.0
H756238		47	1.5	20.7	42	179.5
H756239		45	1.6	19.7	42	187.0
H756240		9	1.1	3.1	15	20.9
H756241		46	1.7	20.2	46	170.0
H756242		46	2.0	20.3	42	195.5
H756243		46	2.6	20.3	37	176.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756244		1.49	<0.005	0.04	7.34	13.5	1490	1.88	0.06	2.71	0.02	69.0	10.5	18	1.16	17.6
H756245		0.94	0.005	0.09	8.43	19.5	2710	3.22	0.09	1.31	<0.02	70.2	18.2	22	1.72	5.4
H756246		0.91	0.005	0.15	6.75	20.4	990	1.99	0.25	2.49	<0.02	61.0	15.6	30	1.34	16.5
H756247		0.30	0.006	0.18	7.08	76.5	310	3.97	0.21	5.80	<0.02	340	34.6	442	2.42	17.2
H756248		0.85	0.005	0.12	6.96	28.6	470	1.78	0.12	5.26	<0.02	116.0	14.2	76	1.20	15.6
H756249		0.51	<0.005	0.12	5.98	44.0	100	0.88	0.03	7.04	0.02	87.4	31.4	231	0.52	6.6
H756250		0.28	<0.005	0.05	7.33	12.2	360	1.95	0.07	1.18	<0.02	57.5	11.2	48	0.48	9.9
H756251		0.52	<0.005	0.03	2.29	17.1	60	0.45	0.02	1.69	<0.02	23.9	10.3	98	0.29	2.5
H756252		0.33	<0.005	0.03	1.26	19.3	50	0.22	0.01	1.03	<0.02	27.5	9.5	99	0.12	1.4
H756253		0.52	<0.005	0.07	5.01	32.9	120	0.71	0.02	1.56	<0.02	54.0	24.0	302	0.48	3.1
H756254		0.37	0.024	0.13	6.64	39.2	190	1.15	0.03	1.65	<0.02	79.9	24.3	355	0.72	4.8
H756255		0.08	8.47	0.51	7.00	3.1	180	2.08	0.11	1.02	0.41	17.35	11.0	35	1.39	16.6
H756256		0.75	0.006	0.04	7.13	10.5	690	1.75	0.04	1.21	<0.02	55.1	7.9	24	0.95	5.1
H756257		0.32	<0.005	0.03	2.49	13.9	360	0.45	0.02	1.25	<0.02	27.4	6.8	61	0.28	2.8
H756258		0.54	<0.005	0.04	0.55	3.8	200	0.08	0.03	1.64	<0.02	11.25	0.9	23	0.15	1.8
H756259		0.56	<0.005	0.03	2.16	9.2	740	0.28	0.02	3.14	<0.02	26.3	3.7	63	0.31	3.5
H756260		0.29	<0.005	0.07	2.74	20.6	370	0.57	0.02	5.29	<0.02	44.6	9.2	196	0.30	3.3
H756261		0.45	<0.005	0.04	0.77	5.4	120	0.22	0.01	7.52	<0.02	20.7	2.0	32	0.14	2.0
H756262		0.50	<0.005	1.23	1.95	12.9	430	0.33	0.03	7.09	<0.02	66.1	3.0	26	0.29	4.6
H756263		1.24	<0.005	0.05	6.73	13.0	800	1.14	0.08	1.59	<0.02	59.4	7.3	21	0.58	7.3
H756264		1.28	<0.005	61.4	7.01	11.4	850	1.35	0.06	1.19	0.02	63.9	8.4	38	0.80	101.0
H756265		0.28	<0.005	56.6	7.01	9.4	890	1.40	0.06	1.27	0.02	70.1	17.9	42	1.07	82.4
H756266		2.98	<0.005	0.33	6.99	10.0	800	1.41	0.07	1.31	0.02	80.5	8.3	26	1.09	7.8
H756267		1.55	<0.005	0.07	7.08	8.6	760	1.56	0.06	1.33	<0.02	75.3	7.7	23	1.62	9.0
H756268		1.92	<0.005	0.10	6.97	10.6	730	1.75	0.06	1.55	0.02	74.6	7.5	22	1.11	7.4
H756269		0.30	<0.005	0.09	7.14	12.2	730	1.76	0.05	1.30	<0.02	82.9	8.4	21	1.37	11.8
H756270		0.31	<0.005	0.07	6.85	11.1	680	1.70	0.05	1.34	<0.02	74.4	7.7	19	1.28	8.6
H756271		0.31	<0.005	0.07	5.56	12.5	630	1.71	0.03	1.77	<0.02	69.2	5.5	18	0.92	4.0
H756272		0.62	<0.005	0.05	6.56	15.9	570	1.90	0.06	1.37	<0.02	59.7	6.9	22	1.72	6.7
H756273		0.91	<0.005	0.05	7.09	15.2	420	1.82	0.06	1.81	<0.02	72.9	7.5	21	0.53	10.1
H756274		0.81	<0.005	0.12	6.80	13.4	600	1.53	0.06	1.99	<0.02	84.7	7.8	20	0.53	9.4
H756275		0.35	<0.005	0.08	7.12	13.6	760	1.52	0.10	1.52	<0.02	106.0	8.3	21	0.60	9.8
H756276		1.24	<0.005	0.04	6.76	5.8	690	1.35	0.03	1.01	<0.02	78.1	6.9	21	0.66	4.2
H756277		0.31	<0.005	0.03	6.43	5.3	660	1.20	0.02	0.79	<0.02	80.5	7.5	18	0.52	3.6
H756278		1.19	0.141	0.05	7.06	6.3	710	1.46	0.05	0.98	<0.02	92.5	8.0	20	0.83	7.6
H756279		1.89	0.006	0.04	6.70	4.3	670	1.45	0.04	1.08	0.02	85.9	7.2	21	1.02	9.5
H756280		1.79	<0.005	0.10	7.28	23.5	840	1.56	0.07	1.17	0.04	97.4	6.0	11	2.70	25.8
H756281		0.93	<0.005	0.10	6.87	14.3	800	1.49	0.08	1.48	0.05	93.6	5.5	8	2.44	44.3
H756282		0.49	0.287	0.12	7.13	4360	840	1.59	0.42	1.50	0.17	95.7	6.6	6	2.58	22.6
H756283		0.38	0.073	0.14	6.89	552	790	1.68	0.15	1.21	0.15	89.8	4.4	10	2.24	20.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756244		2.11	16.25	0.13	5.0	0.020	2.52	32.9	30.3	1.15	503	2.45	3.32	8.0	26.8	620
H756245		2.43	17.35	0.16	5.7	0.015	3.23	33.4	38.8	1.75	476	10.25	4.19	5.9	58.1	750
H756246		2.33	14.70	0.13	4.3	0.018	2.16	29.1	25.3	1.19	417	5.78	3.23	8.2	33.7	660
H756247		7.74	27.6	0.45	5.8	0.061	1.44	168.0	93.8	5.63	1940	1.21	0.75	10.4	200	4230
H756248		3.20	16.35	0.15	4.2	0.018	1.83	60.3	28.2	1.93	947	4.28	2.78	8.5	57.2	1170
H756249		7.71	29.9	0.21	3.6	0.022	0.62	46.6	48.9	5.31	1660	0.76	0.66	15.2	147.0	2540
H756250		3.05	17.80	0.09	4.9	0.012	0.78	27.6	20.8	1.83	569	3.30	3.92	10.0	49.6	800
H756251		2.52	8.60	0.05	1.6	0.006	0.34	11.8	14.4	1.45	482	0.37	0.56	3.4	42.9	800
H756252		2.05	5.95	0.05	0.9	0.005	0.16	14.1	10.9	1.17	396	0.11	0.11	2.9	46.5	910
H756253		6.37	21.9	0.17	3.7	0.018	0.66	26.6	38.2	4.09	1180	0.33	0.72	11.2	124.0	2710
H756254		6.85	23.5	0.17	5.3	0.023	0.94	35.5	45.0	4.48	1300	1.54	1.54	17.1	125.0	3660
H756255		4.20	20.2	0.09	1.3	0.016	2.26	8.1	2.2	0.95	269	2.04	4.98	10.6	39.3	680
H756256		2.38	16.20	0.09	4.7	0.016	1.78	24.1	18.9	1.26	428	1.52	3.23	10.2	27.3	590
H756257		1.55	5.79	0.05	1.5	0.012	1.07	12.7	9.6	0.74	282	3.76	0.64	4.2	24.0	560
H756258		0.51	1.07	<0.05	<0.1	0.005	0.50	5.5	1.8	0.10	95	5.97	0.03	0.5	4.0	80
H756259		1.30	4.49	0.05	0.4	0.017	1.93	12.0	8.9	0.56	254	1.40	0.06	2.2	21.8	390
H756260		3.03	10.25	0.09	1.6	0.022	1.34	20.7	25.7	1.66	622	2.18	0.08	7.3	63.7	1350
H756261		0.68	2.24	<0.05	0.3	0.012	0.54	10.4	5.7	0.22	212	5.54	0.03	1.2	8.6	240
H756262		0.85	3.61	0.05	0.7	0.008	1.32	32.2	6.0	0.29	415	2.72	0.46	2.4	9.9	240
H756263		2.11	14.15	0.09	4.2	0.019	2.54	27.8	16.1	0.91	381	0.88	3.02	10.8	18.8	540
H756264		2.52	16.80	0.10	4.4	0.024	2.67	29.9	14.8	0.83	410	4.05	2.93	12.1	20.5	560
H756265		2.41	17.75	0.10	4.5	0.024	2.74	33.4	15.9	0.84	422	5.44	2.67	12.7	19.6	560
H756266		2.34	17.95	0.11	4.7	0.028	2.75	37.9	17.4	0.89	409	1.20	2.75	12.3	16.1	560
H756267		2.38	18.05	0.11	4.6	0.027	2.50	34.7	24.8	0.90	451	0.76	2.76	12.4	15.6	560
H756268		2.28	17.60	0.11	4.8	0.028	2.36	34.7	17.6	0.80	447	0.84	2.88	13.2	16.7	560
H756269		2.39	18.55	0.13	5.2	0.030	2.29	38.6	24.1	0.88	472	0.61	2.95	13.2	16.9	600
H756270		2.43	17.10	0.12	4.9	0.026	2.11	34.6	22.9	0.88	478	0.65	2.75	12.4	16.0	580
H756271		1.57	11.35	0.08	3.2	0.010	1.45	33.0	17.9	0.68	381	0.86	2.48	8.0	17.2	400
H756272		1.73	14.65	0.09	3.7	0.015	1.81	27.1	17.8	0.67	337	0.70	2.90	9.8	16.8	430
H756273		2.06	15.15	0.11	4.3	0.022	1.43	34.1	14.6	0.76	373	0.84	3.70	11.9	21.5	550
H756274		2.22	15.90	0.13	4.4	0.025	2.12	40.6	17.0	0.82	383	0.62	3.10	11.6	17.5	540
H756275		2.42	17.30	0.15	4.0	0.033	2.47	51.2	18.0	0.84	393	0.53	3.06	11.6	16.4	540
H756276		2.14	16.80	0.13	4.3	0.024	2.52	37.0	18.6	0.88	343	0.52	2.85	11.2	14.3	520
H756277		2.35	16.20	0.12	4.1	0.025	2.31	40.0	22.5	1.05	385	0.36	2.69	10.7	14.5	520
H756278		2.44	17.80	0.15	4.2	0.033	2.39	45.9	28.6	1.07	368	0.46	2.79	11.1	15.7	550
H756279		2.28	16.55	0.13	4.0	0.028	2.36	42.3	23.0	0.95	352	0.37	2.58	10.5	14.8	530
H756280		2.22	18.20	0.14	5.2	0.034	2.74	47.0	26.5	0.46	434	1.75	2.96	13.0	6.4	550
H756281		2.16	16.95	0.14	5.3	0.031	2.62	45.2	23.9	0.46	398	40.0	2.65	11.9	5.0	520
H756282		2.37	17.65	0.14	5.5	0.033	2.75	45.2	22.8	0.45	395	1.31	2.95	12.2	5.3	550
H756283		2.07	16.80	0.15	5.2	0.035	2.45	42.6	20.2	0.40	340	1.46	2.84	10.8	5.4	520

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756244		7.6	69.2	0.002	0.07	0.31	7.9	1	1.6	534	0.67	<0.05	10.7	0.235	0.29	2.8
H756245		9.1	71.3	<0.002	0.16	0.27	9.5	1	1.2	1040	0.51	<0.05	12.9	0.253	0.34	4.3
H756246		5.9	83.8	0.002	0.17	0.38	8.2	1	1.7	388	0.67	<0.05	10.7	0.243	0.40	2.9
H756247		2.8	80.2	0.002	0.11	0.39	27.4	2	3.4	115.5	0.58	<0.05	15.5	0.472	0.41	7.3
H756248		5.1	100.0	0.002	0.09	0.30	9.2	1	1.9	244	0.84	<0.05	10.5	0.242	0.49	4.0
H756249		3.6	39.5	0.002	0.01	0.26	16.7	1	3.7	83.2	0.82	<0.05	10.5	0.390	0.16	3.2
H756250		6.1	36.7	<0.002	0.04	0.21	9.2	1	2.2	275	0.87	<0.05	13.6	0.302	0.16	2.5
H756251		1.6	21.2	<0.002	0.01	0.15	4.7	1	1.1	43.2	0.23	<0.05	4.8	0.117	0.10	1.4
H756252		1.4	7.5	<0.002	0.01	0.14	3.6	1	0.8	15.5	0.16	<0.05	3.2	0.094	0.04	1.0
H756253		2.2	39.7	<0.002	0.01	0.23	13.9	1	3.2	50.0	0.60	<0.05	10.5	0.334	0.18	3.1
H756254		3.4	45.8	<0.002	0.01	0.31	18.6	1	4.4	92.8	0.94	<0.05	14.1	0.445	0.26	4.9
H756255		82.9	204	<0.002	3.29	1.06	3.4	1	1.0	169.0	0.77	<0.05	2.3	0.267	1.83	0.9
H756256		5.2	86.8	<0.002	0.01	0.25	8.4	1	2.0	217	0.84	<0.05	13.1	0.275	0.39	3.1
H756257		1.6	50.8	<0.002	0.01	0.21	4.2	1	0.8	70.2	0.35	<0.05	6.0	0.113	0.26	1.8
H756258		0.9	21.0	<0.002	<0.01	0.13	0.7	1	0.3	31.1	<0.05	<0.05	0.5	0.013	0.11	0.2
H756259		2.4	74.9	<0.002	0.01	0.17	2.9	1	1.0	81.1	0.16	<0.05	1.7	0.058	0.36	0.7
H756260		2.1	57.9	<0.002	0.01	0.20	8.1	1	1.9	59.1	0.56	<0.05	7.6	0.194	0.28	1.4
H756261		0.9	27.3	<0.002	0.01	0.13	1.9	1	0.5	72.2	0.09	<0.05	3.0	0.031	0.11	0.5
H756262		2.5	53.2	<0.002	0.03	0.25	2.8	1	0.7	61.6	0.20	<0.05	2.9	0.056	0.27	0.9
H756263		4.0	100.5	<0.002	0.05	0.32	6.5	1	1.9	143.5	0.96	<0.05	13.3	0.253	0.51	3.2
H756264		7.0	110.5	0.003	0.02	0.42	7.5	1	2.2	176.5	1.09	<0.05	14.0	0.266	0.51	3.5
H756265		8.0	113.0	0.003	0.02	0.34	7.5	1	2.3	186.5	1.10	<0.05	15.1	0.278	0.52	3.8
H756266		7.4	112.0	<0.002	0.02	0.31	7.9	1	2.0	197.5	1.05	<0.05	14.7	0.281	0.52	3.6
H756267		6.4	99.5	<0.002	0.04	0.30	8.1	1	1.9	183.0	1.05	<0.05	13.7	0.281	0.43	3.8
H756268		5.4	100.5	<0.002	0.02	0.39	8.2	1	2.1	215	1.21	<0.05	13.9	0.275	0.44	3.7
H756269		6.3	104.0	<0.002	0.04	0.33	8.2	1	2.1	165.5	1.12	<0.05	15.2	0.286	0.45	3.9
H756270		5.7	95.0	<0.002	0.03	0.33	8.1	1	1.9	159.5	1.07	<0.05	14.4	0.280	0.38	3.8
H756271		4.9	52.0	<0.002	0.02	0.20	5.9	1	1.2	161.0	0.74	<0.05	10.7	0.188	0.22	2.5
H756272		7.2	65.8	<0.002	0.02	0.27	6.3	1	1.5	196.5	1.02	<0.05	12.8	0.210	0.30	4.3
H756273		4.0	61.8	<0.002	0.05	0.40	7.8	1	1.9	217	1.06	<0.05	10.7	0.260	0.30	4.0
H756274		4.3	84.0	<0.002	0.03	0.36	7.7	1	1.8	170.5	1.03	<0.05	12.8	0.268	0.38	3.5
H756275		4.4	104.5	<0.002	0.10	0.33	8.0	1	1.9	176.5	1.32	<0.05	11.5	0.261	0.45	3.8
H756276		5.6	96.3	<0.002	0.02	0.18	7.4	1	1.9	113.0	0.84	<0.05	13.6	0.256	0.41	3.8
H756277		4.9	87.8	<0.002	0.01	0.16	7.2	1	1.8	97.2	0.78	<0.05	13.7	0.245	0.37	3.8
H756278		6.1	94.2	<0.002	0.07	0.19	8.0	1	2.0	139.0	0.79	<0.05	15.9	0.263	0.36	3.5
H756279		5.7	97.2	<0.002	0.02	0.22	7.6	1	1.9	134.5	0.74	<0.05	12.9	0.250	0.39	2.9
H756280		13.3	106.5	<0.002	0.06	0.31	7.5	1	2.0	190.5	0.98	<0.05	14.0	0.290	0.51	3.3
H756281		13.2	100.5	<0.002	0.02	0.34	7.3	1	1.8	187.5	0.86	<0.05	13.4	0.275	0.48	3.0
H756282		20.9	102.5	<0.002	0.37	2.11	7.6	1	1.9	177.5	0.87	0.05	13.1	0.289	0.45	2.9
H756283		16.1	94.8	<0.002	0.27	0.67	7.1	1	2.0	177.5	0.85	<0.05	13.8	0.266	0.40	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756244		43	2.7	15.7	34	195.0
H756245		55	3.8	13.6	43	231
H756246		44	3.8	16.4	34	170.0
H756247		152	21.0	38.3	192	267
H756248		58	7.6	19.1	75	169.0
H756249		131	3.8	23.1	212	161.0
H756250		66	2.5	19.7	75	184.5
H756251		36	1.5	7.9	58	67.9
H756252		31	0.9	5.7	48	41.8
H756253		100	3.5	19.2	163	162.5
H756254		120	4.8	25.8	179	234
H756255		33	0.3	4.8	41	54.8
H756256		49	3.0	16.6	54	184.0
H756257		29	1.9	5.2	31	62.4
H756258		7	0.2	1.3	4	6.0
H756259		24	0.4	4.2	22	20.7
H756260		54	1.2	10.9	67	72.1
H756261		16	0.6	3.8	7	17.3
H756262		13	7.8	6.0	11	34.7
H756263		38	4.8	18.3	38	158.0
H756264		41	283	20.0	44	170.0
H756265		41	372	19.8	50	173.5
H756266		44	3.4	19.9	44	188.0
H756267		44	2.9	19.8	47	182.0
H756268		44	2.3	20.4	43	180.5
H756269		45	2.6	20.9	46	199.0
H756270		44	2.3	19.7	48	188.0
H756271		30	1.3	15.0	29	125.0
H756272		33	1.8	15.5	32	138.5
H756273		44	3.5	18.6	33	170.5
H756274		42	3.5	19.1	36	172.0
H756275		45	3.1	21.0	36	159.5
H756276		41	1.3	17.4	33	172.0
H756277		37	1.2	16.4	40	169.0
H756278		43	1.0	19.4	35	169.0
H756279		41	0.9	17.8	31	162.0
H756280		38	6.7	20.0	42	213
H756281		37	11.3	19.6	46	222
H756282		39	5.0	20.0	57	232
H756283		34	5.0	18.6	40	206

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756284		0.69	0.027	0.12	6.97	923	800	1.81	0.14	1.31	0.17	91.5	5.8	9	2.00	12.1
H756285		0.05	0.543	0.79	7.58	5.3	90	2.38	1.41	0.86	0.13	16.40	8.5	23	30.1	10.8
H756286		1.75	0.011	0.15	6.53	74.9	640	2.18	0.12	1.07	0.22	72.7	3.7	10	2.61	12.9
H756287		1.66	<0.005	0.06	7.03	19.2	820	1.66	0.07	1.53	0.05	93.2	5.5	9	2.07	24.0
H756288		0.53	<0.005	0.09	6.88	10.6	740	1.77	0.08	1.35	0.05	88.7	5.8	8	2.05	55.7
H756289		0.30	<0.005	0.03	7.06	47.1	800	1.66	0.06	1.28	0.03	98.1	6.6	6	0.97	15.5
H756290		0.71	0.006	0.05	7.14	125.5	840	1.70	0.06	1.38	0.04	84.7	5.5	11	3.14	6.5
H756291		0.38	<0.005	0.04	7.33	27.6	830	1.67	0.03	1.64	0.03	89.6	5.1	12	1.68	5.7
H756292		1.52	<0.005	0.05	6.95	13.9	780	1.68	0.04	1.46	0.03	81.8	6.4	13	1.72	4.6
H756293		0.51	<0.005	0.05	7.52	19.8	870	1.64	0.05	1.28	0.04	84.8	6.3	11	1.22	6.1
H756294		0.35	<0.005	0.05	7.20	10.9	810	1.82	0.03	1.54	0.03	86.2	5.4	11	1.48	5.3
H756295		0.36	<0.005	0.06	7.11	2.3	910	1.55	0.04	1.56	0.04	85.0	5.5	12	1.90	6.9
H756296		0.42	<0.005	0.04	7.09	5.1	790	1.63	0.03	1.42	0.03	79.1	5.0	12	1.50	6.7
H756297		1.55	<0.005	0.06	7.07	13.4	750	1.68	0.04	1.55	0.03	86.5	5.8	12	1.87	5.7
H756298		1.70	0.130	0.14	7.10	134.5	790	1.52	0.11	1.11	0.07	89.2	5.4	12	1.61	10.9
H756299		1.63	0.091	0.38	6.99	82.9	740	1.60	0.13	0.97	0.03	66.8	5.8	12	1.40	8.4
H756300		0.08	1.270	0.83	8.27	3.4	100	2.46	0.56	0.90	0.12	16.10	9.0	33	20.0	12.3
H756302		0.44	1.760	0.76	6.72	1630	800	1.28	0.26	0.76	0.14	83.0	7.0	12	0.99	6.8
H756303		0.46	0.146	0.10	7.28	74.6	710	1.70	0.11	1.05	0.04	83.5	5.9	11	1.01	9.6
H756304		0.67	0.030	0.08	7.22	46.7	800	1.84	0.07	1.70	0.05	84.1	6.0	11	1.62	10.7
H756305		1.03	0.006	0.09	7.08	48.3	760	1.56	0.06	1.85	0.08	83.8	6.9	19	2.25	5.6
H756306		0.39	0.037	0.11	7.16	42.8	760	1.78	0.06	1.88	0.05	91.4	6.7	12	2.84	9.1
H756307		0.47	0.019	0.09	7.21	37.2	850	1.57	0.05	1.74	0.07	87.3	5.9	11	2.16	6.9
H756308		0.64	0.037	0.12	7.33	46.5	760	2.50	0.07	2.06	0.05	102.0	7.9	7	2.58	10.3
H756309		1.18	0.166	0.14	7.13	64.3	770	1.93	0.07	1.67	0.06	89.5	6.3	12	2.74	8.9
H756310		0.56	0.232	0.15	6.71	216	750	1.62	0.09	1.46	0.08	89.4	5.9	12	2.06	9.5
H756311		0.85	0.039	0.11	7.07	99.0	780	2.04	0.05	1.66	0.06	84.2	7.0	12	2.40	10.9
H756312		0.44	0.582	0.16	7.15	87.3	820	1.73	0.09	1.44	0.12	85.3	5.8	11	1.80	6.1
H756313		0.81	<0.005	0.10	7.13	42.1	820	1.71	0.05	1.63	0.05	85.0	6.2	12	2.37	6.3
H756314		0.37	0.203	0.15	7.42	54.5	770	1.76	0.07	1.75	0.06	90.5	6.3	13	2.37	9.8
H756315		0.76	<0.005	0.16	7.40	14.4	840	1.73	0.06	1.69	0.05	90.3	6.4	12	2.62	7.6
H756316		1.83	0.005	0.10	7.12	47.1	780	1.64	0.06	1.67	0.05	82.5	6.0	13	2.21	7.1
H756317		1.54	<0.005	0.09	7.14	31.3	790	1.55	0.05	1.57	0.06	85.4	6.4	14	2.10	6.6
H756318		0.42	0.254	0.19	7.05	92.6	780	1.67	0.10	1.50	0.05	86.5	6.3	12	1.81	13.4
H756319		0.43	0.500	0.22	6.93	88.8	770	1.75	0.09	1.36	0.05	86.4	6.3	12	1.98	7.8
H756320		1.47	0.014	0.07	7.29	26.8	840	1.71	0.06	1.27	0.02	85.9	6.5	12	1.91	18.5
H756321		1.17	0.014	0.08	6.90	27.4	800	1.71	0.06	1.43	0.05	82.4	6.5	11	1.62	22.9
H756322		0.46	0.908	0.42	6.73	112.5	800	1.69	0.25	1.93	0.03	56.2	6.1	9	3.89	5.2
H756323		0.79	0.088	0.06	7.01	48.3	730	1.67	0.05	1.27	0.04	64.4	5.6	10	1.14	6.0
H756324		0.68	0.080	0.08	6.64	44.1	500	1.95	0.08	1.21	<0.02	40.6	3.4	8	1.83	19.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756284		2.22	16.95	0.14	5.0	0.035	2.57	43.5	21.0	0.43	392	1.23	2.74	11.8	4.9	540
H756285		3.32	18.90	0.11	1.3	0.012	1.88	7.6	7.2	0.68	239	0.97	5.45	8.5	27.8	700
H756286		1.81	17.00	0.12	5.1	0.031	2.57	33.2	16.1	0.36	326	2.11	2.82	14.4	3.8	430
H756287		2.16	17.60	0.15	4.9	0.031	2.71	43.3	20.0	0.44	390	3.32	2.79	12.8	5.0	520
H756288		2.16	17.55	0.15	5.2	0.033	2.71	41.4	18.4	0.44	388	3.79	2.68	14.1	5.3	500
H756289		2.25	17.35	0.16	5.4	0.029	2.56	47.5	15.8	0.52	449	1.57	2.89	12.8	5.0	550
H756290		2.37	18.15	0.36	5.5	0.031	2.41	40.3	24.4	0.54	445	1.09	2.77	12.0	5.4	580
H756291		2.34	18.60	0.38	5.7	0.029	2.57	42.1	25.5	0.53	438	0.99	2.80	12.0	5.5	570
H756292		2.30	17.20	0.35	5.2	0.030	2.47	38.3	23.4	0.48	434	1.15	2.79	11.9	5.4	560
H756293		2.47	18.40	0.38	5.8	0.030	2.40	40.0	23.5	0.56	460	1.72	3.05	12.6	5.7	620
H756294		2.28	17.40	0.36	5.3	0.029	2.35	40.2	21.3	0.47	464	1.30	2.97	11.9	5.4	570
H756295		2.25	16.75	0.35	5.1	0.028	2.71	40.1	19.4	0.43	391	1.07	2.61	11.2	5.3	540
H756296		2.23	16.90	0.37	4.7	0.026	2.72	37.3	17.9	0.45	393	1.02	2.70	11.7	5.1	510
H756297		2.27	17.15	0.34	5.4	0.029	2.30	41.1	22.1	0.51	398	0.85	2.75	11.1	5.2	560
H756298		2.19	17.75	0.37	5.2	0.028	2.56	43.3	23.5	0.61	310	2.61	2.62	10.2	5.4	600
H756299		2.36	16.90	0.29	5.4	0.025	2.61	31.7	17.5	0.58	365	329	2.77	12.0	5.6	590
H756300		4.03	19.20	0.29	1.3	0.011	2.54	7.6	4.9	0.83	253	2.28	5.10	8.7	31.6	700
H756302		2.41	16.40	0.32	5.4	0.024	3.21	40.7	13.0	0.46	254	230	2.58	9.9	5.6	550
H756303		2.46	18.60	0.33	5.4	0.028	2.39	40.9	15.6	0.54	344	54.4	2.95	10.9	5.8	590
H756304		2.48	18.50	0.34	5.6	0.029	2.41	38.5	22.1	0.60	516	5.52	3.01	12.6	6.0	640
H756305		2.55	17.45	0.36	5.5	0.033	2.30	39.1	22.6	0.58	495	125.5	2.82	11.4	9.5	620
H756306		2.70	18.45	0.40	5.9	0.035	2.33	42.0	26.8	0.53	480	8.17	2.95	13.0	6.5	660
H756307		2.59	17.40	0.39	5.2	0.032	2.35	41.8	22.9	0.55	489	1.15	2.83	11.6	5.8	620
H756308		2.87	18.10	0.44	6.5	0.037	2.13	47.0	27.3	0.65	570	12.80	3.11	14.8	5.4	740
H756309		2.61	17.80	0.40	5.5	0.033	2.57	41.8	25.0	0.52	474	4.34	2.80	12.7	5.6	610
H756310		2.41	15.95	0.35	5.5	0.029	2.39	42.3	21.9	0.51	418	4.85	2.65	10.7	5.4	570
H756311		2.42	17.85	0.39	6.0	0.030	2.49	39.1	24.4	0.49	456	28.4	2.80	13.3	5.9	580
H756312		2.27	17.65	0.36	5.4	0.039	2.54	40.7	21.1	0.43	363	36.0	2.85	10.0	5.3	570
H756313		2.42	17.10	0.38	5.4	0.028	2.55	39.7	25.2	0.51	444	4.03	2.74	12.1	5.8	590
H756314		2.64	18.00	0.39	5.8	0.033	2.51	43.1	24.1	0.50	444	2.05	2.89	12.1	6.0	610
H756315		2.51	17.75	0.41	5.6	0.032	2.70	42.1	26.7	0.50	440	1.43	2.72	12.3	5.7	580
H756316		2.51	17.05	0.38	5.6	0.032	2.49	38.1	25.4	0.50	445	2.89	2.78	11.9	5.6	600
H756317		2.42	16.85	0.38	5.1	0.028	2.48	39.8	24.6	0.52	453	1.80	2.81	11.7	6.0	580
H756318		2.43	17.05	0.34	5.5	0.029	2.45	40.7	22.5	0.51	460	1.17	2.78	11.6	5.8	600
H756319		2.54	16.75	0.36	5.4	0.031	2.40	41.1	22.2	0.54	435	5.49	2.66	11.0	5.6	570
H756320		2.57	17.40	0.36	5.6	0.031	2.46	40.9	24.8	0.68	433	99.6	2.93	12.7	5.8	650
H756321		2.33	16.45	0.36	5.2	0.026	2.39	38.3	21.8	0.55	412	61.5	2.68	11.4	5.6	560
H756322		2.14	15.75	0.36	4.9	0.026	2.96	25.4	17.9	0.45	341	10.30	2.55	8.2	5.0	530
H756323		2.25	16.90	0.34	5.5	0.027	2.37	29.4	20.6	0.63	388	1.46	2.81	11.9	5.5	580
H756324		1.43	15.55	0.30	5.7	0.017	3.40	19.1	14.0	0.36	192	2.33	2.60	13.7	2.9	270

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756284		17.3	96.9	<0.002	0.26	0.89	7.0	1	1.9	164.5	0.87	<0.05	13.3	0.276	0.41	3.4
H756285		74.0	800	<0.002	2.63	1.23	3.4	1	1.0	155.5	0.69	<0.05	2.5	0.197	8.24	1.2
H756286		25.3	108.0	<0.002	0.23	0.45	5.9	1	2.0	134.5	1.67	<0.05	15.1	0.226	0.44	4.9
H756287		16.3	103.5	<0.002	0.01	0.28	7.2	1	1.9	192.0	0.99	<0.05	14.2	0.269	0.49	3.4
H756288		14.1	107.0	<0.002	0.01	0.24	6.9	1	1.9	173.0	1.23	<0.05	16.1	0.262	0.44	4.4
H756289		10.4	96.9	<0.002	0.11	0.34	7.4	1	2.1	148.0	1.00	<0.05	13.8	0.280	0.36	3.5
H756290		13.2	93.1	<0.002	0.05	0.43	7.4	2	2.1	181.5	0.92	<0.05	12.8	0.290	0.38	3.3
H756291		13.9	93.3	<0.002	0.02	0.37	7.3	2	2.0	184.5	1.00	<0.05	12.9	0.295	0.40	3.0
H756292		14.2	91.5	<0.002	0.04	0.29	7.1	2	1.9	187.5	0.99	<0.05	14.6	0.289	0.41	3.3
H756293		12.5	84.2	<0.002	0.04	0.33	7.7	2	2.0	188.0	1.03	<0.05	13.8	0.297	0.33	3.8
H756294		13.3	85.4	<0.002	0.02	0.27	6.9	2	1.9	185.5	1.00	<0.05	13.2	0.291	0.35	3.3
H756295		14.6	102.5	<0.002	0.01	0.11	6.8	2	1.8	197.0	0.92	<0.05	12.3	0.275	0.46	2.9
H756296		13.0	107.5	<0.002	0.01	0.20	6.4	2	2.0	171.5	0.97	<0.05	13.4	0.259	0.44	3.2
H756297		12.4	90.1	<0.002	0.01	0.23	7.0	2	1.9	194.0	0.86	<0.05	12.3	0.281	0.39	2.9
H756298		16.1	100.0	<0.002	0.36	0.47	7.1	2	2.1	134.0	0.79	<0.05	12.8	0.258	0.36	3.5
H756299		12.3	117.0	0.021	0.16	0.41	7.0	2	2.0	126.5	1.16	<0.05	13.1	0.280	0.48	3.3
H756300		75.3	610	<0.002	3.22	1.31	3.2	1	1.0	167.5	0.77	<0.05	2.5	0.227	5.80	1.2
H756302		24.9	167.5	0.014	0.88	0.65	6.9	2	1.8	98.8	0.80	0.11	12.7	0.253	0.71	3.5
H756303		16.7	106.0	0.003	0.56	0.38	7.5	2	2.1	142.5	0.87	<0.05	13.7	0.289	0.45	3.2
H756304		18.4	78.7	<0.002	0.09	0.50	7.8	2	2.1	198.0	1.04	<0.05	12.1	0.313	0.35	2.7
H756305		19.1	85.7	0.007	0.06	0.61	7.7	2	1.9	200	0.92	<0.05	12.0	0.307	0.42	2.7
H756306		19.1	96.8	<0.002	0.13	0.53	8.3	2	2.1	211	1.03	<0.05	11.4	0.331	0.53	2.6
H756307		16.5	89.8	<0.002	0.11	0.52	7.5	2	1.9	206	0.86	<0.05	12.2	0.309	0.43	2.9
H756308		15.6	92.0	<0.002	0.24	0.49	8.4	2	2.2	200	1.08	<0.05	12.0	0.393	0.48	2.8
H756309		17.0	105.0	<0.002	0.26	0.51	8.2	2	2.1	185.5	1.19	<0.05	14.5	0.305	0.51	3.6
H756310		15.5	98.0	<0.002	0.70	0.50	6.4	2	1.7	155.0	0.91	0.05	13.0	0.280	0.46	2.9
H756311		17.9	103.0	0.002	0.11	0.42	7.3	2	2.1	193.5	1.22	<0.05	13.1	0.298	0.47	3.5
H756312		27.0	96.4	0.003	0.62	0.40	7.1	2	2.1	150.5	0.87	<0.05	14.4	0.276	0.45	3.5
H756313		17.9	102.5	<0.002	0.02	0.35	7.5	2	1.8	196.5	1.07	<0.05	14.0	0.293	0.47	3.5
H756314		21.9	102.0	<0.002	0.34	0.31	7.4	2	2.0	198.0	1.06	<0.05	14.7	0.306	0.52	3.5
H756315		16.7	111.0	<0.002	0.01	0.20	7.6	2	1.9	207	1.03	<0.05	13.8	0.298	0.53	3.5
H756316		15.6	97.9	<0.002	0.07	0.31	7.2	2	1.9	196.5	1.02	<0.05	14.1	0.292	0.48	3.4
H756317		13.3	95.0	<0.002	0.01	0.34	7.1	2	1.8	195.0	0.89	<0.05	12.7	0.285	0.45	2.9
H756318		29.2	83.3	<0.002	0.45	0.40	6.8	2	1.9	176.5	1.03	<0.05	14.0	0.292	0.40	3.2
H756319		21.0	84.7	<0.002	0.61	0.41	7.0	2	1.9	164.5	0.98	<0.05	15.3	0.282	0.38	3.7
H756320		10.0	90.3	0.008	0.08	0.47	7.5	2	1.9	163.5	1.11	<0.05	14.3	0.308	0.35	4.0
H756321		11.8	80.7	0.005	0.13	0.47	6.8	2	1.8	168.0	0.96	<0.05	12.8	0.286	0.34	3.3
H756322		16.8	103.0	<0.002	0.87	0.49	6.6	2	1.9	122.5	0.74	0.07	12.6	0.227	0.45	3.1
H756323		11.4	83.9	<0.002	0.17	0.36	7.1	2	2.1	151.5	1.08	<0.05	14.2	0.280	0.33	3.7
H756324		12.9	124.0	<0.002	0.23	0.35	4.0	2	1.7	74.1	2.42	<0.05	21.5	0.140	0.49	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756284		36	5.3	18.7	43	203
H756285		25	0.3	4.0	34	49.4
H756286		29	3.7	19.1	45	180.5
H756287		36	1.7	20.0	45	192.5
H756288		35	11.6	21.4	47	199.0
H756289		37	6.3	21.2	42	218
H756290		39	2.8	21.5	41	203
H756291		39	1.9	20.9	40	212
H756292		39	1.6	20.8	43	193.5
H756293		41	2.2	22.2	42	216
H756294		39	0.8	20.3	39	192.0
H756295		37	0.5	19.5	47	185.0
H756296		35	0.7	19.7	38	171.0
H756297		39	1.0	19.8	43	205
H756298		39	6.8	20.9	39	196.0
H756299		41	7.3	20.8	29	189.0
H756300		27	0.3	5.1	38	42.3
H756302		39	5.4	20.9	36	200
H756303		42	4.5	19.0	25	202
H756304		44	2.5	20.8	44	205
H756305		42	1.6	20.5	58	211
H756306		46	2.4	21.5	61	218
H756307		44	3.7	19.9	60	205
H756308		55	3.2	25.6	63	275
H756309		44	3.8	23.8	56	194.5
H756310		38	10.5	19.0	51	200
H756311		41	3.4	22.8	59	216
H756312		40	5.3	20.8	84	201
H756313		41	1.7	21.7	54	186.5
H756314		43	3.9	21.6	68	210
H756315		42	1.1	21.8	57	198.0
H756316		42	1.7	20.3	57	194.5
H756317		39	0.8	19.8	53	192.0
H756318		40	4.3	20.2	55	202
H756319		39	7.2	20.9	49	189.0
H756320		43	6.4	23.5	39	202
H756321		39	3.9	20.9	38	200
H756322		37	17.5	17.6	27	179.0
H756323		39	8.4	20.0	35	191.5
H756324		19	7.7	13.8	16	139.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756325		0.09	3.25	0.18	1.56	1.3	110	0.33	0.14	0.01	0.13	17.95	1.1	12	0.58	6.8
H756326		0.80	0.219	0.16	7.08	100.0	720	1.66	0.06	1.68	0.07	81.4	6.7	13	1.88	8.1
H756327		0.91	0.012	0.07	6.78	20.9	690	1.63	0.05	1.66	0.03	70.1	6.4	7	1.68	7.6
H756328		0.78	0.121	0.13	6.86	41.7	730	1.57	0.16	1.63	0.04	67.9	7.0	9	1.46	5.8
H756329		0.54	0.142	0.12	7.83	53.8	690	1.90	0.30	1.40	0.07	88.0	6.6	9	0.99	14.4
H756330		0.65	0.617	0.63	6.00	199.5	560	1.48	1.01	1.01	1.22	71.0	6.1	16	1.16	12.1
H756331		0.39	0.106	0.08	7.04	39.6	720	1.70	0.07	1.76	0.07	76.2	7.0	17	2.51	11.6
H756332		0.95	0.007	0.08	7.12	15.8	740	1.67	0.04	1.75	0.04	77.3	7.2	20	2.91	10.1
H756333		1.75	0.009	0.04	6.95	11.6	700	1.66	0.04	1.63	0.03	76.9	7.6	23	2.94	9.1
H756334		1.85	<0.005	0.03	6.88	12.9	710	1.75	0.06	1.63	0.03	69.4	7.3	23	3.34	7.2
H756335		1.69	<0.005	0.06	7.01	16.7	630	1.49	0.04	1.81	0.04	76.5	7.9	24	3.15	12.2
H756336		1.04	0.007	0.04	6.94	21.0	710	1.47	0.04	1.74	0.04	71.0	7.2	23	3.05	10.7
H756337		0.58	0.006	0.06	6.81	26.8	610	1.49	0.05	1.83	<0.02	78.9	7.5	23	3.34	6.9
H756338		0.50	0.012	0.08	7.41	31.5	610	1.61	0.04	2.00	0.06	79.2	9.4	25	3.73	13.3
H756339		1.46	0.047	0.04	7.07	18.3	640	1.57	0.03	1.87	0.03	78.0	7.7	26	3.64	10.0
H756340		1.68	<0.005	0.03	7.04	13.2	660	1.44	0.04	1.81	0.04	71.1	7.6	23	3.45	8.8
H756341		0.82	0.026	0.07	6.95	19.3	710	1.46	0.04	1.82	0.05	74.6	9.6	22	3.01	19.2
H756342		1.16	0.024	0.05	6.84	16.0	690	1.38	0.03	1.66	0.05	73.5	7.4	24	3.01	9.7
H756343		1.69	<0.005	0.07	7.08	13.0	700	1.53	0.04	1.87	0.04	77.2	8.7	28	3.58	9.0
H756344		1.42	<0.005	0.07	7.38	14.0	670	1.55	0.05	1.98	0.05	74.5	8.9	27	3.82	11.2
H756345		0.65	0.045	0.08	7.02	16.3	710	1.39	0.06	1.87	0.05	75.7	8.9	28	3.81	7.2
H756346		0.47	0.204	0.26	6.86	16.2	650	1.44	0.06	2.01	0.03	73.1	8.9	26	2.19	23.7
H756347		0.62	0.046	0.04	7.20	15.1	640	1.48	0.06	2.01	0.04	81.0	9.0	26	3.25	14.2
H756348		0.34	0.033	0.04	7.14	15.4	580	1.52	0.06	1.86	0.02	77.3	8.6	29	1.70	15.0
H756349		0.76	0.016	0.04	7.46	15.9	670	1.57	0.07	1.93	0.05	82.1	8.9	28	2.94	9.7
H756350		0.07	8.20	0.49	7.89	3.3	180	2.18	0.09	1.11	0.40	18.55	11.4	32	1.39	16.7
H756351		1.14	0.052	0.06	7.29	15.8	710	1.41	0.07	1.89	0.05	80.3	8.9	27	3.98	19.3
H756352		0.81	0.007	0.06	7.31	17.0	700	1.47	0.07	1.87	0.04	76.1	9.7	29	3.67	16.5
H756353		0.37	0.026	0.10	7.09	18.5	650	1.59	0.10	1.64	0.04	74.6	8.6	24	2.67	37.6
H756354		1.05	<0.005	0.04	7.02	19.9	680	1.50	0.08	1.93	0.04	73.4	9.1	28	4.03	6.5
H756355		1.78	<0.005	0.06	7.09	28.6	670	1.59	0.07	2.06	0.04	74.9	9.2	29	3.97	9.6
H756356		1.73	<0.005	0.05	7.05	13.6	690	1.44	0.05	1.73	0.04	73.4	8.2	25	3.26	6.9
H756357		0.58	<0.005	0.04	7.01	16.2	620	1.53	0.04	2.04	0.05	72.4	8.6	25	3.61	6.0
H756358		0.35	<0.005	0.07	7.21	7.8	970	1.71	0.05	1.59	<0.02	100.5	8.6	25	3.59	25.5
H756359		0.83	<0.005	0.06	6.96	14.0	710	1.45	0.04	1.78	0.05	74.9	8.0	22	3.50	11.1
H756360		1.81	<0.005	0.07	7.18	5.8	680	1.55	0.05	1.90	0.05	76.0	8.5	26	3.61	11.8
H756361		1.23	<0.005	0.05	7.15	11.7	660	1.50	0.04	1.98	0.05	80.5	8.7	25	3.58	8.0
H756362		0.32	0.005	0.04	6.89	12.5	710	1.83	0.06	1.58	0.04	70.6	6.9	24	2.58	13.9
H756363		0.40	<0.005	0.08	6.94	11.6	620	1.37	0.05	1.83	0.04	64.1	8.2	31	3.70	9.4
H756364		0.81	<0.005	0.07	7.16	11.3	780	1.46	0.06	1.77	0.04	69.0	7.7	30	3.20	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756325		1.35	3.58	0.14	0.6	0.009	0.15	9.3	15.4	0.02	104	0.78	0.02	3.4	5.0	50
H756326		2.53	17.15	0.37	5.2	0.032	2.42	36.6	21.0	0.52	477	1.46	2.70	11.1	6.1	630
H756327		2.03	18.30	0.09	5.2	0.035	2.49	32.1	18.8	0.50	379	2.17	2.92	11.8	5.5	520
H756328		2.46	18.35	0.12	5.9	0.034	2.37	31.1	17.0	0.55	402	1.32	3.06	13.0	5.7	680
H756329		2.39	19.40	0.12	6.2	0.047	2.16	43.5	19.0	0.74	362	4.19	3.54	7.6	16.8	690
H756330		2.07	17.55	0.12	3.6	0.046	2.21	36.2	19.0	0.47	252	28.9	1.95	4.0	11.4	410
H756331		2.28	17.45	0.11	4.7	0.029	2.58	37.3	22.5	0.61	416	0.45	2.54	10.4	13.4	500
H756332		2.33	17.45	0.12	4.6	0.028	2.62	37.5	27.1	0.64	409	0.55	2.76	11.6	13.5	540
H756333		2.20	17.60	0.13	4.3	0.027	2.70	37.5	24.9	0.60	382	0.34	2.68	11.3	13.7	480
H756334		2.29	17.60	0.12	4.8	0.029	2.71	32.5	27.1	0.61	392	0.42	2.75	12.1	14.0	480
H756335		2.36	17.65	0.12	4.8	0.027	2.44	37.7	30.7	0.66	409	0.63	2.87	10.1	15.9	510
H756336		2.19	17.55	0.10	4.3	0.027	2.54	34.7	31.7	0.62	380	1.26	2.77	10.0	14.7	470
H756337		2.25	16.95	0.11	4.4	0.035	2.19	39.4	31.6	0.66	379	3960	2.68	10.4	14.9	510
H756338		2.55	19.25	0.12	5.0	0.030	2.29	38.6	37.8	0.75	430	4.66	3.05	12.2	18.3	560
H756339		2.33	17.60	0.11	4.5	0.025	2.38	38.0	33.3	0.68	399	2.95	2.81	11.0	15.9	520
H756340		2.23	17.15	0.11	4.2	0.028	2.47	34.9	30.7	0.65	388	13.05	2.72	10.4	15.3	490
H756341		2.29	17.05	0.10	4.4	0.025	2.52	36.9	31.6	0.66	405	8.16	3.17	10.5	15.4	500
H756342		2.28	17.00	0.12	4.0	0.026	2.67	35.6	30.0	0.61	385	2.53	2.83	10.2	14.7	470
H756343		2.51	18.25	0.10	4.6	0.029	2.45	37.4	35.0	0.74	433	1.01	2.74	11.2	18.6	540
H756344		2.56	18.75	0.11	4.6	0.032	2.35	36.8	35.5	0.75	439	3.63	2.84	11.5	18.4	560
H756345		2.52	17.30	0.13	4.3	0.031	2.64	36.7	38.5	0.76	440	0.87	2.68	10.9	18.7	560
H756346		2.46	17.35	0.12	4.4	0.030	2.17	34.8	25.8	0.74	428	1.27	2.94	10.8	18.4	550
H756347		2.65	18.65	0.14	4.4	0.028	2.53	39.1	36.6	0.79	444	0.78	2.91	11.2	19.1	600
H756348		2.48	18.00	0.11	4.6	0.025	1.97	37.4	17.8	0.74	450	129.0	3.11	10.5	18.8	560
H756349		2.62	18.45	0.12	4.5	0.029	2.58	40.2	31.6	0.78	436	1.14	2.87	10.8	19.0	550
H756350		4.38	20.6	0.13	1.2	0.015	2.34	9.0	2.0	0.97	273	1.98	5.11	9.7	38.0	690
H756351		2.52	17.80	0.12	4.4	0.030	2.63	39.8	37.6	0.75	433	1.01	2.88	10.4	18.3	540
H756352		2.61	18.85	0.13	4.3	0.032	2.68	36.6	37.6	0.79	447	3.35	2.97	11.5	18.8	560
H756353		2.35	17.35	0.11	4.6	0.024	2.16	36.4	28.2	0.67	350	1.01	3.20	9.8	15.6	510
H756354		2.55	17.40	0.12	4.0	0.030	2.41	35.5	37.9	0.77	440	0.46	2.77	10.7	19.1	560
H756355		2.59	18.55	0.12	4.4	0.029	2.27	35.8	38.6	0.78	447	0.57	2.89	10.5	19.9	580
H756356		2.42	17.45	0.13	4.6	0.027	2.64	35.7	38.0	0.71	411	0.34	2.86	9.9	16.4	530
H756357		2.51	17.10	0.12	4.4	0.026	2.49	35.4	39.9	0.73	425	0.35	2.79	9.8	17.3	540
H756358		2.94	20.4	0.18	4.8	0.042	2.78	51.8	42.9	0.79	414	0.55	2.38	12.3	13.6	600
H756359		2.52	17.40	0.15	3.9	0.028	2.64	36.5	40.9	0.72	384	0.56	2.72	10.5	18.0	520
H756360		2.44	17.60	0.13	4.3	0.027	2.49	36.9	37.1	0.73	416	0.39	2.83	10.4	17.6	540
H756361		2.56	17.50	0.13	4.4	0.028	2.52	39.4	39.8	0.74	424	0.42	2.90	10.8	17.6	550
H756362		2.16	18.20	0.12	4.8	0.033	2.47	33.7	30.7	0.64	379	0.60	2.87	12.7	14.2	500
H756363		2.67	17.90	0.08	4.9	0.026	2.49	30.4	40.3	0.79	419	0.49	2.78	12.7	19.6	580
H756364		2.39	17.55	0.06	5.0	0.028	2.54	34.5	35.0	0.71	398	0.44	2.81	11.5	18.1	540

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756325		30.7	12.5	<0.002	1.08	0.54	1.2	1	1.4	13.1	0.29	<0.05	3.3	0.090	0.38	0.4
H756326		28.9	84.9	<0.002	0.47	0.44	7.7	2	2.1	176.5	0.86	<0.05	12.7	0.300	0.43	3.0
H756327		13.5	71.4	<0.002	0.09	0.32	7.2	1	2.0	172.0	1.08	<0.05	14.0	0.257	0.31	3.0
H756328		12.7	75.1	0.002	0.77	0.39	8.9	1	2.1	159.0	1.26	<0.05	15.9	0.303	0.33	3.7
H756329		15.7	85.2	0.002	0.59	0.34	9.0	2	1.9	244	0.59	0.05	14.8	0.242	0.37	2.6
H756330		69.6	85.8	0.004	1.15	0.42	6.1	1	2.1	95.6	0.39	0.11	12.8	0.139	0.34	3.4
H756331		21.8	106.5	<0.002	0.24	0.49	7.4	1	2.0	194.0	1.04	<0.05	15.3	0.248	0.56	3.7
H756332		16.0	113.5	<0.002	0.04	0.45	7.5	1	2.2	200	1.16	<0.05	16.7	0.268	0.64	3.9
H756333		14.8	123.5	<0.002	0.01	0.26	7.0	1	2.0	192.5	1.21	<0.05	15.5	0.241	0.66	3.8
H756334		15.8	124.0	<0.002	0.01	0.25	7.1	1	2.1	191.0	1.38	<0.05	13.8	0.250	0.65	3.9
H756335		15.4	118.0	<0.002	0.04	0.15	7.3	1	2.0	199.5	0.82	<0.05	14.5	0.254	0.68	2.7
H756336		16.0	119.5	<0.002	0.02	0.19	6.6	1	2.0	198.0	0.91	<0.05	13.0	0.234	0.70	2.9
H756337		16.2	114.5	0.456	0.29	0.22	6.7	3	2.1	206	1.04	0.53	14.9	0.248	0.69	3.8
H756338		18.6	126.0	0.002	0.06	0.24	7.8	1	2.3	225	1.26	0.11	16.8	0.276	0.74	4.6
H756339		17.0	118.5	<0.002	0.03	0.18	7.0	1	2.4	213	1.06	0.06	15.6	0.256	0.70	3.8
H756340		15.5	122.0	0.003	0.03	0.16	7.0	1	1.9	202	0.97	<0.05	12.2	0.242	0.68	3.5
H756341		21.0	114.0	0.002	0.15	0.20	7.0	1	2.0	195.0	1.04	<0.05	15.0	0.252	0.67	3.6
H756342		16.3	112.5	<0.002	0.06	0.21	6.8	1	1.9	188.5	0.96	<0.05	13.5	0.238	0.68	3.1
H756343		16.1	119.0	<0.002	0.01	0.18	7.9	1	2.1	208	1.03	<0.05	14.5	0.270	0.71	3.4
H756344		16.2	119.0	0.002	0.01	0.20	8.1	1	2.2	221	1.07	<0.05	14.4	0.283	0.69	3.6
H756345		15.2	126.0	0.002	0.03	0.22	8.0	1	2.1	204	0.95	<0.05	13.0	0.279	0.75	2.8
H756346		12.2	95.1	<0.002	0.41	0.25	7.6	1	2.0	192.5	0.95	<0.05	12.4	0.276	0.54	3.0
H756347		12.7	116.5	<0.002	0.16	0.26	8.2	1	2.2	208	0.95	<0.05	13.3	0.296	0.73	3.0
H756348		12.2	84.9	0.015	0.10	0.44	8.1	1	2.0	245	0.95	<0.05	14.2	0.274	0.44	3.4
H756349		14.7	121.0	<0.002	0.04	0.33	8.2	1	2.0	224	0.95	<0.05	13.8	0.278	0.67	3.4
H756350		88.7	206	0.002	3.36	0.96	3.7	1	0.9	178.5	0.78	<0.05	2.5	0.276	1.80	0.9
H756351		14.5	127.5	0.002	0.10	0.19	8.2	1	2.0	203	0.88	<0.05	12.6	0.267	0.73	2.9
H756352		15.0	118.5	0.002	0.11	0.21	8.4	1	2.1	217	0.94	<0.05	11.6	0.286	0.74	2.4
H756353		15.5	96.0	<0.002	0.35	0.18	7.3	1	2.0	197.5	0.89	<0.05	13.4	0.255	0.56	3.0
H756354		14.7	115.0	<0.002	0.01	0.20	8.2	1	1.8	219	0.97	<0.05	12.1	0.281	0.67	2.8
H756355		14.6	107.5	<0.002	0.01	0.21	8.2	1	2.0	232	0.92	<0.05	11.3	0.286	0.68	2.5
H756356		13.5	116.5	<0.002	0.01	0.19	7.6	1	1.8	197.0	0.85	<0.05	12.5	0.265	0.69	2.9
H756357		13.0	117.0	<0.002	0.01	0.23	7.9	1	1.7	214	0.85	<0.05	11.9	0.267	0.66	2.8
H756358		14.1	138.0	<0.002	0.09	0.16	9.2	1	2.6	141.5	1.11	<0.05	15.1	0.305	0.71	4.0
H756359		13.2	115.5	<0.002	0.03	0.23	7.8	1	1.8	202	0.97	<0.05	12.1	0.264	0.68	2.9
H756360		14.6	111.0	0.002	0.01	0.19	7.9	1	1.9	219	0.95	<0.05	13.0	0.269	0.65	3.1
H756361		15.0	118.5	<0.002	0.01	0.29	8.2	1	1.8	217	1.01	<0.05	13.3	0.277	0.62	3.2
H756362		13.5	103.5	<0.002	0.06	0.22	7.8	1	2.1	162.5	1.45	<0.05	14.5	0.254	0.53	4.4
H756363		12.3	111.5	<0.002	0.03	0.25	7.7	2	1.9	208	1.20	<0.05	11.7	0.288	0.64	3.3
H756364		13.3	109.5	<0.002	0.03	0.25	7.0	2	1.9	211	1.05	<0.05	13.8	0.271	0.56	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756325		8	0.9	2.8	15	18.2
H756326		44	6.0	20.5	48	198.0
H756327		36	7.4	19.2	36	206
H756328		45	10.3	22.8	36	230
H756329		45	10.0	19.7	45	252
H756330		34	12.5	11.9	159	139.0
H756331		40	3.7	18.0	50	179.5
H756332		42	1.8	19.0	49	177.5
H756333		38	1.0	17.7	43	158.0
H756334		39	0.6	18.3	44	176.0
H756335		41	0.7	16.3	48	190.0
H756336		38	0.9	16.1	45	172.0
H756337		39	3.0	16.8	47	165.5
H756338		45	1.4	19.3	54	184.0
H756339		40	1.4	17.0	49	164.0
H756340		39	1.1	16.5	45	164.5
H756341		41	2.0	16.4	52	167.0
H756342		38	1.0	15.8	44	155.5
H756343		45	0.7	17.8	53	177.0
H756344		45	0.6	18.5	54	179.5
H756345		45	0.9	17.0	54	167.5
H756346		44	1.7	17.5	48	178.5
H756347		48	1.8	18.4	54	178.0
H756348		47	2.5	17.7	48	177.5
H756349		47	1.8	18.1	56	179.5
H756350		34	0.8	4.9	40	55.0
H756351		44	1.0	17.2	49	172.5
H756352		47	1.4	17.4	53	174.0
H756353		44	7.1	15.0	41	183.0
H756354		46	1.0	17.2	51	159.5
H756355		47	0.7	16.9	53	182.0
H756356		43	0.8	15.9	50	184.5
H756357		45	0.8	15.6	51	175.0
H756358		59	3.1	16.6	46	188.0
H756359		42	1.6	16.5	51	157.0
H756360		44	0.6	16.9	49	169.5
H756361		44	0.9	18.0	53	171.5
H756362		42	2.9	17.6	34	177.0
H756363		46	1.1	18.0	57	166.0
H756364		44	0.9	17.5	47	173.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au g/t 0.005	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
H756365		1.76	<0.005	0.11	6.84	5.1	640	1.39	0.05	1.89	0.06	45.0	8.0	32	3.53	11.9
H756366		1.77	<0.005	0.07	7.00	0.4	680	1.45	0.04	1.95	0.05	62.9	8.2	33	3.73	12.3
H756367		0.40	<0.005	0.05	7.02	11.3	850	1.51	0.05	1.75	0.03	79.1	8.1	29	3.46	12.3
H756368		1.23	<0.005	0.07	6.90	9.2	750	1.40	0.04	1.82	0.05	67.3	7.7	29	3.47	10.7
H756369		0.40	0.005	0.14	7.07	35.2	700	1.37	0.05	4.37	0.12	67.4	7.2	24	2.86	4.3
H756370		0.66	<0.005	0.07	6.89	10.0	680	1.46	0.04	1.79	0.03	68.5	7.5	32	3.37	8.8
H756371		1.64	<0.005	0.07	6.86	0.5	670	1.30	0.04	1.76	0.04	66.5	7.4	31	3.28	10.5
H756372		1.42	<0.005	0.10	6.98	1.2	650	1.35	0.04	1.68	0.03	72.7	7.1	23	3.43	9.0
H756373		0.41	<0.005	0.07	6.94	8.3	680	1.57	0.04	1.73	0.05	67.3	7.6	27	3.46	10.9
H756374		0.81	<0.005	0.06	6.94	2.1	570	1.71	0.05	1.74	0.05	68.3	7.2	27	3.80	11.3
H756375		0.77	<0.005	0.06	6.99	1.5	580	1.68	0.06	1.79	0.04	68.7	7.5	28	3.88	12.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
H756365		2.53	16.90	0.06	4.5	0.029	2.32	20.5	32.4	0.74	433	0.55	2.59	11.6	19.3	550
H756366		2.58	17.80	0.06	5.1	0.028	2.36	30.4	28.7	0.73	445	0.42	2.68	11.8	19.9	550
H756367		2.47	17.20	0.08	5.0	0.026	2.39	39.7	35.5	0.72	416	0.39	2.93	11.8	18.4	530
H756368		2.41	17.10	0.06	4.9	0.029	2.53	32.6	35.3	0.70	412	0.97	2.68	11.0	18.2	530
H756369		2.27	16.70	0.06	4.7	0.025	2.87	34.5	35.3	0.68	689	1.90	3.05	10.7	16.8	490
H756370		2.33	17.35	0.07	5.0	0.029	2.37	32.9	34.1	0.68	396	1.81	2.93	11.4	19.0	530
H756371		2.40	16.35	<0.05	4.8	0.028	2.54	33.0	27.4	0.66	403	1.45	2.54	10.5	17.3	500
H756372		2.31	17.05	0.06	4.9	0.019	2.53	37.7	25.4	0.56	354	0.67	2.65	11.9	14.7	490
H756373		2.39	16.50	0.07	4.6	0.027	2.30	32.6	30.9	0.65	392	0.67	3.05	11.2	16.9	510
H756374		2.26	17.45	0.07	5.3	0.026	2.53	33.0	29.8	0.63	395	1.86	2.65	12.6	16.8	490
H756375		2.43	17.45	0.06	4.7	0.024	2.55	33.9	29.9	0.63	423	2.24	2.62	12.4	17.3	470

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
H756365		14.7	105.0	<0.002	0.01	0.15	7.4	2	1.9	207	1.01	<0.05	11.9	0.274	0.59	3.0
H756366		16.1	108.0	<0.002	<0.01	0.09	7.2	2	1.9	216	1.06	<0.05	12.9	0.273	0.62	3.3
H756367		12.2	107.5	<0.002	0.02	0.28	7.3	2	1.8	203	1.06	<0.05	14.2	0.268	0.58	3.4
H756368		15.0	104.0	<0.002	0.01	0.22	6.9	2	1.8	204	0.96	<0.05	12.9	0.261	0.63	2.9
H756369		16.3	107.5	<0.002	<0.01	0.56	6.8	2	1.7	213	1.00	<0.05	13.2	0.241	0.56	3.0
H756370		16.1	100.5	<0.002	0.01	0.24	6.9	2	1.8	198.0	0.98	<0.05	12.7	0.261	0.61	3.1
H756371		16.0	105.0	<0.002	<0.01	0.10	6.4	2	1.7	198.0	0.95	<0.05	12.3	0.250	0.59	3.2
H756372		17.0	114.5	<0.002	<0.01	0.10	5.5	2	1.8	196.0	1.11	<0.05	14.2	0.258	0.64	3.7
H756373		15.5	106.0	<0.002	0.02	0.23	6.7	2	1.8	191.5	1.03	<0.05	13.3	0.252	0.60	3.4
H756374		17.5	123.0	<0.002	0.01	0.17	6.7	2	2.0	195.0	1.24	<0.05	14.8	0.245	0.65	4.2
H756375		18.0	123.0	<0.002	<0.01	0.16	6.7	2	2.0	197.0	1.26	<0.05	15.0	0.244	0.67	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
H756365		44	0.5	17.4	53	157.5
H756366		44	0.5	17.6	53	180.5
H756367		43	0.8	17.6	51	175.5
H756368		42	0.4	16.7	52	176.0
H756369		39	0.4	19.1	46	168.0
H756370		41	0.4	16.9	49	180.0
H756371		40	0.4	16.1	49	170.5
H756372		38	0.4	15.6	47	167.0
H756373		40	1.1	16.8	48	158.5
H756374		39	0.7	18.3	49	181.0
H756375		39	0.8	18.2	50	155.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **RAINY RIVER RESOURCES LTD.**
1620 WEST 8TH AVENUE
SUITE 303
VANCOUVER BC V6J 1V4

Finalized Date: 7-DEC-2010
Account: RRR

Project: TPK

CERTIFICATE OF ANALYSIS TB10172916

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.