ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

CERTIFICATE SD14131616

Project: 504
P.O. No.: 967839
This report is for 58 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2014.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P446852		3.82	0.002	<0.005	0.006	0.04	4.28	1.4	460	0.55	0.08	4.07	0.04	25.7	75.5	1940
P446853		0.88	0.002	<0.005	0.001	0.15	6.34	1.8	1670	3.31	0.55	3.80	0.04	257	29.4	467
P446854		0.78	<0.001	<0.005	<0.001	0.03	2.93	0.4	670	0.21	0.03	0.60	0.18	5.41	9.9	16
P446855		0.64	0.001	<0.005	0.001	<0.01	5.15	0.9	270	3.50	0.10	5.98	<0.02	107.5	37.5	176
P446856		0.73	0.001	<0.005	<0.001	0.02	6.13	0.7	540	2.04	0.09	3.81	0.02	76.7	10.6	28
P446857		0.83	<0.001	<0.005	<0.001	<0.01	7.07	0.5	370	1.62	0.14	3.51	<0.02	37.3	23.9	41
P446858		0.76	<0.001	<0.005	<0.001	0.02	7.19	0.3	280	1.19	0.11	2.51	<0.02	20.4	46.0	8
P446859		0.86	0.002	0.015	0.016	0.15	6.68	0.4	50	1.77	0.17	4.72	<0.02	28.9	67.7	40
P446860		1.22	0.002	0.015	0.019	0.02	6.85	0.4	360	0.59	0.04	4.82	0.03	22.8	49.2	35
P446861		1.66	0.001	0.017	0.020	0.03	6.94	0.7	230	0.95	0.04	3.76	<0.02	24.7	50.2	38
P446862		0.82	0.001	0.015	0.019	0.01	6.29	0.3	110	1.57	0.05	8.62	0.02	22.8	34.3	40
P446863		0.75	0.001	<0.005	<0.001	0.07	8.25	0.6	470	1.69	0.07	2.38	0.02	84.4	12.0	16
P446864		0.72	0.001	<0.005	<0.001	0.03	7.06	0.3	160	0.96	0.07	5.49	<0.02	57.8	13.1	18
P446865		0.67	0.001	<0.005	<0.001	0.11	8.19	<0.2	340	1.92	0.07	3.26	<0.02	48.3	21.5	10
P446866		0.58	0.003	<0.005	0.002	0.03	7.22	0.4	240	1.18	0.02	1.59	<0.02	54.1	5.1	11
P446867		1.01	0.001	<0.005	0.004	0.03	6.85	<0.2	540	1.09	0.03	4.60	0.06	50.5	42.1	7
P446868		0.93	0.001	<0.005	<0.001	0.11	6.82	0.2	570	0.97	0.03	4.50	0.05	46.2	49.4	9
P446869		0.04	0.129	0.324	5.13	0.18	5.58	1.1	40	0.11	0.14	4.80	0.08	2.38	85.9	280
P446870		0.37	<0.001	<0.005	<0.001	0.01	0.39	<0.2	10	0.05	0.03	0.05	<0.02	8.79	0.7	19
P446871		0.71	0.001	<0.005	0.001	0.03	7.25	<0.2	400	1.34	0.03	2.16	0.02	33.3	7.8	46
P446872		0.57	0.001	<0.005	<0.001	0.06	8.58	<0.2	1200	1.89	0.05	3.34	0.06	198.0	20.4	2
P446873		0.69	0.001	<0.005	<0.001	0.02	7.45	0.2	560	1.49	0.03	1.58	0.02	32.1	17.7	9
P446874		0.73	0.001	<0.005	<0.001	0.07	6.87	18.3	1610	0.78	0.14	1.20	0.02	81.5	35.4	5
P446875		2.06	0.001	<0.005	<0.001	0.05	6.88	0.3	660	1.14	0.02	4.22	0.07	34.8	45.7	34
P446876		1.03	0.001	<0.005	<0.001	0.04	6.36	<0.2	240	1.35	0.02	4.71	0.04	27.1	52.1	35
P446877		2.26	0.001	<0.005	<0.001	0.05	6.65	<0.2	290	1.40	0.02	5.15	0.05	26.4	48.5	41
P446878		2.10	0.002	<0.005	<0.001	0.09	6.29	<0.2	310	1.95	0.03	5.64	0.05	29.8	47.2	25
P446879		2.42	0.001	<0.005	<0.001	0.02	6.47	<0.2	210	0.45	0.01	2.66	0.03	40.9	2.4	12
P446880		1.00	0.001	<0.005	<0.001	0.02	7.13	0.2	280	0.44	0.02	1.21	<0.02	36.7	3.6	16
P446881		0.81	0.001	<0.005	<0.001	0.05	7.30	0.3	600	0.50	0.02	1.44	<0.02	56.7	3.3	33
P446882		0.69	0.001	<0.005	<0.001	0.01	7.24	<0.2	300	0.32	0.01	1.23	<0.02	35.9	2.1	11
P446883		1.63	0.002	<0.005	<0.001	0.02	6.73	0.2	600	0.69	0.02	4.55	0.02	28.6	4.4	18
P446884		1.88	0.001	<0.005	<0.001	13.20	6.51	<0.2	210	0.35	0.02	1.90	0.02	35.2	5.0	8
P446885		0.73	0.002	<0.005	<0.001	0.05	7.03	5.1	100	3.11	0.08	5.26	<0.02	49.0	115.5	23
P446886		1.10	0.002	<0.005	<0.001	0.04	6.31	1.3	100	3.52	0.06	4.78	<0.02	45.2	65.7	12
P446887		0.61	0.002	<0.005	<0.001	0.06	6.72	1.4	240	2.52	0.12	7.60	<0.02	60.5	38.9	10
P446888		0.73	0.003	<0.005	<0.001	0.06	7.05	<0.2	380	0.55	0.01	1.11	<0.02	33.1	4.6	8
P446889		0.62	0.001	<0.005	<0.001	0.03	6.65	<0.2	950	0.89	0.01	0.70	<0.02	91.3	7.4	11
P446890		0.04	0.128	0.344	5.38	0.16	5.18	0.5	40	0.08	0.15	4.53	0.09	2.11	82.8	260
P446891		0.28	0.001	<0.005	0.001	0.01	0.28	0.2	10	<0.05	0.02	0.02	<0.02	9.29	0.4	51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P446852		3.03	76.1	7.22	9.98	0.05	1.8	0.047	0.85	12.8	41.3	11.95	1340	0.41	0.57	3.4
P446853		0.31	144.5	4.39	15.05	0.19	2.4	0.058	1.33	113.0	12.4	3.04	949	9.22	3.57	100.5
P446854		0.43	4.9	0.57	6.10	<0.05	1.2	<0.005	3.13	2.5	1.0	0.08	76	0.46	0.57	0.8
P446855		0.84	37.1	7.20	17.50	0.13	4.8	0.067	0.56	54.4	46.0	4.14	1180	0.43	1.60	81.5
P446856		0.37	77.9	3.20	16.50	0.10	2.7	0.038	1.31	41.7	12.5	1.26	584	0.38	2.71	34.7
P446857		0.63	31.7	3.39	18.95	0.08	2.5	0.039	1.46	17.0	19.6	1.30	485	0.72	3.00	8.5
P446858		0.63	4.3	2.80	18.40	0.07	2.3	0.033	1.20	10.9	10.3	0.45	232	0.31	3.92	1.4
P446859		0.40	11.0	9.53	19.55	0.08	1.9	0.068	0.11	11.6	27.5	2.62	851	7.07	3.49	169.5
P446860		0.31	103.5	8.33	16.00	0.08	1.7	0.078	0.87	9.7	11.5	3.43	1260	0.55	2.82	3.0
P446861		0.70	445	8.59	16.95	0.08	1.4	0.052	0.60	10.2	34.3	3.61	942	0.64	2.44	4.4
P446862		0.14	79.3	7.51	20.4	0.05	1.6	0.081	0.35	9.8	6.1	2.57	1060	0.48	1.10	2.5
P446863		0.52	83.9	3.57	21.6	0.13	4.3	0.047	1.33	40.3	17.7	1.10	398	1.12	4.54	7.1
P446864		0.27	18.5	3.63	26.0	0.09	4.8	0.067	0.47	26.2	12.0	0.78	466	0.47	3.78	3.5
P446865		0.48	13.2	4.01	20.4	0.11	2.9	0.048	1.00	21.6	21.0	1.30	390	0.28	4.61	3.4
P446866		0.36	17.7	2.06	18.75	0.07	3.7	0.020	0.83	27.9	8.5	0.47	195	0.36	4.48	3.1
P446867		0.27	131.5	8.20	21.5	0.10	3.6	0.077	1.33	24.6	6.9	2.54	1140	0.49	3.26	5.0
P446868		0.43	155.0	8.53	20.4	0.10	3.1	0.071	1.44	22.0	8.3	2.56	1190	0.81	2.70	4.8
P446869		0.90	493	7.88	9.82	0.05	0.2	0.034	0.19	1.1	22.2	9.57	1440	0.58	0.56	0.2
P446870		<0.05	2.8	0.41	0.89	<0.05	1.8	0.007	0.11	4.3	0.3	0.03	46	0.29	0.09	0.2
P446871		0.35	30.9	2.26	19.45	0.07	2.5	0.033	1.15	16.4	11.7	0.73	271	0.23	3.78	2.7
P446872		2.49	77.8	6.29	23.6	0.27	3.3	0.066	2.49	82.4	25.0	1.60	719	0.55	3.34	9.0
P446873		0.47	4.7	1.78	19.15	0.06	2.6	0.017	1.79	16.8	11.6	0.43	191	0.22	3.76	2.3
P446874		0.56	5.1	1.51	15.05	0.11	4.3	0.015	4.31	41.6	3.8	0.16	119	0.57	2.65	1.2
P446875		0.30	147.5	8.43	19.45	0.10	3.0	0.071	1.23	17.3	13.2	2.92	1180	0.75	2.85	4.5
P446876		0.13	13.0	8.86	17.85	0.08	2.5	0.065	0.78	11.2	13.5	3.36	1580	0.66	2.63	4.5
P446877		0.18	212	8.80	18.35	0.08	2.3	0.080	0.85	11.5	10.0	3.33	1470	0.60	2.71	4.0
P446878		0.14	841	8.36	19.85	0.07	2.3	0.076	0.86	14.4	7.5	2.77	1480	0.56	2.59	4.3
P446879		0.27	64.1	2.12	19.50	0.07	2.3	0.022	0.98	19.5	7.0	0.32	289	0.16	3.93	2.5
P446880		0.38	18.6	1.92	17.65	0.07	2.7	0.021	1.25	17.5	8.1	0.44	246	0.22	4.49	3.2
P446881		0.28	30.7	2.04	19.60	0.09	3.4	0.036	2.27	26.6	7.7	0.51	289	0.18	3.87	4.4
P446882		0.18	27.2	1.46	16.35	0.07	2.7	0.013	1.09	16.5	5.8	0.33	213	0.15	4.71	2.7
P446883		0.22	213	3.68	30.8	0.10	1.7	0.036	4.09	13.7	7.8	0.41	462	0.21	1.27	2.4
P446884		0.14	184.5	1.72	15.60	0.07	2.4	0.019	1.29	18.3	4.2	0.25	249	0.35	4.08	2.9
P446885		0.15	163.5	9.53	32.5	0.11	3.5	0.097	0.36	24.4	17.3	3.07	1900	1.07	2.41	9.0
P446886		0.44	50.1	8.33	22.3	0.10	4.4	0.073	0.39	20.2	19.9	3.15	1320	0.69	2.39	9.9
P446887		0.91	51.5	6.25	36.5	0.09	3.2	0.082	1.36	31.5	22.5	1.35	1060	0.86	1.69	5.7
P446888		0.16	1340	1.99	16.40	0.06	2.6	0.018	1.14	17.7	8.4	0.53	267	0.23	4.56	3.1
P446889		0.34	37.7	1.99	16.90	0.10	3.3	0.019	2.46	47.6	7.1	0.55	235	0.38	3.37	3.2
P446890		0.87	470	7.41	9.53	0.05	0.2	0.026	0.18	1.0	20.8	8.99	1370	0.56	0.53	0.2
P446891		<0.05	3.0	0.36	0.73	<0.05	1.0	0.005	0.09	4.5	0.3	0.02	36	0.30	0.03	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P446852		799	380	9.9	62.1	0.003	0.06	0.16	24.1	1	0.6	133.0	0.22	<0.05	2.8	0.285
P446853		155.0	600	41.8	39.7	0.003	0.09	0.15	14.9	1	0.9	538	0.32	<0.05	12.5	0.218
P446854		4.3	10	103.0	85.8	<0.002	0.21	0.05	0.5	<1	0.2	67.9	<0.05	<0.05	13.3	0.018
P446855		114.5	1750	5.3	23.9	0.002	0.03	0.11	25.9	1	2.0	336	4.13	<0.05	13.9	1.215
P446856		22.9	810	7.5	54.5	0.003	0.11	0.08	7.4	1	0.7	851	1.79	<0.05	5.8	0.423
P446857		18.3	560	5.3	61.5	0.002	0.60	0.05	10.1	1	1.4	326	0.71	<0.05	10.2	0.239
P446858		9.2	260	3.9	66.3	0.002	1.20	0.05	1.2	<1	0.7	411	0.06	<0.05	0.8	0.116
P446859		54.4	490	2.9	3.4	0.003	0.79	0.15	30.8	2	0.9	398	0.28	0.07	5.2	0.468
P446860		59.6	410	3.4	28.8	0.002	0.12	0.15	38.4	1	0.7	593	0.17	<0.05	1.8	0.432
P446861		63.7	410	2.2	25.2	0.002	0.11	0.13	39.6	1	0.6	300	0.16	<0.05	2.4	0.426
P446862		46.9	410	6.9	8.4	0.002	0.09	0.16	36.5	1	0.7	2010	0.17	0.05	1.7	0.418
P446863		8.6	690	11.5	34.8	<0.002	0.02	<0.05	10.9	1	1.6	427	0.71	<0.05	24.3	0.247
P446864		10.4	2060	4.0	11.9	<0.002	0.37	<0.05	5.5	1	2.0	707	0.42	<0.05	1.2	0.365
P446865		13.1	980	3.4	33.7	<0.002	0.08	<0.05	10.8	1	1.5	426	0.18	<0.05	2.3	0.329
P446866		8.5	430	2.4	33.0	<0.002	<0.01	<0.05	1.4	<1	0.7	349	0.21	<0.05	8.2	0.176
P446867		46.5	730	19.1	44.3	<0.002	0.09	<0.05	26.8	2	1.1	564	0.35	<0.05	3.7	0.639
P446868		50.0	700	6.4	67.4	0.002	0.08	<0.05	25.9	1	0.9	449	0.33	<0.05	3.4	0.623
P446869		742	30	4.4	7.5	<0.002	0.18	0.44	41.3	1	0.2	82.8	<0.05	0.40	<0.2	0.104
P446870		2.2	10	0.6	2.9	<0.002	<0.01	<0.05	0.4	<1	<0.2	5.8	<0.05	<0.05	1.6	0.011
P446871		16.7	440	4.6	50.2	<0.002	0.01	<0.05	6.4	1	0.9	456	0.18	<0.05	2.7	0.179
P446872		5.4	4380	12.8	100.5	<0.002	0.11	<0.05	10.7	1	1.9	772	0.39	<0.05	9.0	0.622
P446873		7.1	310	5.9	76.4	<0.002	0.26	<0.05	2.3	1	0.6	372	0.19	<0.05	4.3	0.128
P446874		5.4	260	16.1	122.5	<0.002	0.96	<0.05	1.0	1	0.5	221	0.09	0.08	22.9	0.086
P446875		54.0	550	2.7	45.6	0.002	0.02	<0.05	37.3	2	1.0	319	0.31	<0.05	3.6	0.591
P446876		63.6	540	2.7	23.1	0.002	0.01	<0.05	40.9	1	0.9	374	0.33	<0.05	2.8	0.618
P446877		65.0	470	3.4	30.1	<0.002	0.03	<0.05	39.9	1	0.9	539	0.29	<0.05	2.5	0.557
P446878		49.1	510	3.6	27.9	0.002	0.12	<0.05	36.3	2	1.0	636	0.31	<0.05	2.8	0.577
P446879		7.2	370	3.4	35.3	<0.002	0.02	<0.05	2.6	1	0.8	480	0.12	<0.05	3.9	0.159
P446880		10.1	370	3.5	45.1	<0.002	0.07	<0.05	3.4	1	1.1	186.5	0.17	<0.05	6.4	0.166
P446881		13.4	450	4.3	59.8	<0.002	0.01	<0.05	5.4	1	1.3	577	0.26	<0.05	12.0	0.210
P446882		7.1	310	3.5	29.6	<0.002	<0.01	<0.05	2.1	<1	0.8	347	0.18	<0.05	5.2	0.130
P446883		8.3	360	5.7	90.9	<0.002	0.03	0.10	3.1	<1	0.9	1690	0.17	<0.05	2.5	0.130
P446884		5.3	230	4.3	31.4	<0.002	0.04	<0.05	1.3	1	0.6	460	0.33	<0.05	7.3	0.117
P446885		52.4	680	4.6	7.8	0.003	0.56	0.07	38.5	3	1.7	1280	0.54	<0.05	4.3	0.806
P446886		43.1	840	2.7	16.5	0.002	0.25	<0.05	31.0	1	1.4	781	0.51	<0.05	5.1	0.820
P446887		15.0	600	3.9	70.5	<0.002	0.59	0.05	21.4	1	1.4	798	0.37	<0.05	4.3	0.573
P446888		9.0	330	2.7	33.8	<0.002	0.14	<0.05	2.1	1	0.6	277	0.09	<0.05	2.9	0.141
P446889		8.4	490	5.3	83.7	<0.002	0.02	<0.05	2.7	1	0.8	292	0.14	<0.05	11.3	0.181
P446890		698	20	4.0	7.5	<0.002	0.17	0.52	39.0	1	<0.2	79.2	<0.05	0.41	<0.2	0.098
P446891		2.3	10	<0.5	2.8	<0.002	<0.01	<0.05	0.2	<1	<0.2	4.6	<0.05	<0.05	1.2	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P446852		0.55	0.7	141	0.3	14.3	111	76.9
P446853		0.22	3.6	97	0.8	11.5	123	97.0
P446854		0.47	3.0	3	0.1	2.8	15	27.7
P446855		0.15	2.7	198	0.7	22.8	143	195.5
P446856		0.25	1.8	79	0.4	9.0	38	118.0
P446857		0.33	3.3	73	0.4	13.4	54	83.7
P446858		0.33	0.4	26	0.9	4.5	22	77.8
P446859		0.04	0.7	234	1.1	17.7	97	54.1
P446860		0.16	0.4	256	0.4	17.9	85	55.1
P446861		0.18	0.4	256	0.6	18.4	78	48.3
P446862		0.06	0.4	228	0.3	18.3	59	53.8
P446863		0.27	7.6	72	0.3	14.7	42	137.0
P446864		0.12	0.9	67	0.4	10.7	32	163.0
P446865		0.26	0.8	100	0.2	12.8	41	107.0
P446866		0.19	0.9	31	0.1	3.1	20	127.0
P446867		0.28	0.9	263	0.5	17.7	80	117.0
P446868		0.36	0.8	260	0.2	16.8	82	106.0
P446869		0.10	<0.1	156	0.7	2.6	95	5.5
P446870		0.08	0.3	3	<0.1	0.8	<2	64.0
P446871		0.27	0.4	38	0.2	6.8	32	85.7
P446872		0.83	1.1	121	0.1	29.6	122	156.5
P446873		0.43	0.9	24	0.1	3.0	24	87.5
P446874		0.73	1.7	18	0.1	4.1	11	143.5
P446875		0.26	0.7	283	0.4	25.3	105	97.1
P446876		0.15	0.7	289	0.4	25.5	124	83.9
P446877		0.17	0.6	283	0.4	24.8	109	79.0
P446878		0.16	0.7	267	0.4	24.8	98	75.9
P446879		0.24	0.6	48	0.1	4.8	18	79.4
P446880		0.28	0.9	28	0.1	5.0	21	91.2
P446881		0.36	1.4	40	0.1	8.9	30	119.5
P446882		0.18	0.8	23	0.1	4.0	22	89.5
P446883		0.56	1.0	68	0.1	6.8	31	57.4
P446884		0.19	0.7	43	0.1	4.0	18	77.9
P446885		0.07	1.7	333	0.9	39.4	156	133.0
P446886		0.17	1.1	288	0.5	26.9	112	145.5
P446887		0.44	1.1	265	0.6	25.0	47	114.5
P446888		0.23	0.7	34	0.1	5.0	31	89.1
P446889		0.49	0.6	33	0.1	5.3	30	111.5
P446890		0.10	<0.1	147	1.3	2.5	91	5.3
P446891		0.10	0.3	1	<0.1	0.7	<2	35.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P446892		0.69	0.001	<0.005	0.001	0.06	5.75	0.7	260	2.89	0.03	4.03	0.02	104.5	45.7	210
P446893		0.74	0.001	<0.005	<0.001	0.01	7.19	<0.2	330	1.03	0.01	1.21	0.02	45.2	6.5	14
P446894		0.59	0.001	<0.005	0.002	0.05	6.93	0.2	820	1.44	0.06	1.86	0.02	65.3	15.3	57
P446895		0.75	0.001	<0.005	0.003	0.05	7.54	0.8	660	2.00	0.06	2.54	<0.02	77.7	18.1	104
P446896		0.75	<0.001	<0.005	<0.001	0.04	7.23	0.4	870	1.32	0.01	1.25	0.02	31.3	6.6	7
P446897		2.03	<0.001	<0.005	0.001	0.11	7.26	2.1	1350	1.76	0.03	1.64	0.70	141.0	11.9	56
P446898		1.47	0.001	<0.005	0.003	0.18	6.68	10.2	990	1.52	0.03	2.86	3.34	66.1	20.7	88
P446899		1.20	0.001	<0.005	0.002	0.38	4.93	14.4	440	1.65	0.04	3.49	28.6	37.8	18.1	43
P446900		0.94	0.003	<0.005	0.001	0.45	4.98	13.7	660	1.02	0.11	2.63	14.45	64.6	18.8	47
P448151		1.11	0.002	<0.005	0.003	0.06	6.94	6.5	960	1.59	0.06	2.29	0.46	65.8	21.8	85
P448152		1.28	0.002	<0.005	0.004	0.04	7.05	1.1	1080	1.55	0.03	1.82	0.03	81.2	14.8	85
P448153		0.63	0.001	<0.005	<0.001	0.04	7.30	0.3	1570	1.16	0.02	0.51	0.03	138.5	2.5	7
P448154		0.75	0.001	<0.005	<0.001	0.03	6.20	0.3	1220	0.97	0.01	1.05	0.04	184.0	2.6	9
P448155		0.74	0.001	<0.005	<0.001	0.01	6.72	0.3	710	1.18	0.01	2.38	<0.02	41.9	7.3	15
P448156		0.62	<0.001	<0.005	<0.001	0.04	7.07	0.8	260	1.54	<0.01	1.41	0.03	9.65	3.5	5
P448157		0.61	0.001	0.005	0.001	0.03	6.37	1.6	380	1.83	0.06	7.05	0.02	46.6	28.0	323
P448158		0.04	0.122	0.339	5.24	0.15	5.27	0.5	40	0.12	0.16	4.66	0.07	2.25	84.1	259
P448159		0.21	<0.001	<0.005	<0.001	0.01	0.25	0.2	10	<0.05	0.03	0.03	<0.02	8.52	0.3	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
P446892		0.15	80.5	8.59	18.45	0.17	5.3	0.101	0.62	51.1	9.3	3.28	1060	0.84	3.44	19.4
P446893		0.22	1.6	1.83	18.80	0.06	2.3	0.016	1.10	23.6	5.6	0.51	200	0.28	4.45	3.2
P446894		0.29	50.9	4.01	20.9	0.11	3.0	0.035	1.83	32.4	21.3	1.55	475	0.60	2.61	4.0
P446895		0.28	17.9	5.93	22.7	0.13	3.8	0.049	1.00	39.2	32.6	2.50	759	1.03	2.51	7.2
P446896		0.32	6.1	1.59	17.60	0.08	2.2	0.014	2.11	16.5	7.9	0.47	208	0.23	3.82	1.6
P446897		0.64	56.7	3.43	22.2	0.18	4.5	0.026	3.43	74.8	17.9	1.30	800	1.40	2.56	10.8
P446898		0.39	65.3	5.03	18.10	0.13	4.1	0.029	1.70	33.6	21.0	2.37	1310	3.85	2.77	7.6
P446899		0.19	140.0	4.22	13.25	0.11	3.1	0.033	2.37	17.9	12.1	3.61	1200	8.88	2.14	7.4
P446900		0.29	139.5	4.10	12.45	0.11	3.2	0.143	2.81	32.7	56.2	3.63	900	17.75	1.11	7.4
P448151		0.42	178.0	4.42	18.50	0.13	3.6	0.029	1.86	33.1	23.9	1.78	861	4.84	3.15	6.5
P448152		0.51	93.0	5.43	20.6	0.14	4.3	0.059	1.92	41.8	24.2	2.15	927	2.48	2.64	10.2
P448153		0.66	44.2	1.64	19.60	0.20	3.9	0.013	5.40	74.1	5.6	0.32	168	1.06	2.52	11.5
P448154		0.49	88.5	1.56	16.75	0.21	4.6	0.018	4.02	96.1	5.9	0.36	216	0.73	2.30	14.2
P448155		0.53	1.6	1.85	17.85	0.10	2.5	0.020	1.78	20.5	4.3	0.97	493	0.18	3.37	3.3
P448156		0.64	1.6	1.21	18.20	0.05	2.7	0.020	1.75	4.4	4.1	0.49	294	0.18	3.50	2.2
P448157		0.79	1.5	4.06	22.9	0.12	3.8	0.027	2.21	21.8	9.3	2.96	1440	0.21	1.64	32.4
P448158		0.89	487	7.57	10.05	0.06	0.2	0.028	0.19	1.0	23.4	9.20	1400	0.59	0.54	0.3
P448159		<0.05	1.3	0.38	0.69	<0.05	0.6	<0.005	0.08	4.5	0.2	0.02	43	0.17	0.03	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
P446892		149.5	1180	4.6	14.9	<0.002	0.10	0.08	14.1	2	1.6	376	1.09	<0.05	4.1	0.825
P446893		9.3	340	4.1	40.9	<0.002	0.04	<0.05	2.8	1	0.7	386	0.21	<0.05	7.4	0.158
P446894		33.0	500	5.4	54.3	<0.002	0.06	0.05	8.2	1	0.7	455	0.26	<0.05	7.6	0.241
P446895		64.1	790	6.9	21.0	<0.002	0.05	0.15	15.3	1	1.1	545	0.43	<0.05	7.0	0.391
P446896		9.7	270	5.8	75.2	<0.002	0.04	0.07	2.2	<1	0.4	362	0.07	<0.05	5.6	0.127
P446897		33.7	770	162.5	113.5	0.002	0.07	0.16	9.4	1	1.0	358	0.67	<0.05	28.5	0.336
P446898		61.8	670	450	54.4	0.002	0.23	0.25	13.8	1	0.7	315	0.49	<0.05	7.6	0.333
P446899		53.5	480	991	71.3	0.003	0.70	0.33	7.8	1	0.6	51.8	0.56	<0.05	7.7	0.197
P446900		45.4	470	114.0	82.7	0.003	0.56	0.29	9.0	1	0.4	70.4	0.56	0.05	7.7	0.201
P448151		53.8	670	12.7	59.0	<0.002	0.15	0.11	12.1	1	0.7	253	0.41	<0.05	6.8	0.314
P448152		60.2	720	11.1	63.5	<0.002	0.04	0.12	14.1	1	1.3	369	0.61	<0.05	10.5	0.361
P448153		3.8	410	8.3	168.0	<0.002	0.01	0.07	1.7	1	1.5	185.0	1.27	<0.05	15.8	0.170
P448154		3.5	520	8.1	126.5	<0.002	0.01	0.05	1.7	1	1.8	170.5	1.60	<0.05	16.1	0.217
P448155		29.2	410	4.3	73.0	<0.002	0.05	0.06	2.7	1	0.7	329	0.54	<0.05	8.5	0.145
P448156		18.6	250	4.2	80.0	<0.002	0.01	0.07	1.5	<1	0.5	177.5	0.25	<0.05	14.0	0.087
P448157		120.5	860	4.3	89.0	<0.002	0.64	0.12	12.6	1	1.4	176.5	0.73	<0.05	49.9	0.544
P448158		716	10	5.6	8.1	<0.002	0.17	0.49	41.0	1	<0.2	83.3	<0.05	0.48	<0.2	0.101
P448159		1.9	10	0.6	2.7	<0.002	<0.01	0.08	0.2	<1	<0.2	3.3	<0.05	<0.05	1.0	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P446892		0.08	0.6	161	0.4	27.9	77	189.0
P446893		0.22	0.7	25	0.2	4.0	17	77.1
P446894		0.36	1.4	73	0.3	10.1	53	102.0
P446895		0.18	1.6	123	0.3	18.3	94	145.0
P446896		0.40	0.4	23	0.1	3.2	19	77.2
P446897		0.61	3.7	72	0.4	16.2	256	159.5
P446898		0.31	2.4	117	0.4	17.6	1060	144.0
P446899		0.42	4.0	86	0.4	12.2	6650	109.0
P446900		0.40	4.1	89	0.3	15.9	4790	110.5
P448151		0.31	1.9	102	0.3	16.5	285	132.0
P448152		0.33	2.4	120	0.4	18.9	101	155.5
P448153		0.86	2.2	20	0.2	20.7	20	132.5
P448154		0.63	1.1	21	0.1	26.3	21	160.0
P448155		0.35	1.6	27	0.1	5.6	10	80.6
P448156		0.38	1.7	20	0.2	3.7	8	87.8
P448157		0.47	2.7	107	0.3	19.3	7	140.5
P448158		0.10	<0.1	151	1.2	2.7	90	5.8
P448159		0.07	0.2	1	<0.1	0.7	2	18.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-SEP-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14131616

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23