ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

CERTIFICATE SD14042602

Project: 504

P.O. No.: 453061

This report is for 40 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 19-MAR-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN	JOSHUA BAILEY	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: PETER ANDERSEN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14042602

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
N985851		2.25	<0.001	<0.005	<0.001	0.23	6.84	0.5	2620	0.75	0.02	1.99	0.10	220	25.3	119
N985852		1.23	<0.001	<0.005	<0.001	0.08	9.65	0.4	840	1.49	0.05	4.44	0.10	83.6	21.7	19
N985853		1.23	<0.001	<0.005	<0.001	0.05	8.04	<0.2	780	1.79	0.03	3.28	0.06	84.5	22.9	118
N985854		0.75	0.002	<0.005	0.003	0.05	4.75	<0.2	210	1.80	0.03	6.33	0.12	64.1	43.6	634
N985855		3.35	0.001	<0.005	0.004	0.14	3.38	1.2	100	1.78	0.03	6.34	0.09	48.6	78.3	920
N985856		3.82	0.001	<0.005	0.002	0.09	2.79	1.1	130	0.83	0.03	4.08	0.08	40.3	101.5	1040
N985857		3.92	0.002	<0.005	0.003	0.14	3.49	1.3	170	1.06	0.04	5.26	0.34	50.4	79.5	763
N985858		0.42	0.001	<0.005	0.002	1.98	2.73	<0.2	100	0.91	2.05	14.30	0.41	26.1	29.7	592
N985859		2.93	<0.001	<0.005	0.001	0.14	9.02	0.3	1300	1.27	0.02	3.13	0.09	62.3	17.6	43
N985860		4.17	<0.001	<0.005	<0.001	0.12	7.46	0.3	860	1.33	0.02	3.53	0.15	59.7	34.1	257
N985861		3.72	0.001	<0.005	0.004	0.05	3.79	0.5	240	0.78	0.02	5.94	0.06	38.4	72.9	1150
N985862		3.62	0.002	<0.005	0.003	0.14	6.36	0.5	500	1.24	0.03	4.68	0.12	66.2	56.1	472
N985863		4.00	0.001	<0.005	0.002	0.14	6.39	0.2	490	1.38	0.03	4.62	0.10	72.0	56.9	403
N985864		3.39	0.001	<0.005	0.002	0.10	6.16	0.7	550	1.73	0.03	4.53	0.10	83.7	61.5	495
N985865		3.70	0.002	<0.005	0.003	0.09	6.11	0.7	470	1.58	0.03	4.50	0.07	76.0	61.2	469
N985866		2.09	0.005	0.021	0.021	0.26	7.07	<0.2	380	0.70	0.04	6.68	0.38	27.9	52.8	41
N985867		2.58	0.002	0.005	0.003	0.47	6.06	0.2	350	1.66	0.03	4.41	0.31	76.2	58.5	467
N985868		3.31	0.001	<0.005	0.002	0.64	6.03	0.4	230	1.53	0.02	4.93	0.22	76.1	56.4	450
N985869		4.26	0.001	<0.005	0.004	0.07	5.90	<0.2	510	1.52	0.03	4.42	0.08	74.6	63.7	544
N985870		0.04	0.143	0.335	5.43	0.19	5.66	0.6	40	0.10	0.21	4.73	0.06	2.40	81.1	264
N985871		0.46	0.002	<0.005	0.001	0.01	0.30	0.4	10	0.05	0.03	0.02	<0.02	8.21	0.5	23
N985872		3.71	0.002	0.006	0.003	0.06	5.20	0.5	430	1.22	0.03	4.44	0.08	61.7	69.8	687
N985873		3.65	0.002	0.006	0.005	0.07	4.57	<0.2	340	1.06	0.02	4.64	0.07	50.3	82.1	753
N985874		4.13	0.001	0.005	0.003	0.07	4.39	<0.2	350	1.03	0.02	4.39	0.06	52.1	81.9	842
N985875		3.53	0.001	<0.005	0.003	0.07	4.07	0.3	350	0.89	0.01	4.75	0.10	47.5	84.8	963
N985876		3.77	0.001	<0.005	0.002	0.11	3.93	1.2	330	0.91	0.01	4.53	0.11	45.8	91.8	722
N985877		3.98	0.002	0.005	0.003	0.09	4.08	<0.2	330	0.98	0.01	3.98	0.08	48.6	92.3	803
N985878		3.46	0.001	<0.005	0.002	0.05	3.33	0.6	240	0.76	0.02	4.31	0.06	39.4	99.0	1020
N985879		3.96	0.001	<0.005	0.002	0.10	3.66	0.2	240	0.84	0.02	4.24	0.11	42.8	91.1	1020
N985880		3.69	<0.001	<0.005	0.001	0.22	7.11	0.6	260	0.70	0.03	6.11	0.28	31.8	47.5	57
N985881		2.33	0.002	<0.005	0.002	0.12	7.34	0.4	240	0.74	0.03	6.27	0.15	31.9	49.0	58
N985882		3.87	0.002	0.005	0.005	0.14	3.19	0.2	160	0.89	0.02	3.79	0.58	37.6	101.0	1160
N985883		2.97	0.002	0.006	0.003	0.07	3.66	<0.2	230	0.88	0.02	4.20	0.04	41.8	95.3	982
N985884		1.27	0.001	<0.005	0.003	0.05	3.38	<0.2	240	0.80	0.01	3.96	0.05	40.0	101.5	963
N985885		3.91	0.002	<0.005	0.002	0.07	3.69	0.3	260	0.86	0.02	4.35	0.07	43.8	86.4	979
N985886		1.48	0.005	0.021	0.025	0.26	6.98	0.4	360	0.53	0.03	6.91	0.99	25.1	57.2	109
N985887		2.89	0.001	0.007	0.006	2.72	4.37	0.4	270	1.00	0.02	4.56	0.28	43.9	87.1	543
N985888		3.86	0.001	0.005	0.004	0.08	4.16	<0.2	280	0.92	0.02	4.52	0.28	44.0	85.9	695
N985889		0.05	0.130	0.307	5.35	0.19	5.65	0.6	30	0.09	0.13	4.74	0.08	2.45	80.3	258
N985890		0.56	0.001	<0.005	0.001	0.01	0.19	0.3	<10	<0.05	0.02	0.02	<0.02	6.50	0.4	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14042602

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
N985851		0.40	25.5	1.98	15.00	0.24	3.2	0.017	3.67	123.5	9.8	1.32	378	0.26	2.33	1.8
N985852		0.72	18.9	6.62	25.6	0.15	4.1	0.068	1.61	35.9	24.5	1.71	1040	0.58	3.63	6.7
N985853		1.00	27.6	4.55	22.3	0.20	2.5	0.049	1.80	37.1	24.4	2.58	733	0.47	3.39	7.5
N985854		0.51	427	7.70	16.55	0.13	2.3	0.088	0.76	24.1	19.2	7.76	1700	0.24	1.13	6.0
N985855		1.35	213	9.56	11.95	0.11	2.9	0.058	0.70	22.3	24.4	11.45	1660	0.63	0.67	10.2
N985856		1.11	164.0	9.49	8.39	0.09	2.3	0.044	0.72	18.9	22.5	13.80	1330	0.44	0.49	8.3
N985857		1.71	211	9.18	10.75	0.10	2.9	0.055	0.99	23.7	23.4	10.70	1520	0.53	0.94	10.4
N985858		0.33	23.2	6.74	11.90	0.07	2.1	0.050	0.11	11.4	35.7	6.75	1320	0.52	0.15	7.5
N985859		1.33	26.2	4.31	25.3	0.19	3.7	0.031	1.70	30.6	24.5	1.55	465	0.44	3.42	5.9
N985860		1.16	76.0	5.42	21.3	0.14	3.9	0.039	1.43	29.9	14.8	3.52	738	0.72	2.93	8.9
N985861		0.64	92.0	8.24	11.75	0.10	2.4	0.049	0.59	18.1	8.3	9.32	1280	0.47	1.35	6.2
N985862		1.87	153.0	7.98	18.70	0.11	4.1	0.057	1.23	31.5	15.5	5.34	1140	0.71	2.44	10.7
N985863		2.63	150.0	8.35	18.90	0.14	4.6	0.058	1.26	34.7	17.7	5.23	1160	0.87	2.54	12.0
N985864		1.54	158.5	8.80	19.95	0.15	5.1	0.068	1.31	39.3	8.2	5.73	1160	1.01	2.56	13.6
N985865		2.21	151.0	8.42	19.05	0.14	4.7	0.063	1.25	37.0	15.8	5.73	1120	0.97	2.49	12.9
N985866		1.05	274	9.91	16.65	0.14	2.6	0.111	0.74	12.3	22.2	3.47	1840	0.45	2.01	4.9
N985867		2.98	89.6	9.03	18.55	0.17	4.9	0.080	1.31	37.3	35.1	5.57	1630	1.19	2.47	12.8
N985868		1.69	75.3	8.60	18.25	0.15	4.7	0.085	0.78	36.5	28.7	5.60	1520	0.95	2.52	12.4
N985869		1.33	155.0	8.43	18.40	0.16	4.7	0.065	1.20	36.0	10.3	6.16	1160	0.86	2.38	12.4
N985870		0.95	475	7.81	8.82	0.09	0.2	0.025	0.19	1.1	20.9	9.29	1420	0.47	0.55	0.2
N985871		<0.05	1.8	0.22	0.63	0.12	0.8	<0.005	0.11	4.1	0.3	0.02	22	0.33	0.03	0.2
N985872		1.10	157.5	8.55	16.05	0.16	4.0	0.058	0.99	29.6	9.9	7.32	1140	0.74	2.01	10.4
N985873		0.86	140.0	9.20	13.85	0.12	3.3	0.055	0.77	23.8	10.3	9.53	1280	0.71	1.71	8.8
N985874		1.17	156.5	8.98	13.50	0.12	3.3	0.051	0.81	24.4	11.2	10.20	1280	0.67	1.63	9.3
N985875		0.96	139.5	9.07	12.65	0.11	3.0	0.049	0.74	22.9	12.2	10.95	1340	0.63	1.55	8.4
N985876		1.03	128.5	9.45	12.00	0.13	2.9	0.053	0.72	21.4	12.9	11.45	1420	0.61	1.48	7.9
N985877		1.02	149.0	9.23	12.70	0.13	3.1	0.052	0.71	23.1	10.7	11.95	1340	0.63	1.62	8.6
N985878		0.63	117.5	9.37	10.35	0.13	2.5	0.044	0.55	18.6	7.7	13.10	1360	0.51	1.34	7.1
N985879		0.95	121.5	9.09	11.50	0.12	2.7	0.049	0.61	19.6	10.5	12.20	1310	0.56	1.29	7.6
N985880		1.49	178.0	9.73	18.50	0.13	2.9	0.088	0.72	13.3	17.2	3.33	1640	0.55	1.99	5.3
N985881		1.58	144.5	10.15	18.90	0.13	3.0	0.086	0.70	13.6	16.4	3.30	1680	0.59	2.02	5.4
N985882		0.89	116.0	8.97	10.75	0.13	2.5	0.052	0.48	17.3	13.4	13.00	1190	0.54	0.98	7.3
N985883		0.88	152.0	9.32	11.70	0.12	2.6	0.046	0.58	19.4	12.4	12.35	1310	0.51	1.21	7.7
N985884		0.78	116.5	9.71	10.65	0.12	2.7	0.045	0.53	18.8	8.8	13.60	1320	0.54	1.33	7.3
N985885		1.50	129.0	8.63	11.80	0.13	2.8	0.050	0.62	20.6	16.1	11.40	1300	0.54	1.23	7.9
N985886		1.11	155.5	9.43	15.25	0.11	2.2	0.075	0.61	10.8	26.9	4.98	1800	0.46	1.86	4.2
N985887		1.14	143.5	8.87	12.90	0.11	2.7	0.049	0.73	20.8	17.1	10.70	1300	0.52	1.39	7.8
N985888		0.89	144.0	8.85	12.40	0.12	2.8	0.050	0.67	21.0	11.5	10.90	1300	0.65	1.58	8.2
N985889		0.96	478	7.73	8.91	0.09	0.2	0.024	0.19	1.2	20.1	9.23	1410	0.50	0.55	0.2
N985890		<0.05	1.6	0.22	0.43	0.10	0.5	<0.005	0.06	3.2	0.3	0.03	23	0.25	0.03	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14042602

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
N985851		29.3	550	17.6	73.8	<0.002	0.23	<0.05	5.3	<1	0.5	608	0.10	<0.05	27.7	0.173
N985852		7.4	1840	13.7	38.4	<0.002	0.29	<0.05	13.4	1	1.8	1015	0.34	<0.05	5.2	0.574
N985853		40.6	1630	5.9	47.6	<0.002	0.15	<0.05	14.8	1	1.5	632	0.46	<0.05	5.7	0.449
N985854		193.5	1060	2.7	22.6	<0.002	0.11	<0.05	40.6	1	1.6	211	0.52	<0.05	1.8	0.495
N985855		1050	540	4.3	40.2	<0.002	0.07	0.10	20.0	1	1.2	131.5	0.70	<0.05	4.0	0.616
N985856		1410	450	5.8	28.9	<0.002	0.08	0.10	16.1	1	0.9	138.5	0.58	<0.05	3.3	0.514
N985857		963	560	9.2	53.1	<0.002	0.15	0.08	17.9	1	1.1	206	0.71	<0.05	4.3	0.617
N985858		556	420	3410	7.0	<0.002	0.06	0.05	17.3	2	0.8	107.0	0.50	0.27	2.9	0.460
N985859		27.7	1900	17.5	57.2	<0.002	0.03	<0.05	7.2	1	1.1	886	0.29	<0.05	2.3	0.538
N985860		224	1180	15.1	42.5	<0.002	0.03	<0.05	10.4	1	1.3	739	0.55	<0.05	4.1	0.634
N985861		728	530	4.1	23.8	<0.002	0.03	<0.05	27.1	1	0.8	307	0.40	<0.05	3.4	0.560
N985862		411	1010	9.5	52.4	<0.002	0.07	<0.05	17.3	1	1.4	554	0.70	<0.05	5.6	0.823
N985863		406	1110	11.2	61.4	<0.002	0.08	0.05	17.8	1	1.5	468	0.78	<0.05	6.2	0.913
N985864		456	1250	8.9	54.3	<0.002	0.08	0.05	18.7	2	1.7	496	0.88	<0.05	7.1	0.971
N985865		464	1130	9.4	59.3	<0.002	0.09	0.06	17.8	1	1.5	508	0.81	<0.05	6.5	0.940
N985866		63.2	530	30.4	26.0	0.002	0.10	0.09	44.2	1	1.0	408	0.32	<0.05	2.2	0.654
N985867		462	1170	25.5	69.1	<0.002	0.07	0.06	17.9	2	1.6	387	0.80	<0.05	6.7	0.934
N985868		446	1170	36.6	41.0	<0.002	0.07	0.06	16.6	1	1.8	361	0.79	<0.05	6.4	0.898
N985869		509	1090	9.5	48.6	<0.002	0.07	<0.05	18.0	1	1.6	472	0.80	<0.05	6.7	0.890
N985870		742	20	7.1	8.0	<0.002	0.18	0.50	41.4	2	<0.2	84.2	<0.05	0.46	<0.2	0.103
N985871		2.8	20	0.7	2.9	<0.002	0.01	0.08	0.2	<1	<0.2	3.2	<0.05	<0.05	0.9	0.008
N985872		630	900	7.6	40.8	<0.002	0.06	<0.05	18.0	1	1.3	409	0.67	<0.05	5.7	0.803
N985873		890	710	7.1	29.2	<0.002	0.03	<0.05	18.8	1	1.0	372	0.58	<0.05	4.3	0.702
N985874		992	730	9.9	34.1	<0.002	0.02	<0.05	17.3	1	1.1	354	0.60	0.05	4.6	0.720
N985875		1060	670	17.3	28.0	<0.002	0.01	0.05	18.9	1	1.0	352	0.55	<0.05	4.1	0.653
N985876		1160	660	20.6	26.1	<0.002	0.02	<0.05	18.5	1	1.0	353	0.53	<0.05	3.8	0.635
N985877		1280	690	11.3	27.2	<0.002	0.02	0.07	16.3	1	1.0	361	0.55	<0.05	4.1	0.668
N985878		1350	560	6.5	20.3	<0.002	0.02	<0.05	17.5	1	0.8	275	0.45	<0.05	3.3	0.559
N985879		1270	600	9.8	23.7	<0.002	0.03	0.05	17.6	1	0.9	273	0.49	<0.05	3.4	0.609
N985880		61.2	700	17.5	30.3	<0.002	0.15	<0.05	38.9	1	1.1	311	0.34	<0.05	2.3	0.780
N985881		58.3	710	7.8	31.7	0.002	0.16	0.05	40.1	2	1.0	257	0.36	<0.05	2.3	0.803
N985882		1350	530	165.5	24.4	<0.002	0.07	<0.05	17.7	1	0.9	212	0.48	<0.05	3.1	0.567
N985883		1250	580	4.4	22.8	<0.002	0.05	<0.05	17.8	1	0.9	270	0.49	<0.05	3.2	0.606
N985884		1430	590	5.1	20.3	<0.002	0.02	<0.05	16.5	1	0.8	278	0.48	<0.05	3.2	0.581
N985885		1110	620	14.0	29.9	<0.002	0.03	<0.05	17.6	1	0.9	262	0.53	<0.05	3.5	0.624
N985886		191.5	420	60.6	23.4	<0.002	0.08	0.08	40.3	1	0.8	372	0.28	<0.05	2.0	0.517
N985887		1100	650	37.6	28.8	<0.002	0.06	0.11	20.3	1	0.9	310	0.51	<0.05	3.3	0.646
N985888		1120	640	15.8	24.2	<0.002	0.05	<0.05	18.9	1	0.9	334	0.54	<0.05	3.5	0.651
N985889		731	20	4.4	8.1	<0.002	0.18	0.56	39.0	2	<0.2	84.3	<0.05	0.39	<0.2	0.101
N985890		3.3	10	0.5	1.7	<0.002	<0.01	0.07	0.2	<1	<0.2	2.6	<0.05	<0.05	0.8	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14042602

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N985851		0.36	0.6	49	<0.1	4.9	57	135.0
N985852		0.28	1.0	161	0.4	18.1	122	185.0
N985853		0.23	0.9	127	0.1	15.2	96	89.8
N985854		0.12	0.7	212	0.1	21.7	155	69.2
N985855		0.29	0.9	163	0.4	15.8	148	115.5
N985856		0.24	0.7	135	0.3	12.7	100	94.3
N985857		0.43	0.9	157	0.3	15.8	193	118.5
N985858		0.06	0.7	120	0.2	14.2	260	87.4
N985859		0.41	0.5	120	0.1	10.5	104	163.5
N985860		0.38	0.8	113	0.2	13.9	137	168.5
N985861		0.30	0.6	198	0.2	15.6	96	96.7
N985862		0.38	1.0	178	0.2	21.0	129	168.5
N985863		0.46	1.2	198	0.3	22.7	123	189.0
N985864		0.33	1.3	200	0.3	25.8	116	210
N985865		0.47	1.3	187	0.3	23.5	112	191.0
N985866		0.22	0.6	322	0.2	28.9	335	99.8
N985867		0.74	1.3	192	0.3	24.8	305	201
N985868		0.48	1.3	183	0.4	25.8	246	190.0
N985869		0.34	1.3	186	0.3	23.3	113	189.5
N985870		0.09	<0.1	153	0.8	2.8	91	5.6
N985871		0.08	0.3	2	<0.1	0.6	2	29.9
N985872		0.27	1.1	179	0.3	20.3	109	157.0
N985873		0.18	0.8	175	0.2	17.5	118	126.0
N985874		0.20	0.9	170	0.2	16.1	121	131.0
N985875		0.17	0.8	170	0.2	15.1	140	118.5
N985876		0.17	0.8	166	0.2	14.8	151	113.0
N985877		0.16	0.8	155	0.2	14.9	132	122.5
N985878		0.10	0.6	150	0.2	12.7	111	101.5
N985879		0.39	0.7	158	0.2	14.0	119	109.5
N985880		0.27	0.6	323	0.2	30.9	187	113.0
N985881		0.29	0.6	330	0.2	31.8	140	115.5
N985882		0.58	0.6	152	0.1	12.5	244	98.4
N985883		0.18	0.7	158	0.2	13.5	102	107.5
N985884		0.13	0.6	148	0.2	12.8	104	102.0
N985885		0.25	0.7	160	0.2	14.1	120	109.5
N985886		0.29	0.5	263	0.2	22.5	430	81.7
N985887		0.37	0.7	177	0.2	16.0	151	105.0
N985888		0.43	0.7	172	0.2	15.3	157	113.0
N985889		0.09	<0.1	153	0.8	2.7	95	6.0
N985890		0.04	0.2	1	<0.1	0.5	<2	16.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 1-APR-2014
Account: RLH

Project: 504

CERTIFICATE OF ANALYSIS SD14042602

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23