ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

CERTIFICATE TB11192139

Project: ALBANY BLOCK 4F
P.O. No.:
This report is for 123 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 22-SEP-2011.
The following have access to data associated with this certificate:

GLENDA CAREY JEFF PINKSEN	ANDREW DALBY ROBERT STEWART	AUBREY EVELEIGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **ZENYATTA VENTURES LTD**
ATTN: AUBREY EVELEIGH
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600131		1.26				0.61	7.55	11.4	320	5.55	0.05	1.50	0.12	448	1.2	9
J600132		1.10				0.89	7.45	14.5	280	5.25	0.17	1.38	0.25	470	1.1	11
J600133		1.21				0.42	7.39	2.1	330	6.18	0.05	1.27	0.17	233	1.3	6
J600134		1.20				0.46	6.89	11.0	340	4.61	0.06	1.55	0.14	246	3.6	34
J600135		1.23				0.36	7.05	5.3	430	5.07	0.05	1.34	0.14	212	2.6	10
J600136		0.73				0.18	6.87	3.2	570	4.29	0.04	1.41	0.08	90.3	3.3	16
J600137		1.07				0.55	7.05	9.5	500	4.92	0.04	1.55	0.07	201	4.3	39
J600138		1.15				0.06	6.52	0.6	660	2.08	0.03	1.41	0.04	40.8	4.3	17
J600139		1.09				0.12	6.66	1.9	670	2.01	0.03	1.76	0.05	43.8	4.2	42
J600140		1.09				0.15	6.91	1.1	640	2.50	0.09	1.76	0.04	74.9	9.0	17
J600141		1.10				0.51	7.23	4.3	410	5.87	0.06	1.25	0.12	163.0	2.7	11
J600142		1.13	0.001	<0.005	<0.001	0.17	6.97	1.5	760	3.77	0.03	1.51	0.07	97.8	4.4	14
J600143		1.16	<0.001	<0.005	<0.001	0.10	6.55	1.0	610	1.75	0.03	1.53	0.08	48.7	5.2	21
J600144		1.17	0.001	<0.005	<0.001	0.36	7.92	2.4	1310	3.98	0.04	1.70	0.11	101.5	4.1	8
J600145		1.10	0.008	<0.005	<0.001	0.61	7.87	8.5	2050	5.16	0.06	1.59	0.16	196.5	2.8	5
J600146		1.12	0.001	<0.005	<0.001	0.77	7.55	8.0	1860	7.10	0.06	2.22	0.20	245	4.9	3
J600147		1.09	0.002	<0.005	<0.001	0.67	7.08	22.0	420	5.32	0.05	1.46	0.10	268	3.7	40
J600148		1.17	<0.001	<0.005	<0.001	0.58	7.42	12.3	590	4.81	0.05	1.75	0.13	214	6.8	92
J600149		1.15				0.30	6.51	11.9	590	3.44	0.03	2.71	0.09	122.0	8.5	93
J600150		1.17				0.14	6.77	0.7	610	2.28	0.03	1.87	0.06	69.5	5.2	34
J600151		1.17				0.07	6.95	0.7	620	2.91	0.03	1.70	0.06	51.0	4.4	22
J600152		1.12				0.18	7.16	1.1	510	2.49	0.04	2.78	0.09	103.0	7.5	22
J600153		1.15				0.15	7.01	1.5	480	2.64	0.05	1.97	0.09	70.5	6.6	15
J600154		1.15				0.14	6.94	0.5	600	2.28	0.08	2.22	0.07	227	7.7	25
J600155		0.86				0.12	7.03	6.4	590	2.63	0.03	1.65	0.06	54.5	4.4	15
J600156		1.43				0.54	7.83	2.5	100	4.92	0.05	1.21	0.08	235	0.9	5
J600157		1.14				0.68	7.38	6.2	130	5.17	0.04	1.22	0.10	347	0.7	5
J600158		1.11				0.57	7.22	8.1	170	3.96	0.04	1.30	0.10	249	0.8	4
J600159		1.09				0.20	6.70	2.1	550	3.05	0.06	1.43	0.07	99.3	4.6	18
J600160		0.19				3.06	4.35	27.6	360	0.67	5.12	9.67	85.0	28.9	348	150
J600161		1.16				0.04	7.45	2.3	490	3.10	0.06	1.88	0.09	80.9	6.7	25
J600162		1.16				0.97	7.22	9.9	160	11.65	0.08	1.35	0.17	266	1.2	5
J600163		1.05				0.82	7.57	2.9	80	7.05	0.07	1.08	0.15	242	0.7	4
J600164		1.15				0.70	7.60	9.1	210	6.52	0.07	1.36	0.16	234	2.7	8
J600165		1.08				0.14	6.79	18.8	620	5.11	0.03	1.68	0.14	60.3	5.1	23
J600166		1.11				0.08	6.45	2.3	590	2.28	0.03	1.58	0.06	42.2	3.8	18
J600167		1.06				0.11	6.33	2.0	620	4.50	0.07	1.27	0.06	89.7	4.4	19
J600168		1.13				0.32	7.35	4.9	410	3.81	0.05	1.41	0.09	137.0	3.6	18
J600169		1.24				0.10	7.62	1.8	550	2.78	0.04	1.65	0.06	98.4	4.2	27
J600170		1.14				0.07	7.39	1.2	640	3.14	0.05	1.84	0.05	70.1	5.5	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600131		3.54	14.6	4.20	25.1	0.51	7.5	0.092	4.18	216	86.8	0.20	1740	2.49	4.61	129.5
J600132		3.99	7.5	4.85	25.7	0.59	11.1	0.102	4.25	252	50.2	0.15	1640	3.39	4.06	176.0
J600133		4.99	8.1	2.85	27.2	0.31	9.9	0.064	3.79	114.0	47.0	0.12	892	8.35	4.24	149.0
J600134		4.73	19.3	3.01	24.2	0.33	9.4	0.064	3.03	121.0	89.1	0.56	808	5.88	3.89	127.5
J600135		4.15	13.2	2.51	24.3	0.31	8.2	0.050	3.30	105.0	38.2	0.19	703	6.07	3.95	112.0
J600136		2.06	7.9	1.89	22.0	0.19	4.7	0.028	2.64	46.1	55.5	0.29	499	2.87	3.74	74.6
J600137		3.36	10.2	2.69	23.1	0.26	8.8	0.036	2.66	108.0	89.6	0.47	728	9.00	3.73	195.5
J600138		1.71	10.8	1.48	20.0	0.17	2.6	0.016	2.53	20.2	48.8	0.29	316	1.47	3.20	18.8
J600139		2.78	10.0	2.09	20.1	0.17	2.6	0.023	2.49	21.2	74.9	0.60	480	1.34	3.17	21.9
J600140		2.61	22.4	2.48	21.2	0.22	2.7	0.020	2.21	33.5	78.0	0.44	420	2.13	3.34	21.2
J600141		4.60	9.7	2.22	28.7	0.24	8.3	0.023	2.75	88.4	56.8	0.19	527	2.77	4.01	186.5
J600142		2.20	9.3	2.05	21.8	0.23	4.8	0.023	2.73	49.2	63.6	0.31	485	2.18	3.40	65.6
J600143		2.01	22.2	2.05	20.4	0.17	3.6	0.020	2.34	24.3	69.2	0.38	444	1.18	3.35	21.0
J600144		3.33	18.4	3.44	23.4	0.24	6.1	0.039	3.15	49.5	83.3	0.28	810	2.01	4.04	84.3
J600145		4.28	7.1	4.35	24.8	0.32	9.7	0.073	4.02	94.0	49.5	0.27	1120	5.89	4.04	154.0
J600146		6.37	6.2	7.35	22.7	0.40	10.6	0.107	3.91	121.0	92.1	0.70	1880	4.27	3.66	173.5
J600147		4.97	7.8	4.18	24.7	0.37	9.6	0.064	3.57	136.0	64.5	0.53	1140	6.13	3.67	155.0
J600148		6.14	24.6	3.65	26.9	0.32	8.7	0.053	3.12	108.5	127.0	0.56	754	5.41	3.81	139.5
J600149		4.25	12.6	3.54	20.2	0.24	4.2	0.052	2.40	59.4	125.5	1.58	1020	2.06	3.28	74.4
J600150		2.25	10.2	2.17	20.4	0.18	3.8	0.032	2.38	34.5	56.5	0.55	506	2.04	3.33	38.2
J600151		2.18	9.8	1.81	19.70	0.19	2.4	0.019	2.60	24.3	68.7	0.43	433	1.81	3.31	18.0
J600152		2.72	19.4	2.42	21.5	0.22	2.8	0.030	1.87	49.3	83.3	0.69	605	12.70	3.49	38.7
J600153		2.37	17.1	2.20	21.0	0.18	2.7	0.020	1.73	33.3	71.7	0.45	418	1.90	3.56	28.2
J600154		2.21	20.1	2.30	21.6	0.27	2.8	0.027	1.73	142.5	68.7	0.60	491	1.67	3.56	29.9
J600155		1.69	11.4	1.93	22.0	0.18	3.3	0.025	2.25	26.1	64.2	0.31	441	2.22	3.73	29.4
J600156		3.30	4.6	4.27	26.4	0.37	9.9	0.091	4.40	104.5	46.6	0.15	1240	4.12	4.24	201
J600157		2.88	4.1	4.48	27.5	0.44	9.6	0.105	4.15	158.5	24.6	0.05	1530	6.19	4.21	190.0
J600158		4.34	2.7	4.39	26.9	0.38	9.7	0.091	4.28	116.0	22.7	0.04	1560	3.85	4.03	176.5
J600159		1.67	14.0	1.92	21.2	0.21	5.0	0.028	2.68	49.1	52.1	0.33	449	2.62	3.63	52.1
J600160		0.33	251	4.80	9.71	0.18	0.8	0.431	1.81	13.4	348	9.78	661	60.6	0.07	8.3
J600161		2.36	14.4	2.44	21.0	0.09	3.8	0.048	2.29	39.2	94.6	0.61	651	2.13	3.75	35.5
J600162		5.60	7.9	4.11	25.8	0.36	12.4	0.098	4.02	121.5	35.0	0.11	1300	7.39	4.04	230
J600163		5.90	5.7	4.00	26.8	0.37	12.8	0.090	4.37	109.0	27.6	0.09	1180	4.43	4.10	227
J600164		4.89	13.7	3.72	25.6	0.37	10.9	0.084	3.76	112.5	36.7	0.19	1030	4.33	4.10	191.5
J600165		3.15	9.0	2.10	19.65	0.22	2.9	0.022	2.51	26.3	86.7	0.51	542	16.05	3.54	26.1
J600166		2.44	13.4	1.73	18.40	0.16	3.0	0.015	1.94	20.7	69.7	0.31	386	0.91	3.20	14.8
J600167		2.49	14.5	1.67	19.75	0.23	3.6	0.012	2.32	41.7	72.3	0.28	369	2.08	3.26	34.2
J600168		3.71	16.4	3.02	22.8	0.29	6.6	0.046	3.37	65.6	52.3	0.33	633	1.79	3.71	111.0
J600169		3.81	11.7	2.42	21.8	0.16	5.2	0.036	2.91	48.4	54.0	0.47	546	1.52	3.51	55.2
J600170		3.70	13.7	2.04	20.1	0.13	2.7	0.018	2.43	33.8	66.2	0.52	443	1.91	3.35	19.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600131		2.4	380	12.3	208	<0.002	0.12	0.22	7.1	2	5.4	74.1	6.34	<0.05	15.7	0.238
J600132		2.1	350	60.9	201	<0.002	0.05	0.22	6.7	2	2.9	35.8	9.42	0.08	30.5	0.276
J600133		2.4	210	23.6	192.0	<0.002	0.06	0.22	3.1	2	2.7	117.5	8.71	0.07	35.6	0.138
J600134		24.0	380	18.0	163.5	<0.002	0.17	0.21	3.7	2	2.0	165.5	6.39	0.07	25.2	0.224
J600135		4.6	230	19.4	159.5	<0.002	0.17	0.20	3.0	2	2.1	158.5	6.55	0.07	25.0	0.140
J600136		9.2	270	14.0	113.5	<0.002	0.17	0.14	3.1	1	1.3	255	4.85	0.05	19.0	0.115
J600137		19.3	430	17.2	124.5	<0.002	0.29	0.17	3.5	2	1.8	219	9.78	0.09	33.4	0.133
J600138		11.1	280	9.6	93.9	<0.002	0.28	0.09	3.4	1	0.6	290	0.96	<0.05	7.2	0.106
J600139		15.4	330	12.4	105.5	<0.002	0.23	0.08	6.4	1	0.9	311	1.00	<0.05	6.6	0.154
J600140		14.0	450	12.1	101.5	<0.002	0.63	0.10	5.4	1	0.7	381	1.04	0.08	22.6	0.155
J600141		5.6	240	20.9	188.0	<0.002	0.21	0.15	2.2	2	1.8	209	10.75	0.09	27.9	0.091
J600142		6.1	290	19.0	111.5	<0.002	0.24	0.10	4.0	2	1.1	288	3.58	0.05	14.1	0.137
J600143		21.1	380	15.2	89.8	<0.002	0.27	0.09	4.4	1	0.8	265	1.03	<0.05	6.1	0.144
J600144		4.7	600	21.0	132.0	<0.002	0.27	0.15	6.8	2	2.1	243	4.97	0.07	15.3	0.267
J600145		1.3	720	22.7	190.5	<0.002	0.07	0.19	8.0	2	3.1	215	8.44	0.07	25.0	0.336
J600146		0.9	1240	21.2	215	<0.002	0.05	0.16	17.2	3	4.0	172.0	8.44	0.08	29.7	0.634
J600147		21.8	340	20.3	201	<0.002	0.09	0.17	4.7	2	2.0	112.5	7.77	0.07	29.7	0.236
J600148		14.5	520	20.8	214	<0.002	0.39	0.15	6.9	2	2.4	222	7.25	0.09	26.9	0.254
J600149		45.3	750	12.5	157.0	<0.002	0.23	0.11	8.7	2	1.7	298	3.15	0.06	14.4	0.332
J600150		15.5	390	13.4	105.5	<0.002	0.25	0.10	4.9	1	0.8	296	2.11	0.05	9.2	0.150
J600151		14.4	350	12.5	111.0	<0.002	0.22	0.08	4.1	1	0.8	302	0.97	<0.05	7.7	0.135
J600152		19.1	1210	17.3	93.2	<0.002	0.42	0.09	7.4	2	1.2	397	2.29	0.06	20.7	0.238
J600153		11.7	460	15.4	81.0	<0.002	0.40	0.10	5.8	2	0.7	332	1.20	0.05	9.9	0.185
J600154		17.1	1000	12.9	82.3	<0.002	0.41	0.11	4.9	2	0.8	390	1.40	0.06	14.4	0.180
J600155		9.2	340	13.1	81.8	<0.002	0.19	0.08	3.6	2	0.8	282	1.70	<0.05	7.8	0.132
J600156		0.9	320	16.8	172.0	<0.002	0.03	0.12	6.1	3	2.0	19.8	8.94	0.08	23.4	0.268
J600157		0.9	190	15.9	163.5	<0.002	0.04	0.12	3.5	2	1.3	26.0	7.95	0.07	29.8	0.223
J600158		0.8	180	17.4	175.5	<0.002	0.03	0.14	3.4	2	1.7	35.7	7.75	0.08	26.9	0.211
J600159		11.9	440	14.2	105.0	<0.002	0.30	0.12	4.2	1	1.1	254	2.63	0.05	21.9	0.131
J600160		334	490	289	13.8	0.008	3.64	0.75	7.3	3	0.4	152.0	0.46	<0.05	0.6	0.729
J600161		12.6	340	12.8	103.5	<0.002	0.21	0.13	5.6	1	1.3	274	2.09	<0.05	9.7	0.180
J600162		1.3	250	25.6	239	0.002	0.06	0.29	4.6	3	4.3	53.8	13.20	0.09	40.6	0.211
J600163		0.8	200	24.0	235	<0.002	0.04	0.19	4.0	2	3.6	23.1	11.55	0.09	26.9	0.202
J600164		4.3	280	26.0	194.0	<0.002	0.14	0.19	4.7	2	3.3	97.0	9.93	0.10	26.5	0.200
J600165		14.1	360	23.5	135.0	<0.002	0.09	0.12	4.8	2	1.9	286	1.32	<0.05	12.8	0.147
J600166		7.9	250	15.5	94.5	<0.002	0.18	0.09	3.8	1	0.9	261	0.83	<0.05	8.4	0.114
J600167		10.4	260	17.3	105.5	<0.002	0.35	0.12	3.7	1	1.0	237	2.12	<0.05	15.5	0.104
J600168		8.7	350	18.1	143.5	<0.002	0.39	0.08	5.3	2	1.6	165.5	5.33	0.08	19.5	0.188
J600169		10.8	400	13.2	131.0	<0.002	0.31	0.10	4.5	2	1.0	233	3.05	0.05	12.9	0.164
J600170		14.2	380	11.2	113.0	<0.002	0.37	0.10	4.6	1	0.6	299	1.05	0.05	10.6	0.145

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
J600131		0.68	3.9	1	4.3	52.1	72	325	
J600132		0.67	6.5	<1	3.2	52.4	189	476	
J600133		0.67	8.1	4	3.2	41.7	93	394	
J600134		0.58	6.3	17	2.5	34.6	99	370	
J600135		0.58	5.4	9	2.9	33.0	74	342	
J600136		0.44	5.4	15	1.4	20.7	61	169.0	
J600137		0.54	13.7	15	2.0	33.8	88	437	
J600138		0.51	1.8	14	0.8	10.2	31	87.7	
J600139		0.64	2.1	22	1.0	11.8	51	86.3	
J600140		0.58	2.0	24	1.1	16.6	47	91.7	
J600141		0.58	7.0	10	6.5	43.7	63	344	
J600142		0.55	4.0	20	2.1	26.2	54	185.5	
J600143		0.51	1.5	19	1.3	11.4	57	126.0	
J600144		0.60	3.4	8	3.3	25.8	83	229	
J600145		0.69	6.1	1	3.5	44.5	112	353	
J600146		0.82	7.3	<1	3.7	57.4	159	409	
J600147		0.66	7.5	17	2.8	41.8	121	400	
J600148		0.77	6.9	28	2.8	36.5	110	344	
J600149		0.62	3.0	49	1.7	25.3	109	148.5	
J600150		0.53	3.2	25	1.1	16.1	58	142.0	
J600151		0.48	1.7	21	1.3	15.4	42	80.3	
J600152		0.57	6.0	42	1.5	26.2	64	89.8	
J600153		0.51	1.9	29	1.4	16.5	57	91.4	
J600154		0.44	4.2	27	1.3	16.2	58	97.5	
J600155		0.37	1.9	17	1.2	17.0	53	111.5	
J600156		0.60	5.1	<1	1.7	44.5	108	405	
J600157		0.57	5.8	<1	2.0	49.1	108	452	
J600158		0.63	6.8	<1	2.2	36.5	105	454	
J600159		0.43	4.8	18	1.7	21.6	45	195.0	
J600160		0.38	3.0	322	0.2	6.1	>10000	30.6	2.12
J600161		0.45	2.3	30	1.3	17.6	70	148.0	
J600162		0.70	7.6	1	3.5	75.1	122	>500	
J600163		0.77	6.8	<1	3.5	48.0	120	>500	
J600164		0.68	6.3	7	3.2	47.8	107	462	
J600165		0.54	1.9	26	2.2	19.7	71	93.0	
J600166		0.47	2.1	18	0.8	9.2	44	91.4	
J600167		0.50	3.0	14	1.5	20.6	44	116.5	
J600168		0.67	4.2	13	2.0	27.8	63	285	
J600169		0.63	3.9	19	1.2	19.3	55	196.5	
J600170		0.60	2.1	25	0.9	18.2	45	87.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600171		1.14				0.05	7.46	0.8	640	2.19	0.05	1.86	0.04	60.9	5.9	29
J600172		1.18				0.06	7.54	1.0	690	2.03	0.05	1.78	0.05	65.6	6.0	27
J600173		0.93				0.09	7.64	3.7	600	2.44	0.05	2.00	0.07	75.2	7.0	28
J600174		1.23				0.06	7.63	0.4	620	1.84	0.05	1.73	0.05	48.8	5.5	22
J600175		1.20				0.07	7.36	6.0	610	2.27	0.04	1.96	0.04	68.0	6.6	37
J600176		0.62				0.15	7.92	44.9	650	3.47	0.04	2.36	0.15	80.5	9.9	66
J600177		1.13				0.06	7.60	2.0	680	2.01	0.06	1.69	0.04	55.2	5.7	16
J600178		1.17				0.08	7.46	1.8	730	2.14	0.11	2.50	0.07	88.7	8.8	66
J600179		1.29				0.09	7.75	1.1	580	2.46	0.04	2.13	0.06	61.4	7.5	36
J600180		0.15				2.47	8.05	26.4	490	0.51	1.02	3.13	34.6	35.7	481	326
J600181		1.36				0.06	7.66	4.5	680	2.05	0.04	2.02	0.06	56.1	6.8	60
J600182		0.60				0.72	8.72	37.4	1210	5.16	0.10	1.90	0.24	301	8.3	46
J600183		0.88				0.11	8.19	1.1	830	2.45	0.04	2.35	0.08	156.0	7.0	16
J600184		1.18				0.11	8.18	1.6	680	1.60	0.04	2.67	0.11	101.0	7.7	15
J600185		1.17				0.07	7.63	25.3	660	3.30	0.03	2.34	0.13	128.5	6.6	15
J600186		1.20				0.12	7.29	26.1	560	3.04	0.06	2.37	0.12	57.2	9.4	158
J600187		1.19				0.38	8.29	1.9	270	5.35	0.05	1.29	0.14	326	2.4	8
J600188		1.21				0.55	8.56	1.7	50	7.56	0.06	1.16	0.13	332	0.8	4
J600189		1.20				0.54	8.60	1.3	170	4.58	0.05	1.32	0.18	224	1.3	4
J600190		1.26				0.48	8.34	5.9	80	4.44	0.06	1.29	0.15	254	0.9	4
J600191		1.23				0.60	8.57	6.3	90	7.49	0.06	1.25	0.17	327	0.8	4
J600192		1.17				0.16	8.37	2.4	340	4.70	0.04	1.54	0.12	245	1.8	5
J600193		0.87				0.08	8.15	2.0	690	1.68	0.05	2.14	0.05	55.2	5.7	16
J600194		0.96				0.35	7.74	1.5	430	7.95	0.07	1.57	0.10	245	3.5	11
J600195		1.19				0.05	7.81	2.4	740	2.20	0.05	1.93	0.07	49.9	4.7	17
J600196		1.18				0.05	7.74	0.9	610	3.09	0.04	1.94	0.07	48.9	4.3	15
J600197		1.15				0.11	7.69	1.1	490	3.34	0.05	1.90	0.09	79.3	5.4	15
J600198		1.11				0.05	7.37	0.2	610	1.71	0.04	1.71	0.05	49.7	4.7	14
J600199		1.18				0.06	7.48	0.7	610	1.59	0.05	1.79	0.06	57.0	5.0	13
J600200		0.21				3.17	4.43	28.8	360	0.60	5.01	9.64	90.6	31.0	351	141
J600201		1.18				0.46	8.03	6.1	300	8.10	0.07	1.73	0.24	242	5.4	21
J600202		1.09				0.52	7.93	3.9	190	7.26	0.10	2.33	0.11	300	10.4	51
J600203		1.15				0.40	8.53	2.3	60	7.45	0.11	1.14	0.11	339	0.8	4
J600204		1.13				0.52	8.67	1.8	130	6.35	0.07	1.05	0.17	341	0.7	5
J600205		1.08				0.23	8.00	3.3	320	4.33	0.07	1.48	0.14	248	2.7	11
J600206		1.14	<0.001	0.011	<0.001	0.10	7.14	3.0	750	2.95	0.04	1.46	0.07	97.3	3.8	24
J600207		1.16	<0.001	<0.005	<0.001	0.10	7.30	15.2	800	1.62	0.05	1.96	0.06	57.6	7.8	33
J600208		1.10	<0.001	0.005	<0.001	0.10	7.23	4.9	530	3.07	0.15	2.59	0.07	57.4	10.2	57
J600209		1.11	0.001	<0.005	<0.001	0.09	7.22	40.1	540	2.47	0.03	2.22	0.13	44.4	5.7	38
J600210		1.09	<0.001	0.014	<0.001	0.06	7.48	1.1	500	1.63	0.04	1.89	0.05	43.8	5.0	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600171		3.29	14.6	2.09	19.60	0.13	2.6	0.017	2.28	29.7	55.4	0.52	401	1.35	3.30	19.0
J600172		2.72	14.7	2.03	20.3	0.14	3.2	0.017	2.41	32.3	46.7	0.48	389	1.52	3.35	28.6
J600173		3.79	15.2	2.18	21.3	0.13	3.0	0.019	2.25	36.0	59.4	0.57	450	0.76	3.43	27.2
J600174		2.69	14.4	1.80	20.4	0.11	3.1	0.014	2.28	24.0	47.8	0.40	327	0.76	3.50	15.5
J600175		4.37	13.6	2.28	19.15	0.13	2.9	0.022	2.37	33.0	66.2	0.67	472	2.02	3.31	22.8
J600176		4.79	8.9	2.90	21.6	0.16	4.6	0.035	2.59	36.4	97.2	1.05	656	7.15	3.86	36.9
J600177		2.98	21.2	1.72	19.80	0.13	2.9	0.014	2.42	27.1	53.7	0.38	298	1.31	3.44	20.9
J600178		5.16	18.2	2.95	20.1	0.16	2.9	0.034	2.47	43.3	67.8	1.11	679	1.12	3.28	30.8
J600179		3.85	14.8	2.34	20.1	0.15	3.3	0.022	2.14	30.8	63.3	0.71	466	4.85	3.52	24.8
J600180		0.64	661	6.14	17.70	0.40	1.6	0.279	1.50	16.7	416	8.68	542	7.64	1.04	13.6
J600181		4.07	14.2	2.33	21.0	0.12	3.1	0.025	2.53	28.3	64.7	0.74	492	1.09	3.39	19.3
J600182		7.18	36.2	4.14	24.6	0.27	10.9	0.026	3.31	165.5	165.0	0.92	788	22.4	3.70	279
J600183		3.34	17.5	2.51	23.3	0.16	3.3	0.031	2.01	89.0	67.4	0.52	558	7.78	3.87	28.6
J600184		2.71	15.0	2.67	22.1	0.14	2.2	0.035	1.69	54.6	72.9	0.60	544	3.77	3.83	17.2
J600185		2.56	14.1	2.02	20.8	0.17	3.1	0.031	2.08	66.0	67.1	0.52	512	6.84	4.07	29.0
J600186		4.63	21.5	2.73	18.75	0.13	3.0	0.032	2.43	26.8	102.5	1.25	637	13.75	3.78	22.9
J600187		3.51	14.6	3.81	26.7	0.29	12.5	0.074	4.08	156.0	62.8	0.19	1040	6.84	4.52	230
J600188		4.19	3.6	4.20	30.1	0.33	12.8	0.109	4.86	146.5	35.8	0.11	1260	3.03	4.79	274
J600189		4.50	5.8	4.48	24.8	0.28	10.7	0.102	5.00	99.4	48.2	0.21	1280	5.91	4.60	179.0
J600190		2.94	7.0	4.36	24.0	0.32	9.7	0.103	4.91	114.0	39.5	0.12	1520	1.16	4.50	176.0
J600191		3.93	5.2	4.34	25.6	0.34	9.7	0.105	4.76	141.0	26.1	0.11	1440	3.92	4.62	209
J600192		2.88	5.0	3.27	23.3	0.27	6.7	0.065	3.72	113.0	38.1	0.19	1030	4.23	4.43	116.0
J600193		2.03	14.4	2.25	20.0	0.14	2.6	0.021	2.15	27.2	60.2	0.44	444	1.82	3.92	15.1
J600194		6.13	11.4	2.25	27.5	0.23	16.2	0.027	2.78	130.0	76.7	0.17	507	3.38	4.13	232
J600195		1.98	14.3	1.56	19.95	0.14	2.8	0.012	2.46	25.1	44.4	0.32	318	1.41	3.66	17.6
J600196		2.46	13.1	1.78	21.0	0.13	3.5	0.016	1.79	25.2	69.8	0.35	358	1.02	3.75	28.1
J600197		2.47	15.5	1.86	22.6	0.15	4.8	0.026	2.35	39.4	63.3	0.40	382	2.01	3.90	33.0
J600198		2.37	13.2	1.83	20.4	0.13	2.9	0.015	2.25	24.6	57.4	0.33	339	0.64	3.44	16.2
J600199		1.94	18.2	1.86	20.2	0.14	2.9	0.014	2.12	28.3	55.8	0.33	350	0.78	3.57	14.7
J600200		0.31	271	4.67	9.44	0.16	0.9	0.466	1.84	14.8	334	9.84	665	57.0	0.07	7.0
J600201		3.93	16.8	3.29	26.3	0.25	11.3	0.066	3.29	119.0	45.3	0.48	985	19.25	4.56	211
J600202		5.68	14.0	4.33	26.1	0.30	10.8	0.089	3.71	141.0	66.0	0.97	1180	2.94	4.14	254
J600203		3.70	2.9	3.96	28.1	0.34	10.4	0.108	4.44	159.5	30.5	0.05	1340	2.59	4.79	268
J600204		3.86	4.6	3.67	29.0	0.34	12.8	0.085	4.75	165.5	36.4	0.07	1230	7.81	4.84	256
J600205		4.83	9.4	3.15	28.2	0.26	11.7	0.052	3.31	137.0	54.9	0.28	943	4.67	4.39	209
J600206		2.59	12.5	1.89	21.0	0.14	4.2	0.013	2.66	57.6	57.4	0.35	422	1.78	3.49	52.9
J600207		3.56	32.4	2.43	19.80	0.14	2.3	0.010	2.24	31.9	79.4	0.53	411	1.33	3.34	17.7
J600208		6.44	33.1	3.33	20.5	0.16	3.6	0.020	1.95	31.1	77.0	1.23	616	1.43	3.39	33.2
J600209		2.91	10.8	2.29	21.3	0.14	2.5	0.021	1.92	23.3	61.6	0.78	540	2.19	3.66	18.9
J600210		3.01	17.9	1.99	21.6	0.12	2.1	0.011	2.01	24.2	54.8	0.43	377	0.87	3.57	16.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600171		15.1	440	11.2	106.0	<0.002	0.41	0.08	4.9	2	0.6	307	1.15	0.05	9.9	0.159
J600172		14.6	390	11.8	95.4	<0.002	0.48	0.11	4.1	2	0.5	312	1.66	0.07	9.3	0.152
J600173		15.7	470	14.6	105.5	<0.002	0.47	0.10	5.0	1	0.8	323	1.73	0.06	11.8	0.193
J600174		12.8	320	12.1	94.8	<0.002	0.43	0.10	3.8	2	0.6	298	0.85	0.05	5.8	0.143
J600175		18.7	430	10.1	125.0	<0.002	0.30	0.09	5.2	1	1.5	296	1.17	0.06	9.2	0.193
J600176		28.0	540	22.6	148.5	<0.002	0.08	0.14	6.8	1	2.7	391	2.43	<0.05	12.7	0.212
J600177		13.5	350	10.2	112.0	<0.002	0.42	0.10	3.1	1	0.7	320	1.11	0.06	7.3	0.148
J600178		32.5	790	12.4	127.0	<0.002	0.50	0.16	6.5	2	1.4	345	1.58	0.07	17.3	0.280
J600179		17.8	400	12.7	103.5	0.002	0.39	0.11	5.5	1	0.9	329	1.67	0.06	11.0	0.183
J600180		487	980	191.5	16.1	0.003	1.72	0.43	12.1	3	0.5	485	0.93	<0.05	1.1	1.420
J600181		19.3	470	10.7	126.0	<0.002	0.35	0.12	5.7	1	0.9	373	1.04	0.06	7.3	0.169
J600182		34.2	860	45.4	202	<0.002	0.71	0.23	4.3	2	2.4	630	14.70	0.16	32.6	0.298
J600183		9.0	670	16.3	107.0	<0.002	0.30	0.10	7.2	2	1.6	723	2.01	0.05	12.6	0.234
J600184		6.5	640	15.7	81.1	<0.002	0.28	0.10	6.3	1	1.4	599	0.86	<0.05	5.6	0.259
J600185		8.9	550	17.5	106.5	<0.002	0.18	0.18	5.3	1	1.8	515	1.29	<0.05	9.9	0.180
J600186		42.3	460	15.2	172.5	<0.002	0.20	0.22	7.4	1	1.5	345	1.32	0.05	7.5	0.164
J600187		3.0	380	23.1	219	<0.002	0.16	0.16	4.4	2	2.8	97.5	12.35	0.10	33.1	0.261
J600188		0.7	220	22.8	264	<0.002	0.01	0.19	3.5	2	5.1	15.8	15.85	0.08	33.6	0.214
J600189		0.8	390	21.6	214	<0.002	0.04	0.13	5.5	2	5.5	27.7	10.00	0.07	21.1	0.299
J600190		0.6	280	19.7	192.0	<0.002	0.06	0.17	4.8	2	2.6	14.2	8.95	0.06	20.7	0.263
J600191		0.8	260	21.8	213	<0.002	0.07	0.21	4.6	3	2.8	16.1	10.30	0.07	38.7	0.249
J600192		1.3	290	18.5	146.0	<0.002	0.10	0.15	3.5	2	1.7	132.5	6.06	0.05	24.1	0.202
J600193		6.7	480	13.7	103.0	<0.002	0.46	0.12	3.8	2	1.0	456	1.14	0.06	5.6	0.187
J600194		3.5	170	26.1	236	<0.002	0.23	0.16	1.9	2	3.4	196.5	15.85	0.09	37.0	0.097
J600195		8.5	380	12.8	105.0	<0.002	0.28	0.10	3.1	1	0.8	371	0.89	0.05	7.3	0.131
J600196		4.8	310	14.7	89.7	<0.002	0.20	0.12	2.9	1	1.0	301	2.07	<0.05	8.4	0.138
J600197		10.6	450	14.8	106.5	<0.002	0.28	0.11	3.8	2	1.2	311	1.85	0.05	10.3	0.174
J600198		6.2	310	11.9	101.0	<0.002	0.28	0.14	3.1	1	0.9	271	1.06	<0.05	5.8	0.136
J600199		9.3	360	11.5	95.9	<0.002	0.33	0.12	3.1	1	0.8	296	0.93	0.05	6.4	0.144
J600200		330	510	282	14.6	0.008	3.70	0.83	6.7	4	0.4	155.5	0.46	<0.05	0.6	0.753
J600201		12.3	340	26.3	187.0	<0.002	0.10	0.24	4.1	2	4.2	168.5	13.20	0.08	33.9	0.183
J600202		28.9	440	19.9	235	<0.002	0.04	0.23	6.6	2	5.3	143.0	15.05	0.07	32.3	0.236
J600203		0.8	130	19.6	252	<0.002	0.01	0.17	1.8	2	4.0	17.9	15.20	0.08	35.4	0.136
J600204		0.8	180	23.9	256	<0.002	0.04	0.18	2.6	2	3.2	31.7	15.45	0.08	35.4	0.156
J600205		5.6	340	26.0	198.5	<0.002	0.15	0.20	4.5	2	2.6	141.0	12.90	<0.05	30.1	0.174
J600206		9.5	290	15.6	132.5	<0.002	0.24	0.12	3.2	1	1.2	268	3.17	<0.05	12.5	0.114
J600207		12.8	450	12.1	121.0	<0.002	0.45	0.13	4.4	1	1.1	354	0.63	0.05	5.3	0.167
J600208		65.0	560	14.9	147.5	<0.002	0.57	0.20	7.0	1	1.6	387	1.67	0.09	8.0	0.300
J600209		22.4	410	18.4	106.5	<0.002	0.11	0.21	4.3	1	1.9	311	1.20	<0.05	6.2	0.182
J600210		8.9	380	13.1	97.1	<0.002	0.34	0.12	4.4	1	1.0	310	0.91	<0.05	4.7	0.157

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
J600171		0.63	2.5	27	0.7	13.6	44	85.8	
J600172		0.59	2.2	23	0.7	12.6	44	102.0	
J600173		0.59	2.6	29	1.0	16.6	51	95.6	
J600174		0.52	1.6	21	0.4	9.4	38	93.5	
J600175		0.62	2.9	33	0.6	14.7	51	90.7	
J600176		0.67	3.4	44	1.7	17.9	88	140.0	
J600177		0.55	2.7	19	0.6	10.1	34	94.2	
J600178		0.70	2.0	39	1.3	15.6	70	91.7	
J600179		0.55	2.1	33	0.9	12.9	65	108.5	
J600180		0.44	2.1	574	0.1	7.3	8080	57.4	
J600181		0.68	1.8	33	0.5	11.9	55	97.6	
J600182		0.98	12.0	20	3.7	37.3	142	>500	
J600183		0.59	2.7	31	1.1	24.9	66	108.0	
J600184		0.52	1.8	42	0.9	11.9	73	72.6	
J600185		0.55	1.6	28	2.1	15.7	63	98.0	
J600186		0.75	1.9	42	1.5	11.3	76	96.3	
J600187		0.67	8.0	2	2.1	45.8	118	>500	
J600188		0.63	7.7	<1	2.3	49.8	150	>500	
J600189		0.62	4.9	<1	2.0	36.7	151	464	
J600190		0.55	4.7	<1	1.8	40.3	134	436	
J600191		0.57	4.9	<1	2.5	67.4	124	427	
J600192		0.54	3.7	6	1.8	43.6	95	290	
J600193		0.49	1.5	25	0.7	9.5	53	86.7	
J600194		0.65	9.2	12	3.2	51.4	111	>500	
J600195		0.51	1.9	17	1.0	8.5	33	87.4	
J600196		0.41	1.4	17	1.1	11.0	52	116.0	
J600197		0.51	2.8	22	1.5	16.7	49	165.0	
J600198		0.52	1.1	19	0.6	8.2	44	90.0	
J600199		0.44	1.4	19	0.6	8.7	48	95.9	
J600200		0.40	3.0	332	0.1	6.1	>10000	30.0	2.20
J600201		0.55	7.2	22	2.9	47.7	119	479	
J600202		0.76	8.1	43	2.5	53.1	134	472	
J600203		0.64	7.8	<1	2.2	49.2	146	475	
J600204		0.69	8.9	<1	2.7	48.8	132	>500	
J600205		0.59	10.3	14	3.1	40.8	106	>500	
J600206		0.49	2.5	15	1.2	15.8	53	142.5	
J600207		0.53	1.0	27	1.2	8.9	49	70.7	
J600208		0.70	2.4	48	1.2	14.9	66	118.0	
J600209		0.46	2.5	28	1.5	10.2	68	79.6	
J600210		0.48	1.2	24	0.8	9.5	42	68.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600211		1.10	0.001	<0.005	<0.001	0.07	7.27	6.2	540	1.77	0.02	1.71	0.06	63.2	4.5	23
J600212		1.11	<0.001	<0.005	<0.001	0.06	7.23	1.1	620	1.29	0.03	1.75	0.07	46.0	4.6	15
J600213		1.18				0.09	7.03	1.1	750	1.57	0.10	1.66	0.05	57.2	8.3	26
J600214		1.14				0.05	7.41	15.8	750	1.57	0.03	2.32	0.08	62.4	9.7	145
J600215		1.07				0.07	7.17	7.1	710	1.49	0.05	2.16	0.07	58.9	7.2	46
J600216		1.25				0.09	7.12	19.7	420	1.87	0.05	3.15	0.09	64.3	13.1	319
J600217		1.14				0.08	7.71	5.2	540	3.42	0.07	2.48	0.06	113.0	8.0	40
J600218		1.05				0.04	7.36	2.5	820	1.98	0.04	1.71	0.06	50.3	4.4	20
J600219		1.12				0.05	7.81	14.7	400	5.87	0.04	1.56	0.10	141.5	4.6	27
J600220		0.14				2.49	7.50	26.5	480	0.54	1.15	3.04	31.5	30.1	455	320
J600221		1.10				0.20	7.66	23.6	500	4.98	0.04	1.49	0.12	184.0	3.5	17
J600222		1.13				0.11	7.61	2.4	740	1.28	0.05	1.96	0.04	58.4	5.7	13
J600223		1.17				0.07	6.86	1.1	640	1.39	0.05	1.40	0.04	45.8	3.6	18
J600224		1.12				0.06	6.87	43.9	720	1.86	0.06	2.28	0.05	58.9	7.4	53
J600225		1.09				0.10	7.30	2.0	530	2.08	0.03	1.83	0.06	48.5	5.3	16
J600226		1.13				0.07	7.72	31.7	870	1.74	0.03	4.52	0.08	104.0	28.0	62
J600227		1.16				0.09	7.41	27.8	810	2.26	0.08	3.45	0.08	92.2	21.2	71
J600228		1.30				0.10	8.12	26.7	990	1.16	0.05	6.75	0.13	140.0	46.2	69
J600229		1.10				0.07	7.26	7.2	680	2.31	0.06	2.00	0.05	63.6	9.0	36
J600230		1.09				0.07	7.28	18.1	770	2.91	0.04	1.75	0.06	54.0	5.4	39
J600231		0.79				0.07	7.13	17.7	690	2.43	0.05	2.75	0.09	50.7	9.1	320
J600232		0.78				0.10	6.97	1.2	650	10.35	0.06	1.65	0.05	104.5	5.4	38
J600233		1.20				0.09	6.67	1.3	550	6.10	<0.01	0.90	0.03	32.9	0.6	8
J600234		1.10				0.05	7.01	0.8	600	2.00	0.01	0.94	0.05	24.9	0.6	8
J600235		1.18				0.08	6.53	0.6	540	1.36	0.01	0.79	0.05	16.05	1.1	9
J600236		1.11				0.07	7.18	1.0	550	1.89	0.03	1.39	0.06	43.9	3.4	15
J600237		1.15				0.37	9.24	5.0	1410	5.50	0.06	2.60	0.20	288	12.1	21
J600238		1.19				0.32	8.11	3.7	1240	5.48	0.11	2.73	0.36	233	12.3	19
J600239		1.20				0.19	9.12	3.3	1250	6.19	0.17	2.81	0.24	299	10.8	12
J600240		0.16				3.65	4.25	31.5	370	0.64	4.84	9.64	91.3	27.4	342	138
J600241		1.16				1.05	8.96	3.8	1200	5.96	0.13	2.68	0.15	352	10.8	10
J600242		1.19				1.03	8.38	3.4	1020	7.96	0.10	2.16	0.51	311	8.7	9
J600243		1.17				0.91	8.65	2.6	1200	5.28	0.09	2.35	0.12	381	9.6	11
J600244		1.15				1.00	9.20	2.7	1210	5.89	0.04	2.40	0.18	420	9.4	10
J600245		1.20				0.91	8.93	3.0	1160	5.58	0.05	2.37	0.13	342	9.2	10
J600246		1.26				1.20	9.08	2.6	1100	6.29	0.12	2.57	0.18	355	8.6	11
J600247		1.17				1.02	9.05	3.8	1190	5.65	0.11	2.41	0.19	363	9.8	58
J600248		1.12				0.91	9.11	3.2	1170	5.54	0.10	2.30	0.13	341	8.9	9
J600249		1.16				1.07	8.83	2.4	1170	5.34	0.06	2.34	0.13	334	9.7	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600211		2.84	16.7	1.76	21.7	0.14	2.3	0.005	2.23	37.2	61.8	0.36	349	7.67	3.45	19.9
J600212		2.35	10.7	1.72	20.5	0.15	2.6	0.008	2.27	26.1	57.3	0.37	329	0.75	3.31	12.3
J600213		2.41	30.8	2.45	19.20	0.15	2.5	0.009	2.62	31.1	38.8	0.40	341	1.52	3.08	16.2
J600214		4.82	11.5	2.58	21.1	0.18	3.3	0.020	2.80	30.7	79.4	1.39	544	0.58	3.21	16.3
J600215		3.32	12.0	2.28	18.85	0.17	2.5	0.017	2.26	29.5	61.9	0.80	459	0.64	3.19	15.1
J600216		7.45	14.4	3.27	19.30	0.15	3.1	0.031	1.89	35.9	129.0	1.90	842	1.35	3.35	18.8
J600217		5.82	18.7	2.80	22.5	0.17	6.5	0.025	1.92	63.5	86.6	0.81	622	2.11	3.66	101.0
J600218		2.21	15.3	1.58	21.0	0.12	3.0	0.005	2.62	27.4	41.9	0.37	352	1.66	3.44	27.6
J600219		4.32	10.0	2.63	29.1	0.25	9.4	0.018	2.83	83.0	84.9	0.49	542	2.10	4.42	190.0
J600220		0.55	636	6.13	17.75	0.36	1.5	0.264	1.40	15.4	419	8.44	510	7.86	0.98	15.6
J600221		3.75	10.2	2.44	25.7	0.23	10.1	0.025	2.64	105.0	59.2	0.35	576	5.99	4.15	191.5
J600222		2.72	23.0	2.16	21.2	0.17	2.2	0.009	2.08	31.8	45.1	0.40	365	0.92	3.54	13.1
J600223		2.54	12.2	1.43	19.90	0.15	3.3	<0.005	3.03	24.4	31.2	0.28	245	22.2	2.94	15.1
J600224		4.42	11.8	2.33	19.05	0.18	3.0	0.019	2.73	32.4	56.2	0.93	523	0.99	3.02	24.4
J600225		2.66	26.6	1.95	21.5	0.14	3.0	<0.005	1.85	25.6	47.7	0.35	344	0.95	3.61	16.3
J600226		10.00	27.3	6.49	18.00	0.22	3.4	0.038	2.03	52.0	71.3	2.56	1120	1.33	2.94	47.2
J600227		7.75	54.5	5.35	20.1	0.23	3.2	0.023	2.21	47.8	55.2	1.83	889	1.67	3.19	44.2
J600228		15.05	53.9	9.95	18.25	0.31	4.1	0.076	1.98	73.9	74.8	4.35	1690	2.24	2.35	60.6
J600229		5.84	31.9	2.84	21.0	0.17	3.1	0.019	2.23	34.3	43.4	0.95	468	2.64	3.53	31.4
J600230		2.72	23.2	2.01	20.3	0.13	2.8	0.014	2.63	29.9	31.4	0.56	406	1.76	3.54	27.3
J600231		6.71	13.2	2.72	17.75	0.15	2.4	0.026	2.87	27.2	63.0	1.79	737	1.75	3.28	27.9
J600232		1.74	18.7	1.86	20.6	0.22	3.4	0.020	2.54	52.1	84.7	0.49	561	2.63	3.51	36.0
J600233		1.30	4.9	1.18	19.05	0.17	2.5	0.007	3.33	15.4	23.9	0.08	288	1.01	3.06	13.9
J600234		1.27	5.3	0.93	18.45	0.12	2.2	<0.005	3.51	12.9	15.4	0.08	236	0.49	3.18	13.6
J600235		1.03	29.1	1.02	17.85	0.11	2.3	<0.005	3.46	8.5	13.1	0.06	202	1.21	2.96	8.1
J600236		1.33	14.8	1.65	19.85	0.14	2.8	0.018	2.34	25.3	23.3	0.30	375	4.06	3.80	19.3
J600237		5.96	24.8	5.61	27.1	0.31	8.1	0.051	3.68	152.5	106.5	1.12	1460	23.7	4.35	336
J600238		5.48	21.9	5.61	25.0	0.28	7.8	0.050	3.53	121.0	89.6	1.03	1690	4.91	4.02	331
J600239		6.19	19.7	5.81	27.6	0.30	10.8	0.046	3.98	162.0	123.5	0.92	1720	9.55	4.23	371
J600240		0.31	278	4.84	9.94	0.12	0.8	0.461	1.80	14.3	345	9.96	654	59.2	0.07	8.4
J600241		4.73	14.7	5.40	26.3	0.34	12.1	0.065	4.08	170.0	97.2	0.80	1730	10.55	4.77	355
J600242		7.42	16.3	4.62	26.6	0.29	9.6	0.057	3.71	154.0	101.0	0.67	1560	7.35	4.37	325
J600243		4.20	11.0	5.11	24.4	0.33	11.3	0.058	4.12	178.5	55.5	0.73	1720	9.77	5.16	344
J600244		4.44	12.3	5.25	25.9	0.39	11.1	0.056	4.22	211	58.6	0.74	1800	10.20	5.05	364
J600245		4.31	13.1	4.98	24.5	0.35	10.8	0.059	4.02	165.5	51.0	0.72	1620	10.30	4.74	336
J600246		5.69	17.3	5.26	25.0	0.33	9.6	0.069	3.97	173.5	66.5	0.71	1700	7.74	4.47	361
J600247		4.01	14.4	5.32	25.1	0.34	12.1	0.061	4.24	178.0	53.5	0.76	1760	10.80	5.09	362
J600248		3.55	11.8	5.11	25.0	0.33	10.8	0.054	4.17	167.5	54.5	0.72	1640	9.85	4.87	342
J600249		3.90	13.7	5.13	24.7	0.33	9.8	0.061	4.21	167.5	57.5	0.77	1660	9.68	4.63	336

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600211		9.8	320	14.8	113.5	<0.002	0.26	0.11	4.1	1	1.2	310	0.83	<0.05	10.4	0.133
J600212		9.1	340	14.8	90.4	<0.002	0.24	0.10	3.5	1	1.0	310	0.66	<0.05	7.4	0.133
J600213		20.5	290	14.6	98.1	<0.002	0.83	0.12	3.9	1	0.7	308	0.86	0.08	10.6	0.120
J600214		70.3	980	15.5	125.0	<0.002	0.30	0.13	5.8	1	1.0	343	0.98	0.05	6.5	0.196
J600215		26.5	720	13.9	95.3	<0.002	0.35	0.11	5.0	1	1.1	345	0.81	<0.05	7.3	0.180
J600216		63.3	640	15.2	135.5	<0.002	0.37	0.15	11.4	1	1.4	356	1.07	<0.05	7.2	0.191
J600217		17.3	680	18.1	152.5	<0.002	0.45	0.15	7.0	2	2.3	388	5.34	0.05	17.7	0.233
J600218		10.6	370	15.8	120.0	<0.002	0.35	0.12	4.4	<1	1.2	339	0.80	<0.05	15.1	0.151
J600219		14.6	270	22.6	255	<0.002	0.21	0.15	3.6	2	2.4	223	10.80	<0.05	17.1	0.127
J600220		479	950	177.5	14.4	0.003	1.67	0.31	11.7	1	0.6	473	0.95	<0.05	1.0	1.375
J600221		9.4	320	21.5	200	<0.002	0.17	0.16	3.3	2	2.2	241	12.30	<0.05	26.0	0.126
J600222		7.1	360	13.9	89.2	<0.002	0.54	0.10	4.0	<1	1.0	348	0.67	0.07	14.4	0.162
J600223		8.8	220	16.2	111.5	<0.002	0.31	0.10	2.7	1	0.7	256	0.99	<0.05	9.6	0.104
J600224		34.7	440	11.7	116.5	<0.002	0.22	0.15	4.8	1	1.7	333	1.36	<0.05	13.5	0.216
J600225		10.0	340	15.1	78.4	<0.002	0.31	0.13	3.7	1	1.2	312	1.04	<0.05	16.0	0.137
J600226		45.5	2540	10.8	119.0	<0.002	0.21	0.14	13.5	2	5.5	694	2.38	<0.05	8.0	0.712
J600227		39.9	2000	11.0	117.5	<0.002	0.31	0.15	11.2	2	4.9	508	2.04	<0.05	7.9	0.553
J600228		67.3	4500	11.4	114.5	<0.002	0.26	0.17	23.0	2	10.5	1000	3.10	<0.05	5.9	1.185
J600229		19.1	760	15.9	117.0	<0.002	0.33	0.11	6.3	1	2.6	357	1.50	0.07	9.5	0.240
J600230		16.3	360	14.8	116.5	<0.002	0.27	0.11	4.2	1	2.1	318	1.27	<0.05	8.7	0.139
J600231		62.7	510	12.5	172.5	<0.002	0.27	0.15	10.0	1	1.6	349	1.55	<0.05	8.5	0.155
J600232		19.0	350	27.2	117.5	<0.002	0.38	0.10	4.3	2	1.6	310	1.91	<0.05	32.4	0.121
J600233		1.4	40	28.3	125.5	<0.002	0.05	0.13	2.1	1	1.6	130.5	0.37	<0.05	43.4	0.043
J600234		1.1	70	21.8	120.5	<0.002	0.05	0.10	1.6	<1	0.9	145.0	0.49	<0.05	19.2	0.045
J600235		1.3	60	22.1	119.0	<0.002	0.14	0.11	1.2	<1	0.8	121.0	0.36	<0.05	3.3	0.030
J600236		5.1	310	16.9	77.8	<0.002	0.32	0.11	3.7	1	1.5	237	1.05	<0.05	6.6	0.118
J600237		22.4	1530	49.4	176.5	<0.002	0.44	0.19	7.1	2	6.5	482	16.30	0.07	29.3	0.430
J600238		18.3	1440	40.2	131.0	<0.002	0.28	0.16	6.1	2	8.4	493	17.85	<0.05	24.1	0.410
J600239		13.0	1440	30.6	187.0	<0.002	0.18	0.20	5.9	2	7.5	549	18.95	<0.05	31.9	0.409
J600240		332	490	286	14.4	0.006	3.82	0.81	7.2	1	0.4	156.5	0.49	<0.05	0.6	0.770
J600241		10.7	1400	32.4	178.5	<0.002	0.13	0.22	5.6	3	6.8	446	19.15	0.13	32.0	0.398
J600242		8.2	1130	31.6	241	<0.002	0.15	0.25	4.7	2	8.3	382	18.70	0.11	35.7	0.323
J600243		9.0	1330	38.3	181.0	<0.002	0.13	0.20	5.3	2	5.2	389	18.10	0.12	32.5	0.384
J600244		8.3	1360	32.2	208	<0.002	0.15	0.19	5.0	3	5.6	400	18.95	0.12	36.3	0.382
J600245		8.3	1300	25.8	189.5	<0.002	0.17	0.19	5.0	3	5.3	400	17.90	0.10	31.4	0.371
J600246		8.0	1280	32.5	202	<0.002	0.18	0.20	4.7	3	8.6	441	19.55	0.12	34.0	0.372
J600247		33.0	1390	31.1	185.0	<0.002	0.21	0.21	5.1	3	6.4	404	18.75	0.12	34.7	0.401
J600248		8.0	1330	26.9	175.0	<0.002	0.14	0.19	4.9	2	5.4	394	18.20	0.12	33.3	0.378
J600249		9.3	1340	28.1	180.5	<0.002	0.17	0.17	5.1	2	5.6	392	18.10	0.12	31.5	0.404

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 20-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11192139

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.001
J600211		0.47	1.6	20	1.0	10.3	47	72.2	
J600212		0.44	1.6	21	0.8	8.3	48	81.2	
J600213		0.57	2.1	19	0.6	9.2	35	79.9	
J600214		0.69	2.2	34	1.1	11.0	85	105.5	
J600215		0.49	2.3	32	0.8	11.1	61	86.8	
J600216		0.71	2.0	55	1.1	13.0	109	100.0	
J600217		0.57	4.4	42	1.2	24.2	81	254	
J600218		0.44	2.1	19	1.2	10.6	48	91.4	
J600219		0.57	6.4	22	3.3	47.6	97	428	
J600220		0.35	2.2	543	0.3	7.0	7760	54.7	
J600221		0.47	7.4	18	2.5	42.3	84	490	
J600222		0.43	1.9	24	0.5	7.8	46	70.2	
J600223		0.48	2.7	15	1.0	10.7	31	85.0	
J600224		0.56	2.5	30	1.2	11.8	44	87.1	
J600225		0.35	1.9	19	1.3	12.3	41	94.0	
J600226		0.97	1.9	114	2.7	22.8	111	135.0	
J600227		0.81	1.8	91	1.6	24.1	92	114.5	
J600228		1.27	1.3	200	3.3	30.7	166	154.5	
J600229		0.67	2.3	40	0.9	13.9	59	97.0	
J600230		0.45	2.4	23	1.1	12.5	45	85.7	
J600231		0.75	5.2	44	2.4	14.9	95	76.1	
J600232		0.37	3.6	20	1.1	56.7	47	115.0	
J600233		0.51	1.7	5	1.2	20.0	30	73.9	
J600234		0.50	1.7	5	1.1	10.6	31	54.9	
J600235		0.45	1.3	4	1.6	5.7	29	59.7	
J600236		0.33	2.1	17	2.0	10.5	47	81.1	
J600237		0.42	13.4	40	2.9	39.8	208	397	
J600238		0.36	13.0	40	4.3	32.8	205	365	
J600239		0.32	14.4	34	4.3	41.7	186	>500	
J600240		0.33	2.9	329	0.2	6.0	>10000	26.7	2.23
J600241		0.35	14.7	31	3.9	42.9	170	>500	
J600242		0.53	12.4	24	3.7	42.8	212	415	
J600243		0.30	14.5	26	3.6	46.8	158	>500	
J600244		0.35	15.1	25	3.9	55.1	172	>500	
J600245		0.29	13.7	24	3.8	40.6	151	496	
J600246		0.43	14.9	25	4.6	42.4	190	440	
J600247		0.32	14.7	26	4.0	44.7	175	>500	
J600248		0.32	14.8	24	3.7	40.2	151	496	
J600249		0.33	13.6	27	3.8	40.0	164	469	

***** See Appendix Page for comments regarding this certificate *****