ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

CERTIFICATE TB11188876

Project: ALBANY BLOCK 4F

P.O. No.:

This report is for 114 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 21-SEP-2011.

The following have access to data associated with this certificate:

GLENDA CAREY ROBERT STEWART	ANDREW DALBY	AUBREY EVELEIGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **ZENYATTA VENTURES LTD**
ATTN: ANDREW DALBY
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600017		0.73				0.10	6.81	1.5	910	1.71	0.06	0.59	0.04	33.8	2.4	10
J600018		1.02				0.08	6.73	2.4	950	1.92	0.04	0.54	0.02	35.9	3.0	8
J600019		0.88				0.06	6.85	4.6	660	2.20	0.05	0.68	0.03	21.5	1.6	8
J600020		0.53				0.06	6.69	4.1	460	1.23	0.05	0.24	0.04	19.50	0.9	14
J600021		1.40				0.14	6.39	9.8	500	4.15	0.10	0.22	0.04	42.6	1.2	13
J600022		1.20				0.07	6.68	3.4	720	3.62	0.12	0.54	0.03	75.5	1.7	11
J600023		1.37				0.36	7.65	8.8	500	4.47	0.22	0.86	0.10	205	2.4	10
J600024		1.33				0.42	7.80	4.4	70	6.34	0.16	1.10	0.14	257	2.0	3
J600025		1.33	0.004	<0.005	<0.001	0.41	7.86	3.3	60	5.24	0.14	0.54	0.13	229	3.0	5
J600026		1.58	<0.001	<0.005	0.001	0.05	6.84	2.3	810	2.56	0.13	0.38	0.02	43.7	1.8	18
J600027		1.24	0.001	0.010	<0.001	0.07	6.41	1.6	760	2.55	0.15	0.26	<0.02	52.9	1.7	26
J600028		1.28	<0.001	0.006	<0.001	0.01	6.31	0.7	620	1.63	0.04	0.55	0.02	15.90	0.6	10
J600029		1.19	<0.001	<0.005	<0.001	0.02	5.69	1.3	630	1.97	0.11	0.46	<0.02	30.5	1.2	16
J600030		1.35	<0.001	0.006	<0.001	0.02	6.35	1.1	560	2.54	0.09	0.60	<0.02	26.8	1.3	18
J600031		1.30	<0.001	0.018	<0.001	0.05	6.49	2.1	690	2.96	0.13	0.65	0.02	62.1	2.4	15
J600032		1.37				0.06	6.76	2.2	610	1.56	0.09	0.72	0.03	31.7	2.5	9
J600033		1.25				0.13	6.42	1.8	700	1.08	0.10	0.30	0.03	15.70	1.5	14
J600034		1.18				0.09	6.48	2.1	670	1.72	0.17	0.50	0.05	38.4	2.5	12
J600035		0.93				0.08	6.40	2.7	700	2.14	0.13	0.38	0.04	42.8	1.8	12
J600036		1.36				0.05	6.54	2.6	760	1.55	0.13	0.76	0.04	33.2	4.9	8
J600037		1.36				0.08	6.48	2.6	740	2.28	0.12	0.52	0.07	43.6	2.0	11
J600038		1.22				0.11	6.58	0.2	790	1.63	0.08	0.63	0.04	36.4	2.2	10
J600039		0.97				0.07	6.35	1.7	690	1.30	0.07	0.78	0.03	28.9	1.7	10
J600040		0.91				0.06	6.09	1.8	700	1.41	0.08	0.72	0.02	31.5	2.0	11
J600041		1.21				0.15	6.74	3.8	660	1.97	0.10	1.26	0.04	33.2	4.9	12
J600042		1.36				0.15	6.72	3.2	820	1.84	0.07	1.30	0.06	35.8	2.1	12
J600043		1.21				0.11	6.73	3.4	690	2.14	0.13	1.03	0.05	60.5	3.6	13
J600044		1.27				0.13	7.03	3.1	440	1.55	0.08	1.28	0.05	36.9	3.4	12
J600045		1.20	<0.001	<0.005	<0.001	0.06	6.56	1.5	650	1.42	0.04	1.05	0.05	26.7	1.9	10
J600046		1.22	<0.001	<0.005	0.001	0.08	6.72	2.7	820	1.59	0.06	0.93	0.03	28.3	2.0	11
J600047		1.23	<0.001	<0.005	<0.001	0.07	6.26	5.4	530	2.28	0.10	1.13	<0.02	30.4	2.0	10
J600048		0.95	<0.001	<0.005	<0.001	0.06	6.27	2.3	740	1.33	0.14	0.95	<0.02	29.9	2.5	11
J600049		1.02	<0.001	<0.005	0.001	0.07	6.10	2.2	550	1.76	0.11	0.85	0.03	27.8	2.6	13
J600050		1.09	<0.001	<0.005	<0.001	0.09	6.07	3.0	590	3.04	0.12	1.96	0.03	29.5	3.3	10
J600051		1.11	0.001	<0.005	<0.001	0.08	5.99	2.8	480	3.14	0.14	1.55	<0.02	29.5	2.4	30
J600052		0.91				0.06	6.12	2.1	500	2.05	0.13	0.99	0.02	28.4	2.0	14
J600053		1.25				0.08	6.74	2.9	600	2.61	0.14	1.05	<0.02	37.9	3.7	15
J600054		1.18				0.05	6.14	1.3	450	3.68	0.08	0.86	<0.02	61.7	1.4	13
J600055		1.08				0.04	6.32	3.5	530	1.91	0.09	0.99	0.02	27.9	1.8	14
J600056		1.27				0.10	6.50	4.7	690	1.79	0.04	0.73	0.11	34.0	1.7	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600017		2.45	7.9	1.21	19.35	0.16	2.5	0.010	4.06	16.9	47.6	0.25	173	1.91	2.36	11.5
J600018		2.37	10.8	1.10	19.15	0.21	2.3	0.010	4.55	18.1	43.6	0.23	161	0.55	2.11	9.4
J600019		4.73	9.4	1.23	20.4	0.19	2.3	0.013	4.89	11.9	39.2	0.17	141	3.76	2.08	8.7
J600020		2.25	6.6	0.82	18.90	0.20	2.3	0.005	5.67	12.3	20.2	0.08	137	0.50	1.61	7.6
J600021		6.21	5.8	1.42	21.5	0.21	8.4	0.014	4.99	22.8	38.2	0.21	103	0.84	1.85	148.5
J600022		5.51	13.4	1.34	20.6	0.21	2.5	0.016	4.31	37.8	56.7	0.28	100	2.22	2.25	27.2
J600023		5.31	39.7	2.84	26.2	0.32	8.8	0.062	4.29	111.0	39.4	0.26	474	2.08	3.40	132.0
J600024		7.36	12.5	4.31	29.2	0.34	12.1	0.119	4.47	124.5	40.5	0.20	846	3.50	4.10	205
J600025		7.83	12.4	2.88	29.9	0.31	9.9	0.070	4.94	108.0	47.7	0.46	362	2.63	3.79	195.0
J600026		3.63	8.6	1.27	20.6	0.16	2.2	0.018	4.92	27.0	73.0	0.44	119	0.87	1.74	20.5
J600027		4.64	6.8	1.17	17.95	0.18	1.9	0.018	5.56	31.8	69.9	0.45	105	0.94	1.24	21.5
J600028		1.78	2.9	0.61	15.45	0.16	0.7	<0.005	4.27	10.6	30.6	0.14	63	0.30	2.24	4.3
J600029		2.38	4.6	0.92	16.75	0.17	1.9	0.010	3.99	18.8	45.0	0.26	89	0.56	1.69	11.7
J600030		2.63	3.8	0.87	19.20	0.18	2.3	0.010	3.93	16.4	43.5	0.24	82	0.54	2.07	14.3
J600031		2.86	6.8	1.21	19.95	0.20	2.8	0.015	4.02	36.0	58.4	0.37	122	0.95	2.06	22.6
J600032		2.18	6.8	1.01	20.2	0.17	2.0	0.009	3.53	17.2	46.2	0.25	111	0.67	2.53	11.5
J600033		2.06	7.0	0.85	17.75	0.15	1.4	0.011	5.06	8.3	29.6	0.14	93	0.61	1.86	23.6
J600034		2.50	7.9	0.95	20.3	0.21	2.1	0.012	3.97	20.7	51.3	0.24	106	0.63	2.37	21.8
J600035		2.74	6.7	1.05	20.8	0.18	1.6	0.014	4.51	23.1	43.7	0.28	112	0.70	2.02	41.1
J600036		2.19	11.0	1.01	18.35	0.16	3.2	0.009	3.49	16.9	47.6	0.22	163	0.36	2.48	11.3
J600037		2.92	9.7	1.01	20.4	0.20	4.5	0.006	4.31	22.8	50.4	0.24	140	0.52	2.22	43.7
J600038		2.77	10.4	1.04	19.15	0.17	2.8	0.007	3.89	18.9	53.1	0.23	129	0.38	2.43	11.7
J600039		1.89	4.6	1.13	19.40	0.16	2.9	0.007	3.20	16.0	48.5	0.21	171	0.29	2.60	10.6
J600040		1.91	7.8	1.25	18.25	0.20	2.9	0.008	3.32	16.9	44.1	0.21	152	0.40	2.40	10.5
J600041		4.22	9.9	1.67	18.75	0.16	2.9	0.012	3.12	16.7	84.1	0.66	257	0.57	2.56	11.2
J600042		2.66	10.6	1.09	18.40	0.17	2.8	0.008	3.68	17.1	54.1	0.29	237	1.12	2.53	12.7
J600043		3.76	12.3	1.61	19.60	0.20	2.8	0.016	2.75	30.7	82.7	0.44	230	0.41	2.78	18.6
J600044		2.95	12.7	1.53	20.1	0.16	3.0	0.012	2.40	19.2	81.5	0.36	243	1.93	3.04	13.8
J600045		1.90	6.1	1.07	19.85	0.17	3.1	0.011	2.71	14.1	57.0	0.19	166	0.39	2.93	11.5
J600046		2.12	7.0	1.16	18.90	0.18	3.1	0.006	3.36	15.1	53.1	0.23	155	0.40	2.65	10.1
J600047		2.30	5.3	1.14	18.50	0.16	3.3	0.005	3.08	15.3	52.8	0.28	162	0.46	2.49	17.0
J600048		2.25	6.8	1.21	17.75	0.15	3.1	0.009	3.34	15.6	54.3	0.30	142	0.33	2.26	8.0
J600049		2.30	4.6	1.09	18.85	0.16	3.7	0.009	3.02	14.5	46.1	0.26	189	0.64	2.45	7.9
J600050		2.49	6.7	1.27	16.35	0.18	2.9	0.012	4.10	13.6	56.1	0.50	316	0.87	1.88	10.0
J600051		2.02	4.6	1.36	17.65	0.17	2.9	0.015	3.63	13.9	53.8	0.54	240	0.82	1.93	11.7
J600052		1.81	4.8	1.09	18.05	0.20	2.3	0.010	3.67	14.5	46.8	0.29	159	1.30	2.14	13.1
J600053		3.57	8.3	1.60	19.75	0.19	2.9	0.012	3.49	17.2	70.9	0.46	231	0.48	2.44	15.2
J600054		1.81	5.5	0.92	16.40	0.21	2.1	<0.005	3.65	33.1	45.2	0.16	189	0.32	2.41	7.7
J600055		2.13	5.1	1.01	18.95	0.14	3.4	<0.005	3.17	14.2	46.7	0.20	194	0.53	2.54	12.4
J600056		2.20	10.9	0.99	20.0	0.16	2.8	0.006	3.57	17.2	52.0	0.16	155	1.81	2.61	11.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600017		5.4	150	11.0	129.5	<0.002	0.07	0.09	2.2	1	1.1	207	0.73	<0.05	6.2	0.074
J600018		6.2	120	11.4	132.0	<0.002	0.07	0.07	2.0	1	0.9	174.0	0.58	<0.05	9.9	0.063
J600019		3.7	90	13.6	144.5	<0.002	0.04	0.09	1.6	1	0.8	162.5	0.55	<0.05	4.7	0.042
J600020		4.3	90	9.6	137.0	<0.002	0.02	0.09	1.2	1	0.7	133.5	0.39	<0.05	4.9	0.014
J600021		5.8	170	11.3	209	<0.002	0.03	0.11	2.5	1	1.6	195.5	10.30	0.06	56.9	0.060
J600022		3.6	180	8.7	128.0	<0.002	0.15	0.10	2.4	2	1.3	208	1.42	<0.05	19.9	0.074
J600023		1.5	170	25.1	188.5	<0.002	0.53	0.25	3.0	2	2.8	157.5	6.96	0.09	25.2	0.135
J600024		3.1	210	18.3	244	<0.002	0.24	0.31	4.3	2	5.4	44.8	11.30	0.08	29.1	0.205
J600025		7.4	230	18.7	259	<0.002	0.10	0.30	4.0	2	5.3	34.7	10.25	0.07	27.3	0.204
J600026		5.3	240	9.4	121.5	<0.002	0.10	0.10	3.9	1	1.3	258	1.45	<0.05	7.3	0.108
J600027		7.1	340	9.2	133.0	<0.002	0.06	0.09	5.0	1	1.4	356	1.03	0.05	9.0	0.131
J600028		2.7	300	7.8	128.0	<0.002	0.03	<0.05	1.4	1	0.5	243	0.38	<0.05	1.6	0.032
J600029		5.2	200	7.9	104.0	<0.002	0.09	0.08	4.9	1	1.2	262	0.78	<0.05	13.0	0.073
J600030		3.1	180	8.4	94.6	<0.002	0.12	0.09	3.2	1	1.1	297	1.46	<0.05	7.2	0.074
J600031		7.0	250	10.5	96.3	<0.002	0.25	0.11	3.9	1	1.3	355	1.30	0.06	10.5	0.103
J600032		4.5	110	10.5	84.9	<0.002	0.28	0.08	2.3	1	0.8	230	0.62	<0.05	5.7	0.076
J600033		3.4	60	13.6	132.5	<0.002	0.14	0.15	1.3	1	1.6	145.0	0.40	<0.05	5.0	0.056
J600034		5.3	130	12.2	111.0	<0.002	0.19	0.17	1.6	1	1.6	183.5	0.53	<0.05	8.7	0.065
J600035		5.3	170	9.4	114.0	<0.002	0.18	0.17	2.3	1	2.1	185.5	0.70	0.07	11.5	0.091
J600036		6.0	180	10.9	102.5	<0.002	0.17	0.13	1.8	<1	1.0	171.5	0.66	<0.05	4.8	0.074
J600037		3.7	130	13.7	151.0	<0.002	0.16	0.15	1.9	<1	1.3	163.0	3.88	<0.05	12.7	0.079
J600038		2.6	130	11.5	126.5	<0.002	0.22	0.11	1.9	<1	0.9	170.0	0.67	<0.05	5.0	0.071
J600039		1.9	140	11.2	100.5	<0.002	0.30	0.11	1.8	<1	0.5	171.0	0.53	<0.05	4.7	0.068
J600040		3.3	150	9.9	99.2	<0.002	0.33	0.14	1.7	<1	0.8	174.5	0.56	<0.05	5.0	0.069
J600041		8.8	260	13.9	112.0	<0.002	0.32	0.16	3.5	<1	1.0	239	0.66	0.05	5.6	0.097
J600042		4.7	110	13.2	118.0	0.002	0.17	0.15	1.8	1	1.2	224	0.50	<0.05	5.4	0.059
J600043		8.1	210	12.5	93.3	<0.002	0.29	0.19	3.1	<1	1.4	325	0.78	0.07	35.6	0.089
J600044		5.9	250	14.1	74.2	<0.002	0.32	0.16	2.6	<1	1.1	303	0.83	<0.05	8.0	0.108
J600045		1.8	130	15.0	80.8	<0.002	0.20	0.13	1.8	<1	0.9	264	0.45	<0.05	5.2	0.065
J600046		2.9	140	11.7	95.4	<0.002	0.32	0.14	1.7	<1	0.6	218	0.31	<0.05	4.0	0.074
J600047		2.2	160	9.0	97.1	<0.002	0.40	0.14	2.1	<1	0.8	163.0	1.98	0.07	5.0	0.078
J600048		3.4	170	8.8	95.2	<0.002	0.41	0.14	1.7	<1	0.8	175.5	0.61	0.05	4.4	0.078
J600049		4.0	160	9.3	87.9	<0.002	0.31	0.13	2.2	<1	0.7	166.0	0.70	0.06	4.7	0.066
J600050		19.5	280	6.6	91.9	<0.002	0.15	0.14	2.5	<1	0.7	143.0	1.01	0.07	6.7	0.071
J600051		8.9	180	5.7	86.3	<0.002	0.22	0.17	2.3	<1	0.9	124.5	0.73	0.08	4.3	0.100
J600052		5.5	140	7.0	98.7	<0.002	0.25	0.14	2.4	<1	0.8	131.5	0.83	0.07	6.1	0.072
J600053		8.6	400	11.1	119.0	<0.002	0.48	0.14	3.6	<1	1.3	202	1.42	0.07	6.0	0.154
J600054		3.9	100	9.2	103.0	0.002	0.18	0.12	1.4	1	0.6	122.5	1.43	0.06	8.7	0.042
J600055		3.5	110	11.6	98.0	<0.002	0.28	0.15	1.7	<1	0.6	144.5	0.56	0.06	4.5	0.058
J600056		4.1	100	18.4	127.5	<0.002	0.23	0.10	1.5	1	0.8	164.5	0.62	<0.05	5.8	0.055

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J600017		0.58	1.5	7	1.3	7.3	34	81.7
J600018		0.62	1.5	6	1.2	11.4	31	71.1
J600019		0.71	1.6	4	1.2	11.7	21	56.7
J600020		0.73	1.3	2	1.5	16.3	10	41.9
J600021		0.75	7.1	7	4.5	36.8	18	283
J600022		0.45	1.7	7	2.1	54.7	23	85.4
J600023		0.96	5.7	4	4.6	34.4	46	433
J600024		0.99	6.5	<1	6.5	48.1	99	>500
J600025		1.00	6.4	1	7.7	39.7	65	449
J600026		0.37	2.2	15	1.3	8.0	17	71.1
J600027		0.45	2.9	25	1.2	13.0	15	61.9
J600028		0.41	1.3	6	0.4	13.0	7	14.0
J600029		0.36	2.6	10	0.8	10.0	9	56.2
J600030		0.30	3.8	9	0.8	8.0	10	65.3
J600031		0.32	2.1	13	0.9	12.4	15	94.6
J600032		0.27	1.3	10	0.8	6.0	16	57.9
J600033		0.48	0.8	6	1.2	4.0	14	33.2
J600034		0.36	1.1	6	1.3	7.0	15	64.6
J600035		0.38	1.1	9	2.2	8.1	14	50.4
J600036		0.40	1.2	6	0.9	5.6	24	87.3
J600037		0.57	5.2	7	2.4	11.1	24	127.0
J600038		0.48	1.0	6	1.4	6.7	17	81.4
J600039		0.37	1.0	5	0.3	4.8	19	78.1
J600040		0.36	1.0	5	0.4	5.1	17	78.1
J600041		0.50	1.4	17	0.9	6.7	34	82.1
J600042		0.48	1.0	5	1.3	6.5	21	70.3
J600043		0.42	2.0	12	1.2	10.6	34	78.6
J600044		0.39	1.5	13	1.2	7.7	35	93.7
J600045		0.35	1.0	6	0.8	5.0	30	79.5
J600046		0.39	0.7	6	1.6	4.9	17	88.1
J600047		0.34	2.2	6	1.0	6.3	13	89.5
J600048		0.45	1.0	7	0.7	5.5	12	90.8
J600049		0.38	2.3	7	0.8	8.4	11	91.5
J600050		0.37	1.6	7	2.3	12.0	9	79.0
J600051		0.30	1.4	9	2.5	8.1	11	82.8
J600052		0.40	1.7	7	1.7	8.1	9	62.7
J600053		0.56	3.5	15	1.7	12.9	22	77.9
J600054		0.44	4.4	5	1.5	14.7	9	44.0
J600055		0.39	2.0	6	0.9	6.8	12	85.8
J600056		0.49	1.5	4	1.2	7.2	37	73.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600057		1.21				0.08	6.43	3.5	620	1.71	0.07	0.73	0.05	35.3	1.8	11
J600058		0.94				0.10	6.69	6.4	410	5.99	0.05	0.83	0.09	163.0	1.1	9
J600059		1.31				0.07	6.32	3.3	680	1.82	0.06	0.85	0.05	36.6	1.9	10
J600060		1.20				0.07	6.22	2.3	580	2.03	0.06	0.80	0.05	36.1	1.6	10
J600061		1.31				0.07	6.25	2.1	660	2.36	0.37	0.69	0.02	27.3	1.4	8
J600062		0.79				0.17	6.59	5.9	340	6.12	0.07	0.76	0.15	247	1.5	8
J600063		1.38				0.09	6.18	2.8	610	1.77	0.08	0.84	0.02	28.6	1.7	8
J600064		1.31				0.09	6.34	8.7	670	3.02	0.11	1.28	0.03	90.7	6.5	112
J600065		1.24				0.16	5.77	21.1	670	2.54	0.16	1.23	0.02	57.2	7.8	143
J600066		1.16				0.67	5.92	17.2	550	3.21	0.15	2.20	0.02	120.5	17.9	285
J600067		1.30				0.16	6.44	3.3	630	2.29	0.11	0.91	<0.02	42.5	4.1	19
J600068		1.12				0.20	6.21	3.0	640	1.93	0.16	0.76	0.02	34.2	4.8	18
J600069		1.19				0.17	6.04	3.0	620	2.18	0.12	0.79	0.03	32.3	1.8	13
J600070		1.20				0.11	6.18	2.8	550	1.63	0.11	0.92	0.02	47.0	1.8	17
J600071		1.19				0.07	6.14	2.5	610	1.06	0.07	1.01	0.03	35.9	1.6	10
J600072		0.91				0.08	6.20	3.8	590	1.10	0.07	0.95	0.03	29.1	1.6	15
J600073		1.33	<0.001	<0.005	<0.001	0.11	5.96	8.6	600	2.80	0.17	1.14	0.03	96.2	3.6	50
J600074		1.10	0.010	<0.005	<0.001	0.11	7.94	13.6	1310	5.17	0.13	1.73	0.07	188.5	8.5	22
J600075		1.20	0.002	<0.005	0.001	0.12	7.94	6.4	1250	4.27	0.07	1.82	0.06	241	8.6	20
J600076		1.15	<0.001	<0.005	<0.001	0.07	6.41	1.9	680	2.52	0.10	1.13	0.03	83.7	4.1	28
J600077		1.19	0.005	0.007	<0.001	0.07	6.29	1.8	610	2.13	0.17	1.08	0.04	64.6	3.3	25
J600078		1.13	0.002	<0.005	0.002	0.05	6.04	2.6	550	1.80	0.14	0.85	0.04	46.9	2.5	19
J600079		1.22	<0.001	0.006	<0.001	0.04	6.40	3.4	600	1.98	0.17	1.07	0.09	47.0	2.9	29
J600080		1.10				0.12	7.04	11.4	570	2.44	0.46	1.34	0.04	69.6	4.9	37
J600081		1.04				0.17	6.92	2.0	540	2.33	0.11	1.33	0.09	72.1	4.6	22
J600082		1.07				0.09	6.40	7.5	600	2.53	0.12	1.50	0.02	67.8	6.1	87
J600083		1.00				0.06	6.59	3.3	630	2.18	0.09	1.30	0.05	64.6	3.8	34
J600084		1.18				0.06	6.69	1.8	590	2.59	0.08	1.23	0.05	53.2	3.6	32
J600085		1.16				0.04	6.54	1.1	550	1.85	0.08	1.26	0.04	35.3	3.6	25
J600086		1.13				0.08	6.71	2.4	590	2.19	0.09	1.55	0.11	53.7	5.1	30
J600087		1.12				0.05	6.49	1.3	560	1.99	0.10	1.09	0.03	56.2	3.0	18
J600088		1.14				0.06	6.17	0.9	420	1.99	0.09	0.79	0.05	27.9	2.1	16
J600089		1.17				0.05	6.33	9.0	590	1.75	0.06	1.22	0.08	55.9	3.3	43
J600090		1.26				0.05	6.51	2.0	610	2.01	0.10	1.13	0.03	42.8	3.8	31
J600091		1.20				0.02	6.51	3.8	560	3.22	0.06	0.95	0.04	55.9	3.3	19
J600092		1.19				0.05	6.30	1.7	530	1.64	0.07	0.94	0.02	35.7	2.7	14
J600093		1.29				0.07	6.64	3.0	580	2.64	0.11	1.33	0.08	65.5	3.9	22
J600094		1.21				0.16	7.07	5.1	710	3.18	0.09	0.99	0.04	107.5	6.7	19
J600095		1.09				0.11	7.82	5.9	1010	4.44	0.07	1.24	0.02	196.5	6.9	13
J600096		1.29				0.15	7.11	7.0	460	3.24	0.18	1.07	0.02	178.5	4.7	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600057		3.08	7.4	1.07	19.75	0.17	3.2	<0.005	3.34	18.1	51.4	0.18	159	6.49	2.69	12.1
J600058		6.72	3.5	1.56	23.0	0.26	9.7	0.005	3.61	90.6	55.8	0.17	303	3.15	3.06	118.5
J600059		3.17	3.9	1.38	19.80	0.18	3.9	0.008	3.18	18.9	67.5	0.22	255	0.43	2.54	19.7
J600060		3.02	3.4	1.24	19.75	0.18	3.8	0.007	2.90	19.4	63.3	0.18	250	0.54	2.69	23.1
J600061		2.31	4.2	1.01	18.35	0.15	3.1	<0.005	3.46	15.1	46.1	0.21	162	0.34	2.61	12.5
J600062		3.66	23.8	1.43	26.2	0.34	12.5	0.007	3.99	138.0	32.0	0.14	158	4.10	2.94	198.0
J600063		2.57	2.8	1.05	18.35	0.15	3.0	<0.005	3.04	15.2	43.4	0.24	170	0.37	2.60	8.8
J600064		4.90	8.3	2.13	18.50	0.23	3.0	0.030	3.60	44.7	151.5	1.31	520	0.71	2.34	14.4
J600065		6.52	7.4	1.98	17.30	0.20	3.4	0.022	3.49	27.8	94.9	1.35	361	0.98	2.06	41.0
J600066		8.97	10.5	3.10	18.60	0.26	4.4	0.037	3.34	55.7	79.0	2.29	691	1.47	2.04	53.2
J600067		3.93	7.4	1.41	19.10	0.21	2.9	0.008	3.42	21.3	71.6	0.55	186	0.53	2.36	11.5
J600068		3.03	7.0	1.32	18.65	0.19	3.2	0.006	3.61	17.5	51.0	0.42	184	0.57	2.26	11.6
J600069		1.79	11.2	0.97	17.35	0.16	2.5	0.009	3.23	16.0	40.4	0.23	155	0.52	2.47	10.6
J600070		1.40	6.5	1.07	16.75	0.17	2.1	0.011	2.91	23.2	31.5	0.18	133	0.58	2.67	10.1
J600071		2.03	9.0	1.13	19.05	0.18	2.9	0.007	2.48	19.0	29.7	0.16	136	0.30	2.87	7.4
J600072		2.20	10.0	1.17	18.75	0.15	2.6	0.006	2.78	16.2	26.6	0.20	167	0.47	2.77	8.1
J600073		2.17	7.8	1.57	16.60	0.22	2.4	0.026	3.17	47.6	43.3	0.60	425	0.78	2.67	16.9
J600074		3.49	23.2	3.63	21.4	0.28	7.3	0.036	3.56	102.0	131.0	0.85	892	5.38	3.39	186.0
J600075		3.62	14.3	3.77	22.9	0.35	7.8	0.044	3.27	122.0	167.0	0.84	954	6.91	3.53	213
J600076		1.82	8.2	1.97	18.10	0.20	3.5	0.031	2.63	46.9	48.1	0.41	395	2.59	3.14	57.5
J600077		1.62	10.8	1.73	18.10	0.20	2.7	0.023	2.61	33.7	21.8	0.39	377	1.47	3.08	29.4
J600078		1.32	9.7	1.33	17.70	0.22	2.6	0.012	2.67	23.7	16.1	0.26	236	1.03	2.95	22.3
J600079		2.04	10.1	1.52	17.90	0.20	2.9	0.022	2.87	24.5	24.6	0.41	278	0.87	3.02	19.1
J600080		3.63	12.7	1.84	20.5	0.21	3.0	0.022	2.91	37.2	49.8	0.55	330	1.05	3.18	25.0
J600081		3.99	11.1	1.92	20.8	0.22	3.2	0.025	2.38	40.1	46.6	0.47	349	0.71	3.32	27.9
J600082		3.89	11.6	2.05	18.75	0.20	3.2	0.019	3.19	35.4	52.0	0.93	448	0.89	2.69	28.0
J600083		2.77	12.4	1.67	19.30	0.18	2.9	0.020	2.82	31.7	34.1	0.43	300	0.85	2.93	26.3
J600084		3.25	10.9	1.63	19.15	0.23	2.9	0.021	2.79	26.7	40.7	0.44	306	1.02	3.08	30.2
J600085		2.43	11.8	1.57	18.15	0.21	2.4	0.017	2.88	16.9	36.2	0.40	273	0.56	2.87	14.4
J600086		3.02	14.1	2.11	19.95	0.21	2.2	0.024	2.48	27.1	50.3	0.56	406	0.93	3.01	25.5
J600087		2.21	10.2	1.67	18.05	0.17	2.8	0.011	2.76	30.7	31.0	0.33	273	1.36	3.00	32.0
J600088		1.78	8.7	1.18	18.10	0.16	1.7	0.016	3.22	14.3	22.5	0.21	189	0.80	2.75	14.9
J600089		2.65	9.5	1.66	18.35	0.20	2.8	0.028	2.77	29.2	39.3	0.48	377	2.04	2.87	26.3
J600090		2.37	10.5	1.64	18.85	0.18	2.4	0.020	2.86	22.4	33.4	0.43	316	0.58	2.99	17.5
J600091		2.39	9.7	1.48	19.65	0.21	2.8	0.018	2.93	30.0	29.9	0.32	276	0.65	3.08	33.8
J600092		1.88	10.5	1.38	17.95	0.17	2.3	0.011	2.72	18.4	19.5	0.28	225	0.54	2.97	12.6
J600093		2.50	12.4	1.79	19.15	0.20	3.0	0.030	3.05	36.8	48.3	0.55	399	1.38	2.92	48.0
J600094		3.40	11.5	2.37	20.8	0.21	4.1	0.025	3.31	57.5	77.7	0.71	451	2.87	2.95	83.9
J600095		4.08	20.4	3.59	23.1	0.31	7.5	0.038	4.03	103.5	168.5	0.94	906	6.25	2.79	200
J600096		2.67	14.0	2.03	23.8	0.25	5.1	0.012	2.75	96.0	61.7	0.48	425	1.13	3.53	117.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600057		3.8	140	14.7	124.0	<0.002	0.29	0.10	1.7	<1	0.6	166.5	1.18	0.07	5.7	0.067
J600058		2.4	90	21.9	239	<0.002	0.17	0.19	1.4	1	1.6	116.5	8.94	<0.05	41.9	0.081
J600059		1.7	180	15.7	118.5	<0.002	0.38	0.12	2.3	<1	0.7	178.0	1.22	<0.05	6.1	0.091
J600060		1.8	140	16.9	120.5	<0.002	0.33	0.16	1.9	<1	0.8	181.0	1.55	0.06	8.4	0.076
J600061		1.1	120	13.9	120.0	<0.002	0.30	0.09	1.8	1	0.8	160.0	0.88	<0.05	4.5	0.066
J600062		2.0	70	29.7	195.0	0.002	0.50	0.15	1.1	2	1.6	115.5	15.05	0.07	68.2	0.083
J600063		2.8	170	11.9	107.0	<0.002	0.35	0.13	1.7	<1	0.5	170.5	0.76	0.08	4.7	0.072
J600064		42.6	460	12.8	153.5	<0.002	0.24	0.16	5.6	1	1.5	182.5	0.70	0.06	10.8	0.146
J600065		63.9	520	14.2	166.0	<0.002	0.36	0.21	5.5	1	1.8	175.0	1.68	0.11	6.9	0.326
J600066		125.5	920	17.8	179.5	<0.002	0.61	0.42	8.8	1	2.3	175.0	2.54	0.09	9.6	0.511
J600067		9.5	240	14.9	117.5	<0.002	0.26	0.13	3.0	<1	1.0	196.5	0.98	0.06	6.6	0.103
J600068		10.2	190	14.5	122.5	<0.002	0.31	0.21	3.1	<1	0.9	159.5	0.68	<0.05	5.9	0.089
J600069		5.4	130	16.3	122.0	<0.002	0.29	0.13	2.0	<1	0.5	145.0	0.55	<0.05	5.1	0.069
J600070		6.1	140	13.7	106.5	<0.002	0.26	0.14	1.6	<1	0.6	156.0	0.74	<0.05	11.0	0.063
J600071		1.5	150	15.4	111.0	<0.002	0.39	0.11	1.7	<1	0.4	169.0	0.44	<0.05	5.5	0.075
J600072		7.1	120	17.2	122.0	<0.002	0.33	0.14	2.1	<1	0.5	157.5	0.71	<0.05	5.4	0.070
J600073		22.3	230	16.2	142.5	<0.002	0.26	0.16	2.9	1	1.3	178.0	1.09	<0.05	10.3	0.106
J600074		18.4	920	25.5	167.0	0.003	0.47	0.22	5.2	1	2.8	370	9.67	<0.05	21.5	0.283
J600075		15.3	1010	22.6	176.5	0.002	0.43	0.23	5.3	1	3.1	387	9.68	<0.05	23.8	0.296
J600076		11.5	400	13.8	124.0	<0.002	0.32	0.20	3.4	<1	1.8	250	2.78	<0.05	12.6	0.129
J600077		12.4	280	13.8	122.0	<0.002	0.46	0.27	3.3	1	1.5	231	1.32	<0.05	22.2	0.103
J600078		7.8	200	13.0	117.5	<0.002	0.33	0.20	2.5	<1	1.0	209	1.55	<0.05	10.5	0.074
J600079		9.9	280	17.0	129.5	<0.002	0.33	0.17	3.2	1	1.1	239	1.06	<0.05	9.8	0.097
J600080		13.3	330	16.1	130.0	<0.002	0.36	0.20	4.9	<1	1.3	289	2.09	0.05	12.1	0.137
J600081		10.2	390	15.9	132.0	<0.002	0.36	0.19	5.2	1	1.4	295	2.16	<0.05	14.1	0.146
J600082		36.4	450	14.3	153.0	<0.002	0.30	0.21	5.7	1	1.2	271	1.73	<0.05	14.6	0.129
J600083		12.1	450	16.1	129.0	<0.002	0.36	0.16	4.1	<1	1.3	263	1.50	<0.05	10.1	0.127
J600084		11.6	420	16.5	127.0	<0.002	0.31	0.18	4.0	1	1.4	290	1.35	<0.05	9.9	0.120
J600085		10.1	340	14.5	115.0	<0.002	0.26	0.12	3.3	<1	1.0	227	0.90	<0.05	7.9	0.106
J600086		11.7	470	22.7	113.5	<0.002	0.31	0.17	5.5	1	1.6	292	1.68	<0.05	9.9	0.171
J600087		5.8	370	15.7	115.5	<0.002	0.37	0.15	3.9	<1	1.0	238	1.90	<0.05	9.7	0.123
J600088		5.4	160	18.7	122.0	<0.002	0.29	0.17	2.1	<1	0.9	181.0	0.81	<0.05	10.9	0.069
J600089		17.6	370	18.4	129.5	<0.002	0.26	0.16	3.5	1	1.3	231	1.07	<0.05	13.2	0.101
J600090		11.1	290	15.4	134.5	<0.002	0.31	0.17	3.6	1	1.2	258	1.09	<0.05	9.2	0.104
J600091		7.3	290	17.2	150.5	<0.002	0.27	0.17	4.7	1	1.3	243	2.61	<0.05	13.8	0.105
J600092		5.3	240	13.7	114.5	<0.002	0.30	0.14	2.9	<1	1.2	231	1.00	<0.05	6.5	0.092
J600093		11.5	370	13.2	121.0	<0.002	0.28	0.21	3.4	1	2.1	253	2.24	<0.05	10.2	0.131
J600094		14.5	550	14.2	131.5	<0.002	0.39	0.23	4.1	1	2.6	251	3.92	<0.05	14.3	0.186
J600095		12.4	880	17.7	153.5	0.002	0.32	0.27	4.6	1	3.9	279	9.18	<0.05	22.0	0.265
J600096		7.1	350	19.4	160.5	<0.002	0.51	0.23	3.5	1	4.2	201	7.00	<0.05	21.7	0.137

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J600057		0.57	1.9	5	0.8	6.5	26	80.4
J600058		0.74	9.5	3	2.4	27.2	53	295
J600059		0.53	2.1	6	0.9	7.4	32	99.6
J600060		0.49	2.5	5	0.9	9.3	31	108.5
J600061		0.47	1.2	6	1.0	6.6	17	77.6
J600062		0.75	14.1	2	3.6	50.3	38	374
J600063		0.46	1.1	5	1.1	6.1	14	77.0
J600064		0.53	1.4	29	1.2	15.3	60	90.0
J600065		0.68	2.3	35	1.4	15.0	37	107.5
J600066		0.73	2.4	66	2.9	26.5	62	131.0
J600067		0.52	1.7	14	0.6	6.9	22	79.3
J600068		0.60	1.8	14	0.7	6.8	17	77.1
J600069		0.49	1.6	6	0.6	6.6	14	69.0
J600070		0.42	2.4	8	0.5	9.1	12	58.9
J600071		0.32	1.0	5	0.4	5.0	20	90.1
J600072		0.41	1.6	6	0.5	5.3	24	76.0
J600073		0.35	2.3	14	0.8	16.4	36	72.4
J600074		0.46	8.1	27	2.2	35.2	94	343
J600075		0.42	8.6	29	2.4	36.0	88	379
J600076		0.31	3.7	16	1.0	15.7	32	139.5
J600077		0.31	3.7	14	0.6	15.2	28	92.2
J600078		0.32	3.7	10	0.6	11.3	18	77.9
J600079		0.40	3.8	16	0.6	11.8	68	86.2
J600080		0.49	3.6	21	1.1	17.7	36	96.1
J600081		0.57	4.3	24	0.9	18.0	65	106.0
J600082		0.63	3.5	27	0.9	16.9	44	102.5
J600083		0.48	2.6	20	0.7	14.3	39	94.3
J600084		0.55	3.0	23	1.2	16.3	43	95.2
J600085		0.50	3.0	19	1.1	10.1	30	71.0
J600086		0.54	3.3	29	1.4	16.3	60	72.6
J600087		0.54	3.5	20	0.9	14.6	27	84.2
J600088		0.53	3.9	10	0.8	9.2	26	50.0
J600089		0.47	2.4	15	1.0	15.0	68	91.7
J600090		0.47	2.7	17	0.8	12.9	36	73.8
J600091		0.53	3.9	16	0.9	18.8	34	80.3
J600092		0.44	2.8	13	0.4	9.8	24	65.8
J600093		0.37	3.2	18	1.0	14.0	45	111.5
J600094		0.48	4.7	22	1.6	20.1	38	174.0
J600095		0.40	8.7	23	2.5	37.6	73	352
J600096		0.62	5.2	21	0.8	28.2	47	219

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
J600097		1.25				0.11	7.41	3.6	760	3.47	0.12	1.54	0.06	159.0	6.6	23
J600098		1.36				0.06	8.49	3.8	1180	6.06	0.06	2.16	0.16	290	10.3	11
J600099		1.20				0.17	8.13	3.9	1170	4.45	0.08	1.65	0.41	251	8.8	17
J600100		1.30				0.05	6.01	1.5	600	1.84	0.13	1.01	0.04	51.3	3.2	23
J600101		1.24				0.06	5.84	1.8	620	1.61	0.12	1.02	0.04	47.4	3.1	23
J600102		1.39				0.05	6.08	1.8	610	1.57	0.11	1.01	0.03	47.0	3.2	25
J600103		1.28				0.05	6.03	2.0	630	1.71	0.09	1.04	0.03	48.7	3.2	27
J600104		1.29				0.04	6.11	1.4	630	1.87	0.09	1.07	0.04	51.1	3.4	26
J600105		1.20				0.07	6.19	1.5	630	2.10	0.09	1.06	0.03	45.1	3.8	24
J600106		1.27				0.07	6.25	1.2	640	1.99	0.12	1.02	0.03	43.7	3.9	33
J600107		1.11				0.07	5.95	1.2	570	1.79	0.11	0.81	0.03	32.7	2.9	20
J600108		1.19				0.07	6.29	1.9	420	1.72	0.02	0.71	0.29	27.0	0.9	13
J600109		1.32				0.15	6.74	4.6	460	2.09	0.03	1.25	0.24	58.8	1.8	8
J600110		1.31				0.10	7.28	3.2	390	3.88	0.03	0.98	1.00	93.8	3.0	10
J600111		1.08				0.07	6.05	1.7	590	2.95	0.10	0.95	0.03	60.0	4.0	22
J600112		1.45				0.05	6.22	2.1	650	2.78	0.10	0.89	0.04	54.8	3.7	25
J600113		1.32				0.05	6.68	2.7	630	2.81	0.11	1.18	0.03	68.3	3.7	23
J600114		1.21				0.06	6.23	1.4	660	2.02	0.07	1.19	0.03	46.1	3.6	22
J600115		1.24				0.05	6.49	1.9	660	1.95	0.07	1.13	0.03	45.3	3.7	23
J600116		1.06				0.77	7.55	9.3	140	4.65	0.08	1.28	0.10	222	0.7	4
J600117		1.11				0.51	7.20	16.2	150	4.54	0.04	1.54	0.15	246	0.9	4
J600118		1.15				0.32	7.03	8.7	190	5.72	0.07	1.28	0.15	242	1.7	19
J600119		1.18	<0.001	<0.005	<0.001	0.25	6.86	34.1	810	4.56	0.07	2.51	0.09	124.0	13.8	86
J600120		1.23	<0.001	<0.005	<0.001	0.13	6.87	12.1	760	4.62	0.06	1.37	0.21	123.5	6.5	51
J600121		1.30	<0.001	<0.005	<0.001	0.11	6.98	5.9	870	3.83	0.04	1.17	0.05	58.6	4.0	25
J600122		1.19	<0.001	<0.005	<0.001	0.04	7.00	10.9	840	2.86	0.03	1.38	0.06	49.6	4.5	29
J600123		1.06	<0.001	<0.005	<0.001	0.15	7.54	12.3	450	5.67	0.14	0.87	0.22	162.5	2.6	10
J600124		1.18	<0.001	<0.005	<0.001	0.09	7.50	10.6	230	5.21	0.05	0.94	0.09	197.0	1.5	7
J600125		1.24	0.001	<0.005	<0.001	0.08	7.60	7.9	120	4.23	0.03	1.49	0.11	>500	0.7	4
J600126		1.09				0.03	7.64	9.9	110	3.81	0.03	1.28	0.10	207	0.6	5
J600127		1.23				0.16	7.47	11.8	100	5.33	0.04	0.58	0.03	>500	1.3	3
J600128		1.09				0.20	7.61	6.6	100	4.82	0.05	0.60	0.06	253	0.9	4
J600129		0.74				0.24	6.95	6.3	110	7.32	0.07	0.78	0.04	>500	0.9	2
J600130		0.81				0.16	7.15	11.4	150	5.28	0.09	2.15	0.08	>500	4.1	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
J600097		3.34	15.0	2.83	22.7	0.30	6.2	0.030	2.96	86.9	87.6	0.69	672	3.62	3.46	125.5
J600098		3.76	17.1	5.32	25.5	0.40	11.5	0.049	4.45	144.5	234	1.03	1640	10.50	3.22	349
J600099		3.08	26.8	4.29	24.2	0.28	8.8	0.041	3.13	134.5	155.5	0.90	907	8.73	3.71	267
J600100		0.92	9.3	1.42	17.25	0.20	2.6	0.024	2.20	28.7	14.0	0.34	242	1.78	3.20	19.3
J600101		0.92	8.6	1.49	15.95	0.18	2.2	0.024	2.44	26.1	14.1	0.35	267	1.52	2.91	18.5
J600102		1.10	8.8	1.54	16.60	0.17	2.5	0.020	2.56	25.9	15.9	0.36	258	1.59	2.95	18.1
J600103		1.24	8.7	1.49	16.95	0.19	2.5	0.019	2.60	28.6	18.3	0.37	274	1.55	2.95	18.4
J600104		1.64	10.1	1.55	17.30	0.21	2.4	0.020	2.56	27.4	21.1	0.37	275	1.64	2.94	19.2
J600105		1.89	9.6	1.48	18.10	0.08	2.3	0.023	2.52	24.4	23.8	0.36	256	1.36	2.96	20.8
J600106		2.01	9.5	1.52	18.55	0.09	2.3	0.023	2.68	23.8	28.1	0.40	236	1.51	2.84	20.7
J600107		1.89	7.2	1.16	17.85	0.11	2.4	0.018	2.91	17.1	23.6	0.26	180	1.64	2.69	17.0
J600108		1.53	9.6	0.94	19.80	0.13	3.2	0.014	3.62	15.1	27.4	0.10	229	24.1	2.55	23.4
J600109		1.33	9.2	1.23	22.5	0.18	4.0	0.015	4.00	32.1	25.8	0.17	340	31.3	2.52	58.5
J600110		3.17	4.2	1.74	25.1	0.18	4.9	0.031	2.51	56.3	65.8	0.36	391	4.38	3.44	105.0
J600111		1.72	9.3	1.41	20.4	0.22	2.6	0.021	2.93	32.7	32.6	0.37	275	2.20	2.82	28.7
J600112		2.73	12.1	1.47	19.30	0.21	2.3	0.015	2.93	29.1	39.2	0.40	249	1.47	2.79	21.6
J600113		3.56	10.7	1.84	20.5	0.24	2.9	0.021	2.95	36.6	29.6	0.37	387	2.00	2.99	33.8
J600114		2.83	14.1	1.48	18.35	0.21	2.4	0.014	2.59	24.3	26.0	0.35	251	1.79	2.85	21.1
J600115		3.12	11.1	1.59	19.15	0.19	2.4	0.014	2.67	23.5	34.3	0.37	259	1.38	2.89	21.6
J600116		4.35	6.9	4.39	25.0	0.37	9.9	0.104	4.32	104.0	39.8	0.22	1160	3.61	4.07	165.0
J600117		4.01	4.6	5.38	23.7	0.42	11.4	0.131	4.23	111.0	36.6	0.18	1600	5.23	3.95	179.0
J600118		5.27	5.4	3.17	25.3	0.38	9.4	0.058	3.84	122.0	51.1	0.26	947	5.61	3.73	183.0
J600119		4.59	20.8	2.94	20.8	0.30	5.7	0.039	2.59	65.6	77.8	1.79	597	2.88	3.40	105.0
J600120		3.92	15.2	2.86	22.7	0.27	4.8	0.038	3.31	64.8	121.0	1.09	626	4.02	3.13	115.0
J600121		2.16	9.5	1.67	22.0	0.23	2.7	0.022	2.81	29.8	86.0	0.55	359	5.85	3.57	26.2
J600122		2.21	10.8	1.89	21.7	0.23	2.7	0.030	2.59	25.4	68.6	0.70	427	1.39	3.58	20.7
J600123		5.27	15.6	2.15	26.3	0.32	10.6	0.043	3.45	86.6	63.9	0.42	412	5.90	3.97	163.0
J600124		4.93	16.0	3.39	27.4	0.36	10.5	0.077	3.97	100.5	36.7	0.43	750	7.68	3.86	147.0
J600125		3.77	5.2	4.59	29.1	0.60	7.9	0.119	4.22	321	34.9	0.23	1440	3.24	4.07	154.0
J600126		4.20	4.3	4.19	26.8	0.37	7.7	0.112	4.17	107.5	30.3	0.21	1110	3.85	3.96	150.5
J600127		3.39	2.3	3.95	31.2	0.84	9.3	0.058	4.62	448	63.4	1.09	437	4.02	3.07	159.5
J600128		4.93	2.3	4.22	28.2	0.40	8.1	0.062	4.70	122.0	59.2	1.13	429	4.00	3.39	165.5
J600129		6.54	2.8	4.89	37.3	1.87	6.6	0.138	4.50	1420	80.0	1.46	685	3.01	2.24	133.5
J600130		3.01	54.8	4.01	33.1	1.15	8.3	0.108	4.17	760	87.8	0.30	1430	3.29	4.17	202

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
J600097		14.8	690	25.7	145.5	<0.002	0.52	0.17	4.8	1	3.0	309	6.21	<0.05	19.1	0.220
J600098		11.7	1370	28.1	181.0	<0.002	0.32	0.26	5.3	1	5.6	437	16.65	<0.05	29.5	0.391
J600099		12.6	1070	40.3	146.0	<0.002	1.00	0.36	5.2	1	3.8	367	12.25	0.09	25.8	0.311
J600100		9.3	270	11.6	72.0	<0.002	0.39	0.27	3.0	<1	1.8	231	1.00	<0.05	8.5	0.094
J600101		8.7	270	11.4	81.7	<0.002	0.39	0.26	2.7	<1	1.5	221	0.95	<0.05	8.5	0.095
J600102		9.8	280	12.0	91.0	<0.002	0.36	0.21	2.8	<1	1.3	233	1.00	0.05	9.3	0.096
J600103		9.4	280	12.4	97.8	<0.002	0.35	0.19	2.9	<1	1.0	232	0.98	<0.05	9.1	0.096
J600104		10.4	270	13.0	110.5	<0.002	0.34	0.21	3.0	1	0.7	235	0.92	<0.05	9.2	0.099
J600105		9.4	290	13.6	102.0	<0.002	0.35	0.22	3.3	1	0.7	238	1.04	0.05	8.6	0.100
J600106		10.5	280	14.6	108.5	<0.002	0.36	0.25	3.4	1	0.7	235	1.04	0.05	8.7	0.096
J600107		7.0	200	15.3	105.5	<0.002	0.30	0.19	2.9	1	0.8	189.0	0.94	<0.05	7.1	0.077
J600108		2.3	50	42.1	128.5	0.007	0.16	0.10	2.3	1	0.9	118.0	1.32	<0.05	7.1	0.038
J600109		1.5	60	40.8	138.5	0.010	0.28	0.19	2.5	1	1.2	98.5	2.99	0.05	11.5	0.042
J600110		2.5	280	81.3	109.5	<0.002	0.30	0.11	3.0	1	1.5	249	6.47	0.06	15.5	0.122
J600111		9.4	270	13.6	104.0	<0.002	0.37	0.12	3.8	1	1.0	209	1.50	0.05	11.3	0.101
J600112		9.1	280	20.4	112.0	<0.002	0.30	0.14	3.7	1	0.7	219	1.12	<0.05	10.0	0.101
J600113		8.8	300	27.1	118.0	<0.002	0.31	0.14	4.3	1	0.8	223	1.72	0.05	11.3	0.120
J600114		11.6	270	33.5	97.9	<0.002	0.32	0.12	3.4	1	0.5	236	1.08	<0.05	10.0	0.096
J600115		10.2	280	30.9	101.5	<0.002	0.34	0.13	3.6	1	0.4	246	1.07	0.05	9.3	0.100
J600116		0.8	310	14.3	204	<0.002	0.03	0.25	7.5	2	3.0	27.3	8.30	0.07	28.7	0.275
J600117		0.4	330	14.1	196.0	<0.002	0.03	0.19	8.2	2	3.4	31.2	8.87	0.07	29.5	0.291
J600118		10.7	180	16.9	232	<0.002	0.05	0.28	3.5	2	2.9	77.4	10.75	0.08	37.6	0.148
J600119		97.1	940	28.8	154.0	<0.002	0.39	0.27	7.1	2	2.3	323	5.17	0.08	19.9	0.363
J600120		27.3	530	26.7	154.5	<0.002	0.19	0.19	5.0	1	2.2	249	5.44	0.06	13.7	0.199
J600121		9.9	410	12.9	123.5	<0.002	0.15	0.12	4.3	1	1.0	353	1.10	<0.05	11.3	0.128
J600122		17.0	360	12.1	125.0	<0.002	0.16	0.16	5.4	1	0.9	335	1.06	<0.05	6.6	0.125
J600123		4.6	250	46.3	184.5	<0.002	0.18	0.31	3.4	2	2.5	165.5	9.57	0.08	28.0	0.128
J600124		3.1	340	14.6	196.5	<0.002	0.09	0.24	4.9	2	2.8	69.6	7.33	0.06	24.3	0.182
J600125		0.8	270	11.8	204	<0.002	0.03	0.17	5.8	2	2.3	49.4	7.95	0.06	16.9	0.259
J600126		1.2	250	10.8	204	<0.002	0.03	0.17	5.6	2	1.9	25.5	7.43	0.06	18.4	0.251
J600127		1.1	260	9.1	197.0	0.003	0.13	0.28	6.8	2	4.8	31.0	8.46	0.06	16.9	0.241
J600128		1.3	270	9.6	195.5	<0.002	0.07	0.25	5.9	2	3.9	25.8	8.41	0.06	13.4	0.253
J600129		1.0	310	14.8	191.0	0.004	0.06	0.31	8.6	3	10.6	59.7	6.70	0.06	15.6	0.163
J600130		1.7	280	14.6	212	0.002	0.45	0.54	8.1	3	10.8	88.7	8.45	0.09	13.7	0.205

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J600097		0.41	5.5	28	1.8	25.1	68	271
J600098		0.28	13.6	31	4.1	38.1	148	>500
J600099		0.28	10.4	26	3.3	32.2	234	444
J600100		0.25	2.1	14	0.7	9.8	28	82.0
J600101		0.26	1.9	13	0.6	9.3	23	73.9
J600102		0.27	2.2	14	0.7	9.4	23	77.3
J600103		0.29	2.0	14	0.6	10.0	24	78.6
J600104		0.33	2.1	14	0.7	10.2	27	81.4
J600105		0.41	2.2	15	0.7	10.4	24	78.5
J600106		0.53	2.2	14	0.7	10.2	21	76.3
J600107		0.50	2.0	10	0.7	9.0	15	74.7
J600108		0.45	4.0	3	0.9	9.7	139	106.5
J600109		0.52	12.1	3	1.5	17.2	103	154.5
J600110		0.41	8.7	12	2.3	17.1	508	209
J600111		0.57	2.8	15	1.2	16.5	17	97.9
J600112		0.69	2.2	15	1.1	14.0	18	77.5
J600113		0.81	2.3	13	1.0	19.5	29	102.0
J600114		0.92	2.1	14	0.9	11.2	21	81.3
J600115		0.99	2.4	15	0.7	11.1	20	83.7
J600116		0.61	6.3	<1	5.6	48.9	95	448
J600117		0.61	6.7	<1	1.9	52.9	128	>500
J600118		0.66	11.2	5	4.4	46.1	96	400
J600119		0.71	5.8	49	1.9	24.8	115	223
J600120		0.57	5.0	23	1.9	24.1	125	208
J600121		0.49	2.3	19	1.5	19.6	33	91.8
J600122		0.47	2.2	21	1.5	14.2	43	91.9
J600123		0.67	8.8	8	2.8	35.6	102	484
J600124		0.61	6.3	4	2.9	37.6	65	>500
J600125		0.55	4.5	<1	2.1	47.5	98	366
J600126		0.63	4.4	<1	2.0	38.5	84	349
J600127		0.60	5.1	<1	4.7	52.5	20	423
J600128		0.60	4.9	<1	4.1	36.9	32	382
J600129		0.54	4.6	1	9.8	72.3	105	305
J600130		0.61	6.9	1	5.0	66.8	42	381

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 18-OCT-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F

CERTIFICATE OF ANALYSIS TB11188876

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.