ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

CERTIFICATE TB11197874

Project: ALBANY BLOCK 4F/21
P.O. No.:
This report is for 112 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 28-SEP-2011.
The following have access to data associated with this certificate:

GLENDA CAREY ROBERT STEWART	ANDREW DALBY	AUBREY EVELEIGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
C-IR07	Total Carbon (Leco)	LECO

To: **ZENYATTA VENTURES LTD**
ATTN: ANDREW DALBY
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
J600250		1.24	<0.01	9.05	2.5	1240	5.05	0.09	2.54	0.10	339	7.9	11	4.12	7.1	5.54
J600251		1.26	<0.01	8.96	2.2	1240	5.24	0.06	2.80	0.13	316	8.6	12	4.90	10.1	5.52
J600252		1.38	<0.01	8.87	2.4	1380	5.27	0.04	2.99	0.12	303	9.9	22	6.82	10.4	5.67
J600253		1.23	<0.01	7.25	110.0	530	3.59	0.08	1.52	0.13	246	4.3	43	3.36	9.1	2.70
J600254		1.23	<0.01	7.34	8.9	570	2.64	0.05	1.46	0.15	120.5	3.1	14	3.18	13.2	2.17
J600259		1.15	<0.01	7.75	2.4	230	4.58	0.08	1.15	0.24	430	1.1	8	5.57	6.6	3.25
J600260		1.32	<0.01	8.35	2.4	140	5.59	0.08	1.23	0.23	352	0.9	3	7.24	27.7	4.08
J600261		0.97	<0.01	8.17	1.9	120	3.47	0.08	0.98	0.25	348	1.0	12	6.33	4.7	3.67
J600262		1.96	<0.01	8.22	1.4	140	3.47	0.07	1.20	0.15	290	0.8	4	3.51	1.8	4.08
J600263		2.05	<0.01	8.06	1.3	150	3.14	0.04	1.21	0.16	278	0.8	3	2.86	1.9	4.11
J600264		2.05	<0.01	8.25	2.2	250	3.23	0.04	1.34	0.14	283	0.9	4	3.02	2.0	4.14
J600265		1.42	<0.01	7.90	4.2	380	3.09	0.04	1.75	0.17	217	1.9	9	3.00	12.4	5.14
J600266		1.52	<0.01	6.70	1.7	710	8.80	0.04	1.98	0.07	113.5	4.2	47	4.48	6.9	2.50
J600267		1.82	0.21	7.17	3.0	420	2.28	0.09	1.90	0.04	76.5	7.5	15	4.33	31.3	3.27
J600268		1.75	0.09	6.66	2.3	500	1.74	0.06	1.42	0.05	48.8	4.1	22	2.29	15.4	1.73
J600269		1.64	0.13	7.14	1.6	550	1.63	0.04	2.10	0.10	61.3	7.8	17	6.35	10.2	2.32
J600270		1.12	0.08	6.69	0.8	580	1.64	0.03	1.07	0.09	53.1	2.2	8	2.28	11.8	1.29
J600271		1.29	<0.01	7.74	2.6	250	3.76	0.05	1.17	0.20	238	1.7	6	3.89	19.7	3.47
J600272		1.96	<0.01	6.33	0.4	280	1.48	0.02	0.83	0.05	35.6	1.3	9	1.45	5.7	1.08
J600273		2.33	<0.01	7.18	1.3	540	2.63	0.05	1.27	0.07	123.5	2.7	9	2.30	8.3	1.91
J600274		1.83	0.07	6.70	1.3	680	1.70	0.03	1.15	0.08	39.4	1.5	8	2.11	5.0	1.27
J600275		1.90	<0.01	7.57	4.8	350	3.92	0.05	1.16	0.13	217	1.0	5	5.26	1.4	2.95
J600276		1.84	<0.01	8.38	1.1	560	3.86	0.06	1.33	0.22	243	1.6	3	7.02	3.6	4.23
J600277		1.98	<0.01	8.45	2.6	700	4.24	0.08	1.53	0.12	331	3.6	8	3.94	14.4	3.54
J600278		2.00	<0.01	9.35	5.3	880	4.99	0.15	1.40	0.15	299	6.8	4	4.74	29.9	4.83
J600279		1.95	0.06	6.89	1.6	690	1.95	0.08	1.30	0.10	99.3	2.8	9	1.34	10.0	2.12
J600280		1.97	0.06	7.70	2.6	620	2.26	0.06	1.55	0.07	120.0	3.4	6	2.00	14.3	2.80
J600281		1.98	<0.01	8.37	2.7	610	2.61	0.03	1.40	0.08	165.0	1.5	3	2.65	2.6	3.79
J600282		2.55	0.21	8.61	0.9	710	2.49	0.06	1.45	0.17	152.0	2.0	4	4.48	2.6	4.16
J600283		2.60	0.11	8.50	1.2	560	3.39	0.08	1.32	0.23	220	1.6	4	6.08	6.2	3.86
J600284		2.63	<0.01	9.70	4.5	990	5.06	0.17	1.45	0.12	349	5.4	3	4.82	25.4	4.87
J600285		2.47	0.05	8.65	1.9	690	2.58	0.05	1.43	0.14	167.5	2.1	3	4.49	4.0	4.23
J600286		2.49	0.03	8.74	0.8	580	2.52	0.05	1.39	0.11	198.5	1.7	3	3.05	4.0	4.13
J600287		2.56	<0.01	8.50	1.1	300	3.82	0.05	1.29	0.13	251	1.2	3	3.58	5.1	4.29
J600288		2.67	0.38	8.59	4.0	740	4.41	0.04	1.37	0.10	206	2.1	2	3.23	4.7	4.08
J600289		2.52	0.30	8.54	12.5	820	3.22	0.04	1.37	0.09	202	2.4	3	2.46	5.7	3.91
J600290		2.52	0.08	6.79	1.3	660	1.60	0.04	1.20	0.06	54.2	2.3	10	1.74	8.8	1.43
J600291		2.39	0.11	6.63	2.3	760	1.59	0.04	1.13	0.10	34.0	2.2	10	2.14	13.0	1.29
J600292		2.63	0.06	6.78	5.9	710	2.39	0.03	1.24	0.07	90.0	2.2	10	2.14	8.5	1.13
J600293		2.64	0.07	6.88	7.1	860	1.62	0.07	1.21	0.06	37.8	3.6	12	2.19	11.6	1.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
J600250		27.2	0.30	11.0	0.066	3.82	163.5	49.1	0.83	1640	10.10	4.92	337	8.3	1390	24.8
J600251		25.9	0.30	9.9	0.065	3.75	154.0	86.1	0.89	1610	9.70	4.49	336	10.1	1360	26.5
J600252		25.9	0.30	8.0	0.065	3.41	142.0	137.5	1.13	1600	7.73	3.91	316	15.2	1440	23.7
J600253		23.1	0.21	7.9	0.070	2.99	121.5	63.6	0.53	774	18.35	4.10	101.5	13.7	320	18.0
J600254		22.3	0.11	4.9	0.034	2.96	60.0	45.7	0.33	542	1.96	3.80	66.6	4.9	360	22.4
J600259		27.0	0.38	13.0	0.080	3.87	207	16.1	0.12	1070	4.46	4.29	197.5	1.9	140	30.0
J600260		28.4	0.41	10.6	0.097	4.10	159.0	22.1	0.09	1260	1.17	4.53	232	0.8	190	26.3
J600261		24.3	0.32	9.8	0.071	4.33	178.5	29.7	0.13	1260	11.65	4.28	151.5	2.6	120	31.0
J600262		25.2	0.38	7.3	0.090	4.29	134.5	34.1	0.15	1180	3.45	4.27	186.0	0.5	320	17.5
J600263		25.2	0.38	6.9	0.091	4.24	123.5	42.2	0.14	1230	3.35	4.26	184.0	0.4	320	15.2
J600264		25.3	0.40	6.0	0.100	4.29	117.0	39.2	0.15	1250	9.55	4.31	163.5	0.7	330	16.2
J600265		23.6	0.37	6.3	0.102	3.94	93.8	20.8	0.22	1620	2.82	4.00	139.5	2.7	360	19.1
J600266		20.7	0.14	3.2	0.033	2.58	54.7	120.0	0.93	729	1.88	3.15	287	13.7	640	12.9
J600267		23.8	0.13	3.7	0.033	2.37	37.1	72.6	0.57	591	2.21	3.35	39.0	7.8	730	12.1
J600268		23.0	0.10	3.1	0.018	2.45	24.6	43.9	0.31	341	1.37	3.13	32.1	5.9	290	12.8
J600269		22.1	0.14	4.0	0.030	2.60	33.3	92.4	1.00	620	0.68	2.98	34.7	15.4	370	17.6
J600270		21.6	0.12	4.0	0.012	2.94	26.0	38.4	0.15	302	0.65	3.07	24.4	2.1	150	21.3
J600271		24.6	0.33	8.6	0.066	3.89	111.0	24.8	0.12	859	6.25	3.89	163.5	1.2	220	25.3
J600272		18.75	0.05	2.4	0.017	3.43	17.2	18.9	0.10	267	4.28	3.07	16.8	1.9	150	13.4
J600273		21.5	0.12	3.5	0.024	2.62	63.1	56.5	0.25	451	1.98	3.51	67.0	2.2	320	17.9
J600274		23.0	0.14	3.5	0.018	2.64	21.2	29.6	0.12	335	0.85	3.35	22.3	1.3	150	19.8
J600275		23.9	0.31	8.4	0.073	3.67	94.5	26.5	0.13	899	3.19	3.98	139.0	0.6	240	21.9
J600276		23.5	0.39	9.9	0.089	4.61	112.5	44.1	0.26	1100	5.79	4.04	179.0	0.5	560	28.5
J600277		26.1	0.36	7.2	0.043	2.79	173.5	97.5	0.30	780	6.61	4.31	241	2.2	710	27.1
J600278		27.3	0.32	10.2	0.022	3.37	175.5	107.0	0.32	886	7.09	4.02	355	2.2	820	40.1
J600279		18.85	0.19	3.2	0.030	2.79	56.5	18.7	0.21	560	2.38	3.46	55.5	4.3	280	13.0
J600280		21.6	0.21	4.5	0.047	3.37	63.6	27.3	0.30	804	3.39	3.67	87.5	3.7	470	12.9
J600281		20.2	0.26	6.3	0.060	4.63	84.7	38.2	0.29	1000	2.72	3.96	129.5	0.4	590	16.1
J600282		22.3	0.27	6.2	0.063	4.86	77.2	34.4	0.28	1080	11.70	4.20	128.0	0.9	650	23.3
J600283		24.8	0.32	8.9	0.067	4.57	116.0	29.2	0.22	1070	2.76	4.35	183.0	0.7	500	32.1
J600284		29.3	0.36	11.9	0.027	3.52	203	117.5	0.34	902	12.05	4.52	412	1.5	800	43.4
J600285		23.3	0.31	6.5	0.069	4.50	82.3	36.4	0.29	1080	2.89	4.32	148.5	0.7	680	22.5
J600286		24.1	0.33	6.2	0.076	4.70	102.0	31.3	0.26	1100	2.35	4.20	155.5	0.4	600	19.2
J600287		26.1	0.43	9.6	0.088	4.70	116.5	29.8	0.19	1210	2.67	4.43	184.0	0.5	410	20.1
J600288		26.8	0.42	7.1	0.073	4.74	90.4	46.2	0.27	1080	5.40	4.09	160.5	0.4	600	17.6
J600289		26.5	0.40	7.1	0.067	4.40	91.9	38.4	0.25	1020	4.88	4.20	150.5	1.0	550	17.9
J600290		22.3	0.24	2.8	0.017	2.67	25.4	34.8	0.17	368	1.69	3.28	23.1	3.1	180	15.1
J600291		21.2	0.20	2.4	0.009	2.43	15.4	53.0	0.12	254	1.34	3.17	16.8	1.6	130	26.7
J600292		22.3	0.26	2.5	0.008	2.59	43.7	51.0	0.11	214	3.08	3.20	12.9	2.8	130	15.6
J600293		21.1	0.23	2.4	0.008	2.68	17.5	57.9	0.14	253	1.28	3.18	13.8	5.8	140	14.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
J600250		173.0	<0.002	0.12	0.23	5.2	1	5.6	434	17.35	0.15	26.8	0.392	0.25	11.2	30
J600251		162.5	<0.002	0.23	0.22	5.5	1	6.2	509	16.70	0.16	26.7	0.389	0.29	11.0	33
J600252		148.5	<0.002	0.17	0.18	6.6	1	5.7	535	15.90	0.15	22.4	0.406	0.46	9.6	42
J600253		144.5	<0.002	0.16	0.22	4.1	1	2.3	207	5.26	0.07	22.8	0.168	0.55	4.8	18
J600254		150.0	<0.002	0.29	0.20	3.9	<1	1.8	219	5.59	0.06	17.5	0.145	0.57	5.4	19
J600259		210	0.002	0.10	0.29	3.0	1	3.9	77.7	10.65	0.12	34.8	0.151	0.69	7.4	4
J600260		217	<0.002	0.32	0.27	3.5	1	3.7	50.5	11.30	0.15	24.0	0.199	0.76	4.9	<1
J600261		210	0.002	0.09	0.28	3.0	1	3.3	34.2	8.09	0.10	25.9	0.183	0.76	4.6	2
J600262		166.5	<0.002	0.03	0.16	5.3	1	1.8	20.3	9.13	0.12	18.3	0.272	0.52	4.0	<1
J600263		152.5	<0.002	0.02	0.12	5.6	1	1.5	26.4	7.94	0.11	15.0	0.265	0.48	3.2	1
J600264		153.5	0.002	0.05	0.12	5.5	2	1.4	41.3	6.57	0.09	15.3	0.278	0.53	3.2	1
J600265		138.0	<0.002	0.56	0.11	7.1	1	1.1	67.9	5.77	0.14	14.4	0.293	0.51	3.4	10
J600266		151.5	<0.002	0.34	0.14	93.1	2	1.8	412	2.51	0.17	22.3	0.337	0.57	10.1	373
J600267		150.5	<0.002	0.94	0.12	8.3	2	1.4	214	2.99	0.12	10.2	0.227	0.62	4.1	37
J600268		122.0	<0.002	0.46	0.12	4.3	2	0.8	198.0	2.94	0.07	9.7	0.118	0.51	3.8	18
J600269		159.5	<0.002	0.29	0.12	5.0	1	1.1	313	2.81	0.06	11.5	0.135	0.75	4.9	31
J600270		139.5	<0.002	0.32	0.10	2.7	1	0.8	173.0	1.94	0.06	12.7	0.090	0.56	4.0	10
J600271		171.5	<0.002	0.39	0.15	4.1	1	2.2	74.8	8.83	0.14	24.7	0.200	0.60	6.0	2
J600272		141.0	<0.002	0.20	0.11	1.9	<1	0.7	101.5	1.31	<0.05	4.8	0.055	0.40	2.6	8
J600273		120.0	<0.002	0.49	0.14	2.9	<1	1.2	230	3.70	0.10	19.3	0.133	0.41	6.0	14
J600274		110.0	<0.002	0.17	0.14	2.1	1	1.1	195.0	1.31	0.05	7.8	0.072	0.46	2.0	5
J600275		166.0	<0.002	0.08	0.23	3.7	1	3.0	88.1	7.34	0.09	20.2	0.190	0.60	4.6	2
J600276		209	<0.002	0.05	0.27	6.5	1	4.3	44.8	8.59	0.11	20.2	0.365	0.80	4.8	1
J600277		151.5	<0.002	0.64	0.21	3.2	1	2.0	266	12.05	0.18	43.7	0.206	0.58	11.3	8
J600278		185.5	<0.002	1.14	0.15	2.7	2	1.8	257	18.40	0.20	34.8	0.260	0.65	14.6	6
J600279		96.7	<0.002	0.43	0.12	2.3	1	1.0	244	2.84	0.07	11.1	0.104	0.37	3.0	8
J600280		120.0	<0.002	0.31	0.11	4.7	1	1.5	187.0	4.82	0.07	13.3	0.226	0.37	3.6	12
J600281		151.5	<0.002	0.02	0.10	5.9	2	1.6	44.5	6.33	0.06	15.5	0.359	0.45	3.7	<1
J600282		158.0	<0.002	0.01	0.15	6.7	2	2.8	55.6	6.57	0.05	13.1	0.386	0.55	2.9	<1
J600283		201	<0.002	0.07	0.21	5.1	2	3.5	54.2	9.88	0.07	25.4	0.309	0.77	5.9	<1
J600284		208	<0.002	0.85	0.16	2.6	2	2.0	250	21.2	0.20	42.9	0.280	0.63	16.7	5
J600285		183.5	<0.002	0.04	0.14	6.6	2	3.2	74.7	7.16	0.06	12.8	0.375	0.58	2.9	1
J600286		181.0	<0.002	0.02	0.11	6.3	2	2.7	43.8	7.34	0.07	12.3	0.357	0.51	2.6	<1
J600287		195.5	<0.002	0.03	0.12	5.9	2	3.2	24.9	8.99	0.07	21.3	0.293	0.52	5.0	<1
J600288		136.5	<0.002	0.05	0.11	8.0	2	2.4	57.1	8.92	0.07	19.8	0.376	0.56	5.0	<1
J600289		150.0	<0.002	0.08	0.11	7.0	2	1.9	75.6	7.32	0.09	18.3	0.337	0.48	4.1	1
J600290		107.5	<0.002	0.36	0.09	3.0	1	0.7	190.0	1.37	<0.05	7.8	0.080	0.47	2.3	9
J600291		103.0	<0.002	0.33	5.64	1.9	1	0.9	193.0	0.79	<0.05	5.8	0.077	0.48	1.2	6
J600292		105.0	<0.002	0.24	0.12	2.1	1	0.6	222	0.82	<0.05	8.2	0.063	0.48	2.4	6
J600293		105.0	<0.002	0.59	0.12	2.1	1	0.5	233	0.67	0.06	14.9	0.069	0.51	1.5	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
J600250		3.8	39.4	148	>500
J600251		3.4	36.5	155	>500
J600252		2.9	37.7	154	403
J600253		2.9	31.6	82	396
J600254		3.0	21.9	67	184.5
J600259		4.9	41.4	96	>500
J600260		4.8	42.5	100	>500
J600261		4.4	29.9	106	>500
J600262		2.1	34.7	105	348
J600263		1.6	33.7	102	341
J600264		1.6	35.5	107	319
J600265		1.5	32.8	105	336
J600266		1.6	51.2	90	101.0
J600267		0.6	24.4	66	124.5
J600268		0.9	21.7	34	97.3
J600269		1.5	13.5	84	126.0
J600270		1.2	11.4	35	116.5
J600271		3.0	33.4	87	404
J600272		0.7	8.9	23	71.9
J600273		0.9	17.8	46	138.0
J600274		1.0	8.2	41	127.5
J600275		2.3	27.1	82	384
J600276		4.6	33.4	117	462
J600277		2.2	31.3	90	370
J600278		2.3	37.8	121	>500
J600279		0.9	13.6	36	136.0
J600280		1.0	21.2	58	207
J600281		1.2	26.2	84	288
J600282		2.5	25.0	103	294
J600283		5.1	34.4	110	425
J600284		18.2	43.4	115	>500
J600285		4.1	28.9	105	292
J600286		1.7	31.1	101	261
J600287		2.3	36.6	115	436
J600288		1.9	41.4	103	288
J600289		5.8	32.7	91	338
J600290		0.8	12.0	36	89.6
J600291		1.5	8.2	48	75.9
J600292		1.8	16.4	27	72.4
J600293		1.3	8.8	27	69.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
J600294		2.76	0.09	6.96	6.6	820	1.59	0.08	1.38	0.07	46.1	4.2	40	3.15	12.5	1.96
J600295		2.55	0.15	7.04	14.4	600	26.3	0.04	1.47	0.09	335	3.8	22	2.62	9.0	1.77
J600296		2.65	0.14	6.22	15.2	510	134.0	0.05	1.78	0.07	>500	3.2	18	2.80	9.5	1.46
J600297		2.68	0.08	6.99	3.8	530	11.65	0.05	1.59	0.05	111.5	5.0	23	2.70	16.2	1.58
J600298		2.51	0.44	7.87	3.9	270	3.98	0.05	1.22	0.09	209	1.9	10	3.59	10.4	3.49
J600299		0.07	2.76	7.38	26.9	470	0.54	1.11	3.02	39.6	31.9	486	301	0.72	669	6.20
J600300		0.04	2.50	7.43	25.3	470	0.58	1.11	3.01	33.8	31.4	445	317	0.70	611	6.07
J600301		1.39	0.81	8.04	3.1	240	6.81	0.08	1.28	0.14	394	1.6	4	4.63	9.6	4.27
J600302		2.03	0.21	6.79	4.0	810	3.50	0.07	0.96	0.17	96.4	1.6	7	3.04	10.8	1.57
J600303		1.96	0.11	6.77	1.8	860	1.76	0.05	0.96	0.12	46.5	1.4	6	2.50	11.3	1.24
J600304		0.03	0.42	5.58	3.0	780	0.56	0.12	0.38	0.39	117.5	2.4	12	0.51	10.0	1.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
J600294		21.6	0.24	2.8	0.015	2.71	21.1	71.9	0.39	396	1.32	3.14	16.5	17.7	220	17.4
J600295		25.0	0.60	4.7	0.025	2.39	114.0	83.7	0.28	481	7.13	3.68	47.3	9.7	240	23.0
J600296		31.2	2.44	3.5	0.023	2.18	520	184.5	0.28	750	48.9	3.39	48.3	8.8	270	39.1
J600297		21.6	0.34	2.7	0.019	2.51	41.7	81.1	0.36	400	3.53	3.42	30.9	9.1	330	11.8
J600298		26.2	0.42	7.1	0.073	3.90	96.2	25.1	0.17	983	4.60	4.15	155.0	2.5	250	15.3
J600299		20.1	0.22	1.6	0.324	1.36	16.3	392	8.41	501	8.00	1.01	15.5	490	900	170.5
J600300		20.8	0.35	1.4	0.307	1.36	13.3	397	8.30	516	8.46	0.99	16.4	465	930	184.0
J600301		32.2	0.59	12.3	0.124	4.19	174.0	48.3	0.13	1230	2.20	4.44	280	1.1	280	20.1
J600302		21.8	0.28	4.5	0.019	2.97	45.3	39.7	0.12	406	1.43	3.46	63.5	2.0	160	28.4
J600303		20.7	0.22	3.1	0.014	2.87	22.2	33.3	0.13	336	0.81	3.41	24.3	1.2	140	23.1
J600304		21.6	0.33	10.1	0.135	4.55	44.6	5.9	0.26	203	2.34	0.69	38.1	7.7	130	16.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
J600294		124.5	<0.002	0.65	0.14	3.3	1	0.7	232	1.03	0.08	11.2	0.089	0.62	2.1	12
J600295		110.0	0.002	0.26	0.16	3.8	5	1.2	202	2.59	0.05	97.6	0.108	0.49	4.0	13
J600296		123.5	0.010	0.18	0.25	3.9	25	1.0	217	2.32	<0.05	580	0.097	0.47	4.6	13
J600297		116.5	<0.002	0.40	0.13	5.2	3	0.7	236	1.91	0.06	23.1	0.117	0.46	3.4	20
J600298		173.5	<0.002	0.14	0.14	5.4	2	2.3	82.5	7.15	0.09	19.6	0.206	0.61	4.6	5
J600299		18.5	0.003	1.77	0.39	12.8	3	0.6	445	0.91	<0.05	1.0	1.315	0.49	2.0	524
J600300		17.7	0.003	1.63	0.34	14.7	4	0.6	460	0.98	<0.05	1.4	1.345	0.48	2.6	533
J600301		254	0.002	0.10	0.39	4.5	3	6.1	37.4	14.30	0.15	35.3	0.234	0.69	9.3	2
J600302		155.0	<0.002	0.18	0.26	1.8	1	2.6	185.0	3.81	0.06	14.5	0.069	0.69	3.2	4
J600303		127.0	<0.002	0.12	0.19	1.8	1	1.8	190.5	1.39	<0.05	8.2	0.066	0.65	1.7	4
J600304		60.1	<0.002	0.05	0.35	4.0	2	4.1	18.4	1.95	<0.05	10.3	0.131	0.28	2.2	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
J600294		0.9	11.0	50	87.7	2.88
J600295		3.8	144.5	50	184.5	1.86
J600296		7.9	>500	34	106.5	3.71
J600297		1.4	63.5	31	84.9	
J600298		2.1	41.2	86	349	
J600299		0.3	7.8	9040	60.9	
J600300		0.2	8.2	8320	55.0	
J600301		2.2	57.8	144	>500	
J600302		7.3	22.1	60	175.5	
J600303		2.7	9.8	53	105.5	
J600304		1.1	34.6	126	284	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
J600335		1.75	0.14	6.87	8.9	610	1.21	0.07	0.09	0.03	21.2	2.4	8	3.03	29.6	1.39
J600336		1.90	0.06	6.73	3.1	670	1.65	0.06	0.14	<0.02	29.5	1.7	5	3.88	9.6	0.91
J600337		1.98	0.05	6.80	1.3	700	2.01	0.02	0.14	<0.02	30.0	1.3	5	4.65	9.4	1.23
J600338		1.96	0.05	6.68	0.2	650	1.94	0.02	0.14	<0.02	26.6	1.4	6	4.84	4.1	1.24
J600339		1.83	0.06	6.59	0.9	610	2.12	0.06	0.27	<0.02	32.1	1.0	5	5.20	7.3	1.30
J600340		0.04	2.55	7.68	24.8	470	0.58	1.00	3.06	33.2	31.4	443	325	0.70	593	6.06
J600341		1.99	0.18	6.56	1.4	850	1.93	0.05	0.78	0.06	34.1	1.7	8	3.24	6.6	1.31
J600342		2.09	0.06	6.89	0.7	840	2.36	0.05	0.32	<0.02	53.8	1.1	6	4.01	8.1	1.35
J600343		1.94	0.05	6.66	1.4	870	2.16	0.05	0.65	<0.02	47.7	0.9	6	3.34	7.4	1.43
J600344		1.97	0.05	8.17	2.0	1010	2.94	0.08	0.64	<0.02	39.1	1.3	8	5.75	10.2	1.78
J600345		1.93	0.09	6.57	1.8	770	2.18	0.06	0.49	<0.02	45.8	1.5	7	4.12	6.6	1.42
J600346		2.06	0.06	7.19	1.3	640	3.01	0.06	0.59	0.02	30.6	1.9	7	5.28	5.9	1.69
J600347		2.02	0.07	6.85	2.5	660	2.71	0.06	0.54	0.02	30.9	2.0	9	3.99	4.8	1.56
J600348		2.05	0.07	6.54	2.8	800	2.20	0.05	0.53	0.03	36.4	2.1	8	2.75	6.0	1.27
J600349		1.56	0.13	6.66	2.8	770	1.40	0.05	0.73	0.03	38.6	2.3	7	2.39	7.8	1.03
J600350		2.57	0.11	6.87	3.2	750	1.49	0.07	0.72	0.03	38.9	2.2	10	2.64	9.6	1.27
J600351		2.55	0.11	6.69	2.4	740	1.41	0.08	0.74	0.02	38.6	2.4	8	2.31	8.6	1.09
J600352		2.60	0.08	6.59	2.5	650	1.30	0.06	0.71	0.03	30.8	2.0	10	2.09	10.7	1.14
J600353		2.48	0.04	6.61	1.9	670	1.70	0.08	0.63	0.02	36.2	1.7	7	1.97	6.1	1.04
J600354		2.48	0.03	6.98	2.5	720	2.11	0.07	0.59	0.03	39.4	1.8	9	1.89	6.2	1.18
J600355		2.56	0.02	6.86	2.5	710	1.71	0.08	0.60	0.04	34.7	2.0	11	2.03	8.1	1.32
J600356		2.33	0.07	6.70	3.6	690	1.43	0.06	0.81	0.02	35.7	2.0	6	2.55	8.1	0.97
J600357		2.61	0.07	6.55	2.9	700	1.26	0.06	0.77	0.03	38.1	2.1	9	2.23	9.4	1.31
J600358		1.95	0.06	6.61	2.1	710	1.27	0.07	0.83	0.03	38.3	2.3	9	2.24	7.6	1.32
J600359		1.28	<0.01	6.39	2.0	690	1.17	0.05	0.76	0.04	30.3	2.0	9	1.99	5.5	1.25
J600360		0.08	1.51	6.19	17.4	430	0.42	0.84	2.85	26.1	31.8	411	289	0.63	436	5.84
J600361		2.38	<0.01	6.41	1.4	810	1.35	0.03	0.64	0.06	25.6	2.2	9	2.32	4.1	1.19
J600362		2.47	<0.01	6.51	1.3	830	1.49	0.05	0.78	0.05	37.8	2.1	9	2.51	6.3	1.36
J600363		2.71	<0.01	6.33	2.1	740	3.04	0.09	0.55	0.04	55.7	2.3	7	5.12	5.8	1.39
J600364		2.81	<0.01	6.53	1.4	840	1.85	0.06	0.49	0.02	41.7	1.8	10	4.27	4.5	1.29
J600365		2.53	<0.01	6.53	1.7	810	1.98	0.06	0.69	0.03	40.7	2.3	8	3.09	7.5	1.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
J600335		19.05	0.21	2.3	0.010	5.38	10.4	19.3	0.17	323	0.93	0.23	8.1	5.3	70	12.4
J600336		20.7	0.19	3.3	0.015	4.95	14.3	27.0	0.30	180	0.22	0.15	8.7	4.0	200	9.4
J600337		21.1	0.18	2.9	0.010	4.72	13.5	34.8	0.36	158	0.23	0.15	9.2	2.7	170	8.6
J600338		20.8	0.21	2.9	0.014	4.81	13.0	34.3	0.37	169	0.24	0.15	11.3	3.3	180	7.8
J600339		20.8	0.19	3.0	0.013	4.38	14.5	31.8	0.35	152	0.20	0.14	11.1	2.9	150	7.6
J600340		18.05	0.19	1.4	0.249	1.40	15.1	389	8.36	523	8.99	1.05	14.3	473	960	190.5
J600341		18.85	0.19	2.4	0.014	4.63	15.0	36.6	0.22	173	0.32	0.18	9.9	3.5	160	8.5
J600342		20.9	0.19	3.1	0.017	4.23	26.3	40.9	0.34	131	0.32	0.15	11.8	3.1	250	7.5
J600343		19.10	0.22	2.4	0.013	4.58	22.3	34.3	0.23	154	0.27	0.19	11.9	3.2	160	8.8
J600344		25.9	0.24	3.4	0.016	4.82	16.0	38.7	0.31	191	0.34	0.22	10.8	4.4	180	10.3
J600345		19.75	0.21	2.9	0.014	4.40	20.2	40.0	0.33	165	0.29	0.15	9.7	4.1	190	7.8
J600346		20.0	0.17	2.7	0.018	4.66	13.6	62.8	0.55	247	0.21	0.11	14.5	5.0	280	6.0
J600347		19.80	0.20	3.1	0.018	5.14	15.1	60.7	0.40	225	0.42	1.28	30.0	4.7	200	10.7
J600348		20.7	0.21	3.5	0.007	4.57	18.2	42.3	0.18	204	0.56	1.96	41.7	3.4	150	12.1
J600349		20.0	0.19	2.7	0.011	3.65	21.0	48.4	0.21	152	0.48	2.52	11.4	3.5	170	13.5
J600350		18.55	0.09	2.8	0.011	3.76	21.0	55.9	0.23	176	0.87	2.65	10.5	4.0	170	13.1
J600351		18.85	0.11	2.6	0.010	3.75	21.1	52.5	0.21	174	0.36	2.58	10.5	4.0	170	14.2
J600352		18.20	0.11	2.5	0.010	3.77	16.1	53.5	0.19	195	3.14	2.49	10.1	3.9	110	14.1
J600353		18.20	0.12	2.4	0.012	3.83	18.6	55.9	0.22	157	0.51	2.53	13.3	2.7	110	10.6
J600354		19.25	0.13	2.2	0.010	4.12	20.0	59.1	0.23	147	1.51	2.71	21.1	3.0	130	11.3
J600355		18.90	0.12	2.1	0.013	4.03	18.5	56.1	0.22	154	0.70	2.65	28.7	4.9	120	11.4
J600356		18.05	0.12	2.4	0.007	3.22	19.2	53.5	0.20	122	0.39	2.65	10.9	4.0	120	12.8
J600357		18.70	0.14	2.7	0.009	3.28	20.4	56.2	0.20	194	1.03	2.69	12.9	3.7	110	11.3
J600358		19.10	0.12	2.9	0.010	3.27	20.6	57.9	0.21	196	0.96	2.79	10.6	4.9	130	12.7
J600359		20.8	0.07	2.7	0.008	3.37	17.1	41.9	0.19	215	0.55	2.66	12.2	2.7	140	11.4
J600360		17.65	0.16	1.3	0.147	1.31	15.5	377	7.40	469	5.30	0.97	13.9	441	960	137.5
J600361		20.1	0.06	2.2	0.011	4.23	13.6	43.0	0.21	245	0.38	2.06	10.3	2.1	120	11.1
J600362		20.2	0.09	2.6	0.011	3.83	20.5	53.3	0.25	205	0.41	2.19	10.4	2.4	200	12.6
J600363		19.80	0.12	4.5	0.016	4.99	29.2	50.0	0.29	156	0.54	1.47	55.3	6.4	150	9.4
J600364		19.20	0.10	2.2	0.012	4.81	22.6	50.1	0.29	125	0.41	1.74	16.8	3.2	160	9.0
J600365		20.2	0.10	2.8	0.011	3.98	21.7	52.4	0.30	190	0.68	2.18	14.9	3.3	170	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
J600335		67.1	<0.002	0.75	0.19	1.9	1	1.0	69.1	0.60	<0.05	4.4	0.044	0.74	1.6	7
J600336		57.7	<0.002	0.18	0.13	2.1	<1	1.5	54.9	0.77	<0.05	4.6	0.071	0.58	1.2	7
J600337		58.0	<0.002	0.03	0.12	2.0	1	1.4	57.9	0.72	<0.05	5.9	0.077	0.55	0.8	8
J600338		59.8	<0.002	0.02	0.13	2.1	<1	1.5	56.5	0.85	<0.05	4.7	0.076	0.51	0.7	6
J600339		62.4	<0.002	0.02	0.12	2.1	<1	1.4	60.3	0.97	<0.05	4.2	0.072	0.50	0.9	8
J600340		16.2	0.002	1.63	0.39	11.2	1	0.7	476	0.80	<0.05	1.1	1.355	0.34	2.1	535
J600341		59.1	<0.002	0.02	0.15	1.8	<1	1.1	72.1	0.71	<0.05	3.9	0.072	0.49	1.0	8
J600342		52.5	<0.002	0.02	0.16	2.4	<1	1.5	78.5	0.86	<0.05	5.4	0.121	0.45	1.1	11
J600343		57.3	<0.002	0.02	0.14	2.0	<1	1.0	86.8	0.81	<0.05	5.1	0.071	0.47	0.9	8
J600344		60.5	<0.002	0.03	0.20	2.3	<1	1.6	82.0	0.82	<0.05	4.2	0.090	0.64	1.1	12
J600345		61.9	<0.002	0.03	0.17	1.8	<1	1.5	64.6	0.91	<0.05	5.7	0.078	0.54	1.0	8
J600346		61.3	<0.002	0.02	0.14	2.6	1	1.5	55.6	1.12	<0.05	4.4	0.111	0.61	0.8	15
J600347		96.9	<0.002	0.06	0.16	2.2	<1	1.4	121.0	2.12	<0.05	8.4	0.089	0.56	2.4	12
J600348		131.0	<0.002	0.09	0.18	1.7	<1	1.4	148.5	2.91	<0.05	12.3	0.064	0.60	4.7	5
J600349		113.5	<0.002	0.19	0.18	1.7	<1	1.0	175.0	0.61	<0.05	7.7	0.073	0.42	1.2	5
J600350		113.0	<0.002	0.23	0.12	2.0	<1	0.9	170.0	0.68	<0.05	6.8	0.077	0.50	1.3	6
J600351		109.5	<0.002	0.28	0.11	1.9	<1	0.6	158.0	0.69	<0.05	6.3	0.073	0.54	1.2	6
J600352		106.5	0.002	0.21	0.11	1.7	<1	0.9	148.0	0.58	<0.05	9.7	0.057	0.50	1.2	5
J600353		98.2	<0.002	0.23	0.10	1.7	<1	0.8	142.5	0.50	<0.05	7.5	0.064	0.38	0.8	5
J600354		102.5	<0.002	0.25	0.13	1.9	<1	1.1	158.0	0.77	0.05	24.4	0.078	0.39	1.4	7
J600355		96.8	<0.002	0.20	0.12	2.1	<1	1.4	167.5	0.62	<0.05	7.8	0.088	0.40	0.8	8
J600356		98.7	<0.002	0.29	0.09	2.0	<1	0.6	179.5	0.74	<0.05	4.8	0.071	0.47	1.1	5
J600357		100.5	<0.002	0.32	0.10	2.0	<1	0.7	177.0	0.57	<0.05	5.8	0.072	0.44	1.3	6
J600358		100.5	<0.002	0.30	0.10	2.0	<1	0.7	189.5	0.60	<0.05	5.5	0.076	0.43	1.0	6
J600359		100.5	<0.002	0.29	0.10	1.8	<1	0.6	178.0	0.55	<0.05	4.5	0.066	0.38	0.9	5
J600360		13.0	0.003	2.01	0.25	11.3	2	0.5	433	0.87	<0.05	0.9	1.190	0.36	1.8	490
J600361		116.0	<0.002	0.09	0.09	2.3	<1	0.8	159.0	0.52	<0.05	4.0	0.066	0.56	1.3	6
J600362		111.0	<0.002	0.11	0.10	2.1	<1	1.1	186.0	0.90	<0.05	4.9	0.079	0.65	1.5	6
J600363		103.5	<0.002	0.05	0.12	1.9	1	1.7	138.0	5.74	0.06	18.0	0.076	0.60	4.2	8
J600364		84.7	<0.002	0.06	0.12	1.9	<1	1.0	220	0.63	<0.05	5.4	0.069	0.44	1.1	7
J600365		114.5	<0.002	0.10	0.10	2.4	<1	1.0	191.5	0.99	<0.05	6.3	0.080	0.50	1.4	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
J600335		0.8	9.3	6	64.1	
J600336		0.8	10.4	13	94.2	
J600337		0.7	9.2	18	93.4	
J600338		0.6	8.7	19	92.2	
J600339		1.0	10.5	17	93.5	
J600340		0.2	7.1	8140	47.2	
J600341		0.8	9.6	39	75.1	
J600342		0.9	11.6	24	106.5	
J600343		0.7	9.1	19	74.8	
J600344		1.3	9.8	16	113.5	
J600345		1.3	10.1	22	94.6	
J600346		1.3	10.0	36	86.5	
J600347		1.2	9.6	32	95.5	
J600348		1.7	13.3	27	98.4	
J600349		0.7	6.4	21	78.3	
J600350		0.7	11.7	20	77.4	
J600351		0.6	9.2	17	73.7	
J600352		1.4	11.1	16	66.6	
J600353		1.1	12.8	14	64.6	
J600354		1.5	12.6	15	62.5	
J600355		1.5	7.0	19	62.2	
J600356		0.9	5.0	16	70.7	
J600357		0.8	6.2	15	74.7	
J600358		0.6	5.1	19	79.5	
J600359		0.7	5.9	19	78.9	
J600360		0.2	7.3	6920	49.8	
J600361		0.7	6.7	34	65.6	
J600362		0.6	7.2	32	84.3	
J600363		2.0	18.1	29	141.0	
J600364		1.1	7.3	25	69.8	
J600365		0.8	8.3	26	89.9	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZENYATTA VENTURES LTD
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 8-NOV-2011
Account: ZENVEN

Project: ALBANY BLOCK 4F/21

CERTIFICATE OF ANALYSIS TB11197874

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.