ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

CERTIFICATE TB12135811

Project: ALBANY GRAPHITE DEPOSIT

P.O. No.:

This report is for 115 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-JUN-2012.

The following have access to data associated with this certificate:

GLENDA CAREY TED LAMOUREUX	ANDREW DALBY JEFF PINKSEN	AUBREY EVELEIGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
C-IR07	Total Carbon (Leco)	LECO

To: **ZENYATTA VENTURES LTD**
ATTN: GLENDA CAREY
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
L012001		3.72	0.08	6.51	6.0	600	2.61	0.09	0.90	0.05	36.2	1.3	9	2.36	7.2	1.03
L012002		3.77	0.10	6.14	4.5	580	2.20	0.23	1.00	0.02	31.2	1.4	10	1.64	7.7	1.11
L012003		3.85	0.10	6.22	2.8	570	4.94	0.30	1.19	0.03	73.3	1.3	11	1.66	8.9	1.00
L012004		3.98	0.07	6.60	2.6	580	1.49	0.20	1.23	0.04	28.0	1.5	13	2.11	8.0	1.31
L012005		3.76	0.10	5.85	3.5	520	1.96	0.22	1.17	0.06	27.6	1.6	14	1.82	7.8	1.01
L012006		3.79	0.15	6.45	1.9	760	2.35	0.21	1.09	0.03	41.4	1.9	16	2.41	9.7	1.43
L012007		3.66	0.10	6.69	3.9	650	5.92	0.10	1.05	0.13	63.7	1.5	9	2.34	6.1	1.05
L012008		0.59	0.11	5.75	3.6	700	9.35	0.35	0.92	0.02	48.0	1.6	12	1.70	7.8	1.60
L012009		1.93	0.05	6.65	2.5	660	11.25	0.09	1.14	0.03	117.5	1.4	11	1.59	6.2	1.07
L012010		1.42	0.09	6.49	3.4	840	2.73	0.26	1.79	0.03	36.6	3.9	64	2.32	10.2	1.85
L012011		1.47	0.07	6.45	3.5	1120	3.02	0.09	1.23	0.03	44.4	1.7	11	1.57	7.2	1.04
L012012		1.02	0.07	6.91	3.4	970	7.63	0.07	2.23	<0.02	55.4	6.2	59	2.13	5.6	2.30
L012013		1.83	0.11	7.36	2.8	930	9.00	0.13	2.23	0.02	62.9	6.6	107	3.25	6.3	2.24
L012014		1.93	0.11	6.30	4.9	570	44.1	0.11	1.46	<0.02	>500	2.2	17	0.90	6.8	1.38
L012015		1.80	0.22	6.38	3.7	510	12.65	0.14	1.79	0.02	>500	1.7	10	1.13	4.7	1.46
L012016		3.02	0.21	6.85	3.7	450	13.25	0.16	1.04	<0.02	484	1.2	12	1.11	4.6	1.48
L012017		3.56	0.10	7.02	2.1	680	6.54	0.07	0.96	0.03	115.0	1.3	13	1.52	5.5	1.26
L012018		0.75	0.10	6.51	2.3	650	2.00	0.08	1.18	0.02	31.3	1.4	12	1.22	6.8	1.51
L012019		2.92	0.10	6.89	2.1	650	1.23	0.06	1.19	0.03	30.6	1.3	11	1.73	6.9	1.24
L012020		3.87	0.20	7.32	4.8	710	5.76	0.16	1.66	0.05	185.0	4.8	17	2.60	8.8	1.92
L012021		3.83	0.16	6.85	7.2	670	4.66	0.16	1.12	0.06	35.5	1.6	14	1.74	7.8	1.36
L012022		3.61	0.08	6.73	3.7	860	3.18	0.08	1.15	0.08	31.7	1.4	12	1.79	6.1	1.37
L012023		1.82	0.11	6.61	2.7	650	3.94	0.15	1.21	0.10	33.9	1.4	23	2.36	8.6	1.51
L012024		1.63	0.08	6.86	4.3	770	1.76	0.07	0.92	0.06	31.0	1.2	16	2.19	6.6	1.09
L012025		0.14	0.03	7.11	2.9	580	2.15	0.08	1.00	0.04	39.9	2.9	16	2.16	11.6	1.51
L012026		1.54	0.11	6.29	3.2	640	1.75	0.27	1.09	0.04	31.4	1.6	18	1.97	6.5	1.26
L012027		1.88	0.09	6.75	4.7	650	2.28	0.19	0.99	0.03	29.4	1.6	15	2.16	7.9	1.28
L012028		1.84	0.11	6.31	4.1	670	1.70	0.32	1.17	0.04	35.2	1.4	19	2.06	6.4	1.43
L012029		4.01	0.06	7.38	2.2	780	2.56	0.12	1.08	0.03	34.0	1.2	13	2.16	5.8	1.14
L012030		3.73	0.06	7.33	4.7	640	1.26	0.13	1.45	0.04	28.0	4.8	46	3.84	8.2	1.84
L012031		3.72	0.07	7.58	4.8	480	2.38	0.21	2.63	0.14	37.2	10.4	64	4.89	10.3	2.79
L012032		3.64	0.02	7.02	4.1	540	3.25	0.11	0.97	0.13	58.9	1.3	10	3.21	6.9	1.33
L012033		4.64	0.05	7.50	47.8	540	2.56	0.15	2.21	0.05	35.7	14.0	270	10.95	5.1	2.58
L012034		2.85	0.05	6.28	37.7	500	3.24	0.07	1.45	0.02	26.3	4.7	97	5.07	4.6	1.70
L012035		3.69	0.09	6.81	2.4	610	1.24	0.15	0.95	0.02	32.9	1.6	15	2.34	9.6	1.17
L012036		3.57	0.07	6.53	2.1	570	4.39	0.23	0.97	0.04	71.1	1.3	14	2.10	8.2	1.16
L012037		3.75	0.04	6.86	3.1	660	1.13	0.09	0.97	0.03	32.7	1.3	12	2.46	7.2	1.16
L012038		3.93	0.05	6.61	3.5	620	1.36	0.15	1.01	0.02	32.3	1.3	14	2.42	6.3	1.20
L012039		3.28	0.04	6.79	3.6	650	1.80	0.13	1.05	0.03	35.3	1.4	14	2.47	8.6	1.16
L012040		3.56	0.05	6.67	13.2	630	21.6	0.22	1.08	0.03	45.2	3.3	68	5.10	6.0	1.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
L012001		18.60	0.15	2.5	0.007	2.92	19.8	54.4	0.19	170	0.43	2.90	9.7	1.7	130	13.7
L012002		16.55	0.17	2.6	0.008	2.68	18.0	53.8	0.15	181	0.48	2.61	8.5	2.2	130	9.4
L012003		17.35	0.18	2.6	0.007	2.40	35.1	55.1	0.13	198	1.24	2.80	7.8	1.3	140	11.0
L012004		17.90	0.14	2.6	0.008	2.53	16.4	34.6	0.15	220	9.00	2.99	7.5	1.5	160	13.6
L012005		17.20	0.14	2.6	0.007	2.32	14.9	50.0	0.13	215	0.49	2.76	9.1	1.3	120	13.9
L012006		16.40	0.15	2.4	0.011	3.17	22.2	59.2	0.33	265	0.41	2.36	9.3	4.8	150	10.8
L012007		18.65	0.18	3.7	0.010	2.89	34.4	47.9	0.19	213	0.56	2.92	27.9	1.5	140	16.9
L012008		14.65	0.19	2.1	0.008	3.50	21.8	64.8	0.21	259	0.48	1.84	9.4	3.8	110	11.5
L012009		19.00	0.23	2.7	0.011	2.85	58.9	67.8	0.21	205	0.40	2.84	9.5	1.8	150	13.5
L012010		17.00	0.16	2.0	0.020	2.77	19.1	61.6	0.50	387	0.54	2.63	11.6	15.2	270	10.4
L012011		17.70	0.14	2.3	0.008	2.81	23.0	23.3	0.15	249	3.88	2.90	13.8	2.7	120	12.4
L012012		16.10	0.19	1.9	0.033	2.31	28.0	98.5	0.92	841	0.55	2.90	10.5	28.7	430	8.9
L012013		18.60	0.19	2.4	0.028	2.52	31.5	165.0	1.08	878	0.43	3.17	12.5	34.7	390	12.0
L012014		19.85	0.59	2.2	0.011	2.25	352	52.3	0.20	739	0.64	2.93	15.1	4.1	150	12.2
L012015		23.6	0.73	2.6	0.014	2.41	720	124.5	0.18	822	4.88	3.30	11.1	2.5	200	21.5
L012016		19.70	0.36	2.6	0.014	3.01	285	124.5	0.27	355	3.37	3.26	10.1	2.4	160	15.5
L012017		20.1	0.18	2.7	0.007	3.42	55.8	46.0	0.18	287	0.51	2.84	11.1	2.1	130	15.0
L012018		16.65	0.14	2.4	0.011	2.87	17.2	43.7	0.13	272	0.56	2.59	6.9	2.2	110	12.9
L012019		18.45	0.13	2.4	0.009	2.76	16.9	32.7	0.12	253	0.31	2.90	6.4	2.0	130	19.9
L012020		19.70	0.23	2.4	0.016	2.68	121.5	66.5	0.53	492	0.48	3.04	10.0	15.2	360	31.4
L012021		19.50	0.13	2.4	0.009	2.75	18.9	53.9	0.14	368	0.58	3.00	12.2	2.0	130	23.0
L012022		17.55	0.14	2.4	0.017	2.73	17.0	37.6	0.14	414	0.47	2.87	7.5	2.1	120	19.4
L012023		17.65	0.16	2.3	0.015	2.97	18.6	52.1	0.19	494	0.52	2.68	8.8	5.8	110	20.1
L012024		18.60	0.12	2.4	0.010	3.23	16.5	29.9	0.10	304	0.38	2.88	5.7	1.5	120	17.2
L012025		20.3	0.14	2.6	0.022	2.97	21.0	19.6	0.30	245	0.57	3.23	14.2	5.9	270	14.1
L012026		17.05	0.16	2.3	0.011	2.69	16.1	42.3	0.14	283	0.41	2.54	8.2	4.3	110	12.9
L012027		18.30	0.15	2.4	0.008	2.97	15.4	44.2	0.21	219	0.46	2.65	9.4	5.9	140	12.9
L012028		17.05	0.14	2.2	0.012	3.14	18.7	41.3	0.21	306	0.52	2.33	9.4	4.6	130	14.3
L012029		19.20	0.12	2.5	0.008	3.31	18.4	36.2	0.12	271	0.74	3.02	13.4	2.6	130	14.1
L012030		20.2	0.12	2.4	0.011	2.85	15.0	41.9	0.55	403	0.41	3.01	7.7	12.9	210	14.0
L012031		19.45	0.17	2.1	0.023	2.45	18.3	65.4	1.21	671	1.01	2.79	10.8	19.6	310	14.4
L012032		20.9	0.21	7.8	0.012	2.97	33.5	37.6	0.14	235	0.72	3.06	95.7	1.5	150	30.7
L012033		18.25	0.19	2.7	0.018	3.08	18.2	81.8	2.65	635	0.57	2.80	7.0	165.0	360	11.8
L012034		16.60	0.20	2.1	0.019	3.07	13.9	95.8	0.87	522	0.75	2.41	7.9	53.7	160	9.0
L012035		18.30	0.16	2.1	0.009	3.34	17.7	34.8	0.18	191	0.39	2.66	7.2	4.2	100	15.1
L012036		18.10	0.17	2.1	0.007	2.89	36.2	41.5	0.16	210	0.48	2.70	8.6	2.4	140	16.2
L012037		18.85	0.14	2.5	0.006	3.07	18.0	44.2	0.15	238	3.00	2.82	8.9	1.7	140	14.4
L012038		19.20	0.14	2.3	0.008	2.82	17.5	39.8	0.16	229	0.43	2.79	9.1	3.0	150	13.0
L012039		19.80	0.17	2.3	0.008	2.75	19.3	42.1	0.15	216	0.45	2.88	9.2	2.4	160	14.7
L012040		19.05	0.17	2.1	0.016	2.83	25.6	83.7	0.51	434	0.57	2.77	14.4	28.7	190	15.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
L012001		128.5	0.002	0.30	0.31	1.7	<1	1.2	161.0	0.74	<0.05	6.2	0.063	0.64	1.4	5
L012002		120.0	<0.002	0.33	0.23	1.5	<1	1.0	151.0	0.62	<0.05	5.7	0.061	0.57	0.9	5
L012003		108.0	<0.002	0.34	0.23	1.4	1	0.9	163.5	0.48	0.06	7.3	0.061	0.48	0.9	5
L012004		100.5	<0.002	0.38	0.12	1.5	<1	0.7	180.0	0.64	0.06	5.4	0.069	0.48	0.9	6
L012005		91.7	<0.002	0.35	0.17	1.4	<1	0.8	168.0	0.73	0.05	3.8	0.060	0.40	1.1	5
L012006		108.5	<0.002	0.29	0.16	1.9	<1	0.9	212	0.91	0.05	10.0	0.064	0.52	1.5	7
L012007		108.5	<0.002	0.36	0.13	1.5	1	0.8	163.5	1.86	<0.05	14.2	0.068	0.49	2.5	5
L012008		131.0	<0.002	0.46	0.31	1.3	3	0.5	126.5	0.43	0.16	139.0	0.051	0.53	1.8	3
L012009		99.2	0.002	0.37	0.14	1.7	2	0.7	167.5	0.41	<0.05	30.5	0.063	0.46	1.1	5
L012010		101.0	<0.002	0.36	0.23	3.5	<1	1.2	305	0.59	0.08	8.3	0.086	0.44	1.2	17
L012011		94.1	<0.002	0.33	0.15	1.4	1	0.8	415	0.62	0.05	10.5	0.058	0.41	1.5	5
L012012		99.0	0.003	0.22	0.14	5.8	1	1.4	488	0.49	0.06	7.9	0.116	0.47	1.5	34
L012013		123.5	<0.002	0.32	0.17	5.6	1	1.3	402	0.64	<0.05	14.9	0.121	0.56	1.4	31
L012014		76.4	<0.002	0.21	0.16	1.5	4	0.9	204	0.51	<0.05	157.5	0.054	0.27	1.9	5
L012015		96.7	<0.002	0.13	0.17	2.0	4	0.9	181.0	0.46	0.07	88.7	0.061	0.31	1.0	5
L012016		110.0	0.002	0.11	0.17	2.0	2	1.2	115.5	0.39	0.08	54.8	0.051	0.34	1.2	3
L012017		117.5	<0.002	0.38	0.16	1.8	2	0.5	138.5	0.61	<0.05	15.2	0.058	0.44	1.4	4
L012018		98.4	<0.002	0.47	0.18	1.4	1	0.5	143.5	0.47	0.05	5.7	0.055	0.39	1.0	4
L012019		98.2	<0.002	0.38	0.13	1.4	<1	0.5	176.5	0.58	<0.05	5.4	0.058	0.46	1.2	4
L012020		111.5	<0.002	0.34	0.16	2.9	2	1.0	267	0.57	0.07	12.7	0.107	0.58	1.6	18
L012021		112.5	<0.002	0.40	0.14	1.9	1	0.8	194.5	0.71	0.05	8.0	0.066	0.48	1.2	5
L012022		107.5	<0.002	0.32	0.13	1.4	1	0.6	239	0.51	0.05	24.2	0.060	0.50	1.7	4
L012023		127.0	<0.002	0.32	0.16	1.9	1	0.8	176.5	0.61	0.07	5.5	0.054	0.57	1.9	5
L012024		123.5	<0.002	0.30	0.12	1.2	1	0.5	190.5	0.44	<0.05	5.4	0.045	0.61	1.2	3
L012025		110.5	0.002	0.32	0.15	3.1	1	1.3	254	1.13	0.07	6.8	0.100	0.48	3.2	14
L012026		110.0	<0.002	0.28	0.30	1.4	1	0.6	188.5	0.47	0.06	8.2	0.048	0.45	1.2	5
L012027		108.0	<0.002	0.32	0.57	1.7	1	0.6	174.0	0.49	0.07	5.9	0.060	0.53	1.2	6
L012028		109.5	<0.002	0.35	0.51	1.6	1	0.6	169.5	0.56	0.10	5.9	0.056	0.51	1.6	5
L012029		123.5	<0.002	0.27	0.20	1.5	1	0.5	215	0.98	<0.05	10.1	0.052	0.57	2.1	4
L012030		125.0	<0.002	0.32	0.16	4.1	<1	0.8	205	0.51	<0.05	4.3	0.074	0.78	1.2	17
L012031		133.5	<0.002	0.30	0.13	7.4	2	1.3	273	0.85	0.07	4.8	0.135	0.88	1.8	48
L012032		164.5	<0.002	0.38	0.14	1.5	1	1.1	149.5	5.20	0.09	25.7	0.071	0.72	6.3	5
L012033		183.5	<0.002	0.21	0.14	6.1	1	1.2	193.0	0.63	<0.05	6.6	0.132	1.45	1.3	34
L012034		151.5	<0.002	0.08	0.13	3.0	1	1.0	149.5	0.48	<0.05	7.8	0.070	0.90	0.9	13
L012035		121.0	<0.002	0.33	0.12	1.4	1	0.4	178.5	0.57	0.07	5.9	0.052	0.76	1.3	4
L012036		103.0	<0.002	0.32	0.16	1.6	1	0.7	161.0	0.61	0.09	8.6	0.056	0.61	1.3	4
L012037		109.0	<0.002	0.34	0.13	1.6	1	0.5	176.5	0.63	<0.05	5.5	0.062	0.70	1.5	4
L012038		106.0	<0.002	0.32	0.14	1.6	<1	0.6	171.5	0.58	<0.05	5.8	0.062	0.72	1.2	5
L012039		115.0	<0.002	0.36	0.12	1.7	1	0.7	191.0	0.54	0.05	6.2	0.064	0.70	1.3	5
L012040		144.0	<0.002	0.24	0.17	2.7	1	1.1	186.5	2.20	<0.05	17.4	0.072	0.84	3.3	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
L012001		2.4	11.0	19	75.3	3.96
L012002		1.7	7.1	10	75.2	7.95
L012003		1.3	26.8	11	72.5	7.07
L012004		0.7	5.0	18	77.8	2.96
L012005		1.5	7.9	17	72.2	9.96
L012006		2.0	9.3	12	65.7	9.45
L012007		1.9	11.5	38	116.5	2.86
L012008		1.7	30.3	9	67.8	19.30
L012009		1.3	19.0	9	93.7	3.32
L012010		1.3	10.8	20	68.6	12.35
L012011		1.3	16.6	11	69.0	5.07
L012012		1.2	38.6	38	63.7	10.60
L012013		0.9	29.9	45	77.4	6.16
L012014		2.3	63.2	7	75.7	14.45
L012015		1.4	55.7	10	101.5	6.84
L012016		1.5	31.5	8	106.0	7.57
L012017		1.4	22.6	13	79.1	6.02
L012018		1.3	9.2	9	73.5	15.10
L012019		1.0	4.4	19	74.2	3.15
L012020		1.7	22.2	38	76.5	7.67
L012021		1.1	18.0	28	74.7	6.76
L012022		1.6	12.7	33	74.2	10.80
L012023		1.6	10.4	28	65.1	11.85
L012024		0.9	4.4	22	70.2	3.63
L012025		0.4	10.8	25	77.1	3.22
L012026		1.4	6.4	14	70.7	14.15
L012027		1.6	4.9	15	73.8	10.00
L012028		1.2	5.6	13	69.2	15.30
L012029		1.0	8.3	13	74.8	7.66
L012030		0.7	5.6	32	70.6	4.26
L012031		1.0	9.9	56	66.2	4.75
L012032		2.1	15.6	55	260	1.46
L012033		1.1	10.1	76	86.5	2.76
L012034		2.1	12.2	36	68.4	15.30
L012035		0.6	4.4	17	59.4	4.94
L012036		1.0	15.9	19	69.3	6.02
L012037		1.2	4.8	17	76.2	5.38
L012038		1.3	5.2	16	80.1	6.46
L012039		1.1	6.4	21	80.3	3.95
L012040		1.7	15.9	39	64.9	8.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
L012041		3.71	0.05	6.72	2.8	710	0.99	0.10	1.05	0.04	42.9	1.3	10	2.05	7.4	1.18
L012042		4.65	0.03	6.73	3.6	950	2.12	0.10	1.04	0.07	75.3	1.4	13	1.42	6.8	1.31
L012043		2.91	0.04	6.90	3.4	850	1.38	0.09	1.16	0.06	110.5	1.4	10	1.38	6.5	1.31
L012044		3.57	0.09	6.82	7.6	780	12.25	0.09	1.42	0.13	175.5	1.5	10	1.33	7.6	1.41
L012045		3.37	0.03	6.69	4.5	910	3.60	0.14	1.12	0.12	85.1	1.6	8	1.44	9.5	1.20
L012046		0.61	0.02	5.75	1.2	1180	4.12	0.23	1.01	0.04	118.5	1.2	10	0.75	4.7	1.25
L012047		3.83	0.03	6.46	2.9	890	3.26	0.21	1.19	0.11	69.8	2.0	9	1.30	7.3	1.34
L012048		3.94	0.06	6.44	1.6	680	2.42	0.11	1.14	0.07	51.8	2.0	8	2.39	8.8	1.20
L012049		4.02	0.16	7.02	4.3	600	6.09	0.09	1.12	0.22	105.5	1.9	7	2.87	15.1	1.54
L012050		0.07	0.04	6.35	1.5	630	1.98	0.12	1.08	0.03	47.2	3.9	23	1.00	9.3	1.48
L012051		3.98	0.04	6.52	2.5	590	1.59	0.06	1.11	0.11	53.3	1.7	8	2.20	7.3	1.11
L012052		3.69	0.04	7.00	6.2	790	1.94	0.14	1.38	0.10	80.1	3.9	32	3.00	11.0	1.43
L012053		3.91	0.06	6.78	2.7	790	1.30	0.08	1.83	0.05	67.6	5.8	100	2.61	10.2	1.80
L012054		3.64	0.05	6.93	1.7	690	1.72	0.09	1.19	0.07	44.6	1.5	9	1.61	6.8	1.23
L012055		4.21	0.10	5.91	3.4	740	1.72	0.12	1.40	0.06	274	1.4	13	1.25	5.3	1.32
L012056		2.45	0.03	6.83	3.5	710	4.02	0.06	0.88	0.18	114.5	1.2	8	2.41	4.7	1.13
L012057		1.37	0.42	8.76	1.9	2580	2.62	0.03	3.40	0.10	177.0	13.9	2	4.54	8.3	7.70
L012058		4.03	0.12	6.77	3.3	640	2.22	0.06	0.95	0.22	32.5	1.7	9	2.10	14.6	1.07
L012059		1.87	0.02	6.83	12.6	620	6.55	0.07	0.71	0.40	115.5	0.9	7	3.02	4.1	1.02
L012060		3.83	0.06	6.62	1.3	780	1.48	0.14	1.21	0.05	53.9	1.6	9	1.87	10.6	1.25
L012061		3.86	0.04	6.78	19.4	690	2.77	0.07	1.43	0.06	43.2	2.5	35	3.59	7.1	1.52
L012062		3.78	0.06	6.81	2.3	660	3.34	0.07	1.13	0.10	60.5	1.4	8	2.41	6.7	1.31
L012063		3.76	0.03	6.70	5.7	660	5.21	0.15	1.14	0.10	88.1	1.5	10	2.56	15.5	1.42
L012064		3.82	0.07	6.85	5.3	760	3.96	0.06	0.98	0.13	36.6	1.2	13	2.22	7.9	1.26
L012065		3.23	0.03	7.16	16.3	610	10.55	0.07	1.20	0.26	121.0	2.1	8	3.20	11.5	2.09
L012066		2.13	0.06	6.44	3.2	700	2.14	0.18	1.08	0.03	27.5	1.5	13	1.80	11.4	1.21
L012067		3.21	0.05	6.77	23.0	730	1.76	0.08	0.84	0.09	32.9	2.0	9	2.84	9.3	1.21
L012068		3.79	0.04	6.55	5.3	720	2.52	0.22	1.08	0.03	72.4	2.0	20	3.23	9.9	1.32
L012069		3.31	0.05	6.92	3.6	710	2.92	0.05	1.38	0.07	95.8	1.6	10	3.80	9.8	1.71
L012070		5.68	0.42	8.39	4.6	260	10.55	0.18	0.86	0.27	267	2.1	5	8.56	26.4	3.91
L012071		2.09	0.18	7.51	3.7	520	6.19	0.09	0.94	0.20	169.5	1.1	7	5.92	9.0	2.19
L012072		4.34	0.06	6.67	1.1	830	1.57	0.20	1.32	0.04	64.9	2.4	15	1.84	8.6	1.70
L012073		4.87	0.06	6.76	0.9	720	1.60	0.06	0.99	0.04	33.5	1.8	10	1.88	7.1	1.25
L012074		2.59	0.10	7.30	62.4	810	1.92	0.59	1.87	0.08	62.5	22.9	425	21.2	21.3	4.94
L012075		0.14	<0.01	9.39	2.4	2950	4.10	0.01	3.97	0.04	328	10.7	2	1.69	40.3	6.68
L012076		2.21	0.40	6.54	0.9	800	2.06	0.11	0.89	0.05	69.7	2.6	16	2.07	8.8	1.28
L012077		3.92	0.09	6.10	23.3	940	1.93	0.12	1.42	0.08	180.0	8.2	139	5.08	8.0	2.15
L012078		3.82	0.07	6.82	1.9	820	1.40	0.10	1.19	0.04	41.7	2.3	24	1.89	6.7	1.37
L012079		3.97	0.08	7.23	1.2	1250	1.67	0.06	1.89	0.05	87.5	5.9	13	2.23	6.8	3.47
L012080		1.92	0.07	6.57	1.6	680	0.93	0.07	1.10	0.09	31.6	1.5	7	1.70	10.5	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
L012041		18.45	0.15	2.5	0.009	2.52	22.4	26.5	0.13	232	3.38	3.15	6.8	1.2	250	16.2
L012042		18.95	0.16	2.1	0.010	2.52	42.8	21.7	0.16	295	1.83	3.20	14.4	3.0	210	18.7
L012043		19.25	0.20	2.2	0.012	2.52	65.3	22.6	0.13	339	3.43	3.23	13.4	1.7	240	18.8
L012044		21.1	0.27	2.5	0.013	2.40	86.6	33.3	0.17	760	5.66	3.88	20.4	2.1	230	29.3
L012045		20.5	0.17	2.3	<0.005	2.64	46.6	28.8	0.14	346	1.94	3.36	17.0	1.4	200	26.6
L012046		16.55	0.20	1.2	<0.005	2.73	61.1	8.0	0.14	352	1.73	2.86	35.6	1.7	210	15.7
L012047		20.5	0.15	2.4	<0.005	2.29	34.8	23.7	0.16	348	2.20	3.50	13.8	1.2	250	28.3
L012048		21.1	0.13	2.6	<0.005	2.35	27.4	45.8	0.12	311	0.56	3.32	8.3	1.2	140	30.7
L012049		23.3	0.17	5.2	0.010	2.67	57.5	47.3	0.11	393	2.50	3.55	67.4	1.3	170	73.7
L012050		19.20	0.13	2.4	0.028	2.24	26.1	12.7	0.35	251	1.39	3.35	21.3	9.5	280	12.2
L012051		21.0	0.13	2.4	<0.005	2.44	28.6	37.7	0.13	302	2.13	3.24	14.5	1.8	210	23.8
L012052		21.5	0.16	2.9	0.006	2.42	46.6	33.0	0.31	337	2.06	3.29	24.4	9.2	250	19.2
L012053		18.50	0.16	2.2	0.010	2.23	39.0	39.7	0.66	420	1.43	3.28	8.6	18.6	380	15.4
L012054		19.70	0.14	2.5	0.005	2.49	23.8	32.0	0.12	274	0.90	3.42	8.0	1.4	160	20.9
L012055		17.90	0.28	1.8	0.013	2.38	153.5	26.7	0.14	412	12.80	3.02	13.8	2.3	440	15.4
L012056		20.5	0.19	3.3	0.008	3.84	61.5	23.3	0.11	292	1.52	3.07	52.4	1.6	210	44.7
L012057		20.0	0.35	6.2	0.078	3.09	83.6	122.5	1.41	1600	2.24	3.86	97.9	1.1	3880	15.9
L012058		18.75	0.14	2.2	0.009	3.38	16.9	41.8	0.14	215	1.24	3.01	8.7	1.5	170	31.9
L012059		22.1	0.22	4.8	0.013	3.98	61.5	18.8	0.05	367	6.42	3.19	95.9	1.1	100	46.4
L012060		19.20	0.17	2.3	0.006	2.69	26.9	29.4	0.13	252	0.92	3.15	9.2	1.6	200	15.4
L012061		19.45	0.17	3.4	0.012	2.62	21.0	66.8	0.33	356	4.85	3.16	24.5	12.1	160	18.6
L012062		20.8	0.19	2.5	0.009	2.91	27.0	56.2	0.23	261	1.42	3.15	14.7	1.6	140	22.6
L012063		21.2	0.21	5.7	0.012	2.65	45.3	36.3	0.13	271	1.26	3.36	78.2	2.2	170	16.1
L012064		19.65	0.16	2.6	0.016	2.91	17.5	29.7	0.20	293	4.75	3.56	10.1	2.2	180	17.8
L012065		20.8	0.24	4.8	0.027	3.09	59.9	57.9	0.28	513	4.35	3.58	97.0	2.0	420	28.5
L012066		18.15	0.15	2.4	0.007	2.73	14.3	36.3	0.13	233	0.84	3.02	8.3	2.9	130	7.3
L012067		20.5	0.14	2.6	0.006	3.02	17.1	25.1	0.10	249	0.68	3.23	9.9	1.8	120	16.6
L012068		19.80	0.19	2.5	0.009	2.83	38.8	37.1	0.20	227	5.67	2.93	22.5	5.6	200	11.6
L012069		21.6	0.21	2.4	0.018	3.08	50.6	40.3	0.17	368	9.50	3.25	19.1	2.3	200	14.2
L012070		27.7	0.37	11.0	0.086	4.48	134.0	13.2	0.14	660	2.15	4.38	276	1.5	200	40.6
L012071		25.1	0.28	8.5	0.046	3.88	87.8	18.3	0.10	602	1.30	3.72	157.0	1.3	140	25.8
L012072		19.55	0.20	2.2	0.013	2.63	34.0	25.4	0.22	325	1.58	3.12	15.7	3.8	370	14.8
L012073		19.75	0.16	2.4	0.009	2.74	17.3	31.7	0.17	227	0.48	3.23	9.7	2.0	150	13.3
L012074		27.6	0.19	2.2	0.055	3.01	32.8	238	3.95	1220	0.73	2.40	27.3	239	700	23.1
L012075		27.1	0.40	10.1	0.077	2.90	173.0	21.9	0.89	1410	7.79	4.53	206	0.9	3020	14.9
L012076		18.35	0.14	2.4	0.009	2.48	38.8	38.5	0.25	238	0.60	3.11	14.5	4.8	180	16.1
L012077		19.55	0.29	1.9	0.023	2.56	88.9	67.4	1.07	538	1.26	2.61	14.7	62.1	360	17.2
L012078		19.95	0.17	2.3	0.009	2.48	21.3	31.2	0.24	233	0.86	3.10	9.5	5.3	170	13.8
L012079		20.0	0.26	3.3	0.029	2.53	42.8	47.1	0.50	655	1.27	3.15	34.7	2.9	1290	11.1
L012080		18.85	0.09	2.5	0.007	2.52	17.4	35.7	0.13	203	1.45	3.12	10.8	1.6	150	19.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
L012041		101.0	0.002	0.39	0.08	1.4	1	0.6	231	0.52	0.05	6.0	0.069	0.67	1.1	5
L012042		95.0	0.002	0.25	0.12	1.6	1	1.1	378	0.62	<0.05	18.1	0.059	0.52	1.7	5
L012043		104.5	<0.002	0.32	0.11	1.6	<1	1.2	426	0.54	0.05	8.4	0.062	0.54	1.3	5
L012044		114.0	<0.002	0.11	0.17	1.8	2	2.8	436	0.63	<0.05	102.5	0.062	0.33	1.7	5
L012045		118.5	<0.002	0.27	0.07	1.9	1	1.6	376	0.67	0.05	13.7	0.063	0.40	1.6	5
L012046		95.0	<0.002	0.07	0.05	1.2	1	1.7	414	0.61	<0.05	24.1	0.031	0.33	1.8	3
L012047		89.8	<0.002	0.37	0.05	1.8	1	1.3	314	0.59	0.05	15.4	0.069	0.39	1.4	6
L012048		100.5	<0.002	0.40	<0.05	1.8	1	0.8	235	0.58	0.06	13.1	0.071	0.62	0.9	5
L012049		138.0	<0.002	0.38	0.11	1.7	1	2.1	219	4.79	0.06	45.5	0.076	0.58	5.4	4
L012050		63.0	<0.002	0.39	0.20	3.3	1	2.0	239	1.03	0.06	8.1	0.100	0.21	2.1	15
L012051		106.0	<0.002	0.30	<0.05	1.9	1	1.2	219	0.73	<0.05	12.2	0.065	0.50	1.2	4
L012052		109.5	<0.002	0.29	0.10	2.9	1	1.5	395	1.36	<0.05	14.2	0.076	0.62	3.2	11
L012053		89.1	<0.002	0.28	0.08	5.0	1	1.0	522	0.49	<0.05	4.4	0.100	0.65	1.2	22
L012054		97.1	<0.002	0.37	0.05	1.9	1	0.7	253	0.52	0.05	8.0	0.068	0.47	2.0	5
L012055		92.3	<0.002	0.13	0.09	1.9	1	1.6	593	0.53	<0.05	9.9	0.060	0.38	1.6	5
L012056		165.5	<0.002	0.17	0.09	1.6	1	1.0	224	3.67	<0.05	32.7	0.063	0.75	5.2	3
L012057		107.5	<0.002	0.09	0.08	13.7	3	2.3	781	4.89	0.07	14.3	1.040	0.62	3.5	27
L012058		120.0	<0.002	0.28	0.07	1.8	1	0.8	193.5	0.34	<0.05	7.8	0.068	0.60	1.1	5
L012059		212	<0.002	0.08	0.11	0.9	1	1.5	161.5	6.35	0.06	36.1	0.034	0.68	8.0	1
L012060		99.3	<0.002	0.36	0.10	1.9	1	0.9	249	0.51	<0.05	6.6	0.066	0.59	1.1	5
L012061		132.5	<0.002	0.25	0.07	2.6	1	1.8	247	2.05	0.05	8.0	0.075	0.61	2.5	8
L012062		124.0	<0.002	0.28	0.09	2.1	1	1.5	204	0.79	<0.05	11.1	0.074	0.59	1.7	5
L012063		164.0	<0.002	0.18	0.10	1.7	1	2.2	223	5.08	0.07	22.0	0.061	0.52	3.9	4
L012064		144.0	<0.002	0.08	0.11	2.1	1	2.2	234	0.60	<0.05	7.9	0.065	0.54	1.1	6
L012065		170.5	<0.002	0.19	0.11	2.9	1	3.7	202	4.66	0.07	17.1	0.175	0.59	3.8	5
L012066		148.0	<0.002	0.21	0.09	1.9	1	1.0	204	0.63	<0.05	5.3	0.061	0.47	1.1	5
L012067		145.0	<0.002	0.33	0.07	1.9	1	0.8	173.5	0.80	0.05	5.2	0.058	0.78	1.5	3
L012068		131.5	<0.002	0.36	0.16	2.7	1	1.0	218	1.59	0.06	20.6	0.063	0.89	2.1	7
L012069		142.0	<0.002	0.24	0.08	2.5	1	1.5	255	1.40	<0.05	9.0	0.073	0.74	2.3	7
L012070		272	<0.002	0.44	0.34	3.4	2	6.6	92.0	16.65	0.17	37.4	0.200	0.98	14.3	<1
L012071		226	<0.002	0.13	0.19	3.0	1	4.0	167.0	10.10	0.08	33.8	0.109	0.86	12.3	2
L012072		100.5	<0.002	0.35	0.15	3.0	1	1.1	312	0.70	0.05	12.4	0.072	0.60	1.9	7
L012073		94.2	<0.002	0.29	0.05	2.0	1	0.7	212	0.73	<0.05	7.4	0.067	0.57	1.8	6
L012074		270	<0.002	0.90	0.39	14.0	2	2.6	278	3.21	0.14	41.9	0.277	2.54	12.2	71
L012075		106.0	0.002	0.08	0.22	11.1	3	3.5	1325	9.81	0.10	24.2	1.030	0.08	7.3	1
L012076		70.6	<0.002	0.26	0.11	2.5	1	0.9	257	1.30	<0.05	15.2	0.067	0.54	3.0	7
L012077		111.5	<0.002	0.34	0.13	5.7	1	1.2	343	1.96	0.06	8.0	0.100	0.83	2.6	22
L012078		83.8	<0.002	0.31	0.08	2.8	1	0.6	274	0.66	<0.05	5.2	0.071	0.52	1.2	9
L012079		88.3	<0.002	0.22	0.07	7.1	1	1.0	409	1.94	<0.05	8.3	0.363	0.48	2.4	12
L012080		86.1	<0.002	0.32	0.07	1.7	<1	0.6	204	0.56	<0.05	4.4	0.067	0.49	1.1	6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
L012041		0.5	6.3	29	74.7	1.39
L012042		1.4	11.7	31	68.2	6.25
L012043		0.8	8.5	36	69.6	4.31
L012044		4.4	114.0	50	69.1	2.80
L012045		1.8	19.8	60	64.6	2.00
L012046		1.6	19.6	23	29.3	8.59
L012047		1.2	12.7	60	70.1	2.54
L012048		1.0	13.6	42	75.2	0.76
L012049		2.9	28.3	91	170.0	0.71
L012050		0.8	10.8	22	75.4	10.45
L012051		1.1	11.1	63	70.4	0.56
L012052		1.5	12.8	49	87.3	6.01
L012053		1.0	6.4	28	68.8	5.60
L012054		0.8	8.0	35	73.2	2.02
L012055		2.2	17.5	21	52.8	14.30
L012056		2.2	24.0	63	103.0	3.95
L012057		2.0	39.6	133	268	0.09
L012058		1.9	10.4	82	61.9	0.82
L012059		4.1	31.2	136	149.5	2.29
L012060		1.1	8.7	22	66.7	6.46
L012061		1.0	10.9	46	99.5	2.59
L012062		1.9	15.0	42	83.0	0.51
L012063		2.8	21.0	32	209	2.00
L012064		3.1	8.7	45	73.1	0.87
L012065		3.2	22.9	106	205	0.42
L012066		0.8	5.5	12	69.3	7.87
L012067		1.2	5.3	40	75.7	0.83
L012068		1.6	11.1	16	82.7	6.95
L012069		3.6	9.7	39	69.3	1.42
L012070		11.3	47.5	85	491	0.08
L012071		5.6	37.1	67	327	1.29
L012072		1.4	10.4	17	65.7	8.74
L012073		1.9	6.6	28	69.4	1.85
L012074		5.2	25.5	689	65.9	16.25
L012075		3.0	43.2	136	458	0.15
L012076		4.5	11.9	27	70.3	4.43
L012077		2.3	15.5	76	55.0	7.11
L012078		1.1	6.4	23	70.4	7.51
L012079		1.1	16.8	44	124.5	5.63
L012080		0.9	5.4	41	81.1	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
L012081		3.71	0.10	6.31	2.7	740	1.26	0.21	1.15	0.04	235	3.8	16	2.23	24.1	2.15
L012082		3.76	0.05	6.33	1.2	670	1.13	0.11	1.01	0.03	28.2	1.7	10	2.43	7.1	1.15
L012083		3.52	0.02	6.77	1.3	680	0.99	0.13	1.27	0.03	38.9	2.9	24	2.96	8.9	1.54
L012084		3.55	0.07	6.40	5.5	780	1.54	0.15	1.16	0.02	61.6	4.5	87	3.44	9.9	1.80
L012085		3.59	0.06	6.19	2.7	650	2.38	0.12	0.90	0.02	33.5	2.0	19	2.21	7.0	1.36
L012086		2.78	0.16	6.37	1.3	680	2.91	0.12	1.07	0.03	33.8	1.6	11	2.18	8.4	1.15
L012087		3.83	0.08	6.86	1.5	650	1.51	0.06	1.09	0.12	75.8	1.3	8	2.45	7.5	1.53
L012088		3.50	<0.01	8.19	1.8	110	4.55	0.06	1.17	0.14	279	1.0	3	4.52	5.5	4.25
L012089		5.25	0.04	7.94	5.0	240	4.72	0.09	1.33	0.19	217	1.0	1	4.47	11.9	4.45
L012090		5.97	0.11	8.26	2.0	440	4.51	0.11	1.40	0.27	216	1.1	2	5.72	10.5	4.69
L012091		5.03	<0.01	8.52	2.0	100	4.05	0.07	1.19	0.18	278	1.1	3	3.78	6.7	4.43
L012092		4.23	<0.01	8.29	12.8	510	3.69	0.06	1.53	0.11	225	1.6	2	4.70	5.4	4.99
L012093		3.41	0.05	6.75	5.5	570	1.39	0.07	1.73	0.06	36.4	5.2	112	2.46	9.0	1.96
L012094		3.60	0.02	6.85	1.6	810	1.37	0.06	1.07	0.17	47.1	1.8	8	2.33	8.0	1.15
L012095		3.63	0.09	6.66	2.1	670	1.43	0.16	1.11	0.20	36.4	2.4	17	2.15	7.8	1.39
L012096		2.12	0.04	6.45	1.2	800	1.29	0.13	1.28	0.05	33.5	2.6	11	1.82	7.0	1.14
L012097		3.50	0.04	6.61	1.5	810	1.44	0.12	1.39	0.02	46.1	2.0	10	2.17	9.5	1.42
L012098		3.60	0.02	6.83	3.0	660	1.46	0.10	1.27	0.07	30.4	1.8	8	3.86	7.1	1.35
L012099		3.57	0.03	6.85	1.8	650	0.98	0.27	1.12	0.03	29.9	1.4	8	2.21	7.2	1.27
L012100		0.12	0.06	6.71	2.1	680	1.91	0.10	1.18	0.03	55.9	3.5	24	1.75	9.8	1.66
L012101		3.56	<0.01	7.00	2.7	670	1.89	0.08	1.15	0.02	35.2	1.9	9	2.25	9.4	1.23
L012102		3.90	0.01	6.91	1.0	690	1.43	0.05	1.07	0.07	29.8	1.6	11	2.21	7.0	1.26
L012103		3.38	0.02	7.09	0.7	690	1.48	0.04	1.10	0.06	41.6	1.7	8	2.23	6.1	1.30
L012104		4.20	0.09	6.88	6.0	640	3.54	0.08	1.09	0.32	32.9	1.3	7	2.48	12.0	1.26
L012105		4.39	0.08	6.48	162.0	530	8.28	0.11	1.55	0.29	56.5	10.4	194	6.78	8.5	2.37
L012106		2.81	0.19	6.01	58.5	360	5.69	0.09	1.83	1.56	45.0	5.6	15	2.72	17.1	2.30
L012107		2.99	0.07	6.47	2.0	410	4.97	0.08	1.09	0.07	31.3	1.8	10	1.23	9.4	1.11
L012108		2.66	0.04	6.43	2.1	500	1.23	0.08	1.19	0.03	33.4	1.9	12	1.47	15.5	1.11
L012109		2.31	0.05	5.94	18.1	540	1.44	0.11	1.42	0.02	28.3	2.9	90	2.65	16.8	1.71
L012110		3.99	0.09	7.40	5.2	210	5.03	0.12	1.12	0.29	162.5	1.3	3	7.04	8.6	3.64
L012111		4.08	<0.01	8.31	50.3	220	8.99	0.23	1.22	0.33	359	2.1	16	8.62	7.3	3.92
L012112		1.73	0.03	6.94	21.7	670	6.32	0.14	1.26	0.09	59.7	2.6	17	2.69	17.0	1.90
L012113		3.82	<0.01	8.08	12.4	100	4.86	0.18	1.18	0.20	318	1.1	4	2.96	8.2	4.00
L012114		3.82	<0.01	7.54	4.9	80	5.41	0.13	1.70	0.26	480	0.8	3	2.93	7.1	3.23
L012115		4.48	<0.01	7.91	3.0	70	4.18	0.08	0.86	0.23	401	0.5	4	5.20	3.4	3.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
L012081		19.80	0.31	2.3	0.020	2.45	123.0	35.3	0.25	296	1.02	2.81	15.3	5.6	120	17.5
L012082		18.00	0.11	2.7	0.005	2.78	15.6	37.8	0.15	171	0.50	2.84	10.0	1.9	120	12.8
L012083		19.55	0.25	2.6	0.008	2.72	18.7	51.5	0.28	246	2.67	2.72	9.4	9.1	170	13.4
L012084		18.70	0.16	2.4	0.013	2.94	32.6	61.2	0.61	287	0.81	2.42	11.5	16.9	230	18.2
L012085		16.15	0.18	2.1	0.010	2.93	18.4	42.8	0.27	205	4.63	2.44	9.5	5.0	130	17.8
L012086		17.95	0.16	2.5	0.006	2.79	20.0	49.2	0.15	196	0.61	2.82	8.3	2.3	140	14.4
L012087		19.75	0.13	3.7	0.016	3.03	42.0	55.2	0.15	389	7.15	3.12	32.0	0.7	160	25.2
L012088		30.2	0.57	12.9	0.101	4.19	122.0	43.5	0.13	1260	5.96	4.06	229	1.0	270	19.7
L012089		26.8	0.24	10.9	0.100	4.39	113.0	32.7	0.18	1220	5.58	4.29	201	0.4	310	23.6
L012090		25.8	0.27	11.1	0.104	4.53	109.0	31.3	0.21	1240	3.57	4.29	178.5	0.2	430	34.6
L012091		29.2	0.56	11.7	0.087	4.57	124.5	40.8	0.15	1360	4.05	4.11	212	1.4	310	19.8
L012092		28.8	0.61	11.3	0.119	4.43	96.7	42.0	0.18	1520	4.78	3.87	186.0	1.1	470	15.5
L012093		19.05	<0.05	2.9	0.025	2.27	20.0	40.7	0.69	467	1.81	3.05	13.9	20.7	240	14.3
L012094		21.1	0.28	2.7	0.009	2.86	21.9	42.9	0.16	218	0.64	3.02	12.2	2.0	140	35.7
L012095		18.80	0.09	3.0	0.010	2.56	19.6	40.3	0.25	247	0.92	2.91	11.1	4.8	160	46.9
L012096		18.40	0.11	2.5	0.009	2.50	16.9	28.6	0.13	219	0.72	2.92	12.9	3.7	120	12.0
L012097		19.75	0.12	2.3	0.007	2.68	22.3	32.4	0.13	238	0.62	2.92	16.2	1.8	150	14.7
L012098		20.2	0.11	2.5	0.012	2.56	16.8	47.6	0.21	232	1.12	2.97	19.1	2.5	170	15.3
L012099		19.40	0.10	2.8	0.006	2.71	16.9	30.4	0.12	160	0.47	3.05	8.4	0.9	140	14.0
L012100		18.40	0.08	2.9	0.024	2.71	30.1	19.8	0.40	296	1.96	3.19	22.5	9.4	300	14.0
L012101		22.2	0.27	2.6	0.006	2.88	16.8	40.5	0.16	202	0.70	3.06	14.5	2.2	140	13.9
L012102		21.6	0.25	2.6	0.009	2.83	14.5	40.6	0.15	261	0.59	3.04	14.3	2.0	140	18.6
L012103		21.2	0.23	2.8	0.008	2.88	20.0	46.0	0.15	299	1.45	3.22	9.7	1.8	170	18.3
L012104		21.3	0.16	2.7	0.013	2.99	18.8	48.5	0.20	296	1.57	3.13	13.6	1.5	140	27.9
L012105		18.75	0.16	2.3	0.027	3.20	27.7	116.0	1.33	530	45.1	2.85	21.4	60.2	280	23.4
L012106		18.85	0.14	4.0	0.083	2.16	20.5	97.1	0.91	745	19.70	2.93	85.7	9.0	560	23.2
L012107		15.35	0.12	3.0	0.009	1.91	17.0	25.5	0.17	314	13.00	3.56	20.1	2.0	190	11.6
L012108		16.95	0.14	2.3	0.014	2.02	19.0	21.4	0.17	183	1.01	3.48	11.5	2.1	370	7.2
L012109		14.75	0.07	1.8	0.023	2.50	13.5	54.8	0.52	346	1.24	2.76	15.1	18.5	160	4.3
L012110		25.0	0.26	10.0	0.069	4.52	75.3	43.3	0.20	899	3.74	4.16	176.0	0.5	390	31.0
L012111		30.2	0.60	11.6	0.084	4.22	166.0	83.2	0.27	1000	9.52	4.21	257	4.5	350	24.9
L012112		20.1	0.10	3.0	0.034	2.51	28.0	69.9	0.33	459	9.15	3.82	41.2	7.5	300	9.8
L012113		30.9	0.62	12.9	0.097	4.10	140.5	18.7	0.12	1310	7.70	4.18	225	1.8	210	25.0
L012114		32.5	0.84	11.4	0.084	3.98	273	16.6	0.14	1160	5.92	3.68	220	1.4	80	23.6
L012115		32.2	0.66	10.2	0.090	4.10	183.0	17.5	0.07	1230	1.94	4.01	169.5	1.3	70	25.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
L012081		90.0	0.002	0.85	0.17	3.4	1	0.8	285	0.71	0.08	47.5	0.065	0.87	1.7	8
L012082		90.5	<0.002	0.29	0.12	1.6	<1	0.5	170.0	0.69	<0.05	4.6	0.060	0.60	1.7	5
L012083		102.5	<0.002	0.29	0.13	2.4	1	0.6	224	0.54	0.05	7.4	0.068	0.55	1.4	8
L012084		99.4	<0.002	0.39	0.17	3.6	1	0.8	218	0.81	<0.05	19.6	0.083	0.77	2.2	17
L012085		85.4	<0.002	0.28	0.10	1.6	1	0.5	159.5	0.66	<0.05	9.8	0.062	0.50	1.3	6
L012086		92.1	0.002	0.31	0.11	1.5	<1	0.4	189.5	0.50	<0.05	11.6	0.066	0.55	1.0	5
L012087		115.0	<0.002	0.21	0.08	2.0	<1	1.4	174.5	1.84	<0.05	7.8	0.089	0.67	1.6	4
L012088		239	0.002	0.03	0.13	5.3	3	3.6	27.4	11.30	0.18	30.3	0.225	0.65	7.5	1
L012089		200	<0.002	0.20	0.17	5.1	2	5.0	46.2	10.85	<0.05	21.7	0.248	0.78	5.4	<1
L012090		209	0.002	0.16	0.16	7.0	2	6.2	79.1	9.90	<0.05	22.4	0.293	0.97	4.8	<1
L012091		229	0.002	0.03	0.13	6.0	3	3.6	25.8	9.78	0.18	30.8	0.261	0.63	7.1	1
L012092		214	<0.002	0.02	0.16	8.6	3	4.4	38.3	8.75	0.16	24.5	0.297	0.58	5.4	1
L012093		84.6	<0.002	0.32	0.07	4.8	1	1.0	233	1.07	<0.05	5.0	0.094	0.48	1.5	19
L012094		108.0	<0.002	0.33	0.07	2.1	1	0.6	230	0.59	0.06	8.0	0.067	0.54	1.2	6
L012095		85.8	0.003	0.33	0.11	1.9	<1	0.8	201	0.79	<0.05	5.8	0.072	0.51	1.4	6
L012096		83.3	0.002	0.31	0.11	1.7	<1	0.6	253	0.68	<0.05	6.6	0.059	0.51	1.0	5
L012097		90.9	<0.002	0.49	0.11	1.7	<1	0.6	218	0.68	0.06	13.2	0.061	0.56	0.7	6
L012098		97.7	0.002	0.31	0.08	2.4	1	0.6	203	1.62	<0.05	6.9	0.081	0.55	2.7	8
L012099		91.1	<0.002	0.36	0.07	1.5	<1	0.6	163.0	0.48	<0.05	4.4	0.066	0.58	0.7	5
L012100		90.8	<0.002	0.35	0.18	3.1	<1	0.8	250	1.22	<0.05	8.8	0.105	0.38	2.1	16
L012101		101.5	<0.002	0.41	0.12	2.1	1	0.6	175.5	0.51	0.06	6.1	0.065	0.51	1.2	6
L012102		101.5	<0.002	0.34	0.05	2.0	1	0.6	180.0	0.54	0.06	5.1	0.069	0.52	1.0	6
L012103		111.5	<0.002	0.33	0.05	2.1	1	0.8	183.5	0.64	0.06	7.0	0.073	0.63	1.1	6
L012104		117.0	<0.002	0.27	0.11	1.9	1	1.0	169.0	0.69	<0.05	8.6	0.064	0.67	1.5	5
L012105		186.0	<0.002	0.12	0.22	5.9	1	2.4	144.0	0.89	<0.05	14.5	0.095	0.92	1.0	26
L012106		112.5	<0.002	0.33	0.22	7.7	1	3.7	160.5	6.08	<0.05	16.3	0.249	0.47	3.5	32
L012107		70.1	0.002	0.17	0.10	1.7	1	0.9	160.5	1.46	<0.05	12.2	0.060	0.31	1.4	6
L012108		75.4	0.002	0.19	0.10	2.4	<1	0.9	172.0	0.56	<0.05	12.3	0.063	0.34	1.4	9
L012109		100.5	<0.002	0.16	0.20	2.9	<1	0.8	149.5	0.71	<0.05	6.5	0.065	0.46	1.0	11
L012110		212	<0.002	0.06	0.23	4.9	2	6.7	36.6	10.45	<0.05	19.3	0.283	0.96	5.5	<1
L012111		270	0.002	0.04	0.22	5.4	4	6.3	56.0	13.60	0.22	48.2	0.240	0.88	9.5	3
L012112		125.5	<0.002	0.13	0.18	3.0	1	2.5	210	1.86	<0.05	12.2	0.116	0.41	2.6	15
L012113		195.0	0.002	0.06	0.17	4.2	3	2.6	38.6	10.65	0.19	36.0	0.215	0.58	8.0	1
L012114		191.0	0.002	0.08	0.23	2.0	3	3.3	56.6	9.36	0.21	41.1	0.170	0.57	7.6	1
L012115		227	0.002	0.02	0.18	1.7	2	3.0	32.5	7.75	0.16	32.3	0.144	0.72	6.8	<1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
L012081		1.3	10.0	18	72.1	6.80
L012082		1.0	5.9	11	78.1	6.11
L012083		1.5	6.3	18	79.6	9.87
L012084		2.2	7.6	21	70.9	11.15
L012085		1.7	13.6	12	65.8	11.55
L012086		3.7	16.1	11	75.5	7.47
L012087		1.7	10.2	61	127.5	0.34
L012088		2.8	48.0	124	>500	0.11
L012089		4.5	40.6	119	481	0.19
L012090		4.8	48.0	136	467	0.09
L012091		3.1	44.2	133	>500	0.08
L012092		1.8	52.5	127	435	0.03
L012093		1.8	7.2	43	89.3	6.82
L012094		1.0	7.3	79	89.3	4.53
L012095		1.5	7.2	80	90.7	7.08
L012096		1.3	5.2	19	72.0	7.56
L012097		0.7	6.3	13	68.0	4.34
L012098		1.7	8.8	25	79.3	3.61
L012099		0.6	4.1	12	80.1	2.56
L012100		0.7	10.6	27	92.0	6.99
L012101		0.8	5.8	16	85.5	3.52
L012102		0.6	4.9	48	82.2	0.64
L012103		1.2	7.0	50	93.8	0.35
L012104		4.3	18.7	103	82.5	0.98
L012105		3.5	27.4	137	68.9	1.68
L012106		5.7	33.5	523	117.0	5.45
L012107		2.0	16.0	24	89.8	2.68
L012108		1.2	13.2	16	72.5	5.69
L012109		1.0	7.1	25	61.1	12.25
L012110		6.3	30.7	128	419	0.17
L012111		6.4	88.2	180	481	0.22
L012112		1.7	30.3	53	94.0	3.45
L012113		3.6	53.5	139	>500	0.25
L012114		6.1	59.1	101	>500	0.58
L012115		4.7	43.0	118	>500	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 26-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135811

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.