ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

CERTIFICATE TB12135810

Project: ALBANY GRAPHITE DEPOSIT

P.O. No.:

This report is for 82 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-JUN-2012.

The following have access to data associated with this certificate:

GLENDA CAREY TED LAMOUREUX	ANDREW DALBY JEFF PINKSEN	AUBREY EVELEIGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
C-IR07	Total Carbon (Leco)	LECO

To: **ZENYATTA VENTURES LTD**
ATTN: GLENDA CAREY
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
M760919		4.27	0.21	6.93	5.1	640	1.44	0.11	0.18	0.09	33.0	3.4	11	3.66	17.7	1.40
M760920		5.46	0.25	6.98	4.3	740	1.47	0.13	0.14	<0.02	29.3	2.1	8	3.76	8.2	1.13
M760921		4.54	0.08	7.11	1.4	650	1.86	0.07	0.17	<0.02	33.3	1.0	8	4.62	5.3	1.26
M760922		3.74	0.05	7.11	1.8	670	1.77	0.08	0.24	<0.02	27.4	1.0	7	4.01	7.1	1.03
M760923		3.64	0.06	6.92	2.2	650	3.13	0.09	0.64	<0.02	72.3	5.4	55	9.07	6.2	2.16
M760924		1.74	0.09	6.69	1.4	660	2.12	0.13	0.26	<0.02	42.5	1.4	25	5.42	5.8	1.15
M760925		0.10	0.05	6.22	1.9	650	1.99	0.07	1.14	0.03	49.6	3.6	26	1.64	10.1	1.60
M760926		3.76	0.05	6.87	2.1	680	1.94	0.07	0.20	<0.02	32.1	1.2	8	3.84	4.8	1.42
M760927		1.83	0.14	6.08	6.4	1850	4.28	0.44	0.20	<0.02	379	4.5	32	7.22	15.2	3.05
M760928		3.95	0.04	6.58	2.8	890	1.79	0.11	0.40	<0.02	40.0	1.0	11	3.46	5.0	1.21
M760929		3.66	0.09	6.55	2.8	810	3.05	0.14	0.23	<0.02	53.4	1.0	10	4.25	5.4	1.31
M760930		2.51	0.05	6.50	3.6	900	3.52	0.12	0.22	<0.02	39.3	1.6	8	3.45	4.8	1.72
M760931		2.99	0.09	5.91	3.7	870	4.48	0.24	0.70	<0.02	99.0	2.1	9	3.26	5.2	2.00
M760932		2.09	0.04	6.99	2.6	990	3.02	0.09	0.42	<0.02	86.6	2.7	28	8.18	5.9	2.09
M760933		3.93	0.06	6.91	2.8	690	1.83	0.11	0.39	<0.02	43.0	1.2	8	4.95	5.5	1.16
M760934		4.05	0.09	6.80	3.5	620	1.84	0.19	0.58	0.03	34.6	1.8	7	5.05	12.1	1.52
M760935		3.96	0.09	6.87	2.8	620	1.61	0.03	0.98	0.04	31.1	1.4	7	2.04	8.7	1.42
M760936		5.70	0.07	6.70	2.4	650	1.19	0.02	1.12	0.04	32.0	1.5	10	1.48	9.1	1.28
M760937		4.08	0.08	6.79	2.6	600	1.41	0.02	1.13	0.05	31.7	1.8	10	1.82	4.7	1.45
M760938		4.01	0.06	6.74	2.9	640	1.17	0.03	1.03	0.04	30.3	1.6	10	2.25	3.7	1.29
M760939		6.12	0.06	6.77	4.3	650	2.56	0.11	1.29	0.03	64.3	9.7	155	8.10	6.2	2.44
M760940		6.11	0.07	7.16	5.1	610	5.62	0.16	0.83	<0.02	167.0	1.6	10	4.89	6.5	1.36
M760941		5.78	0.09	6.88	4.1	560	4.62	0.05	1.32	0.07	144.5	1.5	8	2.91	3.1	1.57
M760942		5.81	0.07	7.15	3.7	630	1.90	0.06	1.31	0.02	47.3	5.2	14	4.17	10.3	2.02
M760943		5.73	0.06	7.14	2.4	650	1.16	0.07	1.13	0.02	30.2	1.6	14	2.30	3.5	1.30
M760944		5.69	0.09	6.52	2.2	640	1.69	0.07	1.01	0.02	33.0	1.4	12	2.84	6.8	1.13
M760945		5.63	0.10	6.65	2.3	740	1.04	0.05	0.96	0.05	35.8	1.2	11	2.08	6.3	1.39
M760946		5.60	0.05	6.43	3.2	760	0.86	0.06	0.91	0.03	29.7	1.2	12	1.87	5.2	1.18
M760947		5.75	0.07	6.51	2.6	720	1.14	0.05	0.81	0.04	31.8	1.2	12	2.02	5.0	1.21
M760948		5.58	0.07	6.17	3.4	750	1.52	0.20	0.59	0.02	49.4	1.3	10	4.77	5.3	1.17
M760949		5.67	0.08	6.28	2.5	700	1.34	0.08	0.70	0.08	29.2	1.2	12	2.03	7.7	1.14
M760950		0.12	0.05	6.66	2.4	560	2.39	0.07	1.07	0.03	38.6	3.1	14	2.11	11.0	1.46
M760951		5.77	0.16	6.98	11.0	690	2.24	0.14	0.87	0.38	32.3	5.3	40	5.40	11.3	2.02
M760952		5.75	0.07	6.90	3.7	670	1.88	0.10	1.22	0.16	37.4	6.3	58	7.31	12.6	2.19
M760953		5.62	0.13	6.36	3.2	680	1.43	0.06	0.69	0.05	36.7	1.3	12	2.34	16.5	1.05
M760954		5.88	0.11	6.48	2.1	720	1.83	0.08	0.67	0.05	34.3	1.4	23	2.74	11.5	1.14
M760955		6.04	0.21	7.57	48.4	710	3.35	0.18	1.30	0.04	44.4	22.5	514	29.1	7.2	5.33
M760956		5.77	0.12	6.46	5.3	630	2.44	0.09	0.81	0.03	39.1	2.0	19	3.57	16.6	1.18
M760957		6.40	0.35	6.10	35.1	1300	3.27	0.21	5.55	0.08	96.3	52.3	683	15.05	80.3	6.48
M760958		1.55	0.09	6.72	0.8	630	1.23	0.06	1.19	0.05	27.5	1.7	9	1.57	12.4	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
M760919		19.70	0.14	3.4	0.014	6.99	18.1	23.5	0.33	103	0.57	0.13	8.9	4.6	250	15.1
M760920		20.3	0.14	2.7	0.009	6.93	15.2	21.6	0.32	112	0.42	0.13	8.7	3.0	190	15.1
M760921		21.4	0.15	2.9	0.012	6.93	16.1	27.2	0.39	145	0.24	0.13	12.6	2.5	220	9.8
M760922		19.80	0.14	2.5	0.011	6.96	13.1	24.6	0.36	95	0.23	0.14	10.9	2.5	100	10.0
M760923		20.1	0.19	3.0	0.023	6.78	33.9	36.5	0.71	128	0.19	0.10	11.7	13.7	970	7.7
M760924		19.20	0.19	2.5	0.011	6.93	20.9	42.2	0.46	125	0.23	0.13	12.8	4.1	180	8.3
M760925		17.30	0.16	2.4	0.023	2.61	27.4	19.6	0.39	280	1.40	3.06	19.6	9.8	280	13.4
M760926		20.8	0.16	2.4	0.013	6.95	14.9	29.4	0.38	161	0.29	0.15	10.0	3.6	170	9.0
M760927		21.1	0.44	2.5	0.039	6.52	224	32.5	0.39	115	0.79	0.16	17.6	8.1	440	6.2
M760928		17.60	0.17	2.1	0.008	7.01	20.3	25.4	0.23	135	0.35	0.42	13.5	2.6	90	10.3
M760929		18.15	0.19	2.4	0.015	6.68	26.3	50.5	0.27	129	0.30	0.62	12.6	2.5	100	10.5
M760930		18.15	0.16	2.7	0.011	6.01	16.5	58.5	0.40	195	0.37	0.93	13.0	5.2	90	9.1
M760931		14.40	0.22	2.5	0.021	6.59	35.7	24.3	0.34	134	0.49	0.15	12.5	5.7	100	8.3
M760932		21.0	0.22	2.2	0.024	5.95	48.4	77.0	0.61	218	0.32	1.29	19.7	15.3	570	8.5
M760933		19.70	0.22	2.3	0.012	4.55	22.2	35.1	0.21	119	0.49	2.26	12.3	2.8	120	11.4
M760934		19.30	0.15	2.6	0.015	4.05	17.4	38.6	0.31	200	0.31	2.38	13.2	3.8	170	11.7
M760935		19.85	0.18	2.6	0.013	3.35	16.3	38.2	0.19	240	0.35	2.80	8.4	2.9	150	14.6
M760936		20.1	0.15	2.6	0.013	2.96	16.5	35.3	0.15	256	0.29	2.93	9.5	1.7	160	14.1
M760937		19.85	0.17	2.6	0.020	2.88	16.5	52.1	0.22	266	0.29	2.81	7.8	2.9	140	15.0
M760938		19.35	0.18	2.5	0.014	3.10	16.1	47.7	0.18	227	0.29	2.73	7.1	1.9	140	15.1
M760939		19.85	0.17	2.8	0.019	3.60	37.5	77.3	1.45	322	1.11	2.16	8.5	56.9	560	15.8
M760940		24.1	0.25	3.6	0.008	3.32	94.1	92.3	0.24	175	1.18	3.08	51.8	2.8	150	20.3
M760941		21.1	0.25	4.2	0.016	2.69	83.3	98.4	0.20	364	0.85	3.13	33.8	2.0	150	34.5
M760942		20.7	0.21	2.8	0.016	3.19	22.8	83.6	0.59	256	0.54	2.50	18.7	14.6	410	15.2
M760943		19.55	0.19	2.5	0.008	3.03	16.1	50.7	0.12	216	0.47	2.78	7.1	1.8	150	17.7
M760944		19.50	0.16	2.8	0.012	2.75	16.7	44.2	0.10	210	0.38	2.85	10.2	1.6	150	18.1
M760945		19.05	0.18	2.8	0.011	2.92	18.4	44.6	0.11	311	0.39	2.81	7.5	1.6	140	17.0
M760946		18.30	0.17	2.4	0.010	3.17	15.9	40.8	0.11	250	0.61	2.65	6.3	1.6	120	16.3
M760947		18.40	0.16	2.4	0.011	3.44	17.6	37.1	0.13	261	0.42	2.59	6.6	1.7	110	15.9
M760948		19.70	0.21	2.7	0.010	3.47	25.8	36.8	0.19	180	0.64	2.54	7.8	2.2	100	11.3
M760949		18.10	0.15	2.5	0.009	3.38	15.3	40.0	0.15	225	0.70	2.52	6.3	2.1	90	17.9
M760950		19.85	0.22	2.3	0.018	2.82	19.3	19.7	0.30	229	0.55	3.10	13.8	5.9	240	13.7
M760951		21.7	0.19	2.4	0.030	3.61	16.9	84.0	0.67	406	2.99	2.38	11.1	11.8	250	38.7
M760952		19.85	0.20	2.5	0.027	3.27	18.9	85.6	0.83	428	0.43	2.61	9.4	13.3	230	28.6
M760953		19.60	0.05	2.4	0.008	3.30	18.3	43.1	0.11	162	0.46	2.54	8.2	2.3	100	17.5
M760954		19.25	0.06	2.6	0.005	3.24	17.2	31.4	0.13	156	0.49	2.66	7.5	2.3	120	18.1
M760955		32.6	0.20	2.5	0.057	4.24	20.6	235	4.21	1040	0.81	2.14	18.2	217	740	8.3
M760956		22.1	0.08	2.8	0.010	2.75	19.6	61.7	0.20	145	0.41	2.78	10.4	5.1	140	13.8
M760957		16.20	0.34	2.6	0.052	2.12	39.1	174.0	7.29	1280	0.41	1.94	23.9	323	1400	7.6
M760958		22.4	0.06	2.8	0.009	2.46	14.1	49.8	0.12	261	1.30	3.10	8.9	1.7	130	17.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
M760919		64.7	<0.002	0.74	0.16	2.0	1	1.5	78.6	0.73	0.05	5.7	0.077	0.83	1.3	10
M760920		88.8	<0.002	0.29	0.12	2.0	1	0.9	136.5	0.60	0.09	4.9	0.062	0.91	0.9	7
M760921		87.8	<0.002	0.04	0.10	2.1	1	1.0	69.4	0.81	0.05	6.0	0.072	0.73	0.8	8
M760922		87.2	<0.002	0.04	0.09	1.8	<1	0.8	73.6	0.80	0.05	5.2	0.066	0.67	0.8	9
M760923		111.0	0.002	0.03	0.12	5.9	1	1.3	76.1	2.16	<0.05	6.5	0.173	0.79	1.8	36
M760924		143.5	<0.002	0.02	0.09	2.1	1	0.6	83.4	0.77	0.05	9.4	0.068	0.73	0.6	7
M760925		92.4	<0.002	0.35	0.22	3.1	1	0.8	243	1.03	<0.05	8.8	0.103	0.33	2.4	15
M760926		133.5	<0.002	0.03	0.11	2.0	2	0.9	67.5	0.86	<0.05	4.2	0.071	0.60	0.8	8
M760927		136.0	<0.002	0.18	0.20	2.8	1	1.3	215	0.66	0.11	97.4	0.043	0.61	1.0	14
M760928		147.0	<0.002	0.04	0.13	1.7	1	0.9	131.0	0.99	<0.05	5.9	0.053	0.60	1.2	6
M760929		154.0	<0.002	0.03	0.13	1.9	1	0.9	126.0	1.21	<0.05	11.5	0.053	0.60	1.2	4
M760930		141.5	<0.002	0.02	0.14	1.9	1	1.2	118.0	0.74	<0.05	6.7	0.066	0.62	1.3	5
M760931		147.5	<0.002	0.03	0.20	2.1	1	2.3	72.5	0.74	<0.05	7.7	0.051	0.59	1.2	6
M760932		182.0	<0.002	0.02	0.13	2.7	1	1.5	243	2.45	<0.05	4.4	0.070	0.85	2.1	12
M760933		143.5	<0.002	0.14	0.12	1.8	1	1.3	157.0	0.93	0.05	6.8	0.049	0.59	1.7	3
M760934		126.0	<0.002	0.12	0.14	2.0	<1	1.2	169.0	0.97	<0.05	5.0	0.075	0.53	2.9	6
M760935		107.0	<0.002	0.04	0.09	1.7	1	0.9	173.0	0.72	<0.05	4.5	0.065	0.53	1.0	5
M760936		99.8	<0.002	0.03	0.08	1.8	1	1.0	181.0	0.54	<0.05	4.3	0.066	0.49	0.8	5
M760937		97.5	<0.002	0.05	0.08	2.0	1	1.0	176.0	0.51	<0.05	4.3	0.073	0.46	0.8	5
M760938		98.9	<0.002	0.11	0.09	1.8	1	0.9	169.0	0.55	<0.05	4.2	0.071	0.47	2.0	5
M760939		137.0	<0.002	0.16	0.12	6.2	1	1.4	227	0.90	<0.05	5.7	0.133	0.96	1.5	31
M760940		192.5	<0.002	0.20	0.21	1.9	2	2.5	161.0	3.52	<0.05	12.7	0.074	0.66	3.3	5
M760941		128.5	<0.002	0.10	0.17	1.9	1	1.6	153.5	2.38	<0.05	19.3	0.071	0.57	2.4	5
M760942		132.5	0.002	0.20	0.10	3.4	1	1.4	223	1.26	<0.05	7.0	0.120	0.75	2.1	20
M760943		101.0	<0.002	0.25	0.08	1.7	<1	0.8	178.5	0.75	<0.05	4.4	0.073	0.87	1.3	5
M760944		108.5	<0.002	0.24	0.09	1.6	<1	0.8	180.5	1.02	<0.05	5.2	0.066	0.79	1.4	5
M760945		104.5	<0.002	0.23	0.09	1.5	<1	0.9	205	0.58	<0.05	5.0	0.059	0.75	1.1	4
M760946		104.5	<0.002	0.25	0.09	1.5	1	0.7	186.5	0.38	0.05	4.8	0.058	0.67	1.0	4
M760947		106.5	<0.002	0.22	0.09	1.6	<1	0.9	162.0	0.45	<0.05	4.9	0.054	0.69	1.4	3
M760948		114.5	<0.002	0.25	0.11	1.6	1	0.9	187.5	0.60	0.12	11.1	0.055	0.58	1.6	4
M760949		101.5	<0.002	0.18	0.11	1.5	1	0.8	178.0	0.48	<0.05	4.9	0.053	0.51	1.5	4
M760950		113.0	<0.002	0.30	0.16	3.3	1	1.4	244	1.13	0.05	6.3	0.096	0.40	2.7	14
M760951		144.5	<0.002	0.16	0.16	5.4	1	1.6	205	1.51	0.05	5.0	0.106	0.70	2.5	23
M760952		149.5	<0.002	0.15	0.11	6.4	1	1.3	234	0.94	0.05	4.9	0.100	0.94	1.6	29
M760953		105.5	<0.002	0.26	0.07	1.6	1	0.7	173.5	0.61	<0.05	7.5	0.052	0.63	1.6	4
M760954		106.0	<0.002	0.29	0.09	1.7	1	0.5	182.0	0.65	0.05	10.7	0.053	0.66	1.5	4
M760955		339	<0.002	0.19	0.21	14.3	1	4.3	235	2.21	0.10	11.3	0.188	2.36	2.6	73
M760956		94.9	<0.002	0.25	0.09	2.4	1	0.7	197.0	1.24	0.06	8.6	0.059	0.55	2.7	6
M760957		141.5	<0.002	0.22	0.28	28.4	2	3.5	572	0.68	0.07	36.9	0.314	1.40	1.9	138
M760958		100.0	<0.002	0.26	0.06	1.9	1	0.8	170.5	0.64	0.05	4.7	0.066	0.72	0.9	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
M760919		2.5	7.5	31	123.0	0.14
M760920		2.8	6.2	11	103.5	0.23
M760921		1.2	7.9	16	108.0	0.13
M760922		0.8	5.9	11	92.9	0.21
M760923		1.1	13.5	45	118.5	0.40
M760924		1.0	9.7	13	94.8	1.37
M760925		0.7	9.9	26	86.3	6.77
M760926		0.6	7.5	15	92.8	0.13
M760927		1.0	21.1	30	81.1	1.20
M760928		0.5	6.7	14	65.9	0.40
M760929		0.6	8.9	15	72.8	0.43
M760930		0.8	6.5	29	81.1	0.11
M760931		2.2	11.8	17	85.8	0.28
M760932		0.5	13.2	33	76.6	0.27
M760933		0.7	8.7	10	69.4	0.49
M760934		0.5	6.2	35	77.9	0.32
M760935		0.4	4.3	37	81.4	0.07
M760936		0.4	4.3	37	82.3	0.08
M760937		0.3	4.5	43	88.9	0.07
M760938		0.2	4.6	41	84.7	0.10
M760939		0.9	10.8	45	95.2	0.51
M760940		1.0	24.8	31	136.0	0.23
M760941		1.1	19.7	61	157.0	0.22
M760942		0.6	7.8	39	97.3	0.23
M760943		0.3	4.0	18	83.1	0.37
M760944		0.9	5.4	22	87.2	0.38
M760945		0.7	4.1	44	87.2	0.26
M760946		0.2	3.9	31	75.8	0.30
M760947		0.5	4.7	26	79.7	0.17
M760948		0.5	5.8	12	81.3	0.62
M760949		0.4	4.6	44	83.0	0.18
M760950		0.4	10.6	23	69.7	3.28
M760951		0.7	7.5	175	75.1	0.10
M760952		1.6	6.8	109	83.4	0.27
M760953		0.8	6.9	24	63.7	0.27
M760954		0.7	8.6	20	69.2	0.52
M760955		1.7	21.6	177	95.4	1.88
M760956		1.0	11.0	16	77.9	0.58
M760957		1.0	31.8	127	93.7	0.57
M760958		0.5	5.3	35	77.2	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
M760959		4.52	0.06	6.46	0.9	720	2.00	0.07	0.37	0.02	38.4	1.1	8	4.17	6.0	1.24
M760960		5.70	0.08	6.40	1.1	860	2.57	0.10	0.38	<0.02	40.5	1.2	10	3.27	6.5	1.40
M760961		6.06	0.06	6.66	1.6	860	2.77	0.13	0.56	<0.02	89.7	1.9	15	3.07	5.6	1.53
M760962		5.74	0.10	7.34	1.8	870	1.80	0.05	0.62	0.02	39.4	3.2	12	3.87	6.2	1.70
M760963		5.72	0.08	7.46	1.6	700	1.68	0.03	0.52	0.02	33.4	4.1	17	4.18	7.6	2.32
M760964		5.85	0.10	7.17	1.5	720	1.66	0.07	0.50	0.02	30.5	1.8	11	2.30	3.9	1.32
M760965		5.46	0.07	6.96	1.9	770	1.64	0.71	0.55	0.02	29.7	2.2	9	2.30	7.2	1.20
M760966		5.98	0.13	7.01	1.9	530	4.67	0.13	0.57	0.02	156.5	2.6	9	3.51	7.4	1.53
M760967		5.77	0.05	6.63	2.3	710	5.32	0.23	0.42	<0.02	47.8	2.8	14	3.76	6.8	1.66
M760968		5.73	0.08	7.09	25.3	1020	6.40	0.94	0.28	<0.02	259	2.9	17	2.76	5.0	1.85
M760969		4.20	0.16	6.91	9.8	1200	6.50	1.31	0.30	0.02	145.5	2.5	23	3.05	6.4	2.01
M760970		5.93	0.07	6.89	1.6	730	1.17	0.14	0.51	<0.02	52.0	3.1	11	3.64	9.2	2.02
M760971		5.78	0.06	6.63	0.8	820	1.08	0.08	0.69	0.04	55.4	1.5	12	2.37	5.2	1.19
M760972		5.65	0.08	7.25	2.7	640	2.15	0.09	0.75	0.06	96.0	1.6	20	3.41	6.3	2.27
M760973		6.32	0.16	7.73	3.1	390	3.80	0.06	0.85	0.04	194.5	1.2	7	2.84	5.2	2.72
M760974		6.15	0.06	6.89	1.2	760	1.18	0.11	0.62	0.02	31.5	1.8	14	2.35	7.0	1.01
M760975		0.16	0.65	9.55	2.3	3000	4.76	0.01	3.96	0.05	389	12.4	3	1.97	46.2	7.33
M760976		5.75	0.06	6.77	1.4	740	1.31	0.09	0.48	0.02	46.1	1.5	17	3.57	2.9	1.15
M760977		5.73	0.08	6.69	1.3	730	1.24	0.06	0.66	0.02	50.3	1.8	14	2.65	4.0	1.08
M760978		5.61	0.08	6.77	1.8	680	1.15	0.04	0.73	0.06	53.0	2.2	15	3.04	10.4	1.23
M760979		5.70	0.14	7.04	4.8	710	3.00	0.22	0.51	0.02	95.7	5.2	11	6.93	13.6	1.87
M760980		6.07	0.10	6.83	1.5	670	1.21	0.08	0.69	0.03	34.1	1.9	11	2.56	9.0	1.18
M760981		5.57	0.11	6.76	2.3	650	1.91	0.09	0.63	0.03	62.9	2.3	15	3.04	10.9	1.04
M760982		5.76	0.10	6.62	3.4	680	1.56	0.18	0.53	0.02	34.6	6.6	103	7.86	10.5	1.73
M760983		5.54	0.15	6.71	4.3	640	2.35	0.34	0.53	0.03	44.2	3.4	20	5.91	12.0	1.34
M760984		5.49	0.12	6.52	8.7	720	3.07	0.50	0.50	0.04	155.0	4.3	57	4.36	12.5	1.37
M760985		6.12	0.09	6.33	2.9	630	4.41	0.16	0.48	0.04	135.5	1.5	14	5.17	4.0	1.09
M760986		6.01	0.09	6.74	2.9	580	1.93	0.10	0.74	0.03	45.6	1.8	14	3.24	7.0	1.19
M760987		6.11	0.11	6.74	4.5	610	2.83	0.11	0.76	0.05	112.0	2.7	24	3.41	7.2	1.18
M760988		5.95	0.08	6.63	3.1	620	1.88	0.09	0.70	0.11	49.4	1.6	16	2.21	3.2	1.08
M760989		5.53	0.03	6.67	1.8	600	2.80	0.08	0.88	0.03	68.2	1.9	16	3.18	7.1	0.99
M760990		5.73	0.06	7.21	1.8	610	2.28	0.11	1.13	0.05	59.1	2.3	13	2.97	13.5	1.21
M760991		5.47	0.05	6.83	4.4	630	4.12	0.09	1.11	0.05	36.7	1.9	14	2.62	8.3	1.06
M760992		5.36	0.01	7.19	5.5	670	2.35	0.12	1.41	0.03	35.0	5.1	46	5.58	9.9	1.54
M760993		5.58	0.01	7.36	14.7	620	5.24	0.15	1.46	0.04	232	3.6	51	5.78	5.9	1.28
M760994		5.49	<0.01	7.22	3.6	580	3.72	0.09	1.12	0.06	89.4	1.6	15	2.97	6.6	1.32
M760995		5.72	<0.01	6.90	3.5	470	5.36	0.13	0.92	0.10	113.5	1.5	16	5.29	6.1	1.45
M760996		6.17	0.02	6.75	3.0	620	3.92	0.09	1.08	0.05	51.4	1.6	15	2.42	10.9	1.25
M760997		5.83	<0.01	6.85	8.9	620	19.80	0.10	1.40	0.04	36.6	1.7	15	1.98	7.7	1.13
M760998		5.52	<0.01	6.63	21.6	520	76.4	0.07	1.69	0.05	65.8	1.7	18	1.37	11.3	1.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
M760959		20.3	0.08	2.5	0.010	5.95	18.2	37.4	0.28	122	0.30	0.18	8.4	3.1	130	9.0
M760960		18.35	0.10	2.5	0.008	5.48	17.8	39.0	0.23	139	0.35	0.22	9.1	4.1	140	9.4
M760961		16.85	0.15	2.3	0.016	5.54	36.3	41.7	0.35	135	1.30	1.04	11.8	4.3	160	7.5
M760962		19.05	0.09	2.5	0.015	4.54	19.2	60.9	0.38	206	0.38	2.02	11.3	5.7	240	12.6
M760963		21.3	0.11	2.6	0.024	5.25	16.5	72.5	0.59	313	0.31	1.72	10.4	9.6	230	12.9
M760964		20.8	0.09	2.7	0.014	4.62	15.8	52.6	0.26	127	0.38	1.98	10.0	3.4	130	12.7
M760965		20.8	0.08	2.5	0.015	4.39	15.7	45.0	0.24	157	0.38	2.03	14.6	2.8	120	11.0
M760966		24.2	0.22	5.7	0.016	3.63	92.5	63.3	0.25	201	0.45	2.73	62.7	3.4	140	14.8
M760967		21.1	0.13	2.4	0.022	4.41	23.6	47.1	0.30	236	0.50	2.16	20.6	3.9	160	11.7
M760968		26.2	0.32	6.2	0.029	4.08	138.5	53.8	0.38	119	0.48	2.82	200	20.6	170	10.0
M760969		24.2	0.24	6.2	0.041	3.75	69.4	98.8	0.50	159	0.67	2.74	165.0	10.3	140	14.3
M760970		22.9	0.13	3.1	0.024	4.30	27.7	59.1	0.33	279	0.44	2.07	15.8	3.3	130	12.3
M760971		19.15	0.11	2.3	0.014	3.44	28.7	39.3	0.17	158	0.49	2.33	9.4	1.5	150	13.0
M760972		21.9	0.19	4.7	0.047	3.56	48.4	48.1	0.27	247	1.14	2.92	57.1	3.3	150	15.7
M760973		25.3	0.31	9.0	0.095	3.99	93.5	38.0	0.26	221	2.34	3.46	146.0	2.7	160	11.8
M760974		19.75	0.07	2.5	0.010	3.81	17.3	34.4	0.15	98	0.55	2.28	10.7	2.3	170	12.2
M760975		32.3	0.53	11.0	0.095	2.88	196.0	22.6	0.89	1450	10.25	4.54	239	0.8	3080	16.8
M760976		19.55	0.10	2.4	0.010	4.17	25.9	42.2	0.22	131	0.42	1.99	9.6	3.6	130	12.1
M760977		20.4	0.11	2.6	0.010	3.75	26.7	46.8	0.19	130	0.35	2.19	8.6	2.7	150	14.1
M760978		20.8	0.11	2.6	0.012	3.45	25.8	44.6	0.18	165	1.19	2.39	7.7	3.7	160	16.0
M760979		21.2	0.16	2.5	0.019	4.20	54.3	68.2	0.68	139	0.75	1.83	10.1	16.0	480	12.4
M760980		19.70	0.10	2.5	0.010	3.61	17.8	41.9	0.18	192	0.40	2.39	8.3	3.6	170	15.3
M760981		20.1	0.12	2.5	0.010	3.60	34.4	46.1	0.18	136	0.51	2.43	8.7	4.7	180	14.5
M760982		19.95	0.13	2.5	0.014	4.02	17.2	63.0	0.73	255	0.41	2.05	11.0	34.0	270	13.9
M760983		19.10	0.13	2.3	0.013	4.03	21.5	53.3	0.43	132	1.53	2.01	10.9	9.4	150	13.6
M760984		20.3	0.28	2.2	0.015	4.05	72.5	47.4	0.41	198	1.50	2.22	20.0	15.3	240	12.7
M760985		20.4	0.28	3.5	0.023	3.67	60.3	56.8	0.33	140	1.18	2.23	23.4	3.3	180	11.9
M760986		20.2	0.13	2.6	0.010	3.25	21.9	55.9	0.21	166	1.14	2.60	10.1	3.0	170	16.8
M760987		20.8	0.15	2.6	0.011	3.18	59.6	54.6	0.29	170	0.47	2.56	10.9	10.3	190	19.4
M760988		18.70	0.11	2.5	0.012	3.23	26.3	42.3	0.19	145	0.76	2.52	9.0	4.4	140	21.0
M760989		22.4	0.17	2.4	0.008	2.99	37.4	52.0	0.21	136	0.38	2.64	9.7	4.6	160	16.6
M760990		24.4	0.18	2.5	0.010	2.97	32.9	48.3	0.20	174	0.49	2.91	8.4	3.8	200	20.6
M760991		22.5	0.17	2.5	0.009	2.92	19.8	42.4	0.15	242	0.75	2.87	8.6	2.5	150	20.4
M760992		22.5	0.18	2.5	0.012	2.92	18.8	65.0	0.49	309	0.49	2.85	10.6	19.0	210	13.7
M760993		25.7	0.31	2.5	0.015	2.97	142.5	65.9	0.45	453	0.61	3.23	10.9	22.8	170	18.2
M760994		23.6	0.20	2.8	0.010	2.88	56.1	41.8	0.14	292	0.56	3.17	17.1	2.3	160	20.1
M760995		25.1	0.24	6.3	0.016	2.95	64.2	40.2	0.11	314	1.27	3.28	104.0	2.0	110	17.8
M760996		20.9	0.18	2.1	0.008	2.83	27.9	39.4	0.15	226	0.54	2.83	9.8	2.4	160	17.6
M760997		22.3	0.19	2.1	0.007	3.04	18.6	61.9	0.16	271	1.23	2.96	20.0	1.9	150	11.9
M760998		22.3	0.23	2.1	0.006	2.63	29.6	66.3	0.13	419	2.73	3.29	33.5	2.5	130	12.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
M760959		69.0	<0.002	0.02	0.07	2.1	1	1.0	71.4	0.84	0.05	6.1	0.060	0.65	1.4	6
M760960		72.5	<0.002	0.03	0.08	1.9	1	0.8	78.0	0.58	0.05	5.4	0.052	0.67	1.2	6
M760961		85.8	<0.002	0.12	0.06	2.8	1	2.4	132.5	0.69	<0.05	7.5	0.072	0.44	1.4	10
M760962		113.5	<0.002	0.16	0.06	2.8	1	1.1	239	1.20	<0.05	6.4	0.092	0.64	2.6	11
M760963		137.0	<0.002	0.10	0.05	3.9	1	1.5	133.0	1.32	<0.05	6.3	0.131	0.82	2.3	15
M760964		112.0	<0.002	0.16	0.07	2.2	1	0.9	171.5	0.73	<0.05	5.9	0.063	0.55	1.4	6
M760965		111.0	<0.002	0.14	0.06	2.2	1	1.2	154.5	0.83	<0.05	5.0	0.066	0.53	1.4	5
M760966		130.5	<0.002	0.20	0.12	2.8	1	3.6	128.5	3.99	0.08	14.9	0.075	0.73	3.9	8
M760967		139.5	<0.002	0.09	0.09	4.7	1	1.7	124.0	1.12	0.05	19.6	0.093	0.70	1.9	7
M760968		151.0	0.002	0.02	0.13	2.1	2	5.1	159.0	15.10	0.14	42.4	0.042	0.47	8.3	4
M760969		137.5	<0.002	0.08	0.16	2.9	2	7.8	139.0	11.95	0.17	34.6	0.042	0.50	6.7	6
M760970		130.0	<0.002	0.22	0.07	3.6	1	1.6	156.5	1.00	0.05	6.7	0.129	0.67	1.3	9
M760971		94.8	<0.002	0.20	0.05	2.0	1	1.0	201	1.10	<0.05	9.7	0.069	0.43	2.7	5
M760972		138.5	<0.002	0.22	0.09	3.1	1	1.7	162.5	3.07	0.06	13.8	0.096	0.68	3.8	6
M760973		169.0	<0.002	0.13	0.13	2.7	2	2.0	94.7	7.45	0.10	24.4	0.134	0.53	5.7	2
M760974		101.0	<0.002	0.25	0.06	2.0	1	0.7	209	0.76	0.05	5.3	0.072	0.47	1.5	6
M760975		126.5	<0.002	0.09	0.23	14.8	4	4.1	1355	10.90	0.15	34.0	1.040	0.10	9.2	1
M760976		113.0	<0.002	0.19	0.07	2.0	1	0.6	187.5	0.93	<0.05	5.5	0.066	0.55	1.7	6
M760977		106.0	<0.002	0.21	0.06	2.0	1	0.8	190.0	0.59	<0.05	6.4	0.070	0.61	1.4	5
M760978		109.0	<0.002	0.17	0.06	2.0	1	0.9	194.5	0.54	<0.05	6.1	0.069	0.60	1.6	5
M760979		118.5	<0.002	0.22	0.09	3.5	1	1.0	204	1.20	<0.05	11.0	0.114	0.69	2.6	20
M760980		108.5	<0.002	0.24	0.06	1.9	1	0.8	212	0.78	0.05	5.8	0.068	0.61	1.7	5
M760981		109.0	<0.002	0.25	0.06	1.9	1	0.8	168.0	0.76	<0.05	12.4	0.067	0.62	1.8	5
M760982		145.0	<0.002	0.25	0.07	4.3	1	1.0	190.0	1.15	0.07	5.5	0.091	1.00	2.8	16
M760983		114.5	<0.002	0.25	0.11	2.9	1	1.1	156.0	1.02	0.05	9.9	0.062	0.66	2.0	9
M760984		115.5	0.002	0.19	0.11	3.4	2	1.9	160.5	1.39	<0.05	57.6	0.069	0.48	2.4	9
M760985		122.0	<0.002	0.19	0.10	6.0	2	4.0	164.0	1.20	0.05	20.4	0.059	0.50	2.8	5
M760986		107.0	<0.002	0.25	0.08	2.2	1	0.8	174.0	1.50	0.05	6.9	0.065	0.60	2.9	6
M760987		104.5	<0.002	0.24	0.08	2.7	1	0.9	157.0	1.33	<0.05	9.1	0.077	0.68	3.6	7
M760988		95.7	0.002	0.27	0.07	1.8	1	0.6	156.0	0.94	<0.05	5.2	0.060	0.69	3.5	5
M760989		104.5	<0.002	0.28	1.03	2.1	1	0.7	155.5	1.41	0.05	13.0	0.063	0.72	3.3	6
M760990		103.5	<0.002	0.40	0.88	2.2	1	0.7	184.0	0.98	0.06	14.7	0.068	0.75	2.3	9
M760991		108.5	<0.002	0.34	0.78	2.2	1	0.8	160.5	0.74	0.05	8.2	0.070	0.69	1.6	6
M760992		125.0	<0.002	0.32	0.74	3.7	1	1.1	198.0	1.57	0.05	6.1	0.092	0.96	2.4	15
M760993		129.5	<0.002	0.30	0.58	3.3	1	1.2	195.0	1.53	0.06	25.1	0.067	1.12	3.6	10
M760994		129.0	<0.002	0.35	0.53	2.4	1	1.0	171.0	2.10	0.06	11.5	0.071	0.76	3.3	5
M760995		224	<0.002	0.24	0.56	1.8	1	2.5	136.0	6.73	0.08	29.8	0.073	0.63	8.0	4
M760996		110.5	<0.002	0.38	0.47	2.0	1	0.8	170.0	0.87	0.05	12.5	0.067	0.62	1.4	5
M760997		124.0	<0.002	0.42	0.62	2.3	2	1.0	162.0	0.73	0.06	61.5	0.071	0.64	1.2	8
M760998		116.5	0.002	0.38	0.75	2.3	3	1.2	166.5	0.81	0.07	207	0.077	0.53	2.1	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
M760959		0.7	7.6	18	76.3	0.20
M760960		1.2	7.7	12	73.3	0.32
M760961		0.8	9.8	25	70.0	1.07
M760962		0.4	7.2	27	73.2	0.12
M760963		0.4	6.9	67	82.4	0.08
M760964		0.4	5.8	16	74.4	0.14
M760965		1.4	7.8	17	74.7	0.20
M760966		0.9	23.4	28	223	0.07
M760967		0.6	13.1	35	69.3	0.24
M760968		0.9	43.9	25	244	0.54
M760969		1.0	32.4	30	243	0.35
M760970		0.3	6.7	47	91.1	0.23
M760971		0.2	8.4	21	71.2	0.11
M760972		1.2	28.9	36	193.5	0.36
M760973		1.8	48.7	28	456	0.18
M760974		0.3	5.5	12	77.2	0.41
M760975		3.4	57.5	137	425	0.15
M760976		0.5	7.0	12	71.8	0.73
M760977		0.5	7.1	15	79.5	0.13
M760978		0.3	7.1	32	79.1	0.14
M760979		1.0	10.8	22	78.6	0.56
M760980		0.3	6.5	18	71.7	0.21
M760981		0.4	9.8	14	77.5	0.26
M760982		0.5	7.9	30	72.6	0.91
M760983		1.0	15.5	18	68.5	0.65
M760984		1.5	30.0	20	67.5	0.81
M760985		1.1	26.2	10	144.0	1.74
M760986		0.5	7.6	17	78.3	0.34
M760987		0.8	13.9	29	79.6	0.27
M760988		0.8	11.4	49	72.7	0.36
M760989		0.9	10.4	14	78.6	0.90
M760990		0.6	12.9	18	80.1	0.66
M760991		0.9	13.2	23	81.9	0.62
M760992		1.1	8.9	27	82.2	1.58
M760993		1.4	27.6	32	80.7	1.87
M760994		1.0	15.4	29	91.3	0.79
M760995		2.1	27.9	62	263	0.81
M760996		0.7	20.8	24	72.2	1.06
M760997		2.1	42.1	13	75.7	3.21
M760998		4.6	115.5	16	80.5	4.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
M760999		6.00	0.01	7.15	9.2	630	4.35	0.06	1.22	0.10	47.0	1.7	18	2.25	7.0	1.13
M761000		0.09	<0.01	6.46	0.6	640	1.96	0.11	1.10	0.03	50.3	3.6	24	1.00	9.5	1.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
M760999		23.4	0.19	2.4	0.008	3.02	24.7	56.8	0.14	239	1.21	3.17	14.9	2.2	140	16.0
M761000		19.40	0.18	2.1	0.033	2.25	27.4	13.9	0.35	253	1.31	3.34	21.6	9.4	280	11.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
M760999		127.0	<0.002	0.35	0.52	2.2	1	1.1	180.0	0.67	0.05	14.0	0.069	0.61	1.1	6
M761000		65.1	<0.002	0.38	0.51	3.6	1	2.1	241	0.99	0.07	8.0	0.100	0.26	2.0	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	C-IR07 C % 0.01
M760999		2.5	26.0	45	81.3	2.18
M761000		0.7	10.3	22	77.2	10.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ZENYATTA VENTURES LTD**
1224 AMBER DRIVE
THUNDER BAY ON P7B 6M5

Finalized Date: 22-JUN-2012
Account: ZENVEN

Project: ALBANY GRAPHITE DEPOSIT

CERTIFICATE OF ANALYSIS TB12135810

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.