ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 28, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/27/2015
Job #: 201541757
Reference: 180.04BQC.84A12A
Sample #: 58

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145567	N524654	<5	<15	<10				8	3			59		
145568	N524655	7	2298	935				11	27			82		
145569	N524656	<5	<15	11				10	5			74		
145570	N524660	<5	221	321				43	320			805		
145571	N524682	10	65	544				25	135			331		
145572	N524731	<5	<15	73				182	459			1917		
145573	N524737	5	36	463				189	1326			2105		
145574	N524782	8	55	266				262	958			2427		
145575	N524863	20	29	402				81	1766			1385		
145576	N524979	10	42	360				91	944			1716		
145577Dup	N524979	10	<15	342				90	916			1692		
145578	N524980	19	121	441				108	1403			1985		
145579	N525008	<5	20	486				150	385			1835		
145580	N525010	6	<15	1180				237	951			3626		
145581	N525011	8	29	992				196	1370			2828		
145582	N525012	<5	179	1002				190	727			2918		
145583	N525013	8	1491	3188				195	2209			3106		
145584	N535233	713	1284	5251				24	187			418		
145585	N535234	1410	1774	1815				109	1306			2308		
145586	N535235	<5	<15	<10				<1	2			3		
145587	N525014	33	2595	8606				159	1603			2554		
145588Dup	N525014	30	2512	9086				159	1585			2528		
145589	N525015	6	107	1501				224	850			3729		
145590	N525016	12	142	3614				521	2873			7399		
145591	N535236	<5	17	45				186	444			11434		
145592	N535237	<5	<15	<10				<1	2			3		
145593	N525017	<5	44	591				294	281			1286		
145594	N525018	6	31	867				177	1287			2570		
145595	N525019	<5	20	69				22	71			307		
145596	N525020	<5	36	101				32	163			455		

PROCEDURE CODES: ALP6, ALPG1, ALCoAR2, ALCuAR2, ALNiAR2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/28/2015 11:09 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 28, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/27/2015
Job #: 201541757
Reference: 180.04BQC.84A12A
Sample #: 58

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145597	N525023	9	165	551				210	1130			2869		
145598	N525024	6	37	497				156	594			2245		
145599Dup	N525024	<5	49	512				155	600			2268		
145600	N525025	<5	58	628				110	458			1295		
145601	N525036	<5	90	427				24	64			339		
145602	N525041	<5	19	21				24	8			132		
145603	N525042	22	589	2652				31	201			296		
145604	N525045	12	387	1450				35	311			447		
145605	N525046	10	67	993				80	326			1062		
145606	N525047	40	390	5603				57	930			659		
145607	N525048	7	37	249				38	99			197		
145608	N525079	10	42	158				294	1978			1817		
145609	N525080	9	219	501				146	2319			1740		
145610Dup	N525080	15	188	462				154	2447			1858		
145611	N525081	<5	49	<10				58	1062			738		
145612	N525082	27	621	608				261	6408			3550		
145613	N535238	1168	54	28				141	272			4053		
145614	N535239	5	18	<10				<1	1			3		
145615	N525083	14	324	212				191	2747			1585		
145616	N525292	10	263	915				28	130			275		
145617	N525304	9	127	1218				71	401			1435		
145618	N525305	8	228	1782				64	313			1191		
145619	N525306	5	35	487				38	157			623		
145620	N525307	6	174	747				51	314			972		
145621Dup	N525307	<5	140	674				50	313			976		
145622	N535240	900	1316	5546				25	183			420		
145623	N535241	<5	<15	<10				<1	3			1		
145624	N525308	32	762	9494				17	50			209		
145625	N525309	13	121	1023				34	466			610		
145626	N525315	30	138	543				93	3371			1567		

PROCEDURE CODES: ALP6, ALPG1, ALCoAR2, ALCuAR2, ALNiAR2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/28/2015 11:09 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Thursday, May 28, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/27/2015
Job #: 201541757
Reference: 180.04BQC.84A12A
Sample #: 58

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145627	N525352	<5	31	325				126	1051			2199		
145628	N525353	<5	30	261				125	558			1848		
145629	N525358	<5	55	309				118	653			1836		

PROCEDURE CODES: ALP6, ALPG1, ALCoAR2, ALCuAR2, ALNiAR2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/28/2015 11:09 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 27, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/25/2015
Job #: 201541758
Reference: 180.04BQC.84A12A
Sample #: 27

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145630	N525495	<5	144	541				76	438			575		
145631	N525496	<5	263	866				83	357			622		
145632	N525497	<5	242	777				90	544			796		
145633	N525498	<5	<15	38				23	26			161		
145635	N525524	<5	194	1670				70	510			1116		
145636	N525704	<5	109	407				148	471			3900		
145637	N525705	7	267	2230				59	207			1169		
145638	N525706	7	171	567				114	377			3464		
145639	N525707	<5	<15	<10				51	99			1187		
145640	N525739	12	284	566				61	525			1106		
145641Dup	N525739	6	242	570				60	531			1120		
145642	N525747	9	191	931				82	338			1587		
145643	N525753	12	36	758				115	1030			2801		
145644	N525778	12	171	1182				51	483			504		
145645	N535242	1582	2660	2062				112	1316			2418		
145646	N525779	6	24	101				50	487			304		
145647	N525780	16	432	3392				64	506			804		
145648	N525814	<5	118	943				447	437			5873		
145649	N525849	19	72	133				87	3362			797		
145650	N525850	9	182	800				849	2786			5854		
145651	N525851	11	116	556				270	6999			2167		
145652Dup	N525851	9	139	525				265	6916			2137		
145653	N535243	11	87	77				181	428			11093		
145654	N535244	1235	70	<10				13	12734			41		
145655	N535245	<5	44	<10				<1	3			3		
145656	N525852	<5	334	1706				651	642			10239		
145657	N525853	37	72	355				172	10220			1337		
145658	N525854	18	70	72				66	5692			492		
145659	N525855	<5	69	77				62	478			643		

PROCEDURE CODES: ALPG1, ALCoAR2, ALCuAR2, ALNiAR2, ALP6

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/27/2015 1:43 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 27, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/26/2015
Job #: 201541759
Reference: 180.04BQC.84A12A
Sample #: 51

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145660	N526169	<5	316	1298				43	267			671		
145661	N526173	<5	281	913				39	141			533		
145662	N526174	<5	165	378				39	221			591		
145663	N526175	<5	140	702				106	699			1996		
145664	N535246	725	1315	5082				26	188			441		
145665	N526176	8	166	1498				212	1046			3688		
145666	N526177	12	353	2227				109	1992			2240		
145667	N535247	31	20	<10				875	279			14436		
145668	N535248	<5	17	<10				<1	4			2		
145669	N526178	<5	161	2968				679	441			12903		
145670Dup	N526178	<5	206	2796				658	430			12555		
145671	N526179	6	239	1532				156	1290			3122		
145672	N526180	6	232	1154				130	680			2311		
145673	N526182	<5	139	1081				103	671			2061		
145674	N526183	<5	239	822				57	1214			773		
145675	N526184	5	460	2177				37	179			442		
145676	N526208	13	579	833				78	805			669		
145677	N526209	<5	57	101				34	385			309		
145678	N526225	8	132	74				55	829			350		
145679	N526226	29	63	163				225	6826			2132		
145680	N526227	16	125	106				371	3530			2193		
145681Dup	N526227	32	55	95				372	3529			2190		
145682	N526228	<5	50	<10				480	1827			5008		
145683	N526229	10	40	207				255	2694			2439		
145684	N535249	41	84	28				234	260			7522		
145685	N535250	<5	23	<10				<1	3			3		
145686	N526230	9	80	90				443	3349			4705		
145687	N526231	12	80	212				511	12615			4655		
145688	N526232	13	156	227				409	1956			3029		
145689	N526234	9	73	263				375	2833			4159		

PROCEDURE CODES: ALP6, ALPG1, ALCoAR2, ALCuAR2, ALNiAR2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/27/2015 1:45 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Wednesday, May 27, 2015

Final Certificate

Landore Resources Inc.
555 Central Ave., Suite #1
Thunder Bay, ON, CAN
P7B5R5
Ph#: (807) 623-3770
Fax#: (807) 623-2335
Email: mtuomi@landore.com

Date Received: 05/14/2015
Date Completed: 05/26/2015
Job #: 201541759
Reference: 180.04BQC.84A12A
Sample #: 51

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Fe ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
145690	N526235	14	119	305				270	2771			3063		
145691	N526236	<5	61	307				245	5114			2624		
145692Dup	N526236	17	62	317				243	5098			2613		
145693	N526237	6	67	111				135	1863			1080		
145694	N526238	16	157	1333				42	604			318		
145695	N526239	29	101	848				827	2269			8622		
145696	N526240	15	76	664				514	5401			3728		
145697	N526241	16	347	617				892	2776			9786		
145698	N526242	6	63	39				824	3990			8829		
145699	N526245	<5	44	36				22	256			214		
145700	N526248	<5	318	328				24	271			220		
145701	N526249	10	167	525				481	1346			5575		
145702	N526250	10	193	491				763	2709			8968		
145703Dup	N526250	7	114	485				772	2750			9050		
145704	N526251	11	122	519				832	2206			9200		
145705	N526252	5	75	261				813	904			8622		
145706	N536301	41	<15	<10				849	273			12018		
145707	N536302	391	<15	<10				61	17164			42		
145708	N536303	6	<15	<10				<1	1			3		
145709	N526254	No Sample Received												
145710	N526255	5	<15	52				70	457			489		
145711	N526311	11	52	516				87	524			1902		
145712	N526312	18	56	744				75	1265			1861		
145713	N526351	61	136	404				95	1890			1730		
145714	N526397	9	396	783				71	831			1103		

PROCEDURE CODES: ALP6, ALPG1, ALCoAR2, ALCuAR2, ALNiAR2

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

Certified By: Jason Moore, VP Operations, Assayer

AL917-0125-05/27/2015 1:45 PM