

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez
[nous contacter](#).

PHASE 1 DIAMOND DRILLING PROGRAM: EAGLEROCK LAKE PROPERTY

AFTON AND SCHOLES TOWNSHIPS
SUDBURY MINING DIVISION, ONTARIO, CANADA



**Canadian Continental
Exploration**

CANADIAN CONTINENTAL EXPLORATION CORP.
RR#1
25 Valleycrest Dr.
Oro-Medonte, ON
L0L 2L0

February 9th, 2017

Prepared By:
Joerg Kleinboeck, P.Geo.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	2
1.0 INTRODUCTION	3
2.0 PROPERTY DETAILS	3
2.1 Location and Access	3
2.2 Topography and Vegetation	3
2.3 Claims	4
3.0 PREVIOUS WORK	5
5.0 PHASE 1 DIAMOND DRILLING PROGRAM	8
5.1 Methods	8
5.2 Diamond Drilling	9
5.3 Analytical Methods	10
6.0 RESULTS and CONCLUSIONS	12
7.0 RECOMMENDATIONS	12

LIST OF FIGURES

Figure 1: Location of the Eaglerock Lake Project, Ontario, Canada	4
Figure 2: Tenure of the Eaglerock Lake Property	6
Figure 3: Regional Geology (after MRD 216)	7
Figure 4: Property Geology (after Meyn, 1977)	8
Figure 5: Location of Phase 1 Diamond Drill Holes	11

LIST OF TABLES

Table 1: Diamond Drill Hole Details	10
---	----

LIST OF APPENDICES

Appendix I Statement of Qualifications
Appendix II List of Claims Comprising the Eaglerock Lake Property
Appendix III Diamond Drill Logs
Appendix IV Cross Section
Appendix V Survey Data
Appendix VI Assay Certificates

MAPS (back pocket)

Map 1: Diamond Drill Hole Locations

EXECUTIVE SUMMARY

The author was contracted by Thomas Obradovich, President and CEO of Canadian Continental Exploration Corp. (“CCE”), to complete a technical report for assessment purposes on their recently completed Phase 1 diamond drilling program on the Eaglerock Lake Property (“Property”).

The Property is located approximately 75 km northeast of Sudbury, Ontario in Afton and Scholes Townships. The property is bounded by UTM NAD83 coordinates 17 U 553930E to 561175E, and 5194670N to 5201155N. The Property consists of 12 contiguous staked mining claims containing 161 units (2,576 Ha).

In July 2016, CCE completed 61.25 km of Magnetometer and VLF-EM surveys. The survey identified an interpreted deep-seated/buried isoclinal fold of banded iron formation (“BIF”) where the north limb has been subsequently faulted.

In the fall of 2016, CCE completed five diamond drill holes totalling 3,288.1 m. The drilling was completed between September 14th and December 29th, 2016. The drilling program was designed to test for BIF-hosted gold mineralization in a structural corridor within the interpreted folded section of the BIF. The drilling program intersected BIF in all five drill holes. Although quartz-carbonate veining was noted, no significant assay results were obtained from this first phase of drilling.

Further work is recommended to test other areas along the strike length of the BIF that traverses the Property where major shears or faults transect the BIF. Some of these faults are younger than the emplacement of the Nipissing Diabase, and post-date potential Archean-aged gold mineralizing events, however some of these structures may represent reactivated early faults that may, at depth, be fertile.

1.0 INTRODUCTION

The Eaglerock Lake Property was acquired through optioning unpatented mining claims that are located to the east of the former producing Golden Rose Mine which operated from 1936 to 1942, and from 1986 to 1988.

From September 14th through to December 29th, 2016, CCE completed CCE completed five diamond drill holes totalling 3,288.1 m.

The aforementioned diamond drilling program forms the basis of this report.

2.0 PROPERTY DETAILS

2.1 Location and Access

The Property is located approximately 75 km northeast of Sudbury, Ontario in Afton and Scholes Townships (Figure 1). Access is provided by Highway 805 North to Emerald Lake, where secondary gravel roads and atv trails provide access to the Property.

A full range of services and supplies are provided in the city of Sudbury, Ontario. Local accommodations can be found at lodges located along Highway 805.

2.2 Topography and Vegetation

The local terrain is typical of the Precambrian Shield, with low rolling hills and marshy areas. Vegetation on higher ground consists of a variety of hardwoods such as poplar and birch, with coniferous trees that include spruce and balsam, and pine. In the lower ground, typically more wet in character, black spruce, tamarack, alder swales, and cedar predominate. Water for exploration purposes is available from beaver ponds, streams, and lakes that are located on the Property. Snowfall generally begins in November and extends into April. Lakes are usually passable with adequate ice thickness from late December through to late March. Between 50 and 100 mm of monthly rainfall is normal from April to October. The mean temperature is -13°C in January and 19°C in July.




Figure 1: Location of the Eaglerock Lake Project, Ontario, Canada.

2.3 Claims

The Property is located approximately 75 km northeast of Sudbury, Ontario in Afton and Scholes Townships. The property is bounded by UTM NAD83 coordinates 17 U 553930E to 561175E, and 5194670N to 5201155N. The Property consists of 12 contiguous staked mining claims containing 161 units (2,576 Ha) (Figure 2). Claim details are provided in Appendix II.

CCE acquired the Property in 2016 through an option agreement with the author.

3.0 PREVIOUS WORK

Only limited exploration work has been completed in the area of where the work was performed by CCE.

In 1958, Homestake Exploration Ltd. completed geological and geophysical surveying on the west side of Crest Lake, located on unpatented mining claim 4275751. In 1959, two diamond drill holes totalling 3,072 ft were completed to test the iron formation for its iron ore potential.

In 2008, Vismand Exploration Inc. completed an airborne magnetometer survey over four townships and staked several properties based on the results of this survey. The Eaglerock Lake Property covers one of these properties. Vismand completed line cutting and geophysical surveying using Quantec's Titan-24 system that collects magnetotelluric resistivity (AMT/MT), D.C. resistivity, and induced polarization (IP) data on unpatented mining claims 4275770, 4275771, 4275773, and 4275751. The survey identified several targets, however no follow up work was completed on them as the company was dissolved shortly after the work was completed.

The author, as well as Canadian Continental Exploration Corp., is thankful to the past management of Vismand for providing their digital data which has been an invaluable resource.

4.0 GEOLOGY

4.1 Regional Geology

The Property is located in the southern part of the Cobalt Embayment which lies within the Southern Structural Province of the Canadian Shield. The regional geology can be summarized as consisting of early Precambrian metavolcanics and metasediments which are unconformably overlain by Middle Precambrian Huronian sedimentary rocks. Nipissing Diabase sills intrude the Huronian and older rocks. The youngest rocks in the area are late Precambrian diabase and olivine diabase dykes. The Middle and Late Precambrian rocks have been faulted and locally folded adjacent to the faults.

4.2 Property Geology

The Property geology is dominated by supracrustal rocks of the Gowganda Formation that unconformably overlie Early Precambrian rocks.

The Huronian sediments were subjected to gentle faulting and folding before being intruded by sills, dykes, and irregular bodies of Nipissing diabase. The Huronian and Nipissing diabase intrusives were then block faulted and locally folded in proximity to these faults.

Later west-northwest trending diabase and olivine diabase dykes of the Sudbury Swarm intrude all rock types.




Figure 2: Tenure of the Eaglerock Lake Property.




Figure 3: Regional Geology (after MRD 216).




Figure 4: Property Geology (after Meyn, 1977).

5.0 PHASE 1 DIAMOND DRILLING PROGRAM

5.1 Methods

In the spring of 2016, CCE completed a geophysical review of both airborne and ground geophysical surveys that had been completed on the current claims by Vismand Exploration Inc.

In July, 2016, CCE completed 61.25 km of magnetometer and VLF-EM surveys. The survey identified an interpreted deep-seated/buried isoclinal fold of banded iron

formation (“BIF”). The fold appears to be cut off to the north along an east-northeast oriented fault.

In the fall of 2016, CCE completed five diamond drill holes totalling 3,288.1 m. The drilling was completed between September 14th and December 29th, 2016. The drilling program was designed to test for BIF-hosted gold mineralization within a structural corridor within the interpreted folded section of BIF. The drilling program intersected BIF in all five drill holes. Although quartz-carbonate veining was noted, no significant assay results were obtained from this first phase of drilling.

Drill core (BQTK = 40.7 mm diameter) was transported from the drill site by pickup truck to the core shack located in North Bay, Ontario. Prior to transportation, the core boxes were fitted with lids and fiber-taped closed. Once at the core shack, the core was unloaded and put into a metal rack for storage prior to logging. The logging data was directly entered into Geotic Log, a software program designed for core logging.

Once the core had been logged and sampled, metal tags were attached inscribed with the hole number, box number, and corresponding interval. The core was then cross piled and stored at a storage facility located at the old Milne’s Lumber sawmill located in Temagami, Ontario.

5.2 Diamond Drilling

All five drill holes were collared in Nipissing Diabase, and then intersected Gowganda Formation sedimentary rocks, and then Archean volcanic rocks ranging from fine to medium grained massive mafic volcanics, and very fine grained metasediments intercalated with BIF. Minor felsic volcanics were intersected in drill hole ER16-04 that consisted of a light yellowish-grey porphyritic rock with minor <1mm perlitic fractures.

Drill logs, sections, survey data, and the assay certificates are provided in Appendices III, IV, V, and VI respectively. Magnetic susceptibility measurements were taken at approximately 1 m intervals. The results of the magnetic susceptibility measurements are appended to the drill log.

Map 1, located in the back pocket, displays the diamond drill hole location and projected trace in relation to the claim fabric.

Table 1: Diamond Drill Hole Details.

DDH	Easting	Northing	Elevation (m)	AZ	DIP	LENGTH (m)
ER16-01	558584	5197303	411	225	-55	650.00
ER16-02	558890	5197232	402	210	-55	633.00
ER16-03	557600	5196990	385	55	-50	625.00
ER16-04	558315	5196800	350	30	-60	691.40
ER16-05	558205	5197245	400	260	-65	688.70

Note: datum in NAD83, Z17N

5.3 Analytical Methods

A total of 351 samples, including 19 QA/QC samples were submitted for analysis. Samples were split and sampled using a table mounted diamond blade saw. Over the sample interval, one half of the core was placed into individual labelled plastic bags with a corresponding sample tag inserted. The bags were then stapled shut, and placed into rice bags. The samples were then delivered by a company representative to Activation Laboratories' facility located in Sudbury, Ontario.

A quality assurance / quality control (“QA/QC”) program was implemented to analyze the integrity and reliability of the data. A QA/QC sample was inserted at approximately every 20th sample which consisted of either a certified standard or an analytical blank.




Figure 5: Location of Phase 1 Diamond Drill Holes.

6.0 RESULTS and CONCLUSIONS

In the fall of 2016, CCE completed five diamond drill holes totalling 3,288.1 m. The drilling was completed between September 14th and December 29th, 2016. The drilling program was designed to test for BIF-hosted gold mineralization within a structural corridor within the interpreted folded section of BIF. The drilling program intersected BIF in all five drill holes. Although quartz-carbonate veining was noted, no significant assay results were obtained from this first phase of drilling.

7.0 RECOMMENDATIONS

The following recommendations can be made on the basis of the Phase 1 diamond drill program completed on the Eaglerock Lake Project:

- 1) Further work is recommended to test other areas along the strike length of the BIF that traverses the Property where major shears or faults transect the BIF. Some of these faults are younger than the emplacement of the Nipissing Diabase, and post-date potential Archean-aged gold mineralizing events. However, some of these structures may represent reactivated early faults that may, at depth, be fertile.
- 2) A compilation of historical work on the west side of Eaglerock Lake is also recommended where past work targeted base metal mineralization. In 1999, a drill hole encountered an alteration pipe with intense black chlorite and carbonate alteration with significant pyrite mineralization. Sub-outcrops of mineralized rhyolite breccia proximal to the drill hole were interpreted as a possible capping sequence of a volcanogenic massive sulphide system.
- 3) Further evaluation of the reported intersection of a 7.5 ft mineralized quartz vein by Homestake Exploration Ltd. in their 1959 diamond drilling program at Crest Lake is warranted. No assays were reported by Homestake at the time of report writing.
- 4) Homestake Exploration Ltd. also reported that they discovered gold-bearing quartz fragments in a creek bed north of Crest Lake, however no quartz veins were found in outcrop. Further prospecting is warranted to locate this area of interest, confirm that the fragments are gold-bearing, and if they are derived from a quartz vein in the immediate area that may represent a re-activated structure as discussed above.

8.0 REFERENCES

Bunner, D., 2000. Assessment Report on Eaglerock Lake Preliminary Drill Program, Eaglerock Lake Claims for Temex Resources Ltd. (41I16NW2014). 71 p.

Abitibi Geophysics Inc., 2016. GPS Positioned Ground Magnetic Field and VLF-EM Surveys, West Scholes Project for Canadian Continental Exploration Corp. 9 p.

Bayne, A.S., 1959. Drill Logs - Crest Lake Property for Homestake Exploration Ltd. (41I16NE0073). 11 p.

Bayne, A.S., 1959. Progress Report on Geological Survey for Homestake Exploration Ltd. (41I16NE0085). 4 p.

<http://climate.weatheroffice.gc.ca>

http://www.mci.mndm.gov.on.ca/claims/clm_mdvcl.cfm

Ministry of Northern Development and Mines; Geology of Ontario, Assessment File Research Information (AFRI) found at www.geologyontario.mndm.gov.on.ca

Meyn, H.D., 1977. Geology of Afton, Scholes, MacBeth, and Clement Townships, Districts of Sudbury and Nipissing. Ontario Geological Survey Report 170, 77 p.

Ontario Geological Survey, 2006. 1:250,000 Scale Bedrock Geology of Ontario; Ontario Geological Survey, Miscellaneous Release Data 126 revised.

Appendix I

Statement of Qualifications

Statement of Qualifications

I, Joerg Martin Kleinboeck of 147 Lakeside Drive, North Bay, Ontario, do hereby certify that:

I am a graduate of Laurentian University, Sudbury, Ontario with a B.Sc. Geology, 2000, and have been practising my profession as a geologist since.

I am a member with the Association of Professional Geoscientists of Ontario (#1411).

I am a member of the Prospectors & Developers Association of Canada (PDAC).

I have an active prospector's license for the province of Ontario (#1011091).

I currently hold an interest in the Eaglerock Lake Property.

I own securities of Canadian Continental Exploration Corp.



Joerg Martin Kleinboeck
February 9th, 2017
North Bay, Ontario

Appendix II

List of Claims comprising the Eaglerock Lake Property

Unpatented Claims (Eaglerock Lake Property)

Township	Claim Number	Recording Date	Claim Due Date	Work Required	Total Applied	Total Reserve	Claim Bank
SCHOLES	4275751	2016-Mar-24	2018-Mar-24	\$6,400	\$0	\$0	\$0
SCHOLES	4275752	2016-Mar-24	2018-Mar-24	\$4,800	\$0	\$0	\$0
SCHOLES	4275764	2016-Aug-19	2018-Aug-19	\$6,400	\$0	\$0	\$0
SCHOLES	4275765	2016-Aug-19	2018-Aug-19	\$3,600	\$0	\$0	\$0
SCHOLES	4275770	2015-Dec-31	2017-Dec-31	\$6,400	\$0	\$0	\$0
SCHOLES	4275771	2015-Dec-31	2017-Dec-31	\$6,400	\$0	\$0	\$0
SCHOLES	4275772	2016-Feb-03	2018-Feb-03	\$4,800	\$0	\$0	\$0
SCHOLES	4275773	2016-Mar-24	2018-Mar-24	\$4,800	\$0	\$0	\$0
SCHOLES	4275774	2016-Feb-03	2018-Feb-03	\$4,800	\$0	\$0	\$0
SCHOLES	4275775	2016-Feb-03	2018-Feb-03	\$4,800	\$0	\$0	\$0
SCHOLES	4275776	2016-Feb-23	2018-Feb-23	\$6,000	\$0	\$0	\$0
SCHOLES	4275781	2015-Dec-31	2017-Dec-31	\$5,200	\$0	\$0	\$0

Appendix III
Drill Logs

Canadian Continental Exploration Corp.

DDH:	ER16-01	Claims title:	4275773	Section:	
		Township:	Scholes	Level:	Surface
		Range:		Work place:	Eaglerock Lake
Contractor:	Summit Drilling	Lot:			
Author:	Joerg Kleinboeck	Start date:	9/17/2016	Description date:	10/4/2016
		End date:	9/30/2016		
Collar					
System 1					
Azimuth:	225.00°	East	558584		
Dip:	-55.00°	North	5197303		
Length:	650.00	Elevation	411		
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
Ranger	52.00	231.40°	-54.00°	No	Magnetic Field 56940 nT
Ranger	150.00	240.50°	-53.20°	No	Magnetic Field 57460 nT
Ranger	250.00	248.70°	-52.70°	No	Magnetic Field 57970 nT
Ranger	350.00	260.20°	-53.40°	No	Magnetic Field 57860 nT
Ranger	450.00	283.60°	-52.90°	No	Magnetic Field 55360 nT
.....
Number of samples: 33					
Number of QAQC samples: 2					
Total sampled length: 30.83					
Description: _____					
Core size: BQTK			Cemented: No		Stored: No

Canadian Continental Exploration Corp.

Type	Depth	Azimuth	Dip	Invalid	Description	...
Ranger	551.00	257.20°	-50.90°	No	Magnetic Field 58890 nT	
Ranger	650.00	278.60°	-49.90°	No	Magnetic Field 54430 nT	

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
0.00	0.50	OB Overburden Casing driven to 0.90 m. EOH @ 650 m. Casing left in hole and capped.							
0.50	97.60	NDIA; f-mg; mass Nipissing Diabase; fine to medium grained; massive Dark grey fine to medium grained massive gabbro with lesser amounts of finer grained massive melagabbro. Fractures 3-5 per m, generally orientated at 30,45, 65 deg TCA, infilled with chlorite and/or calcite. Local pervasive albitization/alteration zones up to several cm's on either side of the fractures. Minor quartz+carbonate veining throughout.							
0.50	97.60	py+cp+po00.01 Pyrite+Chalcopyrite+Pyrrhotite 0.01% generally unmineralized with local trace amounts of pyrite, chalcopyrite, pyrrhotite. locally up to 0.5% remobilized chalcopyrite associated with minor quartz veining ie) 97.50-97.60m.							
46.00	49.00	Qtz+Ca Quartz + Carbonate weak occasional quartz+calcite veining <1 cm in width orientated at various angles TCA.							
49.55	49.59	Ca30 Carbonate 30 5 cm carbonate vein with 15% angular quartz fragments up to 1cm in size. Vein orientated at 30 deg TCA.							
63.15	63.45	FD Felsic Dyke irregular felsic veinlet							
96.73	97.60	SHR Sheared 30° mylonitic shear zone @ 30 deg TCA.							
97.60	128.00	NDIA; vt Nipissing Diabase; vari-textured generally massive medium grained to vari-textured gabbro with local clots (up to 30 cm in width) of coarse to very coarse grained dendritic amphibole and plagioclase.							
97.60	128.00	py+cp+po00.1							

Canadian Continental Exploration Corp.

		Description	Assay				
			From	To	Sample number	Length	Au (ppb)
109.10	112.80	Pyrite+Chalcopyrite+Pyrrhotite 0.1% trace disseminated pyrite, chalcopyrite, and pyrrhotite generally associated with coarser grained sections (clots). MD; fg; mass Mafic Dyke; fine grained; massive dark grey to black fine grained massive mafic dyke. upper contact irregular, lower contact wavy, generally at 20 deg TCA.					
114.83	116.85	MD; fg; mass Mafic Dyke; fine grained; massive dark grey to black fine grained, massive mafic dyke. contacts sharp but irregular.					
128.00	194.75	NDIA; mg; mass Nipissing Diabase; medium grained; massive dark grey medium grained massive gabbro. lower contact chilled, not clear.					
128.00	194.75	py+cp+po00.1 Pyrite+Chalcopyrite+Pyrrhotite 0.1% trace disseminated pyrite, chalcopyrite, and pyrrhotite throughout. 2-3% disseminated magnetite from 147.00-148.25, 149.30-163.00m.					
148.25	149.30	MD; fg; mass Mafic Dyke; fine grained; massive dark grey to black fine grained massive mafic dyke					
174.90	175.00	BC Broken Core heavily fractured, RQD=0%					
180.40	180.50	BC Broken Core heavily fractured. RQD=0%					
180.90	181.00	BC Broken Core heavily fractured. RQD=0%					
194.75	252.90	GWG_gwk; GWG_ark; GWG_silt Greywacke 55°; Arkose; Siltstone					

Canadian Continental Exploration Corp.

Description				Assay				
				From	To	Sample number	Length	Au (ppb)
				dark grey fine to medium grained massive to finely laminated greywacke with intercalated dark grey fine grained siltstone and pink medium grained massive arkose. Laminae in the greywacke and siltstones range from 1mm to 10mm in thickness. bedding variable, generally between 50 to 60 deg TCA. lower contact gradational but abrupt.				
194.75	252.90	Ca Calcite occasional calcite veining <1mm in thickness along fractures						
194.75	252.90	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
228.30	228.58	FT Fault 25° Fault with chloritic gouge and calcite veining.						
252.90	274.40	GWG_ark; f-mg Arkose 60°; fine to medium grained pink fine to medium grained massive to bedded arkose. lower contact broken.						
252.90	274.40	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite						
272.00	274.40	BC Broken Core heavily fractured core, RQD=5%						
274.40	281.35	GWG_gwk; f-mg Greywacke 60°; fine to medium grained dark grey fine to medium grained massive to bedded greywacke as from 194.75 to 252.90 m. lower contact gradational but abrupt.						
274.40	281.35	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
281.35	284.00	GWG_ark; f-mg						

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
281.35	284.00	Arkose 55°; fine to medium grained pink fine to medium grained massive to weakly bedded arkose as from 252.90 to 274.40m. lower contact gradational Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite							
284.00	357.00	GWG_cgl Conglomerate generally matrix supported conglomerate with local sections that are clast supported. clasts range from <1cm to 20 cm in diameter, generally 80% granitic, 20% metavolcanics in composition. lower contact gradational over 0.5m.							
284.00	357.00	QV; Ca Quartz Vein; Calcite minor quartz+calcite veining throughout, generally <1 cm in width.							
284.00	357.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite							
344.00	346.00	BC Broken Core heavily fractured, RQD=10%							
357.00	375.60	GWG_gwk; fg Greywacke; fine grained dark grey fine grained pebble-bearing greywacke with minor sections of conglomerate. pebbles <3cm in diameter, local rare boulders up to 25cm. pebbles comprised of granitic and metavolcanics. lower contact sharp @ 55 deg TCA.							
357.00	375.60	qtz; Ca; Epi Quartz; Calcite; Epidote minor quartz, calcite, and epidote veining, generally <2cm in width.							
357.00	375.60	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite							

Canadian Continental Exploration Corp.

			Description		Assay				
			From	To	Sample number	Length	Au (ppb)		
360.23	360.77	BC Broken Core heavily fractured							
375.60	391.35	GWG_gwk; f-mg; mass Greywacke; fine to medium grained; massive dark grey to green fine to medium grained massive greywacke with occasional intercalated conglomerates. lower contact sharp but irregular.							
375.60	391.35	Py00.1; Cp00.1 Pyrite 0.1%; Chalcopyrite 0.1% trace disseminated and fracture controlled pyrite. local quartz veins with 5% remobilized pyrite and chalcopyrite.							
391.35	457.10	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic dark grey to green fine to medium grained, massive to porphyritic mafic volcanic. interval consists of several flows, each flow marked by <10cm bed of grey chert orientated @ 55 deg TCA. locally developed "diabasic" texture. local feldspar phenocrysts up 2mm x 6 mm in size. weakly magnetic. lower contact sharp at 60 deg TCA.	457.00	458.00	159501	1.00	5		
391.35	455.00	qtz; Ca; Epi Quartz; Calcite; Epidote locally developed sections of weak pervasive epidote. occasional quartz+calcite veining generally <1cm in width.							
391.35	457.10	392.90-393.03m - irregular quartz+calcite+chlorite vein Py00.1; Cp00.1 Pyrite 0.1%; Chalcopyrite 0.1% trace disseminated and fracture controlled pyrite. trace disseminated chalcopyrite within groundmass and quartz veins <2 cm in thickness.							
457.10	462.66	MSED; fg; bxd Metasediments 55°; fine grained; brecciated grey to green well bedded to brecciated metasediments with minor intercalated grey aphanitic chert.	458.00	459.00	159502	1.00	5		
			459.00	460.00	159503	1.00	5		
			460.00	461.00	159504	1.00	5		

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
457.10	462.66	lower contact sharp at 65 deg TCA. qtz Quartz moderate quartz +/- calcite veining, generally irregular, however some veins are sharp & orientated II to bedding (55-60 deg TCA).			461.00	462.00	159505	1.00	5
457.10	462.66	Py01 Pyrite 1% up to 1% disseminated to fracture-controlled pyrite within sediments and quartz+carbonate veinings. local well developed euhedral pyrite up to 1cm in size.			462.00	463.00	159506	1.00	5
462.66	471.51	BIF Banded Iron Formation 60% grey and red fine to coarsely laminated banded iron formation with 40% intercalated green very fine to fine grained metasediments (mudstones). laminae within the iron formation range from <1mm to 1cm, bedding generally @ 55 deg TCA, however variable due to soft sediment deformation/micro-folding. lower contact sharp @ 55 deg TCA.			463.00	464.00	159507	1.00	5
462.66	471.51	qtz Quartz weak irregular 1mm thick quartz +/- calcite veining throughout, generally oblique to bedding.			464.00	465.00	159508	1.00	5
462.66	471.51	Py02 Pyrite 2% finely disseminated to euhedral pyrite generally located along bedding planes, within quartz veins, and along fractures.			465.00	466.00	159509	1.00	5
471.51	484.89	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic grey fine to medium grained porphyritic mafic volcanic with chilled margins at upper and lower contact. weakly magnetic. lower contact broken but sharp at ~ 55 deg TCA.			466.00	467.00	159510	1.00	5
471.51	484.89	qtz; Ca Quartz; Carbonate weak quartz +/- carbonate veining throughout. veinlets orientated at various angles TCA, generally 1 mm in thickness, locally up to 1cm.			467.00	468.00	159511	1.00	5
					468.00	469.00	159512	1.00	5

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
471.51	484.89	Py00.1 Pyrite 0.1% trace disseminated pyrite, generally unmineralized.							
484.89	495.20	BIF Banded Iron Formation 55° as from 462.66 to 471.51 m, metasediments comprise 20% of the interval. bedding generally at between 30 to 70 degrees within the banded iron formation, 40 degrees within the metasediments. lower contact sharp @ 50 deg TCA.			487.75	488.25	159513	0.50	5
					488.75	489.25	159514	0.50	5
					489.65	491.00	159515	1.35	5
484.89	495.20	Qtz+Ca Quartz + Carbonate weak to moderate quartz +/- carbonate veining, generally <1mm to 3 mm in width, locally up to 5 cm. veins are generally irregular and crosscut bedding.							
484.89	495.20	Py00.1; Cp00.1 Pyrite 0.1%; Chalcopyrite 0.1% trace disseminated pyrite, occurring as fine disseminations and euhedral crystals <1mm in size, occurring along bedding planes within the iron formation and metasediments. Pyrite content increases within the metasediments adjacent to the contacts with the banded iron formation. Pyrite is also found along fractures. 1cm bleb of remobilized chalcopyrite @ 488.05m.							
495.20	498.20	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic grey fine to medium grained porphyritic mafic volcanic. non-magnetic. lower contact sharp.							
495.20	498.20	Py00.1 Pyrite 0.1% trace disseminated pyrite.							
498.20	503.95	BIF Banded Iron Formation as from 484.89 to 495.20m. lower contact sharp but irregular.			498.60	499.25	159516	0.65	5
					503.40	504.00	159517	0.60	5
498.20	503.95	Qtz+Ca							

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
498.20	503.95							
		Quartz + Carbonate moderate quartz+carbonate veining 498.52-499.20 m - 60% quartz+carbonate veining up to 13 cm in width, contacts irregular, and at 50 deg TCA. Py00.1; Cp00.1 Pyrite 0.1%; Chalcopyrite 0.1% trace disseminated pyrite along bedding planes and within quartz+carbonate veinlets. 503.40-503.45 m - 0.5cm bleb of chalcopyrite about carbonate-filled fracture.						
503.95	522.17	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic as from 495.20-498.20m. non-magnetic. lower contact sharp @ 30 deg TCA.						
522.17	525.48	MD; fg; mass Mafic Dyke; fine grained; massive dark grey to black fine grained massive mafic dyke. moderately magnetic. generally unmineralized. upper contact brecciated and rehealed with calcite. lower contact sharp @ 40 deg TCA.						
524.00	524.70	FRC Fractured heavily fractured zone with local carbonate infilling.						
525.48	533.55	BIF Banded Iron Formation 50° Dominantly comprised of well banded iron formation with lesser amounts of green fine grained greywacke, green fine grained metasediments (mudstones), and green fine to medium grained mafic volcanics. Laminae in the iron formation range in thickness from 1mm to >1cm, generally orientated at 50 deg TCA. The greywacke and mudstones are also well bedded at 50 deg TCA, and is <10 cm in thickness, while the mafic volcanic flows are up to 1m in thickness. Lower contact sharp but irregular, approximately at 70 deg TCA.	527.58 531.75	528.46 533.00	159518 159519	0.88 1.25	5 5	
525.48	533.55	Qtz+Ca Quartz + Carbonate						

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
525.48	533.55							
		weak quartz + carbonate veinlets throughout, generally <1mm in thickness and generally irregularly crosscut the bedding in the iron formation, parallel along lithological contacts.						
		Py00.25						
		Pyrite 0.25%						
		trace to 0.25% disseminated and fracture controlled pyrite.						
533.55	543.20	MV; f-mg; POR						
		Mafic Volcanic; fine to medium grained; Porphyritic						
		green fine to medium grained massive to locally porphyritic mafic volcanic flow.						
		lower contact broken over 10cm.						
533.55	543.20	Ca						
		Carbonate						
		weak carbonate veining <1mm in thickness, orientated at various angles TCA.						
533.55	543.20	Py00.1						
		Pyrite 0.1%						
		trace disseminated and fracture controlled pyrite.						
543.20	573.70	BIF						
		Banded Iron Formation						
		as from 525.48 to 533.55m.						
		lower contact sharp @ 55 deg TCA.						
			543.20	544.00	159521	0.80	5	
			543.20	544.00	159520 (Std)	0.80	2180	
			544.00	545.00	159522	1.00	5	
			545.00	545.70	159523	0.70	5	
			547.40	548.50	159524	1.10	5	
			548.50	549.50	159525	1.00	5	
			549.50	550.50	159526	1.00	5	
			550.50	551.50	159527	1.00	5	
			551.50	552.50	159528	1.00	5	
			552.50	553.50	159529	1.00	5	
			556.75	558.00	159530	1.25	5	
			559.15	559.40	159531	0.25	5	
			561.00	562.00	159532	1.00	5	
573.70	582.30	BIF						
		Banded Iron Formation 40°						
		red jasper-rich iron formation.						
			578.00	579.00	159533	1.00	5	
			580.00	581.00	159534	1.00	5	
			580.00	581.00	159535 (Bln)	1.00	5	

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
573.70	582.30	Py00.25 Pyrite 0.25% trace finely disseminated and fracture controlled pyrite.	moderately magnetic. lower contact sharp @ 40 deg TCA.						
582.30	590.90	MSED Metasediments Green fine grained bedded metasediments (mudstones) with lesser amounts of grey banded iron formation. Bedding well defined, variable between 30 to 45 deg TCA. Lower contact sharp @ 45 deg TCA.							
582.30	590.90	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
590.90	650.00	MV; mg; mass Mafic Volcanic; medium grained; massive greyish green medium grained massive mafic volcanic.							
590.90	650.00	Ca Carbonate weak carbonate veining orientated at various angels TCA, typically <1 cm in thickness.							
590.90	650.00	Py00.1 Pyrite 0.1% trace disseminated pyrite, generally unmineralized.							

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
1.00	2.00	1.308				
2.00	3.00	2.118				
3.00	4.00	2.534				
4.00	5.00	0.557				
5.00	6.00	1.785				
6.00	7.00	1.011				
7.00	8.00	4.017				
8.00	9.00	1.308				
9.00	10.00	1.052				
10.00	11.00	1.475				
11.00	12.00	1.249				
12.00	13.00	1.8				
13.00	14.00	2.708				
14.00	15.00	0.439				
15.00	16.00	0.71				
16.00	17.00	2.813				
17.00	18.00	0.519				
18.00	19.00	1.26				
19.00	20.00	0.991				
20.00	21.00	1.035				
21.00	22.00	0.304				
22.00	23.00	0.572				
23.00	24.00	0.803				
24.00	25.00	3.919				
25.00	26.00	0.457				
26.00	27.00	2.376				
27.00	28.00	3.059				
28.00	29.00	5.86				
29.00	30.00	0.77				
30.00	31.00	2.522				
31.00	32.00	1.253				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
32.00	33.00	0.464				
33.00	34.00	0.525				
34.00	35.00	2.15				
35.00	36.00	0.837				
36.00	37.00	1.011				
37.00	38.00	0.48				
38.00	39.00	0.352				
39.00	40.00	1.721				
40.00	41.00	0.747				
41.00	42.00	1.531				
42.00	43.00	0.253				
43.00	44.00	0.621				
44.00	45.00	0.763				
45.00	46.00	0.292				
46.00	47.00	0.295				
47.00	48.00	0.514				
48.00	49.00	0.321				
49.00	50.00	0.404				
50.00	51.00	0.458				
51.00	52.00	0.428				
52.00	53.00	0.468				
53.00	54.00	0.554				
54.00	55.00	0.477				
55.00	56.00	0.544				
56.00	57.00	0.765				
57.00	58.00	0.261				
58.00	59.00	0.42				
59.00	60.00	0.417				
60.00	61.00	0.298				
61.00	62.00	0.449				
62.00	63.00	0.563				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
63.00	64.00	0.487				
64.00	65.00	0.479				
65.00	66.00	0.333				
66.00	67.00	0.337				
67.00	68.00	0.358				
68.00	69.00	0.498				
69.00	70.00	0.741				
70.00	71.00	0.458				
71.00	72.00	0.429				
72.00	73.00	0.573				
73.00	74.00	1.847				
74.00	75.00	1.173				
75.00	76.00	0.709				
76.00	77.00	0.722				
77.00	78.00	1.082				
78.00	79.00	0.865				
79.00	80.00	0.866				
80.00	81.00	0.389				
81.00	82.00	0.639				
82.00	83.00	0.844				
83.00	84.00	1.076				
84.00	85.00	0.437				
85.00	86.00	0.514				
86.00	87.00	0.424				
87.00	88.00	0.167				
88.00	89.00	0.831				
89.00	90.00	0.39				
90.00	91.00	0.463				
91.00	92.00	0.514				
92.00	93.00	0.994				
93.00	94.00	0.598				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
94.00	95.00	0.711				
95.00	96.00	0.46				
96.00	97.00	0.39				
97.00	98.00	0.508				
98.00	99.00	0.4				
99.00	100.00	0.28				
100.00	101.00	0.554				
101.00	102.00	0.519				
102.00	103.00	0.533				
103.00	104.00	0.371				
104.00	105.00	0.369				
105.00	106.00	0.339				
106.00	107.00	0.344				
107.00	108.00	2.57				
108.00	109.00	0.261				
109.00	110.00	0.512				
110.00	111.00	0.299				
111.00	112.00	0.407				
112.00	113.00	0.395				
113.00	114.00	0.419				
114.00	115.00	0.884				
115.00	116.00	0.328				
116.00	117.00	0.209				
117.00	118.00	0.436				
118.00	119.00	0.466				
119.00	120.00	0.344				
120.00	121.00	0.431				
121.00	122.00	0.437				
122.00	123.00	0.427				
123.00	124.00	0.474				
124.00	125.00	0.373				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
125.00	126.00	0.363				
126.00	127.00	0.313				
127.00	128.00	0.272				
128.00	129.00	0.267				
129.00	130.00	0.353				
130.00	131.00	0.395				
131.00	132.00	0.336				
132.00	133.00	0.341				
133.00	134.00	0.363				
134.00	135.00	0.291				
135.00	136.00	0.527				
136.00	137.00	0.351				
137.00	138.00	0.622				
138.00	139.00	0.943				
139.00	140.00	0.331				
140.00	141.00	0.736				
141.00	142.00	1.418				
142.00	143.00	0.473				
143.00	144.00	0.394				
144.00	145.00	0.325				
145.00	146.00	0.53				
146.00	147.00	0.658				
147.00	148.00	2.282				
148.00	149.00	0.56				
149.00	150.00	2.766				
150.00	151.00	3.558				
151.00	152.00	4.115				
152.00	153.00	7.813				
153.00	154.00	7.234				
154.00	155.00	7.228				
155.00	156.00	6.336				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
156.00	157.00	4.062				
157.00	158.00	3.061				
158.00	159.00	6.203				
159.00	160.00	1.769				
160.00	161.00	3.455				
161.00	162.00	6.158				
162.00	163.00	3.128				
163.00	164.00	0.952				
164.00	165.00	0.369				
165.00	166.00	5.306				
166.00	167.00	0.829				
167.00	168.00	0.627				
168.00	169.00	0.5				
169.00	170.00	0.386				
170.00	171.00	0.346				
171.00	172.00	0.231				
172.00	173.00	0.327				
173.00	174.00	0.322				
174.00	175.00	0.355				
175.00	176.00	0.329				
176.00	177.00	0.32				
177.00	178.00	0.305				
178.00	179.00	0.342				
179.00	180.00	0.454				
180.00	181.00	0.328				
181.00	182.00	0.362				
182.00	183.00	0.324				
183.00	184.00	0.372				
184.00	185.00	0.324				
185.00	186.00	0.35				
186.00	187.00	0.349				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
187.00	188.00	0.39				
188.00	189.00	0.354				
189.00	190.00	0.315				
190.00	191.00	0.413				
191.00	192.00	0.403				
192.00	193.00	0.385				
193.00	194.00	0.355				
194.00	195.00	0.376				
195.00	196.00	0.358				
196.00	197.00	0.183				
197.00	198.00	0.173				
198.00	199.00	0.173				
199.00	200.00	0.189				
200.00	201.00	0.173				
201.00	202.00	0.231				
202.00	203.00	0.092				
203.00	204.00	0.062				
204.00	205.00	0.212				
205.00	206.00	0.164				
206.00	207.00	0.208				
207.00	208.00	0.314				
208.00	209.00	0.211				
209.00	210.00	0.202				
210.00	211.00	0.219				
211.00	212.00	0.17				
212.00	213.00	0.217				
213.00	214.00	0.223				
214.00	215.00	0.217				
215.00	216.00	0.646				
216.00	217.00	0.211				
217.00	218.00	0.712				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
218.00	219.00	0.286				
219.00	220.00	2.415				
220.00	221.00	0.2				
221.00	222.00	0.196				
222.00	223.00	0.216				
223.00	224.00	0.174				
224.00	225.00	0.274				
225.00	226.00	0.26				
226.00	227.00	0.257				
227.00	228.00	0.212				
228.00	229.00	0.086				
229.00	230.00	0.208				
230.00	231.00	0.212				
231.00	232.00	0.205				
232.00	233.00	0.264				
233.00	234.00	0.313				
234.00	235.00	0.159				
235.00	236.00	0.24				
236.00	237.00	0.227				
237.00	238.00	0.203				
238.00	239.00	6.62				
239.00	240.00	0.261				
240.00	241.00	0.21				
241.00	242.00	0.266				
242.00	243.00	3.121				
243.00	244.00	2.158				
244.00	245.00	2.523				
245.00	246.00	2.191				
246.00	247.00	0.127				
247.00	248.00	0.147				
248.00	249.00	0.217				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
249.00	250.00	0.226				
250.00	251.00	0.257				
251.00	252.00	0.181				
252.00	253.00	0.005				
253.00	254.00	0.87				
254.00	255.00	0.357				
255.00	256.00	1.619				
256.00	257.00	2.022				
257.00	258.00	1.156				
258.00	259.00	0.367				
259.00	260.00	0.218				
260.00	261.00	0.205				
261.00	262.00	1.251				
262.00	263.00	1.592				
263.00	264.00	3.068				
264.00	265.00	1.823				
265.00	266.00	0.346				
266.00	267.00	0.197				
267.00	268.00	1.033				
268.00	269.00	0.636				
269.00	270.00	0.262				
270.00	271.00	0.014				
271.00	272.00	0.012				
272.00	273.00	0.024				
273.00	274.00	0.13				
274.00	275.00	0.468				
275.00	276.00	0.166				
276.00	277.00	0.193				
277.00	278.00	0.192				
278.00	279.00	0.188				
279.00	280.00	0.209				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
280.00	281.00	0.143				
281.00	282.00	0.057				
282.00	283.00	0.359				
283.00	284.00	0.201				
284.00	285.00	0.29				
285.00	286.00	0.319				
286.00	287.00	0.179				
287.00	288.00	0.277				
288.00	289.00	0.147				
289.00	290.00	0.231				
290.00	291.00	0.151				
291.00	292.00	0.065				
292.00	293.00	0.205				
293.00	294.00	0.197				
294.00	295.00	0.173				
295.00	296.00	0.144				
296.00	297.00	0.145				
297.00	298.00	0.15				
298.00	299.00	0.149				
299.00	300.00	0.153				
300.00	301.00	0.148				
301.00	302.00	0.172				
302.00	303.00	0.18				
303.00	304.00	0.045				
304.00	305.00	0.177				
305.00	306.00	0.308				
306.00	307.00	0.198				
307.00	308.00	0.186				
308.00	309.00	0.21				
309.00	310.00	0.171				
310.00	311.00	0.215				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
311.00	312.00	0.169				
312.00	313.00	0.184				
313.00	314.00	0.156				
314.00	315.00	0.203				
315.00	316.00	0.119				
316.00	317.00	0.163				
317.00	318.00	0.122				
318.00	319.00	0.154				
319.00	320.00	0.153				
320.00	321.00	0.309				
321.00	322.00	0.354				
322.00	323.00	0.189				
323.00	324.00	0.147				
324.00	325.00	0.137				
325.00	326.00	0.269				
326.00	327.00	0.377				
327.00	328.00	0.214				
328.00	329.00	0.161				
329.00	330.00	0.16				
330.00	331.00	0.219				
331.00	332.00	0.227				
332.00	333.00	0.143				
333.00	334.00	0.167				
334.00	335.00	0.2				
335.00	336.00	0.132				
336.00	337.00	0.145				
337.00	338.00	0.164				
338.00	339.00	0.223				
339.00	340.00	0.146				
340.00	341.00	0.198				
341.00	342.00	0.213				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
342.00	343.00	0.235				
343.00	344.00	0.436				
344.00	345.00	0.169				
345.00	346.00	0.199				
346.00	347.00	0.219				
347.00	348.00	0.319				
348.00	349.00	0.215				
349.00	350.00	0.15				
350.00	351.00	0.141				
351.00	352.00	0.19				
352.00	353.00	0.367				
353.00	354.00	0.149				
354.00	355.00	0.185				
355.00	356.00	0.194				
356.00	357.00	0.202				
357.00	358.00	0.132				
358.00	359.00	0.154				
359.00	360.00	0.199				
360.00	361.00	0.176				
361.00	362.00	0.198				
362.00	363.00	0.199				
363.00	364.00	0.187				
364.00	365.00	0.164				
365.00	366.00	0.144				
366.00	367.00	0.18				
367.00	368.00	0.2				
368.00	369.00	0.222				
369.00	370.00	0.373				
370.00	371.00	0.214				
371.00	372.00	0.229				
372.00	373.00	0.257				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
373.00	374.00	0.252				
374.00	375.00	0.143				
375.00	376.00	0.25				
376.00	377.00	0.455				
377.00	378.00	0.24				
378.00	379.00	0.26				
379.00	380.00	0.303				
380.00	381.00	0.226				
381.00	382.00	0.239				
382.00	383.00	0.265				
383.00	384.00	0.364				
384.00	385.00	0.176				
385.00	386.00	0.25				
386.00	387.00	0.284				
387.00	388.00	0.102				
388.00	389.00	0.272				
389.00	390.00	0.317				
390.00	391.00	0.21				
391.00	392.00	0.395				
392.00	393.00	0.394				
393.00	394.00	0.248				
394.00	395.00	0.395				
395.00	396.00	0.302				
396.00	397.00	0.28				
397.00	398.00	0.367				
398.00	399.00	0.35				
399.00	400.00	1.447				
400.00	401.00	2.418				
401.00	402.00	7.269				
402.00	403.00	0.608				
403.00	404.00	0.366				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
404.00	405.00	0.372				
405.00	406.00	0.348				
406.00	407.00	0.353				
407.00	408.00	0.34				
408.00	409.00	0.435				
409.00	410.00	0.369				
410.00	411.00	0.308				
411.00	412.00	0.32				
412.00	413.00	0.29				
413.00	414.00	0.431				
414.00	415.00	0.31				
415.00	416.00	0.326				
416.00	417.00	0.317				
417.00	418.00	0.19				
418.00	419.00	0.247				
419.00	420.00	0.31				
420.00	421.00	0.546				
421.00	422.00	0.31				
422.00	423.00	0.546				
423.00	424.00	0.31				
424.00	425.00	0.345				
425.00	426.00	0.34				
426.00	427.00	0.346				
427.00	428.00	0.371				
428.00	429.00	0.358				
429.00	430.00	0.276				
430.00	431.00	0.335				
431.00	432.00	0.341				
432.00	433.00	0.31				
433.00	434.00	0.316				
434.00	435.00	0.314				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
435.00	436.00	0.324				
436.00	437.00	0.348				
437.00	438.00	0.318				
438.00	439.00	0.229				
439.00	440.00	0.32				
440.00	441.00	0.271				
441.00	442.00	0.256				
442.00	443.00	0.292				
443.00	444.00	0.239				
444.00	445.00	0.185				
445.00	446.00	0.286				
446.00	447.00	0.285				
447.00	448.00	0.469				
448.00	449.00	0.198				
449.00	450.00	0.403				
450.00	451.00	0.396				
451.00	452.00	0.289				
452.00	453.00	0.395				
453.00	454.00	0.415				
454.00	455.00	0.446				
455.00	456.00	0.551				
456.00	457.00	1.539				
457.00	458.00	0.313				
458.00	459.00	0.221				
459.00	460.00	0.358				
460.00	461.00	0.11				
461.00	462.00	20.52				
462.00	463.00	350.9				
463.00	464.00	76.81				
464.00	465.00	7.461				
465.00	466.00	73.52				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
466.00	467.00	41.84				
467.00	468.00	382.8				
468.00	469.00	305.1				
469.00	470.00	15.87				
470.00	471.00	399.3				
471.00	472.00	12.51				
472.00	473.00	12.62				
473.00	474.00	5.617				
474.00	475.00	5.331				
475.00	476.00	25.03				
476.00	477.00	16.87				
477.00	478.00	18.71				
478.00	479.00	7.047				
479.00	480.00	2.897				
480.00	481.00	3.439				
481.00	482.00	4.577				
482.00	483.00	1.484				
483.00	484.00	32.56				
484.00	485.00	335				
485.00	486.00	432.4				
486.00	487.00	298.3				
487.00	488.00	357.4				
488.00	489.00	683.5				
489.00	490.00	455.6				
490.00	491.00	389.5				
491.00	492.00	509				
492.00	493.00	311				
493.00	494.00	151				
494.00	495.00	366.7				
495.00	496.00	0.742				
496.00	497.00	0.6				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
497.00	498.00	27.34				
498.00	499.00	90.21				
499.00	500.00	317.3				
500.00	501.00	497.6				
501.00	502.00	479.6				
502.00	503.00	235.3				
503.00	504.00	337.1				
504.00	505.00	5.395				
505.00	506.00	0.342				
506.00	507.00	0.431				
507.00	508.00	0.302				
508.00	509.00	0.223				
509.00	510.00	0.297				
510.00	511.00	0.24				
511.00	512.00	0.255				
512.00	513.00	0.244				
513.00	514.00	0.663				
514.00	515.00	0.182				
515.00	516.00	0.438				
516.00	517.00	0.61				
517.00	518.00	0.23				
518.00	519.00	0.304				
519.00	520.00	0.532				
520.00	521.00	2.501				
521.00	522.00	3.628				
522.00	523.00	24.75				
523.00	524.00	23.82				
524.00	525.00	18.95				
525.00	526.00	9.265				
526.00	527.00	208.7				
527.00	528.00	338.1				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
528.00	529.00	148.3				
529.00	530.00	232.8				
530.00	531.00	42.67				
531.00	532.00	44.59				
532.00	533.00	38.93				
533.00	534.00	67.74				
534.00	535.00	4.576				
535.00	536.00	0.721				
536.00	537.00	0.546				
537.00	538.00	0.447				
538.00	539.00	0.722				
539.00	540.00	0.632				
540.00	541.00	1.545				
541.00	542.00	26.98				
542.00	543.00	29.36				
543.00	544.00	541.7				
544.00	545.00	591.3				
545.00	546.00	134				
546.00	547.00	60.14				
547.00	548.00	44.7				
548.00	549.00	372.8				
549.00	550.00	411.9				
550.00	551.00	417.1				
551.00	552.00	119.5				
552.00	553.00	134.2				
553.00	554.00	172.3				
554.00	555.00	56.07				
555.00	556.00	78.43				
556.00	557.00	211.8				
557.00	558.00	137.9				
558.00	559.00	344.8				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
559.00	560.00	315.9				
560.00	561.00	529.3				
561.00	562.00	246.9				
562.00	563.00	89.05				
563.00	564.00	102.4				
564.00	565.00	265				
565.00	566.00	18				
566.00	567.00	454.6				
567.00	568.00	132.9				
568.00	569.00	468.1				
569.00	570.00	222.5				
570.00	571.00	380.2				
571.00	572.00	278.7				
572.00	573.00	723.6				
573.00	574.00	469.9				
574.00	575.00	467.5				
575.00	576.00	631.8				
576.00	577.00	602.7				
577.00	578.00	444.4				
578.00	579.00	475.7				
579.00	580.00	439.7				
580.00	581.00	395.5				
581.00	582.00	290.5				
582.00	583.00	235.7				
583.00	584.00	35.62				
584.00	585.00	84.99				
585.00	586.00	1.35				
586.00	587.00	1.615				
587.00	588.00	0.139				
588.00	589.00	0.213				
589.00	590.00	0.168				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
590.00	591.00	0.055				
591.00	592.00	0.249				
592.00	593.00	0.215				
593.00	594.00	0.202				
594.00	595.00	0.172				
595.00	596.00	0.137				
596.00	597.00	0.143				
597.00	598.00	0.223				
598.00	599.00	0.195				
599.00	600.00	0.154				
600.00	601.00	0.17				
601.00	602.00	0.215				
602.00	603.00	0.229				
603.00	604.00	0.222				
604.00	605.00	0.182				
605.00	606.00	0.17				
606.00	607.00	0.174				
607.00	608.00	0.135				
608.00	609.00	0.217				
609.00	610.00	0.282				
610.00	611.00	0.17				
611.00	612.00	0.235				
612.00	613.00	0.201				
613.00	614.00	0.118				
614.00	615.00	0.117				
615.00	616.00	0.151				
616.00	617.00	0.201				
617.00	618.00	0.207				
618.00	619.00	0.164				
619.00	620.00	0.219				
620.00	621.00	0.511				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
621.00	622.00	0.198				
622.00	623.00	0.147				
623.00	624.00	0.377				
624.00	625.00	0.204				
625.00	626.00	0.152				
626.00	627.00	0.43				
627.00	628.00	0.154				
628.00	629.00	0.164				
629.00	630.00	0.207				
630.00	631.00	0.256				
631.00	632.00	0.121				
632.00	633.00	0.184				
633.00	634.00	0.255				
634.00	635.00	0.154				
635.00	636.00	0.19				
636.00	637.00	0.206				
637.00	638.00	0.175				
638.00	639.00	0.184				
639.00	640.00	0.205				
640.00	641.00	0.163				
641.00	642.00	0.116				
642.00	643.00	0.127				
643.00	644.00	0.165				
644.00	645.00	0.162				
645.00	646.00	0.19				
646.00	647.00	0.194				
647.00	648.00	0.269				
648.00	649.00	0.275				
649.00	650.00	0.184				

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
457.00	458.00	159501	5	
458.00	459.00	159502	5	
459.00	460.00	159503	5	
460.00	461.00	159504	5	
461.00	462.00	159505	5	
462.00	463.00	159506	5	
463.00	464.00	159507	5	
464.00	465.00	159508	5	
465.00	466.00	159509	5	
466.00	467.00	159510	5	
467.00	468.00	159511	5	
468.00	469.00	159512	5	
487.75	488.25	159513	5	
488.75	489.25	159514	5	
489.65	491.00	159515	5	
498.60	499.25	159516	5	
503.40	504.00	159517	5	
527.58	528.46	159518	5	
531.75	533.00	159519	5	
543.20	544.00	159521	5	
544.00	545.00	159522	5	
545.00	545.70	159523	5	
547.40	548.50	159524	5	
548.50	549.50	159525	5	
549.50	550.50	159526	5	
550.50	551.50	159527	5	
551.50	552.50	159528	5	
552.50	553.50	159529	5	
556.75	558.00	159530	5	
559.15	559.40	159531	5	
561.00	562.00	159532	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
578.00	579.00	159533	5	
580.00	581.00	159534	5	

Canadian Continental Exploration Corp.


From	To	Sample number	Reference	Au (ppb)	...
543.20	544.00	159520	Oreas 206	2180	
580.00	581.00	159535	Coarse Silica	5	

Canadian Continental Exploration Corp.


Standard Oreas 206 and regular assays

Statistics: (N=1; Min.=2180; Max.=2180; Mean=2180; S=0)

Sample



Au (ppb) (Standard only)




Au (ppb) (Standard and regular assays)


Canadian Continental Exploration Corp.

Blanks and regular assays

Statistics: (N=1; Min.=5; Max.=5; Mean=5; S=0)



Au (ppb) (Blanks only)



Au (ppb) (Blanks and regular assays)

Canadian Continental Exploration Corp.

DDH:	ER16-02	Claims title:	4275773	Section:	
		Township:	Scholes	Level:	Surface
		Range:		Work place:	Eaglerock Lake
Contractor:	Summit Drilling	Lot:			
Author:	Joerg Kleinboeck	Start date:	10/2/2016	Description date:	10/14/2016
End date:	10/20/2016				
Collar					
System 1					
Azimuth:	210.00°	East	558890		
Dip:	-55.00°	North	5197232		
Length:	633.00	Elevation	402		
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
Ranger	50.00	213.00°	-55.10°	No	54860 nT
Ranger	150.00	214.40°	-54.70°	No	57380 nT
Ranger	250.00	219.30°	-54.90°	No	58570 nT
Ranger	350.00	229.10°	-54.70°	No	59490 nT
Ranger	450.00	248.20°	-54.00°	No	47340 nT
.....
Number of samples: 97					
Number of QAQC samples: 5					
Total sampled length: 96.22					
Description: Casing left in hole, capped.					
Core size: BQTK			Cemented: No		Stored: Yes

Canadian Continental Exploration Corp.

Type	Depth	Azimuth	Dip	Invalid	Description	...
Ranger	550.00	200.70°	-52.10°	No	71100 nT	

Canadian Continental Exploration Corp.

Description				Assay				
				From	To	Sample number	Length	Au (ppb)
0.00	232.00	GAB; f-mg; mass Gabbro; fine to medium grained; massive Casing driven to 0.5m. Grey fine to medium grained massive gabbro with minor sections of magnetite-bearing vari-textured gabbro and medium grained gabbronorite. generally non-magnetic, locally strongly magnetic within vari-textured sections. joints 3-5 per metre, orientated at 15, 30, 40, and 55 deg TCA. lower contact transitional but abrupt.						
0.00	232.00	py+cp+po00.1 Pyrite+Chalcopyrite+Pyrrhotite 0.1% trace disseminated and fracture controlled pyrite, pyrrhotite, and chalcopyrite. generally unmineralized.						
54.20	54.30	BC Broken Core heavily fractured. RQD=0%.						
79.75	81.75	BC Broken Core heavily fractured. RQD=0%						
83.90	85.10	BC Broken Core heavily fractured. RQD=0%						
108.60	109.20	BC Broken Core heavily fractured. RQD=0%						
112.60	112.70	BC Broken Core heavily fractured. RQD=0%.						
113.00	113.35	BC						

Canadian Continental Exploration Corp.

		Description		Assay			
		From	To	Sample number	Length	Au (ppb)	
114.55	114.75	Broken Core heavily fractured. BC					
156.40	156.80	Broken Core heavily fractured. BC					
224.35	224.80	Broken Core heavily fractured. BC					
232.00	239.00	SZ Shear Zone 55° light grey carbonatized sheared gabbro. bleached appearance.					
232.00	239.00	Ca Calcite weak to moderate calcite stringers and pervasive carbonate. stringers/veinlets generally orientated 55 to 80 deg TCA. minor chloritic gouge along fractures.					
232.00	232.30	BC Broken Core heavily fractured with minor hematite along fracture surfaces.					
237.20	237.25	BC Broken Core heavily fractured.					
239.00	267.20	GAB; f-mg; mass Gabbro; fine to medium grained; massive as from 0 to 232.00m. lower contact broken.					
267.20	307.65	GWG_gwk; fg Greywacke; fine grained					

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
267.20	307.65	dark grey fine grained laminated to massive greywacke with lesser amounts of intercalated cream-coloured fine to medium grained sandstone. bedding varies between 48 to 60 deg TCA, typically 55 deg TCA. py+cp+po0.1 Pyrite+Chalcopyrite+Pyrrhotite 0.1% trace disseminated and fracture controlled pyrite, occasional remobilized pyrite, pyrrhotite, and chalcopyrite along within veinlets or along fractures.						
307.65	322.75	GWG_gwk; fg Greywacke; fine grained dark grey fine grained massive to finely laminated greywacke wtih 30% intercalated pink medium grained massive arkose. bedding gerenally at 50 deg TCA. lower contact gradational.						
315.80	316.00	BC Broken Core heavily fractured.						
322.75	330.85	GWG_ark; mg Arkose; medium grained pink fine to medium grained arkose. lower contact broken.						
322.75	330.85	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
330.85	426.33	GWG_cgl Conglomerate grey matrix supported conglomerate. clasts comprised dominantly of rounded pebble to boulders of pink, coarse grained granite, with lesser amounts of angular to sub-rounded clasts of metasediments and metavolcanics. lower contact sharp at 50 deg TCA.						
330.85	426.33	Py00.1 Pyrite 0.1% trace disseminated and euhedral pyrite. pyrite crystals < 1cm in size.						

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
364.50	365.60	trace fracture controlled pyrite. Ca Calcite calcite veining/fracture-fills within zone of heavily fractured core. veins range from 1-5 mm in thickness, partially re healing some of the fractures.						
364.50	365.60	BC Broken Core heavily fractured.						
390.90	391.10	BC Broken Core heavily fractured.						
393.80	394.50	BC Broken Core heavily fractured.						
395.20	395.70	FT Fault heavily fractured with choritic gouge.						
426.33	449.58	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic grey to green fine to medium grained and porphyritic mafic volcanic. non-magnetic. lower contact sharp @ 35 deg TCA.	448.00 449.50	449.50 450.50	159536 159537	1.50 1.00	5 9	
426.33	449.58	Qtz+Ca Quartz + Carbonate local irregular quartz+-calcite veins/stringers up to 5 cm in thickness. 436.80 - 437.40 m - 2 cm thick long-open curvy quartz vein orientated between 0-5 deg TCA. 442.18 - 442.25 m - quartz vein @ 40 deg TCA. 443.08 - 443.15 m - quartz vein @ 40 deg TCA. 448.00 - 448.08 m - quartz vein @ 25 deg TCA.						
426.33	449.58	py+cp+po00.1 Pyrite+Chalcopyrite+Pyrrhotite 0.1% trace disseminated and fracture controlled pyrite, pyrrhotite, and chalcopyrite. locally up to 0.5% remobilized						

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
449.58	468.78	py+cp associated with irregular quartz+/-calcite veins/stringers. BIF Banded Iron Formation grey and red finely laminated iron formation with 30% intercalated green fine grained metasediments (greywacke and mudstones) and grey to green fine to medium grained massive to porphyritic mafic volcanics. bedding variable due to soft sediment deformation and micro-folding & faulting within the iron formation, generally between 25 to 30 deg TCA. lower contact sharp @ 30 deg TCA.			450.50	451.50	159538	1.00	8
449.58	468.78	Qtz+Ca Quartz + Carbonate weak quartz+carbonate veining, typically <2mm in thickness, and cross-cutting laminae.							
449.58	468.78	Py00.25 Pyrite 0.25% trace disseminated pyrite along bedding planes and within quartz+carbonate veinlets.							
451.50	460.00	BC Broken Core moderately fractured			451.50	452.50	159539	1.00	5
					452.50	453.50	159540	1.00	5
					453.50	454.50	159541	1.00	8
					454.50	455.50	159542	1.00	9
					455.50	456.50	159543	1.00	23
					456.50	457.50	159544	1.00	11
					457.50	458.50	159545	1.00	5
					458.50	459.50	159546	1.00	5
					459.50	460.50	159547	1.00	5
					460.50	461.50	159548	1.00	5
					461.50	462.50	159549	1.00	28
					462.50	463.50	159551	1.00	5
					462.50	463.50	159550 (Std)	1.00	5380
					463.50	464.50	159552	1.00	7
					464.50	465.50	159553	1.00	5
					465.50	466.50	159554	1.00	11
					466.50	467.50	159555	1.00	5

Canadian Continental Exploration Corp.

			Description	Assay				
				From	To	Sample number	Length	Au (ppb)
468.78	534.50	MV; f-mg; POR Mafic Volcanic; fine to medium grained; Porphyritic as from 426.33 to 449.58m. lower contact sharp/irregular, ~ 50 deg TCA.		467.50	468.50	159556	1.00	5
				468.50	469.50	159557	1.00	5
534.50	615.99	BIF Banded Iron Formation as from 449.58-468.78m. sections of fractured core generally cross-cut quartz+carbonate veinlets. lower contact sharp at 85 deg TCA.		533.50	534.50	159558	1.00	5
				534.50	535.34	159559	0.84	41
534.50	615.99	Qtz+Ca Quartz + Carbonate weak quartz+carbonate veining throughout, generally <2mm in width. local moderate to strong sections of quartz veining and flooding: ie) 574.90-575.10m - irregular quartz vein. 592.00-595.00m - irregular quartz veins 1mm-12mm in thickness.		535.34	535.54	159560	0.20	62
				535.54	536.50	159561	0.96	5
534.50	615.99			536.50	538.00	159562	1.50	5
				538.00	539.00	159563	1.00	10
534.50	615.99			539.00	540.00	159564	1.00	5
				540.00	541.00	159565	1.00	5
534.50	615.99			541.00	541.98	159566	0.98	5
				541.98	542.31	159567	0.33	5
534.50	615.99			542.31	547.00	159568	1.00	5
				546.00	547.00	159568	1.00	5
534.50	615.99			547.00	548.00	159569	1.00	5
				547.00	548.00	159570 (Bln)	1.00	5
534.50	615.99			548.00	549.00	159571	1.00	5
				549.00	550.00	159572	1.00	5
534.50	615.99			550.00	551.00	159573	1.00	5
				551.00	552.00	159574	1.00	5
534.50	615.99			552.00	553.06	159575	1.06	5
				555.25	556.10	159592	0.85	5
534.50	615.99			556.10	559.00	159576	1.00	5
				559.00	560.00	159577	1.00	5
534.50	615.99			560.00	561.00	159577	1.00	5
				561.00	562.00	159578	1.00	6
534.50	615.99			562.00	563.00	159579	1.00	6
				563.00	564.00	159580	1.00	5
534.50	615.99			564.00	565.00	159581	1.00	5

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
579.05	579.20	BC Broken Core heavily fractured	565.00	566.00	159582	1.00	5
			566.00	567.00	159583	1.00	5
			567.00	568.00	159584	1.00	44
			568.00	569.00	159585	1.00	5
			569.00	570.00	159586	1.00	5
			570.00	571.00	159587	1.00	5
			571.00	572.00	159588	1.00	5
			572.00	573.00	159589	1.00	5
			572.00	573.00	159590 (Std)	1.00	2140
			573.00	574.00	159591	1.00	5
			574.00	574.90	159593	0.90	5
			574.90	575.10	159594	0.20	5
			575.10	576.00	159595	0.90	5
			576.00	577.00	159596	1.00	5
			577.00	578.00	159597	1.00	5
			578.00	579.00	159598	1.00	5
			579.00	580.00	159599	1.00	5
579.60	579.82	BC Broken Core heavily fractured	580.00	581.00	159600	1.00	5
581.00	581.10	BC Broken Core heavily fractured	581.00	582.00	159601	1.00	5
			582.00	583.00	159602	1.00	5
			583.00	584.00	159603	1.00	5
			584.00	585.00	159604	1.00	5
			585.00	586.00	159605	1.00	5
			586.00	587.00	159606	1.00	5
			587.00	588.00	159607	1.00	5

Canadian Continental Exploration Corp.

Description			Assay					
			From	To	Sample number	Length	Au (ppb)	
591.20	591.30	BC		588.00	589.00	159608	1.00	5
		Broken Core		589.00	590.00	159609	1.00	5
		heavily fractured		589.00	590.00	159610 (Bln)	1.00	5
		FT		590.00	591.00	159611	1.00	5
		Fault		591.00	592.00	159612	1.00	5
591.70	591.85	broken core - water seam.		592.00	593.00	159613	1.00	5
		20 cm of ground core.		593.00	594.00	159614	1.00	5
		BC		594.00	595.00	159615	1.00	5
594.82	595.10	BC		595.00	596.00	159616	1.00	5
		Broken Core		596.00	597.00	159617	1.00	7
		broken core - heavily fractured.		597.00	598.00	159618	1.00	7
				598.00	599.00	159619	1.00	5
				599.00	600.00	159620	1.00	5
601.00	601.15	BC		600.00	601.00	159621	1.00	5
		Broken Core		601.00	602.00	159622	1.00	5
		heavily fractured		602.00	603.00	159623	1.00	5
				603.00	604.00	159624	1.00	9
604.11	604.60	BC		604.00	605.00	159625	1.00	5
		Broken Core		605.00	606.00	159626	1.00	14
		heavily fractured ("discing")		606.00	607.00	159627	1.00	5
				607.00	608.00	159628	1.00	5
				608.00	609.00	159629	1.00	5
				608.00	609.00	159630 (Std)	1.00	5530
				609.00	610.00	159631	1.00	5
				610.00	612.08	159632	2.08	5
				612.08	613.00	159633	0.92	5

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
615.99	633.00	MV Mafic Volcanic grey to green medium grained massive to porphyritic mafic volcanic. non-magnetic.			613.00	614.00	159634	1.00	5
					614.00	615.00	159635	1.00	5
					615.00	616.00	159636	1.00	5
					616.00	617.00	159637	1.00	5
615.99	633.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite. generally unmineralized.							

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
0.00	1.00	6.038				
1.00	2.00	6.509				
2.00	3.00	6.357				
3.00	4.00	6.268				
4.00	5.00	0.579				
5.00	6.00	1.235				
6.00	7.00	3.367				
7.00	8.00	2.29				
8.00	9.00	6.839				
9.00	10.00	6.027				
10.00	11.00	2.018				
11.00	12.00	7.959				
12.00	13.00	0.923				
13.00	14.00	1.676				
14.00	15.00	4.415				
15.00	16.00	6.504				
16.00	17.00	6.679				
17.00	18.00	7.221				
18.00	19.00	5.968				
19.00	20.00	1.543				
20.00	21.00	8.546				
21.00	22.00	6.872				
22.00	23.00	7.501				
23.00	24.00	6.091				
24.00	25.00	6.185				
25.00	26.00	6.355				
26.00	27.00	5.302				
27.00	28.00	1.463				
28.00	29.00	3.439				
29.00	30.00	5.567				
30.00	31.00	5.159				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
31.00	32.00	6.382				
32.00	33.00	6.23				
33.00	34.00	3.583				
34.00	35.00	4.138				
35.00	36.00	8.338				
36.00	37.00	6.646				
37.00	38.00	5.405				
38.00	39.00	3.083				
39.00	40.00	5.303				
40.00	41.00	4.898				
41.00	42.00	4.721				
42.00	43.00	5.08				
43.00	44.00	2.187				
44.00	45.00	5.427				
45.00	46.00	6.18				
46.00	47.00	2.089				
47.00	48.00	1.217				
48.00	49.00	7.329				
49.00	50.00	8.183				
50.00	51.00	4.115				
51.00	52.00	5.072				
52.00	53.00	4.311				
53.00	54.00	5.683				
54.00	55.00	4.926				
55.00	56.00	5.33				
56.00	57.00	5.003				
57.00	58.00	5.221				
58.00	59.00	5.709				
59.00	60.00	6.033				
60.00	61.00	4.338				
61.00	62.00	1.389				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
62.00	63.00	4.816				
63.00	64.00	0.925				
64.00	65.00	4.299				
65.00	66.00	4.502				
66.00	67.00	3.226				
67.00	68.00	5.214				
68.00	69.00	5.761				
69.00	70.00	4.494				
70.00	71.00	5.784				
71.00	72.00	7.634				
72.00	73.00	6.543				
73.00	74.00	6.528				
74.00	75.00	2.571				
75.00	76.00	1.34				
76.00	77.00	4.39				
77.00	78.00	4.477				
78.00	79.00	2.543				
79.00	80.00	2.385				
80.00	81.00	0.649				
81.00	82.00	0.233				
82.00	83.00	1.363				
83.00	84.00	1.297				
84.00	85.00	5.271				
85.00	86.00	5.794				
86.00	87.00	5.734				
87.00	88.00	4.693				
88.00	89.00	4.677				
89.00	90.00	2.212				
90.00	91.00	4.152				
91.00	92.00	3.716				
92.00	93.00	4.105				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
93.00	94.00	3.286				
94.00	95.00	2.058				
95.00	96.00	5.958				
96.00	97.00	2.911				
97.00	98.00	4.401				
98.00	99.00	6.179				
99.00	100.00	5.371				
100.00	101.00	5.514				
101.00	102.00	2.537				
102.00	103.00	1.041				
103.00	104.00	4.786				
104.00	105.00	4.945				
105.00	106.00	5.167				
106.00	107.00	5366				
107.00	108.00	4.662				
108.00	109.00	0.415				
109.00	110.00	0.515				
110.00	111.00	3.127				
111.00	112.00	0.328				
112.00	113.00	0.449				
113.00	114.00	1.495				
114.00	115.00	0.602				
115.00	116.00	0.404				
116.00	117.00	3.669				
117.00	118.00	1.584				
118.00	119.00	1.959				
119.00	120.00	1.324				
120.00	121.00	0.464				
121.00	122.00	1.888				
122.00	123.00	0.376				
123.00	124.00	1.884				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
124.00	125.00	4.027				
125.00	126.00	3.447				
126.00	127.00	0.855				
127.00	128.00	9.064				
128.00	129.00	1.419				
129.00	130.00	1.003				
130.00	131.00	1.547				
131.00	132.00	5.167				
132.00	133.00	3.197				
133.00	134.00	3.326				
134.00	135.00	7.044				
135.00	136.00	6.194				
136.00	137.00	7.018				
137.00	138.00	6.684				
138.00	139.00	7.411				
139.00	140.00	5.941				
140.00	141.00	8.834				
141.00	142.00	7.102				
142.00	143.00	10.93				
143.00	144.00	5.65				
144.00	145.00	6.243				
145.00	146.00	7.988				
146.00	147.00	5.935				
147.00	148.00	5.939				
148.00	149.00	4.782				
149.00	150.00	6.09				
150.00	151.00	4.914				
151.00	152.00	0.471				
152.00	153.00	1.191				
153.00	154.00	2.084				
154.00	155.00	4.637				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
155.00	156.00	4.982				
156.00	157.00	0.873				
157.00	158.00	2.653				
158.00	159.00	4.029				
159.00	160.00	1.387				
160.00	161.00	7.487				
161.00	162.00	2.855				
162.00	163.00	7.796				
163.00	164.00	7.23				
164.00	165.00	1.032				
165.00	166.00	4.21				
166.00	167.00	9.119				
167.00	168.00	8.114				
168.00	169.00	1.753				
169.00	170.00	7.15				
170.00	171.00	4.359				
171.00	172.00	5.881				
172.00	173.00	7.925				
173.00	174.00	5.979				
174.00	175.00	8.348				
175.00	176.00	2.638				
176.00	177.00	4.52				
177.00	178.00	6.309				
178.00	179.00	0.638				
179.00	180.00	5.58				
180.00	181.00	2.822				
181.00	182.00	3.465				
182.00	183.00	5.769				
183.00	184.00	6.14				
184.00	185.00	4.47				
185.00	186.00	4.254				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
186.00	187.00	3.73				
187.00	188.00	5.114				
188.00	189.00	4.557				
189.00	190.00	2.974				
190.00	191.00	1.92				
191.00	192.00	4.523				
192.00	193.00	3.581				
193.00	194.00	3.866				
194.00	195.00	3.455				
195.00	196.00	1.828				
196.00	197.00	1.997				
197.00	198.00	0.849				
198.00	199.00	0.269				
199.00	200.00	0.623				
200.00	201.00	0.363				
201.00	202.00	0.678				
202.00	203.00	0.892				
203.00	204.00	0.3				
204.00	205.00	0.398				
205.00	206.00	0.671				
206.00	207.00	0.344				
207.00	208.00	0.715				
208.00	209.00	0.494				
209.00	210.00	0.7				
210.00	211.00	0.872				
211.00	212.00	0.692				
212.00	213.00	0.267				
213.00	214.00	1.09				
214.00	215.00	0.58				
215.00	216.00	0.298				
216.00	217.00	0.244				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
217.00	218.00	0.271				
218.00	219.00	0.281				
219.00	220.00	0.254				
220.00	221.00	0.242				
221.00	222.00	0.248				
222.00	223.00	0.238				
223.00	224.00	0.291				
224.00	225.00	0.237				
225.00	226.00	0.279				
226.00	227.00	0.235				
227.00	228.00	0.273				
228.00	229.00	0.209				
229.00	230.00	0.218				
230.00	231.00	0.28				
231.00	232.00	0.265				
232.00	233.00	0.279				
233.00	234.00	0.28				
234.00	235.00	0.218				
235.00	236.00	0.162				
236.00	237.00	0.261				
237.00	238.00	0.22				
238.00	239.00	0.325				
239.00	240.00	0.303				
240.00	241.00	0.27				
241.00	242.00	0.282				
242.00	243.00	0.193				
243.00	244.00	0.335				
244.00	245.00	0.306				
245.00	246.00	0.29				
246.00	247.00	0.285				
247.00	248.00	0.319				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
248.00	249.00	0.243				
249.00	250.00	0.321				
250.00	251.00	0.289				
251.00	252.00	0.222				
252.00	253.00	0.266				
253.00	254.00	0.245				
254.00	255.00	0.024				
255.00	256.00	0.218				
256.00	257.00	0.296				
257.00	258.00	0.398				
258.00	259.00	0.288				
259.00	260.00	0.334				
260.00	261.00	0.345				
261.00	262.00	0.314				
262.00	263.00	0.428				
263.00	264.00	0.302				
264.00	265.00	0.215				
265.00	266.00	0.136				
266.00	267.00	0.404				
267.00	268.00	0.324				
268.00	269.00	0.182				
269.00	270.00	0.146				
270.00	271.00	0.165				
271.00	272.00	0.206				
272.00	273.00	1.189				
273.00	274.00	0.135				
274.00	275.00	0.194				
275.00	276.00	0.135				
276.00	277.00	0.147				
277.00	278.00	0.145				
278.00	279.00	0.131				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
279.00	280.00	0.197				
280.00	281.00	0.17				
281.00	282.00	0.146				
282.00	283.00	0.224				
283.00	284.00	0.201				
284.00	285.00	0.191				
285.00	286.00	0.171				
286.00	287.00	0.202				
287.00	288.00	0.196				
288.00	289.00	0.139				
289.00	290.00	0.167				
290.00	291.00	8.77				
291.00	292.00	0.163				
292.00	293.00	0.229				
293.00	294.00	0.022				
294.00	295.00	0.168				
295.00	296.00	0.162				
296.00	297.00	0.386				
297.00	298.00	0.131				
298.00	299.00	0.209				
299.00	300.00	0.198				
300.00	301.00	0.163				
301.00	302.00	0.209				
302.00	303.00	0.248				
303.00	304.00	0.153				
304.00	305.00	0.265				
305.00	306.00	0.182				
306.00	307.00	0.144				
307.00	308.00	0.257				
308.00	309.00	0.175				
309.00	310.00	0.214				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
310.00	311.00	0.137				
311.00	312.00	0.223				
312.00	313.00	1.529				
313.00	314.00	3.954				
314.00	315.00	2.13				
315.00	316.00	0.332				
316.00	317.00	0.263				
317.00	318.00	0.134				
318.00	319.00	0.134				
319.00	320.00	0.151				
320.00	321.00	0.216				
321.00	322.00	2.713				
322.00	323.00	0.398				
323.00	324.00	2.821				
324.00	325.00	2.74				
325.00	326.00	0.712				
326.00	327.00	3.423				
327.00	328.00	2.071				
328.00	329.00	1.491				
329.00	330.00	1.667				
330.00	331.00	0.197				
331.00	332.00	0.221				
332.00	333.00	0.201				
333.00	334.00	0.13				
334.00	335.00	0.177				
335.00	336.00	0.171				
336.00	337.00	0.129				
337.00	338.00	0.162				
338.00	339.00	0.155				
339.00	340.00	0.166				
340.00	341.00	0.239				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
341.00	342.00	0.209				
342.00	343.00	0.212				
343.00	344.00	0.198				
344.00	345.00	0.246				
345.00	346.00	0.354				
346.00	347.00	0.219				
347.00	348.00	0.209				
348.00	349.00	0.137				
349.00	350.00	0.147				
350.00	351.00	0.186				
351.00	352.00	0.162				
352.00	353.00	0.151				
353.00	354.00	0.221				
354.00	355.00	0.191				
355.00	356.00	0.124				
356.00	357.00	0.145				
357.00	358.00	0.168				
358.00	359.00	0.157				
359.00	360.00	0.216				
360.00	361.00	0.33				
361.00	362.00	0.212				
362.00	363.00	0.195				
363.00	364.00	0.208				
364.00	365.00	0.186				
365.00	366.00	0.255				
366.00	367.00	0.143				
367.00	368.00	0.199				
368.00	369.00	0.164				
369.00	370.00	0.211				
370.00	371.00	0.227				
371.00	372.00	0.171				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
372.00	373.00	0.116				
373.00	374.00	0.17				
374.00	375.00	0.215				
375.00	376.00	0.192				
376.00	377.00	0.157				
377.00	378.00	0.197				
378.00	379.00	0.172				
379.00	380.00	0.15				
380.00	381.00	0.196				
381.00	382.00	0.136				
382.00	383.00	0.242				
383.00	384.00	0.183				
384.00	385.00	0.184				
385.00	386.00	0.181				
386.00	387.00	0.275				
387.00	388.00	0.198				
388.00	389.00	0.209				
389.00	390.00	0.384				
390.00	391.00	0.343				
391.00	392.00	0.211				
392.00	393.00	0.311				
393.00	394.00	0.185				
394.00	395.00	0.182				
395.00	396.00	0.157				
396.00	397.00	0.266				
397.00	398.00	0.221				
398.00	399.00	0.259				
399.00	400.00	0.223				
400.00	401.00	0.252				
401.00	402.00	0.25				
402.00	403.00	0.21				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
403.00	404.00	0.239				
404.00	405.00	0.256				
405.00	406.00	0.254				
406.00	407.00	0.21				
407.00	408.00	0.187				
408.00	409.00	0.409				
409.00	410.00	0.162				
410.00	411.00	0.23				
411.00	412.00	0.215				
412.00	413.00	0.169				
413.00	414.00	0.17				
414.00	415.00	0.201				
415.00	416.00	0.158				
416.00	417.00	0.192				
417.00	418.00	0.242				
418.00	419.00	0.197				
419.00	420.00	0.169				
420.00	421.00	0.181				
421.00	422.00	0.219				
422.00	423.00	0.23				
423.00	424.00	0.175				
424.00	425.00	0.209				
425.00	426.00	0.215				
426.00	427.00	0.243				
427.00	428.00	0.255				
428.00	429.00	0.391				
429.00	430.00	0.305				
430.00	431.00	0.273				
431.00	432.00	0.263				
432.00	433.00	0.318				
433.00	434.00	0.339				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
434.00	435.00	0.28				
435.00	436.00	0.328				
436.00	437.00	0.321				
437.00	438.00	0.313				
438.00	439.00	0.311				
439.00	440.00	0.334				
440.00	441.00	0.678				
441.00	442.00	0.251				
442.00	443.00	0.128				
443.00	444.00	0.367				
444.00	445.00	0.358				
445.00	446.00	0.197				
446.00	447.00	0.381				
447.00	448.00	0.578				
448.00	449.00	15.34				
449.00	450.00	228.7				
450.00	451.00	418.8				
451.00	452.00	321.9				
452.00	453.00	371.7				
453.00	454.00	190.9				
454.00	455.00	311.7				
455.00	456.00	473.9				
456.00	457.00	436.7				
457.00	458.00	525.7				
458.00	459.00	269				
459.00	460.00	104.2				
460.00	461.00	457.4				
461.00	462.00	427.6				
462.00	463.00	111.2				
463.00	464.00	338.5				
464.00	465.00	456.3				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
465.00	466.00	180				
466.00	467.00	375.4				
467.00	468.00	86.29				
468.00	469.00	0.407				
469.00	470.00	0.391				
470.00	471.00	0.337				
471.00	472.00	0.333				
472.00	473.00	0.257				
473.00	474.00	0.289				
474.00	475.00	0.259				
475.00	476.00	0.481				
476.00	477.00	0.282				
477.00	478.00	0.233				
478.00	479.00	0.466				
479.00	480.00	0.072				
480.00	481.00	0.178				
481.00	482.00	0.284				
482.00	483.00	0.015				
483.00	484.00	0.192				
484.00	485.00	0.193				
485.00	486.00	0.269				
486.00	487.00	0.245				
487.00	488.00	0.236				
488.00	489.00	0.264				
489.00	490.00	0.265				
490.00	491.00	0.271				
491.00	492.00	0.305				
492.00	493.00	0.263				
493.00	494.00	0.302				
494.00	495.00	0.457				
495.00	496.00	0.46				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
496.00	497.00	0.284				
497.00	498.00	0.202				
498.00	499.00	0.268				
499.00	500.00	0.647				
500.00	501.00	0.25				
501.00	502.00	0.322				
502.00	503.00	0.503				
503.00	504.00	0.35				
504.00	505.00	0.294				
505.00	506.00	0.353				
506.00	507.00	0.245				
507.00	508.00	0.265				
508.00	509.00	0.244				
509.00	510.00	0.279				
510.00	511.00	0.241				
511.00	512.00	0.248				
512.00	513.00	0.257				
513.00	514.00	0.324				
514.00	515.00	0.27				
515.00	516.00	0.282				
516.00	517.00	0.3				
517.00	518.00	0.374				
518.00	519.00	0.441				
519.00	520.00	0.565				
520.00	521.00	0.488				
521.00	522.00	0.612				
522.00	523.00	0.329				
523.00	524.00	0.209				
524.00	525.00	0.307				
525.00	526.00	0.203				
526.00	527.00	0.196				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
527.00	528.00	0.327				
528.00	529.00	0.321				
529.00	530.00	0.403				
530.00	531.00	0.444				
531.00	532.00	0.623				
532.00	533.00	0.553				
533.00	534.00	2.323				
534.00	535.00	231.7				
535.00	536.00	362.4				
536.00	537.00	128.2				
537.00	538.00	102.3				
538.00	539.00	119.6				
539.00	540.00	163.3				
540.00	541.00	394.5				
541.00	542.00	216				
542.00	543.00	182.5				
543.00	544.00	215				
544.00	545.00	250.1				
545.00	546.00	64.16				
546.00	547.00	276.3				
547.00	548.00	268.1				
548.00	549.00	160.2				
549.00	550.00	245				
550.00	551.00	103.1				
551.00	552.00	374.9				
552.00	553.00	98.08				
553.00	554.00	35.5				
554.00	555.00	35.5				
555.00	556.00	42				
556.00	557.00	40.8				
557.00	558.00	40.6				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
558.00	559.00	24.1				
559.00	560.00	9.5				
560.00	561.00	16.8				
561.00	562.00	177.6				
562.00	563.00	1018				
563.00	564.00	728.7				
564.00	565.00	355				
565.00	566.00	1623				
566.00	567.00	414.1				
567.00	568.00	1409				
568.00	569.00	333.2				
569.00	570.00	187.4				
570.00	571.00	410.5				
571.00	572.00	694.9				
572.00	573.00	234.1				
573.00	574.00	815.7				
574.00	575.00	1630				
575.00	576.00	1392				
576.00	577.00	116				
577.00	578.00	853.3				
578.00	579.00	1069				
579.00	580.00	860				
580.00	581.00	1051				
581.00	582.00	1468				
582.00	583.00	1084				
583.00	584.00	1896				
584.00	585.00	175.2				
585.00	586.00	228.3				
586.00	587.00	1071				
587.00	588.00	2000				
588.00	589.00	403.1				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
589.00	590.00	18.98				
590.00	591.00	39.26				
591.00	592.00	786.2				
592.00	593.00	400.3				
593.00	594.00	341.4				
594.00	595.00	261.8				
595.00	596.00	1870				
596.00	597.00	1381				
597.00	598.00	2000				
598.00	599.00	1736				
599.00	600.00	1540				
600.00	601.00	1634				
601.00	602.00	1336				
602.00	603.00	1231				
603.00	604.00	1508				
604.00	605.00	1285				
605.00	606.00	802.9				
606.00	607.00	560				
607.00	608.00	1696				
608.00	609.00	655.7				
609.00	610.00	44.2				
610.00	611.00	41.4				
611.00	612.00	233.9				
612.00	613.00	383.7				
613.00	614.00	76.7				
614.00	615.00	630.3				
615.00	616.00	510.1				
616.00	617.00	20.3				
617.00	618.00	0.632				
618.00	619.00	0.541				
619.00	620.00	0.452				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
620.00	621.00	0.865				
621.00	622.00	0.414				
622.00	623.00	0.151				
623.00	624.00	0.533				
624.00	625.00	0.334				
625.00	626.00	0.183				
626.00	627.00	0.33				
627.00	628.00	0.434				
628.00	629.00	0.453				
629.00	630.00	0.128				
630.00	631.00	0.333				
631.00	632.00	0.12				
632.00	633.00	0.124				

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
448.00	449.50	159536	5	
449.50	450.50	159537	9	
450.50	451.50	159538	8	
451.50	452.50	159539	5	
452.50	453.50	159540	5	
453.50	454.50	159541	8	
454.50	455.50	159542	9	
455.50	456.50	159543	23	
456.50	457.50	159544	11	
457.50	458.50	159545	5	
458.50	459.50	159546	5	
459.50	460.50	159547	5	
460.50	461.50	159548	5	
461.50	462.50	159549	28	
462.50	463.50	159551	5	
463.50	464.50	159552	7	
464.50	465.50	159553	5	
465.50	466.50	159554	11	
466.50	467.50	159555	5	
467.50	468.50	159556	5	
468.50	469.50	159557	5	
533.50	534.50	159558	5	
534.50	535.34	159559	41	
535.34	535.54	159560	62	
535.54	536.50	159561	5	
536.50	538.00	159562	5	
538.00	539.00	159563	10	
539.00	540.00	159564	5	
540.00	541.00	159565	5	
541.00	541.98	159566	5	
541.98	542.31	159567	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
546.00	547.00	159568	5	
547.00	548.00	159569	5	
548.00	549.00	159571	5	
549.00	550.00	159572	5	
550.00	551.00	159573	5	
551.00	552.00	159574	5	
552.00	553.06	159575	5	
555.25	556.10	159592	5	
559.00	560.00	159576	5	
560.00	561.00	159577	5	
561.00	562.00	159578	6	
562.00	563.00	159579	6	
563.00	564.00	159580	5	
564.00	565.00	159581	5	
565.00	566.00	159582	5	
566.00	567.00	159583	5	
567.00	568.00	159584	44	
568.00	569.00	159585	5	
569.00	570.00	159586	5	
570.00	571.00	159587	5	
571.00	572.00	159588	5	
572.00	573.00	159589	5	
573.00	574.00	159591	5	
574.00	574.90	159593	5	
574.90	575.10	159594	5	
575.10	576.00	159595	5	
576.00	577.00	159596	5	
577.00	578.00	159597	5	
578.00	579.00	159598	5	
579.00	580.00	159599	5	
580.00	581.00	159600	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
581.00	582.00	159601	5	
582.00	583.00	159602	5	
583.00	584.00	159603	5	
584.00	585.00	159604	5	
585.00	586.00	159605	5	
586.00	587.00	159606	5	
587.00	588.00	159607	5	
588.00	589.00	159608	5	
589.00	590.00	159609	5	
590.00	591.00	159611	5	
591.00	592.00	159612	5	
592.00	593.00	159613	5	
593.00	594.00	159614	5	
594.00	595.00	159615	5	
595.00	596.00	159616	5	
596.00	597.00	159617	7	
597.00	598.00	159618	7	
598.00	599.00	159619	5	
599.00	600.00	159620	5	
600.00	601.00	159621	5	
601.00	602.00	159622	5	
602.00	603.00	159623	5	
603.00	604.00	159624	9	
604.00	605.00	159625	5	
605.00	606.00	159626	14	
606.00	607.00	159627	5	
607.00	608.00	159628	5	
608.00	609.00	159629	5	
609.00	610.00	159631	5	
610.00	612.08	159632	5	
612.08	613.00	159633	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
613.00	614.00	159634	5	
614.00	615.00	159635	5	
615.00	616.00	159636	5	
616.00	617.00	159637	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Reference	Au (ppb)	...
462.50	463.50	159550	Oreas 210	5380	
547.00	548.00	159570	Coarse Silica	5	
572.00	573.00	159590	Oreas 206	2140	
589.00	590.00	159610	Coarse Silica	5	
608.00	609.00	159630	Oreas 210	5530	

Canadian Continental Exploration Corp.

Standard Oreas 206 and regular assays


Statistics: (N=1; Min.=2140; Max.=2140; Mean=2140; S=0)

Sample

Measured mean

159590

Theoretical mean




Au (ppb) (Standard only)

Measured mean

Certificate

A16-11393Final Modified

Theoretical mean





Au (ppb) (Standard and regular assays)

Canadian Continental Exploration Corp.

Standard Oreas 210 and regular assays

Statistics: (N=2; Min.=5380; Max.=5530; Mean=5455; S=106.07)



Canadian Continental Exploration Corp.


Blanks and regular assays

Statistics: (N=2; Min.=5; Max.=5; Mean=5; S=0)


Sample

Measured mean

159610
Coarse Silica



Au (ppb) (Blanks only)



Certificate

A16-11393Final Modified

A16-11393Final Modified

Canadian Continental Exploration Corp.

DDH:	ER16-03	Claims title:	4275772	Section:	
		Township:	Scholes	Level:	Surface
		Range:		Work place:	Eaglerock Lake
Contractor:	Summit Drilling	Lot:			
Author:	Joerg Kleinboeck	Start date:	10/22/2016	Description date:	11/7/2016
End date:	11/4/2016				
Collar					
System 1					
Azimuth:	55.00°	East	557600		
Dip:	-50.00°	North	5196990		
Length:	625.00	Elevation	385		
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
Ranger	34.00	47.70°	-50.60°	No	59290 nT
Ranger	50.00	48.90°	-50.60°	No	59490 nT
Ranger	150.00	49.40°	-50.70°	No	60720 nT
Ranger	295.00	48.80°	-47.90°	No	60880 nT
Ranger	411.00	54.60°	-47.40°	No	62170 nT
.....
Number of samples: 7					
Number of QAQC samples: 2					
Total sampled length: 6.00					
Description: _____					
Core size: BQTK			Cemented: No		Stored: Yes

Canadian Continental Exploration Corp.

Type	Depth	Azimuth	Dip	Invalid	Description	...
Ranger	484.00	62.90°	-47.70°	No	60570 nT	
Ranger	600.00	58.20°	-47.80°	No	46160 nT	

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
0.00	1.85	OB Overburden Overburden. Casing driven to 3.00m. Left in hole and capped.					
1.85	21.85	NDIA; mg; mass Nipissing Diabase; medium grained; massive dark grey medium grained massive gabbro with local magnetite-bearing sections ie) 16.00-19.00 m - 2% interstitial magnetite. locally weakly to strongly magnetic. lower contact transitional.					
1.85	21.85	Py00.1 Pyrite 0.1% trace disseminated pyrite.					
21.85	25.00	NDIA; vt Nipissing Diabase; vari-textured grey medium to pegmatitic vari-textured gabbro. large "clotty" clinopyroxene crystals up to 3 cm in size. non-magnetic. lower contact transitional.					
21.85	25.00	Py00.1 Pyrite 0.1% trace disseminated pyrite. generally unmineralized.					
25.00	85.30	NDIA; mg; mass Nipissing Diabase; medium grained; massive dark grey medium grained massive gabbro with local minor magnetite-bearing sections. joints 3-5 per m, generally orientated 20,45, and 60 deg TCA. lower contact partially digested/brecciated (location approximate).					
35.15	41.50	Qtz+Ca Quartz + Carbonate moderate quartz+carbonate veining up to 1 cm in width, typically orientated @ 20 deg TCA.					
85.30	178.35	GWG_gwk Greywacke					

Canadian Continental Exploration Corp.

Description					Assay				
			From	To	Sample number	Length	Au (ppb)		
		Intercalated dark grey fine to medium grained massive to bedded greywacke and pink fine to medium grained arkose. bedding variable, generally 60-80 deg TCA. lower contact sharp @ 20 deg TCA.							
85.30	178.35	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled py.							
124.50	125.60	BC Broken Core heavily fractured, RQD=0%.							
137.70	138.20	BC Broken Core heavily fractured, RQD=0%.							
171.60	173.00	BC Broken Core heavily fractured, RQD=10%.							
177.70	178.15	BC Broken Core heavily fractured, RQD=0%.							
178.35	298.09	GWG_ark; f-mg Arkose; fine to medium grained pink fine to medium grained massive arkose with locally developed bedding. locally weakly magnetic. lower contact sharp @ 50 deg TCA.							
178.35	298.09	qtz Quartz weak quartz veining up to 1cm in thickness, orientated at various angles TCA.							
178.35	298.09	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite							
213.20	214.00	BC Broken Core							

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
222.95	223.00	BC Broken Core heavily fractured, RQD=0%							
223.60	224.00	BC Broken Core heavily fractured, RQD=0%							
229.20	231.85	BC Broken Core heavily fractured, RQD=0%							
270.70	272.80	BC Broken Core heavily fractured, RQD=0%							
298.09	332.65	GWG_cgl Conglomerate matrix supported conglomerate with minor intercalated siltstone. clasts are angular to rounded, comprised of 20% metasediments & metavolcanics, 80% granite. bedding generally orientated at 35 deg TCA. lower contact gradational but abrupt.							
298.09	332.65	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite, locally concentrated along margins of clasts.							
332.65	369.50	GWG_gwk; fg Greywacke; fine grained dark grey fine grained pebble-bearing greywacke. clasts, typically 1 cm in size or less, locally up to 4 cm in size, comprise 5% of interval, and are dominantly granitic in composition with lesser amounts of metavolcanics and metasediments. lower contact sharp @ 60 deg TCA.							
332.65	369.50	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
369.50	406.35	GWG_cgl							

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
406.35	499.80	Conglomerate as from 298.09 to 332.65m. lower contact transitional but abrupt. GWG_gwk; fg Greywacke; fine grained dark grey fine grained pebble-bearing greywacke with minor intercalated very fine grained siltsonte and fine to medium grained arkose. clasts, typically 1 cm in size or less, locally up to 4 cm in size, comprise 5% of interval, and are dominantly granitic in composition with lesser amounts of metavolcanics and metasediments. bedding within teh mudstone and arkose intervals dominatnly at 55 deg TCA. lower contact sharp @ 65 deg TCA.						
406.35	499.80	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
499.80	552.87	MV; f-mg; mass Mafic Volcanic; fine to medium grained; massive greyish-green fine to medium grained massive mafic volcanic. weakly magnetic. lower contact sharp at 25 deg TCA.	552.00	552.87	159638	0.87	6	
499.80	552.87	Qtz+Ca Quartz + Carbonate occasional quartz +/- carbonate veining, generally <1cm. local persasive epidote about quartz veins.						
499.80	552.87	Py00.1 Pyrite 0.1% trace disseminated to fracture controlled pyrite.						
552.87	555.80	BIF Banded Iron Formation brecciated iron formation and chert. bedding well developed in less brecciated sections at 25 deg TCA.	552.87	554.00	159639	1.13	8	
552.87	555.80	Qtz+Ca; Chl Quartz + Carbonate; Chlorite	554.00	555.00	159641	1.00	6	
			554.00	555.00	159640 (Bln)	1.00	5	
			555.00	556.00	159642	1.00	5	

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
552.87	555.80	irregular moderate carbonate, quartz, and chlorite veinlets Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
555.80	556.69	MV; f-mg; mass Mafic Volcanic; fine to medium grained; massive as from 499.80-552.87m.	556.00	556.69	159643	0.69	8		
556.69	557.12	BIF Banded Iron Formation as from 552.87 to 555.80m.	556.69	557.12	159644	0.43	6		
557.12	625.00	MV; f-mg; mass Mafic Volcanic; fine to medium grained; massive greyish-green fine to medium grained mafic volcanic (as from 499.80-552.87m).	557.12	558.00	159645	0.88	7		
			557.12	558.00	159646 (Std)	0.88	5480		

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
0.00	1.00	0.469				
1.00	2.00	0.681				
2.00	3.00	0.606				
3.00	4.00	0.801				
4.00	5.00	1.136				
5.00	6.00	1.836				
6.00	7.00	1.015				
7.00	8.00	0.899				
8.00	9.00	0.962				
9.00	10.00	0.964				
10.00	11.00	0.589				
11.00	12.00	0.897				
12.00	13.00	1.165				
13.00	14.00	0.591				
14.00	15.00	0.731				
15.00	16.00	0.896				
16.00	17.00	1.792				
17.00	18.00	0.562				
18.00	19.00	1.167				
19.00	20.00	0.208				
20.00	21.00	0.639				
21.00	22.00	0.168				
22.00	23.00	0.817				
23.00	24.00	0.779				
24.00	25.00	0.907				
25.00	26.00	1.186				
26.00	27.00	0.945				
27.00	28.00	0.734				
28.00	29.00	0.589				
29.00	30.00	0.915				
30.00	31.00	0.751				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
31.00	32.00	0.935				
32.00	33.00	0.728				
33.00	34.00	0.67				
34.00	35.00	0.906				
35.00	36.00	0.577				
36.00	37.00	0.462				
37.00	38.00	0.719				
38.00	39.00	0.278				
39.00	40.00	0.412				
40.00	41.00	0.811				
41.00	42.00	0.229				
42.00	43.00	0.816				
43.00	44.00	0.567				
44.00	45.00	1.101				
45.00	46.00	1.548				
46.00	47.00	0.36				
47.00	48.00	2.172				
48.00	49.00	0.964				
49.00	50.00	1.868				
50.00	51.00	1.886				
51.00	52.00	1.092				
52.00	53.00	1.286				
53.00	54.00	0.653				
54.00	55.00	0.679				
55.00	56.00	0.7				
56.00	57.00	0.673				
57.00	58.00	0.28				
58.00	59.00	0.665				
59.00	60.00	0.754				
60.00	61.00	0.584				
61.00	62.00	0.691				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
62.00	63.00	0.659				
63.00	64.00	0.622				
64.00	65.00	0.911				
65.00	66.00	0.699				
66.00	67.00	0.723				
67.00	68.00	1.468				
68.00	69.00	2.188				
69.00	70.00	2.223				
70.00	71.00	1.169				
71.00	72.00	1.834				
72.00	73.00	1.846				
73.00	74.00	12.34				
74.00	75.00	2.645				
75.00	76.00	0.896				
76.00	77.00	1.434				
77.00	78.00	0.132				
78.00	79.00	0.936				
79.00	80.00	0.98				
80.00	81.00	0.869				
81.00	82.00	0.906				
82.00	83.00	0.775				
83.00	84.00	0.878				
84.00	85.00	0.291				
85.00	86.00	0.699				
86.00	87.00	0.396				
87.00	88.00	0.348				
88.00	89.00	0.408				
89.00	90.00	0.363				
90.00	91.00	0.424				
91.00	92.00	0.474				
92.00	93.00	0.446				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
93.00	94.00	0.195				
94.00	95.00	0.311				
95.00	96.00	0.411				
96.00	97.00	0.46				
97.00	98.00	0.101				
98.00	99.00	0.335				
99.00	100.00	0.525				
100.00	101.00	0.066				
101.00	102.00	0.54				
102.00	103.00	0.822				
103.00	104.00	0.104				
104.00	105.00	0.427				
105.00	106.00	0.338				
106.00	107.00	0.37				
107.00	108.00	0.427				
108.00	109.00	0.429				
109.00	110.00	0.436				
110.00	111.00	0.369				
111.00	112.00	0.482				
112.00	113.00	0.408				
113.00	114.00	0.472				
114.00	115.00	0.397				
115.00	116.00	0.493				
116.00	117.00	0.295				
117.00	118.00	0.401				
118.00	119.00	0.482				
119.00	120.00	0.227				
120.00	121.00	0.408				
121.00	122.00	0.518				
122.00	123.00	0.524				
123.00	124.00	0.362				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
124.00	125.00	0.333				
125.00	126.00	0.29				
126.00	127.00	0.31				
127.00	128.00	0.46				
128.00	129.00	0.38				
129.00	130.00	0.104				
130.00	131.00	0.087				
131.00	132.00	0.209				
132.00	133.00	0.449				
133.00	134.00	0.335				
134.00	135.00	3.541				
135.00	136.00	4.698				
136.00	137.00	0.126				
137.00	138.00	0.117				
138.00	139.00	0.504				
139.00	140.00	0.352				
140.00	141.00	0.165				
141.00	142.00	0.536				
142.00	143.00	0.746				
143.00	144.00	0.282				
144.00	145.00	0.449				
145.00	146.00	0.326				
146.00	147.00	0.369				
147.00	148.00	0.445				
148.00	149.00	0.402				
149.00	150.00	0.482				
150.00	151.00	0.529				
151.00	152.00	1.071				
152.00	153.00	15.79				
153.00	154.00	0.327				
154.00	155.00	0.639				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
155.00	156.00	0.259				
156.00	157.00	0.422				
157.00	158.00	0.388				
158.00	159.00	0.461				
159.00	160.00	0.172				
160.00	161.00	0.57				
161.00	162.00	0.65				
162.00	163.00	1.025				
163.00	164.00	0.643				
164.00	165.00	0.555				
165.00	166.00	1.408				
166.00	167.00	0.532				
167.00	168.00	0.211				
168.00	169.00	0.813				
169.00	170.00	2.954				
170.00	171.00	7.701				
171.00	172.00	1.476				
172.00	173.00	0.488				
173.00	174.00	0.177				
174.00	175.00	0.505				
175.00	176.00	0.457				
176.00	177.00	0.635				
177.00	178.00	0.41				
178.00	179.00	3.796				
179.00	180.00	3.949				
180.00	181.00	8.144				
181.00	182.00	1.183				
182.00	183.00	8.844				
183.00	184.00	4.231				
184.00	185.00	3.732				
185.00	186.00	4.812				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
186.00	187.00	2.965				
187.00	188.00	1.333				
188.00	189.00	2.681				
189.00	190.00	0.508				
190.00	191.00	3.335				
191.00	192.00	4.377				
192.00	193.00	1.208				
193.00	194.00	1.043				
194.00	195.00	4.338				
195.00	196.00	3.914				
196.00	197.00	0.685				
197.00	198.00	0.611				
198.00	199.00	0.798				
199.00	200.00	2.573				
200.00	201.00	0.033				
201.00	202.00	0.053				
202.00	203.00	2.238				
203.00	204.00	2.315				
204.00	205.00	0.081				
205.00	206.00	0.586				
206.00	207.00	0.554				
207.00	208.00	0.861				
208.00	209.00	2.933				
209.00	210.00	2.219				
210.00	211.00	0.297				
211.00	212.00	0.086				
212.00	213.00	0.019				
213.00	214.00	3.235				
214.00	215.00	0.952				
215.00	216.00	0.658				
216.00	217.00	3.863				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
217.00	218.00	6.189				
218.00	219.00	5.96				
219.00	220.00	2.592				
220.00	221.00	2.896				
221.00	222.00	1.555				
222.00	223.00	5.657				
223.00	224.00	2.531				
224.00	225.00	3.572				
225.00	226.00	4.378				
226.00	227.00	6.068				
227.00	228.00	6.769				
228.00	229.00	7.936				
229.00	230.00	6.259				
230.00	231.00	4.396				
231.00	232.00	3.812				
232.00	233.00	7.432				
233.00	234.00	6.161				
234.00	235.00	7.102				
235.00	236.00	7.008				
236.00	237.00	6.434				
237.00	238.00	7.405				
238.00	239.00	6.927				
239.00	240.00	7.655				
240.00	241.00	8.546				
241.00	242.00	4.602				
242.00	243.00	3.588				
243.00	244.00	25.99				
244.00	245.00	5.078				
245.00	246.00	4.033				
246.00	247.00	5.803				
247.00	248.00	0.348				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
248.00	249.00	3.407				
249.00	250.00	13.04				
250.00	251.00	6.182				
251.00	252.00	9.486				
252.00	253.00	5.386				
253.00	254.00	10.36				
254.00	255.00	9.285				
255.00	256.00	4.9				
256.00	257.00	7.004				
257.00	258.00	8.804				
258.00	259.00	5.324				
259.00	260.00	4.94				
260.00	261.00	4.06				
261.00	262.00	7.795				
262.00	263.00	8.72				
263.00	264.00	7.966				
264.00	265.00	8.326				
265.00	266.00	9.716				
266.00	267.00	8.544				
267.00	268.00	6.907				
268.00	269.00	9.134				
269.00	270.00	8.688				
270.00	271.00	7.654				
271.00	272.00	8.178				
272.00	273.00	7.829				
273.00	274.00	5.854				
274.00	275.00	8.458				
275.00	276.00	9.074				
276.00	277.00	7.917				
277.00	278.00	8.295				
278.00	279.00	7.843				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
279.00	280.00	5.479				
280.00	281.00	6.65				
281.00	282.00	7.497				
282.00	283.00	5.254				
283.00	284.00	8.809				
284.00	285.00	7.73				
285.00	286.00	3.814				
286.00	287.00	7.95				
287.00	288.00	8.393				
288.00	289.00	7.135				
289.00	290.00	7.331				
290.00	291.00	7.12				
291.00	292.00	5.607				
292.00	293.00	7.255				
293.00	294.00	8.036				
294.00	295.00	7.353				
295.00	296.00	7.863				
296.00	297.00	0.586				
297.00	298.00	0.901				
298.00	299.00	0.798				
299.00	300.00	0.258				
300.00	301.00	0.149				
301.00	302.00	0.4				
302.00	303.00	0.399				
303.00	304.00	0.484				
304.00	305.00	0.406				
305.00	306.00	0.652				
306.00	307.00	0.342				
307.00	308.00	0.474				
308.00	309.00	0.53				
309.00	310.00	0.391				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
310.00	311.00	0.663				
311.00	312.00	0.628				
312.00	313.00	0.151				
313.00	314.00	0.564				
314.00	315.00	0.343				
315.00	316.00	0.316				
316.00	317.00	0.408				
317.00	318.00	0.425				
318.00	319.00	0.385				
319.00	320.00	0.497				
320.00	321.00	0.428				
321.00	322.00	0.339				
322.00	323.00	0.416				
323.00	324.00	0.386				
324.00	325.00	0.343				
325.00	326.00	0.316				
326.00	327.00	0.451				
327.00	328.00	0.332				
328.00	329.00	0.41				
329.00	330.00	0.567				
330.00	331.00	0.664				
331.00	332.00	0.452				
332.00	333.00	0.637				
333.00	334.00	0.513				
334.00	335.00	0.576				
335.00	336.00	0.58				
336.00	337.00	0.557				
337.00	338.00	0.681				
338.00	339.00	0.578				
339.00	340.00	0.598				
340.00	341.00	0.601				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
341.00	342.00	0.366				
342.00	343.00	0.491				
343.00	344.00	0.484				
344.00	345.00	0.462				
345.00	346.00	0.674				
346.00	347.00	0.096				
347.00	348.00	1.03				
348.00	349.00	0.44				
349.00	350.00	0.476				
350.00	351.00	0.585				
351.00	352.00	0.416				
352.00	353.00	0.583				
353.00	354.00	0.714				
354.00	355.00	0.572				
355.00	356.00	0.561				
356.00	357.00	0.444				
357.00	358.00	0.539				
358.00	359.00	0.514				
359.00	360.00	0.595				
360.00	361.00	0.445				
361.00	362.00	0.524				
362.00	363.00	0.696				
363.00	364.00	0.546				
364.00	365.00	0.569				
365.00	366.00	0.594				
366.00	367.00	0.518				
367.00	368.00	0.536				
368.00	369.00	0.544				
369.00	370.00	0.726				
370.00	371.00	0.469				
371.00	372.00	0.459				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
372.00	373.00	0.462				
373.00	374.00	0.478				
374.00	375.00	0.59				
375.00	376.00	0.376				
376.00	377.00	0.439				
377.00	378.00	0.517				
378.00	379.00	0.506				
379.00	380.00	0.38				
380.00	381.00	0.336				
381.00	382.00	0.385				
382.00	383.00	0.653				
383.00	384.00	0.144				
384.00	385.00	0.309				
385.00	386.00	0.611				
386.00	387.00	0.489				
387.00	388.00	0.109				
388.00	389.00	0.423				
389.00	390.00	0.402				
390.00	391.00	0.148				
391.00	392.00	0.152				
392.00	393.00	0.462				
393.00	394.00	0.479				
394.00	395.00	0.151				
395.00	396.00	0.316				
396.00	397.00	0.242				
397.00	398.00	0.359				
398.00	399.00	0.487				
399.00	400.00	0.517				
400.00	401.00	0.451				
401.00	402.00	0.537				
402.00	403.00	0.435				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
403.00	404.00	0.341				
404.00	405.00	0.109				
405.00	406.00	0.565				
406.00	407.00	0.391				
407.00	408.00	0.829				
408.00	409.00	0.178				
409.00	410.00	0.434				
410.00	411.00	0.14				
411.00	412.00	0.345				
412.00	413.00	0.556				
413.00	414.00	0.419				
414.00	415.00	1.085				
415.00	416.00	0.529				
416.00	417.00	0.616				
417.00	418.00	0.427				
418.00	419.00	0.504				
419.00	420.00	0.567				
420.00	421.00	0.121				
421.00	422.00	0.424				
422.00	423.00	0.514				
423.00	424.00	0.556				
424.00	425.00	0.468				
425.00	426.00	0.452				
426.00	427.00	0.403				
427.00	428.00	0.572				
428.00	429.00	0.287				
429.00	430.00	0.471				
430.00	431.00	0.509				
431.00	432.00	0.463				
432.00	433.00	0.767				
433.00	434.00	0.485				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
434.00	435.00	0.597				
435.00	436.00	0.382				
436.00	437.00	0.545				
437.00	438.00	0.46				
438.00	439.00	0.557				
439.00	440.00	0.419				
440.00	441.00	0.463				
441.00	442.00	0.401				
442.00	443.00	0.488				
443.00	444.00	0.491				
444.00	445.00	0.418				
445.00	446.00	0.56				
446.00	447.00	0.521				
447.00	448.00	0.461				
448.00	449.00	0.434				
449.00	450.00	0.511				
450.00	451.00	0.725				
451.00	452.00	0.567				
452.00	453.00	0.595				
453.00	454.00	0.558				
454.00	455.00	0.568				
455.00	456.00	0.887				
456.00	457.00	0.505				
457.00	458.00	0.349				
458.00	459.00	0.457				
459.00	460.00	0.479				
460.00	461.00	0.511				
461.00	462.00	0.534				
462.00	463.00	0.498				
463.00	464.00	0.55				
464.00	465.00	0.512				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
465.00	466.00	0.535				
466.00	467.00	0.524				
467.00	468.00	0.565				
468.00	469.00	0.37				
469.00	470.00	0.458				
470.00	471.00	0.502				
471.00	472.00	0.452				
472.00	473.00	0.528				
473.00	474.00	1.044				
474.00	475.00	0.087				
475.00	476.00	0.431				
476.00	477.00	0.175				
477.00	478.00	0.407				
478.00	479.00	6.153				
479.00	480.00	0.166				
480.00	481.00	0.615				
481.00	482.00	0.128				
482.00	483.00	0.081				
483.00	484.00	0.461				
484.00	485.00	0.112				
485.00	486.00	0.452				
486.00	487.00	1.104				
487.00	488.00	0.283				
488.00	489.00	0.25				
489.00	490.00	0.549				
490.00	491.00	0.596				
491.00	492.00	0.253				
492.00	493.00	0.251				
493.00	494.00	0.675				
494.00	495.00	0.368				
495.00	496.00	0.13				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
496.00	497.00	1.719				
497.00	498.00	0.032				
498.00	499.00	3.994				
499.00	500.00	17.99				
500.00	501.00	5.448				
501.00	502.00	6.045				
502.00	503.00	38.15				
503.00	504.00	34.44				
504.00	505.00	11.81				
505.00	506.00	28.55				
506.00	507.00	28.58				
507.00	508.00	12.58				
508.00	509.00	34.38				
509.00	510.00	17.95				
510.00	511.00	22.05				
511.00	512.00	38.33				
512.00	513.00	26.64				
513.00	514.00	36.72				
514.00	515.00	31.9				
515.00	516.00	17.62				
516.00	517.00	20.41				
517.00	518.00	42.66				
518.00	519.00	44.88				
519.00	520.00	14.59				
520.00	521.00	23.1				
521.00	522.00	18.77				
522.00	523.00	49.81				
523.00	524.00	15.03				
524.00	525.00	16.05				
525.00	526.00	27.51				
526.00	527.00	41.34				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
527.00	528.00	10.78				
528.00	529.00	43.76				
529.00	530.00	11.51				
530.00	531.00	2.388				
531.00	532.00	7.737				
532.00	533.00	32.34				
533.00	534.00	8.512				
534.00	535.00	8.662				
535.00	536.00	8.972				
536.00	537.00	1.616				
537.00	538.00	5.825				
538.00	539.00	5.44				
539.00	540.00	3.962				
540.00	541.00	29.66				
541.00	542.00	20.85				
542.00	543.00	26.87				
543.00	544.00	42.29				
544.00	545.00	46.48				
545.00	546.00	90.31				
546.00	547.00	85.4				
547.00	548.00	109.6				
548.00	549.00	162.4				
549.00	550.00	159.8				
550.00	551.00	21.01				
551.00	552.00	21.66				
552.00	553.00	1.359				
553.00	554.00	791.1				
554.00	555.00	661.9				
555.00	556.00	97.99				
556.00	557.00	94.11				
557.00	558.00	26.14				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
558.00	559.00	50.55				
559.00	560.00	45.3				
560.00	561.00	125.3				
561.00	562.00	120.6				
562.00	563.00	42.42				
563.00	564.00	121.3				
564.00	565.00	38.48				
565.00	566.00	48.95				
566.00	567.00	51.48				
567.00	568.00	45.21				
568.00	569.00	128.3				
569.00	570.00	52.29				
570.00	571.00	129.6				
571.00	572.00	111.1				
572.00	573.00	141.3				
573.00	574.00	102				
574.00	575.00	134				
575.00	576.00	42.97				
576.00	577.00	51.37				
577.00	578.00	44.84				
578.00	579.00	100				
579.00	580.00	43.93				
580.00	581.00	37.77				
581.00	582.00	99.97				
582.00	583.00	90.49				
583.00	584.00	46.37				
584.00	585.00	7.445				
585.00	586.00	91.91				
586.00	587.00	44.26				
587.00	588.00	93.18				
588.00	589.00	75.25				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
589.00	590.00	26.99				
590.00	591.00	35.98				
591.00	592.00	81.51				
592.00	593.00	43.33				
593.00	594.00	21.51				
594.00	595.00	40.87				
595.00	596.00	126.5				
596.00	597.00	26.97				
597.00	598.00	64.79				
598.00	599.00	43.69				
599.00	600.00	33.46				
600.00	601.00	26.06				
601.00	602.00	27.55				
602.00	603.00	18.29				
603.00	604.00	27.59				
604.00	605.00	62.41				
605.00	606.00	15.2				
606.00	607.00	66.97				
607.00	608.00	9.024				
608.00	609.00	10.93				
609.00	610.00	31.84				
610.00	611.00	7.437				
611.00	612.00	10.31				
612.00	613.00	4.414				
613.00	614.00	26.02				
614.00	615.00	27.36				
615.00	616.00	41.55				
616.00	617.00	18.15				
617.00	618.00	20.61				
618.00	619.00	4.264				
619.00	620.00	5.736				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
620.00	621.00	12.83				
621.00	622.00	6.494				
622.00	623.00	3.018				
623.00	624.00	10.24				
624.00	625.00	12.61				

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
552.00	552.87	159638	6	
552.87	554.00	159639	8	
554.00	555.00	159641	6	
555.00	556.00	159642	5	
556.00	556.69	159643	8	
556.69	557.12	159644	6	
557.12	558.00	159645	7	

Canadian Continental Exploration Corp.


From	To	Sample number	Reference	Au (ppb)	...
554.00	555.00	159640	Coarse Silica	5	
557.12	558.00	159646	Oreas 210	5480	

Canadian Continental Exploration Corp.


Standard Oreas 210 and regular assays

Statistics: (N=1; Min.=5480; Max.=5480; Mean=5480; S=0)

Sample



Au (ppb) (Standard only)



Au (ppb) (Standard and regular assays)


Canadian Continental Exploration Corp.

Blanks and regular assays

Statistics: (N=1; Min.=5; Max.=5; Mean=5; S=0)

Sample

Measured mean




Au (ppb) (Blanks only)

109540
Coarse Silica

Certificate

A16-12578Final Modified

Measured mean



Au (ppb) (Blanks and regular assays)

Canadian Continental Exploration Corp.

DDH:	ER16-04	Claims title:	4275773	Section:	
		Township:	Scholes	Level:	Surface
		Range:		Work place:	Eaglerock Lake
Contractor:	Summit Drilling	Lot:			
Author:	Joerg Kleinboeck	Start date:	11/6/2016	Description date:	11/29/2016
End date:	11/25/2016				
Collar					
System 1					
Azimuth:	35.00°	East	558315		
Dip:	-60.00°	North	5196800		
Length:	691.40	Elevation	350		
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
Ranger	150.00	34.20°	-61.00°	No	61000 nT
Number of samples:	195				
Number of QAQC samples:	10				
Total sampled length:	194.05				
Description:					
Core size:	BQTK	Cemented:	No	Stored:	Yes

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
0.00	0.10	OB Overburden casing driven to 1.5m, left in hole.							
0.10	196.95	NDIA Nipissing Diabase dark grey fine to medium grained massive gabbro with local magnetite-bearing sections. magnetite-bearing sections typically coarser grained than non-magnetite bearing sections. lower contact sharp @ 55 to 60 deg TCA with 20 cm chilled margin.							
0.10	196.95	Py00.1 Pyrite 0.1% generally unmineralized with trace disseminated pyrite, local sections of 1-2% interstitial magnetite.							
4.40	4.45	CNR Core Not recovered 5cm seam.							
9.30	11.35	BC Broken Core heavily fractured, RQD=0%							
12.60	13.00	BC Broken Core heavily fractured							
105.20	106.00	BC Broken Core heavily fractured, RQD=0%							
176.50	177.30	Chl Chlorite strong pervasive chlorite and hematite about calcite-filled fractures.							
196.95	243.30	GWG_gwk Greywacke grey fine grained massive to bedded greywacke with lesser amounts of intercalated fine to medium grained cream to pink massive arkose. bedding generally at 60 deg TCA with bed thicknesses in the greywacke ranging from 1 mm to <2cm. lower contact broken.							

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
196.95	243.30	Py00.1 Pyrite 0.1% trace disseminated and fracture filled pyrite.					
217.60	218.00	BC Broken Core heavily fractured, RQD=0%					
231.70	232.00	BC Broken Core heavily fractured, RQD=0%					
237.90	238.00	BC Broken Core heavily fractured, RQD=0%					
241.00	241.80	BC Broken Core heavily fractured, RQD=0%					
243.00	243.30	BC Broken Core heavily fractured, RQD=0%					
243.30	278.60	GWG_ark; f-mg Arkose; fine to medium grained pink fine to medium grained massive arkose with locally developed bedding. lower contact sharp at 60 deg TCA.					
243.30	278.60	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.					
253.80	258.60	BC Broken Core heavily fractured, RQD=10%					
264.35	265.45	BC Broken Core heavily fractured, RQD=0%					
276.25	276.45	BC					

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
276.85	278.00	Broken Core heavily fractured, RQD=0% BC						
278.60	331.00	Broken Core heavily fractured, RQD=0%, partially rehealed with calcite. GWG_cgl Conglomerate typical matrix-supported conglomerate as seen in previous holes. clasts range in size from <1cm to 20cm, dominantly granitic in composition with lesser amounts of metavolcanics and metasediments. lower contact gradational but abrupt.						
278.60	331.00	Py00.1 Pyrite 0.1% trace disseminated to fracture controlled pyrite.						
324.48	324.60	Ca40 Calcite 40 stong calcite veinlets oreintated at 40 deg TCA.						
331.00	348.20	GWG_gwk; f-mg Greywacke; fine to medium grained grey pebble-bearing greywacke. lower contact sharp but irregular.						
331.00	348.20	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
340.56	341.10	qtz45 Quartz 45 whtie quartz vein orientated at 45 deg TCA.	346.00	347.00	159647	1.00	5	
			347.00	348.20	159648	1.20	12	
348.20	409.15	BIF Banded Iron Formation Iron Formation with up to 50% green very fine grained metasediments (mudstone to siltstone) and mafic volcanics. Possible variolitic texture with sections of the mafic volcanics. Locally brecciated sections within the iron formation.	348.20	349.00	159649	0.80	5	
			349.00	350.00	159650	1.00	5	
			350.00	351.00	159651	1.00	5	
			351.00	352.00	159652	1.00	5	

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
348.20	394.00	Py00.25 Pyrite 0.25% trace disseminated and fracture controlled pyrite. Pyrite preferentially aligned along bedding planes.	352.00	353.00	159653	1.00	5
			353.00	354.00	159654	1.00	5
			354.00	355.00	159655	1.00	5
			355.00	356.00	159656	1.00	5
			356.00	357.00	159657	1.00	5
			357.00	358.00	159658	1.00	5
			358.00	359.00	159659	1.00	5
			359.00	360.00	159661	1.00	5
			359.00	360.00	159660 (Std)	1.00	2110
			360.00	361.00	159662	1.00	5
			361.00	362.40	159663	1.40	5
			362.40	363.77	159664	1.37	5
			363.77	364.80	159665	1.03	5
			364.80	366.00	159666	1.20	5
			366.00	367.00	159667	1.00	5
			367.00	368.00	159668	1.00	5
			368.00	369.00	159669	1.00	18
			369.00	370.00	159670	1.00	5
			370.00	371.00	159671	1.00	5
			371.00	372.00	159672	1.00	5
			372.00	373.00	159673	1.00	5
			373.00	374.00	159674	1.00	5
			374.00	375.00	159675	1.00	5
			375.00	376.00	159676	1.00	5
			376.00	377.00	159677	1.00	6
			377.00	378.00	159678	1.00	5
			378.00	379.00	159679	1.00	30
			378.00	379.00	159680 (Bln)	1.00	5
			379.00	380.00	159681	1.00	14
			380.00	381.00	159682	1.00	5

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
394.00	409.15	Py03 Pyrite 3% 3% disseminated, euhedral, and fracture controlled pyrite.	381.00	382.00	159683	1.00	5
			382.00	383.00	159684	1.00	16
			383.00	384.00	159685	1.00	9
			384.00	385.00	159686	1.00	5
			385.00	386.00	159687	1.00	5
			386.00	387.00	159688	1.00	5
			387.00	388.00	159689	1.00	5
			388.00	389.00	159690	1.00	5
			389.00	390.00	159691	1.00	5
			390.00	391.00	159692	1.00	5
			391.00	392.00	159693	1.00	5
			392.00	393.00	159694	1.00	5
			393.00	394.00	159695	1.00	5
			394.00	395.00	159696	1.00	5
			395.00	396.00	159697	1.00	5
			396.00	397.00	159698	1.00	5
			397.00	398.00	159699	1.00	5
			397.00	398.00	159700 (Std)	1.00	5230
			398.00	399.00	159701	1.00	5
			399.00	400.00	159702	1.00	5
			400.00	401.00	159703	1.00	5
			401.00	402.00	159704	1.00	5
			402.00	403.00	159705	1.00	5
			403.00	404.00	159706	1.00	5
			404.00	405.00	159707	1.00	5
			405.00	406.00	159708	1.00	5
			406.00	407.00	159709	1.00	5
			407.00	408.00	159710	1.00	5
			408.00	409.00	159711	1.00	5
			409.00	410.00	159712	1.00	5

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
409.15	425.20	BIF Banded Iron Formation 90% iron formation with 10% sections <20 cm in width of green very fine grained metasediments (mudstone/siltstone). bedding variable due to local minor micro-faulting and folding, generally between 20 to 50 deg TCA.	410.00	411.00	159713	1.00	5
			411.00	412.00	159714	1.00	5
			412.00	413.00	159715	1.00	5
			413.00	414.00	159716	1.00	5
			414.00	415.00	159717	1.00	5
409.15	425.20	qtz Quartz weak to locally moderate quartz veining typically <1mm in width, locally up to 5cm, locally containing disseminated pyrite.	415.00	416.00	159718	1.00	5
			416.00	417.00	159719	1.00	5
			416.00	417.00	159720 (Bln)	1.00	5
409.15	422.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.	417.00	418.00	159721	1.00	5
			418.00	419.00	159722	1.00	5
			419.00	420.00	159723	1.00	5
			420.00	421.00	159724	1.00	5
			421.00	422.00	159725	1.00	5
422.00	424.00	Py02 Pyrite 2% 2% disseminated and fracture controlled pyrite.	422.00	423.00	159726	1.00	5
			423.00	424.00	159727	1.00	5
424.00	425.20	Py00.1 Pyrite 0.1% trace disseminated pyrite.	424.00	425.00	159728	1.00	5
			425.00	426.00	159729	1.00	5
425.20	461.05	BIF Banded Iron Formation Iron formation with 30% sections of intercalated green very fine grained metasediments (mudstones). bedding variable, generally 20-25 deg TCA. local flame structures present within the iron formation. ground core/missing core (?) from 462.70 to 463.00m. lower contact sharp at 20 deg TCA.	426.00	427.00	159730	1.00	10
			427.00	428.00	159731	1.00	5
			428.00	429.00	159732	1.00	5
			429.00	430.00	159733	1.00	5
			449.00	450.00	159762	1.00	5
			450.00	451.00	159763	1.00	5
425.20	461.05	Py00.1 Pyrite 0.1% trace to 0.5% disseminated pyrite.	451.00	452.00	159764	1.00	5
			452.00	453.00	159734	1.00	5
			453.00	454.00	159735	1.00	5
			454.00	455.00	159736	1.00	6
			455.00	456.00	159737	1.00	5

Canadian Continental Exploration Corp.

Description				Assay				
				From	To	Sample number	Length	Au (ppb)
461.05 473.00	BIF Banded Iron Formation 90%iron formation with 10% sections of intercalated green very fine grained metasediments (mudstones). bedding variable, generally 20-25 deg TCA. local flame structures present within the iron formation. ground core/missing core (?) from 462.70 to 463.00m. lower contact sharp at 20 deg TCA.	456.00	457.00	159738	1.00	14		
		457.00	458.00	159739	1.00	5		
		457.00	458.00	159740 (Std)	1.00	2140		
		458.00	459.00	159741	1.00	6		
		459.00	460.00	159742	1.00	5		
		460.00	461.00	159743	1.00	5		
		461.00	462.00	159744	1.00	5		
		462.00	463.00	159745	1.00	5		
		463.00	464.00	159746	1.00	5		
464.00 470.30	qtz Quartz zone of strong quartz flooding, locally containing trace disseminated pyrite. 466.50-467.30m - Quartz vein containing brecciated fragments of IF and trace to 0.5% disseminated pyrite.	464.00	465.00	159747	1.00	5		
		465.00	466.00	159748	1.00	5		
		466.00	466.50	159749	0.50	5		
		466.50	467.30	159750	0.80	7		
		467.30	468.00	159751	0.70	5		
		468.00	469.00	159752	1.00	11		
		469.00	470.00	159753	1.00	5		
		470.00	471.00	159754	1.00	7		
		471.00	472.00	159755	1.00	5		
		472.00	473.00	159756	1.00	5		
473.00 482.10	FV Felsic Volcanic cream coloured bleached homogeneous tuff. lower contact sharp @ 20 deg TCA.							
473.00 482.10	Py00.1 Pyrite 0.1% generally unmineralized.							
482.10 495.90	BIF	484.00	485.00	159757	1.00	6		

Canadian Continental Exploration Corp.

		Description	Assay				
			From	To	Sample number	Length	Au (ppb)
		Banded Iron Formation grey iron formation with 20% intercalated green very fine grained metasediments (mudstone/siltstone). bedding variable, dominantly 20 deg.	485.00	486.00	159758	1.00	5
482.10	495.90	Qtz+Ca Quartz + Carbonate weak to locally moderate quartz +/- calcite veining. Veining generally <1cm, locally up to 4 cm.	486.00	487.00	159759	1.00	5
482.10	495.90	Py; Cp Pyrite; Chalcopyrite trace disseminated pyrite within the iron formation, preferentially concentrated along bedding planes. local quartz veining contains disseminated pyrite +/- chalcopyrite ie.) 484.32-488.33 m - 1cm quartz vein with 30% disseminated to blebby pyrite + chalcopyrite orientated at 60 deg TCA.	486.00	487.00	159760 (Bln)	1.00	5
			487.00	488.00	159761	1.00	5
			488.00	489.00	159765	1.00	5
			489.00	490.00	159766	1.00	5
			490.00	491.00	159767	1.00	5
			491.00	492.00	159768	1.00	5
			492.00	493.00	159769	1.00	5
			493.00	494.00	159770	1.00	5
			494.00	495.00	159771	1.00	5
			495.00	496.00	159772	1.00	5
495.90	498.35	MSED Metasediments grey to green fine grained metasediment.	496.00	497.00	159773	1.00	5
498.35	499.10	BIF Banded Iron Formation grey iron formation. bedding 10-20 deg TCA. lower contact sharp @ 10 deg TCA.	497.00	498.00	159774	1.00	5
498.35	499.10	Qtz+Ca Quartz + Carbonate weak quartz + carbonate veining < 1mm in width.	498.00	499.00	159775	1.00	5
498.35	499.10	Py00.1 Pyrite 0.1% trace disseminated pyrite.	499.00	500.00	159776	1.00	5
499.10	503.80	MSED Metasediments as from 495.90 to 498.35m.	500.00	501.00	159777	1.00	5
			501.00	502.00	159778	1.00	5
			502.00	503.00	159779	1.00	6
			502.00	503.00	159780 (Std)	1.00	5160
			503.00	504.00	159781	1.00	5

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
503.80	521.20	BIF Banded Iron Formation as from 498.35 to 499.10m. bedding variable, dominantly 0-10 deg, locally up to 65 deg TCA. lower contact sharp @ 40 deg TCA.			504.00	505.00	159782	1.00	5
					506.50	507.50	159783	1.00	5
					517.00	518.00	159784	1.00	5
					518.00	519.00	159785	1.00	5
					519.00	520.00	159786	1.00	5
					520.00	521.00	159787	1.00	5
					521.00	522.00	159788	1.00	5
					522.00	523.00	159789	1.00	5
521.20	525.37	BIF Banded Iron Formation Iron formation with 30% sections of intercalated green very fine grained metasediments (mudstones). lower contact sharp at 65 deg and irregular.							
521.20	525.37	Py00.1 Pyrite 0.1% trace disseminated pyrite.							
525.37	532.03	MSED Metasediments green very fine grained mudstone with small <1mm feldspar? lathes orientated at various angles. unit contains up to 10% intercalated iron formation. bedding generally 20 deg TCA. lower contact sharp at 65 deg TCA.			532.00	533.00	159790	1.00	5
525.37	532.03	Py00.1 Pyrite 0.1% generally unmineralized.							
532.03	560.30	BIF Banded Iron Formation Iron formation as from 521.20 to 525.37m. 15 cm of ground/missing core from 532.00 to 532.15m. bedding variable from 0 to 50 deg TCA. lower contact sharp at 5 deg TCA.							
532.35	535.00	Qtz+Ca Quartz + Carbonate			533.00	534.00	159791	1.00	5
					534.00	535.00	159792	1.00	5

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
			moderate to strong quartz +/- carbonate veining		542.00	543.00	159851	1.00	5
					543.00	544.00	159793	1.00	5
					544.00	545.00	159794	1.00	5
					545.00	546.00	159795	1.00	5
					546.00	547.00	159796	1.00	5
547.00	548.00	qtz			547.00	548.00	159797	1.00	5
		Quartz			548.00	549.00	159798	1.00	5
			strong quartz flooding, containing 3-4% disseminated + euhedral pyrite.						
548.70	549.30	Ca			549.00	550.00	159799	1.00	5
		Calcite							
			2-3 cm wide calcite vein/rehealed fractured zone containing angular fragments of iron formation in calcitic matrix, orientated at 5 deg TCA.						
560.30	563.55	MSED; vfg							
		Metasediments; very fine grained							
		green very fine grained mudstone.							
		strongly magnetic.							
		lower contact sharp between 0 to 5 deg TCA.							
560.30	563.55	Py00.1							
		Pyrite 0.1%							
		generally unmineralized.							
563.55	565.40	BIF							
		Banded Iron Formation							
		white and grey banded iron formation.							
		bedding orientated between 0-5 deg TCA.							
		lower contact broken.							
563.55	565.40	Py00.1							
		Pyrite 0.1%							
		generally unmineralized.							
565.40	569.80	MSED; vfg							
		Metasediments; very fine grained							
		green very fine grained mudstone.							

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
569.00	569.80	FRC Fractured 0° long open-curvy chlorite filled fracture.							
569.00	569.80	Py00.1 Pyrite 0.1% generally unmineralized.							
569.80	579.72	BIF Banded Iron Formation white and grey banded iron formation. bedding typically orientated 0-5 deg TCA, local sections are micro-folded and faulted. lower contact sharp @ 45 deg TCA.							
569.80	579.72	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
574.22	574.25	MD; fg Mafic Dyke; fine grained dark grey to black fine grained mafic dyke @ 35 deg TCA. non-magnetic.							
579.72	589.25	MD; fg Mafic Dyke; fine grained dark grey fine grained massive mafic dyke. moderately magnetic. both upper and lower contacts chilled. lower contact sharp @ 65 deg TCA.							
579.72	589.25	Py00.1 Pyrite 0.1% generally unmineralized.							
589.25	597.30	BIF Banded Iron Formation white and grey banded iron formatino with <10% intercalated metasediments (green very fine grained massive to bedded mudstone).	589.40	591.00	159801	1.60	5		
			589.40	591.00	159800 (Bln)	1.60	5		

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
589.25	597.30	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
590.10	590.80	QV Quartz Vein zone of irregular quartz veining brecciating the iron formation.			591.00	592.00	159802	1.00	5
591.56	591.60	FT Fault 5° Fault with choritic gouge orientated at 5 deg TCA. Fault is bonded on both sides by moderately fractured core (589.40-592.60m).							
591.60	591.74	QV Quartz Vein unmineralized quartz vein oreintated @ 50 deg TCA.			592.00	593.00	159803	1.00	5
597.30	605.60	MSED Metasediments as from 565.40-569.80m. lower contact sharp @ 10 deg TCA.							
605.60	691.40	BIF Banded Iron Formation banded iron formation with 5-10% intercalated mudstone. bedding varies from 0 to 60 deg TCA, dominantly at 10 deg TCA. weak to locally strong quartz (+/- calcite) veining throughout, typically <1cm in width.			607.50	608.50	159804	1.00	5
605.60	691.40	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.							
607.80	608.12	QV Quartz Vein zone of weak to moderate quartz +/- calcite veinlets, contacts irregular to diffuse.			608.50	609.50	159805	1.00	5
					610.70	612.00	159806	1.30	5
					612.00	613.00	159807	1.00	5
					613.00	614.00	159808	1.00	5
					614.00	615.00	159809	1.00	5

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
633.00	636.40	QV Quartz Vein zone of weak to moderate quartz +/- calcite veinlets, contacts irregular to diffuse.	615.00	616.00	159810	1.00	5
			616.00	617.00	159811	1.00	10
			617.00	618.00	159812	1.00	5
			618.00	619.00	159813	1.00	5
			619.00	620.00	159814	1.00	5
			620.00	621.00	159815	1.00	5
			621.00	622.00	159816	1.00	7
			622.00	623.00	159817	1.00	5
			623.00	624.00	159818	1.00	5
			624.00	625.00	159819	1.00	5
			625.00	626.00	159821	1.00	6
			625.00	626.00	159820 (Std)	1.00	2220
			626.00	627.00	159822	1.00	5
			627.00	628.00	159823	1.00	5
			628.00	629.00	159824	1.00	5
			629.00	630.00	159825	1.00	22
			630.00	631.00	159826	1.00	5
			631.00	632.00	159827	1.00	5
			632.00	633.00	159828	1.00	5
			633.00	634.00	159829	1.00	5
			634.00	635.00	159830	1.00	5
			635.00	636.00	159831	1.00	5
			636.00	637.00	159832	1.00	5
			637.00	638.00	159833	1.00	5
			640.00	641.00	159834	1.00	5
641.40	645.60	FRC Fractured 0° long open-curvy chlorite filled fracture oriented parallel TCA, located along IF/mudstone contact.	652.50	653.60	159835	1.10	11
652.53	652.57	QV00 Quartz Vein 0					

Canadian Continental Exploration Corp.

Description			Assay				
			From	To	Sample number	Length	Au (ppb)
658.50	661.00	1-2cm thick quartz vein FRC Fractured fractured zone rehealed with calcite. local vugs containing euhedral pyrite crystals.	662.00	663.00	159836	1.00	5
			663.00	664.00	159837	1.00	5
			664.00	665.00	159838	1.00	5
			665.00	666.00	159839	1.00	5
			666.00	667.00	159841	1.00	5
			666.00	667.00	159840 (Bln)	1.00	5
			667.00	668.00	159842	1.00	5
			668.00	669.00	159843	1.00	5
			669.00	670.00	159844	1.00	5
			670.00	671.00	159845	1.00	25
			671.00	672.00	159846	1.00	5
			672.00	673.00	159847	1.00	5
			679.00	679.50	159848	0.50	5
685.20	686.10	FT Fault 5° zone of brecciated iron formation, rehealed with chlorite + calcite	684.30	684.60	159849	0.30	5
			686.50	686.75	159850	0.25	5

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
0.00	1.00	25.03				
1.00	2.00	25.81				
2.00	3.00	24.9				
3.00	4.00	25.61				
4.00	5.00	16.32				
5.00	6.00	11.15				
6.00	7.00	20.22				
7.00	8.00	16.34				
8.00	9.00	15.02				
9.00	10.00	7.53				
10.00	11.00	13.88				
11.00	12.00	15.04				
12.00	13.00	14.64				
13.00	14.00	15.66				
14.00	15.00	8.22				
15.00	16.00	8.79				
16.00	17.00	11.36				
17.00	18.00	17.53				
18.00	19.00	17.63				
19.00	20.00	3.64				
20.00	21.00	19.78				
21.00	22.00	4.99				
22.00	23.00	5.09				
23.00	24.00	20.46				
24.00	25.00	23.31				
25.00	26.00	15.97				
26.00	27.00	19.31				
27.00	28.00	21.02				
28.00	29.00	19.11				
29.00	30.00	16.84				
30.00	31.00	3.19				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
31.00	32.00	20.75				
32.00	33.00	18.14				
33.00	34.00	17.01				
34.00	35.00	16.18				
35.00	36.00	20.9				
36.00	37.00	15.49				
37.00	38.00	5.69				
38.00	39.00	11.49				
39.00	40.00	2.37				
40.00	41.00	16.33				
41.00	42.00	16.12				
42.00	43.00	18.66				
43.00	44.00	16.68				
44.00	45.00	16.72				
45.00	46.00	8.59				
46.00	47.00	8.56				
47.00	48.00	15.18				
48.00	49.00	14.52				
49.00	50.00	7.59				
50.00	51.00	3.02				
51.00	52.00	15.37				
52.00	53.00	16.85				
53.00	54.00	16.92				
54.00	55.00	16.15				
55.00	56.00	11.08				
56.00	57.00	10.48				
57.00	58.00	11.57				
58.00	59.00	18.93				
59.00	60.00	21.24				
60.00	61.00	16.21				
61.00	62.00	19.22				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
62.00	63.00	17.96				
63.00	64.00	18.28				
64.00	65.00	18.45				
65.00	66.00	16.14				
66.00	67.00	13.82				
67.00	68.00	12.94				
68.00	69.00	18.34				
69.00	70.00	12.77				
70.00	71.00	14.98				
71.00	72.00	6.441				
72.00	73.00	4.237				
73.00	74.00	14.83				
74.00	75.00	15.58				
75.00	76.00	10.15				
76.00	77.00	9.137				
77.00	78.00	9.121				
78.00	79.00	16.4				
79.00	80.00	1.7				
80.00	81.00	4.353				
81.00	82.00	7.01				
82.00	83.00	5.347				
83.00	84.00	17.44				
84.00	85.00	7.681				
85.00	86.00	2.533				
86.00	87.00	4.499				
87.00	88.00	1.749				
88.00	89.00	15.63				
89.00	90.00	4.583				
90.00	91.00	7.163				
91.00	92.00	3.032				
92.00	93.00	2.224				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
93.00	94.00	13.41				
94.00	95.00	15.59				
95.00	96.00	4.889				
96.00	97.00	2.252				
97.00	98.00	0.277				
98.00	99.00	0.091				
99.00	100.00	0.96				
100.00	101.00	1.131				
101.00	102.00	0.713				
102.00	103.00	6.095				
103.00	104.00	0.798				
104.00	105.00	0.967				
105.00	106.00	0.636				
106.00	107.00	0.607				
107.00	108.00	0.613				
108.00	109.00	1.355				
109.00	110.00	1.755				
110.00	111.00	1.638				
111.00	112.00	0.839				
112.00	113.00	1.506				
113.00	114.00	3.877				
114.00	115.00	5.556				
115.00	116.00	1.202				
116.00	117.00	1.476				
117.00	118.00	2.395				
118.00	119.00	0.901				
119.00	120.00	1.841				
120.00	121.00	1.648				
121.00	122.00	24.65				
122.00	123.00	5.867				
123.00	124.00	12.84				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
124.00	125.00	4.405				
125.00	126.00	2.183				
126.00	127.00	0.998				
127.00	128.00	4.584				
128.00	129.00	1.718				
129.00	130.00	4.049				
130.00	131.00	1.488				
131.00	132.00	1.571				
132.00	133.00	1.592				
133.00	134.00	3.004				
134.00	135.00	7.085				
135.00	136.00	2.084				
136.00	137.00	3.648				
137.00	138.00	26.75				
138.00	139.00	1.614				
139.00	140.00	1.907				
140.00	141.00	2.072				
141.00	142.00	9.213				
142.00	143.00	10.64				
143.00	144.00	3.653				
144.00	145.00	1.924				
145.00	146.00	0.919				
146.00	147.00	0.735				
147.00	148.00	0.677				
148.00	149.00	0.625				
149.00	150.00	1.117				
150.00	151.00	3.714				
151.00	152.00	3.347				
152.00	153.00	11.5				
153.00	154.00	2.604				
154.00	155.00	1.183				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
155.00	156.00	1.215				
156.00	157.00	0.854				
157.00	158.00	1.379				
158.00	159.00	0.303				
159.00	160.00	1.802				
160.00	161.00	2.753				
161.00	162.00	12.12				
162.00	163.00	5.498				
163.00	164.00	9.409				
164.00	165.00	2.525				
165.00	166.00	0.95				
166.00	167.00	4.421				
167.00	168.00	0.811				
168.00	169.00	0.74				
169.00	170.00	1.557				
170.00	171.00	12.76				
171.00	172.00	5.978				
172.00	173.00	12.57				
173.00	174.00	3.961				
174.00	175.00	1.338				
175.00	176.00	2.67				
176.00	177.00	0.927				
177.00	178.00	1.642				
178.00	179.00	5.926				
179.00	180.00	3.405				
180.00	181.00	6.334				
181.00	182.00	2.367				
182.00	183.00	1.069				
183.00	184.00	0.765				
184.00	185.00	0.464				
185.00	186.00	0.836				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
186.00	187.00	0.632				
187.00	188.00	0.675				
188.00	189.00	0.649				
189.00	190.00	0.603				
190.00	191.00	0.78				
191.00	192.00	0.871				
192.00	193.00	0.63				
193.00	194.00	0.863				
194.00	195.00	0.786				
195.00	196.00	0.881				
196.00	197.00	0.793				
197.00	198.00	0.505				
198.00	199.00	0.454				
199.00	200.00	0.319				
200.00	201.00	0.422				
201.00	202.00	0.317				
202.00	203.00	0.287				
203.00	204.00	0.57				
204.00	205.00	0.558				
205.00	206.00	0.137				
206.00	207.00	0.453				
207.00	208.00	0.477				
208.00	209.00	0.456				
209.00	210.00	0.504				
210.00	211.00	0.551				
211.00	212.00	0.337				
212.00	213.00	0.514				
213.00	214.00	0.459				
214.00	215.00	0.501				
215.00	216.00	0.552				
216.00	217.00	8.592				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
217.00	218.00	1.832				
218.00	219.00	1.831				
219.00	220.00	0.796				
220.00	221.00	0.417				
221.00	222.00	0.62				
222.00	223.00	0.387				
223.00	224.00	0.57				
224.00	225.00	0.552				
225.00	226.00	0.637				
226.00	227.00	0.434				
227.00	228.00	0.375				
228.00	229.00	0.472				
229.00	230.00	0.463				
230.00	231.00	0.619				
231.00	232.00	0.551				
232.00	233.00	0.361				
233.00	234.00	1.153				
234.00	235.00	2.433				
235.00	236.00	0.319				
236.00	237.00	0.577				
237.00	238.00	0.202				
238.00	239.00	6.915				
239.00	240.00	2.565				
240.00	241.00	0.158				
241.00	242.00	0.599				
242.00	243.00	4.621				
243.00	244.00	6.999				
244.00	245.00	6.552				
245.00	246.00	7.05				
246.00	247.00	3.112				
247.00	248.00	3.3				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
248.00	249.00	3.021				
249.00	250.00	7.096				
250.00	251.00	7.122				
251.00	252.00	7.125				
252.00	253.00	4.69				
253.00	254.00	2.642				
254.00	255.00	2.533				
255.00	256.00	5.351				
256.00	257.00	1.79				
257.00	258.00	1.069				
258.00	259.00	4.398				
259.00	260.00	4.294				
260.00	261.00	2.168				
261.00	262.00	0.655				
262.00	263.00	4.675				
263.00	264.00	4.042				
264.00	265.00	0.594				
265.00	266.00	1.385				
266.00	267.00	1.035				
267.00	268.00	5.298				
268.00	269.00	5.195				
269.00	270.00	7.66				
270.00	271.00	4.138				
271.00	272.00	2.729				
272.00	273.00	0.982				
273.00	274.00	2.439				
274.00	275.00	3.348				
275.00	276.00	0.689				
276.00	277.00	1.766				
277.00	278.00	0.315				
278.00	279.00	0.299				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
279.00	280.00	0.286				
280.00	281.00	0.82				
281.00	282.00	1.357				
282.00	283.00	0.793				
283.00	284.00	0.624				
284.00	285.00	0.72				
285.00	286.00	0.413				
286.00	287.00	0.033				
287.00	288.00	0.407				
288.00	289.00	0.097				
289.00	290.00	0.497				
290.00	291.00	0.334				
291.00	292.00	0.327				
292.00	293.00	0.119				
293.00	294.00	0.444				
294.00	295.00	0.512				
295.00	296.00	0.538				
296.00	297.00	0.369				
297.00	298.00	0.42				
298.00	299.00	0.414				
299.00	300.00	0.56				
300.00	301.00	0.509				
301.00	302.00	0.546				
302.00	303.00	1.86				
303.00	304.00	0.439				
304.00	305.00	0.434				
305.00	306.00	0.438				
306.00	307.00	0.401				
307.00	308.00	0.289				
308.00	309.00	0.46				
309.00	310.00	0.404				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
310.00	311.00	0.396				
311.00	312.00	0.595				
312.00	313.00	0.313				
313.00	314.00	0.632				
314.00	315.00	0.589				
315.00	316.00	0.382				
316.00	317.00	0.483				
317.00	318.00	0.368				
318.00	319.00	0.471				
319.00	320.00	0.492				
320.00	321.00	0.468				
321.00	322.00	0.456				
322.00	323.00	0.389				
323.00	324.00	0.52				
324.00	325.00	0.141				
325.00	326.00	0.647				
326.00	327.00	0.48				
327.00	328.00	0.43				
328.00	329.00	0.473				
329.00	330.00	0.535				
330.00	331.00	0.52				
331.00	332.00	0.367				
332.00	333.00	0.532				
333.00	334.00	0.487				
334.00	335.00	0.446				
335.00	336.00	0.355				
336.00	337.00	0.567				
337.00	338.00	0.384				
338.00	339.00	0.45				
339.00	340.00	0.419				
340.00	341.00	0.031				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
341.00	342.00	0.535				
342.00	343.00	0.408				
343.00	344.00	0.526				
344.00	345.00	0.65				
345.00	346.00	0.641				
346.00	347.00	0.587				
347.00	348.00	0.887				
348.00	349.00	65.32				
349.00	350.00	61.62				
350.00	351.00	46.15				
351.00	352.00	25.44				
352.00	353.00	474.2				
353.00	354.00	499.6				
354.00	355.00	846.4				
355.00	356.00	72.33				
356.00	357.00	447.6				
357.00	358.00	703.3				
358.00	359.00	136.3				
359.00	360.00	74.88				
360.00	361.00	10				
361.00	362.00	55.13				
362.00	363.00	10.33				
363.00	364.00	40.35				
364.00	365.00	5.89				
365.00	366.00	1.885				
366.00	367.00	1.511				
367.00	368.00	1.221				
368.00	369.00	2.21				
369.00	370.00	7.384				
370.00	371.00	505.1				
371.00	372.00	145.2				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
372.00	373.00	159.1				
373.00	374.00	71.67				
374.00	375.00	683.9				
375.00	376.00	542.8				
376.00	377.00	251				
377.00	378.00	655				
378.00	379.00	48.33				
379.00	380.00	3.766				
380.00	381.00	26				
381.00	382.00	29.36				
382.00	383.00	607.8				
383.00	384.00	943.4				
384.00	385.00	742.7				
385.00	386.00	32.58				
386.00	387.00	24.49				
387.00	388.00	2.131				
388.00	389.00	16.69				
389.00	390.00	3.541				
390.00	391.00	56.37				
391.00	392.00	34.08				
392.00	393.00	2.928				
393.00	394.00	236.2				
394.00	395.00	695.2				
395.00	396.00	371				
396.00	397.00	76.99				
397.00	398.00	235.6				
398.00	399.00	169.6				
399.00	400.00	177.2				
400.00	401.00	19.9				
401.00	402.00	242				
402.00	403.00	143.5				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
403.00	404.00	264.8				
404.00	405.00	62.32				
405.00	406.00	2000				
406.00	407.00	556.8				
407.00	408.00	698.9				
408.00	409.00	259.2				
409.00	410.00	821.6				
410.00	411.00	1506				
411.00	412.00	858				
412.00	413.00	761.8				
413.00	414.00	1836				
414.00	415.00	1520				
415.00	416.00	1008				
416.00	417.00	719.7				
417.00	418.00	1008				
418.00	419.00	370				
419.00	420.00	1480				
420.00	421.00	952.1				
421.00	422.00	412.5				
422.00	423.00	2000				
423.00	424.00	1051				
424.00	425.00	661.2				
425.00	426.00	364.1				
426.00	427.00	493.3				
427.00	428.00	236.1				
428.00	429.00	784.1				
429.00	430.00	219.8				
430.00	431.00	338.7				
431.00	432.00	225.7				
432.00	433.00	263.6				
433.00	434.00	617.7				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
434.00	435.00	77.7				
435.00	436.00	66.1				
436.00	437.00	771.5				
437.00	438.00	1094				
438.00	439.00	737.5				
439.00	440.00	752				
440.00	441.00	29.33				
441.00	442.00	47.18				
442.00	443.00	65.4				
443.00	444.00	16.8				
444.00	445.00	515.9				
445.00	446.00	268				
446.00	447.00	416.6				
447.00	448.00	265.6				
448.00	449.00	318.6				
449.00	450.00	76.4				
450.00	451.00	197.9				
451.00	452.00	544.9				
452.00	453.00	715				
453.00	454.00	23.5				
454.00	455.00	89.1				
455.00	456.00	208.8				
456.00	457.00	32.4				
457.00	458.00	866.6				
458.00	459.00	818.9				
459.00	460.00	193.1				
460.00	461.00	252.9				
461.00	462.00	1170				
462.00	463.00	644.2				
463.00	464.00	416.1				
464.00	465.00	1047				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
465.00	466.00	971.3				
466.00	467.00	200.8				
467.00	468.00	1717				
468.00	469.00	643.7				
469.00	470.00	1098				
470.00	471.00	649.3				
471.00	472.00	53.2				
472.00	473.00	127				
473.00	474.00	56.6				
474.00	475.00	12.4				
475.00	476.00	10.5				
476.00	477.00	21.3				
477.00	478.00	1.5				
478.00	479.00	16.6				
479.00	480.00	11.4				
480.00	481.00	93.5				
481.00	482.00	29.4				
482.00	483.00	45.9				
483.00	484.00	51.3				
484.00	485.00	14.5				
485.00	486.00	102.6				
486.00	487.00	667.8				
487.00	488.00	443.4				
488.00	489.00	1776				
489.00	490.00	1163				
490.00	491.00	1165				
491.00	492.00	525.5				
492.00	493.00	1009				
493.00	494.00	2000				
494.00	495.00	912.3				
495.00	496.00	677.1				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
496.00	497.00	1250				
497.00	498.00	716.6				
498.00	499.00	825.4				
499.00	500.00	612.1				
500.00	501.00	1047				
501.00	502.00	930.7				
502.00	503.00	1305				
503.00	504.00	424.7				
504.00	505.00	494				
505.00	506.00	567.2				
506.00	507.00	534.7				
507.00	508.00	880.3				
508.00	509.00	1001				
509.00	510.00	1340				
510.00	511.00	1401				
511.00	512.00	1257				
512.00	513.00	1770				
513.00	514.00	1299				
514.00	515.00	1756				
515.00	516.00	712.7				
516.00	517.00	608.5				
517.00	518.00	939.6				
518.00	519.00	903.2				
519.00	520.00	2000				
520.00	521.00	954.4				
521.00	522.00	636.7				
522.00	523.00	26.6				
523.00	524.00	1994				
524.00	525.00	1286				
525.00	526.00	30.5				
526.00	527.00	1596				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
527.00	528.00	32.1				
528.00	529.00	91.1				
529.00	530.00	85.1				
530.00	531.00	179.3				
531.00	532.00	107.2				
532.00	533.00	389.1				
533.00	534.00	331				
534.00	535.00	857.6				
535.00	536.00	1580				
536.00	537.00	308.7				
537.00	538.00	1035				
538.00	539.00	113.7				
539.00	540.00	134				
540.00	541.00	32.9				
541.00	542.00	78.5				
542.00	543.00	762				
543.00	544.00	1230				
544.00	545.00	74.8				
545.00	546.00	110.9				
546.00	547.00	385.3				
547.00	548.00	543				
548.00	549.00	341.2				
549.00	550.00	211.3				
550.00	551.00	157.1				
551.00	552.00	711.5				
552.00	553.00	135.8				
553.00	554.00	1539				
554.00	555.00	946.6				
555.00	556.00	575.9				
556.00	557.00	399				
557.00	558.00	1183				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
558.00	559.00	855.3				
559.00	560.00	205				
560.00	561.00	736.8				
561.00	562.00	868.8				
562.00	563.00	880.8				
563.00	564.00	745.5				
564.00	565.00	1741				
565.00	566.00	260.8				
566.00	567.00	323.8				
567.00	568.00	368.8				
568.00	569.00	562.5				
569.00	570.00	1042				
570.00	571.00	826.8				
571.00	572.00	553.4				
572.00	573.00	1023				
573.00	574.00	1485				
574.00	575.00	957.3				
575.00	576.00	987				
576.00	577.00	690.3				
577.00	578.00	551				
578.00	579.00	1744				
579.00	580.00	72.3				
580.00	581.00	70.02				
581.00	582.00	50.55				
582.00	583.00	48.84				
583.00	584.00	61.68				
584.00	585.00	65.31				
585.00	586.00	46.6				
586.00	587.00	21.54				
587.00	588.00	71.41				
588.00	589.00	66.53				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
589.00	590.00	951.9				
590.00	591.00	795.1				
591.00	592.00	1004				
592.00	593.00	702.1				
593.00	594.00	1513				
594.00	595.00	1086				
595.00	596.00	988.8				
596.00	597.00	869.2				
597.00	598.00	86.6				
598.00	599.00	2.374				
599.00	600.00	287.2				
600.00	601.00	18.02				
601.00	602.00	0.998				
602.00	603.00	1.188				
603.00	604.00	2.309				
604.00	605.00	12.77				
605.00	606.00	396.8				
606.00	607.00	955.5				
607.00	608.00	1162				
608.00	609.00	1200				
609.00	610.00	451.8				
610.00	611.00	173.6				
611.00	612.00	543.1				
612.00	613.00	342.6				
613.00	614.00	1331				
614.00	615.00	743.3				
615.00	616.00	444				
616.00	617.00	984.3				
617.00	618.00	1066				
618.00	619.00	981.2				
619.00	620.00	771.2				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
620.00	621.00	460				
621.00	622.00	684.2				
622.00	623.00	367.4				
623.00	624.00	655.2				
624.00	625.00	816				
625.00	626.00	367.6				
626.00	627.00	564.2				
627.00	628.00	1503				
628.00	629.00	1466				
629.00	630.00	2000				
630.00	631.00	334.8				
631.00	632.00	1207				
632.00	633.00	251.7				
633.00	634.00	829.5				
634.00	635.00	1071				
635.00	636.00	2000				
636.00	637.00	1921				
637.00	638.00	1967				
638.00	639.00	1527				
639.00	640.00	1069				
640.00	641.00	735.4				
641.00	642.00	481.2				
642.00	643.00	852.6				
643.00	644.00	684.6				
644.00	645.00	693.5				
645.00	646.00	468.8				
646.00	647.00	684.6				
647.00	648.00	1806				
648.00	649.00	843.3				
649.00	650.00	1964				
650.00	651.00	1579				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
651.00	652.00	1731				
652.00	653.00	404.4				
653.00	654.00	1420				
654.00	655.00	1090				
655.00	656.00	853.9				
656.00	657.00	921.7				
657.00	658.00	784.4				
658.00	659.00	721.3				
659.00	660.00	1009				
660.00	661.00	237.8				
661.00	662.00	173.2				
662.00	663.00	835.8				
663.00	664.00	2000				
664.00	665.00	1887				
665.00	666.00	577.9				
666.00	667.00	1440				
667.00	668.00	630				
668.00	669.00	1616				
669.00	670.00	1267				
670.00	671.00	849				
671.00	672.00	223.4				
672.00	673.00	718.5				
673.00	674.00	1499				
674.00	675.00	721.8				
675.00	676.00	413.5				
676.00	677.00	432.7				
677.00	678.00	788.2				
678.00	679.00	1182				
679.00	680.00	582.3				
680.00	681.00	2000				
681.00	682.00	1876				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
682.00	683.00	751.2				
683.00	684.00	1381				
684.00	685.00	1471				
685.00	686.00	954.8				
686.00	687.00	1277				
687.00	688.00	134.4				
688.00	689.00	1526				
689.00	690.00	784.4				
690.00	691.00	2000				

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
346.00	347.00	159647	5	
347.00	348.20	159648	12	
348.20	349.00	159649	5	
349.00	350.00	159650	5	
350.00	351.00	159651	5	
351.00	352.00	159652	5	
352.00	353.00	159653	5	
353.00	354.00	159654	5	
354.00	355.00	159655	5	
355.00	356.00	159656	5	
356.00	357.00	159657	5	
357.00	358.00	159658	5	
358.00	359.00	159659	5	
359.00	360.00	159661	5	
360.00	361.00	159662	5	
361.00	362.40	159663	5	
362.40	363.77	159664	5	
363.77	364.80	159665	5	
364.80	366.00	159666	5	
366.00	367.00	159667	5	
367.00	368.00	159668	5	
368.00	369.00	159669	18	
369.00	370.00	159670	5	
370.00	371.00	159671	5	
371.00	372.00	159672	5	
372.00	373.00	159673	5	
373.00	374.00	159674	5	
374.00	375.00	159675	5	
375.00	376.00	159676	5	
376.00	377.00	159677	6	
377.00	378.00	159678	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
378.00	379.00	159679	30	
379.00	380.00	159681	14	
380.00	381.00	159682	5	
381.00	382.00	159683	5	
382.00	383.00	159684	16	
383.00	384.00	159685	9	
384.00	385.00	159686	5	
385.00	386.00	159687	5	
386.00	387.00	159688	5	
387.00	388.00	159689	5	
388.00	389.00	159690	5	
389.00	390.00	159691	5	
390.00	391.00	159692	5	
391.00	392.00	159693	5	
392.00	393.00	159694	5	
393.00	394.00	159695	5	
394.00	395.00	159696	5	
395.00	396.00	159697	5	
396.00	397.00	159698	5	
397.00	398.00	159699	5	
398.00	399.00	159701	5	
399.00	400.00	159702	5	
400.00	401.00	159703	5	
401.00	402.00	159704	5	
402.00	403.00	159705	5	
403.00	404.00	159706	5	
404.00	405.00	159707	5	
405.00	406.00	159708	5	
406.00	407.00	159709	5	
407.00	408.00	159710	5	
408.00	409.00	159711	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
409.00	410.00	159712	5	
410.00	411.00	159713	5	
411.00	412.00	159714	5	
412.00	413.00	159715	5	
413.00	414.00	159716	5	
414.00	415.00	159717	5	
415.00	416.00	159718	5	
416.00	417.00	159719	5	
417.00	418.00	159721	5	
418.00	419.00	159722	5	
419.00	420.00	159723	5	
420.00	421.00	159724	5	
421.00	422.00	159725	5	
422.00	423.00	159726	5	
423.00	424.00	159727	5	
424.00	425.00	159728	5	
425.00	426.00	159729	5	
426.00	427.00	159730	10	
427.00	428.00	159731	5	
428.00	429.00	159732	5	
429.00	430.00	159733	5	
449.00	450.00	159762	5	
450.00	451.00	159763	5	
451.00	452.00	159764	5	
452.00	453.00	159734	5	
453.00	454.00	159735	5	
454.00	455.00	159736	6	
455.00	456.00	159737	5	
456.00	457.00	159738	14	
457.00	458.00	159739	5	
458.00	459.00	159741	6	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
459.00	460.00	159742	5	
460.00	461.00	159743	5	
461.00	462.00	159744	5	
462.00	463.00	159745	5	
463.00	464.00	159746	5	
464.00	465.00	159747	5	
465.00	466.00	159748	5	
466.00	466.50	159749	5	
466.50	467.30	159750	7	
467.30	468.00	159751	5	
468.00	469.00	159752	11	
469.00	470.00	159753	5	
470.00	471.00	159754	7	
471.00	472.00	159755	5	
472.00	473.00	159756	5	
484.00	485.00	159757	6	
485.00	486.00	159758	5	
486.00	487.00	159759	5	
487.00	488.00	159761	5	
488.00	489.00	159765	5	
489.00	490.00	159766	5	
490.00	491.00	159767	5	
491.00	492.00	159768	5	
492.00	493.00	159769	5	
493.00	494.00	159770	5	
494.00	495.00	159771	5	
495.00	496.00	159772	5	
496.00	497.00	159773	5	
497.00	498.00	159774	5	
498.00	499.00	159775	5	
499.00	500.00	159776	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
500.00	501.00	159777	5	
501.00	502.00	159778	5	
502.00	503.00	159779	6	
503.00	504.00	159781	5	
504.00	505.00	159782	5	
506.50	507.50	159783	5	
517.00	518.00	159784	5	
518.00	519.00	159785	5	
519.00	520.00	159786	5	
520.00	521.00	159787	5	
521.00	522.00	159788	5	
522.00	523.00	159789	5	
532.00	533.00	159790	5	
533.00	534.00	159791	5	
534.00	535.00	159792	5	
542.00	543.00	159851	5	
543.00	544.00	159793	5	
544.00	545.00	159794	5	
545.00	546.00	159795	5	
546.00	547.00	159796	5	
547.00	548.00	159797	5	
548.00	549.00	159798	5	
549.00	550.00	159799	5	
589.40	591.00	159801	5	
591.00	592.00	159802	5	
592.00	593.00	159803	5	
607.50	608.50	159804	5	
608.50	609.50	159805	5	
610.70	612.00	159806	5	
612.00	613.00	159807	5	
613.00	614.00	159808	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
614.00	615.00	159809	5	
615.00	616.00	159810	5	
616.00	617.00	159811	10	
617.00	618.00	159812	5	
618.00	619.00	159813	5	
619.00	620.00	159814	5	
620.00	621.00	159815	5	
621.00	622.00	159816	7	
622.00	623.00	159817	5	
623.00	624.00	159818	5	
624.00	625.00	159819	5	
625.00	626.00	159821	6	
626.00	627.00	159822	5	
627.00	628.00	159823	5	
628.00	629.00	159824	5	
629.00	630.00	159825	22	
630.00	631.00	159826	5	
631.00	632.00	159827	5	
632.00	633.00	159828	5	
633.00	634.00	159829	5	
634.00	635.00	159830	5	
635.00	636.00	159831	5	
636.00	637.00	159832	5	
637.00	638.00	159833	5	
640.00	641.00	159834	5	
652.50	653.60	159835	11	
662.00	663.00	159836	5	
663.00	664.00	159837	5	
664.00	665.00	159838	5	
665.00	666.00	159839	5	
666.00	667.00	159841	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Au (ppb)	...
667.00	668.00	159842	5	
668.00	669.00	159843	5	
669.00	670.00	159844	5	
670.00	671.00	159845	25	
671.00	672.00	159846	5	
672.00	673.00	159847	5	
679.00	679.50	159848	5	
684.30	684.60	159849	5	
686.50	686.75	159850	5	

Canadian Continental Exploration Corp.

From	To	Sample number	Reference	Au (ppb)	...
359.00	360.00	159660	Oreas 206	2110	
378.00	379.00	159680	Coarse Silica	5	
397.00	398.00	159700	Oreas 210	5230	
416.00	417.00	159720	Coarse Silica	5	
457.00	458.00	159740	Oreas 206	2140	
486.00	487.00	159760	Coarse Silica	5	
502.00	503.00	159780	Oreas 210	5160	
589.40	591.00	159800	Coarse Silica	5	
625.00	626.00	159820	Oreas 206	2220	
666.00	667.00	159840	Coarse Silica	5	

Canadian Continental Exploration Corp.

Standard Oreas 206 and regular assays

Statistics: (N=3; Min.=2110; Max.=2220; Mean=2157; S=56.86)

Sample

159820


159740

159660

Measured mean

Theoretical mean

Au (ppb) (Standard only)



Au (ppb) (Standard and regular assays)

Canadian Continental Exploration Corp.

Standard Oreas 210 and regular assays

Statistics: (N=2; Min.=5160; Max.=5230; Mean=5195; S=49.5)

Sample

Measured mean

159780




159700



Theoretical mean

Au (ppb) (Standard only)



Measured mean

Certificate

A16-12776Final Modified

A16-12577Final Modified


Theoretical mean

Au (ppb) (Standard and regular assays)


Canadian Continental Exploration Corp.

Blanks and regular assays

Statistics: (N=5; Min.=5; Max.=5; Mean=5; S=0)



Au (ppb) (Blanks only)



Au (ppb) (Blanks and regular assays)

Canadian Continental Exploration Corp.

DDH:	ER16-05	Claims title:	4275773	Section:	
		Township:	Scholes	Level:	Surface
		Range:		Work place:	Eaglerock Lake
Contractor:	Summit Drilling	Lot:			
Author:	Joerg Kleinboeck	Start date:	12/12/2016	Description date:	1/3/2017
		End date:	12/29/2016		
Collar					
System 1					
Azimuth:	260.00°	East	558205		
Dip:	-65.00°	North	5197245		
Length:	688.70	Elevation	400		
Down hole survey					
Type	Depth	Azimuth	Dip	Invalid	Description
Ranger	50.00	241.72°	-65.67°	No	57253 nT
Ranger	200.00	240.28°	-65.81°	No	57153 nT
Ranger	275.00	241.26°	-65.80°	No	56428 nT
Ranger	550.00	244.56°	-67.85°	No	45548 nT
Ranger	650.00	243.76°	-67.52°	No	47546 nT
Number of samples: 0					
Number of QAQC samples: 0					
Total sampled length: 0.00					
Description: Casing driven to 1.50m, left in hole.					
Core size: BQTK			Cemented: No		Stored: Yes

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
0.00	0.45	OB Overburden Casing driven to 1.50m.							
0.45	172.00	NDIA; mg; mass Nipissing Diabase; medium grained; massive dominantly grey medium grained massive Nipissing Diabase with occasional leucocratic and gabbronoritic sections. generally non-magnetic. lower contact not clear/diffuse.							
0.45	172.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite throughout. 1% interstitial magnetite from 131.60 to 137.10m.							
7.00	7.40	BC Broken Core heavily fractured, RQD=0%							
72.00	73.00	Ca; Epi Calcite; Epidote moderate calcite +/- epidote veining <1cm in thickness, preferentially orientated at 20 deg TCA.							
147.00	150.00	MD Mafic Dyke 30° section with several mafic dykes 3cm to 30 cm in width, contacts difficult to see.							
172.00	230.00	GWG_gwk; fg Greywacke; fine grained dark grey very fine to fine grained finely laminated greywacke with lesser amounts of intercalated pink fine to medium grained arkose and cream coloured fine grained quartzites. arkose sections are typically weakly to moderately magnetic. lower contact gradational over 15 cm.							
172.00	230.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite							
178.78	179.30	BC Broken Core							

Canadian Continental Exploration Corp.

		Description		Assay				
		From	To	Sample number	Length	Au (ppb)		
189.95	190.25	heavily fractured, RQD=0%.						
		BC						
		Broken Core						
		heavily fractured, RQD=0%						
230.00	283.50	GWG_ark						
		Arkose						
		pink fine to medium grained massive to poorly bedded arkose with occasional 1cm spots of chlorite.						
		weakly magnetic.						
		lower contact sharp at 65 deg TCA.						
230.00	283.50	Py00.1						
		Pyrite 0.1%						
		trace disseminated and fracture controlled pyrite.						
247.00	261.70	BC						
		Broken Core						
		section of moderately fractured core. RQD=30-40%						
265.20	265.30	BC						
		Broken Core						
		heavily fractured, RQD=0%						
273.90	274.90	BC						
		Broken Core						
		heavily fractured, RQD=0%						
283.50	344.50	GWG_cgl						
		Conglomerate						
		grey matrix supported conglomerate.						
		clasts rounded to angular, up to 15 cm in diameter.						
		clasts are composed of predominantly granite and lesser amounts of mafic volcanics and metasediments.						
		lower contact transitional.						
283.50	344.50	Py00.1						
		Pyrite 0.1%						
		generally trace disseminated and fracture controlled pyrite throughout.						
		301.00-308.50m - trace to 0.5% disseminated and fracture controlled pyrite +/- chalcopyrite.						
344.50	352.00	GWG_gwk						

Canadian Continental Exploration Corp.

Description				Assay				
				From	To	Sample number	Length	Au (ppb)
		Greywacke grey pebble-bearing greywacke. bedding when present is typically 60-70 deg TCA. pebbles range from <1cm to 3 cm in size lower contact transitional.						
344.50	352.00	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.						
352.00	400.50	GWG_cgl Conglomerate as from 283.50 - 344.50 m.						
400.50	510.05	GWG_gwk Greywacke as from 344.50 to 352.00m.						
403.80	403.92	FT Fault section of heavily fractured core/fault zone. RQD=0%.						
468.88	469.00	FT Fault 45° brecciated greywacke with strong calcite veining/rehealed fault zone.						
510.05	513.81	GWG_cgl Conglomerate as from 352.00 to 400.50m. lower contact sharp but irregular.						
513.81	529.65	BIF Banded Iron Formation comprised of 60% sections of red and grey finely laminated banded iron formation and 40% sections of intercalated green very fine to fine grained mudstones and argillites. bedding variable between 35 and 70 deg TCA.						
513.81	529.65	Qtz+Ca Quartz + Carbonate weak calcite+quartz veining throughout, orientated both parallel and cross cutting bedding.						

Canadian Continental Exploration Corp.

		Description		Assay			
		From	To	Sample number	Length	Au (ppb)	
513.81	529.65	veining generally <3 cm in width. Py00.1 Pyrite 0.1%					
529.65	588.95	trace disseminated and fracture controlled pyrite. MV; f-mg Mafic Volcanic; fine to medium grained greyish green medium grained massive mafic volcanic. locally moderately magnetic. lower contact irregular but sharp.					
529.65	545.49	Qtz+Ca Quartz + Carbonate weak quartz+calcite veining orientated at various angles TCA. two sets of veining, one cross-cutting the other at oblique angles throughout.					
529.65	588.95	Py00.1 Pyrite 0.1%					
534.95	535.30	generally unmineralized. BC Broken Core heavily fractured.					
588.95	649.74	BIF Banded Iron Formation as from 513.81 to 529.65m. lower contact sharp @ 45 deg TCA.					
620.00	621.00	Qtz+Ca Quartz + Carbonate strong irregular quartz flooding					
649.74	665.62	MV Mafic Volcanic as from 529.65 to 588.95m. lower contact sharp at 65 deg TCA.					
665.62	676.60	MSED Metasediments					

Canadian Continental Exploration Corp.

Description					Assay				
					From	To	Sample number	Length	Au (ppb)
665.62	676.60	Py00.1 Pyrite 0.1% trace disseminated and fracture controlled pyrite.	grey finely laminated metasediments (agrigillite) with 5% sections of intercalated iron formation.						
676.60	688.70	MSED Metasediments grey foliated homogeneous tuffaceous metasediment. foliation is likely parallel to the original bedding planes with <0.5 cm chlorite spots throughout.							
676.60	688.70	Py00.1 Pyrite 0.1% trace disseminated pyrite, generally unmineralized.							

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
0.00	1.00	7.902				
1.00	2.00	3.273				
2.00	3.00	12.64				
3.00	4.00	0.834				
4.00	5.00	2.144				
5.00	6.00	0.965				
6.00	7.00	0.631				
7.00	8.00	0.49				
8.00	9.00	0.705				
9.00	10.00	2.115				
10.00	11.00	2.225				
11.00	12.00	9.941				
12.00	13.00	13.5				
13.00	14.00	18.99				
14.00	15.00	15.52				
15.00	16.00	1.938				
16.00	17.00	1.365				
17.00	18.00	10.2				
18.00	19.00	12.63				
19.00	20.00	10.51				
20.00	21.00	12.61				
21.00	22.00	3.354				
22.00	23.00	12.29				
23.00	24.00	16.53				
24.00	25.00	6.587				
25.00	26.00	2.594				
26.00	27.00	17.13				
27.00	28.00	0.847				
28.00	29.00	2.67				
29.00	30.00	14.24				
30.00	31.00	5.729				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
31.00	32.00	2.011				
32.00	33.00	19.2				
33.00	34.00	2.528				
34.00	35.00	2.192				
35.00	36.00	3.746				
36.00	37.00	2.525				
37.00	38.00	1.652				
38.00	39.00	2.074				
39.00	40.00	0.206				
40.00	41.00	0.4				
41.00	42.00	0.759				
42.00	43.00	0.781				
43.00	44.00	0.784				
44.00	45.00	0.635				
45.00	46.00	0.706				
46.00	47.00	0.732				
47.00	48.00	0.605				
48.00	49.00	0.505				
49.00	50.00	0.925				
50.00	51.00	1.313				
51.00	52.00	1.543				
52.00	53.00	1.342				
53.00	54.00	1.161				
54.00	55.00	2.333				
55.00	56.00	3.59				
56.00	57.00	9.42				
57.00	58.00	6.075				
58.00	59.00	0.475				
59.00	60.00	15.58				
60.00	61.00	11.62				
61.00	62.00	16.47				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
62.00	63.00	13.13				
63.00	64.00	9.83				
64.00	65.00	14.2				
65.00	66.00	4.958				
66.00	67.00	8.669				
67.00	68.00	9.723				
68.00	69.00	14.65				
69.00	70.00	9.664				
70.00	71.00	8.858				
71.00	72.00	3.53				
72.00	73.00	3.008				
73.00	74.00	6.582				
74.00	75.00	15.87				
75.00	76.00	9.701				
76.00	77.00	12.04				
77.00	78.00	13.32				
78.00	79.00	14.12				
79.00	80.00	14.45				
80.00	81.00	14.98				
81.00	82.00	11.4				
82.00	83.00	7.682				
83.00	84.00	12.02				
84.00	85.00	16.36				
85.00	86.00	11.92				
86.00	87.00	14.16				
87.00	88.00	10.3				
88.00	89.00	4.49				
89.00	90.00	16.23				
90.00	91.00	32.68				
91.00	92.00	14.22				
92.00	93.00	17.77				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
93.00	94.00	15.94				
94.00	95.00	18.89				
95.00	96.00	12.6				
96.00	97.00	15.8				
97.00	98.00	24.91				
98.00	99.00	23.05				
99.00	100.00	18.96				
100.00	101.00	16.37				
101.00	102.00	15.16				
102.00	103.00	12.12				
103.00	104.00	16.59				
104.00	105.00	17.36				
105.00	106.00	11.92				
106.00	107.00	8.58				
107.00	108.00	26.25				
108.00	109.00	14.63				
109.00	110.00	8.765				
110.00	111.00	10.31				
111.00	112.00	14.07				
112.00	113.00	9.91				
113.00	114.00	1.964				
114.00	115.00	15.99				
115.00	116.00	19.89				
116.00	117.00	2.811				
117.00	118.00	7.279				
118.00	119.00	19.04				
119.00	120.00	11.74				
120.00	121.00	14.3				
121.00	122.00	15.08				
122.00	123.00	19.95				
123.00	124.00	22.14				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
124.00	125.00	18.84				
125.00	126.00	19.79				
126.00	127.00	15.55				
127.00	128.00	23.27				
128.00	129.00	30.43				
129.00	130.00	24.26				
130.00	131.00	30.65				
131.00	132.00	36.71				
132.00	133.00	33.74				
133.00	134.00	27.39				
134.00	135.00	32.35				
135.00	136.00	29.16				
136.00	137.00	23.91				
137.00	138.00	9.129				
138.00	139.00	11.74				
139.00	140.00	12.49				
140.00	141.00	8.783				
141.00	142.00	17.06				
142.00	143.00	19.82				
143.00	144.00	19.62				
144.00	145.00	19.76				
145.00	146.00	21.38				
146.00	147.00	19.64				
147.00	148.00	31.06				
148.00	149.00	48.49				
149.00	150.00	16.6				
150.00	151.00	16.62				
151.00	152.00	20.11				
152.00	153.00	17.49				
153.00	154.00	19.03				
154.00	155.00	17.28				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
155.00	156.00	19.84				
156.00	157.00	13.17				
157.00	158.00	19.43				
158.00	159.00	4.637				
159.00	160.00	22.28				
160.00	161.00	22.2				
161.00	162.00	20.75				
162.00	163.00	22.66				
163.00	164.00	25.24				
164.00	165.00	27.52				
165.00	166.00	24.51				
166.00	167.00	27.76				
167.00	168.00	26.57				
168.00	169.00	21.34				
169.00	170.00	20.04				
170.00	171.00	24.61				
171.00	172.00	1.157				
172.00	173.00	0.736				
173.00	174.00	0.31				
174.00	175.00	0.497				
175.00	176.00	0.647				
176.00	177.00	0.374				
177.00	178.00	0.163				
178.00	179.00	0.513				
179.00	180.00	0.242				
180.00	181.00	0.582				
181.00	182.00	0.386				
182.00	183.00	0.093				
183.00	184.00	0.545				
184.00	185.00	0.097				
185.00	186.00	0.042				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
186.00	187.00	0.42				
187.00	188.00	0.158				
188.00	189.00	0.131				
189.00	190.00	0.366				
190.00	191.00	0.158				
191.00	192.00	0.48				
192.00	193.00	0.601				
193.00	194.00	0.529				
194.00	195.00	0.193				
195.00	196.00	0.261				
196.00	197.00	0.551				
197.00	198.00	0.634				
198.00	199.00	0.207				
199.00	200.00	0.19				
200.00	201.00	0.42				
201.00	202.00	0.478				
202.00	203.00	11.21				
203.00	204.00	7.705				
204.00	205.00	1.164				
205.00	206.00	13.41				
206.00	207.00	0.756				
207.00	208.00	1.252				
208.00	209.00	0.516				
209.00	210.00	0.343				
210.00	211.00	0.332				
211.00	212.00	1.814				
212.00	213.00	0.223				
213.00	214.00	0.53				
214.00	215.00	0.539				
215.00	216.00	0.821				
216.00	217.00	0.455				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
217.00	218.00	0.389				
218.00	219.00	0.458				
219.00	220.00	0.596				
220.00	221.00	0.321				
221.00	222.00	0.56				
222.00	223.00	0.338				
223.00	224.00	0.988				
224.00	225.00	6.058				
225.00	226.00	0.098				
226.00	227.00	12.2				
227.00	228.00	0.373				
228.00	229.00	1.762				
229.00	230.00	17.15				
230.00	231.00	12.19				
231.00	232.00	10.6				
232.00	233.00	4.822				
233.00	234.00	12.2				
234.00	235.00	10.91				
235.00	236.00	7.59				
236.00	237.00	5.692				
237.00	238.00	11.45				
238.00	239.00	7.545				
239.00	240.00	16.28				
240.00	241.00	13.23				
241.00	242.00	17.05				
242.00	243.00	6.805				
243.00	244.00	4.405				
244.00	245.00	14.35				
245.00	246.00	15.5				
246.00	247.00	13.09				
247.00	248.00	7.661				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
248.00	249.00	7.227				
249.00	250.00	28.7				
250.00	251.00	2.28				
251.00	252.00	11.5				
252.00	253.00	9.534				
253.00	254.00	12.26				
254.00	255.00	11.19				
255.00	256.00	11.98				
256.00	257.00	8.541				
257.00	258.00	11.54				
258.00	259.00	8.92				
259.00	260.00	8.271				
260.00	261.00	18.14				
261.00	262.00	12.45				
262.00	263.00	9.632				
263.00	264.00	8.838				
264.00	265.00	5.605				
265.00	266.00	10.01				
266.00	267.00	13.17				
267.00	268.00	7.658				
268.00	269.00	14.18				
269.00	270.00	21.5				
270.00	271.00	15.2				
271.00	272.00	13.83				
272.00	273.00	15.65				
273.00	274.00	13.91				
274.00	275.00	17.66				
275.00	276.00	16.67				
276.00	277.00	15.45				
277.00	278.00	16.47				
278.00	279.00	10.21				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
279.00	280.00	11.53				
280.00	281.00	2.729				
281.00	282.00	1.762				
282.00	283.00	25.02				
283.00	284.00	11.55				
284.00	285.00	56.32				
285.00	286.00	47.37				
286.00	287.00	46.01				
287.00	288.00	53.57				
288.00	289.00	10.25				
289.00	290.00	22.2				
290.00	291.00	36.37				
291.00	292.00	1.442				
292.00	293.00	0.628				
293.00	294.00	0.403				
294.00	295.00	0.62				
295.00	296.00	0.493				
296.00	297.00	0.495				
297.00	298.00	0.461				
298.00	299.00	0.607				
299.00	300.00	0.49				
300.00	301.00	0.399				
301.00	302.00	0.162				
302.00	303.00	0.527				
303.00	304.00	0.546				
304.00	305.00	0.492				
305.00	306.00	0.575				
306.00	307.00	0.131				
307.00	308.00	0.452				
308.00	309.00	0.423				
309.00	310.00	0.014				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
310.00	311.00	0.068				
311.00	312.00	0.46				
312.00	313.00	1.22				
313.00	314.00	0.421				
314.00	315.00	0.537				
315.00	316.00	0.498				
316.00	317.00	0.429				
317.00	318.00	0.408				
318.00	319.00	0.385				
319.00	320.00	0.5				
320.00	321.00	0.209				
321.00	322.00	0.343				
322.00	323.00	0.275				
323.00	324.00	0.771				
324.00	325.00	0.479				
325.00	326.00	0.32				
326.00	327.00	0.587				
327.00	328.00	0.32				
328.00	329.00	0.188				
329.00	330.00	0.576				
330.00	331.00	0.548				
331.00	332.00	0.722				
332.00	333.00	0.718				
333.00	334.00	0.611				
334.00	335.00	0.47				
335.00	336.00	0.888				
336.00	337.00	0.505				
337.00	338.00	0.336				
338.00	339.00	0.438				
339.00	340.00	0.578				
340.00	341.00	0.505				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
341.00	342.00	0.541				
342.00	343.00	0.202				
343.00	344.00	0.591				
344.00	345.00	0.11				
345.00	346.00	0.352				
346.00	347.00	0.503				
347.00	348.00	0.398				
348.00	349.00	0.654				
349.00	350.00	0.354				
350.00	351.00	0.598				
351.00	352.00	0.385				
352.00	353.00	0.746				
353.00	354.00	0.474				
354.00	355.00	0.458				
355.00	356.00	0.498				
356.00	357.00	0.226				
357.00	358.00	0.374				
358.00	359.00	0.2				
359.00	360.00	0.625				
360.00	361.00	0.182				
361.00	362.00	0.452				
362.00	363.00	0.648				
363.00	364.00	0.204				
364.00	365.00	0.981				
365.00	366.00	0.232				
366.00	367.00	0.597				
367.00	368.00	0.529				
368.00	369.00	0.541				
369.00	370.00	0.55				
370.00	371.00	0.142				
371.00	372.00	0.519				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
372.00	373.00	0.514				
373.00	374.00	0.014				
374.00	375.00	0.471				
375.00	376.00	0.479				
376.00	377.00	0.439				
377.00	378.00	0.494				
378.00	379.00	0.505				
379.00	380.00	0.544				
380.00	381.00	0.544				
381.00	382.00	0.601				
382.00	383.00	0.397				
383.00	384.00	0.287				
384.00	385.00	0.564				
385.00	386.00	1.3				
386.00	387.00	0.364				
387.00	388.00	0.02				
388.00	389.00	0.346				
389.00	390.00	0.476				
390.00	391.00	0.084				
391.00	392.00	0.41				
392.00	393.00	0.124				
393.00	394.00	0.1				
394.00	395.00	0.409				
395.00	396.00	0.496				
396.00	397.00	0.137				
397.00	398.00	0.451				
398.00	399.00	0.453				
399.00	400.00	0.401				
400.00	401.00	0.323				
401.00	402.00	0.701				
402.00	403.00	0.544				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
403.00	404.00	0.053				
404.00	405.00	0.546				
405.00	406.00	0.152				
406.00	407.00	0.45				
407.00	408.00	0.445				
408.00	409.00	0.433				
409.00	410.00	0.465				
410.00	411.00	0.435				
411.00	412.00	0.509				
412.00	413.00	0.275				
413.00	414.00	0.317				
414.00	415.00	0.387				
415.00	416.00	0.684				
416.00	417.00	0.858				
417.00	418.00	0.783				
418.00	419.00	0.659				
419.00	420.00	0.636				
420.00	421.00	0.514				
421.00	422.00	0.254				
422.00	423.00	0.59				
423.00	424.00	0.754				
424.00	425.00	0.592				
425.00	426.00	0.558				
426.00	427.00	0.427				
427.00	428.00	0.487				
428.00	429.00	0.408				
429.00	430.00	0.63				
430.00	431.00	0.699				
431.00	432.00	0.769				
432.00	433.00	0.575				
433.00	434.00	0.511				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
434.00	435.00	0.639				
435.00	436.00	0.716				
436.00	437.00	0.531				
437.00	438.00	0.7				
438.00	439.00	0.651				
439.00	440.00	0.503				
440.00	441.00	0.183				
441.00	442.00	0.577				
442.00	443.00	0.424				
443.00	444.00	0.1				
444.00	445.00	0.546				
445.00	446.00	0.625				
446.00	447.00	0.1				
447.00	448.00	0.526				
448.00	449.00	0.477				
449.00	450.00	0.071				
450.00	451.00	0.486				
451.00	452.00	0.085				
452.00	453.00	0.561				
453.00	454.00	0.068				
454.00	455.00	0.288				
455.00	456.00	0.086				
456.00	457.00	0.102				
457.00	458.00	0.567				
458.00	459.00	0.558				
459.00	460.00	0.062				
460.00	461.00	0.951				
461.00	462.00	0.572				
462.00	463.00	0.428				
463.00	464.00	0.362				
464.00	465.00	0.794				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
465.00	466.00	0.703				
466.00	467.00	0.089				
467.00	468.00	0.636				
468.00	469.00	0.113				
469.00	470.00	0.675				
470.00	471.00	0.795				
471.00	472.00	2.602				
472.00	473.00	0.911				
473.00	474.00	0.168				
474.00	475.00	7.774				
475.00	476.00	8.127				
476.00	477.00	18.51				
477.00	478.00	11.06				
478.00	479.00	0.991				
479.00	480.00	1.225				
480.00	481.00	0.876				
481.00	482.00	0.68				
482.00	483.00	0.702				
483.00	484.00	0.429				
484.00	485.00	0.406				
485.00	486.00	0.365				
486.00	487.00	0.619				
487.00	488.00	0.698				
488.00	489.00	0.514				
489.00	490.00	0.702				
490.00	491.00	0.881				
491.00	492.00	0.553				
492.00	493.00	0.493				
493.00	494.00	0.527				
494.00	495.00	0.495				
495.00	496.00	0.571				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
496.00	497.00	0.459				
497.00	498.00	0.47				
498.00	499.00	0.491				
499.00	500.00	0.438				
500.00	501.00	0.542				
501.00	502.00	0.473				
502.00	503.00	0.381				
503.00	504.00	0.641				
504.00	505.00	0.386				
505.00	506.00	0.597				
506.00	507.00	0.815				
507.00	508.00	0.78				
508.00	509.00	0.663				
509.00	510.00	0.583				
510.00	511.00	2.167				
511.00	512.00	6.375				
512.00	513.00	1150				
513.00	514.00	105.9				
514.00	515.00	1379				
515.00	516.00	1430				
516.00	517.00	1737				
517.00	518.00	1872				
518.00	519.00	1102				
519.00	520.00	679.5				
520.00	521.00	350.7				
521.00	522.00	342.1				
522.00	523.00	127.4				
523.00	524.00	963.7				
524.00	525.00	774.5				
525.00	526.00	1076				
526.00	527.00	47.62				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
527.00	528.00	286.3				
528.00	529.00	636.6				
529.00	530.00	33.06				
530.00	531.00	28.29				
531.00	532.00	58.09				
532.00	533.00	32.96				
533.00	534.00	78.19				
534.00	535.00	37.87				
535.00	536.00	110.6				
536.00	537.00	120.9				
537.00	538.00	109.7				
538.00	539.00	106.5				
539.00	540.00	97.97				
540.00	541.00	145.7				
541.00	542.00	132.9				
542.00	543.00	150.7				
543.00	544.00	39.79				
544.00	545.00	6.462				
545.00	546.00	27.29				
546.00	547.00	30.1				
547.00	548.00	27.28				
548.00	549.00	27.54				
549.00	550.00	7.048				
550.00	551.00	46.36				
551.00	552.00	10.73				
552.00	553.00	5.255				
553.00	554.00	0.867				
554.00	555.00	1.483				
555.00	556.00	33.96				
556.00	557.00	8.041				
557.00	558.00	8.776				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
558.00	559.00	1.811				
559.00	560.00	65.01				
560.00	561.00	53.41				
561.00	562.00	42.82				
562.00	563.00	37.62				
563.00	564.00	40.35				
564.00	565.00	10.11				
565.00	566.00	26.8				
566.00	567.00	18.57				
567.00	568.00	2.722				
568.00	569.00	3.357				
569.00	570.00	34.37				
570.00	571.00	7.493				
571.00	572.00	13.7				
572.00	573.00	67.19				
573.00	574.00	46.8				
574.00	575.00	37.56				
575.00	576.00	27.07				
576.00	577.00	37.01				
577.00	578.00	4.43				
578.00	579.00	45.74				
579.00	580.00	24.22				
580.00	581.00	13.06				
581.00	582.00	18.29				
582.00	583.00	7.661				
583.00	584.00	11.04				
584.00	585.00	3.308				
585.00	586.00	3.588				
586.00	587.00	3.882				
587.00	588.00	15.28				
588.00	589.00	1061				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
589.00	590.00	41.65				
590.00	591.00	438.6				
591.00	592.00	1072				
592.00	593.00	46.43				
593.00	594.00	18.07				
594.00	595.00	81.41				
595.00	596.00	230				
596.00	597.00	1181				
597.00	598.00	1045				
598.00	599.00	951.2				
599.00	600.00	1014				
600.00	601.00	1081				
601.00	602.00	1465				
602.00	603.00	1384				
603.00	604.00	1284				
604.00	605.00	1926				
605.00	606.00	70.77				
606.00	607.00	7.658				
607.00	608.00	1512				
608.00	609.00	628.5				
609.00	610.00	1206				
610.00	611.00	242.9				
611.00	612.00	277.8				
612.00	613.00	4.78				
613.00	614.00	126.2				
614.00	615.00	25.6				
615.00	616.00	40.56				
616.00	617.00	126.7				
617.00	618.00	985				
618.00	619.00	1644				
619.00	620.00	1492				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
620.00	621.00	570.5				
621.00	622.00	1159				
622.00	623.00	959.7				
623.00	624.00	1225				
624.00	625.00	637.7				
625.00	626.00	895.9				
626.00	627.00	1505				
627.00	628.00	1788				
628.00	629.00	1216				
629.00	630.00	2000				
630.00	631.00	1191				
631.00	632.00	1441				
632.00	633.00	1400				
633.00	634.00	1168				
634.00	635.00	1221				
635.00	636.00	1225				
636.00	637.00	278.6				
637.00	638.00	1077				
638.00	639.00	688.5				
639.00	640.00	1085				
640.00	641.00	297.6				
641.00	642.00	436.1				
642.00	643.00	791.8				
643.00	644.00	415.7				
644.00	645.00	452.1				
645.00	646.00	1383				
646.00	647.00	1750				
647.00	648.00	413.6				
648.00	649.00	1366				
649.00	650.00	42.37				
650.00	651.00	42.1				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
651.00	652.00	30.29				
652.00	653.00	25.59				
653.00	654.00	13.3				
654.00	655.00	8.336				
655.00	656.00	6.157				
656.00	657.00	2.111				
657.00	658.00	4.448				
658.00	659.00	34.63				
659.00	660.00	53.59				
660.00	661.00	24.85				
661.00	662.00	38.94				
662.00	663.00	37.78				
663.00	664.00	30.32				
664.00	665.00	20.81				
665.00	666.00	320.7				
666.00	667.00	201.2				
667.00	668.00	150				
668.00	669.00	83.71				
669.00	670.00	1065				
670.00	671.00	47.4				
671.00	672.00	16.89				
672.00	673.00	338.7				
673.00	674.00	15.33				
674.00	675.00	550.8				
675.00	676.00	1071				
676.00	677.00	7.553				
677.00	678.00	11.63				
678.00	679.00	0.517				
679.00	680.00	0.374				
680.00	681.00	1.007				
681.00	682.00	0.602				

Canadian Continental Exploration Corp.

From	To	Magnetism	...	Title	Description	
682.00	683.00	0.557				
683.00	684.00	0.509				
684.00	685.00	0.456				
685.00	686.00	0.43				
686.00	687.00	0.021				
687.00	688.00	0.443				


Canadian Continental Exploration Corp.


From	To	Sample number	Au (ppb)	...


Canadian Continental Exploration Corp.


From	To	Sample number	Reference	Au (ppb)	...


Appendix IV
Cross Sections











Appendix V Survey Data



Scientific Drilling

Customer Name: Canadian Continental Exploration

Well Name: ER1601

Site Name: Eaglerock Lake

Rig Number: Summit Drilling 001

Survey Date: 10/1/2016

Latitude: 51.0520500°N

Longitude: 93.7226600°W

North Reference: True North

Grid Correction: None

Depth Reference: top of rotation (0.00 m)

Calculation Method Minimum Curvature

Definitive Survey: Inrun

SDI Operators: A.Plackitt

Well Notes:

MD m	Dip deg	Az deg	TVD m	N/S m	E/W m	Dogleg Severity °/30m
0	-54.61	225.84	0	0	0	0 Invalid
10	-54.49	226.2	8.15	-4.03	-4.17	0.72
20	-54.37	227.03	16.28	-8.02	-8.4	1.49
30	-54.17	227.8	24.4	-11.97	-12.7	1.47
40	-53.96	228.68	32.5	-15.88	-17.08	1.68
50	-53.92	229.45	40.58	-19.74	-21.52	1.36
60	-53.7	230.18	48.65	-23.55	-26.04	1.45
70	-53.69	230.99	56.71	-27.31	-30.61	1.43
80	-53.54	231.85	64.76	-31.01	-35.25	1.61
90	-53.43	232.57	72.8	-34.65	-39.95	1.33
100	-53.3	233.23	80.82	-38.25	-44.71	1.24
110	-53.25	233.82	88.84	-41.81	-49.52	1.07
120	-53.31	234.5	96.85	-45.31	-54.36	1.22
130	-53.2	235.16	104.87	-48.75	-59.25	1.24
140	-53.15	235.8	112.87	-52.15	-64.19	1.16
150	-53.18	236.53	120.87	-55.49	-69.17	1.31
160	-53.08	237.28	128.87	-58.76	-74.2	1.39
170	-53.06	238.04	136.87	-61.98	-79.28	1.37
180	-53	238.74	144.86	-65.13	-84.4	1.28
190	-52.9	239.63	152.84	-68.21	-89.57	1.64

200	-52.68	240.41	160.8	-71.24	-94.81	1.56
210	-52.57	241.24	168.75	-74.19	-100.11	1.55
220	-52.65	241.84	176.7	-77.09	-105.45	1.12
230	-52.75	242.5	184.65	-79.92	-110.81	1.23
240	-52.82	242.94	192.61	-82.69	-116.18	0.83
250	-52.72	243.53	200.58	-85.41	-121.59	1.11
260	-52.54	244.13	208.52	-88.09	-127.03	1.21
270	-52.75	244.39	216.47	-90.73	-132.5	0.77
280	-53.07	244.71	224.45	-93.32	-137.94	1.14
290	-53.11	245.17	232.44	-95.86	-143.38	0.82
300	-53.34	245.66	240.45	-98.35	-148.83	1.13
310	-53.37	246.14	248.48	-100.79	-154.28	0.86
320	-53.48	246.52	256.51	-103.18	-159.73	0.75
330	-53.41	246.97	264.54	-105.53	-165.21	0.83
340	-53.29	247.73	272.57	-107.83	-170.71	1.41
350	-53.42	248.35	280.59	-110.06	-176.25	1.16
360	-53.37	248.89	288.62	-112.24	-181.8	0.98
370	-53.25	249.42	296.64	-114.36	-187.39	1.02
380	-53.25	249.82	304.65	-116.45	-192.99	0.72
390	-53.27	250.2	312.66	-118.49	-198.62	0.69
400	-53.2	250.82	320.67	-120.49	-204.26	1.13
410	-53.08	251.17	328.67	-122.44	-209.93	0.73
420	-53.11	251.66	336.67	-124.36	-215.62	0.87
430	-52.99	252.27	344.66	-126.22	-221.34	1.17
440	-52.99	252.58	352.65	-128.03	-227.08	0.56
450	-52.91	253.25	360.63	-129.8	-232.84	1.23
460	-52.65	253.77	368.59	-131.52	-238.64	1.24
470	-52.27	254.32	376.52	-133.19	-244.49	1.51
480	-52.09	254.96	384.42	-134.82	-250.41	1.29
490	-51.92	255.71	392.3	-136.38	-256.36	1.48
500	-51.72	256.02	400.16	-137.89	-262.36	0.82
510	-51.64	256.77	408.01	-139.34	-268.38	1.41
520	-51.57	257.05	415.84	-140.75	-274.43	0.57
530	-51.65	257.32	423.68	-142.13	-280.49	0.56
540	-51.3	257.82	431.51	-143.47	-286.57	1.39
550	-50.97	258.17	439.29	-144.78	-292.71	1.2
560	-50.82	258.74	447.05	-146.04	-298.89	1.17
570	-50.82	259.27	454.8	-147.24	-305.09	1
580	-50.61	259.32	462.54	-148.42	-311.31	0.66
590	-50.35	259.95	470.26	-149.56	-317.57	1.42
600	-49.98	260.26	477.94	-150.66	-323.88	1.25
610	-50.09	260.64	485.6	-151.73	-330.22	0.8
620	-49.86	261.12	493.26	-152.75	-336.57	1.15
630	-49.94	261.62	500.91	-153.72	-342.93	0.99
640	-49.82	262.29	508.55	-154.62	-349.31	1.36
645.2	-50.24	262.54	512.54	-155.06	-352.63	2.58



Scientific Drilling

Customer Canadian Continental

Survey Name: Inrun
Well Name: ER16-02
Site Name: Eaglerock Lake
Rig Number: Summit Rig #1
Survey Date: 10/12/2016
Latitude: 46.9260000°N
Longitude: 80.2270000°W
North Reference: True North
Grid Correction: None
Depth Reference: Top of Rotation (0.00 m)
Calculation Method: Minimum Curvature
Vertical Section Reference: 0.00N (m), 0.00E (m), 216.98Azim (deg)
Definitive Survey: Inrun
SDI Operators: A.Crosby
Well Notes

Measured Depth (m)	Dip deg	Azimuth deg	TVD m	Vertical Sect m	+N/-S m	+E/-W m	Dogleg Severity °/30m
0.00		-55.08 202.02	0.00	0.00	0.00	0.00	Invalid
5.00		-55.08 202.08	4.10	2.77	-2.65	-1.07	0.21
10.00		-55.07 202.43	8.20	5.53	-5.30	-2.16	1.19
15.00		-54.97 202.84	12.30	8.31	-7.95	-3.26	1.55
20.00		-55.07 203.02	16.39	11.09	-10.59	-4.38	0.86
25.00		-55.01 203.31	20.49	13.87	-13.22	-5.51	1.04
30.00		-54.95 203.59	24.59	16.66	-15.85	-6.65	1.04
35.00		-54.96 203.98	28.68	19.46	-18.48	-7.81	1.36
40.00		-54.89 204.36	32.77	22.26	-21.10	-8.98	1.39
45.00		-54.87 204.59	36.86	25.07	-23.72	-10.17	0.78
50.00		-54.94 204.81	40.95	27.88	-26.33	-11.37	0.87
55.00		-54.89 204.94	45.04	30.69	-28.94	-12.58	0.52
60.00		-54.87 205.13	49.13	33.50	-31.55	-13.80	0.67
65.00		-54.85 205.32	53.22	36.32	-34.15	-15.03	0.67

70.00	-54.91 205.50	57.31	39.14	-36.75	-16.26	0.71
75.00	-54.87 205.80	61.40	41.96	-39.34	-17.51	1.05
80.00	-54.81 206.04	65.49	44.78	-41.93	-18.77	0.91
85.00	-54.77 206.24	69.57	47.61	-44.52	-20.04	0.74
90.00	-54.73 206.36	73.66	50.45	-47.10	-21.31	0.49
95.00	-54.73 206.47	77.74	53.29	-49.69	-22.60	0.36
100.00	-54.71 206.61	81.82	56.13	-52.27	-23.89	0.50
105.00	-54.76 206.83	85.90	58.97	-54.85	-25.19	0.83
110.00	-54.72 206.98	89.99	61.81	-57.43	-26.49	0.61
115.00	-54.76 207.12	94.07	64.65	-60.00	-27.81	0.54
120.00	-54.77 207.26	98.15	67.50	-62.56	-29.12	0.48
125.00	-54.78 207.43	102.24	70.34	-65.13	-30.45	0.59
130.00	-54.77 207.59	106.32	73.19	-67.68	-31.78	0.55
135.00	-54.82 207.59	110.41	76.03	-70.24	-33.12	0.35
140.00	-54.83 207.83	114.49	78.87	-72.79	-34.45	0.82
145.00	-54.76 208.01	118.58	81.72	-75.33	-35.80	0.72
150.00	-54.81 208.17	122.66	84.57	-77.88	-37.16	0.63
155.00	-54.81 208.33	126.75	87.42	-80.42	-38.53	0.54
160.00	-54.81 208.56	130.84	90.27	-82.95	-39.90	0.79
165.00	-54.8 208.75	134.92	93.12	-85.48	-41.28	0.64
170.00	-54.84 208.91	139.01	95.97	-88.00	-42.67	0.61
175.00	-54.88 209.12	143.10	98.82	-90.52	-44.07	0.75
180.00	-55.01 209.47	147.19	101.66	-93.02	-45.47	1.45
185.00	-55.02 209.67	151.29	104.51	-95.52	-46.89	0.66
190.00	-54.98 209.96	155.38	107.35	-98.01	-48.31	1.04
195.00	-54.92 210.18	159.48	110.20	-100.49	-49.75	0.86
200.00	-54.95 210.45	163.57	113.06	-102.97	-51.20	0.94
205.00	-54.91 210.68	167.66	115.91	-105.45	-52.66	0.81
210.00	-54.9 210.89	171.75	118.77	-107.91	-54.13	0.74
215.00	-54.94 211.13	175.84	121.63	-110.38	-55.61	0.84
220.00	-55.04 211.46	179.94	124.48	-112.83	-57.10	1.27
225.00	-54.97 211.67	184.04	127.34	-115.27	-58.60	0.82
230.00	-54.97 211.78	188.13	130.20	-117.71	-60.11	0.41
235.00	-54.93 211.94	192.22	133.06	-120.15	-61.63	0.59
240.00	-54.87 212.35	196.31	135.92	-122.59	-63.16	1.47
245.00	-54.93 212.51	200.40	138.79	-125.01	-64.70	0.66
250.00	-54.7 212.87	204.49	141.66	-127.44	-66.26	1.84
255.00	-54.67 213.30	208.57	144.54	-129.86	-67.83	1.53
260.00	-54.55 213.74	212.65	147.43	-132.27	-69.43	1.66
265.00	-54.55 213.89	216.72	150.33	-134.68	-71.05	0.53
270.00	-54.5 214.21	220.79	153.23	-137.09	-72.67	1.15
275.00	-54.49 214.46	224.86	156.13	-139.49	-74.31	0.90
280.00	-54.47 214.93	228.93	159.03	-141.87	-75.96	1.62

285.00	-54.59 215.57	233.00 161.93	-144.24 -77.64	2.35
290.00	-54.52 215.89	237.08 164.83	-146.60 -79.33	1.19
295.00	-54.55 216.25	241.15 167.73	-148.94 -81.04	1.28
300.00	-54.52 216.49	245.22 170.63	-151.28 -82.76	0.85
305.00	-54.5 216.82	249.29 173.53	-153.61 -84.49	1.16
310.00	-54.54 217.25	253.36 176.44	-155.92 -86.24	1.50
315.00	-54.54 217.44	257.44 179.34	-158.23 -88.00	0.67
320.00	-54.56 218.10	261.51 182.24	-160.52 -89.78	2.32
325.00	-54.53 218.97	265.58 185.14	-162.79 -91.58	3.03
330.00	-54.66 219.39	269.66 188.03	-165.04 -93.41	1.66
335.00	-54.7 219.74	273.74 190.92	-167.26 -95.25	1.22
340.00	-54.68 220.15	277.82 193.80	-169.48 -97.11	1.42
345.00	-54.61 220.61	281.90 196.69	-171.68 -98.98	1.66
350.00	-54.54 221.23	285.97 199.58	-173.87 -100.88	2.16
355.00	-54.47 221.60	290.04 202.48	-176.05 -102.80	1.38
360.00	-54.42 221.96	294.11 205.37	-178.22 -104.74	1.27
365.00	-54.44 222.32	298.18 208.27	-180.38 -106.69	1.26
370.00	-54.4 222.57	302.24 211.17	-182.52 -108.65	0.94
375.00	-54.41 222.96	306.31 214.06	-184.66 -110.63	1.35
380.00	-54.45 223.22	310.38 216.95	-186.78 -112.62	0.95
385.00	-54.44 223.57	314.44 219.84	-188.90 -114.62	1.22
390.00	-54.47 223.81	318.51 222.73	-191.00 -116.62	0.83
395.00	-54.51 224.18	322.58 225.61	-193.09 -118.64	1.31
400.00	-54.52 224.66	326.65 228.49	-195.16 -120.67	1.70
405.00	-54.61 225.44	330.73 231.36	-197.21 -122.72	2.77
410.00	-54.47 225.90	334.80 234.23	-199.23 -124.80	1.79
415.00	-54.45 226.45	338.87 237.10	-201.25 -126.90	1.93
420.00	-54.46 226.93	342.94 239.96	-203.24 -129.01	1.68
425.00	-54.33 227.61	347.00 242.83	-205.22 -131.15	2.50
430.00	-54.31 227.96	351.06 245.69	-207.17 -133.31	1.22
435.00	-54.2 228.26	355.12 248.56	-209.12 -135.48	1.23
440.00	-54.25 228.65	359.18 251.42	-211.06 -137.67	1.40
445.00	-54.07 228.85	363.23 254.29	-212.99 -139.87	1.27
450.00	-53.79 229.02	367.27 257.17	-214.93 -142.09	1.78
455.00	-53.63 229.08	371.30 260.06	-216.87 -144.33	1.00
460.00	-53.51 229.31	375.33 262.96	-218.81 -146.57	1.09
465.00	-53.07 229.55	379.33 265.88	-220.75 -148.84	2.76
470.00	-52.79 229.81	383.32 268.82	-222.70 -151.14	1.93
475.00	-52.68 230.12	387.30 271.77	-224.65 -153.46	1.32
480.00	-52.63 230.37	391.28 274.73	-226.59 -155.79	0.96
485.00	-52.57 230.56	395.25 277.68	-228.52 -158.13	0.77
490.00	-52.61 230.86	399.22 280.63	-230.45 -160.49	1.10
495.00	-52.55 231.09	403.19 283.58	-232.36 -162.85	0.90

500.00	-52.55 231.37	407.16 286.52	-234.26 -165.22	1.05
505.00	-52.35 231.66	411.13 289.47	-236.16 -167.60	1.59
510.00	-52.18 231.80	415.08 292.43	-238.05 -170.00	1.13
515.00	-52.2 231.96	419.03 295.40	-239.95 -172.42	0.63
520.00	-52.12 232.14	422.98 298.36	-241.83 -174.84	0.78
525.00	-52.06 232.47	426.92 301.32	-243.71 -177.27	1.26
530.00	-52.05 232.70	430.87 304.28	-245.58 -179.71	0.86
535.00	-51.91 232.84	434.80 307.25	-247.44 -182.16	0.98
540.00	-51.85 233.19	438.74 310.21	-249.30 -184.63	1.34
545.00	-51.84 233.48	442.67 313.18	-251.14 -187.10	1.09
550.00	-51.64 233.65	446.60 316.14	-252.98 -189.59	1.34
554.01	-51.75 233.73	449.74 318.52	-254.45 -191.60	0.86



Scientific Drilling

Customer Name: Canadian Continental
Well Name: ER16-03
Site Name: Eaglerock Lake
Rig Number: Summit Drill 1
Survey Date: 11/5/2016
Latitude: 46.9260000°N
Longitude: 80.2270000°W
North Reference: True North
Grid Correction: None
Depth Reference: Top of Rotaion (0.00 m)
Calculation Method: Minimum Curvature
Vertical Section Reference: 0.00N (m), 0.00E (m), 55.03Azim (deg)
Definitive Survey: Inrun
SDI Operators: A.Crosby
Well Notes:

Measured Depth (m)	Dip deg	Azimuth deg	TVD m	Vertical Section m	+N/-S m	+E/-W m	Dogleg Severity °/30m
0.00		-50.62 55.31	0.00	0.00	0.00	0.00	Invalid
5.00		-50.23 55.31	3.85	3.19	1.81	2.62	2.31
10.00		-50.16 55.21	7.70	6.39	3.64	5.25	0.58
15.00		-50.2 55.20	11.54	9.59	5.46	7.88	0.28
20.00		-50.2 55.20	15.38	12.79	7.29	10.51	0.03
25.00		-50.29 55.21	19.22	15.99	9.12	13.13	0.53
30.00		-50.22 55.22	23.07	19.18	10.94	15.76	0.41
35.00		-50.14 55.25	26.91	22.38	12.76	18.39	0.49
40.00		-50.15 55.19	30.74	25.59	14.59	21.02	0.24
45.00		-50.04 55.13	34.58	28.80	16.42	23.65	0.73
50.00		-50.03 55.12	38.41	32.01	18.26	26.29	0.09
55.00		-50.06 55.17	42.24	35.22	20.10	28.92	0.26
60.00		-50.01 55.13	46.08	38.43	21.93	31.56	0.35
65.00		-50.04 55.13	49.91	41.64	23.77	34.19	0.19
70.00		-50.03 55.13	53.74	44.85	25.60	36.83	0.06

75.00	-49.99 55.16	57.57	48.07	27.44	39.47	0.25
80.00	-49.92 55.14	61.40	51.28	29.28	42.11	0.43
85.00	-49.95 55.16	65.23	54.50	31.12	44.75	0.17
90.00	-49.98 55.14	69.05	57.72	32.96	47.39	0.19
95.00	-49.9 55.24	72.88	60.94	34.79	50.03	0.58
100.00	-49.96 55.12	76.71	64.16	36.63	52.67	0.54
105.00	-49.96 55.17	80.53	67.37	38.47	55.31	0.20
110.00	-50.07 55.06	84.37	70.59	40.31	57.95	0.78
115.00	-50.08 55.03	88.20	73.79	42.14	60.58	0.15
120.00	-50.12 54.95	92.04	77.00	43.98	63.20	0.38
125.00	-50.13 54.88	95.87	80.21	45.83	65.83	0.28
130.00	-50.13 54.81	99.71	83.41	47.67	68.45	0.27
135.00	-50.16 54.74	103.55	86.62	49.52	71.06	0.33
140.00	-50.17 54.62	107.39	89.82	51.37	73.68	0.45
145.00	-50.14 54.48	111.23	93.02	53.23	76.29	0.57
150.00	-50.15 54.47	115.07	96.23	55.09	78.89	0.05
155.00	-50.06 54.43	118.90	99.43	56.96	81.50	0.56
160.00	-50.06 54.44	122.74	102.64	58.82	84.11	0.05
165.00	-50.09 54.41	126.57	105.85	60.69	86.72	0.24
170.00	-50.09 54.43	130.41	109.06	62.56	89.33	0.07
175.00	-50.08 54.50	134.24	112.27	64.42	91.94	0.26
180.00	-50.02 54.50	138.07	115.48	66.29	94.56	0.37
185.00	-49.97 54.50	141.90	118.69	68.15	97.17	0.31
190.00	-49.92 54.58	145.73	121.91	70.02	99.80	0.41
195.00	-49.77 54.52	149.55	125.13	71.89	102.42	0.95
200.00	-49.63 54.50	153.37	128.37	73.77	105.06	0.79
205.00	-49.61 54.56	157.17	131.61	75.65	107.69	0.24
210.00	-49.55 54.48	160.98	134.85	77.53	110.33	0.50
215.00	-49.51 54.47	164.78	138.09	79.41	112.97	0.21
220.00	-49.53 54.53	168.59	141.34	81.30	115.62	0.28
225.00	-49.3 54.56	172.39	144.59	83.19	118.27	1.41
230.00	-49.24 54.57	176.17	147.85	85.08	120.93	0.38
235.00	-49.2 54.59	179.96	151.12	86.97	123.59	0.22
240.00	-49.16 54.67	183.74	154.39	88.86	126.25	0.39
245.00	-49.13 54.76	187.53	157.66	90.75	128.92	0.39
250.00	-48.98 54.85	191.30	160.94	92.64	131.60	0.96
255.00	-49.01 54.99	195.08	164.22	94.53	134.28	0.58
260.00	-48.94 55.15	198.85	167.50	96.40	136.97	0.76
265.00	-48.69 55.18	202.61	170.79	98.28	139.68	1.50
270.00	-48.5 55.16	206.36	174.10	100.17	142.39	1.17
275.00	-48.17 55.23	210.10	177.42	102.07	145.12	1.96
280.00	-47.82 55.27	213.81	180.77	103.98	147.87	2.12
285.00	-47.59 55.23	217.51	184.13	105.90	150.63	1.38

290.00	-47.39 55.32	221.20 187.51	107.82	153.41	1.28
295.00	-47.21 55.26	224.87 190.90	109.75	156.20	1.08
300.00	-47.16 55.34	228.54 194.30	111.69	158.99	0.46
305.00	-47.15 55.30	232.21 197.70	113.62	161.79	0.21
310.00	-46.97 55.28	235.87 201.10	115.56	164.59	1.08
315.00	-46.85 55.21	239.52 204.52	117.51	167.39	0.76
320.00	-46.84 55.07	243.16 207.94	119.46	170.20	0.56
325.00	-46.8 55.04	246.81 211.36	121.42	173.01	0.25
330.00	-46.76 54.98	250.45 214.79	123.38	175.81	0.36
335.00	-46.78 54.98	254.10 218.21	125.35	178.62	0.11
340.00	-46.7 54.99	257.74 221.64	127.32	181.42	0.45
345.00	-46.59 54.97	261.37 225.07	129.29	184.23	0.67
350.00	-46.57 55.02	265.01 228.51	131.26	187.05	0.24
355.00	-46.69 54.99	268.64 231.94	133.23	189.86	0.74
360.00	-46.82 54.95	272.28 235.37	135.19	192.67	0.78
365.00	-46.94 54.94	275.93 238.78	137.16	195.46	0.76
370.00	-46.94 54.98	279.59 242.20	139.12	198.26	0.17
375.00	-47.02 55.02	283.24 245.61	141.07	201.05	0.52
380.00	-47 55.00	286.90 249.02	143.03	203.85	0.15
385.00	-46.96 55.04	290.55 252.43	144.98	206.64	0.29
390.00	-47.03 54.97	294.21 255.84	146.94	209.43	0.50
395.00	-46.97 55.01	297.87 259.25	148.90	212.23	0.36
400.00	-46.98 55.01	301.52 262.66	150.85	215.02	0.05
405.00	-46.92 54.93	305.18 266.07	152.81	217.82	0.50
410.00	-46.9 54.96	308.83 269.49	154.77	220.61	0.17
415.00	-46.91 54.93	312.48 272.91	156.74	223.41	0.13
420.00	-46.87 54.96	316.13 276.32	158.70	226.21	0.27
425.00	-46.9 54.92	319.78 279.74	160.66	229.00	0.25
430.00	-46.95 54.96	323.43 283.15	162.62	231.80	0.35
435.00	-47.03 54.95	327.09 286.57	164.58	234.59	0.48
440.00	-47.03 54.97	330.75 289.97	166.54	237.38	0.10
445.00	-47.08 54.98	334.41 293.38	168.49	240.17	0.29
450.00	-47.03 55.02	338.07 296.79	170.45	242.96	0.32
455.00	-47.1 54.99	341.73 300.19	172.40	245.75	0.42
460.00	-47.15 55.07	345.39 303.59	174.35	248.54	0.44
465.00	-47.15 55.10	349.06 307.00	176.30	251.33	0.13
470.00	-47.23 55.14	352.72 310.39	178.24	254.12	0.45
475.00	-47.36 55.15	356.40 313.78	180.18	256.90	0.80
480.00	-47.37 55.20	360.08 317.17	182.11	259.68	0.20
485.00	-47.47 55.24	363.76 320.55	184.04	262.46	0.61
490.00	-47.54 55.25	367.44 323.93	185.97	265.23	0.42
495.00	-47.55 55.25	371.13 327.31	187.89	268.01	0.09
500.00	-47.54 55.28	374.82 330.68	189.81	270.78	0.13

505.00	-47.48 55.20	378.51 334.06	191.74 273.55 0.49
510.00	-47.41 55.28	382.19 337.44	193.67 276.33 0.54
515.00	-47.38 55.24	385.87 340.82	195.60 279.11 0.23
520.00	-47.38 55.26	389.55 344.21	197.53 281.89 0.08
525.00	-47.3 55.26	393.23 347.60	199.46 284.68 0.50
530.00	-47.3 55.25	396.90 350.99	201.39 287.47 0.08
535.00	-47.27 55.27	400.58 354.38	203.32 290.25 0.22
540.00	-47.25 55.29	404.25 357.77	205.25 293.04 0.12
545.00	-47.26 55.29	407.92 361.17	207.19 295.83 0.04
550.00	-47.23 55.33	411.59 364.56	209.12 298.62 0.23
555.00	-47.26 55.34	415.26 367.96	211.05 301.41 0.20
560.00	-47.16 55.37	418.93 371.35	212.98 304.21 0.65
565.00	-47.14 55.35	422.60 374.75	214.91 307.01 0.16
570.00	-47.08 55.37	426.26 378.16	216.85 309.81 0.34
575.00	-47.13 55.31	429.93 381.56	218.78 312.61 0.34
580.00	-47.1 55.31	433.59 384.96	220.72 315.40 0.17
585.00	-47.04 55.29	437.25 388.37	222.66 318.20 0.33
590.00	-46.96 55.28	440.91 391.78	224.60 321.01 0.48
595.00	-46.99 55.31	444.56 395.19	226.54 323.81 0.21
600.00	-46.95 55.30	448.22 398.60	228.48 326.62 0.27
605.00	-46.9 55.30	451.87 402.02	230.43 329.42 0.31
610.00	-46.87 55.24	455.52 405.43	232.37 332.23 0.31
615.00	-46.8 55.20	459.17 408.85	234.33 335.04 0.42
619.67	-46.84 55.20	462.57 412.05	236.15 337.67 0.28



Scientific Drilling

Customer Name Canadian Continental

Well Name: ER16-04

Site Name: Eaglrock Lake

Rig Number: Summit Drilling 01

Survey Date: 11/20/2016

Latitude: 51.0520500°N

Longitude: 93.7266000°W

North Reference: True North

Grid Correction: None

Depth Reference: Top of Rotation (0.00 m)

Calculation Method: Minimum Curvature

Vertical Section: 0.00N (m), 0.00E (m), 35.22Azim (deg)

Definitive Survey Inrun

SDI Operators: a. Plackitt

Well Notes:

MD m	Dip deg	Az deg	TVD m	VS m	N-S m	E-W m	Dogleg Severity °/30m
0	-60.18	34.08	0	0	0	0	0 Invalid
5	-60.18	34.09	4.34	2.49	2.06	1.39	0.03
10	-60.09	34.17	8.67	4.98	4.12	2.79	0.59
15	-60.11	34.63	13.01	7.47	6.18	4.2	1.37
20	-60.21	34.68	17.35	9.96	8.22	5.61	0.61
25	-60.14	34.67	21.68	12.44	10.27	7.03	0.4
30	-60.2	34.59	26.02	14.93	12.32	8.44	0.41
35	-60.24	34.52	30.36	17.41	14.36	9.85	0.33
40	-60.13	34.51	34.7	19.9	16.41	11.26	0.65
45	-60.14	34.45	39.03	22.39	18.46	12.67	0.19
50	-60.21	34.52	43.37	24.88	20.51	14.08	0.49
55	-60.25	34.54	47.71	27.36	22.56	15.48	0.24
60	-60.28	34.51	52.05	29.84	24.6	16.89	0.2
65	-60.35	34.58	56.4	32.31	26.64	18.29	0.49
70	-60.31	34.64	60.74	34.79	28.68	19.7	0.3
75	-60.2	34.71	65.08	37.27	30.72	21.11	0.72

80	-60.24	34.83	69.42	39.75	32.76	22.53	0.44
85	-60.32	34.75	73.76	42.23	34.79	23.94	0.58
90	-60.26	34.82	78.11	44.71	36.83	25.35	0.43
95	-60.23	34.78	82.45	47.19	38.87	26.77	0.2
100	-60.22	34.79	86.79	49.67	40.9	28.19	0.1
105	-60.22	34.84	91.13	52.16	42.94	29.61	0.17
110	-60.26	34.84	95.47	54.64	44.98	31.02	0.27
115	-60.15	34.92	99.81	57.12	47.02	32.44	0.69
120	-60.16	34.81	104.14	59.61	49.06	33.87	0.31
125	-60.18	34.94	108.48	62.1	51.1	35.29	0.37
130	-60.31	34.96	112.82	64.58	53.14	36.71	0.78
135	-60.21	35	117.16	67.06	55.17	38.13	0.6
140	-60.17	35.03	121.5	69.55	57.2	39.56	0.28
145	-60.16	35.11	125.84	72.03	59.24	40.99	0.23
150	-60.19	35.15	130.18	74.52	61.27	42.42	0.24
155	-60.17	35.14	134.51	77.01	63.31	43.85	0.13
160	-60.17	35.26	138.85	79.49	65.34	45.28	0.34
165	-60.1	35.23	143.19	81.98	67.37	46.72	0.4
170	-60.11	35.29	147.52	84.48	69.41	48.16	0.16
175	-60.14	35.34	151.86	86.97	71.44	49.6	0.26
180	-60.1	35.3	156.19	89.46	73.47	51.04	0.25
185	-60.09	35.31	160.53	91.95	75.51	52.48	0.11
190	-60.07	35.3	164.86	94.45	77.54	53.92	0.12
195	-60.04	35.43	169.19	96.94	79.58	55.37	0.42
200	-60.01	35.46	173.53	99.44	81.61	56.81	0.22
205	-60.02	35.61	177.86	101.94	83.65	58.27	0.46
210	-60.15	35.58	182.19	104.43	85.67	59.72	0.79
215	-60.22	35.69	186.53	106.92	87.7	61.17	0.54
220	-60.25	35.71	190.87	109.4	89.71	62.62	0.18
225	-60.29	35.76	195.21	111.88	91.72	64.06	0.29
230	-60.4	35.71	199.55	114.35	93.73	65.51	0.67
235	-60.5	35.74	203.9	116.82	95.73	66.95	0.61
240	-60.39	35.76	208.25	119.29	97.74	68.39	0.61
245	-60.34	35.78	212.6	121.76	99.74	69.84	0.33
250	-60.24	35.78	216.94	124.24	101.75	71.28	0.58
255	-60.12	35.73	221.28	126.72	103.77	72.74	0.73
260	-60.06	35.74	225.61	129.22	105.79	74.19	0.4
265	-60.08	35.82	229.95	131.71	107.82	75.65	0.27
270	-60.24	35.8	234.28	134.2	109.83	77.11	0.99
275	-60.31	36	238.63	136.68	111.84	78.56	0.72
280	-60.44	35.92	242.97	139.15	113.84	80.01	0.84
285	-60.57	35.94	247.33	141.61	115.84	81.46	0.78
290	-60.61	36.03	251.68	144.06	117.82	82.9	0.35
295	-60.71	36.06	256.04	146.51	119.8	84.34	0.64
300	-60.77	36	260.4	148.96	121.78	85.78	0.4
305	-60.77	36.05	264.77	151.4	123.76	87.21	0.13
310	-60.85	36.04	269.13	153.84	125.73	88.65	0.45

315	-60.94	35.93	273.5	156.27	127.69	90.08	0.64
320	-60.98	35.94	277.87	158.7	129.66	91.5	0.27
325	-61.15	35.95	282.25	161.11	131.62	92.92	0.97
330	-61.23	35.94	286.63	163.52	133.57	94.34	0.48
335	-61.25	35.9	291.01	165.93	135.52	95.75	0.19
340	-61.31	35.71	295.4	168.33	137.47	97.15	0.65
345	-61.32	35.65	299.78	170.73	139.42	98.55	0.18
350	-61.36	35.6	304.17	173.13	141.36	99.95	0.29
355	-61.6	35.67	308.56	175.52	143.3	101.34	1.44
360	-61.66	35.65	312.96	177.89	145.23	102.73	0.33
365	-61.67	35.54	317.36	180.27	147.16	104.11	0.33
370	-61.83	35.2	321.77	182.63	149.09	105.48	1.37
375	-61.94	35.17	326.18	184.99	151.02	106.84	0.67
380	-62.05	35.22	330.59	187.34	152.94	108.19	0.63
385	-62.11	35.25	335.01	189.68	154.85	109.54	0.39
390	-62.1	35.34	339.43	192.02	156.76	110.89	0.23
395	-62.13	35.31	343.85	194.36	158.67	112.24	0.17
400	-62.16	35.36	348.27	196.69	160.57	113.59	0.25
405	-62.05	35.42	352.69	199.03	162.48	114.95	0.67
410	-62.03	35.38	357.1	201.37	164.39	116.31	0.16
415	-62.1	35.41	361.52	203.72	166.3	117.66	0.39
420	-62.12	35.38	365.94	206.06	168.21	119.02	0.15
425	-62.13	35.27	370.36	208.39	170.11	120.37	0.32
430	-62.12	35.36	374.78	210.73	172.02	121.72	0.27
435	-62	35.42	379.2	213.07	173.93	123.08	0.75
440	-61.93	35.42	383.61	215.42	175.85	124.44	0.42
445	-62.04	35.94	388.03	217.77	177.75	125.81	1.59
450	-61.96	35.96	392.44	220.12	179.66	127.19	0.46
455	-62.02	35.91	396.85	222.47	181.56	128.57	0.39
460	-61.75	35.92	401.26	224.82	183.46	129.95	1.66
465	-61.75	35.82	405.67	227.19	185.38	131.34	0.29
470	-61.72	35.42	410.07	229.56	187.31	132.71	1.13
475	-61.68	35.12	414.48	231.93	189.24	134.08	0.89
480	-61.35	34.98	418.87	234.31	191.19	135.45	2.04
485	-61.45	34.78	423.26	236.71	193.16	136.82	0.85
490	-61.42	34.87	427.65	239.1	195.12	138.19	0.32
495	-61.38	34.98	432.04	241.49	197.08	139.56	0.41
500	-61.09	35.01	436.42	243.9	199.05	140.94	1.72
505	-60.98	35.45	440.8	246.32	201.03	142.33	1.43
510	-61.03	35.38	445.17	248.74	203.01	143.74	0.35
515	-60.95	35.01	449.55	251.17	204.99	145.14	1.17
520	-60.77	34.77	453.91	253.6	206.98	146.53	1.31
525	-60.69	34.75	458.27	256.04	208.99	147.92	0.47
530	-60.58	34.7	462.63	258.5	211.01	149.32	0.67
535	-60.41	34.63	466.98	260.96	213.03	150.72	1.08
540	-60.29	34.58	471.33	263.43	215.07	152.12	0.71
545	-60.17	34.69	475.67	265.92	217.11	153.54	0.78

550	-59.99	34.74	480	268.41	219.16	154.96	1.11
555	-60.11	34.66	484.33	270.91	221.21	156.38	0.75
560	-60.15	34.68	488.67	273.4	223.26	157.79	0.28
565	-60.06	34.58	493	275.89	225.31	159.21	0.63
570	-59.85	34.6	497.33	278.39	227.37	160.63	1.27
575	-59.66	35	501.65	280.91	229.44	162.07	1.65
580	-59.69	35.07	505.97	283.43	231.51	163.52	0.28
585	-59.67	35.18	510.28	285.96	233.57	164.97	0.34
590	-59.6	35.21	514.6	288.48	235.64	166.43	0.4
595	-59.66	35.05	518.91	291.01	237.71	167.88	0.56
600	-59.53	34.99	523.22	293.54	239.78	169.33	0.77
605	-59.53	34.69	527.53	296.08	241.86	170.78	0.89
610	-59.51	34.3	531.84	298.61	243.95	172.22	1.19
610.2	-59.48	34.3	532.02	298.72	244.03	172.28	3.93

Appendix VI
Assay Certificates

Quality Analysis ...



Innovative Technologies

Date Submitted: 07-Oct-16
Invoice No.: A16-10556
Invoice Date: 31-Oct-16
Your Reference: Eaglerock

Canadian Continental Exploration Corp.
RR#1 25 Valleycrest Dr.
Oro-Medonite Ontario L0L 2L0
Canada

ATTN: Joerg Kleinboeck

CERTIFICATE OF ANALYSIS

35 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code 1A2-Sudbury Au - Fire Assay AA

Code 1E3-Sudbury Aqua Regia ICP(AQUAGEO)

REPORT A16-10556

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1010 Lorne Street Unit West 4, Sudbury, Ontario, Canada, P3C 4R9
TELEPHONE +705 586-3288 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Sudbury@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A16-10556

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	%	ppm	ppm																		
Lower Limit	5	0.2	0.5	1	5	1	1	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10	
Method Code	FA-AA	AR-ICP																					
159501	< 5	0.2	< 0.5	76	372	< 1	36	< 2	58	3.96	8	< 10	78	< 0.5	< 2	0.32	19	30	9.19	< 10	< 1	0.30	33
159502	< 5	0.3	0.8	47	112	2	16	16	139	1.79	5	< 10	97	< 0.5	< 2	0.13	6	17	3.32	< 10	< 1	0.35	16
159503	< 5	0.3	< 0.5	66	320	2	29	2	66	4.09	5	< 10	42	< 0.5	2	0.20	10	23	9.35	< 10	< 1	0.15	23
159504	< 5	< 0.2	< 0.5	18	329	2	21	< 2	67	4.17	5	< 10	52	< 0.5	< 2	0.31	8	20	9.15	< 10	< 1	0.16	30
159505	< 5	0.3	< 0.5	88	303	< 1	34	5	83	4.54	30	< 10	89	< 0.5	< 2	0.25	26	24	11.1	10	< 1	0.32	22
159506	< 5	< 0.2	< 0.5	17	175	< 1	9	< 2	31	2.37	6	< 10	70	0.5	2	0.18	5	6	14.4	< 10	< 1	0.21	22
159507	< 5	0.3	< 0.5	28	242	1	5	< 2	38	1.98	20	< 10	10	0.7	3	0.16	5	5	20.1	< 10	< 1	< 0.01	11
159508	< 5	0.3	< 0.5	35	133	< 1	5	< 2	25	1.42	9	< 10	< 10	< 0.5	2	0.14	5	2	15.9	< 10	< 1	< 0.01	< 10
159509	< 5	< 0.2	< 0.5	14	331	< 1	15	< 2	61	4.25	< 2	< 10	83	< 0.5	2	0.20	7	13	9.51	< 10	1	0.28	30
159510	< 5	< 0.2	< 0.5	27	273	< 1	11	< 2	48	3.48	< 2	< 10	92	< 0.5	2	0.20	6	10	7.71	< 10	< 1	0.27	27
159511	< 5	0.2	< 0.5	40	101	1	4	< 2	19	0.54	10	< 10	< 10	1.0	3	0.18	7	3	22.0	< 10	< 1	< 0.01	< 10
159512	< 5	< 0.2	< 0.5	15	421	< 1	7	< 2	64	3.07	4	< 10	104	0.9	3	0.25	4	7	18.0	< 10	2	0.23	< 10
159513	< 5	0.3	< 0.5	775	464	1	11	< 2	69	2.72	5	< 10	263	0.9	< 2	0.28	2	11	14.0	< 10	< 1	1.21	12
159514	< 5	0.3	< 0.5	12	370	< 1	13	< 2	66	1.74	8	< 10	140	1.3	< 2	0.21	3	13	27.7	< 10	< 1	1.41	< 10
159515	< 5	0.4	< 0.5	2	205	< 1	8	< 2	32	0.32	4	< 10	26	0.8	4	0.46	< 1	2	26.7	< 10	< 1	0.20	< 10
159516	< 5	0.3	< 0.5	18	570	< 1	18	< 2	76	2.76	7	< 10	69	< 0.5	2	0.40	11	19	16.9	< 10	< 1	0.10	< 10
159517	< 5	0.3	< 0.5	743	297	8	6	< 2	35	0.84	7	< 10	14	< 0.5	< 2	0.70	12	3	23.6	< 10	< 1	0.02	< 10
159518	< 5	0.2	< 0.5	40	114	< 1	6	< 2	15	0.27	4	< 10	11	< 0.5	3	0.33	2	1	19.1	< 10	< 1	0.03	< 10
159519	< 5	0.3	< 0.5	31	203	< 1	10	< 2	34	1.17	19	< 10	25	0.8	3	0.44	6	9	23.5	< 10	< 1	0.07	< 10
159520	2180	0.4	0.5	123	3030	2	96	5	95	2.06	1520	< 10	27	< 0.5	< 2	2.05	27	41	9.30	< 10	< 1	0.10	17
159521	< 5	0.3	< 0.5	4	201	< 1	9	< 2	26	0.89	15	< 10	12	0.5	4	0.86	4	14	25.1	< 10	1	0.04	< 10
159522	< 5	0.3	< 0.5	4	186	< 1	12	< 2	30	1.04	8	< 10	21	0.5	3	0.52	4	10	24.7	< 10	< 1	0.04	< 10
159523	< 5	0.2	< 0.5	5	190	1	6	< 2	20	0.85	2	< 10	50	0.5	3	1.08	1	5	19.3	< 10	< 1	0.13	< 10
159524	< 5	< 0.2	< 0.5	18	345	< 1	10	< 2	39	2.52	5	< 10	40	< 0.5	2	0.18	6	7	14.3	< 10	< 1	0.07	< 10
159525	< 5	< 0.2	< 0.5	9	193	< 1	10	< 2	23	1.25	5	< 10	31	0.6	4	0.34	3	10	19.4	< 10	1	0.06	< 10
159526	< 5	0.3	< 0.5	10	213	< 1	6	< 2	16	0.44	6	< 10	25	0.6	2	1.35	2	4	24.5	< 10	< 1	0.05	< 10
159527	< 5	0.3	< 0.5	4	218	< 1	11	< 2	25	0.68	9	< 10	38	0.7	4	1.11	2	6	27.1	< 10	< 1	0.16	< 10
159528	< 5	0.2	< 0.5	12	197	< 1	15	< 2	21	0.84	4	< 10	58	0.6	3	1.13	4	10	22.9	< 10	< 1	0.18	< 10
159529	< 5	< 0.2	< 0.5	38	516	1	14	< 2	38	2.22	2	< 10	99	0.5	2	1.59	5	15	14.9	< 10	< 1	0.54	12
159530	< 5	0.3	< 0.5	15	444	< 1	3	< 2	10	0.68	3	< 10	< 10	0.8	3	2.23	1	2	18.0	< 10	< 1	< 0.01	< 10
159531	< 5	0.2	< 0.5	34	500	< 1	6	< 2	11	0.87	3	< 10	13	0.7	2	1.99	1	4	19.5	< 10	< 1	0.01	< 10
159532	< 5	0.3	< 0.5	134	442	1	18	4	23	2.43	34	< 10	15	1.2	2	0.82	11	14	19.7	< 10	1	0.07	< 10
159533	< 5	0.3	< 0.5	3	213	< 1	5	< 2	19	0.21	8	< 10	28	1.0	4	0.90	< 1	2	27.0	< 10	< 1	0.15	< 10
159534	< 5	0.3	< 0.5	< 1	218	< 1	3	< 2	11	0.08	7	< 10	10	0.8	4	1.42	< 1	< 1	25.2	< 10	< 1	0.06	< 10
159535	< 5	< 0.2	< 0.5	3	12	< 1	2	3	3	0.19	< 2	< 10	52	< 0.5	< 2	0.04	< 1	3	0.18	< 10	< 1	0.01	< 10

Results

Activation Laboratories Ltd.

Report: A16-10556

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm								
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP															
159501	1.34	0.014	0.079	0.33	4	3	6	0.05	< 20	1	< 2	< 10	43	< 10	6	11
159502	0.52	0.014	0.047	0.20	2	1	4	0.02	< 20	< 1	< 2	< 10	14	< 10	3	12
159503	1.89	0.015	0.077	0.25	4	3	4	0.04	< 20	< 1	< 2	< 10	43	< 10	4	12
159504	2.09	0.012	0.080	0.07	5	3	5	0.03	< 20	< 1	< 2	< 10	39	< 10	5	10
159505	2.00	0.021	0.084	1.71	5	4	5	0.04	< 20	< 1	< 2	< 10	46	< 10	6	20
159506	1.00	0.017	0.071	0.20	6	1	5	0.02	< 20	< 1	< 2	< 10	12	< 10	4	12
159507	0.96	0.013	0.067	1.12	7	1	4	0.02	< 20	1	< 2	< 10	14	< 10	5	11
159508	0.65	0.012	0.052	0.42	7	< 1	3	0.01	< 20	< 1	< 2	< 10	11	< 10	4	13
159509	1.73	0.016	0.070	0.05	4	2	5	0.04	< 20	6	< 2	< 10	29	< 10	6	11
159510	1.44	0.016	0.071	0.09	3	2	5	0.03	< 20	2	< 2	< 10	21	< 10	4	11
159511	0.30	0.013	0.060	0.51	9	< 1	4	< 0.01	< 20	3	< 2	< 10	9	< 10	5	7
159512	1.63	0.015	0.072	0.11	8	2	6	0.02	< 20	< 1	< 2	< 10	17	< 10	6	12
159513	2.54	0.047	0.087	0.21	5	3	8	0.14	< 20	< 1	< 2	< 10	26	< 10	5	14
159514	1.72	0.016	0.067	0.02	10	3	7	0.11	< 20	4	< 2	< 10	29	< 10	2	10
159515	0.58	0.013	0.059	0.01	11	< 1	7	0.02	< 20	1	< 2	< 10	10	< 10	3	7
159516	2.34	0.014	0.061	0.15	8	2	6	0.02	< 20	< 1	< 2	< 10	55	< 10	4	13
159517	0.82	0.014	0.055	0.42	10	< 1	6	0.02	< 20	< 1	< 2	< 10	24	< 10	4	8
159518	0.39	0.013	0.042	0.04	8	< 1	8	< 0.01	< 20	5	< 2	< 10	15	< 10	3	5
159519	0.99	0.011	0.060	0.28	10	< 1	5	0.02	< 20	< 1	< 2	< 10	23	< 10	3	9
159520	2.46	0.210	0.208	1.79	5	4	78	0.10	< 20	< 1	< 2	< 10	72	< 10	15	4
159521	1.03	0.011	0.053	0.18	10	2	9	0.02	< 20	1	< 2	< 10	22	< 10	3	8
159522	0.98	0.016	0.063	0.06	9	< 1	9	0.01	< 20	5	< 2	< 10	18	< 10	3	9
159523	1.06	0.014	0.061	0.04	7	< 1	10	0.01	< 20	< 1	< 2	< 10	10	< 10	3	9
159524	1.42	0.017	0.055	0.10	7	2	5	0.02	< 20	3	< 2	< 10	24	< 10	2	11
159525	0.82	0.012	0.066	0.04	8	1	9	0.01	< 20	3	< 2	< 10	20	< 10	2	10
159526	1.03	0.017	0.054	0.06	9	< 1	12	< 0.01	< 20	< 1	< 2	< 10	13	< 10	3	7
159527	0.72	0.013	0.087	0.07	11	< 1	19	0.02	< 20	4	< 2	< 10	19	< 10	4	8
159528	1.05	0.019	0.067	0.08	9	< 1	11	0.03	< 20	< 1	< 2	< 10	19	< 10	3	9
159529	1.95	0.016	0.059	0.07	6	1	13	0.05	< 20	< 1	< 2	< 10	20	< 10	5	13
159530	1.11	0.014	0.040	0.07	9	< 1	13	< 0.01	< 20	< 1	< 2	< 10	8	< 10	5	8
159531	1.50	0.017	0.176	0.21	8	1	50	0.01	< 20	< 1	< 2	< 10	13	< 10	7	6
159532	2.78	0.036	0.069	2.22	8	4	9	0.04	< 20	< 1	< 2	< 10	39	< 10	5	16
159533	0.55	0.019	0.047	0.08	10	< 1	69	< 0.01	< 20	< 1	< 2	< 10	8	< 10	3	7
159534	0.23	0.013	0.036	< 0.01	11	< 1	42	< 0.01	< 20	< 1	< 2	< 10	6	< 10	3	6
159535	0.02	0.014	0.002	< 0.01	< 2	< 1	6	< 0.01	< 20	< 1	< 2	< 10	3	< 10	< 1	< 1

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm												
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		30.4	2.5	1160	776	14	36	582	678	0.38	426	10	460	0.9	1440	0.83	7	6	23.6	< 10	3	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-1 Meas		31.3	2.6	1210	791	14	32	596	706	0.40	440	11	502	0.9	1480	0.85	7	6	24.4	< 10	4	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.6	< 0.5	6690	134	294	37	39	68	3.18	113	< 10	50	1.5	14	0.94	15	51	3.13	10	< 1	1.69	49
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-4 Meas		3.8	< 0.5	7020	139	299	39	41	72	3.27	114	< 10	58	1.5	11	0.95	15	52	3.21	10	< 1	1.70	52
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		0.4	< 0.5	71	1010	1	24	85	123	8.06	267	< 10	993	1.0	< 2	0.16	15	73	5.79	20	< 1	1.09	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
GXR-6 Meas		0.3	< 0.5	71	1020	1	24	87	122	8.10	268	< 10	1000	1.0	< 2	0.16	15	74	5.84	20	< 1	1.10	11
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		3.5	5.4	349	4270	12	41	940	962	1.17	41		212	1.1	< 2	0.33	12	81	2.93	< 10		0.25	53
SAR-M (U.S.G.S.) Cert		3.64	5.27	331.0000	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
SAR-M (U.S.G.S.) Meas		3.5	5.6	358	4410	12	40	966	1000	1.20	41		221	1.1	< 2	0.34	12	84	3.02	< 10		0.25	54
SAR-M (U.S.G.S.) Cert		3.64	5.27	331.0000	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OREAS 206 Meas	2130																						
OREAS 206 Cert	2197.000																						
OREAS 251(FA-Anaster) Meas	516																						
OREAS 251(FA-Anaster) Cert	504																						
159505 Orig		0.3	< 0.5	86	298	< 1	32	5	82	4.45	31	< 10	87	< 0.5	< 2	0.24	25	23	10.9	10	< 1	0.32	22
159505 Dup		0.3	< 0.5	89	309	< 1	35	5	84	4.63	28	< 10	91	< 0.5	< 2	0.25	26	24	11.3	10	1	0.33	23
159510 Orig		< 5																					
159510 Dup		< 5																					
159520 Orig		0.4	0.6	124	3040	2	94	5	95	2.08	1530	< 10	27	< 0.5	2	2.06	27	41	9.36	< 10	< 1	0.10	17
159520 Dup		0.4	0.5	122	3020	2	99	5	96	2.05	1510	< 10	27	< 0.5	< 2	2.04	26	41	9.24	< 10	2	0.10	17
159521 Orig		< 5																					
159521 Dup		< 5																					
159530 Orig		< 5																					
159530 Dup		< 5																					
159535 Orig		< 0.2	< 0.5	3	11	< 1	2	4	3	0.19	< 2	< 10	53	< 0.5	< 2	0.04	< 1	3	0.18	< 10	< 1	0.01	< 10
159535 Dup		< 0.2	< 0.5	3	13	< 1	2	3	3	0.19	< 2	< 10	52	< 0.5	< 2	0.04	< 1	3	0.18	< 10	< 1	0.01	< 10
Method Blank		< 0.2	< 0.5	1	< 5	< 1	< 1	< 2	3	< 0.01	< 2	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	
Method Blank		< 5																					
Method Blank		< 5																					

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Th	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	ppm	ppm	ppm	%	ppm								
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.15	0.047	0.045	0.24	89	1	191	< 0.01	< 20	13	< 2	28	88	157	26	12
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-1 Meas	0.16	0.049	0.047	0.25	92	1	203	< 0.01	< 20	14	< 2	30	91	168	27	13
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	2.44	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.88	0.127	0.131	1.94	3	8	80	0.14	< 20	2	2	< 10	92	13	13	7
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	22.5	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-4 Meas	1.92	0.130	0.134	2.01	5	8	85	0.15	< 20	1	2	< 10	94	14	13	8
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	22.5	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	0.46	0.068	0.036	0.02	5	25	35		< 20	7	< 2	< 10	193	< 10	7	10
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
GXR-6 Meas	0.46	0.069	0.036	0.01	4	25	35		< 20	3	< 2	< 10	196	< 10	7	9
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
SAR-M (U.S.G.S.) Meas	0.40	0.031	0.069		5	4	33	0.05	< 20	1	< 2	< 10	37	< 10	22	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	17.2	0.96	2.7	3.57	67.2	9.78	28.00	
SAR-M (U.S.G.S.) Meas	0.42	0.031	0.072		6	4	34	0.05	< 20	4	< 2	< 10	38	< 10	23	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	17.2	0.96	2.7	3.57	67.2	9.78	28.00	
OREAS 206 Meas																
OREAS 206 Cert																
OREAS 251(FA-Anaster) Meas																
OREAS 251(FA-Anaster) Cert																
159505 Orig	1.96	0.014	0.083	1.68	5	4	5	0.04	< 20	< 1	< 2	< 10	45	< 10	6	20
159505 Dup	2.04	0.028	0.085	1.73	4	4	5	0.04	< 20	3	< 2	< 10	47	< 10	6	21
159510 Orig																
159510 Dup																
159520 Orig	2.47	0.212	0.208	1.80	5	4	79	0.10	< 20	3	< 2	< 10	72	< 10	16	4
159520 Dup	2.45	0.209	0.208	1.78	5	4	78	0.10	< 20	< 1	< 2	< 10	72	< 10	15	4
159521 Orig																
159521 Dup																
159530 Orig																
159530 Dup																
159535 Orig	0.02	0.014	0.002	< 0.01	< 2	< 1	6	< 0.01	< 20	< 1	< 2	< 10	3	< 10	< 1	< 1
159535 Dup	0.02	0.014	0.002	< 0.01	< 2	< 1	6	< 0.01	< 20	< 1	< 2	< 10	3	< 10	< 1	< 1
Method Blank	< 0.01	0.009	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank	< 0.01	0.010	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank																
Method Blank																

Quality Analysis ...



Innovative Technologies

Date Submitted: 29-Oct-16
Invoice No.: A16-11393
Invoice Date: 21-Nov-16
Your Reference: CCE-ER

Canadian Continental Exploration Corp.
RR#1 25 Valleycrest Dr.
Oro-Medonite Ontario L0L 2L0
Canada

ATTN: Joerg Kleinboeck

CERTIFICATE OF ANALYSIS

102 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code 1A2-Sudbury Au - Fire Assay AA

REPORT A16-11393

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1010 Lorne Street Unit West 4, Sudbury, Ontario, Canada, P3C 4R9
TELEPHONE +705 586-3288 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Sudbury@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159536	< 5	
159537	9	
159538	8	
159539	< 5	
159540	< 5	
159541	8	
159542	9	
159543	23	
159544	11	
159545	< 5	
159546	< 5	
159547	< 5	
159548	< 5	
159549	28	
159550	> 5000	5.38
159551	< 5	
159552	7	
159553	5	
159554	11	
159555	< 5	
159556	5	
159557	< 5	
159558	< 5	
159559	41	
159560	62	
159561	< 5	
159562	< 5	
159563	10	
159564	< 5	
159565	< 5	
159566	< 5	
159567	5	
159568	< 5	
159569	< 5	
159570	< 5	
159571	< 5	
159572	5	
159573	< 5	
159574	< 5	
159575	< 5	
159576	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159577	< 5	
159578	6	
159579	6	
159580	< 5	
159581	< 5	
159582	< 5	
159583	< 5	
159584	44	
159585	< 5	
159586	< 5	
159587	< 5	
159588	< 5	
159589	< 5	
159590	2140	
159591	< 5	
159592	< 5	
159593	< 5	
159594	< 5	
159595	< 5	
159596	< 5	
159597	< 5	
159598	< 5	
159599	< 5	
159600	< 5	
159601	< 5	
159602	< 5	
159603	< 5	
159604	< 5	
159605	< 5	
159606	< 5	
159607	< 5	
159608	< 5	
159609	< 5	
159610	< 5	
159611	< 5	
159612	< 5	
159613	< 5	
159614	< 5	
159615	< 5	
159616	< 5	
159617	7	
159618	7	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159619	< 5	
159620	< 5	
159621	< 5	
159622	< 5	
159623	< 5	
159624	9	
159625	< 5	
159626	14	
159627	< 5	
159628	< 5	
159629	< 5	
159630	> 5000	5.53
159631	< 5	
159632	< 5	
159633	< 5	
159634	< 5	
159635	< 5	
159636	< 5	
159637	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
OREAS 206 Meas	2180	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2150	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2180	
OREAS 206 Cert	2197.000	
OxK110 Meas		3.76
OxK110 Cert		3.602
OxL118 Meas		5.98
OxL118 Cert		5.828
OREAS 251(FA-Anaster) Meas	507	
OREAS 251(FA-Anaster) Cert	504	
OREAS 251(FA-Anaster) Meas	522	
OREAS 251(FA-Anaster) Cert	504	
159545 Orig	< 5	
159545 Dup	< 5	
159555 Orig	< 5	
159555 Dup	< 5	
159565 Orig	5	
159565 Dup	< 5	
159580 Orig	7	
159580 Dup	< 5	
159585 Orig	< 5	
159585 Split PREP DUP	< 5	
159591 Orig	< 5	
159591 Dup	< 5	
159600 Orig	< 5	
159600 Dup	< 5	
159615 Orig	< 5	
159615 Dup	< 5	
159625 Orig	7	
159625 Dup	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159634 Orig	< 5	
159634 Split PREP DUP	< 5	
159635 Orig	< 5	
159635 Dup	< 5	
Method Blank	< 0.03	
Method Blank		< 0.03

Quality Analysis ...



Innovative Technologies

Date Submitted: 24-Nov-16

Invoice No.: A16-12577

Invoice Date: 05-Dec-16

Your Reference: Eaglerock

Canadian Continental Exploration Corp.
RR#1 25 Valleycrest Dr.
Oro-Medonite Ontario L0L 2L0
Canada

ATTN: Joerg Kleinboeck

CERTIFICATE OF ANALYSIS

119 Rock samples were submitted for analysis.

The following analytical package(s) were requested:

Code 1A2-Sudbury Au - Fire Assay AA

REPORT A16-12577

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1010 Lorne Street Unit West 4, Sudbury, Ontario, Canada, P3C 4R9
TELEPHONE +705 586-3288 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Sudbury@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159647	< 5	
159648	12	
159649	< 5	
159650	< 5	
159651	< 5	
159652	< 5	
159653	< 5	
159654	< 5	
159655	< 5	
159656	< 5	
159657	< 5	
159658	< 5	
159659	< 5	
159660	2110	
159661	< 5	
159662	< 5	
159663	< 5	
159664	< 5	
159665	< 5	
159666	< 5	
159667	< 5	
159668	< 5	
159669	18	
159670	< 5	
159671	< 5	
159672	< 5	
159673	< 5	
159674	< 5	
159675	< 5	
159676	< 5	
159677	6	
159678	< 5	
159679	30	
159680	< 5	
159681	14	
159682	< 5	
159683	< 5	
159684	16	
159685	9	
159686	< 5	
159687	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159688	< 5	
159689	< 5	
159690	< 5	
159691	< 5	
159692	< 5	
159693	< 5	
159694	< 5	
159695	< 5	
159696	< 5	
159697	< 5	
159698	< 5	
159699	< 5	
159700	> 5000	5.23
159701	< 5	
159702	< 5	
159703	< 5	
159704	< 5	
159705	< 5	
159706	< 5	
159707	< 5	
159708	< 5	
159709	< 5	
159710	< 5	
159711	< 5	
159712	< 5	
159713	< 5	
159714	< 5	
159715	< 5	
159716	< 5	
159717	< 5	
159718	< 5	
159719	< 5	
159720	< 5	
159721	< 5	
159722	< 5	
159723	< 5	
159724	< 5	
159725	< 5	
159726	< 5	
159727	< 5	
159728	< 5	
159729	5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159730	10	
159731	5	
159732	< 5	
159733	< 5	
159734	< 5	
159735	< 5	
159736	6	
159737	< 5	
159738	14	
159739	5	
159740	2140	
159741	6	
159742	< 5	
159743	< 5	
159744	< 5	
159745	< 5	
159746	< 5	
159747	< 5	
159748	< 5	
159749	5	
159750	7	
159751	< 5	
159752	11	
159753	5	
159754	7	
159755	5	
159756	5	
159757	6	
159758	< 5	
159759	< 5	
159760	< 5	
159761	< 5	
159762	< 5	
159763	< 5	
159764	< 5	
159765	5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
OREAS 206 Meas	2120	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2200	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2150	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2100	
OREAS 206 Cert	2197.000	
OxL118 Meas		5.68
OxL118 Cert		5.828
OREAS 251 Meas	500	
OREAS 251 Cert	504.00	
OREAS 251 Meas	507	
OREAS 251 Cert	504.00	
OREAS 251 Meas	519	
OREAS 251 Cert	504.00	
159656 Orig	< 5	
159656 Dup	< 5	
159666 Orig	< 5	
159666 Dup	< 5	
159676 Orig	25	
159676 Dup	< 5	
159691 Orig	< 5	
159691 Dup	< 5	
159696 Orig	< 5	
159696 Split PREP DUP	< 5	
159701 Orig	< 5	
159701 Dup	< 5	
159711 Orig	< 5	
159711 Dup	< 5	
159725 Orig	< 5	
159725 Dup	< 5	
159735 Orig	< 5	
159735 Dup	6	
159745 Orig	< 5	
159745 Dup	8	
159746 Orig	< 5	
159746 Split	35	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
PREP DUP		
159759 Orig	< 5	
159759 Dup	8	
Method Blank	< 5	
Method Blank	< 0.03	
Method Blank		< 0.03

Quality Analysis ...



Innovative Technologies

Date Submitted: 24-Nov-16

Invoice No.: A16-12578

Invoice Date: 05-Dec-16

Your Reference: Eaglerock

Canadian Continental Exploration Corp.
RR#1 25 Valleycrest Dr.
Oro-Medonite Ontario L0L 2L0
Canada

ATTN: Joerg Kleinboeck

CERTIFICATE OF ANALYSIS

9 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code 1A2-Sudbury Au - Fire Assay AA

REPORT A16-12578

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1010 Lorne Street Unit West 4, Sudbury, Ontario, Canada, P3C 4R9
TELEPHONE +705 586-3288 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Sudbury@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159638	6	
159639	8	
159640	< 5	
159641	6	
159642	< 5	
159643	8	
159644	6	
159645	7	
159646	> 5000	5.48

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
OREAS 206 Meas	2120	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2200	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2150	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2100	
OREAS 206 Cert	2197.000	
OxL118 Meas		5.68
OxL118 Cert		5.828
OREAS 251 Meas	500	
OREAS 251 Cert	504.00	
OREAS 251 Meas	507	
OREAS 251 Cert	504.00	
OREAS 251 Meas	519	
OREAS 251 Cert	504.00	
159640 Orig	< 5	
159640 Dup	< 5	
Method Blank	< 0.03	
Method Blank		< 0.03

Quality Analysis ...



Innovative Technologies

Date Submitted: 28-Nov-16
Invoice No.: A16-12776
Invoice Date: 08-Dec-16
Your Reference: Eaglerock

Canadian Continental Exploration Corp.
RR#1 25 Valleycrest Dr.
Oro-Medonite Ontario L0L 2L0
Canada

ATTN: Joerg Kleinboeck

CERTIFICATE OF ANALYSIS

86 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code 1A2-Sudbury Au - Fire Assay AA

REPORT A16-12776

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Eseme".

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1010 Lorne Street Unit West 4, Sudbury, Ontario, Canada, P3C 4R9
TELEPHONE +705 586-3288 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Sudbury@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com


Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159766	< 5	
159767	< 5	
159768	< 5	
159769	< 5	
159770	< 5	
159771	< 5	
159772	< 5	
159773	< 5	
159774	< 5	
159775	< 5	
159776	< 5	
159777	< 5	
159778	< 5	
159779	6	
159780	> 5000	5.16
159781	5	
159782	< 5	
159783	< 5	
159784	< 5	
159785	< 5	
159786	< 5	
159787	< 5	
159788	< 5	
159789	< 5	
159790	< 5	
159791	< 5	
159792	< 5	
159793	5	
159794	< 5	
159795	< 5	
159796	< 5	
159797	< 5	
159798	< 5	
159799	< 5	
159800	< 5	
159801	< 5	
159802	< 5	
159803	5	
159804	< 5	
159805	< 5	
159806	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159807	< 5	
159808	< 5	
159809	< 5	
159810	< 5	
159811	10	
159812	< 5	
159813	< 5	
159814	< 5	
159815	< 5	
159816	7	
159817	< 5	
159818	< 5	
159819	< 5	
159820	2220	
159821	6	
159822	5	
159823	< 5	
159824	< 5	
159825	22	
159826	< 5	
159827	< 5	
159828	< 5	
159829	< 5	
159830	< 5	
159831	< 5	
159832	< 5	
159833	< 5	
159834	< 5	
159835	11	
159836	< 5	
159837	< 5	
159838	< 5	
159839	< 5	
159840	< 5	
159841	< 5	
159842	< 5	
159843	< 5	
159844	< 5	
159845	25	
159846	< 5	
159847	< 5	
159848	< 5	

Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
159849	< 5	
159850	< 5	
159851	< 5	


Analyte Symbol	Au	Au
Unit Symbol	ppb	g/tonne
Lower Limit	5	0.03
Method Code	FA-AA	FA-GRA
OREAS 206 Meas	2160	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2060	
OREAS 206 Cert	2197.000	
OREAS 206 Meas	2180	
OREAS 206 Cert	2197.000	
OxK110 Meas		3.63
OxK110 Cert		3.602
OxL118 Meas		5.78
OxL118 Cert		5.828
OREAS 251 Meas	513	
OREAS 251 Cert	504.00	
159775 Orig	< 5	
159775 Dup	< 5	
159785 Orig	< 5	
159785 Dup	< 5	
159795 Orig	< 5	
159795 Dup	< 5	
159810 Orig	< 5	
159810 Dup	< 5	
159814 Orig	< 5	
159814 Split PREP DUP	< 5	
159819 Orig	6	
159819 Dup	< 5	
159829 Orig	11	
159829 Dup	< 5	
159844 Orig	< 5	
159844 Dup	< 5	
Method Blank	< 0.03	
Method Blank		< 0.03

Back Pocket
Map 1: Diamond Drill Hole Plan Map



ROCK CODES	PAT	LABEL	DESCRIPTION
Litho	BIF		Banded Iron Formation
	OB		Overburden
	NDIA		Nipissing Diabase
	FV		Felsic Volcanic
	GWG_ark		Gowganda Fm. - Arkose
	GWG_cgl		Gowganda Fm. - Conglomerate
	MD		Mafic Dyke
	MSED		Metasediment
	MV		Mafic Volcanic
	SZ		Shear Zone

PLAN Specs:
REF. PT. E, N 558300 m 5197000 m
EXTENTS 1763 m 1281 m



Canadian Continental Exploration Corp.
Eaglerock Lake Property
Phase 1 DDH Locations

Eaglerock Lake Property
Scholes Township
Sudbury Mining Division, Ontario



1:50,000



5202500

554900

557400

559900

5200000

5202500

5200000

5197500

427575

427574

427570

427571

427572

427576

427572

427573

427571

5195000

427575

5197500

5195000

554900

557400

559900