

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez
[nous contacter](#).

Nym Lake Pt-Pd Prospecting Report


June-September 2013

Ben Kuzmich

Introduction

The Nym Lake property is composed of three contiguous mining claims within the Pickerel Lake Area (see below), approximately 15 kilometers east of the town of Atikokan. The property was staked by the author in mid-June and prospecting on the historic showing commenced.

The property is composed of a mafic with lesser ultramafic intrusives hosted in a package of Quetico metasedimentary turbidites and S-type granites and associated pegmatite phases. The property was originally discovered in 1999 by Michael and Steve Stares which outlined zones of Pt-Pd-Au-Cu mineralization, and was subsequently optioned to Band Ore Resources in the same year. Band Ore Resources followed up with geological mapping, prospecting, line cutting, an IP and magnetic survey, and a small diamond drilling program. Highlights from the program include grab samples from a pyrrhotite (0.5%) and chalcopyrite (0.5%) mineralized peridotite outcrop which assayed 3 g/t Pt+Pd, 0.45% Cu, 861 ppm Ni, and 0.3 g/t Au. The results were followed up with three diamond drill holes performed by a winkie drill for a total of 276 meters. The drill program highlights include 169 ppb Pt+Pd over 51.0 m, and 609 ppb Pt+Pd over 1.1 meters.



Summer Program

The Nym lake property is a typical ‘Quetico mafic-ultramafic’ intrusion as described by several authors (eg. Pettigrew, 2006). These intrusions has been recognized to host precious metals with favorable Pt:Pd ratios (~1:1) and minor Cu-Ni mineralization. These intrusions are typically uneconomical due to their relatively small tonnage which is why delineating the intrusion was a major focus of the program.

The Nym lake intrusion is thought to be composed of a single intrusive body which is variably composed of gabbro with lesser peridotite phases. The mineralization is restricted to the ultramafic units although sulphide-magnetite bearing mafic phases are common. PGE-bearing units typically contained a pyrrhotite-chalcopyrite sulphide assemblage in contrast to the barren pyrite mineralized units.


The IP and magnetic survey performed by Band Ore Resources was instrumental in determining the structure and geometry of the Nym Lake intrusion. All the mafic-ultramafic intrusive phases are significantly more magnetic then the metasedimentary and granitic host rocks, and therefore delineated the extent of the intrusion.

After a small sampling and prospecting program, a 6.5 foot BQ drill hole was bore alongside the main mineralized showing using the Shaw Portable Drill. The drill core was split and composed of two samples with a combined 5 foot continuous assay of 0.5 g/t Pt+Pd, 0.38% Cu.


The property has shown the potential to host Pt-Pd mineralization and through geophysical surveys, the potential for a sizeable deposit. Future work will be focused on the ground truth of mafic-ultramafic intrusives within the claims, and the exploration for more ultramafic phases.

Assay results, locations, description, and photos from the program are below

Comments



85



Sample locations collected during field visit.



Mineralized Pyroxenite







ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - A
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 30-JUN-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13110331

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP06 SiO2	ME-ICP06 Al2O3	ME-ICP06 Fe2O3	ME-ICP06 CaO	ME-ICP06 MgO	ME-ICP06 Na2O	ME-ICP06 K2O	ME-ICP06 Cr2O3	ME-ICP06 TiO2	ME-ICP06 MnO	ME-ICP06 P2O5	ME-ICP06 SrO	ME-ICP06 BaO	ME-ICP06 C	C-IR07
	Recvd Wt.	kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
L064539		1.91	44.4	14.30	13.10	9.94	10.65	2.40	1.81	0.01	1.73	0.13	0.29	0.06	0.06	0.07	
L064540		2.58	47.1	10.80	12.95	10.30	12.75	1.78	1.12	0.12	0.64	0.16	0.15	0.04	0.05	0.03	
L064541		0.55	48.8	5.21	9.76	13.75	19.30	0.87	0.31	0.25	0.31	0.17	0.06	0.02	0.01	0.16	
L064542		2.20	46.8	6.04	11.65	10.55	17.70	0.75	0.75	0.20	0.30	0.17	0.07	0.02	0.02	0.04	
L064543		0.87	45.1	3.85	12.15	12.30	21.4	0.61	0.25	0.24	0.37	0.18	0.03	0.01	0.01	0.13	
L064544		1.33	44.2	11.15	12.60	10.90	13.95	2.02	1.18	0.07	1.36	0.14	0.11	0.05	0.04	0.09	
L064545		1.96	42.2	14.50	16.80	9.62	9.92	2.16	1.87	0.01	1.87	0.13	0.10	0.06	0.05	0.03	
L064546		1.11	45.0	12.30	12.65	10.70	12.95	2.08	1.40	0.06	1.35	0.15	0.19	0.06	0.04	0.05	
L064547		2.49	43.0	13.90	13.10	10.30	11.30	2.15	1.67	0.03	1.67	0.14	0.15	0.06	0.05	0.07	
L064548		2.27	52.0	6.12	8.31	15.65	15.35	0.86	0.53	0.25	0.36	0.17	0.07	0.03	0.03	0.16	
L064549		1.88	49.2	4.98	10.00	14.35	17.90	0.94	0.30	0.17	0.35	0.18	0.06	0.02	0.01	0.09	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - B
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 30-JUN-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13110331

Sample Description	Method Analyte Units LOR	S-IR08 S	ME-MS81 Ba	ME-MS81 Ce	ME-MS81 Cr	ME-MS81 Cs	ME-MS81 Dy	ME-MS81 Er	ME-MS81 Eu	ME-MS81 Ga	ME-MS81 Gd	ME-MS81 Hf	ME-MS81 Ho	ME-MS81 La	ME-MS81 Lu	ME-MS81 Nb
LO64539		0.07	500	46.3	90	4.45	4.30	1.95	2.12	17.8	6.68	2.4	0.81	17.5	0.22	4.1
LO64540		0.62	402	22.0	920	6.03	2.74	1.60	1.06	13.4	3.39	1.8	0.57	7.9	0.23	2.8
LO64541		0.08	64.3	13.7	1740	1.58	1.32	0.79	0.49	6.5	1.65	0.8	0.27	5.6	0.10	1.1
LO64542		1.73	142.5	15.6	1470	6.02	1.36	0.83	0.53	7.5	1.75	1.1	0.29	6.7	0.13	1.1
LO64543		0.41	68.5	8.2	1790	2.43	1.26	0.68	0.46	5.2	1.59	0.6	0.26	3.3	0.09	0.6
LO64544		0.19	316	31.2	490	2.27	3.50	1.59	1.73	13.4	5.31	2.1	0.69	10.7	0.19	3.0
LO64545		0.24	432	33.9	90	3.54	3.79	1.78	1.81	20.1	5.77	2.4	0.71	12.1	0.19	3.8
LO64546		0.26	388	37.7	430	1.04	3.88	1.83	1.94	15.1	6.08	2.3	0.74	12.7	0.22	3.4
LO64547		0.21	423	40.4	260	4.58	4.34	2.16	2.11	18.0	6.75	2.4	0.85	14.0	0.24	3.9
LO64548		0.03	293	19.3	1860	0.98	1.64	0.88	0.65	8.0	1.96	1.2	0.35	9.6	0.13	2.1
LO64549		0.08	63.8	17.5	1290	3.99	1.74	0.90	0.71	7.1	2.28	1.1	0.35	6.8	0.12	2.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - C
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 30-JUN-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13110331

Sample Description	Method	ME-MS81														
	Analyte	Nd	Pr	Rb	Sr	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y
	Units	ppm														
	LOR	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5
LO64539		36.6	7.30	45.7	8.16	1	555	0.2	0.87	1.78	<0.5	0.26	0.58	506	2	20.0
LO64540		16.9	3.48	33.6	3.77	1	391	0.1	0.52	1.48	<0.5	0.24	0.50	240	<1	15.3
LO64541		8.4	1.95	5.3	1.85	<1	162.5	0.1	0.24	0.39	<0.5	0.09	0.13	129	<1	6.9
LO64542		9.5	2.19	21.4	1.94	<1	215	0.1	0.26	0.76	<0.5	0.12	0.24	126	<1	7.8
LO64543		6.4	1.31	6.0	1.60	<1	101.0	<0.1	0.23	0.38	<0.5	0.10	0.12	165	1	6.7
LO64544		26.5	5.28	23.5	6.53	1	450	0.1	0.69	1.14	<0.5	0.22	0.35	417	<1	16.5
LO64545		29.5	5.70	43.6	7.05	1	542	0.2	0.78	1.44	<0.5	0.23	0.56	646	1	18.2
LO64546		31.5	6.35	26.3	7.28	1	498	0.2	0.76	1.30	<0.5	0.24	0.42	402	<1	18.4
LO64547		34.2	6.81	45.2	8.03	1	541	0.2	0.87	1.20	<0.5	0.29	0.39	527	<1	21.1
LO64548		10.6	2.54	24.7	2.27	2	249	0.1	0.28	2.04	<0.5	0.14	0.73	143	1	8.6
LO64549		11.6	2.62	8.3	2.39	1	202	0.1	0.32	0.67	<0.5	0.13	0.28	182	<1	9.0
		[REDACTED]														

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - D
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 30-JUN-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13110331

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS42	ME-MS42	ME-MS42	ME-MS42	ME-MS42	OA-GRA05	TOT-ICP06	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	
		Yb ppm 0.03	Zr ppm 2	As ppm 0.1	Bi ppm 0.01	Hg ppm 0.005	Sb ppm 0.05	Se ppm 0.2	Te ppm 0.01	LOI %	Total ppm 0.01	Ag ppm 0.5	Cd ppm 0.5	Co ppm 1	Cu ppm 1	Li ppm 10
L064539		1.48	64	0.4	0.13	<0.005	0.05	0.7	0.01	1.69	100.57	<0.5	<0.5	61	91	50
L064540		1.46	58	0.3	2.65	<0.005	<0.05	3.7	0.22	1.62	99.58	2.2	<0.5	100	2850	40
L064541		0.70	22	0.5	0.17	0.005	<0.05	0.3	0.01	2.12	100.94	<0.5	<0.5	72	109	10
L064542		0.77	39	1.0	2.32	<0.005	0.05	9.0	0.52	3.10	98.12	1.2	<0.5	142	2820	30
L064543		0.63	17	0.3	2.33	<0.005	0.06	2.6	0.38	2.82	99.32	1.1	<0.5	94	1990	<10
L064544		1.18	53	0.7	0.03	<0.005	<0.05	0.8	0.01	1.44	99.21	<0.5	<0.5	69	78	30
L064545		1.34	64	0.3	0.17	<0.005	<0.05	1.0	0.02	1.45	100.74	<0.5	<0.5	68	169	40
L064546		1.41	61	1.8	0.02	<0.005	0.05	0.8	0.01	1.44	100.37	<0.5	<0.5	70	148	10
L064547		1.61	68	1.3	0.03	0.005	0.05	1.0	0.01	1.70	99.22	<0.5	<0.5	66	145	40
L064548		0.83	38	0.3	0.32	<0.005	<0.05	0.4	0.01	1.95	101.68	<0.5	<0.5	48	45	40
L064549		0.82	39	0.3	0.37	<0.005	<0.05	0.5	0.02	1.94	100.40	<0.5	<0.5	60	145	30
██████████		██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - E
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 17-AUG-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13135153

Sample Description	Method Analyte Units LOR	PGM-ICP23 S-IR08 Pd S ppm % 0.001 0.01
N500021		0.340 1.70
N500022		0.312 1.79
N500023		0.123 0.21
N500024		0.236 0.65
N500025		0.001 0.29
N500026		0.005 1.02
N500027		0.002 0.48
N500028		<0.001 0.06
N500029		0.022 0.11
N500030		0.003 0.53
[REDACTED]	[REDACTED]	[REDACTED]



1046 Gorham Street Tel: (807) 626-1630 www.accurassay.com
Thunder Bay, ON Fax: (807) 622-7571 assay@accurassay.com
Canada P7B 5X5

Monday, July 15, 2013

Final Certificate

Helion Exploration
452 Parkwood Street
Thunder Bay, On, CAN
P7A-2S2
Ph#: (807) 627-9623
Email: helionexploration@gmail.com

Date Received: 06/26/2013

Date Completed: 07/09/2013

Job #: 201341343

Reference:

Sample #: 1

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
97574	Camp	0.021	0.918	0.567	2	0.84	17	188	<2	9	6.83	7	143	1329	3000	8.33	<0.01	<1	8.11	1311	2	1485	334	14	12	20	<10	221	1962	3	146	<10	9	56
97575D	Camp	0.021	0.914	0.546	2	0.88	19	185	<2	6	6.97	7	148	1360	3061	8.47	<0.01	<1	8.30	1334	3	1519	331	10	9	12	<10	223	1996	12	148	<10	9	65

PROCEDURE CODES: ALP2, ALPG1, ALMA1


Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



1046 Gorham Street Tel: (807) 626-1630 www.accurassay.com
Thunder Bay, ON Fax: (807) 622-7571 assay@accurassay.com
Canada P7B 5X5

Friday, August 16, 2013

Preliminary Analysis

Helion Exploration
452 Parkwood Street
Thunder Bay, On, CAN
P7A-2S2
Ph#: (807) 627-9623
Email: helionexploration@gmail.com

Date Received: 07/30/2013
Date Completed: 08/16/2013
Job #: 201341530
Reference:
Sample #: 2

Acc #	Client ID	Au ppm	Pt ppm	Pd ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Tl ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
109953	NL18	0.015	0.130	0.173	1	1.79	<2	33	<2	17	7.37	7	96	1241	2791	6.91	0.35	29	7.19	1209	<1	560	361	9	<5	<5	<10	160	2140	9	152	<10	10	50
109954	NL19	0.039	0.286	0.389	4	2.17	<2	101	<2	19	7.97	8	116	1062	4808	7.63	0.41	32	6.17	1233	<1	1143	507	8	<5	<5	<10	276	2079	<2	167	<10	11	60
109955D	NL19	0.038	0.270	0.427	4	1.92	<2	94	<2	25	7.48	8	112	1011	4624	7.27	0.52	32	5.88	1172	<1	1116	500	13	<5	5	<10	260	1986	5	159	<10	10	66

PROCEDURE CODES: ALP2, ALPG2, ALMA1, ALTS1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



1046 Gorham Street Tel: (807) 626-1630 www.accurassay.com
Thunder Bay, ON Fax: (807) 622-7571 assay@accurassay.com
Canada P7B 5X5

Monday, August 12, 2013

Final Certificate

Helion Exploration
452 Parkwood Street
Thunder Bay, On, CAN
P7A-2S2
Ph#: (807) 627-9623
Email: helionexploration@gmail.com

Date Received: 07/30/2013

Date Completed: 08/12/2013

Job #: 201341529

Reference:

Sample #: 5

Acc #	Client ID	Au ppb	Pt ppb	Pd ppb	Rh ppb
109947	NL13	<5	<15	<10	
109948	NL14	<5	<15	<10	
109949	NL15	<5	20	<10	
109950	NL16	<5	16	<10	
109951	NL17	<5	<15	<10	
109952 Dup	NL17	<5	<15	<10	

PROCEDURE CODES: ALP1, ALPG1


Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - A
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 17-AUG-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13135153

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Nb ppm
N500021		0.84	88.2	16.6	1430	3.85	1.54	0.74	0.60	8.1	1.77	1.0	0.33	7.3	0.11	1.3
N500022		1.47	162.0	15.5	1420	6.14	1.47	0.78	0.57	7.9	1.65	1.0	0.34	6.0	0.11	1.2
N500023		1.47	215	19.0	1320	1.38	2.72	1.50	0.86	11.8	3.17	1.8	0.52	6.2	0.22	2.9
N500024		1.56	435	24.5	970	5.32	2.82	1.59	1.15	13.6	3.39	1.7	0.64	8.6	0.26	3.2
N500025		1.20	408	40.4	40	3.88	4.35	1.94	1.96	18.5	6.39	2.3	0.86	13.5	0.25	4.4
N500026		1.18	387	29.9	340	2.44	4.76	2.35	2.10	19.2	6.04	2.5	0.90	9.0	0.24	5.2
N500027		1.05	293	38.5	120	9.37	4.63	2.53	2.18	22.5	7.12	2.4	0.99	12.0	0.28	4.6
N500028		1.00	372	42.4	20	79.7	4.32	2.29	1.60	25.1	5.06	2.7	0.85	17.0	0.27	8.2
N500029		0.66	492	33.0	200	3.33	2.21	1.27	0.95	17.5	2.61	3.0	0.53	16.0	0.22	4.2
N500030		1.48	116.0	16.6	150	2.11	1.89	0.91	1.02	18.2	2.16	0.5	0.36	6.5	0.14	0.5
*****		*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - B
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 17-AUG-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13135153

Sample Description	Method Analyte Units LOR	ME-MS81 Nd ppm 0.1	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5
N500021		8.9	2.26	8.8	1.90	<1	225	0.1	0.28	1.18	<0.5	0.11	0.28	121	1	8.4
N500022		8.5	2.14	20.8	1.90	<1	216	0.1	0.26	0.83	<0.5	0.13	0.16	134	1	8.3
N500023		14.5	3.06	11.0	3.36	1	203	0.1	0.46	1.87	<0.5	0.22	0.73	200	1	14.1
N500024		17.3	3.87	26.5	4.10	1	409	0.2	0.47	1.56	<0.5	0.24	0.62	223	1	15.9
N500025		32.5	6.76	36.6	7.96	1	454	0.2	0.83	1.66	<0.5	0.28	0.52	576	1	20.7
N500026		27.6	5.47	38.4	7.31	1	429	0.3	0.94	1.64	<0.5	0.30	0.46	535	<1	24.0
N500027		34.4	6.93	36.4	8.38	1	380	0.2	0.94	1.31	<0.5	0.29	0.37	594	1	24.0
N500028		26.7	6.10	370	5.93	17	600	1.8	0.74	2.18	2.2	0.34	1.09	182	1	22.5
N500029		15.3	4.08	57.5	3.09	1	521	0.3	0.40	4.30	<0.5	0.20	1.15	190	1	13.5
N500030		11.4	2.56	16.5	2.61	<1	827	<0.1	0.32	0.36	<0.5	0.13	0.07	366	<1	9.3
██████████		██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████
██████████		██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - C
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 17-AUG-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13135153

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - D
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 17-AUG-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13135153

Sample Description	Method	OA-GRA05	TOT-ICP06	ME-4ACD81	PGM-ICP23	PGM-ICP23										
	Analyte	LOI	Total	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb	Sc	Zn	Au	Pt
	Units	%	%	ppm												
	LOR	0.01	0.01	0.5	5	0.5	1	1	10	1	2	1	2	0.001	0.005	
N500021		2.76	98.85	2.2	<5	<0.5	117	4300	20	<1	794	3	45	65	0.026	0.413
N500022		3.10	98.04	1.9	<5	<0.5	119	2960	30	<1	592	4	45	56	0.016	0.206
N500023		1.73	99.41	0.5	<5	<0.5	74	531	30	<1	355	5	47	68	0.007	0.106
N500024		1.57	98.37	2.0	<5	<0.5	94	2680	40	<1	655	8	38	77	0.026	0.244
N500025		1.89	98.83	<0.5	<5	<0.5	63	154	30	<1	26	7	42	81	0.002	<0.005
N500026		2.09	98.34	<0.5	<5	<0.5	91	346	40	<1	101	6	54	95	0.003	<0.005
N500027		1.53	98.22	<0.5	<5	<0.5	76	105	1	49	7	31	112	0.001	<0.005	
N500028		2.07	98.43	<0.5	<5	<0.5	22	17	480	<1	9	4	14	144	0.001	<0.005
N500029		1.39	98.03	<0.5	<5	<0.5	30	267	40	2	69	14	23	75	0.006	0.022
N500030		1.76	99.79	<0.5	<5	<0.5	45	89	30	1	46	<2	35	95	0.001	<0.005
██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: HTX MINERALS CORPORATION
410 FALCONBRIDGE ROAD, UNIT 5
SUDBURY ON P3A 4S4

Page: 2 - E
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 30-JUN-2013
Account: HTXMIN

CERTIFICATE OF ANALYSIS TB13110331

Sample Description	Method Analyte Units LOR	ME-4ACD81 Mo ppm 1	ME-4ACD81 Ni ppm 1	ME-4ACD81 Pb ppm 2	ME-4ACD81 Sc ppm 1	ME-4ACD81 Zn ppm 2	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001
L064539		<1	43	4	74	80	0.003	<0.005	0.001
L064540		<1	757	9	40	75	0.030	0.169	0.181
L064541		<1	270	<2	49	57	0.001	0.013	0.009
L064542		<1	1270	3	42	62	0.011	0.368	0.327
L064543		<1	708	3	53	60	0.130	0.584	0.701
L064544		<1	79	2	74	72	0.003	<0.005	0.004
L064545		<1	22	5	63	86	0.002	<0.005	0.002
L064546		<1	84	4	66	75	0.002	0.008	0.002
L064547		<1	64	4	72	77	0.002	<0.005	0.001
L064548		<1	195	2	58	59	<0.001	0.008	0.009
L064549		<1	149	3	60	56	0.001	0.006	0.005
██████████		██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████

***** See Appendix Page for comments regarding this certificate *****